



Paul E. Helliker  
Director

Gray Davis  
Governor  
Winston H. Hickox  
Secretary, California  
Environmental  
Protection Agency

## Suggested Permit Conditions for Using 1,3-Dichloropropene Pesticides (Fumigant)

### Overview

**Date established**

June 22, 2001

**Enforcement Letter**

ENF 01-31

**Distribution**

County Agricultural Commissioners

**Referrals**

If you have any questions pertaining to this document, please contact your Senior Pesticide Use Specialist liaison.

**Approval**

original signed by

Scott Paulsen, Chief  
Pesticide Enforcement Branch  
(916) 445-3914

**Background**

This Enforcement Letter supercedes Enforcement Letter ENF 99-004 and ENF 99-041. Some text has been deleted to eliminate duplication of requirements currently stated on the pesticide label and/or in regulations.

Many of these changes address concerns from the county agricultural commissioners (CACs) to clarify requirements; this Enforcement Letter is not intended to remove specifications previously required.

*Continued on next page*

**FLEX YOUR POWER!** *The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web site at <[www.cdpr.ca.gov](http://www.cdpr.ca.gov)>.*

## Overview, Continued

---

### Introduction

These suggested permit conditions apply to use of pesticides containing the active ingredient (a.i.) *1,3-dichloropropene* (1,3-D) when applied by both mechanical soil injection and drip application systems.

In addition to the provisions in the *California Food and Agricultural Code* (FAC) and *Title 3, California Code of Regulations* (3CCR), users shall comply with the 1,3-D product labeling and these suggested permit conditions.

When requirements differ, users shall follow the most stringent requirements.

---

### Prohibited uses

ALL use of 1,3-D in greenhouses is prohibited.

---

### In this document

This document describes the following topics.

Topic	See Page
Overview	1
All Application Methods	3
Mechanical Soil Injection	5
Drip Application Systems	9

---

*Continued on next page*

## All Application Methods

---

### **Township limit for all application methods**

The township (36 square-mile area) limit is necessary to minimize the levels of the amount of 1,3-D in the atmosphere and mitigate the potential for chronic exposure. This township limit is based on the percent of a.i. in different 1,3-D products.

The 1,3-D application rate is determined using a formula expressed as adjusted total pounds (ATP) to ensure that 1,3-D emitted into the atmosphere does not exceed recommended levels. The township limit is necessary to mitigate the potential for chronic exposure to the public.

ATP township limit requirements are as follows:

1. No more than 34,295 ATP shall be applied in January or December of each calendar year within each township.
2. No more than 90,250 ATP shall be applied in a calendar year in each township.

When county or state borders divide the township, the ATP of 1,3-D allowed per calendar year shall be approximately proportional to the area in each political subdivision.

Prior to each application, the permittee shall consult with Dow AgroSciences or their representative to ensure the proposed use does not exceed the ATP of 1,3-D applied in that township within the month or calendar year.

---

### **Notice of intent (NOI)**

- The permittee shall provide to the CAC, a valid recommendation from a pest control adviser before the NOI is accepted and the application allowed.
  - In addition to the information required in 3CCR, section 6434, the following information shall be provided on the NOI:
    1. Application depth and type
    2. The total gallons (TG) of the pesticide formulation;
    3. The pounds per gallon (lbs./gal) of 1,3-D formulation;
    4. The percent by weight of the a.i. expressed as a decimal (.XX);
    5. The total pounds (TP);
    6. The application factor (AF) appropriate for your application; and
    7. The ATP for the proposed application.
- 

*Continued on next page*

## All Application Methods, Continued

---

### **Buffer zones**

- The buffer zone shall be a minimum of 100 feet measured from the perimeter of the application block to any occupied residences, occupied onsite employee housing, schools, convalescent homes, hospitals, or other similar sites identified by the CAC.
  - The buffer zone may extend across roads, highways, or similar rights of way or sites approved by the CAC.
- 

### **Restricted entry interval (REI) for all application methods**

- Entry by any person (including early entry that would otherwise be permitted by the Worker Protection Standard) other than a correctly trained and equipped handler who is performing a handling task permitted on the label, is prohibited from the start of the application until seven (7) days after the application.
  - No person(s) shall enter a treated field prior to the expiration of the REI unless he/she meets the early entry requirements in 3CCR, section 6771, and wears the personal protective equipment required on the label.
- 

*Continued on next page*

# Mechanical Soil Injection

**Mechanical soil injection method** Users shall comply with the following conditions/requirements when applying 1,3-D by mechanical soil injection.

**Determining the application factor when applying by mechanical soil injection** The AF is a predetermined numerical value based on the month, depth of injection, and geographic location of the specific application. The AF values are used in the formula to determine the ATP used during the application.

Use the table below to determine the AF:

<b>IF</b> applying the fumigant...	<b>AND</b> applied in the month(s) of...	<b>AND</b> at depths of...	<b>THEN</b> , use the AF of...
Within the San Joaquin Air Basin <sup>1</sup> →	January or December→	Less than 18 inches→	(Prohibited)
Within the San Joaquin Air Basin→	January or December→	18 inches or deeper→	1.9
Within or outside the San Joaquin Air Basin→	February through November→	Less than 18 inches→	1.9
Within or outside the San Joaquin Air Basin→	February through November→	18 inches or deeper→	1.0
Outside the San Joaquin Air Basin→	January or December→	Less than 18 inches→	2.3

*Continued on next page*

<sup>1</sup> The San Joaquin Air basin consists of Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, and Tulare Counties.

## Mechanical Soil Injection, Continued

---

**Application rates –  
Maximum Gallons Per Acre (M gal/A) when applying by mechanical soil injection**

**To determine the maximum number of gallons per acre of pesticide formulation (M gal/A):**

The gal/A = lbs./A divided by lbs./gal  
Divide lbs./A (228 or 332) by lbs./gal

- Convert percentage of 1,3-D to a decimal (divide XX% by 100 = .XX);
- To find lbs./gal, multiply lbs./gal x .XX = lbs./gal
- **With a tarpaulin**, divide 228 by lbs./gal = gal/A
- **Without a tarpaulin**, divide 332 by lbs./gal = gal/A

Because percentages of a.i. differ in various 1,3-D products, the procedures below describe a method to ensure that the township limit is not exceeded. Additionally, this procedure takes into account percentages of 1,3-D a.i. within different formulated products, allowing more gallons per acre (gal/A) when the product has a lower percentage of 1,3-D or less gal/A if the product has a higher percentage of 1,3-D. The formula follows:

1. The gal/A of pesticide formulation shall be based on the number of pounds per acre (lbs./A) of 1,3-D a.i.
  - a) **With a tarpaulin**, 228 lbs./A a.i. shall be the maximum allowable amount of 1,3-D (228 lbs./A a.i.).
  - b) **Without a tarpaulin**, 332 lbs./A a.i. shall be the maximum allowable amount 1,3-D (332 lbs./A a.i.)
  - c) See pesticide labeling for detailed rate recommendations and rate calculation instructions.
2. Use the following information to calculate the gal/A allowed for each application:
  - a) The pounds per gallon (lbs./gal) for the pesticide formulation;
  - b) The percentage by weight of 1,3-D (XX%) in the pesticide formulation, expressed as a decimal (.XX);
  - c) The pounds of 1,3-D per gallon (1,3-D/gal) for the pesticide formulation; and
  - d) The lbs./A for the application (either 228 or 332).

---

*Continued on next page*

## Mechanical Soil Injection, Continued

**Maximum application rates when applying by mechanical soil injection**

Use the table below to determine the maximum application rate. The pesticide product label states that Telone™ II, Telone™ C17, and Telone™ C35 shall be applied by mechanical soil injection only.

NOTE: See product's label for rate ranges. Do not exceed the maximum rate described by permit conditions.

Calculations	Telone <sup>®</sup> II	Telone <sup>®</sup> C17	Telone <sup>®</sup> C35
(1) Weight/gallon <sup>2</sup>	10.1 lbs.	10.6 lbs.	11.2 lbs.
(2) % 1,3-D/gallon <sup>2</sup>	94%	78.3%	61.1%
(3) Amt. 1,3-D/gallon <sup>3</sup> (3) = (1) x (2) ) 100	9.49 lbs.	8.29 lbs.	6.84 lbs.
<b>Maximum Application Rates</b>			
<b>With a Tarpaulin</b>			
(4) Max. lbs. a.i./Acre	228 lbs. a.i./A	228 lbs. a.i./A	228 lbs. a.i./A
(5) Max. gal/Acre (5) = (4) ) (3)	24.02 gal/A	27.50 gal/A	33.33 gal/A
<b>Without a Tarpaulin</b>			
(6) Max. lbs. a.i./A	332 lbs. a.i./A	332 lbs. a.i./A	332 lbs. a.i./A
(7) Max. gal/A (7) = (6) ) (3)	34.98 gal/A	40.05 gal/A	48.54 gal/A

*Continued on next page*

<sup>2</sup> Information for steps 1 and 2 can be found on the product label.

<sup>3</sup> Information for step 3 may or may not be on the product label, but can be calculated from steps 1 and 2.

Maximum lbs. a.i./Acre in steps 4 and 6 has been predetermined by the Department of Pesticide Regulation.

Maximum gal/A in steps 5 and 7 must be calculated by the applicator.

## Mechanical Soil Injection, Continued

---

**Calculating the ATP of 1,3-D when applying by mechanical soil injection**

The ATP for each application shall be calculated based on the following:

- 1) The TG of the pesticide formulation;
- 2) The pounds per gallon (lbs./gal) for the pesticide formulation;
- 3) The percent by weight (XX%) of 1,3-D in the pesticide formulation, expressed as a decimal (.XX);
- 4) The TP of 1,3-D; and
- 5) The AF as determined above.

The ATP for each application shall be calculated using the following formula:

$$\text{TG} \times \text{lbs./gal} \times (.XX) \times \text{AF}.$$

Convert the 1,3-D percentage by weight (XX%) to a decimal, divide XX% by 100 = .XX

To find the TP, multiply,  $\text{TG} \times \text{lbs./gal} \times (.XX) = \text{TP}$

To find the ATP, multiply,  $\text{TP} \times \text{AF} = \text{ATP}$ .

---

*Continued on next page*



# Drip Application Systems

---

**Drip application method**

Users shall comply with the following conditions/requirements when applying 1,3-D through drip application systems. This section applies to InLine™ and Telone™ EC only.

---

**Application timing and corresponding application factor**

Drip irrigation applications on soil surface or buried drip application shall use an AF of 1.16, regardless of depth.

**Application Time and Area**

- Generally, applications are allowed statewide during the entire year. However, applications shall not occur in the San Joaquin Air Basin during January and December of each calendar year.
- 

**Calculating the ATP of 1,3-D when applying by drip application systems**

The ATP for each application shall be calculated based on the following:

1. The TG of the pesticide formulation;
2. The pounds per gallon (lbs./gal) for the pesticide formulation;
3. The percent by weight (XX%) of 1,3-D in the pesticide formulation, expressed as a decimal (.XX);
4. The TP of 1,3-D; and
5. The application factor (1.16 AF).

The ATP for each application shall be calculated using the following formula:

$$TG \times \text{lbs./gal} \times (.XX) \times 1.16 \text{ AF.}$$

Convert 1,3-D percentage by weight (XX%) to a decimal, divide XX% by 100 = .XX

To find the TP, multiply,  $TG \times \text{lbs./gal} \times (.XX) = TP$

To find the ATP, multiply,  $TP \times 1.16 \text{ AF} = \text{ATP.}$

---

cc: Mr. Paul H. Gosselin, DPR  
Mr. Scott Paulsen, DPR  
Dr. John S. Sanders, DPR  
Mr. Chuck Andrews, DPR  
Mr. Daniel J. Merkley, County Agricultural Commissioner Liaison  
Dr. Bruce Johnson, DPR  
Ms. Nancy Grussing, DPR