

2018 Annual Statewide Pesticide Use Report Indexed by Chemical STANISLAUS County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	Almond	4,142.75	3,029	170,500.47	A
abamectin	Apple	0.96	6	40.94	A
abamectin	Apricot	0.66	7	66.03	A
abamectin	Basil, sweet	2.31	70	115.51	A
abamectin	Bean, dried	146.35	138	9,410.6	A
abamectin	Bean, succulent	10.67	17	861.0	A
abamectin	Cantaloupe	19.59	15	997.0	A
abamectin	Celeriac	0.58	21	28.78	A
abamectin	Cherry	23.28	82	1,017.15	A
abamectin	Chestnut	0.12	1	4.5	A
abamectin	Cilantro	0.96	20	48.17	A
abamectin	Corn, human consumption	3.19	6	185.0	A
abamectin	Dandelion green	0.03	2	1.67	A
abamectin	Garlic	3.0	2	200.0	A
abamectin	Grape	2.06	5	104.5	A
abamectin	Grape, wine	192.85	125	9,197.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	Landscape maintenance	0.11	N/A	N/A	N/A
abamectin	Lettuce, leaf	0.85	28	46.58	A
abamectin	Melon	3.26	4	235.0	A
abamectin	N-grnhs plants in containers	2.24	25	115.05	A
abamectin	N-grnhs plants in containers	0.09	2	8,820.0	S
abamectin	N-grnhs transplants	0.03	N/A	124,236.0	S
abamectin	N-outdr plants in containers	1.6	11	608.75	A
abamectin	N-outdr transplants	1.67	17	99.3	A
abamectin	Nectarine	0.32	9	13.5	A
abamectin	Peach	32.25	108	1,505.15	A
abamectin	Pear	0.5	4	21.23	A
abamectin	Pepper, fruiting	2.29	5	135.0	A
abamectin	Pistachio	0.06	1	2.3	A
abamectin	Plum	1.19	20	51.06	A
abamectin	Prune	0.02	3	0.81	A
abamectin	Pumpkin	7.43	13	389.13	A
abamectin	Rights of way	0.27	1	10.0	A
abamectin	Spinach	0.05	3	2.63	A
abamectin	Stone fruit	0.06	1	8.0	A
abamectin	Structural pest control	0.01	N/A	N/A	N/A
abamectin	Swiss chard	0.69	25	34.71	A
abamectin	Tomato	5.16	5	385.0	A
abamectin	Walnut	552.07	565	21,409.2	A
abamectin	Watermelon	51.81	49	2,624.5	A
abamectin, other related	Structural pest control	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acephate	Almond	552.47	41	575.0	A
acephate	Apricot	23.65	1	64.0	A
acephate	Bean, dried	1,041.48	25	1,586.6	A
acephate	Cherry	17.14	5	19.34	A
acephate	Landscape maintenance	1.42	N/A	N/A	N/A
acephate	N-grnhs plants in containers	4.24	1	2.9	A
acephate	N-outdr plants in containers	174.62	24	352.0	A
acephate	N-outdr transplants	777.49	55	990.84	A
acephate	Peach	116.05	10	134.33	A
acephate	Plum	20.56	7	24.3	A
acephate	Structural pest control	11.07	N/A	N/A	N/A
acequinocyl	Almond	3.21	1	10.0	A
acequinocyl	N-grnhs plants in containers	10.46	17	80.3	A
acequinocyl	N-outdr plants in containers	1.36	2	13.0	A
acequinocyl	N-outdr transplants	2.46	8	23.0	A
acetamiprid	Almond	391.97	81	2,970.87	A
acetamiprid	Apple	44.88	15	374.03	A
acetamiprid	Apricot	0.68	5	6.83	A
acetamiprid	Bok choy	2.48	29	33.37	A
acetamiprid	Cabbage	3.7	29	49.69	A
acetamiprid	Cantaloupe	53.68	11	671.0	A
acetamiprid	Cherry	20.85	15	173.75	A
acetamiprid	Chinese cabbage (nappa)	1.19	11	15.95	A
acetamiprid	Collard	3.57	28	48.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acetamiprid	Dandelion green	0.06	1	0.77	A
acetamiprid	Grape, wine	18.27	5	233.86	A
acetamiprid	Kale	6.13	69	82.31	A
acetamiprid	Kohlrabi	0.43	6	5.8	A
acetamiprid	Lettuce, leaf	4.65	39	62.54	A
acetamiprid	Melon	6.29	2	84.0	A
acetamiprid	Mustard	3.59	46	48.27	A
acetamiprid	Mustard greens	6.87	52	92.3	A
acetamiprid	N-grnhs plants in containers	0.11	1	1.0	A
acetamiprid	N-outdr plants in containers	1.29	5	11.5	A
acetamiprid	N-outdr transplants	10.63	5	81.0	A
acetamiprid	Nectarine	4.24	13	35.3	A
acetamiprid	Parsley	1.59	8	21.44	A
acetamiprid	Peach	58.1	41	487.72	A
acetamiprid	Pear	0.24	1	2.03	A
acetamiprid	Pecan	<0.01	1	0.02	A
acetamiprid	Pepper, fruiting	6.78	3	100.0	A
acetamiprid	Plum	1.2	5	10.0	A
acetamiprid	Pumpkin	2.7	1	36.0	A
acetamiprid	Radicchio	0.02	1	0.29	A
acetamiprid	Spinach	0.78	8	10.51	A
acetamiprid	Structural pest control	1.93	N/A	N/A	N/A
acetamiprid	Swiss chard	4.09	38	54.99	A
acetamiprid	Tomato	26.83	6	426.0	A
acetamiprid	Tomato, processing	34.67	8	503.0	A
acetamiprid	Turnip	3.47	34	46.67	A
acetamiprid	Walnut	1,177.16	287	9,210.73	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acetamiprid	Walnut	0.12	1	43,560.0	S
acetamiprid	Watermelon	40.56	8	460.0	A
acibenzolar-s-methyl	Golf course turf	0.04	N/A	4.0	A
acibenzolar-s-methyl	Landscape maintenance	0.25	N/A	N/A	N/A
acibenzolar-s-methyl	N-outdr transplants	2.83	9	132.0	A
acrolein	Rights of way	23,377.33	N/A	N/A	N/A
acrylic acid	Almond	1,288.43	132	10,276.26	A
acrylic acid	Bean, succulent	2.79	4	80.0	A
acrylic acid	Cherry	4.23	4	73.0	A
acrylic acid	Corn (forage - fodder)	2.18	4	134.0	A
acrylic acid	Pistachio	0.67	2	8.4	A
acrylic acid	Pumpkin	0.56	3	55.0	A
acrylic acid	Rights of way	0.73	1	7.5	A
acrylic acid	Tomato, processing	0.48	1	60.0	A
acrylic acid	Walnut	150.78	69	2,135.5	A
agrobacterium radiobacter	N-outdr transplants	2.71	2	9,000.0	?
agrobacterium radiobacter	N-outdr transplants	0.16	1	1.0	A
alcohols, c12 - c13, ethoxylated	Corn (forage - fodder)	5.52	1	33.0	A
alcohols, c12 - c13, ethoxylated	Walnut	2.29	1	6.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Almond	3.24	19	485.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cherry	1.7	24	420.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	8.43	N/A	N/A	N/A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Rights of way	18.63	N/A	N/A	N/A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Walnut	3.6	22	811.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene) phosphate	Almond	0.41	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkylaryl-omega-hydroxypoly(oxyethylene) phosphate	Peach	0.31	1	8.0	A
alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride	Corn (forage - fodder)	0.7	8	168.5	A
alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride	Structural pest control	0.06	N/A	N/A	N/A
alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Food processing plant	22.77	N/A	4.0	U
alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Water (industrial)	2.07	N/A	1.0	U
alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride	Food processing plant	22.77	N/A	4.0	U
alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride	Water (industrial)	2.07	N/A	1.0	U
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Alfalfa	715.73	91	5,283.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Almond	8,490.04	1,868	81,808.15	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Apple	0.46	3	7.52	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Apricot	41.56	25	417.77	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cherry	130.69	71	774.92	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	567.69	142	6,661.25	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Garlic	3.03	1	100.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape	2.58	6	25.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape, wine	1,155.24	143	6,878.58	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Kiwi	0.61	1	4.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	0.12	4	6.4	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	4.81	9	130.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Nectarine	2.7	23	47.28	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	16.97	8	244.75	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pastureland	2.01	1	53.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peach	187.51	174	2,049.01	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pear	0.12	2	1.62	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pecan	3.46	1	20.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pistachio	5.76	3	19.99	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Plum	1.14	17	23.07	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pluot	0.14	3	3.25	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Prune	0.74	3	7.87	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	6.35	6	46.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	621.92	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tomato	5.66	5	290.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tomato, processing	106.9	35	977.84	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	96.61	6	412.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	2.86	2	19.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Walnut	1,981.02	525	17,395.72	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Watermelon	60.88	9	491.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	62.68	11	834.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	134.27	27	813.1	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Almond	2,100.38	443	11,518.9	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Apricot	3.89	1	27.6	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Bean, dried	13.86	2	177.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cherry	27.47	7	81.29	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	4.85	4	94.25	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Farm/ag building	0.07	1	1.25	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	3.11	2	14.73	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.26	N/A	N/A	N/A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.76	1	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	13.51	5	140.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	0.08	1	1.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pastureland	0.15	2	5,655.0	S
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Peach	14.44	9	26.18	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	0.56	1	2.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	4.36	N/A	N/A	N/A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Tomato, processing	4.22	1	30.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1.97	1	7.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Walnut	335.04	96	1,752.61	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Alfalfa	22.61	3	219.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Almond	170.44	14	774.17	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	0.73	N/A	N/A	N/A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Walnut	27.96	3	30.98	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	510.95	61	2,362.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Almond	24,566.92	706	52,914.77	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Apple	32.15	7	47.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	1,486.26	136	4,314.45	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Grape	1.44	1	10.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	32.67	2	59.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	1,124.62	82	3,394.83	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Pastureland	2.6	2	9.5	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Sudangrass	12.49	6	61.3	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Walnut	1,753.61	89	2,873.95	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Watermelon	3.42	1	10.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Wheat	139.7	14	592.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	492.2	27	808.0	A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Almond	17.67	13	729.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	0.09	N/A	N/A	N/A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Walnut	3.47	3	30.98	A
alpha-pinene beta-pinene copolymer	Alfalfa	7.9	1	47.0	A
alpha-pinene beta-pinene copolymer	Almond	1,528.56	284	10,121.88	A
alpha-pinene beta-pinene copolymer	Apple	9.83	12	30.0	A
alpha-pinene beta-pinene copolymer	Apricot	16.85	9	324.25	A
alpha-pinene beta-pinene copolymer	Bean, dried	15.31	3	175.0	A
alpha-pinene beta-pinene copolymer	Cantaloupe	4.42	1	80.0	A
alpha-pinene beta-pinene copolymer	Cherry	33.87	28	408.85	A
alpha-pinene beta-pinene copolymer	Corn (forage - fodder)	18.71	7	194.75	A
alpha-pinene beta-pinene copolymer	Garlic	6.29	1	75.0	A
alpha-pinene beta-pinene copolymer	Grape	38.45	10	387.0	A
alpha-pinene beta-pinene copolymer	Grape, wine	32.91	16	565.61	A
alpha-pinene beta-pinene copolymer	N-outdr plants in containers	1.22	1	22.0	A
alpha-pinene beta-pinene copolymer	Nectarine	23.44	19	78.4	A
alpha-pinene beta-pinene copolymer	Olive	13.83	4	189.0	A
alpha-pinene beta-pinene copolymer	Peach	249.66	61	983.46	A
alpha-pinene beta-pinene copolymer	Pepper, fruiting	4.15	1	75.0	A
alpha-pinene beta-pinene copolymer	Plum	2.73	2	8.0	A
alpha-pinene beta-pinene copolymer	Rangeland	5.05	1	100.0	A
alpha-pinene beta-pinene copolymer	Soil fumigation/preplant	9.37	3	190.0	A
alpha-pinene beta-pinene copolymer	Tomato, processing	2.53	1	14.88	A
alpha-pinene beta-pinene copolymer	Walnut	453.75	79	2,271.42	A
alpha-pinene beta-pinene copolymer	Watermelon	158.71	14	961.0	A
alpha-pinene beta-pinene copolymer	Wheat (forage - fodder)	0.95	2	50.0	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Almond	134.35	42	2,257.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	8.47	1	55.0	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Garlic	4.93	2	85.0	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	79.79	10	296.06	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	6.47	2	84.0	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	0.53	2	18.0	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	9.77	3	38.0	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Walnut	111.7	30	326.19	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	6.31	2	88.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Walnut	4.21	1	33.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Alfalfa	0.25	2	186.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Almond	129.96	21	1,584.19	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Corn (forage - fodder)	0.6	6	439.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Grape	0.02	1	8.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Grape, wine	7.74	52	2,063.94	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Oat (forage - fodder)	0.08	3	177.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Pistachio	1.73	2	18.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	0.23	1	2.0	A
alkyl (c8,c10) polyglucoside	Alfalfa	463.73	71	2,882.15	A
alkyl (c8,c10) polyglucoside	Almond	1,215.18	252	7,127.28	A
alkyl (c8,c10) polyglucoside	Cherry	44.82	4	14.0	A
alkyl (c8,c10) polyglucoside	Corn (forage - fodder)	1,116.81	236	8,523.3	A
alkyl (c8,c10) polyglucoside	Forage hay/silage	0.67	1	18.0	A
alkyl (c8,c10) polyglucoside	Grape, wine	224.45	14	495.19	A
alkyl (c8,c10) polyglucoside	Landscape maintenance	43.53	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	N-outdr transplants	83.06	5	79.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alkyl (c8,c10) polyglucoside	Oat (forage - fodder)	741.84	54	1,190.2	A
alkyl (c8,c10) polyglucoside	Olive	85.87	3	54.0	A
alkyl (c8,c10) polyglucoside	Peach	189.7	24	216.57	A
alkyl (c8,c10) polyglucoside	Plum	40.99	3	28.5	A
alkyl (c8,c10) polyglucoside	Pumpkin	0.91	1	56.0	A
alkyl (c8,c10) polyglucoside	Rights of way	46.1	11	102.0	A
alkyl (c8,c10) polyglucoside	Rights of way	50.99	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Ryegrass	11.13	1	17.0	A
alkyl (c8,c10) polyglucoside	Sorghum (forage - fodder)	1.35	1	16.0	A
alkyl (c8,c10) polyglucoside	Sudangrass	18.46	4	135.5	A
alkyl (c8,c10) polyglucoside	Tomato, processing	10.09	4	142.0	A
alkyl (c8,c10) polyglucoside	Uncultivated ag	3.14	2	19.0	A
alkyl (c8,c10) polyglucoside	Walnut	507.85	47	695.14	A
alkyl (c8,c10) polyglucoside	Watermelon	49.18	26	1,225.5	A
alkyl (c8,c10) polyglucoside	Wheat (forage - fodder)	818.87	31	1,254.0	A
allethrin	Apricot	0.26	1	16.0	A
d-trans allethrin	Animal premise	0.01	N/A	2.0	U
d-trans allethrin	Structural pest control	0.09	N/A	N/A	N/A
allyloxypolyethylene glycol acetate	Almond	47.49	27	1,449.33	A
allyloxypolyethylene glycol acetate	Cherry	1.41	4	70.0	A
allyloxypolyethylene glycol acetate	Grape, wine	57.86	19	400.5	A
allyloxypolyethylene glycol acetate	Rights of way	0.06	N/A	N/A	N/A
allyloxypolyethylene glycol acetate	Walnut	53.06	21	1,350.95	A
aluminum phosphide	Alfalfa	1.98	1	40.0	A
aluminum phosphide	Almond	316.02	122	8,647.0	A
aluminum phosphide	Almond	1.17	N/A	400,000.0	C
aluminum phosphide	Almond	6.08	15	5,144.8	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aluminum phosphide	Bean, dried	1.0	1	80.0	A
aluminum phosphide	Bean, dried	4.02	N/A	36,880.0	C
aluminum phosphide	Beehive	40.88	N/A	24,000.0	C
aluminum phosphide	Commodity fumigation	10.3	39	170,935.2	C
aluminum phosphide	Commodity fumigation	2,547.55	N/A	N/A	N/A
aluminum phosphide	Fumigation, other	24.42	N/A	N/A	N/A
aluminum phosphide	Golf course turf	7.2	N/A	280.0	A
aluminum phosphide	Grape, wine	49.43	10	432.72	A
aluminum phosphide	Landscape maintenance	144.85	N/A	N/A	N/A
aluminum phosphide	Pastureland	0.39	8	80.0	A
aluminum phosphide	Peach	24.31	7	205.0	A
aluminum phosphide	Rights of way	81.82	N/A	N/A	N/A
aluminum phosphide	Vertebrate control	0.77	N/A	N/A	N/A
aluminum phosphide	Walnut	29.36	22	347.0	A
aluminum phosphide	Walnut	12.92	20	1,085.0	U
aluminum phosphide	Wheat	0.66	6	114.0	A
aminocyclopyrachlor	Rights of way	22.84	N/A	N/A	N/A
aminocyclopyrachlor, potassium salt	Rights of way	49.55	N/A	N/A	N/A
amino ethoxy vinyl glycine hydrochloride	Almond	58.06	14	566.5	A
amino ethoxy vinyl glycine hydrochloride	Walnut	210.93	53	1,977.3	A
aminopyralid, triisopropanolamine salt	Landscape maintenance	106.63	N/A	N/A	N/A
aminopyralid, triisopropanolamine salt	N-outdr transplants	0.9	1	4.0	A
aminopyralid, triisopropanolamine salt	Pastureland	0.61	1	5.5	A
aminopyralid, triisopropanolamine salt	Rangeland	14.46	1	100.0	A
aminopyralid, triisopropanolamine salt	Rights of way	57.49	6	274.0	A
aminopyralid, triisopropanolamine salt	Rights of way	430.35	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aminopyralid, triisopropanolamine salt	Structural pest control	1.89	N/A	N/A	N/A
4-aminopyridine	Structural pest control	0.18	N/A	N/A	N/A
amitraz	Beehive	8.81	N/A	400.0	A
amitraz	Beehive	0.51	2	137.0	U
ammonium citrate	Grape, wine	1.62	1	9.14	A
ammonium nitrate	Alfalfa	32.9	52	3,379.5	A
ammonium nitrate	Almond	1,604.32	648	23,807.44	A
ammonium nitrate	Corn (forage - fodder)	38.86	72	4,131.5	A
ammonium nitrate	Grape, wine	107.65	28	579.37	A
ammonium nitrate	Oat (forage - fodder)	2.98	5	222.0	A
ammonium nitrate	Peach	2.5	25	180.45	A
ammonium nitrate	Pistachio	17.21	5	37.99	A
ammonium nitrate	Prune	0.09	1	7.63	A
ammonium nitrate	Rights of way	2.56	5	13.0	A
ammonium nitrate	Rights of way	1.78	N/A	N/A	N/A
ammonium nitrate	Uncultivated non-ag	0.37	2	19.0	A
ammonium nitrate	Walnut	48.82	78	1,830.79	A
ammonium nitrate	Wheat (forage - fodder)	8.09	11	834.0	A
ammonium propionate	Alfalfa	46.06	7	247.2	A
ammonium propionate	Almond	5,656.91	838	22,280.41	A
ammonium propionate	Apricot	10.03	5	74.5	A
ammonium propionate	Bean, dried	7.54	1	80.0	A
ammonium propionate	Cherry	11.48	4	64.54	A
ammonium propionate	Corn (forage - fodder)	120.1	12	994.25	A
ammonium propionate	Corn, human consumption	4.71	1	25.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium propionate	Farm/ag building	0.24	1	1.25	A
ammonium propionate	Grape, wine	2.34	5	30.0	A
ammonium propionate	Landscape maintenance	401.98	N/A	N/A	N/A
ammonium propionate	N-outdr plants in containers	48.79	19	472.0	A
ammonium propionate	Nectarine	0.71	2	7.0	A
ammonium propionate	Olive	115.02	5	610.0	A
ammonium propionate	Peach	33.1	16	229.9	A
ammonium propionate	Plum	0.09	1	0.75	A
ammonium propionate	Rights of way	29.58	7	153.0	A
ammonium propionate	Rights of way	31.28	N/A	N/A	N/A
ammonium propionate	Soil fumigation/preplant	26.4	1	140.0	A
ammonium propionate	Stone fruit	51.62	21	643.0	A
ammonium propionate	Tomato	9.31	1	79.0	A
ammonium propionate	Tomato, processing	24.98	2	265.0	A
ammonium propionate	Uncultivated ag	43.37	2	380.0	A
ammonium propionate	Walnut	850.93	285	5,443.33	A
ammonium propionate	Wheat (forage - fodder)	18.95	3	166.0	A
ammonium sulfate	Alfalfa	4,359.36	180	8,492.65	A
ammonium sulfate	Almond	28,831.23	3,079	88,007.79	A
ammonium sulfate	Apple	61.16	23	370.71	A
ammonium sulfate	Apricot	56.09	27	374.97	A
ammonium sulfate	Bean, dried	32.69	3	178.0	A
ammonium sulfate	Cherry	209.11	79	796.72	A
ammonium sulfate	Corn (forage - fodder)	9,838.6	405	16,711.53	A
ammonium sulfate	Corn, human consumption	1.18	1	25.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium sulfate	Farm/ag building	0.06	1	1.25	A
ammonium sulfate	Forage hay/silage	5.33	1	18.0	A
ammonium sulfate	Garlic	16.69	2	85.0	A
ammonium sulfate	Grape	10.47	3	134.0	A
ammonium sulfate	Grape, wine	1,022.34	137	3,677.23	A
ammonium sulfate	Landscape maintenance	108.87	N/A	N/A	N/A
ammonium sulfate	N-outdr plants in containers	108.38	24	568.5	A
ammonium sulfate	N-outdr transplants	83.06	5	79.5	A
ammonium sulfate	Nectarine	10.4	14	18.88	A
ammonium sulfate	Oat (forage - fodder)	926.92	68	2,025.95	A
ammonium sulfate	Olive	139.07	8	664.0	A
ammonium sulfate	Pastureland	5.07	2	35.72	A
ammonium sulfate	Pastureland	2.13	11	47,850.0	S
ammonium sulfate	Peach	666.49	174	1,276.55	A
ammonium sulfate	Pear	4.54	4	3.83	A
ammonium sulfate	Pecan	18.86	1	16.0	A
ammonium sulfate	Pistachio	366.53	13	327.5	A
ammonium sulfate	Plum	64.12	18	37.69	A
ammonium sulfate	Prune	3.98	6	8.9	A
ammonium sulfate	Pumpkin	7.21	1	56.0	A
ammonium sulfate	Rights of way	276.42	33	439.71	A
ammonium sulfate	Rights of way	218.13	N/A	N/A	N/A
ammonium sulfate	Ryegrass	11.13	1	17.0	A
ammonium sulfate	Soil fumigation/preplant	17.85	2	215.0	A
ammonium sulfate	Sorghum (forage - fodder)	10.66	1	16.0	A
ammonium sulfate	Stone fruit	12.9	21	643.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium sulfate	Sudangrass	145.99	4	135.5	A
ammonium sulfate	Tomato	2.33	1	79.0	A
ammonium sulfate	Tomato, processing	95.9	6	414.0	A
ammonium sulfate	Triticale	14.89	4	393.0	A
ammonium sulfate	Uncultivated ag	310.9	18	1,162.4	A
ammonium sulfate	Uncultivated non-ag	9.12	2	19.0	A
ammonium sulfate	Vegetable	0.17	1	0.25	A
ammonium sulfate	Walnut	4,389.0	737	14,056.16	A
ammonium sulfate	Watermelon	4.13	1	70.0	A
ammonium sulfate	Wheat (forage - fodder)	1,304.58	70	3,441.4	A
aromatic 200	Alfalfa	45.81	1	60.0	A
aromatic 200	Almond	4,090.09	131	6,847.7	A
aromatic 200	Grape, wine	289.47	18	282.01	A
aromatic 200	Pistachio	16.86	4	41.11	A
aromatic 200	Potato	144.29	4	165.0	A
aromatic 200	Rights of way	27.17	2	25.71	A
aromatic 200	Walnut	1,419.21	53	1,813.87	A
aspergillus flavus strain af36	Pistachio	0.02	8	282.0	A
aureobasidium pullulans strain dsm 14940	Almond	12.0	2	60.0	A
aureobasidium pullulans strain dsm 14940	Apricot	48.0	15	192.0	A
aureobasidium pullulans strain dsm 14940	Cherry	6.25	2	25.0	A
aureobasidium pullulans strain dsm 14941	Almond	12.0	2	60.0	A
aureobasidium pullulans strain dsm 14941	Apricot	48.0	15	192.0	A
aureobasidium pullulans strain dsm 14941	Cherry	6.25	2	25.0	A
azadirachtin	Almond	75.64	175	2,233.0	A
azadirachtin	Apple	0.03	2	2.0	A
azadirachtin	Broccoli	5.97	9	423.0	A
azadirachtin	Broccoli	<0.01	3	210.0	S
azadirachtin	Cabbage	<0.01	3	210.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Cantaloupe	<0.01	2	200.0	S
azadirachtin	Cucumber	<0.01	4	650.0	S
azadirachtin	Kale	<0.01	3	210.0	S
azadirachtin	Landscape maintenance	0.01	N/A	N/A	N/A
azadirachtin	Melon	<0.01	4	2,000.0	S
azadirachtin	N-grnhs plants in containers	0.23	2	11,760.0	S
azadirachtin	Okra	<0.01	3	300.0	S
azadirachtin	Peach	0.93	4	28.0	A
azadirachtin	Pecan	<0.01	1	0.02	A
azadirachtin	Squash, summer	<0.01	4	1,600.0	S
azadirachtin	Squash, winter	<0.01	4	2,000.0	S
azoxystrobin	Almond	20,998.97	1,954	107,417.87	A
azoxystrobin	Apricot	34.7	14	180.41	A
azoxystrobin	Basil, sweet	48.41	119	198.63	A
azoxystrobin	Beet	54.68	134	227.11	A
azoxystrobin	Bok choy	13.25	49	54.39	A
azoxystrobin	Broccoli	473.24	10	727.0	A
azoxystrobin	Cabbage	9.43	30	38.68	A
azoxystrobin	Cantaloupe	44.13	3	253.0	A
azoxystrobin	Celeriac	21.83	59	89.7	A
azoxystrobin	Cherry	8.89	5	43.21	A
azoxystrobin	Chinese cabbage (nappa)	11.34	30	47.33	A
azoxystrobin	Cilantro	60.01	120	246.16	A
azoxystrobin	Collard	13.38	31	56.19	A
azoxystrobin	Daikon	0.9	6	3.7	A
azoxystrobin	Dandelion green	10.52	45	43.13	A
azoxystrobin	Endive (escarole)	2.81	20	11.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Garlic	316.78	21	1,709.0	A
azoxystrobin	Golf course turf	3.95	N/A	10.0	A
azoxystrobin	Grape	1.42	2	8.5	A
azoxystrobin	Grape, wine	12.94	4	70.93	A
azoxystrobin	Kale	18.68	65	77.18	A
azoxystrobin	Kohlrabi	4.4	21	18.09	A
azoxystrobin	Landscape maintenance	23.0	N/A	N/A	N/A
azoxystrobin	Leek	0.73	2	3.01	A
azoxystrobin	Lettuce, leaf	54.93	140	226.53	A
azoxystrobin	Mustard	7.57	32	31.51	A
azoxystrobin	Mustard greens	16.0	38	66.33	A
azoxystrobin	N-grnhs transplants	3.09	4	400.0	A
azoxystrobin	N-grnhs transplants	0.7	N/A	62,208.0	S
azoxystrobin	N-outdr plants in containers	0.91	2	180.6	A
azoxystrobin	N-outdr transplants	16.82	7	67.25	A
azoxystrobin	Nectarine	1.06	7	5.07	A
azoxystrobin	Parsley	157.03	314	644.3	A
azoxystrobin	Peach	206.4	91	1,053.49	A
azoxystrobin	Pepper, fruiting	25.03	2	150.0	A
azoxystrobin	Pistachio	29.42	6	159.0	A
azoxystrobin	Plum	1.36	9	6.51	A
azoxystrobin	Potato	4.56	1	25.0	A
azoxystrobin	Prune	0.17	3	0.81	A
azoxystrobin	Pumpkin	21.77	5	127.0	A
azoxystrobin	Radicchio	0.76	7	3.13	A
azoxystrobin	Spinach	5.49	20	22.53	A
azoxystrobin	Swiss chard	110.17	322	457.32	A
azoxystrobin	Tomato	50.83	10	487.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Tomato, processing	544.49	78	5,165.0	A
azoxystrobin	Turnip	7.71	26	31.66	A
azoxystrobin	Walnut	842.09	136	4,618.5	A
azoxystrobin	Watermelon	176.62	13	1,000.0	A
bacillus amyloliquefaciens strain d747	Almond	4.41	1	1.0	A
bacillus amyloliquefaciens strain d747	Apricot	26.43	2	6.0	A
bacillus amyloliquefaciens strain d747	Cherry	13.22	1	3.0	A
bacillus amyloliquefaciens strain d747	Grape, wine	2,228.38	7	505.8	A
bacillus amyloliquefaciens strain d747	Nectarine	26.43	2	6.0	A
bacillus amyloliquefaciens strain d747	Peach	26.43	2	6.0	A
bacillus amyloliquefaciens strain d747	Plum	26.43	2	6.0	A
bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins	Public health	261.77	N/A	N/A	N/A
bacillus subtilis gb03	N-outdr transplants	0.03	3	40.0	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Basil, sweet	69.99	40	69.17	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Beet	127.48	57	120.8	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Bok choy	160.14	123	150.29	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Cabbage	502.01	315	496.24	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Celeriac	65.79	56	61.04	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Chinese cabbage (nappa)	135.31	73	126.86	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Cilantro	146.37	67	135.45	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Collard	335.03	198	322.85	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Daikon	1.53	4	2.26	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Dandelion green	41.1	40	38.4	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Endive (escarole)	15.26	24	14.16	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Kale	351.31	281	340.07	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Kohlrabi	57.72	44	54.54	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Lettuce, leaf	228.29	124	211.33	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Mustard	65.78	44	61.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Mustard greens	122.81	56	115.87	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Parsley	222.88	109	212.91	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Radicchio	7.82	16	7.4	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Spinach	75.62	46	70.74	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Swiss chard	538.27	344	506.84	A
bacillus thuringiensis, subsp. aizawai, strain abts-1857	Turnip	76.3	53	70.64	A
bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14	Public health	165.99	N/A	N/A	N/A
bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14	Structural pest control	<0.01	N/A	N/A	N/A
bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs plants in containers	13.69	1	7.0	A
bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-grnhs plants in containers	328.34	199	938,717.0	S
bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-outdr plants in containers	1.56	1	5,832.0	S
bacillus thuringiensis, subsp. israelensis, strain am 65-52	N-outdr transplants	10.95	3	53,634.0	S
bacillus thuringiensis, subsp. israelensis, strain am 65-52	Public health	766.0	N/A	N/A	N/A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Alfalfa	56.7	1	70.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Almond	660.42	23	1,864.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Apricot	0.81	1	0.75	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Beet	16.76	21	31.06	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Beet	0.03	2	500.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Bok choy	24.01	29	44.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Broccoli	583.88	17	787.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Broccoli	0.1	6	1,540.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cabbage	47.54	61	88.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cabbage	0.1	6	1,540.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cauliflower	0.01	2	150.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Celeriac	1.09	2	2.02	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cherry	8.64	3	15.5	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Chinese cabbage (nappa)	13.87	17	25.68	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cilantro	6.97	8	12.91	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Collard	12.84	12	23.79	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Corn, human consumption	288.9	7	289.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Cucumber	0.02	2	400.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Dandelion green	2.43	3	4.5	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Endive (escarole)	6.37	20	10.5	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Kale	25.56	36	47.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Kale	0.1	6	1,190.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Kohlrabi	11.63	11	21.49	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Lettuce, leaf	26.98	28	49.93	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Mustard	9.72	12	17.97	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Mustard greens	15.29	17	28.31	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr plants in containers	18.36	3	295.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	N-outdr transplants	123.12	7	114.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Nectarine	5.4	4	5.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Okra	0.01	2	200.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Parsley	32.23	31	59.66	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Peach	113.4	27	196.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Pepper, fruiting	0.03	2	600.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Plum	9.18	3	17.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Radicchio	1.41	5	2.61	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Radish	0.02	3	300.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Spinach	2.9	2	3.32	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Squash, summer	0.06	2	1,000.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Squash, zucchini	25.11	1	31.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Stone fruit	30.24	1	78.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Swiss chard	28.09	43	51.99	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Swiss chard	<0.01	1	70.0	S
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Tomato, processing	56.7	2	70.0	A
bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles	Turnip	2.28	4	4.21	A
bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Almond	56.1	4	66.0	A
bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-grnhs transplants	10.54	6	600.0	A
bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-outdr plants in containers	91.8	1	72.0	A
bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Stone fruit	112.2	2	88.0	A
bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12	Landscape maintenance	0.13	N/A	N/A	N/A
beauveria bassiana hf 23	Animal premise	15.24	N/A	30.0	U
bensulide	Bok choy	608.61	85	102.32	A
bensulide	Cabbage	796.37	79	133.8	A
bensulide	Chinese cabbage (nappa)	316.62	33	53.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bensulide	Collard	726.18	65	122.09	A
bensulide	Dandelion green	102.58	17	17.23	A
bensulide	Endive (escarole)	128.35	38	21.6	A
bensulide	Fennel	28.52	8	4.8	A
bensulide	Kale	708.51	96	119.1	A
bensulide	Kohlrabi	197.27	35	33.18	A
bensulide	Lettuce, leaf	2,197.35	222	369.3	A
bensulide	Mustard	302.12	47	50.78	A
bensulide	Mustard greens	543.86	54	91.41	A
bensulide	Parsley	753.62	63	126.67	A
bensulide	Radicchio	13.73	5	2.31	A
benzoic acid	Alfalfa	19.65	64	3,193.5	A
benzoic acid	Almond	167.59	601	24,304.04	A
benzoic acid	Apricot	0.02	1	3.89	A
benzoic acid	Bean, dried	0.62	2	109.2	A
benzoic acid	Corn (forage - fodder)	33.67	103	5,392.5	A
benzoic acid	Grape, wine	2.7	25	292.64	A
benzoic acid	Oat (forage - fodder)	3.29	21	655.75	A
benzoic acid	Peach	0.56	13	70.58	A
benzoic acid	Prune	0.04	1	7.63	A
benzoic acid	Rights of way	0.06	3	10.0	A
benzoic acid	Rights of way	0.48	N/A	N/A	N/A
benzoic acid	Sudangrass	0.82	3	145.0	A
benzoic acid	Triticale	0.19	1	34.0	A
benzoic acid	Uncultivated non-ag	0.12	3	21.5	A
benzoic acid	Walnut	6.67	53	1,223.74	A
benzoic acid	Wheat	0.37	2	65.0	A
benzoic acid	Wheat (forage - fodder)	15.29	41	3,076.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bifenazate	Almond	11,316.45	364	18,129.24	A
bifenazate	Apple	65.91	4	132.03	A
bifenazate	Apricot	24.14	8	48.22	A
bifenazate	Cherry	208.98	25	422.71	A
bifenazate	Grape, wine	904.86	31	1,825.36	A
bifenazate	N-grnhs plants in containers	67.63	27	117.05	A
bifenazate	N-grnhs transplants	0.55	N/A	124,236.0	S
bifenazate	N-outdr plants in containers	2.09	4	7.25	A
bifenazate	N-outdr transplants	178.86	36	360.21	A
bifenazate	Nectarine	2.37	6	4.75	A
bifenazate	Peach	103.21	30	207.38	A
bifenazate	Pear	1.0	1	2.03	A
bifenazate	Pistachio	24.21	2	32.3	A
bifenazate	Plum	12.53	13	25.08	A
bifenazate	Prune	0.4	3	0.81	A
bifenazate	Stone fruit	27.97	1	78.0	A
bifenazate	Strawberry	5.5	5	19.0	A
bifenazate	Walnut	5,183.52	209	8,001.66	A
bifenazate	Watermelon	415.19	17	865.0	A
bifenthrin	Almond	18,522.14	1,802	117,407.48	A
bifenthrin	Bean, dried	160.39	22	1,640.6	A
bifenthrin	Bean, succulent	4.01	2	40.0	A
bifenthrin	Beet	2.09	10	20.85	A
bifenthrin	Cantaloupe	24.04	3	240.0	A
bifenthrin	Cilantro	3.97	18	39.68	A
bifenthrin	Corn (forage - fodder)	381.34	85	5,279.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bifenthrin	Corn, human consumption	34.6	11	345.0	A
bifenthrin	Landscape maintenance	14.89	N/A	N/A	N/A
bifenthrin	Melon	29.3	7	293.0	A
bifenthrin	N-grnhs plants in containers	0.47	4	3.25	A
bifenthrin	N-grnhs transplants	0.14	N/A	99,054.0	S
bifenthrin	N-outdr plants in containers	13.49	26	646.5	A
bifenthrin	N-outdr transplants	19.92	11	276.44	A
bifenthrin	Pepper, fruiting	5.01	2	50.0	A
bifenthrin	Pistachio	11.02	8	101.4	A
bifenthrin	Pumpkin	19.36	8	193.13	A
bifenthrin	Regulatory pest control	2.1	N/A	N/A	N/A
bifenthrin	Structural pest control	5,544.91	N/A	N/A	N/A
bifenthrin	Sweet potato	10.02	2	100.0	A
bifenthrin	Tomato	34.89	5	364.0	A
bifenthrin	Tomato, processing	180.86	34	1,891.24	A
bifenthrin	Walnut	3,295.82	544	21,343.55	A
bifenthrin	Watermelon	84.56	14	844.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Alfalfa	59.53	42	2,200.5	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Almond	12,803.87	3,261	130,403.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Apple	8.68	8	49.47	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Apricot	271.48	121	3,915.01	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bean, dried	571.47	67	4,492.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	22.88	8	642.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cantaloupe	61.94	14	926.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cherry	232.77	199	2,813.4	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Corn (forage - fodder)	196.08	136	5,177.3	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Corn, human consumption	4.56	1	64.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Garlic	20.38	5	472.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape	27.48	22	702.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape, wine	159.8	59	2,683.23	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-grnhs plants in containers	3.04	1	3.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-grnhs transplants	0.08	1	100.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-grnhs transplants	0.4	N/A	124,236.0	S
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-outdr flower	1.71	1	12.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-outdr plants in containers	18.7	6	105.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-outdr transplants	67.62	29	372.05	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Nectarine	15.94	54	137.35	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Oat (forage - fodder)	2.37	8	278.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Olive	0.32	1	55.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pastureland	<0.01	1	30.72	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pastureland	0.04	17	72,210.0	S
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Peach	438.39	282	3,748.14	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pear	3.78	5	23.26	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pepper, fruiting	12.48	7	380.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pistachio	37.49	19	522.68	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Plum	12.1	42	87.04	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pluot	0.13	3	3.25	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Potato	25.9	4	165.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Prune	0.47	7	1.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pumpkin	1.03	2	12.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights of way	17.71	22	572.21	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights of way	14.87	N/A	N/A	N/A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Stone fruit	15.53	10	292.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Sweet potato	12.79	6	180.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Tomato, processing	10.09	3	180.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated ag	1.12	3	196.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Walnut	2,656.69	794	19,850.67	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Watermelon	53.59	14	982.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Wheat (forage - fodder)	0.11	1	28.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Alfalfa	9.49	2	140.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Almond	17.11	1	40.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Cherry	762.64	1	61.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Oat (forage - fodder)	41.2	7	674.0	A
borax	N-outdr transplants	1.05	1	16.0	A
borax	Rights of way	12.48	N/A	N/A	N/A
borax	Structural pest control	0.86	N/A	N/A	N/A
borax	Walnut	1.68	1	160.0	A
boric acid	Animal premise	14,816.0	21	1,696,000.0	S
boric acid	Animal premise	144,640.0	N/A	77.0	U
boric acid	Landscape maintenance	25.1	N/A	N/A	N/A
boric acid	Regulatory pest control	0.25	N/A	N/A	N/A
boric acid	Structural pest control	600.04	N/A	N/A	N/A
boscalid	Almond	3,775.89	501	20,104.9	A
boscalid	Apple	2.28	1	10.0	A
boscalid	Apricot	40.31	10	217.33	A
boscalid	Cherry	109.79	41	581.0	A
boscalid	Grape	0.95	1	5.0	A
boscalid	Grape, wine	985.58	75	4,197.68	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
boscalid	Landscape maintenance	1.93	N/A	N/A	N/A
boscalid	Lettuce, leaf	40.61	60	84.38	A
boscalid	Melon	2.68	1	10.0	A
boscalid	N-grnhs plants in containers	27.4	28	109.4	A
boscalid	N-grnhs plants in containers	<0.01	1	1,080.0	S
boscalid	N-outdr flower	0.13	1	0.33	A
boscalid	N-outdr plants in containers	24.53	9	688.0	A
boscalid	N-outdr transplants	7.1	11	33.5	A
boscalid	Nectarine	8.71	13	45.5	A
boscalid	Peach	82.0	45	456.31	A
boscalid	Pistachio	6.75	5	35.4	A
boscalid	Plum	4.47	7	23.0	A
boscalid	Pumpkin	2.68	2	10.0	A
boscalid	Walnut	662.68	60	3,393.6	A
boscalid	Watermelon	411.64	30	1,456.5	A
brodifacoum	Animal premise	<0.01	N/A	132,000.0	S
brodifacoum	Animal premise	0.01	N/A	7.0	U
brodifacoum	Buildings/non-ag outdoor	4.57	N/A	79.0	U
brodifacoum	Farm/ag building	<0.01	N/A	1.0	A
brodifacoum	Farm/ag building	0.12	N/A	62.0	U
brodifacoum	Structural pest control	0.05	N/A	N/A	N/A
bromacil	Almond	0.12	5	22.5	A
bromacil	Landscape maintenance	1.13	N/A	N/A	N/A
bromacil	Rights of way	21.2	2	15.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bromacil	Rights of way	21.2	N/A	N/A	N/A
bromadiolone	Almond	<0.01	N/A	2.0	A
bromadiolone	Animal premise	0.01	N/A	108.0	U
bromadiolone	Buildings/non-ag outdoor	0.02	N/A	16.0	U
bromadiolone	County ag comm	<0.01	N/A	N/A	N/A
bromadiolone	Farm/ag building	<0.01	N/A	840,000.0	S
bromadiolone	Farm/ag building	0.07	N/A	22.0	U
bromadiolone	Food processing plant	0.02	N/A	1,344,000.0	S
bromadiolone	Industrial site	<0.01	1	1,000.0	S
bromadiolone	Regulatory pest control	<0.01	N/A	N/A	N/A
bromadiolone	Structural pest control	0.3	N/A	N/A	N/A
bromadiolone	Vertebrate control	0.02	N/A	N/A	N/A
bromethalin	Animal burrows	<0.01	N/A	3.0	A
bromethalin	Animal premise	0.02	N/A	11.0	A
bromethalin	Animal premise	0.28	N/A	5,414,442.0	C
bromethalin	Animal premise	0.19	N/A	3,699,444.0	S
bromethalin	Animal premise	<0.01	N/A	245,850.0	U
bromethalin	Buildings/non-ag outdoor	0.05	N/A	30.0	U
bromethalin	Landscape maintenance	<0.01	N/A	N/A	N/A
bromethalin	Structural pest control	0.02	N/A	N/A	N/A
bromethalin	Vertebrate control	0.01	N/A	N/A	N/A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (industrial)	1,314.59	N/A	145.0	U
bromoxynil heptanoate	Alfalfa	48.2	4	211.0	A
bromoxynil heptanoate	Garlic	29.24	2	85.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bromoxynil heptanoate	Oat (forage - fodder)	41.29	1	120.0	A
bromoxynil heptanoate	Wheat (forage - fodder)	7.57	1	22.0	A
bromoxynil octanoate	Alfalfa	263.7	16	809.2	A
bromoxynil octanoate	Garlic	30.32	2	85.0	A
bromoxynil octanoate	Oat (forage - fodder)	42.82	1	120.0	A
bromoxynil octanoate	Sorghum (forage - fodder)	8.57	1	16.0	A
bromoxynil octanoate	Turf/sod	20.58	1	29.0	A
bromoxynil octanoate	Wheat (forage - fodder)	7.85	1	22.0	A
buprofezin	Almond	639.98	9	426.0	A
buprofezin	N-grnhs plants in containers	0.66	2	1.25	A
buprofezin	N-outdr plants in containers	27.96	23	57.0	A
buprofezin	N-outdr transplants	3.68	2	8.0	A
buprofezin	Walnut	2,017.11	19	1,306.0	A
burkholderia sp strain a396 cells and fermentation media	Corn, human consumption	1,817.63	6	210.0	A
2-butoxyethanol	Almond	133.54	231	8,443.64	A
2-butoxyethanol	Cherry	9.3	3	24.0	A
2-butoxyethanol	Corn (forage - fodder)	1.47	1	85.0	A
2-butoxyethanol	Grape, wine	0.06	1	29.0	A
2-butoxyethanol	Nectarine	0.06	1	3.5	A
2-butoxyethanol	Olive	11.61	6	672.0	A
2-butoxyethanol	Peach	1.3	9	73.58	A
2-butoxyethanol	Plum	0.01	1	0.75	A
2-butoxyethanol	Rights of way	0.05	1	3.0	A
2-butoxyethanol	Rights of way	0.55	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-butoxyethanol	Walnut	32.33	68	1,904.47	A
butyl alcohol	Alfalfa	6.56	6	163.0	A
butyl alcohol	Almond	2,153.45	942	51,064.06	A
butyl alcohol	Bean, dried	4.21	4	129.2	A
butyl alcohol	Cherry	12.02	18	310.0	A
butyl alcohol	Corn (forage - fodder)	140.95	87	3,838.5	A
butyl alcohol	Grape, wine	12.8	13	227.5	A
butyl alcohol	Oat (forage - fodder)	18.5	22	642.75	A
butyl alcohol	Pastureland	0.25	1	12.0	A
butyl alcohol	Peach	18.12	27	357.34	A
butyl alcohol	Pumpkin	1.86	1	36.0	A
butyl alcohol	Rights of way	15.67	N/A	N/A	N/A
butyl alcohol	Sudangrass	5.87	4	178.0	A
butyl alcohol	Triticale	1.4	1	34.0	A
butyl alcohol	Walnut	58.02	54	1,327.25	A
butyl alcohol	Wheat	2.68	2	65.0	A
butyl alcohol	Wheat (forage - fodder)	85.4	33	2,447.0	A
butyl lactate	Alfalfa	38.38	11	382.0	A
butyl lactate	Almond	165.61	28	1,022.59	A
butyl lactate	Corn (forage - fodder)	8.74	4	159.0	A
butyl lactate	Grape, wine	3.77	8	117.0	A
butyl lactate	Walnut	4.5	1	60.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Almond	214.34	7	413.1	A
calcium chloride	Alfalfa	3.24	5	128.0	A
calcium chloride	Almond	132.08	105	6,967.12	A
calcium chloride	Bean, dried	0.42	1	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
calcium chloride	Corn (forage - fodder)	76.03	33	936.5	A
calcium chloride	Grape, wine	5.31	5	80.0	A
calcium chloride	Rights of way	0.11	1	4.0	A
calcium chloride	Uncultivated non-ag	0.16	1	2.5	A
calcium hydroxide	Almond	441.6	2	48.0	A
calcium hydroxide	Olive	33,619.72	23	1,410.6	A
calcium hypochlorite	Almond	6.5	1	20.0	A
calcium hypochlorite	Ditch bank	4,080.0	N/A	1.0	U
calcium hypochlorite	Walnut	5.85	1	18.0	A
canola oil	Alfalfa	17.31	65	3,523.3	A
canola oil	Almond	34.65	402	7,157.99	A
canola oil	Basil, sweet	0.95	54	92.1	A
canola oil	Beet	1.18	66	113.94	A
canola oil	Bok choy	1.24	101	120.13	A
canola oil	Cabbage	1.76	104	170.39	A
canola oil	Celeriac	0.2	15	19.35	A
canola oil	Chinese cabbage (nappa)	0.66	41	63.33	A
canola oil	Cilantro	1.98	97	191.01	A
canola oil	Collard	1.51	78	145.75	A
canola oil	Corn (forage - fodder)	59.79	327	11,658.06	A
canola oil	Daikon	0.09	12	8.32	A
canola oil	Dandelion green	0.18	17	17.23	A
canola oil	Dill	0.56	43	54.59	A
canola oil	Endive (escarole)	0.22	38	21.6	A
canola oil	Fennel	0.05	8	4.8	A
canola oil	Kale	1.47	113	142.08	A
canola oil	Kohlrabi	0.4	40	38.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
canola oil	Leek	0.52	25	50.09	A
canola oil	Lettuce, leaf	3.82	222	369.3	A
canola oil	Mustard	0.62	57	60.09	A
canola oil	Mustard greens	1.11	63	107.51	A
canola oil	Oat (forage - fodder)	10.23	75	2,007.7	A
canola oil	Olive	0.07	1	18.0	A
canola oil	Parsley	1.51	73	145.66	A
canola oil	Peach	3.78	7	397.22	A
canola oil	Radicchio	0.02	5	2.31	A
canola oil	Rights of way	0.4	6	75.0	A
canola oil	Rights of way	42.74	N/A	N/A	N/A
canola oil	Spinach	0.68	51	65.68	A
canola oil	Sudangrass	0.04	1	10.0	A
canola oil	Swiss chard	1.53	102	148.04	A
canola oil	Turnip	0.68	53	65.88	A
canola oil	Uncultivated non-ag	7.68	N/A	742.0	A
canola oil	Walnut	0.56	20	190.59	A
canola oil	Wheat (forage - fodder)	5.26	38	1,115.0	A
capric acid	Almond	579.46	7	78.0	A
capric acid	Apple	7.2	3	3.0	A
capric acid	Apricot	75.34	12	21.7	A
capric acid	Cherry	61.18	8	21.0	A
capric acid	N-grnhs transplants	6.0	1	100.0	A
capric acid	Nectarine	52.78	7	19.0	A
capric acid	Peach	50.39	7	17.0	A
capric acid	Plum	38.39	6	16.0	A
caprylic acid	Almond	851.08	7	78.0	A
caprylic acid	Apple	10.57	3	3.0	A
caprylic acid	Apricot	110.65	12	21.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
caprylic acid	Cherry	89.86	8	21.0	A
caprylic acid	N-grnhs transplants	8.81	1	100.0	A
caprylic acid	Nectarine	77.53	7	19.0	A
caprylic acid	Peach	74.0	7	17.0	A
caprylic acid	Plum	56.38	6	16.0	A
capsicum oleoresin	Almond	0.39	1	2.0	A
capsicum oleoresin	N-grnhs plants in containers	3.06	13	50.7	A
capsicum oleoresin	N-outdr plants in containers	0.11	1	1.0	A
capsicum oleoresin	N-outdr transplants	0.11	1	1.0	A
capsicum oleoresin	Structural pest control	<0.01	N/A	N/A	N/A
captan	Almond	9,256.6	37	3,239.5	A
captan	N-outdr transplants	347.6	11	148.0	A
captan, other related	Almond	0.74	4	68.5	A
captan, other related	N-outdr transplants	8.0	11	148.0	A
carbaryl	Almond	763.27	2	200.0	A
carbaryl	Apple	186.25	3	127.0	A
carbaryl	Landscape maintenance	11.46	N/A	N/A	N/A
carbaryl	Melon	49.5	2	99.0	A
carbaryl	Tomato, processing	76.0	2	190.0	A
carbo methoxy ether cellulose, sodium salt	Almond	0.43	3	93.0	A
carbo methoxy ether cellulose, sodium salt	Apricot	1.26	32	458.0	A
carbo methoxy ether cellulose, sodium salt	Cherry	0.49	7	51.0	A
carbon	Landscape maintenance	5.79	N/A	N/A	N/A
carbon	Rights of way	1.39	N/A	N/A	N/A
carbon	Vertebrate control	115.42	N/A	N/A	N/A
carfentrazone-ethyl	Alfalfa	11.05	21	748.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carfentrazone-ethyl	Almond	145.42	259	8,093.08	A
carfentrazone-ethyl	Blueberry	0.09	2	10.0	A
carfentrazone-ethyl	Cantaloupe	2.05	2	160.0	A
carfentrazone-ethyl	Cherry	2.19	15	114.46	A
carfentrazone-ethyl	Corn (forage - fodder)	7.02	17	576.5	A
carfentrazone-ethyl	Forage hay/silage	0.23	2	14.0	A
carfentrazone-ethyl	Golf course turf	1.05	N/A	13.0	A
carfentrazone-ethyl	Grape, wine	25.68	24	548.96	A
carfentrazone-ethyl	Landscape maintenance	4.16	N/A	N/A	N/A
carfentrazone-ethyl	Oat	0.52	2	35.5	A
carfentrazone-ethyl	Oat (forage - fodder)	196.01	330	13,037.3	A
carfentrazone-ethyl	Pastureland	1.52	3	70.0	A
carfentrazone-ethyl	Pastureland	0.04	2	5,655.0	S
carfentrazone-ethyl	Peach	2.14	14	154.28	A
carfentrazone-ethyl	Pistachio	3.2	8	274.86	A
carfentrazone-ethyl	Regulatory pest control	<0.01	N/A	N/A	N/A
carfentrazone-ethyl	Rights of way	1.04	3	36.5	A
carfentrazone-ethyl	Rights of way	0.53	N/A	N/A	N/A
carfentrazone-ethyl	Ryegrass	0.24	1	17.0	A
carfentrazone-ethyl	Soil fumigation/preplant	2.63	2	180.0	A
carfentrazone-ethyl	Structural pest control	<0.01	N/A	N/A	N/A
carfentrazone-ethyl	Triticale	3.95	7	510.0	A
carfentrazone-ethyl	Uncultivated ag	7.18	5	303.4	A
carfentrazone-ethyl	Walnut	27.04	65	1,393.0	A
carfentrazone-ethyl	Watermelon	9.82	7	336.0	A
carfentrazone-ethyl	Wheat	5.15	3	295.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carfentrazone-ethyl	Wheat (forage - fodder)	189.8	195	9,554.4	A
castor oil ethoxylate	Almond	489.92	208	7,619.92	A
castor oil ethoxylate	Cherry	26.01	12	358.61	A
castor oil ethoxylate	Chestnut	0.2	1	4.5	A
castor oil ethoxylate	Corn (forage - fodder)	3.24	3	315.0	A
castor oil ethoxylate	Grape	1.05	1	30.0	A
castor oil ethoxylate	Grape, wine	632.34	56	4,761.51	A
castor oil ethoxylate	Nectarine	1.51	8	15.48	A
castor oil ethoxylate	Oat (forage - fodder)	1.95	1	95.0	A
castor oil ethoxylate	Peach	8.04	22	132.31	A
castor oil ethoxylate	Pistachio	12.12	6	140.63	A
castor oil ethoxylate	Walnut	164.12	55	2,234.74	A
chloramben	Almond	3.96	1	20.0	A
chlorantraniliprole	Alfalfa	34.89	12	737.0	A
chlorantraniliprole	Almond	9,158.14	1,900	119,415.39	A
chlorantraniliprole	Apple	15.05	9	171.98	A
chlorantraniliprole	Apricot	125.84	35	1,632.68	A
chlorantraniliprole	Basil, sweet	5.85	52	89.11	A
chlorantraniliprole	Bean, dried	4.03	2	83.0	A
chlorantraniliprole	Beet	9.82	84	149.63	A
chlorantraniliprole	Bok choy	4.35	57	66.3	A
chlorantraniliprole	Broccoli	12.85	5	280.0	A
chlorantraniliprole	Cabbage	15.55	145	236.9	A
chlorantraniliprole	Cantaloupe	45.79	13	837.0	A
chlorantraniliprole	Celeriac	3.01	32	45.88	A
chlorantraniliprole	Cherry	2.0	5	22.8	A
chlorantraniliprole	Chinese cabbage (nappa)	1.96	20	29.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Cilantro	5.8	43	88.34	A
chlorantraniliprole	Collard	10.07	92	153.43	A
chlorantraniliprole	Corn (forage - fodder)	4.84	2	103.0	A
chlorantraniliprole	Daikon	1.54	33	23.46	A
chlorantraniliprole	Dandelion green	1.24	19	18.85	A
chlorantraniliprole	Endive (escarole)	1.33	36	20.36	A
chlorantraniliprole	Golf course turf	0.84	N/A	3.0	A
chlorantraniliprole	Grape, wine	162.84	14	1,872.74	A
chlorantraniliprole	Kale	9.39	131	143.1	A
chlorantraniliprole	Kohlrabi	1.4	19	21.35	A
chlorantraniliprole	Lettuce, leaf	11.66	103	177.61	A
chlorantraniliprole	Melon	2.07	1	45.0	A
chlorantraniliprole	Mint	3.07	36	46.75	A
chlorantraniliprole	Mustard	1.22	15	18.64	A
chlorantraniliprole	Mustard greens	2.72	22	41.48	A
chlorantraniliprole	N-outdr plants in containers	5.47	4	62.5	A
chlorantraniliprole	Nectarine	0.53	4	6.03	A
chlorantraniliprole	Parsley	6.38	51	97.18	A
chlorantraniliprole	Peach	129.97	112	1,594.88	A
chlorantraniliprole	Pear	0.37	3	4.24	A
chlorantraniliprole	Pepper, fruiting	20.17	10	380.0	A
chlorantraniliprole	Pistachio	0.82	2	18.0	A
chlorantraniliprole	Plum	1.44	8	16.45	A
chlorantraniliprole	Potato	1.31	1	25.0	A
chlorantraniliprole	Prune	0.04	3	0.47	A
chlorantraniliprole	Pumpkin	3.14	4	61.0	A
chlorantraniliprole	Radicchio	0.46	15	7.03	A
chlorantraniliprole	Spinach	1.65	19	25.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Structural pest control	0.81	N/A	N/A	N/A
chlorantraniliprole	Swiss chard	14.41	152	219.71	A
chlorantraniliprole	Tomato	27.46	7	422.1	A
chlorantraniliprole	Tomato, processing	127.01	33	2,232.0	A
chlorantraniliprole	Turnip	2.75	32	41.92	A
chlorantraniliprole	Walnut	1,670.29	647	20,142.35	A
chlorantraniliprole	Watermelon	79.3	19	1,254.0	A
chlorfenapyr	N-grnhs plants in containers	7.01	6	22.0	A
chlorfenapyr	N-grnhs plants in containers	1.91	7	29,610.0	S
chlorfenapyr	N-outdr transplants	1.25	4	8.0	A
chlorfenapyr	Structural pest control	58.41	N/A	N/A	N/A
chlorflurenol, methyl ester	Landscape maintenance	3.75	N/A	N/A	N/A
chlorine dioxide	Water (industrial)	1.38	N/A	1.0	U
5-chloro-2-methyl-4-isothiazolin-3-one	Water (industrial)	10.35	N/A	1.0	A
5-chloro-2-methyl-4-isothiazolin-3-one	Water (industrial)	34.31	N/A	342.0	U
chlorophacinone	Landscape maintenance	0.01	N/A	N/A	N/A
chlorophacinone	Regulatory pest control	<0.01	N/A	N/A	N/A
chlorophacinone	Rights of way	0.06	N/A	N/A	N/A
chlorophacinone	Structural pest control	<0.01	N/A	N/A	N/A
chloropicrin	Almond	67,278.31	36	866.8	A
chloropicrin	Almond	570.24	4	940.0	U
chloropicrin	Cherry	601.92	1	35.0	A
chloropicrin	N-outdr transplants	13,910.1	21	114.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chloropicrin	Walnut	8,945.52	21	326.24	A
chloropicrin	Walnut	76.23	3	77.0	U
chlorothalonil	Almond	143,209.39	1,005	48,022.04	A
chlorothalonil	Apricot	236.43	10	91.38	A
chlorothalonil	Bean, dried	301.9	5	403.0	A
chlorothalonil	Cherry	81.11	9	27.08	A
chlorothalonil	Golf course turf	134.96	N/A	18.0	A
chlorothalonil	Landscape maintenance	482.87	N/A	N/A	N/A
chlorothalonil	N-grnhs plants in containers	125.92	18	79.6	A
chlorothalonil	N-grnhs transplants	127.01	6	600.0	A
chlorothalonil	N-outdr plants in containers	318.54	22	239.0	A
chlorothalonil	N-outdr transplants	265.92	36	208.7	A
chlorothalonil	Nectarine	69.09	10	23.06	A
chlorothalonil	Peach	2,431.58	78	797.24	A
chlorothalonil	Plum	85.42	16	28.51	A
chlorothalonil	Prune	140.28	6	46.82	A
chlorothalonil	Stone fruit	191.76	2	64.0	A
chlorothalonil	Tomato	264.09	2	141.0	A
chlorothalonil	Tomato, processing	8,025.82	66	4,526.0	A
chlorothalonil	Watermelon	325.09	4	236.0	A
chlorpyrifos	Alfalfa	1,023.67	26	1,292.2	A
chlorpyrifos	Almond	2,867.6	35	1,612.75	A
chlorpyrifos	Bean, dried	469.45	N/A	477,100.0	P
chlorpyrifos	Corn (forage - fodder)	221.37	5	217.0	A
chlorpyrifos	Grape, wine	1,608.97	12	856.34	A
chlorpyrifos	Landscape maintenance	8.47	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorpyrifos	N-grnhs transplants	0.51	5	500.0	A
chlorpyrifos	Peach	68.47	2	36.5	A
chlorpyrifos	Rights of way	26.33	N/A	N/A	N/A
chlorpyrifos	Sweet potato	495.04	13	248.0	A
chlorpyrifos	Walnut	1,376.03	21	725.0	A
chlorsulfuron	Landscape maintenance	0.88	N/A	N/A	N/A
chlorsulfuron	Rights of way	18.49	N/A	N/A	N/A
chlorthal-dimethyl	Bok choy	134.39	16	17.81	A
chlorthal-dimethyl	Cabbage	276.34	25	36.59	A
chlorthal-dimethyl	Chinese cabbage (nappa)	76.3	8	10.11	A
chlorthal-dimethyl	Collard	178.63	13	23.66	A
chlorthal-dimethyl	Daikon	5.81	1	0.77	A
chlorthal-dimethyl	Kale	173.42	17	22.98	A
chlorthal-dimethyl	Kohlrabi	41.4	5	5.48	A
chlorthal-dimethyl	Leek	348.77	23	46.22	A
chlorthal-dimethyl	Mustard	70.3	10	9.31	A
chlorthal-dimethyl	Mustard greens	121.62	9	16.1	A
chlorthal-dimethyl	Turnip	52.07	5	6.9	A
cholecalciferol	Buildings/non-ag outdoor	0.02	N/A	5.0	U
cholecalciferol	Structural pest control	0.22	N/A	N/A	N/A
chromobacterium subtsugae strain praa4-1	Almond	76.2	9	151.0	A
citric acid	Alfalfa	106.85	57	2,088.7	A
citric acid	Almond	4,903.19	2,080	63,876.59	A
citric acid	Apple	50.85	25	639.15	A
citric acid	Apricot	21.41	17	308.5	A
citric acid	Bean, dried	150.85	29	2,271.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
citric acid	Cherry	41.71	73	764.06	A
citric acid	Corn (forage - fodder)	325.64	100	4,084.8	A
citric acid	Corn, human consumption	2.36	1	25.0	A
citric acid	Farm/ag building	0.12	1	1.25	A
citric acid	Garlic	0.93	2	85.0	A
citric acid	Grape	1.4	3	134.0	A
citric acid	Grape, wine	102.28	106	3,001.81	A
citric acid	Landscape maintenance	204.07	N/A	N/A	N/A
citric acid	N-grnhs plants in containers	0.25	1	3.0	A
citric acid	N-outdr plants in containers	24.39	19	472.0	A
citric acid	N-outdr transplants	0.03	1	1.5	A
citric acid	Nectarine	0.82	5	13.0	A
citric acid	Oat (forage - fodder)	5.47	10	622.75	A
citric acid	Olive	57.51	5	610.0	A
citric acid	Pastureland	0.25	1	4.0	A
citric acid	Peach	48.06	117	938.64	A
citric acid	Pistachio	4.6	10	186.31	A
citric acid	Plum	0.05	1	0.75	A
citric acid	Rights of way	16.99	15	249.71	A
citric acid	Rights of way	39.52	N/A	N/A	N/A
citric acid	Soil fumigation/preplant	24.22	2	215.0	A
citric acid	Stone fruit	25.81	21	643.0	A
citric acid	Tomato	4.66	1	79.0	A
citric acid	Tomato, processing	24.64	3	327.0	A
citric acid	Triticale	1.99	4	393.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
citric acid	Uncultivated ag	25.39	9	733.4	A
citric acid	Uncultivated non-ag	0.44	1	2.5	A
citric acid	Vegetable	0.02	1	0.25	A
citric acid	Walnut	903.04	574	12,161.35	A
citric acid	Watermelon	344.73	27	1,512.0	A
citric acid	Wheat (forage - fodder)	20.54	18	762.4	A
clarified hydrophobic extract of neem oil	Apricot	183.41	4	96.0	A
clarified hydrophobic extract of neem oil	Broccoli	2,340.4	35	1,656.0	A
clarified hydrophobic extract of neem oil	Corn, human consumption	41.27	2	84.0	A
clarified hydrophobic extract of neem oil	N-outdr plants in containers	0.99	1	0.11	A
clarified hydrophobic extract of neem oil	Squash, zucchini	17.77	1	31.0	A
clarified hydrophobic extract of neem oil	Tomato, processing	153.8	2	70.0	A
clethodim	Alfalfa	611.66	58	2,652.6	A
clethodim	Almond	597.99	136	4,630.8	A
clethodim	Apricot	1.99	1	64.0	A
clethodim	Bean, dried	19.17	3	73.0	A
clethodim	Blueberry	0.52	1	3.89	A
clethodim	Cantaloupe	20.39	4	203.0	A
clethodim	Cherry	3.53	1	27.0	A
clethodim	Garlic	11.21	2	85.0	A
clethodim	Grape, wine	31.84	2	241.45	A
clethodim	Pistachio	26.04	6	198.51	A
clethodim	Pumpkin	2.74	1	28.0	A
clethodim	Rights of way	14.26	8	58.0	A
clethodim	Rights of way	5.18	N/A	N/A	N/A
clethodim	Sweet potato	60.83	9	266.0	A
clethodim	Tomato, processing	21.15	3	116.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clethodim	Uncultivated ag	23.63	2	93.0	A
clethodim	Walnut	51.78	19	474.14	A
clethodim	Watermelon	1.31	1	10.0	A
clofentezine	Almond	2,711.14	186	12,082.3	A
clofentezine	Cherry	7.82	1	40.0	A
clofentezine	N-grnhs plants in containers	11.07	5	21.3	A
clofentezine	N-grnhs plants in containers	0.01	1	1,080.0	S
clofentezine	N-outdr transplants	0.52	1	1.0	A
clofentezine	Peach	53.93	17	250.35	A
clofentezine	Walnut	265.51	46	1,231.9	A
clomazone	Rice	70.14	4	156.0	A
clopyralid, monoethanolamine salt	Golf course turf	5.95	N/A	8.75	A
clopyralid, monoethanolamine salt	Landscape maintenance	21.25	N/A	N/A	N/A
clopyralid, monoethanolamine salt	Rights of way	23.64	N/A	N/A	N/A
clopyralid, triethylamine salt	Golf course turf	28.73	N/A	100.0	A
clothianidin	Almond	51.04	37	490.0	A
clothianidin	Bok choy	1.21	12	18.18	A
clothianidin	Cabbage	0.33	4	4.96	A
clothianidin	Chinese cabbage (nappa)	0.88	8	13.2	A
clothianidin	Grape, wine	70.03	8	351.36	A
clothianidin	Kohlrabi	0.27	2	3.99	A
clothianidin	Landscape maintenance	0.76	N/A	N/A	N/A
clothianidin	Mustard	0.11	1	1.68	A
clothianidin	Mustard greens	0.15	1	2.25	A
clothianidin	Spinach	0.44	3	6.64	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clothianidin	Structural pest control	8.2	N/A	N/A	N/A
clothianidin	Swiss chard	0.57	8	8.53	A
clothianidin	Turnip	0.2	2	3.02	A
clothianidin	Watermelon	3.59	1	18.0	A
coconut diethanolamide	Alfalfa	2.88	28	768.0	A
coconut diethanolamide	Almond	6.53	47	1,007.0	A
coconut diethanolamide	Apricot	0.62	2	188.0	A
coconut diethanolamide	Bean, dried	14.39	62	3,549.5	A
coconut diethanolamide	Bean, succulent	2.2	13	781.0	A
coconut diethanolamide	Broccoli	2.04	12	803.0	A
coconut diethanolamide	Cherry	0.47	6	128.0	A
coconut diethanolamide	Corn (forage - fodder)	0.02	1	18.5	A
coconut diethanolamide	Landscape maintenance	0.09	N/A	N/A	N/A
coconut diethanolamide	Melon	0.64	6	349.0	A
coconut diethanolamide	Pepper, fruiting	0.46	4	100.0	A
coconut diethanolamide	Structural pest control	4.84	N/A	N/A	N/A
coconut diethanolamide	Tomato	1.26	12	860.0	A
coconut diethanolamide	Tomato, processing	5.02	43	2,597.0	A
coconut diethanolamide	Walnut	1.05	12	129.0	A
copper carbonate, basic	Rights of way	0.33	N/A	N/A	N/A
copper diammonium diacetate complex	N-outdr transplants	6.57	5	9.0	A
copper ethanolamine complexes, mixed	Landscape maintenance	139.32	N/A	N/A	N/A
copper ethanolamine complexes, mixed	Rights of way	924.35	N/A	N/A	N/A
copper ethanolamine complexes, mixed	Water (industrial)	177.53	N/A	45.75	A
copper ethylenediamine complex	Landscape maintenance	22.8	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper ethylenediamine complex	Rights of way	244.46	N/A	N/A	N/A
copper hydroxide	Almond	89,554.54	744	44,822.0	A
copper hydroxide	Almond	0.14	1	2,400.0	S
copper hydroxide	Apple	92.89	6	10.5	A
copper hydroxide	Apricot	1,506.3	26	453.1	A
copper hydroxide	Apricot	0.1	1	450.0	S
copper hydroxide	Beet	4.06	7	9.61	A
copper hydroxide	Blueberry	13.83	2	14.0	A
copper hydroxide	Broccoli	20.42	3	86.0	A
copper hydroxide	Celeriac	0.52	1	1.22	A
copper hydroxide	Cherry	2,899.1	33	508.64	A
copper hydroxide	Citrus	417.63	5	136.0	A
copper hydroxide	Garlic	439.01	6	544.0	A
copper hydroxide	Grape	183.72	9	307.0	A
copper hydroxide	Grape, wine	3,493.63	61	4,332.6	A
copper hydroxide	Landscape maintenance	75.5	N/A	N/A	N/A
copper hydroxide	N-grnhs plants in containers	74.45	10	33.0	A
copper hydroxide	N-grnhs plants in containers	4.15	1	4,200.0	S
copper hydroxide	N-outdr plants in containers	467.42	22	810.0	A
copper hydroxide	N-outdr transplants	147.58	19	53.5	A
copper hydroxide	Nectarine	373.07	18	41.22	A
copper hydroxide	Nectarine	0.17	1	675.0	S
copper hydroxide	Oat (forage - fodder)	23.03	1	30.0	A
copper hydroxide	Olive	577.23	3	95.0	A
copper hydroxide	Parsley	3.88	6	9.21	A
copper hydroxide	Peach	11,794.19	155	2,050.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper hydroxide	Peach	0.17	2	5,600.0	S
copper hydroxide	Pear	1.39	1	0.18	A
copper hydroxide	Plum	145.36	10	16.61	A
copper hydroxide	Plum	0.23	2	5,475.0	S
copper hydroxide	Prune	3.54	2	0.46	A
copper hydroxide	Rights of way	0.29	N/A	N/A	N/A
copper hydroxide	Stone fruit	23.8	3	16.0	A
copper hydroxide	Walnut	102,512.85	756	22,511.2	A
copper hydroxide	Walnut	0.14	1	2,400.0	S
copper octanoate	N-grnhs plants in containers	112.64	25	104.2	A
copper octanoate	N-outdr plants in containers	10.51	3	10.0	A
copper octanoate	N-outdr transplants	39.36	10	77.0	A
copper oxide (ous)	Almond	29,671.82	109	7,070.62	A
copper oxide (ous)	Apple	299.72	5	37.23	A
copper oxide (ous)	Apricot	1,976.83	28	497.46	A
copper oxide (ous)	Cherry	267.34	12	43.27	A
copper oxide (ous)	N-grnhs plants in containers	52.52	4	9.0	A
copper oxide (ous)	N-grnhs transplants	293.65	6	600.0	A
copper oxide (ous)	N-grnhs transplants	16.78	N/A	88,522.0	S
copper oxide (ous)	N-outdr plants in containers	57.43	16	41.0	A
copper oxide (ous)	N-outdr transplants	661.99	20	67.01	A
copper oxide (ous)	Nectarine	85.16	5	12.25	A
copper oxide (ous)	Peach	1,849.38	26	289.38	A
copper oxide (ous)	Pear	68.58	6	9.18	A
copper oxide (ous)	Pistachio	17.62	1	4.2	A
copper oxide (ous)	Plum	266.3	9	37.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper oxide (ous)	Prune	3.83	1	0.57	A
copper oxide (ous)	Tomato	558.77	5	333.0	A
copper oxide (ous)	Walnut	3,483.76	25	619.9	A
copper oxychloride	Almond	187.72	5	143.5	A
copper oxychloride	Grape	7.88	2	28.0	A
copper oxychloride	Grape, wine	25.86	4	69.0	A
copper oxychloride	Peach	47.78	3	41.5	A
copper oxychloride	Tomato	40.0	1	40.0	A
copper oxychloride	Walnut	1,374.17	21	801.0	A
copper sulfate (basic)	Almond	47,893.03	159	12,337.66	A
copper sulfate (basic)	Cherry	684.51	6	95.0	A
copper sulfate (basic)	Grape, wine	109.49	4	60.0	A
copper sulfate (basic)	Olive	391.05	1	55.0	A
copper sulfate (basic)	Peach	503.05	7	80.45	A
copper sulfate (basic)	Walnut	10,723.87	72	2,449.3	A
copper sulfate (pentahydrate)	Almond	66.14	6	141.5	A
copper sulfate (pentahydrate)	Apricot	594.0	2	75.0	A
copper sulfate (pentahydrate)	Cherry	21.45	1	20.0	A
copper sulfate (pentahydrate)	Landscape maintenance	44.66	N/A	N/A	N/A
copper sulfate (pentahydrate)	N-grnhs plants in containers	42.82	8	25.0	A
copper sulfate (pentahydrate)	N-outdr transplants	16.47	5	20.0	A
copper sulfate (pentahydrate)	Olive	35,948.09	22	1,355.6	A
copper sulfate (pentahydrate)	Rice	400.95	1	27.0	A
copper sulfate (pentahydrate)	Rights of way	34.56	N/A	N/A	N/A
copper sulfate (pentahydrate)	Walnut	7.8	2	15.9	A
copper sulfate (pentahydrate)	Water area	92.19	N/A	86.87	U
copper triethanolamine complex	Landscape maintenance	25.74	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper triethanolamine complex	Rights of way	272.56	N/A	N/A	N/A
corn product, hydrolyzed	Cherry	37.93	2	36.0	A
corn product, hydrolyzed	Walnut	5,845.99	201	4,203.53	A
corn steep liquor	Cherry	193.37	2	40.0	A
corn steep liquor	Landscape maintenance	105.87	N/A	N/A	N/A
corn steep liquor	Walnut	41,352.58	311	10,697.0	A
corn syrup	Alfalfa	885.79	69	2,757.15	A
corn syrup	Almond	1,243.08	157	3,212.42	A
corn syrup	Corn (forage - fodder)	2,342.72	225	8,105.3	A
corn syrup	Forage hay/silage	1.86	1	18.0	A
corn syrup	Oat (forage - fodder)	33.44	9	133.0	A
corn syrup	Olive	9.8	1	18.0	A
corn syrup	Peach	64.98	12	135.52	A
corn syrup	Plum	5.17	1	9.5	A
corn syrup	Pumpkin	2.52	1	56.0	A
corn syrup	Rights of way	38.07	9	87.0	A
corn syrup	Rights of way	0.62	N/A	N/A	N/A
corn syrup	Sorghum (forage - fodder)	3.73	1	16.0	A
corn syrup	Sudangrass	51.1	4	135.5	A
corn syrup	Tomato, processing	27.04	3	87.0	A
corn syrup	Uncultivated ag	8.7	2	19.0	A
corn syrup	Walnut	102.13	23	286.27	A
cottonseed oil	Walnut	3.13	3	51.0	A
cyanazine	N-grnhs plants in containers	0.08	1	8,400.0	S
cyantraniliprole	Almond	282.16	62	2,717.5	A
cyantraniliprole	Cabbage	8.39	34	57.24	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyantraniliprole	Collard	1.39	4	9.5	A
cyantraniliprole	Kale	2.31	18	15.74	A
cyantraniliprole	Kohlrabi	0.49	2	3.34	A
cyantraniliprole	Lettuce, leaf	4.04	28	46.58	A
cyantraniliprole	N-grnhs plants in containers	14.36	13	41.8	A
cyantraniliprole	N-outdr plants in containers	11.7	11	526.5	A
cyantraniliprole	N-outdr transplants	14.82	15	52.0	A
cyantraniliprole	Radicchio	0.04	1	0.29	A
cyantraniliprole	Swiss chard	0.5	2	3.41	A
cyantraniliprole	Tomato	6.54	3	54.05	A
cyantraniliprole	Turnip	0.36	2	2.43	A
cyantraniliprole	Walnut	70.4	28	737.5	A
cyazofamid	Basil, sweet	1.94	15	25.15	A
cyazofamid	Bok choy	2.56	25	35.68	A
cyazofamid	Cabbage	4.12	41	57.54	A
cyazofamid	Chinese cabbage (nappa)	1.48	11	20.73	A
cyazofamid	Cilantro	1.03	9	14.33	A
cyazofamid	Collard	6.1	51	85.22	A
cyazofamid	Dandelion green	1.56	23	21.75	A
cyazofamid	Endive (escarole)	0.77	20	10.79	A
cyazofamid	Kale	3.87	38	53.99	A
cyazofamid	Kohlrabi	0.67	5	9.31	A
cyazofamid	Landscape maintenance	0.51	N/A	N/A	N/A
cyazofamid	Lettuce, leaf	9.94	81	138.72	A
cyazofamid	Mustard	1.21	11	16.91	A
cyazofamid	Mustard greens	2.35	17	32.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyazofamid	N-outdr plants in containers	0.28	1	180.0	A
cyazofamid	Parsley	9.53	59	133.07	A
cyazofamid	Radicchio	0.3	8	4.14	A
cyazofamid	Spinach	1.75	12	24.5	A
cycloate	Beet	170.32	35	57.03	A
cyflufenamid	Cantaloupe	3.07	3	132.0	A
cyflufenamid	Grape	0.05	2	2.0	A
cyflufenamid	Grape, wine	39.07	31	1,708.76	A
cyflufenamid	Pumpkin	5.88	7	255.4	A
cyflufenamid	Tomato	3.34	2	145.0	A
cyflufenamid	Watermelon	43.03	35	1,969.0	A
cyflumetofen	Almond	2,485.2	128	13,616.41	A
cyflumetofen	Apple	28.69	3	157.0	A
cyflumetofen	N-grnhs plants in containers	24.28	15	70.0	A
cyflumetofen	N-outdr plants in containers	5.13	4	23.5	A
cyflumetofen	N-outdr transplants	13.81	8	70.5	A
cyflumetofen	Walnut	154.94	34	847.5	A
cyfluthrin	Almond	14.5	6	319.5	A
cyfluthrin	Apricot	14.9	11	330.0	A
cyfluthrin	Commodity fumigation	7.42	N/A	N/A	N/A
cyfluthrin	Dandelion green	1.21	27	24.92	A
cyfluthrin	Mustard	0.12	3	2.49	A
cyfluthrin	Mustard greens	0.25	3	5.07	A
cyfluthrin	N-outdr plants in containers	1.24	3	52.5	A
cyfluthrin	N-outdr transplants	10.5	21	442.49	A
cyfluthrin	Parsley	17.88	175	367.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyfluthrin	Peach	2.38	30	209.0	A
cyfluthrin	Plum	0.4	14	35.0	A
cyfluthrin	Regulatory pest control	0.03	N/A	N/A	N/A
cyfluthrin	Structural pest control	81.5	N/A	N/A	N/A
cyfluthrin	Swiss chard	5.14	72	105.6	A
cyfluthrin	Turnip	0.28	5	5.74	A
beta-cyfluthrin	Alfalfa	1.41	2	75.0	A
beta-cyfluthrin	Almond	0.33	1	20.0	A
beta-cyfluthrin	Animal premise	708.78	N/A	98.0	U
beta-cyfluthrin	Bean, dried	78.03	54	3,573.0	A
beta-cyfluthrin	Bean, succulent	9.07	7	408.0	A
beta-cyfluthrin	Bok choy	2.25	80	88.69	A
beta-cyfluthrin	Cabbage	10.37	259	419.81	A
beta-cyfluthrin	Cherry	0.55	3	24.2	A
beta-cyfluthrin	Chinese cabbage (nappa)	1.77	49	70.87	A
beta-cyfluthrin	Collard	8.36	185	337.32	A
beta-cyfluthrin	Dandelion green	0.21	9	7.89	A
beta-cyfluthrin	Endive (escarole)	0.27	19	10.92	A
beta-cyfluthrin	Grape, wine	5.79	3	161.4	A
beta-cyfluthrin	Kale	6.15	209	249.37	A
beta-cyfluthrin	Kohlrabi	0.99	40	38.89	A
beta-cyfluthrin	Landscape maintenance	0.15	N/A	N/A	N/A
beta-cyfluthrin	Lettuce, leaf	6.86	166	267.89	A
beta-cyfluthrin	Mustard	0.77	27	30.65	A
beta-cyfluthrin	Mustard greens	1.68	35	66.51	A
beta-cyfluthrin	N-outdr plants in containers	0.02	4	80.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
beta-cyfluthrin	Nectarine	0.04	1	2.0	A
beta-cyfluthrin	Parsley	4.93	99	187.83	A
beta-cyfluthrin	Peach	4.26	17	200.3	A
beta-cyfluthrin	Radicchio	0.05	4	2.02	A
beta-cyfluthrin	Rights of way	0.02	N/A	N/A	N/A
beta-cyfluthrin	Spinach	1.14	38	45.56	A
beta-cyfluthrin	Structural pest control	31.09	N/A	N/A	N/A
beta-cyfluthrin	Swiss chard	3.09	76	114.51	A
beta-cyfluthrin	Tomato	4.25	2	141.0	A
beta-cyfluthrin	Tomato, processing	16.53	6	509.0	A
beta-cyfluthrin	Turnip	0.6	18	23.87	A
beta-cyfluthrin	Walnut	19.83	28	922.7	A
cymoxanil	Lettuce, leaf	11.06	35	59.0	A
cymoxanil	N-grnhs transplants	21.75	6	600.0	A
cymoxanil	Spinach	1.47	6	7.87	A
cymoxanil	Tomato	12.89	2	103.1	A
cypermethrin	Structural pest control	757.25	N/A	N/A	N/A
(s)-cypermethrin	Alfalfa	5.86	6	141.5	A
(s)-cypermethrin	Almond	43.4	21	2,285.4	A
(s)-cypermethrin	Bean, dried	4.74	2	95.0	A
(s)-cypermethrin	Beet	9.79	129	197.11	A
(s)-cypermethrin	Bok choy	10.78	191	217.12	A
(s)-cypermethrin	Cabbage	22.88	277	460.3	A
(s)-cypermethrin	Celeriac	1.82	22	36.77	A
(s)-cypermethrin	Chinese cabbage (nappa)	8.04	110	161.78	A
(s)-cypermethrin	Cilantro	2.32	24	46.73	A
(s)-cypermethrin	Collard	21.82	257	439.28	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-cypermethrin	Corn, human consumption	52.87	25	1,063.0	A
(s)-cypermethrin	Daikon	2.46	72	49.64	A
(s)-cypermethrin	Dandelion green	1.86	39	37.32	A
(s)-cypermethrin	Endive (escarole)	1.81	61	36.51	A
(s)-cypermethrin	Kale	22.07	391	444.29	A
(s)-cypermethrin	Kohlrabi	4.56	98	91.74	A
(s)-cypermethrin	Landscape maintenance	0.01	N/A	N/A	N/A
(s)-cypermethrin	Lettuce, leaf	33.48	420	673.82	A
(s)-cypermethrin	Mustard	5.05	96	101.64	A
(s)-cypermethrin	Mustard greens	9.77	112	196.61	A
(s)-cypermethrin	Parsley	25.29	256	509.04	A
(s)-cypermethrin	Pumpkin	2.83	1	57.0	A
(s)-cypermethrin	Radicchio	0.6	26	12.04	A
(s)-cypermethrin	Spinach	3.93	68	79.01	A
(s)-cypermethrin	Structural pest control	<0.01	N/A	N/A	N/A
(s)-cypermethrin	Swiss chard	25.74	363	518.23	A
(s)-cypermethrin	Tomato	0.93	6	18.55	A
(s)-cypermethrin	Tomato, processing	66.95	16	1,400.0	A
(s)-cypermethrin	Turnip	5.01	85	100.84	A
(s)-cypermethrin	Walnut	1.69	4	76.5	A
cyprodinil	Almond	10,921.02	967	51,356.9	A
cyprodinil	Apple	1.1	4	24.46	A
cyprodinil	Apricot	213.22	20	909.75	A
cyprodinil	Basil, sweet	9.85	23	35.02	A
cyprodinil	Beet	10.79	20	33.68	A
cyprodinil	Bok choy	3.07	8	10.47	A
cyprodinil	Cabbage	11.92	24	40.88	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyprodinil	Celeriac	11.37	27	36.95	A
cyprodinil	Chinese cabbage (nappa)	0.72	2	2.55	A
cyprodinil	Cilantro	13.33	22	45.57	A
cyprodinil	Collard	3.91	8	13.54	A
cyprodinil	Dandelion green	3.25	11	10.96	A
cyprodinil	Endive (escarole)	0.97	7	3.44	A
cyprodinil	Grape	0.33	2	8.5	A
cyprodinil	Grape, wine	493.59	37	1,499.95	A
cyprodinil	Kale	1.42	3	5.04	A
cyprodinil	Lettuce, leaf	17.0	33	59.48	A
cyprodinil	Mustard	2.5	8	8.75	A
cyprodinil	Mustard greens	4.76	10	16.56	A
cyprodinil	N-grnhs plants in containers	21.38	16	85.5	A
cyprodinil	N-outdr plants in containers	20.03	9	116.5	A
cyprodinil	N-outdr transplants	67.27	18	212.5	A
cyprodinil	Nectarine	3.39	3	14.5	A
cyprodinil	Parsley	76.38	116	239.07	A
cyprodinil	Peach	102.45	29	506.45	A
cyprodinil	Pear	0.17	3	7.26	A
cyprodinil	Pistachio	3.91	5	59.7	A
cyprodinil	Plum	0.82	1	3.5	A
cyprodinil	Spinach	1.12	3	3.79	A
cyprodinil	Stone fruit	15.0	2	64.0	A
cyprodinil	Swiss chard	69.95	155	219.34	A
cyprodinil	Tomato	0.31	1	1.11	A
cyprodinil	Turnip	1.51	4	4.59	A
cyromazine	Animal premise	4.84	N/A	22.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyromazine	Animal premise	49.98	N/A	3,187,500.0	C
cyromazine	Animal premise	13.2	N/A	963,600.0	S
2,4-d	Alfalfa	12.45	1	25.0	A
2,4-d	Almond	602.56	7	841.88	A
2,4-d	Corn (forage - fodder)	46.67	2	120.0	A
2,4-d	Landscape maintenance	3.56	N/A	N/A	N/A
2,4-d	Rights of way	7.01	1	15.0	A
2,4-d	Uncultivated ag	12.2	1	40.0	A
2,4-d, butoxyethanol ester	Alfalfa	22.1	1	25.0	A
2,4-d, butoxyethanol ester	Corn (forage - fodder)	82.86	2	120.0	A
2,4-d, butoxyethanol ester	Rights of way	12.44	1	15.0	A
2,4-d, butoxyethanol ester	Uncultivated ag	21.65	1	40.0	A
2,4-d, diethanolamine salt	Almond	704.27	90	1,824.95	A
2,4-d, diethanolamine salt	Peach	15.32	10	37.89	A
2,4-d, diethanolamine salt	Walnut	54.36	4	214.27	A
2,4-d, dimethylamine salt	Almond	25,170.66	785	24,134.19	A
2,4-d, dimethylamine salt	Apple	1.71	1	3.5	A
2,4-d, dimethylamine salt	Apricot	16.82	5	33.25	A
2,4-d, dimethylamine salt	Cherry	145.69	15	156.97	A
2,4-d, dimethylamine salt	Corn (forage - fodder)	642.7	14	645.5	A
2,4-d, dimethylamine salt	Forage hay/silage	20.53	1	18.0	A
2,4-d, dimethylamine salt	Grape	174.33	3	134.0	A
2,4-d, dimethylamine salt	Grape, wine	190.25	7	209.5	A
2,4-d, dimethylamine salt	Landscape maintenance	0.41	1	2.0	A
2,4-d, dimethylamine salt	Landscape maintenance	142.91	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Nectarine	35.56	10	20.75	A
2,4-d, dimethylamine salt	Pastureland	1,196.05	10	1,045.0	A
2,4-d, dimethylamine salt	Peach	404.55	58	360.56	A
2,4-d, dimethylamine salt	Pistachio	56.93	3	26.17	A
2,4-d, dimethylamine salt	Plum	13.71	6	8.0	A
2,4-d, dimethylamine salt	Pluot	5.57	3	3.25	A
2,4-d, dimethylamine salt	Rangeland	91.12	2	106.5	A
2,4-d, dimethylamine salt	Rights of way	263.97	18	245.5	A
2,4-d, dimethylamine salt	Rights of way	545.81	N/A	N/A	N/A
2,4-d, dimethylamine salt	Soil fumigation/preplant	281.87	3	288.0	A
2,4-d, dimethylamine salt	Sorghum (forage - fodder)	50.8	2	90.0	A
2,4-d, dimethylamine salt	Sudangrass	76.59	2	85.0	A
2,4-d, dimethylamine salt	Triticale	25.46	1	30.0	A
2,4-d, dimethylamine salt	Uncultivated ag	148.2	4	83.0	A
2,4-d, dimethylamine salt	Uncultivated non-ag	30.25	3	21.5	A
2,4-d, dimethylamine salt	Walnut	1,297.83	65	1,511.65	A
2,4-d, dimethylamine salt	Wheat (forage - fodder)	371.83	11	279.0	A
2,4-d, 2-ethylhexyl ester	Landscape maintenance	86.48	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Pastureland	35.83	1	50.0	A
2,4-d, 2-ethylhexyl ester	Regulatory pest control	0.02	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Structural pest control	0.04	N/A	N/A	N/A
2,4-d, isooctyl ester	Almond	0.21	5	22.5	A
2,4-d, isopropyl ester	Citrus	10.66	5	136.0	A
2,4-d, triisopropanolamine salt	Landscape maintenance	32.3	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dazomet	Landscape maintenance	247.5	N/A	N/A	N/A
4-(2,4-db), dimethylamine salt	Alfalfa	1,921.98	85	3,739.5	A
ddvp	Animal premise	0.22	N/A	62,000.0	C
ddvp	Bean, dried	3.8	N/A	3,662.48	C
ddvp	Commodity fumigation	59.01	N/A	N/A	N/A
ddvp	Farm/ag building	1.73	N/A	64,000.0	S
ddvp	Rights of way	4.94	N/A	N/A	N/A
ddvp	Structural pest control	113.25	N/A	N/A	N/A
ddvp, other related	Animal premise	0.02	N/A	62,000.0	C
ddvp, other related	Bean, dried	0.05	N/A	1,831.24	C
ddvp, other related	Commodity fumigation	0.77	N/A	N/A	N/A
ddvp, other related	Structural pest control	2.04	N/A	N/A	N/A
2,4-decadienoic acid, ethyl ester, (2e,4z)-	Walnut	0.73	6	217.0	A
(e)-5-decenol	Apricot	0.14	8	132.0	A
(e)-5-decenol	N-outdr plants in containers	0.47	3	188.0	A
(e)-5-decenol	Peach	0.2	4	55.0	A
(e)-5-decenol	Stone fruit	0.81	4	230.0	A
(e)-5-decenyl acetate	Apricot	0.69	8	132.0	A
(e)-5-decenyl acetate	N-outdr plants in containers	1.89	3	188.0	A
(e)-5-decenyl acetate	Peach	0.36	4	55.0	A
(e)-5-decenyl acetate	Stone fruit	3.52	4	230.0	A
decyl phenoxy benzene disulfonic acid, disodium salt	Rights of way	0.21	N/A	N/A	N/A
decyl phenoxy benzene disulfonic acid, disodium salt	Uncultivated ag	7.34	6	323.4	A
deltamethrin	Beet	<0.01	1	100.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
deltamethrin	Landscape maintenance	0.1	N/A	N/A	N/A
deltamethrin	Public health	112.45	N/A	N/A	N/A
deltamethrin	Structural pest control	241.86	N/A	N/A	N/A
diatomaceous earth	Structural pest control	4.82	N/A	N/A	N/A
diazinon	Apple	555.0	6	277.5	A
diazinon	Cantaloupe	119.06	1	120.0	A
diazinon	Melon	15.99	2	42.0	A
diazinon	Prune	45.64	1	23.0	A
diazinon	Soil fumigation/preplant	466.34	8	750.0	A
diazinon	Structural pest control	0.16	N/A	N/A	N/A
diazinon	Tomato, processing	419.7	7	354.0	A
diazinon	Watermelon	597.85	7	336.0	A
1,3-dibromo-5,5-dimethylhydantoin	Water (industrial)	49.0	N/A	1.0	U
2,2-dibromo-3-nitrilopropionamide	Water (industrial)	10.32	N/A	1.0	A
2,2-dibromo-3-nitrilopropionamide	Water (industrial)	8.8	N/A	1.0	U
dicamba	Landscape maintenance	9.11	N/A	N/A	N/A
dicamba	Regulatory pest control	<0.01	N/A	N/A	N/A
dicamba	Structural pest control	<0.01	N/A	N/A	N/A
dicamba, dimethylamine salt	Corn (forage - fodder)	294.29	29	1,222.0	A
dicamba, dimethylamine salt	Landscape maintenance	0.17	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dicamba, dimethylamine salt	Landscape maintenance	13.33	N/A	N/A	N/A
dicamba, dimethylamine salt	Oat (forage - fodder)	120.44	33	813.2	A
dicamba, dimethylamine salt	Pastureland	301.28	2	500.0	A
dicamba, dimethylamine salt	Rights of way	0.14	N/A	N/A	N/A
dicamba, dimethylamine salt	Sorghum (forage - fodder)	24.95	4	46.5	A
dicamba, dimethylamine salt	Sudangrass	103.35	6	177.5	A
dicamba, dimethylamine salt	Wheat (forage - fodder)	99.0	12	397.9	A
dicamba, sodium salt	Corn (forage - fodder)	999.28	142	6,242.7	A
dicamba, sodium salt	Oat (forage - fodder)	6.81	2	35.0	A
dichlobenil	Rights of way	32.06	N/A	N/A	N/A
1,3-dichloro-5,5-dimethylhydantoin	Water (industrial)	674.83	N/A	144.0	U
1,3-dichloro-5-ethyl-5-methylhydantoin	Water (industrial)	371.27	N/A	144.0	U
1,3-dichloropropene	Almond	869,522.06	152	2,701.81	A
1,3-dichloropropene	Cherry	71,591.94	6	216.77	A
1,3-dichloropropene	Grape, wine	20,144.05	4	61.67	A
1,3-dichloropropene	N-outdr plants in containers	21,771.73	11	65.59	A
1,3-dichloropropene	Peach	23,133.85	6	74.6	A
1,3-dichloropropene	Soil fumigation/preplant	706.28	1	2.16	A
1,3-dichloropropene	Sweet potato	171,143.59	56	1,612.38	A
1,3-dichloropropene	Uncultivated ag	49,597.77	2	149.42	A
1,3-dichloropropene	Walnut	114,309.32	22	344.47	A
didecyl dimethyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
diethylene glycol	Alfalfa	317.74	52	2,118.3	A
diethylene glycol	Almond	4,756.9	478	22,602.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diethylene glycol	Apricot	90.69	13	547.25	A
diethylene glycol	Bean, dried	29.08	12	841.0	A
diethylene glycol	Cantaloupe	35.61	1	123.0	A
diethylene glycol	Cherry	177.01	61	1,101.38	A
diethylene glycol	Citrus	0.07	2	51.0	A
diethylene glycol	Corn (forage - fodder)	216.56	85	3,553.0	A
diethylene glycol	Corn, human consumption	200.1	35	1,344.0	A
diethylene glycol	Garlic	20.26	3	70.0	A
diethylene glycol	Grape, wine	144.46	25	1,633.77	A
diethylene glycol	Landscape maintenance	14.67	N/A	N/A	N/A
diethylene glycol	Nectarine	0.72	1	2.0	A
diethylene glycol	Oat	2.55	1	17.5	A
diethylene glycol	Oat (forage - fodder)	71.78	32	1,587.2	A
diethylene glycol	Olive	7.31	2	312.0	A
diethylene glycol	Pastureland	0.29	1	5.0	A
diethylene glycol	Peach	15.45	9	125.0	A
diethylene glycol	Rights of way	147.48	N/A	N/A	N/A
diethylene glycol	Sorghum (forage - fodder)	1.73	1	74.0	A
diethylene glycol	Sudangrass	0.53	1	23.0	A
diethylene glycol	Tomato, processing	5.93	10	126.5	A
diethylene glycol	Uncultivated ag	2.81	2	64.0	A
diethylene glycol	Walnut	823.12	114	3,308.73	A
diethylene glycol	Wheat	11.29	1	39.0	A
diethylene glycol	Wheat (forage - fodder)	172.58	39	1,736.0	A
difenoconazole	Almond	5,124.03	949	53,171.52	A
difenoconazole	Apple	0.18	3	21.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
difenoconazole	Apricot	12.49	5	110.0	A
difenoconazole	Broccoli	296.43	10	727.0	A
difenoconazole	Cantaloupe	27.64	3	253.0	A
difenoconazole	Garlic	48.32	5	446.0	A
difenoconazole	Golf course turf	0.52	N/A	3.0	A
difenoconazole	Grape	1.0	4	17.0	A
difenoconazole	Grape, wine	22.64	24	489.01	A
difenoconazole	Landscape maintenance	5.19	N/A	N/A	N/A
difenoconazole	Peach	41.65	29	468.0	A
difenoconazole	Pear	0.06	3	7.26	A
difenoconazole	Pepper, fruiting	15.68	2	150.0	A
difenoconazole	Pistachio	16.64	8	191.7	A
difenoconazole	Potato	2.85	1	25.0	A
difenoconazole	Pumpkin	13.64	5	127.0	A
difenoconazole	Tomato	31.7	8	485.0	A
difenoconazole	Tomato, processing	341.06	78	5,165.0	A
difenoconazole	Walnut	273.01	59	2,501.0	A
difenoconazole	Watermelon	110.63	13	1,000.0	A
difethialone	Almond	<0.01	N/A	2.0	A
difethialone	Animal premise	<0.01	1	9.0	A
difethialone	Animal premise	<0.01	N/A	600.0	U
difethialone	Buildings/non-ag outdoor	0.06	N/A	165.0	U
difethialone	Commodity fumigation	<0.01	N/A	N/A	N/A
difethialone	Food processing plant	<0.01	N/A	390.0	A
difethialone	Food processing plant	<0.01	N/A	168,000.0	C

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
difethialone	Food processing plant	0.01	N/A	2,826,000.0	S
difethialone	Industrial site	<0.01	N/A	36.0	A
difethialone	Rights of way	<0.01	N/A	N/A	N/A
difethialone	Structural pest control	0.14	N/A	N/A	N/A
difethialone	Vertebrate control	<0.01	N/A	N/A	N/A
diflubenzuron	Almond	873.86	50	4,357.6	A
diflubenzuron	N-grnhs plants in containers	2.15	46	118,324.0	S
diflubenzuron	Peach	18.21	8	90.0	A
diflubenzuron	Structural pest control	<0.01	N/A	N/A	N/A
diflubenzuron	Walnut	47.13	8	267.0	A
diflufenzopyr, sodium salt	Corn (forage - fodder)	119.51	38	2,460.9	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn (forage - fodder)	1,882.45	152	5,132.75	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage hay/silage	13.37	1	18.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Landscape maintenance	59.42	N/A	N/A	N/A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat (forage - fodder)	433.95	46	2,236.1	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Pastureland	192.38	4	509.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Rights of way	141.41	N/A	N/A	N/A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Soil fumigation/preplant	156.91	3	185.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Sorghum (forage - fodder)	11.88	1	16.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Sudangrass	427.09	20	520.8	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Triticale	23.17	3	123.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diglycolamine salt of 3,6-dichloro-o-anisic acid	Wheat (forage - fodder)	413.87	51	1,876.0	A
dimethenamid-p	N-outdr plants in containers	45.0	20	30.75	A
dimethoate	Alfalfa	2,491.51	165	5,775.95	A
dimethoate	Bean, dried	2,582.78	164	10,245.5	A
dimethoate	Bean, succulent	138.74	18	930.0	A
dimethoate	Broccoli	532.84	25	1,864.0	A
dimethoate	Corn (forage - fodder)	69.12	4	140.0	A
dimethoate	Pecan	5.89	1	18.0	A
dimethoate	Pepper, fruiting	12.34	2	50.0	A
dimethoate	Tomato	0.47	1	16.0	A
dimethoate	Tomato, processing	297.25	46	2,391.91	A
dimethomorph	Cabbage	8.8	29	44.66	A
dimethomorph	Chinese cabbage (nappa)	0.89	2	4.53	A
dimethomorph	Collard	0.93	3	4.71	A
dimethomorph	Kale	0.81	4	4.14	A
dimethomorph	Lettuce, leaf	1.52	5	7.69	A
dimethomorph	Mustard	0.42	3	2.13	A
dimethomorph	Mustard greens	0.86	3	4.36	A
dimethyl alkyl tertiary amines	Alfalfa	21.46	64	3,193.5	A
dimethyl alkyl tertiary amines	Almond	182.96	601	24,304.04	A
dimethyl alkyl tertiary amines	Apricot	0.02	1	3.89	A
dimethyl alkyl tertiary amines	Bean, dried	0.68	2	109.2	A
dimethyl alkyl tertiary amines	Corn (forage - fodder)	36.78	103	5,392.5	A
dimethyl alkyl tertiary amines	Grape, wine	2.94	25	292.64	A
dimethyl alkyl tertiary amines	Oat (forage - fodder)	3.59	21	655.75	A
dimethyl alkyl tertiary amines	Peach	0.61	13	70.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethyl alkyl tertiary amines	Prune	0.05	1	7.63	A
dimethyl alkyl tertiary amines	Rights of way	0.06	3	10.0	A
dimethyl alkyl tertiary amines	Rights of way	0.52	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Sudangrass	0.9	3	145.0	A
dimethyl alkyl tertiary amines	Triticale	0.21	1	34.0	A
dimethyl alkyl tertiary amines	Uncultivated non-ag	0.13	3	21.5	A
dimethyl alkyl tertiary amines	Walnut	7.28	53	1,223.74	A
dimethyl alkyl tertiary amines	Wheat	0.4	2	65.0	A
dimethyl alkyl tertiary amines	Wheat (forage - fodder)	16.69	41	3,076.0	A
dimethylpolysiloxane	Alfalfa	3.44	111	4,218.0	A
dimethylpolysiloxane	Almond	6,118.46	3,351	150,234.5	A
dimethylpolysiloxane	Almond	<0.01	1	217,800.0	S
dimethylpolysiloxane	Apple	0.25	21	112.49	A
dimethylpolysiloxane	Apricot	2.71	71	1,111.15	A
dimethylpolysiloxane	Bean, dried	5.21	38	2,453.2	A
dimethylpolysiloxane	Bean, succulent	0.19	4	80.0	A
dimethylpolysiloxane	Cantaloupe	0.08	1	123.0	A
dimethylpolysiloxane	Cherry	9.48	183	2,375.78	A
dimethylpolysiloxane	Corn (forage - fodder)	23.89	339	14,531.03	A
dimethylpolysiloxane	Corn, human consumption	0.46	35	1,344.0	A
dimethylpolysiloxane	Garlic	0.16	6	292.0	A
dimethylpolysiloxane	Grape	<0.01	2	2.0	A
dimethylpolysiloxane	Grape, wine	10.08	79	3,764.68	A
dimethylpolysiloxane	Kiwi	<0.01	1	4.0	A
dimethylpolysiloxane	Landscape maintenance	0.07	N/A	N/A	N/A
dimethylpolysiloxane	N-grnhs transplants	0.01	N/A	109,956.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	N-outdr plants in containers	2.75	67	1,106.5	A
dimethylpolysiloxane	N-outdr transplants	3.05	84	1,973.35	A
dimethylpolysiloxane	Nectarine	0.1	44	52.34	A
dimethylpolysiloxane	Oat	0.01	1	17.5	A
dimethylpolysiloxane	Oat (forage - fodder)	53.73	94	3,981.95	A
dimethylpolysiloxane	Olive	0.16	2	312.0	A
dimethylpolysiloxane	Pastureland	0.26	4	517.0	A
dimethylpolysiloxane	Peach	6.92	426	4,603.96	A
dimethylpolysiloxane	Pear	0.06	12	21.73	A
dimethylpolysiloxane	Pecan	0.01	1	16.0	A
dimethylpolysiloxane	Pistachio	0.04	2	8.4	A
dimethylpolysiloxane	Plum	2.01	80	170.05	A
dimethylpolysiloxane	Pluot	<0.01	3	3.25	A
dimethylpolysiloxane	Prune	0.01	17	3.95	A
dimethylpolysiloxane	Pumpkin	0.06	6	94.5	A
dimethylpolysiloxane	Rangeland	0.05	1	100.0	A
dimethylpolysiloxane	Rights of way	0.07	7	14.0	A
dimethylpolysiloxane	Rights of way	2.45	N/A	N/A	N/A
dimethylpolysiloxane	Sorghum (forage - fodder)	0.04	1	74.0	A
dimethylpolysiloxane	Sudangrass	0.07	5	201.0	A
dimethylpolysiloxane	Tomato	0.11	4	137.05	A
dimethylpolysiloxane	Tomato, processing	0.66	33	1,158.84	A
dimethylpolysiloxane	Triticale	0.03	4	157.0	A
dimethylpolysiloxane	Uncultivated ag	0.13	3	107.0	A
dimethylpolysiloxane	Vegetable	<0.01	1	0.25	A
dimethylpolysiloxane	Walnut	221.36	600	16,357.23	A
dimethylpolysiloxane	Wheat	0.05	3	104.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Wheat (forage - fodder)	4.46	126	6,635.8	A
dimethyl silicone fluid emulsion	Almond	7.79	23	1,220.0	A
dimethyl silicone fluid emulsion	Grape	1.32	5	202.0	A
dimethyl silicone fluid emulsion	Grape, wine	6.15	41	1,045.71	A
dimethyl silicone fluid emulsion	Peach	0.55	8	74.0	A
dimethyl silicone fluid emulsion	Walnut	1.14	8	174.3	A
alpha-(ortho,para-dinonylphenyl)-omega-hydroxypolyoxy(ethylene) phosphate	N-grnhs plants in containers	0.51	1	3.0	A
alpha-(ortho,para-dinonylphenyl)-omega-hydroxypolyoxy(ethylene) phosphate	N-outdr transplants	0.06	1	1.5	A
dinotefuran	Animal premise	1.2	N/A	6.0	A
dinotefuran	Animal premise	19.0	N/A	1,762,500.0	C
dinotefuran	Animal premise	6.0	N/A	775,500.0	S
dinotefuran	Animal premise	8.58	N/A	196,391.0	U
dinotefuran	Landscape maintenance	14.59	N/A	N/A	N/A
dinotefuran	N-grnhs plants in containers	3.9	3	28,800.0	S
dinotefuran	N-outdr plants in containers	7.4	7	545.0	A
dinotefuran	N-outdr transplants	0.2	2	2.0	A
dinotefuran	N-outdr transplants	0.6	1	5,520.0	S
dinotefuran	Regulatory pest control	1.35	N/A	N/A	N/A
dinotefuran	Structural pest control	340.6	N/A	N/A	N/A
dinotefuran	Tomato	14.53	1	83.0	A
dinotefuran	Watermelon	3.5	1	80.0	A
diphacinone	Almond	<0.01	2	17.0	A
diphacinone	Animal premise	0.01	N/A	9.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diphacinone	Animal premise	0.01	N/A	1,003,200.0	C
diphacinone	Animal premise	0.04	N/A	1,782,804.0	S
diphacinone	Buildings/non-ag outdoor	0.02	N/A	21.0	U
diphacinone	Farm/ag building	<0.01	N/A	4,356.0	S
diphacinone	Landscape maintenance	0.08	N/A	N/A	N/A
diphacinone	N-grnhs transplants	0.01	1	100.0	A
diphacinone	N-outdr plants in containers	0.01	6	45.0	A
diphacinone	Pastureland	<0.01	6	75.0	A
diphacinone	Rangeland	0.01	8	288.0	A
diphacinone	Rights of way	<0.01	1	1.0	A
diphacinone	Rights of way	0.12	N/A	N/A	N/A
diphacinone	Structural pest control	0.02	N/A	N/A	N/A
diphacinone	Sweet potato	0.25	1	2.0	A
diphacinone	Uncultivated ag	<0.01	2	18.0	A
diphacinone	Vertebrate control	0.1	N/A	N/A	N/A
diphacinone	Walnut	0.01	6	26.5	A
diphacinone, sodium salt	Animal premise	0.04	N/A	348,000.0	C
diphacinone, sodium salt	Animal premise	0.11	N/A	732,600.0	S
diphacinone, sodium salt	Structural pest control	0.08	N/A	N/A	N/A
diphacinone, sodium salt	Vertebrate control	1.39	N/A	N/A	N/A
diquat dibromide	Almond	9.32	1	10.0	A
diquat dibromide	Golf course turf	18.65	N/A	15.08	A
diquat dibromide	Landscape maintenance	191.28	N/A	N/A	N/A
diquat dibromide	N-grnhs flower	0.05	N/A	12.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diquat dibromide	N-grnhs plants in containers	6.6	8	3.75	A
diquat dibromide	N-grnhs plants in containers	1.86	1	2,160.0	S
diquat dibromide	N-outdr transplants	1.16	5	20.0	A
diquat dibromide	Potato	153.83	4	165.0	A
diquat dibromide	Rights of way	10.54	2	25.0	A
diquat dibromide	Rights of way	63.92	N/A	N/A	N/A
diquat dibromide	Walnut	3.04	3	16.0	A
disodium octaborate tetrahydrate	Structural pest control	405.51	N/A	N/A	N/A
dithiopyr	Golf course turf	26.99	N/A	20.32	A
dithiopyr	Landscape maintenance	1,390.21	N/A	N/A	N/A
dithiopyr	N-outdr plants in containers	18.32	12	41.5	A
dithiopyr	N-outdr transplants	0.25	1	1.0	A
dithiopyr	Rights of way	5,036.07	N/A	N/A	N/A
dithiopyr	Structural pest control	<0.01	N/A	N/A	N/A
diuron	Alfalfa	1,692.77	24	1,106.5	A
diuron	Landscape maintenance	3.53	N/A	N/A	N/A
diuron	Rights of way	42.02	3	21.0	A
diuron	Rights of way	142.82	N/A	N/A	N/A
diuron	Walnut	877.74	31	854.9	A
e,e-8,10-dodecadien-1-ol	Walnut	36.45	44	1,258.0	A
z-8-dodecenol	Apricot	0.01	5	35.25	A
z-8-dodecenol	N-outdr plants in containers	0.05	3	213.5	A
z-8-dodecenol	Nectarine	0.02	20	79.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
z-8-dodecenol	Peach	0.74	148	2,280.74	A
z-8-dodecenol	Plum	<0.01	2	7.0	A
z-8-dodecenol	Stone fruit	0.06	4	277.5	A
e-8-dodecenyl acetate	Apricot	0.04	5	35.25	A
e-8-dodecenyl acetate	N-outdr plants in containers	0.27	3	213.5	A
e-8-dodecenyl acetate	Nectarine	0.09	20	79.0	A
e-8-dodecenyl acetate	Peach	4.83	148	2,280.74	A
e-8-dodecenyl acetate	Plum	0.01	2	7.0	A
e-8-dodecenyl acetate	Stone fruit	0.3	4	277.5	A
z-8-dodecenyl acetate	Apricot	0.64	5	35.25	A
z-8-dodecenyl acetate	N-outdr plants in containers	4.01	3	213.5	A
z-8-dodecenyl acetate	Nectarine	1.4	20	79.0	A
z-8-dodecenyl acetate	Peach	46.45	148	2,280.74	A
z-8-dodecenyl acetate	Plum	0.14	2	7.0	A
z-8-dodecenyl acetate	Stone fruit	4.54	4	277.5	A
dodecylbenzene sulfonic acid	Alfalfa	12.49	28	768.0	A
dodecylbenzene sulfonic acid	Almond	28.29	47	1,007.0	A
dodecylbenzene sulfonic acid	Apricot	2.67	2	188.0	A
dodecylbenzene sulfonic acid	Bean, dried	62.36	62	3,549.5	A
dodecylbenzene sulfonic acid	Bean, succulent	9.55	13	781.0	A
dodecylbenzene sulfonic acid	Broccoli	8.83	12	803.0	A
dodecylbenzene sulfonic acid	Cherry	2.05	6	128.0	A
dodecylbenzene sulfonic acid	Corn (forage - fodder)	0.1	1	18.5	A
dodecylbenzene sulfonic acid	Landscape maintenance	0.41	N/A	N/A	N/A
dodecylbenzene sulfonic acid	Melon	2.77	6	349.0	A
dodecylbenzene sulfonic acid	Pepper, fruiting	1.97	4	100.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dodecylbenzene sulfonic acid	Structural pest control	20.99	N/A	N/A	N/A
dodecylbenzene sulfonic acid	Tomato	5.47	12	860.0	A
dodecylbenzene sulfonic acid	Tomato, processing	21.77	43	2,597.0	A
dodecylbenzene sulfonic acid	Walnut	4.56	12	129.0	A
dodecylbenzene sulfonic acid, calcium salt	Alfalfa	8.66	65	3,523.3	A
dodecylbenzene sulfonic acid, calcium salt	Almond	17.32	402	7,157.99	A
dodecylbenzene sulfonic acid, calcium salt	Basil, sweet	0.48	54	92.1	A
dodecylbenzene sulfonic acid, calcium salt	Beet	0.59	66	113.94	A
dodecylbenzene sulfonic acid, calcium salt	Bok choy	0.62	101	120.13	A
dodecylbenzene sulfonic acid, calcium salt	Cabbage	0.88	104	170.39	A
dodecylbenzene sulfonic acid, calcium salt	Celeriac	0.1	15	19.35	A
dodecylbenzene sulfonic acid, calcium salt	Chinese cabbage (nappa)	0.33	41	63.33	A
dodecylbenzene sulfonic acid, calcium salt	Cilantro	0.99	97	191.01	A
dodecylbenzene sulfonic acid, calcium salt	Collard	0.75	78	145.75	A
dodecylbenzene sulfonic acid, calcium salt	Corn (forage - fodder)	29.89	327	11,658.06	A
dodecylbenzene sulfonic acid, calcium salt	Daikon	0.04	12	8.32	A
dodecylbenzene sulfonic acid, calcium salt	Dandelion green	0.09	17	17.23	A
dodecylbenzene sulfonic acid, calcium salt	Dill	0.28	43	54.59	A
dodecylbenzene sulfonic acid, calcium salt	Endive (escarole)	0.11	38	21.6	A
dodecylbenzene sulfonic acid, calcium salt	Fennel	0.02	8	4.8	A
dodecylbenzene sulfonic acid, calcium salt	Kale	0.74	113	142.08	A
dodecylbenzene sulfonic acid, calcium salt	Kohlrabi	0.2	40	38.66	A
dodecylbenzene sulfonic acid, calcium salt	Leek	0.26	25	50.09	A
dodecylbenzene sulfonic acid, calcium salt	Lettuce, leaf	1.91	222	369.3	A
dodecylbenzene sulfonic acid, calcium salt	Mustard	0.31	57	60.09	A
dodecylbenzene sulfonic acid, calcium salt	Mustard greens	0.56	63	107.51	A
dodecylbenzene sulfonic acid, calcium salt	Oat (forage - fodder)	5.12	75	2,007.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dodecylbenzene sulfonic acid, calcium salt	Olive	0.04	1	18.0	A
dodecylbenzene sulfonic acid, calcium salt	Parsley	0.75	73	145.66	A
dodecylbenzene sulfonic acid, calcium salt	Peach	1.89	7	397.22	A
dodecylbenzene sulfonic acid, calcium salt	Radicchio	0.01	5	2.31	A
dodecylbenzene sulfonic acid, calcium salt	Rights of way	0.2	6	75.0	A
dodecylbenzene sulfonic acid, calcium salt	Rights of way	21.37	N/A	N/A	N/A
dodecylbenzene sulfonic acid, calcium salt	Spinach	0.34	51	65.68	A
dodecylbenzene sulfonic acid, calcium salt	Sudangrass	0.02	1	10.0	A
dodecylbenzene sulfonic acid, calcium salt	Swiss chard	0.77	102	148.04	A
dodecylbenzene sulfonic acid, calcium salt	Turnip	0.34	53	65.88	A
dodecylbenzene sulfonic acid, calcium salt	Uncultivated non-ag	3.84	N/A	742.0	A
dodecylbenzene sulfonic acid, calcium salt	Walnut	0.28	20	190.59	A
dodecylbenzene sulfonic acid, calcium salt	Wheat (forage - fodder)	2.63	38	1,115.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	0.42	1	47.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	66.47	143	6,048.86	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Apple	0.52	12	30.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	1.63	3	43.5	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	0.6	2	90.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	1.58	9	77.4	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	0.61	2	55.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	0.34	1	75.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	1.87	8	289.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	0.87	9	202.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	1.01	15	65.15	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	0.18	1	20.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	13.22	53	961.66	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	0.13	1	14.88	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Walnut	19.16	50	1,649.42	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Watermelon	8.46	14	961.0	A
2,4-dp-p, dimethylamine salt	Landscape maintenance	10.08	N/A	N/A	N/A
2,4-dp-p, dimethylamine salt	Rights of way	0.02	N/A	N/A	N/A
edta	Alfalfa	0.47	2	30.0	A
edta	Almond	19.13	42	1,047.2	A
edta	Cherry	1.19	7	81.29	A
edta	Corn (forage - fodder)	1.34	3	243.7	A
edta	Pistachio	0.05	1	4.2	A
edta	Walnut	5.52	15	213.33	A
edta, sodium salt	Walnut	0.01	1	3.0	A
edta, tetrasodium salt	Alfalfa	0.77	28	768.0	A
edta, tetrasodium salt	Almond	1.74	47	1,007.0	A
edta, tetrasodium salt	Apricot	0.16	2	188.0	A
edta, tetrasodium salt	Bean, dried	3.84	62	3,549.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
edta, tetrasodium salt	Bean, succulent	0.59	13	781.0	A
edta, tetrasodium salt	Broccoli	0.54	12	803.0	A
edta, tetrasodium salt	Cherry	0.13	6	128.0	A
edta, tetrasodium salt	Corn (forage - fodder)	0.19	9	187.0	A
edta, tetrasodium salt	Landscape maintenance	0.03	N/A	N/A	N/A
edta, tetrasodium salt	Melon	0.17	6	349.0	A
edta, tetrasodium salt	Pepper, fruiting	0.12	4	100.0	A
edta, tetrasodium salt	Structural pest control	1.29	N/A	N/A	N/A
edta, tetrasodium salt	Tomato	0.34	12	860.0	A
edta, tetrasodium salt	Tomato, processing	1.34	43	2,597.0	A
edta, tetrasodium salt	Walnut	0.28	12	129.0	A
emamectin benzoate	Almond	96.05	148	6,798.68	A
emamectin benzoate	Landscape maintenance	0.42	N/A	N/A	N/A
emulsifiable methylated vegetable oil	Alfalfa	1,426.19	31	1,370.0	A
emulsifiable methylated vegetable oil	Almond	8,952.56	462	20,713.44	A
emulsifiable methylated vegetable oil	Apricot	93.0	2	133.0	A
emulsifiable methylated vegetable oil	Cherry	96.8	9	165.5	A
emulsifiable methylated vegetable oil	Corn (forage - fodder)	1,353.0	67	2,413.75	A
emulsifiable methylated vegetable oil	Garlic	27.96	1	100.0	A
emulsifiable methylated vegetable oil	Grape, wine	55.81	2	62.34	A
emulsifiable methylated vegetable oil	N-outdr transplants	45.47	9	130.0	A
emulsifiable methylated vegetable oil	Oat (forage - fodder)	8.89	4	31.75	A
emulsifiable methylated vegetable oil	Pastureland	18.51	1	53.0	A
emulsifiable methylated vegetable oil	Peach	88.2	18	161.14	A
emulsifiable methylated vegetable oil	Rights of way	19.72	3	36.0	A
emulsifiable methylated vegetable oil	Rights of way	9.02	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
emulsifiable methylated vegetable oil	Tomato	52.18	5	290.0	A
emulsifiable methylated vegetable oil	Tomato, processing	40.82	4	244.0	A
emulsifiable methylated vegetable oil	Uncultivated ag	264.63	4	219.0	A
emulsifiable methylated vegetable oil	Walnut	832.88	88	1,677.46	A
emulsifiable methylated vegetable oil	Watermelon	243.53	9	491.0	A
endothall, dipotassium salt	Rights of way	3,168.97	N/A	N/A	N/A
endothall, disodium salt	Rights of way	2,645.69	N/A	N/A	N/A
endothall, mono [n,n-dimethyl alkylamine] salt	Rights of way	4,236.11	N/A	N/A	N/A
eptc	Alfalfa	24.39	1	7.0	A
eptc	Almond	216.56	2	71.0	A
esfenvalerate	Almond	852.3	394	13,492.9	A
esfenvalerate	Apple	0.56	2	14.8	A
esfenvalerate	Apricot	26.05	24	528.52	A
esfenvalerate	Broccoli	17.44	8	465.0	A
esfenvalerate	Cherry	13.35	21	248.22	A
esfenvalerate	Commodity fumigation	0.03	N/A	N/A	N/A
esfenvalerate	Corn (forage - fodder)	11.69	5	239.0	A
esfenvalerate	N-outdr plants in containers	6.5	11	177.5	A
esfenvalerate	Nectarine	2.36	17	46.92	A
esfenvalerate	Peach	182.34	266	3,692.88	A
esfenvalerate	Pear	0.01	1	0.18	A
esfenvalerate	Plum	1.75	13	47.87	A
esfenvalerate	Prune	0.02	2	0.46	A
esfenvalerate	Pumpkin	3.61	3	72.5	A
esfenvalerate	Rights of way	1.01	N/A	N/A	N/A
esfenvalerate	Structural pest control	35.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
esfenvalerate	Tomato	3.9	2	91.0	A
esfenvalerate	Tomato, processing	28.22	13	656.0	A
esfenvalerate	Walnut	233.58	157	4,216.73	A
ethalfuralin	Bean, dried	40.98	2	62.6	A
ethanolamine	Rights of way	1.77	3	6.0	A
ethephon	Landscape maintenance	68.66	N/A	N/A	N/A
ethephon	Tomato, processing	408.7	10	710.0	A
ethephon	Walnut	6,638.71	142	8,316.78	A
etofenprox	Public health	26.33	N/A	N/A	N/A
etofenprox	Structural pest control	2.14	N/A	N/A	N/A
ethofumesate	Landscape maintenance	1.59	N/A	N/A	N/A
ethofumesate	Onion, dry	70.23	1	73.0	A
ethoprop	Sweet potato	1,095.0	10	365.0	A
ethylene glycol	Alfalfa	25.7	6	117.2	A
ethylene glycol	Almond	2,445.63	345	7,574.43	A
ethylene glycol	Apricot	41.35	9	247.89	A
ethylene glycol	Bean, dried	9.19	1	38.0	A
ethylene glycol	Cherry	59.59	25	349.42	A
ethylene glycol	Corn (forage - fodder)	274.7	20	1,694.0	A
ethylene glycol	Forage hay/silage	1.45	1	6.0	A
ethylene glycol	Grape	18.42	3	134.0	A
ethylene glycol	Grape, wine	29.8	4	211.5	A
ethylene glycol	Landscape maintenance	1.72	N/A	N/A	N/A
ethylene glycol	Oat (forage - fodder)	142.24	21	1,400.0	A
ethylene glycol	Olive	4.03	1	40.0	A
ethylene glycol	Pastureland	92.89	5	512.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethylene glycol	Peach	28.12	4	46.0	A
ethylene glycol	Rights of way	26.91	2	65.0	A
ethylene glycol	Rights of way	57.91	N/A	N/A	N/A
ethylene glycol	Soil fumigation/preplant	55.93	5	333.0	A
ethylene glycol	Tomato, processing	10.89	1	60.0	A
ethylene glycol	Uncultivated non-ag	10.89	2	40.0	A
ethylene glycol	Walnut	539.73	107	1,796.06	A
ethylene glycol	Watermelon	4.84	1	20.0	A
ethylene glycol	Wheat	34.77	1	230.0	A
ethylene glycol	Wheat (forage - fodder)	43.0	14	485.5	A
etoxazole	Almond	4,694.04	753	37,357.46	A
etoxazole	Apricot	0.11	2	1.01	A
etoxazole	Cherry	31.4	13	243.02	A
etoxazole	Corn (forage - fodder)	1,542.2	385	15,442.7	A
etoxazole	Grape, wine	379.29	24	2,936.54	A
etoxazole	N-grnhs plants in containers	8.26	23	96.95	A
etoxazole	N-outdr plants in containers	7.94	5	233.5	A
etoxazole	N-outdr transplants	33.99	25	271.49	A
etoxazole	Nectarine	1.32	3	12.2	A
etoxazole	Peach	63.76	33	556.54	A
etoxazole	Plum	0.48	3	4.4	A
etoxazole	Prune	0.02	1	0.23	A
etoxazole	Walnut	989.14	166	7,650.66	A
etoxazole	Watermelon	55.89	9	414.0	A
famoxadone	N-grnhs transplants	21.75	6	600.0	A
famoxadone	Tomato	12.89	2	103.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids, methyl esters	Alfalfa	660.68	25	633.5	A
fatty acids, methyl esters	Almond	9,400.73	362	9,838.39	A
fatty acids, methyl esters	Cherry	20.79	3	19.41	A
fatty acids, methyl esters	Corn (forage - fodder)	168.07	4	167.0	A
fatty acids, methyl esters	Grape, wine	553.61	21	1,033.84	A
fatty acids, methyl esters	N-grnhs flower	8.62	N/A	4.5	A
fatty acids, methyl esters	Peach	198.91	30	271.37	A
fatty acids, methyl esters	Pistachio	40.4	4	96.3	A
fatty acids, methyl esters	Rights of way	34.98	3	34.5	A
fatty acids, methyl esters	Rights of way	4.28	N/A	N/A	N/A
fatty acids, methyl esters	Sorghum (forage - fodder)	13.69	1	16.0	A
fatty acids, methyl esters	Uncultivated ag	7.13	1	10.0	A
fatty acids, methyl esters	Walnut	1,854.49	92	2,151.44	A
fatty acids, mixed	Alfalfa	85.75	27	1,308.8	A
fatty acids, mixed	Almond	1,021.51	307	19,834.86	A
fatty acids, mixed	Apricot	25.71	8	308.0	A
fatty acids, mixed	Bean, dried	45.82	13	921.0	A
fatty acids, mixed	Cherry	115.37	58	1,072.6	A
fatty acids, mixed	Corn (forage - fodder)	162.47	69	2,985.0	A
fatty acids, mixed	Grape, wine	253.43	38	1,756.92	A
fatty acids, mixed	Landscape maintenance	146.78	N/A	N/A	N/A
fatty acids, mixed	N-outdr transplants	0.46	6	25.0	A
fatty acids, mixed	Oat (forage - fodder)	106.51	29	1,428.2	A
fatty acids, mixed	Olive	13.02	2	312.0	A
fatty acids, mixed	Pastureland	2.08	2	10.0	A
fatty acids, mixed	Peach	0.45	9	46.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids, mixed	Pistachio	1.18	3	226.66	A
fatty acids, mixed	Rights of way	0.05	1	5.0	A
fatty acids, mixed	Rights of way	24.38	N/A	N/A	N/A
fatty acids, mixed	Sorghum (forage - fodder)	3.09	1	74.0	A
fatty acids, mixed	Sudangrass	1.16	3	55.5	A
fatty acids, mixed	Tomato, processing	10.57	10	126.5	A
fatty acids, mixed	Uncultivated ag	5.21	3	89.0	A
fatty acids, mixed	Walnut	120.04	64	1,722.95	A
fatty acids, mixed	Wheat (forage - fodder)	221.16	29	1,312.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Alfalfa	10.36	57	1,836.55	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Almond	93.88	259	6,149.01	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Bean, dried	0.39	4	45.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Cherry	0.03	1	2.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Corn (forage - fodder)	18.39	76	2,996.22	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Oat	0.04	1	18.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Oat (forage - fodder)	9.35	65	1,893.8	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Peach	3.38	29	268.15	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Pistachio	0.37	4	36.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Plum	0.25	2	19.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids, c16-18 and c18-unsaturated, branched and linear	Rights of way	0.11	N/A	N/A	N/A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Ryegrass	0.07	1	17.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Sorghum (forage - fodder)	0.1	1	16.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Sudangrass	0.47	2	48.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Uncultivated ag	0.17	1	40.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Uncultivated non-ag	0.09	N/A	4.0	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Walnut	12.77	55	895.6	A
fatty acids, c16-18 and c18-unsaturated, branched and linear	Wheat (forage - fodder)	4.49	34	1,337.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Alfalfa	1,057.52	83	4,447.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Almond	41,748.65	3,169	117,292.46	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Apple	27.33	7	45.97	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Apricot	891.15	113	3,826.51	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Basil, sweet	50.4	54	92.1	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Bean, dried	2,056.71	67	4,492.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Beet	62.36	66	113.94	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Bok choy	65.73	101	120.13	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Broccoli	85.44	8	642.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cabbage	93.3	104	170.39	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cantaloupe	214.14	14	926.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Celeriac	10.57	15	19.35	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cherry	737.91	167	2,380.82	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Chinese cabbage (nappa)	34.66	41	63.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cilantro	104.56	97	191.01	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Collard	79.76	78	145.75	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Corn (forage - fodder)	3,780.97	428	15,073.56	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Corn, human consumption	17.02	1	64.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Daikon	4.55	12	8.32	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Dandelion green	9.44	17	17.23	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Dill	29.87	43	54.59	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Endive (escarole)	11.81	38	21.6	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Fennel	2.62	8	4.8	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Garlic	70.37	5	472.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Grape	87.95	22	702.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Grape, wine	352.02	40	2,397.72	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Kale	77.75	113	142.08	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Kohlrabi	21.15	40	38.66	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Leek	27.4	25	50.09	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, leaf	202.14	222	369.3	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Mustard	32.89	57	60.09	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Mustard greens	58.85	63	107.51	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	N-grnhs transplants	1.49	N/A	124,236.0	S
fatty acids, c16-c18 and c18-unsaturated, methyl esters	N-outdr flower	5.47	1	12.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	N-outdr plants in containers	59.86	6	105.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	N-outdr transplants	215.31	28	370.55	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Nectarine	47.94	40	103.35	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Oat (forage - fodder)	545.99	77	2,063.7	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Olive	3.92	1	18.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Parsley	79.71	73	145.66	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Peach	1,600.56	249	3,822.03	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pear	12.11	5	23.26	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pepper, fruiting	39.95	7	380.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pistachio	114.27	7	181.12	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Plum	37.36	34	71.04	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Prune	1.5	7	1.85	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Pumpkin	3.28	2	12.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Radicchio	1.26	5	2.31	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Rights of way	21.28	6	75.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Rights of way	2,260.35	N/A	N/A	N/A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Spinach	35.95	51	65.68	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Stone fruit	51.82	10	292.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Sudangrass	2.17	1	10.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Sweet potato	47.75	6	180.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Swiss chard	81.0	102	148.04	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Tomato, processing	36.46	3	180.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Turnip	36.03	53	65.88	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Uncultivated non-ag	406.27	N/A	742.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Walnut	7,958.73	675	16,079.84	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Watermelon	188.35	14	982.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Wheat (forage - fodder)	278.4	38	1,115.0	A
fatty acids derived from tallow	Almond	53.95	42	2,257.27	A
fatty acids derived from tallow	Corn (forage - fodder)	3.39	1	55.0	A
fatty acids derived from tallow	Garlic	1.97	2	85.0	A
fatty acids derived from tallow	Grape, wine	31.92	10	296.06	A
fatty acids derived from tallow	Oat (forage - fodder)	2.59	2	84.0	A
fatty acids derived from tallow	Pistachio	0.22	2	18.0	A
fatty acids derived from tallow	Rights of way	3.91	3	38.0	A
fatty acids derived from tallow	Walnut	44.68	30	326.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids derived from tallow	Wheat (forage - fodder)	2.53	2	88.0	A
fenazaquin	Almond	2,392.51	40	3,916.8	A
fenazaquin	Peach	63.15	5	134.5	A
fenazaquin	Plum	3.76	1	8.0	A
fenazaquin	Walnut	258.8	6	381.0	A
fenbuconazole	Almond	2.07	2	21.2	A
fenbutatin-oxide	Almond	244.65	5	320.0	A
fenbutatin-oxide	Cherry	22.0	3	22.0	A
fenbutatin-oxide	N-grnhs plants in containers	75.43	21	68.1	A
fenbutatin-oxide	N-outdr plants in containers	2.5	1	2.0	A
fenbutatin-oxide	N-outdr transplants	106.0	28	101.0	A
fenbutatin-oxide	Walnut	109.5	4	109.0	A
fenhexamid	Cherry	16.13	2	21.5	A
fenhexamid	Grape, wine	465.78	19	1,017.9	A
fenhexamid	N-grnhs plants in containers	0.38	1	0.5	A
fenhexamid	N-grnhs transplants	123.75	7	700.0	A
fenhexamid	N-outdr transplants	12.0	1	16.0	A
fenpropathrin	Almond	2,467.9	94	7,407.4	A
fenpropathrin	Apricot	79.63	3	197.0	A
fenpropathrin	Cherry	264.1	56	932.55	A
fenpropathrin	N-grnhs plants in containers	19.39	12	66.5	A
fenpropathrin	N-outdr plants in containers	14.29	9	99.75	A
fenpropathrin	N-outdr transplants	0.66	5	3.5	A
fenpropathrin	Nectarine	0.63	1	2.0	A
fenpropathrin	Peach	70.03	27	257.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenpropathrin	Pecan	0.01	1	1,200.0	S
fenpropathrin	Tomato	41.06	7	242.8	A
fenpropathrin	Walnut	123.47	14	387.7	A
fenpyroximate	Almond	128.22	24	794.0	A
fenpyroximate	Corn (forage - fodder)	33.41	4	313.0	A
fenpyroximate	N-outdr plants in containers	6.65	4	67.5	A
fenpyroximate	N-outdr transplants	12.47	8	129.0	A
fenpyroximate	Walnut	16.36	7	106.0	A
ferric sodium edta	Landscape maintenance	0.2	N/A	N/A	N/A
fipronil	Landscape maintenance	0.18	N/A	N/A	N/A
fipronil	Regulatory pest control	0.12	N/A	N/A	N/A
fipronil	Structural pest control	611.91	N/A	N/A	N/A
flonicamid	Almond	21.78	19	241.0	A
flonicamid	Beet	0.26	2	3.01	A
flonicamid	Bok choy	4.35	46	49.72	A
flonicamid	Broccoli	1.75	1	20.0	A
flonicamid	Cabbage	8.36	65	95.46	A
flonicamid	Cantaloupe	33.17	5	386.0	A
flonicamid	Chinese cabbage (nappa)	5.09	33	58.21	A
flonicamid	Collard	9.15	61	104.6	A
flonicamid	Dandelion green	0.6	6	6.91	A
flonicamid	Endive (escarole)	1.2	24	13.74	A
flonicamid	Kale	13.55	126	154.82	A
flonicamid	Kohlrabi	3.18	34	36.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flonicamid	Lettuce, leaf	19.46	126	222.36	A
flonicamid	Mustard	2.53	27	28.87	A
flonicamid	Mustard greens	5.88	39	67.16	A
flonicamid	N-grnhs plants in containers	11.64	10	45.0	A
flonicamid	N-outdr plants in containers	0.09	1	1.0	A
flonicamid	N-outdr plants in containers	<0.01	1	1,200.0	S
flonicamid	N-outdr transplants	0.09	1	1.0	A
flonicamid	Parsley	1.3	8	14.86	A
flonicamid	Peach	2.28	4	26.0	A
flonicamid	Pecan	14.92	30	170.55	A
flonicamid	Plum	0.22	1	2.5	A
flonicamid	Pumpkin	12.13	5	139.0	A
flonicamid	Radicchio	0.57	14	6.48	A
flonicamid	Spinach	2.81	26	32.06	A
flonicamid	Swiss chard	13.83	106	158.05	A
flonicamid	Turnip	2.48	24	28.3	A
flonicamid	Walnut	1.5	2	20.0	A
flonicamid	Watermelon	42.02	7	489.0	A
fluazifop-p-butyl	Almond	29.47	10	120.63	A
fluazifop-p-butyl	Grape, wine	121.32	6	322.2	A
fluazifop-p-butyl	Landscape maintenance	1.89	N/A	N/A	N/A
fluazifop-p-butyl	Peach	1.99	3	5.66	A
fluazifop-p-butyl	Research commodity	0.1	N/A	N/A	N/A
fluazifop-p-butyl	Rights of way	27.12	N/A	N/A	N/A
fluazifop-p-butyl	Walnut	3.45	1	11.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluazinam	Landscape maintenance	5.47	N/A	N/A	N/A
flubendiamide	Alfalfa	8.75	1	70.0	A
flubendiamide	Almond	70.91	16	564.9	A
flubendiamide	Peach	47.96	45	384.58	A
flubendiamide	Walnut	15.11	7	121.0	A
fludioxonil	Basil, sweet	6.57	23	35.02	A
fludioxonil	Bean, dried	8.92	N/A	338,300.0	P
fludioxonil	Beet	7.19	20	33.68	A
fludioxonil	Bok choy	2.05	8	10.47	A
fludioxonil	Cabbage	7.95	24	40.88	A
fludioxonil	Celeriac	7.58	27	36.95	A
fludioxonil	Chinese cabbage (nappa)	0.48	2	2.55	A
fludioxonil	Cilantro	8.89	22	45.57	A
fludioxonil	Collard	2.61	8	13.54	A
fludioxonil	Dandelion green	2.17	11	10.96	A
fludioxonil	Endive (escarole)	0.65	7	3.44	A
fludioxonil	Golf course turf	2.4	N/A	8.0	A
fludioxonil	Grape, wine	95.59	6	437.0	A
fludioxonil	Kale	0.95	3	5.04	A
fludioxonil	Landscape maintenance	1.8	N/A	N/A	N/A
fludioxonil	Lettuce, leaf	11.33	33	59.48	A
fludioxonil	Mustard	1.67	8	8.75	A
fludioxonil	Mustard greens	3.17	10	16.56	A
fludioxonil	N-grnhs plants in containers	14.25	16	85.5	A
fludioxonil	N-grnhs plants in containers	13.06	79	189,887.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	N-outdr plants in containers	4.98	10	101.5	A
fludioxonil	N-outdr transplants	44.69	17	211.5	A
fludioxonil	N-outdr transplants	0.38	2	3,510.0	S
fludioxonil	Parsley	50.92	116	239.07	A
fludioxonil	Spinach	0.74	3	3.79	A
fludioxonil	Swiss chard	46.63	155	219.34	A
fludioxonil	Tomato	0.21	1	1.11	A
fludioxonil	Turnip	1.0	4	4.59	A
flumioxazin	Alfalfa	221.77	55	1,777.2	A
flumioxazin	Almond	3,647.3	495	13,370.39	A
flumioxazin	Apricot	54.84	9	294.0	A
flumioxazin	Cherry	83.8	31	490.93	A
flumioxazin	Garbanzo bean	9.88	3	155.0	A
flumioxazin	Grape, wine	412.43	43	1,396.84	A
flumioxazin	Landscape maintenance	61.07	N/A	N/A	N/A
flumioxazin	N-grnhs plants in containers	0.12	1	840.0	S
flumioxazin	N-outdr plants in containers	24.2	8	76.5	A
flumioxazin	N-outdr transplants	2.03	9	8.5	A
flumioxazin	Olive	6.41	2	75.0	A
flumioxazin	Peach	38.41	20	142.19	A
flumioxazin	Pistachio	11.63	1	30.4	A
flumioxazin	Plum	2.42	1	9.5	A
flumioxazin	Rights of way	18.43	17	79.0	A
flumioxazin	Rights of way	76.99	N/A	N/A	N/A
flumioxazin	Soil fumigation/preplant	2.55	1	40.0	A
flumioxazin	Uncultivated ag	0.24	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flumioxazin	Uncultivated non-ag	5.36	1	14.0	A
flumioxazin	Walnut	941.76	161	3,328.77	A
fluopicolide	Beet	1.07	4	8.67	A
fluopicolide	Bok choy	3.4	25	27.56	A
fluopicolide	Cabbage	3.51	15	28.39	A
fluopicolide	Celeriac	0.38	2	3.1	A
fluopicolide	Chinese cabbage (nappa)	2.83	14	22.91	A
fluopicolide	Collard	8.04	36	65.18	A
fluopicolide	Daikon	0.06	1	0.48	A
fluopicolide	Dandelion green	0.63	5	5.1	A
fluopicolide	Endive (escarole)	0.53	8	4.28	A
fluopicolide	Kale	5.27	37	42.64	A
fluopicolide	Kohlrabi	1.82	13	14.75	A
fluopicolide	Landscape maintenance	0.12	N/A	N/A	N/A
fluopicolide	Lettuce, leaf	11.01	55	89.27	A
fluopicolide	Mustard	2.07	12	16.8	A
fluopicolide	Mustard greens	4.24	17	34.35	A
fluopicolide	N-grnhs plants in containers	0.62	3	16,920.0	S
fluopicolide	Parsley	3.5	16	28.4	A
fluopicolide	Spinach	0.82	5	6.61	A
fluopicolide	Swiss chard	8.07	42	65.36	A
fluopicolide	Turnip	0.3	2	2.45	A
fluopyram	Almond	6,662.62	1,414	70,832.03	A
fluopyram	Apple	0.88	2	9.9	A
fluopyram	Apricot	87.44	24	1,044.0	A
fluopyram	Basil, sweet	1.58	8	16.68	A
fluopyram	Bok choy	1.67	15	17.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopyram	Cabbage	8.75	50	92.4	A
fluopyram	Cherry	20.7	16	228.4	A
fluopyram	Chinese cabbage (nappa)	2.22	13	23.47	A
fluopyram	Collard	5.92	38	62.58	A
fluopyram	Grape, wine	570.5	76	5,579.18	A
fluopyram	Kale	3.35	29	35.37	A
fluopyram	Kohlrabi	0.45	5	4.79	A
fluopyram	Mustard	0.87	8	9.17	A
fluopyram	Mustard greens	1.87	10	19.72	A
fluopyram	N-grnhs plants in containers	13.86	21	84.2	A
fluopyram	N-grnhs plants in containers	0.06	5	32,040.0	S
fluopyram	N-outdr plants in containers	10.31	15	92.0	A
fluopyram	N-outdr transplants	3.77	8	21.4	A
fluopyram	Nectarine	0.2	1	2.0	A
fluopyram	Peach	77.61	61	758.82	A
fluopyram	Pecan	<0.01	1	0.02	A
fluopyram	Pistachio	3.52	3	42.2	A
fluopyram	Plum	1.27	2	11.64	A
fluopyram	Pumpkin	13.95	3	140.0	A
fluopyram	Swiss chard	7.84	58	82.93	A
fluopyram	Tomato	30.9	4	302.0	A
fluopyram	Tomato, processing	4.64	3	176.0	A
fluopyram	Turnip	0.19	2	2.03	A
fluopyram	Walnut	219.38	63	2,367.25	A
fluopyram	Watermelon	43.14	6	419.0	A
fluoxastrobin	Landscape maintenance	3.42	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	Alfalfa	99.85	18	791.3	A
flupyradifurone	Beet	1.09	5	8.4	A
flupyradifurone	Bok choy	15.63	81	95.51	A
flupyradifurone	Cabbage	17.48	80	126.51	A
flupyradifurone	Celeriac	0.22	2	1.68	A
flupyradifurone	Chinese cabbage (nappa)	12.37	54	82.08	A
flupyradifurone	Cilantro	2.61	8	14.68	A
flupyradifurone	Collard	19.17	74	129.91	A
flupyradifurone	Corn, human consumption	24.12	6	185.0	A
flupyradifurone	Daikon	0.35	3	2.43	A
flupyradifurone	Dandelion green	1.64	11	10.46	A
flupyradifurone	Endive (escarole)	3.51	37	20.9	A
flupyradifurone	Kale	19.94	104	128.72	A
flupyradifurone	Kohlrabi	6.21	41	42.07	A
flupyradifurone	Landscape maintenance	1.24	N/A	N/A	N/A
flupyradifurone	Lettuce, leaf	59.12	210	344.43	A
flupyradifurone	Mustard	6.07	33	37.71	A
flupyradifurone	Mustard greens	11.45	40	72.13	A
flupyradifurone	N-outdr plants in containers	0.46	2	3.25	A
flupyradifurone	Parsley	5.54	14	32.12	A
flupyradifurone	Pecan	3.27	2	36.0	A
flupyradifurone	Pepper, fruiting	33.24	5	260.0	A
flupyradifurone	Radicchio	0.68	11	4.91	A
flupyradifurone	Sorghum (forage - fodder)	10.01	1	74.0	A
flupyradifurone	Spinach	5.36	27	34.88	A
flupyradifurone	Swiss chard	13.99	75	107.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	Turnip	2.45	14	15.23	A
flupyradifurone	Watermelon	55.55	9	444.0	A
flurecol-methyl	Landscape maintenance	0.9	N/A	N/A	N/A
fluridone	Rights of way	1.44	N/A	N/A	N/A
fluridone	Water area	185.15	N/A	856.0	A
fluroxypyr	Landscape maintenance	1.01	N/A	N/A	N/A
flurprimidol	Landscape maintenance	0.17	N/A	N/A	N/A
flutolanil	Golf course turf	16.8	N/A	3.0	A
flutolanil	Landscape maintenance	67.76	N/A	N/A	N/A
flutriafol	Almond	2.89	2	29.0	A
flutriafol	Cherry	0.11	1	1.0	A
flutriafol	Grape, wine	134.24	11	1,652.0	A
flutriafol	Peach	2.62	4	23.0	A
tau-fluvalinate	N-outdr transplants	2.08	7	13.25	A
tau-fluvalinate	Public health	0.02	N/A	N/A	N/A
tau-fluvalinate	Structural pest control	3.8	N/A	N/A	N/A
fluxapyroxad	Almond	3,605.54	586	36,103.53	A
fluxapyroxad	Apricot	31.74	19	334.22	A
fluxapyroxad	Cherry	24.8	20	299.57	A
fluxapyroxad	Dandelion green	0.14	1	0.77	A
fluxapyroxad	Golf course turf	1.37	N/A	6.0	A
fluxapyroxad	Landscape maintenance	0.26	N/A	N/A	N/A
fluxapyroxad	Lettuce, leaf	3.12	11	17.22	A
fluxapyroxad	N-outdr plants in containers	7.96	2	88.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluxapyroxad	N-outdr transplants	0.09	1	1.0	A
fluxapyroxad	Nectarine	0.83	8	9.25	A
fluxapyroxad	Oat (forage - fodder)	3.2	1	30.0	A
fluxapyroxad	Parsley	8.54	23	47.25	A
fluxapyroxad	Peach	45.58	45	470.88	A
fluxapyroxad	Pistachio	4.21	3	46.5	A
fluxapyroxad	Plum	0.76	9	8.58	A
fluxapyroxad	Prune	0.07	3	0.81	A
fluxapyroxad	Structural pest control	9.87	N/A	N/A	N/A
fluxapyroxad	Swiss chard	2.34	7	12.96	A
fluxapyroxad	Tomato	3.47	1	40.0	A
fluxapyroxad	Tomato, processing	9.48	2	109.0	A
fluxapyroxad	Walnut	234.26	69	2,585.2	A
foramsulfuron	Golf course turf	0.19	N/A	4.0	A
foramsulfuron	Landscape maintenance	0.32	N/A	N/A	N/A
foramsulfuron	Rights of way	0.02	N/A	N/A	N/A
formetanate hydrochloride	Nectarine	14.72	3	16.0	A
formic acid	Beehive	562.9	4	1,315.0	U
fosetyl-al	Almond	100.0	1	50.0	A
fosetyl-al	Apple	64.38	2	19.3	A
fosetyl-al	Cherry	76.28	5	22.87	A
fosetyl-al	Golf course turf	17.6	N/A	2.0	A
fosetyl-al	N-grnhs plants in containers	28.89	1	7.0	A
fosetyl-al	N-grnhs plants in containers	522.03	115	677,780.0	S
fosetyl-al	N-grnhs transplants	232.0	5	500.0	A
fosetyl-al	N-outdr plants in containers	42.0	3	193.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fosetyl-al	N-outdr plants in containers	3.21	1	5,832.0	S
fosetyl-al	N-outdr transplants	23.11	3	53,634.0	S
fosetyl-al	Peach	624.58	9	187.23	A
fosetyl-al	Pear	10.67	1	3.2	A
fosetyl-al	Plum	60.1	4	18.02	A
fosetyl-al	Stone fruit	8.0	1	4.0	A
gamma-cyhalothrin	Structural pest control	0.29	N/A	N/A	N/A
gamma-cyhalothrin	Walnut	2.96	7	179.0	A
garlic	Apricot	8.71	5	6.7	A
garlic	Cherry	3.52	1	5.0	A
garlic	N-grnhs plants in containers	9.42	13	50.7	A
garlic	N-outdr plants in containers	0.35	1	1.0	A
garlic	N-outdr transplants	0.35	1	1.0	A
gibberellins	Cherry	46.19	60	898.1	A
gibberellins	Citrus	3.19	2	51.0	A
gibberellins	Grape	0.21	3	32.0	A
gibberellins	Grape, wine	0.9	4	127.87	A
glufosinate-ammonium	Almond	79,652.21	2,448	85,775.26	A
glufosinate-ammonium	Almond	29.71	1	26.0	C
glufosinate-ammonium	Apple	9.55	4	9.06	A
glufosinate-ammonium	Apricot	282.34	28	559.49	A
glufosinate-ammonium	Blueberry	12.19	5	14.0	A
glufosinate-ammonium	Cherry	704.32	72	849.08	A
glufosinate-ammonium	Corn (forage - fodder)	121.24	15	458.95	A
glufosinate-ammonium	Farm/ag building	1.43	1	1.25	A
glufosinate-ammonium	Forage hay/silage	4.7	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glufosinate-ammonium	Grape	67.48	7	147.75	A
glufosinate-ammonium	Grape, wine	5,932.32	147	4,889.35	A
glufosinate-ammonium	Landscape maintenance	40.21	N/A	N/A	N/A
glufosinate-ammonium	N-outdr plants in containers	286.7	27	581.12	A
glufosinate-ammonium	N-outdr transplants	10.02	5	18.0	A
glufosinate-ammonium	Nectarine	12.86	14	20.38	A
glufosinate-ammonium	Olive	754.87	9	704.0	A
glufosinate-ammonium	Pastureland	1.33	2	13.0	A
glufosinate-ammonium	Peach	815.52	127	832.71	A
glufosinate-ammonium	Pear	4.03	4	3.83	A
glufosinate-ammonium	Pecan	60.62	16	60.0	A
glufosinate-ammonium	Pistachio	254.56	13	256.59	A
glufosinate-ammonium	Plum	29.98	20	44.61	A
glufosinate-ammonium	Prune	0.74	4	0.7	A
glufosinate-ammonium	Public health	172.7	N/A	N/A	N/A
glufosinate-ammonium	Research commodity	2.83	N/A	N/A	N/A
glufosinate-ammonium	Rights of way	283.5	20	278.71	A
glufosinate-ammonium	Rights of way	1,213.56	N/A	N/A	N/A
glufosinate-ammonium	Stone fruit	174.06	21	643.0	A
glufosinate-ammonium	Structural pest control	4.22	N/A	N/A	N/A
glufosinate-ammonium	Uncultivated ag	734.55	8	676.4	A
glufosinate-ammonium	Uncultivated non-ag	20.81	2	22.5	A
glufosinate-ammonium	Vegetable	0.29	1	0.25	A
glufosinate-ammonium	Walnut	13,492.7	644	14,727.15	A
glufosinate-ammonium	Walnut	23.49	1	20.0	U
glutaraldehyde	Almond	2.11	1	13.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glutaraldehyde	Water (industrial)	19.81	N/A	1.0	A
glutaraldehyde	Water (industrial)	2,858.71	N/A	56.0	U
glycerol	Alfalfa	362.83	64	2,296.05	A
glycerol	Almond	4,857.36	997	24,153.0	A
glycerol	Apple	36.79	19	361.65	A
glycerol	Apricot	6.86	4	116.5	A
glycerol	Bean, dried	11.98	4	45.0	A
glycerol	Cherry	48.76	55	492.23	A
glycerol	Corn (forage - fodder)	639.9	101	3,688.17	A
glycerol	Grape	7.64	3	134.0	A
glycerol	Grape, wine	328.26	67	2,083.38	A
glycerol	Nectarine	2.56	3	6.0	A
glycerol	Oat	1.22	1	18.0	A
glycerol	Oat (forage - fodder)	314.6	73	2,432.55	A
glycerol	Peach	157.58	96	701.64	A
glycerol	Pistachio	30.02	8	173.0	A
glycerol	Plum	7.61	2	19.0	A
glycerol	Rights of way	4.66	5	19.0	A
glycerol	Rights of way	32.28	N/A	N/A	N/A
glycerol	Ryegrass	2.29	1	17.0	A
glycerol	Sorghum (forage - fodder)	3.19	1	16.0	A
glycerol	Sudangrass	14.43	2	48.0	A
glycerol	Triticale	10.87	4	393.0	A
glycerol	Uncultivated ag	6.08	2	70.0	A
glycerol	Uncultivated non-ag	2.66	N/A	4.0	A
glycerol	Vegetable	0.13	1	0.25	A
glycerol	Walnut	736.94	210	3,868.03	A
glycerol	Watermelon	3.01	1	70.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glycerol	Wheat (forage - fodder)	199.76	49	1,933.4	A
glyphosate, diammonium salt	Walnut	16.12	2	21.5	A
glyphosate, isopropylamine salt	Alfalfa	5,331.54	142	3,505.3	A
glyphosate, isopropylamine salt	Almond	203,958.8	3,234	125,308.24	A
glyphosate, isopropylamine salt	Almond	78.09	1	26.0	C
glyphosate, isopropylamine salt	Almond	1.01	10	36,000.0	S
glyphosate, isopropylamine salt	Apple	21.37	5	14.54	A
glyphosate, isopropylamine salt	Apricot	1,159.78	37	926.67	A
glyphosate, isopropylamine salt	Apricot	0.05	2	900.0	S
glyphosate, isopropylamine salt	Bean, dried	2,342.4	15	1,148.0	A
glyphosate, isopropylamine salt	Bean, succulent	150.03	1	75.0	A
glyphosate, isopropylamine salt	Blueberry	23.98	2	10.0	A
glyphosate, isopropylamine salt	Cantaloupe	486.08	3	283.0	A
glyphosate, isopropylamine salt	Cherry	1,641.08	93	1,085.66	A
glyphosate, isopropylamine salt	Cherry	1.31	12	50,025.0	S
glyphosate, isopropylamine salt	Chestnut	4.18	1	4.0	A
glyphosate, isopropylamine salt	Citrus	6.9	11	10.5	A
glyphosate, isopropylamine salt	Citrus	0.03	2	1,500.0	S
glyphosate, isopropylamine salt	Commodity fumigation	10.0	N/A	N/A	N/A
glyphosate, isopropylamine salt	Corn (forage - fodder)	23,581.73	457	17,628.88	A
glyphosate, isopropylamine salt	Fig	5.0	1	2.0	A
glyphosate, isopropylamine salt	Forage hay/silage	7.99	1	8.0	A
glyphosate, isopropylamine salt	Garlic	118.53	4	185.0	A
glyphosate, isopropylamine salt	Golf course turf	41.53	N/A	25.62	A
glyphosate, isopropylamine salt	Grape	126.92	5	135.5	A
glyphosate, isopropylamine salt	Grape	0.09	2	1,750.0	S
glyphosate, isopropylamine salt	Grape, wine	4,890.21	71	2,497.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glyphosate, isopropylamine salt	Landscape maintenance	10,104.68	N/A	N/A	N/A
glyphosate, isopropylamine salt	N-grnhs flower	16.11	N/A	16.5	A
glyphosate, isopropylamine salt	N-outdr flower	4.19	2	6.0	A
glyphosate, isopropylamine salt	N-outdr plants in containers	1,498.12	67	1,651.85	A
glyphosate, isopropylamine salt	N-outdr plants in containers	8.28	16	137,000.0	S
glyphosate, isopropylamine salt	N-outdr transplants	230.8	14	109.5	A
glyphosate, isopropylamine salt	Nectarine	15.59	9	10.13	A
glyphosate, isopropylamine salt	Nectarine	1.06	12	56,100.0	S
glyphosate, isopropylamine salt	Oat (forage - fodder)	45.21	2	35.0	A
glyphosate, isopropylamine salt	Olive	2,746.2	27	1,529.65	A
glyphosate, isopropylamine salt	Pastureland	0.96	1	30.72	A
glyphosate, isopropylamine salt	Pastureland	8.79	11	47,850.0	S
glyphosate, isopropylamine salt	Peach	1,908.06	152	1,201.96	A
glyphosate, isopropylamine salt	Peach	1.76	14	64,350.0	S
glyphosate, isopropylamine salt	Pear	6.34	3	2.63	A
glyphosate, isopropylamine salt	Pecan	50.95	2	18.0	A
glyphosate, isopropylamine salt	Pistachio	590.39	16	318.84	A
glyphosate, isopropylamine salt	Plum	100.03	20	52.18	A
glyphosate, isopropylamine salt	Plum	1.8	15	66,100.0	S
glyphosate, isopropylamine salt	Prune	12.87	5	8.27	A
glyphosate, isopropylamine salt	Public health	2,070.26	N/A	N/A	N/A
glyphosate, isopropylamine salt	Pumpkin	5.79	1	3.0	A
glyphosate, isopropylamine salt	Research commodity	20.18	N/A	N/A	N/A
glyphosate, isopropylamine salt	Rights of way	862.32	46	425.25	A
glyphosate, isopropylamine salt	Rights of way	4.35	8	46,000.0	S
glyphosate, isopropylamine salt	Rights of way	36,771.34	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glyphosate, isopropylamine salt	Soil fumigation/preplant	2,331.56	11	873.0	A
glyphosate, isopropylamine salt	Tomato, processing	1,348.71	9	664.0	A
glyphosate, isopropylamine salt	Uncultivated ag	1,963.23	15	1,063.4	A
glyphosate, isopropylamine salt	Uncultivated ag	0.66	4	12,000.0	S
glyphosate, isopropylamine salt	Uncultivated non-ag	76.07	1	24.0	A
glyphosate, isopropylamine salt	Vegetable	0.24	1	0.25	A
glyphosate, isopropylamine salt	Walnut	36,407.63	795	19,581.43	A
glyphosate, isopropylamine salt	Walnut	1.01	10	38,000.0	S
glyphosate, isopropylamine salt	Walnut	29.97	1	20.0	U
glyphosate, isopropylamine salt	Water area	221.41	N/A	30.56	A
glyphosate, isopropylamine salt	Watermelon	704.24	9	426.0	A
glyphosate, isopropylamine salt	Wheat (forage - fodder)	471.08	12	206.0	A
glyphosate, monoammonium salt	Landscape maintenance	76.62	N/A	N/A	N/A
glyphosate, monoammonium salt	N-outdr transplants	29.32	5	20.0	A
glyphosate, potassium salt	Alfalfa	6,894.8	114	4,415.7	A
glyphosate, potassium salt	Almond	189,060.7	2,515	96,162.97	A
glyphosate, potassium salt	Animal premise	25.69	N/A	3.0	U
glyphosate, potassium salt	Apple	1,260.31	23	370.76	A
glyphosate, potassium salt	Apricot	226.41	10	116.2	A
glyphosate, potassium salt	Cherry	1,073.89	61	696.96	A
glyphosate, potassium salt	Corn (forage - fodder)	40,023.73	638	27,208.6	A
glyphosate, potassium salt	Farm/ag building	6.72	2	3.25	A
glyphosate, potassium salt	Garlic	1.03	1	0.5	A
glyphosate, potassium salt	Golf course turf	28.96	N/A	15.78	A
glyphosate, potassium salt	Grape	16.55	1	8.0	A
glyphosate, potassium salt	Grape, wine	7,217.1	108	2,280.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glyphosate, potassium salt	Kiwi	7.24	4	6.0	A
glyphosate, potassium salt	Landscape maintenance	1,713.1	N/A	N/A	N/A
glyphosate, potassium salt	N-grnhs plants in containers	0.03	1	840.0	S
glyphosate, potassium salt	N-outdr plants in containers	52.37	20	36.0	A
glyphosate, potassium salt	N-outdr transplants	90.85	10	11.0	A
glyphosate, potassium salt	Nectarine	66.46	16	34.63	A
glyphosate, potassium salt	Oat (forage - fodder)	55.03	1	40.0	A
glyphosate, potassium salt	Pastureland	6.9	1	5.0	A
glyphosate, potassium salt	Peach	2,668.84	85	531.96	A
glyphosate, potassium salt	Pecan	54.74	18	27.25	A
glyphosate, potassium salt	Persimmon	1.38	1	1.0	A
glyphosate, potassium salt	Pistachio	185.56	11	83.71	A
glyphosate, potassium salt	Plum	289.66	10	28.1	A
glyphosate, potassium salt	Pluot	6.72	3	3.25	A
glyphosate, potassium salt	Research commodity	5.65	N/A	N/A	N/A
glyphosate, potassium salt	Rights of way	1,700.05	55	835.96	A
glyphosate, potassium salt	Rights of way	26,225.02	N/A	N/A	N/A
glyphosate, potassium salt	Soil fumigation/preplant	433.06	1	157.0	A
glyphosate, potassium salt	Uncultivated ag	648.86	9	324.0	A
glyphosate, potassium salt	Uncultivated non-ag	2,424.6	3	796.0	A
glyphosate, potassium salt	Walnut	33,366.93	644	14,864.82	A
glyphosate, potassium salt	Wheat (forage - fodder)	551.18	6	306.0	A
halosulfuron-methyl	Alfalfa	0.94	1	20.0	A
halosulfuron-methyl	Corn (forage - fodder)	157.22	104	3,781.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
halosulfuron-methyl	Landscape maintenance	6.63	N/A	N/A	N/A
halosulfuron-methyl	N-outdr plants in containers	0.14	1	1.0	A
halosulfuron-methyl	Oat (forage - fodder)	1.55	2	35.0	A
halosulfuron-methyl	Pepper, fruiting	3.2	1	75.0	A
halosulfuron-methyl	Tomato, processing	3.89	4	317.0	A
halosulfuron-methyl	Uncultivated ag	6.47	3	110.4	A
halosulfuron-methyl	Walnut	0.99	2	65.0	A
heptamethyltrisiloxane ethoxylated	Alfalfa	9.01	7	165.0	A
heptamethyltrisiloxane ethoxylated	Almond	344.57	52	3,553.76	A
heptamethyltrisiloxane ethoxylated	Bean, dried	12.41	8	501.0	A
heptamethyltrisiloxane ethoxylated	Cherry	13.81	10	221.0	A
heptamethyltrisiloxane ethoxylated	Corn (forage - fodder)	1.69	1	80.0	A
heptamethyltrisiloxane ethoxylated	Grape	0.29	1	10.0	A
heptamethyltrisiloxane ethoxylated	Grape, wine	53.34	7	505.8	A
heptamethyltrisiloxane ethoxylated	Walnut	109.78	50	1,630.76	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Alfalfa	10.8	2	43.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Almond	3,920.95	1,466	45,315.2	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Apple	16.71	27	523.73	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Apricot	17.45	22	348.4	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Bean, dried	9.56	1	85.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Bean, succulent	3.37	1	75.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Broccoli	0.74	4	260.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cantaloupe	17.14	2	151.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cherry	41.75	56	778.2	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Corn (forage - fodder)	100.22	41	1,505.4	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Fig	0.45	1	2.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape	3.44	5	202.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape, wine	414.93	50	1,980.15	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Kiwi	0.11	1	1.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Landscape maintenance	130.42	N/A	N/A	N/A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-outdr plants in containers	38.45	9	171.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Nectarine	1.63	8	7.25	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Olive	12.31	3	171.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Peach	48.65	87	811.66	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pear	0.72	3	3.22	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pecan	12.76	3	56.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pistachio	4.08	4	57.53	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Plum	1.96	13	8.73	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Prune	0.32	5	1.43	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Rights of way	0.93	2	13.5	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Rights of way	58.32	N/A	N/A	N/A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Soil fumigation/preplant	8.12	2	215.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Tomato	4.44	1	79.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Tomato, processing	0.45	2	190.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Walnut	892.06	315	8,088.03	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Walnut	0.02	1	43,560.0	S
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Watermelon	2.7	2	30.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Wheat (forage - fodder)	26.66	5	297.0	A
(z,z)-11,13-hexadecadienal	Almond	5.14	16	503.27	A
(z,z)-11,13-hexadecadienal	Walnut	1.6	3	102.0	A
hexazinone	Alfalfa	2,169.77	92	3,470.35	A
hexythiazox	Almond	5,648.01	574	32,872.28	A
hexythiazox	Bean, dried	131.95	12	897.0	A
hexythiazox	Cherry	0.15	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hexythiazox	Corn (forage - fodder)	1,028.95	144	6,055.5	A
hexythiazox	Grape, wine	96.99	19	915.76	A
hexythiazox	N-grnhs plants in containers	9.19	17	72.75	A
hexythiazox	N-outdr plants in containers	9.96	4	53.5	A
hexythiazox	N-outdr transplants	0.9	3	7.0	A
hexythiazox	Peach	61.03	25	333.37	A
hexythiazox	Walnut	425.66	66	2,436.31	A
humic acid	Alfalfa	0.92	2	30.0	A
humic acid	Almond	37.88	42	1,047.2	A
humic acid	Cherry	2.35	7	81.29	A
humic acid	Corn (forage - fodder)	2.66	3	243.7	A
humic acid	Pistachio	0.1	1	4.2	A
humic acid	Walnut	10.92	15	213.33	A
hydramethylnon	Almond	3.33	10	907.43	A
hydramethylnon	Structural pest control	0.19	N/A	N/A	N/A
hydramethylnon	Uncultivated non-ag	0.11	1	20.0	A
hydrogen cyanamide	Cherry	5,420.39	23	497.75	A
hydrogen peroxide	Apple	4.98	7	7.0	A
hydrogen peroxide	Apricot	179.3	11	145.5	A
hydrogen peroxide	Cherry	49.8	1	20.0	A
hydrogen peroxide	Ditch bank	6,324.52	N/A	1,753,007.0	U
hydrogen peroxide	Food processing plant	5,623.92	N/A	5.0	U
hydrogen peroxide	N-outdr transplants	12.45	1	2.0	A
hydrogen peroxide	Peach	1.74	1	7.0	A
hydrogen peroxide	Water (industrial)	99.6	N/A	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	Water (industrial)	1,597.32	N/A	6.0	U
hydrogen peroxide	Water area	6,152.73	N/A	6,224.36	U
hydroprene	Structural pest control	6.1	N/A	N/A	N/A
hydrotreated paraffinic solvent	Alfalfa	1.24	2	186.0	A
hydrotreated paraffinic solvent	Almond	372.76	134	4,184.23	A
hydrotreated paraffinic solvent	Apricot	9.51	7	312.0	A
hydrotreated paraffinic solvent	Bean, dried	3.02	1	85.0	A
hydrotreated paraffinic solvent	Cantaloupe	3.32	1	80.0	A
hydrotreated paraffinic solvent	Cherry	11.34	20	341.85	A
hydrotreated paraffinic solvent	Corn (forage - fodder)	8.42	11	578.75	A
hydrotreated paraffinic solvent	Grape	2.6	3	106.0	A
hydrotreated paraffinic solvent	Grape, wine	92.81	85	3,991.55	A
hydrotreated paraffinic solvent	N-outdr plants in containers	0.91	1	22.0	A
hydrotreated paraffinic solvent	Oat (forage - fodder)	0.41	3	177.0	A
hydrotreated paraffinic solvent	Olive	2.11	2	114.0	A
hydrotreated paraffinic solvent	Peach	0.72	7	18.8	A
hydrotreated paraffinic solvent	Pepper, fruiting	3.11	1	75.0	A
hydrotreated paraffinic solvent	Rangeland	3.79	1	100.0	A
hydrotreated paraffinic solvent	Soil fumigation/preplant	7.02	3	190.0	A
hydrotreated paraffinic solvent	Walnut	109.15	37	1,701.22	A
hydrotreated paraffinic solvent	Wheat (forage - fodder)	0.71	2	50.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Alfalfa	0.67	3	25.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Almond	972.24	123	6,652.77	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Blueberry	1.01	2	14.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cherry	4.86	4	70.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape, wine	359.52	51	1,281.24	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Peach	119.01	42	636.85	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pumpkin	15.44	2	72.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Rights of way	0.21	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Walnut	1,330.78	108	5,950.65	A
imazalil	Animal premise	0.48	N/A	4.0	U
imazamox, ammonium salt	Alfalfa	96.86	48	2,396.4	A
imazamox, ammonium salt	Rights of way	27.25	N/A	N/A	N/A
imazamox, ammonium salt	Water area	7.41	N/A	4.72	A
imazapic, ammonium salt	N-grnhs flower	0.02	N/A	12.0	A
imazapic, ammonium salt	Walnut	0.53	2	13.0	A
imazapyr, isopropylamine salt	Rights of way	9.22	1	5.0	A
imazapyr, isopropylamine salt	Rights of way	15.69	N/A	N/A	N/A
imazethapyr, ammonium salt	Alfalfa	174.03	44	2,201.4	A
imazosulfuron	Rice	12.46	2	89.0	A
imidacloprid	Almond	5.0	3	49.5	A
imidacloprid	Animal premise	1.31	N/A	405,900.0	C
imidacloprid	Animal premise	888.1	N/A	30.0	U
imidacloprid	Apple	63.74	13	207.98	A
imidacloprid	Apricot	16.06	3	64.67	A
imidacloprid	Bean, dried	182.62	63	4,005.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Bean, succulent	18.14	7	408.0	A
imidacloprid	Beet	39.01	65	113.19	A
imidacloprid	Bok choy	48.79	215	247.65	A
imidacloprid	Cabbage	89.48	472	784.21	A
imidacloprid	Cantaloupe	17.34	1	60.0	A
imidacloprid	Celeriac	6.98	15	19.35	A
imidacloprid	Cherry	50.2	19	227.43	A
imidacloprid	Chinese cabbage (nappa)	28.04	119	178.19	A
imidacloprid	Cilantro	69.29	101	197.13	A
imidacloprid	Citrus	181.14	4	367.5	A
imidacloprid	Collard	74.35	367	662.78	A
imidacloprid	Daikon	4.0	46	31.24	A
imidacloprid	Dandelion green	6.23	17	17.23	A
imidacloprid	Endive (escarole)	8.41	73	42.79	A
imidacloprid	Fennel	1.73	8	4.8	A
imidacloprid	Grape	138.4	7	279.0	A
imidacloprid	Grape, wine	3,080.37	108	7,042.82	A
imidacloprid	Kale	69.13	480	560.65	A
imidacloprid	Kohlrabi	16.35	101	91.88	A
imidacloprid	Landscape maintenance	299.1	N/A	N/A	N/A
imidacloprid	Lettuce, leaf	144.22	401	646.84	A
imidacloprid	Melon	36.93	3	139.0	A
imidacloprid	Mustard	23.28	101	105.19	A
imidacloprid	Mustard greens	42.84	122	209.83	A
imidacloprid	N-grnhs plants in containers	0.01	1	0.25	A
imidacloprid	N-grnhs plants in containers	0.11	2	10,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	N-grnhs transplants	129.69	7	700.0	A
imidacloprid	N-outdr plants in containers	248.63	26	423.5	A
imidacloprid	N-outdr plants in containers	0.33	23	52,122.0	S
imidacloprid	N-outdr transplants	66.42	20	181.0	A
imidacloprid	N-outdr transplants	3.06	2	806.0	C
imidacloprid	Nectarine	0.16	2	2.83	A
imidacloprid	Parsley	53.29	95	182.69	A
imidacloprid	Peach	57.56	42	610.89	A
imidacloprid	Pear	2.28	6	23.44	A
imidacloprid	Pecan	1.89	2	20.0	A
imidacloprid	Pepper, fruiting	37.48	1	75.0	A
imidacloprid	Plum	5.06	13	48.35	A
imidacloprid	Prune	0.02	2	0.24	A
imidacloprid	Pumpkin	110.49	6	350.0	A
imidacloprid	Radicchio	1.13	19	9.11	A
imidacloprid	Regulatory pest control	<0.01	N/A	N/A	N/A
imidacloprid	Rights of way	316.05	N/A	N/A	N/A
imidacloprid	Spinach	26.26	96	121.41	A
imidacloprid	Stone fruit	7.46	3	151.5	A
imidacloprid	Structural pest control	101.85	N/A	N/A	N/A
imidacloprid	Swiss chard	52.46	99	145.23	A
imidacloprid	Tomato	65.04	8	332.2	A
imidacloprid	Tomato, processing	384.07	23	1,905.0	A
imidacloprid	Turnip	22.66	81	99.6	A
imidacloprid	Vegetable	0.09	1	0.25	A
imidacloprid	Vertebrate control	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Walnut	849.63	230	8,128.41	A
imidacloprid	Watermelon	379.75	20	1,036.5	A
indaziflam	Almond	1,778.59	992	46,895.18	A
indaziflam	Apple	0.16	1	3.5	A
indaziflam	Apricot	6.54	16	116.06	A
indaziflam	Cherry	19.18	25	211.47	A
indaziflam	Grape	3.21	6	107.75	A
indaziflam	Grape, wine	40.85	46	938.55	A
indaziflam	Landscape maintenance	47.81	N/A	N/A	N/A
indaziflam	N-grnhs flower	0.23	N/A	4.5	A
indaziflam	N-grnhs transplants	0.43	2	200.0	A
indaziflam	N-outdr plants in containers	7.98	11	1,019.0	A
indaziflam	N-outdr plants in containers	0.23	11	128,000.0	S
indaziflam	N-outdr transplants	0.62	7	15.0	A
indaziflam	Nectarine	1.2	12	28.25	A
indaziflam	Olive	1.85	1	57.0	A
indaziflam	Peach	18.17	49	436.7	A
indaziflam	Pistachio	3.87	8	90.94	A
indaziflam	Plum	1.11	11	28.25	A
indaziflam	Pluot	0.15	3	3.25	A
indaziflam	Prune	0.2	1	7.63	A
indaziflam	Rights of way	36.36	19	506.0	A
indaziflam	Rights of way	65.62	N/A	N/A	N/A
indaziflam	Uncultivated non-ag	1.05	1	20.0	A
indaziflam	Walnut	158.82	183	4,352.32	A
indoxacarb	Alfalfa	252.52	66	2,650.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
indoxacarb	Structural pest control	22.09	N/A	N/A	N/A
iodosulfuron-methyl-sodium	Rights of way	<0.01	N/A	N/A	N/A
iprodione	Almond	12,529.99	211	25,574.18	A
iprodione	Apricot	338.43	27	457.16	A
iprodione	Cherry	1,345.33	106	1,853.41	A
iprodione	Landscape maintenance	59.62	N/A	N/A	N/A
iprodione	N-grnhs plants in containers	9.39	1	7.0	A
iprodione	N-grnhs plants in containers	164.18	113	677,780.0	S
iprodione	N-outdr plants in containers	0.99	1	5,832.0	S
iprodione	N-outdr transplants	7.51	3	53,634.0	S
iprodione	Nectarine	48.44	22	52.32	A
iprodione	Peach	784.17	108	1,038.55	A
iprodione	Plum	10.07	11	12.01	A
iprodione	Prune	0.65	3	0.81	A
iron phosphate	Landscape maintenance	42.44	N/A	N/A	N/A
iron phosphate	Regulatory pest control	<0.01	N/A	N/A	N/A
iron phosphate	Rights of way	17.0	N/A	N/A	N/A
iron phosphate	Structural pest control	0.64	N/A	N/A	N/A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Almond	5.3	7	221.21	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	0.08	1	3.5	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Rights of way	2.4	3	6.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Walnut	1.29	1	74.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Almond	156.7	4	289.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Rights of way	0.66	1	1.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Tomato	1.9	2	26.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Tomato, processing	123.45	23	1,747.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Walnut	38.65	2	217.0	A
isoparaffinic hydrocarbons	Almond	3,441.56	230	8,587.64	A
isoparaffinic hydrocarbons	Cherry	8.64	1	20.0	A
isoparaffinic hydrocarbons	Corn (forage - fodder)	36.72	1	85.0	A
isoparaffinic hydrocarbons	Grape, wine	1.43	1	29.0	A
isoparaffinic hydrocarbons	Nectarine	1.52	1	3.5	A
isoparaffinic hydrocarbons	Olive	290.14	6	672.0	A
isoparaffinic hydrocarbons	Peach	29.44	8	65.58	A
isoparaffinic hydrocarbons	Plum	0.17	1	0.75	A
isoparaffinic hydrocarbons	Rights of way	1.31	1	3.0	A
isoparaffinic hydrocarbons	Rights of way	13.82	N/A	N/A	N/A
isoparaffinic hydrocarbons	Walnut	798.21	66	1,885.97	A
isopropyl alcohol	Alfalfa	39.6	66	2,473.7	A
isopropyl alcohol	Almond	5,349.28	1,589	47,266.45	A
isopropyl alcohol	Almond	<0.01	1	217,800.0	S
isopropyl alcohol	Apple	5.1	16	99.93	A
isopropyl alcohol	Apricot	25.7	44	753.67	A
isopropyl alcohol	Basil, sweet	2.8	280	469.73	A
isopropyl alcohol	Bean, dried	110.6	77	4,569.5	A
isopropyl alcohol	Bean, succulent	2.91	13	781.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	Beet	4.08	395	685.77	A
isopropyl alcohol	Bok choy	3.14	451	527.67	A
isopropyl alcohol	Broccoli	12.1	20	1,292.0	A
isopropyl alcohol	Cabbage	8.75	902	1,469.19	A
isopropyl alcohol	Celeriac	1.53	186	257.19	A
isopropyl alcohol	Cherry	33.07	113	1,142.28	A
isopropyl alcohol	Chinese cabbage (nappa)	2.42	267	405.92	A
isopropyl alcohol	Cilantro	3.29	269	552.46	A
isopropyl alcohol	Collard	7.15	690	1,201.26	A
isopropyl alcohol	Corn (forage - fodder)	113.34	91	4,729.0	A
isopropyl alcohol	Daikon	0.35	85	57.98	A
isopropyl alcohol	Dandelion green	0.89	156	150.06	A
isopropyl alcohol	Endive (escarole)	0.5	150	84.77	A
isopropyl alcohol	Forage hay/silage	0.26	1	6.0	A
isopropyl alcohol	Garlic	2.33	3	222.0	A
isopropyl alcohol	Grape	3.89	6	146.0	A
isopropyl alcohol	Grape, wine	25.69	30	1,181.2	A
isopropyl alcohol	Kale	7.2	1,031	1,210.02	A
isopropyl alcohol	Kiwi	0.05	1	4.0	A
isopropyl alcohol	Kohlrabi	1.33	221	223.78	A
isopropyl alcohol	Landscape maintenance	3.73	N/A	N/A	N/A
isopropyl alcohol	Leek	0.02	2	3.01	A
isopropyl alcohol	Lettuce, leaf	9.95	1,048	1,671.0	A
isopropyl alcohol	Melon	0.85	6	349.0	A
isopropyl alcohol	Mint	0.28	36	46.75	A
isopropyl alcohol	Mustard	1.45	222	242.81	A
isopropyl alcohol	Mustard greens	3.04	288	509.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	N-grnhs transplants	0.13	N/A	109,956.0	S
isopropyl alcohol	N-outdr plants in containers	55.68	62	1,010.0	A
isopropyl alcohol	N-outdr transplants	67.21	98	2,170.35	A
isopropyl alcohol	Nectarine	1.64	24	23.71	A
isopropyl alcohol	Oat (forage - fodder)	58.03	42	2,266.77	A
isopropyl alcohol	Olive	0.73	1	40.0	A
isopropyl alcohol	Parsley	12.13	997	2,037.99	A
isopropyl alcohol	Pastureland	24.89	10	1,042.0	A
isopropyl alcohol	Peach	137.68	328	3,713.7	A
isopropyl alcohol	Pear	1.15	8	17.9	A
isopropyl alcohol	Pepper, fruiting	0.6	4	100.0	A
isopropyl alcohol	Pistachio	2.06	3	27.0	A
isopropyl alcohol	Plum	41.3	60	153.61	A
isopropyl alcohol	Prune	0.23	12	2.68	A
isopropyl alcohol	Pumpkin	0.18	2	3.5	A
isopropyl alcohol	Radicchio	0.13	46	21.66	A
isopropyl alcohol	Rangeland	1.05	1	100.0	A
isopropyl alcohol	Rights of way	5.02	4	67.5	A
isopropyl alcohol	Rights of way	144.79	N/A	N/A	N/A
isopropyl alcohol	Soil fumigation/preplant	10.17	5	333.0	A
isopropyl alcohol	Spinach	1.34	176	225.37	A
isopropyl alcohol	Structural pest control	37.81	N/A	N/A	N/A
isopropyl alcohol	Swiss chard	10.09	1,175	1,685.31	A
isopropyl alcohol	Tomato	5.18	24	1,020.82	A
isopropyl alcohol	Tomato, processing	64.11	73	4,206.5	A
isopropyl alcohol	Turnip	1.61	220	270.06	A
isopropyl alcohol	Uncultivated ag	1.36	1	43.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	Uncultivated non-ag	1.98	2	40.0	A
isopropyl alcohol	Vegetable	0.01	1	0.25	A
isopropyl alcohol	Walnut	463.07	262	5,934.51	A
isopropyl alcohol	Watermelon	0.88	1	20.0	A
isopropyl alcohol	Wheat	6.32	1	230.0	A
isopropyl alcohol	Wheat (forage - fodder)	19.46	46	1,919.3	A
isopropylamine dodecylbenzene sulfonate	Almond	166.75	285	13,191.54	A
isopropylamine dodecylbenzene sulfonate	Cherry	0.35	1	20.0	A
isopropylamine dodecylbenzene sulfonate	Corn (forage - fodder)	1.47	1	85.0	A
isopropylamine dodecylbenzene sulfonate	Garlic	0.64	2	85.0	A
isopropylamine dodecylbenzene sulfonate	Grape, wine	0.06	1	29.0	A
isopropylamine dodecylbenzene sulfonate	Nectarine	0.06	1	3.5	A
isopropylamine dodecylbenzene sulfonate	Olive	11.61	6	672.0	A
isopropylamine dodecylbenzene sulfonate	Peach	1.3	9	73.58	A
isopropylamine dodecylbenzene sulfonate	Plum	0.01	1	0.75	A
isopropylamine dodecylbenzene sulfonate	Rights of way	0.06	2	3.5	A
isopropylamine dodecylbenzene sulfonate	Rights of way	0.65	N/A	N/A	N/A
isopropylamine dodecylbenzene sulfonate	Walnut	33.74	79	2,210.01	A
isopropylamine dodecylbenzene sulfonate	Water area	0.78	N/A	30.56	A
isoxaben	Almond	498.01	40	654.88	A
isoxaben	Apricot	17.91	1	18.1	A
isoxaben	Cherry	13.27	5	30.51	A
isoxaben	Landscape maintenance	405.87	N/A	N/A	N/A
isoxaben	N-outdr plants in containers	137.18	8	930.0	A
isoxaben	N-outdr transplants	1.0	1	4.0	A
isoxaben	Peach	31.79	9	47.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isoxaben	Pistachio	33.43	1	64.76	A
isoxaben	Rights of way	1,593.45	N/A	N/A	N/A
isoxaben	Walnut	35.26	6	86.3	A
kaolin	Cherry	5,139.5	18	191.0	A
kaolin	Grape, wine	17,412.55	14	629.36	A
kaolin	Walnut	126,680.13	90	3,903.4	A
kasugamycin hydrochloride	N-outdr plants in containers	0.77	2	8.0	A
kasugamycin hydrochloride	Stone fruit	0.77	2	8.0	A
kasugamycin hydrochloride	Walnut	40.46	26	416.2	A
kresoxim-methyl	Apple	0.15	3	0.75	A
kresoxim-methyl	Grape, wine	601.48	50	4,604.86	A
lambda-cyhalothrin	Alfalfa	294.74	267	9,991.1	A
lambda-cyhalothrin	Almond	4,427.45	2,099	122,280.31	A
lambda-cyhalothrin	Apple	0.28	2	10.0	A
lambda-cyhalothrin	Apricot	22.89	20	787.25	A
lambda-cyhalothrin	Bean, dried	136.68	78	4,826.1	A
lambda-cyhalothrin	Bean, succulent	1.26	2	40.0	A
lambda-cyhalothrin	Broccoli	52.8	27	1,975.0	A
lambda-cyhalothrin	Cantaloupe	12.6	8	431.0	A
lambda-cyhalothrin	Cherry	40.78	61	1,032.6	A
lambda-cyhalothrin	Corn (forage - fodder)	107.42	68	3,546.1	A
lambda-cyhalothrin	Garlic	3.08	1	104.0	A
lambda-cyhalothrin	Landscape maintenance	1.14	N/A	N/A	N/A
lambda-cyhalothrin	N-outdr plants in containers	3.29	9	157.5	A
lambda-cyhalothrin	N-outdr transplants	12.35	27	590.41	A
lambda-cyhalothrin	Nectarine	0.52	2	18.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lambda-cyhalothrin	Pastureland	0.12	1	4.0	A
lambda-cyhalothrin	Peach	64.4	113	1,990.52	A
lambda-cyhalothrin	Pepper, fruiting	5.68	6	205.0	A
lambda-cyhalothrin	Pistachio	5.93	12	157.4	A
lambda-cyhalothrin	Plum	0.27	3	9.5	A
lambda-cyhalothrin	Pumpkin	0.19	1	6.0	A
lambda-cyhalothrin	Rights of way	0.57	N/A	N/A	N/A
lambda-cyhalothrin	Structural pest control	34.76	N/A	N/A	N/A
lambda-cyhalothrin	Tomato	8.83	5	318.0	A
lambda-cyhalothrin	Tomato, processing	150.03	105	5,434.69	A
lambda-cyhalothrin	Walnut	565.3	485	15,632.34	A
lambda-cyhalothrin	Watermelon	3.1	2	100.0	A
lauryl alcohol	Walnut	0.63	1	17.5	A
lecithin	Alfalfa	522.42	87	2,892.0	A
lecithin	Almond	18,093.71	1,095	66,602.45	A
lecithin	Apricot	37.96	7	115.6	A
lecithin	Bean, dried	26.14	4	307.0	A
lecithin	Blueberry	1.55	2	15.0	A
lecithin	Cherry	251.51	48	695.11	A
lecithin	Corn (forage - fodder)	2,070.37	212	9,474.05	A
lecithin	Farm/ag building	0.07	1	1.25	A
lecithin	Grape, wine	98.58	29	437.47	A
lecithin	Landscape maintenance	0.38	N/A	N/A	N/A
lecithin	N-outdr plants in containers	13.51	5	140.0	A
lecithin	N-outdr transplants	10.77	6	25.0	A
lecithin	Oat (forage - fodder)	283.53	36	1,355.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Pastureland	0.15	2	5,655.0	S
lecithin	Peach	105.82	34	239.32	A
lecithin	Pecan	30.52	3	54.0	A
lecithin	Pistachio	32.87	7	243.46	A
lecithin	Rights of way	23.4	4	67.0	A
lecithin	Rights of way	195.96	N/A	N/A	N/A
lecithin	Sorghum (forage - fodder)	10.52	4	46.5	A
lecithin	Sudangrass	38.23	7	199.5	A
lecithin	Tomato	6.12	1	62.0	A
lecithin	Tomato, processing	4.22	1	30.0	A
lecithin	Uncultivated ag	6.69	2	32.0	A
lecithin	Walnut	851.35	162	3,186.97	A
lecithin	Watermelon	714.23	27	1,315.5	A
lecithin	Wheat (forage - fodder)	169.93	18	1,092.8	A
lime-sulfur	Almond	1,847.43	1	100.0	A
lime-sulfur	Blackberry	3.07	1	1.0	A
lime-sulfur	Boysenberry	1.89	1	1.0	A
lime-sulfur	Cherry	199.41	3	21.6	A
lime-sulfur	Grape, wine	32,290.76	19	1,015.2	A
lime-sulfur	Nectarine	19.21	6	7.5	A
lime-sulfur	Peach	36.48	3	14.25	A
limonene	Almond	2,671.05	231	8,443.64	A
limonene	Cherry	6.91	1	20.0	A
limonene	Corn (forage - fodder)	29.37	1	85.0	A
limonene	Grape, wine	1.14	1	29.0	A
limonene	Nectarine	1.22	1	3.5	A
limonene	Olive	232.11	6	672.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
limonene	Peach	26.09	9	73.58	A
limonene	Plum	0.14	1	0.75	A
limonene	Rights of way	1.05	1	3.0	A
limonene	Rights of way	11.05	N/A	N/A	N/A
limonene	Structural pest control	32.84	N/A	N/A	N/A
limonene	Walnut	646.88	68	1,904.47	A
linuron	Parsley	4.52	5	9.03	A
magnesium phosphide	Almond	8.72	N/A	647,200.0	C
magnesium phosphide	Bean, dried	199.02	N/A	366,600.0	C
magnesium phosphide	Commodity fumigation	200.02	N/A	N/A	N/A
magnesium phosphide	Fumigation, other	6.68	N/A	N/A	N/A
magnesium phosphide	N-outdr transplants	7.97	N/A	106,600.0	C
magnesium phosphide	Structural pest control	9.78	N/A	N/A	N/A
magnesium phosphide	Walnut	0.49	N/A	7,800.0	C
magnesium phosphide	Walnut	11.89	N/A	2,894.0	U
malathion	Alfalfa	736.63	26	618.0	A
malathion	Broccoli	129.04	3	364.0	A
malathion	Cherry	410.2	11	278.0	A
malathion	Lemon	4.59	1	3.0	A
malathion	Pumpkin	187.28	6	183.13	A
malathion	Tomato, processing	106.52	3	107.0	A
malathion	Walnut	612.47	17	254.1	A
mancozeb	Almond	4,373.1	27	992.0	A
mancozeb	Apple	68.51	15	30.75	A
mancozeb	Golf course turf	24.0	N/A	2.0	A
mancozeb	Landscape maintenance	108.0	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mancozeb	Lettuce, leaf	18.66	8	12.44	A
mancozeb	N-grnhs plants in containers	17.98	10	29.25	A
mancozeb	N-grnhs transplants	139.83	6	600.0	A
mancozeb	N-outdr plants in containers	1.59	2	3.0	A
mancozeb	N-outdr plants in containers	0.36	2	12,000.0	S
mancozeb	N-outdr transplants	32.03	16	47.5	A
mancozeb	Tomato	491.13	5	333.0	A
mancozeb	Walnut	38,504.68	684	21,621.65	A
mandipropamid	Basil, sweet	2.85	14	21.89	A
mandipropamid	Bok choy	16.81	109	129.14	A
mandipropamid	Cabbage	13.91	68	106.79	A
mandipropamid	Chinese cabbage (nappa)	6.31	30	48.51	A
mandipropamid	Collard	21.46	95	164.86	A
mandipropamid	Dandelion green	1.24	10	9.55	A
mandipropamid	Endive (escarole)	2.62	35	20.13	A
mandipropamid	Kale	19.7	116	151.28	A
mandipropamid	Kohlrabi	4.67	33	35.84	A
mandipropamid	Lettuce, leaf	78.7	384	604.46	A
mandipropamid	Mustard	5.61	35	43.12	A
mandipropamid	Mustard greens	9.93	44	76.34	A
mandipropamid	N-grnhs plants in containers	0.58	81	192,377.0	S
mandipropamid	N-outdr transplants	<0.01	1	1,350.0	S
mandipropamid	Parsley	8.55	34	65.64	A
mandipropamid	Radicchio	0.81	13	6.25	A
mandipropamid	Spinach	7.7	46	59.13	A
mandipropamid	Swiss chard	19.43	104	149.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mandipropamid	Watermelon	8.34	1	80.0	A
manganese sulfate	Walnut	0.19	1	3.0	A
mcpa, dimethylamine salt	Forage hay/silage	4.16	1	6.0	A
mcpa, dimethylamine salt	Landscape maintenance	43.29	N/A	N/A	N/A
mcpa, dimethylamine salt	Oat	21.04	2	35.5	A
mcpa, dimethylamine salt	Oat (forage - fodder)	6,442.77	276	10,705.6	A
mcpa, dimethylamine salt	Ryegrass	9.43	1	17.0	A
mcpa, dimethylamine salt	Triticale	48.72	2	88.0	A
mcpa, dimethylamine salt	Wheat	51.38	2	58.0	A
mcpa, dimethylamine salt	Wheat (forage - fodder)	3,455.63	166	6,948.6	A
mcpa, 2-ethyl hexyl ester	Landscape maintenance	0.09	N/A	N/A	N/A
mcpa, isooctyl ester	Landscape maintenance	10.4	N/A	N/A	N/A
mcpp	Landscape maintenance	1.22	N/A	N/A	N/A
mcpp, dimethylamine salt	Landscape maintenance	0.62	N/A	N/A	N/A
mcpp-p, dimethylamine salt	Landscape maintenance	0.66	1	2.0	A
mcpp-p, dimethylamine salt	Landscape maintenance	49.32	N/A	N/A	N/A
mcpp-p, dimethylamine salt	Rights of way	0.02	N/A	N/A	N/A
mecoprop-p	Landscape maintenance	13.76	N/A	N/A	N/A
mecoprop-p	Regulatory pest control	0.01	N/A	N/A	N/A
mecoprop-p	Structural pest control	0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	Almond	197.84	14	327.5	A
mefenoxam	Bean, dried	48.25	N/A	1,607,600.0	P
mefenoxam	Landscape maintenance	7.48	N/A	N/A	N/A
mefenoxam	Melon	6.45	1	39.0	A
mefenoxam	N-grnhs plants in containers	14.22	103	1,168,783.0	S
mefenoxam	N-grnhs transplants	12.66	6	600.0	A
mefenoxam	N-outdr plants in containers	2.12	4	720.0	A
mefenoxam	N-outdr transplants	75.65	10	151.0	A
mefenoxam	Peach	6.01	1	12.0	A
mefenoxam	Tomato	42.97	6	260.7	A
mefenoxam	Walnut	18.64	3	26.8	A
mefenoxam	Watermelon	168.34	7	336.0	A
mefenoxam, other related	Bean, dried	1.49	N/A	1,607,600.0	P
mefenoxam, other related	Landscape maintenance	0.21	N/A	N/A	N/A
mefenoxam, other related	N-grnhs plants in containers	0.45	96	1,101,169.0	S
mesosulfuron-methyl	Wheat (forage - fodder)	6.01	9	592.0	A
mesotrione	Almond	563.38	97	3,140.2	A
mesotrione	Landscape maintenance	6.84	N/A	N/A	N/A
mesotrione	Walnut	91.08	26	549.86	A
metaflumizone	Almond	35.79	534	38,226.33	A
metaflumizone	Rights of way	<0.01	1	1.0	A
metaflumizone	Walnut	0.56	16	589.23	A
metaldehyde	Landscape maintenance	4.62	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
metaldehyde	N-grnhs plants in containers	26.33	6	23.1	A
metaldehyde	N-outdr plants in containers	5.75	4	5.0	A
metaldehyde	N-outdr transplants	0.8	1	1.0	A
metaldehyde	Structural pest control	0.97	N/A	N/A	N/A
metam-sodium	Rights of way	103.59	N/A	N/A	N/A
metconazole	Almond	3,328.11	632	36,041.31	A
metconazole	Apricot	2.97	4	38.0	A
metconazole	Cherry	3.94	2	36.0	A
metconazole	Golf course turf	1.0	N/A	2.0	A
metconazole	Landscape maintenance	36.0	N/A	N/A	N/A
metconazole	Nectarine	0.22	1	2.0	A
metconazole	Peach	69.99	38	804.37	A
metconazole	Pistachio	0.53	1	4.2	A
metconazole	Walnut	314.89	74	3,004.46	A
methiocarb	N-grnhs plants in containers	38.25	5	22.0	A
methiocarb	N-outdr transplants	165.51	20	72.0	A
methomyl	Bean, dried	308.25	7	428.0	A
methomyl	Cabbage	21.14	12	23.49	A
methomyl	Chinese cabbage (nappa)	4.08	2	4.53	A
methomyl	Corn, human consumption	633.6	36	1,408.0	A
methomyl	Lettuce, leaf	48.88	55	81.66	A
methomyl	Peach	12.6	2	14.0	A
methomyl	Sudangrass	27.63	6	61.3	A
methomyl	Watermelon	225.45	4	248.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methoprene	Public health	5.23	N/A	N/A	N/A
methoprene	Structural pest control	0.03	N/A	N/A	N/A
s-methoprene	Almond	38.96	120	6,460.93	A
s-methoprene	Farm/ag building	0.31	N/A	64,000.0	S
s-methoprene	Public health	94.64	N/A	N/A	N/A
s-methoprene	Rights of way	0.88	N/A	N/A	N/A
s-methoprene	Structural pest control	38.54	N/A	N/A	N/A
s-methoprene	Uncultivated non-ag	0.08	1	20.0	A
s-methoprene	Walnut	0.55	3	85.5	A
methoxyfenozide	Alfalfa	210.42	48	1,568.5	A
methoxyfenozide	Almond	50,040.75	2,720	173,114.28	A
methoxyfenozide	Apple	46.45	6	164.53	A
methoxyfenozide	Apricot	192.41	35	809.78	A
methoxyfenozide	Basil, sweet	1.24	4	5.85	A
methoxyfenozide	Bean, dried	815.67	76	5,131.6	A
methoxyfenozide	Bean, succulent	120.27	12	573.0	A
methoxyfenozide	Beet	6.25	13	29.52	A
methoxyfenozide	Blueberry	3.7	2	15.0	A
methoxyfenozide	Bok choy	11.86	44	56.02	A
methoxyfenozide	Broccoli	339.54	26	1,897.0	A
methoxyfenozide	Cabbage	54.81	157	258.75	A
methoxyfenozide	Cantaloupe	14.68	1	130.0	A
methoxyfenozide	Celeriac	3.52	16	16.64	A
methoxyfenozide	Cherry	99.61	43	593.88	A
methoxyfenozide	Chinese cabbage (nappa)	10.1	29	47.71	A
methoxyfenozide	Cilantro	2.84	7	13.39	A
methoxyfenozide	Collard	39.66	106	187.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methoxyfenozide	Corn (forage - fodder)	164.62	41	1,144.18	A
methoxyfenozide	Daikon	0.16	1	0.77	A
methoxyfenozide	Dandelion green	1.38	6	6.51	A
methoxyfenozide	Endive (escarole)	2.31	18	10.9	A
methoxyfenozide	Grape	48.06	8	289.0	A
methoxyfenozide	Grape, wine	856.96	73	4,212.9	A
methoxyfenozide	Kale	46.58	185	219.92	A
methoxyfenozide	Kohlrabi	5.05	19	23.88	A
methoxyfenozide	Lettuce, leaf	25.71	69	121.36	A
methoxyfenozide	Melon	58.89	6	334.0	A
methoxyfenozide	Mustard	4.48	19	21.13	A
methoxyfenozide	Mustard greens	11.68	29	55.14	A
methoxyfenozide	N-outdr plants in containers	3.95	2	292.0	A
methoxyfenozide	N-outdr transplants	5.08	2	24.0	A
methoxyfenozide	Nectarine	8.39	13	38.5	A
methoxyfenozide	Parsley	5.89	16	27.8	A
methoxyfenozide	Peach	450.28	114	1,816.12	A
methoxyfenozide	Pear	0.56	1	2.03	A
methoxyfenozide	Pepper, fruiting	8.81	2	50.0	A
methoxyfenozide	Pistachio	22.39	7	77.7	A
methoxyfenozide	Plum	3.64	10	13.58	A
methoxyfenozide	Prune	0.18	3	0.81	A
methoxyfenozide	Pumpkin	46.16	11	261.53	A
methoxyfenozide	Radicchio	0.6	6	2.84	A
methoxyfenozide	Rights of way	2.26	1	10.0	A
methoxyfenozide	Spinach	3.45	15	16.28	A
methoxyfenozide	Sudangrass	17.23	4	123.0	A
methoxyfenozide	Swiss chard	36.8	120	173.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methoxyfenozide	Tomato	160.88	16	821.25	A
methoxyfenozide	Tomato, processing	556.12	51	3,440.0	A
methoxyfenozide	Turnip	3.83	13	18.09	A
methoxyfenozide	Walnut	4,785.83	465	17,111.9	A
methoxyfenozide	Watermelon	298.34	36	1,726.5	A
methoxyfenozide	Wheat (forage - fodder)	11.56	3	102.3	A
methyl anthranilate	Structural pest control	3.21	N/A	N/A	N/A
methylated fatty acids from canola oil	Almond	7,630.04	125	6,150.68	A
methylated fatty acids from canola oil	Corn (forage - fodder)	382.31	2	359.75	A
methylated fatty acids from canola oil	Grape, wine	564.86	19	286.14	A
methylated fatty acids from canola oil	Peach	512.84	30	264.95	A
methylated fatty acids from canola oil	Pistachio	36.51	2	36.0	A
methylated fatty acids from canola oil	Rights of way	21.65	1	10.0	A
methylated fatty acids from canola oil	Walnut	856.97	31	990.16	A
methylated silica	Walnut	0.03	1	7.0	A
methylated soybean oil	Alfalfa	1,397.17	137	5,574.3	A
methylated soybean oil	Almond	109,872.69	3,990	175,680.08	A
methylated soybean oil	Apple	89.16	23	371.73	A
methylated soybean oil	Apricot	135.7	25	280.85	A
methylated soybean oil	Bean, dried	112.53	4	274.2	A
methylated soybean oil	Bean, succulent	23.9	1	75.0	A
methylated soybean oil	Blueberry	5.72	3	18.89	A
methylated soybean oil	Broccoli	125.87	4	260.0	A
methylated soybean oil	Cantaloupe	121.41	2	151.0	A
methylated soybean oil	Cherry	386.47	73	940.4	A
methylated soybean oil	Citrus	10.4	2	51.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methyated soybean oil	Corn (forage - fodder)	4,791.44	359	17,517.3	A
methyated soybean oil	Corn, human consumption	15.91	1	25.0	A
methyated soybean oil	Fig	3.19	1	2.0	A
methyated soybean oil	Garlic	105.65	7	442.0	A
methyated soybean oil	Grape, wine	3,921.46	127	3,019.66	A
methyated soybean oil	Kiwi	0.8	1	1.0	A
methyated soybean oil	Landscape maintenance	932.88	N/A	N/A	N/A
methyated soybean oil	N-outdr plants in containers	272.39	9	171.0	A
methyated soybean oil	Nectarine	16.43	9	12.25	A
methyated soybean oil	Oat (forage - fodder)	266.4	57	2,010.75	A
methyated soybean oil	Olive	148.3	5	363.0	A
methyated soybean oil	Peach	669.35	123	1,046.17	A
methyated soybean oil	Pear	5.13	3	3.22	A
methyated soybean oil	Pecan	105.63	6	110.0	A
methyated soybean oil	Pistachio	256.84	37	555.46	A
methyated soybean oil	Plum	13.91	13	8.73	A
methyated soybean oil	Potato	151.87	5	190.0	A
methyated soybean oil	Prune	3.94	6	9.06	A
methyated soybean oil	Rights of way	204.99	16	217.21	A
methyated soybean oil	Rights of way	1,414.53	N/A	N/A	N/A
methyated soybean oil	Soil fumigation/preplant	143.0	2	215.0	A
methyated soybean oil	Sorghum (forage - fodder)	5.26	4	46.5	A
methyated soybean oil	Sudangrass	48.18	8	312.0	A
methyated soybean oil	Tomato	42.13	2	141.0	A
methyated soybean oil	Tomato, processing	145.35	4	455.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methylated soybean oil	Triticale	7.37	1	34.0	A
methylated soybean oil	Uncultivated non-ag	66.69	5	44.0	A
methylated soybean oil	Walnut	16,193.38	708	19,269.93	A
methylated soybean oil	Watermelon	110.68	3	120.0	A
methylated soybean oil	Wheat	14.12	2	65.0	A
methylated soybean oil	Wheat (forage - fodder)	875.1	64	4,465.8	A
methyl bromide	Commodity fumigation	5,826.0	N/A	N/A	N/A
methyl bromide	Fumigation, other	688.0	N/A	N/A	N/A
methyl bromide	N-outdr plants in containers	85,038.52	13	267.0	A
methyl bromide	N-outdr transplants	83,668.63	36	296.59	A
methyl bromide	N-outdr transplants	73.74	1	3,960.0	C
methyl bromide	Walnut	3,224.0	N/A	1,680,976.0	C
methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate	Landscape maintenance	0.68	N/A	N/A	N/A
2-methyl-4-isothiazolin-3-one	Water (industrial)	3.76	N/A	1.0	A
2-methyl-4-isothiazolin-3-one	Water (industrial)	12.27	N/A	342.0	U
methyl silicone resins	Almond	1,329.25	318	15,428.4	A
methyl silicone resins	Apricot	2.19	3	31.0	A
methyl silicone resins	Cherry	16.27	12	155.5	A
methyl silicone resins	Corn (forage - fodder)	99.53	17	1,065.4	A
methyl silicone resins	Grape, wine	36.06	11	263.0	A
methyl silicone resins	Landscape maintenance	10.63	N/A	N/A	N/A
methyl silicone resins	Nectarine	0.59	1	9.0	A
methyl silicone resins	Peach	67.19	64	899.1	A
methyl silicone resins	Pecan	1.75	1	20.0	A
methyl silicone resins	Pistachio	0.28	1	2.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methy silicone resins	Plum	0.25	1	3.5	A
methy silicone resins	Walnut	1,493.56	243	11,092.03	A
methy silicone resins	Watermelon	1.53	15	715.5	A
metofluthrin	Structural pest control	0.2	N/A	N/A	N/A
metolachlor	Bean, dried	1,475.76	15	885.0	A
metolachlor	Corn (forage - fodder)	4,878.54	52	3,274.8	A
metolachlor	N-grnhs plants in containers	0.08	1	8,400.0	S
metolachlor	Soil fumigation/preplant	2,503.12	14	1,330.0	A
metolachlor	Tomato, processing	482.97	7	344.0	A
s-metolachlor	Alfalfa	88.58	1	62.0	A
s-metolachlor	Bean, dried	1,977.99	22	1,156.6	A
s-metolachlor	Beet	54.3	66	113.94	A
s-metolachlor	Celeriac	23.0	15	19.35	A
s-metolachlor	Corn (forage - fodder)	11,063.09	183	7,533.08	A
s-metolachlor	Daikon	2.7	11	7.55	A
s-metolachlor	Garbanzo bean	221.56	3	155.0	A
s-metolachlor	Pumpkin	75.57	1	57.0	A
s-metolachlor	Soil fumigation/preplant	57.18	1	40.0	A
s-metolachlor	Sorghum (forage - fodder)	200.88	2	149.0	A
s-metolachlor	Tomato	460.45	10	363.6	A
s-metolachlor	Tomato, processing	632.74	5	332.0	A
s-metolachlor	Turnip	21.06	48	58.98	A
metrafenone	Cherry	9.63	1	32.0	A
metribuzin	Tomato, processing	22.84	1	45.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mineral oil	Alfalfa	953.75	20	1,058.5	A
mineral oil	Almond	1,745,600.27	3,127	196,278.02	A
mineral oil	Apple	4,169.25	22	233.03	A
mineral oil	Apricot	8,149.61	77	1,108.93	A
mineral oil	Bean, dried	13.61	3	113.0	A
mineral oil	Broccoli	182.23	7	507.0	A
mineral oil	Cantaloupe	17.99	1	120.0	A
mineral oil	Cherry	12,195.2	100	1,107.34	A
mineral oil	Corn (forage - fodder)	702.02	22	989.5	A
mineral oil	Garlic	42.05	3	160.0	A
mineral oil	Golf course turf	95.88	N/A	4.0	A
mineral oil	Grape	9.83	8	289.0	A
mineral oil	Grape, wine	8,096.59	60	1,813.47	A
mineral oil	Kiwi	2.98	1	4.0	A
mineral oil	Landscape maintenance	1,236.91	N/A	N/A	N/A
mineral oil	Lemon	29.75	1	3.0	A
mineral oil	N-grnhs plants in containers	1,747.98	26	119.4	A
mineral oil	N-grnhs plants in containers	0.13	1	840.0	S
mineral oil	N-outdr plants in containers	1,224.52	15	79.25	A
mineral oil	N-outdr transplants	626.73	18	112.5	A
mineral oil	Nectarine	1,452.22	56	163.82	A
mineral oil	Oat (forage - fodder)	1.67	6	221.75	A
mineral oil	Olive	1,207.19	7	234.0	A
mineral oil	Peach	59,551.51	350	4,586.12	A
mineral oil	Pear	58.03	2	2.21	A
mineral oil	Pistachio	160.2	2	12.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mineral oil	Plum	1,143.19	29	77.79	A
mineral oil	Prune	25.94	6	1.84	A
mineral oil	Public health	36,357.34	N/A	N/A	N/A
mineral oil	Rights of way	42.15	1	14.0	A
mineral oil	Rights of way	464.46	N/A	N/A	N/A
mineral oil	Soil fumigation/preplant	40.49	1	90.0	A
mineral oil	Tomato, processing	583.29	35	928.72	A
mineral oil	Uncultivated ag	148.7	2	193.0	A
mineral oil	Walnut	48,350.5	344	10,851.31	A
mineral oil	Watermelon	44.44	14	961.0	A
mineral oil	Wheat (forage - fodder)	127.18	19	1,170.0	A
modified phthalic glycerol alkyd resin	Almond	71.56	4	240.0	A
modified phthalic glycerol alkyd resin	Peach	20.05	3	50.0	A
modified phthalic glycerol alkyd resin	Rights of way	1.53	1	15.0	A
modified phthalic glycerol alkyd resin	Walnut	0.34	1	3.0	A
molasses	Walnut	4,831.4	4	200.0	A
msma	Landscape maintenance	113.56	N/A	N/A	N/A
muscalure	Animal premise	0.1	N/A	6.0	A
muscalure	Animal premise	8.08	N/A	2,168,400.0	C
muscalure	Animal premise	0.48	N/A	775,500.0	S
muscalure	Animal premise	0.7	N/A	196,393.0	U
muscalure	Landscape maintenance	<0.01	N/A	N/A	N/A
muscalure	Structural pest control	0.13	N/A	N/A	N/A
myclobutanil	Almond	4.74	10	31.57	A
myclobutanil	Apple	30.45	6	152.5	A
myclobutanil	Apricot	2.73	10	18.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
myclobutanol	Cherry	85.6	42	633.08	A
myclobutanol	Grape	27.12	7	217.0	A
myclobutanol	Grape, wine	450.64	53	3,777.2	A
myclobutanol	Landscape maintenance	8.13	N/A	N/A	N/A
myclobutanol	Melon	7.5	1	75.0	A
myclobutanol	N-grnhs plants in containers	2.01	6	12.9	A
myclobutanol	N-outdr plants in containers	32.14	20	271.0	A
myclobutanol	N-outdr transplants	34.25	42	218.76	A
myclobutanol	Nectarine	9.12	26	80.83	A
myclobutanol	Peach	155.79	121	1,242.3	A
myclobutanol	Pepper, fruiting	5.0	2	50.0	A
myclobutanol	Plum	2.31	14	18.75	A
myclobutanol	Prune	0.16	5	1.05	A
myclobutanol	Stone fruit	13.2	2	88.0	A
myclobutanol	Tomato	7.9	1	79.0	A
myclobutanol	Tomato, processing	105.2	13	1,052.0	A
myristyl alcohol	Walnut	0.13	1	17.5	A
naled	Public health	13,731.02	N/A	N/A	N/A
naled	Walnut	112.79	2	97.0	A
napropamide	Basil, sweet	94.9	54	92.1	A
napropamide	Structural pest control	0.15	N/A	N/A	N/A
nicarbazin	Structural pest control	0.02	N/A	N/A	N/A
nicosulfuron	Corn (forage - fodder)	71.35	60	2,783.8	A
nicosulfuron	Oat (forage - fodder)	1.25	1	40.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
nonanoic acid	Landscape maintenance	4.92	N/A	N/A	N/A
nonanoic acid, other related	Landscape maintenance	0.26	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Alfalfa	47.52	20	1,109.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Almond	11,363.98	2,772	110,378.67	A
4-nonylphenol, formaldehyde resin, propoxylated	Apple	6.83	7	45.97	A
4-nonylphenol, formaldehyde resin, propoxylated	Apricot	238.78	113	3,826.51	A
4-nonylphenol, formaldehyde resin, propoxylated	Bean, dried	656.67	67	4,492.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	28.99	8	642.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Cantaloupe	63.49	14	926.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Cherry	194.2	167	2,380.82	A
4-nonylphenol, formaldehyde resin, propoxylated	Corn (forage - fodder)	200.08	107	3,854.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Corn, human consumption	5.77	1	64.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Garlic	20.82	5	472.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape	22.31	23	710.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape, wine	331.84	118	6,052.66	A
4-nonylphenol, formaldehyde resin, propoxylated	N-grnhs transplants	0.51	N/A	124,236.0	S
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr flower	1.37	1	12.0	A
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr plants in containers	14.96	6	105.0	A
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr transplants	53.83	28	370.55	A
4-nonylphenol, formaldehyde resin, propoxylated	Nectarine	12.05	40	103.35	A
4-nonylphenol, formaldehyde resin, propoxylated	Oat (forage - fodder)	2.43	5	233.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Peach	380.61	245	3,451.81	A
4-nonylphenol, formaldehyde resin, propoxylated	Pear	3.03	5	23.26	A
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, fruiting	9.99	7	380.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Pistachio	38.28	7	181.12	A
4-nonylphenol, formaldehyde resin, propoxylated	Plum	9.34	34	71.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
4-nonylphenol, formaldehyde resin, propoxylated	Prune	0.37	7	1.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Pumpkin	0.82	2	12.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Stone fruit	14.28	10	292.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Sweet potato	16.2	6	180.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Tomato, processing	11.73	3	180.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Walnut	2,480.53	674	17,401.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Watermelon	57.63	14	982.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	1,038.58	243	9,159.55	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	91,930.93	6,411	254,330.73	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	0.04	1	217,800.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apple	60.29	40	475.16	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	334.96	118	2,227.82	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Basil, sweet	9.71	280	469.73	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	819.8	39	2,273.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.14	1	75.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Beet	14.18	395	685.77	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	0.88	1	3.89	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy	10.91	451	527.67	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	61.41	19	1,256.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	30.38	902	1,469.19	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cantaloupe	21.96	5	474.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celeriac	5.31	186	257.19	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	633.18	292	3,752.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (nappa)	8.39	267	405.92	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	11.42	269	552.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	0.95	2	51.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Collard	24.83	690	1,201.26	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	3,091.42	467	21,807.07	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	79.97	36	1,369.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Daikon	1.2	85	57.98	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Dandelion green	3.11	156	150.06	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	1.75	150	84.77	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fig	0.02	1	2.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	0.66	1	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	59.01	15	819.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	11.29	7	154.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	1,346.48	278	10,676.59	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	25.01	1,031	1,210.02	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kiwi	0.54	2	5.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kohlrabi	4.63	221	223.78	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	763.44	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	0.06	2	3.01	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	34.55	1,048	1,671.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mint	0.97	36	46.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard	5.02	222	242.81	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard greens	10.54	288	509.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.55	N/A	4.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.59	1	100.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	1.55	N/A	109,956.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	646.37	71	1,181.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	754.91	104	2,195.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	24.43	51	81.91	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	1.35	2	35.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	872.38	187	7,626.52	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	32.27	8	715.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	42.14	997	2,037.99	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	123.16	14	1,094.72	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	0.29	17	72,210.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	1,949.11	634	6,489.37	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pear	13.3	11	21.12	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pecan	0.53	3	56.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	70.73	50	1,115.56	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	482.14	81	189.34	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pluot	0.63	3	3.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Potato	1.42	1	25.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Prune	2.62	17	4.11	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pumpkin	96.79	11	374.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Radicchio	0.45	46	21.66	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rangeland	12.15	1	100.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	94.26	31	709.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	1,636.62	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ryegrass	0.69	1	17.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	48.46	8	638.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	8.68	3	106.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	4.66	176	225.37	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Structural pest control	105.84	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sudangrass	54.47	9	281.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sweet potato	35.93	4	176.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Swiss chard	35.04	1,175	1,685.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	32.52	14	301.82	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	340.26	57	2,366.34	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Triticale	16.81	4	157.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip	5.58	220	270.06	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	325.29	15	701.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	6.46	3	46.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetable	0.15	1	0.25	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Walnut	5,873.8	1,153	30,836.11	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Watermelon	2.31	3	50.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	41.82	4	334.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	1,332.76	183	8,716.8	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Alfalfa	18.37	4	120.7	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Almond	34.25	19	204.71	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Bean, dried	290.98	8	775.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Grape, wine	4.98	3	42.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Peach	4.45	3	27.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Walnut	4.92	3	18.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	45.45	28	1,354.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Almond	10,066.68	1,200	42,489.02	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Apricot	25.03	14	237.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bean, dried	5.47	1	80.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bean, succulent	10.4	4	80.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cherry	36.61	38	562.34	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Corn (forage - fodder)	310.32	86	4,187.45	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Corn, human consumption	3.42	1	25.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Farm/ag building	0.17	1	1.25	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape, wine	1.7	5	30.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	291.44	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-grnhs transplants	0.08	1	100.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr plants in containers	35.37	19	472.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Nectarine	0.51	2	7.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Oat (forage - fodder)	3.87	7	251.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Olive	83.39	5	610.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pastureland	<0.01	1	30.72	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pastureland	0.04	17	72,210.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Peach	24.0	16	229.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pistachio	5.85	8	294.85	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Plum	0.07	1	0.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pumpkin	2.08	3	55.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	33.15	23	681.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	22.68	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Soil fumigation/preplant	19.14	1	140.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Stone fruit	37.42	21	643.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tomato	6.75	1	79.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tomato, processing	19.9	3	325.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated ag	32.56	5	576.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Walnut	1,233.45	391	8,150.68	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Wheat (forage - fodder)	13.85	4	194.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) sulfate, ammonium salt	Peach	0.03	2	24.0	A
norflurazon	Almond	671.0	37	714.42	A
norflurazon	Grape	48.59	1	68.0	A
norflurazon	Grape, wine	15.37	1	21.5	A
norflurazon	Walnut	520.46	19	480.86	A
novaluron	N-grnhs plants in containers	0.31	1	6.0	A
novaluron	N-outdr transplants	5.02	4	64.0	A
novaluron	Regulatory pest control	0.01	N/A	N/A	N/A
novaluron	Structural pest control	4.37	N/A	N/A	N/A
noviflumuron	Structural pest control	0.05	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Apricot	0.85	1	16.0	A
n-octyl bicycloheptene dicarboximide	N-grnhs transplants	0.09	5	500.0	A
n-octyl bicycloheptene dicarboximide	Structural pest control	18.69	N/A	N/A	N/A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Almond	333.44	230	8,435.64	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Cherry	0.86	1	20.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	3.67	1	85.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Grape, wine	0.14	1	29.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Nectarine	0.15	1	3.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Olive	29.01	6	672.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Peach	2.94	8	65.58	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Plum	0.02	1	0.75	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Rights of way	0.13	1	3.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Rights of way	1.38	N/A	N/A	N/A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Walnut	80.83	68	1,904.47	A
oil of orange	Almond	66.55	229	8,414.64	A
oil of orange	Cherry	0.17	1	20.0	A
oil of orange	Corn (forage - fodder)	0.73	1	85.0	A
oil of orange	Grape, wine	0.03	1	29.0	A
oil of orange	Nectarine	0.03	1	3.5	A
oil of orange	Olive	5.8	6	672.0	A
oil of orange	Peach	0.59	8	65.58	A
oil of orange	Plum	<0.01	1	0.75	A
oil of orange	Rights of way	0.03	1	3.0	A
oil of orange	Rights of way	0.28	N/A	N/A	N/A
oil of orange	Walnut	15.96	66	1,885.97	A
oleic acid	Alfalfa	15.25	10	485.7	A
oleic acid	Almond	7,655.57	1,896	69,876.37	A
oleic acid	Apple	8.54	7	45.97	A
oleic acid	Apricot	222.51	87	3,145.76	A
oleic acid	Bean, dried	144.0	51	3,606.0	A
oleic acid	Cantaloupe	32.07	8	410.0	A
oleic acid	Cherry	196.56	138	2,005.77	A
oleic acid	Corn (forage - fodder)	66.3	41	1,424.6	A
oleic acid	Garlic	10.69	2	200.0	A
oleic acid	Grape	27.48	22	702.0	A
oleic acid	Grape, wine	94.06	28	1,855.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid	N-outdr flower	1.71	1	12.0	A
oleic acid	N-outdr plants in containers	18.7	6	105.0	A
oleic acid	N-outdr transplants	67.28	28	370.55	A
oleic acid	Nectarine	14.76	39	100.6	A
oleic acid	Oat (forage - fodder)	1.5	2	56.0	A
oleic acid	Peach	344.01	197	2,802.81	A
oleic acid	Pear	3.78	5	23.26	A
oleic acid	Pepper, fruiting	12.48	7	380.0	A
oleic acid	Pistachio	1.71	1	30.0	A
oleic acid	Plum	11.68	34	71.04	A
oleic acid	Prune	0.47	7	1.85	A
oleic acid	Pumpkin	1.03	2	12.0	A
oleic acid	Stone fruit	11.54	9	214.0	A
oleic acid	Tomato, processing	2.25	2	125.0	A
oleic acid	Walnut	1,585.22	475	10,220.98	A
oleic acid	Watermelon	21.95	6	390.0	A
oleic acid, ethyl ester	Alfalfa	3.45	1	18.0	A
oleic acid, ethyl ester	Almond	13,160.6	465	22,351.69	A
oleic acid, ethyl ester	Grape, wine	5.52	1	9.0	A
oleic acid, ethyl ester	Landscape maintenance	1.54	N/A	N/A	N/A
oleic acid, ethyl ester	Melon	1.9	1	10.0	A
oleic acid, ethyl ester	Peach	160.61	25	256.0	A
oleic acid, ethyl ester	Prune	17.61	1	23.0	A
oleic acid, ethyl ester	Pumpkin	1.88	2	10.0	A
oleic acid, ethyl ester	Rights of way	27.59	N/A	N/A	N/A
oleic acid, ethyl ester	Walnut	1,021.99	59	1,731.81	A
oleic acid, ethyl ester	Water area	21.02	N/A	4.72	A
oleic acid, methyl ester	Alfalfa	686.43	34	978.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, methyl ester	Almond	22,514.09	587	17,499.66	A
oleic acid, methyl ester	Apricot	22.47	2	37.6	A
oleic acid, methyl ester	Bean, dried	147.14	10	678.0	A
oleic acid, methyl ester	Cherry	443.88	43	752.29	A
oleic acid, methyl ester	Corn (forage - fodder)	33.85	5	174.25	A
oleic acid, methyl ester	Farm/ag building	0.33	1	1.25	A
oleic acid, methyl ester	Grape, wine	1,080.89	15	728.01	A
oleic acid, methyl ester	Landscape maintenance	5.97	N/A	N/A	N/A
oleic acid, methyl ester	N-outdr plants in containers	63.07	5	140.0	A
oleic acid, methyl ester	Nectarine	1.61	1	3.75	A
oleic acid, methyl ester	Pastureland	0.72	2	5,655.0	S
oleic acid, methyl ester	Peach	67.38	9	26.18	A
oleic acid, methyl ester	Plum	1.72	1	4.0	A
oleic acid, methyl ester	Rights of way	2.63	1	2.0	A
oleic acid, methyl ester	Rights of way	24.71	N/A	N/A	N/A
oleic acid, methyl ester	Tomato, processing	19.71	1	30.0	A
oleic acid, methyl ester	Uncultivated ag	9.2	1	7.0	A
oleic acid, methyl ester	Walnut	2,644.67	174	4,393.32	A
orchex 796 oil	Almond	77.61	1	173.0	A
organo/modified polysiloxane	Almond	3.44	17	1,344.19	A
organo/modified polysiloxane	Pistachio	0.05	2	18.0	A
organo/modified polysiloxane	Rights of way	0.01	1	2.0	A
organosilicone, poly oxyalkylene ether copolymer	Alfalfa	2.82	2	30.0	A
organosilicone, poly oxyalkylene ether copolymer	Almond	23.13	12	281.33	A
organosilicone, poly oxyalkylene ether copolymer	Citrus	1.58	2	51.0	A
organosilicone, poly oxyalkylene ether copolymer	Grape, wine	39.86	3	106.37	A
organosilicone, poly oxyalkylene ether copolymer	Walnut	1.69	2	25.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oryzalin	Almond	15,633.65	189	6,147.87	A
oryzalin	Apricot	327.62	2	210.0	A
oryzalin	Cherry	493.45	25	299.87	A
oryzalin	Chestnut	2.0	1	4.0	A
oryzalin	Fig	6.24	1	2.0	A
oryzalin	Grape, wine	1,352.22	19	431.87	A
oryzalin	Landscape maintenance	1,537.19	N/A	N/A	N/A
oryzalin	N-outdr plants in containers	301.03	22	97.85	A
oryzalin	N-outdr plants in containers	1.48	6	10,000.0	S
oryzalin	Olive	42.01	1	40.0	A
oryzalin	Peach	150.96	23	51.85	A
oryzalin	Pistachio	203.74	5	102.04	A
oryzalin	Rights of way	79.73	4	34.0	A
oryzalin	Rights of way	74.19	N/A	N/A	N/A
oryzalin	Walnut	1,448.6	33	455.24	A
oxadiazon	Landscape maintenance	11.1	N/A	N/A	N/A
oxathiapiprolin	N-outdr plants in containers	1.17	1	180.0	A
oxathiapiprolin	Watermelon	1.0	1	80.0	A
oxyfluorfen	Almond	41,459.54	3,908	155,642.34	A
oxyfluorfen	Apple	26.41	13	199.84	A
oxyfluorfen	Apricot	216.02	21	636.89	A
oxyfluorfen	Broccoli	112.6	9	566.0	A
oxyfluorfen	Cantaloupe	7.71	1	123.0	A
oxyfluorfen	Cherry	415.98	107	1,234.26	A
oxyfluorfen	Farm/ag building	0.75	1	2.0	A
oxyfluorfen	Garlic	172.03	11	683.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxyfluorfen	Grape	5.21	3	58.0	A
oxyfluorfen	Grape, wine	1,682.05	139	4,226.76	A
oxyfluorfen	Landscape maintenance	521.63	N/A	N/A	N/A
oxyfluorfen	N-grnhs flower	3.99	N/A	16.5	A
oxyfluorfen	N-outdr flower	2.12	2	6.0	A
oxyfluorfen	N-outdr plants in containers	116.46	20	70.46	A
oxyfluorfen	N-outdr transplants	59.5	17	63.0	A
oxyfluorfen	Nectarine	6.87	9	17.13	A
oxyfluorfen	Olive	275.83	7	624.0	A
oxyfluorfen	Pastureland	0.09	N/A	7.0	A
oxyfluorfen	Pastureland	0.17	2	5,655.0	S
oxyfluorfen	Peach	288.84	125	1,000.31	A
oxyfluorfen	Pear	0.25	1	1.01	A
oxyfluorfen	Pecan	3.64	4	7.25	A
oxyfluorfen	Pistachio	76.61	17	221.56	A
oxyfluorfen	Plum	8.76	11	42.36	A
oxyfluorfen	Prune	1.3	3	8.03	A
oxyfluorfen	Public health	28.57	N/A	N/A	N/A
oxyfluorfen	Research commodity	2.32	N/A	N/A	N/A
oxyfluorfen	Rights of way	214.02	42	555.25	A
oxyfluorfen	Rights of way	3,416.58	N/A	N/A	N/A
oxyfluorfen	Soil fumigation/preplant	4.7	1	75.0	A
oxyfluorfen	Tomato, processing	59.34	5	222.0	A
oxyfluorfen	Uncultivated ag	40.55	4	367.0	A
oxyfluorfen	Uncultivated non-ag	31.01	3	56.0	A
oxyfluorfen	Walnut	5,372.23	774	18,722.51	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxyfluorfen	Wheat (forage - fodder)	4.39	1	35.0	A
oxytetracycline, calcium complex	Apple	105.71	19	597.25	A
oxytetracycline hydrochloride	Landscape maintenance	0.36	N/A	N/A	N/A
paclobutrazol	Golf course turf	2.7	N/A	15.0	A
paclobutrazol	Landscape maintenance	8.22	N/A	N/A	N/A
paclobutrazol	Rights of way	43.74	N/A	N/A	N/A
paecilomyces fumosoroseus apopka strain 97	Watermelon	2.94	1	7.35	A
paraquat dichloride	Alfalfa	2,072.73	75	3,290.2	A
paraquat dichloride	Almond	59,812.38	1,679	58,419.68	A
paraquat dichloride	Apple	25.88	1	20.0	A
paraquat dichloride	Apricot	213.39	11	335.86	A
paraquat dichloride	Cherry	743.96	57	678.36	A
paraquat dichloride	Corn (forage - fodder)	31.03	2	30.0	A
paraquat dichloride	Grape, wine	3,173.88	92	2,388.73	A
paraquat dichloride	Kiwi	4.18	1	4.0	A
paraquat dichloride	N-outdr transplants	20.68	5	79.5	A
paraquat dichloride	Nectarine	2.03	1	1.5	A
paraquat dichloride	Olive	20.89	1	18.0	A
paraquat dichloride	Peach	276.21	49	346.61	A
paraquat dichloride	Pecan	36.43	7	27.88	A
paraquat dichloride	Pistachio	411.44	10	351.04	A
paraquat dichloride	Plum	12.77	2	9.58	A
paraquat dichloride	Prune	0.8	1	0.57	A
paraquat dichloride	Research commodity	1.28	N/A	N/A	N/A
paraquat dichloride	Rights of way	17.8	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
paraquat dichloride	Soil fumigation/preplant	30.5	1	120.0	A
paraquat dichloride	Tomato	159.69	2	141.0	A
paraquat dichloride	Uncultivated ag	19.97	2	27.0	A
paraquat dichloride	Walnut	6,883.17	251	5,883.8	A
pcp, other related	Almond	0.02	5	22.5	A
pendimethalin	Alfalfa	19,077.53	190	7,808.7	A
pendimethalin	Almond	62,571.42	846	27,665.88	A
pendimethalin	Apple	48.02	3	19.42	A
pendimethalin	Apricot	470.26	11	334.58	A
pendimethalin	Bean, dried	801.77	18	822.6	A
pendimethalin	Cherry	429.21	24	239.21	A
pendimethalin	Corn (forage - fodder)	800.82	20	833.0	A
pendimethalin	Garbanzo bean	165.72	3	155.0	A
pendimethalin	Garlic	300.15	4	249.0	A
pendimethalin	Grape, wine	2,554.67	39	921.8	A
pendimethalin	Landscape maintenance	109.3	N/A	N/A	N/A
pendimethalin	Leek	15.2	7	16.11	A
pendimethalin	N-grnhs flower	5.21	N/A	12.0	A
pendimethalin	N-outdr plants in containers	108.92	39	55.21	A
pendimethalin	N-outdr transplants	232.78	20	123.75	A
pendimethalin	Nectarine	11.36	4	4.0	A
pendimethalin	Olive	68.18	1	18.0	A
pendimethalin	Peach	526.43	30	240.6	A
pendimethalin	Pear	11.51	2	4.21	A
pendimethalin	Pecan	13.73	4	7.25	A
pendimethalin	Pepper, fruiting	71.02	1	75.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pendimethalin	Pistachio	637.24	4	121.12	A
pendimethalin	Plum	59.59	8	18.24	A
pendimethalin	Prune	0.76	2	0.4	A
pendimethalin	Rights of way	5.68	2	1.5	A
pendimethalin	Rights of way	896.49	N/A	N/A	N/A
pendimethalin	Soil fumigation/preplant	1,456.02	13	1,214.0	A
pendimethalin	Tomato, processing	658.61	14	658.0	A
pendimethalin	Uncultivated ag	26.4	1	7.0	A
pendimethalin	Walnut	9,197.49	239	3,977.18	A
penoxsulam	Almond	50.34	76	2,391.95	A
penoxsulam	Landscape maintenance	0.15	N/A	N/A	N/A
penoxsulam	Nectarine	0.06	1	2.0	A
penoxsulam	Peach	0.61	5	29.0	A
penoxsulam	Pistachio	0.31	2	10.12	A
penoxsulam	Rice	1.19	1	27.0	A
penoxsulam	Rights of way	0.37	2	12.0	A
penoxsulam	Rights of way	64.95	N/A	N/A	N/A
penoxsulam	Uncultivated non-ag	0.06	N/A	2.0	A
penoxsulam	Walnut	16.3	42	1,086.36	A
pentachlorophenol	Almond	0.15	5	22.5	A
penthiopyrad	Almond	2,157.27	263	9,752.64	A
penthiopyrad	Apricot	34.76	8	162.0	A
penthiopyrad	Beet	2.63	5	8.42	A
penthiopyrad	Cabbage	0.25	1	0.8	A
penthiopyrad	Celeriac	6.93	14	22.2	A
penthiopyrad	Cherry	30.16	7	117.0	A
penthiopyrad	Collard	7.06	14	22.57	A
penthiopyrad	Kale	1.89	4	6.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
penthiopyrad	Kohlrabi	1.8	5	5.77	A
penthiopyrad	Landscape maintenance	0.4	N/A	N/A	N/A
penthiopyrad	Mustard	0.69	2	2.2	A
penthiopyrad	Mustard greens	1.86	4	5.97	A
penthiopyrad	N-outdr plants in containers	5.2	2	20.0	A
penthiopyrad	Nectarine	1.78	3	8.75	A
penthiopyrad	Parsley	14.93	24	47.79	A
penthiopyrad	Peach	116.64	38	550.25	A
penthiopyrad	Pumpkin	1.25	1	6.0	A
penthiopyrad	Spinach	1.53	4	4.9	A
penthiopyrad	Stone fruit	20.82	2	98.0	A
penthiopyrad	Swiss chard	8.31	18	26.64	A
penthiopyrad	Tomato	63.18	7	242.8	A
penthiopyrad	Turnip	2.75	8	8.8	A
penthiopyrad	Walnut	71.19	11	342.0	A
permethrin	Alfalfa	27.21	2	137.0	A
permethrin	Almond	1,152.36	39	4,738.17	A
permethrin	Animal premise	32.09	N/A	9.0	U
permethrin	Cabbage	15.26	54	79.28	A
permethrin	Cherry	8.02	1	40.0	A
permethrin	Chinese cabbage (nappa)	0.14	1	1.35	A
permethrin	Corn (forage - fodder)	498.87	100	3,605.08	A
permethrin	Kohlrabi	0.09	1	0.9	A
permethrin	Landscape maintenance	0.27	N/A	N/A	N/A
permethrin	Lettuce, leaf	9.55	33	47.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
permethrin	N-grnhs plants in containers	11.2	7	28.5	A
permethrin	N-outdr plants in containers	10.13	4	48.0	A
permethrin	N-outdr transplants	8.26	7	16.5	A
permethrin	Peach	6.48	3	30.28	A
permethrin	Pistachio	4.91	2	18.0	A
permethrin	Public health	1,130.02	N/A	N/A	N/A
permethrin	Structural pest control	2,715.85	N/A	N/A	N/A
permethrin	Swiss chard	28.24	101	141.64	A
permethrin	Tomato	26.73	5	178.2	A
permethrin	Walnut	37.02	7	158.45	A
permethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
peroxyacetic acid	Apple	0.37	7	7.0	A
peroxyacetic acid	Cherry	3.68	1	20.0	A
peroxyacetic acid	Ditch bank	4,289.0	N/A	1,753,007.0	U
peroxyacetic acid	Food processing plant	3,834.49	N/A	5.0	U
peroxyacetic acid	N-outdr transplants	0.92	1	2.0	A
peroxyacetic acid	Peach	0.32	1	7.0	A
peroxyacetic acid	Water (industrial)	7.35	N/A	8.0	A
peroxyacetic acid	Water (industrial)	337.55	N/A	6.0	U
peroxyacetic acid	Water area	4,195.04	N/A	6,224.36	U
petroleum distillates	Alfalfa	89.66	7	297.0	A
petroleum distillates	Almond	57.81	6	353.0	A
petroleum distillates	Apricot	133.36	3	226.0	A
petroleum distillates	Cantaloupe	12.08	1	80.0	A
petroleum distillates	Landscape maintenance	7.82	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
petroleum distillates	N-grnhs transplants	0.12	5	500.0	A
petroleum distillates	Structural pest control	1.27	N/A	N/A	N/A
petroleum distillates	Tomato, processing	18.72	1	62.0	A
petroleum distillates	Walnut	24.15	1	65.0	A
petroleum distillates, aliphatic	Landscape maintenance	11.32	N/A	N/A	N/A
petroleum distillates, aromatic	Alfalfa	604.68	19	1,076.8	A
petroleum distillates, aromatic	Almond	3,130.74	119	3,773.46	A
petroleum distillates, aromatic	Apricot	50.15	3	75.25	A
petroleum distillates, aromatic	Cherry	250.61	22	341.29	A
petroleum distillates, aromatic	Corn (forage - fodder)	174.76	15	668.1	A
petroleum distillates, aromatic	N-grnhs transplants	5.86	1	100.0	A
petroleum distillates, aromatic	Oat (forage - fodder)	60.91	6	222.0	A
petroleum distillates, aromatic	Pastureland	0.21	1	30.72	A
petroleum distillates, aromatic	Pastureland	2.86	17	72,210.0	S
petroleum distillates, aromatic	Pistachio	206.7	5	282.25	A
petroleum distillates, aromatic	Rights of way	627.47	15	520.5	A
petroleum distillates, aromatic	Uncultivated ag	77.8	3	196.0	A
petroleum distillates, aromatic	Walnut	292.57	14	253.71	A
petroleum distillates, aromatic	Wheat (forage - fodder)	7.62	1	28.0	A
petroleum distillates, refined	Almond	7.04	1	1.0	A
petroleum distillates, refined	Apple	7.04	1	1.0	A
petroleum distillates, refined	Apricot	253.33	3	36.0	A
petroleum distillates, refined	Beet	0.03	1	250.0	S
petroleum distillates, refined	Broccoli	0.1	3	340.0	S
petroleum distillates, refined	Cabbage	0.1	3	340.0	S
petroleum distillates, refined	Cantaloupe	0.06	3	300.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
petroleum distillates, refined	Cherry	42.22	2	6.0	A
petroleum distillates, refined	Cucumber	0.13	3	600.0	S
petroleum distillates, refined	Grape, wine	11,537.48	21	2,531.2	A
petroleum distillates, refined	Kale	0.1	3	340.0	S
petroleum distillates, refined	Melon	0.34	3	1,500.0	S
petroleum distillates, refined	Nectarine	42.22	2	6.0	A
petroleum distillates, refined	Okra	0.12	2	200.0	S
petroleum distillates, refined	Peach	42.22	2	6.0	A
petroleum distillates, refined	Plum	21.11	1	3.0	A
petroleum distillates, refined	Public health	10,589.21	N/A	N/A	N/A
petroleum distillates, refined	Squash, summer	0.34	3	1,500.0	S
petroleum distillates, refined	Squash, winter	0.34	3	1,500.0	S
petroleum oil, paraffin based	Almond	13,853.1	58	5,080.9	A
petroleum oil, paraffin based	Garlic	103.4	2	85.0	A
petroleum oil, paraffin based	N-outdr plants in containers	151.2	13	313.0	A
petroleum oil, paraffin based	Peach	9.18	3	32.0	A
petroleum oil, paraffin based	Rights of way	0.57	1	0.5	A
petroleum oil, paraffin based	Rights of way	15.21	N/A	N/A	N/A
petroleum oil, paraffin based	Stone fruit	246.38	20	624.0	A
petroleum oil, paraffin based	Uncultivated ag	4.96	1	20.0	A
petroleum oil, paraffin based	Walnut	239.26	13	324.04	A
petroleum oil, paraffin based	Water area	126.2	N/A	30.56	A
petroleum oil, unclassified	Almond	30,577.54	75	4,715.5	A
petroleum oil, unclassified	Cherry	695.86	5	99.0	A
phenothrin	Animal premise	0.01	N/A	2.0	U
phenothrin	Public health	3.23	N/A	N/A	N/A
phenothrin	Structural pest control	0.13	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
phenylethyl propionate	Structural pest control	0.02	N/A	N/A	N/A
phosmet	Alfalfa	49.49	3	70.7	A
phosmet	Walnut	385.84	6	219.0	A
phosphine	Almond	5.72	N/A	114,660.0	C
phosphine	Commodity fumigation	2.84	1	1,291.0	?
phosphine	Commodity fumigation	8.47	29	131,810.0	C
phosphine	Commodity fumigation	2,288.47	N/A	N/A	N/A
phosphine	Fumigation, other	88.68	N/A	N/A	N/A
phosphine	Structural pest control	<0.01	N/A	N/A	N/A
phosphine	Walnut	<0.01	N/A	140.0	U
phosphoric acid	Alfalfa	34.49	46	1,611.2	A
phosphoric acid	Almond	3,063.94	1,486	58,747.18	A
phosphoric acid	Almond	0.77	1	217,800.0	S
phosphoric acid	Apple	21.09	30	446.22	A
phosphoric acid	Apricot	8.82	14	439.53	A
phosphoric acid	Bean, dried	93.37	71	4,349.5	A
phosphoric acid	Bean, succulent	2.2	17	861.0	A
phosphoric acid	Broccoli	1.74	12	803.0	A
phosphoric acid	Cherry	105.09	157	1,770.81	A
phosphoric acid	Corn (forage - fodder)	68.56	83	2,888.2	A
phosphoric acid	Garlic	6.83	3	185.0	A
phosphoric acid	Grape	2.37	3	134.0	A
phosphoric acid	Grape, wine	177.7	97	2,814.15	A
phosphoric acid	Landscape maintenance	4.32	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
phosphoric acid	Melon	0.55	6	349.0	A
phosphoric acid	N-grnhs plants in containers	0.31	1	0.5	A
phosphoric acid	N-grnhs transplants	0.94	N/A	207,878.0	S
phosphoric acid	N-outdr plants in containers	1,123.19	39	660.0	A
phosphoric acid	N-outdr transplants	119.14	98	1,886.85	A
phosphoric acid	Nectarine	2.25	9	10.75	A
phosphoric acid	Oat (forage - fodder)	13.36	14	654.5	A
phosphoric acid	Pastureland	1.1	1	53.0	A
phosphoric acid	Peach	247.34	186	2,494.45	A
phosphoric acid	Pear	2.92	7	26.64	A
phosphoric acid	Pepper, fruiting	0.39	4	100.0	A
phosphoric acid	Pistachio	15.24	10	206.51	A
phosphoric acid	Plum	13.87	35	134.98	A
phosphoric acid	Prune	0.25	3	0.81	A
phosphoric acid	Pumpkin	0.06	3	55.0	A
phosphoric acid	Rights of way	7.2	7	84.21	A
phosphoric acid	Rights of way	9.82	N/A	N/A	N/A
phosphoric acid	Structural pest control	4.13	N/A	N/A	N/A
phosphoric acid	Tomato	4.19	17	1,150.0	A
phosphoric acid	Tomato, processing	14.84	49	2,956.0	A
phosphoric acid	Triticale	3.38	4	393.0	A
phosphoric acid	Uncultivated ag	0.85	2	31.0	A
phosphoric acid	Uncultivated non-ag	0.4	1	20.0	A
phosphoric acid	Vegetable	0.04	1	0.25	A
phosphoric acid	Walnut	890.02	445	11,304.5	A
phosphoric acid	Watermelon	6.04	3	250.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
phosphoric acid	Wheat (forage - fodder)	18.81	15	596.4	A
beta-pinene polymer	Almond	42.17	19	231.0	A
beta-pinene polymer	Citrus	19.91	3	85.0	A
beta-pinene polymer	Olive	4.28	1	18.0	A
beta-pinene polymer	Peach	16.04	6	67.8	A
piperonyl butoxide	Almond	107.2	10	287.0	A
piperonyl butoxide	Animal premise	1.6	N/A	18.0	U
piperonyl butoxide	Apricot	0.41	1	16.0	A
piperonyl butoxide	Commodity fumigation	3.29	N/A	N/A	N/A
piperonyl butoxide	Landscape maintenance	20.94	N/A	N/A	N/A
piperonyl butoxide	N-grnhs transplants	0.04	5	500.0	A
piperonyl butoxide	N-outdr plants in containers	0.57	2	2.5	A
piperonyl butoxide	Nectarine	40.21	1	1.0	A
piperonyl butoxide	Peach	39.39	30	209.0	A
piperonyl butoxide	Plum	7.38	16	38.5	A
piperonyl butoxide	Public health	1,562.67	N/A	N/A	N/A
piperonyl butoxide	Regulatory pest control	0.02	N/A	N/A	N/A
piperonyl butoxide	Rights of way	4.81	N/A	N/A	N/A
piperonyl butoxide	Structural pest control	248.83	N/A	N/A	N/A
piperonyl butoxide, other related	Apricot	0.1	1	16.0	A
piperonyl butoxide, other related	Commodity fumigation	0.81	N/A	N/A	N/A
piperonyl butoxide, other related	Landscape maintenance	5.23	N/A	N/A	N/A
piperonyl butoxide, other related	N-grnhs transplants	0.01	5	500.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
piperonyl butoxide, other related	N-outdr plants in containers	0.14	2	2.5	A
piperonyl butoxide, other related	Public health	67.2	N/A	N/A	N/A
piperonyl butoxide, other related	Regulatory pest control	<0.01	N/A	N/A	N/A
piperonyl butoxide, other related	Rights of way	0.91	N/A	N/A	N/A
piperonyl butoxide, other related	Structural pest control	36.9	N/A	N/A	N/A
polyacrylamide, polyethylene glycol mixture	Almond	26.29	16	3,494.4	A
polyacrylamide, polyethylene glycol mixture	Rights of way	1.94	N/A	N/A	N/A
polyacrylamide, polyethylene glycol mixture	Walnut	0.71	2	79.28	A
polyacrylamide polymer	Alfalfa	5.16	11	696.5	A
polyacrylamide polymer	Almond	247.1	774	26,518.54	A
polyacrylamide polymer	Apple	3.7	19	361.65	A
polyacrylamide polymer	Apricot	0.69	4	116.5	A
polyacrylamide polymer	Cherry	4.8	54	490.23	A
polyacrylamide polymer	Corn (forage - fodder)	7.02	25	691.95	A
polyacrylamide polymer	Grape	0.77	3	134.0	A
polyacrylamide polymer	Grape, wine	33.93	67	2,089.02	A
polyacrylamide polymer	Landscape maintenance	10.62	N/A	N/A	N/A
polyacrylamide polymer	Nectarine	0.26	3	6.0	A
polyacrylamide polymer	Oat (forage - fodder)	3.02	9	598.75	A
polyacrylamide polymer	Peach	5.3	67	433.49	A
polyacrylamide polymer	Pistachio	1.86	4	137.0	A
polyacrylamide polymer	Rights of way	0.21	2	13.0	A
polyacrylamide polymer	Rights of way	5.71	N/A	N/A	N/A
polyacrylamide polymer	Triticale	1.09	4	393.0	A
polyacrylamide polymer	Uncultivated ag	0.08	1	30.0	A
polyacrylamide polymer	Vegetable	0.01	1	0.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyacrylamide polymer	Walnut	32.33	151	2,825.83	A
polyacrylamide polymer	Watermelon	0.3	1	70.0	A
polyacrylamide polymer	Wheat (forage - fodder)	11.16	24	1,223.4	A
polyacrylic polymer	Alfalfa	0.91	2	120.0	A
polyacrylic polymer	Almond	51.26	97	4,418.64	A
polyacrylic polymer	Corn (forage - fodder)	1.12	5	207.0	A
polyacrylic polymer	Garlic	0.47	2	85.0	A
polyacrylic polymer	Grape, wine	6.56	29	671.93	A
polyacrylic polymer	Oat (forage - fodder)	0.46	2	84.0	A
polyacrylic polymer	Pistachio	0.19	3	31.11	A
polyacrylic polymer	Rights of way	0.57	3	59.71	A
polyacrylic polymer	Walnut	14.66	44	1,348.06	A
polyalkene oxide modified heptamethyl trisiloxane	Alfalfa	0.91	1	60.0	A
polyalkene oxide modified heptamethyl trisiloxane	Almond	597.72	338	16,673.05	A
polyalkene oxide modified heptamethyl trisiloxane	Cherry	0.08	1	5.0	A
polyalkene oxide modified heptamethyl trisiloxane	Corn (forage - fodder)	19.99	14	603.0	A
polyalkene oxide modified heptamethyl trisiloxane	Garlic	2.58	4	170.0	A
polyalkene oxide modified heptamethyl trisiloxane	Grape, wine	3.38	10	285.5	A
polyalkene oxide modified heptamethyl trisiloxane	N-grnhs plants in containers	454.49	188	744.05	A
polyalkene oxide modified heptamethyl trisiloxane	N-grnhs plants in containers	3.92	5	19,980.0	S
polyalkene oxide modified heptamethyl trisiloxane	N-outdr plants in containers	118.81	87	213.5	A
polyalkene oxide modified heptamethyl trisiloxane	N-outdr transplants	214.72	124	395.87	A
polyalkene oxide modified heptamethyl trisiloxane	Peach	4.97	23	228.12	A
polyalkene oxide modified heptamethyl trisiloxane	Pistachio	3.9	20	315.83	A
polyalkene oxide modified heptamethyl trisiloxane	Potato	0.38	1	25.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyalkene oxide modified heptamethyl trisiloxane	Rights of way	0.39	2	20.0	A
polyalkene oxide modified heptamethyl trisiloxane	Walnut	93.98	79	3,461.8	A
polyalkyleneoxide modified polydimethyl-siloxane	Almond	543.26	97	4,304.42	A
polyalkyleneoxide modified polydimethyl-siloxane	Cherry	21.01	10	175.28	A
polyalkyleneoxide modified polydimethyl-siloxane	Corn (forage - fodder)	9.28	3	285.0	A
polyalkyleneoxide modified polydimethyl-siloxane	Grape, wine	2.81	1	20.0	A
polyalkyleneoxide modified polydimethyl-siloxane	Peach	0.31	1	3.5	A
polyalkyleneoxide modified polydimethyl-siloxane	Pumpkin	19.94	4	90.8	A
polyalkyleneoxide modified polydimethyl-siloxane	Rights of way	0.09	1	1.0	A
polyalkyleneoxide modified polydimethyl-siloxane	Walnut	738.89	88	2,751.86	A
polyalkyleneoxide modified polydimethyl-siloxane	Watermelon	382.58	44	2,198.0	A
polyalkyleneoxide modified polydimethyl-siloxane	Wheat (forage - fodder)	3.18	1	9.0	A
polybutenes	Alfalfa	26.81	18	923.7	A
polybutenes	Almond	7,872.76	2,775	110,439.47	A
polybutenes	Apple	5.69	7	45.97	A
polybutenes	Apricot	180.33	113	3,826.51	A
polybutenes	Bean, dried	380.98	67	4,492.0	A
polybutenes	Broccoli	15.26	8	642.0	A
polybutenes	Cantaloupe	41.29	14	926.0	A
polybutenes	Cherry	150.49	167	2,380.82	A
polybutenes	Corn (forage - fodder)	116.84	101	3,415.5	A
polybutenes	Corn, human consumption	3.04	1	64.0	A
polybutenes	Garlic	13.58	5	472.0	A
polybutenes	Grape	18.32	22	702.0	A
polybutenes	Grape, wine	71.82	40	2,397.72	A
polybutenes	N-grnhs transplants	0.27	N/A	124,236.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polybutenes	N-outdr flower	1.14	1	12.0	A
polybutenes	N-outdr plants in containers	12.47	6	105.0	A
polybutenes	N-outdr transplants	44.86	28	370.55	A
polybutenes	Nectarine	9.97	40	103.35	A
polybutenes	Oat (forage - fodder)	1.0	2	56.0	A
polybutenes	Peach	282.88	242	3,424.81	A
polybutenes	Pear	2.52	5	23.26	A
polybutenes	Pepper, fruiting	8.32	7	380.0	A
polybutenes	Pistachio	20.57	7	181.12	A
polybutenes	Plum	7.78	34	71.04	A
polybutenes	Prune	0.31	7	1.85	A
polybutenes	Pumpkin	0.68	2	12.0	A
polybutenes	Stone fruit	10.35	10	292.0	A
polybutenes	Sweet potato	8.53	6	180.0	A
polybutenes	Tomato, processing	6.72	3	180.0	A
polybutenes	Walnut	1,620.41	672	16,425.95	A
polybutenes	Watermelon	35.72	14	982.0	A
poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Almond	56.98	4	289.0	A
poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Rights of way	0.24	1	1.0	A
poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Tomato	0.69	2	26.0	A
poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Tomato, processing	44.89	23	1,747.0	A
poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Walnut	14.06	2	217.0	A
polyether modified polysiloxane	Alfalfa	1.37	3	81.0	A
polyether modified polysiloxane	Almond	443.02	292	8,118.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyether modified polysiloxane	Apricot	5.04	2	133.0	A
polyether modified polysiloxane	Cherry	5.25	9	165.5	A
polyether modified polysiloxane	Corn (forage - fodder)	28.89	46	1,756.75	A
polyether modified polysiloxane	Garlic	1.52	1	100.0	A
polyether modified polysiloxane	Grape, wine	3.03	2	62.34	A
polyether modified polysiloxane	N-outdr transplants	2.46	9	130.0	A
polyether modified polysiloxane	Oat (forage - fodder)	0.48	4	31.75	A
polyether modified polysiloxane	Pastureland	1.0	1	53.0	A
polyether modified polysiloxane	Peach	4.13	16	145.17	A
polyether modified polysiloxane	Rights of way	0.09	1	4.0	A
polyether modified polysiloxane	Tomato	2.83	5	290.0	A
polyether modified polysiloxane	Tomato, processing	2.21	4	244.0	A
polyether modified polysiloxane	Walnut	111.56	77	1,720.78	A
polyethoxylated castor oil	Almond	128.44	90	3,322.54	A
polyethoxylated castor oil	Corn (forage - fodder)	5.99	1	165.0	A
polyethoxylated castor oil	Peach	0.68	3	15.0	A
polyethoxylated castor oil	Rights of way	0.91	1	25.0	A
polyethoxylated castor oil	Walnut	19.45	22	619.88	A
polyethylene glycol	Alfalfa	171.71	22	1,186.3	A
polyethylene glycol	Almond	29,914.08	1,166	36,925.83	A
polyethylene glycol	Almond	0.02	1	217,800.0	S
polyethylene glycol	Apple	32.23	16	99.93	A
polyethylene glycol	Apricot	89.92	31	279.68	A
polyethylene glycol	Bean, dried	336.88	7	230.0	A
polyethylene glycol	Cherry	133.81	80	630.86	A
polyethylene glycol	Corn (forage - fodder)	394.13	68	2,966.5	A
polyethylene glycol	Garlic	14.72	3	222.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol	Grape	0.53	2	2.0	A
polyethylene glycol	Grape, wine	128.06	26	969.7	A
polyethylene glycol	Kiwi	0.29	1	4.0	A
polyethylene glycol	N-grnhs transplants	0.85	N/A	109,956.0	S
polyethylene glycol	N-outdr plants in containers	351.69	62	1,010.0	A
polyethylene glycol	N-outdr transplants	398.36	84	1,973.35	A
polyethylene glycol	Nectarine	10.35	24	23.71	A
polyethylene glycol	Oat (forage - fodder)	201.46	20	857.0	A
polyethylene glycol	Pastureland	33.14	2	500.0	A
polyethylene glycol	Peach	837.26	321	3,663.2	A
polyethylene glycol	Pear	7.24	8	17.9	A
polyethylene glycol	Plum	260.83	60	153.61	A
polyethylene glycol	Prune	1.42	12	2.68	A
polyethylene glycol	Pumpkin	1.16	2	3.5	A
polyethylene glycol	Rangeland	6.63	1	100.0	A
polyethylene glycol	Rights of way	0.78	2	2.5	A
polyethylene glycol	Rights of way	1.33	N/A	N/A	N/A
polyethylene glycol	Tomato	14.19	4	137.05	A
polyethylene glycol	Tomato, processing	52.25	11	799.0	A
polyethylene glycol	Uncultivated ag	8.56	1	43.0	A
polyethylene glycol	Vegetable	0.08	1	0.25	A
polyethylene glycol	Walnut	1,049.96	137	3,894.65	A
polyethylene glycol	Wheat (forage - fodder)	73.52	32	1,433.8	A
polyethylene glycol diacetate	Almond	4.32	27	1,449.33	A
polyethylene glycol diacetate	Cherry	0.13	4	70.0	A
polyethylene glycol diacetate	Grape, wine	5.26	19	400.5	A
polyethylene glycol diacetate	Rights of way	0.01	N/A	N/A	N/A
polyethylene glycol diacetate	Walnut	4.82	21	1,350.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Almond	2,356.63	135	13,263.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Walnut	159.25	14	745.0	A
polyethylene glycol stearate	Alfalfa	0.86	1	18.0	A
polyethylene glycol stearate	Almond	3,290.15	465	22,351.69	A
polyethylene glycol stearate	Grape, wine	1.38	1	9.0	A
polyethylene glycol stearate	Landscape maintenance	0.38	N/A	N/A	N/A
polyethylene glycol stearate	Melon	0.48	1	10.0	A
polyethylene glycol stearate	Peach	40.15	25	256.0	A
polyethylene glycol stearate	Prune	4.4	1	23.0	A
polyethylene glycol stearate	Pumpkin	0.47	2	10.0	A
polyethylene glycol stearate	Walnut	255.5	59	1,731.81	A
polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helicoverpa zea (corn earworm)	Corn, human consumption	1.51	9	318.0	A
polyoxyethylene polyol fatty acid esters	Alfalfa	56.81	11	382.0	A
polyoxyethylene polyol fatty acid esters	Almond	241.17	18	836.09	A
polyoxyethylene polyol fatty acid esters	Corn (forage - fodder)	12.94	4	159.0	A
polyoxyethylene polyol fatty acid esters	Walnut	6.67	1	60.0	A
polymerized acrylic acid	Almond	13.38	5	135.0	A
polymerized acrylic acid	Walnut	5.43	2	57.5	A
polymerized pinene	Almond	41.37	6	148.86	A
polymerized pinene	Apricot	28.2	2	41.25	A
polymerized pinene	Cherry	12.19	2	17.9	A
polymerized pinene	Grape, wine	2.57	3	15.0	A
polymerized pinene	Walnut	124.78	5	91.32	A
polyoxin d, zinc salt	Almond	12.1	3	228.0	A
polyoxin d, zinc salt	Cherry	0.09	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxin d, zinc salt	Grape, wine	23.02	8	525.8	A
polyoxin d, zinc salt	Pistachio	2.04	3	46.5	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Alfalfa	1.58	2	140.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Almond	2.85	1	40.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Oat (forage - fodder)	6.87	7	674.0	A
polyoxyethylene dioleate	Alfalfa	0.06	2	30.0	A
polyoxyethylene dioleate	Almond	0.48	12	281.33	A
polyoxyethylene dioleate	Citrus	0.03	2	51.0	A
polyoxyethylene dioleate	Grape, wine	0.83	3	106.37	A
polyoxyethylene dioleate	Rights of way	4.83	N/A	N/A	N/A
polyoxyethylene dioleate	Walnut	0.04	2	25.09	A
polyoxyethylene dioleate	Water area	3.68	N/A	4.72	A
polyoxyethylene mixed fatty acid ester	Alfalfa	69.58	7	287.0	A
polyoxyethylene mixed fatty acid ester	Almond	58.29	16	205.45	A
polyoxyethylene mixed fatty acid ester	Cherry	6.54	3	12.0	A
polyoxyethylene mixed fatty acid ester	Corn (forage - fodder)	128.95	14	574.5	A
polyoxyethylene mixed fatty acid ester	N-outdr transplants	22.3	5	79.5	A
polyoxyethylene mixed fatty acid ester	Olive	20.2	2	36.0	A
polyoxyethylene mixed fatty acid ester	Peach	22.05	6	39.3	A
polyoxyethylene mixed fatty acid ester	Plum	5.33	1	9.5	A
polyoxyethylene mixed fatty acid ester	Rights of way	7.86	1	14.0	A
polyoxyethylene mixed fatty acid ester	Tomato, processing	6.73	1	30.0	A
polyoxyethylene mixed fatty acid ester	Walnut	35.17	8	104.8	A
polyoxyethylene mixed fatty acid ester	Wheat (forage - fodder)	22.42	10	160.0	A
polyoxyethylene polyoxypropylene	Almond	31.15	9	416.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene polyoxypropylene	Cherry	5.92	2	4.0	A
polyoxyethylene polyoxypropylene	Grape, wine	17.5	4	206.0	A
polyoxyethylene polyoxypropylene	Walnut	287.12	50	1,970.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Almond	1,022.98	673	19,709.67	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Apple	16.5	4	152.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Apricot	9.02	6	170.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cherry	24.68	25	426.2	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Corn (forage - fodder)	17.31	28	823.8	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Grape	13.77	5	202.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Grape, wine	19.96	15	527.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Peach	78.85	96	998.7	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Pecan	0.33	1	20.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Pistachio	0.05	1	2.3	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Pumpkin	3.8	4	90.8	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Rights of way	1.01	N/A	N/A	N/A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Walnut	540.55	350	13,399.18	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Walnut	0.08	1	43,560.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Watermelon	59.02	41	1,965.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Wheat (forage - fodder)	0.61	1	9.0	A
polyoxyethylene sorbitol, mixed ether ester	Uncultivated ag	24.2	1	20.0	A
polyoxyethylene sorbitan mixed fatty acid esters	Alfalfa	17.73	4	90.0	A
polyoxyethylene sorbitan mixed fatty acid esters	Almond	70.89	9	239.22	A
polyoxyethylene sorbitan mixed fatty acid esters	Corn (forage - fodder)	82.63	13	359.0	A
polyoxyethylene sorbitan mixed fatty acid esters	Peach	0.94	2	24.0	A
polyoxyethylene sorbitan mixed fatty acid esters	Rights of way	1.84	1	6.0	A
polyoxyethylene sorbitan monolaurate	Almond	23.32	10	186.5	A
polyoxyethylene sorbitan monolaurate	Grape, wine	33.13	8	117.0	A
polyoxyethylene sorbitan monooleate	Almond	423.6	180	8,421.78	A
polyoxyethylene sorbitan monooleate	Apricot	22.2	7	312.0	A
polyoxyethylene sorbitan monooleate	Bean, dried	7.05	1	85.0	A
polyoxyethylene sorbitan monooleate	Cantaloupe	7.74	1	80.0	A
polyoxyethylene sorbitan monooleate	Cherry	26.47	20	341.85	A
polyoxyethylene sorbitan monooleate	Corn (forage - fodder)	12.62	5	139.75	A
polyoxyethylene sorbitan monooleate	Garlic	2.54	2	85.0	A
polyoxyethylene sorbitan monooleate	Grape	5.82	2	98.0	A
polyoxyethylene sorbitan monooleate	Grape, wine	33.66	10	378.61	A
polyoxyethylene sorbitan monooleate	N-outdr plants in containers	2.13	1	22.0	A
polyoxyethylene sorbitan monooleate	Olive	4.92	2	114.0	A
polyoxyethylene sorbitan monooleate	Peach	1.67	7	18.8	A
polyoxyethylene sorbitan monooleate	Pepper, fruiting	7.25	1	75.0	A
polyoxyethylene sorbitan monooleate	Rangeland	8.84	1	100.0	A
polyoxyethylene sorbitan monooleate	Rights of way	0.01	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene sorbitan monooleate	Rights of way	1.75	N/A	N/A	N/A
polyoxyethylene sorbitan monooleate	Soil fumigation/preplant	16.39	3	190.0	A
polyoxyethylene sorbitan monooleate	Walnut	20.9	28	482.16	A
polyoxyethylene sorbitan monooleate	Water area	4.15	N/A	35.28	A
polyoxyethylene sorbitan monooleate	Wheat (forage - fodder)	1.66	2	50.0	A
polyoxyethylene sorbitan trioleate	Alfalfa	20.2	65	3,523.3	A
polyoxyethylene sorbitan trioleate	Almond	913.81	456	11,905.89	A
polyoxyethylene sorbitan trioleate	Basil, sweet	1.11	54	92.1	A
polyoxyethylene sorbitan trioleate	Beet	1.38	66	113.94	A
polyoxyethylene sorbitan trioleate	Bok choy	1.45	101	120.13	A
polyoxyethylene sorbitan trioleate	Cabbage	2.06	104	170.39	A
polyoxyethylene sorbitan trioleate	Celeriac	0.23	15	19.35	A
polyoxyethylene sorbitan trioleate	Chinese cabbage (nappa)	0.76	41	63.33	A
polyoxyethylene sorbitan trioleate	Cilantro	2.31	97	191.01	A
polyoxyethylene sorbitan trioleate	Collard	1.76	78	145.75	A
polyoxyethylene sorbitan trioleate	Corn (forage - fodder)	69.75	327	11,658.06	A
polyoxyethylene sorbitan trioleate	Daikon	0.1	12	8.32	A
polyoxyethylene sorbitan trioleate	Dandelion green	0.21	17	17.23	A
polyoxyethylene sorbitan trioleate	Dill	0.66	43	54.59	A
polyoxyethylene sorbitan trioleate	Endive (escarole)	0.26	38	21.6	A
polyoxyethylene sorbitan trioleate	Fennel	0.06	8	4.8	A
polyoxyethylene sorbitan trioleate	Garlic	16.73	2	85.0	A
polyoxyethylene sorbitan trioleate	Kale	1.72	113	142.08	A
polyoxyethylene sorbitan trioleate	Kohlrabi	0.47	40	38.66	A
polyoxyethylene sorbitan trioleate	Leek	0.6	25	50.09	A
polyoxyethylene sorbitan trioleate	Lettuce, leaf	4.46	222	369.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene sorbitan trioleate	Mustard	0.73	57	60.09	A
polyoxyethylene sorbitan trioleate	Mustard greens	1.3	63	107.51	A
polyoxyethylene sorbitan trioleate	Oat (forage - fodder)	11.94	75	2,007.7	A
polyoxyethylene sorbitan trioleate	Olive	0.09	1	18.0	A
polyoxyethylene sorbitan trioleate	Parsley	1.76	73	145.66	A
polyoxyethylene sorbitan trioleate	Peach	4.41	7	397.22	A
polyoxyethylene sorbitan trioleate	Radicchio	0.03	5	2.31	A
polyoxyethylene sorbitan trioleate	Rights of way	0.56	7	75.5	A
polyoxyethylene sorbitan trioleate	Rights of way	52.32	N/A	N/A	N/A
polyoxyethylene sorbitan trioleate	Spinach	0.79	51	65.68	A
polyoxyethylene sorbitan trioleate	Sudangrass	0.05	1	10.0	A
polyoxyethylene sorbitan trioleate	Swiss chard	1.79	102	148.04	A
polyoxyethylene sorbitan trioleate	Turnip	0.79	53	65.88	A
polyoxyethylene sorbitan trioleate	Uncultivated non-ag	8.96	N/A	742.0	A
polyoxyethylene sorbitan trioleate	Walnut	37.68	31	496.13	A
polyoxyethylene sorbitan trioleate	Water area	20.42	N/A	30.56	A
polyoxyethylene sorbitan trioleate	Wheat (forage - fodder)	6.14	38	1,115.0	A
polyoxyethylene soybean oil fatty acid ester	Almond	3,840.59	334	11,293.8	A
polyoxyethylene soybean oil fatty acid ester	Apricot	12.68	7	312.0	A
polyoxyethylene soybean oil fatty acid ester	Bean, dried	4.03	1	85.0	A
polyoxyethylene soybean oil fatty acid ester	Cantaloupe	4.42	1	80.0	A
polyoxyethylene soybean oil fatty acid ester	Cherry	210.23	32	700.46	A
polyoxyethylene soybean oil fatty acid ester	Chestnut	1.54	1	4.5	A
polyoxyethylene soybean oil fatty acid ester	Corn (forage - fodder)	31.5	8	454.75	A
polyoxyethylene soybean oil fatty acid ester	Grape	11.19	3	128.0	A
polyoxyethylene soybean oil fatty acid ester	Grape, wine	4,761.79	66	5,140.12	A
polyoxyethylene soybean oil fatty acid ester	N-outdr plants in containers	1.22	1	22.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene soybean oil fatty acid ester	Nectarine	11.31	8	15.48	A
polyoxyethylene soybean oil fatty acid ester	Oat (forage - fodder)	14.63	1	95.0	A
polyoxyethylene soybean oil fatty acid ester	Olive	2.81	2	114.0	A
polyoxyethylene soybean oil fatty acid ester	Peach	61.28	29	151.11	A
polyoxyethylene soybean oil fatty acid ester	Pepper, fruiting	4.15	1	75.0	A
polyoxyethylene soybean oil fatty acid ester	Pistachio	90.88	6	140.63	A
polyoxyethylene soybean oil fatty acid ester	Rangeland	5.05	1	100.0	A
polyoxyethylene soybean oil fatty acid ester	Soil fumigation/preplant	9.37	3	190.0	A
polyoxyethylene soybean oil fatty acid ester	Walnut	1,239.65	72	2,411.36	A
polyoxyethylene soybean oil fatty acid ester	Wheat (forage - fodder)	0.95	2	50.0	A
polyoxyethylene tall oil fatty acid ester	Alfalfa	4.74	2	140.0	A
polyoxyethylene tall oil fatty acid ester	Almond	8.56	1	40.0	A
polyoxyethylene tall oil fatty acid ester	Oat (forage - fodder)	20.6	7	674.0	A
polypropylene glycol	Almond	2.09	34	1,016.0	A
polysaccharide polymer	Alfalfa	0.06	1	96.0	A
polysiloxane	Watermelon	0.44	11	510.0	A
polysorbate 65	Alfalfa	4.18	1	60.0	A
polysorbate 65	Almond	299.57	29	2,062.66	A
polysorbate 65	Garlic	3.56	2	85.0	A
polysorbate 65	Pistachio	1.11	1	8.0	A
polysorbate 65	Walnut	31.25	7	423.17	A
potash soap	Beet	0.3	5	1,200.0	S
potash soap	Broccoli	0.31	9	1,910.0	S
potash soap	Cabbage	0.3	8	1,810.0	S
potash soap	Cantaloupe	0.07	2	200.0	S
potash soap	Cauliflower	0.22	4	300.0	S
potash soap	Chinese greens	0.01	1	20.0	S
potash soap	Cucumber	0.11	4	650.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potash soap	Kale	0.25	8	1,410.0	S
potash soap	Lettuce, leaf	0.04	1	200.0	S
potash soap	Melon	0.28	2	1,000.0	S
potash soap	N-outdr transplants	26.2	3	6.0	A
potash soap	Okra	0.06	3	300.0	S
potash soap	Pepper, fruiting	0.09	2	600.0	S
potash soap	Pumpkin	0.08	1	200.0	S
potash soap	Radish	0.11	5	550.0	S
potash soap	Squash, summer	0.22	3	1,100.0	S
potash soap	Squash, winter	0.27	2	1,000.0	S
potash soap	Swiss chard	0.03	2	90.0	S
potassium bicarbonate	Grape	16.38	1	5.0	A
potassium bicarbonate	Grape, wine	6,742.01	34	1,732.4	A
potassium bicarbonate	N-outdr plants in containers	25.39	2	182.0	A
potassium hydroxide	Alfalfa	1.94	20	597.0	A
potassium hydroxide	Almond	66.72	53	3,705.65	A
potassium hydroxide	Apple	1.77	6	277.5	A
potassium hydroxide	Bean, dried	5.54	26	2,143.0	A
potassium hydroxide	Cherry	0.48	5	53.0	A
potassium hydroxide	Corn (forage - fodder)	3.35	19	869.4	A
potassium hydroxide	Pastureland	0.01	1	4.0	A
potassium hydroxide	Peach	0.4	24	202.5	A
potassium hydroxide	Walnut	8.92	15	681.15	A
potassium hydroxide	Watermelon	70.94	52	2,667.5	A
potassium n-methyldithiocarbamate	Almond	17,305.17	5	292.0	A
potassium n-methyldithiocarbamate	Basil, sweet	33,437.46	134	269.4	A
potassium n-methyldithiocarbamate	Beet	32,196.1	133	255.85	A
potassium n-methyldithiocarbamate	Bok choy	39,799.71	198	308.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potassium n-methyldithiocarbamate	Cabbage	48,328.1	168	377.6	A
potassium n-methyldithiocarbamate	Celeriac	6,755.52	38	55.32	A
potassium n-methyldithiocarbamate	Chinese cabbage (nappa)	20,117.11	85	161.1	A
potassium n-methyldithiocarbamate	Cilantro	57,248.59	221	447.84	A
potassium n-methyldithiocarbamate	Collard	42,188.72	172	342.63	A
potassium n-methyldithiocarbamate	Daikon	3,406.41	17	27.57	A
potassium n-methyldithiocarbamate	Dandelion green	3,574.84	29	29.62	A
potassium n-methyldithiocarbamate	Dill	11,171.19	68	89.78	A
potassium n-methyldithiocarbamate	Endive (escarole)	5,158.28	34	38.19	A
potassium n-methyldithiocarbamate	Fennel	837.23	10	6.86	A
potassium n-methyldithiocarbamate	Kale	43,733.45	199	353.62	A
potassium n-methyldithiocarbamate	Kohlrabi	15,327.4	75	123.63	A
potassium n-methyldithiocarbamate	Leek	11,806.23	42	93.08	A
potassium n-methyldithiocarbamate	Lettuce, leaf	105,656.78	422	789.9	A
potassium n-methyldithiocarbamate	Mustard	16,443.27	63	128.8	A
potassium n-methyldithiocarbamate	Mustard greens	24,458.3	90	191.06	A
potassium n-methyldithiocarbamate	Parsley	54,622.01	222	441.14	A
potassium n-methyldithiocarbamate	Pumpkin	3,433.57	1	30.0	A
potassium n-methyldithiocarbamate	Radicchio	161.71	2	0.98	A
potassium n-methyldithiocarbamate	Spinach	23,622.54	127	192.58	A
potassium n-methyldithiocarbamate	Swiss chard	52,332.75	203	413.92	A
potassium n-methyldithiocarbamate	Tomato, processing	5,264.8	1	115.0	A
potassium n-methyldithiocarbamate	Turnip	25,443.1	133	201.44	A
potassium nitrate	Alfalfa	18.44	20	597.0	A
potassium nitrate	Almond	80.51	20	780.0	A
potassium nitrate	Apple	16.77	6	277.5	A
potassium nitrate	Bean, dried	52.62	26	2,143.0	A
potassium nitrate	Cherry	4.6	5	53.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potassium nitrate	Corn (forage - fodder)	10.72	15	727.4	A
potassium nitrate	Pastureland	0.1	1	4.0	A
potassium nitrate	Peach	3.8	24	202.5	A
potassium nitrate	Walnut	73.14	11	622.65	A
potassium nitrate	Watermelon	130.79	26	1,442.0	A
potassium peroxymonosulfate	Animal premise	70.65	8	768,000.0	S
potassium phosphite	Alfalfa	532.07	6	226.0	A
potassium phosphite	Almond	65,463.16	644	26,174.33	A
potassium phosphite	Apricot	399.09	13	114.75	A
potassium phosphite	Basil, sweet	569.63	133	223.95	A
potassium phosphite	Beet	1,262.2	275	476.36	A
potassium phosphite	Bok choy	1,269.55	357	424.96	A
potassium phosphite	Cabbage	3,350.79	693	1,119.01	A
potassium phosphite	Celeriac	391.63	112	149.9	A
potassium phosphite	Cherry	879.83	17	256.0	A
potassium phosphite	Chinese cabbage (nappa)	890.75	188	287.18	A
potassium phosphite	Cilantro	818.5	153	307.46	A
potassium phosphite	Collard	2,672.03	512	887.63	A
potassium phosphite	Daikon	127.97	68	46.0	A
potassium phosphite	Dandelion green	301.42	118	114.08	A
potassium phosphite	Endive (escarole)	201.46	120	67.74	A
potassium phosphite	Grape, wine	799.85	7	390.0	A
potassium phosphite	Kale	2,646.13	759	907.88	A
potassium phosphite	Kohlrabi	486.97	148	159.3	A
potassium phosphite	Landscape maintenance	17.18	N/A	N/A	N/A
potassium phosphite	Leek	7.32	2	3.01	A
potassium phosphite	Lettuce, leaf	3,725.23	757	1,211.68	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potassium phosphite	Mint	78.25	25	32.15	A
potassium phosphite	Mustard	551.54	171	195.03	A
potassium phosphite	Mustard greens	1,111.24	216	389.01	A
potassium phosphite	N-outdr plants in containers	34.78	1	78.0	A
potassium phosphite	N-outdr transplants	0.87	1	1.0	A
potassium phosphite	Nectarine	74.77	3	21.5	A
potassium phosphite	Parsley	3,831.86	681	1,400.39	A
potassium phosphite	Peach	2,725.44	33	872.7	A
potassium phosphite	Pistachio	203.85	5	64.5	A
potassium phosphite	Plum	49.59	3	16.0	A
potassium phosphite	Radicchio	61.48	41	19.81	A
potassium phosphite	Spinach	558.92	140	183.1	A
potassium phosphite	Stone fruit	34.78	1	8.0	A
potassium phosphite	Swiss chard	3,306.91	865	1,228.29	A
potassium phosphite	Tomato	20.24	6	6.66	A
potassium phosphite	Turnip	518.27	144	183.34	A
potassium phosphite	Walnut	26,792.02	284	10,369.35	A
potassium phosphite	Watermelon	271.25	2	156.0	A
prallethrin	Animal premise	0.01	N/A	11.0	U
prallethrin	Commodity fumigation	0.01	N/A	N/A	N/A
prallethrin	Public health	0.45	N/A	N/A	N/A
prallethrin	Rights of way	0.23	N/A	N/A	N/A
prallethrin	Structural pest control	8.58	N/A	N/A	N/A
prodiamine	Golf course turf	118.9	N/A	100.0	A
prodiamine	Landscape maintenance	156.52	N/A	N/A	N/A
prodiamine	N-outdr plants in containers	212.6	7	346.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
prohexadione-calcium	Apple	107.53	9	391.0	A
prohexadione-calcium	Cherry	111.1	19	404.0	A
prometryn	Cilantro	190.84	97	191.01	A
prometryn	Parsley	177.52	71	142.19	A
propamocarb hydrochloride	Landscape maintenance	1.25	N/A	N/A	N/A
propargite	Almond	4,646.37	37	2,423.5	A
propargite	Cherry	96.0	3	50.0	A
propargite	Corn (forage - fodder)	2,855.68	41	1,503.9	A
propargite	Walnut	3,262.2	40	1,366.0	A
propiconazole	Almond	14,684.67	1,356	70,282.28	A
propiconazole	Almond	1.15	1	217,800.0	S
propiconazole	Apricot	83.75	30	728.39	A
propiconazole	Beet	0.68	4	6.06	A
propiconazole	Cherry	90.62	50	794.42	A
propiconazole	Cilantro	0.4	2	3.6	A
propiconazole	Garlic	135.47	12	889.0	A
propiconazole	Golf course turf	25.65	N/A	23.0	A
propiconazole	Landscape maintenance	39.52	N/A	N/A	N/A
propiconazole	N-outdr plants in containers	9.8	2	88.0	A
propiconazole	Nectarine	2.7	13	23.71	A
propiconazole	Parsley	10.11	46	90.84	A
propiconazole	Peach	326.18	211	2,725.34	A
propiconazole	Plum	2.21	16	19.39	A
propiconazole	Prune	0.12	5	1.05	A
propiconazole	Walnut	223.11	40	991.0	A
propionic acid	Alfalfa	34.47	4	208.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propionic acid	Almond	3,155.52	196	12,815.91	A
propionic acid	Bean, dried	12.27	2	130.0	A
propionic acid	Cherry	33.8	16	219.6	A
propionic acid	Corn (forage - fodder)	18.53	7	255.0	A
propionic acid	Grape, wine	54.33	17	239.52	A
propionic acid	Landscape maintenance	0.11	N/A	N/A	N/A
propionic acid	N-outdr transplants	10.77	6	25.0	A
propionic acid	Peach	10.61	9	46.8	A
propionic acid	Pistachio	27.54	3	226.66	A
propionic acid	Rights of way	1.15	1	5.0	A
propionic acid	Rights of way	13.56	N/A	N/A	N/A
propionic acid	Sudangrass	4.91	2	32.5	A
propionic acid	Uncultivated ag	4.72	1	25.0	A
propionic acid	Walnut	154.66	22	457.75	A
propionic acid	Watermelon	393.42	26	1,225.5	A
propoxur	Structural pest control	0.02	N/A	N/A	N/A
propylene glycol	Alfalfa	14.5	24	709.7	A
propylene glycol	Almond	1,045.99	236	21,622.93	A
propylene glycol	Almond	0.36	1	217,800.0	S
propylene glycol	Apple	4.69	12	88.07	A
propylene glycol	Apricot	26.89	17	263.28	A
propylene glycol	Cherry	37.64	61	475.31	A
propylene glycol	Corn (forage - fodder)	40.94	38	1,768.0	A
propylene glycol	Grape	0.19	1	10.0	A
propylene glycol	N-grnhs plants in containers	0.14	1	0.5	A
propylene glycol	N-grnhs transplants	0.44	N/A	207,878.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propylene glycol	N-outdr plants in containers	522.61	39	660.0	A
propylene glycol	N-outdr transplants	46.96	75	1,559.85	A
propylene glycol	Nectarine	1.82	16	25.5	A
propylene glycol	Oat (forage - fodder)	8.67	14	604.0	A
propylene glycol	Peach	126.09	149	2,255.74	A
propylene glycol	Pear	1.36	7	26.64	A
propylene glycol	Pistachio	3.42	1	30.0	A
propylene glycol	Plum	6.9	41	142.98	A
propylene glycol	Pluot	0.18	3	3.25	A
propylene glycol	Prune	0.12	3	0.81	A
propylene glycol	Rights of way	1.26	3	6.0	A
propylene glycol	Rights of way	49.99	N/A	N/A	N/A
propylene glycol	Tomato, processing	14.98	11	173.34	A
propylene glycol	Triticale	2.01	3	123.0	A
propylene glycol	Uncultivated ag	0.29	1	1.0	A
propylene glycol	Walnut	363.17	105	3,416.06	A
propylene glycol	Wheat (forage - fodder)	9.15	14	472.0	A
propylene oxide	Commodity fumigation	3,283.0	N/A	N/A	N/A
propylene oxide	Rights of way	16,941.0	N/A	N/A	N/A
pymetrozine	Bok choy	0.15	1	1.78	A
pymetrozine	Cabbage	0.41	4	4.81	A
pymetrozine	Chinese cabbage (nappa)	0.32	2	3.77	A
pymetrozine	Collard	0.79	6	9.19	A
pymetrozine	Kale	0.33	4	3.84	A
pymetrozine	Kohlrabi	0.34	3	3.97	A
pymetrozine	Lettuce, leaf	1.04	6	12.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pymetrozine	N-outdr transplants	0.55	2	1.75	A
pymetrozine	Pumpkin	26.91	8	313.13	A
pymetrozine	Spinach	0.24	3	2.77	A
pymetrozine	Watermelon	22.6	4	263.0	A
pyraclostrobin	Almond	5,523.45	1,087	56,208.43	A
pyraclostrobin	Apple	1.16	1	10.0	A
pyraclostrobin	Apricot	52.21	29	551.55	A
pyraclostrobin	Beet	12.8	35	63.94	A
pyraclostrobin	Bok choy	16.06	69	80.26	A
pyraclostrobin	Cabbage	7.55	28	37.72	A
pyraclostrobin	Celeriac	4.67	20	23.38	A
pyraclostrobin	Cherry	80.57	61	880.57	A
pyraclostrobin	Chinese cabbage (nappa)	5.87	21	29.34	A
pyraclostrobin	Collard	18.23	52	91.16	A
pyraclostrobin	Daikon	0.66	5	3.31	A
pyraclostrobin	Dandelion green	3.81	20	19.12	A
pyraclostrobin	Endive (escarole)	1.7	13	8.5	A
pyraclostrobin	Golf course turf	1.84	N/A	4.0	A
pyraclostrobin	Grape	0.48	1	5.0	A
pyraclostrobin	Grape, wine	500.61	75	4,197.68	A
pyraclostrobin	Kale	17.07	67	85.32	A
pyraclostrobin	Kohlrabi	5.32	27	26.56	A
pyraclostrobin	Landscape maintenance	3.55	N/A	N/A	N/A
pyraclostrobin	Lettuce, leaf	36.96	127	186.42	A
pyraclostrobin	Melon	1.36	1	10.0	A
pyraclostrobin	Mustard	6.73	28	33.63	A
pyraclostrobin	Mustard greens	14.45	42	72.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	N-grnhs plants in containers	47.32	28	109.4	A
pyraclostrobin	N-grnhs plants in containers	<0.01	1	1,080.0	S
pyraclostrobin	N-outdr flower	0.25	1	0.33	A
pyraclostrobin	N-outdr plants in containers	25.71	13	957.0	A
pyraclostrobin	N-outdr transplants	14.08	12	34.5	A
pyraclostrobin	Nectarine	5.26	21	54.75	A
pyraclostrobin	Oat (forage - fodder)	3.2	1	30.0	A
pyraclostrobin	Parsley	46.61	117	237.6	A
pyraclostrobin	Peach	87.24	90	927.19	A
pyraclostrobin	Pistachio	7.64	8	81.9	A
pyraclostrobin	Plum	3.03	16	31.58	A
pyraclostrobin	Prune	0.07	3	0.81	A
pyraclostrobin	Pumpkin	1.36	2	10.0	A
pyraclostrobin	Spinach	7.47	27	37.35	A
pyraclostrobin	Structural pest control	9.87	N/A	N/A	N/A
pyraclostrobin	Swiss chard	39.67	132	199.61	A
pyraclostrobin	Tomato	6.93	1	40.0	A
pyraclostrobin	Tomato, processing	18.9	2	109.0	A
pyraclostrobin	Turnip	10.55	40	52.73	A
pyraclostrobin	Walnut	570.86	129	5,978.8	A
pyraclostrobin	Watermelon	209.09	30	1,456.5	A
pyraflufen-ethyl	Almond	59.66	248	14,492.97	A
pyraflufen-ethyl	Apple	0.64	9	140.7	A
pyraflufen-ethyl	Apricot	0.14	8	77.48	A
pyraflufen-ethyl	Cherry	3.62	38	509.59	A
pyraflufen-ethyl	Grape	0.19	2	98.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraflufen-ethyl	Grape, wine	3.68	42	811.21	A
pyraflufen-ethyl	Landscape maintenance	0.05	N/A	N/A	N/A
pyraflufen-ethyl	N-outdr plants in containers	5.4	27	1,542.0	A
pyraflufen-ethyl	Nectarine	0.02	5	5.25	A
pyraflufen-ethyl	Peach	0.74	40	227.02	A
pyraflufen-ethyl	Pear	0.01	2	2.21	A
pyraflufen-ethyl	Pecan	0.03	6	7.88	A
pyraflufen-ethyl	Pistachio	0.79	6	169.53	A
pyraflufen-ethyl	Plum	0.03	8	6.37	A
pyraflufen-ethyl	Prune	<0.01	3	1.03	A
pyraflufen-ethyl	Rights of way	16.09	N/A	N/A	N/A
pyraflufen-ethyl	Stone fruit	0.35	21	643.0	A
pyraflufen-ethyl	Uncultivated ag	1.27	7	391.0	A
pyraflufen-ethyl	Uncultivated non-ag	0.85	N/A	512.0	A
pyraflufen-ethyl	Walnut	2.21	36	529.72	A
pyraflufen-ethyl	Wheat	0.93	13	563.0	A
pyraflufen-ethyl	Wheat (forage - fodder)	1.21	11	475.0	A
pyrethrins	Animal premise	0.17	N/A	18.0	U
pyrethrins	Basil, sweet	0.17	2	3.05	A
pyrethrins	Beet	0.47	6	8.55	A
pyrethrins	Beet	0.01	6	1,300.0	S
pyrethrins	Bok choy	0.13	2	2.45	A
pyrethrins	Broccoli	2.89	4	175.0	A
pyrethrins	Broccoli	0.01	11	1,920.0	S
pyrethrins	Cabbage	0.01	11	1,920.0	S
pyrethrins	Cauliflower	<0.01	2	200.0	S
pyrethrins	Cherry	0.61	2	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Chinese cabbage (nappa)	0.21	2	3.91	A
pyrethrins	Chinese greens	<0.01	4	220.0	S
pyrethrins	Cilantro	0.41	6	7.54	A
pyrethrins	Collard	0.36	4	6.56	A
pyrethrins	Commodity fumigation	0.81	N/A	N/A	N/A
pyrethrins	Cucumber	<0.01	2	400.0	S
pyrethrins	Daikon	0.08	2	1.52	A
pyrethrins	Dandelion green	0.04	1	0.79	A
pyrethrins	Kale	0.01	10	1,420.0	S
pyrethrins	Kohlrabi	0.06	2	1.11	A
pyrethrins	Landscape maintenance	2.62	N/A	N/A	N/A
pyrethrins	Lettuce, leaf	0.35	4	6.4	A
pyrethrins	Mint	0.8	11	14.6	A
pyrethrins	N-grnhs transplants	0.03	5	500.0	A
pyrethrins	N-outdr plants in containers	0.07	2	2.5	A
pyrethrins	Okra	<0.01	6	600.0	S
pyrethrins	Pepper, fruiting	<0.01	2	600.0	S
pyrethrins	Public health	83.17	N/A	N/A	N/A
pyrethrins	Pumpkin	<0.01	1	200.0	S
pyrethrins	Radish	0.01	8	1,050.0	S
pyrethrins	Regulatory pest control	<0.01	N/A	N/A	N/A
pyrethrins	Rights of way	0.91	N/A	N/A	N/A
pyrethrins	Squash, summer	<0.01	2	1,000.0	S
pyrethrins	Structural pest control	13.75	N/A	N/A	N/A
pyrethrins	Swiss chard	0.13	2	2.41	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Swiss chard	<0.01	3	170.0	S
pyrethrins	Watermelon	0.36	1	7.35	A
pyridaben	N-grnhs plants in containers	50.22	34	155.45	A
pyridaben	N-grnhs plants in containers	0.01	1	1,080.0	S
pyridaben	N-outdr plants in containers	2.25	4	6.0	A
pyridaben	N-outdr transplants	28.17	23	74.2	A
pyridaben	Walnut	2.25	1	4.5	A
pyridalyl	N-grnhs plants in containers	18.22	11	52.05	A
pyridalyl	N-outdr plants in containers	9.28	10	26.5	A
pyridalyl	N-outdr transplants	14.92	12	42.79	A
pyrifluquinazon	N-grnhs plants in containers	9.62	13	64.3	A
pyrifluquinazon	N-outdr plants in containers	2.95	2	3.0	A
pyrimethanil	Almond	7,023.47	565	32,943.01	A
pyrimethanil	Almond	1.36	1	217,800.0	S
pyrimethanil	Apple	2.46	1	12.0	A
pyrimethanil	Peach	55.67	21	250.37	A
pyrimethanil	Rights of way	1.92	1	10.0	A
pyriofenone	Grape, wine	9.16	1	93.74	A
pyriproxyfen	Almond	457.44	300	33,259.63	A
pyriproxyfen	Cherry	3.22	3	33.0	A
pyriproxyfen	Commodity fumigation	<0.01	N/A	N/A	N/A
pyriproxyfen	N-grnhs plants in containers	0.09	7	21,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyriproxyfen	Olive	7.08	2	66.0	A
pyriproxyfen	Peach	3.25	7	65.5	A
pyriproxyfen	Regulatory pest control	0.01	N/A	N/A	N/A
pyriproxyfen	Rights of way	0.36	N/A	N/A	N/A
pyriproxyfen	Structural pest control	5.72	N/A	N/A	N/A
pyriproxyfen	Tomato	4.47	1	83.0	A
pyriproxyfen	Walnut	253.51	87	2,865.64	A
pyriproxyfen	Watermelon	0.13	1	12.5	A
pyroxsulam	Wheat	7.56	13	573.0	A
pyroxsulam	Wheat (forage - fodder)	31.75	62	2,347.8	A
qst 713 strain of dried bacillus subtilis	Almond	16.97	11	181.5	A
qst 713 strain of dried bacillus subtilis	Apple	0.26	1	1.0	A
qst 713 strain of dried bacillus subtilis	Apricot	91.11	25	263.75	A
qst 713 strain of dried bacillus subtilis	Cherry	25.39	9	74.5	A
qst 713 strain of dried bacillus subtilis	Landscape maintenance	<0.01	N/A	N/A	N/A
qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	25.64	30	116.5	A
qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	1.02	2	8,820.0	S
qst 713 strain of dried bacillus subtilis	N-grnhs transplants	5.11	5	500.0	A
qst 713 strain of dried bacillus subtilis	N-outdr plants in containers	0.8	2	3.0	A
qst 713 strain of dried bacillus subtilis	N-outdr transplants	2.39	4	10.0	A
qst 713 strain of dried bacillus subtilis	Nectarine	3.96	9	20.0	A
qst 713 strain of dried bacillus subtilis	Peach	5.13	7	24.5	A
qst 713 strain of dried bacillus subtilis	Plum	1.97	3	9.0	A
quillaja	Almond	0.87	3	93.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
quillaja	Apricot	2.59	32	458.0	A
quillaja	Cherry	1.0	7	51.0	A
quinclorac	Landscape maintenance	5.12	N/A	N/A	N/A
quinclorac	Rights of way	0.77	N/A	N/A	N/A
quinclorac, dimethylamine salt	Golf course turf	8.9	N/A	10.0	A
quinclorac, dimethylamine salt	Landscape maintenance	4.56	N/A	N/A	N/A
quinoxifen	Cantaloupe	26.23	5	278.0	A
quinoxifen	Cherry	18.6	15	189.0	A
quinoxifen	Grape	0.82	2	8.5	A
quinoxifen	Grape, wine	160.99	32	1,572.54	A
quinoxifen	N-outdr transplants	6.25	4	65.0	A
quinoxifen	Nectarine	0.86	1	9.0	A
quinoxifen	Peach	43.99	28	431.45	A
quinoxifen	Pepper, fruiting	4.33	1	45.0	A
quinoxifen	Plum	0.33	1	3.5	A
quinoxifen	Pumpkin	10.72	3	116.0	A
quinoxifen	Watermelon	7.22	1	90.0	A
reynoutria sachalinensis	Almond	92.66	11	450.5	A
reynoutria sachalinensis	Apricot	70.62	15	244.5	A
reynoutria sachalinensis	Cherry	6.29	4	29.0	A
reynoutria sachalinensis	N-grnhs plants in containers	24.19	13	55.8	A
reynoutria sachalinensis	N-outdr plants in containers	5.2	4	12.0	A
reynoutria sachalinensis	N-outdr transplants	33.81	9	78.0	A
reynoutria sachalinensis	Nectarine	1.95	3	9.0	A
reynoutria sachalinensis	Peach	1.95	3	9.0	A
reynoutria sachalinensis	Plum	1.95	3	9.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Walnut	4.33	1	20.0	A
rimsulfuron	Almond	1,212.25	736	34,430.84	A
rimsulfuron	Apple	0.38	2	6.02	A
rimsulfuron	Apricot	4.67	10	74.73	A
rimsulfuron	Cherry	8.1	22	136.96	A
rimsulfuron	Corn (forage - fodder)	23.18	35	1,997.3	A
rimsulfuron	Grape	0.03	1	0.75	A
rimsulfuron	Grape, wine	74.97	61	1,622.6	A
rimsulfuron	Nectarine	1.6	17	28.63	A
rimsulfuron	Peach	26.45	82	596.32	A
rimsulfuron	Pear	0.06	1	1.01	A
rimsulfuron	Pecan	0.16	3	5.0	A
rimsulfuron	Pistachio	8.52	6	145.28	A
rimsulfuron	Plum	1.52	16	28.86	A
rimsulfuron	Pluot	0.2	3	3.25	A
rimsulfuron	Prune	0.03	2	0.4	A
rimsulfuron	Rights of way	1.88	1	30.0	A
rimsulfuron	Rights of way	0.7	N/A	N/A	N/A
rimsulfuron	Tomato	0.75	1	16.0	A
rimsulfuron	Tomato, processing	53.6	57	1,673.88	A
rimsulfuron	Walnut	128.42	107	3,185.32	A
saflufenacil	Alfalfa	82.86	57	2,029.0	A
saflufenacil	Almond	2,197.29	1,269	55,503.33	A
saflufenacil	Kiwi	0.01	1	1.0	A
saflufenacil	N-grnhs flower	0.11	N/A	4.5	A
saflufenacil	N-outdr plants in containers	2.01	5	140.0	A
saflufenacil	Olive	11.4	5	363.0	A
saflufenacil	Pistachio	1.51	5	34.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
saflufenacil	Rights of way	10.25	4	230.0	A
saflufenacil	Rights of way	0.18	N/A	N/A	N/A
saflufenacil	Walnut	373.97	328	9,114.48	A
sethoxydim	Almond	2,255.37	148	7,399.65	A
sethoxydim	Bean, dried	27.93	1	85.0	A
sethoxydim	Cantaloupe	21.03	1	120.0	A
sethoxydim	Cherry	0.53	1	2.0	A
sethoxydim	Grape, wine	21.99	3	52.72	A
sethoxydim	Landscape maintenance	5.26	N/A	N/A	N/A
sethoxydim	Melon	10.51	1	40.0	A
sethoxydim	N-outdr plants in containers	5.61	1	19.0	A
sethoxydim	Olive	4.74	1	18.0	A
sethoxydim	Peach	24.97	13	100.96	A
sethoxydim	Pistachio	2.8	1	8.0	A
sethoxydim	Plum	2.5	1	9.5	A
sethoxydim	Rights of way	0.22	N/A	N/A	N/A
sethoxydim	Stone fruit	5.61	1	19.0	A
sethoxydim	Tomato, processing	18.39	2	70.0	A
sethoxydim	Walnut	250.05	37	726.42	A
sethoxydim	Watermelon	31.55	2	155.0	A
siduron	Landscape maintenance	50.0	N/A	N/A	N/A
silica aerogel	Structural pest control	49.94	N/A	N/A	N/A
silicone	Almond	8.09	1	38.0	A
silicone defoamer	Alfalfa	0.33	28	768.0	A
silicone defoamer	Almond	0.74	47	1,007.0	A
silicone defoamer	Apricot	0.07	2	188.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
silicone defoamer	Bean, dried	1.63	62	3,549.5	A
silicone defoamer	Bean, succulent	0.25	13	781.0	A
silicone defoamer	Broccoli	0.23	12	803.0	A
silicone defoamer	Cherry	0.05	6	128.0	A
silicone defoamer	Corn (forage - fodder)	0.03	2	32.5	A
silicone defoamer	Landscape maintenance	0.01	N/A	N/A	N/A
silicone defoamer	Melon	0.07	6	349.0	A
silicone defoamer	Pepper, fruiting	0.05	4	100.0	A
silicone defoamer	Structural pest control	0.55	N/A	N/A	N/A
silicone defoamer	Tomato	0.14	12	860.0	A
silicone defoamer	Tomato, processing	0.57	43	2,597.0	A
silicone defoamer	Walnut	0.12	12	129.0	A
silica filled polydimethylsiloxane	Almond	2.75	11	202.5	A
silica filled polydimethylsiloxane	Grape, wine	0.02	8	117.0	A
simazine	Almond	5,168.57	121	8,024.4	A
simazine	Grape	61.9	1	68.0	A
simazine	Grape, wine	351.36	23	345.91	A
simazine	N-outdr plants in containers	202.5	4	75.0	A
simazine	Peach	34.97	8	64.54	A
simazine	Walnut	1,698.62	71	1,432.23	A
sodium bromide	Ditch bank	174.03	N/A	1.0	U
sodium bromide	Industrial processing water	281.68	N/A	1.0	A
sodium bromide	Industrial processing water	4,815.85	N/A	8.0	U
sodium bromide	Water (industrial)	2,198.29	N/A	3.0	A
sodium bromide	Water (industrial)	19,549.72	N/A	179.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium carbonate peroxyhydrate	Water (industrial)	42.5	N/A	3.0	A
sodium chloride	Animal premise	4.95	8	768,000.0	S
sodium chlorite	Landscape maintenance	0.1	N/A	N/A	N/A
sodium chlorite	Water (industrial)	563.49	N/A	2.0	U
sodium decyl sulfate	Structural pest control	0.08	N/A	N/A	N/A
sodium dichloro-s-triazinetrione	Landscape maintenance	0.04	N/A	N/A	N/A
sodium dichloro-s-triazinetrione	Water (industrial)	21.78	N/A	88.0	U
sodium dichloro-s-triazinetrione dihydrate	Water (industrial)	1.98	N/A	8.0	U
sodium diisooctylsulfosuccinate	Alfalfa	5.18	57	1,836.55	A
sodium diisooctylsulfosuccinate	Almond	46.94	259	6,149.01	A
sodium diisooctylsulfosuccinate	Bean, dried	0.19	4	45.0	A
sodium diisooctylsulfosuccinate	Cherry	0.02	1	2.0	A
sodium diisooctylsulfosuccinate	Corn (forage - fodder)	9.19	76	2,996.22	A
sodium diisooctylsulfosuccinate	Oat	0.02	1	18.0	A
sodium diisooctylsulfosuccinate	Oat (forage - fodder)	4.67	65	1,893.8	A
sodium diisooctylsulfosuccinate	Peach	1.69	29	268.15	A
sodium diisooctylsulfosuccinate	Pistachio	0.19	4	36.0	A
sodium diisooctylsulfosuccinate	Plum	0.12	2	19.0	A
sodium diisooctylsulfosuccinate	Rights of way	0.05	N/A	N/A	N/A
sodium diisooctylsulfosuccinate	Ryegrass	0.04	1	17.0	A
sodium diisooctylsulfosuccinate	Sorghum (forage - fodder)	0.05	1	16.0	A
sodium diisooctylsulfosuccinate	Sudangrass	0.23	2	48.0	A
sodium diisooctylsulfosuccinate	Uncultivated ag	0.09	1	40.0	A
sodium diisooctylsulfosuccinate	Uncultivated non-ag	0.04	N/A	4.0	A
sodium diisooctylsulfosuccinate	Walnut	6.68	58	968.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium diisooctylsulfosuccinate	Wheat (forage - fodder)	2.24	34	1,337.0	A
sodium dioctylsulfosuccinate	Peach	0.02	3	4.5	A
sodium hydroxide	Alfalfa	22.91	7	459.5	A
sodium hydroxide	Almond	1,277.27	864	34,251.31	A
sodium hydroxide	Almond	0.11	1	217,800.0	S
sodium hydroxide	Apple	21.59	30	446.22	A
sodium hydroxide	Apricot	3.85	10	118.53	A
sodium hydroxide	Cherry	36.3	111	959.04	A
sodium hydroxide	Corn (forage - fodder)	38.63	27	771.95	A
sodium hydroxide	Grape	4.19	3	134.0	A
sodium hydroxide	Grape, wine	179.82	66	2,079.88	A
sodium hydroxide	N-grnhs plants in containers	0.05	1	0.5	A
sodium hydroxide	N-grnhs transplants	0.14	N/A	207,878.0	S
sodium hydroxide	N-outdr plants in containers	165.91	39	660.0	A
sodium hydroxide	N-outdr transplants	14.91	75	1,559.85	A
sodium hydroxide	Nectarine	1.62	9	10.75	A
sodium hydroxide	Oat (forage - fodder)	13.64	8	538.75	A
sodium hydroxide	Peach	62.37	170	2,349.28	A
sodium hydroxide	Pear	0.43	7	26.64	A
sodium hydroxide	Pistachio	11.24	5	167.0	A
sodium hydroxide	Plum	2.05	35	134.98	A
sodium hydroxide	Prune	0.04	3	0.81	A
sodium hydroxide	Rights of way	1.17	2	13.0	A
sodium hydroxide	Rights of way	7.04	N/A	N/A	N/A
sodium hydroxide	Triticale	5.96	4	393.0	A
sodium hydroxide	Uncultivated ag	0.5	2	31.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium hydroxide	Vegetable	0.07	1	0.25	A
sodium hydroxide	Walnut	249.25	209	5,089.39	A
sodium hydroxide	Watermelon	1.65	1	70.0	A
sodium hydroxide	Wheat (forage - fodder)	33.19	15	596.4	A
sodium hypochlorite	Ditch bank	39,387.01	N/A	144.0	U
sodium hypochlorite	Food processing plant	4,456.97	N/A	9.0	U
sodium hypochlorite	Water (industrial)	935.42	N/A	3.0	A
sodium hypochlorite	Water (industrial)	5,922.18	N/A	174.0	U
sodium lauroampho acetate	Structural pest control	0.06	N/A	N/A	N/A
sodium lauryl sulfate	Structural pest control	0.04	N/A	N/A	N/A
sodium metasilicate	Corn (forage - fodder)	0.77	8	168.5	A
sodium nitrate	Landscape maintenance	13.54	N/A	N/A	N/A
sodium nitrate	Rights of way	7.71	N/A	N/A	N/A
sodium nitrate	Vertebrate control	218.47	N/A	N/A	N/A
sodium polyacrylate	Alfalfa	1.15	7	247.2	A
sodium polyacrylate	Almond	140.75	833	22,145.41	A
sodium polyacrylate	Apricot	0.25	5	74.5	A
sodium polyacrylate	Bean, dried	0.19	1	80.0	A
sodium polyacrylate	Cherry	0.29	4	64.54	A
sodium polyacrylate	Corn (forage - fodder)	3.0	12	994.25	A
sodium polyacrylate	Corn, human consumption	0.12	1	25.0	A
sodium polyacrylate	Farm/ag building	0.01	1	1.25	A
sodium polyacrylate	Grape, wine	0.06	5	30.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium polyacrylate	Landscape maintenance	10.05	N/A	N/A	N/A
sodium polyacrylate	N-outdr plants in containers	1.22	19	472.0	A
sodium polyacrylate	Nectarine	0.02	2	7.0	A
sodium polyacrylate	Olive	2.88	5	610.0	A
sodium polyacrylate	Peach	0.83	16	229.9	A
sodium polyacrylate	Plum	<0.01	1	0.75	A
sodium polyacrylate	Rights of way	0.74	7	153.0	A
sodium polyacrylate	Rights of way	0.78	N/A	N/A	N/A
sodium polyacrylate	Soil fumigation/preplant	0.66	1	140.0	A
sodium polyacrylate	Stone fruit	1.29	21	643.0	A
sodium polyacrylate	Tomato	0.23	1	79.0	A
sodium polyacrylate	Tomato, processing	0.62	2	265.0	A
sodium polyacrylate	Uncultivated ag	1.08	2	380.0	A
sodium polyacrylate	Walnut	21.0	283	5,385.83	A
sodium polyacrylate	Wheat (forage - fodder)	0.47	3	166.0	A
sodium xylene sulfonate	Alfalfa	37.5	85	2,604.55	A
sodium xylene sulfonate	Almond	313.81	306	7,156.01	A
sodium xylene sulfonate	Apricot	0.82	2	188.0	A
sodium xylene sulfonate	Bean, dried	20.44	66	3,594.5	A
sodium xylene sulfonate	Bean, succulent	2.94	13	781.0	A
sodium xylene sulfonate	Broccoli	2.72	12	803.0	A
sodium xylene sulfonate	Cherry	0.73	7	130.0	A
sodium xylene sulfonate	Corn (forage - fodder)	59.79	77	3,014.72	A
sodium xylene sulfonate	Landscape maintenance	0.13	N/A	N/A	N/A
sodium xylene sulfonate	Melon	0.85	6	349.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium xylene sulfonate	Oat	0.13	1	18.0	A
sodium xylene sulfonate	Oat (forage - fodder)	30.37	65	1,893.8	A
sodium xylene sulfonate	Peach	10.99	29	268.15	A
sodium xylene sulfonate	Pepper, fruiting	0.61	4	100.0	A
sodium xylene sulfonate	Pistachio	1.21	4	36.0	A
sodium xylene sulfonate	Plum	0.8	2	19.0	A
sodium xylene sulfonate	Rights of way	0.35	N/A	N/A	N/A
sodium xylene sulfonate	Ryegrass	0.24	1	17.0	A
sodium xylene sulfonate	Sorghum (forage - fodder)	0.33	1	16.0	A
sodium xylene sulfonate	Structural pest control	6.46	N/A	N/A	N/A
sodium xylene sulfonate	Sudangrass	1.51	2	48.0	A
sodium xylene sulfonate	Tomato	1.68	12	860.0	A
sodium xylene sulfonate	Tomato, processing	6.7	43	2,597.0	A
sodium xylene sulfonate	Uncultivated ag	0.56	1	40.0	A
sodium xylene sulfonate	Uncultivated non-ag	0.28	N/A	4.0	A
sodium xylene sulfonate	Walnut	49.13	70	1,097.2	A
sodium xylene sulfonate	Wheat (forage - fodder)	14.59	34	1,337.0	A
sorbitan fatty acid esters	Peach	0.21	2	24.0	A
sorbitan monooleate	Grape, wine	4.56	7	166.91	A
sorbitan trioleate	Alfalfa	4.18	1	60.0	A
sorbitan trioleate	Almond	299.57	29	2,062.66	A
sorbitan trioleate	Garlic	3.56	2	85.0	A
sorbitan trioleate	Pistachio	1.11	1	8.0	A
sorbitan trioleate	Walnut	31.25	7	423.17	A
sorbitol	Alfalfa	1.63	2	30.0	A
sorbitol	Almond	66.96	42	1,047.2	A
sorbitol	Cherry	4.16	7	81.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sorbitol	Corn (forage - fodder)	4.7	3	243.7	A
sorbitol	Pistachio	0.18	1	4.2	A
sorbitol	Walnut	19.31	15	213.33	A
soybean oil	Almond	703.98	83	3,130.54	A
soybean oil	Corn (forage - fodder)	33.94	1	165.0	A
soybean oil	N-grnhs plants in containers	23.88	13	50.7	A
soybean oil	N-outdr plants in containers	0.88	1	1.0	A
soybean oil	N-outdr transplants	0.88	1	1.0	A
soybean oil	Peach	3.88	3	15.0	A
soybean oil	Rights of way	5.13	1	25.0	A
soybean oil	Walnut	84.55	15	399.06	A
spinetoram	Almond	1,880.18	719	33,341.3	A
spinetoram	Apricot	15.95	3	146.0	A
spinetoram	Basil, sweet	15.98	154	254.68	A
spinetoram	Beet	7.0	65	111.62	A
spinetoram	Bok choy	11.52	136	154.84	A
spinetoram	Broccoli	18.77	6	440.0	A
spinetoram	Cabbage	13.73	116	183.41	A
spinetoram	Celeriac	3.68	40	58.82	A
spinetoram	Cherry	3.74	7	44.34	A
spinetoram	Chinese cabbage (nappa)	10.06	94	137.75	A
spinetoram	Cilantro	14.11	107	224.77	A
spinetoram	Collard	21.94	165	287.33	A
spinetoram	Daikon	0.64	16	10.25	A
spinetoram	Dandelion green	1.61	24	23.07	A
spinetoram	Endive (escarole)	1.42	36	19.86	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinetoram	Kale	16.82	189	219.24	A
spinetoram	Kohlrabi	5.69	75	75.56	A
spinetoram	Lettuce, leaf	42.45	344	557.73	A
spinetoram	Mustard	5.56	72	75.17	A
spinetoram	Mustard greens	11.73	93	159.45	A
spinetoram	N-outdr plants in containers	8.2	6	105.0	A
spinetoram	N-outdr transplants	3.29	4	43.0	A
spinetoram	Nectarine	4.1	12	48.75	A
spinetoram	Parsley	17.93	131	284.36	A
spinetoram	Peach	114.4	113	1,332.48	A
spinetoram	Pistachio	1.37	3	27.0	A
spinetoram	Plum	2.02	7	25.68	A
spinetoram	Radicchio	0.52	15	6.93	A
spinetoram	Spinach	3.91	44	53.66	A
spinetoram	Swiss chard	15.88	160	228.81	A
spinetoram	Tomato	9.58	13	197.91	A
spinetoram	Tomato, processing	8.68	9	193.0	A
spinetoram	Turnip	3.14	44	50.03	A
spinetoram	Walnut	256.06	179	4,443.65	A
spinosad	Almond	19.05	20	302.5	A
spinosad	Animal premise	20.42	N/A	14.0	U
spinosad	Apple	0.39	11	2.9	A
spinosad	Apricot	9.62	12	155.0	A
spinosad	Basil, sweet	2.16	12	23.23	A
spinosad	Beet	4.06	15	28.96	A
spinosad	Beet	<0.01	2	550.0	S
spinosad	Broccoli	66.28	18	869.0	A
spinosad	Broccoli	<0.01	3	470.0	S
spinosad	Cabbage	0.48	2	3.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinosad	Cabbage	<0.01	3	470.0	S
spinosad	Cauliflower	<0.01	1	50.0	S
spinosad	Cherry	41.06	32	295.65	A
spinosad	Cilantro	0.48	3	5.16	A
spinosad	Collard	1.5	6	9.65	A
spinosad	Corn, grain	6.08	3	78.15	A
spinosad	Corn, human consumption	7.32	3	140.0	A
spinosad	Cucumber	<0.01	1	200.0	S
spinosad	Daikon	0.12	1	0.77	A
spinosad	Dandelion green	0.31	3	2.29	A
spinosad	Garlic	22.19	4	170.0	A
spinosad	Grape, wine	73.12	15	700.0	A
spinosad	Kale	0.5	3	3.2	A
spinosad	Kale	<0.01	3	420.0	S
spinosad	Landscape maintenance	0.08	N/A	N/A	N/A
spinosad	Lettuce, leaf	1.54	6	9.93	A
spinosad	N-grnhs transplants	1.04	1	100.0	A
spinosad	N-outdr transplants	0.04	1	0.5	A
spinosad	Nectarine	4.39	22	57.6	A
spinosad	Okra	<0.01	1	100.0	S
spinosad	Olive	0.15	3	478.0	A
spinosad	Parsley	6.61	21	49.41	A
spinosad	Peach	16.85	14	193.8	A
spinosad	Plum	1.12	6	18.0	A
spinosad	Public health	47.83	N/A	N/A	N/A
spinosad	Spinach	0.24	1	1.55	A
spinosad	Structural pest control	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinosad	Swiss chard	2.46	13	19.81	A
spinosad	Turnip	0.48	3	3.1	A
spinosad	Walnut	0.19	29	700.0	A
spinosad	Watermelon	0.91	1	7.35	A
spirodiclofen	Almond	826.31	27	1,628.5	A
spirodiclofen	Walnut	52.66	5	100.0	A
spiromesifen	Almond	4.59	1	18.0	A
spiromesifen	Corn (forage - fodder)	3,886.44	384	15,722.5	A
spiromesifen	Corn, human consumption	35.82	3	141.0	A
spiromesifen	N-grnhs plants in containers	13.4	13	52.5	A
spiromesifen	N-outdr plants in containers	0.64	2	2.0	A
spiromesifen	N-outdr transplants	22.33	13	97.0	A
spiromesifen	Pumpkin	5.96	2	45.4	A
spiromesifen	Watermelon	96.12	16	731.0	A
spirotetramat	Almond	840.65	189	6,407.43	A
spirotetramat	Apricot	1.26	1	10.0	A
spirotetramat	Bok choy	2.7	33	38.42	A
spirotetramat	Cabbage	5.26	46	71.14	A
spirotetramat	Cherry	24.76	13	221.5	A
spirotetramat	Chinese cabbage (nappa)	2.49	20	34.62	A
spirotetramat	Collard	6.27	55	95.5	A
spirotetramat	Endive (escarole)	0.3	6	3.84	A
spirotetramat	Grape, wine	373.2	40	3,196.24	A
spirotetramat	Kale	6.5	78	99.3	A
spirotetramat	Kohlrabi	0.75	11	11.08	A
spirotetramat	Lettuce, leaf	7.65	59	98.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spirotetramat	Mustard	1.05	15	15.53	A
spirotetramat	Mustard greens	2.56	20	37.95	A
spirotetramat	N-grnhs plants in containers	0.31	3	2.5	A
spirotetramat	N-outdr plants in containers	18.8	22	675.0	A
spirotetramat	N-outdr transplants	0.25	3	3.51	A
spirotetramat	Nectarine	1.56	4	12.5	A
spirotetramat	Parsley	1.07	7	14.41	A
spirotetramat	Peach	12.24	7	96.5	A
spirotetramat	Pecan	7.1	14	70.5	A
spirotetramat	Spinach	0.77	9	11.28	A
spirotetramat	Swiss chard	2.57	18	32.63	A
spirotetramat	Tomato, processing	3.14	2	39.88	A
spirotetramat	Walnut	759.58	147	5,731.9	A
streptomycin sulfate	Apple	104.43	32	528.03	A
streptomycin sulfate	Landscape maintenance	0.01	N/A	N/A	N/A
streptomycin sulfate	N-grnhs transplants	21.28	6	600.0	A
streptomycin sulfate	N-outdr flower	0.14	1	0.33	A
streptomycin sulfate	N-outdr plants in containers	3.22	3	87.0	A
streptomycin sulfate	N-outdr transplants	5.82	13	24.0	A
streptomycin sulfate	Pear	2.51	6	11.5	A
strychnine	Almond	10.29	52	1,609.5	A
strychnine	Grape	0.03	2	1.5	A
strychnine	Kiwi	0.08	1	8.0	A
strychnine	Landscape maintenance	0.73	N/A	N/A	N/A
strychnine	Structural pest control	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
strychnine	Walnut	4.19	13	444.0	A
styrene butadiene copolymer	Almond	12.75	2	68.0	A
styrene butadiene copolymer	Apricot	5.14	1	68.0	A
styrene butadiene copolymer	Peach	0.88	4	15.12	A
styrene butadiene copolymer	Walnut	139.37	34	747.0	A
sulfentrazone	Landscape maintenance	1.04	N/A	N/A	N/A
sulfentrazone	Rights of way	2.66	N/A	N/A	N/A
sulfluramid	N-outdr transplants	<0.01	1	6.0	A
sulfometuron-methyl	Landscape maintenance	13.05	N/A	N/A	N/A
sulfometuron-methyl	Rights of way	74.72	N/A	N/A	N/A
sulfometuron-methyl	Uncultivated non-ag	0.56	N/A	2.0	A
sulfoxaflor	Beet	0.69	12	22.05	A
sulfoxaflor	Bok choy	1.38	33	44.09	A
sulfoxaflor	Cabbage	1.82	33	58.18	A
sulfoxaflor	Chinese cabbage (nappa)	0.79	18	25.21	A
sulfoxaflor	Collard	2.67	51	85.38	A
sulfoxaflor	Dandelion green	0.21	7	6.62	A
sulfoxaflor	Endive (escarole)	0.04	2	1.3	A
sulfoxaflor	Kale	1.92	51	61.4	A
sulfoxaflor	Kohlrabi	0.38	11	12.14	A
sulfoxaflor	Lettuce, leaf	4.78	104	153.25	A
sulfoxaflor	Mustard	0.64	11	20.52	A
sulfoxaflor	Mustard greens	1.09	16	34.87	A
sulfoxaflor	Parsley	0.46	8	14.73	A
sulfoxaflor	Radicchio	0.02	1	0.49	A
sulfoxaflor	Spinach	0.25	4	7.9	A
sulfoxaflor	Swiss chard	0.1	2	3.21	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfoxaflor	Turnip	0.15	5	4.8	A
sulfur	Almond	75,674.76	278	12,577.3	A
sulfur	Blackberry	8.0	1	1.0	A
sulfur	Cherry	4,317.32	60	937.9	A
sulfur	Grape	14,795.01	53	1,628.0	A
sulfur	Grape, wine	477,137.96	659	45,728.21	A
sulfur	Landscape maintenance	2.97	N/A	N/A	N/A
sulfur	N-grnhs plants in containers	29.46	1	5,880.0	S
sulfur	N-outdr transplants	733.28	13	133.0	A
sulfur	Nectarine	721.02	31	125.35	A
sulfur	Peach	40,867.31	353	5,193.78	A
sulfur	Plum	119.33	7	28.5	A
sulfur	Pumpkin	2,358.14	9	360.0	A
sulfur	Research commodity	24.19	N/A	N/A	N/A
sulfur	Rights of way	5.86	N/A	N/A	N/A
sulfur	Tomato	472.0	3	105.0	A
sulfur	Tomato, processing	53,816.5	42	2,940.0	A
sulfur	Walnut	140.0	1	40.0	A
sulfur	Watermelon	618.0	1	103.0	A
sulfur dioxide	Commodity fumigation	1,153.79	N/A	N/A	N/A
sulfur dioxide	Fumigation, other	923.2	N/A	N/A	N/A
sulfuric acid	Almond	33.74	53	1,448.04	A
sulfuric acid	Apple	0.08	1	3.5	A
sulfuric acid	Apricot	0.07	4	3.25	A
sulfuric acid	Cherry	0.06	2	2.5	A
sulfuric acid	Corn (forage - fodder)	7.54	14	725.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfuric acid	Nectarine	0.46	10	20.75	A
sulfuric acid	Peach	8.02	39	320.33	A
sulfuric acid	Plum	0.18	6	8.0	A
sulfuric acid	Pluot	0.07	3	3.25	A
sulfuric acid	Walnut	1.83	10	97.5	A
sulfuryl fluoride	Commodity fumigation	746.5	1	4,280.0	?
sulfuryl fluoride	Commodity fumigation	47.9	1	30,100.0	C
sulfuryl fluoride	Commodity fumigation	41,334.37	N/A	N/A	N/A
sulfuryl fluoride	Fumigation, other	9,291.38	N/A	N/A	N/A
sulfuryl fluoride	Structural pest control	7,578.83	N/A	N/A	N/A
sulfuryl fluoride	Vertebrate control	325.35	N/A	N/A	N/A
sulfuryl fluoride	Walnut	3,332.32	N/A	1,973,388.0	C
tall oil	Alfalfa	14.15	5	234.5	A
tall oil	Almond	553.91	239	9,622.77	A
tall oil	Apricot	0.82	1	18.1	A
tall oil	Basil, sweet	0.74	280	469.73	A
tall oil	Beet	1.07	395	685.77	A
tall oil	Bok choy	0.83	451	527.67	A
tall oil	Broccoli	2.48	8	489.0	A
tall oil	Cabbage	2.3	902	1,469.19	A
tall oil	Celeriac	0.4	186	257.19	A
tall oil	Cherry	26.11	13	370.61	A
tall oil	Chestnut	0.2	1	4.5	A
tall oil	Chinese cabbage (nappa)	0.64	267	405.92	A
tall oil	Cilantro	0.87	269	552.46	A
tall oil	Collard	1.88	690	1,201.26	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil	Corn (forage - fodder)	3.49	5	365.0	A
tall oil	Daikon	0.09	85	57.98	A
tall oil	Dandelion green	0.24	156	150.06	A
tall oil	Endive (escarole)	0.13	150	84.77	A
tall oil	Grape	1.17	2	40.0	A
tall oil	Grape, wine	650.65	79	6,310.51	A
tall oil	Kale	1.89	1,031	1,210.02	A
tall oil	Kohlrabi	0.35	221	223.78	A
tall oil	Landscape maintenance	0.71	N/A	N/A	N/A
tall oil	Leek	<0.01	2	3.01	A
tall oil	Lettuce, leaf	2.62	1,048	1,671.0	A
tall oil	Mint	0.07	36	46.75	A
tall oil	Mustard	0.38	222	242.81	A
tall oil	Mustard greens	0.8	288	509.9	A
tall oil	Nectarine	1.51	8	15.48	A
tall oil	Oat (forage - fodder)	2.02	2	104.77	A
tall oil	Parsley	3.19	997	2,037.99	A
tall oil	Pastureland	0.73	3	30.0	A
tall oil	Peach	8.04	22	132.31	A
tall oil	Pistachio	12.66	9	167.63	A
tall oil	Radicchio	0.03	46	21.66	A
tall oil	Rights of way	25.86	N/A	N/A	N/A
tall oil	Spinach	0.35	176	225.37	A
tall oil	Structural pest control	8.02	N/A	N/A	N/A
tall oil	Swiss chard	2.65	1,175	1,685.31	A
tall oil	Tomato	0.33	8	23.77	A
tall oil	Tomato, processing	12.43	18	750.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil	Turnip	0.42	220	270.06	A
tall oil	Walnut	253.17	76	3,776.14	A
tall oil fatty acids	Alfalfa	66.04	48	2,009.5	A
tall oil fatty acids	Almond	4,156.47	1,585	55,094.13	A
tall oil fatty acids	Apple	2.62	23	371.73	A
tall oil fatty acids	Apricot	28.46	34	775.65	A
tall oil fatty acids	Bean, dried	9.78	4	273.0	A
tall oil fatty acids	Bean, succulent	0.7	1	75.0	A
tall oil fatty acids	Broccoli	23.64	11	767.0	A
tall oil fatty acids	Cantaloupe	5.78	3	231.0	A
tall oil fatty acids	Cherry	78.97	113	1,714.64	A
tall oil fatty acids	Corn (forage - fodder)	52.07	62	2,579.85	A
tall oil fatty acids	Fig	0.09	1	2.0	A
tall oil fatty acids	Grape	1.66	2	98.0	A
tall oil fatty acids	Grape, wine	95.14	51	2,054.76	A
tall oil fatty acids	Kiwi	0.02	1	1.0	A
tall oil fatty acids	Landscape maintenance	27.44	N/A	N/A	N/A
tall oil fatty acids	N-grnhs transplants	0.34	1	100.0	A
tall oil fatty acids	N-outdr plants in containers	38.31	23	506.0	A
tall oil fatty acids	Nectarine	2.96	21	52.45	A
tall oil fatty acids	Oat (forage - fodder)	68.39	27	1,500.0	A
tall oil fatty acids	Olive	4.08	6	340.0	A
tall oil fatty acids	Pastureland	0.01	1	30.72	A
tall oil fatty acids	Pastureland	0.17	17	72,210.0	S
tall oil fatty acids	Peach	33.98	101	759.41	A
tall oil fatty acids	Pear	0.15	3	3.22	A
tall oil fatty acids	Pecan	2.66	3	56.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil fatty acids	Pepper, fruiting	2.07	1	75.0	A
tall oil fatty acids	Pistachio	30.37	11	443.98	A
tall oil fatty acids	Plum	0.82	16	20.73	A
tall oil fatty acids	Prune	0.07	5	1.43	A
tall oil fatty acids	Rangeland	2.53	1	100.0	A
tall oil fatty acids	Rights of way	36.71	17	534.0	A
tall oil fatty acids	Rights of way	101.03	N/A	N/A	N/A
tall oil fatty acids	Soil fumigation/preplant	8.89	5	405.0	A
tall oil fatty acids	Stone fruit	48.38	20	624.0	A
tall oil fatty acids	Tomato	0.93	1	79.0	A
tall oil fatty acids	Tomato, processing	33.18	17	778.34	A
tall oil fatty acids	Triticale	1.47	3	123.0	A
tall oil fatty acids	Uncultivated ag	4.53	3	196.0	A
tall oil fatty acids	Walnut	391.75	371	9,933.32	A
tall oil fatty acids	Watermelon	0.56	2	30.0	A
tall oil fatty acids	Wheat (forage - fodder)	13.81	22	847.0	A
tebuconazole	Almond	3,414.88	454	21,726.3	A
tebuconazole	Apricot	20.85	5	120.0	A
tebuconazole	Cherry	38.56	15	220.0	A
tebuconazole	Garlic	161.16	7	655.0	A
tebuconazole	Golf course turf	2.68	N/A	2.0	A
tebuconazole	Grape	1.13	1	10.0	A
tebuconazole	Grape, wine	171.51	30	1,878.82	A
tebuconazole	N-grnhs plants in containers	13.86	21	84.2	A
tebuconazole	N-grnhs plants in containers	0.04	4	27,720.0	S
tebuconazole	N-outdr plants in containers	3.18	11	29.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tebuconazole	N-outdr transplants	3.77	8	21.4	A
tebuconazole	Nectarine	2.66	5	15.35	A
tebuconazole	Peach	21.57	11	120.5	A
tebuconazole	Pistachio	9.94	4	50.7	A
tebuconazole	Walnut	623.35	96	3,239.8	A
tebuconazole	Watermelon	1.56	1	15.0	A
tembotrione	Corn (forage - fodder)	109.6	27	1,382.5	A
tembotrione	Corn, human consumption	2.04	1	25.0	A
tetrachlorvinphos	Animal premise	0.96	N/A	62,000.0	C
tetraconazole	Grape	11.8	8	289.0	A
tetraconazole	Grape, wine	18.75	8	459.5	A
tetraconazole	N-outdr transplants	2.61	4	64.0	A
e-11-tetradecen-1-yl acetate	Grape, wine	0.01	1	10.0	A
z-11-tetradecen-1-yl acetate	Grape, wine	<0.01	1	10.0	A
tetramethrin	Structural pest control	0.03	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Alfalfa	22.19	29	808.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Almond	45.52	51	1,072.77	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Apricot	3.13	2	188.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Bean, dried	73.11	62	3,549.5	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Bean, succulent	11.2	13	781.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Broccoli	10.35	12	803.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cherry	2.4	6	128.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	0.11	1	18.5	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.48	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Melon	3.25	6	349.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	7.4	2	44.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	2.32	4	100.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Structural pest control	24.61	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tomato	6.41	12	860.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tomato, processing	25.53	43	2,597.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Walnut	6.02	13	132.0	A
tetrapotassium pyrophosphate	Alfalfa	1.92	28	768.0	A
tetrapotassium pyrophosphate	Almond	4.35	47	1,007.0	A
tetrapotassium pyrophosphate	Apricot	0.41	2	188.0	A
tetrapotassium pyrophosphate	Bean, dried	9.59	62	3,549.5	A
tetrapotassium pyrophosphate	Bean, succulent	1.47	13	781.0	A
tetrapotassium pyrophosphate	Broccoli	1.36	12	803.0	A
tetrapotassium pyrophosphate	Cherry	0.31	6	128.0	A
tetrapotassium pyrophosphate	Corn (forage - fodder)	0.01	1	18.5	A
tetrapotassium pyrophosphate	Landscape maintenance	0.06	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tetrapotassium pyrophosphate	Melon	0.43	6	349.0	A
tetrapotassium pyrophosphate	Pepper, fruiting	0.3	4	100.0	A
tetrapotassium pyrophosphate	Structural pest control	3.23	N/A	N/A	N/A
tetrapotassium pyrophosphate	Tomato	0.84	12	860.0	A
tetrapotassium pyrophosphate	Tomato, processing	3.35	43	2,597.0	A
tetrapotassium pyrophosphate	Walnut	0.7	12	129.0	A
thiamethoxam	Animal premise	1.98	N/A	1.0	U
thiamethoxam	Bean, dried	1.09	N/A	2,200.0	P
thiamethoxam	Bok choy	0.74	8	11.88	A
thiamethoxam	Cabbage	0.86	8	13.8	A
thiamethoxam	Cantaloupe	24.13	5	386.0	A
thiamethoxam	Cherry	1.88	5	23.52	A
thiamethoxam	Chinese cabbage (nappa)	0.1	1	1.62	A
thiamethoxam	Collard	0.58	5	9.34	A
thiamethoxam	Daikon	0.04	1	0.66	A
thiamethoxam	Endive (escarole)	0.21	6	3.44	A
thiamethoxam	Golf course turf	6.5	N/A	6.0	A
thiamethoxam	Grape, wine	104.77	28	1,186.36	A
thiamethoxam	Kale	0.73	9	11.76	A
thiamethoxam	Kohlrabi	0.22	2	3.51	A
thiamethoxam	Lettuce, leaf	7.67	74	122.78	A
thiamethoxam	Melon	21.4	5	274.0	A
thiamethoxam	Mint	2.01	25	32.15	A
thiamethoxam	Mustard	0.08	1	1.32	A
thiamethoxam	Mustard greens	0.11	1	1.8	A
thiamethoxam	N-outdr plants in containers	4.1	3	52.5	A
thiamethoxam	Peach	15.51	9	198.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiamethoxam	Pepper, fruiting	5.86	4	75.0	A
thiamethoxam	Plum	1.53	3	19.64	A
thiamethoxam	Pumpkin	19.86	6	321.0	A
thiamethoxam	Radicchio	0.19	6	3.06	A
thiamethoxam	Spinach	0.23	2	3.61	A
thiamethoxam	Structural pest control	2.18	N/A	N/A	N/A
thiamethoxam	Swiss chard	2.12	25	33.99	A
thiamethoxam	Tomato, processing	30.28	5	369.0	A
thiamethoxam	Turnip	0.16	2	2.63	A
thiamethoxam	Watermelon	19.36	4	284.0	A
thiencarbazone-methyl	Rights of way	0.01	N/A	N/A	N/A
thiobencarb	Rice	289.72	2	89.0	A
thiophanate-methyl	Almond	30,020.33	768	33,737.77	A
thiophanate-methyl	Apple	18.07	2	19.3	A
thiophanate-methyl	Apricot	405.36	19	418.72	A
thiophanate-methyl	Cantaloupe	10.52	1	30.0	A
thiophanate-methyl	Cherry	235.41	21	266.25	A
thiophanate-methyl	Grape	222.6	6	212.0	A
thiophanate-methyl	Grape, wine	2,495.85	20	2,517.7	A
thiophanate-methyl	Landscape maintenance	20.61	N/A	N/A	N/A
thiophanate-methyl	Melon	13.69	1	39.0	A
thiophanate-methyl	N-grnhs plants in containers	31.1	17	78.6	A
thiophanate-methyl	N-grnhs plants in containers	353.8	104	1,177,183.0	S
thiophanate-methyl	N-grnhs transplants	0.27	N/A	12,380.0	S
thiophanate-methyl	N-outdr plants in containers	49.76	15	82.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiophanate-methyl	N-outdr plants in containers	0.09	2	12,000.0	S
thiophanate-methyl	N-outdr transplants	139.59	36	251.7	A
thiophanate-methyl	Nectarine	7.11	7	6.75	A
thiophanate-methyl	Peach	571.77	55	629.96	A
thiophanate-methyl	Plum	27.33	12	28.46	A
thiophanate-methyl	Prune	0.84	3	0.81	A
thiophanate-methyl	Strawberry	2.1	1	3.0	A
thyme	Structural pest control	0.03	N/A	N/A	N/A
thymol	Beehive	0.54	1	1,886.0	U
tolfenpyrad	N-grnhs plants in containers	0.73	1	2.5	A
triadimefon	Landscape maintenance	1.34	N/A	N/A	N/A
triadimefon	N-outdr flower	0.23	1	0.33	A
triadimefon	N-outdr plants in containers	0.21	1	180.0	A
tribenuron-methyl	Oat (forage - fodder)	39.75	162	6,275.45	A
tribenuron-methyl	Triticale	2.89	6	227.0	A
tribenuron-methyl	Wheat	1.02	2	65.0	A
tribenuron-methyl	Wheat (forage - fodder)	68.08	101	6,118.6	A
trichloro-s-triazinetrione	Water (industrial)	418.06	N/A	2.0	U
triclopyr, butoxyethyl ester	Landscape maintenance	613.46	N/A	N/A	N/A
triclopyr, butoxyethyl ester	Pastureland	4.76	6	24,360.0	S
triclopyr, butoxyethyl ester	Rights of way	2.72	1	0.75	A
triclopyr, butoxyethyl ester	Rights of way	183.45	N/A	N/A	N/A
triclopyr, triethylamine salt	Golf course turf	78.34	N/A	100.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triclopyr, triethylamine salt	Landscape maintenance	112.33	N/A	N/A	N/A
triclopyr, triethylamine salt	Pastureland	25.72	3	25.5	A
triclopyr, triethylamine salt	Rights of way	13.74	3	8.0	A
triclopyr, triethylamine salt	Rights of way	1,295.98	N/A	N/A	N/A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Alfalfa	18.67	3	170.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Almond	1,680.52	258	13,279.35	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Corn (forage - fodder)	1.32	3	125.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	111.42	19	285.51	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pistachio	6.95	6	55.11	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Potato	55.5	4	165.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	11.87	7	51.71	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	8.77	N/A	N/A	N/A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Walnut	563.13	83	2,860.18	A
triethanolamine	Alfalfa	7.87	30	798.0	A
triethanolamine	Almond	133.6	93	2,324.55	A
triethanolamine	Apricot	1.05	2	188.0	A
triethanolamine	Bean, dried	24.47	62	3,549.5	A
triethanolamine	Bean, succulent	3.75	13	781.0	A
triethanolamine	Broccoli	3.46	12	803.0	A
triethanolamine	Cherry	8.37	13	209.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triethanolamine	Corn (forage - fodder)	8.6	4	262.2	A
triethanolamine	Landscape maintenance	0.16	N/A	N/A	N/A
triethanolamine	Melon	1.09	6	349.0	A
triethanolamine	Pepper, fruiting	0.77	4	100.0	A
triethanolamine	Pistachio	0.32	1	4.2	A
triethanolamine	Structural pest control	8.24	N/A	N/A	N/A
triethanolamine	Tomato	2.15	12	860.0	A
triethanolamine	Tomato, processing	8.54	43	2,597.0	A
triethanolamine	Walnut	36.95	27	342.33	A
triethanolamine oleate	Alfalfa	1.93	2	186.0	A
triethanolamine oleate	Almond	4.05	4	240.0	A
triethanolamine oleate	Corn (forage - fodder)	4.69	6	439.0	A
triethanolamine oleate	Grape	0.17	1	8.0	A
triethanolamine oleate	Grape, wine	60.4	52	2,063.94	A
triethanolamine oleate	Oat (forage - fodder)	0.64	3	177.0	A
trifloxystrobin	Almond	7,201.89	1,334	74,291.18	A
trifloxystrobin	Apple	0.88	2	9.9	A
trifloxystrobin	Apricot	84.58	21	1,004.0	A
trifloxystrobin	Basil, sweet	1.58	8	16.68	A
trifloxystrobin	Bok choy	1.67	15	17.65	A
trifloxystrobin	Cabbage	8.75	50	92.4	A
trifloxystrobin	Cherry	17.23	11	151.4	A
trifloxystrobin	Chinese cabbage (nappa)	2.22	13	23.47	A
trifloxystrobin	Collard	5.92	38	62.58	A
trifloxystrobin	Grape, wine	398.99	46	3,700.36	A
trifloxystrobin	Kale	3.35	29	35.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trifloxystrobin	Kohlrabi	0.45	5	4.79	A
trifloxystrobin	Landscape maintenance	0.26	N/A	N/A	N/A
trifloxystrobin	Mustard	0.87	8	9.17	A
trifloxystrobin	Mustard greens	1.87	10	19.72	A
trifloxystrobin	N-grnhs plants in containers	0.02	1	4,320.0	S
trifloxystrobin	N-outdr flower	0.05	1	0.33	A
trifloxystrobin	N-outdr plants in containers	7.18	5	242.5	A
trifloxystrobin	N-outdr transplants	0.13	1	1.0	A
trifloxystrobin	Nectarine	0.2	1	2.0	A
trifloxystrobin	Peach	82.93	64	807.82	A
trifloxystrobin	Pecan	<0.01	1	0.02	A
trifloxystrobin	Pistachio	3.94	3	47.0	A
trifloxystrobin	Plum	1.27	2	11.64	A
trifloxystrobin	Pumpkin	13.16	2	110.0	A
trifloxystrobin	Swiss chard	7.84	58	82.93	A
trifloxystrobin	Tomato	30.9	4	302.0	A
trifloxystrobin	Turnip	0.19	2	2.03	A
trifloxystrobin	Walnut	127.53	35	1,232.25	A
trifloxystrobin	Watermelon	41.58	5	404.0	A
triflumizole	Grape, wine	163.4	6	695.0	A
triflumizole	N-outdr plants in containers	2.63	3	431.0	A
triflumizole	N-outdr transplants	31.83	8	130.0	A
triflumizole	Pumpkin	11.33	2	45.4	A
triflumizole	Watermelon	373.72	31	1,494.0	A
trifluralin	Alfalfa	158.0	3	84.0	A
trifluralin	Almond	1,404.76	8	1,250.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trifluralin	Bean, dried	689.51	16	1,166.0	A
trifluralin	Landscape maintenance	138.69	N/A	N/A	N/A
trifluralin	N-outdr transplants	4.0	1	4.0	A
trifluralin	Soil fumigation/preplant	117.43	2	156.0	A
trifluralin	Tomato	275.56	10	363.6	A
trifluralin	Tomato, processing	136.39	2	180.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Alfalfa	11.01	7	165.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Almond	1,012.16	71	6,024.76	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bean, dried	15.16	8	501.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cherry	16.88	10	221.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	2.06	1	80.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape, wine	65.2	7	505.8	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Peach	0.41	4	15.12	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Walnut	221.35	76	2,463.76	A
trinexapac-ethyl	Golf course turf	1.19	N/A	14.0	A
trinexapac-ethyl	Landscape maintenance	18.89	N/A	N/A	N/A
trisodium phosphate	Almond	0.24	1	36.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Alfalfa	310.13	83	3,092.7	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Almond	10,404.26	1,044	63,787.77	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Apricot	54.25	12	519.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, dried	70.77	12	871.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Blueberry	0.77	2	15.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cherry	315.6	97	1,790.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	1,134.75	265	11,748.15	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garlic	2.96	1	100.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	393.83	33	1,762.96	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	2.86	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr transplants	4.93	9	130.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Nectarine	0.35	1	3.75	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	295.54	68	2,785.95	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Olive	19.05	2	312.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pastureland	2.71	2	58.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peach	48.44	32	311.51	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pecan	15.26	3	54.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pistachio	20.15	6	121.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Plum	0.37	1	4.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	11.02	3	64.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	104.23	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	9.78	5	120.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sudangrass	18.05	6	190.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato	11.05	6	352.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	34.7	16	635.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	7.33	2	64.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Walnut	533.96	196	4,794.48	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Watermelon	681.69	27	1,315.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	408.52	47	2,404.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
uniconzole-p	N-grnhs transplants	0.17	6	600.0	A
urea	Almond	922.04	17	1,344.19	A
urea	Pistachio	12.35	2	18.0	A
urea	Rights of way	1.65	1	2.0	A
urea dihydrogen sulfate	Alfalfa	5.3	3	150.0	A
urea dihydrogen sulfate	Almond	85.89	131	6,497.42	A
urea dihydrogen sulfate	Corn (forage - fodder)	0.79	3	125.0	A
urea dihydrogen sulfate	Grape, wine	0.26	1	3.5	A
urea dihydrogen sulfate	Oat (forage - fodder)	4.57	2	44.0	A
urea dihydrogen sulfate	Pistachio	0.28	2	14.0	A
urea dihydrogen sulfate	Rights of way	7.73	5	26.0	A
urea dihydrogen sulfate	Rights of way	42.83	N/A	N/A	N/A
urea dihydrogen sulfate	Walnut	13.71	30	1,046.31	A
vegetable oil	Almond	14.22	1	8.0	A
vinclozolin	Golf course turf	8.1	N/A	6.0	A
vinyl polymer	Alfalfa	5.59	41	674.9	A
vinyl polymer	Almond	26.1	93	4,640.33	A
vinyl polymer	Bean, dried	1.23	10	169.0	A
vinyl polymer	Cherry	2.1	10	191.63	A
vinyl polymer	Corn (forage - fodder)	6.23	21	879.1	A
vinyl polymer	Oat	0.16	1	18.0	A
vinyl polymer	Oat (forage - fodder)	5.95	25	962.1	A
vinyl polymer	Rights of way	0.09	1	5.0	A
vinyl polymer	Ryegrass	0.15	1	17.0	A
vinyl polymer	Soil fumigation/preplant	0.61	1	140.0	A
vinyl polymer	Sorghum (forage - fodder)	0.98	3	106.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
vinyl polymer	Sudangrass	0.87	4	91.0	A
vinyl polymer	Uncultivated ag	3.32	6	249.4	A
vinyl polymer	Walnut	2.3	19	517.72	A
vinyl polymer	Wheat (forage - fodder)	4.39	16	637.0	A
yucca schidigera	Apricot	26.13	5	6.7	A
yucca schidigera	Cherry	10.56	1	5.0	A
zinc phosphide	Alfalfa	2.82	1	47.0	A
zinc phosphide	Almond	468.96	27	2,658.5	A
zinc phosphide	Farm/ag building	0.32	N/A	8,712.0	S
zinc phosphide	Landscape maintenance	0.25	N/A	N/A	N/A
zinc phosphide	Rights of way	0.12	1	1.0	A
zinc phosphide	Rights of way	0.6	N/A	N/A	N/A
zinc phosphide	Structural pest control	0.01	N/A	N/A	N/A
zinc phosphide	Vertebrate control	20.2	N/A	N/A	N/A
zinc phosphide	Walnut	6.0	3	112.5	A
zinc sulfate	Almond	6.73	2	55.0	A
zinc sulfate	Walnut	9.38	7	373.0	A
ziram	Almond	5,316.96	19	1,199.0	A
ziram	Apricot	13.68	1	2.25	A
ziram	Nectarine	12.16	1	2.0	A
ziram	Peach	6,003.45	85	983.02	A