

2021 Annual Statewide Pesticide Use Report Indexed by Chemical Monterey County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| (e,e)-9, 11-tetradecadien-1-yl acetate | N-grnhs plants in containers | <0.01 | 1 | 9,000.0 | S |
| (s)-kinoprene | N-grnhs flower | 1.64 | 6 | 76,750.0 | S |
| (s)-kinoprene | N-grnhs plants in containers | 118.51 | 93 | 178.48 | A |
| (s)-kinoprene | N-grnhs plants in containers | 5.07 | 18 | 747,100.0 | S |
| (s)-kinoprene | N-outdr plants in containers | 4.8 | 4 | 6.48 | A |
| (s)-kinoprene | N-outdr plants in containers | 1.32 | 4 | 75,000.0 | S |
| (s)-kinoprene | Research commodity | 0.1 | N/A | N/A | N/A |
| (z)-11-hexadecen-1-yl acetate | Bok choy | 1.01 | 24 | 30.15 | A |
| (z)-11-hexadecen-1-yl acetate | Broccoli | 72.85 | 314 | 3,245.9 | A |
| (z)-11-hexadecen-1-yl acetate | Brussels sprout | 100.91 | 384 | 4,466.4 | A |
| (z)-11-hexadecen-1-yl acetate | Cabbage | 9.46 | 67 | 333.27 | A |
| (z)-11-hexadecen-1-yl acetate | Cauliflower | 51.01 | 236 | 2,355.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|------|--------------|--------------|
| (z)-11-hexadecen-1-yl acetate | Chinese cabbage (napa, won bok, celery cabbage) | 1.17 | 6 | 28.1 | A |
| (z)-11-hexadecen-1-yl acetate | Kale | 0.6 | 13 | 27.8 | A |
| (z)-11-hexadecen-1-yl acetate | Kohlrabi | 0.22 | 3 | 10.4 | A |
| (z)-11-hexadecenal | Bok choy | 1.01 | 24 | 30.15 | A |
| (z)-11-hexadecenal | Broccoli | 72.85 | 314 | 3,245.9 | A |
| (z)-11-hexadecenal | Brussels sprout | 100.91 | 384 | 4,466.4 | A |
| (z)-11-hexadecenal | Cabbage | 9.46 | 67 | 333.27 | A |
| (z)-11-hexadecenal | Cauliflower | 51.01 | 236 | 2,355.95 | A |
| (z)-11-hexadecenal | Chinese cabbage (napa, won bok, celery cabbage) | 1.17 | 6 | 28.1 | A |
| (z)-11-hexadecenal | Kale | 0.6 | 13 | 27.8 | A |
| (z)-11-hexadecenal | Kohlrabi | 0.22 | 3 | 10.4 | A |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (industrial) | 14.45 | N/A | 1.0 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (industrial) | 7.95 | N/A | 1.0 | U |
| 1,3-dichloropropene | Brussels sprout | 55,565.4 | 36 | 735.73 | A |
| 1,3-dichloropropene | Carrot | 19,315.82 | 9 | 184.3 | A |
| 1,3-dichloropropene | Grape, wine | 52,006.15 | 7 | 159.8 | A |
| 1,3-dichloropropene | N-outdr flower | 83.37 | 1 | 1.0 | A |
| 1,3-dichloropropene | Raspberry | 7,534.33 | 6 | 106.4 | A |
| 1,3-dichloropropene | Strawberry | 649,003.22 | 321 | 7,370.14 | A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Swiss chard | 3.6 | 1 | 4.0 | A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (industrial) | 27.1 | N/A | 1.0 | U |
| 1-methylcyclopropene | N-grnhs plants in containers | 0.01 | N/A | 52,205.0 | S |
| 2,4-d | Landscape maintenance | 5.2 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 33.43 | N/A | 86.5 | A |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 367.56 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|-------|--------------|--------------|
| 2,4-d, 2-ethylhexyl ester | N-grnhs flower | 8.16 | N/A | 440.0 | S |
| 2,4-d, 2-ethylhexyl ester | N-grnhs plants in containers | 1.55 | N/A | 196,000.0 | S |
| 2,4-d, dimethylamine salt | Barley | 136.27 | 1 | 250.0 | A |
| 2,4-d, dimethylamine salt | Cannabis (all or unspecified) | 18.29 | 27 | 270,000.0 | S |
| 2,4-d, dimethylamine salt | Forage hay/silage | 109.02 | 1 | 225.0 | A |
| 2,4-d, dimethylamine salt | Grape, wine | 739.86 | 35 | 942.24 | A |
| 2,4-d, dimethylamine salt | Landscape maintenance | 0.13 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Oat | 6.76 | 1 | 6.0 | A |
| 2,4-d, dimethylamine salt | Triticale | 40.85 | 2 | 36.0 | A |
| 2,4-d, dimethylamine salt | Uncultivated ag | 23.83 | 3 | 11.0 | A |
| 2,4-dp-p, isooctyl ester | Landscape maintenance | 7.89 | N/A | N/A | N/A |
| 2,4-dp-p, isooctyl ester | N-grnhs flower | 4.69 | N/A | 440.0 | S |
| 2,4-dp-p, isooctyl ester | N-grnhs plants in containers | 0.89 | N/A | 196,000.0 | S |
| 2-(2-butoxy ethoxy) ethyl thiocyanate | Cannabis (all or unspecified) | <0.01 | 1 | 1,000.0 | S |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Alfalfa | 4.41 | 3 | 27.4 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Artichoke, globe | 318.04 | 106 | 901.1 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Bean, succulent | 0.93 | 2 | 15.5 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Bean, unspecified | 0.41 | 1 | 6.75 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Bok choy | 14.08 | 83 | 82.27 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Broccoli | 1,729.68 | 1,009 | 9,379.09 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Brussels sprout | 1,547.02 | 491 | 5,622.4 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Cabbage | 24.18 | 56 | 98.1 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Carrot | 77.82 | 44 | 608.0 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Cauliflower | 1,387.87 | 644 | 6,325.3 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Celery | 199.56 | 190 | 1,597.05 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Cucumber | 19.26 | 8 | 95.8 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Garlic | 3.6 | 4 | 44.7 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Grape, wine | 641.75 | 195 | 4,280.56 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Kale | 12.0 | 50 | 92.8 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Kohlrabi | 8.83 | 8 | 22.1 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Lettuce, head | 742.23 | 477 | 5,492.45 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Lettuce, leaf | 1,632.23 | 930 | 8,313.9 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Mizuna | 1.1 | 34 | 8.5 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Mustard | 0.07 | 2 | 0.5 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Onion, dry | 25.25 | 16 | 285.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Peas | 113.51 | 80 | 805.4 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Pepper, fruiting | 9.02 | 3 | 29.9 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Radicchio | 72.74 | 12 | 127.6 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Strawberry | 96.7 | 4 | 180.0 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Swiss chard | 7.38 | 38 | 56.83 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Uncultivated ag | 233.11 | 61 | 569.0 | A |
| 2-butoxyethanol | Rights of way | 60.03 | N/A | N/A | N/A |
| 3-chloro-p-toluidine hydrochloride | Vertebrate control | <0.01 | 7 | 7.0 | A |
| 3-chloro-p-toluidine hydrochloride | Vertebrate control | <0.01 | N/A | N/A | N/A |
| 4-aminopyridine | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| 4-aminopyridine | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| 4-aminopyridine | Structural pest control | 0.1 | N/A | N/A | N/A |
| 4-aminopyridine | Vertebrate control | 4.85 | N/A | N/A | N/A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Artichoke, globe | 346.28 | 410 | 5,866.4 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Broccoli | 5.76 | 11 | 94.0 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Brussels sprout | 13.78 | 12 | 192.7 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Cabbage | 11.22 | 14 | 165.4 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Cauliflower | 0.77 | 1 | 17.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|-------|--------------|--------------|
| 4-nonylphenol, formaldehyde resin, propoxylated | Celery | 11.43 | 25 | 199.1 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Chinese cabbage (napa, won bok, celery cabbage) | 2.15 | 5 | 28.0 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Grape, wine | 93.03 | 18 | 996.0 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Kale | 0.22 | 1 | 4.94 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Lettuce, head | 11.38 | 15 | 200.3 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Lettuce, leaf | 28.24 | 49 | 445.55 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Raspberry | 0.71 | 1 | 6.2 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Rights of way | 15.65 | N/A | N/A | N/A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Spinach | 0.85 | 3 | 30.0 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Strawberry | 702.2 | 217 | 7,597.55 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Water area | 11.14 | 4 | 16.0 | A |
| abamectin | Arugula | 0.02 | 1 | 2.3 | A |
| abamectin | Avocado | 1.5 | 3 | 59.28 | A |
| abamectin | Bean, dried | 1.93 | 13 | 111.5 | A |
| abamectin | Bean, succulent | 3.08 | 20 | 224.9 | A |
| abamectin | Bean, unspecified | 0.31 | 1 | 18.0 | A |
| abamectin | Blackberry | 0.53 | 5 | 30.72 | A |
| abamectin | Celery | 148.74 | 1,117 | 9,889.37 | A |
| abamectin | Cucumber | 1.09 | 7 | 70.4 | A |
| abamectin | Endive (escarole) | 0.99 | 23 | 72.68 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|----------------|-------|--------------|--------------|
| abamectin | Grape, wine | 0.17 | 1 | 9.97 | A |
| abamectin | Landscape maintenance | 6.94 | N/A | N/A | N/A |
| abamectin | Leek | 2.92 | 36 | 202.11 | A |
| abamectin | Lemon | 18.32 | 32 | 790.4 | A |
| abamectin | Lettuce, head | 185.19 | 1,043 | 11,299.22 | A |
| abamectin | Lettuce, leaf | 299.47 | 1,889 | 18,182.32 | A |
| abamectin | N-grnhs flower | 0.06 | 3 | 2.25 | A |
| abamectin | N-grnhs flower | 0.23 | 39 | 1,623,152.5 | S |
| abamectin | N-grnhs plants in containers | 4.7 | 135 | 204.17 | A |
| abamectin | N-grnhs plants in containers | 0.82 | 105 | 2,544,844.0 | S |
| abamectin | N-outdr flower | 0.17 | 16 | 15.5 | A |
| abamectin | N-outdr plants in containers | 1.94 | 11 | 25.13 | A |
| abamectin | N-outdr plants in containers | 0.01 | 2 | 14,000.0 | S |
| abamectin | Onion, dry | 8.54 | 29 | 504.74 | A |
| abamectin | Radicchio | 2.63 | 31 | 141.2 | A |
| abamectin | Raspberry | 0.17 | 1 | 9.98 | A |
| abamectin | Research commodity | 0.33 | N/A | N/A | N/A |
| abamectin | Spinach | 98.11 | 721 | 6,281.39 | A |
| abamectin | Strawberry | 143.7 | 379 | 7,910.19 | A |
| abamectin | Structural pest control | 0.1 | N/A | N/A | N/A |
| abamectin | Swiss chard | 1.83 | 35 | 130.14 | A |
| abamectin, other related | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| abamectin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| acephate | Bean, dried | 76.15 | 8 | 78.5 | A |
| acephate | Bean, succulent | 392.5 | 34 | 409.7 | A |
| acephate | Bean, unspecified | 29.1 | 3 | 30.0 | A |
| acephate | Brussels sprout | 3,480.01 | 287 | 3,578.9 | A |
| acephate | Cauliflower | 1,955.85 | 191 | 2,049.45 | A |
| acephate | Celery | 4,123.46 | 541 | 4,282.84 | A |
| acephate | Landscape maintenance | 71.84 | N/A | N/A | N/A |
| acephate | Lettuce, head | 18,169.48 | 1,661 | 18,987.01 | A |
| acephate | N-grnhs flower | 122.71 | 50 | 48.75 | A |
| acephate | N-grnhs flower | 2.57 | 14 | 78,037.5 | S |
| acephate | N-grnhs plants in containers | 28.66 | 18 | 17.32 | A |
| acephate | N-grnhs plants in containers | 0.52 | 4 | 80,000.0 | S |
| acephate | N-grnhs transplants | 592.18 | 1,556 | 487.23 | A |
| acephate | N-outdr flower | 233.15 | 448 | 479.0 | A |
| acephate | N-outdr plants in containers | 17.13 | 13 | 13.13 | A |
| acephate | N-outdr plants in containers | 1.05 | 12 | 38,850.0 | S |
| acephate | N-outdr transplants | 3.43 | 2 | 6.0 | A |
| acephate | Research commodity | 4.85 | 5 | 5.0 | A |
| acephate | Research commodity | 2.01 | 41 | 184,500.0 | S |
| acephate | Research commodity | 1.33 | N/A | N/A | N/A |
| acephate | Rights of way | 3.0 | N/A | N/A | N/A |
| acephate | Structural pest control | 44.83 | N/A | N/A | N/A |
| acephate | Uncultivated ag | 5.82 | 2 | 24.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|---|----------------|-------|--------------|--------------|
| acequinocyl | Grape, wine | 5.49 | 2 | 13.76 | A |
| acequinocyl | N-grnhs flower | 1.26 | 11 | 7.25 | A |
| acequinocyl | N-grnhs flower | 0.07 | 5 | 8,025.0 | S |
| acequinocyl | N-grnhs plants in containers | 2.04 | 34 | 518,250.0 | S |
| acequinocyl | Raspberry | 105.52 | 7 | 264.9 | A |
| acequinocyl | Research commodity | 0.28 | N/A | N/A | N/A |
| acequinocyl | Strawberry | 2,288.52 | 207 | 5,853.96 | A |
| acetamiprid | Arugula | 49.5 | 93 | 724.72 | A |
| acetamiprid | Bean, dried | 1.12 | 2 | 20.0 | A |
| acetamiprid | Bean, unspecified | 1.69 | 1 | 18.0 | A |
| acetamiprid | Blackberry | 15.68 | 8 | 157.0 | A |
| acetamiprid | Bok choy | 10.76 | 49 | 167.33 | A |
| acetamiprid | Broccoli | 380.07 | 624 | 5,907.92 | A |
| acetamiprid | Brussels sprout | 454.5 | 454 | 6,383.88 | A |
| acetamiprid | Cabbage | 50.51 | 100 | 740.75 | A |
| acetamiprid | Cauliflower | 112.64 | 205 | 1,687.06 | A |
| acetamiprid | Celery | 368.33 | 605 | 5,167.73 | A |
| acetamiprid | Chinese cabbage (napa, won bok, celery cabbage) | 14.21 | 40 | 221.0 | A |
| acetamiprid | Endive (escarole) | 10.62 | 158 | 150.5 | A |
| acetamiprid | Fennel | 10.16 | 10 | 138.8 | A |
| acetamiprid | Grape, wine | 5.13 | 4 | 54.77 | A |
| acetamiprid | Kale | 46.59 | 115 | 585.72 | A |
| acetamiprid | Leek | 12.19 | 13 | 129.2 | A |
| acetamiprid | Lemon | 25.44 | 2 | 102.0 | A |
| acetamiprid | Lettuce, head | 542.12 | 682 | 7,396.32 | A |
| acetamiprid | Lettuce, leaf | 1,001.22 | 1,581 | 13,809.75 | A |
| acetamiprid | Mizuna | 0.5 | 5 | 6.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|----------------|------|--------------|--------------|
| acetamiprid | Mustard greens | 1.91 | 15 | 33.95 | A |
| acetamiprid | N-grnhs flower | 0.63 | 5 | 38,287.5 | S |
| acetamiprid | N-grnhs plants in containers | 4.88 | 104 | 3,178,490.0 | S |
| acetamiprid | N-outdr flower | 1.5 | 14 | 45.0 | A |
| acetamiprid | N-outdr transplants | 0.05 | 1 | 34,785.0 | S |
| acetamiprid | Onion, dry | 5.47 | 2 | 36.8 | A |
| acetamiprid | Peas | 83.65 | 81 | 976.35 | A |
| acetamiprid | Pepper, fruiting | 8.27 | 16 | 158.0 | A |
| acetamiprid | Pumpkin | 1.7 | 4 | 22.58 | A |
| acetamiprid | Radicchio | 1.2 | 1 | 16.0 | A |
| acetamiprid | Rapini | 31.34 | 16 | 311.4 | A |
| acetamiprid | Raspberry | 7.1 | 4 | 74.75 | A |
| acetamiprid | Research commodity | 0.13 | N/A | N/A | N/A |
| acetamiprid | Spinach | 556.61 | 566 | 7,710.05 | A |
| acetamiprid | Strawberry | 1,044.1 | 371 | 8,755.76 | A |
| acetamiprid | Structural pest control | 0.24 | N/A | N/A | N/A |
| acetamiprid | Swiss chard | 18.62 | 106 | 258.13 | A |
| acetamiprid | Upland cress | 2.28 | 15 | 30.57 | A |
| acetamiprid | Walnut | 59.5 | 4 | 400.0 | A |
| acetic acid | Strawberry | 2.26 | 1 | 26.0 | A |
| acibenzolar-s-methyl | Arugula | 2.58 | 27 | 109.94 | A |
| acibenzolar-s-methyl | Bok choy | 0.01 | 1 | 0.2 | A |
| acibenzolar-s-methyl | Cauliflower | 0.63 | 2 | 20.0 | A |
| acibenzolar-s-methyl | Golf course turf | 0.43 | N/A | 24.0 | A |
| acibenzolar-s-methyl | Kale | 1.34 | 37 | 58.61 | A |
| acibenzolar-s-methyl | Landscape maintenance | 8.74 | N/A | N/A | N/A |
| acibenzolar-s-methyl | Lettuce, head | 358.43 | 970 | 11,618.94 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------|---|----------------|-------|--------------|--------------|
| acibenzolar-s-methyl | Lettuce, leaf | 1,499.26 | 4,885 | 49,690.48 | A |
| acibenzolar-s-methyl | Mizuna | 0.01 | 1 | 0.62 | A |
| acibenzolar-s-methyl | N-grnhs transplants | 0.43 | 40 | 16.94 | A |
| acibenzolar-s-methyl | Onion, dry | 2.46 | 3 | 78.8 | A |
| acibenzolar-s-methyl | Spinach | 515.22 | 2,226 | 22,085.66 | A |
| acibenzolar-s-methyl | Swiss chard | 0.5 | 23 | 23.75 | A |
| acibenzolar-s-methyl | Upland cress | 1.41 | 31 | 64.33 | A |
| acid blue 9, diammonium salt | Rights of way | 1.16 | N/A | N/A | N/A |
| acrylamide/sodium acrylate copolymer | Broccoli | 1.41 | 8 | 87.1 | A |
| acrylamide/sodium acrylate copolymer | Brussels sprout | 15.22 | 16 | 186.8 | A |
| acrylamide/sodium acrylate copolymer | Carrot | 8.01 | 4 | 79.8 | A |
| acrylamide/sodium acrylate copolymer | Cauliflower | 0.84 | 5 | 50.0 | A |
| acrylamide/sodium acrylate copolymer | Celery | 2.51 | 2 | 12.3 | A |
| acrylamide/sodium acrylate copolymer | Strawberry | 22.11 | 15 | 621.2 | A |
| acrylic acid | Broccoli | 158.96 | 81 | 981.1 | A |
| acrylic acid | Cauliflower | 38.48 | 17 | 237.5 | A |
| acrylic acid | Celery | 3.89 | 1 | 24.0 | A |
| acrylic acid | Grape, wine | 100.54 | 464 | 5,894.11 | A |
| acrylic acid | Lettuce, head | 187.82 | 87 | 1,158.8 | A |
| acrylic acid | Lettuce, leaf | 350.77 | 218 | 2,163.4 | A |
| acrylic acid | Strawberry | 1,427.35 | 289 | 10,338.13 | A |
| afidopyropen | Arugula | 1.28 | 10 | 69.24 | A |
| afidopyropen | Bok choy | 0.74 | 49 | 62.7 | A |
| afidopyropen | Broccoli | 53.59 | 341 | 5,382.45 | A |
| afidopyropen | Brussels sprout | 42.67 | 151 | 2,865.14 | A |
| afidopyropen | Cabbage | 6.71 | 47 | 647.65 | A |
| afidopyropen | Cauliflower | 10.9 | 77 | 1,113.46 | A |
| afidopyropen | Celery | 6.11 | 59 | 564.05 | A |
| afidopyropen | Chinese cabbage (napa, won bok, celery cabbage) | 1.67 | 55 | 139.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|-------|--------------|--------------|
| afidopyropen | Cilantro | 0.24 | 2 | 12.23 | A |
| afidopyropen | Collard | 0.23 | 11 | 23.45 | A |
| afidopyropen | Endive (escarole) | 0.39 | 3 | 15.25 | A |
| afidopyropen | Kale | 2.34 | 44 | 237.18 | A |
| afidopyropen | Lettuce, head | 65.13 | 520 | 5,722.31 | A |
| afidopyropen | Lettuce, leaf | 193.43 | 1,504 | 18,355.2 | A |
| afidopyropen | Mizuna | 0.07 | 7 | 7.05 | A |
| afidopyropen | Mustard greens | 0.15 | 10 | 16.9 | A |
| afidopyropen | N-grnhs plants in containers | 10.66 | 12 | 43.5 | A |
| afidopyropen | Radicchio | 0.53 | 10 | 52.7 | A |
| afidopyropen | Radish | 0.78 | 13 | 34.96 | A |
| afidopyropen | Rapini | 36.97 | 190 | 3,117.0 | A |
| afidopyropen | Research commodity | 0.01 | 1 | 1.0 | A |
| afidopyropen | Research commodity | 0.01 | N/A | N/A | N/A |
| afidopyropen | Spinach | 19.26 | 177 | 1,931.51 | A |
| afidopyropen | Swiss chard | 0.24 | 8 | 25.37 | A |
| afidopyropen | Upland cress | 0.02 | 1 | 2.04 | A |
| agrobacterium radiobacter | N-grnhs plants in containers | 1.56 | 50 | 26,800.0 | S |
| alcohols, c12-c14, aliphatic | Rights of way | 23.34 | N/A | N/A | N/A |
| alkyl (50%c12, 30%c14, 17%c16, 3%c18) dimethylethylbenzyl ammonium chloride | Airport | 0.49 | N/A | 415.0 | A |
| alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride | Structural pest control | 0.08 | N/A | N/A | N/A |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Airport | 0.49 | N/A | 415.0 | A |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Cannabis (all or unspecified) | 0.06 | 1 | 3,008.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Farm/ag building | 1.04 | N/A | 1.99 | A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Farm/ag building | 0.35 | N/A | 55,250.0 | S |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Food processing plant | 298.31 | N/A | 6.0 | U |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | N-grnhs flower | 0.24 | 8 | 18,427.5 | S |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | N-grnhs plants in containers | 1.22 | 3 | 57,250.0 | S |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Research commodity | 2.18 | N/A | N/A | N/A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Structural pest control | <0.01 | N/A | N/A | N/A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Cannabis (all or unspecified) | 0.06 | 1 | 3,008.0 | S |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Farm/ag building | 1.04 | N/A | 1.99 | A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Farm/ag building | 0.35 | N/A | 55,250.0 | S |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Food processing plant | 298.31 | N/A | 6.0 | U |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | N-grnhs flower | 0.24 | 8 | 18,427.5 | S |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | N-grnhs plants in containers | 1.22 | 3 | 57,250.0 | S |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Research commodity | 2.18 | N/A | N/A | N/A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Structural pest control | <0.01 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Grape, wine | 315.65 | 82 | 888.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| alkyl (c8,c10) polyglucoside | Landscape maintenance | 29.06 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Rangeland | 4.47 | N/A | 20.0 | A |
| alkyl (c8,c10) polyglucoside | Rights of way | 21.14 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Strawberry | 2.77 | 2 | 36.0 | A |
| alkyl (c8,c10) polyglucoside | Structural pest control | 0.01 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Uncultivated ag | 76.57 | 20 | 173.7 | A |
| alkyl (c8,c10) polyglucoside | Uncultivated non-ag | 1.96 | 1 | 5.0 | A |
| alkyl (c8,c10) polyglucoside | Vertebrate control | 0.2 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Water area | 23.88 | 8 | 29.5 | A |
| alkyl (c9-c11) oligomeric d-glucopyranoside | Rights of way | 66.7 | N/A | N/A | N/A |
| alkyl (c9-c11) oligomeric d-glucopyranoside | Strawberry | 0.1 | 1 | 10.0 | A |
| allethrin | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| allyloxypolyethylene glycol acetate | Grape, wine | 9.45 | 42 | 362.21 | A |
| allyloxypolyethylene glycol acetate | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 9.97 | 26 | 216.43 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Asparagus | 0.21 | 1 | 5.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Beet | 0.15 | 8 | 17.32 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Blackberry | 1.01 | 12 | 62.52 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Broccoli | 98.38 | 262 | 3,039.4 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Brussels sprout | 1.68 | 8 | 110.8 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cabbage | 8.49 | 60 | 618.68 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Carrot | 3.85 | 17 | 349.27 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cauliflower | 73.9 | 180 | 2,138.23 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Celery | 16.72 | 58 | 649.2 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cilantro | 0.41 | 9 | 59.48 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Collard | 0.04 | 1 | 2.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, human consumption | 0.18 | 1 | 5.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Endive (escarole) | 0.37 | 23 | 40.2 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Fennel | 0.23 | 1 | 3.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Golf course turf | 0.15 | N/A | 3.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine | 105.0 | 361 | 6,097.35 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Kale | 1.96 | 44 | 214.78 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 1.51 | N/A | N/A | N/A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Leek | 0.88 | 13 | 72.69 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 42.91 | 254 | 3,199.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 128.48 | 683 | 7,119.8 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Mizuna | 0.09 | 8 | 9.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|----------------|------|--------------|--------------|
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Mustard greens | 0.2 | 2 | 5.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Onion, dry | 6.82 | 17 | 427.9 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Parsley | 0.11 | 4 | 23.3 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Peas | 6.48 | 74 | 628.2 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Rapini | 5.77 | 9 | 106.9 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Raspberry | 8.79 | 44 | 403.34 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 3.75 | 21 | 97.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 0.28 | N/A | N/A | N/A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Soil fumigation/preplant | 0.89 | 5 | 23.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Spinach | 0.2 | 4 | 22.95 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Strawberry | 165.11 | 290 | 6,775.74 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Swiss chard | 0.09 | 4 | 8.9 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato | 0.25 | 6 | 137.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 4.3 | 16 | 99.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Alfalfa | 12.42 | 9 | 249.9 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 29.84 | 51 | 754.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|-------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Arugula | 0.11 | 1 | 6.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Avocado | 4.89 | 1 | 10.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Barley | 13.52 | 3 | 340.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, dried | 0.37 | 4 | 25.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, succulent | 0.07 | 2 | 25.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Blackberry | 26.77 | 18 | 179.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bok choy | 3.08 | 27 | 43.8 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Broccoli | 1,002.74 | 1,336 | 16,686.06 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Brussels sprout | 334.31 | 222 | 3,384.51 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cabbage | 382.89 | 582 | 6,736.48 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cannabis (all or unspecified) | 0.17 | 7 | 8.85 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Carrot | 106.13 | 95 | 1,534.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cauliflower | 271.24 | 276 | 3,389.97 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Celery | 606.93 | 1,087 | 10,083.34 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Chinese cabbage (napa, won bok, celery cabbage) | 14.96 | 88 | 214.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|-------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cilantro | 9.37 | 42 | 244.09 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Collard | 3.85 | 39 | 74.4 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, human consumption | 0.45 | 1 | 4.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cucumber | 0.51 | 1 | 20.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Endive (escarole) | 1.83 | 23 | 60.4 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Fennel | 11.4 | 31 | 207.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Forage hay/silage | 11.16 | 1 | 225.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Garlic | 154.09 | 112 | 2,225.1 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine | 29,773.79 | 5,846 | 187,794.01 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Kale | 15.93 | 56 | 348.9 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Kohlrabi | 0.2 | 1 | 2.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 34.89 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Leek | 15.53 | 30 | 190.66 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lemon | 15.9 | 20 | 156.8 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 3,021.83 | 4,375 | 48,036.13 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 4,953.46 | 8,119 | 75,411.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Mizuna | 0.09 | 2 | 2.1 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Mustard greens | 2.69 | 28 | 53.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 56.14 | 79 | 332.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 0.05 | 1 | 10,000.0 | S |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-grnhs transplants | 10.28 | 279 | 100.65 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 45.58 | 60 | 179.61 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.43 | 3 | 55,000.0 | S |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr transplants | 0.84 | 10 | 10.77 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Oat | 15.45 | 14 | 281.6 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Onion, dry | 62.49 | 90 | 1,304.16 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Parsley | 0.69 | 3 | 33.7 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Peas | 135.32 | 315 | 3,339.52 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 11.49 | 21 | 265.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pumpkin | 1.22 | 5 | 30.88 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Radicchio | 22.84 | 130 | 599.9 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rangeland | 0.81 | 1 | 20.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---------------------|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rapini | 126.85 | 188 | 1,832.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Raspberry | 40.63 | 11 | 147.62 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Research commodity | 3.04 | 18 | 52.75 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Research commodity | 0.43 | 52 | 234,000.0 | S |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Research commodity | 1.04 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 263.47 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rye | 5.94 | 5 | 19.3 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Spinach | 3.02 | 55 | 427.35 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Squash, summer | 0.35 | 1 | 3.4 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Strawberry | 3,333.07 | 232 | 7,628.88 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Swiss chard | 2.03 | 11 | 40.07 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 675.42 | 652 | 7,559.34 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated non-ag | 1.34 | 1 | 18.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Walnut | 17.85 | 4 | 240.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Water area | 4.31 | 3 | 7.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Wheat | 0.25 | 1 | 8.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Grape, wine | 94.46 | 17 | 352.52 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Rights of way | 10.5 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Ryegrass | 0.48 | 1 | 12.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Artichoke, globe | 15.57 | 6 | 59.6 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Barley | 0.25 | 1 | 80.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Blackberry | 3.78 | 18 | 179.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Broccoli | 593.45 | 81 | 981.1 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Carrot | 1.26 | 11 | 120.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Cauliflower | 143.67 | 17 | 237.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Celery | 14.51 | 1 | 24.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Grape, wine | 2,538.3 | 1,668 | 34,698.69 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Landscape maintenance | 1.5 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Lemon | 20.65 | 2 | 40.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Lettuce, head | 701.18 | 87 | 1,158.8 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Lettuce, leaf | 1,309.53 | 218 | 2,163.4 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Raspberry | 12.39 | 1 | 32.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Rights of way | 0.03 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Strawberry | 5,630.89 | 302 | 10,804.13 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Uncultivated ag | 1,443.38 | 599 | 6,067.1 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Uncultivated non-ag | 27.55 | 4 | 71.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Walnut | 43.53 | 8 | 480.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Water area | 0.02 | 2 | 2.0 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Bok choy | 31.26 | 93 | 115.5 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Chinese cabbage (napa, won bok, celery cabbage) | 53.77 | 72 | 184.4 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Grape, wine | 9.23 | 2 | 21.49 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Lettuce, head | 3.09 | 4 | 30.65 | A |
| alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate | Research commodity | 3.48 | 6 | 15.25 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Avocado | 2.41 | 1 | 22.28 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Blackberry | 4.31 | 3 | 40.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Brussels sprout | 40.47 | 10 | 94.9 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Cactus pear | 5.1 | 1 | 8.8 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Grape, wine | 6,029.49 | 884 | 17,055.9 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 0.22 | 1 | 6.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 1.43 | 53 | 508,005.0 | S |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.65 | 3 | 6.8 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 1.07 | 36 | 395,100.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---------------------|----------------|------|--------------|--------------|
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-outdr transplants | 0.04 | 1 | 33,381.0 | S |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Strawberry | 6.9 | 3 | 64.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Walnut | 315.8 | 10 | 1,090.0 | A |
| alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene) | Broccoli | 0.07 | 1 | 9.1 | A |
| alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene) | Cauliflower | 0.74 | 9 | 95.85 | A |
| alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene) | Rights of way | 7.69 | N/A | N/A | N/A |
| alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene) | Strawberry | 0.24 | 1 | 30.4 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Grape, wine | 164.32 | 44 | 805.5 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Barley | 2.31 | 1 | 10.0 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Raspberry | 40.63 | 11 | 147.62 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Rye | 5.94 | 5 | 19.3 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Strawberry | 503.45 | 17 | 1,309.0 | A |
| alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Grape, wine | 70.61 | 139 | 5,704.16 | A |
| alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene) | Rights of way | 0.96 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Alfalfa | 48.15 | 25 | 171.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|-------|--------------|--------------|
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 5.65 | 16 | 177.5 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Arugula | 2.42 | 18 | 70.43 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Bean, succulent | 9.7 | 9 | 153.2 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Beet | 1.9 | 6 | 34.55 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Blackberry | 6.15 | 3 | 33.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Bok choy | 28.37 | 144 | 541.94 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Broccoli | 544.22 | 1,368 | 13,067.51 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Brussels sprout | 324.02 | 319 | 3,440.06 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cabbage | 44.72 | 148 | 965.74 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Carrot | 3.67 | 26 | 109.5 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cauliflower | 275.13 | 660 | 5,265.88 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Celery | 266.26 | 565 | 5,252.61 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Chinese cabbage (napa, won bok, celery cabbage) | 49.52 | 177 | 946.31 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cilantro | 10.02 | 56 | 301.15 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cucumber | 1.37 | 3 | 22.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-----------------------|----------------|-------|--------------|--------------|
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Endive (escarole) | 35.88 | 164 | 712.67 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Garlic | 5.31 | 5 | 103.7 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Grape, wine | 1,214.5 | 355 | 7,119.33 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Kale | 80.82 | 130 | 1,116.07 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.74 | 5 | 22.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 25.17 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Leek | 21.82 | 55 | 352.27 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 983.62 | 1,761 | 18,927.24 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 1,057.52 | 2,514 | 21,927.56 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Mustard greens | 2.65 | 29 | 64.95 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Onion, dry | 19.03 | 22 | 347.3 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Peas | 57.72 | 85 | 741.32 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Pumpkin | 0.29 | 1 | 4.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Radish | 38.78 | 302 | 810.24 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Rights of way | 3.11 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Spinach | 1.58 | 3 | 21.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Strawberry | 1,086.9 | 247 | 7,047.57 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Sunflower | 3.05 | 2 | 20.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Swiss chard | 1.17 | 29 | 29.25 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 1,511.97 | 886 | 7,762.3 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Uncultivated non-ag | 4.13 | 2 | 13.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Water area | 0.28 | 1 | 1.5 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 5.86 | 1 | 20.8 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Barley | 3.87 | 3 | 55.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Bean, dried | 37.25 | 14 | 132.25 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Broccoli | 19.01 | 27 | 216.2 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Cabbage | 2.64 | 3 | 30.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Carrot | 208.44 | 66 | 791.65 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Celery | 140.56 | 115 | 770.43 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Grape, wine | 552.93 | 94 | 5,538.23 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 151.67 | 70 | 708.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 239.28 | 173 | 1,120.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Rights of way | 541.18 | N/A | N/A | N/A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Rye | 1.77 | 1 | 28.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 506.24 | 266 | 2,395.2 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Beet | 2.77 | 6 | 12.86 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Blackberry | 26.9 | 19 | 192.03 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Broccoli | 313.01 | 474 | 3,076.87 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Cabbage | 142.28 | 373 | 1,382.8 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Cannabis (all or unspecified) | 26.88 | 131 | 770,600.0 | S |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Cauliflower | 143.5 | 243 | 1,323.1 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Celery | 0.52 | 1 | 4.0 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Cilantro | 17.66 | 25 | 117.46 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Cucumber | 0.09 | 9 | 8.35 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Grape, wine | 1,336.24 | 286 | 26,117.93 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Leek | 12.8 | 29 | 82.6 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 14.05 | 67 | 256.09 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 42.4 | 151 | 719.34 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Mustard greens | 10.84 | 25 | 107.9 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Parsley | 7.64 | 10 | 38.34 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Peas | 1.15 | 1 | 8.0 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Raspberry | 352.94 | 100 | 1,812.57 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Strawberry | 534.32 | 200 | 2,008.89 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 17.48 | 19 | 50.75 | A |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | Cannabis (all or unspecified) | 30.37 | 107 | 62.55 | A |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | Grape, wine | 12.22 | 15 | 45.34 | A |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 0.21 | 1 | 20,000.0 | S |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | Research commodity | 0.03 | N/A | N/A | N/A |
| alpha-cypermethrin | Structural pest control | 15.53 | N/A | N/A | N/A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) | Grape, wine | 47.23 | 17 | 352.52 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 0.07 | 3 | 12.0 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Ryegrass | 1.67 | 1 | 12.5 | A |
| alpha-pinene beta-pinene copolymer | Artichoke, globe | 23.46 | 16 | 91.93 | A |
| alpha-pinene beta-pinene copolymer | Beet | 2.79 | 8 | 17.32 | A |
| alpha-pinene beta-pinene copolymer | Blackberry | 18.99 | 12 | 62.52 | A |
| alpha-pinene beta-pinene copolymer | Broccoli | 272.44 | 83 | 758.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|------------------------------|----------------|------|--------------|--------------|
| alpha-pinene beta-pinene copolymer | Brussels sprout | 138.27 | 29 | 477.5 | A |
| alpha-pinene beta-pinene copolymer | Cabbage | 80.64 | 33 | 332.68 | A |
| alpha-pinene beta-pinene copolymer | Carrot | 43.06 | 14 | 309.0 | A |
| alpha-pinene beta-pinene copolymer | Cauliflower | 147.15 | 41 | 424.75 | A |
| alpha-pinene beta-pinene copolymer | Celery | 121.51 | 41 | 383.7 | A |
| alpha-pinene beta-pinene copolymer | Cilantro | 7.68 | 9 | 59.48 | A |
| alpha-pinene beta-pinene copolymer | Collard | 5.45 | 11 | 16.5 | A |
| alpha-pinene beta-pinene copolymer | Corn, human consumption | 3.38 | 1 | 5.0 | A |
| alpha-pinene beta-pinene copolymer | Endive (escarole) | 6.91 | 23 | 40.2 | A |
| alpha-pinene beta-pinene copolymer | Grape, wine | 1,729.3 | 323 | 5,302.24 | A |
| alpha-pinene beta-pinene copolymer | Kale | 29.48 | 44 | 207.48 | A |
| alpha-pinene beta-pinene copolymer | Leek | 16.54 | 13 | 72.69 | A |
| alpha-pinene beta-pinene copolymer | Lettuce, head | 565.51 | 223 | 2,845.0 | A |
| alpha-pinene beta-pinene copolymer | Lettuce, leaf | 1,236.07 | 523 | 5,256.4 | A |
| alpha-pinene beta-pinene copolymer | Mizuna | 0.68 | 7 | 6.3 | A |
| alpha-pinene beta-pinene copolymer | Mustard greens | 4.55 | 5 | 8.5 | A |
| alpha-pinene beta-pinene copolymer | N-outdr plants in containers | 0.51 | 1 | 1.0 | A |
| alpha-pinene beta-pinene copolymer | N-outdr plants in containers | 0.38 | 2 | 11,000.0 | S |
| alpha-pinene beta-pinene copolymer | Onion, dry | 127.84 | 17 | 427.9 | A |
| alpha-pinene beta-pinene copolymer | Parsley | 2.15 | 4 | 23.3 | A |
| alpha-pinene beta-pinene copolymer | Peas | 121.59 | 74 | 628.2 | A |
| alpha-pinene beta-pinene copolymer | Raspberry | 184.3 | 47 | 501.45 | A |
| alpha-pinene beta-pinene copolymer | Research commodity | 2.48 | N/A | N/A | N/A |
| alpha-pinene beta-pinene copolymer | Spinach | 3.75 | 4 | 22.95 | A |
| alpha-pinene beta-pinene copolymer | Strawberry | 3,113.04 | 290 | 6,872.11 | A |
| alpha-pinene beta-pinene copolymer | Swiss chard | 0.83 | 3 | 6.4 | A |
| alpha-pinene beta-pinene copolymer | Tomato | 4.75 | 6 | 137.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------|----------------|-------|--------------|--------------|
| alpha-pinene beta-pinene copolymer | Uncultivated ag | 0.32 | 1 | 2.0 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Cauliflower | 5.09 | 1 | 17.3 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Grape, wine | 2,160.38 | 337 | 15,411.38 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Rights of way | 0.15 | N/A | N/A | N/A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Uncultivated ag | 80.69 | 43 | 373.8 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 509.99 | 347 | 3,867.94 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Arugula | 2.48 | 18 | 70.43 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Avocado | 4.89 | 1 | 10.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, succulent | 9.95 | 9 | 153.2 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Beet | 1.95 | 6 | 34.55 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Blackberry | 40.96 | 6 | 161.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bok choy | 29.09 | 144 | 541.94 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Broccoli | 4,663.06 | 3,301 | 35,708.51 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Brussels sprout | 2,411.49 | 862 | 14,482.58 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cabbage | 786.1 | 504 | 4,278.14 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cardoon | 3.37 | 21 | 59.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|----------------|-------|--------------|--------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Carrot | 89.23 | 57 | 519.1 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cauliflower | 1,740.29 | 1,525 | 13,279.98 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Celery | 916.41 | 890 | 7,533.26 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Chinese cabbage (napa, won bok, celery cabbage) | 55.37 | 179 | 966.31 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cilantro | 10.27 | 56 | 301.15 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cucumber | 1.41 | 3 | 22.5 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Endive (escarole) | 36.8 | 164 | 712.67 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Fennel | 77.05 | 42 | 338.2 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Garlic | 163.45 | 72 | 1,143.57 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Grape, wine | 4,146.47 | 1,071 | 33,789.07 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Kale | 90.3 | 134 | 1,145.07 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.76 | 5 | 22.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 56.63 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Leek | 17.61 | 54 | 319.27 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Lettuce, head | 3,606.84 | 3,297 | 35,991.74 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------|----------------|-------|--------------|--------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 8,245.21 | 5,669 | 59,037.99 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Mustard greens | 2.72 | 29 | 64.95 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-outdr flower | 68.2 | 796 | 818.38 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Onion, dry | 168.25 | 48 | 794.1 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Onion, green | 5.09 | 1 | 20.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Peas | 62.08 | 97 | 956.12 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Pumpkin | 0.3 | 1 | 4.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Radish | 39.77 | 302 | 810.24 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rapini | 525.81 | 173 | 3,008.6 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Research commodity | 1.94 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights of way | 84.95 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Ryegrass | 5.09 | 1 | 20.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Spinach | 2.17 | 10 | 35.6 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Strawberry | 3,197.08 | 190 | 7,860.5 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Swiss chard | 1.2 | 29 | 29.25 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 491.77 | 406 | 2,792.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------|----------------|------|--------------|--------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Wheat | 4.58 | 1 | 45.0 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Barley | 1.99 | 2 | 383.0 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Broccoli | 2.35 | 4 | 56.3 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Lettuce, head | 70.09 | 103 | 1,340.5 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 13.53 | 22 | 287.3 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | N-outdr flower | 0.28 | 2 | 9.17 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Strawberry | 329.98 | 178 | 3,454.47 | A |
| aluminum phosphide | Artichoke, globe | 23.95 | 19 | 285.27 | A |
| aluminum phosphide | Commodity fumigation | 69.09 | N/A | N/A | N/A |
| aluminum phosphide | Fumigation, other | 5.57 | N/A | N/A | N/A |
| aluminum phosphide | Grape, wine | 1,094.88 | 47 | 2,063.25 | A |
| aluminum phosphide | Landscape maintenance | 169.66 | N/A | N/A | N/A |
| aluminum phosphide | Rangeland | 3.6 | 3 | 150.0 | A |
| aluminum phosphide | Rights of way | 8.57 | N/A | N/A | N/A |
| aluminum phosphide | Uncultivated ag | 59.94 | 9 | 265.8 | A |
| aluminum phosphide | Uncultivated non-ag | 0.07 | 1 | 0.5 | A |
| aluminum phosphide | Vertebrate control | 47.94 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|-------|--------------|--------------|
| ametoctradin | Arugula | 140.72 | 98 | 519.07 | A |
| ametoctradin | Bok choy | 0.14 | 1 | 0.5 | A |
| ametoctradin | Brussels sprout | 11.92 | 6 | 43.7 | A |
| ametoctradin | Cauliflower | 1.88 | 1 | 6.9 | A |
| ametoctradin | Cucumber | 17.23 | 5 | 63.4 | A |
| ametoctradin | Endive (escarole) | 1.04 | 4 | 3.9 | A |
| ametoctradin | Kale | 62.52 | 112 | 229.78 | A |
| ametoctradin | Lettuce, head | 1,645.01 | 582 | 6,047.9 | A |
| ametoctradin | Lettuce, leaf | 2,197.32 | 1,033 | 8,082.71 | A |
| ametoctradin | Mizuna | 1.46 | 6 | 5.3 | A |
| ametoctradin | Mustard greens | 8.05 | 24 | 29.5 | A |
| ametoctradin | N-grnhs plants in containers | 6.63 | 5 | 16.87 | A |
| ametoctradin | Onion, dry | 37.26 | 10 | 136.74 | A |
| ametoctradin | Spinach | 1,870.01 | 929 | 6,874.4 | A |
| ametoctradin | Swiss chard | 11.91 | 28 | 43.69 | A |
| ametoctradin | Upland cress | 28.3 | 44 | 103.8 | A |
| amino ethoxy vinyl glycine hydrochloride | Cucumber | 21.84 | 91 | 315.19 | A |
| aminocyclopyrachlor, potassium salt | Rights of way | 4.44 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Airport | 17.71 | N/A | 399.0 | A |
| aminopyralid, triisopropanolamine salt | Landscape maintenance | 7.5 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Pastureland | 4.65 | 43 | 188.64 | A |
| aminopyralid, triisopropanolamine salt | Public health | 19.28 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Rights of way | 243.88 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Uncultivated non-ag | 8.91 | N/A | 42.67 | A |
| ammonium nitrate | Alfalfa | 6.21 | 25 | 171.1 | A |
| ammonium nitrate | Grape, wine | 1,416.94 | 349 | 2,919.51 | A |
| ammonium nitrate | Landscape maintenance | 31.92 | N/A | N/A | N/A |
| ammonium nitrate | Leek | 0.6 | 1 | 33.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|-------------------------------|----------------|-------|--------------|--------------|
| ammonium nitrate | Lettuce, leaf | 0.3 | 2 | 16.5 | A |
| ammonium nitrate | Peas | 6.94 | 23 | 286.7 | A |
| ammonium nitrate | Rangeland | 2.13 | N/A | 20.0 | A |
| ammonium nitrate | Rights of way | 75.82 | N/A | N/A | N/A |
| ammonium nitrate | Structural pest control | 0.02 | N/A | N/A | N/A |
| ammonium nitrate | Sunflower | 0.39 | 2 | 20.0 | A |
| ammonium nitrate | Uncultivated ag | 392.88 | 633 | 6,163.85 | A |
| ammonium nitrate | Uncultivated non-ag | 7.55 | 3 | 18.0 | A |
| ammonium nitrate | Vertebrate control | 0.7 | N/A | N/A | N/A |
| ammonium nitrate | Water area | 85.66 | 9 | 31.0 | A |
| ammonium nonanoate | Cannabis (all or unspecified) | 16.68 | 2 | 1.44 | A |
| ammonium nonanoate | Landscape maintenance | 7.77 | N/A | N/A | N/A |
| ammonium nonanoate | Lettuce, leaf | 792.88 | 50 | 153.69 | A |
| ammonium propionate | Artichoke, globe | 0.38 | 2 | 14.4 | A |
| ammonium propionate | Broccoli | 450.36 | 1,248 | 14,771.45 | A |
| ammonium propionate | Brussels sprout | 305.45 | 452 | 9,710.92 | A |
| ammonium propionate | Cabbage | 57.15 | 120 | 1,081.55 | A |
| ammonium propionate | Cauliflower | 165.45 | 543 | 5,276.0 | A |
| ammonium propionate | Celery | 4.31 | 22 | 107.0 | A |
| ammonium propionate | Grape, wine | 934.49 | 77 | 5,800.72 | A |
| ammonium propionate | Landscape maintenance | 1.7 | N/A | N/A | N/A |
| ammonium propionate | Onion, dry | 3.19 | 4 | 70.4 | A |
| ammonium propionate | Rapini | 9.86 | 20 | 470.3 | A |
| ammonium propionate | Uncultivated ag | 56.12 | 121 | 890.05 | A |
| ammonium propionate | Walnut | 56.57 | 4 | 240.0 | A |
| ammonium sulfate | Alfalfa | 156.34 | 26 | 176.1 | A |
| ammonium sulfate | Beet | 8.6 | 5 | 62.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|-------------------------|----------------|-------|--------------|--------------|
| ammonium sulfate | Broccoli | 332.12 | 124 | 1,138.7 | A |
| ammonium sulfate | Carrot | 22.85 | 9 | 160.8 | A |
| ammonium sulfate | Cauliflower | 247.92 | 125 | 783.5 | A |
| ammonium sulfate | Grape, wine | 22,567.26 | 1,249 | 23,276.47 | A |
| ammonium sulfate | Landscape maintenance | 83.6 | N/A | N/A | N/A |
| ammonium sulfate | Leek | 14.85 | 1 | 33.0 | A |
| ammonium sulfate | Lemon | 11.6 | 1 | 8.0 | A |
| ammonium sulfate | Lettuce, head | 4.2 | 2 | 14.3 | A |
| ammonium sulfate | Lettuce, leaf | 15.12 | 7 | 40.5 | A |
| ammonium sulfate | Peas | 171.88 | 23 | 286.7 | A |
| ammonium sulfate | Rangeland | 4.26 | N/A | 20.0 | A |
| ammonium sulfate | Rights of way | 210.04 | N/A | N/A | N/A |
| ammonium sulfate | Strawberry | 36.15 | 2 | 32.0 | A |
| ammonium sulfate | Structural pest control | 0.02 | N/A | N/A | N/A |
| ammonium sulfate | Sunflower | 9.74 | 2 | 20.0 | A |
| ammonium sulfate | Uncultivated ag | 4,634.03 | 656 | 7,204.45 | A |
| ammonium sulfate | Uncultivated non-ag | 112.64 | 6 | 106.5 | A |
| ammonium sulfate | Walnut | 14.14 | 4 | 240.0 | A |
| ammonium sulfate | Water area | 0.9 | 1 | 1.5 | A |
| amyl acetate | Artichoke, globe | 0.15 | 2 | 14.4 | A |
| amyl acetate | Broccoli | 180.14 | 1,248 | 14,771.45 | A |
| amyl acetate | Brussels sprout | 122.18 | 452 | 9,710.92 | A |
| amyl acetate | Cabbage | 22.86 | 120 | 1,081.55 | A |
| amyl acetate | Cauliflower | 66.18 | 543 | 5,276.0 | A |
| amyl acetate | Celery | 1.72 | 22 | 107.0 | A |
| amyl acetate | Onion, dry | 1.27 | 4 | 70.4 | A |
| amyl acetate | Rapini | 3.95 | 20 | 470.3 | A |
| amyl acetate | Uncultivated ag | 17.79 | 107 | 835.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|-------------------------------|----------------|-------|--------------|--------------|
| ancymidol | N-grnhs plants in containers | 0.01 | 2 | 1.0 | A |
| aromatic 200 | Cauliflower | 13.22 | 1 | 17.3 | A |
| aromatic 200 | Grape, wine | 5,567.17 | 270 | 14,533.86 | A |
| aromatic 200 | Uncultivated ag | 209.59 | 40 | 361.8 | A |
| azadirachtin | Artichoke, globe | 4.96 | 26 | 151.3 | A |
| azadirachtin | Bean, unspecified | 0.03 | 2 | 0.94 | A |
| azadirachtin | Blackberry | 12.29 | 20 | 327.95 | A |
| azadirachtin | Bok choy | 2.36 | 40 | 58.18 | A |
| azadirachtin | Broccoli | 33.01 | 161 | 1,222.41 | A |
| azadirachtin | Brussels sprout | 7.93 | 16 | 169.04 | A |
| azadirachtin | Cabbage | 2.9 | 16 | 96.96 | A |
| azadirachtin | Cannabis (all or unspecified) | 27.1 | 575 | 2,098.59 | A |
| azadirachtin | Cannabis (all or unspecified) | 0.11 | 13 | 30,455.0 | C |
| azadirachtin | Cannabis (all or unspecified) | 130.03 | 2,309 | 35,118,752.5 | S |
| azadirachtin | Cannabis (all or unspecified) | 3.2 | 105 | 1,492.0 | U |
| azadirachtin | Carrot | <0.01 | 1 | 0.1 | A |
| azadirachtin | Cauliflower | 11.97 | 90 | 497.3 | A |
| azadirachtin | Celery | 8.46 | 77 | 386.04 | A |
| azadirachtin | Cilantro | 1.57 | 5 | 56.74 | A |
| azadirachtin | Collard | 0.24 | 6 | 9.33 | A |
| azadirachtin | Endive (escarole) | 0.08 | 7 | 2.88 | A |
| azadirachtin | Grape, wine | 9.0 | 55 | 300.93 | A |
| azadirachtin | Kale | 3.12 | 57 | 136.38 | A |
| azadirachtin | Landscape maintenance | 1.3 | N/A | N/A | N/A |
| azadirachtin | Leek | 7.87 | 27 | 177.02 | A |
| azadirachtin | Lettuce, head | 3.96 | 55 | 187.41 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| azadirachtin | Lettuce, leaf | 70.88 | 498 | 3,289.45 | A |
| azadirachtin | Mizuna | 0.18 | 30 | 7.5 | A |
| azadirachtin | Mustard | 0.01 | 2 | 0.5 | A |
| azadirachtin | Mustard greens | 0.26 | 1 | 6.07 | A |
| azadirachtin | N-grnhs flower | 2.36 | 22 | 33.25 | A |
| azadirachtin | N-grnhs flower | 0.22 | 19 | 137,462.5 | S |
| azadirachtin | N-grnhs plants in containers | 16.87 | 129 | 287.18 | A |
| azadirachtin | N-grnhs plants in containers | 1.84 | 80 | 2,774,146.0 | S |
| azadirachtin | N-grnhs transplants | 0.04 | 14 | 1.46 | A |
| azadirachtin | N-outdr flower | 0.21 | 20 | 20.5 | A |
| azadirachtin | N-outdr plants in containers | 1.7 | 9 | 15.82 | A |
| azadirachtin | N-outdr plants in containers | 0.48 | 4 | 77,200.0 | S |
| azadirachtin | N-outdr transplants | 0.95 | 20 | 52.5 | A |
| azadirachtin | N-outdr transplants | 6.89 | 175 | 10,462,382.0 | S |
| azadirachtin | Parsley | 0.51 | 2 | 14.4 | A |
| azadirachtin | Peas | 0.17 | 7 | 25.8 | A |
| azadirachtin | Pepper, fruiting | 0.68 | 3 | 29.9 | A |
| azadirachtin | Pumpkin | 0.74 | 10 | 26.27 | A |
| azadirachtin | Radicchio | 2.94 | 9 | 86.1 | A |
| azadirachtin | Radish | 2.38 | 15 | 48.61 | A |
| azadirachtin | Raspberry | 27.19 | 71 | 851.96 | A |
| azadirachtin | Research commodity | 0.03 | 3 | 0.84 | A |
| azadirachtin | Research commodity | 0.15 | N/A | N/A | N/A |
| azadirachtin | Spinach | 3.97 | 47 | 175.7 | A |
| azadirachtin | Strawberry | 551.7 | 571 | 14,839.48 | A |
| azadirachtin | Swiss chard | 1.76 | 36 | 67.24 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|-------------------------|----------------|-------|--------------|--------------|
| azoxystrobin | Artichoke, globe | 1,146.04 | 385 | 4,923.1 | A |
| azoxystrobin | Beet | 0.05 | N/A | 1,862.46 | P |
| azoxystrobin | Blackberry | 22.09 | 5 | 89.0 | A |
| azoxystrobin | Broccoli | 2,899.53 | 1,184 | 14,418.93 | A |
| azoxystrobin | Brussels sprout | 459.19 | 106 | 1,961.31 | A |
| azoxystrobin | Cabbage | 262.58 | 92 | 1,259.8 | A |
| azoxystrobin | Cabbage | <0.01 | N/A | 3.31 | P |
| azoxystrobin | Cardoon | 2.62 | 4 | 11.3 | A |
| azoxystrobin | Carrot | 6.83 | 6 | 52.95 | A |
| azoxystrobin | Carrot | 0.04 | N/A | 1,484.93 | P |
| azoxystrobin | Cauliflower | 119.84 | 59 | 540.02 | A |
| azoxystrobin | Celery | 92.75 | 43 | 405.0 | A |
| azoxystrobin | Celery | <0.01 | N/A | 20.5 | P |
| azoxystrobin | Cilantro | 25.48 | 31 | 103.14 | A |
| azoxystrobin | Corn, human consumption | 0.19 | N/A | 28,880.0 | P |
| azoxystrobin | Cucumber | 1.04 | N/A | 41,999.69 | P |
| azoxystrobin | Endive (escarole) | 7.9 | 31 | 53.7 | A |
| azoxystrobin | Fennel | 22.61 | 10 | 95.3 | A |
| azoxystrobin | Fennel | 0.01 | N/A | 556.78 | P |
| azoxystrobin | Garlic | 341.05 | 81 | 1,396.0 | A |
| azoxystrobin | Golf course turf | 3.58 | N/A | 6.0 | A |
| azoxystrobin | Grape, wine | 1,403.08 | 146 | 5,874.12 | A |
| azoxystrobin | Landscape maintenance | 53.1 | N/A | N/A | N/A |
| azoxystrobin | Leek | 98.98 | 64 | 434.33 | A |
| azoxystrobin | Lettuce, head | 3.7 | 1 | 15.2 | A |
| azoxystrobin | Lettuce, leaf | 35.17 | 18 | 182.7 | A |
| azoxystrobin | Lettuce, leaf | 0.01 | N/A | 412.62 | P |
| azoxystrobin | Melon | 0.07 | N/A | 2,720.61 | P |
| azoxystrobin | N-grnhs flower | 2.0 | 26 | 107,496.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| azoxystrobin | N-grnhs plants in containers | 117.95 | 115 | 196.15 | A |
| azoxystrobin | N-grnhs plants in containers | 0.57 | 6 | 32,244.0 | S |
| azoxystrobin | N-outdr plants in containers | 62.17 | 50 | 99.99 | A |
| azoxystrobin | N-outdr plants in containers | 0.03 | 2 | 7,000.0 | S |
| azoxystrobin | N-outdr transplants | 5.94 | 12 | 32.75 | A |
| azoxystrobin | Onion, dry | 0.94 | N/A | 38,357.57 | P |
| azoxystrobin | Parsnip | <0.01 | N/A | 111.5 | P |
| azoxystrobin | Peas | 95.87 | 36 | 424.74 | A |
| azoxystrobin | Pepper, fruiting | 28.78 | 16 | 158.1 | A |
| azoxystrobin | Pepper, fruiting | <0.01 | N/A | 32.35 | P |
| azoxystrobin | Pumpkin | 0.1 | N/A | 4,087.1 | P |
| azoxystrobin | Rapini | 9.66 | 17 | 41.6 | A |
| azoxystrobin | Research commodity | 0.26 | N/A | N/A | N/A |
| azoxystrobin | Spinach | 526.33 | 132 | 2,056.9 | A |
| azoxystrobin | Spinach | 0.01 | N/A | 250.05 | P |
| azoxystrobin | Squash | 0.02 | N/A | 763.27 | P |
| azoxystrobin | Strawberry | 883.61 | 139 | 4,116.55 | A |
| azoxystrobin | Tomato | <0.01 | N/A | 6.59 | P |
| azoxystrobin | Watermelon | 0.02 | N/A | 850.46 | P |
| bacillus amyloliquefaciens strain d747 | Arugula | 260.62 | 13 | 63.06 | A |
| bacillus amyloliquefaciens strain d747 | Asparagus | 4.99 | 1 | 15.0 | A |
| bacillus amyloliquefaciens strain d747 | Blackberry | 678.42 | 4 | 77.0 | A |
| bacillus amyloliquefaciens strain d747 | Broccoli | 1.3 | 1 | 10.4 | A |
| bacillus amyloliquefaciens strain d747 | Cannabis (all or unspecified) | 506.15 | 46 | 163.95 | A |
| bacillus amyloliquefaciens strain d747 | Cannabis (all or unspecified) | 428.55 | 202 | 5,801,819.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus amyloliquefaciens strain d747 | Celery | 328.99 | 7 | 74.65 | A |
| bacillus amyloliquefaciens strain d747 | Collard | 8.81 | 1 | 4.0 | A |
| bacillus amyloliquefaciens strain d747 | Grape, wine | 2,362.01 | 51 | 858.24 | A |
| bacillus amyloliquefaciens strain d747 | Kale | 13.22 | 1 | 6.0 | A |
| bacillus amyloliquefaciens strain d747 | Lettuce, head | 56.74 | 4 | 19.6 | A |
| bacillus amyloliquefaciens strain d747 | Lettuce, leaf | 372.99 | 23 | 181.2 | A |
| bacillus amyloliquefaciens strain d747 | N-grnhs plants in containers | 6.23 | 2 | 40,800.0 | S |
| bacillus amyloliquefaciens strain d747 | N-grnhs transplants | 301.0 | 919 | 235.9 | A |
| bacillus amyloliquefaciens strain d747 | N-outdr transplants | 218.73 | 49 | 3,004,204.0 | S |
| bacillus amyloliquefaciens strain d747 | Raspberry | 427.31 | 13 | 77.76 | A |
| bacillus amyloliquefaciens strain d747 | Research commodity | 2.08 | N/A | N/A | N/A |
| bacillus amyloliquefaciens strain d747 | Spinach | 667.45 | 20 | 281.87 | A |
| bacillus amyloliquefaciens strain d747 | Strawberry | 35,834.72 | 205 | 6,999.35 | A |
| bacillus amyloliquefaciens strain d747 | Strawberry | 30.84 | 7 | 7.0 | U |
| bacillus amyloliquefaciens strain d747 | Swiss chard | 22.03 | 2 | 10.0 | A |
| bacillus amyloliquefaciens strain f727 | Cannabis (all or unspecified) | 84.5 | 24 | 12.55 | A |
| bacillus amyloliquefaciens strain f727 | Celery | 32.9 | 2 | 8.17 | A |
| bacillus amyloliquefaciens strain f727 | Lettuce, head | 75.2 | 1 | 18.7 | A |
| bacillus amyloliquefaciens strain f727 | Lettuce, leaf | 1,440.58 | 48 | 259.24 | A |
| bacillus amyloliquefaciens strain f727 | Mizuna | 32.25 | 3 | 8.0 | A |
| bacillus amyloliquefaciens strain f727 | Spinach | 1,922.51 | 123 | 478.0 | A |
| bacillus amyloliquefaciens strain f727 | Strawberry | 654.13 | 5 | 179.68 | A |
| bacillus amyloliquefaciens strain mbi 600 | Blackberry | 7.73 | 3 | 74.0 | A |
| bacillus amyloliquefaciens strain mbi 600 | Grape, wine | 34.44 | 14 | 1,252.4 | A |
| bacillus amyloliquefaciens strain mbi 600 | Lettuce, head | 0.03 | 1 | 1.15 | A |
| bacillus amyloliquefaciens strain mbi 600 | Lettuce, leaf | 0.14 | 1 | 5.1 | A |
| bacillus amyloliquefaciens strain mbi 600 | Strawberry | 4.5 | 4 | 61.75 | A |
| bacillus mycoides isolate j | Lettuce, leaf | 2.15 | 5 | 20.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|-------------------------------|----------------|------|--------------|--------------|
| bacillus mycoides isolate j | N-outdr transplants | 1.36 | 7 | 527,913.0 | S |
| bacillus pumilus, strain qst 2808 | Artichoke, globe | 3.86 | 10 | 122.7 | A |
| bacillus pumilus, strain qst 2808 | Arugula | 6.9 | 14 | 83.85 | A |
| bacillus pumilus, strain qst 2808 | Blackberry | 0.3 | 2 | 5.3 | A |
| bacillus pumilus, strain qst 2808 | Bok choy | 1.7 | 24 | 27.27 | A |
| bacillus pumilus, strain qst 2808 | Broccoli | 3.27 | 5 | 28.9 | A |
| bacillus pumilus, strain qst 2808 | Cannabis (all or unspecified) | 0.47 | 10 | 5.08 | A |
| bacillus pumilus, strain qst 2808 | Carrot | 6.19 | 5 | 103.1 | A |
| bacillus pumilus, strain qst 2808 | Cauliflower | 0.54 | 3 | 18.2 | A |
| bacillus pumilus, strain qst 2808 | Celery | 11.54 | 31 | 157.3 | A |
| bacillus pumilus, strain qst 2808 | Collard | 0.03 | 1 | 0.29 | A |
| bacillus pumilus, strain qst 2808 | Grape, wine | 85.23 | 47 | 822.54 | A |
| bacillus pumilus, strain qst 2808 | Kale | 3.24 | 27 | 52.0 | A |
| bacillus pumilus, strain qst 2808 | Landscape maintenance | 0.36 | N/A | N/A | N/A |
| bacillus pumilus, strain qst 2808 | Lettuce, head | 5.85 | 9 | 85.4 | A |
| bacillus pumilus, strain qst 2808 | Lettuce, leaf | 55.79 | 104 | 731.69 | A |
| bacillus pumilus, strain qst 2808 | Mizuna | 0.47 | 27 | 7.0 | A |
| bacillus pumilus, strain qst 2808 | Mustard greens | 2.08 | 12 | 34.6 | A |
| bacillus pumilus, strain qst 2808 | N-grnhs transplants | 28.33 | 922 | 236.35 | A |
| bacillus pumilus, strain qst 2808 | N-outdr transplants | 0.87 | 14 | 633,169.0 | S |
| bacillus pumilus, strain qst 2808 | Peas | 37.25 | 75 | 754.7 | A |
| bacillus pumilus, strain qst 2808 | Radicchio | 12.65 | 13 | 140.6 | A |
| bacillus pumilus, strain qst 2808 | Raspberry | 12.0 | 11 | 100.36 | A |
| bacillus pumilus, strain qst 2808 | Spinach | 71.12 | 101 | 901.2 | A |
| bacillus pumilus, strain qst 2808 | Strawberry | 7.34 | 17 | 102.85 | A |
| bacillus pumilus, strain qst 2808 | Swiss chard | 2.86 | 31 | 41.81 | A |
| bacillus subtilis strain iab/bs03 | Broccoli | 0.04 | 5 | 32.0 | A |
| bacillus subtilis strain iab/bs03 | Celery | 0.03 | 6 | 40.0 | A |
| bacillus subtilis strain iab/bs03 | Collard | <0.01 | 1 | 4.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|-------|--------------|--------------|
| bacillus subtilis strain iab/bs03 | Kale | 0.01 | 1 | 6.0 | A |
| bacillus subtilis strain iab/bs03 | Lettuce, leaf | 0.01 | 2 | 16.0 | A |
| bacillus subtilis strain iab/bs03 | Raspberry | 0.01 | 2 | 6.94 | A |
| bacillus subtilis strain iab/bs03 | Strawberry | 3.87 | 36 | 1,178.61 | A |
| bacillus subtilis strain iab/bs03 | Swiss chard | 0.01 | 2 | 10.0 | A |
| bacillus thuringiensis (berliner) | Bok choy | 0.67 | 10 | 21.0 | A |
| bacillus thuringiensis (berliner) | Brussels sprout | 0.29 | 4 | 9.0 | A |
| bacillus thuringiensis (berliner) | Cabbage | 0.99 | 6 | 31.0 | A |
| bacillus thuringiensis (berliner) | Cannabis (all or unspecified) | 1.02 | 23 | 19.5 | A |
| bacillus thuringiensis (berliner) | Collard | 0.9 | 2 | 8.0 | A |
| bacillus thuringiensis (berliner) | Kale | 0.13 | 1 | 4.0 | A |
| bacillus thuringiensis (berliner) | Lettuce, head | 0.13 | 1 | 4.0 | A |
| bacillus thuringiensis (berliner) | Lettuce, leaf | 0.13 | 1 | 4.0 | A |
| bacillus thuringiensis (berliner) | N-grnhs plants in containers | 0.02 | 1 | 21,120.0 | S |
| bacillus thuringiensis (berliner) | N-outdr plants in containers | 0.01 | 1 | 1.75 | A |
| bacillus thuringiensis (berliner) | Swiss chard | 0.13 | 1 | 4.0 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Artichoke, globe | 1,469.57 | 151 | 1,555.32 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Arugula | 36.25 | 5 | 36.25 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Blackberry | 20.0 | 1 | 20.0 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Broccoli | 15,151.17 | 1,346 | 17,170.64 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Brussels sprout | 6,103.27 | 462 | 8,253.28 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Cabbage | 2,410.51 | 240 | 2,595.66 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Cannabis (all or unspecified) | 0.2 | 1 | 0.28 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Carrot | 10.27 | 1 | 10.27 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Cauliflower | 6,843.24 | 681 | 7,543.21 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Celery | 1,339.61 | 159 | 1,375.3 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Collard | 34.49 | 41 | 36.49 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Fennel | 15.4 | 1 | 15.4 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Kale | 221.03 | 58 | 226.8 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Kohlrabi | 9.4 | 4 | 9.4 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Lettuce, head | 438.18 | 61 | 456.2 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Lettuce, leaf | 3,673.76 | 365 | 3,675.78 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Mizuna | 6.6 | 2 | 6.6 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Mustard greens | 9.21 | 12 | 14.32 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Peas | 264.35 | 25 | 264.35 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Pepper, fruiting | 36.4 | 3 | 36.4 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Rapini | 2,002.55 | 133 | 2,289.5 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Raspberry | 112.64 | 4 | 115.68 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Spinach | 456.16 | 51 | 456.78 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Strawberry | 2,682.51 | 64 | 3,244.08 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Swiss chard | 13.3 | 2 | 13.3 | A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Public health | 427.96 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12 | Cannabis (all or unspecified) | 12.05 | 3 | 60,000.0 | S |
| bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12 | Landscape maintenance | 62.36 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b | Research commodity | <0.01 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Artichoke, globe | 151.29 | 11 | 151.4 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Blackberry | 153.0 | 8 | 180.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Broccoli | 4,073.12 | 233 | 3,235.83 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Brussels sprout | 1,582.76 | 86 | 1,248.51 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cabbage | 1,011.24 | 66 | 818.8 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cannabis (all or unspecified) | 0.23 | 3 | 24.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cauliflower | 695.56 | 80 | 554.7 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Celery | 386.71 | 39 | 303.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Chinese cabbage (napa, won bok, celery cabbage) | 5.11 | 3 | 8.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Collard | 1.12 | 2 | 0.88 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Kale | 2.17 | 1 | 1.7 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Lettuce, head | 25.5 | 2 | 20.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Lettuce, leaf | 6,954.13 | 397 | 5,454.06 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Mustard greens | 1,123.4 | 140 | 881.1 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | N-grnhs plants in containers | 296.91 | 9 | 14.46 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | N-outdr transplants | 124.46 | 83 | 5,128,643.0 | S |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Rapini | 38.0 | 2 | 29.8 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Raspberry | 85.94 | 2 | 67.4 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Research commodity | 5.1 | 1 | 4.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Spinach | 6,398.91 | 355 | 5,018.75 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Strawberry | 2,620.07 | 83 | 3,057.45 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Swiss chard | 940.57 | 88 | 737.7 | A |
| bacillus thuringiensis ssp kurstaki, strain evb 113 19 | Brussels sprout | 164.98 | 15 | 479.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis ssp kurstaki, strain evb 113 19 | Cauliflower | 1.42 | 1 | 8.2 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Artichoke, globe | 41.12 | 5 | 51.4 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Blackberry | 24.0 | 2 | 60.0 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Brussels sprout | 1,248.82 | 95 | 1,647.13 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Strawberry | 18.0 | 1 | 45.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Artichoke, globe | 892.7 | 108 | 1,165.1 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Arugula | 241.09 | 89 | 258.66 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Beet | 6.75 | 1 | 12.5 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Blackberry | 43.2 | 2 | 50.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Bok choy | 139.73 | 147 | 164.78 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Broccoli | 19,280.39 | 2,474 | 21,607.74 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Brussels sprout | 5,907.81 | 656 | 7,600.22 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Cabbage | 2,948.49 | 721 | 3,036.76 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Cauliflower | 9,116.38 | 1,357 | 10,518.42 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Celery | 2,941.7 | 671 | 3,043.14 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Chinese cabbage (napa, won bok, celery cabbage) | 137.38 | 22 | 127.2 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Endive (escarole) | 16.93 | 13 | 16.2 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Kale | 1,150.64 | 367 | 1,335.85 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Kohlrabi | 33.4 | 12 | 43.7 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Leek | 52.92 | 21 | 62.9 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Lettuce, head | 973.81 | 374 | 1,187.6 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Lettuce, leaf | 3,987.0 | 826 | 4,758.34 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Mizuna | 19.0 | 49 | 30.28 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Mustard | 11.77 | 6 | 15.5 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Mustard greens | 229.32 | 85 | 277.97 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | N-grnhs plants in containers | 0.95 | 3 | 2.25 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | N-grnhs transplants | 95.97 | 621 | 177.72 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Peas | 21.6 | 6 | 20.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Radicchio | 59.21 | 17 | 64.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Raspberry | 91.05 | 10 | 97.54 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Spinach | 172.68 | 77 | 268.45 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Strawberry | 2,679.7 | 33 | 2,739.91 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Swiss chard | 94.62 | 95 | 141.89 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Tat soi (spinach mustard) | 0.27 | 1 | 0.5 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Upland cress | 112.05 | 72 | 176.8 | A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Cannabis (all or unspecified) | 34.64 | 12 | 10.62 | A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Cannabis (all or unspecified) | 49.09 | 88 | 951,656.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-grnhs plants in containers | 135.27 | 12 | 20.59 | A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-grnhs plants in containers | 54.8 | 89 | 165,550.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-grnhs transplants | 6.72 | 49 | 19.85 | A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-outdr plants in containers | 0.61 | 1 | 1,600.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Public health | 204.54 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Research commodity | 0.3 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Uncultivated ag | 1.47 | 2 | 2,200.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Artichoke, globe | 232.15 | 50 | 312.7 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Arugula | 2.27 | 1 | 8.4 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Blackberry | 93.13 | 12 | 98.96 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Bok choy | 42.12 | 57 | 76.8 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Broccoli | 2,066.58 | 350 | 2,772.83 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Brussels sprout | 706.55 | 76 | 658.51 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cabbage | 257.36 | 38 | 276.49 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cannabis (all or unspecified) | 12.83 | 17 | 15.95 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cannabis (all or unspecified) | 7.56 | 9 | 108,000.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cauliflower | 1,638.07 | 257 | 1,882.11 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Celery | 816.87 | 126 | 871.45 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Chinese cabbage (napa, won bok, celery cabbage) | 89.59 | 62 | 156.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Collard | 1.08 | 1 | 2.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Corn, human consumption | 5.4 | 1 | 5.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Grape, wine | 103.36 | 11 | 191.4 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Kale | 136.07 | 31 | 154.8 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Landscape maintenance | 4.86 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Lettuce, head | 189.65 | 26 | 246.3 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Lettuce, leaf | 383.69 | 69 | 514.83 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs plants in containers | 70.25 | 31 | 46.23 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs plants in containers | 5.04 | 46 | 194,960.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs transplants | 278.45 | 1,869 | 514.37 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr flower | 63.72 | 30 | 90.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr plants in containers | 1.93 | 5 | 3.84 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr plants in containers | 4.85 | 5 | 132,600.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr transplants | 1.62 | 2 | 6.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr transplants | 10.17 | 13 | 663,241.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Pepper, fruiting | 24.22 | 3 | 29.9 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Pumpkin | 14.19 | 10 | 26.27 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Radicchio | 37.31 | 6 | 69.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Raspberry | 430.75 | 39 | 497.37 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Research commodity | 12.83 | 5 | 23.75 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Spinach | 12.91 | 2 | 23.9 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Strawberry | 4,252.17 | 383 | 6,914.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Swiss chard | 34.76 | 11 | 50.58 | A |
| bacillus thuringiensis, subsp. kurstaki, strain hd-1 | N-grnhs plants in containers | 0.1 | 1 | 26,400.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain hd-1 | N-outdr plants in containers | 0.14 | 2 | 2.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain hd-1 | N-outdr plants in containers | 0.07 | 1 | 26,350.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain hd-1 | Strawberry | 1.8 | 3 | 58.5 | A |
| beauveria bassiana strain ant-03 | Cannabis (all or unspecified) | 20.58 | 51 | 27.29 | A |
| beauveria bassiana strain ant-03 | Cannabis (all or unspecified) | 35.83 | 107 | 1,530,463.0 | S |
| beauveria bassiana strain gha | Bok choy | 4.16 | 9 | 19.0 | A |
| beauveria bassiana strain gha | Broccoli | 31.08 | 19 | 134.0 | A |
| beauveria bassiana strain gha | Brussels sprout | 10.24 | 6 | 46.8 | A |
| beauveria bassiana strain gha | Cabbage | 12.91 | 9 | 55.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|-------------------------------|----------------|------|--------------|--------------|
| beauveria bassiana strain gha | Cannabis (all or unspecified) | 14.36 | 46 | 51.12 | A |
| beauveria bassiana strain gha | Cannabis (all or unspecified) | 35.13 | 119 | 1,765,558.0 | S |
| beauveria bassiana strain gha | Cauliflower | 50.33 | 21 | 220.0 | A |
| beauveria bassiana strain gha | Collard | 2.19 | 3 | 10.0 | A |
| beauveria bassiana strain gha | Grape, wine | 3.63 | 3 | 16.5 | A |
| beauveria bassiana strain gha | Kale | 1.75 | 2 | 8.0 | A |
| beauveria bassiana strain gha | Lettuce, head | 3.5 | 3 | 16.0 | A |
| beauveria bassiana strain gha | Lettuce, leaf | 6.57 | 5 | 30.0 | A |
| beauveria bassiana strain gha | N-grnhs flower | 1.84 | 19 | 124,425.0 | S |
| beauveria bassiana strain gha | N-grnhs plants in containers | 0.85 | 9 | 93,000.0 | S |
| beauveria bassiana strain gha | N-outdr plants in containers | 1.1 | 1 | 2.3 | A |
| beauveria bassiana strain gha | N-outdr plants in containers | <0.01 | 1 | 20.0 | C |
| beauveria bassiana strain gha | N-outdr plants in containers | 0.16 | 1 | 15,000.0 | S |
| beauveria bassiana strain gha | Research commodity | 0.33 | N/A | N/A | N/A |
| beauveria bassiana strain gha | Strawberry | 352.62 | 76 | 1,197.9 | A |
| beauveria bassiana strain gha | Structural pest control | 0.07 | N/A | N/A | N/A |
| beauveria bassiana strain gha | Swiss chard | 4.6 | 5 | 21.0 | A |
| beauveria bassiana strain ppri 5339 | Cannabis (all or unspecified) | 156.01 | 163 | 131.12 | A |
| beauveria bassiana strain ppri 5339 | Cannabis (all or unspecified) | 366.3 | 314 | 3,057,590.0 | S |
| benefin | Broccoli | 9.24 | 1 | 15.4 | A |
| benefin | Lettuce, head | 607.71 | 59 | 689.74 | A |
| benefin | Lettuce, leaf | 742.15 | 101 | 932.86 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| benefin | Uncultivated ag | 111.78 | 13 | 109.9 | A |
| bensulide | Arugula | 6,830.07 | 316 | 1,808.27 | A |
| bensulide | Bok choy | 4.36 | 4 | 1.1 | A |
| bensulide | Broccoli | 29,601.06 | 804 | 8,211.01 | A |
| bensulide | Brussels sprout | 166.57 | 4 | 42.0 | A |
| bensulide | Cabbage | 5,233.58 | 155 | 1,334.1 | A |
| bensulide | Cauliflower | 2,001.08 | 51 | 539.4 | A |
| bensulide | Celery | 32.24 | 1 | 6.5 | A |
| bensulide | Cucumber | 383.1 | 33 | 159.17 | A |
| bensulide | Endive (escarole) | 633.63 | 97 | 214.85 | A |
| bensulide | Kale | 2,194.36 | 244 | 590.29 | A |
| bensulide | Landscape maintenance | 187.0 | N/A | N/A | N/A |
| bensulide | Lettuce, head | 32,127.84 | 951 | 9,884.69 | A |
| bensulide | Lettuce, leaf | 85,902.87 | 2,873 | 24,585.03 | A |
| bensulide | Mizuna | 263.61 | 61 | 64.2 | A |
| bensulide | Mustard greens | 216.8 | 27 | 73.58 | A |
| bensulide | Onion, dry | 105.02 | 4 | 25.1 | A |
| bensulide | Pepper, fruiting | 99.15 | 5 | 30.0 | A |
| bensulide | Pumpkin | 140.27 | 12 | 47.17 | A |
| bensulide | Rapini | 4,592.57 | 78 | 1,145.2 | A |
| bensulide | Research commodity | 0.03 | 1 | 0.12 | A |
| bensulide | Research commodity | 36.1 | N/A | N/A | N/A |
| bensulide | Squash, summer | 29.78 | 4 | 15.0 | A |
| bensulide | Uncultivated ag | 4.96 | 1 | 5.0 | A |
| bensulide | Upland cress | 411.92 | 54 | 103.13 | A |
| bentazon, sodium salt | Bean, dried | 371.23 | 28 | 313.35 | A |
| bentazon, sodium salt | Bean, succulent | 161.63 | 12 | 147.65 | A |
| bentazon, sodium salt | Bean, unspecified | 126.61 | 20 | 115.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| benzotiazuron, sodium salt | Peas | 3,658.06 | 319 | 2,978.99 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Alfalfa | 1.57 | 1 | 100.0 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Barley | 1.49 | 2 | 378.0 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Broccoli | 0.29 | 1 | 9.2 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Lettuce, head | 68.85 | 153 | 1,731.1 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Lettuce, leaf | 67.43 | 152 | 1,769.2 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | N-outdr flower | 0.32 | 4 | 13.09 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Research commodity | 0.14 | N/A | N/A | N/A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Strawberry | 116.85 | 119 | 1,339.26 | A |
| benzoic acid | Airport | 0.57 | N/A | 415.0 | A |
| benzoic acid | Alfalfa | 1.13 | 28 | 198.5 | A |
| benzoic acid | Artichoke, globe | 4.61 | 66 | 1,096.2 | A |
| benzoic acid | Arugula | 40.93 | 118 | 1,008.22 | A |
| benzoic acid | Bean, dried | 3.69 | 22 | 275.7 | A |
| benzoic acid | Bean, succulent | 0.89 | 9 | 106.35 | A |
| benzoic acid | Bean, unspecified | 1.73 | 43 | 257.65 | A |
| benzoic acid | Bok choy | 0.52 | 120 | 85.0 | A |
| benzoic acid | Broccoli | 52.99 | 1,002 | 8,814.45 | A |
| benzoic acid | Brussels sprout | 13.62 | 76 | 1,030.5 | A |
| benzoic acid | Cabbage | 1.42 | 142 | 295.9 | A |
| benzoic acid | Carrot | 2.95 | 65 | 708.1 | A |
| benzoic acid | Cauliflower | 20.46 | 473 | 4,949.28 | A |
| benzoic acid | Celery | 19.8 | 445 | 3,485.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| benzoic acid | Cilantro | 0.64 | 47 | 135.5 | A |
| benzoic acid | Cucumber | 0.27 | 8 | 47.9 | A |
| benzoic acid | Endive (escarole) | 0.87 | 13 | 50.35 | A |
| benzoic acid | Fennel | 0.7 | 23 | 122.6 | A |
| benzoic acid | Garlic | 0.33 | 7 | 86.8 | A |
| benzoic acid | Grape, wine | 0.72 | 15 | 111.37 | A |
| benzoic acid | Kale | 6.74 | 100 | 176.56 | A |
| benzoic acid | Kohlrabi | 0.33 | 29 | 57.5 | A |
| benzoic acid | Landscape maintenance | 1.02 | N/A | N/A | N/A |
| benzoic acid | Leek | 0.19 | 1 | 33.0 | A |
| benzoic acid | Lettuce, head | 76.86 | 712 | 6,890.08 | A |
| benzoic acid | Lettuce, leaf | 184.23 | 1,757 | 11,767.14 | A |
| benzoic acid | Mizuna | 0.16 | 4 | 4.12 | A |
| benzoic acid | Oat | 0.59 | 5 | 75.9 | A |
| benzoic acid | Onion, dry | 1.31 | 13 | 287.5 | A |
| benzoic acid | Peas | 9.26 | 147 | 1,680.5 | A |
| benzoic acid | Pepper, fruiting | 0.26 | 2 | 24.0 | A |
| benzoic acid | Radicchio | 0.84 | 8 | 147.4 | A |
| benzoic acid | Rights of way | 32.63 | N/A | N/A | N/A |
| benzoic acid | Rye | 0.17 | 8 | 30.5 | A |
| benzoic acid | Spinach | 56.99 | 332 | 3,291.93 | A |
| benzoic acid | Sudangrass | 0.06 | 2 | 11.0 | A |
| benzoic acid | Sunflower | 0.86 | 4 | 40.0 | A |
| benzoic acid | Triticale | 0.49 | 5 | 85.5 | A |
| benzoic acid | Uncultivated ag | 109.83 | 631 | 7,160.85 | A |
| benzoic acid | Uncultivated non-ag | 0.2 | 2 | 13.0 | A |
| benzoic acid | Upland cress | 4.24 | 54 | 103.13 | A |
| benzoic acid | Water area | 0.61 | 7 | 22.0 | A |
| benzoic acid | Wheat | 0.05 | 1 | 9.5 | A |
| benzovindiflupyr | Grape, wine | 28.31 | 1 | 418.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|---|-----------------------|-------------|---------------------|---------------------|
| benzovindiflupyr | Landscape maintenance | 0.42 | N/A | N/A | N/A |
| benzovindiflupyr | N-outdr plants in containers | 0.02 | 2 | 1.15 | A |
| beta-conglutin | Grape, wine | 1,075.23 | 132 | 2,119.01 | A |
| beta-conglutin | Strawberry | 313.64 | 87 | 581.54 | A |
| beta-cyfluthrin | Arugula | 2.39 | 36 | 91.28 | A |
| beta-cyfluthrin | Bok choy | 0.49 | 5 | 18.55 | A |
| beta-cyfluthrin | Broccoli | 100.18 | 266 | 3,839.49 | A |
| beta-cyfluthrin | Brussels sprout | 61.26 | 131 | 2,284.5 | A |
| beta-cyfluthrin | Cabbage | 10.07 | 44 | 371.2 | A |
| beta-cyfluthrin | Cauliflower | 32.3 | 126 | 1,201.0 | A |
| beta-cyfluthrin | Celery | 12.15 | 49 | 449.5 | A |
| beta-cyfluthrin | Chinese cabbage (napa, won bok, celery cabbage) | 0.89 | 8 | 33.82 | A |
| beta-cyfluthrin | Collard | 1.37 | 27 | 48.25 | A |
| beta-cyfluthrin | Cucumber | 0.36 | 1 | 15.0 | A |
| beta-cyfluthrin | Endive (escarole) | 0.84 | 10 | 31.28 | A |
| beta-cyfluthrin | Kale | 14.96 | 114 | 555.32 | A |
| beta-cyfluthrin | Landscape maintenance | 2.07 | N/A | N/A | N/A |
| beta-cyfluthrin | Lemon | 9.39 | 9 | 247.0 | A |
| beta-cyfluthrin | Lettuce, head | 51.96 | 183 | 1,962.76 | A |
| beta-cyfluthrin | Lettuce, leaf | 156.75 | 523 | 6,131.25 | A |
| beta-cyfluthrin | Mustard greens | 0.87 | 24 | 29.8 | A |
| beta-cyfluthrin | Parsley | 2.29 | 9 | 83.4 | A |
| beta-cyfluthrin | Pepper, fruiting | 0.3 | 1 | 12.6 | A |
| beta-cyfluthrin | Rapini | 37.33 | 83 | 1,431.3 | A |
| beta-cyfluthrin | Spinach | 27.44 | 143 | 1,022.45 | A |
| beta-cyfluthrin | Structural pest control | 22.58 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| beta-cyfluthrin | Swiss chard | 4.25 | 39 | 159.55 | A |
| bifenazate | Blackberry | 36.39 | 6 | 72.77 | A |
| bifenazate | Grape, wine | 362.29 | 44 | 775.86 | A |
| bifenazate | N-grnhs flower | 0.5 | 4 | 2.0 | A |
| bifenazate | N-grnhs flower | 0.34 | 6 | 40,537.5 | S |
| bifenazate | N-grnhs plants in containers | 39.24 | 30 | 82.4 | A |
| bifenazate | N-grnhs plants in containers | 3.1 | 47 | 1,014,819.0 | S |
| bifenazate | N-outdr flower | 6.86 | 79 | 73.0 | A |
| bifenazate | N-outdr plants in containers | 2.34 | 3 | 5.15 | A |
| bifenazate | Raspberry | 143.53 | 21 | 289.89 | A |
| bifenazate | Research commodity | 0.07 | N/A | N/A | N/A |
| bifenazate | Strawberry | 3,749.97 | 320 | 7,546.83 | A |
| bifenthrin | Artichoke, globe | 555.66 | 399 | 5,543.7 | A |
| bifenthrin | Bean, dried | 6.55 | 10 | 65.5 | A |
| bifenthrin | Blackberry | 2.75 | 2 | 27.5 | A |
| bifenthrin | Broccoli | 899.1 | 801 | 9,114.49 | A |
| bifenthrin | Brussels sprout | 94.4 | 76 | 945.66 | A |
| bifenthrin | Cabbage | 151.96 | 144 | 1,535.55 | A |
| bifenthrin | Cauliflower | 401.51 | 425 | 4,042.88 | A |
| bifenthrin | Celery | 250.74 | 289 | 2,527.45 | A |
| bifenthrin | Cucumber | 2.77 | 13 | 59.8 | A |
| bifenthrin | Fennel | 16.51 | 17 | 166.0 | A |
| bifenthrin | Kale | 44.99 | 70 | 453.92 | A |
| bifenthrin | Kohlrabi | 0.48 | 6 | 4.8 | A |
| bifenthrin | Landscape maintenance | 41.26 | N/A | N/A | N/A |
| bifenthrin | Lettuce, head | 196.85 | 146 | 1,980.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bifenthrin | N-grnhs flower | 0.1 | 4 | 53,524.0 | S |
| bifenthrin | N-grnhs plants in containers | 0.55 | 9 | 5.64 | A |
| bifenthrin | N-grnhs plants in containers | 8.33 | 80 | 2,485,505.0 | S |
| bifenthrin | N-outdr flower | 5.58 | 40 | 61.26 | A |
| bifenthrin | N-outdr transplants | 1.03 | 8 | 20.25 | A |
| bifenthrin | N-outdr transplants | 0.54 | 4 | 237,167.0 | S |
| bifenthrin | Peas | 78.54 | 68 | 791.9 | A |
| bifenthrin | Public health | 0.07 | N/A | N/A | N/A |
| bifenthrin | Radish | 1.06 | 8 | 16.4 | A |
| bifenthrin | Rapini | 140.0 | 79 | 1,414.2 | A |
| bifenthrin | Raspberry | 0.91 | 4 | 15.67 | A |
| bifenthrin | Research commodity | 0.2 | 2 | 2.0 | A |
| bifenthrin | Squash, summer | 1.5 | 5 | 17.24 | A |
| bifenthrin | Strawberry | 1,531.4 | 616 | 14,585.51 | A |
| bifenthrin | Structural pest control | 317.53 | N/A | N/A | N/A |
| bifenthrin | Swiss chard | 6.24 | 12 | 62.95 | A |
| bifenthrin | Uncultivated ag | 0.5 | 1 | 5.0 | A |
| borax | Rights of way | 185.27 | N/A | N/A | N/A |
| borax | Strawberry | 106.54 | 56 | 2,546.71 | A |
| borax | Structural pest control | 5.8 | N/A | N/A | N/A |
| boric acid | Cannabis (all or unspecified) | 0.28 | 11 | 10.5 | A |
| boric acid | Landscape maintenance | 118.74 | N/A | N/A | N/A |
| boric acid | Structural pest control | 3,931.53 | N/A | N/A | N/A |
| boscalid | Artichoke, globe | 70.24 | 13 | 193.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|------------------------------|----------------|-------|--------------|--------------|
| boscalid | Blackberry | 72.4 | 11 | 199.85 | A |
| boscalid | Broccoli | 457.76 | 139 | 1,249.98 | A |
| boscalid | Carrot | 79.14 | 26 | 329.45 | A |
| boscalid | Cauliflower | 52.86 | 20 | 139.7 | A |
| boscalid | Celery | 104.3 | 25 | 266.05 | A |
| boscalid | Grape, wine | 9,117.95 | 705 | 29,461.99 | A |
| boscalid | Kale | 0.78 | 2 | 2.0 | A |
| boscalid | Landscape maintenance | 3.67 | N/A | N/A | N/A |
| boscalid | Lettuce, head | 7,547.61 | 1,530 | 17,506.26 | A |
| boscalid | Lettuce, leaf | 11,350.65 | 2,364 | 25,375.68 | A |
| boscalid | N-grnhs plants in containers | 109.45 | 145 | 287.07 | A |
| boscalid | N-grnhs plants in containers | 0.19 | 9 | 14,350.0 | S |
| boscalid | N-grnhs transplants | 148.3 | 1,191 | 377.66 | A |
| boscalid | N-outdr flower | 2.9 | 21 | 23.0 | A |
| boscalid | N-outdr plants in containers | 96.06 | 29 | 86.88 | A |
| boscalid | N-outdr plants in containers | 0.36 | 4 | 35,000.0 | S |
| boscalid | Onion, dry | 294.11 | 64 | 1,111.85 | A |
| boscalid | Peas | 19.81 | 7 | 47.3 | A |
| boscalid | Raspberry | 113.42 | 18 | 324.2 | A |
| boscalid | Research commodity | 0.01 | 1 | 0.05 | A |
| boscalid | Research commodity | 0.15 | N/A | N/A | N/A |
| boscalid | Strawberry | 3,438.0 | 303 | 9,583.93 | A |
| brodifacoum | Structural pest control | <0.01 | N/A | N/A | N/A |
| brodifacoum | Vertebrate control | <0.01 | 4 | 4.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bromadiolone | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| bromadiolone | Structural pest control | 0.05 | N/A | N/A | N/A |
| bromadiolone | Uncultivated ag | <0.01 | 1 | 540,960.0 | S |
| bromethalin | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| bromethalin | Structural pest control | 0.58 | N/A | N/A | N/A |
| bromethalin | Vertebrate control | <0.01 | N/A | N/A | N/A |
| bromoxynil heptanoate | Alfalfa | 3.61 | 1 | 14.0 | A |
| bromoxynil heptanoate | Barley | 298.03 | 8 | 896.0 | A |
| bromoxynil heptanoate | Forage hay/silage | 19.46 | 6 | 66.8 | A |
| bromoxynil heptanoate | Oat | 19.52 | 5 | 75.9 | A |
| bromoxynil heptanoate | Onion, dry | 204.99 | 71 | 1,058.04 | A |
| bromoxynil heptanoate | Rye | 32.68 | 10 | 95.0 | A |
| bromoxynil heptanoate | Ryegrass | 11.18 | 2 | 32.5 | A |
| bromoxynil heptanoate | Sudangrass | 2.84 | 2 | 11.0 | A |
| bromoxynil heptanoate | Triticale | 42.56 | 11 | 164.7 | A |
| bromoxynil heptanoate | Uncultivated ag | 15.69 | 7 | 46.0 | A |
| bromoxynil heptanoate | Wheat | 6.3 | 2 | 18.4 | A |
| bromoxynil octanoate | Alfalfa | 3.74 | 1 | 14.0 | A |
| bromoxynil octanoate | Barley | 309.07 | 8 | 896.0 | A |
| bromoxynil octanoate | Forage hay/silage | 20.18 | 6 | 66.8 | A |
| bromoxynil octanoate | Oat | 167.02 | 18 | 351.5 | A |
| bromoxynil octanoate | Onion, dry | 212.58 | 71 | 1,058.04 | A |
| bromoxynil octanoate | Rye | 33.89 | 10 | 95.0 | A |
| bromoxynil octanoate | Ryegrass | 11.59 | 2 | 32.5 | A |
| bromoxynil octanoate | Sudangrass | 2.94 | 2 | 11.0 | A |
| bromoxynil octanoate | Triticale | 44.14 | 11 | 164.7 | A |
| bromoxynil octanoate | Uncultivated ag | 18.77 | 8 | 53.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| bromoxynil octanoate | Wheat | 6.54 | 2 | 18.4 | A |
| buprofezin | Grape, wine | 981.58 | 23 | 1,211.63 | A |
| buprofezin | N-grnhs plants in containers | 0.51 | 2 | 2.44 | A |
| buprofezin | N-grnhs plants in containers | 2.98 | 13 | 191,000.0 | S |
| buprofezin | N-outdr plants in containers | 9.73 | 4 | 6.97 | A |
| buprofezin | N-outdr plants in containers | 0.59 | 3 | 40,000.0 | S |
| buprofezin | Strawberry | 17.4 | 1 | 45.0 | A |
| burkholderia sp strain a396 cells and fermentation media | Artichoke, globe | 316.79 | 8 | 46.4 | A |
| burkholderia sp strain a396 cells and fermentation media | Arugula | 1,496.51 | 61 | 347.31 | A |
| burkholderia sp strain a396 cells and fermentation media | Bok choy | 790.67 | 127 | 184.6 | A |
| burkholderia sp strain a396 cells and fermentation media | Broccoli | 9,705.44 | 185 | 1,698.22 | A |
| burkholderia sp strain a396 cells and fermentation media | Brussels sprout | 951.92 | 10 | 133.3 | A |
| burkholderia sp strain a396 cells and fermentation media | Cabbage | 589.17 | 15 | 108.32 | A |
| burkholderia sp strain a396 cells and fermentation media | Cannabis (all or unspecified) | 1,487.28 | 196 | 170.36 | A |
| burkholderia sp strain a396 cells and fermentation media | Cannabis (all or unspecified) | 1,925.44 | 441 | 7,252,252.0 | S |
| burkholderia sp strain a396 cells and fermentation media | Cannabis (all or unspecified) | 155.59 | 24 | 348.0 | U |
| burkholderia sp strain a396 cells and fermentation media | Cauliflower | 3,254.41 | 85 | 563.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| burkholderia sp strain a396 cells and fermentation media | Celery | 1,496.9 | 49 | 232.64 | A |
| burkholderia sp strain a396 cells and fermentation media | Chinese cabbage (napa, won bok, celery cabbage) | 114.94 | 9 | 18.35 | A |
| burkholderia sp strain a396 cells and fermentation media | Cilantro | 228.76 | 9 | 41.11 | A |
| burkholderia sp strain a396 cells and fermentation media | Collard | 24.41 | 4 | 10.32 | A |
| burkholderia sp strain a396 cells and fermentation media | Corn (forage - fodder) | 1.13 | 1 | 0.25 | A |
| burkholderia sp strain a396 cells and fermentation media | Endive (escarole) | 30.99 | 8 | 3.58 | A |
| burkholderia sp strain a396 cells and fermentation media | Kale | 243.74 | 20 | 64.61 | A |
| burkholderia sp strain a396 cells and fermentation media | Leek | 1,102.52 | 14 | 127.38 | A |
| burkholderia sp strain a396 cells and fermentation media | Lettuce, head | 2,038.86 | 54 | 351.55 | A |
| burkholderia sp strain a396 cells and fermentation media | Lettuce, leaf | 13,838.73 | 323 | 2,029.5 | A |
| burkholderia sp strain a396 cells and fermentation media | Mizuna | 30.29 | 4 | 8.61 | A |
| burkholderia sp strain a396 cells and fermentation media | Parsley | 131.39 | 4 | 20.24 | A |
| burkholderia sp strain a396 cells and fermentation media | Radicchio | 212.06 | 5 | 49.0 | A |
| burkholderia sp strain a396 cells and fermentation media | Raspberry | 614.01 | 13 | 98.57 | A |
| burkholderia sp strain a396 cells and fermentation media | Research commodity | 1.28 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| burkholderia sp strain a396 cells and fermentation media | Spinach | 1,641.06 | 77 | 371.27 | A |
| burkholderia sp strain a396 cells and fermentation media | Strawberry | 8,906.85 | 65 | 1,139.19 | A |
| burkholderia sp strain a396 cells and fermentation media | Swiss chard | 488.25 | 39 | 124.3 | A |
| butoxy polypropylene glycol | Cannabis (all or unspecified) | <0.01 | 1 | 1,000.0 | S |
| butyl alcohol | Grape, wine | 2.51 | 18 | 161.9 | A |
| butyl alcohol | Landscape maintenance | 0.35 | N/A | N/A | N/A |
| butyl alcohol | Rights of way | 0.04 | N/A | N/A | N/A |
| butyl alcohol | Water area | 0.52 | 1 | 5.0 | A |
| butyl lactate | Alfalfa | 6.1 | 2 | 67.0 | A |
| butyl lactate | Bean, dried | 3.84 | 11 | 122.0 | A |
| butyl lactate | Bean, succulent | 3.47 | 7 | 83.35 | A |
| butyl lactate | Bean, unspecified | 3.29 | 20 | 115.55 | A |
| butyl lactate | Carrot | 2.41 | 10 | 25.1 | A |
| butyl lactate | Grape, wine | 81.0 | 99 | 1,743.08 | A |
| butyl lactate | Landscape maintenance | 0.71 | N/A | N/A | N/A |
| butyl lactate | Peas | 13.02 | 48 | 479.6 | A |
| butyl lactate | Rye | 1.02 | 3 | 11.2 | A |
| butyl lactate | Uncultivated ag | 0.17 | 1 | 6.0 | A |
| butyl lactate | Water area | 2.73 | 1 | 6.0 | A |
| butyl lactate | Wheat | 0.86 | 1 | 9.5 | A |
| calcium carbonate | Water (industrial) | 5,488.0 | N/A | 644.0 | A |
| calcium carbonate | Water (industrial) | 21,952.0 | N/A | 2,288.0 | U |
| calcium chloride | Artichoke, globe | 5.04 | 42 | 203.2 | A |
| calcium chloride | Bean, dried | 0.21 | 2 | 21.0 | A |
| calcium chloride | Bean, succulent | 1.58 | 16 | 120.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| calcium chloride | Bean, unspecified | 0.53 | 4 | 48.0 | A |
| calcium chloride | Bok choy | 0.09 | 6 | 6.78 | A |
| calcium chloride | Broccoli | 19.65 | 50 | 321.55 | A |
| calcium chloride | Brussels sprout | 1.06 | 3 | 33.6 | A |
| calcium chloride | Cauliflower | 13.04 | 41 | 215.2 | A |
| calcium chloride | Celery | 0.22 | 1 | 4.0 | A |
| calcium chloride | Grape, wine | 20.7 | 33 | 986.2 | A |
| calcium chloride | Kale | 0.16 | 6 | 12.0 | A |
| calcium chloride | Leek | 2.06 | 1 | 33.0 | A |
| calcium chloride | Lettuce, head | 34.29 | 113 | 1,129.0 | A |
| calcium chloride | Lettuce, leaf | 53.65 | 214 | 1,275.02 | A |
| calcium chloride | Mizuna | 0.02 | 6 | 1.5 | A |
| calcium chloride | Radicchio | 1.61 | 5 | 51.0 | A |
| calcium chloride | Strawberry | 5.95 | 2 | 90.0 | A |
| calcium chloride | Swiss chard | 0.12 | 6 | 9.14 | A |
| calcium chloride | Uncultivated ag | 7.77 | 24 | 73.0 | A |
| calcium hypochlorite | Ditch bank | 3,196.0 | N/A | 20.79 | A |
| canola oil | Blackberry | 22.29 | 2 | 27.5 | A |
| canola oil | Raspberry | 148.97 | 25 | 159.65 | A |
| canola oil | Strawberry | 538.46 | 149 | 611.41 | A |
| capric acid | Asparagus | 93.12 | 1 | 5.5 | A |
| capric acid | Blackberry | 143.96 | 2 | 40.0 | A |
| capric acid | Carrot | 84.43 | 2 | 13.6 | A |
| capric acid | Cilantro | 232.88 | 10 | 47.05 | A |
| capric acid | Grape, wine | 17,695.5 | 86 | 1,675.47 | A |
| capric acid | Landscape maintenance | 102.57 | N/A | N/A | N/A |
| capric acid | Lettuce, head | 514.27 | 67 | 252.49 | A |
| capric acid | Lettuce, leaf | 1,261.86 | 120 | 634.68 | A |
| capric acid | Parsley | 273.04 | 10 | 38.32 | A |
| capric acid | Raspberry | 9,767.38 | 118 | 1,032.35 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| capric acid | Rights of way | 2,944.51 | 39 | 198.88 | A |
| capric acid | Rights of way | 742.59 | N/A | N/A | N/A |
| capric acid | Soil fumigation/preplant | 397.08 | 7 | 28.0 | A |
| capric acid | Strawberry | 3,447.01 | 21 | 585.96 | A |
| capric acid | Uncultivated ag | 4,128.9 | 70 | 419.15 | A |
| caprylic acid | Asparagus | 113.82 | 1 | 5.5 | A |
| caprylic acid | Blackberry | 211.44 | 2 | 40.0 | A |
| caprylic acid | Carrot | 103.19 | 2 | 13.6 | A |
| caprylic acid | Cilantro | 342.04 | 10 | 47.05 | A |
| caprylic acid | Grape, wine | 22,361.74 | 86 | 1,675.47 | A |
| caprylic acid | Landscape maintenance | 150.65 | N/A | N/A | N/A |
| caprylic acid | Lettuce, head | 755.33 | 67 | 252.49 | A |
| caprylic acid | Lettuce, leaf | 1,853.35 | 120 | 634.68 | A |
| caprylic acid | Parsley | 401.03 | 10 | 38.32 | A |
| caprylic acid | Raspberry | 12,900.71 | 118 | 1,032.35 | A |
| caprylic acid | Rights of way | 3,598.84 | 39 | 198.88 | A |
| caprylic acid | Rights of way | 1,090.67 | N/A | N/A | N/A |
| caprylic acid | Soil fumigation/preplant | 483.62 | 7 | 28.0 | A |
| caprylic acid | Strawberry | 4,699.52 | 21 | 585.96 | A |
| caprylic acid | Uncultivated ag | 5,736.38 | 70 | 419.15 | A |
| capsicum oleoresin | Blackberry | 3.08 | 2 | 27.5 | A |
| capsicum oleoresin | Cannabis (all or unspecified) | 1.38 | 25 | 21.2 | A |
| capsicum oleoresin | Cannabis (all or unspecified) | 2.87 | 47 | 1,166,779.0 | S |
| capsicum oleoresin | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| capsicum oleoresin | N-grnhs plants in containers | 8.81 | 49 | 102.49 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| capsicum oleoresin | N-outdr plants in containers | 1.37 | 2 | 3.97 | A |
| capsicum oleoresin | Raspberry | 20.58 | 25 | 159.65 | A |
| capsicum oleoresin | Strawberry | 74.4 | 149 | 611.41 | A |
| capsicum oleoresin | Structural pest control | <0.01 | N/A | N/A | N/A |
| captan | N-grnhs plants in containers | 0.36 | 1 | 1,000.0 | S |
| captan | Raspberry | 216.1 | 11 | 107.65 | A |
| captan | Research commodity | 1.03 | N/A | N/A | N/A |
| captan | Strawberry | 24,887.14 | 621 | 16,632.4 | A |
| captan | Strawberry | 6.46 | 2 | 119,445.0 | S |
| captan, other related | N-grnhs plants in containers | 0.01 | 1 | 1,000.0 | S |
| captan, other related | Research commodity | 0.02 | N/A | N/A | N/A |
| captan, other related | Strawberry | 126.62 | 155 | 2,942.55 | A |
| captan, other related | Strawberry | 0.12 | 1 | 98,280.0 | S |
| carbaryl | Broccoli | 502.86 | 16 | 259.0 | A |
| carbaryl | Brussels sprout | 1,647.84 | 79 | 1,577.6 | A |
| carbaryl | Cabbage | 342.53 | 28 | 212.01 | A |
| carbaryl | Cauliflower | 9.15 | 1 | 9.1 | A |
| carbaryl | Celery | 1,095.1 | 87 | 1,045.6 | A |
| carbaryl | Lemon | 468.98 | 20 | 156.8 | A |
| carbaryl | Radish | 472.42 | 83 | 235.42 | A |
| carbaryl | Rangeland | 30.0 | 2 | 30.0 | A |
| carbaryl | Strawberry | 227.16 | 2 | 114.0 | A |
| carbo methoxy ether cellulose, sodium salt | Cannabis (all or unspecified) | 0.09 | 7 | 8.85 | A |
| carbo methoxy ether cellulose, sodium salt | Grape, wine | 0.1 | 4 | 61.4 | A |
| carbo methoxy ether cellulose, sodium salt | Uncultivated ag | 0.02 | 2 | 8.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|------------------------------|----------------|-------|--------------|--------------|
| carbon | Uncultivated non-ag | 0.26 | N/A | 2.0 | A |
| carboxin | Onion, dry | 25.5 | N/A | 15,484.31 | P |
| carfentrazone-ethyl | Blackberry | 5.55 | 15 | 173.0 | A |
| carfentrazone-ethyl | Golf course turf | 5.01 | N/A | 173.0 | A |
| carfentrazone-ethyl | Grape, wine | 375.16 | 813 | 25,715.59 | A |
| carfentrazone-ethyl | Landscape maintenance | 45.52 | N/A | N/A | N/A |
| carfentrazone-ethyl | Lettuce, head | 3.23 | 646 | 7,506.49 | A |
| carfentrazone-ethyl | Lettuce, leaf | 4.41 | 1,211 | 9,720.36 | A |
| carfentrazone-ethyl | N-grnhs flower | 0.43 | N/A | 440.0 | S |
| carfentrazone-ethyl | N-grnhs plants in containers | 0.08 | N/A | 196,000.0 | S |
| carfentrazone-ethyl | Radish | 0.38 | 7 | 13.5 | A |
| carfentrazone-ethyl | Raspberry | 22.91 | 33 | 433.75 | A |
| carfentrazone-ethyl | Research commodity | 0.16 | N/A | N/A | N/A |
| carfentrazone-ethyl | Rights of way | 1.76 | N/A | N/A | N/A |
| carfentrazone-ethyl | Rye | 2.17 | 11 | 123.0 | A |
| carfentrazone-ethyl | Ryegrass | 0.19 | 1 | 12.5 | A |
| carfentrazone-ethyl | Strawberry | 45.27 | 45 | 1,738.27 | A |
| carfentrazone-ethyl | Uncultivated ag | 79.0 | 364 | 3,263.95 | A |
| carfentrazone-ethyl | Uncultivated non-ag | 2.78 | N/A | 42.0 | A |
| carfentrazone-ethyl | Wheat | 0.48 | 2 | 54.5 | A |
| castor oil ethoxylate | Broccoli | 0.47 | 1 | 1.5 | A |
| castor oil ethoxylate | Grape, wine | 84.58 | 18 | 996.0 | A |
| castor oil ethoxylate | Lettuce, leaf | 0.12 | 1 | 0.75 | A |
| castor oil ethoxylate | Water area | 10.13 | 4 | 16.0 | A |
| chlorantraniliprole | Artichoke, globe | 387.14 | 218 | 2,993.5 | A |
| chlorantraniliprole | Arugula | 73.3 | 108 | 991.35 | A |
| chlorantraniliprole | Blackberry | 2.36 | 1 | 24.0 | A |
| chlorantraniliprole | Broccoli | 30.77 | 35 | 370.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|----------------|------|--------------|--------------|
| chlorantraniliprole | Brussels sprout | 176.33 | 73 | 1,317.8 | A |
| chlorantraniliprole | Cabbage | 0.5 | 2 | 5.5 | A |
| chlorantraniliprole | Cardoon | 0.89 | 4 | 11.3 | A |
| chlorantraniliprole | Cauliflower | 25.26 | 45 | 390.2 | A |
| chlorantraniliprole | Celery | 556.19 | 906 | 7,347.79 | A |
| chlorantraniliprole | Endive (escarole) | 1.29 | 19 | 20.35 | A |
| chlorantraniliprole | Kale | 1.15 | 12 | 17.4 | A |
| chlorantraniliprole | Landscape maintenance | 41.69 | N/A | N/A | N/A |
| chlorantraniliprole | Lettuce, head | 383.77 | 531 | 5,699.93 | A |
| chlorantraniliprole | Lettuce, leaf | 413.02 | 747 | 6,453.07 | A |
| chlorantraniliprole | Peas | 208.98 | 222 | 2,509.75 | A |
| chlorantraniliprole | Pepper, fruiting | 18.57 | 22 | 246.8 | A |
| chlorantraniliprole | Radish | 8.85 | 37 | 104.35 | A |
| chlorantraniliprole | Raspberry | 10.31 | 7 | 110.92 | A |
| chlorantraniliprole | Research commodity | 0.31 | N/A | N/A | N/A |
| chlorantraniliprole | Spinach | 161.67 | 201 | 1,949.47 | A |
| chlorantraniliprole | Strawberry | 220.01 | 69 | 3,071.53 | A |
| chlorantraniliprole | Structural pest control | 100.03 | N/A | N/A | N/A |
| chlorantraniliprole | Swiss chard | 5.96 | 22 | 73.32 | A |
| chlorantraniliprole | Upland cress | 1.7 | 12 | 24.8 | A |
| chlorfenapyr | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| chlorfenapyr | N-grnhs flower | 2.46 | 12 | 608,655.0 | S |
| chlorfenapyr | N-grnhs plants in containers | 5.91 | 13 | 21.36 | A |
| chlorfenapyr | N-grnhs plants in containers | 4.04 | 45 | 1,355,000.0 | S |
| chlorfenapyr | Research commodity | 0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|-------------------------------|----------------|------|--------------|--------------|
| chlorfenapyr | Structural pest control | 30.73 | N/A | N/A | N/A |
| chlorine | Water (industrial) | 143,049.61 | N/A | 19,512.0 | U |
| chlorine dioxide | Structural pest control | <0.01 | N/A | N/A | N/A |
| chlormequat chloride | Cannabis (all or unspecified) | 0.32 | 1 | 10,000.0 | S |
| chlormequat chloride | N-grnhs flower | <0.01 | 2 | 75.0 | S |
| chlormequat chloride | N-grnhs plants in containers | 70.7 | 72 | 131.06 | A |
| chlormequat chloride | N-outdr plants in containers | 11.08 | 11 | 9.51 | A |
| chlormequat chloride | Research commodity | <0.01 | N/A | N/A | N/A |
| chlorophacinone | Artichoke, globe | 0.32 | 18 | 248.7 | A |
| chlorophacinone | Grape, wine | 0.01 | 1 | 640.0 | A |
| chlorophacinone | Landscape maintenance | 0.06 | N/A | N/A | N/A |
| chlorophacinone | Rangeland | 0.06 | 22 | 1,050.0 | A |
| chlorophacinone | Rights of way | 0.03 | N/A | N/A | N/A |
| chlorophacinone | Structural pest control | <0.01 | N/A | N/A | N/A |
| chlorophacinone | Uncultivated ag | 0.14 | 150 | 967.4 | A |
| chlorophacinone | Vertebrate control | 0.66 | N/A | N/A | N/A |
| chloropicrin | Blackberry | 346.5 | 1 | 1.0 | A |
| chloropicrin | N-outdr flower | 638.2 | 2 | 2.0 | A |
| chloropicrin | Raspberry | 29,978.59 | 10 | 116.35 | A |
| chloropicrin | Strawberry | 2,056,191.89 | 427 | 8,271.65 | A |
| chloropicrin | Structural pest control | 1.13 | N/A | N/A | N/A |
| chlorothalonil | Broccoli | 7,484.2 | 630 | 6,339.34 | A |
| chlorothalonil | Brussels sprout | 405.49 | 28 | 356.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|---|----------------|------|--------------|--------------|
| chlorothalonil | Cabbage | 1,379.04 | 102 | 1,358.61 | A |
| chlorothalonil | Carrot | 507.79 | 40 | 457.5 | A |
| chlorothalonil | Cauliflower | 2,207.41 | 191 | 2,008.05 | A |
| chlorothalonil | Celery | 7,791.87 | 607 | 5,475.57 | A |
| chlorothalonil | Chinese cabbage (napa, won bok, celery cabbage) | 31.46 | 3 | 21.0 | A |
| chlorothalonil | Golf course turf | 345.12 | N/A | 41.8 | A |
| chlorothalonil | Landscape maintenance | 4,874.04 | N/A | N/A | N/A |
| chlorothalonil | N-grnhs flower | 1.34 | 8 | 22,687.5 | S |
| chlorothalonil | N-grnhs plants in containers | 171.86 | 45 | 61.5 | A |
| chlorothalonil | N-grnhs plants in containers | 0.41 | 2 | 8,000.0 | S |
| chlorothalonil | N-grnhs transplants | 132.23 | 219 | 70.69 | A |
| chlorothalonil | N-grnhs transplants | 30.19 | 5 | 419,000.0 | S |
| chlorothalonil | N-outdr plants in containers | 313.84 | 17 | 44.63 | A |
| chlorothalonil | N-outdr transplants | 58.99 | 21 | 53.5 | A |
| chlorothalonil | N-outdr transplants | 55.37 | 32 | 1,724,388.0 | S |
| chlorothalonil | Onion, dry | 1,534.8 | 95 | 1,547.66 | A |
| chlorothalonil | Pepper, fruiting | 34.51 | 4 | 30.5 | A |
| chlorothalonil | Pumpkin | 3.0 | 1 | 2.0 | A |
| chlorothalonil | Research commodity | 0.24 | N/A | N/A | N/A |
| chlorothalonil | Tomato | 146.82 | 5 | 111.0 | A |
| chlorsulfuron | Barley | 7.26 | 5 | 771.0 | A |
| chlorsulfuron | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| chlorsulfuron | Oat | 2.17 | 1 | 140.0 | A |
| chlorsulfuron | Rights of way | 18.42 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|----------------|-------|--------------|--------------|
| chlorthal-dimethyl | Bok choy | 779.98 | 70 | 160.85 | A |
| chlorthal-dimethyl | Broccoli | 58,179.65 | 2,058 | 18,998.94 | A |
| chlorthal-dimethyl | Brussels sprout | 2,386.43 | 79 | 966.73 | A |
| chlorthal-dimethyl | Cabbage | 1,127.34 | 81 | 343.5 | A |
| chlorthal-dimethyl | Cauliflower | 6,870.49 | 317 | 2,064.38 | A |
| chlorthal-dimethyl | Chinese cabbage (napa, won bok, celery cabbage) | 1,188.36 | 41 | 227.15 | A |
| chlorthal-dimethyl | Kale | 348.31 | 27 | 151.61 | A |
| chlorthal-dimethyl | Kohlrabi | 150.65 | 49 | 41.2 | A |
| chlorthal-dimethyl | Leek | 639.73 | 24 | 130.57 | A |
| chlorthal-dimethyl | Onion, dry | 7,876.6 | 88 | 1,287.0 | A |
| chlorthal-dimethyl | Radish | 1,139.83 | 86 | 234.76 | A |
| chlorthal-dimethyl | Rapini | 3,430.75 | 56 | 773.87 | A |
| chlorthal-dimethyl | Research commodity | 15.47 | N/A | N/A | N/A |
| chlorthal-dimethyl | Uncultivated ag | 33.58 | 2 | 13.0 | A |
| cholecalciferol | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| cholecalciferol | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| cholecalciferol | Structural pest control | 9.85 | N/A | N/A | N/A |
| cholecalciferol | Vertebrate control | 0.06 | N/A | N/A | N/A |
| chromobacterium subtsugae strain praa4-1 | Apple | 9.0 | 1 | 9.0 | A |
| chromobacterium subtsugae strain praa4-1 | Artichoke, globe | 21.79 | 8 | 39.43 | A |
| chromobacterium subtsugae strain praa4-1 | Arugula | 9.49 | 10 | 19.71 | A |
| chromobacterium subtsugae strain praa4-1 | Bean, unspecified | 0.3 | 1 | 0.47 | A |
| chromobacterium subtsugae strain praa4-1 | Beet | 9.2 | 7 | 13.03 | A |
| chromobacterium subtsugae strain praa4-1 | Blackberry | 88.02 | 5 | 103.7 | A |
| chromobacterium subtsugae strain praa4-1 | Broccoli | 787.94 | 102 | 1,297.32 | A |
| chromobacterium subtsugae strain praa4-1 | Brussels sprout | 69.66 | 4 | 77.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| chromobacterium subtsugae strain praa4-1 | Cabbage | 19.06 | 5 | 31.77 | A |
| chromobacterium subtsugae strain praa4-1 | Cannabis (all or unspecified) | 78.48 | 78 | 155.15 | A |
| chromobacterium subtsugae strain praa4-1 | Cannabis (all or unspecified) | 110.38 | 192 | 2,197,560.0 | S |
| chromobacterium subtsugae strain praa4-1 | Carrot | 0.06 | 1 | 0.25 | A |
| chromobacterium subtsugae strain praa4-1 | Cauliflower | 249.93 | 33 | 416.55 | A |
| chromobacterium subtsugae strain praa4-1 | Celery | 150.86 | 28 | 255.7 | A |
| chromobacterium subtsugae strain praa4-1 | Cilantro | 80.31 | 15 | 144.44 | A |
| chromobacterium subtsugae strain praa4-1 | Grape, wine | 513.74 | 36 | 570.82 | A |
| chromobacterium subtsugae strain praa4-1 | Leek | 74.97 | 15 | 124.95 | A |
| chromobacterium subtsugae strain praa4-1 | Lettuce, head | 31.62 | 13 | 47.7 | A |
| chromobacterium subtsugae strain praa4-1 | Lettuce, leaf | 411.18 | 82 | 651.15 | A |
| chromobacterium subtsugae strain praa4-1 | Mustard greens | 8.93 | 5 | 24.8 | A |
| chromobacterium subtsugae strain praa4-1 | N-outdr transplants | 12.58 | 7 | 633,970.0 | S |
| chromobacterium subtsugae strain praa4-1 | Parsley | 7.8 | 4 | 13.0 | A |
| chromobacterium subtsugae strain praa4-1 | Peas | 12.27 | 3 | 20.45 | A |
| chromobacterium subtsugae strain praa4-1 | Pepper, fruiting | 24.93 | 4 | 41.55 | A |
| chromobacterium subtsugae strain praa4-1 | Radish | 17.87 | 10 | 29.79 | A |
| chromobacterium subtsugae strain praa4-1 | Raspberry | 235.63 | 30 | 286.56 | A |
| chromobacterium subtsugae strain praa4-1 | Spinach | 19.66 | 9 | 55.97 | A |
| chromobacterium subtsugae strain praa4-1 | Strawberry | 1,762.03 | 291 | 2,252.84 | A |
| chromobacterium subtsugae strain praa4-1 | Swiss chard | 6.48 | 5 | 18.32 | A |
| chromobacterium subtsugae strain praa4-1 | Tomato | 0.32 | 2 | 0.5 | A |
| cinnamaldehyde | Grape, wine | 41.64 | 3 | 85.19 | A |
| cinnamaldehyde | Lettuce, leaf | 2.74 | 7 | 9.0 | A |
| cinnamaldehyde | Research commodity | <0.01 | N/A | N/A | N/A |
| citric acid | Alfalfa | 0.63 | 2 | 105.0 | A |
| citric acid | Artichoke, globe | 17.78 | 46 | 239.2 | A |
| citric acid | Barley | 0.27 | 2 | 378.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| citric acid | Bean, dried | 0.57 | 2 | 21.0 | A |
| citric acid | Bean, succulent | 4.39 | 16 | 120.5 | A |
| citric acid | Bean, unspecified | 1.48 | 4 | 48.0 | A |
| citric acid | Beet | 0.48 | 5 | 62.5 | A |
| citric acid | Bok choy | 0.25 | 6 | 6.78 | A |
| citric acid | Broccoli | 1,424.32 | 1,423 | 16,240.9 | A |
| citric acid | Brussels sprout | 919.3 | 455 | 9,744.52 | A |
| citric acid | Cabbage | 171.46 | 120 | 1,081.55 | A |
| citric acid | Carrot | 1.28 | 9 | 160.8 | A |
| citric acid | Cauliflower | 546.47 | 709 | 6,274.7 | A |
| citric acid | Celery | 13.54 | 23 | 111.0 | A |
| citric acid | Grape, wine | 589.88 | 186 | 7,771.1 | A |
| citric acid | Kale | 0.44 | 6 | 12.0 | A |
| citric acid | Landscape maintenance | 1.21 | N/A | N/A | N/A |
| citric acid | Leek | 5.71 | 1 | 33.0 | A |
| citric acid | Lettuce, head | 108.06 | 268 | 2,874.4 | A |
| citric acid | Lettuce, leaf | 161.78 | 371 | 3,068.22 | A |
| citric acid | Mizuna | 0.05 | 6 | 1.5 | A |
| citric acid | N-outdr flower | 0.06 | 4 | 13.09 | A |
| citric acid | Onion, dry | 9.56 | 4 | 70.4 | A |
| citric acid | Radicchio | 4.46 | 5 | 51.0 | A |
| citric acid | Rapini | 29.59 | 20 | 470.3 | A |
| citric acid | Raspberry | 470.51 | 29 | 217.65 | A |
| citric acid | Research commodity | 0.02 | N/A | N/A | N/A |
| citric acid | Rights of way | 13.66 | N/A | N/A | N/A |
| citric acid | Strawberry | 1,154.53 | 468 | 2,697.44 | A |
| citric acid | Swiss chard | 0.33 | 6 | 9.14 | A |
| citric acid | Uncultivated ag | 199.44 | 170 | 1,095.25 | A |
| citric acid | Walnut | 28.28 | 4 | 240.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| clarified hydrophobic extract of neem oil | Cannabis (all or unspecified) | 1,299.38 | 264 | 1,332.99 | A |
| clarified hydrophobic extract of neem oil | Cannabis (all or unspecified) | 3,123.03 | 644 | 8,875,770.5 | S |
| clarified hydrophobic extract of neem oil | Grape, wine | 543.85 | 42 | 145.93 | A |
| clarified hydrophobic extract of neem oil | Landscape maintenance | 3.35 | N/A | N/A | N/A |
| clarified hydrophobic extract of neem oil | Mushroom | 810.87 | 180 | 2,256,526.0 | S |
| clarified hydrophobic extract of neem oil | N-grnhs flower | 10.15 | 16 | 14,287.5 | S |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 3.18 | 1 | 12,400.0 | S |
| clarified hydrophobic extract of neem oil | Strawberry | 317.78 | 17 | 101.7 | A |
| clethodim | Alfalfa | 15.09 | 2 | 67.0 | A |
| clethodim | Blackberry | 15.81 | 9 | 130.5 | A |
| clethodim | Broccoli | 1.07 | 1 | 8.8 | A |
| clethodim | Carrot | 4.85 | 11 | 35.4 | A |
| clethodim | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| clethodim | Lettuce, head | 1.32 | 1 | 10.9 | A |
| clethodim | Raspberry | 19.42 | 8 | 158.9 | A |
| clethodim | Strawberry | 41.4 | 11 | 341.8 | A |
| clethodim | Uncultivated ag | 3.39 | 2 | 14.0 | A |
| clopyralid, monoethanolamine salt | Landscape maintenance | 51.38 | N/A | N/A | N/A |
| clopyralid, monoethanolamine salt | Rangeland | 6.12 | N/A | 20.0 | A |
| clopyralid, monoethanolamine salt | Rights of way | 66.59 | N/A | N/A | N/A |
| clothianidin | Bok choy | 37.79 | 123 | 241.13 | A |
| clothianidin | Broccoli | 854.79 | 470 | 4,696.95 | A |
| clothianidin | Broccoli | 557.7 | N/A | 16,239.76 | P |
| clothianidin | Brussels sprout | 12.33 | 6 | 79.9 | A |
| clothianidin | Cabbage | 38.94 | 64 | 229.6 | A |
| clothianidin | Cauliflower | 15.64 | 11 | 96.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|----------------|------|--------------|--------------|
| clothianidin | Celery | 0.7 | 1 | 10.5 | A |
| clothianidin | Chinese cabbage (napa, won bok, celery cabbage) | 56.01 | 94 | 361.45 | A |
| clothianidin | Grape, wine | 2,070.87 | 225 | 12,171.51 | A |
| clothianidin | Kale | 9.51 | 14 | 139.5 | A |
| clothianidin | Kohlrabi | 2.07 | 17 | 13.8 | A |
| clothianidin | Landscape maintenance | 0.69 | N/A | N/A | N/A |
| clothianidin | Lettuce, head | 94.89 | 62 | 647.85 | A |
| clothianidin | Lettuce, leaf | 97.84 | 81 | 723.4 | A |
| clothianidin | Lettuce, leaf | 386.85 | N/A | 14,973.14 | P |
| clothianidin | N-grnhs plants in containers | 4.13 | 34 | 39.95 | A |
| clothianidin | N-grnhs transplants | 30.5 | 492 | 153.03 | A |
| clothianidin | N-outdr transplants | 1.5 | 7 | 18.0 | A |
| clothianidin | N-outdr transplants | 0.29 | 3 | 193,005.0 | S |
| clothianidin | Onion, dry | 85.43 | N/A | 15,427.76 | P |
| clothianidin | Parsley | 3.0 | 1 | 15.0 | A |
| clothianidin | Research commodity | 3.53 | 23 | 52.75 | A |
| clothianidin | Spinach | 19.29 | 16 | 121.4 | A |
| clothianidin | Structural pest control | 1.36 | N/A | N/A | N/A |
| coconut diethanolamide | Barley | 0.39 | 2 | 383.0 | A |
| coconut diethanolamide | Broccoli | 0.46 | 4 | 56.3 | A |
| coconut diethanolamide | Grape, wine | 320.97 | 139 | 5,704.16 | A |
| coconut diethanolamide | Lettuce, head | 13.8 | 103 | 1,340.5 | A |
| coconut diethanolamide | Lettuce, leaf | 2.66 | 22 | 287.3 | A |
| coconut diethanolamide | N-outdr flower | 0.06 | 2 | 9.17 | A |
| coconut diethanolamide | Strawberry | 64.96 | 178 | 3,454.47 | A |
| coniothyrium minitans strain con/m/91-08 | Broccoli | 12.14 | 11 | 78.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| coniothyrium minitans strain con/m/91-08 | Cauliflower | 7.59 | 10 | 65.6 | A |
| coniothyrium minitans strain con/m/91-08 | Lettuce, head | 12.91 | 10 | 93.2 | A |
| coniothyrium minitans strain con/m/91-08 | Lettuce, leaf | 20.26 | 28 | 146.67 | A |
| coniothyrium minitans strain con/m/91-08 | Spinach | 3.59 | 1 | 11.3 | A |
| coniothyrium minitans strain con/m/91-08 | Uncultivated ag | 6.44 | 3 | 30.4 | A |
| copper | Grape, wine | 0.18 | 1 | 2.68 | A |
| copper carbonate, basic | Rights of way | 0.52 | N/A | N/A | N/A |
| copper diammonium diacetate complex | Landscape maintenance | 2.08 | N/A | N/A | N/A |
| copper ethanolamine complexes, mixed | Landscape maintenance | 62.92 | N/A | N/A | N/A |
| copper ethanolamine complexes, mixed | Water area | 201.7 | 20 | 36.5 | A |
| copper ethylenediamine complex | Landscape maintenance | 4.02 | N/A | N/A | N/A |
| copper hydroxide | Blackberry | 61.37 | 8 | 51.14 | A |
| copper hydroxide | Broccoli | 27.44 | 15 | 81.6 | A |
| copper hydroxide | Cabbage | 131.82 | 42 | 387.06 | A |
| copper hydroxide | Cauliflower | 179.21 | 43 | 573.4 | A |
| copper hydroxide | Celery | 2,180.82 | 563 | 4,484.3 | A |
| copper hydroxide | Cilantro | 79.5 | 35 | 279.82 | A |
| copper hydroxide | Garlic | 5.77 | 1 | 17.9 | A |
| copper hydroxide | Grape, wine | 13,204.26 | 454 | 30,226.01 | A |
| copper hydroxide | Kale | 3.99 | 5 | 18.95 | A |
| copper hydroxide | Landscape maintenance | 0.4 | N/A | N/A | N/A |
| copper hydroxide | Leek | 196.98 | 52 | 369.27 | A |
| copper hydroxide | Lemon | 995.76 | 14 | 720.0 | A |
| copper hydroxide | Lettuce, head | 4.9 | 1 | 15.2 | A |
| copper hydroxide | Lettuce, leaf | 369.0 | 106 | 901.6 | A |
| copper hydroxide | N-grnhs plants in containers | 12.01 | 16 | 20.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|-------------------------------|----------------|-------|--------------|--------------|
| copper hydroxide | N-grnhs transplants | 397.19 | 1,752 | 564.45 | A |
| copper hydroxide | N-grnhs transplants | 8.09 | 14 | 644,743.0 | S |
| copper hydroxide | N-outdr plants in containers | 3.39 | 7 | 7.3 | A |
| copper hydroxide | N-outdr transplants | 8.07 | 9 | 17.75 | A |
| copper hydroxide | N-outdr transplants | 97.17 | 94 | 5,584,525.0 | S |
| copper hydroxide | Onion, dry | 984.45 | 102 | 1,676.26 | A |
| copper hydroxide | Parsley | 18.0 | 6 | 52.07 | A |
| copper hydroxide | Peas | 151.07 | 20 | 274.6 | A |
| copper hydroxide | Research commodity | 1.5 | 2 | 2.0 | A |
| copper hydroxide | Rights of way | 12.26 | N/A | N/A | N/A |
| copper hydroxide | Spinach | 125.87 | 10 | 104.89 | A |
| copper hydroxide | Spinach | 247.64 | N/A | 26,527.92 | P |
| copper hydroxide | Swiss chard | 22.11 | 33 | 94.3 | A |
| copper hydroxide | Tomato | 47.37 | 6 | 137.0 | A |
| copper hydroxide | Walnut | 2,082.06 | 4 | 430.0 | A |
| copper octanoate | Artichoke, globe | 41.32 | 13 | 76.3 | A |
| copper octanoate | Bean, unspecified | 1.67 | 1 | 0.47 | A |
| copper octanoate | Beet | 11.17 | 10 | 13.54 | A |
| copper octanoate | Blackberry | 42.98 | 4 | 66.55 | A |
| copper octanoate | Broccoli | 497.24 | 259 | 2,341.4 | A |
| copper octanoate | Cannabis (all or unspecified) | <0.01 | 1 | 1.0 | A |
| copper octanoate | Cauliflower | 205.09 | 88 | 861.27 | A |
| copper octanoate | Celery | 1,300.22 | 234 | 1,696.01 | A |
| copper octanoate | Cilantro | 318.93 | 61 | 404.55 | A |
| copper octanoate | Grape, wine | 2,273.45 | 291 | 2,054.88 | A |
| copper octanoate | Landscape maintenance | 4.29 | N/A | N/A | N/A |
| copper octanoate | Leek | 460.58 | 50 | 306.63 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper octanoate | Lettuce, head | 10.21 | 11 | 21.15 | A |
| copper octanoate | Lettuce, leaf | 254.53 | 70 | 486.85 | A |
| copper octanoate | N-grnhs flower | 2.63 | 3 | 22,537.5 | S |
| copper octanoate | N-grnhs plants in containers | 41.47 | 38 | 48.9 | A |
| copper octanoate | N-grnhs transplants | 117.78 | 599 | 156.46 | A |
| copper octanoate | N-grnhs transplants | 0.46 | 3 | 97,116.0 | S |
| copper octanoate | N-outdr plants in containers | 12.47 | 9 | 10.77 | A |
| copper octanoate | N-outdr plants in containers | 1.07 | 4 | 25,000.0 | S |
| copper octanoate | N-outdr transplants | 16.13 | 24 | 45.4 | A |
| copper octanoate | N-outdr transplants | 35.03 | 67 | 3,876,214.0 | S |
| copper octanoate | Parsley | 28.78 | 9 | 28.21 | A |
| copper octanoate | Raspberry | 153.36 | 12 | 194.55 | A |
| copper octanoate | Research commodity | 0.29 | 1 | 0.28 | A |
| copper octanoate | Spinach | 263.97 | 80 | 435.66 | A |
| copper octanoate | Strawberry | 168.62 | 13 | 228.72 | A |
| copper octanoate | Swiss chard | 34.92 | 27 | 85.46 | A |
| copper oxide (ous) | Blackberry | 50.34 | 4 | 24.0 | A |
| copper oxide (ous) | Cabbage | 125.46 | 15 | 152.55 | A |
| copper oxide (ous) | Celery | 775.87 | 72 | 557.9 | A |
| copper oxide (ous) | Grape, wine | 2,614.38 | 237 | 3,488.32 | A |
| copper oxide (ous) | Landscape maintenance | 52.02 | N/A | N/A | N/A |
| copper oxide (ous) | N-outdr transplants | 11.12 | 13 | 1,043,798.0 | S |
| copper oxide (ous) | Raspberry | 222.38 | 24 | 160.86 | A |
| copper oxide (ous) | Tomato | 2.1 | 1 | 1.0 | A |
| copper oxychloride | Broccoli | 11.9 | 6 | 33.3 | A |
| copper oxychloride | Cabbage | 30.36 | 8 | 84.97 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|------------------------------|----------------|------|--------------|--------------|
| copper oxychloride | Cauliflower | 38.35 | 13 | 155.15 | A |
| copper oxychloride | Celery | 961.29 | 253 | 1,769.89 | A |
| copper oxychloride | Cilantro | 88.12 | 35 | 279.82 | A |
| copper oxychloride | Garlic | 6.4 | 1 | 17.9 | A |
| copper oxychloride | Grape, wine | 555.16 | 5 | 665.9 | A |
| copper oxychloride | Kale | 4.04 | 4 | 17.95 | A |
| copper oxychloride | Leek | 185.97 | 46 | 327.06 | A |
| copper oxychloride | Lettuce, head | 5.43 | 1 | 15.2 | A |
| copper oxychloride | Lettuce, leaf | 26.34 | 14 | 110.6 | A |
| copper oxychloride | Parsley | 19.95 | 6 | 52.07 | A |
| copper oxychloride | Peas | 2.86 | 1 | 8.0 | A |
| copper oxychloride | Research commodity | 1.67 | 2 | 2.0 | A |
| copper oxychloride | Swiss chard | 24.51 | 33 | 94.3 | A |
| copper sulfate (basic) | Celery | 18.66 | 8 | 51.52 | A |
| copper sulfate (pentahydrate) | Blackberry | 14.89 | 8 | 55.35 | A |
| copper sulfate (pentahydrate) | Grape, wine | 1,980.0 | 1 | 418.0 | A |
| copper sulfate (pentahydrate) | Landscape maintenance | 1,199.78 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | N-grnhs plants in containers | 81.47 | 20 | 45.12 | A |
| copper sulfate (pentahydrate) | N-grnhs plants in containers | 1.74 | 3 | 79,360.0 | S |
| copper sulfate (pentahydrate) | N-outdr plants in containers | 29.62 | 5 | 10.91 | A |
| copper sulfate (pentahydrate) | Public health | 1,287.0 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | Rights of way | 13,612.5 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | Vertebrate control | 1,188.0 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | Water area | 396.0 | 7 | 8.0 | A |
| copper triethanolamine complex | Landscape maintenance | 4.54 | N/A | N/A | N/A |
| cottonseed flour | Brussels sprout | 23.12 | 2 | 34.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|---|----------------|-------|--------------|--------------|
| cottonseed oil | Brussels sprout | 1.02 | 2 | 34.0 | A |
| cyantraniliprole | Blackberry | 4.01 | 6 | 43.57 | A |
| cyantraniliprole | Bok choy | 20.63 | 61 | 178.43 | A |
| cyantraniliprole | Broccoli | 1,511.28 | 1,074 | 12,668.34 | A |
| cyantraniliprole | Brussels sprout | 634.11 | 411 | 6,378.82 | A |
| cyantraniliprole | Cabbage | 318.6 | 296 | 2,884.84 | A |
| cyantraniliprole | Cauliflower | 550.44 | 531 | 5,054.48 | A |
| cyantraniliprole | Celery | 124.32 | 154 | 1,291.25 | A |
| cyantraniliprole | Chinese cabbage (napa, won bok, celery cabbage) | 45.55 | 74 | 399.44 | A |
| cyantraniliprole | Collard | 4.5 | 18 | 30.75 | A |
| cyantraniliprole | Endive (escarole) | 30.31 | 65 | 296.49 | A |
| cyantraniliprole | Kale | 81.18 | 132 | 698.36 | A |
| cyantraniliprole | Kohlrabi | 5.77 | 42 | 54.0 | A |
| cyantraniliprole | Leek | 24.87 | 42 | 245.56 | A |
| cyantraniliprole | Lettuce, head | 1,079.81 | 1,371 | 14,916.03 | A |
| cyantraniliprole | Lettuce, leaf | 2,339.93 | 2,983 | 28,464.71 | A |
| cyantraniliprole | Mustard greens | 2.76 | 12 | 20.5 | A |
| cyantraniliprole | N-grnhs flower | 0.56 | 9 | 72,550.0 | S |
| cyantraniliprole | N-grnhs plants in containers | 665.48 | 169 | 154.78 | A |
| cyantraniliprole | N-grnhs plants in containers | 6.3 | 88 | 2,473,803.0 | S |
| cyantraniliprole | N-grnhs transplants | 3,385.46 | 644 | 136.08 | A |
| cyantraniliprole | N-outdr plants in containers | 31.67 | 27 | 63.09 | A |
| cyantraniliprole | N-outdr transplants | 1,327.79 | 179 | 183.75 | A |
| cyantraniliprole | N-outdr transplants | 798.9 | 348 | 825,589.0 | S |
| cyantraniliprole | Onion, dry | 75.85 | 51 | 757.35 | A |
| cyantraniliprole | Peas | 28.53 | 25 | 282.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|---------------------------|----------------|-------|--------------|--------------|
| cyantraniliprole | Radicchio | 12.46 | 31 | 141.2 | A |
| cyantraniliprole | Radish | 8.95 | 17 | 76.45 | A |
| cyantraniliprole | Rapini | 20.94 | 14 | 200.1 | A |
| cyantraniliprole | Raspberry | 15.69 | 7 | 141.79 | A |
| cyantraniliprole | Research commodity | 0.04 | 2 | 0.14 | A |
| cyantraniliprole | Research commodity | 0.76 | N/A | N/A | N/A |
| cyantraniliprole | Spinach | 34.84 | 39 | 336.5 | A |
| cyantraniliprole | Strawberry | 654.45 | 154 | 5,748.21 | A |
| cyantraniliprole | Swiss chard | 0.62 | 1 | 4.2 | A |
| cyazofamid | Arugula | 39.66 | 61 | 556.7 | A |
| cyazofamid | Bok choy | 0.01 | 1 | 0.2 | A |
| cyazofamid | Broccoli | 335.72 | 58 | 651.7 | A |
| cyazofamid | Brussels sprout | 81.78 | 4 | 157.0 | A |
| cyazofamid | Carrot | 6.45 | 2 | 41.3 | A |
| cyazofamid | Cucumber | 5.39 | 7 | 76.1 | A |
| cyazofamid | Kale | 9.74 | 42 | 136.75 | A |
| cyazofamid | Lettuce, head | 26.65 | 47 | 375.0 | A |
| cyazofamid | Lettuce, leaf | 42.27 | 90 | 593.24 | A |
| cyazofamid | Mizuna | 0.17 | 2 | 2.42 | A |
| cyazofamid | N-grnhs transplants | 39.57 | 1,188 | 376.35 | A |
| cyazofamid | Research commodity | 0.07 | 1 | 1.0 | A |
| cyazofamid | Spinach | 155.52 | 215 | 2,181.32 | A |
| cyazofamid | Tat soi (spinach mustard) | 0.04 | 1 | 0.5 | A |
| cyazofamid | Upland cress | 4.53 | 33 | 63.56 | A |
| cyclaniliprole | Bok choy | 2.46 | 40 | 48.8 | A |
| cyclaniliprole | Broccoli | 35.84 | 62 | 673.9 | A |
| cyclaniliprole | Brussels sprout | 19.63 | 19 | 376.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|---|----------------|-------|--------------|--------------|
| cyclaniliprole | Cabbage | 16.02 | 22 | 299.9 | A |
| cyclaniliprole | Cauliflower | 10.39 | 17 | 198.35 | A |
| cyclaniliprole | Chinese cabbage (napa, won bok, celery cabbage) | 6.15 | 50 | 121.25 | A |
| cyclaniliprole | Collard | 0.11 | 2 | 2.0 | A |
| cyclaniliprole | Kale | 1.22 | 6 | 23.2 | A |
| cyclaniliprole | Lettuce, leaf | 0.16 | 1 | 3.0 | A |
| cyclaniliprole | Mustard greens | 0.05 | 1 | 1.0 | A |
| cyclaniliprole | Research commodity | 0.87 | 7 | 17.5 | A |
| cyclaniliprole | Strawberry | 5.22 | 7 | 97.65 | A |
| cycloate | Beet | 96.38 | 6 | 41.5 | A |
| cycloate | Research commodity | 10.15 | N/A | N/A | N/A |
| cycloate | Spinach | 25,957.07 | 1,441 | 13,773.09 | A |
| cyflufenamid | Grape, wine | 1,038.19 | 1,143 | 38,400.53 | A |
| cyflufenamid | N-grnhs flower | <0.01 | 1 | 150.0 | S |
| cyflufenamid | N-grnhs plants in containers | 7.82 | 18 | 42.32 | A |
| cyflufenamid | N-grnhs plants in containers | 0.12 | 48 | 138,200.0 | S |
| cyflufenamid | N-grnhs transplants | 0.26 | 1 | 2.0 | A |
| cyflufenamid | N-grnhs transplants | 0.26 | 1 | 130,000.0 | S |
| cyflufenamid | N-outdr plants in containers | 7.62 | 12 | 32.72 | A |
| cyflufenamid | N-outdr plants in containers | 0.01 | 3 | 14,400.0 | S |
| cyflufenamid | Research commodity | <0.01 | N/A | N/A | N/A |
| cyflufenamid | Strawberry | 121.85 | 246 | 5,282.47 | A |
| cyflumetofen | Grape, wine | 1,700.67 | 269 | 9,616.52 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| cyflumetofen | N-grnhs flower | 0.18 | 2 | 15,037.5 | S |
| cyflumetofen | N-grnhs plants in containers | 0.12 | 1 | 0.21 | A |
| cyflumetofen | N-grnhs plants in containers | 0.77 | 18 | 169,000.0 | S |
| cyflumetofen | Research commodity | 0.46 | N/A | N/A | N/A |
| cyflumetofen | Strawberry | 1,498.8 | 328 | 8,212.79 | A |
| cyfluthrin | Broccoli | 38.37 | 40 | 754.0 | A |
| cyfluthrin | Brussels sprout | 26.78 | 29 | 507.21 | A |
| cyfluthrin | Cabbage | 28.52 | 40 | 561.35 | A |
| cyfluthrin | Grape, wine | 1.39 | 1 | 26.85 | A |
| cyfluthrin | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| cyfluthrin | Lettuce, head | 52.57 | 81 | 1,027.16 | A |
| cyfluthrin | Lettuce, leaf | 72.35 | 114 | 1,419.3 | A |
| cyfluthrin | N-grnhs flower | 0.05 | 6 | 30,037.5 | S |
| cyfluthrin | N-grnhs plants in containers | 0.68 | 27 | 754,573.0 | S |
| cyfluthrin | N-grnhs transplants | 0.22 | 5 | 7.0 | A |
| cyfluthrin | N-grnhs transplants | 0.01 | 1 | 130,000.0 | S |
| cyfluthrin | N-outdr plants in containers | 0.13 | 4 | 6.0 | A |
| cyfluthrin | N-outdr plants in containers | 0.03 | 3 | 26,400.0 | S |
| cyfluthrin | Research commodity | 0.07 | N/A | N/A | N/A |
| cyfluthrin | Structural pest control | 0.78 | N/A | N/A | N/A |
| cymoxanil | Cilantro | 23.04 | 23 | 149.36 | A |
| cymoxanil | Lettuce, head | 290.87 | 149 | 1,580.15 | A |
| cymoxanil | Lettuce, leaf | 342.4 | 211 | 1,852.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| cymoxanil | Spinach | 38.44 | 36 | 210.05 | A |
| cypermethrin | Broccoli | 399.17 | 369 | 4,261.4 | A |
| cypermethrin | Cabbage | 92.24 | 112 | 949.5 | A |
| cypermethrin | Cauliflower | 151.93 | 195 | 1,635.1 | A |
| cypermethrin | Landscape maintenance | 0.26 | N/A | N/A | N/A |
| cypermethrin | Lettuce, head | 17.68 | 12 | 186.0 | A |
| cypermethrin | Rapini | 0.57 | 1 | 6.0 | A |
| cypermethrin | Structural pest control | 0.58 | N/A | N/A | N/A |
| cyprodinil | Artichoke, globe | 15.76 | 21 | 214.6 | A |
| cyprodinil | Blackberry | 19.69 | 4 | 60.0 | A |
| cyprodinil | Broccoli | 3.28 | 1 | 10.0 | A |
| cyprodinil | Brussels sprout | 33.36 | 15 | 142.3 | A |
| cyprodinil | Cauliflower | 9.41 | 3 | 28.68 | A |
| cyprodinil | Grape, wine | 4,532.25 | 522 | 11,587.46 | A |
| cyprodinil | Kale | 0.51 | 3 | 12.94 | A |
| cyprodinil | Lettuce, head | 128.12 | 48 | 421.8 | A |
| cyprodinil | Lettuce, leaf | 24.28 | 12 | 94.74 | A |
| cyprodinil | N-grnhs flower | 16.69 | 49 | 56.25 | A |
| cyprodinil | N-grnhs plants in containers | 36.63 | 33 | 81.25 | A |
| cyprodinil | N-grnhs plants in containers | 2.48 | 81 | 194,424.0 | S |
| cyprodinil | N-grnhs transplants | 6.4 | 35 | 15.96 | A |
| cyprodinil | N-grnhs transplants | 0.91 | 2 | 134,460.0 | S |
| cyprodinil | N-outdr plants in containers | 69.74 | 15 | 52.3 | A |
| cyprodinil | N-outdr transplants | 0.29 | 1 | 1.0 | A |
| cyprodinil | N-outdr transplants | 2.42 | 6 | 375,279.0 | S |
| cyprodinil | Raspberry | 90.28 | 23 | 276.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|---|----------------|------|--------------|--------------|
| cyprodinil | Research commodity | 0.99 | 3 | 3.0 | A |
| cyprodinil | Research commodity | 0.29 | N/A | N/A | N/A |
| cyprodinil | Strawberry | 5,307.14 | 479 | 15,865.01 | A |
| cyromazine | Bok choy | 6.44 | 15 | 51.55 | A |
| cyromazine | Broccoli | 1.59 | 1 | 12.8 | A |
| cyromazine | Celery | 379.68 | 307 | 3,053.6 | A |
| cyromazine | Chinese cabbage (napa, won bok, celery cabbage) | 13.15 | 18 | 105.6 | A |
| cyromazine | Endive (escarole) | 5.98 | 21 | 47.9 | A |
| cyromazine | Lettuce, head | 83.87 | 54 | 680.1 | A |
| cyromazine | Lettuce, leaf | 10.19 | 20 | 81.75 | A |
| cyromazine | N-grnhs flower | 0.5 | 2 | 1.5 | A |
| cyromazine | N-grnhs plants in containers | 269.94 | 39 | 48.54 | A |
| cyromazine | Onion, dry | 79.92 | N/A | 13,972.21 | P |
| cyromazine | Peas | 69.02 | 51 | 553.7 | A |
| cyromazine | Radish | 7.61 | 18 | 61.03 | A |
| cyromazine | Spinach | 140.18 | 130 | 1,125.3 | A |
| cyromazine | Swiss chard | 15.61 | 34 | 125.2 | A |
| d-allethrin | Structural pest control | <0.01 | N/A | N/A | N/A |
| d-allethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| d-trans allethrin | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| d-trans allethrin | Structural pest control | 0.05 | N/A | N/A | N/A |
| daminozide | N-grnhs flower | 0.28 | 13 | 1,977.2 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| daminozide | N-grnhs plants in containers | 423.04 | 184 | 324.38 | A |
| daminozide | N-grnhs plants in containers | 11.34 | 7 | 384,608.0 | S |
| daminozide | N-outdr plants in containers | 1,154.44 | 95 | 179.27 | A |
| daminozide | Research commodity | 0.13 | N/A | N/A | N/A |
| ddvp | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| ddvp | Research commodity | 0.68 | N/A | N/A | N/A |
| ddvp | Storage area/box | 15.01 | N/A | 190,000.0 | S |
| ddvp, other related | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| ddvp, other related | Research commodity | 0.05 | N/A | N/A | N/A |
| ddvp, other related | Storage area/box | 1.13 | N/A | 190,000.0 | S |
| deltamethrin | Landscape maintenance | 0.42 | N/A | N/A | N/A |
| deltamethrin | Public health | <0.01 | N/A | N/A | N/A |
| deltamethrin | Structural pest control | 80.83 | N/A | N/A | N/A |
| diatomaceous earth | Artichoke, globe | 42.16 | 1 | 6.2 | A |
| diatomaceous earth | Arugula | 1,453.16 | 48 | 85.48 | A |
| diatomaceous earth | Beet | 615.74 | 16 | 34.12 | A |
| diatomaceous earth | Broccoli | 78,703.03 | 593 | 5,259.26 | A |
| diatomaceous earth | Brussels sprout | 9,794.55 | 34 | 405.1 | A |
| diatomaceous earth | Cabbage | 34,147.52 | 376 | 1,700.49 | A |
| diatomaceous earth | Cauliflower | 32,959.43 | 310 | 2,032.11 | A |
| diatomaceous earth | Celery | 7,355.72 | 67 | 520.27 | A |
| diatomaceous earth | Cilantro | 2,741.76 | 21 | 171.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| diatomaceous earth | Collard | 37.23 | 1 | 2.19 | A |
| diatomaceous earth | Kale | 268.6 | 7 | 16.06 | A |
| diatomaceous earth | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| diatomaceous earth | Leek | 9,848.02 | 75 | 448.19 | A |
| diatomaceous earth | Lettuce, head | 1,250.14 | 22 | 108.2 | A |
| diatomaceous earth | Lettuce, leaf | 80,798.51 | 718 | 6,698.62 | A |
| diatomaceous earth | Mizuna | 201.24 | 7 | 11.65 | A |
| diatomaceous earth | Mustard greens | 1,369.78 | 53 | 80.05 | A |
| diatomaceous earth | Parsley | 924.25 | 11 | 49.85 | A |
| diatomaceous earth | Peas | 134.73 | 3 | 20.45 | A |
| diatomaceous earth | Pepper, fruiting | 353.18 | 4 | 41.55 | A |
| diatomaceous earth | Radish | 85.77 | 3 | 5.52 | A |
| diatomaceous earth | Spinach | 3,894.7 | 54 | 229.1 | A |
| diatomaceous earth | Structural pest control | 20.79 | N/A | N/A | N/A |
| diatomaceous earth | Swiss chard | 626.96 | 47 | 36.63 | A |
| diazinon | Structural pest control | 0.06 | N/A | N/A | N/A |
| diazinon | Uncultivated ag | 0.1 | 1 | 21.08 | A |
| dicamba | Golf course turf | 2.14 | N/A | 86.5 | A |
| dicamba | Landscape maintenance | 23.87 | N/A | N/A | N/A |
| dicamba | N-grnhs flower | 0.53 | N/A | 440.0 | S |
| dicamba | N-grnhs plants in containers | 0.1 | N/A | 196,000.0 | S |
| dicamba, dimethylamine salt | Cannabis (all or unspecified) | 2.03 | 27 | 270,000.0 | S |
| dicamba, dimethylamine salt | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| dicamba, dimethylamine salt | Oat | 7.24 | 1 | 6.0 | A |
| dichlobenil | Blackberry | 3.96 | 1 | 3.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|-------------------------------|----------------|-------|--------------|--------------|
| dichlobenil | Rights of way | 797.59 | N/A | N/A | N/A |
| dicloran | Cannabis (all or unspecified) | 8.99 | 28 | 1,113,240.0 | S |
| dicloran | Celery | 1,599.53 | 92 | 920.91 | A |
| dicloran | Endive (escarole) | 17.5 | 32 | 24.0 | A |
| dicloran | Lettuce, head | 3,234.72 | 343 | 3,877.04 | A |
| dicloran | Lettuce, leaf | 3,693.97 | 476 | 4,625.78 | A |
| didecyl dimethyl ammonium chloride | N-grnhs plants in containers | 13.11 | 45 | 90.65 | A |
| didecyl dimethyl ammonium chloride | Structural pest control | 0.11 | N/A | N/A | N/A |
| diethylene glycol | Alfalfa | 0.41 | 1 | 140.0 | A |
| diethylene glycol | Avocado | 1.88 | 1 | 10.0 | A |
| diethylene glycol | Barley | 22.62 | 1 | 250.0 | A |
| diethylene glycol | Forage hay/silage | 28.95 | 1 | 225.0 | A |
| diethylene glycol | Grape, wine | 52,430.45 | 2,792 | 83,539.74 | A |
| diethylene glycol | Lettuce, head | 84.93 | 397 | 3,622.6 | A |
| diethylene glycol | Lettuce, leaf | 143.49 | 861 | 6,180.1 | A |
| diethylene glycol | Peas | 3.36 | 2 | 23.1 | A |
| diethylene glycol | Research commodity | 0.05 | N/A | N/A | N/A |
| diethylene glycol | Rights of way | 0.25 | N/A | N/A | N/A |
| diethylene glycol | Uncultivated ag | 7.96 | 4 | 11.0 | A |
| difenoconazole | Artichoke, globe | 128.5 | 102 | 1,297.8 | A |
| difenoconazole | Broccoli | 0.82 | 1 | 10.0 | A |
| difenoconazole | Grape, wine | 232.65 | 170 | 2,687.55 | A |
| difenoconazole | Kale | 0.18 | 3 | 12.94 | A |
| difenoconazole | Landscape maintenance | 1.39 | N/A | N/A | N/A |
| difenoconazole | Pepper, fruiting | 18.03 | 16 | 158.1 | A |
| difenoconazole | Research commodity | 0.03 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| difenoconazole | Strawberry | 93.08 | 29 | 814.5 | A |
| difethialone | Structural pest control | 0.01 | N/A | N/A | N/A |
| diflubenzuron | Artichoke, globe | 1,386.76 | 490 | 5,816.97 | A |
| diflubenzuron | N-outdr flower | 0.75 | 18 | 18.0 | A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Landscape maintenance | 16.64 | N/A | N/A | N/A |
| dikegulac sodium | Landscape maintenance | 0.31 | N/A | N/A | N/A |
| dikegulac sodium | N-grnhs plants in containers | 37.75 | 175 | 235.82 | A |
| dikegulac sodium | N-outdr plants in containers | 1.81 | 30 | 29.81 | A |
| dimethenamid-p | Garlic | 31.13 | 3 | 47.5 | A |
| dimethenamid-p | Onion, dry | 335.7 | 34 | 526.38 | A |
| dimethoate | Alfalfa | 8.43 | 1 | 25.3 | A |
| dimethoate | Bean, dried | 41.59 | 10 | 83.5 | A |
| dimethoate | Bean, succulent | 175.15 | 28 | 354.0 | A |
| dimethoate | Bean, unspecified | 14.99 | 3 | 30.0 | A |
| dimethoate | Broccoli | 656.94 | 123 | 1,376.55 | A |
| dimethoate | Brussels sprout | 741.21 | 99 | 1,633.9 | A |
| dimethoate | Cauliflower | 63.09 | 16 | 132.25 | A |
| dimethoate | Celery | 1,658.41 | 388 | 3,569.0 | A |
| dimethoate | Endive (escarole) | 1.8 | 2 | 7.1 | A |
| dimethoate | Kale | 11.78 | 5 | 48.15 | A |
| dimethoate | Lettuce, leaf | 677.65 | 251 | 2,770.89 | A |
| dimethoate | Peas | 221.14 | 138 | 1,343.59 | A |
| dimethomorph | Arugula | 105.67 | 98 | 519.07 | A |
| dimethomorph | Bok choy | 0.1 | 1 | 0.5 | A |
| dimethomorph | Broccoli | 10.87 | 5 | 55.2 | A |
| dimethomorph | Brussels sprout | 8.95 | 6 | 43.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dimethomorph | Cabbage | 33.16 | 14 | 167.7 | A |
| dimethomorph | Cauliflower | 14.13 | 9 | 71.6 | A |
| dimethomorph | Cucumber | 12.94 | 5 | 63.4 | A |
| dimethomorph | Endive (escarole) | 0.78 | 4 | 3.9 | A |
| dimethomorph | Kale | 53.35 | 116 | 262.5 | A |
| dimethomorph | Lettuce, head | 4,764.55 | 2,315 | 24,027.5 | A |
| dimethomorph | Lettuce, leaf | 5,103.7 | 3,252 | 25,711.33 | A |
| dimethomorph | Mizuna | 1.09 | 6 | 5.3 | A |
| dimethomorph | Mustard greens | 6.05 | 24 | 29.5 | A |
| dimethomorph | N-grnhs flower | 3.59 | 9 | 7.5 | A |
| dimethomorph | N-grnhs plants in containers | 16.33 | 18 | 56.08 | A |
| dimethomorph | N-outdr flower | 0.65 | 2 | 2.0 | A |
| dimethomorph | N-outdr plants in containers | 1.06 | 3 | 2.68 | A |
| dimethomorph | Onion, dry | 27.98 | 10 | 136.74 | A |
| dimethomorph | Spinach | 1,404.24 | 929 | 6,874.4 | A |
| dimethomorph | Swiss chard | 8.94 | 28 | 43.69 | A |
| dimethomorph | Upland cress | 21.25 | 44 | 103.8 | A |
| dimethyl alkyl tertiary amines | Airport | 0.62 | N/A | 415.0 | A |
| dimethyl alkyl tertiary amines | Alfalfa | 1.23 | 28 | 198.5 | A |
| dimethyl alkyl tertiary amines | Artichoke, globe | 5.04 | 66 | 1,096.2 | A |
| dimethyl alkyl tertiary amines | Arugula | 44.57 | 118 | 1,008.22 | A |
| dimethyl alkyl tertiary amines | Bean, dried | 4.02 | 22 | 275.7 | A |
| dimethyl alkyl tertiary amines | Bean, succulent | 0.97 | 9 | 106.35 | A |
| dimethyl alkyl tertiary amines | Bean, unspecified | 1.88 | 43 | 257.65 | A |
| dimethyl alkyl tertiary amines | Bok choy | 0.57 | 120 | 85.0 | A |
| dimethyl alkyl tertiary amines | Broccoli | 57.8 | 1,002 | 8,814.45 | A |
| dimethyl alkyl tertiary amines | Brussels sprout | 14.85 | 76 | 1,030.5 | A |
| dimethyl alkyl tertiary amines | Cabbage | 1.55 | 142 | 295.9 | A |
| dimethyl alkyl tertiary amines | Carrot | 3.22 | 65 | 708.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|-----------------------|----------------|-------|--------------|--------------|
| dimethyl alkyl tertiary amines | Cauliflower | 22.34 | 473 | 4,949.28 | A |
| dimethyl alkyl tertiary amines | Celery | 21.64 | 445 | 3,485.25 | A |
| dimethyl alkyl tertiary amines | Cilantro | 0.7 | 47 | 135.5 | A |
| dimethyl alkyl tertiary amines | Cucumber | 0.3 | 8 | 47.9 | A |
| dimethyl alkyl tertiary amines | Endive (escarole) | 0.95 | 13 | 50.35 | A |
| dimethyl alkyl tertiary amines | Fennel | 0.76 | 23 | 122.6 | A |
| dimethyl alkyl tertiary amines | Garlic | 0.36 | 7 | 86.8 | A |
| dimethyl alkyl tertiary amines | Grape, wine | 0.79 | 15 | 111.37 | A |
| dimethyl alkyl tertiary amines | Kale | 7.34 | 100 | 176.56 | A |
| dimethyl alkyl tertiary amines | Kohlrabi | 0.36 | 29 | 57.5 | A |
| dimethyl alkyl tertiary amines | Landscape maintenance | 1.11 | N/A | N/A | N/A |
| dimethyl alkyl tertiary amines | Leek | 0.21 | 1 | 33.0 | A |
| dimethyl alkyl tertiary amines | Lettuce, head | 83.8 | 712 | 6,890.08 | A |
| dimethyl alkyl tertiary amines | Lettuce, leaf | 200.77 | 1,757 | 11,767.14 | A |
| dimethyl alkyl tertiary amines | Mizuna | 0.17 | 4 | 4.12 | A |
| dimethyl alkyl tertiary amines | Oat | 0.64 | 5 | 75.9 | A |
| dimethyl alkyl tertiary amines | Onion, dry | 1.43 | 13 | 287.5 | A |
| dimethyl alkyl tertiary amines | Peas | 10.12 | 147 | 1,680.5 | A |
| dimethyl alkyl tertiary amines | Pepper, fruiting | 0.28 | 2 | 24.0 | A |
| dimethyl alkyl tertiary amines | Radicchio | 0.92 | 8 | 147.4 | A |
| dimethyl alkyl tertiary amines | Rights of way | 35.65 | N/A | N/A | N/A |
| dimethyl alkyl tertiary amines | Rye | 0.19 | 8 | 30.5 | A |
| dimethyl alkyl tertiary amines | Spinach | 62.08 | 332 | 3,291.93 | A |
| dimethyl alkyl tertiary amines | Sudangrass | 0.07 | 2 | 11.0 | A |
| dimethyl alkyl tertiary amines | Sunflower | 0.94 | 4 | 40.0 | A |
| dimethyl alkyl tertiary amines | Triticale | 0.53 | 5 | 85.5 | A |
| dimethyl alkyl tertiary amines | Uncultivated ag | 119.65 | 631 | 7,160.85 | A |
| dimethyl alkyl tertiary amines | Uncultivated non-ag | 0.22 | 2 | 13.0 | A |
| dimethyl alkyl tertiary amines | Upland cress | 4.62 | 54 | 103.13 | A |
| dimethyl alkyl tertiary amines | Water area | 0.66 | 7 | 22.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| dimethyl alkyl tertiary amines | Wheat | 0.06 | 1 | 9.5 | A |
| dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate | Lettuce, head | 17.07 | 21 | 168.99 | A |
| dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate | Lettuce, leaf | 13.64 | 18 | 140.8 | A |
| dimethyl silicone fluid emulsion | Artichoke, globe | 3.22 | 102 | 720.74 | A |
| dimethyl silicone fluid emulsion | Arugula | 5.94 | 323 | 1,290.58 | A |
| dimethyl silicone fluid emulsion | Bean, dried | 0.33 | 6 | 100.0 | A |
| dimethyl silicone fluid emulsion | Bean, succulent | 1.24 | 14 | 218.6 | A |
| dimethyl silicone fluid emulsion | Beet | 0.29 | 16 | 79.65 | A |
| dimethyl silicone fluid emulsion | Bok choy | 3.26 | 180 | 683.44 | A |
| dimethyl silicone fluid emulsion | Broccoli | 25.92 | 584 | 5,666.95 | A |
| dimethyl silicone fluid emulsion | Brussels sprout | 15.68 | 159 | 2,029.9 | A |
| dimethyl silicone fluid emulsion | Cabbage | 4.94 | 164 | 1,040.81 | A |
| dimethyl silicone fluid emulsion | Carrot | 1.08 | 35 | 260.5 | A |
| dimethyl silicone fluid emulsion | Cauliflower | 7.65 | 202 | 1,534.29 | A |
| dimethyl silicone fluid emulsion | Celery | 10.21 | 213 | 2,124.8 | A |
| dimethyl silicone fluid emulsion | Chinese cabbage (napa, won bok, celery cabbage) | 5.31 | 215 | 1,163.81 | A |
| dimethyl silicone fluid emulsion | Cilantro | 4.18 | 220 | 939.46 | A |
| dimethyl silicone fluid emulsion | Cucumber | 0.31 | 11 | 82.5 | A |
| dimethyl silicone fluid emulsion | Endive (escarole) | 4.0 | 214 | 915.27 | A |
| dimethyl silicone fluid emulsion | Fennel | 0.07 | 1 | 13.57 | A |
| dimethyl silicone fluid emulsion | Garlic | 0.62 | 7 | 131.8 | A |
| dimethyl silicone fluid emulsion | Grape, wine | 13.92 | 125 | 1,489.0 | A |
| dimethyl silicone fluid emulsion | Kale | 5.23 | 152 | 834.76 | A |
| dimethyl silicone fluid emulsion | Landscape maintenance | 0.01 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|-----------------------|----------------|-------|--------------|--------------|
| dimethyl silicone fluid emulsion | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| dimethyl silicone fluid emulsion | Leek | 2.53 | 84 | 504.27 | A |
| dimethyl silicone fluid emulsion | Lemon | 0.1 | 1 | 15.0 | A |
| dimethyl silicone fluid emulsion | Lettuce, head | 35.48 | 701 | 7,840.67 | A |
| dimethyl silicone fluid emulsion | Lettuce, leaf | 76.62 | 2,157 | 17,254.35 | A |
| dimethyl silicone fluid emulsion | Mustard greens | 1.78 | 103 | 402.01 | A |
| dimethyl silicone fluid emulsion | Onion, dry | 4.19 | 67 | 813.6 | A |
| dimethyl silicone fluid emulsion | Peas | 2.39 | 51 | 536.46 | A |
| dimethyl silicone fluid emulsion | Pepper, fruiting | 0.03 | 2 | 10.0 | A |
| dimethyl silicone fluid emulsion | Radish | 6.18 | 439 | 1,197.44 | A |
| dimethyl silicone fluid emulsion | Rights of way | 0.06 | 2 | 8.5 | A |
| dimethyl silicone fluid emulsion | Rye | 0.18 | 2 | 64.5 | A |
| dimethyl silicone fluid emulsion | Spinach | 30.19 | 912 | 6,572.67 | A |
| dimethyl silicone fluid emulsion | Strawberry | 1.81 | 12 | 146.82 | A |
| dimethyl silicone fluid emulsion | Swiss chard | 0.6 | 73 | 131.16 | A |
| dimethyl silicone fluid emulsion | Triticale | 0.14 | 2 | 36.0 | A |
| dimethyl silicone fluid emulsion | Uncultivated ag | 11.03 | 253 | 2,232.0 | A |
| dimethyl silicone fluid emulsion | Uncultivated non-ag | 0.15 | 9 | 18.8 | A |
| dimethylpolysiloxane | Alfalfa | 0.3 | 1 | 140.0 | A |
| dimethylpolysiloxane | Artichoke, globe | 0.96 | 4 | 38.0 | A |
| dimethylpolysiloxane | Avocado | 18.91 | 4 | 84.56 | A |
| dimethylpolysiloxane | Barley | 0.05 | 1 | 250.0 | A |
| dimethylpolysiloxane | Blackberry | 71.81 | 9 | 133.5 | A |
| dimethylpolysiloxane | Broccoli | 622.64 | 544 | 5,634.75 | A |
| dimethylpolysiloxane | Brussels sprout | 0.37 | 10 | 94.9 | A |
| dimethylpolysiloxane | Cabbage | 57.98 | 33 | 548.95 | A |
| dimethylpolysiloxane | Cactus pear | 0.05 | 1 | 8.8 | A |
| dimethylpolysiloxane | Carrot | 37.77 | 14 | 152.1 | A |
| dimethylpolysiloxane | Cauliflower | 349.38 | 244 | 2,278.55 | A |
| dimethylpolysiloxane | Celery | 99.54 | 115 | 731.67 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|----------------|-------|--------------|--------------|
| dimethylpolysiloxane | Corn (forage - fodder) | 0.02 | 1 | 0.25 | A |
| dimethylpolysiloxane | Endive (escarole) | 0.46 | 18 | 7.8 | A |
| dimethylpolysiloxane | Forage hay/silage | 0.07 | 1 | 225.0 | A |
| dimethylpolysiloxane | Grape, wine | 583.09 | 5,363 | 125,388.4 | A |
| dimethylpolysiloxane | Kohlrabi | 5.72 | 14 | 25.2 | A |
| dimethylpolysiloxane | Landscape maintenance | 1.78 | 9 | 52.0 | A |
| dimethylpolysiloxane | Landscape maintenance | 0.18 | N/A | N/A | N/A |
| dimethylpolysiloxane | Lemon | 23.92 | 3 | 107.0 | A |
| dimethylpolysiloxane | Lettuce, head | 570.06 | 775 | 8,048.43 | A |
| dimethylpolysiloxane | Lettuce, leaf | 1,026.74 | 2,160 | 16,552.56 | A |
| dimethylpolysiloxane | N-grnhs flower | 4.99 | 44 | 285,675.0 | S |
| dimethylpolysiloxane | N-grnhs plants in containers | 247.9 | 115 | 252.91 | A |
| dimethylpolysiloxane | N-grnhs plants in containers | <0.01 | 2 | 25,000.0 | S |
| dimethylpolysiloxane | N-outdr plants in containers | 309.19 | 58 | 125.66 | A |
| dimethylpolysiloxane | N-outdr plants in containers | <0.01 | 3 | 30,600.0 | S |
| dimethylpolysiloxane | N-outdr transplants | <0.01 | 1 | 33,381.0 | S |
| dimethylpolysiloxane | Peas | 0.01 | 2 | 23.1 | A |
| dimethylpolysiloxane | Pumpkin | 2.38 | 15 | 36.27 | A |
| dimethylpolysiloxane | Radicchio | 0.22 | 1 | 4.3 | A |
| dimethylpolysiloxane | Rangeland | <0.01 | N/A | 20.0 | A |
| dimethylpolysiloxane | Rapini | 5.43 | 1 | 25.4 | A |
| dimethylpolysiloxane | Raspberry | 84.23 | 60 | 515.65 | A |
| dimethylpolysiloxane | Research commodity | <0.01 | N/A | N/A | N/A |
| dimethylpolysiloxane | Rights of way | 0.76 | 2 | 14.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|----------------|-------|--------------|--------------|
| dimethylpolysiloxane | Rights of way | 0.02 | N/A | N/A | N/A |
| dimethylpolysiloxane | Spinach | 0.77 | 1 | 14.5 | A |
| dimethylpolysiloxane | Strawberry | 36,486.54 | 1,630 | 68,432.66 | A |
| dimethylpolysiloxane | Structural pest control | <0.01 | N/A | N/A | N/A |
| dimethylpolysiloxane | Swiss chard | 1.53 | 4 | 18.87 | A |
| dimethylpolysiloxane | Uncultivated ag | 185.07 | 600 | 5,809.85 | A |
| dimethylpolysiloxane | Uncultivated non-ag | 2.29 | 7 | 146.5 | A |
| dimethylpolysiloxane | Walnut | 2.87 | 10 | 1,090.0 | A |
| dimethylpolysiloxane | Water area | 0.01 | 1 | 5.0 | A |
| dinoseb | Grape, wine | 0.89 | 1 | 35.32 | A |
| dinotefuran | Broccoli | 69.9 | 32 | 321.7 | A |
| dinotefuran | Brussels sprout | 51.48 | 21 | 329.8 | A |
| dinotefuran | Celery | 43.62 | 23 | 332.25 | A |
| dinotefuran | Grape, wine | 2.35 | 1 | 17.87 | A |
| dinotefuran | Landscape maintenance | 7.08 | N/A | N/A | N/A |
| dinotefuran | Lettuce, head | 404.32 | 125 | 1,704.36 | A |
| dinotefuran | Lettuce, leaf | 351.25 | 140 | 1,375.55 | A |
| dinotefuran | N-grnhs flower | 0.14 | 16 | 40,875.0 | S |
| dinotefuran | N-grnhs plants in containers | 14.77 | 37 | 33.49 | A |
| dinotefuran | N-grnhs plants in containers | 1.48 | 12 | 413,180.0 | S |
| dinotefuran | N-outdr flower | 0.65 | 14 | 13.0 | A |
| dinotefuran | N-outdr plants in containers | 0.49 | 13 | 11.05 | A |
| dinotefuran | N-outdr transplants | 0.53 | 1 | 0.5 | A |
| dinotefuran | Research commodity | 0.14 | N/A | N/A | N/A |
| dinotefuran | Structural pest control | 59.61 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diphacinone | Alfalfa | 0.03 | N/A | 284.0 | A |
| diphacinone | Farm/ag building | <0.01 | N/A | 60.0 | A |
| diphacinone | Grape, wine | 0.05 | 6 | 173.0 | A |
| diphacinone | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| diphacinone | N-grnhs flower | <0.01 | 1 | 10.0 | A |
| diphacinone | N-outdr flower | <0.01 | 2 | 8.0 | A |
| diphacinone | Pastureland | <0.01 | N/A | 52.0 | A |
| diphacinone | Rangeland | 0.01 | 3 | 644.0 | A |
| diphacinone | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| diphacinone | Research commodity | 0.01 | N/A | N/A | N/A |
| diphacinone | Rights of way | 0.01 | 8 | 65.0 | A |
| diphacinone | Rights of way | 0.07 | N/A | N/A | N/A |
| diphacinone | Strawberry | 0.14 | 17 | 445.1 | A |
| diphacinone | Structural pest control | 0.31 | N/A | N/A | N/A |
| diphacinone | Uncultivated ag | 0.5 | 204 | 3,964.95 | A |
| diphacinone | Uncultivated non-ag | <0.01 | N/A | 3.5 | A |
| diphacinone | Vertebrate control | 0.24 | N/A | N/A | N/A |
| diphacinone, sodium salt | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| diphacinone, sodium salt | Structural pest control | <0.01 | N/A | N/A | N/A |
| dipropylene glycol methyl ether | Alfalfa | 0.45 | 1 | 140.0 | A |
| diquat dibromide | Landscape maintenance | 27.97 | 4 | 30.0 | A |
| diquat dibromide | Landscape maintenance | 40.11 | N/A | N/A | N/A |
| diquat dibromide | N-grnhs plants in containers | 786.81 | 77 | 334.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diquat dibromide | N-outdr flower | 75.02 | 49 | 40.48 | A |
| diquat dibromide | N-outdr plants in containers | 572.61 | 57 | 177.61 | A |
| diquat dibromide | Rights of way | 13.05 | 2 | 14.0 | A |
| diquat dibromide | Rights of way | 854.84 | N/A | N/A | N/A |
| diquat dibromide | Uncultivated ag | 3,551.69 | 330 | 4,252.46 | A |
| diquat dibromide | Uncultivated ag | 4.2 | N/A | 510,000.0 | S |
| diquat dibromide | Uncultivated non-ag | 94.63 | 3 | 91.5 | A |
| diquat dibromide | Water area | 51.28 | 7 | 27.5 | A |
| disodium octaborate tetrahydrate | Structural pest control | 4,511.52 | N/A | N/A | N/A |
| dithiopyr | Landscape maintenance | 43.95 | N/A | N/A | N/A |
| dithiopyr | N-grnhs plants in containers | 0.02 | 1 | 3,680.0 | S |
| dithiopyr | N-grnhs transplants | 0.56 | 2 | 1.5 | A |
| dithiopyr | N-grnhs transplants | 0.06 | 1 | 7,026.0 | S |
| dithiopyr | N-outdr plants in containers | 0.03 | 2 | 0.75 | A |
| dithiopyr | N-outdr plants in containers | 1.58 | 56 | 526,710.0 | S |
| dithiopyr | Research commodity | 3.0 | N/A | N/A | N/A |
| dithiopyr | Rights of way | 26.17 | N/A | N/A | N/A |
| diuron | Grape, wine | 366.0 | 27 | 243.0 | A |
| diuron | Landscape maintenance | 48.8 | N/A | N/A | N/A |
| diuron | Uncultivated ag | 62.1 | 4 | 9.5 | A |
| dodecylbenzene sulfonic acid | Barley | 1.69 | 2 | 383.0 | A |
| dodecylbenzene sulfonic acid | Broccoli | 2.0 | 4 | 56.3 | A |
| dodecylbenzene sulfonic acid | Lettuce, head | 59.79 | 103 | 1,340.5 | A |
| dodecylbenzene sulfonic acid | Lettuce, leaf | 11.54 | 22 | 287.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|---|----------------|-------|--------------|--------------|
| dodecylbenzene sulfonic acid | N-outdr flower | 0.24 | 2 | 9.17 | A |
| dodecylbenzene sulfonic acid | Strawberry | 281.48 | 178 | 3,454.47 | A |
| e,e-8,10-dodecadien-1-ol | Apple | 0.79 | 1 | 9.0 | A |
| e,e-8,10-dodecadien-1-ol | N-grnhs plants in containers | 0.03 | 1 | 6,000.0 | S |
| e-11-tetradecen-1-yl acetate | N-grnhs plants in containers | 0.08 | 1 | 9,000.0 | S |
| edta | Artichoke, globe | 0.52 | 2 | 21.6 | A |
| edta | Uncultivated ag | 4.45 | 20 | 98.7 | A |
| edta, tetrasodium salt | Barley | 0.1 | 2 | 383.0 | A |
| edta, tetrasodium salt | Broccoli | 0.12 | 4 | 56.3 | A |
| edta, tetrasodium salt | Lettuce, head | 3.68 | 103 | 1,340.5 | A |
| edta, tetrasodium salt | Lettuce, leaf | 0.71 | 22 | 287.3 | A |
| edta, tetrasodium salt | N-outdr flower | 0.01 | 2 | 9.17 | A |
| edta, tetrasodium salt | Strawberry | 17.32 | 178 | 3,454.47 | A |
| emamectin benzoate | Artichoke, globe | 0.26 | 1 | 17.1 | A |
| emamectin benzoate | Bok choy | 1.09 | 47 | 74.55 | A |
| emamectin benzoate | Broccoli | 404.93 | 2,619 | 28,077.55 | A |
| emamectin benzoate | Brussels sprout | 151.87 | 735 | 10,318.08 | A |
| emamectin benzoate | Cabbage | 60.82 | 456 | 4,482.01 | A |
| emamectin benzoate | Cauliflower | 182.76 | 1,290 | 12,576.37 | A |
| emamectin benzoate | Celery | 25.79 | 252 | 2,063.3 | A |
| emamectin benzoate | Chinese cabbage (napa, won bok, celery cabbage) | 2.86 | 42 | 190.57 | A |
| emamectin benzoate | Collard | 0.41 | 15 | 28.25 | A |
| emamectin benzoate | Kale | 9.94 | 104 | 669.24 | A |
| emamectin benzoate | Kohlrabi | 0.42 | 5 | 28.3 | A |
| emamectin benzoate | Landscape maintenance | 0.62 | N/A | N/A | N/A |
| emamectin benzoate | Lettuce, head | 65.46 | 454 | 5,955.31 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|---|----------------|-------|--------------|--------------|
| emamectin benzoate | Lettuce, leaf | 25.16 | 198 | 2,317.71 | A |
| emamectin benzoate | Mustard greens | 0.11 | 3 | 7.1 | A |
| emamectin benzoate | Pepper, fruiting | 0.74 | 8 | 79.0 | A |
| emamectin benzoate | Rapini | 1.03 | 4 | 68.5 | A |
| emamectin benzoate | Research commodity | 0.49 | 9 | 32.5 | A |
| emamectin benzoate | Spinach | 0.01 | 2 | 0.4 | A |
| emamectin benzoate | Structural pest control | <0.01 | N/A | N/A | N/A |
| emamectin benzoate | Swiss chard | 0.09 | 2 | 9.73 | A |
| emulsifiable methylated vegetable oil | Artichoke, globe | 340.01 | 79 | 1,088.3 | A |
| emulsifiable methylated vegetable oil | Arugula | 22.85 | 18 | 70.43 | A |
| emulsifiable methylated vegetable oil | Bean, succulent | 91.78 | 9 | 153.2 | A |
| emulsifiable methylated vegetable oil | Beet | 17.95 | 6 | 34.55 | A |
| emulsifiable methylated vegetable oil | Bok choy | 268.4 | 144 | 541.94 | A |
| emulsifiable methylated vegetable oil | Broccoli | 5,192.31 | 1,379 | 13,224.01 | A |
| emulsifiable methylated vegetable oil | Brussels sprout | 3,239.9 | 361 | 3,977.36 | A |
| emulsifiable methylated vegetable oil | Cabbage | 435.81 | 160 | 1,030.44 | A |
| emulsifiable methylated vegetable oil | Cardoon | 16.66 | 21 | 59.8 | A |
| emulsifiable methylated vegetable oil | Carrot | 34.69 | 26 | 109.5 | A |
| emulsifiable methylated vegetable oil | Cauliflower | 2,679.34 | 685 | 5,531.58 | A |
| emulsifiable methylated vegetable oil | Celery | 2,087.88 | 507 | 4,573.61 | A |
| emulsifiable methylated vegetable oil | Chinese cabbage (napa, won bok, celery cabbage) | 468.53 | 177 | 946.31 | A |
| emulsifiable methylated vegetable oil | Cilantro | 94.76 | 56 | 301.15 | A |
| emulsifiable methylated vegetable oil | Cucumber | 13.0 | 3 | 22.5 | A |
| emulsifiable methylated vegetable oil | Endive (escarole) | 339.45 | 164 | 712.67 | A |
| emulsifiable methylated vegetable oil | Fennel | 3.32 | 2 | 10.2 | A |
| emulsifiable methylated vegetable oil | Garlic | 50.24 | 5 | 103.7 | A |
| emulsifiable methylated vegetable oil | Grape, wine | 3,395.13 | 75 | 1,522.14 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|---|----------------|-------|--------------|--------------|
| emulsifiable methylated vegetable oil | Kale | 764.66 | 130 | 1,116.07 | A |
| emulsifiable methylated vegetable oil | Landscape maintenance | 7.03 | 5 | 22.0 | A |
| emulsifiable methylated vegetable oil | Leek | 162.43 | 54 | 319.27 | A |
| emulsifiable methylated vegetable oil | Lettuce, head | 10,191.18 | 2,082 | 22,092.49 | A |
| emulsifiable methylated vegetable oil | Lettuce, leaf | 10,524.93 | 2,720 | 23,800.41 | A |
| emulsifiable methylated vegetable oil | Mustard greens | 25.07 | 29 | 64.95 | A |
| emulsifiable methylated vegetable oil | Onion, dry | 180.04 | 22 | 347.3 | A |
| emulsifiable methylated vegetable oil | Peas | 36.86 | 62 | 454.62 | A |
| emulsifiable methylated vegetable oil | Pumpkin | 2.77 | 1 | 4.0 | A |
| emulsifiable methylated vegetable oil | Radish | 366.92 | 302 | 810.24 | A |
| emulsifiable methylated vegetable oil | Rights of way | 27.66 | N/A | N/A | N/A |
| emulsifiable methylated vegetable oil | Spinach | 14.99 | 3 | 21.6 | A |
| emulsifiable methylated vegetable oil | Swiss chard | 11.03 | 29 | 29.25 | A |
| emulsifiable methylated vegetable oil | Uncultivated ag | 1,563.45 | 276 | 1,841.55 | A |
| eptc | Bean, dried | 438.48 | 17 | 231.0 | A |
| eptc | Carrot | 366.9 | 11 | 120.3 | A |
| esfenvalerate | Artichoke, globe | 382.54 | 703 | 8,176.06 | A |
| esfenvalerate | Bean, dried | 1.47 | 2 | 35.3 | A |
| esfenvalerate | Bean, succulent | 1.55 | 3 | 40.4 | A |
| esfenvalerate | Bean, unspecified | 0.32 | 1 | 6.5 | A |
| esfenvalerate | Broccoli | 265.84 | 640 | 6,199.52 | A |
| esfenvalerate | Cabbage | 35.85 | 102 | 812.16 | A |
| esfenvalerate | Cauliflower | 103.61 | 245 | 2,357.93 | A |
| esfenvalerate | Chinese cabbage (napa, won bok, celery cabbage) | 6.83 | 32 | 171.32 | A |
| esfenvalerate | Cucumber | 0.64 | 2 | 13.7 | A |
| esfenvalerate | Kohlrabi | 0.62 | 7 | 15.4 | A |
| esfenvalerate | Landscape maintenance | 0.06 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------|-------------------------|----------------|------|--------------|--------------|
| esfenvalerate | Lettuce, head | 126.91 | 277 | 2,994.5 | A |
| esfenvalerate | N-grnhs transplants | 0.12 | 10 | 2.76 | A |
| esfenvalerate | N-outdr transplants | 0.3 | 4 | 277,020.0 | S |
| esfenvalerate | Peas | 57.32 | 116 | 1,300.1 | A |
| esfenvalerate | Pumpkin | 0.41 | 1 | 8.3 | A |
| esfenvalerate | Radish | 22.37 | 161 | 470.4 | A |
| esfenvalerate | Research commodity | 0.19 | N/A | N/A | N/A |
| esfenvalerate | Structural pest control | 5.86 | N/A | N/A | N/A |
| esfenvalerate | Sunflower | 0.61 | 2 | 12.3 | A |
| esfenvalerate | Uncultivated ag | 0.1 | 1 | 2.0 | A |
| esfenvalerate | Walnut | 9.87 | 1 | 100.0 | A |
| ethalfluralin | Bean, dried | 43.38 | 6 | 57.7 | A |
| ethalfluralin | Bean, succulent | 76.26 | 9 | 101.5 | A |
| ethalfluralin | Cucumber | 115.27 | 28 | 132.17 | A |
| ethalfluralin | Pumpkin | 40.61 | 11 | 39.17 | A |
| ethalfluralin | Squash, summer | 12.91 | 4 | 15.0 | A |
| ethanolamine | Alfalfa | 0.28 | 1 | 100.0 | A |
| ethanolamine | Barley | 0.27 | 2 | 378.0 | A |
| ethanolamine | Broccoli | 0.05 | 1 | 9.2 | A |
| ethanolamine | Lettuce, head | 12.47 | 153 | 1,731.1 | A |
| ethanolamine | Lettuce, leaf | 12.21 | 152 | 1,769.2 | A |
| ethanolamine | N-outdr flower | 0.06 | 4 | 13.09 | A |
| ethanolamine | Research commodity | 0.02 | N/A | N/A | N/A |
| ethanolamine | Strawberry | 21.15 | 119 | 1,339.26 | A |
| ethephon | Cucumber | 29.58 | 28 | 173.52 | A |
| ethephon | Golf course turf | 29.94 | N/A | 9.0 | A |
| ethephon | Landscape maintenance | 869.28 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| ethephon | N-grnhs flower | 0.52 | 158 | 109,180.0 | S |
| ethephon | N-grnhs plants in containers | 44.84 | 198 | 237.75 | A |
| ethephon | N-outdr plants in containers | 0.84 | 4 | 5.21 | A |
| ethephon | Pepper, fruiting | 0.99 | 1 | 2.0 | A |
| ethephon | Squash, summer | 9.32 | 10 | 56.35 | A |
| ethephon | Walnut | 160.72 | 1 | 160.0 | A |
| ethofumesate | Golf course turf | 190.16 | N/A | 49.0 | A |
| ethofumesate | Landscape maintenance | 828.14 | N/A | N/A | N/A |
| ethofumesate | Sod farm (turf) | 40.31 | 2 | 40.0 | A |
| ethoprop | Cabbage | 15.02 | 18 | 149.6 | A |
| ethylene glycol | Cabbage | 1.94 | 1 | 8.18 | A |
| ethylene glycol | Grape, wine | 10,447.43 | 984 | 31,008.84 | A |
| ethylene glycol | Lettuce, head | 2,130.29 | 733 | 8,623.43 | A |
| ethylene glycol | Lettuce, leaf | 2,859.43 | 1,252 | 10,237.6 | A |
| etofenprox | Structural pest control | 26.68 | N/A | N/A | N/A |
| etoxazole | Grape, wine | 1,097.63 | 259 | 8,484.61 | A |
| etoxazole | N-grnhs flower | 0.1 | 8 | 28,725.0 | S |
| etoxazole | N-grnhs transplants | 0.1 | 1 | 120,000.0 | S |
| etoxazole | Raspberry | 1.4 | 2 | 10.34 | A |
| etoxazole | Research commodity | 0.01 | N/A | N/A | N/A |
| etoxazole | Strawberry | 194.82 | 49 | 1,441.89 | A |
| famoxadone | Cilantro | 23.04 | 23 | 149.36 | A |
| famoxadone | Lettuce, leaf | 12.53 | 8 | 80.2 | A |
| famoxadone | Spinach | 4.66 | 5 | 29.8 | A |
| fatty acids derived from tallow | Barley | 0.92 | 1 | 10.0 | A |
| fatty acids derived from tallow | Raspberry | 16.25 | 11 | 147.62 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| fatty acids derived from tallow | Rye | 2.38 | 5 | 19.3 | A |
| fatty acids derived from tallow | Strawberry | 201.38 | 17 | 1,309.0 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Artichoke, globe | 1,369.54 | 410 | 5,866.4 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Broccoli | 19.37 | 11 | 101.6 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Brussels sprout | 53.66 | 12 | 192.7 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Cabbage | 33.06 | 14 | 165.4 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Cauliflower | 23.73 | 10 | 113.65 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Celery | 42.2 | 25 | 199.1 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Chinese cabbage (napa, won bok, celery cabbage) | 6.77 | 5 | 28.0 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Grape, wine | 78.72 | 17 | 352.52 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Lettuce, head | 37.67 | 15 | 200.3 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Lettuce, leaf | 92.92 | 48 | 444.8 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Raspberry | 2.84 | 1 | 6.2 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Rights of way | 62.58 | N/A | N/A | N/A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Spinach | 3.39 | 3 | 30.0 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Strawberry | 2,809.09 | 217 | 7,617.95 | A |
| fatty acids, methyl esters | Alfalfa | 5.42 | 4 | 11.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|-------------------------|----------------|------|--------------|--------------|
| fatty acids, methyl esters | Broccoli | 7.65 | 1 | 8.8 | A |
| fatty acids, methyl esters | Carrot | 1,491.22 | 75 | 1,246.1 | A |
| fatty acids, methyl esters | Celery | 1,152.66 | 143 | 1,242.53 | A |
| fatty acids, methyl esters | Cilantro | 12.17 | 1 | 7.0 | A |
| fatty acids, methyl esters | Grape, wine | 9,169.54 | 223 | 14,219.37 | A |
| fatty acids, methyl esters | Kale | 0.64 | 1 | 4.94 | A |
| fatty acids, methyl esters | Lettuce, head | 19.89 | 2 | 22.9 | A |
| fatty acids, methyl esters | Lettuce, leaf | 45.9 | 7 | 52.7 | A |
| fatty acids, methyl esters | Oat | 239.57 | 13 | 275.6 | A |
| fatty acids, methyl esters | Uncultivated ag | 7,738.48 | 447 | 4,731.6 | A |
| fatty acids, methyl esters | Wheat | 3.89 | 1 | 8.9 | A |
| fatty acids, mixed | Alfalfa | 0.75 | 2 | 68.6 | A |
| fatty acids, mixed | Artichoke, globe | 4.77 | 51 | 754.4 | A |
| fatty acids, mixed | Avocado | 3.34 | 1 | 10.0 | A |
| fatty acids, mixed | Broccoli | 126.26 | 902 | 12,029.05 | A |
| fatty acids, mixed | Brussels sprout | 47.69 | 197 | 2,941.71 | A |
| fatty acids, mixed | Cabbage | 35.71 | 303 | 3,685.58 | A |
| fatty acids, mixed | Carrot | 0.08 | 2 | 41.3 | A |
| fatty acids, mixed | Cauliflower | 31.75 | 160 | 2,089.62 | A |
| fatty acids, mixed | Celery | 20.33 | 287 | 2,088.46 | A |
| fatty acids, mixed | Corn, human consumption | 0.07 | 1 | 4.5 | A |
| fatty acids, mixed | Cucumber | 0.08 | 1 | 20.0 | A |
| fatty acids, mixed | Endive (escarole) | 0.05 | 5 | 19.3 | A |
| fatty acids, mixed | Fennel | 1.32 | 10 | 137.6 | A |
| fatty acids, mixed | Garlic | 21.49 | 97 | 1,854.6 | A |
| fatty acids, mixed | Grape, wine | 451.32 | 13 | 4,358.33 | A |
| fatty acids, mixed | Kale | 0.12 | 5 | 34.4 | A |
| fatty acids, mixed | Kohlrabi | 0.03 | 1 | 2.0 | A |
| fatty acids, mixed | Leek | 0.79 | 6 | 81.3 | A |
| fatty acids, mixed | Lemon | 2.54 | 20 | 156.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|----------------|-------|--------------|--------------|
| fatty acids, mixed | Lettuce, head | 222.52 | 1,807 | 20,836.88 | A |
| fatty acids, mixed | Lettuce, leaf | 467.7 | 4,279 | 43,464.33 | A |
| fatty acids, mixed | Mizuna | <0.01 | 1 | 1.1 | A |
| fatty acids, mixed | N-grnhs plants in containers | 8.97 | 79 | 332.0 | A |
| fatty acids, mixed | N-grnhs plants in containers | 0.01 | 1 | 10,000.0 | S |
| fatty acids, mixed | N-grnhs transplants | 1.64 | 279 | 100.65 | A |
| fatty acids, mixed | N-outdr plants in containers | 7.28 | 60 | 179.61 | A |
| fatty acids, mixed | N-outdr plants in containers | 0.03 | 1 | 25,000.0 | S |
| fatty acids, mixed | N-outdr transplants | 0.13 | 10 | 10.77 | A |
| fatty acids, mixed | Onion, dry | 2.99 | 49 | 556.68 | A |
| fatty acids, mixed | Parsley | 0.11 | 3 | 33.7 | A |
| fatty acids, mixed | Peas | 19.99 | 278 | 3,028.92 | A |
| fatty acids, mixed | Pepper, fruiting | 0.57 | 3 | 41.6 | A |
| fatty acids, mixed | Pumpkin | 0.17 | 4 | 22.58 | A |
| fatty acids, mixed | Rangeland | 0.13 | 1 | 20.0 | A |
| fatty acids, mixed | Rapini | 20.26 | 188 | 1,832.2 | A |
| fatty acids, mixed | Rights of way | 0.44 | N/A | N/A | N/A |
| fatty acids, mixed | Spinach | 0.15 | 3 | 22.1 | A |
| fatty acids, mixed | Squash, summer | 0.06 | 1 | 3.4 | A |
| fatty acids, mixed | Strawberry | 19.24 | 24 | 638.9 | A |
| fatty acids, mixed | Swiss chard | 0.31 | 4 | 18.87 | A |
| fatty acids, mixed | Uncultivated ag | 8.72 | 80 | 841.14 | A |
| fenamidone | Arugula | 231.29 | 187 | 914.42 | A |
| fenamidone | Beet | 3.22 | 1 | 12.5 | A |
| fenamidone | Bok choy | 2.39 | 6 | 9.0 | A |
| fenamidone | Broccoli | 111.16 | 49 | 427.28 | A |
| fenamidone | Cabbage | 6.98 | 3 | 27.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|---|-----------------------|-------------|---------------------|---------------------|
| fenamidone | Cauliflower | 20.06 | 11 | 78.1 | A |
| fenamidone | Celery | 12.08 | 5 | 45.9 | A |
| fenamidone | Chinese cabbage (napa, won bok, celery cabbage) | 12.57 | 16 | 48.0 | A |
| fenamidone | Cilantro | 0.7 | 2 | 3.6 | A |
| fenamidone | Fennel | 3.96 | 1 | 15.4 | A |
| fenamidone | Kale | 41.97 | 77 | 178.73 | A |
| fenamidone | Lettuce, head | 1,886.39 | 718 | 7,293.91 | A |
| fenamidone | Lettuce, leaf | 3,642.41 | 1,627 | 14,119.72 | A |
| fenamidone | Mizuna | 19.45 | 26 | 77.7 | A |
| fenamidone | Mustard greens | 66.98 | 76 | 266.17 | A |
| fenamidone | N-grnhs plants in containers | 25.45 | 52 | 72.85 | A |
| fenamidone | N-grnhs transplants | 1.98 | 14 | 7.66 | A |
| fenamidone | N-outdr transplants | 1.93 | 2 | 7.5 | A |
| fenamidone | Onion, dry | 53.08 | 20 | 309.7 | A |
| fenamidone | Radicchio | 68.82 | 57 | 259.4 | A |
| fenamidone | Rapini | 180.5 | 44 | 699.6 | A |
| fenamidone | Research commodity | 0.17 | 1 | 1.0 | A |
| fenamidone | Research commodity | 0.27 | N/A | N/A | N/A |
| fenamidone | Spinach | 890.81 | 444 | 3,513.87 | A |
| fenamidone | Swiss chard | 26.44 | 68 | 103.67 | A |
| fenamidone | Upland cress | 0.53 | 1 | 2.04 | A |
| fenbutatin-oxide | Strawberry | 196.31 | 41 | 196.31 | A |
| fenhexamid | Grape, wine | 2,792.06 | 300 | 6,176.27 | A |
| fenhexamid | N-grnhs plants in containers | 46.35 | 15 | 33.46 | A |
| fenhexamid | N-grnhs plants in containers | 0.81 | 2 | 50,955.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|----------------|------|--------------|--------------|
| fenhexamid | N-outdr flower | 1.0 | 1 | 2.0 | A |
| fenhexamid | N-outdr plants in containers | 3.12 | 2 | 4.47 | A |
| fenhexamid | Strawberry | 2,646.27 | 185 | 3,829.48 | A |
| fenpropathrin | Grape, wine | 9.88 | 2 | 57.95 | A |
| fenpropathrin | N-outdr flower | 2.19 | 12 | 14.0 | A |
| fenpropathrin | N-outdr plants in containers | 12.29 | 2 | 5.38 | A |
| fenpropathrin | Strawberry | 1,016.73 | 210 | 3,067.3 | A |
| fenpyroximate | Grape, wine | 187.97 | 52 | 1,767.21 | A |
| fenpyroximate | N-grnhs flower | 0.05 | 3 | 10,237.5 | S |
| fenpyroximate | Strawberry | 72.31 | 73 | 689.78 | A |
| ferric sodium edta | Artichoke, globe | 109.01 | 20 | 230.9 | A |
| ferric sodium edta | N-grnhs plants in containers | 0.45 | 4 | 32,750.0 | S |
| fipronil | Landscape maintenance | 0.06 | N/A | N/A | N/A |
| fipronil | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| fipronil | Structural pest control | 73.14 | N/A | N/A | N/A |
| flazasulfuron | Grape, wine | 8.49 | 41 | 333.54 | A |
| flonicamid | Alfalfa | 2.22 | 1 | 25.3 | A |
| flonicamid | Arugula | 130.77 | 213 | 1,508.78 | A |
| flonicamid | Beet | 1.21 | 5 | 15.4 | A |
| flonicamid | Bok choy | 5.12 | 35 | 60.35 | A |
| flonicamid | Broccoli | 29.32 | 27 | 339.4 | A |
| flonicamid | Brussels sprout | 142.57 | 135 | 1,649.57 | A |
| flonicamid | Cabbage | 20.18 | 31 | 231.7 | A |
| flonicamid | Carrot | 4.04 | 12 | 46.3 | A |
| flonicamid | Cauliflower | 4.19 | 7 | 49.52 | A |
| flonicamid | Celery | 97.96 | 138 | 1,143.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------|---|----------------|-------|--------------|--------------|
| flonicamid | Chinese cabbage (napa, won bok, celery cabbage) | 11.66 | 34 | 136.05 | A |
| flonicamid | Cilantro | 8.88 | 16 | 101.5 | A |
| flonicamid | Cucumber | 4.19 | 4 | 47.9 | A |
| flonicamid | Endive (escarole) | 8.49 | 21 | 98.9 | A |
| flonicamid | Fennel | 3.7 | 16 | 43.4 | A |
| flonicamid | Kale | 54.13 | 191 | 620.92 | A |
| flonicamid | Kohlrabi | 0.53 | 2 | 6.0 | A |
| flonicamid | Lettuce, head | 411.0 | 472 | 5,004.25 | A |
| flonicamid | Lettuce, leaf | 726.28 | 1,147 | 8,642.14 | A |
| flonicamid | Mizuna | 4.91 | 37 | 56.46 | A |
| flonicamid | Mustard greens | 11.13 | 50 | 128.6 | A |
| flonicamid | N-grnhs flower | <0.01 | 3 | 112.5 | S |
| flonicamid | N-grnhs plants in containers | 0.54 | 2 | 4.03 | A |
| flonicamid | N-grnhs plants in containers | 0.18 | 4 | 58,000.0 | S |
| flonicamid | N-outdr flower | 0.31 | 3 | 3.0 | A |
| flonicamid | N-outdr plants in containers | 0.08 | 1 | 25,000.0 | S |
| flonicamid | Peas | 3.93 | 3 | 44.8 | A |
| flonicamid | Pumpkin | 0.18 | 1 | 2.0 | A |
| flonicamid | Radicchio | 2.21 | 5 | 26.5 | A |
| flonicamid | Radish | 11.86 | 51 | 140.5 | A |
| flonicamid | Rapini | 32.19 | 21 | 367.7 | A |
| flonicamid | Research commodity | 0.42 | N/A | N/A | N/A |
| flonicamid | Spinach | 521.53 | 668 | 6,034.82 | A |
| flonicamid | Strawberry | 1,094.19 | 439 | 12,501.85 | A |
| flonicamid | Sunflower | 0.81 | 1 | 9.3 | A |
| flonicamid | Swiss chard | 24.28 | 124 | 279.38 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| flonicamid | Upland cress | 12.23 | 66 | 141.22 | A |
| fluazifop-butyl | Landscape maintenance | 138.09 | N/A | N/A | N/A |
| fluazifop-p-butyl | Carrot | 341.23 | 97 | 1,486.5 | A |
| fluazifop-p-butyl | Grape, wine | 461.32 | 166 | 2,995.6 | A |
| fluazifop-p-butyl | Landscape maintenance | 1.16 | N/A | N/A | N/A |
| fluazifop-p-butyl | Lettuce, head | 2.51 | 1 | 10.0 | A |
| fluazifop-p-butyl | Lettuce, leaf | 15.77 | 8 | 62.7 | A |
| fluazifop-p-butyl | Uncultivated ag | 6.79 | 1 | 36.0 | A |
| fluazinam | Broccoli | 252.66 | 20 | 186.3 | A |
| fluazinam | Brussels sprout | 33.11 | 2 | 24.0 | A |
| fluazinam | Cauliflower | 30.75 | 8 | 27.0 | A |
| fluazinam | Chinese cabbage (napa, won bok, celery cabbage) | 0.68 | 1 | 0.5 | A |
| fluazinam | Golf course turf | 10.83 | N/A | 15.0 | A |
| fluazinam | Landscape maintenance | 118.26 | N/A | N/A | N/A |
| flubendiamide | Broccoli | 95.62 | 156 | 1,406.81 | A |
| flubendiamide | Cauliflower | 50.35 | 98 | 698.92 | A |
| fludioxonil | Beet | 0.03 | N/A | 1,152.02 | P |
| fludioxonil | Blackberry | 13.13 | 4 | 60.0 | A |
| fludioxonil | Broccoli | 2.19 | 1 | 10.0 | A |
| fludioxonil | Brussels sprout | 25.31 | 17 | 158.8 | A |
| fludioxonil | Cabbage | <0.01 | N/A | 3.31 | P |
| fludioxonil | Carrot | 0.04 | N/A | 1,507.52 | P |
| fludioxonil | Cauliflower | 6.27 | 3 | 28.68 | A |
| fludioxonil | Corn, human consumption | 0.47 | N/A | 28,880.0 | P |
| fludioxonil | Cucumber | 1.08 | N/A | 41,999.69 | P |
| fludioxonil | Endive (escarole) | 3.39 | 4 | 15.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|------------------------------|----------------|------|--------------|--------------|
| fludioxonil | Fennel | 0.01 | N/A | 300.03 | P |
| fludioxonil | Golf course turf | 6.15 | N/A | 18.0 | A |
| fludioxonil | Grape, wine | 6.19 | 1 | 33.0 | A |
| fludioxonil | Landscape maintenance | 96.8 | N/A | N/A | N/A |
| fludioxonil | Lettuce, head | 165.05 | 82 | 785.75 | A |
| fludioxonil | Lettuce, leaf | 140.21 | 63 | 666.9 | A |
| fludioxonil | Lettuce, leaf | 0.01 | N/A | 429.62 | P |
| fludioxonil | Melon | 0.07 | N/A | 2,731.61 | P |
| fludioxonil | N-grnhs flower | 12.06 | 52 | 58.5 | A |
| fludioxonil | N-grnhs plants in containers | 175.43 | 202 | 260.66 | A |
| fludioxonil | N-grnhs plants in containers | 7.9 | 125 | 1,373,606.0 | S |
| fludioxonil | N-grnhs transplants | 4.27 | 35 | 15.96 | A |
| fludioxonil | N-grnhs transplants | 0.61 | 2 | 134,460.0 | S |
| fludioxonil | N-outdr plants in containers | 61.11 | 36 | 76.62 | A |
| fludioxonil | N-outdr plants in containers | 0.03 | 1 | 8,000.0 | S |
| fludioxonil | N-outdr transplants | 0.52 | 2 | 1.5 | A |
| fludioxonil | N-outdr transplants | 1.62 | 6 | 375,279.0 | S |
| fludioxonil | Onion, dry | 0.98 | N/A | 38,872.71 | P |
| fludioxonil | Parsnip | 0.04 | N/A | 111.5 | P |
| fludioxonil | Pumpkin | 0.1 | N/A | 4,087.1 | P |
| fludioxonil | Raspberry | 60.19 | 23 | 276.3 | A |
| fludioxonil | Research commodity | 0.66 | 3 | 3.0 | A |
| fludioxonil | Research commodity | 0.2 | N/A | N/A | N/A |
| fludioxonil | Spinach | <0.01 | N/A | 128.57 | P |
| fludioxonil | Squash | 0.05 | N/A | 941.47 | P |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|---|----------------|-------|--------------|--------------|
| fludioxonil | Strawberry | 3,659.48 | 497 | 16,526.15 | A |
| fludioxonil | Tomato | <0.01 | N/A | 73.31 | P |
| fludioxonil | Watermelon | 0.02 | N/A | 890.58 | P |
| flumioxazin | Alfalfa | 12.75 | 1 | 100.0 | A |
| flumioxazin | Artichoke, globe | 106.97 | 76 | 979.8 | A |
| flumioxazin | Blackberry | 0.67 | 1 | 3.5 | A |
| flumioxazin | Celery | 7.45 | 10 | 77.9 | A |
| flumioxazin | Garlic | 52.23 | 27 | 347.8 | A |
| flumioxazin | Grape, wine | 2,469.94 | 625 | 14,177.9 | A |
| flumioxazin | Landscape maintenance | 1.19 | N/A | N/A | N/A |
| flumioxazin | Lemon | 2.3 | 1 | 24.0 | A |
| flumioxazin | Raspberry | 4.97 | 2 | 42.0 | A |
| flumioxazin | Research commodity | 0.06 | N/A | N/A | N/A |
| flumioxazin | Rights of way | 3.44 | N/A | N/A | N/A |
| flumioxazin | Strawberry | 210.74 | 58 | 2,318.97 | A |
| flumioxazin | Uncultivated ag | 31.41 | 23 | 113.2 | A |
| flumioxazin | Uncultivated non-ag | 0.67 | 2 | 4.0 | A |
| fluopicolide | Arugula | 181.52 | 209 | 1,471.56 | A |
| fluopicolide | Broccoli | 0.32 | 3 | 2.25 | A |
| fluopicolide | Cabbage | 0.08 | 2 | 0.45 | A |
| fluopicolide | Cauliflower | 2.84 | 2 | 23.05 | A |
| fluopicolide | Chinese cabbage (napa, won bok, celery cabbage) | 1.23 | 1 | 10.0 | A |
| fluopicolide | Endive (escarole) | 0.25 | 2 | 2.0 | A |
| fluopicolide | Kale | 54.3 | 140 | 445.13 | A |
| fluopicolide | Lettuce, head | 1,174.31 | 873 | 9,923.51 | A |
| fluopicolide | Lettuce, leaf | 1,111.87 | 1,072 | 9,203.87 | A |
| fluopicolide | Mustard greens | 2.87 | 9 | 23.06 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|---|----------------|-------|--------------|--------------|
| fluopicolide | N-grnhs plants in containers | 7.2 | 13 | 33.21 | A |
| fluopicolide | N-grnhs plants in containers | 0.01 | 1 | 3,200.0 | S |
| fluopicolide | N-outdr flower | 0.5 | 4 | 4.0 | A |
| fluopicolide | N-outdr plants in containers | 3.56 | 5 | 19.9 | A |
| fluopicolide | N-outdr plants in containers | 0.01 | 1 | 2,400.0 | S |
| fluopicolide | Onion, dry | 22.9 | 11 | 185.0 | A |
| fluopicolide | Onion, green | 2.49 | 1 | 20.0 | A |
| fluopicolide | Radish | 3.36 | 1 | 27.12 | A |
| fluopicolide | Spinach | 1,264.91 | 1,068 | 10,335.27 | A |
| fluopicolide | Swiss chard | 27.17 | 99 | 232.15 | A |
| fluopicolide | Upland cress | 7.73 | 30 | 62.46 | A |
| fluopicolide | Watercress | 0.24 | 1 | 2.04 | A |
| fluopyram | Artichoke, globe | 241.18 | 159 | 1,968.0 | A |
| fluopyram | Beet | 2.37 | 2 | 25.0 | A |
| fluopyram | Blackberry | 4.23 | 2 | 21.0 | A |
| fluopyram | Bok choy | 1.4 | 3 | 11.25 | A |
| fluopyram | Broccoli | 1.5 | 2 | 12.0 | A |
| fluopyram | Brussels sprout | 586.81 | 287 | 4,765.71 | A |
| fluopyram | Cauliflower | 2.15 | 4 | 17.25 | A |
| fluopyram | Celery | 40.42 | 43 | 441.05 | A |
| fluopyram | Chinese cabbage (napa, won bok, celery cabbage) | 2.97 | 4 | 23.82 | A |
| fluopyram | Cilantro | 15.97 | 30 | 128.88 | A |
| fluopyram | Cucumber | 4.49 | 5 | 36.2 | A |
| fluopyram | Endive (escarole) | 3.59 | 20 | 30.9 | A |
| fluopyram | Fennel | 0.65 | 4 | 6.7 | A |
| fluopyram | Golf course turf | 1.33 | N/A | 3.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| fluopyram | Grape, wine | 3,314.75 | 748 | 31,479.38 | A |
| fluopyram | Kale | 16.97 | 17 | 139.0 | A |
| fluopyram | Landscape maintenance | 29.06 | N/A | N/A | N/A |
| fluopyram | Leek | 11.31 | 9 | 57.52 | A |
| fluopyram | Lettuce, head | 575.46 | 456 | 4,654.98 | A |
| fluopyram | Lettuce, leaf | 1,125.31 | 1,097 | 9,133.03 | A |
| fluopyram | N-grnhs flower | 0.07 | 2 | 9,000.0 | S |
| fluopyram | Research commodity | 0.25 | 2 | 2.0 | A |
| fluopyram | Spinach | 0.02 | 1 | 0.2 | A |
| fluopyram | Squash, summer | 1.85 | 2 | 15.0 | A |
| fluopyram | Strawberry | 1,349.9 | 429 | 10,785.28 | A |
| fluopyram | Sunflower | 2.04 | 2 | 12.3 | A |
| fluoxastrobin | Landscape maintenance | 3.52 | N/A | N/A | N/A |
| flupyradifurone | Alfalfa | 3.45 | 1 | 25.3 | A |
| flupyradifurone | Arugula | 12.62 | 26 | 72.74 | A |
| flupyradifurone | Beet | 6.31 | 6 | 34.55 | A |
| flupyradifurone | Bok choy | 26.54 | 80 | 148.53 | A |
| flupyradifurone | Broccoli | 892.32 | 548 | 5,865.52 | A |
| flupyradifurone | Brussels sprout | 573.51 | 259 | 3,256.47 | A |
| flupyradifurone | Cabbage | 206.91 | 136 | 1,346.38 | A |
| flupyradifurone | Cardoon | 4.0 | 9 | 25.6 | A |
| flupyradifurone | Cauliflower | 296.07 | 212 | 1,907.46 | A |
| flupyradifurone | Celery | 628.94 | 428 | 3,842.53 | A |
| flupyradifurone | Chinese cabbage (napa, won bok, celery cabbage) | 51.23 | 79 | 282.55 | A |
| flupyradifurone | Cilantro | 100.89 | 95 | 559.9 | A |
| flupyradifurone | Endive (escarole) | 36.22 | 98 | 220.68 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|----------------|-------|--------------|--------------|
| flupyradifurone | Fennel | 17.35 | 11 | 128.4 | A |
| flupyradifurone | Grape, wine | 80.68 | 11 | 442.16 | A |
| flupyradifurone | Kale | 80.33 | 139 | 514.34 | A |
| flupyradifurone | Kohlrabi | 0.36 | 1 | 2.0 | A |
| flupyradifurone | Lemon | 7.3 | 1 | 40.0 | A |
| flupyradifurone | Lettuce, head | 2,798.41 | 1,684 | 17,551.38 | A |
| flupyradifurone | Lettuce, leaf | 4,050.93 | 2,869 | 25,485.66 | A |
| flupyradifurone | Mizuna | 2.5 | 11 | 16.4 | A |
| flupyradifurone | Mustard greens | 10.26 | 16 | 71.62 | A |
| flupyradifurone | N-grnhs plants in containers | 7.62 | 13 | 24.17 | A |
| flupyradifurone | N-grnhs plants in containers | 0.29 | 8 | 77,000.0 | S |
| flupyradifurone | N-outdr flower | 8.32 | 66 | 67.0 | A |
| flupyradifurone | N-outdr plants in containers | 14.2 | 8 | 14.76 | A |
| flupyradifurone | N-outdr plants in containers | 0.07 | 2 | 15,000.0 | S |
| flupyradifurone | Parsley | 2.29 | 2 | 14.6 | A |
| flupyradifurone | Peas | 58.52 | 26 | 387.2 | A |
| flupyradifurone | Radicchio | 40.19 | 47 | 224.1 | A |
| flupyradifurone | Rapini | 84.68 | 32 | 558.1 | A |
| flupyradifurone | Raspberry | 1.13 | 1 | 6.2 | A |
| flupyradifurone | Research commodity | 4.14 | 10 | 23.75 | A |
| flupyradifurone | Research commodity | 0.02 | N/A | N/A | N/A |
| flupyradifurone | Spinach | 424.53 | 377 | 3,318.71 | A |
| flupyradifurone | Strawberry | 1,777.9 | 407 | 10,529.58 | A |
| flupyradifurone | Swiss chard | 6.96 | 25 | 46.85 | A |
| flupyradifurone | Tat soi (spinach mustard) | 0.07 | 1 | 0.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|----------------|------|--------------|--------------|
| flupyradifurone | Upland cress | 9.94 | 34 | 73.9 | A |
| flupyradifurone | Watercress | 0.28 | 1 | 2.04 | A |
| fluroxypyr, 1-methylheptyl ester | Rights of way | 0.25 | N/A | N/A | N/A |
| flurprimidol | Golf course turf | 5.85 | N/A | 67.0 | A |
| flurprimidol | Landscape maintenance | 707.46 | N/A | N/A | N/A |
| flurprimidol | N-grnhs flower | <0.01 | 2 | 75.0 | S |
| flurprimidol | N-grnhs plants in containers | 0.24 | 31 | 24.71 | A |
| flurprimidol | N-outdr plants in containers | 0.05 | 12 | 8.75 | A |
| flutianil | Grape, wine | 14.5 | 82 | 685.62 | A |
| flutolanil | Landscape maintenance | 127.4 | N/A | N/A | N/A |
| flutriafol | Grape, wine | 893.07 | 233 | 11,019.9 | A |
| flutriafol | Strawberry | 395.9 | 106 | 3,595.14 | A |
| fluxapyroxad | Broccoli | 135.17 | 153 | 1,549.8 | A |
| fluxapyroxad | Brussels sprout | 132.92 | 75 | 1,502.9 | A |
| fluxapyroxad | Cabbage | 1.6 | 2 | 18.4 | A |
| fluxapyroxad | Carrot | 3.73 | 2 | 41.3 | A |
| fluxapyroxad | Cauliflower | 22.04 | 23 | 257.6 | A |
| fluxapyroxad | Endive (escarole) | 2.36 | 4 | 18.0 | A |
| fluxapyroxad | Fennel | 4.19 | 9 | 25.4 | A |
| fluxapyroxad | Golf course turf | 2.81 | N/A | 9.0 | A |
| fluxapyroxad | Grape, wine | 3.59 | 1 | 39.74 | A |
| fluxapyroxad | Landscape maintenance | 8.91 | N/A | N/A | N/A |
| fluxapyroxad | Lettuce, head | 441.2 | 234 | 2,591.65 | A |
| fluxapyroxad | Lettuce, leaf | 1,179.75 | 700 | 7,051.55 | A |
| fluxapyroxad | N-grnhs transplants | 0.38 | 8 | 2.39 | A |
| fluxapyroxad | N-outdr transplants | 0.16 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|----------------|-------|--------------|--------------|
| fluxapyroxad | Onion, dry | 22.92 | 9 | 126.95 | A |
| fluxapyroxad | Spinach | 0.38 | 2 | 2.0 | A |
| fluxapyroxad | Strawberry | 1,011.07 | 240 | 5,772.29 | A |
| foramsulfuron | Landscape maintenance | 0.85 | N/A | N/A | N/A |
| forchlorfenuron | Grape, wine | 1.72 | 7 | 387.14 | A |
| fosetyl-al | Arugula | 194.02 | 24 | 84.89 | A |
| fosetyl-al | Kale | 1,088.72 | 92 | 394.65 | A |
| fosetyl-al | Landscape maintenance | 249.25 | N/A | N/A | N/A |
| fosetyl-al | Lettuce, head | 34,140.66 | 994 | 11,861.6 | A |
| fosetyl-al | Lettuce, leaf | 51,153.31 | 1,805 | 18,669.06 | A |
| fosetyl-al | N-grnhs flower | 1.12 | 5 | 44,400.0 | S |
| fosetyl-al | N-grnhs plants in containers | 130.34 | 43 | 52.25 | A |
| fosetyl-al | N-grnhs plants in containers | 6.71 | 16 | 24,500.0 | S |
| fosetyl-al | N-grnhs transplants | 3,080.81 | 1,218 | 385.57 | A |
| fosetyl-al | N-outdr flower | 12.8 | 16 | 16.0 | A |
| fosetyl-al | N-outdr plants in containers | 230.08 | 22 | 38.93 | A |
| fosetyl-al | N-outdr plants in containers | 2.0 | 1 | 400.0 | S |
| fosetyl-al | N-outdr transplants | 109.92 | 25 | 47.13 | A |
| fosetyl-al | N-outdr transplants | 53.38 | 18 | 1,266,503.0 | S |
| fosetyl-al | Spinach | 4,519.25 | 171 | 1,730.3 | A |
| fosetyl-al | Strawberry | 8,329.51 | 77 | 2,045.1 | A |
| fosetyl-al | Swiss chard | 15.04 | 3 | 4.7 | A |
| fosetyl-al | Uncultivated ag | 0.57 | 3 | 3,500.0 | S |
| free fatty acids and/or amine salts | Landscape maintenance | 87.83 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| free fatty acids and/or amine salts | Research commodity | 0.19 | N/A | N/A | N/A |
| gamma-cyhalothrin | Structural pest control | 7.51 | N/A | N/A | N/A |
| garlic | Blackberry | 9.48 | 2 | 27.5 | A |
| garlic | Cannabis (all or unspecified) | 4.25 | 25 | 21.2 | A |
| garlic | Cannabis (all or unspecified) | 8.83 | 47 | 1,166,779.0 | S |
| garlic | N-grnhs plants in containers | 27.12 | 49 | 102.49 | A |
| garlic | N-outdr plants in containers | 4.23 | 2 | 3.97 | A |
| garlic | Raspberry | 63.38 | 25 | 159.65 | A |
| garlic | Strawberry | 229.09 | 149 | 611.41 | A |
| gibberellins | Artichoke, globe | 64.39 | 297 | 2,866.87 | A |
| gibberellins | Lemon | 3.04 | 3 | 60.0 | A |
| gibberellins | N-grnhs flower | 0.13 | 101 | 23,691.9 | S |
| gibberellins | N-grnhs plants in containers | 18.37 | 77 | 117.44 | A |
| gibberellins | N-grnhs plants in containers | 0.01 | 19 | 8,955.0 | S |
| gibberellins | N-outdr plants in containers | 0.05 | 13 | 11.56 | A |
| gibberellins | Research commodity | 0.06 | N/A | N/A | N/A |
| gliocladium virens gl-21 (spores) | Lettuce, head | 5.95 | 2 | 24.8 | A |
| gliocladium virens gl-21 (spores) | Lettuce, leaf | 4.66 | 2 | 19.4 | A |
| gliocladium virens gl-21 (spores) | N-outdr transplants | 0.41 | 4 | 148,140.0 | S |
| glufosinate-ammonium | Grape, wine | 36,978.85 | 2,153 | 67,971.75 | A |
| glufosinate-ammonium | Landscape maintenance | 28.33 | 6 | 23.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| glufosinate-ammonium | Landscape maintenance | 293.8 | N/A | N/A | N/A |
| glufosinate-ammonium | Lemon | 40.87 | 3 | 55.0 | A |
| glufosinate-ammonium | Rights of way | 1,048.1 | N/A | N/A | N/A |
| glufosinate-ammonium | Structural pest control | <0.01 | N/A | N/A | N/A |
| glufosinate-ammonium | Uncultivated ag | 14,146.51 | 1,676 | 15,332.25 | A |
| glufosinate-ammonium | Uncultivated non-ag | 53.51 | 10 | 51.5 | A |
| glufosinate-ammonium | Walnut | 135.07 | 2 | 115.0 | A |
| glufosinate-ammonium | Water area | 1.76 | 1 | 2.0 | A |
| glycerol | Alfalfa | 1.89 | 1 | 5.0 | A |
| glycerol | Grape, wine | 171.6 | 17 | 352.52 | A |
| glycerol | Lettuce, head | 1.93 | 43 | 170.72 | A |
| glycerol | Lettuce, leaf | 6.89 | 100 | 519.19 | A |
| glycerol | Uncultivated ag | 2.53 | 4 | 18.5 | A |
| glyphosate, dimethylamine salt | Landscape maintenance | 9.6 | N/A | N/A | N/A |
| glyphosate, dimethylamine salt | Rights of way | 502.72 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Airport | 149.88 | N/A | 415.0 | A |
| glyphosate, isopropylamine salt | Alfalfa | 58.49 | 8 | 39.7 | A |
| glyphosate, isopropylamine salt | Blackberry | 23.98 | 3 | 6.0 | A |
| glyphosate, isopropylamine salt | Broccoli | 20.66 | 2 | 17.8 | A |
| glyphosate, isopropylamine salt | Cauliflower | 6.65 | 1 | 8.3 | A |
| glyphosate, isopropylamine salt | Endive (escarole) | 5.21 | 1 | 2.6 | A |
| glyphosate, isopropylamine salt | Grape, wine | 9,225.41 | 289 | 8,591.33 | A |
| glyphosate, isopropylamine salt | Landscape maintenance | 206.64 | 10 | 53.0 | A |
| glyphosate, isopropylamine salt | Landscape maintenance | 1,395.84 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Lemon | 84.11 | 2 | 39.0 | A |
| glyphosate, isopropylamine salt | Lettuce, head | 11.99 | 1 | 6.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|-------|--------------|--------------|
| glyphosate, isopropylamine salt | Lettuce, leaf | 30.05 | 3 | 15.0 | A |
| glyphosate, isopropylamine salt | N-grnhs plants in containers | 3.84 | 9 | 41,200.0 | S |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 6.34 | 3 | 2.0 | A |
| glyphosate, isopropylamine salt | Public health | 191.36 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Radish | 43.27 | 7 | 13.5 | A |
| glyphosate, isopropylamine salt | Rangeland | 7.83 | 2 | 2.0 | A |
| glyphosate, isopropylamine salt | Raspberry | 103.91 | 1 | 32.0 | A |
| glyphosate, isopropylamine salt | Research commodity | 1.28 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Rights of way | 476.59 | 12 | 530.06 | A |
| glyphosate, isopropylamine salt | Rights of way | 26,370.36 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Strawberry | 67.94 | 3 | 17.0 | A |
| glyphosate, isopropylamine salt | Uncultivated ag | 71,907.54 | 2,116 | 20,789.07 | A |
| glyphosate, isopropylamine salt | Uncultivated ag | 10.63 | 20 | 117,599.0 | S |
| glyphosate, isopropylamine salt | Uncultivated non-ag | 3,121.68 | 81 | 1,149.5 | A |
| glyphosate, isopropylamine salt | Water area | 187.76 | 17 | 54.5 | A |
| glyphosate, monoammonium salt | Landscape maintenance | 0.18 | N/A | N/A | N/A |
| glyphosate, monoammonium salt | Rights of way | 10.31 | N/A | N/A | N/A |
| glyphosate, potassium salt | Alfalfa | 284.83 | 22 | 150.4 | A |
| glyphosate, potassium salt | Avocado | 49.65 | 1 | 22.0 | A |
| glyphosate, potassium salt | Corn, human consumption | 9.32 | 1 | 4.5 | A |
| glyphosate, potassium salt | Endive (escarole) | 11.97 | 1 | 5.8 | A |
| glyphosate, potassium salt | Grape, wine | 36,219.02 | 1,411 | 33,377.18 | A |
| glyphosate, potassium salt | Landscape maintenance | 331.0 | 31 | 25.75 | A |
| glyphosate, potassium salt | Landscape maintenance | 1,683.49 | N/A | N/A | N/A |
| glyphosate, potassium salt | Leek | 45.51 | 1 | 33.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|-------|--------------|--------------|
| glyphosate, potassium salt | Lemon | 66.2 | 2 | 74.0 | A |
| glyphosate, potassium salt | Lettuce, head | 451.6 | 14 | 118.1 | A |
| glyphosate, potassium salt | Lettuce, leaf | 135.02 | 5 | 59.7 | A |
| glyphosate, potassium salt | N-grnhs plants in containers | 33.1 | 3 | 2.58 | A |
| glyphosate, potassium salt | N-grnhs plants in containers | 0.73 | 3 | 24,000.0 | S |
| glyphosate, potassium salt | N-outdr flower | 1.29 | 1 | 0.3 | A |
| glyphosate, potassium salt | N-outdr plants in containers | 1.03 | 1 | 0.75 | A |
| glyphosate, potassium salt | Rangeland | 47.06 | N/A | 26.0 | A |
| glyphosate, potassium salt | Regulatory pest control | 82.75 | N/A | N/A | N/A |
| glyphosate, potassium salt | Research commodity | 352.25 | N/A | N/A | N/A |
| glyphosate, potassium salt | Rights of way | 1,513.36 | N/A | N/A | N/A |
| glyphosate, potassium salt | Strawberry | 233.91 | 8 | 69.0 | A |
| glyphosate, potassium salt | Uncultivated ag | 35,144.28 | 1,119 | 11,279.26 | A |
| glyphosate, potassium salt | Uncultivated ag | 1.85 | 3 | 16,400.0 | S |
| glyphosate, potassium salt | Uncultivated non-ag | 492.2 | 8 | 103.8 | A |
| glyphosate, potassium salt | Vertebrate control | 0.52 | N/A | N/A | N/A |
| glyphosate, potassium salt | Walnut | 993.01 | 4 | 240.0 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Artichoke, globe | 7.02 | 15 | 163.3 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Bok choy | 3.11 | 53 | 72.0 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Broccoli | 197.17 | 365 | 4,795.2 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Brussels sprout | 95.88 | 235 | 3,087.59 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Cabbage | 46.13 | 110 | 1,123.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|-----------------------|-------------|---------------------|---------------------|
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Cauliflower | 63.62 | 159 | 1,511.7 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Celery | 0.8 | 2 | 18.6 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Chinese cabbage (napa, won bok, celery cabbage) | 6.66 | 61 | 154.1 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Collard | 0.26 | 4 | 6.0 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Kale | 0.17 | 1 | 4.0 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Lettuce, head | 1.52 | 3 | 44.2 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Mustard greens | 0.04 | 1 | 1.0 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Rapini | 27.27 | 34 | 655.3 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Research commodity | 1.19 | 6 | 27.75 | A |
| heptamethyltrisiloxane ethoxylated | Blackberry | 10.25 | 3 | 33.0 | A |
| heptamethyltrisiloxane ethoxylated | Broccoli | 1.55 | 1 | 13.4 | A |
| heptamethyltrisiloxane ethoxylated | Cauliflower | 1.18 | 1 | 8.9 | A |
| heptamethyltrisiloxane ethoxylated | Celery | 49.89 | 39 | 489.05 | A |
| heptamethyltrisiloxane ethoxylated | Grape, wine | 687.21 | 31 | 3,973.34 | A |
| heptamethyltrisiloxane ethoxylated | Lettuce, leaf | 2.69 | 2 | 27.2 | A |
| heptamethyltrisiloxane ethoxylated | Ryegrass | 0.72 | 1 | 12.5 | A |
| heptamethyltrisiloxane ethoxylated | Strawberry | 1,729.94 | 233 | 6,806.87 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Artichoke, globe | 39.56 | 143 | 933.64 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Bean, succulent | 1.69 | 2 | 25.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Blackberry | 101.52 | 13 | 185.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Broccoli | 961.35 | 1,400 | 16,413.47 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Brussels sprout | 791.31 | 599 | 11,261.67 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cabbage | 121.94 | 138 | 1,231.15 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cannabis (all or unspecified) | 114.61 | 235 | 182.08 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cannabis (all or unspecified) | 380.18 | 181 | 7,314,946.0 | S |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Carrot | 3.02 | 8 | 76.05 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cauliflower | 370.91 | 628 | 5,806.36 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Celery | 58.09 | 166 | 1,131.02 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cilantro | 2.06 | 15 | 54.69 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Grape, wine | 560.82 | 413 | 5,597.34 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Kale | 0.03 | 1 | 0.36 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Leek | 8.49 | 19 | 163.51 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Lettuce, head | 115.91 | 208 | 2,055.55 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Lettuce, leaf | 155.37 | 270 | 2,637.21 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Mizuna | 0.28 | 2 | 3.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Mustard greens | 0.07 | 1 | 1.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | N-grnhs flower | 414.04 | 223 | 234.88 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Onion, dry | 6.37 | 4 | 70.4 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Peas | 29.89 | 84 | 943.8 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Rapini | 19.73 | 20 | 470.3 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Raspberry | 82.62 | 47 | 230.85 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Strawberry | 2,136.92 | 724 | 7,156.5 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Tomato | 0.11 | 2 | 1.25 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Uncultivated ag | 113.83 | 128 | 1,025.55 | A |
| hexylene glycol | Rights of way | 60.03 | N/A | N/A | N/A |
| hexythiazox | Bean, succulent | 1.51 | 2 | 9.5 | A |
| hexythiazox | Blackberry | 6.02 | 1 | 24.0 | A |
| hexythiazox | N-grnhs flower | 1.0 | 4 | 2.0 | A |
| hexythiazox | N-grnhs flower | 0.13 | 5 | 30,825.0 | S |
| hexythiazox | N-grnhs plants in containers | 48.54 | 64 | 178.08 | A |
| hexythiazox | N-grnhs plants in containers | 0.22 | 11 | 60,000.0 | S |
| hexythiazox | N-outdr plants in containers | 0.31 | 2 | 1.62 | A |
| hexythiazox | Raspberry | 2.14 | 2 | 9.08 | A |
| hexythiazox | Strawberry | 493.75 | 81 | 2,633.09 | A |
| humic acid | Artichoke, globe | 1.04 | 2 | 21.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|-------------------------------|----------------|------|--------------|--------------|
| humic acid | Uncultivated ag | 8.8 | 20 | 98.7 | A |
| hydramethylnon | Structural pest control | 0.13 | N/A | N/A | N/A |
| hydrogen peroxide | Bean, succulent | 23.16 | 2 | 15.5 | A |
| hydrogen peroxide | Bean, unspecified | 10.08 | 1 | 6.75 | A |
| hydrogen peroxide | Cannabis (all or unspecified) | 207.1 | 71 | 49.07 | A |
| hydrogen peroxide | Cannabis (all or unspecified) | 301.89 | 541 | 1,904,685.0 | S |
| hydrogen peroxide | Celery | 43.8 | 13 | 81.11 | A |
| hydrogen peroxide | Ditch bank | 10.41 | N/A | 1.0 | U |
| hydrogen peroxide | Grape, wine | 1,482.94 | 68 | 3,043.91 | A |
| hydrogen peroxide | Lettuce, head | 628.56 | 35 | 252.63 | A |
| hydrogen peroxide | Lettuce, leaf | 2,166.16 | 77 | 914.04 | A |
| hydrogen peroxide | Mustard greens | 111.8 | 9 | 44.9 | A |
| hydrogen peroxide | N-grnhs flower | 0.27 | 4 | 1,612.5 | S |
| hydrogen peroxide | N-grnhs plants in containers | 8.36 | 7 | 12.92 | A |
| hydrogen peroxide | N-grnhs plants in containers | 0.1 | 1 | 6.0 | C |
| hydrogen peroxide | N-grnhs plants in containers | 3.14 | 7 | 20,200.0 | S |
| hydrogen peroxide | N-grnhs transplants | 0.87 | 2 | 0.36 | A |
| hydrogen peroxide | N-outdr transplants | 3.39 | 4 | 474,492.0 | S |
| hydrogen peroxide | Raspberry | 360.51 | 38 | 211.18 | A |
| hydrogen peroxide | Research commodity | 1.61 | 3 | 0.68 | A |
| hydrogen peroxide | Spinach | 1,457.37 | 42 | 585.3 | A |
| hydrogen peroxide | Strawberry | 3,892.44 | 234 | 1,334.77 | A |
| hydrogen peroxide | Strawberry | 10.82 | 5 | 5.0 | U |
| hydrogen peroxide | Structural pest control | 2.07 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|-------------------------------|----------------|-------|--------------|--------------|
| hydrogen peroxide | Swiss chard | 115.53 | 8 | 46.4 | A |
| hydrogen peroxide | Uncultivated ag | 4.99 | 2 | 1.0 | A |
| hydrogen peroxide | Uncultivated ag | 0.15 | 1 | 0.75 | C |
| hydrogen peroxide | Uncultivated ag | 0.58 | N/A | 24,000.0 | S |
| hydrogen peroxide | Water (industrial) | 772.89 | N/A | 7.0 | U |
| hydroprene | Structural pest control | 11.64 | N/A | N/A | N/A |
| iba | Cannabis (all or unspecified) | 0.07 | 44 | 278,405.0 | S |
| iba | Cannabis (all or unspecified) | 0.07 | 82 | 205,751.0 | U |
| iba | N-grnhs plants in containers | 0.04 | 11 | 6,000.0 | S |
| iba | N-grnhs transplants | 0.03 | 5 | 24,000.0 | S |
| imazamox, ammonium salt | Alfalfa | 1.12 | 1 | 33.5 | A |
| imazamox, ammonium salt | Rights of way | 3.18 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Landscape maintenance | 3.53 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Pastureland | 0.03 | 2 | 1.58 | A |
| imazapyr, isopropylamine salt | Rights of way | 15.1 | N/A | N/A | N/A |
| imazethapyr, ammonium salt | Alfalfa | 2.2 | 1 | 33.5 | A |
| imidacloprid | Artichoke, globe | 147.59 | 160 | 1,529.84 | A |
| imidacloprid | Arugula | 24.71 | 106 | 463.16 | A |
| imidacloprid | Bean, dried | 0.86 | 2 | 20.0 | A |
| imidacloprid | Bean, succulent | 1.65 | 4 | 37.65 | A |
| imidacloprid | Beet | 1.92 | 3 | 44.15 | A |
| imidacloprid | Bok choy | 13.05 | 84 | 278.71 | A |
| imidacloprid | Broccoli | 614.41 | 1,138 | 12,929.73 | A |
| imidacloprid | Brussels sprout | 577.93 | 312 | 3,965.14 | A |
| imidacloprid | Cabbage | 52.58 | 128 | 1,126.05 | A |
| imidacloprid | Carrot | 22.72 | 27 | 220.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|---|----------------|-------|--------------|--------------|
| imidacloprid | Cauliflower | 667.0 | 651 | 5,812.91 | A |
| imidacloprid | Chinese cabbage (napa, won bok, celery cabbage) | 24.36 | 112 | 522.39 | A |
| imidacloprid | Cilantro | 18.02 | 112 | 409.53 | A |
| imidacloprid | Collard | 0.1 | 1 | 2.0 | A |
| imidacloprid | Endive (escarole) | 11.59 | 69 | 241.12 | A |
| imidacloprid | Grape, wine | 3,729.77 | 186 | 9,137.86 | A |
| imidacloprid | Kale | 18.53 | 62 | 394.29 | A |
| imidacloprid | Landscape maintenance | 43.99 | N/A | N/A | N/A |
| imidacloprid | Lemon | 300.22 | 36 | 747.8 | A |
| imidacloprid | Lettuce, head | 2,070.46 | 2,566 | 28,723.56 | A |
| imidacloprid | Lettuce, leaf | 2,787.8 | 4,535 | 44,446.85 | A |
| imidacloprid | Mizuna | 2.26 | 17 | 48.1 | A |
| imidacloprid | Mustard greens | 9.12 | 24 | 127.1 | A |
| imidacloprid | N-grnhs flower | 0.55 | 13 | 6,251.5 | S |
| imidacloprid | N-grnhs plants in containers | 1.46 | 2 | 1.0 | A |
| imidacloprid | N-grnhs plants in containers | 8.41 | 50 | 187,560.0 | S |
| imidacloprid | N-grnhs transplants | 19.89 | 17 | 6.53 | A |
| imidacloprid | N-grnhs transplants | 0.05 | 1 | 130,000.0 | S |
| imidacloprid | N-outdr plants in containers | 0.14 | 5 | 6.0 | A |
| imidacloprid | N-outdr plants in containers | 0.06 | 3 | 26,600.0 | S |
| imidacloprid | N-outdr transplants | 3.71 | 12 | 480,775.0 | S |
| imidacloprid | Onion, dry | 28.48 | N/A | 15,427.76 | P |
| imidacloprid | Peas | 71.11 | 142 | 1,616.2 | A |
| imidacloprid | Pepper, fruiting | 5.24 | 9 | 111.8 | A |
| imidacloprid | Radicchio | 58.16 | 27 | 258.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|-------|--------------|--------------|
| imidacloprid | Radish | 0.72 | 6 | 15.1 | A |
| imidacloprid | Rapini | 41.23 | 45 | 869.2 | A |
| imidacloprid | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| imidacloprid | Research commodity | 1.18 | 15 | 26.01 | A |
| imidacloprid | Research commodity | 0.8 | N/A | N/A | N/A |
| imidacloprid | Rights of way | <0.01 | 8 | 65.0 | A |
| imidacloprid | Spinach | 318.43 | 839 | 6,544.9 | A |
| imidacloprid | Strawberry | 667.06 | 25 | 1,308.89 | A |
| imidacloprid | Structural pest control | 36.48 | N/A | N/A | N/A |
| imidacloprid | Swiss chard | 0.1 | 1 | 2.0 | A |
| imidacloprid | Vertebrate control | 0.01 | N/A | N/A | N/A |
| indaziflam | Airport | 9.11 | N/A | 415.0 | A |
| indaziflam | Grape, wine | 103.34 | 115 | 2,823.35 | A |
| indaziflam | Landscape maintenance | 2.41 | N/A | N/A | N/A |
| indaziflam | Lemon | 1.17 | 1 | 15.0 | A |
| indaziflam | N-grnhs plants in containers | 3.52 | 61 | 269.57 | A |
| indaziflam | N-outdr plants in containers | 1.85 | 31 | 84.89 | A |
| indaziflam | Research commodity | 0.03 | N/A | N/A | N/A |
| indaziflam | Rights of way | 65.68 | N/A | N/A | N/A |
| indaziflam | Uncultivated ag | 4.88 | 13 | 60.5 | A |
| indoxacarb | Arugula | 1.01 | 8 | 15.4 | A |
| indoxacarb | Bok choy | 5.34 | 22 | 82.0 | A |
| indoxacarb | Broccoli | 792.6 | 1,169 | 12,104.45 | A |
| indoxacarb | Brussels sprout | 259.32 | 276 | 3,980.04 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------|---|----------------|------|--------------|--------------|
| indoxacarb | Cabbage | 127.98 | 183 | 1,954.37 | A |
| indoxacarb | Cauliflower | 388.67 | 572 | 5,933.36 | A |
| indoxacarb | Celery | 20.0 | 35 | 264.0 | A |
| indoxacarb | Chinese cabbage (napa, won bok, celery cabbage) | 11.42 | 32 | 174.04 | A |
| indoxacarb | Collard | 1.15 | 10 | 17.5 | A |
| indoxacarb | Kale | 24.72 | 55 | 376.58 | A |
| indoxacarb | Lettuce, head | 35.42 | 39 | 478.0 | A |
| indoxacarb | Lettuce, leaf | 40.31 | 54 | 453.5 | A |
| indoxacarb | Mustard greens | 0.32 | 4 | 4.8 | A |
| indoxacarb | N-grnhs transplants | 15.5 | 454 | 197.91 | A |
| indoxacarb | Peas | 1.82 | 4 | 27.7 | A |
| indoxacarb | Rapini | 10.0 | 12 | 152.3 | A |
| indoxacarb | Spinach | 2.43 | 2 | 37.0 | A |
| indoxacarb | Structural pest control | 5.91 | N/A | N/A | N/A |
| iprodione | Broccoli | 36.52 | 6 | 36.0 | A |
| iprodione | Carrot | 2.18 | N/A | 438.62 | P |
| iprodione | Golf course turf | 22.18 | N/A | 14.8 | A |
| iprodione | Landscape maintenance | 668.15 | N/A | N/A | N/A |
| iprodione | Lettuce, head | 446.97 | 52 | 558.63 | A |
| iprodione | Lettuce, leaf | 614.6 | 84 | 759.05 | A |
| iprodione | N-grnhs flower | 4.0 | 2 | 2.5 | A |
| iprodione | N-grnhs plants in containers | 479.62 | 104 | 177.29 | A |
| iprodione | N-grnhs plants in containers | 44.2 | 72 | 2,094,149.0 | S |
| iprodione | N-grnhs transplants | 4.0 | 4 | 5.0 | A |
| iprodione | N-grnhs transplants | 8.0 | 6 | 596,000.0 | S |
| iprodione | N-outdr flower | 81.25 | 138 | 164.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|-------------------------------|----------------|------|--------------|--------------|
| iprodione | N-outdr plants in containers | 93.77 | 40 | 86.8 | A |
| iprodione | N-outdr transplants | 2.93 | 5 | 196,064.0 | S |
| iprodione | Raspberry | 9.62 | 2 | 9.45 | A |
| iprodione | Strawberry | 2.25 | 1 | 98,280.0 | S |
| iron phosphate | Cabbage | 0.8 | 1 | 4.0 | A |
| iron phosphate | Grape, wine | 113.08 | 9 | 497.22 | A |
| iron phosphate | Landscape maintenance | 11.11 | N/A | N/A | N/A |
| iron phosphate | N-grnhs plants in containers | 2.08 | 6 | 157,500.0 | S |
| iron phosphate | N-outdr plants in containers | 0.6 | 1 | 1.0 | A |
| iron phosphate | N-outdr plants in containers | 2.86 | 8 | 299,000.0 | S |
| iron phosphate | Strawberry | 202.58 | 28 | 850.72 | A |
| iron phosphate | Structural pest control | 0.03 | N/A | N/A | N/A |
| iron phosphate | Uncultivated ag | 1.5 | 2 | 10.0 | A |
| isaria fumosorosea strain fe 9901 | Cannabis (all or unspecified) | 0.8 | 5 | 52,000.0 | S |
| isofetamid | Golf course turf | 0.21 | N/A | 20,000.0 | S |
| isofetamid | Landscape maintenance | 1.23 | N/A | N/A | N/A |
| isofetamid | Lettuce, head | 271.71 | 81 | 852.59 | A |
| isofetamid | Lettuce, leaf | 136.36 | 51 | 427.5 | A |
| isofetamid | N-grnhs transplants | 4.12 | 2 | 260,000.0 | S |
| isofetamid | Research commodity | 0.34 | 1 | 1.0 | A |
| isofetamid | Research commodity | 0.48 | N/A | N/A | N/A |
| isofetamid | Strawberry | 1,858.46 | 124 | 4,703.53 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| isopropyl alcohol | Alfalfa | 0.53 | 1 | 100.0 | A |
| isopropyl alcohol | Barley | 1.02 | 4 | 761.0 | A |
| isopropyl alcohol | Broccoli | 0.71 | 5 | 65.5 | A |
| isopropyl alcohol | Cabbage | 0.35 | 1 | 8.18 | A |
| isopropyl alcohol | Grape, wine | 1,909.09 | 988 | 31,081.26 | A |
| isopropyl alcohol | Lettuce, head | 428.93 | 989 | 11,695.03 | A |
| isopropyl alcohol | Lettuce, leaf | 546.32 | 1,426 | 12,294.1 | A |
| isopropyl alcohol | N-outdr flower | 0.18 | 6 | 22.26 | A |
| isopropyl alcohol | Research commodity | 0.08 | 52 | 234,000.0 | S |
| isopropyl alcohol | Research commodity | 0.05 | N/A | N/A | N/A |
| isopropyl alcohol | Rights of way | 4.57 | N/A | N/A | N/A |
| isopropyl alcohol | Strawberry | 406.68 | 408 | 8,656.27 | A |
| isopropyl alcohol | Structural pest control | 59.4 | N/A | N/A | N/A |
| isopropylamine dodecylbenzene sulfonate | Landscape maintenance | 0.13 | N/A | N/A | N/A |
| isoxaben | Christmas tree | 0.05 | 3 | 1.5 | A |
| isoxaben | Grape, wine | 72.98 | 12 | 83.25 | A |
| isoxaben | Landscape maintenance | 25.32 | N/A | N/A | N/A |
| isoxaben | N-grnhs transplants | 1.13 | 2 | 1.5 | A |
| isoxaben | N-grnhs transplants | 0.13 | 1 | 7,026.0 | S |
| isoxaben | N-outdr plants in containers | 8.65 | 57 | 755,738.0 | S |
| isoxaben | Research commodity | 1.29 | N/A | N/A | N/A |
| isoxaben | Rights of way | 11.33 | N/A | N/A | N/A |
| kaolin | Grape, wine | 23,909.9 | 30 | 1,088.04 | A |
| kaolin | Onion, dry | 24,828.25 | 28 | 466.15 | A |
| kaolin | Pepper, fruiting | 6,140.8 | 12 | 146.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---|----------------|--------|--------------|--------------|
| kinoprene | N-grnhs flower | 0.18 | 1 | 6,750.0 | S |
| kresoxim-methyl | Grape, wine | 29.13 | 12 | 175.25 | A |
| lambda-cyhalothrin | Alfalfa | 7.01 | 5 | 240.6 | A |
| lambda-cyhalothrin | Bean, dried | 6.87 | 18 | 227.0 | A |
| lambda-cyhalothrin | Bean, succulent | 3.97 | 12 | 144.3 | A |
| lambda-cyhalothrin | Broccoli | 712.71 | 2,314 | 23,699.69 | A |
| lambda-cyhalothrin | Brussels sprout | 295.22 | 678 | 9,927.82 | A |
| lambda-cyhalothrin | Cabbage | 52.87 | 174 | 1,749.41 | A |
| lambda-cyhalothrin | Cannabis (all or unspecified) | <0.01 | 2 | 2,691.0 | S |
| lambda-cyhalothrin | Cauliflower | 292.25 | 1,010 | 9,563.15 | A |
| lambda-cyhalothrin | Chinese cabbage (napa, won bok, celery cabbage) | 9.85 | 122 | 334.35 | A |
| lambda-cyhalothrin | Cucumber | 2.12 | 9 | 67.9 | A |
| lambda-cyhalothrin | Garlic | 3.41 | 9 | 109.4 | A |
| lambda-cyhalothrin | Kohlrabi | 0.6 | 18 | 19.4 | A |
| lambda-cyhalothrin | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| lambda-cyhalothrin | Lettuce, head | 2,390.2 | 7,480 | 79,369.07 | A |
| lambda-cyhalothrin | Lettuce, leaf | 2,894.54 | 10,889 | 96,066.81 | A |
| lambda-cyhalothrin | N-grnhs plants in containers | 0.59 | 2 | 7.9 | A |
| lambda-cyhalothrin | N-grnhs transplants | 0.3 | 2 | 190,000.0 | S |
| lambda-cyhalothrin | N-outdr plants in containers | 1.66 | 8 | 27.52 | A |
| lambda-cyhalothrin | N-outdr plants in containers | 0.03 | 2 | 35,000.0 | S |
| lambda-cyhalothrin | Onion, dry | 50.47 | 98 | 1,637.94 | A |
| lambda-cyhalothrin | Peas | 104.62 | 303 | 3,409.45 | A |
| lambda-cyhalothrin | Pepper, fruiting | 11.89 | 37 | 391.6 | A |
| lambda-cyhalothrin | Pumpkin | 0.3 | 4 | 10.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|---|----------------|-------|--------------|--------------|
| lambda-cyhalothrin | Rangeland | 0.63 | 1 | 20.0 | A |
| lambda-cyhalothrin | Research commodity | 1.79 | 25 | 60.5 | A |
| lambda-cyhalothrin | Research commodity | 0.02 | N/A | N/A | N/A |
| lambda-cyhalothrin | Structural pest control | 16.48 | N/A | N/A | N/A |
| lambda-cyhalothrin | Sunflower | 0.09 | 1 | 3.0 | A |
| lambda-cyhalothrin | Uncultivated ag | 1.17 | 3 | 36.0 | A |
| lambda-cyhalothrin | Walnut | 3.93 | 1 | 100.0 | A |
| laminarin | Lettuce, head | 101.49 | 195 | 2,115.4 | A |
| laminarin | Lettuce, leaf | 92.38 | 229 | 1,947.2 | A |
| lauric acid | Grape, wine | 64.19 | 139 | 5,704.16 | A |
| lauryl alcohol | Apple | 0.44 | 1 | 9.0 | A |
| lauryl alcohol | N-grnhs plants in containers | 0.02 | 1 | 6,000.0 | S |
| lavandulyl senecioate | Grape, wine | 645.84 | 957 | 52,250.51 | A |
| lecithin | Alfalfa | 21.43 | 3 | 208.6 | A |
| lecithin | Artichoke, globe | 1,033.22 | 324 | 3,592.84 | A |
| lecithin | Barley | 3.87 | 3 | 55.0 | A |
| lecithin | Bean, dried | 37.25 | 14 | 132.25 | A |
| lecithin | Blackberry | 84.21 | 7 | 164.5 | A |
| lecithin | Broccoli | 11,155.79 | 2,851 | 34,729.75 | A |
| lecithin | Brussels sprout | 5,200.68 | 698 | 13,446.93 | A |
| lecithin | Cabbage | 2,311.24 | 650 | 6,963.28 | A |
| lecithin | Carrot | 305.82 | 78 | 974.75 | A |
| lecithin | Cauliflower | 3,622.59 | 1,000 | 9,838.02 | A |
| lecithin | Celery | 1,986.96 | 782 | 5,807.74 | A |
| lecithin | Chinese cabbage (napa, won bok, celery cabbage) | 9.16 | 2 | 20.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------|------------------------------|----------------|-------|--------------|--------------|
| lecithin | Corn, human consumption | 1.69 | 1 | 4.5 | A |
| lecithin | Cucumber | 1.9 | 1 | 20.0 | A |
| lecithin | Endive (escarole) | 1.09 | 5 | 19.3 | A |
| lecithin | Fennel | 183.51 | 50 | 465.6 | A |
| lecithin | Garlic | 817.42 | 164 | 2,894.47 | A |
| lecithin | Grape, wine | 7,144.77 | 617 | 20,708.73 | A |
| lecithin | Kale | 17.62 | 9 | 63.4 | A |
| lecithin | Kohlrabi | 0.76 | 1 | 2.0 | A |
| lecithin | Landscape maintenance | 74.08 | N/A | N/A | N/A |
| lecithin | Leek | 18.41 | 6 | 81.3 | A |
| lecithin | Lemon | 100.56 | 22 | 196.8 | A |
| lecithin | Lettuce, head | 10,182.31 | 3,092 | 35,444.13 | A |
| lecithin | Lettuce, leaf | 25,256.56 | 7,401 | 79,822.81 | A |
| lecithin | Mizuna | 0.09 | 1 | 1.1 | A |
| lecithin | N-grnhs plants in containers | 209.24 | 79 | 332.0 | A |
| lecithin | N-grnhs plants in containers | 0.19 | 1 | 10,000.0 | S |
| lecithin | N-grnhs transplants | 38.34 | 279 | 100.65 | A |
| lecithin | N-outdr plants in containers | 169.88 | 60 | 179.61 | A |
| lecithin | N-outdr plants in containers | 1.55 | 3 | 55,000.0 | S |
| lecithin | N-outdr transplants | 3.12 | 10 | 10.77 | A |
| lecithin | Oat | 0.56 | 1 | 6.0 | A |
| lecithin | Onion, dry | 367.3 | 75 | 1,003.48 | A |
| lecithin | Onion, green | 10.17 | 1 | 20.0 | A |
| lecithin | Parsley | 2.56 | 3 | 33.7 | A |
| lecithin | Peas | 582.49 | 313 | 3,530.42 | A |
| lecithin | Pepper, fruiting | 13.21 | 3 | 41.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|-------------------------|----------------|------|--------------|--------------|
| lecithin | Pumpkin | 3.99 | 4 | 22.58 | A |
| lecithin | Rangeland | 3.02 | 1 | 20.0 | A |
| lecithin | Rapini | 1,524.45 | 361 | 4,840.8 | A |
| lecithin | Raspberry | 132.71 | 10 | 178.33 | A |
| lecithin | Research commodity | 3.88 | N/A | N/A | N/A |
| lecithin | Rights of way | 703.8 | N/A | N/A | N/A |
| lecithin | Rye | 1.77 | 1 | 28.0 | A |
| lecithin | Ryegrass | 10.17 | 1 | 20.0 | A |
| lecithin | Spinach | 4.61 | 10 | 36.1 | A |
| lecithin | Squash, summer | 1.3 | 1 | 3.4 | A |
| lecithin | Strawberry | 7,427.94 | 220 | 8,871.4 | A |
| lecithin | Swiss chard | 7.17 | 4 | 18.87 | A |
| lecithin | Uncultivated ag | 4,159.0 | 950 | 8,268.29 | A |
| lecithin | Uncultivated non-ag | 54.72 | 3 | 53.0 | A |
| lecithin | Wheat | 9.16 | 1 | 45.0 | A |
| lime-sulfur | Blackberry | 974.21 | 7 | 45.73 | A |
| lime-sulfur | Grape, wine | 112,107.94 | 227 | 3,953.13 | A |
| lime-sulfur | Raspberry | 15,206.21 | 27 | 405.55 | A |
| limonene | Rights of way | 8.14 | N/A | N/A | N/A |
| limonene | Structural pest control | 269.91 | N/A | N/A | N/A |
| limonene | Uncultivated ag | 122.06 | 3 | 37.5 | A |
| linuron | Carrot | 3,008.84 | 319 | 4,301.44 | A |
| linuron | Celery | 110.15 | 38 | 197.0 | A |
| linuron | Cilantro | 194.45 | 59 | 358.95 | A |
| linuron | Peas | 65.5 | 5 | 81.5 | A |
| linuron | Research commodity | 0.37 | N/A | N/A | N/A |
| low molecular weight paraffinic oil | Artichoke, globe | 0.73 | 23 | 351.6 | A |
| low molecular weight paraffinic oil | Arugula | 79.25 | 118 | 1,008.22 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|---------------------|----------------|------|--------------|--------------|
| low molecular weight paraffinic oil | Bean, dried | 6.25 | 15 | 193.7 | A |
| low molecular weight paraffinic oil | Bean, succulent | 0.86 | 3 | 28.6 | A |
| low molecular weight paraffinic oil | Bean, unspecified | 3.35 | 43 | 257.65 | A |
| low molecular weight paraffinic oil | Bok choy | 0.08 | 4 | 1.1 | A |
| low molecular weight paraffinic oil | Broccoli | 56.3 | 514 | 4,688.25 | A |
| low molecular weight paraffinic oil | Brussels sprout | 21.55 | 56 | 696.2 | A |
| low molecular weight paraffinic oil | Cabbage | 0.43 | 14 | 85.2 | A |
| low molecular weight paraffinic oil | Carrot | 5.21 | 51 | 698.2 | A |
| low molecular weight paraffinic oil | Cauliflower | 11.14 | 247 | 2,403.98 | A |
| low molecular weight paraffinic oil | Celery | 0.43 | 5 | 40.8 | A |
| low molecular weight paraffinic oil | Cilantro | 0.63 | 7 | 80.3 | A |
| low molecular weight paraffinic oil | Endive (escarole) | 1.3 | 4 | 15.5 | A |
| low molecular weight paraffinic oil | Garlic | 0.64 | 7 | 86.8 | A |
| low molecular weight paraffinic oil | Grape, wine | 0.26 | 2 | 9.0 | A |
| low molecular weight paraffinic oil | Kale | 12.71 | 82 | 145.51 | A |
| low molecular weight paraffinic oil | Lettuce, head | 101.17 | 249 | 2,561.25 | A |
| low molecular weight paraffinic oil | Lettuce, leaf | 278.32 | 678 | 4,566.24 | A |
| low molecular weight paraffinic oil | Mizuna | 0.31 | 4 | 4.12 | A |
| low molecular weight paraffinic oil | Oat | 1.14 | 5 | 75.9 | A |
| low molecular weight paraffinic oil | Onion, dry | 1.29 | 9 | 173.6 | A |
| low molecular weight paraffinic oil | Peas | 1.53 | 31 | 191.2 | A |
| low molecular weight paraffinic oil | Pepper, fruiting | 0.5 | 2 | 24.0 | A |
| low molecular weight paraffinic oil | Spinach | 104.01 | 272 | 2,714.43 | A |
| low molecular weight paraffinic oil | Strawberry | 1.33 | 15 | 621.2 | A |
| low molecular weight paraffinic oil | Sunflower | 1.67 | 4 | 40.0 | A |
| low molecular weight paraffinic oil | Uncultivated ag | 186.89 | 490 | 4,762.0 | A |
| low molecular weight paraffinic oil | Uncultivated non-ag | 0.33 | 1 | 8.0 | A |
| low molecular weight paraffinic oil | Upland cress | 8.21 | 54 | 103.13 | A |
| low molecular weight paraffinic oil | Water area | 1.15 | 6 | 20.0 | A |
| malathion | Alfalfa | 55.37 | 1 | 43.3 | A |
| malathion | Blackberry | 186.05 | 11 | 97.26 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|---|----------------|------|--------------|--------------|
| malathion | Bok choy | 5.72 | 1 | 4.5 | A |
| malathion | Broccoli | 2,439.7 | 156 | 2,181.4 | A |
| malathion | Brussels sprout | 692.64 | 46 | 544.72 | A |
| malathion | Cabbage | 338.61 | 32 | 284.83 | A |
| malathion | Cannabis (all or unspecified) | 0.01 | 11 | 26,113.0 | C |
| malathion | Cannabis (all or unspecified) | 0.16 | 10 | 30,213.0 | S |
| malathion | Cauliflower | 382.41 | 27 | 341.2 | A |
| malathion | Celery | 1,402.05 | 112 | 996.55 | A |
| malathion | Chinese cabbage (napa, won bok, celery cabbage) | 16.44 | 3 | 12.82 | A |
| malathion | Commodity fumigation | 121.84 | N/A | N/A | N/A |
| malathion | Endive (escarole) | 88.14 | 26 | 89.39 | A |
| malathion | Grape, wine | 0.68 | 3 | 8.04 | A |
| malathion | Kale | 242.82 | 22 | 237.81 | A |
| malathion | Landscape maintenance | 0.68 | N/A | N/A | N/A |
| malathion | Leek | 49.01 | 5 | 32.0 | A |
| malathion | Lettuce, head | 3,575.53 | 187 | 2,008.14 | A |
| malathion | Lettuce, leaf | 5,646.4 | 402 | 3,596.29 | A |
| malathion | N-grnhs plants in containers | 50.86 | 24 | 31.08 | A |
| malathion | Peas | 512.39 | 58 | 501.26 | A |
| malathion | Radish | 269.71 | 90 | 263.86 | A |
| malathion | Raspberry | 989.72 | 40 | 504.37 | A |
| malathion | Spinach | 352.18 | 45 | 370.75 | A |
| malathion | Strawberry | 9,239.66 | 185 | 4,612.33 | A |
| malathion | Uncultivated ag | 24.53 | N/A | 12.0 | A |
| maleic hydrazide, potassium salt | Onion, dry | 2,007.27 | 47 | 764.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| mancozeb | Broccoli | 4,484.05 | 227 | 2,925.1 | A |
| mancozeb | Cabbage | 1,375.4 | 90 | 916.93 | A |
| mancozeb | Cucumber | 47.94 | 1 | 20.0 | A |
| mancozeb | Fennel | 485.41 | 24 | 303.7 | A |
| mancozeb | Landscape maintenance | 1,970.88 | N/A | N/A | N/A |
| mancozeb | Lettuce, head | 70,917.48 | 4,262 | 47,612.77 | A |
| mancozeb | Lettuce, leaf | 98,133.05 | 6,625 | 65,516.49 | A |
| mancozeb | N-grnhs plants in containers | 28.65 | 3 | 6.8 | A |
| mancozeb | N-grnhs transplants | 1,136.17 | 1,201 | 385.42 | A |
| mancozeb | N-grnhs transplants | 4.44 | 3 | 171,850.0 | S |
| mancozeb | N-outdr flower | 18.38 | 25 | 24.5 | A |
| mancozeb | N-outdr plants in containers | 50.19 | 9 | 18.38 | A |
| mancozeb | N-outdr transplants | 114.05 | 66 | 3,681,298.0 | S |
| mancozeb | Onion, dry | 5,099.35 | 143 | 2,461.24 | A |
| mancozeb | Pumpkin | 54.13 | 4 | 22.58 | A |
| mancozeb | Research commodity | <0.01 | N/A | N/A | N/A |
| mancozeb | Walnut | 774.0 | 4 | 430.0 | A |
| mandipropamid | Arugula | 345.2 | 335 | 2,657.91 | A |
| mandipropamid | Bok choy | 0.12 | 3 | 0.9 | A |
| mandipropamid | Broccoli | 22.35 | 15 | 175.3 | A |
| mandipropamid | Brussels sprout | 5.81 | 5 | 44.4 | A |
| mandipropamid | Cabbage | 28.5 | 18 | 218.8 | A |
| mandipropamid | Cauliflower | 103.42 | 62 | 794.2 | A |
| mandipropamid | Chinese cabbage (napa, won bok, celery cabbage) | 1.3 | 1 | 10.0 | A |
| mandipropamid | Cilantro | 0.46 | 2 | 3.6 | A |
| mandipropamid | Collard | 0.42 | 3 | 3.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------|-------------------------------|----------------|-------|--------------|--------------|
| mandipropamid | Cucumber | 1.31 | 1 | 10.0 | A |
| mandipropamid | Endive (escarole) | 8.7 | 16 | 67.0 | A |
| mandipropamid | Kale | 127.27 | 279 | 976.15 | A |
| mandipropamid | Lettuce, head | 4,739.29 | 3,411 | 36,582.53 | A |
| mandipropamid | Lettuce, leaf | 6,961.46 | 5,846 | 53,808.28 | A |
| mandipropamid | Mizuna | 4.85 | 36 | 37.36 | A |
| mandipropamid | Mustard greens | 33.22 | 62 | 254.98 | A |
| mandipropamid | N-grnhs plants in containers | 11.0 | 43 | 64.95 | A |
| mandipropamid | N-outdr plants in containers | 3.03 | 7 | 20.18 | A |
| mandipropamid | N-outdr transplants | 1.4 | 4 | 10.5 | A |
| mandipropamid | Onion, dry | 97.57 | 37 | 750.34 | A |
| mandipropamid | Onion, green | 2.6 | 1 | 20.0 | A |
| mandipropamid | Rapini | 4.89 | 3 | 37.7 | A |
| mandipropamid | Research commodity | 0.38 | 3 | 3.0 | A |
| mandipropamid | Research commodity | 0.03 | N/A | N/A | N/A |
| mandipropamid | Spinach | 3,345.14 | 2,740 | 26,075.14 | A |
| mandipropamid | Swiss chard | 45.26 | 164 | 346.25 | A |
| mandipropamid | Upland cress | 23.71 | 89 | 182.16 | A |
| margosa oil | Bean, unspecified | 0.92 | 1 | 0.47 | A |
| margosa oil | Blackberry | 69.85 | 10 | 194.95 | A |
| margosa oil | Broccoli | 248.98 | 33 | 294.47 | A |
| margosa oil | Brussels sprout | 11.97 | 7 | 7.54 | A |
| margosa oil | Cabbage | 56.32 | 13 | 75.5 | A |
| margosa oil | Cannabis (all or unspecified) | 201.58 | 234 | 1,625,344.0 | S |
| margosa oil | Cauliflower | 74.81 | 10 | 105.32 | A |
| margosa oil | Celery | 105.98 | 11 | 114.74 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|-------------------------------|----------------|------|--------------|--------------|
| margosa oil | Collard | 1.38 | 4 | 1.33 | A |
| margosa oil | Grape, wine | 7.6 | 42 | 145.93 | A |
| margosa oil | Kale | 29.4 | 12 | 26.04 | A |
| margosa oil | Lettuce, head | 70.95 | 11 | 66.8 | A |
| margosa oil | Lettuce, leaf | 818.04 | 127 | 816.35 | A |
| margosa oil | N-outdr flower | 19.4 | 20 | 20.5 | A |
| margosa oil | N-outdr transplants | 7.64 | 14 | 540,462.0 | S |
| margosa oil | Peas | 15.89 | 7 | 25.8 | A |
| margosa oil | Raspberry | 696.47 | 53 | 765.68 | A |
| margosa oil | Spinach | 13.89 | 6 | 14.15 | A |
| margosa oil | Strawberry | 2,523.87 | 235 | 6,570.49 | A |
| mcpa, dimethylamine salt | Barley | 210.71 | 4 | 761.0 | A |
| mcpa, dimethylamine salt | Uncultivated ag | 25.44 | 3 | 56.0 | A |
| mcpp | Landscape maintenance | 2.33 | N/A | N/A | N/A |
| mcpp, dimethylamine salt | Cannabis (all or unspecified) | 8.61 | 27 | 270,000.0 | S |
| mecoprop-p | Golf course turf | 8.48 | N/A | 86.5 | A |
| mecoprop-p | Landscape maintenance | 84.7 | N/A | N/A | N/A |
| mefenoxam | Beet | 1.88 | 1 | 3.75 | A |
| mefenoxam | Beet | 0.28 | N/A | 1,794.68 | P |
| mefenoxam | Blackberry | 5.11 | 8 | 51.14 | A |
| mefenoxam | Broccoli | 27.44 | 51 | 383.78 | A |
| mefenoxam | Broccoli | <0.01 | N/A | 4.0 | P |
| mefenoxam | Cabbage | 50.77 | 24 | 260.16 | A |
| mefenoxam | Cabbage | 0.27 | N/A | 918.98 | P |
| mefenoxam | Carrot | 318.81 | 77 | 1,173.9 | A |
| mefenoxam | Carrot | 0.1 | N/A | 1,513.02 | P |
| mefenoxam | Cauliflower | 26.56 | 43 | 330.8 | A |
| mefenoxam | Celery | <0.01 | N/A | 20.5 | P |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------|------------------------------|----------------|------|--------------|--------------|
| mefenoxam | Collard | 1.16 | 7 | 9.7 | A |
| mefenoxam | Corn, human consumption | 0.37 | N/A | 28,880.0 | P |
| mefenoxam | Cucumber | 5.75 | N/A | 41,999.69 | P |
| mefenoxam | Endive (escarole) | 9.18 | 25 | 17.15 | A |
| mefenoxam | Fennel | 7.67 | N/A | 246.51 | P |
| mefenoxam | Kale | 93.12 | 104 | 267.41 | A |
| mefenoxam | Landscape maintenance | 0.04 | 1 | 1.0 | A |
| mefenoxam | Landscape maintenance | 2.96 | N/A | N/A | N/A |
| mefenoxam | Lettuce, head | 1,991.05 | 556 | 7,165.28 | A |
| mefenoxam | Lettuce, leaf | 2,682.44 | 807 | 7,314.03 | A |
| mefenoxam | Lettuce, leaf | 0.97 | N/A | 7,316.43 | P |
| mefenoxam | Melon | 0.27 | N/A | 2,538.81 | P |
| mefenoxam | N-grnhs flower | 0.44 | 4 | 17,662.5 | S |
| mefenoxam | N-grnhs plants in containers | 356.86 | 593 | 930.13 | A |
| mefenoxam | N-grnhs plants in containers | 6.84 | 75 | 650,189.0 | S |
| mefenoxam | N-grnhs transplants | 0.08 | 3 | 5.0 | A |
| mefenoxam | N-grnhs transplants | 1.39 | 4 | 191,000.0 | S |
| mefenoxam | N-outdr flower | 2.01 | 71 | 65.1 | A |
| mefenoxam | N-outdr plants in containers | 89.79 | 294 | 330.99 | A |
| mefenoxam | N-outdr plants in containers | 0.61 | 7 | 31,000.0 | S |
| mefenoxam | N-outdr transplants | 0.06 | 1 | 0.5 | A |
| mefenoxam | Onion, dry | 123.1 | 78 | 1,285.86 | A |
| mefenoxam | Onion, dry | 2.13 | N/A | 38,940.58 | P |
| mefenoxam | Parsley | 26.9 | 8 | 68.9 | A |
| mefenoxam | Parsley | 0.16 | N/A | 1,100.0 | P |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|----------------|-------|--------------|--------------|
| mefenoxam | Parsnip | 0.13 | N/A | 896.82 | P |
| mefenoxam | Pepper, fruiting | <0.01 | N/A | 32.35 | P |
| mefenoxam | Pumpkin | 0.61 | N/A | 4,026.95 | P |
| mefenoxam | Radish | 13.67 | 6 | 27.29 | A |
| mefenoxam | Rapini | 9.86 | 4 | 56.4 | A |
| mefenoxam | Raspberry | 120.13 | 16 | 253.52 | A |
| mefenoxam | Research commodity | 1.34 | 53 | 238,500.0 | S |
| mefenoxam | Research commodity | 0.94 | N/A | N/A | N/A |
| mefenoxam | Spinach | 7,803.32 | 1,461 | 14,066.18 | A |
| mefenoxam | Spinach | 5.05 | N/A | 34,051.87 | P |
| mefenoxam | Squash | 0.06 | N/A | 462.88 | P |
| mefenoxam | Strawberry | 1,845.04 | 97 | 3,770.2 | A |
| mefenoxam | Tomato | <0.01 | N/A | 6.59 | P |
| mefenoxam | Watermelon | 0.08 | N/A | 1,022.75 | P |
| mefenoxam, other related | Broccoli | <0.01 | N/A | 4.0 | P |
| mefenoxam, other related | Cabbage | 0.01 | N/A | 915.67 | P |
| mefenoxam, other related | Landscape maintenance | 0.1 | N/A | N/A | N/A |
| mefenoxam, other related | Lettuce, head | 0.01 | 4 | 0.98 | A |
| mefenoxam, other related | Lettuce, leaf | <0.01 | 1 | 0.07 | A |
| mefenoxam, other related | N-grnhs flower | 0.01 | 3 | 14,662.5 | S |
| mefenoxam, other related | N-grnhs plants in containers | 11.62 | 574 | 914.38 | A |
| mefenoxam, other related | N-grnhs plants in containers | <0.01 | 4 | 24,892.0 | S |
| mefenoxam, other related | N-grnhs transplants | <0.01 | 2 | 4.0 | A |
| mefenoxam, other related | N-outdr plants in containers | 2.95 | 294 | 330.99 | A |
| mefenoxam, other related | N-outdr plants in containers | <0.01 | 1 | 4,800.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mefenoxam, other related | Parsley | 0.01 | N/A | 1,100.0 | P |
| mefenoxam, other related | Spinach | 0.15 | N/A | 33,299.73 | P |
| mefentrifluconazole | Landscape maintenance | 1.34 | N/A | N/A | N/A |
| mesotrione | Landscape maintenance | 3.59 | N/A | N/A | N/A |
| metaflumizone | Grape, wine | 0.02 | 1 | 18.78 | A |
| metalaxyl | Onion, dry | 0.21 | N/A | 1,418.8 | P |
| metalaxyl | Spinach | 11.87 | N/A | 78,771.1 | P |
| metaldehyde | Artichoke, globe | 959.7 | 92 | 1,183.67 | A |
| metaldehyde | Brussels sprout | 2,273.35 | 175 | 2,540.7 | A |
| metaldehyde | Celery | 26.47 | 4 | 29.2 | A |
| metaldehyde | Landscape maintenance | 1.5 | N/A | N/A | N/A |
| metaldehyde | Lettuce, head | 51.21 | 6 | 53.55 | A |
| metaldehyde | N-grnhs flower | 1.75 | 1 | 2.25 | A |
| metaldehyde | N-grnhs plants in containers | 79.9 | 14 | 64.93 | A |
| metaldehyde | N-outdr flower | 7.4 | 6 | 29.0 | A |
| metaldehyde | N-outdr plants in containers | 29.31 | 11 | 25.58 | A |
| metaldehyde | Regulatory pest control | 50.8 | N/A | N/A | N/A |
| metaldehyde | Rights of way | 2.0 | N/A | N/A | N/A |
| metaldehyde | Strawberry | 22.51 | 10 | 34.14 | A |
| metaldehyde | Structural pest control | 0.02 | N/A | N/A | N/A |
| metaldehyde | Uncultivated ag | 1.0 | 1 | 5.0 | A |
| metaldehyde | Uncultivated non-ag | 9.6 | N/A | 133.0 | A |
| metam-sodium | Rights of way | 546.64 | N/A | N/A | N/A |
| metconazole | Landscape maintenance | 9.5 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| methiocarb | N-outdr plants in containers | 1.5 | 2 | 20,000.0 | S |
| methomyl | Alfalfa | 153.78 | 25 | 188.9 | A |
| methomyl | Bean, succulent | 18.18 | 2 | 20.2 | A |
| methomyl | Bean, unspecified | 16.2 | 1 | 18.0 | A |
| methomyl | Beet | 22.5 | 2 | 25.0 | A |
| methomyl | Bok choy | 41.53 | 67 | 71.65 | A |
| methomyl | Broccoli | 4,889.16 | 570 | 6,582.04 | A |
| methomyl | Brussels sprout | 6,209.62 | 516 | 7,219.25 | A |
| methomyl | Cabbage | 2,205.05 | 257 | 2,662.26 | A |
| methomyl | Cauliflower | 2,132.03 | 245 | 2,959.2 | A |
| methomyl | Celery | 8,837.12 | 1,276 | 11,350.33 | A |
| methomyl | Chinese cabbage (napa, won bok, celery cabbage) | 80.9 | 50 | 147.12 | A |
| methomyl | Collard | 11.93 | 10 | 13.25 | A |
| methomyl | Cucumber | 13.5 | 1 | 15.0 | A |
| methomyl | Endive (escarole) | 73.33 | 47 | 104.58 | A |
| methomyl | Fennel | 162.9 | 25 | 230.5 | A |
| methomyl | Garlic | 564.01 | 69 | 1,253.32 | A |
| methomyl | Kale | 29.15 | 10 | 40.7 | A |
| methomyl | Lettuce, head | 34,230.13 | 4,505 | 48,932.86 | A |
| methomyl | Lettuce, leaf | 51,084.56 | 7,448 | 70,910.63 | A |
| methomyl | Mustard greens | 16.11 | 3 | 17.9 | A |
| methomyl | Onion, dry | 2,767.0 | 203 | 3,501.68 | A |
| methomyl | Peas | 4,004.45 | 537 | 5,678.81 | A |
| methomyl | Pepper, fruiting | 18.72 | 3 | 41.6 | A |
| methomyl | Rapini | 192.92 | 24 | 428.7 | A |
| methomyl | Research commodity | 32.97 | 14 | 55.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|----------------|------|--------------|--------------|
| methomyl | Research commodity | 0.19 | N/A | N/A | N/A |
| methomyl | Spinach | 1,898.54 | 235 | 2,341.81 | A |
| methomyl | Strawberry | 10.15 | 1 | 21.94 | A |
| methomyl | Structural pest control | 0.01 | N/A | N/A | N/A |
| methomyl | Tomato | 92.48 | 6 | 137.0 | A |
| methoprene | Structural pest control | 0.03 | N/A | N/A | N/A |
| methoxyfenozide | Alfalfa | 3.57 | 1 | 25.3 | A |
| methoxyfenozide | Artichoke, globe | 814.74 | 262 | 3,381.4 | A |
| methoxyfenozide | Bean, unspecified | 8.45 | 8 | 47.9 | A |
| methoxyfenozide | Blackberry | 2.91 | 1 | 13.75 | A |
| methoxyfenozide | Broccoli | 515.04 | 183 | 2,437.52 | A |
| methoxyfenozide | Brussels sprout | 145.96 | 34 | 545.18 | A |
| methoxyfenozide | Cabbage | 93.15 | 46 | 587.7 | A |
| methoxyfenozide | Cardoon | 2.67 | 6 | 17.1 | A |
| methoxyfenozide | Cauliflower | 117.47 | 51 | 538.92 | A |
| methoxyfenozide | Celery | 626.3 | 469 | 4,343.28 | A |
| methoxyfenozide | Fennel | 5.8 | 2 | 23.6 | A |
| methoxyfenozide | Grape, wine | 2,985.41 | 246 | 15,132.53 | A |
| methoxyfenozide | Lettuce, head | 685.88 | 436 | 5,122.0 | A |
| methoxyfenozide | Lettuce, leaf | 498.75 | 422 | 3,480.45 | A |
| methoxyfenozide | N-outdr plants in containers | 0.91 | 3 | 85,000.0 | S |
| methoxyfenozide | Peas | 43.88 | 26 | 287.7 | A |
| methoxyfenozide | Rapini | 70.92 | 45 | 296.3 | A |
| methoxyfenozide | Raspberry | 11.0 | 2 | 38.97 | A |
| methoxyfenozide | Spinach | 481.59 | 236 | 3,211.25 | A |
| methoxyfenozide | Strawberry | 114.67 | 15 | 805.08 | A |
| methoxyfenozide | Tomato | 15.65 | 5 | 111.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| methyl anthranilate | Structural pest control | 4.82 | N/A | N/A | N/A |
| methyl bromide | Commodity fumigation | 2,316.61 | N/A | N/A | N/A |
| methyl bromide | Strawberry | 1,073.24 | 2 | 4.73 | A |
| methyl parathion | Grape, wine | 0.05 | 1 | 0.02 | A |
| methyl silicone resins | Arugula | 3.2 | 1 | 6.0 | A |
| methyl silicone resins | Broccoli | 156.7 | 417 | 4,151.46 | A |
| methyl silicone resins | Brussels sprout | 23.57 | 33 | 49.76 | A |
| methyl silicone resins | Cauliflower | 200.13 | 468 | 3,805.78 | A |
| methyl silicone resins | Celery | 208.91 | 322 | 2,482.56 | A |
| methyl silicone resins | Endive (escarole) | 5.38 | 143 | 68.0 | A |
| methyl silicone resins | Grape, wine | 165.45 | 922 | 12,553.99 | A |
| methyl silicone resins | Kale | 13.74 | 50 | 197.28 | A |
| methyl silicone resins | Landscape maintenance | 0.07 | 5 | 22.0 | A |
| methyl silicone resins | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| methyl silicone resins | Lettuce, head | 336.23 | 493 | 4,561.15 | A |
| methyl silicone resins | Lettuce, leaf | 440.3 | 824 | 6,994.48 | A |
| methyl silicone resins | Raspberry | 2.94 | 2 | 4.95 | A |
| methyl silicone resins | Rights of way | 0.6 | N/A | N/A | N/A |
| methyl silicone resins | Strawberry | 2,157.99 | 294 | 5,144.5 | A |
| methyl silicone resins | Swiss chard | 24.67 | 65 | 335.68 | A |
| methyl silicone resins | Tomato | 0.05 | 1 | 0.25 | A |
| methyl silicone resins | Uncultivated ag | 0.52 | 37 | 210.8 | A |
| methylated fatty acids from canola oil | Alfalfa | 18.04 | 1 | 5.0 | A |
| methylated fatty acids from canola oil | Uncultivated ag | 23.45 | 1 | 6.5 | A |
| methylated naphthalene | Cannabis (all or unspecified) | 0.06 | 1 | 1,000.0 | S |
| methylated soybean oil | Airport | 21.74 | N/A | 415.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|---|----------------|-------|--------------|--------------|
| methylated soybean oil | Alfalfa | 52.13 | 29 | 223.8 | A |
| methylated soybean oil | Artichoke, globe | 633.86 | 338 | 3,913.84 | A |
| methylated soybean oil | Arugula | 1,514.5 | 119 | 1,014.22 | A |
| methylated soybean oil | Bean, dried | 139.16 | 26 | 300.7 | A |
| methylated soybean oil | Bean, succulent | 65.14 | 14 | 170.65 | A |
| methylated soybean oil | Bean, unspecified | 63.99 | 43 | 257.65 | A |
| methylated soybean oil | Blackberry | 42.29 | 7 | 164.5 | A |
| methylated soybean oil | Bok choy | 36.28 | 147 | 128.8 | A |
| methylated soybean oil | Broccoli | 7,259.11 | 3,356 | 35,938.06 | A |
| methylated soybean oil | Brussels sprout | 2,772.85 | 602 | 11,978.52 | A |
| methylated soybean oil | Cabbage | 1,642.57 | 764 | 6,586.32 | A |
| methylated soybean oil | Carrot | 406.67 | 112 | 1,293.8 | A |
| methylated soybean oil | Cauliflower | 2,621.39 | 1,421 | 13,919.48 | A |
| methylated soybean oil | Celery | 3,763.04 | 1,514 | 13,441.11 | A |
| methylated soybean oil | Chinese cabbage (napa, won bok, celery cabbage) | 84.38 | 90 | 234.1 | A |
| methylated soybean oil | Cilantro | 90.45 | 95 | 395.55 | A |
| methylated soybean oil | Collard | 20.56 | 39 | 74.4 | A |
| methylated soybean oil | Cucumber | 10.41 | 8 | 47.9 | A |
| methylated soybean oil | Endive (escarole) | 40.55 | 31 | 91.45 | A |
| methylated soybean oil | Fennel | 119.83 | 84 | 520.5 | A |
| methylated soybean oil | Garlic | 274.57 | 89 | 1,497.17 | A |
| methylated soybean oil | Grape, wine | 21,605.69 | 1,823 | 64,375.23 | A |
| methylated soybean oil | Kale | 337.96 | 155 | 520.06 | A |
| methylated soybean oil | Kohlrabi | 12.5 | 29 | 57.5 | A |
| methylated soybean oil | Landscape maintenance | 160.78 | N/A | N/A | N/A |
| methylated soybean oil | Leek | 63.63 | 25 | 142.36 | A |
| methylated soybean oil | Lemon | 20.65 | 2 | 40.0 | A |
| methylated soybean oil | Lettuce, head | 8,634.55 | 3,363 | 35,719.65 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|---------------------|----------------|-------|--------------|--------------|
| methylated soybean oil | Lettuce, leaf | 17,478.24 | 6,426 | 62,481.94 | A |
| methylated soybean oil | Mizuna | 6.3 | 5 | 5.12 | A |
| methylated soybean oil | Mustard greens | 14.37 | 28 | 53.2 | A |
| methylated soybean oil | Oat | 21.84 | 5 | 75.9 | A |
| methylated soybean oil | Onion, dry | 431.68 | 80 | 1,481.78 | A |
| methylated soybean oil | Onion, green | 5.09 | 1 | 20.0 | A |
| methylated soybean oil | Peas | 458.67 | 217 | 2,469.5 | A |
| methylated soybean oil | Pepper, fruiting | 51.94 | 20 | 247.6 | A |
| methylated soybean oil | Pumpkin | 0.79 | 1 | 8.3 | A |
| methylated soybean oil | Radicchio | 153.87 | 138 | 747.3 | A |
| methylated soybean oil | Rapini | 526.8 | 173 | 3,008.6 | A |
| methylated soybean oil | Raspberry | 75.17 | 10 | 178.33 | A |
| methylated soybean oil | Research commodity | 16.19 | 18 | 52.75 | A |
| methylated soybean oil | Research commodity | 7.39 | N/A | N/A | N/A |
| methylated soybean oil | Rights of way | 1,789.14 | N/A | N/A | N/A |
| methylated soybean oil | Rye | 6.63 | 8 | 30.5 | A |
| methylated soybean oil | Ryegrass | 8.02 | 2 | 32.5 | A |
| methylated soybean oil | Spinach | 2,124.05 | 391 | 3,711.18 | A |
| methylated soybean oil | Strawberry | 3,552.49 | 198 | 8,314.0 | A |
| methylated soybean oil | Sudangrass | 2.39 | 2 | 11.0 | A |
| methylated soybean oil | Sunflower | 31.86 | 4 | 40.0 | A |
| methylated soybean oil | Swiss chard | 0.56 | 7 | 21.2 | A |
| methylated soybean oil | Triticale | 18.64 | 5 | 85.5 | A |
| methylated soybean oil | Uncultivated ag | 6,384.35 | 1,330 | 13,069.55 | A |
| methylated soybean oil | Uncultivated non-ag | 40.69 | 6 | 71.0 | A |
| methylated soybean oil | Upland cress | 156.78 | 54 | 103.13 | A |
| methylated soybean oil | Vertebrate control | 0.58 | N/A | N/A | N/A |
| methylated soybean oil | Water area | 93.78 | 15 | 51.5 | A |
| methylated soybean oil | Wheat | 6.64 | 2 | 54.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| metofluthrin | Structural pest control | 0.01 | N/A | N/A | N/A |
| metrafenone | Grape, wine | 11,978.37 | 1,051 | 42,987.37 | A |
| metribuzin | Carrot | 21.33 | 18 | 173.4 | A |
| mineral oil | Apple | 422.22 | 1 | 9.0 | A |
| mineral oil | Artichoke, globe | 61.07 | 26 | 216.43 | A |
| mineral oil | Arugula | 277.67 | 34 | 152.9 | A |
| mineral oil | Asparagus | 1.33 | 1 | 5.5 | A |
| mineral oil | Avocado | 2,787.39 | 4 | 89.28 | A |
| mineral oil | Barley | 30.29 | 1 | 80.0 | A |
| mineral oil | Bean, dried | 325.23 | 7 | 103.0 | A |
| mineral oil | Beet | 0.78 | 8 | 17.32 | A |
| mineral oil | Blackberry | 1,264.36 | 40 | 347.13 | A |
| mineral oil | Broccoli | 6,528.74 | 552 | 6,112.85 | A |
| mineral oil | Brussels sprout | 44.12 | 45 | 664.3 | A |
| mineral oil | Cabbage | 2,278.72 | 183 | 1,677.16 | A |
| mineral oil | Cannabis (all or unspecified) | 6,915.21 | 1,193 | 4,455.3 | A |
| mineral oil | Cannabis (all or unspecified) | 4,628.52 | 864 | 12,946,233.0 | S |
| mineral oil | Cannabis (all or unspecified) | 624.79 | 105 | 1,492.0 | U |
| mineral oil | Carrot | 1,449.65 | 63 | 1,121.97 | A |
| mineral oil | Cauliflower | 2,840.43 | 274 | 3,269.13 | A |
| mineral oil | Celery | 2,064.76 | 170 | 1,462.19 | A |
| mineral oil | Chinese cabbage (napa, won bok, celery cabbage) | 3.54 | 1 | 3.0 | A |
| mineral oil | Cilantro | 1,454.36 | 109 | 631.34 | A |
| mineral oil | Collard | 1.29 | 11 | 16.5 | A |
| mineral oil | Corn, human consumption | 0.95 | 1 | 5.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mineral oil | Cucumber | 31.58 | 1 | 10.0 | A |
| mineral oil | Endive (escarole) | 76.53 | 46 | 77.8 | A |
| mineral oil | Fennel | 37.0 | 8 | 25.5 | A |
| mineral oil | Garlic | 717.71 | 16 | 313.4 | A |
| mineral oil | Golf course turf | 0.97 | N/A | 3.0 | A |
| mineral oil | Grape, wine | 845,217.01 | 5,432 | 155,854.16 | A |
| mineral oil | Kale | 521.89 | 119 | 443.08 | A |
| mineral oil | Landscape maintenance | 0.31 | 1 | 1.0 | A |
| mineral oil | Landscape maintenance | 915.12 | N/A | N/A | N/A |
| mineral oil | Leek | 18.84 | 15 | 77.19 | A |
| mineral oil | Lemon | 59,949.47 | 44 | 1,409.0 | A |
| mineral oil | Lettuce, head | 4,076.11 | 1,137 | 13,380.73 | A |
| mineral oil | Lettuce, leaf | 8,335.48 | 2,305 | 20,384.15 | A |
| mineral oil | Mizuna | 89.47 | 45 | 45.55 | A |
| mineral oil | Mustard greens | 1.23 | 5 | 8.5 | A |
| mineral oil | N-grnhs flower | 6.93 | 6 | 18,150.0 | S |
| mineral oil | N-grnhs plants in containers | 5.41 | 9 | 37,600.0 | S |
| mineral oil | N-outdr flower | 28.22 | 4 | 4.0 | A |
| mineral oil | N-outdr plants in containers | 269.78 | 5 | 13.67 | A |
| mineral oil | N-outdr plants in containers | 32.16 | 9 | 100,500.0 | S |
| mineral oil | Olive | 23.91 | 16 | 13.0 | A |
| mineral oil | Onion, dry | 911.95 | 45 | 805.3 | A |
| mineral oil | Parsley | 312.25 | 17 | 129.5 | A |
| mineral oil | Peas | 1,299.59 | 153 | 1,245.38 | A |
| mineral oil | Public health | 18,323.29 | N/A | N/A | N/A |
| mineral oil | Radicchio | 244.14 | 33 | 154.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| mineral oil | Radish | 1.1 | 7 | 13.5 | A |
| mineral oil | Rapini | 36.04 | 9 | 106.9 | A |
| mineral oil | Raspberry | 53.01 | 47 | 501.45 | A |
| mineral oil | Research commodity | 1.58 | 1 | 1.0 | A |
| mineral oil | Research commodity | 6.13 | N/A | N/A | N/A |
| mineral oil | Rights of way | 26.1 | 23 | 105.5 | A |
| mineral oil | Rights of way | 3.76 | N/A | N/A | N/A |
| mineral oil | Rye | 4.23 | 2 | 64.5 | A |
| mineral oil | Soil fumigation/preplant | 5.54 | 5 | 23.0 | A |
| mineral oil | Spinach | 1,195.8 | 89 | 668.22 | A |
| mineral oil | Strawberry | 3,197.9 | 325 | 7,943.51 | A |
| mineral oil | Sugarbeet | 1.49 | 2 | 0.5 | A |
| mineral oil | Swiss chard | 0.54 | 4 | 8.9 | A |
| mineral oil | Tomato | 3.56 | 7 | 137.2 | A |
| mineral oil | Triticale | 6.69 | 2 | 36.0 | A |
| mineral oil | Uncultivated ag | 2,438.29 | 358 | 4,172.25 | A |
| mineral oil | Uncultivated non-ag | 25.42 | 11 | 41.8 | A |
| mineral oil | Walnut | 175.74 | 4 | 240.0 | A |
| mineral oil | Water area | 1.46 | 2 | 2.0 | A |
| modified phthalic glycerol alkyd resin | Grape, wine | 18.45 | 8 | 377.73 | A |
| msma | Landscape maintenance | 0.45 | N/A | N/A | N/A |
| muscalure | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| muscalure | Structural pest control | 0.02 | N/A | N/A | N/A |
| myclobutanil | Artichoke, globe | 337.82 | 291 | 3,377.74 | A |
| myclobutanil | Blackberry | 5.36 | 10 | 85.18 | A |
| myclobutanil | Cucumber | 4.78 | 4 | 47.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|-------|--------------|--------------|
| myclobutanil | Grape, wine | 1,055.12 | 371 | 9,419.96 | A |
| myclobutanil | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| myclobutanil | Lettuce, head | 788.37 | 641 | 7,031.98 | A |
| myclobutanil | Lettuce, leaf | 1,450.4 | 1,233 | 12,300.26 | A |
| myclobutanil | N-grnhs plants in containers | 5.01 | 7 | 21.69 | A |
| myclobutanil | N-grnhs plants in containers | 0.05 | 4 | 14,000.0 | S |
| myclobutanil | N-outdr flower | 4.71 | 54 | 45.6 | A |
| myclobutanil | N-outdr plants in containers | 13.06 | 11 | 36.7 | A |
| myclobutanil | Pepper, fruiting | 23.83 | 17 | 190.8 | A |
| myclobutanil | Pumpkin | 2.03 | 5 | 16.3 | A |
| myclobutanil | Raspberry | 23.84 | 31 | 348.73 | A |
| myclobutanil | Research commodity | 0.02 | 3 | 13,500.0 | S |
| myclobutanil | Research commodity | 0.23 | N/A | N/A | N/A |
| myclobutanil | Squash, summer | 0.42 | 1 | 3.4 | A |
| myclobutanil | Strawberry | 1,704.08 | 558 | 15,133.06 | A |
| myclobutanil | Tomato | 2.6 | 1 | 26.0 | A |
| myristyl alcohol | Apple | 0.09 | 1 | 9.0 | A |
| myristyl alcohol | N-grnhs plants in containers | <0.01 | 1 | 6,000.0 | S |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Artichoke, globe | 427.48 | 412 | 5,888.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Blackberry | 3.97 | 19 | 182.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---|----------------|-------|--------------|--------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Broccoli | 6.49 | 17 | 187.9 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Brussels sprout | 21.51 | 33 | 559.4 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cabbage | 8.86 | 14 | 165.4 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Carrot | 1.26 | 11 | 120.2 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cauliflower | 4.92 | 11 | 142.6 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Celery | 12.75 | 25 | 199.1 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Chinese cabbage (napa, won bok, celery cabbage) | 1.89 | 5 | 28.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Collard | 0.22 | 10 | 14.5 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Grape, wine | 1,142.38 | 1,268 | 34,551.21 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Kale | 0.28 | 3 | 12.94 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Landscape maintenance | 0.13 | N/A | N/A | N/A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Lettuce, head | 10.97 | 16 | 213.6 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Lettuce, leaf | 27.08 | 52 | 481.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Mustard greens | 0.04 | 3 | 3.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | N-outdr plants in containers | 0.02 | 1 | 1.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | N-outdr plants in containers | 0.02 | 2 | 11,000.0 | S |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Raspberry | 10.7 | 13 | 250.64 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Research commodity | 0.1 | N/A | N/A | N/A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Rights of way | 19.74 | N/A | N/A | N/A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Spinach | 1.06 | 3 | 30.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Strawberry | 883.97 | 230 | 7,910.92 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Uncultivated ag | 66.12 | 180 | 2,361.7 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Uncultivated non-ag | 0.19 | 1 | 18.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Walnut | 2.52 | 4 | 240.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Water area | 0.02 | 2 | 2.0 | A |
| n-octyl bicycloheptene dicarboximide | Cannabis (all or unspecified) | <0.01 | 2 | 2,000.0 | S |
| n-octyl bicycloheptene dicarboximide | Landscape maintenance | 0.4 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Structural pest control | 12.24 | N/A | N/A | N/A |
| n6-benzyl adenine | N-grnhs flower | 0.5 | 112 | 265,402.0 | S |
| n6-benzyl adenine | N-grnhs plants in containers | 6.28 | 115 | 183.9 | A |
| n6-benzyl adenine | N-grnhs plants in containers | 3.11 | 105 | 2,677,382.0 | S |
| n6-benzyl adenine | N-outdr plants in containers | 19.93 | 86 | 138.45 | A |
| n6-benzyl adenine | N-outdr plants in containers | 0.01 | 1 | 600.0 | S |
| n6-benzyl adenine | Research commodity | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| naa | N-grnhs plants in containers | 0.02 | 11 | 6,000.0 | S |
| naled | Broccoli | 4,774.81 | 435 | 4,604.61 | A |
| naled | Brussels sprout | 9,164.1 | 364 | 6,682.45 | A |
| naled | Cabbage | 728.25 | 59 | 723.13 | A |
| naled | Cauliflower | 2,364.34 | 158 | 2,345.57 | A |
| naled | Collard | 5.24 | 5 | 5.0 | A |
| naled | Kale | 132.29 | 23 | 131.05 | A |
| naled | Research commodity | 19.25 | N/A | N/A | N/A |
| naled | Strawberry | 4,254.05 | 132 | 4,223.3 | A |
| naphthalene | Cannabis (all or unspecified) | 0.02 | 1 | 1,000.0 | S |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Alfalfa | 0.11 | 1 | 100.0 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Barley | 0.11 | 2 | 378.0 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Broccoli | 0.02 | 1 | 9.2 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Lettuce, head | 4.87 | 153 | 1,731.1 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Lettuce, leaf | 4.77 | 152 | 1,769.2 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | N-outdr flower | 0.02 | 4 | 13.09 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Research commodity | 0.01 | N/A | N/A | N/A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Strawberry | 8.26 | 119 | 1,339.26 | A |
| napropamide | Broccoli | 502.51 | 62 | 569.7 | A |
| napropamide | Research commodity | 0.5 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|---|----------------|-------|--------------|--------------|
| nonanoic acid | Soil fumigation/preplant | 7.66 | 2 | 5.0 | A |
| novaluron | Bok choy | 5.95 | 22 | 75.75 | A |
| novaluron | Broccoli | 1,029.57 | 1,219 | 13,245.77 | A |
| novaluron | Brussels sprout | 397.45 | 378 | 5,216.03 | A |
| novaluron | Cabbage | 109.3 | 136 | 1,405.95 | A |
| novaluron | Cauliflower | 378.98 | 471 | 4,875.07 | A |
| novaluron | Chinese cabbage (napa, won bok, celery cabbage) | 9.21 | 27 | 117.5 | A |
| novaluron | Kale | 1.46 | 3 | 18.62 | A |
| novaluron | Kohlrabi | 0.23 | 1 | 3.0 | A |
| novaluron | N-grnhs flower | <0.01 | 3 | 112.5 | S |
| novaluron | N-grnhs plants in containers | 1.44 | 3 | 8.18 | A |
| novaluron | Research commodity | 1.55 | 4 | 19.75 | A |
| novaluron | Research commodity | 0.46 | N/A | N/A | N/A |
| novaluron | Strawberry | 1,365.9 | 687 | 18,159.74 | A |
| novaluron | Structural pest control | 0.24 | N/A | N/A | N/A |
| noviflumuron | Structural pest control | 0.15 | N/A | N/A | N/A |
| oleic acid | Celery | 0.54 | 2 | 10.0 | A |
| oleic acid | Lettuce, leaf | 1.48 | 4 | 30.4 | A |
| oleic acid | Raspberry | 1.16 | 4 | 104.31 | A |
| oleic acid | Spinach | 1.06 | 3 | 30.0 | A |
| oleic acid | Strawberry | 876.62 | 220 | 7,652.02 | A |
| oleic acid, ethyl ester | Airport | 38.34 | N/A | 415.0 | A |
| oleic acid, ethyl ester | Alfalfa | 14.2 | 5 | 74.3 | A |
| oleic acid, ethyl ester | Artichoke, globe | 226.04 | 89 | 1,179.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|-----------------------|----------------|-------|--------------|--------------|
| oleic acid, ethyl ester | Bean, dried | 3.83 | 2 | 20.0 | A |
| oleic acid, ethyl ester | Bean, succulent | 13.6 | 17 | 171.7 | A |
| oleic acid, ethyl ester | Bean, unspecified | 7.82 | 9 | 54.4 | A |
| oleic acid, ethyl ester | Beet | 1.92 | 2 | 25.0 | A |
| oleic acid, ethyl ester | Bok choy | 10.71 | 63 | 59.1 | A |
| oleic acid, ethyl ester | Broccoli | 17,202.2 | 2,064 | 20,459.07 | A |
| oleic acid, ethyl ester | Brussels sprout | 8,356.34 | 542 | 6,641.6 | A |
| oleic acid, ethyl ester | Cabbage | 1,277.82 | 291 | 2,390.57 | A |
| oleic acid, ethyl ester | Carrot | 648.85 | 51 | 663.4 | A |
| oleic acid, ethyl ester | Cauliflower | 8,739.79 | 942 | 9,658.32 | A |
| oleic acid, ethyl ester | Celery | 3,531.66 | 1,229 | 9,935.45 | A |
| oleic acid, ethyl ester | Cilantro | 6.35 | 32 | 48.6 | A |
| oleic acid, ethyl ester | Collard | 6.67 | 4 | 4.5 | A |
| oleic acid, ethyl ester | Endive (escarole) | 41.74 | 127 | 256.69 | A |
| oleic acid, ethyl ester | Fennel | 28.15 | 8 | 37.8 | A |
| oleic acid, ethyl ester | Garlic | 10.49 | 9 | 109.4 | A |
| oleic acid, ethyl ester | Grape, wine | 346.22 | 30 | 906.83 | A |
| oleic acid, ethyl ester | Kale | 129.7 | 118 | 533.95 | A |
| oleic acid, ethyl ester | Kohlrabi | 4.14 | 4 | 21.6 | A |
| oleic acid, ethyl ester | Landscape maintenance | 78.28 | N/A | N/A | N/A |
| oleic acid, ethyl ester | Leek | 47.07 | 36 | 320.7 | A |
| oleic acid, ethyl ester | Lettuce, head | 6,838.93 | 3,545 | 38,426.84 | A |
| oleic acid, ethyl ester | Lettuce, leaf | 7,952.54 | 5,758 | 45,563.02 | A |
| oleic acid, ethyl ester | Oat | 8.15 | 5 | 75.9 | A |
| oleic acid, ethyl ester | Onion, dry | 192.62 | 51 | 936.8 | A |
| oleic acid, ethyl ester | Pastureland | 51.52 | 43 | 188.64 | A |
| oleic acid, ethyl ester | Peas | 58.78 | 37 | 452.7 | A |
| oleic acid, ethyl ester | Pepper, fruiting | 8.86 | 9 | 111.8 | A |
| oleic acid, ethyl ester | Radicchio | 12.36 | 4 | 64.5 | A |
| oleic acid, ethyl ester | Rights of way | 1.83 | 3 | 7.04 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------|----------------|------|--------------|--------------|
| oleic acid, ethyl ester | Rights of way | 2,456.14 | N/A | N/A | N/A |
| oleic acid, ethyl ester | Strawberry | 66.31 | 3 | 110.0 | A |
| oleic acid, ethyl ester | Sunflower | 32.09 | 4 | 32.3 | A |
| oleic acid, ethyl ester | Uncultivated ag | 11,654.81 | 670 | 7,943.6 | A |
| oleic acid, ethyl ester | Uncultivated non-ag | 17.87 | 1 | 8.0 | A |
| oleic acid, ethyl ester | Water area | 3.72 | 2 | 3.5 | A |
| oleic acid, methyl ester | Artichoke, globe | 27.33 | 1 | 20.8 | A |
| oleic acid, methyl ester | Barley | 18.08 | 3 | 55.0 | A |
| oleic acid, methyl ester | Bean, dried | 173.85 | 14 | 132.25 | A |
| oleic acid, methyl ester | Broccoli | 88.71 | 27 | 216.2 | A |
| oleic acid, methyl ester | Cabbage | 12.3 | 3 | 30.0 | A |
| oleic acid, methyl ester | Carrot | 972.74 | 66 | 791.65 | A |
| oleic acid, methyl ester | Celery | 655.94 | 115 | 770.43 | A |
| oleic acid, methyl ester | Grape, wine | 2,709.22 | 136 | 5,900.44 | A |
| oleic acid, methyl ester | Landscape maintenance | 24.01 | N/A | N/A | N/A |
| oleic acid, methyl ester | Lettuce, head | 707.81 | 70 | 708.0 | A |
| oleic acid, methyl ester | Lettuce, leaf | 1,116.63 | 173 | 1,120.9 | A |
| oleic acid, methyl ester | Rights of way | 2,637.45 | N/A | N/A | N/A |
| oleic acid, methyl ester | Rye | 8.28 | 1 | 28.0 | A |
| oleic acid, methyl ester | Uncultivated ag | 2,531.13 | 279 | 2,573.2 | A |
| organosilicone, poly oxyalkylene ether copolymer | Landscape maintenance | 4.86 | N/A | N/A | N/A |
| orthosulfamuron | Grape, wine | 30.55 | 15 | 278.27 | A |
| oryzalin | Avocado | 20.8 | 1 | 10.0 | A |
| oryzalin | Grape, wine | 113.32 | 1 | 36.32 | A |
| oryzalin | Landscape maintenance | 5.79 | N/A | N/A | N/A |
| oxadiazon | Landscape maintenance | 4.6 | N/A | N/A | N/A |
| oxamyl | Celery | 2,231.94 | 372 | 3,080.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|-------|--------------|--------------|
| oxamyl | Garlic | 8.9 | 1 | 17.9 | A |
| oxamyl | Onion, dry | 361.8 | 29 | 473.34 | A |
| oxathiapiprolin | Arugula | 0.5 | 6 | 38.1 | A |
| oxathiapiprolin | Broccoli | 0.4 | 4 | 29.1 | A |
| oxathiapiprolin | Brussels sprout | 0.7 | 5 | 44.4 | A |
| oxathiapiprolin | Cauliflower | 0.16 | 1 | 10.3 | A |
| oxathiapiprolin | Kale | 0.08 | 2 | 5.3 | A |
| oxathiapiprolin | Lettuce, head | 43.43 | 301 | 2,979.66 | A |
| oxathiapiprolin | Lettuce, leaf | 87.0 | 651 | 5,943.06 | A |
| oxathiapiprolin | N-grnhs plants in containers | 3.12 | 8 | 26.05 | A |
| oxathiapiprolin | Onion, dry | 4.38 | 16 | 281.2 | A |
| oxathiapiprolin | Onion, green | 0.31 | 1 | 20.0 | A |
| oxathiapiprolin | Research commodity | 0.04 | 3 | 3.0 | A |
| oxathiapiprolin | Spinach | 162.78 | 1,073 | 10,794.1 | A |
| oxathiapiprolin | Swiss chard | 0.1 | 2 | 6.3 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Alfalfa | 3.67 | 1 | 100.0 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Barley | 3.47 | 2 | 378.0 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Broccoli | 0.67 | 1 | 9.2 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Lettuce, head | 160.62 | 153 | 1,731.1 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Lettuce, leaf | 157.31 | 152 | 1,769.2 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | N-outdr flower | 0.74 | 4 | 13.09 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Research commodity | 0.32 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|-------|--------------|--------------|
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Strawberry | 272.59 | 119 | 1,339.26 | A |
| oxyfluorfen | Artichoke, globe | 1,023.11 | 150 | 2,007.7 | A |
| oxyfluorfen | Avocado | 10.03 | 1 | 10.0 | A |
| oxyfluorfen | Broccoli | 2,714.34 | 1,058 | 11,061.65 | A |
| oxyfluorfen | Cabbage | 360.22 | 153 | 1,236.51 | A |
| oxyfluorfen | Cauliflower | 2,520.62 | 743 | 7,870.46 | A |
| oxyfluorfen | Garlic | 130.61 | 38 | 534.21 | A |
| oxyfluorfen | Grape, wine | 8,627.04 | 929 | 27,001.97 | A |
| oxyfluorfen | Landscape maintenance | 20.84 | 4 | 17.0 | A |
| oxyfluorfen | Landscape maintenance | 12.48 | N/A | N/A | N/A |
| oxyfluorfen | Lettuce, head | 158.37 | 27 | 358.2 | A |
| oxyfluorfen | Lettuce, leaf | 59.02 | 10 | 116.1 | A |
| oxyfluorfen | N-grnhs plants in containers | 0.5 | 1 | 10,869.0 | S |
| oxyfluorfen | N-outdr plants in containers | 18.19 | 38 | 606,524.0 | S |
| oxyfluorfen | Onion, dry | 477.13 | 163 | 2,181.16 | A |
| oxyfluorfen | Research commodity | 0.01 | N/A | N/A | N/A |
| oxyfluorfen | Rights of way | 642.82 | N/A | N/A | N/A |
| oxyfluorfen | Soil fumigation/preplant | 5.02 | 1 | 10.0 | A |
| oxyfluorfen | Uncultivated ag | 2,571.99 | 547 | 5,853.54 | A |
| oxyfluorfen | Uncultivated non-ag | 17.54 | 1 | 41.0 | A |
| oxyfluorfen | Walnut | 182.35 | 2 | 125.0 | A |
| paclobutrazol | Landscape maintenance | 275.97 | N/A | N/A | N/A |
| paclobutrazol | N-grnhs flower | 0.01 | 25 | 32,934.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| paclobutrazol | N-grnhs plants in containers | 25.16 | 767 | 973.0 | A |
| paclobutrazol | N-grnhs plants in containers | 1.01 | 74 | 1,854,119.0 | S |
| paclobutrazol | N-outdr plants in containers | 8.73 | 344 | 391.85 | A |
| paclobutrazol | Research commodity | <0.01 | N/A | N/A | N/A |
| paecilomyces fumosoroseus apopka strain 97 | Cannabis (all or unspecified) | 20.47 | 28 | 57.26 | A |
| paecilomyces fumosoroseus apopka strain 97 | Cannabis (all or unspecified) | 233.96 | 274 | 6,401,604.0 | S |
| paecilomyces fumosoroseus apopka strain 97 | Lettuce, head | 1.08 | 1 | 10.8 | A |
| paecilomyces fumosoroseus apopka strain 97 | Research commodity | 0.12 | N/A | N/A | N/A |
| paecilomyces fumosoroseus apopka strain 97 | Strawberry | 169.59 | 30 | 764.0 | A |
| paraquat dichloride | Alfalfa | 68.95 | 1 | 100.0 | A |
| paraquat dichloride | Artichoke, globe | 239.18 | 15 | 190.4 | A |
| paraquat dichloride | Blackberry | 41.37 | 5 | 30.0 | A |
| paraquat dichloride | Broccoli | 18.22 | 1 | 12.9 | A |
| paraquat dichloride | Grape, wine | 553.47 | 18 | 906.36 | A |
| paraquat dichloride | Rights of way | 4.18 | N/A | N/A | N/A |
| paraquat dichloride | Strawberry | 24.41 | 2 | 35.4 | A |
| paraquat dichloride | Sunflower | 13.76 | 2 | 20.0 | A |
| paraquat dichloride | Uncultivated ag | 3,170.98 | 150 | 2,422.55 | A |
| pcnb | Broccoli | 15,961.36 | 66 | 720.9 | A |
| pcnb | Cauliflower | 1,023.5 | 13 | 48.75 | A |
| pcnb | Golf course turf | 36.95 | N/A | 3.0 | A |
| pcnb | Landscape maintenance | 223.22 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------|------------------------------|----------------|------|--------------|--------------|
| pcnb | N-grnhs plants in containers | 0.94 | 1 | 32,000.0 | S |
| pendimethalin | Artichoke, globe | 116.33 | 11 | 103.9 | A |
| pendimethalin | Bean, dried | 135.72 | 17 | 143.25 | A |
| pendimethalin | Carrot | 1,688.43 | 126 | 1,806.85 | A |
| pendimethalin | Garlic | 1,451.25 | 93 | 1,808.91 | A |
| pendimethalin | Grape, wine | 14,040.83 | 400 | 6,542.21 | A |
| pendimethalin | Landscape maintenance | 222.18 | N/A | N/A | N/A |
| pendimethalin | Leek | 118.92 | 22 | 126.07 | A |
| pendimethalin | Lemon | 90.91 | 1 | 32.0 | A |
| pendimethalin | N-outdr plants in containers | 11.1 | 18 | 247,954.0 | S |
| pendimethalin | Onion, dry | 337.46 | 31 | 436.48 | A |
| pendimethalin | Pepper, fruiting | 149.51 | 22 | 177.3 | A |
| pendimethalin | Strawberry | 613.71 | 7 | 432.0 | A |
| pendimethalin | Uncultivated ag | 142.61 | 13 | 49.0 | A |
| pendimethalin | Walnut | 355.11 | 2 | 125.0 | A |
| pendimethalin | Wheat | 31.97 | 1 | 45.0 | A |
| penflufen | Onion, dry | 25.13 | N/A | 28,841.72 | P |
| penoxsulam | Golf course turf | 0.03 | N/A | 3.0 | A |
| penoxsulam | Landscape maintenance | 1.87 | N/A | N/A | N/A |
| penoxsulam | N-grnhs flower | <0.01 | N/A | 264.0 | S |
| penoxsulam | N-grnhs plants in containers | 0.12 | N/A | 196,000.0 | S |
| penoxsulam | N-outdr flower | <0.01 | N/A | 290.0 | S |
| penoxsulam | Rights of way | 4.15 | N/A | N/A | N/A |
| penoxsulam | Uncultivated ag | 2.07 | 7 | 58.4 | A |
| penthiopyrad | Broccoli | 39.57 | 13 | 112.7 | A |
| penthiopyrad | Brussels sprout | 595.35 | 186 | 2,341.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|-----------------------|----------------|-------|--------------|--------------|
| penthiopyrad | Cabbage | 19.63 | 6 | 71.87 | A |
| penthiopyrad | Carrot | 22.22 | 9 | 103.9 | A |
| penthiopyrad | Cauliflower | 45.51 | 21 | 160.0 | A |
| penthiopyrad | Celery | 102.0 | 54 | 432.33 | A |
| penthiopyrad | Endive (escarole) | 3.83 | 5 | 22.47 | A |
| penthiopyrad | Fennel | 26.83 | 10 | 85.9 | A |
| penthiopyrad | Garlic | 339.57 | 69 | 1,087.6 | A |
| penthiopyrad | Golf course turf | 4.09 | N/A | 6.0 | A |
| penthiopyrad | Kale | 29.36 | 31 | 130.1 | A |
| penthiopyrad | Landscape maintenance | 33.02 | N/A | N/A | N/A |
| penthiopyrad | Leek | 112.51 | 59 | 383.39 | A |
| penthiopyrad | Lettuce, head | 1,583.26 | 530 | 5,686.58 | A |
| penthiopyrad | Lettuce, leaf | 2,825.79 | 1,279 | 9,933.17 | A |
| penthiopyrad | Onion, dry | 18.67 | 4 | 59.8 | A |
| penthiopyrad | Peas | 385.88 | 133 | 1,432.45 | A |
| penthiopyrad | Pepper, fruiting | 29.03 | 9 | 111.8 | A |
| penthiopyrad | Pumpkin | 4.71 | 4 | 22.58 | A |
| penthiopyrad | Research commodity | 0.31 | N/A | N/A | N/A |
| penthiopyrad | Strawberry | 3,360.81 | 399 | 11,205.62 | A |
| penthiopyrad | Upland cress | 0.83 | 1 | 4.0 | A |
| permethrin | Artichoke, globe | 1,230.62 | 332 | 4,234.2 | A |
| permethrin | Arugula | 148.32 | 197 | 1,051.38 | A |
| permethrin | Broccoli | 1,680.05 | 867 | 10,532.86 | A |
| permethrin | Brussels sprout | 124.78 | 129 | 1,253.95 | A |
| permethrin | Cabbage | 469.81 | 261 | 2,652.76 | A |
| permethrin | Cardoon | 11.97 | 21 | 59.8 | A |
| permethrin | Cauliflower | 344.05 | 365 | 3,183.69 | A |
| permethrin | Celery | 2,701.54 | 2,193 | 18,326.86 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| permethrin | Chinese cabbage (napa, won bok, celery cabbage) | 27.47 | 55 | 154.47 | A |
| permethrin | Endive (escarole) | 34.62 | 244 | 257.36 | A |
| permethrin | Fennel | 54.15 | 43 | 290.2 | A |
| permethrin | Garlic | 25.37 | 5 | 126.4 | A |
| permethrin | Kale | 0.69 | 3 | 4.3 | A |
| permethrin | Landscape maintenance | 174.83 | N/A | N/A | N/A |
| permethrin | Lettuce, head | 5,157.19 | 2,977 | 33,504.96 | A |
| permethrin | Lettuce, leaf | 9,338.47 | 6,509 | 61,447.98 | A |
| permethrin | Mushroom | 34.38 | 465 | 4,454,477.0 | S |
| permethrin | N-grnhs flower | 167.31 | 69 | 26,519,992.0 | S |
| permethrin | N-grnhs plants in containers | 1.45 | 4 | 4.02 | A |
| permethrin | N-grnhs plants in containers | 1.34 | 7 | 340,640.0 | S |
| permethrin | N-grnhs transplants | 104.68 | 1,793 | 581.11 | A |
| permethrin | N-grnhs transplants | 4.04 | 6 | 476,000.0 | S |
| permethrin | N-outdr plants in containers | 14.33 | 3 | 15.86 | A |
| permethrin | N-outdr transplants | 0.18 | 3 | 2.63 | A |
| permethrin | N-outdr transplants | 3.08 | 27 | 1,429,735.0 | S |
| permethrin | Onion, dry | 26.83 | 5 | 98.8 | A |
| permethrin | Radicchio | 71.53 | 123 | 572.2 | A |
| permethrin | Research commodity | 1.43 | 7 | 10.5 | A |
| permethrin | Research commodity | 0.04 | N/A | N/A | N/A |
| permethrin | Spinach | 4,925.92 | 3,413 | 33,245.57 | A |
| permethrin | Structural pest control | 182.97 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|-------------------------------|----------------|------|--------------|--------------|
| permethrin | Swiss chard | 18.01 | 31 | 150.65 | A |
| permethrin | Upland cress | 3.97 | 14 | 30.82 | A |
| permethrin | Watercress | 0.41 | 1 | 2.04 | A |
| permethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| peroxyacetic acid | Bean, succulent | 1.71 | 2 | 15.5 | A |
| peroxyacetic acid | Bean, unspecified | 0.74 | 1 | 6.75 | A |
| peroxyacetic acid | Cannabis (all or unspecified) | 15.48 | 68 | 47.52 | A |
| peroxyacetic acid | Cannabis (all or unspecified) | 30.53 | 527 | 1,892,592.0 | S |
| peroxyacetic acid | Celery | 8.17 | 13 | 81.11 | A |
| peroxyacetic acid | Ditch bank | 7.1 | N/A | 1.0 | U |
| peroxyacetic acid | Grape, wine | 274.35 | 68 | 3,043.91 | A |
| peroxyacetic acid | Lettuce, head | 46.39 | 35 | 252.63 | A |
| peroxyacetic acid | Lettuce, leaf | 161.12 | 77 | 914.04 | A |
| peroxyacetic acid | Mustard greens | 8.25 | 9 | 44.9 | A |
| peroxyacetic acid | N-grnhs plants in containers | 0.62 | 7 | 12.92 | A |
| peroxyacetic acid | N-grnhs plants in containers | 0.01 | 1 | 6.0 | C |
| peroxyacetic acid | N-grnhs plants in containers | 0.23 | 7 | 20,200.0 | S |
| peroxyacetic acid | N-grnhs transplants | 0.16 | 2 | 0.36 | A |
| peroxyacetic acid | N-outdr transplants | 0.25 | 4 | 474,492.0 | S |
| peroxyacetic acid | Raspberry | 66.66 | 38 | 211.18 | A |
| peroxyacetic acid | Research commodity | 0.12 | 3 | 0.68 | A |
| peroxyacetic acid | Spinach | 107.55 | 42 | 585.3 | A |
| peroxyacetic acid | Strawberry | 719.81 | 234 | 1,334.77 | A |
| peroxyacetic acid | Strawberry | 2.0 | 5 | 5.0 | U |
| peroxyacetic acid | Swiss chard | 8.53 | 8 | 46.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| peroxyacetic acid | Uncultivated ag | 1.15 | 2 | 1.0 | A |
| peroxyacetic acid | Uncultivated ag | 0.01 | 1 | 0.75 | C |
| peroxyacetic acid | Uncultivated ag | 0.04 | N/A | 24,000.0 | S |
| peroxyacetic acid | Water (industrial) | 163.33 | N/A | 7.0 | U |
| petroleum distillates | Broccoli | 1.5 | 1 | 9.1 | A |
| petroleum distillates | Cannabis (all or unspecified) | 0.03 | 1 | 1,000.0 | S |
| petroleum distillates | Cauliflower | 15.69 | 9 | 95.85 | A |
| petroleum distillates | Grape, wine | 0.03 | 1 | 0.02 | A |
| petroleum distillates | Landscape maintenance | 31.9 | N/A | N/A | N/A |
| petroleum distillates | Strawberry | 5.0 | 1 | 30.4 | A |
| petroleum distillates | Structural pest control | 3.56 | N/A | N/A | N/A |
| petroleum hydrocarbons | Cannabis (all or unspecified) | 0.6 | 2 | 2,000.0 | S |
| petroleum oil, unclassified | Cannabis (all or unspecified) | 2.33 | 1 | 21,100.0 | S |
| petroleum oil, unclassified | Christmas tree | 0.42 | 3 | 0.25 | A |
| petroleum oil, unclassified | Christmas tree | 0.19 | 2 | 17.0 | U |
| petroleum oil, unclassified | Grape, wine | 5.48 | 1 | 2.68 | A |
| petroleum oil, unclassified | Landscape maintenance | 13.06 | N/A | N/A | N/A |
| phenmedipham | Beet | 13.08 | 6 | 26.6 | A |
| phenmedipham | Research commodity | 0.57 | N/A | N/A | N/A |
| phenmedipham | Spinach | 21.46 | 5 | 51.4 | A |
| phenothrin | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| phenothrin | Structural pest control | 2.46 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|---|-----------------------|-------------|---------------------|---------------------|
| phenothrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| phenylethyl propionate | Structural pest control | 0.02 | N/A | N/A | N/A |
| phosphoric acid | Alfalfa | 1.07 | 2 | 105.0 | A |
| phosphoric acid | Artichoke, globe | 3.19 | 16 | 177.5 | A |
| phosphoric acid | Arugula | 1.36 | 18 | 70.43 | A |
| phosphoric acid | Barley | 0.79 | 4 | 761.0 | A |
| phosphoric acid | Bean, succulent | 5.47 | 9 | 153.2 | A |
| phosphoric acid | Beet | 3.73 | 11 | 97.05 | A |
| phosphoric acid | Bok choy | 16.0 | 144 | 541.94 | A |
| phosphoric acid | Broccoli | 427.74 | 1,577 | 15,239.41 | A |
| phosphoric acid | Brussels sprout | 182.78 | 319 | 3,440.06 | A |
| phosphoric acid | Cabbage | 25.23 | 148 | 965.74 | A |
| phosphoric acid | Carrot | 9.14 | 35 | 270.3 | A |
| phosphoric acid | Cauliflower | 235.09 | 800 | 6,259.98 | A |
| phosphoric acid | Celery | 124.27 | 503 | 4,567.91 | A |
| phosphoric acid | Chinese cabbage (napa, won bok, celery cabbage) | 27.93 | 177 | 946.31 | A |
| phosphoric acid | Cilantro | 5.65 | 56 | 301.15 | A |
| phosphoric acid | Cucumber | 0.78 | 3 | 22.5 | A |
| phosphoric acid | Endive (escarole) | 20.24 | 164 | 712.67 | A |
| phosphoric acid | Garlic | 3.0 | 5 | 103.7 | A |
| phosphoric acid | Grape, wine | 255.93 | 573 | 7,639.41 | A |
| phosphoric acid | Kale | 45.59 | 130 | 1,116.07 | A |
| phosphoric acid | Landscape maintenance | 0.42 | 5 | 22.0 | A |
| phosphoric acid | Landscape maintenance | 2.02 | N/A | N/A | N/A |
| phosphoric acid | Leek | 9.68 | 54 | 319.27 | A |
| phosphoric acid | Lettuce, head | 610.23 | 2,106 | 23,171.94 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| phosphoric acid | Lettuce, leaf | 659.74 | 2,908 | 26,133.96 | A |
| phosphoric acid | Mustard greens | 1.49 | 29 | 64.95 | A |
| phosphoric acid | N-outdr flower | 0.14 | 6 | 22.26 | A |
| phosphoric acid | Onion, dry | 10.73 | 22 | 347.3 | A |
| phosphoric acid | Peas | 2.2 | 62 | 454.62 | A |
| phosphoric acid | Pumpkin | 0.16 | 1 | 4.0 | A |
| phosphoric acid | Radish | 21.88 | 302 | 810.24 | A |
| phosphoric acid | Research commodity | 0.3 | 52 | 234,000.0 | S |
| phosphoric acid | Research commodity | 0.04 | N/A | N/A | N/A |
| phosphoric acid | Rights of way | 66.05 | N/A | N/A | N/A |
| phosphoric acid | Ryegrass | 0.13 | 1 | 12.5 | A |
| phosphoric acid | Spinach | 0.89 | 3 | 21.6 | A |
| phosphoric acid | Strawberry | 1,307.53 | 697 | 18,994.4 | A |
| phosphoric acid | Swiss chard | 0.66 | 29 | 29.25 | A |
| phosphoric acid | Uncultivated ag | 94.7 | 273 | 1,794.65 | A |
| piperalin | N-grnhs flower | 39.97 | 40 | 33.63 | A |
| piperalin | N-grnhs plants in containers | 0.72 | 1 | 1.44 | A |
| piperalin | N-outdr plants in containers | 9.63 | 1 | 3.23 | A |
| piperonyl butoxide | Blackberry | 33.66 | 6 | 86.7 | A |
| piperonyl butoxide | Cabbage | 6.98 | 6 | 27.47 | A |
| piperonyl butoxide | Cannabis (all or unspecified) | <0.01 | 2 | 2,000.0 | S |
| piperonyl butoxide | Landscape maintenance | 0.32 | N/A | N/A | N/A |
| piperonyl butoxide | Lettuce, leaf | 0.06 | 1 | 0.15 | A |
| piperonyl butoxide | N-grnhs plants in containers | 3.2 | 10 | 419,880.0 | S |
| piperonyl butoxide | N-grnhs transplants | 1.4 | 32 | 11.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| piperonyl butoxide | N-outdr plants in containers | 0.19 | 1 | 10,000.0 | S |
| piperonyl butoxide | N-outdr transplants | 0.75 | 6 | 7.89 | A |
| piperonyl butoxide | Raspberry | 85.5 | 6 | 224.75 | A |
| piperonyl butoxide | Research commodity | 0.06 | 1 | 0.28 | A |
| piperonyl butoxide | Research commodity | 0.11 | N/A | N/A | N/A |
| piperonyl butoxide | Strawberry | 777.4 | 43 | 2,042.11 | A |
| piperonyl butoxide | Structural pest control | 66.28 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Blackberry | 8.41 | 6 | 86.7 | A |
| piperonyl butoxide, other related | Cabbage | 1.75 | 6 | 27.47 | A |
| piperonyl butoxide, other related | Cannabis (all or unspecified) | <0.01 | 2 | 2,000.0 | S |
| piperonyl butoxide, other related | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Lettuce, leaf | 0.01 | 1 | 0.15 | A |
| piperonyl butoxide, other related | N-grnhs plants in containers | 0.8 | 10 | 419,880.0 | S |
| piperonyl butoxide, other related | N-grnhs transplants | 0.35 | 32 | 11.7 | A |
| piperonyl butoxide, other related | N-outdr plants in containers | 0.05 | 1 | 10,000.0 | S |
| piperonyl butoxide, other related | N-outdr transplants | 0.19 | 6 | 7.89 | A |
| piperonyl butoxide, other related | Raspberry | 21.38 | 6 | 224.75 | A |
| piperonyl butoxide, other related | Research commodity | 0.02 | 1 | 0.28 | A |
| piperonyl butoxide, other related | Research commodity | 0.03 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Strawberry | 194.35 | 43 | 2,042.11 | A |
| piperonyl butoxide, other related | Structural pest control | 1.27 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | Grape, wine | 36.28 | 82 | 888.7 | A |
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | Landscape maintenance | 0.65 | N/A | N/A | N/A |
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | Rights of way | 2.43 | N/A | N/A | N/A |
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | Uncultivated ag | 6.76 | 16 | 140.7 | A |
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | Uncultivated non-ag | 0.22 | 1 | 5.0 | A |
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | Vertebrate control | 0.02 | N/A | N/A | N/A |
| poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates | Water area | 2.74 | 8 | 29.5 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Artichoke, globe | 7.61 | 141 | 919.24 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Blackberry | 19.36 | 13 | 185.0 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Broccoli | 12.0 | 155 | 1,642.77 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Brussels sprout | 35.39 | 147 | 1,550.75 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Cabbage | 1.5 | 18 | 149.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Cannabis (all or unspecified) | 21.83 | 235 | 182.08 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Cannabis (all or unspecified) | 72.41 | 181 | 7,314,946.0 | S |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Carrot | 0.14 | 3 | 13.85 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Cauliflower | 7.85 | 85 | 530.36 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Celery | 9.71 | 144 | 1,024.02 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Grape, wine | 10.51 | 157 | 671.62 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Kale | 0.01 | 1 | 0.36 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Leek | 1.67 | 19 | 163.51 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Lettuce, head | 22.74 | 208 | 2,055.55 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Lettuce, leaf | 30.48 | 270 | 2,637.21 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Mizuna | 0.06 | 2 | 3.25 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Mustard greens | 0.01 | 1 | 1.0 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | N-grnhs flower | 78.87 | 223 | 234.88 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Peas | 5.86 | 84 | 943.8 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Raspberry | 15.76 | 47 | 230.85 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Rights of way | 0.11 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Strawberry | 744.61 | 907 | 10,026.71 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Tomato | 0.03 | 3 | 1.5 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Uncultivated ag | 3.37 | 10 | 154.5 | A |
| poly-i-para-menthene | Bok choy | 3.21 | 2 | 9.0 | A |
| poly-i-para-menthene | Cabbage | 5.71 | 2 | 16.0 | A |
| poly-i-para-menthene | Strawberry | 17.55 | 25 | 68.25 | A |
| polyacrylamide polymer | Alfalfa | 0.19 | 1 | 5.0 | A |
| polyacrylamide polymer | Artichoke, globe | 12.4 | 28 | 316.7 | A |
| polyacrylamide polymer | Avocado | 0.19 | 1 | 10.0 | A |
| polyacrylamide polymer | Blackberry | 3.75 | 18 | 179.0 | A |
| polyacrylamide polymer | Broccoli | 78.21 | 339 | 4,008.38 | A |
| polyacrylamide polymer | Cabbage | 7.87 | 24 | 203.4 | A |
| polyacrylamide polymer | Carrot | 0.5 | 6 | 52.95 | A |
| polyacrylamide polymer | Cauliflower | 77.07 | 260 | 2,941.21 | A |
| polyacrylamide polymer | Celery | 0.98 | 13 | 90.7 | A |
| polyacrylamide polymer | Fennel | 4.01 | 11 | 139.9 | A |
| polyacrylamide polymer | Grape, wine | 0.62 | 2 | 14.7 | A |
| polyacrylamide polymer | Landscape maintenance | 0.02 | 1 | 5.0 | A |
| polyacrylamide polymer | Lemon | 0.92 | 20 | 156.8 | A |
| polyacrylamide polymer | Lettuce, head | 8.06 | 30 | 376.1 | A |
| polyacrylamide polymer | Lettuce, leaf | 50.12 | 208 | 2,462.5 | A |
| polyacrylamide polymer | Onion, dry | 0.19 | 1 | 20.0 | A |
| polyacrylamide polymer | Peas | 0.28 | 1 | 7.5 | A |
| polyacrylamide polymer | Rapini | 20.05 | 35 | 557.6 | A |
| polyacrylamide polymer | Raspberry | 3.19 | 12 | 171.39 | A |
| polyacrylamide polymer | Rights of way | 10.59 | N/A | N/A | N/A |
| polyacrylamide polymer | Spinach | 1.76 | 4 | 41.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| polyacrylamide polymer | Strawberry | 2.08 | 8 | 269.4 | A |
| polyacrylamide polymer | Uncultivated ag | 46.89 | 181 | 1,956.65 | A |
| polyacrylamide polymer | Uncultivated non-ag | 1.22 | 4 | 65.0 | A |
| polyacrylamide, polyethylene glycol mixture | Strawberry | 0.3 | 3 | 44.47 | A |
| polyacrylic polymer | Beet | 0.24 | 5 | 62.5 | A |
| polyacrylic polymer | Broccoli | 9.3 | 124 | 1,138.7 | A |
| polyacrylic polymer | Carrot | 0.64 | 9 | 160.8 | A |
| polyacrylic polymer | Cauliflower | 6.94 | 125 | 783.5 | A |
| polyacrylic polymer | Grape, wine | 0.59 | 8 | 87.3 | A |
| polyacrylic polymer | Landscape maintenance | 0.18 | N/A | N/A | N/A |
| polyacrylic polymer | Lettuce, head | 0.12 | 2 | 14.3 | A |
| polyacrylic polymer | Lettuce, leaf | 0.22 | 5 | 24.0 | A |
| polyacrylic polymer | Rights of way | 5.83 | N/A | N/A | N/A |
| polyacrylic polymer | Uncultivated ag | 0.2 | 2 | 24.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Alfalfa | 0.45 | 1 | 25.3 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Arugula | 0.03 | 1 | 6.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Bean, dried | 0.1 | 4 | 25.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Blackberry | 3.15 | 3 | 40.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Bok choy | 0.82 | 27 | 43.8 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Broccoli | 56.44 | 432 | 4,639.11 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Brussels sprout | 9.54 | 25 | 442.8 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cabbage | 42.25 | 278 | 3,042.72 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|-----------------------|-------------|---------------------|---------------------|
| polyalkene oxide modified heptamethyl trisiloxane | Carrot | 0.37 | 2 | 64.4 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cauliflower | 18.78 | 107 | 1,204.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Celery | 108.29 | 657 | 6,752.35 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Chinese cabbage (napa, won bok, celery cabbage) | 3.99 | 88 | 214.1 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cilantro | 2.27 | 26 | 182.4 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Collard | 1.03 | 39 | 74.4 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Endive (escarole) | 0.41 | 18 | 41.1 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Fennel | 0.84 | 21 | 69.9 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Garlic | 5.22 | 15 | 370.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Grape, wine | 253.46 | 527 | 24,847.59 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Kale | 4.05 | 51 | 314.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Landscape maintenance | 0.3 | N/A | N/A | N/A |
| polyalkene oxide modified heptamethyl trisiloxane | Leek | 2.82 | 24 | 109.36 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Lettuce, head | 167.07 | 1,436 | 14,930.32 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Lettuce, leaf | 178.05 | 1,720 | 15,477.22 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| polyalkene oxide modified heptamethyl trisiloxane | Mizuna | 0.02 | 1 | 1.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Mustard greens | 0.72 | 28 | 53.2 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-grnhs flower | 0.98 | 1 | 0.75 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-grnhs plants in containers | 0.16 | 1 | 6.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-grnhs plants in containers | 43.94 | 291 | 6,167,675.0 | S |
| polyalkene oxide modified heptamethyl trisiloxane | N-outdr plants in containers | 0.47 | 3 | 6.8 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-outdr plants in containers | 0.72 | 33 | 364,500.0 | S |
| polyalkene oxide modified heptamethyl trisiloxane | Onion, dry | 11.67 | 41 | 747.48 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Peas | 2.38 | 35 | 287.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Pepper, fruiting | 2.12 | 18 | 223.6 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Pumpkin | 0.04 | 1 | 8.3 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Radicchio | 6.09 | 130 | 599.9 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Raspberry | 48.89 | 5 | 212.98 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Research commodity | 0.81 | 18 | 52.75 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Research commodity | 0.27 | N/A | N/A | N/A |
| polyalkene oxide modified heptamethyl trisiloxane | Rights of way | 13.34 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| polyalkene oxide modified heptamethyl trisiloxane | Spinach | 0.56 | 52 | 405.25 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Strawberry | 7.64 | 5 | 140.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Swiss chard | 0.03 | 7 | 21.2 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Uncultivated ag | 0.4 | 1 | 26.5 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Blackberry | 11.52 | 2 | 27.5 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Cannabis (all or unspecified) | 1.2 | 8 | 9.35 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Grape, wine | 7.04 | 41 | 635.72 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Lettuce, head | 2.09 | 7 | 51.9 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Lettuce, leaf | 7.14 | 12 | 97.36 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Raspberry | 85.63 | 12 | 129.89 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Strawberry | 8,622.03 | 147 | 8,401.17 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Uncultivated ag | 21.04 | N/A | 12.0 | A |
| polybutenes | Artichoke, globe | 284.02 | 410 | 5,866.4 | A |
| polybutenes | Broccoli | 11.3 | 17 | 187.9 | A |
| polybutenes | Brussels sprout | 37.32 | 33 | 559.4 | A |
| polybutenes | Cabbage | 5.9 | 14 | 165.4 | A |
| polybutenes | Cauliflower | 9.09 | 10 | 125.3 | A |
| polybutenes | Celery | 8.5 | 25 | 199.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|---|----------------|-------|--------------|--------------|
| polybutenes | Chinese cabbage (napa, won bok, celery cabbage) | 1.26 | 5 | 28.0 | A |
| polybutenes | Collard | 1.17 | 10 | 14.5 | A |
| polybutenes | Kale | 0.57 | 2 | 8.0 | A |
| polybutenes | Lettuce, head | 8.14 | 16 | 213.6 | A |
| polybutenes | Lettuce, leaf | 19.65 | 51 | 464.3 | A |
| polybutenes | Mustard greens | 0.21 | 3 | 3.0 | A |
| polybutenes | N-outdr plants in containers | 0.07 | 1 | 5,000.0 | S |
| polybutenes | Raspberry | 0.59 | 1 | 6.2 | A |
| polybutenes | Rights of way | 13.04 | N/A | N/A | N/A |
| polybutenes | Spinach | 0.71 | 3 | 30.0 | A |
| polybutenes | Strawberry | 584.82 | 218 | 7,694.45 | A |
| polybutenes | Structural pest control | 8.06 | N/A | N/A | N/A |
| polyether modified polysiloxane | Artichoke, globe | 55.54 | 87 | 1,134.7 | A |
| polyether modified polysiloxane | Arugula | 10.96 | 46 | 245.48 | A |
| polyether modified polysiloxane | Bean, dried | 6.94 | 5 | 49.0 | A |
| polyether modified polysiloxane | Bean, succulent | 5.72 | 10 | 167.7 | A |
| polyether modified polysiloxane | Beet | 0.97 | 6 | 34.55 | A |
| polyether modified polysiloxane | Blackberry | 109.46 | 10 | 182.0 | A |
| polyether modified polysiloxane | Bok choy | 14.55 | 144 | 541.94 | A |
| polyether modified polysiloxane | Broccoli | 796.55 | 1,665 | 16,126.7 | A |
| polyether modified polysiloxane | Brussels sprout | 478.97 | 372 | 4,213.26 | A |
| polyether modified polysiloxane | Cabbage | 38.11 | 172 | 1,153.19 | A |
| polyether modified polysiloxane | Cannabis (all or unspecified) | 42.62 | 167 | 121.31 | A |
| polyether modified polysiloxane | Cannabis (all or unspecified) | 1.31 | 30 | 659,964.0 | S |
| polyether modified polysiloxane | Cannabis (all or unspecified) | 50.92 | 105 | 1,492.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|---|----------------|-------|--------------|--------------|
| polyether modified polysiloxane | Cardoon | 0.85 | 21 | 59.8 | A |
| polyether modified polysiloxane | Carrot | 139.05 | 83 | 1,015.1 | A |
| polyether modified polysiloxane | Cauliflower | 364.65 | 807 | 6,473.05 | A |
| polyether modified polysiloxane | Celery | 796.91 | 1,270 | 8,797.82 | A |
| polyether modified polysiloxane | Chinese cabbage (napa, won bok, celery cabbage) | 25.39 | 177 | 946.31 | A |
| polyether modified polysiloxane | Cilantro | 5.14 | 56 | 301.15 | A |
| polyether modified polysiloxane | Collard | 2.12 | 19 | 8.09 | A |
| polyether modified polysiloxane | Cucumber | 3.06 | 7 | 49.2 | A |
| polyether modified polysiloxane | Endive (escarole) | 20.76 | 180 | 735.57 | A |
| polyether modified polysiloxane | Fennel | 0.17 | 2 | 10.2 | A |
| polyether modified polysiloxane | Garlic | 43.93 | 21 | 356.2 | A |
| polyether modified polysiloxane | Grape, wine | 184.95 | 79 | 1,526.31 | A |
| polyether modified polysiloxane | Kale | 117.31 | 243 | 1,561.28 | A |
| polyether modified polysiloxane | Landscape maintenance | 0.38 | 5 | 22.0 | A |
| polyether modified polysiloxane | Leek | 18.15 | 75 | 378.97 | A |
| polyether modified polysiloxane | Lettuce, head | 907.01 | 2,589 | 24,572.29 | A |
| polyether modified polysiloxane | Lettuce, leaf | 1,589.18 | 3,776 | 30,241.24 | A |
| polyether modified polysiloxane | Mizuna | 2.9 | 32 | 29.0 | A |
| polyether modified polysiloxane | Mustard greens | 1.36 | 29 | 64.95 | A |
| polyether modified polysiloxane | N-grnhs plants in containers | 8.21 | 163 | 374,204.0 | S |
| polyether modified polysiloxane | N-grnhs transplants | 1.73 | 8 | 1.97 | A |
| polyether modified polysiloxane | Onion, dry | 152.95 | 79 | 1,397.74 | A |
| polyether modified polysiloxane | Parsley | 3.06 | 3 | 29.7 | A |
| polyether modified polysiloxane | Peas | 50.45 | 126 | 1,005.14 | A |
| polyether modified polysiloxane | Pepper, fruiting | 15.54 | 21 | 195.5 | A |
| polyether modified polysiloxane | Pumpkin | 0.15 | 1 | 4.0 | A |
| polyether modified polysiloxane | Radicchio | 5.01 | 16 | 49.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|---|----------------|------|--------------|--------------|
| polyether modified polysiloxane | Radish | 19.89 | 302 | 810.24 | A |
| polyether modified polysiloxane | Raspberry | 41.6 | 10 | 90.68 | A |
| polyether modified polysiloxane | Research commodity | 0.52 | 2 | 2.0 | A |
| polyether modified polysiloxane | Rights of way | 1.5 | N/A | N/A | N/A |
| polyether modified polysiloxane | Spinach | 10.22 | 67 | 571.9 | A |
| polyether modified polysiloxane | Squash, summer | 2.48 | 2 | 15.0 | A |
| polyether modified polysiloxane | Strawberry | 3,181.37 | 204 | 5,217.0 | A |
| polyether modified polysiloxane | Swiss chard | 7.29 | 38 | 67.35 | A |
| polyether modified polysiloxane | Uncultivated ag | 93.8 | 286 | 1,872.55 | A |
| polyether modified polysiloxane | Uncultivated ag | 0.09 | 2 | 2,800.0 | S |
| polyethoxylated castor oil | Artichoke, globe | 204.4 | 176 | 2,352.2 | A |
| polyethoxylated castor oil | Broccoli | 53.19 | 54 | 638.25 | A |
| polyethoxylated castor oil | Brussels sprout | 106.36 | 110 | 1,310.7 | A |
| polyethoxylated castor oil | Cabbage | 3.41 | 4 | 46.8 | A |
| polyethoxylated castor oil | Cardoon | 1.57 | 6 | 17.1 | A |
| polyethoxylated castor oil | Cauliflower | 56.41 | 56 | 649.8 | A |
| polyethoxylated castor oil | Celery | 66.38 | 101 | 792.1 | A |
| polyethoxylated castor oil | Chinese cabbage (napa, won bok, celery cabbage) | 1.66 | 3 | 21.0 | A |
| polyethoxylated castor oil | Fennel | 25.2 | 60 | 307.9 | A |
| polyethoxylated castor oil | Grape, wine | 408.84 | 99 | 1,241.22 | A |
| polyethoxylated castor oil | Landscape maintenance | 6.36 | N/A | N/A | N/A |
| polyethoxylated castor oil | Lettuce, head | 105.56 | 100 | 1,236.65 | A |
| polyethoxylated castor oil | Lettuce, leaf | 124.25 | 158 | 1,516.8 | A |
| polyethoxylated castor oil | Rights of way | 6.12 | 5 | 72.5 | A |
| polyethoxylated castor oil | Rights of way | 43.09 | N/A | N/A | N/A |
| polyethoxylated castor oil | Spinach | 35.35 | 52 | 432.35 | A |
| polyethoxylated castor oil | Uncultivated ag | 517.87 | 374 | 5,435.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| polyethoxylated castor oil | Uncultivated non-ag | 93.21 | 67 | 1,009.0 | A |
| polyethoxylated castor oil | Vertebrate control | 0.22 | N/A | N/A | N/A |
| polyethoxylated castor oil | Water area | 26.76 | 8 | 29.5 | A |
| polyethylene glycol | Grape, wine | 421.59 | 108 | 9,797.21 | A |
| polyethylene glycol | Strawberry | 272.95 | 66 | 1,578.34 | A |
| polyethylene glycol diacetate | Grape, wine | 0.86 | 42 | 362.21 | A |
| polyethylene glycol diacetate | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| polyethylene glycol ditallate | Broccoli | 0.04 | 1 | 9.1 | A |
| polyethylene glycol ditallate | Cauliflower | 0.37 | 9 | 95.85 | A |
| polyethylene glycol ditallate | Strawberry | 0.12 | 1 | 30.4 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Avocado | 1.29 | 1 | 22.28 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Brussels sprout | 21.71 | 10 | 94.9 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Cactus pear | 2.73 | 1 | 8.8 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Grape, wine | 3,234.0 | 884 | 17,055.9 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | N-grnhs plants in containers | 0.06 | 2 | 25,000.0 | S |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | N-outdr plants in containers | 0.07 | 3 | 30,600.0 | S |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | N-outdr transplants | 0.03 | 1 | 33,381.0 | S |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Walnut | 169.38 | 10 | 1,090.0 | A |
| polyethylene glycol oleate | Lettuce, head | 39.53 | 21 | 168.99 | A |
| polyethylene glycol oleate | Lettuce, leaf | 31.59 | 18 | 140.8 | A |
| polyethylene glycol stearate | Airport | 9.58 | N/A | 415.0 | A |
| polyethylene glycol stearate | Alfalfa | 3.55 | 5 | 74.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|-----------------------|----------------|-------|--------------|--------------|
| polyethylene glycol stearate | Artichoke, globe | 56.51 | 89 | 1,179.8 | A |
| polyethylene glycol stearate | Bean, dried | 0.96 | 2 | 20.0 | A |
| polyethylene glycol stearate | Bean, succulent | 3.4 | 17 | 171.7 | A |
| polyethylene glycol stearate | Bean, unspecified | 1.96 | 9 | 54.4 | A |
| polyethylene glycol stearate | Beet | 0.48 | 2 | 25.0 | A |
| polyethylene glycol stearate | Bok choy | 2.68 | 63 | 59.1 | A |
| polyethylene glycol stearate | Broccoli | 4,300.55 | 2,064 | 20,459.07 | A |
| polyethylene glycol stearate | Brussels sprout | 2,089.08 | 542 | 6,641.6 | A |
| polyethylene glycol stearate | Cabbage | 319.45 | 291 | 2,390.57 | A |
| polyethylene glycol stearate | Carrot | 162.21 | 51 | 663.4 | A |
| polyethylene glycol stearate | Cauliflower | 2,184.95 | 942 | 9,658.32 | A |
| polyethylene glycol stearate | Celery | 882.91 | 1,229 | 9,935.45 | A |
| polyethylene glycol stearate | Cilantro | 1.59 | 32 | 48.6 | A |
| polyethylene glycol stearate | Collard | 1.67 | 4 | 4.5 | A |
| polyethylene glycol stearate | Endive (escarole) | 10.44 | 127 | 256.69 | A |
| polyethylene glycol stearate | Fennel | 7.04 | 8 | 37.8 | A |
| polyethylene glycol stearate | Garlic | 2.62 | 9 | 109.4 | A |
| polyethylene glycol stearate | Grape, wine | 86.56 | 30 | 906.83 | A |
| polyethylene glycol stearate | Kale | 32.42 | 118 | 533.95 | A |
| polyethylene glycol stearate | Kohlrabi | 1.04 | 4 | 21.6 | A |
| polyethylene glycol stearate | Landscape maintenance | 19.57 | N/A | N/A | N/A |
| polyethylene glycol stearate | Leek | 11.77 | 36 | 320.7 | A |
| polyethylene glycol stearate | Lettuce, head | 1,709.73 | 3,545 | 38,426.84 | A |
| polyethylene glycol stearate | Lettuce, leaf | 1,988.14 | 5,758 | 45,563.02 | A |
| polyethylene glycol stearate | Oat | 2.04 | 5 | 75.9 | A |
| polyethylene glycol stearate | Onion, dry | 48.15 | 51 | 936.8 | A |
| polyethylene glycol stearate | Peas | 14.7 | 37 | 452.7 | A |
| polyethylene glycol stearate | Pepper, fruiting | 2.21 | 9 | 111.8 | A |
| polyethylene glycol stearate | Radicchio | 3.09 | 4 | 64.5 | A |
| polyethylene glycol stearate | Rights of way | 614.04 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|--------------------------|----------------|------|--------------|--------------|
| polyethylene glycol stearate | Strawberry | 16.58 | 3 | 110.0 | A |
| polyethylene glycol stearate | Sunflower | 8.02 | 4 | 32.3 | A |
| polyethylene glycol stearate | Uncultivated ag | 2,913.7 | 670 | 7,943.6 | A |
| polyethylene glycol stearate | Uncultivated non-ag | 4.47 | 1 | 8.0 | A |
| polyethylene glycol stearate | Water area | 0.93 | 2 | 3.5 | A |
| polymerized pinene | Artichoke, globe | 154.78 | 10 | 124.5 | A |
| polymerized pinene | Asparagus | 3.77 | 1 | 5.5 | A |
| polymerized pinene | Broccoli | 1,518.94 | 186 | 2,376.55 | A |
| polymerized pinene | Cabbage | 74.33 | 27 | 286.0 | A |
| polymerized pinene | Carrot | 27.55 | 3 | 40.27 | A |
| polymerized pinene | Cauliflower | 1,204.97 | 148 | 1,820.98 | A |
| polymerized pinene | Celery | 181.67 | 17 | 265.5 | A |
| polymerized pinene | Fennel | 4.1 | 1 | 3.0 | A |
| polymerized pinene | Golf course turf | 2.75 | N/A | 3.0 | A |
| polymerized pinene | Grape, wine | 232.5 | 42 | 844.41 | A |
| polymerized pinene | Kale | 9.02 | 2 | 15.3 | A |
| polymerized pinene | Landscape maintenance | 26.82 | N/A | N/A | N/A |
| polymerized pinene | Lettuce, head | 230.05 | 32 | 367.3 | A |
| polymerized pinene | Lettuce, leaf | 1,120.35 | 164 | 1,899.6 | A |
| polymerized pinene | Mizuna | 1.04 | 1 | 3.1 | A |
| polymerized pinene | Rapini | 102.37 | 9 | 106.9 | A |
| polymerized pinene | Rights of way | 66.62 | 21 | 97.0 | A |
| polymerized pinene | Rights of way | 4.97 | N/A | N/A | N/A |
| polymerized pinene | Soil fumigation/preplant | 15.74 | 5 | 23.0 | A |
| polymerized pinene | Strawberry | 61.16 | 7 | 120.0 | A |
| polymerized pinene | Swiss chard | 0.87 | 1 | 2.5 | A |
| polymerized pinene | Uncultivated ag | 75.97 | 15 | 97.5 | A |
| polyoxin d, zinc salt | Celery | 2.19 | 4 | 51.7 | A |
| polyoxin d, zinc salt | Grape, wine | 77.45 | 63 | 1,768.61 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| polyoxin d, zinc salt | Landscape maintenance | 1.63 | N/A | N/A | N/A |
| polyoxin d, zinc salt | Lettuce, head | 34.99 | 162 | 1,646.76 | A |
| polyoxin d, zinc salt | Lettuce, leaf | 98.12 | 349 | 2,958.85 | A |
| polyoxin d, zinc salt | Strawberry | 103.22 | 195 | 2,366.84 | A |
| polyoxin d, zinc salt | Swiss chard | 0.22 | 1 | 5.0 | A |
| polyoxyethylene cetyl-stearyl ether | Landscape maintenance | 15.12 | N/A | N/A | N/A |
| polyoxyethylene dioleate | Pastureland | 9.02 | 43 | 188.64 | A |
| polyoxyethylene dioleate | Rights of way | 0.32 | 3 | 7.04 | A |
| polyoxyethylene polyol fatty acid esters | Grape, wine | 417.38 | 77 | 1,791.7 | A |
| polyoxyethylene polyoxypropylene | Artichoke, globe | 139.19 | 141 | 919.24 | A |
| polyoxyethylene polyoxypropylene | Blackberry | 18.43 | 11 | 81.0 | A |
| polyoxyethylene polyoxypropylene | Broccoli | 747.93 | 287 | 2,485.28 | A |
| polyoxyethylene polyoxypropylene | Brussels sprout | 647.39 | 147 | 1,550.75 | A |
| polyoxyethylene polyoxypropylene | Cabbage | 27.39 | 18 | 149.6 | A |
| polyoxyethylene polyoxypropylene | Carrot | 2.48 | 2 | 13.6 | A |
| polyoxyethylene polyoxypropylene | Cauliflower | 321.08 | 142 | 835.81 | A |
| polyoxyethylene polyoxypropylene | Celery | 337.67 | 288 | 2,119.66 | A |
| polyoxyethylene polyoxypropylene | Corn (forage - fodder) | 0.07 | 1 | 0.25 | A |
| polyoxyethylene polyoxypropylene | Endive (escarole) | 1.83 | 18 | 7.8 | A |
| polyoxyethylene polyoxypropylene | Grape, wine | 654.67 | 265 | 6,586.53 | A |
| polyoxyethylene polyoxypropylene | Kale | 0.1 | 1 | 0.36 | A |
| polyoxyethylene polyoxypropylene | Landscape maintenance | 6.38 | 4 | 30.0 | A |
| polyoxyethylene polyoxypropylene | Landscape maintenance | 0.61 | N/A | N/A | N/A |
| polyoxyethylene polyoxypropylene | Leek | 30.48 | 19 | 163.51 | A |
| polyoxyethylene polyoxypropylene | Lettuce, head | 436.04 | 253 | 2,151.25 | A |
| polyoxyethylene polyoxypropylene | Lettuce, leaf | 941.98 | 595 | 4,435.05 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------|-----------------------|----------------|-------|--------------|--------------|
| polyoxyethylene polyoxypropylene | Mizuna | 1.02 | 2 | 3.25 | A |
| polyoxyethylene polyoxypropylene | Mustard greens | 0.25 | 1 | 1.0 | A |
| polyoxyethylene polyoxypropylene | Peas | 107.27 | 84 | 943.8 | A |
| polyoxyethylene polyoxypropylene | Pumpkin | 5.56 | 10 | 26.27 | A |
| polyoxyethylene polyoxypropylene | Radicchio | 0.88 | 1 | 4.3 | A |
| polyoxyethylene polyoxypropylene | Raspberry | 122.59 | 46 | 274.26 | A |
| polyoxyethylene polyoxypropylene | Rights of way | 2.99 | 2 | 14.0 | A |
| polyoxyethylene polyoxypropylene | Rights of way | <0.01 | N/A | N/A | N/A |
| polyoxyethylene polyoxypropylene | Strawberry | 18,551.38 | 1,628 | 35,979.54 | A |
| polyoxyethylene polyoxypropylene | Tomato | 0.3 | 1 | 1.0 | A |
| polyoxyethylene polyoxypropylene | Uncultivated ag | 324.77 | 87 | 1,392.4 | A |
| polyoxyethylene sorbitan monolaurate | Alfalfa | 53.61 | 2 | 67.0 | A |
| polyoxyethylene sorbitan monolaurate | Bean, dried | 33.76 | 11 | 122.0 | A |
| polyoxyethylene sorbitan monolaurate | Bean, succulent | 30.54 | 7 | 83.35 | A |
| polyoxyethylene sorbitan monolaurate | Bean, unspecified | 28.89 | 20 | 115.55 | A |
| polyoxyethylene sorbitan monolaurate | Carrot | 21.2 | 10 | 25.1 | A |
| polyoxyethylene sorbitan monolaurate | Grape, wine | 353.41 | 66 | 756.88 | A |
| polyoxyethylene sorbitan monolaurate | Landscape maintenance | 6.25 | N/A | N/A | N/A |
| polyoxyethylene sorbitan monolaurate | Peas | 114.52 | 48 | 479.6 | A |
| polyoxyethylene sorbitan monolaurate | Rye | 8.96 | 3 | 11.2 | A |
| polyoxyethylene sorbitan monolaurate | Uncultivated ag | 1.5 | 1 | 6.0 | A |
| polyoxyethylene sorbitan monolaurate | Water area | 24.01 | 1 | 6.0 | A |
| polyoxyethylene sorbitan monolaurate | Wheat | 7.6 | 1 | 9.5 | A |
| polyoxyethylene sorbitan monooleate | Landscape maintenance | 0.51 | N/A | N/A | N/A |
| polyoxyethylene sorbitan monooleate | Pastureland | 2.58 | 43 | 188.64 | A |
| polyoxyethylene sorbitan monooleate | Rights of way | 0.09 | 3 | 7.04 | A |
| polyoxyethylene sorbitan trioleate | Landscape maintenance | 3.34 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| polyoxyethylene sorbitol, mixed ether ester | Cabbage | 2.42 | 1 | 8.18 | A |
| polyoxyethylene sorbitol, mixed ether ester | Celery | 51.34 | 10 | 78.9 | A |
| polyoxyethylene sorbitol, mixed ether ester | Endive (escarole) | 0.97 | 1 | 2.6 | A |
| polyoxyethylene sorbitol, mixed ether ester | Grape, wine | 2,885.19 | 85 | 3,861.57 | A |
| polyoxyethylene sorbitol, mixed ether ester | Landscape maintenance | 1.51 | 1 | 1.0 | A |
| polyoxyethylene sorbitol, mixed ether ester | Lemon | 22.69 | 1 | 15.0 | A |
| polyoxyethylene sorbitol, mixed ether ester | Lettuce, head | 2,714.12 | 733 | 8,623.43 | A |
| polyoxyethylene sorbitol, mixed ether ester | Lettuce, leaf | 3,654.29 | 1,253 | 10,241.2 | A |
| polyoxyethylene sorbitol, mixed ether ester | Peas | 22.86 | 13 | 99.98 | A |
| polyoxyethylene sorbitol, mixed ether ester | Radish | 5.35 | 7 | 13.5 | A |
| polyoxyethylene sorbitol, mixed ether ester | Rights of way | 12.89 | 2 | 8.5 | A |
| polyoxyethylene sorbitol, mixed ether ester | Rye | 20.63 | 2 | 64.5 | A |
| polyoxyethylene sorbitol, mixed ether ester | Triticale | 32.67 | 2 | 36.0 | A |
| polyoxyethylene sorbitol, mixed ether ester | Uncultivated ag | 1,698.63 | 158 | 1,526.1 | A |
| polyoxyethylene sorbitol, mixed ether ester | Uncultivated non-ag | 59.77 | 10 | 23.8 | A |
| polypropylene glycol | Broccoli | 4.34 | 177 | 1,735.6 | A |
| polypropylene glycol | Cauliflower | 1.25 | 77 | 610.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|---|----------------|------|--------------|--------------|
| polypropylene glycol | Grape, wine | 43.36 | 898 | 12,358.37 | A |
| polypropylene glycol | Landscape maintenance | 0.08 | 5 | 22.0 | A |
| polypropylene glycol | Lettuce, head | 1.52 | 89 | 731.7 | A |
| polypropylene glycol | Lettuce, leaf | 4.58 | 286 | 2,229.0 | A |
| polypropylene glycol | Strawberry | 0.66 | 4 | 156.0 | A |
| polypropylene glycol | Uncultivated ag | 0.62 | 37 | 210.8 | A |
| polysaccharide polymer | Broccoli | 0.12 | 2 | 20.0 | A |
| polysaccharide polymer | Cabbage | 0.06 | 1 | 10.0 | A |
| polysaccharide polymer | Grape, wine | 0.07 | 2 | 14.7 | A |
| polysaccharide polymer | Uncultivated ag | 0.31 | 6 | 55.0 | A |
| polysorbate 65 | Arugula | 24.5 | 34 | 152.9 | A |
| polysorbate 65 | Bean, dried | 28.7 | 7 | 103.0 | A |
| polysorbate 65 | Broccoli | 522.26 | 275 | 2,890.95 | A |
| polysorbate 65 | Cabbage | 196.74 | 122 | 1,050.3 | A |
| polysorbate 65 | Carrot | 117.73 | 31 | 572.7 | A |
| polysorbate 65 | Cauliflower | 188.89 | 71 | 932.0 | A |
| polysorbate 65 | Celery | 159.92 | 90 | 681.25 | A |
| polysorbate 65 | Chinese cabbage (napa, won bok, celery cabbage) | 0.31 | 1 | 3.0 | A |
| polysorbate 65 | Cilantro | 128.15 | 100 | 571.86 | A |
| polysorbate 65 | Cucumber | 2.79 | 1 | 10.0 | A |
| polysorbate 65 | Endive (escarole) | 6.56 | 22 | 35.0 | A |
| polysorbate 65 | Fennel | 3.14 | 7 | 22.5 | A |
| polysorbate 65 | Garlic | 63.33 | 16 | 313.4 | A |
| polysorbate 65 | Grape, wine | 4.94 | 7 | 60.71 | A |
| polysorbate 65 | Kale | 45.06 | 73 | 220.3 | A |
| polysorbate 65 | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| polysorbate 65 | Leek | 1.25 | 2 | 4.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| polysorbate 65 | Lettuce, head | 289.54 | 149 | 1,545.0 | A |
| polysorbate 65 | Lettuce, leaf | 604.18 | 365 | 2,986.95 | A |
| polysorbate 65 | Mizuna | 7.85 | 37 | 36.15 | A |
| polysorbate 65 | Onion, dry | 77.32 | 28 | 377.4 | A |
| polysorbate 65 | Parsley | 27.5 | 13 | 106.2 | A |
| polysorbate 65 | Peas | 111.27 | 66 | 517.2 | A |
| polysorbate 65 | Radicchio | 21.54 | 33 | 154.4 | A |
| polysorbate 65 | Research commodity | 0.14 | 1 | 1.0 | A |
| polysorbate 65 | Spinach | 105.43 | 85 | 645.27 | A |
| polysorbate 65 | Strawberry | 13.16 | 5 | 116.2 | A |
| polysorbate 65 | Uncultivated ag | 98.23 | 77 | 677.45 | A |
| potash soap | Beet | 1.37 | 2 | 0.34 | A |
| potash soap | Bok choy | 374.7 | 9 | 19.0 | A |
| potash soap | Broccoli | 15,316.84 | 408 | 2,562.01 | A |
| potash soap | Brussels sprout | 3,559.23 | 18 | 160.2 | A |
| potash soap | Cabbage | 5,443.98 | 215 | 822.37 | A |
| potash soap | Cannabis (all or unspecified) | 2,949.45 | 594 | 2,197.18 | A |
| potash soap | Cannabis (all or unspecified) | 3,127.54 | 613 | 12,853,709.0 | S |
| potash soap | Cauliflower | 10,045.73 | 236 | 1,508.29 | A |
| potash soap | Celery | 190.41 | 13 | 106.36 | A |
| potash soap | Collard | 233.15 | 3 | 10.0 | A |
| potash soap | Endive (escarole) | 2.83 | 3 | 1.34 | A |
| potash soap | Grape, wine | 607.56 | 42 | 145.93 | A |
| potash soap | Kale | 351.2 | 18 | 63.54 | A |
| potash soap | Landscape maintenance | 1.95 | N/A | N/A | N/A |
| potash soap | Lettuce, head | 343.86 | 33 | 49.74 | A |
| potash soap | Lettuce, leaf | 567.0 | 41 | 185.78 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| potash soap | Mustard greens | 286.15 | 17 | 69.7 | A |
| potash soap | N-grnhs flower | 10.41 | 3 | 1.25 | A |
| potash soap | N-grnhs flower | 10.59 | 20 | 20,025.0 | S |
| potash soap | N-grnhs plants in containers | 3.81 | 13 | 27,050.0 | S |
| potash soap | N-outdr flower | 104.3 | 12 | 42.0 | A |
| potash soap | N-outdr transplants | 34.5 | 7 | 448,289.0 | S |
| potash soap | Pepper, fruiting | 12.49 | 1 | 2.0 | A |
| potash soap | Radish | 2.96 | 1 | 1.9 | A |
| potash soap | Raspberry | 1,075.6 | 18 | 285.92 | A |
| potash soap | Research commodity | 5.17 | 9 | 1.48 | A |
| potash soap | Research commodity | 3.03 | N/A | N/A | N/A |
| potash soap | Strawberry | 1,543.24 | 30 | 407.0 | A |
| potash soap | Structural pest control | 0.81 | N/A | N/A | N/A |
| potash soap | Swiss chard | 649.48 | 7 | 33.0 | A |
| potassium bicarbonate | Brussels sprout | 566.99 | 20 | 254.5 | A |
| potassium bicarbonate | Cannabis (all or unspecified) | 15.57 | 20 | 7.45 | A |
| potassium bicarbonate | Cannabis (all or unspecified) | 568.66 | 208 | 11,540,776.0 | S |
| potassium bicarbonate | Cannabis (all or unspecified) | 1.7 | 1 | 30,000.0 | U |
| potassium bicarbonate | Grape, wine | 9,578.22 | 198 | 2,834.44 | A |
| potassium bicarbonate | Kale | 134.35 | 8 | 82.02 | A |
| potassium bicarbonate | Landscape maintenance | 13.07 | N/A | N/A | N/A |
| potassium bicarbonate | Lettuce, head | 0.72 | 3 | 0.87 | A |
| potassium bicarbonate | Lettuce, leaf | 16.56 | 5 | 10.08 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| potassium bicarbonate | N-grnhs plants in containers | 8.66 | 45 | 92,750.0 | S |
| potassium bicarbonate | N-outdr transplants | 7.99 | 5 | 178,121.0 | S |
| potassium bicarbonate | Parsley | 4.91 | 1 | 2.0 | A |
| potassium bicarbonate | Research commodity | 3.06 | N/A | N/A | N/A |
| potassium bicarbonate | Strawberry | 5,800.66 | 158 | 2,448.51 | A |
| potassium bicarbonate | Uncultivated ag | 0.09 | 1 | 900.0 | S |
| potassium hydroxide | Landscape maintenance | 1.46 | N/A | N/A | N/A |
| potassium hydroxide | Strawberry | 0.47 | 1 | 20.0 | A |
| potassium n-methyldithiocarbamate | Artichoke, globe | 3.66 | 1 | 0.02 | A |
| potassium n-methyldithiocarbamate | Brussels sprout | 10,078.95 | 10 | 116.0 | A |
| potassium n-methyldithiocarbamate | Cilantro | 22,323.9 | 5 | 83.0 | A |
| potassium n-methyldithiocarbamate | Grape, wine | 2,877.21 | 1 | 10.93 | A |
| potassium n-methyldithiocarbamate | Lettuce, leaf | 22,636.93 | 6 | 88.7 | A |
| potassium n-methyldithiocarbamate | Spinach | 5,137.19 | 2 | 19.1 | A |
| potassium n-methyldithiocarbamate | Strawberry | 133,563.49 | 19 | 523.65 | A |
| potassium n-methyldithiocarbamate | Tomato | 10,621.16 | 3 | 58.0 | A |
| potassium phosphite | Artichoke, globe | 1,150.9 | 15 | 239.3 | A |
| potassium phosphite | Arugula | 2,983.69 | 208 | 1,492.67 | A |
| potassium phosphite | Bok choy | 0.65 | 1 | 0.5 | A |
| potassium phosphite | Broccoli | 687.58 | 13 | 204.08 | A |
| potassium phosphite | Brussels sprout | 1,621.04 | 41 | 384.5 | A |
| potassium phosphite | Cabbage | 541.38 | 6 | 109.7 | A |
| potassium phosphite | Cannabis (all or unspecified) | 67.09 | 18 | 17.0 | A |
| potassium phosphite | Cannabis (all or unspecified) | 3.14 | 16 | 29,731.0 | S |
| potassium phosphite | Cauliflower | 73.28 | 2 | 21.6 | A |
| potassium phosphite | Celery | 177.38 | 5 | 44.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| potassium phosphite | Golf course turf | 74.58 | N/A | 6.0 | A |
| potassium phosphite | Kale | 796.98 | 132 | 365.57 | A |
| potassium phosphite | Landscape maintenance | 760.75 | N/A | N/A | N/A |
| potassium phosphite | Lettuce, head | 80,530.92 | 2,306 | 27,556.23 | A |
| potassium phosphite | Lettuce, leaf | 161,838.33 | 4,517 | 47,583.09 | A |
| potassium phosphite | Mizuna | 2.07 | 1 | 1.6 | A |
| potassium phosphite | Mustard greens | 57.21 | 10 | 35.2 | A |
| potassium phosphite | N-grnhs plants in containers | 2.75 | 2 | 14,168.0 | S |
| potassium phosphite | N-grnhs transplants | 15.09 | 23 | 5.31 | A |
| potassium phosphite | N-outdr plants in containers | 8.31 | 3 | 13,400.0 | S |
| potassium phosphite | Onion, dry | 51.72 | 1 | 22.0 | A |
| potassium phosphite | Peas | 7,895.64 | 201 | 2,543.3 | A |
| potassium phosphite | Pumpkin | 12.82 | 2 | 4.0 | A |
| potassium phosphite | Raspberry | 107.65 | 1 | 25.0 | A |
| potassium phosphite | Spinach | 43,267.4 | 1,741 | 19,521.07 | A |
| potassium phosphite | Strawberry | 4,306.59 | 21 | 1,015.18 | A |
| potassium phosphite | Swiss chard | 258.81 | 72 | 131.03 | A |
| potassium phosphite | Upland cress | 97.3 | 35 | 70.74 | A |
| potassium salt of hop beta acids | Beehive | 0.01 | 1 | 7.0 | U |
| potassium silicate | Cannabis (all or unspecified) | 115.75 | 215 | 2,814,173.0 | S |
| potassium silicate | Strawberry | 712.4 | 12 | 322.7 | A |
| prallethrin | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| prallethrin | Structural pest control | 2.55 | N/A | N/A | N/A |
| prodiamine | Landscape maintenance | 177.61 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|---|-----------------------|-------------|---------------------|---------------------|
| prodiamine | N-grnhs plants in containers | 0.19 | 1 | 10,869.0 | S |
| prodiamine | N-outdr plants in containers | 4.52 | 20 | 358,570.0 | S |
| prodiamine | Research commodity | 0.07 | N/A | N/A | N/A |
| prodiamine | Rights of way | 1.3 | N/A | N/A | N/A |
| prometryn | Carrot | 112.82 | 13 | 104.4 | A |
| prometryn | Celery | 9,711.55 | 973 | 7,678.34 | A |
| prometryn | Cilantro | 590.94 | 201 | 734.04 | A |
| prometryn | Fennel | 732.31 | 122 | 659.77 | A |
| prometryn | Parsley | 212.14 | 13 | 106.2 | A |
| propamocarb hydrochloride | Chinese cabbage (napa, won bok, celery cabbage) | 9.97 | 1 | 10.0 | A |
| propamocarb hydrochloride | Lettuce, head | 17,275.42 | 1,603 | 17,534.43 | A |
| propamocarb hydrochloride | Lettuce, leaf | 23,591.96 | 2,619 | 24,031.49 | A |
| propamocarb hydrochloride | N-grnhs transplants | 0.64 | 1 | 37,500.0 | S |
| propamocarb hydrochloride | N-outdr transplants | 12.3 | 17 | 758,780.0 | S |
| propamocarb hydrochloride | Research commodity | 1.0 | 1 | 1.0 | A |
| propiconazole | Beet | 1.4 | 1 | 12.5 | A |
| propiconazole | Carrot | 148.85 | 102 | 1,330.5 | A |
| propiconazole | Celery | 980.26 | 1,025 | 8,704.99 | A |
| propiconazole | Cilantro | 16.71 | 31 | 146.94 | A |
| propiconazole | Fennel | 38.14 | 29 | 340.9 | A |
| propiconazole | Garlic | 104.17 | 44 | 922.3 | A |
| propiconazole | Golf course turf | 18.44 | N/A | 18.0 | A |
| propiconazole | Kale | 0.44 | 3 | 3.9 | A |
| propiconazole | Landscape maintenance | 450.14 | N/A | N/A | N/A |
| propiconazole | Leek | 20.64 | 20 | 162.61 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| propiconazole | N-grnhs plants in containers | 2.45 | 10 | 13.52 | A |
| propiconazole | N-grnhs transplants | 46.23 | 274 | 83.44 | A |
| propiconazole | N-outdr flower | 3.01 | 36 | 30.5 | A |
| propiconazole | N-outdr plants in containers | 2.72 | 1 | 3.23 | A |
| propiconazole | N-outdr plants in containers | 0.1 | 2 | 12,000.0 | S |
| propiconazole | Raspberry | 0.87 | 1 | 6.2 | A |
| propiconazole | Strawberry | 423.21 | 150 | 3,640.58 | A |
| propiconazole | Walnut | 72.58 | 3 | 325.0 | A |
| propionic acid | Alfalfa | 21.14 | 3 | 208.6 | A |
| propionic acid | Artichoke, globe | 112.54 | 53 | 768.8 | A |
| propionic acid | Broccoli | 4,477.32 | 2,150 | 26,800.5 | A |
| propionic acid | Brussels sprout | 2,151.3 | 649 | 12,652.63 | A |
| propionic acid | Cabbage | 1,027.59 | 423 | 4,767.13 | A |
| propionic acid | Carrot | 1.95 | 2 | 41.3 | A |
| propionic acid | Cauliflower | 1,303.44 | 703 | 7,365.62 | A |
| propionic acid | Celery | 489.02 | 309 | 2,195.46 | A |
| propionic acid | Corn, human consumption | 1.69 | 1 | 4.5 | A |
| propionic acid | Cucumber | 1.9 | 1 | 20.0 | A |
| propionic acid | Endive (escarole) | 1.09 | 5 | 19.3 | A |
| propionic acid | Fennel | 30.75 | 10 | 137.6 | A |
| propionic acid | Garlic | 501.4 | 97 | 1,854.6 | A |
| propionic acid | Grape, wine | 52.9 | 26 | 266.45 | A |
| propionic acid | Kale | 2.81 | 5 | 34.4 | A |
| propionic acid | Kohlrabi | 0.76 | 1 | 2.0 | A |
| propionic acid | Landscape maintenance | 10.08 | N/A | N/A | N/A |
| propionic acid | Leek | 18.41 | 6 | 81.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| propionic acid | Lemon | 59.26 | 20 | 156.8 | A |
| propionic acid | Lettuce, head | 5,192.12 | 1,807 | 20,836.88 | A |
| propionic acid | Lettuce, leaf | 10,912.9 | 4,279 | 43,464.33 | A |
| propionic acid | Mizuna | 0.09 | 1 | 1.1 | A |
| propionic acid | N-grnhs plants in containers | 209.24 | 79 | 332.0 | A |
| propionic acid | N-grnhs plants in containers | 0.19 | 1 | 10,000.0 | S |
| propionic acid | N-grnhs transplants | 38.34 | 279 | 100.65 | A |
| propionic acid | N-outdr plants in containers | 169.88 | 60 | 179.61 | A |
| propionic acid | N-outdr plants in containers | 1.55 | 3 | 55,000.0 | S |
| propionic acid | N-outdr transplants | 3.12 | 10 | 10.77 | A |
| propionic acid | Oat | 0.56 | 1 | 6.0 | A |
| propionic acid | Onion, dry | 80.67 | 53 | 627.08 | A |
| propionic acid | Parsley | 2.56 | 3 | 33.7 | A |
| propionic acid | Peas | 466.32 | 278 | 3,028.92 | A |
| propionic acid | Pepper, fruiting | 13.21 | 3 | 41.6 | A |
| propionic acid | Pumpkin | 3.99 | 4 | 22.58 | A |
| propionic acid | Rangeland | 3.02 | 1 | 20.0 | A |
| propionic acid | Rapini | 506.36 | 208 | 2,302.5 | A |
| propionic acid | Spinach | 3.51 | 3 | 22.1 | A |
| propionic acid | Squash, summer | 1.3 | 1 | 3.4 | A |
| propionic acid | Strawberry | 452.29 | 25 | 658.9 | A |
| propionic acid | Swiss chard | 7.17 | 4 | 18.87 | A |
| propionic acid | Uncultivated ag | 354.79 | 187 | 1,676.69 | A |
| propylene glycol | Alfalfa | 0.07 | 1 | 100.0 | A |
| propylene glycol | Artichoke, globe | 0.92 | 2 | 14.4 | A |
| propylene glycol | Avocado | 0.66 | 1 | 22.28 | A |
| propylene glycol | Barley | 0.07 | 2 | 378.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| propylene glycol | Blackberry | 6.94 | 3 | 40.0 | A |
| propylene glycol | Broccoli | 1,080.88 | 1,249 | 14,780.65 | A |
| propylene glycol | Brussels sprout | 744.13 | 462 | 9,805.82 | A |
| propylene glycol | Cabbage | 137.17 | 120 | 1,081.55 | A |
| propylene glycol | Cactus pear | 1.39 | 1 | 8.8 | A |
| propylene glycol | Cauliflower | 397.08 | 543 | 5,276.0 | A |
| propylene glycol | Celery | 10.33 | 22 | 107.0 | A |
| propylene glycol | Grape, wine | 2,406.1 | 1,596 | 37,766.11 | A |
| propylene glycol | Landscape maintenance | 1.92 | N/A | N/A | N/A |
| propylene glycol | Lettuce, head | 3.21 | 153 | 1,731.1 | A |
| propylene glycol | Lettuce, leaf | 3.14 | 152 | 1,769.2 | A |
| propylene glycol | N-grnhs plants in containers | 0.35 | 1 | 6.0 | A |
| propylene glycol | N-grnhs plants in containers | 2.31 | 53 | 508,005.0 | S |
| propylene glycol | N-outdr flower | 68.22 | 800 | 831.47 | A |
| propylene glycol | N-outdr plants in containers | 1.04 | 3 | 6.8 | A |
| propylene glycol | N-outdr plants in containers | 1.74 | 36 | 395,100.0 | S |
| propylene glycol | N-outdr transplants | 0.08 | 1 | 33,381.0 | S |
| propylene glycol | Onion, dry | 7.65 | 4 | 70.4 | A |
| propylene glycol | Rapini | 23.67 | 20 | 470.3 | A |
| propylene glycol | Research commodity | 0.01 | N/A | N/A | N/A |
| propylene glycol | Rights of way | 2.81 | N/A | N/A | N/A |
| propylene glycol | Strawberry | 49.92 | 127 | 1,564.26 | A |
| propylene glycol | Uncultivated ag | 114.96 | 109 | 873.45 | A |
| propylene glycol | Walnut | 86.13 | 10 | 1,090.0 | A |
| propyzamide | Artichoke, globe | 116.93 | 13 | 115.4 | A |
| propyzamide | Broccoli | 12.55 | 1 | 10.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| propyzamide | Endive (escarole) | 388.42 | 172 | 321.84 | A |
| propyzamide | Landscape maintenance | 0.35 | N/A | N/A | N/A |
| propyzamide | Lettuce, head | 22,751.29 | 2,608 | 27,812.47 | A |
| propyzamide | Lettuce, leaf | 45,416.41 | 5,218 | 45,599.97 | A |
| propyzamide | Radicchio | 159.05 | 37 | 228.1 | A |
| propyzamide | Research commodity | 2.11 | 1 | 1.0 | A |
| propyzamide | Research commodity | 10.7 | N/A | N/A | N/A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Celery | 151.5 | 7 | 60.6 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Lettuce, head | 100.0 | 15 | 64.3 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Lettuce, leaf | 461.6 | 23 | 184.64 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Pumpkin | 65.68 | 10 | 26.27 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Strawberry | 15.0 | 1 | 6.0 | A |
| purpureocillium lilaciunum strain 251 | Lettuce, leaf | 1.2 | 1 | 5.0 | A |
| pydiflumetofen | Brussels sprout | 1.83 | 2 | 16.5 | A |
| pydiflumetofen | Landscape maintenance | 1.84 | N/A | N/A | N/A |
| pydiflumetofen | Strawberry | 72.6 | 18 | 661.14 | A |
| pymetrozine | Arugula | 86.7 | 110 | 1,012.14 | A |
| pymetrozine | Bok choy | 8.14 | 25 | 94.6 | A |
| pymetrozine | Broccoli | 38.27 | 43 | 445.1 | A |
| pymetrozine | Brussels sprout | 54.49 | 51 | 633.98 | A |
| pymetrozine | Cabbage | 2.67 | 7 | 31.1 | A |
| pymetrozine | Cannabis (all or unspecified) | 0.08 | 1 | 8.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|---|----------------|------|--------------|--------------|
| pymetrozine | Cauliflower | 7.07 | 11 | 82.1 | A |
| pymetrozine | Celery | 91.92 | 112 | 1,070.33 | A |
| pymetrozine | Chinese cabbage (napa, won bok, celery cabbage) | 9.64 | 21 | 112.25 | A |
| pymetrozine | Cucumber | 2.04 | 3 | 23.7 | A |
| pymetrozine | Endive (escarole) | 4.89 | 29 | 57.05 | A |
| pymetrozine | Kale | 10.21 | 11 | 118.85 | A |
| pymetrozine | Lettuce, head | 227.36 | 230 | 2,668.8 | A |
| pymetrozine | Lettuce, leaf | 303.24 | 387 | 3,539.18 | A |
| pymetrozine | N-grnhs flower | 4.27 | 15 | 14.75 | A |
| pymetrozine | N-grnhs plants in containers | 90.3 | 97 | 208.57 | A |
| pymetrozine | N-grnhs plants in containers | 1.13 | 10 | 152,364.0 | S |
| pymetrozine | N-outdr plants in containers | 70.91 | 21 | 56.84 | A |
| pymetrozine | N-outdr plants in containers | 0.24 | 4 | 39,000.0 | S |
| pymetrozine | Pepper, fruiting | 10.68 | 10 | 124.4 | A |
| pymetrozine | Pumpkin | 0.71 | 1 | 8.3 | A |
| pymetrozine | Research commodity | 0.04 | N/A | N/A | N/A |
| pymetrozine | Spinach | 103.94 | 165 | 1,211.53 | A |
| pymetrozine | Swiss chard | 0.63 | 2 | 7.35 | A |
| pyraclostrobin | Artichoke, globe | 35.68 | 13 | 193.9 | A |
| pyraclostrobin | Arugula | 0.8 | 2 | 4.0 | A |
| pyraclostrobin | Blackberry | 37.83 | 12 | 205.85 | A |
| pyraclostrobin | Broccoli | 1,555.69 | 835 | 9,076.1 | A |
| pyraclostrobin | Brussels sprout | 710.49 | 315 | 4,343.76 | A |
| pyraclostrobin | Cabbage | 19.44 | 14 | 121.4 | A |
| pyraclostrobin | Cardoon | 5.06 | 11 | 31.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|---|----------------|-------|--------------|--------------|
| pyraclostrobin | Carrot | 29.38 | 19 | 291.3 | A |
| pyraclostrobin | Cauliflower | 187.01 | 104 | 1,141.28 | A |
| pyraclostrobin | Celery | 227.45 | 196 | 1,452.41 | A |
| pyraclostrobin | Chinese cabbage (napa, won bok, celery cabbage) | 4.2 | 5 | 28.0 | A |
| pyraclostrobin | Endive (escarole) | 2.36 | 4 | 18.0 | A |
| pyraclostrobin | Fennel | 16.55 | 16 | 87.2 | A |
| pyraclostrobin | Garlic | 8.56 | 2 | 57.1 | A |
| pyraclostrobin | Golf course turf | 4.27 | N/A | 6.0 | A |
| pyraclostrobin | Grape, wine | 4,634.93 | 706 | 29,501.73 | A |
| pyraclostrobin | Kale | 48.86 | 46 | 244.31 | A |
| pyraclostrobin | Landscape maintenance | 51.67 | N/A | N/A | N/A |
| pyraclostrobin | Leek | 14.41 | 18 | 96.06 | A |
| pyraclostrobin | Lettuce, head | 766.08 | 446 | 4,571.05 | A |
| pyraclostrobin | Lettuce, head | 0.03 | 2 | 650.0 | S |
| pyraclostrobin | Lettuce, leaf | 1,689.56 | 1,032 | 10,120.1 | A |
| pyraclostrobin | Mustard greens | 0.2 | 1 | 1.0 | A |
| pyraclostrobin | N-grnhs plants in containers | 120.78 | 212 | 432.21 | A |
| pyraclostrobin | N-grnhs plants in containers | 0.12 | 9 | 14,350.0 | S |
| pyraclostrobin | N-grnhs transplants | 0.48 | 9 | 2.89 | A |
| pyraclostrobin | N-outdr flower | 1.47 | 21 | 23.0 | A |
| pyraclostrobin | N-outdr plants in containers | 48.79 | 29 | 86.88 | A |
| pyraclostrobin | N-outdr plants in containers | 0.29 | 4 | 35,000.0 | S |
| pyraclostrobin | N-outdr transplants | 0.16 | 1 | 1.0 | A |
| pyraclostrobin | Onion, dry | 168.69 | 70 | 1,214.9 | A |
| pyraclostrobin | Parsley | 12.43 | 7 | 71.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|-----------------------|----------------|-------|--------------|--------------|
| pyraclostrobin | Peas | 262.26 | 177 | 1,826.62 | A |
| pyraclostrobin | Radicchio | 3.41 | 5 | 22.7 | A |
| pyraclostrobin | Radish | 0.04 | 1 | 0.25 | A |
| pyraclostrobin | Raspberry | 57.61 | 18 | 324.2 | A |
| pyraclostrobin | Research commodity | 0.53 | 3 | 2.7 | A |
| pyraclostrobin | Research commodity | 0.07 | N/A | N/A | N/A |
| pyraclostrobin | Spinach | 12.41 | 13 | 62.17 | A |
| pyraclostrobin | Strawberry | 2,995.25 | 669 | 16,763.83 | A |
| pyraclostrobin | Swiss chard | 26.83 | 28 | 138.87 | A |
| pyraflufen-ethyl | Broccoli | 0.08 | 2 | 23.65 | A |
| pyraflufen-ethyl | Cauliflower | 0.13 | 2 | 27.3 | A |
| pyraflufen-ethyl | Celery | 0.06 | 2 | 16.0 | A |
| pyraflufen-ethyl | Fennel | 0.17 | 9 | 48.4 | A |
| pyraflufen-ethyl | Forage hay/silage | 0.07 | 2 | 40.8 | A |
| pyraflufen-ethyl | Grape, wine | 33.61 | 306 | 13,444.77 | A |
| pyraflufen-ethyl | Landscape maintenance | 0.04 | 2 | 7.0 | A |
| pyraflufen-ethyl | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| pyraflufen-ethyl | Leek | 0.11 | 1 | 33.0 | A |
| pyraflufen-ethyl | Lettuce, leaf | 0.09 | 3 | 27.5 | A |
| pyraflufen-ethyl | Oat | 0.13 | 5 | 75.9 | A |
| pyraflufen-ethyl | Rights of way | 0.27 | 7 | 81.0 | A |
| pyraflufen-ethyl | Rights of way | 3.6 | N/A | N/A | N/A |
| pyraflufen-ethyl | Ryegrass | 0.02 | 1 | 20.0 | A |
| pyraflufen-ethyl | Triticale | 0.34 | 13 | 200.7 | A |
| pyraflufen-ethyl | Uncultivated ag | 44.05 | 1,122 | 11,967.28 | A |
| pyraflufen-ethyl | Uncultivated non-ag | 3.36 | 68 | 1,012.3 | A |
| pyraflufen-ethyl | Walnut | 0.27 | 1 | 50.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------|---|----------------|------|--------------|--------------|
| pyrethrins | Artichoke, globe | 7.55 | 23 | 179.9 | A |
| pyrethrins | Arugula | 2.64 | 32 | 56.1 | A |
| pyrethrins | Beet | 1.21 | 11 | 25.72 | A |
| pyrethrins | Blackberry | 11.19 | 19 | 236.2 | A |
| pyrethrins | Blueberry | 0.05 | 1 | 2.0 | A |
| pyrethrins | Bok choy | 0.68 | 9 | 14.2 | A |
| pyrethrins | Broccoli | 135.89 | 390 | 3,482.62 | A |
| pyrethrins | Brussels sprout | 1.74 | 2 | 36.8 | A |
| pyrethrins | Cabbage | 22.5 | 120 | 486.76 | A |
| pyrethrins | Cannabis (all or unspecified) | 23.23 | 172 | 103.61 | A |
| pyrethrins | Cannabis (all or unspecified) | 2.36 | 182 | 1,064,628.0 | S |
| pyrethrins | Cauliflower | 61.46 | 228 | 1,526.99 | A |
| pyrethrins | Celery | 23.51 | 106 | 682.7 | A |
| pyrethrins | Chinese cabbage (napa, won bok, celery cabbage) | 0.02 | 1 | 0.5 | A |
| pyrethrins | Collard | 0.01 | 1 | 0.3 | A |
| pyrethrins | Corn (forage - fodder) | 0.01 | 1 | 0.25 | A |
| pyrethrins | Grape, wine | 23.88 | 48 | 729.68 | A |
| pyrethrins | Kale | 2.66 | 31 | 76.79 | A |
| pyrethrins | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| pyrethrins | Leek | 3.99 | 19 | 84.53 | A |
| pyrethrins | Lettuce, head | 9.48 | 73 | 282.03 | A |
| pyrethrins | Lettuce, leaf | 130.47 | 510 | 3,590.56 | A |
| pyrethrins | Mizuna | 0.7 | 15 | 16.4 | A |
| pyrethrins | Mustard greens | 0.91 | 19 | 19.25 | A |
| pyrethrins | N-grnhs plants in containers | 0.18 | 7 | 5.32 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyrethrins | N-grnhs plants in containers | 0.4 | 10 | 419,880.0 | S |
| pyrethrins | N-grnhs transplants | 5.82 | 1,476 | 383.87 | A |
| pyrethrins | N-outdr plants in containers | 0.02 | 1 | 10,000.0 | S |
| pyrethrins | N-outdr transplants | 1.2 | 27 | 60.64 | A |
| pyrethrins | N-outdr transplants | 1.97 | 93 | 5,604,664.0 | S |
| pyrethrins | Onion, green | 0.01 | 1 | 0.3 | A |
| pyrethrins | Parsley | 1.99 | 8 | 41.88 | A |
| pyrethrins | Peas | 3.25 | 20 | 78.25 | A |
| pyrethrins | Pepper, fruiting | 1.31 | 5 | 43.55 | A |
| pyrethrins | Radicchio | 1.51 | 3 | 41.5 | A |
| pyrethrins | Radish | 17.69 | 140 | 376.13 | A |
| pyrethrins | Rapini | 0.31 | 1 | 20.5 | A |
| pyrethrins | Raspberry | 30.6 | 42 | 696.62 | A |
| pyrethrins | Research commodity | 0.01 | 2 | 0.48 | A |
| pyrethrins | Research commodity | 0.03 | N/A | N/A | N/A |
| pyrethrins | Spinach | 7.22 | 29 | 210.8 | A |
| pyrethrins | Strawberry | 219.8 | 175 | 4,877.11 | A |
| pyrethrins | Strawberry | 0.02 | 1 | 28,300.0 | S |
| pyrethrins | Structural pest control | 6.48 | N/A | N/A | N/A |
| pyrethrins | Swiss chard | 0.58 | 11 | 12.64 | A |
| pyrethrins | Tomato | 0.02 | 2 | 0.5 | A |
| pyridaben | N-grnhs flower | 0.19 | 3 | 15,487.5 | S |
| pyridaben | N-grnhs plants in containers | 194.95 | 53 | 174.51 | A |
| pyridaben | N-grnhs plants in containers | 2.33 | 9 | 541,320.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyridaben | N-outdr plants in containers | 36.13 | 3 | 9.35 | A |
| pyridaben | Strawberry | 273.47 | 51 | 554.16 | A |
| pyridalyl | N-grnhs flower | 33.34 | 51 | 57.75 | A |
| pyridalyl | N-grnhs plants in containers | 25.23 | 39 | 76.86 | A |
| pyridalyl | N-outdr plants in containers | 2.29 | 2 | 6.36 | A |
| pyrifluquinazon | N-grnhs flower | 0.04 | 4 | 14,700.0 | S |
| pyrifluquinazon | N-grnhs plants in containers | 35.5 | 113 | 242.66 | A |
| pyrifluquinazon | N-grnhs plants in containers | 0.59 | 8 | 132,000.0 | S |
| pyrifluquinazon | N-outdr plants in containers | 11.14 | 20 | 43.88 | A |
| pyrimethanil | Blackberry | 12.64 | 2 | 21.0 | A |
| pyrimethanil | Grape, wine | 1,441.55 | 145 | 4,993.87 | A |
| pyrimethanil | Leek | 33.83 | 9 | 57.52 | A |
| pyrimethanil | Strawberry | 1,637.67 | 211 | 4,088.73 | A |
| pyriofenone | Grape, wine | 456.46 | 167 | 3,850.12 | A |
| pyriofenone | Strawberry | 1.43 | 1 | 18.3 | A |
| pyriproxyfen | Landscape maintenance | 0.25 | N/A | N/A | N/A |
| pyriproxyfen | N-grnhs plants in containers | 4.91 | 28 | 38.73 | A |
| pyriproxyfen | N-grnhs plants in containers | 0.11 | 4 | 34,600.0 | S |
| pyriproxyfen | N-outdr plants in containers | 0.11 | 1 | 0.7 | A |
| pyriproxyfen | Public health | <0.01 | N/A | N/A | N/A |
| pyriproxyfen | Research commodity | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| pyriproxyfen | Strawberry | 23.5 | 8 | 350.12 | A |
| pyriproxyfen | Structural pest control | 6.66 | N/A | N/A | N/A |
| qst 713 strain of dried bacillus subtilis | Artichoke, globe | 17.25 | 31 | 168.86 | A |
| qst 713 strain of dried bacillus subtilis | Arugula | 30.0 | 128 | 447.23 | A |
| qst 713 strain of dried bacillus subtilis | Bean, unspecified | 0.11 | 1 | 0.47 | A |
| qst 713 strain of dried bacillus subtilis | Beet | 1.46 | 6 | 12.86 | A |
| qst 713 strain of dried bacillus subtilis | Blackberry | 3.22 | 6 | 42.82 | A |
| qst 713 strain of dried bacillus subtilis | Bok choy | 0.01 | 2 | 0.42 | A |
| qst 713 strain of dried bacillus subtilis | Broccoli | 35.24 | 47 | 339.37 | A |
| qst 713 strain of dried bacillus subtilis | Cannabis (all or unspecified) | 26.02 | 261 | 1,402.08 | A |
| qst 713 strain of dried bacillus subtilis | Cannabis (all or unspecified) | 2.21 | 104 | 1,002,521.0 | S |
| qst 713 strain of dried bacillus subtilis | Carrot | 8.81 | 6 | 103.35 | A |
| qst 713 strain of dried bacillus subtilis | Cauliflower | 0.68 | 2 | 12.0 | A |
| qst 713 strain of dried bacillus subtilis | Celery | 12.47 | 27 | 123.4 | A |
| qst 713 strain of dried bacillus subtilis | Cilantro | 13.55 | 18 | 120.28 | A |
| qst 713 strain of dried bacillus subtilis | Collard | 1.83 | 27 | 13.02 | A |
| qst 713 strain of dried bacillus subtilis | Grape, wine | 1,010.1 | 329 | 7,147.73 | A |
| qst 713 strain of dried bacillus subtilis | Kale | 11.73 | 48 | 133.85 | A |
| qst 713 strain of dried bacillus subtilis | Landscape maintenance | 0.17 | N/A | N/A | N/A |
| qst 713 strain of dried bacillus subtilis | Leek | 27.17 | 35 | 265.39 | A |
| qst 713 strain of dried bacillus subtilis | Lettuce, head | 27.06 | 49 | 199.21 | A |
| qst 713 strain of dried bacillus subtilis | Lettuce, leaf | 209.56 | 451 | 2,362.61 | A |
| qst 713 strain of dried bacillus subtilis | Mizuna | 0.71 | 7 | 12.4 | A |
| qst 713 strain of dried bacillus subtilis | Mustard greens | 3.79 | 52 | 61.85 | A |
| qst 713 strain of dried bacillus subtilis | N-grnhs flower | 25.25 | 110 | 130.0 | A |
| qst 713 strain of dried bacillus subtilis | N-grnhs flower | 0.36 | 8 | 42,487.5 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|-------|--------------|--------------|
| qst 713 strain of dried bacillus subtilis | N-grnhs plants in containers | 23.79 | 32 | 54.46 | A |
| qst 713 strain of dried bacillus subtilis | N-grnhs plants in containers | 0.58 | 8 | 98,000.0 | S |
| qst 713 strain of dried bacillus subtilis | N-grnhs transplants | 30.44 | 1,136 | 277.67 | A |
| qst 713 strain of dried bacillus subtilis | N-grnhs transplants | 0.29 | 1 | 76,250.0 | S |
| qst 713 strain of dried bacillus subtilis | N-outdr plants in containers | 16.82 | 13 | 22.5 | A |
| qst 713 strain of dried bacillus subtilis | N-outdr transplants | 2.14 | 13 | 33.25 | A |
| qst 713 strain of dried bacillus subtilis | N-outdr transplants | 40.36 | 126 | 7,045,190.0 | S |
| qst 713 strain of dried bacillus subtilis | Parsley | 4.36 | 9 | 38.28 | A |
| qst 713 strain of dried bacillus subtilis | Peas | 0.91 | 1 | 8.0 | A |
| qst 713 strain of dried bacillus subtilis | Pepper, fruiting | 5.01 | 3 | 44.0 | A |
| qst 713 strain of dried bacillus subtilis | Raspberry | 12.75 | 13 | 131.43 | A |
| qst 713 strain of dried bacillus subtilis | Spinach | 58.1 | 172 | 832.84 | A |
| qst 713 strain of dried bacillus subtilis | Strawberry | 191.34 | 105 | 2,371.95 | A |
| qst 713 strain of dried bacillus subtilis | Strawberry | 0.03 | 1 | 28,300.0 | S |
| qst 713 strain of dried bacillus subtilis | Swiss chard | 3.97 | 67 | 59.26 | A |
| qst 713 strain of dried bacillus subtilis | Tomato | <0.01 | 1 | 0.25 | A |
| quillaja | Cannabis (all or unspecified) | 0.17 | 7 | 8.85 | A |
| quillaja | Grape, wine | 0.21 | 4 | 61.4 | A |
| quillaja | Uncultivated ag | 0.05 | 2 | 8.0 | A |
| quinclorac | Landscape maintenance | 0.85 | N/A | N/A | N/A |
| quinclorac, dimethylamine salt | Golf course turf | 51.47 | N/A | 86.5 | A |
| quinclorac, dimethylamine salt | Landscape maintenance | 422.58 | N/A | N/A | N/A |
| quinclorac, dimethylamine salt | N-grnhs flower | 0.08 | N/A | 10,000.0 | S |
| quinoxifen | Grape, wine | 4,375.25 | 1,187 | 45,571.1 | A |
| quinoxifen | Lettuce, head | 82.44 | 106 | 1,157.2 | A |
| quinoxifen | Lettuce, leaf | 145.21 | 226 | 2,056.41 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|-------------------------------|----------------|------|--------------|--------------|
| quinoxifen | Pepper, fruiting | 7.59 | 8 | 79.0 | A |
| quinoxifen | Research commodity | <0.01 | N/A | N/A | N/A |
| quinoxifen | Strawberry | 899.63 | 275 | 9,488.63 | A |
| reynoutria sachalinensis | Artichoke, globe | 12.07 | 15 | 107.0 | A |
| reynoutria sachalinensis | Blackberry | 0.52 | 1 | 4.8 | A |
| reynoutria sachalinensis | Cannabis (all or unspecified) | 130.94 | 321 | 1,712.11 | A |
| reynoutria sachalinensis | Cannabis (all or unspecified) | 47.34 | 311 | 1,992,626.0 | S |
| reynoutria sachalinensis | Cannabis (all or unspecified) | 6.23 | 24 | 348.0 | U |
| reynoutria sachalinensis | Celery | 12.25 | 21 | 110.1 | A |
| reynoutria sachalinensis | Grape, wine | 287.12 | 45 | 669.01 | A |
| reynoutria sachalinensis | Leek | 8.24 | 7 | 76.05 | A |
| reynoutria sachalinensis | Lettuce, head | 49.71 | 48 | 348.85 | A |
| reynoutria sachalinensis | Lettuce, leaf | 93.4 | 52 | 584.7 | A |
| reynoutria sachalinensis | N-grnhs transplants | 0.15 | 5 | 1.59 | A |
| reynoutria sachalinensis | N-outdr transplants | 2.06 | 10 | 19.0 | A |
| reynoutria sachalinensis | N-outdr transplants | 8.7 | 30 | 2,084,400.0 | S |
| reynoutria sachalinensis | Spinach | 3.51 | 13 | 32.2 | A |
| reynoutria sachalinensis | Strawberry | 443.59 | 94 | 1,552.17 | A |
| rimsulfuron | Grape, wine | 297.39 | 312 | 8,912.83 | A |
| rimsulfuron | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| rimsulfuron | Rights of way | 4.22 | N/A | N/A | N/A |
| rimsulfuron | Uncultivated ag | 2.26 | 10 | 47.0 | A |
| rimsulfuron | Walnut | 3.13 | 1 | 50.0 | A |
| s-methoprene | Public health | 26.05 | N/A | N/A | N/A |
| s-methoprene | Structural pest control | 0.1 | N/A | N/A | N/A |
| s-metolachlor | Bean, dried | 961.46 | 56 | 690.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|-------------------------------|-----------------------|-------------|---------------------|---------------------|
| s-metolachlor | Bean, succulent | 382.85 | 20 | 263.9 | A |
| s-metolachlor | Bean, unspecified | 111.53 | 9 | 85.7 | A |
| s-metolachlor | Beet | 2.67 | 4 | 18.5 | A |
| s-metolachlor | Celery | 90.26 | 16 | 103.0 | A |
| s-metolachlor | Onion, dry | 38.58 | 20 | 140.3 | A |
| s-metolachlor | Peas | 559.56 | 139 | 904.05 | A |
| s-metolachlor | Pepper, fruiting | 97.2 | 7 | 68.0 | A |
| s-metolachlor | Radish | 12.93 | 7 | 13.5 | A |
| s-metolachlor | Spinach | 119.14 | 22 | 189.64 | A |
| s-metolachlor | Sunflower | 18.98 | 2 | 20.0 | A |
| saponin | Cannabis (all or unspecified) | 1.05 | 5 | 31.0 | A |
| saponin | Cannabis (all or unspecified) | 2.17 | 20 | 73,796.0 | S |
| saponin | Grape, wine | 1.0 | 6 | 30.0 | A |
| sethoxydim | Broccoli | 56.95 | 27 | 216.2 | A |
| sethoxydim | Cabbage | 7.91 | 3 | 30.0 | A |
| sethoxydim | Grape, wine | 190.86 | 21 | 1,529.07 | A |
| sethoxydim | Landscape maintenance | 0.31 | N/A | N/A | N/A |
| silica aerogel | Structural pest control | 26.3 | N/A | N/A | N/A |
| silica filled polydimethylsiloxane | Alfalfa | 0.03 | 2 | 67.0 | A |
| silica filled polydimethylsiloxane | Bean, dried | 0.02 | 11 | 122.0 | A |
| silica filled polydimethylsiloxane | Bean, succulent | 0.02 | 7 | 83.35 | A |
| silica filled polydimethylsiloxane | Bean, unspecified | 0.02 | 20 | 115.55 | A |
| silica filled polydimethylsiloxane | Carrot | 0.01 | 10 | 25.1 | A |
| silica filled polydimethylsiloxane | Grape, wine | 0.2 | 66 | 756.88 | A |
| silica filled polydimethylsiloxane | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| silica filled polydimethylsiloxane | Peas | 0.07 | 48 | 479.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| silica filled polydimethylsiloxane | Rye | 0.01 | 3 | 11.2 | A |
| silica filled polydimethylsiloxane | Uncultivated ag | <0.01 | 1 | 6.0 | A |
| silica filled polydimethylsiloxane | Water area | 0.01 | 1 | 6.0 | A |
| silica filled polydimethylsiloxane | Wheat | <0.01 | 1 | 9.5 | A |
| silicone defoamer | Barley | 0.04 | 2 | 383.0 | A |
| silicone defoamer | Broccoli | 0.05 | 4 | 56.3 | A |
| silicone defoamer | Lettuce, head | 1.56 | 103 | 1,340.5 | A |
| silicone defoamer | Lettuce, leaf | 0.3 | 22 | 287.3 | A |
| silicone defoamer | N-outdr flower | 0.01 | 2 | 9.17 | A |
| silicone defoamer | Strawberry | 7.36 | 178 | 3,454.47 | A |
| silver nitrate | N-grnhs plants in containers | 0.69 | 15 | 75.13 | A |
| silver nitrate | N-outdr plants in containers | 0.16 | 8 | 25.05 | A |
| simazine | Grape, wine | 406.0 | 15 | 281.94 | A |
| sodium alpha-olefin (c14-c16) sulfonate | Rights of way | 456.88 | N/A | N/A | N/A |
| sodium bromide | Water (industrial) | 840.06 | N/A | 13.0 | U |
| sodium carbonate peroxyhydrate | Cannabis (all or unspecified) | 2.55 | 1 | 0.1 | A |
| sodium carbonate peroxyhydrate | Cannabis (all or unspecified) | 4.25 | 1 | 6,000.0 | S |
| sodium carbonate peroxyhydrate | Grape, wine | 2,489.74 | 34 | 1,517.47 | A |
| sodium carbonate peroxyhydrate | Landscape maintenance | 42.5 | N/A | N/A | N/A |
| sodium carbonate peroxyhydrate | N-grnhs plants in containers | 31.45 | 2 | 33,500.0 | S |
| sodium carbonate peroxyhydrate | Uncultivated ag | 78.63 | 8 | 58,000.0 | S |
| sodium chlorite | Cannabis (all or unspecified) | 0.11 | 1 | 1,280.0 | S |
| sodium chlorite | Landscape maintenance | 1,244.96 | N/A | N/A | N/A |
| sodium chlorite | Rights of way | 111,358.04 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|-------------------------|----------------|------|--------------|--------------|
| sodium chlorite | Water area | 3,078.88 | N/A | 265.49 | U |
| sodium decyl sulfate | Structural pest control | 6.52 | N/A | N/A | N/A |
| sodium dioctylsulfosuccinate | Rights of way | <0.01 | N/A | N/A | N/A |
| sodium hydroxide | Alfalfa | 0.52 | 1 | 5.0 | A |
| sodium hydroxide | Uncultivated ag | 0.67 | 1 | 6.5 | A |
| sodium hypochlorite | Ditch bank | 58,097.55 | N/A | 234.0 | U |
| sodium hypochlorite | Food processing plant | 2,292.83 | N/A | 9.0 | U |
| sodium hypochlorite | Water (industrial) | 1,420.75 | N/A | 16.0 | U |
| sodium hypochlorite | Water area | 33.01 | N/A | 11.1 | U |
| sodium lauroampho acetate | Structural pest control | 4.92 | N/A | N/A | N/A |
| sodium lauryl ether sulfate | Blackberry | 13.68 | 14 | 150.05 | A |
| sodium lauryl ether sulfate | Cucumber | 0.08 | 9 | 8.35 | A |
| sodium lauryl ether sulfate | Raspberry | 242.42 | 62 | 1,373.03 | A |
| sodium lauryl ether sulfate | Strawberry | 60.24 | 25 | 328.03 | A |
| sodium lauryl ether sulfate | Uncultivated ag | 10.37 | 14 | 30.0 | A |
| sodium lauryl sulfate | Structural pest control | 3.32 | N/A | N/A | N/A |
| sodium nitrate | Uncultivated non-ag | 0.5 | N/A | 2.0 | A |
| sodium polyacrylate | Grape, wine | 23.36 | 77 | 5,800.72 | A |
| sodium polyacrylate | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| sodium polyacrylate | Uncultivated ag | 0.29 | 14 | 54.5 | A |
| sodium polyacrylate | Walnut | 1.41 | 4 | 240.0 | A |
| sodium tetraborate (pentahydrate) | Structural pest control | 48.0 | N/A | N/A | N/A |
| sodium xylene sulfonate | Alfalfa | 0.07 | 1 | 100.0 | A |
| sodium xylene sulfonate | Barley | 0.59 | 4 | 761.0 | A |
| sodium xylene sulfonate | Broccoli | 0.63 | 5 | 65.5 | A |
| sodium xylene sulfonate | Lettuce, head | 21.6 | 256 | 3,071.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|---|----------------|------|--------------|--------------|
| sodium xylene sulfonate | Lettuce, leaf | 6.69 | 174 | 2,056.5 | A |
| sodium xylene sulfonate | N-outdr flower | 0.09 | 6 | 22.26 | A |
| sodium xylene sulfonate | Research commodity | 0.01 | N/A | N/A | N/A |
| sodium xylene sulfonate | Strawberry | 92.05 | 297 | 4,793.73 | A |
| sorbitan monooleate | Uncultivated ag | 0.73 | 3 | 8.0 | A |
| sorbitan trioleate | Arugula | 24.5 | 34 | 152.9 | A |
| sorbitan trioleate | Bean, dried | 28.7 | 7 | 103.0 | A |
| sorbitan trioleate | Broccoli | 522.26 | 275 | 2,890.95 | A |
| sorbitan trioleate | Cabbage | 196.74 | 122 | 1,050.3 | A |
| sorbitan trioleate | Carrot | 117.73 | 31 | 572.7 | A |
| sorbitan trioleate | Cauliflower | 188.89 | 71 | 932.0 | A |
| sorbitan trioleate | Celery | 159.92 | 90 | 681.25 | A |
| sorbitan trioleate | Chinese cabbage (napa, won bok, celery cabbage) | 0.31 | 1 | 3.0 | A |
| sorbitan trioleate | Cilantro | 128.15 | 100 | 571.86 | A |
| sorbitan trioleate | Cucumber | 2.79 | 1 | 10.0 | A |
| sorbitan trioleate | Endive (escarole) | 6.56 | 22 | 35.0 | A |
| sorbitan trioleate | Fennel | 3.14 | 7 | 22.5 | A |
| sorbitan trioleate | Garlic | 63.33 | 16 | 313.4 | A |
| sorbitan trioleate | Grape, wine | 4.94 | 7 | 60.71 | A |
| sorbitan trioleate | Kale | 45.06 | 73 | 220.3 | A |
| sorbitan trioleate | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| sorbitan trioleate | Leek | 1.25 | 2 | 4.5 | A |
| sorbitan trioleate | Lettuce, head | 289.54 | 149 | 1,545.0 | A |
| sorbitan trioleate | Lettuce, leaf | 604.18 | 365 | 2,986.95 | A |
| sorbitan trioleate | Mizuna | 7.85 | 37 | 36.15 | A |
| sorbitan trioleate | Onion, dry | 77.32 | 28 | 377.4 | A |
| sorbitan trioleate | Parsley | 27.5 | 13 | 106.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---|----------------|------|--------------|--------------|
| sorbitan trioleate | Peas | 111.27 | 66 | 517.2 | A |
| sorbitan trioleate | Radicchio | 21.54 | 33 | 154.4 | A |
| sorbitan trioleate | Research commodity | 0.14 | 1 | 1.0 | A |
| sorbitan trioleate | Spinach | 105.43 | 85 | 645.27 | A |
| sorbitan trioleate | Strawberry | 13.16 | 5 | 116.2 | A |
| sorbitan trioleate | Uncultivated ag | 98.23 | 77 | 677.45 | A |
| sorbitol | Artichoke, globe | 1.84 | 2 | 21.6 | A |
| sorbitol | Lettuce, head | 1.93 | 43 | 170.72 | A |
| sorbitol | Lettuce, leaf | 6.89 | 100 | 519.19 | A |
| sorbitol | Uncultivated ag | 15.56 | 20 | 98.7 | A |
| soybean oil | Artichoke, globe | 1,158.29 | 176 | 2,352.2 | A |
| soybean oil | Blackberry | 2,100.28 | 22 | 170.06 | A |
| soybean oil | Broccoli | 301.43 | 54 | 638.25 | A |
| soybean oil | Brussels sprout | 602.72 | 110 | 1,310.7 | A |
| soybean oil | Cabbage | 19.34 | 4 | 46.8 | A |
| soybean oil | Cannabis (all or unspecified) | 10.76 | 25 | 21.2 | A |
| soybean oil | Cannabis (all or unspecified) | 22.38 | 47 | 1,166,779.0 | S |
| soybean oil | Cardoon | 8.88 | 6 | 17.1 | A |
| soybean oil | Cauliflower | 319.65 | 56 | 649.8 | A |
| soybean oil | Celery | 376.14 | 101 | 792.1 | A |
| soybean oil | Chinese cabbage (napa, won bok, celery cabbage) | 9.41 | 3 | 21.0 | A |
| soybean oil | Fennel | 142.79 | 60 | 307.9 | A |
| soybean oil | Lettuce, head | 598.19 | 100 | 1,236.65 | A |
| soybean oil | Lettuce, leaf | 704.08 | 158 | 1,516.8 | A |
| soybean oil | N-grnhs plants in containers | 68.72 | 49 | 102.49 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|---|----------------|-------|--------------|--------------|
| soybean oil | N-outdr plants in containers | 10.71 | 2 | 3.97 | A |
| soybean oil | Raspberry | 1,082.08 | 10 | 83.02 | A |
| soybean oil | Rights of way | 34.66 | 5 | 72.5 | A |
| soybean oil | Rights of way | 109.96 | N/A | N/A | N/A |
| soybean oil | Spinach | 200.34 | 52 | 432.35 | A |
| soybean oil | Strawberry | 9.42 | 3 | 6.75 | A |
| soybean oil | Uncultivated ag | 2,561.25 | 358 | 5,294.75 | A |
| soybean oil | Uncultivated non-ag | 515.77 | 66 | 1,004.0 | A |
| spinetoram | Artichoke, globe | 291.76 | 404 | 4,815.82 | A |
| spinetoram | Arugula | 146.93 | 433 | 3,234.44 | A |
| spinetoram | Beet | 1.2 | 1 | 19.15 | A |
| spinetoram | Blackberry | 12.04 | 15 | 139.85 | A |
| spinetoram | Bok choy | 23.75 | 139 | 392.11 | A |
| spinetoram | Broccoli | 1,050.94 | 1,606 | 17,596.72 | A |
| spinetoram | Brussels sprout | 522.56 | 535 | 7,969.05 | A |
| spinetoram | Cabbage | 275.09 | 445 | 4,473.84 | A |
| spinetoram | Cardoon | 1.6 | 11 | 31.4 | A |
| spinetoram | Cauliflower | 349.43 | 582 | 6,038.49 | A |
| spinetoram | Celery | 466.22 | 1,000 | 8,644.5 | A |
| spinetoram | Chinese cabbage (napa, won bok, celery cabbage) | 31.02 | 103 | 485.52 | A |
| spinetoram | Cilantro | 6.35 | 20 | 134.9 | A |
| spinetoram | Collard | 1.87 | 19 | 34.4 | A |
| spinetoram | Cucumber | 5.39 | 9 | 106.5 | A |
| spinetoram | Endive (escarole) | 25.15 | 152 | 423.24 | A |
| spinetoram | Fennel | 9.33 | 18 | 164.2 | A |
| spinetoram | Garlic | 41.14 | 31 | 799.87 | A |
| spinetoram | Grape, wine | 147.49 | 119 | 2,682.27 | A |
| spinetoram | Kale | 79.47 | 465 | 1,510.12 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------|--------------------|----------------|-------|--------------|--------------|
| spinetoram | Leek | 28.21 | 70 | 525.78 | A |
| spinetoram | Lettuce, head | 2,662.07 | 4,612 | 51,177.9 | A |
| spinetoram | Lettuce, head | <0.01 | 2 | 800.0 | S |
| spinetoram | Lettuce, leaf | 4,913.28 | 9,934 | 91,206.85 | A |
| spinetoram | Mizuna | 5.3 | 85 | 134.73 | A |
| spinetoram | Mustard greens | 26.06 | 138 | 503.1 | A |
| spinetoram | Onion, dry | 96.46 | 107 | 1,605.99 | A |
| spinetoram | Onion, green | 1.25 | 1 | 20.0 | A |
| spinetoram | Peas | 220.69 | 392 | 4,219.84 | A |
| spinetoram | Pepper, fruiting | 5.38 | 9 | 111.8 | A |
| spinetoram | Pumpkin | 1.42 | 4 | 22.58 | A |
| spinetoram | Radicchio | 24.72 | 96 | 471.8 | A |
| spinetoram | Radish | 25.12 | 152 | 400.23 | A |
| spinetoram | Rapini | 133.44 | 186 | 2,347.2 | A |
| spinetoram | Raspberry | 37.13 | 33 | 422.58 | A |
| spinetoram | Research commodity | 0.18 | 3 | 3.0 | A |
| spinetoram | Research commodity | 0.53 | N/A | N/A | N/A |
| spinetoram | Spinach | 1,518.97 | 3,047 | 31,056.65 | A |
| spinetoram | Strawberry | 849.62 | 393 | 11,209.17 | A |
| spinetoram | Swiss chard | 25.16 | 277 | 516.14 | A |
| spinetoram | Triticale | 0.8 | 1 | 17.1 | A |
| spinetoram | Upland cress | 12.13 | 133 | 275.56 | A |
| spinosad | Artichoke, globe | 56.96 | 74 | 452.03 | A |
| spinosad | Arugula | 70.2 | 144 | 685.71 | A |
| spinosad | Avocado | 4.89 | 1 | 30.0 | A |
| spinosad | Blackberry | 20.75 | 19 | 230.33 | A |
| spinosad | Blueberry | 0.12 | 1 | 2.0 | A |
| spinosad | Bok choy | 11.4 | 41 | 60.18 | A |
| spinosad | Broccoli | 978.29 | 1,135 | 10,236.36 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------|------------------------------|----------------|-------|--------------|--------------|
| spinosad | Brussels sprout | 115.19 | 51 | 763.23 | A |
| spinosad | Cabbage | 130.14 | 286 | 1,318.97 | A |
| spinosad | Carrot | 0.79 | 1 | 10.27 | A |
| spinosad | Cauliflower | 399.55 | 587 | 4,126.85 | A |
| spinosad | Celery | 236.05 | 415 | 2,408.73 | A |
| spinosad | Collard | 5.68 | 35 | 29.73 | A |
| spinosad | Corn (forage - fodder) | 0.02 | 1 | 0.25 | A |
| spinosad | Endive (escarole) | 2.01 | 31 | 24.0 | A |
| spinosad | Fennel | 3.51 | 2 | 30.8 | A |
| spinosad | Grape, wine | 117.01 | 66 | 1,126.5 | A |
| spinosad | Kale | 58.46 | 138 | 484.25 | A |
| spinosad | Kohlrabi | 0.91 | 1 | 7.0 | A |
| spinosad | Landscape maintenance | 4.22 | N/A | N/A | N/A |
| spinosad | Leek | 37.09 | 72 | 328.17 | A |
| spinosad | Lemon | 0.68 | 2 | 44.0 | A |
| spinosad | Lettuce, head | 532.75 | 871 | 5,528.91 | A |
| spinosad | Lettuce, head | <0.01 | 3 | 900.0 | S |
| spinosad | Lettuce, leaf | 2,054.92 | 2,777 | 20,259.4 | A |
| spinosad | Mizuna | 10.22 | 62 | 96.2 | A |
| spinosad | Mustard | 1.92 | 6 | 15.5 | A |
| spinosad | Mustard greens | 112.81 | 222 | 1,066.23 | A |
| spinosad | N-grnhs flower | 12.05 | 50 | 57.25 | A |
| spinosad | N-grnhs flower | 2.07 | 33 | 1,502,384.5 | S |
| spinosad | N-grnhs plants in containers | 47.87 | 143 | 261.01 | A |
| spinosad | N-grnhs plants in containers | 0.35 | 9 | 118,440.0 | S |
| spinosad | N-grnhs transplants | 101.17 | 2,492 | 708.14 | A |
| spinosad | N-outdr flower | 3.75 | 69 | 74.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| spinosad | N-outdr plants in containers | 16.59 | 15 | 44.77 | A |
| spinosad | N-outdr plants in containers | 0.5 | 5 | 82,000.0 | S |
| spinosad | N-outdr transplants | 6.34 | 36 | 82.5 | A |
| spinosad | Olive | 0.09 | 43 | 45.0 | A |
| spinosad | Onion, dry | 3.86 | 1 | 29.6 | A |
| spinosad | Onion, dry | 2,116.34 | N/A | 44,646.44 | P |
| spinosad | Peas | 22.78 | 31 | 223.85 | A |
| spinosad | Pepper, fruiting | 3.98 | 5 | 43.55 | A |
| spinosad | Public health | 15.87 | N/A | N/A | N/A |
| spinosad | Radicchio | 7.09 | 21 | 72.7 | A |
| spinosad | Radish | 0.52 | 3 | 5.52 | A |
| spinosad | Rapini | 16.08 | 9 | 134.2 | A |
| spinosad | Raspberry | 55.25 | 54 | 604.87 | A |
| spinosad | Research commodity | 0.24 | 2 | 1.5 | A |
| spinosad | Research commodity | 0.07 | 12 | 54,000.0 | S |
| spinosad | Research commodity | 0.38 | N/A | N/A | N/A |
| spinosad | Spinach | 1,018.79 | 916 | 9,473.15 | A |
| spinosad | Strawberry | 379.62 | 146 | 4,209.48 | A |
| spinosad | Swiss chard | 117.55 | 228 | 1,076.09 | A |
| spinosad | Uncultivated ag | 0.23 | 4 | 12.18 | A |
| spinosad | Upland cress | 0.65 | 2 | 5.94 | A |
| spiromesifen | Cauliflower | 1.24 | 1 | 9.4 | A |
| spiromesifen | Cucumber | 1.78 | 2 | 13.7 | A |
| spiromesifen | N-grnhs flower | 0.03 | 2 | 6,037.5 | S |
| spiromesifen | N-grnhs plants in containers | 3.97 | 1 | 5.54 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|-----------------------|-------------|---------------------|---------------------|
| spiromesifen | N-grnhs plants in containers | 0.14 | 9 | 16,050.0 | S |
| spiromesifen | N-grnhs transplants | 2.04 | 76 | 16.69 | A |
| spiromesifen | Research commodity | 0.15 | 12 | 54,000.0 | S |
| spiromesifen | Research commodity | 0.04 | N/A | N/A | N/A |
| spiromesifen | Spinach | 1.62 | 3 | 16.5 | A |
| spiromesifen | Strawberry | 817.46 | 140 | 3,347.36 | A |
| spirotetramat | Artichoke, globe | 54.96 | 47 | 663.2 | A |
| spirotetramat | Bean, dried | 1.57 | 2 | 20.0 | A |
| spirotetramat | Bok choy | 24.39 | 107 | 314.68 | A |
| spirotetramat | Broccoli | 3,418.23 | 4,104 | 45,309.66 | A |
| spirotetramat | Brussels sprout | 797.97 | 716 | 10,309.75 | A |
| spirotetramat | Cabbage | 441.74 | 586 | 5,890.83 | A |
| spirotetramat | Carrot | 0.2 | 1 | 3.2 | A |
| spirotetramat | Cauliflower | 1,295.73 | 1,686 | 17,002.75 | A |
| spirotetramat | Celery | 599.18 | 937 | 7,754.69 | A |
| spirotetramat | Chinese cabbage (napa, won bok, celery cabbage) | 35.44 | 82 | 454.48 | A |
| spirotetramat | Collard | 0.91 | 5 | 11.2 | A |
| spirotetramat | Endive (escarole) | 37.94 | 216 | 493.66 | A |
| spirotetramat | Fennel | 6.57 | 8 | 83.7 | A |
| spirotetramat | Grape, wine | 4,132.3 | 994 | 38,184.71 | A |
| spirotetramat | Kale | 49.14 | 105 | 646.57 | A |
| spirotetramat | Kohlrabi | 2.49 | 6 | 31.6 | A |
| spirotetramat | Lemon | 123.61 | 19 | 784.0 | A |
| spirotetramat | Lettuce, head | 3,364.92 | 4,017 | 44,712.4 | A |
| spirotetramat | Lettuce, leaf | 5,220.34 | 7,526 | 68,520.15 | A |
| spirotetramat | N-grnhs flower | 0.12 | 7 | 33,150.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|---|-----------------------|-------------|---------------------|---------------------|
| spirotriamat | N-grnhs plants in containers | 12.09 | 22 | 58.4 | A |
| spirotriamat | N-outdr plants in containers | 6.62 | 9 | 17.21 | A |
| spirotriamat | N-outdr plants in containers | 0.08 | 2 | 30,000.0 | S |
| spirotriamat | Onion, dry | 19.69 | 14 | 250.0 | A |
| spirotriamat | Onion, green | 1.57 | 1 | 20.0 | A |
| spirotriamat | Peas | 28.45 | 32 | 361.93 | A |
| spirotriamat | Pepper, fruiting | 8.8 | 9 | 111.8 | A |
| spirotriamat | Radicchio | 12.05 | 33 | 153.0 | A |
| spirotriamat | Rapini | 269.14 | 260 | 3,417.8 | A |
| spirotriamat | Research commodity | 1.68 | 6 | 20.8 | A |
| spirotriamat | Research commodity | 0.83 | N/A | N/A | N/A |
| spirotriamat | Spinach | 28.42 | 57 | 360.0 | A |
| spirotriamat | Swiss chard | 6.21 | 16 | 78.76 | A |
| starch | N-grnhs plants in containers | <0.01 | 2 | 25,000.0 | S |
| starch | N-outdr plants in containers | <0.01 | 3 | 30,600.0 | S |
| starch | N-outdr transplants | <0.01 | 1 | 33,381.0 | S |
| streptomyces lydicus wyec 108 | Bok choy | 0.01 | 34 | 48.1 | A |
| streptomyces lydicus wyec 108 | Cannabis (all or unspecified) | <0.01 | 7 | 8.55 | A |
| streptomyces lydicus wyec 108 | Cannabis (all or unspecified) | <0.01 | 43 | 51,686.0 | S |
| streptomyces lydicus wyec 108 | Chinese cabbage (napa, won bok, celery cabbage) | 0.02 | 36 | 89.85 | A |
| streptomyces lydicus wyec 108 | Grape, wine | <0.01 | 1 | 1.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|----------------|------|--------------|--------------|
| streptomyces lydicus wyec 108 | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| streptomyces lydicus wyec 108 | N-grnhs flower | <0.01 | 19 | 95,197.5 | S |
| streptomyces lydicus wyec 108 | N-grnhs plants in containers | <0.01 | 7 | 5.32 | A |
| streptomyces lydicus wyec 108 | N-grnhs transplants | 0.01 | 129 | 34.95 | A |
| streptomyces lydicus wyec 108 | N-outdr transplants | <0.01 | 1 | 0.72 | A |
| streptomyces lydicus wyec 108 | Raspberry | <0.01 | 1 | 7.89 | A |
| streptomyces lydicus wyec 108 | Research commodity | 0.01 | 23 | 52.75 | A |
| streptomyces lydicus wyec 108 | Research commodity | <0.01 | N/A | N/A | N/A |
| streptomyces lydicus wyec 108 | Spinach | 0.02 | 20 | 77.6 | A |
| streptomyces lydicus wyec 108 | Strawberry | 0.04 | 9 | 180.65 | A |
| streptomycin sulfate | N-grnhs plants in containers | 56.04 | 30 | 29.07 | A |
| streptomycin sulfate | N-grnhs transplants | 1.27 | 12 | 423,300.0 | S |
| streptomycin sulfate | N-outdr transplants | 6.96 | 26 | 1,473,595.0 | S |
| strychnine | Alfalfa | 1.0 | N/A | 284.0 | A |
| strychnine | Grape, wine | 3.8 | 17 | 1,215.5 | A |
| strychnine | Landscape maintenance | 0.22 | N/A | N/A | N/A |
| strychnine | Uncultivated ag | <0.01 | 2 | 1.0 | A |
| strychnine | Vertebrate control | 1.0 | N/A | N/A | N/A |
| styrene butadiene copolymer | Blackberry | 9.37 | 3 | 40.0 | A |
| styrene butadiene copolymer | Grape, wine | 570.99 | 573 | 15,006.05 | A |
| styrene butadiene copolymer | N-grnhs plants in containers | 0.47 | 1 | 6.0 | A |
| styrene butadiene copolymer | N-grnhs plants in containers | 3.12 | 53 | 508,005.0 | S |
| styrene butadiene copolymer | N-outdr flower | 59.68 | 796 | 818.38 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|---|----------------|-------|--------------|--------------|
| styrene butadiene copolymer | N-outdr plants in containers | 1.41 | 3 | 6.8 | A |
| styrene butadiene copolymer | N-outdr plants in containers | 2.35 | 36 | 395,100.0 | S |
| styrene butadiene copolymer | N-outdr transplants | 0.1 | 1 | 33,381.0 | S |
| styrene butadiene copolymer | Strawberry | 43.65 | 7 | 217.0 | A |
| sugar | Brussels sprout | 9.52 | 2 | 34.0 | A |
| sulfentrazone | Airport | 37.12 | N/A | 415.0 | A |
| sulfentrazone | Landscape maintenance | 1.0 | N/A | N/A | N/A |
| sulfentrazone | Rights of way | 24.05 | N/A | N/A | N/A |
| sulfometuron-methyl | Landscape maintenance | 10.91 | N/A | N/A | N/A |
| sulfometuron-methyl | Rights of way | 6.01 | N/A | N/A | N/A |
| sulfometuron-methyl | Uncultivated ag | 1.55 | 2 | 5.5 | A |
| sulfoxaflor | Arugula | 32.13 | 119 | 849.62 | A |
| sulfoxaflor | Bok choy | 3.32 | 55 | 90.35 | A |
| sulfoxaflor | Broccoli | 498.98 | 1,216 | 12,505.19 | A |
| sulfoxaflor | Brussels sprout | 291.58 | 509 | 6,924.4 | A |
| sulfoxaflor | Cabbage | 91.98 | 225 | 2,214.7 | A |
| sulfoxaflor | Cardoon | 0.55 | 6 | 17.1 | A |
| sulfoxaflor | Cauliflower | 162.37 | 395 | 4,145.02 | A |
| sulfoxaflor | Celery | 357.45 | 954 | 8,230.84 | A |
| sulfoxaflor | Chinese cabbage (napa, won bok, celery cabbage) | 5.79 | 30 | 144.15 | A |
| sulfoxaflor | Collard | 0.92 | 14 | 25.5 | A |
| sulfoxaflor | Endive (escarole) | 11.45 | 80 | 265.78 | A |
| sulfoxaflor | Grape, wine | 122.34 | 41 | 1,444.73 | A |
| sulfoxaflor | Kale | 24.24 | 151 | 656.12 | A |
| sulfoxaflor | Kohlrabi | 1.25 | 9 | 31.1 | A |
| sulfoxaflor | Lettuce, head | 1,661.32 | 3,858 | 42,328.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|-------------------------------|----------------|-------|--------------|--------------|
| sulfoxaflor | Lettuce, leaf | 2,616.66 | 7,129 | 67,551.81 | A |
| sulfoxaflor | Mizuna | 1.35 | 35 | 42.5 | A |
| sulfoxaflor | Mustard greens | 3.26 | 29 | 99.8 | A |
| sulfoxaflor | Radicchio | 8.97 | 54 | 255.1 | A |
| sulfoxaflor | Rapini | 57.22 | 131 | 1,013.2 | A |
| sulfoxaflor | Spinach | 274.49 | 831 | 8,339.53 | A |
| sulfoxaflor | Swiss chard | 5.8 | 63 | 183.9 | A |
| sulfoxaflor | Upland cress | 2.02 | 27 | 56.66 | A |
| sulfur | Alfalfa | 54.4 | 2 | 8.5 | A |
| sulfur | Apple | 120.0 | 1 | 9.0 | A |
| sulfur | Artichoke, globe | 3,958.6 | 71 | 577.3 | A |
| sulfur | Bean, dried | 160.0 | 1 | 20.0 | A |
| sulfur | Blackberry | 170.54 | 10 | 61.48 | A |
| sulfur | Brussels sprout | 37,770.0 | 589 | 7,525.45 | A |
| sulfur | Cannabis (all or unspecified) | 506.41 | 186 | 116.76 | A |
| sulfur | Cannabis (all or unspecified) | 0.17 | 11 | 26,113.0 | C |
| sulfur | Cannabis (all or unspecified) | 723.88 | 511 | 3,800,841.0 | S |
| sulfur | Carrot | 30,020.31 | 325 | 4,272.9 | A |
| sulfur | Cauliflower | 39.2 | 1 | 9.8 | A |
| sulfur | Celery | 2,150.38 | 65 | 549.43 | A |
| sulfur | Cucumber | 18.0 | 2 | 7.5 | A |
| sulfur | Grape, wine | 499,893.38 | 4,223 | 125,491.07 | A |
| sulfur | Kale | 2,768.72 | 49 | 513.74 | A |
| sulfur | Landscape maintenance | 1.5 | N/A | N/A | N/A |
| sulfur | Lettuce, head | 233.52 | 15 | 90.55 | A |
| sulfur | Lettuce, leaf | 2,939.74 | 80 | 1,096.94 | A |
| sulfur | N-grnhs transplants | 375.83 | 917 | 234.16 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|-------------------------|----------------|-------|--------------|--------------|
| sulfur | N-outdr flower | 118.88 | 72 | 64.5 | A |
| sulfur | N-outdr transplants | 118.14 | 30 | 2,144,249.0 | S |
| sulfur | Parsley | 68.92 | 2 | 22.1 | A |
| sulfur | Peas | 25,600.98 | 457 | 4,756.13 | A |
| sulfur | Pepper, fruiting | 544.0 | 5 | 68.0 | A |
| sulfur | Pumpkin | 201.23 | 8 | 36.88 | A |
| sulfur | Raspberry | 2,824.54 | 20 | 343.35 | A |
| sulfur | Research commodity | 1.6 | N/A | N/A | N/A |
| sulfur | Spinach | 0.64 | 1 | 0.2 | A |
| sulfur | Squash, summer | 27.2 | 1 | 3.4 | A |
| sulfur | Strawberry | 180,726.21 | 1,321 | 44,694.08 | A |
| sulfur | Tomato | 401.6 | 5 | 111.0 | A |
| sulfur dioxide | Commodity fumigation | 31.62 | N/A | N/A | N/A |
| sulfur dioxide | Fumigation, other | 3,701.23 | N/A | N/A | N/A |
| sulfuryl fluoride | Structural pest control | 47,007.11 | N/A | N/A | N/A |
| tall oil | Barley | 3.13 | 1 | 80.0 | A |
| tall oil | Grape, wine | 10.07 | 1 | 64.4 | A |
| tall oil | Landscape maintenance | 1.8 | N/A | N/A | N/A |
| tall oil | Rights of way | 1.2 | N/A | N/A | N/A |
| tall oil fatty acids | Alfalfa | 0.74 | 2 | 240.0 | A |
| tall oil fatty acids | Artichoke, globe | 414.35 | 392 | 5,648.1 | A |
| tall oil fatty acids | Barley | 0.28 | 2 | 378.0 | A |
| tall oil fatty acids | Bean, succulent | 0.35 | 2 | 25.0 | A |
| tall oil fatty acids | Blackberry | 15.34 | 18 | 179.0 | A |
| tall oil fatty acids | Broccoli | 3.03 | 14 | 156.4 | A |
| tall oil fatty acids | Brussels sprout | 17.15 | 31 | 539.2 | A |
| tall oil fatty acids | Carrot | 43.37 | 37 | 450.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|---|----------------|-------|--------------|--------------|
| tall oil fatty acids | Cauliflower | 3.18 | 19 | 221.15 | A |
| tall oil fatty acids | Celery | 12.61 | 19 | 150.3 | A |
| tall oil fatty acids | Chinese cabbage (napa, won bok, celery cabbage) | 0.51 | 1 | 7.0 | A |
| tall oil fatty acids | Cilantro | 0.43 | 15 | 54.69 | A |
| tall oil fatty acids | Collard | 0.07 | 10 | 14.5 | A |
| tall oil fatty acids | Grape, wine | 1,536.67 | 1,441 | 36,088.54 | A |
| tall oil fatty acids | Kale | 0.04 | 2 | 8.0 | A |
| tall oil fatty acids | Landscape maintenance | 7.15 | N/A | N/A | N/A |
| tall oil fatty acids | Lettuce, head | 17.9 | 160 | 1,834.9 | A |
| tall oil fatty acids | Lettuce, leaf | 23.32 | 172 | 1,972.1 | A |
| tall oil fatty acids | Mustard greens | 0.01 | 3 | 3.0 | A |
| tall oil fatty acids | N-outdr flower | 0.06 | 4 | 13.09 | A |
| tall oil fatty acids | N-outdr plants in containers | 0.01 | 1 | 1.0 | A |
| tall oil fatty acids | N-outdr plants in containers | 0.01 | 2 | 11,000.0 | S |
| tall oil fatty acids | Research commodity | 0.06 | N/A | N/A | N/A |
| tall oil fatty acids | Rights of way | 38.13 | N/A | N/A | N/A |
| tall oil fatty acids | Strawberry | 297.72 | 195 | 3,131.9 | A |
| tall oil fatty acids | Uncultivated ag | 108.34 | 133 | 2,075.3 | A |
| tall oil fatty acids | Uncultivated non-ag | 2.29 | 2 | 23.0 | A |
| tall oil fatty acids | Vertebrate control | 0.15 | N/A | N/A | N/A |
| tall oil fatty acids | Walnut | 10.23 | 4 | 240.0 | A |
| tall oil fatty acids | Water area | 18.61 | 10 | 31.5 | A |
| tartrazine | Rights of way | 0.1 | N/A | N/A | N/A |
| tau-fluvalinate | Landscape maintenance | 0.38 | N/A | N/A | N/A |
| tau-fluvalinate | N-grnhs flower | 1.7 | 19 | 283,387.5 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| tau-fluvalinate | N-grnhs plants in containers | 78.77 | 86 | 171.23 | A |
| tau-fluvalinate | N-grnhs plants in containers | 3.52 | 20 | 743,600.0 | S |
| tau-fluvalinate | N-outdr flower | 4.91 | 35 | 37.5 | A |
| tau-fluvalinate | N-outdr plants in containers | 3.31 | 2 | 2.79 | A |
| tau-fluvalinate | N-outdr plants in containers | 0.12 | 4 | 22,500.0 | S |
| tau-fluvalinate | Research commodity | 0.33 | N/A | N/A | N/A |
| tea tree oil | Lettuce, leaf | 1.34 | 7 | 9.0 | A |
| tebuconazole | Garlic | 224.04 | 77 | 1,372.2 | A |
| tebuconazole | Golf course turf | 30.31 | N/A | 51.8 | A |
| tebuconazole | Golf course turf | 0.83 | N/A | 50.0 | K |
| tebuconazole | Golf course turf | 0.63 | N/A | 20,000.0 | S |
| tebuconazole | Grape, wine | 3,448.77 | 753 | 32,685.12 | A |
| tebuconazole | Landscape maintenance | 802.35 | N/A | N/A | N/A |
| tebuconazole | Leek | 29.0 | 31 | 166.98 | A |
| tebuconazole | N-grnhs plants in containers | 4.83 | 5 | 12.77 | A |
| tebuconazole | N-outdr flower | 4.16 | 15 | 15.5 | A |
| tebuconazole | N-outdr plants in containers | 10.39 | 6 | 25.12 | A |
| tebuconazole | N-outdr plants in containers | 0.02 | 30 | 62,700.0 | S |
| tebuconazole | Sunflower | 2.04 | 2 | 12.3 | A |
| terrazole | N-grnhs flower | 0.22 | 2 | 25,237.5 | S |
| tetraconazole | Grape, wine | 929.4 | 556 | 23,440.19 | A |
| tetraconazole | Strawberry | 241.5 | 228 | 6,466.46 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|---|----------------|-------|--------------|--------------|
| tetramethrin | Structural pest control | 0.06 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | Barley | 0.26 | 2 | 383.0 | A |
| tetrapotassium pyrophosphate | Broccoli | 0.31 | 4 | 56.3 | A |
| tetrapotassium pyrophosphate | Lettuce, head | 9.2 | 103 | 1,340.5 | A |
| tetrapotassium pyrophosphate | Lettuce, leaf | 1.78 | 22 | 287.3 | A |
| tetrapotassium pyrophosphate | N-outdr flower | 0.04 | 2 | 9.17 | A |
| tetrapotassium pyrophosphate | Strawberry | 43.3 | 178 | 3,454.47 | A |
| thiabendazole | Corn, human consumption | 3.72 | N/A | 28,880.0 | P |
| thiabendazole | Mushroom | 563.94 | 321 | 3,032,839.0 | S |
| thiabendazole | Spinach | <0.01 | N/A | 250.05 | P |
| thiabendazole | Watermelon | 0.05 | N/A | 2,732.24 | P |
| thiamethoxam | Artichoke, globe | 60.33 | 118 | 1,287.9 | A |
| thiamethoxam | Arugula | 77.58 | 125 | 1,168.04 | A |
| thiamethoxam | Beet | 0.72 | 1 | 12.5 | A |
| thiamethoxam | Blackberry | 0.65 | 1 | 13.75 | A |
| thiamethoxam | Bok choy | 11.56 | 69 | 179.68 | A |
| thiamethoxam | Broccoli | 867.95 | 1,277 | 13,025.78 | A |
| thiamethoxam | Brussels sprout | 261.09 | 308 | 3,827.88 | A |
| thiamethoxam | Cabbage | 125.53 | 245 | 2,182.24 | A |
| thiamethoxam | Cabbage | 0.09 | N/A | 3.31 | P |
| thiamethoxam | Cardoon | 0.98 | 6 | 17.1 | A |
| thiamethoxam | Carrot | 2.4 | 3 | 38.4 | A |
| thiamethoxam | Cauliflower | 464.09 | 724 | 7,130.51 | A |
| thiamethoxam | Celery | 316.17 | 620 | 5,135.53 | A |
| thiamethoxam | Chinese cabbage (napa, won bok, celery cabbage) | 17.05 | 56 | 274.46 | A |
| thiamethoxam | Cucumber | 2.99 | 4 | 47.9 | A |
| thiamethoxam | Cucumber | 1,160.18 | N/A | 41,466.71 | P |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|-------|--------------|--------------|
| thiamethoxam | Endive (escarole) | 13.66 | 78 | 230.18 | A |
| thiamethoxam | Fennel | 6.49 | 10 | 93.4 | A |
| thiamethoxam | Grape, wine | 526.63 | 121 | 5,914.38 | A |
| thiamethoxam | Kale | 17.47 | 92 | 285.04 | A |
| thiamethoxam | Kohlrabi | 1.73 | 26 | 31.8 | A |
| thiamethoxam | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| thiamethoxam | Lemon | 14.52 | 3 | 169.0 | A |
| thiamethoxam | Lettuce, head | 1,314.09 | 2,181 | 24,385.34 | A |
| thiamethoxam | Lettuce, leaf | 1,894.1 | 3,698 | 33,973.28 | A |
| thiamethoxam | Lettuce, leaf | 8.19 | N/A | 36.83 | P |
| thiamethoxam | Melon | 12.37 | N/A | 710.39 | P |
| thiamethoxam | Mizuna | 0.04 | 1 | 0.62 | A |
| thiamethoxam | N-grnhs flower | 0.41 | 11 | 55,800.0 | S |
| thiamethoxam | N-grnhs plants in containers | 0.02 | 1 | 0.46 | A |
| thiamethoxam | N-grnhs plants in containers | 1.72 | 22 | 540,255.0 | S |
| thiamethoxam | N-outdr plants in containers | 0.22 | 3 | 35,000.0 | S |
| thiamethoxam | Onion, dry | 675.31 | N/A | 30,079.59 | P |
| thiamethoxam | Pepper, fruiting | 9.77 | 16 | 208.8 | A |
| thiamethoxam | Pumpkin | 0.38 | 3 | 6.0 | A |
| thiamethoxam | Pumpkin | 20.67 | N/A | 4,087.1 | P |
| thiamethoxam | Radish | 1.08 | 9 | 22.08 | A |
| thiamethoxam | Rapini | 27.95 | 19 | 353.0 | A |
| thiamethoxam | Research commodity | 0.24 | N/A | N/A | N/A |
| thiamethoxam | Spinach | 234.97 | 341 | 3,550.56 | A |
| thiamethoxam | Squash | 5.46 | N/A | 937.34 | P |
| thiamethoxam | Strawberry | 169.35 | 174 | 2,755.54 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|----------------|------|--------------|--------------|
| thiamethoxam | Structural pest control | 1.52 | N/A | N/A | N/A |
| thiamethoxam | Swiss chard | 6.52 | 56 | 108.2 | A |
| thiamethoxam | Upland cress | 6.68 | 50 | 105.46 | A |
| thiophanate-methyl | Golf course turf | 575.14 | N/A | 120.3 | A |
| thiophanate-methyl | Grape, wine | 4,901.04 | 181 | 5,376.56 | A |
| thiophanate-methyl | Landscape maintenance | 1,656.17 | N/A | N/A | N/A |
| thiophanate-methyl | N-grnhs flower | 31.39 | 41 | 254,441.0 | S |
| thiophanate-methyl | N-grnhs plants in containers | 2,848.54 | 322 | 507.47 | A |
| thiophanate-methyl | N-grnhs plants in containers | 216.79 | 78 | 568,907.0 | S |
| thiophanate-methyl | N-grnhs transplants | 2.0 | 3 | 5.0 | A |
| thiophanate-methyl | N-grnhs transplants | 7.34 | 4 | 191,000.0 | S |
| thiophanate-methyl | N-outdr flower | 114.44 | 437 | 456.0 | A |
| thiophanate-methyl | N-outdr plants in containers | 1,315.07 | 245 | 258.09 | A |
| thiophanate-methyl | N-outdr plants in containers | 21.12 | 10 | 51,000.0 | S |
| thiophanate-methyl | Research commodity | 1.05 | N/A | N/A | N/A |
| thiophanate-methyl | Strawberry | 1,447.17 | 96 | 2,070.26 | A |
| thiram | Bean, dried | 1.08 | N/A | 1,636.72 | P |
| thiram | Beet | 0.39 | N/A | 148.74 | P |
| thiram | Broccoli | 2.47 | N/A | 963.01 | P |
| thiram | Cabbage | 14.0 | N/A | 3,593.69 | P |
| thiram | Cantaloupe | 0.14 | N/A | 53.56 | P |
| thiram | Carrot | 31.57 | N/A | 15,144.89 | P |
| thiram | Cauliflower | 0.27 | N/A | 106.29 | P |
| thiram | Celery | 0.57 | N/A | 230.25 | P |
| thiram | Cucumber | 1.73 | N/A | 1,235.44 | P |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| thiram | Eggplant | 0.03 | N/A | 15.92 | P |
| thiram | Endive (escarole) | 0.21 | N/A | 82.61 | P |
| thiram | Kale | 0.03 | N/A | 10.0 | P |
| thiram | Lettuce, leaf | 22.69 | N/A | 9,078.88 | P |
| thiram | Mustard | 0.12 | N/A | 50.0 | P |
| thiram | Onion, dry | 68.76 | N/A | 29,399.73 | P |
| thiram | Peas | 0.59 | N/A | 600.0 | P |
| thiram | Pepper, fruiting | 0.78 | N/A | 314.19 | P |
| thiram | Pumpkin | 2.24 | N/A | 1,597.39 | P |
| thiram | Radish | 0.26 | N/A | 100.0 | P |
| thiram | Spinach | 278.32 | N/A | 112,320.38 | P |
| thiram | Squash | 3.47 | N/A | 2,455.06 | P |
| thiram | Strawberry | 14,237.05 | 236 | 6,551.47 | A |
| thiram | Swiss chard | 2.93 | N/A | 1,110.1 | P |
| thiram | Tomato | 2.02 | N/A | 1,077.68 | P |
| thiram | Turnip | 0.06 | N/A | 22.12 | P |
| thiram | Watermelon | 0.1 | N/A | 72.68 | P |
| topramezone | Landscape maintenance | 1.38 | N/A | N/A | N/A |
| triadimefon | Landscape maintenance | 89.65 | N/A | N/A | N/A |
| triadimefon | N-grnhs plants in containers | 9.9 | 10 | 26.42 | A |
| triadimefon | N-outdr plants in containers | 36.81 | 14 | 28.95 | A |
| triadimefon | Research commodity | 0.11 | N/A | N/A | N/A |
| tribenuron-methyl | Barley | 3.59 | 2 | 330.0 | A |
| tribenuron-methyl | Forage hay/silage | 1.41 | 1 | 225.0 | A |
| trichoderma harzianum rifai strain krl-ag2 | Cannabis (all or unspecified) | 0.36 | 25 | 226,300.0 | S |
| trichoderma harzianum rifai strain krl-ag2 | Lettuce, head | 0.02 | 8 | 0.51 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| trichoderma harzianum rifai strain krl-ag2 | N-grnhs flower | 0.01 | 2 | 27,000.0 | S |
| trichoderma harzianum rifai strain krl-ag2 | N-grnhs plants in containers | 0.02 | 1 | 54.0 | C |
| trichoderma harzianum rifai strain krl-ag2 | N-grnhs plants in containers | 0.02 | 3 | 4,900.0 | S |
| trichoderma harzianum rifai strain krl-ag2 | N-outdr plants in containers | 0.61 | 26 | 1,461.0 | C |
| trichoderma harzianum rifai strain krl-ag2 | N-outdr plants in containers | 0.15 | 3 | 22,400.0 | S |
| trichoderma harzianum rifai strain krl-ag2 | N-outdr plants in containers | 0.07 | 3 | 165.0 | U |
| trichoderma harzianum rifai strain krl-ag2 | Squash | 0.02 | N/A | 39.83 | P |
| trichoderma harzianum rifai strain krl-ag2 | Tomato | 0.01 | N/A | 1.95 | P |
| trichoderma icc 012 asperellum | Cannabis (all or unspecified) | 0.01 | 2 | 2.0 | A |
| trichoderma icc 012 asperellum | Cannabis (all or unspecified) | 0.58 | 27 | 180,350.0 | S |
| trichoderma icc 080 gamsii | Cannabis (all or unspecified) | 0.01 | 2 | 2.0 | A |
| trichoderma icc 080 gamsii | Cannabis (all or unspecified) | 0.58 | 27 | 180,350.0 | S |
| trichoderma virens strain g-41 | Cannabis (all or unspecified) | 0.15 | 18 | 141,300.0 | S |
| trichoderma virens strain g-41 | N-grnhs flower | 0.01 | 2 | 27,000.0 | S |
| trichoderma virens strain g-41 | N-grnhs plants in containers | 0.01 | 1 | 54.0 | C |
| trichoderma virens strain g-41 | N-grnhs plants in containers | 0.01 | 3 | 4,900.0 | S |
| trichoderma virens strain g-41 | N-outdr plants in containers | 0.32 | 26 | 1,461.0 | C |
| trichoderma virens strain g-41 | N-outdr plants in containers | 0.08 | 3 | 22,400.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|------------------------------|----------------|------|--------------|--------------|
| trichoderma virens strain g-41 | N-outdr plants in containers | 0.04 | 3 | 165.0 | U |
| triclopyr choline | Landscape maintenance | 2.44 | N/A | N/A | N/A |
| triclopyr choline | Rights of way | 6.48 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | Landscape maintenance | 241.89 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | Pastureland | 51.36 | 22 | 86.48 | A |
| triclopyr, butoxyethyl ester | Rights of way | 1.36 | 2 | 1.98 | A |
| triclopyr, butoxyethyl ester | Rights of way | 574.36 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | Sod farm (turf) | 134.62 | 6 | 99.3 | A |
| triclopyr, butoxyethyl ester | Uncultivated ag | 149.55 | 6 | 21.5 | A |
| triclopyr, butoxyethyl ester | Vertebrate control | 2.22 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Landscape maintenance | 101.99 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Rights of way | 296.04 | N/A | N/A | N/A |
| triethanolamine | Artichoke, globe | 3.35 | 2 | 21.6 | A |
| triethanolamine | Barley | 0.73 | 3 | 463.0 | A |
| triethanolamine | Broccoli | 0.79 | 4 | 56.3 | A |
| triethanolamine | Grape, wine | 0.21 | 1 | 64.4 | A |
| triethanolamine | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| triethanolamine | Lettuce, head | 23.46 | 103 | 1,340.5 | A |
| triethanolamine | Lettuce, leaf | 4.53 | 22 | 287.3 | A |
| triethanolamine | N-outdr flower | 0.09 | 2 | 9.17 | A |
| triethanolamine | Strawberry | 110.43 | 178 | 3,454.47 | A |
| triethanolamine | Uncultivated ag | 28.35 | 20 | 98.7 | A |
| triethanolamine oleate | Strawberry | 0.97 | 1 | 10.0 | A |
| trifloxystrobin | Artichoke, globe | 377.33 | 243 | 3,104.5 | A |
| trifloxystrobin | Beet | 2.37 | 2 | 25.0 | A |
| trifloxystrobin | Bok choy | 1.4 | 3 | 11.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|---|----------------|-------|--------------|--------------|
| trifloxystrobin | Broccoli | 1.5 | 2 | 12.0 | A |
| trifloxystrobin | Brussels sprout | 586.81 | 287 | 4,765.71 | A |
| trifloxystrobin | Cardoon | 1.6 | 6 | 17.1 | A |
| trifloxystrobin | Cauliflower | 2.15 | 4 | 17.25 | A |
| trifloxystrobin | Celery | 80.51 | 104 | 926.55 | A |
| trifloxystrobin | Chinese cabbage (napa, won bok, celery cabbage) | 2.97 | 4 | 23.82 | A |
| trifloxystrobin | Cilantro | 15.97 | 30 | 128.88 | A |
| trifloxystrobin | Cucumber | 4.49 | 5 | 36.2 | A |
| trifloxystrobin | Endive (escarole) | 3.59 | 20 | 30.9 | A |
| trifloxystrobin | Fennel | 4.8 | 9 | 53.7 | A |
| trifloxystrobin | Grape, wine | 1,170.6 | 272 | 10,388.65 | A |
| trifloxystrobin | Kale | 16.97 | 17 | 139.0 | A |
| trifloxystrobin | Landscape maintenance | 16.99 | N/A | N/A | N/A |
| trifloxystrobin | Lettuce, head | 575.46 | 456 | 4,654.98 | A |
| trifloxystrobin | Lettuce, leaf | 1,125.31 | 1,097 | 9,133.03 | A |
| trifloxystrobin | N-grnhs flower | 0.07 | 2 | 9,000.0 | S |
| trifloxystrobin | N-grnhs plants in containers | 1.98 | 10 | 26.42 | A |
| trifloxystrobin | N-outdr plants in containers | 13.57 | 20 | 53.45 | A |
| trifloxystrobin | Research commodity | 0.25 | 2 | 2.0 | A |
| trifloxystrobin | Research commodity | 0.03 | N/A | N/A | N/A |
| trifloxystrobin | Spinach | 0.02 | 1 | 0.2 | A |
| trifloxystrobin | Squash, summer | 1.85 | 2 | 15.0 | A |
| trifloxystrobin | Strawberry | 1,359.14 | 455 | 11,354.77 | A |
| triflumizole | Brussels sprout | 164.3 | 26 | 689.1 | A |
| triflumizole | Grape, wine | 1,457.25 | 123 | 6,219.33 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|-------------------------------|----------------|------|--------------|--------------|
| triflumizole | Kale | 33.44 | 27 | 155.58 | A |
| triflumizole | Lettuce, head | 23.7 | 14 | 97.1 | A |
| triflumizole | Lettuce, leaf | 25.2 | 10 | 100.7 | A |
| triflumizole | N-grnhs flower | 95.37 | 29 | 21.75 | A |
| triflumizole | N-grnhs plants in containers | 1.84 | 2 | 3.44 | A |
| triflumizole | N-outdr plants in containers | 2.08 | 1 | 2.76 | A |
| triflumizole | Research commodity | 0.02 | N/A | N/A | N/A |
| triflumizole | Strawberry | 611.74 | 126 | 2,469.04 | A |
| triflumizole | Swiss chard | 15.77 | 14 | 69.2 | A |
| trifluralin | Bean, succulent | 4.11 | 1 | 5.0 | A |
| trifluralin | Bean, unspecified | 99.38 | 21 | 122.4 | A |
| trifluralin | Broccoli | 156.4 | 76 | 847.5 | A |
| trifluralin | Christmas tree | 0.19 | 3 | 1.5 | A |
| trifluralin | Kale | 1.23 | 1 | 1.5 | A |
| trifluralin | Landscape maintenance | 4.16 | N/A | N/A | N/A |
| trifluralin | N-outdr plants in containers | 34.08 | 56 | 747,738.0 | S |
| trifluralin | Radicchio | 60.54 | 4 | 73.7 | A |
| trifluralin | Rapini | 165.04 | 33 | 366.76 | A |
| trifluralin | Sunflower | 10.92 | 2 | 20.0 | A |
| trinexapac-ethyl | Golf course turf | 21.95 | N/A | 310.5 | A |
| trinexapac-ethyl | Landscape maintenance | 396.7 | N/A | N/A | N/A |
| triticonazole | Landscape maintenance | 20.22 | N/A | N/A | N/A |
| ulocladium oudemansii (u3 strain) | Cannabis (all or unspecified) | 22.94 | 34 | 18.39 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|---|----------------|------|--------------|--------------|
| ulocladium oudemansii (u3 strain) | Cannabis (all or unspecified) | 56.5 | 23 | 700,480.0 | S |
| ulocladium oudemansii (u3 strain) | Grape, wine | 24.92 | 3 | 18.46 | A |
| uniconizole-p | N-grnhs flower | <0.01 | 2 | 75.0 | S |
| uniconizole-p | N-grnhs plants in containers | 0.03 | 14 | 14.38 | A |
| uniconizole-p | N-grnhs plants in containers | <0.01 | 1 | 1,000.0 | S |
| uniconizole-p | N-outdr plants in containers | 0.06 | 22 | 30.1 | A |
| urea | Grape, wine | 175.38 | 17 | 352.52 | A |
| urea dihydrogen sulfate | Grape, wine | 11.49 | 67 | 877.52 | A |
| urea dihydrogen sulfate | Rights of way | 0.09 | N/A | N/A | N/A |
| urea dihydrogen sulfate | Uncultivated ag | 0.24 | 3 | 12.0 | A |
| vinyl ester polymer | Rights of way | 0.43 | N/A | N/A | N/A |
| vinyl polymer | Artichoke, globe | 0.79 | 1 | 15.0 | A |
| vinyl polymer | Arugula | 2.54 | 16 | 34.0 | A |
| vinyl polymer | Bean, succulent | 8.74 | 7 | 92.3 | A |
| vinyl polymer | Bok choy | 0.44 | 1 | 4.5 | A |
| vinyl polymer | Broccoli | 12.34 | 25 | 231.68 | A |
| vinyl polymer | Brussels sprout | 4.59 | 4 | 39.0 | A |
| vinyl polymer | Cabbage | 16.93 | 34 | 191.0 | A |
| vinyl polymer | Carrot | 1.71 | 5 | 62.9 | A |
| vinyl polymer | Cauliflower | 3.77 | 8 | 59.6 | A |
| vinyl polymer | Celery | 14.92 | 24 | 211.9 | A |
| vinyl polymer | Chinese cabbage (napa, won bok, celery cabbage) | 0.69 | 2 | 7.0 | A |
| vinyl polymer | Cilantro | 8.98 | 54 | 157.97 | A |
| vinyl polymer | Endive (escarole) | 1.42 | 7 | 35.19 | A |
| vinyl polymer | Garlic | 1.0 | 1 | 25.5 | A |
| vinyl polymer | Grape, wine | 2.93 | 1 | 223.59 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|-------------------------------|----------------|-------|--------------|--------------|
| vinyl polymer | Kale | 1.5 | 12 | 21.5 | A |
| vinyl polymer | Landscape maintenance | 0.09 | 1 | 1.0 | A |
| vinyl polymer | Lemon | 1.31 | 1 | 15.0 | A |
| vinyl polymer | Lettuce, head | 94.41 | 804 | 9,378.09 | A |
| vinyl polymer | Lettuce, leaf | 127.19 | 1,526 | 11,607.3 | A |
| vinyl polymer | Onion, dry | 14.12 | 17 | 186.5 | A |
| vinyl polymer | Radish | 0.7 | 8 | 15.5 | A |
| vinyl polymer | Rights of way | 0.74 | 2 | 8.5 | A |
| vinyl polymer | Spinach | 4.59 | 20 | 62.58 | A |
| vinyl polymer | Strawberry | 1.36 | 7 | 121.0 | A |
| vinyl polymer | Uncultivated ag | 108.21 | 170 | 1,580.0 | A |
| vinyl polymer | Uncultivated non-ag | 1.14 | 4 | 10.3 | A |
| warfarin | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| warfarin | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| warfarin | Structural pest control | <0.01 | N/A | N/A | N/A |
| warfarin | Vertebrate control | 0.01 | N/A | N/A | N/A |
| xanthan gum | Lettuce, head | 1.93 | 43 | 170.72 | A |
| xanthan gum | Lettuce, leaf | 6.88 | 100 | 519.19 | A |
| xylene | Research commodity | 0.47 | N/A | N/A | N/A |
| yeast | Brussels sprout | 29.78 | 2 | 34.0 | A |
| yucca schidigera | Cannabis (all or unspecified) | 0.83 | 6 | 3.0 | A |
| yucca schidigera | Cannabis (all or unspecified) | 33.87 | 70 | 588,200.0 | S |
| z,e-9,12-tetradecadien-1-yl acetate | Structural pest control | <0.01 | N/A | N/A | N/A |
| zeta-cypermethrin | Artichoke, globe | 0.76 | 1 | 15.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|---|----------------|------|--------------|--------------|
| zeta-cypermethrin | Arugula | 4.43 | 35 | 135.01 | A |
| zeta-cypermethrin | Bean, dried | 0.35 | 2 | 14.0 | A |
| zeta-cypermethrin | Beet | 1.33 | 6 | 34.55 | A |
| zeta-cypermethrin | Blackberry | 5.47 | 11 | 125.05 | A |
| zeta-cypermethrin | Bok choy | 12.53 | 143 | 472.54 | A |
| zeta-cypermethrin | Broccoli | 30.03 | 105 | 1,102.48 | A |
| zeta-cypermethrin | Brussels sprout | 7.24 | 15 | 206.1 | A |
| zeta-cypermethrin | Cabbage | 1.21 | 13 | 46.15 | A |
| zeta-cypermethrin | Cauliflower | 3.4 | 15 | 135.6 | A |
| zeta-cypermethrin | Celery | 10.39 | 45 | 396.9 | A |
| zeta-cypermethrin | Chinese cabbage (napa, won bok, celery cabbage) | 17.16 | 132 | 635.29 | A |
| zeta-cypermethrin | Cilantro | 8.11 | 53 | 328.1 | A |
| zeta-cypermethrin | Collard | 0.76 | 16 | 30.45 | A |
| zeta-cypermethrin | Cucumber | 0.19 | 2 | 7.5 | A |
| zeta-cypermethrin | Endive (escarole) | 9.3 | 86 | 366.73 | A |
| zeta-cypermethrin | Garlic | 0.45 | 1 | 17.9 | A |
| zeta-cypermethrin | Grape, wine | 0.25 | 1 | 5.0 | A |
| zeta-cypermethrin | Kale | 6.37 | 40 | 175.61 | A |
| zeta-cypermethrin | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| zeta-cypermethrin | Leek | 5.82 | 39 | 185.25 | A |
| zeta-cypermethrin | Lemon | 5.9 | 21 | 196.8 | A |
| zeta-cypermethrin | Lettuce, head | 26.03 | 72 | 856.64 | A |
| zeta-cypermethrin | Lettuce, leaf | 55.47 | 234 | 1,911.47 | A |
| zeta-cypermethrin | Lettuce, leaf | <0.01 | 1 | 250.0 | S |
| zeta-cypermethrin | Mizuna | 0.34 | 3 | 7.3 | A |
| zeta-cypermethrin | Mustard greens | 7.1 | 69 | 222.97 | A |
| zeta-cypermethrin | N-grnhs plants in containers | 0.59 | 11 | 8.22 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| zeta-cypermethrin | N-outdr transplants | 1.84 | 14 | 32.0 | A |
| zeta-cypermethrin | Onion, dry | 10.26 | 34 | 419.24 | A |
| zeta-cypermethrin | Parsley | 0.37 | 1 | 15.0 | A |
| zeta-cypermethrin | Pepper, fruiting | 0.52 | 1 | 10.5 | A |
| zeta-cypermethrin | Radish | 0.09 | 1 | 3.53 | A |
| zeta-cypermethrin | Raspberry | 23.97 | 34 | 481.97 | A |
| zeta-cypermethrin | Research commodity | 0.07 | 4 | 1.58 | A |
| zeta-cypermethrin | Research commodity | 0.11 | N/A | N/A | N/A |
| zeta-cypermethrin | Spinach | 43.78 | 188 | 1,469.22 | A |
| zeta-cypermethrin | Structural pest control | <0.01 | N/A | N/A | N/A |
| zeta-cypermethrin | Swiss chard | 1.07 | 31 | 33.1 | A |
| zinc phosphide | Grape, wine | 0.4 | 2 | 85.0 | A |
| zinc phosphide | Landscape maintenance | 5.32 | N/A | N/A | N/A |
| zinc phosphide | Rangeland | 0.1 | 2 | 5.0 | A |
| zinc phosphide | Sudangrass | 1.0 | N/A | 300.0 | A |
| zinc phosphide | Uncultivated ag | 15.0 | 6 | 1,235.0 | A |
| zinc phosphide | Vertebrate control | 3.85 | N/A | N/A | N/A |