

2021 Annual Statewide Pesticide Use Report Indexed by Chemical Ventura County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| (s)-kinoprene | N-grnhs plants in containers | 4.83 | 5 | 12.08 | A |
| (s)-kinoprene | N-outdr flower | 0.2 | 1 | 2.5 | A |
| (s)-kinoprene | N-outdr plants in containers | 7.71 | 5 | 17.01 | A |
| (z)-11-hexadecen-1-yl acetate | Brussels sprout | 13.76 | 15 | 536.75 | A |
| (z)-11-hexadecen-1-yl acetate | Cabbage | 0.74 | 2 | 42.9 | A |
| (z)-11-hexadecenal | Brussels sprout | 13.76 | 15 | 536.75 | A |
| (z)-11-hexadecenal | Cabbage | 0.74 | 2 | 42.9 | A |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (industrial) | 260.26 | N/A | 8.0 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (industrial) | 143.19 | N/A | 8.0 | U |
| 1,3-dichloropropene | Blackberry | 742.47 | 1 | 11.3 | A |
| 1,3-dichloropropene | Lemon | 4,054.57 | 1 | 12.4 | A |
| 1,3-dichloropropene | N-outdr flower | 2,091.37 | 6 | 15.37 | A |
| 1,3-dichloropropene | Pepper, fruiting | 16,435.95 | 9 | 160.95 | A |
| 1,3-dichloropropene | Strawberry | 289,731.14 | 58 | 2,097.94 | A |
| 1,3-dichloropropene | Tomato | 2,994.0 | 1 | 19.4 | A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (industrial) | 488.1 | N/A | 8.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|----------------|------|--------------|--------------|
| 2,2-dibromo-3-nitrilopropionamide | Water (industrial) | 115.73 | N/A | 6.0 | U |
| 2,4-d | Landscape maintenance | 2.42 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 17.71 | 2 | 26.3 | A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 0.15 | 1 | 33,000.0 | S |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 0.02 | 1 | 2,000.0 | C |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 10.25 | 37 | 867,600.0 | S |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 184.86 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | Sod farm (turf) | 63.02 | 44 | 256.76 | A |
| 2,4-d, 2-ethylhexyl ester | Turf/sod | 281.85 | 57 | 799.4 | A |
| 2,4-d, dimethylamine salt | Apple | 5.96 | 2 | 2.75 | A |
| 2,4-d, dimethylamine salt | Apricot | 5.96 | 2 | 2.75 | A |
| 2,4-d, dimethylamine salt | Avocado | 10.9 | 2 | 8.5 | A |
| 2,4-d, dimethylamine salt | Barley | 57.23 | 6 | 102.0 | A |
| 2,4-d, dimethylamine salt | Corn, human consumption | 5.86 | 3 | 11.85 | A |
| 2,4-d, dimethylamine salt | Forage hay/silage | 1,612.22 | 17 | 588.0 | A |
| 2,4-d, dimethylamine salt | Golf course turf | 4.37 | 1 | 30.5 | A |
| 2,4-d, dimethylamine salt | Landscape maintenance | 89.7 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | N-outdr plants in containers | 2.26 | 1 | 2.0 | A |
| 2,4-d, dimethylamine salt | Oat | 54.51 | 1 | 100.0 | A |
| 2,4-d, dimethylamine salt | Orange | 26.16 | 2 | 19.0 | A |
| 2,4-d, dimethylamine salt | Peach | 5.96 | 2 | 2.75 | A |
| 2,4-d, dimethylamine salt | Plum | 5.96 | 2 | 2.75 | A |
| 2,4-d, dimethylamine salt | Rights of way | 71.53 | 28 | 62.0 | A |
| 2,4-d, dimethylamine salt | Uncultivated ag | 13.08 | 2 | 8.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| 2,4-d, isopropyl ester | Landscape maintenance | 0.98 | N/A | N/A | N/A |
| 2,4-d, isopropyl ester | Lemon | 31.47 | 33 | 542.76 | A |
| 2,4-d, isopropyl ester | Lemon | 341.46 | N/A | 617,901.0 | T |
| 2,4-d, isopropyl ester | Orange | 3.87 | 2 | 42.0 | A |
| 2,4-d, triisopropanolamine salt | Landscape maintenance | 5.37 | N/A | N/A | N/A |
| 2,4-dp-p, isoctyl ester | Golf course turf | 5.56 | N/A | 20.0 | A |
| 2,4-dp-p, isoctyl ester | Landscape maintenance | 42.13 | N/A | N/A | N/A |
| 2,4-dp-p, isoctyl ester | Sod farm (turf) | 31.09 | 38 | 211.34 | A |
| 2,4-dp-p, isoctyl ester | Turf/sod | 162.17 | 57 | 799.4 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Cucumber | 216.43 | 74 | 379.22 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Lemon | 393.01 | 2 | 113.0 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Tomato | 489.99 | 161 | 1,103.45 | A |
| 2-butoxyethanol | Rights of way | 81.59 | N/A | N/A | N/A |
| 2-methyl-4-isothiazolin-3-one | Water (industrial) | 504.83 | N/A | 921.0 | U |
| 4-aminopyridine | Structural pest control | 0.02 | N/A | N/A | N/A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Artichoke, globe | 13.33 | 21 | 467.2 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Blackberry | 0.38 | 1 | 13.5 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Brussels sprout | 7.34 | 11 | 211.7 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Cabbage | 4.42 | 16 | 160.4 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Celery | 117.89 | 161 | 3,277.98 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| 4-nonylphenol, formaldehyde resin, propoxylated | Cilantro | 2.9 | 1 | 12.7 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Collard | 1.93 | 16 | 66.05 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Cucumber | 3.74 | 5 | 9.03 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Kale | 3.79 | 18 | 125.75 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Kohlrabi | 0.02 | 2 | 0.5 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Onion, green | 0.18 | 2 | 4.7 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Parsley | 0.51 | 3 | 17.3 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Pepper, fruiting | 8.98 | 3 | 39.4 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Rights of way | 11.92 | 27 | 117.5 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Soil fumigation/preplant | 1.29 | 3 | 12.0 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Strawberry | 316.59 | 146 | 5,392.82 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Swiss chard | 0.79 | 17 | 28.45 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Tomato | 12.13 | 3 | 53.2 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Uncultivated ag | 15.54 | 5 | 77.15 | A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (industrial) | 1,424.08 | N/A | 921.0 | U |
| abamectin | Avocado | 213.98 | 526 | 10,798.24 | A |
| abamectin | Avocado | 0.22 | 8 | 481,720.0 | U |
| abamectin | Bean, succulent | 3.22 | 3 | 251.07 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------|------------------------------|----------------|-------|--------------|--------------|
| abamectin | Blackberry | 9.25 | 107 | 542.09 | A |
| abamectin | Celery | 114.89 | 493 | 7,834.01 | A |
| abamectin | Citrus | 0.89 | 8 | 47.75 | A |
| abamectin | Citrus | <0.01 | N/A | 14.0 | U |
| abamectin | Cucumber | 0.33 | 3 | 22.91 | A |
| abamectin | Golf course turf | 0.32 | 2 | 5.7 | A |
| abamectin | Grapefruit | 0.14 | 2 | 8.0 | A |
| abamectin | Herb, spice | 0.12 | 1 | 5.6 | A |
| abamectin | Landscape maintenance | 0.1 | 1 | 20.0 | A |
| abamectin | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| abamectin | Leek | 0.5 | 7 | 28.65 | A |
| abamectin | Lemon | 417.78 | 1,022 | 21,590.31 | A |
| abamectin | Lettuce, leaf | 2.38 | 31 | 138.26 | A |
| abamectin | N-grnhs flower | 0.06 | 20 | 20.0 | A |
| abamectin | N-grnhs flower | 0.02 | 4 | 100,000.0 | S |
| abamectin | N-grnhs plants in containers | 0.66 | 21 | 20.89 | A |
| abamectin | N-grnhs plants in containers | <0.01 | 2 | 1,350.0 | S |
| abamectin | N-grnhs transplants | 0.09 | 6 | 10.7 | A |
| abamectin | N-grnhs transplants | 0.03 | 3 | 27,000.0 | S |
| abamectin | N-outdr flower | 3.17 | 68 | 249.32 | A |
| abamectin | N-outdr plants in containers | 4.83 | 125 | 502.97 | A |
| abamectin | N-outdr plants in containers | 0.02 | 9 | 46,400.0 | S |
| abamectin | N-outdr transplants | 0.03 | 4 | 4.0 | A |
| abamectin | Onion, green | 2.01 | 10 | 117.9 | A |
| abamectin | Orange | 8.69 | 55 | 514.54 | A |
| abamectin | Pepper, fruiting | 30.68 | 101 | 1,712.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|----------------|------|--------------|--------------|
| abamectin | Pumpkin | 0.47 | 1 | 26.0 | A |
| abamectin | Raspberry | 18.11 | 182 | 1,052.09 | A |
| abamectin | Spinach | 15.05 | 117 | 870.77 | A |
| abamectin | Strawberry | 172.85 | 274 | 9,585.11 | A |
| abamectin | Structural pest control | 0.02 | N/A | N/A | N/A |
| abamectin | Tangerine | 12.91 | 41 | 539.81 | A |
| abamectin | Tomato | 11.13 | 63 | 621.5 | A |
| abamectin | Uncultivated ag | 0.07 | 1 | 6.0 | A |
| abamectin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| acephate | Bean, dried | 1,035.98 | 23 | 1,105.24 | A |
| acephate | Bean, succulent | 1,007.72 | 15 | 1,043.74 | A |
| acephate | Brussels sprout | 452.17 | 14 | 454.94 | A |
| acephate | Cauliflower | 20.98 | 4 | 21.0 | A |
| acephate | Celery | 5,842.35 | 371 | 6,009.93 | A |
| acephate | Fava bean | 0.5 | 1 | 0.5 | A |
| acephate | N-grnhs flower | 1.94 | 3 | 5.0 | A |
| acephate | N-grnhs plants in containers | 4.35 | 3 | 1.93 | A |
| acephate | N-outdr flower | 105.28 | 40 | 88.0 | A |
| acephate | N-outdr plants in containers | 122.5 | 54 | 112.1 | A |
| acephate | N-outdr plants in containers | 0.37 | 2 | 38,500.0 | S |
| acephate | N-outdr transplants | 0.09 | 1 | 1.5 | A |
| acephate | Pepper, fruiting | 326.85 | 18 | 343.2 | A |
| acephate | Rights of way | 1.46 | 2 | 6.0 | A |
| acephate | Structural pest control | 55.07 | N/A | N/A | N/A |
| acequinocyl | Blackberry | 80.34 | 19 | 201.69 | A |
| acequinocyl | Citrus | 0.6 | 1 | 97,000.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|------------------------------|----------------|------|--------------|--------------|
| acequinocyl | N-grnhs flower | 0.15 | 8 | 8.0 | A |
| acequinocyl | N-grnhs flower | 0.27 | 3 | 75,000.0 | S |
| acequinocyl | N-grnhs plants in containers | 1.15 | 3 | 9.0 | A |
| acequinocyl | N-grnhs transplants | 0.03 | 1 | 1.0 | A |
| acequinocyl | N-outdr flower | 5.4 | 21 | 46.8 | A |
| acequinocyl | N-outdr plants in containers | 4.74 | 18 | 11.26 | A |
| acequinocyl | Raspberry | 179.58 | 76 | 450.69 | A |
| acequinocyl | Strawberry | 4,098.6 | 271 | 10,455.6 | A |
| acequinocyl | Tomato | 9.96 | 1 | 25.0 | A |
| acetamiprid | Blackberry | 122.51 | 156 | 1,265.19 | A |
| acetamiprid | Blueberry | 1.91 | 9 | 19.0 | A |
| acetamiprid | Bok choy | 6.1 | 12 | 60.63 | A |
| acetamiprid | Broccoli | 7.22 | 10 | 103.5 | A |
| acetamiprid | Brussels sprout | 133.37 | 54 | 1,793.18 | A |
| acetamiprid | Cabbage | 99.25 | 108 | 1,334.5 | A |
| acetamiprid | Cauliflower | 5.92 | 15 | 80.2 | A |
| acetamiprid | Celery | 496.98 | 368 | 6,875.24 | A |
| acetamiprid | Collard | 4.65 | 10 | 52.9 | A |
| acetamiprid | Cucumber | 1.44 | 1 | 19.38 | A |
| acetamiprid | Kale | 7.04 | 15 | 83.38 | A |
| acetamiprid | Kohlrabi | 0.02 | 1 | 0.25 | A |
| acetamiprid | Landscape maintenance | 0.1 | N/A | N/A | N/A |
| acetamiprid | Leek | 6.41 | 19 | 43.45 | A |
| acetamiprid | Lemon | 0.7 | 1 | 9.7 | A |
| acetamiprid | Lettuce, leaf | 16.41 | 34 | 238.12 | A |
| acetamiprid | Mustard greens | 0.22 | 1 | 2.5 | A |
| acetamiprid | N-grnhs flower | 0.18 | 3 | 2.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| acetamiprid | N-grnhs plants in containers | 3.86 | 23 | 32.9 | A |
| acetamiprid | N-outdr flower | 4.93 | 27 | 72.3 | A |
| acetamiprid | N-outdr plants in containers | 150.29 | 198 | 2,400.29 | A |
| acetamiprid | N-outdr plants in containers | 0.29 | 7 | 91,300.0 | S |
| acetamiprid | Parsley | 11.77 | 28 | 157.8 | A |
| acetamiprid | Pepper, fruiting | 16.65 | 16 | 223.74 | A |
| acetamiprid | Pepper, spice | 9.38 | 5 | 126.11 | A |
| acetamiprid | Pumpkin | 2.13 | 5 | 27.0 | A |
| acetamiprid | Raspberry | 41.24 | 92 | 425.43 | A |
| acetamiprid | Regulatory pest control | 0.06 | N/A | N/A | N/A |
| acetamiprid | Spinach | 3.31 | 6 | 65.0 | A |
| acetamiprid | Strawberry | 574.22 | 111 | 4,379.1 | A |
| acetamiprid | Structural pest control | 1.74 | N/A | N/A | N/A |
| acetamiprid | Swiss chard | 0.74 | 6 | 10.25 | A |
| acetamiprid | Tomato | 17.45 | 11 | 151.0 | A |
| acetamiprid | Turnip greens | 0.22 | 1 | 2.5 | A |
| acetic acid | Apple | 3.7 | 11 | 696.86 | A |
| acetic acid | Avocado | 0.33 | 1 | 7.5 | A |
| acetic acid | Broccoli | 1.06 | 15 | 104.4 | A |
| acetic acid | Celery | 2.3 | 24 | 251.4 | A |
| acetic acid | Ditch bank | 0.26 | 1 | 3.0 | A |
| acetic acid | Pepper, fruiting | 5.22 | 31 | 570.56 | A |
| acetic acid | Uncultivated non-ag | 0.52 | 2 | 6.0 | A |
| acibenzolar-s-methyl | Golf course turf | 2.17 | 10 | 193.2 | A |
| acibenzolar-s-methyl | Kale | 0.15 | 5 | 6.55 | A |
| acibenzolar-s-methyl | Landscape maintenance | 1.76 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|------------------------------|----------------|------|--------------|--------------|
| acibenzolar-s-methyl | Lettuce, leaf | 1.35 | 13 | 43.15 | A |
| acibenzolar-s-methyl | N-grnhs flower | 0.23 | N/A | 30.0 | A |
| acibenzolar-s-methyl | N-grnhs transplants | <0.01 | 1 | 6,000.0 | S |
| acibenzolar-s-methyl | N-outdr plants in containers | 0.01 | 2 | 2.5 | A |
| acibenzolar-s-methyl | Pumpkin | 1.52 | 7 | 52.2 | A |
| acibenzolar-s-methyl | Sod farm (turf) | 0.14 | 3 | 12.32 | A |
| acibenzolar-s-methyl | Spinach | 19.19 | 146 | 1,014.71 | A |
| acibenzolar-s-methyl | Strawberry | 0.38 | 1 | 24.0 | A |
| acibenzolar-s-methyl | Tomato | 0.48 | 12 | 20.25 | A |
| acid blue 9, diammonium salt | Landscape maintenance | 2.76 | N/A | N/A | N/A |
| acid blue 9, diammonium salt | Water area | 35.31 | 16 | 24.0 | A |
| afidopyropen | Bok choy | 0.1 | 1 | 9.58 | A |
| afidopyropen | Broccoli | 0.43 | 1 | 9.5 | A |
| afidopyropen | Brussels sprout | 12.33 | 33 | 1,242.05 | A |
| afidopyropen | Cabbage | 3.14 | 21 | 251.51 | A |
| afidopyropen | Celery | 3.95 | 21 | 349.27 | A |
| afidopyropen | Collard | 0.35 | 9 | 35.65 | A |
| afidopyropen | Cucumber | 1.77 | 3 | 29.4 | A |
| afidopyropen | Gai lon | 0.02 | 1 | 1.94 | A |
| afidopyropen | Kale | 2.36 | 59 | 241.72 | A |
| afidopyropen | Lemon | 57.67 | 68 | 1,558.57 | A |
| afidopyropen | Lettuce, leaf | 3.78 | 32 | 274.51 | A |
| afidopyropen | Parsley | 2.62 | 28 | 267.1 | A |
| afidopyropen | Pepper, fruiting | 20.6 | 25 | 500.84 | A |
| afidopyropen | Spinach | 1.21 | 40 | 157.59 | A |
| afidopyropen | Swiss chard | 0.36 | 22 | 36.65 | A |
| afidopyropen | Tangerine | 2.04 | 4 | 77.0 | A |
| afidopyropen | Tomato | 10.13 | 13 | 227.98 | A |
| alcohols, c12-c14, aliphatic | Rights of way | 31.73 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------------|----------------|------|--------------|--------------|
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Industrial processing water | 259.51 | N/A | 1.0 | U |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | N-grnhs flower | 0.06 | 19 | 19.0 | A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | N-grnhs transplants | <0.01 | 1 | 1.0 | A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Public health | 0.02 | N/A | N/A | N/A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Structural pest control | 2.58 | N/A | N/A | N/A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Tomato | 0.06 | 1 | 0.84 | A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Water (industrial) | 271.87 | N/A | 1.0 | U |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Avocado | 1.29 | 2 | 17.0 | A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | N-grnhs flower | 0.16 | 22 | 22.0 | A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | N-grnhs transplants | 0.01 | 1 | 1.0 | A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Structural pest control | 0.11 | N/A | N/A | N/A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Avocado | 1.29 | 2 | 17.0 | A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Structural pest control | 0.11 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Artichoke, globe | 0.18 | 1 | 35.4 | A |
| alkyl (c8,c10) polyglucoside | Avocado | 1.54 | 6 | 44.0 | A |
| alkyl (c8,c10) polyglucoside | Beet | 0.39 | 7 | 48.35 | A |
| alkyl (c8,c10) polyglucoside | Bok choy | 0.31 | 8 | 43.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| alkyl (c8,c10) polyglucoside | Broccoli | 0.65 | 1 | 32.0 | A |
| alkyl (c8,c10) polyglucoside | Cabbage | 3.98 | 37 | 323.39 | A |
| alkyl (c8,c10) polyglucoside | Celery | 8.1 | 38 | 502.37 | A |
| alkyl (c8,c10) polyglucoside | Cilantro | 2.61 | 16 | 276.48 | A |
| alkyl (c8,c10) polyglucoside | Collard | 0.02 | 1 | 1.5 | A |
| alkyl (c8,c10) polyglucoside | Industrial site | 0.06 | N/A | 14.0 | A |
| alkyl (c8,c10) polyglucoside | Kale | 0.05 | 1 | 4.5 | A |
| alkyl (c8,c10) polyglucoside | Landscape maintenance | 60.36 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Lemon | 34.16 | 11 | 119.3 | A |
| alkyl (c8,c10) polyglucoside | Lettuce, leaf | 0.25 | 4 | 20.92 | A |
| alkyl (c8,c10) polyglucoside | N-grnhs transplants | 0.04 | 10 | 3.9 | A |
| alkyl (c8,c10) polyglucoside | N-outdr plants in containers | 15.61 | 99 | 567.0 | A |
| alkyl (c8,c10) polyglucoside | N-outdr transplants | 0.21 | 23 | 12.45 | A |
| alkyl (c8,c10) polyglucoside | Onion, green | 0.19 | 5 | 27.4 | A |
| alkyl (c8,c10) polyglucoside | Orange | 0.7 | 1 | 6.5 | A |
| alkyl (c8,c10) polyglucoside | Parsley | 0.89 | 6 | 76.8 | A |
| alkyl (c8,c10) polyglucoside | Rights of way | 5.87 | 3 | 14.0 | A |
| alkyl (c8,c10) polyglucoside | Rights of way | 1,176.77 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Spinach | 0.01 | 1 | 2.0 | A |
| alkyl (c8,c10) polyglucoside | Strawberry | 472.62 | 616 | 29,704.98 | A |
| alkyl (c8,c10) polyglucoside | Swiss chard | 0.01 | 1 | 1.0 | A |
| alkyl (c8,c10) polyglucoside | Tomato | 0.08 | 1 | 10.0 | A |
| alkyl (c9-c11) oligomeric d-glucopyranoside | Cucumber | 0.25 | 5 | 9.03 | A |
| alkyl (c9-c11) oligomeric d-glucopyranoside | Rights of way | 90.66 | N/A | N/A | N/A |
| alkyl (c9-c11) oligomeric d-glucopyranoside | Structural pest control | 1.19 | N/A | N/A | N/A |
| allyloxypolyethylene glycol acetate | Lemon | 113.77 | 2 | 113.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Basil, sweet | 0.03 | 2 | 2.73 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------|----------------|------|--------------|--------------|
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Beet | 2.41 | 24 | 153.15 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Blackberry | 31.37 | 200 | 2,503.89 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Blueberry | 29.09 | 139 | 2,589.4 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Bok choy | 0.41 | 16 | 29.96 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Broccoli | 1.56 | 57 | 133.9 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Brussels sprout | 0.74 | 4 | 24.29 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cabbage | 80.76 | 902 | 7,328.77 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cantaloupe | 0.08 | 2 | 6.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Carrot | 0.03 | 2 | 2.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cauliflower | 0.43 | 7 | 38.95 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Celery | 4.33 | 15 | 225.19 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cilantro | 7.59 | 39 | 250.64 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Collard | 1.14 | 30 | 101.54 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cucumber | 0.05 | 3 | 3.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Grape | 0.01 | 1 | 1.25 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine | 0.14 | 2 | 4.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Kale | 14.09 | 129 | 696.11 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Lemon | 0.35 | 3 | 39.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 0.02 | 1 | 1.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 1.72 | 14 | 65.1 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Melon | 0.04 | 1 | 3.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Mustard greens | 0.26 | 7 | 25.65 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.87 | 35 | 63.25 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Onion, dry | 0.02 | 1 | 1.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Onion, green | 0.09 | 1 | 10.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Parsley | 6.66 | 18 | 144.9 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 0.21 | 8 | 14.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Pumpkin | 0.24 | 3 | 18.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Radish | 11.65 | 135 | 230.38 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Rangeland | 0.03 | 3 | 3.46 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Raspberry | 69.91 | 543 | 5,884.03 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------|----------------|------|--------------|--------------|
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 0.35 | 20 | 38.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 0.16 | N/A | N/A | N/A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Spinach | 4.4 | 72 | 96.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Strawberry | 497.43 | 605 | 35,619.78 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Swiss chard | 0.93 | 7 | 80.58 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato | 0.15 | 6 | 11.5 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Turnip greens | 0.02 | 1 | 2.6 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Unknown | 1.47 | 18 | 28.7 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Watermelon | 0.12 | 3 | 9.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) sulfate, ammonium salt | Rights of way | 0.18 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 158.14 | 79 | 1,591.74 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Avocado | 151.19 | 90 | 1,415.05 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, dried | 113.39 | 24 | 1,123.24 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, succulent | 80.87 | 17 | 979.76 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Beet | 4.6 | 8 | 69.83 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|-------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Blackberry | 2.03 | 1 | 5.25 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bok choy | 153.24 | 54 | 324.45 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Broccoli | 75.65 | 34 | 317.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Brussels sprout | 407.76 | 70 | 2,573.85 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cabbage | 917.72 | 662 | 6,720.42 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Carrot | 6.69 | 1 | 47.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cauliflower | 26.06 | 68 | 507.78 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Celery | 4,354.77 | 1,463 | 24,743.93 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cilantro | 156.09 | 36 | 515.4 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Citrus | 0.31 | 2 | 4.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Collard | 1.94 | 21 | 140.05 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, human consumption | 26.31 | 66 | 277.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cucumber | 4.97 | 6 | 17.11 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Ditch bank | 62.31 | 78 | 179.6 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Endive (escarole) | 10.01 | 50 | 42.92 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Fava bean | 0.17 | 2 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Gai lon | 3.61 | 3 | 7.69 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine | 0.54 | 13 | 6.9 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grapefruit | 1.8 | 2 | 2.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Guava | 0.52 | 2 | 6.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Herb, spice | 25.01 | 50 | 160.6 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Kale | 26.28 | 68 | 423.72 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 373.61 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Leek | 53.95 | 51 | 132.03 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lemon | 346.69 | 275 | 3,243.48 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 83.9 | 12 | 181.3 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 446.06 | 185 | 1,228.99 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Mint | 1.44 | 1 | 6.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Mustard greens | 0.7 | 11 | 32.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr flower | 99.5 | 341 | 1,474.21 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 25.05 | 50 | 70.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Orange | 32.78 | 9 | 101.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Parsley | 397.2 | 155 | 1,364.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pastureland | 8.24 | 2 | 23.19 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 1,809.26 | 438 | 9,081.92 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pumpkin | 18.28 | 4 | 60.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Radish | 94.02 | 36 | 312.22 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 6.19 | 21 | 49.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 1,232.39 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Spinach | 107.63 | 37 | 348.66 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Strawberry | 2,291.18 | 259 | 10,474.76 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Structural pest control | 0.37 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Sudangrass | 0.55 | 2 | 12.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Swiss chard | 0.06 | 2 | 3.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Tangerine | 10.11 | 17 | 61.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato | 23.46 | 10 | 187.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Turnip greens | 0.62 | 11 | 29.3 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 43.21 | 51 | 291.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Lemon | 56.27 | 51 | 750.79 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Rights of way | 1.46 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Tangerine | 0.01 | 1 | 0.25 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Avocado | 20.98 | 25 | 73.1 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Bean, dried | 6.15 | 1 | 18.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Blackberry | 22.14 | 7 | 84.72 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Cabbage | 81.51 | 23 | 160.2 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Celery | 45.49 | 8 | 157.15 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Cilantro | 5.81 | 1 | 8.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Ditch bank | 78.55 | 44 | 117.1 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Leek | 0.06 | 1 | 0.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Lemon | 8.21 | 5 | 31.3 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Lettuce, leaf | 2.44 | 2 | 4.7 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | N-outdr plants in containers | 0.01 | 1 | 0.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Onion, green | 1.71 | 1 | 5.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Radish | 23.79 | 16 | 46.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Raspberry | 36.53 | 23 | 125.25 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Rights of way | 247.76 | 61 | 242.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Rights of way | 22.91 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Sod farm (turf) | 2.5 | 1 | 7.27 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Strawberry | 3,424.06 | 239 | 9,869.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Turf/sod | 588.48 | 115 | 1,675.08 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Uncultivated ag | 10.75 | 8 | 24.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Avocado | 26.09 | 3 | 72.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Blackberry | 1.44 | 10 | 26.77 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Brussels sprout | 56.32 | 18 | 764.08 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Cabbage | 233.81 | 201 | 2,692.52 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Celery | 116.03 | 26 | 534.5 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Kale | 4.1 | 21 | 88.2 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 8.11 | 5 | 37.27 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-grnhs flower | 0.12 | 3 | 2.1 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-outdr flower | 3.09 | 33 | 58.3 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 2.32 | 1 | 18.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Raspberry | 1.46 | 10 | 27.04 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Rights of way | 9.55 | 3 | 22.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Strawberry | 714.51 | 81 | 2,469.12 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Bean, dried | 19.81 | 6 | 453.24 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Bean, succulent | 20.07 | 7 | 615.67 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Beet | 1.2 | 2 | 44.44 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Bok choy | 43.78 | 54 | 324.45 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Broccoli | 7.91 | 5 | 40.0 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Cabbage | 44.06 | 30 | 488.6 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Celery | 245.44 | 69 | 1,708.72 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Cilantro | 35.97 | 22 | 345.3 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Gai lon | 1.03 | 3 | 7.69 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Kale | 3.59 | 5 | 16.64 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Leek | 13.36 | 22 | 84.33 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Lemon | 1.03 | 2 | 11.0 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Lettuce, head | 23.97 | 12 | 181.3 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 80.72 | 61 | 467.07 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Orange | 1.19 | 2 | 22.0 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Parsley | 103.84 | 92 | 1,045.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Pastureland | 2.15 | 1 | 20.0 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Radish | 26.79 | 35 | 299.6 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Spinach | 30.75 | 37 | 348.66 | A |
| alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene) | Strawberry | 542.7 | 83 | 2,625.0 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Blackberry | 2.03 | 1 | 5.25 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Brussels sprout | 141.5 | 3 | 126.2 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Celery | 0.15 | 1 | 1.5 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Corn, human consumption | 26.31 | 66 | 277.0 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Ditch bank | 6.7 | 8 | 31.5 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Lemon | 11.06 | 1 | 57.5 | A |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Structural pest control | 0.37 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 33.76 | 18 | 460.2 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Avocado | 2.49 | 1 | 63.5 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Beet | 46.53 | 80 | 604.03 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Blackberry | 163.31 | 379 | 2,306.67 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Blueberry | 2.75 | 24 | 46.04 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Brussels sprout | 254.42 | 82 | 2,828.82 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cabbage | 1,184.06 | 1,082 | 8,945.16 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cabbage, savoy | 11.84 | 24 | 137.85 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Cauliflower | 50.44 | 56 | 476.73 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Celery | 85.11 | 45 | 951.7 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Collard | 24.16 | 53 | 254.95 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Dill | 2.01 | 4 | 20.5 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Kale | 56.54 | 88 | 562.08 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Kohlrabi | 0.03 | 1 | 0.25 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Lemon | 1.41 | 1 | 18.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 32.93 | 75 | 330.38 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Mustard greens | 4.01 | 17 | 50.85 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | N-outdr flower | 0.05 | 1 | 0.67 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | N-outdr transplants | 0.35 | 2 | 6.06 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Parsley | 9.62 | 16 | 125.15 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 83.83 | 56 | 1,005.21 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Pumpkin | 4.23 | 4 | 61.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Raspberry | 163.41 | 690 | 2,300.98 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Rights of way | 0.94 | 2 | 5.0 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Rights of way | 3.53 | N/A | N/A | N/A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Spinach | 2.07 | 2 | 20.8 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Strawberry | 2,672.66 | 720 | 23,416.91 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Swiss chard | 2.85 | 31 | 40.3 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Tomato | 85.0 | 67 | 1,250.5 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Turnip greens | 2.52 | 12 | 31.9 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Bean, dried | 64.81 | 12 | 460.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Blackberry | 8.64 | 3 | 23.85 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Celery | 28.57 | 6 | 107.28 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Cilantro | 5.21 | 3 | 37.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.7 | N/A | N/A | N/A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Lemon | 0.35 | 1 | 5.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Oat | 14.08 | 1 | 100.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|---------------------|----------------|------|--------------|--------------|
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 0.28 | 1 | 4.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Rights of way | 1.94 | 4 | 10.4 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Strawberry | 32.24 | 5 | 165.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Tomato | 1.01 | 1 | 7.2 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 19.12 | 21 | 68.5 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Avocado | 1.08 | 1 | 15.0 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Blackberry | 1.25 | 2 | 7.25 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Blueberry | 2.9 | 2 | 10.01 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Herb, spice | 3.39 | 6 | 9.5 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Lemon | 256.42 | 25 | 476.12 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 1.26 | 6 | 8.75 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Mint | 0.47 | 1 | 2.1 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Rights of way | 34.11 | 61 | 236.5 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Sage | 0.07 | 1 | 0.5 | A |
| alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene) | Strawberry | 2.27 | 3 | 9.0 | A |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene) | N-grnhs transplants | 7.9 | 19 | 182,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| alpha-cypermethrin | Structural pest control | 8.48 | N/A | N/A | N/A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Basil, sweet | 0.84 | 1 | 5.0 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Blackberry | 25.02 | 16 | 175.73 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Cabbage | 53.05 | 22 | 196.36 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Celery | 1,095.79 | 108 | 2,766.86 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Lemon | 62.05 | 12 | 343.29 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Raspberry | 249.61 | 56 | 646.05 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Strawberry | 9,076.69 | 414 | 25,739.93 | A |
| alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate | Tangerine | 0.02 | 1 | 0.25 | A |
| alpha-isooctadecyl-omega-hydroxypoly(oxyethylene) | Public health | 0.05 | N/A | N/A | N/A |
| alpha-pinene beta-pinene copolymer | Basil, sweet | 1.95 | 3 | 11.23 | A |
| alpha-pinene beta-pinene copolymer | Beet | 39.97 | 19 | 145.95 | A |
| alpha-pinene beta-pinene copolymer | Blackberry | 588.8 | 201 | 2,508.42 | A |
| alpha-pinene beta-pinene copolymer | Blueberry | 545.46 | 139 | 2,589.4 | A |
| alpha-pinene beta-pinene copolymer | Bok choy | 7.74 | 16 | 29.96 | A |
| alpha-pinene beta-pinene copolymer | Broccoli | 29.21 | 57 | 133.9 | A |
| alpha-pinene beta-pinene copolymer | Brussels sprout | 63.91 | 13 | 195.99 | A |
| alpha-pinene beta-pinene copolymer | Cabbage | 1,313.83 | 880 | 7,057.95 | A |
| alpha-pinene beta-pinene copolymer | Cantaloupe | 1.5 | 2 | 6.0 | A |
| alpha-pinene beta-pinene copolymer | Carrot | 0.54 | 2 | 2.0 | A |
| alpha-pinene beta-pinene copolymer | Cauliflower | 8.95 | 9 | 41.95 | A |
| alpha-pinene beta-pinene copolymer | Celery | 45.72 | 14 | 176.34 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|------------------------------|----------------|------|--------------|--------------|
| alpha-pinene beta-pinene copolymer | Cilantro | 16.66 | 2 | 45.05 | A |
| alpha-pinene beta-pinene copolymer | Collard | 21.44 | 30 | 101.54 | A |
| alpha-pinene beta-pinene copolymer | Cucumber | 24.48 | 17 | 66.29 | A |
| alpha-pinene beta-pinene copolymer | Grape | 0.19 | 1 | 1.25 | A |
| alpha-pinene beta-pinene copolymer | Grape, wine | 2.69 | 2 | 4.0 | A |
| alpha-pinene beta-pinene copolymer | Kale | 240.6 | 73 | 659.36 | A |
| alpha-pinene beta-pinene copolymer | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| alpha-pinene beta-pinene copolymer | Leek | 5.53 | 22 | 33.9 | A |
| alpha-pinene beta-pinene copolymer | Lemon | 6.55 | 3 | 39.0 | A |
| alpha-pinene beta-pinene copolymer | Lettuce, leaf | 7.68 | 11 | 44.1 | A |
| alpha-pinene beta-pinene copolymer | Melon | 0.75 | 1 | 3.0 | A |
| alpha-pinene beta-pinene copolymer | Mint | 0.66 | 2 | 5.0 | A |
| alpha-pinene beta-pinene copolymer | Mustard greens | 4.78 | 7 | 25.65 | A |
| alpha-pinene beta-pinene copolymer | N-outdr plants in containers | 16.31 | 35 | 63.25 | A |
| alpha-pinene beta-pinene copolymer | Onion, dry | 0.32 | 1 | 1.0 | A |
| alpha-pinene beta-pinene copolymer | Onion, green | 1.67 | 1 | 10.0 | A |
| alpha-pinene beta-pinene copolymer | Parsley | 2.49 | 3 | 11.5 | A |
| alpha-pinene beta-pinene copolymer | Pepper, fruiting | 3.96 | 8 | 14.5 | A |
| alpha-pinene beta-pinene copolymer | Pumpkin | 4.51 | 3 | 18.0 | A |
| alpha-pinene beta-pinene copolymer | Radish | 3.2 | 2 | 8.0 | A |
| alpha-pinene beta-pinene copolymer | Rangeland | 0.58 | 3 | 3.46 | A |
| alpha-pinene beta-pinene copolymer | Raspberry | 1,310.81 | 543 | 5,884.03 | A |
| alpha-pinene beta-pinene copolymer | Rights of way | 6.63 | 20 | 38.5 | A |
| alpha-pinene beta-pinene copolymer | Sage | 0.11 | 1 | 1.0 | A |
| alpha-pinene beta-pinene copolymer | Strawberry | 8,583.61 | 589 | 34,569.28 | A |
| alpha-pinene beta-pinene copolymer | Swiss chard | 17.41 | 7 | 80.58 | A |
| alpha-pinene beta-pinene copolymer | Tomato | 18.28 | 16 | 69.61 | A |
| alpha-pinene beta-pinene copolymer | Turnip greens | 0.43 | 1 | 2.6 | A |
| alpha-pinene beta-pinene copolymer | Unknown | 0.21 | 2 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------|----------------|------|--------------|--------------|
| alpha-pinene beta-pinene copolymer | Watermelon | 2.26 | 3 | 9.0 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Avocado | 0.29 | 12 | 29.4 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Artichoke, globe | 136.72 | 32 | 698.74 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Asparagus | 0.16 | 1 | 2.25 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Avocado | 5.9 | 7 | 32.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, dried | 346.47 | 44 | 1,515.12 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, succulent | 39.02 | 8 | 277.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, unspecified | 5.53 | 5 | 21.83 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Beet | 4.63 | 7 | 48.35 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bok choy | 94.42 | 56 | 428.02 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Broccoli | 85.06 | 41 | 368.9 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Brussels sprout | 252.77 | 36 | 1,239.94 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cabbage | 945.88 | 699 | 6,205.7 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cauliflower | 16.87 | 16 | 73.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Celery | 2,139.86 | 747 | 11,567.27 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cilantro | 58.02 | 29 | 438.08 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Collard | 0.18 | 1 | 1.5 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cucumber | 0.93 | 1 | 8.08 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Ditch bank | 3.83 | 3 | 3.75 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Endive (escarole) | 10.01 | 50 | 42.92 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Fava bean | 0.17 | 2 | 1.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Gai lon | 35.45 | 41 | 92.34 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Grape, wine | 0.49 | 12 | 6.65 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Herb, spice | 25.01 | 50 | 160.6 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Industrial site | 0.73 | N/A | 14.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Kale | 5.04 | 11 | 39.78 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 5.21 | 2 | 22.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 1.8 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Leek | 14.91 | 42 | 94.1 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Lemon | 27.53 | 20 | 152.96 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Lettuce, leaf | 174.1 | 127 | 807.92 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-grnhs transplants | 0.42 | 10 | 3.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-outdr transplants | 2.57 | 23 | 12.45 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Onion, green | 2.23 | 5 | 27.4 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Orange | 0.48 | 1 | 6.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Parsley | 48.96 | 61 | 338.5 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Peas | 4.93 | 4 | 2.5 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Pepper, fruiting | 2,214.67 | 477 | 9,970.44 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Pumpkin | 2.04 | 2 | 14.5 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Radish | 12.31 | 16 | 48.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights of way | 25.56 | 50 | 111.5 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights of way | 68.2 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Sod farm (turf) | 23.84 | 63 | 373.19 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Spinach | 0.16 | 1 | 2.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Strawberry | 6,191.34 | 659 | 31,748.48 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Swiss chard | 0.13 | 1 | 1.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Tangerine | 0.37 | 2 | 2.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Tomato | 2.29 | 3 | 24.26 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 64.09 | 37 | 197.5 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Apple | 1.01 | 3 | 3.13 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Apricot | 1.01 | 3 | 3.13 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Avocado | 0.02 | 1 | 3.5 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Avocado | 0.01 | 6 | 33,926.0 | U |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.96 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Lemon | 0.06 | 1 | 3.4 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | N-outdr flower | 126.7 | 414 | 1,219.52 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 73.87 | 41 | 482.6 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Orange | 0.21 | 4 | 36.5 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Peach | 1.01 | 3 | 3.13 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Plum | 1.01 | 3 | 3.13 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Rights of way | 1.78 | 6 | 6.0 | A |
| aluminum phosphide | Animal burrows | 0.03 | N/A | 4.0 | A |
| aluminum phosphide | Avocado | 3.78 | 15 | 54.75 | A |
| aluminum phosphide | Citrus | 0.34 | 1 | 1.0 | A |
| aluminum phosphide | Fig | 0.16 | 2 | 4.0 | A |
| aluminum phosphide | Golf course turf | 183.15 | N/A | 4,825.0 | A |
| aluminum phosphide | Grape | 0.07 | 1 | 0.1 | A |
| aluminum phosphide | Grape, wine | 0.25 | 7 | 0.7 | A |
| aluminum phosphide | Landscape maintenance | 78.68 | 49 | 925.0 | A |
| aluminum phosphide | Landscape maintenance | 418.91 | N/A | N/A | N/A |
| aluminum phosphide | Lemon | 1.8 | 8 | 31.25 | A |
| aluminum phosphide | Macadamia nut | 15.55 | 16 | 32.0 | A |
| aluminum phosphide | Orange | 3.17 | 8 | 83.7 | A |
| aluminum phosphide | Pastureland | 1.48 | 4 | 36.0 | A |
| aluminum phosphide | Pumpkin | 1.59 | 1 | 10.0 | A |
| aluminum phosphide | Rights of way | 0.12 | 1 | 0.1 | A |
| aluminum phosphide | Structural pest control | 13.58 | N/A | N/A | N/A |
| aluminum phosphide | Tangerine | 0.98 | 4 | 28.8 | A |
| aluminum phosphide | Uncultivated ag | 33.27 | 26 | 160.5 | A |
| aluminum phosphide | Vertebrate control | 178.31 | N/A | N/A | N/A |
| ametoctradin | Collard | 1.53 | 1 | 5.6 | A |
| ametoctradin | Kale | 1.28 | 1 | 4.7 | A |
| ametoctradin | Lettuce, leaf | 29.69 | 7 | 108.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| ametoctradin | Spinach | 28.37 | 22 | 104.08 | A |
| ametoctradin | Swiss chard | 0.46 | 1 | 1.7 | A |
| aminocyclopyrachlor, potassium salt | Rights of way | 0.4 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Ditch bank | 10.83 | 39 | 110.5 | A |
| aminopyralid, triisopropanolamine salt | Landscape maintenance | 10.78 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Rights of way | 5.41 | 34 | 62.0 | A |
| aminopyralid, triisopropanolamine salt | Rights of way | 394.23 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Uncultivated ag | 0.21 | 3 | 3.5 | A |
| ammonium citrate | Raspberry | 1.06 | 1 | 11.16 | A |
| ammonium nitrate | Avocado | 0.64 | 1 | 25.0 | A |
| ammonium nitrate | Celery | 1.83 | 1 | 12.0 | A |
| ammonium nitrate | Landscape maintenance | 27.19 | N/A | N/A | N/A |
| ammonium nitrate | Lemon | 16.27 | 11 | 119.3 | A |
| ammonium nitrate | Orange | 0.34 | 1 | 6.5 | A |
| ammonium nitrate | Rights of way | 2.92 | 5 | 19.0 | A |
| ammonium nitrate | Rights of way | 560.37 | N/A | N/A | N/A |
| ammonium nitrate | Strawberry | 3.42 | 2 | 93.0 | A |
| ammonium nitrate | Structural pest control | 11.34 | N/A | N/A | N/A |
| ammonium propionate | Bean, dried | 8.49 | 1 | 18.0 | A |
| ammonium propionate | Blackberry | 30.54 | 7 | 84.72 | A |
| ammonium propionate | Cabbage | 8.64 | 2 | 18.3 | A |
| ammonium propionate | Celery | 62.37 | 7 | 156.65 | A |
| ammonium propionate | Cilantro | 8.01 | 1 | 8.5 | A |
| ammonium propionate | Ditch bank | 94.11 | 40 | 106.1 | A |
| ammonium propionate | Lemon | 10.14 | 2 | 11.5 | A |
| ammonium propionate | N-outdr plants in containers | 0.01 | 1 | 0.5 | A |
| ammonium propionate | Onion, green | 2.36 | 1 | 5.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|----------------|------|--------------|--------------|
| ammonium propionate | Raspberry | 50.39 | 23 | 125.25 | A |
| ammonium propionate | Rights of way | 5.66 | 2 | 6.0 | A |
| ammonium propionate | Rights of way | 31.6 | N/A | N/A | N/A |
| ammonium propionate | Strawberry | 4,722.84 | 239 | 9,869.2 | A |
| ammonium propionate | Uncultivated ag | 2.36 | 1 | 10.0 | A |
| ammonium sulfate | Avocado | 201.71 | 3 | 52.0 | A |
| ammonium sulfate | Bean, dried | 2.12 | 1 | 18.0 | A |
| ammonium sulfate | Blackberry | 7.63 | 7 | 84.72 | A |
| ammonium sulfate | Cabbage | 2.16 | 2 | 18.3 | A |
| ammonium sulfate | Carrot | 37.97 | 1 | 47.0 | A |
| ammonium sulfate | Celery | 65.22 | 10 | 193.15 | A |
| ammonium sulfate | Cilantro | 12.5 | 2 | 18.5 | A |
| ammonium sulfate | Citrus | 40.0 | 1 | 2.5 | A |
| ammonium sulfate | Ditch bank | 57.96 | 48 | 137.6 | A |
| ammonium sulfate | Grape, wine | 3.61 | 1 | 3.5 | A |
| ammonium sulfate | Guava | 90.0 | 2 | 6.5 | A |
| ammonium sulfate | Landscape maintenance | 96.54 | N/A | N/A | N/A |
| ammonium sulfate | Lemon | 639.04 | 19 | 229.3 | A |
| ammonium sulfate | N-outdr flower | 710.61 | 226 | 1,186.5 | A |
| ammonium sulfate | N-outdr plants in containers | 4.05 | 5 | 8.75 | A |
| ammonium sulfate | Onion, green | 0.59 | 1 | 5.0 | A |
| ammonium sulfate | Orange | 0.67 | 1 | 6.5 | A |
| ammonium sulfate | Raspberry | 14.06 | 24 | 136.41 | A |
| ammonium sulfate | Rights of way | 253.71 | 15 | 50.0 | A |
| ammonium sulfate | Rights of way | 1,134.57 | N/A | N/A | N/A |
| ammonium sulfate | Strawberry | 1,366.7 | 247 | 10,099.2 | A |
| ammonium sulfate | Tangerine | 60.0 | 1 | 4.0 | A |
| ammonium sulfate | Uncultivated ag | 1,490.59 | 15 | 106.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|------------------------------|----------------|------|--------------|--------------|
| ancymidol | N-grnhs plants in containers | 0.02 | 15 | 9.55 | A |
| atrazine | Turf/sod | 50.01 | 4 | 51.17 | A |
| atrazine, other related | Turf/sod | 0.95 | 4 | 51.17 | A |
| azadirachtin | Basil, sweet | 0.14 | 6 | 7.28 | A |
| azadirachtin | Beet | 0.69 | 2 | 38.2 | A |
| azadirachtin | Blackberry | 162.99 | 249 | 2,398.19 | A |
| azadirachtin | Blueberry | 2.33 | 9 | 115.05 | A |
| azadirachtin | Bok choy | 0.33 | 6 | 11.88 | A |
| azadirachtin | Broccoli | 0.91 | 6 | 24.31 | A |
| azadirachtin | Cabbage | 6.79 | 26 | 348.65 | A |
| azadirachtin | Celery | 56.49 | 90 | 1,898.03 | A |
| azadirachtin | Chive | 0.11 | 3 | 9.0 | A |
| azadirachtin | Cilantro | 0.02 | 2 | 2.0 | A |
| azadirachtin | Collard | 0.4 | 9 | 12.54 | A |
| azadirachtin | Cucumber | 5.03 | 32 | 153.71 | A |
| azadirachtin | Dill | 0.01 | 1 | 1.0 | A |
| azadirachtin | Herb, spice | 0.28 | 11 | 11.22 | A |
| azadirachtin | Kale | 6.58 | 19 | 187.93 | A |
| azadirachtin | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| azadirachtin | Lettuce, leaf | 0.13 | 8 | 11.0 | A |
| azadirachtin | Mint | 0.15 | 6 | 10.6 | A |
| azadirachtin | N-grnhs flower | 0.15 | 9 | 7.75 | A |
| azadirachtin | N-grnhs plants in containers | 2.45 | 39 | 44.86 | A |
| azadirachtin | N-grnhs plants in containers | 0.19 | 32 | 329,600.0 | S |
| azadirachtin | N-grnhs transplants | 1.59 | 32 | 284,600.0 | S |
| azadirachtin | N-outdr flower | 8.7 | 64 | 368.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| azadirachtin | N-outdr plants in containers | 0.82 | 9 | 16.77 | A |
| azadirachtin | N-outdr plants in containers | 0.01 | 1 | 38,000.0 | S |
| azadirachtin | Parsley | 0.01 | 1 | 0.5 | A |
| azadirachtin | Pepper, fruiting | 2.36 | 4 | 75.59 | A |
| azadirachtin | Raspberry | 19.0 | 68 | 654.14 | A |
| azadirachtin | Rosemary | 0.02 | 2 | 1.5 | A |
| azadirachtin | Sage | 0.01 | 1 | 0.5 | A |
| azadirachtin | Spinach | 0.13 | 2 | 2.96 | A |
| azadirachtin | Strawberry | 87.83 | 64 | 2,714.74 | A |
| azadirachtin | Swiss chard | 1.3 | 4 | 52.4 | A |
| azadirachtin | Tomato | 9.84 | 63 | 359.85 | A |
| azoxystrobin | Artichoke, globe | 93.9 | 14 | 386.03 | A |
| azoxystrobin | Avocado | 0.22 | 3 | 20,280.0 | U |
| azoxystrobin | Basil, sweet | 159.87 | 1 | 5.0 | A |
| azoxystrobin | Beet | 18.18 | 7 | 103.26 | A |
| azoxystrobin | Blackberry | 0.25 | 1 | 1.03 | A |
| azoxystrobin | Broccoli | 7.42 | 3 | 32.25 | A |
| azoxystrobin | Broccoli | <0.01 | N/A | 2.34 | P |
| azoxystrobin | Brussels sprout | 385.53 | 55 | 1,795.42 | A |
| azoxystrobin | Cabbage | 20.39 | 9 | 104.5 | A |
| azoxystrobin | Cabbage, savoy | 1.43 | 1 | 8.0 | A |
| azoxystrobin | Cantaloupe | <0.01 | N/A | 1,028.84 | P |
| azoxystrobin | Carrot | 0.44 | 2 | 2.0 | A |
| azoxystrobin | Carrot | 0.32 | N/A | 13,657.88 | P |
| azoxystrobin | Cauliflower | 1.95 | 2 | 10.0 | A |
| azoxystrobin | Celery | 1,433.6 | 383 | 6,046.83 | A |
| azoxystrobin | Chrysanthemum, edible leaved | 1.51 | 6 | 6.25 | A |
| azoxystrobin | Cilantro | 172.15 | 56 | 820.99 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| azoxystrobin | Collard | 11.39 | 16 | 52.85 | A |
| azoxystrobin | Cucumber | 3.4 | 3 | 15.8 | A |
| azoxystrobin | Cucumber | 2.22 | N/A | 87,264.92 | P |
| azoxystrobin | Dandelion green | 0.99 | 4 | 5.0 | A |
| azoxystrobin | Dill | 1.53 | 5 | 13.6 | A |
| azoxystrobin | Golf course turf | 72.28 | 7 | 149.7 | A |
| azoxystrobin | Grape, wine | 0.5 | 1 | 2.0 | A |
| azoxystrobin | Herb, spice | 1.76 | 4 | 9.25 | A |
| azoxystrobin | Kale | 44.78 | 43 | 231.83 | A |
| azoxystrobin | Kohlrabi | 0.1 | 2 | 0.5 | A |
| azoxystrobin | Landscape maintenance | 53.72 | N/A | N/A | N/A |
| azoxystrobin | Leek | 9.11 | 15 | 41.68 | A |
| azoxystrobin | Lemon | 1,122.19 | N/A | 645,834.0 | T |
| azoxystrobin | Lettuce, leaf | 3.81 | 3 | 15.0 | A |
| azoxystrobin | Lettuce, leaf | <0.01 | N/A | 1,004.41 | P |
| azoxystrobin | Mustard greens | 1.39 | 5 | 6.25 | A |
| azoxystrobin | N-grnhs flower | 2.11 | 6 | 18.0 | A |
| azoxystrobin | N-grnhs plants in containers | 16.11 | 65 | 87.51 | A |
| azoxystrobin | N-grnhs plants in containers | 1.95 | 29 | 1,522,650.0 | S |
| azoxystrobin | N-grnhs transplants | 0.02 | 1 | 1.0 | A |
| azoxystrobin | N-grnhs transplants | 0.03 | 1 | 6,000.0 | S |
| azoxystrobin | N-outdr flower | 8.83 | 29 | 69.8 | A |
| azoxystrobin | N-outdr plants in containers | 11.98 | 36 | 56.98 | A |
| azoxystrobin | N-outdr plants in containers | 0.35 | 8 | 23,600.0 | S |
| azoxystrobin | Onion, dry | 1.08 | N/A | 39,621.3 | P |
| azoxystrobin | Onion, green | 45.81 | 26 | 226.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------|----------------|------|--------------|--------------|
| azoxystrobin | Orange | 1.05 | N/A | 767.0 | T |
| azoxystrobin | Parsley | 122.94 | 98 | 655.48 | A |
| azoxystrobin | Pepper, fruiting | 309.91 | 99 | 1,959.05 | A |
| azoxystrobin | Pepper, fruiting | 0.02 | N/A | 808.59 | P |
| azoxystrobin | Pepper, spice | 8.86 | 2 | 61.88 | A |
| azoxystrobin | Pepper, spice | <0.01 | N/A | 1,000.0 | P |
| azoxystrobin | Pumpkin | 8.27 | 3 | 42.5 | A |
| azoxystrobin | Radish | 58.85 | 80 | 337.82 | A |
| azoxystrobin | Raspberry | 42.62 | 15 | 206.3 | A |
| azoxystrobin | Sod farm (turf) | 299.25 | 74 | 602.34 | A |
| azoxystrobin | Spinach | 0.16 | N/A | 4,767.73 | P |
| azoxystrobin | Squash | 0.74 | N/A | 24,088.16 | P |
| azoxystrobin | Strawberry | 629.69 | 76 | 2,569.1 | A |
| azoxystrobin | Swiss chard | 9.99 | 28 | 44.95 | A |
| azoxystrobin | Tomato | 0.03 | N/A | 2,302.45 | P |
| azoxystrobin | Turf/sod | 56.7 | 17 | 148.8 | A |
| azoxystrobin | Unknown | 0.25 | 2 | 1.0 | A |
| azoxystrobin | Watercress | 10.45 | 7 | 37.5 | A |
| azoxystrobin | Watermelon | 0.16 | N/A | 6,626.97 | P |
| bacillus amyloliquefaciens strain d747 | Artichoke, globe | 433.12 | 7 | 268.22 | A |
| bacillus amyloliquefaciens strain d747 | Basil, sweet | 1.5 | 4 | 5.5 | A |
| bacillus amyloliquefaciens strain d747 | Beet | 22.97 | 6 | 91.24 | A |
| bacillus amyloliquefaciens strain d747 | Blackberry | 130.13 | 3 | 70.86 | A |
| bacillus amyloliquefaciens strain d747 | Blueberry | 983.79 | 11 | 210.51 | A |
| bacillus amyloliquefaciens strain d747 | Bok choy | 1.13 | 1 | 1.5 | A |
| bacillus amyloliquefaciens strain d747 | Broccoli | 27.77 | 3 | 37.03 | A |
| bacillus amyloliquefaciens strain d747 | Cabbage | 1.25 | 1 | 5.0 | A |
| bacillus amyloliquefaciens strain d747 | Celery | 24.67 | 1 | 11.2 | A |
| bacillus amyloliquefaciens strain d747 | Cilantro | 701.31 | 28 | 527.81 | A |
| bacillus amyloliquefaciens strain d747 | Collard | 2.25 | 2 | 3.0 | A |
| bacillus amyloliquefaciens strain d747 | Cucumber | 393.38 | 10 | 35.07 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus amyloliquefaciens strain d747 | Grape, wine | 2.5 | 2 | 4.0 | A |
| bacillus amyloliquefaciens strain d747 | Herb, spice | 106.08 | 14 | 43.5 | A |
| bacillus amyloliquefaciens strain d747 | Kale | 35.26 | 6 | 30.04 | A |
| bacillus amyloliquefaciens strain d747 | Leek | 67.94 | 30 | 43.8 | A |
| bacillus amyloliquefaciens strain d747 | Lettuce, leaf | 158.98 | 23 | 179.62 | A |
| bacillus amyloliquefaciens strain d747 | Mint | 0.25 | 1 | 2.0 | A |
| bacillus amyloliquefaciens strain d747 | N-grnhs plants in containers | 60.19 | 15 | 7.45 | A |
| bacillus amyloliquefaciens strain d747 | N-grnhs transplants | 1.31 | 12 | 20.9 | A |
| bacillus amyloliquefaciens strain d747 | N-outdr plants in containers | 15.57 | 3 | 1.65 | A |
| bacillus amyloliquefaciens strain d747 | N-outdr transplants | 0.75 | 10 | 11.1 | A |
| bacillus amyloliquefaciens strain d747 | Parsley | 615.07 | 48 | 347.8 | A |
| bacillus amyloliquefaciens strain d747 | Pepper, fruiting | 182.76 | 3 | 85.11 | A |
| bacillus amyloliquefaciens strain d747 | Radish | 744.7 | 188 | 618.74 | A |
| bacillus amyloliquefaciens strain d747 | Raspberry | 1,362.87 | 47 | 477.38 | A |
| bacillus amyloliquefaciens strain d747 | Spinach | 125.72 | 36 | 193.92 | A |
| bacillus amyloliquefaciens strain d747 | Squash, summer | 3.75 | 1 | 15.0 | A |
| bacillus amyloliquefaciens strain d747 | Strawberry | 6,917.2 | 87 | 1,941.81 | A |
| bacillus amyloliquefaciens strain d747 | Tomato | 154.81 | 3 | 47.1 | A |
| bacillus amyloliquefaciens strain d747 | Unknown | 7.75 | 1 | 3.5 | A |
| bacillus amyloliquefaciens strain mbi 600 | Artichoke, globe | 2.48 | 1 | 30.0 | A |
| bacillus amyloliquefaciens strain mbi 600 | Blueberry | 1.33 | 4 | 48.26 | A |
| bacillus amyloliquefaciens strain mbi 600 | Celery | 4.34 | 6 | 61.8 | A |
| bacillus amyloliquefaciens strain mbi 600 | Collard | 0.28 | 2 | 5.0 | A |
| bacillus amyloliquefaciens strain mbi 600 | Kale | 4.62 | 2 | 48.0 | A |
| bacillus amyloliquefaciens strain mbi 600 | Lettuce, leaf | 3.47 | 2 | 31.5 | A |
| bacillus amyloliquefaciens strain mbi 600 | Raspberry | 5.67 | 25 | 206.05 | A |
| bacillus amyloliquefaciens strain mbi 600 | Strawberry | 13.15 | 14 | 157.09 | A |
| bacillus mycoides isolate j | Beet | 22.71 | 21 | 263.77 | A |
| bacillus mycoides isolate j | Cabbage | 9.96 | 16 | 164.03 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-----------------------|----------------|------|--------------|--------------|
| bacillus mycoides isolate j | Kale | 1.56 | 26 | 31.16 | A |
| bacillus mycoides isolate j | Lettuce, leaf | 0.64 | 8 | 9.21 | A |
| bacillus mycoides isolate j | Parsley | 0.6 | 1 | 10.3 | A |
| bacillus mycoides isolate j | Spinach | 1.57 | 26 | 31.34 | A |
| bacillus pumilus, strain qst 2808 | Broccoli | 1.28 | 1 | 14.23 | A |
| bacillus pumilus, strain qst 2808 | Grape | 0.11 | 1 | 1.25 | A |
| bacillus pumilus, strain qst 2808 | Grape, wine | 0.36 | 2 | 4.0 | A |
| bacillus pumilus, strain qst 2808 | Lettuce, leaf | 14.64 | 20 | 160.64 | A |
| bacillus pumilus, strain qst 2808 | Strawberry | 26.33 | 20 | 310.91 | A |
| bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins | Landscape maintenance | 0.45 | N/A | N/A | N/A |
| bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins | Public health | 0.55 | N/A | N/A | N/A |
| bacillus subtilis gb03 | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner) | N-grnhs flower | <0.01 | 2 | 2.0 | A |
| bacillus thuringiensis (berliner) | Public health | 0.24 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Broccoli | 35.13 | 6 | 37.25 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Brussels sprout | 790.26 | 26 | 976.66 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Cabbage | 1,581.44 | 119 | 1,599.84 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Celery | 179.53 | 14 | 206.0 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Kale | 7.38 | 8 | 9.75 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | N-grnhs flower | 0.1 | 2 | 2.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | N-grnhs transplants | 0.04 | 1 | 2.0 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | N-outdr flower | 10.03 | 22 | 215.0 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | N-outdr transplants | 0.03 | 1 | 1.5 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein | Radish | 31.36 | 9 | 44.6 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7 | Basil, sweet | 0.88 | 1 | 8.5 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7 | Mint | 0.21 | 1 | 2.0 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7 | N-grnhs flower | 0.1 | 1 | 0.7 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7 | N-outdr flower | 6.46 | 29 | 48.2 | A |
| bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7 | Sage | 0.1 | 1 | 1.0 | A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Landscape maintenance | 105.56 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | N-grnhs transplants | 0.09 | 2 | 27,000.0 | S |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Public health | 19.62 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Structural pest control | 0.29 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b | N-grnhs flower | 0.04 | 10 | 10.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Basil, sweet | 2.74 | 8 | 34.01 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Beet | 11.51 | 19 | 181.64 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Blackberry | 735.21 | 94 | 1,167.82 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Blueberry | 1,515.53 | 88 | 1,928.44 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Brussels sprout | 811.75 | 21 | 955.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cabbage | 1,496.68 | 208 | 1,890.63 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cabbage, savoy | 12.17 | 11 | 61.13 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Celery | 28.9 | 6 | 26.25 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Chive | 1.01 | 3 | 9.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Collard | 49.44 | 21 | 54.52 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Cucumber | 4.34 | 15 | 68.75 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Herb, spice | 0.36 | 4 | 6.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Industrial hemp | 7.65 | 1 | 6.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Kale | 128.83 | 32 | 142.4 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Lettuce, leaf | 0.36 | 2 | 2.25 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Mint | 2.78 | 12 | 23.25 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Mustard | 0.6 | 7 | 5.75 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Mustard greens | 2.08 | 14 | 18.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | N-grnhs flower | 0.26 | 3 | 2.7 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | N-outdr flower | 37.48 | 72 | 314.4 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | N-outdr plants in containers | 21.53 | 12 | 54.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Parsley | 4.05 | 15 | 106.68 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Raspberry | 3,405.2 | 370 | 4,656.23 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Squash | 2.51 | 3 | 51.3 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Strawberry | 5,055.34 | 195 | 7,405.85 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Swiss chard | 10.02 | 16 | 21.55 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Unknown | 2.13 | 1 | 2.5 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Watercress | 5.34 | 8 | 8.0 | A |
| bacillus thuringiensis ssp kurstaki, strain evb 113 19 | Bok choy | 2.89 | 2 | 8.52 | A |
| bacillus thuringiensis ssp kurstaki, strain evb 113 19 | Brussels sprout | 127.72 | 14 | 604.4 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Brussels sprout | 816.93 | 29 | 1,095.68 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Cabbage | 876.9 | 76 | 1,130.77 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Cabbage, savoy | 46.52 | 10 | 58.17 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Kale | 4.8 | 1 | 12.0 | A |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | Pepper, fruiting | 14.4 | 1 | 18.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Artichoke, globe | 36.45 | 2 | 45.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Avocado | 48.6 | 1 | 60.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Beet | 19.54 | 3 | 28.18 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Blackberry | 385.73 | 38 | 472.71 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Blueberry | 833.64 | 51 | 1,108.33 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Bok choy | 308.25 | 72 | 318.08 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Broccoli | 444.07 | 87 | 435.68 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Brussels sprout | 2,685.54 | 106 | 3,761.13 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Cabbage | 15,101.62 | 1,895 | 17,121.58 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Cabbage, savoy | 12.64 | 2 | 11.7 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Cauliflower | 245.01 | 56 | 458.18 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Celery | 4,910.38 | 380 | 5,954.7 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Chicory | 1.08 | 1 | 1.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Cilantro | 146.62 | 18 | 181.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Collard | 334.61 | 117 | 414.84 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Corn, human consumption | 8.55 | 6 | 15.83 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Gai lon | 3.48 | 7 | 6.45 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Kale | 1,640.73 | 202 | 1,751.92 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Kohlrabi | 0.81 | 3 | 0.75 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Lettuce, head | 0.27 | 1 | 0.5 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Lettuce, leaf | 210.8 | 28 | 276.19 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Mint | 2.84 | 2 | 3.5 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Mustard greens | 43.21 | 23 | 66.75 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | N-outdr flower | 16.49 | 6 | 17.69 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | N-outdr plants in containers | 15.66 | 7 | 29.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Parsley | 124.85 | 34 | 205.6 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Peas | 0.26 | 1 | 0.49 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Pepper, fruiting | 34.37 | 3 | 33.32 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Radish | 239.06 | 33 | 241.8 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Raspberry | 3,484.16 | 224 | 3,449.32 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Rights of way | 12.15 | 1 | 15.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Spinach | 229.71 | 58 | 349.53 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Strawberry | 9,665.83 | 270 | 10,940.42 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Swiss chard | 216.52 | 53 | 232.23 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Tomato | 29.16 | 3 | 46.0 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Turnip | 3.02 | 2 | 2.8 | A |
| bacillus thuringiensis, subsp. aizawai, strain abts-1857 | Turnip greens | 19.98 | 12 | 31.9 | A |
| bacillus thuringiensis, subsp. aizawai, strain sd-1372, lepidopteran active toxin(s) | Cabbage | 3.09 | 1 | 15.0 | A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | N-grnhs transplants | 3.62 | 2 | 30,000.0 | S |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Public health | 2.49 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Apple | 732.93 | 9 | 824.78 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Avocado | 44.28 | 1 | 41.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Beet | 8.1 | 1 | 12.06 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Bok choy | 1.73 | 1 | 1.6 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Broccoli | 55.05 | 13 | 51.72 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Brussels sprout | 1,447.17 | 72 | 2,500.24 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cabbage | 206.78 | 33 | 236.46 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cauliflower | 1.89 | 3 | 2.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Chicory | 1.08 | 1 | 1.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Chive | 1.62 | 1 | 3.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Cilantro | 1.35 | 2 | 2.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Collard | 9.61 | 3 | 8.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Dill | 1.62 | 1 | 1.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Herb, spice | 0.19 | 1 | 0.7 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Kale | 9.8 | 2 | 10.2 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Mint | 4.05 | 4 | 7.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Mustard greens | 4.59 | 2 | 4.75 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs plants in containers | 2.05 | 3 | 1.9 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs plants in containers | 1.08 | 3 | 126,000.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr plants in containers | 38.58 | 7 | 35.13 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Raspberry | 12.02 | 1 | 11.13 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Strawberry | 1,999.98 | 65 | 2,302.09 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Swiss chard | 11.93 | 7 | 14.3 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Turnip greens | 2.43 | 1 | 2.25 | A |
| bacillus thuringiensis, subsp. kurstaki, strain hd-1 | N-outdr plants in containers | 0.1 | 1 | 1.0 | A |
| beauveria bassiana strain gha | Blackberry | 306.69 | 82 | 869.12 | A |
| beauveria bassiana strain gha | Blueberry | 6.41 | 2 | 29.26 | A |
| beauveria bassiana strain gha | Bok choy | 1.9 | 2 | 2.88 | A |
| beauveria bassiana strain gha | Broccoli | 9.25 | 5 | 14.06 | A |
| beauveria bassiana strain gha | Collard | 0.66 | 1 | 1.0 | A |
| beauveria bassiana strain gha | Cucumber | 19.94 | 12 | 44.1 | A |
| beauveria bassiana strain gha | Herb, spice | 0.66 | 4 | 6.0 | A |
| beauveria bassiana strain gha | Kale | 12.62 | 2 | 19.2 | A |
| beauveria bassiana strain gha | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| beauveria bassiana strain gha | Lettuce, leaf | 1.53 | 10 | 14.0 | A |
| beauveria bassiana strain gha | Mint | 0.23 | 1 | 2.1 | A |
| beauveria bassiana strain gha | N-grnhs flower | 19.83 | 9 | 72.0 | A |
| beauveria bassiana strain gha | N-grnhs plants in containers | 7.95 | 20 | 23.16 | A |
| beauveria bassiana strain gha | N-grnhs transplants | 1.87 | 6 | 69,000.0 | S |
| beauveria bassiana strain gha | N-outdr plants in containers | 0.55 | 2 | 1.5 | A |
| beauveria bassiana strain gha | Public health | 0.04 | N/A | N/A | N/A |
| beauveria bassiana strain gha | Raspberry | 87.13 | 16 | 73.07 | A |
| beauveria bassiana strain gha | Sage | 0.05 | 1 | 0.5 | A |
| beauveria bassiana strain gha | Spinach | 0.86 | 1 | 1.96 | A |
| beauveria bassiana strain gha | Strawberry | 152.83 | 13 | 698.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| beauveria bassiana strain gha | Structural pest control | 0.97 | N/A | N/A | N/A |
| beauveria bassiana strain gha | Swiss chard | 7.67 | 1 | 11.68 | A |
| beauveria bassiana strain gha | Tomato | 66.04 | 38 | 160.4 | A |
| beauveria bassiana strain ppri 5339 | Cucumber | 0.16 | 1 | 1.68 | A |
| beauveria bassiana strain ppri 5339 | Tomato | 0.1 | 1 | 1.5 | A |
| benefin | Landscape maintenance | 0.75 | N/A | N/A | N/A |
| bensulide | Bok choy | 274.36 | 34 | 56.5 | A |
| bensulide | Chrysanthemum, edible leaved | 69.9 | 14 | 14.25 | A |
| bensulide | Cucumber | 113.58 | 3 | 22.91 | A |
| bensulide | Endive (escarole) | 83.92 | 16 | 14.09 | A |
| bensulide | Kale | 220.36 | 8 | 50.0 | A |
| bensulide | Lettuce, leaf | 1,828.05 | 48 | 332.08 | A |
| bensulide | N-outdr flower | 159.13 | 7 | 38.2 | A |
| bensulide | Pumpkin | 21.42 | 1 | 3.6 | A |
| bensulide | Squash, winter | 4.48 | 1 | 0.75 | A |
| bentazon, sodium salt | Bean, dried | 877.64 | 23 | 799.62 | A |
| bentonite | Avocado | 24.75 | 5 | 38.0 | A |
| bentonite | Grapefruit | 13.08 | 2 | 14.82 | A |
| bentonite | Lemon | 2,746.3 | 116 | 2,468.78 | A |
| bentonite | Olive | 2.7 | 1 | 3.0 | A |
| bentonite | Orange | 3.0 | 1 | 2.0 | A |
| bentonite | Orchard floor | 119.67 | 1 | 66.35 | A |
| bentonite | Tangerine | 198.82 | 11 | 174.83 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Avocado | 9.69 | 73 | 387.05 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Ditch bank | 0.07 | 5 | 4.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| benzenesulfonic acid, c10-16-alkyl derivatives | Lemon | 8.71 | 34 | 258.43 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | N-outdr plants in containers | 16.81 | 242 | 403.25 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Orange | 11.64 | 41 | 369.0 | A |
| benzenesulfonic acid, c10-16-alkyl derivatives | Pastureland | 0.87 | 5 | 27.5 | A |
| benzoic acid | N-outdr plants in containers | 5.57 | 41 | 2,082.25 | A |
| benzoic acid | Rights of way | 4.98 | N/A | N/A | N/A |
| benzovindiflupyr | Golf course turf | 0.14 | N/A | 2.0 | A |
| benzovindiflupyr | Landscape maintenance | 0.55 | 1 | 337.0 | A |
| benzovindiflupyr | Landscape maintenance | 3.6 | N/A | N/A | N/A |
| beta-conglutin | Strawberry | 80.89 | 5 | 129.29 | A |
| beta-cyfluthrin | Bok choy | 8.89 | 48 | 345.26 | A |
| beta-cyfluthrin | Brussels sprout | 16.17 | 17 | 600.17 | A |
| beta-cyfluthrin | Cabbage | 2.79 | 36 | 89.11 | A |
| beta-cyfluthrin | Carrot | 3.8 | 4 | 146.3 | A |
| beta-cyfluthrin | Cauliflower | 4.76 | 21 | 175.4 | A |
| beta-cyfluthrin | Celery | 28.6 | 120 | 1,111.69 | A |
| beta-cyfluthrin | Chrysanthemum, edible leaved | 0.24 | 10 | 9.25 | A |
| beta-cyfluthrin | Citrus | 0.06 | 2 | 180,690.0 | U |
| beta-cyfluthrin | Collard | 2.18 | 12 | 82.95 | A |
| beta-cyfluthrin | Corn, human consumption | 0.81 | 6 | 15.83 | A |
| beta-cyfluthrin | Dandelion green | 0.11 | 4 | 4.5 | A |
| beta-cyfluthrin | Gai lon | 1.81 | 32 | 70.34 | A |
| beta-cyfluthrin | Grapefruit | 0.08 | 1 | 1.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| beta-cyfluthrin | Kale | 4.77 | 34 | 175.81 | A |
| beta-cyfluthrin | Landscape maintenance | 0.33 | N/A | N/A | N/A |
| beta-cyfluthrin | Lemon | 26.18 | 58 | 820.5 | A |
| beta-cyfluthrin | Lettuce, leaf | 0.65 | 20 | 22.85 | A |
| beta-cyfluthrin | Mustard | 0.06 | 3 | 2.5 | A |
| beta-cyfluthrin | Mustard greens | 1.8 | 25 | 66.1 | A |
| beta-cyfluthrin | N-outdr plants in containers | 0.44 | 6 | 4.03 | A |
| beta-cyfluthrin | Orange | 9.59 | 23 | 195.0 | A |
| beta-cyfluthrin | Parsley | 1.15 | 22 | 45.5 | A |
| beta-cyfluthrin | Peas | 0.04 | 3 | 1.66 | A |
| beta-cyfluthrin | Pepper, fruiting | 0.14 | 13 | 4.0 | A |
| beta-cyfluthrin | Public health | 1.22 | N/A | N/A | N/A |
| beta-cyfluthrin | Regulatory pest control | <0.01 | 1 | 1.0 | U |
| beta-cyfluthrin | Regulatory pest control | 2.17 | N/A | N/A | N/A |
| beta-cyfluthrin | Spinach | 0.52 | 2 | 20.8 | A |
| beta-cyfluthrin | Structural pest control | 93.83 | N/A | N/A | N/A |
| beta-cyfluthrin | Swiss chard | 0.51 | 12 | 19.55 | A |
| beta-cyfluthrin | Tangerine | 3.33 | 9 | 122.18 | A |
| beta-cyfluthrin | Tomato | 5.89 | 9 | 190.0 | A |
| beta-cyfluthrin | Turnip greens | 0.85 | 12 | 31.9 | A |
| bifenazate | Blackberry | 92.5 | 34 | 197.94 | A |
| bifenazate | Landscape maintenance | 0.23 | N/A | N/A | N/A |
| bifenazate | N-grnhs flower | 0.48 | 11 | 11.0 | A |
| bifenazate | N-grnhs flower | 0.32 | 4 | 100,000.0 | S |
| bifenazate | N-grnhs plants in containers | 1.0 | 2 | 4.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bifenthrin | N-grnhs transplants | 0.08 | 1 | 1.0 | A |
| bifenthrin | N-grnhs transplants | 0.5 | 3 | 32,000.0 | S |
| bifenthrin | N-outdr flower | 8.11 | 26 | 55.71 | A |
| bifenthrin | N-outdr plants in containers | 2.36 | 7 | 7.73 | A |
| bifenthrin | Raspberry | 321.06 | 118 | 679.25 | A |
| bifenthrin | Strawberry | 6,918.24 | 334 | 14,003.02 | A |
| bifenthrin | Artichoke, globe | 58.67 | 28 | 590.94 | A |
| bifenthrin | Beet | 15.74 | 38 | 241.64 | A |
| bifenthrin | Blackberry | 47.58 | 58 | 497.98 | A |
| bifenthrin | Blueberry | 1.53 | 8 | 15.32 | A |
| bifenthrin | Broccoli | 5.79 | 9 | 59.0 | A |
| bifenthrin | Brussels sprout | 36.39 | 25 | 364.03 | A |
| bifenthrin | Cabbage | 12.87 | 33 | 132.41 | A |
| bifenthrin | Cabbage, savoy | 1.2 | 2 | 13.0 | A |
| bifenthrin | Cauliflower | 3.72 | 9 | 37.5 | A |
| bifenthrin | Celery | 265.84 | 150 | 2,721.94 | A |
| bifenthrin | Cilantro | 7.49 | 7 | 77.37 | A |
| bifenthrin | Cucumber | 2.23 | 4 | 23.91 | A |
| bifenthrin | Golf course turf | 0.02 | N/A | 3,000.0 | S |
| bifenthrin | Landscape maintenance | 26.41 | N/A | N/A | N/A |
| bifenthrin | Lettuce, leaf | 0.38 | 19 | 4.75 | A |
| bifenthrin | N-grnhs plants in containers | 3.35 | 10 | 20.2 | A |
| bifenthrin | N-grnhs plants in containers | 0.07 | 4 | 8,800.0 | S |
| bifenthrin | N-grnhs transplants | 0.1 | 1 | 3.0 | A |
| bifenthrin | N-outdr flower | 2.01 | 10 | 17.0 | A |
| bifenthrin | N-outdr plants in containers | 13.24 | 97 | 199.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bifenthrin | N-outdr plants in containers | 0.47 | 19 | 102,100.0 | S |
| bifenthrin | N-outdr transplants | 0.03 | 1 | 1.0 | A |
| bifenthrin | Pepper, fruiting | 5.36 | 6 | 59.01 | A |
| bifenthrin | Pepper, spice | 7.27 | 6 | 145.34 | A |
| bifenthrin | Public health | 8.47 | N/A | N/A | N/A |
| bifenthrin | Pumpkin | 5.28 | 5 | 61.5 | A |
| bifenthrin | Raspberry | 40.68 | 76 | 415.42 | A |
| bifenthrin | Regulatory pest control | 12.41 | N/A | N/A | N/A |
| bifenthrin | Sod farm (turf) | 1.31 | 6 | 14.98 | A |
| bifenthrin | Strawberry | 1,034.41 | 190 | 8,979.59 | A |
| bifenthrin | Structural pest control | 771.77 | N/A | N/A | N/A |
| bifenthrin | Tomato | 39.13 | 32 | 587.7 | A |
| borax | Blackberry | 0.01 | 1 | 0.25 | A |
| borax | Blueberry | 0.08 | 1 | 3.68 | A |
| borax | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| borax | Raspberry | 0.02 | 1 | 2.45 | A |
| borax | Strawberry | 13.51 | 27 | 1,757.35 | A |
| borax | Structural pest control | 7.31 | N/A | N/A | N/A |
| boric acid | Landscape maintenance | 36.98 | N/A | N/A | N/A |
| boric acid | Regulatory pest control | 1.53 | N/A | N/A | N/A |
| boric acid | Rights of way | 9.56 | N/A | N/A | N/A |
| boric acid | Structural pest control | 3,175.26 | N/A | N/A | N/A |
| boscalid | Blackberry | 17.3 | 6 | 48.65 | A |
| boscalid | Brussels sprout | 85.64 | 5 | 217.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| boscalid | Cabbage | 108.01 | 23 | 281.2 | A |
| boscalid | Celery | 2,798.33 | 392 | 7,140.38 | A |
| boscalid | Cucumber | 6.72 | 5 | 25.08 | A |
| boscalid | Grape, wine | 1.54 | 2 | 4.24 | A |
| boscalid | Leek | 2.46 | 4 | 8.3 | A |
| boscalid | Lettuce, head | 31.28 | 3 | 65.0 | A |
| boscalid | Lettuce, leaf | 160.04 | 54 | 366.8 | A |
| boscalid | N-grnhs flower | 1.44 | 37 | 36.2 | A |
| boscalid | N-grnhs plants in containers | 26.18 | 58 | 67.6 | A |
| boscalid | N-grnhs transplants | 2.28 | 8 | 12.1 | A |
| boscalid | N-outdr flower | 83.07 | 149 | 555.0 | A |
| boscalid | N-outdr plants in containers | 20.68 | 36 | 58.86 | A |
| boscalid | N-outdr transplants | 1.63 | 5 | 4.3 | A |
| boscalid | Pumpkin | 6.62 | 2 | 30.0 | A |
| boscalid | Raspberry | 131.12 | 66 | 361.99 | A |
| boscalid | Strawberry | 2,603.06 | 134 | 7,512.09 | A |
| boscalid | Tomato | 11.77 | 2 | 43.7 | A |
| brodifacoum | Avocado | <0.01 | 2 | 42.0 | A |
| brodifacoum | Structural pest control | 0.02 | N/A | N/A | N/A |
| bromacil | Rights of way | 43.2 | N/A | N/A | N/A |
| bromadiolone | Avocado | <0.01 | 4 | 24.0 | A |
| bromadiolone | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| bromadiolone | Lemon | <0.01 | 4 | 88.0 | A |
| bromadiolone | Orange | <0.01 | 1 | 0.2 | A |
| bromadiolone | Pastureland | <0.01 | 5 | 45.0 | A |
| bromadiolone | Regulatory pest control | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bromadiolone | Rights of way | <0.01 | 1 | 4.0 | A |
| bromadiolone | Structural pest control | 0.03 | N/A | N/A | N/A |
| bromethalin | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| bromethalin | Pastureland | <0.01 | 12 | 108.0 | A |
| bromethalin | Regulatory pest control | 0.04 | N/A | N/A | N/A |
| bromethalin | Structural pest control | 0.74 | N/A | N/A | N/A |
| bromethalin | Vertebrate control | 0.05 | N/A | N/A | N/A |
| buprofezin | Lemon | 746.99 | 21 | 515.95 | A |
| buprofezin | N-grnhs plants in containers | 1.05 | 1 | 0.5 | A |
| buprofezin | Orange | 21.0 | 1 | 12.0 | A |
| buprofezin | Tomato | 157.09 | 45 | 413.18 | A |
| burkholderia sp strain a396 cells and fermentation media | Beet | 1,765.03 | 31 | 223.09 | A |
| burkholderia sp strain a396 cells and fermentation media | Blackberry | 2,995.45 | 58 | 691.89 | A |
| burkholderia sp strain a396 cells and fermentation media | Bok choy | 323.71 | 19 | 37.4 | A |
| burkholderia sp strain a396 cells and fermentation media | Broccoli | 64.05 | 6 | 14.8 | A |
| burkholderia sp strain a396 cells and fermentation media | Celery | 658.33 | 42 | 106.89 | A |
| burkholderia sp strain a396 cells and fermentation media | Collard | 37.39 | 3 | 4.32 | A |
| burkholderia sp strain a396 cells and fermentation media | Kale | 801.83 | 12 | 92.64 | A |
| burkholderia sp strain a396 cells and fermentation media | Raspberry | 192.41 | 4 | 44.46 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| burkholderia sp strain a396 cells and fermentation media | Spinach | 65.43 | 6 | 7.56 | A |
| burkholderia sp strain a396 cells and fermentation media | Strawberry | 3,127.7 | 39 | 634.22 | A |
| burkholderia sp strain a396 cells and fermentation media | Swiss chard | 293.07 | 3 | 33.86 | A |
| butyl alcohol | Rights of way | 0.64 | N/A | N/A | N/A |
| calcium hydroxide | Avocado | 121.5 | 2 | 61.56 | A |
| calcium hydroxide | Grapefruit | 71.28 | 2 | 14.82 | A |
| calcium hydroxide | Lemon | 7,546.48 | 94 | 2,328.51 | A |
| calcium hydroxide | Orange | 1.84 | 1 | 2.0 | A |
| calcium hydroxide | Orchard floor | 179.51 | 1 | 66.35 | A |
| calcium hydroxide | Tangerine | 407.55 | 10 | 162.83 | A |
| canola oil | N-outdr plants in containers | 6.87 | 2 | 25.45 | A |
| capric acid | Avocado | 467.86 | 5 | 42.0 | A |
| capric acid | Celery | 2,975.25 | 30 | 328.95 | A |
| capric acid | Collard | 25.19 | 1 | 2.5 | A |
| capric acid | Ditch bank | 43.19 | 1 | 3.0 | A |
| capric acid | Herb, spice | 92.22 | 4 | 6.0 | A |
| capric acid | Kale | 241.85 | 1 | 24.0 | A |
| capric acid | Lemon | 3.37 | 2 | 2.0 | A |
| capric acid | N-outdr plants in containers | 0.22 | 1 | 0.5 | A |
| capric acid | Parsley | 176.35 | 3 | 16.5 | A |
| capric acid | Raspberry | 580.01 | 7 | 50.76 | A |
| capric acid | Rights of way | 4.05 | 1 | 0.36 | A |
| capric acid | Strawberry | 829.63 | 3 | 46.5 | A |
| capric acid | Uncultivated non-ag | 129.56 | 2 | 6.0 | A |
| caprylic acid | Avocado | 687.18 | 5 | 42.0 | A |
| caprylic acid | Celery | 4,085.71 | 30 | 328.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|------------------------------|----------------|-------|--------------|--------------|
| caprylic acid | Collard | 37.0 | 1 | 2.5 | A |
| caprylic acid | Ditch bank | 63.43 | 1 | 3.0 | A |
| caprylic acid | Herb, spice | 135.45 | 4 | 6.0 | A |
| caprylic acid | Kale | 355.22 | 1 | 24.0 | A |
| caprylic acid | Lemon | 4.96 | 2 | 2.0 | A |
| caprylic acid | N-outdr plants in containers | 0.33 | 1 | 0.5 | A |
| caprylic acid | Parsley | 259.01 | 3 | 16.5 | A |
| caprylic acid | Raspberry | 708.9 | 7 | 50.76 | A |
| caprylic acid | Rights of way | 5.95 | 1 | 0.36 | A |
| caprylic acid | Strawberry | 1,013.99 | 3 | 46.5 | A |
| caprylic acid | Uncultivated non-ag | 190.3 | 2 | 6.0 | A |
| capsicum oleoresin | Celery | 0.05 | 2 | 2.0 | A |
| capsicum oleoresin | N-outdr plants in containers | 0.98 | 5 | 25.98 | A |
| capsicum oleoresin | Pepper, fruiting | 0.05 | 1 | 4.0 | A |
| capsicum oleoresin | Tomato | 0.37 | 4 | 4.55 | A |
| captan | Blackberry | 302.95 | 37 | 145.9 | A |
| captan | Blueberry | 27.31 | 19 | 17.05 | A |
| captan | Raspberry | 576.24 | 105 | 278.42 | A |
| captan | Strawberry | 117,779.72 | 1,644 | 72,340.75 | A |
| captan, other related | Strawberry | 1,546.74 | 973 | 41,589.02 | A |
| carbaryl | Blackberry | 122.98 | 5 | 61.31 | A |
| carbaryl | Brussels sprout | 83.75 | 1 | 55.67 | A |
| carbaryl | Grapefruit | 11.4 | 1 | 5.7 | A |
| carbaryl | Landscape maintenance | 7.91 | N/A | N/A | N/A |
| carbaryl | Lemon | 24.0 | 2 | 29.0 | A |
| carbaryl | N-grnhs transplants | 0.09 | 3 | 7,320.0 | S |
| carbaryl | N-outdr flower | 15.35 | 4 | 15.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|----------------|------|--------------|--------------|
| carbaryl | N-outdr plants in containers | 43.99 | 173 | 73.1 | A |
| carbaryl | Orange | 125.0 | 3 | 62.5 | A |
| carbaryl | Structural pest control | 0.04 | N/A | N/A | N/A |
| carbaryl | Tangerine | 27.0 | 1 | 13.5 | A |
| carbon | Landscape maintenance | 3.01 | N/A | N/A | N/A |
| carbon | Vertebrate control | 3.39 | N/A | N/A | N/A |
| carbon dioxide | Landscape maintenance | 916.72 | N/A | N/A | N/A |
| carfentrazone-ethyl | Avocado | 71.06 | 339 | 7,697.55 | A |
| carfentrazone-ethyl | Cabbage | 1.18 | 3 | 44.9 | A |
| carfentrazone-ethyl | Celery | 14.45 | 30 | 540.36 | A |
| carfentrazone-ethyl | Cilantro | 1.09 | 3 | 37.0 | A |
| carfentrazone-ethyl | Golf course turf | 0.69 | 2 | 26.3 | A |
| carfentrazone-ethyl | Golf course turf | 0.01 | 1 | 33,000.0 | S |
| carfentrazone-ethyl | Grapefruit | 0.06 | 2 | 2.0 | A |
| carfentrazone-ethyl | Industrial site | 0.04 | N/A | 14.0 | A |
| carfentrazone-ethyl | Landscape maintenance | <0.01 | 1 | 2,000.0 | C |
| carfentrazone-ethyl | Landscape maintenance | 0.53 | 37 | 867,600.0 | S |
| carfentrazone-ethyl | Landscape maintenance | 9.63 | N/A | N/A | N/A |
| carfentrazone-ethyl | Lemon | 2.19 | 27 | 110.7 | A |
| carfentrazone-ethyl | Orange | 0.06 | 1 | 2.5 | A |
| carfentrazone-ethyl | Orchard floor | 0.06 | 1 | 3.0 | A |
| carfentrazone-ethyl | Parsley | 0.67 | 1 | 23.0 | A |
| carfentrazone-ethyl | Pumpkin | 0.96 | 4 | 40.5 | A |
| carfentrazone-ethyl | Rights of way | 0.1 | 4 | 115.0 | A |
| carfentrazone-ethyl | Sod farm (turf) | 3.28 | 44 | 256.76 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| carfentrazone-ethyl | Strawberry | 5.55 | 4 | 205.5 | A |
| carfentrazone-ethyl | Tangerine | 0.04 | 2 | 1.5 | A |
| carfentrazone-ethyl | Tomato | 0.3 | 1 | 10.0 | A |
| carfentrazone-ethyl | Turf/sod | 14.69 | 57 | 799.4 | A |
| carfentrazone-ethyl | Uncultivated ag | 3.48 | 30 | 121.0 | A |
| casein | Avocado | 1.86 | 5 | 38.0 | A |
| casein | Grapefruit | 0.98 | 2 | 14.82 | A |
| casein | Lemon | 205.97 | 116 | 2,468.78 | A |
| casein | Olive | 0.2 | 1 | 3.0 | A |
| casein | Orange | 0.23 | 1 | 2.0 | A |
| casein | Orchard floor | 8.98 | 1 | 66.35 | A |
| casein | Tangerine | 14.91 | 11 | 174.83 | A |
| castor oil ethoxylate | Strawberry | 0.34 | 1 | 26.26 | A |
| chenopodium ambrosiodes near ambrosiodes | Cucumber | 11.36 | 2 | 6.72 | A |
| chenopodium ambrosiodes near ambrosiodes | Pepper, fruiting | 0.17 | 1 | 0.25 | A |
| chenopodium ambrosiodes near ambrosiodes | Tomato | 129.15 | 12 | 180.1 | A |
| chlorantraniliprole | Artichoke, globe | 20.71 | 8 | 258.34 | A |
| chlorantraniliprole | Bean, succulent | 1.37 | 3 | 26.37 | A |
| chlorantraniliprole | Beet | 18.34 | 23 | 210.93 | A |
| chlorantraniliprole | Blackberry | 0.12 | 7 | 1.53 | A |
| chlorantraniliprole | Bok choy | 6.64 | 7 | 53.56 | A |
| chlorantraniliprole | Broccoli | 2.52 | 9 | 72.5 | A |
| chlorantraniliprole | Brussels sprout | 46.48 | 19 | 766.06 | A |
| chlorantraniliprole | Cabbage | 143.61 | 165 | 1,664.89 | A |
| chlorantraniliprole | Celery | 1,217.56 | 655 | 11,589.75 | A |
| chlorantraniliprole | Cilantro | 6.78 | 5 | 78.78 | A |
| chlorantraniliprole | Corn, human consumption | 10.2 | 34 | 141.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|----------------|------|--------------|--------------|
| chlorantraniliprole | Cucumber | 2.85 | 6 | 19.46 | A |
| chlorantraniliprole | Fava bean | 0.05 | 1 | 0.5 | A |
| chlorantraniliprole | Gai lon | 0.27 | 1 | 2.89 | A |
| chlorantraniliprole | Golf course turf | 16.93 | 5 | 152.9 | A |
| chlorantraniliprole | Kale | 3.88 | 6 | 39.86 | A |
| chlorantraniliprole | Landscape maintenance | 7.95 | N/A | N/A | N/A |
| chlorantraniliprole | Lemon | 1.65 | 2 | 22.0 | A |
| chlorantraniliprole | Lettuce, head | 2.51 | 2 | 25.0 | A |
| chlorantraniliprole | Lettuce, leaf | 29.5 | 45 | 299.84 | A |
| chlorantraniliprole | N-grnhs flower | 0.16 | N/A | 3.0 | A |
| chlorantraniliprole | N-grnhs transplants | 0.14 | 3 | 15.0 | A |
| chlorantraniliprole | N-outdr flower | 0.69 | 3 | 6.73 | A |
| chlorantraniliprole | Onion, green | 1.46 | 2 | 18.4 | A |
| chlorantraniliprole | Parsley | 49.13 | 26 | 494.7 | A |
| chlorantraniliprole | Pepper, fruiting | 219.57 | 102 | 2,233.91 | A |
| chlorantraniliprole | Pumpkin | 4.92 | 2 | 42.0 | A |
| chlorantraniliprole | Radish | 11.31 | 11 | 81.1 | A |
| chlorantraniliprole | Raspberry | 7.3 | 37 | 82.12 | A |
| chlorantraniliprole | Spinach | 35.66 | 41 | 355.14 | A |
| chlorantraniliprole | Strawberry | 1,416.06 | 365 | 14,190.19 | A |
| chlorantraniliprole | Structural pest control | 442.57 | N/A | N/A | N/A |
| chlorantraniliprole | Unknown | 1.89 | 5 | 18.4 | A |
| chlordecone | Structural pest control | <0.01 | N/A | N/A | N/A |
| chlorfenapyr | Landscape maintenance | 0.15 | N/A | N/A | N/A |
| chlorfenapyr | N-grnhs flower | 0.18 | 5 | 5.0 | A |
| chlorfenapyr | N-grnhs plants in containers | 1.74 | 4 | 7.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|------------------------------|----------------|------|--------------|--------------|
| chlorfenapyr | N-grnhs transplants | 0.16 | 2 | 18,000.0 | S |
| chlorfenapyr | Regulatory pest control | 0.93 | N/A | N/A | N/A |
| chlorfenapyr | Structural pest control | 109.27 | N/A | N/A | N/A |
| chlorflurenol, methyl ester | Landscape maintenance | 0.24 | N/A | N/A | N/A |
| chlorflurenol, methyl ester | Structural pest control | 2.2 | N/A | N/A | N/A |
| chlorine dioxide | Structural pest control | 0.17 | N/A | N/A | N/A |
| chlormequat chloride | N-grnhs plants in containers | 9.11 | 9 | 7.83 | A |
| chlorophacinone | Avocado | <0.01 | 21 | 134.75 | A |
| chlorophacinone | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| chlorophacinone | Lemon | 0.01 | 57 | 1,423.5 | A |
| chlorophacinone | Orange | <0.01 | 5 | 40.0 | A |
| chlorophacinone | Structural pest control | 0.01 | N/A | N/A | N/A |
| chloropicrin | Blackberry | 1,132.72 | 1 | 11.3 | A |
| chloropicrin | N-outdr flower | 9,501.49 | 13 | 36.47 | A |
| chloropicrin | N-outdr plants in containers | 482.7 | 2 | 4.3 | A |
| chloropicrin | Pepper, fruiting | 9,001.92 | 9 | 160.95 | A |
| chloropicrin | Strawberry | 1,678,866.2 | 261 | 9,330.08 | A |
| chloropicrin | Structural pest control | 1.88 | N/A | N/A | N/A |
| chloropicrin | Tomato | 4,575.45 | 1 | 19.4 | A |
| chlorothalonil | Broccoli | 103.19 | 7 | 83.5 | A |
| chlorothalonil | Brussels sprout | 544.02 | 14 | 461.71 | A |
| chlorothalonil | Cabbage | 364.92 | 38 | 316.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|------------------------------|----------------|------|--------------|--------------|
| chlorothalonil | Cabbage, savoy | 35.61 | 6 | 31.8 | A |
| chlorothalonil | Carrot | 351.19 | 7 | 233.6 | A |
| chlorothalonil | Cauliflower | 56.07 | 10 | 52.04 | A |
| chlorothalonil | Celery | 16,232.56 | 552 | 8,662.95 | A |
| chlorothalonil | Cucumber | 2.82 | 2 | 2.5 | A |
| chlorothalonil | Golf course turf | 1,098.43 | 7 | 183.6 | A |
| chlorothalonil | Golf course turf | 4.13 | 1 | 16,000.0 | S |
| chlorothalonil | Landscape maintenance | 1,538.22 | N/A | N/A | N/A |
| chlorothalonil | Leek | 79.19 | 10 | 39.9 | A |
| chlorothalonil | N-grnhs flower | 97.46 | 2 | 23.0 | A |
| chlorothalonil | N-grnhs plants in containers | 49.38 | 18 | 13.57 | A |
| chlorothalonil | N-grnhs plants in containers | 0.26 | 1 | 5,500.0 | S |
| chlorothalonil | N-grnhs transplants | 58.88 | 47 | 156.05 | A |
| chlorothalonil | N-outdr flower | 211.15 | 82 | 244.21 | A |
| chlorothalonil | N-outdr plants in containers | 130.78 | 43 | 102.08 | A |
| chlorothalonil | N-outdr plants in containers | 2.93 | 8 | 65,300.0 | S |
| chlorothalonil | N-outdr transplants | 30.44 | 37 | 24.77 | A |
| chlorothalonil | Onion, green | 34.22 | 3 | 27.25 | A |
| chlorothalonil | Pepper, fruiting | 150.15 | 20 | 148.15 | A |
| chlorothalonil | Pumpkin | 86.72 | 5 | 48.5 | A |
| chlorothalonil | Sod farm (turf) | 214.23 | 4 | 31.34 | A |
| chlorothalonil | Tomato | 691.43 | 48 | 466.6 | A |
| chlorpyrifos | Cabbage | <0.01 | 1 | 3.0 | A |
| chlorpyrifos | Corn, human consumption | 1.66 | 13 | 1.17 | A |
| chlorpyrifos | N-grnhs flower | 0.21 | 2 | 2.0 | A |
| chlorpyrifos | Radish | 152.47 | 11 | 198.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| chlorsulfuron | Landscape maintenance | 0.35 | N/A | N/A | N/A |
| chlorsulfuron | Pastureland | 0.31 | 1 | 20.0 | A |
| chlorsulfuron | Rights of way | 0.81 | N/A | N/A | N/A |
| chlorthal-dimethyl | Bok choy | 754.39 | 53 | 163.39 | A |
| chlorthal-dimethyl | Brussels sprout | 834.77 | 13 | 117.66 | A |
| chlorthal-dimethyl | Cabbage | 344.62 | 5 | 46.2 | A |
| chlorthal-dimethyl | Gai lon | 173.94 | 40 | 37.54 | A |
| chlorthal-dimethyl | Kale | 660.29 | 76 | 101.8 | A |
| chlorthal-dimethyl | Leek | 619.93 | 47 | 81.15 | A |
| chlorthal-dimethyl | Mustard | 24.15 | 3 | 3.0 | A |
| chlorthal-dimethyl | Mustard greens | 43.02 | 4 | 6.5 | A |
| chlorthal-dimethyl | N-outdr flower | 392.53 | 11 | 49.2 | A |
| chlorthal-dimethyl | Onion, green | 1,072.32 | 45 | 144.7 | A |
| chlorthal-dimethyl | Peas | 32.96 | 34 | 7.14 | A |
| chlorthal-dimethyl | Radish | 5,754.13 | 301 | 827.45 | A |
| chlorthal-dimethyl | Turnip | 30.13 | 9 | 4.3 | A |
| cholecalciferol | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| cholecalciferol | Regulatory pest control | 0.11 | N/A | N/A | N/A |
| cholecalciferol | Structural pest control | 10.15 | N/A | N/A | N/A |
| cholecalciferol | Vertebrate control | 0.01 | N/A | N/A | N/A |
| chromobacterium subtsugae strain praa4-1 | Beet | 1.8 | 1 | 5.09 | A |
| chromobacterium subtsugae strain praa4-1 | Blackberry | 1,026.43 | 86 | 1,174.77 | A |
| chromobacterium subtsugae strain praa4-1 | Blueberry | 34.29 | 1 | 38.09 | A |
| chromobacterium subtsugae strain praa4-1 | Bok choy | 2.59 | 2 | 2.88 | A |
| chromobacterium subtsugae strain praa4-1 | Broccoli | 19.26 | 8 | 21.4 | A |
| chromobacterium subtsugae strain praa4-1 | Cabbage | 178.2 | 54 | 564.92 | A |
| chromobacterium subtsugae strain praa4-1 | Cauliflower | 14.4 | 6 | 50.57 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| chromobacterium subtsugae strain praa4-1 | Celery | 336.53 | 83 | 373.92 | A |
| chromobacterium subtsugae strain praa4-1 | Collard | 67.68 | 36 | 149.01 | A |
| chromobacterium subtsugae strain praa4-1 | Cucumber | 4.59 | 2 | 6.72 | A |
| chromobacterium subtsugae strain praa4-1 | Kale | 333.53 | 61 | 585.63 | A |
| chromobacterium subtsugae strain praa4-1 | Lemon | 31.5 | 1 | 35.0 | A |
| chromobacterium subtsugae strain praa4-1 | Mustard greens | 11.61 | 9 | 32.75 | A |
| chromobacterium subtsugae strain praa4-1 | Pepper, fruiting | 58.13 | 20 | 97.8 | A |
| chromobacterium subtsugae strain praa4-1 | Pumpkin | 16.65 | 2 | 18.5 | A |
| chromobacterium subtsugae strain praa4-1 | Raspberry | 760.69 | 63 | 868.72 | A |
| chromobacterium subtsugae strain praa4-1 | Spinach | 9.8 | 3 | 14.36 | A |
| chromobacterium subtsugae strain praa4-1 | Strawberry | 1,106.37 | 70 | 1,380.61 | A |
| chromobacterium subtsugae strain praa4-1 | Swiss chard | 40.77 | 7 | 56.3 | A |
| chromobacterium subtsugae strain praa4-1 | Tomato | 66.73 | 9 | 93.72 | A |
| chromobacterium subtsugae strain praa4-1 | Turnip greens | 3.6 | 4 | 11.25 | A |
| citric acid | Apple | 20.54 | 11 | 696.86 | A |
| citric acid | Avocado | 3.94 | 87 | 438.95 | A |
| citric acid | Bean, dried | 4.24 | 1 | 18.0 | A |
| citric acid | Blackberry | 15.27 | 7 | 84.72 | A |
| citric acid | Broccoli | 5.3 | 15 | 104.4 | A |
| citric acid | Cabbage | 4.32 | 2 | 18.3 | A |
| citric acid | Carrot | 2.13 | 1 | 47.0 | A |
| citric acid | Celery | 42.77 | 32 | 409.55 | A |
| citric acid | Cilantro | 4.01 | 1 | 8.5 | A |
| citric acid | Ditch bank | 50.3 | 54 | 145.35 | A |
| citric acid | Grape, wine | 0.48 | 1 | 3.5 | A |
| citric acid | Landscape maintenance | 2.27 | N/A | N/A | N/A |
| citric acid | Lemon | 8.6 | 38 | 330.43 | A |
| citric acid | N-outdr flower | 39.8 | 226 | 1,186.5 | A |
| citric acid | N-outdr plants in containers | 3.57 | 248 | 413.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| citric acid | Onion, green | 1.18 | 1 | 5.0 | A |
| citric acid | Orange | 2.13 | 41 | 369.0 | A |
| citric acid | Pastureland | 0.16 | 5 | 27.5 | A |
| citric acid | Pepper, fruiting | 26.12 | 31 | 570.56 | A |
| citric acid | Raspberry | 25.2 | 23 | 125.25 | A |
| citric acid | Rights of way | 2.83 | 2 | 6.0 | A |
| citric acid | Rights of way | 15.8 | N/A | N/A | N/A |
| citric acid | Strawberry | 2,367.1 | 245 | 10,006.2 | A |
| citric acid | Uncultivated ag | 1.18 | 1 | 10.0 | A |
| citric acid | Uncultivated non-ag | 2.61 | 2 | 6.0 | A |
| clarified hydrophobic extract of neem oil | Artichoke, globe | 2,789.37 | 26 | 483.0 | A |
| clarified hydrophobic extract of neem oil | Basil, sweet | 5.39 | 2 | 5.64 | A |
| clarified hydrophobic extract of neem oil | Bean, unspecified | 0.6 | 1 | 2.0 | A |
| clarified hydrophobic extract of neem oil | Blackberry | 1,161.1 | 31 | 334.88 | A |
| clarified hydrophobic extract of neem oil | Blueberry | 66.64 | 6 | 61.78 | A |
| clarified hydrophobic extract of neem oil | Bok choy | 25.52 | 3 | 7.36 | A |
| clarified hydrophobic extract of neem oil | Broccoli | 356.66 | 5 | 50.65 | A |
| clarified hydrophobic extract of neem oil | Brussels sprout | 862.22 | 8 | 271.2 | A |
| clarified hydrophobic extract of neem oil | Cabbage | 708.12 | 30 | 307.96 | A |
| clarified hydrophobic extract of neem oil | Cauliflower | 46.16 | 6 | 48.41 | A |
| clarified hydrophobic extract of neem oil | Celery | 2,436.04 | 48 | 720.33 | A |
| clarified hydrophobic extract of neem oil | Chive | 0.5 | 1 | 0.5 | A |
| clarified hydrophobic extract of neem oil | Chrysanthemum, edible leaved | 35.11 | 8 | 11.25 | A |
| clarified hydrophobic extract of neem oil | Collard | 559.21 | 35 | 150.85 | A |
| clarified hydrophobic extract of neem oil | Cucumber | 0.66 | 2 | 1.25 | A |
| clarified hydrophobic extract of neem oil | Dandelion green | 21.56 | 7 | 8.75 | A |
| clarified hydrophobic extract of neem oil | Dill | 19.34 | 4 | 6.75 | A |
| clarified hydrophobic extract of neem oil | Eggplant | 0.45 | 1 | 2.0 | A |
| clarified hydrophobic extract of neem oil | Herb, spice | 8.84 | 7 | 6.25 | A |
| clarified hydrophobic extract of neem oil | Kale | 3,915.63 | 37 | 554.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| clarified hydrophobic extract of neem oil | Landscape maintenance | 38.21 | 1 | 20.0 | A |
| clarified hydrophobic extract of neem oil | Lettuce, leaf | 1,133.86 | 10 | 153.12 | A |
| clarified hydrophobic extract of neem oil | Mint | 26.38 | 8 | 13.1 | A |
| clarified hydrophobic extract of neem oil | Mustard greens | 3.36 | 1 | 3.5 | A |
| clarified hydrophobic extract of neem oil | N-grnhs plants in containers | 45.86 | 14 | 21.49 | A |
| clarified hydrophobic extract of neem oil | N-grnhs plants in containers | 17.49 | 168 | 168,000.0 | S |
| clarified hydrophobic extract of neem oil | N-outdr flower | 25.72 | 3 | 6.73 | A |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 1.5 | 3 | 2.25 | A |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 1.14 | 11 | 11,000.0 | S |
| clarified hydrophobic extract of neem oil | Peas | 3.64 | 5 | 3.5 | A |
| clarified hydrophobic extract of neem oil | Pepper, fruiting | 26.93 | 3 | 29.12 | A |
| clarified hydrophobic extract of neem oil | Raspberry | 6,542.98 | 123 | 1,599.16 | A |
| clarified hydrophobic extract of neem oil | Rosemary | 3.82 | 1 | 1.0 | A |
| clarified hydrophobic extract of neem oil | Squash | 0.9 | 1 | 2.0 | A |
| clarified hydrophobic extract of neem oil | Strawberry | 2,038.67 | 36 | 714.14 | A |
| clarified hydrophobic extract of neem oil | Swiss chard | 323.18 | 8 | 59.75 | A |
| clarified hydrophobic extract of neem oil | Tomato | 4.33 | 6 | 3.25 | A |
| clarified hydrophobic extract of neem oil | Turnip greens | 3.82 | 1 | 4.0 | A |
| clarified hydrophobic extract of neem oil | Watercress | 58.75 | 20 | 89.0 | A |
| clethodim | Cabbage | 2.2 | 2 | 18.1 | A |
| clethodim | Celery | 45.75 | 34 | 380.88 | A |
| clethodim | Cilantro | 1.18 | 2 | 9.7 | A |
| clethodim | Landscape maintenance | 0.05 | 1 | 3,000.0 | S |
| clethodim | Landscape maintenance | 7.47 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| clopyralid, monoethanolamine salt | Landscape maintenance | 23.45 | N/A | N/A | N/A |
| clopyralid, monoethanolamine salt | N-outdr plants in containers | 0.74 | 3 | 5.0 | A |
| clopyralid, monoethanolamine salt | Rights of way | 65.18 | N/A | N/A | N/A |
| clothianidin | Cabbage | 5.96 | 10 | 90.74 | A |
| clothianidin | Cabbage, savoy | 1.7 | 4 | 21.5 | A |
| clothianidin | Celery | 144.92 | 129 | 2,171.94 | A |
| clothianidin | Endive (escarole) | 0.57 | 12 | 8.52 | A |
| clothianidin | Golf course turf | 21.5 | N/A | 54.0 | A |
| clothianidin | Landscape maintenance | 1.57 | N/A | N/A | N/A |
| clothianidin | Lettuce, leaf | 7.47 | 17 | 112.9 | A |
| clothianidin | Parsley | 0.43 | 1 | 7.7 | A |
| clothianidin | Pumpkin | 1.7 | 1 | 26.0 | A |
| clothianidin | Spinach | 3.88 | 11 | 58.07 | A |
| clothianidin | Structural pest control | 1.04 | N/A | N/A | N/A |
| coconut diethanolamide | Apple | 0.2 | 3 | 3.13 | A |
| coconut diethanolamide | Apricot | 0.2 | 3 | 3.13 | A |
| coconut diethanolamide | Avocado | <0.01 | 1 | 3.5 | A |
| coconut diethanolamide | Avocado | <0.01 | 6 | 33,926.0 | U |
| coconut diethanolamide | Landscape maintenance | 0.19 | N/A | N/A | N/A |
| coconut diethanolamide | Lemon | 0.01 | 1 | 3.4 | A |
| coconut diethanolamide | N-outdr flower | 24.94 | 414 | 1,219.52 | A |
| coconut diethanolamide | N-outdr plants in containers | 14.54 | 41 | 482.6 | A |
| coconut diethanolamide | Orange | 0.04 | 4 | 36.5 | A |
| coconut diethanolamide | Peach | 0.2 | 3 | 3.13 | A |
| coconut diethanolamide | Plum | 0.2 | 3 | 3.13 | A |
| coconut diethanolamide | Rights of way | 0.35 | 6 | 6.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| codling moth granulosis virus | Apple | 0.03 | 3 | 575.32 | A |
| copper ethanolamine complexes, mixed | Landscape maintenance | 1,436.49 | N/A | N/A | N/A |
| copper ethanolamine complexes, mixed | Water area | 166.8 | 17 | 25.5 | A |
| copper hydroxide | Apple | 526.51 | 3 | 377.42 | A |
| copper hydroxide | Avocado | 46.15 | 3 | 28.6 | A |
| copper hydroxide | Avocado | 0.81 | 2 | 22,000.0 | U |
| copper hydroxide | Beet | 1.44 | 2 | 6.71 | A |
| copper hydroxide | Broccoli | 23.73 | 16 | 73.64 | A |
| copper hydroxide | Brussels sprout | 20.82 | 2 | 60.21 | A |
| copper hydroxide | Cabbage | 34.08 | 5 | 78.1 | A |
| copper hydroxide | Celery | 2,062.52 | 398 | 5,047.93 | A |
| copper hydroxide | Cilantro | 30.63 | 7 | 110.51 | A |
| copper hydroxide | Cucumber | 0.2 | 1 | 0.13 | A |
| copper hydroxide | Dill | 0.21 | 1 | 1.03 | A |
| copper hydroxide | Grape, wine | 12.63 | 6 | 27.4 | A |
| copper hydroxide | Grapefruit | 33.55 | 2 | 14.82 | A |
| copper hydroxide | Landscape maintenance | 0.96 | N/A | N/A | N/A |
| copper hydroxide | Lemon | 4,666.26 | 123 | 2,813.18 | A |
| copper hydroxide | Mint | 0.24 | 1 | 1.5 | A |
| copper hydroxide | Mustard greens | 1.63 | 1 | 7.0 | A |
| copper hydroxide | N-grnhs plants in containers | 2.34 | 28 | 55,100.0 | S |
| copper hydroxide | N-grnhs transplants | 0.69 | 1 | 5.0 | A |
| copper hydroxide | N-outdr flower | 3.73 | 7 | 12.9 | A |
| copper hydroxide | N-outdr plants in containers | 149.81 | 21 | 85.0 | A |
| copper hydroxide | N-outdr plants in containers | 1.22 | 9 | 54,950.0 | S |
| copper hydroxide | N-outdr transplants | 1.98 | 2 | 6.06 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|----------------|------|--------------|--------------|
| copper hydroxide | Orange | 20.1 | 2 | 14.0 | A |
| copper hydroxide | Orchard floor | 107.27 | 1 | 66.35 | A |
| copper hydroxide | Parsley | 256.77 | 28 | 372.16 | A |
| copper hydroxide | Pepper, fruiting | 20.01 | 19 | 44.19 | A |
| copper hydroxide | Raspberry | 24.61 | 3 | 83.34 | A |
| copper hydroxide | Rights of way | 10.64 | N/A | N/A | N/A |
| copper hydroxide | Strawberry | 11.85 | 1 | 44.1 | A |
| copper hydroxide | Tangerine | 240.87 | 11 | 174.83 | A |
| copper hydroxide | Tomato | 106.38 | 22 | 191.45 | A |
| copper octanoate | Basil, sweet | 0.94 | 2 | 2.5 | A |
| copper octanoate | Celery | 2,984.76 | 141 | 2,882.98 | A |
| copper octanoate | Chervil | 0.83 | 1 | 1.0 | A |
| copper octanoate | Cilantro | 60.85 | 8 | 103.4 | A |
| copper octanoate | Collard | 0.83 | 1 | 1.0 | A |
| copper octanoate | Herb, spice | 1.25 | 2 | 2.0 | A |
| copper octanoate | Kale | 10.42 | 1 | 12.5 | A |
| copper octanoate | Mint | 0.42 | 1 | 0.5 | A |
| copper octanoate | N-grnhs plants in containers | 0.9 | 4 | 1.5 | A |
| copper octanoate | N-grnhs plants in containers | 5.25 | 26 | 46,800.0 | S |
| copper octanoate | N-grnhs transplants | 26.99 | 20 | 28.55 | A |
| copper octanoate | N-outdr plants in containers | 1.27 | 3 | 11.5 | A |
| copper octanoate | N-outdr transplants | 16.73 | 18 | 17.3 | A |
| copper octanoate | Parsley | 80.62 | 24 | 176.5 | A |
| copper octanoate | Pepper, fruiting | 375.36 | 25 | 377.55 | A |
| copper octanoate | Raspberry | 5.7 | 2 | 27.36 | A |
| copper octanoate | Rosemary | 0.83 | 1 | 1.0 | A |
| copper octanoate | Sage | 0.02 | 1 | 1.5 | A |
| copper octanoate | Strawberry | 253.23 | 10 | 503.85 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper octanoate | Tomato | 244.94 | 31 | 404.1 | A |
| copper oxide (ous) | Beet | 11.33 | 1 | 13.5 | A |
| copper oxide (ous) | Blackberry | 78.56 | 2 | 23.41 | A |
| copper oxide (ous) | Broccoli | 6.21 | 3 | 7.4 | A |
| copper oxide (ous) | Celery | 35.66 | 2 | 17.0 | A |
| copper oxide (ous) | Lemon | 357.41 | 6 | 142.6 | A |
| copper oxide (ous) | N-grnhs plants in containers | 21.18 | 52 | 1,502,800.0 | S |
| copper oxide (ous) | Raspberry | 9.73 | 1 | 5.8 | A |
| copper oxide (ous) | Stone fruit | 19.72 | 1 | 11.75 | A |
| copper oxide (ous) | Strawberry | 6.67 | 2 | 5.3 | A |
| copper oxychloride | Beet | 1.6 | 2 | 6.71 | A |
| copper oxychloride | Broccoli | 4.57 | 6 | 16.94 | A |
| copper oxychloride | Cabbage | 5.85 | 2 | 24.58 | A |
| copper oxychloride | Celery | 1,963.63 | 348 | 4,541.65 | A |
| copper oxychloride | Cilantro | 33.95 | 7 | 110.51 | A |
| copper oxychloride | Dill | 0.24 | 1 | 1.03 | A |
| copper oxychloride | Mint | 0.27 | 1 | 1.5 | A |
| copper oxychloride | N-grnhs plants in containers | 2.34 | 27 | 48,600.0 | S |
| copper oxychloride | N-outdr flower | 2.67 | 4 | 7.4 | A |
| copper oxychloride | N-outdr plants in containers | 3.22 | 4 | 11.5 | A |
| copper oxychloride | N-outdr transplants | 2.17 | 2 | 6.06 | A |
| copper oxychloride | Parsley | 27.27 | 16 | 120.36 | A |
| copper oxychloride | Raspberry | 27.28 | 3 | 83.34 | A |
| copper oxychloride | Strawberry | 13.13 | 1 | 44.1 | A |
| copper salts of fatty and rosin acids | N-outdr plants in containers | 13.65 | 1 | 1.5 | A |
| copper sulfate (basic) | Lemon | 288.65 | 1 | 51.0 | A |
| copper sulfate (basic) | Orange | 155.64 | 2 | 33.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper sulfate (pentahydrate) | Landscape maintenance | 650.52 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | N-grnhs plants in containers | 2.13 | 6 | 2.89 | A |
| copper sulfate (pentahydrate) | N-outdr flower | 13.78 | 26 | 34.1 | A |
| copper sulfate (pentahydrate) | N-outdr plants in containers | 42.73 | 26 | 23.45 | A |
| copper sulfate (pentahydrate) | Water area | 544.5 | 2 | 1.2 | A |
| corn product, hydrolyzed | Blackberry | 5.05 | 2 | 17.98 | A |
| corn product, hydrolyzed | Raspberry | 13.26 | 4 | 23.49 | A |
| cottonseed oil | Avocado | 4.86 | 1 | 12.0 | A |
| cottonseed oil | Citrus | 1.46 | 2 | 4.5 | A |
| cottonseed oil | Guava | 2.43 | 2 | 6.5 | A |
| cottonseed oil | Lemon | 12.39 | 4 | 38.0 | A |
| cottonseed oil | Rights of way | 6.56 | 4 | 19.0 | A |
| cottonseed oil | Tangerine | 1.21 | 1 | 4.0 | A |
| cottonseed oil | Uncultivated ag | 30.21 | 15 | 92.0 | A |
| cryolite | Brussels sprout | 722.07 | 3 | 94.02 | A |
| cryolite | Pepper, fruiting | 28,839.36 | 171 | 3,452.35 | A |
| cryolite | Pumpkin | 57.6 | 1 | 7.5 | A |
| cyantraniliprole | Blackberry | 18.5 | 25 | 218.98 | A |
| cyantraniliprole | Blueberry | 1.12 | 4 | 7.66 | A |
| cyantraniliprole | Bok choy | 23.46 | 38 | 180.73 | A |
| cyantraniliprole | Broccoli | 0.44 | 1 | 5.0 | A |
| cyantraniliprole | Brussels sprout | 107.3 | 37 | 1,359.16 | A |
| cyantraniliprole | Cabbage | 346.15 | 552 | 4,205.1 | A |
| cyantraniliprole | Cabbage, savoy | 0.56 | 1 | 5.2 | A |
| cyantraniliprole | Cauliflower | 6.38 | 15 | 115.83 | A |
| cyantraniliprole | Celery | 235.0 | 206 | 2,785.37 | A |
| cyantraniliprole | Collard | 6.09 | 23 | 104.1 | A |
| cyantraniliprole | Cucumber | 5.12 | 9 | 44.52 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|----------------|------|--------------|--------------|
| cyantraniliprole | Endive (escarole) | 0.76 | 8 | 8.61 | A |
| cyantraniliprole | Gai lon | 2.13 | 12 | 18.34 | A |
| cyantraniliprole | Kale | 24.51 | 55 | 350.39 | A |
| cyantraniliprole | Kohlrabi | 0.03 | 2 | 0.5 | A |
| cyantraniliprole | Leek | 4.25 | 19 | 40.38 | A |
| cyantraniliprole | Lemon | 95.62 | 49 | 972.16 | A |
| cyantraniliprole | Lettuce, leaf | 27.57 | 54 | 339.91 | A |
| cyantraniliprole | Mustard greens | 0.47 | 3 | 8.4 | A |
| cyantraniliprole | N-grnhs flower | 4.12 | 20 | 45.0 | A |
| cyantraniliprole | N-grnhs plants in containers | 13.37 | 45 | 74.78 | A |
| cyantraniliprole | N-grnhs transplants | 0.39 | 2 | 10.0 | A |
| cyantraniliprole | N-grnhs transplants | 0.12 | 1 | 9,000.0 | S |
| cyantraniliprole | N-outdr flower | 32.58 | 43 | 381.25 | A |
| cyantraniliprole | N-outdr plants in containers | 10.33 | 22 | 59.95 | A |
| cyantraniliprole | N-outdr transplants | 15.22 | 12 | 2,640,000.0 | U |
| cyantraniliprole | Onion, green | 7.42 | 7 | 89.1 | A |
| cyantraniliprole | Orange | 0.55 | 3 | 6.5 | A |
| cyantraniliprole | Peas | 0.28 | 12 | 2.45 | A |
| cyantraniliprole | Pepper, fruiting | 203.43 | 134 | 2,304.48 | A |
| cyantraniliprole | Pumpkin | 5.48 | 2 | 62.7 | A |
| cyantraniliprole | Raspberry | 44.37 | 71 | 516.64 | A |
| cyantraniliprole | Spinach | 1.98 | 1 | 22.46 | A |
| cyantraniliprole | Strawberry | 134.36 | 42 | 1,453.78 | A |
| cyantraniliprole | Swiss chard | 1.86 | 20 | 31.15 | A |
| cyantraniliprole | Tangerine | 34.5 | 11 | 327.35 | A |
| cyantraniliprole | Tomato | 69.61 | 70 | 690.57 | A |
| cyantraniliprole | Turnip greens | 0.42 | 3 | 7.65 | A |
| cyazofamid | Cabbage | 15.57 | 4 | 44.27 | A |
| cyazofamid | Cauliflower | 4.25 | 7 | 59.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|------------------------------|----------------|------|--------------|--------------|
| cyazofamid | Landscape maintenance | 5.15 | N/A | N/A | N/A |
| cyazofamid | Lettuce, leaf | 0.43 | 1 | 6.0 | A |
| cyazofamid | N-grnhs flower | 0.08 | 2 | 2.0 | A |
| cyazofamid | N-grnhs plants in containers | 0.33 | 6 | 2.16 | A |
| cyazofamid | N-grnhs plants in containers | 0.91 | 27 | 1,512,000.0 | S |
| cyazofamid | N-outdr flower | 4.31 | 12 | 24.3 | A |
| cyazofamid | N-outdr plants in containers | 0.11 | 1 | 1.1 | A |
| cyazofamid | Onion, green | 0.19 | 1 | 2.5 | A |
| cyazofamid | Pepper, spice | 1.04 | 1 | 14.65 | A |
| cyazofamid | Pumpkin | 1.85 | 2 | 26.0 | A |
| cyazofamid | Spinach | 4.15 | 9 | 58.24 | A |
| cyazofamid | Tomato | 7.88 | 6 | 118.0 | A |
| cyclaniliprole | Brussels sprout | 3.86 | 4 | 73.9 | A |
| cyclaniliprole | Cabbage | 53.56 | 131 | 1,026.7 | A |
| cyclaniliprole | Cabbage, savoy | 1.79 | 6 | 34.95 | A |
| cyclaniliprole | Collard | 0.08 | 1 | 1.5 | A |
| cycloate | Beet | 696.48 | 42 | 183.56 | A |
| cycloate | Spinach | 3,487.24 | 192 | 947.75 | A |
| cycloate | Unknown | 125.39 | 22 | 31.75 | A |
| cyflufenamid | Cucumber | 1.88 | 12 | 85.42 | A |
| cyflufenamid | Grape, wine | 0.1 | 1 | 2.0 | A |
| cyflufenamid | N-grnhs flower | 0.08 | 1 | 1.0 | A |
| cyflufenamid | N-grnhs plants in containers | 3.21 | 4 | 6.8 | A |
| cyflufenamid | N-outdr flower | 32.66 | 99 | 545.75 | A |
| cyflufenamid | N-outdr plants in containers | 0.47 | 2 | 1.6 | A |
| cyflufenamid | Pepper, fruiting | 1.35 | 4 | 58.36 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| cyflufenamid | Strawberry | 236.73 | 227 | 10,323.09 | A |
| cyflufenamid | Tomato | 3.17 | 7 | 135.0 | A |
| cyflumetofen | Lemon | 1.44 | 1 | 8.75 | A |
| cyflumetofen | N-grnhs flower | 0.38 | 10 | 10.0 | A |
| cyflumetofen | N-grnhs transplants | 0.05 | 1 | 1.0 | A |
| cyflumetofen | N-outdr flower | 0.19 | 1 | 1.0 | A |
| cyflumetofen | Strawberry | 2,485.64 | 339 | 13,707.59 | A |
| cyflumetofen | Tomato | 30.57 | 9 | 170.5 | A |
| cyfluthrin | Lemon | 3.56 | 4 | 58.5 | A |
| cyfluthrin | Lettuce, leaf | 1.54 | 8 | 30.23 | A |
| cyfluthrin | N-grnhs plants in containers | 1.43 | 23 | 27.89 | A |
| cyfluthrin | N-grnhs plants in containers | <0.01 | 2 | 4,500.0 | S |
| cyfluthrin | N-grnhs transplants | 0.05 | 1 | 5.0 | A |
| cyfluthrin | N-grnhs transplants | <0.01 | 3 | 3.0 | U |
| cyfluthrin | N-outdr plants in containers | 3.49 | 36 | 124.11 | A |
| cyfluthrin | N-outdr plants in containers | <0.01 | 4 | 15,850.0 | S |
| cyfluthrin | N-outdr plants in containers | 0.01 | 28 | 28.0 | U |
| cyfluthrin | Orange | 3.7 | 3 | 75.85 | A |
| cyfluthrin | Regulatory pest control | 1.32 | N/A | N/A | N/A |
| cyfluthrin | Structural pest control | 95.98 | N/A | N/A | N/A |
| cymoxanil | N-grnhs transplants | 0.52 | 3 | 5.5 | A |
| cymoxanil | N-outdr transplants | 0.52 | 4 | 5.2 | A |
| cymoxanil | Tomato | 1.73 | 10 | 13.75 | A |
| cypermethrin | Structural pest control | 138.92 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| cyprodinil | Blackberry | 105.79 | 42 | 342.78 | A |
| cyprodinil | Cilantro | 7.22 | 1 | 22.0 | A |
| cyprodinil | Cucumber | 1.11 | 1 | 3.36 | A |
| cyprodinil | Grape, wine | 0.13 | 1 | 0.75 | A |
| cyprodinil | Lettuce, leaf | 2.56 | 31 | 7.75 | A |
| cyprodinil | N-grnhs flower | 0.33 | 3 | 2.2 | A |
| cyprodinil | N-grnhs flower | 0.14 | 1 | 25,000.0 | S |
| cyprodinil | N-grnhs plants in containers | 0.41 | 3 | 1.88 | A |
| cyprodinil | N-grnhs plants in containers | 1.83 | 13 | 728,000.0 | S |
| cyprodinil | N-grnhs transplants | 0.19 | 1 | 5.0 | A |
| cyprodinil | N-outdr flower | 18.63 | 53 | 140.86 | A |
| cyprodinil | N-outdr plants in containers | 0.35 | 1 | 1.88 | A |
| cyprodinil | Parsley | 80.21 | 24 | 244.9 | A |
| cyprodinil | Pepper, fruiting | 44.15 | 5 | 134.53 | A |
| cyprodinil | Raspberry | 96.62 | 82 | 295.24 | A |
| cyprodinil | Strawberry | 6,871.87 | 456 | 21,202.2 | A |
| cyprodinil | Tomato | 10.79 | 12 | 36.31 | A |
| cyromazine | Cabbage | 0.87 | 1 | 7.0 | A |
| cyromazine | Celery | 626.22 | 295 | 5,023.62 | A |
| cyromazine | N-grnhs flower | 0.62 | 2 | 2.5 | A |
| cyromazine | N-grnhs plants in containers | 21.27 | 20 | 53.6 | A |
| cyromazine | N-outdr flower | 0.25 | 1 | 1.6 | A |
| cyromazine | Pepper, fruiting | 248.0 | 84 | 1,988.65 | A |
| cyromazine | Spinach | 7.73 | 9 | 61.84 | A |
| cyromazine | Tomato | 7.8 | 5 | 79.5 | A |
| d-allethrin | Structural pest control | 0.02 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| d-allethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| d-trans allethrin | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| d-trans allethrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| d-trans allethrin | Structural pest control | 0.05 | N/A | N/A | N/A |
| daminozide | N-grnhs plants in containers | 364.56 | 53 | 89.85 | A |
| daminozide | N-outdr flower | 1.7 | 1 | 2.5 | A |
| daminozide | N-outdr plants in containers | 2.58 | 2 | 2.88 | A |
| dazomet | Watercress | 0.99 | 1 | 1.0 | A |
| deet | N-grnhs flower | 0.57 | 18 | 18.0 | A |
| deet | N-grnhs transplants | 0.04 | 1 | 1.0 | A |
| deet, other related | N-grnhs flower | 0.03 | 17 | 17.0 | A |
| deet, other related | N-grnhs transplants | <0.01 | 1 | 1.0 | A |
| deltamethrin | Landscape maintenance | 0.08 | N/A | N/A | N/A |
| deltamethrin | N-outdr plants in containers | 0.03 | 2 | 1.5 | A |
| deltamethrin | Regulatory pest control | 9.08 | N/A | N/A | N/A |
| deltamethrin | Structural pest control | 212.27 | N/A | N/A | N/A |
| diatomaceous earth | Brussels sprout | 6,054.04 | 11 | 178.37 | A |
| diatomaceous earth | Cabbage | 2,547.54 | 15 | 104.71 | A |
| diatomaceous earth | Landscape maintenance | 2.98 | N/A | N/A | N/A |
| diatomaceous earth | Pepper, fruiting | 386.58 | 1 | 15.16 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| diatomaceous earth | Structural pest control | 9.76 | N/A | N/A | N/A |
| diatomaceous earth, other related | Landscape maintenance | 0.25 | N/A | N/A | N/A |
| diazinon | Bean, unspecified | 34.57 | 4 | 17.4 | A |
| diazinon | Blackberry | 25.63 | 4 | 25.8 | A |
| diazinon | Collard | 11.91 | 2 | 3.0 | A |
| diazinon | Kale | 26.29 | 6 | 12.25 | A |
| diazinon | Lettuce, leaf | 5.5 | 1 | 2.77 | A |
| diazinon | Mustard | 4.46 | 1 | 1.5 | A |
| diazinon | Mustard greens | 14.39 | 3 | 5.5 | A |
| diazinon | Raspberry | 26.68 | 5 | 36.4 | A |
| dicamba | Golf course turf | 1.12 | 2 | 26.3 | A |
| dicamba | Golf course turf | 0.01 | 1 | 33,000.0 | S |
| dicamba | Landscape maintenance | <0.01 | 1 | 2,000.0 | C |
| dicamba | Landscape maintenance | 0.65 | 37 | 867,600.0 | S |
| dicamba | Landscape maintenance | 14.76 | N/A | N/A | N/A |
| dicamba | Sod farm (turf) | 4.11 | 44 | 256.76 | A |
| dicamba | Turf/sod | 18.44 | 57 | 799.4 | A |
| dicamba, dimethylamine salt | Golf course turf | 0.27 | 1 | 30.5 | A |
| dicamba, dimethylamine salt | Landscape maintenance | 10.04 | N/A | N/A | N/A |
| dicamba, dimethylamine salt | Pastureland | 25.93 | 4 | 21.5 | A |
| dicamba, dimethylamine salt | Sudangrass | 7.24 | 2 | 12.0 | A |
| dicloran | Celery | 6,710.15 | 122 | 2,654.69 | A |
| dicloran | Endive (escarole) | 24.87 | 16 | 12.45 | A |
| dicloran | Lettuce, leaf | 488.72 | 32 | 203.96 | A |
| dicloran | N-outdr transplants | 0.62 | 1 | 0.25 | A |
| didecyl dimethyl ammonium chloride | N-grnhs flower | 0.09 | 19 | 19.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| didecyl dimethyl ammonium chloride | N-grnhs plants in containers | 0.13 | 8 | 8.0 | A |
| didecyl dimethyl ammonium chloride | N-grnhs transplants | 0.01 | 1 | 1.0 | A |
| didecyl dimethyl ammonium chloride | Public health | 0.01 | N/A | N/A | N/A |
| didecyl dimethyl ammonium chloride | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| didecyl dimethyl ammonium chloride | Structural pest control | 1.03 | N/A | N/A | N/A |
| didecyl dimethyl ammonium chloride | Tomato | 0.02 | 1 | 0.84 | A |
| diethylene glycol | Artichoke, globe | 51.65 | 31 | 663.34 | A |
| diethylene glycol | Bean, dried | 15.25 | 16 | 639.0 | A |
| diethylene glycol | Bean, succulent | 1.76 | 2 | 80.0 | A |
| diethylene glycol | Broccoli | 17.06 | 22 | 217.5 | A |
| diethylene glycol | Brussels sprout | 97.01 | 36 | 1,239.94 | A |
| diethylene glycol | Cabbage | 9.14 | 14 | 118.7 | A |
| diethylene glycol | Cauliflower | 5.89 | 15 | 67.0 | A |
| diethylene glycol | Celery | 602.07 | 479 | 8,492.42 | A |
| diethylene glycol | Cilantro | 10.27 | 13 | 161.6 | A |
| diethylene glycol | Cucumber | 0.36 | 1 | 8.08 | A |
| diethylene glycol | Endive (escarole) | 3.84 | 50 | 42.92 | A |
| diethylene glycol | Fava bean | 0.07 | 2 | 1.0 | A |
| diethylene glycol | Grape, wine | 0.19 | 12 | 6.65 | A |
| diethylene glycol | Herb, spice | 9.6 | 50 | 160.6 | A |
| diethylene glycol | Kale | 1.13 | 8 | 16.28 | A |
| diethylene glycol | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| diethylene glycol | Leek | 2.76 | 29 | 47.7 | A |
| diethylene glycol | Lemon | 16.47 | 17 | 155.79 | A |
| diethylene glycol | Lettuce, leaf | 62.42 | 120 | 738.2 | A |
| diethylene glycol | N-outdr plants in containers | 4.33 | 37 | 42.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diethylene glycol | Orange | 0.18 | 1 | 6.0 | A |
| diethylene glycol | Parsley | 11.67 | 52 | 216.1 | A |
| diethylene glycol | Pepper, fruiting | 694.1 | 435 | 9,064.92 | A |
| diethylene glycol | Rights of way | 9.49 | N/A | N/A | N/A |
| diethylene glycol | Uncultivated ag | 1.54 | 6 | 6.0 | A |
| difenoconazole | Brussels sprout | 28.76 | 8 | 251.46 | A |
| difenoconazole | Cucumber | 0.73 | 1 | 6.72 | A |
| difenoconazole | Golf course turf | 15.46 | 1 | 50.0 | A |
| difenoconazole | Grape, wine | 0.05 | 1 | 0.75 | A |
| difenoconazole | Landscape maintenance | 1.84 | 1 | 337.0 | A |
| difenoconazole | Landscape maintenance | 20.99 | N/A | N/A | N/A |
| difenoconazole | Pepper, fruiting | 193.36 | 96 | 1,953.55 | A |
| difenoconazole | Pepper, spice | 3.03 | 1 | 30.94 | A |
| difenoconazole | Pumpkin | 2.35 | 1 | 24.0 | A |
| difenoconazole | Strawberry | 11.62 | 6 | 101.66 | A |
| difenoconazole | Tomato | 32.07 | 16 | 290.86 | A |
| difethialone | Structural pest control | 0.03 | N/A | N/A | N/A |
| diflubenzuron | N-outdr plants in containers | 0.25 | 2 | 8.0 | A |
| diflubenzuron | Pepper, fruiting | 162.69 | 73 | 1,285.78 | A |
| diflubenzuron | Pepper, spice | 8.95 | 5 | 117.28 | A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Landscape maintenance | 35.09 | N/A | N/A | N/A |
| dikegulac sodium | Landscape maintenance | 54.24 | N/A | N/A | N/A |
| dimethenamid-p | Landscape maintenance | 0.75 | N/A | N/A | N/A |
| dimethenamid-p | N-outdr plants in containers | 55.7 | 35 | 37.38 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dimethoate | Bean, dried | 526.06 | 22 | 1,060.24 | A |
| dimethoate | Bean, succulent | 366.84 | 15 | 738.11 | A |
| dimethoate | Brussels sprout | 112.01 | 6 | 226.8 | A |
| dimethoate | Fava bean | 0.47 | 2 | 1.0 | A |
| dimethomorph | Cabbage | 3.36 | 2 | 18.82 | A |
| dimethomorph | Cabbage, savoy | 6.73 | 6 | 35.65 | A |
| dimethomorph | Collard | 1.15 | 1 | 5.6 | A |
| dimethomorph | Kale | 0.96 | 1 | 4.7 | A |
| dimethomorph | Lettuce, leaf | 31.0 | 11 | 152.85 | A |
| dimethomorph | N-grnhs flower | 1.37 | 4 | 3.7 | A |
| dimethomorph | N-grnhs plants in containers | 3.62 | 10 | 21.0 | A |
| dimethomorph | N-grnhs plants in containers | 0.07 | 2 | 6,400.0 | S |
| dimethomorph | N-outdr flower | 106.22 | 92 | 531.5 | A |
| dimethomorph | N-outdr plants in containers | 14.41 | 21 | 71.5 | A |
| dimethomorph | N-outdr plants in containers | 0.6 | 13 | 159,950.0 | S |
| dimethomorph | Onion, green | 20.39 | 17 | 103.55 | A |
| dimethomorph | Spinach | 21.3 | 22 | 104.08 | A |
| dimethomorph | Swiss chard | 0.35 | 1 | 1.7 | A |
| dimethomorph | Tomato | 5.52 | 4 | 36.5 | A |
| dimethyl alkyl tertiary amines | N-outdr plants in containers | 6.07 | 41 | 2,082.25 | A |
| dimethyl alkyl tertiary amines | Rights of way | 5.42 | N/A | N/A | N/A |
| dimethylpolysiloxane | Artichoke, globe | 1.15 | 31 | 663.34 | A |
| dimethylpolysiloxane | Avocado | 859.58 | 247 | 4,438.35 | A |
| dimethylpolysiloxane | Avocado | 3.35 | 13 | 1,540,275.0 | U |
| dimethylpolysiloxane | Bean, dried | 0.34 | 16 | 639.0 | A |
| dimethylpolysiloxane | Bean, succulent | 0.04 | 2 | 80.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|-----------------------|----------------|------|--------------|--------------|
| dimethylpolysiloxane | Beet | 0.96 | 3 | 30.49 | A |
| dimethylpolysiloxane | Blackberry | 114.31 | 119 | 1,418.29 | A |
| dimethylpolysiloxane | Bok choy | 0.58 | 3 | 6.84 | A |
| dimethylpolysiloxane | Broccoli | 0.38 | 22 | 217.5 | A |
| dimethylpolysiloxane | Brussels sprout | 68.3 | 69 | 2,463.12 | A |
| dimethylpolysiloxane | Cabbage | 121.95 | 321 | 4,188.05 | A |
| dimethylpolysiloxane | Cauliflower | 0.13 | 15 | 67.0 | A |
| dimethylpolysiloxane | Celery | 649.7 | 980 | 16,049.08 | A |
| dimethylpolysiloxane | Cilantro | 23.17 | 37 | 442.05 | A |
| dimethylpolysiloxane | Citrus | 1.38 | 6 | 26.35 | A |
| dimethylpolysiloxane | Citrus | 1.54 | 8 | 530,800.0 | U |
| dimethylpolysiloxane | Collard | 14.7 | 56 | 184.75 | A |
| dimethylpolysiloxane | Cucumber | 2.59 | 2 | 14.38 | A |
| dimethylpolysiloxane | Ditch bank | 0.84 | 4 | 11.0 | A |
| dimethylpolysiloxane | Endive (escarole) | 0.09 | 50 | 42.92 | A |
| dimethylpolysiloxane | Fava bean | <0.01 | 2 | 1.0 | A |
| dimethylpolysiloxane | Grape, wine | 2.72 | 18 | 18.65 | A |
| dimethylpolysiloxane | Grapefruit | 3.55 | 4 | 22.0 | A |
| dimethylpolysiloxane | Herb, spice | 0.21 | 50 | 160.6 | A |
| dimethylpolysiloxane | Kale | 85.68 | 91 | 1,053.22 | A |
| dimethylpolysiloxane | Kohlrabi | 0.02 | 1 | 0.25 | A |
| dimethylpolysiloxane | Landscape maintenance | 0.41 | N/A | N/A | N/A |
| dimethylpolysiloxane | Leek | 6.43 | 37 | 60.3 | A |
| dimethylpolysiloxane | Lemon | 985.42 | 563 | 8,084.89 | A |
| dimethylpolysiloxane | Lettuce, leaf | 6.47 | 133 | 845.67 | A |
| dimethylpolysiloxane | Mango | 0.12 | 2 | 1.3 | A |
| dimethylpolysiloxane | Mint | 0.02 | 1 | 1.5 | A |
| dimethylpolysiloxane | Mustard greens | 0.57 | 1 | 7.0 | A |
| dimethylpolysiloxane | N-grnhs flower | <0.01 | 3 | 2.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|----------------|-------|--------------|--------------|
| dimethylpolysiloxane | N-grnhs plants in containers | 6.3 | 13 | 15.69 | A |
| dimethylpolysiloxane | N-grnhs transplants | 0.01 | 1 | 7,200.0 | U |
| dimethylpolysiloxane | N-outdr flower | 2.2 | 21 | 33.5 | A |
| dimethylpolysiloxane | N-outdr plants in containers | 16.06 | 42 | 69.6 | A |
| dimethylpolysiloxane | N-outdr plants in containers | 0.17 | 1 | 32,000.0 | U |
| dimethylpolysiloxane | Onion, green | 43.7 | 54 | 552.7 | A |
| dimethylpolysiloxane | Orange | 78.33 | 41 | 416.9 | A |
| dimethylpolysiloxane | Parsley | 6.58 | 59 | 304.94 | A |
| dimethylpolysiloxane | Pepper, fruiting | 17.02 | 437 | 9,101.99 | A |
| dimethylpolysiloxane | Pepper, spice | 4.52 | 2 | 56.19 | A |
| dimethylpolysiloxane | Pumpkin | 34.33 | 16 | 223.7 | A |
| dimethylpolysiloxane | Radish | 1.94 | 16 | 46.0 | A |
| dimethylpolysiloxane | Raspberry | 340.33 | 427 | 4,129.17 | A |
| dimethylpolysiloxane | Rights of way | 20.53 | 66 | 278.75 | A |
| dimethylpolysiloxane | Rights of way | 487.8 | N/A | N/A | N/A |
| dimethylpolysiloxane | Sod farm (turf) | 0.2 | 1 | 7.27 | A |
| dimethylpolysiloxane | Soil fumigation/preplant | 6.01 | 1 | 14.0 | A |
| dimethylpolysiloxane | Spinach | 4.11 | 8 | 56.87 | A |
| dimethylpolysiloxane | Stone fruit | 3.78 | 1 | 11.75 | A |
| dimethylpolysiloxane | Strawberry | 6,984.9 | 1,745 | 62,367.81 | A |
| dimethylpolysiloxane | Swiss chard | 27.28 | 29 | 264.3 | A |
| dimethylpolysiloxane | Tangerine | 9.66 | 34 | 104.0 | A |
| dimethylpolysiloxane | Tomato | 19.3 | 7 | 51.89 | A |
| dimethylpolysiloxane | Tropical/subtropical fruit | 0.19 | 2 | 2.0 | A |
| dimethylpolysiloxane | Turf/sod | 161.19 | 185 | 2,514.35 | A |
| dimethylpolysiloxane | Uncultivated ag | 0.78 | 15 | 22.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dinotefuran | Cabbage | 0.08 | 4 | 1.0 | A |
| dinotefuran | Cucumber | 3.84 | 4 | 21.84 | A |
| dinotefuran | Landscape maintenance | 1.23 | N/A | N/A | N/A |
| dinotefuran | N-grnhs flower | 0.58 | 6 | 5.7 | A |
| dinotefuran | N-grnhs plants in containers | 21.43 | 32 | 59.77 | A |
| dinotefuran | N-grnhs transplants | 1.08 | 4 | 54,000.0 | S |
| dinotefuran | N-outdr flower | 12.89 | 47 | 71.6 | A |
| dinotefuran | N-outdr plants in containers | 35.73 | 54 | 185.97 | A |
| dinotefuran | N-outdr plants in containers | 0.7 | 20 | 131,550.0 | S |
| dinotefuran | N-outdr transplants | 0.13 | 6 | 2.79 | A |
| dinotefuran | Regulatory pest control | 0.1 | N/A | N/A | N/A |
| dinotefuran | Structural pest control | 285.67 | N/A | N/A | N/A |
| dinotefuran | Tomato | 21.02 | 22 | 128.79 | A |
| dioctyl dimethyl ammonium chloride | Public health | 0.01 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Structural pest control | 0.84 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Tomato | 0.02 | 1 | 0.84 | A |
| diphacinone | Avocado | 0.06 | 104 | 671.7 | A |
| diphacinone | Ditch bank | 0.02 | 10 | 66.0 | A |
| diphacinone | Forage hay/silage | 0.03 | 11 | 140.0 | A |
| diphacinone | Landscape maintenance | 0.81 | N/A | N/A | N/A |
| diphacinone | Lemon | 0.04 | 59 | 1,325.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diphacinone | N-grnhs plants in containers | 0.01 | 4 | 3.87 | A |
| diphacinone | N-outdr plants in containers | 0.01 | 5 | 61.25 | A |
| diphacinone | N-outdr plants in containers | <0.01 | 2 | 40,000.0 | S |
| diphacinone | Orange | <0.01 | 7 | 37.5 | A |
| diphacinone | Pastureland | 0.02 | 3 | 37.0 | A |
| diphacinone | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| diphacinone | Rights of way | <0.01 | 1 | 10.0 | A |
| diphacinone | Structural pest control | 0.98 | N/A | N/A | N/A |
| diphacinone | Uncultivated ag | 0.01 | 6 | 20.0 | A |
| diphacinone | Vertebrate control | 0.16 | N/A | N/A | N/A |
| diphacinone | Walnut | 0.01 | 4 | 40.0 | A |
| diphacinone, sodium salt | Structural pest control | <0.01 | N/A | N/A | N/A |
| diquat dibromide | Ditch bank | 3.97 | 2 | 2.1 | A |
| diquat dibromide | Golf course turf | 0.02 | 1 | 10,000.0 | S |
| diquat dibromide | Landscape maintenance | 306.64 | N/A | N/A | N/A |
| diquat dibromide | N-grnhs plants in containers | 7.46 | 1 | 5.0 | A |
| diquat dibromide | N-outdr flower | 4.08 | 3 | 4.2 | A |
| diquat dibromide | N-outdr plants in containers | 639.49 | 218 | 949.84 | A |
| diquat dibromide | N-outdr plants in containers | 1.05 | 3 | 32,809.0 | S |
| diquat dibromide | Rights of way | 275.08 | 54 | 254.0 | A |
| diquat dibromide | Rights of way | 422.06 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| disodium octaborate tetrahydrate | Landscape maintenance | 0.31 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | N-outdr plants in containers | 0.03 | 5 | 2.75 | A |
| disodium octaborate tetrahydrate | N-outdr plants in containers | <0.01 | 1 | 15.0 | S |
| disodium octaborate tetrahydrate | Regulatory pest control | 5.89 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Rights of way | 99.58 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Structural pest control | 4,948.29 | N/A | N/A | N/A |
| dithiopyr | Golf course turf | 3.97 | N/A | 7.0 | A |
| dithiopyr | Landscape maintenance | 0.25 | 1 | 2,000.0 | C |
| dithiopyr | Landscape maintenance | 42.32 | 28 | 618,202.0 | S |
| dithiopyr | Landscape maintenance | 185.09 | N/A | N/A | N/A |
| dithiopyr | N-outdr plants in containers | 62.58 | 37 | 105.86 | A |
| dithiopyr | Rights of way | 385.32 | N/A | N/A | N/A |
| diuron | Alfalfa | 83.08 | 3 | 83.0 | A |
| diuron | Landscape maintenance | 9.84 | N/A | N/A | N/A |
| diuron | Lemon | 1,558.0 | 14 | 811.5 | A |
| diuron | N-outdr flower | 20.1 | 4 | 6.0 | A |
| diuron | Orange | 6.4 | 1 | 4.0 | A |
| diuron | Rights of way | 24.02 | 3 | 6.0 | A |
| diuron | Rights of way | 123.22 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | Apple | 0.86 | 3 | 3.13 | A |
| dodecylbenzene sulfonic acid | Apricot | 0.86 | 3 | 3.13 | A |
| dodecylbenzene sulfonic acid | Avocado | 0.02 | 1 | 3.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|------------------------------|----------------|------|--------------|--------------|
| dodecylbenzene sulfonic acid | Avocado | 0.01 | 6 | 33,926.0 | U |
| dodecylbenzene sulfonic acid | Landscape maintenance | 0.84 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | Lemon | 0.05 | 1 | 3.4 | A |
| dodecylbenzene sulfonic acid | N-outdr flower | 108.08 | 414 | 1,219.52 | A |
| dodecylbenzene sulfonic acid | N-outdr plants in containers | 63.01 | 41 | 482.6 | A |
| dodecylbenzene sulfonic acid | Orange | 0.18 | 4 | 36.5 | A |
| dodecylbenzene sulfonic acid | Peach | 0.86 | 3 | 3.13 | A |
| dodecylbenzene sulfonic acid | Plum | 0.86 | 3 | 3.13 | A |
| dodecylbenzene sulfonic acid | Rights of way | 1.52 | 6 | 6.0 | A |
| edta, tetrasodium salt | Apple | 0.05 | 3 | 3.13 | A |
| edta, tetrasodium salt | Apricot | 0.05 | 3 | 3.13 | A |
| edta, tetrasodium salt | Avocado | <0.01 | 1 | 3.5 | A |
| edta, tetrasodium salt | Avocado | <0.01 | 6 | 33,926.0 | U |
| edta, tetrasodium salt | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| edta, tetrasodium salt | Lemon | <0.01 | 1 | 3.4 | A |
| edta, tetrasodium salt | N-grnhs flower | 0.13 | 22 | 22.0 | A |
| edta, tetrasodium salt | N-grnhs transplants | 0.01 | 1 | 1.0 | A |
| edta, tetrasodium salt | N-outdr flower | 6.65 | 414 | 1,219.52 | A |
| edta, tetrasodium salt | N-outdr plants in containers | 3.88 | 41 | 482.6 | A |
| edta, tetrasodium salt | Orange | 0.01 | 4 | 36.5 | A |
| edta, tetrasodium salt | Peach | 0.05 | 3 | 3.13 | A |
| edta, tetrasodium salt | Plum | 0.05 | 3 | 3.13 | A |
| edta, tetrasodium salt | Rights of way | 0.09 | 6 | 6.0 | A |
| emamectin benzoate | Bok choy | 0.31 | 6 | 20.88 | A |
| emamectin benzoate | Broccoli | 0.63 | 3 | 42.0 | A |
| emamectin benzoate | Brussels sprout | 17.66 | 33 | 1,208.63 | A |
| emamectin benzoate | Cabbage | 52.35 | 397 | 3,972.69 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| emamectin benzoate | Cauliflower | 1.77 | 15 | 117.83 | A |
| emamectin benzoate | Celery | 1.25 | 5 | 99.7 | A |
| emamectin benzoate | Collard | 0.54 | 8 | 36.15 | A |
| emamectin benzoate | Kale | 1.12 | 15 | 76.05 | A |
| emamectin benzoate | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| emamectin benzoate | N-grnhs transplants | 0.04 | 4 | 20.0 | A |
| emamectin benzoate | N-outdr plants in containers | 0.12 | 2 | 6.0 | A |
| emamectin benzoate | Structural pest control | <0.01 | N/A | N/A | N/A |
| emamectin benzoate | Swiss chard | 0.02 | 1 | 1.0 | A |
| emamectin benzoate | Tomato | 0.64 | 5 | 44.4 | A |
| emulsifiable methylated vegetable oil | Avocado | 17.42 | 2 | 13.0 | A |
| emulsifiable methylated vegetable oil | Bean, dried | 318.45 | 12 | 399.62 | A |
| emulsifiable methylated vegetable oil | Bean, succulent | 120.06 | 5 | 177.0 | A |
| emulsifiable methylated vegetable oil | Bok choy | 448.59 | 48 | 385.02 | A |
| emulsifiable methylated vegetable oil | Broccoli | 42.96 | 4 | 72.0 | A |
| emulsifiable methylated vegetable oil | Cabbage | 4,004.11 | 631 | 5,635.28 | A |
| emulsifiable methylated vegetable oil | Celery | 2,571.64 | 230 | 2,582.48 | A |
| emulsifiable methylated vegetable oil | Gai lon | 175.45 | 41 | 92.34 | A |
| emulsifiable methylated vegetable oil | Leek | 34.9 | 10 | 41.2 | A |
| emulsifiable methylated vegetable oil | Peas | 24.41 | 4 | 2.5 | A |
| emulsifiable methylated vegetable oil | Pepper, fruiting | 36.74 | 6 | 121.6 | A |
| emulsifiable methylated vegetable oil | Rights of way | 40.18 | 11 | 36.0 | A |
| emulsifiable methylated vegetable oil | Uncultivated ag | 146.31 | 29 | 131.5 | A |
| emulsifiable polyethylene | Landscape maintenance | 1.17 | 1 | 337.0 | A |
| emulsifiable polyethylene | Landscape maintenance | 2.44 | N/A | N/A | N/A |
| endothall, dipotassium salt | Landscape maintenance | 63.46 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| endothall, mono [n,n-dimethyl alkylamine] salt | Landscape maintenance | 11.35 | N/A | N/A | N/A |
| eptc | Carrot | 273.85 | 2 | 89.8 | A |
| esfenvalerate | Artichoke, globe | 3.15 | 3 | 67.44 | A |
| esfenvalerate | Cabbage | 0.29 | 1 | 6.1 | A |
| esfenvalerate | Collard | 0.27 | 3 | 5.5 | A |
| esfenvalerate | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| esfenvalerate | Mustard | 0.34 | 7 | 7.25 | A |
| esfenvalerate | Mustard greens | 0.53 | 7 | 11.25 | A |
| esfenvalerate | N-grnhs transplants | 0.23 | 4 | 7.6 | A |
| esfenvalerate | N-outdr transplants | 0.2 | 6 | 6.8 | A |
| esfenvalerate | Pepper, fruiting | 0.76 | 1 | 16.4 | A |
| esfenvalerate | Pumpkin | 2.13 | 3 | 52.0 | A |
| esfenvalerate | Radish | 18.53 | 105 | 396.14 | A |
| esfenvalerate | Structural pest control | 25.89 | N/A | N/A | N/A |
| esfenvalerate | Tomato | 0.93 | 1 | 29.5 | A |
| essential oils | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| ethanolamine | Avocado | 1.75 | 73 | 387.05 | A |
| ethanolamine | Ditch bank | 0.01 | 5 | 4.75 | A |
| ethanolamine | Lemon | 1.58 | 34 | 258.43 | A |
| ethanolamine | N-outdr plants in containers | 3.04 | 242 | 403.25 | A |
| ethanolamine | Orange | 2.11 | 41 | 369.0 | A |
| ethanolamine | Pastureland | 0.16 | 5 | 27.5 | A |
| ethephon | Golf course turf | 97.91 | N/A | 32.0 | A |
| ethephon | Landscape maintenance | 27.95 | 1 | 337.0 | A |
| ethephon | Landscape maintenance | 778.26 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| ethephon | N-grnhs flower | 69.87 | N/A | 18.0 | A |
| ethephon | N-grnhs plants in containers | 0.76 | 8 | 1.14 | A |
| ethephon | N-outdr plants in containers | 0.01 | 1 | 18,000.0 | S |
| ethephon | Tomato | 42.59 | 15 | 120.54 | A |
| ethofumesate | Landscape maintenance | 1.71 | N/A | N/A | N/A |
| ethofumesate | Sod farm (turf) | 34.56 | 4 | 31.15 | A |
| ethylene glycol | Lemon | 19.71 | 4 | 75.5 | A |
| ethylene glycol | Pepper, fruiting | 0.77 | 2 | 6.0 | A |
| ethylene glycol | Tangerine | 2.27 | 1 | 6.0 | A |
| ethylene glycol | Tomato | 48.48 | 9 | 177.0 | A |
| etofenprox | Structural pest control | 1.5 | N/A | N/A | N/A |
| etoxazole | Blackberry | 6.89 | 8 | 51.08 | A |
| etoxazole | Cucumber | 1.62 | 1 | 3.36 | A |
| etoxazole | N-outdr flower | 1.84 | 21 | 27.0 | A |
| etoxazole | Raspberry | 38.7 | 43 | 286.54 | A |
| etoxazole | Rights of way | 0.91 | 1 | 6.75 | A |
| etoxazole | Strawberry | 61.82 | 17 | 457.88 | A |
| famoxadone | N-grnhs transplants | 0.52 | 3 | 5.5 | A |
| famoxadone | N-outdr transplants | 0.52 | 4 | 5.2 | A |
| famoxadone | Tomato | 1.73 | 10 | 13.75 | A |
| fatty acids derived from tallow | Blackberry | 0.81 | 1 | 5.25 | A |
| fatty acids derived from tallow | Brussels sprout | 56.6 | 3 | 126.2 | A |
| fatty acids derived from tallow | Celery | 0.06 | 1 | 1.5 | A |
| fatty acids derived from tallow | Corn, human consumption | 10.52 | 66 | 277.0 | A |
| fatty acids derived from tallow | Ditch bank | 2.68 | 8 | 31.5 | A |
| fatty acids derived from tallow | Lemon | 4.42 | 1 | 57.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| fatty acids derived from tallow | Structural pest control | 0.15 | N/A | N/A | N/A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Artichoke, globe | 53.32 | 21 | 467.2 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Blackberry | 1.54 | 1 | 13.5 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Brussels sprout | 29.36 | 11 | 211.7 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Cabbage | 17.69 | 16 | 160.4 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Celery | 471.55 | 161 | 3,277.98 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Cilantro | 11.6 | 1 | 12.7 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Collard | 7.73 | 16 | 66.05 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Kale | 15.17 | 18 | 125.75 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Kohlrabi | 0.07 | 2 | 0.5 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Onion, green | 0.73 | 2 | 4.7 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Parsley | 2.04 | 3 | 17.3 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Pepper, fruiting | 35.92 | 3 | 39.4 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Rights of way | 47.67 | 27 | 117.5 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Soil fumigation/preplant | 5.18 | 3 | 12.0 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Strawberry | 1,266.36 | 146 | 5,392.82 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Swiss chard | 3.17 | 17 | 28.45 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Tomato | 48.5 | 3 | 53.2 | A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Uncultivated ag | 62.14 | 5 | 77.15 | A |
| fatty acids, methyl esters | Landscape maintenance | 12.5 | N/A | N/A | N/A |
| fatty acids, mixed | Artichoke, globe | 95.75 | 79 | 1,591.74 | A |
| fatty acids, mixed | Avocado | 0.35 | 4 | 23.0 | A |
| fatty acids, mixed | Bean, dried | 27.85 | 18 | 670.0 | A |
| fatty acids, mixed | Bean, succulent | 4.1 | 10 | 364.09 | A |
| fatty acids, mixed | Beet | 0.06 | 6 | 25.39 | A |
| fatty acids, mixed | Broccoli | 30.95 | 29 | 277.0 | A |
| fatty acids, mixed | Brussels sprout | 174.93 | 67 | 2,447.65 | A |
| fatty acids, mixed | Cabbage | 25.17 | 178 | 1,359.28 | A |
| fatty acids, mixed | Cauliflower | 12.2 | 68 | 507.78 | A |
| fatty acids, mixed | Celery | 1,077.49 | 516 | 9,287.84 | A |
| fatty acids, mixed | Cilantro | 18.83 | 14 | 170.1 | A |
| fatty acids, mixed | Collard | 0.31 | 21 | 140.05 | A |
| fatty acids, mixed | Cucumber | 0.63 | 1 | 8.08 | A |
| fatty acids, mixed | Ditch bank | 8.88 | 70 | 148.1 | A |
| fatty acids, mixed | Endive (escarole) | 6.84 | 50 | 42.92 | A |
| fatty acids, mixed | Fava bean | 0.12 | 2 | 1.0 | A |
| fatty acids, mixed | Grape, wine | 0.35 | 13 | 6.9 | A |
| fatty acids, mixed | Herb, spice | 17.1 | 50 | 160.6 | A |
| fatty acids, mixed | Kale | 3.72 | 63 | 407.08 | A |
| fatty acids, mixed | Landscape maintenance | 0.21 | N/A | N/A | N/A |
| fatty acids, mixed | Leek | 4.91 | 29 | 47.7 | A |
| fatty acids, mixed | Lemon | 10.97 | 19 | 190.96 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|---------------------|----------------|------|--------------|--------------|
| fatty acids, mixed | Lettuce, leaf | 111.32 | 124 | 761.92 | A |
| fatty acids, mixed | Mustard greens | 0.11 | 11 | 32.2 | A |
| fatty acids, mixed | N-outdr flower | 0.05 | 4 | 5.7 | A |
| fatty acids, mixed | Orange | 0.33 | 1 | 6.0 | A |
| fatty acids, mixed | Parsley | 21.32 | 63 | 318.4 | A |
| fatty acids, mixed | Pepper, fruiting | 1,236.22 | 436 | 9,075.92 | A |
| fatty acids, mixed | Radish | 0.04 | 1 | 12.62 | A |
| fatty acids, mixed | Rights of way | 0.78 | 15 | 26.0 | A |
| fatty acids, mixed | Rights of way | 27.73 | N/A | N/A | N/A |
| fatty acids, mixed | Strawberry | 62.57 | 176 | 7,849.76 | A |
| fatty acids, mixed | Sudangrass | 0.09 | 2 | 12.0 | A |
| fatty acids, mixed | Swiss chard | 0.01 | 2 | 3.0 | A |
| fatty acids, mixed | Turnip greens | 0.1 | 11 | 29.3 | A |
| fatty acids, mixed | Uncultivated ag | 4.26 | 8 | 30.0 | A |
| fenamidone | Beet | 26.91 | 22 | 101.39 | A |
| fenamidone | Bok choy | 7.76 | 5 | 29.53 | A |
| fenamidone | Cabbage | 49.09 | 34 | 184.09 | A |
| fenamidone | Celery | 23.69 | 5 | 89.7 | A |
| fenamidone | Endive (escarole) | 3.55 | 18 | 13.6 | A |
| fenamidone | Gai lon | 1.4 | 1 | 5.55 | A |
| fenamidone | Lettuce, leaf | 48.38 | 54 | 181.58 | A |
| fenamidone | N-grnhs transplants | 1.09 | 5 | 14.5 | A |
| fenamidone | N-outdr transplants | 2.2 | 8 | 9.9 | A |
| fenamidone | Spinach | 100.89 | 48 | 381.71 | A |
| fenamidone | Swiss chard | 0.41 | 1 | 1.5 | A |
| fenazaquin | Blackberry | 32.58 | 9 | 66.33 | A |
| fenazaquin | Raspberry | 15.9 | 5 | 25.34 | A |
| fenazaquin | Tomato | 5.01 | 1 | 8.0 | A |
| fenbutatin-oxide | Strawberry | 84.0 | 2 | 56.0 | A |
| fenhexamid | Blackberry | 29.88 | 6 | 57.76 | A |
| fenhexamid | Grape, wine | 12.0 | 5 | 24.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------|------------------------------|----------------|------|--------------|--------------|
| fenhexamid | Lettuce, leaf | 3.88 | 31 | 7.75 | A |
| fenhexamid | N-grnhs flower | 1.22 | 3 | 2.2 | A |
| fenhexamid | N-grnhs plants in containers | 5.83 | 10 | 7.97 | A |
| fenhexamid | N-outdr flower | 77.91 | 67 | 172.7 | A |
| fenhexamid | N-outdr plants in containers | 0.94 | 4 | 4.3 | A |
| fenhexamid | Raspberry | 6.84 | 3 | 13.68 | A |
| fenhexamid | Strawberry | 4,995.46 | 227 | 8,347.15 | A |
| fenpropathrin | Avocado | 5.96 | 2 | 94.0 | A |
| fenpropathrin | Avocado | 4.94 | 53 | 348,462.0 | U |
| fenpropathrin | Blackberry | 52.15 | 23 | 181.46 | A |
| fenpropathrin | Brussels sprout | 124.0 | 12 | 453.05 | A |
| fenpropathrin | Grapefruit | 2.38 | 1 | 5.7 | A |
| fenpropathrin | Lemon | 895.5 | 133 | 2,628.07 | A |
| fenpropathrin | N-grnhs plants in containers | 0.05 | 1 | 0.25 | A |
| fenpropathrin | N-grnhs transplants | 0.23 | 1 | 9,000.0 | S |
| fenpropathrin | N-outdr plants in containers | 1.35 | 10 | 13.54 | A |
| fenpropathrin | N-outdr plants in containers | 1.92 | 49 | 147,000.0 | S |
| fenpropathrin | N-outdr plants in containers | 0.43 | 3 | 32,101.0 | U |
| fenpropathrin | Olive | 1.25 | 1 | 4.0 | A |
| fenpropathrin | Orange | 61.22 | 21 | 177.15 | A |
| fenpropathrin | Pepper, fruiting | 18.39 | 6 | 94.06 | A |
| fenpropathrin | Pepper, spice | 9.51 | 2 | 45.59 | A |
| fenpropathrin | Raspberry | 4.95 | 2 | 15.86 | A |
| fenpropathrin | Strawberry | 1,355.22 | 132 | 4,931.2 | A |
| fenpropathrin | Tangerine | 5.57 | 4 | 17.3 | A |
| fenpyroximate | Blackberry | 7.49 | 8 | 69.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| fenpyroximate | Citrus | 0.62 | 2 | 104,150.0 | U |
| fenpyroximate | Lemon | 20.29 | 15 | 190.3 | A |
| fenpyroximate | N-outdr flower | 1.72 | 18 | 30.5 | A |
| fenpyroximate | Raspberry | 4.49 | 6 | 41.67 | A |
| fenpyroximate | Strawberry | 194.34 | 53 | 1,809.0 | A |
| fenpyroximate | Tomato | 4.99 | 2 | 46.5 | A |
| ferric sodium edta | Landscape maintenance | 2.9 | N/A | N/A | N/A |
| ferric sodium edta | Lemon | 2,367.17 | 139 | 4,835.46 | A |
| fipronil | Landscape maintenance | 6.01 | N/A | N/A | N/A |
| fipronil | Regulatory pest control | 30.71 | N/A | N/A | N/A |
| fipronil | Structural pest control | 277.72 | N/A | N/A | N/A |
| flazasulfuron | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| flazasulfuron | Rights of way | 0.39 | N/A | N/A | N/A |
| flonicamid | Bean, succulent | 8.78 | 1 | 100.28 | A |
| flonicamid | Beet | 15.51 | 24 | 177.86 | A |
| flonicamid | Bok choy | 31.89 | 48 | 363.96 | A |
| flonicamid | Broccoli | 4.91 | 6 | 56.0 | A |
| flonicamid | Brussels sprout | 19.91 | 8 | 232.06 | A |
| flonicamid | Cabbage | 13.36 | 15 | 152.73 | A |
| flonicamid | Cauliflower | 0.88 | 2 | 10.0 | A |
| flonicamid | Celery | 525.23 | 398 | 6,054.77 | A |
| flonicamid | Cilantro | 46.94 | 43 | 600.63 | A |
| flonicamid | Collard | 0.22 | 1 | 2.75 | A |
| flonicamid | Cucumber | 11.49 | 15 | 84.0 | A |
| flonicamid | Endive (escarole) | 0.08 | 1 | 0.86 | A |
| flonicamid | Gai lon | 6.08 | 25 | 69.32 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|----------------|------|--------------|--------------|
| flonicamid | Herb, spice | 0.09 | 1 | 1.5 | A |
| flonicamid | Kale | 9.52 | 18 | 109.85 | A |
| flonicamid | Lettuce, head | 2.24 | 3 | 25.5 | A |
| flonicamid | Lettuce, leaf | 52.0 | 77 | 612.31 | A |
| flonicamid | N-grnhs flower | 2.18 | 3 | 12.0 | A |
| flonicamid | N-grnhs plants in containers | 7.55 | 41 | 52.57 | A |
| flonicamid | N-outdr flower | 1.48 | 11 | 17.8 | A |
| flonicamid | Parsley | 78.43 | 58 | 896.73 | A |
| flonicamid | Peas | 0.15 | 3 | 1.66 | A |
| flonicamid | Pepper, fruiting | 115.84 | 51 | 1,188.81 | A |
| flonicamid | Pumpkin | 2.67 | 2 | 30.5 | A |
| flonicamid | Radish | 51.98 | 138 | 593.13 | A |
| flonicamid | Spinach | 42.25 | 56 | 486.36 | A |
| flonicamid | Strawberry | 1,295.19 | 354 | 14,858.43 | A |
| flonicamid | Swiss chard | 0.19 | 1 | 2.45 | A |
| flonicamid | Tomato | 24.65 | 33 | 190.65 | A |
| flonicamid | Unknown | 4.34 | 15 | 49.4 | A |
| florasulam | Landscape maintenance | 0.95 | N/A | N/A | N/A |
| fluazifop-butyl | Golf course turf | 0.42 | 2 | 2.0 | A |
| fluazifop-butyl | Golf course turf | 0.19 | N/A | 12,000.0 | S |
| fluazifop-butyl | Landscape maintenance | 2.63 | N/A | N/A | N/A |
| fluazifop-p-butyl | Carrot | 124.96 | 8 | 240.1 | A |
| fluazifop-p-butyl | Landscape maintenance | 27.14 | N/A | N/A | N/A |
| fluazifop-p-butyl | Rights of way | 95.06 | N/A | N/A | N/A |
| fluazinam | Cabbage | 19.8 | 2 | 14.5 | A |
| fluazinam | Golf course turf | 21.28 | 2 | 26.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------|------------------------------|----------------|------|--------------|--------------|
| fluazinam | Landscape maintenance | 33.97 | N/A | N/A | N/A |
| fluazinam | N-grnhs flower | 5.0 | N/A | 18.0 | A |
| fludioxonil | Blackberry | 70.52 | 42 | 342.78 | A |
| fludioxonil | Broccoli | <0.01 | N/A | 2.34 | P |
| fludioxonil | Cantaloupe | <0.01 | N/A | 1,028.84 | P |
| fludioxonil | Carrot | 0.22 | N/A | 9,494.54 | P |
| fludioxonil | Celery | 90.21 | 50 | 412.4 | A |
| fludioxonil | Cilantro | 4.81 | 1 | 22.0 | A |
| fludioxonil | Cucumber | 0.74 | 1 | 3.36 | A |
| fludioxonil | Cucumber | 2.26 | N/A | 89,890.47 | P |
| fludioxonil | Endive (escarole) | 0.18 | 2 | 0.81 | A |
| fludioxonil | Golf course turf | 0.42 | N/A | 2.0 | A |
| fludioxonil | Grape, wine | 0.88 | 2 | 4.0 | A |
| fludioxonil | Landscape maintenance | 46.06 | N/A | N/A | N/A |
| fludioxonil | Lemon | 1,434.32 | N/A | 727,789.0 | T |
| fludioxonil | Lettuce, leaf | 169.02 | 67 | 211.85 | A |
| fludioxonil | Lettuce, leaf | <0.01 | N/A | 1,004.4 | P |
| fludioxonil | N-grnhs flower | 1.26 | 3 | 5.2 | A |
| fludioxonil | N-grnhs flower | 0.09 | 1 | 25,000.0 | S |
| fludioxonil | N-grnhs plants in containers | 5.05 | 18 | 17.27 | A |
| fludioxonil | N-grnhs plants in containers | 1.22 | 13 | 728,000.0 | S |
| fludioxonil | N-grnhs transplants | 0.13 | 1 | 5.0 | A |
| fludioxonil | N-outdr flower | 15.4 | 69 | 157.21 | A |
| fludioxonil | N-outdr plants in containers | 9.75 | 15 | 75.76 | A |
| fludioxonil | Onion, dry | 1.36 | N/A | 55,332.53 | P |
| fludioxonil | Orange | 8.48 | N/A | 2,128.0 | T |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| fludioxonil | Parsley | 78.67 | 30 | 409.2 | A |
| fludioxonil | Pepper, fruiting | 29.43 | 5 | 134.53 | A |
| fludioxonil | Pepper, fruiting | 0.02 | N/A | 779.69 | P |
| fludioxonil | Pepper, spice | <0.01 | N/A | 1,000.0 | P |
| fludioxonil | Raspberry | 64.41 | 82 | 295.24 | A |
| fludioxonil | Rights of way | 0.19 | N/A | N/A | N/A |
| fludioxonil | Spinach | 0.17 | N/A | 4,767.73 | P |
| fludioxonil | Squash | 0.74 | N/A | 24,325.94 | P |
| fludioxonil | Strawberry | 4,763.41 | 470 | 22,036.22 | A |
| fludioxonil | Tomato | 6.43 | 11 | 32.95 | A |
| fludioxonil | Tomato | 0.04 | N/A | 2,384.16 | P |
| fludioxonil | Watermelon | 0.24 | N/A | 9,652.75 | P |
| flumioxazin | Bean, dried | 50.81 | 36 | 1,062.65 | A |
| flumioxazin | Bean, succulent | 5.5 | 5 | 114.85 | A |
| flumioxazin | Celery | 517.9 | 344 | 6,076.49 | A |
| flumioxazin | Landscape maintenance | 6.38 | N/A | N/A | N/A |
| flumioxazin | N-outdr plants in containers | 576.64 | 50 | 306.2 | A |
| flumioxazin | Rights of way | 50.64 | N/A | N/A | N/A |
| flumioxazin | Soil fumigation/preplant | 7.54 | 5 | 135.5 | A |
| flumioxazin | Strawberry | 206.64 | 91 | 3,617.6 | A |
| flumioxazin | Uncultivated ag | 2.81 | 2 | 32.3 | A |
| fluopicolide | Beet | 18.59 | 21 | 172.63 | A |
| fluopicolide | Bok choy | 44.74 | 48 | 359.68 | A |
| fluopicolide | Cabbage | 1.5 | 2 | 11.99 | A |
| fluopicolide | Cucumber | 10.03 | 8 | 81.12 | A |
| fluopicolide | Gai lon | 10.9 | 38 | 86.98 | A |
| fluopicolide | Kale | 0.24 | 1 | 2.0 | A |
| fluopicolide | Lettuce, leaf | 8.63 | 18 | 69.58 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| fluopicolide | N-grnhs flower | 0.09 | 1 | 0.75 | A |
| fluopicolide | N-grnhs plants in containers | 5.35 | 27 | 35.51 | A |
| fluopicolide | N-outdr flower | 7.63 | 27 | 56.6 | A |
| fluopicolide | N-outdr plants in containers | 0.62 | 4 | 2.6 | A |
| fluopicolide | Onion, green | 1.15 | 2 | 10.5 | A |
| fluopicolide | Peas | 0.28 | 3 | 2.01 | A |
| fluopicolide | Pepper, spice | 3.82 | 1 | 30.94 | A |
| fluopicolide | Pumpkin | 6.71 | 3 | 54.5 | A |
| fluopicolide | Radish | 25.39 | 46 | 206.14 | A |
| fluopicolide | Spinach | 65.0 | 58 | 525.13 | A |
| fluopyram | Artichoke, globe | 32.32 | 11 | 260.38 | A |
| fluopyram | Blackberry | 0.43 | 21 | 2.93 | A |
| fluopyram | Blueberry | 0.61 | 4 | 4.15 | A |
| fluopyram | Broccoli | 1.48 | 1 | 12.0 | A |
| fluopyram | Brussels sprout | 78.82 | 18 | 637.3 | A |
| fluopyram | Cabbage | 7.5 | 25 | 290.5 | A |
| fluopyram | Cantaloupe | 0.67 | 2 | 6.0 | A |
| fluopyram | Cauliflower | 1.94 | 4 | 15.5 | A |
| fluopyram | Cilantro | 2.48 | 1 | 20.0 | A |
| fluopyram | Golf course turf | 4.43 | 3 | 8.5 | A |
| fluopyram | Kale | 1.25 | 4 | 10.04 | A |
| fluopyram | Lemon | 0.32 | 1 | 12.0 | A |
| fluopyram | Lettuce, head | 7.68 | 3 | 62.0 | A |
| fluopyram | Lettuce, leaf | 7.5 | 11 | 61.3 | A |
| fluopyram | Melon | 0.33 | 1 | 3.0 | A |
| fluopyram | N-grnhs plants in containers | 0.51 | 9 | 504,000.0 | S |
| fluopyram | N-grnhs transplants | 1.27 | 18 | 74.7 | A |
| fluopyram | N-outdr transplants | 0.33 | 4 | 4.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|-----------------------|----------------|------|--------------|--------------|
| fluopyram | Parsley | 9.37 | 14 | 75.1 | A |
| fluopyram | Pepper, fruiting | 116.11 | 51 | 987.49 | A |
| fluopyram | Pepper, spice | 2.52 | 1 | 30.94 | A |
| fluopyram | Pumpkin | 11.01 | 7 | 91.0 | A |
| fluopyram | Raspberry | 1.56 | 55 | 10.88 | A |
| fluopyram | Spinach | 0.17 | 2 | 1.3 | A |
| fluopyram | Strawberry | 1,961.36 | 369 | 16,070.7 | A |
| fluopyram | Tomato | 7.64 | 11 | 167.76 | A |
| fluopyram | Watermelon | 1.0 | 3 | 9.0 | A |
| flupyradifurone | Avocado | 3.06 | 3 | 24.5 | A |
| flupyradifurone | Blackberry | 66.32 | 50 | 366.78 | A |
| flupyradifurone | Blueberry | 1.49 | 7 | 8.17 | A |
| flupyradifurone | Bok choy | 2.27 | 2 | 17.39 | A |
| flupyradifurone | Brussels sprout | 8.73 | 2 | 55.82 | A |
| flupyradifurone | Cabbage | 3.87 | 2 | 34.47 | A |
| flupyradifurone | Celery | 71.74 | 27 | 398.69 | A |
| flupyradifurone | Cilantro | 12.45 | 4 | 68.25 | A |
| flupyradifurone | Citrus | 3.8 | 4 | 27.75 | A |
| flupyradifurone | Collard | 1.28 | 1 | 9.85 | A |
| flupyradifurone | Cucumber | 14.3 | 11 | 72.98 | A |
| flupyradifurone | Endive (escarole) | 0.3 | 2 | 3.15 | A |
| flupyradifurone | Gai lon | 0.45 | 2 | 3.34 | A |
| flupyradifurone | Grapefruit | 4.4 | 5 | 27.0 | A |
| flupyradifurone | Kale | 2.72 | 3 | 18.8 | A |
| flupyradifurone | Landscape maintenance | 0.14 | N/A | N/A | N/A |
| flupyradifurone | Lemon | 1,019.34 | 420 | 7,350.87 | A |
| flupyradifurone | Lettuce, leaf | 5.95 | 7 | 54.35 | A |
| flupyradifurone | Mustard greens | 0.72 | 2 | 5.4 | A |
| flupyradifurone | N-grnhs flower | 0.47 | 14 | 14.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|----------------|------|--------------|--------------|
| flupyradifurone | N-grnhs plants in containers | 10.36 | 17 | 40.83 | A |
| flupyradifurone | N-grnhs plants in containers | 0.91 | 14 | 784,000.0 | S |
| flupyradifurone | N-outdr plants in containers | 3.62 | 7 | 16.35 | A |
| flupyradifurone | Orange | 84.92 | 50 | 613.65 | A |
| flupyradifurone | Pepper, fruiting | 286.03 | 75 | 1,567.38 | A |
| flupyradifurone | Pumpkin | 4.0 | 2 | 22.0 | A |
| flupyradifurone | Raspberry | 17.04 | 40 | 98.05 | A |
| flupyradifurone | Spinach | 1.02 | 3 | 11.26 | A |
| flupyradifurone | Strawberry | 442.88 | 65 | 2,426.94 | A |
| flupyradifurone | Tangerine | 67.31 | 38 | 415.46 | A |
| flupyradifurone | Tomato | 143.27 | 73 | 719.44 | A |
| flupyradifurone | Turnip greens | 0.6 | 2 | 4.5 | A |
| flurecol-methyl | Landscape maintenance | 0.06 | N/A | N/A | N/A |
| flurecol-methyl | Structural pest control | 0.53 | N/A | N/A | N/A |
| fluroxypyr, 1-methylheptyl ester | Landscape maintenance | 39.64 | N/A | N/A | N/A |
| flurprimidol | Golf course turf | 9.12 | N/A | 54.25 | A |
| flurprimidol | Landscape maintenance | 12.91 | N/A | N/A | N/A |
| flurprimidol | N-grnhs flower | 9.32 | N/A | 60.0 | A |
| flutolanil | Golf course turf | 4.2 | 1 | 2.2 | A |
| flutolanil | Landscape maintenance | 37.8 | N/A | N/A | N/A |
| flutriafol | Cabbage | 3.77 | 3 | 33.0 | A |
| flutriafol | Cabbage, savoy | 0.5 | 1 | 5.27 | A |
| flutriafol | Celery | 5.79 | 2 | 50.88 | A |
| flutriafol | Cucumber | 9.13 | 6 | 79.97 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| flutriafol | Grape, wine | 0.17 | 1 | 2.0 | A |
| flutriafol | Kale | 0.12 | 1 | 1.0 | A |
| flutriafol | Parsley | 1.3 | 2 | 11.45 | A |
| flutriafol | Pepper, fruiting | 265.4 | 105 | 2,332.11 | A |
| flutriafol | Pumpkin | 7.57 | 4 | 74.0 | A |
| flutriafol | Strawberry | 1,073.86 | 239 | 9,555.97 | A |
| flutriafol | Tomato | 17.0 | 15 | 172.8 | A |
| fluxapyroxad | Broccoli | 4.07 | 4 | 47.0 | A |
| fluxapyroxad | Brussels sprout | 50.6 | 16 | 603.01 | A |
| fluxapyroxad | Cabbage | 109.94 | 133 | 1,251.86 | A |
| fluxapyroxad | Celery | 10.67 | 3 | 59.0 | A |
| fluxapyroxad | Endive (escarole) | 0.29 | 2 | 1.54 | A |
| fluxapyroxad | Golf course turf | 3.29 | N/A | 13.0 | A |
| fluxapyroxad | Kale | 0.4 | 2 | 4.46 | A |
| fluxapyroxad | Landscape maintenance | 6.98 | N/A | N/A | N/A |
| fluxapyroxad | Leek | 0.95 | 3 | 5.9 | A |
| fluxapyroxad | Lettuce, leaf | 8.52 | 9 | 48.23 | A |
| fluxapyroxad | N-grnhs flower | 1.84 | N/A | 12.0 | A |
| fluxapyroxad | N-outdr flower | 1.69 | 3 | 8.94 | A |
| fluxapyroxad | N-outdr plants in containers | 9.29 | 13 | 75.8 | A |
| fluxapyroxad | Parsley | 80.29 | 19 | 443.9 | A |
| fluxapyroxad | Pepper, fruiting | 185.25 | 107 | 2,211.95 | A |
| fluxapyroxad | Strawberry | 1,404.47 | 157 | 7,904.74 | A |
| fluxapyroxad | Swiss chard | 0.55 | 2 | 3.05 | A |
| fluxapyroxad | Tomato | 15.32 | 12 | 205.9 | A |
| foramsulfuron | Landscape maintenance | 9.4 | N/A | N/A | N/A |
| foramsulfuron | N-grnhs flower | 1.48 | N/A | 30.0 | A |
| foramsulfuron | Turf/sod | 0.94 | 6 | 18.73 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| fosetyl-al | Blackberry | 2.12 | 5 | 0.53 | A |
| fosetyl-al | Cabbage | 25.0 | 25 | 6.25 | A |
| fosetyl-al | Golf course turf | 105.68 | 1 | 14.7 | A |
| fosetyl-al | Landscape maintenance | 10.65 | N/A | N/A | N/A |
| fosetyl-al | Lettuce, leaf | 199.2 | 8 | 83.0 | A |
| fosetyl-al | N-grnhs flower | 1.43 | 3 | 3.0 | A |
| fosetyl-al | N-grnhs plants in containers | 172.48 | 38 | 73.38 | A |
| fosetyl-al | N-grnhs transplants | 0.3 | 1 | 1.0 | A |
| fosetyl-al | N-outdr flower | 51.2 | 9 | 39.8 | A |
| fosetyl-al | N-outdr plants in containers | 134.83 | 29 | 47.89 | A |
| free fatty acids and/or amine salts | N-outdr plants in containers | 8.94 | 6 | 1.0 | A |
| gamma-cyhalothrin | Structural pest control | 0.03 | N/A | N/A | N/A |
| garlic | N-outdr plants in containers | 2.92 | 2 | 25.45 | A |
| garlic | Tomato | 1.13 | 4 | 4.55 | A |
| gibberellins | Apple | 2.49 | 5 | 205.25 | A |
| gibberellins | Artichoke, globe | 29.9 | 80 | 1,391.86 | A |
| gibberellins | Avocado | 125.36 | 139 | 2,410.56 | A |
| gibberellins | Celery | 2.82 | 12 | 133.75 | A |
| gibberellins | Lemon | 446.38 | 468 | 9,978.24 | A |
| gibberellins | Lemon | 16.8 | N/A | 115,042.0 | T |
| gibberellins | N-grnhs plants in containers | 0.01 | 4 | 0.82 | A |
| gibberellins | Orange | 11.79 | 7 | 169.71 | A |
| gibberellins | Pepper, fruiting | 0.14 | 1 | 32.0 | A |
| gibberellins | Tangerine | 0.26 | 1 | 12.0 | A |
| gibberellins | Turf/sod | <0.01 | 1 | 0.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|-------|--------------|--------------|
| glufosinate-ammonium | Avocado | 73.54 | 23 | 329.05 | A |
| glufosinate-ammonium | Citrus | 1.38 | 2 | 4.5 | A |
| glufosinate-ammonium | Ditch bank | 23.47 | 4 | 10.5 | A |
| glufosinate-ammonium | Golf course turf | 0.22 | N/A | 12,000.0 | S |
| glufosinate-ammonium | Grape, wine | 15.92 | 4 | 15.5 | A |
| glufosinate-ammonium | Grapefruit | 1.89 | 1 | 4.0 | A |
| glufosinate-ammonium | Guava | 2.11 | 2 | 6.5 | A |
| glufosinate-ammonium | Landscape maintenance | 731.34 | N/A | N/A | N/A |
| glufosinate-ammonium | Lemon | 3,529.47 | 757 | 8,248.06 | A |
| glufosinate-ammonium | N-outdr plants in containers | 2.35 | 1 | 7.5 | A |
| glufosinate-ammonium | Orange | 371.86 | 101 | 681.75 | A |
| glufosinate-ammonium | Rangeland | 4.75 | 3 | 3.46 | A |
| glufosinate-ammonium | Rights of way | 112.82 | 55 | 132.1 | A |
| glufosinate-ammonium | Rights of way | 10.93 | N/A | N/A | N/A |
| glufosinate-ammonium | Strawberry | 5.69 | 2 | 7.0 | A |
| glufosinate-ammonium | Tangerine | 53.66 | 13 | 97.0 | A |
| glufosinate-ammonium | Uncultivated ag | 51.52 | 24 | 356.3 | A |
| glutaraldehyde | Industrial processing water | 129.75 | N/A | 1.0 | U |
| glutaraldehyde | Water (industrial) | 718.78 | N/A | 52.0 | U |
| glycerol | Grape, wine | 2.64 | 1 | 3.5 | A |
| glyphosate, dimethylamine salt | Rights of way | 300.53 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Artichoke, globe | 9.0 | 1 | 9.0 | A |
| glyphosate, isopropylamine salt | Asparagus | 2.24 | 1 | 2.25 | A |
| glyphosate, isopropylamine salt | Avocado | 10,841.72 | 1,138 | 14,299.3 | A |
| glyphosate, isopropylamine salt | Bean, dried | 300.05 | 1 | 60.0 | A |
| glyphosate, isopropylamine salt | Bean, succulent | 473.0 | 7 | 197.0 | A |
| glyphosate, isopropylamine salt | Buildings/non-ag outdoor | 3.31 | 4 | 8.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|------|--------------|--------------|
| glyphosate, isopropylamine salt | Cabbage | 685.26 | 23 | 366.57 | A |
| glyphosate, isopropylamine salt | Celery | 1,964.61 | 15 | 321.15 | A |
| glyphosate, isopropylamine salt | Cherimoya | 42.5 | 2 | 15.0 | A |
| glyphosate, isopropylamine salt | Cilantro | 295.75 | 2 | 37.0 | A |
| glyphosate, isopropylamine salt | Citrus | 35.97 | 2 | 4.5 | A |
| glyphosate, isopropylamine salt | Ditch bank | 1,603.72 | 90 | 203.6 | A |
| glyphosate, isopropylamine salt | Golf course turf | 1.3 | 1 | 14,000.0 | S |
| glyphosate, isopropylamine salt | Guava | 35.97 | 2 | 6.5 | A |
| glyphosate, isopropylamine salt | Industrial site | 23.5 | N/A | 24.0 | A |
| glyphosate, isopropylamine salt | Landscape maintenance | 25.86 | 3 | 5.0 | A |
| glyphosate, isopropylamine salt | Landscape maintenance | 2.02 | 1 | 10,000.0 | S |
| glyphosate, isopropylamine salt | Landscape maintenance | 4,458.58 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Lemon | 15,200.33 | 872 | 12,298.49 | A |
| glyphosate, isopropylamine salt | Lettuce, leaf | 6.0 | 1 | 4.0 | A |
| glyphosate, isopropylamine salt | N-grnhs flower | 6.44 | N/A | 100.0 | A |
| glyphosate, isopropylamine salt | N-grnhs plants in containers | 66.45 | 5 | 6.63 | A |
| glyphosate, isopropylamine salt | N-grnhs plants in containers | 6.42 | 4 | 68,000.0 | S |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 7,577.91 | 316 | 1,841.78 | A |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 72.64 | 47 | 640,330.0 | S |
| glyphosate, isopropylamine salt | Orange | 711.98 | 71 | 673.09 | A |
| glyphosate, isopropylamine salt | Orchard floor | 0.18 | 2 | 10.0 | A |
| glyphosate, isopropylamine salt | Pastureland | 20.0 | 1 | 8.0 | A |
| glyphosate, isopropylamine salt | Pepper, fruiting | 152.88 | 3 | 43.46 | A |
| glyphosate, isopropylamine salt | Pepper, spice | 102.62 | 1 | 51.29 | A |
| glyphosate, isopropylamine salt | Rights of way | 3,419.51 | 230 | 805.15 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|-----------------------|----------------|-------|--------------|--------------|
| glyphosate, isopropylamine salt | Rights of way | 32,298.06 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Sod farm (turf) | 234.49 | 6 | 49.2 | A |
| glyphosate, isopropylamine salt | Strawberry | 22.0 | 2 | 4.0 | A |
| glyphosate, isopropylamine salt | Tangerine | 146.05 | 24 | 87.47 | A |
| glyphosate, isopropylamine salt | Turf/sod | 113.64 | 3 | 24.98 | A |
| glyphosate, isopropylamine salt | Uncultivated ag | 2,367.32 | 88 | 1,103.9 | A |
| glyphosate, isopropylamine salt | Walnut | 12.48 | 14 | 3.12 | A |
| glyphosate, monoammonium salt | Landscape maintenance | 43.48 | N/A | N/A | N/A |
| glyphosate, monoammonium salt | Rights of way | 12.31 | N/A | N/A | N/A |
| glyphosate, potassium salt | Apple | 16.69 | 3 | 3.13 | A |
| glyphosate, potassium salt | Apricot | 12.83 | 3 | 3.13 | A |
| glyphosate, potassium salt | Avocado | 26,177.11 | 1,918 | 14,710.38 | A |
| glyphosate, potassium salt | Avocado | 360.44 | 23 | 1,677,600.0 | U |
| glyphosate, potassium salt | Bean, dried | 198.6 | 1 | 18.0 | A |
| glyphosate, potassium salt | Beverage crop | 8.83 | 5 | 7.0 | A |
| glyphosate, potassium salt | Celery | 1,550.03 | 13 | 254.25 | A |
| glyphosate, potassium salt | Cilantro | 79.88 | 2 | 20.7 | A |
| glyphosate, potassium salt | Citrus | 11.01 | 1 | 0.5 | A |
| glyphosate, potassium salt | Citrus | 41.27 | 4 | 194,150.0 | U |
| glyphosate, potassium salt | Ditch bank | 414.44 | 22 | 44.0 | A |
| glyphosate, potassium salt | Fig | 5.16 | 1 | 3.0 | A |
| glyphosate, potassium salt | Grape, wine | 38.58 | 2 | 4.0 | A |
| glyphosate, potassium salt | Grapefruit | 159.47 | 14 | 35.25 | A |
| glyphosate, potassium salt | Landscape maintenance | 0.52 | 1 | 2,000.0 | C |
| glyphosate, potassium salt | Landscape maintenance | 135.02 | 50 | 538,100.0 | S |
| glyphosate, potassium salt | Landscape maintenance | 476.81 | N/A | N/A | N/A |
| glyphosate, potassium salt | Lemon | 48,572.22 | 2,128 | 28,609.35 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| glyphosate, potassium salt | N-outdr flower | 12.46 | 2 | 1.5 | A |
| glyphosate, potassium salt | N-outdr plants in containers | 102.37 | 23 | 34.05 | A |
| glyphosate, potassium salt | N-outdr plants in containers | 11.01 | 1 | 32,000.0 | U |
| glyphosate, potassium salt | Nursery soil | 33.02 | 3 | 7.0 | A |
| glyphosate, potassium salt | Onion, green | 47.62 | 5 | 14.95 | A |
| glyphosate, potassium salt | Orange | 3,452.77 | 405 | 1,846.45 | A |
| glyphosate, potassium salt | Orchard floor | 454.33 | 33 | 380.5 | A |
| glyphosate, potassium salt | Pastureland | 78.42 | 6 | 28.0 | A |
| glyphosate, potassium salt | Peach | 16.69 | 3 | 3.13 | A |
| glyphosate, potassium salt | Pepper, fruiting | 179.4 | 3 | 39.4 | A |
| glyphosate, potassium salt | Plum | 16.69 | 3 | 3.13 | A |
| glyphosate, potassium salt | Pumpkin | 22.07 | 1 | 8.0 | A |
| glyphosate, potassium salt | Raspberry | 32.88 | 2 | 23.41 | A |
| glyphosate, potassium salt | Rights of way | 1,601.51 | 106 | 361.38 | A |
| glyphosate, potassium salt | Rights of way | 353.41 | 21 | 1,230,000.0 | S |
| glyphosate, potassium salt | Rights of way | 1,915.16 | N/A | N/A | N/A |
| glyphosate, potassium salt | Strawberry | 1,204.02 | 8 | 252.5 | A |
| glyphosate, potassium salt | Tangerine | 1,077.1 | 82 | 474.65 | A |
| glyphosate, potassium salt | Tomato | 242.13 | 3 | 53.2 | A |
| glyphosate, potassium salt | Uncultivated ag | 706.62 | 48 | 272.45 | A |
| glyphosate, potassium salt | Uncultivated non-ag | 62.06 | 1 | 16.0 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Bok choy | 2.2 | 10 | 51.02 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Brussels sprout | 8.43 | 8 | 272.02 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Cabbage | 126.89 | 293 | 2,977.74 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Cauliflower | 2.99 | 14 | 138.92 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Collard | 1.58 | 10 | 73.3 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Kale | 5.86 | 34 | 260.98 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Mustard greens | 0.29 | 5 | 13.5 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Radish | 2.32 | 5 | 53.9 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Swiss chard | 0.06 | 1 | 1.3 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Tomato | 3.78 | 1 | 7.5 | A |
| gs-omega/kappa-hctx-hv1a (versitide peptide) | Turnip greens | 0.15 | 3 | 7.1 | A |
| halosulfuron-methyl | Landscape maintenance | 4.62 | N/A | N/A | N/A |
| halosulfuron-methyl | N-outdr plants in containers | 0.59 | 3 | 5.46 | A |
| halosulfuron-methyl | Rights of way | <0.01 | 2 | 0.5 | A |
| halosulfuron-methyl | Sod farm (turf) | 4.43 | 15 | 92.64 | A |
| halosulfuron-methyl | Turf/sod | 11.02 | 13 | 176.76 | A |
| heptamethyltrisiloxane ethoxylated | Artichoke, globe | 56.27 | 18 | 460.2 | A |
| heptamethyltrisiloxane ethoxylated | Avocado | 4.16 | 1 | 63.5 | A |
| heptamethyltrisiloxane ethoxylated | Beet | 64.58 | 62 | 483.74 | A |
| heptamethyltrisiloxane ethoxylated | Blackberry | 272.19 | 379 | 2,306.67 | A |
| heptamethyltrisiloxane ethoxylated | Blueberry | 4.58 | 24 | 46.04 | A |
| heptamethyltrisiloxane ethoxylated | Brussels sprout | 470.11 | 100 | 3,592.9 | A |
| heptamethyltrisiloxane ethoxylated | Cabbage | 2,133.21 | 1,252 | 11,409.53 | A |
| heptamethyltrisiloxane ethoxylated | Cabbage, savoy | 19.74 | 24 | 137.85 | A |
| heptamethyltrisiloxane ethoxylated | Cauliflower | 84.07 | 56 | 476.73 | A |
| heptamethyltrisiloxane ethoxylated | Celery | 141.85 | 45 | 951.7 | A |
| heptamethyltrisiloxane ethoxylated | Collard | 40.27 | 53 | 254.95 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-----------------------|----------------|------|--------------|--------------|
| heptamethyltrisiloxane ethoxylated | Dill | 1.68 | 2 | 13.4 | A |
| heptamethyltrisiloxane ethoxylated | Kale | 96.16 | 98 | 605.08 | A |
| heptamethyltrisiloxane ethoxylated | Kohlrabi | 0.04 | 1 | 0.25 | A |
| heptamethyltrisiloxane ethoxylated | Lemon | 29.04 | 13 | 361.29 | A |
| heptamethyltrisiloxane ethoxylated | Lettuce, leaf | 54.88 | 75 | 330.38 | A |
| heptamethyltrisiloxane ethoxylated | Mustard greens | 6.68 | 17 | 50.85 | A |
| heptamethyltrisiloxane ethoxylated | N-outdr flower | 0.08 | 1 | 0.67 | A |
| heptamethyltrisiloxane ethoxylated | N-outdr transplants | 0.59 | 2 | 6.06 | A |
| heptamethyltrisiloxane ethoxylated | Parsley | 13.52 | 14 | 102.05 | A |
| heptamethyltrisiloxane ethoxylated | Pepper, fruiting | 141.61 | 57 | 1,023.21 | A |
| heptamethyltrisiloxane ethoxylated | Pumpkin | 7.05 | 4 | 61.0 | A |
| heptamethyltrisiloxane ethoxylated | Raspberry | 272.35 | 690 | 2,300.98 | A |
| heptamethyltrisiloxane ethoxylated | Spinach | 3.44 | 2 | 20.8 | A |
| heptamethyltrisiloxane ethoxylated | Strawberry | 4,410.28 | 718 | 23,323.91 | A |
| heptamethyltrisiloxane ethoxylated | Swiss chard | 4.74 | 31 | 40.3 | A |
| heptamethyltrisiloxane ethoxylated | Tangerine | 0.01 | 1 | 0.25 | A |
| heptamethyltrisiloxane ethoxylated | Tomato | 141.66 | 67 | 1,250.5 | A |
| heptamethyltrisiloxane ethoxylated | Turnip greens | 4.2 | 12 | 31.9 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Avocado | 23.66 | 82 | 1,346.75 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Blackberry | 43.33 | 10 | 137.45 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Blueberry | 12.35 | 4 | 55.68 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Grapefruit | 0.07 | 2 | 2.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Landscape maintenance | 0.67 | N/A | N/A | N/A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Lemon | 216.32 | 113 | 2,299.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Orange | 0.23 | 2 | 33.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Pastureland | 0.03 | 1 | 3.19 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Raspberry | 4.12 | 3 | 11.13 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Rights of way | 2.02 | 2 | 4.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Strawberry | 6.95 | 3 | 62.81 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Tangerine | 0.01 | 1 | 26.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Uncultivated ag | 2.16 | 5 | 13.9 | A |
| hexaflumuron | Structural pest control | <0.01 | N/A | N/A | N/A |
| hexazinone | Alfalfa | 41.09 | 3 | 83.0 | A |
| hexylene glycol | Rights of way | 81.59 | N/A | N/A | N/A |
| hexythiazox | Blackberry | 19.43 | 26 | 104.79 | A |
| hexythiazox | N-grnhs flower | 0.02 | 2 | 2.0 | A |
| hexythiazox | N-grnhs flower | 0.05 | 1 | 25,000.0 | S |
| hexythiazox | N-outdr flower | 8.25 | 25 | 72.3 | A |
| hexythiazox | N-outdr plants in containers | 7.44 | 16 | 110.0 | A |
| hexythiazox | Raspberry | 50.27 | 41 | 265.62 | A |
| hexythiazox | Strawberry | 1,236.08 | 141 | 5,886.58 | A |
| hydramethylnon | N-outdr plants in containers | <0.01 | 1 | 1.0 | S |
| hydramethylnon | Structural pest control | 3.75 | N/A | N/A | N/A |
| hydrogen chloride | Regulatory pest control | 0.15 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| hydrogen peroxide | Avocado | 298.79 | 1 | 3.0 | A |
| hydrogen peroxide | Avocado | 0.5 | 3 | 2,720.0 | U |
| hydrogen peroxide | Blackberry | 301.46 | 16 | 278.32 | A |
| hydrogen peroxide | Blueberry | 187.72 | 7 | 156.58 | A |
| hydrogen peroxide | Celery | 4,069.47 | 50 | 918.7 | A |
| hydrogen peroxide | Cilantro | 130.66 | 4 | 35.0 | A |
| hydrogen peroxide | Cucumber | 164.81 | 14 | 47.04 | A |
| hydrogen peroxide | Grape, wine | 4.98 | 1 | 2.0 | A |
| hydrogen peroxide | Herb, spice | 1.24 | 1 | 1.0 | A |
| hydrogen peroxide | Kale | 0.48 | 1 | 2.0 | A |
| hydrogen peroxide | Landscape maintenance | 260.45 | N/A | N/A | N/A |
| hydrogen peroxide | Lemon | 651.69 | N/A | 80,370.0 | T |
| hydrogen peroxide | Lettuce, leaf | 260.35 | 5 | 51.8 | A |
| hydrogen peroxide | N-grnhs plants in containers | 42.17 | 21 | 13.05 | A |
| hydrogen peroxide | N-outdr plants in containers | 9.96 | 3 | 6.63 | A |
| hydrogen peroxide | Orange | 187.17 | N/A | 5,908.0 | T |
| hydrogen peroxide | Parsley | 8.71 | 2 | 4.0 | A |
| hydrogen peroxide | Peas | 0.64 | 1 | 0.5 | A |
| hydrogen peroxide | Pepper, fruiting | 1,893.76 | 22 | 477.51 | A |
| hydrogen peroxide | Raspberry | 391.03 | 24 | 247.03 | A |
| hydrogen peroxide | Spinach | 115.93 | 4 | 29.78 | A |
| hydrogen peroxide | Squash | 0.67 | 2 | 2.0 | A |
| hydrogen peroxide | Strawberry | 1,637.76 | 25 | 725.91 | A |
| hydrogen peroxide | Structural pest control | 4.73 | N/A | N/A | N/A |
| hydrogen peroxide | Tomato | 413.38 | 19 | 85.47 | A |
| hydrogen peroxide | Water (industrial) | 118.91 | N/A | 360.0 | U |
| hydrogen peroxide | Water area | 3,017.02 | N/A | 538.43 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| hydroprene | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| hydroprene | N-grnhs plants in containers | <0.01 | 1 | 1.0 | A |
| hydroprene | Regulatory pest control | 0.12 | N/A | N/A | N/A |
| hydroprene | Structural pest control | 11.66 | N/A | N/A | N/A |
| iba | N-grnhs plants in containers | 0.56 | 11 | 7.62 | A |
| imazalil | Landscape maintenance | 27.05 | N/A | N/A | N/A |
| imazalil | Lemon | 1,952.83 | N/A | 616,667.0 | T |
| imazalil | Orange | 79.06 | N/A | 14,241.0 | T |
| imazalil | Structural pest control | 0.01 | N/A | N/A | N/A |
| imazalil sulfate | Landscape maintenance | 29.0 | N/A | N/A | N/A |
| imazalil sulfate | Lemon | 547.0 | N/A | 97,320.0 | T |
| imazalil sulfate | Orange | 88.0 | N/A | 6,808.0 | T |
| imazapyr, isopropylamine salt | Blackberry | 0.68 | 1 | 5.8 | A |
| imazapyr, isopropylamine salt | Ditch bank | 0.33 | N/A | 448.78 | A |
| imazapyr, isopropylamine salt | Landscape maintenance | 381.84 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Rights of way | 83.54 | N/A | N/A | N/A |
| imazosulfuron | Landscape maintenance | 1.03 | N/A | N/A | N/A |
| imidacloprid | Artichoke, globe | 70.95 | 24 | 561.1 | A |
| imidacloprid | Avocado | 3.79 | 5 | 18.95 | A |
| imidacloprid | Avocado | 0.06 | 3 | 2,720.0 | U |
| imidacloprid | Bean, succulent | 25.9 | 2 | 71.69 | A |
| imidacloprid | Beet | 27.05 | 52 | 406.28 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| imidacloprid | Blackberry | 73.64 | 27 | 271.93 | A |
| imidacloprid | Bok choy | 64.05 | 50 | 204.47 | A |
| imidacloprid | Broccoli | 1.99 | 1 | 5.25 | A |
| imidacloprid | Brussels sprout | 131.91 | 17 | 380.24 | A |
| imidacloprid | Cabbage | 169.0 | 42 | 593.6 | A |
| imidacloprid | Cabbage, savoy | 5.03 | 6 | 40.25 | A |
| imidacloprid | Carrot | 7.61 | 4 | 146.3 | A |
| imidacloprid | Celery | 174.36 | 26 | 603.3 | A |
| imidacloprid | Cilantro | 3.45 | 5 | 73.5 | A |
| imidacloprid | Citrus | 15.55 | 2 | 98,510.0 | U |
| imidacloprid | Collard | 0.09 | 1 | 2.0 | A |
| imidacloprid | Cucumber | 1.82 | 2 | 9.66 | A |
| imidacloprid | Gai lon | 10.85 | 41 | 37.1 | A |
| imidacloprid | Grapefruit | 1.18 | 3 | 6.75 | A |
| imidacloprid | Kale | 1.5 | 5 | 32.0 | A |
| imidacloprid | Landscape maintenance | 3.15 | 2 | 350,000.0 | S |
| imidacloprid | Landscape maintenance | 30.41 | N/A | N/A | N/A |
| imidacloprid | Lemon | 1,037.56 | 195 | 3,771.51 | A |
| imidacloprid | Lettuce, leaf | 0.18 | 1 | 4.18 | A |
| imidacloprid | N-grnhs plants in containers | 1.3 | 7 | 11.37 | A |
| imidacloprid | N-grnhs plants in containers | 0.05 | 4 | 17,800.0 | S |
| imidacloprid | N-grnhs transplants | 0.14 | 2 | 1.25 | A |
| imidacloprid | N-outdr flower | 0.32 | 4 | 7.4 | A |
| imidacloprid | N-outdr plants in containers | 77.37 | 229 | 512.59 | A |
| imidacloprid | N-outdr plants in containers | 0.69 | 67 | 251,180.0 | S |
| imidacloprid | N-outdr transplants | 0.96 | 10 | 17.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| imidacloprid | N-outdr transplants | 1.2 | 4 | 43,200.0 | S |
| imidacloprid | Orange | 124.71 | 53 | 592.69 | A |
| imidacloprid | Parsley | 2.92 | 5 | 65.65 | A |
| imidacloprid | Peas | 3.09 | 39 | 9.38 | A |
| imidacloprid | Pepper, fruiting | 557.94 | 72 | 1,110.67 | A |
| imidacloprid | Pepper, spice | 15.34 | 3 | 30.33 | A |
| imidacloprid | Public health | 46.72 | N/A | N/A | N/A |
| imidacloprid | Pumpkin | 17.63 | 4 | 49.0 | A |
| imidacloprid | Raspberry | 51.37 | 80 | 458.66 | A |
| imidacloprid | Regulatory pest control | 4.92 | N/A | N/A | N/A |
| imidacloprid | Rights of way | 7.68 | 1 | 20.0 | A |
| imidacloprid | Rights of way | 5.76 | N/A | N/A | N/A |
| imidacloprid | Spinach | 4.62 | 15 | 99.15 | A |
| imidacloprid | Strawberry | 929.37 | 34 | 1,898.72 | A |
| imidacloprid | Structural pest control | 353.38 | N/A | N/A | N/A |
| imidacloprid | Tangerine | 30.2 | 16 | 142.58 | A |
| imidacloprid | Tomato | 117.46 | 29 | 405.3 | A |
| imidacloprid | Watercress | 17.84 | 25 | 137.5 | A |
| indaziflam | Citrus | 0.1 | 1 | 1.0 | A |
| indaziflam | Golf course turf | 0.03 | N/A | 20,000.0 | S |
| indaziflam | Landscape maintenance | 3.2 | N/A | N/A | N/A |
| indaziflam | Lemon | 164.75 | 129 | 3,566.95 | A |
| indaziflam | N-outdr plants in containers | 6.64 | 20 | 117.35 | A |
| indaziflam | Orange | 4.26 | 4 | 78.5 | A |
| indaziflam | Pastureland | 2.28 | 4 | 45.1 | A |
| indaziflam | Rights of way | 0.65 | 1 | 10.0 | A |
| indaziflam | Rights of way | 89.56 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------|-------------------------|----------------|------|--------------|--------------|
| indaziflam | Tangerine | 6.38 | 3 | 90.0 | A |
| indoxacarb | Bok choy | 32.77 | 67 | 497.2 | A |
| indoxacarb | Broccoli | 3.48 | 3 | 53.0 | A |
| indoxacarb | Brussels sprout | 85.18 | 37 | 1,297.93 | A |
| indoxacarb | Cabbage | 199.94 | 313 | 3,040.44 | A |
| indoxacarb | Cabbage, savoy | 0.8 | 2 | 12.27 | A |
| indoxacarb | Cauliflower | 9.92 | 18 | 151.08 | A |
| indoxacarb | Celery | 207.16 | 120 | 2,578.59 | A |
| indoxacarb | Collard | 4.92 | 13 | 74.95 | A |
| indoxacarb | Endive (escarole) | 0.07 | 1 | 0.64 | A |
| indoxacarb | Gai lon | 6.44 | 41 | 97.8 | A |
| indoxacarb | Golf course turf | 0.8 | N/A | 12.0 | A |
| indoxacarb | Kale | 12.06 | 29 | 183.74 | A |
| indoxacarb | Landscape maintenance | 0.36 | N/A | N/A | N/A |
| indoxacarb | Lettuce, leaf | 0.59 | 1 | 5.22 | A |
| indoxacarb | Mustard greens | 2.29 | 10 | 34.95 | A |
| indoxacarb | N-grnhs transplants | 0.28 | 5 | 25.0 | A |
| indoxacarb | Peas | 0.13 | 3 | 2.01 | A |
| indoxacarb | Regulatory pest control | 0.06 | N/A | N/A | N/A |
| indoxacarb | Structural pest control | 10.74 | N/A | N/A | N/A |
| indoxacarb | Swiss chard | 0.36 | 4 | 5.55 | A |
| indoxacarb | Tomato | 1.41 | 1 | 25.0 | A |
| indoxacarb | Turnip greens | 0.73 | 4 | 11.15 | A |
| iprodione | Blackberry | 585.81 | 83 | 586.24 | A |
| iprodione | Carrot | 189.84 | N/A | 38,630.59 | P |
| iprodione | Landscape maintenance | 9.99 | N/A | N/A | N/A |
| iprodione | Lettuce, leaf | 11.98 | 31 | 12.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| iprodione | N-grnhs flower | 10.64 | 1 | 3.5 | A |
| iprodione | N-grnhs plants in containers | 2.69 | 5 | 5.5 | A |
| iprodione | N-outdr flower | 51.4 | 73 | 133.95 | A |
| iprodione | N-outdr plants in containers | 125.47 | 60 | 165.75 | A |
| iprodione | N-outdr plants in containers | 0.2 | 1 | 32,000.0 | S |
| iprodione | N-outdr transplants | 0.19 | 1 | 1.5 | A |
| iprodione | Raspberry | 544.79 | 90 | 564.32 | A |
| iron hedta | Landscape maintenance | 1.2 | N/A | N/A | N/A |
| iron phosphate | Avocado | 0.75 | 1 | 1.0 | A |
| iron phosphate | Landscape maintenance | 15.0 | 1 | 20.0 | A |
| iron phosphate | Landscape maintenance | 16.76 | N/A | N/A | N/A |
| iron phosphate | Lemon | 106.65 | 32 | 916.7 | A |
| iron phosphate | N-outdr plants in containers | 0.52 | 13 | 4.5 | A |
| iron phosphate | Structural pest control | 0.84 | N/A | N/A | N/A |
| iron phosphate | Tangerine | 38.4 | 2 | 64.0 | A |
| isofetamid | Strawberry | 862.32 | 41 | 2,120.24 | A |
| isopropyl alcohol | Apple | 0.26 | 3 | 3.13 | A |
| isopropyl alcohol | Apricot | 0.26 | 3 | 3.13 | A |
| isopropyl alcohol | Avocado | 3.48 | 75 | 402.55 | A |
| isopropyl alcohol | Avocado | <0.01 | 6 | 33,926.0 | U |
| isopropyl alcohol | Citrus | 0.05 | 2 | 4.5 | A |
| isopropyl alcohol | Ditch bank | 0.02 | 5 | 4.75 | A |
| isopropyl alcohol | Guava | 0.09 | 2 | 6.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| isopropyl alcohol | Landscape maintenance | 0.25 | N/A | N/A | N/A |
| isopropyl alcohol | Lemon | 7.02 | 43 | 375.33 | A |
| isopropyl alcohol | N-outdr flower | 32.92 | 414 | 1,219.52 | A |
| isopropyl alcohol | N-outdr plants in containers | 24.9 | 283 | 885.85 | A |
| isopropyl alcohol | Orange | 4.01 | 45 | 405.5 | A |
| isopropyl alcohol | Pastureland | 0.29 | 5 | 27.5 | A |
| isopropyl alcohol | Peach | 0.26 | 3 | 3.13 | A |
| isopropyl alcohol | Pepper, fruiting | 0.14 | 2 | 6.0 | A |
| isopropyl alcohol | Plum | 0.26 | 3 | 3.13 | A |
| isopropyl alcohol | Pumpkin | 1.58 | 4 | 60.0 | A |
| isopropyl alcohol | Regulatory pest control | 0.7 | N/A | N/A | N/A |
| isopropyl alcohol | Rights of way | 0.71 | 10 | 25.0 | A |
| isopropyl alcohol | Structural pest control | 17.63 | N/A | N/A | N/A |
| isopropyl alcohol | Tangerine | 0.46 | 2 | 10.0 | A |
| isopropyl alcohol | Tomato | 8.81 | 9 | 177.0 | A |
| isopropyl alcohol | Uncultivated ag | 1.13 | 15 | 92.0 | A |
| isopropylamine dodecylbenzene sulfonate | Avocado | 0.12 | 5 | 57.5 | A |
| isopropylamine dodecylbenzene sulfonate | Brussels sprout | 14.23 | 12 | 513.8 | A |
| isopropylamine dodecylbenzene sulfonate | Corn, human consumption | <0.01 | 1 | 3.5 | A |
| isopropylamine dodecylbenzene sulfonate | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| isopropylamine dodecylbenzene sulfonate | Lemon | 0.24 | 11 | 139.0 | A |
| isopropylamine dodecylbenzene sulfonate | Pepper, spice | 3.22 | 9 | 206.43 | A |
| isopropylamine dodecylbenzene sulfonate | Pumpkin | 0.22 | 1 | 24.0 | A |
| isopropylamine dodecylbenzene sulfonate | Soil fumigation/preplant | 0.41 | 1 | 44.0 | A |
| isopropylamine dodecylbenzene sulfonate | Strawberry | 0.39 | 1 | 42.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| isopropylamine dodecylbenzene sulfonate | Uncultivated ag | 0.21 | 2 | 45.5 | A |
| isoxaben | Landscape maintenance | 94.24 | N/A | N/A | N/A |
| isoxaben | N-grnhs plants in containers | 3.09 | 3 | 4.13 | A |
| isoxaben | N-outdr plants in containers | 616.65 | 100 | 722.6 | A |
| isoxaben | N-outdr plants in containers | 0.1 | 4 | 29,500.0 | S |
| isoxaben | Rights of way | 268.89 | N/A | N/A | N/A |
| kaolin | Avocado | 1,049.75 | 6 | 31.0 | A |
| kaolin | Blackberry | 6,150.49 | 8 | 182.93 | A |
| kaolin | Cabbage | 52.9 | 3 | 55.68 | A |
| kaolin | Olive | 142.5 | 1 | 3.0 | A |
| kaolin | Raspberry | 6,804.66 | 7 | 179.07 | A |
| kaolin | Strawberry | 114.0 | 1 | 8.0 | A |
| kinoprene | N-grnhs flower | 0.14 | 1 | 1.0 | A |
| lactose | Avocado | 1.86 | 5 | 38.0 | A |
| lactose | Grapefruit | 0.98 | 2 | 14.82 | A |
| lactose | Lemon | 205.97 | 116 | 2,468.78 | A |
| lactose | Olive | 0.2 | 1 | 3.0 | A |
| lactose | Orange | 0.23 | 1 | 2.0 | A |
| lactose | Orchard floor | 8.98 | 1 | 66.35 | A |
| lactose | Tangerine | 14.91 | 11 | 174.83 | A |
| lambda-cyhalothrin | Bean, succulent | 0.69 | 3 | 26.37 | A |
| lambda-cyhalothrin | Broccoli | 0.04 | 1 | 1.0 | A |
| lambda-cyhalothrin | Brussels sprout | 61.07 | 51 | 1,940.28 | A |
| lambda-cyhalothrin | Cabbage | 2.75 | 29 | 102.2 | A |
| lambda-cyhalothrin | Cauliflower | 0.04 | 1 | 1.0 | A |
| lambda-cyhalothrin | Celery | 0.13 | 1 | 4.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|----------------|------|--------------|--------------|
| lambda-cyhalothrin | Corn, human consumption | 4.16 | 35 | 144.75 | A |
| lambda-cyhalothrin | Landscape maintenance | 0.74 | N/A | N/A | N/A |
| lambda-cyhalothrin | Lettuce, leaf | 3.47 | 44 | 121.05 | A |
| lambda-cyhalothrin | N-grnhs plants in containers | 0.48 | 6 | 14.01 | A |
| lambda-cyhalothrin | N-outdr plants in containers | 2.5 | 29 | 72.55 | A |
| lambda-cyhalothrin | Pepper, fruiting | 20.85 | 51 | 671.45 | A |
| lambda-cyhalothrin | Pepper, spice | 2.75 | 3 | 87.13 | A |
| lambda-cyhalothrin | Regulatory pest control | 0.56 | N/A | N/A | N/A |
| lambda-cyhalothrin | Sod farm (turf) | 2.88 | 2 | 44.01 | A |
| lambda-cyhalothrin | Structural pest control | 60.63 | N/A | N/A | N/A |
| lambda-cyhalothrin | Tomato | 14.87 | 62 | 478.5 | A |
| lambda-cyhalothrin | Turf/sod | 44.74 | 51 | 685.28 | A |
| lecithin | Artichoke, globe | 89.79 | 49 | 963.8 | A |
| lecithin | Avocado | 44.11 | 30 | 92.1 | A |
| lecithin | Bean, dried | 565.63 | 30 | 967.5 | A |
| lecithin | Bean, succulent | 42.85 | 9 | 304.09 | A |
| lecithin | Bean, unspecified | 11.07 | 5 | 21.83 | A |
| lecithin | Beet | 5.62 | 13 | 73.74 | A |
| lecithin | Blackberry | 8.64 | 3 | 23.85 | A |
| lecithin | Bok choy | 3.4 | 8 | 43.0 | A |
| lecithin | Broccoli | 68.33 | 22 | 138.9 | A |
| lecithin | Brussels sprout | 50.28 | 31 | 1,207.71 | A |
| lecithin | Cabbage | 531.44 | 239 | 1,834.2 | A |
| lecithin | Cauliflower | 42.99 | 54 | 446.78 | A |
| lecithin | Celery | 198.12 | 82 | 1,395.57 | A |
| lecithin | Cilantro | 46.21 | 20 | 321.98 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------|------------------------------|----------------|------|--------------|--------------|
| lecithin | Collard | 7.39 | 22 | 141.55 | A |
| lecithin | Ditch bank | 235.58 | 77 | 162.85 | A |
| lecithin | Industrial site | 0.66 | N/A | 14.0 | A |
| lecithin | Kale | 43.77 | 58 | 414.3 | A |
| lecithin | Landscape maintenance | 10.43 | 2 | 22.0 | A |
| lecithin | Landscape maintenance | 72.95 | N/A | N/A | N/A |
| lecithin | Leek | 1.47 | 4 | 5.7 | A |
| lecithin | Lemon | 25.85 | 7 | 37.3 | A |
| lecithin | Lettuce, leaf | 27.87 | 13 | 98.14 | A |
| lecithin | Mustard greens | 2.6 | 11 | 32.2 | A |
| lecithin | N-grnhs transplants | 0.38 | 10 | 3.9 | A |
| lecithin | N-outdr flower | 1.16 | 4 | 5.7 | A |
| lecithin | N-outdr plants in containers | 168.59 | 99 | 567.0 | A |
| lecithin | N-outdr transplants | 2.31 | 23 | 12.45 | A |
| lecithin | Oat | 14.08 | 1 | 100.0 | A |
| lecithin | Onion, green | 2.0 | 5 | 27.4 | A |
| lecithin | Parsley | 37.78 | 20 | 224.7 | A |
| lecithin | Pepper, fruiting | 799.38 | 38 | 798.92 | A |
| lecithin | Radish | 73.1 | 33 | 106.62 | A |
| lecithin | Rights of way | 537.5 | 112 | 340.4 | A |
| lecithin | Rights of way | 79.7 | N/A | N/A | N/A |
| lecithin | Sod farm (turf) | 52.68 | 64 | 380.46 | A |
| lecithin | Spinach | 0.14 | 1 | 2.0 | A |
| lecithin | Strawberry | 7,636.35 | 840 | 39,763.24 | A |
| lecithin | Sudangrass | 2.06 | 2 | 12.0 | A |
| lecithin | Swiss chard | 0.36 | 3 | 4.0 | A |
| lecithin | Tangerine | 0.75 | 2 | 2.0 | A |
| lecithin | Tomato | 4.48 | 4 | 31.46 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|----------------|------|--------------|--------------|
| lecithin | Turf/sod | 1,176.97 | 115 | 1,675.08 | A |
| lecithin | Turnip greens | 2.33 | 11 | 29.3 | A |
| lecithin | Uncultivated ag | 122.44 | 31 | 158.5 | A |
| lime-sulfur | Apple | 4,798.84 | 2 | 585.6 | A |
| lime-sulfur | Blackberry | 4,676.76 | 45 | 302.66 | A |
| lime-sulfur | Blueberry | 1,555.06 | 21 | 320.44 | A |
| lime-sulfur | Lemon | 28.61 | 1 | 2.0 | A |
| lime-sulfur | N-outdr plants in containers | 0.02 | 4 | 4.0 | S |
| lime-sulfur | Raspberry | 4,473.11 | 32 | 263.45 | A |
| limonene | Structural pest control | 85.82 | N/A | N/A | N/A |
| linuron | Asparagus | 2.82 | 2 | 4.5 | A |
| linuron | Carrot | 361.71 | 23 | 448.81 | A |
| linuron | Celery | 1,142.68 | 209 | 2,590.23 | A |
| linuron | Cilantro | 3,197.31 | 626 | 6,067.85 | A |
| linuron | Dill | 2.0 | 3 | 4.0 | A |
| linuron | N-outdr flower | 0.51 | 1 | 0.67 | A |
| linuron | N-outdr transplants | 5.52 | 2 | 7.36 | A |
| linuron | Parsley | 198.04 | 60 | 363.97 | A |
| linuron | Unknown | 0.38 | 1 | 0.5 | A |
| low molecular weight paraffinic oil | N-outdr plants in containers | 10.8 | 41 | 2,082.25 | A |
| low molecular weight paraffinic oil | Rights of way | 9.64 | N/A | N/A | N/A |
| magnesium phosphide | Commodity fumigation | 3.41 | 1 | 20,010.0 | C |
| magnesium phosphide | Structural pest control | 3.41 | N/A | N/A | N/A |
| malathion | Avocado | 7.69 | 1 | 5.0 | A |
| malathion | Beet | 26.98 | 3 | 26.52 | A |
| malathion | Blackberry | 2,026.27 | 123 | 1,014.08 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| malathion | Blueberry | 9.78 | 4 | 7.66 | A |
| malathion | Bok choy | 316.49 | 18 | 157.43 | A |
| malathion | Broccoli | 66.49 | 5 | 52.0 | A |
| malathion | Brussels sprout | 594.03 | 13 | 466.24 | A |
| malathion | Cabbage | 1,016.26 | 99 | 810.68 | A |
| malathion | Cauliflower | 132.08 | 13 | 103.29 | A |
| malathion | Celery | 231.44 | 13 | 157.5 | A |
| malathion | Collard | 29.85 | 5 | 29.15 | A |
| malathion | Gai lon | 66.51 | 16 | 32.48 | A |
| malathion | Kale | 61.48 | 10 | 60.1 | A |
| malathion | Landscape maintenance | 0.16 | N/A | N/A | N/A |
| malathion | Leek | 11.86 | 5 | 8.4 | A |
| malathion | N-grnhs plants in containers | 0.15 | 1 | 4,500.0 | S |
| malathion | N-outdr plants in containers | 4.74 | 5 | 11.0 | A |
| malathion | N-outdr plants in containers | 0.21 | 1 | 4,800.0 | S |
| malathion | Onion, green | 117.65 | 9 | 90.75 | A |
| malathion | Peas | 1.72 | 1 | 0.84 | A |
| malathion | Pumpkin | 61.66 | 3 | 59.5 | A |
| malathion | Raspberry | 1,653.12 | 136 | 864.28 | A |
| malathion | Strawberry | 11,259.47 | 120 | 5,615.51 | A |
| malathion | Watercress | 171.18 | 29 | 168.0 | A |
| mancozeb | Broccoli | 86.97 | 6 | 57.0 | A |
| mancozeb | Cabbage | 218.21 | 25 | 165.4 | A |
| mancozeb | Cucumber | 4.03 | 2 | 2.5 | A |
| mancozeb | Landscape maintenance | 665.71 | N/A | N/A | N/A |
| mancozeb | Lettuce, leaf | 645.83 | 50 | 456.15 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mancozeb | N-grnhs flower | 55.85 | 4 | 18.45 | A |
| mancozeb | N-grnhs plants in containers | 25.92 | 19 | 35.26 | A |
| mancozeb | N-grnhs transplants | 5.73 | 6 | 10.0 | A |
| mancozeb | N-outdr flower | 266.37 | 86 | 343.8 | A |
| mancozeb | N-outdr plants in containers | 181.43 | 46 | 154.65 | A |
| mancozeb | N-outdr plants in containers | 2.65 | 8 | 80,550.0 | S |
| mancozeb | N-outdr transplants | 6.33 | 6 | 8.3 | A |
| mancozeb | Pepper, fruiting | 1,392.36 | 52 | 1,041.3 | A |
| mancozeb | Pumpkin | 225.75 | 16 | 110.9 | A |
| mancozeb | Sod farm (turf) | 4,729.36 | 34 | 378.29 | A |
| mancozeb | Tomato | 173.0 | 22 | 228.75 | A |
| mancozeb | Turf/sod | 168.75 | 1 | 22.5 | A |
| mandipropamid | Bok choy | 5.81 | 6 | 44.65 | A |
| mandipropamid | Brussels sprout | 17.67 | 3 | 135.9 | A |
| mandipropamid | Cabbage | 18.41 | 37 | 139.38 | A |
| mandipropamid | Cauliflower | 1.37 | 1 | 10.5 | A |
| mandipropamid | Collard | 1.73 | 2 | 13.25 | A |
| mandipropamid | Cucumber | 0.48 | 2 | 4.36 | A |
| mandipropamid | Dandelion green | 0.13 | 1 | 1.0 | A |
| mandipropamid | Endive (escarole) | 3.61 | 29 | 27.67 | A |
| mandipropamid | Kale | 5.32 | 5 | 40.82 | A |
| mandipropamid | Leek | 3.9 | 9 | 31.9 | A |
| mandipropamid | Lettuce, head | 11.1 | 6 | 85.3 | A |
| mandipropamid | Lettuce, leaf | 146.88 | 185 | 1,111.24 | A |
| mandipropamid | N-grnhs plants in containers | 3.19 | 25 | 22.74 | A |
| mandipropamid | N-grnhs plants in containers | 1.69 | 26 | 1,456,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------|------------------------------|----------------|------|--------------|--------------|
| mandipropamid | N-grnhs transplants | 0.74 | 4 | 5.7 | A |
| mandipropamid | N-outdr flower | 0.1 | 1 | 1.0 | A |
| mandipropamid | N-outdr plants in containers | 0.98 | 2 | 3.0 | A |
| mandipropamid | N-outdr transplants | 0.28 | 4 | 2.15 | A |
| mandipropamid | Onion, dry | 0.13 | 1 | 1.0 | A |
| mandipropamid | Onion, green | 40.7 | 29 | 326.0 | A |
| mandipropamid | Pepper, fruiting | 4.05 | 5 | 31.09 | A |
| mandipropamid | Pepper, spice | 1.91 | 1 | 14.65 | A |
| mandipropamid | Pumpkin | 0.58 | 1 | 4.5 | A |
| mandipropamid | Spinach | 194.4 | 219 | 1,499.12 | A |
| mandipropamid | Swiss chard | 2.73 | 10 | 21.0 | A |
| mandipropamid | Tomato | 32.52 | 18 | 294.0 | A |
| maneb | N-grnhs flower | 4.12 | 20 | 20.0 | A |
| maneb | N-grnhs transplants | 0.46 | 3 | 3.0 | A |
| margosa oil | Beet | 416.04 | 4 | 75.11 | A |
| margosa oil | Blackberry | 2,660.19 | 47 | 536.06 | A |
| margosa oil | Blueberry | 249.21 | 6 | 92.26 | A |
| margosa oil | Cabbage | 18.36 | 2 | 14.51 | A |
| margosa oil | Cauliflower | 92.87 | 7 | 68.64 | A |
| margosa oil | Collard | 38.47 | 2 | 9.9 | A |
| margosa oil | Cucumber | 223.15 | 12 | 60.78 | A |
| margosa oil | Kale | 124.85 | 4 | 33.65 | A |
| margosa oil | Leek | 174.82 | 7 | 29.4 | A |
| margosa oil | Lettuce, leaf | 59.64 | 1 | 7.36 | A |
| margosa oil | Raspberry | 9,303.25 | 180 | 2,401.85 | A |
| margosa oil | Strawberry | 174.66 | 3 | 64.66 | A |
| margosa oil | Structural pest control | 0.38 | N/A | N/A | N/A |
| margosa oil | Tomato | 346.89 | 21 | 116.33 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|-----------------------|----------------|------|--------------|--------------|
| mcpa, dimethylamine salt | Landscape maintenance | 26.43 | N/A | N/A | N/A |
| mcpa, isooctyl ester | Landscape maintenance | 37.22 | N/A | N/A | N/A |
| mcpp | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| mcpp, dimethylamine salt | Golf course turf | 2.87 | 1 | 30.5 | A |
| mcpp, dimethylamine salt | Landscape maintenance | 4.69 | N/A | N/A | N/A |
| mcpp-p, dimethylamine salt | Landscape maintenance | 15.04 | N/A | N/A | N/A |
| mecoprop-p | Golf course turf | 1.68 | 2 | 6.3 | A |
| mecoprop-p | Golf course turf | 0.04 | 1 | 33,000.0 | S |
| mecoprop-p | Landscape maintenance | 0.01 | 1 | 2,000.0 | C |
| mecoprop-p | Landscape maintenance | 2.6 | 37 | 867,600.0 | S |
| mecoprop-p | Landscape maintenance | 27.01 | N/A | N/A | N/A |
| mecoprop-p | Sod farm (turf) | 2.28 | 6 | 45.42 | A |
| mefenoxam | Avocado | 45.58 | 13 | 76.03 | A |
| mefenoxam | Blackberry | 1.75 | 4 | 1.75 | A |
| mefenoxam | Broccoli | <0.01 | N/A | 2.34 | P |
| mefenoxam | Cantaloupe | <0.01 | N/A | 1,028.84 | P |
| mefenoxam | Carrot | 230.27 | 22 | 804.8 | A |
| mefenoxam | Carrot | 1.94 | N/A | 37,437.6 | P |
| mefenoxam | Cauliflower | 1.25 | 4 | 20.0 | A |
| mefenoxam | Cauliflower | <0.01 | N/A | 0.25 | P |
| mefenoxam | Cilantro | 59.4 | 15 | 96.4 | A |
| mefenoxam | Cucumber | 1.05 | N/A | 87,194.39 | P |
| mefenoxam | Endive (escarole) | 0.32 | 1 | 0.6 | A |
| mefenoxam | Golf course turf | 126.52 | 3 | 162.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------|------------------------------|----------------|------|--------------|--------------|
| mefenoxam | Landscape maintenance | 37.42 | N/A | N/A | N/A |
| mefenoxam | Lemon | 250.87 | 14 | 615.72 | A |
| mefenoxam | Lettuce, head | <0.01 | N/A | 1,000.0 | P |
| mefenoxam | Lettuce, leaf | 5.89 | 2 | 11.7 | A |
| mefenoxam | Lettuce, leaf | <0.01 | N/A | 4.41 | P |
| mefenoxam | N-grnhs flower | 0.08 | 20 | 20.0 | A |
| mefenoxam | N-grnhs plants in containers | 8.47 | 59 | 125.35 | A |
| mefenoxam | N-grnhs plants in containers | 0.08 | 5 | 92,000.0 | S |
| mefenoxam | N-grnhs transplants | 1.93 | 18 | 81.25 | A |
| mefenoxam | N-grnhs transplants | 0.57 | 3 | 18,000.0 | S |
| mefenoxam | N-outdr flower | 1.84 | 8 | 31.8 | A |
| mefenoxam | N-outdr plants in containers | 36.55 | 127 | 1,215.49 | A |
| mefenoxam | N-outdr plants in containers | 0.36 | 22 | 305,501.5 | S |
| mefenoxam | N-outdr plants in containers | 1.01 | 1 | 18,000.0 | U |
| mefenoxam | N-outdr transplants | 0.06 | 3 | 1.26 | A |
| mefenoxam | Onion, dry | 108.37 | N/A | 45,510.94 | P |
| mefenoxam | Parsley | 130.75 | 20 | 132.7 | A |
| mefenoxam | Pepper, fruiting | 794.45 | 89 | 1,693.54 | A |
| mefenoxam | Pepper, fruiting | 0.04 | N/A | 1,173.83 | P |
| mefenoxam | Pepper, spice | 25.31 | 5 | 50.51 | A |
| mefenoxam | Pepper, spice | 0.01 | N/A | 1,000.0 | P |
| mefenoxam | Pumpkin | 0.8 | 1 | 7.0 | A |
| mefenoxam | Radish | 42.65 | 11 | 85.0 | A |
| mefenoxam | Raspberry | 8.58 | 3 | 24.7 | A |
| mefenoxam | Sod farm (turf) | 97.29 | 15 | 150.14 | A |
| mefenoxam | Spinach | 382.08 | 107 | 747.33 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|----------------|------|--------------|--------------|
| mefenoxam | Spinach | 22.02 | N/A | 425,254.35 | P |
| mefenoxam | Squash | 0.72 | N/A | 24,088.5 | P |
| mefenoxam | Strawberry | 2,423.98 | 101 | 4,794.81 | A |
| mefenoxam | Tomato | 58.05 | 22 | 228.3 | A |
| mefenoxam | Tomato | 0.02 | N/A | 2,302.76 | P |
| mefenoxam | Watermelon | 0.14 | N/A | 6,626.96 | P |
| mefenoxam, other related | Cantaloupe | <0.01 | N/A | 1,000.0 | P |
| mefenoxam, other related | Carrot | 0.05 | N/A | 1,044.0 | P |
| mefenoxam, other related | Cucumber | 0.01 | N/A | 1,000.0 | P |
| mefenoxam, other related | Golf course turf | 4.16 | 3 | 162.0 | A |
| mefenoxam, other related | Landscape maintenance | 0.91 | N/A | N/A | N/A |
| mefenoxam, other related | Lettuce, head | <0.01 | N/A | 1,000.0 | P |
| mefenoxam, other related | N-grnhs flower | <0.01 | 20 | 20.0 | A |
| mefenoxam, other related | N-grnhs plants in containers | 0.19 | 33 | 82.1 | A |
| mefenoxam, other related | N-grnhs plants in containers | <0.01 | 2 | 40,500.0 | S |
| mefenoxam, other related | N-grnhs transplants | <0.01 | 1 | 1.0 | A |
| mefenoxam, other related | N-grnhs transplants | 0.02 | 3 | 18,000.0 | S |
| mefenoxam, other related | N-outdr plants in containers | 0.95 | 99 | 937.09 | A |
| mefenoxam, other related | N-outdr plants in containers | <0.01 | 4 | 47,000.0 | S |
| mefenoxam, other related | N-outdr plants in containers | 0.03 | 1 | 18,000.0 | U |
| mefenoxam, other related | Onion, dry | 3.34 | N/A | 2,172.54 | P |
| mefenoxam, other related | Pepper, fruiting | <0.01 | N/A | 394.14 | P |
| mefenoxam, other related | Pepper, spice | <0.01 | N/A | 1,000.0 | P |
| mefenoxam, other related | Spinach | 0.48 | N/A | 67,562.3 | P |
| mefenoxam, other related | Squash | 0.02 | N/A | 1,000.0 | P |
| mefenoxam, other related | Tomato | <0.01 | N/A | 1,000.3 | P |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mefenoxam, other related | Watermelon | <0.01 | N/A | 1,000.0 | P |
| mesotrione | Golf course turf | 10.79 | 4 | 79.0 | A |
| mesotrione | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| mesotrione | Lemon | 158.11 | 32 | 874.69 | A |
| mesotrione | Rights of way | 0.75 | 1 | 4.0 | A |
| mesotrione | Sod farm (turf) | 31.12 | 25 | 240.8 | A |
| mesotrione | Tangerine | 12.0 | 2 | 64.0 | A |
| mesotrione | Turf/sod | 64.3 | 18 | 327.33 | A |
| metalaxyl | Golf course turf | 8.0 | 1 | 38.0 | A |
| metalaxyl | Landscape maintenance | 1.66 | N/A | N/A | N/A |
| metaldehyde | Avocado | 2.5 | 2 | 8.0 | A |
| metaldehyde | Citrus | 1.32 | 3 | 44,600.0 | U |
| metaldehyde | Landscape maintenance | 10.68 | N/A | N/A | N/A |
| metaldehyde | Lemon | 1,116.48 | 68 | 1,490.78 | A |
| metaldehyde | N-grnhs plants in containers | 13.77 | 16 | 70.26 | A |
| metaldehyde | N-outdr flower | 35.25 | 3 | 13.5 | A |
| metaldehyde | N-outdr plants in containers | 586.93 | 141 | 197.56 | A |
| metaldehyde | N-outdr plants in containers | 0.44 | 1 | 4,800.0 | U |
| metaldehyde | Orange | 75.6 | 10 | 42.0 | A |
| metaldehyde | Structural pest control | 1.03 | N/A | N/A | N/A |
| metaldehyde | Tangerine | 64.0 | 2 | 64.0 | A |
| metaldehyde | Tomato | 2.0 | 1 | 2.0 | A |
| metam-sodium | N-outdr flower | 1,468.66 | 4 | 8.77 | A |
| metam-sodium | Pepper, fruiting | 126,664.11 | 29 | 633.42 | A |
| metam-sodium | Strawberry | 50,140.12 | 6 | 224.67 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|----------------|------|--------------|--------------|
| metam-sodium | Tomato | 10,905.0 | 3 | 46.0 | A |
| methiocarb | N-grnhs flower | 3.0 | 6 | 150,000.0 | S |
| methiocarb | N-grnhs plants in containers | 28.88 | 9 | 8.77 | A |
| methiocarb | N-grnhs transplants | 1.5 | 1 | 9,000.0 | S |
| methiocarb | N-outdr flower | 6.75 | 2 | 9.6 | A |
| methiocarb | N-outdr plants in containers | 38.4 | 24 | 22.3 | A |
| methomyl | Beet | 4.05 | 1 | 9.0 | A |
| methomyl | Brussels sprout | 56.75 | 1 | 63.05 | A |
| methomyl | Cabbage | 1,056.21 | 153 | 1,268.87 | A |
| methomyl | Tomato | 56.88 | 6 | 126.0 | A |
| methoprene | N-grnhs transplants | 0.03 | 2 | 2.0 | A |
| methoprene | Public health | 5.38 | N/A | N/A | N/A |
| methoprene | Structural pest control | 0.2 | N/A | N/A | N/A |
| methoxyfenozide | Artichoke, globe | 98.86 | 34 | 646.89 | A |
| methoxyfenozide | Avocado | 1.52 | 3 | 465,000.0 | U |
| methoxyfenozide | Basil, sweet | 0.62 | 1 | 5.0 | A |
| methoxyfenozide | Beet | 29.07 | 40 | 236.66 | A |
| methoxyfenozide | Blackberry | 41.9 | 47 | 292.5 | A |
| methoxyfenozide | Brussels sprout | 21.02 | 4 | 74.45 | A |
| methoxyfenozide | Cabbage | 8.97 | 22 | 33.35 | A |
| methoxyfenozide | Celery | 1,005.09 | 379 | 6,856.16 | A |
| methoxyfenozide | Cilantro | 2.55 | 1 | 18.0 | A |
| methoxyfenozide | Endive (escarole) | 1.71 | 16 | 13.36 | A |
| methoxyfenozide | Kale | 0.59 | 2 | 3.32 | A |
| methoxyfenozide | Leek | 0.45 | 2 | 2.6 | A |
| methoxyfenozide | Lettuce, leaf | 26.79 | 28 | 200.91 | A |
| methoxyfenozide | Mint | <0.01 | 1 | 3.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| methoxyfenozide | N-grnhs plants in containers | 0.49 | 3 | 1.75 | A |
| methoxyfenozide | N-grnhs transplants | 1.6 | 8 | 13.5 | A |
| methoxyfenozide | N-outdr flower | 73.57 | 78 | 461.2 | A |
| methoxyfenozide | N-outdr plants in containers | 0.18 | 1 | 0.63 | A |
| methoxyfenozide | N-outdr transplants | 0.54 | 7 | 7.4 | A |
| methoxyfenozide | Onion, green | 2.64 | 2 | 28.5 | A |
| methoxyfenozide | Parsley | 11.18 | 12 | 77.2 | A |
| methoxyfenozide | Pepper, fruiting | 83.23 | 28 | 466.91 | A |
| methoxyfenozide | Pumpkin | 3.61 | 1 | 26.0 | A |
| methoxyfenozide | Radish | 5.06 | 7 | 28.0 | A |
| methoxyfenozide | Raspberry | 87.08 | 108 | 536.88 | A |
| methoxyfenozide | Spinach | 9.33 | 14 | 72.33 | A |
| methoxyfenozide | Strawberry | 2,783.74 | 321 | 13,879.43 | A |
| methoxyfenozide | Swiss chard | 0.16 | 1 | 1.55 | A |
| methoxyfenozide | Tomato | 60.02 | 39 | 444.1 | A |
| methoxyfenozide | Unknown | 0.5 | 1 | 2.8 | A |
| methyl anthranilate | Corn, human consumption | 22.61 | 32 | 74.5 | A |
| methyl bromide | Commodity fumigation | 1,080.02 | N/A | N/A | N/A |
| methyl bromide | Fumigation, other | 1,046.24 | N/A | N/A | N/A |
| methyl bromide | N-outdr plants in containers | 804.0 | 1 | 4.0 | A |
| methyl silicone resins | Artichoke, globe | 0.01 | 1 | 35.4 | A |
| methyl silicone resins | Avocado | 1.36 | 6 | 29.0 | A |
| methyl silicone resins | Beet | 0.02 | 7 | 48.35 | A |
| methyl silicone resins | Blackberry | 8.71 | 3 | 59.78 | A |
| methyl silicone resins | Blueberry | 0.22 | 1 | 1.0 | A |
| methyl silicone resins | Bok choy | 0.01 | 8 | 43.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| methyl silicone resins | Broccoli | 0.03 | 1 | 32.0 | A |
| methyl silicone resins | Cabbage | 0.16 | 37 | 323.39 | A |
| methyl silicone resins | Celery | 0.17 | 37 | 490.37 | A |
| methyl silicone resins | Cilantro | 0.1 | 16 | 276.48 | A |
| methyl silicone resins | Collard | <0.01 | 1 | 1.5 | A |
| methyl silicone resins | Grape, wine | 13.77 | 12 | 52.24 | A |
| methyl silicone resins | Industrial site | <0.01 | N/A | 14.0 | A |
| methyl silicone resins | Kale | <0.01 | 1 | 4.5 | A |
| methyl silicone resins | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| methyl silicone resins | Leek | 1.69 | 1 | 6.5 | A |
| methyl silicone resins | Lemon | 68.31 | 4 | 86.0 | A |
| methyl silicone resins | Lettuce, leaf | 0.01 | 4 | 20.92 | A |
| methyl silicone resins | N-grnhs transplants | <0.01 | 10 | 3.9 | A |
| methyl silicone resins | N-outdr plants in containers | 0.62 | 99 | 567.0 | A |
| methyl silicone resins | N-outdr transplants | 0.01 | 23 | 12.45 | A |
| methyl silicone resins | Onion, green | 0.01 | 5 | 27.4 | A |
| methyl silicone resins | Parsley | 0.04 | 6 | 76.8 | A |
| methyl silicone resins | Raspberry | 0.25 | 2 | 9.72 | A |
| methyl silicone resins | Rights of way | 0.28 | 2 | 1.28 | A |
| methyl silicone resins | Rights of way | 188.41 | N/A | N/A | N/A |
| methyl silicone resins | Spinach | <0.01 | 1 | 2.0 | A |
| methyl silicone resins | Strawberry | 142.86 | 629 | 30,251.28 | A |
| methyl silicone resins | Swiss chard | <0.01 | 1 | 1.0 | A |
| methyl silicone resins | Tomato | <0.01 | 1 | 10.0 | A |
| methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate | Structural pest control | 0.4 | N/A | N/A | N/A |
| methylated soybean oil | Asparagus | 0.74 | 1 | 2.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|------------------------------|----------------|------|--------------|--------------|
| methylated soybean oil | Avocado | 1,989.84 | 140 | 1,695.45 | A |
| methylated soybean oil | Bean, dried | 242.38 | 16 | 476.5 | A |
| methylated soybean oil | Bean, succulent | 10.17 | 1 | 20.0 | A |
| methylated soybean oil | Bean, unspecified | 5.53 | 5 | 21.83 | A |
| methylated soybean oil | Broccoli | 24.13 | 14 | 47.4 | A |
| methylated soybean oil | Cabbage | 3,788.76 | 492 | 5,142.77 | A |
| methylated soybean oil | Carrot | 35.66 | 1 | 47.0 | A |
| methylated soybean oil | Cauliflower | 1.53 | 1 | 6.0 | A |
| methylated soybean oil | Celery | 10,102.68 | 879 | 13,748.37 | A |
| methylated soybean oil | Ditch bank | 14.15 | 7 | 14.75 | A |
| methylated soybean oil | Grapefruit | 12.75 | 2 | 2.0 | A |
| methylated soybean oil | Kale | 1.57 | 2 | 19.0 | A |
| methylated soybean oil | Landscape maintenance | 5.21 | 2 | 22.0 | A |
| methylated soybean oil | Landscape maintenance | 537.05 | N/A | N/A | N/A |
| methylated soybean oil | Leek | 0.73 | 4 | 5.7 | A |
| methylated soybean oil | Lemon | 7,517.37 | 370 | 4,889.08 | A |
| methylated soybean oil | Lettuce, leaf | 10.95 | 5 | 53.5 | A |
| methylated soybean oil | N-outdr flower | 529.01 | 337 | 1,468.51 | A |
| methylated soybean oil | N-outdr plants in containers | 217.03 | 52 | 2,106.75 | A |
| methylated soybean oil | Orange | 39.63 | 2 | 33.0 | A |
| methylated soybean oil | Parsley | 7.85 | 3 | 45.6 | A |
| methylated soybean oil | Pastureland | 5.08 | 1 | 3.19 | A |
| methylated soybean oil | Pepper, fruiting | 398.76 | 36 | 783.92 | A |
| methylated soybean oil | Pumpkin | 9.54 | 2 | 14.5 | A |
| methylated soybean oil | Radish | 36.1 | 32 | 94.0 | A |
| methylated soybean oil | Rights of way | 277.76 | 100 | 315.5 | A |
| methylated soybean oil | Rights of way | 288.38 | N/A | N/A | N/A |
| methylated soybean oil | Sod farm (turf) | 26.34 | 64 | 380.46 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| methylated soybean oil | Strawberry | 519.84 | 43 | 2,043.5 | A |
| methylated soybean oil | Tangerine | 49.63 | 18 | 53.25 | A |
| methylated soybean oil | Tomato | 8.86 | 3 | 24.26 | A |
| methylated soybean oil | Turf/sod | 588.48 | 115 | 1,675.08 | A |
| methylated soybean oil | Uncultivated ag | 181.8 | 37 | 243.2 | A |
| metofluthrin | Structural pest control | 0.02 | N/A | N/A | N/A |
| metribuzin | Carrot | 8.81 | 1 | 47.0 | A |
| mineral oil | Apple | 7,761.0 | 5 | 867.5 | A |
| mineral oil | Avocado | 180,144.53 | 729 | 11,902.19 | A |
| mineral oil | Avocado | 865.5 | 19 | 1,621,495.0 | U |
| mineral oil | Basil, sweet | 0.65 | 3 | 11.23 | A |
| mineral oil | Beet | 12.94 | 24 | 153.15 | A |
| mineral oil | Blackberry | 44,440.54 | 632 | 7,150.34 | A |
| mineral oil | Blueberry | 288.34 | 142 | 2,607.15 | A |
| mineral oil | Bok choy | 2.17 | 16 | 29.96 | A |
| mineral oil | Broccoli | 8.18 | 57 | 133.9 | A |
| mineral oil | Brussels sprout | 2,331.98 | 25 | 709.79 | A |
| mineral oil | Cabbage | 412.56 | 900 | 7,221.27 | A |
| mineral oil | Cantaloupe | 0.42 | 2 | 6.0 | A |
| mineral oil | Carrot | 0.15 | 2 | 2.0 | A |
| mineral oil | Cauliflower | 2.46 | 9 | 41.95 | A |
| mineral oil | Celery | 24.98 | 17 | 227.19 | A |
| mineral oil | Cilantro | 46.52 | 39 | 250.64 | A |
| mineral oil | Citrus | 1,653.25 | 16 | 88.85 | A |
| mineral oil | Citrus | 121.72 | 7 | 437,814.0 | U |
| mineral oil | Collard | 6.0 | 30 | 101.54 | A |
| mineral oil | Corn, human consumption | 0.67 | 1 | 3.5 | A |
| mineral oil | Cucumber | 288.96 | 27 | 94.22 | A |
| mineral oil | Golf course turf | 1,487.37 | 6 | 198.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mineral oil | Grape | 0.05 | 1 | 1.25 | A |
| mineral oil | Grape, wine | 186.02 | 20 | 44.0 | A |
| mineral oil | Grapefruit | 812.52 | 11 | 54.6 | A |
| mineral oil | Kale | 75.22 | 129 | 696.11 | A |
| mineral oil | Landscape maintenance | 3,617.29 | N/A | N/A | N/A |
| mineral oil | Leek | 1.95 | 22 | 33.9 | A |
| mineral oil | Lemon | 1,304,461.3 | 2,120 | 40,826.95 | A |
| mineral oil | Lettuce, head | 0.12 | 1 | 1.0 | A |
| mineral oil | Lettuce, leaf | 26.54 | 15 | 67.35 | A |
| mineral oil | Lime | 149.42 | 2 | 4.0 | A |
| mineral oil | Melon | 0.21 | 1 | 3.0 | A |
| mineral oil | Mint | 0.23 | 2 | 5.0 | A |
| mineral oil | Mustard greens | 1.34 | 7 | 25.65 | A |
| mineral oil | N-grnhs flower | 1.49 | 1 | 2.0 | A |
| mineral oil | N-outdr flower | 4.47 | 3 | 7.0 | A |
| mineral oil | N-outdr plants in containers | 1,907.1 | 80 | 271.38 | A |
| mineral oil | N-outdr plants in containers | 2.93 | 5 | 25,530.0 | S |
| mineral oil | Onion, dry | 0.09 | 1 | 1.0 | A |
| mineral oil | Onion, green | 0.47 | 1 | 10.0 | A |
| mineral oil | Orange | 38,408.06 | 180 | 2,097.69 | A |
| mineral oil | Parsley | 42.5 | 21 | 156.4 | A |
| mineral oil | Pastureland | 989.73 | 1 | 100.0 | A |
| mineral oil | Pepper, fruiting | 1,448.54 | 42 | 712.48 | A |
| mineral oil | Pepper, spice | 524.34 | 9 | 206.43 | A |
| mineral oil | Public health | 1.52 | N/A | N/A | N/A |
| mineral oil | Pumpkin | 37.76 | 4 | 42.0 | A |
| mineral oil | Radish | 73.93 | 137 | 238.38 | A |
| mineral oil | Rangeland | 0.16 | 3 | 3.46 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------|------------------------------|----------------|------|--------------|--------------|
| mineral oil | Raspberry | 34,840.47 | 893 | 9,336.82 | A |
| mineral oil | Rights of way | 1.86 | 20 | 38.5 | A |
| mineral oil | Rights of way | 26.29 | N/A | N/A | N/A |
| mineral oil | Sage | 0.04 | 1 | 1.0 | A |
| mineral oil | Soil fumigation/preplant | 66.9 | 1 | 44.0 | A |
| mineral oil | Spinach | 27.52 | 72 | 96.5 | A |
| mineral oil | Strawberry | 2,908.46 | 611 | 35,756.78 | A |
| mineral oil | Swiss chard | 4.87 | 7 | 80.58 | A |
| mineral oil | Tangerine | 24,276.7 | 130 | 1,187.9 | A |
| mineral oil | Tomato | 3,079.22 | 95 | 504.34 | A |
| mineral oil | Turnip greens | 0.12 | 1 | 2.6 | A |
| mineral oil | Uncultivated ag | 57.86 | 3 | 51.5 | A |
| mineral oil | Unknown | 9.18 | 18 | 28.7 | A |
| mineral oil | Watermelon | 0.63 | 3 | 9.0 | A |
| msma | Landscape maintenance | 4.53 | N/A | N/A | N/A |
| muscalure | Structural pest control | 0.01 | N/A | N/A | N/A |
| myclobutanol | Artichoke, globe | 52.82 | 20 | 528.25 | A |
| myclobutanol | Bean, succulent | 4.12 | 5 | 33.02 | A |
| myclobutanol | Blackberry | 13.18 | 39 | 181.38 | A |
| myclobutanol | Grape, wine | 0.28 | 6 | 3.1 | A |
| myclobutanol | Landscape maintenance | 2.04 | N/A | N/A | N/A |
| myclobutanol | Lettuce, leaf | 0.52 | 1 | 4.13 | A |
| myclobutanol | Mint | 0.65 | 1 | 6.5 | A |
| myclobutanol | N-grnhs flower | 0.07 | 1 | 0.4 | A |
| myclobutanol | N-grnhs plants in containers | 11.62 | 51 | 52.99 | A |
| myclobutanol | N-outdr flower | 23.31 | 98 | 256.27 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| myclobutanil | N-outdr plants in containers | 11.3 | 22 | 104.35 | A |
| myclobutanil | Pepper, fruiting | 31.5 | 20 | 256.41 | A |
| myclobutanil | Raspberry | 57.92 | 139 | 780.45 | A |
| myclobutanil | Rights of way | 0.11 | N/A | N/A | N/A |
| myclobutanil | Strawberry | 1,524.05 | 388 | 14,388.67 | A |
| myclobutanil | Tomato | 17.18 | 12 | 178.8 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Artichoke, globe | 16.66 | 21 | 467.2 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Avocado | 0.31 | 12 | 29.4 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Basil, sweet | 0.06 | 1 | 8.5 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Blackberry | 0.51 | 2 | 18.03 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Brussels sprout | 11.48 | 20 | 383.4 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cabbage | 5.58 | 18 | 164.4 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cauliflower | 0.04 | 2 | 3.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Celery | 147.41 | 163 | 3,279.98 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cilantro | 3.62 | 1 | 12.7 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Collard | 2.42 | 16 | 66.05 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cucumber | 1.0 | 14 | 62.79 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Kale | 4.74 | 18 | 125.75 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Kohlrabi | 0.02 | 2 | 0.5 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Leek | 0.23 | 22 | 33.9 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Mint | 0.03 | 2 | 5.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Onion, green | 0.23 | 2 | 4.7 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Parsley | 0.74 | 6 | 28.8 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Pepper, fruiting | 11.23 | 3 | 39.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Radish | 0.14 | 2 | 8.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Rights of way | 14.9 | 27 | 117.5 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Sage | <0.01 | 1 | 1.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Soil fumigation/preplant | 1.62 | 3 | 12.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Strawberry | 395.74 | 146 | 5,392.82 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Swiss chard | 0.99 | 17 | 28.45 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Tomato | 15.81 | 13 | 111.31 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Uncultivated ag | 19.42 | 5 | 77.15 | A |
| n-octyl bicycloheptene dicarboximide | Regulatory pest control | 0.03 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Structural pest control | 43.1 | N/A | N/A | N/A |
| n6-benzyl adenine | N-grnhs plants in containers | 0.07 | 10 | 6.82 | A |
| naa | N-grnhs plants in containers | 0.28 | 11 | 7.62 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| naled | Broccoli | 84.6 | 3 | 42.0 | A |
| naled | Brussels sprout | 1,915.02 | 43 | 1,576.9 | A |
| naled | Cabbage | 5,334.01 | 344 | 3,240.49 | A |
| naled | Cabbage, savoy | 28.44 | 5 | 30.23 | A |
| naled | Cauliflower | 95.71 | 12 | 83.99 | A |
| naled | Collard | 35.61 | 7 | 31.35 | A |
| naled | Dill | 9.67 | 1 | 9.4 | A |
| naled | Kale | 224.85 | 29 | 148.35 | A |
| naled | N-outdr flower | 98.19 | 24 | 183.6 | A |
| naled | N-outdr plants in containers | 3.52 | 1 | 3.5 | A |
| naled | Strawberry | 2,101.53 | 36 | 2,086.29 | A |
| naled | Swiss chard | 23.16 | 7 | 15.0 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Avocado | 0.69 | 73 | 387.05 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Ditch bank | 0.01 | 5 | 4.75 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Lemon | 0.62 | 34 | 258.43 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | N-outdr plants in containers | 1.19 | 242 | 403.25 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Orange | 0.82 | 41 | 369.0 | A |
| naphthalenesulfonic acid, formaldehyde condensate, sodium salt | Pastureland | 0.06 | 5 | 27.5 | A |
| napropamide | Pepper, fruiting | 1.0 | 1 | 1.0 | A |
| napropamide | Pepper, spice | 42.64 | 2 | 21.32 | A |
| napropamide | Strawberry | 277.5 | 6 | 229.0 | A |
| napropamide | Tomato | 2.0 | 1 | 1.0 | A |
| nonanoic acid | Landscape maintenance | 160.12 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| nonanoic acid, other related | Landscape maintenance | 8.43 | N/A | N/A | N/A |
| norflurazon | N-grnhs transplants | 0.1 | 1 | 0.25 | A |
| norflurazon | N-outdr transplants | 0.39 | 1 | 1.0 | A |
| novaluron | Broccoli | 0.15 | 3 | 2.0 | A |
| novaluron | Brussels sprout | 51.93 | 27 | 661.96 | A |
| novaluron | Cabbage | 239.01 | 341 | 3,098.16 | A |
| novaluron | Cabbage, savoy | 1.09 | 2 | 13.0 | A |
| novaluron | Cauliflower | 1.91 | 6 | 24.28 | A |
| novaluron | Celery | 0.34 | 1 | 4.34 | A |
| novaluron | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| novaluron | N-grnhs flower | 0.05 | 2 | 0.9 | A |
| novaluron | N-grnhs plants in containers | 0.77 | 2 | 3.0 | A |
| novaluron | N-outdr flower | 6.87 | 48 | 175.1 | A |
| novaluron | Pepper, fruiting | 180.19 | 117 | 2,297.23 | A |
| novaluron | Pepper, spice | 1.82 | 1 | 30.94 | A |
| novaluron | Regulatory pest control | 0.06 | N/A | N/A | N/A |
| novaluron | Strawberry | 1,196.81 | 397 | 15,398.0 | A |
| novaluron | Structural pest control | 8.04 | N/A | N/A | N/A |
| novaluron | Tomato | 2.95 | 7 | 40.53 | A |
| noviflumuron | Structural pest control | 0.74 | N/A | N/A | N/A |
| octyl decyl dimethyl ammonium chloride | Public health | 0.02 | N/A | N/A | N/A |
| octyl decyl dimethyl ammonium chloride | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| octyl decyl dimethyl ammonium chloride | Structural pest control | 1.82 | N/A | N/A | N/A |
| octyl decyl dimethyl ammonium chloride | Tomato | 0.05 | 1 | 0.84 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|------------------------------|----------------|------|--------------|--------------|
| oleic acid | Artichoke, globe | 16.66 | 21 | 467.2 | A |
| oleic acid | Blackberry | 0.48 | 1 | 13.5 | A |
| oleic acid | Brussels sprout | 9.17 | 11 | 211.7 | A |
| oleic acid | Cabbage | 5.53 | 16 | 160.4 | A |
| oleic acid | Celery | 147.36 | 161 | 3,277.98 | A |
| oleic acid | Cilantro | 3.62 | 1 | 12.7 | A |
| oleic acid | Collard | 2.42 | 16 | 66.05 | A |
| oleic acid | Kale | 4.74 | 18 | 125.75 | A |
| oleic acid | Kohlrabi | 0.02 | 2 | 0.5 | A |
| oleic acid | Leek | 0.08 | 22 | 33.9 | A |
| oleic acid | Onion, green | 0.23 | 2 | 4.7 | A |
| oleic acid | Parsley | 0.67 | 6 | 28.8 | A |
| oleic acid | Pepper, fruiting | 11.23 | 3 | 39.4 | A |
| oleic acid | Radish | 0.05 | 2 | 8.0 | A |
| oleic acid | Rights of way | 14.9 | 27 | 117.5 | A |
| oleic acid | Soil fumigation/preplant | 1.62 | 3 | 12.0 | A |
| oleic acid | Strawberry | 395.74 | 146 | 5,392.82 | A |
| oleic acid | Swiss chard | 0.99 | 17 | 28.45 | A |
| oleic acid | Tomato | 15.16 | 3 | 53.2 | A |
| oleic acid | Uncultivated ag | 19.42 | 5 | 77.15 | A |
| oleic acid, ethyl ester | N-outdr plants in containers | 46.56 | 4 | 60.75 | A |
| oleic acid, ethyl ester | Rights of way | 0.72 | N/A | N/A | N/A |
| oleic acid, methyl ester | Bean, dried | 302.45 | 12 | 460.0 | A |
| oleic acid, methyl ester | Blackberry | 40.32 | 3 | 23.85 | A |
| oleic acid, methyl ester | Brussels sprout | 306.18 | 18 | 764.08 | A |
| oleic acid, methyl ester | Cabbage | 1,186.65 | 186 | 2,620.81 | A |
| oleic acid, methyl ester | Celery | 133.33 | 6 | 107.28 | A |
| oleic acid, methyl ester | Cilantro | 24.33 | 3 | 37.0 | A |
| oleic acid, methyl ester | Kale | 12.83 | 10 | 43.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| oleic acid, methyl ester | Landscape maintenance | 10.26 | N/A | N/A | N/A |
| oleic acid, methyl ester | Lemon | 6.85 | 5 | 20.5 | A |
| oleic acid, methyl ester | Oat | 65.69 | 1 | 100.0 | A |
| oleic acid, methyl ester | Pepper, fruiting | 13.92 | 2 | 22.0 | A |
| oleic acid, methyl ester | Rights of way | 9.07 | 4 | 10.4 | A |
| oleic acid, methyl ester | Strawberry | 150.46 | 5 | 165.0 | A |
| oleic acid, methyl ester | Tomato | 4.73 | 1 | 7.2 | A |
| oleic acid, methyl ester | Uncultivated ag | 89.24 | 21 | 68.5 | A |
| organo/modified polysiloxane | Structural pest control | 0.03 | N/A | N/A | N/A |
| organosilicone, poly oxyalkylene ether copolymer | Landscape maintenance | 2.23 | N/A | N/A | N/A |
| organosilicone, poly oxyalkylene ether copolymer | Rights of way | 0.95 | N/A | N/A | N/A |
| oryzalin | Landscape maintenance | 75.91 | N/A | N/A | N/A |
| oryzalin | Lemon | 189.81 | 19 | 143.4 | A |
| oryzalin | Orange | 20.8 | 4 | 6.7 | A |
| oryzalin | Rights of way | 63.09 | 20 | 1,215,000.0 | S |
| oryzalin | Rights of way | 3.9 | N/A | N/A | N/A |
| oxadiazon | Landscape maintenance | 2.01 | N/A | N/A | N/A |
| oxadiazon | N-outdr flower | 4.48 | 9 | 4.35 | A |
| oxadiazon | N-outdr plants in containers | 0.85 | 13 | 8.0 | A |
| oxadiazon | Turf/sod | 817.86 | 17 | 272.62 | A |
| oxamyl | Celery | 407.2 | 28 | 452.47 | A |
| oxamyl | Pepper, fruiting | 1,620.44 | 90 | 1,682.08 | A |
| oxamyl | Pumpkin | 16.93 | 3 | 27.0 | A |
| oxamyl | Tomato | 37.53 | 8 | 37.7 | A |
| oxathiapiprolin | Avocado | 1.03 | 1 | 8.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| oxathiapiprolin | Blackberry | 0.17 | 2 | 26.68 | A |
| oxathiapiprolin | Cabbage | 0.12 | 25 | 6.25 | A |
| oxathiapiprolin | Endive (escarole) | 0.33 | 23 | 21.07 | A |
| oxathiapiprolin | Leek | 0.45 | 8 | 30.7 | A |
| oxathiapiprolin | Lemon | 30.48 | 16 | 497.5 | A |
| oxathiapiprolin | Lettuce, leaf | 12.28 | 135 | 769.83 | A |
| oxathiapiprolin | N-grnhs plants in containers | 1.22 | 22 | 29.49 | A |
| oxathiapiprolin | N-grnhs plants in containers | 0.28 | 26 | 1,456,000.0 | S |
| oxathiapiprolin | N-outdr flower | 10.49 | 52 | 353.5 | A |
| oxathiapiprolin | Onion, dry | 0.01 | 1 | 1.0 | A |
| oxathiapiprolin | Onion, green | 4.46 | 27 | 299.0 | A |
| oxathiapiprolin | Pepper, fruiting | 64.24 | 31 | 516.38 | A |
| oxathiapiprolin | Pumpkin | 0.07 | 1 | 4.5 | A |
| oxathiapiprolin | Raspberry | 5.29 | 7 | 56.31 | A |
| oxathiapiprolin | Spinach | 19.79 | 196 | 1,273.57 | A |
| oxathiapiprolin | Tomato | 16.6 | 22 | 219.3 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Avocado | 22.61 | 73 | 387.05 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Ditch bank | 0.17 | 5 | 4.75 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Lemon | 20.33 | 34 | 258.43 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | N-outdr plants in containers | 39.22 | 242 | 403.25 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Orange | 27.15 | 41 | 369.0 | A |
| oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether | Pastureland | 2.02 | 5 | 27.5 | A |
| oxyfluorfen | Artichoke, globe | 316.4 | 23 | 545.2 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| oxyfluorfen | Avocado | 166.49 | 18 | 107.1 | A |
| oxyfluorfen | Bean, dried | 15.23 | 1 | 60.0 | A |
| oxyfluorfen | Broccoli | 48.5 | 20 | 95.4 | A |
| oxyfluorfen | Cabbage | 1,060.26 | 212 | 2,103.8 | A |
| oxyfluorfen | Cabbage, savoy | 15.48 | 3 | 31.0 | A |
| oxyfluorfen | Cauliflower | 8.86 | 2 | 20.4 | A |
| oxyfluorfen | Herb, spice | 1.27 | 1 | 1.5 | A |
| oxyfluorfen | Lemon | 4.01 | 2 | 4.0 | A |
| oxyfluorfen | Mint | 6.85 | 3 | 4.5 | A |
| oxyfluorfen | N-outdr plants in containers | 39.0 | 8 | 40.0 | A |
| oxyfluorfen | Onion, dry | 0.08 | 1 | 0.12 | A |
| oxyfluorfen | Orchard floor | 39.61 | 4 | 7.5 | A |
| oxyfluorfen | Pepper, fruiting | 243.32 | 36 | 796.92 | A |
| oxyfluorfen | Rights of way | 1.22 | 2 | 5.0 | A |
| oxyfluorfen | Rights of way | 797.52 | N/A | N/A | N/A |
| oxyfluorfen | Soil fumigation/preplant | 66.05 | 3 | 130.0 | A |
| oxyfluorfen | Strawberry | 1,157.07 | 79 | 3,874.26 | A |
| oxyfluorfen | Tomato | 9.61 | 3 | 43.2 | A |
| oxyfluorfen | Uncultivated ag | 67.92 | 4 | 139.25 | A |
| oxytetracycline hydrochloride | Landscape maintenance | 0.13 | N/A | N/A | N/A |
| paclobutrazol | Golf course turf | 33.55 | 5 | 222.9 | A |
| paclobutrazol | Landscape maintenance | 15.33 | N/A | N/A | N/A |
| paclobutrazol | N-grnhs plants in containers | 0.95 | 49 | 110.9 | A |
| paclobutrazol | N-grnhs plants in containers | 0.01 | 12 | 32,650.0 | S |
| paclobutrazol | N-outdr plants in containers | 0.82 | 27 | 97.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| paclobutrazol | N-outdr plants in containers | <0.01 | 7 | 24,950.0 | S |
| paecilomyces fumosoroseus apopka strain 97 | Basil, sweet | 0.17 | 1 | 0.85 | A |
| paecilomyces fumosoroseus apopka strain 97 | Beet | 38.1 | 15 | 190.76 | A |
| paecilomyces fumosoroseus apopka strain 97 | Blackberry | 640.0 | 244 | 2,606.16 | A |
| paecilomyces fumosoroseus apopka strain 97 | Blueberry | 48.73 | 14 | 183.54 | A |
| paecilomyces fumosoroseus apopka strain 97 | Bok choy | 1.6 | 2 | 4.0 | A |
| paecilomyces fumosoroseus apopka strain 97 | Broccoli | 11.49 | 3 | 31.37 | A |
| paecilomyces fumosoroseus apopka strain 97 | Cabbage | 84.06 | 32 | 415.93 | A |
| paecilomyces fumosoroseus apopka strain 97 | Cabbage, savoy | 0.94 | 1 | 4.7 | A |
| paecilomyces fumosoroseus apopka strain 97 | Celery | 140.45 | 21 | 356.01 | A |
| paecilomyces fumosoroseus apopka strain 97 | Collard | 3.15 | 7 | 7.88 | A |
| paecilomyces fumosoroseus apopka strain 97 | Herb, spice | 0.6 | 2 | 3.0 | A |
| paecilomyces fumosoroseus apopka strain 97 | Kale | 52.38 | 14 | 130.96 | A |
| paecilomyces fumosoroseus apopka strain 97 | Lettuce, leaf | 5.96 | 6 | 17.65 | A |
| paecilomyces fumosoroseus apopka strain 97 | Parsley | 3.3 | 2 | 16.48 | A |
| paecilomyces fumosoroseus apopka strain 97 | Raspberry | 198.43 | 103 | 797.12 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| paecilomyces fumosoroseus apopka strain 97 | Spinach | 7.66 | 9 | 20.94 | A |
| paecilomyces fumosoroseus apopka strain 97 | Strawberry | 10.74 | 8 | 26.86 | A |
| paecilomyces fumosoroseus apopka strain 97 | Swiss chard | 53.7 | 12 | 134.26 | A |
| paraquat dichloride | Avocado | 1.4 | 3 | 17.25 | A |
| paraquat dichloride | Cabbage | 46.2 | 2 | 33.5 | A |
| paraquat dichloride | Celery | 0.36 | 1 | 0.5 | A |
| paraquat dichloride | Lemon | 2.16 | 3 | 48.0 | A |
| paraquat dichloride | Pepper, fruiting | 301.73 | 14 | 221.6 | A |
| paraquat dichloride | Soil fumigation/preplant | 52.43 | 6 | 38.02 | A |
| paraquat dichloride | Uncultivated ag | 43.47 | 2 | 42.0 | A |
| pendimethalin | Alfalfa | 157.2 | 3 | 83.0 | A |
| pendimethalin | Artichoke, globe | 110.79 | 2 | 78.0 | A |
| pendimethalin | Carrot | 185.0 | 6 | 195.4 | A |
| pendimethalin | Landscape maintenance | 136.16 | N/A | N/A | N/A |
| pendimethalin | N-outdr plants in containers | 157.66 | 44 | 79.28 | A |
| pendimethalin | Pepper, fruiting | 129.58 | 11 | 171.33 | A |
| pendimethalin | Rights of way | 22.73 | 3 | 6.0 | A |
| pendimethalin | Strawberry | 3,633.8 | 96 | 4,139.77 | A |
| pendimethalin | Tomato | 17.05 | 2 | 36.0 | A |
| penoxsulam | Landscape maintenance | 18.02 | N/A | N/A | N/A |
| penoxsulam | Rights of way | 15.29 | N/A | N/A | N/A |
| penthiopyrad | Bean, dried | 5.21 | 1 | 20.0 | A |
| penthiopyrad | Bok choy | 34.46 | 17 | 110.22 | A |
| penthiopyrad | Brussels sprout | 151.56 | 14 | 553.23 | A |
| penthiopyrad | Cabbage | 92.09 | 22 | 299.46 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| penthiopyrad | Cauliflower | 5.66 | 4 | 15.5 | A |
| penthiopyrad | Celery | 486.27 | 108 | 1,664.08 | A |
| penthiopyrad | Cilantro | 9.38 | 1 | 30.0 | A |
| penthiopyrad | Endive (escarole) | 1.23 | 5 | 3.88 | A |
| penthiopyrad | Golf course turf | 40.95 | 6 | 44.4 | A |
| penthiopyrad | Kale | 11.16 | 30 | 44.48 | A |
| penthiopyrad | Landscape maintenance | 54.86 | N/A | N/A | N/A |
| penthiopyrad | Leek | 2.6 | 9 | 11.4 | A |
| penthiopyrad | Lettuce, head | 2.18 | 3 | 7.0 | A |
| penthiopyrad | Lettuce, leaf | 99.86 | 43 | 341.91 | A |
| penthiopyrad | N-grnhs flower | 10.31 | N/A | 15.0 | A |
| penthiopyrad | N-grnhs transplants | 0.13 | 1 | 5.0 | A |
| penthiopyrad | Onion, green | 1.98 | 2 | 9.5 | A |
| penthiopyrad | Parsley | 38.57 | 23 | 141.6 | A |
| penthiopyrad | Pepper, fruiting | 192.23 | 38 | 751.81 | A |
| penthiopyrad | Pumpkin | 7.64 | 1 | 36.7 | A |
| penthiopyrad | Strawberry | 1,810.57 | 144 | 6,171.18 | A |
| penthiopyrad | Turf/sod | 89.29 | 8 | 97.95 | A |
| permethrin | Animal premise | 6.2 | N/A | 8.0 | U |
| permethrin | Artichoke, globe | 335.2 | 68 | 1,503.25 | A |
| permethrin | Broccoli | 1.89 | 1 | 9.5 | A |
| permethrin | Brussels sprout | 161.36 | 48 | 1,618.22 | A |
| permethrin | Cabbage | 54.71 | 21 | 274.59 | A |
| permethrin | Cauliflower | 9.76 | 12 | 97.56 | A |
| permethrin | Celery | 1,826.8 | 675 | 10,027.65 | A |
| permethrin | Collard | 11.23 | 12 | 56.4 | A |
| permethrin | Cucumber | 1.92 | 2 | 9.58 | A |
| permethrin | Kale | 17.16 | 12 | 86.15 | A |
| permethrin | Landscape maintenance | 20.06 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|------------------------------|----------------|------|--------------|--------------|
| permethrin | Lettuce, leaf | 197.55 | 145 | 1,076.89 | A |
| permethrin | Mustard greens | 0.83 | 3 | 4.05 | A |
| permethrin | N-grnhs flower | 0.63 | 5 | 4.4 | A |
| permethrin | N-grnhs plants in containers | 21.93 | 35 | 47.13 | A |
| permethrin | N-grnhs plants in containers | 0.41 | 3 | 46,500.0 | S |
| permethrin | N-grnhs transplants | 6.16 | 45 | 84.86 | A |
| permethrin | N-outdr flower | 69.65 | 122 | 498.17 | A |
| permethrin | N-outdr plants in containers | 124.57 | 119 | 573.1 | A |
| permethrin | N-outdr plants in containers | 0.86 | 9 | 122,230.0 | S |
| permethrin | N-outdr transplants | 3.29 | 45 | 32.84 | A |
| permethrin | Parsley | 25.47 | 25 | 127.45 | A |
| permethrin | Pepper, fruiting | 40.92 | 17 | 205.74 | A |
| permethrin | Pumpkin | 1.72 | 3 | 10.5 | A |
| permethrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| permethrin | Spinach | 5.77 | 2 | 28.9 | A |
| permethrin | Structural pest control | 659.26 | N/A | N/A | N/A |
| permethrin | Swiss chard | 6.31 | 19 | 31.6 | A |
| permethrin | Tomato | 14.99 | 4 | 75.2 | A |
| permethrin | Turnip greens | 0.35 | 1 | 1.7 | A |
| permethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| peroxyacetic acid | Avocado | 22.05 | 1 | 3.0 | A |
| peroxyacetic acid | Avocado | 0.04 | 3 | 2,720.0 | U |
| peroxyacetic acid | Blackberry | 22.25 | 16 | 278.32 | A |
| peroxyacetic acid | Blueberry | 17.48 | 7 | 156.58 | A |
| peroxyacetic acid | Celery | 455.86 | 50 | 918.7 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| peroxyacetic acid | Cilantro | 24.2 | 4 | 35.0 | A |
| peroxyacetic acid | Cucumber | 7.53 | 7 | 23.52 | A |
| peroxyacetic acid | Grape, wine | 0.37 | 1 | 2.0 | A |
| peroxyacetic acid | Herb, spice | 0.09 | 1 | 1.0 | A |
| peroxyacetic acid | Landscape maintenance | 120.35 | N/A | N/A | N/A |
| peroxyacetic acid | Lemon | 977.54 | N/A | 80,370.0 | T |
| peroxyacetic acid | Lettuce, leaf | 19.21 | 5 | 51.8 | A |
| peroxyacetic acid | N-grnhs plants in containers | 3.11 | 21 | 13.05 | A |
| peroxyacetic acid | N-outdr plants in containers | 0.06 | 1 | 0.63 | A |
| peroxyacetic acid | Orange | 280.75 | N/A | 5,908.0 | T |
| peroxyacetic acid | Parsley | 0.64 | 2 | 4.0 | A |
| peroxyacetic acid | Peas | 0.12 | 1 | 0.5 | A |
| peroxyacetic acid | Pepper, fruiting | 314.33 | 22 | 477.51 | A |
| peroxyacetic acid | Raspberry | 45.02 | 24 | 247.03 | A |
| peroxyacetic acid | Spinach | 8.56 | 4 | 29.78 | A |
| peroxyacetic acid | Strawberry | 313.14 | 25 | 725.91 | A |
| peroxyacetic acid | Tomato | 9.64 | 5 | 53.25 | A |
| peroxyacetic acid | Water (industrial) | 25.13 | N/A | 360.0 | U |
| peroxyacetic acid | Water area | 1,301.31 | N/A | 538.43 | U |
| petroleum distillates | Structural pest control | 2.08 | N/A | N/A | N/A |
| petroleum distillates, aromatic | Cabbage | 1.72 | 1 | 5.2 | A |
| petroleum distillates, aromatic | Cabbage, savoy | 5.64 | 3 | 18.3 | A |
| petroleum distillates, aromatic | N-grnhs plants in containers | 0.11 | 1 | 4,500.0 | S |
| petroleum distillates, aromatic | N-outdr plants in containers | 0.58 | 1 | 1.5 | A |
| petroleum distillates, aromatic | Structural pest control | 0.04 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|----------------|------|--------------|--------------|
| petroleum oil, paraffin based | Rights of way | 66.7 | N/A | N/A | N/A |
| petroleum oil, unclassified | Landscape maintenance | 161.84 | N/A | N/A | N/A |
| petroleum oil, unclassified | Lemon | 247.29 | 3 | 25.0 | A |
| petroleum oil, unclassified | N-outdr flower | 4.4 | 2 | 6.0 | A |
| phenmedipham | Beet | 52.28 | 10 | 163.35 | A |
| phenothrin | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| phenothrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| phenothrin | Structural pest control | 2.78 | N/A | N/A | N/A |
| phenylethyl propionate | Structural pest control | 0.2 | N/A | N/A | N/A |
| phosmet | N-outdr plants in containers | 9.28 | 14 | 16.0 | A |
| phosphoric acid | Apple | 0.17 | 3 | 3.13 | A |
| phosphoric acid | Apricot | 0.17 | 3 | 3.13 | A |
| phosphoric acid | Avocado | 3.16 | 75 | 405.55 | A |
| phosphoric acid | Avocado | <0.01 | 6 | 33,926.0 | U |
| phosphoric acid | Carrot | 11.75 | 1 | 47.0 | A |
| phosphoric acid | Celery | 0.46 | 1 | 1.5 | A |
| phosphoric acid | Ditch bank | 10.68 | 13 | 36.25 | A |
| phosphoric acid | Grape, wine | 0.82 | 1 | 3.5 | A |
| phosphoric acid | Landscape maintenance | 12.72 | N/A | N/A | N/A |
| phosphoric acid | Lemon | 17.86 | 49 | 665.62 | A |
| phosphoric acid | N-outdr flower | 241.17 | 640 | 2,406.02 | A |
| phosphoric acid | N-outdr plants in containers | 18.79 | 287 | 894.1 | A |
| phosphoric acid | Orange | 3.59 | 45 | 405.5 | A |
| phosphoric acid | Pastureland | 0.26 | 5 | 27.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| phosphoric acid | Peach | 0.17 | 3 | 3.13 | A |
| phosphoric acid | Plum | 0.17 | 3 | 3.13 | A |
| phosphoric acid | Rights of way | 0.3 | 6 | 6.0 | A |
| phosphoric acid | Strawberry | 31.37 | 6 | 137.0 | A |
| phosphoric acid | Structural pest control | 7.17 | N/A | N/A | N/A |
| phosphoric acid | Tangerine | <0.01 | 1 | 0.25 | A |
| piperalin | N-grnhs flower | 1.99 | 1 | 4.0 | A |
| piperalin | N-grnhs plants in containers | 5.46 | 4 | 11.0 | A |
| piperalin | N-outdr flower | 0.5 | 1 | 1.0 | A |
| piperonyl butoxide | Animal premise | 6.2 | N/A | 8.0 | U |
| piperonyl butoxide | Broccoli | 3.9 | 1 | 10.25 | A |
| piperonyl butoxide | Cucumber | 1.52 | 1 | 3.36 | A |
| piperonyl butoxide | Herb, spice | 49.0 | 41 | 128.8 | A |
| piperonyl butoxide | Landscape maintenance | 143.5 | N/A | N/A | N/A |
| piperonyl butoxide | Leek | 8.57 | 12 | 22.8 | A |
| piperonyl butoxide | Mushroom house | 85.26 | 42 | 2,940,000.0 | S |
| piperonyl butoxide | N-grnhs plants in containers | 8.07 | 43 | 2,408,000.0 | S |
| piperonyl butoxide | N-outdr flower | 24.11 | 57 | 186.7 | A |
| piperonyl butoxide | N-outdr plants in containers | 0.1 | 1 | 0.5 | A |
| piperonyl butoxide | Pastureland | 16.24 | 4 | 96.5 | A |
| piperonyl butoxide | Radish | 8.32 | 8 | 22.0 | A |
| piperonyl butoxide | Regulatory pest control | 0.06 | N/A | N/A | N/A |
| piperonyl butoxide | Structural pest control | 74.63 | N/A | N/A | N/A |
| piperonyl butoxide | Tomato | 32.96 | 13 | 76.68 | A |
| piperonyl butoxide, other related | Broccoli | 0.97 | 1 | 10.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| piperonyl butoxide, other related | Cucumber | 0.38 | 1 | 3.36 | A |
| piperonyl butoxide, other related | Herb, spice | 12.25 | 41 | 128.8 | A |
| piperonyl butoxide, other related | Landscape maintenance | 35.88 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Leek | 2.14 | 12 | 22.8 | A |
| piperonyl butoxide, other related | Mushroom house | 21.31 | 42 | 2,940,000.0 | S |
| piperonyl butoxide, other related | N-grnhs plants in containers | 2.02 | 43 | 2,408,000.0 | S |
| piperonyl butoxide, other related | N-outdr flower | 6.03 | 57 | 186.7 | A |
| piperonyl butoxide, other related | N-outdr plants in containers | 0.02 | 1 | 0.5 | A |
| piperonyl butoxide, other related | Pastureland | 4.06 | 4 | 96.5 | A |
| piperonyl butoxide, other related | Radish | 2.08 | 8 | 22.0 | A |
| piperonyl butoxide, other related | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Structural pest control | 1.78 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Tomato | 8.24 | 13 | 76.68 | A |
| poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt | Basil, sweet | 0.31 | 1 | 5.0 | A |
| poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt | Blackberry | 9.1 | 16 | 175.73 | A |
| poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt | Cabbage | 19.29 | 22 | 196.36 | A |
| poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt | Celery | 398.47 | 108 | 2,766.86 | A |
| poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt | Raspberry | 90.77 | 56 | 646.05 | A |
| poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt | Strawberry | 3,300.61 | 414 | 25,739.93 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Blackberry | 10.16 | 13 | 197.23 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|-----------------------|-------------|---------------------|---------------------|
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Blueberry | 2.47 | 5 | 56.68 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Raspberry | 0.85 | 5 | 20.85 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Rights of way | 0.05 | 2 | 1.28 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Strawberry | 9.32 | 9 | 321.46 | A |
| poly-i-para-menthene | Basil, sweet | 0.61 | 1 | 5.0 | A |
| poly-i-para-menthene | Beet | 177.38 | 25 | 255.79 | A |
| poly-i-para-menthene | Blackberry | 5.43 | 49 | 14.34 | A |
| poly-i-para-menthene | Blueberry | 15.21 | 31 | 40.03 | A |
| poly-i-para-menthene | Cabbage | 332.72 | 51 | 692.55 | A |
| poly-i-para-menthene | Cabbage, savoy | 21.89 | 4 | 25.3 | A |
| poly-i-para-menthene | Dill | 1.52 | 2 | 2.53 | A |
| poly-i-para-menthene | Landscape maintenance | 0.23 | N/A | N/A | N/A |
| poly-i-para-menthene | Parsley | 79.17 | 18 | 141.74 | A |
| poly-i-para-menthene | Raspberry | 8.31 | 76 | 13.71 | A |
| poly-i-para-menthene | Squash | 15.23 | 2 | 31.3 | A |
| poly-i-para-menthene | Squash, summer | 7.61 | 1 | 16.0 | A |
| poly-i-para-menthene | Strawberry | 3.73 | 11 | 14.06 | A |
| polyacrylamide polymer | Artichoke, globe | 10.75 | 21 | 467.2 | A |
| polyacrylamide polymer | Beet | 2.32 | 24 | 101.33 | A |
| polyacrylamide polymer | Cabbage | 17.07 | 80 | 742.56 | A |
| polyacrylamide polymer | Celery | 16.02 | 41 | 695.6 | A |
| polyacrylamide polymer | Cilantro | 0.23 | 1 | 10.0 | A |
| polyacrylamide polymer | Collard | 0.66 | 8 | 28.25 | A |
| polyacrylamide polymer | Grape, wine | 0.26 | 1 | 3.5 | A |
| polyacrylamide polymer | Kale | 0.71 | 7 | 30.45 | A |
| polyacrylamide polymer | Lemon | 0.06 | 2 | 1.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| polyacrylamide polymer | Lettuce, leaf | 3.55 | 17 | 154.6 | A |
| polyacrylamide polymer | Mustard greens | 0.43 | 22 | 20.45 | A |
| polyacrylamide polymer | Pepper, fruiting | 0.85 | 2 | 37.0 | A |
| polyacrylamide polymer | Raspberry | 0.63 | 1 | 11.16 | A |
| polyacrylamide polymer | Rights of way | 1.82 | 15 | 68.5 | A |
| polyacrylamide polymer | Soil fumigation/preplant | 4.35 | 8 | 200.0 | A |
| polyacrylamide polymer | Spinach | 0.63 | 15 | 28.0 | A |
| polyacrylamide polymer | Strawberry | 6.23 | 6 | 285.5 | A |
| polyacrylamide polymer | Turnip | 0.16 | 14 | 7.0 | A |
| polyacrylamide polymer | Turnip greens | 0.11 | 6 | 4.5 | A |
| polyacrylamide polymer | Uncultivated ag | 0.54 | 1 | 23.3 | A |
| polyacrylamide, polyethylene glycol mixture | Rights of way | 0.24 | N/A | N/A | N/A |
| polyacrylic polymer | Carrot | 1.06 | 1 | 47.0 | A |
| polyacrylic polymer | Celery | 0.04 | 1 | 1.5 | A |
| polyacrylic polymer | Ditch bank | 0.96 | 8 | 31.5 | A |
| polyacrylic polymer | Landscape maintenance | 1.14 | N/A | N/A | N/A |
| polyacrylic polymer | Lemon | 0.95 | 1 | 57.5 | A |
| polyacrylic polymer | N-outdr flower | 19.9 | 226 | 1,186.5 | A |
| polyacrylic polymer | N-outdr plants in containers | 0.11 | 4 | 8.25 | A |
| polyacrylic polymer | Strawberry | 2.84 | 6 | 137.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Avocado | 287.91 | 51 | 1,690.96 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Blackberry | 8.91 | 20 | 37.17 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cabbage | 182.41 | 454 | 4,872.54 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Carrot | 1.78 | 1 | 47.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|-----------------------|-------------|---------------------|---------------------|
| polyalkene oxide modified heptamethyl trisiloxane | Celery | 505.1 | 877 | 13,745.87 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Cucumber | 8.85 | 6 | 18.17 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Kale | 1.27 | 11 | 45.2 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Landscape maintenance | 10.01 | N/A | N/A | N/A |
| polyalkene oxide modified heptamethyl trisiloxane | Lemon | 138.55 | 29 | 517.34 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-grnhs flower | 3.0 | 7 | 5.7 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-outdr flower | 52.0 | 382 | 1,558.81 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-outdr plants in containers | 1.01 | 13 | 28.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Raspberry | 128.01 | 28 | 216.52 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Strawberry | 236.83 | 23 | 1,082.67 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Tangerine | 0.39 | 2 | 2.5 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Tomato | 18.96 | 12 | 57.35 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Uncultivated ag | 6.12 | 21 | 153.0 | A |
| polyalkyleneoxide modified polydimethyl-siloxane | Avocado | 141.86 | 7 | 218.45 | A |
| polyalkyleneoxide modified polydimethyl-siloxane | Industrial hemp | 6.27 | 1 | 6.0 | A |
| polyalkyleneoxide modified polydimethyl-siloxane | Lemon | 71.07 | 5 | 103.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| polyalkyleneoxide modified polydimethylsiloxane | Strawberry | 30.0 | 3 | 69.0 | A |
| polyalkyleneoxide modified polydimethylsiloxane | Tangerine | 16.72 | 4 | 38.0 | A |
| polybutenes | Artichoke, globe | 11.11 | 21 | 467.2 | A |
| polybutenes | Blackberry | 0.48 | 2 | 18.03 | A |
| polybutenes | Brussels sprout | 18.42 | 20 | 383.4 | A |
| polybutenes | Cabbage | 3.98 | 18 | 164.4 | A |
| polybutenes | Cauliflower | 0.21 | 2 | 3.0 | A |
| polybutenes | Celery | 98.53 | 163 | 3,279.98 | A |
| polybutenes | Cilantro | 2.42 | 1 | 12.7 | A |
| polybutenes | Collard | 1.61 | 16 | 66.05 | A |
| polybutenes | Kale | 3.16 | 18 | 125.75 | A |
| polybutenes | Kohlrabi | 0.02 | 2 | 0.5 | A |
| polybutenes | Onion, green | 0.15 | 2 | 4.7 | A |
| polybutenes | Parsley | 0.43 | 3 | 17.3 | A |
| polybutenes | Pepper, fruiting | 7.48 | 3 | 39.4 | A |
| polybutenes | Rights of way | 9.93 | 27 | 117.5 | A |
| polybutenes | Soil fumigation/preplant | 1.08 | 3 | 12.0 | A |
| polybutenes | Strawberry | 263.82 | 146 | 5,392.82 | A |
| polybutenes | Structural pest control | 0.32 | N/A | N/A | N/A |
| polybutenes | Swiss chard | 0.66 | 17 | 28.45 | A |
| polybutenes | Tomato | 10.11 | 3 | 53.2 | A |
| polybutenes | Uncultivated ag | 12.95 | 5 | 77.15 | A |
| polyether modified polysiloxane | Avocado | 15.0 | 4 | 84.0 | A |
| polyether modified polysiloxane | Bean, dried | 16.29 | 12 | 399.62 | A |
| polyether modified polysiloxane | Bean, succulent | 6.14 | 5 | 177.0 | A |
| polyether modified polysiloxane | Beet | 5.19 | 18 | 120.29 | A |
| polyether modified polysiloxane | Blackberry | 67.81 | 38 | 437.12 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| polyether modified polysiloxane | Blueberry | 108.44 | 4 | 204.0 | A |
| polyether modified polysiloxane | Bok choy | 22.95 | 48 | 385.02 | A |
| polyether modified polysiloxane | Broccoli | 27.78 | 19 | 160.84 | A |
| polyether modified polysiloxane | Cabbage | 217.7 | 648 | 5,811.72 | A |
| polyether modified polysiloxane | Celery | 385.73 | 290 | 3,354.2 | A |
| polyether modified polysiloxane | Collard | 0.25 | 1 | 0.81 | A |
| polyether modified polysiloxane | Dill | 0.67 | 2 | 7.1 | A |
| polyether modified polysiloxane | Ditch bank | 0.25 | 1 | 0.5 | A |
| polyether modified polysiloxane | Gai lon | 8.97 | 41 | 92.34 | A |
| polyether modified polysiloxane | Kale | 0.85 | 1 | 3.26 | A |
| polyether modified polysiloxane | Leek | 1.79 | 10 | 41.2 | A |
| polyether modified polysiloxane | Lemon | 106.91 | 7 | 224.0 | A |
| polyether modified polysiloxane | Parsley | 1.0 | 2 | 23.1 | A |
| polyether modified polysiloxane | Peas | 1.25 | 4 | 2.5 | A |
| polyether modified polysiloxane | Pepper, fruiting | 17.94 | 9 | 167.08 | A |
| polyether modified polysiloxane | Rights of way | 2.06 | 11 | 36.0 | A |
| polyether modified polysiloxane | Strawberry | 1,127.06 | 136 | 2,978.26 | A |
| polyether modified polysiloxane | Tomato | 1.7 | 2 | 6.5 | A |
| polyether modified polysiloxane | Uncultivated ag | 7.48 | 29 | 131.5 | A |
| polyethylene glycol | Pumpkin | 9.97 | 4 | 60.0 | A |
| polyethylene glycol diacetate | Lemon | 10.34 | 2 | 113.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Avocado | 13.99 | 3 | 72.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Cabbage | 8.33 | 15 | 71.71 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Celery | 703.6 | 89 | 2,083.47 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Lettuce, leaf | 4.35 | 5 | 37.27 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | N-grnhs flower | 0.1 | 3 | 2.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | N-outdr flower | 1.52 | 16 | 25.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Raspberry | 76.99 | 6 | 230.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Rights of way | 5.12 | 3 | 22.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Strawberry | 4,311.92 | 187 | 11,301.02 | A |
| polyethylene glycol stearate | N-outdr plants in containers | 11.64 | 4 | 60.75 | A |
| polyethylene glycol stearate | Rights of way | 0.18 | N/A | N/A | N/A |
| polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helicoverpa zea (corn earworm) | Strawberry | 0.83 | 11 | 173.92 | A |
| polymerized pinene | Beet | 4.97 | 5 | 7.2 | A |
| polymerized pinene | Cabbage | 127.07 | 20 | 163.32 | A |
| polymerized pinene | Celery | 34.76 | 3 | 50.85 | A |
| polymerized pinene | Cilantro | 118.87 | 37 | 205.59 | A |
| polymerized pinene | Kale | 22.3 | 56 | 36.75 | A |
| polymerized pinene | Lettuce, head | 0.33 | 1 | 1.0 | A |
| polymerized pinene | Lettuce, leaf | 23.23 | 3 | 21.0 | A |
| polymerized pinene | Parsley | 118.22 | 18 | 144.9 | A |
| polymerized pinene | Radish | 206.76 | 135 | 230.38 | A |
| polymerized pinene | Rights of way | 2.92 | N/A | N/A | N/A |
| polymerized pinene | Spinach | 78.16 | 72 | 96.5 | A |
| polymerized pinene | Strawberry | 703.62 | 16 | 1,050.5 | A |
| polymerized pinene | Unknown | 25.91 | 16 | 27.7 | A |
| polyoxin d, zinc salt | Blackberry | 21.52 | 74 | 507.98 | A |
| polyoxin d, zinc salt | Blueberry | 1.8 | 21 | 339.96 | A |
| polyoxin d, zinc salt | Celery | 5.48 | 28 | 532.71 | A |
| polyoxin d, zinc salt | Cilantro | 0.79 | 1 | 18.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|----------------|-------|--------------|--------------|
| polyoxin d, zinc salt | Golf course turf | 0.46 | N/A | 2.0 | A |
| polyoxin d, zinc salt | Landscape maintenance | 2.46 | N/A | N/A | N/A |
| polyoxin d, zinc salt | N-grnhs flower | 0.27 | 5 | 4.7 | A |
| polyoxin d, zinc salt | N-grnhs plants in containers | 0.51 | 14 | 6.15 | A |
| polyoxin d, zinc salt | N-outdr flower | 23.17 | 147 | 632.5 | A |
| polyoxin d, zinc salt | N-outdr plants in containers | 0.02 | 2 | 0.26 | A |
| polyoxin d, zinc salt | Raspberry | 13.57 | 161 | 740.31 | A |
| polyoxin d, zinc salt | Spinach | 0.01 | 2 | 1.3 | A |
| polyoxin d, zinc salt | Strawberry | 448.19 | 256 | 11,532.06 | A |
| polyoxyethylene cetyl-stearyl ether | N-outdr plants in containers | 187.32 | 99 | 567.0 | A |
| polyoxyethylene polyoxypropylene | Artichoke, globe | 22.51 | 18 | 460.2 | A |
| polyoxyethylene polyoxypropylene | Avocado | 1,229.4 | 125 | 2,657.37 | A |
| polyoxyethylene polyoxypropylene | Avocado | 13.22 | 13 | 1,540,275.0 | U |
| polyoxyethylene polyoxypropylene | Beet | 42.6 | 83 | 634.52 | A |
| polyoxyethylene polyoxypropylene | Blackberry | 715.91 | 508 | 3,862.41 | A |
| polyoxyethylene polyoxypropylene | Blueberry | 46.16 | 28 | 101.72 | A |
| polyoxyethylene polyoxypropylene | Bok choy | 2.31 | 3 | 6.84 | A |
| polyoxyethylene polyoxypropylene | Brussels sprout | 426.82 | 97 | 3,287.92 | A |
| polyoxyethylene polyoxypropylene | Cabbage | 1,133.12 | 1,156 | 10,116.74 | A |
| polyoxyethylene polyoxypropylene | Cabbage, savoy | 7.89 | 24 | 137.85 | A |
| polyoxyethylene polyoxypropylene | Cauliflower | 33.63 | 56 | 476.73 | A |
| polyoxyethylene polyoxypropylene | Celery | 2,542.72 | 517 | 7,946.56 | A |
| polyoxyethylene polyoxypropylene | Cilantro | 76.74 | 22 | 262.6 | A |
| polyoxyethylene polyoxypropylene | Citrus | 5.44 | 6 | 26.35 | A |
| polyoxyethylene polyoxypropylene | Citrus | 6.07 | 8 | 530,800.0 | U |
| polyoxyethylene polyoxypropylene | Collard | 74.18 | 109 | 439.7 | A |
| polyoxyethylene polyoxypropylene | Dill | 2.34 | 4 | 20.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| polyoxyethylene polyoxypropylene | Grapefruit | 13.36 | 3 | 21.0 | A |
| polyoxyethylene polyoxypropylene | Kale | 375.84 | 161 | 1,556.02 | A |
| polyoxyethylene polyoxypropylene | Kohlrabi | 0.08 | 2 | 0.5 | A |
| polyoxyethylene polyoxypropylene | Landscape maintenance | 6.44 | 1 | 337.0 | A |
| polyoxyethylene polyoxypropylene | Landscape maintenance | 14.72 | N/A | N/A | N/A |
| polyoxyethylene polyoxypropylene | Lemon | 3,091.37 | 271 | 5,243.65 | A |
| polyoxyethylene polyoxypropylene | Lettuce, leaf | 40.94 | 81 | 395.88 | A |
| polyoxyethylene polyoxypropylene | Mango | 0.48 | 2 | 1.3 | A |
| polyoxyethylene polyoxypropylene | Mint | 0.08 | 1 | 1.5 | A |
| polyoxyethylene polyoxypropylene | Mustard greens | 4.91 | 18 | 57.85 | A |
| polyoxyethylene polyoxypropylene | N-grnhs transplants | 0.02 | 1 | 7,200.0 | U |
| polyoxyethylene polyoxypropylene | N-outdr flower | 8.62 | 7 | 10.17 | A |
| polyoxyethylene polyoxypropylene | N-outdr plants in containers | 0.69 | 1 | 32,000.0 | U |
| polyoxyethylene polyoxypropylene | N-outdr transplants | 0.24 | 2 | 6.06 | A |
| polyoxyethylene polyoxypropylene | Onion, green | 172.6 | 54 | 552.7 | A |
| polyoxyethylene polyoxypropylene | Orange | 213.05 | 34 | 316.55 | A |
| polyoxyethylene polyoxypropylene | Parsley | 32.88 | 23 | 213.99 | A |
| polyoxyethylene polyoxypropylene | Pepper, fruiting | 61.92 | 57 | 1,024.28 | A |
| polyoxyethylene polyoxypropylene | Pepper, spice | 17.86 | 2 | 56.19 | A |
| polyoxyethylene polyoxypropylene | Pumpkin | 45.59 | 14 | 180.5 | A |
| polyoxyethylene polyoxypropylene | Raspberry | 1,468.03 | 1,120 | 6,441.28 | A |
| polyoxyethylene polyoxypropylene | Rights of way | 2.14 | 1 | 6.75 | A |
| polyoxyethylene polyoxypropylene | Soil fumigation/preplant | 23.75 | 1 | 14.0 | A |
| polyoxyethylene polyoxypropylene | Spinach | 17.59 | 10 | 77.67 | A |
| polyoxyethylene polyoxypropylene | Stone fruit | 14.93 | 1 | 11.75 | A |
| polyoxyethylene polyoxypropylene | Strawberry | 17,133.84 | 2,160 | 73,009.85 | A |
| polyoxyethylene polyoxypropylene | Swiss chard | 109.64 | 60 | 304.6 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|----------------------------|----------------|------|--------------|--------------|
| polyoxyethylene polyoxypropylene | Tangerine | 31.49 | 17 | 68.3 | A |
| polyoxyethylene polyoxypropylene | Tomato | 56.66 | 67 | 1,250.5 | A |
| polyoxyethylene polyoxypropylene | Tropical/subtropical fruit | 0.74 | 2 | 2.0 | A |
| polyoxyethylene polyoxypropylene | Turnip greens | 1.68 | 12 | 31.9 | A |
| polyoxyethylene sorbitan mixed fatty acid esters | Rights of way | 5.62 | N/A | N/A | N/A |
| polyoxyethylene sorbitan monooleate | Avocado | 0.49 | 5 | 57.5 | A |
| polyoxyethylene sorbitan monooleate | Brussels sprout | 56.94 | 12 | 513.8 | A |
| polyoxyethylene sorbitan monooleate | Corn, human consumption | 0.02 | 1 | 3.5 | A |
| polyoxyethylene sorbitan monooleate | Landscape maintenance | 0.44 | N/A | N/A | N/A |
| polyoxyethylene sorbitan monooleate | Lemon | 0.95 | 11 | 139.0 | A |
| polyoxyethylene sorbitan monooleate | Pepper, spice | 12.89 | 9 | 206.43 | A |
| polyoxyethylene sorbitan monooleate | Pumpkin | 0.9 | 1 | 24.0 | A |
| polyoxyethylene sorbitan monooleate | Soil fumigation/preplant | 1.64 | 1 | 44.0 | A |
| polyoxyethylene sorbitan monooleate | Strawberry | 1.57 | 1 | 42.0 | A |
| polyoxyethylene sorbitan monooleate | Uncultivated ag | 0.85 | 2 | 45.5 | A |
| polyoxyethylene sorbitan trioleate | Avocado | 3.2 | 5 | 57.5 | A |
| polyoxyethylene sorbitan trioleate | Brussels sprout | 374.83 | 12 | 513.8 | A |
| polyoxyethylene sorbitan trioleate | Corn, human consumption | 0.11 | 1 | 3.5 | A |
| polyoxyethylene sorbitan trioleate | Landscape maintenance | 2.87 | N/A | N/A | N/A |
| polyoxyethylene sorbitan trioleate | Lemon | 6.27 | 11 | 139.0 | A |
| polyoxyethylene sorbitan trioleate | Pepper, spice | 84.84 | 9 | 206.43 | A |
| polyoxyethylene sorbitan trioleate | Pumpkin | 5.9 | 1 | 24.0 | A |
| polyoxyethylene sorbitan trioleate | Soil fumigation/preplant | 10.83 | 1 | 44.0 | A |
| polyoxyethylene sorbitan trioleate | Strawberry | 10.33 | 1 | 42.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| polyoxyethylene sorbitan trioleate | Uncultivated ag | 5.6 | 2 | 45.5 | A |
| polyoxyethylene sorbitol, mixed ether ester | Rights of way | 5.83 | N/A | N/A | N/A |
| polyoxyethylene soybean oil fatty acid ester | Strawberry | 2.52 | 1 | 26.26 | A |
| polypropylene glycol | Rights of way | 224.29 | N/A | N/A | N/A |
| polysorbate 65 | Rights of way | 2.23 | N/A | N/A | N/A |
| polysorbate 65 | Strawberry | 17.07 | 5 | 95.0 | A |
| potash soap | Blackberry | 589.86 | 14 | 118.9 | A |
| potash soap | Blueberry | 1,712.67 | 17 | 386.26 | A |
| potash soap | Bok choy | 9.08 | 2 | 4.36 | A |
| potash soap | Broccoli | 1,815.67 | 32 | 170.08 | A |
| potash soap | Brussels sprout | 757.61 | 9 | 177.25 | A |
| potash soap | Cabbage | 6,836.36 | 418 | 3,475.42 | A |
| potash soap | Celery | 9,352.1 | 90 | 1,506.07 | A |
| potash soap | Chive | 10.37 | 2 | 2.9 | A |
| potash soap | Collard | 553.14 | 24 | 60.84 | A |
| potash soap | Herb, spice | 14.79 | 4 | 4.25 | A |
| potash soap | Kale | 5,049.71 | 40 | 548.21 | A |
| potash soap | Lettuce, leaf | 372.7 | 7 | 54.21 | A |
| potash soap | N-grnhs plants in containers | 122.45 | 20 | 23.28 | A |
| potash soap | N-outdr flower | 11.97 | 5 | 16.0 | A |
| potash soap | N-outdr plants in containers | 18.13 | 6 | 7.5 | A |
| potash soap | Oregano | 4.16 | 1 | 1.0 | A |
| potash soap | Parsley | 412.17 | 13 | 75.78 | A |
| potash soap | Raspberry | 834.46 | 50 | 149.8 | A |
| potash soap | Rights of way | 10.41 | 1 | 1.0 | A |
| potash soap | Strawberry | 145.01 | 4 | 31.83 | A |
| potash soap | Swiss chard | 902.28 | 10 | 110.86 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| potash soap | Tomato | 54.12 | 2 | 6.5 | A |
| potassium bicarbonate | Apple | 265.83 | 2 | 234.54 | A |
| potassium bicarbonate | Basil, sweet | 50.85 | 6 | 21.14 | A |
| potassium bicarbonate | Beet | 61.29 | 12 | 67.84 | A |
| potassium bicarbonate | Blackberry | 80.81 | 5 | 36.87 | A |
| potassium bicarbonate | Blueberry | 617.31 | 6 | 175.13 | A |
| potassium bicarbonate | Bok choy | 5.6 | 1 | 3.42 | A |
| potassium bicarbonate | Cabbage | 102.38 | 10 | 125.48 | A |
| potassium bicarbonate | Cauliflower | 12.29 | 2 | 13.5 | A |
| potassium bicarbonate | Celery | 1,278.12 | 104 | 575.56 | A |
| potassium bicarbonate | Cilantro | 137.85 | 5 | 56.74 | A |
| potassium bicarbonate | Collard | 157.76 | 27 | 118.5 | A |
| potassium bicarbonate | Cucumber | 51.0 | 2 | 13.44 | A |
| potassium bicarbonate | Grape, wine | 55.35 | 12 | 15.05 | A |
| potassium bicarbonate | Herb, spice | 1.23 | 1 | 0.5 | A |
| potassium bicarbonate | Kale | 718.57 | 36 | 394.62 | A |
| potassium bicarbonate | Lettuce, leaf | 85.16 | 9 | 40.93 | A |
| potassium bicarbonate | Mint | 32.25 | 4 | 14.6 | A |
| potassium bicarbonate | Mustard greens | 0.93 | 1 | 0.45 | A |
| potassium bicarbonate | N-grnhs flower | 0.64 | 1 | 1.0 | A |
| potassium bicarbonate | N-grnhs plants in containers | 29.33 | 11 | 9.25 | A |
| potassium bicarbonate | N-outdr flower | 20.07 | 5 | 14.0 | A |
| potassium bicarbonate | N-outdr plants in containers | 50.15 | 5 | 15.0 | A |
| potassium bicarbonate | Onion, green | 14.74 | 2 | 6.5 | A |
| potassium bicarbonate | Parsley | 192.55 | 8 | 124.5 | A |
| potassium bicarbonate | Pepper, fruiting | 315.51 | 12 | 241.23 | A |
| potassium bicarbonate | Raspberry | 138.58 | 5 | 79.09 | A |
| potassium bicarbonate | Rosemary | 12.75 | 1 | 3.0 | A |
| potassium bicarbonate | Sage | 9.95 | 3 | 6.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| potassium bicarbonate | Strawberry | 5,234.29 | 119 | 2,413.44 | A |
| potassium bicarbonate | Swiss chard | 313.66 | 24 | 146.6 | A |
| potassium bicarbonate | Tomato | 59.28 | 4 | 39.0 | A |
| potassium bicarbonate | Uncultivated ag | 0.31 | 1 | 1.5 | A |
| potassium hydroxide | Artichoke, globe | 0.21 | 1 | 35.4 | A |
| potassium hydroxide | Avocado | 0.23 | 5 | 19.0 | A |
| potassium hydroxide | Beet | 0.45 | 7 | 48.35 | A |
| potassium hydroxide | Bok choy | 0.37 | 8 | 43.0 | A |
| potassium hydroxide | Broccoli | 0.75 | 1 | 32.0 | A |
| potassium hydroxide | Cabbage | 4.62 | 37 | 323.39 | A |
| potassium hydroxide | Celery | 4.93 | 37 | 490.37 | A |
| potassium hydroxide | Cilantro | 3.02 | 16 | 276.48 | A |
| potassium hydroxide | Collard | 0.02 | 1 | 1.5 | A |
| potassium hydroxide | Industrial site | 0.07 | N/A | 14.0 | A |
| potassium hydroxide | Kale | 0.05 | 1 | 4.5 | A |
| potassium hydroxide | Lettuce, leaf | 0.28 | 4 | 20.92 | A |
| potassium hydroxide | N-grnhs transplants | 0.04 | 10 | 3.9 | A |
| potassium hydroxide | N-outdr plants in containers | 18.11 | 99 | 567.0 | A |
| potassium hydroxide | N-outdr transplants | 0.25 | 23 | 12.45 | A |
| potassium hydroxide | Onion, green | 0.22 | 5 | 27.4 | A |
| potassium hydroxide | Parsley | 1.03 | 6 | 76.8 | A |
| potassium hydroxide | Spinach | 0.02 | 1 | 2.0 | A |
| potassium hydroxide | Strawberry | 548.24 | 616 | 29,704.98 | A |
| potassium hydroxide | Swiss chard | 0.01 | 1 | 1.0 | A |
| potassium hydroxide | Tomato | 0.1 | 1 | 10.0 | A |
| potassium n-methyldithiocarbamate | Strawberry | 671,371.8 | 60 | 2,649.52 | A |
| potassium nitrate | Landscape maintenance | 1.75 | N/A | N/A | N/A |
| potassium phosphite | Artichoke, globe | 326.71 | 1 | 64.05 | A |
| potassium phosphite | Avocado | 3,298.29 | 60 | 1,054.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|---------------------------------|----------------|------|--------------|--------------|
| potassium phosphite | Avocado | 534.58 | 6 | 908,880.0 | U |
| potassium phosphite | Beet | 87.61 | 7 | 37.49 | A |
| potassium phosphite | Chrysanthemum, edible leaved | 21.1 | 2 | 4.5 | A |
| potassium phosphite | Cilantro | 60.32 | 2 | 11.83 | A |
| potassium phosphite | Citrus | 43.77 | 4 | 18.5 | A |
| potassium phosphite | Citrus | 0.78 | N/A | 14.0 | U |
| potassium phosphite | Collard | 22.2 | 2 | 8.6 | A |
| potassium phosphite | Cucumber | 121.41 | 7 | 23.52 | A |
| potassium phosphite | Dandelion green | 7.03 | 1 | 1.5 | A |
| potassium phosphite | Dill | 14.07 | 2 | 3.0 | A |
| potassium phosphite | Endive (escarole) | 111.56 | 47 | 40.74 | A |
| potassium phosphite | Golf course turf | 228.07 | 2 | 46.7 | A |
| potassium phosphite | Grapefruit | 26.26 | 1 | 8.4 | A |
| potassium phosphite | Herb, spice | 79.54 | 12 | 30.9 | A |
| potassium phosphite | Kale | 169.28 | 38 | 58.6 | A |
| potassium phosphite | Landscape maintenance | 204.58 | N/A | N/A | N/A |
| potassium phosphite | Lemon | 6,066.52 | 142 | 2,043.32 | A |
| potassium phosphite | Lemon | 3,036.22 | N/A | 208,242.0 | T |
| potassium phosphite | Lettuce, leaf | 2,358.68 | 136 | 947.89 | A |
| potassium phosphite | Lime | 6.25 | 2 | 4.0 | A |
| potassium phosphite | Mint | 28.14 | 3 | 6.0 | A |
| potassium phosphite | Mustard | 18.76 | 5 | 4.0 | A |
| potassium phosphite | Mustard greens | 51.58 | 8 | 11.0 | A |
| potassium phosphite | N-grnhs flower | 78.32 | N/A | 18.0 | A |
| potassium phosphite | N-grnhs transplants | 37.51 | 12 | 60.0 | A |
| potassium phosphite | N-outdr flower | 2.3 | 2 | 1.3 | A |
| potassium phosphite | N-outdr plants in containers | 97.98 | 17 | 48.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| potassium phosphite | N-outdr plants in containers | 306.37 | 10 | 265,500.0 | U |
| potassium phosphite | Orange | 134.74 | 11 | 43.1 | A |
| potassium phosphite | Parsley | 425.55 | 11 | 120.17 | A |
| potassium phosphite | Pepper, fruiting | 62.52 | 1 | 19.42 | A |
| potassium phosphite | Sod farm (turf) | 127.99 | 2 | 75.24 | A |
| potassium phosphite | Spinach | 899.61 | 68 | 258.73 | A |
| potassium phosphite | Strawberry | 1,799.67 | 7 | 529.25 | A |
| potassium phosphite | Swiss chard | 10.0 | 2 | 3.2 | A |
| potassium phosphite | Tangerine | 267.83 | 14 | 92.8 | A |
| potassium phosphite | Tomato | 440.51 | 4 | 96.22 | A |
| potassium phosphite | Turf/sod | 10,993.77 | 218 | 3,825.56 | A |
| potassium phosphite | Unknown | 120.76 | 13 | 46.4 | A |
| potassium silicate | Blueberry | 155.26 | 1 | 51.0 | A |
| potassium silicate | Leek | 1.67 | 1 | 2.2 | A |
| potassium silicate | Raspberry | 92.03 | 8 | 39.6 | A |
| potassium silicate | Strawberry | 4.57 | 1 | 2.0 | A |
| potassium silicate | Swiss chard | 142.23 | 3 | 35.04 | A |
| potassium silicate | Tomato | 9.13 | 1 | 1.56 | A |
| potassium silicate | Turf/sod | 9.13 | 1 | 15.0 | A |
| prallethrin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| prallethrin | Structural pest control | 5.65 | N/A | N/A | N/A |
| prodiamine | Golf course turf | 93.38 | N/A | 178.35 | A |
| prodiamine | Landscape maintenance | 225.79 | N/A | N/A | N/A |
| prodiamine | N-grnhs flower | 37.49 | N/A | 60.0 | A |
| prodiamine | N-outdr plants in containers | 248.01 | 49 | 242.3 | A |
| prometryn | Celery | 9,032.5 | 381 | 6,814.74 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| prometryn | Cilantro | 5,106.79 | 393 | 3,453.86 | A |
| prometryn | Parsley | 281.06 | 40 | 226.97 | A |
| propamocarb | Landscape maintenance | 1.88 | N/A | N/A | N/A |
| propamocarb hydrochloride | Cucumber | 51.81 | 8 | 53.26 | A |
| propamocarb hydrochloride | Golf course turf | 281.96 | 1 | 32.0 | A |
| propamocarb hydrochloride | Golf course turf | 3.0 | 1 | 27,000.0 | S |
| propamocarb hydrochloride | Landscape maintenance | 44.99 | N/A | N/A | N/A |
| propamocarb hydrochloride | Lettuce, head | 95.81 | 6 | 96.0 | A |
| propamocarb hydrochloride | Lettuce, leaf | 280.38 | 34 | 281.1 | A |
| propamocarb hydrochloride | N-grnhs transplants | 2.75 | 4 | 20.0 | A |
| propamocarb hydrochloride | Tomato | 155.2 | 13 | 218.7 | A |
| propiconazole | Beet | 4.33 | 4 | 36.0 | A |
| propiconazole | Blackberry | 4.0 | 3 | 23.85 | A |
| propiconazole | Celery | 2,424.57 | 1,254 | 21,224.44 | A |
| propiconazole | Cilantro | 3.03 | 3 | 23.17 | A |
| propiconazole | Collard | 0.11 | 1 | 1.0 | A |
| propiconazole | Dill | 1.03 | 6 | 9.25 | A |
| propiconazole | Golf course turf | 119.39 | 7 | 165.23 | A |
| propiconazole | Golf course turf | 0.65 | 1 | 16,000.0 | S |
| propiconazole | Kale | 0.78 | 3 | 7.0 | A |
| propiconazole | Landscape maintenance | 99.55 | N/A | N/A | N/A |
| propiconazole | Lemon | 555.25 | N/A | 444,462.0 | T |
| propiconazole | N-grnhs flower | 6.74 | N/A | 12.0 | A |
| propiconazole | N-grnhs plants in containers | 0.29 | 2 | 0.88 | A |
| propiconazole | N-grnhs transplants | 3.56 | 27 | 83.8 | A |
| propiconazole | N-outdr flower | 7.72 | 15 | 47.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|------------------------------|----------------|------|--------------|--------------|
| propiconazole | N-outdr plants in containers | 39.5 | 66 | 274.18 | A |
| propiconazole | N-outdr transplants | 1.43 | 23 | 13.72 | A |
| propiconazole | Onion, green | 3.25 | 2 | 34.9 | A |
| propiconazole | Parsley | 16.62 | 40 | 147.97 | A |
| propiconazole | Raspberry | 0.29 | 1 | 2.45 | A |
| propiconazole | Sod farm (turf) | 72.13 | 6 | 43.49 | A |
| propiconazole | Strawberry | 349.72 | 88 | 3,022.43 | A |
| propiconazole | Turf/sod | 96.54 | 17 | 148.8 | A |
| propionic acid | Artichoke, globe | 89.29 | 49 | 963.8 | A |
| propionic acid | Avocado | 1.59 | 5 | 19.0 | A |
| propionic acid | Bean, dried | 16.05 | 2 | 31.0 | A |
| propionic acid | Bean, succulent | 22.51 | 8 | 284.09 | A |
| propionic acid | Beet | 4.54 | 13 | 73.74 | A |
| propionic acid | Bok choy | 2.52 | 8 | 43.0 | A |
| propionic acid | Broccoli | 18.26 | 8 | 91.5 | A |
| propionic acid | Brussels sprout | 50.28 | 31 | 1,207.71 | A |
| propionic acid | Cabbage | 239.26 | 201 | 1,563.97 | A |
| propionic acid | Cauliflower | 39.94 | 53 | 440.78 | A |
| propionic acid | Celery | 156.08 | 74 | 1,285.79 | A |
| propionic acid | Cilantro | 33.7 | 17 | 284.98 | A |
| propionic acid | Collard | 7.35 | 22 | 141.55 | A |
| propionic acid | Ditch bank | 207.28 | 70 | 148.1 | A |
| propionic acid | Industrial site | 0.49 | N/A | 14.0 | A |
| propionic acid | Kale | 40.51 | 56 | 395.3 | A |
| propionic acid | Landscape maintenance | 72.25 | N/A | N/A | N/A |
| propionic acid | Lemon | 0.39 | 1 | 1.0 | A |
| propionic acid | Lettuce, leaf | 5.29 | 8 | 44.64 | A |
| propionic acid | Mustard greens | 2.6 | 11 | 32.2 | A |
| propionic acid | N-grnhs transplants | 0.28 | 10 | 3.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|----------------|------|--------------|--------------|
| propionic acid | N-outdr flower | 1.16 | 4 | 5.7 | A |
| propionic acid | N-outdr plants in containers | 124.88 | 99 | 567.0 | A |
| propionic acid | N-outdr transplants | 1.71 | 23 | 12.45 | A |
| propionic acid | Onion, green | 1.48 | 5 | 27.4 | A |
| propionic acid | Parsley | 19.58 | 17 | 179.1 | A |
| propionic acid | Pepper, fruiting | 1.57 | 1 | 11.0 | A |
| propionic acid | Radish | 0.91 | 1 | 12.62 | A |
| propionic acid | Rights of way | 14.6 | 13 | 23.0 | A |
| propionic acid | Spinach | 0.1 | 1 | 2.0 | A |
| propionic acid | Strawberry | 5,241.08 | 792 | 37,554.74 | A |
| propionic acid | Sudangrass | 2.06 | 2 | 12.0 | A |
| propionic acid | Swiss chard | 0.33 | 3 | 4.0 | A |
| propionic acid | Tomato | 0.67 | 1 | 10.0 | A |
| propionic acid | Turnip greens | 2.33 | 11 | 29.3 | A |
| propionic acid | Uncultivated ag | 24.19 | 1 | 16.0 | A |
| propoxur | Structural pest control | 0.02 | N/A | N/A | N/A |
| propylene glycol | Avocado | 7.57 | 76 | 459.05 | A |
| propylene glycol | Blackberry | 2.32 | 10 | 26.77 | A |
| propylene glycol | Cabbage | 4.24 | 15 | 71.71 | A |
| propylene glycol | Celery | 31.64 | 26 | 534.5 | A |
| propylene glycol | Ditch bank | <0.01 | 5 | 4.75 | A |
| propylene glycol | Kale | 2.8 | 11 | 45.2 | A |
| propylene glycol | Landscape maintenance | 6.72 | N/A | N/A | N/A |
| propylene glycol | Lemon | 0.41 | 34 | 258.43 | A |
| propylene glycol | Lettuce, leaf | 2.21 | 5 | 37.27 | A |
| propylene glycol | N-grnhs flower | 0.21 | 3 | 2.1 | A |
| propylene glycol | N-outdr flower | 5.18 | 33 | 58.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| propylene glycol | N-outdr plants in containers | 5.27 | 281 | 449.25 | A |
| propylene glycol | Orange | 0.54 | 41 | 369.0 | A |
| propylene glycol | Pastureland | 0.04 | 5 | 27.5 | A |
| propylene glycol | Raspberry | 2.34 | 10 | 27.04 | A |
| propylene glycol | Rights of way | 2.6 | 3 | 22.0 | A |
| propylene glycol | Rights of way | 14.59 | N/A | N/A | N/A |
| propylene glycol | Strawberry | 203.24 | 81 | 2,469.12 | A |
| propyzamide | Landscape maintenance | 15.06 | N/A | N/A | N/A |
| propyzamide | Lettuce, head | 19.27 | 4 | 28.5 | A |
| propyzamide | Lettuce, leaf | 736.16 | 112 | 693.72 | A |
| propyzamide | Sod farm (turf) | 48.76 | 7 | 55.39 | A |
| propyzamide | Turf/sod | 476.76 | 29 | 424.93 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Celery | 39.08 | 1 | 5.21 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Leek | 67.25 | 13 | 26.9 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Lettuce, leaf | 8.68 | 1 | 3.47 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Parsley | 11.25 | 1 | 4.5 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Radish | 526.75 | 66 | 210.7 | A |
| pseudomonas chlororaphis subsp. aurantiaca strain afs009 | Strawberry | 5.0 | 1 | 2.0 | A |
| purpureocillium lilacium strain 251 | Avocado | 1.92 | 1 | 8.0 | A |
| purpureocillium lilacium strain 251 | Basil, sweet | 0.3 | 1 | 1.0 | A |
| purpureocillium lilacium strain 251 | Beet | 5.77 | 6 | 24.04 | A |
| purpureocillium lilacium strain 251 | Lemon | 385.82 | 66 | 1,680.0 | A |
| purpureocillium lilacium strain 251 | Orange | 0.96 | 1 | 4.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------|------------------------------|----------------|------|--------------|--------------|
| pydiflumetofen | Celery | 0.52 | 1 | 4.0 | A |
| pydiflumetofen | Endive (escarole) | 0.01 | 1 | 0.11 | A |
| pydiflumetofen | Golf course turf | 0.53 | 1 | 2.9 | A |
| pydiflumetofen | Grape, wine | 0.52 | 2 | 4.0 | A |
| pydiflumetofen | Lettuce, leaf | 3.54 | 3 | 27.08 | A |
| pydiflumetofen | Parsley | 15.07 | 6 | 164.3 | A |
| pydiflumetofen | Strawberry | 108.96 | 14 | 834.02 | A |
| pymetrozine | Avocado | 0.86 | 1 | 745,000.0 | U |
| pymetrozine | Celery | 136.72 | 104 | 1,602.25 | A |
| pymetrozine | Cucumber | 3.71 | 9 | 42.05 | A |
| pymetrozine | N-grnhs plants in containers | 2.25 | 6 | 13.0 | A |
| pymetrozine | N-grnhs transplants | 0.02 | 1 | 7,200.0 | U |
| pymetrozine | N-outdr flower | 19.84 | 21 | 38.1 | A |
| pymetrozine | Pumpkin | 0.95 | 2 | 11.0 | A |
| pymetrozine | Tomato | 12.93 | 27 | 143.45 | A |
| pyraclostrobin | Beet | 35.96 | 27 | 240.29 | A |
| pyraclostrobin | Blackberry | 8.79 | 6 | 48.65 | A |
| pyraclostrobin | Broccoli | 10.78 | 7 | 62.0 | A |
| pyraclostrobin | Brussels sprout | 104.03 | 17 | 618.61 | A |
| pyraclostrobin | Cabbage | 233.97 | 140 | 1,336.92 | A |
| pyraclostrobin | Celery | 152.04 | 76 | 919.4 | A |
| pyraclostrobin | Cucumber | 3.41 | 5 | 25.08 | A |
| pyraclostrobin | Endive (escarole) | 0.29 | 2 | 1.54 | A |
| pyraclostrobin | Golf course turf | 4.17 | N/A | 9.0 | A |
| pyraclostrobin | Grape, wine | 0.78 | 2 | 4.24 | A |
| pyraclostrobin | Kale | 17.41 | 13 | 68.12 | A |
| pyraclostrobin | Landscape maintenance | 23.8 | N/A | N/A | N/A |
| pyraclostrobin | Leek | 0.95 | 3 | 5.9 | A |
| pyraclostrobin | Lemon | 10.61 | 8 | 46.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|----------------|------|--------------|--------------|
| pyraclostrobin | Lettuce, leaf | 22.62 | 21 | 128.53 | A |
| pyraclostrobin | N-grnhs flower | 6.52 | 37 | 48.2 | A |
| pyraclostrobin | N-grnhs plants in containers | 33.34 | 78 | 113.45 | A |
| pyraclostrobin | N-grnhs transplants | 1.85 | 21 | 93.0 | A |
| pyraclostrobin | N-outdr flower | 47.02 | 152 | 563.94 | A |
| pyraclostrobin | N-outdr plants in containers | 25.49 | 52 | 142.26 | A |
| pyraclostrobin | Parsley | 87.95 | 33 | 481.95 | A |
| pyraclostrobin | Pepper, fruiting | 379.16 | 111 | 2,276.61 | A |
| pyraclostrobin | Pumpkin | 3.36 | 2 | 30.0 | A |
| pyraclostrobin | Radish | 103.98 | 121 | 548.37 | A |
| pyraclostrobin | Raspberry | 74.3 | 68 | 405.99 | A |
| pyraclostrobin | Strawberry | 2,740.83 | 297 | 15,497.83 | A |
| pyraclostrobin | Swiss chard | 0.55 | 2 | 3.05 | A |
| pyraclostrobin | Tomato | 62.18 | 22 | 414.1 | A |
| pyraflufen-ethyl | Grape, wine | 0.08 | 4 | 15.5 | A |
| pyraflufen-ethyl | Pumpkin | 0.11 | 4 | 40.5 | A |
| pyraflufen-ethyl | Uncultivated ag | 0.1 | 2 | 39.0 | A |
| pyrethrins | Artichoke, globe | 5.99 | 14 | 145.0 | A |
| pyrethrins | Basil, sweet | 1.84 | 11 | 41.43 | A |
| pyrethrins | Beet | 0.31 | 1 | 13.2 | A |
| pyrethrins | Beverage crop | 0.7 | 5 | 14.75 | A |
| pyrethrins | Blackberry | 117.37 | 226 | 2,976.57 | A |
| pyrethrins | Blueberry | 68.69 | 80 | 1,556.28 | A |
| pyrethrins | Bok choy | 2.46 | 26 | 54.04 | A |
| pyrethrins | Broccoli | 12.06 | 68 | 264.21 | A |
| pyrethrins | Cabbage | 4.57 | 7 | 90.49 | A |
| pyrethrins | Celery | 191.17 | 343 | 4,145.81 | A |
| pyrethrins | Chervil | 0.05 | 1 | 1.0 | A |
| pyrethrins | Chicory | 0.09 | 2 | 2.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------|------------------------------|----------------|------|--------------|--------------|
| pyrethrins | Chive | 0.32 | 5 | 13.0 | A |
| pyrethrins | Cilantro | 1.78 | 7 | 46.83 | A |
| pyrethrins | Collard | 3.69 | 41 | 82.62 | A |
| pyrethrins | Cucumber | 0.19 | 1 | 3.36 | A |
| pyrethrins | Dill | 0.06 | 2 | 2.0 | A |
| pyrethrins | Grapefruit | 0.11 | 1 | 2.5 | A |
| pyrethrins | Herb, spice | 6.74 | 54 | 144.5 | A |
| pyrethrins | Kale | 36.38 | 63 | 806.84 | A |
| pyrethrins | Kohlrabi | 0.01 | 1 | 0.25 | A |
| pyrethrins | Landscape maintenance | 35.88 | N/A | N/A | N/A |
| pyrethrins | Leek | 2.64 | 34 | 56.1 | A |
| pyrethrins | Lemon | 29.9 | 29 | 641.2 | A |
| pyrethrins | Lettuce, leaf | 6.99 | 24 | 161.86 | A |
| pyrethrins | Mint | 0.53 | 10 | 17.55 | A |
| pyrethrins | Mushroom house | 10.66 | 42 | 2,940,000.0 | S |
| pyrethrins | Mustard greens | 0.4 | 4 | 8.6 | A |
| pyrethrins | N-grnhs plants in containers | 1.32 | 23 | 22.05 | A |
| pyrethrins | N-grnhs plants in containers | 1.17 | 69 | 2,454,800.0 | S |
| pyrethrins | N-outdr flower | 3.18 | 59 | 190.33 | A |
| pyrethrins | N-outdr plants in containers | 0.09 | 4 | 1.38 | A |
| pyrethrins | N-outdr transplants | 0.18 | 2 | 6.06 | A |
| pyrethrins | Onion, green | 0.13 | 1 | 7.0 | A |
| pyrethrins | Orange | 20.02 | 47 | 431.0 | A |
| pyrethrins | Parsley | 0.25 | 2 | 5.7 | A |
| pyrethrins | Pastureland | 2.03 | 4 | 96.5 | A |
| pyrethrins | Pepper, fruiting | 4.5 | 11 | 125.14 | A |
| pyrethrins | Radish | 19.15 | 123 | 403.57 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyrethrins | Raspberry | 209.12 | 398 | 5,052.26 | A |
| pyrethrins | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| pyrethrins | Rosemary | 0.02 | 2 | 1.5 | A |
| pyrethrins | Sage | 0.02 | 1 | 0.5 | A |
| pyrethrins | Spinach | 1.73 | 25 | 54.02 | A |
| pyrethrins | Strawberry | 6.19 | 17 | 143.16 | A |
| pyrethrins | Structural pest control | 14.82 | N/A | N/A | N/A |
| pyrethrins | Swiss chard | 6.99 | 14 | 153.71 | A |
| pyrethrins | Tangerine | 3.43 | 11 | 73.0 | A |
| pyrethrins | Thyme | 0.04 | 1 | 1.5 | A |
| pyrethrins | Tomato | 4.5 | 19 | 94.3 | A |
| pyrethrins | Turnip | 0.13 | 2 | 2.8 | A |
| pyrethrins | Turnip greens | 0.1 | 1 | 2.25 | A |
| pyrethrins | Watercress | 0.27 | 8 | 8.0 | A |
| pyridaben | Lemon | 627.81 | 45 | 1,278.6 | A |
| pyridaben | N-grnhs flower | 0.11 | 1 | 1.0 | A |
| pyridaben | N-grnhs plants in containers | 3.3 | 8 | 12.5 | A |
| pyridaben | N-outdr flower | 21.05 | 8 | 67.9 | A |
| pyridaben | N-outdr plants in containers | 0.75 | 2 | 3.0 | A |
| pyridaben | N-outdr plants in containers | 0.09 | 1 | 7,000.0 | S |
| pyridaben | Tomato | 3.38 | 3 | 10.78 | A |
| pyridalyl | N-grnhs flower | 14.03 | 22 | 47.0 | A |
| pyridalyl | N-grnhs plants in containers | 8.58 | 14 | 25.5 | A |
| pyridalyl | N-outdr flower | 3.33 | 11 | 13.5 | A |
| pyridalyl | N-outdr plants in containers | 0.18 | 1 | 0.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| pyrifluquinazon | N-grnhs flower | 0.01 | 1 | 1.0 | A |
| pyrifluquinazon | N-grnhs plants in containers | 1.14 | 9 | 17.05 | A |
| pyrifluquinazon | N-grnhs transplants | 0.01 | 1 | 1.0 | A |
| pyrimethanil | Blackberry | 1.27 | 21 | 2.93 | A |
| pyrimethanil | Blueberry | 1.83 | 4 | 4.15 | A |
| pyrimethanil | Raspberry | 4.65 | 55 | 10.88 | A |
| pyrimethanil | Strawberry | 2,513.75 | 122 | 6,571.06 | A |
| pyrimethanil | Tomato | 27.05 | 8 | 121.76 | A |
| pyriofenone | Blackberry | 3.3 | 5 | 42.43 | A |
| pyriofenone | Blueberry | 0.72 | 2 | 7.36 | A |
| pyriofenone | Raspberry | 5.93 | 71 | 72.86 | A |
| pyriofenone | Strawberry | 2.13 | 1 | 27.28 | A |
| pyriproxyfen | Blackberry | 2.21 | 7 | 20.57 | A |
| pyriproxyfen | Blueberry | 0.41 | 2 | 3.83 | A |
| pyriproxyfen | Landscape maintenance | 0.57 | N/A | N/A | N/A |
| pyriproxyfen | Lemon | 39.43 | 16 | 440.82 | A |
| pyriproxyfen | N-grnhs flower | 0.11 | 2 | 1.0 | A |
| pyriproxyfen | N-outdr plants in containers | 0.32 | 1 | 1.5 | A |
| pyriproxyfen | Orange | 6.12 | 4 | 57.0 | A |
| pyriproxyfen | Public health | 0.28 | N/A | N/A | N/A |
| pyriproxyfen | Raspberry | 6.92 | 10 | 64.3 | A |
| pyriproxyfen | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| pyriproxyfen | Structural pest control | 65.72 | N/A | N/A | N/A |
| pyriproxyfen | Tangerine | 0.33 | 1 | 3.0 | A |
| pyriproxyfen | Tomato | 14.0 | 45 | 369.19 | A |
| qst 713 strain of dried bacillus subtilis | Artichoke, globe | 1.28 | 1 | 15.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---------------------------------|----------------|------|--------------|--------------|
| qst 713 strain of dried bacillus subtilis | Basil, sweet | 0.35 | 7 | 12.37 | A |
| qst 713 strain of dried bacillus subtilis | Beet | 4.68 | 1 | 20.4 | A |
| qst 713 strain of dried bacillus subtilis | Blueberry | 28.72 | 11 | 278.94 | A |
| qst 713 strain of dried bacillus subtilis | Bok choy | 55.51 | 35 | 247.6 | A |
| qst 713 strain of dried bacillus subtilis | Cabbage | 3.07 | 2 | 21.0 | A |
| qst 713 strain of dried bacillus subtilis | Celery | 38.98 | 6 | 153.5 | A |
| qst 713 strain of dried bacillus subtilis | Chive | 0.34 | 1 | 3.0 | A |
| qst 713 strain of dried bacillus subtilis | Chrysanthemum, edible leaved | 0.94 | 10 | 8.5 | A |
| qst 713 strain of dried bacillus subtilis | Cilantro | 0.03 | 1 | 1.0 | A |
| qst 713 strain of dried bacillus subtilis | Cucumber | 2.46 | 6 | 26.88 | A |
| qst 713 strain of dried bacillus subtilis | Dill | 0.11 | 1 | 1.0 | A |
| qst 713 strain of dried bacillus subtilis | Gai lon | 15.47 | 28 | 68.42 | A |
| qst 713 strain of dried bacillus subtilis | Herb, spice | 0.07 | 2 | 2.5 | A |
| qst 713 strain of dried bacillus subtilis | Lettuce, leaf | 5.47 | 31 | 61.83 | A |
| qst 713 strain of dried bacillus subtilis | Mint | 0.11 | 1 | 1.0 | A |
| qst 713 strain of dried bacillus subtilis | N-grnhs plants in containers | 2.71 | 19 | 17.39 | A |
| qst 713 strain of dried bacillus subtilis | N-outdr flower | 1.2 | 6 | 13.2 | A |
| qst 713 strain of dried bacillus subtilis | N-outdr plants in containers | 0.13 | 1 | 0.75 | A |
| qst 713 strain of dried bacillus subtilis | Parsley | 4.09 | 3 | 28.0 | A |
| qst 713 strain of dried bacillus subtilis | Peas | 0.46 | 3 | 2.01 | A |
| qst 713 strain of dried bacillus subtilis | Pepper, fruiting | 0.39 | 1 | 1.5 | A |
| qst 713 strain of dried bacillus subtilis | Raspberry | 9.81 | 12 | 190.58 | A |
| qst 713 strain of dried bacillus subtilis | Strawberry | 117.29 | 51 | 940.62 | A |
| qst 713 strain of dried bacillus subtilis | Tomato | 5.45 | 11 | 26.25 | A |
| quinclorac | Landscape maintenance | 1.27 | N/A | N/A | N/A |
| quinclorac, dimethylamine salt | Golf course turf | 4.45 | 1 | 6.0 | A |
| quinclorac, dimethylamine salt | Golf course turf | <0.01 | 1 | 8,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|------------------------------|----------------|------|--------------|--------------|
| quinclorac, dimethylamine salt | Landscape maintenance | 243.72 | N/A | N/A | N/A |
| quinoxifen | Grape, wine | 1.9 | 11 | 27.55 | A |
| quinoxifen | Pepper, fruiting | 62.19 | 32 | 647.28 | A |
| quinoxifen | Strawberry | 1,410.09 | 338 | 14,787.6 | A |
| resmethrin | N-outdr plants in containers | <0.01 | 1 | 20,000.0 | S |
| resmethrin | Structural pest control | 0.03 | N/A | N/A | N/A |
| resmethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| reynoutria sachalinensis | Apple | 16.99 | 3 | 325.34 | A |
| reynoutria sachalinensis | Avocado | 0.43 | 1 | 88,000.0 | U |
| reynoutria sachalinensis | Basil, sweet | 0.32 | 3 | 5.85 | A |
| reynoutria sachalinensis | Bok choy | 0.69 | 2 | 3.2 | A |
| reynoutria sachalinensis | Broccoli | 5.05 | 2 | 23.26 | A |
| reynoutria sachalinensis | Cabbage | 7.54 | 3 | 69.56 | A |
| reynoutria sachalinensis | Celery | 90.48 | 16 | 328.9 | A |
| reynoutria sachalinensis | Collard | 0.16 | 1 | 1.5 | A |
| reynoutria sachalinensis | Grape | 0.79 | 2 | 2.5 | A |
| reynoutria sachalinensis | Grape, wine | 0.87 | 1 | 2.0 | A |
| reynoutria sachalinensis | Herb, spice | 0.27 | 2 | 2.5 | A |
| reynoutria sachalinensis | Kale | 2.98 | 5 | 27.38 | A |
| reynoutria sachalinensis | Landscape maintenance | 0.7 | N/A | N/A | N/A |
| reynoutria sachalinensis | Leek | 0.26 | 2 | 2.4 | A |
| reynoutria sachalinensis | Lettuce, leaf | 22.18 | 26 | 118.46 | A |
| reynoutria sachalinensis | Mint | 0.65 | 1 | 1.5 | A |
| reynoutria sachalinensis | N-outdr plants in containers | 6.07 | 9 | 247,500.0 | U |
| reynoutria sachalinensis | Parsley | 10.6 | 9 | 97.8 | A |
| reynoutria sachalinensis | Pepper, fruiting | 1.3 | 2 | 9.02 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------|--------------------------|----------------|------|--------------|--------------|
| reynoutria sachalinensis | Spinach | 4.43 | 12 | 20.44 | A |
| reynoutria sachalinensis | Strawberry | 219.14 | 54 | 829.39 | A |
| reynoutria sachalinensis | Tomato | 19.3 | 9 | 152.0 | A |
| rimsulfuron | Lemon | 33.44 | 45 | 682.85 | A |
| s-methoprene | Public health | 0.07 | N/A | N/A | N/A |
| s-methoprene | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| s-methoprene | Structural pest control | 2.55 | N/A | N/A | N/A |
| s-metolachlor | Bean, dried | 1,996.72 | 35 | 1,047.65 | A |
| s-metolachlor | Bean, succulent | 1,038.46 | 19 | 567.85 | A |
| s-metolachlor | Bean, unspecified | 34.99 | 5 | 21.83 | A |
| s-metolachlor | Beet | 19.06 | 1 | 50.0 | A |
| s-metolachlor | Celery | 3,087.03 | 134 | 2,363.49 | A |
| s-metolachlor | Pepper, fruiting | 432.55 | 20 | 300.43 | A |
| s-metolachlor | Pumpkin | 25.51 | 1 | 20.4 | A |
| s-metolachlor | Rights of way | 19.0 | 1 | 15.0 | A |
| s-metolachlor | Soil fumigation/preplant | 9.07 | 2 | 9.5 | A |
| s-metolachlor | Spinach | 10.52 | 1 | 11.0 | A |
| s-metolachlor | Tomato | 10.48 | 2 | 8.7 | A |
| s-metolachlor | Uncultivated ag | 30.19 | 2 | 19.0 | A |
| sabadilla alkaloids | Avocado | 0.96 | 1 | 32.0 | A |
| saflufenacil | Avocado | 0.93 | 2 | 25.0 | A |
| saflufenacil | Grapefruit | 0.66 | 7 | 19.25 | A |
| saflufenacil | Lemon | 308.71 | 778 | 9,326.65 | A |
| saflufenacil | Orange | 14.07 | 41 | 263.2 | A |
| saflufenacil | Rights of way | 1.25 | 14 | 33.5 | A |
| saflufenacil | Tangerine | 2.14 | 25 | 106.9 | A |
| saflufenacil | Uncultivated ag | 0.8 | 13 | 69.2 | A |
| sethoxydim | Asparagus | 0.79 | 1 | 2.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| sethoxydim | Carrot | 0.27 | 1 | 1.0 | A |
| sethoxydim | Celery | 6.15 | 1 | 23.4 | A |
| sethoxydim | Cilantro | 0.18 | 1 | 1.0 | A |
| siduron | Landscape maintenance | 10.0 | N/A | N/A | N/A |
| silica aerogel | Regulatory pest control | 5.28 | N/A | N/A | N/A |
| silica aerogel | Structural pest control | 63.52 | N/A | N/A | N/A |
| silicone | Lemon | 2.49 | 1 | 120.0 | A |
| silicone defoamer | Apple | 0.02 | 3 | 3.13 | A |
| silicone defoamer | Apricot | 0.02 | 3 | 3.13 | A |
| silicone defoamer | Avocado | <0.01 | 1 | 3.5 | A |
| silicone defoamer | Avocado | <0.01 | 6 | 33,926.0 | U |
| silicone defoamer | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| silicone defoamer | Lemon | <0.01 | 1 | 3.4 | A |
| silicone defoamer | N-outdr flower | 2.83 | 414 | 1,219.52 | A |
| silicone defoamer | N-outdr plants in containers | 1.65 | 41 | 482.6 | A |
| silicone defoamer | Orange | <0.01 | 4 | 36.5 | A |
| silicone defoamer | Peach | 0.02 | 3 | 3.13 | A |
| silicone defoamer | Plum | 0.02 | 3 | 3.13 | A |
| silicone defoamer | Rights of way | 0.04 | 6 | 6.0 | A |
| simazine | Avocado | 1,097.97 | 107 | 3,760.5 | A |
| simazine | Lemon | 536.4 | 33 | 602.8 | A |
| simazine | Orange | 21.28 | 6 | 258.7 | A |
| simazine | Structural pest control | <0.01 | N/A | N/A | N/A |
| simazine | Turf/sod | 580.83 | 42 | 583.6 | A |
| sodium alpha-olefin (c14-c16) sulfonate | Rights of way | 621.01 | N/A | N/A | N/A |
| sodium bromide | Water (industrial) | 313.7 | N/A | 1,165.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|-----------------------|-------------|---------------------|---------------------|
| sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate | Water (industrial) | 5,463.44 | N/A | 435.0 | U |
| sodium carbonate peroxyhydrate | Landscape maintenance | 425.0 | N/A | N/A | N/A |
| sodium chlorite | Water area | 2,983.77 | N/A | 2,022.88 | U |
| sodium decyl sulfate | Structural pest control | 10.92 | N/A | N/A | N/A |
| sodium dichloro-s-triazinetrione | Water (industrial) | 89.0 | N/A | 2.0 | U |
| sodium hydroxide | Grape, wine | 0.72 | 1 | 3.5 | A |
| sodium hypochlorite | Food processing plant | 356.11 | N/A | 2.0 | U |
| sodium hypochlorite | Landscape maintenance | 842.16 | N/A | N/A | N/A |
| sodium hypochlorite | Lemon | 38,023.29 | N/A | 706,628.0 | T |
| sodium hypochlorite | Orange | 1,751.8 | N/A | 20,928.0 | T |
| sodium hypochlorite | Water (industrial) | 339.63 | N/A | 1,167.0 | U |
| sodium lauroampho acetate | Structural pest control | 8.24 | N/A | N/A | N/A |
| sodium lauryl sulfate | Structural pest control | 5.56 | N/A | N/A | N/A |
| sodium nitrate | Landscape maintenance | 15.0 | N/A | N/A | N/A |
| sodium nitrate | Vertebrate control | 6.42 | N/A | N/A | N/A |
| sodium polyacrylate | Bean, dried | 0.21 | 1 | 18.0 | A |
| sodium polyacrylate | Blackberry | 0.76 | 7 | 84.72 | A |
| sodium polyacrylate | Cabbage | 0.22 | 2 | 18.3 | A |
| sodium polyacrylate | Celery | 1.56 | 7 | 156.65 | A |
| sodium polyacrylate | Cilantro | 0.2 | 1 | 8.5 | A |
| sodium polyacrylate | Ditch bank | 2.35 | 40 | 106.1 | A |
| sodium polyacrylate | Lemon | 0.25 | 2 | 11.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|------------------------------|----------------|------|--------------|--------------|
| sodium polyacrylate | N-outdr plants in containers | <0.01 | 1 | 0.5 | A |
| sodium polyacrylate | Onion, green | 0.06 | 1 | 5.0 | A |
| sodium polyacrylate | Raspberry | 1.26 | 23 | 125.25 | A |
| sodium polyacrylate | Rights of way | 0.14 | 2 | 6.0 | A |
| sodium polyacrylate | Rights of way | 0.79 | N/A | N/A | N/A |
| sodium polyacrylate | Strawberry | 118.07 | 239 | 9,869.2 | A |
| sodium polyacrylate | Uncultivated ag | 0.06 | 1 | 10.0 | A |
| sodium xylene sulfonate | Apple | 0.26 | 3 | 3.13 | A |
| sodium xylene sulfonate | Apricot | 0.26 | 3 | 3.13 | A |
| sodium xylene sulfonate | Avocado | 0.46 | 74 | 390.55 | A |
| sodium xylene sulfonate | Avocado | <0.01 | 6 | 33,926.0 | U |
| sodium xylene sulfonate | Ditch bank | <0.01 | 5 | 4.75 | A |
| sodium xylene sulfonate | Landscape maintenance | 0.26 | N/A | N/A | N/A |
| sodium xylene sulfonate | Lemon | 0.42 | 35 | 261.83 | A |
| sodium xylene sulfonate | N-outdr flower | 33.26 | 414 | 1,219.52 | A |
| sodium xylene sulfonate | N-outdr plants in containers | 20.17 | 283 | 885.85 | A |
| sodium xylene sulfonate | Orange | 0.6 | 45 | 405.5 | A |
| sodium xylene sulfonate | Pastureland | 0.04 | 5 | 27.5 | A |
| sodium xylene sulfonate | Peach | 0.26 | 3 | 3.13 | A |
| sodium xylene sulfonate | Plum | 0.26 | 3 | 3.13 | A |
| sodium xylene sulfonate | Rights of way | 0.47 | 6 | 6.0 | A |
| sorbitan fatty acid esters | Rights of way | 1.23 | N/A | N/A | N/A |
| sorbitan trioleate | Rights of way | 2.23 | N/A | N/A | N/A |
| sorbitan trioleate | Strawberry | 17.07 | 5 | 95.0 | A |
| soybean oil | Blackberry | 1,121.2 | 8 | 131.17 | A |
| soybean oil | Tomato | 2.87 | 4 | 4.55 | A |
| spinetoram | Avocado | 49.43 | 17 | 462.98 | A |
| spinetoram | Basil, sweet | 0.31 | 1 | 5.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| spinetoram | Beet | 13.88 | 28 | 247.65 | A |
| spinetoram | Blackberry | 31.19 | 70 | 365.02 | A |
| spinetoram | Blueberry | 1.05 | 4 | 11.19 | A |
| spinetoram | Bok choy | 8.4 | 21 | 114.65 | A |
| spinetoram | Broccoli | 11.24 | 16 | 186.0 | A |
| spinetoram | Brussels sprout | 105.87 | 49 | 1,648.99 | A |
| spinetoram | Cabbage | 410.32 | 706 | 6,260.83 | A |
| spinetoram | Cabbage, savoy | 4.54 | 10 | 63.2 | A |
| spinetoram | Cauliflower | 4.99 | 11 | 68.81 | A |
| spinetoram | Celery | 388.59 | 410 | 6,693.29 | A |
| spinetoram | Cilantro | 21.83 | 24 | 360.25 | A |
| spinetoram | Collard | 8.13 | 28 | 113.2 | A |
| spinetoram | Corn, human consumption | 3.35 | 17 | 71.25 | A |
| spinetoram | Cucumber | 6.55 | 7 | 83.5 | A |
| spinetoram | Dill | 1.2 | 5 | 22.0 | A |
| spinetoram | Endive (escarole) | 1.24 | 24 | 19.53 | A |
| spinetoram | Gai lon | 0.08 | 1 | 1.69 | A |
| spinetoram | Grape, wine | 0.16 | 1 | 2.0 | A |
| spinetoram | Grapefruit | 0.78 | 1 | 10.0 | A |
| spinetoram | Herb, spice | 8.33 | 40 | 132.9 | A |
| spinetoram | Kale | 21.77 | 75 | 325.87 | A |
| spinetoram | Kohlrabi | 0.02 | 1 | 0.25 | A |
| spinetoram | Leek | 9.79 | 47 | 157.4 | A |
| spinetoram | Lemon | 38.41 | 96 | 585.73 | A |
| spinetoram | Lettuce, head | 7.96 | 6 | 127.0 | A |
| spinetoram | Lettuce, leaf | 47.25 | 121 | 767.33 | A |
| spinetoram | Mint | 0.41 | 1 | 6.5 | A |
| spinetoram | Mustard greens | 0.26 | 2 | 3.45 | A |
| spinetoram | N-grnhs transplants | 0.21 | 7 | 30.5 | A |
| spinetoram | N-outdr transplants | 0.04 | 3 | 1.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------|-------------------|----------------|------|--------------|--------------|
| spinetoram | Onion, green | 8.84 | 10 | 160.5 | A |
| spinetoram | Orange | 4.17 | 11 | 55.0 | A |
| spinetoram | Parsley | 19.16 | 23 | 306.4 | A |
| spinetoram | Pepper, fruiting | 203.03 | 173 | 3,544.32 | A |
| spinetoram | Pepper, spice | 1.46 | 1 | 30.94 | A |
| spinetoram | Pumpkin | 3.81 | 8 | 60.4 | A |
| spinetoram | Radish | 46.86 | 179 | 778.02 | A |
| spinetoram | Raspberry | 85.17 | 150 | 988.71 | A |
| spinetoram | Rights of way | 0.63 | 1 | 6.75 | A |
| spinetoram | Spinach | 62.76 | 161 | 1,006.13 | A |
| spinetoram | Strawberry | 726.48 | 253 | 10,233.76 | A |
| spinetoram | Swiss chard | 2.62 | 26 | 37.75 | A |
| spinetoram | Tangerine | 2.43 | 7 | 33.5 | A |
| spinetoram | Tomato | 19.73 | 15 | 261.5 | A |
| spinetoram | Turnip greens | 0.16 | 1 | 2.0 | A |
| spinetoram | Unknown | 1.11 | 5 | 21.2 | A |
| spinosad | Avocado | 66.76 | 41 | 457.67 | A |
| spinosad | Basil, sweet | 0.91 | 6 | 7.0 | A |
| spinosad | Beet | 10.93 | 10 | 127.35 | A |
| spinosad | Blackberry | 70.29 | 72 | 876.4 | A |
| spinosad | Blueberry | 158.66 | 60 | 1,164.92 | A |
| spinosad | Bok choy | 11.28 | 26 | 80.57 | A |
| spinosad | Broccoli | 13.79 | 37 | 111.26 | A |
| spinosad | Cabbage | 51.5 | 32 | 363.24 | A |
| spinosad | Cabbage, savoy | 1.88 | 2 | 11.3 | A |
| spinosad | Celery | 107.56 | 78 | 1,074.49 | A |
| spinosad | Chive | 1.04 | 5 | 10.5 | A |
| spinosad | Cilantro | 0.1 | 1 | 1.5 | A |
| spinosad | Collard | 5.66 | 23 | 45.84 | A |
| spinosad | Cucumber | 0.17 | 2 | 3.61 | A |
| spinosad | Dill | 0.2 | 2 | 2.03 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------|------------------------------|----------------|------|--------------|--------------|
| spinosad | Grapefruit | 0.39 | 1 | 2.5 | A |
| spinosad | Herb, spice | 2.26 | 11 | 9.75 | A |
| spinosad | Kale | 44.57 | 31 | 378.29 | A |
| spinosad | Landscape maintenance | 0.25 | N/A | N/A | N/A |
| spinosad | Lemon | 81.6 | 34 | 676.2 | A |
| spinosad | Lettuce, leaf | 7.84 | 6 | 63.27 | A |
| spinosad | Mint | 0.65 | 5 | 7.1 | A |
| spinosad | Mustard greens | 0.39 | 2 | 4.0 | A |
| spinosad | N-grnhs flower | 0.24 | 21 | 20.7 | A |
| spinosad | N-grnhs flower | 0.12 | 1 | 25,000.0 | S |
| spinosad | N-grnhs plants in containers | 7.23 | 31 | 27.25 | A |
| spinosad | N-grnhs plants in containers | 0.03 | 2 | 9,000.0 | S |
| spinosad | N-grnhs transplants | 0.03 | 2 | 1.25 | A |
| spinosad | N-grnhs transplants | 0.26 | 4 | 27,000.0 | S |
| spinosad | N-outdr flower | 39.69 | 143 | 505.95 | A |
| spinosad | N-outdr plants in containers | 27.75 | 81 | 266.98 | A |
| spinosad | N-outdr plants in containers | 0.13 | 7 | 24,200.0 | S |
| spinosad | N-outdr transplants | 0.54 | 4 | 4.15 | A |
| spinosad | Onion, green | 1.75 | 1 | 18.0 | A |
| spinosad | Orange | 18.53 | 4 | 137.1 | A |
| spinosad | Parsley | 3.13 | 1 | 24.0 | A |
| spinosad | Peas | 0.29 | 7 | 5.0 | A |
| spinosad | Pepper, fruiting | 7.05 | 5 | 75.8 | A |
| spinosad | Radish | 4.37 | 126 | 208.05 | A |
| spinosad | Raspberry | 340.37 | 362 | 4,028.41 | A |
| spinosad | Spinach | 1.92 | 10 | 21.65 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| spinosad | Squash, summer | 1.99 | 1 | 16.0 | A |
| spinosad | Strawberry | 384.64 | 108 | 4,082.35 | A |
| spinosad | Structural pest control | 0.22 | N/A | N/A | N/A |
| spinosad | Swiss chard | 3.67 | 8 | 41.4 | A |
| spinosad | Tangerine | 10.26 | 4 | 66.0 | A |
| spinosad | Thyme | 0.23 | 1 | 1.5 | A |
| spinosad | Tomato | 16.64 | 13 | 172.25 | A |
| spirodiclofen | Citrus | 0.63 | 1 | 2.0 | A |
| spirodiclofen | Lemon | 941.84 | 108 | 2,933.15 | A |
| spiromesifen | Cantaloupe | 0.69 | 2 | 6.0 | A |
| spiromesifen | Citrus | 1.27 | 3 | 183,150.0 | U |
| spiromesifen | Cucumber | 0.27 | 1 | 6.72 | A |
| spiromesifen | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| spiromesifen | Melon | 0.38 | 1 | 3.0 | A |
| spiromesifen | N-grnhs plants in containers | 0.12 | 2 | 0.58 | A |
| spiromesifen | N-outdr plants in containers | 7.98 | 3 | 63.0 | A |
| spiromesifen | Pepper, fruiting | 128.96 | 50 | 1,026.53 | A |
| spiromesifen | Pepper, spice | 3.35 | 1 | 30.94 | A |
| spiromesifen | Spinach | 1.37 | 1 | 10.4 | A |
| spiromesifen | Strawberry | 547.98 | 43 | 2,220.42 | A |
| spiromesifen | Tomato | 74.27 | 60 | 574.79 | A |
| spiromesifen | Watermelon | 1.13 | 3 | 9.0 | A |
| spirotetramat | Artichoke, globe | 9.35 | 5 | 118.81 | A |
| spirotetramat | Avocado | 1.54 | 1 | 15.0 | A |
| spirotetramat | Avocado | 1.55 | 3 | 386,500.0 | U |
| spirotetramat | Blueberry | 0.6 | 2 | 3.83 | A |
| spirotetramat | Bok choy | 26.73 | 42 | 342.52 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| spirothetramat | Broccoli | 18.4 | 23 | 232.75 | A |
| spirothetramat | Brussels sprout | 109.59 | 45 | 1,412.9 | A |
| spirothetramat | Cabbage | 342.5 | 503 | 4,407.07 | A |
| spirothetramat | Cabbage, savoy | 1.81 | 4 | 23.3 | A |
| spirothetramat | Cauliflower | 5.5 | 11 | 69.49 | A |
| spirothetramat | Celery | 406.61 | 281 | 5,246.03 | A |
| spirothetramat | Citrus | 0.27 | 1 | 53,500.0 | U |
| spirothetramat | Collard | 8.28 | 26 | 109.15 | A |
| spirothetramat | Dill | 0.81 | 1 | 9.4 | A |
| spirothetramat | Endive (escarole) | 1.68 | 26 | 21.75 | A |
| spirothetramat | Fava bean | 0.04 | 1 | 0.5 | A |
| spirothetramat | Gai lon | 5.25 | 32 | 67.24 | A |
| spirothetramat | Grape, wine | 0.17 | 2 | 1.5 | A |
| spirothetramat | Grapefruit | 0.36 | 1 | 1.75 | A |
| spirothetramat | Kale | 33.67 | 61 | 431.4 | A |
| spirothetramat | Kohlrabi | 0.04 | 2 | 0.5 | A |
| spirothetramat | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| spirothetramat | Leek | 0.81 | 4 | 10.05 | A |
| spirothetramat | Lemon | 1,057.72 | 344 | 7,070.66 | A |
| spirothetramat | Lettuce, head | 9.93 | 4 | 126.0 | A |
| spirothetramat | Lettuce, leaf | 26.89 | 58 | 341.19 | A |
| spirothetramat | Lime | 0.28 | 1 | 2.0 | A |
| spirothetramat | Mustard greens | 0.02 | 1 | 0.45 | A |
| spirothetramat | N-grnhs plants in containers | 2.22 | 19 | 28.7 | A |
| spirothetramat | N-grnhs transplants | 0.07 | 2 | 5.25 | A |
| spirothetramat | N-grnhs transplants | 0.17 | 3 | 27,000.0 | S |
| spirothetramat | N-outdr flower | 0.19 | 3 | 3.0 | A |
| spirothetramat | N-outdr plants in containers | 0.17 | 2 | 1.55 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|----------------|------|--------------|--------------|
| spirotriamat | N-outdr transplants | 0.63 | 11 | 10.0 | A |
| spirotriamat | Orange | 4.35 | 4 | 28.0 | A |
| spirotriamat | Orchard floor | 10.71 | 2 | 68.0 | A |
| spirotriamat | Parsley | 16.1 | 27 | 204.9 | A |
| spirotriamat | Peas | 0.14 | 3 | 1.83 | A |
| spirotriamat | Pepper, fruiting | 157.85 | 117 | 2,057.36 | A |
| spirotriamat | Pepper, spice | 1.95 | 1 | 30.94 | A |
| spirotriamat | Spinach | 67.32 | 114 | 854.3 | A |
| spirotriamat | Swiss chard | 0.99 | 8 | 12.9 | A |
| spirotriamat | Tangerine | 17.17 | 10 | 112.75 | A |
| spirotriamat | Tomato | 15.63 | 8 | 143.9 | A |
| starch | N-grnhs flower | <0.01 | 3 | 2.1 | A |
| starch | N-outdr flower | 0.01 | 15 | 24.0 | A |
| streptomyces lydicus wyec 108 | Basil, sweet | <0.01 | 2 | 2.0 | A |
| streptomyces lydicus wyec 108 | Bok choy | <0.01 | 1 | 1.5 | A |
| streptomyces lydicus wyec 108 | Cilantro | 0.01 | 1 | 21.9 | A |
| streptomyces lydicus wyec 108 | Herb, spice | <0.01 | 1 | 1.0 | A |
| streptomyces lydicus wyec 108 | Lettuce, leaf | 0.01 | 2 | 18.9 | A |
| streptomyces lydicus wyec 108 | N-grnhs plants in containers | 0.02 | 18 | 29.6 | A |
| streptomyces lydicus wyec 108 | N-outdr plants in containers | <0.01 | 2 | 1.1 | A |
| streptomyces lydicus wyec 108 | Spinach | 0.03 | 27 | 104.72 | A |
| streptomyces lydicus wyec 108 | Strawberry | 0.04 | 9 | 133.51 | A |
| streptomycin | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| streptomycin sulfate | N-grnhs plants in containers | 2.67 | 26 | 1,456,000.0 | S |
| streptomycin sulfate | N-grnhs transplants | 0.86 | 8 | 7.75 | A |
| streptomycin sulfate | N-outdr flower | 2.13 | 2 | 8.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| streptomycin sulfate | N-outdr plants in containers | 1.18 | 3 | 2.63 | A |
| streptomycin sulfate | N-outdr transplants | 0.75 | 4 | 2.9 | A |
| streptomycin sulfate | Pepper, fruiting | 3.45 | 14 | 16.75 | A |
| streptomycin sulfate | Tomato | 2.98 | 11 | 14.5 | A |
| strychnine | Avocado | 0.18 | 24 | 33.0 | A |
| strychnine | Landscape maintenance | 0.02 | 4 | 50.0 | A |
| strychnine | Landscape maintenance | 7.8 | N/A | N/A | N/A |
| strychnine | Lemon | 0.32 | 32 | 119.5 | A |
| strychnine | N-outdr plants in containers | 0.01 | 2 | 1.5 | A |
| strychnine | N-outdr plants in containers | <0.01 | 2 | 11,000.0 | S |
| strychnine | Pastureland | 0.01 | 21 | 189.0 | A |
| strychnine | Rights of way | 0.02 | N/A | N/A | N/A |
| strychnine | Structural pest control | 0.42 | N/A | N/A | N/A |
| strychnine | Tangerine | 0.08 | 3 | 13.0 | A |
| strychnine | Vertebrate control | 2.53 | N/A | N/A | N/A |
| styrene butadiene copolymer | Blackberry | 3.14 | 10 | 26.77 | A |
| styrene butadiene copolymer | Kale | 3.79 | 11 | 45.2 | A |
| styrene butadiene copolymer | N-grnhs flower | 0.28 | 3 | 2.1 | A |
| styrene butadiene copolymer | N-outdr flower | 7.0 | 33 | 58.3 | A |
| styrene butadiene copolymer | Raspberry | 3.17 | 10 | 27.04 | A |
| styrene butadiene copolymer | Strawberry | 13.63 | 4 | 155.0 | A |
| sulfamethazine | Water area | 0.09 | 1 | 1.5 | A |
| sulfanilamide | Water area | 0.28 | 1 | 1.5 | A |
| sulfaquinoxaline | N-grnhs flower | <0.01 | 12 | 12.0 | A |
| sulfentrazone | Landscape maintenance | 0.79 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| sulfentrazone | Rights of way | 88.25 | N/A | N/A | N/A |
| sulfluramid | Structural pest control | 0.01 | N/A | N/A | N/A |
| sulfometuron-methyl | Landscape maintenance | 0.7 | N/A | N/A | N/A |
| sulfometuron-methyl | Rights of way | 14.7 | N/A | N/A | N/A |
| sulfosulfuron | Turf/sod | 2.47 | 4 | 42.1 | A |
| sulfoxaflor | Bok choy | 4.47 | 7 | 50.04 | A |
| sulfoxaflor | Cabbage | 9.02 | 28 | 175.56 | A |
| sulfoxaflor | Celery | 296.02 | 329 | 5,015.89 | A |
| sulfoxaflor | Kale | 5.59 | 19 | 120.47 | A |
| sulfoxaflor | Lettuce, head | 0.06 | 2 | 1.0 | A |
| sulfoxaflor | Lettuce, leaf | 25.36 | 63 | 457.23 | A |
| sulfoxaflor | Parsley | 17.26 | 20 | 255.3 | A |
| sulfoxaflor | Spinach | 1.46 | 4 | 18.4 | A |
| sulfur | Apple | 268.76 | 2 | 242.58 | A |
| sulfur | Avocado | 4.0 | 1 | 2.0 | A |
| sulfur | Blackberry | 1,564.41 | 28 | 383.37 | A |
| sulfur | Blueberry | 60.96 | 1 | 5.08 | A |
| sulfur | Carrot | 743.29 | 7 | 233.6 | A |
| sulfur | Citrus | 0.45 | 1 | 0.04 | A |
| sulfur | Cucumber | 257.2 | 8 | 80.47 | A |
| sulfur | Grape | 30.96 | 5 | 6.1 | A |
| sulfur | Grape, wine | 44.8 | 8 | 16.0 | A |
| sulfur | Kale | 74.8 | 7 | 10.25 | A |
| sulfur | Landscape maintenance | 13.15 | N/A | N/A | N/A |
| sulfur | Lemon | 3,708.88 | 23 | 298.14 | A |
| sulfur | Mango | 12.0 | 2 | 1.3 | A |
| sulfur | Mint | 23.36 | 4 | 5.2 | A |
| sulfur | N-outdr flower | 1,548.76 | 153 | 593.17 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| sulfur | N-outdr plants in containers | 164.0 | 19 | 48.5 | A |
| sulfur | Peas | 6.4 | 3 | 2.0 | A |
| sulfur | Pepper, fruiting | 681.47 | 54 | 418.92 | A |
| sulfur | Pumpkin | 753.2 | 6 | 90.5 | A |
| sulfur | Raspberry | 208.0 | 5 | 130.0 | A |
| sulfur | Rosemary | 2.4 | 1 | 1.0 | A |
| sulfur | Squash | 153.04 | 3 | 51.3 | A |
| sulfur | Squash, summer | 89.6 | 1 | 16.0 | A |
| sulfur | Squash, zucchini | 2.4 | 3 | 0.49 | A |
| sulfur | Strawberry | 78,026.61 | 518 | 21,626.4 | A |
| sulfur | Swiss chard | 80.0 | 7 | 32.45 | A |
| sulfur | Tomato | 13,791.56 | 115 | 1,723.1 | A |
| sulfur | Tropical/subtropical fruit | 34.4 | 2 | 2.0 | A |
| sulfuryl fluoride | Landscape maintenance | 1,573.85 | N/A | N/A | N/A |
| sulfuryl fluoride | Regulatory pest control | 1,173.65 | N/A | N/A | N/A |
| sulfuryl fluoride | Structural pest control | 85,559.06 | N/A | N/A | N/A |
| swinglea glutinosa extract | Cucumber | 71.49 | 12 | 39.38 | A |
| tall oil | Strawberry | 0.34 | 1 | 26.26 | A |
| tall oil fatty acids | Asparagus | 0.16 | 1 | 2.25 | A |
| tall oil fatty acids | Avocado | 36.33 | 157 | 1,751.3 | A |
| tall oil fatty acids | Basil, sweet | 0.02 | 1 | 8.5 | A |
| tall oil fatty acids | Blackberry | 0.01 | 1 | 4.53 | A |
| tall oil fatty acids | Brussels sprout | 0.77 | 9 | 171.7 | A |
| tall oil fatty acids | Cabbage | 0.02 | 2 | 4.0 | A |
| tall oil fatty acids | Cauliflower | 0.01 | 2 | 3.0 | A |
| tall oil fatty acids | Celery | 0.02 | 2 | 2.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| tall oil fatty acids | Cucumber | 0.33 | 14 | 62.79 | A |
| tall oil fatty acids | Ditch bank | 0.01 | 5 | 4.75 | A |
| tall oil fatty acids | Grapefruit | 0.37 | 2 | 2.0 | A |
| tall oil fatty acids | Landscape maintenance | 16.87 | N/A | N/A | N/A |
| tall oil fatty acids | Lemon | 86.83 | 158 | 2,644.73 | A |
| tall oil fatty acids | Mint | 0.01 | 2 | 5.0 | A |
| tall oil fatty acids | N-outdr plants in containers | 11.18 | 279 | 445.25 | A |
| tall oil fatty acids | Orange | 44.48 | 47 | 442.5 | A |
| tall oil fatty acids | Pastureland | 0.31 | 6 | 30.69 | A |
| tall oil fatty acids | Pumpkin | 2.04 | 2 | 14.5 | A |
| tall oil fatty acids | Rights of way | 1.05 | 5 | 8.5 | A |
| tall oil fatty acids | Rights of way | 10.46 | N/A | N/A | N/A |
| tall oil fatty acids | Sage | <0.01 | 1 | 1.0 | A |
| tall oil fatty acids | Tangerine | 0.06 | 1 | 26.0 | A |
| tall oil fatty acids | Tomato | 0.22 | 10 | 58.11 | A |
| tall oil fatty acids | Uncultivated ag | 0.45 | 5 | 13.9 | A |
| tartrazine | Landscape maintenance | 0.18 | N/A | N/A | N/A |
| tartrazine | Water area | 2.92 | 16 | 24.0 | A |
| tau-fluvalinate | Landscape maintenance | 0.96 | N/A | N/A | N/A |
| tau-fluvalinate | N-grnhs flower | 0.36 | 3 | 2.4 | A |
| tau-fluvalinate | N-grnhs flower | 0.71 | 4 | 100,000.0 | S |
| tau-fluvalinate | N-grnhs plants in containers | 2.7 | 11 | 5.81 | A |
| tau-fluvalinate | N-grnhs plants in containers | 0.06 | 1 | 5,000.0 | S |
| tau-fluvalinate | N-grnhs transplants | 4.83 | 18 | 183,700.0 | S |
| tau-fluvalinate | N-outdr flower | 52.41 | 161 | 324.94 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| tau-fluvalinate | N-outdr plants in containers | 18.95 | 41 | 59.89 | A |
| tau-fluvalinate | N-outdr plants in containers | 0.18 | 3 | 42,500.0 | S |
| tau-fluvalinate | Structural pest control | <0.01 | N/A | N/A | N/A |
| tebuconazole | Beet | 34.64 | 29 | 220.53 | A |
| tebuconazole | Cabbage | 0.71 | 1 | 14.36 | A |
| tebuconazole | Golf course turf | 129.23 | N/A | 163.25 | A |
| tebuconazole | Landscape maintenance | 255.84 | N/A | N/A | N/A |
| tebuconazole | Pumpkin | 21.5 | 10 | 93.9 | A |
| tebufenozide | Collard | 0.32 | 2 | 2.5 | A |
| tebufenozide | Kale | 1.56 | 7 | 12.25 | A |
| tebufenozide | Mustard | 0.13 | 1 | 1.0 | A |
| tebufenozide | Mustard greens | 1.14 | 7 | 9.0 | A |
| tebufenozide | Swiss chard | 0.92 | 7 | 9.25 | A |
| tebuthiuron | Rights of way | 7.16 | N/A | N/A | N/A |
| terrazole | N-grnhs transplants | 1.43 | 1 | 6,000.0 | S |
| terrazole | N-outdr plants in containers | 6.39 | 12 | 2.52 | A |
| tetraconazole | Strawberry | 309.97 | 194 | 7,685.92 | A |
| tetrakis (hydroxymethyl) phosphonium sulfate | Water (industrial) | 1,145.52 | N/A | 2.0 | U |
| tetramethrin | Structural pest control | 0.05 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | Apple | 0.13 | 3 | 3.13 | A |
| tetrapotassium pyrophosphate | Apricot | 0.13 | 3 | 3.13 | A |
| tetrapotassium pyrophosphate | Avocado | <0.01 | 1 | 3.5 | A |
| tetrapotassium pyrophosphate | Avocado | <0.01 | 6 | 33,926.0 | U |
| tetrapotassium pyrophosphate | Landscape maintenance | 0.13 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|------------------------------|----------------|------|--------------|--------------|
| tetrapotassium pyrophosphate | Lemon | 0.01 | 1 | 3.4 | A |
| tetrapotassium pyrophosphate | N-outdr flower | 16.63 | 414 | 1,219.52 | A |
| tetrapotassium pyrophosphate | N-outdr plants in containers | 9.69 | 41 | 482.6 | A |
| tetrapotassium pyrophosphate | Orange | 0.03 | 4 | 36.5 | A |
| tetrapotassium pyrophosphate | Peach | 0.13 | 3 | 3.13 | A |
| tetrapotassium pyrophosphate | Plum | 0.13 | 3 | 3.13 | A |
| tetrapotassium pyrophosphate | Rights of way | 0.23 | 6 | 6.0 | A |
| thiabendazole | Landscape maintenance | 42.58 | N/A | N/A | N/A |
| thiabendazole | Lemon | 1,995.62 | N/A | 674,864.0 | T |
| thiabendazole | Orange | 207.53 | N/A | 27,834.0 | T |
| thiabendazole | Watermelon | 0.01 | N/A | 3,461.0 | P |
| thiabendazole | Watermelon | 0.01 | N/A | 0.91 | T |
| thiamethoxam | Artichoke, globe | 22.02 | 25 | 469.8 | A |
| thiamethoxam | Avocado | 0.82 | 3 | 14.3 | A |
| thiamethoxam | Beet | 12.68 | 24 | 208.24 | A |
| thiamethoxam | Blackberry | 16.64 | 61 | 357.7 | A |
| thiamethoxam | Broccoli | 1.59 | 6 | 61.75 | A |
| thiamethoxam | Brussels sprout | 10.55 | 11 | 452.02 | A |
| thiamethoxam | Cabbage | 13.62 | 34 | 361.02 | A |
| thiamethoxam | Cabbage, savoy | 0.33 | 1 | 7.0 | A |
| thiamethoxam | Cantaloupe | 0.08 | N/A | 27.76 | P |
| thiamethoxam | Carrot | 17.69 | N/A | 1,273.37 | P |
| thiamethoxam | Cauliflower | 1.06 | 3 | 22.58 | A |
| thiamethoxam | Celery | 86.27 | 64 | 1,113.53 | A |
| thiamethoxam | Citrus | 2.58 | 6 | 43.35 | A |
| thiamethoxam | Collard | 0.23 | 1 | 5.0 | A |
| thiamethoxam | Cucumber | 345.19 | N/A | 113,658.5 | P |
| thiamethoxam | Golf course turf | 8.71 | 2 | 33.5 | A |
| thiamethoxam | Grapefruit | 1.64 | 5 | 23.65 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|------------------------------|----------------|------|--------------|--------------|
| thiamethoxam | Kale | 3.42 | 7 | 41.4 | A |
| thiamethoxam | Landscape maintenance | 7.39 | N/A | N/A | N/A |
| thiamethoxam | Lemon | 627.2 | 451 | 9,093.56 | A |
| thiamethoxam | Lime | 0.13 | 1 | 2.0 | A |
| thiamethoxam | N-grnhs flower | 16.0 | N/A | 60.0 | A |
| thiamethoxam | N-grnhs plants in containers | 0.31 | 1 | 1.25 | A |
| thiamethoxam | N-outdr flower | 3.66 | 23 | 25.5 | A |
| thiamethoxam | N-outdr plants in containers | 7.61 | 20 | 39.0 | A |
| thiamethoxam | Onion, dry | 5.14 | N/A | 204.16 | P |
| thiamethoxam | Orange | 84.34 | 108 | 1,199.8 | A |
| thiamethoxam | Pepper, fruiting | 24.32 | 11 | 293.77 | A |
| thiamethoxam | Pepper, spice | 2.22 | 2 | 47.36 | A |
| thiamethoxam | Raspberry | 4.57 | 19 | 97.45 | A |
| thiamethoxam | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| thiamethoxam | Squash | 9.97 | N/A | 7,448.0 | P |
| thiamethoxam | Strawberry | 141.63 | 63 | 2,465.46 | A |
| thiamethoxam | Structural pest control | 1.61 | N/A | N/A | N/A |
| thiamethoxam | Tangerine | 22.62 | 57 | 318.59 | A |
| thiamethoxam | Tomato | 7.08 | 8 | 86.0 | A |
| thiamethoxam | Turf/sod | 7.68 | 6 | 28.24 | A |
| thiencarbazone-methyl | Landscape maintenance | 1.31 | N/A | N/A | N/A |
| thiophanate-methyl | Golf course turf | 871.15 | 3 | 167.5 | A |
| thiophanate-methyl | Landscape maintenance | 43.1 | 1 | 337.0 | A |
| thiophanate-methyl | Landscape maintenance | 831.13 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|----------------|------|--------------|--------------|
| thiophanate-methyl | N-grnhs flower | 0.89 | 2 | 2.0 | A |
| thiophanate-methyl | N-grnhs plants in containers | 125.97 | 39 | 77.11 | A |
| thiophanate-methyl | N-grnhs plants in containers | 0.25 | 1 | 2,500.0 | S |
| thiophanate-methyl | N-grnhs transplants | 0.52 | 1 | 9,000.0 | S |
| thiophanate-methyl | N-outdr flower | 131.96 | 111 | 279.81 | A |
| thiophanate-methyl | N-outdr plants in containers | 128.75 | 56 | 126.11 | A |
| thiophanate-methyl | N-outdr plants in containers | 3.25 | 11 | 209,150.0 | S |
| thiophanate-methyl | Rights of way | 1.16 | N/A | N/A | N/A |
| thiophanate-methyl | Strawberry | 1,256.46 | 49 | 1,794.94 | A |
| thiram | Broccoli | 60.51 | N/A | 15,596.54 | P |
| thiram | Cabbage | 10.4 | N/A | 4,860.59 | P |
| thiram | Cantaloupe | 7.05 | N/A | 4,206.34 | P |
| thiram | Carrot | 162.99 | N/A | 45,024.9 | P |
| thiram | Cauliflower | 10.43 | N/A | 4,050.27 | P |
| thiram | Cucumber | 24.28 | N/A | 18,111.37 | P |
| thiram | Eggplant | 0.1 | N/A | 37.06 | P |
| thiram | Landscape maintenance | 26.77 | N/A | N/A | N/A |
| thiram | Lettuce, leaf | 3.75 | N/A | 13,277.16 | P |
| thiram | Onion, dry | 272.56 | N/A | 144,198.28 | P |
| thiram | Pepper, fruiting | 20.6 | N/A | 9,174.72 | P |
| thiram | Pepper, spice | 1.63 | N/A | 1,000.0 | P |
| thiram | Spinach | 1,054.67 | N/A | 384,429.67 | P |
| thiram | Squash | 42.42 | N/A | 29,394.58 | P |
| thiram | Strawberry | 47,500.76 | 498 | 21,391.25 | A |
| thiram | Tomato | 1.05 | N/A | 2,022.55 | P |
| thiram | Watermelon | 21.54 | N/A | 15,969.31 | P |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| thyme | Structural pest control | 0.01 | N/A | N/A | N/A |
| tolfenpyrad | N-grnhs flower | 0.45 | 4 | 100,000.0 | S |
| tolfenpyrad | N-grnhs transplants | 0.26 | 1 | 9,000.0 | S |
| tolfenpyrad | N-outdr flower | 11.77 | 25 | 61.0 | A |
| topramezone | Golf course turf | 0.17 | 3 | 4.0 | A |
| triadimefon | Golf course turf | 8.21 | N/A | 8.0 | A |
| triadimefon | Landscape maintenance | 7.96 | N/A | N/A | N/A |
| triadimefon | N-grnhs plants in containers | 0.22 | 4 | 0.87 | A |
| triadimefon | N-outdr flower | 1.25 | 4 | 6.3 | A |
| triadimefon | N-outdr plants in containers | 0.33 | 3 | 1.31 | A |
| trichoderma harzianum rifai strain krl-ag2 | Cucumber | 0.14 | 1 | 15.0 | A |
| trichoderma harzianum rifai strain krl-ag2 | N-grnhs plants in containers | 0.87 | 23 | 39.9 | A |
| trichoderma harzianum rifai strain krl-ag2 | N-grnhs transplants | 0.09 | 1 | 1,800.0 | S |
| trichoderma harzianum rifai strain krl-ag2 | N-outdr plants in containers | 0.02 | 2 | 0.85 | A |
| trichoderma virens strain g-41 | Cucumber | 0.07 | 1 | 15.0 | A |
| trichoderma virens strain g-41 | N-grnhs plants in containers | 0.46 | 23 | 39.9 | A |
| trichoderma virens strain g-41 | N-grnhs transplants | 0.05 | 1 | 1,800.0 | S |
| trichoderma virens strain g-41 | N-outdr plants in containers | 0.01 | 1 | 0.8 | A |
| triclopyr choline | Landscape maintenance | 1.96 | N/A | N/A | N/A |
| triclopyr choline | Rights of way | 66.96 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | Golf course turf | 1.48 | 1 | 1.0 | A |
| triclopyr, butoxyethyl ester | Landscape maintenance | 561.75 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|----------------|------|--------------|--------------|
| triclopyr, butoxyethyl ester | Rights of way | 63.57 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | Uncultivated ag | 14.81 | 1 | 2.5 | A |
| triclopyr, triethylamine salt | Ditch bank | 79.09 | 39 | 110.5 | A |
| triclopyr, triethylamine salt | Landscape maintenance | 73.42 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Rights of way | 39.49 | 34 | 62.0 | A |
| triclopyr, triethylamine salt | Rights of way | 680.45 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Uncultivated ag | 1.56 | 3 | 3.5 | A |
| triethanolamine | Apple | 0.34 | 3 | 3.13 | A |
| triethanolamine | Apricot | 0.34 | 3 | 3.13 | A |
| triethanolamine | Avocado | 0.01 | 1 | 3.5 | A |
| triethanolamine | Avocado | <0.01 | 6 | 33,926.0 | U |
| triethanolamine | Landscape maintenance | 0.33 | N/A | N/A | N/A |
| triethanolamine | Lemon | 0.02 | 1 | 3.4 | A |
| triethanolamine | N-outdr flower | 42.4 | 414 | 1,219.52 | A |
| triethanolamine | N-outdr plants in containers | 24.72 | 41 | 482.6 | A |
| triethanolamine | Orange | 0.07 | 4 | 36.5 | A |
| triethanolamine | Peach | 0.34 | 3 | 3.13 | A |
| triethanolamine | Plum | 0.34 | 3 | 3.13 | A |
| triethanolamine | Rights of way | 0.6 | 6 | 6.0 | A |
| triethanolamine oleate | Cucumber | 2.29 | 5 | 9.03 | A |
| trifloxystrobin | Artichoke, globe | 32.32 | 11 | 260.38 | A |
| trifloxystrobin | Broccoli | 1.48 | 1 | 12.0 | A |
| trifloxystrobin | Brussels sprout | 78.82 | 18 | 637.3 | A |
| trifloxystrobin | Cantaloupe | 0.67 | 2 | 6.0 | A |
| trifloxystrobin | Cauliflower | 1.94 | 4 | 15.5 | A |
| trifloxystrobin | Celery | 60.03 | 58 | 664.12 | A |
| trifloxystrobin | Cilantro | 2.48 | 1 | 20.0 | A |
| trifloxystrobin | Golf course turf | 1.64 | N/A | 8.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|------------------------------|----------------|------|--------------|--------------|
| trifloxystrobin | Grape, wine | 2.53 | 7 | 26.25 | A |
| trifloxystrobin | Kale | 1.25 | 4 | 10.04 | A |
| trifloxystrobin | Landscape maintenance | 1.59 | N/A | N/A | N/A |
| trifloxystrobin | Lettuce, head | 7.68 | 3 | 62.0 | A |
| trifloxystrobin | Lettuce, leaf | 7.5 | 11 | 61.3 | A |
| trifloxystrobin | Melon | 0.33 | 1 | 3.0 | A |
| trifloxystrobin | N-grnhs flower | 0.75 | 3 | 12.0 | A |
| trifloxystrobin | N-grnhs plants in containers | 2.5 | 8 | 20.0 | A |
| trifloxystrobin | N-grnhs plants in containers | 0.51 | 9 | 504,000.0 | S |
| trifloxystrobin | N-grnhs transplants | 1.27 | 18 | 74.7 | A |
| trifloxystrobin | N-outdr flower | 6.95 | 45 | 86.0 | A |
| trifloxystrobin | N-outdr plants in containers | 0.3 | 3 | 3.7 | A |
| trifloxystrobin | N-outdr transplants | 0.33 | 4 | 4.0 | A |
| trifloxystrobin | Parsley | 9.37 | 14 | 75.1 | A |
| trifloxystrobin | Pepper, fruiting | 117.05 | 64 | 970.65 | A |
| trifloxystrobin | Pepper, spice | 2.52 | 1 | 30.94 | A |
| trifloxystrobin | Pumpkin | 11.01 | 7 | 91.0 | A |
| trifloxystrobin | Spinach | 0.17 | 2 | 1.3 | A |
| trifloxystrobin | Strawberry | 1,965.91 | 367 | 16,126.73 | A |
| trifloxystrobin | Watermelon | 1.0 | 3 | 9.0 | A |
| trifloxysulfuron-sodium | Golf course turf | 0.02 | 1 | 0.5 | A |
| trifloxysulfuron-sodium | Landscape maintenance | 0.2 | N/A | N/A | N/A |
| trifloxysulfuron-sodium | Sod farm (turf) | 0.3 | 5 | 16.8 | A |
| trifloxysulfuron-sodium | Turf/sod | 0.02 | 1 | 2.0 | A |
| triflumizole | Cabbage | 1.12 | 1 | 4.47 | A |
| triflumizole | Cilantro | 11.53 | 4 | 46.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|----------------|------|--------------|--------------|
| triflumizole | Collard | 1.14 | 3 | 4.5 | A |
| triflumizole | Cucumber | 3.84 | 4 | 14.49 | A |
| triflumizole | Kale | 18.77 | 13 | 76.12 | A |
| triflumizole | Lettuce, leaf | 3.8 | 4 | 15.31 | A |
| triflumizole | N-grnhs plants in containers | 0.14 | 1 | 0.63 | A |
| triflumizole | N-outdr flower | 4.55 | 6 | 12.46 | A |
| triflumizole | Parsley | 98.18 | 24 | 394.85 | A |
| triflumizole | Pumpkin | 11.93 | 3 | 47.7 | A |
| triflumizole | Strawberry | 3,641.41 | 391 | 15,286.62 | A |
| triflumizole | Swiss chard | 1.41 | 5 | 5.6 | A |
| trifluralin | Collard | 14.11 | 8 | 28.25 | A |
| trifluralin | Kale | 20.56 | 12 | 37.2 | A |
| trifluralin | Landscape maintenance | 58.07 | N/A | N/A | N/A |
| trifluralin | Mint | 0.68 | 1 | 1.0 | A |
| trifluralin | Mustard | 1.64 | 2 | 2.0 | A |
| trifluralin | Mustard greens | 15.17 | 26 | 26.7 | A |
| trifluralin | N-outdr plants in containers | 94.06 | 11 | 51.0 | A |
| trifluralin | N-outdr plants in containers | 0.06 | 1 | 7,500.0 | S |
| trifluralin | Pepper, fruiting | 47.43 | 7 | 94.9 | A |
| trifluralin | Pepper, spice | 13.46 | 2 | 21.32 | A |
| trifluralin | Tomato | 1.87 | 2 | 2.5 | A |
| trifluralin | Turnip | 3.5 | 14 | 7.0 | A |
| trifluralin | Turnip greens | 2.23 | 6 | 4.5 | A |
| trinexapac-ethyl | Golf course turf | 166.54 | 12 | 1,116.2 | A |
| trinexapac-ethyl | Landscape maintenance | 3.19 | 2 | 674.0 | A |
| trinexapac-ethyl | Landscape maintenance | 126.57 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|----------------|------|--------------|--------------|
| trinexapac-ethyl | N-grnhs flower | 26.59 | N/A | 316.0 | A |
| trinexapac-ethyl | Sod farm (turf) | 1.56 | 2 | 18.0 | A |
| trinexapac-ethyl | Turf/sod | 0.09 | N/A | 3.0 | A |
| uniconizole-p | N-grnhs plants in containers | 0.02 | 27 | 12.14 | A |
| uniconizole-p | N-grnhs plants in containers | 0.01 | 9 | 504,000.0 | S |
| uniconizole-p | N-grnhs transplants | <0.01 | 7 | 11.18 | A |
| uniconizole-p | N-outdr plants in containers | <0.01 | 4 | 3.09 | A |
| uniconizole-p | N-outdr transplants | <0.01 | 3 | 0.46 | A |
| uniconizole-p | Pepper, fruiting | <0.01 | 17 | 5.75 | A |
| uniconizole-p | Tomato | 0.01 | 25 | 8.25 | A |
| urea | Structural pest control | 8.51 | N/A | N/A | N/A |
| urea dihydrogen sulfate | Avocado | 0.17 | 12 | 29.4 | A |
| vinyl polymer | Avocado | 0.02 | 1 | 57.0 | A |
| vinyl polymer | Lemon | 2.34 | 14 | 983.0 | A |
| vinyl polymer | Rights of way | 0.13 | 3 | 6.0 | A |
| warfarin | Avocado | <0.01 | 4 | 3.95 | A |
| warfarin | N-grnhs flower | <0.01 | 12 | 12.0 | A |
| warfarin | N-outdr plants in containers | 0.01 | 10 | 87.0 | A |
| warfarin | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| warfarin | Structural pest control | 0.02 | N/A | N/A | N/A |
| yucca schidigera | Beet | 0.79 | 1 | 7.0 | A |
| z,e-9,12-tetradecadien-1-yl acetate | Structural pest control | <0.01 | N/A | N/A | N/A |
| zeta-cypermethrin | Beet | 1.13 | 2 | 46.0 | A |
| zeta-cypermethrin | Blackberry | 49.95 | 137 | 1,210.81 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| zeta-cypermethrin | Blueberry | 0.78 | 6 | 15.02 | A |
| zeta-cypermethrin | Bok choy | 1.34 | 11 | 54.15 | A |
| zeta-cypermethrin | Celery | 0.28 | 1 | 11.31 | A |
| zeta-cypermethrin | Cilantro | 0.44 | 2 | 17.85 | A |
| zeta-cypermethrin | Dandelion green | 0.05 | 1 | 1.0 | A |
| zeta-cypermethrin | Endive (escarole) | 0.05 | 2 | 1.7 | A |
| zeta-cypermethrin | Kale | 1.53 | 13 | 61.5 | A |
| zeta-cypermethrin | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| zeta-cypermethrin | Lemon | 18.94 | 28 | 377.02 | A |
| zeta-cypermethrin | Lettuce, leaf | 0.21 | 2 | 8.2 | A |
| zeta-cypermethrin | Mustard greens | 0.04 | 1 | 1.5 | A |
| zeta-cypermethrin | N-outdr flower | 0.74 | 8 | 9.0 | A |
| zeta-cypermethrin | N-outdr plants in containers | <0.01 | 1 | 0.25 | A |
| zeta-cypermethrin | Orange | 0.15 | 2 | 3.0 | A |
| zeta-cypermethrin | Parsley | 1.37 | 14 | 55.1 | A |
| zeta-cypermethrin | Raspberry | 48.1 | 195 | 1,141.94 | A |
| zeta-cypermethrin | Structural pest control | 0.01 | N/A | N/A | N/A |
| zinc phosphide | Landscape maintenance | 74.35 | N/A | N/A | N/A |
| zinc phosphide | Lemon | 0.08 | 1 | 10.0 | A |
| zinc phosphide | Structural pest control | 0.27 | N/A | N/A | N/A |
| zinc phosphide | Vertebrate control | 2.5 | N/A | N/A | N/A |
| zineb | N-grnhs flower | 0.23 | 1 | 1.0 | A |