

# 2020 Annual Statewide Pesticide Use Report Indexed by Chemical

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	Alfalfa	28.51	25	2,333.0	A
abamectin	Alfalfa	<0.01	1	3,000.0	S
abamectin	Almond	24,966.77	20,558	1,318,660.54	A
abamectin	Apple	32.47	48	1,574.93	A
abamectin	Apricot	17.22	61	719.88	A
abamectin	Arugula	0.91	26	83.4	A
abamectin	Avocado	433.14	942	19,691.2	A
abamectin	Avocado	0.08	5	439,000.0	U
abamectin	Basil, sweet	1.05	35	112.16	A
abamectin	Bean, dried	304.15	375	18,853.35	A
abamectin	Bean, succulent	29.89	84	1,760.8	A
abamectin	Bean, unspecified	7.48	48	490.07	A
abamectin	Blackberry	21.52	145	1,235.27	A
abamectin	Blueberry	5.25	14	252.0	A
abamectin	Buildings/non-ag outdoor	<0.01	N/A	N/A	U
abamectin	Cannabis (all or unspecified)	0.56	39	204,498.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	Cantaloupe	326.67	334	20,744.25	A
abamectin	Celeriac	0.12	8	7.08	A
abamectin	Celery	495.2	2,856	30,384.59	A
abamectin	Cherry	530.52	1,035	23,785.45	A
abamectin	Chestnut	0.41	1	16.0	A
abamectin	Christmas tree	0.05	3	5.25	A
abamectin	Citrus	21.36	73	992.62	A
abamectin	Citrus	<0.01	N/A	14.0	U
abamectin	Commodity fumigation	0.01	N/A	N/A	N/A
abamectin	Corn (forage - fodder)	5.45	5	315.0	A
abamectin	Corn, grain	0.93	1	54.0	A
abamectin	Corn, human consumption	255.37	359	12,353.34	A
abamectin	Cotton	2,305.21	2,187	155,342.29	A
abamectin	County ag comm	0.62	N/A	N/A	N/A
abamectin	Cucumber	21.68	84	1,303.32	A
abamectin	Daikon	3.11	2	145.0	A
abamectin	Dandelion green	0.03	3	1.54	A
abamectin	Eggplant	16.46	103	943.9	A
abamectin	Endive (escarole)	3.89	36	201.86	A
abamectin	Garlic	17.71	11	1,126.2	A
abamectin	Golf course turf	5.13	N/A	147.55	A
abamectin	Golf course turf	2.16	N/A	1,300,000.0	S
abamectin	Grape	1,226.96	1,775	69,476.61	A
abamectin	Grape, wine	2,768.05	3,575	157,002.95	A
abamectin	Grapefruit	141.65	332	6,655.29	A
abamectin	Grass, seed	0.63	2	35.8	A
abamectin	Herb, spice	0.1	5	10.0	A
abamectin	Herb, spice	0.03	2	36,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	Kumquat	0.19	3	12.0	A
abamectin	Landscape maintenance	0.21	2	40.0	A
abamectin	Landscape maintenance	0.31	2	200,000.0	S
abamectin	Landscape maintenance	41.76	N/A	N/A	N/A
abamectin	Leek	1.86	28	130.09	A
abamectin	Lemon	1,082.32	2,588	54,210.89	A
abamectin	Lettuce, head	430.45	2,518	34,612.26	A
abamectin	Lettuce, leaf	495.71	3,352	34,630.26	A
abamectin	Lime	6.55	26	360.9	A
abamectin	Melon	145.6	264	10,815.8	A
abamectin	Melon	<0.01	1	2,520.0	S
abamectin	Mint	1.07	3	64.5	A
abamectin	N-grnhs flower	9.68	214	439.97	A
abamectin	N-grnhs flower	0.89	126	2,502,836.5	S
abamectin	N-grnhs plants in containers	33.02	1,722	1,836.72	A
abamectin	N-grnhs plants in containers	9.5	760	26,443,529.95	S
abamectin	N-grnhs plants in containers	0.02	1	7,641.38	U
abamectin	N-grnhs transplants	2.02	139	239.7	A
abamectin	N-grnhs transplants	3.25	261	9,467,639.0	S
abamectin	N-outdr flower	21.03	656	3,012.8	A
abamectin	N-outdr flower	0.15	34	564,383.0	S
abamectin	N-outdr plants in containers	58.26	1,800	4,657.05	A
abamectin	N-outdr plants in containers	2.67	202	6,743,598.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	N-outdr plants in containers	2.92	92	1,394,087.37	U
abamectin	N-outdr transplants	10.82	120	529.4	A
abamectin	N-outdr transplants	2.47	47	7,111,000.0	S
abamectin	N-outdr transplants	0.02	N/A	19.0	U
abamectin	Nectarine	166.21	460	7,117.61	A
abamectin	Okra	1.04	1	60.0	A
abamectin	Onion, dry	287.49	253	14,423.39	A
abamectin	Onion, green	3.88	23	224.31	A
abamectin	Orange	2,455.66	5,172	108,805.12	A
abamectin	Parsley	0.61	17	36.09	A
abamectin	Peach	602.78	1,397	25,490.7	A
abamectin	Pear	169.84	209	7,453.77	A
abamectin	Pear, asian (oriental pear, ya, ya li, nashi)	3.8	14	166.28	A
abamectin	Peas	0.43	4	57.0	A
abamectin	Pecan	3.54	5	171.82	A
abamectin	Pepper, fruiting	334.49	558	15,545.01	A
abamectin	Pepper, fruiting	0.03	6	26,040.0	S
abamectin	Pepper, spice	2.42	7	162.62	A
abamectin	Pistachio	207.97	188	15,364.79	A
abamectin	Plum	85.54	344	3,551.62	A
abamectin	Pluot	0.39	4	14.98	A
abamectin	Pomelo	6.65	31	320.0	A
abamectin	Potato	82.45	72	4,495.5	A
abamectin	Prune	249.56	268	11,664.23	A
abamectin	Public health	<0.01	N/A	N/A	N/A
abamectin	Pumpkin	90.32	149	5,043.46	A
abamectin	Radicchio	0.2	1	17.0	A
abamectin	Raspberry	41.75	265	2,467.71	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	Regulatory pest control	1.36	N/A	N/A	N/A
abamectin	Research commodity	2.77	73	157.66	A
abamectin	Research commodity	0.05	35	210,736.0	S
abamectin	Research commodity	0.89	N/A	N/A	N/A
abamectin	Rights of way	<0.01	3	2.0	A
abamectin	Rights of way	0.52	N/A	N/A	N/A
abamectin	Rosemary	0.01	3	1.1	A
abamectin	Soil fumigation/preplant	1.82	2	89.0	A
abamectin	Spinach	232.54	1,647	14,796.51	A
abamectin	Squash	34.74	109	2,055.01	A
abamectin	Squash, summer	6.71	25	408.0	A
abamectin	Squash, winter	7.32	15	391.0	A
abamectin	Squash, zucchini	0.31	1	15.0	A
abamectin	Stone fruit	0.04	2	5.5	A
abamectin	Strawberry	496.17	920	26,697.94	A
abamectin	Strawberry	<0.01	3	10,740.0	S
abamectin	Strawberry	0.04	1	2.0	U
abamectin	Structural pest control	33.2	N/A	N/A	N/A
abamectin	Swiss chard	4.11	96	264.75	A
abamectin	Tangelo	60.28	172	2,718.23	A
abamectin	Tangerine	1,359.03	2,289	62,756.22	A
abamectin	Tarragon	0.02	2	1.15	A
abamectin	Thyme	<0.01	2	0.63	A
abamectin	Tomatillo	0.08	2	4.0	A
abamectin	Tomato	281.55	439	17,659.68	A
abamectin	Tomato	0.02	4	10,055.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
abamectin	Tomato, processing	1,064.29	908	72,149.69	A
abamectin	Turf/sod	0.04	1	2.5	A
abamectin	Uncultivated ag	5.2	6	352.3	A
abamectin	Vegetable	0.1	1	5.0	A
abamectin	Vegetables, fruiting	0.18	2	6.0	A
abamectin	Walnut	3,168.78	3,472	139,307.87	A
abamectin	Watermelon	242.07	397	14,674.02	A
abamectin	Watermelon	<0.01	3	8,400.0	S
abamectin	Wheat (forage - fodder)	1.2	1	64.0	A
abamectin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
abamectin, other related	Regulatory pest control	<0.01	N/A	N/A	N/A
abamectin, other related	Structural pest control	0.02	N/A	N/A	N/A
abietic anhydride	Landscape maintenance	0.04	N/A	N/A	N/A
s-abscisic acid	Grape	1,221.15	232	6,771.05	A
s-abscisic acid	Pistachio	0.62	7	1.4	A
acephate	Alfalfa	3,853.14	47	3,956.0	A
acephate	Almond	2,022.24	88	2,217.61	A
acephate	Bean, dried	7,133.12	173	8,061.6	A
acephate	Bean, succulent	2,555.12	82	2,765.26	A
acephate	Bean, unspecified	59.17	5	61.0	A
acephate	Brussels sprout	4,068.55	281	4,167.87	A
acephate	Cauliflower	2,425.77	231	2,519.99	A
acephate	Celery	11,824.57	1,226	12,347.95	A
acephate	Cherry	35.65	2	53.5	A
acephate	Citrus	167.32	14	335.0	A
acephate	Cotton	15,900.82	199	17,110.59	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acephate	Cotton	6,656.87	N/A	2,499.57	T
acephate	Fava bean	45.05	46	46.3	A
acephate	Grape	518.53	25	663.46	A
acephate	Grapefruit	114.8	14	183.25	A
acephate	Landscape maintenance	1.45	1	4.5	A
acephate	Landscape maintenance	1,168.63	N/A	N/A	N/A
acephate	Lemon	776.79	96	1,438.8	A
acephate	Lettuce, head	26,976.19	2,313	28,555.63	A
acephate	N-grnhs flower	860.94	265	586.1	A
acephate	N-grnhs flower	64.52	118	1,119,168.0	S
acephate	N-grnhs flower	0.97	6	1,850.0	U
acephate	N-grnhs plants in containers	487.28	390	403.78	A
acephate	N-grnhs plants in containers	<0.01	1	1.0	C
acephate	N-grnhs plants in containers	260.91	251	11,145,865.0	S
acephate	N-grnhs plants in containers	0.12	1	2,500.0	U
acephate	N-grnhs transplants	624.32	1,554	532.57	A
acephate	N-grnhs transplants	6.29	12	189,000.0	S
acephate	N-outdr flower	2,855.49	1,717	5,150.26	A
acephate	N-outdr flower	1.13	5	14,125.0	S
acephate	N-outdr flower	0.76	4	1,070.0	U
acephate	N-outdr plants in containers	2,524.1	1,041	2,984.29	A
acephate	N-outdr plants in containers	178.58	141	6,742,941.0	S
acephate	N-outdr plants in containers	204.73	38	773,020.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acephate	N-outdr transplants	1,222.18	148	1,516.39	A
acephate	Orange	1,173.42	164	2,434.59	A
acephate	Peach	5.82	2	6.0	A
acephate	Pecan	2.91	1	3.0	A
acephate	Pepper, fruiting	2,340.7	85	2,496.55	A
acephate	Pistachio	8,520.38	79	8,914.4	A
acephate	Plum	0.97	2	1.0	A
acephate	Pomelo	1.94	1	10.0	A
acephate	Regulatory pest control	0.03	N/A	N/A	N/A
acephate	Research commodity	1.91	39	175,500.0	S
acephate	Research commodity	<0.01	N/A	N/A	N/A
acephate	Rights of way	0.73	1	3.0	A
acephate	Rights of way	80.85	N/A	N/A	N/A
acephate	Structural pest control	3,699.47	N/A	N/A	N/A
acephate	Tangelo	67.9	9	110.0	A
acephate	Tangerine	12,156.9	597	17,946.65	A
acephate	Uncultivated ag	19.38	3	107.75	A
acephate	Uncultivated ag	0.48	1	20,000.0	S
acephate	Vertebrate control	1.05	N/A	N/A	N/A
acephate	Walnut	41.71	3	43.0	A
acequinocyl	Alfalfa	<0.01	1	3,000.0	S
acequinocyl	Almond	161.71	50	472.8	A
acequinocyl	Bean, unspecified	1.79	2	4.5	A
acequinocyl	Blackberry	356.98	121	895.83	A
acequinocyl	Citrus	4.04	8	7.85	A
acequinocyl	Citrus	0.7	1	194,850.0	U
acequinocyl	Cucumber	1.78	3	4.63	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acequinocyl	Grape, wine	69.81	8	207.05	A
acequinocyl	Herb, spice	0.8	2	0.5	A
acequinocyl	Landscape maintenance	0.31	N/A	N/A	N/A
acequinocyl	Lemon	153.7	7	392.5	A
acequinocyl	N-grnhs flower	22.62	61	95.5	A
acequinocyl	N-grnhs flower	4.86	76	810,320.0	S
acequinocyl	N-grnhs plants in containers	64.96	257	337.8	A
acequinocyl	N-grnhs plants in containers	6.41	71	1,626,775.0	S
acequinocyl	N-grnhs transplants	5.58	48	43.79	A
acequinocyl	N-grnhs transplants	1.38	11	183,362.0	S
acequinocyl	N-outdr flower	5.97	13	54.2	A
acequinocyl	N-outdr flower	0.27	7	46,700.0	S
acequinocyl	N-outdr plants in containers	39.16	71	813.84	A
acequinocyl	N-outdr plants in containers	0.83	6	244,500.0	S
acequinocyl	N-outdr plants in containers	9.45	23	479,227.0	U
acequinocyl	N-outdr transplants	77.95	33	254.3	A
acequinocyl	Orange	2,319.78	218	5,835.47	A
acequinocyl	Pepper, fruiting	86.29	11	216.62	A
acequinocyl	Pistachio	30.32	2	76.1	A
acequinocyl	Raspberry	718.11	219	1,801.41	A
acequinocyl	Regulatory pest control	0.11	N/A	N/A	N/A
acequinocyl	Research commodity	0.17	7	0.58	A
acequinocyl	Research commodity	0.6	12	79,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acequinocyl	Research commodity	0.76	N/A	N/A	N/A
acequinocyl	Strawberry	7,199.5	639	18,386.09	A
acequinocyl	Strawberry	1.55	2	169,280.0	S
acequinocyl	Tangelo	13.84	1	34.71	A
acequinocyl	Tangerine	2,024.83	193	5,162.6	A
acequinocyl	Tomato	30.37	11	77.59	A
acequinocyl	Watermelon	435.54	15	1,096.0	A
acetamiprid	Alfalfa	0.04	1	30.0	A
acetamiprid	Almond	2,639.51	297	16,898.77	A
acetamiprid	Apple	522.8	42	1,243.43	A
acetamiprid	Apricot	54.74	49	399.81	A
acetamiprid	Arugula	66.8	122	919.28	A
acetamiprid	Asparagus	2.45	1	25.0	A
acetamiprid	Bean, dried	57.75	13	749.5	A
acetamiprid	Bean, succulent	13.95	7	195.15	A
acetamiprid	Bean, unspecified	5.55	4	62.0	A
acetamiprid	Blackberry	186.06	216	1,728.74	A
acetamiprid	Blueberry	80.77	35	850.8	A
acetamiprid	Bok choy	23.13	83	296.31	A
acetamiprid	Broccoli	340.54	559	5,264.62	A
acetamiprid	Brussels sprout	635.17	525	8,694.81	A
acetamiprid	Bushberry	0.03	1	0.25	A
acetamiprid	Cabbage	184.93	459	2,644.29	A
acetamiprid	Cantaloupe	1,605.15	197	16,695.46	A
acetamiprid	Carrot	<0.01	1	0.03	A
acetamiprid	Cauliflower	121.2	202	1,743.66	A
acetamiprid	Celery	1,355.18	1,467	18,997.49	A
acetamiprid	Cherry	26.89	26	334.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acetamiprid	Chinese cabbage (napa, won bok, celery cabbage)	65.96	113	916.89	A
acetamiprid	Citrus	3.2	7	15.52	A
acetamiprid	Collard	23.5	124	308.47	A
acetamiprid	Corn, human consumption	511.04	245	7,773.62	A
acetamiprid	Cotton	13,553.61	1,134	140,932.17	A
acetamiprid	Cucumber	53.72	37	576.71	A
acetamiprid	Dandelion green	0.14	3	1.94	A
acetamiprid	Eggplant	14.91	15	236.6	A
acetamiprid	Endive (escarole)	5.79	132	77.84	A
acetamiprid	Fava bean	2.65	8	39.0	A
acetamiprid	Fennel	9.28	8	124.8	A
acetamiprid	Gai lon	0.03	2	0.6	A
acetamiprid	Ginger	0.04	1	0.5	A
acetamiprid	Grape	1,417.16	385	15,712.1	A
acetamiprid	Grape, wine	1,920.36	1,072	25,882.94	A
acetamiprid	Grapefruit	57.3	31	380.57	A
acetamiprid	Kale	177.42	509	2,174.07	A
acetamiprid	Kohlrabi	1.07	14	14.39	A
acetamiprid	Landscape maintenance	51.55	N/A	N/A	N/A
acetamiprid	Leek	42.68	63	388.36	A
acetamiprid	Lemon	363.98	120	2,211.07	A
acetamiprid	Lettuce, head	1,817.31	1,933	27,837.62	A
acetamiprid	Lettuce, leaf	1,513.07	2,060	21,589.48	A
acetamiprid	Melon	571.98	112	6,242.98	A
acetamiprid	Melon	0.03	4	10,440.0	S
acetamiprid	Mizuna	5.39	28	71.5	A
acetamiprid	Mustard	2.59	23	34.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acetamiprid	Mustard greens	22.79	133	322.14	A
acetamiprid	N-grnhs flower	36.41	58	137.18	A
acetamiprid	N-grnhs flower	1.86	15	264,300.0	S
acetamiprid	N-grnhs flower	0.04	N/A	13.0	U
acetamiprid	N-grnhs plants in containers	13.19	104	129.6	A
acetamiprid	N-grnhs plants in containers	30.27	247	10,224,391.0	S
acetamiprid	N-grnhs plants in containers	0.18	1	93,389.01	U
acetamiprid	N-grnhs transplants	7.37	33	53.91	A
acetamiprid	N-grnhs transplants	5.37	35	6,137,095.0	S
acetamiprid	N-outdr flower	106.23	277	1,117.58	A
acetamiprid	N-outdr flower	<0.01	1	2,178.0	S
acetamiprid	N-outdr plants in containers	328.23	791	4,197.31	A
acetamiprid	N-outdr plants in containers	3.19	87	1,150,993.0	S
acetamiprid	N-outdr plants in containers	9.02	39	647,565.0	U
acetamiprid	N-outdr transplants	44.56	52	340.09	A
acetamiprid	N-outdr transplants	18.77	133	19,707,772.0	S
acetamiprid	Nectarine	201.63	120	1,463.01	A
acetamiprid	Onion, dry	596.63	69	4,489.75	A
acetamiprid	Onion, dry	0.02	3	3,120.0	S
acetamiprid	Onion, green	0.11	2	1.25	A
acetamiprid	Orange	3,443.34	919	17,458.16	A
acetamiprid	Parsley	8.73	21	141.16	A
acetamiprid	Peach	428.05	242	3,147.13	A
acetamiprid	Pear	28.53	11	235.33	A
acetamiprid	Peas	98.95	115	1,155.55	A
acetamiprid	Pecan	17.5	10	117.82	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acetamiprid	Pepper, fruiting	335.59	161	4,864.85	A
acetamiprid	Pepper, fruiting	0.02	4	10,080.0	S
acetamiprid	Pepper, spice	4.09	3	55.05	A
acetamiprid	Pistachio	9,702.35	620	60,843.21	A
acetamiprid	Plum	405.45	241	2,768.66	A
acetamiprid	Pomelo	17.21	13	97.0	A
acetamiprid	Potato	51.48	11	835.0	A
acetamiprid	Prune	43.95	22	486.62	A
acetamiprid	Pumpkin	159.48	65	1,458.8	A
acetamiprid	Radicchio	5.91	1	90.0	A
acetamiprid	Rapini	99.3	58	993.35	A
acetamiprid	Raspberry	121.67	140	1,265.91	A
acetamiprid	Regulatory pest control	0.9	N/A	N/A	N/A
acetamiprid	Research commodity	6.41	39	74.38	A
acetamiprid	Research commodity	4.58	N/A	N/A	N/A
acetamiprid	Rights of way	41.61	N/A	N/A	N/A
acetamiprid	Soybean	1.22	2	21.5	A
acetamiprid	Spinach	241.48	238	2,837.01	A
acetamiprid	Squash	123.15	97	1,393.26	A
acetamiprid	Squash, winter	4.36	3	49.0	A
acetamiprid	Squash, zucchini	1.57	3	30.0	A
acetamiprid	Strawberry	3,742.13	1,127	32,154.75	A
acetamiprid	Strawberry	0.02	1	10,000.0	S
acetamiprid	Structural pest control	689.96	N/A	N/A	N/A
acetamiprid	Sweet potato	6.13	2	82.0	A
acetamiprid	Swiss chard	36.75	219	569.3	A
acetamiprid	Tangelo	69.13	26	543.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acetamiprid	Tangerine	344.19	145	2,528.44	A
acetamiprid	Tomato	439.15	173	5,994.14	A
acetamiprid	Tomato	0.02	4	10,080.0	S
acetamiprid	Tomato, processing	1,845.78	317	31,011.7	A
acetamiprid	Turnip	0.46	1	6.1	A
acetamiprid	Turnip greens	1.16	13	11.58	A
acetamiprid	Uncultivated ag	0.5	1	5.0	A
acetamiprid	Upland cress	2.14	12	29.1	A
acetamiprid	Vegetables, fruiting	0.04	2	0.47	A
acetamiprid	Vegetables, leafy	0.13	4	1.37	A
acetamiprid	Vertebrate control	6.04	1	60.0	A
acetamiprid	Walnut	13,878.07	3,751	102,026.81	A
acetamiprid	Watermelon	384.1	157	4,092.88	A
acetamiprid	Watermelon	<0.01	1	2,520.0	S
acetic acid	Almond	0.4	2	18.54	A
acetic acid	Animal premise	196.61	N/A	6.0	U
acetic acid	Apple	4.11	3	840.0	A
acetic acid	Avocado	7.51	7	234.0	A
acetic acid	Blackberry	0.13	1	1.5	A
acetic acid	Blueberry	11.47	8	527.61	A
acetic acid	Broccoli	6.57	30	192.0	A
acetic acid	Brussels sprout	0.04	2	8.0	A
acetic acid	Cabbage	0.89	26	164.3	A
acetic acid	Cauliflower	0.82	34	150.0	A
acetic acid	Celery	4.92	59	829.29	A
acetic acid	Collard	0.17	3	10.5	A
acetic acid	Corn, human consumption	1.28	1	8.0	A
acetic acid	Dill	0.2	2	29.0	A
acetic acid	Eggplant	0.21	2	10.0	A
acetic acid	Grape	52.36	86	2,849.18	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acetic acid	Grape, wine	17.55	6	37.7	A
acetic acid	Herb, spice	0.01	1	1.0	A
acetic acid	Kale	1.55	4	76.0	A
acetic acid	Landscape maintenance	781.04	17	16.95	A
acetic acid	Landscape maintenance	284.62	N/A	N/A	N/A
acetic acid	Lemon	50.86	2	4.0	A
acetic acid	Lettuce, head	0.5	15	92.0	A
acetic acid	Lettuce, leaf	1.59	42	472.6	A
acetic acid	Mint	0.03	1	3.0	A
acetic acid	N-grnhs transplants	40.21	13	34,000.0	S
acetic acid	Pear	227.06	1	10.0	A
acetic acid	Pepper, fruiting	0.75	5	135.05	A
acetic acid	Pistachio	12.62	27	706.34	A
acetic acid	Pomegranate	8.7	2	200.0	A
acetic acid	Pumpkin	0.77	1	5.0	A
acetic acid	Rights of way	254.97	N/A	N/A	N/A
acetic acid	Rosemary	0.02	1	2.0	A
acetic acid	Structural pest control	2.71	N/A	N/A	N/A
acetic acid	Tarragon	<0.01	1	0.5	A
acetic acid	Uncultivated non-ag	0.43	1	5.0	A
acetic acid	Walnut	32.87	12	377.85	A
acibenzolar-s-methyl	Apple	0.77	2	19.0	A
acibenzolar-s-methyl	Arugula	0.14	2	6.0	A
acibenzolar-s-methyl	Bok choy	0.17	2	5.2	A
acibenzolar-s-methyl	Broccoli	0.87	2	30.4	A
acibenzolar-s-methyl	Cabbage	1.31	6	42.0	A
acibenzolar-s-methyl	Cauliflower	0.89	3	28.62	A
acibenzolar-s-methyl	Collard	0.38	1	11.92	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acibenzolar-s-methyl	Golf course turf	9.21	9	714.44	A
acibenzolar-s-methyl	Golf course turf	1.6	N/A	3,915,000.0	S
acibenzolar-s-methyl	Kale	3.8	27	135.72	A
acibenzolar-s-methyl	Landscape maintenance	0.06	2	4.5	A
acibenzolar-s-methyl	Landscape maintenance	0.08	4	264,000.0	S
acibenzolar-s-methyl	Landscape maintenance	81.17	N/A	N/A	N/A
acibenzolar-s-methyl	Lettuce, head	432.26	1,199	14,018.98	A
acibenzolar-s-methyl	Lettuce, leaf	1,850.1	6,164	59,988.01	A
acibenzolar-s-methyl	Mizuna	0.17	2	5.25	A
acibenzolar-s-methyl	Mustard greens	0.47	4	20.4	A
acibenzolar-s-methyl	N-grnhs flower	4.82	2	464.45	A
acibenzolar-s-methyl	N-grnhs flower	0.34	N/A	1,366,000.0	S
acibenzolar-s-methyl	N-grnhs plants in containers	0.16	16	5.24	A
acibenzolar-s-methyl	N-grnhs plants in containers	0.03	N/A	110,000.0	S
acibenzolar-s-methyl	N-grnhs transplants	5.17	68	252.8	A
acibenzolar-s-methyl	N-grnhs transplants	1.64	12	2,640,000.0	S
acibenzolar-s-methyl	N-outdr flower	1.83	47	235.3	A
acibenzolar-s-methyl	N-outdr plants in containers	0.39	6	39.75	A
acibenzolar-s-methyl	N-outdr plants in containers	0.02	N/A	110,000.0	S
acibenzolar-s-methyl	N-outdr transplants	15.0	55	808.82	A
acibenzolar-s-methyl	N-outdr transplants	5.53	38	8,936,000.0	S
acibenzolar-s-methyl	Onion, dry	10.39	4	332.7	A
acibenzolar-s-methyl	Pear	39.45	17	631.0	A
acibenzolar-s-methyl	Pepper, fruiting	0.35	11	15.27	A
acibenzolar-s-methyl	Pumpkin	0.93	4	29.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acibenzolar-s-methyl	Research commodity	0.08	N/A	N/A	N/A
acibenzolar-s-methyl	Rights of way	0.09	N/A	N/A	N/A
acibenzolar-s-methyl	Spinach	769.55	3,468	32,929.3	A
acibenzolar-s-methyl	Strawberry	1.09	4	46.6	A
acibenzolar-s-methyl	Swiss chard	0.04	1	1.6	A
acibenzolar-s-methyl	Tomato	0.64	15	27.75	A
acibenzolar-s-methyl	Tomato, processing	0.1	6	13.0	A
acibenzolar-s-methyl	Turf/sod	0.62	2	41.2	A
acibenzolar-s-methyl	Turf/sod	0.09	N/A	409,500.0	S
acid blue 9, diammonium salt	Landscape maintenance	11.03	1	4.0	A
acid blue 9, diammonium salt	Landscape maintenance	807.33	N/A	N/A	N/A
acid blue 9, diammonium salt	Public health	1.16	N/A	N/A	N/A
acid blue 9, diammonium salt	Rights of way	9.45	N/A	N/A	N/A
acid blue 9, diammonium salt	Water area	934.22	35	1,612.62	A
acid blue 9, diammonium salt	Water area	194.41	2	672.87	U
acrolein	Rights of way	38,047.96	N/A	N/A	N/A
acrolein	Water area	300.28	4	15.0	A
acrolein	Water area	16,602.0	16	2,617.25	U
acrylamide/sodium acrylate copolymer	Alfalfa	17.77	30	2,071.0	A
acrylamide/sodium acrylate copolymer	Almond	9.61	24	823.26	A
acrylamide/sodium acrylate copolymer	Barley (forage - fodder)	1.54	3	215.0	A
acrylamide/sodium acrylate copolymer	Broccoli	1.63	8	90.45	A
acrylamide/sodium acrylate copolymer	Cauliflower	0.48	3	29.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acrylamide/sodium acrylate copolymer	Corn (forage - fodder)	58.11	77	4,398.0	A
acrylamide/sodium acrylate copolymer	Cotton	112.68	115	5,656.42	A
acrylamide/sodium acrylate copolymer	Forage hay/silage	1.01	1	36.0	A
acrylamide/sodium acrylate copolymer	Garlic	41.88	40	5,959.0	A
acrylamide/sodium acrylate copolymer	Oat (forage - fodder)	0.55	2	77.5	A
acrylamide/sodium acrylate copolymer	Onion, dry	7.04	10	1,554.0	A
acrylamide/sodium acrylate copolymer	Parsley	3.34	4	425.0	A
acrylamide/sodium acrylate copolymer	Pastureland	10.29	3	300.0	A
acrylamide/sodium acrylate copolymer	Prune	0.47	1	45.6	A
acrylamide/sodium acrylate copolymer	Rice	1.32	1	96.1	A
acrylamide/sodium acrylate copolymer	Strawberry	5.52	3	72.0	A
acrylamide/sodium acrylate copolymer	Sunflower	55.16	42	2,798.02	A
acrylamide/sodium acrylate copolymer	Triticale	6.51	18	1,307.0	A
acrylamide/sodium acrylate copolymer	Uncultivated ag	122.91	151	1,932.84	A
acrylamide/sodium acrylate copolymer	Uncultivated non-ag	4.09	3	300.0	A
acrylamide/sodium acrylate copolymer	Walnut	4.58	4	266.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acrylamide/sodium acrylate copolymer	Wheat	111.56	16	1,526.0	A
acrylamide/sodium acrylate copolymer	Wheat (forage - fodder)	0.31	3	188.0	A
acrylic acid	Alfalfa	6.61	5	294.0	A
acrylic acid	Almond	17,735.26	866	76,205.47	A
acrylic acid	Apple	3.24	1	11.5	A
acrylic acid	Bean, dried	12.72	9	523.0	A
acrylic acid	Blackberry	2.27	1	27.8	A
acrylic acid	Broccoli	322.26	144	2,049.1	A
acrylic acid	Cauliflower	52.66	26	334.7	A
acrylic acid	Celery	26.13	11	176.9	A
acrylic acid	Cherry	5.02	3	31.0	A
acrylic acid	Corn (forage - fodder)	5.11	37	839.57	A
acrylic acid	Cotton	10.06	7	966.5	A
acrylic acid	Daikon	0.65	1	8.0	A
acrylic acid	Eggplant	25.91	16	233.6	A
acrylic acid	Grape	394.78	90	3,123.02	A
acrylic acid	Grape, wine	1,223.71	597	18,558.71	A
acrylic acid	Grapefruit	1.94	2	28.0	A
acrylic acid	Lemon	14.76	10	203.0	A
acrylic acid	Lettuce, head	274.92	134	1,881.9	A
acrylic acid	Lettuce, leaf	543.67	374	3,352.65	A
acrylic acid	Nectarine	2.42	2	20.0	A
acrylic acid	Orange	68.78	34	1,085.27	A
acrylic acid	Peach	133.51	20	366.0	A
acrylic acid	Pear	43.54	3	129.0	A
acrylic acid	Pistachio	184.0	61	6,458.19	A
acrylic acid	Plum	2.5	1	10.3	A
acrylic acid	Pomegranate	12.15	1	300.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acrylic acid	Pumpkin	0.32	1	6.0	A
acrylic acid	Raspberry	3.98	6	38.86	A
acrylic acid	Rights of way	5.18	1	64.0	A
acrylic acid	Rights of way	202.13	N/A	N/A	N/A
acrylic acid	Strawberry	2,763.12	538	17,639.89	A
acrylic acid	Tangerine	7.68	6	201.5	A
acrylic acid	Uncultivated ag	0.49	1	6.0	A
acrylic acid	Walnut	169.6	88	3,390.02	A
acrylic acid	Wheat (forage - fodder)	5.68	21	1,704.1	A
afidopyropen	Arugula	<0.01	1	1.0	A
afidopyropen	Bok choy	1.21	28	117.15	A
afidopyropen	Broccoli	19.95	95	1,554.59	A
afidopyropen	Brussels sprout	42.87	243	3,215.96	A
afidopyropen	Cabbage	2.07	34	210.12	A
afidopyropen	Cantaloupe	312.35	116	10,802.3	A
afidopyropen	Cauliflower	6.47	53	659.05	A
afidopyropen	Celery	2.33	23	237.3	A
afidopyropen	Chinese cabbage (napa, won bok, celery cabbage)	2.53	53	244.47	A
afidopyropen	Cilantro	0.58	13	47.4	A
afidopyropen	Collard	0.22	8	22.36	A
afidopyropen	Cotton	987.7	522	30,526.21	A
afidopyropen	Cucumber	1.98	7	64.0	A
afidopyropen	Dandelion green	0.02	2	2.29	A
afidopyropen	Gai lon	0.06	7	6.51	A
afidopyropen	Grapefruit	1.92	3	42.0	A
afidopyropen	Kale	4.34	51	287.49	A
afidopyropen	Lemon	4.12	4	90.0	A
afidopyropen	Lettuce, head	18.55	179	1,852.36	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
afidopyropen	Lettuce, leaf	46.64	422	4,270.05	A
afidopyropen	Melon	88.36	44	3,252.67	A
afidopyropen	Mustard	0.05	3	4.78	A
afidopyropen	Mustard greens	0.21	10	20.88	A
afidopyropen	N-grnhs flower	2.66	6	30.0	A
afidopyropen	N-grnhs flower	<0.01	1	4,000.0	S
afidopyropen	N-grnhs plants in containers	7.32	40	65.56	A
afidopyropen	N-outdr flower	0.33	4	36.0	A
afidopyropen	N-outdr plants in containers	0.88	11	68.43	A
afidopyropen	N-outdr plants in containers	0.05	1	200.0	S
afidopyropen	Orange	8.67	9	189.45	A
afidopyropen	Parsley	0.79	11	81.19	A
afidopyropen	Peas	0.02	6	1.74	A
afidopyropen	Pepper, fruiting	93.04	113	2,612.95	A
afidopyropen	Pepper, spice	2.21	2	48.2	A
afidopyropen	Potato	3.25	1	83.0	A
afidopyropen	Pumpkin	17.65	13	438.5	A
afidopyropen	Rapini	14.49	84	1,483.5	A
afidopyropen	Spinach	6.8	59	694.98	A
afidopyropen	Squash	9.15	8	200.02	A
afidopyropen	Squash, summer	2.29	1	50.0	A
afidopyropen	Squash, winter	3.2	5	142.0	A
afidopyropen	Swiss chard	0.52	33	52.53	A
afidopyropen	Tangerine	2.78	2	60.75	A
afidopyropen	Tomato	127.61	94	2,874.27	A
afidopyropen	Turnip greens	0.03	1	3.0	A
afidopyropen	Watermelon	21.67	30	884.0	A
agrobacterium radiobacter	Almond	8.25	1	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
agrobacterium radiobacter	N-grnhs plants in containers	0.61	18	6,500.0	S
agrobacterium radiobacter	N-grnhs transplants	39.24	40	87.2	A
agrobacterium radiobacter	N-grnhs transplants	0.24	8	2,600.0	S
agrobacterium radiobacter	Research commodity	0.03	1	200.0	S
agrobacterium radiobacter	Walnut	1.03	1	70.0	U
alcohol ethoxylate phosphate ester	Corn (forage - fodder)	10.17	1	33.0	A
alcohol ethoxylate phosphate ester	N-outdr transplants	0.03	1	0.04	A
alcohols, c12-c14, aliphatic	Rights of way	1,003.95	N/A	N/A	N/A
alcohols, c12 - c13, ethoxylated	Alfalfa	84.07	4	440.0	A
alcohols, c12 - c13, ethoxylated	Almond	1.15	2	6.0	A
alcohols, c12 - c13, ethoxylated	Landscape maintenance	466.38	N/A	N/A	N/A
alcohols, c12 - c13, ethoxylated	Rights of way	31.92	N/A	N/A	N/A
alcohols, c12 - c13, ethoxylated	Walnut	12.42	4	65.0	A
alkyl and alkylaryl poly (oxyethylene) glycols, mixed	Alfalfa	44.87	13	514.0	A
alkyl and alkylaryl poly (oxyethylene) glycols, mixed	Blackberry	4.3	1	16.0	A
alkyl and alkylaryl poly (oxyethylene) glycols, mixed	Corn (forage - fodder)	1,914.03	264	11,993.28	A
alkyl and alkylaryl poly (oxyethylene) glycols, mixed	Cotton	2,854.51	360	26,286.88	A
alkyl and alkylaryl poly (oxyethylene) glycols, mixed	Forage hay/silage	0.23	1	15.0	A
alkyl and alkylaryl poly (oxyethylene) glycols, mixed	Pomegranate	14.73	5	219.2	A
alkyl and alkylaryl poly (oxyethylene) glycols, mixed	Walnut	5.64	3	84.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Alfalfa	32.3	12	593.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Almond	7.1	8	310.6	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.17	1	1.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Bermudagrass	23.85	1	140.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Blueberry	0.45	2	3.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Broccoli	3.41	1	30.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	17.93	17	19.8	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	1.6	1	8,000.0	S
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cherry	0.49	11	200.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	312.87	77	4,018.5	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Corn, human consumption	31.85	5	298.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Cotton	241.66	51	3,741.3	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Golf course turf	176.47	N/A	239.5	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Grape, wine	294.48	53	1,412.11	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	39.65	N/A	N/A	N/A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Lettuce, head	1.94	1	23.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	2.15	1	25.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	N-grnhs flower	38.05	8	16.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.03	1	2,000.0	S
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.43	1	9,000.0	S
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	N-outdr flower	0.22	1	1.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.43	1	40,000.0	S
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	10.5	2	33.5	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	3.2	1	15.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Persimmon	0.88	1	2.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Pomegranate	0.88	1	2.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Regulatory pest control	0.08	N/A	N/A	N/A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	148.99	9	1,172.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Squash	0.5	3	3.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Strawberry	55.31	14	217.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Structural pest control	15.9	N/A	N/A	N/A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Tomato	0.42	2	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	109.03	6	646.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Walnut	45.74	15	554.67	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Watermelon	8.69	6	82.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene)	Wheat	12.33	2	98.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene) phosphate	Peach	0.04	1	3.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene) phosphate	Plum	12.88	3	14.0	A
alpha-alkylaryl-omega-hydroxypoly(oxyethylene) phosphate	Walnut	4.24	4	148.15	A
alkyl (as in fatty acids of coconut oil) monoethanolamide	Structural pest control	9.42	N/A	N/A	N/A
alkyl benzene sulfonic acid	Almond	3.01	1	27.0	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Animal premise	30.74	N/A	926,212.0	S
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Animal premise	3,142.65	34	25,924.04	U
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Buildings/non-ag outdoor	108.37	N/A	33,000.0	S
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Cannabis (all or unspecified)	5.75	10	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Cannabis (all or unspecified)	0.11	3	4,242.0	S
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Farm/ag building	123.06	N/A	378.0	U
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Fumigation, other	0.17	N/A	N/A	N/A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Grape, wine	0.05	2	16.81	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Industrial processing water	3,920.56	N/A	2.0	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Industrial processing water	20,247.88	N/A	19.0	U
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Landscape maintenance	296.89	N/A	N/A	N/A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	0.02	1	0.5	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	N-grnhs transplants	<0.01	1	0.75	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	N-grnhs transplants	0.2	15	54,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	N-outdr plants in containers	0.38	2	9.0	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	N-outdr transplants	0.02	2	3.84	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Public health	2.47	N/A	N/A	N/A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Regulatory pest control	0.13	N/A	N/A	N/A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Research commodity	0.01	2	2.0	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Research commodity	1.12	N/A	N/A	N/A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Rights of way	118.16	N/A	N/A	N/A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Structural pest control	1,637.51	N/A	N/A	N/A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Tangelo	0.21	1	20.0	A
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium chloride	Water (industrial)	3,493.89	N/A	7.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (50% <sup>c14</sup> , 40% <sup>c12</sup> , 10% <sup>c16</sup> ) dimethylbenzyl ammonium chloride	Water (industrial)	4,200.95	N/A	6.0	U
alkyl (58% <sup>c14</sup> , 28% <sup>c16</sup> , 14% <sup>c12</sup> ) dimethylbenzyl ammonium chloride	Golf course turf	4.16	N/A	82.75	A
alkyl (58% <sup>c14</sup> , 28% <sup>c16</sup> , 14% <sup>c12</sup> ) dimethylbenzyl ammonium chloride	Landscape maintenance	1.5	1	18.0	A
alkyl (60% <sup>c14</sup> , 25% <sup>c12</sup> , 15% <sup>c16</sup> ) dimethylbenzyl ammonium chloride	Cannabis (all or unspecified)	<0.01	2	2,101.0	S
alkyl (60% <sup>c14</sup> , 30% <sup>c16</sup> , 5% <sup>c12</sup> , 5% <sup>c18</sup> ) dimethylbenzyl ammonium chloride	Animal premise	0.51	N/A	119,288.0	S
alkyl (60% <sup>c14</sup> , 30% <sup>c16</sup> , 5% <sup>c12</sup> , 5% <sup>c18</sup> ) dimethylbenzyl ammonium chloride	Animal premise	5,708.23	N/A	1,456.0	U
alkyl (60% <sup>c14</sup> , 30% <sup>c16</sup> , 5% <sup>c12</sup> , 5% <sup>c18</sup> ) dimethylbenzyl ammonium chloride	Cannabis (all or unspecified)	0.62	13	421,745.0	S
alkyl (60% <sup>c14</sup> , 30% <sup>c16</sup> , 5% <sup>c12</sup> , 5% <sup>c18</sup> ) dimethylbenzyl ammonium chloride	Citrus	0.01	1	20.0	A
alkyl (60% <sup>c14</sup> , 30% <sup>c16</sup> , 5% <sup>c12</sup> , 5% <sup>c18</sup> ) dimethylbenzyl ammonium chloride	Farm/ag building	0.42	1	0.24	A
alkyl (60% <sup>c14</sup> , 30% <sup>c16</sup> , 5% <sup>c12</sup> , 5% <sup>c18</sup> ) dimethylbenzyl ammonium chloride	Farm/ag building	2.29	N/A	81,000.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Food processing plant	1,394.07	N/A	31.0	U
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Fumigation, other	0.62	N/A	N/A	N/A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Grapefruit	0.17	6	128.13	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Household	<0.01	N/A	1.0	U
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Kumquat	0.03	1	20.84	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Landscape maintenance	20.79	N/A	N/A	N/A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Lemon	6.86	11	447.64	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Lime	0.05	3	37.8	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs flower	0.66	28	173,450.0	S
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	17.75	20	8.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	0.03	N/A	2.0	K
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	5.28	16	493,080.0	S
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs transplants	16.2	26	26.66	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs transplants	0.01	2	4,350.0	S
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr flower	<0.01	1	4.7	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr plants in containers	42.38	45	71.63	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr plants in containers	0.59	18	111,748.0	S
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr plants in containers	0.73	47	141,850.0	U
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr transplants	0.24	2	3.25	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-outdr transplants	<0.01	1	210,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Orange	0.03	3	24.81	A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Regulatory pest control	4.65	N/A	N/A	N/A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Research commodity	3.68	13	3.09	A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Research commodity	0.02	1	340.0	S
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Research commodity	2.77	N/A	N/A	N/A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Rights of way	<0.01	N/A	N/A	N/A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Structural pest control	26.07	N/A	N/A	N/A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Tangelo	3.4	6	193.68	A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Tangerine	0.23	5	185.85	A
alkyl (60% <sup>14</sup> , 30% <sup>16</sup> , 5% <sup>12</sup> , 5% <sup>18</sup> ) dimethylbenzyl ammonium chloride	Uncultivated ag	0.19	2	8,600.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Water (industrial)	3.27	N/A	3.0	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Water (industrial)	1,194.08	N/A	2.0	U
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Water area	0.05	N/A	100.0	S
alkyl (61% <b>c12</b> , 23% <b>c14</b> , 11% <b>c16</b> , 2.5% <b>c8</b> & <b>c10</b> , 2.5% <b>c18</b> ) dimethyl benzyl ammonium chloride	Landscape maintenance	0.43	N/A	N/A	N/A
alkyl (61% <b>c12</b> , 23% <b>c14</b> , 11% <b>c16</b> , 2.5% <b>c8</b> & <b>c10</b> , 2.5% <b>c18</b> ) dimethyl benzyl ammonium chloride	Structural pest control	1.46	N/A	N/A	N/A
alkyl (67% <b>c12</b> , 25% <b>c14</b> , 7% <b>c16</b> , 1% <b>c18</b> ) dimethylbenzyl ammonium chloride	Farm/ag building	449.09	N/A	424.0	U
alkyl (95% <b>c14</b> , 3% <b>c12</b> , 2% <b>c16</b> ) dimethyl benzyl ammonium chloride	Food processing plant	0.19	N/A	1.0	U
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium saccharinate	Household	<0.01	N/A	8,500.0	S
alkyl (50% <b>c14</b> , 40% <b>c12</b> , 10% <b>c16</b> ) dimethylbenzyl ammonium saccharinate	Household	0.02	N/A	15.0	U
alkyl (50% <b>c12</b> , 30% <b>c14</b> , 17% <b>c16</b> , 3% <b>c18</b> ) dimethylethylbenzyl ammonium chloride	Landscape maintenance	0.37	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Animal premise	0.51	N/A	119,288.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Animal premise	5,708.23	N/A	1,456.0	U
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Cannabis (all or unspecified)	0.62	13	421,745.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Citrus	0.01	1	20.0	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Farm/ag building	0.42	1	0.24	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Farm/ag building	2.29	N/A	81,000.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Food processing plant	1,394.07	N/A	31.0	U
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Fumigation, other	0.62	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Grapefruit	0.17	6	128.13	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Household	<0.01	N/A	1.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Kumquat	0.03	1	20.84	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Landscape maintenance	9.24	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Lemon	6.86	11	447.64	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Lime	0.05	3	37.8	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs flower	0.46	9	21,450.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs plants in containers	17.75	20	8.04	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs plants in containers	0.03	N/A	2.0	K
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs plants in containers	5.28	16	493,080.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs transplants	16.2	26	26.66	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs transplants	0.01	1	600.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-outdr flower	<0.01	1	4.7	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-outdr plants in containers	42.38	45	71.63	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-outdr plants in containers	0.58	17	96,748.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-outdr plants in containers	0.73	47	141,850.0	U
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-outdr transplants	0.24	2	3.25	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-outdr transplants	<0.01	1	210,000.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Orange	0.03	3	24.81	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Regulatory pest control	4.65	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Research commodity	3.68	13	3.09	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Research commodity	0.02	1	340.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Research commodity	2.77	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Rights of way	<0.01	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Structural pest control	26.07	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Tangelo	3.4	6	193.68	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Tangerine	0.23	5	185.85	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Uncultivated ag	0.19	2	8,600.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Water (industrial)	171.36	N/A	1.0	U
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Water area	0.05	N/A	100.0	S
alpha-alkyl (c8-c18)-omega- hydroxypoly(oxyethylene) poly(oxypropylene)	Almond	0.88	2	38.0	A
alpha-alkyl (c8-c18)-omega- hydroxypoly(oxyethylene) poly(oxypropylene)	Grape	21.05	14	710.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c8-c18)-omega-hydroxypoly(oxyethylene) poly(oxypropylene)	Lemon	3.36	3	82.0	A
alpha-alkyl (c8-c18)-omega-hydroxypoly(oxyethylene) poly(oxypropylene)	N-outdr plants in containers	3.7	32	20.61	A
alpha-alkyl (c8-c18)-omega-hydroxypoly(oxyethylene) poly(oxypropylene)	Rights of way	24.44	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Alfalfa	4,579.89	1,773	81,151.9	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Almond	23,767.14	5,323	219,531.37	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Apple	400.88	71	1,127.45	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Apricot	83.38	36	589.4	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	5.75	19	119.2	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Arugula	4.21	39	161.05	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Avocado	4.54	2	90.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Barley	0.51	2	13.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Barley (forage - fodder)	3.68	1	65.3	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Basil, sweet	0.2	2	2.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bean, dried	86.71	44	1,516.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bean, succulent	42.33	36	564.02	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	18.79	87	363.48	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Beet	24.99	99	618.85	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bermudagrass	24.55	11	484.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Blackberry	150.02	339	1,752.54	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Blueberry	26.6	29	395.05	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bok choy	26.77	149	676.51	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Broccoli	781.78	1,891	18,231.19	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Brussels sprout	633.32	355	7,060.31	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cabbage	1,492.91	1,481	12,634.59	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cantaloupe	30.88	18	1,045.04	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Carrot	91.78	113	1,476.45	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cauliflower	419.42	899	7,747.3	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Celeriac	4.34	17	77.57	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Celery	270.43	649	5,035.59	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cherry	1,438.41	714	9,518.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Chestnut	0.61	1	5.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, won bok, celery cabbage)	47.21	130	789.68	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cilantro	39.54	364	1,325.97	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Citrus	42.7	16	332.26	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Collard	9.41	11	91.7	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	2,705.36	651	29,671.93	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn, grain	326.11	108	6,244.98	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	1,037.23	325	15,328.14	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cotton	1,138.12	187	9,458.25	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cucumber	3.28	6	59.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Date	9.16	2	37.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Dill	0.5	2	4.73	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Ditch bank	3.86	2	28.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	25.06	164	534.04	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Fennel	2.02	17	68.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Fig	6.42	1	35.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	125.06	25	902.73	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Garbanzo bean	191.33	5	410.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Garlic	142.88	59	1,653.71	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grain	15.74	2	190.6	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape	1,459.11	460	11,072.3	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape, wine	10,793.23	8,871	96,550.81	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grapefruit	1.96	1	4.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Kale	167.03	577	2,424.36	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	210.42	397	2,389.58	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Kohlrabi	2.74	15	73.32	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	1.35	4	75.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	129.43	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Leek	40.62	190	814.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lemon	390.09	39	728.88	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, head	904.71	1,952	21,202.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	1,148.52	3,155	28,735.51	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Melon	1,041.58	24	723.03	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Mustard greens	5.31	57	138.53	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	18.91	N/A	139.81	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-outdr flower	3.8	4	64.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	31.46	23	147.9	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.25	1	10,000.0	S
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.15	1	4,400.0	U
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	9.43	10	172.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Nectarine	684.01	181	2,428.63	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Oat	1.2	1	11.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	16.66	13	551.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Olive	593.03	215	5,931.11	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Olive	0.02	1	40.0	U
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Onion, dry	1,623.61	233	14,479.15	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Orange	262.72	94	2,261.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Orchardgrass	0.57	1	25.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Parsley	29.45	162	576.97	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pasture (forage - fodder)	2.03	2	16.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pastureland	1.33	3	32.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peach	1,008.16	330	5,038.97	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pear	111.18	16	438.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peas	61.92	132	1,081.05	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pecan	41.22	6	83.8	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	484.12	240	5,903.94	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pepper, spice	3.5	3	59.4	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Persimmon	15.7	4	71.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pistachio	7,455.76	861	64,166.2	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Plum	605.26	171	2,594.97	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pomegranate	2,925.38	169	21,707.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pomelo	1.41	2	30.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Potato	4.67	4	162.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Prune	446.27	221	5,666.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Pumpkin	156.44	52	1,780.7	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Radicchio	2.24	10	59.2	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Radish	52.14	436	979.57	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rangeland	29.05	47	873.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Raspberry	292.42	705	3,615.62	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Recreation area	2.54	N/A	0.01	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Recreation area	2.7	N/A	0.03	U
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Regulatory pest control	32.75	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Research commodity	2.58	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rice	17,208.42	1,316	96,705.17	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	294.41	66	3,140.57	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	3,487.86	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Ryegrass	30.59	3	198.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Safflower	24.55	19	450.1	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	27.35	7	305.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Spinach	0.73	8	20.93	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Squash	9.99	15	108.4	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Squash, summer	1.27	3	26.1	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Squash, winter	9.77	4	100.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Strawberry	4,434.55	1,343	36,156.89	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Structural pest control	0.38	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sugarbeet	201.15	66	4,120.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sunflower	362.54	109	5,046.02	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sweet potato	11.77	10	348.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Swiss chard	4.29	59	141.77	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tangelo	15.69	13	135.93	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tangerine	181.14	55	977.87	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tomato	891.87	488	16,395.02	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Tomato, processing	952.59	201	11,730.49	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Triticale	305.13	46	3,030.32	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Turf/sod	1.22	1	5.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Turnip	1.11	12	39.04	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	3,808.66	1,886	47,417.42	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	134.04	65	1,662.25	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Unknown	3.76	1	20.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Walnut	5,915.81	2,515	91,506.56	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Water (industrial)	0.35	N/A	4.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Water area	0.98	3	7.25	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Watermelon	854.98	154	9,628.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat	43.56	18	984.9	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	88.35	37	1,585.2	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	2,565.48	285	14,473.37	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Almond	61,885.55	4,797	299,400.13	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Apple	113.93	22	469.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Apricot	72.68	18	418.52	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	1.46	1	5.2	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Avocado	0.84	4	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Barley	39.7	5	375.95	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Bean, dried	88.46	26	611.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.2	2	1.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Bermudagrass	7.88	1	28.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Blueberry	63.62	9	379.64	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Broccoli	14.29	15	129.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cabbage	3.09	7	35.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cantaloupe	6.06	1	43.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Carrot	243.72	68	1,179.9	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cauliflower	3.24	3	23.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Celery	168.38	120	915.53	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cherry	544.22	146	2,521.95	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Chestnut	1.59	1	7.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cilantro	7.61	4	27.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Citrus	4.56	10	23.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Commodity fumigation	16.8	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	1,223.14	160	8,029.03	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Corn, grain	422.62	65	1,785.75	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cotton	3,550.13	135	17,137.05	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Fig	175.84	104	2,561.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	6.19	2	45.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Forest, timberland	6,537.39	529	9,287.02	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Fumigation, other	0.01	N/A	N/A	N/A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Garlic	279.13	21	2,153.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape	1,134.49	227	4,300.56	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	4,982.86	842	23,429.3	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Grapefruit	19.83	15	114.25	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Industrial site	0.21	1	2.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	21.06	6	161.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	407.12	N/A	N/A	N/A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lemon	416.33	145	2,978.93	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lettuce, head	183.11	77	830.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	274.93	199	1,269.8	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Mint	15.48	5	60.63	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.56	1	100.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	N-outdr flower	22.9	33	86.48	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	55.94	13	198.7	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	38.59	15	176.45	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Nectarine	53.27	47	300.2	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	0.84	1	3.75	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Olive	162.52	38	882.41	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Onion, dry	75.59	5	501.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Orange	1,498.28	463	8,014.71	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pastureland	38.96	7	238.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pastureland	0.14	1	1,740.0	S
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Peach	235.64	136	1,194.76	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pear	8.78	4	40.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	9.57	10	68.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pecan	40.19	12	251.83	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	111.26	29	632.27	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Persimmon	0.35	1	1.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pistachio	28,724.09	2,176	124,020.51	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Plum	85.52	38	304.79	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pomegranate	2,901.58	270	14,973.9	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Pomelo	7.12	7	52.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Potato	34.49	2	245.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Prune	645.41	121	5,609.94	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Quince	0.53	1	5.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Raspberry	14.21	9	38.92	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rice	2,025.47	96	8,166.9	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	401.07	76	1,822.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	74,182.89	N/A	N/A	N/A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rye	6.18	4	43.86	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Safflower	310.0	5	1,846.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	2,614.13	73	12,667.93	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	10.17	5	218.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Sorghum/milo	2.25	1	10.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Squash	1.79	2	30.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Stone fruit	58.0	9	129.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Strawberry	102.08	29	622.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Sunflower	104.97	12	690.7	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Sweet potato	22.12	8	125.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Tangelo	3.66	4	39.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Tangerine	1,857.84	848	12,691.07	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Tomato	99.86	20	669.8	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Tomato, processing	1,288.65	56	7,234.28	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Triticale	1.52	4	17.25	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Turf/sod	16.92	5	140.6	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1,751.32	542	8,156.51	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	105.45	6	561.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Walnut	3,025.5	689	16,098.69	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Water area	30.97	1	125.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Watermelon	11.27	3	80.0	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Wheat	20.98	1	149.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Alfalfa	1,008.8	344	20,356.1	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Almond	13.59	4	126.25	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Bermudagrass	37.76	16	1,074.5	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	21.29	8	343.94	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	12.07	7	231.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Grape	4.95	2	60.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Lettuce, head	12.38	6	150.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	14.39	7	309.17	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Pastureland	0.62	3	8.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Rangeland	2.48	1	27.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Rights of way	21.05	N/A	N/A	N/A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Sudangrass	2.48	1	80.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Sugarbeet	146.09	58	3,240.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Sunflower	7.43	2	108.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Triticale	29.84	16	963.8	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	232.38	33	2,445.6	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	6.19	N/A	35.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Wheat	2.48	1	46.0	A
alpha-alkyl (c9-c18)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	2.48	1	40.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Alfalfa	0.13	2	17.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Almond	4.44	19	572.92	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Broccoli	0.36	5	54.1	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Cauliflower	1.4	18	196.85	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Cherry	1.0	6	128.5	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	0.54	1	70.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Cotton	1.98	7	255.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	23.58	3	63.9	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	0.23	1	30.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	50.4	N/A	N/A	N/A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.02	2	8.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	13.29	20	426,905.0	U
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	0.67	3	86.67	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Prune	4.61	1	42.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Rice	41.17	2	75.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	452.67	N/A	N/A	N/A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Sod farm (turf)	0.33	7	126.0	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	0.56	3	95.4	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Turf/sod	1.23	25	475.8	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	1,291.24	311	16,769.12	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa-grass mixture	3.23	2	50.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Almond	40,350.26	1,620	92,477.05	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Almond	13.47	3	160.0	U
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Avocado	0.65	1	6.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Barley	39.38	8	658.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Barley (forage - fodder)	1.62	1	15.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Basil, sweet	8.91	2	92.9	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Bean, dried	10.18	7	236.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Bean, succulent	3.06	2	103.1	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Beet	11.85	8	86.82	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Bermudagrass	1.7	1	65.0	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Blueberry	0.22	1	4.09	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Bok choy	19.95	27	148.61	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Brussels sprout	50.75	11	708.88	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Cabbage	236.62	73	1,846.41	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Celery	309.14	81	1,869.61	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Cherry	395.25	71	1,418.03	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Cilantro	33.03	20	387.99	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Collard	9.78	15	62.71	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	2,210.41	203	7,601.49	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Dandelion green	0.09	1	0.97	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Forage hay/silage	141.15	62	3,613.2	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Garlic	0.77	1	36.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Grape	27.99	4	501.67	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Grape, wine	1,320.58	171	6,565.58	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Kale	24.44	37	117.69	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Landscape maintenance	0.11	N/A	N/A	N/A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Leek	22.87	26	119.92	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Lemon	16.39	18	128.5	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Lettuce, head	7.33	5	134.92	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Lettuce, leaf	7.62	6	84.16	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Melon	23.94	1	35.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Mint	13.55	2	63.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	N-outdr plants in containers	1.86	8	35.5	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Oat	38.94	5	245.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Oat (forage - fodder)	2,149.62	244	8,422.02	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Olive	25.53	2	99.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Onion, dry	11.21	8	627.2	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Orange	3.55	7	36.22	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Orchardgrass	0.43	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Parsley	149.3	77	1,807.05	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Pastureland	37.33	9	344.75	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Peach	207.6	39	799.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Pepper, fruiting	4.3	1	20.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Pistachio	15.57	6	82.5	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Potato	24.63	8	757.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Pumpkin	16.83	3	65.8	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Radish	18.73	13	156.46	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Rangeland	19.94	4	266.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Raspberry	9.37	6	31.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Rights of way	4.55	4	47.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Rights of way	2.58	N/A	N/A	N/A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sod farm (turf)	0.94	1	11.7	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	4.95	3	97.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sorghum/milo	0.08	1	4.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Spinach	10.83	13	87.04	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Strawberry	524.32	66	2,680.48	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sudangrass	5.75	5	45.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Sugarbeet	41.64	20	1,376.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Swiss chard	2.48	8	18.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Tangerine	9.24	12	112.61	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Tomato, processing	286.65	82	3,580.23	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Turf/sod	62.8	50	785.92	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Uncultivated ag	27.52	5	294.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Uncultivated non-ag	1.07	1	5.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Walnut	2,717.07	184	8,443.38	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Watermelon	78.67	4	168.0	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Wheat	92.04	30	1,795.3	A
alpha-alkyl (c10-c16)- omega- hydroxypoly(oxyethylene)	Wheat (forage - fodder)	1,046.66	117	4,551.8	A
alpha-alkyl (secondary c12-c14)-omega- hydroxypoly(oxyethylene)	Alfalfa	165.15	127	7,453.64	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Almond	60,348.07	8,036	440,105.02	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Apple	4.55	15	33.27	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Apricot	19.83	53	171.84	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Arugula	0.2	2	4.3	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Avocado	7.93	2	52.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Basil, sweet	1.12	4	7.76	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, dried	107.67	63	2,798.1	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, succulent	13.58	28	289.3	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	7.26	11	115.6	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Beet	15.3	13	255.9	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Blackberry	250.31	140	1,551.81	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Blueberry	75.59	24	221.83	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Broccoli	766.38	960	6,163.79	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Brussels sprout	3.95	11	26.3	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cabbage	130.17	430	1,330.88	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	58.56	99	330.15	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	24.81	156	834,641.0	S
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Carrot	9.48	9	487.25	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cauliflower	388.59	434	2,725.45	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Celery	325.38	365	2,684.12	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cherry	336.59	129	2,145.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Chestnut	2.77	1	16.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Chive	0.45	1	2.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cilantro	49.79	43	228.38	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Citrus	79.05	6	73.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Collard	1.74	4	70.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	498.05	234	11,969.7	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn, grain	10.03	8	189.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	26.71	35	628.2	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cotton	121.03	81	3,965.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Cucumber	139.3	130	3,138.06	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Daikon	32.03	5	185.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Date	190.31	213	3,572.73	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Eggplant	13.59	20	243.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Fennel	3.19	24	33.62	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	23.76	22	1,370.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Garlic	122.52	30	1,688.4	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape	1,989.79	641	23,436.04	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	25,238.14	10,220	223,683.98	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Grapefruit	148.73	34	784.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Herb, spice	4.04	5	11.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Hops	0.87	1	5.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Industrial hemp	1.08	1	6.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Industrial hemp	0.11	1	3,000.0	S
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kale	112.36	62	365.3	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	23.73	20	194.16	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	1.58	8	15.27	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	149.12	N/A	N/A	N/A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Leek	20.55	54	144.11	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lemon	1,524.26	338	11,983.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, head	25.35	58	343.33	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	447.04	710	5,194.36	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Lime	0.35	2	4.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mango	25.82	6	295.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Melon	22.85	36	373.38	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mint	2.85	6	11.45	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mustard	0.53	2	9.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Mustard greens	3.4	11	34.6	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	5.15	65	56.49	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.76	4	7.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.05	N/A	31,104.0	S
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-outdr flower	3.58	7	56.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	3.58	1	10.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	<0.01	1	0.25	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Nectarine	338.89	196	1,660.54	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Oat	1.35	1	78.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	1.86	3	68.8	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Okra	0.29	2	12.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Olive	22.39	5	80.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Onion, dry	922.73	163	8,252.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Onion, green	0.82	2	13.1	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Orange	2,888.65	1,147	28,144.85	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Orchardgrass	0.73	1	42.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Parsley	0.27	2	3.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pastureland	1.86	3	107.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Peach	1,617.41	598	8,451.7	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pear	86.64	27	595.44	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	22.35	15	177.25	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Peas	2.29	3	25.6	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pecan	99.19	18	749.53	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	389.76	180	6,168.51	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pepper, spice	0.03	1	0.8	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Persimmon	9.44	5	75.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pistachio	10,164.12	660	67,555.98	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Plum	204.52	264	2,056.28	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pluot	1.29	4	7.25	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pomegranate	491.43	71	5,852.74	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Potato	91.6	59	2,873.4	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Prune	830.98	111	5,189.47	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Pumpkin	23.54	28	358.31	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Quince	5.19	2	10.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Radicchio	12.43	5	167.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Radish	0.64	5	24.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rangeland	21.96	6	893.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Raspberry	807.8	330	5,120.13	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Research commodity	11.13	29	217.93	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Research commodity	12.74	N/A	N/A	N/A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rice	135.02	50	2,451.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	59.41	104	412.25	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Rights of way	32.82	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Small fruits/berry	0.08	1	0.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	0.03	1	18.4	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	22.7	24	1,033.9	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Sorghum/milo	33.24	9	1,225.85	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Spinach	45.84	148	881.99	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Squash	99.71	94	1,877.52	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Squash, summer	2.7	5	48.6	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Squash, winter	9.24	2	80.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	1,068.08	194	4,108.74	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Sunflower	49.14	27	1,542.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Swiss chard	3.95	5	56.7	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tangelo	63.14	35	607.86	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tangerine	877.4	461	10,583.29	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Timothy	9.54	13	550.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tomato	93.6	36	1,017.85	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Tomato, processing	422.35	161	10,614.26	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Turf/sod	45.07	25	503.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Turnip	0.62	3	24.2	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	73.81	53	990.36	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	3.42	8	68.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Unknown	1.39	2	40.0	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Vegetable	0.27	1	2.5	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Walnut	10,040.56	1,725	66,027.02	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Watermelon	110.23	72	2,030.91	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat	10.37	16	607.37	A
alpha-alkyl (secondary c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	4.41	6	242.0	A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Almond	1.69	1	5.0	A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Grape, wine	2.93	3	63.9	A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	6.26	N/A	N/A	N/A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	1.65	20	426,905.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Prune	0.57	1	42.0	A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Rice	5.12	2	75.0	A
alpha-alkyl (c12-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	56.25	N/A	N/A	N/A
alpha-alkyl (mixed)-omega-hydroxypoly (oxyethylene) sulfate	Structural pest control	30.16	N/A	N/A	N/A
alpha-pinene beta-pinene copolymer	Alfalfa	1,713.28	545	29,837.44	A
alpha-pinene beta-pinene copolymer	Almond	78,484.77	2,745	171,049.36	A
alpha-pinene beta-pinene copolymer	Apple	879.8	379	4,399.05	A
alpha-pinene beta-pinene copolymer	Apricot	268.92	79	1,105.9	A
alpha-pinene beta-pinene copolymer	Artichoke, globe	50.42	37	231.5	A
alpha-pinene beta-pinene copolymer	Arugula	37.61	33	258.03	A
alpha-pinene beta-pinene copolymer	Avocado	125.03	2	186.15	A
alpha-pinene beta-pinene copolymer	Barley	59.11	12	1,589.0	A
alpha-pinene beta-pinene copolymer	Barley (forage - fodder)	8.1	3	223.0	A
alpha-pinene beta-pinene copolymer	Basil, sweet	0.09	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-pinene beta-pinene copolymer	Bean, dried	98.95	12	704.25	A
alpha-pinene beta-pinene copolymer	Bean, succulent	193.29	8	766.0	A
alpha-pinene beta-pinene copolymer	Beet	30.66	49	213.34	A
alpha-pinene beta-pinene copolymer	Blackberry	643.42	216	2,694.62	A
alpha-pinene beta-pinene copolymer	Blueberry	866.68	257	4,489.73	A
alpha-pinene beta-pinene copolymer	Bok choy	10.07	11	38.0	A
alpha-pinene beta-pinene copolymer	Broccoli	642.29	319	3,659.55	A
alpha-pinene beta-pinene copolymer	Brussels sprout	86.9	41	273.1	A
alpha-pinene beta-pinene copolymer	Cabbage	303.51	188	1,745.84	A
alpha-pinene beta-pinene copolymer	Cantaloupe	71.67	7	424.0	A
alpha-pinene beta-pinene copolymer	Carrot	402.27	33	2,013.3	A
alpha-pinene beta-pinene copolymer	Cauliflower	533.01	299	3,095.7	A
alpha-pinene beta-pinene copolymer	Celery	553.04	354	3,618.91	A
alpha-pinene beta-pinene copolymer	Cherry	1,921.81	389	6,696.63	A
alpha-pinene beta-pinene copolymer	Chive	0.84	2	2.5	A
alpha-pinene beta-pinene copolymer	Cilantro	37.83	72	443.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-pinene beta-pinene copolymer	Citrus	70.37	81	182.24	A
alpha-pinene beta-pinene copolymer	Cole crop	0.09	1	0.5	A
alpha-pinene beta-pinene copolymer	Collard	5.34	15	24.65	A
alpha-pinene beta-pinene copolymer	Corn (forage - fodder)	1,607.7	606	31,582.36	A
alpha-pinene beta-pinene copolymer	Corn, grain	289.91	52	2,965.3	A
alpha-pinene beta-pinene copolymer	Corn, human consumption	529.6	30	1,583.0	A
alpha-pinene beta-pinene copolymer	Cotton	620.29	195	10,230.83	A
alpha-pinene beta-pinene copolymer	Cucumber	8.97	8	25.96	A
alpha-pinene beta-pinene copolymer	Date	15.82	4	62.5	A
alpha-pinene beta-pinene copolymer	Dill	1.67	1	10.0	A
alpha-pinene beta-pinene copolymer	Eggplant	10.75	2	43.0	A
alpha-pinene beta-pinene copolymer	Endive (escarole)	0.81	1	0.63	A
alpha-pinene beta-pinene copolymer	Fennel	1.33	3	10.26	A
alpha-pinene beta-pinene copolymer	Fig	24.14	5	82.2	A
alpha-pinene beta-pinene copolymer	Forage hay/silage	61.44	43	1,504.5	A
alpha-pinene beta-pinene copolymer	Garbanzo bean	21.53	6	641.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-pinene beta-pinene copolymer	Garlic	268.13	13	1,584.0	A
alpha-pinene beta-pinene copolymer	Grape	10,090.71	1,628	60,497.17	A
alpha-pinene beta-pinene copolymer	Grape, wine	8,457.43	2,411	47,918.39	A
alpha-pinene beta-pinene copolymer	Grapefruit	162.85	32	322.2	A
alpha-pinene beta-pinene copolymer	Herb, spice	14.95	8	83.55	A
alpha-pinene beta-pinene copolymer	Kale	107.43	72	566.26	A
alpha-pinene beta-pinene copolymer	Landscape maintenance	136.88	N/A	N/A	N/A
alpha-pinene beta-pinene copolymer	Leek	11.37	11	37.58	A
alpha-pinene beta-pinene copolymer	Lemon	1,237.0	212	2,976.94	A
alpha-pinene beta-pinene copolymer	Lettuce, head	929.37	447	4,950.12	A
alpha-pinene beta-pinene copolymer	Lettuce, leaf	1,873.3	835	9,364.02	A
alpha-pinene beta-pinene copolymer	Lime	2.33	1	5.0	A
alpha-pinene beta-pinene copolymer	Melon	70.76	6	299.53	A
alpha-pinene beta-pinene copolymer	Mint	0.17	2	0.75	A
alpha-pinene beta-pinene copolymer	Mizuna	0.93	5	6.8	A
alpha-pinene beta-pinene copolymer	Mustard greens	8.4	10	36.18	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-pinene beta-pinene copolymer	N-grnhs flower	97.3	88	122.85	A
alpha-pinene beta-pinene copolymer	N-grnhs plants in containers	123.26	220	236.54	A
alpha-pinene beta-pinene copolymer	N-grnhs plants in containers	0.09	2	6,000.0	S
alpha-pinene beta-pinene copolymer	N-grnhs transplants	34.92	105	161.43	A
alpha-pinene beta-pinene copolymer	N-grnhs transplants	7.3	39	898,800.0	S
alpha-pinene beta-pinene copolymer	N-outdr flower	83.15	190	1,577.5	A
alpha-pinene beta-pinene copolymer	N-outdr plants in containers	192.29	111	489.7	A
alpha-pinene beta-pinene copolymer	N-outdr plants in containers	1.88	11	183,805.0	S
alpha-pinene beta-pinene copolymer	N-outdr transplants	258.78	298	3,745.57	A
alpha-pinene beta-pinene copolymer	N-outdr transplants	436.85	299	43,599,160.0	S
alpha-pinene beta-pinene copolymer	Nectarine	7,054.96	1,996	23,566.43	A
alpha-pinene beta-pinene copolymer	Oat	1.54	1	30.0	A
alpha-pinene beta-pinene copolymer	Oat (forage - fodder)	343.23	177	6,254.1	A
alpha-pinene beta-pinene copolymer	Olive	2,309.69	171	5,188.75	A
alpha-pinene beta-pinene copolymer	Onion, dry	1,861.65	178	8,326.99	A
alpha-pinene beta-pinene copolymer	Onion, green	1.18	1	7.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-pinene beta-pinene copolymer	Orange	11,478.93	1,037	23,411.92	A
alpha-pinene beta-pinene copolymer	Parsley	4.57	10	19.25	A
alpha-pinene beta-pinene copolymer	Pasture (forage - fodder)	8.67	8	183.0	A
alpha-pinene beta-pinene copolymer	Pastureland	25.45	5	430.2	A
alpha-pinene beta-pinene copolymer	Peach	8,070.91	2,121	25,566.23	A
alpha-pinene beta-pinene copolymer	Pear	2,742.3	410	9,780.88	A
alpha-pinene beta-pinene copolymer	Pear, asian (oriental pear, ya, ya li, nashi)	78.82	26	334.6	A
alpha-pinene beta-pinene copolymer	Peas	277.11	154	1,492.5	A
alpha-pinene beta-pinene copolymer	Pecan	3.55	2	20.0	A
alpha-pinene beta-pinene copolymer	Pepper, fruiting	361.24	70	1,974.74	A
alpha-pinene beta-pinene copolymer	Pepper, spice	44.91	5	148.7	A
alpha-pinene beta-pinene copolymer	Persimmon	1.57	1	2.5	A
alpha-pinene beta-pinene copolymer	Pistachio	29,931.33	1,019	60,835.23	A
alpha-pinene beta-pinene copolymer	Plum	1,672.64	417	3,881.75	A
alpha-pinene beta-pinene copolymer	Pluot	8.87	7	32.32	A
alpha-pinene beta-pinene copolymer	Pomegranate	42.18	7	150.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-pinene beta-pinene copolymer	Pomelo	6.57	2	15.0	A
alpha-pinene beta-pinene copolymer	Potato	749.04	74	4,585.9	A
alpha-pinene beta-pinene copolymer	Prune	139.04	8	254.0	A
alpha-pinene beta-pinene copolymer	Pumpkin	20.81	6	354.0	A
alpha-pinene beta-pinene copolymer	Quince	9.7	8	35.0	A
alpha-pinene beta-pinene copolymer	Radish	142.84	107	362.51	A
alpha-pinene beta-pinene copolymer	Rangeland	0.84	1	2.0	A
alpha-pinene beta-pinene copolymer	Raspberry	1,347.38	635	6,539.85	A
alpha-pinene beta-pinene copolymer	Research commodity	30.95	20	91.8	A
alpha-pinene beta-pinene copolymer	Rice	5,779.54	111	7,276.65	A
alpha-pinene beta-pinene copolymer	Rights of way	15.77	36	300.8	A
alpha-pinene beta-pinene copolymer	Rights of way	106.58	N/A	N/A	N/A
alpha-pinene beta-pinene copolymer	Ryegrass	1.26	1	30.7	A
alpha-pinene beta-pinene copolymer	Small fruits/berry	0.55	3	4.0	A
alpha-pinene beta-pinene copolymer	Soil fumigation/preplant	50.73	54	1,525.6	A
alpha-pinene beta-pinene copolymer	Sorghum (forage - fodder)	555.74	53	4,760.77	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-pinene beta-pinene copolymer	Sorghum/milo	397.41	36	2,106.02	A
alpha-pinene beta-pinene copolymer	Spinach	131.79	65	1,384.91	A
alpha-pinene beta-pinene copolymer	Squash	30.35	12	560.91	A
alpha-pinene beta-pinene copolymer	Squash, winter	3.17	1	19.0	A
alpha-pinene beta-pinene copolymer	Stone fruit	4.3	4	21.6	A
alpha-pinene beta-pinene copolymer	Strawberry	25,297.15	1,868	71,941.71	A
alpha-pinene beta-pinene copolymer	Sudangrass	22.02	12	863.0	A
alpha-pinene beta-pinene copolymer	Sugarbeet	553.34	29	2,000.0	A
alpha-pinene beta-pinene copolymer	Sunflower	31.48	1	150.0	A
alpha-pinene beta-pinene copolymer	Sweet potato	62.49	23	1,252.8	A
alpha-pinene beta-pinene copolymer	Swiss chard	34.53	24	121.36	A
alpha-pinene beta-pinene copolymer	Tangelo	638.3	51	1,193.74	A
alpha-pinene beta-pinene copolymer	Tangerine	8,037.56	714	15,362.01	A
alpha-pinene beta-pinene copolymer	Tomato	44.6	23	345.69	A
alpha-pinene beta-pinene copolymer	Tomato, processing	1,769.37	167	10,382.93	A
alpha-pinene beta-pinene copolymer	Triticale	195.35	79	4,630.74	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-pinene beta-pinene copolymer	Turf/sod	1.41	3	40.0	A
alpha-pinene beta-pinene copolymer	Uncultivated ag	91.52	27	1,322.7	A
alpha-pinene beta-pinene copolymer	Uncultivated ag	4.44	1	130.0	U
alpha-pinene beta-pinene copolymer	Uncultivated non-ag	1.5	4	25.0	A
alpha-pinene beta-pinene copolymer	Unknown	1.83	2	48.0	A
alpha-pinene beta-pinene copolymer	Vegetable	1.86	2	4.75	A
alpha-pinene beta-pinene copolymer	Vegetables, fruiting	2.16	13	12.29	A
alpha-pinene beta-pinene copolymer	Vegetables, leafy	10.05	5	117.55	A
alpha-pinene beta-pinene copolymer	Walnut	17,503.84	1,472	48,707.53	A
alpha-pinene beta-pinene copolymer	Water area	0.34	1	22.0	A
alpha-pinene beta-pinene copolymer	Watermelon	58.42	12	457.19	A
alpha-pinene beta-pinene copolymer	Wheat	110.67	43	2,330.16	A
alpha-pinene beta-pinene copolymer	Wheat (forage - fodder)	736.56	340	18,851.25	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Alfalfa	2,186.72	676	39,921.54	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Almond	16,933.3	1,122	67,180.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Apple	100.69	16	433.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Apricot	6.93	1	37.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Asparagus	209.75	22	1,297.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Barley	13.23	7	489.8	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Barley (forage - fodder)	30.23	12	784.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Basil, sweet	78.93	2	111.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Bean, dried	117.08	37	1,489.55	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Bean, succulent	0.58	1	1.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Beet	97.43	5	90.96	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Bermudagrass	3.63	4	94.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Blackberry	21.04	8	31.76	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Blueberry	0.17	1	0.45	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Bok choy	0.28	1	1.8	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Broccoli	76.52	35	833.53	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Brussels sprout	1.11	1	4.8	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cabbage	47.09	21	127.55	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cantaloupe	18.66	7	216.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cauliflower	14.67	9	100.65	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Celery	12.21	10	85.66	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Chinese cabbage (napa, won bok, celery cabbage)	0.52	1	3.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cilantro	29.46	4	152.52	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Corn (forage - fodder)	1,139.83	228	12,796.58	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Corn, grain	33.51	3	251.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Corn, human consumption	4.29	38	558.6	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cotton	2,977.41	665	40,889.24	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Cucumber	13.52	9	38.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Dill	0.3	1	0.89	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Ditch bank	17.14	26	58.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Fennel	0.8	1	20.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Fig	154.88	32	2,087.6	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Forage hay/silage	167.19	48	2,392.1	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Forest, timberland	378.32	225	3,592.04	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Gai lon	3.45	11	35.09	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Garlic	338.03	23	6,211.6	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grape	338.74	102	2,561.54	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grape, wine	537.58	47	2,675.86	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grapefruit	142.42	7	332.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Grass, seed	88.18	28	1,048.01	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Kale	0.15	1	4.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Landscape maintenance	259.96	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Lemon	528.55	27	1,370.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Lettuce, head	83.63	51	926.7	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Lettuce, leaf	105.3	52	1,781.45	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Lovegrass, teff (forage - fodder)	2.68	1	34.7	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Mango	15.43	1	30.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Melon	6.16	1	71.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Mint	6.56	3	135.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Mustard	9.53	2	33.2	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-grnhs flower	3.08	2	7.4	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-grnhs transplants	3.4	23	9.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-outdr flower	37.45	9	68.7	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-outdr plants in containers	28.5	27	121.33	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	N-outdr transplants	623.05	149	1,384.03	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Oat	20.31	4	152.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Oat (forage - fodder)	133.25	40	1,840.8	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Olive	83.78	7	255.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Onion, dry	465.56	69	5,425.9	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Orange	27.9	5	74.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Orchardgrass	35.91	16	805.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Pastureland	17.74	4	230.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Peach	7.7	1	20.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Pepper, fruiting	19.12	18	291.1	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Persimmon	0.69	2	23.2	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Pistachio	3,938.71	275	19,538.32	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Plum	51.41	4	142.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Pomegranate	149.97	8	535.73	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Prune	88.19	70	2,066.63	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Pumpkin	9.83	2	27.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Radicchio	2.31	2	119.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Rangeland	4.62	1	120.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Raspberry	106.6	35	443.27	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Regulatory pest control	10.98	N/A	N/A	N/A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Research commodity	0.17	1	1.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Research commodity	0.04	N/A	N/A	N/A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Rice	143.71	19	1,207.9	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Rights of way	23.6	11	1,110.75	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Rights of way	140.51	N/A	N/A	N/A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Ryegrass	46.57	7	456.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Soil fumigation/preplant	59.29	2	462.4	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	51.63	12	524.47	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sorghum/milo	1.54	1	35.1	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Soybean	3.08	1	17.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Squash	21.16	8	117.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Squash, summer	1.48	2	24.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Strawberry	3,952.5	473	10,739.05	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sudangrass	13.49	5	320.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sugarbeet	247.14	67	4,652.01	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Sunflower	84.64	14	961.5	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tangelo	11.58	1	40.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tangerine	7.93	3	12.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Timothy	36.19	29	1,447.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tomato	709.29	234	9,508.92	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Tomato, processing	1,196.06	123	14,249.75	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Triticale	418.64	33	1,857.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Uncultivated ag	176.97	18	1,047.4	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Uncultivated non-ag	32.0	7	129.18	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Vertebrate control	21.87	N/A	N/A	N/A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Walnut	3,650.55	512	21,235.83	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Watermelon	6.71	7	84.0	A
alpha-alkyl (c12-c14)- omega- hydroxypoly(oxyethylene)	Wheat	557.53	156	9,221.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	814.2	263	15,330.07	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Alfalfa	4,486.46	240	16,333.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Almond	79.08	21	383.64	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Bermudagrass	753.06	57	3,323.1	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Broccoli	26.26	3	147.61	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Carrot	529.62	50	2,661.2	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Cherry	10.57	4	110.78	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	298.95	12	1,092.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	1,470.03	151	8,553.6	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	54.69	6	321.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	23.81	5	188.23	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Onion, dry	502.69	38	2,381.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Pastureland	99.84	5	425.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Sudangrass	159.41	14	580.43	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Sugarbeet	675.63	58	4,201.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Sugarcane	21.5	2	95.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Sunflower	12.29	1	70.0	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Tomato, processing	139.67	58	1,393.44	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	370.78	40	1,842.8	A
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Walnut	33.79	2	170.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (secondary c11-c15)-omega-hydroxypoly(oxyethylene)	Wheat	255.58	17	915.0	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Alfalfa	3.65	5	386.0	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Almond	1,115.76	580	32,481.58	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Cantaloupe	3.5	2	148.84	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Cherry	12.56	8	180.98	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Citrus	0.01	2	0.23	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Grape	62.92	56	1,831.0	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Grape, wine	50.68	103	4,077.13	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Grapefruit	3.12	8	41.06	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Lemon	27.89	25	252.55	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Lettuce, leaf	0.29	3	6.0	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-grnhs flower	5.37	82	125.6	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-grnhs flower	2.61	64	920,150.0	S
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-outdr flower	7.04	122	179.45	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-outdr flower	0.16	6	77,000.0	S
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	N-outdr plants in containers	0.64	4	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Olive	21.86	16	238.0	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Orange	367.85	245	4,205.63	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Peach	1.02	5	42.0	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Pistachio	1,185.25	341	28,337.72	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Plum	0.71	4	30.7	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Pomelo	1.16	1	10.0	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Prune	72.3	39	2,150.65	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Pumpkin	0.23	2	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Rights of way	0.09	1	2.0	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Squash, summer	0.47	5	8.0	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Stone fruit	0.81	2	8.0	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Strawberry	30.72	25	440.5	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Tangelo	15.19	11	130.5	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Tangerine	193.86	47	1,875.45	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Tomato	0.31	3	5.25	A
alpha-alkyl (c12-c15)- omega- hydroxypoly(oxyethylene) sulfate, sodium salt	Walnut	977.8	334	18,990.46	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkylphenyl-omega-hydroxypoly(oxyethylene)	Forage hay/silage	0.82	2	175.5	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Alfalfa	88.34	323	19,738.16	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Almond	870.83	719	36,759.57	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Barley	12.73	5	328.8	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Barley (forage - fodder)	1.05	7	991.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Bean, dried	10.6	8	202.75	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Blueberry	1.26	28	662.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Broccoli	0.02	4	29.85	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Cannabis (all or unspecified)	0.06	12	41.5	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Celery	0.07	8	75.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Cherry	3.68	62	2,375.97	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Cilantro	0.02	1	21.75	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Corn (forage - fodder)	190.59	280	15,217.19	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Corn, human consumption	0.38	9	557.6	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Cotton	36.7	86	5,898.42	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Fig	96.8	22	1,486.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c9-c11) oligomeric d-glucopyranoside	Forage hay/silage	7.7	3	90.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Garbanzo bean	1.7	5	802.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Grape	23.18	139	5,579.98	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Grape, wine	150.34	549	36,575.8	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Landscape maintenance	105.54	N/A	N/A	N/A
alkyl (c9-c11) oligomeric d-glucopyranoside	Lemon	0.23	4	66.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Lettuce, head	0.21	5	125.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Lettuce, leaf	1.73	29	975.43	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Nectarine	0.1	11	52.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Oat (forage - fodder)	7.59	13	594.95	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Orange	5.48	30	505.77	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Peach	3.17	35	678.2	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Persimmon	2.26	7	48.2	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Pistachio	349.84	242	14,827.88	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Plum	0.08	13	47.6	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Potato	1.99	5	258.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alkyl (c9-c11) oligomeric d-glucopyranoside	Prune	66.15	49	1,619.58	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Pumpkin	0.02	1	18.6	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Quince	0.06	6	36.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Raspberry	7.31	15	75.8	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	15.16	14	478.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	2,895.78	N/A	N/A	N/A
alkyl (c9-c11) oligomeric d-glucopyranoside	Sorghum (forage - fodder)	3.06	19	1,134.67	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Sorghum/milo	0.52	3	361.55	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Strawberry	0.25	2	50.4	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Tangelo	0.02	1	4.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Tangerine	0.7	13	283.5	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Tomato	4.23	52	2,188.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Tomato, processing	5.54	46	6,504.49	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Triticale	21.77	42	3,181.6	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Uncultivated ag	0.43	3	152.0	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Uncultivated non-ag	4.71	2	80.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c9-c11) oligomeric d-glucopyranoside	Walnut	217.37	177	4,700.18	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Wheat	29.28	20	1,177.71	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Wheat (forage - fodder)	344.69	267	15,060.45	A
alkyl (c8,c10) polyglucoside	Alfalfa	13,556.41	1,450	75,988.59	A
alkyl (c8,c10) polyglucoside	Almond	22,122.54	3,269	175,632.17	A
alkyl (c8,c10) polyglucoside	Apple	3.15	2	5.33	A
alkyl (c8,c10) polyglucoside	Apricot	22.94	16	108.59	A
alkyl (c8,c10) polyglucoside	Artichoke, globe	4.67	12	426.0	A
alkyl (c8,c10) polyglucoside	Avocado	0.93	2	203.5	A
alkyl (c8,c10) polyglucoside	Barley	7.83	1	70.0	A
alkyl (c8,c10) polyglucoside	Bean, dried	67.14	10	559.0	A
alkyl (c8,c10) polyglucoside	Bean, succulent	4.91	7	507.0	A
alkyl (c8,c10) polyglucoside	Bean, unspecified	11.81	3	141.0	A
alkyl (c8,c10) polyglucoside	Beet	24.43	13	209.71	A
alkyl (c8,c10) polyglucoside	Bermudagrass	44.63	6	145.5	A
alkyl (c8,c10) polyglucoside	Blueberry	11.65	33	1,112.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c8,c10) polyglucoside	Bok choy	0.15	4	23.0	A
alkyl (c8,c10) polyglucoside	Broccoli	88.22	26	728.17	A
alkyl (c8,c10) polyglucoside	Brussels sprout	1.29	3	99.4	A
alkyl (c8,c10) polyglucoside	Cabbage	15.61	57	654.91	A
alkyl (c8,c10) polyglucoside	Cantaloupe	99.64	5	217.0	A
alkyl (c8,c10) polyglucoside	Carrot	187.23	57	2,173.36	A
alkyl (c8,c10) polyglucoside	Cauliflower	37.64	4	129.0	A
alkyl (c8,c10) polyglucoside	Celery	36.41	105	2,367.13	A
alkyl (c8,c10) polyglucoside	Cherry	110.74	54	606.85	A
alkyl (c8,c10) polyglucoside	Cilantro	1.15	7	86.96	A
alkyl (c8,c10) polyglucoside	Citrus	46.36	10	1,464.67	A
alkyl (c8,c10) polyglucoside	Clover	33.95	1	26.0	A
alkyl (c8,c10) polyglucoside	Collard	0.55	11	28.3	A
alkyl (c8,c10) polyglucoside	Corn (forage - fodder)	2,751.77	563	23,189.03	A
alkyl (c8,c10) polyglucoside	Corn, grain	138.98	79	2,215.6	A
alkyl (c8,c10) polyglucoside	Corn, human consumption	66.34	303	20,396.98	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c8,c10) polyglucoside	Cotton	1,202.83	380	26,652.48	A
alkyl (c8,c10) polyglucoside	Cucumber	3.26	23	257.93	A
alkyl (c8,c10) polyglucoside	Date	0.91	31	180.0	A
alkyl (c8,c10) polyglucoside	Dill	0.08	1	3.0	A
alkyl (c8,c10) polyglucoside	Ditch bank	695.01	N/A	71.0	A
alkyl (c8,c10) polyglucoside	Fig	4.27	2	12.0	A
alkyl (c8,c10) polyglucoside	Forage hay/silage	97.91	11	515.0	A
alkyl (c8,c10) polyglucoside	Forest, timberland	24.34	11	321.8	A
alkyl (c8,c10) polyglucoside	Garbanzo bean	63.84	6	746.0	A
alkyl (c8,c10) polyglucoside	Garlic	1.8	1	80.0	A
alkyl (c8,c10) polyglucoside	Grape	3,774.99	907	20,589.09	A
alkyl (c8,c10) polyglucoside	Grape, wine	6,924.14	2,841	46,073.27	A
alkyl (c8,c10) polyglucoside	Grapefruit	36.14	18	132.0	A
alkyl (c8,c10) polyglucoside	Grass, seed	34.94	41	160.25	A
alkyl (c8,c10) polyglucoside	Industrial site	0.24	3	25.0	A
alkyl (c8,c10) polyglucoside	Kale	0.38	8	35.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c8,c10) polyglucoside	Kiwi fruit fuzzy	13.54	4	80.45	A
alkyl (c8,c10) polyglucoside	Landscape maintenance	16.7	11	87.0	A
alkyl (c8,c10) polyglucoside	Landscape maintenance	0.12	1	236,500.0	S
alkyl (c8,c10) polyglucoside	Landscape maintenance	4,803.79	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Lemon	243.65	90	1,241.1	A
alkyl (c8,c10) polyglucoside	Lettuce, head	65.28	13	257.2	A
alkyl (c8,c10) polyglucoside	Lettuce, leaf	390.09	89	1,479.43	A
alkyl (c8,c10) polyglucoside	Melon	73.21	60	1,764.0	A
alkyl (c8,c10) polyglucoside	Mint	188.27	28	1,787.0	A
alkyl (c8,c10) polyglucoside	N-grnhs flower	18.63	N/A	88.0	A
alkyl (c8,c10) polyglucoside	N-grnhs flower	0.55	N/A	650.0	S
alkyl (c8,c10) polyglucoside	N-grnhs plants in containers	1.58	110	129.95	A
alkyl (c8,c10) polyglucoside	N-grnhs plants in containers	52.59	52	2,492,000.0	S
alkyl (c8,c10) polyglucoside	N-grnhs transplants	0.05	11	4.63	A
alkyl (c8,c10) polyglucoside	N-outdr plants in containers	88.9	1,771	3,252.85	A
alkyl (c8,c10) polyglucoside	N-outdr plants in containers	<0.01	1	2,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c8,c10) polyglucoside	N-outdr plants in containers	<0.01	1	0.17	U
alkyl (c8,c10) polyglucoside	N-outdr transplants	135.19	151	519.62	A
alkyl (c8,c10) polyglucoside	N-outdr transplants	<0.01	1	12,800.0	U
alkyl (c8,c10) polyglucoside	Nectarine	240.27	176	988.69	A
alkyl (c8,c10) polyglucoside	Nuts	2.15	1	8.0	A
alkyl (c8,c10) polyglucoside	Oat (forage - fodder)	110.14	30	1,467.0	A
alkyl (c8,c10) polyglucoside	Olive	222.77	37	1,647.2	A
alkyl (c8,c10) polyglucoside	Onion, dry	3.89	1	71.0	A
alkyl (c8,c10) polyglucoside	Onion, green	2.79	40	287.03	A
alkyl (c8,c10) polyglucoside	Orange	622.95	220	4,061.25	A
alkyl (c8,c10) polyglucoside	Parsley	2.37	11	71.9	A
alkyl (c8,c10) polyglucoside	Pastureland	127.28	24	1,108.0	A
alkyl (c8,c10) polyglucoside	Peach	776.2	373	3,280.09	A
alkyl (c8,c10) polyglucoside	Pear	532.01	106	1,822.26	A
alkyl (c8,c10) polyglucoside	Pecan	19.33	8	872.83	A
alkyl (c8,c10) polyglucoside	Pepper, fruiting	174.19	31	956.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c8,c10) polyglucoside	Persimmon	19.01	7	34.64	A
alkyl (c8,c10) polyglucoside	Pistachio	5,573.73	564	28,407.36	A
alkyl (c8,c10) polyglucoside	Plum	245.76	141	1,212.06	A
alkyl (c8,c10) polyglucoside	Pomegranate	0.63	4	33.0	A
alkyl (c8,c10) polyglucoside	Potato	190.84	32	1,616.2	A
alkyl (c8,c10) polyglucoside	Prune	1,044.49	191	6,893.65	A
alkyl (c8,c10) polyglucoside	Rangeland	29.58	65	267.5	A
alkyl (c8,c10) polyglucoside	Raspberry	1.47	18	88.03	A
alkyl (c8,c10) polyglucoside	Regulatory pest control	29.72	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Research commodity	3.48	21	71.93	A
alkyl (c8,c10) polyglucoside	Rice	6,689.86	613	51,769.53	A
alkyl (c8,c10) polyglucoside	Rights of way	240.66	116	1,339.6	A
alkyl (c8,c10) polyglucoside	Rights of way	16,967.24	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Ryegrass	17.23	7	328.4	A
alkyl (c8,c10) polyglucoside	Safflower	9.36	9	635.0	A
alkyl (c8,c10) polyglucoside	Soil fumigation/preplant	41.28	5	226.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c8,c10) polyglucoside	Sorghum (forage - fodder)	2.2	11	667.44	A
alkyl (c8,c10) polyglucoside	Spinach	0.07	1	11.0	A
alkyl (c8,c10) polyglucoside	Strawberry	1,320.89	1,463	62,739.44	A
alkyl (c8,c10) polyglucoside	Structural pest control	69.66	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Sudangrass	3.1	3	89.0	A
alkyl (c8,c10) polyglucoside	Sugarbeet	1,486.82	68	5,478.6	A
alkyl (c8,c10) polyglucoside	Sunflower	425.76	45	2,762.33	A
alkyl (c8,c10) polyglucoside	Swiss chard	0.13	6	9.0	A
alkyl (c8,c10) polyglucoside	Tangelo	37.01	14	177.84	A
alkyl (c8,c10) polyglucoside	Tangerine	338.14	102	1,681.58	A
alkyl (c8,c10) polyglucoside	Timothy	20.37	6	165.0	A
alkyl (c8,c10) polyglucoside	Tomato	4.25	1	36.0	A
alkyl (c8,c10) polyglucoside	Tomato, processing	560.77	137	8,212.62	A
alkyl (c8,c10) polyglucoside	Triticale	98.08	30	1,746.3	A
alkyl (c8,c10) polyglucoside	Turf/sod	134.74	9	226.0	A
alkyl (c8,c10) polyglucoside	Uncultivated ag	4,832.04	807	28,086.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alkyl (c8,c10) polyglucoside	Uncultivated non-ag	66.54	25	794.7	A
alkyl (c8,c10) polyglucoside	Walnut	13,252.59	3,137	59,163.02	A
alkyl (c8,c10) polyglucoside	Water area	65.35	20	84.21	A
alkyl (c8,c10) polyglucoside	Water area	7.8	N/A	20.0	U
alkyl (c8,c10) polyglucoside	Watermelon	27.1	35	1,361.4	A
alkyl (c8,c10) polyglucoside	Wheat	1,212.25	123	7,433.8	A
alkyl (c8,c10) polyglucoside	Wheat (forage - fodder)	219.77	22	1,193.41	A
alkyl(42%c12, 26%c18, 15%c14, 8%c16, 5%c10, 4%c8)1,3-propylenediamine	Rights of way	96,472.91	N/A	N/A	N/A
alkyl(42%c12, 26%c18, 15%c14, 8%c16, 5%c10, 4%c8)1,3-propylenediamine	Water (industrial)	76,582.21	N/A	13.0	A
alkyl(42%c12, 26%c18, 15%c14, 8%c16, 5%c10, 4%c8)1,3-propylenediamine	Water (industrial)	6,804.34	N/A	15.0	U
allethrin	Almond	0.56	2	102.0	A
allethrin	Cabbage	<0.01	1	9.97	A
allethrin	Grape, wine	0.27	4	93.94	A
allethrin	Rapini	<0.01	1	21.0	A
allethrin	Research commodity	<0.01	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
allethrin	Structural pest control	<0.01	N/A	N/A	N/A
allethrin	Uncultivated non-ag	0.1	N/A	13.0	A
allethrin, other related	Cabbage	<0.01	1	9.97	A
allethrin, other related	Rapini	<0.01	1	21.0	A
allethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
d-allethrin	Landscape maintenance	0.08	N/A	N/A	N/A
d-allethrin	Regulatory pest control	<0.01	N/A	N/A	N/A
d-allethrin	Structural pest control	0.46	N/A	N/A	N/A
d-allethrin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
d-allethrin, other related	Regulatory pest control	<0.01	N/A	N/A	N/A
d-allethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
d-trans allethrin	Landscape maintenance	2.58	N/A	N/A	N/A
d-trans allethrin	Public health	0.05	N/A	N/A	N/A
d-trans allethrin	Regulatory pest control	0.08	N/A	N/A	N/A
d-trans allethrin	Rights of way	0.93	N/A	N/A	N/A
d-trans allethrin	Structural pest control	13.3	N/A	N/A	N/A
allyloxypolyethylene glycol acetate	Alfalfa	25.01	8	1,121.0	A
allyloxypolyethylene glycol acetate	Almond	524.42	164	9,003.61	A
allyloxypolyethylene glycol acetate	Apple	0.04	1	7.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
allyloxypolyethylene glycol acetate	Avocado	1.02	1	31.0	A
allyloxypolyethylene glycol acetate	Cabbage	15.3	42	343.0	A
allyloxypolyethylene glycol acetate	Cherry	0.4	2	19.5	A
allyloxypolyethylene glycol acetate	Chinese cabbage (napa, won bok, celery cabbage)	0.24	2	18.0	A
allyloxypolyethylene glycol acetate	Corn (forage - fodder)	8.41	7	359.0	A
allyloxypolyethylene glycol acetate	Cotton	1.62	15	396.44	A
allyloxypolyethylene glycol acetate	Forest, timberland	16.62	20	323.0	A
allyloxypolyethylene glycol acetate	Grape	33.29	22	635.7	A
allyloxypolyethylene glycol acetate	Grape, wine	204.62	270	5,939.89	A
allyloxypolyethylene glycol acetate	Grapefruit	2.95	1	10.0	A
allyloxypolyethylene glycol acetate	Landscape maintenance	1.15	N/A	N/A	N/A
allyloxypolyethylene glycol acetate	Lemon	26.73	9	154.17	A
allyloxypolyethylene glycol acetate	Lettuce, leaf	4.88	29	367.3	A
allyloxypolyethylene glycol acetate	N-grnhs flower	0.03	N/A	33.0	U
allyloxypolyethylene glycol acetate	Nectarine	147.97	28	376.18	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
allyloxypolyethylene glycol acetate	Orange	177.78	58	983.96	A
allyloxypolyethylene glycol acetate	Peach	8.69	10	162.45	A
allyloxypolyethylene glycol acetate	Pepper, fruiting	2.41	12	468.6	A
allyloxypolyethylene glycol acetate	Pistachio	615.65	53	6,251.36	A
allyloxypolyethylene glycol acetate	Plum	0.43	1	10.0	A
allyloxypolyethylene glycol acetate	Potato	18.16	12	1,281.1	A
allyloxypolyethylene glycol acetate	Prune	0.89	1	20.0	A
allyloxypolyethylene glycol acetate	Rice	60.46	84	6,479.5	A
allyloxypolyethylene glycol acetate	Rights of way	3.43	N/A	N/A	N/A
allyloxypolyethylene glycol acetate	Strawberry	65.09	58	1,601.9	A
allyloxypolyethylene glycol acetate	Tangelo	41.54	10	166.09	A
allyloxypolyethylene glycol acetate	Tangerine	385.69	59	1,990.85	A
allyloxypolyethylene glycol acetate	Tomato	6.67	29	1,092.4	A
allyloxypolyethylene glycol acetate	Tomato, processing	1.87	7	421.0	A
allyloxypolyethylene glycol acetate	Walnut	2,897.88	55	2,179.09	A
allyloxypolyethylene glycol acetate	Watermelon	0.61	1	104.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
almond, bitter	N-outdr flower	<0.01	1	10.24	A
aluminum phosphide	Alfalfa	1,002.22	56	4,096.8	A
aluminum phosphide	Almond	1,254.85	359	18,909.43	A
aluminum phosphide	Almond	1,828.18	3	9,166,471.0	C
aluminum phosphide	Almond	8,827.52	N/A	64,999.91	K
aluminum phosphide	Almond	104.64	N/A	900,000.0	P
aluminum phosphide	Almond	6,468.31	N/A	570,769.66	T
aluminum phosphide	Almond	48.99	24	16,129.0	U
aluminum phosphide	Animal burrows	16.24	9	45.0	A
aluminum phosphide	Animal burrows	0.07	N/A	6.0	U
aluminum phosphide	Apple	100.13	28	263.9	A
aluminum phosphide	Apricot	39.91	5	112.4	A
aluminum phosphide	Artichoke, globe	6.21	57	653.3	A
aluminum phosphide	Avocado	30.93	31	195.5	A
aluminum phosphide	Barley	21.41	1	27.0	A
aluminum phosphide	Barley	30.66	N/A	2,111.0	T
aluminum phosphide	Bean, dried	63.36	N/A	146,900.0	C
aluminum phosphide	Bean, dried	1.21	N/A	1,660.0	U
aluminum phosphide	Beehive	1.19	1	1.0	A
aluminum phosphide	Beehive	60.9	9	347,540.0	C
aluminum phosphide	Beehive	32.34	N/A	36,048.0	U
aluminum phosphide	Carrot	30.0	1	72.0	A
aluminum phosphide	Cherimoya	1.21	1	1.0	A
aluminum phosphide	Cherry	26.59	39	1,387.0	A
aluminum phosphide	Citrus	0.72	3	3.0	A
aluminum phosphide	Commercial storages or warehouses (all or unspec)	30.37	N/A	235,000.0	C
aluminum phosphide	Commodity fumigation	4.63	1	1,050.0	?

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aluminum phosphide	Commodity fumigation	22.2	1	5.0	A
aluminum phosphide	Commodity fumigation	1,609.6	72	5,025,508.0	C
aluminum phosphide	Commodity fumigation	242.99	10	1,563,497.0	U
aluminum phosphide	Commodity fumigation	50,852.49	N/A	N/A	N/A
aluminum phosphide	Corn (forage - fodder)	56.02	4	160.0	A
aluminum phosphide	Corn, grain	4.34	N/A	300.0	T
aluminum phosphide	Corn, human consumption	604.08	N/A	1,530,800.0	C
aluminum phosphide	Cotton	40.59	N/A	336,018.0	C
aluminum phosphide	Date	32.45	N/A	17,515.82	T
aluminum phosphide	Dried fruit	916.33	N/A	6,675,355.0	C
aluminum phosphide	Dried fruit	9,327.32	N/A	161,450.21	K
aluminum phosphide	Dried fruit	54.45	N/A	3,064.0	T
aluminum phosphide	Dried fruit	660.66	N/A	5,240,287.0	U
aluminum phosphide	Eggplant	0.84	2	33.0	A
aluminum phosphide	Fig	1.21	N/A	5,904.0	C
aluminum phosphide	Forage hay/silage	47.61	5	195.0	A
aluminum phosphide	Forest, timberland	1.2	14	252.0	A
aluminum phosphide	Fumigation, other	28,814.0	N/A	N/A	N/A
aluminum phosphide	Golf course turf	289.85	N/A	5,286.0	A
aluminum phosphide	Grain	0.24	1	30.0	U
aluminum phosphide	Grape	37.23	48	1,143.3	A
aluminum phosphide	Grape	599.43	N/A	12,555,024.0	C
aluminum phosphide	Grape	650.97	N/A	4,777.38	K
aluminum phosphide	Grape	14.96	N/A	135,264.0	T
aluminum phosphide	Grape, wine	603.53	184	3,783.46	A
aluminum phosphide	Grape, wine	<0.01	1	10.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aluminum phosphide	Grape, wine	5.56	5	350.0	U
aluminum phosphide	Grapefruit	5.4	6	36.0	A
aluminum phosphide	Industrial hemp	0.89	1	4.0	A
aluminum phosphide	Industrial site	7.2	N/A	48,000.0	C
aluminum phosphide	Industrial site	2,063.6	N/A	47,204.04	K
aluminum phosphide	Kiwi fruit fuzzy	0.86	2	14.0	A
aluminum phosphide	Landscape maintenance	131.03	78	1,680.75	A
aluminum phosphide	Landscape maintenance	6,174.32	N/A	N/A	N/A
aluminum phosphide	Lemon	13.89	16	218.5	A
aluminum phosphide	N-grnhs flower	0.68	N/A	50.0	A
aluminum phosphide	N-grnhs flower	2.26	N/A	49,400.0	S
aluminum phosphide	N-grnhs plants in containers	0.42	N/A	2.5	A
aluminum phosphide	N-grnhs plants in containers	0.22	N/A	4,800.0	S
aluminum phosphide	N-grnhs transplants	1.98	N/A	430.0	A
aluminum phosphide	N-outdr plants in containers	2.05	4	90.0	A
aluminum phosphide	N-outdr transplants	29.94	16	464.0	A
aluminum phosphide	Nectarine	24.6	4	41.0	A
aluminum phosphide	Nuts	55.0	N/A	390,672.0	K
aluminum phosphide	Olive	37.11	7	103.0	A
aluminum phosphide	Orange	42.76	24	201.4	A
aluminum phosphide	Pastureland	152.57	21	486.0	A
aluminum phosphide	Pastureland	1.8	1	50.0	U
aluminum phosphide	Peach	73.67	12	259.8	A
aluminum phosphide	Pepper, fruiting	24.6	2	89.0	A
aluminum phosphide	Persimmon	0.75	8	16.0	A
aluminum phosphide	Pistachio	47.68	14	694.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aluminum phosphide	Pistachio	4,157.84	N/A	23,639,723.0	C
aluminum phosphide	Pistachio	8,474.13	N/A	81,070.1	K
aluminum phosphide	Pistachio	3.3	N/A	192,000.0	P
aluminum phosphide	Pistachio	2,188.85	N/A	106,064.0	T
aluminum phosphide	Plum	9.0	1	10.0	A
aluminum phosphide	Pomegranate	0.32	1	20.0	U
aluminum phosphide	Prune	6.44	4	116.0	A
aluminum phosphide	Prune	217.25	N/A	696,800.0	C
aluminum phosphide	Prune	5.45	N/A	625.0	T
aluminum phosphide	Prune	49.01	N/A	368,640.0	U
aluminum phosphide	Rangeland	21.02	10	881.0	A
aluminum phosphide	Raspberry	0.6	1	16.0	A
aluminum phosphide	Regulatory pest control	13.44	N/A	N/A	N/A
aluminum phosphide	Research commodity	17.87	29	234.5	A
aluminum phosphide	Rice	1,651.57	N/A	3,660,653.0	C
aluminum phosphide	Rice	276.26	N/A	12,113.55	T
aluminum phosphide	Rice	560.75	N/A	1,004.2	U
aluminum phosphide	Rice, wild	0.07	N/A	2,500.0	C
aluminum phosphide	Rights of way	11.77	24	632.0	A
aluminum phosphide	Rights of way	1,535.22	N/A	N/A	N/A
aluminum phosphide	Squash	1.2	1	4.0	A
aluminum phosphide	Squash, summer	0.12	1	10.0	A
aluminum phosphide	Squash, zucchini	0.99	2	30.0	A
aluminum phosphide	Storage area/box	9.73	N/A	61,000.0	C
aluminum phosphide	Structural pest control	0.23	1	5.0	A
aluminum phosphide	Structural pest control	578.63	N/A	N/A	N/A
aluminum phosphide	Tangerine	0.14	3	11.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aluminum phosphide	Tomato, processing	53.37	20	769.0	A
aluminum phosphide	Triticale	0.08	1	10.0	U
aluminum phosphide	Tropical/subtropical fruit	1.1	1	12.0	A
aluminum phosphide	Turf/sod	0.11	1	14.0	A
aluminum phosphide	Uncultivated ag	1,379.79	139	2,401.0	A
aluminum phosphide	Uncultivated ag	0.31	2	21,980.0	S
aluminum phosphide	Uncultivated ag	7.5	N/A	4.0	U
aluminum phosphide	Uncultivated non-ag	4.09	2	102.75	A
aluminum phosphide	Uncultivated non-ag	0.58	11	5,950.0	C
aluminum phosphide	Vegetable	0.28	N/A	4,672.0	C
aluminum phosphide	Vegetable	0.1	N/A	1,683.0	P
aluminum phosphide	Vertebrate control	51.72	37	373.6	A
aluminum phosphide	Vertebrate control	0.05	3	18.0	S
aluminum phosphide	Vertebrate control	3,500.51	N/A	N/A	N/A
aluminum phosphide	Walnut	258.39	186	5,874.4	A
aluminum phosphide	Walnut	26.88	N/A	2,285.0	T
aluminum phosphide	Walnut	18.6	4	1,035.0	U
aluminum phosphide	Wheat	0.95	1	384,000.0	?
aluminum phosphide	Wheat	2.04	5	77.0	A
aluminum phosphide	Wheat	165.0	N/A	1,292,000.0	P
aluminum phosphide	Wheat	253.22	N/A	3,128.0	T
aluminum phosphide	Wheat (forage - fodder)	9.0	1	160.0	A
ametoctradin	Arugula	165.26	91	606.84	A
ametoctradin	Bok choy	17.55	49	64.44	A
ametoctradin	Broccoli	82.28	9	320.0	A
ametoctradin	Cabbage	118.47	118	449.16	A
ametoctradin	Cauliflower	22.41	3	88.0	A
ametoctradin	Celery	5.87	2	21.53	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ametoctradin	Chinese broccoli (gai lon)	14.24	21	58.7	A
ametoctradin	Chinese cabbage (napa, won bok, celery cabbage)	14.28	25	52.36	A
ametoctradin	Cole crop	0.18	1	1.0	A
ametoctradin	Collard	39.9	75	146.4	A
ametoctradin	Cucumber	234.87	45	874.83	A
ametoctradin	Dandelion green	0.42	2	1.53	A
ametoctradin	Endive (escarole)	9.46	26	36.22	A
ametoctradin	Kale	229.22	211	850.21	A
ametoctradin	Kohlrabi	4.47	18	16.39	A
ametoctradin	Lettuce, head	5,360.67	1,666	20,144.87	A
ametoctradin	Lettuce, leaf	5,770.02	2,013	21,880.64	A
ametoctradin	Melon	52.2	20	191.4	A
ametoctradin	Mizuna	13.24	11	48.55	A
ametoctradin	Mustard	16.89	29	68.18	A
ametoctradin	Mustard greens	38.59	64	141.59	A
ametoctradin	N-grnhs flower	25.46	21	34.3	A
ametoctradin	N-grnhs plants in containers	34.98	39	67.24	A
ametoctradin	N-outdr flower	30.62	70	646.5	A
ametoctradin	N-outdr plants in containers	133.12	151	291.17	A
ametoctradin	N-outdr plants in containers	0.35	2	110,000.0	S
ametoctradin	Onion, dry	1,542.8	86	5,774.1	A
ametoctradin	Onion, green	5.95	6	22.15	A
ametoctradin	Pepper, fruiting	126.31	16	463.2	A
ametoctradin	Pumpkin	9.27	1	34.0	A
ametoctradin	Research commodity	0.09	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ametoctradin	Spinach	2,585.99	1,106	8,879.07	A
ametoctradin	Squash	17.33	4	63.5	A
ametoctradin	Swiss chard	71.21	75	262.39	A
ametoctradin	Tomato	3.43	2	26.0	A
ametoctradin	Upland cress	18.68	36	68.5	A
ametoctradin	Vegetables, leafy	0.17	3	1.05	A
ametoctradin	Watermelon	18.38	6	68.0	A
aminocyclopyrachlor	Landscape maintenance	2.22	N/A	N/A	N/A
aminocyclopyrachlor	Regulatory pest control	3.85	N/A	N/A	N/A
aminocyclopyrachlor	Rights of way	105.71	N/A	N/A	N/A
aminocyclopyrachlor	Structural pest control	<0.01	N/A	N/A	N/A
aminocyclopyrachlor, potassium salt	County ag comm	0.12	N/A	N/A	N/A
aminocyclopyrachlor, potassium salt	Industrial site	83.04	N/A	622.05	A
aminocyclopyrachlor, potassium salt	Landscape maintenance	1,676.28	N/A	N/A	N/A
aminocyclopyrachlor, potassium salt	Regulatory pest control	20.29	N/A	N/A	N/A
aminocyclopyrachlor, potassium salt	Research commodity	<0.01	N/A	N/A	N/A
aminocyclopyrachlor, potassium salt	Rights of way	3,171.07	N/A	N/A	N/A
amino ethoxy vinyl glycine hydrochloride	Almond	1,345.11	182	15,963.76	A
amino ethoxy vinyl glycine hydrochloride	Apple	2.08	3	25.0	A
amino ethoxy vinyl glycine hydrochloride	Cherry	44.04	24	389.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>amino ethoxy vinyl glycine hydrochloride</b>	Cucumber	42.33	110	418.27	A
<b>amino ethoxy vinyl glycine hydrochloride</b>	Nectarine	58.29	52	531.23	A
<b>amino ethoxy vinyl glycine hydrochloride</b>	Peach	82.69	39	753.81	A
<b>amino ethoxy vinyl glycine hydrochloride</b>	Pistachio	<0.01	3	0.09	A
<b>amino ethoxy vinyl glycine hydrochloride</b>	Plum	42.45	18	377.22	A
<b>amino ethoxy vinyl glycine hydrochloride</b>	Research commodity	0.15	15	31,700.0	S
<b>amino ethoxy vinyl glycine hydrochloride</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>amino ethoxy vinyl glycine hydrochloride</b>	Squash	0.22	1	2.25	A
<b>amino ethoxy vinyl glycine hydrochloride</b>	Walnut	1,385.67	479	13,742.95	A
<b>aminopyralid, triisopropanolamine salt</b>	Airport	3.58	N/A	17.0	A
<b>aminopyralid, triisopropanolamine salt</b>	County ag comm	49.64	N/A	N/A	N/A
<b>aminopyralid, triisopropanolamine salt</b>	Ditch bank	25.43	46	329.6	A
<b>aminopyralid, triisopropanolamine salt</b>	Forage hay/silage	1.5	1	10.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Forest, timberland	1,398.73	127	2,867.28	A
<b>aminopyralid, triisopropanolamine salt</b>	Fumigation, other	2.05	N/A	N/A	N/A
<b>aminopyralid, triisopropanolamine salt</b>	Landscape maintenance	1,899.72	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>aminopyralid, triisopropanolamine salt</b>	Lemon	1.17	2	19.7	A
<b>aminopyralid, triisopropanolamine salt</b>	N-grnhs flower	0.02	N/A	650.0	S
<b>aminopyralid, triisopropanolamine salt</b>	N-outdr transplants	0.6	1	2.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Oat	14.46	4	120.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Oat (forage - fodder)	8.21	2	40.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Olive	0.81	1	3.33	A
<b>aminopyralid, triisopropanolamine salt</b>	Orchardgrass	6.32	1	42.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Pasture (forage - fodder)	38.01	2	180.05	A
<b>aminopyralid, triisopropanolamine salt</b>	Pastureland	286.65	155	2,990.28	A
<b>aminopyralid, triisopropanolamine salt</b>	Pastureland	1.31	10	256,770.0	S
<b>aminopyralid, triisopropanolamine salt</b>	Prune	1.08	2	5.44	A
<b>aminopyralid, triisopropanolamine salt</b>	Public health	79.07	N/A	N/A	N/A
<b>aminopyralid, triisopropanolamine salt</b>	Rangeland	1,186.17	143	10,070.6	A
<b>aminopyralid, triisopropanolamine salt</b>	Rangeland	0.17	2	48,000.0	S
<b>aminopyralid, triisopropanolamine salt</b>	Regulatory pest control	223.32	N/A	N/A	N/A
<b>aminopyralid, triisopropanolamine salt</b>	Research commodity	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>aminopyralid, triisopropanolamine salt</b>	Rights of way	298.05	55	2,355.48	A
<b>aminopyralid, triisopropanolamine salt</b>	Rights of way	0.06	1	800.0	S
<b>aminopyralid, triisopropanolamine salt</b>	Rights of way	27,392.15	N/A	N/A	N/A
<b>aminopyralid, triisopropanolamine salt</b>	Ryegrass	35.4	5	253.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Soil fumigation/preplant	0.57	1	6.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Structural pest control	80.81	N/A	N/A	N/A
<b>aminopyralid, triisopropanolamine salt</b>	Uncultivated ag	34.34	21	238.0	A
<b>aminopyralid, triisopropanolamine salt</b>	Uncultivated ag	0.6	2	125,000.0	S
<b>aminopyralid, triisopropanolamine salt</b>	Uncultivated non-ag	202.85	16	3,387.17	A
<b>aminopyralid, triisopropanolamine salt</b>	Vertebrate control	0.96	N/A	N/A	N/A
<b>4-aminopyridine</b>	Landscape maintenance	0.42	N/A	N/A	N/A
<b>4-aminopyridine</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>4-aminopyridine</b>	Structural pest control	14.15	N/A	N/A	N/A
<b>4-aminopyridine</b>	Vertebrate control	5.8	N/A	N/A	N/A
<b>amitraz</b>	Beehive	2.32	11	4,083.0	U
<b>amitraz</b>	Rights of way	18.11	N/A	N/A	N/A
<b>ammonium bicarbonate</b>	Structural pest control	0.05	N/A	N/A	N/A
<b>ammonium citrate</b>	Broccoli	0.06	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium citrate	Landscape maintenance	4.0	N/A	N/A	N/A
ammonium citrate	Pistachio	0.1	1	6.2	A
ammonium citrate	Rights of way	15.7	N/A	N/A	N/A
ammonium nonanoate	Almond	380.68	3	57.0	A
ammonium nonanoate	Cabbage	167.3	10	25.69	A
ammonium nonanoate	Citrus	100.33	39	81.22	A
ammonium nonanoate	Ditch bank	350.63	N/A	3.0	A
ammonium nonanoate	Grape	83.48	1	50.0	A
ammonium nonanoate	Landscape maintenance	3,127.04	N/A	N/A	N/A
ammonium nonanoate	Lettuce, head	174.28	5	25.12	A
ammonium nonanoate	Lettuce, leaf	1,803.84	50	217.21	A
ammonium nonanoate	N-grnhs plants in containers	22.54	6	3.3	A
ammonium nonanoate	N-grnhs transplants	13.02	5	2.46	A
ammonium nonanoate	N-outdr plants in containers	10.45	1	1.0	A
ammonium nonanoate	N-outdr transplants	3.76	1	0.25	A
ammonium nonanoate	Research commodity	6.73	N/A	N/A	N/A
ammonium nonanoate	Rights of way	959.9	N/A	N/A	N/A
ammonium nonanoate	Uncultivated ag	1,408.4	25	252.63	A
ammonium nonanoate	Uncultivated ag	5.22	2	7,800.0	S
ammonium nitrate	Alfalfa	5,349.94	1,313	58,654.36	A
ammonium nitrate	Almond	17,363.75	3,851	155,138.29	A
ammonium nitrate	Apricot	10.92	14	105.09	A
ammonium nitrate	Artichoke, globe	0.15	1	15.0	A
ammonium nitrate	Barley	149.03	8	412.3	A
ammonium nitrate	Barley (forage - fodder)	0.47	1	65.3	A
ammonium nitrate	Basil, sweet	0.03	2	2.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium nitrate	Bean, dried	125.66	28	1,010.85	A
ammonium nitrate	Bean, unspecified	5.62	3	141.0	A
ammonium nitrate	Beet	9.91	3	65.0	A
ammonium nitrate	Bermudagrass	17.79	4	70.0	A
ammonium nitrate	Blueberry	4.17	11	288.18	A
ammonium nitrate	Broccoli	0.26	1	18.0	A
ammonium nitrate	Brussels sprout	0.29	1	12.0	A
ammonium nitrate	Cabbage	2.14	1	14.0	A
ammonium nitrate	Cantaloupe	47.43	4	186.6	A
ammonium nitrate	Carrot	0.51	1	2.0	A
ammonium nitrate	Cherry	57.76	179	1,686.54	A
ammonium nitrate	Citrus	22.73	12	1,527.26	A
ammonium nitrate	Corn (forage - fodder)	2,004.11	391	21,735.06	A
ammonium nitrate	Corn, grain	46.25	110	6,210.98	A
ammonium nitrate	Corn, human consumption	6.12	15	761.5	A
ammonium nitrate	Cotton	106.77	74	4,157.29	A
ammonium nitrate	Cucumber	0.38	2	47.5	A
ammonium nitrate	Ditch bank	331.02	1	81.0	A
ammonium nitrate	Fig	921.39	24	1,498.0	A
ammonium nitrate	Forage hay/silage	98.27	16	522.0	A
ammonium nitrate	Forest, timberland	85.63	8	294.0	A
ammonium nitrate	Garbanzo bean	13.22	3	285.0	A
ammonium nitrate	Garlic	6.28	8	511.71	A
ammonium nitrate	Grain	2.03	2	190.6	A
ammonium nitrate	Grape	1,395.79	566	10,753.87	A
ammonium nitrate	Grape, wine	9,878.9	9,083	67,946.36	A
ammonium nitrate	Grapefruit	17.21	18	132.0	A
ammonium nitrate	Grass, seed	15.13	31	138.75	A
ammonium nitrate	Kiwi fruit fuzzy	33.56	400	2,463.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium nitrate	Landscape maintenance	7.95	11	87.0	A
ammonium nitrate	Landscape maintenance	1,983.29	N/A	N/A	N/A
ammonium nitrate	Lemon	79.36	44	842.39	A
ammonium nitrate	Melon	34.4	15	343.62	A
ammonium nitrate	Mint	675.18	28	1,787.0	A
ammonium nitrate	N-grnhs flower	11.31	N/A	227.81	A
ammonium nitrate	N-grnhs plants in containers	0.08	1	0.46	A
ammonium nitrate	N-grnhs plants in containers	25.04	52	2,492,000.0	S
ammonium nitrate	N-outdr plants in containers	1.71	12	37.19	A
ammonium nitrate	N-outdr transplants	61.26	95	491.0	A
ammonium nitrate	Nectarine	113.94	166	943.61	A
ammonium nitrate	Nuts	7.72	1	8.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium nitrate	Oat (forage - fodder)	66.92	15	442.5	A
ammonium nitrate	Olive	118.28	207	5,573.26	A
ammonium nitrate	Olive	<0.01	1	40.0	U
ammonium nitrate	Onion, dry	21.1	6	726.0	A
ammonium nitrate	Orange	293.28	134	3,162.81	A
ammonium nitrate	Pastureland	175.44	16	592.0	A
ammonium nitrate	Peach	352.59	333	2,995.53	A
ammonium nitrate	Pear	361.96	49	749.12	A
ammonium nitrate	Peas	6.59	29	269.65	A
ammonium nitrate	Pecan	3.25	5	53.5	A
ammonium nitrate	Pepper, fruiting	10.44	16	641.0	A
ammonium nitrate	Persimmon	27.46	8	47.84	A
ammonium nitrate	Pistachio	5,323.5	690	30,969.95	A
ammonium nitrate	Plum	115.81	132	1,164.66	A
ammonium nitrate	Pomelo	0.18	2	30.0	A
ammonium nitrate	Potato	636.57	35	1,747.2	A
ammonium nitrate	Prune	973.51	301	6,820.03	A
ammonium nitrate	Pumpkin	0.05	1	10.0	A
ammonium nitrate	Rangeland	8.51	62	662.5	A
ammonium nitrate	Regulatory pest control	14.15	N/A	N/A	N/A
ammonium nitrate	Research commodity	1.57	2	8.63	A
ammonium nitrate	Research commodity	0.25	N/A	N/A	N/A
ammonium nitrate	Rice	10,441.42	1,309	93,947.8	A
ammonium nitrate	Rights of way	229.17	94	2,793.17	A
ammonium nitrate	Rights of way	3,440.29	N/A	N/A	N/A
ammonium nitrate	Ryegrass	2.7	3	213.0	A
ammonium nitrate	Safflower	3.17	19	450.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium nitrate	Soil fumigation/preplant	12.9	6	347.3	A
ammonium nitrate	Squash	<0.01	1	1.0	A
ammonium nitrate	Squash, winter	0.81	2	84.0	A
ammonium nitrate	Strawberry	10.51	10	269.46	A
ammonium nitrate	Structural pest control	37.72	N/A	N/A	N/A
ammonium nitrate	Sugarbeet	701.56	45	3,598.0	A
ammonium nitrate	Sunflower	106.86	88	4,696.07	A
ammonium nitrate	Tangelo	17.43	9	144.48	A
ammonium nitrate	Tangerine	145.61	78	1,278.46	A
ammonium nitrate	Timothy	9.7	6	165.0	A
ammonium nitrate	Tomato	52.05	155	5,227.14	A
ammonium nitrate	Tomato, processing	172.57	112	7,905.47	A
ammonium nitrate	Triticale	216.95	49	3,229.52	A
ammonium nitrate	Turf/sod	62.76	8	216.0	A
ammonium nitrate	Uncultivated ag	2,773.52	1,957	53,825.79	A
ammonium nitrate	Uncultivated non-ag	240.85	64	1,532.7	A
ammonium nitrate	Unknown	0.48	1	20.0	A
ammonium nitrate	Walnut	8,295.87	3,562	65,719.39	A
ammonium nitrate	Water area	230.88	23	91.46	A
ammonium nitrate	Watermelon	0.96	3	149.0	A
ammonium nitrate	Wheat	336.26	34	1,654.6	A
ammonium nitrate	Wheat (forage - fodder)	3,155.05	79	4,921.1	A
ammonium propionate	Alfalfa	3,525.98	399	24,424.43	A
ammonium propionate	Almond	19,782.28	2,393	120,740.04	A
ammonium propionate	Apple	10.64	3	30.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium propionate	Apricot	57.42	18	495.27	A
ammonium propionate	Artichoke, globe	1.65	4	38.4	A
ammonium propionate	Avocado	239.99	208	1,446.88	A
ammonium propionate	Barley (forage - fodder)	10.14	2	67.27	A
ammonium propionate	Basil, sweet	2.13	1	15.0	A
ammonium propionate	Bean, dried	97.13	14	484.16	A
ammonium propionate	Bean, succulent	15.24	2	53.67	A
ammonium propionate	Bermudagrass	17.88	3	100.0	A
ammonium propionate	Blackberry	23.27	7	60.89	A
ammonium propionate	Blueberry	43.07	4	245.6	A
ammonium propionate	Broccoli	635.75	2,128	23,522.9	A
ammonium propionate	Brussels sprout	400.65	866	13,459.32	A
ammonium propionate	Cabbage	107.1	598	3,955.85	A
ammonium propionate	Cantaloupe	169.78	19	1,283.0	A
ammonium propionate	Carrot	13.33	2	71.8	A
ammonium propionate	Cauliflower	256.15	1,406	11,876.71	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium propionate	Celery	357.97	141	1,982.95	A
ammonium propionate	Cherry	430.87	128	2,449.34	A
ammonium propionate	Corn (forage - fodder)	1,611.06	260	16,699.74	A
ammonium propionate	Corn, grain	28.72	4	355.0	A
ammonium propionate	Corn, human consumption	75.21	11	527.0	A
ammonium propionate	Cotton	4,437.04	413	74,944.6	A
ammonium propionate	Ditch bank	65.09	44	137.0	A
ammonium propionate	Endive (escarole)	0.04	1	1.5	A
ammonium propionate	Garlic	7.0	1	66.0	A
ammonium propionate	Grape	451.53	219	5,711.86	A
ammonium propionate	Grape, wine	8,239.22	910	30,297.75	A
ammonium propionate	Grapefruit	0.99	4	9.0	A
ammonium propionate	Industrial site	0.7	1	2.0	A
ammonium propionate	Kale	0.24	4	28.5	A
ammonium propionate	Kiwi fruit fuzzy	18.42	6	132.0	A
ammonium propionate	Landscape maintenance	13.24	3	15.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium propionate	Landscape maintenance	379.52	N/A	N/A	N/A
ammonium propionate	Lemon	296.77	121	1,841.56	A
ammonium propionate	Lettuce, head	45.44	84	1,388.05	A
ammonium propionate	Lettuce, leaf	13.03	10	185.3	A
ammonium propionate	Melon	170.66	24	1,457.5	A
ammonium propionate	N-grnhs plants in containers	320.46	271	411.1	A
ammonium propionate	N-grnhs transplants	0.09	5	7.24	A
ammonium propionate	N-outdr flower	493.26	468	2,354.0	A
ammonium propionate	N-outdr plants in containers	43.06	119	389.89	A
ammonium propionate	N-outdr plants in containers	0.03	1	1,600.0	S
ammonium propionate	N-outdr plants in containers	0.01	1	493.0	U
ammonium propionate	N-outdr transplants	26.41	28	225.11	A
ammonium propionate	Nectarine	1.9	2	8.07	A
ammonium propionate	Nuts	0.5	2	4.0	A
ammonium propionate	Oat	23.63	6	211.0	A
ammonium propionate	Oat (forage - fodder)	48.36	30	503.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium propionate	Olive	451.98	49	2,965.16	A
ammonium propionate	Onion, dry	88.4	29	1,018.3	A
ammonium propionate	Orange	830.63	410	5,536.14	A
ammonium propionate	Pastureland	0.47	2	6.0	A
ammonium propionate	Peach	95.52	54	507.89	A
ammonium propionate	Pear	6.04	7	60.46	A
ammonium propionate	Pear, asian (oriental pear, ya, ya li, nashi)	2.36	3	20.0	A
ammonium propionate	Pecan	27.83	4	147.6	A
ammonium propionate	Pepper, fruiting	200.15	24	709.8	A
ammonium propionate	Persimmon	9.13	3	46.0	A
ammonium propionate	Pistachio	7,340.88	1,106	44,441.92	A
ammonium propionate	Plum	23.86	17	112.89	A
ammonium propionate	Pomegranate	40.67	8	172.5	A
ammonium propionate	Potato	73.39	11	592.5	A
ammonium propionate	Prune	471.24	84	2,959.2	A
ammonium propionate	Quince	0.58	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium propionate	Rangeland	26.81	2	300.0	A
ammonium propionate	Rapini	15.78	25	403.2	A
ammonium propionate	Raspberry	95.2	31	230.48	A
ammonium propionate	Rights of way	295.35	79	2,832.0	A
ammonium propionate	Rights of way	4,219.35	N/A	N/A	N/A
ammonium propionate	Rye	1.23	1	7.0	A
ammonium propionate	Soil fumigation/preplant	270.66	39	4,586.8	A
ammonium propionate	Sorghum (forage - fodder)	6.58	2	123.0	A
ammonium propionate	Sorghum/milo	6.51	1	92.0	A
ammonium propionate	Strawberry	22,639.48	1,194	44,563.76	A
ammonium propionate	Sugarbeet	861.76	42	3,498.0	A
ammonium propionate	Sunflower	4.02	2	17.0	A
ammonium propionate	Sweet potato	17.54	7	93.0	A
ammonium propionate	Tangelo	31.41	17	200.19	A
ammonium propionate	Tangerine	2,399.06	890	15,452.74	A
ammonium propionate	Tomato	103.27	15	500.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium propionate	Tomato, processing	384.28	36	3,230.6	A
ammonium propionate	Triticale	59.6	7	562.0	A
ammonium propionate	Uncultivated ag	1,073.15	378	23,534.84	A
ammonium propionate	Uncultivated non-ag	142.8	49	1,037.75	A
ammonium propionate	Vertebrate control	1.89	N/A	N/A	N/A
ammonium propionate	Walnut	3,773.82	795	26,280.89	A
ammonium propionate	Watermelon	42.35	9	339.25	A
ammonium propionate	Wheat	101.35	34	1,616.42	A
ammonium propionate	Wheat (forage - fodder)	256.13	60	3,038.2	A
ammonium sulfamate	Landscape maintenance	<0.01	N/A	N/A	N/A
ammonium sulfate	Alfalfa	64,659.99	4,609	231,677.89	A
ammonium sulfate	Almond	296,560.97	17,497	743,052.4	A
ammonium sulfate	Apple	416.61	71	1,197.49	A
ammonium sulfate	Apricot	124.25	48	876.02	A
ammonium sulfate	Artichoke, globe	3.6	1	15.0	A
ammonium sulfate	Asparagus	12.11	4	12.5	A
ammonium sulfate	Avocado	761.34	232	1,768.32	A
ammonium sulfate	Barley	104.91	7	456.5	A
ammonium sulfate	Barley (forage - fodder)	21.14	7	217.07	A
ammonium sulfate	Basil, sweet	49.22	8	180.5	A
ammonium sulfate	Bean, dried	368.31	56	2,322.98	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium sulfate	Bean, succulent	14.06	5	129.17	A
ammonium sulfate	Bean, unspecified	11.25	3	141.0	A
ammonium sulfate	Beet	38.1	16	191.8	A
ammonium sulfate	Bermudagrass	461.51	27	1,257.7	A
ammonium sulfate	Blackberry	380.72	47	480.3	A
ammonium sulfate	Blueberry	88.43	18	573.78	A
ammonium sulfate	Broccoli	456.95	239	2,689.9	A
ammonium sulfate	Brussels sprout	782.22	121	2,207.6	A
ammonium sulfate	Cabbage	5.34	4	26.5	A
ammonium sulfate	Cantaloupe	248.35	35	2,004.6	A
ammonium sulfate	Carrot	11.02	7	96.45	A
ammonium sulfate	Cauliflower	183.36	93	791.23	A
ammonium sulfate	Celery	88.65	126	1,897.75	A
ammonium sulfate	Cherry	5,685.85	1,254	16,476.0	A
ammonium sulfate	Chestnut	8.42	4	48.66	A
ammonium sulfate	Cilantro	31.22	2	106.0	A
ammonium sulfate	Citrus	289.99	25	1,840.84	A
ammonium sulfate	Clover	35.18	3	121.0	A
ammonium sulfate	Commodity fumigation	2.5	N/A	N/A	N/A
ammonium sulfate	Corn (forage - fodder)	39,882.78	2,709	145,250.0	A
ammonium sulfate	Corn, grain	3,087.84	247	10,706.33	A
ammonium sulfate	Corn, human consumption	470.7	86	4,082.11	A
ammonium sulfate	Cotton	21,905.11	1,723	158,761.62	A
ammonium sulfate	Cucumber	187.27	16	723.96	A
ammonium sulfate	Dill	28.31	3	96.0	A
ammonium sulfate	Ditch bank	767.1	71	276.5	A
ammonium sulfate	Endive (escarole)	<0.01	1	1.5	A
ammonium sulfate	Fig	415.69	42	2,643.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ammonium sulfate	Forage hay/silage	462.44	62	2,779.8	A
ammonium sulfate	Forest, timberland	404.74	49	835.1	A
ammonium sulfate	Garbanzo bean	1,090.88	32	3,301.6	A
ammonium sulfate	Garlic	1,896.3	57	4,518.31	A
ammonium sulfate	Grain	50.26	2	190.6	A
ammonium sulfate	Grape	9,490.27	1,338	26,988.11	A
ammonium sulfate	Grape, wine	103,341.5	14,634	188,196.03	A
ammonium sulfate	Grapefruit	408.72	52	452.53	A
ammonium sulfate	Grass, seed	130.21	55	615.76	A
ammonium sulfate	Herb, spice	9.74	2	33.0	A
ammonium sulfate	Hops	1.13	1	1.0	A
ammonium sulfate	Industrial site	0.17	1	2.0	A
ammonium sulfate	Kale	5.89	2	20.0	A
ammonium sulfate	Kiwi fruit fuzzy	863.81	495	3,187.98	A
ammonium sulfate	Landscape maintenance	19.22	14	102.0	A
ammonium sulfate	Landscape maintenance	10,422.34	N/A	N/A	N/A
ammonium sulfate	Lemon	2,397.48	243	4,503.43	A
ammonium sulfate	Lettuce, head	1,043.53	207	4,472.95	A
ammonium sulfate	Lettuce, leaf	129.59	54	679.6	A
ammonium sulfate	Melon	202.46	41	1,922.12	A
ammonium sulfate	Mint	111.83	16	836.63	A
ammonium sulfate	N-grnhs flower	262.01	231	560.48	A
ammonium sulfate	N-grnhs plants in containers	80.27	272	411.56	A
ammonium sulfate	N-grnhs plants in containers	50.54	53	2,604,500.0	S
ammonium sulfate	N-grnhs transplants	0.25	1	0.5	A
ammonium sulfate	N-outdr flower	822.02	623	3,677.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium sulfate	N-outdr plants in containers	820.19	226	1,313.64	A
ammonium sulfate	N-outdr plants in containers	<0.01	1	1,600.0	S
ammonium sulfate	N-outdr plants in containers	<0.01	1	493.0	U
ammonium sulfate	N-outdr transplants	163.71	112	701.4	A
ammonium sulfate	Nectarine	1,561.2	466	4,168.43	A
ammonium sulfate	Nuts	0.13	2	4.0	A
ammonium sulfate	Oat	21.02	9	365.0	A
ammonium sulfate	Oat (forage - fodder)	1,115.92	140	5,615.46	A
ammonium sulfate	Olive	4,413.44	368	13,702.28	A
ammonium sulfate	Olive	0.07	1	40.0	U
ammonium sulfate	Onion, dry	1,698.0	62	4,953.5	A
ammonium sulfate	Onion, green	0.04	1	0.09	A
ammonium sulfate	Orange	11,487.39	972	19,507.66	A
ammonium sulfate	Orchardgrass	15.04	4	276.0	A
ammonium sulfate	Parsley	294.28	9	479.9	A
ammonium sulfate	Pastureland	317.74	45	1,503.0	A
ammonium sulfate	Pastureland	0.23	1	5,220.0	S
ammonium sulfate	Peach	3,706.84	1,050	11,233.59	A
ammonium sulfate	Pear	1,275.4	143	2,384.56	A
ammonium sulfate	Pear, asian (oriental pear, ya, ya li, nashi)	0.59	3	20.0	A
ammonium sulfate	Peas	164.87	30	274.65	A
ammonium sulfate	Peas (forage - fodder)	5.16	1	75.0	A
ammonium sulfate	Pecan	1,255.87	70	1,366.55	A
ammonium sulfate	Pepper, fruiting	113.38	40	1,350.8	A
ammonium sulfate	Persimmon	45.36	26	150.47	A
ammonium sulfate	Pistachio	90,581.0	4,141	209,079.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium sulfate	Plum	1,416.13	375	3,753.34	A
ammonium sulfate	Pomegranate	811.62	40	1,412.81	A
ammonium sulfate	Pomelo	14.51	3	35.0	A
ammonium sulfate	Potato	383.97	33	1,436.42	A
ammonium sulfate	Prune	5,327.58	578	14,301.35	A
ammonium sulfate	Pumpkin	79.75	7	370.2	A
ammonium sulfate	Quince	0.15	1	5.0	A
ammonium sulfate	Radicchio	1.96	1	80.0	A
ammonium sulfate	Rangeland	118.25	76	1,525.78	A
ammonium sulfate	Raspberry	47.87	35	260.48	A
ammonium sulfate	Regulatory pest control	30.78	N/A	N/A	N/A
ammonium sulfate	Research commodity	34.86	41	73.77	A
ammonium sulfate	Research commodity	6.43	N/A	N/A	N/A
ammonium sulfate	Rice	42,279.93	2,339	168,347.98	A
ammonium sulfate	Rights of way	3,007.82	373	8,878.12	A
ammonium sulfate	Rights of way	61,542.61	N/A	N/A	N/A
ammonium sulfate	Rye	0.31	1	7.0	A
ammonium sulfate	Ryegrass	231.4	37	1,340.4	A
ammonium sulfate	Safflower	251.88	51	2,504.1	A
ammonium sulfate	Soil fumigation/preplant	1,876.03	108	9,670.9	A
ammonium sulfate	Sorghum (forage - fodder)	396.14	30	2,200.87	A
ammonium sulfate	Sorghum/milo	590.84	40	3,036.09	A
ammonium sulfate	Spinach	10.33	1	35.0	A
ammonium sulfate	Squash	44.37	6	253.77	A
ammonium sulfate	Squash, summer	52.5	2	50.0	A
ammonium sulfate	Squash, winter	20.16	2	84.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium sulfate	Stone fruit	335.62	17	283.5	A
ammonium sulfate	Strawberry	8,131.97	1,324	47,250.08	A
ammonium sulfate	Structural pest control	101.28	N/A	N/A	N/A
ammonium sulfate	Sudangrass	62.22	4	169.0	A
ammonium sulfate	Sugarbeet	2,814.26	161	12,633.72	A
ammonium sulfate	Sunflower	3,366.04	204	11,571.28	A
ammonium sulfate	Sweet potato	19.85	8	125.0	A
ammonium sulfate	Tangelo	117.54	36	481.12	A
ammonium sulfate	Tangerine	6,917.13	1,331	24,205.83	A
ammonium sulfate	Timothy	47.79	13	454.0	A
ammonium sulfate	Tomato	1,944.05	240	9,339.52	A
ammonium sulfate	Tomato, processing	12,897.25	480	41,069.11	A
ammonium sulfate	Triticale	1,306.38	96	6,064.72	A
ammonium sulfate	Turf/sod	125.53	8	216.0	A
ammonium sulfate	Uncultivated ag	37,796.07	3,298	142,474.07	A
ammonium sulfate	Uncultivated non-ag	819.02	272	3,929.47	A
ammonium sulfate	Unknown	67.41	3	85.0	A
ammonium sulfate	Vegetables, leafy	113.38	6	387.7	A
ammonium sulfate	Vertebrate control	92.35	N/A	N/A	N/A
ammonium sulfate	Vetch	10.31	2	150.0	A
ammonium sulfate	Walnut	61,898.86	7,657	176,164.72	A
ammonium sulfate	Water (industrial)	4,882.16	N/A	1.0	U
ammonium sulfate	Water area	93.26	6	111.46	A
ammonium sulfate	Water area	1,243.28	N/A	1.0	U
ammonium sulfate	Watermelon	707.61	39	2,577.6	A
ammonium sulfate	Wheat	4,598.1	295	16,593.97	A
ammonium sulfate	Wheat (forage - fodder)	6,775.02	332	16,611.39	A
ammonium tall oil fatty acid soap	N-grnhs plants in containers	0.15	1	0.02	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium tall oil fatty acid soap	N-outdr plants in containers	0.61	3	1.5	A
ammonium tall oil fatty acid soap	Research commodity	0.01	N/A	N/A	N/A
amyl acetate	Alfalfa	1.27	1	396.0	A
amyl acetate	Almond	3.96	17	673.6	A
amyl acetate	Artichoke, globe	0.66	4	38.4	A
amyl acetate	Broccoli	237.44	2,044	22,232.3	A
amyl acetate	Brussels sprout	160.26	866	13,459.32	A
amyl acetate	Cabbage	41.14	595	3,943.35	A
amyl acetate	Cauliflower	98.07	1,373	11,537.81	A
amyl acetate	Celery	1.36	15	85.2	A
amyl acetate	Cherry	0.49	7	47.31	A
amyl acetate	Corn, grain	0.18	1	55.0	A
amyl acetate	Cotton	8.95	49	13,183.0	A
amyl acetate	Grape	23.11	147	3,525.16	A
amyl acetate	Grape, wine	0.86	8	105.0	A
amyl acetate	Kale	0.09	4	28.5	A
amyl acetate	Lettuce, head	0.46	5	57.3	A
amyl acetate	Lettuce, leaf	1.37	8	151.3	A
amyl acetate	N-grnhs transplants	0.04	5	7.24	A
amyl acetate	N-outdr plants in containers	1.56	49	58.64	A
amyl acetate	N-outdr transplants	0.19	20	66.61	A
amyl acetate	Onion, dry	4.3	15	240.8	A
amyl acetate	Orange	3.08	13	286.0	A
amyl acetate	Peach	0.11	1	10.5	A
amyl acetate	Pistachio	32.27	6	758.0	A
amyl acetate	Plum	0.24	1	15.0	A
amyl acetate	Rapini	6.31	25	403.2	A
amyl acetate	Uncultivated ag	13.92	83	898.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
amyl acetate	Walnut	1.31	11	149.57	A
para-tert-amylphenol	Broccoli	<0.01	1	4.5	A
para-tert-amylphenol	Cauliflower	<0.01	1	10.0	A
para-tert-amylphenol	Date	<0.01	32	32.0	A
para-tert-amylphenol	Farm/ag building	18.52	N/A	139.0	U
para-tert-amylphenol	Landscape maintenance	0.11	N/A	N/A	N/A
para-tert-amylphenol	Rights of way	3.01	N/A	N/A	N/A
para-tert-amylphenol	Structural pest control	<0.01	N/A	N/A	N/A
ancymidol	N-grnhs flower	<0.01	5	937.0	S
ancymidol	N-grnhs plants in containers	0.05	49	15.67	A
ancymidol	N-grnhs plants in containers	0.01	73	52,400.0	S
ancymidol	N-grnhs transplants	<0.01	1	0.25	A
ancymidol	N-grnhs transplants	0.16	600	7,997,450.0	S
ancymidol	N-outdr plants in containers	0.03	14	7.25	A
ancymidol	N-outdr transplants	<0.01	2	0.75	A
ancymidol	N-outdr transplants	<0.01	2	900.0	S
ancymidol	Research commodity	<0.01	N/A	N/A	N/A
aromatic 200	Alfalfa	1,584.97	34	2,183.32	A
aromatic 200	Almond	23,373.52	1,301	45,411.33	A
aromatic 200	Apricot	1.62	6	8.9	A
aromatic 200	Blueberry	9.96	2	26.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aromatic 200	Broccoli	25.99	4	34.1	A
aromatic 200	Cantaloupe	11.45	1	30.0	A
aromatic 200	Cherry	460.42	65	1,225.46	A
aromatic 200	Citrus	1.19	1	2.0	A
aromatic 200	Corn (forage - fodder)	500.45	21	1,313.0	A
aromatic 200	Cotton	846.93	29	3,080.45	A
aromatic 200	Fig	1,339.75	21	1,658.49	A
aromatic 200	Forage hay/silage	15.27	1	50.0	A
aromatic 200	Garlic	9.77	1	32.0	A
aromatic 200	Grape	1,228.32	139	3,574.32	A
aromatic 200	Grape, wine	9,758.26	499	12,087.51	A
aromatic 200	Grapefruit	100.74	8	148.0	A
aromatic 200	Kiwi fruit fuzzy	73.23	4	110.0	A
aromatic 200	Landscape maintenance	7.53	N/A	N/A	N/A
aromatic 200	Lemon	570.51	43	1,080.46	A
aromatic 200	Nectarine	2.62	6	9.0	A
aromatic 200	Olive	787.52	66	1,853.5	A
aromatic 200	Orange	849.32	67	1,276.61	A
aromatic 200	Peach	47.44	13	130.17	A
aromatic 200	Pecan	18.48	5	43.0	A
aromatic 200	Pepper, fruiting	11.85	1	31.0	A
aromatic 200	Persimmon	22.69	6	29.5	A
aromatic 200	Pistachio	16,017.4	567	33,219.18	A
aromatic 200	Plum	2.57	8	13.25	A
aromatic 200	Pomegranate	216.27	34	808.24	A
aromatic 200	Pomelo	106.85	7	130.0	A
aromatic 200	Prune	868.89	49	1,211.15	A
aromatic 200	Pumpkin	43.52	3	57.0	A
aromatic 200	Raspberry	21.01	2	55.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
aromatic 200	Rice	150.25	3	246.0	A
aromatic 200	Rights of way	103.83	6	155.0	A
aromatic 200	Rights of way	2.67	N/A	N/A	N/A
aromatic 200	Soil fumigation/preplant	1,207.4	23	3,392.2	A
aromatic 200	Stone fruit	0.76	1	1.0	A
aromatic 200	Sunflower	219.75	8	575.5	A
aromatic 200	Tangelo	7.63	1	11.0	A
aromatic 200	Tangerine	605.66	42	1,036.88	A
aromatic 200	Tomato	19.45	1	25.5	A
aromatic 200	Tomato, processing	314.81	9	986.32	A
aromatic 200	Uncultivated ag	2,100.5	94	4,433.25	A
aromatic 200	Uncultivated non-ag	9.02	N/A	120.0	A
aromatic 200	Walnut	6,560.11	393	12,552.12	A
aromatic 200	Watermelon	33.35	1	54.6	A
aromatic 200	Wheat	45.87	1	153.3	A
aspergillus flavus strain af36	Almond	0.12	18	1,527.6	A
aspergillus flavus strain af36	Corn, human consumption	0.04	5	502.0	A
aspergillus flavus strain af36	Fig	0.16	14	2,023.5	A
aspergillus flavus strain af36	Pistachio	19.61	2,329	246,004.45	A
asphalt solids	Sunflower	43.73	1	100.0	A
atrazine	Bermudagrass	342.15	3	194.0	A
atrazine	Corn (forage - fodder)	1,783.83	21	1,508.0	A
atrazine	Corn, human consumption	10,775.45	173	8,501.9	A
atrazine	Research commodity	22.89	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
atrazine	Sorghum (forage - fodder)	109.4	5	92.0	A
atrazine	Structural pest control	0.57	N/A	N/A	N/A
atrazine	Sudangrass	6,950.28	88	5,627.21	A
atrazine	Sugarcane	293.04	3	123.0	A
atrazine	Turf/sod	85.45	5	65.0	A
atrazine	Uncultivated ag	315.45	10	298.0	A
atrazine	Water area	0.02	N/A	2.0	A
atrazine, other related	Bermudagrass	6.72	3	194.0	A
atrazine, other related	Corn (forage - fodder)	34.32	21	1,508.0	A
atrazine, other related	Corn, human consumption	225.2	173	8,501.9	A
atrazine, other related	Research commodity	0.47	N/A	N/A	N/A
atrazine, other related	Sorghum (forage - fodder)	2.07	5	92.0	A
atrazine, other related	Structural pest control	0.03	N/A	N/A	N/A
atrazine, other related	Sudangrass	135.51	88	5,627.21	A
atrazine, other related	Sugarcane	5.56	3	123.0	A
atrazine, other related	Turf/sod	1.67	5	65.0	A
atrazine, other related	Uncultivated ag	6.11	10	298.0	A
aureobasidium pullulans strain dsm 14940	Almond	611.92	42	3,343.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>aureobasidium pullulans strain dsm 14940</b>	Apple	142.67	46	458.45	A
<b>aureobasidium pullulans strain dsm 14940</b>	Apricot	39.65	11	159.0	A
<b>aureobasidium pullulans strain dsm 14940</b>	Blueberry	863.11	73	3,699.1	A
<b>aureobasidium pullulans strain dsm 14940</b>	Cannabis (all or unspecified)	5.0	3	5.4	A
<b>aureobasidium pullulans strain dsm 14940</b>	Cherry	19.75	10	79.0	A
<b>aureobasidium pullulans strain dsm 14940</b>	Grape	354.01	32	2,143.5	A
<b>aureobasidium pullulans strain dsm 14940</b>	Grape, wine	1.52	3	7.9	A
<b>aureobasidium pullulans strain dsm 14940</b>	N-grnhs transplants	0.53	3	1.4	A
<b>aureobasidium pullulans strain dsm 14940</b>	N-outdr transplants	43.1	28	169.74	A
<b>aureobasidium pullulans strain dsm 14940</b>	Nectarine	10.73	4	53.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>aureobasidium pullulans strain dsm 14940</b>	Peach	84.31	22	421.51	A
<b>aureobasidium pullulans strain dsm 14940</b>	Pear	51.03	19	156.6	A
<b>aureobasidium pullulans strain dsm 14940</b>	Pear, asian (oriental pear, ya, ya li, nashi)	4.59	3	14.25	A
<b>aureobasidium pullulans strain dsm 14940</b>	Plum	32.16	9	160.48	A
<b>aureobasidium pullulans strain dsm 14940</b>	Pluot	0.68	2	4.0	A
<b>aureobasidium pullulans strain dsm 14940</b>	Pome fruit	0.65	N/A	2.0	A
<b>aureobasidium pullulans strain dsm 14940</b>	Prune	43.2	6	176.0	A
<b>aureobasidium pullulans strain dsm 14940</b>	Raspberry	3.73	2	10.0	A
<b>aureobasidium pullulans strain dsm 14940</b>	Strawberry	40.76	25	281.0	A
<b>aureobasidium pullulans strain dsm 14941</b>	Almond	611.92	42	3,343.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>aureobasidium pullulans strain dsm 14941</b>	Apple	142.67	46	458.45	A
<b>aureobasidium pullulans strain dsm 14941</b>	Apricot	39.65	11	159.0	A
<b>aureobasidium pullulans strain dsm 14941</b>	Blueberry	863.11	73	3,699.1	A
<b>aureobasidium pullulans strain dsm 14941</b>	Cannabis (all or unspecified)	5.0	3	5.4	A
<b>aureobasidium pullulans strain dsm 14941</b>	Cherry	19.75	10	79.0	A
<b>aureobasidium pullulans strain dsm 14941</b>	Grape	354.01	32	2,143.5	A
<b>aureobasidium pullulans strain dsm 14941</b>	Grape, wine	1.52	3	7.9	A
<b>aureobasidium pullulans strain dsm 14941</b>	N-grnhs transplants	0.53	3	1.4	A
<b>aureobasidium pullulans strain dsm 14941</b>	N-outdr transplants	43.1	28	169.74	A
<b>aureobasidium pullulans strain dsm 14941</b>	Nectarine	10.73	4	53.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>aureobasidium pullulans strain dsm 14941</b>	Peach	84.31	22	421.51	A
<b>aureobasidium pullulans strain dsm 14941</b>	Pear	51.03	19	156.6	A
<b>aureobasidium pullulans strain dsm 14941</b>	Pear, asian (oriental pear, ya, ya li, nashi)	4.59	3	14.25	A
<b>aureobasidium pullulans strain dsm 14941</b>	Plum	32.16	9	160.48	A
<b>aureobasidium pullulans strain dsm 14941</b>	Pluot	0.68	2	4.0	A
<b>aureobasidium pullulans strain dsm 14941</b>	Pome fruit	0.65	N/A	2.0	A
<b>aureobasidium pullulans strain dsm 14941</b>	Prune	43.2	6	176.0	A
<b>aureobasidium pullulans strain dsm 14941</b>	Raspberry	3.73	2	10.0	A
<b>aureobasidium pullulans strain dsm 14941</b>	Strawberry	40.76	25	281.0	A
<b>azadirachtin</b>	Alfalfa	<0.01	1	3,000.0	S
<b>azadirachtin</b>	Almond	196.16	115	5,224.42	A
<b>azadirachtin</b>	Apple	13.72	52	478.28	A
<b>azadirachtin</b>	Artichoke, globe	1.95	13	72.5	A
<b>azadirachtin</b>	Arugula	17.35	66	653.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Avocado	5.2	4	183.0	A
azadirachtin	Avocado	<0.01	1	500.0	U
azadirachtin	Basil, sweet	10.52	125	435.06	A
azadirachtin	Basil, sweet	<0.01	14	26,920.0	S
azadirachtin	Bean, succulent	6.13	17	198.6	A
azadirachtin	Beet	34.22	81	1,238.87	A
azadirachtin	Blackberry	170.93	553	4,725.25	A
azadirachtin	Blackberry	0.28	4	263,576.0	S
azadirachtin	Blueberry	42.45	105	1,933.78	A
azadirachtin	Bok choy	11.82	78	418.54	A
azadirachtin	Broccoli	145.17	588	5,391.83	A
azadirachtin	Brussels sprout	1.97	23	63.4	A
azadirachtin	Cabbage	104.71	383	3,436.79	A
azadirachtin	Cannabis (all or unspecified)	105.32	1,635	2,462.35	A
azadirachtin	Cannabis (all or unspecified)	0.08	16	17,841.0	C
azadirachtin	Cannabis (all or unspecified)	124.44	4,596	45,187,064.38	S
azadirachtin	Cannabis (all or unspecified)	4.51	112	7,812.0	U
azadirachtin	Carrot	16.03	9	392.0	A
azadirachtin	Cauliflower	239.99	870	8,447.53	A
azadirachtin	Celery	152.7	614	4,694.94	A
azadirachtin	Cherry	5.48	29	211.32	A
azadirachtin	Chervil	0.05	4	4.0	A
azadirachtin	Chinese amaranth (chinese spinach, tampala, yin choy)	0.42	2	30.0	A
azadirachtin	Chinese cabbage (napa, won bok, celery cabbage)	4.03	6	94.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Chinese greens	<0.01	3	720.0	S
azadirachtin	Chive	1.06	35	49.54	A
azadirachtin	Cilantro	6.54	24	234.93	A
azadirachtin	Citrus	0.18	6	5.94	A
azadirachtin	Cole crop	0.13	1	2.77	A
azadirachtin	Collard	15.63	144	562.22	A
azadirachtin	Collard	<0.01	3	192.0	S
azadirachtin	Corn, grain	0.46	1	10.0	A
azadirachtin	Corn, human consumption	5.39	28	196.3	A
azadirachtin	Cotton	2.26	2	199.0	A
azadirachtin	Cucumber	32.79	138	1,168.64	A
azadirachtin	Cucumber	0.11	20	116,000.0	S
azadirachtin	Daikon	0.87	9	33.4	A
azadirachtin	Dandelion green	<0.01	3	440.0	S
azadirachtin	Date	0.52	2	37.5	A
azadirachtin	Dill	2.03	33	73.05	A
azadirachtin	Edible flowers	0.02	3	1.0	A
azadirachtin	Eggplant	0.51	4	20.0	A
azadirachtin	Endive (escarole)	3.74	11	97.4	A
azadirachtin	Fennel	0.05	1	1.15	A
azadirachtin	Fig	7.25	5	144.0	A
azadirachtin	Fumigation, other	0.31	N/A	N/A	N/A
azadirachtin	Garlic	0.73	2	49.9	A
azadirachtin	Grape	35.23	35	1,171.3	A
azadirachtin	Grape, wine	15.25	22	478.07	A
azadirachtin	Grapefruit	3.52	16	190.0	A
azadirachtin	Herb, spice	4.76	94	125.15	A
azadirachtin	Herb, spice	<0.01	1	1,450.0	S
azadirachtin	Horseradish	0.2	13	338,000.0	S
azadirachtin	Industrial hemp	106.89	105	2,179.96	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Industrial hemp	1.49	21	46,920.0	S
azadirachtin	Kale	143.26	417	5,132.17	A
azadirachtin	Kale	<0.01	3	1,160.0	S
azadirachtin	Landscape maintenance	31.38	N/A	N/A	N/A
azadirachtin	Leek	8.95	33	318.79	A
azadirachtin	Lemon	3.42	17	98.58	A
azadirachtin	Lettuce, head	42.63	150	1,519.36	A
azadirachtin	Lettuce, head	0.07	20	84,330.0	S
azadirachtin	Lettuce, leaf	557.42	2,849	22,705.74	A
azadirachtin	Lettuce, leaf	1.3	21	1,186,884.0	S
azadirachtin	Lime	0.07	4	6.0	A
azadirachtin	Melon	4.34	6	179.4	A
azadirachtin	Melon	0.13	17	50,400.0	S
azadirachtin	Mint	2.81	55	91.09	A
azadirachtin	Mizuna	5.29	47	166.55	A
azadirachtin	Mustard	4.23	60	153.13	A
azadirachtin	Mustard	<0.01	3	720.0	S
azadirachtin	Mustard greens	2.64	32	168.52	A
azadirachtin	N-grnhs flower	58.99	663	1,316.65	A
azadirachtin	N-grnhs flower	3.07	162	1,868,529.02	S
azadirachtin	N-grnhs flower	0.01	N/A	4.0	U
azadirachtin	N-grnhs plants in containers	90.29	1,081	953.98	A
azadirachtin	N-grnhs plants in containers	6.4	189	4,831,454.1	S
azadirachtin	N-grnhs plants in containers	0.02	3	0.21	U
azadirachtin	N-grnhs transplants	15.59	464	936.75	A
azadirachtin	N-grnhs transplants	5.53	237	4,809,428.0	S
azadirachtin	N-outdr flower	18.45	212	753.74	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	N-outdr flower	0.25	16	130,330.0	S
azadirachtin	N-outdr plants in containers	43.6	711	1,119.34	A
azadirachtin	N-outdr plants in containers	1.43	64	1,973,884.0	S
azadirachtin	N-outdr plants in containers	0.07	3	6,502.0	U
azadirachtin	N-outdr transplants	51.39	345	1,870.07	A
azadirachtin	N-outdr transplants	26.32	441	35,583,684.0	S
azadirachtin	Nectarine	98.03	312	4,690.29	A
azadirachtin	Oat (forage - fodder)	0.8	2	90.0	A
azadirachtin	Olive	0.1	2	2.6	A
azadirachtin	Onion, dry	113.16	44	3,607.0	A
azadirachtin	Onion, green	53.41	119	1,858.2	A
azadirachtin	Orange	90.61	176	3,157.18	A
azadirachtin	Oregano	0.54	29	19.47	A
azadirachtin	Parsley	3.45	22	115.2	A
azadirachtin	Peach	104.34	339	4,575.89	A
azadirachtin	Pear	1.03	9	61.5	A
azadirachtin	Peas	0.63	3	22.5	A
azadirachtin	Pepper, fruiting	80.5	102	2,224.56	A
azadirachtin	Pistachio	478.67	86	11,673.63	A
azadirachtin	Plum	7.53	35	450.69	A
azadirachtin	Pomegranate	11.57	9	426.66	A
azadirachtin	Radicchio	17.03	19	659.5	A
azadirachtin	Radish	6.68	69	233.1	A
azadirachtin	Rapini	13.55	12	653.0	A
azadirachtin	Raspberry	101.24	291	3,079.04	A
azadirachtin	Raspberry	0.1	6	94,800.0	S
azadirachtin	Regulatory pest control	0.44	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Research commodity	0.63	26	29.99	A
azadirachtin	Research commodity	0.34	50	265,312.0	S
azadirachtin	Research commodity	0.34	N/A	N/A	N/A
azadirachtin	Rosemary	1.94	39	57.72	A
azadirachtin	Ryegrass	10.69	2	403.97	A
azadirachtin	Sage	0.83	26	30.85	A
azadirachtin	Spinach	111.0	349	4,380.3	A
azadirachtin	Squash	4.25	11	141.97	A
azadirachtin	Squash, summer	1.2	4	47.0	A
azadirachtin	Squash, winter	0.49	1	40.0	A
azadirachtin	Strawberry	1,664.23	1,952	49,528.13	A
azadirachtin	Strawberry	0.95	8	906,622.0	S
azadirachtin	Structural pest control	0.97	N/A	N/A	N/A
azadirachtin	Sweet potato	12.46	8	282.9	A
azadirachtin	Swiss chard	54.41	229	1,970.77	A
azadirachtin	Swiss chard	<0.01	3	720.0	S
azadirachtin	Tangelo	0.73	4	27.5	A
azadirachtin	Tangerine	55.16	90	2,080.64	A
azadirachtin	Tarragon	0.21	12	9.67	A
azadirachtin	Thyme	3.05	4	3.5	A
azadirachtin	Timothy	0.78	1	52.0	A
azadirachtin	Tomato	137.13	406	5,549.78	A
azadirachtin	Tomato	0.15	34	419,564.0	S
azadirachtin	Tomato, processing	97.29	41	3,204.43	A
azadirachtin	Turnip greens	0.05	2	2.48	A
azadirachtin	Upland cress	0.3	32	6.39	A
azadirachtin	Vegetable	0.03	2	1.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Vegetables, fruiting	0.33	13	14.79	A
azadirachtin	Vegetables, leafy	6.9	13	390.14	A
azadirachtin	Vegetables, leafy	<0.01	4	720.0	S
azadirachtin	Walnut	43.24	47	1,786.06	A
azadirachtin	Watercress	<0.01	3	360.0	S
azadirachtin	Watermelon	3.64	6	133.43	A
azadirachtin	Watermelon	<0.01	3	7,560.0	S
azoxystrobin	Alfalfa	84.42	10	478.7	A
azoxystrobin	Almond	129,304.32	9,994	646,291.75	A
azoxystrobin	Apricot	118.55	45	643.21	A
azoxystrobin	Artichoke, globe	625.36	208	2,744.42	A
azoxystrobin	Arugula	7.73	10	34.35	A
azoxystrobin	Barley	133.47	23	1,279.15	A
azoxystrobin	Basil, sweet	46.48	168	256.8	A
azoxystrobin	Bean, dried	6.26	1	60.0	A
azoxystrobin	Bean, succulent	49.99	18	221.02	A
azoxystrobin	Bean, unspecified	35.84	55	182.69	A
azoxystrobin	Beet	79.7	91	384.75	A
azoxystrobin	Beet	0.01	N/A	401.0	P
azoxystrobin	Blackberry	66.43	43	292.47	A
azoxystrobin	Blackberry	<0.01	2	1,080.0	S
azoxystrobin	Blueberry	107.54	23	512.6	A
azoxystrobin	Bok choy	202.7	96	1,172.9	A
azoxystrobin	Broccoli	5,185.91	2,137	23,904.62	A
azoxystrobin	Broccoli	<0.01	N/A	1,729.56	P
azoxystrobin	Brussels sprout	1,324.09	264	5,647.17	A
azoxystrobin	Cabbage	181.22	102	926.13	A
azoxystrobin	Cantaloupe	355.43	59	2,128.73	A
azoxystrobin	Cantaloupe	<0.01	N/A	27.51	P
azoxystrobin	Carrot	3,731.69	323	20,869.29	A
azoxystrobin	Carrot	0.32	N/A	12,654.27	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Cauliflower	279.68	134	1,275.35	A
azoxystrobin	Cauliflower	<0.01	N/A	1.19	P
azoxystrobin	Celeriac	3.96	14	16.27	A
azoxystrobin	Celery	2,303.78	580	9,881.34	A
azoxystrobin	Cherry	739.64	170	4,122.55	A
azoxystrobin	Chervil	0.21	5	1.3	A
azoxystrobin	Chinese broccoli (gai lon)	1.14	2	7.0	A
azoxystrobin	Chinese cabbage (napa, won bok, celery cabbage)	228.15	106	1,046.49	A
azoxystrobin	Chive	2.44	23	15.25	A
azoxystrobin	Chrysanthemum, edible leaved	1.38	8	5.0	A
azoxystrobin	Cilantro	157.57	80	654.34	A
azoxystrobin	Citrus	3.16	2	16.0	A
azoxystrobin	Citrus	6.17	N/A	135,833.55	T
azoxystrobin	Cole crop	0.17	9	3.7	A
azoxystrobin	Collard	14.03	13	63.55	A
azoxystrobin	Commodity fumigation	110.67	N/A	N/A	N/A
azoxystrobin	Corn (forage - fodder)	33.34	3	156.0	A
azoxystrobin	Corn, human consumption	2.56	1	16.0	A
azoxystrobin	Cotton	806.56	43	6,933.8	A
azoxystrobin	Cucumber	25.87	12	155.35	A
azoxystrobin	Cucumber	3.24	N/A	128,684.63	P
azoxystrobin	Daikon	8.5	2	40.0	A
azoxystrobin	Dandelion green	8.4	34	33.61	A
azoxystrobin	Dill	2.23	25	12.93	A
azoxystrobin	Eggplant	48.38	14	275.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Eggplant	<0.01	N/A	18.03	P
azoxystrobin	Endive (escarole)	12.91	38	62.56	A
azoxystrobin	Fava bean	10.88	8	55.5	A
azoxystrobin	Fennel	0.96	1	3.8	A
azoxystrobin	Fennel	<0.01	N/A	211.0	P
azoxystrobin	Garbanzo bean	233.42	21	1,317.0	A
azoxystrobin	Garlic	6,867.5	483	34,040.74	A
azoxystrobin	Golf course turf	303.31	11	621.72	A
azoxystrobin	Golf course turf	14.29	1	1,268,000.0	S
azoxystrobin	Grape	8,158.24	952	40,228.62	A
azoxystrobin	Grape, wine	6,140.8	1,077	29,239.34	A
azoxystrobin	Grapefruit	64.41	29	352.74	A
azoxystrobin	Grass, seed	40.34	22	234.5	A
azoxystrobin	Herb, spice	5.05	48	30.7	A
azoxystrobin	Kale	86.02	104	463.56	A
azoxystrobin	Kohlrabi	16.6	19	72.57	A
azoxystrobin	Landscape maintenance	6.78	11	31.32	A
azoxystrobin	Landscape maintenance	14.85	7	414,000.0	S
azoxystrobin	Landscape maintenance	3,386.4	N/A	N/A	N/A
azoxystrobin	Leek	96.48	60	444.84	A
azoxystrobin	Lemon	561.27	150	3,076.91	A
azoxystrobin	Lemon	1,823.96	N/A	1,075,196.11	T
azoxystrobin	Lemon	79.66	N/A	9,432.0	U
azoxystrobin	Lettuce, head	96.44	29	441.7	A
azoxystrobin	Lettuce, leaf	131.28	135	737.46	A
azoxystrobin	Lettuce, leaf	<0.01	N/A	115.16	P
azoxystrobin	Melon	168.9	61	1,466.57	A
azoxystrobin	Melon	0.03	N/A	1,165.3	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Mint	82.78	58	360.55	A
azoxystrobin	Mizuna	0.71	1	3.15	A
azoxystrobin	Mustard	25.98	33	154.41	A
azoxystrobin	Mustard greens	3.23	9	14.0	A
azoxystrobin	N-grnhs flower	114.32	100	338.1	A
azoxystrobin	N-grnhs flower	22.71	60	1,795,152.0	S
azoxystrobin	N-grnhs flower	0.03	N/A	69.0	U
azoxystrobin	N-grnhs plants in containers	229.31	998	809.19	A
azoxystrobin	N-grnhs plants in containers	79.26	341	22,041,835.48	S
azoxystrobin	N-grnhs plants in containers	0.06	1	0.01	U
azoxystrobin	N-grnhs transplants	79.93	219	1,285.45	A
azoxystrobin	N-grnhs transplants	35.8	174	3,019,988.0	S
azoxystrobin	N-outdr flower	194.29	363	1,413.55	A
azoxystrobin	N-outdr flower	1.49	8	164,115.0	S
azoxystrobin	N-outdr plants in containers	680.48	1,001	2,728.8	A
azoxystrobin	N-outdr plants in containers	19.03	97	2,385,290.0	S
azoxystrobin	N-outdr plants in containers	58.46	33	1,183,079.01	U
azoxystrobin	N-outdr transplants	456.32	286	2,157.21	A
azoxystrobin	N-outdr transplants	28.13	109	6,417,591.0	S
azoxystrobin	Nectarine	709.25	218	3,658.74	A
azoxystrobin	Olive	34.41	1	188.5	A
azoxystrobin	Onion, dry	2,425.91	163	12,679.46	A
azoxystrobin	Onion, dry	1.9	N/A	76,086.93	P
azoxystrobin	Onion, green	43.14	36	184.13	A
azoxystrobin	Onion, green	<0.01	N/A	73.64	P
azoxystrobin	Orange	4,533.97	1,353	24,805.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Orange	1,093.07	N/A	1,030,397.02	T
azoxystrobin	Orange	177.75	N/A	41,086.0	U
azoxystrobin	Parsley	379.51	274	1,745.23	A
azoxystrobin	Parsnip	0.01	N/A	567.0	P
azoxystrobin	Peach	3,203.61	745	16,410.58	A
azoxystrobin	Peas	104.2	45	492.88	A
azoxystrobin	Pecan	104.42	9	542.33	A
azoxystrobin	Pecan	<0.01	1	1,000.0	S
azoxystrobin	Pepper, fruiting	1,274.94	331	7,501.55	A
azoxystrobin	Pepper, fruiting	0.04	N/A	1,490.72	P
azoxystrobin	Pepper, spice	8.81	2	48.2	A
azoxystrobin	Persimmon	68.11	9	428.0	A
azoxystrobin	Pistachio	7,114.66	373	33,745.61	A
azoxystrobin	Plum	169.65	72	847.13	A
azoxystrobin	Pluot	1.25	2	5.6	A
azoxystrobin	Potato	4,155.51	326	22,534.9	A
azoxystrobin	Prune	485.32	89	2,462.29	A
azoxystrobin	Pumpkin	64.99	15	322.6	A
azoxystrobin	Pumpkin	0.14	N/A	5,680.88	P
azoxystrobin	Radicchio	189.94	16	913.53	A
azoxystrobin	Radish	97.33	182	474.5	A
azoxystrobin	Rapini	357.63	16	1,504.7	A
azoxystrobin	Raspberry	32.78	22	136.6	A
azoxystrobin	Raspberry	<0.01	3	450.0	S
azoxystrobin	Regulatory pest control	5.13	N/A	N/A	N/A
azoxystrobin	Research commodity	16.02	51	90.36	A
azoxystrobin	Research commodity	1.19	31	280,400.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Research commodity	44.22	N/A	N/A	N/A
azoxystrobin	Rice	58,187.63	3,797	303,821.47	A
azoxystrobin	Rice, wild	9.09	1	43.68	A
azoxystrobin	Rights of way	1.09	N/A	N/A	N/A
azoxystrobin	Root vegetable	1.13	20	11.7	A
azoxystrobin	Rosemary	2.47	39	17.0	A
azoxystrobin	Sage	3.15	39	19.71	A
azoxystrobin	Sod farm (turf)	202.94	52	409.39	A
azoxystrobin	Spinach	753.3	262	3,007.34	A
azoxystrobin	Spinach	0.72	N/A	28,925.61	P
azoxystrobin	Squash	30.14	24	170.19	A
azoxystrobin	Squash	0.63	N/A	25,099.16	P
azoxystrobin	Squash, summer	17.08	6	106.0	A
azoxystrobin	Squash, winter	23.01	5	126.0	A
azoxystrobin	Stone fruit	1.03	2	3.0	A
azoxystrobin	Strawberry	2,436.46	356	11,790.1	A
azoxystrobin	Strawberry	0.57	8	102,730.0	S
azoxystrobin	Strawberry	<0.01	2	0.07	U
azoxystrobin	Structural pest control	3.3	N/A	N/A	N/A
azoxystrobin	Sugarbeet	135.01	10	660.0	A
azoxystrobin	Sunflower	0.82	2	3.25	A
azoxystrobin	Sweet potato	74.71	9	378.8	A
azoxystrobin	Swiss chard	38.37	118	159.12	A
azoxystrobin	Tangelo	83.53	36	444.97	A
azoxystrobin	Tangerine	2,425.98	602	12,922.71	A
azoxystrobin	Tangerine	0.36	N/A	7,934.5	T
azoxystrobin	Tarragon	1.58	19	8.75	A
azoxystrobin	Thyme	3.59	38	26.15	A
azoxystrobin	Tomatillo	0.18	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	Tomato	1,094.75	241	11,097.5	A
azoxystrobin	Tomato	0.03	N/A	1,277.29	P
azoxystrobin	Tomato	0.22	9	23,400.0	S
azoxystrobin	Tomato, processing	8,653.85	1,210	84,388.61	A
azoxystrobin	Turf/sod	322.43	91	1,115.92	A
azoxystrobin	Turf/sod	6.36	N/A	591,500.0	S
azoxystrobin	Turnip	44.4	75	186.34	A
azoxystrobin	Turnip greens	0.08	1	0.52	A
azoxystrobin	Uncultivated ag	105.51	11	844.7	A
azoxystrobin	Vegetables, fruiting	0.02	1	0.25	A
azoxystrobin	Vegetables, leafy	4.9	55	40.12	A
azoxystrobin	Walnut	11,246.1	1,214	62,018.7	A
azoxystrobin	Watercress	8.2	9	61.1	A
azoxystrobin	Watermelon	473.82	80	3,003.51	A
azoxystrobin	Watermelon	0.23	N/A	9,425.76	P
azoxystrobin	Wheat	162.31	28	1,851.65	A
azoxystrobin	Wheat (forage - fodder)	40.13	5	293.78	A
<b>bacillus amyloliquefaciens strain d747</b>	Almond	16,426.96	106	7,098.97	A
<b>bacillus amyloliquefaciens strain d747</b>	Apple	235.51	8	37.4	A
<b>bacillus amyloliquefaciens strain d747</b>	Apricot	388.46	13	68.58	A
<b>bacillus amyloliquefaciens strain d747</b>	Arugula	3,334.45	61	606.83	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Asparagus	2.81	1	15.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Avocado	28.28	6	376,299.0	U
<b>bacillus amyloliquefaciens strain d747</b>	Basil, sweet	436.7	57	355.02	A
<b>bacillus amyloliquefaciens strain d747</b>	Bean, succulent	2.0	1	4.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Beet	1,120.8	46	192.42	A
<b>bacillus amyloliquefaciens strain d747</b>	Blackberry	381.76	7	53.3	A
<b>bacillus amyloliquefaciens strain d747</b>	Blueberry	2,686.64	35	700.93	A
<b>bacillus amyloliquefaciens strain d747</b>	Bok choy	19.21	3	4.36	A
<b>bacillus amyloliquefaciens strain d747</b>	Boysenberry	13.22	2	1.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Broccoli	137.14	13	63.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Brussels sprout	1,222.74	25	328.51	A
<b>bacillus amyloliquefaciens strain d747</b>	Cabbage	410.48	11	175.1	A
<b>bacillus amyloliquefaciens strain d747</b>	Cannabis (all or unspecified)	2,644.92	110	542.02	A
<b>bacillus amyloliquefaciens strain d747</b>	Cannabis (all or unspecified)	661.99	398	3,847,706.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Carrot	1,696.37	24	548.55	A
<b>bacillus amyloliquefaciens strain d747</b>	Cauliflower	861.64	50	267.03	A
<b>bacillus amyloliquefaciens strain d747</b>	Celery	824.83	85	300.15	A
<b>bacillus amyloliquefaciens strain d747</b>	Cherry	1,628.89	17	438.9	A
<b>bacillus amyloliquefaciens strain d747</b>	Chive	15.07	6	3.65	A
<b>bacillus amyloliquefaciens strain d747</b>	Cilantro	587.39	29	474.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Citrus	0.14	1	0.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Collard	6.06	3	15.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Dill	19.06	11	23.33	A
<b>bacillus amyloliquefaciens strain d747</b>	Eggplant	66.08	1	25.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Endive (escarole)	16.35	3	23.39	A
<b>bacillus amyloliquefaciens strain d747</b>	Fennel	33.04	1	5.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Garlic	3,757.72	13	575.72	A
<b>bacillus amyloliquefaciens strain d747</b>	Grape	16,488.68	242	7,099.45	A
<b>bacillus amyloliquefaciens strain d747</b>	Grape, wine	14,950.48	211	3,099.06	A
<b>bacillus amyloliquefaciens strain d747</b>	Herb, spice	370.43	57	62.53	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Industrial hemp	44.05	2	5.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Kale	3,041.83	96	694.83	A
<b>bacillus amyloliquefaciens strain d747</b>	Kohlrabi	6.61	1	1.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Landscape maintenance	413.16	N/A	N/A	N/A
<b>bacillus amyloliquefaciens strain d747</b>	Leek	158.82	46	129.85	A
<b>bacillus amyloliquefaciens strain d747</b>	Lemon	19.82	1	0.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Lettuce, head	567.09	35	161.9	A
<b>bacillus amyloliquefaciens strain d747</b>	Lettuce, head	1.45	4	57,499.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Lettuce, leaf	10,837.67	314	2,225.43	A
<b>bacillus amyloliquefaciens strain d747</b>	Lettuce, leaf	178.49	2	393,120.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Loganberry	4.41	1	0.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Mango	356.83	2	54.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Melon	1.04	1	1.1	A
<b>bacillus amyloliquefaciens strain d747</b>	Mint	35.15	13	14.3	A
<b>bacillus amyloliquefaciens strain d747</b>	Mizuna	671.81	30	94.78	A
<b>bacillus amyloliquefaciens strain d747</b>	Mustard	12.95	1	2.94	A
<b>bacillus amyloliquefaciens strain d747</b>	Mustard greens	37.56	12	37.21	A
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs flower	142.88	20	378,536.0	S
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs plants in containers	636.92	141	112.79	A
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs plants in containers	47.04	21	203,741.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	1,509.34	1,012	436.47	A
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	120.77	53	936,384.0	S
<b>bacillus amyloliquefaciens strain d747</b>	N-outdr flower	28.67	26	105.42	A
<b>bacillus amyloliquefaciens strain d747</b>	N-outdr plants in containers	1,914.36	130	505.14	A
<b>bacillus amyloliquefaciens strain d747</b>	N-outdr plants in containers	17.7	8	134,022.0	S
<b>bacillus amyloliquefaciens strain d747</b>	N-outdr transplants	1,208.13	136	291.81	A
<b>bacillus amyloliquefaciens strain d747</b>	N-outdr transplants	2,415.84	146	16,433,894.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Nectarine	6,531.62	219	2,630.11	A
<b>bacillus amyloliquefaciens strain d747</b>	Olallieberry	4.41	1	0.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Onion, dry	11,432.34	51	2,790.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Oregano	20.94	8	6.21	A
<b>bacillus amyloliquefaciens strain d747</b>	Parsley	667.41	62	312.74	A
<b>bacillus amyloliquefaciens strain d747</b>	Peach	13,040.67	371	5,994.77	A
<b>bacillus amyloliquefaciens strain d747</b>	Pear	910.14	17	232.6	A
<b>bacillus amyloliquefaciens strain d747</b>	Pear, asian (oriental pear, ya, ya li, nashi)	1,009.46	5	154.6	A
<b>bacillus amyloliquefaciens strain d747</b>	Peas	101.18	3	33.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Pepper, fruiting	972.87	10	160.43	A
<b>bacillus amyloliquefaciens strain d747</b>	Pistachio	687.23	2	78.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Plum	3,174.92	77	1,172.31	A
<b>bacillus amyloliquefaciens strain d747</b>	Pluot	185.11	6	42.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Pome fruit	55.07	N/A	4.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Potato	2,005.47	16	900.11	A
<b>bacillus amyloliquefaciens strain d747</b>	Prune	118.94	1	27.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Pumpkin	12.16	2	2.75	A
<b>bacillus amyloliquefaciens strain d747</b>	Radicchio	946.08	6	362.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Radish	652.17	185	740.75	A
<b>bacillus amyloliquefaciens strain d747</b>	Raspberry	1,886.4	60	688.6	A
<b>bacillus amyloliquefaciens strain d747</b>	Research commodity	1.83	8	57,500.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Research commodity	10.31	N/A	N/A	N/A
<b>bacillus amyloliquefaciens strain d747</b>	Rosemary	85.08	11	15.86	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Sage	62.37	7	13.99	A
<b>bacillus amyloliquefaciens strain d747</b>	Shallot	154.97	8	64.82	A
<b>bacillus amyloliquefaciens strain d747</b>	Spinach	16,326.75	398	3,884.4	A
<b>bacillus amyloliquefaciens strain d747</b>	Squash	3.11	1	2.1	A
<b>bacillus amyloliquefaciens strain d747</b>	Squash, summer	226.87	5	73.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Stone fruit	208.94	8	47.75	A
<b>bacillus amyloliquefaciens strain d747</b>	Strawberry	57,458.2	491	8,276.53	A
<b>bacillus amyloliquefaciens strain d747</b>	Strawberry	6.68	1	88,110.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Sweet potato	43.65	4	116.4	A
<b>bacillus amyloliquefaciens strain d747</b>	Swiss chard	1,140.06	68	292.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Tangerine	4.5	1	9.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Tarragon	5.51	3	1.3	A
<b>bacillus amyloliquefaciens strain d747</b>	Thyme	33.87	7	12.38	A
<b>bacillus amyloliquefaciens strain d747</b>	Tomatillo	460.35	2	100.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Tomato	2,438.07	9	427.1	A
<b>bacillus amyloliquefaciens strain d747</b>	Tomato, processing	6,280.3	34	2,384.33	A
<b>bacillus amyloliquefaciens strain d747</b>	Tropical/subtropical fruit	6.61	1	0.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Turnip greens	22.32	9	16.23	A
<b>bacillus amyloliquefaciens strain d747</b>	Uncultivated ag	0.01	1	276.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Upland cress	4.06	32	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Vegetables, leafy	794.94	13	245.26	A
<b>bacillus amyloliquefaciens strain d747</b>	Walnut	4,109.61	59	1,741.2	A
<b>bacillus amyloliquefaciens strain d747</b>	Watermelon	5.97	5	5.3	A
<b>bacillus amyloliquefaciens strain f727</b>	Arugula	1,075.26	57	206.19	A
<b>bacillus amyloliquefaciens strain f727</b>	Kale	574.99	18	98.16	A
<b>bacillus amyloliquefaciens strain f727</b>	Lettuce, head	79.54	5	15.89	A
<b>bacillus amyloliquefaciens strain f727</b>	Lettuce, leaf	8,507.37	237	1,716.99	A
<b>bacillus amyloliquefaciens strain f727</b>	Mizuna	110.67	11	18.24	A
<b>bacillus amyloliquefaciens strain f727</b>	Mustard greens	137.4	16	34.23	A
<b>bacillus amyloliquefaciens strain f727</b>	N-outdr transplants	745.99	40	8,080,380.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain f727</b>	Onion, dry	142.95	3	105.0	A
<b>bacillus amyloliquefaciens strain f727</b>	Raspberry	65.07	5	16.16	A
<b>bacillus amyloliquefaciens strain f727</b>	Spinach	6,864.06	178	1,354.68	A
<b>bacillus amyloliquefaciens strain f727</b>	Strawberry	13,197.82	124	3,703.67	A
<b>bacillus amyloliquefaciens strain f727</b>	Swiss chard	633.01	23	113.74	A
<b>bacillus firmus (strain i-1582)</b>	Landscape maintenance	7.0	N/A	N/A	N/A
<b>bacillus firmus (strain i-1582)</b>	N-grnhs flower	21.0	N/A	6.0	A
<b>bacillus firmus (strain i-1582)</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>bacillus mycoides isolate j</b>	Arugula	7.82	9	85.84	A
<b>bacillus mycoides isolate j</b>	Beet	1.84	2	21.14	A
<b>bacillus mycoides isolate j</b>	Cabbage	0.4	2	5.26	A
<b>bacillus mycoides isolate j</b>	Grape	16.2	17	424.0	A
<b>bacillus mycoides isolate j</b>	Grape, wine	6.0	6	102.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus mycoides isolate j</b>	Kale	7.78	6	82.37	A
<b>bacillus mycoides isolate j</b>	Lettuce, head	7.94	30	79.3	A
<b>bacillus mycoides isolate j</b>	Lettuce, leaf	133.82	168	1,441.89	A
<b>bacillus mycoides isolate j</b>	Mustard greens	14.58	26	131.95	A
<b>bacillus mycoides isolate j</b>	N-grnhs transplants	6.36	23	51.01	A
<b>bacillus mycoides isolate j</b>	N-grnhs transplants	0.82	14	360,000.0	S
<b>bacillus mycoides isolate j</b>	N-outdr transplants	1.69	20	22.71	A
<b>bacillus mycoides isolate j</b>	N-outdr transplants	30.29	81	11,692,915.0	S
<b>bacillus mycoides isolate j</b>	Parsley	0.8	1	8.03	A
<b>bacillus mycoides isolate j</b>	Pear	1.97	1	17.5	A
<b>bacillus mycoides isolate j</b>	Spinach	172.31	258	2,025.7	A
<b>bacillus mycoides isolate j</b>	Swiss chard	10.7	21	117.16	A
<b>bacillus mycoides isolate j</b>	Vegetables, leafy	2.12	3	21.22	A
<b>bacillus pumilus, strain qst 2808</b>	Almond	244.46	104	4,009.1	A
<b>bacillus pumilus, strain qst 2808</b>	Apple	0.32	6	4.54	A
<b>bacillus pumilus, strain qst 2808</b>	Apricot	1.54	2	25.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus pumilus, strain qst 2808</b>	Artichoke, globe	9.13	22	124.1	A
<b>bacillus pumilus, strain qst 2808</b>	Arugula	8.52	17	171.45	A
<b>bacillus pumilus, strain qst 2808</b>	Arugula	<0.01	4	1,050.0	S
<b>bacillus pumilus, strain qst 2808</b>	Basil, sweet	<0.01	2	290.0	S
<b>bacillus pumilus, strain qst 2808</b>	Blackberry	0.08	9	114,495.0	S
<b>bacillus pumilus, strain qst 2808</b>	Blueberry	24.73	9	274.5	A
<b>bacillus pumilus, strain qst 2808</b>	Bok choy	1.41	24	23.5	A
<b>bacillus pumilus, strain qst 2808</b>	Broccoli	<0.01	3	175.0	S
<b>bacillus pumilus, strain qst 2808</b>	Brussels sprout	0.12	1	2.0	A
<b>bacillus pumilus, strain qst 2808</b>	Cannabis (all or unspecified)	<0.01	2	652.0	S
<b>bacillus pumilus, strain qst 2808</b>	Carrot	19.93	24	294.23	A
<b>bacillus pumilus, strain qst 2808</b>	Carrot	<0.01	3	620.0	S
<b>bacillus pumilus, strain qst 2808</b>	Cauliflower	<0.01	2	500.0	S
<b>bacillus pumilus, strain qst 2808</b>	Celery	6.02	17	109.08	A
<b>bacillus pumilus, strain qst 2808</b>	Cherry	6.78	8	78.0	A
<b>bacillus pumilus, strain qst 2808</b>	Chicory	<0.01	3	1,400.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus pumilus, strain qst 2808</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	<0.01	1	50.0	S
<b>bacillus pumilus, strain qst 2808</b>	Cucumber	3.7	8	55.4	A
<b>bacillus pumilus, strain qst 2808</b>	Dandelion green	<0.01	3	660.0	S
<b>bacillus pumilus, strain qst 2808</b>	Eggplant	<0.01	1	300.0	S
<b>bacillus pumilus, strain qst 2808</b>	Fava bean	<0.01	2	600.0	S
<b>bacillus pumilus, strain qst 2808</b>	Fennel	0.18	1	3.0	A
<b>bacillus pumilus, strain qst 2808</b>	Garlic	2.4	1	40.0	A
<b>bacillus pumilus, strain qst 2808</b>	Grape	4,747.62	906	46,142.75	A
<b>bacillus pumilus, strain qst 2808</b>	Grape, wine	3,658.49	3,235	39,995.18	A
<b>bacillus pumilus, strain qst 2808</b>	Herb, spice	0.03	3	6,000.0	S
<b>bacillus pumilus, strain qst 2808</b>	Kale	13.22	50	227.8	A
<b>bacillus pumilus, strain qst 2808</b>	Kale	<0.01	4	905.0	S
<b>bacillus pumilus, strain qst 2808</b>	Landscape maintenance	0.04	5	2.21	A
<b>bacillus pumilus, strain qst 2808</b>	Lettuce, head	33.96	59	537.8	A
<b>bacillus pumilus, strain qst 2808</b>	Lettuce, head	<0.01	4	2,600.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus pumilus, strain qst 2808</b>	Lettuce, leaf	179.27	307	2,937.91	A
<b>bacillus pumilus, strain qst 2808</b>	Melon	0.6	1	10.0	A
<b>bacillus pumilus, strain qst 2808</b>	Mizuna	0.34	2	5.6	A
<b>bacillus pumilus, strain qst 2808</b>	Mustard	<0.01	3	440.0	S
<b>bacillus pumilus, strain qst 2808</b>	Mustard greens	5.16	22	78.5	A
<b>bacillus pumilus, strain qst 2808</b>	N-grnhs flower	0.15	N/A	1.6	A
<b>bacillus pumilus, strain qst 2808</b>	N-grnhs plants in containers	0.15	3	3.0	A
<b>bacillus pumilus, strain qst 2808</b>	N-grnhs transplants	26.23	858	219.28	A
<b>bacillus pumilus, strain qst 2808</b>	N-grnhs transplants	0.99	31	789,600.0	S
<b>bacillus pumilus, strain qst 2808</b>	N-outdr flower	<0.01	4	450.0	S
<b>bacillus pumilus, strain qst 2808</b>	N-outdr plants in containers	0.15	3	3.0	A
<b>bacillus pumilus, strain qst 2808</b>	N-outdr transplants	2.72	13	60.6	A
<b>bacillus pumilus, strain qst 2808</b>	N-outdr transplants	9.92	90	7,544,080.0	S
<b>bacillus pumilus, strain qst 2808</b>	Nectarine	162.27	92	1,618.18	A
<b>bacillus pumilus, strain qst 2808</b>	Olive	1.04	14	1.75	A
<b>bacillus pumilus, strain qst 2808</b>	Parsley	5.69	11	59.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus pumilus, strain qst 2808</b>	Parsley	<0.01	4	690.0	S
<b>bacillus pumilus, strain qst 2808</b>	Peach	329.19	176	3,631.91	A
<b>bacillus pumilus, strain qst 2808</b>	Pear	0.54	2	9.0	A
<b>bacillus pumilus, strain qst 2808</b>	Peas	20.72	61	573.5	A
<b>bacillus pumilus, strain qst 2808</b>	Pepper, fruiting	10.64	5	239.66	A
<b>bacillus pumilus, strain qst 2808</b>	Pistachio	0.66	2	11.0	A
<b>bacillus pumilus, strain qst 2808</b>	Plum	91.35	44	767.63	A
<b>bacillus pumilus, strain qst 2808</b>	Pome fruit	0.36	N/A	2.0	A
<b>bacillus pumilus, strain qst 2808</b>	Pumpkin	2.09	4	34.8	A
<b>bacillus pumilus, strain qst 2808</b>	Radicchio	46.18	21	443.5	A
<b>bacillus pumilus, strain qst 2808</b>	Raspberry	12.11	10	124.31	A
<b>bacillus pumilus, strain qst 2808</b>	Raspberry	0.02	5	39,570.0	S
<b>bacillus pumilus, strain qst 2808</b>	Soil fumigation/preplant	0.72	1	8.02	A
<b>bacillus pumilus, strain qst 2808</b>	Spinach	105.38	128	1,605.64	A
<b>bacillus pumilus, strain qst 2808</b>	Squash	5.51	8	91.82	A
<b>bacillus pumilus, strain qst 2808</b>	Squash, winter	0.6	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus pumilus, strain qst 2808</b>	Strawberry	127.77	90	1,411.48	A
<b>bacillus pumilus, strain qst 2808</b>	Strawberry	0.15	2	197,055.0	S
<b>bacillus pumilus, strain qst 2808</b>	Swiss chard	10.82	48	180.1	A
<b>bacillus pumilus, strain qst 2808</b>	Tomatillo	<0.01	1	50.0	S
<b>bacillus pumilus, strain qst 2808</b>	Tomato	47.85	20	756.07	A
<b>bacillus pumilus, strain qst 2808</b>	Tomato, processing	176.22	49	2,346.14	A
<b>bacillus pumilus, strain qst 2808</b>	Watermelon	14.42	4	126.6	A
<b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Landscape maintenance	3.46	N/A	N/A	N/A
<b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Public health	9,897.15	N/A	N/A	N/A
<b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Rights of way	17.93	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Structural pest control	0.1	N/A	N/A	N/A
<b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Water area	508.58	N/A	608.0	A
<b>bacillus subtilis gb03</b>	Golf course turf	0.68	N/A	157.4	A
<b>bacillus subtilis gb03</b>	Golf course turf	0.11	1	900,000.0	S
<b>bacillus subtilis gb03</b>	Landscape maintenance	0.78	N/A	N/A	N/A
<b>bacillus subtilis gb03</b>	N-outdr flower	<0.01	2	0.5	A
<b>bacillus subtilis gb03</b>	N-outdr plants in containers	<0.01	1	1.0	A
<b>bacillus subtilis gb03</b>	Research commodity	<0.01	16	0.28	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Almond	376.3	97	7,396.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain mbi 600</b>	Artichoke, globe	4.22	3	38.4	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Blackberry	5.62	8	64.55	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Blueberry	80.77	29	1,174.84	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Brussels sprout	5.16	5	187.99	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Celery	1.72	2	41.7	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Collard	0.33	1	3.0	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Grape	389.0	168	7,259.59	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Grape, wine	13.78	20	179.62	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Grapefruit	2.35	2	57.0	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Hops	0.17	1	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain mbi 600</b>	Kale	2.38	2	22.33	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Lemon	49.92	35	1,220.25	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Lettuce, leaf	20.83	57	380.98	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Mizuna	0.27	3	5.13	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Nectarine	48.06	47	490.43	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Orange	1.16	1	28.0	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Peach	82.61	93	913.16	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Pepper, fruiting	3.02	2	60.0	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Pistachio	10.09	3	146.75	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Plum	27.9	15	262.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain mbi 600</b>	Spinach	14.64	44	267.66	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Strawberry	55.63	58	879.62	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Swiss chard	3.35	5	50.72	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Tangerine	2.17	3	49.74	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Tomato	38.01	27	1,378.9	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Tomato, processing	14.01	7	254.7	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Walnut	40.3	16	732.64	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Watermelon	6.25	3	113.6	A
<b>bacillus subtilis strain iab/bs03</b>	Almond	0.14	2	86.0	A
<b>bacillus subtilis strain iab/bs03</b>	Apple	0.1	1	27.0	A
<b>bacillus subtilis strain iab/bs03</b>	Apricot	0.18	12	100.91	A
<b>bacillus subtilis strain iab/bs03</b>	Artichoke, globe	0.02	5	36.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus subtilis strain iab/bs03</b>	Arugula	0.08	9	46.72	A
<b>bacillus subtilis strain iab/bs03</b>	Blueberry	0.06	2	98.74	A
<b>bacillus subtilis strain iab/bs03</b>	Bok choy	<0.01	1	4.0	A
<b>bacillus subtilis strain iab/bs03</b>	Broccoli	0.07	10	70.0	A
<b>bacillus subtilis strain iab/bs03</b>	Brussels sprout	<0.01	2	6.0	A
<b>bacillus subtilis strain iab/bs03</b>	Cabbage	<0.01	1	4.0	A
<b>bacillus subtilis strain iab/bs03</b>	Carrot	0.04	11	75.0	A
<b>bacillus subtilis strain iab/bs03</b>	Cauliflower	<0.01	2	12.0	A
<b>bacillus subtilis strain iab/bs03</b>	Celery	0.13	39	209.5	A
<b>bacillus subtilis strain iab/bs03</b>	Cherry	0.08	7	43.0	A
<b>bacillus subtilis strain iab/bs03</b>	Collard	<0.01	2	5.9	A
<b>bacillus subtilis strain iab/bs03</b>	Fennel	<0.01	1	3.0	A
<b>bacillus subtilis strain iab/bs03</b>	Grape	11.23	151	7,024.52	A
<b>bacillus subtilis strain iab/bs03</b>	Grape, wine	1.19	40	823.32	A
<b>bacillus subtilis strain iab/bs03</b>	Kale	<0.01	2	18.0	A
<b>bacillus subtilis strain iab/bs03</b>	Kiwi fruit fuzzy	0.02	1	18.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus subtilis strain iab/bs03</b>	Lettuce, leaf	0.24	27	155.89	A
<b>bacillus subtilis strain iab/bs03</b>	N-grnhs transplants	<0.01	1	1.0	A
<b>bacillus subtilis strain iab/bs03</b>	N-outdr plants in containers	<0.01	1	2.0	A
<b>bacillus subtilis strain iab/bs03</b>	Nectarine	1.02	44	583.1	A
<b>bacillus subtilis strain iab/bs03</b>	Onion, dry	0.08	1	65.5	A
<b>bacillus subtilis strain iab/bs03</b>	Orange	<0.01	1	1.0	A
<b>bacillus subtilis strain iab/bs03</b>	Parsley	0.02	7	30.0	A
<b>bacillus subtilis strain iab/bs03</b>	Peach	0.73	51	403.95	A
<b>bacillus subtilis strain iab/bs03</b>	Pear	<0.01	1	3.5	A
<b>bacillus subtilis strain iab/bs03</b>	Pear, asian (oriental pear, ya, ya li, nashi)	<0.01	1	2.0	A
<b>bacillus subtilis strain iab/bs03</b>	Peas	0.03	3	30.0	A
<b>bacillus subtilis strain iab/bs03</b>	Pepper, fruiting	0.02	1	25.0	A
<b>bacillus subtilis strain iab/bs03</b>	Plum	0.31	8	167.11	A
<b>bacillus subtilis strain iab/bs03</b>	Pomegranate	0.04	1	25.0	A
<b>bacillus subtilis strain iab/bs03</b>	Radish	<0.01	1	1.0	A
<b>bacillus subtilis strain iab/bs03</b>	Raspberry	0.19	15	98.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus subtilis strain iab/bs03</b>	Squash, summer	0.05	5	78.0	A
<b>bacillus subtilis strain iab/bs03</b>	Stone fruit	0.14	4	86.5	A
<b>bacillus subtilis strain iab/bs03</b>	Strawberry	1.48	53	788.85	A
<b>bacillus subtilis strain iab/bs03</b>	Swiss chard	<0.01	1	4.0	A
<b>bacillus subtilis strain iab/bs03</b>	Tangerine	0.02	1	20.0	A
<b>bacillus subtilis strain iab/bs03</b>	Tomato	<0.01	4	0.17	A
<b>bacillus subtilis strain iab/bs03</b>	Walnut	0.08	4	148.0	A
<b>bacillus subtilis strain iab/bs03</b>	Watermelon	0.04	3	30.0	A
<b>bacillus thuringiensis (berliner)</b>	Apple	0.02	11	1.9	A
<b>bacillus thuringiensis (berliner)</b>	Basil, sweet	0.02	1	1.0	A
<b>bacillus thuringiensis (berliner)</b>	Collard	<0.01	1	1.0	A
<b>bacillus thuringiensis (berliner)</b>	Grape, wine	1.26	6	58.5	A
<b>bacillus thuringiensis (berliner)</b>	Landscape maintenance	0.61	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner)</b>	Lettuce, leaf	<0.01	1	2,000.0	S
<b>bacillus thuringiensis (berliner)</b>	N-grnhs flower	<0.01	4	32,000.0	S
<b>bacillus thuringiensis (berliner)</b>	N-grnhs plants in containers	0.14	3	3.0	A
<b>bacillus thuringiensis (berliner)</b>	N-grnhs plants in containers	0.02	2	16,000.0	S
<b>bacillus thuringiensis (berliner)</b>	N-outdr flower	0.07	2	2.64	A
<b>bacillus thuringiensis (berliner)</b>	N-outdr plants in containers	0.08	2	3.0	A
<b>bacillus thuringiensis (berliner)</b>	N-outdr plants in containers	0.03	1	5,000.0	S
<b>bacillus thuringiensis (berliner)</b>	Pear	<0.01	14	1.44	A
<b>bacillus thuringiensis (berliner)</b>	Public health	9.86	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner)</b>	Regulatory pest control	0.02	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner)</b>	Structural pest control	0.84	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner)</b>	Tarragon	<0.01	1	0.5	A
<b>bacillus thuringiensis (berliner)</b>	Vegetables, leafy	<0.01	1	0.1	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Apple	292.39	15	477.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Artichoke, globe	1,172.58	98	1,113.7	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Arugula	101.35	18	125.84	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Bean, succulent	<0.01	2	0.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Beet	8.95	10	17.89	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Blackberry	200.17	23	236.82	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Bok choy	68.8	12	68.8	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Broccoli	17,723.63	1,555	20,214.4	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Brussels sprout	7,853.4	646	10,167.55	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Bushberry	0.01	1	0.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cabbage	2,727.74	453	3,154.77	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cannabis (all or unspecified)	25.63	14	6.84	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cantaloupe	119.45	5	192.8	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cauliflower	7,227.6	966	8,382.84	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Celery	2,220.69	262	2,382.31	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Chinese cabbage (napa, won bok, celery cabbage)	64.3	9	68.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Citrus	2.97	3	2.97	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cole crop	0.09	8	1.6	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Collard	10.07	48	10.07	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Corn, human consumption	2,199.63	52	2,224.6	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cucumber	0.03	2	0.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Daikon	5.0	1	8.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Herb, spice	15.13	6	21.95	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Industrial hemp	25.0	5	50.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Kale	707.86	105	793.69	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, head	709.3	89	782.54	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, leaf	6,687.55	733	7,662.69	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Melon	78.73	2	91.81	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Mizuna	13.7	5	14.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Mustard greens	17.59	17	19.84	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-grnhs plants in containers	29.26	23	27.86	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-grnhs transplants	1.23	28	12.04	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-outdr flower	23.41	30	264.1	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-outdr plants in containers	6.5	5	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-outdr transplants	7.57	4	29.11	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-outdr transplants	0.61	2	99,735.0	S
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Nectarine	10.25	4	20.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Peach	15.0	6	30.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Peas	10.0	1	10.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pepper, fruiting	62.85	7	187.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pistachio	547.45	23	667.7	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Rapini	2,116.4	146	2,589.2	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Raspberry	263.71	38	309.13	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Root vegetable	0.1	3	2.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Spinach	1,656.96	120	1,750.39	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Squash	0.13	3	3.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Strawberry	1,994.56	128	2,619.38	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Swiss chard	196.36	18	204.07	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Tomato, processing	598.24	9	999.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Tropical/subtropical fruit	0.03	1	0.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Turnip greens	9.86	12	10.6	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Vegetables, fruiting	0.02	2	0.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Vegetables, leafy	0.34	13	6.2	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Walnut	14.0	2	28.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Watermelon	365.76	22	473.62	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Beet	0.74	2	14.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Broccoli	0.52	2	6.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Cauliflower	0.18	1	3.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Collard	0.41	1	4.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Herb, spice	0.93	7	5.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Kale	0.72	3	14.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Lettuce, head	1.75	4	26.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Lettuce, leaf	0.41	1	4.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs flower	1.7	2	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs flower	1.44	3	74,000.0	S
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs plants in containers	0.61	4	2.98	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs transplants	0.93	6	6.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-grnhs transplants	4.18	26	1,713,600.0	S
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-outdr flower	15.76	31	120.7	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-outdr plants in containers	0.43	5	7.75	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	N-outdr transplants	10.71	71	4,785,600.0	S
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Radish	0.36	2	7.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Rosemary	0.62	1	3.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, serotype h-7</b>	Swiss chard	0.82	2	8.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Alfalfa	1,346.84	13	1,295.8	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Almond	2,026.08	17	2,902.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Artichoke, globe	879.61	116	1,209.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Arugula	169.47	62	217.49	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bean, succulent	21.44	9	28.8	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bean, unspecified	1.08	1	2.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Beet	3,685.98	185	4,050.41	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Blackberry	311.46	39	351.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Blueberry	974.42	87	1,218.64	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bok choy	698.35	248	760.17	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Broccoli	18,954.24	2,331	22,477.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Brussels sprout	10,525.96	707	12,715.69	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cabbage	22,822.66	3,104	23,942.08	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cabbage	0.05	2	5,100.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cannabis (all or unspecified)	352.78	57	406.08	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cannabis (all or unspecified)	8.47	16	355,963.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cantaloupe	40.5	2	41.7	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Carrot	244.03	13	225.94	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cauliflower	12,612.24	1,571	14,721.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Celery	7,388.16	910	8,534.06	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	62.1	7	105.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chinese broccoli (gai lon)	0.81	3	3.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chinese cabbage (napa, won bok, celery cabbage)	206.21	61	251.66	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chive	7.56	2	7.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cilantro	89.12	8	101.2	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Citrus	7.36	6	6.96	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Collard	1,121.83	458	1,196.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Corn, human consumption	563.47	64	594.97	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Daikon	37.06	9	56.15	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Dill	0.54	1	0.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Eggplant	24.3	2	30.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Endive (escarole)	102.46	39	134.84	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Fennel	4.75	1	4.4	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Fumigation, other	0.67	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Gai lon	4.82	12	8.92	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Grape	49.41	5	183.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Herb, spice	11.61	19	20.1	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Industrial hemp	1,062.67	45	1,336.4	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kale	6,408.73	927	6,291.97	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kale	0.18	7	17,500.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kohlrabi	98.41	50	121.31	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Landscape maintenance	2.24	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Leek	260.04	18	253.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Lettuce, head	1,070.49	163	1,048.15	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Lettuce, leaf	6,074.55	792	7,205.51	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mint	7.99	4	10.6	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mizuna	13.66	11	15.33	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mustard	67.8	49	79.02	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mustard greens	276.55	141	358.82	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs flower	93.66	54	142.75	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs flower	12.55	8	124,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs plants in containers	77.37	153	109.84	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs transplants	52.58	248	101.83	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs transplants	36.69	17	4,074,000.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr flower	158.09	75	374.31	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr plants in containers	163.19	83	222.03	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr transplants	13.94	28	38.25	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr transplants	444.59	207	38,503,230.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Onion, green	113.89	10	109.2	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Oregano	1.62	2	1.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Parsley	95.58	22	99.25	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Peas	2.31	6	4.28	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Pepper, fruiting	266.5	16	277.29	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Radicchio	372.54	11	450.92	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Radish	220.72	26	210.52	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Raspberry	2,961.49	254	3,531.38	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Research commodity	4.0	6	4.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Research commodity	44.82	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Rosemary	5.4	2	5.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Sage	2.16	1	2.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Spinach	722.31	168	983.08	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Squash, winter	27.0	4	83.4	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Strawberry	14,497.39	587	19,272.36	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Sweet potato	862.38	12	798.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Swiss chard	2,141.05	327	2,066.23	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Thyme	0.54	1	0.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Tomato	89.05	39	175.17	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Tomato, processing	3,801.05	40	3,955.37	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Turnip	44.27	27	65.09	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Turnip greens	8.39	8	13.02	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Uncultivated ag	2.02	1	2.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Unknown	1.62	1	1.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Upland cress	133.99	95	169.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Vegetable	14.04	6	21.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Vegetables, fruiting	2.43	5	5.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Vegetables, leafy	6.16	10	11.4	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Watermelon	1,371.74	48	1,070.7	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Yam	5.4	1	10.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain sd-1372, lepidopteran active toxin(s)</b>	N-grnhs flower	0.77	2	40,000.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain sd-1372, lepidopteran active toxin(s)</b>	N-grnhs plants in containers	0.31	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Cannabis (all or unspecified)	0.38	2	2.0	A
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Cannabis (all or unspecified)	0.27	22	172,810.04	S
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Landscape maintenance	746.79	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-grnhs flower	0.05	3	32,500.0	S
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-grnhs plants in containers	13.04	49	119.54	A
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-grnhs plants in containers	11.2	63	977,600.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-grnhs transplants	0.76	1	2,000.0	S
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-outdr plants in containers	0.34	1	21,000.0	S
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Public health	5,048.77	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Rights of way	0.18	1	465.0	A
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Rights of way	2.65	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Structural pest control	17.43	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Water area	28.46	N/A	149.0	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Almond	12.05	37	74.0	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Cannabis (all or unspecified)	34.22	54	30.85	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Cannabis (all or unspecified)	306.11	276	1,464,708.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Cannabis (all or unspecified)	0.59	1	256.0	U
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Citrus	0.07	1	2.0	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Endive (escarole)	257.31	N/A	16.51	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Herb, spice	6.87	8	11.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Industrial hemp	0.61	1	2,160.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Landscape maintenance	31.37	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Lettuce, leaf	47.63	27	112.48	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Lettuce, leaf	31.22	5	651,160.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs flower	5.22	11	48,000.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs plants in containers	180.8	130	65.14	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs plants in containers	348.99	214	2,219,902.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs transplants	97.21	104	99.16	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs transplants	245.26	98	669,608.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr plants in containers	24.96	12	11.57	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr plants in containers	6.87	6	5,300.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr plants in containers	0.35	1	5,000.0	U
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr transplants	2.59	4	11,750.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Public health	57,871.15	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Regulatory pest control	16.31	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Research commodity	0.57	7	1.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Research commodity	1.73	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Rights of way	27.0	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Structural pest control	4.41	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Uncultivated ag	262.86	299	416.86	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Upland cress	17.48	8	20.4	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Vegetables, leafy	0.47	5	300.0	U
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Water area	14,340.04	5	5,605.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Bok choy	<0.01	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Bok choy	0.02	1	32,000.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Cannabis (all or unspecified)	0.78	10	11.75	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Grape, wine	0.13	5	21.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Landscape maintenance	2.84	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Mustard	<0.01	1	0.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-grnhs plants in containers	<0.01	2	0.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-outdr plants in containers	<0.01	1	344.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	N-outdr transplants	0.28	5	1.73	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Oregano	0.08	1	1.0	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Almond	1,374.23	86	6,864.72	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Apple	10.81	6	60.2	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Broccoli	23.1	19	88.75	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Cabbage	2.55	7	5.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Cauliflower	6.62	5	19.43	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Collard	0.83	1	3.22	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Daikon	1.39	1	8.0	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Eggplant	46.25	14	227.4	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Kale	0.93	2	3.15	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Lettuce, leaf	14.46	4	35.5	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	N-grnhs transplants	0.11	5	2.0	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	N-outdr plants in containers	0.09	2	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Peach	2.66	13	20.69	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pepper, fruiting	8.33	2	44.0	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pistachio	1,675.32	54	5,997.5	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Pomegranate	396.99	19	1,219.0	A
<b>bacillus thuringiensis ssp kurstaki, strain evb 113 19</b>	Tomato, processing	54.84	3	158.0	A
<b>bacillus thuringiensis, var. kurstaki delta endotoxins cry 1a(c) and cry 1c (genetically engineered) encapsulated in pseudomonas fluorescens (killed)</b>	Landscape maintenance	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain eg 2348</b>	Grape, wine	0.29	5	220.0	A
<b>bacillus thuringiensis subspecies kurstaki strain bmp 123</b>	Grape, wine	4.85	1	12.13	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Alfalfa	2,287.72	155	8,245.7	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Almond	32,477.04	616	46,514.49	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Apple	2,650.48	217	3,599.33	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Apricot	559.15	76	951.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Artichoke, globe	217.51	48	332.4	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Arugula	175.47	50	272.17	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Avocado	162.0	2	150.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Basil, sweet	45.72	57	84.07	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bean, succulent	141.48	14	140.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Beet	763.05	39	814.8	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bitter melon	2.7	3	8.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Blackberry	919.49	195	1,120.02	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Blueberry	323.69	29	381.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bok choy	190.55	53	266.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Broccoli	6,535.73	1,258	8,926.18	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Brussels sprout	1,103.89	116	1,080.32	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cabbage	3,082.29	665	3,485.11	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cabbage	0.04	2	4,200.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cannabis (all or unspecified)	466.19	135	558.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cannabis (all or unspecified)	40.17	57	524,957.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cantaloupe	2,111.66	83	3,026.46	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cauliflower	5,264.66	885	6,569.89	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Celery	1,795.0	507	2,641.52	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cherry	623.51	59	1,033.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chervil	0.14	1	0.25	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese cabbage (napa, won bok, celery cabbage)	40.18	5	37.2	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chive	4.72	6	8.48	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cilantro	4.15	3	7.8	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Citrus	9.52	8	12.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cole crop	2.99	1	2.77	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Collard	114.44	30	131.43	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Corn, human consumption	2,611.14	171	3,515.36	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cucumber	47.52	12	82.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Daikon	31.86	10	37.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Dairy equipment	20.93	4	35.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Dill	3.1	3	3.25	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Eggplant	58.19	14	105.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Fennel	7.4	12	6.85	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Forage hay/silage	10.8	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Gai lon	19.95	8	21.94	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grape	11,799.86	534	25,146.73	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grape, wine	2,629.65	175	4,293.35	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Grapefruit	28.03	5	54.9	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Herb, spice	37.4	36	47.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Herb, spice	0.41	8	32,700.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Hops	5.17	1	9.57	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Industrial hemp	193.86	24	266.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kale	860.26	116	910.69	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kale	0.09	4	8,850.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kiwi fruit fuzzy	719.22	52	922.2	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kohlrabi	0.54	1	1.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Landscape maintenance	374.06	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Leek	89.27	10	88.27	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lemon	106.44	21	214.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, head	884.89	171	1,057.87	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, leaf	3,985.48	693	5,282.85	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Melon	1,720.98	135	2,239.11	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mint	22.38	31	29.6	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mizuna	7.01	3	8.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mustard	15.26	5	17.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mustard greens	39.54	21	53.99	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs flower	85.53	72	159.05	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs flower	0.16	2	4,800.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	539.1	661	560.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	116.42	139	4,782,857.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs transplants	323.59	1,688	542.36	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs transplants	50.56	127	2,278,505.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr flower	439.02	335	736.65	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr plants in containers	1,142.49	730	1,162.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr plants in containers	40.87	73	2,432,521.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr transplants	219.76	78	234.12	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr transplants	39.3	89	2,000,415.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Nectarine	2,046.96	244	3,654.93	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Olive	95.58	3	118.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Onion, dry	4.86	1	6.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Onion, green	81.76	5	75.7	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Orange	3,474.27	399	8,362.69	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Oregano	7.16	15	11.13	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Parsley	1.62	2	2.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Peach	4,334.61	551	6,250.35	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pear	11.34	6	40.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pear, asian (oriental pear, ya, ya li, nashi)	32.4	2	30.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Peas	1.18	2	2.18	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pepper, fruiting	129.29	16	219.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pistachio	5,006.48	50	5,499.69	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Plum	2,614.08	408	3,961.51	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pluot	1.92	4	7.05	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pome fruit	1.08	4	2.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pomegranate	1,135.89	45	2,221.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Potato	360.02	8	467.6	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Prune	321.03	14	561.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Quince	4.86	2	15.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Radichio	82.66	14	148.21	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Radish	4.27	3	4.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Raspberry	1,965.29	244	2,326.75	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Regulatory pest control	5.95	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Research commodity	19.25	19	17.82	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Research commodity	1.3	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Rosemary	4.32	13	5.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sage	13.26	18	14.88	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Spinach	727.15	119	1,045.71	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash	69.98	8	98.88	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash, summer	86.02	14	151.76	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash, winter	12.04	3	22.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash, zucchini	144.18	3	178.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Stone fruit	11.61	4	10.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Strawberry	10,264.54	719	14,091.91	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Strawberry	1.64	1	88,110.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sudangrass	43.2	1	80.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sugarbeet	151.2	8	542.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sunflower	156.71	7	186.2	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Sweet potato	748.36	16	805.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Swiss chard	451.22	65	482.35	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tangelo	143.26	13	330.12	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tangerine	1,629.36	190	3,152.62	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tarragon	0.81	3	1.25	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Thyme	11.47	23	16.11	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tomato	719.86	38	841.39	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Tomato, processing	1,614.92	27	1,951.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Vegetable	18.9	4	54.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Vegetables, leafy	21.72	2	40.23	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Vegetables, leafy	0.07	3	1,400.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Walnut	754.05	33	934.19	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Watercress	11.15	8	56.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Watermelon	1,204.84	66	1,619.33	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Blackberry	0.77	1	7.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Cannabis (all or unspecified)	1.26	2	6.14	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Corn, human consumption	0.21	1	3.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Grape, wine	0.66	4	13.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Herb, spice	1.85	3	54,000.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-grnhs flower	0.31	2	3.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-grnhs plants in containers	0.41	6	264,000.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-grnhs transplants	1.34	12	11.75	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-grnhs transplants	0.07	1	15,572.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	N-outdr plants in containers	0.19	5	52,000.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Plum	0.21	1	2.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Raspberry	0.1	1	1.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Strawberry	7.21	5	70.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Vegetables, fruiting	0.07	1	0.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Walnut	1.03	1	10.0	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Blackberry	39.2	3	49.0	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Bok choy	8.49	5	14.9	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Broccoli	1,997.5	342	3,348.54	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Brussels sprout	6,327.91	646	9,077.25	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Cabbage	1,503.68	349	2,229.75	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Cauliflower	3,872.29	599	6,352.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Celery	21.6	2	36.0	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Chinese cabbage (napa, won bok, celery cabbage)	77.98	23	117.6	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Kale	171.1	36	288.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Lettuce, head	4.2	1	7.0	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Mustard	19.6	2	33.2	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Mustard greens	5.53	6	8.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	N-grnhs plants in containers	3.85	12	9.5	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	N-outdr plants in containers	0.5	1	1.25	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	N-outdr transplants	0.16	2	1.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Radish	1.74	1	4.35	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Raspberry	5.6	1	7.0	A
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Research commodity	<0.01	17	34.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Turnip greens	4.25	5	6.08	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Alfalfa	505.49	26	1,235.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Almond	13,654.1	117	10,780.4	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Apple	480.5	5	306.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Apricot	19.21	3	22.6	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Artichoke, globe	42.5	3	40.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Avocado	439.44	10	474.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Basil, sweet	127.41	98	224.3	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Bean, succulent	93.34	8	84.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Beet	17.06	5	35.14	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Bermudagrass	127.5	1	152.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blackberry	2,014.46	243	2,934.85	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blackberry	<0.01	1	1,500.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blueberry	1,347.87	117	2,279.55	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Bok choy	9.27	6	8.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Broccoli	6,212.4	662	5,895.55	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Brussels sprout	4,365.88	294	3,599.24	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cabbage	1,647.43	432	2,718.99	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cannabis (all or unspecified)	30.49	18	101.25	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cantaloupe	562.98	17	822.9	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Carrot	25.5	1	35.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cauliflower	2,063.9	375	2,218.13	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Celery	4,303.11	985	4,399.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chervil	1.91	3	1.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chicory	0.01	1	0.4	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chinese cabbage (napa, won bok, celery cabbage)	345.02	67	319.75	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chinese greens	2.75	3	16.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Chive	5.97	3	6.64	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cilantro	1.44	2	2.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Citrus	31.3	20	27.71	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Collard	24.47	15	31.03	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Corn (forage - fodder)	0.13	1	0.1	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Corn, human consumption	2,533.81	142	5,769.92	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cucumber	4.66	8	29.21	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Dill	1.33	2	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Endive (escarole)	6.14	5	4.81	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Fennel	6.38	1	5.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Garlic	6.88	1	5.4	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Grape	1,768.37	96	2,348.44	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Grape, wine	4,136.42	65	6,451.8	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Grapefruit	19.8	5	45.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Herb, spice	10.85	9	25.35	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Industrial hemp	4,479.36	46	1,333.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Kale	306.01	127	878.14	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Kiwi fruit fuzzy	3,584.17	205	3,452.59	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Landscape maintenance	10.15	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lemon	491.03	32	862.34	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, head	463.97	92	444.72	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, leaf	12,285.77	932	10,058.25	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Melon	239.65	6	287.43	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Mint	44.38	47	90.38	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Mustard	11.09	3	10.2	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Mustard greens	1,491.61	197	1,171.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs flower	7.5	56	57.05	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs plants in containers	246.74	68	90.15	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs plants in containers	0.23	3	92,000.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs transplants	90.49	78	1,156.21	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs transplants	2.05	2	28,225.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr flower	206.41	204	1,531.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr plants in containers	32.2	47	66.05	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr transplants	4.5	3	6.2	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr transplants	103.82	104	5,295,213.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Nectarine	579.84	38	503.81	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Orange	10,263.57	648	16,817.68	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Oregano	2.11	9	5.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Parsley	5.97	6	26.28	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Peach	2,427.01	242	2,906.34	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pear	127.5	11	129.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Peas	69.74	11	54.7	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pepper, fruiting	85.04	10	70.95	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Persimmon	120.7	7	91.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pistachio	4,006.86	46	6,618.4	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Plum	1,806.47	391	3,049.51	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pluot	6.8	1	4.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pomelo	0.53	1	5.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pumpkin	3.51	2	2.75	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Raspberry	4,206.81	557	5,929.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Raspberry	2.65	5	90,592.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Research commodity	38.15	9	39.75	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Rice	602.36	5	515.9	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Rosemary	4.43	11	20.55	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Sage	4.17	8	14.25	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Spinach	8,209.38	440	6,454.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Squash	2.58	2	34.37	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Squash, summer	88.13	4	91.87	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Strawberry	24,817.78	970	28,234.55	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Structural pest control	0.33	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Sugarbeet	478.25	10	643.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Sweet potato	1,060.8	12	832.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Swiss chard	1,378.8	142	1,123.59	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Tangelo	101.69	8	142.15	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Tangerine	4,544.13	233	5,869.81	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Thyme	1.92	7	6.6	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Tomato	2,275.65	68	3,293.57	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Tomato, processing	3,850.07	34	4,267.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Unknown	9.18	2	7.2	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Vegetables, leafy	0.17	1	2.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Walnut	221.85	11	176.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Watercress	5.15	7	15.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Watermelon	203.74	6	177.79	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Wheat	42.47	1	62.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Cannabis (all or unspecified)	115.32	35	36.13	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Cannabis (all or unspecified)	48.64	62	288,856.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Industrial hemp	24.84	1	25.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Industrial hemp	0.35	1	1,500.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Landscape maintenance	124.42	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-grnhs flower	0.58	N/A	900.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-grnhs plants in containers	0.06	2	0.14	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-grnhs transplants	0.85	1	1.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-outdr plants in containers	8.5	1	10.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-outdr plants in containers	0.09	4	750.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	N-outdr transplants	1.27	3	1.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Pistachio	8.07	1	38.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Plum	5.3	1	12.45	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Public health	4.01	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Strawberry	36.34	3	85.5	A
<b>bacteriophage active against xanthomonas campestris pv. vesicatoria and pseudomonas syringae pv. tomato</b>	N-grnhs transplants	<0.01	4	7.2	A
<b>bacteriophage active against xanthomonas campestris pv. vesicatoria and pseudomonas syringae pv. tomato</b>	N-outdr transplants	<0.01	6	8.0	A
<b>bacteriophages active against xylella fastidiosa</b>	Grape, wine	<0.01	2	24.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
beauveria bassiana hf 23	Animal premise	0.72	N/A	29.39	A
beauveria bassiana hf 23	Animal premise	2.76	N/A	4,410,000.0	S
beauveria bassiana hf 23	Animal premise	69.79	N/A	240.0	U
beauveria bassiana hf 23	Landscape maintenance	4.8	N/A	N/A	N/A
beauveria bassiana hf 23	Structural pest control	<0.01	N/A	N/A	N/A
beauveria bassiana strain gha	Arugula	65.09	27	312.55	A
beauveria bassiana strain gha	Basil, sweet	19.33	9	95.16	A
beauveria bassiana strain gha	Basil, sweet	0.17	11	25,968.0	S
beauveria bassiana strain gha	Beet	62.22	29	366.95	A
beauveria bassiana strain gha	Blackberry	60.02	18	274.13	A
beauveria bassiana strain gha	Blueberry	29.04	3	264.0	A
beauveria bassiana strain gha	Bok choy	35.87	25	163.0	A
beauveria bassiana strain gha	Broccoli	214.06	138	896.82	A
beauveria bassiana strain gha	Brussels sprout	23.2	33	102.0	A
beauveria bassiana strain gha	Cabbage	107.64	63	551.3	A
beauveria bassiana strain gha	Cannabis (all or unspecified)	110.91	281	566.46	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
beauveria bassiana strain gha	Cannabis (all or unspecified)	<0.01	5	8,012.0	C
beauveria bassiana strain gha	Cannabis (all or unspecified)	426.83	982	9,002,309.5	S
beauveria bassiana strain gha	Carrot	2.64	1	5.02	A
beauveria bassiana strain gha	Cauliflower	209.83	130	887.32	A
beauveria bassiana strain gha	Celery	19.01	11	99.26	A
beauveria bassiana strain gha	Chive	0.65	5	5.94	A
beauveria bassiana strain gha	Cilantro	4.07	3	15.84	A
beauveria bassiana strain gha	Collard	35.33	36	161.6	A
beauveria bassiana strain gha	Corn, grain	48.05	2	219.5	A
beauveria bassiana strain gha	Corn, human consumption	60.76	45	2,216.5	A
beauveria bassiana strain gha	County ag comm	0.23	N/A	N/A	N/A
beauveria bassiana strain gha	Cucumber	614.66	97	1,037.61	A
beauveria bassiana strain gha	Cucumber	1.98	23	145,000.0	S
beauveria bassiana strain gha	Herb, spice	15.23	37	41.92	A
beauveria bassiana strain gha	Herb, spice	<0.01	2	6,400.0	S
beauveria bassiana strain gha	Horseradish	4.12	28	728,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
beauveria bassiana strain gha	Industrial hemp	0.22	2	4.0	A
beauveria bassiana strain gha	Industrial hemp	9.19	18	360,000.0	S
beauveria bassiana strain gha	Kale	279.56	78	1,405.07	A
beauveria bassiana strain gha	Kale	0.03	2	7,000.0	S
beauveria bassiana strain gha	Landscape maintenance	17.06	N/A	N/A	N/A
beauveria bassiana strain gha	Lettuce, head	31.29	35	141.5	A
beauveria bassiana strain gha	Lettuce, head	0.03	5	43,700.0	S
beauveria bassiana strain gha	Lettuce, leaf	459.64	258	1,876.28	A
beauveria bassiana strain gha	Lettuce, leaf	0.28	12	19,152.0	S
beauveria bassiana strain gha	Melon	<0.01	1	2,520.0	S
beauveria bassiana strain gha	Mint	3.01	9	24.0	A
beauveria bassiana strain gha	Mizuna	2.51	6	11.83	A
beauveria bassiana strain gha	Mustard	3.55	7	16.1	A
beauveria bassiana strain gha	Mustard greens	21.82	9	78.95	A
beauveria bassiana strain gha	N-grnhs flower	481.99	570	1,169.23	A
beauveria bassiana strain gha	N-grnhs flower	19.57	65	746,804.5	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
beauveria bassiana strain gha	N-grnhs plants in containers	68.79	80	56.27	A
beauveria bassiana strain gha	N-grnhs plants in containers	12.58	42	1,185,511.0	S
beauveria bassiana strain gha	N-grnhs transplants	23.89	59	79.06	A
beauveria bassiana strain gha	N-grnhs transplants	11.48	67	1,134,388.0	S
beauveria bassiana strain gha	N-outdr flower	8.41	11	22.5	A
beauveria bassiana strain gha	N-outdr flower	0.63	4	25,880.0	S
beauveria bassiana strain gha	N-outdr plants in containers	21.96	82	145.0	A
beauveria bassiana strain gha	N-outdr plants in containers	3.19	15	439,022.0	S
beauveria bassiana strain gha	N-outdr transplants	206.31	85	360.37	A
beauveria bassiana strain gha	N-outdr transplants	104.75	139	20,946,460.0	S
beauveria bassiana strain gha	Onion, dry	41.9	5	190.7	A
beauveria bassiana strain gha	Oregano	0.3	3	2.46	A
beauveria bassiana strain gha	Parsley	0.44	1	2.0	A
beauveria bassiana strain gha	Pepper, fruiting	244.69	40	587.03	A
beauveria bassiana strain gha	Pomegranate	3.16	1	14.45	A
beauveria bassiana strain gha	Public health	0.77	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
beauveria bassiana strain gha	Raspberry	29.49	16	240.4	A
beauveria bassiana strain gha	Regulatory pest control	2.47	N/A	N/A	N/A
beauveria bassiana strain gha	Research commodity	0.08	9	15,828.0	S
beauveria bassiana strain gha	Research commodity	2.81	N/A	N/A	N/A
beauveria bassiana strain gha	Spinach	214.77	78	1,020.01	A
beauveria bassiana strain gha	Strawberry	147.49	55	813.89	A
beauveria bassiana strain gha	Structural pest control	166.24	N/A	N/A	N/A
beauveria bassiana strain gha	Sweet potato	106.36	13	485.8	A
beauveria bassiana strain gha	Swiss chard	89.62	33	360.85	A
beauveria bassiana strain gha	Tarragon	0.22	3	2.03	A
beauveria bassiana strain gha	Tomato	1,873.69	274	3,694.3	A
beauveria bassiana strain gha	Tomato	4.5	26	591,900.0	S
beauveria bassiana strain gha	Vegetables, leafy	71.98	12	390.73	A
beauveria bassiana strain gha	Vegetables, leafy	<0.01	1	360.0	S
beauveria bassiana strain gha	Watermelon	24.86	3	113.6	A
beauveria bassiana strain ant-03	Cannabis (all or unspecified)	17.6	38	10.05	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>beauveria bassiana strain ant-03</b>	Cannabis (all or unspecified)	226.36	392	1,556,300.0	S
<b>beauveria bassiana strain ant-03</b>	Cucumber	5.76	2	16.0	A
<b>beauveria bassiana strain ant-03</b>	N-grnhs flower	19.14	99	805,364.0	S
<b>beauveria bassiana strain ant-03</b>	N-grnhs plants in containers	1.9	5	1.24	A
<b>beauveria bassiana strain ant-03</b>	N-grnhs plants in containers	0.2	1	75,485.0	S
<b>beauveria bassiana strain ant-03</b>	N-grnhs transplants	1.67	5	5.77	A
<b>beauveria bassiana strain ant-03</b>	N-outdr plants in containers	0.2	1	0.02	A
<b>beauveria bassiana strain ant-03</b>	Research commodity	3.3	10	8.25	A
<b>beauveria bassiana strain ant-03</b>	Research commodity	0.04	N/A	N/A	N/A
<b>beauveria bassiana strain ant-03</b>	Tomato	507.31	68	1,085.0	A
<b>beauveria bassiana strain ppri 5339</b>	Cannabis (all or unspecified)	72.98	71	72.65	A
<b>beauveria bassiana strain ppri 5339</b>	Cannabis (all or unspecified)	34.19	414	1,949,575.0	S
<b>beauveria bassiana strain ppri 5339</b>	Cucumber	0.52	1	7.5	A
<b>beauveria bassiana strain ppri 5339</b>	Herb, spice	0.76	9	5.5	A
<b>beauveria bassiana strain ppri 5339</b>	Industrial hemp	1.17	5	12.0	A
<b>beauveria bassiana strain ppri 5339</b>	N-grnhs flower	0.08	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>beauveria bassiana strain ppri 5339</b>	N-grnhs flower	0.79	23	121,052.0	S
<b>beauveria bassiana strain ppri 5339</b>	N-grnhs plants in containers	3.76	34	42.22	A
<b>beauveria bassiana strain ppri 5339</b>	N-grnhs plants in containers	0.13	3	67,104.0	S
<b>beauveria bassiana strain ppri 5339</b>	N-grnhs transplants	0.62	15	10.15	A
<b>beauveria bassiana strain ppri 5339</b>	N-outdr flower	0.21	9	90,775.0	S
<b>beauveria bassiana strain ppri 5339</b>	N-outdr transplants	18.12	66	322.17	A
<b>beauveria bassiana strain ppri 5339</b>	Pepper, fruiting	0.58	5	3.4	A
<b>beauveria bassiana strain ppri 5339</b>	Research commodity	0.03	2	19,120.0	S
<b>beauveria bassiana strain ppri 5339</b>	Tomato	6.94	20	94.01	A
<b>bendiocarb</b>	Structural pest control	0.95	N/A	N/A	N/A
<b>benefin</b>	Alfalfa	1,389.18	54	1,166.4	A
<b>benefin</b>	Landscape maintenance	70.85	N/A	N/A	N/A
<b>benefin</b>	Lettuce, head	5,734.96	124	5,485.75	A
<b>benefin</b>	Lettuce, leaf	2,531.3	120	3,175.2	A
<b>benefin</b>	N-outdr flower	0.25	1	1.0	A
<b>benefin</b>	Soil fumigation/preplant	37.5	1	25.0	A
<b>benefin</b>	Structural pest control	0.1	N/A	N/A	N/A
<b>benefin</b>	Uncultivated ag	222.6	3	205.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
benomyl	Research commodity	0.22	7	0.17	A
bensulfuron methyl	Rice	532.97	129	9,806.57	A
bensulide	Arugula	6,577.01	298	1,610.0	A
bensulide	Bok choy	4,349.92	217	1,285.76	A
bensulide	Broccoli	51,557.66	1,015	13,558.16	A
bensulide	Brussels sprout	1,072.58	34	451.3	A
bensulide	Cabbage	9,020.23	489	2,264.02	A
bensulide	Cantaloupe	11,828.34	49	2,386.2	A
bensulide	Cardoon	17.33	1	3.5	A
bensulide	Cauliflower	5,946.65	158	1,529.86	A
bensulide	Celery	2,164.81	48	406.77	A
bensulide	Chinese broccoli (gai lon)	727.75	59	193.0	A
bensulide	Chinese cabbage (napa, won bok, celery cabbage)	353.96	47	102.93	A
bensulide	Chrysanthemum, edible leaved	74.36	20	11.5	A
bensulide	Collard	744.92	58	125.22	A
bensulide	Cucumber	1,350.08	44	362.25	A
bensulide	Dandelion green	123.16	22	20.7	A
bensulide	Endive (escarole)	868.71	186	270.18	A
bensulide	Fennel	89.63	3	18.18	A
bensulide	Gai lon	168.72	10	35.0	A
bensulide	Golf course turf	59.53	1	8.0	A
bensulide	Kale	4,333.08	240	968.12	A
bensulide	Kohlrabi	346.95	73	123.72	A
bensulide	Landscape maintenance	1,753.04	N/A	N/A	N/A
bensulide	Lettuce, head	64,603.1	1,386	17,760.13	A
bensulide	Lettuce, leaf	135,289.05	3,887	37,017.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bensulide	Melon	2,022.24	29	390.07	A
bensulide	Mizuna	434.96	9	73.45	A
bensulide	Mustard	1,879.82	127	442.32	A
bensulide	Mustard greens	3,266.58	305	745.41	A
bensulide	N-grnhs flower	26.05	N/A	140,000.0	S
bensulide	N-grnhs transplants	95.26	N/A	8.0	A
bensulide	N-outdr flower	648.91	30	168.25	A
bensulide	Onion, dry	17,343.56	88	6,171.25	A
bensulide	Parsley	758.51	66	127.47	A
bensulide	Pepper, fruiting	488.32	8	109.0	A
bensulide	Pepper, spice	158.64	5	40.0	A
bensulide	Pumpkin	609.72	22	131.69	A
bensulide	Radish	7.46	1	1.5	A
bensulide	Rapini	3,022.62	71	854.63	A
bensulide	Research commodity	167.66	10	28.19	A
bensulide	Research commodity	79.08	N/A	N/A	N/A
bensulide	Squash	354.02	15	68.45	A
bensulide	Squash, summer	366.37	13	78.75	A
bensulide	Squash, winter	19.83	1	4.0	A
bensulide	Squash, zucchini	1.51	1	0.25	A
bensulide	Tomatillo	5.95	1	1.0	A
bensulide	Uncultivated ag	296.98	16	80.0	A
bensulide	Upland cress	250.21	39	64.8	A
bensulide	Vegetables, leafy	291.18	45	125.0	A
bensulide	Watermelon	414.87	6	73.57	A
bensulide	Yam	17.82	1	5.0	A
bentazon, sodium salt	Bean, dried	2,202.92	70	2,049.56	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bentazon, sodium salt</b>	Bean, succulent	1,012.21	100	917.17	A
<b>bentazon, sodium salt</b>	Bean, unspecified	176.1	28	177.52	A
<b>bentazon, sodium salt</b>	Corn (forage - fodder)	295.12	8	270.0	A
<b>bentazon, sodium salt</b>	Fava bean	16.59	14	18.3	A
<b>bentazon, sodium salt</b>	Grape, wine	6.6	1	3.5	A
<b>bentazon, sodium salt</b>	Mint	32.97	2	30.0	A
<b>bentazon, sodium salt</b>	N-outdr flower	1.4	4	1.35	A
<b>bentazon, sodium salt</b>	Onion, dry	3.26	1	3.0	A
<b>bentazon, sodium salt</b>	Peas	3,469.18	322	2,917.9	A
<b>bentazon, sodium salt</b>	Research commodity	39.99	N/A	N/A	N/A
<b>bentonite</b>	Almond	14.25	3	15.0	A
<b>bentonite</b>	Avocado	183.31	13	144.46	A
<b>bentonite</b>	Cannabis (all or unspecified)	0.03	2	1,429.0	S
<b>bentonite</b>	Cherry	40.75	4	42.74	A
<b>bentonite</b>	Citrus	96.6	3	60.0	A
<b>bentonite</b>	Grape	10.36	5	46.0	A
<b>bentonite</b>	Grape, wine	23.85	6	116.0	A
<b>bentonite</b>	Grapefruit	1,199.2	50	690.73	A
<b>bentonite</b>	Lemon	10,561.81	378	8,491.2	A
<b>bentonite</b>	Mango	176.85	8	393.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bentonite	N-outdr plants in containers	63.0	9	86.0	A
bentonite	Olive	315.68	8	184.0	A
bentonite	Orange	64,929.63	1,882	38,029.06	A
bentonite	Peas	2.45	1	6.8	A
bentonite	Pepper, fruiting	9.0	1	20.0	A
bentonite	Pistachio	61.79	8	58.69	A
bentonite	Plum	5.85	1	6.5	A
bentonite	Pomelo	221.25	10	98.5	A
bentonite	Quince	3.0	1	6.0	A
bentonite	Tangelo	1,379.42	64	823.52	A
bentonite	Tangerine	19,357.08	744	16,502.75	A
bentonite	Tomato	31.5	1	70.0	A
bentonite	Walnut	30.0	1	40.0	A
benzenesulfonic acid, c10-16-alkyl derivatives	Alfalfa	4.76	13	575.0	A
benzenesulfonic acid, c10-16-alkyl derivatives	Almond	33.55	10	550.88	A
benzenesulfonic acid, c10-16-alkyl derivatives	Avocado	0.79	23	103.5	A
benzenesulfonic acid, c10-16-alkyl derivatives	Basil, sweet	5.28	2	111.0	A
benzenesulfonic acid, c10-16-alkyl derivatives	Bean, dried	0.77	7	113.0	A
benzenesulfonic acid, c10-16-alkyl derivatives	Blueberry	0.07	1	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Cantaloupe	0.13	1	16.0	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Corn (forage - fodder)	15.12	18	1,044.0	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Ditch bank	0.02	1	1.0	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Grape	5.52	5	168.0	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Grape, wine	6.16	3	87.82	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Grapefruit	0.12	1	5.0	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Landscape maintenance	30.2	N/A	N/A	N/A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Lemon	3.83	23	150.2	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Lettuce, head	7.45	16	218.8	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Lettuce, leaf	15.38	34	460.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
benzenesulfonic acid, c10-16-alkyl derivatives	Melon	0.46	1	58.0	A
benzenesulfonic acid, c10-16-alkyl derivatives	N-grnhs plants in containers	0.12	1	6,104.0	S
benzenesulfonic acid, c10-16-alkyl derivatives	N-outdr flower	0.24	3	13.75	A
benzenesulfonic acid, c10-16-alkyl derivatives	N-outdr plants in containers	2.67	32	45.23	A
benzenesulfonic acid, c10-16-alkyl derivatives	Orange	7.86	22	229.17	A
benzenesulfonic acid, c10-16-alkyl derivatives	Orchard floor	0.79	6	25.0	A
benzenesulfonic acid, c10-16-alkyl derivatives	Pistachio	33.42	8	519.61	A
benzenesulfonic acid, c10-16-alkyl derivatives	Rights of way	0.83	N/A	N/A	N/A
benzenesulfonic acid, c10-16-alkyl derivatives	Strawberry	7.08	14	164.08	A
benzenesulfonic acid, c10-16-alkyl derivatives	Tangerine	0.48	8	90.4	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Tomato, processing	6.26	7	248.58	A
<b>benzenesulfonic acid, c10-16-alkyl derivatives</b>	Walnut	26.46	6	385.24	A
<b>benzobicyclon</b>	Rice	39,868.46	2,198	172,301.39	A
<b>benzovindiflupyr</b>	Regulatory pest control	N/A	N/A	N/A	N/A
<b>benzoic acid</b>	Alfalfa	387.69	1,526	81,675.78	A
<b>benzoic acid</b>	Almond	679.31	2,894	110,143.11	A
<b>benzoic acid</b>	Apricot	1.32	13	215.83	A
<b>benzoic acid</b>	Artichoke, globe	1.88	37	588.18	A
<b>benzoic acid</b>	Arugula	27.51	100	752.09	A
<b>benzoic acid</b>	Avocado	0.03	1	6.0	A
<b>benzoic acid</b>	Barley	19.78	68	4,636.9	A
<b>benzoic acid</b>	Barley (forage - fodder)	10.73	18	1,887.2	A
<b>benzoic acid</b>	Bean, dried	12.63	56	1,867.28	A
<b>benzoic acid</b>	Bean, succulent	3.99	67	409.2	A
<b>benzoic acid</b>	Bean, unspecified	0.33	16	75.7	A
<b>benzoic acid</b>	Blueberry	9.5	42	1,547.58	A
<b>benzoic acid</b>	Bok choy	0.17	36	29.7	A
<b>benzoic acid</b>	Broccoli	38.34	610	5,751.64	A
<b>benzoic acid</b>	Brussels sprout	6.49	44	703.2	A
<b>benzoic acid</b>	Cabbage	1.91	85	254.0	A
<b>benzoic acid</b>	Cantaloupe	0.28	1	50.0	A
<b>benzoic acid</b>	Cardoon	0.19	1	3.5	A
<b>benzoic acid</b>	Carrot	5.26	61	1,196.7	A
<b>benzoic acid</b>	Cauliflower	20.11	377	3,891.11	A
<b>benzoic acid</b>	Celery	15.02	258	2,030.51	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
benzoic acid	Cherry	21.37	185	2,411.33	A
benzoic acid	Chinese cabbage (napa, won bok, celery cabbage)	0.04	1	7.9	A
benzoic acid	Cilantro	0.63	46	131.5	A
benzoic acid	Citrus	0.46	2	62.59	A
benzoic acid	Corn (forage - fodder)	155.16	494	26,142.7	A
benzoic acid	Corn, grain	46.2	155	7,386.18	A
benzoic acid	Corn, human consumption	19.55	106	1,639.45	A
benzoic acid	Cotton	91.49	246	17,496.9	A
benzoic acid	Cucumber	3.89	21	570.7	A
benzoic acid	Eggplant	0.05	2	20.0	A
benzoic acid	Endive (escarole)	1.66	21	33.8	A
benzoic acid	Fennel	1.08	21	122.23	A
benzoic acid	Food processing plant	0.14	1	25.0	A
benzoic acid	Forage hay/silage	17.29	68	2,928.0	A
benzoic acid	Forest, timberland	50.54	110	2,617.83	A
benzoic acid	Garbanzo bean	0.6	1	105.0	A
benzoic acid	Garlic	34.58	72	4,984.79	A
benzoic acid	Grain	1.08	2	190.6	A
benzoic acid	Grape	9.14	99	2,088.37	A
benzoic acid	Grape, wine	414.91	5,658	76,335.81	A
benzoic acid	Grapefruit	0.57	9	99.5	A
benzoic acid	Horseradish	0.96	3	252.0	A
benzoic acid	Kale	5.37	75	140.3	A
benzoic acid	Kiwi fruit fuzzy	23.09	396	2,382.58	A
benzoic acid	Kohlrabi	0.1	13	17.5	A
benzoic acid	Landscape maintenance	0.57	11	101.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
benzoic acid	Landscape maintenance	0.09	3	873,000.0	S
benzoic acid	Landscape maintenance	17.67	N/A	N/A	N/A
benzoic acid	Leek	<0.01	1	1.5	A
benzoic acid	Lemon	2.27	23	392.6	A
benzoic acid	Lettuce, head	64.12	490	5,654.21	A
benzoic acid	Lettuce, leaf	153.58	880	7,000.55	A
benzoic acid	Melon	0.25	1	44.0	A
benzoic acid	Mint	9.07	36	2,283.0	A
benzoic acid	Mizuna	0.04	1	1.0	A
benzoic acid	N-outdr plants in containers	6.42	42	2,324.6	A
benzoic acid	N-outdr transplants	0.25	5	34.61	A
benzoic acid	Oat	4.34	16	726.69	A
benzoic acid	Oat (forage - fodder)	33.9	123	5,767.85	A
benzoic acid	Olive	19.68	138	3,080.73	A
benzoic acid	Onion, dry	58.57	218	10,941.55	A
benzoic acid	Orange	3.06	39	539.04	A
benzoic acid	Orchardgrass	5.43	12	962.0	A
benzoic acid	Pasture (forage - fodder)	0.43	2	180.0	A
benzoic acid	Pastureland	5.5	11	967.7	A
benzoic acid	Peach	0.54	13	94.67	A
benzoic acid	Pear	0.13	1	23.5	A
benzoic acid	Peas	2.35	65	451.8	A
benzoic acid	Pecan	7.16	7	875.99	A
benzoic acid	Pepper, fruiting	0.7	10	203.76	A
benzoic acid	Persimmon	0.07	4	38.0	A
benzoic acid	Pistachio	143.26	735	23,476.95	A
benzoic acid	Plum	0.04	1	7.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
benzoic acid	Pomegranate	0.94	4	461.52	A
benzoic acid	Pomelo	0.17	2	30.0	A
benzoic acid	Potato	52.57	172	10,226.2	A
benzoic acid	Prune	8.26	69	1,422.01	A
benzoic acid	Public health	14.57	N/A	N/A	N/A
benzoic acid	Pumpkin	0.06	1	10.0	A
benzoic acid	Rangeland	6.11	8	1,300.28	A
benzoic acid	Rapini	3.77	16	69.83	A
benzoic acid	Raspberry	0.13	2	21.5	A
benzoic acid	Regulatory pest control	0.04	N/A	N/A	N/A
benzoic acid	Research commodity	0.36	19	63.3	A
benzoic acid	Rice	560.26	972	55,447.86	A
benzoic acid	Rights of way	19.18	50	2,110.0	A
benzoic acid	Rights of way	266.45	N/A	N/A	N/A
benzoic acid	Rye	0.3	6	80.0	A
benzoic acid	Ryegrass	18.18	72	3,327.18	A
benzoic acid	Safflower	1.66	9	259.0	A
benzoic acid	Soil fumigation/preplant	42.88	52	4,493.7	A
benzoic acid	Sorghum (forage - fodder)	14.74	21	2,592.0	A
benzoic acid	Sorghum/milo	5.5	16	967.1	A
benzoic acid	Spinach	64.09	355	3,514.31	A
benzoic acid	Squash	0.06	4	10.0	A
benzoic acid	Squash, winter	0.71	3	124.0	A
benzoic acid	Strawberry	2.82	9	522.2	A
benzoic acid	Structural pest control	<0.01	N/A	N/A	N/A
benzoic acid	Sudangrass	25.85	87	4,543.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
benzoic acid	Sunflower	22.04	71	3,649.6	A
benzoic acid	Tangelo	0.28	3	47.0	A
benzoic acid	Tangerine	2.07	18	363.9	A
benzoic acid	Tomato	25.21	82	3,664.21	A
benzoic acid	Tomato, processing	58.97	99	9,145.43	A
benzoic acid	Triticale	42.16	134	7,381.61	A
benzoic acid	Uncultivated ag	506.44	1,791	58,901.26	A
benzoic acid	Uncultivated non-ag	18.42	61	2,066.25	A
benzoic acid	Upland cress	2.74	39	64.8	A
benzoic acid	Vegetable	0.09	3	15.0	A
benzoic acid	Walnut	150.21	819	20,341.84	A
benzoic acid	Water area	0.86	34	41.11	A
benzoic acid	Watermelon	0.28	1	50.0	A
benzoic acid	Wheat	1,026.43	372	20,316.37	A
benzoic acid	Wheat (forage - fodder)	66.84	191	11,465.96	A
n6-benzyl adenine	Apple	257.66	118	2,408.99	A
n6-benzyl adenine	Cherry	1.1	2	45.0	A
n6-benzyl adenine	Citrus	0.19	15	13.75	A
n6-benzyl adenine	N-grnhs flower	0.68	91	675,812.5	S
n6-benzyl adenine	N-grnhs plants in containers	34.38	1,024	801.39	A
n6-benzyl adenine	N-grnhs plants in containers	25.37	299	5,215,187.56	S
n6-benzyl adenine	N-grnhs transplants	0.03	6	1.2	A
n6-benzyl adenine	N-grnhs transplants	0.83	75	322,000.0	S
n6-benzyl adenine	N-outdr flower	0.14	19	11.68	A
n6-benzyl adenine	N-outdr flower	<0.01	6	33,264.0	S
n6-benzyl adenine	N-outdr plants in containers	40.0	427	239.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n6-benzyl adenine	N-outdr plants in containers	1.56	60	1,176,510.83	S
n6-benzyl adenine	Pear	2.17	7	79.0	A
ortho-benzyl-para-chlorophenol	Farm/ag building	94.7	N/A	139.0	U
ortho-benzyl-para-chlorophenol	Landscape maintenance	0.1	N/A	N/A	N/A
ortho-benzyl-para-chlorophenol	Regulatory pest control	0.04	N/A	N/A	N/A
ortho-benzyl-para-chlorophenol	Rights of way	15.39	N/A	N/A	N/A
beta-conglutin	Almond	103.78	3	200.6	A
beta-conglutin	Grape	890.61	57	1,883.59	A
beta-conglutin	Grape, wine	1,271.65	244	2,390.76	A
beta-conglutin	Research commodity	0.57	N/A	N/A	N/A
beta-conglutin	Strawberry	2,551.99	146	5,302.84	A
bifenazate	Almond	177,976.3	4,037	272,512.62	A
bifenazate	Apple	371.43	24	518.0	A
bifenazate	Apricot	65.89	17	137.23	A
bifenazate	Bean, dried	1,647.27	39	2,581.8	A
bifenazate	Bean, succulent	195.73	7	319.56	A
bifenazate	Bean, unspecified	2.52	1	5.0	A
bifenazate	Blackberry	615.38	144	1,247.88	A
bifenazate	Blackberry	0.93	5	80,722.0	S
bifenazate	Cantaloupe	29.52	2	59.6	A
bifenazate	Cherry	6,537.41	531	12,741.22	A
bifenazate	Citrus	1.03	2	421,500.0	U
bifenazate	Cotton	429.2	7	982.4	A
bifenazate	Cucumber	90.94	11	181.96	A
bifenazate	Eggplant	72.52	12	156.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bifenazate	Gourds (edible)	0.38	1	1.0	A
bifenazate	Grape	2,089.87	103	4,234.78	A
bifenazate	Grape, wine	11,543.25	700	24,417.68	A
bifenazate	Herb, spice	0.5	1	1.0	A
bifenazate	Hops	10.0	2	15.0	A
bifenazate	Landscape maintenance	73.35	N/A	N/A	N/A
bifenazate	Lemon	1.0	1	8.0	A
bifenazate	Melon	67.23	13	138.19	A
bifenazate	Mint	120.97	7	202.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bifenazate	N-grnhs flower	106.81	84	117.29	A
bifenazate	N-grnhs flower	6.45	55	697,170.0	S
bifenazate	N-grnhs plants in containers	145.92	373	610.13	A
bifenazate	N-grnhs plants in containers	36.67	298	10,921,899.4	S
bifenazate	N-grnhs transplants	12.77	87	76.23	A
bifenazate	N-grnhs transplants	8.64	59	980,761.0	S
bifenazate	N-outdr flower	77.19	256	436.73	A
bifenazate	N-outdr flower	0.09	4	23,620.0	S
bifenazate	N-outdr plants in containers	239.65	305	999.85	A
bifenazate	N-outdr plants in containers	8.39	65	2,708,701.0	S
bifenazate	N-outdr plants in containers	19.06	35	532,652.0	U
bifenazate	N-outdr transplants	462.91	93	868.97	A
bifenazate	Nectarine	1,717.15	189	3,460.12	A
bifenazate	Orange	1.38	1	11.0	A
bifenazate	Peach	4,876.79	532	9,865.66	A
bifenazate	Pear	238.84	18	516.5	A
bifenazate	Pear, asian (oriental pear, ya, ya li, nashi)	81.71	12	163.0	A
bifenazate	Peas	8.99	1	12.0	A
bifenazate	Pepper, fruiting	133.03	20	270.2	A
bifenazate	Pistachio	1,096.16	14	1,547.2	A
bifenazate	Plum	794.67	141	1,612.01	A
bifenazate	Pluot	5.99	2	5.6	A
bifenazate	Potato	197.23	7	263.3	A
bifenazate	Prune	340.45	16	741.7	A
bifenazate	Pumpkin	315.17	17	626.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bifenazate	Raspberry	1,674.31	342	3,418.37	A
bifenazate	Raspberry	0.19	1	16,312.0	S
bifenazate	Regulatory pest control	5.65	N/A	N/A	N/A
bifenazate	Research commodity	61.12	47	132.73	A
bifenazate	Research commodity	0.07	2	8,500.0	S
bifenazate	Research commodity	2.79	N/A	N/A	N/A
bifenazate	Rights of way	1.0	N/A	N/A	N/A
bifenazate	Soil fumigation/preplant	71.91	2	120.0	A
bifenazate	Soybean	9.99	1	17.0	A
bifenazate	Squash	253.95	32	509.86	A
bifenazate	Stone fruit	36.21	3	72.5	A
bifenazate	Strawberry	19,912.25	1,308	40,366.06	A
bifenazate	Strawberry	10.13	10	902,780.0	S
bifenazate	Structural pest control	0.77	N/A	N/A	N/A
bifenazate	Tangerine	40.01	6	261.87	A
bifenazate	Tomatillo	0.5	1	1.0	A
bifenazate	Tomato	1.82	4	4.65	A
bifenazate	Turnip	8.99	1	12.0	A
bifenazate	Uncultivated ag	24.63	5	96.0	A
bifenazate	Uncultivated non-ag	22.71	1	30.0	A
bifenazate	Vegetables, fruiting	0.25	1	0.5	A
bifenazate	Walnut	65,536.18	2,305	99,466.86	A
bifenazate	Watermelon	1,158.21	90	2,361.23	A
bifenthrin	Alfalfa	1.29	2	13.0	A
bifenthrin	Almond	110,881.92	9,631	641,147.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bifenthrin	Apple	3.38	1	17.0	A
bifenthrin	Artichoke, globe	686.04	501	6,829.94	A
bifenthrin	Bean, dried	1,106.31	258	12,071.63	A
bifenthrin	Bean, succulent	179.13	56	1,906.55	A
bifenthrin	Bean, unspecified	42.36	34	436.34	A
bifenthrin	Beet	4.72	7	47.34	A
bifenthrin	Bitter melon	1.73	3	8.0	A
bifenthrin	Blackberry	111.81	151	1,197.26	A
bifenthrin	Blackberry	0.03	2	13,442.0	S
bifenthrin	Blueberry	148.56	65	1,673.39	A
bifenthrin	Bok choy	31.1	112	325.87	A
bifenthrin	Bok choy	0.05	2	24,000.0	S
bifenthrin	Broccoli	1,164.95	925	11,942.65	A
bifenthrin	Brussels sprout	368.87	319	3,709.18	A
bifenthrin	Cabbage	313.46	433	3,288.8	A
bifenthrin	Cannabis (all or unspecified)	3.7	33	193,788.0	S
bifenthrin	Cantaloupe	1,299.0	211	14,218.53	A
bifenthrin	Carrot	0.19	2	2.0	A
bifenthrin	Cauliflower	536.19	548	5,443.27	A
bifenthrin	Celery	582.76	626	5,962.14	A
bifenthrin	Celery	0.02	1	6,000.0	S
bifenthrin	Cherry	0.95	3	20.5	A
bifenthrin	Chinese cabbage (napa, won bok, celery cabbage)	34.05	54	483.03	A
bifenthrin	Chinese cabbage (napa, won bok, celery cabbage)	0.05	2	18,000.0	S
bifenthrin	Christmas tree	0.21	1	4.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bifenthrin	Cilantro	5.92	16	58.41	A
bifenthrin	Citrus	0.01	3	0.9	A
bifenthrin	Collard	32.03	162	320.33	A
bifenthrin	Commodity fumigation	0.26	N/A	N/A	N/A
bifenthrin	Corn (forage - fodder)	430.18	107	5,177.9	A
bifenthrin	Corn, grain	24.29	3	291.0	A
bifenthrin	Corn, human consumption	1,228.57	501	13,533.83	A
bifenthrin	Cotton	10,123.51	815	109,292.44	A
bifenthrin	County ag comm	50.09	N/A	N/A	N/A
bifenthrin	Cucumber	136.34	93	1,431.55	A
bifenthrin	Daikon	6.64	10	71.5	A
bifenthrin	Date	0.05	5	5.0	A
bifenthrin	Eggplant	16.72	12	184.8	A
bifenthrin	Fennel	15.47	22	162.65	A
bifenthrin	Fumigation, other	<0.01	N/A	N/A	N/A
bifenthrin	Gai choy	0.05	2	20,000.0	S
bifenthrin	Gai lon	1.96	3	20.0	A
bifenthrin	Gai lon	0.09	3	36,000.0	S
bifenthrin	Garbanzo bean	4.56	5	46.0	A
bifenthrin	Golf course turf	1.15	N/A	11.0	A
bifenthrin	Gourds (edible)	0.77	1	3.0	A
bifenthrin	Grape	116.35	22	1,038.01	A
bifenthrin	Grape, wine	59.12	16	607.7	A
bifenthrin	Grapefruit	40.41	14	155.17	A
bifenthrin	Industrial site	0.04	N/A	8,000.0	S
bifenthrin	Kale	164.93	420	1,698.96	A
bifenthrin	Kohlrabi	4.49	28	45.78	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bifenthrin	Landscape maintenance	0.42	2	9.0	A
bifenthrin	Landscape maintenance	6,495.69	N/A	N/A	N/A
bifenthrin	Lemon	222.46	143	1,317.36	A
bifenthrin	Lettuce, head	670.02	476	7,046.38	A
bifenthrin	Lettuce, leaf	0.77	13	7.49	A
bifenthrin	Melon	896.42	314	10,700.12	A
bifenthrin	Mustard	2.62	15	32.86	A
bifenthrin	Mustard greens	9.23	54	93.5	A
bifenthrin	N-grnhs flower	13.1	81	143.29	A
bifenthrin	N-grnhs flower	1.39	16	515,288.0	S
bifenthrin	N-grnhs flower	<0.01	N/A	25.0	U
bifenthrin	N-grnhs plants in containers	73.8	699	840.94	A
bifenthrin	N-grnhs plants in containers	58.21	423	15,360,294.0	S
bifenthrin	N-grnhs plants in containers	0.26	4	25,942.0	U
bifenthrin	N-grnhs transplants	18.28	135	123.46	A
bifenthrin	N-grnhs transplants	12.24	94	2,478,682.0	S
bifenthrin	N-outdr flower	85.77	261	602.8	A
bifenthrin	N-outdr flower	0.41	3	120,200.0	S
bifenthrin	N-outdr flower	0.01	N/A	30.0	U
bifenthrin	N-outdr plants in containers	462.06	2,273	4,775.33	A
bifenthrin	N-outdr plants in containers	1.4	2	1,000.0	C
bifenthrin	N-outdr plants in containers	20.67	133	6,294,309.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bifenthrin	N-outdr plants in containers	9.2	163	351,503.0	U
bifenthrin	N-outdr transplants	186.06	159	556.02	A
bifenthrin	N-outdr transplants	3.82	37	1,655,955.0	S
bifenthrin	Nursery soil	112.38	19	324,270.0	C
bifenthrin	Okra	6.87	3	80.0	A
bifenthrin	Olive	0.13	8	126.5	A
bifenthrin	Orange	3,760.55	512	11,555.4	A
bifenthrin	Peach	1.4	23	21.61	A
bifenthrin	Pear	13.16	2	85.0	A
bifenthrin	Peas	68.32	70	755.88	A
bifenthrin	Pecan	51.41	11	282.5	A
bifenthrin	Pepper, fruiting	369.03	131	4,722.54	A
bifenthrin	Pistachio	61,434.99	3,172	330,169.82	A
bifenthrin	Pomegranate	963.96	83	7,601.75	A
bifenthrin	Pomelo	4.0	2	40.0	A
bifenthrin	Potato	243.63	37	2,423.44	A
bifenthrin	Public health	42.0	N/A	N/A	N/A
bifenthrin	Pumpkin	366.5	131	3,828.68	A
bifenthrin	Radish	13.27	22	140.51	A
bifenthrin	Rapini	337.42	131	4,009.6	A
bifenthrin	Raspberry	116.38	158	1,320.2	A
bifenthrin	Regulatory pest control	334.21	N/A	N/A	N/A
bifenthrin	Research commodity	14.59	80	156.69	A
bifenthrin	Research commodity	0.45	25	160,128.0	S
bifenthrin	Research commodity	3.95	N/A	N/A	N/A
bifenthrin	Rights of way	0.05	3	3.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bifenthrin	Rights of way	101.15	N/A	N/A	N/A
bifenthrin	Rutabaga	0.5	1	5.0	A
bifenthrin	Soil fumigation/preplant	19.77	3	92.02	A
bifenthrin	Soil fumigation/preplant	123.57	N/A	329,958.88	C
bifenthrin	Soil fumigation/preplant	12.6	N/A	37,800.0	S
bifenthrin	Soil fumigation/preplant	4.8	N/A	16,200.0	U
bifenthrin	Squash	302.97	152	3,256.9	A
bifenthrin	Squash, summer	25.51	18	293.75	A
bifenthrin	Squash, winter	20.57	8	206.0	A
bifenthrin	Squash, zucchini	3.0	3	30.0	A
bifenthrin	Strawberry	7,090.59	1,861	60,601.52	A
bifenthrin	Strawberry	2.48	9	976,385.0	S
bifenthrin	Structural pest control	61,875.3	N/A	N/A	N/A
bifenthrin	Sunflower	2.0	1	40.0	A
bifenthrin	Sweet potato	356.32	74	2,868.84	A
bifenthrin	Swiss chard	23.39	140	249.78	A
bifenthrin	Tangelo	19.14	4	37.89	A
bifenthrin	Tangerine	562.47	113	3,403.79	A
bifenthrin	Tomatillo	0.22	3	2.1	A
bifenthrin	Tomato	1,892.96	414	20,564.34	A
bifenthrin	Tomato, processing	7,040.49	1,178	80,477.73	A
bifenthrin	Turf/sod	30.18	18	220.57	A
bifenthrin	Turnip	0.6	1	6.1	A
bifenthrin	Uncultivated ag	25.14	7	7,240.0	A
bifenthrin	Uncultivated ag	0.01	3	3,200.0	S
bifenthrin	Vegetable	0.1	1	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bifenthrin</b>	Vertebrate control	1.74	N/A	N/A	N/A
<b>bifenthrin</b>	Walnut	20,216.37	2,868	117,737.4	A
<b>bifenthrin</b>	Watermelon	357.52	142	3,830.21	A
<b>s-bioallethrin</b>	Grape, wine	<0.01	2	7.0	A
<b>s-bioallethrin</b>	Structural pest control	0.05	N/A	N/A	N/A
<b>bis butenylene tetrahydro furfural</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>bis butenylene tetrahydro furfural</b>	Structural pest control	0.11	N/A	N/A	N/A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Alfalfa	5,600.02	3,918	189,846.16	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Almond	70,130.13	16,017	739,159.02	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Almond	14.96	1	105.0	C
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Apple	457.43	131	3,385.85	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Apricot	617.94	128	2,656.96	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Artichoke, globe	550.1	424	6,960.06	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Arugula	14.79	61	490.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Asparagus	3.01	9	123.5	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Avocado	43.39	135	1,621.87	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Barley	12.4	11	1,032.55	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Barley (forage - fodder)	0.05	1	5.25	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Basil, sweet	0.26	2	67.8	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bean, dried	372.99	122	7,977.9	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bean, succulent	24.1	11	779.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bean, unspecified	0.35	3	33.5	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Beet	2.38	9	48.57	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bermudagrass	120.48	92	4,357.68	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Blackberry	17.79	47	312.93	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Blueberry	80.12	81	1,928.54	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bok choy	20.35	155	214.17	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	1,779.61	1,655	16,584.2	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Brussels sprout	589.8	349	3,609.22	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cabbage	482.9	476	6,019.38	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cantaloupe	225.6	119	6,700.09	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cardoon	0.43	2	6.2	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Carrot	1,804.85	360	21,788.91	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cauliflower	657.15	610	6,470.38	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Celery	1,375.97	1,080	12,607.77	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cherry	3,116.66	1,486	29,821.69	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Chinese cabbage (napa, won bok, celery cabbage)	445.63	361	3,171.55	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cilantro	49.46	65	472.51	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Citrus	68.44	137	1,602.69	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Clover	0.76	1	70.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cole crop	<0.01	1	0.5	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Collard	0.52	6	13.3	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Corn (forage - fodder)	2,280.42	1,474	75,944.35	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Corn, grain	42.71	64	2,162.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Corn, human consumption	46.51	44	2,840.65	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cotton	2,932.1	2,070	156,825.15	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Cucumber	8.73	14	389.29	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Date	5.05	34	1,107.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Ditch bank	0.2	N/A	2.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Eggplant	5.12	12	218.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Endive (escarole)	7.14	44	82.15	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Fava bean	0.34	5	5.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Fennel	7.15	37	139.29	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Fig	279.49	52	3,093.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Forage hay/silage	27.87	61	2,984.75	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Forest, timberland	439.19	9	805.68	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Garbanzo bean	39.59	14	1,671.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Garlic	392.98	73	6,251.39	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grain	1.02	4	101.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape	4,797.03	3,021	77,573.18	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape, wine	6,966.82	4,953	129,501.88	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grapefruit	187.51	156	2,647.51	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grass, seed	11.75	48	1,119.05	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Herb, spice	1.63	5	24.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Industrial site	0.42	3	18.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Jujube	1.85	1	50.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Kale	83.24	260	1,545.01	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Kiwi fruit fuzzy	101.65	140	2,684.69	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Landscape maintenance	1.08	5	29.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Landscape maintenance	58.3	N/A	N/A	N/A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Leek	0.24	8	16.82	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lemon	1,016.27	793	17,812.58	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, head	3,033.81	2,842	34,786.03	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, leaf	1,911.88	2,485	32,437.37	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Lime	2.12	11	220.5	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mango	0.45	2	60.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Melon	110.4	51	2,831.41	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Melon	<0.01	2	5,040.0	S
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mint	0.41	2	15.5	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mizuna	7.29	28	185.46	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mustard	0.26	4	5.33	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Mustard greens	0.01	2	1.42	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs plants in containers	1.86	28	41.68	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs plants in containers	<0.01	2	6,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-grnhs transplants	0.31	39	898,800.0	S
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr flower	6.52	192	1,577.6	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr plants in containers	49.44	102	1,176.31	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr plants in containers	0.09	11	183,805.0	S
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr transplants	118.17	148	1,412.22	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	N-outdr transplants	18.46	299	43,599,160.0	S
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Nectarine	467.58	733	5,401.5	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Oat	7.58	7	184.7	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Oat (forage - fodder)	83.38	112	4,745.23	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Olive	278.07	263	7,034.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Onion, dry	380.8	237	14,504.63	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Onion, green	2.54	8	33.35	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Orange	8,149.85	3,127	65,767.54	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Parsley	14.15	43	142.71	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pastureland	2.18	8	321.5	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pastureland	0.01	1	24,360.0	S
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Peach	2,013.57	1,325	15,267.49	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pear	53.01	146	4,657.21	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pear, asian (oriental pear, ya, ya li, nashi)	4.11	11	71.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Peas	0.97	10	196.1	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pecan	178.16	66	2,139.12	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pepper, fruiting	267.99	191	8,375.13	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pepper, fruiting	<0.01	1	2,520.0	S
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pepper, spice	9.55	14	119.13	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Persimmon	8.01	32	189.5	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pistachio	26,451.57	4,573	280,041.09	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Plum	124.91	312	2,582.75	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pluot	0.13	3	3.25	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pomegranate	126.92	98	2,473.01	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Pomelo	37.95	43	451.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Potato	105.12	29	1,493.42	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Prune	232.93	159	3,818.88	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Pumpkin	33.49	19	622.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Quince	3.57	9	49.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Radicchio	13.83	4	345.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Radish	7.07	113	384.6	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Rangeland	9.86	15	1,878.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Raspberry	81.06	119	1,352.18	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Regulatory pest control	0.36	N/A	N/A	N/A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Research commodity	7.05	37	130.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rice	417.07	179	13,024.98	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights of way	106.0	107	4,405.16	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights of way	493.48	N/A	N/A	N/A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Ryegrass	4.83	10	888.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Safflower	29.24	26	4,372.3	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Small fruits/berry	0.02	3	4.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Soil fumigation/preplant	314.41	96	12,613.22	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Sorghum (forage - fodder)	56.64	35	2,302.05	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Sorghum/milo	42.21	28	2,028.04	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Spinach	63.17	154	2,062.73	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Squash	8.41	6	340.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Squash, summer	0.48	1	18.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Squash, winter	11.29	13	304.5	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Squash, zucchini	0.01	1	0.1	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Stone fruit	0.44	2	5.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Strawberry	5,073.64	801	23,713.6	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sudangrass	58.13	39	1,929.11	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sugarbeet	349.5	180	12,582.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sunflower	75.75	28	2,116.9	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Sweet potato	96.5	48	1,776.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Swiss chard	11.38	31	320.22	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tangelo	244.64	119	2,803.91	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tangerine	5,148.49	2,145	54,972.11	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Timothy	0.23	1	60.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tomato	68.12	108	3,892.47	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tomato	0.01	3	7,560.0	S
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Tomato, processing	1,179.07	392	32,933.31	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Triticale	10.21	19	1,039.5	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Turf/sod	0.84	1	40.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Uncultivated ag	1,607.45	1,205	64,323.62	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Uncultivated ag	0.33	2	260.0	U
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Uncultivated non-ag	28.96	39	1,584.66	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Unknown	7.48	4	265.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Vegetable	0.08	2	4.75	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Vegetables, fruiting	0.09	13	12.29	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Vegetables, leafy	0.01	2	1.25	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Walnut	10,944.34	3,494	105,424.6	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Water area	0.25	2	4.0	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Watermelon	138.96	72	2,856.35	A
<b>n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids</b>	Watermelon	0.05	2	5,040.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Wheat	326.21	257	14,071.49	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Wheat (forage - fodder)	413.77	337	19,745.31	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Alfalfa	141.86	27	2,171.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Apple	1,017.18	2	73.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Barley	3.99	1	65.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Cherry	17,082.15	87	1,666.74	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Corn (forage - fodder)	45.61	8	514.39	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Cotton	11.44	1	129.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Forage hay/silage	3.06	1	45.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Garlic	7.97	3	123.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Kiwi fruit fuzzy	256.3	1	41.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Landscape maintenance	190.49	N/A	N/A	N/A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	N-grnhs flower	5.31	N/A	82.75	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Potato	222.03	64	3,590.9	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Wheat	49.42	13	1,041.0	A
n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine	Wheat (forage - fodder)	122.67	23	1,367.18	A
bispyribac-sodium	Golf course turf	0.01	1	1,000.0	S
bispyribac-sodium	Landscape maintenance	0.66	N/A	N/A	N/A
bispyribac-sodium	Rice	6,130.47	2,203	174,270.19	A
bispyribac-sodium	Uncultivated ag	5.98	2	178.31	A
borax	Almond	2.58	3	136.0	A
borax	Blackberry	6.77	8	193.32	A
borax	Blueberry	0.1	1	9.0	A
borax	Forest, timberland	520.5	2	3,389.0	A
borax	Grape, wine	1.43	4	35.09	A
borax	Industrial site	0.07	N/A	1,056,518.0	S
borax	Landscape maintenance	<0.01	1	100.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
borax	Landscape maintenance	11.99	N/A	N/A	N/A
borax	N-grnhs transplants	0.16	5	5.0	A
borax	N-outdr flower	1.02	9	10.29	A
borax	Pepper, fruiting	0.04	1	5.0	A
borax	Public health	0.05	N/A	N/A	N/A
borax	Raspberry	0.39	4	19.2	A
borax	Regulatory pest control	0.1	N/A	N/A	N/A
borax	Research commodity	<0.01	1	1.0	A
borax	Research commodity	0.2	N/A	N/A	N/A
borax	Rights of way	209,582.48	N/A	N/A	N/A
borax	Strawberry	484.04	321	12,314.34	A
borax	Structural pest control	507.09	N/A	N/A	N/A
boric acid	Animal premise	27,852.34	34	2,607,285.0	S
boric acid	Animal premise	344,480.0	N/A	206.0	U
boric acid	Grape, wine	0.4	1	2.6	A
boric acid	Landscape maintenance	0.1	1	1.0	A
boric acid	Landscape maintenance	1,899.29	N/A	N/A	N/A
boric acid	Regulatory pest control	1,642.93	N/A	N/A	N/A
boric acid	Rights of way	470.84	N/A	N/A	N/A
boric acid	Structural pest control	360,746.26	N/A	N/A	N/A
boric acid	Vertebrate control	0.07	N/A	N/A	N/A
boscalid	Alfalfa	392.37	29	1,393.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
boscalid	Almond	17,653.08	1,940	89,334.94	A
boscalid	Apple	1.3	2	5.53	A
boscalid	Apricot	173.79	81	904.85	A
boscalid	Artichoke, globe	144.31	31	422.9	A
boscalid	Bean, dried	5.78	1	12.0	A
boscalid	Bean, unspecified	1.37	1	6.0	A
boscalid	Blackberry	447.72	173	1,314.38	A
boscalid	Blueberry	3.54	1	15.0	A
boscalid	Bok choy	1.23	1	2.1	A
boscalid	Broccoli	1,411.77	350	3,373.24	A
boscalid	Brussels sprout	22.84	2	62.0	A
boscalid	Cabbage	284.9	86	782.7	A
boscalid	Cantaloupe	60.49	6	296.0	A
boscalid	Carrot	2,446.34	229	13,271.14	A
boscalid	Cauliflower	223.5	65	570.3	A
boscalid	Celery	3,008.07	434	7,766.95	A
boscalid	Cherry	2,105.3	538	10,729.73	A
boscalid	Collard	11.03	3	28.0	A
boscalid	Cucumber	30.12	19	117.19	A
boscalid	Eggplant	3.83	1	25.0	A
boscalid	Endive (escarole)	0.66	1	1.5	A
boscalid	Fava bean	20.69	16	62.0	A
boscalid	Golf course turf	6.22	N/A	21.0	A
boscalid	Grape	13,700.29	1,550	62,742.45	A
boscalid	Grape, wine	26,113.5	3,634	97,865.15	A
boscalid	Hops	2.65	1	12.0	A
boscalid	Kale	39.32	18	99.34	A
boscalid	Landscape maintenance	66.08	N/A	N/A	N/A
boscalid	Leek	19.77	15	66.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
boscalid	Lemon	7.56	1	28.0	A
boscalid	Lettuce, head	12,371.71	2,521	29,561.54	A
boscalid	Lettuce, leaf	14,378.47	3,084	32,755.17	A
boscalid	Melon	218.19	23	1,099.0	A
boscalid	Melon	0.03	1	2,520.0	S
boscalid	N-grnhs flower	96.16	246	498.96	A
boscalid	N-grnhs flower	3.2	35	697,160.0	S
boscalid	N-grnhs plants in containers	296.79	893	795.77	A
boscalid	N-grnhs plants in containers	34.24	261	5,955,718.0	S
boscalid	N-grnhs plants in containers	2.79	1	340,500.07	U
boscalid	N-grnhs transplants	367.03	1,288	1,170.98	A
boscalid	N-grnhs transplants	6.49	203	1,298,723.0	S
boscalid	N-outdr flower	418.36	940	4,188.24	A
boscalid	N-outdr flower	0.09	4	49,400.0	S
boscalid	N-outdr plants in containers	833.73	1,073	2,539.63	A
boscalid	N-outdr plants in containers	11.61	87	1,953,597.4	S
boscalid	N-outdr plants in containers	10.24	42	516,439.0	U
boscalid	N-outdr transplants	226.01	110	689.29	A
boscalid	N-outdr transplants	0.28	1	31,664.0	S
boscalid	N-outdr transplants	0.67	1	23,000.0	U
boscalid	Nectarine	522.21	143	2,500.02	A
boscalid	Olive	0.46	1	2.0	A
boscalid	Onion, dry	1,741.12	207	6,572.29	A
boscalid	Onion, dry	0.02	3	2,584.0	S
boscalid	Orange	83.86	10	332.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
boscalid	Peach	2,227.53	548	11,045.26	A
boscalid	Pear	64.88	10	229.21	A
boscalid	Pecan	2.28	1	10.0	A
boscalid	Pepper, fruiting	145.6	30	951.02	A
boscalid	Pistachio	3,220.75	267	15,438.13	A
boscalid	Plum	157.43	41	777.41	A
boscalid	Potato	971.82	66	4,818.7	A
boscalid	Prune	19.43	5	100.6	A
boscalid	Pumpkin	42.07	6	160.4	A
boscalid	Raspberry	1,101.83	294	3,200.86	A
boscalid	Research commodity	9.18	30	40.18	A
boscalid	Research commodity	0.52	19	46,916.0	S
boscalid	Research commodity	20.89	N/A	N/A	N/A
boscalid	Squash	1.21	1	5.5	A
boscalid	Stone fruit	10.99	7	54.5	A
boscalid	Strawberry	7,900.3	688	22,875.92	A
boscalid	Sweet potato	17.5	1	40.0	A
boscalid	Swiss chard	1.38	1	3.5	A
boscalid	Tangerine	400.04	87	1,392.83	A
boscalid	Tomato	121.79	30	267.3	A
boscalid	Tomato	2.06	10	286,520.0	S
boscalid	Turf/sod	0.5	N/A	4.0	A
boscalid	Turnip	2.4	1	6.1	A
boscalid	Uncultivated ag	10.71	2	34.0	A
boscalid	Walnut	6,426.04	757	31,498.57	A
boscalid	Watermelon	678.96	51	2,450.5	A
brodifacoum	Animal premise	<0.01	N/A	583.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
brodifacoum	Animal premise	<0.01	1	32,332.0	S
brodifacoum	Animal premise	<0.01	N/A	2,332.0	U
brodifacoum	Avocado	<0.01	4	84.0	A
brodifacoum	Buildings/non-ag outdoor	<0.01	N/A	115.48	A
brodifacoum	Buildings/non-ag outdoor	<0.01	N/A	4,946,152.0	S
brodifacoum	Buildings/non-ag outdoor	0.04	N/A	41.0	U
brodifacoum	Farm/ag building	0.08	N/A	112.0	U
brodifacoum	Fumigation, other	<0.01	N/A	N/A	N/A
brodifacoum	Landscape maintenance	0.03	N/A	N/A	N/A
brodifacoum	N-grnhs flower	<0.01	1	4.0	A
brodifacoum	Public health	<0.01	N/A	N/A	N/A
brodifacoum	Regulatory pest control	<0.01	N/A	N/A	N/A
brodifacoum	Rights of way	0.01	N/A	N/A	N/A
brodifacoum	Structural pest control	3.99	N/A	N/A	N/A
brodifacoum	Uncultivated ag	<0.01	1	1.0	A
brodifacoum	Vertebrate control	0.35	N/A	N/A	N/A
bromacil	Almond	0.18	4	36.0	A
bromacil	Avocado	3.6	4	3.0	A
bromacil	Citrus	53.19	9	43.0	A
bromacil	Grape, wine	0.79	1	26.0	A
bromacil	Grapefruit	75.03	15	71.4	A
bromacil	Landscape maintenance	2,026.9	N/A	N/A	N/A
bromacil	Lemon	171.28	7	90.8	A
bromacil	Orange	1,411.15	53	785.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bromacil	Pastureland	0.02	2	46.0	A
bromacil	Regulatory pest control	7.2	N/A	N/A	N/A
bromacil	Rights of way	250.8	10	160.0	A
bromacil	Rights of way	12,184.48	N/A	N/A	N/A
bromacil	Structural pest control	64.9	N/A	N/A	N/A
bromacil	Tangerine	56.07	13	127.57	A
bromacil	Uncultivated non-ag	128.4	2	24.85	A
bromacil, lithium salt	Rights of way	3,070.51	N/A	N/A	N/A
bromadiolone	Almond	<0.01	N/A	921,600.0	C
bromadiolone	Almond	<0.01	N/A	18.9	S
bromadiolone	Almond	<0.01	N/A	90.0	T
bromadiolone	Animal premise	0.01	N/A	1,273.66	A
bromadiolone	Animal premise	0.02	87	3,274,535.0	S
bromadiolone	Animal premise	0.04	N/A	6,006.0	U
bromadiolone	Avocado	0.03	50	190.9	A
bromadiolone	Buildings/non-ag outdoor	<0.01	N/A	116.61	A
bromadiolone	Buildings/non-ag outdoor	<0.01	N/A	5,366,440.0	S
bromadiolone	Buildings/non-ag outdoor	0.02	N/A	11.02	U
bromadiolone	Citrus	<0.01	1	20.0	A
bromadiolone	Commodity fumigation	<0.01	N/A	N/A	N/A
bromadiolone	Date	<0.01	1	3.0	A
bromadiolone	Ditch bank	<0.01	1	1.0	A
bromadiolone	Farm/ag building	<0.01	29	30.51	A
bromadiolone	Farm/ag building	<0.01	30	1,080,695.33	S
bromadiolone	Farm/ag building	0.1	4	713.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bromadiolone	Fumigation, other	<0.01	N/A	N/A	N/A
bromadiolone	Grapefruit	<0.01	3	41.5	A
bromadiolone	Industrial site	<0.01	N/A	120,000.0	S
bromadiolone	Landscape maintenance	1.43	N/A	N/A	N/A
bromadiolone	Lemon	0.13	78	3,320.7	A
bromadiolone	N-grnhs flower	<0.01	N/A	1.0	A
bromadiolone	N-grnhs flower	<0.01	1	459,816.0	S
bromadiolone	N-grnhs plants in containers	<0.01	29	190.1	A
bromadiolone	N-grnhs plants in containers	<0.01	7	120.0	S
bromadiolone	N-outdr flower	<0.01	8	11.0	A
bromadiolone	N-outdr plants in containers	<0.01	8	12.7	A
bromadiolone	N-outdr plants in containers	<0.01	36	964.0	S
bromadiolone	Olive	<0.01	1	0.5	A
bromadiolone	Orange	<0.01	11	237.76	A
bromadiolone	Pastureland	<0.01	19	163.0	A
bromadiolone	Public health	0.08	N/A	N/A	N/A
bromadiolone	Rangeland	<0.01	8	40.0	A
bromadiolone	Regulatory pest control	0.31	N/A	N/A	N/A
bromadiolone	Rights of way	<0.01	7	28.0	A
bromadiolone	Rights of way	0.05	N/A	N/A	N/A
bromadiolone	Structural pest control	43.47	N/A	N/A	N/A
bromadiolone	Tangelo	<0.01	8	199.0	A
bromadiolone	Tangerine	6.92	41	3,640.11	A
bromadiolone	Uncultivated ag	<0.01	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bromadiolone	Unknown	<0.01	N/A	138.5	A
bromadiolone	Vertebrate control	<0.01	2	11.0	A
bromadiolone	Vertebrate control	1.39	N/A	N/A	N/A
bromethalin	Animal premise	0.04	N/A	4,731,000.0	C
bromethalin	Animal premise	0.49	26	12,051,948.0	S
bromethalin	Animal premise	<0.01	N/A	3.0	U
bromethalin	Avocado	<0.01	1	1,000.0	S
bromethalin	Buildings/non-ag outdoor	<0.01	N/A	1,649,288.0	S
bromethalin	Buildings/non-ag outdoor	0.11	N/A	71.02	U
bromethalin	Landscape maintenance	0.51	N/A	N/A	N/A
bromethalin	Lemon	<0.01	1	15.0	A
bromethalin	Lime	<0.01	1	19.3	A
bromethalin	N-grnhs flower	<0.01	30	53.25	A
bromethalin	N-grnhs plants in containers	0.03	13	20.2	A
bromethalin	N-outdr plants in containers	0.08	44	69.25	A
bromethalin	Public health	0.05	N/A	N/A	N/A
bromethalin	Regulatory pest control	0.03	N/A	N/A	N/A
bromethalin	Rights of way	<0.01	N/A	N/A	N/A
bromethalin	Structural pest control	5.91	N/A	N/A	N/A
bromethalin	Tangerine	<0.01	1	34.58	A
bromethalin	Uncultivated ag	<0.01	7	17.0	U
bromethalin	Vertebrate control	<0.01	3	3,560.0	S
bromethalin	Vertebrate control	0.37	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
1-bromo-3-chloro-5,5-dimethyl hydantoin	Industrial processing water	121.1	N/A	332,640.0	P
1-bromo-3-chloro-5,5-dimethyl hydantoin	Landscape maintenance	3,098.28	N/A	N/A	N/A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Rights of way	27.1	N/A	N/A	N/A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (industrial)	6,676.83	N/A	92.0	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (industrial)	46,468.9	N/A	4,910.0	U
bromoxynil heptanoate	Alfalfa	2,479.28	273	10,414.07	A
bromoxynil heptanoate	Barley	96.67	8	331.0	A
bromoxynil heptanoate	Barley (forage - fodder)	19.19	2	74.4	A
bromoxynil heptanoate	Bermudagrass	757.79	25	2,329.0	A
bromoxynil heptanoate	Corn (forage - fodder)	10.85	1	42.0	A
bromoxynil heptanoate	Forage hay/silage	496.74	53	1,947.4	A
bromoxynil heptanoate	Garlic	3,465.79	126	10,605.59	A
bromoxynil heptanoate	Grass, seed	186.48	16	541.51	A
bromoxynil heptanoate	Oat	998.59	62	3,128.79	A
bromoxynil heptanoate	Oat (forage - fodder)	376.09	30	1,180.5	A
bromoxynil heptanoate	Onion, dry	2,366.78	382	22,261.39	A
bromoxynil heptanoate	Orchardgrass	2.06	1	12.0	A
bromoxynil heptanoate	Pastureland	101.66	7	296.5	A
bromoxynil heptanoate	Rangeland	8.6	1	50.0	A
bromoxynil heptanoate	Rye	31.52	9	111.6	A
bromoxynil heptanoate	Ryegrass	205.0	5	595.7	A
bromoxynil heptanoate	Soil fumigation/preplant	71.25	3	207.0	A
bromoxynil heptanoate	Sorghum (forage - fodder)	359.7	19	1,704.41	A
bromoxynil heptanoate	Sorghum/milo	41.93	12	162.5	A
bromoxynil heptanoate	Sudangrass	23.51	2	91.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bromoxynil heptanoate	Triticale	201.29	28	768.3	A
bromoxynil heptanoate	Turf/sod	44.43	9	129.0	A
bromoxynil heptanoate	Uncultivated ag	54.52	15	250.0	A
bromoxynil heptanoate	Wheat	2,702.52	123	9,237.76	A
bromoxynil heptanoate	Wheat (forage - fodder)	762.8	53	2,378.67	A
bromoxynil octanoate	Alfalfa	10,549.7	563	27,943.7	A
bromoxynil octanoate	Barley	228.72	10	693.0	A
bromoxynil octanoate	Barley (forage - fodder)	36.22	3	94.4	A
bromoxynil octanoate	Bermudagrass	4,881.21	111	8,211.8	A
bromoxynil octanoate	Corn (forage - fodder)	16.93	2	52.4	A
bromoxynil octanoate	Forage hay/silage	867.37	67	2,687.4	A
bromoxynil octanoate	Garlic	4,284.2	138	11,719.59	A
bromoxynil octanoate	Grass, seed	335.68	25	715.01	A
bromoxynil octanoate	Oat	1,308.28	72	3,673.25	A
bromoxynil octanoate	Oat (forage - fodder)	895.16	60	1,980.78	A
bromoxynil octanoate	Onion, dry	7,512.28	583	36,145.17	A
bromoxynil octanoate	Orchardgrass	2.14	1	12.0	A
bromoxynil octanoate	Pastureland	207.34	9	436.5	A
bromoxynil octanoate	Peas	0.07	1	0.2	A
bromoxynil octanoate	Rangeland	8.92	1	50.0	A
bromoxynil octanoate	Research commodity	1.43	1	2.62	A
bromoxynil octanoate	Rights of way	0.17	1	1.0	A
bromoxynil octanoate	Rights of way	1.42	N/A	N/A	N/A
bromoxynil octanoate	Rye	818.93	29	1,219.6	A
bromoxynil octanoate	Ryegrass	332.36	13	866.7	A
bromoxynil octanoate	Soil fumigation/preplant	73.88	3	207.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bromoxynil octanoate	Sorghum (forage - fodder)	954.7	32	2,878.21	A
bromoxynil octanoate	Sorghum/milo	1,043.07	42	2,085.92	A
bromoxynil octanoate	Sudangrass	599.18	22	1,227.5	A
bromoxynil octanoate	Triticale	208.75	28	768.3	A
bromoxynil octanoate	Turf/sod	230.23	22	426.0	A
bromoxynil octanoate	Uncultivated ag	56.54	15	250.0	A
bromoxynil octanoate	Wheat	5,493.68	215	13,895.29	A
bromoxynil octanoate	Wheat (forage - fodder)	1,218.61	70	3,127.73	A
bronopol	Industrial processing water	53.26	N/A	222,124.0	C
bronopol	Industrial processing water	65.3	N/A	2,117,943.0	P
bronopol	Landscape maintenance	N/A	N/A	N/A	N/A
bronopol	Rights of way	175.84	N/A	N/A	N/A
bronopol	Water (industrial)	527.52	N/A	3.0	A
buffalo gourd root powder	Squash, summer	6.52	1	15.0	A
buprofezin	Almond	23,935.37	151	13,077.88	A
buprofezin	Apple	31.79	2	21.1	A
buprofezin	Apricot	483.2	42	320.7	A
buprofezin	Broccoli	201.56	21	663.84	A
buprofezin	Brussels sprout	72.99	22	197.48	A
buprofezin	Cantaloupe	617.25	15	1,615.93	A
buprofezin	Cauliflower	22.05	6	60.12	A
buprofezin	Celery	9.94	3	28.0	A
buprofezin	Cherry	1,129.19	24	771.15	A
buprofezin	Citrus	14.88	2	7.0	A
buprofezin	Cole crop	0.11	1	0.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
buprofezin	Corn (forage - fodder)	5.17	1	59.0	A
buprofezin	Cotton	13,229.21	417	38,284.51	A
buprofezin	Cucumber	2.63	1	6.72	A
buprofezin	Grape	30,861.47	1,286	53,793.79	A
buprofezin	Grape, wine	12,458.26	305	16,348.11	A
buprofezin	Grapefruit	787.84	40	408.0	A
buprofezin	Landscape maintenance	8.22	N/A	N/A	N/A
buprofezin	Lemon	4,963.49	124	2,632.68	A
buprofezin	Melon	464.39	30	1,401.58	A
buprofezin	N-grnhs flower	13.72	21	28.75	A
buprofezin	N-grnhs flower	0.33	2	6,000.0	S
buprofezin	N-grnhs plants in containers	14.0	25	28.11	A
buprofezin	N-grnhs plants in containers	8.89	42	1,755,950.0	S
buprofezin	N-grnhs plants in containers	1.71	N/A	93,389.0	U
buprofezin	N-outdr flower	0.53	1	1.0	A
buprofezin	N-outdr plants in containers	153.56	59	267.43	A
buprofezin	N-outdr plants in containers	2.14	6	209,300.0	S
buprofezin	N-outdr plants in containers	1.84	N/A	157,665.0	U
buprofezin	N-outdr transplants	2.1	1	4.0	A
buprofezin	Nectarine	3,085.88	147	2,046.77	A
buprofezin	Olive	965.01	14	626.0	A
buprofezin	Orange	49,160.91	1,081	24,710.07	A
buprofezin	Peach	4,030.67	194	2,684.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
buprofezin	Pear	567.24	18	499.56	A
buprofezin	Pear, asian (oriental pear, ya, ya li, nashi)	24.15	2	12.0	A
buprofezin	Pepper, fruiting	29.7	5	85.5	A
buprofezin	Persimmon	946.43	22	671.0	A
buprofezin	Pistachio	81,664.46	455	46,111.89	A
buprofezin	Plum	4,113.37	236	2,773.76	A
buprofezin	Pomegranate	4,992.69	29	3,302.28	A
buprofezin	Pomelo	273.72	14	136.0	A
buprofezin	Pumpkin	6.95	1	18.0	A
buprofezin	Quince	7.55	1	5.0	A
buprofezin	Regulatory pest control	0.3	N/A	N/A	N/A
buprofezin	Research commodity	1.38	N/A	N/A	N/A
buprofezin	Strawberry	481.39	31	1,244.71	A
buprofezin	Sunflower	5.42	1	62.0	A
buprofezin	Tangelo	751.65	20	375.38	A
buprofezin	Tangerine	10,520.51	227	5,313.54	A
buprofezin	Tomato	347.28	92	930.92	A
buprofezin	Tomato, processing	243.54	3	629.8	A
buprofezin	Uncultivated ag	19.07	2	218.0	A
buprofezin	Vegetables, fruiting	0.48	5	1.77	A
buprofezin	Vegetables, leafy	0.27	5	0.82	A
buprofezin	Walnut	35,425.61	376	18,701.38	A
buprofezin	Watermelon	59.96	7	160.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Alfalfa	541.22	2	130.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Almond	97,975.19	221	18,527.58	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Apple	571.69	7	90.3	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Apricot	418.05	3	48.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
burkholderia sp strain a396 cells and fermentation media	Artichoke, globe	733.28	23	177.9	A
burkholderia sp strain a396 cells and fermentation media	Arugula	2,342.4	89	484.09	A
burkholderia sp strain a396 cells and fermentation media	Avocado	177.44	1	20.5	A
burkholderia sp strain a396 cells and fermentation media	Basil, sweet	101.27	1	31.2	A
burkholderia sp strain a396 cells and fermentation media	Bean, succulent	514.26	8	103.4	A
burkholderia sp strain a396 cells and fermentation media	Beet	502.8	40	83.93	A
burkholderia sp strain a396 cells and fermentation media	Blackberry	4,367.78	62	976.59	A
burkholderia sp strain a396 cells and fermentation media	Blueberry	3,917.4	15	464.3	A
burkholderia sp strain a396 cells and fermentation media	Bok choy	136.32	24	72.0	A
burkholderia sp strain a396 cells and fermentation media	Broccoli	19,763.64	488	3,970.64	A
burkholderia sp strain a396 cells and fermentation media	Brussels sprout	622.41	52	149.6	A
burkholderia sp strain a396 cells and fermentation media	Cabbage	2,512.48	148	573.44	A
burkholderia sp strain a396 cells and fermentation media	Cannabis (all or unspecified)	4,814.88	298	573.87	A
burkholderia sp strain a396 cells and fermentation media	Cannabis (all or unspecified)	10.37	9	27,000.0	C
burkholderia sp strain a396 cells and fermentation media	Cannabis (all or unspecified)	3,923.05	2,003	7,705,664.0	S
burkholderia sp strain a396 cells and fermentation media	Cannabis (all or unspecified)	150.17	19	246.0	U
burkholderia sp strain a396 cells and fermentation media	Cantaloupe	9,194.69	76	2,509.75	A
burkholderia sp strain a396 cells and fermentation media	Cauliflower	12,978.73	439	2,195.71	A
burkholderia sp strain a396 cells and fermentation media	Celery	6,099.69	332	1,180.85	A
burkholderia sp strain a396 cells and fermentation media	Cherry	302.94	3	120.0	A
burkholderia sp strain a396 cells and fermentation media	Chinese cabbage (napa, won bok, celery cabbage)	1,227.76	39	146.55	A
burkholderia sp strain a396 cells and fermentation media	Cilantro	478.73	20	87.93	A
burkholderia sp strain a396 cells and fermentation media	Citrus	45.44	1	6.16	A
burkholderia sp strain a396 cells and fermentation media	Collard	361.88	42	69.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>burkholderia sp strain a396 cells and fermentation media</b>	Corn (forage - fodder)	1.73	2	0.2	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Corn, grain	473.88	1	73.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Corn, human consumption	27,938.48	155	5,800.86	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Cotton	1,291.81	3	298.5	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Cucumber	1,300.42	25	244.13	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Eggplant	302.94	4	74.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Endive (escarole)	322.61	3	30.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Fig	794.56	5	144.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Grape	3,687.53	32	870.4	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Grape, wine	15,667.62	99	3,245.56	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Grass, seed	24.59	1	4.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Industrial hemp	615.12	6	171.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Industrial hemp	55.32	37	71,685.0	S
<b>burkholderia sp strain a396 cells and fermentation media</b>	Kale	1,561.34	105	289.11	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Leek	64.14	5	14.78	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Lemon	658.67	1	76.1	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Lettuce, head	1,924.87	101	408.32	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Lettuce, leaf	37,751.03	998	6,696.44	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Melon	6,694.67	127	1,743.7	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Mizuna	173.97	12	29.43	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Mustard greens	619.92	40	123.59	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	N-grnhs plants in containers	186.23	20	21.33	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	N-grnhs plants in containers	5.41	2	44,774.0	S
<b>burkholderia sp strain a396 cells and fermentation media</b>	N-grnhs transplants	231.82	59	68.25	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	N-outdr plants in containers	6.49	4	4.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	N-outdr transplants	133.68	34	75.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
burkholderia sp strain a396 cells and fermentation media	Nectarine	20,128.11	223	3,703.89	A
burkholderia sp strain a396 cells and fermentation media	Onion, dry	4,506.85	10	595.7	A
burkholderia sp strain a396 cells and fermentation media	Orange	942.4	15	207.71	A
burkholderia sp strain a396 cells and fermentation media	Parsley	4.33	1	2.0	A
burkholderia sp strain a396 cells and fermentation media	Peach	37,308.45	398	8,204.58	A
burkholderia sp strain a396 cells and fermentation media	Pear, asian (oriental pear, ya, ya li, nashi)	649.15	8	120.0	A
burkholderia sp strain a396 cells and fermentation media	Pepper, fruiting	2,427.31	22	447.1	A
burkholderia sp strain a396 cells and fermentation media	Pistachio	52,412.77	71	8,316.1	A
burkholderia sp strain a396 cells and fermentation media	Plum	9,409.51	114	1,319.47	A
burkholderia sp strain a396 cells and fermentation media	Potato	3,092.33	11	393.0	A
burkholderia sp strain a396 cells and fermentation media	Radicchio	2,681.87	22	478.5	A
burkholderia sp strain a396 cells and fermentation media	Raspberry	4,114.2	82	791.81	A
burkholderia sp strain a396 cells and fermentation media	Rosemary	12.98	1	1.5	A
burkholderia sp strain a396 cells and fermentation media	Ryegrass	874.19	1	134.66	A
burkholderia sp strain a396 cells and fermentation media	Sorghum (forage - fodder)	657.81	2	152.0	A
burkholderia sp strain a396 cells and fermentation media	Spinach	7,950.95	228	1,486.75	A
burkholderia sp strain a396 cells and fermentation media	Squash	3,485.57	15	358.38	A
burkholderia sp strain a396 cells and fermentation media	Squash, summer	329.64	15	160.76	A
burkholderia sp strain a396 cells and fermentation media	Squash, winter	497.68	3	94.0	A
burkholderia sp strain a396 cells and fermentation media	Squash, zucchini	372.18	2	132.0	A
burkholderia sp strain a396 cells and fermentation media	Stone fruit	25.64	9	15.75	A
burkholderia sp strain a396 cells and fermentation media	Strawberry	42,370.24	399	8,141.93	A
burkholderia sp strain a396 cells and fermentation media	Sweet potato	49,107.34	77	3,326.8	A
burkholderia sp strain a396 cells and fermentation media	Swiss chard	1,201.9	130	271.31	A
burkholderia sp strain a396 cells and fermentation media	Tangerine	1,515.48	12	215.05	A
burkholderia sp strain a396 cells and fermentation media	Tomato	151.47	2	20.0	A
burkholderia sp strain a396 cells and fermentation media	Tomato, processing	14,920.49	41	3,584.02	A
burkholderia sp strain a396 cells and fermentation media	Vegetable	12.98	1	2.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
burkholderia sp strain a396 cells and fermentation media	Vegetables, fruiting	51.93	3	6.0	A
burkholderia sp strain a396 cells and fermentation media	Walnut	8,382.12	44	1,276.31	A
burkholderia sp strain a396 cells and fermentation media	Watermelon	5,276.2	67	1,255.25	A
butopyronoxyl	N-outdr plants in containers	19.19	13	21.7	A
2-butoxyethanol	Alfalfa	2.79	8	367.0	A
2-butoxyethanol	Almond	686.53	597	25,939.15	A
2-butoxyethanol	Apple	1,415.99	88	2,907.99	A
2-butoxyethanol	Apricot	5.24	16	278.05	A
2-butoxyethanol	Blueberry	0.28	2	24.06	A
2-butoxyethanol	Cherry	270.31	169	2,049.0	A
2-butoxyethanol	Corn (forage - fodder)	3.73	10	286.8	A
2-butoxyethanol	Corn, human consumption	0.95	3	39.0	A
2-butoxyethanol	Grape	62.75	257	4,562.65	A
2-butoxyethanol	Grape, wine	27.53	28	964.66	A
2-butoxyethanol	Grapefruit	0.56	4	47.5	A
2-butoxyethanol	Kiwi fruit fuzzy	0.57	2	75.45	A
2-butoxyethanol	Landscape maintenance	0.03	N/A	N/A	N/A
2-butoxyethanol	N-outdr plants in containers	0.05	1	3.0	A
2-butoxyethanol	N-outdr transplants	<0.01	1	0.04	A
2-butoxyethanol	Nectarine	16.35	140	811.28	A
2-butoxyethanol	Olive	1.8	1	130.0	A
2-butoxyethanol	Orange	10.81	20	219.21	A
2-butoxyethanol	Peach	32.8	292	1,373.76	A
2-butoxyethanol	Persimmon	4.17	47	181.83	A
2-butoxyethanol	Pistachio	24.8	49	1,596.58	A
2-butoxyethanol	Plum	31.45	255	1,541.69	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-butoxyethanol	Potato	0.41	1	122.0	A
2-butoxyethanol	Prune	0.75	4	46.59	A
2-butoxyethanol	Rights of way	0.29	4	28.0	A
2-butoxyethanol	Rights of way	2,582.82	N/A	N/A	N/A
2-butoxyethanol	Soil fumigation/preplant	0.02	3	1.98	A
2-butoxyethanol	Tangelo	0.16	2	15.2	A
2-butoxyethanol	Tangerine	3.02	16	231.55	A
2-butoxyethanol	Tomato, processing	0.81	1	46.6	A
2-butoxyethanol	Walnut	89.43	271	6,138.0	A
butoxy polypropylene glycol	Cannabis (all or unspecified)	<0.01	1	1.5	A
butoxy polypropylene glycol	Structural pest control	0.05	N/A	N/A	N/A
butyl alcohol	Alfalfa	572.43	528	27,153.11	A
butyl alcohol	Almond	16,265.59	3,102	194,958.44	A
butyl alcohol	Apricot	23.64	33	673.0	A
butyl alcohol	Barley	5.52	8	292.1	A
butyl alcohol	Bean, dried	184.45	90	4,100.4	A
butyl alcohol	Bean, succulent	8.5	46	349.4	A
butyl alcohol	Bean, unspecified	1.24	10	48.0	A
butyl alcohol	Blueberry	41.81	29	1,175.36	A
butyl alcohol	Broccoli	7.36	17	238.0	A
butyl alcohol	Brussels sprout	5.07	15	196.7	A
butyl alcohol	Cantaloupe	5.24	4	126.9	A
butyl alcohol	Cauliflower	0.52	2	20.0	A
butyl alcohol	Cherry	237.64	252	3,696.16	A
butyl alcohol	Citrus	5.53	4	62.1	A
butyl alcohol	Corn (forage - fodder)	276.53	221	11,018.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
butyl alcohol	Corn, grain	119.03	87	4,429.68	A
butyl alcohol	Corn, human consumption	7.9	44	222.5	A
butyl alcohol	Cotton	338.25	168	11,043.55	A
butyl alcohol	County ag comm	<0.01	N/A	N/A	N/A
butyl alcohol	Cucumber	13.16	13	518.3	A
butyl alcohol	Forage hay/silage	37.83	37	1,690.5	A
butyl alcohol	Garlic	55.13	16	1,633.97	A
butyl alcohol	Grain	8.63	2	190.6	A
butyl alcohol	Grape	59.39	57	1,067.14	A
butyl alcohol	Grape, wine	5,336.49	3,507	87,632.66	A
butyl alcohol	Grapefruit	27.75	32	420.59	A
butyl alcohol	Kiwi fruit fuzzy	63.52	32	446.09	A
butyl alcohol	Landscape maintenance	144.0	N/A	N/A	N/A
butyl alcohol	Lemon	70.57	58	1,177.15	A
butyl alcohol	N-grnhs transplants	0.03	1	8,000.0	S
butyl alcohol	N-outdr plants in containers	2.69	2	32.6	A
butyl alcohol	N-outdr transplants	0.1	1	7.22	A
butyl alcohol	Oat	27.54	19	1,379.4	A
butyl alcohol	Oat (forage - fodder)	43.72	66	2,984.0	A
butyl alcohol	Olive	246.91	120	3,624.53	A
butyl alcohol	Onion, dry	21.67	11	882.5	A
butyl alcohol	Orange	309.05	290	4,118.83	A
butyl alcohol	Orchardgrass	8.27	2	410.0	A
butyl alcohol	Pastureland	5.61	91	161.13	A
butyl alcohol	Peach	69.92	68	1,090.34	A
butyl alcohol	Peas	9.62	31	365.8	A
butyl alcohol	Pecan	20.54	6	210.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
butyl alcohol	Pepper, fruiting	117.07	51	2,327.52	A
butyl alcohol	Persimmon	7.52	16	112.0	A
butyl alcohol	Pistachio	4,366.4	578	54,496.15	A
butyl alcohol	Plum	2.9	8	97.2	A
butyl alcohol	Potato	7.24	15	703.4	A
butyl alcohol	Prune	205.03	143	3,284.77	A
butyl alcohol	Public health	41.9	N/A	N/A	N/A
butyl alcohol	Pumpkin	5.71	13	105.89	A
butyl alcohol	Rangeland	7.34	47	771.27	A
butyl alcohol	Regulatory pest control	1.34	N/A	N/A	N/A
butyl alcohol	Research commodity	2.43	27	132.9	A
butyl alcohol	Research commodity	0.16	N/A	N/A	N/A
butyl alcohol	Rice	2,684.33	115	9,536.1	A
butyl alcohol	Rights of way	39.73	24	634.5	A
butyl alcohol	Rights of way	467.39	N/A	N/A	N/A
butyl alcohol	Rye	1.03	5	20.0	A
butyl alcohol	Ryegrass	1.74	6	77.48	A
butyl alcohol	Safflower	3.4	7	152.0	A
butyl alcohol	Soil fumigation/preplant	3.89	7	174.16	A
butyl alcohol	Sorghum (forage - fodder)	21.64	9	1,072.0	A
butyl alcohol	Sorghum/milo	16.71	14	759.8	A
butyl alcohol	Squash	0.9	3	77.0	A
butyl alcohol	Stone fruit	2.06	1	9.0	A
butyl alcohol	Structural pest control	412.33	N/A	N/A	N/A
butyl alcohol	Sudangrass	15.11	15	625.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
butyl alcohol	Sunflower	129.16	125	4,395.3	A
butyl alcohol	Tangelo	12.84	14	178.84	A
butyl alcohol	Tangerine	79.36	88	1,049.02	A
butyl alcohol	Tomato	448.12	220	10,908.36	A
butyl alcohol	Tomato, processing	1,172.43	450	35,676.21	A
butyl alcohol	Triticale	62.4	37	1,744.23	A
butyl alcohol	Uncultivated ag	318.45	232	11,410.02	A
butyl alcohol	Uncultivated non-ag	41.44	18	377.5	A
butyl alcohol	Vertebrate control	1.24	N/A	N/A	N/A
butyl alcohol	Walnut	1,929.58	602	19,042.69	A
butyl alcohol	Water area	20.78	24	178.0	A
butyl alcohol	Water area	0.15	N/A	1.0	U
butyl alcohol	Watermelon	1.7	3	60.0	A
butyl alcohol	Wheat	171.37	182	9,257.22	A
butyl alcohol	Wheat (forage - fodder)	160.97	109	6,502.77	A
butyl lactate	Alfalfa	571.23	616	41,061.38	A
butyl lactate	Almond	204.57	17	820.58	A
butyl lactate	Artichoke, globe	0.68	1	15.0	A
butyl lactate	Barley	65.58	44	3,010.2	A
butyl lactate	Bean, dried	5.64	3	180.0	A
butyl lactate	Bean, unspecified	10.92	8	395.0	A
butyl lactate	Broccoli	3.21	30	177.62	A
butyl lactate	Cherry	38.56	7	254.0	A
butyl lactate	Corn (forage - fodder)	176.24	4	56.6	A
butyl lactate	Cotton	133.94	129	4,949.27	A
butyl lactate	Ditch bank	1.14	1	10.0	A
butyl lactate	Forage hay/silage	3.46	3	165.5	A
butyl lactate	Forest, timberland	0.54	13	28.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
butyl lactate	Garlic	21.61	13	569.39	A
butyl lactate	Grape, wine	1,015.71	516	13,390.49	A
butyl lactate	Horseradish	13.15	3	252.0	A
butyl lactate	Landscape maintenance	105.64	N/A	N/A	N/A
butyl lactate	Mint	17.4	9	505.0	A
butyl lactate	N-outdr plants in containers	21.73	40	747,876.0	U
butyl lactate	Oat	8.5	3	354.49	A
butyl lactate	Onion, dry	149.21	140	7,975.9	A
butyl lactate	Potato	158.74	86	4,732.5	A
butyl lactate	Prune	36.55	7	216.4	A
butyl lactate	Rangeland	0.91	1	40.0	A
butyl lactate	Rice	179.89	99	6,554.2	A
butyl lactate	Rights of way	7.28	2	245.0	A
butyl lactate	Rights of way	138.02	N/A	N/A	N/A
butyl lactate	Rye	3.3	1	60.0	A
butyl lactate	Strawberry	6.65	3	117.0	A
butyl lactate	Sunflower	0.29	1	10.0	A
butyl lactate	Uncultivated ag	188.25	150	3,529.17	A
butyl lactate	Uncultivated non-ag	6.14	5	110.0	A
butyl lactate	Walnut	95.99	7	432.5	A
butyl lactate	Water area	11.73	29	53.9	A
butyl lactate	Wheat	74.27	67	3,507.3	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Alfalfa	4,603.61	2,338	106,290.49	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Almond	8,429.42	403	26,605.07	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Apple	64.47	1	50.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Apricot	0.16	3	2.9	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Asparagus	205.67	37	2,375.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Bermudagrass	43.74	19	834.1	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Blackberry	31.49	7	51.87	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Cantaloupe	2.09	2	64.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Cherry	3,172.79	68	1,729.21	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Cilantro	7.09	2	114.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Corn (forage - fodder)	279.62	100	4,659.39	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Corn, human consumption	41.19	12	838.2	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Cotton	1,562.71	599	37,930.2	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Cucumber	19.03	3	118.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Fig	61.25	5	377.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Garlic	99.01	10	1,842.5	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grape	55.63	6	315.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grape, wine	1,792.72	145	5,092.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grass, seed	1.19	1	36.4	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Lettuce, head	14.93	8	92.5	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Lettuce, leaf	62.3	63	462.25	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Melon	6.83	2	17.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	N-outdr plants in containers	32.44	8	50.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	N-outdr transplants	188.26	32	659.77	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Nectarine	0.28	3	4.5	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Onion, dry	41.47	13	634.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Orange	107.03	3	227.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Peach	0.44	4	6.75	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Pepper, fruiting	2.91	1	18.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Pistachio	2,106.09	193	17,143.62	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Plum	0.51	5	7.5	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Pomegranate	152.93	11	489.33	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Raspberry	251.29	35	689.38	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Sorghum (forage - fodder)	14.52	2	300.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	1,756.34	258	5,926.7	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Sugarbeet	140.58	42	2,850.5	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Timothy	3.77	5	233.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Tomato, processing	74.15	24	1,552.37	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Uncultivated ag	32.29	3	354.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Walnut	531.22	24	1,226.67	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Wheat	5.08	7	433.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Wheat (forage - fodder)	20.06	26	1,506.56	A
cacodylic acid	Landscape maintenance	1.01	N/A	N/A	N/A
cadmium chloride	Landscape maintenance	0.29	N/A	N/A	N/A
cadmium chloride	N-grnhs plants in containers	0.03	3	2.63	A
cadmium chloride	N-grnhs plants in containers	0.15	4	19,160.0	S
cadmium chloride	N-outdr flower	<0.01	1	0.15	A
cadmium chloride	N-outdr plants in containers	0.01	1	1.0	A
calcium acid methanearsonate	Structural pest control	0.03	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
calcium carbonate	Commodity fumigation	10,976.0	N/A	N/A	N/A
calcium carbonate	Water (industrial)	5,488.0	N/A	204.0	A
calcium carbonate	Water (industrial)	46,649.22	N/A	4,217.05	U
calcium chloride	Alfalfa	710.44	892	38,045.59	A
calcium chloride	Almond	2,431.75	843	62,678.62	A
calcium chloride	Apple	65.95	30	534.4	A
calcium chloride	Apricot	2.98	9	54.07	A
calcium chloride	Artichoke, globe	1.95	6	79.9	A
calcium chloride	Arugula	18.18	35	661.92	A
calcium chloride	Barley	1.66	1	158.0	A
calcium chloride	Bean, dried	18.38	36	1,001.0	A
calcium chloride	Bean, succulent	4.97	23	313.2	A
calcium chloride	Bean, unspecified	0.34	2	26.0	A
calcium chloride	Blackberry	1.02	2	26.0	A
calcium chloride	Blueberry	8.84	7	309.93	A
calcium chloride	Bok choy	0.37	26	25.5	A
calcium chloride	Broccoli	38.41	96	913.23	A
calcium chloride	Carrot	0.77	5	28.03	A
calcium chloride	Cauliflower	16.31	53	355.38	A
calcium chloride	Celery	0.5	3	38.0	A
calcium chloride	Cherry	122.76	109	1,638.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
calcium chloride	Cilantro	0.07	1	1.8	A
calcium chloride	Citrus	0.1	2	5.0	A
calcium chloride	Corn (forage - fodder)	83.36	143	6,465.32	A
calcium chloride	Corn, grain	0.42	1	10.0	A
calcium chloride	Corn, human consumption	185.99	498	12,623.68	A
calcium chloride	Cotton	129.13	126	8,722.57	A
calcium chloride	Cucumber	3.4	18	327.0	A
calcium chloride	Fig	0.1	2	2.7	A
calcium chloride	Garlic	14.06	13	1,244.0	A
calcium chloride	Grape	5.92	5	106.07	A
calcium chloride	Grape, wine	637.9	1,498	13,824.49	A
calcium chloride	Grapefruit	2.62	9	99.5	A
calcium chloride	Industrial hemp	0.6	N/A	2.4	A
calcium chloride	Kale	8.17	64	333.02	A
calcium chloride	Landscape maintenance	3.4	N/A	N/A	N/A
calcium chloride	Lemon	8.73	16	318.0	A
calcium chloride	Lettuce, head	12.95	46	602.5	A
calcium chloride	Lettuce, leaf	132.05	323	2,891.24	A
calcium chloride	Melon	101.5	104	3,592.4	A
calcium chloride	Mizuna	1.01	17	38.66	A
calcium chloride	Mustard greens	0.97	12	36.81	A
calcium chloride	Nectarine	0.8	8	20.18	A
calcium chloride	Oat (forage - fodder)	12.58	3	361.1	A
calcium chloride	Olive	65.4	33	788.22	A
calcium chloride	Onion, dry	14.03	24	1,614.2	A
calcium chloride	Orange	15.95	35	542.34	A
calcium chloride	Peach	3.72	11	69.86	A
calcium chloride	Pear	1.41	6	18.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
calcium chloride	Pecan	146.65	28	2,302.29	A
calcium chloride	Pistachio	247.09	105	4,910.9	A
calcium chloride	Plum	0.19	4	3.43	A
calcium chloride	Pumpkin	0.84	5	49.82	A
calcium chloride	Radicchio	6.28	11	200.0	A
calcium chloride	Research commodity	2.59	15	70.0	A
calcium chloride	Rice	0.56	5	43.0	A
calcium chloride	Rights of way	22.47	12	1,032.0	A
calcium chloride	Rights of way	9.09	N/A	N/A	N/A
calcium chloride	Small fruits/berry	0.02	1	1.0	A
calcium chloride	Spinach	48.71	73	1,766.68	A
calcium chloride	Squash	3.06	24	258.18	A
calcium chloride	Strawberry	53.15	29	923.0	A
calcium chloride	Sunflower	25.42	35	2,178.11	A
calcium chloride	Swiss chard	2.84	35	119.75	A
calcium chloride	Tangelo	1.31	3	47.0	A
calcium chloride	Tangerine	14.43	10	205.5	A
calcium chloride	Timothy	0.08	1	52.0	A
calcium chloride	Tomato	281.87	200	11,752.24	A
calcium chloride	Tomato, processing	295.73	266	18,000.14	A
calcium chloride	Triticale	8.78	10	836.06	A
calcium chloride	Uncultivated ag	73.63	165	4,483.08	A
calcium chloride	Vegetables, leafy	32.06	34	1,216.22	A
calcium chloride	Walnut	1,202.3	461	17,375.52	A
calcium chloride	Watermelon	4.52	16	373.0	A
calcium chloride	Wheat	6.32	4	602.1	A
calcium chloride	Wheat (forage - fodder)	3.74	5	208.0	A
calcium cyanide	Vertebrate control	52.5	N/A	N/A	N/A
calcium hydroxide	Almond	3,201.75	12	290.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
calcium hydroxide	Avocado	1,539.91	15	174.46	A
calcium hydroxide	Avocado	42.3	1	460,000.0	U
calcium hydroxide	Cherry	15,574.97	35	754.48	A
calcium hydroxide	Citrus	1,859.65	13	134.1	A
calcium hydroxide	Grape	107,955.6	179	9,635.79	A
calcium hydroxide	Grape, wine	231.23	25	162.95	A
calcium hydroxide	Grapefruit	65,739.46	182	2,431.1	A
calcium hydroxide	Lemon	411,752.74	1,054	21,877.41	A
calcium hydroxide	Lime	45.0	1	5.0	A
calcium hydroxide	N-outdr plants in containers	108.74	5	11.4	A
calcium hydroxide	Nectarine	928.1	17	142.09	A
calcium hydroxide	Olive	147,762.13	158	7,748.29	A
calcium hydroxide	Orange	3,334,372.93	6,479	140,307.75	A
calcium hydroxide	Peach	1,167.39	23	150.71	A
calcium hydroxide	Pistachio	1,529.92	4	170.76	A
calcium hydroxide	Plum	36.0	2	8.0	A
calcium hydroxide	Pomelo	6,626.75	40	335.0	A
calcium hydroxide	Rice	1,673.72	31	1,819.26	A
calcium hydroxide	Rice, wild	128.77	2	139.97	A
calcium hydroxide	Stone fruit	11.55	5	14.25	A
calcium hydroxide	Strawberry	2,035.5	22	885.0	A
calcium hydroxide	Tangelo	77,896.72	218	3,360.12	A
calcium hydroxide	Tangerine	739,007.39	1,836	52,944.64	A
calcium hydroxide	Walnut	4,360.5	8	278.0	A
calcium hydroxide	Wheat	1,105.65	2	78.0	A
calcium hypochlorite	Citrus	2,782.56	N/A	654,720.0	T
calcium hypochlorite	Ditch bank	31,212.0	N/A	271.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
calcium hypochlorite	Ditch bank	17,762.96	N/A	97.0	U
calcium hypochlorite	Grape, wine	9.48	4	42.18	A
calcium hypochlorite	Landscape maintenance	15,699.16	N/A	N/A	N/A
calcium hypochlorite	Mushroom	919.59	1,297	8,835,500.0	S
calcium hypochlorite	Mushroom house	246.33	9	886,750.0	S
calcium hypochlorite	Peach	14.22	5	52.0	A
calcium hypochlorite	Rights of way	8,078.4	N/A	N/A	N/A
calcium hypochlorite	Structural pest control	42.92	N/A	N/A	N/A
calcium hypochlorite	Water (industrial)	6,062.88	N/A	101.0	U
calcium hypochlorite	Water area	336.28	N/A	17,687.0	K
calcium hypochlorite	Water area	15.6	N/A	3.0	U
calcium thiosulfate	Grape, wine	0.32	1	0.5	A
canola oil	Alfalfa	50.23	170	9,278.85	A
canola oil	Alfalfa	0.32	2	6,000.0	S
canola oil	Almond	43.16	191	6,340.45	A
canola oil	Basil, sweet	2.78	51	67.46	A
canola oil	Bean, dried	0.35	3	86.0	A
canola oil	Bean, succulent	0.1	1	0.05	A
canola oil	Beet	0.86	49	83.4	A
canola oil	Blackberry	172.29	46	202.93	A
canola oil	Blueberry	150.43	12	545.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
canola oil	Bok choy	1.27	89	123.11	A
canola oil	Broccoli	54.48	15	100.5	A
canola oil	Cabbage	233.89	207	638.63	A
canola oil	Cannabis (all or unspecified)	2.23	10	4.25	A
canola oil	Cannabis (all or unspecified)	0.2	6	12,400.0	S
canola oil	Cauliflower	172.9	59	319.7	A
canola oil	Celeriac	0.22	19	21.08	A
canola oil	Cherry	0.27	4	57.0	A
canola oil	Chinese cabbage (napa, won bok, celery cabbage)	0.43	31	41.73	A
canola oil	Cilantro	1.49	77	143.84	A
canola oil	Citrus	2.86	5	4.19	A
canola oil	Cole crop	0.74	2	0.65	A
canola oil	Collard	1.87	92	180.42	A
canola oil	Corn (forage - fodder)	65.24	363	13,568.45	A
canola oil	Corn, grain	1.26	7	203.71	A
canola oil	Cucumber	104.92	7	13.26	A
canola oil	Dandelion green	0.21	22	20.7	A
canola oil	Dill	0.55	37	53.51	A
canola oil	Endive (escarole)	0.05	16	4.91	A
canola oil	Forage hay/silage	3.5	14	544.0	A
canola oil	Grape	0.18	2	31.0	A
canola oil	Grape, wine	3.77	3	44.63	A
canola oil	Herb, spice	11.23	14	7.48	A
canola oil	Kale	1.57	117	151.36	A
canola oil	Kohlrabi	0.34	34	32.75	A
canola oil	Landscape maintenance	12.88	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
canola oil	Leek	0.51	28	49.59	A
canola oil	Lettuce, head	9.72	1	18.0	A
canola oil	Lettuce, leaf	2.32	148	223.73	A
canola oil	Mustard	0.68	50	65.23	A
canola oil	Mustard greens	1.34	64	129.8	A
canola oil	N-grnhs flower	0.6	10	37,032.0	S
canola oil	N-grnhs plants in containers	79.87	161	141.87	A
canola oil	N-grnhs plants in containers	41.86	55	2,213,232.0	S
canola oil	N-grnhs transplants	0.32	4	11,475.0	S
canola oil	N-outdr flower	0.1	3	2.0	A
canola oil	N-outdr plants in containers	32.48	61	83.47	A
canola oil	N-outdr plants in containers	4.21	8	179,351.0	S
canola oil	N-outdr transplants	3.64	15	376.4	A
canola oil	Oat (forage - fodder)	20.28	97	4,703.55	A
canola oil	Olive	0.47	1	45.0	A
canola oil	Onion, green	1.69	3	1.4	A
canola oil	Parsley	1.3	65	125.47	A
canola oil	Pastureland	1.04	2	265.0	A
canola oil	Peach	4.15	14	490.11	A
canola oil	Pistachio	0.2	1	40.0	A
canola oil	Prune	0.35	5	41.7	A
canola oil	Raspberry	292.53	57	361.0	A
canola oil	Research commodity	4.29	7	0.24	A
canola oil	Research commodity	0.54	N/A	N/A	N/A
canola oil	Rice	0.16	1	30.0	A
canola oil	Rights of way	0.39	7	70.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
canola oil	Rights of way	8.38	N/A	N/A	N/A
canola oil	Ryegrass	0.26	2	63.0	A
canola oil	Spinach	0.63	51	61.17	A
canola oil	Squash	19.71	12	14.2	A
canola oil	Strawberry	782.48	277	987.31	A
canola oil	Structural pest control	0.86	N/A	N/A	N/A
canola oil	Sudangrass	0.34	2	81.0	A
canola oil	Swiss chard	1.36	108	131.43	A
canola oil	Tomato	515.05	11	75.03	A
canola oil	Triticale	10.56	45	2,550.18	A
canola oil	Turnip	1.02	59	98.27	A
canola oil	Uncultivated ag	31.76	15	3,448.27	A
canola oil	Uncultivated non-ag	14.9	N/A	1,544.0	A
canola oil	Unknown	1.34	3	255.0	A
canola oil	Vegetables, fruiting	0.97	3	0.8	A
canola oil	Vegetables, leafy	30.93	30	20.35	A
canola oil	Walnut	17.32	22	624.94	A
canola oil	Wheat	1.84	11	445.04	A
canola oil	Wheat (forage - fodder)	7.37	51	1,824.64	A
capric acid	Alfalfa	35.99	1	12.0	A
capric acid	Almond	17,969.7	92	4,251.83	A
capric acid	Apple	8.4	2	2.0	A
capric acid	Apricot	55.18	7	16.0	A
capric acid	Avocado	789.7	35	454.2	A
capric acid	Bean, dried	40.31	1	8.0	A
capric acid	Bean, succulent	24.61	5	25.0	A
capric acid	Blackberry	889.57	19	143.36	A
capric acid	Blueberry	7,218.6	81	1,249.39	A
capric acid	Broccoli	505.19	5	41.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
capric acid	Cabbage	33.59	1	28.0	A
capric acid	Carrot	1,445.41	22	450.16	A
capric acid	Cauliflower	75.58	1	7.0	A
capric acid	Celery	1,999.39	25	173.68	A
capric acid	Cherry	432.83	15	60.86	A
capric acid	Chive	7.2	1	1.0	A
capric acid	Cilantro	1,675.17	64	265.22	A
capric acid	Citrus	256.72	7	88.0	A
capric acid	Date	7,108.7	61	4,369.5	A
capric acid	Ditch bank	152.07	6	10.75	A
capric acid	Garlic	5,069.92	25	774.3	A
capric acid	Grape	10,517.24	74	2,717.3	A
capric acid	Grape, wine	7,392.59	189	1,524.72	A
capric acid	Grapefruit	342.03	19	240.0	A
capric acid	Herb, spice	253.13	4	28.0	A
capric acid	Herb, spice	12.0	1	25,000.0	S
capric acid	Kiwi fruit fuzzy	305.41	17	60.16	A
capric acid	Landscape maintenance	8,449.82	N/A	N/A	N/A
capric acid	Lemon	2,770.22	53	2,449.07	A
capric acid	Lettuce, head	222.58	34	140.49	A
capric acid	Lettuce, leaf	1,999.85	111	806.13	A
capric acid	Mango	1,041.3	14	598.0	A
capric acid	Melon	12.24	1	8.5	A
capric acid	N-grnhs plants in containers	0.03	6	1.55	A
capric acid	N-grnhs transplants	14.4	3	20,000.0	S
capric acid	N-outdr flower	198.66	15	16.23	A
capric acid	N-outdr plants in containers	215.27	48	51.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
capric acid	N-outdr plants in containers	0.9	2	8,100.0	S
capric acid	N-outdr transplants	102.32	8	14.65	A
capric acid	Nectarine	2,645.08	75	1,140.2	A
capric acid	Olive	345.5	2	40.0	A
capric acid	Onion, dry	2,883.13	15	397.3	A
capric acid	Orange	5,822.59	145	1,708.5	A
capric acid	Parsley	240.65	15	28.75	A
capric acid	Peach	2,846.92	85	1,233.81	A
capric acid	Pear	12.96	2	6.0	A
capric acid	Persimmon	2.4	1	0.72	A
capric acid	Pistachio	1,564.71	9	299.21	A
capric acid	Plum	813.27	25	337.56	A
capric acid	Prune	439.07	5	60.22	A
capric acid	Rangeland	2.7	1	20.0	A
capric acid	Raspberry	2,807.24	56	471.7	A
capric acid	Rights of way	55.12	8	12.99	A
capric acid	Rights of way	1,363.98	N/A	N/A	N/A
capric acid	Small fruits/berry	3.96	2	1.5	A
capric acid	Squash	36.42	2	4.74	A
capric acid	Stone fruit	28.79	1	4.0	A
capric acid	Strawberry	3,782.97	41	447.51	A
capric acid	Structural pest control	0.64	N/A	N/A	N/A
capric acid	Sunflower	9.0	1	1.25	A
capric acid	Sweet potato	35.99	1	10.0	A
capric acid	Swiss chard	160.51	2	15.7	A
capric acid	Tangerine	5,455.01	80	1,575.8	A
capric acid	Uncultivated ag	6,927.75	163	787.2	A
capric acid	Uncultivated ag	21.59	1	18,000.0	S
capric acid	Uncultivated non-ag	107.97	1	5.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
capric acid	Vegetable	0.45	1	0.25	A
capric acid	Walnut	1,512.3	38	360.97	A
capric acid	Watermelon	215.79	2	86.67	A
caprylic acid	Alfalfa	52.86	1	12.0	A
caprylic acid	Almond	26,393.0	92	4,251.83	A
caprylic acid	Apple	12.33	2	2.0	A
caprylic acid	Apricot	81.05	7	16.0	A
caprylic acid	Avocado	1,159.88	35	454.2	A
caprylic acid	Bean, dried	59.2	1	8.0	A
caprylic acid	Bean, succulent	36.15	5	25.0	A
caprylic acid	Blackberry	1,295.49	19	143.36	A
caprylic acid	Blueberry	10,602.32	81	1,249.39	A
caprylic acid	Broccoli	654.72	5	41.88	A
caprylic acid	Cabbage	49.34	1	28.0	A
caprylic acid	Carrot	2,122.95	22	450.16	A
caprylic acid	Cauliflower	111.01	1	7.0	A
caprylic acid	Celery	2,936.6	25	173.68	A
caprylic acid	Cherry	635.82	16	83.86	A
caprylic acid	Chive	10.57	1	1.0	A
caprylic acid	Cilantro	2,460.41	64	265.22	A
caprylic acid	Citrus	316.43	7	88.0	A
caprylic acid	Date	10,440.9	61	4,369.5	A
caprylic acid	Ditch bank	223.35	6	10.75	A
caprylic acid	Garlic	7,446.45	25	774.3	A
caprylic acid	Grape	15,447.2	74	2,717.3	A
caprylic acid	Grape, wine	10,831.82	189	1,524.72	A
caprylic acid	Grapefruit	489.6	19	240.0	A
caprylic acid	Herb, spice	371.78	4	28.0	A
caprylic acid	Herb, spice	17.62	1	25,000.0	S
caprylic acid	Kiwi fruit fuzzy	448.57	17	60.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
caprylic acid	Landscape maintenance	12,407.46	N/A	N/A	N/A
caprylic acid	Lemon	4,058.44	53	2,449.07	A
caprylic acid	Lettuce, head	326.92	34	140.49	A
caprylic acid	Lettuce, leaf	2,937.27	111	806.13	A
caprylic acid	Mango	1,529.41	14	598.0	A
caprylic acid	Melon	17.97	1	8.5	A
caprylic acid	N-grnhs plants in containers	0.04	6	1.55	A
caprylic acid	N-grnhs transplants	21.14	3	20,000.0	S
caprylic acid	N-outdr flower	291.79	15	16.23	A
caprylic acid	N-outdr plants in containers	316.14	48	51.0	A
caprylic acid	N-outdr plants in containers	1.32	2	8,100.0	S
caprylic acid	N-outdr transplants	150.28	8	14.65	A
caprylic acid	Nectarine	3,884.96	75	1,140.2	A
caprylic acid	Olive	507.45	2	40.0	A
caprylic acid	Onion, dry	4,234.59	15	397.3	A
caprylic acid	Orange	8,429.22	145	1,708.5	A
caprylic acid	Parsley	353.46	15	28.75	A
caprylic acid	Peach	4,181.42	85	1,233.81	A
caprylic acid	Pear	19.03	2	6.0	A
caprylic acid	Persimmon	3.52	1	0.72	A
caprylic acid	Pistachio	2,298.16	9	299.21	A
caprylic acid	Plum	1,194.49	25	337.56	A
caprylic acid	Prune	644.89	5	60.22	A
caprylic acid	Rangeland	3.96	1	20.0	A
caprylic acid	Raspberry	4,123.13	56	471.7	A
caprylic acid	Rights of way	80.95	8	12.99	A
caprylic acid	Rights of way	2,003.35	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
caprylic acid	Small fruits/berry	5.81	2	1.5	A
caprylic acid	Squash	53.49	2	4.74	A
caprylic acid	Stone fruit	42.29	1	4.0	A
caprylic acid	Strawberry	5,355.54	41	447.51	A
caprylic acid	Structural pest control	0.68	N/A	N/A	N/A
caprylic acid	Sunflower	13.21	1	1.25	A
caprylic acid	Sweet potato	52.86	1	10.0	A
caprylic acid	Swiss chard	235.75	2	15.7	A
caprylic acid	Tangerine	7,974.06	80	1,575.8	A
caprylic acid	Uncultivated ag	10,171.66	163	787.2	A
caprylic acid	Uncultivated ag	31.72	1	18,000.0	S
caprylic acid	Uncultivated non-ag	158.58	1	5.0	A
caprylic acid	Vegetable	0.66	1	0.25	A
caprylic acid	Walnut	2,221.19	38	360.97	A
caprylic acid	Watermelon	316.95	2	86.67	A
capsicum oleoresin	Alfalfa	0.01	4	12,000.0	S
capsicum oleoresin	Almond	0.63	1	14.3	A
capsicum oleoresin	Basil, sweet	0.29	3	1.35	A
capsicum oleoresin	Bean, succulent	0.01	1	0.05	A
capsicum oleoresin	Blackberry	23.81	46	202.93	A
capsicum oleoresin	Blueberry	20.79	12	545.0	A
capsicum oleoresin	Broccoli	7.53	15	100.5	A
capsicum oleoresin	Cabbage	32.02	73	431.56	A
capsicum oleoresin	Cannabis (all or unspecified)	6.28	57	125.45	A
capsicum oleoresin	Cannabis (all or unspecified)	9.05	113	5,139,751.0	S
capsicum oleoresin	Cauliflower	23.89	59	319.7	A
capsicum oleoresin	Citrus	1.48	11	9.41	A
capsicum oleoresin	Cole crop	0.1	2	0.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
capsicum oleoresin	Cucumber	0.1	3	0.45	A
capsicum oleoresin	Grape, wine	0.73	2	17.26	A
capsicum oleoresin	Herb, spice	1.55	14	7.48	A
capsicum oleoresin	Industrial hemp	0.09	1	1.0	A
capsicum oleoresin	Landscape maintenance	0.21	N/A	N/A	N/A
capsicum oleoresin	Lettuce, head	1.34	1	18.0	A
capsicum oleoresin	N-grnhs flower	5.03	31	31.57	A
capsicum oleoresin	N-grnhs flower	0.08	10	37,032.0	S
capsicum oleoresin	N-grnhs plants in containers	23.72	374	334.76	A
capsicum oleoresin	N-grnhs plants in containers	7.3	77	3,002,811.0	S
capsicum oleoresin	N-grnhs transplants	0.14	10	22,125.0	S
capsicum oleoresin	N-outdr flower	0.15	7	5.0	A
capsicum oleoresin	N-outdr plants in containers	38.91	299	323.93	A
capsicum oleoresin	N-outdr plants in containers	0.35	7	177,351.0	S
capsicum oleoresin	N-outdr transplants	0.21	1	4.0	A
capsicum oleoresin	Onion, green	0.23	3	1.4	A
capsicum oleoresin	Orange	0.23	1	15.0	A
capsicum oleoresin	Pistachio	0.55	2	16.0	A
capsicum oleoresin	Prune	1.08	5	83.0	A
capsicum oleoresin	Public health	<0.01	N/A	N/A	N/A
capsicum oleoresin	Raspberry	40.42	57	361.0	A
capsicum oleoresin	Research commodity	0.1	9	2.6	A
capsicum oleoresin	Research commodity	0.07	N/A	N/A	N/A
capsicum oleoresin	Squash	2.72	12	14.2	A
capsicum oleoresin	Strawberry	108.12	277	987.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
capsicum oleoresin	Structural pest control	0.04	N/A	N/A	N/A
capsicum oleoresin	Tomato	1.39	5	25.84	A
capsicum oleoresin	Uncultivated ag	0.18	1	15.0	A
capsicum oleoresin	Vegetables, fruiting	0.13	3	0.8	A
capsicum oleoresin	Vegetables, leafy	4.27	30	20.35	A
capsicum oleoresin	Walnut	53.91	32	84.59	A
captan	Almond	4,721.26	41	1,499.0	A
captan	Apple	202.6	9	91.3	A
captan	Blackberry	485.04	50	239.03	A
captan	Blackberry	0.02	1	450.0	S
captan	Blueberry	3,926.88	85	1,682.03	A
captan	Cannabis (all or unspecified)	<0.01	1	2,112.0	C
captan	Cherry	546.01	15	313.4	A
captan	Grape	217.83	28	1,040.0	A
captan	Grape, wine	6.4	4	6.5	A
captan	Landscape maintenance	7.04	N/A	N/A	N/A
captan	N-grnhs flower	58.06	41	60.5	A
captan	N-grnhs plants in containers	0.06	1	0.5	A
captan	N-grnhs transplants	5.47	8	4.45	A
captan	N-grnhs transplants	0.02	1	4,100.0	S
captan	N-outdr flower	357.62	71	26,258.73	A
captan	N-outdr flower	39.09	9	11,106.0	U
captan	N-outdr plants in containers	1,066.52	53	388.22	A
captan	N-outdr transplants	11,278.04	288	4,582.4	A
captan	Nectarine	22.0	1	9.0	A
captan	Plum	5.6	1	2.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
captan	Prune	17,668.89	134	6,315.6	A
captan	Raspberry	1,553.34	162	762.2	A
captan	Raspberry	0.93	5	14,782.0	S
captan	Research commodity	9.32	4	4.65	A
captan	Strawberry	333,821.19	5,414	191,995.41	A
captan	Strawberry	54.64	14	1,200,253.0	S
captan	Strawberry	3.13	1	2.0	U
captan, other related	Almond	9.26	5	146.0	A
captan, other related	Blackberry	<0.01	1	450.0	S
captan, other related	Blueberry	5.61	6	104.5	A
captan, other related	Cherry	0.07	2	42.0	A
captan, other related	Grape	4.92	28	1,040.0	A
captan, other related	Grape, wine	0.16	4	6.5	A
captan, other related	Landscape maintenance	0.16	N/A	N/A	N/A
captan, other related	N-grnhs flower	1.08	36	52.0	A
captan, other related	N-grnhs plants in containers	<0.01	1	0.5	A
captan, other related	N-grnhs transplants	0.04	4	2.75	A
captan, other related	N-outdr flower	2.97	37	24,161.0	A
captan, other related	N-outdr plants in containers	0.43	5	10.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
captan, other related	N-outdr transplants	56.41	93	1,089.98	A
captan, other related	Nectarine	0.49	1	9.0	A
captan, other related	Prune	87.75	33	1,420.1	A
captan, other related	Raspberry	3.74	4	68.59	A
captan, other related	Raspberry	0.04	5	14,782.0	S
captan, other related	Research commodity	0.2	4	4.65	A
captan, other related	Strawberry	4,034.51	3,122	103,833.06	A
captan, other related	Strawberry	0.97	7	779,413.0	S
captan, other related	Strawberry	0.07	1	2.0	U
carbaryl	Almond	1.25	1	25.0	?
carbaryl	Almond	481.41	8	219.3	A
carbaryl	Apple	4,206.68	72	1,833.5	A
carbaryl	Asparagus	30.08	1	15.0	A
carbaryl	Broccoli	530.89	45	503.07	A
carbaryl	Brussels sprout	665.46	43	669.36	A
carbaryl	Cabbage	83.74	9	72.0	A
carbaryl	Cantaloupe	1,193.65	24	2,232.31	A
carbaryl	Carrot	211.48	7	144.25	A
carbaryl	Cauliflower	390.62	25	358.54	A
carbaryl	Celery	2,799.02	239	2,527.57	A
carbaryl	Cherry	284.94	6	95.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carbaryl	Chinese cabbage (napa, won bok, celery cabbage)	2.13	1	1.06	A
carbaryl	Citrus	3.1	7	3.4	A
carbaryl	Citrus	0.52	2	7,493.0	S
carbaryl	Citrus	0.74	2	778.0	U
carbaryl	Corn, human consumption	68.63	5	68.45	A
carbaryl	Cotton	4.01	1	5.0	A
carbaryl	Cucumber	35.88	8	98.1	A
carbaryl	Daikon	11.03	2	11.0	A
carbaryl	Eggplant	2.01	1	2.0	A
carbaryl	Forage hay/silage	40.03	2	42.0	A
carbaryl	Gai lon	3.01	1	3.0	A
carbaryl	Golf course turf	24.47	N/A	3.0	A
carbaryl	Grape	79.33	2	40.5	A
carbaryl	Grape, wine	7.6	1	2.65	A
carbaryl	Grapefruit	5,479.97	39	1,450.2	A
carbaryl	Landscape maintenance	3,313.5	N/A	N/A	N/A
carbaryl	Lemon	1,597.33	13	314.5	A
carbaryl	Melon	1,057.9	28	2,115.8	A
carbaryl	N-grnhs flower	321.3	N/A	91.4	A
carbaryl	N-grnhs plants in containers	144.42	86	53.07	A
carbaryl	N-grnhs plants in containers	55.48	6	591,634.0	S
carbaryl	N-grnhs transplants	14.92	1	9.15	A
carbaryl	N-grnhs transplants	<0.01	1	50.0	S
carbaryl	N-outdr flower	6.98	9	9.25	A
carbaryl	N-outdr plants in containers	231.78	407	283.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carbaryl	N-outdr plants in containers	33.51	103	244,565.0	S
carbaryl	N-outdr plants in containers	15.43	76	19,519.0	U
carbaryl	N-outdr transplants	13.92	1	7.0	A
carbaryl	Nectarine	938.1	11	313.5	A
carbaryl	Olive	5,233.26	50	2,311.69	A
carbaryl	Orange	6,320.9	30	701.05	A
carbaryl	Peach	88.84	9	26.5	A
carbaryl	Pear	404.45	7	188.0	A
carbaryl	Peas	1.25	1	8.0	A
carbaryl	Pepper, fruiting	609.02	19	853.4	A
carbaryl	Pepper, spice	34.24	2	68.29	A
carbaryl	Pistachio	8,559.2	79	7,898.17	A
carbaryl	Plum	2.01	1	2.5	A
carbaryl	Prune	40.11	1	20.0	A
carbaryl	Pumpkin	26.69	2	31.55	A
carbaryl	Radish	617.38	133	308.58	A
carbaryl	Rangeland	61.0	7	61.0	A
carbaryl	Research commodity	28.82	13	19.5	A
carbaryl	Research commodity	1.2	N/A	N/A	N/A
carbaryl	Rights of way	93.43	N/A	N/A	N/A
carbaryl	Soil fumigation/preplant	50.0	1	25.0	A
carbaryl	Squash	2.64	2	7.4	A
carbaryl	Squash, winter	4.98	1	5.0	A
carbaryl	Stone fruit	0.24	3	0.75	A
carbaryl	Strawberry	1,261.13	29	1,108.0	A
carbaryl	Strawberry	0.06	1	0.8	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carbaryl	Structural pest control	25.69	N/A	N/A	N/A
carbaryl	Sugarbeet	18,114.72	196	14,402.5	A
carbaryl	Tangerine	5,561.45	75	1,084.04	A
carbaryl	Timothy	464.65	10	469.5	A
carbaryl	Tomato	2,973.77	146	6,173.9	A
carbaryl	Tomato, processing	34,490.98	719	58,227.97	A
carbaryl	Turf/sod	24.0	N/A	2.0	A
carbaryl	Uncultivated ag	247.2	4	179.0	A
carbaryl	Vegetable	1.0	2	1.0	A
carbaryl	Watermelon	500.5	14	787.0	A
carbo methoxy ether cellulose, sodium salt	Almond	4.44	35	779.2	A
carbo methoxy ether cellulose, sodium salt	Apple	0.22	7	65.1	A
carbo methoxy ether cellulose, sodium salt	Apricot	1.57	15	289.0	A
carbo methoxy ether cellulose, sodium salt	Basil, sweet	0.65	58	90.91	A
carbo methoxy ether cellulose, sodium salt	Bean, succulent	<0.01	2	0.08	A
carbo methoxy ether cellulose, sodium salt	Cannabis (all or unspecified)	0.22	20	16.07	A
carbo methoxy ether cellulose, sodium salt	Cannabis (all or unspecified)	0.26	44	77,970.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carbo methoxy ether cellulose, sodium salt	Carrot	<0.01	1	0.5	A
carbo methoxy ether cellulose, sodium salt	Cherry	0.38	10	68.4	A
carbo methoxy ether cellulose, sodium salt	Chervil	0.02	3	2.93	A
carbo methoxy ether cellulose, sodium salt	Chive	0.14	14	16.4	A
carbo methoxy ether cellulose, sodium salt	Citrus	0.68	5	83.0	A
carbo methoxy ether cellulose, sodium salt	Cole crop	0.02	4	1.1	A
carbo methoxy ether cellulose, sodium salt	Cucumber	0.02	3	0.95	A
carbo methoxy ether cellulose, sodium salt	Fig	1.51	13	374.4	A
carbo methoxy ether cellulose, sodium salt	Grape	6.75	43	1,313.13	A
carbo methoxy ether cellulose, sodium salt	Grape, wine	78.79	1,382	18,064.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carbo methoxy ether cellulose, sodium salt	Grapefruit	0.12	1	15.0	A
carbo methoxy ether cellulose, sodium salt	Herb, spice	0.67	60	66.5	A
carbo methoxy ether cellulose, sodium salt	Landscape maintenance	0.07	N/A	N/A	N/A
carbo methoxy ether cellulose, sodium salt	Lemon	1.22	3	52.0	A
carbo methoxy ether cellulose, sodium salt	Lettuce, leaf	<0.01	1	0.25	A
carbo methoxy ether cellulose, sodium salt	Lime	0.01	3	2.36	A
carbo methoxy ether cellulose, sodium salt	Mint	<0.01	1	0.5	A
carbo methoxy ether cellulose, sodium salt	Mustard	<0.01	2	0.75	A
carbo methoxy ether cellulose, sodium salt	N-outdr flower	0.22	1	10.24	A
carbo methoxy ether cellulose, sodium salt	Nectarine	15.7	336	4,394.34	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carbo methoxy ether cellulose, sodium salt	Olive	<0.01	3	10.25	A
carbo methoxy ether cellulose, sodium salt	Onion, green	0.02	4	1.15	A
carbo methoxy ether cellulose, sodium salt	Orange	4.13	13	240.0	A
carbo methoxy ether cellulose, sodium salt	Peach	19.11	411	5,109.82	A
carbo methoxy ether cellulose, sodium salt	Pear, asian (oriental pear, ya, ya li, nashi)	0.33	4	60.0	A
carbo methoxy ether cellulose, sodium salt	Peas	<0.01	1	0.5	A
carbo methoxy ether cellulose, sodium salt	Plum	3.93	55	1,037.09	A
carbo methoxy ether cellulose, sodium salt	Rights of way	2.12	N/A	N/A	N/A
carbo methoxy ether cellulose, sodium salt	Root vegetable	0.02	3	0.9	A
carbo methoxy ether cellulose, sodium salt	Sage	1.15	102	107.26	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carbo methoxy ether cellulose, sodium salt	Squash	0.01	1	1.25	A
carbo methoxy ether cellulose, sodium salt	Swiss chard	<0.01	2	0.5	A
carbo methoxy ether cellulose, sodium salt	Tangerine	0.47	3	67.8	A
carbo methoxy ether cellulose, sodium salt	Tarragon	0.07	6	10.33	A
carbo methoxy ether cellulose, sodium salt	Tomato	0.01	1	1.17	A
carbo methoxy ether cellulose, sodium salt	Tropical/subtropical fruit	<0.01	2	0.4	A
carbo methoxy ether cellulose, sodium salt	Uncultivated ag	0.06	6	21.5	A
carbo methoxy ether cellulose, sodium salt	Vegetables, fruiting	0.01	4	1.05	A
carbo methoxy ether cellulose, sodium salt	Vegetables, leafy	0.39	39	26.3	A
carbo methoxy ether cellulose, sodium salt	Walnut	0.04	1	23.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>carbo methoxy ether cellulose, sodium salt</b>	Water area	0.34	28	118.0	A
<b>complex carbohydrate polymer derivative</b>	Grapefruit	4.32	8	53.02	A
<b>complex carbohydrate polymer derivative</b>	Lemon	0.38	4	4.68	A
<b>complex carbohydrate polymer derivative</b>	Orange	6.45	5	79.19	A
<b>complex carbohydrate polymer derivative</b>	Pistachio	6.95	1	213.5	A
<b>complex carbohydrate polymer derivative</b>	Tangerine	10.84	8	133.17	A
<b>carbon</b>	County ag comm	0.07	N/A	N/A	N/A
<b>carbon</b>	Landscape maintenance	1,536.53	N/A	N/A	N/A
<b>carbon</b>	Public health	0.28	N/A	N/A	N/A
<b>carbon</b>	Regulatory pest control	0.14	N/A	N/A	N/A
<b>carbon</b>	Rights of way	254.03	N/A	N/A	N/A
<b>carbon</b>	Structural pest control	21.91	N/A	N/A	N/A
<b>carbon</b>	Vertebrate control	195.12	N/A	N/A	N/A
<b>carbon dioxide</b>	Commodity fumigation	37,334.82	N/A	N/A	N/A
<b>carbon dioxide</b>	Grape	177.61	N/A	38,563.5	P
<b>carbon dioxide</b>	Grape	118.14	N/A	34.32	T

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carbon dioxide	Landscape maintenance	508.34	N/A	N/A	N/A
carbon dioxide	Structural pest control	269.73	N/A	N/A	N/A
carbon dioxide	Vertebrate control	12.45	N/A	N/A	N/A
carbon disulfide	Landscape maintenance	3.36	N/A	N/A	N/A
carbon disulfide	Structural pest control	24.64	N/A	N/A	N/A
carbon disulfide	Vertebrate control	20.02	N/A	N/A	N/A
carbon tetrachloride	Landscape maintenance	16.95	N/A	N/A	N/A
carbon tetrachloride	Structural pest control	124.59	N/A	N/A	N/A
carbon tetrachloride	Vertebrate control	0.08	N/A	N/A	N/A
carbophenothion	N-grnhs plants in containers	0.12	1	0.22	A
carboxin	Onion, dry	45.53	N/A	45,245.51	P
carfentrazone-ethyl	Alfalfa	290.87	353	17,962.64	A
carfentrazone-ethyl	Almond	1,755.61	2,053	93,019.84	A
carfentrazone-ethyl	Apple	33.39	95	1,381.76	A
carfentrazone-ethyl	Apricot	1.09	2	42.0	A
carfentrazone-ethyl	Avocado	120.41	598	5,127.45	A
carfentrazone-ethyl	Avocado	0.07	2	25,200.0	S
carfentrazone-ethyl	Barley	44.51	36	3,309.4	A
carfentrazone-ethyl	Barley (forage - fodder)	55.51	59	4,824.77	A
carfentrazone-ethyl	Basil, sweet	1.48	1	67.3	A
carfentrazone-ethyl	Bean, dried	59.82	44	1,886.94	A
carfentrazone-ethyl	Bean, succulent	1.26	4	92.4	A
carfentrazone-ethyl	Bean, unspecified	0.7	1	48.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carfentrazone-ethyl	Bermudagrass	277.57	235	14,055.91	A
carfentrazone-ethyl	Blackberry	17.69	57	558.79	A
carfentrazone-ethyl	Blueberry	3.78	3	147.53	A
carfentrazone-ethyl	Bok choy	0.16	7	31.18	A
carfentrazone-ethyl	Broccoli	5.07	17	191.05	A
carfentrazone-ethyl	Brussels sprout	5.89	12	238.1	A
carfentrazone-ethyl	Cabbage	2.84	25	231.11	A
carfentrazone-ethyl	Cantaloupe	0.43	1	30.0	A
carfentrazone-ethyl	Carrot	7.17	14	426.0	A
carfentrazone-ethyl	Cauliflower	6.81	30	303.66	A
carfentrazone-ethyl	Celery	7.12	10	273.7	A
carfentrazone-ethyl	Cherry	195.8	463	7,740.03	A
carfentrazone-ethyl	Chinese cabbage (napa, won bok, celery cabbage)	0.01	3	25.66	A
carfentrazone-ethyl	Cilantro	0.23	15	6.34	A
carfentrazone-ethyl	Citrus	5.09	18	324.23	A
carfentrazone-ethyl	Corn (forage - fodder)	639.97	806	37,281.07	A
carfentrazone-ethyl	Corn, grain	104.84	204	7,438.28	A
carfentrazone-ethyl	Corn, human consumption	14.68	60	1,093.96	A
carfentrazone-ethyl	Cotton	586.25	352	34,909.02	A
carfentrazone-ethyl	County ag comm	1.17	N/A	N/A	N/A
carfentrazone-ethyl	Cucumber	4.32	7	295.0	A
carfentrazone-ethyl	Date	2.74	11	371.0	A
carfentrazone-ethyl	Endive (escarole)	0.03	14	63.69	A
carfentrazone-ethyl	Fig	19.41	10	721.0	A
carfentrazone-ethyl	Forage hay/silage	237.05	286	12,606.88	A
carfentrazone-ethyl	Garbanzo bean	26.37	9	747.0	A
carfentrazone-ethyl	Garlic	50.32	18	1,928.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carfentrazone-ethyl	Golf course turf	18.87	10	912.51	A
carfentrazone-ethyl	Golf course turf	0.04	N/A	86,000.0	S
carfentrazone-ethyl	Grain	3.89	3	267.15	A
carfentrazone-ethyl	Grape	125.05	303	5,852.42	A
carfentrazone-ethyl	Grape, wine	1,491.84	4,049	76,535.23	A
carfentrazone-ethyl	Grapefruit	3.8	20	377.75	A
carfentrazone-ethyl	Grass, seed	30.72	91	1,292.81	A
carfentrazone-ethyl	Hops	0.04	1	1.5	A
carfentrazone-ethyl	Horseradish	1.87	1	85.0	A
carfentrazone-ethyl	Industrial site	0.11	3	25.0	A
carfentrazone-ethyl	Landscape maintenance	3.33	34	544.05	A
carfentrazone-ethyl	Landscape maintenance	0.04	2	17.0	K
carfentrazone-ethyl	Landscape maintenance	0.79	31	925,000.0	S
carfentrazone-ethyl	Landscape maintenance	506.1	N/A	N/A	N/A
carfentrazone-ethyl	Lemon	58.45	177	4,708.26	A
carfentrazone-ethyl	Lettuce, head	6.64	437	5,861.56	A
carfentrazone-ethyl	Lettuce, leaf	3.8	863	7,286.27	A
carfentrazone-ethyl	Lime	1.07	4	136.0	A
carfentrazone-ethyl	Lovegrass, teff (forage - fodder)	7.14	4	278.7	A
carfentrazone-ethyl	Melon	12.95	9	403.0	A
carfentrazone-ethyl	Mint	20.45	15	772.63	A
carfentrazone-ethyl	N-grnhs flower	7.06	N/A	345.69	A
carfentrazone-ethyl	N-grnhs flower	1.57	N/A	1,627,900.0	S
carfentrazone-ethyl	N-grnhs plants in containers	0.1	N/A	4.0	A
carfentrazone-ethyl	N-grnhs transplants	5.88	N/A	304.6	A
carfentrazone-ethyl	N-outdr flower	1.15	21	62.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carfentrazone-ethyl	N-outdr plants in containers	2.97	12	117.89	A
carfentrazone-ethyl	N-outdr plants in containers	<0.01	2	10,000.0	S
carfentrazone-ethyl	N-outdr transplants	0.74	3	29.0	A
carfentrazone-ethyl	N-outdr transplants	0.25	N/A	774,000.0	S
carfentrazone-ethyl	Nectarine	<0.01	1	2.0	A
carfentrazone-ethyl	Oat	25.55	51	1,787.3	A
carfentrazone-ethyl	Oat (forage - fodder)	653.82	1,101	48,260.04	A
carfentrazone-ethyl	Olive	108.43	119	4,707.49	A
carfentrazone-ethyl	Onion, dry	33.11	17	1,363.4	A
carfentrazone-ethyl	Orange	22.12	93	1,076.77	A
carfentrazone-ethyl	Orchardgrass	1.09	5	97.0	A
carfentrazone-ethyl	Pasture (forage - fodder)	1.39	6	92.0	A
carfentrazone-ethyl	Pastureland	9.83	24	544.1	A
carfentrazone-ethyl	Pastureland	<0.01	1	1,740.0	S
carfentrazone-ethyl	Peach	16.15	71	668.57	A
carfentrazone-ethyl	Peas	0.01	1	0.4	A
carfentrazone-ethyl	Pecan	11.34	27	825.71	A
carfentrazone-ethyl	Pepper, fruiting	23.39	39	1,117.32	A
carfentrazone-ethyl	Pepper, spice	0.56	1	19.25	A
carfentrazone-ethyl	Pistachio	644.65	677	30,656.23	A
carfentrazone-ethyl	Plum	0.64	6	28.05	A
carfentrazone-ethyl	Pomegranate	98.39	111	3,631.13	A
carfentrazone-ethyl	Pomelo	1.18	2	36.0	A
carfentrazone-ethyl	Potato	24.64	42	1,507.26	A
carfentrazone-ethyl	Prune	73.23	123	5,226.58	A
carfentrazone-ethyl	Public health	0.13	N/A	N/A	N/A
carfentrazone-ethyl	Pumpkin	5.85	10	233.8	A
carfentrazone-ethyl	Rangeland	13.63	4	331.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carfentrazone-ethyl	Raspberry	154.29	245	2,992.98	A
carfentrazone-ethyl	Recreation area	<0.01	N/A	16,000.0	S
carfentrazone-ethyl	Regulatory pest control	1.87	N/A	N/A	N/A
carfentrazone-ethyl	Research commodity	1.14	30	66.9	A
carfentrazone-ethyl	Rice	3,361.19	450	33,615.9	A
carfentrazone-ethyl	Rice, wild	19.77	3	109.58	A
carfentrazone-ethyl	Rights of way	10.99	46	583.25	A
carfentrazone-ethyl	Rights of way	0.18	1	2.0	U
carfentrazone-ethyl	Rights of way	234.78	N/A	N/A	N/A
carfentrazone-ethyl	Rye	22.24	44	1,443.76	A
carfentrazone-ethyl	Ryegrass	69.49	71	2,451.62	A
carfentrazone-ethyl	Safflower	28.05	8	1,651.0	A
carfentrazone-ethyl	Sod farm (turf)	6.71	62	562.12	A
carfentrazone-ethyl	Soil fumigation/preplant	355.78	151	19,883.37	A
carfentrazone-ethyl	Sorghum (forage - fodder)	30.7	35	2,260.2	A
carfentrazone-ethyl	Sorghum/milo	33.88	51	2,964.12	A
carfentrazone-ethyl	Spinach	0.72	41	20.62	A
carfentrazone-ethyl	Squash	0.06	1	4.0	A
carfentrazone-ethyl	Squash, winter	0.81	3	33.5	A
carfentrazone-ethyl	Stone fruit	3.65	13	188.5	A
carfentrazone-ethyl	Strawberry	35.09	59	1,430.65	A
carfentrazone-ethyl	Structural pest control	0.36	N/A	N/A	N/A
carfentrazone-ethyl	Sudangrass	22.14	41	1,493.37	A
carfentrazone-ethyl	Sugarbeet	4.07	3	231.0	A
carfentrazone-ethyl	Sugarcane	2.12	3	105.0	A
carfentrazone-ethyl	Sunflower	5.49	4	343.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carfentrazone-ethyl	Sweet potato	5.64	3	193.0	A
carfentrazone-ethyl	Tangelo	0.79	3	120.0	A
carfentrazone-ethyl	Tangerine	41.18	149	2,092.17	A
carfentrazone-ethyl	Timothy	1.87	3	84.0	A
carfentrazone-ethyl	Tomato	24.75	35	1,183.49	A
carfentrazone-ethyl	Tomato, processing	436.93	225	23,489.69	A
carfentrazone-ethyl	Triticale	195.83	265	14,895.16	A
carfentrazone-ethyl	Turf/sod	36.61	133	2,091.42	A
carfentrazone-ethyl	Turf/sod	0.35	1	106,000.0	S
carfentrazone-ethyl	Uncultivated ag	633.87	1,166	37,556.59	A
carfentrazone-ethyl	Uncultivated non-ag	17.19	7	570.5	A
carfentrazone-ethyl	Vertebrate control	3.98	N/A	N/A	N/A
carfentrazone-ethyl	Walnut	347.93	605	17,133.81	A
carfentrazone-ethyl	Watermelon	25.03	33	1,135.0	A
carfentrazone-ethyl	Wheat	339.89	422	25,318.97	A
carfentrazone-ethyl	Wheat (forage - fodder)	1,148.13	1,637	87,581.87	A
casein	Almond	1.07	3	15.0	A
casein	Avocado	13.75	13	144.46	A
casein	Cannabis (all or unspecified)	<0.01	2	1,429.0	S
casein	Cherry	3.06	4	42.74	A
casein	Citrus	7.25	3	60.0	A
casein	Grape	0.78	5	46.0	A
casein	Grape, wine	1.79	6	116.0	A
casein	Grapefruit	89.94	50	690.73	A
casein	Lemon	776.88	378	8,491.2	A
casein	Mango	13.26	8	393.0	A
casein	N-outdr plants in containers	4.72	9	86.0	A
casein	Olive	23.68	8	184.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
casein	Orange	4,795.9	1,879	37,923.06	A
casein	Peas	0.18	1	6.8	A
casein	Pepper, fruiting	0.68	1	20.0	A
casein	Pistachio	4.63	8	58.69	A
casein	Plum	0.44	1	6.5	A
casein	Pomelo	16.59	10	98.5	A
casein	Quince	0.23	1	6.0	A
casein	Tangelo	99.14	64	823.52	A
casein	Tangerine	1,435.34	743	16,490.75	A
casein	Tomato	2.36	1	70.0	A
casein	Walnut	2.25	1	40.0	A
castor oil	Almond	15.01	1	10.0	A
castor oil	Landscape maintenance	0.13	N/A	N/A	N/A
castor oil ethoxylate	Alfalfa	543.69	171	10,592.0	A
castor oil ethoxylate	Almond	3,767.57	1,144	46,984.64	A
castor oil ethoxylate	Apple	10.66	7	89.23	A
castor oil ethoxylate	Apricot	16.49	10	163.84	A
castor oil ethoxylate	Avocado	51.5	44	651.7	A
castor oil ethoxylate	Bean, succulent	0.46	1	9.0	A
castor oil ethoxylate	Bean, unspecified	1.58	1	10.0	A
castor oil ethoxylate	Bermudagrass	148.55	34	2,403.0	A
castor oil ethoxylate	Cantaloupe	7.38	2	148.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
castor oil ethoxylate	Cherimoya	2.28	12	78.4	A
castor oil ethoxylate	Cherry	878.36	343	6,096.24	A
castor oil ethoxylate	Chestnut	0.54	1	14.0	A
castor oil ethoxylate	Citrus	<0.01	1	0.2	A
castor oil ethoxylate	Corn (forage - fodder)	115.21	38	2,107.65	A
castor oil ethoxylate	Corn, human consumption	29.99	14	592.3	A
castor oil ethoxylate	Cucumber	0.55	1	13.3	A
castor oil ethoxylate	Eggplant	1.8	2	35.0	A
castor oil ethoxylate	Fig	8.18	2	66.66	A
castor oil ethoxylate	Forage hay/silage	28.51	14	621.0	A
castor oil ethoxylate	Garlic	58.92	38	1,541.5	A
castor oil ethoxylate	Grape	227.03	77	1,941.5	A
castor oil ethoxylate	Grape, wine	8,934.19	3,603	84,726.07	A
castor oil ethoxylate	Grapefruit	34.27	31	224.94	A
castor oil ethoxylate	Guava	14.59	28	200.0	A
castor oil ethoxylate	Kale	0.31	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
castor oil ethoxylate	Kiwi fruit fuzzy	15.9	16	150.31	A
castor oil ethoxylate	Kohlrabi	0.49	1	8.0	A
castor oil ethoxylate	Kumquat	0.03	1	1.0	A
castor oil ethoxylate	Lemon	90.68	31	504.82	A
castor oil ethoxylate	Lime	7.0	24	134.0	A
castor oil ethoxylate	N-outdr plants in containers	0.82	1	2.0	A
castor oil ethoxylate	Nectarine	3.36	10	47.16	A
castor oil ethoxylate	Oat (forage - fodder)	30.38	22	1,327.5	A
castor oil ethoxylate	Olive	70.14	16	498.21	A
castor oil ethoxylate	Onion, dry	31.77	7	576.0	A
castor oil ethoxylate	Orange	408.92	237	2,977.64	A
castor oil ethoxylate	Orchardgrass	0.43	1	28.0	A
castor oil ethoxylate	Pastureland	9.03	3	315.0	A
castor oil ethoxylate	Peach	92.65	93	1,163.16	A
castor oil ethoxylate	Pear	0.18	1	3.0	A
castor oil ethoxylate	Pepper, fruiting	126.83	45	1,085.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
castor oil ethoxylate	Pistachio	121.39	20	949.12	A
castor oil ethoxylate	Plum	0.45	3	7.0	A
castor oil ethoxylate	Pome fruit	0.41	1	5.5	A
castor oil ethoxylate	Prune	70.54	24	543.7	A
castor oil ethoxylate	Pumpkin	1.14	2	26.0	A
castor oil ethoxylate	Radish	0.25	1	4.0	A
castor oil ethoxylate	Regulatory pest control	4.42	N/A	N/A	N/A
castor oil ethoxylate	Rice	5,229.96	407	33,265.63	A
castor oil ethoxylate	Rights of way	32.43	10	737.0	A
castor oil ethoxylate	Rights of way	28.82	N/A	N/A	N/A
castor oil ethoxylate	Ryegrass	3.99	2	65.0	A
castor oil ethoxylate	Soil fumigation/preplant	7.67	3	79.2	A
castor oil ethoxylate	Sorghum/milo	10.05	2	176.0	A
castor oil ethoxylate	Squash	11.14	5	248.0	A
castor oil ethoxylate	Squash, summer	1.95	1	95.0	A
castor oil ethoxylate	Sugarbeet	8.46	3	165.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
castor oil ethoxylate	Sunflower	92.19	17	1,499.0	A
castor oil ethoxylate	Tangelo	16.47	6	85.2	A
castor oil ethoxylate	Tangerine	66.22	41	447.94	A
castor oil ethoxylate	Tomato	15.1	5	238.7	A
castor oil ethoxylate	Tomato, processing	332.63	80	3,315.5	A
castor oil ethoxylate	Tropical/subtropical fruit	1.94	11	61.04	A
castor oil ethoxylate	Uncultivated ag	119.01	168	3,762.7	A
castor oil ethoxylate	Uncultivated non-ag	0.11	1	1.0	A
castor oil ethoxylate	Walnut	15,881.81	1,679	48,294.9	A
castor oil ethoxylate	Water area	12.91	2	210.0	A
castor oil ethoxylate	Wheat	8.6	4	296.0	A
castor oil ethoxylate	Wheat (forage - fodder)	20.03	10	508.3	A
chenopodium ambrosiodes near ambrosiodes	Cucumber	2.55	1	2.68	A
chenopodium ambrosiodes near ambrosiodes	Garlic	1.27	1	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
chenopodium ambrosiodes near ambrosiodes	Grape	0.64	1	7.0	A
chenopodium ambrosiodes near ambrosiodes	Grape, wine	0.26	1	0.3	A
chenopodium ambrosiodes near ambrosiodes	Melon	1.09	1	1.15	A
chenopodium ambrosiodes near ambrosiodes	Onion, dry	2.54	1	4.0	A
chenopodium ambrosiodes near ambrosiodes	Squash	2.76	5	6.15	A
chenopodium ambrosiodes near ambrosiodes	Tangerine	24.15	2	38.0	A
chenopodium ambrosiodes near ambrosiodes	Tomato	46.68	2	26.78	A
chenopodium ambrosiodes near ambrosiodes	Vegetables, leafy	0.65	3	2.05	A
chenopodium ambrosiodes near ambrosiodes	Watermelon	2.89	1	3.03	A
chlorantraniliprole	Alfalfa	3,901.54	3,074	165,514.43	A
chlorantraniliprole	Almond	89,264.7	15,329	1,038,248.79	A
chlorantraniliprole	Almond	1.11	2	72.0	S
chlorantraniliprole	Apple	362.39	211	3,688.23	A
chlorantraniliprole	Apricot	47.68	43	606.71	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Artichoke, globe	480.7	355	4,490.27	A
chlorantraniliprole	Arugula	65.94	91	739.17	A
chlorantraniliprole	Asparagus	151.79	18	1,079.0	A
chlorantraniliprole	Avocado	0.01	1	6,200.0	U
chlorantraniliprole	Basil, sweet	14.34	85	199.4	A
chlorantraniliprole	Bean, dried	186.13	95	4,672.02	A
chlorantraniliprole	Bean, succulent	71.68	59	1,218.99	A
chlorantraniliprole	Bean, unspecified	5.88	5	220.0	A
chlorantraniliprole	Beet	39.27	97	471.51	A
chlorantraniliprole	Bermudagrass	15.36	2	199.0	A
chlorantraniliprole	Blackberry	24.65	35	274.58	A
chlorantraniliprole	Blueberry	14.41	13	173.41	A
chlorantraniliprole	Bok choy	34.1	118	355.63	A
chlorantraniliprole	Broccoli	1,441.32	1,423	17,572.88	A
chlorantraniliprole	Brussels sprout	436.3	446	5,930.76	A
chlorantraniliprole	Cabbage	530.23	904	6,621.43	A
chlorantraniliprole	Cantaloupe	1,612.7	129	8,628.94	A
chlorantraniliprole	Cardoon	4.35	11	33.5	A
chlorantraniliprole	Carrot	183.06	55	2,009.49	A
chlorantraniliprole	Cauliflower	354.48	442	4,617.56	A
chlorantraniliprole	Celeriac	2.07	28	31.53	A
chlorantraniliprole	Celery	2,351.38	1,950	25,413.31	A
chlorantraniliprole	Cherry	493.13	298	5,965.42	A
chlorantraniliprole	Chinese broccoli (gai lon)	2.98	16	46.2	A
chlorantraniliprole	Chinese cabbage (napa, won bok, celery cabbage)	123.96	207	1,641.24	A
chlorantraniliprole	Cilantro	10.39	5	103.95	A
chlorantraniliprole	Cole crop	0.01	2	0.3	A
chlorantraniliprole	Collard	26.24	158	341.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Corn (forage - fodder)	24.2	7	403.0	A
chlorantraniliprole	Corn, grain	7.95	5	202.5	A
chlorantraniliprole	Corn, human consumption	2,350.77	1,072	40,289.98	A
chlorantraniliprole	Cotton	756.48	122	24,592.5	A
chlorantraniliprole	Cucumber	10.53	23	73.05	A
chlorantraniliprole	Daikon	13.49	7	157.29	A
chlorantraniliprole	Dandelion green	0.37	7	5.66	A
chlorantraniliprole	Date	0.66	1	10.0	A
chlorantraniliprole	Eggplant	47.71	34	627.0	A
chlorantraniliprole	Endive (escarole)	1.02	26	12.9	A
chlorantraniliprole	Fava bean	0.31	2	2.0	A
chlorantraniliprole	Fennel	2.57	3	25.7	A
chlorantraniliprole	Fig	61.57	6	703.66	A
chlorantraniliprole	Forage hay/silage	6.56	3	136.7	A
chlorantraniliprole	Gai lon	11.88	1	99.0	A
chlorantraniliprole	Garbanzo bean	2.99	1	20.0	A
chlorantraniliprole	Golf course turf	105.8	5	664.5	A
chlorantraniliprole	Golf course turf	3.9	1	1,160,000.0	S
chlorantraniliprole	Grape	2,210.83	668	29,329.71	A
chlorantraniliprole	Grape, wine	2,370.65	574	30,430.86	A
chlorantraniliprole	Grapefruit	28.76	23	300.51	A
chlorantraniliprole	Grass, seed	0.45	1	36.4	A
chlorantraniliprole	Herb, spice	0.28	15	5.75	A
chlorantraniliprole	Kale	82.36	334	933.18	A
chlorantraniliprole	Kohlrabi	2.25	38	34.24	A
chlorantraniliprole	Landscape maintenance	4.07	3	34.8	A
chlorantraniliprole	Landscape maintenance	703.33	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Lemon	156.26	70	1,652.7	A
chlorantraniliprole	Lettuce, head	1,873.4	2,012	29,333.21	A
chlorantraniliprole	Lettuce, leaf	1,500.59	1,822	21,896.85	A
chlorantraniliprole	Lime	0.67	4	7.6	A
chlorantraniliprole	Melon	248.12	70	3,838.95	A
chlorantraniliprole	Mint	5.28	2	76.0	A
chlorantraniliprole	Mizuna	0.13	2	1.75	A
chlorantraniliprole	Mustard	5.8	49	89.0	A
chlorantraniliprole	Mustard greens	6.31	54	96.06	A
chlorantraniliprole	N-grnhs flower	40.91	N/A	286.0	A
chlorantraniliprole	N-grnhs plants in containers	1.95	5	12.28	A
chlorantraniliprole	N-grnhs transplants	18.55	1	179.5	A
chlorantraniliprole	N-outdr flower	0.84	N/A	110,000.0	S
chlorantraniliprole	N-outdr plants in containers	28.74	16	230.39	A
chlorantraniliprole	N-outdr plants in containers	<0.01	1	0.2	U
chlorantraniliprole	N-outdr transplants	24.82	19	430.24	A
chlorantraniliprole	Nectarine	878.15	740	10,047.36	A
chlorantraniliprole	Oat (forage - fodder)	10.0	1	160.0	A
chlorantraniliprole	Olive	303.13	50	4,195.69	A
chlorantraniliprole	Onion, dry	14.09	8	233.9	A
chlorantraniliprole	Onion, green	3.66	3	36.55	A
chlorantraniliprole	Orange	891.7	428	10,035.34	A
chlorantraniliprole	Orchardgrass	1.62	1	25.0	A
chlorantraniliprole	Parsley	87.77	54	1,054.58	A
chlorantraniliprole	Peach	2,975.51	1,883	34,521.76	A
chlorantraniliprole	Pear	527.58	159	5,574.63	A
chlorantraniliprole	Pear, asian (oriental pear, ya, ya li, nashi)	34.57	33	362.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Peas	227.99	267	2,544.4	A
chlorantraniliprole	Pecan	9.77	1	120.0	A
chlorantraniliprole	Pepper, fruiting	1,273.59	470	14,641.38	A
chlorantraniliprole	Pepper, spice	15.84	9	278.85	A
chlorantraniliprole	Pimento	0.67	2	10.0	A
chlorantraniliprole	Pistachio	26,265.82	3,405	331,483.71	A
chlorantraniliprole	Plum	513.02	432	6,235.81	A
chlorantraniliprole	Pluot	2.81	7	28.46	A
chlorantraniliprole	Pomegranate	421.44	105	4,694.75	A
chlorantraniliprole	Pomelo	0.88	1	10.0	A
chlorantraniliprole	Potato	298.46	117	4,357.73	A
chlorantraniliprole	Prune	16.21	17	369.85	A
chlorantraniliprole	Pumpkin	76.03	26	962.75	A
chlorantraniliprole	Quince	9.92	16	106.8	A
chlorantraniliprole	Radish	28.51	63	245.84	A
chlorantraniliprole	Raspberry	60.36	63	616.72	A
chlorantraniliprole	Regulatory pest control	2.88	N/A	N/A	N/A
chlorantraniliprole	Research commodity	8.9	42	104.26	A
chlorantraniliprole	Research commodity	<0.01	2	4.0	S
chlorantraniliprole	Research commodity	4.17	N/A	N/A	N/A
chlorantraniliprole	Rights of way	8.46	N/A	N/A	N/A
chlorantraniliprole	Rutabaga	0.23	1	2.3	A
chlorantraniliprole	Soil fumigation/preplant	4.43	1	45.0	A
chlorantraniliprole	Sorghum (forage - fodder)	1.47	1	25.0	A
chlorantraniliprole	Sorghum/milo	8.89	11	380.6	A
chlorantraniliprole	Spinach	314.29	406	3,488.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Squash	11.54	19	145.05	A
chlorantraniliprole	Squash, summer	10.37	6	148.0	A
chlorantraniliprole	Squash, winter	7.01	5	107.0	A
chlorantraniliprole	Stone fruit	0.1	1	1.0	A
chlorantraniliprole	Strawberry	2,934.39	858	31,052.76	A
chlorantraniliprole	Structural pest control	6,207.51	N/A	N/A	N/A
chlorantraniliprole	Sudangrass	218.78	106	5,200.0	A
chlorantraniliprole	Sugarbeet	1,413.85	242	19,161.6	A
chlorantraniliprole	Sunflower	983.26	317	17,892.02	A
chlorantraniliprole	Sweet potato	114.72	40	1,391.0	A
chlorantraniliprole	Swiss chard	31.26	254	398.57	A
chlorantraniliprole	Tangelo	47.77	33	497.43	A
chlorantraniliprole	Tangerine	548.12	220	6,078.83	A
chlorantraniliprole	Tomatillo	0.27	2	4.5	A
chlorantraniliprole	Tomato	796.21	317	13,001.72	A
chlorantraniliprole	Tomato, processing	7,133.59	1,216	105,970.2	A
chlorantraniliprole	Turf/sod	16.11	4	174.5	A
chlorantraniliprole	Turf/sod	3.25	N/A	240,000.0	S
chlorantraniliprole	Turnip	7.63	64	116.26	A
chlorantraniliprole	Uncultivated ag	38.18	12	652.9	A
chlorantraniliprole	Uncultivated non-ag	2.63	1	30.0	A
chlorantraniliprole	Unknown	1.75	7	18.5	A
chlorantraniliprole	Upland cress	0.73	9	10.04	A
chlorantraniliprole	Vegetables, fruiting	0.02	1	0.25	A
chlorantraniliprole	Vegetables, leafy	1.15	38	24.96	A
chlorantraniliprole	Vertebrate control	5.37	N/A	N/A	N/A
chlorantraniliprole	Walnut	15,839.99	4,207	186,567.52	A
chlorantraniliprole	Watermelon	784.62	263	9,289.41	A
chlorantraniliprole	Wheat	1.35	2	121.0	A
chlordane	Rights of way	0.79	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
chlordecone	Structural pest control	<0.01	N/A	N/A	N/A
chlorfenapyr	Alfalfa	<0.01	1	3,000.0	S
chlorfenapyr	Avocado	0.05	1	42,000.0	S
chlorfenapyr	County ag comm	0.19	N/A	N/A	N/A
chlorfenapyr	Cucumber	0.09	1	0.15	A
chlorfenapyr	Eggplant	0.31	2	2.0	A
chlorfenapyr	Landscape maintenance	0.09	1	1.0	A
chlorfenapyr	Landscape maintenance	25.94	N/A	N/A	N/A
chlorfenapyr	Melon	0.1	3	7,740.0	S
chlorfenapyr	N-grnhs flower	14.66	50	76.32	A
chlorfenapyr	N-grnhs flower	9.66	54	1,828,159.0	S
chlorfenapyr	N-grnhs plants in containers	58.78	251	296.79	A
chlorfenapyr	N-grnhs plants in containers	35.54	119	3,620,903.0	S
chlorfenapyr	N-grnhs plants in containers	<0.01	N/A	11,000.0	U
chlorfenapyr	N-grnhs transplants	1.01	5	6.5	A
chlorfenapyr	N-grnhs transplants	10.21	50	996,425.0	S
chlorfenapyr	N-outdr flower	6.49	30	33.95	A
chlorfenapyr	N-outdr flower	0.67	12	160,395.0	S
chlorfenapyr	N-outdr plants in containers	10.11	90	74.18	A
chlorfenapyr	N-outdr plants in containers	2.23	21	1,061,036.0	S
chlorfenapyr	N-outdr transplants	0.95	4	8.66	A
chlorfenapyr	Pepper, fruiting	5.55	10	28.4	A
chlorfenapyr	Regulatory pest control	110.64	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
chlorfenapyr	Research commodity	0.01	3	0.07	A
chlorfenapyr	Research commodity	0.06	4	28,680.0	S
chlorfenapyr	Research commodity	1.66	N/A	N/A	N/A
chlorfenapyr	Rights of way	2.06	N/A	N/A	N/A
chlorfenapyr	Squash	<0.01	1	0.2	A
chlorfenapyr	Structural pest control	12,009.91	N/A	N/A	N/A
chlorfenapyr	Tomato	9.29	33	49.69	A
chlorfenapyr	Vegetables, fruiting	0.06	3	1.15	A
chlorfenapyr	Watermelon	0.02	1	3,360.0	S
chlorflurenol, methyl ester	Landscape maintenance	100.34	N/A	N/A	N/A
chlorflurenol, methyl ester	Regulatory pest control	0.15	N/A	N/A	N/A
chlorflurenol, methyl ester	Structural pest control	0.41	N/A	N/A	N/A
chlorine	Commodity fumigation	51,740.0	N/A	N/A	N/A
chlorine	Water (industrial)	5,970.0	N/A	767.0	A
chlorine	Water (industrial)	172,933.3	N/A	26,609.04	U
chlorine	Water area	16,318.0	N/A	25,157.5	T
chlorine dioxide	Animal premise	1,069.42	N/A	300,059.0	U
chlorine dioxide	Landscape maintenance	<0.01	N/A	N/A	N/A
chlorine dioxide	Structural pest control	37.76	N/A	N/A	N/A
chlorine dioxide	Water (industrial)	2.12	N/A	3.0	A
chlorine dioxide	Water (industrial)	10.25	N/A	3.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
chlormequat chloride	N-grnhs flower	0.78	3	1.15	A
chlormequat chloride	N-grnhs flower	0.69	14	34,274.0	S
chlormequat chloride	N-grnhs plants in containers	431.95	1,178	927.45	A
chlormequat chloride	N-grnhs plants in containers	490.92	266	5,444,838.55	S
chlormequat chloride	N-grnhs plants in containers	0.02	1	0.01	U
chlormequat chloride	N-grnhs transplants	5.31	18	7.67	A
chlormequat chloride	N-grnhs transplants	67.28	481	6,326,700.0	S
chlormequat chloride	N-outdr flower	2.65	4	1.52	A
chlormequat chloride	N-outdr flower	0.15	17	116,699.0	S
chlormequat chloride	N-outdr plants in containers	64.35	126	77.04	A
chlormequat chloride	N-outdr plants in containers	17.02	60	988,437.0	S
chlormequat chloride	N-outdr transplants	1.88	14	4.03	A
chlormequat chloride	Research commodity	<0.01	2	4,400.0	S
chlormequat chloride	Research commodity	0.03	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
5-chloro-2-methyl-4-isothiazolin-3-one	Industrial processing water	18.4	N/A	222,124.0	C
5-chloro-2-methyl-4-isothiazolin-3-one	Industrial processing water	26.03	N/A	2,229,678.0	P
5-chloro-2-methyl-4-isothiazolin-3-one	Industrial processing water	247.9	N/A	2,952.0	U
5-chloro-2-methyl-4-isothiazolin-3-one	Landscape maintenance	189.54	N/A	N/A	N/A
5-chloro-2-methyl-4-isothiazolin-3-one	Lumber, treated	7,414.01	N/A	9,512.38	K
5-chloro-2-methyl-4-isothiazolin-3-one	Water (industrial)	2,228.6	N/A	88.0	A
5-chloro-2-methyl-4-isothiazolin-3-one	Water (industrial)	2,850.78	N/A	14,140.0	U
chlorophacinone	Alfalfa	0.05	2	715.76	A
chlorophacinone	Almond	0.35	137	10,978.9	A
chlorophacinone	Apricot	<0.01	1	4.0	A
chlorophacinone	Avocado	<0.01	1	10.0	A
chlorophacinone	Barley	<0.01	1	25.0	A
chlorophacinone	Carrot	<0.01	2	1.99	A
chlorophacinone	Cherry	0.06	8	222.5	A
chlorophacinone	Corn (forage - fodder)	<0.01	1	12.0	A
chlorophacinone	Corn, human consumption	<0.01	3	27.0	A
chlorophacinone	County ag comm	<0.01	N/A	N/A	N/A
chlorophacinone	Grape, wine	0.2	16	1,779.92	A
chlorophacinone	Landscape maintenance	2.91	N/A	N/A	N/A
chlorophacinone	Lemon	<0.01	1	14.53	A
chlorophacinone	N-grnhs plants in containers	<0.01	2	3.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorophacinone	N-outdr plants in containers	0.16	35	297.96	A
chlorophacinone	N-outdr transplants	<0.01	2	1.4	A
chlorophacinone	Orange	0.02	23	321.44	A
chlorophacinone	Pastureland	0.01	1	320.0	A
chlorophacinone	Pecan	<0.01	1	10.0	A
chlorophacinone	Pistachio	0.28	177	8,822.55	A
chlorophacinone	Plum	<0.01	2	25.4	A
chlorophacinone	Rangeland	0.05	19	2,204.25	A
chlorophacinone	Regulatory pest control	0.03	N/A	N/A	N/A
chlorophacinone	Rights of way	0.06	8	219.0	A
chlorophacinone	Rights of way	0.81	N/A	N/A	N/A
chlorophacinone	Structural pest control	0.14	N/A	N/A	N/A
chlorophacinone	Sweet potato	<0.01	1	2.0	A
chlorophacinone	Tangerine	<0.01	4	61.0	A
chlorophacinone	Tomato	0.01	1	164.0	A
chlorophacinone	Uncultivated ag	0.42	224	4,350.0	A
chlorophacinone	Uncultivated ag	<0.01	N/A	10.0	P
chlorophacinone	Uncultivated non-ag	<0.01	1	242.0	A
chlorophacinone	Vegetable	<0.01	1	1.5	A
chlorophacinone	Vertebrate control	0.08	34	1,790.9	A
chlorophacinone	Vertebrate control	<0.01	1	25.0	C
chlorophacinone	Vertebrate control	7.08	N/A	N/A	N/A
chlorophacinone	Walnut	0.1	17	227.5	A
chlorophacinone	Wheat	0.01	1	38.0	A
chloropicrin	Almond	366,955.65	165	3,394.11	A
chloropicrin	Almond	451.44	6	456.0	U
chloropicrin	Blackberry	30,057.79	18	170.22	A
chloropicrin	Celery	5.21	1	0.11	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chloropicrin	Cherry	2,316.2	9	302.4	A
chloropicrin	Chinese cabbage (napa, won bok, celery cabbage)	2,502.2	1	10.0	A
chloropicrin	Eggplant	37,341.38	59	194.76	A
chloropicrin	Grape, wine	4,237.69	1	12.23	A
chloropicrin	N-outdr flower	37,405.71	27	154.88	A
chloropicrin	N-outdr plants in containers	90,551.43	28	592.6	A
chloropicrin	N-outdr transplants	165,795.24	103	1,169.17	A
chloropicrin	Nectarine	10,909.36	7	55.4	A
chloropicrin	Orange	1,601.82	2	8.13	A
chloropicrin	Peach	25,636.05	19	127.6	A
chloropicrin	Peach	105.93	1	107.0	U
chloropicrin	Pepper, fruiting	75,138.34	35	654.46	A
chloropicrin	Plum	2,618.55	4	13.34	A
chloropicrin	Prune	5,164.67	5	22.57	A
chloropicrin	Raspberry	251,682.63	67	1,011.71	A
chloropicrin	Research commodity	984.13	3	4.42	A
chloropicrin	Soil fumigation/preplant	578,987.94	285	4,267.14	A
chloropicrin	Squash	17,162.37	16	172.3	A
chloropicrin	Squash, summer	6,598.32	4	53.55	A
chloropicrin	Strawberry	6,481,364.22	1,132	30,969.73	A
chloropicrin	Structural pest control	98.06	N/A	N/A	N/A
chloropicrin	Sweet potato	17,837.09	23	217.79	A
chloropicrin	Tomato	62,308.55	58	604.34	A
chloropicrin	Uncultivated ag	35,741.26	12	194.23	A
chloropicrin	Walnut	28,574.68	55	2,660.87	A
chloropicrin	Walnut	837.54	4	836.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chloropicrin	Watermelon	29,664.58	4	263.88	A
chlorothalonil	Almond	494,328.71	3,091	173,546.53	A
chlorothalonil	Apricot	612.87	20	211.92	A
chlorothalonil	Asparagus	920.38	4	406.6	A
chlorothalonil	Bean, dried	14.98	1	18.0	A
chlorothalonil	Bean, succulent	429.2	12	255.0	A
chlorothalonil	Blueberry	44.94	1	20.0	A
chlorothalonil	Bok choy	51.41	2	70.0	A
chlorothalonil	Broccoli	12,389.23	912	12,316.17	A
chlorothalonil	Brussels sprout	6,394.41	229	4,841.49	A
chlorothalonil	Cabbage	2,356.96	210	2,546.55	A
chlorothalonil	Carrot	18,204.64	242	12,797.3	A
chlorothalonil	Cauliflower	2,947.56	266	2,856.34	A
chlorothalonil	Celery	43,073.63	1,972	24,459.09	A
chlorothalonil	Cherry	435.3	12	174.47	A
chlorothalonil	Chinese cabbage (napa, won bok, celery cabbage)	449.03	27	366.4	A
chlorothalonil	Chive	26.34	1	42.0	A
chlorothalonil	Citrus	0.33	1	0.8	A
chlorothalonil	Corn, human consumption	2,563.01	53	1,703.0	A
chlorothalonil	County ag comm	35.85	N/A	N/A	N/A
chlorothalonil	Cucumber	4,339.13	127	2,379.9	A
chlorothalonil	Eggplant	23.1	1	20.0	A
chlorothalonil	Fava bean	6.04	1	4.0	A
chlorothalonil	Gai lon	198.77	3	363.0	A
chlorothalonil	Garbanzo bean	2,692.79	20	2,046.2	A
chlorothalonil	Garlic	2,756.78	10	1,408.0	A
chlorothalonil	Golf course turf	6,032.19	5	825.19	A
chlorothalonil	Golf course turf	572.49	N/A	2,200,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorothalonil	Landscape maintenance	1,238.95	53	195.66	A
chlorothalonil	Landscape maintenance	46.38	10	414,000.0	S
chlorothalonil	Landscape maintenance	76,087.2	N/A	N/A	N/A
chlorothalonil	Leek	87.89	10	39.59	A
chlorothalonil	Melon	689.98	26	316.36	A
chlorothalonil	N-grnhs flower	3,599.23	331	972.38	A
chlorothalonil	N-grnhs flower	355.45	45	2,136,889.0	S
chlorothalonil	N-grnhs flower	0.23	N/A	2.0	U
chlorothalonil	N-grnhs plants in containers	825.82	687	482.83	A
chlorothalonil	N-grnhs plants in containers	74.24	71	1,918,965.71	S
chlorothalonil	N-grnhs transplants	3,382.89	392	1,977.95	A
chlorothalonil	N-grnhs transplants	208.6	162	5,382,370.0	S
chlorothalonil	N-outdr flower	7,114.91	1,373	8,402.89	A
chlorothalonil	N-outdr flower	41.05	4	245,248.3	S
chlorothalonil	N-outdr plants in containers	5,599.83	1,074	3,529.46	A
chlorothalonil	N-outdr plants in containers	78.57	53	1,417,253.0	S
chlorothalonil	N-outdr plants in containers	16.53	5	70,982.1	U
chlorothalonil	N-outdr transplants	4,480.93	322	3,229.72	A
chlorothalonil	N-outdr transplants	619.28	122	13,491,740.0	S
chlorothalonil	Nectarine	1,990.83	55	820.9	A
chlorothalonil	Onion, dry	69,710.12	862	58,227.67	A
chlorothalonil	Onion, green	424.45	21	205.23	A
chlorothalonil	Peach	4,060.77	108	1,499.03	A
chlorothalonil	Pepper, fruiting	688.4	36	566.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorothalonil	Pistachio	3,868.16	33	4,315.4	A
chlorothalonil	Plum	8,749.91	149	3,064.25	A
chlorothalonil	Potato	27,380.25	400	25,374.14	A
chlorothalonil	Prune	45,237.46	410	16,062.14	A
chlorothalonil	Pumpkin	1,138.6	37	782.74	A
chlorothalonil	Recreation area	0.02	N/A	105.0	S
chlorothalonil	Research commodity	4.21	3	4.03	A
chlorothalonil	Research commodity	0.01	1	2,200.0	S
chlorothalonil	Research commodity	22.6	N/A	N/A	N/A
chlorothalonil	Rights of way	0.04	1	0.5	A
chlorothalonil	Rights of way	169.93	N/A	N/A	N/A
chlorothalonil	Soil fumigation/preplant	831.96	3	401.0	A
chlorothalonil	Spinach	1.47	3	14.2	A
chlorothalonil	Squash	40.32	6	27.12	A
chlorothalonil	Stone fruit	5.99	1	16.0	A
chlorothalonil	Strawberry	2,896.13	68	2,643.34	A
chlorothalonil	Structural pest control	15.42	N/A	N/A	N/A
chlorothalonil	Tomato	35,064.01	463	20,532.95	A
chlorothalonil	Tomato, processing	238,585.54	1,568	125,755.97	A
chlorothalonil	Turf/sod	946.21	16	160.44	A
chlorothalonil	Turf/sod	62.77	N/A	449,000.0	S
chlorothalonil	Uncultivated ag	395.51	3	132.0	A
chlorothalonil	Walnut	115.06	2	38.4	A
chlorothalonil	Watermelon	314.36	10	162.5	A
3-chloro-p-toluidine hydrochloride	Landscape maintenance	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>3-chloro-p-toluidine hydrochloride</b>	Vertebrate control	0.01	N/A	N/A	N/A
<b>chlorpropham</b>	N-outdr flower	180.55	13	92.0	A
<b>chlorpropham</b>	Potato	78.39	1	54.0	A
<b>chlorpropham</b>	Potato	44.76	N/A	50,000.0	C
<b>chlorpropham</b>	Potato	2,911.58	N/A	61,764.0	T
<b>chlorpropham</b>	Potato	29.84	N/A	33,333.02	U
<b>chlorpyrifos</b>	Almond	390.83	15	833.0	A
<b>chlorpyrifos</b>	Asparagus	9.22	3	150.0	A
<b>chlorpyrifos</b>	Cabbage	<0.01	1	9.97	A
<b>chlorpyrifos</b>	Citrus	9.0	1	10.0	A
<b>chlorpyrifos</b>	Cotton	4,250.4	20	1,192.26	A
<b>chlorpyrifos</b>	Date	0.27	4	1.0	A
<b>chlorpyrifos</b>	Garbanzo bean	4.38	N/A	7,000.0	P
<b>chlorpyrifos</b>	Grape	434.75	9	231.37	A
<b>chlorpyrifos</b>	Grape, wine	1.13	7	201.0	A
<b>chlorpyrifos</b>	Kale	2.55	2	3.75	A
<b>chlorpyrifos</b>	Landscape maintenance	85.25	N/A	N/A	N/A
<b>chlorpyrifos</b>	Lemon	12.92	2	19.8	A
<b>chlorpyrifos</b>	N-grnhs flower	2.5	2	10.0	A
<b>chlorpyrifos</b>	N-grnhs flower	9.65	17	268,000.0	S
<b>chlorpyrifos</b>	N-grnhs plants in containers	1.31	3	0.25	A
<b>chlorpyrifos</b>	N-grnhs plants in containers	19.16	16	445,000.0	S
<b>chlorpyrifos</b>	N-outdr flower	1.32	3	3.0	A
<b>chlorpyrifos</b>	N-outdr plants in containers	4.93	38	27.5	A
<b>chlorpyrifos</b>	N-outdr plants in containers	3.38	1	180,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorpyrifos	N-outdr plants in containers	0.3	6	18.0	U
chlorpyrifos	N-outdr transplants	0.61	3	18.25	A
chlorpyrifos	Onion, dry	588.01	7	260.0	A
chlorpyrifos	Orange	85.18	8	135.31	A
chlorpyrifos	Plum	5.81	6	40.76	A
chlorpyrifos	Radish	152.52	16	175.91	A
chlorpyrifos	Rapini	0.04	1	21.0	A
chlorpyrifos	Regulatory pest control	0.63	N/A	N/A	N/A
chlorpyrifos	Research commodity	0.11	1	5,000.0	S
chlorpyrifos	Rights of way	1,302.31	N/A	N/A	N/A
chlorpyrifos	Structural pest control	42.54	N/A	N/A	N/A
chlorpyrifos	Sweet potato	5,593.84	117	2,800.75	A
chlorpyrifos	Tangerine	471.9	28	698.22	A
chlorpyrifos	Walnut	633.38	6	346.5	A
chlorsulfuron	Barley	21.61	16	2,333.0	A
chlorsulfuron	Barley (forage - fodder)	0.23	1	15.0	A
chlorsulfuron	Bermudagrass	1.69	1	36.0	A
chlorsulfuron	County ag comm	5.13	N/A	N/A	N/A
chlorsulfuron	Forage hay/silage	25.78	37	2,216.0	A
chlorsulfuron	Industrial site	38.62	1	632.05	A
chlorsulfuron	Landscape maintenance	459.35	N/A	N/A	N/A
chlorsulfuron	Oat	12.79	18	868.0	A
chlorsulfuron	Oat (forage - fodder)	2.68	7	183.5	A
chlorsulfuron	Pastureland	4.22	12	129.0	A
chlorsulfuron	Rangeland	19.76	4	432.5	A
chlorsulfuron	Recreation area	0.47	N/A	0.01	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorsulfuron	Regulatory pest control	23.64	N/A	N/A	N/A
chlorsulfuron	Rights of way	10.99	8	829.0	A
chlorsulfuron	Rights of way	1,652.9	N/A	N/A	N/A
chlorsulfuron	Structural pest control	1.33	N/A	N/A	N/A
chlorsulfuron	Uncultivated ag	0.92	1	15.0	A
chlorsulfuron	Uncultivated non-ag	37.52	8	622.54	A
chlorsulfuron	Wheat	36.21	33	3,657.38	A
chlorthal-dimethyl	Bok choy	9,301.96	568	2,293.72	A
chlorthal-dimethyl	Bok choy	6.65	11	94,000.0	S
chlorthal-dimethyl	Broccoli	89,577.31	2,537	25,230.49	A
chlorthal-dimethyl	Broccoli	18.11	1	24.0	U
chlorthal-dimethyl	Brussels sprout	15,558.77	301	3,566.18	A
chlorthal-dimethyl	Cabbage	9,409.07	368	2,152.37	A
chlorthal-dimethyl	Cauliflower	7,925.37	308	2,233.6	A
chlorthal-dimethyl	Celery	61.16	1	13.5	A
chlorthal-dimethyl	Chinese broccoli (gai lon)	1,104.86	124	496.0	A
chlorthal-dimethyl	Chinese cabbage (napa, won bok, celery cabbage)	6,777.39	252	1,152.5	A
chlorthal-dimethyl	Chinese cabbage (napa, won bok, celery cabbage)	5.66	11	80,000.0	S
chlorthal-dimethyl	Chinese greens	415.08	16	110.0	A
chlorthal-dimethyl	Collard	686.44	54	110.56	A
chlorthal-dimethyl	Daikon	285.27	4	55.0	A
chlorthal-dimethyl	Gai choy	38.21	5	27.0	A
chlorthal-dimethyl	Gai choy	6.13	11	86,000.0	S
chlorthal-dimethyl	Gai lon	370.7	117	70.96	A
chlorthal-dimethyl	Gai lon	1.7	2	24,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorthal-dimethyl	Kale	2,761.91	158	607.82	A
chlorthal-dimethyl	Kohlrabi	451.38	86	130.55	A
chlorthal-dimethyl	Landscape maintenance	7.55	N/A	N/A	N/A
chlorthal-dimethyl	Leek	2,317.94	132	378.2	A
chlorthal-dimethyl	Lettuce, leaf	92.83	5	29.2	A
chlorthal-dimethyl	Melon	12.36	3	6.1	A
chlorthal-dimethyl	Mustard	1,678.0	109	489.23	A
chlorthal-dimethyl	Mustard greens	937.39	95	169.56	A
chlorthal-dimethyl	N-grnhs flower	102.64	3	17.0	A
chlorthal-dimethyl	N-grnhs plants in containers	1.03	1	0.34	A
chlorthal-dimethyl	N-outdr flower	2,011.55	68	291.67	A
chlorthal-dimethyl	Onion, dry	37,893.24	228	6,433.05	A
chlorthal-dimethyl	Onion, green	1,255.74	37	166.35	A
chlorthal-dimethyl	Peas	250.07	49	58.7	A
chlorthal-dimethyl	Radish	9,009.22	504	1,394.09	A
chlorthal-dimethyl	Rapini	9,344.36	149	2,378.7	A
chlorthal-dimethyl	Research commodity	64.71	N/A	N/A	N/A
chlorthal-dimethyl	Rights of way	3.98	1	0.86	A
chlorthal-dimethyl	Squash	6.82	3	1.9	A
chlorthal-dimethyl	Tat soi (spinach mustard)	18.72	1	6.2	A
chlorthal-dimethyl	Turnip	352.67	62	85.4	A
chlorthal-dimethyl	Turnip greens	54.52	18	9.03	A
chlorthal-dimethyl	Uncultivated ag	45.37	4	37.8	A
chlorthal-dimethyl	Vegetables, leafy	212.82	42	111.0	A
chlorthal-dimethyl	Watermelon	215.84	6	68.9	A
cholecalciferol	Animal premise	0.02	2	60,000.0	S
cholecalciferol	Ditch bank	0.01	3	3.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
cholecalciferol	Fumigation, other	<0.01	N/A	N/A	N/A
cholecalciferol	Grape, wine	<0.01	1	9.0	A
cholecalciferol	Landscape maintenance	1.22	N/A	N/A	N/A
cholecalciferol	N-outdr plants in containers	0.04	8	2.76	A
cholecalciferol	Public health	<0.01	N/A	N/A	N/A
cholecalciferol	Regulatory pest control	0.08	N/A	N/A	N/A
cholecalciferol	Structural pest control	104.01	N/A	N/A	N/A
cholecalciferol	Vertebrate control	1.0	N/A	N/A	N/A
chromobacterium subtsugae strain praa4-1	Almond	1,941.9	43	2,212.66	A
chromobacterium subtsugae strain praa4-1	Apple	67.35	12	91.5	A
chromobacterium subtsugae strain praa4-1	Apricot	27.0	4	30.0	A
chromobacterium subtsugae strain praa4-1	Artichoke, globe	116.43	20	158.7	A
chromobacterium subtsugae strain praa4-1	Arugula	111.76	23	284.68	A
chromobacterium subtsugae strain praa4-1	Arugula	0.33	21	6,575.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Avocado	3.6	1	6.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Basil, sweet	49.38	35	65.58	A
<b>chromobacterium subtsugae strain praa4-1</b>	Basil, sweet	0.27	15	2,232.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Bean, succulent	5.46	4	13.1	A
<b>chromobacterium subtsugae strain praa4-1</b>	Beet	27.58	16	53.18	A
<b>chromobacterium subtsugae strain praa4-1</b>	Blackberry	1,573.08	164	2,065.26	A
<b>chromobacterium subtsugae strain praa4-1</b>	Blueberry	502.65	21	566.54	A
<b>chromobacterium subtsugae strain praa4-1</b>	Bok choy	10.52	7	12.35	A
<b>chromobacterium subtsugae strain praa4-1</b>	Broccoli	1,654.86	240	2,476.55	A
<b>chromobacterium subtsugae strain praa4-1</b>	Broccoli	0.02	8	650.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Brussels sprout	30.27	9	73.6	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cabbage	702.16	149	1,112.1	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cannabis (all or unspecified)	340.81	245	403.61	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cannabis (all or unspecified)	462.68	1,039	6,376,751.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Carrot	0.03	6	1,240.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Cauliflower	1,841.33	360	2,248.52	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cauliflower	0.03	4	1,000.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Celery	1,051.37	220	1,525.75	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cherry	116.54	24	132.82	A
<b>chromobacterium subtsugae strain praa4-1</b>	Chicory	0.08	7	3,300.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Chinese amaranth (chinese spinach, tampala, yin choy)	0.29	14	700.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Chive	2.4	1	4.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cilantro	29.08	7	36.23	A
<b>chromobacterium subtsugae strain praa4-1</b>	Citrus	11.73	5	11.31	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cole crop	0.06	1	0.1	A
<b>chromobacterium subtsugae strain praa4-1</b>	Collard	42.52	21	87.65	A
<b>chromobacterium subtsugae strain praa4-1</b>	Corn, human consumption	25.2	4	40.8	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cucumber	0.93	4	0.5	A
<b>chromobacterium subtsugae strain praa4-1</b>	Cucumber	0.14	6	864.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Dairy equipment	11.63	4	35.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
chromobacterium subtsugae strain praa4-1	Dandelion green	0.27	18	4,925.0	S
chromobacterium subtsugae strain praa4-1	Edible flowers	0.45	1	1.0	A
chromobacterium subtsugae strain praa4-1	Eggplant	22.8	4	60.0	A
chromobacterium subtsugae strain praa4-1	Eggplant	0.22	10	3,000.0	S
chromobacterium subtsugae strain praa4-1	Endive (escarole)	39.6	2	44.0	A
chromobacterium subtsugae strain praa4-1	Fava bean	2.7	3	3.0	A
chromobacterium subtsugae strain praa4-1	Fava bean	0.04	5	1,500.0	S
chromobacterium subtsugae strain praa4-1	Fennel	1.94	2	6.46	A
chromobacterium subtsugae strain praa4-1	Fig	77.76	3	86.4	A
chromobacterium subtsugae strain praa4-1	Grape	40.8	3	86.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Grape, wine	1,326.88	190	1,667.45	A
<b>chromobacterium subtsugae strain praa4-1</b>	Grapefruit	26.82	2	35.8	A
<b>chromobacterium subtsugae strain praa4-1</b>	Herb, spice	2.29	11	4.35	A
<b>chromobacterium subtsugae strain praa4-1</b>	Herb, spice	0.56	16	31,800.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Hops	4.5	1	5.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Industrial hemp	81.68	16	81.26	A
<b>chromobacterium subtsugae strain praa4-1</b>	Industrial hemp	2.61	35	83,845.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Kale	400.81	87	570.15	A
<b>chromobacterium subtsugae strain praa4-1</b>	Kale	0.31	20	2,710.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Landscape maintenance	1.57	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
chromobacterium subtsugae strain praa4-1	Lemon	32.7	6	57.5	A
chromobacterium subtsugae strain praa4-1	Lettuce, head	83.3	31	158.8	A
chromobacterium subtsugae strain praa4-1	Lettuce, head	0.36	21	18,800.0	S
chromobacterium subtsugae strain praa4-1	Lettuce, leaf	2,189.81	328	3,379.46	A
chromobacterium subtsugae strain praa4-1	Lettuce, leaf	43.92	5	1,266,552.0	S
chromobacterium subtsugae strain praa4-1	Lime	3.6	1	2.0	A
chromobacterium subtsugae strain praa4-1	Melon	3.47	8	4.55	A
chromobacterium subtsugae strain praa4-1	Mint	14.4	21	24.6	A
chromobacterium subtsugae strain praa4-1	Mizuna	8.0	6	17.83	A
chromobacterium subtsugae strain praa4-1	Mustard	0.02	7	1,030.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Mustard greens	68.91	29	135.04	A
<b>chromobacterium subtsugae strain praa4-1</b>	N-grnhs flower	2.34	15	85,650.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	N-grnhs plants in containers	63.15	72	72.35	A
<b>chromobacterium subtsugae strain praa4-1</b>	N-grnhs plants in containers	0.6	1	7,690.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	N-grnhs transplants	63.41	107	95.19	A
<b>chromobacterium subtsugae strain praa4-1</b>	N-grnhs transplants	7.4	26	562,200.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	N-outdr flower	0.29	19	2,600.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	N-outdr plants in containers	25.73	8	21.87	A
<b>chromobacterium subtsugae strain praa4-1</b>	N-outdr transplants	38.55	51	93.68	A
<b>chromobacterium subtsugae strain praa4-1</b>	N-outdr transplants	293.24	175	23,455,861.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Nectarine	190.93	28	242.1	A
<b>chromobacterium subtsugae strain praa4-1</b>	Onion, dry	66.34	12	89.5	A
<b>chromobacterium subtsugae strain praa4-1</b>	Orange	135.07	6	163.97	A
<b>chromobacterium subtsugae strain praa4-1</b>	Oregano	6.4	15	8.95	A
<b>chromobacterium subtsugae strain praa4-1</b>	Parsley	0.32	21	3,710.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Peach	442.25	90	743.67	A
<b>chromobacterium subtsugae strain praa4-1</b>	Pecan	1.2	1	3.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Pepper, fruiting	154.79	14	234.1	A
<b>chromobacterium subtsugae strain praa4-1</b>	Pepper, fruiting	0.18	8	8,700.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Plum	146.4	12	172.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Prune	49.5	1	55.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Radish	3.78	3	4.2	A
<b>chromobacterium subtsugae strain praa4-1</b>	Raspberry	829.58	115	1,019.76	A
<b>chromobacterium subtsugae strain praa4-1</b>	Research commodity	0.75	2	1.5	A
<b>chromobacterium subtsugae strain praa4-1</b>	Research commodity	0.04	2	1,024.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Research commodity	2.63	N/A	N/A	N/A
<b>chromobacterium subtsugae strain praa4-1</b>	Rosemary	18.08	12	29.08	A
<b>chromobacterium subtsugae strain praa4-1</b>	Sage	2.6	1	2.89	A
<b>chromobacterium subtsugae strain praa4-1</b>	Spinach	1,297.87	274	2,256.41	A
<b>chromobacterium subtsugae strain praa4-1</b>	Squash	44.02	12	59.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Squash	0.14	6	955.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Squash, winter	18.0	1	20.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Stone fruit	28.8	2	32.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Strawberry	16,269.79	987	19,554.71	A
<b>chromobacterium subtsugae strain praa4-1</b>	Sunflower	6.24	1	10.4	A
<b>chromobacterium subtsugae strain praa4-1</b>	Sweet potato	35.7	2	70.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Swiss chard	144.89	26	234.8	A
<b>chromobacterium subtsugae strain praa4-1</b>	Tangerine	33.6	2	46.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Tomatillo	5.4	2	110.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Tomatillo	0.23	11	550.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>chromobacterium subtsugae strain praa4-1</b>	Tomato	64.57	19	133.15	A
<b>chromobacterium subtsugae strain praa4-1</b>	Tomato	0.14	6	7,900.0	S
<b>chromobacterium subtsugae strain praa4-1</b>	Tomato, processing	610.21	10	896.2	A
<b>chromobacterium subtsugae strain praa4-1</b>	Tropical/subtropical fruit	0.12	1	0.2	A
<b>chromobacterium subtsugae strain praa4-1</b>	Vegetable	7.5	3	49.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Vegetables, leafy	144.57	40	466.54	A
<b>chromobacterium subtsugae strain praa4-1</b>	Walnut	846.0	27	933.0	A
<b>chromobacterium subtsugae strain praa4-1</b>	Watermelon	21.6	8	16.45	A
<b>cinnamaldehyde</b>	Alfalfa	0.02	1	0.02	A
<b>cinnamaldehyde</b>	Almond	36.55	3	120.0	A
<b>cinnamaldehyde</b>	Arugula	51.99	11	106.38	A
<b>cinnamaldehyde</b>	Beet	0.05	1	0.1	A
<b>cinnamaldehyde</b>	Broccoli	32.94	8	69.9	A
<b>cinnamaldehyde</b>	Cauliflower	28.62	9	60.56	A
<b>cinnamaldehyde</b>	Kale	41.57	10	89.94	A
<b>cinnamaldehyde</b>	Lettuce, leaf	83.91	11	171.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cinnamaldehyde	Mizuna	3.02	6	6.18	A
cinnamaldehyde	Mustard greens	2.8	3	5.72	A
cinnamaldehyde	Nectarine	461.1	25	966.0	A
cinnamaldehyde	Peach	2,632.19	140	5,460.0	A
cinnamaldehyde	Pistachio	359.14	6	737.0	A
cinnamaldehyde	Spinach	139.18	10	284.64	A
cinnamaldehyde	Strawberry	8.7	1	17.8	A
cinnamaldehyde	Swiss chard	6.57	2	13.45	A
cinnamaldehyde	Vegetables, leafy	144.11	12	344.33	A
citric acid	Alfalfa	6,844.93	5,345	251,673.26	A
citric acid	Almond	68,973.01	14,011	637,160.96	A
citric acid	Apple	2,988.94	201	5,266.87	A
citric acid	Apricot	61.74	55	831.67	A
citric acid	Artichoke, globe	13.06	12	175.8	A
citric acid	Arugula	50.5	35	661.92	A
citric acid	Asparagus	0.75	4	86.0	A
citric acid	Avocado	170.98	321	2,289.12	A
citric acid	Barley	88.48	8	720.0	A
citric acid	Barley (forage - fodder)	5.51	7	157.02	A
citric acid	Basil, sweet	5.02	9	356.3	A
citric acid	Bean, dried	122.98	75	2,562.28	A
citric acid	Bean, succulent	21.94	28	442.37	A
citric acid	Bean, unspecified	5.48	11	427.0	A
citric acid	Beet	1.02	13	126.8	A
citric acid	Bermudagrass	133.2	71	4,342.08	A
citric acid	Blackberry	204.52	97	705.42	A
citric acid	Blueberry	319.45	69	2,529.15	A
citric acid	Bok choy	1.03	26	25.5	A
citric acid	Broccoli	1,982.34	2,420	26,589.46	A
citric acid	Brussels sprout	1,245.57	988	15,662.92	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
citric acid	Cabbage	315.12	624	4,120.15	A
citric acid	Cantaloupe	108.72	37	2,686.59	A
citric acid	Carrot	384.31	33	1,280.22	A
citric acid	Cauliflower	800.49	1,553	12,834.42	A
citric acid	Celery	215.79	204	2,873.2	A
citric acid	Cherry	2,773.43	1,513	21,681.01	A
citric acid	Chestnut	1.12	4	48.66	A
citric acid	Cilantro	1.95	3	107.8	A
citric acid	Citrus	17.27	49	1,259.52	A
citric acid	Clover	0.95	3	165.0	A
citric acid	Collard	0.86	3	10.5	A
citric acid	Commodity fumigation	0.22	N/A	N/A	N/A
citric acid	Corn (forage - fodder)	1,871.07	1,585	87,571.16	A
citric acid	Corn, grain	36.44	22	1,314.2	A
citric acid	Corn, human consumption	586.24	581	17,468.34	A
citric acid	Cotton	5,573.89	2,447	255,687.81	A
citric acid	Cucumber	33.99	32	883.79	A
citric acid	Date	5.83	34	1,107.0	A
citric acid	Dill	2.58	5	125.0	A
citric acid	Ditch bank	37.44	71	196.5	A
citric acid	Eggplant	1.04	2	10.0	A
citric acid	Endive (escarole)	0.02	1	1.5	A
citric acid	Fig	42.29	53	3,488.94	A
citric acid	Food processing plant	1,202.77	N/A	14.0	U
citric acid	Forage hay/silage	43.6	83	4,101.0	A
citric acid	Forest, timberland	27.15	52	862.9	A
citric acid	Garbanzo bean	452.51	31	3,552.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
citric acid	Garlic	137.17	48	3,980.28	A
citric acid	Grain	1.17	4	101.0	A
citric acid	Grape	1,107.21	1,060	23,808.11	A
citric acid	Grape, wine	10,991.99	5,530	115,557.2	A
citric acid	Grapefruit	54.49	86	1,689.59	A
citric acid	Grass, seed	17.24	32	1,422.21	A
citric acid	Herb, spice	0.6	3	34.0	A
citric acid	Horseradish	2.46	2	167.0	A
citric acid	Industrial hemp	1.68	N/A	2.4	A
citric acid	Industrial site	0.83	4	20.0	A
citric acid	Kale	31.5	74	457.52	A
citric acid	Kiwi fruit fuzzy	36.52	105	980.95	A
citric acid	Landscape maintenance	6.62	3	15.0	A
citric acid	Landscape maintenance	1,244.45	N/A	N/A	N/A
citric acid	Lemon	419.75	517	11,968.79	A
citric acid	Lettuce, head	137.29	281	4,611.55	A
citric acid	Lettuce, leaf	441.93	488	5,367.44	A
citric acid	Lime	2.53	11	223.5	A
citric acid	Mango	0.51	2	60.0	A
citric acid	Melon	375.45	135	5,780.81	A
citric acid	Mint	5.09	19	973.0	A
citric acid	Mizuna	2.82	17	38.66	A
citric acid	Mustard greens	2.68	12	36.81	A
citric acid	N-grnhs flower	10.3	231	332.67	A
citric acid	N-grnhs plants in containers	160.23	271	411.1	A
citric acid	N-grnhs plants in containers	0.02	1	6,104.0	S
citric acid	N-grnhs transplants	6.75	11	17.88	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
citric acid	N-outdr flower	285.75	624	3,690.5	A
citric acid	N-outdr plants in containers	703.66	291	1,225.62	A
citric acid	N-outdr plants in containers	0.01	1	1,600.0	S
citric acid	N-outdr plants in containers	10.11	61	1,175,274.0	U
citric acid	N-outdr transplants	131.5	128	1,930.49	A
citric acid	Nectarine	485.25	316	3,474.07	A
citric acid	Nuts	0.25	2	4.0	A
citric acid	Oat	12.75	10	375.0	A
citric acid	Oat (forage - fodder)	91.64	107	4,412.56	A
citric acid	Olive	669.34	205	7,700.32	A
citric acid	Onion, dry	176.51	149	8,453.7	A
citric acid	Onion, green	<0.01	1	0.09	A
citric acid	Orange	1,572.26	1,293	21,886.37	A
citric acid	Orchard floor	0.14	6	25.0	A
citric acid	Orchardgrass	0.84	4	276.0	A
citric acid	Parsley	2.49	5	151.0	A
citric acid	Pastureland	13.13	21	660.0	A
citric acid	Peach	1,177.43	887	10,740.27	A
citric acid	Pear	597.62	35	257.74	A
citric acid	Pear, asian (oriental pear, ya, ya li, nashi)	54.42	6	34.25	A
citric acid	Peas	0.1	1	5.0	A
citric acid	Peas (forage - fodder)	0.69	1	75.0	A
citric acid	Pecan	771.79	70	4,517.2	A
citric acid	Pepper, fruiting	105.66	32	992.85	A
citric acid	Persimmon	6.1	31	166.63	A
citric acid	Pistachio	10,214.18	3,088	160,443.01	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
citric acid	Plum	419.26	304	3,196.28	A
citric acid	Pome fruit	7.47	N/A	2.0	A
citric acid	Pomegranate	92.98	49	1,414.09	A
citric acid	Pomelo	10.42	26	267.0	A
citric acid	Potato	44.31	22	1,414.5	A
citric acid	Prune	515.33	310	7,534.12	A
citric acid	Pumpkin	29.42	16	553.02	A
citric acid	Quince	0.29	1	5.0	A
citric acid	Radicchio	17.57	12	280.0	A
citric acid	Rangeland	53.0	6	655.28	A
citric acid	Rapini	47.35	25	403.2	A
citric acid	Raspberry	228.82	91	656.53	A
citric acid	Regulatory pest control	0.33	N/A	N/A	N/A
citric acid	Research commodity	15.34	75	206.44	A
citric acid	Rice	991.35	960	66,393.12	A
citric acid	Rights of way	330.7	210	8,778.01	A
citric acid	Rights of way	6,057.3	N/A	N/A	N/A
citric acid	Rosemary	0.11	1	2.0	A
citric acid	Rye	1.67	2	67.0	A
citric acid	Ryegrass	6.09	24	685.3	A
citric acid	Safflower	67.2	53	6,299.3	A
citric acid	Small fruits/berry	0.04	1	1.0	A
citric acid	Soil fumigation/preplant	319.25	130	15,531.55	A
citric acid	Sorghum (forage - fodder)	77.87	34	2,166.31	A
citric acid	Sorghum/milo	7.55	4	362.0	A
citric acid	Spinach	135.89	74	1,801.68	A
citric acid	Squash	14.39	29	510.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
citric acid	Stone fruit	70.54	18	287.5	A
citric acid	Strawberry	12,652.58	1,649	49,626.16	A
citric acid	Structural pest control	1.2	N/A	N/A	N/A
citric acid	Sudangrass	5.53	15	412.11	A
citric acid	Sugarbeet	607.12	183	13,771.72	A
citric acid	Sunflower	897.48	120	7,033.19	A
citric acid	Sweet potato	8.77	7	93.0	A
citric acid	Swiss chard	7.89	35	119.75	A
citric acid	Tangelo	54.5	56	1,144.5	A
citric acid	Tangerine	2,026.83	1,340	27,284.58	A
citric acid	Tarragon	0.03	1	0.5	A
citric acid	Timothy	2.06	9	401.0	A
citric acid	Tomato	915.37	268	14,832.71	A
citric acid	Tomato, processing	1,899.77	577	42,379.19	A
citric acid	Triticale	55.06	19	1,536.06	A
citric acid	Uncultivated ag	2,489.78	1,508	80,176.46	A
citric acid	Uncultivated non-ag	197.4	245	4,187.93	A
citric acid	Unknown	3.63	2	65.0	A
citric acid	Vegetables, leafy	95.4	40	1,603.92	A
citric acid	Vertebrate control	6.09	N/A	N/A	N/A
citric acid	Vetch	1.38	2	150.0	A
citric acid	Walnut	16,088.03	5,340	155,129.32	A
citric acid	Water (industrial)	24.29	N/A	1.0	U
citric acid	Water area	33.57	1	124.0	A
citric acid	Watermelon	78.05	54	2,545.3	A
citric acid	Wheat	129.92	157	8,551.8	A
citric acid	Wheat (forage - fodder)	195.74	178	8,087.65	A
clarified hydrophobic extract of neem oil	Almond	8,720.79	8	611.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Almond	<0.01	N/A	4.0	U
clarified hydrophobic extract of neem oil	Apple	94.05	3	29.8	A
clarified hydrophobic extract of neem oil	Apple	<0.01	N/A	21.0	U
clarified hydrophobic extract of neem oil	Apricot	<0.01	N/A	5.0	U
clarified hydrophobic extract of neem oil	Artichoke, globe	5,016.85	29	881.4	A
clarified hydrophobic extract of neem oil	Arugula	165.38	18	94.57	A
clarified hydrophobic extract of neem oil	Arugula	1.99	28	8,800.0	S
clarified hydrophobic extract of neem oil	Avocado	257.92	10	48.0	A
clarified hydrophobic extract of neem oil	Avocado	<0.01	N/A	4.0	U
clarified hydrophobic extract of neem oil	Basil, sweet	142.44	33	138.13	A
clarified hydrophobic extract of neem oil	Basil, sweet	0.18	3	280.0	S
clarified hydrophobic extract of neem oil	Bean, succulent	220.17	11	123.21	A
clarified hydrophobic extract of neem oil	Beet	743.09	21	474.81	A
clarified hydrophobic extract of neem oil	Blackberry	7,294.32	109	1,333.1	A
clarified hydrophobic extract of neem oil	Blueberry	261.55	10	137.06	A
clarified hydrophobic extract of neem oil	Blueberry	0.12	2	1,250.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Blueberry	<0.01	N/A	14.0	U
clarified hydrophobic extract of neem oil	Bok choy	158.78	19	116.0	A
clarified hydrophobic extract of neem oil	Broccoli	1,219.39	46	990.16	A
clarified hydrophobic extract of neem oil	Broccoli	0.74	15	2,175.0	S
clarified hydrophobic extract of neem oil	Brussels sprout	1,492.9	22	502.44	A
clarified hydrophobic extract of neem oil	Cabbage	4,245.48	185	1,993.34	A
clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	3,227.25	700	1,190.17	A
clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	2,763.42	1,398	10,826,031.0	S
clarified hydrophobic extract of neem oil	Cantaloupe	260.18	9	351.06	A
clarified hydrophobic extract of neem oil	Carrot	9.55	4	3.0	A
clarified hydrophobic extract of neem oil	Carrot	0.44	9	3,480.0	S
clarified hydrophobic extract of neem oil	Cauliflower	5,689.04	194	3,433.7	A
clarified hydrophobic extract of neem oil	Cauliflower	0.1	4	1,000.0	S
clarified hydrophobic extract of neem oil	Celery	5,904.03	118	1,594.1	A
clarified hydrophobic extract of neem oil	Cherry	<0.01	N/A	4.0	U
clarified hydrophobic extract of neem oil	Chicory	1.38	19	7,100.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Chinese amaranth (chinese spinach, tampala, yin choy)	<0.01	1	25.0	S
clarified hydrophobic extract of neem oil	Chive	31.52	3	9.0	A
clarified hydrophobic extract of neem oil	Chrysanthemum, edible leaved	21.49	9	6.25	A
clarified hydrophobic extract of neem oil	Cilantro	2.56	1	2.7	A
clarified hydrophobic extract of neem oil	Cole crop	0.78	2	0.35	A
clarified hydrophobic extract of neem oil	Collard	723.75	65	205.65	A
clarified hydrophobic extract of neem oil	Cucumber	267.5	34	51.9	A
clarified hydrophobic extract of neem oil	Cucumber	0.3	1	4,000.0	S
clarified hydrophobic extract of neem oil	Dandelion green	15.76	6	5.25	A
clarified hydrophobic extract of neem oil	Dandelion green	2.0	28	11,275.0	S
clarified hydrophobic extract of neem oil	Date	538.77	4	141.0	A
clarified hydrophobic extract of neem oil	Dill	21.97	8	6.5	A
clarified hydrophobic extract of neem oil	Edible flowers	3.88	3	2.5	A
clarified hydrophobic extract of neem oil	Eggplant	49.84	10	13.0	A
clarified hydrophobic extract of neem oil	Eggplant	0.17	2	600.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Endive (escarole)	523.1	38	136.9	A
clarified hydrophobic extract of neem oil	Fava bean	1.6	22	5,880.0	S
clarified hydrophobic extract of neem oil	Fig	220.09	3	86.4	A
clarified hydrophobic extract of neem oil	Fig	0.02	1	5.0	U
clarified hydrophobic extract of neem oil	Ginger	3.13	3	1.5	A
clarified hydrophobic extract of neem oil	Grape	971.5	81	3,600.0	A
clarified hydrophobic extract of neem oil	Grape	<0.01	N/A	83.0	U
clarified hydrophobic extract of neem oil	Grape, wine	111.5	14	43.7	A
clarified hydrophobic extract of neem oil	Grapefruit	11.46	1	3.0	A
clarified hydrophobic extract of neem oil	Herb, spice	253.04	80	68.23	A
clarified hydrophobic extract of neem oil	Herb, spice	5.37	30	52,360.0	S
clarified hydrophobic extract of neem oil	Industrial hemp	244.09	57	72.01	A
clarified hydrophobic extract of neem oil	Industrial hemp	8.6	3	60,000.0	S
clarified hydrophobic extract of neem oil	Kale	4,378.56	94	1,150.81	A
clarified hydrophobic extract of neem oil	Kale	1.93	27	7,155.0	S
clarified hydrophobic extract of neem oil	Landscape maintenance	78.39	7	42.21	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Landscape maintenance	806.46	N/A	N/A	N/A
clarified hydrophobic extract of neem oil	Lemon	290.78	1	76.1	A
clarified hydrophobic extract of neem oil	Lettuce, head	782.68	94	437.5	A
clarified hydrophobic extract of neem oil	Lettuce, head	3.31	47	39,434.19	S
clarified hydrophobic extract of neem oil	Lettuce, leaf	5,556.39	342	2,353.4	A
clarified hydrophobic extract of neem oil	Lettuce, leaf	1.27	15	14,000.0	S
clarified hydrophobic extract of neem oil	Lime	0.9	1	0.73	A
clarified hydrophobic extract of neem oil	Melon	80.13	12	127.59	A
clarified hydrophobic extract of neem oil	Melon	0.48	2	5,220.0	S
clarified hydrophobic extract of neem oil	Mint	83.19	26	31.45	A
clarified hydrophobic extract of neem oil	Mushroom	224.16	21	234,910.0	S
clarified hydrophobic extract of neem oil	Mustard	63.21	17	26.9	A
clarified hydrophobic extract of neem oil	Mustard	1.85	27	7,125.0	S
clarified hydrophobic extract of neem oil	Mustard greens	24.91	4	13.94	A
clarified hydrophobic extract of neem oil	N-grnhs flower	17.13	29	170,560.0	S
clarified hydrophobic extract of neem oil	N-grnhs plants in containers	379.08	111	67.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	N-grnhs plants in containers	23.07	216	226,410.8	S
clarified hydrophobic extract of neem oil	N-grnhs transplants	72.99	16	10.21	A
clarified hydrophobic extract of neem oil	N-grnhs transplants	44.47	3	253,454.0	S
clarified hydrophobic extract of neem oil	N-outdr flower	282.84	41	84.79	A
clarified hydrophobic extract of neem oil	N-outdr flower	4.59	28	9,000.0	S
clarified hydrophobic extract of neem oil	N-outdr plants in containers	234.87	197	190.4	A
clarified hydrophobic extract of neem oil	N-outdr plants in containers	90.83	62	714,633.0	S
clarified hydrophobic extract of neem oil	N-outdr plants in containers	5.14	7	31,580.0	U
clarified hydrophobic extract of neem oil	N-outdr transplants	81.48	9	18.06	A
clarified hydrophobic extract of neem oil	N-outdr transplants	94.61	11	659,819.0	S
clarified hydrophobic extract of neem oil	Nectarine	<0.01	N/A	3.0	U
clarified hydrophobic extract of neem oil	Olive	8.22	2	5.0	A
clarified hydrophobic extract of neem oil	Onion, dry	363.8	4	207.9	A
clarified hydrophobic extract of neem oil	Onion, green	412.1	13	289.15	A
clarified hydrophobic extract of neem oil	Orange	11.46	2	3.0	A
clarified hydrophobic extract of neem oil	Orchard floor	<0.01	N/A	0.25	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Oregano	25.79	5	6.75	A
clarified hydrophobic extract of neem oil	Parsley	226.86	15	73.92	A
clarified hydrophobic extract of neem oil	Parsley	2.06	29	6,365.0	S
clarified hydrophobic extract of neem oil	Peach	76.42	2	20.0	A
clarified hydrophobic extract of neem oil	Peach	<0.01	N/A	2.0	U
clarified hydrophobic extract of neem oil	Pear	<0.01	N/A	2.0	U
clarified hydrophobic extract of neem oil	Peas	3.79	5	3.0	A
clarified hydrophobic extract of neem oil	Pecan	99.35	2	26.0	A
clarified hydrophobic extract of neem oil	Pepper, fruiting	2,152.95	49	554.18	A
clarified hydrophobic extract of neem oil	Pepper, fruiting	0.23	3	2,700.0	S
clarified hydrophobic extract of neem oil	Pistachio	3,292.95	2	538.62	A
clarified hydrophobic extract of neem oil	Plum	287.55	12	84.08	A
clarified hydrophobic extract of neem oil	Plum	<0.01	N/A	9.0	U
clarified hydrophobic extract of neem oil	Pluot	7.64	2	0.66	A
clarified hydrophobic extract of neem oil	Pome fruit	0.07	1	1.0	A
clarified hydrophobic extract of neem oil	Pomegranate	55.21	1	14.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Pomegranate	<0.01	N/A	5.0	U
clarified hydrophobic extract of neem oil	Prune	905.59	8	460.0	A
clarified hydrophobic extract of neem oil	Prune	<0.01	N/A	3.0	U
clarified hydrophobic extract of neem oil	Radish	73.86	4	42.9	A
clarified hydrophobic extract of neem oil	Radish	0.74	11	1,625.0	S
clarified hydrophobic extract of neem oil	Raspberry	20,414.59	441	5,047.13	A
clarified hydrophobic extract of neem oil	Raspberry	0.03	1	400.0	S
clarified hydrophobic extract of neem oil	Research commodity	101.88	38	26.69	A
clarified hydrophobic extract of neem oil	Research commodity	39.3	32	195,984.0	S
clarified hydrophobic extract of neem oil	Research commodity	17.6	N/A	N/A	N/A
clarified hydrophobic extract of neem oil	Rights of way	0.5	N/A	N/A	N/A
clarified hydrophobic extract of neem oil	Root vegetable	0.54	2	0.26	A
clarified hydrophobic extract of neem oil	Rosemary	106.99	30	35.85	A
clarified hydrophobic extract of neem oil	Sage	48.6	9	16.41	A
clarified hydrophobic extract of neem oil	Spinach	275.68	42	170.32	A
clarified hydrophobic extract of neem oil	Squash	184.52	68	109.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Squash	0.17	2	225.0	S
clarified hydrophobic extract of neem oil	Squash, summer	19.11	2	7.0	A
clarified hydrophobic extract of neem oil	Squash, winter	0.12	1	0.25	A
clarified hydrophobic extract of neem oil	Squash, zucchini	9.85	2	5.25	A
clarified hydrophobic extract of neem oil	Strawberry	101,078.8	688	19,426.69	A
clarified hydrophobic extract of neem oil	Structural pest control	2.78	N/A	N/A	N/A
clarified hydrophobic extract of neem oil	Swiss chard	1,355.11	100	410.34	A
clarified hydrophobic extract of neem oil	Tarragon	2.87	2	0.75	A
clarified hydrophobic extract of neem oil	Thyme	21.02	5	5.5	A
clarified hydrophobic extract of neem oil	Tomato	222.4	54	65.07	A
clarified hydrophobic extract of neem oil	Tomato	5.53	29	62,395.0	S
clarified hydrophobic extract of neem oil	Tomato, processing	1,378.71	16	938.5	A
clarified hydrophobic extract of neem oil	Tropical/subtropical fruit	0.9	1	0.5	A
clarified hydrophobic extract of neem oil	Vegetables, fruiting	0.54	3	0.4	A
clarified hydrophobic extract of neem oil	Vegetables, leafy	98.05	62	40.53	A
clarified hydrophobic extract of neem oil	Walnut	87.88	1	46.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clarified hydrophobic extract of neem oil	Walnut	<0.01	N/A	1.0	U
clarified hydrophobic extract of neem oil	Watercress	94.77	31	154.0	A
clarified hydrophobic extract of neem oil	Watermelon	83.22	5	91.21	A
clarified hydrophobic extract of neem oil	Watermelon	0.33	3	7,560.0	S
clethodim	Alfalfa	57,932.89	4,510	246,137.37	A
clethodim	Almond	30,738.46	5,349	249,190.85	A
clethodim	Apple	59.26	30	447.81	A
clethodim	Apricot	1.0	9	8.17	A
clethodim	Artichoke, globe	8.98	3	70.5	A
clethodim	Arugula	2.01	2	15.2	A
clethodim	Basil, sweet	1.82	1	15.0	A
clethodim	Bean, dried	660.77	68	2,957.15	A
clethodim	Bean, succulent	5.93	2	45.0	A
clethodim	Bean, unspecified	5.61	1	42.75	A
clethodim	Beet	2.13	2	22.94	A
clethodim	Blackberry	30.45	25	295.53	A
clethodim	Blueberry	5.28	3	44.78	A
clethodim	Bok choy	0.97	1	8.0	A
clethodim	Broccoli	626.3	117	4,324.46	A
clethodim	Brussels sprout	1.51	2	12.5	A
clethodim	Cabbage	64.48	19	499.47	A
clethodim	Cantaloupe	13.89	5	131.4	A
clethodim	Carrot	1,864.81	223	11,874.54	A
clethodim	Cauliflower	60.31	15	510.2	A
clethodim	Celery	89.37	44	759.17	A
clethodim	Cherry	356.59	231	3,358.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clethodim	Chinese cabbage (napa, won bok, celery cabbage)	2.84	3	24.0	A
clethodim	Cilantro	83.66	23	652.59	A
clethodim	Citrus	54.4	12	381.58	A
clethodim	Clover	5.1	1	26.0	A
clethodim	Corn (forage - fodder)	872.71	104	5,105.26	A
clethodim	Corn, grain	89.43	24	589.0	A
clethodim	Corn, human consumption	52.87	5	420.0	A
clethodim	Cotton	2,943.98	370	15,597.26	A
clethodim	Cucumber	108.97	23	810.33	A
clethodim	Daikon	0.53	1	2.0	A
clethodim	Dill	1.84	1	15.0	A
clethodim	Eggplant	2.42	1	20.0	A
clethodim	Endive (escarole)	0.26	3	2.16	A
clethodim	Forage hay/silage	22.02	3	122.2	A
clethodim	Garbanzo bean	148.02	9	564.0	A
clethodim	Garlic	500.36	44	3,625.1	A
clethodim	Grape	114.68	58	1,037.06	A
clethodim	Grape, wine	559.13	114	3,720.71	A
clethodim	Grapefruit	17.88	12	134.16	A
clethodim	Grass, seed	12.02	14	46.0	A
clethodim	Herb, spice	2.66	1	22.0	A
clethodim	Hops	0.33	2	2.5	A
clethodim	Kale	8.26	4	48.11	A
clethodim	Kohlrabi	0.97	1	8.0	A
clethodim	Landscape maintenance	0.06	2	4,500.0	S
clethodim	Landscape maintenance	832.21	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clethodim	Lemon	11.5	7	96.18	A
clethodim	Lettuce, head	162.5	67	1,458.13	A
clethodim	Lettuce, leaf	159.4	143	1,390.03	A
clethodim	Melon	53.71	17	416.94	A
clethodim	Mint	281.75	16	1,024.0	A
clethodim	Mustard	1.1	1	10.0	A
clethodim	N-grnhs flower	17.63	3	78.0	A
clethodim	N-grnhs transplants	0.04	N/A	4,800.0	S
clethodim	N-outdr flower	61.45	8	358.5	A
clethodim	N-outdr plants in containers	25.93	8	132.0	A
clethodim	N-outdr plants in containers	0.02	2	4,000.0	S
clethodim	N-outdr transplants	8.24	8	41.5	A
clethodim	Nectarine	34.9	67	291.63	A
clethodim	Oat	40.7	3	154.0	A
clethodim	Oat (forage - fodder)	3.99	1	30.0	A
clethodim	Olive	621.48	108	4,880.85	A
clethodim	Onion, dry	2,019.49	207	11,810.26	A
clethodim	Onion, green	0.01	1	0.09	A
clethodim	Orange	43.57	15	415.33	A
clethodim	Parsley	64.0	12	498.03	A
clethodim	Pastureland	3.4	3	17.0	A
clethodim	Peach	223.63	152	1,772.45	A
clethodim	Pear	0.12	1	1.01	A
clethodim	Peas (forage - fodder)	12.12	2	92.0	A
clethodim	Pecan	50.02	21	316.95	A
clethodim	Pepper, fruiting	82.62	11	606.5	A
clethodim	Pistachio	6,306.95	1,189	52,895.42	A
clethodim	Plum	46.17	30	371.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clethodim	Potato	377.38	60	1,805.75	A
clethodim	Prune	829.34	70	1,994.23	A
clethodim	Public health	0.7	N/A	N/A	N/A
clethodim	Pumpkin	125.97	18	570.53	A
clethodim	Radish	0.48	1	4.0	A
clethodim	Rangeland	40.81	1	153.28	A
clethodim	Rapini	100.57	18	1,133.1	A
clethodim	Raspberry	100.97	65	899.77	A
clethodim	Regulatory pest control	15.75	N/A	N/A	N/A
clethodim	Research commodity	2.96	4	15.0	A
clethodim	Research commodity	0.46	N/A	N/A	N/A
clethodim	Rice	66.66	3	253.5	A
clethodim	Rights of way	800.77	114	3,585.01	A
clethodim	Rights of way	5,665.93	N/A	N/A	N/A
clethodim	Safflower	150.57	31	1,113.0	A
clethodim	Soil fumigation/preplant	154.39	20	700.8	A
clethodim	Sorghum/milo	2.62	1	10.0	A
clethodim	Spinach	2.42	3	20.0	A
clethodim	Squash	21.94	11	167.9	A
clethodim	Squash, summer	17.32	2	135.0	A
clethodim	Squash, winter	24.32	6	159.0	A
clethodim	Stone fruit	0.13	1	1.0	A
clethodim	Strawberry	9.09	6	77.0	A
clethodim	Sugarbeet	319.63	17	1,435.3	A
clethodim	Sunflower	1,027.03	93	5,140.88	A
clethodim	Sweet potato	199.1	32	839.58	A
clethodim	Tangerine	121.95	55	928.76	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clethodim	Tomatillo	0.24	1	2.0	A
clethodim	Tomato	269.89	37	1,562.3	A
clethodim	Tomato, processing	2,097.33	233	10,680.91	A
clethodim	Turf/sod	3.27	1	25.0	A
clethodim	Uncultivated ag	6,088.99	580	30,435.93	A
clethodim	Uncultivated non-ag	289.57	75	1,467.32	A
clethodim	Unknown	1.39	1	10.0	A
clethodim	Vegetable	0.13	1	1.0	A
clethodim	Vertebrate control	144.91	N/A	N/A	N/A
clethodim	Walnut	4,558.91	1,355	36,448.02	A
clethodim	Watermelon	207.92	36	1,403.31	A
clethodim	Wheat	29.14	1	110.8	A
clethodim	Wheat (forage - fodder)	449.9	22	1,748.85	A
clofentezine	Almond	25,214.53	1,383	112,782.66	A
clofentezine	Apple	68.96	8	303.8	A
clofentezine	Cherry	1,189.15	192	4,832.61	A
clofentezine	Grape	166.3	19	661.0	A
clofentezine	Grape, wine	1,171.03	76	5,222.8	A
clofentezine	N-grnhs flower	1.74	6	12.17	A
clofentezine	N-grnhs flower	0.14	5	36,120.0	S
clofentezine	N-grnhs plants in containers	30.11	88	78.34	A
clofentezine	N-grnhs transplants	1.65	7	7.59	A
clofentezine	N-outdr plants in containers	2.73	9	23.13	A
clofentezine	N-outdr plants in containers	0.45	1	130,000.0	S
clofentezine	Nectarine	18.12	2	79.25	A
clofentezine	Peach	356.98	88	1,686.38	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clofentezine	Research commodity	0.01	2	0.06	A
clofentezine	Walnut	2,185.3	240	10,126.83	A
clomazone	Rice	42,818.05	1,242	98,462.13	A
clopyralid	Landscape maintenance	1.9	N/A	N/A	N/A
clopyralid, monoethanolamine salt	Barley	66.08	3	428.0	A
clopyralid, monoethanolamine salt	Bermudagrass	19.76	2	86.0	A
clopyralid, monoethanolamine salt	Broccoli	219.1	29	1,091.9	A
clopyralid, monoethanolamine salt	County ag comm	0.4	N/A	N/A	N/A
clopyralid, monoethanolamine salt	Forest, timberland	9,838.07	644	23,365.98	A
clopyralid, monoethanolamine salt	Golf course turf	21.4	N/A	65.15	A
clopyralid, monoethanolamine salt	Golf course turf	0.03	N/A	35,000.0	S
clopyralid, monoethanolamine salt	Grape, wine	0.22	1	1.0	A
clopyralid, monoethanolamine salt	Grass, seed	30.84	32	167.0	A
clopyralid, monoethanolamine salt	Landscape maintenance	0.03	1	2.5	A
clopyralid, monoethanolamine salt	Landscape maintenance	0.12	1	20,000.0	S
clopyralid, monoethanolamine salt	Landscape maintenance	646.35	N/A	N/A	N/A
clopyralid, monoethanolamine salt	Mint	25.69	2	105.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clopyralid, monoethanolamine salt	N-grnhs flower	56.3	6	261.55	A
clopyralid, monoethanolamine salt	N-grnhs flower	1.86	N/A	137,000.0	S
clopyralid, monoethanolamine salt	N-grnhs plants in containers	0.49	1	1.5	A
clopyralid, monoethanolamine salt	N-grnhs transplants	2.97	N/A	34.0	A
clopyralid, monoethanolamine salt	N-outdr flower	64.1	3	173.0	A
clopyralid, monoethanolamine salt	N-outdr plants in containers	75.7	119	806.72	A
clopyralid, monoethanolamine salt	N-outdr transplants	0.09	N/A	6,000.0	S
clopyralid, monoethanolamine salt	Pastureland	190.11	29	808.46	A
clopyralid, monoethanolamine salt	Rangeland	709.54	93	5,916.93	A
clopyralid, monoethanolamine salt	Regulatory pest control	44.26	N/A	N/A	N/A
clopyralid, monoethanolamine salt	Rights of way	1.47	3	4.5	A
clopyralid, monoethanolamine salt	Rights of way	1,792.7	N/A	N/A	N/A
clopyralid, monoethanolamine salt	Ryegrass	15.78	3	55.99	A
clopyralid, monoethanolamine salt	Sugarbeet	968.79	40	3,905.7	A
clopyralid, monoethanolamine salt	Turf/sod	8.64	3	13.3	A
clopyralid, monoethanolamine salt	Turf/sod	0.96	N/A	130,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>clopyralid, monoethanolamine salt</b>	Uncultivated ag	53.25	5	197.0	A
<b>clopyralid, monoethanolamine salt</b>	Uncultivated non-ag	77.85	1	2,324.75	A
<b>clopyralid, monoethanolamine salt</b>	Wheat	73.71	3	477.0	A
<b>clopyralid, monoethanolamine salt</b>	Wheat (forage - fodder)	29.84	2	183.0	A
<b>clopyralid, triethylamine salt</b>	Golf course turf	23.52	N/A	92.8	A
<b>clopyralid, triethylamine salt</b>	Landscape maintenance	61.14	N/A	N/A	N/A
<b>clopyralid, triethylamine salt</b>	Turf/sod	1.14	2	7.6	A
<b>clothianidin</b>	Almond	1,642.89	270	16,676.48	A
<b>clothianidin</b>	Apple	2.49	1	25.0	A
<b>clothianidin</b>	Bok choy	31.63	178	237.19	A
<b>clothianidin</b>	Broccoli	1,416.79	1,036	10,533.51	A
<b>clothianidin</b>	Broccoli	4,376.72	N/A	4,356.68	P
<b>clothianidin</b>	Brussels sprout	168.34	102	1,279.46	A
<b>clothianidin</b>	Cabbage	207.4	330	1,491.78	A
<b>clothianidin</b>	Cauliflower	230.46	166	1,509.6	A
<b>clothianidin</b>	Celery	241.79	183	2,839.48	A
<b>clothianidin</b>	Chinese cabbage (napa, won bok, celery cabbage)	89.0	222	881.42	A
<b>clothianidin</b>	Cilantro	1.0	1	5.3	A
<b>clothianidin</b>	Collard	14.04	108	211.06	A
<b>clothianidin</b>	Commodity fumigation	<0.01	N/A	N/A	N/A
<b>clothianidin</b>	Cotton	2,526.42	503	32,137.87	A
<b>clothianidin</b>	Dandelion green	0.44	7	6.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clothianidin	Eggplant	1.06	1	2.0	A
clothianidin	Endive (escarole)	0.79	18	11.55	A
clothianidin	Fig	37.65	5	377.0	A
clothianidin	Golf course turf	55.79	N/A	147.5	A
clothianidin	Golf course turf	5.81	N/A	703,000.0	S
clothianidin	Grape	1,141.43	277	11,446.77	A
clothianidin	Grape, wine	3,340.53	748	24,341.01	A
clothianidin	Kale	30.19	187	406.0	A
clothianidin	Kohlrabi	2.72	33	30.83	A
clothianidin	Landscape maintenance	0.75	1	2.2	A
clothianidin	Landscape maintenance	5,848.65	N/A	N/A	N/A
clothianidin	Lettuce, head	141.88	94	1,044.55	A
clothianidin	Lettuce, leaf	224.87	278	1,900.89	A
clothianidin	Lettuce, leaf	618.55	N/A	1,252.55	P
clothianidin	Mustard	1.04	13	15.63	A
clothianidin	Mustard greens	6.12	35	68.13	A
clothianidin	N-grnhs flower	2.17	N/A	6.5	A
clothianidin	N-grnhs flower	2.41	N/A	278,000.0	S
clothianidin	N-grnhs plants in containers	8.57	147	82.79	A
clothianidin	N-grnhs transplants	33.82	534	187.63	A
clothianidin	N-grnhs transplants	0.51	6	205,741.0	S
clothianidin	N-outdr plants in containers	12.6	N/A	29.0	A
clothianidin	N-outdr transplants	10.44	41	125.76	A
clothianidin	N-outdr transplants	1.23	10	744,494.0	S
clothianidin	Onion, dry	118.73	N/A	3,456.05	P
clothianidin	Parsley	4.54	39	68.2	A
clothianidin	Peach	1.9	1	12.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clothianidin	Pecan	83.7	12	873.33	A
clothianidin	Pomegranate	62.78	30	627.95	A
clothianidin	Pumpkin	16.41	10	143.9	A
clothianidin	Radish	0.23	2	0.45	A
clothianidin	Regulatory pest control	0.09	N/A	N/A	N/A
clothianidin	Research commodity	7.21	42	89.49	A
clothianidin	Research commodity	0.03	N/A	N/A	N/A
clothianidin	Rice	11.16	9	145.0	A
clothianidin	Rights of way	0.13	N/A	N/A	N/A
clothianidin	Spinach	51.87	55	381.62	A
clothianidin	Squash	1.0	3	15.25	A
clothianidin	Squash, zucchini	<0.01	1	0.1	A
clothianidin	Structural pest control	349.39	N/A	N/A	N/A
clothianidin	Sweet potato	359.84	76	2,572.57	A
clothianidin	Swiss chard	12.35	133	159.77	A
clothianidin	Tomato	8.75	1	70.0	A
clothianidin	Tomato, processing	13.29	5	199.18	A
clothianidin	Vertebrate control	<0.01	N/A	N/A	N/A
clothianidin	Walnut	732.89	250	7,308.5	A
clothianidin	Watermelon	133.15	17	667.0	A
clove oil	Potato	61.56	1	54.0	A
coconut diethanolamide	Alfalfa	19.73	37	1,792.5	A
coconut diethanolamide	Almond	5,149.52	763	42,123.83	A
coconut diethanolamide	Apple	0.04	2	12.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coconut diethanolamide	Apricot	0.03	7	7.5	A
coconut diethanolamide	Artichoke, globe	0.01	2	1.0	A
coconut diethanolamide	Avocado	1.16	31	205.0	A
coconut diethanolamide	Avocado	<0.01	2	5,700.0	U
coconut diethanolamide	Basil, sweet	0.29	79	53.72	A
coconut diethanolamide	Bean, dried	0.71	9	474.0	A
coconut diethanolamide	Bean, succulent	0.14	18	6.37	A
coconut diethanolamide	Beet	0.04	9	4.03	A
coconut diethanolamide	Blackberry	0.08	3	9.78	A
coconut diethanolamide	Broccoli	1.78	16	338.0	A
coconut diethanolamide	Bushberry	<0.01	4	0.9	A
coconut diethanolamide	Cabbage	0.34	5	31.7	A
coconut diethanolamide	Cannabis (all or unspecified)	<0.01	2	18,000.0	S
coconut diethanolamide	Cantaloupe	21.27	52	2,787.94	A
coconut diethanolamide	Carrot	0.31	25	57.33	A
coconut diethanolamide	Celery	1.24	12	114.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coconut diethanolamide	Cherry	59.98	16	381.98	A
coconut diethanolamide	Citrus	0.08	7	4.3	A
coconut diethanolamide	Cole crop	0.18	76	37.86	A
coconut diethanolamide	Corn, human consumption	0.05	3	6.0	A
coconut diethanolamide	Cotton	3.77	34	905.87	A
coconut diethanolamide	Cucumber	0.06	43	11.0	A
coconut diethanolamide	Ditch bank	1.02	N/A	31.0	U
coconut diethanolamide	Edible flowers	0.02	3	2.5	A
coconut diethanolamide	Garlic	0.87	2	176.4	A
coconut diethanolamide	Ginger	0.03	6	3.0	A
coconut diethanolamide	Golf course turf	0.13	N/A	10.7	A
coconut diethanolamide	Grape	594.92	1,791	78,557.09	A
coconut diethanolamide	Grape, wine	252.37	196	8,511.91	A
coconut diethanolamide	Grapefruit	14.33	11	58.26	A
coconut diethanolamide	Herb, spice	0.5	141	76.68	A
coconut diethanolamide	Landscape maintenance	0.6	3	16.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coconut diethanolamide	Landscape maintenance	38.98	N/A	N/A	N/A
coconut diethanolamide	Lemon	127.9	39	410.65	A
coconut diethanolamide	Lemon	0.03	1	75.0	U
coconut diethanolamide	Lettuce, head	29.64	278	3,316.35	A
coconut diethanolamide	Lettuce, leaf	30.2	281	3,082.49	A
coconut diethanolamide	Melon	8.34	74	3,998.4	A
coconut diethanolamide	Mint	0.11	52	17.9	A
coconut diethanolamide	Mustard	0.04	22	7.79	A
coconut diethanolamide	N-grnhs flower	30.14	254	635.15	A
coconut diethanolamide	N-grnhs flower	12.05	75	1,165,150.0	S
coconut diethanolamide	N-grnhs plants in containers	8.42	633	628.28	A
coconut diethanolamide	N-grnhs plants in containers	0.98	77	2,242,350.0	S
coconut diethanolamide	N-grnhs transplants	3.99	39	571.0	A
coconut diethanolamide	N-grnhs transplants	1.85	59	12,681,000.0	S
coconut diethanolamide	N-outdr flower	52.74	651	2,242.05	A
coconut diethanolamide	N-outdr flower	0.73	6	77,000.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coconut diethanolamide	N-outdr plants in containers	56.24	913	1,425.81	A
coconut diethanolamide	N-outdr plants in containers	<0.01	3	42,000.0	S
coconut diethanolamide	N-outdr plants in containers	0.16	48	10,969.0	U
coconut diethanolamide	N-outdr transplants	0.39	14	63.0	A
coconut diethanolamide	N-outdr transplants	9.42	285	48,987,316.0	S
coconut diethanolamide	Nectarine	3.34	30	242.35	A
coconut diethanolamide	Olive	99.36	16	238.0	A
coconut diethanolamide	Onion, dry	0.3	10	447.0	A
coconut diethanolamide	Onion, green	0.07	27	9.86	A
coconut diethanolamide	Orange	1,697.57	310	6,598.32	A
coconut diethanolamide	Orchard floor	0.29	10	46.75	A
coconut diethanolamide	Parsley	<0.01	6	1.13	A
coconut diethanolamide	Pastureland	0.32	8	60.0	A
coconut diethanolamide	Peach	7.99	46	310.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coconut diethanolamide	Peas	<0.01	10	1.28	A
coconut diethanolamide	Pepper, fruiting	0.14	9	41.31	A
coconut diethanolamide	Persimmon	0.03	4	3.15	A
coconut diethanolamide	Pistachio	5,406.71	374	30,552.38	A
coconut diethanolamide	Plum	3.35	7	56.2	A
coconut diethanolamide	Pomegranate	0.07	2	1.25	A
coconut diethanolamide	Pomelo	5.34	2	16.0	A
coconut diethanolamide	Prune	328.61	39	2,150.65	A
coconut diethanolamide	Pumpkin	1.06	2	4.0	A
coconut diethanolamide	Radish	0.54	39	42.36	A
coconut diethanolamide	Raspberry	0.05	2	5.0	A
coconut diethanolamide	Regulatory pest control	1.97	N/A	N/A	N/A
coconut diethanolamide	Research commodity	<0.01	3	0.25	A
coconut diethanolamide	Research commodity	0.14	N/A	N/A	N/A
coconut diethanolamide	Rights of way	0.41	2	4.0	A
coconut diethanolamide	Rights of way	3.92	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coconut diethanolamide	Root vegetable	0.21	52	37.22	A
coconut diethanolamide	Spinach	0.01	17	2.86	A
coconut diethanolamide	Squash	0.4	58	67.86	A
coconut diethanolamide	Squash, summer	2.12	5	8.0	A
coconut diethanolamide	Squash, zucchini	0.09	3	30.0	A
coconut diethanolamide	Stone fruit	3.7	2	8.0	A
coconut diethanolamide	Strawberry	210.42	258	3,695.47	A
coconut diethanolamide	Structural pest control	6.05	N/A	N/A	N/A
coconut diethanolamide	Swiss chard	<0.01	9	1.25	A
coconut diethanolamide	Tangelo	69.6	13	210.5	A
coconut diethanolamide	Tangerine	885.51	96	3,226.75	A
coconut diethanolamide	Tomato	1.39	3	5.25	A
coconut diethanolamide	Tomato, processing	7.28	40	2,019.78	A
coconut diethanolamide	Tropical/subtropical fruit	0.01	5	1.85	A
coconut diethanolamide	Turnip	0.03	7	3.0	A
coconut diethanolamide	Uncultivated ag	1.5	32	72.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coconut diethanolamide	Vegetables, fruiting	0.03	23	5.71	A
coconut diethanolamide	Vegetables, leafy	1.99	484	328.49	A
coconut diethanolamide	Walnut	4,449.7	367	19,561.31	A
coconut imidazoline sodium carboxylate	Walnut	<0.01	1	0.5	A
codling moth granulosis virus	Apple	0.48	328	5,113.49	A
codling moth granulosis virus	Landscape maintenance	<0.01	N/A	N/A	N/A
codling moth granulosis virus	Pear	0.25	105	1,613.3	A
codling moth granulosis virus	Pear, asian (oriental pear, ya, ya li, nashi)	<0.01	1	2.0	A
codling moth granulosis virus	Walnut	0.02	5	97.8	A
coniothyrium minitans strain con/m/91-08	Barley	16.97	2	122.0	A
coniothyrium minitans strain con/m/91-08	Broccoli	18.58	17	142.45	A
coniothyrium minitans strain con/m/91-08	Carrot	317.49	43	2,880.96	A
coniothyrium minitans strain con/m/91-08	Cauliflower	26.38	21	159.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coniothyrium minitans strain con/m/91-08	Celery	2.19	4	20.38	A
coniothyrium minitans strain con/m/91-08	Dandelion green	0.61	1	5.8	A
coniothyrium minitans strain con/m/91-08	Fennel	4.87	8	45.9	A
coniothyrium minitans strain con/m/91-08	Lettuce, head	38.31	40	369.25	A
coniothyrium minitans strain con/m/91-08	Lettuce, leaf	117.12	127	1,142.67	A
coniothyrium minitans strain con/m/91-08	Research commodity	0.08	N/A	N/A	N/A
coniothyrium minitans strain con/m/91-08	Spinach	0.25	2	1.16	A
coniothyrium minitans strain con/m/91-08	Sunflower	0.21	1	1.0	A
copper	Almond	80.27	2	64.0	A
copper	Grapefruit	15.0	1	5.0	A
copper	Landscape maintenance	3,152.55	N/A	N/A	N/A
copper	Lemon	559.37	10	162.0	A
copper	N-grnhs transplants	0.02	13	181,125.0	S
copper	Orange	4,705.0	59	1,372.55	A
copper	Peach	4.6	2	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper	Tangelo	57.0	2	19.05	A
copper	Tangerine	337.5	8	123.5	A
copper	Water area	35.88	N/A	44.11	A
copper ammonium carbonate	Landscape maintenance	2,259.51	N/A	N/A	N/A
copper ammonium carbonate	N-outdr flower	0.38	1	4.0	A
copper ammonium carbonate	N-outdr plants in containers	1.51	1	1.0	A
copper ammonium carbonate	Peach	<0.01	1	0.5	A
copper ammonium complex	Apple	1.61	4	32.0	U
copper ammonium complex	Apricot	0.86	1	1.25	A
copper ammonium complex	Apricot	0.61	4	12.0	U
copper ammonium complex	Cherry	0.31	3	6.0	U
copper ammonium complex	Grape, wine	0.5	5	5.0	A
copper ammonium complex	Landscape maintenance	58.69	N/A	N/A	N/A
copper ammonium complex	N-outdr plants in containers	3.5	2	1.75	A
copper ammonium complex	Nectarine	0.14	4	12.0	U
copper ammonium complex	Peach	1.08	4	40.0	U
copper ammonium complex	Pear	0.64	4	20.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper ammonium complex</b>	Plum	0.37	4	8.0	U
<b>copper ammonium complex</b>	Walnut	0.01	1	2.0	A
<b>copper carbonate, basic</b>	Rights of way	434.6	N/A	N/A	N/A
<b>copper carbonate, basic</b>	Structural pest control	1.8	N/A	N/A	N/A
<b>copper citrate chelate</b>	Rights of way	700.8	N/A	N/A	N/A
<b>copper citrate chelate</b>	Water area	627.15	N/A	266.0	A
<b>copper diammonium diacetate complex</b>	Almond	0.03	N/A	4.0	U
<b>copper diammonium diacetate complex</b>	Apple	0.03	N/A	21.0	U
<b>copper diammonium diacetate complex</b>	Apricot	1.85	1	1.13	A
<b>copper diammonium diacetate complex</b>	Apricot	0.03	N/A	5.0	U
<b>copper diammonium diacetate complex</b>	Avocado	0.03	N/A	4.0	U
<b>copper diammonium diacetate complex</b>	Blueberry	0.03	N/A	14.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper diammonium diacetate complex</b>	Cherry	0.03	N/A	4.0	U
<b>copper diammonium diacetate complex</b>	Fig	0.03	N/A	2.0	U
<b>copper diammonium diacetate complex</b>	Grape	0.03	N/A	83.0	U
<b>copper diammonium diacetate complex</b>	Grape, wine	2.03	5	2.2	A
<b>copper diammonium diacetate complex</b>	Landscape maintenance	426.86	N/A	N/A	N/A
<b>copper diammonium diacetate complex</b>	Lemon	191.05	47	80.62	A
<b>copper diammonium diacetate complex</b>	N-grnhs plants in containers	3.13	12	4.38	A
<b>copper diammonium diacetate complex</b>	N-grnhs plants in containers	0.41	1	10,000.0	S
<b>copper diammonium diacetate complex</b>	N-outdr flower	743.93	84	664.68	A
<b>copper diammonium diacetate complex</b>	N-outdr plants in containers	26.61	4	8.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper diammonium diacetate complex</b>	N-outdr plants in containers	0.23	2	7,500.0	S
<b>copper diammonium diacetate complex</b>	Nectarine	0.03	N/A	3.0	U
<b>copper diammonium diacetate complex</b>	Orange	0.66	1	0.5	A
<b>copper diammonium diacetate complex</b>	Orchard floor	0.03	N/A	0.25	A
<b>copper diammonium diacetate complex</b>	Peach	0.03	N/A	2.0	U
<b>copper diammonium diacetate complex</b>	Pear	0.03	N/A	2.0	U
<b>copper diammonium diacetate complex</b>	Plum	0.03	N/A	9.0	U
<b>copper diammonium diacetate complex</b>	Pomegranate	0.03	N/A	5.0	U
<b>copper diammonium diacetate complex</b>	Prune	0.03	N/A	3.0	U
<b>copper diammonium diacetate complex</b>	Stone fruit	0.52	6	3.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper diammonium diacetate complex</b>	Structural pest control	0.25	N/A	N/A	N/A
<b>copper diammonium diacetate complex</b>	Walnut	0.03	N/A	1.0	U
<b>copper ethanolamine complexes, mixed</b>	Industrial waste disposal systems, disposal water	2.22	N/A	4.0	A
<b>copper ethanolamine complexes, mixed</b>	Landscape maintenance	9,417.71	N/A	N/A	N/A
<b>copper ethanolamine complexes, mixed</b>	Lumber, treated	1,443,732.79	N/A	9,512.38	K
<b>copper ethanolamine complexes, mixed</b>	N-grnhs plants in containers	13.81	N/A	1.0	A
<b>copper ethanolamine complexes, mixed</b>	N-outdr plants in containers	8.37	3	1.25	A
<b>copper ethanolamine complexes, mixed</b>	Public health	0.59	N/A	N/A	N/A
<b>copper ethanolamine complexes, mixed</b>	Research commodity	38.68	N/A	N/A	N/A
<b>copper ethanolamine complexes, mixed</b>	Rights of way	33,539.23	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper ethanolamine complexes, mixed</b>	Structural pest control	678.63	N/A	N/A	N/A
<b>copper ethanolamine complexes, mixed</b>	Water (industrial)	3,287.67	N/A	638.63	A
<b>copper ethanolamine complexes, mixed</b>	Water area	10,816.32	76	2,894.24	A
<b>copper ethanolamine complexes, mixed</b>	Water area	20.72	N/A	133,680.56	C
<b>copper ethanolamine complexes, mixed</b>	Water area	17,810.92	N/A	866,121.1	K
<b>copper ethanolamine complexes, mixed</b>	Water area	18.35	1	166,355.0	S
<b>copper ethanolamine complexes, mixed</b>	Water area	6,426.7	N/A	1,393.26	U
<b>copper ethylenediamine complex</b>	Landscape maintenance	708.14	N/A	N/A	N/A
<b>copper ethylenediamine complex</b>	Regulatory pest control	87.86	N/A	N/A	N/A
<b>copper ethylenediamine complex</b>	Rights of way	245.49	2	200.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper ethylenediamine complex</b>	Rights of way	13,257.51	N/A	N/A	N/A
<b>copper ethylenediamine complex</b>	Water (industrial)	59.5	N/A	7.63	A
<b>copper ethylenediamine complex</b>	Water area	6,998.35	N/A	119.6	A
<b>copper ethylenediamine complex</b>	Water area	26.83	N/A	2.0	C
<b>copper ethylenediamine complex</b>	Water area	29.51	N/A	2.0	U
<b>copper gluconate chelate</b>	Rights of way	679.07	N/A	N/A	N/A
<b>copper gluconate chelate</b>	Water area	608.1	N/A	266.0	A
<b>copper hydroxide</b>	Almond	804,915.63	5,266	293,125.61	A
<b>copper hydroxide</b>	Apple	3,064.15	152	1,887.55	A
<b>copper hydroxide</b>	Apple	0.21	1	6,700.0	S
<b>copper hydroxide</b>	Apple	0.14	N/A	6.0	U
<b>copper hydroxide</b>	Apricot	3,834.83	106	1,231.36	A
<b>copper hydroxide</b>	Apricot	0.03	1	500.0	S
<b>copper hydroxide</b>	Apricot	0.05	N/A	2.0	U
<b>copper hydroxide</b>	Artichoke, globe	8.47	5	77.9	A
<b>copper hydroxide</b>	Arugula	21.95	5	28.5	A
<b>copper hydroxide</b>	Avocado	257.73	12	160.51	A
<b>copper hydroxide</b>	Bean, dried	0.46	1	1.0	A
<b>copper hydroxide</b>	Bean, succulent	7.52	2	35.0	A
<b>copper hydroxide</b>	Bean, unspecified	62.87	2	14.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper hydroxide</b>	Beet	436.37	68	1,004.21	A
<b>copper hydroxide</b>	Blackberry	475.61	50	401.28	A
<b>copper hydroxide</b>	Blueberry	1,684.64	40	1,453.77	A
<b>copper hydroxide</b>	Broccoli	1,547.92	255	2,485.4	A
<b>copper hydroxide</b>	Brussels sprout	254.48	35	956.08	A
<b>copper hydroxide</b>	Cabbage	492.05	112	1,551.53	A
<b>copper hydroxide</b>	Cantaloupe	25.74	4	111.67	A
<b>copper hydroxide</b>	Carrot	1,655.3	74	3,603.99	A
<b>copper hydroxide</b>	Cauliflower	1,120.52	296	3,111.23	A
<b>copper hydroxide</b>	Celeriac	31.96	13	63.15	A
<b>copper hydroxide</b>	Celery	7,489.78	1,596	13,253.69	A
<b>copper hydroxide</b>	Cherry	11,912.57	162	2,998.41	A
<b>copper hydroxide</b>	Cherry	0.03	1	500.0	S
<b>copper hydroxide</b>	Cherry	0.07	N/A	3.0	U
<b>copper hydroxide</b>	Cilantro	51.54	33	177.41	A
<b>copper hydroxide</b>	Citrus	882.78	25	440.13	A
<b>copper hydroxide</b>	Collard	1.2	4	5.63	A
<b>copper hydroxide</b>	Corn, human consumption	363.62	11	533.5	A
<b>copper hydroxide</b>	Cucumber	13.43	8	24.0	A
<b>copper hydroxide</b>	Daikon	295.04	2	160.0	A
<b>copper hydroxide</b>	Garlic	845.08	30	1,319.8	A
<b>copper hydroxide</b>	Grape	92,504.5	3,987	161,378.98	A
<b>copper hydroxide</b>	Grape, wine	137,494.07	6,296	245,172.07	A
<b>copper hydroxide</b>	Grapefruit	8,809.91	162	3,292.88	A
<b>copper hydroxide</b>	Herb, spice	0.58	1	1.0	A
<b>copper hydroxide</b>	Kale	79.15	39	295.87	A
<b>copper hydroxide</b>	Kiwi fruit fuzzy	135.3	4	46.5	A
<b>copper hydroxide</b>	Kumquat	11.36	3	7.4	A
<b>copper hydroxide</b>	Landscape maintenance	642.52	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper hydroxide	Leek	95.16	50	179.86	A
copper hydroxide	Lemon	25,377.96	544	14,079.78	A
copper hydroxide	Lettuce, head	26.19	7	60.9	A
copper hydroxide	Lettuce, leaf	710.56	177	1,736.16	A
copper hydroxide	Melon	6.97	3	25.91	A
copper hydroxide	Mint	1.49	5	12.6	A
copper hydroxide	N-grnhs flower	3.2	8	12.75	A
copper hydroxide	N-grnhs flower	0.64	N/A	33.0	U
copper hydroxide	N-grnhs plants in containers	144.08	131	118.98	A
copper hydroxide	N-grnhs plants in containers	15.39	19	641,324.0	S
copper hydroxide	N-grnhs transplants	1,959.04	2,046	1,826.18	A
copper hydroxide	N-grnhs transplants	52.87	76	2,582,704.0	S
copper hydroxide	N-outdr flower	10,773.3	899	7,264.22	A
copper hydroxide	N-outdr plants in containers	1,531.0	397	1,637.34	A
copper hydroxide	N-outdr plants in containers	3.7	26	224,340.0	S
copper hydroxide	N-outdr plants in containers	3.8	3	60,000.0	U
copper hydroxide	N-outdr transplants	1,171.04	222	1,043.46	A
copper hydroxide	N-outdr transplants	221.13	392	13,505,757.0	S
copper hydroxide	Nectarine	10,705.49	408	5,237.33	A
copper hydroxide	Nectarine	0.03	1	500.0	S
copper hydroxide	Nectarine	0.46	2	24.0	U
copper hydroxide	Nuts	0.23	1	4.0	U
copper hydroxide	Olive	83,758.74	596	25,672.28	A
copper hydroxide	Olive	0.64	1	100.0	U
copper hydroxide	Onion, dry	24,152.13	531	32,456.8	A
copper hydroxide	Onion, green	13.35	4	48.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper hydroxide	Orange	76,414.94	1,419	23,742.88	A
copper hydroxide	Parsley	248.04	72	325.03	A
copper hydroxide	Peach	67,970.67	1,148	16,524.49	A
copper hydroxide	Peach	0.03	1	500.0	S
copper hydroxide	Peach	1.87	2	55.0	U
copper hydroxide	Pear	12,406.21	457	10,679.55	A
copper hydroxide	Pear	0.09	N/A	4.0	U
copper hydroxide	Pear, asian (oriental pear, ya, ya li, nashi)	133.32	24	335.4	A
copper hydroxide	Peas	327.33	55	536.3	A
copper hydroxide	Pepper, fruiting	1,875.67	116	4,007.46	A
copper hydroxide	Pepper, spice	17.29	1	30.0	A
copper hydroxide	Persimmon	16.55	1	77.0	A
copper hydroxide	Pistachio	143.56	8	150.74	A
copper hydroxide	Plum	23,255.06	578	6,447.62	A
copper hydroxide	Plum	0.03	1	500.0	S
copper hydroxide	Plum	0.05	N/A	2.0	U
copper hydroxide	Pluot	44.02	4	12.9	A
copper hydroxide	Pome fruit	1.93	1	2.4	A
copper hydroxide	Pome fruit	0.23	1	15.0	U
copper hydroxide	Pomelo	480.35	15	148.5	A
copper hydroxide	Potato	3,945.38	171	7,799.67	A
copper hydroxide	Prune	25,157.65	126	8,216.87	A
copper hydroxide	Pumpkin	138.6	3	180.0	A
copper hydroxide	Quince	187.93	25	162.0	A
copper hydroxide	Raspberry	117.41	18	195.9	A
copper hydroxide	Regulatory pest control	7.38	N/A	N/A	N/A
copper hydroxide	Research commodity	124.6	44	110.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper hydroxide</b>	Research commodity	0.13	2	15,500.0	S
<b>copper hydroxide</b>	Research commodity	7.7	N/A	N/A	N/A
<b>copper hydroxide</b>	Rights of way	14,951.55	N/A	N/A	N/A
<b>copper hydroxide</b>	Shallot	19.78	6	39.41	A
<b>copper hydroxide</b>	Soil fumigation/preplant	460.62	1	60.0	A
<b>copper hydroxide</b>	Spinach	238.41	24	238.91	A
<b>copper hydroxide</b>	Stone fruit	488.51	28	151.05	A
<b>copper hydroxide</b>	Stone fruit	0.21	N/A	6,000.0	S
<b>copper hydroxide</b>	Stone fruit	0.46	1	36.0	U
<b>copper hydroxide</b>	Strawberry	959.65	27	507.28	A
<b>copper hydroxide</b>	Structural pest control	54.37	N/A	N/A	N/A
<b>copper hydroxide</b>	Swiss chard	40.27	32	121.82	A
<b>copper hydroxide</b>	Tangelo	1,821.25	41	679.65	A
<b>copper hydroxide</b>	Tangerine	26,711.73	460	11,812.53	A
<b>copper hydroxide</b>	Tomato	7,360.01	297	10,993.1	A
<b>copper hydroxide</b>	Tomato, processing	11,256.59	505	28,395.95	A
<b>copper hydroxide</b>	Uncultivated ag	281.15	6	175.8	A
<b>copper hydroxide</b>	Vegetable	17.88	5	42.0	A
<b>copper hydroxide</b>	Vegetables, leafy	10.76	6	50.07	A
<b>copper hydroxide</b>	Walnut	1,596,058.13	11,183	410,398.08	A
<b>copper hydroxide</b>	Watercress	0.23	1	1.0	A
<b>copper hydroxide</b>	Watermelon	21.34	4	37.04	A
<b>copper naphthenate</b>	Rights of way	6,260.18	N/A	N/A	N/A
<b>copper naphthenate</b>	Structural pest control	37.71	N/A	N/A	N/A
<b>copper octanoate</b>	Almond	16.68	2	40.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper octanoate	Apple	384.61	32	655.9	A
copper octanoate	Apricot	27.19	5	53.94	A
copper octanoate	Artichoke, globe	8.76	2	13.0	A
copper octanoate	Arugula	0.07	1	0.2	A
copper octanoate	Basil, sweet	24.75	85	80.7	A
copper octanoate	Bean, unspecified	0.78	1	5.0	A
copper octanoate	Beet	76.59	67	204.69	A
copper octanoate	Blackberry	363.24	49	421.63	A
copper octanoate	Blackberry	1.6	1	1,320.0	S
copper octanoate	Blueberry	132.27	5	139.87	A
copper octanoate	Blueberry	0.03	1	500.0	S
copper octanoate	Boysenberry	1.25	2	1.5	A
copper octanoate	Broccoli	480.35	88	1,026.08	A
copper octanoate	Cabbage	43.55	19	184.63	A
copper octanoate	Cannabis (all or unspecified)	2.29	4	3.0	A
copper octanoate	Carrot	68.76	5	164.45	A
copper octanoate	Cauliflower	276.91	83	622.06	A
copper octanoate	Celery	4,179.15	592	5,417.22	A
copper octanoate	Cherry	65.04	3	78.0	A
copper octanoate	Chive	2.66	2	3.5	A
copper octanoate	Cilantro	792.35	200	1,056.06	A
copper octanoate	Cole crop	2.77	28	16.25	A
copper octanoate	Collard	15.93	13	19.1	A
copper octanoate	Dill	3.26	5	7.5	A
copper octanoate	Eggplant	12.51	2	24.0	A
copper octanoate	Garlic	1.67	2	2.0	A
copper octanoate	Grape, wine	895.45	180	1,112.14	A
copper octanoate	Grapefruit	15.01	1	18.0	A
copper octanoate	Herb, spice	3.55	7	6.25	A
copper octanoate	Kale	139.24	34	226.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper octanoate	Landscape maintenance	33.87	N/A	N/A	N/A
copper octanoate	Leek	51.32	16	71.9	A
copper octanoate	Lemon	1,254.5	25	1,132.5	A
copper octanoate	Lettuce, head	41.3	7	59.4	A
copper octanoate	Lettuce, leaf	1,215.46	310	2,836.44	A
copper octanoate	Loganberry	0.42	1	0.5	A
copper octanoate	Mango	26.68	1	32.0	A
copper octanoate	Mint	26.83	83	51.03	A
copper octanoate	Mustard	1.56	24	9.44	A
copper octanoate	Mustard greens	20.94	12	33.34	A
copper octanoate	N-grnhs flower	10.1	17	84,265.0	S
copper octanoate	N-grnhs plants in containers	203.12	375	266.0	A
copper octanoate	N-grnhs plants in containers	32.5	40	1,864,777.47	S
copper octanoate	N-grnhs transplants	225.84	698	493.0	A
copper octanoate	N-grnhs transplants	53.24	78	3,374,500.0	S
copper octanoate	N-outdr flower	1.25	11	92,768.0	S
copper octanoate	N-outdr plants in containers	628.27	312	861.77	A
copper octanoate	N-outdr plants in containers	26.26	50	1,926,112.0	S
copper octanoate	N-outdr plants in containers	22.78	13	301,134.0	U
copper octanoate	N-outdr transplants	348.11	227	521.05	A
copper octanoate	N-outdr transplants	437.25	349	29,304,132.0	S
copper octanoate	Nectarine	<0.01	1	5.0	U
copper octanoate	Olallieberry	0.42	1	0.5	A
copper octanoate	Onion, dry	623.84	24	484.65	A
copper octanoate	Onion, green	0.11	2	0.55	A
copper octanoate	Orange	83.91	6	101.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper octanoate	Oregano	0.43	3	3.0	A
copper octanoate	Parsley	186.85	87	319.08	A
copper octanoate	Peach	<0.01	1	12.0	U
copper octanoate	Pear	90.89	10	109.0	A
copper octanoate	Peas	0.63	2	4.0	A
copper octanoate	Pepper, fruiting	329.99	25	722.5	A
copper octanoate	Pepper, fruiting	<0.01	1	2,520.0	S
copper octanoate	Plum	20.43	4	53.75	A
copper octanoate	Pome fruit	0.4	1	1.0	A
copper octanoate	Pomegranate	0.03	1	48.0	A
copper octanoate	Pomegranate	1.03	26	1,473.0	U
copper octanoate	Potato	2.5	5	5.5	A
copper octanoate	Raspberry	35.79	9	61.86	A
copper octanoate	Regulatory pest control	0.34	N/A	N/A	N/A
copper octanoate	Research commodity	0.49	8	49,000.0	S
copper octanoate	Research commodity	2.26	N/A	N/A	N/A
copper octanoate	Root vegetable	0.37	2	1.5	A
copper octanoate	Rosemary	10.84	4	8.0	A
copper octanoate	Sage	3.7	6	6.5	A
copper octanoate	Shallot	15.68	5	35.01	A
copper octanoate	Spinach	365.05	125	893.84	A
copper octanoate	Squash	0.9	1	4.3	A
copper octanoate	Strawberry	3,482.85	99	2,341.8	A
copper octanoate	Strawberry	<0.01	1	0.01	U
copper octanoate	Structural pest control	0.03	N/A	N/A	N/A
copper octanoate	Swiss chard	199.14	105	495.47	A
copper octanoate	Tomato	0.1	1	0.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper octanoate	Tomato, processing	1,092.16	13	1,390.6	A
copper octanoate	Turnip	0.68	5	2.5	A
copper octanoate	Vegetables, leafy	11.76	83	65.93	A
copper oxide (ous)	Almond	108,998.08	505	21,183.69	A
copper oxide (ous)	Apple	84.68	17	32.9	A
copper oxide (ous)	Apricot	5,245.64	52	1,021.56	A
copper oxide (ous)	Avocado	56.96	1	6.0	A
copper oxide (ous)	Beet	726.92	27	456.74	A
copper oxide (ous)	Blackberry	112.09	6	33.15	A
copper oxide (ous)	Blueberry	782.53	5	158.6	A
copper oxide (ous)	Broccoli	465.69	13	361.9	A
copper oxide (ous)	Cabbage	128.69	15	205.5	A
copper oxide (ous)	Carrot	788.45	4	376.15	A
copper oxide (ous)	Cauliflower	36.87	3	58.6	A
copper oxide (ous)	Celery	3,694.73	333	2,134.23	A
copper oxide (ous)	Cherry	5,925.64	57	993.77	A
copper oxide (ous)	Cilantro	52.44	1	35.0	A
copper oxide (ous)	Citrus	37.76	3	30.0	A
copper oxide (ous)	Daikon	2,282.08	12	641.5	A
copper oxide (ous)	Dill	7.47	3	8.89	A
copper oxide (ous)	Grape	16,195.36	458	17,952.52	A
copper oxide (ous)	Grape, wine	25,630.67	3,069	29,569.94	A
copper oxide (ous)	Grapefruit	1,543.52	28	743.6	A
copper oxide (ous)	Landscape maintenance	14.26	13	15.12	A
copper oxide (ous)	Landscape maintenance	71.2	N/A	N/A	N/A
copper oxide (ous)	Lemon	6,955.0	121	3,127.44	A
copper oxide (ous)	Lettuce, head	0.42	1	0.5	A
copper oxide (ous)	Lime	2.1	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper oxide (ous)	N-grnhs plants in containers	75.93	9	41.0	A
copper oxide (ous)	N-grnhs transplants	703.15	186	1,310.11	A
copper oxide (ous)	N-grnhs transplants	6.42	8	239,297.0	S
copper oxide (ous)	N-outdr flower	4.37	19	153.0	A
copper oxide (ous)	N-outdr plants in containers	73.83	23	41.75	A
copper oxide (ous)	N-outdr transplants	138.72	50	76.0	A
copper oxide (ous)	N-outdr transplants	302.33	93	10,691,267.0	S
copper oxide (ous)	Nectarine	6,929.05	156	1,158.47	A
copper oxide (ous)	Olive	2,833.83	30	544.25	A
copper oxide (ous)	Olive	5.03	1	31,438.0	S
copper oxide (ous)	Onion, dry	1,969.18	23	1,109.5	A
copper oxide (ous)	Onion, green	161.76	13	96.4	A
copper oxide (ous)	Orange	36,453.88	376	13,154.09	A
copper oxide (ous)	Peach	23,132.31	309	3,492.05	A
copper oxide (ous)	Pear	114.93	21	105.21	A
copper oxide (ous)	Pear, asian (oriental pear, ya, ya li, nashi)	600.09	14	175.25	A
copper oxide (ous)	Pepper, fruiting	412.37	10	468.0	A
copper oxide (ous)	Pistachio	230.72	1	55.0	A
copper oxide (ous)	Plum	9,724.61	125	1,360.59	A
copper oxide (ous)	Pluot	4.2	1	1.0	A
copper oxide (ous)	Pome fruit	45.23	N/A	7.5	A
copper oxide (ous)	Pomelo	117.09	5	42.5	A
copper oxide (ous)	Potato	4,563.64	52	2,665.3	A
copper oxide (ous)	Prune	1,749.32	8	471.3	A
copper oxide (ous)	Quince	57.89	4	19.1	A
copper oxide (ous)	Raspberry	745.16	77	662.75	A
copper oxide (ous)	Spinach	41.95	4	40.0	A
copper oxide (ous)	Squash	12.2	1	14.54	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper oxide (ous)	Stone fruit	260.29	8	50.35	A
copper oxide (ous)	Swiss chard	70.5	5	60.7	A
copper oxide (ous)	Tangelo	1,214.99	24	370.28	A
copper oxide (ous)	Tangerine	5,664.29	83	2,000.38	A
copper oxide (ous)	Tomato	53.56	11	35.68	A
copper oxide (ous)	Tomato, processing	3,076.24	52	2,500.25	A
copper oxide (ous)	Uncultivated ag	126.86	1	5.3	A
copper oxide (ous)	Walnut	65,002.37	434	16,401.89	A
copper oxide (ous)	Wheat (forage - fodder)	1.98	1	45.0	A
copper oxychloride	Almond	54,550.21	794	47,640.81	A
copper oxychloride	Apple	705.97	88	703.83	A
copper oxychloride	Apple	0.24	1	6,700.0	S
copper oxychloride	Apricot	210.51	17	173.05	A
copper oxychloride	Artichoke, globe	9.27	5	77.9	A
copper oxychloride	Bean, succulent	8.34	2	35.0	A
copper oxychloride	Bean, unspecified	1.61	1	4.5	A
copper oxychloride	Beet	285.49	25	652.5	A
copper oxychloride	Blueberry	1,492.3	24	1,073.75	A
copper oxychloride	Broccoli	239.59	49	633.77	A
copper oxychloride	Brussels sprout	26.75	3	62.39	A
copper oxychloride	Cabbage	50.68	21	194.86	A
copper oxychloride	Carrot	1,302.39	44	2,913.3	A
copper oxychloride	Cauliflower	167.73	57	567.29	A
copper oxychloride	Celery	3,356.73	863	6,816.71	A
copper oxychloride	Cherry	791.27	30	493.54	A
copper oxychloride	Cilantro	57.01	33	177.41	A
copper oxychloride	Citrus	42.1	4	48.95	A
copper oxychloride	Collard	1.33	4	5.63	A
copper oxychloride	Garlic	151.94	7	292.5	A
copper oxychloride	Grape	226,301.63	2,601	112,742.97	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper oxychloride	Grape, wine	48,613.19	3,673	96,478.81	A
copper oxychloride	Grapefruit	1.19	1	1.0	A
copper oxychloride	Kale	74.24	33	260.67	A
copper oxychloride	Landscape maintenance	228.25	N/A	N/A	N/A
copper oxychloride	Leek	58.7	37	116.47	A
copper oxychloride	Lemon	555.6	45	2,228.0	A
copper oxychloride	Lettuce, head	11.9	5	33.3	A
copper oxychloride	Lettuce, leaf	155.16	49	505.6	A
copper oxychloride	Mint	1.39	4	7.6	A
copper oxychloride	N-grnhs flower	0.71	N/A	33.0	U
copper oxychloride	N-grnhs plants in containers	3.23	18	7.42	A
copper oxychloride	N-grnhs plants in containers	0.07	2	5,700.0	S
copper oxychloride	N-grnhs transplants	15.19	121	106.92	A
copper oxychloride	N-grnhs transplants	0.61	3	154,039.0	S
copper oxychloride	N-outdr flower	437.74	142	1,166.29	A
copper oxychloride	N-outdr plants in containers	270.83	134	589.86	A
copper oxychloride	N-outdr plants in containers	0.82	2	4,500.0	S
copper oxychloride	N-outdr transplants	52.19	45	123.84	A
copper oxychloride	N-outdr transplants	8.05	116	1,464,118.0	S
copper oxychloride	Nectarine	3,156.7	174	2,431.48	A
copper oxychloride	Olive	1,640.47	77	1,110.49	A
copper oxychloride	Olive	0.71	1	100.0	U
copper oxychloride	Onion, dry	594.46	24	1,746.6	A
copper oxychloride	Onion, green	14.79	4	48.4	A
copper oxychloride	Orange	243.82	15	210.33	A
copper oxychloride	Parsley	79.73	36	144.28	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper oxychloride	Peach	6,264.73	297	4,357.66	A
copper oxychloride	Peach	0.95	N/A	3.0	U
copper oxychloride	Pear	9,420.58	418	9,344.95	A
copper oxychloride	Pear, asian (oriental pear, ya, ya li, nashi)	55.95	12	244.9	A
copper oxychloride	Peas	5.0	2	13.0	A
copper oxychloride	Pepper, fruiting	233.89	29	852.84	A
copper oxychloride	Persimmon	18.34	1	77.0	A
copper oxychloride	Plum	443.01	45	529.65	A
copper oxychloride	Pluot	1.19	1	1.0	A
copper oxychloride	Pome fruit	2.14	1	2.4	A
copper oxychloride	Potato	1,896.35	60	3,980.6	A
copper oxychloride	Prune	978.49	25	988.9	A
copper oxychloride	Raspberry	48.07	9	101.68	A
copper oxychloride	Regulatory pest control	110.0	N/A	N/A	N/A
copper oxychloride	Research commodity	85.35	22	90.3	A
copper oxychloride	Research commodity	0.02	1	14,000.0	S
copper oxychloride	Research commodity	7.74	N/A	N/A	N/A
copper oxychloride	Rights of way	65.74	N/A	N/A	N/A
copper oxychloride	Stone fruit	10.49	10	9.55	A
copper oxychloride	Stone fruit	0.24	N/A	6,000.0	S
copper oxychloride	Strawberry	12.8	13	50.28	A
copper oxychloride	Structural pest control	47.03	N/A	N/A	N/A
copper oxychloride	Swiss chard	24.2	30	101.82	A
copper oxychloride	Tangelo	20.25	2	85.0	A
copper oxychloride	Tangerine	1,046.36	30	978.47	A
copper oxychloride	Tomato	139.57	17	503.61	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper oxychloride</b>	Tomato, processing	4,190.61	228	13,624.37	A
<b>copper oxychloride</b>	Uncultivated ag	3.33	1	14.0	A
<b>copper oxychloride</b>	Vegetable	19.31	5	40.5	A
<b>copper oxychloride</b>	Vegetables, leafy	11.93	6	50.07	A
<b>copper oxychloride</b>	Walnut	38,343.95	927	31,223.31	A
<b>copper oxychloride sulfate</b>	Grape	139.08	3	151.36	A
<b>copper 8-quinolinoleate</b>	Landscape maintenance	0.73	N/A	N/A	N/A
<b>copper 8-quinolinoleate</b>	Structural pest control	0.15	N/A	N/A	N/A
<b>copper salts of fatty and rosin acids</b>	Grape, wine	1.22	2	2.0	A
<b>copper salts of fatty and rosin acids</b>	Landscape maintenance	27.74	N/A	N/A	N/A
<b>copper salts of fatty and rosin acids</b>	N-grnhs plants in containers	32.85	12	7.4	A
<b>copper salts of fatty and rosin acids</b>	N-grnhs plants in containers	4.87	1	20,000.0	S
<b>copper salts of fatty and rosin acids</b>	N-grnhs transplants	4.87	1	20,000.0	S
<b>copper salts of fatty and rosin acids</b>	N-outdr plants in containers	84.71	10	19.0	A
<b>copper salts of fatty and rosin acids</b>	N-outdr plants in containers	6.09	2	18,050.0	S
<b>copper sulfate (basic)</b>	Almond	233,642.1	743	47,160.66	A
<b>copper sulfate (basic)</b>	Apple	35.37	1	1.5	A
<b>copper sulfate (basic)</b>	Apricot	132.06	3	8.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper sulfate (basic)</b>	Avocado	44.34	1	460,000.0	U
<b>copper sulfate (basic)</b>	Broccoli	0.21	1	8.7	A
<b>copper sulfate (basic)</b>	Cherry	6,409.13	53	1,255.0	A
<b>copper sulfate (basic)</b>	Cilantro	21.33	1	25.0	A
<b>copper sulfate (basic)</b>	Citrus	554.71	10	102.53	A
<b>copper sulfate (basic)</b>	Grape	48,634.35	1,051	39,505.58	A
<b>copper sulfate (basic)</b>	Grape, wine	11,849.84	186	9,338.88	A
<b>copper sulfate (basic)</b>	Grapefruit	7,259.0	116	1,616.63	A
<b>copper sulfate (basic)</b>	Guava	53.77	2	19.5	A
<b>copper sulfate (basic)</b>	Kiwi fruit fuzzy	63.67	3	22.5	A
<b>copper sulfate (basic)</b>	Landscape maintenance	40.79	N/A	N/A	N/A
<b>copper sulfate (basic)</b>	Lemon	56,405.99	665	12,512.15	A
<b>copper sulfate (basic)</b>	Lime	18.87	1	5.0	A
<b>copper sulfate (basic)</b>	N-grnhs plants in containers	21.34	11	9.24	A
<b>copper sulfate (basic)</b>	N-grnhs plants in containers	0.36	1	900.0	S
<b>copper sulfate (basic)</b>	N-grnhs transplants	3.3	5	152,515.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper sulfate (basic)</b>	N-outdr plants in containers	582.4	29	139.34	A
<b>copper sulfate (basic)</b>	N-outdr transplants	1,257.33	25	525.22	A
<b>copper sulfate (basic)</b>	N-outdr transplants	3.36	7	155,336.0	S
<b>copper sulfate (basic)</b>	Nectarine	525.89	5	33.7	A
<b>copper sulfate (basic)</b>	Olive	4,087.14	31	650.0	A
<b>copper sulfate (basic)</b>	Onion, dry	6,855.23	50	4,595.14	A
<b>copper sulfate (basic)</b>	Orange	521,157.48	5,252	110,210.64	A
<b>copper sulfate (basic)</b>	Peach	38,874.07	180	3,682.41	A
<b>copper sulfate (basic)</b>	Pear	227.91	17	382.5	A
<b>copper sulfate (basic)</b>	Pistachio	15.16	3	19.39	A
<b>copper sulfate (basic)</b>	Plum	679.41	7	104.7	A
<b>copper sulfate (basic)</b>	Pomelo	1,463.26	36	325.0	A
<b>copper sulfate (basic)</b>	Prune	633.9	2	168.0	A
<b>copper sulfate (basic)</b>	Quince	42.45	1	9.0	A
<b>copper sulfate (basic)</b>	Strawberry	2,462.62	35	1,305.5	A
<b>copper sulfate (basic)</b>	Tangelo	11,849.47	166	2,554.19	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper sulfate (basic)</b>	Tangerine	161,873.84	1,324	39,486.74	A
<b>copper sulfate (basic)</b>	Tomato, processing	1,803.0	16	1,906.67	A
<b>copper sulfate (basic)</b>	Vegetable	0.71	1	0.25	A
<b>copper sulfate (basic)</b>	Walnut	37,451.78	264	8,425.44	A
<b>copper sulfate (basic)</b>	Water area	9.9	N/A	1.0	U
<b>copper sulfate (pentahydrate)</b>	Almond	27,415.22	809	39,993.82	A
<b>copper sulfate (pentahydrate)</b>	Apple	37.66	2	5.53	A
<b>copper sulfate (pentahydrate)</b>	Apricot	61.92	9	52.72	A
<b>copper sulfate (pentahydrate)</b>	Avocado	95.69	5	13.0	A
<b>copper sulfate (pentahydrate)</b>	Blackberry	111.91	7	35.22	A
<b>copper sulfate (pentahydrate)</b>	Blueberry	371.88	11	543.0	A
<b>copper sulfate (pentahydrate)</b>	Cherry	33,137.11	86	1,761.07	A
<b>copper sulfate (pentahydrate)</b>	Ditch bank	18,966.42	N/A	45.0	U
<b>copper sulfate (pentahydrate)</b>	Garlic	53.63	4	226.5	A
<b>copper sulfate (pentahydrate)</b>	Golf course turf	32.91	N/A	3.81	A
<b>copper sulfate (pentahydrate)</b>	Grape	47,348.94	471	36,788.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper sulfate (pentahydrate)</b>	Grape, wine	714.31	42	1,134.35	A
<b>copper sulfate (pentahydrate)</b>	Grass, seed	234.13	1	47.3	A
<b>copper sulfate (pentahydrate)</b>	Industrial site	27,720.0	2	1,306.02	A
<b>copper sulfate (pentahydrate)</b>	Landscape maintenance	148.5	1	150.0	?
<b>copper sulfate (pentahydrate)</b>	Landscape maintenance	66,774.37	N/A	N/A	N/A
<b>copper sulfate (pentahydrate)</b>	N-grnhs flower	3.0	20	15.15	A
<b>copper sulfate (pentahydrate)</b>	N-grnhs flower	0.77	3	51,924.0	S
<b>copper sulfate (pentahydrate)</b>	N-grnhs plants in containers	217.78	229	142.76	A
<b>copper sulfate (pentahydrate)</b>	N-grnhs plants in containers	<0.01	1	4.0	C
<b>copper sulfate (pentahydrate)</b>	N-grnhs plants in containers	30.7	74	1,520,178.0	S
<b>copper sulfate (pentahydrate)</b>	N-grnhs transplants	1.22	1	1.9	A
<b>copper sulfate (pentahydrate)</b>	N-grnhs transplants	1.15	65	533,525.0	S
<b>copper sulfate (pentahydrate)</b>	N-outdr flower	430.42	60	313.7	A
<b>copper sulfate (pentahydrate)</b>	N-outdr plants in containers	614.62	387	647.49	A
<b>copper sulfate (pentahydrate)</b>	N-outdr plants in containers	11.64	23	550,520.0	S
<b>copper sulfate (pentahydrate)</b>	N-outdr plants in containers	5.22	4	112,233.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper sulfate (pentahydrate)	N-outdr transplants	28.69	22	42.7	A
copper sulfate (pentahydrate)	N-outdr transplants	0.38	1	31,992.0	S
copper sulfate (pentahydrate)	Nectarine	24.91	7	7.75	A
copper sulfate (pentahydrate)	Olive	136,687.72	99	6,423.49	A
copper sulfate (pentahydrate)	Onion, dry	1,897.54	63	5,673.0	A
copper sulfate (pentahydrate)	Orange	1,025.47	10	152.01	A
copper sulfate (pentahydrate)	Peach	89.77	23	110.55	A
copper sulfate (pentahydrate)	Pear	0.88	2	2.21	A
copper sulfate (pentahydrate)	Pepper, fruiting	10.73	1	30.0	A
copper sulfate (pentahydrate)	Plum	53.41	11	55.54	A
copper sulfate (pentahydrate)	Prune	143.51	9	214.57	A
copper sulfate (pentahydrate)	Public health	1,386.0	N/A	N/A	N/A
copper sulfate (pentahydrate)	Regulatory pest control	247.5	N/A	N/A	N/A
copper sulfate (pentahydrate)	Rice	1,143,945.7	1,184	85,843.39	A
copper sulfate (pentahydrate)	Rice, wild	34,362.14	54	2,542.49	A
copper sulfate (pentahydrate)	Rights of way	3,453.12	7	275.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper sulfate (pentahydrate)	Rights of way	225,217.06	N/A	N/A	N/A
copper sulfate (pentahydrate)	Stone fruit	1.11	1	1.5	A
copper sulfate (pentahydrate)	Tangerine	2,612.79	163	4,780.07	A
copper sulfate (pentahydrate)	Tomato, processing	885.68	47	3,317.06	A
copper sulfate (pentahydrate)	Uncultivated ag	3,575.78	13	248.26	A
copper sulfate (pentahydrate)	Vertebrate control	3.3	N/A	N/A	N/A
copper sulfate (pentahydrate)	Walnut	161,674.55	366	16,244.63	A
copper sulfate (pentahydrate)	Water (industrial)	389.13	5	239.0	A
copper sulfate (pentahydrate)	Water (industrial)	321.4	N/A	1.0	U
copper sulfate (pentahydrate)	Water area	99,088.73	49	12,807.24	A
copper sulfate (pentahydrate)	Water area	5,348.97	N/A	439,982.0	C
copper sulfate (pentahydrate)	Water area	3,002.91	N/A	42,473.0	K
copper sulfate (pentahydrate)	Water area	78.57	N/A	474,276.0	S
copper sulfate (pentahydrate)	Water area	129,617.54	N/A	3,707,614.21	U
copper sulfate (pentahydrate)	Wheat	1,274.13	2	78.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>copper triethanolamine complex</b>	Landscape maintenance	241.79	N/A	N/A	N/A
<b>copper triethanolamine complex</b>	Rights of way	277.1	2	200.0	A
<b>copper triethanolamine complex</b>	Rights of way	14,938.61	N/A	N/A	N/A
<b>copper triethanolamine complex</b>	Water area	7,327.78	2	94.4	A
<b>copper triethanolamine complex</b>	Water area	30.28	N/A	2.0	C
<b>copper triethanolamine complex</b>	Water area	33.31	N/A	2.0	U
<b>corn product, hydrolyzed</b>	Alfalfa	1.35	1	30.0	A
<b>corn product, hydrolyzed</b>	Almond	56.36	2	152.0	A
<b>corn product, hydrolyzed</b>	N-outdr plants in containers	12.78	4	14.0	A
<b>corn product, hydrolyzed</b>	Olive	445.69	19	359.7	A
<b>corn product, hydrolyzed</b>	Orange	130.4	3	227.0	A
<b>corn product, hydrolyzed</b>	Peach	13.71	1	38.0	A
<b>corn product, hydrolyzed</b>	Stone fruit	21.93	5	20.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
corn product, hydrolyzed	Tangerine	165.03	6	487.9	A
corn product, hydrolyzed	Walnut	100,491.38	3,305	78,480.32	A
corn product, hydrolyzed	Watermelon	23.13	3	41.0	A
corn steep liquor	Almond	174.04	1	36.0	A
corn steep liquor	Cherry	314.23	3	65.0	A
corn steep liquor	Grape, wine	232.05	1	64.0	A
corn steep liquor	Landscape maintenance	48.34	N/A	N/A	N/A
corn steep liquor	Olive	97.29	4	34.0	A
corn steep liquor	Walnut	154,426.63	1,231	44,204.57	A
corn syrup	Alfalfa	3,003.59	233	11,098.23	A
corn syrup	Almond	3,644.78	363	10,512.51	A
corn syrup	Cherry	15.54	5	25.44	A
corn syrup	Corn (forage - fodder)	3,381.03	318	12,473.3	A
corn syrup	Corn, grain	5.97	3	96.0	A
corn syrup	Cotton	224.98	17	905.8	A
corn syrup	Garlic	4.97	1	80.0	A
corn syrup	Grape	82.44	7	130.7	A
corn syrup	Grape, wine	314.04	43	1,028.2	A
corn syrup	Oat (forage - fodder)	223.18	26	1,339.0	A
corn syrup	Parsley	5.59	2	18.9	A
corn syrup	Pastureland	6.2	1	10.5	A
corn syrup	Peach	66.34	20	246.51	A
corn syrup	Pistachio	2,598.33	113	4,729.29	A
corn syrup	Prune	215.16	10	865.4	A
corn syrup	Rice	117.77	13	978.0	A
corn syrup	Rights of way	52.45	22	112.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
corn syrup	Rights of way	151.92	N/A	N/A	N/A
corn syrup	Safflower	6.96	3	28.0	A
corn syrup	Sudangrass	8.58	3	89.0	A
corn syrup	Sugarbeet	31.08	2	165.0	A
corn syrup	Tomato, processing	74.6	2	160.0	A
corn syrup	Uncultivated ag	891.65	58	3,121.37	A
corn syrup	Walnut	831.66	78	1,694.67	A
corn syrup	Wheat	157.0	14	699.04	A
corn syrup	Wheat (forage - fodder)	45.07	3	177.0	A
cottonseed oil	Alfalfa	3,118.78	55	2,732.5	A
cottonseed oil	Avocado	5.34	2	22.0	A
cottonseed oil	Citrus	5.95	5	18.0	A
cottonseed oil	Corn (forage - fodder)	6,113.39	95	5,109.5	A
cottonseed oil	Cotton	5,235.91	79	4,951.3	A
cottonseed oil	Grape	230.04	24	793.0	A
cottonseed oil	Grape, wine	2.71	1	20.0	A
cottonseed oil	Landscape maintenance	1.88	N/A	N/A	N/A
cottonseed oil	Lemon	23.22	8	67.0	A
cottonseed oil	N-grnhs flower	2.04	47	376,000.0	S
cottonseed oil	Plum	8.99	1	10.0	A
cottonseed oil	Rights of way	9.96	7	33.0	A
cottonseed oil	Sorghum (forage - fodder)	1,984.97	9	1,172.0	A
cottonseed oil	Tangerine	1.21	1	3.6	A
cottonseed oil	Uncultivated ag	82.04	38	213.5	A
cottonseed oil	Wheat	46.13	5	103.4	A
coyote urine	Landscape maintenance	2.6	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
coyote urine	Structural pest control	0.21	N/A	N/A	N/A
creosote	Forest, timberland	3.04	1	15.0	A
cryolite	Broccoli	7,123.77	16	817.6	A
cryolite	Grape	112,076.45	624	22,621.75	A
cryolite	Grape, wine	1,895.04	14	332.0	A
cryolite	Grapefruit	2,725.44	20	270.7	A
cryolite	Kiwi fruit fuzzy	6,620.06	38	706.39	A
cryolite	Lemon	662.4	5	60.0	A
cryolite	N-outdr plants in containers	18.62	4	4.8	A
cryolite	Orange	189,343.46	774	17,208.51	A
cryolite	Pepper, fruiting	27,249.95	121	2,898.18	A
cryolite	Pumpkin	2,563.15	4	264.0	A
cryolite	Rights of way	24.0	N/A	N/A	N/A
cryolite	Tangelo	86.4	1	9.05	A
cryolite	Tangerine	4,383.22	25	393.66	A
cube extracts	Landscape maintenance	0.08	N/A	N/A	N/A
cube extracts	Structural pest control	0.02	N/A	N/A	N/A
cyanazine	N-outdr plants in containers	1.8	1	3.0	A
cyantraniliprole	Alfalfa	0.04	1	1,500.0	S
cyantraniliprole	Almond	8,951.15	1,578	88,144.89	A
cyantraniliprole	Apple	48.7	23	495.2	A
cyantraniliprole	Arugula	0.66	1	7.1	A
cyantraniliprole	Bean, succulent	<0.01	3	0.1	A
cyantraniliprole	Beet	8.4	21	66.56	A
cyantraniliprole	Blackberry	43.52	59	427.5	A
cyantraniliprole	Blueberry	50.6	18	384.61	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyantraniliprole	Bok choy	75.55	169	537.16	A
cyantraniliprole	Broccoli	2,107.57	1,436	18,885.21	A
cyantraniliprole	Brussels sprout	1,139.96	861	12,070.4	A
cyantraniliprole	Bushberry	0.02	1	0.15	A
cyantraniliprole	Cabbage	1,089.97	1,428	11,088.23	A
cyantraniliprole	Cantaloupe	567.5	65	6,246.34	A
cyantraniliprole	Cauliflower	787.11	719	7,441.44	A
cyantraniliprole	Celeriac	0.49	3	3.33	A
cyantraniliprole	Celery	857.12	875	8,711.65	A
cyantraniliprole	Cherry	0.47	1	4.5	A
cyantraniliprole	Chinese cabbage (napa, won bok, celery cabbage)	211.01	326	1,604.03	A
cyantraniliprole	Cilantro	1.59	1	18.0	A
cyantraniliprole	Citrus	14.72	9	139.6	A
cyantraniliprole	Cole crop	0.1	3	0.66	A
cyantraniliprole	Collard	52.01	169	403.41	A
cyantraniliprole	Cotton	101.92	5	1,161.0	A
cyantraniliprole	Cucumber	1.6	8	12.41	A
cyantraniliprole	Daikon	14.75	2	145.0	A
cyantraniliprole	Eggplant	4.83	3	55.0	A
cyantraniliprole	Endive (escarole)	35.8	87	377.95	A
cyantraniliprole	Fennel	6.67	6	56.92	A
cyantraniliprole	Garbanzo bean	3.3	1	12.0	A
cyantraniliprole	Garlic	40.84	15	420.7	A
cyantraniliprole	Grape	8.16	2	60.0	A
cyantraniliprole	Grapefruit	334.05	143	3,220.75	A
cyantraniliprole	Kale	123.46	331	1,105.02	A
cyantraniliprole	Kohlrabi	5.17	27	40.4	A
cyantraniliprole	Landscape maintenance	1.66	1	0.02	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyantraniliprole	Landscape maintenance	2.88	N/A	N/A	N/A
cyantraniliprole	Leek	46.36	81	439.5	A
cyantraniliprole	Lemon	907.78	579	9,036.77	A
cyantraniliprole	Lettuce, head	878.04	787	9,826.2	A
cyantraniliprole	Lettuce, leaf	2,638.67	2,212	25,644.79	A
cyantraniliprole	Lime	3.76	5	49.8	A
cyantraniliprole	Melon	91.68	10	1,064.24	A
cyantraniliprole	Melon	0.08	2	5,020.0	S
cyantraniliprole	Mizuna	0.49	1	5.2	A
cyantraniliprole	Mustard	6.03	26	60.51	A
cyantraniliprole	Mustard greens	16.67	73	122.92	A
cyantraniliprole	N-grnhs flower	65.83	200	391.14	A
cyantraniliprole	N-grnhs flower	7.32	56	783,280.5	S
cyantraniliprole	N-grnhs plants in containers	1,267.79	1,125	974.64	A
cyantraniliprole	N-grnhs plants in containers	27.67	173	6,171,805.0	S
cyantraniliprole	N-grnhs plants in containers	0.45	2	95,852.0	U
cyantraniliprole	N-grnhs transplants	5,580.6	782	729.16	A
cyantraniliprole	N-grnhs transplants	850.39	222	2,491,027.0	S
cyantraniliprole	N-outdr flower	33.52	119	333.12	A
cyantraniliprole	N-outdr flower	1.52	14	208,471.0	S
cyantraniliprole	N-outdr plants in containers	430.92	546	1,286.43	A
cyantraniliprole	N-outdr plants in containers	12.2	45	1,171,100.0	S
cyantraniliprole	N-outdr plants in containers	2.25	17	314,326.0	U
cyantraniliprole	N-outdr transplants	3,941.7	1,130	938.56	A
cyantraniliprole	N-outdr transplants	4,288.56	1,053	4,282,484.99	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyantraniliprole	N-outdr transplants	2.8	4	500,832.0	U
cyantraniliprole	Nectarine	110.65	29	986.0	A
cyantraniliprole	Onion, dry	555.49	105	4,558.2	A
cyantraniliprole	Onion, green	2.69	10	34.51	A
cyantraniliprole	Orange	7,122.06	3,265	66,004.09	A
cyantraniliprole	Parsley	0.48	2	5.0	A
cyantraniliprole	Peach	514.22	112	4,580.06	A
cyantraniliprole	Pear	2.11	1	20.0	A
cyantraniliprole	Pear, asian (oriental pear, ya, ya li, nashi)	17.17	12	163.0	A
cyantraniliprole	Peas	167.18	63	730.63	A
cyantraniliprole	Pecan	1.09	2	10.0	A
cyantraniliprole	Pepper, fruiting	1,077.6	304	7,980.67	A
cyantraniliprole	Pistachio	107.24	16	830.72	A
cyantraniliprole	Plum	2.24	1	18.0	A
cyantraniliprole	Pomelo	16.5	19	156.5	A
cyantraniliprole	Potato	353.47	59	3,879.0	A
cyantraniliprole	Prune	58.57	13	555.85	A
cyantraniliprole	Pumpkin	29.32	14	298.5	A
cyantraniliprole	Radish	0.73	5	9.5	A
cyantraniliprole	Rapini	27.38	16	292.3	A
cyantraniliprole	Raspberry	49.19	52	522.32	A
cyantraniliprole	Regulatory pest control	0.02	N/A	N/A	N/A
cyantraniliprole	Research commodity	2.15	12	19.76	A
cyantraniliprole	Research commodity	0.06	1	10,000.0	S
cyantraniliprole	Research commodity	1.21	N/A	N/A	N/A
cyantraniliprole	Root vegetable	1.22	14	13.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyantraniliprole	Spinach	83.62	103	825.34	A
cyantraniliprole	Squash	20.08	14	205.5	A
cyantraniliprole	Strawberry	1,360.62	367	13,304.55	A
cyantraniliprole	Structural pest control	0.26	N/A	N/A	N/A
cyantraniliprole	Sunflower	24.05	22	287.1	A
cyantraniliprole	Swiss chard	1.65	12	15.43	A
cyantraniliprole	Tangelo	167.35	117	1,598.99	A
cyantraniliprole	Tangerine	2,658.07	1,149	25,713.02	A
cyantraniliprole	Tomato	665.87	238	8,116.95	A
cyantraniliprole	Tomato	0.04	2	5,040.0	S
cyantraniliprole	Tomato, processing	160.42	31	1,950.3	A
cyantraniliprole	Turnip	6.61	36	46.1	A
cyantraniliprole	Turnip greens	0.95	8	8.57	A
cyantraniliprole	Uncultivated ag	0.05	1	0.5	A
cyantraniliprole	Vegetables, fruiting	0.13	4	1.05	A
cyantraniliprole	Vegetables, leafy	0.73	15	7.55	A
cyantraniliprole	Walnut	695.86	164	7,071.34	A
cyantraniliprole	Watermelon	20.87	10	232.7	A
cyantraniliprole	Watermelon	0.01	2	6,720.0	S
cyanuric acid	Water area	2.0	N/A	1.0	U
cyanuric acid	Wheat	0.68	2	100.0	A
cyazofamid	Arugula	43.13	76	606.97	A
cyazofamid	Basil, sweet	68.56	114	890.8	A
cyazofamid	Bok choy	2.02	18	28.26	A
cyazofamid	Broccoli	50.91	14	115.7	A
cyazofamid	Brussels sprout	79.7	4	153.0	A
cyazofamid	Cabbage	49.65	192	358.21	A
cyazofamid	Carrot	2,476.51	232	15,936.76	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyazofamid	Chinese cabbage (napa, won bok, celery cabbage)	1.74	22	24.32	A
cyazofamid	Cilantro	0.27	3	3.72	A
cyazofamid	Cole crop	1.17	25	16.6	A
cyazofamid	Collard	19.32	137	269.73	A
cyazofamid	Cucumber	85.45	59	1,230.97	A
cyazofamid	Dandelion green	0.14	3	2.02	A
cyazofamid	Endive (escarole)	0.47	7	6.4	A
cyazofamid	Golf course turf	44.64	N/A	74.1	A
cyazofamid	Golf course turf	5.85	1	1,090,000.0	S
cyazofamid	Herb, spice	1.12	13	17.52	A
cyazofamid	Kale	30.29	231	423.89	A
cyazofamid	Kohlrabi	0.65	11	9.11	A
cyazofamid	Landscape maintenance	226.73	N/A	N/A	N/A
cyazofamid	Lettuce, head	61.39	64	877.21	A
cyazofamid	Lettuce, leaf	102.13	204	1,447.82	A
cyazofamid	Melon	9.76	13	136.85	A
cyazofamid	Mizuna	0.04	1	0.6	A
cyazofamid	Mustard	1.42	18	19.92	A
cyazofamid	Mustard greens	3.74	28	52.15	A
cyazofamid	N-grnhs flower	26.65	3	28.25	A
cyazofamid	N-grnhs flower	0.99	N/A	208,000.0	S
cyazofamid	N-grnhs plants in containers	3.0	5	8.53	A
cyazofamid	N-grnhs plants in containers	2.18	4	13,664.0	S
cyazofamid	N-grnhs transplants	57.08	1,215	508.34	A
cyazofamid	N-grnhs transplants	1.97	12	1,311,000.0	S
cyazofamid	N-outdr flower	1.78	18	153.3	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyazofamid	N-outdr flower	0.02	3	27,200.0	S
cyazofamid	N-outdr plants in containers	2.1	24	31.67	A
cyazofamid	N-outdr transplants	3.82	21	72.61	A
cyazofamid	N-outdr transplants	8.39	98	5,024,000.0	S
cyazofamid	Onion, dry	61.0	24	790.3	A
cyazofamid	Onion, green	2.45	11	31.56	A
cyazofamid	Parsley	0.61	4	8.53	A
cyazofamid	Pepper, fruiting	9.85	5	152.0	A
cyazofamid	Pepper, spice	2.24	2	31.4	A
cyazofamid	Pumpkin	3.73	2	52.0	A
cyazofamid	Research commodity	0.09	N/A	N/A	N/A
cyazofamid	Spinach	155.37	284	2,182.78	A
cyazofamid	Squash	1.47	3	21.0	A
cyazofamid	Swiss chard	0.02	2	0.35	A
cyazofamid	Tomato	1.95	5	30.0	A
cyazofamid	Tomato, processing	10.73	2	150.0	A
cyazofamid	Turf/sod	0.81	N/A	64,000.0	S
cyazofamid	Upland cress	3.81	28	53.5	A
cyazofamid	Vegetables, leafy	2.79	55	37.67	A
cyazofamid	Watermelon	4.78	2	88.0	A
cyclanilide	Cotton	1,059.84	323	15,213.48	A
cyclanilide	Cotton	3.76	N/A	1,823.21	U
cyclanilide	Research commodity	0.12	N/A	N/A	N/A
cycloate	Beet	1,576.21	149	574.66	A
cycloate	Lettuce, leaf	22.39	3	5.0	A
cycloate	Research commodity	4.85	N/A	N/A	N/A
cycloate	Rights of way	13.44	1	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cycloate	Spinach	39,797.27	2,590	20,848.37	A
cycloate	Unknown	105.39	19	26.7	A
cyflufenamid	Bok choy	0.17	1	3.3	A
cyflufenamid	Cantaloupe	150.04	102	6,814.3	A
cyflufenamid	Cherry	24.32	11	501.82	A
cyflufenamid	Cucumber	6.52	18	280.05	A
cyflufenamid	Eggplant	0.83	3	36.0	A
cyflufenamid	Fumigation, other	0.03	1	1.0	A
cyflufenamid	Gai lon	0.05	1	1.01	A
cyflufenamid	Grape	1,833.25	1,541	65,442.88	A
cyflufenamid	Grape, wine	3,903.44	5,676	149,803.48	A
cyflufenamid	Landscape maintenance	0.06	N/A	N/A	N/A
cyflufenamid	Melon	102.08	88	4,430.74	A
cyflufenamid	N-grnhs flower	1.0	6	6.06	A
cyflufenamid	N-grnhs flower	<0.01	4	7,250.0	S
cyflufenamid	N-grnhs plants in containers	48.37	155	653.49	A
cyflufenamid	N-grnhs plants in containers	0.86	35	206,634.0	S
cyflufenamid	N-grnhs transplants	0.92	9	5.87	A
cyflufenamid	N-grnhs transplants	6.71	75	1,717,980.0	S
cyflufenamid	N-outdr flower	20.56	52	317.27	A
cyflufenamid	N-outdr plants in containers	168.82	345	1,761.16	A
cyflufenamid	N-outdr plants in containers	4.19	19	284,224.0	S
cyflufenamid	N-outdr plants in containers	0.58	3	18,500.0	U
cyflufenamid	N-outdr transplants	8.76	42	244.96	A
cyflufenamid	Peas	0.02	1	0.25	A
cyflufenamid	Pepper, fruiting	60.2	104	2,652.24	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyflufenamid	Pumpkin	14.57	20	632.12	A
cyflufenamid	Research commodity	0.02	5	44,000.0	S
cyflufenamid	Research commodity	0.01	N/A	N/A	N/A
cyflufenamid	Squash	35.87	58	1,564.17	A
cyflufenamid	Squash, summer	1.8	3	78.0	A
cyflufenamid	Squash, winter	8.52	15	369.0	A
cyflufenamid	Strawberry	535.84	660	23,007.64	A
cyflufenamid	Strawberry	<0.01	2	9,900.0	S
cyflufenamid	Tomato	26.77	37	1,162.8	A
cyflufenamid	Tomato, processing	97.92	71	4,247.72	A
cyflufenamid	Uncultivated ag	0.18	1	5.79	A
cyflufenamid	Vegetable	0.11	1	5.0	A
cyflufenamid	Watermelon	195.53	236	8,554.07	A
cyflumetofen	Almond	41,803.15	3,469	229,976.49	A
cyflumetofen	Apple	75.22	13	409.2	A
cyflumetofen	Blueberry	0.73	1	4.0	A
cyflumetofen	Grape	2,002.99	257	11,048.02	A
cyflumetofen	Grape, wine	4,290.59	638	23,999.07	A
cyflumetofen	Grapefruit	10.59	9	57.9	A
cyflumetofen	Landscape maintenance	3.62	N/A	N/A	N/A
cyflumetofen	Lemon	342.77	98	1,956.21	A
cyflumetofen	N-grnhs flower	24.33	34	75.3	A
cyflumetofen	N-grnhs flower	1.55	28	166,540.0	S
cyflumetofen	N-grnhs plants in containers	70.71	178	275.44	A
cyflumetofen	N-grnhs plants in containers	7.67	80	1,901,132.4	S
cyflumetofen	N-grnhs transplants	2.87	16	16.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyflumetofen	N-grnhs transplants	5.92	35	706,925.0	S
cyflumetofen	N-outdr flower	37.09	45	112.48	A
cyflumetofen	N-outdr flower	0.09	1	10,000.0	S
cyflumetofen	N-outdr plants in containers	53.18	106	296.15	A
cyflumetofen	N-outdr plants in containers	1.93	17	251,875.0	S
cyflumetofen	N-outdr plants in containers	11.28	13	321,996.0	U
cyflumetofen	N-outdr transplants	58.13	40	315.52	A
cyflumetofen	Orange	1,860.15	427	10,411.94	A
cyflumetofen	Peach	3.24	27	23.93	A
cyflumetofen	Pear	93.01	13	525.06	A
cyflumetofen	Pear, asian (oriental pear, ya, ya li, nashi)	3.66	3	20.0	A
cyflumetofen	Pistachio	66.38	9	362.9	A
cyflumetofen	Pomelo	8.3	4	45.5	A
cyflumetofen	Regulatory pest control	2.77	N/A	N/A	N/A
cyflumetofen	Research commodity	1.34	7	7.08	A
cyflumetofen	Research commodity	<0.01	1	500.0	S
cyflumetofen	Research commodity	1.57	N/A	N/A	N/A
cyflumetofen	Strawberry	5,728.88	1,074	31,440.22	A
cyflumetofen	Structural pest control	0.53	N/A	N/A	N/A
cyflumetofen	Tangelo	24.86	11	134.29	A
cyflumetofen	Tangerine	1,075.42	216	6,021.32	A
cyflumetofen	Tomato	7.01	3	40.0	A
cyflumetofen	Tomato, processing	27.43	1	157.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyflumetofen	Uncultivated ag	4.07	2	76.0	A
cyflumetofen	Walnut	3,703.19	509	20,585.99	A
cyfluthrin	Alfalfa	662.78	219	16,228.65	A
cyfluthrin	Almond	2,161.3	256	14,340.43	A
cyfluthrin	Arugula	0.71	2	13.2	A
cyfluthrin	Bean, dried	17.37	13	548.9	A
cyfluthrin	Bermudagrass	25.02	12	572.6	A
cyfluthrin	Bok choy	10.38	1	320.0	A
cyfluthrin	Broccoli	28.94	50	555.8	A
cyfluthrin	Brussels sprout	28.4	39	546.3	A
cyfluthrin	Buildings/non-ag outdoor	0.7	N/A	N/A	U
cyfluthrin	Cabbage	16.39	24	327.5	A
cyfluthrin	Cantaloupe	347.27	51	7,630.28	A
cyfluthrin	Carrot	4.18	3	92.0	A
cyfluthrin	Cauliflower	4.56	3	90.0	A
cyfluthrin	Celery	18.35	11	368.0	A
cyfluthrin	Chinese amaranth (chinese spinach, tampala, yin choy)	6.81	15	210.0	A
cyfluthrin	Chinese broccoli (gai lon)	0.71	1	15.0	A
cyfluthrin	Chinese cabbage (napa, won bok, celery cabbage)	6.97	3	209.0	A
cyfluthrin	Citrus	7.92	37	130.42	A
cyfluthrin	Commodity fumigation	5.68	N/A	N/A	N/A
cyfluthrin	Corn (forage - fodder)	19.67	5	438.0	A
cyfluthrin	Corn, human consumption	747.21	351	16,406.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
cyfluthrin	Cotton	1,212.4	145	23,973.65	A
cyfluthrin	Cucumber	0.71	8	22.0	A
cyfluthrin	Dandelion green	0.8	16	16.38	A
cyfluthrin	Eggplant	5.37	7	122.8	A
cyfluthrin	Endive (escarole)	0.05	4	1.13	A
cyfluthrin	Grape	167.52	111	3,318.64	A
cyfluthrin	Grape, wine	76.12	42	1,677.29	A
cyfluthrin	Grapefruit	240.45	231	3,753.09	A
cyfluthrin	Kale	0.13	1	5.0	A
cyfluthrin	Kohlrabi	0.03	1	0.66	A
cyfluthrin	Kumquat	0.21	1	4.0	A
cyfluthrin	Landscape maintenance	6.29	N/A	N/A	N/A
cyfluthrin	Lemon	311.05	265	5,874.37	A
cyfluthrin	Lettuce, head	139.73	169	2,767.46	A
cyfluthrin	Lettuce, leaf	140.44	242	2,651.86	A
cyfluthrin	Lime	0.38	4	3.5	A
cyfluthrin	Melon	131.08	20	2,884.52	A
cyfluthrin	Mustard	0.29	4	6.05	A
cyfluthrin	Mustard greens	2.15	16	41.74	A
cyfluthrin	N-grnhs flower	3.39	84	161.2	A
cyfluthrin	N-grnhs flower	0.46	42	348,487.0	S
cyfluthrin	N-grnhs plants in containers	9.43	422	250.82	A
cyfluthrin	N-grnhs plants in containers	98.45	287	13,527,696.15	S
cyfluthrin	N-grnhs plants in containers	0.06	1	10,000.0	U
cyfluthrin	N-grnhs transplants	0.83	35	29.69	A
cyfluthrin	N-grnhs transplants	0.17	7	155,390.0	S
cyfluthrin	N-outdr flower	12.1	143	438.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyfluthrin	N-outdr flower	<0.01	1	5,427.0	S
cyfluthrin	N-outdr plants in containers	50.79	601	1,343.54	A
cyfluthrin	N-outdr plants in containers	10.51	82	5,056,840.0	S
cyfluthrin	N-outdr plants in containers	7.06	90	1,163,104.0	U
cyfluthrin	N-outdr transplants	20.08	96	1,261.36	A
cyfluthrin	Orange	1,987.45	1,251	24,021.95	A
cyfluthrin	Parsley	7.88	88	161.79	A
cyfluthrin	Peach	40.75	59	1,181.31	A
cyfluthrin	Pecan	0.07	1	3.0	A
cyfluthrin	Pepper, fruiting	26.12	15	605.75	A
cyfluthrin	Pistachio	500.75	139	12,610.65	A
cyfluthrin	Plum	0.74	6	17.5	A
cyfluthrin	Pomelo	8.99	13	160.0	A
cyfluthrin	Public health	2.43	N/A	N/A	N/A
cyfluthrin	Radish	2.05	2	53.0	A
cyfluthrin	Regulatory pest control	30.19	N/A	N/A	N/A
cyfluthrin	Research commodity	<0.01	1	0.02	A
cyfluthrin	Research commodity	0.01	1	10,000.0	S
cyfluthrin	Research commodity	0.5	N/A	N/A	N/A
cyfluthrin	Rights of way	2.66	N/A	N/A	N/A
cyfluthrin	Ryegrass	29.84	7	672.04	A
cyfluthrin	Spinach	46.82	76	1,061.82	A
cyfluthrin	Squash	9.21	6	202.0	A
cyfluthrin	Structural pest control	3,025.18	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
cyfluthrin	Sweet potato	17.66	7	389.1	A
cyfluthrin	Swiss chard	1.95	39	39.93	A
cyfluthrin	Tangelo	43.23	34	608.82	A
cyfluthrin	Tangerine	357.07	319	5,283.35	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyfluthrin	Tomato	51.08	26	1,158.86	A
cyfluthrin	Tomato, processing	110.69	42	3,030.06	A
cyfluthrin	Turnip greens	0.08	2	1.5	A
cyfluthrin	Walnut	31.29	18	750.0	A
cyfluthrin	Wheat	52.45	9	1,379.5	A
beta-cyfluthrin	Alfalfa	1,253.87	978	55,989.44	A
beta-cyfluthrin	Alfalfa-grass mixture	0.4	1	25.0	A
beta-cyfluthrin	Almond	339.33	231	16,100.2	A
beta-cyfluthrin	Animal premise	5.87	N/A	639,940.0	S
beta-cyfluthrin	Animal premise	277.73	N/A	282.0	U
beta-cyfluthrin	Apple	39.21	27	877.2	A
beta-cyfluthrin	Apricot	2.36	4	102.5	A
beta-cyfluthrin	Arugula	14.24	132	552.82	A
beta-cyfluthrin	Bean, dried	405.27	109	6,641.85	A
beta-cyfluthrin	Bean, succulent	4.32	7	185.56	A
beta-cyfluthrin	Bean, unspecified	4.73	19	192.14	A
beta-cyfluthrin	Bermudagrass	46.83	32	2,067.7	A
beta-cyfluthrin	Bok choy	47.45	583	1,872.01	A
beta-cyfluthrin	Broccoli	289.56	1,028	11,400.5	A
beta-cyfluthrin	Brussels sprout	101.35	219	3,828.45	A
beta-cyfluthrin	Buildings/non-ag outdoor	0.34	N/A	0.01	U
beta-cyfluthrin	Cabbage	189.46	988	6,522.74	A
beta-cyfluthrin	Cantaloupe	2.39	3	102.0	A
beta-cyfluthrin	Carrot	60.54	45	2,727.7	A
beta-cyfluthrin	Cauliflower	107.9	415	4,227.37	A
beta-cyfluthrin	Celery	70.2	316	2,690.01	A
beta-cyfluthrin	Cherry	0.11	1	5.0	A
beta-cyfluthrin	Chinese broccoli (gai lon)	11.42	138	460.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
beta-cyfluthrin	Chinese cabbage (napa, won bok, celery cabbage)	38.78	437	1,573.81	A
beta-cyfluthrin	Chrysanthemum, edible leaved	0.39	18	15.0	A
beta-cyfluthrin	Citrus	16.73	70	415.95	A
beta-cyfluthrin	Citrus	<0.01	1	450.0	S
beta-cyfluthrin	Citrus	0.31	8	570,388.0	U
beta-cyfluthrin	Collard	17.93	320	682.88	A
beta-cyfluthrin	Commodity fumigation	0.1	N/A	N/A	N/A
beta-cyfluthrin	Corn, human consumption	409.95	491	17,604.13	A
beta-cyfluthrin	Cotton	528.93	367	20,971.89	A
beta-cyfluthrin	Dandelion green	0.72	27	25.91	A
beta-cyfluthrin	Eggplant	1.42	3	60.0	A
beta-cyfluthrin	Endive (escarole)	1.0	36	38.94	A
beta-cyfluthrin	Fennel	0.45	2	16.9	A
beta-cyfluthrin	Forage hay/silage	11.56	9	584.0	A
beta-cyfluthrin	Fumigation, other	1.12	N/A	N/A	N/A
beta-cyfluthrin	Gai lon	4.56	19	189.94	A
beta-cyfluthrin	Grape	794.22	754	31,516.91	A
beta-cyfluthrin	Grape, wine	93.2	91	2,929.07	A
beta-cyfluthrin	Grapefruit	42.39	74	975.86	A
beta-cyfluthrin	Grass, seed	19.9	10	747.66	A
beta-cyfluthrin	Herb, spice	0.09	4	2.5	A
beta-cyfluthrin	Hops	0.26	1	9.57	A
beta-cyfluthrin	Industrial site	1.05	11	385.0	A
beta-cyfluthrin	Industrial site	0.12	N/A	18,000.0	S
beta-cyfluthrin	Industrial site	0.1	N/A	0.01	U
beta-cyfluthrin	Kale	70.02	819	2,709.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
beta-cyfluthrin	Kohlrabi	2.72	57	101.3	A
beta-cyfluthrin	Landscape maintenance	186.61	N/A	N/A	N/A
beta-cyfluthrin	Lemon	411.54	498	10,843.36	A
beta-cyfluthrin	Lettuce, head	287.53	1,037	11,575.22	A
beta-cyfluthrin	Lettuce, leaf	426.89	1,762	16,942.96	A
beta-cyfluthrin	Melon	1.95	9	89.05	A
beta-cyfluthrin	Mizuna	3.81	26	141.53	A
beta-cyfluthrin	Mustard	24.02	216	917.21	A
beta-cyfluthrin	Mustard greens	18.29	331	722.98	A
beta-cyfluthrin	N-grnhs flower	<0.01	N/A	4.0	A
beta-cyfluthrin	N-grnhs plants in containers	0.94	28	38.48	A
beta-cyfluthrin	N-grnhs plants in containers	0.03	1	6,000.0	S
beta-cyfluthrin	N-grnhs plants in containers	<0.01	1	1,303.0	U
beta-cyfluthrin	N-outdr plants in containers	5.25	295	255.19	A
beta-cyfluthrin	N-outdr plants in containers	<0.01	3	5,634.71	C
beta-cyfluthrin	N-outdr plants in containers	0.37	43	183,696.0	S
beta-cyfluthrin	N-outdr plants in containers	0.41	8	8,566.0	U
beta-cyfluthrin	N-outdr transplants	2.42	31	109.21	A
beta-cyfluthrin	N-outdr transplants	0.01	N/A	1,600.0	S
beta-cyfluthrin	Nectarine	1.44	8	63.4	A
beta-cyfluthrin	Orange	2,142.24	2,392	57,287.82	A
beta-cyfluthrin	Orchardgrass	3.27	4	172.0	A
beta-cyfluthrin	Parsley	7.43	137	282.19	A
beta-cyfluthrin	Pastureland	6.2	7	269.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
beta-cyfluthrin	Peach	61.82	131	2,846.76	A
beta-cyfluthrin	Peas	0.1	7	3.53	A
beta-cyfluthrin	Pecan	19.67	18	943.8	A
beta-cyfluthrin	Pepper, fruiting	33.47	61	1,414.51	A
beta-cyfluthrin	Pepper, spice	1.8	12	76.03	A
beta-cyfluthrin	Pistachio	992.53	564	46,646.65	A
beta-cyfluthrin	Plum	3.53	7	154.0	A
beta-cyfluthrin	Pluot	0.07	2	3.32	A
beta-cyfluthrin	Pomelo	1.33	6	34.0	A
beta-cyfluthrin	Potato	351.71	81	6,371.8	A
beta-cyfluthrin	Prune	32.43	47	1,472.98	A
beta-cyfluthrin	Public health	12.76	N/A	N/A	N/A
beta-cyfluthrin	Pumpkin	0.31	2	12.6	A
beta-cyfluthrin	Quince	0.26	3	13.0	A
beta-cyfluthrin	Radish	3.82	49	162.31	A
beta-cyfluthrin	Rapini	106.38	151	4,453.4	A
beta-cyfluthrin	Regulatory pest control	331.43	N/A	N/A	N/A
beta-cyfluthrin	Research commodity	0.45	10	18.14	A
beta-cyfluthrin	Research commodity	1.81	N/A	N/A	N/A
beta-cyfluthrin	Rice	0.94	N/A	12,000.0	S
beta-cyfluthrin	Rights of way	0.05	1	1.0	A
beta-cyfluthrin	Rights of way	4.6	N/A	N/A	N/A
beta-cyfluthrin	Spinach	143.19	627	4,744.93	A
beta-cyfluthrin	Squash	3.88	8	169.7	A
beta-cyfluthrin	Squash, summer	0.14	1	6.0	A
beta-cyfluthrin	Structural pest control	7,824.76	N/A	N/A	N/A
beta-cyfluthrin	Sudangrass	3.71	3	161.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
beta-cyfluthrin	Swiss chard	23.43	409	901.96	A
beta-cyfluthrin	Tangelo	39.71	64	931.29	A
beta-cyfluthrin	Tangerine	735.89	855	20,622.56	A
beta-cyfluthrin	Timothy	55.98	32	1,497.0	A
beta-cyfluthrin	Tomato	346.9	237	11,707.35	A
beta-cyfluthrin	Tomato, processing	546.75	301	19,452.51	A
beta-cyfluthrin	Turnip	1.49	30	58.89	A
beta-cyfluthrin	Uncultivated ag	1.0	6	40.7	A
beta-cyfluthrin	Uncultivated non-ag	0.67	1	30.0	A
beta-cyfluthrin	Uncultivated non-ag	0.02	4	21,750.0	S
beta-cyfluthrin	Vertebrate control	0.01	N/A	N/A	N/A
beta-cyfluthrin	Walnut	540.4	581	22,436.87	A
beta-cyfluthrin	Watermelon	1.72	3	72.9	A
beta-cyfluthrin	Wheat (forage - fodder)	1.42	1	64.0	A
cyhalofop-butyl	Rice	12,813.6	608	41,945.57	A
cymoxanil	Broccoli	1.88	1	10.0	A
cymoxanil	Cilantro	37.05	74	257.05	A
cymoxanil	Cucumber	105.32	30	868.92	A
cymoxanil	Lettuce, head	1,850.28	700	10,360.11	A
cymoxanil	Lettuce, leaf	1,901.1	840	11,501.03	A
cymoxanil	Melon	1.08	2	8.65	A
cymoxanil	N-grnhs transplants	36.64	17	778.65	A
cymoxanil	N-outdr transplants	0.69	4	7.1	A
cymoxanil	Onion, dry	1,111.75	89	9,697.9	A
cymoxanil	Parsley	31.27	49	200.01	A
cymoxanil	Pepper, fruiting	18.2	7	140.65	A
cymoxanil	Potato	514.84	65	4,317.0	A
cymoxanil	Research commodity	1.17	N/A	N/A	N/A
cymoxanil	Spinach	510.49	315	3,345.74	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cymoxanil	Squash	3.36	4	29.65	A
cymoxanil	Tomato	602.41	150	4,812.83	A
cymoxanil	Tomato, processing	197.59	30	1,843.99	A
cymoxanil	Upland cress	2.08	12	19.73	A
cymoxanil	Watermelon	0.38	1	3.03	A
cypermethrin	Animal premise	156.71	N/A	790.0	A
cypermethrin	Bok choy	0.67	1	7.0	A
cypermethrin	Broccoli	410.19	333	4,217.27	A
cypermethrin	Buildings/non-ag outdoor	36.81	N/A	N/A	U
cypermethrin	Cabbage	126.95	202	1,303.6	A
cypermethrin	Cannabis (all or unspecified)	<0.01	1	1.5	A
cypermethrin	Cauliflower	183.16	216	1,879.4	A
cypermethrin	Chinese cabbage (napa, won bok, celery cabbage)	0.87	1	9.0	A
cypermethrin	Garlic	15.44	1	158.71	A
cypermethrin	Kale	9.19	5	98.61	A
cypermethrin	Landscape maintenance	365.49	N/A	N/A	N/A
cypermethrin	Lettuce, head	70.1	50	891.65	A
cypermethrin	N-outdr transplants	0.2	2	228,000.0	S
cypermethrin	Onion, dry	823.01	69	8,486.5	A
cypermethrin	Onion, green	0.23	1	5.0	A
cypermethrin	Pistachio	6.2	N/A	551,000.0	S
cypermethrin	Public health	1.3	N/A	N/A	N/A
cypermethrin	Rapini	1.49	1	15.3	A
cypermethrin	Regulatory pest control	42.4	N/A	N/A	N/A
cypermethrin	Research commodity	0.03	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cypermethrin	Rights of way	2.04	N/A	N/A	N/A
cypermethrin	Structural pest control	25,408.0	N/A	N/A	N/A
cypermethrin	Uncultivated ag	50.24	N/A	N/A	U
cypermethrin	Vertebrate control	0.03	N/A	N/A	N/A
zeta-cypermethrin	Alfalfa	304.78	111	6,456.4	A
zeta-cypermethrin	Almond	108.42	104	4,326.7	A
zeta-cypermethrin	Artichoke, globe	21.52	53	456.4	A
zeta-cypermethrin	Arugula	0.99	8	20.32	A
zeta-cypermethrin	Avocado	0.05	1	1.0	A
zeta-cypermethrin	Bean, dried	23.79	10	485.5	A
zeta-cypermethrin	Bean, succulent	2.6	4	113.0	A
zeta-cypermethrin	Bean, unspecified	1.15	3	33.0	A
zeta-cypermethrin	Beet	1.63	9	32.85	A
zeta-cypermethrin	Blackberry	172.56	401	3,542.2	A
zeta-cypermethrin	Blueberry	23.11	31	473.15	A
zeta-cypermethrin	Bok choy	29.92	258	604.8	A
zeta-cypermethrin	Bok choy	<0.01	1	6,000.0	S
zeta-cypermethrin	Broccoli	83.03	157	1,747.93	A
zeta-cypermethrin	Broccoli	<0.01	1	3,200.0	S
zeta-cypermethrin	Brussels sprout	10.86	18	233.7	A
zeta-cypermethrin	Cabbage	55.26	277	1,212.06	A
zeta-cypermethrin	Cantaloupe	31.09	12	965.3	A
zeta-cypermethrin	Cardoon	2.4	17	50.3	A
zeta-cypermethrin	Carrot	64.57	24	1,374.7	A
zeta-cypermethrin	Cauliflower	18.37	38	374.85	A
zeta-cypermethrin	Celeriac	0.47	2	11.31	A
zeta-cypermethrin	Celery	111.91	205	2,422.29	A
zeta-cypermethrin	Cherry	94.64	85	2,021.9	A
zeta-cypermethrin	Chinese broccoli (gai lon)	11.23	26	376.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
zeta-cypermethrin	Chinese cabbage (napa, won bok, celery cabbage)	39.69	187	812.36	A
zeta-cypermethrin	Chinese greens	0.28	1	6.0	A
zeta-cypermethrin	Chrysanthemum, edible leaved	0.05	1	1.0	A
zeta-cypermethrin	Cilantro	12.48	73	253.31	A
zeta-cypermethrin	Collard	14.91	132	303.45	A
zeta-cypermethrin	Corn (forage - fodder)	4.81	7	96.33	A
zeta-cypermethrin	Corn, human consumption	222.04	155	4,538.04	A
zeta-cypermethrin	Cotton	1.85	2	79.0	A
zeta-cypermethrin	County ag comm	0.07	N/A	N/A	N/A
zeta-cypermethrin	Cucumber	0.72	11	15.0	A
zeta-cypermethrin	Daikon	0.99	1	20.0	A
zeta-cypermethrin	Dandelion green	1.12	25	22.23	A
zeta-cypermethrin	Eggplant	22.16	27	473.9	A
zeta-cypermethrin	Endive (escarole)	4.66	50	94.45	A
zeta-cypermethrin	Fava bean	0.09	2	2.0	A
zeta-cypermethrin	Fennel	3.03	11	65.17	A
zeta-cypermethrin	Gai lon	2.01	14	42.62	A
zeta-cypermethrin	Garbanzo bean	0.4	1	8.0	A
zeta-cypermethrin	Garlic	7.74	1	155.8	A
zeta-cypermethrin	Grape	4.09	2	82.14	A
zeta-cypermethrin	Grape, wine	16.82	5	371.0	A
zeta-cypermethrin	Grapefruit	3.95	6	123.96	A
zeta-cypermethrin	Kale	31.53	261	648.4	A
zeta-cypermethrin	Kohlrabi	1.98	37	39.83	A
zeta-cypermethrin	Landscape maintenance	0.91	N/A	N/A	N/A
zeta-cypermethrin	Leek	7.06	35	141.3	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
zeta-cypermethrin	Lemon	173.61	151	3,806.51	A
zeta-cypermethrin	Lettuce, head	182.65	250	4,243.92	A
zeta-cypermethrin	Lettuce, head	<0.01	1	2,000.0	S
zeta-cypermethrin	Lettuce, leaf	163.44	440	3,408.11	A
zeta-cypermethrin	Lime	2.63	6	99.0	A
zeta-cypermethrin	Melon	2.81	1	58.0	A
zeta-cypermethrin	Mizuna	0.04	1	0.8	A
zeta-cypermethrin	Mustard	7.15	74	219.22	A
zeta-cypermethrin	Mustard greens	10.81	94	220.21	A
zeta-cypermethrin	N-grnhs flower	<0.01	1	1.25	A
zeta-cypermethrin	N-grnhs plants in containers	1.29	39	17.91	A
zeta-cypermethrin	N-grnhs plants in containers	<0.01	2	3,400.0	S
zeta-cypermethrin	N-grnhs transplants	0.62	32	20.49	A
zeta-cypermethrin	N-grnhs transplants	4.69	28	6,057,000.0	S
zeta-cypermethrin	N-outdr flower	1.63	17	17.0	A
zeta-cypermethrin	N-outdr plants in containers	0.07	5	3.33	A
zeta-cypermethrin	N-outdr transplants	3.0	77	76.72	A
zeta-cypermethrin	N-outdr transplants	14.96	113	17,868,552.0	S
zeta-cypermethrin	Olive	0.02	7	126.0	A
zeta-cypermethrin	Onion, dry	235.18	85	5,084.89	A
zeta-cypermethrin	Onion, green	14.01	30	297.89	A
zeta-cypermethrin	Orange	20.28	25	435.99	A
zeta-cypermethrin	Parsley	40.02	98	1,242.01	A
zeta-cypermethrin	Peach	<0.01	1	0.2	A
zeta-cypermethrin	Peas	14.21	26	296.2	A
zeta-cypermethrin	Pecan	2.49	1	50.0	A
zeta-cypermethrin	Pepper, fruiting	126.05	98	2,718.71	A
zeta-cypermethrin	Pepper, fruiting	0.11	10	51,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
zeta-cypermethrin	Pepper, spice	16.82	16	353.35	A
zeta-cypermethrin	Pistachio	33.47	25	906.0	A
zeta-cypermethrin	Potato	5.56	4	222.0	A
zeta-cypermethrin	Public health	0.03	N/A	N/A	N/A
zeta-cypermethrin	Pumpkin	2.96	3	61.25	A
zeta-cypermethrin	Radicchio	75.92	24	1,557.3	A
zeta-cypermethrin	Radish	15.18	108	307.72	A
zeta-cypermethrin	Rangeland	0.2	1	4.0	A
zeta-cypermethrin	Rapini	0.92	4	19.8	A
zeta-cypermethrin	Raspberry	286.91	548	5,913.46	A
zeta-cypermethrin	Regulatory pest control	<0.01	N/A	N/A	N/A
zeta-cypermethrin	Research commodity	2.32	43	49.94	A
zeta-cypermethrin	Research commodity	0.78	N/A	N/A	N/A
zeta-cypermethrin	Rice	2.29	1	46.0	A
zeta-cypermethrin	Rights of way	<0.01	N/A	N/A	N/A
zeta-cypermethrin	Ryegrass	79.99	17	1,728.85	A
zeta-cypermethrin	Safflower	88.64	11	1,782.0	A
zeta-cypermethrin	Soil fumigation/preplant	2.54	1	55.0	A
zeta-cypermethrin	Soybean	0.95	2	21.5	A
zeta-cypermethrin	Spinach	32.18	144	649.78	A
zeta-cypermethrin	Squash	3.87	8	89.0	A
zeta-cypermethrin	Squash, summer	5.56	7	127.0	A
zeta-cypermethrin	Structural pest control	14.82	N/A	N/A	N/A
zeta-cypermethrin	Sugarbeet	364.87	113	8,272.0	A
zeta-cypermethrin	Sunflower	0.84	2	17.0	A
zeta-cypermethrin	Swiss chard	8.4	120	170.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
zeta-cypermethrin	Tangelo	3.4	2	95.0	A
zeta-cypermethrin	Tangerine	64.34	44	1,417.13	A
zeta-cypermethrin	Tomato	26.29	36	684.82	A
zeta-cypermethrin	Tomato	<0.01	1	3,200.0	S
zeta-cypermethrin	Tomato, processing	126.53	45	2,862.17	A
zeta-cypermethrin	Triticale	66.88	10	1,445.76	A
zeta-cypermethrin	Turnip	3.42	50	69.06	A
zeta-cypermethrin	Upland cress	0.04	1	1.39	A
zeta-cypermethrin	Vegetables, leafy	4.11	21	82.0	A
zeta-cypermethrin	Walnut	9.44	15	331.5	A
zeta-cypermethrin	Watermelon	4.5	1	180.0	A
zeta-cypermethrin	Yam	<0.01	1	4,000.0	S
cyprodinil	Almond	41,956.81	3,065	192,389.85	A
cyprodinil	Apple	147.94	56	1,033.37	A
cyprodinil	Apricot	157.52	46	735.06	A
cyprodinil	Artichoke, globe	22.16	28	405.0	A
cyprodinil	Basil, sweet	8.19	39	33.58	A
cyprodinil	Bean, succulent	21.96	3	84.5	A
cyprodinil	Beet	10.22	22	35.58	A
cyprodinil	Blackberry	415.03	155	1,312.48	A
cyprodinil	Blackberry	1.19	2	201,835.0	S
cyprodinil	Blueberry	1,446.52	123	4,598.62	A
cyprodinil	Broccoli	370.62	113	1,132.91	A
cyprodinil	Brussels sprout	310.88	65	1,019.33	A
cyprodinil	Bushberry	0.09	1	0.25	A
cyprodinil	Cabbage	2.02	1	6.15	A
cyprodinil	Carrot	13.76	5	41.95	A
cyprodinil	Cauliflower	68.58	21	226.13	A
cyprodinil	Celeriac	6.78	11	22.75	A
cyprodinil	Celery	140.54	30	443.43	A
cyprodinil	Cherry	26.35	17	114.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyprodinil	Chive	0.47	4	2.0	A
cyprodinil	Cilantro	15.94	4	48.58	A
cyprodinil	Cole crop	0.24	5	1.2	A
cyprodinil	Corn, human consumption	0.33	1	1.0	A
cyprodinil	Cucumber	12.96	17	45.94	A
cyprodinil	Dandelion green	2.58	7	8.75	A
cyprodinil	Eggplant	3.84	3	14.0	A
cyprodinil	Endive (escarole)	37.08	5	113.0	A
cyprodinil	Fennel	7.59	6	25.3	A
cyprodinil	Fumigation, other	0.28	1	1.0	A
cyprodinil	Garlic	360.36	21	2,152.4	A
cyprodinil	Grape	22,344.47	1,697	71,697.28	A
cyprodinil	Grape, wine	26,147.73	5,754	117,215.2	A
cyprodinil	Guava	27.99	10	90.81	A
cyprodinil	Herb, spice	5.8	25	18.35	A
cyprodinil	Kale	52.09	38	185.58	A
cyprodinil	Kiwi fruit fuzzy	256.68	32	547.56	A
cyprodinil	Landscape maintenance	0.76	N/A	N/A	N/A
cyprodinil	Leek	4.54	3	13.83	A
cyprodinil	Lettuce, head	73.05	27	255.6	A
cyprodinil	Lettuce, leaf	244.65	88	844.88	A
cyprodinil	Melon	6.56	4	20.0	A
cyprodinil	Mustard	0.27	1	0.95	A
cyprodinil	Mustard greens	0.79	2	2.79	A
cyprodinil	N-grnhs flower	199.24	529	953.49	A
cyprodinil	N-grnhs flower	0.71	11	51,600.0	S
cyprodinil	N-grnhs plants in containers	112.34	371	398.77	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyprodinil	N-grnhs plants in containers	8.27	77	859,375.83	S
cyprodinil	N-grnhs transplants	62.13	95	284.04	A
cyprodinil	N-grnhs transplants	15.61	65	3,031,125.0	S
cyprodinil	N-outdr flower	186.32	322	1,152.28	A
cyprodinil	N-outdr flower	<0.01	2	4,600.0	S
cyprodinil	N-outdr plants in containers	248.71	213	482.9	A
cyprodinil	N-outdr plants in containers	2.23	15	485,750.0	S
cyprodinil	N-outdr transplants	343.15	110	1,091.37	A
cyprodinil	N-outdr transplants	64.82	121	10,983,200.0	S
cyprodinil	Nectarine	1,464.49	434	5,724.32	A
cyprodinil	Onion, dry	1,471.81	69	6,726.5	A
cyprodinil	Onion, green	0.16	3	0.55	A
cyprodinil	Parsley	199.48	115	633.0	A
cyprodinil	Peach	4,471.53	943	18,583.12	A
cyprodinil	Pear	262.19	74	2,341.21	A
cyprodinil	Pecan	15.06	3	427.33	A
cyprodinil	Pepper, fruiting	182.22	34	580.2	A
cyprodinil	Pistachio	9,489.57	514	37,314.63	A
cyprodinil	Plum	341.49	115	1,215.9	A
cyprodinil	Pluot	0.39	1	1.66	A
cyprodinil	Prune	1,087.11	120	4,882.18	A
cyprodinil	Radish	0.09	1	0.5	A
cyprodinil	Raspberry	770.37	308	2,427.21	A
cyprodinil	Research commodity	0.39	5	1.21	A
cyprodinil	Research commodity	<0.01	1	500.0	S
cyprodinil	Research commodity	0.99	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyprodinil	Root vegetable	0.08	1	0.15	A
cyprodinil	Sage	0.14	1	0.5	A
cyprodinil	Squash	5.33	10	16.25	A
cyprodinil	Stone fruit	27.19	2	66.0	A
cyprodinil	Strawberry	21,894.39	1,801	67,358.14	A
cyprodinil	Strawberry	2.74	11	437,040.0	S
cyprodinil	Strawberry	86.98	26	4,217.0	U
cyprodinil	Structural pest control	0.04	N/A	N/A	N/A
cyprodinil	Swiss chard	68.45	196	211.67	A
cyprodinil	Tarragon	0.09	1	0.4	A
cyprodinil	Thyme	0.66	6	2.89	A
cyprodinil	Tomato	342.72	70	1,135.96	A
cyprodinil	Tomato, processing	65.04	10	1,660.2	A
cyprodinil	Tropical/subtropical fruit	0.21	2	1.0	A
cyprodinil	Turnip	5.24	12	17.97	A
cyprodinil	Uncultivated ag	11.1	2	34.0	A
cyprodinil	Vegetables, fruiting	0.07	3	0.37	A
cyprodinil	Vegetables, leafy	25.37	106	86.43	A
cyprodinil	Walnut	3.56	1	20.0	A
cyprodinil	Watercress	3.61	4	33.0	A
cyprodinil	Watermelon	9.33	5	90.6	A
cyromazine	Animal premise	5.5	N/A	891,000.0	C
cyromazine	Animal premise	54.34	N/A	2,391,600.0	S
cyromazine	Animal premise	2.32	N/A	9.02	U
cyromazine	Arugula	4.33	6	34.7	A
cyromazine	Bean, succulent	1.17	1	9.4	A
cyromazine	Bok choy	4.3	7	34.6	A
cyromazine	Broccoli	41.59	27	333.9	A
cyromazine	Cabbage	5.56	6	44.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyromazine	Cauliflower	13.15	11	105.4	A
cyromazine	Celery	1,201.14	782	9,648.01	A
cyromazine	Chinese cabbage (napa, won bok, celery cabbage)	2.53	3	20.3	A
cyromazine	Eggplant	3.0	2	24.0	A
cyromazine	Endive (escarole)	16.55	11	132.7	A
cyromazine	Kale	4.72	12	37.89	A
cyromazine	Leek	6.27	10	50.73	A
cyromazine	Lettuce, head	70.43	52	564.8	A
cyromazine	Lettuce, leaf	71.41	81	572.7	A
cyromazine	Mushroom	85.17	193	1,246,038.0	S
cyromazine	Mustard greens	2.09	4	16.78	A
cyromazine	N-grnhs flower	32.03	39	123.0	A
cyromazine	N-grnhs flower	0.62	3	37,408.0	S
cyromazine	N-grnhs plants in containers	428.64	375	368.72	A
cyromazine	N-grnhs plants in containers	15.13	29	609,303.0	S
cyromazine	N-grnhs transplants	7.52	32	47.2	A
cyromazine	N-grnhs transplants	54.63	203	19,953,440.0	S
cyromazine	N-outdr flower	10.64	18	40.24	A
cyromazine	N-outdr flower	0.12	1	2,655.0	S
cyromazine	N-outdr plants in containers	11.06	43	20.34	A
cyromazine	N-outdr plants in containers	3.49	19	441,100.0	S
cyromazine	N-outdr transplants	2.72	3	4.07	A
cyromazine	N-outdr transplants	3.24	9	1,248,000.0	S
cyromazine	Onion, dry	0.06	1	0.5	A
cyromazine	Onion, dry	4.72	N/A	102.64	P
cyromazine	Peas	96.8	55	776.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyromazine	Pepper, fruiting	814.98	252	6,689.5	A
cyromazine	Pepper, spice	7.4	3	59.4	A
cyromazine	Regulatory pest control	2.06	N/A	N/A	N/A
cyromazine	Research commodity	0.04	1	0.3	A
cyromazine	Research commodity	0.05	N/A	N/A	N/A
cyromazine	Spinach	336.13	309	2,702.37	A
cyromazine	Swiss chard	14.9	41	119.46	A
cyromazine	Tomato	64.8	13	537.9	A
cytokinin (as kinetin)	Cotton	<0.01	8	115.35	A
2,4-d	Almond	1,181.7	73	2,243.31	A
2,4-d	Barley	88.22	6	458.8	A
2,4-d	Forest, timberland	1,121.91	37	2,247.7	A
2,4-d	Grape, wine	0.09	3	8.36	A
2,4-d	Landscape maintenance	0.82	2	3.0	A
2,4-d	Landscape maintenance	476.07	N/A	N/A	N/A
2,4-d	N-grnhs plants in containers	0.01	1	50,000.0	S
2,4-d	Oat	21.05	1	97.0	A
2,4-d	Oat (forage - fodder)	45.24	2	208.5	A
2,4-d	Orchardgrass	126.26	4	276.0	A
2,4-d	Pastureland	3.37	2	6.5	A
2,4-d	Peach	32.54	1	50.0	A
2,4-d	Pecan	9.98	1	11.5	A
2,4-d	Pistachio	180.58	8	212.1	A
2,4-d	Prune	30.6	1	47.0	A
2,4-d	Rice	15.91	1	122.3	A
2,4-d	Rights of way	14.02	2	30.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-d	Rights of way	969.76	N/A	N/A	N/A
2,4-d	Soil fumigation/preplant	91.55	5	211.0	A
2,4-d	Structural pest control	0.01	N/A	N/A	N/A
2,4-d	Timothy	130.72	4	241.0	A
2,4-d	Triticale	11.87	1	35.0	A
2,4-d	Uncultivated ag	239.41	16	1,088.0	A
2,4-d	Uncultivated non-ag	12.45	1	82.0	A
2,4-d	Walnut	163.78	19	345.77	A
2,4-d	Water area	7.88	4	1.25	A
2,4-d	Wheat	389.46	28	1,312.4	A
2,4-d	Wheat (forage - fodder)	1,494.55	71	3,866.48	A
2,4-d, alkanolamine salts (ethanol and isopropanol amines)	Landscape maintenance	1.32	N/A	N/A	N/A
2,4-d, butoxyethanol ester	Barley	92.04	3	291.0	A
2,4-d, butoxyethanol ester	Landscape maintenance	1.81	1	20.0	A
2,4-d, butoxyethanol ester	Landscape maintenance	372.78	N/A	N/A	N/A
2,4-d, butoxyethanol ester	Pastureland	2.53	1	1.5	A
2,4-d, butoxyethanol ester	Rangeland	51.19	N/A	17.5	A
2,4-d, butoxyethanol ester	Rights of way	24.89	2	30.0	A
2,4-d, butoxyethanol ester	Rights of way	2,238.44	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-d, butoxyethanol ester	Uncultivated ag	425.04	16	1,088.0	A
2,4-d, butoxyethanol ester	Uncultivated non-ag	22.1	1	82.0	A
2,4-d, butoxyethanol ester	Wheat	112.99	8	359.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Almond	6,935.61	188	13,270.51	A
2,4-dichlorophenoxyacetic acid, choline salt	Blueberry	42.5	3	53.56	A
2,4-dichlorophenoxyacetic acid, choline salt	Forest, timberland	96.26	2	159.13	A
2,4-dichlorophenoxyacetic acid, choline salt	Nectarine	13.35	2	25.23	A
2,4-dichlorophenoxyacetic acid, choline salt	Peach	32.93	5	62.2	A
2,4-dichlorophenoxyacetic acid, choline salt	Pistachio	3,699.76	106	6,998.89	A
2,4-dichlorophenoxyacetic acid, choline salt	Prune	44.44	1	42.0	A
2,4-dichlorophenoxyacetic acid, choline salt	Tomato, processing	123.82	2	156.0	A
2,4-d, diethanolamine salt	Almond	905.73	103	2,584.67	A
2,4-d, diethanolamine salt	Apple	2.58	1	8.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, diethanolamine salt	Cherry	201.28	56	668.68	A
2,4-d, diethanolamine salt	Landscape maintenance	11.53	N/A	N/A	N/A
2,4-d, diethanolamine salt	Peach	353.25	44	623.31	A
2,4-d, diethanolamine salt	Pistachio	86.34	3	213.1	A
2,4-d, diethanolamine salt	Prune	252.02	28	408.18	A
2,4-d, diethanolamine salt	Walnut	1,570.33	169	3,336.08	A
2,4-d, dimethylamine salt	Alfalfa	1,182.53	17	928.0	A
2,4-d, dimethylamine salt	Almond	82,781.78	2,159	70,479.79	A
2,4-d, dimethylamine salt	Apple	27.1	3	32.83	A
2,4-d, dimethylamine salt	Apricot	275.75	26	371.78	A
2,4-d, dimethylamine salt	Avocado	5.45	5	15.0	A
2,4-d, dimethylamine salt	Barley	7,414.75	73	9,667.65	A
2,4-d, dimethylamine salt	Barley (forage - fodder)	281.74	12	325.15	A
2,4-d, dimethylamine salt	Bermudagrass	38,047.07	353	23,640.58	A
2,4-d, dimethylamine salt	Cherry	981.77	110	1,308.11	A
2,4-d, dimethylamine salt	Corn (forage - fodder)	1,089.01	39	1,511.63	A
2,4-d, dimethylamine salt	Corn, grain	296.8	22	865.45	A
2,4-d, dimethylamine salt	Corn, human consumption	96.52	4	126.7	A
2,4-d, dimethylamine salt	Cotton	336.82	1	300.0	A
2,4-d, dimethylamine salt	Forage hay/silage	23,912.47	384	18,755.91	A
2,4-d, dimethylamine salt	Golf course turf	242.29	2	229.95	A
2,4-d, dimethylamine salt	Grain	28.27	1	52.0	A
2,4-d, dimethylamine salt	Grape	9,503.37	535	11,530.38	A
2,4-d, dimethylamine salt	Grape, wine	14,204.69	331	13,687.8	A
2,4-d, dimethylamine salt	Grapefruit	52.32	5	107.0	A
2,4-d, dimethylamine salt	Grass, seed	677.87	23	401.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Landscape maintenance	8.08	2	13.5	A
2,4-d, dimethylamine salt	Landscape maintenance	3,423.07	N/A	N/A	N/A
2,4-d, dimethylamine salt	Lemon	114.2	17	197.5	A
2,4-d, dimethylamine salt	N-grnhs flower	75.12	N/A	57.7	A
2,4-d, dimethylamine salt	N-grnhs plants in containers	0.07	1	1.0	A
2,4-d, dimethylamine salt	N-grnhs transplants	0.18	1	0.33	A
2,4-d, dimethylamine salt	N-grnhs transplants	0.59	3	17,000.0	S
2,4-d, dimethylamine salt	N-outdr plants in containers	90.44	2	40.0	A
2,4-d, dimethylamine salt	N-outdr plants in containers	0.35	2	20,000.0	S
2,4-d, dimethylamine salt	N-outdr transplants	13.75	3	15.01	A
2,4-d, dimethylamine salt	Nectarine	3,894.96	260	3,160.05	A
2,4-d, dimethylamine salt	Oat	2,010.8	73	2,821.93	A
2,4-d, dimethylamine salt	Oat (forage - fodder)	9,303.1	303	12,026.6	A
2,4-d, dimethylamine salt	Orange	206.87	29	402.0	A
2,4-d, dimethylamine salt	Orchardgrass	1,913.38	23	1,719.0	A
2,4-d, dimethylamine salt	Pasture (forage - fodder)	44.24	4	39.0	A
2,4-d, dimethylamine salt	Pastureland	7,513.71	114	8,533.77	A
2,4-d, dimethylamine salt	Peach	9,355.55	547	7,631.72	A
2,4-d, dimethylamine salt	Pear	811.15	30	475.92	A
2,4-d, dimethylamine salt	Peas (forage - fodder)	170.2	1	75.0	A
2,4-d, dimethylamine salt	Pecan	305.04	7	189.14	A
2,4-d, dimethylamine salt	Pistachio	11,173.25	167	7,369.4	A
2,4-d, dimethylamine salt	Plum	1,851.12	203	1,812.29	A
2,4-d, dimethylamine salt	Prune	4,051.64	130	2,968.3	A
2,4-d, dimethylamine salt	Public health	7.1	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Rangeland	1,028.11	34	2,136.5	A
2,4-d, dimethylamine salt	Regulatory pest control	60.94	N/A	N/A	N/A
2,4-d, dimethylamine salt	Research commodity	5.73	5	5.25	A
2,4-d, dimethylamine salt	Rice	495.11	11	437.46	A
2,4-d, dimethylamine salt	Rights of way	3,686.1	77	3,358.7	A
2,4-d, dimethylamine salt	Rights of way	17,063.9	N/A	N/A	N/A
2,4-d, dimethylamine salt	Rye	155.76	8	166.3	A
2,4-d, dimethylamine salt	Ryegrass	6,954.41	133	6,454.54	A
2,4-d, dimethylamine salt	Soil fumigation/preplant	2,517.04	34	2,643.25	A
2,4-d, dimethylamine salt	Sorghum (forage - fodder)	259.13	8	435.5	A
2,4-d, dimethylamine salt	Sorghum/milo	238.37	11	280.0	A
2,4-d, dimethylamine salt	Squash, winter	34.21	1	30.0	A
2,4-d, dimethylamine salt	Structural pest control	19.33	N/A	N/A	N/A
2,4-d, dimethylamine salt	Sudangrass	4,562.45	75	3,933.4	A
2,4-d, dimethylamine salt	Sunflower	94.69	4	172.0	A
2,4-d, dimethylamine salt	Tangelo	34.88	2	77.4	A
2,4-d, dimethylamine salt	Tangerine	329.96	25	615.0	A
2,4-d, dimethylamine salt	Timothy	1,156.89	20	1,025.0	A
2,4-d, dimethylamine salt	Tomato, processing	259.42	5	296.0	A
2,4-d, dimethylamine salt	Triticale	3,879.57	89	3,939.74	A
2,4-d, dimethylamine salt	Turf/sod	719.29	28	658.6	A
2,4-d, dimethylamine salt	Turf/sod	0.11	N/A	18,000.0	S
2,4-d, dimethylamine salt	Uncultivated ag	14,193.46	194	12,374.16	A
2,4-d, dimethylamine salt	Uncultivated non-ag	2,401.15	97	1,841.5	A
2,4-d, dimethylamine salt	Vertebrate control	1,091.15	N/A	N/A	N/A
2,4-d, dimethylamine salt	Vetch	340.39	2	150.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Walnut	27,991.38	845	22,445.32	A
2,4-d, dimethylamine salt	Water area	2,481.01	N/A	248.86	A
2,4-d, dimethylamine salt	Wheat	19,558.4	429	22,438.11	A
2,4-d, dimethylamine salt	Wheat (forage - fodder)	7,181.49	194	9,456.22	A
2,4-d, 2-ethylhexyl ester	Barley	650.34	4	614.0	A
2,4-d, 2-ethylhexyl ester	Barley (forage - fodder)	10.75	1	15.0	A
2,4-d, 2-ethylhexyl ester	Christmas tree	4.1	1	10.0	A
2,4-d, 2-ethylhexyl ester	Forage hay/silage	87.58	2	46.0	A
2,4-d, 2-ethylhexyl ester	Forest, timberland	687.41	8	339.32	A
2,4-d, 2-ethylhexyl ester	Golf course turf	262.18	9	794.55	A
2,4-d, 2-ethylhexyl ester	Golf course turf	0.72	N/A	86,000.0	S
2,4-d, 2-ethylhexyl ester	Landscape maintenance	71.04	22	501.45	A
2,4-d, 2-ethylhexyl ester	Landscape maintenance	15.32	31	925,000.0	S
2,4-d, 2-ethylhexyl ester	Landscape maintenance	9,703.63	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	N-grnhs flower	194.12	N/A	341.99	A
2,4-d, 2-ethylhexyl ester	N-grnhs flower	11.19	N/A	735,900.0	S
2,4-d, 2-ethylhexyl ester	N-grnhs plants in containers	1.96	N/A	4.0	A
2,4-d, 2-ethylhexyl ester	N-grnhs transplants	98.51	N/A	296.3	A
2,4-d, 2-ethylhexyl ester	N-outdr flower	9.1	2	15.0	A
2,4-d, 2-ethylhexyl ester	N-outdr plants in containers	6.66	14	49.25	A
2,4-d, 2-ethylhexyl ester	N-outdr plants in containers	0.11	2	10,000.0	S
2,4-d, 2-ethylhexyl ester	N-outdr transplants	1.77	N/A	7.0	A
2,4-d, 2-ethylhexyl ester	N-outdr transplants	4.89	N/A	770,000.0	S
2,4-d, 2-ethylhexyl ester	Oat	345.11	18	200.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, 2-ethylhexyl ester	Oat (forage - fodder)	459.8	10	354.0	A
2,4-d, 2-ethylhexyl ester	Pastureland	693.74	12	326.0	A
2,4-d, 2-ethylhexyl ester	Public health	2.55	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Rangeland	11.58	1	10.0	A
2,4-d, 2-ethylhexyl ester	Recreation area	0.08	N/A	16,000.0	S
2,4-d, 2-ethylhexyl ester	Regulatory pest control	525.14	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Rice, wild	203.79	1	100.0	A
2,4-d, 2-ethylhexyl ester	Rights of way	114.74	6	252.0	A
2,4-d, 2-ethylhexyl ester	Rights of way	2,629.97	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Ryegrass	508.8	4	355.0	A
2,4-d, 2-ethylhexyl ester	Sod farm (turf)	138.36	62	562.12	A
2,4-d, 2-ethylhexyl ester	Sorghum (forage - fodder)	146.91	6	205.0	A
2,4-d, 2-ethylhexyl ester	Structural pest control	8.71	N/A	N/A	N/A
2,4-d, 2-ethylhexyl ester	Turf/sod	505.02	97	1,378.66	A
2,4-d, 2-ethylhexyl ester	Turf/sod	0.09	1	11,000.0	S
2,4-d, 2-ethylhexyl ester	Wheat	1,347.78	26	1,207.37	A
2,4-d, 2-ethylhexyl ester	Wheat (forage - fodder)	878.57	10	613.0	A
2,4-d, isoctyl ester	Almond	0.33	4	36.0	A
2,4-d, isoctyl ester	Citrus	7.84	1	3.0	A
2,4-d, isoctyl ester	Grape, wine	1.41	1	26.0	A
2,4-d, isoctyl ester	Landscape maintenance	191.29	N/A	N/A	N/A
2,4-d, isoctyl ester	Pastureland	2.63	4	71.0	A
2,4-d, isoctyl ester	Rights of way	168.4	N/A	N/A	N/A
2,4-d, isoctyl ester	Structural pest control	0.08	N/A	N/A	N/A
2,4-d, isoctyl ester	Turf/sod	0.94	N/A	291,500.0	S
2,4-d, isopropyl ester	Citrus	8.44	13	308.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2,4-d, isopropyl ester	Citrus	25.12	N/A	2,244.3	T
2,4-d, isopropyl ester	Commodity fumigation	46.11	N/A	N/A	N/A
2,4-d, isopropyl ester	Grapefruit	613.07	225	5,746.96	A
2,4-d, isopropyl ester	Landscape maintenance	1.21	N/A	N/A	N/A
2,4-d, isopropyl ester	Lemon	591.5	560	11,183.97	A
2,4-d, isopropyl ester	Lemon	572.28	N/A	787,039.72	T
2,4-d, isopropyl ester	Lemon	8.85	N/A	9,432.0	U
2,4-d, isopropyl ester	Lime	0.55	4	12.0	A
2,4-d, isopropyl ester	N-outdr plants in containers	0.52	2	9.0	A
2,4-d, isopropyl ester	Orange	8,528.22	5,219	105,954.02	A
2,4-d, isopropyl ester	Orange	15.86	N/A	84,963.0	T
2,4-d, isopropyl ester	Peach	0.16	1	5.5	A
2,4-d, isopropyl ester	Pomelo	7.34	12	98.0	A
2,4-d, isopropyl ester	Tangelo	222.27	229	3,674.47	A
2,4-d, isopropyl ester	Tangerine	2,172.45	945	30,723.42	A
2,4-d, triethylamine salt	Grape, wine	0.3	1	3.0	A
2,4-d, triisopropanolamine salt	Landscape maintenance	202.91	N/A	N/A	N/A
2,4-d, triisopropanolamine salt	Rights of way	288.46	N/A	N/A	N/A
2,4-d, triisopropylamine salt	Landscape maintenance	118.8	N/A	N/A	N/A
daminozide	Landscape maintenance	0.68	N/A	N/A	N/A
daminozide	N-grnhs flower	25.35	20	23.6	A
daminozide	N-grnhs flower	3.52	50	39,864.0	S
daminozide	N-grnhs flower	0.06	1	3.0	U
daminozide	N-grnhs plants in containers	1,882.29	1,190	738.96	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>daminozide</b>	N-grnhs plants in containers	637.52	855	8,351,491.55	S
<b>daminozide</b>	N-grnhs plants in containers	0.05	1	0.01	U
<b>daminozide</b>	N-grnhs transplants	9.04	7	2.25	A
<b>daminozide</b>	N-grnhs transplants	553.19	882	14,114,100.0	S
<b>daminozide</b>	N-outdr flower	6.28	13	2.52	A
<b>daminozide</b>	N-outdr flower	2.37	43	209,194.0	S
<b>daminozide</b>	N-outdr flower	1.77	1	3.0	U
<b>daminozide</b>	N-outdr plants in containers	1,309.41	495	365.52	A
<b>daminozide</b>	N-outdr plants in containers	167.49	126	1,852,494.0	S
<b>daminozide</b>	N-outdr transplants	19.44	63	19.76	A
<b>daminozide</b>	Regulatory pest control	0.16	N/A	N/A	N/A
<b>daminozide</b>	Research commodity	0.27	N/A	N/A	N/A
<b>daminozide</b>	Structural pest control	0.16	N/A	N/A	N/A
<b>dazomet</b>	Grape, wine	21.66	1	32.0	A
<b>dazomet</b>	Landscape maintenance	5,831.1	N/A	N/A	N/A
<b>dazomet</b>	N-grnhs flower	727.65	N/A	84,000.0	S
<b>dazomet</b>	Rights of way	15,467.69	N/A	N/A	N/A
<b>4-(2,4-db), dimethylamine salt</b>	Alfalfa	76,858.86	1,288	76,534.54	A
<b>4-(2,4-db), dimethylamine salt</b>	Alfalfa-grass mixture	73.62	2	62.9	A
<b>4-(2,4-db), dimethylamine salt</b>	Almond	55.17	1	35.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
4-(2,4-db), dimethylamine salt	N-outdr plants in containers	0.24	1	3.0	A
ddvp	Animal premise	931.43	N/A	578.0	A
ddvp	Buildings/non-ag outdoor	16.0	N/A	N/A	U
ddvp	Commodity fumigation	938.0	N/A	N/A	N/A
ddvp	Dried fruit	1.06	N/A	6.0	A
ddvp	Dried fruit	0.02	N/A	4.0	U
ddvp	Food processing plant	8.39	N/A	4,490,746.0	C
ddvp	Food processing plant	22.34	N/A	140.1	K
ddvp	Fumigation, other	116.56	N/A	N/A	N/A
ddvp	Grape	9.55	N/A	7,269,996.0	C
ddvp	Industrial site	8.3	N/A	102.28	A
ddvp	Industrial site	11.04	N/A	1,812,734.0	C
ddvp	Landscape maintenance	3.71	N/A	N/A	N/A
ddvp	N-grnhs plants in containers	0.14	2	40,000.0	S
ddvp	Pistachio	33.51	N/A	191,000.0	C
ddvp	Pistachio	204.78	N/A	1,620,000.0	S
ddvp	Prune	5.29	N/A	24,000.0	S
ddvp	Regulatory pest control	73.34	N/A	N/A	N/A
ddvp	Rice, wild	10.08	N/A	1,500,000.0	C
ddvp	Rights of way	5.45	N/A	N/A	N/A
ddvp	Storage area/box	5.3	N/A	90,000.0	S
ddvp	Structural pest control	2,026.84	N/A	N/A	N/A
ddvp	Uncultivated ag	28.0	N/A	N/A	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ddvp	Uncultivated non-ag	3.97	N/A	1,080,000.0	C
ddvp	Uncultivated non-ag	1.32	N/A	340,000.0	S
ddvp	Vertebrate control	8.12	N/A	N/A	N/A
ddvp, other related	Animal premise	11.2	N/A	415.0	A
ddvp, other related	Commodity fumigation	21.47	N/A	N/A	N/A
ddvp, other related	Dried fruit	0.03	N/A	6.0	A
ddvp, other related	Dried fruit	<0.01	N/A	4.0	U
ddvp, other related	Food processing plant	1.68	N/A	140.1	K
ddvp, other related	Fumigation, other	4.82	N/A	N/A	N/A
ddvp, other related	Grape	0.34	N/A	5,269,998.0	C
ddvp, other related	Industrial site	0.22	N/A	812,735.0	C
ddvp, other related	Landscape maintenance	0.17	N/A	N/A	N/A
ddvp, other related	N-grnhs plants in containers	0.01	2	40,000.0	S
ddvp, other related	Pistachio	2.52	N/A	191,000.0	C
ddvp, other related	Pistachio	15.41	N/A	1,620,000.0	S
ddvp, other related	Prune	0.14	N/A	24,000.0	S
ddvp, other related	Regulatory pest control	2.62	N/A	N/A	N/A
ddvp, other related	Rice, wild	0.26	N/A	1,500,000.0	C
ddvp, other related	Storage area/box	0.4	N/A	90,000.0	S
ddvp, other related	Structural pest control	91.6	N/A	N/A	N/A
ddvp, other related	Uncultivated non-ag	0.1	N/A	1,080,000.0	C
ddvp, other related	Uncultivated non-ag	0.03	N/A	340,000.0	S
ddvp, other related	Vertebrate control	0.18	N/A	N/A	N/A
2,4-decadienoic acid, ethyl ester, (2e,4z)-	Apple	0.5	22	387.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>2,4-decadienoic acid, ethyl ester, (2e,4z)-</b>	Walnut	47.76	33	779.0	A
<b>(e)-5-decenol</b>	Apricot	0.13	7	117.0	A
<b>(e)-5-decenol</b>	Nectarine	0.1	4	60.0	A
<b>(e)-5-decenol</b>	Peach	1.06	59	726.45	A
<b>(e)-5-decenol</b>	Plum	0.04	1	34.0	A
<b>(e)-5-decenol</b>	Stone fruit	0.6	3	132.0	A
<b>(e)-5-decen-1-ol</b>	Peach	0.49	25	118.43	A
<b>(e)-5-decen-1-ol</b>	Plum	49.72	27	335.86	A
<b>(e)-5-decen-1-ol</b>	Stone fruit	0.7	3	84.0	A
<b>(e)-5-decenyl acetate</b>	Apricot	0.61	7	117.0	A
<b>(e)-5-decenyl acetate</b>	Nectarine	0.17	4	60.0	A
<b>(e)-5-decenyl acetate</b>	Peach	11.02	84	844.88	A
<b>(e)-5-decenyl acetate</b>	Plum	814.59	28	369.86	A
<b>(e)-5-decenyl acetate</b>	Stone fruit	13.88	6	216.0	A
<b>alpha-decyl-omega-hydroxypoly(oxyethylene) phosphate</b>	Almond	417.84	7	1,408.99	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Alfalfa	75.58	176	12,058.5	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Almond	201.41	191	6,201.88	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Cantaloupe	1.03	2	38.0	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Corn (forage - fodder)	7.33	29	1,251.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Cotton	26.77	18	1,637.12	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Forage hay/silage	0.26	2	25.5	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Forest, timberland	13.77	26	305.1	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Garlic	3.12	1	148.0	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Grape	14.02	33	481.63	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Grape, wine	86.87	68	1,569.96	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Landscape maintenance	0.14	N/A	N/A	N/A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Mint	5.6	12	721.0	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Olive	9.84	6	506.69	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Orange	0.86	9	98.43	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Pecan	13.53	3	427.33	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Pistachio	131.0	57	2,715.71	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Plum	0.15	1	7.2	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Pumpkin	3.15	3	104.2	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Rice	11.13	12	703.0	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Rights of way	7.2	10	300.0	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Rights of way	9.01	N/A	N/A	N/A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Soil fumigation/preplant	7.32	12	326.54	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Sorghum (forage - fodder)	3.23	1	153.0	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Sorghum/milo	4.22	2	200.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Tangelo	0.07	1	9.51	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Tangerine	0.22	2	18.31	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Tomato, processing	3.29	2	156.0	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Uncultivated ag	96.42	81	4,379.6	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Uncultivated non-ag	0.43	2	45.75	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Walnut	102.4	111	3,939.9	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Watermelon	1.58	1	54.6	A
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Wheat	2.35	2	89.0	A
<b>deet</b>	Landscape maintenance	0.26	N/A	N/A	N/A
<b>deet</b>	Mushroom house	0.4	6	34,500.0	S
<b>deet</b>	N-outdr plants in containers	0.77	1	5.0	A
<b>deet</b>	Structural pest control	1.42	N/A	N/A	N/A
<b>deet</b>	Sunflower	12.33	1	100.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
deet, other related	Landscape maintenance	0.01	N/A	N/A	N/A
deet, other related	Mushroom house	0.02	6	34,500.0	S
deet, other related	N-outdr plants in containers	0.04	1	5.0	A
deltamethrin	Almond	0.52	2	35.2	A
deltamethrin	Animal premise	0.22	N/A	1.01	U
deltamethrin	Barley	0.13	N/A	232,711.0	P
deltamethrin	Barley	0.77	N/A	700.0	T
deltamethrin	Barley (forage - fodder)	0.01	N/A	12.95	T
deltamethrin	Buildings/non-ag outdoor	13.36	N/A	3.02	U
deltamethrin	Commodity fumigation	0.32	10	49.0	U
deltamethrin	Commodity fumigation	6.87	N/A	N/A	N/A
deltamethrin	Corn (forage - fodder)	2.77	N/A	2,538.77	T
deltamethrin	Corn, grain	0.07	N/A	128,070.0	P
deltamethrin	Corn, grain	25.7	N/A	23,517.85	T
deltamethrin	County ag comm	<0.01	N/A	N/A	N/A
deltamethrin	Fumigation, other	0.49	N/A	N/A	N/A
deltamethrin	Grain	0.04	2	2.0	U
deltamethrin	Grape, wine	<0.01	2	7.0	A
deltamethrin	Industrial site	<0.01	N/A	1.0	A
deltamethrin	Industrial site	0.02	N/A	2,900.0	C
deltamethrin	Industrial site	0.1	N/A	1,175.0	S
deltamethrin	Landscape maintenance	23.13	N/A	N/A	N/A
deltamethrin	Pistachio	1.08	N/A	250,000.0	S
deltamethrin	Public health	527.51	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
deltamethrin	Regulatory pest control	146.65	N/A	N/A	N/A
deltamethrin	Residential	<0.01	N/A	2,150.0	S
deltamethrin	Rice	1.02	N/A	2,322,000.0	P
deltamethrin	Rice	4.53	N/A	21,025.0	T
deltamethrin	Rice, wild	1.65	N/A	16.0	T
deltamethrin	Rights of way	1.35	N/A	N/A	N/A
deltamethrin	Sorghum (forage - fodder)	0.31	N/A	281.96	T
deltamethrin	Sorghum/milo	0.45	N/A	411.42	T
deltamethrin	Structural pest control	15,305.76	N/A	N/A	N/A
deltamethrin	Uncultivated non-ag	0.42	N/A	100,000.0	C
deltamethrin	Uncultivated non-ag	0.66	N/A	167,000.0	S
deltamethrin	Water area	<0.01	N/A	2.0	A
deltamethrin	Wheat	0.33	2	160.0	?
deltamethrin	Wheat	0.11	N/A	204,956.0	P
deltamethrin	Wheat	18.28	N/A	16,060.8	T
deltamethrin	Wheat	0.2	7	20.0	U
deltamethrin	Wheat (forage - fodder)	0.03	N/A	25.19	T
deltamethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
derivated natural polymers	Alfalfa	0.37	4	244.0	A
derivated natural polymers	Cotton	1.48	10	345.0	A
derivated natural polymers	N-grnhs plants in containers	0.04	1	1.95	A
derivated natural polymers	Pistachio	46.01	34	1,948.18	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
derivated natural polymers	Tangerine	0.13	1	8.0	A
desmedipham	Sugarbeet	13.18	2	157.0	A
device microwave	Landscape maintenance	3.0	N/A	N/A	N/A
dextrin	Landscape maintenance	0.44	N/A	N/A	N/A
n-dialkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) methyl benzyl ammonium chloride	N-grnhs transplants	<0.01	1	3,750.0	S
n-dialkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) methyl benzyl ammonium chloride	Water (industrial)	0.01	N/A	3.0	A
n-dialkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) methyl benzyl ammonium chloride	Water (industrial)	4.17	N/A	1.0	U
diallyl disulfide	Walnut	25.92	2	85.0	A
diammonium phosphate	Rights of way	14.55	N/A	N/A	N/A
diatomaceous earth	Almond	3,075.3	4	111.6	A
diatomaceous earth	Apple	96.76	3	12.0	A
diatomaceous earth	Artichoke, globe	10.63	1	0.5	A
diatomaceous earth	Arugula	1,573.05	41	134.83	A
diatomaceous earth	Bean, succulent	7.65	1	1.2	A
diatomaceous earth	Bean, unspecified	212.5	7	28.0	A
diatomaceous earth	Blackberry	106.67	1	2.51	A
diatomaceous earth	Blueberry	29,958.7	24	1,707.43	A
diatomaceous earth	Bok choy	2,795.65	56	235.5	A
diatomaceous earth	Broccoli	48,438.64	426	3,709.38	A
diatomaceous earth	Brussels sprout	1,787.13	58	134.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diatomaceous earth	Cabbage	9,559.41	172	648.94	A
diatomaceous earth	Cauliflower	37,768.36	383	2,570.91	A
diatomaceous earth	Celery	10,870.53	100	1,182.54	A
diatomaceous earth	Cherry	4,245.75	4	165.67	A
diatomaceous earth	Cilantro	30.13	2	7.09	A
diatomaceous earth	Collard	110.92	2	8.7	A
diatomaceous earth	Corn, grain	10.2	1	0.8	A
diatomaceous earth	Fennel	65.92	6	3.59	A
diatomaceous earth	Fig	612.0	5	144.0	A
diatomaceous earth	Grape	107,776.09	133	5,450.74	A
diatomaceous earth	Grape, wine	2,846.79	34	258.7	A
diatomaceous earth	Grapefruit	89.25	1	5.25	A
diatomaceous earth	Herb, spice	9.56	1	0.5	A
diatomaceous earth	Kale	2,507.48	51	258.18	A
diatomaceous earth	Landscape maintenance	158.8	N/A	N/A	N/A
diatomaceous earth	Leek	258.13	9	27.9	A
diatomaceous earth	Lettuce, head	1,636.93	34	204.64	A
diatomaceous earth	Lettuce, leaf	94,056.5	1,084	8,562.34	A
diatomaceous earth	Mizuna	5.31	1	1.25	A
diatomaceous earth	Mustard greens	140.84	5	7.49	A
diatomaceous earth	N-grnhs plants in containers	94.35	3	2.0	A
diatomaceous earth	N-outdr plants in containers	0.1	1	400.0	S
diatomaceous earth	Orange	3,187.17	8	98.44	A
diatomaceous earth	Pear	311.22	6	38.0	A
diatomaceous earth	Peas	38.15	1	6.8	A
diatomaceous earth	Pecan	743.75	1	17.5	A
diatomaceous earth	Pistachio	291.81	3	12.33	A
diatomaceous earth	Plum	795.6	2	48.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
diatomaceous earth	Raspberry	484.0	3	24.21	A
diatomaceous earth	Regulatory pest control	9.01	N/A	N/A	N/A
diatomaceous earth	Rights of way	0.06	N/A	N/A	N/A
diatomaceous earth	Spinach	1,746.37	30	119.33	A
diatomaceous earth	Squash, winter	31.6	1	3.38	A
diatomaceous earth	Structural pest control	1,218.03	N/A	N/A	N/A
diatomaceous earth	Swiss chard	1,188.57	34	138.25	A
diatomaceous earth	Tangelo	318.75	1	15.0	A
diatomaceous earth	Tangerine	2,959.88	7	164.87	A
diatomaceous earth	Tomato, processing	21,461.65	12	1,515.6	A
diatomaceous earth	Walnut	0.92	9	293.5	A
diatomaceous earth, other related	Landscape maintenance	4.42	N/A	N/A	N/A
diatomaceous earth, other related	Structural pest control	0.23	N/A	N/A	N/A
diazinon	Almond	222.25	1	112.0	A
diazinon	Apple	2,172.13	69	1,173.25	A
diazinon	Apricot	14.9	3	7.5	A
diazinon	Bean, succulent	205.88	5	133.0	A
diazinon	Beet	13.04	3	4.46	A
diazinon	Blackberry	3.5	4	1.75	A
diazinon	Broccoli	7.94	1	4.0	A
diazinon	Brussels sprout	182.83	12	133.6	A
diazinon	Cabbage	61.52	3	19.0	A
diazinon	Cantaloupe	113.19	4	67.16	A
diazinon	Cherry	86.81	7	89.0	A
diazinon	Daikon	6.0	2	3.0	A
diazinon	Fig	18.61	1	125.0	A
diazinon	Grape	2.98	1	0.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
diazinon	Kale	12.9	4	4.0	A
diazinon	Landscape maintenance	110.35	N/A	N/A	N/A
diazinon	Lemon	19.93	1	42.0	A
diazinon	Lettuce, head	39.69	4	95.0	A
diazinon	Lettuce, leaf	15.95	5	8.04	A
diazinon	Melon	44.48	8	82.42	A
diazinon	Mustard	15.88	1	4.0	A
diazinon	N-grnhs flower	0.25	1	0.3	A
diazinon	N-grnhs flower	1.0	10	80,000.0	S
diazinon	N-outdr flower	21.95	6	59.0	A
diazinon	N-outdr plants in containers	89.47	75	122.42	A
diazinon	N-outdr transplants	43.06	15	170.0	A
diazinon	Nectarine	35.75	3	18.2	A
diazinon	Onion, dry	1,275.56	17	819.2	A
diazinon	Peach	4,750.99	135	2,431.34	A
diazinon	Pear	4,960.56	81	3,339.29	A
diazinon	Pistachio	0.37	1	1.0	A
diazinon	Plum	13.18	6	16.85	A
diazinon	Prune	311.78	4	161.5	A
diazinon	Raspberry	56.77	7	57.15	A
diazinon	Regulatory pest control	0.01	N/A	N/A	N/A
diazinon	Research commodity	51.95	19	21.78	A
diazinon	Rights of way	1.98	N/A	N/A	N/A
diazinon	Soil fumigation/preplant	148.83	1	75.0	A
diazinon	Spinach	224.0	13	112.9	A
diazinon	Stone fruit	3.2	3	8.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diazinon	Strawberry	359.05	29	442.5	A
diazinon	Structural pest control	21.81	N/A	N/A	N/A
diazinon	Tomato	4,466.92	40	1,761.55	A
diazinon	Tomato, processing	23,276.19	172	7,702.59	A
diazinon	Uncultivated ag	1,735.01	30	806.73	A
diazinon	Walnut	18.02	2	19.0	A
diazinon	Watermelon	330.61	25	173.47	A
1,3-dibromo-5,5-dimethylhydantoin	Water (industrial)	49.0	N/A	1.0	U
2,2-dibromo-3-nitrilopropionamide	Industrial processing water	383.0	N/A	7.0	A
2,2-dibromo-3-nitrilopropionamide	Industrial processing water	822.14	N/A	1,339.0	U
2,2-dibromo-3-nitrilopropionamide	Landscape maintenance	2,576.71	N/A	N/A	N/A
2,2-dibromo-3-nitrilopropionamide	Structural pest control	0.37	N/A	N/A	N/A
2,2-dibromo-3-nitrilopropionamide	Water (industrial)	4,869.87	N/A	186.0	A
2,2-dibromo-3-nitrilopropionamide	Water (industrial)	14,473.32	N/A	2,766.0	U
2,2-dibromo-3-nitrilopropionamide	Water filters & filtration systems	324.25	N/A	2.0	U
2,2-dibromo-3-nitrilopropionamide	Water systems - human potable/drinking	0.12	N/A	1.0	A
dicamba	Golf course turf	23.51	9	864.25	A
dicamba	Golf course turf	4.3	N/A	236,000.0	S
dicamba	Grape, wine	<0.01	3	5.61	A
dicamba	Landscape maintenance	4.39	24	504.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dicamba	Landscape maintenance	0.98	31	925,000.0	S
dicamba	Landscape maintenance	829.69	N/A	N/A	N/A
dicamba	N-grnhs flower	14.86	N/A	370.89	A
dicamba	N-grnhs flower	0.78	N/A	810,900.0	S
dicamba	N-grnhs plants in containers	0.13	N/A	4.0	A
dicamba	N-grnhs plants in containers	<0.01	1	50,000.0	S
dicamba	N-grnhs transplants	6.31	N/A	296.3	A
dicamba	N-outdr flower	0.59	2	15.0	A
dicamba	N-outdr flower	0.02	N/A	30,000.0	S
dicamba	N-outdr plants in containers	0.23	2	16.25	A
dicamba	N-outdr plants in containers	<0.01	2	10,000.0	S
dicamba	N-outdr transplants	1.08	N/A	17.0	A
dicamba	N-outdr transplants	0.31	N/A	770,000.0	S
dicamba	Pastureland	95.57	4	192.0	A
dicamba	Public health	0.16	N/A	N/A	N/A
dicamba	Recreation area	<0.01	N/A	16,000.0	S
dicamba	Rights of way	18.39	N/A	N/A	N/A
dicamba	Sod farm (turf)	8.78	62	562.12	A
dicamba	Structural pest control	12.99	N/A	N/A	N/A
dicamba	Turf/sod	34.97	97	1,378.66	A
dicamba	Turf/sod	0.08	1	302,500.0	S
dicamba, diethanolamine salt	Landscape maintenance	<0.01	N/A	N/A	N/A
dicamba, dimethylamine salt	Barley	456.76	24	5,350.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dicamba, dimethylamine salt	Barley (forage - fodder)	35.61	3	340.0	A
dicamba, dimethylamine salt	Corn (forage - fodder)	655.29	44	1,952.0	A
dicamba, dimethylamine salt	Cotton	90.44	1	300.0	A
dicamba, dimethylamine salt	Forage hay/silage	1,128.84	100	5,701.7	A
dicamba, dimethylamine salt	Golf course turf	16.99	2	168.25	A
dicamba, dimethylamine salt	Landscape maintenance	0.14	1	55.0	A
dicamba, dimethylamine salt	Landscape maintenance	399.64	N/A	N/A	N/A
dicamba, dimethylamine salt	N-grnhs flower	8.66	N/A	57.7	A
dicamba, dimethylamine salt	N-grnhs flower	<0.01	1	9,000.0	S
dicamba, dimethylamine salt	N-outdr plants in containers	0.03	1	10,000.0	S
dicamba, dimethylamine salt	N-outdr transplants	0.05	3	0.17	A
dicamba, dimethylamine salt	Oat	17.64	4	47.0	A
dicamba, dimethylamine salt	Oat (forage - fodder)	305.55	51	2,493.8	A
dicamba, dimethylamine salt	Orchardgrass	176.17	12	736.0	A
dicamba, dimethylamine salt	Pastureland	203.41	11	346.0	A
dicamba, dimethylamine salt	Rangeland	87.08	11	1,484.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dicamba, dimethylamine salt	Regulatory pest control	93.61	N/A	N/A	N/A
dicamba, dimethylamine salt	Rights of way	5,881.43	N/A	N/A	N/A
dicamba, dimethylamine salt	Rye	67.24	11	446.09	A
dicamba, dimethylamine salt	Ryegrass	182.85	12	1,052.0	A
dicamba, dimethylamine salt	Soil fumigation/preplant	544.31	11	1,072.0	A
dicamba, dimethylamine salt	Sorghum (forage - fodder)	61.8	6	205.0	A
dicamba, dimethylamine salt	Structural pest control	1.76	N/A	N/A	N/A
dicamba, dimethylamine salt	Sudangrass	67.52	6	152.5	A
dicamba, dimethylamine salt	Timothy	261.82	18	962.0	A
dicamba, dimethylamine salt	Turf/sod	49.58	22	508.0	A
dicamba, dimethylamine salt	Turf/sod	0.05	N/A	18,000.0	S
dicamba, dimethylamine salt	Uncultivated ag	110.37	11	699.0	A
dicamba, dimethylamine salt	Walnut	<0.01	1	1.0	A
dicamba, dimethylamine salt	Wheat	440.2	58	3,114.37	A
dicamba, dimethylamine salt	Wheat (forage - fodder)	308.77	40	2,382.4	A
dicamba, dimethylamine salt, other related	Regulatory pest control	23.3	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dicamba, potassium salt	Landscape maintenance	0.01	N/A	N/A	N/A
dicamba, sodium salt	Bermudagrass	33.0	2	124.0	A
dicamba, sodium salt	Corn (forage - fodder)	3,892.3	528	28,997.98	A
dicamba, sodium salt	Corn, grain	136.0	14	732.5	A
dicamba, sodium salt	Corn, human consumption	17.53	2	116.68	A
dicamba, sodium salt	Forage hay/silage	74.8	6	272.0	A
dicamba, sodium salt	Oat (forage - fodder)	16.75	5	100.0	A
dicamba, sodium salt	Rangeland	0.02	N/A	2.0	A
dicamba, sodium salt	Soil fumigation/preplant	21.64	1	78.7	A
dicamba, sodium salt	Sorghum (forage - fodder)	16.5	1	80.0	A
dicamba, sodium salt	Sunflower	2.69	1	16.3	A
dicamba, sodium salt	Uncultivated ag	20.79	1	126.0	A
dicamba, sodium salt	Walnut	20.46	1	124.0	A
dichlobenil	Public health	2.12	N/A	N/A	N/A
dichlobenil	Rights of way	70,281.58	N/A	N/A	N/A
dichlobenil	Sewage system	646.53	N/A	9,777.82	C
dichlobenil	Water (industrial)	8,471.86	N/A	119,737.07	C
dichlobenil	Water (industrial)	349.25	N/A	12,840.0	S
1,3-dichloro-5,5-dimethylhydantoin	Landscape maintenance	1,632.97	N/A	N/A	N/A
1,3-dichloro-5,5-dimethylhydantoin	Rights of way	14.45	N/A	N/A	N/A
1,3-dichloro-5,5-dimethylhydantoin	Water (industrial)	3,533.99	N/A	92.0	A
1,3-dichloro-5,5-dimethylhydantoin	Water (industrial)	10,717.34	N/A	4,788.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>1,3-dichloro-5-ethyl-5-methylhydantoin</b>	Landscape maintenance	879.84	N/A	N/A	N/A
<b>1,3-dichloro-5-ethyl-5-methylhydantoin</b>	Rights of way	7.95	N/A	N/A	N/A
<b>1,3-dichloro-5-ethyl-5-methylhydantoin</b>	Water (industrial)	1,918.8	N/A	92.0	A
<b>1,3-dichloro-5-ethyl-5-methylhydantoin</b>	Water (industrial)	5,876.21	N/A	4,788.0	U
<b>dichloroisocyanuric acid, potassium salt</b>	N-grnhs plants in containers	0.02	1	0.54	A
<b>1,3-dichloropropene</b>	Almond	3,040,042.19	426	9,316.34	A
<b>1,3-dichloropropene</b>	Blackberry	15,379.06	14	160.32	A
<b>1,3-dichloropropene</b>	Broccoli	4,831.4	3	44.3	A
<b>1,3-dichloropropene</b>	Brussels sprout	238,108.83	150	2,578.24	A
<b>1,3-dichloropropene</b>	Cabbage	1,664.63	1	14.0	A
<b>1,3-dichloropropene</b>	Cantaloupe	17,879.95	5	401.0	A
<b>1,3-dichloropropene</b>	Carrot	761,269.18	125	7,229.18	A
<b>1,3-dichloropropene</b>	Cauliflower	17,494.51	10	152.3	A
<b>1,3-dichloropropene</b>	Celery	1.27	1	0.11	A
<b>1,3-dichloropropene</b>	Cherry	60,710.78	16	189.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
1,3-dichloropropene	Chinese cabbage (napa, won bok, celery cabbage)	65,653.12	45	548.39	A
1,3-dichloropropene	Eggplant	27,446.99	62	222.26	A
1,3-dichloropropene	Grape	692,090.96	88	2,283.8	A
1,3-dichloropropene	Grape, wine	514,979.76	33	1,615.97	A
1,3-dichloropropene	Lemon	18,112.8	2	54.87	A
1,3-dichloropropene	Lettuce, head	7,094.51	2	54.0	A
1,3-dichloropropene	Lettuce, leaf	4,072.41	1	34.25	A
1,3-dichloropropene	Melon	24,969.51	8	560.0	A
1,3-dichloropropene	N-outdr flower	2,580.76	7	17.83	A
1,3-dichloropropene	N-outdr plants in containers	117,720.73	18	357.5	A
1,3-dichloropropene	N-outdr transplants	12,814.57	10	77.72	A
1,3-dichloropropene	Nectarine	60,184.05	14	181.46	A
1,3-dichloropropene	Olive	7,223.32	1	21.9	A
1,3-dichloropropene	Orange	38,266.86	7	115.41	A
1,3-dichloropropene	Peach	155,120.99	42	470.69	A
1,3-dichloropropene	Pepper, fruiting	133,237.46	49	1,278.71	A
1,3-dichloropropene	Pistachio	22,917.75	4	69.05	A
1,3-dichloropropene	Plum	7,546.34	5	22.9	A
1,3-dichloropropene	Potato	83,618.13	16	905.95	A
1,3-dichloropropene	Prune	7,965.43	6	25.1	A
1,3-dichloropropene	Raspberry	92,282.75	47	885.79	A
1,3-dichloropropene	Research commodity	1,150.64	9	3.48	A
1,3-dichloropropene	Soil fumigation/preplant	1,969,112.71	343	6,306.27	A
1,3-dichloropropene	Squash	1,235.03	1	9.8	A
1,3-dichloropropene	Squash, summer	1,995.69	1	15.8	A
1,3-dichloropropene	Stone fruit	2,323.55	1	7.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
1,3-dichloropropene	Strawberry	1,524,460.97	569	15,795.51	A
1,3-dichloropropene	Structural pest control	0.48	N/A	N/A	N/A
1,3-dichloropropene	Sweet potato	846,638.84	317	7,706.41	A
1,3-dichloropropene	Tangerine	177,172.83	18	539.15	A
1,3-dichloropropene	Tomato	40,054.16	5	350.6	A
1,3-dichloropropene	Tomato, processing	22,472.56	3	224.0	A
1,3-dichloropropene	Uncultivated ag	412,783.51	45	1,248.0	A
1,3-dichloropropene	Walnut	404,548.72	237	1,313.43	A
1,3-dichloropropene	Watermelon	3,515.05	1	36.88	A
1,3-dichloropropene	Wheat (forage - fodder)	17,260.67	1	52.0	A
dicloran	Bean, succulent	126.72	6	78.0	A
dicloran	Celery	13,635.9	462	6,066.96	A
dicloran	Endive (escarole)	22.91	22	19.36	A
dicloran	Fennel	79.98	6	32.0	A
dicloran	Grape, wine	2.7	3	9.0	A
dicloran	Lettuce, head	3,109.17	375	3,448.08	A
dicloran	Lettuce, leaf	4,158.32	562	5,300.8	A
dicloran	N-grnhs plants in containers	7.07	9	4.92	A
dicloran	N-grnhs transplants	0.38	1	0.25	A
dicloran	N-outdr transplants	3.16	9	3.99	A
dicloran	Onion, dry	317.42	4	127.0	A
dicloran	Research commodity	0.88	N/A	N/A	N/A
dicofol	Grape, wine	5.6	2	28.0	A
dicofol	Landscape maintenance	0.09	N/A	N/A	N/A
dicofol	N-grnhs plants in containers	0.17	1	0.4	A
dicofol	Walnut	199.42	2	400.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
didecyl dimethyl ammonium chloride	Animal premise	7.53	N/A	687,636.0	S
didecyl dimethyl ammonium chloride	Animal premise	110.3	34	1,622.04	U
didecyl dimethyl ammonium chloride	Buildings/non-ag outdoor	49.55	N/A	33,000.0	S
didecyl dimethyl ammonium chloride	Cannabis (all or unspecified)	8.64	10	10.0	A
didecyl dimethyl ammonium chloride	Cannabis (all or unspecified)	0.07	3	4,242.0	S
didecyl dimethyl ammonium chloride	Farm/ag building	56.26	N/A	378.0	U
didecyl dimethyl ammonium chloride	Fumigation, other	15.27	N/A	N/A	N/A
didecyl dimethyl ammonium chloride	Grape, wine	<0.01	1	9.0	A
didecyl dimethyl ammonium chloride	Household	<0.01	N/A	3,000.0	S
didecyl dimethyl ammonium chloride	Household	<0.01	N/A	1.0	U
didecyl dimethyl ammonium chloride	Industrial site	<0.01	N/A	1.0	U
didecyl dimethyl ammonium chloride	Landscape maintenance	13.01	N/A	N/A	N/A
didecyl dimethyl ammonium chloride	N-grnhs flower	13.93	6	12.5	A
didecyl dimethyl ammonium chloride	N-grnhs flower	3.94	17	99,150.0	S
didecyl dimethyl ammonium chloride	N-grnhs plants in containers	26.75	68	76.27	A
didecyl dimethyl ammonium chloride	N-grnhs plants in containers	29.95	65	1,232,340.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
didecyl dimethyl ammonium chloride	N-grnhs transplants	11.27	25	150,200.0	S
didecyl dimethyl ammonium chloride	N-outdr flower	8.01	10	23.04	A
didecyl dimethyl ammonium chloride	N-outdr plants in containers	9.02	34	45.23	A
didecyl dimethyl ammonium chloride	N-outdr plants in containers	0.74	5	153,000.0	S
didecyl dimethyl ammonium chloride	N-outdr transplants	0.11	1	0.75	A
didecyl dimethyl ammonium chloride	Public health	1.12	N/A	N/A	N/A
didecyl dimethyl ammonium chloride	Regulatory pest control	0.06	N/A	N/A	N/A
didecyl dimethyl ammonium chloride	Rights of way	54.02	N/A	N/A	N/A
didecyl dimethyl ammonium chloride	Structural pest control	621.9	N/A	N/A	N/A
didecyl dimethyl ammonium chloride	Tangelo	0.08	1	20.0	A
diethanolamine	Corn (forage - fodder)	3.79	5	263.0	A
diethanolamine	Rice	367.02	196	19,027.16	A
diethanolamine	Rights of way	2.3	N/A	N/A	N/A
diethylene glycol	Alfalfa	6,824.38	2,235	141,937.6	A
diethylene glycol	Almond	63,323.51	5,681	437,858.28	A
diethylene glycol	Apple	119.94	11	840.67	A
diethylene glycol	Apricot	198.83	45	1,399.36	A
diethylene glycol	Artichoke, globe	61.14	39	736.84	A
diethylene glycol	Asparagus	38.49	9	762.1	A
diethylene glycol	Avocado	5.79	9	21.9	A
diethylene glycol	Avocado	0.15	2	25,200.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diethylene glycol	Barley	69.32	11	1,088.0	A
diethylene glycol	Barley (forage - fodder)	102.61	9	531.67	A
diethylene glycol	Basil, sweet	26.08	2	80.9	A
diethylene glycol	Bean, dried	178.83	57	2,913.06	A
diethylene glycol	Bean, succulent	12.17	7	229.67	A
diethylene glycol	Bean, unspecified	0.02	1	1.0	A
diethylene glycol	Beet	3.34	7	67.03	A
diethylene glycol	Bermudagrass	307.67	46	4,016.5	A
diethylene glycol	Blueberry	41.34	12	706.66	A
diethylene glycol	Broccoli	54.61	92	1,237.3	A
diethylene glycol	Brussels sprout	141.25	64	1,653.06	A
diethylene glycol	Cabbage	36.61	39	447.51	A
diethylene glycol	Cantaloupe	150.77	31	1,353.05	A
diethylene glycol	Carrot	7.41	11	532.0	A
diethylene glycol	Cauliflower	12.5	22	137.11	A
diethylene glycol	Celery	905.24	643	11,745.66	A
diethylene glycol	Cherry	2,084.34	455	11,630.31	A
diethylene glycol	Christmas tree	0.33	1	1.0	A
diethylene glycol	Cilantro	7.89	9	122.39	A
diethylene glycol	Corn (forage - fodder)	2,244.61	743	37,789.01	A
diethylene glycol	Corn, grain	85.75	32	1,618.0	A
diethylene glycol	Corn, human consumption	349.92	167	5,797.87	A
diethylene glycol	Cotton	5,297.54	1,096	83,978.64	A
diethylene glycol	Cucumber	31.15	7	200.33	A
diethylene glycol	Date	2.64	2	40.0	A
diethylene glycol	Eggplant	5.44	1	20.0	A
diethylene glycol	Endive (escarole)	3.01	41	31.53	A
diethylene glycol	Forage hay/silage	180.15	41	2,251.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diethylene glycol	Forest, timberland	1.76	2	85.0	A
diethylene glycol	Gai lon	0.12	1	0.78	A
diethylene glycol	Garbanzo bean	124.0	6	780.0	A
diethylene glycol	Garlic	386.88	141	10,652.4	A
diethylene glycol	Golf course turf	2.38	N/A	15.5	A
diethylene glycol	Grape	2,012.7	775	19,176.57	A
diethylene glycol	Grape	0.01	3	20,500.0	S
diethylene glycol	Grape, wine	64,781.42	5,875	222,401.08	A
diethylene glycol	Grapefruit	62.03	25	245.05	A
diethylene glycol	Grass, seed	0.07	1	1.0	A
diethylene glycol	Herb, spice	4.43	16	51.41	A
diethylene glycol	Hops	2.16	5	28.5	A
diethylene glycol	Industrial hemp	7.14	4	91.0	A
diethylene glycol	Industrial site	<0.01	N/A	6.0	A
diethylene glycol	Kale	16.57	55	221.3	A
diethylene glycol	Kiwi fruit fuzzy	9.43	3	55.5	A
diethylene glycol	Landscape maintenance	0.18	1	236,500.0	S
diethylene glycol	Landscape maintenance	1,533.86	N/A	N/A	N/A
diethylene glycol	Leek	3.5	21	49.45	A
diethylene glycol	Lemon	4,721.8	262	8,647.82	A
diethylene glycol	Lettuce, head	221.67	931	13,599.8	A
diethylene glycol	Lettuce, leaf	294.0	1,102	10,246.04	A
diethylene glycol	Lime	0.15	2	1.0	A
diethylene glycol	Melon	21.97	14	772.27	A
diethylene glycol	Mustard	<0.01	1	10.0	A
diethylene glycol	Mustard greens	2.49	39	43.62	A
diethylene glycol	N-grnhs flower	2.06	5	11.25	A
diethylene glycol	N-grnhs plants in containers	17.61	67	66.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diethylene glycol	N-grnhs plants in containers	0.93	12	149,500.0	S
diethylene glycol	N-grnhs transplants	2.7	21	23.07	A
diethylene glycol	N-outdr flower	66.94	21	436.67	A
diethylene glycol	N-outdr plants in containers	137.55	555	1,400.04	A
diethylene glycol	N-outdr plants in containers	0.04	1	15,000.0	S
diethylene glycol	N-outdr transplants	135.14	319	813.58	A
diethylene glycol	Nectarine	35.66	56	556.56	A
diethylene glycol	Oat	17.23	13	542.0	A
diethylene glycol	Oat (forage - fodder)	2,952.94	132	6,734.29	A
diethylene glycol	Olive	208.59	40	1,785.88	A
diethylene glycol	Onion, dry	580.1	153	9,222.7	A
diethylene glycol	Orange	13,276.11	1,355	30,463.56	A
diethylene glycol	Orchardgrass	0.28	1	47.0	A
diethylene glycol	Parsley	18.95	60	269.55	A
diethylene glycol	Pastureland	8.82	22	596.5	A
diethylene glycol	Peach	364.08	223	3,104.15	A
diethylene glycol	Pear	18.12	1	25.0	A
diethylene glycol	Peas	190.25	41	429.1	A
diethylene glycol	Pecan	59.66	15	347.06	A
diethylene glycol	Pepper, fruiting	688.48	388	10,170.05	A
diethylene glycol	Persimmon	83.21	21	700.5	A
diethylene glycol	Pistachio	40,971.64	2,572	249,547.24	A
diethylene glycol	Plum	20.6	22	241.54	A
diethylene glycol	Pomegranate	322.65	60	3,214.86	A
diethylene glycol	Pomelo	12.62	6	41.0	A
diethylene glycol	Potato	23.46	21	1,268.7	A
diethylene glycol	Prune	24.95	22	383.58	A
diethylene glycol	Pumpkin	15.52	8	354.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diethylene glycol	Radish	1.62	3	37.35	A
diethylene glycol	Rangeland	4.83	3	126.5	A
diethylene glycol	Recreation area	1.01	N/A	0.01	U
diethylene glycol	Regulatory pest control	13.04	N/A	N/A	N/A
diethylene glycol	Research commodity	24.29	21	30.25	A
diethylene glycol	Research commodity	0.36	19	122,500.0	S
diethylene glycol	Research commodity	4.54	N/A	N/A	N/A
diethylene glycol	Rice	26.5	25	1,190.1	A
diethylene glycol	Rights of way	437.63	37	1,131.45	A
diethylene glycol	Rights of way	4,295.79	N/A	N/A	N/A
diethylene glycol	Rye	26.01	20	1,108.0	A
diethylene glycol	Ryegrass	20.97	15	883.28	A
diethylene glycol	Safflower	18.66	10	1,666.5	A
diethylene glycol	Soil fumigation/preplant	839.01	122	16,697.56	A
diethylene glycol	Sorghum (forage - fodder)	82.44	60	3,709.48	A
diethylene glycol	Sorghum/milo	29.56	35	1,267.98	A
diethylene glycol	Squash	15.96	20	487.04	A
diethylene glycol	Squash, winter	1.06	2	40.0	A
diethylene glycol	Strawberry	301.67	64	2,648.0	A
diethylene glycol	Structural pest control	6.82	N/A	N/A	N/A
diethylene glycol	Sudangrass	17.13	19	707.5	A
diethylene glycol	Sugarbeet	641.35	178	12,282.7	A
diethylene glycol	Sunflower	26.84	22	971.0	A
diethylene glycol	Sweet potato	1.48	2	63.0	A
diethylene glycol	Tangelo	48.64	10	109.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diethylene glycol	Tangerine	895.42	154	2,382.21	A
diethylene glycol	Tomato	173.67	74	3,153.63	A
diethylene glycol	Tomato, processing	3,767.09	934	69,441.17	A
diethylene glycol	Triticale	132.86	61	3,156.6	A
diethylene glycol	Turf/sod	34.54	12	257.32	A
diethylene glycol	Turnip greens	2.4	39	39.37	A
diethylene glycol	Uncultivated ag	597.68	105	5,450.83	A
diethylene glycol	Uncultivated non-ag	204.74	10	648.82	A
diethylene glycol	Unknown	4.11	1	35.0	A
diethylene glycol	Vertebrate control	0.53	N/A	N/A	N/A
diethylene glycol	Walnut	4,174.08	648	25,081.51	A
diethylene glycol	Water area	0.39	N/A	10.8	A
diethylene glycol	Water area	15.0	N/A	0.02	U
diethylene glycol	Watermelon	48.3	28	853.0	A
diethylene glycol	Wheat	1,359.83	299	20,346.87	A
diethylene glycol	Wheat (forage - fodder)	801.72	588	37,290.82	A
diethylene glycol abietate	Landscape maintenance	0.04	N/A	N/A	N/A
difenacoum	Landscape maintenance	<0.01	N/A	N/A	N/A
difenacoum	Structural pest control	<0.01	N/A	N/A	N/A
difenoconazole	Almond	41,421.75	6,543	414,588.78	A
difenoconazole	Apple	7.82	37	498.07	A
difenoconazole	Apricot	32.4	17	429.15	A
difenoconazole	Artichoke, globe	103.64	82	1,247.55	A
difenoconazole	Bean, dried	3.92	1	60.0	A
difenoconazole	Bean, unspecified	0.1	1	1.0	A
difenoconazole	Blueberry	2.21	3	51.0	A
difenoconazole	Bok choy	0.52	3	4.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
difenoconazole	Broccoli	6.51	7	59.9	A
difenoconazole	Brussels sprout	34.38	12	304.28	A
difenoconazole	Cantaloupe	6.86	1	60.0	A
difenoconazole	Carrot	73.46	14	642.55	A
difenoconazole	Cauliflower	5.49	5	48.15	A
difenoconazole	Cherry	488.9	196	4,399.65	A
difenoconazole	Chinese cabbage (napa, won bok, celery cabbage)	48.9	36	427.81	A
difenoconazole	Citrus	0.75	1	6.0	A
difenoconazole	Cucumber	10.87	6	120.8	A
difenoconazole	Eggplant	28.01	12	245.0	A
difenoconazole	Garlic	186.1	30	1,631.19	A
difenoconazole	Golf course turf	29.43	N/A	102.9	A
difenoconazole	Golf course turf	1.0	N/A	170,000.0	S
difenoconazole	Grape	1,074.06	419	17,183.79	A
difenoconazole	Grape, wine	4,183.05	3,772	86,492.69	A
difenoconazole	Grapefruit	38.27	28	335.74	A
difenoconazole	Kale	0.43	3	3.8	A
difenoconazole	Landscape maintenance	0.73	2	3.0	A
difenoconazole	Landscape maintenance	0.31	1	75,000.0	S
difenoconazole	Landscape maintenance	250.47	N/A	N/A	N/A
difenoconazole	Leek	0.8	1	8.19	A
difenoconazole	Lemon	312.99	116	2,746.07	A
difenoconazole	Melon	11.05	12	108.95	A
difenoconazole	N-grnhs plants in containers	0.41	N/A	100,000.0	S
difenoconazole	N-grnhs transplants	1.31	1	6.75	A
difenoconazole	N-grnhs transplants	0.45	N/A	110,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
difenoconazole	N-outdr plants in containers	12.03	14	108.71	A
difenoconazole	N-outdr plants in containers	1.08	N/A	110,000.0	S
difenoconazole	N-outdr transplants	49.73	26	430.1	A
difenoconazole	Nectarine	158.08	66	1,994.2	A
difenoconazole	Olive	21.55	1	188.5	A
difenoconazole	Onion, dry	665.78	96	8,984.89	A
difenoconazole	Orange	2,595.5	1,243	22,827.6	A
difenoconazole	Peach	629.61	270	8,670.6	A
difenoconazole	Pear	36.9	51	1,651.21	A
difenoconazole	Pecan	9.83	5	468.33	A
difenoconazole	Pepper, fruiting	707.22	304	6,725.8	A
difenoconazole	Pepper, spice	5.52	2	48.2	A
difenoconazole	Pistachio	1,167.66	288	18,064.38	A
difenoconazole	Plum	22.49	17	214.21	A
difenoconazole	Potato	666.03	119	6,291.48	A
difenoconazole	Prune	108.34	39	1,100.27	A
difenoconazole	Pumpkin	21.9	11	202.1	A
difenoconazole	Research commodity	4.59	35	47.57	A
difenoconazole	Research commodity	0.55	15	172,500.0	S
difenoconazole	Research commodity	0.36	N/A	N/A	N/A
difenoconazole	Squash	2.81	10	26.5	A
difenoconazole	Squash, summer	9.83	4	86.0	A
difenoconazole	Squash, winter	14.41	5	126.0	A
difenoconazole	Stone fruit	0.52	1	2.0	A
difenoconazole	Strawberry	309.46	101	3,373.44	A
difenoconazole	Sweet potato	0.91	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
difenoconazole	Tangelo	52.32	36	444.97	A
difenoconazole	Tangerine	1,435.35	539	11,890.86	A
difenoconazole	Tomatillo	0.11	1	1.0	A
difenoconazole	Tomato	891.26	271	12,110.25	A
difenoconazole	Tomato	0.14	9	23,400.0	S
difenoconazole	Tomato, processing	3,655.57	771	56,992.21	A
difenoconazole	Turf/sod	1.67	2	6.4	A
difenoconazole	Uncultivated ag	11.24	6	104.0	A
difenoconazole	Upland cress	0.02	1	0.77	A
difenoconazole	Walnut	1,894.82	303	17,290.23	A
difenoconazole	Watermelon	114.19	29	1,089.1	A
difenoconazole	Wheat	106.72	N/A	892.62	T
difethialone	Animal premise	<0.01	N/A	1,755.68	A
difethialone	Animal premise	<0.01	N/A	5,830.0	S
difethialone	Animal premise	<0.01	N/A	6,996.0	U
difethialone	Buildings/non-ag outdoor	0.29	N/A	34.0	U
difethialone	Commodity fumigation	<0.01	N/A	N/A	N/A
difethialone	Farm/ag building	<0.01	N/A	28.0	A
difethialone	Farm/ag building	<0.01	N/A	1,166.0	U
difethialone	Food processing plant	<0.01	N/A	165.0	A
difethialone	Fumigation, other	<0.01	N/A	N/A	N/A
difethialone	Industrial site	<0.01	N/A	4.0	A
difethialone	Industrial site	<0.01	N/A	975,000.0	S
difethialone	Landscape maintenance	0.02	N/A	N/A	N/A
difethialone	Orange	<0.01	1	76.78	A
difethialone	Regulatory pest control	0.04	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
difethialone	Rights of way	<0.01	N/A	N/A	N/A
difethialone	Structural pest control	15.33	N/A	N/A	N/A
difethialone	Tangerine	0.45	13	1,017.81	A
difethialone	Uncultivated non-ag	<0.01	1	200,000.0	C
difethialone	Unknown	<0.01	N/A	10,230,000.0	S
difethialone	Vertebrate control	0.06	N/A	N/A	N/A
diflubenzuron	Almond	7,998.31	586	32,371.53	A
diflubenzuron	Apricot	175.65	97	1,261.41	A
diflubenzuron	Artichoke, globe	1,574.91	488	6,448.06	A
diflubenzuron	Christmas tree	0.4	3	15.0	A
diflubenzuron	Citrus	5.46	3	35.0	A
diflubenzuron	Grapefruit	222.54	89	1,192.75	A
diflubenzuron	Lemon	696.88	208	3,391.46	A
diflubenzuron	N-grnhs flower	0.5	4	20,600.0	S
diflubenzuron	N-grnhs plants in containers	5.64	40	55.32	A
diflubenzuron	N-grnhs plants in containers	0.11	4	18,201.6	S
diflubenzuron	N-grnhs transplants	0.56	1	3.5	A
diflubenzuron	N-outdr flower	2.0	33	34.0	A
diflubenzuron	N-outdr plants in containers	0.77	2	3.25	A
diflubenzuron	N-outdr plants in containers	0.08	1	10,000.0	S
diflubenzuron	N-outdr plants in containers	0.03	2	3,000.0	U
diflubenzuron	Nectarine	1,029.97	464	5,629.04	A
diflubenzuron	Orange	13,292.35	2,766	65,488.35	A
diflubenzuron	Peach	1,238.83	580	7,639.25	A
diflubenzuron	Pear	0.95	1	5.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diflubenzuron	Pear, asian (oriental pear, ya, ya li, nashi)	39.97	2	211.9	A
diflubenzuron	Pepper, fruiting	275.62	93	2,235.42	A
diflubenzuron	Pepper, spice	16.44	7	175.75	A
diflubenzuron	Pistachio	7.08	3	261.0	A
diflubenzuron	Plum	1,089.05	562	8,157.69	A
diflubenzuron	Pomelo	53.7	23	288.0	A
diflubenzuron	Prune	18.93	1	75.7	A
diflubenzuron	Public health	0.05	N/A	N/A	N/A
diflubenzuron	Regulatory pest control	<0.01	N/A	N/A	N/A
diflubenzuron	Research commodity	0.06	N/A	N/A	N/A
diflubenzuron	Rice	379.9	59	2,586.4	A
diflubenzuron	Structural pest control	1.95	N/A	N/A	N/A
diflubenzuron	Tangelo	278.16	76	1,349.61	A
diflubenzuron	Tangerine	2,236.46	580	11,177.85	A
diflubenzuron	Walnut	1,069.77	114	5,652.59	A
diflufenzopyr, sodium salt	Corn (forage - fodder)	1,067.89	403	23,491.56	A
diflufenzopyr, sodium salt	Corn, grain	52.86	14	732.5	A
diflufenzopyr, sodium salt	Corn, human consumption	6.81	2	116.68	A
diflufenzopyr, sodium salt	Oat (forage - fodder)	2.66	1	28.0	A
diflufenzopyr, sodium salt	Rangeland	<0.01	N/A	2.0	A
diflufenzopyr, sodium salt	Sunflower	1.04	1	16.3	A
diflufenzopyr, sodium salt	Uncultivated ag	8.08	1	126.0	A
diflufenzopyr, sodium salt	Walnut	7.95	1	124.0	A
diglycerides of fatty acids	Landscape maintenance	8.62	N/A	N/A	N/A
diglycerides of fatty acids	Rights of way	1.44	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
diglycolamine salt of 3,6-dichloro-o-anisic acid	Alfalfa	225.8	10	505.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Barley	437.82	43	3,290.6	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Barley (forage - fodder)	35.91	7	124.05	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Bermudagrass	7,134.0	158	11,076.58	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Commodity fumigation	355.82	N/A	N/A	N/A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn (forage - fodder)	5,152.07	326	12,528.02	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn, grain	99.73	2	353.6	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage hay/silage	2,576.97	97	5,393.5	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Grass, seed	127.83	5	230.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Landscape maintenance	1,003.87	N/A	N/A	N/A
diglycolamine salt of 3,6-dichloro-o-anisic acid	N-outdr plants in containers	26.47	1	20.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat	205.19	25	1,162.8	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat (forage - fodder)	3,324.23	409	17,861.06	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Orchardgrass	5.32	1	28.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Pastureland	198.61	8	416.0	A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Rangeland	907.45	2	600.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Regulatory pest control	60.58	N/A	N/A	N/A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Research commodity	0.11	1	0.28	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Rights of way	167.88	2	251.0	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Rights of way	420.01	N/A	N/A	N/A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Ryegrass	207.26	9	460.3	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Soil fumigation/preplant	312.34	3	275.3	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Sorghum (forage - fodder)	1,955.8	74	5,355.05	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Sorghum/milo	1,053.91	45	2,797.8	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Sudangrass	807.73	23	1,337.0	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Tomato, processing	53.3	5	47.0	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Triticale	2.6	4	13.75	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Turf/sod	228.37	8	220.0	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Uncultivated ag	2,431.5	49	3,869.75	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Wheat	2,818.02	196	14,074.74	A
<b>diglycolamine salt of 3,6-dichloro-o-anisic acid</b>	Wheat (forage - fodder)	2,793.02	240	10,911.08	A
<b>diiodomethyl p-tolyl sulfone</b>	Lumber, treated	385.83	N/A	5,498.2	K

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(2-(p-(diisobutyl) phenoxy) ethoxy) ethyl dimethylbenzyl ammonium chloride	Almond	<0.01	3	6.5	A
2-(2-(p-(diisobutyl) phenoxy) ethoxy) ethyl dimethylbenzyl ammonium chloride	Golf course turf	<0.01	N/A	2,000.0	S
2-(2-(p-(diisobutyl) phenoxy) ethoxy) ethyl dimethylbenzyl ammonium chloride	Water (industrial)	1.04	N/A	2.0	U
dikegulac sodium	Golf course turf	0.66	2	5.17	A
dikegulac sodium	Landscape maintenance	11,641.72	N/A	N/A	N/A
dikegulac sodium	N-grnhs flower	0.21	N/A	1.0	A
dikegulac sodium	N-grnhs plants in containers	100.84	162	221.95	A
dikegulac sodium	N-outdr plants in containers	2.12	28	24.02	A
dikegulac sodium	Regulatory pest control	1.68	N/A	N/A	N/A
dikegulac sodium	Rights of way	43.2	N/A	N/A	N/A
dimethenamid-p	Bermudagrass	104.32	2	106.0	A
dimethenamid-p	Corn (forage - fodder)	63.53	2	87.0	A
dimethenamid-p	Corn, human consumption	2,412.03	46	3,533.0	A
dimethenamid-p	Garlic	4,828.85	61	6,736.08	A
dimethenamid-p	Grass, seed	107.96	21	120.6	A
dimethenamid-p	Landscape maintenance	254.79	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethenamid-p	N-grnhs plants in containers	0.34	4	0.74	A
dimethenamid-p	N-outdr flower	0.56	1	0.75	A
dimethenamid-p	N-outdr plants in containers	1,633.38	911	1,278.81	A
dimethenamid-p	N-outdr plants in containers	0.2	14	8,851.3	S
dimethenamid-p	N-outdr plants in containers	0.14	1	8,000.0	U
dimethenamid-p	N-outdr transplants	13.72	14	603.45	A
dimethenamid-p	Onion, dry	5,141.76	167	9,839.29	A
dimethenamid-p	Potato	1,638.38	34	2,295.0	A
dimethenamid-p	Research commodity	0.25	N/A	N/A	N/A
dimethenamid-p	Rights of way	0.6	N/A	N/A	N/A
dimethenamid-p	Structural pest control	11.16	N/A	N/A	N/A
dimethoate	Alfalfa	69,058.87	3,903	211,293.83	A
dimethoate	Bean, dried	4,426.98	309	15,720.9	A
dimethoate	Bean, succulent	1,183.49	106	2,995.81	A
dimethoate	Bean, unspecified	107.55	14	327.49	A
dimethoate	Broccoli	1,035.46	163	3,246.05	A
dimethoate	Brussels sprout	1,307.02	120	2,753.14	A
dimethoate	Cauliflower	100.68	25	214.0	A
dimethoate	Celery	1,792.68	438	3,919.16	A
dimethoate	Corn (forage - fodder)	839.66	43	2,163.04	A
dimethoate	Cotton	30,418.4	534	77,404.61	A
dimethoate	Endive (escarole)	72.21	22	288.89	A
dimethoate	Fava bean	24.72	4	50.0	A
dimethoate	Forage hay/silage	89.96	3	180.0	A
dimethoate	Grape, wine	2.49	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethoate	Grapefruit	38.5	3	59.0	A
dimethoate	Kale	78.07	116	331.28	A
dimethoate	Landscape maintenance	1.58	N/A	N/A	N/A
dimethoate	Lemon	367.3	33	659.45	A
dimethoate	Lettuce, leaf	750.22	282	3,001.73	A
dimethoate	Melon	43.54	4	87.1	A
dimethoate	Mustard	0.06	1	0.2	A
dimethoate	N-grnhs plants in containers	0.19	1	1.38	A
dimethoate	N-outdr flower	64.07	20	57.11	A
dimethoate	N-outdr plants in containers	11.36	5	20.25	A
dimethoate	Orange	1,605.46	102	2,433.61	A
dimethoate	Peas	224.62	144	1,334.9	A
dimethoate	Pecan	65.29	17	585.6	A
dimethoate	Pepper, fruiting	461.61	37	1,524.26	A
dimethoate	Research commodity	0.71	5	2.25	A
dimethoate	Rights of way	0.25	N/A	N/A	N/A
dimethoate	Safflower	6,016.17	88	23,740.8	A
dimethoate	Small fruits/berry	0.99	2	1.0	A
dimethoate	Sorghum (forage - fodder)	18.15	4	309.0	A
dimethoate	Sorghum/milo	129.06	11	349.5	A
dimethoate	Tangelo	28.99	3	33.0	A
dimethoate	Tangerine	2,163.43	123	4,055.06	A
dimethoate	Tomato	687.2	70	2,222.65	A
dimethoate	Tomato, processing	23,881.22	668	70,687.9	A
dimethoate	Triticale	418.16	10	836.06	A
dimethoate	Uncultivated ag	3.76	1	64.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethoate	Watermelon	131.28	11	360.7	A
dimethoate	Wheat	1,059.25	20	2,796.5	A
dimethoate	Wheat (forage - fodder)	824.65	48	2,443.8	A
dimethomorph	Arugula	124.1	91	606.84	A
dimethomorph	Bok choy	25.12	88	125.07	A
dimethomorph	Broccoli	142.48	51	734.5	A
dimethomorph	Brussels sprout	16.23	11	82.38	A
dimethomorph	Cabbage	205.7	308	1,052.43	A
dimethomorph	Cauliflower	27.74	9	143.1	A
dimethomorph	Celery	8.53	4	42.61	A
dimethomorph	Chinese broccoli (gai lon)	10.69	21	58.7	A
dimethomorph	Chinese cabbage (napa, won bok, celery cabbage)	19.03	55	94.46	A
dimethomorph	Cole crop	0.13	1	1.0	A
dimethomorph	Collard	61.69	156	307.46	A
dimethomorph	Cucumber	177.97	46	882.83	A
dimethomorph	Dandelion green	0.31	2	1.53	A
dimethomorph	Endive (escarole)	7.11	26	36.22	A
dimethomorph	Kale	214.22	337	1,063.72	A
dimethomorph	Kohlrabi	7.07	36	35.2	A
dimethomorph	Landscape maintenance	6.54	N/A	N/A	N/A
dimethomorph	Lettuce, head	8,748.48	3,828	44,375.11	A
dimethomorph	Lettuce, leaf	7,792.75	3,923	39,782.86	A
dimethomorph	Melon	39.2	20	191.4	A
dimethomorph	Mizuna	9.94	11	48.55	A
dimethomorph	Mustard	19.82	57	104.38	A
dimethomorph	Mustard greens	45.19	110	223.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethomorph	N-grnhs flower	63.1	94	185.75	A
dimethomorph	N-grnhs flower	0.45	7	48,420.0	S
dimethomorph	N-grnhs plants in containers	98.53	178	232.69	A
dimethomorph	N-grnhs plants in containers	17.19	88	3,092,389.0	S
dimethomorph	N-grnhs transplants	7.44	20	28.81	A
dimethomorph	N-grnhs transplants	3.47	69	561,500.0	S
dimethomorph	N-outdr flower	131.47	212	1,460.15	A
dimethomorph	N-outdr flower	0.06	1	10,000.0	S
dimethomorph	N-outdr plants in containers	251.32	306	633.41	A
dimethomorph	N-outdr plants in containers	3.72	16	557,472.5	S
dimethomorph	N-outdr plants in containers	1.08	3	18,000.0	U
dimethomorph	N-outdr transplants	1.39	8	5.07	A
dimethomorph	N-outdr transplants	0.12	3	28,800.0	U
dimethomorph	Onion, dry	1,686.45	123	8,495.1	A
dimethomorph	Onion, green	15.82	17	79.64	A
dimethomorph	Pepper, fruiting	94.85	16	463.2	A
dimethomorph	Pumpkin	6.96	1	34.0	A
dimethomorph	Research commodity	10.72	18	54.46	A
dimethomorph	Research commodity	0.07	N/A	N/A	N/A
dimethomorph	Spinach	1,941.9	1,106	8,879.07	A
dimethomorph	Squash	13.01	4	63.5	A
dimethomorph	Structural pest control	8.63	N/A	N/A	N/A
dimethomorph	Swiss chard	53.47	75	262.39	A
dimethomorph	Tomato	70.72	18	369.71	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethomorph	Upland cress	14.03	36	68.5	A
dimethomorph	Vegetables, leafy	4.33	7	21.05	A
dimethomorph	Watermelon	38.81	13	195.0	A
dimethyl alkyl tertiary amines	Alfalfa	423.5	1,526	81,675.78	A
dimethyl alkyl tertiary amines	Almond	741.93	2,894	110,143.11	A
dimethyl alkyl tertiary amines	Apricot	1.44	13	215.83	A
dimethyl alkyl tertiary amines	Artichoke, globe	2.05	37	588.18	A
dimethyl alkyl tertiary amines	Arugula	29.95	100	752.09	A
dimethyl alkyl tertiary amines	Avocado	0.04	1	6.0	A
dimethyl alkyl tertiary amines	Barley	21.61	68	4,636.9	A
dimethyl alkyl tertiary amines	Barley (forage - fodder)	11.73	18	1,887.2	A
dimethyl alkyl tertiary amines	Bean, dried	13.79	56	1,867.28	A
dimethyl alkyl tertiary amines	Bean, succulent	4.35	67	409.2	A
dimethyl alkyl tertiary amines	Bean, unspecified	0.36	16	75.7	A
dimethyl alkyl tertiary amines	Blueberry	10.37	42	1,547.58	A
dimethyl alkyl tertiary amines	Bok choy	0.18	36	29.7	A
dimethyl alkyl tertiary amines	Broccoli	41.79	610	5,751.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl alkyl tertiary amines	Brussels sprout	7.08	44	703.2	A
dimethyl alkyl tertiary amines	Cabbage	2.09	85	254.0	A
dimethyl alkyl tertiary amines	Cantaloupe	0.31	1	50.0	A
dimethyl alkyl tertiary amines	Cardoon	0.21	1	3.5	A
dimethyl alkyl tertiary amines	Carrot	5.74	61	1,196.7	A
dimethyl alkyl tertiary amines	Cauliflower	21.93	377	3,891.11	A
dimethyl alkyl tertiary amines	Celery	16.4	258	2,030.51	A
dimethyl alkyl tertiary amines	Cherry	23.31	185	2,411.33	A
dimethyl alkyl tertiary amines	Chinese cabbage (napa, won bok, celery cabbage)	0.05	1	7.9	A
dimethyl alkyl tertiary amines	Cilantro	0.69	46	131.5	A
dimethyl alkyl tertiary amines	Citrus	0.5	2	62.59	A
dimethyl alkyl tertiary amines	Corn (forage - fodder)	168.56	493	26,062.7	A
dimethyl alkyl tertiary amines	Corn, grain	50.46	155	7,386.18	A
dimethyl alkyl tertiary amines	Corn, human consumption	21.3	106	1,639.45	A
dimethyl alkyl tertiary amines	Cotton	99.86	246	17,496.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl alkyl tertiary amines	Cucumber	4.25	21	570.7	A
dimethyl alkyl tertiary amines	Eggplant	0.06	2	20.0	A
dimethyl alkyl tertiary amines	Endive (escarole)	1.81	21	33.8	A
dimethyl alkyl tertiary amines	Fennel	1.18	21	122.23	A
dimethyl alkyl tertiary amines	Food processing plant	0.16	1	25.0	A
dimethyl alkyl tertiary amines	Forage hay/silage	18.89	68	2,928.0	A
dimethyl alkyl tertiary amines	Forest, timberland	55.23	110	2,617.83	A
dimethyl alkyl tertiary amines	Garbanzo bean	0.65	1	105.0	A
dimethyl alkyl tertiary amines	Garlic	37.72	72	4,984.79	A
dimethyl alkyl tertiary amines	Grain	1.18	2	190.6	A
dimethyl alkyl tertiary amines	Grape	9.96	99	2,088.37	A
dimethyl alkyl tertiary amines	Grape, wine	453.21	5,658	76,335.81	A
dimethyl alkyl tertiary amines	Grapefruit	0.62	9	99.5	A
dimethyl alkyl tertiary amines	Horseradish	1.04	3	252.0	A
dimethyl alkyl tertiary amines	Kale	5.85	75	140.3	A
dimethyl alkyl tertiary amines	Kiwi fruit fuzzy	25.14	396	2,382.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl alkyl tertiary amines	Kohlrabi	0.11	13	17.5	A
dimethyl alkyl tertiary amines	Landscape maintenance	0.63	11	101.1	A
dimethyl alkyl tertiary amines	Landscape maintenance	0.09	3	873,000.0	S
dimethyl alkyl tertiary amines	Landscape maintenance	19.28	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Leek	<0.01	1	1.5	A
dimethyl alkyl tertiary amines	Lemon	2.48	23	392.6	A
dimethyl alkyl tertiary amines	Lettuce, head	69.89	490	5,654.21	A
dimethyl alkyl tertiary amines	Lettuce, leaf	167.31	880	7,000.55	A
dimethyl alkyl tertiary amines	Melon	0.27	1	44.0	A
dimethyl alkyl tertiary amines	Mint	9.91	36	2,283.0	A
dimethyl alkyl tertiary amines	Mizuna	0.05	1	1.0	A
dimethyl alkyl tertiary amines	N-outdr plants in containers	6.99	42	2,324.6	A
dimethyl alkyl tertiary amines	N-outdr transplants	0.28	5	34.61	A
dimethyl alkyl tertiary amines	Oat	4.73	16	726.69	A
dimethyl alkyl tertiary amines	Oat (forage - fodder)	36.67	122	5,720.85	A
dimethyl alkyl tertiary amines	Olive	21.46	138	3,080.73	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl alkyl tertiary amines	Onion, dry	64.0	218	10,941.55	A
dimethyl alkyl tertiary amines	Orange	3.35	39	539.04	A
dimethyl alkyl tertiary amines	Orchardgrass	5.93	12	962.0	A
dimethyl alkyl tertiary amines	Pasture (forage - fodder)	0.46	2	180.0	A
dimethyl alkyl tertiary amines	Pastureland	6.01	11	967.7	A
dimethyl alkyl tertiary amines	Peach	0.59	13	94.67	A
dimethyl alkyl tertiary amines	Pear	0.15	1	23.5	A
dimethyl alkyl tertiary amines	Peas	2.56	65	451.8	A
dimethyl alkyl tertiary amines	Pecan	7.81	7	875.99	A
dimethyl alkyl tertiary amines	Pepper, fruiting	0.77	10	203.76	A
dimethyl alkyl tertiary amines	Persimmon	0.08	4	38.0	A
dimethyl alkyl tertiary amines	Pistachio	156.42	735	23,476.95	A
dimethyl alkyl tertiary amines	Plum	0.04	1	7.2	A
dimethyl alkyl tertiary amines	Pomegranate	1.02	4	461.52	A
dimethyl alkyl tertiary amines	Pomelo	0.19	2	30.0	A
dimethyl alkyl tertiary amines	Potato	57.44	172	10,226.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl alkyl tertiary amines	Prune	9.03	69	1,422.01	A
dimethyl alkyl tertiary amines	Public health	15.86	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Pumpkin	0.06	1	10.0	A
dimethyl alkyl tertiary amines	Rangeland	6.68	8	1,300.28	A
dimethyl alkyl tertiary amines	Rapini	4.11	16	69.83	A
dimethyl alkyl tertiary amines	Raspberry	0.14	2	21.5	A
dimethyl alkyl tertiary amines	Regulatory pest control	0.05	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Research commodity	0.4	19	63.3	A
dimethyl alkyl tertiary amines	Rice	611.68	971	55,437.86	A
dimethyl alkyl tertiary amines	Rights of way	20.91	50	2,110.0	A
dimethyl alkyl tertiary amines	Rights of way	290.49	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Rye	0.32	6	80.0	A
dimethyl alkyl tertiary amines	Ryegrass	19.86	72	3,327.18	A
dimethyl alkyl tertiary amines	Safflower	1.81	9	259.0	A
dimethyl alkyl tertiary amines	Soil fumigation/preplant	46.76	52	4,493.7	A
dimethyl alkyl tertiary amines	Sorghum (forage - fodder)	16.11	21	2,592.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl alkyl tertiary amines	Sorghum/milo	6.01	16	967.1	A
dimethyl alkyl tertiary amines	Spinach	69.8	355	3,514.31	A
dimethyl alkyl tertiary amines	Squash	0.06	4	10.0	A
dimethyl alkyl tertiary amines	Squash, winter	0.77	3	124.0	A
dimethyl alkyl tertiary amines	Strawberry	3.08	9	522.2	A
dimethyl alkyl tertiary amines	Structural pest control	<0.01	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Sudangrass	28.25	87	4,543.7	A
dimethyl alkyl tertiary amines	Sunflower	24.07	71	3,649.6	A
dimethyl alkyl tertiary amines	Tangelo	0.31	3	47.0	A
dimethyl alkyl tertiary amines	Tangerine	2.26	18	363.9	A
dimethyl alkyl tertiary amines	Tomato	27.52	82	3,664.21	A
dimethyl alkyl tertiary amines	Tomato, processing	64.38	99	9,145.43	A
dimethyl alkyl tertiary amines	Triticale	46.06	134	7,381.61	A
dimethyl alkyl tertiary amines	Uncultivated ag	552.45	1,791	58,901.26	A
dimethyl alkyl tertiary amines	Uncultivated non-ag	20.09	61	2,066.25	A
dimethyl alkyl tertiary amines	Upland cress	2.98	39	64.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl alkyl tertiary amines	Vegetable	0.1	3	15.0	A
dimethyl alkyl tertiary amines	Walnut	163.92	819	20,341.84	A
dimethyl alkyl tertiary amines	Water area	0.94	34	41.11	A
dimethyl alkyl tertiary amines	Watermelon	0.31	1	50.0	A
dimethyl alkyl tertiary amines	Wheat	1,116.99	371	20,260.67	A
dimethyl alkyl tertiary amines	Wheat (forage - fodder)	72.99	191	11,465.96	A
dimethyl and methyl naphthalene sulfonic acid, sodium salt	Landscape maintenance	0.3	N/A	N/A	N/A
dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Alfalfa	52.72	27	1,828.2	A
dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Forage hay/silage	1.45	1	75.0	A
dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Onion, dry	20.9	6	582.0	A
dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Orchardgrass	4.76	3	246.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Sugarbeet	7.6	8	689.0	A
dimethyl dicocoalkyl ammonium salt with naphthalenesulfonic acid, formaldehyde condensate	Timothy	3.37	3	116.0	A
5,5-dimethylhydantoin	Water (industrial)	4,663.7	N/A	6.0	U
1,4-dimethylnaphthalene	Potato	273.88	N/A	24,744.05	T
3,7-dimethyl-6-octen-1-ol	Almond	19.5	20	1,218.2	A
3,7-dimethyl-6-octen-1-ol	Cherry	1.18	3	71.0	A
3,7-dimethyl-6-octen-1-ol	Grape	12.35	14	568.6	A
3,7-dimethyl-6-octen-1-ol	Grape, wine	8.44	40	765.29	A
3,7-dimethyl-6-octen-1-ol	Nectarine	4.47	19	241.97	A
3,7-dimethyl-6-octen-1-ol	Peach	15.28	66	822.17	A
3,7-dimethyl-6-octen-1-ol	Rights of way	0.31	N/A	N/A	N/A
3,7-dimethyl-6-octen-1-ol	Walnut	0.21	1	20.0	A
dimethyl phthalate	Mushroom house	0.28	6	34,500.0	S
dimethylpolysiloxane	Alfalfa	317.89	4,053	247,112.84	A
dimethylpolysiloxane	Almond	60,909.07	27,165	1,585,625.0	A
dimethylpolysiloxane	Apple	25.25	161	2,186.26	A
dimethylpolysiloxane	Apricot	52.56	352	4,062.98	A
dimethylpolysiloxane	Artichoke, globe	6.28	67	923.14	A
dimethylpolysiloxane	Arugula	0.36	18	20.3	A
dimethylpolysiloxane	Asparagus	1.08	18	1,172.1	A
dimethylpolysiloxane	Avocado	1,542.75	461	8,872.58	A
dimethylpolysiloxane	Avocado	<0.01	6	49,200.0	S
dimethylpolysiloxane	Avocado	5.94	20	4,253,500.0	U
dimethylpolysiloxane	Barley	0.71	31	3,480.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Barley (forage - fodder)	1.18	10	606.67	A
dimethylpolysiloxane	Basil, sweet	101.03	21	1,283.9	A
dimethylpolysiloxane	Bean, dried	13.39	189	8,902.36	A
dimethylpolysiloxane	Bean, succulent	19.67	75	1,111.27	A
dimethylpolysiloxane	Bean, unspecified	1.41	22	432.45	A
dimethylpolysiloxane	Beet	91.08	225	5,087.03	A
dimethylpolysiloxane	Bermudagrass	5.84	46	4,013.01	A
dimethylpolysiloxane	Blackberry	1,086.94	556	6,209.82	A
dimethylpolysiloxane	Blueberry	154.99	215	4,502.09	A
dimethylpolysiloxane	Bok choy	72.47	168	825.45	A
dimethylpolysiloxane	Broccoli	1,200.35	1,932	20,340.37	A
dimethylpolysiloxane	Brussels sprout	41.67	193	3,695.48	A
dimethylpolysiloxane	Cabbage	100.84	628	5,745.13	A
dimethylpolysiloxane	Cannabis (all or unspecified)	0.32	11	11.25	A
dimethylpolysiloxane	Cannabis (all or unspecified)	2.53	42	68,342.0	S
dimethylpolysiloxane	Cantaloupe	4.58	91	9,152.32	A
dimethylpolysiloxane	Carrot	215.85	173	6,865.01	A
dimethylpolysiloxane	Cauliflower	341.73	1,027	11,295.67	A
dimethylpolysiloxane	Celery	1,411.34	2,342	27,268.43	A
dimethylpolysiloxane	Cherry	686.49	1,996	36,214.0	A
dimethylpolysiloxane	Chinese cabbage (napa, won bok, celery cabbage)	33.56	49	156.1	A
dimethylpolysiloxane	Chive	<0.01	1	3.0	A
dimethylpolysiloxane	Christmas tree	0.01	2	6.0	A
dimethylpolysiloxane	Cilantro	9.84	61	504.13	A
dimethylpolysiloxane	Citrus	2.42	48	2,017.45	A
dimethylpolysiloxane	Citrus	3.46	14	1,521,220.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Collard	11.81	154	538.09	A
dimethylpolysiloxane	Commodity fumigation	<0.01	N/A	N/A	N/A
dimethylpolysiloxane	Corn (forage - fodder)	525.39	2,988	155,282.8	A
dimethylpolysiloxane	Corn, grain	13.73	267	10,907.18	A
dimethylpolysiloxane	Corn, human consumption	47.04	502	15,587.75	A
dimethylpolysiloxane	Cotton	300.54	2,367	163,134.19	A
dimethylpolysiloxane	County ag comm	<0.01	N/A	N/A	N/A
dimethylpolysiloxane	Cucumber	36.45	51	1,375.24	A
dimethylpolysiloxane	Daikon	0.51	9	38.3	A
dimethylpolysiloxane	Date	11.38	7	210.5	A
dimethylpolysiloxane	Dill	0.95	3	31.9	A
dimethylpolysiloxane	Ditch bank	8.1	4	150.5	A
dimethylpolysiloxane	Ditch bank	0.38	N/A	1,000.0	U
dimethylpolysiloxane	Eggplant	39.91	51	756.0	A
dimethylpolysiloxane	Endive (escarole)	0.07	43	34.53	A
dimethylpolysiloxane	Fava bean	0.85	5	54.0	A
dimethylpolysiloxane	Fennel	0.09	1	4.4	A
dimethylpolysiloxane	Fig	21.92	33	1,711.66	A
dimethylpolysiloxane	Food processing plant	0.02	1	25.0	A
dimethylpolysiloxane	Forage hay/silage	12.9	148	7,080.6	A
dimethylpolysiloxane	Forest, timberland	0.04	5	86.25	A
dimethylpolysiloxane	Fumigation, other	2.06	N/A	N/A	N/A
dimethylpolysiloxane	Gai lon	1.99	2	10.78	A
dimethylpolysiloxane	Garbanzo bean	28.32	24	2,244.0	A
dimethylpolysiloxane	Garlic	312.04	231	17,086.55	A
dimethylpolysiloxane	Golf course turf	0.09	N/A	41.9	A
dimethylpolysiloxane	Grain	0.09	2	190.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Grape	8,337.73	7,773	243,863.2	A
dimethylpolysiloxane	Grape	<0.01	3	20,500.0	S
dimethylpolysiloxane	Grape, wine	8,974.32	18,888	563,795.49	A
dimethylpolysiloxane	Grapefruit	135.63	269	4,129.98	A
dimethylpolysiloxane	Grass, seed	0.03	32	139.75	A
dimethylpolysiloxane	Herb, spice	0.1	16	51.41	A
dimethylpolysiloxane	Hops	0.08	7	41.5	A
dimethylpolysiloxane	Industrial hemp	0.21	5	106.0	A
dimethylpolysiloxane	Industrial site	<0.01	N/A	6.0	A
dimethylpolysiloxane	Jujube	0.03	1	50.0	A
dimethylpolysiloxane	Kale	139.3	408	4,878.67	A
dimethylpolysiloxane	Kiwi fruit fuzzy	181.1	187	3,250.82	A
dimethylpolysiloxane	Kumquat	1.48	7	18.8	A
dimethylpolysiloxane	Landscape maintenance	2.25	28	216.21	A
dimethylpolysiloxane	Landscape maintenance	93.95	N/A	N/A	N/A
dimethylpolysiloxane	Leek	13.14	48	492.75	A
dimethylpolysiloxane	Lemon	3,429.74	1,439	29,225.07	A
dimethylpolysiloxane	Lettuce, head	2,159.42	2,925	35,381.76	A
dimethylpolysiloxane	Lettuce, leaf	1,713.47	4,422	37,914.14	A
dimethylpolysiloxane	Lime	5.93	21	83.7	A
dimethylpolysiloxane	Lovegrass, teff (forage - fodder)	4.26	3	244.0	A
dimethylpolysiloxane	Melon	1.82	39	3,145.44	A
dimethylpolysiloxane	Mint	0.31	8	23.05	A
dimethylpolysiloxane	Mustard	1.37	31	68.8	A
dimethylpolysiloxane	Mustard greens	0.67	42	56.62	A
dimethylpolysiloxane	N-grnhs flower	199.24	1,013	2,343.09	A
dimethylpolysiloxane	N-grnhs flower	12.1	171	988,765.5	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	N-grnhs plants in containers	903.17	1,360	1,504.8	A
dimethylpolysiloxane	N-grnhs plants in containers	14.07	138	4,091,315.6	S
dimethylpolysiloxane	N-grnhs transplants	110.36	283	354.19	A
dimethylpolysiloxane	N-grnhs transplants	30.09	161	5,242,529.0	S
dimethylpolysiloxane	N-outdr flower	75.75	1,079	5,189.13	A
dimethylpolysiloxane	N-outdr flower	0.17	7	48,013.3	S
dimethylpolysiloxane	N-outdr plants in containers	2,269.97	1,903	4,929.94	A
dimethylpolysiloxane	N-outdr plants in containers	21.49	23	809,900.0	S
dimethylpolysiloxane	N-outdr plants in containers	14.5	17	28,875.0	U
dimethylpolysiloxane	N-outdr transplants	518.93	1,268	6,359.2	A
dimethylpolysiloxane	N-outdr transplants	0.11	56	2,670,256.0	S
dimethylpolysiloxane	Nectarine	99.65	1,135	9,114.43	A
dimethylpolysiloxane	Oat	12.63	62	2,915.5	A
dimethylpolysiloxane	Oat (forage - fodder)	68.05	484	21,794.52	A
dimethylpolysiloxane	Olive	29.04	293	9,303.41	A
dimethylpolysiloxane	Onion, dry	1,879.56	552	39,655.56	A
dimethylpolysiloxane	Onion, green	41.5	128	1,461.45	A
dimethylpolysiloxane	Orange	20,901.92	5,706	114,237.39	A
dimethylpolysiloxane	Orchardgrass	0.28	3	457.0	A
dimethylpolysiloxane	Oregano	<0.01	1	0.5	A
dimethylpolysiloxane	Parsley	3.35	86	721.22	A
dimethylpolysiloxane	Pastureland	2.46	142	1,848.13	A
dimethylpolysiloxane	Peach	682.38	3,090	36,795.0	A
dimethylpolysiloxane	Pear	96.64	123	1,848.1	A
dimethylpolysiloxane	Peas	33.96	90	948.2	A
dimethylpolysiloxane	Pecan	93.74	94	2,113.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Pepper, fruiting	757.32	826	23,674.89	A
dimethylpolysiloxane	Pepper, spice	31.68	20	414.32	A
dimethylpolysiloxane	Persimmon	73.05	75	1,358.44	A
dimethylpolysiloxane	Pistachio	22,750.61	7,329	578,198.37	A
dimethylpolysiloxane	Plum	181.69	1,061	7,756.24	A
dimethylpolysiloxane	Pluot	0.22	7	6.35	A
dimethylpolysiloxane	Pomegranate	195.4	161	8,126.47	A
dimethylpolysiloxane	Pomelo	4.74	11	65.5	A
dimethylpolysiloxane	Potato	55.21	142	7,900.95	A
dimethylpolysiloxane	Prune	38.37	615	16,617.27	A
dimethylpolysiloxane	Public health	0.45	N/A	N/A	N/A
dimethylpolysiloxane	Pumpkin	22.01	61	1,650.98	A
dimethylpolysiloxane	Quince	0.32	7	44.0	A
dimethylpolysiloxane	Radish	3.11	25	184.45	A
dimethylpolysiloxane	Rangeland	1.65	155	7,020.27	A
dimethylpolysiloxane	Raspberry	1,634.35	932	10,139.95	A
dimethylpolysiloxane	Recreation area	0.02	N/A	0.01	U
dimethylpolysiloxane	Regulatory pest control	0.31	N/A	N/A	N/A
dimethylpolysiloxane	Research commodity	2.88	80	250.18	A
dimethylpolysiloxane	Research commodity	0.02	22	123,488.0	S
dimethylpolysiloxane	Research commodity	15.43	N/A	N/A	N/A
dimethylpolysiloxane	Rice	376.74	1,110	86,415.32	A
dimethylpolysiloxane	Rights of way	52.8	423	5,102.4	A
dimethylpolysiloxane	Rights of way	347.95	N/A	N/A	N/A
dimethylpolysiloxane	Rye	0.59	25	1,128.0	A
dimethylpolysiloxane	Ryegrass	0.72	44	2,295.76	A
dimethylpolysiloxane	Safflower	12.51	20	2,460.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Sage	<0.01	1	1.0	A
dimethylpolysiloxane	Shallot	0.05	10	71.82	A
dimethylpolysiloxane	Soil fumigation/preplant	196.16	184	20,908.31	A
dimethylpolysiloxane	Sorghum (forage - fodder)	3.57	96	7,595.36	A
dimethylpolysiloxane	Sorghum/milo	1.32	88	3,998.37	A
dimethylpolysiloxane	Spinach	9.49	85	537.63	A
dimethylpolysiloxane	Squash	0.76	41	1,393.29	A
dimethylpolysiloxane	Squash, winter	0.44	3	57.5	A
dimethylpolysiloxane	Stone fruit	29.11	24	112.0	A
dimethylpolysiloxane	Strawberry	49,368.22	6,156	224,920.19	A
dimethylpolysiloxane	Structural pest control	4.88	N/A	N/A	N/A
dimethylpolysiloxane	Sudangrass	5.43	68	3,245.57	A
dimethylpolysiloxane	Sugarbeet	36.92	206	16,488.9	A
dimethylpolysiloxane	Sugarcane	<0.01	1	5.5	A
dimethylpolysiloxane	Sunflower	4.68	165	6,777.3	A
dimethylpolysiloxane	Sweet potato	5,179.18	85	2,336.87	A
dimethylpolysiloxane	Swiss chard	60.22	218	2,318.31	A
dimethylpolysiloxane	Tangelo	546.01	143	2,100.62	A
dimethylpolysiloxane	Tangerine	12,001.68	2,440	73,305.64	A
dimethylpolysiloxane	Timothy	0.02	6	165.0	A
dimethylpolysiloxane	Tomatillo	0.99	3	102.0	A
dimethylpolysiloxane	Tomato	774.62	684	23,091.27	A
dimethylpolysiloxane	Tomato, processing	1,728.49	2,122	176,581.7	A
dimethylpolysiloxane	Triticale	1.99	127	6,508.71	A
dimethylpolysiloxane	Turf/sod	389.67	318	4,220.56	A
dimethylpolysiloxane	Turnip greens	0.3	42	45.37	A
dimethylpolysiloxane	Uncultivated ag	413.76	2,221	68,237.37	A
dimethylpolysiloxane	Uncultivated non-ag	71.2	87	1,635.02	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Unknown	0.09	1	35.0	A
dimethylpolysiloxane	Upland cress	17.44	60	70.85	A
dimethylpolysiloxane	Vertebrate control	0.02	N/A	N/A	N/A
dimethylpolysiloxane	Walnut	7,541.17	10,382	307,329.57	A
dimethylpolysiloxane	Water (industrial)	0.05	10	10.5	A
dimethylpolysiloxane	Water area	0.22	25	191.01	A
dimethylpolysiloxane	Water area	0.34	N/A	1.02	U
dimethylpolysiloxane	Watermelon	210.47	61	1,973.84	A
dimethylpolysiloxane	Wheat	24.38	716	42,911.76	A
dimethylpolysiloxane	Wheat (forage - fodder)	47.29	1,299	76,797.38	A
dimethyl silicone fluid emulsion	Alfalfa	3.19	21	744.6	A
dimethyl silicone fluid emulsion	Almond	21.9	133	6,244.71	A
dimethyl silicone fluid emulsion	Apricot	<0.01	1	0.1	A
dimethyl silicone fluid emulsion	Artichoke, globe	4.98	51	461.2	A
dimethyl silicone fluid emulsion	Arugula	14.82	315	1,153.05	A
dimethyl silicone fluid emulsion	Bean, dried	1.2	7	109.0	A
dimethyl silicone fluid emulsion	Bean, succulent	1.14	23	123.08	A
dimethyl silicone fluid emulsion	Bean, unspecified	8.1	181	762.62	A
dimethyl silicone fluid emulsion	Beet	2.73	98	255.93	A
dimethyl silicone fluid emulsion	Bok choy	6.18	130	593.36	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl silicone fluid emulsion	Broccoli	131.52	1,004	9,798.19	A
dimethyl silicone fluid emulsion	Brussels sprout	16.4	106	1,178.1	A
dimethyl silicone fluid emulsion	Cabbage	18.46	306	1,511.09	A
dimethyl silicone fluid emulsion	Carrot	9.36	66	670.4	A
dimethyl silicone fluid emulsion	Cauliflower	25.53	274	2,129.6	A
dimethyl silicone fluid emulsion	Celery	34.57	451	3,319.75	A
dimethyl silicone fluid emulsion	Cherry	0.3	5	31.25	A
dimethyl silicone fluid emulsion	Chinese cabbage (napa, won bok, celery cabbage)	9.85	161	941.09	A
dimethyl silicone fluid emulsion	Cilantro	39.66	1,103	3,754.48	A
dimethyl silicone fluid emulsion	Corn (forage - fodder)	0.46	6	248.0	A
dimethyl silicone fluid emulsion	Cucumber	0.5	18	46.25	A
dimethyl silicone fluid emulsion	Dandelion green	0.19	3	11.72	A
dimethyl silicone fluid emulsion	Endive (escarole)	8.33	223	726.3	A
dimethyl silicone fluid emulsion	Fennel	0.09	1	4.58	A
dimethyl silicone fluid emulsion	Forage hay/silage	0.77	6	82.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl silicone fluid emulsion	Fumigation, other	0.21	N/A	N/A	N/A
dimethyl silicone fluid emulsion	Garlic	10.09	33	567.8	A
dimethyl silicone fluid emulsion	Grape	21.73	51	1,558.18	A
dimethyl silicone fluid emulsion	Grape, wine	141.74	1,946	13,615.24	A
dimethyl silicone fluid emulsion	Kale	31.05	597	2,180.24	A
dimethyl silicone fluid emulsion	Landscape maintenance	16.94	N/A	N/A	N/A
dimethyl silicone fluid emulsion	Leek	11.88	249	1,145.46	A
dimethyl silicone fluid emulsion	Lemon	0.47	9	144.95	A
dimethyl silicone fluid emulsion	Lettuce, head	96.1	743	8,182.03	A
dimethyl silicone fluid emulsion	Lettuce, leaf	219.51	2,745	20,391.53	A
dimethyl silicone fluid emulsion	Melon	0.03	1	2.0	A
dimethyl silicone fluid emulsion	Mizuna	0.54	14	29.23	A
dimethyl silicone fluid emulsion	Mustard greens	9.94	375	1,016.63	A
dimethyl silicone fluid emulsion	N-grnhs plants in containers	0.05	2	1.26	A
dimethyl silicone fluid emulsion	N-grnhs transplants	0.34	1	8.29	A
dimethyl silicone fluid emulsion	N-outdr transplants	0.18	10	13.82	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl silicone fluid emulsion	Nectarine	0.62	32	110.18	A
dimethyl silicone fluid emulsion	Oat	0.85	3	165.0	A
dimethyl silicone fluid emulsion	Olive	0.24	1	46.5	A
dimethyl silicone fluid emulsion	Onion, dry	10.37	51	670.17	A
dimethyl silicone fluid emulsion	Orange	4.89	35	547.57	A
dimethyl silicone fluid emulsion	Parsley	9.93	225	789.62	A
dimethyl silicone fluid emulsion	Pastureland	0.04	2	5.0	A
dimethyl silicone fluid emulsion	Peach	1.51	78	313.07	A
dimethyl silicone fluid emulsion	Peas	8.85	104	728.4	A
dimethyl silicone fluid emulsion	Pepper, fruiting	0.03	1	1.5	A
dimethyl silicone fluid emulsion	Persimmon	0.37	19	68.95	A
dimethyl silicone fluid emulsion	Plum	1.33	70	259.63	A
dimethyl silicone fluid emulsion	Prune	0.4	5	116.33	A
dimethyl silicone fluid emulsion	Pumpkin	0.19	10	11.9	A
dimethyl silicone fluid emulsion	Radish	15.74	492	1,176.24	A
dimethyl silicone fluid emulsion	Rights of way	0.04	2	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl silicone fluid emulsion	Rights of way	27.39	N/A	N/A	N/A
dimethyl silicone fluid emulsion	Rye	1.45	8	150.9	A
dimethyl silicone fluid emulsion	Soil fumigation/preplant	0.05	1	4.0	A
dimethyl silicone fluid emulsion	Spinach	144.01	2,312	13,051.44	A
dimethyl silicone fluid emulsion	Squash	1.64	44	145.58	A
dimethyl silicone fluid emulsion	Squash, summer	0.48	9	40.0	A
dimethyl silicone fluid emulsion	Strawberry	0.46	3	17.0	A
dimethyl silicone fluid emulsion	Sunflower	2.15	22	169.05	A
dimethyl silicone fluid emulsion	Swiss chard	7.47	322	727.1	A
dimethyl silicone fluid emulsion	Tangerine	2.01	29	924.83	A
dimethyl silicone fluid emulsion	Tat soi (spinach mustard)	0.02	1	6.2	A
dimethyl silicone fluid emulsion	Tomato	0.2	5	12.7	A
dimethyl silicone fluid emulsion	Triticale	0.26	4	65.0	A
dimethyl silicone fluid emulsion	Turf/sod	0.03	1	40.0	A
dimethyl silicone fluid emulsion	Uncultivated ag	76.27	575	5,886.92	A
dimethyl silicone fluid emulsion	Uncultivated non-ag	0.52	6	32.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethyl silicone fluid emulsion	Walnut	934.29	3,024	77,219.03	A
dimethyl silicone fluid emulsion	Watermelon	0.1	4	7.3	A
dimethyl silicone fluid emulsion	Wheat	1.29	5	128.6	A
dimethyl soya amine	Corn (forage - fodder)	1.71	1	80.0	A
dimethyl soya amine	Oat (forage - fodder)	0.62	1	47.0	A
dimethyl soya amine	Rice	0.07	1	10.0	A
dinocap	Cannabis (all or unspecified)	<0.01	1	652.0	S
alpha-(ortho,para-dinonylphenyl)-omega-hydroxypolyoxy(ethylene) phosphate	Pistachio	0.11	1	4.5	A
alpha-(ortho,para-dinonylphenyl)-omega-hydroxypolyoxy(ethylene) phosphate	Walnut	0.08	1	1.4	A
dinoseb	Grape	0.56	1	36.0	A
dinoseb	Grape, wine	0.03	1	1.09	A
dinoseb	Plum	1.38	1	10.3	A
dinoseb	Rights of way	1.39	1	3.0	A
dinotefuran	Animal premise	1.31	N/A	962,304.0	S
dinotefuran	Animal premise	26.75	4	158.03	U
dinotefuran	Broccoli	308.16	157	2,155.38	A
dinotefuran	Brussels sprout	83.17	42	479.08	A
dinotefuran	Buildings/non-ag outdoor	0.38	N/A	8,500.0	S
dinotefuran	Buildings/non-ag outdoor	16.03	N/A	N/A	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dinotefuran	Cabbage	39.52	30	238.0	A
dinotefuran	Cantaloupe	1,681.26	136	8,033.65	A
dinotefuran	Cauliflower	105.22	41	651.78	A
dinotefuran	Celery	35.03	30	270.18	A
dinotefuran	Chinese cabbage (napa, won bok, celery cabbage)	45.61	29	271.13	A
dinotefuran	Citrus	0.13	1	1.0	A
dinotefuran	Citrus	0.15	N/A	445.0	U
dinotefuran	Cole crop	0.07	1	0.4	A
dinotefuran	Cotton	3,645.68	148	28,119.9	A
dinotefuran	Cucumber	1.22	7	10.7	A
dinotefuran	Eggplant	15.18	9	107.0	A
dinotefuran	Grape	254.42	22	1,531.72	A
dinotefuran	Grape, wine	643.44	186	4,757.26	A
dinotefuran	Kale	1.98	1	15.11	A
dinotefuran	Landscape maintenance	1,349.96	N/A	N/A	N/A
dinotefuran	Lettuce, head	495.86	163	2,233.07	A
dinotefuran	Lettuce, leaf	410.59	165	1,766.12	A
dinotefuran	Melon	473.53	62	2,690.54	A
dinotefuran	Melon	<0.01	1	2,520.0	S
dinotefuran	N-grnhs flower	40.14	98	159.75	A
dinotefuran	N-grnhs flower	4.8	112	443,273.0	S
dinotefuran	N-grnhs flower	0.21	2	15,053.0	U
dinotefuran	N-grnhs plants in containers	249.3	520	470.15	A
dinotefuran	N-grnhs plants in containers	<0.01	1	4.0	C
dinotefuran	N-grnhs plants in containers	230.03	524	9,344,853.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dinotefuran	N-grnhs plants in containers	16.43	25	564,425.6	U
dinotefuran	N-grnhs transplants	23.74	74	87.46	A
dinotefuran	N-grnhs transplants	18.17	69	5,107,855.0	S
dinotefuran	N-outdr flower	108.48	290	775.67	A
dinotefuran	N-outdr flower	2.92	18	318,868.0	S
dinotefuran	N-outdr plants in containers	425.52	828	2,302.86	A
dinotefuran	N-outdr plants in containers	13.79	105	1,776,950.0	S
dinotefuran	N-outdr plants in containers	43.29	174	1,340,630.0	U
dinotefuran	N-outdr transplants	11.22	53	91.09	A
dinotefuran	N-outdr transplants	60.05	78	16,565,472.0	S
dinotefuran	N-outdr transplants	0.57	N/A	5,736.0	U
dinotefuran	Olive	0.03	1	5.8	A
dinotefuran	Pepper, fruiting	142.24	31	743.67	A
dinotefuran	Pepper, fruiting	0.03	7	17,640.0	S
dinotefuran	Pistachio	0.61	N/A	76,001.0	S
dinotefuran	Potato	22.14	14	336.9	A
dinotefuran	Pumpkin	11.53	4	78.6	A
dinotefuran	Regulatory pest control	111.92	N/A	N/A	N/A
dinotefuran	Research commodity	0.01	2	0.15	A
dinotefuran	Research commodity	0.16	13	110,000.0	S
dinotefuran	Research commodity	2.12	N/A	N/A	N/A
dinotefuran	Rights of way	56.8	N/A	N/A	N/A
dinotefuran	Spinach	61.7	47	500.76	A
dinotefuran	Squash	15.01	6	96.72	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dinotefuran	Squash, winter	0.7	1	4.0	A
dinotefuran	Structural pest control	64,931.28	N/A	N/A	N/A
dinotefuran	Tomato	469.76	97	3,069.61	A
dinotefuran	Tomato	<0.01	1	2,520.0	S
dinotefuran	Tomato, processing	2,173.73	99	11,166.4	A
dinotefuran	Vegetable	0.17	1	1.0	A
dinotefuran	Vegetables, fruiting	0.31	5	1.77	A
dinotefuran	Vegetables, leafy	0.12	5	0.82	A
dinotefuran	Watermelon	27.41	5	168.8	A
dioctyl dimethyl ammonium chloride	Cannabis (all or unspecified)	<0.01	2	3,732.0	S
dioctyl dimethyl ammonium chloride	Fumigation, other	0.06	N/A	N/A	N/A
dioctyl dimethyl ammonium chloride	Grape, wine	<0.01	1	9.0	A
dioctyl dimethyl ammonium chloride	Household	<0.01	N/A	3,000.0	S
dioctyl dimethyl ammonium chloride	Household	<0.01	N/A	1.0	U
dioctyl dimethyl ammonium chloride	Industrial site	<0.01	N/A	1.0	U
dioctyl dimethyl ammonium chloride	Landscape maintenance	1,077.06	N/A	N/A	N/A
dioctyl dimethyl ammonium chloride	N-grnhs transplants	0.08	15	54,000.0	S
dioctyl dimethyl ammonium chloride	Public health	0.87	N/A	N/A	N/A
dioctyl dimethyl ammonium chloride	Regulatory pest control	0.04	N/A	N/A	N/A
dioctyl dimethyl ammonium chloride	Structural pest control	594.93	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dioctyl dimethyl ammonium chloride	Tangelo	0.08	1	20.0	A
dioctyl dimethyl ammonium chloride	Water (industrial)	2,004.14	N/A	15.0	A
dioctyl dimethyl ammonium chloride	Water (industrial)	1,498.84	N/A	14.0	U
dioctyl dimethyl ammonium chloride	Water area	204.43	N/A	1.0	U
dioctyl phthalate	Tangerine	3.86	2	85.63	A
diphacinone	Alfalfa	0.02	6	111.0	A
diphacinone	Almond	<0.01	3	130.0	?
diphacinone	Almond	0.92	212	8,765.48	A
diphacinone	Animal premise	<0.01	N/A	705,600.0	S
diphacinone	Apple	<0.01	5	79.0	A
diphacinone	Apricot	<0.01	3	49.0	A
diphacinone	Avocado	0.44	545	5,861.38	A
diphacinone	Bean, dried	0.05	3	190.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diphacinone	Buildings/non-ag outdoor	0.09	N/A	1.0	U
diphacinone	Carrot	<0.01	2	90.0	A
diphacinone	Cattle	<0.01	N/A	4.0	A
diphacinone	Cherry	0.02	11	46.25	A
diphacinone	Citrus	<0.01	6	36.5	A
diphacinone	Commodity fumigation	<0.01	N/A	N/A	N/A
diphacinone	Corn (forage - fodder)	0.03	8	339.0	A
diphacinone	Cucumber	<0.01	1	44.0	A
diphacinone	Daikon	<0.01	1	80.0	A
diphacinone	Date	<0.01	30	263.16	A
diphacinone	Ditch bank	0.04	5	355.0	A
diphacinone	Ditch bank	<0.01	N/A	3.0	U
diphacinone	Fig	<0.01	2	73.0	A
diphacinone	Forage hay/silage	0.1	8	384.65	A
diphacinone	Fumigation, other	<0.01	N/A	N/A	N/A
diphacinone	Golf course turf	0.02	3	83.0	A
diphacinone	Grape	0.04	19	685.7	A
diphacinone	Grape, wine	0.33	327	8,727.36	A
diphacinone	Grape, wine	<0.01	25	3,500.0	S
diphacinone	Grape, wine	<0.01	2	10.0	U
diphacinone	Grapefruit	0.14	69	480.02	A
diphacinone	Grapefruit	<0.01	6	300.0	S
diphacinone	Industrial hemp	<0.01	1	1.0	A
diphacinone	Landscape maintenance	11.06	N/A	N/A	N/A
diphacinone	Lemon	0.2	164	2,131.14	A
diphacinone	Macadamia nut	0.02	4	4.0	A
diphacinone	N-grnhs flower	0.01	14	122.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diphacinone	N-grnhs flower	<0.01	3	55.0	U
diphacinone	N-grnhs plants in containers	0.03	77	222.91	A
diphacinone	N-grnhs plants in containers	<0.01	8	147,074.0	S
diphacinone	N-grnhs transplants	<0.01	3	8.0	A
diphacinone	N-outdr flower	0.02	20	182.0	A
diphacinone	N-outdr flower	<0.01	4	120.0	U
diphacinone	N-outdr plants in containers	0.28	131	379.14	A
diphacinone	N-outdr plants in containers	<0.01	39	108,564.0	S
diphacinone	N-outdr plants in containers	<0.01	10	63.0	U
diphacinone	N-outdr transplants	0.01	13	59.34	A
diphacinone	N-outdr transplants	<0.01	2	120,000.0	S
diphacinone	Nectarine	0.04	21	296.5	A
diphacinone	Oat (forage - fodder)	<0.01	4	38.0	A
diphacinone	Onion, dry	<0.01	2	1.5	A
diphacinone	Orange	0.68	378	8,005.8	A
diphacinone	Orange	<0.01	3	150.0	S
diphacinone	Orchard floor	0.04	10	200.4	A
diphacinone	Orchardgrass	<0.01	N/A	31.0	A
diphacinone	Pastureland	0.08	163	15,246.02	A
diphacinone	Pastureland	<0.01	N/A	20.0	P
diphacinone	Pastureland	<0.01	32	5,600.0	S
diphacinone	Peach	0.03	23	380.26	A
diphacinone	Pear	<0.01	7	3,500.0	S
diphacinone	Persimmon	<0.01	7	13.9	A
diphacinone	Pistachio	0.26	95	6,066.2	A
diphacinone	Plum	0.01	4	35.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diphacinone	Public health	<0.01	N/A	N/A	N/A
diphacinone	Rangeland	0.12	40	3,497.16	A
diphacinone	Regulatory pest control	1.03	N/A	N/A	N/A
diphacinone	Research commodity	<0.01	12	112.0	A
diphacinone	Research commodity	0.06	N/A	N/A	N/A
diphacinone	Residential	<0.01	N/A	3,200.0	S
diphacinone	Rights of way	80.12	31	1,059.5	A
diphacinone	Rights of way	0.01	2	32,640.0	S
diphacinone	Rights of way	4.38	N/A	N/A	N/A
diphacinone	Ryegrass	<0.01	1	18.5	A
diphacinone	Stone fruit	<0.01	6	20.0	A
diphacinone	Structural pest control	5.33	N/A	N/A	N/A
diphacinone	Sweet potato	0.05	3	68.0	A
diphacinone	Tangerine	0.09	40	360.31	A
diphacinone	Tomato, processing	0.01	3	230.0	A
diphacinone	Uncultivated ag	0.55	344	3,352.39	A
diphacinone	Uncultivated ag	<0.01	1	20.0	S
diphacinone	Uncultivated ag	0.02	25	166.0	U
diphacinone	Uncultivated non-ag	<0.01	4	67.5	A
diphacinone	Vegetables, fruiting	<0.01	N/A	1.0	A
diphacinone	Vertebrate control	0.26	93	1,732.85	A
diphacinone	Vertebrate control	<0.01	1	320.0	S
diphacinone	Vertebrate control	8.13	N/A	N/A	N/A
diphacinone	Walnut	0.53	219	17,482.23	A
diphacinone	Watermelon	<0.01	3	8.0	A
diphacinone	Wheat	0.01	3	496.7	A
diphacinone, sodium salt	Animal premise	0.03	N/A	960,000.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
diphacinone, sodium salt	Animal premise	0.24	N/A	1,667,850.0	S
diphacinone, sodium salt	Commodity fumigation	<0.01	N/A	N/A	N/A
diphacinone, sodium salt	Fumigation, other	<0.01	N/A	N/A	N/A
diphacinone, sodium salt	Landscape maintenance	<0.01	N/A	N/A	N/A
diphacinone, sodium salt	Structural pest control	0.67	N/A	N/A	N/A
diphacinone, sodium salt	Vertebrate control	0.33	N/A	N/A	N/A
dipropylene glycol	Structural pest control	0.07	N/A	N/A	N/A
dipropylene glycol methyl ether	Alfalfa	85.75	221	10,385.4	A
dipropylene glycol methyl ether	Almond	120.4	121	11,594.5	A
dipropylene glycol methyl ether	Cotton	3.56	4	278.0	A
dipropylene glycol methyl ether	Forage hay/silage	3.55	6	315.0	A
dipropylene glycol methyl ether	Grape	0.32	1	50.0	A
dipropylene glycol methyl ether	Grape, wine	3.78	3	89.0	A
dipropylene glycol methyl ether	Landscape maintenance	0.13	N/A	N/A	N/A
dipropylene glycol methyl ether	Onion, dry	1.47	2	306.0	A
dipropylene glycol methyl ether	Orchardgrass	0.3	1	47.0	A
dipropylene glycol methyl ether	Pastureland	2.69	11	402.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dipropylene glycol methyl ether	Pistachio	66.52	35	5,906.74	A
dipropylene glycol methyl ether	Walnut	5.12	2	304.0	A
dipropylene glycol methyl ether	Wheat	2.16	5	349.0	A
dipropylene glycol methyl ether	Wheat (forage - fodder)	3.54	8	552.0	A
dipropyl isocinchomeronate	Landscape maintenance	<0.01	N/A	N/A	N/A
dipropyl isocinchomeronate	Mushroom house	0.02	6	34,500.0	S
dipropyl isocinchomeronate	Structural pest control	0.14	N/A	N/A	N/A
dipropyl isocinchomeronate	Sunflower	1.76	1	100.0	A
diquat dibromide	Alfalfa	4,363.28	68	5,159.2	A
diquat dibromide	Almond	1,037.47	51	1,198.84	A
diquat dibromide	Avocado	0.06	4	8.0	A
diquat dibromide	Christmas tree	0.16	1	1.0	A
diquat dibromide	Ditch bank	103.96	N/A	598.5	A
diquat dibromide	Forage hay/silage	87.2	40	39.01	A
diquat dibromide	Golf course turf	240.99	N/A	264.46	A
diquat dibromide	Golf course turf	33.97	N/A	6.0	K
diquat dibromide	Golf course turf	0.16	N/A	100.0	U
diquat dibromide	Grape	68.39	12	73.34	A
diquat dibromide	Grape, wine	87.39	7	88.72	A
diquat dibromide	Industrial waste disposal systems, disposal water	3.11	N/A	4.0	A
diquat dibromide	Landscape maintenance	92.11	51	674.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diquat dibromide	Landscape maintenance	9.3	8	161,500.0	S
diquat dibromide	Landscape maintenance	18,242.54	N/A	N/A	N/A
diquat dibromide	Lemon	6.13	1	16.25	A
diquat dibromide	N-grnhs flower	41.75	54	139.95	A
diquat dibromide	N-grnhs flower	3.04	4	27,960.0	S
diquat dibromide	N-grnhs plants in containers	1,642.75	588	1,320.38	A
diquat dibromide	N-grnhs plants in containers	91.54	99	1,903,347.3	S
diquat dibromide	N-grnhs transplants	63.21	90	751,200.0	S
diquat dibromide	N-outdr flower	1,533.57	461	962.69	A
diquat dibromide	N-outdr plants in containers	7,711.72	3,397	6,199.65	A
diquat dibromide	N-outdr plants in containers	44.09	54	668,766.0	S
diquat dibromide	N-outdr transplants	13.9	8	14.36	A
diquat dibromide	Orchard floor	0.02	3	12.0	A
diquat dibromide	Pastureland	11.24	3	3.0	A
diquat dibromide	Pistachio	51.05	1	54.74	A
diquat dibromide	Potato	12,614.42	193	14,271.81	A
diquat dibromide	Public health	79.33	N/A	N/A	N/A
diquat dibromide	Regulatory pest control	30.84	N/A	N/A	N/A
diquat dibromide	Research commodity	0.75	18	71,500.0	S
diquat dibromide	Research commodity	0.15	N/A	N/A	N/A
diquat dibromide	Rights of way	409.96	82	242.85	A
diquat dibromide	Rights of way	25,544.1	N/A	N/A	N/A
diquat dibromide	Strawberry	2.8	1	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
diquat dibromide	Structural pest control	48.36	N/A	N/A	N/A
diquat dibromide	Turf/sod	9.35	2	15.0	A
diquat dibromide	Uncultivated ag	6,881.93	522	5,757.23	A
diquat dibromide	Uncultivated ag	<0.01	2	0.02	S
diquat dibromide	Uncultivated non-ag	1.86	N/A	2.0	A
diquat dibromide	Walnut	72.12	8	77.34	A
diquat dibromide	Water (industrial)	4,147.52	10	567.14	A
diquat dibromide	Water area	12,497.11	91	2,330.06	A
diquat dibromide	Water area	7.46	1	43,560.0	C
diquat dibromide	Water area	108.84	1	538,355.0	S
diquat dibromide	Water area	545.11	N/A	458.75	U
disodium lauryl sulfosuccinate	Structural pest control	0.99	N/A	N/A	N/A
disodium octaborate anhydrous	Rights of way	624.18	N/A	N/A	N/A
disodium octaborate anhydrous	Structural pest control	1.91	N/A	N/A	N/A
disodium octaborate tetrahydrate	Forest, timberland	662.75	43	4,818.68	A
disodium octaborate tetrahydrate	Forest, timberland	0.16	N/A	200.0	U
disodium octaborate tetrahydrate	Grape, wine	3.58	6	83.77	A
disodium octaborate tetrahydrate	Industrial site	0.2	N/A	1,250,000.0	S
disodium octaborate tetrahydrate	Landscape maintenance	85,329.51	N/A	N/A	N/A
disodium octaborate tetrahydrate	N-outdr flower	0.04	2	0.73	A
disodium octaborate tetrahydrate	N-outdr plants in containers	<0.01	2	2.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
disodium octaborate tetrahydrate	N-outdr plants in containers	<0.01	1	1,000.0	S
disodium octaborate tetrahydrate	Regulatory pest control	326.09	N/A	N/A	N/A
disodium octaborate tetrahydrate	Rights of way	4,961.51	N/A	N/A	N/A
disodium octaborate tetrahydrate	Structural pest control	188,836.59	N/A	N/A	N/A
disodium octaborate tetrahydrate	Tangerine	16.22	3	138.8	A
disodium phosphate	Apple	858.96	42	448.45	A
disodium phosphate	Pear	312.86	16	156.1	A
disodium phosphate	Pear, asian (oriental pear, ya, ya li, nashi)	28.3	3	14.25	A
disodium phosphate	Pome fruit	3.97	N/A	2.0	A
disulfoton	Landscape maintenance	3.87	N/A	N/A	N/A
dithiopyr	Airport	17.99	N/A	13.0	A
dithiopyr	Golf course turf	163.4	N/A	316.75	A
dithiopyr	Golf course turf	1.39	N/A	102,250.0	S
dithiopyr	Industrial site	75.55	N/A	168.73	A
dithiopyr	Industrial site	<0.01	N/A	230.0	S
dithiopyr	Landscape maintenance	21.91	3	100.0	A
dithiopyr	Landscape maintenance	28.46	31	908,000.0	S
dithiopyr	Landscape maintenance	19,882.59	N/A	N/A	N/A
dithiopyr	Lettuce, leaf	0.01	1	8.0	A
dithiopyr	N-grnhs flower	21.73	N/A	78.25	A
dithiopyr	N-grnhs flower	0.48	N/A	75,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dithiopyr	N-grnhs plants in containers	1.73	3	2.7	A
dithiopyr	N-grnhs plants in containers	2.94	26	1,586,280.0	S
dithiopyr	N-grnhs transplants	25.99	N/A	30.0	A
dithiopyr	N-outdr flower	3.0	1	4.0	A
dithiopyr	N-outdr plants in containers	2,221.09	1,147	2,826.68	A
dithiopyr	N-outdr plants in containers	28.68	123	3,070,903.03	S
dithiopyr	N-outdr transplants	61.3	2	146.81	A
dithiopyr	N-outdr transplants	0.1	1	14,400.0	S
dithiopyr	Recreation area	1.0	N/A	2.5	A
dithiopyr	Regulatory pest control	0.04	N/A	N/A	N/A
dithiopyr	Research commodity	0.09	N/A	N/A	N/A
dithiopyr	Rights of way	25.49	2	665.0	A
dithiopyr	Rights of way	34,557.87	N/A	N/A	N/A
dithiopyr	Structural pest control	94.24	N/A	N/A	N/A
dithiopyr	Turf/sod	60.08	2	134.0	A
dithiopyr	Turf/sod	75.97	N/A	120,000.0	S
diuron	Alfalfa	33,354.67	458	24,291.26	A
diuron	Apple	100.01	4	120.76	A
diuron	Asparagus	1.6	1	1.0	A
diuron	Avocado	18.0	5	13.0	A
diuron	Citrus	240.8	16	1,488.0	A
diuron	Cotton	5,098.24	2,651	199,360.56	A
diuron	Cotton	3.67	N/A	1,823.31	U
diuron	Ditch bank	40.0	1	10.0	A
diuron	Ditch bank	160.25	N/A	0.03	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diuron	Grape	2,308.62	89	3,236.43	A
diuron	Grape, wine	8,357.67	214	5,464.7	A
diuron	Grapefruit	99.03	17	79.4	A
diuron	Industrial site	60.0	2	13.5	A
diuron	Industrial site	2.1	N/A	7,600.0	S
diuron	Landscape maintenance	0.9	1	1.0	A
diuron	Landscape maintenance	15,465.29	N/A	N/A	N/A
diuron	Lemon	2,483.59	118	1,574.5	A
diuron	N-grnhs flower	53.67	56	55.5	A
diuron	N-grnhs flower	3.2	4	20,000.0	S
diuron	N-grnhs plants in containers	2.0	1	1.5	A
diuron	N-outdr flower	1,439.89	112	995.14	A
diuron	N-outdr plants in containers	16.0	4	4.5	A
diuron	Oat	19.99	2	38.0	A
diuron	Oat (forage - fodder)	1.56	1	30.0	A
diuron	Olive	2,379.93	33	1,056.17	A
diuron	Orange	13,833.61	263	6,118.3	A
diuron	Pear	1,099.69	31	425.55	A
diuron	Pomelo	24.0	2	10.0	A
diuron	Public health	48.0	N/A	N/A	N/A
diuron	Rangeland	0.18	1	3,580.0	S
diuron	Regulatory pest control	7.2	N/A	N/A	N/A
diuron	Research commodity	0.05	2	0.7	A
diuron	Rights of way	9,779.12	69	2,074.53	A
diuron	Rights of way	0.09	1	375.0	S
diuron	Rights of way	49,147.73	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
diuron	Soil fumigation/preplant	1.74	1	65.0	A
diuron	Structural pest control	178.98	N/A	N/A	N/A
diuron	Tangelo	735.88	12	275.82	A
diuron	Tangerine	428.49	28	351.12	A
diuron	Uncultivated ag	1,839.91	62	463.66	A
diuron	Uncultivated non-ag	7,105.84	48	1,483.5	A
diuron	Walnut	7,092.15	173	3,950.73	A
e,e-8,10-dodecadien-1-ol	Apple	342.28	76	1,252.0	A
e,e-8,10-dodecadien-1-ol	N-outdr flower	0.21	1	8.0	A
e,e-8,10-dodecadien-1-ol	Pear	478.61	127	4,733.66	A
e,e-8,10-dodecadien-1-ol	Pear, asian (oriental pear, ya, ya li, nashi)	15.1	7	154.35	A
e,e-8,10-dodecadien-1-ol	Plum	1.36	1	34.0	A
e,e-8,10-dodecadien-1-ol	Quince	0.01	2	0.4	A
e,e-8,10-dodecadien-1-ol	Walnut	376.88	220	9,793.79	A
e,e-8,10-dodecadien-1-ol	Walnut	<0.01	2	6.0	U
z-8-dodecenol	Almond	0.05	12	385.4	A
z-8-dodecenol	Apple	0.02	1	21.0	A
z-8-dodecenol	Apricot	1.27	102	1,170.9	A
z-8-dodecenol	Cherry	<0.01	2	1.5	A
z-8-dodecenol	N-outdr plants in containers	<0.01	5	30.0	A
z-8-dodecenol	Nectarine	7.79	642	7,396.27	A
z-8-dodecenol	Peach	68.55	1,473	21,798.98	A
z-8-dodecenol	Pear	1.83	63	2,299.1	A
z-8-dodecenol	Plum	12.96	864	10,221.96	A
z-8-dodecenol	Pluot	0.06	12	54.82	A
z-8-dodecenol	Prune	0.02	1	12.0	A
z-8-dodecenol	Quince	0.02	2	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>z-8-dodecenol</b>	Stone fruit	0.26	7	221.4	A
<b>e-8-dodecenyl acetate</b>	Almond	0.28	12	385.4	A
<b>e-8-dodecenyl acetate</b>	Apple	0.14	1	21.0	A
<b>e-8-dodecenyl acetate</b>	Apricot	7.29	102	1,170.9	A
<b>e-8-dodecenyl acetate</b>	Cherry	<0.01	2	1.5	A
<b>e-8-dodecenyl acetate</b>	N-outdr plants in containers	0.01	5	30.0	A
<b>e-8-dodecenyl acetate</b>	Nectarine	45.07	642	7,396.27	A
<b>e-8-dodecenyl acetate</b>	Peach	397.74	1,473	21,798.98	A
<b>e-8-dodecenyl acetate</b>	Pear	10.7	63	2,299.1	A
<b>e-8-dodecenyl acetate</b>	Plum	74.55	864	10,221.96	A
<b>e-8-dodecenyl acetate</b>	Pluot	0.37	12	54.82	A
<b>e-8-dodecenyl acetate</b>	Prune	0.09	1	12.0	A
<b>e-8-dodecenyl acetate</b>	Quince	0.09	2	10.0	A
<b>e-8-dodecenyl acetate</b>	Stone fruit	1.51	7	221.4	A
<b>z-8-dodecenyl acetate</b>	Almond	4.18	12	385.4	A
<b>z-8-dodecenyl acetate</b>	Apple	2.21	1	21.0	A
<b>z-8-dodecenyl acetate</b>	Apricot	113.35	102	1,170.9	A
<b>z-8-dodecenyl acetate</b>	Cherry	<0.01	2	1.5	A
<b>z-8-dodecenyl acetate</b>	N-outdr plants in containers	0.16	5	30.0	A
<b>z-8-dodecenyl acetate</b>	Nectarine	685.17	642	7,396.27	A
<b>z-8-dodecenyl acetate</b>	Peach	6,050.72	1,473	21,798.98	A
<b>z-8-dodecenyl acetate</b>	Pear	165.96	63	2,299.1	A
<b>z-8-dodecenyl acetate</b>	Plum	1,152.13	864	10,221.96	A
<b>z-8-dodecenyl acetate</b>	Pluot	5.8	12	54.82	A
<b>z-8-dodecenyl acetate</b>	Prune	1.42	1	12.0	A
<b>z-8-dodecenyl acetate</b>	Quince	1.47	2	10.0	A
<b>z-8-dodecenyl acetate</b>	Stone fruit	23.35	7	221.4	A
<b>dodecylbenzene sulfonic acid</b>	Alfalfa	13.61	32	1,406.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecylbenzene sulfonic acid	Almond	337.57	183	9,642.25	A
dodecylbenzene sulfonic acid	Apple	0.17	2	12.0	A
dodecylbenzene sulfonic acid	Apricot	0.12	7	7.5	A
dodecylbenzene sulfonic acid	Artichoke, globe	0.04	2	1.0	A
dodecylbenzene sulfonic acid	Avocado	5.01	31	205.0	A
dodecylbenzene sulfonic acid	Avocado	<0.01	2	5,700.0	U
dodecylbenzene sulfonic acid	Basil, sweet	1.26	79	53.72	A
dodecylbenzene sulfonic acid	Bean, dried	3.08	9	474.0	A
dodecylbenzene sulfonic acid	Bean, succulent	0.61	18	6.37	A
dodecylbenzene sulfonic acid	Beet	0.18	9	4.03	A
dodecylbenzene sulfonic acid	Blackberry	0.34	3	9.78	A
dodecylbenzene sulfonic acid	Broccoli	7.71	16	338.0	A
dodecylbenzene sulfonic acid	Bushberry	0.02	4	0.9	A
dodecylbenzene sulfonic acid	Cabbage	1.48	5	31.7	A
dodecylbenzene sulfonic acid	Cannabis (all or unspecified)	0.04	2	18,000.0	S
dodecylbenzene sulfonic acid	Cantaloupe	23.18	50	2,639.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecylbenzene sulfonic acid	Carrot	1.35	25	57.33	A
dodecylbenzene sulfonic acid	Celery	5.36	12	114.5	A
dodecylbenzene sulfonic acid	Cherry	12.61	8	201.0	A
dodecylbenzene sulfonic acid	Citrus	0.13	5	4.07	A
dodecylbenzene sulfonic acid	Cole crop	0.77	76	37.86	A
dodecylbenzene sulfonic acid	Corn, human consumption	0.21	3	6.0	A
dodecylbenzene sulfonic acid	Cotton	16.34	34	905.87	A
dodecylbenzene sulfonic acid	Cucumber	0.28	43	11.0	A
dodecylbenzene sulfonic acid	Ditch bank	4.41	N/A	31.0	U
dodecylbenzene sulfonic acid	Edible flowers	0.08	3	2.5	A
dodecylbenzene sulfonic acid	Garlic	3.76	2	176.4	A
dodecylbenzene sulfonic acid	Ginger	0.15	6	3.0	A
dodecylbenzene sulfonic acid	Golf course turf	0.57	N/A	10.7	A
dodecylbenzene sulfonic acid	Grape	1,338.59	1,735	76,726.09	A
dodecylbenzene sulfonic acid	Grape, wine	95.4	93	4,434.78	A
dodecylbenzene sulfonic acid	Grapefruit	0.63	3	17.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>dodecylbenzene sulfonic acid</b>	Herb, spice	2.16	141	76.68	A
<b>dodecylbenzene sulfonic acid</b>	Landscape maintenance	2.59	3	16.5	A
<b>dodecylbenzene sulfonic acid</b>	Landscape maintenance	169.22	N/A	N/A	N/A
<b>dodecylbenzene sulfonic acid</b>	Lemon	4.81	14	158.1	A
<b>dodecylbenzene sulfonic acid</b>	Lemon	0.12	1	75.0	U
<b>dodecylbenzene sulfonic acid</b>	Lettuce, head	128.44	278	3,316.35	A
<b>dodecylbenzene sulfonic acid</b>	Lettuce, leaf	125.12	278	3,076.49	A
<b>dodecylbenzene sulfonic acid</b>	Melon	36.15	74	3,998.4	A
<b>dodecylbenzene sulfonic acid</b>	Mint	0.49	52	17.9	A
<b>dodecylbenzene sulfonic acid</b>	Mustard	0.16	22	7.79	A
<b>dodecylbenzene sulfonic acid</b>	N-grnhs flower	24.9	172	509.55	A
<b>dodecylbenzene sulfonic acid</b>	N-grnhs flower	0.87	11	245,000.0	S
<b>dodecylbenzene sulfonic acid</b>	N-grnhs plants in containers	36.47	633	628.28	A
<b>dodecylbenzene sulfonic acid</b>	N-grnhs plants in containers	4.26	77	2,242,350.0	S
<b>dodecylbenzene sulfonic acid</b>	N-grnhs transplants	17.3	39	571.0	A
<b>dodecylbenzene sulfonic acid</b>	N-grnhs transplants	8.02	59	12,681,000.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecylbenzene sulfonic acid	N-outdr flower	89.97	529	2,062.6	A
dodecylbenzene sulfonic acid	N-outdr plants in containers	231.1	909	1,415.81	A
dodecylbenzene sulfonic acid	N-outdr plants in containers	0.02	3	42,000.0	S
dodecylbenzene sulfonic acid	N-outdr plants in containers	0.68	48	10,969.0	U
dodecylbenzene sulfonic acid	N-outdr transplants	1.68	14	63.0	A
dodecylbenzene sulfonic acid	N-outdr transplants	40.84	285	48,987,316.0	S
dodecylbenzene sulfonic acid	Nectarine	14.47	30	242.35	A
dodecylbenzene sulfonic acid	Onion, dry	1.29	10	447.0	A
dodecylbenzene sulfonic acid	Onion, green	0.31	27	9.86	A
dodecylbenzene sulfonic acid	Orange	110.69	65	2,392.69	A
dodecylbenzene sulfonic acid	Orchard floor	1.25	10	46.75	A
dodecylbenzene sulfonic acid	Parsley	0.03	6	1.13	A
dodecylbenzene sulfonic acid	Pastureland	1.39	8	60.0	A
dodecylbenzene sulfonic acid	Peach	14.61	41	268.25	A
dodecylbenzene sulfonic acid	Peas	0.03	10	1.28	A
dodecylbenzene sulfonic acid	Pepper, fruiting	0.61	9	41.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecylbenzene sulfonic acid	Persimmon	0.11	4	3.15	A
dodecylbenzene sulfonic acid	Pistachio	83.31	33	2,214.66	A
dodecylbenzene sulfonic acid	Plum	0.45	3	25.5	A
dodecylbenzene sulfonic acid	Pomegranate	0.28	2	1.25	A
dodecylbenzene sulfonic acid	Pomelo	0.22	1	6.0	A
dodecylbenzene sulfonic acid	Radish	2.35	39	42.36	A
dodecylbenzene sulfonic acid	Raspberry	0.21	2	5.0	A
dodecylbenzene sulfonic acid	Regulatory pest control	8.53	N/A	N/A	N/A
dodecylbenzene sulfonic acid	Research commodity	<0.01	3	0.25	A
dodecylbenzene sulfonic acid	Research commodity	0.59	N/A	N/A	N/A
dodecylbenzene sulfonic acid	Rights of way	0.04	1	2.0	A
dodecylbenzene sulfonic acid	Rights of way	17.01	N/A	N/A	N/A
dodecylbenzene sulfonic acid	Root vegetable	0.91	52	37.22	A
dodecylbenzene sulfonic acid	Spinach	0.06	17	2.86	A
dodecylbenzene sulfonic acid	Squash	1.74	58	67.86	A
dodecylbenzene sulfonic acid	Squash, zucchini	0.38	3	30.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>dodecylbenzene sulfonic acid</b>	Strawberry	306.7	233	3,254.97	A
<b>dodecylbenzene sulfonic acid</b>	Structural pest control	26.2	N/A	N/A	N/A
<b>dodecylbenzene sulfonic acid</b>	Swiss chard	0.03	9	1.25	A
<b>dodecylbenzene sulfonic acid</b>	Tangelo	2.49	2	80.0	A
<b>dodecylbenzene sulfonic acid</b>	Tangerine	18.71	49	1,351.3	A
<b>dodecylbenzene sulfonic acid</b>	Tomato, processing	31.56	40	2,019.78	A
<b>dodecylbenzene sulfonic acid</b>	Tropical/subtropical fruit	0.06	5	1.85	A
<b>dodecylbenzene sulfonic acid</b>	Turnip	0.14	7	3.0	A
<b>dodecylbenzene sulfonic acid</b>	Uncultivated ag	6.51	32	72.7	A
<b>dodecylbenzene sulfonic acid</b>	Vegetables, fruiting	0.14	23	5.71	A
<b>dodecylbenzene sulfonic acid</b>	Vegetables, leafy	8.63	484	328.49	A
<b>dodecylbenzene sulfonic acid</b>	Walnut	22.41	33	570.85	A
<b>dodecylbenzene sulfonic acid, calcium salt</b>	Alfalfa	25.12	170	9,278.85	A
<b>dodecylbenzene sulfonic acid, calcium salt</b>	Almond	21.58	191	6,340.45	A
<b>dodecylbenzene sulfonic acid, calcium salt</b>	Basil, sweet	0.34	48	66.11	A
<b>dodecylbenzene sulfonic acid, calcium salt</b>	Bean, dried	0.18	3	86.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecylbenzene sulfonic acid, calcium salt	Beet	0.43	49	83.4	A
dodecylbenzene sulfonic acid, calcium salt	Bok choy	0.64	89	123.11	A
dodecylbenzene sulfonic acid, calcium salt	Cabbage	1.07	134	207.07	A
dodecylbenzene sulfonic acid, calcium salt	Celeriac	0.11	19	21.08	A
dodecylbenzene sulfonic acid, calcium salt	Cherry	0.13	4	57.0	A
dodecylbenzene sulfonic acid, calcium salt	Chinese cabbage (napa, won bok, celery cabbage)	0.22	31	41.73	A
dodecylbenzene sulfonic acid, calcium salt	Cilantro	0.74	77	143.84	A
dodecylbenzene sulfonic acid, calcium salt	Collard	0.93	92	180.42	A
dodecylbenzene sulfonic acid, calcium salt	Corn (forage - fodder)	32.62	363	13,568.45	A
dodecylbenzene sulfonic acid, calcium salt	Corn, grain	0.63	7	203.71	A
dodecylbenzene sulfonic acid, calcium salt	Dandelion green	0.11	22	20.7	A
dodecylbenzene sulfonic acid, calcium salt	Dill	0.28	37	53.51	A
dodecylbenzene sulfonic acid, calcium salt	Endive (escarole)	0.03	16	4.91	A
dodecylbenzene sulfonic acid, calcium salt	Forage hay/silage	1.75	14	544.0	A
dodecylbenzene sulfonic acid, calcium salt	Grape	0.09	2	31.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecylbenzene sulfonic acid, calcium salt	Grape, wine	0.09	2	36.37	A
dodecylbenzene sulfonic acid, calcium salt	Kale	0.78	117	151.36	A
dodecylbenzene sulfonic acid, calcium salt	Kohlrabi	0.17	34	32.75	A
dodecylbenzene sulfonic acid, calcium salt	Leek	0.26	28	49.59	A
dodecylbenzene sulfonic acid, calcium salt	Lettuce, leaf	1.16	148	223.73	A
dodecylbenzene sulfonic acid, calcium salt	Mustard	0.34	50	65.23	A
dodecylbenzene sulfonic acid, calcium salt	Mustard greens	0.67	64	129.8	A
dodecylbenzene sulfonic acid, calcium salt	N-outdr transplants	1.82	15	376.4	A
dodecylbenzene sulfonic acid, calcium salt	Oat (forage - fodder)	10.14	97	4,703.55	A
dodecylbenzene sulfonic acid, calcium salt	Olive	0.23	1	45.0	A
dodecylbenzene sulfonic acid, calcium salt	Parsley	0.65	65	125.47	A
dodecylbenzene sulfonic acid, calcium salt	Pastureland	0.52	2	265.0	A
dodecylbenzene sulfonic acid, calcium salt	Peach	2.08	14	490.11	A
dodecylbenzene sulfonic acid, calcium salt	Pistachio	0.1	1	40.0	A
dodecylbenzene sulfonic acid, calcium salt	Prune	0.17	5	41.7	A
dodecylbenzene sulfonic acid, calcium salt	Rice	0.08	1	30.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecylbenzene sulfonic acid, calcium salt	Rights of way	0.19	7	70.0	A
dodecylbenzene sulfonic acid, calcium salt	Rights of way	4.19	N/A	N/A	N/A
dodecylbenzene sulfonic acid, calcium salt	Ryegrass	0.13	2	63.0	A
dodecylbenzene sulfonic acid, calcium salt	Spinach	0.32	51	61.17	A
dodecylbenzene sulfonic acid, calcium salt	Sudangrass	0.17	2	81.0	A
dodecylbenzene sulfonic acid, calcium salt	Swiss chard	0.68	108	131.43	A
dodecylbenzene sulfonic acid, calcium salt	Triticale	5.28	45	2,550.18	A
dodecylbenzene sulfonic acid, calcium salt	Turnip	0.51	59	98.27	A
dodecylbenzene sulfonic acid, calcium salt	Uncultivated ag	15.88	15	3,448.27	A
dodecylbenzene sulfonic acid, calcium salt	Uncultivated non-ag	7.45	N/A	1,544.0	A
dodecylbenzene sulfonic acid, calcium salt	Unknown	0.67	3	255.0	A
dodecylbenzene sulfonic acid, calcium salt	Walnut	2.05	21	601.94	A
dodecylbenzene sulfonic acid, calcium salt	Wheat	0.92	11	445.04	A
dodecylbenzene sulfonic acid, calcium salt	Wheat (forage - fodder)	3.69	51	1,824.64	A
dodecyl dimethyl betaine	Alfalfa	1.0	2	157.8	A
dodecyl dimethyl betaine	Corn (forage - fodder)	0.51	1	80.0	A
dodecyl dimethyl betaine	Sorghum/milo	9.33	36	2,650.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dodecyl dimethyl betaine	Wheat (forage - fodder)	1.44	5	401.92	A
dodecyl guanidine hydrochloride	Fumigation, other	47.25	N/A	N/A	N/A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Alfalfa	45.22	14	2,813.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Almond	418.57	92	5,365.39	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Arugula	0.55	1	11.34	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Broccoli	1.99	5	34.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Cauliflower	0.64	3	10.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Cherry	71.89	21	742.18	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Cotton	419.77	155	34,236.99	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Grape	74.98	25	1,643.14	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Kale	2.0	5	44.14	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	15.15	39	992.1	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	2.81	7	121.98	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	0.27	1	21.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Pistachio	2,618.04	139	37,107.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Safflower	10.93	5	1,360.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	0.43	1	53.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Spinach	4.99	2	103.49	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Squash, winter	3.99	3	120.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Strawberry	30.78	14	637.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Swiss chard	0.18	1	3.78	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Tangerine	21.4	9	318.97	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Tomato	2.04	1	230.0	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	7.39	3	410.6	A
alpha-dodecyl-omega-hydroxypoly(oxyethylene)	Walnut	2.16	2	56.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	13.7	10	655.8	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	1,501.91	1,618	90,374.79	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Apple	44.48	334	4,000.15	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	7.23	38	531.31	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	3.41	39	250.1	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Arugula	0.44	10	86.33	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Avocado	6.67	2	186.15	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	13.22	19	873.5	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	6.82	7	541.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Beet	2.25	53	229.44	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	36.16	222	2,730.62	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	48.51	238	4,373.95	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy	0.54	11	38.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	102.6	349	4,310.82	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	5.02	42	283.1	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	24.56	207	1,873.54	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cantaloupe	3.82	7	424.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	18.24	29	1,737.3	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	63.48	255	2,661.31	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	47.8	235	2,611.63	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	79.57	298	4,784.34	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Chive	0.04	2	2.5	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	11.95	20	299.2	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	6.51	13	157.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	7,348.57	N/A	447,409.3	T
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Collard	0.28	15	24.65	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	17.14	21	1,126.3	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	30.95	41	1,793.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cotton	26.55	33	1,261.59	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Date	0.84	4	62.5	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Dill	0.09	1	10.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Eggplant	0.57	2	43.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	0.07	3	10.26	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Fig	1.32	3	19.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	10.6	12	1,151.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Golf course turf	0.11	N/A	2.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	510.51	1,109	45,920.76	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	548.65	1,724	25,191.83	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	27.34	56	571.07	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	244.06	N/A	17,233.86	T
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Herb, spice	0.72	4	80.8	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Industrial hemp	0.83	2	78.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	6.82	73	543.7	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	62.71	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	0.63	8	29.29	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	160.4	263	3,639.64	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	1,855.32	N/A	65,738.33	T
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	67.46	470	5,306.02	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	122.1	890	9,339.06	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lime	0.44	N/A	31.86	T
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Melon	3.77	6	299.53	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Mint	<0.01	1	0.25	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Mizuna	0.01	3	2.64	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard greens	0.83	27	45.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	5.19	88	122.85	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	6.03	207	212.91	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	5.1	107	361.43	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr flower	0.04	2	16.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	4.24	33	274.14	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	1.87	177	254.57	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	243.05	1,210	14,707.74	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	0.72	1	40.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	235.4	127	6,820.25	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	93.46	148	6,741.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, green	0.06	1	7.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	1,588.32	1,751	31,312.2	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	1,698.84	N/A	114,216.04	T
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	0.19	3	11.25	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	366.33	1,388	18,312.71	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pear	85.6	264	5,127.68	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	2.3	10	216.1	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	14.05	148	1,319.9	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pecan	0.97	3	43.83	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	46.23	107	2,895.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, spice	2.4	5	148.7	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Persimmon	0.12	1	6.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	546.44	417	21,263.82	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	64.85	212	2,523.76	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pluot	0.47	7	32.32	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pomegranate	2.0	8	130.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pomelo	9.2	20	187.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Potato	39.76	73	4,495.9	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Prune	6.36	13	188.39	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Pumpkin	0.4	1	30.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Quince	0.05	1	4.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Radish	4.56	36	102.76	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rangeland	0.04	1	2.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rapini	0.23	1	8.1	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	71.94	635	6,530.73	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	1.65	20	91.8	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	0.04	N/A	N/A	N/A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rice	262.53	51	4,573.5	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	0.21	12	25.8	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	86.66	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	2.71	36	910.71	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Squash	0.44	3	48.91	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, winter	0.17	1	19.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Stone fruit	0.23	4	21.6	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	1,387.25	1,930	74,722.29	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarbeet	8.6	6	462.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Sunflower	1.68	1	150.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Sweet potato	1.03	4	140.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Swiss chard	1.75	22	110.94	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	30.1	40	499.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	255.92	N/A	11,615.3	T
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	504.18	653	11,260.64	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	392.77	N/A	34,327.79	T
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	0.59	7	75.15	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	58.38	114	6,587.43	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Turf/sod	0.46	N/A	5.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip greens	0.34	18	9.03	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	21.4	44	797.01	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Unknown	0.28	2	3.7	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetables, leafy	0.52	3	116.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)</b>	Walnut	573.02	1,145	36,578.2	A
<b>alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)</b>	Watermelon	3.46	11	488.19	A
<b>alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)</b>	Wheat	4.27	11	445.0	A
<b>dodine</b>	Almond	319.9	6	329.7	A
<b>dodine</b>	Peach	363.68	13	333.0	A
<b>dodine</b>	Pear	1,638.63	44	1,394.25	A
<b>2-(2,4-dp), dimethylamine salt</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>2-(2,4-dp), dimethylamine salt</b>	N-grnhs transplants	0.18	1	0.33	A
<b>2,4-dp-p, dimethylamine salt</b>	Landscape maintenance	4.01	2	13.5	A
<b>2,4-dp-p, dimethylamine salt</b>	Landscape maintenance	30.64	N/A	N/A	N/A
<b>2,4-dp-p, dimethylamine salt</b>	N-outdr plants in containers	0.02	1	10,000.0	S
<b>2,4-dp-p, dimethylamine salt</b>	Rights of way	37.3	N/A	N/A	N/A
<b>2,4-dp-p, isoctyl ester</b>	Golf course turf	5.25	N/A	82.5	A
<b>2,4-dp-p, isoctyl ester</b>	Golf course turf	0.19	N/A	55,000.0	S
<b>2,4-dp-p, isoctyl ester</b>	Landscape maintenance	0.5	1	4.5	A
<b>2,4-dp-p, isoctyl ester</b>	Landscape maintenance	165.63	N/A	N/A	N/A
<b>2,4-dp-p, isoctyl ester</b>	N-grnhs flower	1.56	N/A	7.5	A
<b>2,4-dp-p, isoctyl ester</b>	N-grnhs flower	2.65	N/A	325,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-dp-p, isooctyl ester	N-grnhs plants in containers	0.45	N/A	2.0	A
2,4-dp-p, isooctyl ester	N-grnhs transplants	20.05	N/A	86.1	A
2,4-dp-p, isooctyl ester	N-outdr flower	1.82	N/A	6.0	A
2,4-dp-p, isooctyl ester	Recreation area	<0.01	N/A	4,000.0	S
2,4-dp-p, isooctyl ester	Rights of way	6.33	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Structural pest control	0.02	N/A	N/A	N/A
2,4-dp-p, isooctyl ester	Turf/sod	5.51	3	39.71	A
edta	Alfalfa	64.87	120	5,006.6	A
edta	Almond	1,184.82	777	40,076.9	A
edta	Apple	113.41	25	1,611.0	A
edta	Apricot	2.38	2	48.0	A
edta	Artichoke, globe	0.43	1	17.5	A
edta	Avocado	0.36	2	20.0	A
edta	Bean, dried	2.7	5	212.0	A
edta	Blueberry	0.46	4	48.48	A
edta	Cherry	56.8	124	1,902.67	A
edta	Corn (forage - fodder)	21.5	47	2,381.92	A
edta	Corn, grain	1.47	3	154.0	A
edta	Cotton	304.71	216	51,719.62	A
edta	Cucumber	2.26	2	116.33	A
edta	Garlic	3.47	3	404.78	A
edta	Grape	14.03	56	573.73	A
edta	Grape, wine	57.46	242	2,224.05	A
edta	Grapefruit	0.04	2	1.75	A
edta	Landscape maintenance	5.97	N/A	N/A	N/A
edta	Lemon	0.04	1	1.5	A
edta	Mint	0.15	1	15.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
edta	Oat (forage - fodder)	1.8	4	229.0	A
edta	Olive	2.27	5	146.66	A
edta	Onion, dry	2.23	1	147.0	A
edta	Orange	1.66	5	38.18	A
edta	Peach	5.6	6	190.4	A
edta	Pecan	0.37	1	12.5	A
edta	Pistachio	61.92	94	4,572.38	A
edta	Pomegranate	3.62	10	197.72	A
edta	Pumpkin	2.78	5	143.0	A
edta	Research commodity	0.35	3	14.5	A
edta	Rights of way	4.28	4	561.0	A
edta	Rights of way	26.05	N/A	N/A	N/A
edta	Safflower	7.79	15	2,038.0	A
edta	Soil fumigation/preplant	17.19	15	2,927.75	A
edta	Strawberry	9.79	7	259.0	A
edta	Tangerine	5.62	17	218.33	A
edta	Tomato	9.96	24	987.33	A
edta	Tomato, processing	23.95	25	1,732.33	A
edta	Uncultivated ag	55.98	139	2,283.6	A
edta	Walnut	387.39	304	9,748.92	A
edta	Watermelon	3.69	4	199.0	A
edta	Wheat	0.86	1	88.0	A
edta, tetrasodium salt	Alfalfa	0.84	32	1,406.5	A
edta, tetrasodium salt	Almond	20.77	183	9,642.25	A
edta, tetrasodium salt	Apple	0.01	2	12.0	A
edta, tetrasodium salt	Apricot	<0.01	7	7.5	A
edta, tetrasodium salt	Artichoke, globe	<0.01	2	1.0	A
edta, tetrasodium salt	Avocado	0.31	31	205.0	A
edta, tetrasodium salt	Avocado	<0.01	2	5,700.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
edta, tetrasodium salt	Basil, sweet	0.08	79	53.72	A
edta, tetrasodium salt	Bean, dried	0.19	9	474.0	A
edta, tetrasodium salt	Bean, succulent	0.04	18	6.37	A
edta, tetrasodium salt	Beet	0.01	9	4.03	A
edta, tetrasodium salt	Blackberry	0.02	3	9.78	A
edta, tetrasodium salt	Broccoli	0.47	16	338.0	A
edta, tetrasodium salt	Bushberry	<0.01	4	0.9	A
edta, tetrasodium salt	Cabbage	0.09	5	31.7	A
edta, tetrasodium salt	Cannabis (all or unspecified)	<0.01	2	18,000.0	S
edta, tetrasodium salt	Cantaloupe	1.43	50	2,639.1	A
edta, tetrasodium salt	Carrot	0.08	25	57.33	A
edta, tetrasodium salt	Celery	0.33	12	114.5	A
edta, tetrasodium salt	Cherry	0.78	8	201.0	A
edta, tetrasodium salt	Citrus	<0.01	5	4.07	A
edta, tetrasodium salt	Cole crop	0.05	76	37.86	A
edta, tetrasodium salt	Corn, human consumption	0.01	3	6.0	A
edta, tetrasodium salt	Cotton	1.01	34	905.87	A
edta, tetrasodium salt	Cucumber	0.02	43	11.0	A
edta, tetrasodium salt	Ditch bank	0.27	N/A	31.0	U
edta, tetrasodium salt	Edible flowers	<0.01	3	2.5	A
edta, tetrasodium salt	Garlic	0.23	2	176.4	A
edta, tetrasodium salt	Ginger	<0.01	6	3.0	A
edta, tetrasodium salt	Golf course turf	0.03	N/A	10.7	A
edta, tetrasodium salt	Grape	82.37	1,735	76,726.09	A
edta, tetrasodium salt	Grape, wine	5.9	95	4,443.59	A
edta, tetrasodium salt	Grapefruit	0.04	3	17.2	A
edta, tetrasodium salt	Herb, spice	0.13	141	76.68	A
edta, tetrasodium salt	Landscape maintenance	0.16	3	16.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
edta, tetrasodium salt	Landscape maintenance	12.71	N/A	N/A	N/A
edta, tetrasodium salt	Lemon	0.3	14	158.1	A
edta, tetrasodium salt	Lemon	<0.01	1	75.0	U
edta, tetrasodium salt	Lettuce, head	7.9	278	3,316.35	A
edta, tetrasodium salt	Lettuce, leaf	7.7	278	3,076.49	A
edta, tetrasodium salt	Melon	2.22	74	3,998.4	A
edta, tetrasodium salt	Mint	0.03	52	17.9	A
edta, tetrasodium salt	Mustard	<0.01	22	7.79	A
edta, tetrasodium salt	N-grnhs flower	1.53	172	509.55	A
edta, tetrasodium salt	N-grnhs flower	0.21	30	397,000.0	S
edta, tetrasodium salt	N-grnhs plants in containers	2.24	633	628.28	A
edta, tetrasodium salt	N-grnhs plants in containers	0.26	77	2,242,350.0	S
edta, tetrasodium salt	N-grnhs transplants	1.06	40	571.75	A
edta, tetrasodium salt	N-grnhs transplants	0.49	59	12,681,000.0	S
edta, tetrasodium salt	N-outdr flower	5.57	530	2,067.3	A
edta, tetrasodium salt	N-outdr plants in containers	14.22	909	1,415.81	A
edta, tetrasodium salt	N-outdr plants in containers	<0.01	4	57,000.0	S
edta, tetrasodium salt	N-outdr plants in containers	0.04	48	10,969.0	U
edta, tetrasodium salt	N-outdr transplants	0.11	16	66.84	A
edta, tetrasodium salt	N-outdr transplants	2.51	285	48,987,316.0	S
edta, tetrasodium salt	Nectarine	0.89	30	242.35	A
edta, tetrasodium salt	Onion, dry	0.08	10	447.0	A
edta, tetrasodium salt	Onion, green	0.02	27	9.86	A
edta, tetrasodium salt	Orange	6.81	65	2,392.69	A
edta, tetrasodium salt	Orchard floor	0.08	10	46.75	A
edta, tetrasodium salt	Parsley	<0.01	6	1.13	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
edta, tetrasodium salt	Pastureland	0.09	8	60.0	A
edta, tetrasodium salt	Peach	0.9	41	268.25	A
edta, tetrasodium salt	Peas	<0.01	10	1.28	A
edta, tetrasodium salt	Pepper, fruiting	0.04	9	41.31	A
edta, tetrasodium salt	Persimmon	<0.01	4	3.15	A
edta, tetrasodium salt	Pistachio	5.13	33	2,214.66	A
edta, tetrasodium salt	Plum	0.03	3	25.5	A
edta, tetrasodium salt	Pomegranate	0.02	2	1.25	A
edta, tetrasodium salt	Pomelo	0.01	1	6.0	A
edta, tetrasodium salt	Radish	0.14	39	42.36	A
edta, tetrasodium salt	Raspberry	0.01	2	5.0	A
edta, tetrasodium salt	Regulatory pest control	0.54	N/A	N/A	N/A
edta, tetrasodium salt	Research commodity	<0.01	5	2.25	A
edta, tetrasodium salt	Research commodity	0.04	N/A	N/A	N/A
edta, tetrasodium salt	Rights of way	<0.01	1	2.0	A
edta, tetrasodium salt	Rights of way	1.05	N/A	N/A	N/A
edta, tetrasodium salt	Root vegetable	0.06	52	37.22	A
edta, tetrasodium salt	Spinach	<0.01	17	2.86	A
edta, tetrasodium salt	Squash	0.11	58	67.86	A
edta, tetrasodium salt	Squash, zucchini	0.02	3	30.0	A
edta, tetrasodium salt	Strawberry	18.87	233	3,254.97	A
edta, tetrasodium salt	Structural pest control	1.61	N/A	N/A	N/A
edta, tetrasodium salt	Swiss chard	<0.01	9	1.25	A
edta, tetrasodium salt	Tangelo	0.15	2	80.0	A
edta, tetrasodium salt	Tangerine	1.15	49	1,351.3	A
edta, tetrasodium salt	Tomato, processing	1.94	40	2,019.78	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
edta, tetrasodium salt	Tropical/subtropical fruit	<0.01	5	1.85	A
edta, tetrasodium salt	Turnip	<0.01	7	3.0	A
edta, tetrasodium salt	Uncultivated ag	0.4	32	72.7	A
edta, tetrasodium salt	Vegetables, fruiting	<0.01	23	5.71	A
edta, tetrasodium salt	Vegetables, leafy	0.53	484	328.49	A
edta, tetrasodium salt	Walnut	1.38	33	570.85	A
(e,e)-9, 11-tetradecadien-1-yl acetate	Apple	0.14	2	39.0	A
(e,e)-9, 11-tetradecadien-1-yl acetate	Blackberry	N/A	1	16.36	A
(e,e)-9, 11-tetradecadien-1-yl acetate	N-grnhs plants in containers	0.02	3	13,600.0	S
(e,e)-9, 11-tetradecadien-1-yl acetate	N-outdr plants in containers	<0.01	1	1,195.0	U
(e,e)-9, 11-tetradecadien-1-yl acetate	Raspberry	0.23	4	54.74	A
emamectin benzoate	Almond	624.47	680	44,535.51	A
emamectin benzoate	Artichoke, globe	0.43	2	28.4	A
emamectin benzoate	Bok choy	4.29	103	295.26	A
emamectin benzoate	Bok choy	0.02	7	88,000.0	S
emamectin benzoate	Broccoli	617.25	3,849	43,624.23	A
emamectin benzoate	Brussels sprout	263.36	1,304	17,876.79	A
emamectin benzoate	Cabbage	195.64	1,649	14,662.8	A
emamectin benzoate	Cauliflower	319.82	2,098	22,493.71	A
emamectin benzoate	Celery	48.06	391	4,035.2	A
emamectin benzoate	Celery	<0.01	1	10,000.0	S
emamectin benzoate	Chinese amaranth (chinese spinach, tampala, yin choy)	0.03	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
emamectin benzoate	Chinese amaranth (chinese spinach, tampala, yin choy)	0.02	4	72,000.0	S
emamectin benzoate	Chinese broccoli (gai lon)	0.34	5	27.0	A
emamectin benzoate	Chinese cabbage (napa, won bok, celery cabbage)	17.16	195	1,187.71	A
emamectin benzoate	Chinese cabbage (napa, won bok, celery cabbage)	0.02	7	74,000.0	S
emamectin benzoate	Chive	0.02	2	0.5	A
emamectin benzoate	Chrysanthemum, garland	0.01	1	1.0	A
emamectin benzoate	Collard	2.74	86	182.85	A
emamectin benzoate	Cotton	7.7	4	795.0	A
emamectin benzoate	Cucumber	0.39	1	45.0	A
emamectin benzoate	Eggplant	2.62	13	199.8	A
emamectin benzoate	Endive (escarole)	0.14	13	13.35	A
emamectin benzoate	Gai choy	0.02	7	78,000.0	S
emamectin benzoate	Gai lon	<0.01	1	16,000.0	S
emamectin benzoate	Kale	16.7	253	1,125.88	A
emamectin benzoate	Kohlrabi	0.54	17	42.3	A
emamectin benzoate	Landscape maintenance	154.38	N/A	N/A	N/A
emamectin benzoate	Lettuce, head	216.75	1,081	19,071.17	A
emamectin benzoate	Lettuce, leaf	95.7	389	7,917.0	A
emamectin benzoate	Mustard	0.68	14	52.98	A
emamectin benzoate	Mustard greens	0.47	14	31.61	A
emamectin benzoate	N-grnhs flower	0.23	4	7.0	A
emamectin benzoate	N-grnhs flower	0.05	N/A	5.0	U
emamectin benzoate	Peas	<0.01	2	0.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
emamectin benzoate	Pepper, fruiting	48.46	94	3,833.46	A
emamectin benzoate	Pistachio	4.42	3	295.0	A
emamectin benzoate	Radicchio	1.75	2	155.7	A
emamectin benzoate	Rapini	2.75	11	183.5	A
emamectin benzoate	Regulatory pest control	<0.01	N/A	N/A	N/A
emamectin benzoate	Research commodity	0.49	8	32.75	A
emamectin benzoate	Rights of way	0.53	N/A	N/A	N/A
emamectin benzoate	Spinach	0.12	4	8.24	A
emamectin benzoate	Structural pest control	0.62	N/A	N/A	N/A
emamectin benzoate	Swiss chard	2.03	117	135.62	A
emamectin benzoate	Tomato	1.87	9	168.99	A
emamectin benzoate	Tomato, processing	181.14	131	14,568.92	A
emamectin benzoate	Walnut	64.63	131	4,900.55	A
emulsifiable methylated vegetable oil	Alfalfa	8,272.53	684	39,132.63	A
emulsifiable methylated vegetable oil	Almond	45,858.84	2,282	82,058.1	A
emulsifiable methylated vegetable oil	Apple	990.81	47	862.45	A
emulsifiable methylated vegetable oil	Apricot	121.3	11	314.39	A
emulsifiable methylated vegetable oil	Artichoke, globe	852.22	189	2,320.0	A
emulsifiable methylated vegetable oil	Arugula	39.87	39	161.05	A
emulsifiable methylated vegetable oil	Avocado	115.91	5	150.6	A
emulsifiable methylated vegetable oil	Bean, dried	354.3	31	933.67	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
emulsifiable methylated vegetable oil	Bean, succulent	535.17	44	831.62	A
emulsifiable methylated vegetable oil	Bean, unspecified	192.54	91	439.48	A
emulsifiable methylated vegetable oil	Beet	229.65	97	628.43	A
emulsifiable methylated vegetable oil	Bermudagrass	58.65	8	399.0	A
emulsifiable methylated vegetable oil	Bok choy	359.23	204	928.28	A
emulsifiable methylated vegetable oil	Broccoli	8,900.05	2,027	19,726.02	A
emulsifiable methylated vegetable oil	Brussels sprout	1,575.29	254	2,744.85	A
emulsifiable methylated vegetable oil	Cabbage	10,575.77	1,634	13,516.53	A
emulsifiable methylated vegetable oil	Cantaloupe	186.07	16	815.9	A
emulsifiable methylated vegetable oil	Carrot	270.73	102	1,048.45	A
emulsifiable methylated vegetable oil	Cauliflower	5,166.6	999	8,735.55	A
emulsifiable methylated vegetable oil	Celeriac	41.11	17	77.57	A
emulsifiable methylated vegetable oil	Celery	6,183.93	962	8,850.79	A
emulsifiable methylated vegetable oil	Cherry	3,034.3	284	3,227.71	A
emulsifiable methylated vegetable oil	Chinese cabbage (napa, won bok, celery cabbage)	381.6	129	782.18	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
emulsifiable methylated vegetable oil	Cilantro	388.68	365	1,343.37	A
emulsifiable methylated vegetable oil	Citrus	3.46	3	26.0	A
emulsifiable methylated vegetable oil	Corn (forage - fodder)	6,246.03	331	12,621.57	A
emulsifiable methylated vegetable oil	Corn, human consumption	445.39	94	3,420.0	A
emulsifiable methylated vegetable oil	Cucumber	3.49	4	12.0	A
emulsifiable methylated vegetable oil	Ditch bank	13.53	1	18.0	A
emulsifiable methylated vegetable oil	Endive (escarole)	237.07	164	534.04	A
emulsifiable methylated vegetable oil	Fava bean	1.42	4	4.0	A
emulsifiable methylated vegetable oil	Fennel	45.75	25	119.69	A
emulsifiable methylated vegetable oil	Forage hay/silage	11.07	1	35.0	A
emulsifiable methylated vegetable oil	Gai lon	17.16	47	45.34	A
emulsifiable methylated vegetable oil	Garbanzo bean	733.74	4	305.0	A
emulsifiable methylated vegetable oil	Garlic	714.23	49	989.0	A
emulsifiable methylated vegetable oil	Grape	94.5	12	336.0	A
emulsifiable methylated vegetable oil	Grape, wine	9,521.72	613	9,276.09	A
emulsifiable methylated vegetable oil	Kale	1,526.76	565	2,366.72	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
emulsifiable methylated vegetable oil	Kohlrabi	25.89	15	73.32	A
emulsifiable methylated vegetable oil	Landscape maintenance	6.86	3	20.0	A
emulsifiable methylated vegetable oil	Landscape maintenance	40.92	N/A	N/A	N/A
emulsifiable methylated vegetable oil	Leek	384.35	190	814.5	A
emulsifiable methylated vegetable oil	Lemon	127.41	7	160.8	A
emulsifiable methylated vegetable oil	Lettuce, head	9,320.03	2,212	23,849.22	A
emulsifiable methylated vegetable oil	Lettuce, leaf	11,162.38	3,278	30,364.36	A
emulsifiable methylated vegetable oil	Melon	214.87	9	345.9	A
emulsifiable methylated vegetable oil	Mustard greens	39.72	55	128.78	A
emulsifiable methylated vegetable oil	N-outdr plants in containers	12.36	2	59.0	A
emulsifiable methylated vegetable oil	N-outdr transplants	89.22	10	172.0	A
emulsifiable methylated vegetable oil	Nectarine	4.19	1	2.0	A
emulsifiable methylated vegetable oil	Oat	11.4	1	11.0	A
emulsifiable methylated vegetable oil	Oat (forage - fodder)	44.68	4	319.0	A
emulsifiable methylated vegetable oil	Olive	240.12	14	429.08	A
emulsifiable methylated vegetable oil	Onion, dry	2,258.76	133	7,546.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
emulsifiable methylated vegetable oil	Orange	18.12	5	40.5	A
emulsifiable methylated vegetable oil	Orchardgrass	5.26	1	25.0	A
emulsifiable methylated vegetable oil	Parsley	209.3	142	475.65	A
emulsifiable methylated vegetable oil	Pastureland	7.1	1	17.0	A
emulsifiable methylated vegetable oil	Peach	1,183.13	115	1,919.96	A
emulsifiable methylated vegetable oil	Pear	172.31	9	191.0	A
emulsifiable methylated vegetable oil	Peas	106.02	123	819.75	A
emulsifiable methylated vegetable oil	Pecan	2,548.37	33	1,543.4	A
emulsifiable methylated vegetable oil	Pepper, fruiting	278.1	18	351.95	A
emulsifiable methylated vegetable oil	Pistachio	7,728.57	57	7,095.24	A
emulsifiable methylated vegetable oil	Plum	23.1	1	11.0	A
emulsifiable methylated vegetable oil	Potato	980.07	57	2,665.0	A
emulsifiable methylated vegetable oil	Prune	1,955.01	86	3,840.95	A
emulsifiable methylated vegetable oil	Pumpkin	258.6	11	220.9	A
emulsifiable methylated vegetable oil	Radicchio	21.19	10	59.2	A
emulsifiable methylated vegetable oil	Radish	493.29	436	979.57	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
emulsifiable methylated vegetable oil	Rangeland	24.47	35	35.0	A
emulsifiable methylated vegetable oil	Raspberry	14.65	2	35.0	A
emulsifiable methylated vegetable oil	Rice	267.83	19	1,286.0	A
emulsifiable methylated vegetable oil	Rights of way	489.08	24	1,135.0	A
emulsifiable methylated vegetable oil	Rights of way	345.93	N/A	N/A	N/A
emulsifiable methylated vegetable oil	Soil fumigation/preplant	6.98	2	24.52	A
emulsifiable methylated vegetable oil	Spinach	6.9	8	20.93	A
emulsifiable methylated vegetable oil	Squash	16.43	7	42.15	A
emulsifiable methylated vegetable oil	Squash, summer	12.01	3	26.1	A
emulsifiable methylated vegetable oil	Squash, winter	13.83	2	16.0	A
emulsifiable methylated vegetable oil	Strawberry	236.83	49	1,365.0	A
emulsifiable methylated vegetable oil	Sugarbeet	337.94	57	3,436.0	A
emulsifiable methylated vegetable oil	Sunflower	70.76	19	365.15	A
emulsifiable methylated vegetable oil	Sweet potato	54.42	10	348.5	A
emulsifiable methylated vegetable oil	Swiss chard	40.61	59	141.77	A
emulsifiable methylated vegetable oil	Tangerine	87.99	2	120.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
emulsifiable methylated vegetable oil	Tomato	18.74	5	34.2	A
emulsifiable methylated vegetable oil	Tomato, processing	158.53	10	479.0	A
emulsifiable methylated vegetable oil	Triticale	7.47	1	10.8	A
emulsifiable methylated vegetable oil	Turnip	10.46	12	39.04	A
emulsifiable methylated vegetable oil	Uncultivated ag	3,388.39	494	6,057.19	A
emulsifiable methylated vegetable oil	Uncultivated non-ag	249.03	16	658.25	A
emulsifiable methylated vegetable oil	Walnut	28,220.51	1,644	78,429.23	A
emulsifiable methylated vegetable oil	Water (industrial)	1.41	N/A	4.0	A
emulsifiable methylated vegetable oil	Watermelon	1,160.84	38	1,208.5	A
emulsifiable methylated vegetable oil	Wheat	35.62	6	239.6	A
emulsifiable methylated vegetable oil	Wheat (forage - fodder)	54.19	6	388.0	A
emulsifiable polyethylene	Grape, wine	1.15	7	99.0	A
emulsifiable polyethylene	Landscape maintenance	0.52	N/A	N/A	N/A
emulsifiable polyethylene	N-outdr flower	6.79	233	305.81	A
endosulfan	Grape	3.16	1	17.9	A
endosulfan	Grape, wine	120.75	2	161.0	A
endosulfan	Pepper, fruiting	11.41	1	62.0	A
endosulfan	Tomato	95.56	1	13.0	A
endothall, dipotassium salt	Ginger	306.71	N/A	19.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
endothall, dipotassium salt	Landscape maintenance	36,206.35	N/A	N/A	N/A
endothall, dipotassium salt	Rights of way	35,327.21	N/A	N/A	N/A
endothall, dipotassium salt	Structural pest control	0.85	N/A	N/A	N/A
endothall, dipotassium salt	Water (industrial)	799.56	N/A	123.23	A
endothall, dipotassium salt	Water area	14,079.3	1	853.4	A
endothall, dipotassium salt	Water area	2,576.36	N/A	500.0	C
endothall, dipotassium salt	Water area	338.44	N/A	507,775.0	S
endothall, dipotassium salt	Water area	820.37	N/A	105.1	U
endothall, disodium salt	Rights of way	9,268.09	N/A	N/A	N/A
endothall, mono [n,n-dimethyl alkylamine] salt	Landscape maintenance	1,517.29	N/A	N/A	N/A
endothall, mono [n,n-dimethyl alkylamine] salt	Rights of way	227.29	2	200.0	A
endothall, mono [n,n-dimethyl alkylamine] salt	Rights of way	29,005.38	N/A	N/A	N/A
endothall, mono [n,n-dimethyl alkylamine] salt	Water (industrial)	20.36	N/A	7.5	A
endothall, mono [n,n-dimethyl alkylamine] salt	Water area	16,299.53	N/A	853.42	A
endothall, mono [n,n-dimethyl alkylamine] salt	Water area	8,538.53	N/A	3,015.0	C
endothall, mono [n,n-dimethyl alkylamine] salt	Water area	14,782.5	N/A	4,699.72	U
endrin	Orange	0.38	1	4.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
e pn	Landscape maintenance	14.96	N/A	N/A	N/A
e pn	Uncultivated ag	0.63	1	5.3	A
epoxidized soybean oil	Walnut	4.2	1	20.0	A
e ptc	Alfalfa	104,328.21	738	45,645.79	A
e ptc	Almond	1,115.36	11	422.0	A
e ptc	Bean, dried	799.04	19	378.3	A
e ptc	Bean, succulent	1,849.65	69	665.3	A
e ptc	Bean, unspecified	515.04	51	184.22	A
e ptc	Carrot	19,652.84	136	6,677.5	A
e ptc	Potato	15,264.8	72	5,202.6	A
e ptc	Sugarbeet	811.59	7	351.0	A
e ptc	Tomato, processing	781.55	9	290.7	A
e ptc	Uncultivated ag	27,846.41	158	9,682.9	A
e ptc	Unknown	292.81	2	48.0	A
esbiothrin	Structural pest control	0.05	N/A	N/A	N/A
esfenvalerate	Almond	20,850.34	4,930	298,243.4	A
esfenvalerate	Apple	65.31	61	1,161.87	A
esfenvalerate	Apricot	99.42	121	1,896.26	A
esfenvalerate	Artichoke, globe	402.51	636	8,367.83	A
esfenvalerate	Bean, dried	12.02	7	265.2	A
esfenvalerate	Bean, succulent	2.78	13	79.4	A
esfenvalerate	Bean, unspecified	4.15	10	94.0	A
esfenvalerate	Beet	3.33	1	76.0	A
esfenvalerate	Bitter melon	0.96	1	4.0	A
esfenvalerate	Bok choy	0.37	1	12.0	A
esfenvalerate	Broccoli	490.26	807	11,179.72	A
esfenvalerate	Buildings/non-ag outdoor	26.96	N/A	134.0	U
esfenvalerate	Cabbage	49.07	137	1,111.61	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
esfenvalerate	Cantaloupe	89.42	33	1,996.77	A
esfenvalerate	Carrot	449.06	210	10,187.81	A
esfenvalerate	Cauliflower	94.75	187	2,099.29	A
esfenvalerate	Cherry	164.97	211	3,564.64	A
esfenvalerate	Chinese cabbage (napa, won bok, celery cabbage)	23.68	57	493.32	A
esfenvalerate	Christmas tree	3.85	2	30.0	A
esfenvalerate	Collard	1.1	1	22.0	A
esfenvalerate	Commodity fumigation	1.03	N/A	N/A	N/A
esfenvalerate	Corn (forage - fodder)	1.57	1	31.5	A
esfenvalerate	Corn, grain	0.06	2	2.0	A
esfenvalerate	Corn, human consumption	4,006.11	2,658	84,518.66	A
esfenvalerate	Cotton	1,206.17	112	24,255.0	A
esfenvalerate	County ag comm	10.64	N/A	N/A	N/A
esfenvalerate	Cucumber	2.27	6	50.4	A
esfenvalerate	Daikon	0.31	1	8.0	A
esfenvalerate	Eggplant	18.91	95	515.0	A
esfenvalerate	Fava bean	1.17	23	23.0	A
esfenvalerate	Food processing plant	<0.01	N/A	1,050.0	K
esfenvalerate	Forest, timberland	0.37	2	8.0	A
esfenvalerate	Fumigation, other	1.63	N/A	N/A	N/A
esfenvalerate	Gai lon	1.06	3	12.0	A
esfenvalerate	Gourds (edible)	2.44	3	12.0	A
esfenvalerate	Grape	1.66	1	40.0	A
esfenvalerate	Kale	0.02	1	0.4	A
esfenvalerate	Kiwi fruit fuzzy	29.39	15	614.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
esfenvalerate	Landscape maintenance	2.11	N/A	N/A	N/A
esfenvalerate	Lettuce, head	520.86	681	12,306.59	A
esfenvalerate	Melon	7.27	4	148.9	A
esfenvalerate	Mustard greens	3.28	34	68.32	A
esfenvalerate	N-grnhs plants in containers	<0.01	2	0.03	A
esfenvalerate	N-grnhs plants in containers	<0.01	1	200.0	S
esfenvalerate	N-grnhs transplants	1.33	36	41.65	A
esfenvalerate	N-outdr plants in containers	14.61	84	304.1	A
esfenvalerate	N-outdr transplants	17.89	38	317.6	A
esfenvalerate	N-outdr transplants	0.15	4	137,140.0	S
esfenvalerate	Nectarine	511.14	725	8,670.45	A
esfenvalerate	Olive	9.9	1	188.5	A
esfenvalerate	Peach	2,096.74	2,097	34,672.92	A
esfenvalerate	Peanut	1.66	1	4.0	A
esfenvalerate	Pear	78.78	60	1,725.35	A
esfenvalerate	Pear, asian (oriental pear, ya, ya li, nashi)	1.61	3	19.9	A
esfenvalerate	Peas	65.7	122	1,459.25	A
esfenvalerate	Pecan	13.99	5	127.0	A
esfenvalerate	Pepper, fruiting	167.09	136	3,634.38	A
esfenvalerate	Pistachio	0.07	1	1.0	A
esfenvalerate	Plum	349.15	504	5,702.29	A
esfenvalerate	Pluot	1.62	5	20.2	A
esfenvalerate	Potato	249.31	70	5,026.7	A
esfenvalerate	Prune	1,775.43	596	29,234.47	A
esfenvalerate	Public health	0.02	N/A	N/A	N/A
esfenvalerate	Pumpkin	4.15	10	83.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
esfenvalerate	Radish	45.38	458	966.01	A
esfenvalerate	Regulatory pest control	60.47	N/A	N/A	N/A
esfenvalerate	Research commodity	2.03	14	47.46	A
esfenvalerate	Research commodity	0.16	N/A	N/A	N/A
esfenvalerate	Rights of way	0.33	2	26.0	A
esfenvalerate	Rights of way	1.48	N/A	N/A	N/A
esfenvalerate	Soil fumigation/preplant	3.12	1	60.0	A
esfenvalerate	Squash	3.9	26	103.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
esfenvalerate	Squash, summer	9.06	19	289.0	A
esfenvalerate	Squash, winter	1.84	3	61.0	A
esfenvalerate	Structural pest control	2,946.84	N/A	N/A	N/A
esfenvalerate	Sudangrass	2.58	1	68.0	A
esfenvalerate	Sugarbeet	2,611.79	826	58,291.86	A
esfenvalerate	Sunflower	269.05	135	5,759.18	A
esfenvalerate	Tomatillo	0.03	2	1.0	A
esfenvalerate	Tomato	207.99	136	4,545.47	A
esfenvalerate	Tomato, processing	638.18	223	13,057.77	A
esfenvalerate	Turnip	1.53	19	29.94	A
esfenvalerate	Turnip greens	0.18	2	3.52	A
esfenvalerate	Uncultivated ag	13.06	9	272.5	A
esfenvalerate	Uncultivated non-ag	2.49	1	30.0	A
esfenvalerate	Walnut	3,286.53	1,137	42,439.21	A
esfenvalerate	Watermelon	29.45	14	595.0	A
essential oils	Broccoli	0.01	1	4.5	A
essential oils	Cauliflower	0.03	1	10.0	A
essential oils	Date	0.02	32	32.0	A
essential oils	Landscape maintenance	0.6	N/A	N/A	N/A
essential oils	N-outdr plants in containers	<0.01	1	5.0	A
ethalfluralin	Bean, dried	5,413.66	117	4,655.12	A
ethalfluralin	Bean, succulent	252.88	16	248.5	A
ethalfluralin	Bean, unspecified	191.66	7	138.07	A
ethalfluralin	Corn (forage - fodder)	138.51	3	151.0	A
ethalfluralin	Cucumber	986.21	33	719.14	A
ethalfluralin	Melon	138.25	18	118.57	A
ethalfluralin	Pumpkin	85.69	15	67.94	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethalfluralin	Research commodity	2.76	N/A	N/A	N/A
ethalfluralin	Soil fumigation/preplant	187.66	3	135.0	A
ethalfluralin	Squash	89.49	9	80.45	A
ethalfluralin	Squash, summer	20.43	5	23.75	A
ethalfluralin	Sunflower	26,396.8	331	20,079.58	A
ethalfluralin	Uncultivated ag	1,786.79	37	2,183.2	A
ethalfluralin	Watermelon	205.98	2	120.0	A
ethalfluralin	Wheat	82.68	1	65.0	A
ethanolamine	Alfalfa	0.86	13	575.0	A
ethanolamine	Almond	140.87	107	3,834.21	A
ethanolamine	Avocado	0.14	23	103.5	A
ethanolamine	Basil, sweet	0.96	2	111.0	A
ethanolamine	Bean, dried	0.14	7	113.0	A
ethanolamine	Bermudagrass	8.06	4	256.0	A
ethanolamine	Blueberry	0.01	1	1.5	A
ethanolamine	Cantaloupe	0.02	1	16.0	A
ethanolamine	Cherry	1.77	2	10.0	A
ethanolamine	Corn (forage - fodder)	2.74	18	1,044.0	A
ethanolamine	Cotton	85.41	17	2,281.0	A
ethanolamine	Ditch bank	<0.01	1	1.0	A
ethanolamine	Garbanzo bean	5.3	2	150.0	A
ethanolamine	Garlic	15.43	2	304.0	A
ethanolamine	Grape	209.92	99	2,352.22	A
ethanolamine	Grape, wine	72.9	30	988.2	A
ethanolamine	Grapefruit	2.41	2	23.0	A
ethanolamine	Landscape maintenance	5.47	N/A	N/A	N/A
ethanolamine	Lemon	1.53	24	167.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethanolamine	Lettuce, head	15.47	18	538.8	A
ethanolamine	Lettuce, leaf	4.55	35	490.2	A
ethanolamine	Melon	0.08	1	58.0	A
ethanolamine	N-grnhs plants in containers	0.02	1	6,104.0	S
ethanolamine	N-outdr flower	0.04	3	13.75	A
ethanolamine	N-outdr plants in containers	0.48	32	45.23	A
ethanolamine	Olive	0.94	1	13.33	A
ethanolamine	Onion, dry	24.23	4	549.0	A
ethanolamine	Orange	7.3	25	273.53	A
ethanolamine	Orchard floor	0.14	6	25.0	A
ethanolamine	Peach	1.35	1	7.62	A
ethanolamine	Pistachio	89.36	115	4,552.42	A
ethanolamine	Plum	1.41	2	8.0	A
ethanolamine	Rights of way	3.68	N/A	N/A	N/A
ethanolamine	Strawberry	1.28	14	164.08	A
ethanolamine	Tangerine	5.91	13	171.4	A
ethanolamine	Tomato, processing	165.32	38	4,458.58	A
ethanolamine	Uncultivated ag	105.28	21	2,743.5	A
ethanolamine	Walnut	4.79	6	385.24	A
ethephon	Almond	8.04	1	30.0	A
ethephon	Apple	43.34	5	120.0	A
ethephon	Barley	89.33	1	120.0	A
ethephon	Cotton	187,099.65	2,797	205,293.95	A
ethephon	Cotton	213.61	N/A	5,469.83	U
ethephon	County ag comm	28.87	N/A	N/A	N/A
ethephon	Cucumber	90.89	65	792.23	A
ethephon	Golf course turf	1,763.65	N/A	546.15	A
ethephon	Golf course turf	204.45	3	2,878,261.0	S
ethephon	Grape	8,389.48	843	30,872.51	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ethephon	Grape, wine	33.35	7	187.0	A
ethephon	Landscape maintenance	176.77	8	52.9	A
ethephon	Landscape maintenance	17,324.75	N/A	N/A	N/A
ethephon	Melon	35.64	28	224.6	A
ethephon	N-grnhs flower	445.56	5	126.85	A
ethephon	N-grnhs flower	90.98	71	1,597,810.5	S
ethephon	N-grnhs flower	0.48	N/A	202.0	U
ethephon	N-grnhs plants in containers	102.55	663	401.15	A
ethephon	N-grnhs plants in containers	23.68	184	1,545,175.0	S
ethephon	N-grnhs plants in containers	0.49	14	88,802.0	U
ethephon	N-grnhs transplants	736.32	2	212.21	A
ethephon	N-grnhs transplants	7.62	112	532,350.0	S
ethephon	N-outdr flower	96.24	82	137.47	A
ethephon	N-outdr flower	0.15	16	62,624.0	S
ethephon	N-outdr plants in containers	146.34	184	203.82	A
ethephon	N-outdr plants in containers	18.52	87	1,545,850.0	S
ethephon	N-outdr transplants	243.33	N/A	70.1	A
ethephon	N-outdr transplants	14.5	N/A	186,000.0	S
ethephon	Pepper, fruiting	9.4	2	18.75	A
ethephon	Pumpkin	3.42	7	8.5	A
ethephon	Recreation area	8.24	N/A	105,000.0	S
ethephon	Research commodity	0.62	2	0.7	A
ethephon	Research commodity	<0.01	1	1,200.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethephon	Research commodity	3.13	N/A	N/A	N/A
ethephon	Rights of way	13.64	N/A	N/A	N/A
ethephon	Soil fumigation/preplant	97.28	2	130.0	A
ethephon	Squash	231.2	163	1,159.25	A
ethephon	Squash, summer	75.47	15	84.75	A
ethephon	Structural pest control	11.85	N/A	N/A	N/A
ethephon	Tomato	1,585.21	94	2,995.84	A
ethephon	Tomato, processing	17,827.21	420	31,750.91	A
ethephon	Turf/sod	156.01	5	48.25	A
ethephon	Turf/sod	36.93	N/A	480,000.0	S
ethephon	Uncultivated ag	26.38	1	70.0	A
ethephon	Walnut	110,964.88	2,885	141,870.26	A
ethephon	Watermelon	13.21	8	100.0	A
etofenprox	Buildings/non-ag outdoor	2.44	N/A	N/A	U
etofenprox	Public health	592.23	N/A	N/A	N/A
etofenprox	Regulatory pest control	1.31	N/A	N/A	N/A
etofenprox	Structural pest control	215.85	N/A	N/A	N/A
ethofumesate	Beet	23.38	4	65.8	A
ethofumesate	Garlic	77.82	3	161.8	A
ethofumesate	Golf course turf	328.52	2	171.2	A
ethofumesate	Landscape maintenance	5,517.73	N/A	N/A	N/A
ethofumesate	N-grnhs transplants	1,622.83	N/A	449.0	A
ethofumesate	Onion, dry	3,772.16	118	6,832.7	A
ethofumesate	Rights of way	4.33	N/A	N/A	N/A
ethofumesate	Sod farm (turf)	103.39	9	72.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethofumesate	Sugarbeet	11.55	1	4.0	A
ethofumesate	Turf/sod	924.95	50	844.77	A
ethoprop	Bean, dried	526.5	2	195.0	A
ethoprop	Bean, unspecified	159.7	1	27.0	A
ethoprop	Cabbage	325.58	36	240.8	A
ethoprop	N-outdr flower	1,082.39	108	286.84	A
ethoprop	Sweet potato	5,697.35	46	1,549.75	A
ethyl alcohol	Animal premise	1.08	N/A	6,000.0	S
ethyl alcohol	Animal premise	63.44	N/A	68.0	U
ethyl alcohol	Broccoli	2.05	1	4.5	A
ethyl alcohol	Cannabis (all or unspecified)	<0.01	2	2,101.0	S
ethyl alcohol	Cauliflower	4.56	1	10.0	A
ethyl alcohol	Date	3.34	32	32.0	A
ethyl alcohol	Household	1.83	N/A	8,500.0	S
ethyl alcohol	Household	10.9	N/A	15.0	U
ethyl alcohol	Landscape maintenance	57.04	N/A	N/A	N/A
ethyl alcohol	Regulatory pest control	0.03	N/A	N/A	N/A
ethyl alcohol	Structural pest control	3.99	N/A	N/A	N/A
ethyl alcohol	Walnut	<0.01	1	2.0	A
ethylene	N-grnhs plants in containers	842.66	179	573,385.0	S
ethylene	N-grnhs plants in containers	55.27	22	295,269.0	U
ethylene dibromide	Structural pest control	1.85	N/A	N/A	N/A
ethylene glycol	Alfalfa	555.62	48	2,665.4	A
ethylene glycol	Almond	3,267.96	257	10,248.27	A
ethylene glycol	Apricot	92.66	19	429.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethylene glycol	Avocado	1.07	62	468.0	A
ethylene glycol	Barley	58.35	6	724.0	A
ethylene glycol	Bean, dried	208.4	23	1,462.59	A
ethylene glycol	Bean, unspecified	4.93	6	16.0	A
ethylene glycol	Bok choy	7.16	3	20.18	A
ethylene glycol	Broccoli	55.72	7	166.55	A
ethylene glycol	Cabbage	35.34	30	165.31	A
ethylene glycol	Cantaloupe	42.33	5	350.0	A
ethylene glycol	Cauliflower	12.24	3	27.0	A
ethylene glycol	Cherry	773.09	60	937.7	A
ethylene glycol	Chinese cabbage (napa, won bok, celery cabbage)	9.1	3	25.66	A
ethylene glycol	Corn (forage - fodder)	281.53	49	2,275.47	A
ethylene glycol	Corn, human consumption	343.94	120	3,689.0	A
ethylene glycol	Ditch bank	58.06	N/A	2.0	A
ethylene glycol	Endive (escarole)	19.4	14	63.69	A
ethylene glycol	Forage hay/silage	4.16	1	68.7	A
ethylene glycol	Garlic	7.26	1	80.0	A
ethylene glycol	Grape	1,862.18	79	2,656.13	A
ethylene glycol	Grape, wine	10,193.62	1,698	27,056.64	A
ethylene glycol	Landscape maintenance	58.67	N/A	N/A	N/A
ethylene glycol	Lemon	259.02	58	894.8	A
ethylene glycol	Lettuce, head	3,323.29	1,005	13,386.18	A
ethylene glycol	Lettuce, leaf	3,199.14	1,302	11,482.53	A
ethylene glycol	N-grnhs flower	1.03	57	43.5	A
ethylene glycol	N-grnhs transplants	0.42	5	3.5	A
ethylene glycol	N-outdr flower	0.6	20	29.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethylene glycol	N-outdr plants in containers	0.63	2	1.75	A
ethylene glycol	Oat	6.05	1	100.0	A
ethylene glycol	Oat (forage - fodder)	24.07	8	273.4	A
ethylene glycol	Olive	71.99	6	218.0	A
ethylene glycol	Onion, dry	4.84	1	35.0	A
ethylene glycol	Orange	81.45	21	234.2	A
ethylene glycol	Peach	3.05	1	10.0	A
ethylene glycol	Pecan	5.47	1	15.0	A
ethylene glycol	Pistachio	3,281.85	103	7,400.16	A
ethylene glycol	Pomegranate	132.13	6	212.21	A
ethylene glycol	Regulatory pest control	82.25	N/A	N/A	N/A
ethylene glycol	Research commodity	0.34	N/A	N/A	N/A
ethylene glycol	Rice	2,684.93	148	8,488.63	A
ethylene glycol	Rights of way	11.61	2	32.0	A
ethylene glycol	Rights of way	171.81	N/A	N/A	N/A
ethylene glycol	Soil fumigation/preplant	5.53	1	18.3	A
ethylene glycol	Squash, winter	4.26	2	47.0	A
ethylene glycol	Strawberry	34.74	11	122.5	A
ethylene glycol	Structural pest control	103.79	N/A	N/A	N/A
ethylene glycol	Sunflower	114.66	14	1,086.33	A
ethylene glycol	Tangelo	5.76	1	38.0	A
ethylene glycol	Tangerine	13.21	3	29.0	A
ethylene glycol	Tomato	31.79	4	84.0	A
ethylene glycol	Tomato, processing	302.62	19	1,825.0	A
ethylene glycol	Uncultivated ag	317.17	36	1,034.9	A
ethylene glycol	Uncultivated non-ag	23.99	2	63.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ethylene glycol	Walnut	4,082.36	208	7,693.21	A
ethylene glycol	Watermelon	9.8	2	54.0	A
ethylene glycol	Wheat	73.25	16	802.8	A
ethylene glycol	Wheat (forage - fodder)	10.37	6	105.0	A
ethylene glycol monomethyl ether	Alfalfa	6.86	1	160.0	A
ethylene glycol monomethyl ether	Almond	18.49	12	155.0	A
ethylene glycol monomethyl ether	Cherry	5.49	1	8.0	A
ethylene glycol monomethyl ether	Grape, wine	4.18	7	90.0	A
ethylene glycol monomethyl ether	Grapefruit	4.28	5	16.0	A
ethylene glycol monomethyl ether	Lemon	42.88	18	513.13	A
ethylene glycol monomethyl ether	Olive	4.28	4	17.0	A
ethylene glycol monomethyl ether	Orange	827.19	238	4,575.54	A
ethylene glycol monomethyl ether	Pepper, fruiting	0.17	1	25.0	A
ethylene glycol monomethyl ether	Plum	3.86	2	45.0	A
ethylene glycol monomethyl ether	Pomelo	28.42	10	77.5	A
ethylene glycol monomethyl ether	Quince	9.27	15	105.0	A
ethylene glycol monomethyl ether	Tangelo	5.1	6	21.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ethylene glycol monomethyl ether	Tangerine	36.92	23	278.37	A
ethylene glycol monomethyl ether	Walnut	618.0	69	3,772.5	A
etoxazole	Alfalfa	3.83	2	34.0	A
etoxazole	Almond	40,723.96	4,978	314,365.24	A
etoxazole	Apple	41.32	22	360.74	A
etoxazole	Apricot	40.84	45	302.71	A
etoxazole	Avocado	43.97	21	328.0	A
etoxazole	Blackberry	59.37	44	439.72	A
etoxazole	Cantaloupe	119.3	13	886.92	A
etoxazole	Cherry	662.94	220	5,073.68	A
etoxazole	Citrus	0.19	3	1.25	A
etoxazole	Citrus	0.49	1	107,000.0	U
etoxazole	Corn (forage - fodder)	9,842.71	1,819	88,862.14	A
etoxazole	Corn, grain	540.39	143	5,596.81	A
etoxazole	Corn, human consumption	232.64	43	2,352.43	A
etoxazole	Cotton	474.22	103	10,450.76	A
etoxazole	County ag comm	2.43	N/A	N/A	N/A
etoxazole	Cucumber	5.45	6	49.93	A
etoxazole	Eggplant	12.43	6	96.8	A
etoxazole	Forage hay/silage	27.43	5	234.0	A
etoxazole	Grape	1,901.18	346	16,820.72	A
etoxazole	Grape, wine	5,822.2	1,043	45,468.66	A
etoxazole	Hops	2.62	2	14.57	A
etoxazole	Landscape maintenance	0.29	N/A	N/A	N/A
etoxazole	Melon	12.85	4	95.18	A
etoxazole	Mint	8.82	3	98.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
etoxazole	N-grnhs flower	2.67	20	33.4	A
etoxazole	N-grnhs flower	0.51	31	340,080.5	S
etoxazole	N-grnhs plants in containers	23.41	305	344.48	A
etoxazole	N-grnhs plants in containers	2.08	36	1,003,400.4	S
etoxazole	N-grnhs plants in containers	<0.01	1	1.38	U
etoxazole	N-grnhs transplants	1.3	28	21.16	A
etoxazole	N-grnhs transplants	0.24	4	83,750.0	S
etoxazole	N-outdr flower	6.66	51	111.79	A
etoxazole	N-outdr plants in containers	53.94	118	868.86	A
etoxazole	N-outdr plants in containers	0.96	12	609,907.0	S
etoxazole	N-outdr plants in containers	0.13	1	10,500.0	U
etoxazole	N-outdr transplants	123.03	75	930.66	A
etoxazole	N-outdr transplants	0.14	1	25,000.0	S
etoxazole	Nectarine	276.03	169	2,040.38	A
etoxazole	Peach	860.0	416	6,452.38	A
etoxazole	Pear	32.95	8	249.03	A
etoxazole	Pear, asian (oriental pear, ya, ya li, nashi)	2.36	2	17.5	A
etoxazole	Pepper, fruiting	0.1	1	0.75	A
etoxazole	Pistachio	1.42	1	10.5	A
etoxazole	Plum	277.42	198	2,094.8	A
etoxazole	Prune	110.89	28	1,129.57	A
etoxazole	Pumpkin	4.83	2	36.8	A
etoxazole	Raspberry	31.72	28	235.02	A
etoxazole	Regulatory pest control	0.37	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
etoxazole	Research commodity	0.68	5	5.02	A
etoxazole	Research commodity	<0.01	1	10,000.0	S
etoxazole	Research commodity	10.92	N/A	N/A	N/A
etoxazole	Soil fumigation/preplant	0.41	1	3.0	A
etoxazole	Squash	1.3	3	11.5	A
etoxazole	Strawberry	301.75	110	2,327.1	A
etoxazole	Strawberry	0.03	1	8,500.0	S
etoxazole	Structural pest control	0.12	N/A	N/A	N/A
etoxazole	Tangerine	28.92	9	214.29	A
etoxazole	Tomato	2.19	2	22.76	A
etoxazole	Uncultivated ag	12.25	2	136.1	A
etoxazole	Walnut	3,196.07	527	24,241.17	A
etoxazole	Watermelon	342.21	74	2,592.81	A
famoxadone	Cilantro	37.05	74	257.05	A
famoxadone	Cucumber	105.32	30	868.92	A
famoxadone	Lettuce, head	184.31	42	1,264.3	A
famoxadone	Lettuce, leaf	537.99	198	3,716.61	A
famoxadone	Melon	1.08	2	8.65	A
famoxadone	N-grnhs transplants	36.64	17	778.65	A
famoxadone	N-outdr transplants	0.69	4	7.1	A
famoxadone	Onion, dry	1,111.75	89	9,697.9	A
famoxadone	Parsley	31.27	49	200.01	A
famoxadone	Pepper, fruiting	18.2	7	140.65	A
famoxadone	Potato	335.79	37	2,824.9	A
famoxadone	Research commodity	0.02	N/A	N/A	N/A
famoxadone	Spinach	500.84	300	3,294.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
famoxadone	Squash	3.36	4	29.65	A
famoxadone	Tomato	602.41	150	4,812.83	A
famoxadone	Tomato, processing	197.59	30	1,843.99	A
famoxadone	Upland cress	2.08	12	19.73	A
famoxadone	Watermelon	0.38	1	3.03	A
farnesol	Almond	7.81	20	1,218.2	A
farnesol	Cherry	0.47	3	71.0	A
farnesol	Grape	4.95	14	568.6	A
farnesol	Grape, wine	3.38	40	765.29	A
farnesol	Nectarine	1.79	19	241.97	A
farnesol	Peach	6.12	66	822.17	A
farnesol	Rights of way	0.12	N/A	N/A	N/A
farnesol	Walnut	0.08	1	20.0	A
fatty acids, methyl esters	Alfalfa	18,900.62	293	18,000.35	A
fatty acids, methyl esters	Almond	77,487.18	1,535	58,220.44	A
fatty acids, methyl esters	Apple	83.31	8	37.63	A
fatty acids, methyl esters	Bean, dried	354.31	8	563.7	A
fatty acids, methyl esters	Broccoli	18.71	2	11.5	A
fatty acids, methyl esters	Carrot	1,142.75	59	977.4	A
fatty acids, methyl esters	Celery	1,060.55	134	1,182.51	A
fatty acids, methyl esters	Cherry	1,039.21	52	880.02	A
fatty acids, methyl esters	Cilantro	204.45	3	294.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids, methyl esters	Citrus	7.16	11	16.01	A
fatty acids, methyl esters	Corn (forage - fodder)	15,006.98	290	16,435.43	A
fatty acids, methyl esters	Corn, grain	786.78	14	763.0	A
fatty acids, methyl esters	Corn, human consumption	163.42	2	104.0	A
fatty acids, methyl esters	Cotton	3,057.05	45	2,735.52	A
fatty acids, methyl esters	Garlic	150.21	1	54.0	A
fatty acids, methyl esters	Grape	314.54	27	539.3	A
fatty acids, methyl esters	Grape, wine	14,281.49	457	19,805.33	A
fatty acids, methyl esters	Grapefruit	108.73	18	172.1	A
fatty acids, methyl esters	Hops	2.09	1	1.0	A
fatty acids, methyl esters	Landscape maintenance	39.69	N/A	N/A	N/A
fatty acids, methyl esters	Lemon	814.95	80	1,043.94	A
fatty acids, methyl esters	Lettuce, leaf	6.95	2	6.5	A
fatty acids, methyl esters	N-grnhs plants in containers	0.4	1	0.7	A
fatty acids, methyl esters	Oat (forage - fodder)	27.33	2	91.34	A
fatty acids, methyl esters	Olive	1,626.55	21	1,694.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids, methyl esters	Onion, dry	371.63	35	2,595.79	A
fatty acids, methyl esters	Orange	6,990.37	409	7,707.46	A
fatty acids, methyl esters	Pasture (forage - fodder)	4.72	2	16.0	A
fatty acids, methyl esters	Pastureland	128.96	5	101.0	A
fatty acids, methyl esters	Peach	286.49	30	274.85	A
fatty acids, methyl esters	Pear	2,746.69	52	1,021.46	A
fatty acids, methyl esters	Peas	47.22	6	54.3	A
fatty acids, methyl esters	Pecan	124.7	11	110.8	A
fatty acids, methyl esters	Pistachio	36,194.8	570	18,920.58	A
fatty acids, methyl esters	Plum	2.35	1	21.6	A
fatty acids, methyl esters	Pomegranate	63.49	1	73.0	A
fatty acids, methyl esters	Pomelo	15.57	2	15.0	A
fatty acids, methyl esters	Prune	85.6	5	56.5	A
fatty acids, methyl esters	Research commodity	104.31	8	30.0	A
fatty acids, methyl esters	Rice	32,220.18	371	24,491.74	A
fatty acids, methyl esters	Rice, wild	104.31	1	100.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, methyl esters</b>	Rights of way	230.11	9	220.0	A
<b>fatty acids, methyl esters</b>	Rights of way	4,877.62	N/A	N/A	N/A
<b>fatty acids, methyl esters</b>	Safflower	118.62	5	174.0	A
<b>fatty acids, methyl esters</b>	Soil fumigation/preplant	1,114.45	6	957.0	A
<b>fatty acids, methyl esters</b>	Spinach	0.34	1	2.4	A
<b>fatty acids, methyl esters</b>	Sunflower	1,684.05	55	2,959.3	A
<b>fatty acids, methyl esters</b>	Tangelo	158.42	13	133.6	A
<b>fatty acids, methyl esters</b>	Tangerine	1,875.38	153	2,785.11	A
<b>fatty acids, methyl esters</b>	Tomato	69.19	3	132.9	A
<b>fatty acids, methyl esters</b>	Tomato, processing	6,397.38	209	9,577.75	A
<b>fatty acids, methyl esters</b>	Uncultivated ag	15,693.31	625	13,150.25	A
<b>fatty acids, methyl esters</b>	Uncultivated non-ag	68.84	3	67.0	A
<b>fatty acids, methyl esters</b>	Walnut	9,574.93	345	7,871.07	A
<b>fatty acids, methyl esters</b>	Wheat	65.37	2	94.0	A
<b>fatty acids, methyl esters</b>	Wheat (forage - fodder)	13.36	4	56.0	A
<b>fatty acids, mixed</b>	Alfalfa	9,045.35	2,397	137,912.23	A
<b>fatty acids, mixed</b>	Almond	63,854.66	6,946	482,871.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids, mixed	Apple	301.56	20	1,220.67	A
fatty acids, mixed	Apricot	146.0	100	1,853.31	A
fatty acids, mixed	Artichoke, globe	102.95	134	2,045.17	A
fatty acids, mixed	Arugula	0.33	15	137.0	A
fatty acids, mixed	Asparagus	69.29	12	937.8	A
fatty acids, mixed	Avocado	4.63	82	495.05	A
fatty acids, mixed	Avocado	0.26	2	25,200.0	S
fatty acids, mixed	Barley	22.94	17	935.3	A
fatty acids, mixed	Barley (forage - fodder)	82.26	5	156.67	A
fatty acids, mixed	Basil, sweet	2.72	1	13.0	A
fatty acids, mixed	Bean, dried	100.95	74	3,672.6	A
fatty acids, mixed	Bean, succulent	9.23	14	508.5	A
fatty acids, mixed	Bean, unspecified	0.46	7	89.5	A
fatty acids, mixed	Beet	5.94	7	67.03	A
fatty acids, mixed	Bermudagrass	356.2	41	2,916.2	A
fatty acids, mixed	Blackberry	0.08	1	8.5	A
fatty acids, mixed	Blueberry	75.15	26	1,168.4	A
fatty acids, mixed	Bok choy	<0.01	1	1.26	A
fatty acids, mixed	Broccoli	112.66	553	6,683.55	A
fatty acids, mixed	Brussels sprout	335.37	547	11,530.58	A
fatty acids, mixed	Cabbage	97.09	1,227	11,719.27	A
fatty acids, mixed	Cannabis (all or unspecified)	0.1	10	90,000.0	S
fatty acids, mixed	Cantaloupe	26.65	18	737.95	A
fatty acids, mixed	Carrot	14.0	23	736.5	A
fatty acids, mixed	Cauliflower	37.36	130	1,588.39	A
fatty acids, mixed	Celery	1,636.99	967	14,478.23	A
fatty acids, mixed	Cherry	2,694.52	657	15,967.27	A
fatty acids, mixed	Christmas tree	0.59	1	1.0	A
fatty acids, mixed	Cilantro	13.98	8	87.39	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fatty acids, mixed	Citrus	2.47	1	42.5	A
fatty acids, mixed	Collard	0.43	44	152.62	A
fatty acids, mixed	Corn (forage - fodder)	3,098.73	1,051	52,809.96	A
fatty acids, mixed	Corn, grain	67.55	49	2,149.5	A
fatty acids, mixed	Corn, human consumption	353.58	266	7,025.37	A
fatty acids, mixed	Cotton	4,964.67	3,842	505,468.81	A
fatty acids, mixed	Cucumber	1.52	9	276.23	A
fatty acids, mixed	Date	4.7	2	40.0	A
fatty acids, mixed	Ditch bank	0.41	11	20.25	A
fatty acids, mixed	Endive (escarole)	5.42	51	49.83	A
fatty acids, mixed	Fava bean	0.12	4	14.0	A
fatty acids, mixed	Fennel	1.32	14	143.9	A
fatty acids, mixed	Forage hay/silage	13.81	15	829.5	A
fatty acids, mixed	Forest, timberland	3.78	3	105.0	A
fatty acids, mixed	Fumigation, other	0.29	N/A	N/A	N/A
fatty acids, mixed	Garbanzo bean	2.72	2	118.0	A
fatty acids, mixed	Garlic	724.81	216	10,861.46	A
fatty acids, mixed	Golf course turf	4.24	N/A	15.5	A
fatty acids, mixed	Grape	2,244.34	954	26,074.71	A
fatty acids, mixed	Grape	0.02	3	20,500.0	S
fatty acids, mixed	Grape, wine	8,596.46	1,892	78,898.51	A
fatty acids, mixed	Grapefruit	22.85	28	279.9	A
fatty acids, mixed	Grass, seed	5.0	10	49.0	A
fatty acids, mixed	Herb, spice	7.9	16	51.41	A
fatty acids, mixed	Hops	3.84	5	28.5	A
fatty acids, mixed	Industrial hemp	3.44	2	55.0	A
fatty acids, mixed	Industrial site	0.01	N/A	6.0	A
fatty acids, mixed	Kale	31.38	159	693.8	A
fatty acids, mixed	Kiwi fruit fuzzy	16.8	3	55.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids, mixed	Kohlrabi	0.01	1	1.93	A
fatty acids, mixed	Landscape maintenance	0.02	1	2.0	A
fatty acids, mixed	Landscape maintenance	1,322.32	N/A	N/A	N/A
fatty acids, mixed	Leek	8.7	44	265.65	A
fatty acids, mixed	Lemon	477.93	177	6,615.5	A
fatty acids, mixed	Lettuce, head	197.86	1,379	17,764.31	A
fatty acids, mixed	Lettuce, leaf	534.61	3,963	44,891.82	A
fatty acids, mixed	Lime	1.07	3	2.0	A
fatty acids, mixed	Melon	39.28	21	829.77	A
fatty acids, mixed	Mint	0.01	1	15.0	A
fatty acids, mixed	Mustard greens	4.66	54	108.82	A
fatty acids, mixed	N-grnhs flower	5.89	108	198.0	A
fatty acids, mixed	N-grnhs plants in containers	57.19	382	1,026.86	A
fatty acids, mixed	N-grnhs plants in containers	2.27	27	447,766.0	S
fatty acids, mixed	N-grnhs transplants	7.11	469	204.19	A
fatty acids, mixed	N-outdr flower	42.22	1,000	4,079.57	A
fatty acids, mixed	N-outdr flower	<0.01	1	3,600.0	S
fatty acids, mixed	N-outdr plants in containers	213.51	1,374	3,919.65	A
fatty acids, mixed	N-outdr plants in containers	0.44	24	258,000.0	S
fatty acids, mixed	N-outdr plants in containers	<0.01	1	500.0	U
fatty acids, mixed	N-outdr transplants	228.46	529	1,262.52	A
fatty acids, mixed	Nectarine	77.57	189	2,171.04	A
fatty acids, mixed	Oat	37.13	25	1,019.3	A
fatty acids, mixed	Oat (forage - fodder)	4,529.43	142	6,569.34	A
fatty acids, mixed	Olive	151.19	60	3,937.13	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids, mixed	Onion, dry	304.21	159	7,571.9	A
fatty acids, mixed	Onion, green	0.56	5	79.0	A
fatty acids, mixed	Orange	499.0	383	7,482.19	A
fatty acids, mixed	Parsley	33.97	68	318.75	A
fatty acids, mixed	Pastureland	10.85	10	221.0	A
fatty acids, mixed	Peach	403.23	441	6,168.17	A
fatty acids, mixed	Pear	0.44	8	76.0	A
fatty acids, mixed	Peas	15.09	215	2,967.8	A
fatty acids, mixed	Pecan	28.34	13	290.08	A
fatty acids, mixed	Pepper, fruiting	1,127.26	453	11,939.8	A
fatty acids, mixed	Pepper, spice	0.14	2	29.05	A
fatty acids, mixed	Persimmon	81.52	17	627.0	A
fatty acids, mixed	Pistachio	54,499.76	3,035	265,222.74	A
fatty acids, mixed	Plum	103.13	878	7,586.35	A
fatty acids, mixed	Pomegranate	595.12	142	8,299.72	A
fatty acids, mixed	Pomelo	1.51	6	34.5	A
fatty acids, mixed	Potato	43.72	43	1,836.25	A
fatty acids, mixed	Prune	40.28	40	804.96	A
fatty acids, mixed	Pumpkin	29.06	22	606.19	A
fatty acids, mixed	Radish	2.89	3	37.35	A
fatty acids, mixed	Rangeland	4.48	10	329.0	A
fatty acids, mixed	Rapini	12.54	164	1,603.4	A
fatty acids, mixed	Raspberry	2.54	7	83.0	A
fatty acids, mixed	Recreation area	1.81	N/A	0.01	U
fatty acids, mixed	Regulatory pest control	19.98	N/A	N/A	N/A
fatty acids, mixed	Research commodity	5.19	26	29.25	A
fatty acids, mixed	Research commodity	0.65	20	128,500.0	S
fatty acids, mixed	Rice	6.9	2	110.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids, mixed	Rights of way	16.49	43	964.95	A
fatty acids, mixed	Rights of way	2,885.76	N/A	N/A	N/A
fatty acids, mixed	Rye	46.37	22	1,124.6	A
fatty acids, mixed	Ryegrass	40.15	28	2,005.28	A
fatty acids, mixed	Safflower	90.39	131	34,077.5	A
fatty acids, mixed	Soil fumigation/preplant	404.41	264	37,697.9	A
fatty acids, mixed	Sorghum (forage - fodder)	148.02	72	4,298.36	A
fatty acids, mixed	Sorghum/milo	24.41	22	674.73	A
fatty acids, mixed	Spinach	1.37	25	144.2	A
fatty acids, mixed	Squash	20.15	20	535.0	A
fatty acids, mixed	Squash, summer	0.05	2	15.0	A
fatty acids, mixed	Squash, winter	1.89	2	40.0	A
fatty acids, mixed	Strawberry	573.23	297	13,059.61	A
fatty acids, mixed	Structural pest control	12.04	N/A	N/A	N/A
fatty acids, mixed	Sudangrass	12.32	18	441.2	A
fatty acids, mixed	Sugarbeet	51.79	8	765.0	A
fatty acids, mixed	Sunflower	42.4	20	813.7	A
fatty acids, mixed	Sweet potato	3.6	12	361.62	A
fatty acids, mixed	Swiss chard	0.96	17	72.85	A
fatty acids, mixed	Tangelo	7.88	8	74.4	A
fatty acids, mixed	Tangerine	256.0	159	3,652.85	A
fatty acids, mixed	Tomato	129.49	129	3,595.64	A
fatty acids, mixed	Tomato, processing	4,357.36	1,045	97,604.81	A
fatty acids, mixed	Triticale	51.91	50	2,476.8	A
fatty acids, mixed	Turf/sod	32.79	30	582.62	A
fatty acids, mixed	Turnip	0.03	1	10.0	A
fatty acids, mixed	Turnip greens	4.27	39	39.37	A
fatty acids, mixed	Uncultivated ag	214.11	464	14,220.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, mixed</b>	Uncultivated non-ag	5.4	10	292.82	A
<b>fatty acids, mixed</b>	Unknown	7.56	4	50.5	A
<b>fatty acids, mixed</b>	Vertebrate control	0.94	N/A	N/A	N/A
<b>fatty acids, mixed</b>	Walnut	5,360.92	1,237	42,216.36	A
<b>fatty acids, mixed</b>	Water area	2.29	N/A	41.05	A
<b>fatty acids, mixed</b>	Water area	27.19	N/A	0.04	U
<b>fatty acids, mixed</b>	Watermelon	84.26	171	4,694.8	A
<b>fatty acids, mixed</b>	Wheat	476.31	226	13,710.62	A
<b>fatty acids, mixed</b>	Wheat (forage - fodder)	1,396.16	659	39,812.2	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Alfalfa	148.13	428	26,228.32	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Almond	1,023.5	1,548	56,887.35	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Artichoke, globe	0.1	1	10.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Bean, dried	1.65	17	313.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Bermudagrass	17.67	39	2,300.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Broccoli	4.67	18	914.7	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Cantaloupe	0.05	2	8.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Carrot	0.2	1	70.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Cherry	18.78	18	467.11	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Clover	0.28	1	26.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Corn (forage - fodder)	82.1	302	13,331.13	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Cotton	1.0	5	306.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Farm/ag building	0.04	1	2.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Forage hay/silage	1.73	12	518.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Grape	13.11	40	1,112.33	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Grape, wine	7.77	18	275.83	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Landscape maintenance	1.09	N/A	N/A	N/A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Lettuce, leaf	0.6	4	98.2	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	N-outdr plants in containers	0.8	1	64.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Nectarine	0.8	10	53.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Oat (forage - fodder)	11.86	86	4,169.11	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Onion, dry	11.07	23	1,969.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Pastureland	1.8	11	202.77	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Peach	28.66	90	1,714.85	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Persimmon	0.04	1	3.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Pistachio	72.18	60	3,681.78	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Plum	0.47	2	24.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Rice	0.13	1	20.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Rights of way	1.94	6	137.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Rights of way	8.32	N/A	N/A	N/A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Ryegrass	2.66	4	71.99	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Sorghum (forage - fodder)	8.92	19	1,143.31	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Stone fruit	1.08	12	206.5	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Strawberry	0.78	5	50.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Sugarbeet	26.8	99	6,799.1	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Sunflower	1.39	2	208.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Tomato	0.1	2	134.0	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Tomato, processing	12.61	27	2,296.27	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Triticale	2.5	19	1,162.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Uncultivated ag	1.6	8	360.6	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Uncultivated non-ag	0.16	N/A	7.5	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Walnut	93.2	180	4,824.15	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Wheat	1.24	6	277.5	A
<b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b>	Wheat (forage - fodder)	10.53	61	2,535.55	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Alfalfa	14,972.54	1,247	73,245.03	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Almond	187,619.9	7,933	409,244.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Almond	47.88	1	105.0	C
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Apple	494.99	58	1,331.6	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Apricot	1,954.57	81	2,422.42	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Artichoke, globe	1,758.47	420	6,898.81	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Arugula	46.58	38	318.92	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Asparagus	8.51	1	25.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Avocado	12.94	3	17.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Barley	12.4	5	54.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Basil, sweet	36.18	48	66.11	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bean, dried	1,182.77	108	7,595.4	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bean, succulent	66.78	9	540.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Beet	53.26	58	131.97	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bermudagrass	12.76	3	22.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Blackberry	49.33	18	82.93	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Blueberry	1.42	3	170.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Bok choy	138.92	244	337.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Broccoli	6,188.9	1,627	16,230.11	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Brussels sprout	2,065.53	349	3,609.22	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cabbage	1,854.59	602	6,140.95	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cantaloupe	719.92	105	5,295.5	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cardoon	1.39	2	6.2	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Carrot	5,503.82	192	12,787.08	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cauliflower	2,354.62	621	6,610.93	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Celeriac	11.52	19	21.08	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Celery	4,940.81	1,059	12,340.47	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cherry	9,175.95	956	20,148.94	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Chinese cabbage (napa, won bok, celery cabbage)	1,639.15	392	3,213.28	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cilantro	245.15	142	616.35	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Citrus	166.89	8	451.5	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Collard	100.4	98	193.72	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Corn (forage - fodder)	7,665.81	785	32,483.2	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Corn, grain	66.9	7	203.71	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Corn, human consumption	55.88	13	272.19	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Cotton	3,361.72	346	15,499.54	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Dandelion green	11.33	22	20.7	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Dill	29.29	37	53.51	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Ditch bank	0.76	N/A	2.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Eggplant	15.03	10	192.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Endive (escarole)	25.4	59	86.43	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Fava bean	1.09	5	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Fennel	23.33	37	139.29	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Forage hay/silage	189.6	15	554.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Garlic	937.68	25	2,265.7	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Grape	12,814.09	1,576	47,769.34	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Grape, wine	11,683.19	972	33,017.19	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Grapefruit	367.37	41	636.13	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Grass, seed	0.95	2	10.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Herb, spice	5.03	1	22.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Kale	360.89	370	1,628.71	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Kiwi fruit fuzzy	305.72	122	2,132.69	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Kohlrabi	17.93	34	32.75	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Leek	27.13	28	49.59	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Lemon	1,763.81	150	3,633.52	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Lettuce, head	10,480.36	2,831	34,073.93	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Lettuce, leaf	6,875.32	2,608	32,208.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Melon	243.14	35	1,488.5	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Melon	0.01	2	5,040.0	S
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Mizuna	25.55	26	181.3	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Mustard	36.54	54	70.56	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Mustard greens	71.04	64	129.8	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-grnhs plants in containers	3.94	13	16.35	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-outdr flower	9.46	3	14.1	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-outdr plants in containers	134.19	39	896.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	N-outdr transplants	605.58	159	1,768.12	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Nectarine	1,410.45	479	3,760.22	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Oat	18.68	4	149.7	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Oat (forage - fodder)	1,227.21	126	5,984.68	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Olive	91.69	6	181.67	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Onion, dry	707.46	86	4,466.5	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Onion, green	8.13	8	33.35	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Orange	16,614.69	1,184	28,109.54	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Parsley	120.88	100	252.18	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pastureland	55.06	2	265.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Peach	6,378.19	899	10,433.74	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pear	2.64	5	14.2	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pear, asian (oriental pear, ya, ya li, nashi)	13.38	9	58.5	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pecan	290.26	28	420.64	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pepper, fruiting	839.99	183	7,939.13	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pepper, fruiting	<0.01	1	2,520.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pepper, spice	25.6	13	82.13	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Persimmon	7.0	5	40.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pistachio	62,444.79	1,265	106,438.41	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Plum	320.49	168	1,663.51	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pomegranate	205.58	28	614.68	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pomelo	15.79	6	24.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Potato	139.7	6	372.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Prune	81.11	14	578.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Pumpkin	53.54	8	311.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Quince	11.41	9	49.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Radicchio	51.63	4	345.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Radish	3.32	6	22.09	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Raspberry	156.51	56	247.64	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Regulatory pest control	1.14	N/A	N/A	N/A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rice	257.84	17	1,399.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rights of way	74.82	25	204.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rights of way	675.43	N/A	N/A	N/A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Ryegrass	13.73	2	63.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sod farm (turf)	9.05	7	126.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Soil fumigation/preplant	31.91	2	91.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sorghum (forage - fodder)	9.85	1	36.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Spinach	250.72	175	1,647.3	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Squash, summer	1.53	1	18.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Squash, winter	34.79	12	287.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Squash, zucchini	0.04	1	0.1	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Strawberry	16,179.66	753	22,658.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sudangrass	142.09	13	725.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sugarbeet	771.07	70	4,755.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sunflower	37.69	3	303.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Sweet potato	300.06	35	1,060.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Swiss chard	113.85	137	441.23	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tangelo	498.86	34	878.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tangerine	13,395.66	1,024	29,582.46	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tomato	11.12	7	25.75	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tomato	0.05	3	7,560.0	S
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Tomato, processing	1,427.96	76	6,924.94	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Triticale	558.7	45	2,550.18	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Turf/sod	34.22	25	475.8	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Turnip	53.8	59	98.27	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Uncultivated ag	2,542.53	106	5,295.47	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Uncultivated non-ag	788.03	N/A	1,544.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Unknown	81.48	5	350.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Walnut	25,821.39	1,631	52,494.4	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Water (industrial)	8.3	N/A	118.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Water area	0.76	N/A	2.0	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Water area	0.27	N/A	500.0	U
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Watermelon	351.6	44	1,789.5	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Watermelon	0.17	2	5,040.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Wheat	934.94	105	5,474.89	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Wheat (forage - fodder)	859.77	136	5,529.24	A
<b>fatty acids derived from tallow</b>	Alfalfa	874.78	676	39,921.54	A
<b>fatty acids derived from tallow</b>	Almond	6,774.59	1,122	67,180.85	A
<b>fatty acids derived from tallow</b>	Apple	40.27	16	433.0	A
<b>fatty acids derived from tallow</b>	Apricot	2.77	1	37.0	A
<b>fatty acids derived from tallow</b>	Asparagus	83.9	22	1,297.0	A
<b>fatty acids derived from tallow</b>	Barley	5.31	7	489.8	A
<b>fatty acids derived from tallow</b>	Barley (forage - fodder)	12.09	12	784.0	A
<b>fatty acids derived from tallow</b>	Basil, sweet	31.57	2	111.0	A
<b>fatty acids derived from tallow</b>	Bean, dried	46.85	37	1,489.55	A
<b>fatty acids derived from tallow</b>	Bean, succulent	0.23	1	1.5	A
<b>fatty acids derived from tallow</b>	Beet	38.97	5	90.96	A
<b>fatty acids derived from tallow</b>	Bermudagrass	1.45	4	94.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids derived from tallow</b>	Blackberry	8.41	8	31.76	A
<b>fatty acids derived from tallow</b>	Blueberry	0.07	1	0.45	A
<b>fatty acids derived from tallow</b>	Bok choy	0.11	1	1.8	A
<b>fatty acids derived from tallow</b>	Broccoli	30.61	35	833.53	A
<b>fatty acids derived from tallow</b>	Brussels sprout	0.44	1	4.8	A
<b>fatty acids derived from tallow</b>	Cabbage	18.83	21	127.55	A
<b>fatty acids derived from tallow</b>	Cantaloupe	7.47	7	216.5	A
<b>fatty acids derived from tallow</b>	Cauliflower	5.87	9	100.65	A
<b>fatty acids derived from tallow</b>	Celery	4.88	10	85.66	A
<b>fatty acids derived from tallow</b>	Chinese cabbage (napa, won bok, celery cabbage)	0.21	1	3.4	A
<b>fatty acids derived from tallow</b>	Cilantro	11.78	4	152.52	A
<b>fatty acids derived from tallow</b>	Corn (forage - fodder)	456.2	228	12,796.58	A
<b>fatty acids derived from tallow</b>	Corn, grain	13.4	3	251.0	A
<b>fatty acids derived from tallow</b>	Corn, human consumption	1.71	38	558.6	A
<b>fatty acids derived from tallow</b>	Cotton	1,190.96	665	40,889.24	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids derived from tallow</b>	Cucumber	5.41	9	38.0	A
<b>fatty acids derived from tallow</b>	Dill	0.12	1	0.89	A
<b>fatty acids derived from tallow</b>	Ditch bank	6.86	26	58.5	A
<b>fatty acids derived from tallow</b>	Fennel	0.32	1	20.5	A
<b>fatty acids derived from tallow</b>	Fig	62.11	32	2,087.6	A
<b>fatty acids derived from tallow</b>	Forage hay/silage	66.89	48	2,392.1	A
<b>fatty acids derived from tallow</b>	Forest, timberland	151.33	225	3,592.04	A
<b>fatty acids derived from tallow</b>	Gai lon	1.38	11	35.09	A
<b>fatty acids derived from tallow</b>	Garlic	135.21	23	6,211.6	A
<b>fatty acids derived from tallow</b>	Grape	135.5	102	2,561.54	A
<b>fatty acids derived from tallow</b>	Grape, wine	215.03	47	2,675.86	A
<b>fatty acids derived from tallow</b>	Grapefruit	56.97	7	332.0	A
<b>fatty acids derived from tallow</b>	Grass, seed	35.27	28	1,048.01	A
<b>fatty acids derived from tallow</b>	Kale	0.06	1	4.0	A
<b>fatty acids derived from tallow</b>	Landscape maintenance	104.15	N/A	N/A	N/A
<b>fatty acids derived from tallow</b>	Lemon	211.42	27	1,370.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids derived from tallow</b>	Lettuce, head	33.45	51	926.7	A
<b>fatty acids derived from tallow</b>	Lettuce, leaf	42.12	52	1,781.45	A
<b>fatty acids derived from tallow</b>	Lovegrass, teff (forage - fodder)	1.07	1	34.7	A
<b>fatty acids derived from tallow</b>	Mango	6.17	1	30.0	A
<b>fatty acids derived from tallow</b>	Melon	2.46	1	71.0	A
<b>fatty acids derived from tallow</b>	Mint	2.62	3	135.0	A
<b>fatty acids derived from tallow</b>	Mustard	3.81	2	33.2	A
<b>fatty acids derived from tallow</b>	N-grnhs flower	1.23	2	7.4	A
<b>fatty acids derived from tallow</b>	N-grnhs transplants	1.36	23	9.05	A
<b>fatty acids derived from tallow</b>	N-outdr flower	14.98	9	68.7	A
<b>fatty acids derived from tallow</b>	N-outdr plants in containers	11.4	27	121.33	A
<b>fatty acids derived from tallow</b>	N-outdr transplants	249.22	149	1,384.03	A
<b>fatty acids derived from tallow</b>	Oat	8.12	4	152.0	A
<b>fatty acids derived from tallow</b>	Oat (forage - fodder)	53.31	40	1,840.8	A
<b>fatty acids derived from tallow</b>	Olive	33.51	7	255.0	A
<b>fatty acids derived from tallow</b>	Onion, dry	186.22	69	5,425.9	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids derived from tallow</b>	Orange	11.16	5	74.0	A
<b>fatty acids derived from tallow</b>	Orchardgrass	14.37	16	805.0	A
<b>fatty acids derived from tallow</b>	Pastureland	7.1	4	230.1	A
<b>fatty acids derived from tallow</b>	Peach	3.08	1	20.0	A
<b>fatty acids derived from tallow</b>	Pepper, fruiting	7.65	18	291.1	A
<b>fatty acids derived from tallow</b>	Persimmon	0.28	2	23.2	A
<b>fatty acids derived from tallow</b>	Pistachio	1,575.99	275	19,538.32	A
<b>fatty acids derived from tallow</b>	Plum	20.56	4	142.0	A
<b>fatty acids derived from tallow</b>	Pomegranate	59.99	8	535.73	A
<b>fatty acids derived from tallow</b>	Prune	35.38	70	2,066.63	A
<b>fatty acids derived from tallow</b>	Pumpkin	3.93	2	27.0	A
<b>fatty acids derived from tallow</b>	Radicchio	0.92	2	119.5	A
<b>fatty acids derived from tallow</b>	Rangeland	1.85	1	120.0	A
<b>fatty acids derived from tallow</b>	Raspberry	42.64	35	443.27	A
<b>fatty acids derived from tallow</b>	Regulatory pest control	4.39	N/A	N/A	N/A
<b>fatty acids derived from tallow</b>	Research commodity	0.07	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids derived from tallow	Research commodity	0.02	N/A	N/A	N/A
fatty acids derived from tallow	Rice	57.49	19	1,207.9	A
fatty acids derived from tallow	Rights of way	9.46	11	1,110.75	A
fatty acids derived from tallow	Rights of way	56.25	N/A	N/A	N/A
fatty acids derived from tallow	Ryegrass	18.63	7	456.5	A
fatty acids derived from tallow	Soil fumigation/preplant	23.72	2	462.4	A
fatty acids derived from tallow	Sorghum (forage - fodder)	20.65	12	524.47	A
fatty acids derived from tallow	Sorghum/milo	0.62	1	35.1	A
fatty acids derived from tallow	Soybean	1.23	1	17.0	A
fatty acids derived from tallow	Squash	8.46	8	117.0	A
fatty acids derived from tallow	Squash, summer	0.59	2	24.0	A
fatty acids derived from tallow	Strawberry	1,581.0	473	10,739.05	A
fatty acids derived from tallow	Sudangrass	5.4	5	320.0	A
fatty acids derived from tallow	Sugarbeet	98.86	67	4,652.01	A
fatty acids derived from tallow	Sunflower	33.86	14	961.5	A
fatty acids derived from tallow	Tangelo	4.63	1	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids derived from tallow	Tangerine	3.17	3	12.7	A
fatty acids derived from tallow	Timothy	14.48	29	1,447.0	A
fatty acids derived from tallow	Tomato	283.72	234	9,508.92	A
fatty acids derived from tallow	Tomato, processing	478.43	123	14,249.75	A
fatty acids derived from tallow	Triticale	167.49	33	1,857.0	A
fatty acids derived from tallow	Uncultivated ag	70.79	18	1,047.4	A
fatty acids derived from tallow	Uncultivated non-ag	12.81	7	129.18	A
fatty acids derived from tallow	Vertebrate control	8.75	N/A	N/A	N/A
fatty acids derived from tallow	Walnut	1,460.56	512	21,235.83	A
fatty acids derived from tallow	Watermelon	2.69	7	84.0	A
fatty acids derived from tallow	Wheat	223.06	156	9,221.42	A
fatty acids derived from tallow	Wheat (forage - fodder)	326.21	263	15,330.07	A
fenamidone	Arugula	301.57	226	1,174.96	A
fenamidone	Basil, sweet	67.11	42	346.87	A
fenamidone	Bean, succulent	1.03	1	4.0	A
fenamidone	Bean, unspecified	0.66	1	3.0	A
fenamidone	Beet	24.71	20	95.39	A
fenamidone	Bok choy	41.34	82	161.31	A
fenamidone	Broccoli	852.95	150	3,451.45	A
fenamidone	Brussels sprout	30.59	31	116.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenamidone	Cabbage	522.74	248	2,075.54	A
fenamidone	Carrot	1,046.33	44	3,963.6	A
fenamidone	Cauliflower	235.57	52	953.9	A
fenamidone	Celery	126.12	28	492.01	A
fenamidone	Chinese cabbage (napa, won bok, celery cabbage)	52.23	68	198.73	A
fenamidone	Collard	57.76	95	222.38	A
fenamidone	Cucumber	16.23	5	91.6	A
fenamidone	Dandelion green	3.64	15	14.33	A
fenamidone	Dill	3.96	1	15.0	A
fenamidone	Endive (escarole)	9.48	47	36.48	A
fenamidone	Fennel	6.98	6	26.1	A
fenamidone	Gai lon	1.94	6	7.69	A
fenamidone	Kale	251.19	307	1,013.32	A
fenamidone	Kohlrabi	7.06	27	27.35	A
fenamidone	Lettuce, head	5,463.15	1,613	22,626.79	A
fenamidone	Lettuce, leaf	7,402.5	2,864	29,471.21	A
fenamidone	Lettuce, leaf	0.02	1	2,000.0	S
fenamidone	Melon	0.7	1	4.0	A
fenamidone	Mizuna	44.77	63	175.18	A
fenamidone	Mustard	10.72	32	41.43	A
fenamidone	Mustard greens	145.39	204	564.25	A
fenamidone	N-grnhs flower	3.1	6	9.86	A
fenamidone	N-grnhs plants in containers	49.01	150	149.29	A
fenamidone	N-grnhs plants in containers	0.37	4	62,950.0	S
fenamidone	N-grnhs transplants	7.76	24	39.8	A
fenamidone	N-grnhs transplants	5.77	48	1,304,500.0	S
fenamidone	N-outdr flower	7.34	17	23.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fenamidone	N-outdr flower	0.13	1	21,780.0	S
fenamidone	N-outdr plants in containers	4.76	12	14.98	A
fenamidone	N-outdr plants in containers	1.18	14	162,456.0	S
fenamidone	N-outdr transplants	3.74	17	15.1	A
fenamidone	N-outdr transplants	19.86	21	4,170,000.0	S
fenamidone	Onion, dry	1,782.02	153	10,339.57	A
fenamidone	Onion, green	18.45	8	99.03	A
fenamidone	Parsley	11.26	15	55.52	A
fenamidone	Peas	0.66	4	2.48	A
fenamidone	Potato	209.44	12	980.0	A
fenamidone	Pumpkin	5.65	4	31.75	A
fenamidone	Radicchio	76.11	56	286.83	A
fenamidone	Rapini	230.23	54	922.8	A
fenamidone	Research commodity	0.54	1	2.0	A
fenamidone	Research commodity	0.31	N/A	N/A	N/A
fenamidone	Spinach	1,967.46	1,071	7,652.03	A
fenamidone	Squash	6.56	3	37.0	A
fenamidone	Swiss chard	130.64	234	505.83	A
fenamidone	Tomato	1.42	1	8.0	A
fenamidone	Turnip	3.42	3	13.13	A
fenamidone	Turnip greens	0.41	1	1.5	A
fenarimol	Grape, wine	0.17	8	4.95	A
fenarimol	Landscape maintenance	5.15	N/A	N/A	N/A
fenarimol	N-grnhs flower	0.09	2	44,621.0	S
fenarimol	N-grnhs plants in containers	0.05	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenarimol	N-outdr plants in containers	1.01	2	21.0	A
fenarimol	N-outdr plants in containers	<0.01	1	9,000.0	S
fenazaquin	Almond	32,228.92	828	51,918.12	A
fenazaquin	Cherry	1,689.3	117	2,420.23	A
fenazaquin	N-grnhs plants in containers	8.24	19	20.8	A
fenazaquin	N-grnhs plants in containers	4.03	12	302,300.0	S
fenazaquin	N-grnhs transplants	2.79	9	8.58	A
fenazaquin	N-outdr flower	29.21	16	42.52	A
fenazaquin	N-outdr plants in containers	57.55	60	170.59	A
fenazaquin	N-outdr plants in containers	1.44	5	134,250.0	S
fenazaquin	N-outdr transplants	71.14	19	101.0	A
fenazaquin	Orange	0.28	1	1.18	A
fenazaquin	Peach	4.65	11	16.84	A
fenazaquin	Pistachio	27.55	1	39.0	A
fenazaquin	Research commodity	0.21	N/A	N/A	N/A
fenazaquin	Tangerine	74.3	14	203.44	A
fenazaquin	Walnut	7,505.03	340	12,138.5	A
fenbuconazole	Almond	5,217.84	820	56,865.23	A
fenbuconazole	Apricot	53.29	13	547.9	A
fenbuconazole	Blueberry	141.88	73	1,459.97	A
fenbuconazole	Cherry	125.78	41	1,292.73	A
fenbuconazole	N-outdr plants in containers	1.36	1	14.0	A
fenbuconazole	N-outdr transplants	0.51	4	5.25	A
fenbuconazole	Nectarine	559.76	237	5,753.67	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenbuconazole	Peach	1,212.32	363	12,464.58	A
fenbuconazole	Plum	19.08	23	196.19	A
fenbuconazole	Prune	22.39	7	230.0	A
fenbutatin-oxide	Almond	2,411.04	75	4,638.72	A
fenbutatin-oxide	Apple	8.0	6	26.5	A
fenbutatin-oxide	Cherry	47.5	4	62.0	A
fenbutatin-oxide	Eggplant	3.75	4	8.0	A
fenbutatin-oxide	Grape	181.0	2	290.0	A
fenbutatin-oxide	Landscape maintenance	0.24	N/A	N/A	N/A
fenbutatin-oxide	N-outdr flower	155.5	52	173.74	A
fenbutatin-oxide	N-outdr plants in containers	67.0	18	100.5	A
fenbutatin-oxide	N-outdr transplants	17.0	4	17.0	A
fenbutatin-oxide	Orange	246.95	6	201.9	A
fenbutatin-oxide	Peach	173.75	20	347.5	A
fenbutatin-oxide	Strawberry	286.0	14	268.5	A
fenbutatin-oxide	Tangerine	47.4	3	31.6	A
fenbutatin-oxide	Walnut	102.5	4	205.0	A
fenhexamid	Almond	233.52	29	1,698.5	A
fenhexamid	Apricot	90.0	3	120.0	A
fenhexamid	Blackberry	75.22	15	114.24	A
fenhexamid	Blackberry	0.02	1	960.0	S
fenhexamid	Blackberry	0.03	2	6.07	U
fenhexamid	Blueberry	1,557.21	66	2,075.2	A
fenhexamid	Cherry	2,594.05	170	4,239.7	A
fenhexamid	Grape	17,999.32	820	36,989.36	A
fenhexamid	Grape, wine	22,739.57	2,118	47,079.6	A
fenhexamid	Landscape maintenance	2.02	N/A	N/A	N/A
fenhexamid	Lettuce, leaf	0.73	8	1.47	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenhexamid	N-grnhs flower	419.88	572	841.32	A
fenhexamid	N-grnhs flower	0.82	7	27,477.5	S
fenhexamid	N-grnhs plants in containers	300.78	274	205.82	A
fenhexamid	N-grnhs plants in containers	53.29	162	3,119,301.8	S
fenhexamid	N-grnhs plants in containers	0.32	N/A	73,966.0	U
fenhexamid	N-grnhs transplants	203.75	112	1,163.77	A
fenhexamid	N-grnhs transplants	44.22	79	2,156,995.0	S
fenhexamid	N-outdr flower	211.83	184	675.9	A
fenhexamid	N-outdr flower	<0.01	1	2,200.0	S
fenhexamid	N-outdr plants in containers	194.75	101	32,521.22	A
fenhexamid	N-outdr plants in containers	5.47	18	426,900.0	S
fenhexamid	N-outdr plants in containers	0.75	N/A	66,852.0	U
fenhexamid	N-outdr transplants	459.05	104	626.97	A
fenhexamid	N-outdr transplants	2.33	3	167,988.0	S
fenhexamid	Nectarine	584.75	28	1,123.0	A
fenhexamid	Peach	1,781.63	78	3,429.5	A
fenhexamid	Pistachio	49.65	18	88.9	A
fenhexamid	Plum	55.35	4	73.8	A
fenhexamid	Raspberry	34.35	11	52.0	A
fenhexamid	Research commodity	3.54	4	4.72	A
fenhexamid	Strawberry	17,193.88	813	26,389.45	A
fenhexamid	Strawberry	0.35	3	20,530.0	S
fenhexamid	Strawberry	<0.01	1	0.06	U
fenhexamid	Tomato	<0.01	1	1,215.0	S
fenoxaprop-p-ethyl	Wheat	8.51	5	103.4	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenoxycarb	N-outdr plants in containers	0.17	4	11.33	A
fenoxycarb	Structural pest control	<0.01	N/A	N/A	N/A
fenpropathrin	Almond	2,533.7	131	7,024.3	A
fenpropathrin	Apple	388.26	46	1,066.2	A
fenpropathrin	Apricot	33.78	4	132.0	A
fenpropathrin	Avocado	100.75	23	271.8	A
fenpropathrin	Avocado	3.01	29	454,730.0	U
fenpropathrin	Blackberry	32.07	14	105.39	A
fenpropathrin	Blueberry	115.88	23	389.0	A
fenpropathrin	Broccoli	81.6	21	260.7	A
fenpropathrin	Cabbage	9.83	5	37.7	A
fenpropathrin	Cantaloupe	31.54	3	101.0	A
fenpropathrin	Cherry	5,309.57	874	16,298.49	A
fenpropathrin	Citrus	204.0	59	556.67	A
fenpropathrin	Citrus	1.18	5	11,100.0	U
fenpropathrin	Commodity fumigation	0.8	N/A	N/A	N/A
fenpropathrin	Cotton	658.88	30	2,301.1	A
fenpropathrin	Eggplant	2.89	3	15.0	A
fenpropathrin	Grape	3,222.54	241	11,906.34	A
fenpropathrin	Grape, wine	271.75	53	1,090.41	A
fenpropathrin	Grapefruit	1,215.2	162	3,752.01	A
fenpropathrin	Kumquat	1.4	2	4.47	A
fenpropathrin	Landscape maintenance	17.63	N/A	N/A	N/A
fenpropathrin	Lemon	5,531.73	771	17,167.75	A
fenpropathrin	Lime	16.47	7	52.5	A
fenpropathrin	N-grnhs flower	<0.01	1	168.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenpropathrin	N-grnhs plants in containers	5.82	23	22.69	A
fenpropathrin	N-grnhs plants in containers	35.28	147	2,925,852.01	S
fenpropathrin	N-grnhs plants in containers	0.64	18	39,594.0	U
fenpropathrin	N-grnhs transplants	4.11	16	15.79	A
fenpropathrin	N-grnhs transplants	0.63	2	15,000.0	S
fenpropathrin	N-outdr flower	12.99	33	67.97	A
fenpropathrin	N-outdr plants in containers	149.78	429	588.0	A
fenpropathrin	N-outdr plants in containers	13.44	63	1,376,021.0	S
fenpropathrin	N-outdr plants in containers	2.04	23	58,144.0	U
fenpropathrin	N-outdr transplants	6.61	8	20.8	A
fenpropathrin	N-outdr transplants	0.05	3	943.0	U
fenpropathrin	Nectarine	969.56	232	2,918.31	A
fenpropathrin	Olive	1,220.2	100	4,417.95	A
fenpropathrin	Olive	1.25	2	1,800.0	U
fenpropathrin	Orange	10,021.49	1,324	27,486.13	A
fenpropathrin	Peach	1,420.11	323	4,429.95	A
fenpropathrin	Pear	9.21	2	23.5	A
fenpropathrin	Pepper, fruiting	6.28	2	32.0	A
fenpropathrin	Pistachio	7,147.92	176	19,077.22	A
fenpropathrin	Plum	199.27	47	536.1	A
fenpropathrin	Pome fruit	0.25	3	1.25	A
fenpropathrin	Pomelo	46.82	13	132.0	A
fenpropathrin	Prune	4.33	1	14.75	A
fenpropathrin	Pumpkin	3.83	2	16.0	A
fenpropathrin	Quince	11.61	4	28.0	A
fenpropathrin	Raspberry	6.57	2	20.98	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fenpropathrin	Research commodity	0.15	1	0.75	A
fenpropathrin	Research commodity	0.08	N/A	N/A	N/A
fenpropathrin	Rights of way	1.12	N/A	N/A	N/A
fenpropathrin	Stone fruit	9.9	9	37.0	A
fenpropathrin	Strawberry	7,270.78	843	25,087.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenpropathrin	Tangelo	417.94	58	1,163.64	A
fenpropathrin	Tangerine	2,545.25	242	7,009.93	A
fenpropathrin	Tomato	227.32	37	1,202.71	A
fenpropathrin	Tomato, processing	228.97	16	1,098.1	A
fenpropathrin	Unknown	2.35	1	10.0	A
fenpropathrin	Walnut	1,001.93	124	3,380.21	A
fenpropathrin	Watermelon	26.68	5	117.82	A
fenpyroximate	Almond	9,803.61	1,132	72,943.66	A
fenpyroximate	Apple	3.44	3	29.0	A
fenpyroximate	Apricot	22.91	17	213.0	A
fenpyroximate	Artichoke, globe	0.11	2	1.0	A
fenpyroximate	Avocado	21.67	2	203.0	A
fenpyroximate	Bean, succulent	2.51	2	23.5	A
fenpyroximate	Cantaloupe	31.96	2	299.48	A
fenpyroximate	Cherry	126.93	39	1,204.3	A
fenpyroximate	Citrus	2.75	12	14.91	A
fenpyroximate	Citrus	0.54	2	199,800.0	U
fenpyroximate	Corn (forage - fodder)	4,074.06	827	43,062.2	A
fenpyroximate	Corn, grain	36.36	12	558.0	A
fenpyroximate	Corn, human consumption	26.47	4	248.0	A
fenpyroximate	Cotton	462.66	42	4,524.37	A
fenpyroximate	Cucumber	1.21	3	12.5	A
fenpyroximate	Eggplant	30.83	20	288.84	A
fenpyroximate	Grape	807.82	146	7,825.5	A
fenpyroximate	Grape, wine	1,301.06	336	12,339.89	A
fenpyroximate	Grapefruit	69.5	37	537.6	A
fenpyroximate	Hops	0.81	1	5.0	A
fenpyroximate	Landscape maintenance	0.55	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenpyroximate	Lemon	907.9	293	6,387.01	A
fenpyroximate	Melon	37.98	7	354.88	A
fenpyroximate	Mint	1.12	20	9.6	A
fenpyroximate	N-grnhs flower	0.28	6	6.0	A
fenpyroximate	N-grnhs flower	0.12	5	31,095.0	S
fenpyroximate	N-grnhs plants in containers	29.76	168	228.97	A
fenpyroximate	N-grnhs plants in containers	1.64	28	952,800.0	S
fenpyroximate	N-grnhs plants in containers	<0.01	1	1.38	U
fenpyroximate	N-grnhs transplants	6.9	84	71.61	A
fenpyroximate	N-grnhs transplants	1.71	18	559,500.0	S
fenpyroximate	N-outdr flower	0.65	7	11.5	A
fenpyroximate	N-outdr plants in containers	17.81	81	234.57	A
fenpyroximate	N-outdr plants in containers	1.11	8	476,600.0	S
fenpyroximate	N-outdr transplants	153.42	113	1,358.48	A
fenpyroximate	Nectarine	370.77	134	3,454.25	A
fenpyroximate	Orange	3,192.92	843	21,538.2	A
fenpyroximate	Peach	877.36	328	8,189.01	A
fenpyroximate	Pear	34.0	10	346.06	A
fenpyroximate	Pear, asian (oriental pear, ya, ya li, nashi)	1.88	4	17.5	A
fenpyroximate	Pepper, fruiting	281.74	84	2,659.47	A
fenpyroximate	Pepper, fruiting	<0.01	1	2,520.0	S
fenpyroximate	Pistachio	141.35	10	1,116.5	A
fenpyroximate	Plum	114.22	82	1,066.89	A
fenpyroximate	Pomelo	7.09	7	62.0	A
fenpyroximate	Potato	14.77	5	138.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fenpyroximate	Regulatory pest control	0.15	N/A	N/A	N/A
fenpyroximate	Research commodity	0.22	3	2.07	A
fenpyroximate	Research commodity	<0.01	1	128.0	S
fenpyroximate	Research commodity	10.51	N/A	N/A	N/A
fenpyroximate	Rights of way	0.13	N/A	N/A	N/A
fenpyroximate	Squash	4.54	6	51.5	A
fenpyroximate	Squash, summer	4.27	4	65.0	A
fenpyroximate	Strawberry	767.89	253	7,183.19	A
fenpyroximate	Sunflower	0.04	1	0.5	A
fenpyroximate	Tangelo	56.97	30	420.12	A
fenpyroximate	Tangerine	2,514.32	514	14,287.04	A
fenpyroximate	Tomato	42.32	19	401.43	A
fenpyroximate	Tomato	<0.01	2	5,040.0	S
fenpyroximate	Tomato, processing	24.42	2	228.8	A
fenpyroximate	Vegetables, fruiting	0.05	1	0.5	A
fenpyroximate	Walnut	823.6	111	5,386.46	A
fenpyroximate	Watermelon	474.61	93	4,538.11	A
fenthion	Structural pest control	<0.01	N/A	N/A	N/A
fenvalerate	Landscape maintenance	0.12	N/A	N/A	N/A
fenvalerate	Rights of way	1.91	N/A	N/A	N/A
fenvalerate	Structural pest control	<0.01	N/A	N/A	N/A
fenugreek	N-outdr flower	0.13	1	10.24	A
ferric sodium edta	Almond	69.7	4	139.4	A
ferric sodium edta	Artichoke, globe	96.0	10	255.4	A
ferric sodium edta	Avocado	39.0	4	67.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>ferric sodium edta</b>	Citrus	32.44	18	31.6	A
<b>ferric sodium edta</b>	Grape	11.75	2	57.0	A
<b>ferric sodium edta</b>	Grape, wine	340.0	5	440.0	A
<b>ferric sodium edta</b>	Grapefruit	25.0	3	55.0	A
<b>ferric sodium edta</b>	Landscape maintenance	575.23	N/A	N/A	N/A
<b>ferric sodium edta</b>	Lemon	3,546.24	162	5,775.9	A
<b>ferric sodium edta</b>	N-grnhs plants in containers	50.49	25	66.46	A
<b>ferric sodium edta</b>	N-grnhs plants in containers	7.49	3	22,750.0	S
<b>ferric sodium edta</b>	N-grnhs transplants	1.88	6	112,500.0	S
<b>ferric sodium edta</b>	N-outdr flower	98.75	25	102.26	A
<b>ferric sodium edta</b>	N-outdr plants in containers	245.33	48	178.75	A
<b>ferric sodium edta</b>	N-outdr plants in containers	1.75	2	114,575.0	S
<b>ferric sodium edta</b>	Orange	558.15	30	1,185.36	A
<b>ferric sodium edta</b>	Pistachio	5.25	2	21.0	A
<b>ferric sodium edta</b>	Regulatory pest control	0.82	N/A	N/A	N/A
<b>ferric sodium edta</b>	Rights of way	2.5	N/A	N/A	N/A
<b>ferric sodium edta</b>	Structural pest control	39.4	N/A	N/A	N/A
<b>ferric sodium edta</b>	Tangerine	118.98	14	175.97	A
<b>ferric sulfate (anhydrous)</b>	Landscape maintenance	2.36	N/A	N/A	N/A
<b>ferrous sulfate</b>	Alfalfa	0.22	1	35.5	A
<b>ferrous sulfate</b>	Almond	0.03	1	3.0	A
<b>ferrous sulfate</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>ferrous sulfate</b>	Walnut	0.02	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ferrous sulfate (monohydrate)	Landscape maintenance	8.0	N/A	N/A	N/A
fipronil	Industrial site	0.13	N/A	44,500.0	S
fipronil	Industrial site	0.23	N/A	0.01	U
fipronil	Landscape maintenance	27.84	N/A	N/A	N/A
fipronil	N-outdr plants in containers	0.01	1	2.0	A
fipronil	Public health	<0.01	N/A	N/A	N/A
fipronil	Regulatory pest control	110.11	N/A	N/A	N/A
fipronil	Research commodity	0.02	N/A	N/A	N/A
fipronil	Residential	0.03	N/A	24,950.0	S
fipronil	Rights of way	0.75	N/A	N/A	N/A
fipronil	Strawberry	1.6	1	23.31	A
fipronil	Structural pest control	19,569.73	N/A	N/A	N/A
fipronil	Vertebrate control	<0.01	N/A	N/A	N/A
fish oil	Apple	2,561.37	12	172.0	A
flazasulfuron	Almond	34.51	32	1,032.06	A
flazasulfuron	Citrus	<0.01	1	0.11	A
flazasulfuron	Grape	137.11	183	4,076.08	A
flazasulfuron	Grape, wine	832.94	2,340	25,274.01	A
flazasulfuron	Landscape maintenance	7.57	N/A	N/A	N/A
flazasulfuron	Lemon	0.1	1	3.0	A
flazasulfuron	Olive	6.03	5	157.5	A
flazasulfuron	Orange	64.76	36	1,698.44	A
flazasulfuron	Pecan	0.55	4	16.39	A
flazasulfuron	Pistachio	220.03	157	7,435.26	A
flazasulfuron	Rights of way	0.5	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flazasulfuron	Tangerine	9.9	7	280.17	A
flazasulfuron	Walnut	58.55	72	1,741.87	A
flonicamid	Alfalfa	3,224.67	504	37,254.96	A
flonicamid	Alfalfa	<0.01	2	6,000.0	S
flonicamid	Almond	27.16	10	310.5	A
flonicamid	Apple	14.78	7	168.8	A
flonicamid	Apricot	12.99	10	148.3	A
flonicamid	Arugula	170.27	273	1,949.61	A
flonicamid	Bean, dried	124.06	28	1,413.9	A
flonicamid	Bean, succulent	26.95	6	308.04	A
flonicamid	Bean, unspecified	2.0	5	23.4	A
flonicamid	Beet	12.12	29	138.16	A
flonicamid	Blueberry	0.79	1	9.0	A
flonicamid	Bok choy	39.83	179	460.37	A
flonicamid	Broccoli	193.27	68	2,292.45	A
flonicamid	Brussels sprout	316.28	222	3,858.19	A
flonicamid	Cabbage	145.48	129	1,779.1	A
flonicamid	Cantaloupe	276.08	35	3,198.75	A
flonicamid	Carrot	7.34	9	86.9	A
flonicamid	Cauliflower	64.36	40	768.68	A
flonicamid	Celeriac	3.1	7	38.01	A
flonicamid	Celery	782.43	706	9,114.39	A
flonicamid	Cherry	0.88	1	10.0	A
flonicamid	Chinese cabbage (napa, won bok, celery cabbage)	67.94	116	793.02	A
flonicamid	Cilantro	32.09	34	373.05	A
flonicamid	Cole crop	0.57	24	5.58	A
flonicamid	Collard	4.33	20	50.34	A
flonicamid	Cotton	22,168.0	2,471	263,176.91	A
flonicamid	Cucumber	58.69	78	642.47	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flonicamid	Daikon	0.77	1	8.75	A
flonicamid	Dandelion green	0.79	11	9.05	A
flonicamid	Eggplant	26.42	19	252.6	A
flonicamid	Endive (escarole)	2.3	25	26.38	A
flonicamid	Fennel	2.79	13	31.88	A
flonicamid	Gai lon	0.67	10	7.79	A
flonicamid	Ginger	0.04	1	0.5	A
flonicamid	Herb, spice	0.04	2	0.5	A
flonicamid	Kale	118.85	324	1,378.09	A
flonicamid	Kohlrabi	0.88	12	9.98	A
flonicamid	Landscape maintenance	0.04	N/A	N/A	N/A
flonicamid	Lettuce, head	530.11	467	6,561.69	A
flonicamid	Lettuce, leaf	1,121.83	1,357	13,551.8	A
flonicamid	Melon	240.27	65	2,790.2	A
flonicamid	Melon	0.02	2	3,160.0	S
flonicamid	Mint	0.9	16	10.45	A
flonicamid	Mizuna	12.94	43	148.55	A
flonicamid	Mustard	3.27	32	37.63	A
flonicamid	Mustard greens	45.06	181	519.08	A
flonicamid	N-grnhs flower	48.87	201	436.67	A
flonicamid	N-grnhs flower	1.59	52	684,120.0	S
flonicamid	N-grnhs plants in containers	49.55	407	373.41	A
flonicamid	N-grnhs plants in containers	1.39	35	462,030.0	S
flonicamid	N-grnhs transplants	7.11	60	102.89	A
flonicamid	N-grnhs transplants	7.45	48	1,400,203.0	S
flonicamid	N-outdr flower	41.0	105	372.62	A
flonicamid	N-outdr flower	0.69	12	265,305.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
flonicamid	N-outdr plants in containers	29.69	186	222.9	A
flonicamid	N-outdr plants in containers	2.23	17	659,264.0	S
flonicamid	N-outdr transplants	31.86	25	370.87	A
flonicamid	Nectarine	35.14	19	405.2	A
flonicamid	Onion, green	0.02	1	0.25	A
flonicamid	Orange	0.17	2	2.0	A
flonicamid	Parsley	98.72	71	1,132.03	A
flonicamid	Peach	60.72	54	701.02	A
flonicamid	Peas	1.2	4	13.74	A
flonicamid	Pecan	109.84	57	1,263.1	A
flonicamid	Pecan	0.01	3	6,000.0	S
flonicamid	Pepper, fruiting	644.19	213	6,071.27	A
flonicamid	Pepper, fruiting	0.02	2	5,040.0	S
flonicamid	Pepper, spice	17.11	7	187.43	A
flonicamid	Plum	17.54	14	202.0	A
flonicamid	Pome fruit	<0.01	N/A	N/A	A
flonicamid	Prune	19.43	13	279.5	A
flonicamid	Pumpkin	208.92	59	2,461.7	A
flonicamid	Radicchio	3.5	2	40.0	A
flonicamid	Radish	64.84	244	741.4	A
flonicamid	Rapini	35.41	43	404.45	A
flonicamid	Regulatory pest control	0.17	N/A	N/A	N/A
flonicamid	Research commodity	7.61	47	83.28	A
flonicamid	Research commodity	0.98	40	282,550.0	S
flonicamid	Research commodity	1.85	N/A	N/A	N/A
flonicamid	Root vegetable	0.75	12	8.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flonicamid	Safflower	1,027.07	43	11,737.5	A
flonicamid	Spinach	917.84	1,076	10,737.33	A
flonicamid	Squash	22.2	50	261.05	A
flonicamid	Squash, summer	0.53	1	6.0	A
flonicamid	Squash, winter	7.86	5	96.0	A
flonicamid	Strawberry	5,161.64	1,801	59,517.76	A
flonicamid	Sunflower	12.55	2	143.4	A
flonicamid	Sweet potato	<0.01	1	0.05	A
flonicamid	Swiss chard	41.45	251	478.64	A
flonicamid	Tangerine	1.09	1	12.5	A
flonicamid	Tomatillo	0.01	1	0.1	A
flonicamid	Tomato	297.3	134	2,372.78	A
flonicamid	Tomato, processing	27.57	10	315.0	A
flonicamid	Turnip	4.77	39	54.52	A
flonicamid	Turnip greens	1.31	15	15.05	A
flonicamid	Uncultivated ag	0.34	3	3.9	A
flonicamid	Unknown	3.85	21	43.9	A
flonicamid	Upland cress	5.76	38	66.84	A
flonicamid	Vegetable	0.09	1	1.2	A
flonicamid	Vegetables, fruiting	0.36	12	3.4	A
flonicamid	Vegetables, leafy	9.05	139	94.44	A
flonicamid	Watermelon	115.64	52	1,341.55	A
flonicamid	Watermelon	<0.01	1	1,200.0	S
florasulam	Landscape maintenance	0.1	N/A	N/A	N/A
florasulam	Turf/sod	0.04	N/A	3.0	A
fluazifop-butyl	Golf course turf	0.65	N/A	7.0	A
fluazifop-butyl	Grape, wine	19.37	8	124.5	A
fluazifop-butyl	Landscape maintenance	93.22	N/A	N/A	N/A
fluazifop-butyl	N-grnhs flower	0.64	1	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluazifop-butyl	N-grnhs transplants	2.48	N/A	20.0	A
fluazifop-butyl	Nuts	3.98	1	8.0	A
fluazifop-butyl	Research commodity	0.5	N/A	N/A	N/A
fluazifop-butyl	Rights of way	1.95	N/A	N/A	N/A
fluazifop-p-butyl	Almond	767.4	78	2,472.1	A
fluazifop-p-butyl	Apricot	7.25	11	48.42	A
fluazifop-p-butyl	Blueberry	11.14	5	33.38	A
fluazifop-p-butyl	Carrot	4,196.81	308	15,309.5	A
fluazifop-p-butyl	Cherry	380.51	100	1,271.6	A
fluazifop-p-butyl	Citrus	3.77	1	10.0	A
fluazifop-p-butyl	Cotton	32.74	2	145.49	A
fluazifop-p-butyl	County ag comm	0.22	N/A	N/A	N/A
fluazifop-p-butyl	Garlic	456.14	18	1,668.79	A
fluazifop-p-butyl	Golf course turf	4.52	N/A	11.7	A
fluazifop-p-butyl	Golf course turf	0.13	N/A	11,000.0	S
fluazifop-p-butyl	Grape	1,228.7	193	4,020.94	A
fluazifop-p-butyl	Grape, wine	5,831.6	1,029	20,905.9	A
fluazifop-p-butyl	Landscape maintenance	0.71	3	5.0	A
fluazifop-p-butyl	Landscape maintenance	2.8	2	170,000.0	S
fluazifop-p-butyl	Landscape maintenance	1,129.02	N/A	N/A	N/A
fluazifop-p-butyl	Lemon	114.09	13	302.85	A
fluazifop-p-butyl	Lime	0.5	1	2.0	A
fluazifop-p-butyl	N-grnhs flower	1.68	N/A	3.0	A
fluazifop-p-butyl	N-grnhs flower	0.05	N/A	3,750.0	S
fluazifop-p-butyl	N-grnhs transplants	9.82	N/A	39.1	A
fluazifop-p-butyl	N-outdr flower	39.78	22	45.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluazifop-p-butyl	N-outdr plants in containers	0.42	6	3.67	A
fluazifop-p-butyl	N-outdr plants in containers	0.15	4	32,450.0	S
fluazifop-p-butyl	N-outdr transplants	0.05	2	0.16	A
fluazifop-p-butyl	Nectarine	92.34	48	560.31	A
fluazifop-p-butyl	Onion, dry	2,568.2	122	8,302.6	A
fluazifop-p-butyl	Orange	103.36	23	360.08	A
fluazifop-p-butyl	Peach	149.39	65	738.44	A
fluazifop-p-butyl	Pistachio	128.57	14	404.4	A
fluazifop-p-butyl	Plum	183.42	75	1,083.68	A
fluazifop-p-butyl	Prune	190.33	62	812.36	A
fluazifop-p-butyl	Raspberry	2.01	1	5.0	A
fluazifop-p-butyl	Regulatory pest control	3.58	N/A	N/A	N/A
fluazifop-p-butyl	Rights of way	2.39	1	6.36	A
fluazifop-p-butyl	Rights of way	2,281.0	N/A	N/A	N/A
fluazifop-p-butyl	Soil fumigation/preplant	11.25	1	25.0	A
fluazifop-p-butyl	Structural pest control	1.16	N/A	N/A	N/A
fluazifop-p-butyl	Tangerine	174.29	20	465.71	A
fluazifop-p-butyl	Turf/sod	49.69	4	141.0	A
fluazifop-p-butyl	Uncultivated ag	210.99	15	819.0	A
fluazifop-p-butyl	Uncultivated non-ag	0.36	N/A	11.0	A
fluazifop-p-butyl	Walnut	14.23	6	46.0	A
fluazinam	Golf course turf	134.33	N/A	287.84	A
fluazinam	Golf course turf	19.75	N/A	1,130,000.0	S
fluazinam	Landscape maintenance	2.06	1	3.0	A
fluazinam	Landscape maintenance	2,395.38	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluazinam	N-grnhs flower	106.96	N/A	198.3	A
fluazinam	N-grnhs flower	14.06	N/A	960,000.0	S
fluazinam	N-grnhs plants in containers	0.42	N/A	3.0	A
fluazinam	N-grnhs plants in containers	1.77	N/A	110,000.0	S
fluazinam	N-outdr flower	184.06	59	354.4	A
fluazinam	N-outdr transplants	1.17	N/A	179,000.0	S
fluazinam	Potato	1,112.37	60	4,427.3	A
fluazinam	Turf/sod	5.2	1	12.4	A
flubendiamide	Alfalfa	167.26	66	2,654.1	A
flubendiamide	Almond	15.07	13	220.5	A
flubendiamide	Bean, succulent	0.84	1	9.0	A
flubendiamide	Bok choy	0.68	3	9.0	A
flubendiamide	Broccoli	9.67	14	129.07	A
flubendiamide	Brussels sprout	19.26	12	257.0	A
flubendiamide	Cauliflower	44.6	68	595.18	A
flubendiamide	Celery	12.78	36	273.3	A
flubendiamide	Chinese cabbage (napa, won bok, celery cabbage)	6.95	35	94.7	A
flubendiamide	Corn, human consumption	15.46	8	165.0	A
flubendiamide	Kale	1.05	2	14.04	A
flubendiamide	Lettuce, head	8.58	20	183.47	A
flubendiamide	Lettuce, leaf	26.83	79	573.94	A
flubendiamide	Melon	3.47	3	74.0	A
flubendiamide	Peach	3.37	3	27.0	A
flubendiamide	Pepper, fruiting	9.63	12	204.83	A
flubendiamide	Pumpkin	1.48	2	31.55	A
flubendiamide	Research commodity	3.97	30	61.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flubendiamide	Swiss chard	1.42	6	30.25	A
flubendiamide	Watermelon	0.07	1	1.5	A
fludioxonil	Apple	0.3	N/A	142,000.0	P
fludioxonil	Apple	7.9	N/A	1,917.5	T
fludioxonil	Apricot	9.59	N/A	3,631.0	T
fludioxonil	Basil, sweet	5.46	39	33.58	A
fludioxonil	Bean, dried	29.3	N/A	1,621,641.0	P
fludioxonil	Bean, dried	0.2	N/A	77.5	U
fludioxonil	Bean, succulent	14.64	3	84.5	A
fludioxonil	Beet	6.81	22	35.58	A
fludioxonil	Beet	0.01	N/A	401.0	P
fludioxonil	Blackberry	276.69	155	1,312.48	A
fludioxonil	Blackberry	0.8	2	201,835.0	S
fludioxonil	Blueberry	963.41	121	4,562.62	A
fludioxonil	Broccoli	247.08	113	1,132.91	A
fludioxonil	Broccoli	<0.01	N/A	9.28	P
fludioxonil	Brussels sprout	207.25	65	1,019.33	A
fludioxonil	Bushberry	0.06	1	0.25	A
fludioxonil	Cabbage	1.35	1	6.15	A
fludioxonil	Cantaloupe	727.66	46	2,910.5	A
fludioxonil	Cantaloupe	<0.01	N/A	27.51	P
fludioxonil	Carrot	9.18	5	41.95	A
fludioxonil	Carrot	0.32	N/A	12,654.27	P
fludioxonil	Cauliflower	45.72	21	226.13	A
fludioxonil	Cauliflower	<0.01	N/A	1.75	P
fludioxonil	Celeriac	4.52	11	22.75	A
fludioxonil	Celery	140.95	50	659.55	A
fludioxonil	Celery	<0.01	N/A	1.18	P
fludioxonil	Cherry	227.98	N/A	25,301.0	T
fludioxonil	Chive	0.31	4	2.0	A
fludioxonil	Cilantro	10.63	4	48.58	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	Citrus	<0.01	N/A	1,112.1	P
fludioxonil	Citrus	269.83	N/A	826,707.3	T
fludioxonil	Citrus	35.75	N/A	4,461.6	U
fludioxonil	Cole crop	0.16	5	1.2	A
fludioxonil	Commodity fumigation	992.85	N/A	N/A	N/A
fludioxonil	Corn, human consumption	0.22	1	1.0	A
fludioxonil	Cotton	273.13	N/A	5,456.41	T
fludioxonil	Cucumber	9.81	18	52.21	A
fludioxonil	Cucumber	3.52	N/A	142,084.8	P
fludioxonil	Dandelion green	1.72	7	8.75	A
fludioxonil	Eggplant	2.56	3	14.0	A
fludioxonil	Eggplant	<0.01	N/A	18.03	P
fludioxonil	Endive (escarole)	27.83	9	127.3	A
fludioxonil	Fennel	5.06	6	25.3	A
fludioxonil	Fennel	<0.01	N/A	211.0	P
fludioxonil	Fumigation, other	0.19	1	1.0	A
fludioxonil	Fumigation, other	2.79	N/A	N/A	N/A
fludioxonil	Garlic	240.24	21	2,152.4	A
fludioxonil	Golf course turf	82.03	1	196.54	A
fludioxonil	Golf course turf	28.79	1	1,290,000.0	S
fludioxonil	Grape	8,639.33	909	40,481.26	A
fludioxonil	Grape, wine	2,879.52	799	13,744.42	A
fludioxonil	Grapefruit	5.09	N/A	3,791.74	T
fludioxonil	Herb, spice	3.87	25	18.35	A
fludioxonil	Kale	34.73	38	185.58	A
fludioxonil	Landscape maintenance	8.11	6	19.8	A
fludioxonil	Landscape maintenance	0.6	3	164,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	Landscape maintenance	908.52	N/A	N/A	N/A
fludioxonil	Leek	3.02	3	13.83	A
fludioxonil	Lemon	2,760.58	N/A	1,298,445.72	T
fludioxonil	Lemon	79.66	N/A	9,432.0	U
fludioxonil	Lettuce, head	263.17	125	1,235.9	A
fludioxonil	Lettuce, leaf	498.75	282	2,376.57	A
fludioxonil	Lettuce, leaf	<0.01	N/A	119.53	P
fludioxonil	Melon	54.48	10	220.42	A
fludioxonil	Melon	0.07	N/A	2,730.12	P
fludioxonil	Mustard	0.18	1	0.95	A
fludioxonil	Mustard greens	0.52	2	2.79	A
fludioxonil	N-grnhs flower	231.77	601	1,189.09	A
fludioxonil	N-grnhs flower	13.56	41	682,780.0	S
fludioxonil	N-grnhs plants in containers	570.17	1,260	1,063.77	A
fludioxonil	N-grnhs plants in containers	0.13	1	10,000.0	C
fludioxonil	N-grnhs plants in containers	61.17	370	12,307,371.37	S
fludioxonil	N-grnhs plants in containers	<0.01	3	0.03	U
fludioxonil	N-grnhs transplants	47.23	107	306.06	A
fludioxonil	N-grnhs transplants	57.17	200	5,535,458.0	S
fludioxonil	N-outdr flower	606.86	689	2,331.91	A
fludioxonil	N-outdr flower	0.5	6	21,600.0	S
fludioxonil	N-outdr plants in containers	559.84	1,108	2,942.48	A
fludioxonil	N-outdr plants in containers	63.51	179	3,075,685.0	S
fludioxonil	N-outdr plants in containers	15.72	73	668,223.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	N-outdr transplants	235.77	110	1,101.33	A
fludioxonil	N-outdr transplants	44.66	121	11,373,200.0	S
fludioxonil	Nectarine	255.01	N/A	214,161.23	T
fludioxonil	Onion, dry	295.08	16	1,348.9	A
fludioxonil	Onion, dry	2.06	N/A	81,415.72	P
fludioxonil	Onion, green	0.11	3	0.55	A
fludioxonil	Onion, green	<0.01	N/A	157.18	P
fludioxonil	Orange	1,254.82	N/A	1,259,405.33	T
fludioxonil	Orange	182.78	N/A	76,265.0	U
fludioxonil	Parsley	148.97	117	706.24	A
fludioxonil	Parsley	<0.01	N/A	32.5	P
fludioxonil	Parsnip	0.02	N/A	592.0	P
fludioxonil	Peach	0.21	N/A	328,000.0	P
fludioxonil	Peach	239.7	N/A	206,376.21	T
fludioxonil	Pear	49.89	N/A	18,290.0	T
fludioxonil	Pepper, fruiting	231.56	64	1,218.28	A
fludioxonil	Pepper, fruiting	0.04	N/A	1,500.48	P
fludioxonil	Pistachio	417.15	33	2,016.4	A
fludioxonil	Plum	98.85	N/A	193,031.07	T
fludioxonil	Pomegranate	0.42	N/A	186,000.0	P
fludioxonil	Pomegranate	943.7	N/A	519,629.5	T
fludioxonil	Potato	51.2	N/A	810.0	A
fludioxonil	Pumpkin	19.21	7	103.18	A
fludioxonil	Pumpkin	0.17	N/A	6,649.26	P
fludioxonil	Radish	0.06	1	0.5	A
fludioxonil	Raspberry	513.58	308	2,427.21	A
fludioxonil	Research commodity	0.26	5	1.21	A
fludioxonil	Research commodity	<0.01	1	500.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	Research commodity	0.32	N/A	N/A	N/A
fludioxonil	Root vegetable	0.05	1	0.15	A
fludioxonil	Sage	0.09	1	0.5	A
fludioxonil	Spinach	0.71	N/A	28,931.98	P
fludioxonil	Squash	46.96	20	249.88	A
fludioxonil	Squash	0.64	N/A	32,382.34	P
fludioxonil	Stone fruit	757.46	N/A	143,783.45	T
fludioxonil	Strawberry	14,590.14	1,794	67,110.14	A
fludioxonil	Strawberry	1.83	11	437,040.0	S
fludioxonil	Strawberry	57.98	26	4,217.0	U
fludioxonil	Structural pest control	0.03	N/A	N/A	N/A
fludioxonil	Sunflower	0.25	N/A	5,163.0	P
fludioxonil	Swiss chard	46.13	197	213.92	A
fludioxonil	Tangelo	2.39	N/A	10,692.85	T
fludioxonil	Tangerine	0.92	N/A	9,333.97	T
fludioxonil	Tarragon	0.06	1	0.4	A
fludioxonil	Thyme	0.44	6	2.89	A
fludioxonil	Tomato	362.05	91	1,892.03	A
fludioxonil	Tomato	0.03	N/A	1,042.61	P
fludioxonil	Tomato, processing	135.74	14	832.4	A
fludioxonil	Tomato, processing	3.39	N/A	2,529.0	T
fludioxonil	Tropical/subtropical fruit	0.14	2	1.0	A
fludioxonil	Turf/sod	8.66	3	23.1	A
fludioxonil	Turf/sod	0.52	N/A	64,000.0	S
fludioxonil	Turnip	3.49	12	17.97	A
fludioxonil	Vegetables, fruiting	0.05	3	0.37	A
fludioxonil	Vegetables, leafy	16.91	106	86.43	A
fludioxonil	Watercress	2.41	4	33.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	Watermelon	61.16	9	325.49	A
fludioxonil	Watermelon	0.21	N/A	103,773.69	P
fluensulfone	Cantaloupe	742.72	4	307.0	A
fluensulfone	Carrot	0.12	1	0.03	A
fluensulfone	Melon	285.81	2	116.0	A
fluensulfone	Pepper, fruiting	231.82	3	132.53	A
fluensulfone	Tomato	340.48	9	320.2	A
fluensulfone	Tomato, processing	2,104.35	16	1,076.84	A
fluensulfone	Watermelon	249.68	4	98.0	A
flumioxazin	Alfalfa	6,560.69	989	51,942.78	A
flumioxazin	Almond	28,223.58	3,030	113,699.07	A
flumioxazin	Apple	33.91	13	144.65	A
flumioxazin	Apricot	94.47	34	503.92	A
flumioxazin	Artichoke, globe	108.67	89	934.59	A
flumioxazin	Asparagus	120.32	13	646.5	A
flumioxazin	Bean, dried	51.08	28	863.5	A
flumioxazin	Bean, succulent	7.33	5	230.0	A
flumioxazin	Blackberry	8.07	5	42.14	A
flumioxazin	Blueberry	212.09	26	693.34	A
flumioxazin	Cantaloupe	2.29	1	18.0	A
flumioxazin	Celery	756.64	517	8,559.22	A
flumioxazin	Cherry	963.59	272	4,262.55	A
flumioxazin	Citrus	1.0	3	2.16	A
flumioxazin	Corn (forage - fodder)	520.47	108	5,894.54	A
flumioxazin	Corn, human consumption	20.45	10	214.0	A
flumioxazin	Cotton	2,253.73	280	25,744.68	A
flumioxazin	Fig	116.94	16	674.93	A
flumioxazin	Garbanzo bean	221.6	32	3,841.0	A
flumioxazin	Garlic	1,860.09	146	12,538.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
flumioxazin	Golf course turf	5.53	N/A	24.59	A
flumioxazin	Golf course turf	0.99	N/A	133,250.0	S
flumioxazin	Grape	3,256.92	621	11,154.49	A
flumioxazin	Grape, wine	19,457.12	5,817	76,947.99	A
flumioxazin	Grapefruit	32.92	8	101.4	A
flumioxazin	Landscape maintenance	7.27	2	22.0	A
flumioxazin	Landscape maintenance	1,751.17	N/A	N/A	N/A
flumioxazin	Lemon	219.19	42	743.77	A
flumioxazin	N-grnhs plants in containers	0.14	2	0.5	A
flumioxazin	N-grnhs plants in containers	0.92	2	39,984.0	S
flumioxazin	N-grnhs transplants	1.88	N/A	30.0	A
flumioxazin	N-outdr plants in containers	1,534.09	1,325	2,975.26	A
flumioxazin	N-outdr plants in containers	2.72	4	136,975.2	S
flumioxazin	N-outdr transplants	6.88	1	18.0	A
flumioxazin	Nectarine	75.22	48	372.59	A
flumioxazin	Olive	328.78	52	1,269.28	A
flumioxazin	Onion, dry	1.18	5	18.94	A
flumioxazin	Orange	1,243.28	154	3,528.53	A
flumioxazin	Pastureland	0.51	1	1.0	A
flumioxazin	Peach	406.1	168	1,644.33	A
flumioxazin	Pear	56.18	9	247.0	A
flumioxazin	Pecan	224.82	26	774.53	A
flumioxazin	Pepper, fruiting	81.46	24	638.85	A
flumioxazin	Pistachio	7,530.83	633	28,864.42	A
flumioxazin	Plum	331.39	162	1,559.88	A
flumioxazin	Pluot	0.62	3	3.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flumioxazin	Pomegranate	1,164.18	81	3,849.13	A
flumioxazin	Pomelo	3.83	2	20.0	A
flumioxazin	Potato	147.53	52	3,581.0	A
flumioxazin	Prune	483.08	72	1,330.48	A
flumioxazin	Public health	6.22	N/A	N/A	N/A
flumioxazin	Rangeland	7.33	1	153.28	A
flumioxazin	Raspberry	77.34	30	442.23	A
flumioxazin	Research commodity	7.04	15	39.19	A
flumioxazin	Research commodity	0.78	N/A	N/A	N/A
flumioxazin	Rights of way	280.29	65	1,429.25	A
flumioxazin	Rights of way	4,058.35	N/A	N/A	N/A
flumioxazin	Soil fumigation/preplant	40.02	5	367.98	A
flumioxazin	Stone fruit	0.38	1	1.5	A
flumioxazin	Strawberry	818.62	280	10,834.34	A
flumioxazin	Structural pest control	2.88	N/A	N/A	N/A
flumioxazin	Sunflower	7.01	2	55.0	A
flumioxazin	Sweet potato	34.11	6	356.7	A
flumioxazin	Tangelo	15.3	6	54.0	A
flumioxazin	Tangerine	1,986.65	214	5,478.55	A
flumioxazin	Tomato, processing	451.32	56	3,849.32	A
flumioxazin	Uncultivated ag	900.88	254	7,746.38	A
flumioxazin	Uncultivated non-ag	40.1	16	139.93	A
flumioxazin	Walnut	4,634.84	898	19,502.46	A
flumioxazin	Water (industrial)	9.78	N/A	36.5	A
flumioxazin	Water area	120.3	4	204.34	A
flumioxazin	Water area	2.92	N/A	349,440.1	S
flumioxazin	Water area	4.84	N/A	32.25	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flumioxazin	Wheat	19.38	1	152.0	A
flumioxazin	Wheat (forage - fodder)	2.2	1	23.0	A
flumiclorac-pentyl	Cotton	15.96	6	711.8	A
flumiclorac-pentyl	Grape, wine	15.04	2	37.0	A
fluopicolide	Arugula	203.23	257	1,646.19	A
fluopicolide	Beet	13.54	22	131.41	A
fluopicolide	Bok choy	29.47	64	238.19	A
fluopicolide	Broccoli	14.42	5	125.9	A
fluopicolide	Cabbage	73.02	150	564.9	A
fluopicolide	Carrot	74.4	11	603.7	A
fluopicolide	Cauliflower	3.01	9	27.9	A
fluopicolide	Chinese cabbage (napa, won bok, celery cabbage)	3.33	21	26.96	A
fluopicolide	Collard	19.06	84	154.6	A
fluopicolide	Cucumber	12.56	5	101.5	A
fluopicolide	Dandelion green	0.09	1	0.7	A
fluopicolide	Endive (escarole)	0.31	8	2.5	A
fluopicolide	Gai lon	11.72	49	94.29	A
fluopicolide	Kale	123.74	274	1,008.8	A
fluopicolide	Kohlrabi	2.14	17	17.34	A
fluopicolide	Landscape maintenance	12.69	N/A	N/A	N/A
fluopicolide	Lettuce, head	1,409.97	992	11,491.0	A
fluopicolide	Lettuce, leaf	1,638.72	1,510	13,377.86	A
fluopicolide	Melon	0.88	3	5.2	A
fluopicolide	Mizuna	0.97	6	7.75	A
fluopicolide	Mustard	0.57	5	4.59	A
fluopicolide	Mustard greens	13.85	46	112.11	A
fluopicolide	N-grnhs flower	0.05	6	7,700.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopicolide	N-grnhs plants in containers	28.63	84	134.84	A
fluopicolide	N-grnhs plants in containers	2.34	14	128,000.0	S
fluopicolide	N-grnhs plants in containers	3.41	N/A	355,000.0	U
fluopicolide	N-grnhs transplants	4.18	37	37.34	A
fluopicolide	N-grnhs transplants	5.62	79	2,461,600.0	S
fluopicolide	N-outdr flower	14.75	57	112.7	A
fluopicolide	N-outdr plants in containers	97.82	109	273.11	A
fluopicolide	N-outdr plants in containers	2.35	44	289,400.0	S
fluopicolide	N-outdr plants in containers	2.68	19	99,503.0	U
fluopicolide	N-outdr transplants	19.78	48	164.75	A
fluopicolide	N-outdr transplants	12.74	33	5,721,000.0	S
fluopicolide	Onion, dry	225.76	25	2,010.7	A
fluopicolide	Onion, green	19.53	17	157.59	A
fluopicolide	Peas	1.12	21	8.6	A
fluopicolide	Pepper, fruiting	67.86	15	538.3	A
fluopicolide	Pepper, spice	8.93	3	72.37	A
fluopicolide	Radish	20.62	96	167.5	A
fluopicolide	Research commodity	0.87	2	7.0	A
fluopicolide	Research commodity	0.03	N/A	N/A	N/A
fluopicolide	Spinach	1,928.84	1,502	16,782.14	A
fluopicolide	Swiss chard	52.74	153	436.21	A
fluopicolide	Tangerine	2.88	2	23.3	A
fluopicolide	Tomato	3.28	3	31.9	A
fluopicolide	Uncultivated ag	0.99	1	8.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopicolide	Upland cress	3.78	19	30.6	A
fluopicolide	Watermelon	0.8	3	4.3	A
fluopyram	Almond	60,727.67	10,493	660,971.17	A
fluopyram	Almond	8.56	1	105.0	C
fluopyram	Apple	117.88	81	1,406.4	A
fluopyram	Apricot	164.07	138	1,544.04	A
fluopyram	Artichoke, globe	515.39	306	4,175.25	A
fluopyram	Beet	1.9	1	20.01	A
fluopyram	Blackberry	54.31	29	278.7	A
fluopyram	Blueberry	76.99	22	461.96	A
fluopyram	Bok choy	1.19	7	11.1	A
fluopyram	Broccoli	63.59	102	765.48	A
fluopyram	Brussels sprout	1,223.52	620	10,233.05	A
fluopyram	Cabbage	71.86	157	1,677.1	A
fluopyram	Cantaloupe	59.75	13	705.0	A
fluopyram	Carrot	2.53	2	20.41	A
fluopyram	Cauliflower	58.83	47	473.9	A
fluopyram	Celery	65.65	72	730.86	A
fluopyram	Cherry	2,020.38	853	20,469.24	A
fluopyram	Chinese cabbage (napa, won bok, celery cabbage)	53.11	38	436.29	A
fluopyram	Citrus	1.04	1	10.0	A
fluopyram	Collard	5.92	19	72.18	A
fluopyram	Cucumber	1.58	7	13.8	A
fluopyram	Dandelion green	0.64	6	5.52	A
fluopyram	Eggplant	2.48	1	20.0	A
fluopyram	Endive (escarole)	15.23	10	123.14	A
fluopyram	Fennel	20.2	15	213.75	A
fluopyram	Golf course turf	3.54	N/A	10.0	A
fluopyram	Golf course turf	0.1	N/A	10,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopyram	Grape	8,192.5	2,078	80,682.57	A
fluopyram	Grape, wine	25,187.21	8,354	252,294.45	A
fluopyram	Grapefruit	3.11	3	35.0	A
fluopyram	Kale	53.23	138	445.68	A
fluopyram	Landscape maintenance	0.89	1	100,000.0	S
fluopyram	Landscape maintenance	118.34	N/A	N/A	N/A
fluopyram	Leek	1.72	3	10.52	A
fluopyram	Lemon	73.46	41	747.68	A
fluopyram	Lettuce, head	902.16	681	7,324.65	A
fluopyram	Lettuce, leaf	1,369.8	1,320	11,111.65	A
fluopyram	Lime	0.47	3	4.8	A
fluopyram	Melon	33.39	11	282.24	A
fluopyram	Mustard	0.31	3	3.33	A
fluopyram	Mustard greens	1.05	5	9.96	A
fluopyram	N-grnhs flower	10.61	23	37.55	A
fluopyram	N-grnhs flower	0.9	3	109,150.0	S
fluopyram	N-grnhs plants in containers	3.2	24	38.89	A
fluopyram	N-grnhs plants in containers	0.13	1	48,000.0	S
fluopyram	N-grnhs transplants	4.22	53	112.66	A
fluopyram	N-grnhs transplants	6.42	20	2,349,000.0	S
fluopyram	N-outdr flower	0.08	1	1.0	A
fluopyram	N-outdr plants in containers	29.6	60	243.73	A
fluopyram	N-outdr transplants	81.36	61	624.38	A
fluopyram	N-outdr transplants	18.02	53	7,644,246.0	S
fluopyram	Nectarine	870.56	473	8,502.06	A
fluopyram	Onion, dry	595.26	49	4,431.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopyram	Onion, green	<0.01	1	0.01	A
fluopyram	Orange	291.16	151	3,399.3	A
fluopyram	Parsley	82.59	103	672.42	A
fluopyram	Peach	1,982.27	960	20,091.66	A
fluopyram	Pecan	6.05	4	195.19	A
fluopyram	Pepper, fruiting	234.28	105	2,533.54	A
fluopyram	Pepper, spice	0.79	1	6.35	A
fluopyram	Pistachio	9,627.44	1,331	97,141.7	A
fluopyram	Plum	338.51	351	3,263.67	A
fluopyram	Pluot	0.17	1	1.66	A
fluopyram	Pome fruit	0.17	4	2.0	A
fluopyram	Pomelo	0.48	2	15.0	A
fluopyram	Potato	333.29	57	3,897.5	A
fluopyram	Prune	97.24	29	980.55	A
fluopyram	Pumpkin	148.95	45	1,213.0	A
fluopyram	Rapini	6.77	3	54.6	A
fluopyram	Raspberry	7.64	78	42.59	A
fluopyram	Research commodity	9.18	50	103.16	A
fluopyram	Research commodity	1.15	73	460,400.0	S
fluopyram	Research commodity	0.59	N/A	N/A	N/A
fluopyram	Soil fumigation/preplant	6.48	2	69.0	A
fluopyram	Spinach	1.7	5	18.59	A
fluopyram	Squash	12.51	18	268.4	A
fluopyram	Squash, summer	6.19	5	69.0	A
fluopyram	Squash, winter	4.18	1	35.0	A
fluopyram	Squash, zucchini	0.2	1	15.0	A
fluopyram	Stone fruit	0.16	4	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopyram	Strawberry	5,911.24	1,451	48,738.43	A
fluopyram	Strawberry	0.95	10	329,200.0	S
fluopyram	Structural pest control	0.07	N/A	N/A	N/A
fluopyram	Sunflower	40.96	28	324.7	A
fluopyram	Swiss chard	14.26	112	150.4	A
fluopyram	Tangelo	8.86	7	98.34	A
fluopyram	Tangerine	460.69	170	5,220.8	A
fluopyram	Tomatillo	0.02	1	0.1	A
fluopyram	Tomato	303.89	117	3,877.13	A
fluopyram	Tomato, processing	292.26	59	4,378.09	A
fluopyram	Turnip	0.58	1	6.1	A
fluopyram	Uncultivated ag	34.01	7	402.79	A
fluopyram	Walnut	2,306.15	497	23,880.01	A
fluopyram	Watermelon	165.81	45	1,684.9	A
fluoxastrobin	Golf course turf	0.92	N/A	3.0	A
fluoxastrobin	Landscape maintenance	6.06	N/A	N/A	N/A
fluoxastrobin	N-grnhs plants in containers	6.98	13	776,400.0	S
fluoxastrobin	N-outdr plants in containers	1.56	9	14.84	A
flupyradifurone	Alfalfa	19,150.27	2,839	171,175.02	A
flupyradifurone	Apple	142.87	45	1,062.05	A
flupyradifurone	Arugula	115.85	70	664.51	A
flupyradifurone	Avocado	6.53	9	61.5	A
flupyradifurone	Barley	10.09	1	62.0	A
flupyradifurone	Bean, dried	191.14	30	1,322.08	A
flupyradifurone	Bean, succulent	40.18	12	247.2	A
flupyradifurone	Bean, unspecified	11.9	3	65.15	A
flupyradifurone	Beet	16.87	29	98.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	Blackberry	207.47	138	1,156.84	A
flupyradifurone	Blueberry	27.88	20	174.38	A
flupyradifurone	Bok choy	66.38	107	379.67	A
flupyradifurone	Broccoli	1,341.26	695	8,964.86	A
flupyradifurone	Brussels sprout	1,347.36	600	7,752.93	A
flupyradifurone	Cabbage	671.49	305	4,245.89	A
flupyradifurone	Cantaloupe	114.27	15	313.03	A
flupyradifurone	Cauliflower	505.67	263	3,226.08	A
flupyradifurone	Celery	947.26	550	6,081.35	A
flupyradifurone	Chinese cabbage (napa, won bok, celery cabbage)	162.8	157	925.47	A
flupyradifurone	Cilantro	198.58	181	1,134.57	A
flupyradifurone	Citrus	5.23	9	36.2	A
flupyradifurone	Clover	14.37	2	95.0	A
flupyradifurone	Cole crop	0.13	2	0.9	A
flupyradifurone	Collard	0.32	1	2.0	A
flupyradifurone	Corn (forage - fodder)	144.43	20	1,020.12	A
flupyradifurone	Corn, human consumption	2,146.67	413	12,787.3	A
flupyradifurone	Cotton	4,805.69	419	29,274.38	A
flupyradifurone	Cucumber	241.32	73	1,337.43	A
flupyradifurone	Eggplant	7.06	4	41.84	A
flupyradifurone	Endive (escarole)	15.05	41	87.75	A
flupyradifurone	Fava bean	1.67	10	10.0	A
flupyradifurone	Fennel	9.88	9	63.3	A
flupyradifurone	Gai lon	0.47	1	3.6	A
flupyradifurone	Ginger	0.09	1	0.5	A
flupyradifurone	Grape	403.01	96	2,265.39	A
flupyradifurone	Grape, wine	371.02	123	2,632.39	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	Grapefruit	56.34	32	357.1	A
flupyradifurone	Kale	284.25	316	1,690.73	A
flupyradifurone	Kohlrabi	2.97	1	19.0	A
flupyradifurone	Kumquat	0.1	2	0.75	A
flupyradifurone	Landscape maintenance	24.07	N/A	N/A	N/A
flupyradifurone	Lemon	1,008.65	450	7,159.43	A
flupyradifurone	Lettuce, head	3,902.92	2,196	24,739.72	A
flupyradifurone	Lettuce, leaf	6,141.25	3,961	39,798.41	A
flupyradifurone	Lime	0.67	3	6.0	A
flupyradifurone	Melon	79.16	40	421.23	A
flupyradifurone	Mizuna	21.24	37	118.0	A
flupyradifurone	Mustard greens	12.93	40	87.09	A
flupyradifurone	N-grnhs flower	33.32	178	311.25	A
flupyradifurone	N-grnhs flower	2.11	19	132,750.0	S
flupyradifurone	N-grnhs plants in containers	86.71	294	261.23	A
flupyradifurone	N-grnhs plants in containers	13.74	76	1,595,450.0	S
flupyradifurone	N-grnhs plants in containers	0.03	1	0.16	U
flupyradifurone	N-grnhs transplants	9.77	35	120.26	A
flupyradifurone	N-grnhs transplants	10.44	14	806,738.0	S
flupyradifurone	N-outdr flower	30.27	118	154.8	A
flupyradifurone	N-outdr flower	0.11	2	12,000.0	S
flupyradifurone	N-outdr plants in containers	283.76	453	1,391.46	A
flupyradifurone	N-outdr plants in containers	15.94	27	960,924.5	S
flupyradifurone	N-outdr plants in containers	25.79	42	589,049.01	U
flupyradifurone	N-outdr transplants	27.25	22	157.24	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	N-outdr transplants	5.02	53	1,942,934.0	S
flupyradifurone	Okra	10.94	1	60.0	A
flupyradifurone	Orange	2,760.63	726	18,436.09	A
flupyradifurone	Parsley	25.51	6	159.46	A
flupyradifurone	Pear, asian (oriental pear, ya, ya li, nashi)	2.0	2	12.0	A
flupyradifurone	Peas	43.16	21	307.26	A
flupyradifurone	Pecan	353.01	42	1,977.03	A
flupyradifurone	Pepper, fruiting	540.89	143	3,240.37	A
flupyradifurone	Pepper, spice	3.38	3	18.55	A
flupyradifurone	Persimmon	26.28	3	144.0	A
flupyradifurone	Pistachio	1,890.98	87	10,929.03	A
flupyradifurone	Plum	3.29	1	18.0	A
flupyradifurone	Pomegranate	145.66	17	814.51	A
flupyradifurone	Pomelo	1.82	4	18.0	A
flupyradifurone	Potato	7.3	1	40.0	A
flupyradifurone	Prune	16.18	3	108.0	A
flupyradifurone	Pumpkin	104.8	26	593.49	A
flupyradifurone	Radicchio	22.66	31	159.84	A
flupyradifurone	Radish	16.22	11	97.6	A
flupyradifurone	Rapini	228.07	101	1,514.65	A
flupyradifurone	Raspberry	34.33	23	184.17	A
flupyradifurone	Research commodity	8.13	21	59.05	A
flupyradifurone	Research commodity	0.41	N/A	N/A	N/A
flupyradifurone	Rights of way	16.68	N/A	N/A	N/A
flupyradifurone	Sorghum (forage - fodder)	2,066.95	212	13,680.06	A
flupyradifurone	Sorghum/milo	916.24	107	6,618.85	A
flupyradifurone	Spinach	1,397.83	735	8,030.93	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	Squash	254.6	73	1,459.84	A
flupyradifurone	Squash, summer	0.55	1	3.0	A
flupyradifurone	Squash, winter	11.66	2	84.0	A
flupyradifurone	Squash, zucchini	0.02	1	0.1	A
flupyradifurone	Strawberry	5,194.75	996	31,892.68	A
flupyradifurone	Structural pest control	1.74	N/A	N/A	N/A
flupyradifurone	Sudangrass	84.65	12	575.0	A
flupyradifurone	Swiss chard	21.77	53	136.97	A
flupyradifurone	Tangelo	30.66	16	173.81	A
flupyradifurone	Tangerine	1,085.22	372	7,634.35	A
flupyradifurone	Tomatillo	0.02	1	0.1	A
flupyradifurone	Tomato	596.6	174	3,598.21	A
flupyradifurone	Tomato	0.02	2	5,040.0	S
flupyradifurone	Tomato, processing	381.94	25	2,294.68	A
flupyradifurone	Turnip	2.19	1	12.0	A
flupyradifurone	Turnip greens	0.37	1	2.02	A
flupyradifurone	Uncultivated ag	19.55	4	140.0	A
flupyradifurone	Upland cress	17.61	70	128.34	A
flupyradifurone	Vegetables, fruiting	0.19	3	1.25	A
flupyradifurone	Vegetables, leafy	0.37	7	2.1	A
flupyradifurone	Vertebrate control	25.02	N/A	N/A	N/A
flupyradifurone	Walnut	0.91	1	5.0	A
flupyradifurone	Watermelon	422.43	65	2,293.51	A
flupyradifurone	Wheat	153.63	33	1,555.42	A
flupyradifurone	Wheat (forage - fodder)	112.5	24	1,008.0	A
flurecol-methyl	Landscape maintenance	23.95	N/A	N/A	N/A
flurecol-methyl	Regulatory pest control	0.03	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>flurecol-methyl</b>	Structural pest control	0.1	N/A	N/A	N/A
<b>fluridone</b>	Industrial waste disposal systems, disposal water	3.8	N/A	1,022,391.41	C
<b>fluridone</b>	Landscape maintenance	267.76	N/A	N/A	N/A
<b>fluridone</b>	Regulatory pest control	504.5	N/A	N/A	N/A
<b>fluridone</b>	Rights of way	151.74	N/A	N/A	N/A
<b>fluridone</b>	Water (industrial)	42.65	N/A	215.3	A
<b>fluridone</b>	Water area	10,195.19	7	31,476.67	A
<b>fluridone</b>	Water area	111.86	N/A	555,475.17	C
<b>fluridone</b>	Water area	0.36	N/A	23,500.0	S
<b>fluridone</b>	Water area	92.73	N/A	38.11	U
<b>fluroxypyr</b>	Landscape maintenance	44.44	N/A	N/A	N/A
<b>fluroxypyr, 1-methylheptyl ester</b>	Forage hay/silage	18.67	2	126.0	A
<b>fluroxypyr, 1-methylheptyl ester</b>	Forest, timberland	8.01	1	20.0	A
<b>fluroxypyr, 1-methylheptyl ester</b>	Golf course turf	8.59	N/A	61.7	A
<b>fluroxypyr, 1-methylheptyl ester</b>	Golf course turf	0.23	N/A	11,000.0	S
<b>fluroxypyr, 1-methylheptyl ester</b>	Landscape maintenance	347.77	N/A	N/A	N/A
<b>fluroxypyr, 1-methylheptyl ester</b>	N-grnhs flower	0.17	N/A	3.9	A
<b>fluroxypyr, 1-methylheptyl ester</b>	N-grnhs flower	0.09	N/A	75,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fluroxypyr, 1-methylheptyl ester</b>	N-outdr flower	0.02	N/A	30,000.0	S
<b>fluroxypyr, 1-methylheptyl ester</b>	Rights of way	120.24	N/A	N/A	N/A
<b>fluroxypyr, 1-methylheptyl ester</b>	Sod farm (turf)	1.47	1	11.7	A
<b>fluroxypyr, 1-methylheptyl ester</b>	Turf/sod	25.41	14	160.2	A
<b>fluroxypyr, 1-methylheptyl ester</b>	Uncultivated non-ag	4.05	1	7.0	A
<b>fluroxypyr, 1-methylheptyl ester</b>	Wheat	43.4	5	250.0	A
<b>flurprimidol</b>	Golf course turf	238.1	N/A	1,624.6	A
<b>flurprimidol</b>	Golf course turf	0.53	N/A	340,000.0	S
<b>flurprimidol</b>	Landscape maintenance	30.89	12	179.36	A
<b>flurprimidol</b>	Landscape maintenance	0.36	2	300,000.0	S
<b>flurprimidol</b>	Landscape maintenance	1,787.22	N/A	N/A	N/A
<b>flurprimidol</b>	N-grnhs flower	47.79	N/A	399.7	A
<b>flurprimidol</b>	N-grnhs flower	0.17	N/A	152,000.0	S
<b>flurprimidol</b>	N-grnhs plants in containers	0.75	144	40.78	A
<b>flurprimidol</b>	N-grnhs plants in containers	0.09	20	1,005,490.62	S
<b>flurprimidol</b>	N-grnhs transplants	19.6	N/A	140.0	A
<b>flurprimidol</b>	N-grnhs transplants	0.05	14	21,200.0	S
<b>flurprimidol</b>	N-outdr flower	1.21	2	10.15	A
<b>flurprimidol</b>	N-outdr plants in containers	26.32	109	149.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flurprimidol	N-outdr plants in containers	0.08	10	89,040.0	S
flurprimidol	N-outdr transplants	4.8	N/A	65.0	A
flurprimidol	Research commodity	<0.01	N/A	N/A	N/A
flutianil	Grape	4.28	7	227.9	A
flutianil	Grape, wine	1.23	5	58.21	A
flutolanil	Golf course turf	262.83	N/A	63.73	A
flutolanil	Golf course turf	33.73	N/A	450,000.0	S
flutolanil	Landscape maintenance	38.5	4	7.0	A
flutolanil	Landscape maintenance	3,401.53	N/A	N/A	N/A
flutolanil	N-grnhs flower	189.35	N/A	22.05	A
flutolanil	N-grnhs flower	10.24	N/A	97,000.0	S
flutolanil	N-grnhs transplants	108.76	N/A	19.4	A
flutolanil	N-outdr plants in containers	9.32	12	9.74	A
flutolanil	N-outdr plants in containers	5.6	2	24,212.0	U
flutolanil	N-outdr transplants	295.65	4	97.0	A
flutolanil	N-outdr transplants	24.58	N/A	130,000.0	S
flutolanil	Potato	628.26	18	1,023.1	A
flutolanil	Structural pest control	2.17	N/A	N/A	N/A
flutolanil	Turf/sod	18.86	N/A	120,000.0	S
flutriafol	Almond	736.08	109	6,533.79	A
flutriafol	Apple	2.45	6	23.15	A
flutriafol	Apricot	0.26	7	2.3	A
flutriafol	Broccoli	1.14	1	10.1	A
flutriafol	Cabbage	36.89	37	325.47	A
flutriafol	Cantaloupe	82.59	30	721.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flutriafol	Celery	37.22	29	344.29	A
flutriafol	Cherry	185.58	55	1,631.54	A
flutriafol	Cotton	21.27	3	81.7	A
flutriafol	Cucumber	12.11	10	106.62	A
flutriafol	Eggplant	2.62	1	23.0	A
flutriafol	Grape	3,675.53	989	40,949.1	A
flutriafol	Grape, wine	10,593.39	3,848	131,407.01	A
flutriafol	Kale	4.9	6	42.95	A
flutriafol	Melon	13.19	5	116.01	A
flutriafol	N-outdr transplants	11.55	8	101.5	A
flutriafol	Nectarine	189.39	52	1,664.98	A
flutriafol	Parsley	3.55	7	31.33	A
flutriafol	Peach	500.56	143	4,399.49	A
flutriafol	Pear	1.54	3	14.62	A
flutriafol	Pecan	3.53	6	31.0	A
flutriafol	Pepper, fruiting	432.74	161	3,823.83	A
flutriafol	Plum	45.4	32	398.93	A
flutriafol	Prune	0.04	2	0.34	A
flutriafol	Pumpkin	20.3	18	178.4	A
flutriafol	Research commodity	0.27	N/A	N/A	N/A
flutriafol	Squash	2.83	2	25.0	A
flutriafol	Squash, summer	0.71	2	6.25	A
flutriafol	Squash, winter	28.21	8	248.0	A
flutriafol	Strawberry	3,098.98	745	27,488.42	A
flutriafol	Tomato	191.3	35	952.02	A
flutriafol	Tomato, processing	544.04	98	4,782.29	A
flutriafol	Uncultivated ag	0.64	1	5.79	A
flutriafol	Walnut	518.3	123	4,467.96	A
flutriafol	Watermelon	101.69	38	896.69	A
tau-fluvalinate	Beehive	1.71	N/A	1,500.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tau-fluvalinate	Christmas tree	1.26	3	5.25	A
tau-fluvalinate	Landscape maintenance	24.26	N/A	N/A	N/A
tau-fluvalinate	N-grnhs flower	27.52	126	199.73	A
tau-fluvalinate	N-grnhs flower	6.92	44	1,134,012.15	S
tau-fluvalinate	N-grnhs plants in containers	127.78	410	448.48	A
tau-fluvalinate	N-grnhs plants in containers	167.22	298	14,419,014.0	S
tau-fluvalinate	N-grnhs plants in containers	<0.01	1	90.0	U
tau-fluvalinate	N-grnhs transplants	3.08	20	26.16	A
tau-fluvalinate	N-grnhs transplants	29.43	207	5,889,250.0	S
tau-fluvalinate	N-outdr flower	439.02	629	1,720.12	A
tau-fluvalinate	N-outdr flower	0.04	1	4,000.0	S
tau-fluvalinate	N-outdr plants in containers	262.84	242	500.1	A
tau-fluvalinate	N-outdr plants in containers	26.41	114	4,520,689.0	S
tau-fluvalinate	N-outdr plants in containers	37.07	68	1,131,424.2	U
tau-fluvalinate	N-outdr transplants	12.4	24	72.5	A
tau-fluvalinate	N-outdr transplants	0.36	1	47,988.0	S
tau-fluvalinate	Peach	2.02	20	15.03	A
tau-fluvalinate	Regulatory pest control	7.87	N/A	N/A	N/A
tau-fluvalinate	Research commodity	0.03	4	0.2	A
tau-fluvalinate	Research commodity	0.42	12	72,012.0	S
tau-fluvalinate	Research commodity	0.98	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tau-fluvalinate	Structural pest control	4.4	N/A	N/A	N/A
tau-fluvalinate	Uncultivated ag	0.07	1	1.0	A
fluxapyroxad	Alfalfa	139.04	59	2,520.82	A
fluxapyroxad	Almond	31,654.64	4,741	324,709.39	A
fluxapyroxad	Apple	23.25	3	257.0	A
fluxapyroxad	Apricot	24.32	25	268.69	A
fluxapyroxad	Broccoli	246.78	315	2,821.8	A
fluxapyroxad	Brussels sprout	372.8	300	4,315.8	A
fluxapyroxad	Cabbage	138.83	177	1,597.45	A
fluxapyroxad	Carrot	689.24	191	7,620.86	A
fluxapyroxad	Cauliflower	42.96	42	482.7	A
fluxapyroxad	Celery	108.18	73	919.6	A
fluxapyroxad	Cherry	982.23	480	10,250.96	A
fluxapyroxad	Chinese cabbage (napa, won bok, celery cabbage)	7.78	30	89.25	A
fluxapyroxad	Collard	10.06	37	114.85	A
fluxapyroxad	Corn (forage - fodder)	5.47	1	120.0	A
fluxapyroxad	Dandelion green	0.58	4	3.24	A
fluxapyroxad	Eggplant	3.13	3	36.0	A
fluxapyroxad	Endive (escarole)	62.85	18	371.0	A
fluxapyroxad	Fennel	7.07	3	40.6	A
fluxapyroxad	Golf course turf	26.59	N/A	122.7	A
fluxapyroxad	Golf course turf	5.32	N/A	990,000.0	S
fluxapyroxad	Grape	55.43	23	662.5	A
fluxapyroxad	Grape, wine	131.82	25	1,471.07	A
fluxapyroxad	Grapefruit	18.25	14	182.8	A
fluxapyroxad	Kale	1.26	4	14.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluxapyroxad	Landscape maintenance	0.92	1	5.4	A
fluxapyroxad	Landscape maintenance	442.73	N/A	N/A	N/A
fluxapyroxad	Leek	5.83	8	34.34	A
fluxapyroxad	Lemon	214.77	67	2,338.19	A
fluxapyroxad	Lettuce, head	619.07	315	3,934.02	A
fluxapyroxad	Lettuce, leaf	1,225.56	725	7,244.38	A
fluxapyroxad	Melon	1.81	1	20.0	A
fluxapyroxad	N-grnhs flower	34.14	11	101.31	A
fluxapyroxad	N-grnhs flower	1.02	N/A	200,000.0	S
fluxapyroxad	N-grnhs plants in containers	6.11	30	12.79	A
fluxapyroxad	N-grnhs plants in containers	<0.01	4	2,500.0	S
fluxapyroxad	N-grnhs transplants	5.55	32	22.51	A
fluxapyroxad	N-grnhs transplants	7.41	21	797,000.0	S
fluxapyroxad	N-outdr flower	72.74	95	374.58	A
fluxapyroxad	N-outdr plants in containers	107.75	211	508.06	A
fluxapyroxad	N-outdr transplants	71.52	81	477.85	A
fluxapyroxad	N-outdr transplants	2.79	N/A	530,500.0	S
fluxapyroxad	Nectarine	263.86	169	2,763.54	A
fluxapyroxad	Onion, dry	282.44	42	1,859.45	A
fluxapyroxad	Onion, dry	<0.01	4	3,088.0	S
fluxapyroxad	Onion, green	1.27	1	7.0	A
fluxapyroxad	Orange	1,737.87	801	17,821.89	A
fluxapyroxad	Parsley	121.67	101	693.06	A
fluxapyroxad	Peach	709.17	340	7,401.7	A
fluxapyroxad	Pecan	0.88	2	10.0	A
fluxapyroxad	Pepper, fruiting	253.01	127	3,045.69	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluxapyroxad	Pepper, spice	0.97	1	11.2	A
fluxapyroxad	Pistachio	2,050.85	284	20,429.27	A
fluxapyroxad	Plum	129.51	112	1,315.71	A
fluxapyroxad	Potato	75.93	47	1,099.19	A
fluxapyroxad	Prune	10.87	10	107.42	A
fluxapyroxad	Radicchio	100.44	9	556.7	A
fluxapyroxad	Regulatory pest control	0.72	N/A	N/A	N/A
fluxapyroxad	Research commodity	0.15	3	0.89	A
fluxapyroxad	Research commodity	0.57	N/A	N/A	N/A
fluxapyroxad	Spinach	0.14	1	0.79	A
fluxapyroxad	Stone fruit	0.49	1	8.0	A
fluxapyroxad	Strawberry	3,927.79	581	22,431.5	A
fluxapyroxad	Strawberry	0.03	1	10,000.0	S
fluxapyroxad	Structural pest control	0.14	N/A	N/A	N/A
fluxapyroxad	Sugarbeet	6.43	3	112.0	A
fluxapyroxad	Sunflower	62.82	16	985.5	A
fluxapyroxad	Swiss chard	30.39	126	168.1	A
fluxapyroxad	Tangelo	21.62	11	219.2	A
fluxapyroxad	Tangerine	940.42	356	9,006.66	A
fluxapyroxad	Tomato	437.93	146	5,227.67	A
fluxapyroxad	Tomato, processing	3,575.89	558	43,155.13	A
fluxapyroxad	Turf/sod	1.4	N/A	5.0	A
fluxapyroxad	Upland cress	2.65	20	18.1	A
fluxapyroxad	Vegetables, leafy	83.55	6	387.7	A
fluxapyroxad	Walnut	2,153.07	667	21,323.79	A
fluxapyroxad	Wheat	170.47	54	2,611.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>folpet</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>foramsulfuron</b>	Golf course turf	8.11	N/A	182.8	A
<b>foramsulfuron</b>	Golf course turf	0.08	N/A	86,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
foramsulfuron	Landscape maintenance	0.17	1	3.0	A
foramsulfuron	Landscape maintenance	0.01	2	29,000.0	S
foramsulfuron	Landscape maintenance	0.59	1	15.0	U
foramsulfuron	Landscape maintenance	118.52	N/A	N/A	N/A
foramsulfuron	N-grnhs flower	6.04	N/A	128.25	A
foramsulfuron	N-grnhs flower	0.08	N/A	80,000.0	S
foramsulfuron	N-grnhs transplants	0.56	N/A	94.0	A
foramsulfuron	N-outdr plants in containers	0.55	N/A	42,000.0	S
foramsulfuron	N-outdr transplants	0.23	N/A	11.42	A
foramsulfuron	N-outdr transplants	0.03	N/A	30,000.0	S
foramsulfuron	Rights of way	0.27	N/A	N/A	N/A
foramsulfuron	Turf/sod	9.99	35	283.84	A
forchlorfenuron	Almond	28.01	113	5,458.0	A
forchlorfenuron	Grape	223.6	658	27,756.35	A
forchlorfenuron	Grape, wine	2.58	39	551.37	A
forchlorfenuron	Kiwi fruit fuzzy	11.93	70	1,185.24	A
forchlorfenuron	Plum	0.02	1	3.0	A
forchlorfenuron	Public health	0.22	N/A	N/A	N/A
formaldehyde	Grape, wine	0.64	1	30.0	A
formaldehyde	Landscape maintenance	5,204.89	N/A	N/A	N/A
formaldehyde	Public health	3,490.13	N/A	N/A	N/A
formetanate hydrochloride	Alfalfa	1,961.44	28	2,134.0	A
formetanate hydrochloride	Citrus	4.6	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
formetanate hydrochloride	Grapefruit	360.64	16	312.0	A
formetanate hydrochloride	Lemon	2,120.58	82	1,920.05	A
formetanate hydrochloride	Lime	4.6	1	5.0	A
formetanate hydrochloride	Nectarine	4,666.26	300	4,557.22	A
formetanate hydrochloride	Orange	16,656.05	671	15,210.94	A
formetanate hydrochloride	Peach	0.23	1	1.0	A
formetanate hydrochloride	Tangelo	225.52	12	215.0	A
formetanate hydrochloride	Tangerine	7,662.73	277	7,308.31	A
formic acid	Beehive	6,568.46	13	67,464.0	U
fosetyl-al	Almond	368.0	2	92.0	A
fosetyl-al	Apple	72.0	2	21.0	A
fosetyl-al	Arugula	508.86	37	171.5	A
fosetyl-al	Avocado	24.76	7	66.75	A
fosetyl-al	Blackberry	416.51	25	107.46	A
fosetyl-al	Blackberry	0.04	2	6.12	U
fosetyl-al	Bok choy	4.8	1	1.2	A
fosetyl-al	Broccoli	0.4	1	0.5	A
fosetyl-al	Cabbage	41.0	25	13.25	A
fosetyl-al	Cannabis (all or unspecified)	13.6	5	5.0	A
fosetyl-al	Celery	6.2	11	7.75	A
fosetyl-al	Chinese broccoli (gai lon)	409.1	58	204.0	A
fosetyl-al	Chive	8.0	4	1.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fosetyl-al	Citrus	48.0	1	750.0	U
fosetyl-al	Cucumber	23.77	3	6.11	A
fosetyl-al	Golf course turf	478.8	N/A	50.4	A
fosetyl-al	Golf course turf	88.0	N/A	440,000.0	S
fosetyl-al	Kale	2,307.81	136	877.89	A
fosetyl-al	Landscape maintenance	40.0	1	3.0	A
fosetyl-al	Landscape maintenance	6,625.82	N/A	N/A	N/A
fosetyl-al	Lemon	162.98	6	70.37	A
fosetyl-al	Lettuce, head	47,589.65	1,361	16,833.94	A
fosetyl-al	Lettuce, leaf	72,397.47	2,471	24,906.24	A
fosetyl-al	Mizuna	4.0	1	1.0	A
fosetyl-al	Mustard	7.2	1	3.0	A
fosetyl-al	Mustard greens	531.4	52	172.3	A
fosetyl-al	N-grnhs flower	678.04	131	333.04	A
fosetyl-al	N-grnhs flower	56.14	2	282,016.0	S
fosetyl-al	N-grnhs flower	2.64	3	25,163.0	U
fosetyl-al	N-grnhs plants in containers	1,052.19	460	299.91	A
fosetyl-al	N-grnhs plants in containers	1.6	1	10,000.0	C
fosetyl-al	N-grnhs plants in containers	389.11	230	9,927,042.0	S
fosetyl-al	N-grnhs transplants	3,778.91	1,238	1,482.17	A
fosetyl-al	N-grnhs transplants	107.93	25	1,425,732.0	S
fosetyl-al	N-outdr flower	1,251.4	320	1,185.7	A
fosetyl-al	N-outdr plants in containers	3,723.42	671	1,228.22	A
fosetyl-al	N-outdr plants in containers	94.68	62	1,741,966.4	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fosetyl-al	N-outdr plants in containers	18.9	5	58,991.0	U
fosetyl-al	N-outdr transplants	2,455.3	177	670.96	A
fosetyl-al	N-outdr transplants	447.46	57	6,635,140.0	S
fosetyl-al	Onion, dry	1.6	1	1.2	A
fosetyl-al	Orange	166.41	4	59.93	A
fosetyl-al	Pear	56.0	1	14.0	A
fosetyl-al	Peas	2.0	1	0.5	A
fosetyl-al	Quince	61.6	5	19.0	A
fosetyl-al	Raspberry	0.16	1	8,820.0	S
fosetyl-al	Research commodity	1.08	2	14,500.0	S
fosetyl-al	Research commodity	19.2	N/A	N/A	N/A
fosetyl-al	Spinach	3,774.14	131	1,430.61	A
fosetyl-al	Strawberry	5,942.53	80	1,824.97	A
fosetyl-al	Swiss chard	70.26	8	31.83	A
fosetyl-al	Tangerine	891.68	15	409.36	A
fosetyl-al	Turf/sod	44.0	N/A	5.0	A
fosetyl-al	Turf/sod	105.6	N/A	240,000.0	S
fosetyl-al	Upland cress	54.58	16	20.51	A
fosetyl-al	Watermelon	3.8	1	76.0	A
fox urine	Landscape maintenance	1.36	N/A	N/A	N/A
fox urine	Structural pest control	0.09	N/A	N/A	N/A
free fatty acids and/or amine salts	Farm/ag building	14.72	1	276.0	S
free fatty acids and/or amine salts	Landscape maintenance	868.06	N/A	N/A	N/A
free fatty acids and/or amine salts	N-grnhs flower	1.09	N/A	8,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
free fatty acids and/or amine salts	N-outdr plants in containers	29.35	14	3.27	A
free fatty acids and/or amine salts	N-outdr plants in containers	0.06	1	4,000.0	S
free fatty acids and/or amine salts	Rights of way	5.2	N/A	N/A	N/A
free fatty acids and/or amine salts	Structural pest control	0.46	N/A	N/A	N/A
free fatty acids and/or amine salts	Uncultivated ag	141.13	16	4,416.0	S
freon 12	Landscape maintenance	5.74	N/A	N/A	N/A
freon 12	Regulatory pest control	0.38	N/A	N/A	N/A
freon 12	Structural pest control	14.08	N/A	N/A	N/A
gamma-cyhalothrin	Almond	7.03	11	731.0	A
gamma-cyhalothrin	Landscape maintenance	1.51	N/A	N/A	N/A
gamma-cyhalothrin	Plum	0.1	6	40.76	A
gamma-cyhalothrin	Structural pest control	361.24	N/A	N/A	N/A
garlic	Alfalfa	0.04	4	12,000.0	S
garlic	Almond	21.27	6	159.0	A
garlic	Basil, sweet	0.89	3	1.35	A
garlic	Bean, succulent	0.04	1	0.05	A
garlic	Blackberry	74.39	47	209.13	A
garlic	Blueberry	64.0	12	545.0	A
garlic	Broccoli	23.18	15	100.5	A
garlic	Cabbage	98.6	73	431.56	A
garlic	Cannabis (all or unspecified)	19.32	57	125.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
garlic	Cannabis (all or unspecified)	27.87	113	5,139,751.0	S
garlic	Cauliflower	73.56	59	319.7	A
garlic	Citrus	4.55	11	9.41	A
garlic	Cole crop	0.32	2	0.65	A
garlic	Cucumber	0.32	3	0.45	A
garlic	Grape	21.29	18	1,098.0	A
garlic	Grape, wine	16.04	13	87.26	A
garlic	Grapefruit	12.37	1	24.0	A
garlic	Herb, spice	4.78	14	7.48	A
garlic	Industrial hemp	0.27	1	1.0	A
garlic	Landscape maintenance	1.68	N/A	N/A	N/A
garlic	Lemon	40.73	7	79.0	A
garlic	Lettuce, head	4.14	1	18.0	A
garlic	N-grnhs flower	15.49	31	31.57	A
garlic	N-grnhs flower	0.26	10	37,032.0	S
garlic	N-grnhs plants in containers	72.15	365	329.01	A
garlic	N-grnhs plants in containers	22.39	74	2,988,311.0	S
garlic	N-grnhs transplants	0.43	10	22,125.0	S
garlic	N-outdr flower	0.46	7	5.0	A
garlic	N-outdr plants in containers	119.15	282	318.1	A
garlic	N-outdr plants in containers	1.06	7	177,351.0	S
garlic	Nectarine	2.34	7	90.6	A
garlic	Onion, green	0.72	3	1.4	A
garlic	Orange	278.07	43	574.7	A
garlic	Peach	7.28	16	250.0	A
garlic	Pistachio	21.44	3	117.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
garlic	Raspberry	124.46	57	361.0	A
garlic	Research commodity	0.3	9	2.6	A
garlic	Research commodity	0.23	N/A	N/A	N/A
garlic	Rights of way	0.05	N/A	N/A	N/A
garlic	Squash	8.39	12	14.2	A
garlic	Strawberry	332.91	277	987.31	A
garlic	Tangerine	4.96	17	225.08	A
garlic	Tomato	4.28	5	25.84	A
garlic	Vegetables, fruiting	0.41	3	0.8	A
garlic	Vegetables, leafy	13.16	30	20.35	A
garlic	Walnut	15.74	5	115.0	A
geraniol	Almond	19.5	20	1,218.2	A
geraniol	Cherry	1.18	3	71.0	A
geraniol	Grape	12.35	14	568.6	A
geraniol	Grape, wine	8.44	40	765.29	A
geraniol	Nectarine	4.47	19	241.97	A
geraniol	Peach	15.28	66	822.17	A
geraniol	Rights of way	0.31	N/A	N/A	N/A
geraniol	Walnut	0.21	1	20.0	A
gibberellins	Apple	20.39	44	701.49	A
gibberellins	Apricot	5.3	9	135.8	A
gibberellins	Artichoke, globe	147.28	432	5,463.52	A
gibberellins	Avocado	322.62	328	6,146.2	A
gibberellins	Celery	3.34	28	246.27	A
gibberellins	Cherry	1,925.76	1,407	29,360.36	A
gibberellins	Citrus	2.67	2	32.5	A
gibberellins	Citrus	<0.01	N/A	144.17	P
gibberellins	Citrus	11.28	N/A	29,383.91	T
gibberellins	Citrus	0.86	N/A	240.6	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
gibberellins	Commodity fumigation	2.82	N/A	N/A	N/A
gibberellins	Grape	17,427.27	7,838	317,599.64	A
gibberellins	Grape, wine	76.91	268	8,366.57	A
gibberellins	Grapefruit	8.31	8	93.01	A
gibberellins	Grapefruit	1.32	N/A	11,693.0	T
gibberellins	Landscape maintenance	1.4	N/A	N/A	N/A
gibberellins	Lemon	1,267.65	1,215	24,616.37	A
gibberellins	Lemon	82.43	N/A	627,334.84	T
gibberellins	Lime	0.85	5	11.5	A
gibberellins	N-grnhs flower	1.2	2	1.25	A
gibberellins	N-grnhs flower	1.16	36	50,912.5	S
gibberellins	N-grnhs plants in containers	20.47	326	318.73	A
gibberellins	N-grnhs plants in containers	2.21	165	1,914,342.0	S
gibberellins	N-grnhs transplants	0.03	6	1.2	A
gibberellins	N-grnhs transplants	0.25	68	277,600.0	S
gibberellins	N-outdr flower	36.6	91	168.04	A
gibberellins	N-outdr flower	<0.01	6	33,264.0	S
gibberellins	N-outdr plants in containers	5.32	155	99.76	A
gibberellins	N-outdr plants in containers	0.21	55	1,063,718.83	S
gibberellins	Nectarine	31.41	48	541.51	A
gibberellins	Orange	4,917.96	3,114	55,619.65	A
gibberellins	Orange	35.44	N/A	802,681.0	T
gibberellins	Peach	13.19	28	229.29	A
gibberellins	Pear	0.83	4	36.0	A
gibberellins	Pepper, fruiting	3.48	50	1,209.91	A
gibberellins	Pistachio	0.03	2	0.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
gibberellins	Plum	1.53	2	22.6	A
gibberellins	Pomegranate	194.57	31	3,149.0	A
gibberellins	Research commodity	<0.01	1	1,200.0	S
gibberellins	Research commodity	0.07	N/A	N/A	N/A
gibberellins	Rice	0.64	3	175.2	A
gibberellins	Soil fumigation/preplant	3.0	1	35.0	A
gibberellins	Tangelo	260.25	175	2,780.62	A
gibberellins	Tangerine	2,187.78	1,441	50,252.19	A
gibberellins	Uncultivated ag	1.04	1	49.0	A
gliocladium virens gl-21 (spores)	Bok choy	1.8	2	3.0	A
gliocladium virens gl-21 (spores)	N-outdr transplants	0.45	8	146,560.0	S
gliocladium virens gl-21 (spores)	Radish	1.2	1	2.0	A
gliocladium virens gl-21 (spores)	Raspberry	4.61	1	19.19	A
gliocladium virens gl-21 (spores)	Spinach	31.01	8	60.0	A
gliocladium virens gl-21 (spores)	Strawberry	96.24	2	80.2	A
gliocladium virens gl-21 (spores)	Watermelon	0.32	2	0.35	A
glufosinate-ammonium	Airport	3.52	N/A	4.0	A
glufosinate-ammonium	Alfalfa	129.25	5	235.48	A
glufosinate-ammonium	Almond	1,079,501.55	23,740	1,038,951.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glufosinate-ammonium	Animal premise	11.73	1	20.0	A
glufosinate-ammonium	Apple	1,475.02	84	1,231.2	A
glufosinate-ammonium	Apple	0.48	5	121.0	U
glufosinate-ammonium	Apricot	1,188.34	145	1,296.3	A
glufosinate-ammonium	Apricot	0.46	4	160.0	U
glufosinate-ammonium	Avocado	231.73	113	827.6	A
glufosinate-ammonium	Bean, dried	21.42	2	65.0	A
glufosinate-ammonium	Bean, unspecified	27.19	2	43.0	A
glufosinate-ammonium	Blackberry	1.14	1	1.0	A
glufosinate-ammonium	Blueberry	3,076.46	133	2,944.55	A
glufosinate-ammonium	Bushberry	0.39	2	1.0	A
glufosinate-ammonium	Cantaloupe	49.93	2	73.0	A
glufosinate-ammonium	Cherimoya	0.1	1	0.1	A
glufosinate-ammonium	Cherry	21,016.82	1,509	20,244.83	A
glufosinate-ammonium	Chestnut	30.37	1	26.0	A
glufosinate-ammonium	Chinese greens	0.03	1	0.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glufosinate-ammonium	Christmas tree	5.57	5	37.0	A
glufosinate-ammonium	Citrus	1,077.02	91	2,658.53	A
glufosinate-ammonium	Commodity fumigation	103.43	N/A	N/A	N/A
glufosinate-ammonium	Corn (forage - fodder)	21,153.94	976	50,452.78	A
glufosinate-ammonium	Corn, grain	413.62	35	1,017.09	A
glufosinate-ammonium	Corn, human consumption	100.99	9	168.3	A
glufosinate-ammonium	Cotton	8,586.49	238	17,380.19	A
glufosinate-ammonium	County ag comm	10.11	N/A	N/A	N/A
glufosinate-ammonium	Date	34.29	4	80.0	A
glufosinate-ammonium	Ditch bank	211.04	2	173.25	A
glufosinate-ammonium	Fig	11.29	1	19.2	A
glufosinate-ammonium	Food processing plant	21.44	1	25.0	A
glufosinate-ammonium	Fumigation, other	11.43	N/A	N/A	N/A
glufosinate-ammonium	Golf course turf	2.64	N/A	5.0	A
glufosinate-ammonium	Golf course turf	0.88	N/A	49,000.0	S
glufosinate-ammonium	Grape	120,620.21	5,705	137,689.53	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glufosinate-ammonium	Grape	0.32	4	200.0	U
glufosinate-ammonium	Grape, wine	316,141.09	18,842	355,162.39	A
glufosinate-ammonium	Grapefruit	1,099.1	140	1,472.76	A
glufosinate-ammonium	Industrial site	224.21	2	383.7	A
glufosinate-ammonium	Industrial site	1.17	N/A	2.0	U
glufosinate-ammonium	Jujube	47.03	2	100.0	A
glufosinate-ammonium	Landscape maintenance	63.09	11	154.0	A
glufosinate-ammonium	Landscape maintenance	10.99	9	225,000.0	S
glufosinate-ammonium	Landscape maintenance	36,000.33	N/A	N/A	N/A
glufosinate-ammonium	Lemon	10,869.83	1,382	17,724.02	A
glufosinate-ammonium	Lime	64.33	9	30.3	A
glufosinate-ammonium	N-grnhs flower	14.63	N/A	16.0	A
glufosinate-ammonium	N-grnhs flower	6.38	N/A	174,000.0	S
glufosinate-ammonium	N-grnhs plants in containers	3.15	2	1.12	A
glufosinate-ammonium	N-grnhs plants in containers	0.69	N/A	20,000.0	S
glufosinate-ammonium	N-grnhs transplants	59.34	4	200.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glufosinate-ammonium	N-outdr flower	0.47	N/A	5,000.0	S
glufosinate-ammonium	N-outdr plants in containers	1,316.37	442	1,348.75	A
glufosinate-ammonium	N-outdr plants in containers	59.75	11	110,000.0	S
glufosinate-ammonium	N-outdr plants in containers	0.43	1	500.0	U
glufosinate-ammonium	N-outdr transplants	528.54	91	577.03	A
glufosinate-ammonium	Nectarine	9,474.07	1,189	12,210.41	A
glufosinate-ammonium	Nuts	9.18	1	8.0	A
glufosinate-ammonium	Oat (forage - fodder)	26.0	2	95.75	A
glufosinate-ammonium	Olive	15,039.69	476	14,685.99	A
glufosinate-ammonium	Orange	25,850.77	2,249	41,377.71	A
glufosinate-ammonium	Pastureland	7.13	13	132.49	A
glufosinate-ammonium	Peach	24,319.83	2,282	26,382.05	A
glufosinate-ammonium	Peach	0.7	4	240.0	U
glufosinate-ammonium	Pear	2,797.56	122	2,708.91	A
glufosinate-ammonium	Pear, asian (oriental pear, ya, ya li, nashi)	55.79	7	48.0	A
glufosinate-ammonium	Peas	0.41	1	0.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glufosinate-ammonium	Pecan	3,868.42	192	3,631.58	A
glufosinate-ammonium	Persimmon	46.65	8	110.5	A
glufosinate-ammonium	Pistachio	311,164.2	6,168	295,027.21	A
glufosinate-ammonium	Plum	11,129.12	1,371	12,700.42	A
glufosinate-ammonium	Pluot	15.68	6	17.85	A
glufosinate-ammonium	Pomegranate	8.6	1	26.0	A
glufosinate-ammonium	Pomelo	108.41	15	171.5	A
glufosinate-ammonium	Potato	1,854.38	86	4,476.68	A
glufosinate-ammonium	Prune	17,451.76	778	16,956.39	A
glufosinate-ammonium	Public health	541.33	N/A	N/A	N/A
glufosinate-ammonium	Pumpkin	0.59	1	0.6	A
glufosinate-ammonium	Quince	16.12	3	14.0	A
glufosinate-ammonium	Rangeland	1.58	3	20.0	A
glufosinate-ammonium	Raspberry	6.17	2	7.0	A
glufosinate-ammonium	Recreation area	2.75	1	90.0	A
glufosinate-ammonium	Regulatory pest control	28.74	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glufosinate-ammonium	Research commodity	179.25	98	222.41	A
glufosinate-ammonium	Research commodity	70.98	N/A	N/A	N/A
glufosinate-ammonium	Rice	133.65	6	153.0	A
glufosinate-ammonium	Rights of way	8,109.29	416	8,519.15	A
glufosinate-ammonium	Rights of way	188,441.21	N/A	N/A	N/A
glufosinate-ammonium	Soil fumigation/preplant	1,849.31	36	3,370.73	A
glufosinate-ammonium	Stone fruit	354.27	21	295.9	A
glufosinate-ammonium	Structural pest control	473.13	N/A	N/A	N/A
glufosinate-ammonium	Sudangrass	6.89	3	29.0	A
glufosinate-ammonium	Tangelo	621.7	57	726.53	A
glufosinate-ammonium	Tangerine	19,837.29	1,561	23,418.08	A
glufosinate-ammonium	Tomato, processing	416.51	5	791.56	A
glufosinate-ammonium	Tropical/subtropical fruit	0.37	1	1.0	A
glufosinate-ammonium	Turf/sod	5.22	N/A	150,000.0	S
glufosinate-ammonium	Uncultivated ag	22,799.24	2,303	44,311.45	A
glufosinate-ammonium	Uncultivated non-ag	1,479.44	87	1,453.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glufosinate-ammonium	Unknown	11.1	1	20.0	A
glufosinate-ammonium	Vegetable	1.47	1	1.0	A
glufosinate-ammonium	Vertebrate control	1.08	2	2.0	A
glufosinate-ammonium	Vertebrate control	6.05	N/A	N/A	N/A
glufosinate-ammonium	Walnut	163,066.78	7,373	168,148.51	A
glufosinate-ammonium	Water area	4.7	1	7.0	A
glufosinate-ammonium	Water area	92.29	N/A	443.0	U
glufosinate-ammonium	Wheat	52.98	1	61.0	A
glutaraldehyde	Animal premise	10.35	N/A	687,636.0	S
glutaraldehyde	Animal premise	151.66	34	1,622.04	U
glutaraldehyde	Buildings/non-ag outdoor	68.13	N/A	33,000.0	S
glutaraldehyde	Commodity fumigation	19.81	N/A	N/A	N/A
glutaraldehyde	Farm/ag building	198.27	N/A	802.0	U
glutaraldehyde	Grape, wine	0.85	1	30.0	A
glutaraldehyde	Industrial processing water	1,960.28	N/A	2.0	A
glutaraldehyde	Industrial processing water	5,513.71	N/A	373,783.0	C
glutaraldehyde	Industrial processing water	12,771.59	N/A	1,803.0	U
glutaraldehyde	Landscape maintenance	2,294.17	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glutaraldehyde	Rights of way	74.28	N/A	N/A	N/A
glutaraldehyde	Structural pest control	105.09	N/A	N/A	N/A
glutaraldehyde	Water (industrial)	31,408.55	N/A	108.0	A
glutaraldehyde	Water (industrial)	37,573.93	N/A	2,667.0	U
glutaraldehyde	Water area	19.81	N/A	1.0	U
glycerine	Alfalfa	41.08	10	1,105.0	A
glycerol	Alfalfa	6,317.96	1,024	56,994.87	A
glycerol	Almond	57,723.65	5,632	207,999.46	A
glycerol	Apple	216.92	61	1,073.14	A
glycerol	Apricot	4.29	6	10.8	A
glycerol	Artichoke, globe	3.09	1	10.0	A
glycerol	Bean, dried	90.56	28	940.12	A
glycerol	Bermudagrass	628.93	48	3,015.0	A
glycerol	Blueberry	69.32	31	1,103.03	A
glycerol	Broccoli	144.9	20	935.7	A
glycerol	Cantaloupe	36.87	10	205.0	A
glycerol	Carrot	6.17	1	70.0	A
glycerol	Cherry	2,591.4	686	8,762.61	A
glycerol	Chestnut	6.15	4	48.66	A
glycerol	Clover	8.65	1	26.0	A
glycerol	Commodity fumigation	0.75	N/A	N/A	N/A
glycerol	Corn (forage - fodder)	3,433.28	540	27,982.05	A
glycerol	Corn, grain	10.44	1	70.9	A
glycerol	Corn, human consumption	94.17	16	1,135.7	A
glycerol	Cotton	206.35	78	5,765.4	A
glycerol	Cucumber	5.54	4	53.46	A
glycerol	Farm/ag building	1.21	1	2.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glycerol	Fig	16.2	7	215.0	A
glycerol	Forage hay/silage	135.98	40	1,842.25	A
glycerol	Forest, timberland	3.76	3	27.8	A
glycerol	Garbanzo bean	231.65	10	885.0	A
glycerol	Garlic	70.93	8	1,016.0	A
glycerol	Grape	1,034.38	259	5,291.87	A
glycerol	Grape, wine	6,778.09	2,077	43,809.53	A
glycerol	Grapefruit	15.83	6	67.51	A
glycerol	Kiwi fruit fuzzy	106.8	88	567.95	A
glycerol	Landscape maintenance	1.32	1	236,500.0	S
glycerol	Landscape maintenance	1,837.15	N/A	N/A	N/A
glycerol	Lemon	33.35	20	266.21	A
glycerol	Lettuce, head	246.51	12	659.0	A
glycerol	Lettuce, leaf	211.38	21	524.54	A
glycerol	N-outdr plants in containers	24.7	1	64.0	A
glycerol	N-outdr transplants	50.4	4	38.05	A
glycerol	Nectarine	27.31	15	69.0	A
glycerol	Oat (forage - fodder)	454.84	130	6,382.61	A
glycerol	Olive	88.11	47	1,065.4	A
glycerol	Onion, dry	877.6	44	3,580.1	A
glycerol	Orange	101.29	88	916.55	A
glycerol	Pastureland	102.72	16	639.77	A
glycerol	Peach	1,072.07	226	3,118.41	A
glycerol	Pear	2.01	5	79.9	A
glycerol	Peas (forage - fodder)	3.76	1	75.0	A
glycerol	Pecan	116.24	12	903.3	A
glycerol	Persimmon	5.46	14	63.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glycerol	Pistachio	5,075.06	403	19,819.1	A
glycerol	Plum	32.89	22	133.5	A
glycerol	Pomegranate	1.0	1	8.0	A
glycerol	Prune	316.43	131	2,459.67	A
glycerol	Rangeland	8.88	2	127.0	A
glycerol	Regulatory pest control	1.81	N/A	N/A	N/A
glycerol	Research commodity	1.58	19	63.3	A
glycerol	Rice	4,191.07	823	57,434.92	A
glycerol	Rights of way	172.63	64	1,467.15	A
glycerol	Rights of way	1,025.48	N/A	N/A	N/A
glycerol	Ryegrass	107.26	22	513.59	A
glycerol	Safflower	38.93	18	708.0	A
glycerol	Soil fumigation/preplant	124.31	16	593.82	A
glycerol	Sorghum (forage - fodder)	280.83	23	1,227.75	A
glycerol	Squash	32.26	5	252.77	A
glycerol	Stone fruit	33.43	12	206.5	A
glycerol	Strawberry	24.24	5	50.0	A
glycerol	Structural pest control	0.61	N/A	N/A	N/A
glycerol	Sugarbeet	881.52	109	7,367.1	A
glycerol	Sunflower	268.64	52	2,704.96	A
glycerol	Sweet potato	2,294.28	73	1,750.87	A
glycerol	Tangelo	1.68	3	23.16	A
glycerol	Tangerine	98.47	28	568.08	A
glycerol	Timothy	3.83	1	52.0	A
glycerol	Tomato	63.78	13	618.63	A
glycerol	Tomato, processing	1,316.88	157	13,269.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glycerol	Triticale	77.47	19	1,162.2	A
glycerol	Uncultivated ag	1,808.16	465	27,867.4	A
glycerol	Uncultivated non-ag	190.28	142	1,670.57	A
glycerol	Unknown	12.71	2	170.0	A
glycerol	Vetch	7.53	2	150.0	A
glycerol	Walnut	7,713.36	1,896	44,780.06	A
glycerol	Watermelon	251.05	26	995.29	A
glycerol	Wheat	114.83	39	2,046.4	A
glycerol	Wheat (forage - fodder)	403.47	92	3,667.16	A
glycolic acid	Household	0.29	N/A	81,600.0	S
glycolic acid	Household	0.29	N/A	2.0	U
glyphosate	Landscape maintenance	21.07	N/A	N/A	N/A
glyphosate, diammonium salt	Alfalfa	395.92	1	293.0	A
glyphosate, diammonium salt	Almond	2,508.38	36	1,015.7	A
glyphosate, diammonium salt	Cherry	14.86	1	5.5	A
glyphosate, diammonium salt	Corn (forage - fodder)	448.94	5	319.0	A
glyphosate, diammonium salt	Grapefruit	44.16	2	16.33	A
glyphosate, diammonium salt	Landscape maintenance	3.38	N/A	N/A	N/A
glyphosate, diammonium salt	Lemon	39.19	2	14.5	A
glyphosate, diammonium salt	Orange	28.38	1	10.5	A
glyphosate, diammonium salt	Pistachio	16.22	2	15.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, diammonium salt	Rights of way	69.05	N/A	N/A	N/A
glyphosate, diammonium salt	Tangerine	155.23	6	57.43	A
glyphosate, diammonium salt	Walnut	540.88	17	340.5	A
glyphosate, dimethylamine salt	Forest, timberland	131,729.49	2,183	63,827.4	A
glyphosate, dimethylamine salt	Grape	2.56	N/A	1.0	A
glyphosate, dimethylamine salt	Landscape maintenance	1,028.11	N/A	N/A	N/A
glyphosate, dimethylamine salt	Pastureland	1.16	1	0.5	A
glyphosate, dimethylamine salt	Rangeland	588.71	5	148.0	A
glyphosate, dimethylamine salt	Research commodity	1.29	N/A	N/A	N/A
glyphosate, dimethylamine salt	Rights of way	179.17	1	224.0	A
glyphosate, dimethylamine salt	Rights of way	94,943.83	N/A	N/A	N/A
glyphosate, dimethylamine salt	Soil fumigation/preplant	4.32	N/A	3.0	A
glyphosate, dimethylamine salt	Structural pest control	255.96	N/A	N/A	N/A
glyphosate, dimethylamine salt	Uncultivated non-ag	518.79	3	207.8	A
glyphosate, dimethylamine salt	Unknown	116.72	7	113.99	A
glyphosate, isopropylamine salt	Airport	428.64	N/A	58.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Airport	69.78	N/A	1,400.0	U
glyphosate, isopropylamine salt	Alfalfa	100,853.84	1,457	69,525.43	A
glyphosate, isopropylamine salt	Almond	1,281,006.79	16,897	732,522.93	A
glyphosate, isopropylamine salt	Almond	0.78	5	24,000.0	S
glyphosate, isopropylamine salt	Animal premise	40.01	1	20.0	A
glyphosate, isopropylamine salt	Animal premise	2.17	N/A	2.0	U
glyphosate, isopropylamine salt	Apple	950.84	70	652.16	A
glyphosate, isopropylamine salt	Apple	1.15	5	121.0	U
glyphosate, isopropylamine salt	Apricot	4,594.9	208	2,526.38	A
glyphosate, isopropylamine salt	Apricot	0.32	8	11,350.0	S
glyphosate, isopropylamine salt	Apricot	1.27	4	160.0	U
glyphosate, isopropylamine salt	Artichoke, globe	140.43	5	47.7	A
glyphosate, isopropylamine salt	Asparagus	62.47	4	12.5	A
glyphosate, isopropylamine salt	Avocado	40,787.94	3,715	34,384.18	A
glyphosate, isopropylamine salt	Avocado	1.87	6	52,000.0	S
glyphosate, isopropylamine salt	Barley	675.05	6	621.7	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Barley (forage - fodder)	86.47	3	80.0	A
glyphosate, isopropylamine salt	Basil, sweet	146.1	4	137.1	A
glyphosate, isopropylamine salt	Bean, dried	4,034.58	31	1,767.3	A
glyphosate, isopropylamine salt	Bean, succulent	1,338.3	25	558.2	A
glyphosate, isopropylamine salt	Bean, unspecified	94.11	3	60.1	A
glyphosate, isopropylamine salt	Bermudagrass	4,701.55	33	2,196.0	A
glyphosate, isopropylamine salt	Blackberry	15.0	3	5.0	A
glyphosate, isopropylamine salt	Blueberry	1,709.77	60	760.08	A
glyphosate, isopropylamine salt	Broccoli	660.56	34	399.6	A
glyphosate, isopropylamine salt	Brussels sprout	42.0	2	18.0	A
glyphosate, isopropylamine salt	Buildings/non-ag outdoor	21.92	4	8.5	A
glyphosate, isopropylamine salt	Cabbage	795.94	18	313.26	A
glyphosate, isopropylamine salt	Cantaloupe	5,528.45	35	2,092.1	A
glyphosate, isopropylamine salt	Carrot	383.22	6	294.8	A
glyphosate, isopropylamine salt	Cauliflower	161.27	17	148.36	A
glyphosate, isopropylamine salt	Celery	3,549.93	23	661.74	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Cherimoya	138.19	20	98.5	A
glyphosate, isopropylamine salt	Cherry	25,239.47	1,010	13,715.93	A
glyphosate, isopropylamine salt	Cherry	1.22	9	32,025.0	S
glyphosate, isopropylamine salt	Chestnut	38.01	2	19.0	A
glyphosate, isopropylamine salt	Christmas tree	731.87	34	392.5	A
glyphosate, isopropylamine salt	Christmas tree	24.77	3	3.0	U
glyphosate, isopropylamine salt	Citrus	1,585.42	132	1,366.78	A
glyphosate, isopropylamine salt	Citrus	0.03	1	1,000.0	S
glyphosate, isopropylamine salt	Clover	105.02	1	70.0	A
glyphosate, isopropylamine salt	Corn (forage - fodder)	213,400.27	2,977	160,598.56	A
glyphosate, isopropylamine salt	Corn, grain	5,650.89	183	4,956.99	A
glyphosate, isopropylamine salt	Corn, human consumption	4,413.11	78	2,540.45	A
glyphosate, isopropylamine salt	Cotton	148,454.08	1,295	105,357.95	A
glyphosate, isopropylamine salt	County ag comm	62.43	N/A	N/A	N/A
glyphosate, isopropylamine salt	Cucumber	1,612.16	20	997.45	A
glyphosate, isopropylamine salt	Daikon	4.0	1	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Date	9,646.56	395	5,596.91	A
glyphosate, isopropylamine salt	Ditch bank	10,352.4	134	1,597.1	A
glyphosate, isopropylamine salt	Ditch bank	1,552.2	5	1,177.0	U
glyphosate, isopropylamine salt	Farm/ag building	33.78	15	48.5	A
glyphosate, isopropylamine salt	Fig	8,973.0	167	5,628.46	A
glyphosate, isopropylamine salt	Forage hay/silage	2,650.42	29	1,458.75	A
glyphosate, isopropylamine salt	Forest, timberland	53,406.7	685	18,450.85	A
glyphosate, isopropylamine salt	Fumigation, other	343.15	N/A	N/A	N/A
glyphosate, isopropylamine salt	Garbanzo bean	6,947.37	37	3,822.6	A
glyphosate, isopropylamine salt	Garlic	9,147.23	34	3,688.53	A
glyphosate, isopropylamine salt	Golf course turf	329.87	8	275.46	A
glyphosate, isopropylamine salt	Golf course turf	33.11	1	258,750.0	S
glyphosate, isopropylamine salt	Golf course turf	4.03	N/A	100.0	U
glyphosate, isopropylamine salt	Grain	39.01	1	26.0	A
glyphosate, isopropylamine salt	Grape	85,390.14	2,469	57,698.14	A
glyphosate, isopropylamine salt	Grape	0.08	2	2,800.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Grape	0.91	4	200.0	U
glyphosate, isopropylamine salt	Grape, wine	193,631.18	5,545	113,035.52	A
glyphosate, isopropylamine salt	Grape, wine	3.0	2	68,700.0	S
glyphosate, isopropylamine salt	Grapefruit	2,639.67	272	2,539.69	A
glyphosate, isopropylamine salt	Industrial site	415.67	5	345.95	A
glyphosate, isopropylamine salt	Industrial site	<0.01	N/A	230.0	S
glyphosate, isopropylamine salt	Jojoba bean	56.01	1	40.0	A
glyphosate, isopropylamine salt	Kiwi fruit fuzzy	1,684.33	59	796.86	A
glyphosate, isopropylamine salt	Landscape maintenance	1,827.11	135	1,932.8	A
glyphosate, isopropylamine salt	Landscape maintenance	13.49	5	385,500.0	S
glyphosate, isopropylamine salt	Landscape maintenance	12.94	9	87.0	U
glyphosate, isopropylamine salt	Landscape maintenance	376,511.17	N/A	N/A	N/A
glyphosate, isopropylamine salt	Lemon	52,589.41	2,988	39,705.92	A
glyphosate, isopropylamine salt	Lettuce, head	2,904.54	24	833.1	A
glyphosate, isopropylamine salt	Lettuce, leaf	1,229.83	25	422.0	A
glyphosate, isopropylamine salt	Lime	141.89	5	31.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Melon	4,228.89	30	1,783.25	A
glyphosate, isopropylamine salt	N-grnhs flower	697.11	94	915.81	A
glyphosate, isopropylamine salt	N-grnhs flower	51.67	1	681,875.0	S
glyphosate, isopropylamine salt	N-grnhs plants in containers	829.49	283	646.19	A
glyphosate, isopropylamine salt	N-grnhs plants in containers	100.38	121	2,431,341.63	S
glyphosate, isopropylamine salt	N-grnhs transplants	251.76	30	550.52	A
glyphosate, isopropylamine salt	N-grnhs transplants	6.63	8	86,500.0	S
glyphosate, isopropylamine salt	N-outdr flower	4,407.02	516	1,475.79	A
glyphosate, isopropylamine salt	N-outdr flower	2.4	1	5,400.0	S
glyphosate, isopropylamine salt	N-outdr plants in containers	64,467.82	7,927	17,626.47	A
glyphosate, isopropylamine salt	N-outdr plants in containers	0.98	2	30,000.0	K
glyphosate, isopropylamine salt	N-outdr plants in containers	332.17	207	4,947,292.14	S
glyphosate, isopropylamine salt	N-outdr plants in containers	138.24	20	29,518.85	U
glyphosate, isopropylamine salt	N-outdr transplants	1,299.38	316	566.94	A
glyphosate, isopropylamine salt	N-outdr transplants	9.44	6	166,000.0	S
glyphosate, isopropylamine salt	Nectarine	17,104.24	899	10,560.41	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Nectarine	1.03	9	32,025.0	S
glyphosate, isopropylamine salt	Nuts	9.8	4	8.0	A
glyphosate, isopropylamine salt	Oat	566.4	6	757.0	A
glyphosate, isopropylamine salt	Oat (forage - fodder)	1,667.16	17	760.0	A
glyphosate, isopropylamine salt	Oat (forage - fodder)	0.16	1	4,000.0	S
glyphosate, isopropylamine salt	Olive	24,947.02	408	15,313.69	A
glyphosate, isopropylamine salt	Onion, dry	2,449.2	38	1,658.7	A
glyphosate, isopropylamine salt	Onion, green	79.41	3	61.4	A
glyphosate, isopropylamine salt	Orange	54,308.33	2,112	37,167.28	A
glyphosate, isopropylamine salt	Orchard floor	17.1	13	50.0	A
glyphosate, isopropylamine salt	Pasture (forage - fodder)	7.0	N/A	5.0	A
glyphosate, isopropylamine salt	Pastureland	1,871.51	118	4,114.26	A
glyphosate, isopropylamine salt	Pastureland	3.25	12	44,720.0	S
glyphosate, isopropylamine salt	Peach	40,997.12	2,004	22,436.52	A
glyphosate, isopropylamine salt	Peach	1.04	9	32,400.0	S
glyphosate, isopropylamine salt	Peach	1.89	4	240.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Pear	3,536.7	107	2,224.87	A
glyphosate, isopropylamine salt	Pear, asian (oriental pear, ya, ya li, nashi)	19.65	3	11.28	A
glyphosate, isopropylamine salt	Peas	0.5	1	0.75	A
glyphosate, isopropylamine salt	Pecan	5,599.11	72	2,866.04	A
glyphosate, isopropylamine salt	Pepper, fruiting	6,958.43	73	2,415.83	A
glyphosate, isopropylamine salt	Persimmon	1,347.08	153	754.68	A
glyphosate, isopropylamine salt	Pistachio	341,545.22	3,960	183,404.36	A
glyphosate, isopropylamine salt	Plum	17,602.6	1,285	10,673.81	A
glyphosate, isopropylamine salt	Plum	0.08	3	2,025.0	S
glyphosate, isopropylamine salt	Pluot	0.5	5	20,000.0	S
glyphosate, isopropylamine salt	Pome fruit	1.62	N/A	0.75	A
glyphosate, isopropylamine salt	Pomegranate	2,650.26	99	2,173.61	A
glyphosate, isopropylamine salt	Pomelo	254.02	22	160.0	A
glyphosate, isopropylamine salt	Potato	1,803.53	46	1,493.73	A
glyphosate, isopropylamine salt	Prune	24,574.93	589	13,031.49	A
glyphosate, isopropylamine salt	Public health	11,897.59	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Pumpkin	1,010.78	13	458.7	A
glyphosate, isopropylamine salt	Quince	75.93	9	31.0	A
glyphosate, isopropylamine salt	Rangeland	3,143.32	205	4,358.11	A
glyphosate, isopropylamine salt	Rapini	48.81	1	17.9	A
glyphosate, isopropylamine salt	Raspberry	239.8	4	67.5	A
glyphosate, isopropylamine salt	Recreation area	0.61	3	4.0	A
glyphosate, isopropylamine salt	Recreation area	73.56	N/A	0.06	U
glyphosate, isopropylamine salt	Regulatory pest control	15.99	1	2.0	A
glyphosate, isopropylamine salt	Regulatory pest control	1,999.15	N/A	N/A	N/A
glyphosate, isopropylamine salt	Research commodity	336.55	34	88.79	A
glyphosate, isopropylamine salt	Research commodity	16.71	17	58,500.0	S
glyphosate, isopropylamine salt	Research commodity	134.63	N/A	N/A	N/A
glyphosate, isopropylamine salt	Residential	0.08	N/A	0.3	A
glyphosate, isopropylamine salt	Rice	2,501.69	54	2,253.26	A
glyphosate, isopropylamine salt	Rights of way	26,084.72	954	11,454.71	A
glyphosate, isopropylamine salt	Rights of way	8.96	11	52,120.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Rights of way	0.25	1	1.0	U
glyphosate, isopropylamine salt	Rights of way	1,404,275.08	N/A	N/A	N/A
glyphosate, isopropylamine salt	Safflower	2,040.62	23	3,155.7	A
glyphosate, isopropylamine salt	Sod farm (turf)	213.1	5	36.11	A
glyphosate, isopropylamine salt	Soil fumigation/preplant	30,912.83	262	23,433.4	A
glyphosate, isopropylamine salt	Sorghum (forage - fodder)	30.15	1	36.0	A
glyphosate, isopropylamine salt	Sorghum/milo	262.29	6	259.5	A
glyphosate, isopropylamine salt	Squash	26.44	6	18.5	A
glyphosate, isopropylamine salt	Squash, summer	142.54	1	95.0	A
glyphosate, isopropylamine salt	Squash, winter	185.66	3	114.0	A
glyphosate, isopropylamine salt	Stone fruit	10.64	6	10.15	A
glyphosate, isopropylamine salt	Strawberry	439.42	24	391.0	A
glyphosate, isopropylamine salt	Structural pest control	3,670.08	N/A	N/A	N/A
glyphosate, isopropylamine salt	Sudangrass	386.9	5	208.0	A
glyphosate, isopropylamine salt	Sugarbeet	22,157.62	235	17,344.8	A
glyphosate, isopropylamine salt	Sugarcane	10.02	1	5.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Sunflower	4,063.29	36	2,590.0	A
glyphosate, isopropylamine salt	Sweet potato	441.5	12	136.62	A
glyphosate, isopropylamine salt	Tangelo	723.28	57	1,366.48	A
glyphosate, isopropylamine salt	Tangerine	50,353.52	1,585	25,474.3	A
glyphosate, isopropylamine salt	Timothy	342.06	4	141.0	A
glyphosate, isopropylamine salt	Tomato	6,679.08	109	5,041.13	A
glyphosate, isopropylamine salt	Tomato, processing	124,488.11	576	54,107.78	A
glyphosate, isopropylamine salt	Triticale	330.27	2	330.0	A
glyphosate, isopropylamine salt	Turf/sod	1,990.64	40	557.0	A
glyphosate, isopropylamine salt	Turf/sod	3.75	1	493,000.0	S
glyphosate, isopropylamine salt	Uncultivated ag	361,922.36	5,834	166,082.86	A
glyphosate, isopropylamine salt	Uncultivated ag	7.13	14	121,800.02	S
glyphosate, isopropylamine salt	Uncultivated ag	168.96	1	130.01	U
glyphosate, isopropylamine salt	Uncultivated non-ag	21,230.87	299	12,995.9	A
glyphosate, isopropylamine salt	Uncultivated non-ag	0.06	N/A	2,000.0	S
glyphosate, isopropylamine salt	Unknown	169.95	3	65.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, isopropylamine salt	Vegetable	6.41	16	3.55	A
glyphosate, isopropylamine salt	Vegetables, fruiting	0.02	1	0.5	A
glyphosate, isopropylamine salt	Vertebrate control	135.02	N/A	N/A	N/A
glyphosate, isopropylamine salt	Walnut	292,718.92	6,588	167,865.07	A
glyphosate, isopropylamine salt	Walnut	0.79	5	23,999.0	S
glyphosate, isopropylamine salt	Water (industrial)	319.72	11	111.5	A
glyphosate, isopropylamine salt	Water area	12,140.62	69	6,673.93	A
glyphosate, isopropylamine salt	Water area	6.74	3	126,050.0	S
glyphosate, isopropylamine salt	Water area	636.22	5	460.5	U
glyphosate, isopropylamine salt	Watermelon	825.35	15	417.9	A
glyphosate, isopropylamine salt	Wheat	5,176.31	60	3,132.69	A
glyphosate, isopropylamine salt	Wheat (forage - fodder)	5,113.2	62	3,751.0	A
glyphosate, monoammonium salt	Almond	190.98	16	304.0	A
glyphosate, monoammonium salt	Avocado	0.37	1	2.0	A
glyphosate, monoammonium salt	Landscape maintenance	5,715.52	N/A	N/A	N/A
glyphosate, monoammonium salt	N-grnhs transplants	1.72	1	20,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, monoammonium salt	N-outdr plants in containers	31.95	6	11.93	A
glyphosate, monoammonium salt	N-outdr transplants	17.59	3	12.0	A
glyphosate, monoammonium salt	Oat	6.51	1	14.0	A
glyphosate, monoammonium salt	Public health	11.5	N/A	N/A	N/A
glyphosate, monoammonium salt	Rights of way	9.29	1	10.0	A
glyphosate, monoammonium salt	Rights of way	2,664.02	N/A	N/A	N/A
glyphosate, monoammonium salt	Uncultivated non-ag	23.98	4	43.0	A
glyphosate, monoammonium salt	Walnut	22.77	5	29.0	A
glyphosate, potassium salt	Airport	203.43	N/A	61.0	A
glyphosate, potassium salt	Alfalfa	309,808.53	4,216	184,504.88	A
glyphosate, potassium salt	Alfalfa	11.03	1	10.0	U
glyphosate, potassium salt	Almond	2,196,346.32	23,002	1,075,284.92	A
glyphosate, potassium salt	Almond	86.67	2	100.0	U
glyphosate, potassium salt	Apple	1,627.87	77	989.38	A
glyphosate, potassium salt	Apricot	803.18	50	430.04	A
glyphosate, potassium salt	Asparagus	1,506.73	9	494.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Avocado	52,190.76	4,176	32,703.73	A
glyphosate, potassium salt	Avocado	617.7	27	2,685,525.0	U
glyphosate, potassium salt	Barley	298.79	4	211.0	A
glyphosate, potassium salt	Barley (forage - fodder)	100.04	2	70.55	A
glyphosate, potassium salt	Basil, sweet	0.44	1	1.0	A
glyphosate, potassium salt	Bean, dried	3,476.36	32	1,554.68	A
glyphosate, potassium salt	Bean, succulent	25.22	4	18.8	A
glyphosate, potassium salt	Bean, unspecified	102.44	2	92.0	A
glyphosate, potassium salt	Beet	440.68	5	143.5	A
glyphosate, potassium salt	Bermudagrass	12,431.55	59	3,339.0	A
glyphosate, potassium salt	Beverage crop	2.59	5	7.0	A
glyphosate, potassium salt	Bitter melon	64.05	8	18.5	A
glyphosate, potassium salt	Blackberry	14.14	2	5.25	A
glyphosate, potassium salt	Blueberry	2,428.05	35	982.81	A
glyphosate, potassium salt	Bok choy	6.03	3	3.0	A
glyphosate, potassium salt	Broccoli	885.31	30	362.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Cabbage	315.56	13	117.0	A
glyphosate, potassium salt	Cantaloupe	5,461.57	40	2,311.09	A
glyphosate, potassium salt	Carrot	1,019.96	18	490.03	A
glyphosate, potassium salt	Cauliflower	5.12	1	6.0	A
glyphosate, potassium salt	Celery	3,781.16	27	534.4	A
glyphosate, potassium salt	Cherimoya	239.11	19	122.5	A
glyphosate, potassium salt	Cherry	18,339.41	648	8,632.37	A
glyphosate, potassium salt	Chestnut	124.84	5	50.66	A
glyphosate, potassium salt	Chinese cabbage (napa, won bok, celery cabbage)	8.36	1	5.0	A
glyphosate, potassium salt	Christmas tree	19.31	6	7.0	A
glyphosate, potassium salt	Cilantro	300.33	8	99.0	A
glyphosate, potassium salt	Citrus	695.86	67	4,814.94	A
glyphosate, potassium salt	Citrus	112.81	9	459,370.0	U
glyphosate, potassium salt	Commodity fumigation	178.34	N/A	N/A	N/A
glyphosate, potassium salt	Corn (forage - fodder)	290,791.43	4,130	196,968.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Corn, grain	41,060.33	393	16,461.39	A
glyphosate, potassium salt	Corn, human consumption	8,176.62	54	4,249.58	A
glyphosate, potassium salt	Cotton	369,715.48	2,978	245,710.15	A
glyphosate, potassium salt	County ag comm	241.98	N/A	N/A	N/A
glyphosate, potassium salt	Cucumber	4,185.93	39	2,058.2	A
glyphosate, potassium salt	Date	2,944.79	104	1,778.84	A
glyphosate, potassium salt	Ditch bank	615.32	35	207.5	A
glyphosate, potassium salt	Ditch bank	568.29	2	281.02	U
glyphosate, potassium salt	Eggplant	33.1	2	12.0	A
glyphosate, potassium salt	Endive (escarole)	56.55	7	23.9	A
glyphosate, potassium salt	Farm/ag building	12.37	11	10.75	A
glyphosate, potassium salt	Fig	7,636.01	84	3,920.64	A
glyphosate, potassium salt	Food processing plant	68.96	1	25.0	A
glyphosate, potassium salt	Forage hay/silage	4,008.57	31	1,166.5	A
glyphosate, potassium salt	Forest, timberland	221.03	15	147.93	A
glyphosate, potassium salt	Fumigation, other	0.44	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Garbanzo bean	2,076.29	9	1,211.0	A
glyphosate, potassium salt	Garlic	16,031.08	72	7,339.06	A
glyphosate, potassium salt	Golf course turf	256.53	N/A	27.2	A
glyphosate, potassium salt	Golf course turf	2.24	N/A	26,000.0	S
glyphosate, potassium salt	Gourds (edible)	0.6	2	1.3	A
glyphosate, potassium salt	Grain	116.37	3	75.0	A
glyphosate, potassium salt	Grape	113,607.13	2,630	54,850.16	A
glyphosate, potassium salt	Grape, wine	343,579.39	10,831	180,579.36	A
glyphosate, potassium salt	Grapefruit	6,548.14	298	5,178.81	A
glyphosate, potassium salt	Grass, seed	353.25	53	213.85	A
glyphosate, potassium salt	Guava	656.36	58	302.2	A
glyphosate, potassium salt	Horseradish	301.43	3	180.5	A
glyphosate, potassium salt	Industrial site	185.76	17	93.5	A
glyphosate, potassium salt	Jujube	4.14	1	3.0	A
glyphosate, potassium salt	Kiwi fruit fuzzy	18,838.77	708	6,139.2	A
glyphosate, potassium salt	Kumquat	22.71	12	39.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Landscape maintenance	457.97	61	130.96	A
glyphosate, potassium salt	Landscape maintenance	262.26	70	1,719,400.0	S
glyphosate, potassium salt	Landscape maintenance	<0.01	1	0.01	U
glyphosate, potassium salt	Landscape maintenance	130,141.5	N/A	N/A	N/A
glyphosate, potassium salt	Lemon	95,004.77	3,423	56,508.44	A
glyphosate, potassium salt	Lemongrass	29.48	4	10.5	A
glyphosate, potassium salt	Lettuce, head	10,875.7	138	4,333.73	A
glyphosate, potassium salt	Lettuce, leaf	4,090.36	98	1,537.06	A
glyphosate, potassium salt	Lime	645.88	41	387.31	A
glyphosate, potassium salt	Mango	129.64	2	60.0	A
glyphosate, potassium salt	Melon	2,811.46	29	1,423.6	A
glyphosate, potassium salt	Mint	28.47	1	15.0	A
glyphosate, potassium salt	Mustard	2.9	4	0.9	A
glyphosate, potassium salt	N-grnhs flower	0.09	1	1.0	A
glyphosate, potassium salt	N-grnhs flower	19.87	4	43,490.0	S
glyphosate, potassium salt	N-grnhs flower	1.47	N/A	4.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	N-grnhs plants in containers	46.29	19	17.96	A
glyphosate, potassium salt	N-grnhs plants in containers	6.72	8	208,000.0	S
glyphosate, potassium salt	N-grnhs transplants	27.03	1	100.0	A
glyphosate, potassium salt	N-grnhs transplants	2.63	4	80,383.0	S
glyphosate, potassium salt	N-outdr flower	252.62	70	145.8	A
glyphosate, potassium salt	N-outdr plants in containers	4,532.37	957	88,693.74	A
glyphosate, potassium salt	N-outdr plants in containers	168.02	213	2,239,045.0	S
glyphosate, potassium salt	N-outdr plants in containers	132.64	23	143,799.0	U
glyphosate, potassium salt	N-outdr transplants	1,010.85	49	524.29	A
glyphosate, potassium salt	N-outdr transplants	1.72	9	78,999.0	S
glyphosate, potassium salt	Nectarine	7,306.61	455	3,993.67	A
glyphosate, potassium salt	Nursery soil	126.57	7	13.0	A
glyphosate, potassium salt	Nuts	3.45	1	2.0	A
glyphosate, potassium salt	Oat	5.92	2	14.03	A
glyphosate, potassium salt	Oat (forage - fodder)	1,724.59	12	1,140.0	A
glyphosate, potassium salt	Okra	5.86	2	5.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Olive	18,325.69	392	9,292.66	A
glyphosate, potassium salt	Olive	0.41	1	40.0	U
glyphosate, potassium salt	Onion, dry	16,704.36	121	8,690.7	A
glyphosate, potassium salt	Onion, green	167.65	10	38.15	A
glyphosate, potassium salt	Orange	117,077.2	4,393	89,510.75	A
glyphosate, potassium salt	Orchard floor	140.51	14	114.03	A
glyphosate, potassium salt	Orchardgrass	253.77	1	92.0	A
glyphosate, potassium salt	Parsley	1,061.09	6	416.25	A
glyphosate, potassium salt	Pasture (forage - fodder)	60.68	3	42.0	A
glyphosate, potassium salt	Pastureland	2,103.0	75	2,495.21	A
glyphosate, potassium salt	Peach	31,274.7	1,175	14,381.09	A
glyphosate, potassium salt	Pear	2,357.71	73	1,313.56	A
glyphosate, potassium salt	Pear, asian (oriental pear, ya, ya li, nashi)	34.48	3	20.0	A
glyphosate, potassium salt	Peas	55.91	13	18.5	A
glyphosate, potassium salt	Peas (forage - fodder)	206.88	1	75.0	A
glyphosate, potassium salt	Pecan	5,652.06	139	2,442.49	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Pepper, fruiting	1,389.17	21	939.2	A
glyphosate, potassium salt	Persimmon	2,472.03	146	1,599.14	A
glyphosate, potassium salt	Pistachio	795,687.51	6,982	365,331.55	A
glyphosate, potassium salt	Plum	3,572.79	261	2,248.87	A
glyphosate, potassium salt	Pluot	16.83	4	12.25	A
glyphosate, potassium salt	Pome fruit	14.48	2	6.5	A
glyphosate, potassium salt	Pomegranate	26,014.89	210	11,826.84	A
glyphosate, potassium salt	Pomelo	1,320.41	57	706.0	A
glyphosate, potassium salt	Potato	2,299.96	38	1,209.54	A
glyphosate, potassium salt	Prune	41,285.29	771	20,957.42	A
glyphosate, potassium salt	Public health	41.03	N/A	N/A	N/A
glyphosate, potassium salt	Pumpkin	1,078.92	15	572.8	A
glyphosate, potassium salt	Quince	96.57	9	66.0	A
glyphosate, potassium salt	Radicchio	244.57	3	124.0	A
glyphosate, potassium salt	Rangeland	2,291.98	98	3,119.95	A
glyphosate, potassium salt	Rapini	268.39	7	97.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Raspberry	694.31	12	211.76	A
glyphosate, potassium salt	Regulatory pest control	363.44	N/A	N/A	N/A
glyphosate, potassium salt	Research commodity	887.15	154	438.03	A
glyphosate, potassium salt	Research commodity	7.48	12	70,500.0	S
glyphosate, potassium salt	Research commodity	1,077.72	N/A	N/A	N/A
glyphosate, potassium salt	Rice	4,214.82	61	2,010.12	A
glyphosate, potassium salt	Rice, wild	248.25	1	160.0	A
glyphosate, potassium salt	Rights of way	23,303.88	501	11,963.28	A
glyphosate, potassium salt	Rights of way	517.84	36	2,340,300.0	S
glyphosate, potassium salt	Rights of way	1.27	1	2.0	U
glyphosate, potassium salt	Rights of way	235,714.62	N/A	N/A	N/A
glyphosate, potassium salt	Rye	44.13	1	60.0	A
glyphosate, potassium salt	Ryegrass	125.51	3	71.0	A
glyphosate, potassium salt	Safflower	7,211.39	62	3,860.0	A
glyphosate, potassium salt	Soil fumigation/preplant	19,061.61	100	11,379.5	A
glyphosate, potassium salt	Sorghum (forage - fodder)	2,260.43	15	1,197.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Sorghum/milo	276.83	4	185.0	A
glyphosate, potassium salt	Spinach	42.81	4	10.88	A
glyphosate, potassium salt	Squash	1,151.14	13	668.5	A
glyphosate, potassium salt	Squash, summer	8.28	2	8.0	A
glyphosate, potassium salt	Squash, winter	38.55	7	21.5	A
glyphosate, potassium salt	Stone fruit	93.96	11	42.25	A
glyphosate, potassium salt	Strawberry	284.1	31	80.0	A
glyphosate, potassium salt	Structural pest control	177.6	N/A	N/A	N/A
glyphosate, potassium salt	Sudangrass	1,068.59	5	224.2	A
glyphosate, potassium salt	Sugarbeet	52,102.9	432	32,327.37	A
glyphosate, potassium salt	Sunflower	4,784.77	33	2,226.1	A
glyphosate, potassium salt	Sweet potato	1,493.47	25	779.5	A
glyphosate, potassium salt	Tangelo	3,706.09	117	2,292.36	A
glyphosate, potassium salt	Tangerine	78,160.17	1,887	51,164.45	A
glyphosate, potassium salt	Timothy	126.57	2	63.3	A
glyphosate, potassium salt	Tomato	13,744.0	156	7,645.59	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Tomato, processing	102,739.24	581	50,702.03	A
glyphosate, potassium salt	Triticale	150.03	1	145.0	A
glyphosate, potassium salt	Tropical/subtropical fruit	164.0	21	88.54	A
glyphosate, potassium salt	Turf/sod	165.5	2	65.0	A
glyphosate, potassium salt	Uncultivated ag	295,615.47	4,271	127,451.68	A
glyphosate, potassium salt	Uncultivated ag	7.33	18	120,363.0	S
glyphosate, potassium salt	Uncultivated ag	262.01	N/A	N/A	U
glyphosate, potassium salt	Uncultivated non-ag	11,084.3	195	5,029.62	A
glyphosate, potassium salt	Uncultivated non-ag	3.45	1	80,000.0	S
glyphosate, potassium salt	Uncultivated non-ag	3.45	1	2.0	U
glyphosate, potassium salt	Unknown	719.93	4	265.0	A
glyphosate, potassium salt	Vegetable	19.83	2	8.0	A
glyphosate, potassium salt	Vertebrate control	2.76	2	2.0	A
glyphosate, potassium salt	Vertebrate control	22.76	N/A	N/A	N/A
glyphosate, potassium salt	Vetch	349.1	2	150.0	A
glyphosate, potassium salt	Walnut	400,891.5	7,066	191,054.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
glyphosate, potassium salt	Water area	161.02	3	104.0	A
glyphosate, potassium salt	Water area	617.7	N/A	12.02	U
glyphosate, potassium salt	Watermelon	8,149.67	88	4,109.97	A
glyphosate, potassium salt	Wheat	7,390.65	74	4,828.91	A
glyphosate, potassium salt	Wheat (forage - fodder)	2,548.21	45	2,644.94	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Alfalfa	<0.01	1	0.08	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Almond	281.71	82	6,639.97	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Apple	2.67	6	60.2	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Artichoke, globe	1.76	6	53.0	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Bok choy	1.59	23	37.14	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Broccoli	173.1	379	4,193.33	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Brussels sprout	165.21	334	4,589.91	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
gs-omega/kappa-hctx-hv1a (versitide peptide)	Cabbage	124.65	465	2,967.19	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Cauliflower	71.65	232	1,685.27	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Chinese cabbage (napa, won bok, celery cabbage)	3.18	32	73.98	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Citrus	0.43	2	5.09	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Collard	9.04	90	219.88	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Cucumber	0.04	1	0.21	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Daikon	1.8	4	42.0	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Eggplant	9.5	16	241.4	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Kale	10.67	108	250.68	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Kohlrabi	0.44	6	10.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
gs-omega/kappa-hctx-hv1a (versitide peptide)	Mustard	0.62	11	14.54	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Mustard greens	1.99	21	48.75	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	N-grnhs transplants	0.03	5	2.0	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	N-outdr plants in containers	0.02	2	2.0	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Nectarine	0.07	3	3.25	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Orange	1.29	2	40.0	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Peach	0.7	16	22.44	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Pepper, fruiting	0.77	1	18.0	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Pistachio	426.68	102	12,832.42	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Pomegranate	65.27	20	1,519.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
gs-omega/kappa-hctx-hv1a (versitide peptide)	Rapini	53.86	52	1,276.1	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Research commodity	0.43	2	10.0	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Tangerine	0.69	4	30.64	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Tomato	10.73	5	11.89	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Turnip	2.07	20	48.2	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Vegetables, leafy	0.02	1	0.5	A
gs-omega/kappa-hctx-hv1a (versitide peptide)	Walnut	0.73	1	17.0	A
halosulfuron-methyl	Alfalfa	32.84	37	734.5	A
halosulfuron-methyl	Apple	0.47	1	10.0	A
halosulfuron-methyl	Artichoke, globe	0.75	5	8.75	A
halosulfuron-methyl	Asparagus	0.78	5	16.5	A
halosulfuron-methyl	Bean, dried	1.48	3	31.49	A
halosulfuron-methyl	Bean, succulent	0.19	1	5.0	A
halosulfuron-methyl	Bermudagrass	16.74	7	289.0	A
halosulfuron-methyl	Blueberry	0.61	1	26.0	A
halosulfuron-methyl	Cantaloupe	2.04	11	194.0	A
halosulfuron-methyl	Christmas tree	0.06	1	4.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
halosulfuron-methyl	Corn (forage - fodder)	379.61	163	8,163.68	A
halosulfuron-methyl	Corn, grain	0.94	1	20.0	A
halosulfuron-methyl	Corn, human consumption	10.3	20	720.6	A
halosulfuron-methyl	Cucumber	33.91	16	762.99	A
halosulfuron-methyl	Eggplant	0.7	1	15.0	A
halosulfuron-methyl	Forage hay/silage	18.41	7	304.0	A
halosulfuron-methyl	Golf course turf	4.0	7	96.0	A
halosulfuron-methyl	Golf course turf	0.04	N/A	26,000.0	S
halosulfuron-methyl	Grass, seed	11.27	8	320.51	A
halosulfuron-methyl	Landscape maintenance	9.51	10	179.0	A
halosulfuron-methyl	Landscape maintenance	<0.01	1	19,000.0	S
halosulfuron-methyl	Landscape maintenance	0.92	1	15.0	U
halosulfuron-methyl	Landscape maintenance	491.57	N/A	N/A	N/A
halosulfuron-methyl	Melon	7.97	11	197.04	A
halosulfuron-methyl	N-grnhs flower	0.93	N/A	18.4	A
halosulfuron-methyl	N-grnhs flower	0.1	N/A	82,000.0	S
halosulfuron-methyl	N-grnhs plants in containers	1.13	1	24.03	A
halosulfuron-methyl	N-grnhs transplants	0.12	N/A	2.0	A
halosulfuron-methyl	N-outdr flower	1.37	17	22.77	A
halosulfuron-methyl	N-outdr plants in containers	7.01	26	97.07	A
halosulfuron-methyl	N-outdr plants in containers	0.02	11	17,000.0	S
halosulfuron-methyl	N-outdr transplants	1.58	2	37.0	A
halosulfuron-methyl	Oat (forage - fodder)	2.25	4	72.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
halosulfuron-methyl	Onion, dry	0.25	1	4.0	A
halosulfuron-methyl	Pastureland	0.56	1	12.0	A
halosulfuron-methyl	Pecan	0.19	1	3.0	A
halosulfuron-methyl	Pepper, fruiting	17.67	15	376.7	A
halosulfuron-methyl	Pistachio	136.89	97	4,818.65	A
halosulfuron-methyl	Pumpkin	1.27	3	46.2	A
halosulfuron-methyl	Recreation area	<0.01	N/A	4,000.0	S
halosulfuron-methyl	Regulatory pest control	0.01	N/A	N/A	N/A
halosulfuron-methyl	Research commodity	<0.01	1	0.02	A
halosulfuron-methyl	Rice	9,223.18	2,452	186,557.73	A
halosulfuron-methyl	Rights of way	0.31	4	5.25	A
halosulfuron-methyl	Rights of way	13.76	N/A	N/A	N/A
halosulfuron-methyl	Sod farm (turf)	5.94	18	127.31	A
halosulfuron-methyl	Soil fumigation/preplant	19.32	5	385.8	A
halosulfuron-methyl	Sorghum (forage - fodder)	5.18	4	121.37	A
halosulfuron-methyl	Sorghum/milo	0.73	1	22.2	A
halosulfuron-methyl	Squash	0.66	3	31.0	A
halosulfuron-methyl	Squash, winter	2.06	2	44.0	A
halosulfuron-methyl	Structural pest control	<0.01	N/A	N/A	N/A
halosulfuron-methyl	Sudangrass	2.57	10	81.73	A
halosulfuron-methyl	Sugarcane	0.47	1	10.0	A
halosulfuron-methyl	Tomato	107.23	50	1,307.05	A
halosulfuron-methyl	Tomato, processing	117.51	101	2,944.68	A
halosulfuron-methyl	Turf/sod	45.41	56	911.35	A
halosulfuron-methyl	Uncultivated ag	45.81	19	906.62	A
halosulfuron-methyl	Uncultivated non-ag	<0.01	N/A	2,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
halosulfuron-methyl	Walnut	157.58	138	4,973.5	A
halosulfuron-methyl	Watermelon	15.78	13	565.6	A
2-heptadecyl-1-hydroxyethyl-imidazolium hydrochloride	Almond	0.02	3	6.5	A
heptamethyltrisiloxane ethoxylated	Alfalfa	774.01	372	20,253.68	A
heptamethyltrisiloxane ethoxylated	Almond	14,469.95	2,460	139,565.24	A
heptamethyltrisiloxane ethoxylated	Avocado	50.85	30	1,554.8	A
heptamethyltrisiloxane ethoxylated	Bean, dried	40.55	20	786.4	A
heptamethyltrisiloxane ethoxylated	Bean, succulent	57.35	10	459.75	A
heptamethyltrisiloxane ethoxylated	Beet	6.3	5	55.42	A
heptamethyltrisiloxane ethoxylated	Bermudagrass	31.27	10	908.0	A
heptamethyltrisiloxane ethoxylated	Blackberry	250.03	339	1,752.54	A
heptamethyltrisiloxane ethoxylated	Blueberry	3.44	17	30.42	A
heptamethyltrisiloxane ethoxylated	Broccoli	6.05	3	82.3	A
heptamethyltrisiloxane ethoxylated	Brussels sprout	926.43	237	6,681.23	A
heptamethyltrisiloxane ethoxylated	Cabbage	2,506.68	1,488	12,808.5	A
heptamethyltrisiloxane ethoxylated	Cantaloupe	0.85	2	64.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane ethoxylated	Cauliflower	3.78	4	64.5	A
heptamethyltrisiloxane ethoxylated	Celery	112.19	36	636.66	A
heptamethyltrisiloxane ethoxylated	Cherry	255.59	148	2,549.73	A
heptamethyltrisiloxane ethoxylated	Cilantro	1.68	1	15.0	A
heptamethyltrisiloxane ethoxylated	Citrus	41.27	23	455.78	A
heptamethyltrisiloxane ethoxylated	Collard	16.01	12	94.7	A
heptamethyltrisiloxane ethoxylated	Corn (forage - fodder)	501.9	264	14,122.75	A
heptamethyltrisiloxane ethoxylated	Corn, grain	35.04	8	335.0	A
heptamethyltrisiloxane ethoxylated	Corn, human consumption	52.7	41	1,381.0	A
heptamethyltrisiloxane ethoxylated	Cotton	259.54	55	4,032.59	A
heptamethyltrisiloxane ethoxylated	Date	0.24	1	1.5	A
heptamethyltrisiloxane ethoxylated	Dill	0.84	2	4.73	A
heptamethyltrisiloxane ethoxylated	Eggplant	4.22	5	54.0	A
heptamethyltrisiloxane ethoxylated	Garlic	18.31	5	407.0	A
heptamethyltrisiloxane ethoxylated	Grape	241.05	148	5,054.56	A
heptamethyltrisiloxane ethoxylated	Grape, wine	4,932.82	710	42,727.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane ethoxylated	Grapefruit	200.31	82	2,264.45	A
heptamethyltrisiloxane ethoxylated	Hops	1.27	1	12.0	A
heptamethyltrisiloxane ethoxylated	Kale	12.24	21	99.4	A
heptamethyltrisiloxane ethoxylated	Kumquat	0.3	4	11.4	A
heptamethyltrisiloxane ethoxylated	Landscape maintenance	9.68	N/A	N/A	N/A
heptamethyltrisiloxane ethoxylated	Lemon	142.3	39	1,141.87	A
heptamethyltrisiloxane ethoxylated	Lettuce, head	20.55	37	1,791.1	A
heptamethyltrisiloxane ethoxylated	Lettuce, leaf	112.12	111	2,108.99	A
heptamethyltrisiloxane ethoxylated	Lime	1.22	7	46.1	A
heptamethyltrisiloxane ethoxylated	Mustard greens	1.85	2	9.75	A
heptamethyltrisiloxane ethoxylated	N-outdr flower	6.34	4	64.0	A
heptamethyltrisiloxane ethoxylated	N-outdr plants in containers	1.18	1	4.0	A
heptamethyltrisiloxane ethoxylated	Oat (forage - fodder)	4.3	4	153.0	A
heptamethyltrisiloxane ethoxylated	Olive	5.8	8	115.79	A
heptamethyltrisiloxane ethoxylated	Onion, dry	1,967.89	133	9,237.5	A
heptamethyltrisiloxane ethoxylated	Orange	205.42	120	2,085.11	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane ethoxylated	Parsley	25.75	21	409.32	A
heptamethyltrisiloxane ethoxylated	Pastureland	9.1	7	175.8	A
heptamethyltrisiloxane ethoxylated	Peach	21.1	20	394.17	A
heptamethyltrisiloxane ethoxylated	Peas (forage - fodder)	3.37	1	75.0	A
heptamethyltrisiloxane ethoxylated	Pecan	33.67	17	351.31	A
heptamethyltrisiloxane ethoxylated	Pepper, fruiting	713.06	237	5,723.34	A
heptamethyltrisiloxane ethoxylated	Pepper, spice	5.84	3	59.4	A
heptamethyltrisiloxane ethoxylated	Persimmon	1.74	4	36.6	A
heptamethyltrisiloxane ethoxylated	Pistachio	2,249.26	275	19,291.93	A
heptamethyltrisiloxane ethoxylated	Pomegranate	4,854.61	174	21,990.6	A
heptamethyltrisiloxane ethoxylated	Prune	58.63	25	448.9	A
heptamethyltrisiloxane ethoxylated	Pumpkin	174.14	52	2,034.8	A
heptamethyltrisiloxane ethoxylated	Rangeland	9.22	6	205.0	A
heptamethyltrisiloxane ethoxylated	Raspberry	486.6	709	3,612.55	A
heptamethyltrisiloxane ethoxylated	Research commodity	0.89	N/A	N/A	N/A
heptamethyltrisiloxane ethoxylated	Rice	5,738.06	1,214	93,169.33	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane ethoxylated	Rights of way	52.94	18	757.0	A
heptamethyltrisiloxane ethoxylated	Rights of way	62.45	N/A	N/A	N/A
heptamethyltrisiloxane ethoxylated	Safflower	2.53	1	60.0	A
heptamethyltrisiloxane ethoxylated	Soil fumigation/preplant	29.79	8	593.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
heptamethyltrisiloxane ethoxylated	Sorghum/milo	21.07	3	326.0	A
heptamethyltrisiloxane ethoxylated	Squash	11.67	11	242.75	A
heptamethyltrisiloxane ethoxylated	Strawberry	7,043.2	1,261	33,893.43	A
heptamethyltrisiloxane ethoxylated	Structural pest control	<0.01	N/A	N/A	N/A
heptamethyltrisiloxane ethoxylated	Sugarbeet	25.87	14	1,358.0	A
heptamethyltrisiloxane ethoxylated	Sunflower	300.44	59	3,684.48	A
heptamethyltrisiloxane ethoxylated	Swiss chard	0.16	1	1.5	A
heptamethyltrisiloxane ethoxylated	Tangerine	66.77	25	789.18	A
heptamethyltrisiloxane ethoxylated	Tomato	915.28	385	12,699.58	A
heptamethyltrisiloxane ethoxylated	Tomato, processing	502.65	132	5,286.05	A
heptamethyltrisiloxane ethoxylated	Turf/sod	12.38	8	222.0	A
heptamethyltrisiloxane ethoxylated	Uncultivated ag	544.27	152	9,327.7	A
heptamethyltrisiloxane ethoxylated	Uncultivated non-ag	1.08	1	12.0	A
heptamethyltrisiloxane ethoxylated	Vetch	6.75	2	150.0	A
heptamethyltrisiloxane ethoxylated	Walnut	2,502.4	669	28,565.49	A
heptamethyltrisiloxane ethoxylated	Watermelon	938.54	124	8,535.0	A
heptamethyltrisiloxane ethoxylated	Wheat	9.38	2	263.8	A
heptamethyltrisiloxane ethoxylated	Wheat (forage - fodder)	9.05	5	670.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Alfalfa	2,399.33	665	29,110.98	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Almond	39,526.17	5,432	290,266.93	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Apple	19.18	14	172.57	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Apple	0.06	1	1.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Apricot	17.06	37	230.84	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Artichoke, globe	26.25	74	693.7	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Arugula	15.55	47	171.85	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Avocado	15.35	85	859.3	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Basil, sweet	0.17	1	2.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Bean, dried	12.26	4	212.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Bean, succulent	2.9	4	91.6	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Bean, unspecified	9.09	14	91.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Beet	0.25	1	4.6	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Bermudagrass	0.47	1	96.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Blackberry	208.07	163	713.32	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Blueberry	41.05	34	447.71	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Bok choy	1.11	2	6.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Broccoli	1,369.84	2,302	24,477.98	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Brussels sprout	1,071.81	1,097	15,851.82	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cabbage	322.04	830	4,909.49	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cannabis (all or unspecified)	60.73	113	160.48	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cannabis (all or unspecified)	581.52	207	8,198,495.0	S
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cantaloupe	20.6	4	306.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Carrot	26.0	33	304.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cauliflower	702.3	1,580	13,004.11	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Celery	117.66	247	1,709.54	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cherry	548.32	362	4,001.73	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cilantro	49.91	334	1,219.27	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Citrus	1.12	1	15.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Corn (forage - fodder)	1,520.67	559	26,361.77	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Corn, grain	38.07	98	4,052.9	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Corn, human consumption	172.26	546	13,757.84	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cotton	82.09	91	16,459.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cucumber	1.28	3	53.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Fennel	1.57	14	14.43	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Fig	65.66	7	287.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Forest, timberland	0.61	9	145.1	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Garlic	15.26	5	407.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape	850.8	353	8,153.01	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape, wine	4,596.06	1,269	33,293.67	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grapefruit	30.95	23	200.54	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Industrial site	4.5	1	20.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Kale	19.25	45	180.53	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Kiwi fruit fuzzy	13.58	4	63.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Landscape maintenance	406.43	N/A	N/A	N/A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Leek	19.02	34	200.16	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lemon	281.59	211	2,263.83	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lettuce, head	129.05	228	2,357.28	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lettuce, leaf	884.81	880	6,748.72	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Melon	60.96	20	1,057.5	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Mizuna	0.69	4	6.5	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Mustard greens	1.74	8	21.53	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs flower	2,265.97	731	1,498.68	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs plants in containers	34.21	71	63.37	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs transplants	0.18	5	7.24	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-outdr plants in containers	19.8	118	358.41	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-outdr transplants	1.52	25	160.11	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Nectarine	459.39	245	2,845.95	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Oat (forage - fodder)	1.35	1	12.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Olive	42.93	13	343.32	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Onion, dry	115.21	46	3,338.7	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Orange	960.23	242	4,961.04	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Parsley	16.1	29	408.02	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pastureland	11.67	11	148.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Peach	778.59	481	5,474.3	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pear	6.13	4	77.09	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Peas	22.69	76	872.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Peas (forage - fodder)	2.81	1	75.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pecan	44.59	21	367.88	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pepper, fruiting	12.11	7	240.4	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Persimmon	1.09	2	29.5	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Pistachio	9,389.42	679	57,558.9	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Plum	244.97	178	1,710.81	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Prune	166.54	59	1,112.48	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Pumpkin	3.43	3	92.0	A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rangeland	12.35	9	234.0	A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rapini	31.56	25	403.2	A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Raspberry	674.91	169	1,456.47	A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Regulatory pest control	1.08	N/A	N/A	N/A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rice	5,636.2	1,616	127,022.93	A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rights of way	59.32	30	855.1	A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rights of way	0.06	1	1.0	U
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Rights of way	1,445.04	N/A	N/A	N/A
<b>heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated</b>	Soil fumigation/preplant	79.19	16	891.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Sorghum/milo	19.94	12	557.4	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Spinach	8.02	9	52.77	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Squash	0.91	5	18.5	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Squash, summer	1.11	1	20.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Strawberry	5,730.4	968	9,616.5	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Sunflower	252.47	70	3,938.48	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Sweet potato	2.94	1	30.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Swiss chard	15.21	36	124.49	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Tangelo	80.33	13	138.2	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Tangerine	436.91	123	1,917.91	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Tomato	4.17	12	360.9	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Tomato, processing	126.04	44	2,819.95	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Uncultivated ag	610.74	248	11,254.83	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Uncultivated non-ag	16.22	11	682.18	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Vegetable	0.11	1	1.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Vetch	5.62	2	150.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Walnut	3,830.41	1,399	48,185.67	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Watermelon	0.72	6	68.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Wheat	7.81	2	263.8	A
heptyl butyrate	Landscape maintenance	0.27	N/A	N/A	N/A
heptyl butyrate	Structural pest control	11.47	N/A	N/A	N/A
(z,e)-7,11-hexadecadien-1-yl acetate	Grape, wine	0.33	3	16.01	A
(z,z)-7,11-hexadecadien-1-yl acetate	Grape, wine	0.33	3	16.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(z)-9-hexadecenal	Structural pest control	0.02	N/A	N/A	N/A
(z)-11-hexadecen-1-yl acetate	Bok choy	0.15	9	6.7	A
(z)-11-hexadecen-1-yl acetate	Broccoli	16.23	73	681.4	A
(z)-11-hexadecen-1-yl acetate	Brussels sprout	54.19	162	2,271.3	A
(z)-11-hexadecen-1-yl acetate	Cabbage	9.5	36	343.83	A
(z)-11-hexadecen-1-yl acetate	Cauliflower	10.48	40	402.6	A
(z)-11-hexadecen-1-yl acetate	Collard	0.67	9	24.62	A
(z)-11-hexadecen-1-yl acetate	Kale	0.15	2	4.95	A
(z)-11-hexadecen-1-yl acetate	Lettuce, leaf	0.62	1	13.9	A
(z)-11-hexadecen-1-yl acetate	N-outdr flower	0.21	3	5.0	A
(z)-11-hexadecenal	Bok choy	0.15	9	6.7	A
(z)-11-hexadecenal	Broccoli	16.23	73	681.4	A
(z)-11-hexadecenal	Brussels sprout	54.19	162	2,271.3	A
(z)-11-hexadecenal	Cabbage	9.5	36	343.83	A
(z)-11-hexadecenal	Cauliflower	10.48	40	402.6	A
(z)-11-hexadecenal	Collard	0.67	9	24.62	A
(z)-11-hexadecenal	Kale	0.15	2	4.95	A
(z)-11-hexadecenal	Lettuce, leaf	0.62	1	13.9	A
(z)-11-hexadecenal	N-outdr flower	0.21	3	5.0	A
(z,z)-11,13-hexadecadienal	Almond	688.29	1,299	104,589.56	A
(z,z)-11,13-hexadecadienal	Almond	0.41	N/A	6,090.04	U
(z,z)-11,13-hexadecadienal	Fig	13.78	2	640.0	A
(z,z)-11,13-hexadecadienal	Pistachio	638.57	596	68,873.69	A
(z,z)-11,13-hexadecadienal	Walnut	169.79	28	1,029.0	A
hexaflumuron	Landscape maintenance	3.69	N/A	N/A	N/A
hexaflumuron	Structural pest control	0.05	N/A	N/A	N/A
hexahydric alcohol	Almond	12.03	1	27.0	A
hexanoic acid	Structural pest control	0.02	N/A	N/A	N/A
hexazinone	Alfalfa	30,101.35	1,149	57,819.6	A
hexazinone	Bermudagrass	39.38	2	35.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hexazinone	Forest, timberland	30,210.54	335	18,050.68	A
hexazinone	Rangeland	5.0	1	27.0	A
hexazinone	Research commodity	0.41	N/A	N/A	N/A
hexazinone	Rights of way	3.62	N/A	N/A	N/A
hexazinone	Structural pest control	0.38	N/A	N/A	N/A
hexazinone	Uncultivated ag	14.76	1	28.0	A
hexylene glycol	Rights of way	2,581.58	N/A	N/A	N/A
hexythiazox	Alfalfa	3,001.03	262	18,386.86	A
hexythiazox	Almond	40,888.81	3,504	233,856.13	A
hexythiazox	Apple	48.87	3	164.0	A
hexythiazox	Apricot	62.49	29	332.14	A
hexythiazox	Bean, dried	121.57	15	798.0	A
hexythiazox	Bean, succulent	47.79	9	338.5	A
hexythiazox	Bermudagrass	491.67	41	3,347.9	A
hexythiazox	Blackberry	81.42	45	436.03	A
hexythiazox	Cherry	785.23	145	4,354.52	A
hexythiazox	Christmas tree	0.19	1	4.0	A
hexythiazox	Corn (forage - fodder)	9,321.19	1,084	58,329.69	A
hexythiazox	Corn, grain	367.74	95	2,611.8	A
hexythiazox	Corn, human consumption	1,098.64	183	7,665.97	A
hexythiazox	Cotton	482.39	40	3,863.76	A
hexythiazox	Date	172.79	182	1,053.73	A
hexythiazox	Eggplant	12.61	4	67.0	A
hexythiazox	Grape	579.08	81	3,753.19	A
hexythiazox	Grape, wine	3,900.6	479	22,510.84	A
hexythiazox	Grapefruit	10.12	6	53.6	A
hexythiazox	Hops	3.37	4	33.57	A
hexythiazox	Landscape maintenance	3.83	N/A	N/A	N/A
hexythiazox	Lemon	159.94	55	961.73	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hexythiazox	N-grnhs flower	17.3	53	97.51	A
hexythiazox	N-grnhs flower	1.16	38	254,637.5	S
hexythiazox	N-grnhs plants in containers	91.14	393	513.73	A
hexythiazox	N-grnhs plants in containers	1.92	50	738,420.2	S
hexythiazox	N-grnhs plants in containers	0.13	1	1.38	U
hexythiazox	N-grnhs transplants	4.18	36	29.19	A
hexythiazox	N-grnhs transplants	0.53	20	145,764.0	S
hexythiazox	N-outdr flower	23.95	58	271.04	A
hexythiazox	N-outdr flower	0.03	1	8,400.0	S
hexythiazox	N-outdr plants in containers	26.13	79	868.49	A
hexythiazox	N-outdr plants in containers	0.56	7	278,172.0	S
hexythiazox	N-outdr plants in containers	19.17	53	893,504.0	U
hexythiazox	N-outdr transplants	25.77	39	155.07	A
hexythiazox	Nectarine	851.42	185	3,275.32	A
hexythiazox	Orange	740.51	217	4,308.48	A
hexythiazox	Peach	2,688.78	470	8,860.42	A
hexythiazox	Pear	65.79	8	349.56	A
hexythiazox	Pepper, fruiting	47.02	11	264.16	A
hexythiazox	Pistachio	6.95	1	36.9	A
hexythiazox	Plum	573.59	221	3,056.67	A
hexythiazox	Prune	66.83	4	358.0	A
hexythiazox	Raspberry	155.51	101	883.35	A
hexythiazox	Regulatory pest control	1.35	N/A	N/A	N/A
hexythiazox	Research commodity	0.71	3	3.76	A
hexythiazox	Research commodity	0.46	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hexythiazox	Sorghum (forage - fodder)	259.06	25	1,647.56	A
hexythiazox	Sorghum/milo	26.26	10	167.4	A
hexythiazox	Strawberry	3,218.6	440	16,094.22	A
hexythiazox	Structural pest control	0.19	N/A	N/A	N/A
hexythiazox	Tangelo	43.16	12	239.7	A
hexythiazox	Tangerine	1,989.42	295	10,732.11	A
hexythiazox	Tomato	6.25	7	44.84	A
hexythiazox	Uncultivated ag	12.24	2	65.0	A
hexythiazox	Walnut	4,572.74	594	25,675.04	A
hexythiazox	Wheat (forage - fodder)	30.68	6	180.0	A
humic acid	Alfalfa	128.44	120	5,006.6	A
humic acid	Almond	2,345.94	777	40,076.9	A
humic acid	Apple	224.55	25	1,611.0	A
humic acid	Apricot	4.71	2	48.0	A
humic acid	Artichoke, globe	0.84	1	17.5	A
humic acid	Avocado	0.72	2	20.0	A
humic acid	Bean, dried	5.35	5	212.0	A
humic acid	Blueberry	0.92	4	48.48	A
humic acid	Cherry	112.46	124	1,902.67	A
humic acid	Corn (forage - fodder)	42.57	47	2,381.92	A
humic acid	Corn, grain	2.9	3	154.0	A
humic acid	Cotton	603.34	216	51,719.62	A
humic acid	Cucumber	4.48	2	116.33	A
humic acid	Garlic	6.88	3	404.78	A
humic acid	Grape	27.77	56	573.73	A
humic acid	Grape, wine	113.78	242	2,224.05	A
humic acid	Grapefruit	0.08	2	1.75	A
humic acid	Landscape maintenance	11.69	N/A	N/A	N/A
humic acid	Lemon	0.07	1	1.5	A
humic acid	Mint	0.29	1	15.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
humic acid	Oat (forage - fodder)	3.56	4	229.0	A
humic acid	Olive	4.49	5	146.66	A
humic acid	Onion, dry	4.42	1	147.0	A
humic acid	Orange	3.28	5	38.18	A
humic acid	Peach	11.08	6	190.4	A
humic acid	Pecan	0.72	1	12.5	A
humic acid	Pistachio	122.6	94	4,572.38	A
humic acid	Pomegranate	7.16	10	197.72	A
humic acid	Pumpkin	5.5	5	143.0	A
humic acid	Research commodity	0.7	3	14.5	A
humic acid	Rights of way	8.48	4	561.0	A
humic acid	Rights of way	51.58	N/A	N/A	N/A
humic acid	Safflower	15.42	15	2,038.0	A
humic acid	Soil fumigation/preplant	34.03	15	2,927.75	A
humic acid	Strawberry	19.39	7	259.0	A
humic acid	Tangerine	11.13	17	218.33	A
humic acid	Tomato	19.73	24	987.33	A
humic acid	Tomato, processing	47.43	25	1,732.33	A
humic acid	Uncultivated ag	110.83	139	2,283.6	A
humic acid	Walnut	767.04	304	9,748.92	A
humic acid	Watermelon	7.31	4	199.0	A
humic acid	Wheat	1.69	1	88.0	A
hydramethylnon	Almond	7.69	20	1,460.49	A
hydramethylnon	Animal premise	<0.01	N/A	0.01	U
hydramethylnon	County ag comm	<0.01	N/A	N/A	N/A
hydramethylnon	Grape	0.89	2	157.0	A
hydramethylnon	Grape, wine	<0.01	1	1.5	A
hydramethylnon	Landscape maintenance	2.99	N/A	N/A	N/A
hydramethylnon	N-grnhs plants in containers	5.61	45	170.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydramethylnon	N-grnhs plants in containers	<0.01	10	50.0	S
hydramethylnon	N-outdr flower	0.04	3	3.0	A
hydramethylnon	N-outdr plants in containers	33.21	202	2,632.15	A
hydramethylnon	N-outdr transplants	<0.01	3	0.03	A
hydramethylnon	Public health	67.62	N/A	N/A	N/A
hydramethylnon	Regulatory pest control	0.05	N/A	N/A	N/A
hydramethylnon	Rights of way	0.31	N/A	N/A	N/A
hydramethylnon	Structural pest control	27.52	N/A	N/A	N/A
hydramethylnon	Turf/sod	1.15	9	178.0	A
hydrogen chloride	Almond	1.61	3	6.5	A
hydrogen chloride	Landscape maintenance	518.35	N/A	N/A	N/A
hydrogen chloride	Water area	538.75	N/A	126.0	U
hydrogen cyanamide	Blackberry	78.82	1	6.0	A
hydrogen cyanamide	Blueberry	4,952.63	15	605.22	A
hydrogen cyanamide	Cherry	201,520.08	596	13,767.29	A
hydrogen cyanamide	Grape	397,800.03	649	29,564.7	A
hydrogen cyanamide	Kiwi fruit fuzzy	33,193.83	108	1,970.85	A
hydrogen cyanamide	Lemon	700.65	1	40.0	A
hydrogen cyanamide	N-outdr plants in containers	505.74	2	29.0	A
hydrogen cyanamide	Pistachio	242.38	12	14.95	A
hydrogen cyanamide	Soil fumigation/preplant	386.3	1	35.0	A
hydrogen cyanamide	Uncultivated ag	350.33	2	20.0	A
hydrogen peroxide	Almond	45,911.97	325	31,484.57	A
hydrogen peroxide	Animal premise	246.0	N/A	73.68	A
hydrogen peroxide	Animal premise	416.66	N/A	2,639,376.0	S
hydrogen peroxide	Animal premise	8,075.17	N/A	758,647.0	U
hydrogen peroxide	Apple	626.62	20	212.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	Apricot	386.94	9	157.0	A
hydrogen peroxide	Arugula	1,055.28	164	1,086.25	A
hydrogen peroxide	Arugula	37.09	1	20,000.0	S
hydrogen peroxide	Arugula	67.14	156	109,250.0	U
hydrogen peroxide	Avocado	497.99	4	8.5	A
hydrogen peroxide	Avocado	7.78	3	12,500.0	U
hydrogen peroxide	Basil, sweet	35.73	22	67.7	A
hydrogen peroxide	Bean, succulent	23.73	2	31.3	A
hydrogen peroxide	Bean, unspecified	9.16	3	6.0	A
hydrogen peroxide	Beet	350.31	19	312.9	A
hydrogen peroxide	Beet	37.09	1	20,000.0	S
hydrogen peroxide	Beet	18.15	49	34,300.0	U
hydrogen peroxide	Blackberry	545.41	81	295.12	A
hydrogen peroxide	Blueberry	5,293.93	163	4,545.1	A
hydrogen peroxide	Bok choy	76.94	6	61.8	A
hydrogen peroxide	Bok choy	37.09	1	20,000.0	S
hydrogen peroxide	Bok choy	56.57	155	108,550.0	U
hydrogen peroxide	Broccoli	169.34	118	833.21	A
hydrogen peroxide	Brussels sprout	240.73	13	193.9	A
hydrogen peroxide	Cabbage	355.33	138	3,045.2	A
hydrogen peroxide	Cannabis (all or unspecified)	227.47	109	54.33	A
hydrogen peroxide	Cannabis (all or unspecified)	0.03	2	336.0	C
hydrogen peroxide	Cannabis (all or unspecified)	1,905.59	1,860	5,860,268.0	S
hydrogen peroxide	Carrot	2,766.71	30	1,607.8	A
hydrogen peroxide	Cauliflower	287.11	107	1,016.39	A
hydrogen peroxide	Celery	8,750.99	168	3,053.91	A
hydrogen peroxide	Cherry	1,276.72	43	647.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	Chive	1.94	1	2.0	A
hydrogen peroxide	Cilantro	310.21	34	288.95	A
hydrogen peroxide	Citrus	25.0	15	46.04	A
hydrogen peroxide	Citrus	17,718.2	N/A	437,316.8	T
hydrogen peroxide	Citrus	4.36	2	1,500.0	U
hydrogen peroxide	Collard	410.79	33	110.51	A
hydrogen peroxide	Commodity fumigation	11,960.09	N/A	N/A	N/A
hydrogen peroxide	Corn, human consumption	18.67	1	32.0	A
hydrogen peroxide	Cucumber	1,443.6	114	433.16	A
hydrogen peroxide	Cucumber	0.18	1	2,000.0	S
hydrogen peroxide	Dill	34.16	7	11.9	A
hydrogen peroxide	Ditch bank	1,007.36	N/A	592.0	A
hydrogen peroxide	Ditch bank	150,298.34	N/A	550,088.02	U
hydrogen peroxide	Eggplant	64.04	6	70.0	A
hydrogen peroxide	Endive (escarole)	0.4	22	25.41	A
hydrogen peroxide	Farm/ag building	19.82	10	2,759.0	S
hydrogen peroxide	Fennel	21.58	31	83.09	A
hydrogen peroxide	Fennel	37.09	1	20,000.0	S
hydrogen peroxide	Fennel	18.15	49	34,300.0	U
hydrogen peroxide	Food processing plant	370.21	N/A	109,667.96	T
hydrogen peroxide	Food processing plant	61.93	N/A	0.01	U
hydrogen peroxide	Fumigation, other	128.07	N/A	N/A	N/A
hydrogen peroxide	Garlic	2,215.88	44	2,837.12	A
hydrogen peroxide	Golf course turf	142.57	N/A	73.0	A
hydrogen peroxide	Grape	23,973.27	453	18,978.47	A
hydrogen peroxide	Grape, wine	20,549.98	946	16,423.31	A
hydrogen peroxide	Grapefruit	690.47	N/A	18,340.56	T
hydrogen peroxide	Greenhouse fumigation	4.49	N/A	540.0	U
hydrogen peroxide	Herb, spice	51.14	66	66,400.0	?

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	Herb, spice	4.34	4	5.0	A
hydrogen peroxide	Industrial hemp	1.77	2	11,500.0	S
hydrogen peroxide	Industrial processing water	255.1	N/A	53,046.0	U
hydrogen peroxide	Industrial site	1.9	N/A	46,380.0	S
hydrogen peroxide	Kale	3,247.01	241	1,875.52	A
hydrogen peroxide	Kale	37.09	1	20,000.0	S
hydrogen peroxide	Kale	56.57	155	108,500.0	U
hydrogen peroxide	Landscape maintenance	987.44	N/A	N/A	N/A
hydrogen peroxide	Lemon	9.96	1	4.0	A
hydrogen peroxide	Lemon	4,122.23	N/A	168,868.71	T
hydrogen peroxide	Lettuce, head	3,792.32	1,732	42,391.44	A
hydrogen peroxide	Lettuce, leaf	14,078.93	1,859	37,381.01	A
hydrogen peroxide	Lettuce, leaf	38.33	2	20,800.0	S
hydrogen peroxide	Lettuce, leaf	56.57	155	108,550.0	U
hydrogen peroxide	Lime	2.87	N/A	31.86	T
hydrogen peroxide	Melon	10.01	5	3.32	A
hydrogen peroxide	Mint	0.58	1	0.6	A
hydrogen peroxide	Mizuna	364.48	72	367.65	A
hydrogen peroxide	Mushroom	0.04	3	2,700.0	S
hydrogen peroxide	Mustard	149.54	51	281.96	A
hydrogen peroxide	Mustard	37.09	1	20,000.0	S
hydrogen peroxide	Mustard	56.57	155	108,550.0	U
hydrogen peroxide	Mustard greens	8.11	10	62.99	A
hydrogen peroxide	N-grnhs flower	130.67	24	32.0	A
hydrogen peroxide	N-grnhs flower	12.73	31	138,817.0	S
hydrogen peroxide	N-grnhs flower	4.98	1	14.0	U
hydrogen peroxide	N-grnhs plants in containers	1,105.14	362	458.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	N-grnhs plants in containers	36.8	36	551,550.0	S
hydrogen peroxide	N-grnhs plants in containers	18.56	N/A	578,763.0	U
hydrogen peroxide	N-grnhs transplants	449.24	122	119.65	A
hydrogen peroxide	N-grnhs transplants	60.12	109	903,701.0	S
hydrogen peroxide	N-outdr flower	3,607.33	128	314.99	A
hydrogen peroxide	N-outdr plants in containers	651.46	143	329.28	A
hydrogen peroxide	N-outdr plants in containers	42.29	27	664,687.0	S
hydrogen peroxide	N-outdr transplants	223.19	51	198.58	A
hydrogen peroxide	N-outdr transplants	1,646.74	111	17,679,505.0	S
hydrogen peroxide	N-outdr transplants	8.04	N/A	388,364.0	U
hydrogen peroxide	Nectarine	1,083.21	68	630.78	A
hydrogen peroxide	Onion, dry	3,940.41	57	2,564.13	A
hydrogen peroxide	Onion, dry	0.19	2	2,000.0	S
hydrogen peroxide	Onion, dry	51.92	N/A	5,200.0	T
hydrogen peroxide	Onion, green	21.09	6	18.1	A
hydrogen peroxide	Orange	24.24	N/A	56.0	A
hydrogen peroxide	Orange	5,148.77	N/A	686,161.66	T
hydrogen peroxide	Oregano	2.63	4	5.0	A
hydrogen peroxide	Parsley	96.24	24	69.04	A
hydrogen peroxide	Peach	2,634.66	99	969.77	A
hydrogen peroxide	Pear	60.26	9	63.8	A
hydrogen peroxide	Pear, asian (oriental pear, ya, ya li, nashi)	26.24	5	44.25	A
hydrogen peroxide	Peas	15.91	2	12.75	A
hydrogen peroxide	Pecan	0.02	1	1,000.0	S
hydrogen peroxide	Pepper, fruiting	1,640.0	53	2,035.57	A
hydrogen peroxide	Pistachio	2,622.26	17	2,068.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	Plum	155.84	36	345.14	A
hydrogen peroxide	Pome fruit	0.19	1	0.1	A
hydrogen peroxide	Potato	1,061.94	10	520.5	A
hydrogen peroxide	Potato	140.92	N/A	13,935.0	T
hydrogen peroxide	Pumpkin	156.49	12	159.24	A
hydrogen peroxide	Quince	49.8	4	20.0	A
hydrogen peroxide	Radicchio	112.05	1	74.0	A
hydrogen peroxide	Radish	40.16	5	26.9	A
hydrogen peroxide	Raspberry	1,236.9	101	712.31	A
hydrogen peroxide	Regulatory pest control	0.01	1	1.0	U
hydrogen peroxide	Regulatory pest control	25.42	N/A	N/A	N/A
hydrogen peroxide	Research commodity	8.46	20	1.29	A
hydrogen peroxide	Research commodity	18.75	133	583,565.0	S
hydrogen peroxide	Research commodity	3.99	N/A	N/A	N/A
hydrogen peroxide	Rights of way	819.1	N/A	N/A	N/A
hydrogen peroxide	Rosemary	5.04	4	4.42	A
hydrogen peroxide	Rutabaga	0.47	1	2.3	A
hydrogen peroxide	Sage	9.68	9	11.47	A
hydrogen peroxide	Spinach	4,520.62	646	6,331.04	A
hydrogen peroxide	Squash	313.48	25	388.69	A
hydrogen peroxide	Squash, summer	3.98	2	1.2	A
hydrogen peroxide	Squash, winter	0.27	1	2,000.0	S
hydrogen peroxide	Strawberry	10,012.41	384	4,568.04	A
hydrogen peroxide	Strawberry	0.31	2	1,600.0	S
hydrogen peroxide	Structural pest control	754.27	N/A	N/A	N/A
hydrogen peroxide	Sunflower	1.87	1	70.0	A
hydrogen peroxide	Swiss chard	1,172.55	94	977.38	A
hydrogen peroxide	Tangelo	480.11	N/A	13,524.01	T
hydrogen peroxide	Tangerine	2,682.85	35	623.1	A
hydrogen peroxide	Tangerine	1,361.37	N/A	32,964.56	T



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	Tomatillo	0.37	1	0.1	A
hydrogen peroxide	Tomato	1,930.22	109	1,368.41	A
hydrogen peroxide	Tomato	0.1	4	10,440.0	S
hydrogen peroxide	Tomato, processing	1,505.2	53	2,432.6	A
hydrogen peroxide	Turnip	14.94	1	12.0	A
hydrogen peroxide	Uncultivated ag	103.79	10	50.44	A
hydrogen peroxide	Uncultivated ag	5.1	5	22,357.0	S
hydrogen peroxide	Vegetables, leafy	51.12	6	57.07	A
hydrogen peroxide	Walnut	40.79	1	32.76	A
hydrogen peroxide	Water (industrial)	978.08	N/A	57.15	A
hydrogen peroxide	Water (industrial)	98.92	N/A	31,919.0	T
hydrogen peroxide	Water (industrial)	26,743.42	N/A	94,432.01	U
hydrogen peroxide	Water area	136.25	N/A	1.0	A
hydrogen peroxide	Water area	557.37	N/A	25,157.5	T
hydrogen peroxide	Water area	141,921.31	N/A	118,596.85	U
hydrogen peroxide	Water washer/cooler/condenser systems	272.56	N/A	0.03	U
hydrogen peroxide	Watermelon	466.91	9	362.2	A
hydroprene	Cannabis (all or unspecified)	<0.01	1	4,000.0	S
hydroprene	Landscape maintenance	0.09	N/A	N/A	N/A
hydroprene	N-grnhs flower	<0.01	N/A	1.0	A
hydroprene	N-grnhs plants in containers	0.04	3	2.08	A
hydroprene	N-grnhs plants in containers	0.39	14	265,000.0	S
hydroprene	Public health	<0.01	N/A	N/A	N/A
hydroprene	Regulatory pest control	72.8	N/A	N/A	N/A
hydroprene	Structural pest control	2,594.07	N/A	N/A	N/A
hydrotreated paraffinic solvent	Almond	21.45	5	70.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
hydrotreated paraffinic solvent	Rice	1,011.68	13	917.02	A
n-(2-hydroxyethyl)ethylenediaminetriacetic acid, trisodium salt	Landscape maintenance	0.01	N/A	N/A	N/A
2-hydroxypropyl guar gum	Alfalfa	6.37	2	157.8	A
2-hydroxypropyl guar gum	Corn (forage - fodder)	3.23	1	80.0	A
2-hydroxypropyl guar gum	Sorghum/milo	59.24	36	2,650.09	A
2-hydroxypropyl guar gum	Wheat (forage - fodder)	9.12	5	401.92	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Alfalfa	208.24	60	3,807.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Almond	20,209.64	1,588	90,535.38	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Apple	52.71	45	406.15	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Apricot	27.71	7	54.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Artichoke, globe	358.06	114	932.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Arugula	35.7	6	71.05	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Avocado	3.52	1	31.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Bean, dried	31.4	10	536.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Bean, succulent	5.09	2	38.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Bean, unspecified	17.16	1	64.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Blackberry	148.45	9	138.32	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Blueberry	723.54	14	686.88	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Bok choy	2.27	26	25.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Broccoli	1,178.22	765	7,514.56	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Brussels sprout	780.15	312	4,309.6	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cabbage	116.37	77	582.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cannabis (all or unspecified)	0.2	3	16,250.0	S
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Carrot	98.76	49	574.33	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cauliflower	811.12	477	4,600.56	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Celery	35.45	19	127.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cherry	84.46	34	543.46	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Chinese cabbage (napa, won bok, celery cabbage)	0.83	2	18.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cilantro	0.36	1	1.8	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Corn (forage - fodder)	50.57	21	1,239.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Corn, grain	3.13	2	20.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cotton	40.19	18	800.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cucumber	189.14	98	408.75	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Dairy equipment	6.23	4	35.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Forest, timberland	58.48	21	325.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Garlic	2.98	3	40.8	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape	2,332.17	191	8,241.89	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape, wine	49,139.19	17,357	231,314.02	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grapefruit	10.18	1	10.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Kale	21.86	102	223.4	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Landscape maintenance	2.28	13	15.12	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Landscape maintenance	34.52	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lemon	254.96	28	446.81	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, head	4.02	8	71.2	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, leaf	1,380.77	382	2,779.28	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	N-grnhs flower	0.58	N/A	45.0	U
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Nectarine	514.9	37	387.68	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Olive	1,364.41	153	5,478.88	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Onion, dry	62.54	22	1,034.7	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Orange	1,403.06	155	2,385.14	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Peach	59.8	38	329.2	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pear	235.35	47	1,639.25	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Peas	17.7	20	162.8	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pecan	322.86	5	482.33	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pepper, fruiting	17.67	13	538.6	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pistachio	5,733.13	217	15,473.31	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Plum	6.04	3	18.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Potato	62.74	12	1,281.1	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Prune	642.82	75	2,697.7	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pumpkin	0.73	1	6.8	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Radicchio	227.0	20	358.5	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Rice	1,143.65	297	17,817.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Rights of way	20.45	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Spinach	12.01	3	12.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Squash	8.61	7	61.82	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Squash, winter	5.79	4	31.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Strawberry	1,285.92	106	3,055.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Sunflower	37.44	14	201.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Swiss chard	38.08	41	111.75	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tangelo	254.27	22	311.49	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tangerine	1,371.29	64	2,071.85	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tomato	1,517.36	452	5,116.74	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Tomato, processing	44.05	25	1,449.4	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Uncultivated ag	93.52	58	878.75	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Uncultivated non-ag	4.85	3	47.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Upland cress	0.46	13	25.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Vegetable	10.99	7	64.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Vegetables, fruiting	2.02	3	4.75	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Vegetables, leafy	84.97	16	460.98	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Walnut	21,673.67	1,243	46,697.37	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Watermelon	8.14	3	144.47	A
hypochlorous acid	Landscape maintenance	0.01	N/A	N/A	N/A
iba	Cannabis (all or unspecified)	2.37	80	98.5	A
iba	Cannabis (all or unspecified)	<0.01	2	2.0	C
iba	Cannabis (all or unspecified)	0.11	204	103,227.0	S
iba	Cannabis (all or unspecified)	0.22	132	263,150.0	U
iba	N-grnhs flower	<0.01	8	13.0	A
iba	N-grnhs flower	0.46	N/A	1,000.0	S
iba	N-grnhs flower	0.28	69	144,020.0	U
iba	N-grnhs plants in containers	13.51	113	46.46	A
iba	N-grnhs plants in containers	4.9	232	340,381.5	S
iba	N-grnhs plants in containers	0.28	12	28,514.0	U
iba	N-grnhs transplants	4.44	41	68.01	A
iba	N-grnhs transplants	1.68	195	877,712.0	S
iba	N-grnhs transplants	<0.01	2	70,000.0	U
iba	N-outdr flower	0.02	10	31,548.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
iba	N-outdr plants in containers	<0.01	1	1.0	A
iba	N-outdr plants in containers	1.39	113	80,854.0	S
iba	N-outdr plants in containers	0.58	93	149,003.0	U
iba	N-outdr transplants	0.37	210	630.0	A
iba	N-outdr transplants	0.73	2	13,025.1	S
imazalil	Animal premise	0.21	N/A	6.0	U
imazalil	Citrus	5.03	N/A	1,617,469.65	P
imazalil	Citrus	11,906.25	N/A	1,774,238.39	T
imazalil	Citrus	25.9	N/A	7,282.75	U
imazalil	Commodity fumigation	872.84	N/A	N/A	N/A
imazalil	Fumigation, other	64.97	N/A	N/A	N/A
imazalil	Grapefruit	316.85	N/A	38,893.45	T
imazalil	Lemon	3,605.21	N/A	880,275.12	T
imazalil	Lemon	55.13	N/A	5,908.0	U
imazalil	Lime	1.62	N/A	92.25	T
imazalil	Orange	38.49	N/A	69.0	A
imazalil	Orange	13,032.14	N/A	2,072,694.55	T
imazalil	Orange	378.65	N/A	66,910.0	U
imazalil	Rights of way	2.68	N/A	N/A	N/A
imazalil	Tangelo	392.44	N/A	16,723.35	T
imazalil	Tangerine	17.82	8	68.16	A
imazalil	Tangerine	355.15	N/A	39,233.18	T
imazalil	Unknown	126.91	N/A	41,481.0	T
imazalil sulfate	Citrus	141.0	N/A	21.0	A
imazalil sulfate	Citrus	28.66	N/A	1,613,100.0	P
imazalil sulfate	Citrus	1,662.71	N/A	193,843.16	T
imazalil sulfate	Commodity fumigation	1,148.0	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imazalil sulfate	Lemon	925.56	N/A	151,542.0	T
imazalil sulfate	Lemon	247.0	N/A	5,908.0	U
imazalil sulfate	N-grnhs flower	98.0	N/A	5,270.0	T
imazalil sulfate	Orange	172.0	N/A	69.0	A
imazalil sulfate	Orange	8,461.0	N/A	631,494.0	T
imazalil sulfate	Orange	233.0	N/A	19,292.0	U
imazalil sulfate	Tangerine	55.12	N/A	2,729.0	T
imazamox, ammonium salt	Alfalfa	4,121.54	1,792	99,990.4	A
imazamox, ammonium salt	Canola (rape)	2.12	1	72.0	A
imazamox, ammonium salt	Ditch bank	5.72	1	18.0	A
imazamox, ammonium salt	Forage hay/silage	1.45	1	35.0	A
imazamox, ammonium salt	Landscape maintenance	50.98	N/A	N/A	N/A
imazamox, ammonium salt	Rights of way	5.29	1	50.0	A
imazamox, ammonium salt	Rights of way	1,130.01	N/A	N/A	N/A
imazamox, ammonium salt	Sunflower	91.04	46	2,697.01	A
imazamox, ammonium salt	Uncultivated ag	4.88	3	17.9	A
imazamox, ammonium salt	Water (industrial)	7.67	N/A	8.5	A
imazamox, ammonium salt	Water area	81.04	3	185.23	A
imazamox, ammonium salt	Water area	0.53	N/A	64,118.0	S
imazamox, ammonium salt	Water area	16.03	5	543.77	U
imazamox, ammonium salt	Wheat	3.13	1	62.0	A
imazamox, ammonium salt	Wheat (forage - fodder)	5.49	4	170.0	A
imazapic, ammonium salt	Landscape maintenance	1.63	N/A	N/A	N/A
imazapic, ammonium salt	Structural pest control	<0.01	N/A	N/A	N/A
imazapyr	Rights of way	46.68	N/A	N/A	N/A
imazapyr, isopropylamine salt	Animal premise	0.48	N/A	2.0	U
imazapyr, isopropylamine salt	Christmas tree	44.68	1	60.0	A
imazapyr, isopropylamine salt	County ag comm	0.17	N/A	N/A	N/A
imazapyr, isopropylamine salt	Ditch bank	0.88	N/A	634.29	A
imazapyr, isopropylamine salt	Forest, timberland	25,834.87	1,692	49,663.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imazapyr, isopropylamine salt	Grape, wine	0.24	4	6.55	A
imazapyr, isopropylamine salt	Industrial site	0.13	N/A	10,770.0	S
imazapyr, isopropylamine salt	Landscape maintenance	6,647.79	N/A	N/A	N/A
imazapyr, isopropylamine salt	N-grnhs flower	68.95	2	175.0	A
imazapyr, isopropylamine salt	N-outdr plants in containers	0.96	N/A	5.0	A
imazapyr, isopropylamine salt	N-outdr transplants	4.92	1	14.0	A
imazapyr, isopropylamine salt	Public health	86.25	N/A	N/A	N/A
imazapyr, isopropylamine salt	Rangeland	113.3	2	330.0	A
imazapyr, isopropylamine salt	Recreation area	0.29	N/A	0.01	U
imazapyr, isopropylamine salt	Regulatory pest control	43.13	N/A	N/A	N/A
imazapyr, isopropylamine salt	Rights of way	192.59	8	364.5	A
imazapyr, isopropylamine salt	Rights of way	21,200.67	N/A	N/A	N/A
imazapyr, isopropylamine salt	Strawberry	0.01	1	1.0	A
imazapyr, isopropylamine salt	Structural pest control	2.98	N/A	N/A	N/A
imazapyr, isopropylamine salt	Uncultivated ag	18.94	1	11.0	A
imazapyr, isopropylamine salt	Uncultivated non-ag	167.66	4	1,142.61	A
imazapyr, isopropylamine salt	Unknown	56.59	7	113.99	A
imazapyr, isopropylamine salt	Water area	175.85	N/A	85.29	A
imazapyr, isopropylamine salt	Water area	0.69	N/A	15,495.0	S
imazethapyr, ammonium salt	Alfalfa	5,451.51	1,201	70,169.57	A
imazethapyr, ammonium salt	Bean, dried	8.46	3	110.0	A
imazethapyr, ammonium salt	Forage hay/silage	2.01	1	30.0	A
imazethapyr, ammonium salt	Oat (forage - fodder)	1.89	1	19.0	A
imazethapyr, ammonium salt	Rights of way	0.4	1	4.0	A
imazethapyr, ammonium salt	Wheat (forage - fodder)	10.8	4	170.0	A
imazosulfuron	Golf course turf	3.45	N/A	9.1	A
imazosulfuron	Golf course turf	0.08	N/A	10,000.0	S
imazosulfuron	Landscape maintenance	658.35	N/A	N/A	N/A
imazosulfuron	N-grnhs flower	20.25	N/A	55.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imazosulfuron	Rice	4,427.04	444	32,771.2	A
imazosulfuron	Turf/sod	0.15	N/A	0.25	A
imidacloprid	Alfalfa	<0.01	2	6,000.0	S
imidacloprid	Almond	38.37	6	227.4	A
imidacloprid	Animal premise	58.99	N/A	238,576.0	S
imidacloprid	Animal premise	4,645.56	N/A	147.0	U
imidacloprid	Apple	298.59	65	1,624.08	A
imidacloprid	Apricot	24.69	22	272.1	A
imidacloprid	Artichoke, globe	269.06	130	1,695.26	A
imidacloprid	Arugula	53.28	151	630.56	A
imidacloprid	Avocado	24.19	56	467.7	A
imidacloprid	Avocado	0.03	2	1,500.0	U
imidacloprid	Basil, sweet	104.96	43	761.61	A
imidacloprid	Bean, dried	1,211.24	176	10,161.5	A
imidacloprid	Bean, succulent	407.66	66	1,530.96	A
imidacloprid	Bean, unspecified	41.14	84	798.18	A
imidacloprid	Beet	126.82	172	730.44	A
imidacloprid	Blackberry	60.24	18	193.82	A
imidacloprid	Blueberry	420.17	50	1,784.45	A
imidacloprid	Bok choy	730.17	732	4,005.83	A
imidacloprid	Broccoli	11,330.9	3,914	47,366.4	A
imidacloprid	Broccoli	0.21	2	6,400.0	S
imidacloprid	Brussels sprout	1,996.55	742	9,106.62	A
imidacloprid	Buildings/non-ag outdoor	3.26	N/A	N/A	U
imidacloprid	Cabbage	1,463.54	1,188	7,018.87	A
imidacloprid	Cantaloupe	1,639.78	112	4,466.22	A
imidacloprid	Cardoon	4.7	4	13.0	A
imidacloprid	Carrot	3,153.31	155	11,080.8	A
imidacloprid	Cauliflower	5,496.13	2,022	21,208.91	A
imidacloprid	Celeriac	14.7	49	64.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Celery	1,452.68	384	4,073.58	A
imidacloprid	Cherimoya	0.09	1	1.0	A
imidacloprid	Cherry	1,424.74	545	11,623.09	A
imidacloprid	Chinese broccoli (gai lon)	39.64	78	669.0	A
imidacloprid	Chinese cabbage (napa, won bok, celery cabbage)	351.05	564	2,630.55	A
imidacloprid	Chinese greens	17.95	7	47.0	A
imidacloprid	Chive	0.05	2	1.0	A
imidacloprid	Christmas tree	0.02	1	1,000.0	S
imidacloprid	Cilantro	581.81	661	3,041.86	A
imidacloprid	Citrus	186.55	84	257.63	A
imidacloprid	Citrus	2.17	4	9,243.0	S
imidacloprid	Citrus	57.3	14	265,936.0	U
imidacloprid	Collard	85.85	169	375.67	A
imidacloprid	Corn, human consumption	1.11	1	5.0	A
imidacloprid	Cotton	8,053.56	1,034	124,759.79	A
imidacloprid	Cotton	871.77	N/A	5,456.41	T
imidacloprid	Cucumber	61.3	28	230.15	A
imidacloprid	Daikon	4.7	11	85.0	A
imidacloprid	Dandelion green	7.95	31	31.66	A
imidacloprid	Dill	36.44	3	96.0	A
imidacloprid	Eggplant	98.34	68	904.43	A
imidacloprid	Endive (escarole)	17.64	124	209.32	A
imidacloprid	Fava bean	3.0	22	67.5	A
imidacloprid	Fennel	7.08	10	25.6	A
imidacloprid	Forest, timberland	2.03	N/A	36.0	U
imidacloprid	Fumigation, other	<0.01	N/A	N/A	N/A
imidacloprid	Gai choy	0.03	1	8,000.0	S
imidacloprid	Gai lon	25.01	75	255.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Garlic	1,485.69	76	3,395.75	A
imidacloprid	Ginger	0.02	1	0.5	A
imidacloprid	Golf course turf	102.39	1	413.2	A
imidacloprid	Gourd	0.48	1	2.0	A
imidacloprid	Gourds (edible)	2.62	4	7.01	A
imidacloprid	Grape	32,869.95	3,149	121,432.38	A
imidacloprid	Grape, wine	73,964.05	5,149	223,855.34	A
imidacloprid	Grapefruit	1,428.33	148	3,087.22	A
imidacloprid	Herb, spice	9.95	26	80.01	A
imidacloprid	Industrial site	0.14	N/A	11,500.0	S
imidacloprid	Kale	310.47	641	2,205.65	A
imidacloprid	Kohlrabi	12.02	36	36.75	A
imidacloprid	Kumquat	18.9	11	38.05	A
imidacloprid	Landscape maintenance	9.49	7	28.5	A
imidacloprid	Landscape maintenance	2.7	1	335,000.0	S
imidacloprid	Landscape maintenance	18,957.77	N/A	N/A	N/A
imidacloprid	Leek	9.56	6	25.2	A
imidacloprid	Lemon	10,566.68	879	25,341.18	A
imidacloprid	Lettuce, head	12,989.19	4,559	57,524.86	A
imidacloprid	Lettuce, leaf	9,006.92	6,600	65,932.94	A
imidacloprid	Lime	68.17	10	187.4	A
imidacloprid	Melon	515.58	85	2,009.31	A
imidacloprid	Mizuna	29.54	28	135.0	A
imidacloprid	Mustard	44.54	142	513.04	A
imidacloprid	Mustard cabbage (pak choi)	1.2	2	9.0	A
imidacloprid	Mustard greens	59.21	150	393.33	A
imidacloprid	N-grnhs flower	54.54	84	245.25	A
imidacloprid	N-grnhs flower	7.76	26	1,050,414.0	S
imidacloprid	N-grnhs flower	131.26	3	1,058.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	N-grnhs plants in containers	832.96	587	438.55	A
imidacloprid	N-grnhs plants in containers	0.09	1	15,000.0	C
imidacloprid	N-grnhs plants in containers	69.51	630	31,718,341.02	S
imidacloprid	N-grnhs plants in containers	216.65	30	5,151,087.66	U
imidacloprid	N-grnhs transplants	229.65	154	1,628.21	A
imidacloprid	N-grnhs transplants	2.88	44	1,701,003.0	S
imidacloprid	N-grnhs transplants	0.01	1	325.0	U
imidacloprid	N-outdr flower	178.75	409	2,419.81	A
imidacloprid	N-outdr flower	1.47	13	213,500.0	S
imidacloprid	N-outdr flower	<0.01	N/A	30.0	U
imidacloprid	N-outdr plants in containers	1,745.26	1,588	6,135.62	A
imidacloprid	N-outdr plants in containers	7.28	11	15,231.71	C
imidacloprid	N-outdr plants in containers	27.86	191	2,562,856.0	S
imidacloprid	N-outdr plants in containers	47.58	80	858,524.22	U
imidacloprid	N-outdr transplants	408.56	189	1,517.42	A
imidacloprid	N-outdr transplants	21.08	154	10,583,269.0	S
imidacloprid	N-outdr transplants	0.56	3	949.0	U
imidacloprid	Nectarine	84.44	66	850.32	A
imidacloprid	Okra	7.94	6	125.0	A
imidacloprid	Onion, dry	495.04	22	1,160.4	A
imidacloprid	Onion, dry	39.58	N/A	3,456.05	P
imidacloprid	Orange	20,210.99	1,594	43,138.1	A
imidacloprid	Parsley	125.16	197	683.51	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Peach	371.88	326	4,916.28	A
imidacloprid	Pear	14.15	5	61.06	A
imidacloprid	Peas	90.57	185	1,718.59	A
imidacloprid	Pecan	591.14	67	3,314.3	A
imidacloprid	Pepper, fruiting	3,348.41	445	12,134.24	A
imidacloprid	Pepper, fruiting	0.26	3	17,200.0	S
imidacloprid	Pepper, spice	54.15	22	232.83	A
imidacloprid	Persimmon	260.17	21	754.5	A
imidacloprid	Pimento	3.51	3	14.0	A
imidacloprid	Pistachio	26,822.21	891	105,898.22	A
imidacloprid	Plum	338.57	157	1,509.6	A
imidacloprid	Pluot	0.15	2	3.32	A
imidacloprid	Pomegranate	6,118.58	147	14,222.5	A
imidacloprid	Pomelo	76.99	18	165.5	A
imidacloprid	Potato	4,848.08	249	19,319.55	A
imidacloprid	Prune	467.65	111	4,691.33	A
imidacloprid	Public health	669.24	N/A	N/A	N/A
imidacloprid	Pumpkin	203.2	29	652.19	A
imidacloprid	Radicchio	309.44	57	1,024.29	A
imidacloprid	Radish	1.06	5	3.5	A
imidacloprid	Rapini	650.39	226	3,839.77	A
imidacloprid	Raspberry	76.24	73	576.28	A
imidacloprid	Recreation area	0.6	N/A	91,000.0	S
imidacloprid	Regulatory pest control	1,616.85	N/A	N/A	N/A
imidacloprid	Research commodity	3.93	35	63.81	A
imidacloprid	Research commodity	0.83	52	139,658.0	S
imidacloprid	Research commodity	4.25	N/A	N/A	N/A
imidacloprid	Rights of way	0.1	1	1.0	A
imidacloprid	Rights of way	198.62	N/A	N/A	N/A
imidacloprid	Rosemary	0.17	2	0.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Soil fumigation/preplant	51.58	2	210.0	A
imidacloprid	Soil fumigation/preplant	<0.01	1	2,520.0	S
imidacloprid	Sorghum/milo	12.42	N/A	2.4	T
imidacloprid	Spinach	1,271.93	1,958	15,735.55	A
imidacloprid	Squash	237.97	46	578.2	A
imidacloprid	Squash, summer	107.5	36	404.25	A
imidacloprid	Squash, winter	129.79	17	378.0	A
imidacloprid	Squash, zucchini	20.58	4	63.25	A
imidacloprid	Stone fruit	6.26	2	68.0	A
imidacloprid	Strawberry	5,103.84	286	11,490.77	A
imidacloprid	Strawberry	0.19	4	174,230.0	S
imidacloprid	Strawberry	<0.01	2	0.07	U
imidacloprid	Structural pest control	22,826.38	N/A	N/A	N/A
imidacloprid	Sugarbeet	3,237.37	208	16,303.2	A
imidacloprid	Sweet potato	95.07	10	508.8	A
imidacloprid	Swiss chard	96.81	123	263.35	A
imidacloprid	Tangelo	832.85	69	1,734.9	A
imidacloprid	Tangerine	19,414.68	1,170	41,080.4	A
imidacloprid	Tarragon	0.03	1	0.75	A
imidacloprid	Thyme	0.05	1	0.5	A
imidacloprid	Tomatillo	0.08	1	2.0	A
imidacloprid	Tomato	3,700.76	582	27,252.84	A
imidacloprid	Tomato	0.55	1	3,800.0	S
imidacloprid	Tomato, processing	30,639.99	1,614	138,256.48	A
imidacloprid	Turf/sod	94.86	6	228.69	A
imidacloprid	Turf/sod	0.3	N/A	32,000.0	S
imidacloprid	Turnip	37.47	113	215.82	A
imidacloprid	Uncultivated ag	153.82	9	537.7	A
imidacloprid	Uncultivated ag	<0.01	2	29.0	U
imidacloprid	Uncultivated non-ag	1.33	1	30.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Vegetable	0.36	1	1.5	A
imidacloprid	Vegetables, fruiting	0.27	12	3.39	A
imidacloprid	Vegetables, leafy	4.88	28	32.99	A
imidacloprid	Vertebrate control	23.22	8	126.0	A
imidacloprid	Vertebrate control	0.43	N/A	N/A	N/A
imidacloprid	Walnut	7,672.22	2,022	87,243.92	A
imidacloprid	Watercress	9.09	17	83.0	A
imidacloprid	Watermelon	1,266.47	138	4,001.9	A
imidacloprid	Wheat (forage - fodder)	2.84	1	64.0	A
imidacloprid	Yam	2.53	2	10.0	A
imidacloprid	Yam	0.72	14	200,000.0	S
imiprothrin	Structural pest control	<0.01	N/A	N/A	N/A
indaziflam	Airport	1.58	N/A	17.0	A
indaziflam	Alfalfa	0.39	1	30.0	A
indaziflam	Almond	14,142.07	7,776	313,592.53	A
indaziflam	Apple	4.83	26	125.8	A
indaziflam	Apricot	23.45	71	508.76	A
indaziflam	Bean, unspecified	0.78	1	12.0	A
indaziflam	Blueberry	50.39	26	836.54	A
indaziflam	Cherry	197.0	395	4,467.35	A
indaziflam	Chestnut	0.74	3	13.66	A
indaziflam	Citrus	4.59	8	88.01	A
indaziflam	Farm/ag building	0.2	14	38.5	A
indaziflam	Forest, timberland	417.63	98	3,101.1	A
indaziflam	Fumigation, other	0.89	N/A	N/A	N/A
indaziflam	Golf course turf	11.29	N/A	353.44	A
indaziflam	Grape	817.38	883	22,193.25	A
indaziflam	Grape, wine	3,467.41	6,148	86,620.72	A
indaziflam	Grapefruit	209.46	176	3,890.13	A
indaziflam	Industrial site	33.6	1	381.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
indaziflam	Industrial site	<0.01	N/A	10,770.0	S
indaziflam	Landscape maintenance	4.57	10	81.0	A
indaziflam	Landscape maintenance	1,628.21	N/A	N/A	N/A
indaziflam	Lemon	664.82	570	12,282.34	A
indaziflam	Lime	0.17	2	3.8	A
indaziflam	N-grnhs flower	7.5	N/A	193.7	A
indaziflam	N-grnhs flower	0.06	6	83,670.0	S
indaziflam	N-grnhs plants in containers	5.29	115	378.8	A
indaziflam	N-grnhs plants in containers	0.29	8	106,000.0	S
indaziflam	N-grnhs transplants	5.85	9	404.46	A
indaziflam	N-grnhs transplants	0.14	13	73,478.0	S
indaziflam	N-outdr flower	0.16	8	7.13	A
indaziflam	N-outdr plants in containers	131.61	1,527	3,711.01	A
indaziflam	N-outdr plants in containers	0.04	2	30,000.0	K
indaziflam	N-outdr plants in containers	0.44	19	269,500.0	S
indaziflam	N-outdr plants in containers	0.01	1	16,633.0	U
indaziflam	N-outdr transplants	4.29	20	124.96	A
indaziflam	Nectarine	173.29	354	4,244.18	A
indaziflam	Olive	192.27	137	3,747.38	A
indaziflam	Orange	3,751.98	2,531	61,670.93	A
indaziflam	Peach	451.83	798	10,138.82	A
indaziflam	Pear	28.5	45	544.43	A
indaziflam	Pear, asian (oriental pear, ya, ya li, nashi)	0.05	1	1.78	A
indaziflam	Pecan	15.4	22	249.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
indaziflam	Persimmon	0.35	1	6.75	A
indaziflam	Pistachio	3,809.32	1,714	82,268.88	A
indaziflam	Plum	120.94	295	2,457.98	A
indaziflam	Pluot	0.15	3	3.25	A
indaziflam	Pomelo	16.2	30	274.0	A
indaziflam	Prune	352.05	297	8,394.04	A
indaziflam	Public health	1.98	N/A	N/A	N/A
indaziflam	Quince	3.34	9	61.0	A
indaziflam	Rangeland	0.73	N/A	85.0	A
indaziflam	Regulatory pest control	3.97	N/A	N/A	N/A
indaziflam	Research commodity	1.05	15	15.9	A
indaziflam	Research commodity	0.07	17	58,500.0	S
indaziflam	Research commodity	0.88	N/A	N/A	N/A
indaziflam	Rights of way	119.8	74	1,974.65	A
indaziflam	Rights of way	0.47	1	6.0	U
indaziflam	Rights of way	5,150.48	N/A	N/A	N/A
indaziflam	Soil fumigation/preplant	10.42	3	46.22	A
indaziflam	Structural pest control	5.13	N/A	N/A	N/A
indaziflam	Tangelo	91.26	79	1,574.08	A
indaziflam	Tangerine	2,299.68	1,187	38,205.96	A
indaziflam	Turf/sod	0.75	N/A	30.0	A
indaziflam	Uncultivated ag	22.86	111	905.54	A
indaziflam	Uncultivated non-ag	23.11	13	1,831.48	A
indaziflam	Walnut	3,176.12	3,114	68,965.2	A
indole	Animal premise	0.05	N/A	228.0	U
indole	Structural pest control	0.01	N/A	N/A	N/A
indoxacarb	Alfalfa	17,381.59	3,486	197,594.36	A
indoxacarb	Apricot	16.43	9	141.7	A
indoxacarb	Bean, dried	36.56	6	265.3	A
indoxacarb	Bok choy	27.45	113	426.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
indoxacarb	Broccoli	1,693.05	2,330	26,047.95	A
indoxacarb	Brussels sprout	682.22	673	10,326.54	A
indoxacarb	Buildings/non-ag outdoor	<0.01	N/A	N/A	U
indoxacarb	Cabbage	637.77	1,204	9,821.34	A
indoxacarb	Canola (rape)	4.39	1	70.0	A
indoxacarb	Cantaloupe	43.8	4	464.0	A
indoxacarb	Cauliflower	918.62	1,325	14,118.23	A
indoxacarb	Celery	230.96	164	3,348.29	A
indoxacarb	Chinese cabbage (napa, won bok, celery cabbage)	39.59	72	610.63	A
indoxacarb	Chinese greens	4.93	16	96.0	A
indoxacarb	Collard	14.52	89	221.83	A
indoxacarb	Corn, human consumption	607.04	190	9,528.41	A
indoxacarb	Cotton	3,264.3	266	36,444.96	A
indoxacarb	Eggplant	3.85	3	45.0	A
indoxacarb	Forage hay/silage	1.75	1	15.0	A
indoxacarb	Gai lon	2.72	44	41.23	A
indoxacarb	Golf course turf	0.3	N/A	170,000.0	S
indoxacarb	Grape	175.0	38	1,654.97	A
indoxacarb	Grape, wine	126.67	25	1,124.13	A
indoxacarb	Industrial hemp	0.07	1	0.5	A
indoxacarb	Industrial site	<0.01	N/A	1,517,259.0	S
indoxacarb	Kale	73.1	281	1,124.29	A
indoxacarb	Kohlrabi	0.43	7	6.6	A
indoxacarb	Landscape maintenance	0.53	2	4.4	A
indoxacarb	Landscape maintenance	55.05	N/A	N/A	N/A
indoxacarb	Lettuce, head	79.91	58	982.97	A
indoxacarb	Lettuce, leaf	56.14	28	640.48	A
indoxacarb	Melon	18.4	6	230.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
indoxacarb	Mint	0.31	4	4.7	A
indoxacarb	Mustard	0.57	7	8.62	A
indoxacarb	Mustard greens	4.06	25	61.84	A
indoxacarb	N-grnhs flower	0.16	1	16.25	A
indoxacarb	N-grnhs flower	0.52	N/A	401,000.0	S
indoxacarb	N-grnhs plants in containers	<0.01	4	6.25	A
indoxacarb	N-grnhs plants in containers	<0.01	7	60,900.0	S
indoxacarb	N-grnhs transplants	14.84	412	186.08	A
indoxacarb	N-outdr plants in containers	<0.01	2	3.0	A
indoxacarb	N-outdr plants in containers	<0.01	4	60,000.0	S
indoxacarb	N-outdr transplants	0.23	N/A	3.11	A
indoxacarb	N-outdr transplants	0.47	N/A	270,000.0	S
indoxacarb	Nectarine	712.13	476	6,352.55	A
indoxacarb	Peach	1,315.59	542	11,702.96	A
indoxacarb	Pear	0.37	1	3.3	A
indoxacarb	Pear, asian (oriental pear, ya, ya li, nashi)	1.97	2	17.5	A
indoxacarb	Peas	0.57	19	8.61	A
indoxacarb	Pepper, fruiting	104.6	54	1,565.39	A
indoxacarb	Plum	28.15	25	250.18	A
indoxacarb	Potato	264.13	62	2,758.19	A
indoxacarb	Public health	1.17	N/A	N/A	N/A
indoxacarb	Pumpkin	23.1	6	308.0	A
indoxacarb	Quince	2.25	4	20.0	A
indoxacarb	Radicchio	75.07	13	787.23	A
indoxacarb	Rapini	42.46	34	689.8	A
indoxacarb	Regulatory pest control	2.78	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
indoxacarb	Research commodity	5.25	16	47.1	A
indoxacarb	Research commodity	0.12	N/A	N/A	N/A
indoxacarb	Rights of way	0.2	N/A	N/A	N/A
indoxacarb	Spinach	5.16	7	78.95	A
indoxacarb	Squash	0.15	1	6.6	A
indoxacarb	Structural pest control	1,412.84	N/A	N/A	N/A
indoxacarb	Sweet potato	15.16	4	231.0	A
indoxacarb	Swiss chard	2.58	39	39.28	A
indoxacarb	Tomato	130.4	55	2,056.09	A
indoxacarb	Tomato, processing	1,367.14	302	20,844.64	A
indoxacarb	Turf/sod	0.6	N/A	240,000.0	S
indoxacarb	Uncultivated ag	3.12	1	68.0	A
indoxacarb	Upland cress	0.43	4	6.6	A
indoxacarb	Vegetables, leafy	1.35	7	29.0	A
indoxacarb	Vertebrate control	24.74	N/A	N/A	N/A
indoxacarb	Watermelon	270.93	81	2,838.54	A
iodine	Forest, timberland	2.66	2	45.0	A
iodine	Landscape maintenance	1.58	N/A	N/A	N/A
iodine	Rights of way	3.11	N/A	N/A	N/A
iodine	Structural pest control	0.25	N/A	N/A	N/A
3-iodo-2-propynyl butylcarbamate	Landscape maintenance	0.64	N/A	N/A	N/A
3-iodo-2-propynyl butylcarbamate	Lumber, treated	1,414.72	N/A	5,498.2	K
iodosulfuron-methyl-sodium	Golf course turf	0.03	N/A	8.0	A
iodosulfuron-methyl-sodium	Golf course turf	0.14	N/A	150,000.0	S
iodosulfuron-methyl-sodium	Landscape maintenance	1.3	N/A	N/A	N/A
iodosulfuron-methyl-sodium	N-grnhs flower	0.07	N/A	25.0	A
iodosulfuron-methyl-sodium	N-outdr transplants	0.03	N/A	10.0	A
ipconazole	Bean, dried	2.25	N/A	45.0	T
iprodione	Almond	9,573.92	276	19,357.36	A
iprodione	Apricot	677.0	65	967.12	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
iprodione	Blackberry	523.66	59	514.56	A
iprodione	Blackberry	1.81	2	78,840.0	S
iprodione	Blueberry	186.23	16	237.75	A
iprodione	Broccoli	128.08	15	140.65	A
iprodione	Cabbage	<0.01	N/A	0.12	P
iprodione	Carrot	4,039.89	81	6,120.9	A
iprodione	Carrot	586.68	N/A	119,528.23	P
iprodione	Cauliflower	346.42	31	367.8	A
iprodione	Cherry	14,251.94	845	17,626.96	A
iprodione	Commodity fumigation	0.81	N/A	N/A	N/A
iprodione	Cotton	120.48	9	564.0	A
iprodione	County ag comm	5.14	N/A	N/A	N/A
iprodione	Fumigation, other	791.89	N/A	N/A	N/A
iprodione	Golf course turf	214.65	N/A	76.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
iprodione	Golf course turf	72.8	N/A	505,400.0	S
iprodione	Grape	1,648.31	82	3,411.62	A
iprodione	Grape, wine	127.67	10	144.25	A
iprodione	Grape, wine	28.64	N/A	983,875.0	U
iprodione	Landscape maintenance	71.52	10	21.6	A
iprodione	Landscape maintenance	2.0	1	32,000.0	S
iprodione	Landscape maintenance	7,136.52	N/A	N/A	N/A
iprodione	Lettuce, head	2,049.48	187	2,182.93	A
iprodione	Lettuce, leaf	3,797.35	452	4,061.22	A
iprodione	N-grnhs flower	808.28	652	1,119.12	A
iprodione	N-grnhs flower	57.64	15	886,981.0	S
iprodione	N-grnhs plants in containers	720.31	985	746.34	A
iprodione	N-grnhs plants in containers	260.73	430	18,136,983.46	S
iprodione	N-grnhs plants in containers	90.06	N/A	3,449,165.0	U
iprodione	N-grnhs transplants	131.44	55	60.32	A
iprodione	N-grnhs transplants	92.89	229	4,838,467.5	S
iprodione	N-outdr flower	1,969.29	1,153	30,589.19	A
iprodione	N-outdr flower	5.02	15	102,612.0	S
iprodione	N-outdr flower	0.72	9	11,106.0	U
iprodione	N-outdr plants in containers	1,267.43	890	1,168.45	A
iprodione	N-outdr plants in containers	21.29	54	971,131.0	S
iprodione	N-outdr plants in containers	252.83	67	5,667,205.0	U
iprodione	N-outdr transplants	1,229.98	77	621.33	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
iprodione	N-outdr transplants	99.69	24	1,810,807.0	S
iprodione	Nectarine	4,415.08	545	5,809.72	A
iprodione	Onion, dry	2,792.2	76	3,980.5	A
iprodione	Peach	9,621.36	973	13,295.17	A
iprodione	Plum	1,210.25	244	2,176.74	A
iprodione	Potato	874.88	10	876.4	A
iprodione	Prune	186.58	8	212.11	A
iprodione	Raspberry	928.02	152	929.61	A
iprodione	Raspberry	2.05	4	89,517.0	S
iprodione	Raspberry	284.95	1	3,696.0	U
iprodione	Research commodity	2.79	8	5.93	A
iprodione	Research commodity	0.6	N/A	N/A	N/A
iprodione	Rights of way	4.0	N/A	N/A	N/A
iprodione	Sod farm (turf)	2.25	2	3.0	A
iprodione	Soil fumigation/preplant	25.79	1	35.0	A
iprodione	Strawberry	2.5	2	2.5	A
iprodione	Strawberry	2.53	5	104,133.0	S
iprodione	Strawberry	5,348.3	8	243,685.0	U
iprodione	Structural pest control	2.39	N/A	N/A	N/A
iprodione	Turf/sod	63.14	5	26.5	A
iprodione	Turf/sod	6.5	N/A	96,000.0	S
iprodione	Walnut	0.5	1	1.0	A
iron hedta	Landscape maintenance	185.05	N/A	N/A	N/A
iron phosphate	Almond	100.47	14	370.0	A
iron phosphate	Apricot	15.48	2	23.63	A
iron phosphate	Artichoke, globe	7.6	2	18.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
iron phosphate	Avocado	69.98	27	549.17	A
iron phosphate	Blueberry	2.08	2	6.95	A
iron phosphate	Bok choy	1.6	2	8.0	A
iron phosphate	Broccoli	2.81	5	14.1	A
iron phosphate	Cabbage	8.8	11	44.0	A
iron phosphate	Cannabis (all or unspecified)	0.24	4	5.6	A
iron phosphate	Cauliflower	5.71	4	14.2	A
iron phosphate	Celery	92.84	62	333.9	A
iron phosphate	Cherimoya	2.0	5	25.0	A
iron phosphate	Cherry	62.4	6	247.0	A
iron phosphate	Citrus	14.77	16	55.46	A
iron phosphate	Cole crop	<0.01	1	120.0	S
iron phosphate	Commodity fumigation	0.01	N/A	N/A	N/A
iron phosphate	Date	0.29	1	3.0	A
iron phosphate	Fumigation, other	2.53	N/A	N/A	N/A
iron phosphate	Grape	43.5	6	262.6	A
iron phosphate	Grape, wine	118.39	18	1,475.31	A
iron phosphate	Grapefruit	8.46	5	100.0	A
iron phosphate	Landscape maintenance	600.23	N/A	N/A	N/A
iron phosphate	Lemon	262.9	350	1,836.13	A
iron phosphate	Lettuce, head	18.07	16	90.35	A
iron phosphate	Lettuce, leaf	15.15	16	75.75	A
iron phosphate	Lime	0.3	1	2.0	A
iron phosphate	N-grnhs flower	<0.01	N/A	250.0	S
iron phosphate	N-grnhs plants in containers	13.43	30	69.13	A
iron phosphate	N-grnhs plants in containers	3.63	30	325,750.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
iron phosphate	N-grnhs transplants	10.69	32	43.94	A
iron phosphate	N-grnhs transplants	1.13	4	214,424.0	S
iron phosphate	N-outdr flower	0.55	5	6.2	A
iron phosphate	N-outdr flower	<0.01	3	1,032.0	S
iron phosphate	N-outdr plants in containers	362.38	172	751.18	A
iron phosphate	N-outdr plants in containers	3.54	15	384,825.0	S
iron phosphate	N-outdr transplants	20.97	37	185.62	A
iron phosphate	N-outdr transplants	0.05	1	6,000.0	S
iron phosphate	Nectarine	116.5	24	169.12	A
iron phosphate	Olive	0.04	1	0.5	A
iron phosphate	Orange	385.95	116	1,869.29	A
iron phosphate	Peach	74.05	54	192.77	A
iron phosphate	Pear, asian (oriental pear, ya, ya li, nashi)	2.4	1	8.0	A
iron phosphate	Pistachio	2.33	1	30.0	A
iron phosphate	Plum	39.2	14	99.82	A
iron phosphate	Public health	<0.01	N/A	N/A	N/A
iron phosphate	Radish	0.1	2	0.42	A
iron phosphate	Raspberry	5.9	1	29.5	A
iron phosphate	Regulatory pest control	0.08	N/A	N/A	N/A
iron phosphate	Research commodity	0.45	2	2.0	A
iron phosphate	Rights of way	0.8	1	1.0	A
iron phosphate	Rights of way	155.28	N/A	N/A	N/A
iron phosphate	Squash	0.01	1	0.25	A
iron phosphate	Squash, summer	0.8	1	4.0	A
iron phosphate	Squash, winter	0.75	1	3.0	A
iron phosphate	Strawberry	278.5	55	1,408.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
iron phosphate	Structural pest control	58.17	N/A	N/A	N/A
iron phosphate	Swiss chard	3.6	3	18.0	A
iron phosphate	Tangelo	12.93	5	163.0	A
iron phosphate	Tangerine	519.29	118	2,069.47	A
iron phosphate	Uncultivated ag	3.75	9	11.75	A
iron phosphate	Uncultivated ag	0.24	31	24,360.0	S
iron phosphate	Walnut	6.92	2	29.9	A
isodecyl alcohol	Alfalfa	29.77	20	1,548.0	A
isodecyl alcohol	Bermudagrass	5.96	1	140.0	A
isodecyl alcohol	Broccoli	0.85	1	30.0	A
isodecyl alcohol	Corn, human consumption	7.88	3	296.0	A
isodecyl alcohol	Lettuce, head	0.49	1	23.0	A
isodecyl alcohol	Lettuce, leaf	0.54	1	25.0	A
isodecyl alcohol	Strawberry	13.36	12	210.0	A
isodecyl alcohol	Uncultivated ag	27.26	6	646.0	A
isodecyl alcohol	Watermelon	2.13	5	81.0	A
isodecyl alcohol	Wheat	3.08	2	98.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Alfalfa	17.38	177	5,861.03	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Almond	221.71	198	7,607.71	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Bean, dried	0.43	2	75.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Bermudagrass	10.94	4	256.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Broccoli	0.06	2	21.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Cherry	2.4	2	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	0.84	1	145.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Cotton	122.74	51	3,915.6	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Garbanzo bean	7.19	2	150.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Garlic	20.94	2	304.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Grape	283.54	94	2,184.22	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	264.72	145	2,787.85	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Grapefruit	3.24	1	18.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Lemon	1.14	1	17.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	19.17	2	320.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	2.4	1	30.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Olive	1.99	7	177.4	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	33.14	8	637.6	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Orange	7.97	3	44.36	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Peach	1.83	1	7.62	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Pistachio	114.44	109	4,074.13	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Plum	1.92	2	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Rights of way	4.79	N/A	N/A	N/A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Tangerine	7.91	5	81.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	222.82	31	4,210.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	146.83	53	3,837.7	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	0.17	2	60.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene)	Walnut	11.97	40	1,056.52	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Alfalfa	66.64	14	780.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Almond	1,690.82	92	5,507.33	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Bean, dried	45.06	10	401.4	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Blackberry	239.92	43	382.97	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Blueberry	0.02	1	0.15	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Bok choy	6.59	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Broccoli	433.47	71	1,015.29	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Brussels sprout	244.52	40	488.7	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Cabbage	251.8	91	913.42	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Cauliflower	218.08	58	467.7	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Celery	1,671.9	232	4,355.37	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Citrus	5.17	1	58.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Corn (forage - fodder)	8.93	1	78.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Corn, human consumption	11.45	2	150.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Cotton	33.86	8	465.63	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Fennel	2.37	3	9.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Grape	216.72	159	4,281.35	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Grape, wine	74.74	22	655.81	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Landscape maintenance	17.76	N/A	N/A	N/A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Melon	14.03	28	278.92	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	N-grnhs flower	23.28	18	56.5	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	N-outdr flower	9.27	21	22.56	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Olive	7.06	6	91.5	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Onion, dry	32.74	5	267.5	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Orange	0.09	1	7.5	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Pastureland	11.45	1	70.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Peach	10.4	4	46.84	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Pepper, fruiting	54.1	11	167.2	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Pistachio	386.25	20	2,021.11	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Raspberry	301.46	72	592.95	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Rice	4.92	1	55.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Rights of way	11.06	12	11.85	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	19,950.37	1,187	53,285.37	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Sugarbeet	11.45	1	136.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Tomato	14.55	4	293.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Tomato, processing	567.6	74	5,539.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Turf/sod	5.77	2	50.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Uncultivated ag	1.32	2	4.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Walnut	4.3	1	40.0	A
isofetamid	Almond	5,057.38	451	21,170.4	A
isofetamid	Blackberry	2.85	1	7.0	A
isofetamid	Blueberry	1.21	1	3.0	A
isofetamid	Cherry	6.55	1	20.0	A
isofetamid	Golf course turf	1.37	N/A	3.1	A
isofetamid	Grape	506.34	96	3,273.9	A
isofetamid	Grape, wine	404.31	51	2,620.2	A
isofetamid	Landscape maintenance	13.6	N/A	N/A	N/A
isofetamid	Lettuce, head	13.26	6	41.1	A
isofetamid	Lettuce, leaf	57.22	24	181.5	A
isofetamid	N-grnhs flower	5.13	9	13.5	A
isofetamid	N-grnhs plants in containers	0.92	4	2.18	A
isofetamid	N-grnhs plants in containers	5.61	48	437,562.0	S
isofetamid	N-grnhs transplants	1.1	2	2.5	A
isofetamid	N-grnhs transplants	6.69	13	499,000.0	S
isofetamid	N-outdr flower	3.3	3	5.0	A
isofetamid	N-outdr plants in containers	112.58	67	255.51	A
isofetamid	N-outdr plants in containers	2.23	7	140,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
isofetamid	N-outdr transplants	5.69	3	15.25	A
isofetamid	Plum	1.98	1	6.0	A
isofetamid	Strawberry	2,656.61	173	6,591.55	A
isofetamid	Turf/sod	1.34	N/A	120,000.0	S
alpha-isoctadecyl- omega- hydroxypoly(oxyethylene)	Landscape maintenance	0.22	N/A	N/A	N/A
alpha-isoctadecyl- omega- hydroxypoly(oxyethylene)	Public health	5,352.41	N/A	N/A	N/A
alpha-isoctadecyl- omega- hydroxypoly(oxyethylene)	Structural pest control	147.72	N/A	N/A	N/A
isooctyl phthalate	Alfalfa	6.95	1	160.0	A
isooctyl phthalate	Almond	18.76	12	155.0	A
isooctyl phthalate	Cherry	5.56	1	8.0	A
isooctyl phthalate	Grape, wine	4.24	7	90.0	A
isooctyl phthalate	Grapefruit	4.34	5	16.0	A
isooctyl phthalate	Lemon	43.48	18	513.13	A
isooctyl phthalate	Olive	4.34	4	17.0	A
isooctyl phthalate	Orange	838.86	238	4,575.54	A
isooctyl phthalate	Plum	3.91	2	45.0	A
isooctyl phthalate	Pomelo	28.82	10	77.5	A
isooctyl phthalate	Quince	9.4	15	105.0	A
isooctyl phthalate	Tangelo	5.17	6	21.0	A
isooctyl phthalate	Tangerine	37.09	22	262.37	A
isooctyl phthalate	Walnut	626.72	69	3,772.5	A
isoparaffinic hydrocarbons	Almond	62.78	3	196.0	A
isoparaffinic hydrocarbons	Carrot	650.62	7	741.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isoparaffinic hydrocarbons	Grape, wine	291.54	8	356.82	A
isoparaffinic hydrocarbons	Landscape maintenance	35.18	N/A	N/A	N/A
isoparaffinic hydrocarbons	Rights of way	315.63	N/A	N/A	N/A
isoparaffinic hydrocarbons	Structural pest control	0.14	N/A	N/A	N/A
isoparaffinic hydrocarbons	Uncultivated ag	1.1	1	2.0	A
isopropyl alcohol	Alfalfa	1,127.86	1,203	69,724.74	A
isopropyl alcohol	Almond	10,232.72	6,284	256,176.82	A
isopropyl alcohol	Apple	76.01	121	1,190.98	A
isopropyl alcohol	Apricot	65.15	115	875.43	A
isopropyl alcohol	Artichoke, globe	0.01	2	1.0	A
isopropyl alcohol	Asparagus	3.04	4	116.0	A
isopropyl alcohol	Avocado	3.32	119	858.5	A
isopropyl alcohol	Avocado	<0.01	2	5,700.0	U
isopropyl alcohol	Barley	10.61	6	724.0	A
isopropyl alcohol	Barley (forage - fodder)	14.6	15	1,771.0	A
isopropyl alcohol	Basil, sweet	3.37	217	362.18	A
isopropyl alcohol	Bean, dried	57.76	54	3,190.25	A
isopropyl alcohol	Bean, succulent	1.89	20	81.37	A
isopropyl alcohol	Bean, unspecified	1.89	9	114.89	A
isopropyl alcohol	Beet	3.22	298	500.52	A
isopropyl alcohol	Bermudagrass	6.66	19	1,306.5	A
isopropyl alcohol	Blackberry	0.1	3	9.78	A
isopropyl alcohol	Blueberry	1.4	9	59.8	A
isopropyl alcohol	Bok choy	6.42	352	510.48	A
isopropyl alcohol	Broccoli	16.92	34	855.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	Bushberry	<0.01	4	0.9	A
isopropyl alcohol	Cabbage	29.0	1,064	1,781.42	A
isopropyl alcohol	Cannabis (all or unspecified)	0.01	2	18,000.0	S
isopropyl alcohol	Cantaloupe	29.86	64	3,569.0	A
isopropyl alcohol	Carrot	3.24	29	309.33	A
isopropyl alcohol	Cauliflower	2.23	3	27.0	A
isopropyl alcohol	Celeriac	0.66	91	100.95	A
isopropyl alcohol	Celery	1.63	12	114.5	A
isopropyl alcohol	Cherry	1,533.61	1,016	14,581.89	A
isopropyl alcohol	Chinese cabbage (napa, won bok, celery cabbage)	3.86	183	267.25	A
isopropyl alcohol	Christmas tree	0.16	1	5.0	A
isopropyl alcohol	Cilantro	0.43	38	71.84	A
isopropyl alcohol	Citrus	2.47	17	82.07	A
isopropyl alcohol	Cole crop	0.23	76	37.86	A
isopropyl alcohol	Collard	15.87	651	1,266.1	A
isopropyl alcohol	Corn (forage - fodder)	459.94	407	19,155.3	A
isopropyl alcohol	Corn, grain	0.52	1	50.0	A
isopropyl alcohol	Corn, human consumption	64.33	127	3,827.0	A
isopropyl alcohol	Cotton	276.9	175	7,977.37	A
isopropyl alcohol	Cucumber	6.98	60	410.6	A
isopropyl alcohol	Daikon	0.26	1	10.5	A
isopropyl alcohol	Dandelion green	0.76	119	116.8	A
isopropyl alcohol	Ditch bank	140.7	1	69.0	A
isopropyl alcohol	Ditch bank	1.34	N/A	31.0	U
isopropyl alcohol	Edible flowers	0.03	3	2.5	A
isopropyl alcohol	Endive (escarole)	3.63	68	80.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	Fig	0.42	2	12.0	A
isopropyl alcohol	Food processing plant	0.49	1	25.0	A
isopropyl alcohol	Forage hay/silage	8.42	33	883.45	A
isopropyl alcohol	Forest, timberland	<0.01	3	1.25	A
isopropyl alcohol	Garlic	56.4	44	5,824.4	A
isopropyl alcohol	Ginger	0.05	6	3.0	A
isopropyl alcohol	Golf course turf	1.13	N/A	16.9	A
isopropyl alcohol	Golf course turf	0.08	N/A	2,000.0	S
isopropyl alcohol	Grape	2,766.3	3,405	122,205.28	A
isopropyl alcohol	Grape, wine	3,910.79	3,167	75,007.37	A
isopropyl alcohol	Grapefruit	10.15	30	318.61	A
isopropyl alcohol	Herb, spice	0.66	141	76.68	A
isopropyl alcohol	Industrial site	0.44	N/A	1.0	U
isopropyl alcohol	Kale	18.56	986	1,427.35	A
isopropyl alcohol	Kohlrabi	1.31	150	143.59	A
isopropyl alcohol	Landscape maintenance	0.89	4	18.5	A
isopropyl alcohol	Landscape maintenance	794.16	N/A	N/A	N/A
isopropyl alcohol	Lemon	257.18	386	6,236.35	A
isopropyl alcohol	Lemon	0.04	1	75.0	U
isopropyl alcohol	Lettuce, head	654.82	1,322	17,907.33	A
isopropyl alcohol	Lettuce, leaf	635.51	2,220	16,216.77	A
isopropyl alcohol	Lime	0.44	2	6.5	A
isopropyl alcohol	Melon	12.5	80	4,146.1	A
isopropyl alcohol	Mint	0.18	56	22.6	A
isopropyl alcohol	Mustard	2.37	211	247.53	A
isopropyl alcohol	Mustard greens	5.85	288	537.58	A
isopropyl alcohol	N-grnhs flower	8.1	229	553.05	A
isopropyl alcohol	N-grnhs flower	0.34	58	621,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	N-grnhs plants in containers	11.99	643	635.45	A
isopropyl alcohol	N-grnhs plants in containers	1.34	78	2,248,454.0	S
isopropyl alcohol	N-grnhs transplants	14.71	145	765.5	A
isopropyl alcohol	N-grnhs transplants	2.89	59	12,865,352.0	S
isopropyl alcohol	N-outdr flower	27.78	552	2,105.35	A
isopropyl alcohol	N-outdr plants in containers	79.29	1,036	1,574.6	A
isopropyl alcohol	N-outdr plants in containers	<0.01	3	42,000.0	S
isopropyl alcohol	N-outdr plants in containers	0.21	48	10,969.0	U
isopropyl alcohol	N-outdr transplants	125.03	231	2,826.03	A
isopropyl alcohol	N-outdr transplants	12.44	285	48,987,316.0	S
isopropyl alcohol	Nectarine	191.77	546	4,421.88	A
isopropyl alcohol	Oat	6.75	11	449.0	A
isopropyl alcohol	Oat (forage - fodder)	103.82	166	7,363.57	A
isopropyl alcohol	Okra	1.0	1	60.0	A
isopropyl alcohol	Olive	43.91	47	859.67	A
isopropyl alcohol	Onion, dry	98.67	117	7,985.5	A
isopropyl alcohol	Onion, green	0.09	27	9.86	A
isopropyl alcohol	Orange	1,021.56	688	13,093.0	A
isopropyl alcohol	Orchard floor	0.65	16	71.75	A
isopropyl alcohol	Parsley	8.59	739	1,377.07	A
isopropyl alcohol	Pastureland	4.65	20	412.0	A
isopropyl alcohol	Peach	756.01	1,482	16,326.96	A
isopropyl alcohol	Pear	21.31	29	263.03	A
isopropyl alcohol	Peas	0.21	11	13.28	A
isopropyl alcohol	Pecan	63.86	20	664.5	A
isopropyl alcohol	Pepper, fruiting	0.53	10	66.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	Persimmon	0.72	9	42.15	A
isopropyl alcohol	Pistachio	1,730.79	514	25,923.74	A
isopropyl alcohol	Plum	833.84	419	3,148.3	A
isopropyl alcohol	Pluot	0.1	3	0.3	A
isopropyl alcohol	Pomegranate	69.99	47	1,687.86	A
isopropyl alcohol	Pomelo	23.16	11	83.5	A
isopropyl alcohol	Prune	351.05	183	4,968.6	A
isopropyl alcohol	Public health	229.55	N/A	N/A	N/A
isopropyl alcohol	Pumpkin	3.21	8	192.4	A
isopropyl alcohol	Quince	8.42	18	119.0	A
isopropyl alcohol	Radicchio	<0.01	1	0.51	A
isopropyl alcohol	Radish	1.11	43	65.76	A
isopropyl alcohol	Rangeland	7.96	13	1,552.0	A
isopropyl alcohol	Raspberry	1.56	4	14.0	A
isopropyl alcohol	Regulatory pest control	26.84	N/A	N/A	N/A
isopropyl alcohol	Research commodity	0.63	7	23.38	A
isopropyl alcohol	Research commodity	0.08	52	234,000.0	S
isopropyl alcohol	Research commodity	0.36	N/A	N/A	N/A
isopropyl alcohol	Rice	677.64	421	30,920.54	A
isopropyl alcohol	Rights of way	28.92	70	905.0	A
isopropyl alcohol	Rights of way	1,045.99	N/A	N/A	N/A
isopropyl alcohol	Root vegetable	0.28	52	37.22	A
isopropyl alcohol	Ryegrass	3.07	13	300.0	A
isopropyl alcohol	Soil fumigation/preplant	5.75	5	84.68	A
isopropyl alcohol	Sorghum (forage - fodder)	101.97	41	2,317.83	A
isopropyl alcohol	Sorghum/milo	50.56	27	1,356.8	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isopropyl alcohol	Spinach	1.12	141	155.16	A
isopropyl alcohol	Squash	12.58	87	760.57	A
isopropyl alcohol	Squash, winter	0.77	2	47.0	A
isopropyl alcohol	Squash, zucchini	0.11	3	30.0	A
isopropyl alcohol	Strawberry	330.8	362	6,645.8	A
isopropyl alcohol	Structural pest control	7,493.97	N/A	N/A	N/A
isopropyl alcohol	Sudangrass	9.57	16	606.87	A
isopropyl alcohol	Sugarbeet	29.05	88	5,541.2	A
isopropyl alcohol	Sugarcane	0.2	1	5.5	A
isopropyl alcohol	Sunflower	28.27	29	1,825.03	A
isopropyl alcohol	Swiss chard	8.52	897	1,062.52	A
isopropyl alcohol	Tangelo	8.17	17	198.56	A
isopropyl alcohol	Tangerine	286.35	400	7,145.32	A
isopropyl alcohol	Tomato	27.32	32	1,187.03	A
isopropyl alcohol	Tomato, processing	521.85	409	28,905.15	A
isopropyl alcohol	Triticale	24.05	46	3,362.86	A
isopropyl alcohol	Tropical/subtropical fruit	0.02	5	1.85	A
isopropyl alcohol	Turf/sod	0.18	1	11.0	A
isopropyl alcohol	Turf/sod	0.12	N/A	75,000.0	S
isopropyl alcohol	Turnip	3.61	263	449.63	A
isopropyl alcohol	Uncultivated ag	128.31	188	5,496.05	A
isopropyl alcohol	Uncultivated non-ag	6.8	11	169.1	A
isopropyl alcohol	Uncultivated non-ag	0.02	N/A	2,000.0	S
isopropyl alcohol	Vegetables, fruiting	0.04	23	5.71	A
isopropyl alcohol	Vegetables, leafy	2.63	484	328.49	A
isopropyl alcohol	Vertebrate control	0.02	N/A	N/A	N/A
isopropyl alcohol	Walnut	4,530.86	1,911	62,226.28	A
isopropyl alcohol	Water (industrial)	0.94	10	10.0	A
isopropyl alcohol	Watermelon	4.66	16	226.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
isopropyl alcohol	Wheat	35.89	56	3,786.3	A
isopropyl alcohol	Wheat (forage - fodder)	261.5	247	12,299.17	A
isopropylamine dodecylbenzene sulfonate	Alfalfa	91.48	555	24,150.72	A
isopropylamine dodecylbenzene sulfonate	Almond	1,117.64	1,514	72,303.04	A
isopropylamine dodecylbenzene sulfonate	Apricot	5.24	17	278.55	A
isopropylamine dodecylbenzene sulfonate	Avocado	0.34	8	348.0	A
isopropylamine dodecylbenzene sulfonate	Bean, dried	0.28	1	150.0	A
isopropylamine dodecylbenzene sulfonate	Bermudagrass	2.11	12	425.9	A
isopropylamine dodecylbenzene sulfonate	Blueberry	0.28	2	24.06	A
isopropylamine dodecylbenzene sulfonate	Carrot	<0.01	1	0.25	A
isopropylamine dodecylbenzene sulfonate	Cherry	81.43	187	3,192.13	A
isopropylamine dodecylbenzene sulfonate	Citrus	0.03	1	12.0	A
isopropylamine dodecylbenzene sulfonate	Commodity fumigation	0.03	N/A	N/A	N/A
isopropylamine dodecylbenzene sulfonate	Corn (forage - fodder)	21.34	138	6,959.4	A
isopropylamine dodecylbenzene sulfonate	Corn, grain	0.46	3	130.0	A
isopropylamine dodecylbenzene sulfonate	Corn, human consumption	14.03	46	2,060.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
isopropylamine dodecylbenzene sulfonate	Cotton	76.7	459	34,843.86	A
isopropylamine dodecylbenzene sulfonate	Ditch bank	<0.01	N/A	7.0	A
isopropylamine dodecylbenzene sulfonate	Forage hay/silage	0.22	3	159.0	A
isopropylamine dodecylbenzene sulfonate	Grape	189.81	676	17,169.04	A
isopropylamine dodecylbenzene sulfonate	Grape, wine	35.22	59	1,904.56	A
isopropylamine dodecylbenzene sulfonate	Grapefruit	0.56	4	47.5	A
isopropylamine dodecylbenzene sulfonate	Grass, seed	1.88	8	427.0	A
isopropylamine dodecylbenzene sulfonate	Kiwi fruit fuzzy	5.27	13	268.75	A
isopropylamine dodecylbenzene sulfonate	Landscape maintenance	41.81	N/A	N/A	N/A
isopropylamine dodecylbenzene sulfonate	Lemon	0.49	16	508.0	A
isopropylamine dodecylbenzene sulfonate	Melon	0.08	2	17.0	A
isopropylamine dodecylbenzene sulfonate	N-outdr plants in containers	0.05	1	3.0	A
isopropylamine dodecylbenzene sulfonate	Nectarine	16.37	141	812.68	A
isopropylamine dodecylbenzene sulfonate	Oat	0.72	3	154.0	A
isopropylamine dodecylbenzene sulfonate	Olive	1.89	2	150.0	A
isopropylamine dodecylbenzene sulfonate	Onion, dry	9.47	15	1,277.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
isopropylamine dodecylbenzene sulfonate	Onion, green	<0.01	1	0.09	A
isopropylamine dodecylbenzene sulfonate	Orange	10.83	21	227.41	A
isopropylamine dodecylbenzene sulfonate	Pastureland	0.14	4	220.75	A
isopropylamine dodecylbenzene sulfonate	Peach	46.1	337	2,037.26	A
isopropylamine dodecylbenzene sulfonate	Pecan	0.12	2	13.68	A
isopropylamine dodecylbenzene sulfonate	Pepper, fruiting	0.04	1	20.0	A
isopropylamine dodecylbenzene sulfonate	Persimmon	4.17	47	181.83	A
isopropylamine dodecylbenzene sulfonate	Pistachio	53.84	180	6,255.73	A
isopropylamine dodecylbenzene sulfonate	Plum	44.82	349	2,345.87	A
isopropylamine dodecylbenzene sulfonate	Pluot	0.03	1	2.8	A
isopropylamine dodecylbenzene sulfonate	Pomegranate	0.04	1	8.67	A
isopropylamine dodecylbenzene sulfonate	Potato	0.41	1	122.0	A
isopropylamine dodecylbenzene sulfonate	Prune	17.36	57	1,232.4	A
isopropylamine dodecylbenzene sulfonate	Radicchio	0.29	8	501.2	A
isopropylamine dodecylbenzene sulfonate	Rangeland	<0.01	1	5.0	A
isopropylamine dodecylbenzene sulfonate	Rice	167.8	206	17,376.54	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
isopropylamine dodecylbenzene sulfonate	Rights of way	3.68	10	326.9	A
isopropylamine dodecylbenzene sulfonate	Rights of way	1,394.51	N/A	N/A	N/A
isopropylamine dodecylbenzene sulfonate	Soil fumigation/preplant	0.58	6	303.98	A
isopropylamine dodecylbenzene sulfonate	Sorghum (forage - fodder)	0.72	4	307.0	A
isopropylamine dodecylbenzene sulfonate	Structural pest control	0.28	N/A	N/A	N/A
isopropylamine dodecylbenzene sulfonate	Sudangrass	2.5	3	197.38	A
isopropylamine dodecylbenzene sulfonate	Sugarbeet	3.08	8	812.11	A
isopropylamine dodecylbenzene sulfonate	Sunflower	<0.01	1	0.12	A
isopropylamine dodecylbenzene sulfonate	Tangelo	0.16	2	15.2	A
isopropylamine dodecylbenzene sulfonate	Tangerine	3.16	20	246.55	A
isopropylamine dodecylbenzene sulfonate	Tomato, processing	0.81	1	46.6	A
isopropylamine dodecylbenzene sulfonate	Uncultivated ag	1.37	16	485.9	A
isopropylamine dodecylbenzene sulfonate	Uncultivated non-ag	1.44	4	415.2	A
isopropylamine dodecylbenzene sulfonate	Walnut	145.65	468	10,439.96	A
isopropylamine dodecylbenzene sulfonate	Water area	31.77	N/A	3,730.37	A
isopropylamine dodecylbenzene sulfonate	Wheat	0.69	2	94.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isoxaben	Airport	28.88	N/A	17.0	A
isoxaben	Almond	2,192.18	143	3,284.82	A
isoxaben	Apricot	5.33	2	14.24	A
isoxaben	Blueberry	21.5	2	29.0	A
isoxaben	Cherry	36.53	6	84.89	A
isoxaben	County ag comm	17.58	N/A	N/A	N/A
isoxaben	Golf course turf	16.09	N/A	30.0	A
isoxaben	Grape	481.74	44	576.54	A
isoxaben	Grape, wine	1,033.13	141	1,905.31	A
isoxaben	Industrial site	14.45	N/A	103.03	A
isoxaben	Industrial site	<0.01	N/A	230.0	S
isoxaben	Kiwi fruit fuzzy	373.62	66	423.18	A
isoxaben	Landscape maintenance	503.56	8	43.0	A
isoxaben	Landscape maintenance	4,821.06	N/A	N/A	N/A
isoxaben	Lemon	3.63	1	3.64	A
isoxaben	N-grnhs flower	19.59	N/A	20.0	A
isoxaben	N-grnhs flower	0.06	7	2,955.0	U
isoxaben	N-grnhs plants in containers	8.14	26	11.4	A
isoxaben	N-grnhs plants in containers	4.55	25	637,059.0	S
isoxaben	N-grnhs transplants	0.97	1	1.32	A
isoxaben	N-outdr flower	133.2	93	167.85	A
isoxaben	N-outdr plants in containers	4,063.88	3,886	5,871.3	A
isoxaben	N-outdr plants in containers	68.52	159	4,995,256.52	S
isoxaben	N-outdr plants in containers	0.77	6	27,137.0	U
isoxaben	N-outdr transplants	169.18	35	225.86	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
isoxaben	N-outdr transplants	0.06	N/A	5,000.0	S
isoxaben	Nectarine	72.31	13	111.88	A
isoxaben	Olive	487.85	16	548.88	A
isoxaben	Peach	119.54	24	233.24	A
isoxaben	Pistachio	1,848.98	66	2,981.18	A
isoxaben	Plum	66.01	30	196.33	A
isoxaben	Prune	131.23	2	134.0	A
isoxaben	Research commodity	0.61	6	0.65	A
isoxaben	Rights of way	3.89	3	645.5	A
isoxaben	Rights of way	15,242.85	N/A	N/A	N/A
isoxaben	Soil fumigation/preplant	6.44	2	12.5	A
isoxaben	Structural pest control	44.77	N/A	N/A	N/A
isoxaben	Uncultivated ag	6.9	5	14.55	A
isoxaben	Walnut	266.54	40	358.79	A
kaolin	Almond	1,197.64	11	44.31	A
kaolin	Apple	57,640.3	96	1,452.5	A
kaolin	Asparagus	210.37	2	13.34	A
kaolin	Avocado	5,815.43	39	301.65	A
kaolin	Bean, unspecified	52.25	3	3.0	A
kaolin	Blackberry	16,578.92	21	457.0	A
kaolin	Blueberry	16,732.92	29	622.68	A
kaolin	Broccoli	47.5	1	1.0	A
kaolin	Brussels sprout	96.14	2	2.75	A
kaolin	Cabbage	11.88	1	0.5	A
kaolin	Cantaloupe	8,836.95	12	436.32	A
kaolin	Celery	95.0	2	2.0	A
kaolin	Cherry	98,826.07	147	2,607.92	A
kaolin	Citrus	8,952.33	8	188.47	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
kaolin	Cucumber	56.05	5	2.55	A
kaolin	Eggplant	0.24	1	0.01	A
kaolin	Grape	11,991.36	36	352.9	A
kaolin	Grape, wine	67,707.44	433	5,304.29	A
kaolin	Grapefruit	32,302.19	38	782.04	A
kaolin	Industrial hemp	6,213.0	6	545.0	A
kaolin	Landscape maintenance	9.5	N/A	N/A	N/A
kaolin	Lemon	242,649.23	149	4,421.29	A
kaolin	Lettuce, leaf	0.62	3	0.03	A
kaolin	Mango	18,667.5	8	393.0	A
kaolin	Melon	47,293.23	59	1,905.04	A
kaolin	N-grnhs plants in containers	47.5	2	1.0	A
kaolin	N-outdr flower	1,434.5	6	14.3	A
kaolin	N-outdr plants in containers	23.75	1	0.5	A
kaolin	N-outdr transplants	1,302.75	10	58.52	A
kaolin	Olive	11,512.25	71	474.02	A
kaolin	Olive	247.0	5	1,103.0	U
kaolin	Onion, dry	336,806.24	228	6,957.3	A
kaolin	Orange	211,343.55	254	4,244.49	A
kaolin	Pear	3,990.47	10	156.48	A
kaolin	Peas	101.75	2	13.6	A
kaolin	Pepper, fruiting	23,105.26	33	884.42	A
kaolin	Persimmon	237.5	1	10.0	A
kaolin	Pistachio	25,619.55	18	650.46	A
kaolin	Plum	7,006.96	44	330.61	A
kaolin	Pomegranate	101,038.96	54	3,078.98	A
kaolin	Prune	5,533.75	11	162.0	A
kaolin	Quince	2,185.0	9	46.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
kaolin	Raspberry	5,177.31	6	138.4	A
kaolin	Soil fumigation/preplant	1,852.5	1	65.0	A
kaolin	Spinach	0.62	3	0.03	A
kaolin	Squash	3,811.78	6	110.97	A
kaolin	Squash, summer	165.4	4	7.93	A
kaolin	Squash, winter	442.93	9	30.75	A
kaolin	Squash, zucchini	0.24	1	0.01	A
kaolin	Stone fruit	0.95	1	2.0	A
kaolin	Strawberry	1,163.75	2	49.0	A
kaolin	Sugarbeet	285.0	2	20.0	A
kaolin	Swiss chard	44.65	1	4.7	A
kaolin	Tangelo	16,054.15	14	305.8	A
kaolin	Tangerine	526,040.37	523	10,695.17	A
kaolin	Tomato	52,594.75	48	1,572.33	A
kaolin	Tomato, processing	278,358.82	126	8,548.4	A
kaolin	Uncultivated ag	2,493.75	2	102.5	A
kaolin	Vegetable	0.47	1	0.25	A
kaolin	Vegetables, fruiting	23.75	1	2.5	A
kaolin	Walnut	693,355.83	681	21,178.73	A
kaolin	Watermelon	2,475.61	10	129.8	A
kasugamycin hydrochloride	Almond	582.47	95	6,022.27	A
kasugamycin hydrochloride	Apple	111.75	63	1,110.82	A
kasugamycin hydrochloride	Cherry	150.11	96	1,680.75	A
kasugamycin hydrochloride	N-grnhs plants in containers	0.81	4	9.0	A
kasugamycin hydrochloride	N-grnhs transplants	0.14	4	1.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
kasugamycin hydrochloride	N-outdr plants in containers	0.75	3	11.8	A
kasugamycin hydrochloride	N-outdr transplants	15.04	36	167.05	A
kasugamycin hydrochloride	Pear	449.92	125	4,902.92	A
kasugamycin hydrochloride	Pear, asian (oriental pear, ya, ya li, nashi)	7.26	8	75.0	A
kasugamycin hydrochloride	Quince	3.58	6	37.0	A
kasugamycin hydrochloride	Research commodity	3.0	5	31.0	A
kasugamycin hydrochloride	Walnut	2,267.36	582	24,450.87	A
kerosene	Wheat	43.54	1	55.7	A
kinoprene	N-grnhs flower	0.16	1	6,000.0	S
kinoprene	N-grnhs plants in containers	0.63	1	13,820.0	S
kinoprene	N-grnhs transplants	1.57	2	2.75	A
(s)-kinoprene	Landscape maintenance	0.27	N/A	N/A	N/A
(s)-kinoprene	Melon	0.02	1	2,700.0	S
(s)-kinoprene	N-grnhs flower	9.05	9	12.37	A
(s)-kinoprene	N-grnhs flower	2.12	17	176,243.0	S
(s)-kinoprene	N-grnhs plants in containers	274.27	332	469.41	A
(s)-kinoprene	N-grnhs plants in containers	73.47	263	11,078,379.0	S
(s)-kinoprene	N-grnhs plants in containers	0.03	1	0.16	U
(s)-kinoprene	N-grnhs transplants	1.67	7	2.79	A
(s)-kinoprene	N-grnhs transplants	3.59	13	318,600.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-kinoprene	N-outdr flower	7.1	11	9.2	A
(s)-kinoprene	N-outdr flower	0.14	2	12,088.0	S
(s)-kinoprene	N-outdr plants in containers	58.38	75	130.48	A
(s)-kinoprene	N-outdr plants in containers	20.82	59	2,715,972.0	S
(s)-kinoprene	N-outdr plants in containers	1.73	3	9,500.0	U
(s)-kinoprene	N-outdr transplants	20.82	28	57.36	A
(s)-kinoprene	N-outdr transplants	0.45	1	47,988.0	S
(s)-kinoprene	Pepper, fruiting	0.02	1	2,520.0	S
(s)-kinoprene	Research commodity	0.14	4	0.28	A
(s)-kinoprene	Research commodity	0.02	5	1,280.0	S
(s)-kinoprene	Research commodity	4.37	N/A	N/A	N/A
(s)-kinoprene	Tomato	0.02	1	2,520.0	S
kresoxim-methyl	Apple	59.84	15	313.5	A
kresoxim-methyl	Grape	8,803.29	1,526	68,387.07	A
kresoxim-methyl	Grape, wine	7,852.49	1,128	57,820.84	A
kresoxim-methyl	Landscape maintenance	0.1	N/A	N/A	N/A
kresoxim-methyl	N-outdr flower	0.2	4	1.15	A
kresoxim-methyl	N-outdr plants in containers	0.28	1	1.25	A
kresoxim-methyl	Pear	95.66	21	486.5	A
kresoxim-methyl	Pumpkin	0.38	1	2.5	A
kresoxim-methyl	Uncultivated ag	2.5	1	20.0	A
lactic acid	Landscape maintenance	14.34	N/A	N/A	N/A
lactic acid	N-grnhs flower	0.4	N/A	82.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>lactic acid</b>	Structural pest control	4.56	N/A	N/A	N/A
<b>lactose</b>	Almond	1.07	3	15.0	A
<b>lactose</b>	Avocado	13.75	13	144.46	A
<b>lactose</b>	Cannabis (all or unspecified)	<0.01	2	1,429.0	S
<b>lactose</b>	Cherry	3.06	4	42.74	A
<b>lactose</b>	Citrus	7.25	3	60.0	A
<b>lactose</b>	Grape	0.78	5	46.0	A
<b>lactose</b>	Grape, wine	1.79	6	116.0	A
<b>lactose</b>	Grapefruit	89.94	50	690.73	A
<b>lactose</b>	Lemon	788.12	378	8,491.2	A
<b>lactose</b>	Mango	13.26	8	393.0	A
<b>lactose</b>	N-outdr plants in containers	4.72	9	86.0	A
<b>lactose</b>	Olive	23.68	8	184.0	A
<b>lactose</b>	Orange	4,862.86	1,882	38,029.06	A
<b>lactose</b>	Peas	0.18	1	6.8	A
<b>lactose</b>	Pepper, fruiting	0.68	1	20.0	A
<b>lactose</b>	Pistachio	4.63	8	58.69	A
<b>lactose</b>	Plum	0.44	1	6.5	A
<b>lactose</b>	Pomelo	16.59	10	98.5	A
<b>lactose</b>	Quince	0.23	1	6.0	A
<b>lactose</b>	Tangelo	102.32	64	823.52	A
<b>lactose</b>	Tangerine	1,449.16	744	16,502.75	A
<b>lactose</b>	Tomato	2.36	1	70.0	A
<b>lactose</b>	Walnut	2.25	1	40.0	A
<b>lambda-cyhalothrin</b>	Alfalfa	12,314.18	7,253	401,721.75	A
<b>lambda-cyhalothrin</b>	Almond	24,121.26	9,318	606,689.96	A
<b>lambda-cyhalothrin</b>	Apple	107.64	96	2,422.2	A
<b>lambda-cyhalothrin</b>	Apricot	85.43	148	2,448.29	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lambda-cyhalothrin	Asparagus	47.2	20	1,475.5	A
lambda-cyhalothrin	Bean, dried	359.0	235	12,495.66	A
lambda-cyhalothrin	Bean, succulent	20.24	41	671.05	A
lambda-cyhalothrin	Bean, unspecified	13.27	75	418.15	A
lambda-cyhalothrin	Bermudagrass	157.11	86	5,441.1	A
lambda-cyhalothrin	Broccoli	1,800.94	4,472	60,316.01	A
lambda-cyhalothrin	Brussels sprout	471.38	1,133	15,579.81	A
lambda-cyhalothrin	Buildings/non-ag outdoor	0.14	N/A	48,000.0	S
lambda-cyhalothrin	Buildings/non-ag outdoor	8.38	N/A	3.02	U
lambda-cyhalothrin	Cabbage	288.68	992	9,831.52	A
lambda-cyhalothrin	Cantaloupe	156.92	57	6,203.2	A
lambda-cyhalothrin	Cauliflower	561.43	1,641	18,709.81	A
lambda-cyhalothrin	Cherry	1,536.79	1,739	37,186.51	A
lambda-cyhalothrin	Chinese cabbage (napa, won bok, celery cabbage)	94.22	570	3,127.12	A
lambda-cyhalothrin	Corn (forage - fodder)	192.38	126	6,416.75	A
lambda-cyhalothrin	Corn, grain	3.97	5	202.5	A
lambda-cyhalothrin	Corn, human consumption	3,049.31	2,283	103,469.48	A
lambda-cyhalothrin	Cotton	2,313.29	531	65,867.57	A
lambda-cyhalothrin	Cucumber	12.76	23	518.33	A
lambda-cyhalothrin	Eggplant	13.54	27	467.8	A
lambda-cyhalothrin	Fava bean	1.13	7	35.0	A
lambda-cyhalothrin	Forage hay/silage	70.31	30	1,976.0	A
lambda-cyhalothrin	Gai lon	23.97	9	894.6	A
lambda-cyhalothrin	Garlic	175.33	58	5,549.24	A
lambda-cyhalothrin	Golf course turf	1.51	N/A	24.12	A
lambda-cyhalothrin	Grape	1.01	1	34.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lambda-cyhalothrin	Grape, wine	3.17	2	76.4	A
lambda-cyhalothrin	Grass, seed	13.93	21	505.4	A
lambda-cyhalothrin	Kohlrabi	1.34	19	43.49	A
lambda-cyhalothrin	Landscape maintenance	0.84	2	6.0	A
lambda-cyhalothrin	Landscape maintenance	145.14	N/A	N/A	N/A
lambda-cyhalothrin	Lettuce, head	4,239.6	11,307	146,698.81	A
lambda-cyhalothrin	Lettuce, leaf	4,501.0	14,344	151,593.82	A
lambda-cyhalothrin	Melon	82.97	45	3,039.3	A
lambda-cyhalothrin	Mustard greens	0.08	1	2.9	A
lambda-cyhalothrin	N-grnhs flower	1.44	11	37.98	A
lambda-cyhalothrin	N-grnhs flower	0.03	2	12,600.0	S
lambda-cyhalothrin	N-grnhs plants in containers	1.16	12	32.26	A
lambda-cyhalothrin	N-grnhs plants in containers	0.13	4	92,500.0	S
lambda-cyhalothrin	N-grnhs transplants	0.14	2	30.0	A
lambda-cyhalothrin	N-grnhs transplants	0.33	2	310,000.0	S
lambda-cyhalothrin	N-outdr flower	0.86	14	69.5	A
lambda-cyhalothrin	N-outdr plants in containers	35.06	306	992.94	A
lambda-cyhalothrin	N-outdr plants in containers	1.07	26	746,000.0	S
lambda-cyhalothrin	N-outdr plants in containers	<0.01	1	0.2	U
lambda-cyhalothrin	N-outdr transplants	44.02	115	1,722.49	A
lambda-cyhalothrin	Nectarine	230.65	433	5,793.56	A
lambda-cyhalothrin	Oat (forage - fodder)	7.67	4	259.0	A
lambda-cyhalothrin	Okra	1.5	2	55.0	A
lambda-cyhalothrin	Olive	0.7	1	20.0	A
lambda-cyhalothrin	Onion, dry	821.28	490	27,742.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lambda-cyhalothrin	Orchardgrass	16.34	6	384.0	A
lambda-cyhalothrin	Pastureland	23.53	9	530.0	A
lambda-cyhalothrin	Peach	1,121.39	1,479	29,683.63	A
lambda-cyhalothrin	Pear	231.65	131	5,826.82	A
lambda-cyhalothrin	Pear, asian (oriental pear, ya, ya li, nashi)	0.34	1	8.0	A
lambda-cyhalothrin	Peas	114.13	319	3,683.95	A
lambda-cyhalothrin	Pecan	19.53	13	530.5	A
lambda-cyhalothrin	Pepper, fruiting	328.7	391	10,109.21	A
lambda-cyhalothrin	Pepper, spice	7.35	11	290.85	A
lambda-cyhalothrin	Pistachio	19,519.15	4,887	470,959.08	A
lambda-cyhalothrin	Pistachio	0.14	N/A	11,000.0	C
lambda-cyhalothrin	Pistachio	0.13	N/A	21,000.0	S
lambda-cyhalothrin	Plum	350.69	649	9,109.3	A
lambda-cyhalothrin	Potato	287.31	128	9,560.06	A
lambda-cyhalothrin	Prune	144.56	45	2,652.0	A
lambda-cyhalothrin	Public health	14.38	N/A	N/A	N/A
lambda-cyhalothrin	Pumpkin	5.71	24	192.37	A
lambda-cyhalothrin	Quince	1.4	7	34.0	A
lambda-cyhalothrin	Rangeland	6.42	3	204.0	A
lambda-cyhalothrin	Regulatory pest control	154.5	N/A	N/A	N/A
lambda-cyhalothrin	Research commodity	7.31	97	233.22	A
lambda-cyhalothrin	Research commodity	8.29	N/A	N/A	N/A
lambda-cyhalothrin	Residential	0.05	N/A	11,000.0	S
lambda-cyhalothrin	Restaurant	<0.01	N/A	500.0	C
lambda-cyhalothrin	Rice	6,555.36	3,802	187,151.57	A
lambda-cyhalothrin	Rice, wild	75.27	24	1,969.0	A
lambda-cyhalothrin	Rights of way	6.22	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lambda-cyhalothrin	Rye	0.3	1	9.6	A
lambda-cyhalothrin	Ryegrass	1.09	2	34.28	A
lambda-cyhalothrin	Soil fumigation/preplant	3.26	2	80.0	A
lambda-cyhalothrin	Sorghum (forage - fodder)	0.73	1	25.0	A
lambda-cyhalothrin	Sorghum/milo	21.3	6	384.0	A
lambda-cyhalothrin	Squash	4.16	16	144.0	A
lambda-cyhalothrin	Squash, summer	6.14	11	239.0	A
lambda-cyhalothrin	Squash, winter	6.5	10	222.0	A
lambda-cyhalothrin	Structural pest control	15,149.19	N/A	N/A	N/A
lambda-cyhalothrin	Sudangrass	111.26	89	4,600.7	A
lambda-cyhalothrin	Sunflower	360.06	223	10,977.85	A
lambda-cyhalothrin	Sweet potato	8.16	7	261.0	A
lambda-cyhalothrin	Timothy	5.13	5	176.0	A
lambda-cyhalothrin	Tomatillo	0.13	2	4.5	A
lambda-cyhalothrin	Tomato	657.04	655	22,523.48	A
lambda-cyhalothrin	Tomato, processing	3,473.48	1,359	118,729.08	A
lambda-cyhalothrin	Turf/sod	37.5	64	570.99	A
lambda-cyhalothrin	Uncultivated ag	65.18	33	1,688.7	A
lambda-cyhalothrin	Uncultivated non-ag	0.81	11	25.02	A
lambda-cyhalothrin	Unknown	0.45	N/A	2,980,000.0	S
lambda-cyhalothrin	Vertebrate control	<0.01	N/A	N/A	N/A
lambda-cyhalothrin	Walnut	4,287.18	2,487	110,442.66	A
lambda-cyhalothrin	Water area	0.21	2	2.0	A
lambda-cyhalothrin	Watermelon	41.12	60	1,460.5	A
lambda-cyhalothrin	Wheat	51.04	33	1,728.0	A
lambda-cyhalothrin	Wheat (forage - fodder)	582.2	149	10,733.08	A
laminarin	Grape, wine	3.29	9	79.81	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
laminarin	Lettuce, head	9.59	27	274.5	A
laminarin	Lettuce, leaf	12.42	48	352.7	A
lauric acid	Alfalfa	3.32	5	386.0	A
lauric acid	Almond	1,014.32	580	32,481.58	A
lauric acid	Cantaloupe	3.18	2	148.84	A
lauric acid	Cherry	11.41	8	180.98	A
lauric acid	Citrus	<0.01	2	0.23	A
lauric acid	Grape	57.2	56	1,831.0	A
lauric acid	Grape, wine	46.07	103	4,077.13	A
lauric acid	Grapefruit	2.84	8	41.06	A
lauric acid	Lemon	25.36	25	252.55	A
lauric acid	Lettuce, leaf	0.26	3	6.0	A
lauric acid	N-grnhs flower	4.88	82	125.6	A
lauric acid	N-grnhs flower	2.37	64	920,150.0	S
lauric acid	N-outdr flower	6.4	122	179.45	A
lauric acid	N-outdr flower	0.15	6	77,000.0	S
lauric acid	N-outdr plants in containers	0.58	4	10.0	A
lauric acid	Olive	19.87	16	238.0	A
lauric acid	Orange	334.41	245	4,205.63	A
lauric acid	Peach	0.92	5	42.0	A
lauric acid	Pistachio	1,077.5	341	28,337.72	A
lauric acid	Plum	0.65	4	30.7	A
lauric acid	Pomelo	1.06	1	10.0	A
lauric acid	Prune	65.72	39	2,150.65	A
lauric acid	Pumpkin	0.21	2	4.0	A
lauric acid	Rights of way	0.08	1	2.0	A
lauric acid	Squash, summer	0.42	5	8.0	A
lauric acid	Stone fruit	0.74	2	8.0	A
lauric acid	Strawberry	27.93	25	440.5	A
lauric acid	Tangelo	13.81	11	130.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lauric acid	Tangerine	176.24	47	1,875.45	A
lauric acid	Tomato	0.28	3	5.25	A
lauric acid	Walnut	888.91	334	18,990.46	A
lauryl alcohol	Apple	191.36	58	741.0	A
lauryl alcohol	Pear	189.15	90	3,424.16	A
lauryl alcohol	Pear, asian (oriental pear, ya, ya li, nashi)	8.47	7	154.35	A
lauryl alcohol	Plum	0.77	1	34.0	A
lauryl alcohol	Quince	<0.01	2	0.4	A
lauryl alcohol	Walnut	47.64	24	703.76	A
lauryl alcohol	Walnut	<0.01	2	6.0	U
lauryl dimethylamine oxide	Almond	5.43	2	80.0	A
lauryl dimethylamine oxide	Grape	73.43	77	1,853.06	A
lavandulyl senecioate	Grape	770.09	1,396	59,279.52	A
lavandulyl senecioate	Grape, wine	2,551.18	4,166	120,494.94	A
lavandulyl senecioate	N-outdr plants in containers	0.46	2	64.0	A
lecithin	Alfalfa	13,712.65	1,919	110,945.63	A
lecithin	Almond	284,134.18	13,889	848,153.47	A
lecithin	Apple	580.24	46	1,834.48	A
lecithin	Apricot	742.1	203	2,335.88	A
lecithin	Artichoke, globe	879.5	357	4,281.48	A
lecithin	Arugula	18.38	22	240.6	A
lecithin	Asparagus	17.11	3	175.7	A
lecithin	Avocado	206.46	182	1,363.2	A
lecithin	Avocado	0.13	4	24,000.0	S
lecithin	Barley	161.4	22	1,696.25	A
lecithin	Barley (forage - fodder)	1.13	1	15.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Basil, sweet	4.6	1	15.0	A
lecithin	Bean, dried	555.99	94	4,150.4	A
lecithin	Bean, succulent	159.33	34	891.5	A
lecithin	Bean, unspecified	9.77	6	88.5	A
lecithin	Beet	56.8	16	179.71	A
lecithin	Bermudagrass	64.45	9	547.01	A
lecithin	Blackberry	131.53	17	229.3	A
lecithin	Blueberry	392.47	53	1,290.79	A
lecithin	Bok choy	3.21	6	32.26	A
lecithin	Broccoli	12,642.6	3,406	43,199.46	A
lecithin	Brussels sprout	7,993.06	1,563	26,972.74	A
lecithin	Cabbage	3,495.52	2,171	19,543.41	A
lecithin	Cannabis (all or unspecified)	2.4	10	90,000.0	S
lecithin	Cantaloupe	237.04	33	1,767.9	A
lecithin	Carrot	345.37	98	1,759.5	A
lecithin	Cauliflower	4,415.35	1,800	16,766.94	A
lecithin	Celery	3,253.41	1,009	10,307.53	A
lecithin	Cherry	4,350.99	786	14,752.78	A
lecithin	Chestnut	1.59	1	7.5	A
lecithin	Cilantro	75.51	21	335.26	A
lecithin	Citrus	9.68	12	39.0	A
lecithin	Collard	15.95	55	180.92	A
lecithin	Commodity fumigation	16.8	N/A	N/A	N/A
lecithin	Corn (forage - fodder)	12,932.36	1,468	78,982.08	A
lecithin	Corn, grain	804.76	133	3,884.05	A
lecithin	Corn, human consumption	1,003.55	278	7,928.5	A
lecithin	Cotton	37,289.99	3,929	570,176.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Cucumber	92.71	35	702.36	A
lecithin	Daikon	9.68	4	41.0	A
lecithin	Date	9.82	31	180.0	A
lecithin	Dill	2.9	2	18.0	A
lecithin	Ditch bank	312.0	76	243.11	A
lecithin	Ditch bank	1.88	N/A	1,000.0	U
lecithin	Eggplant	57.13	17	316.0	A
lecithin	Endive (escarole)	1.48	10	18.3	A
lecithin	Fava bean	2.69	4	14.0	A
lecithin	Fennel	175.03	43	456.89	A
lecithin	Fig	223.34	110	2,843.0	A
lecithin	Forage hay/silage	198.46	37	1,629.75	A
lecithin	Forest, timberland	6,632.27	547	9,684.32	A
lecithin	Fumigation, other	6.84	N/A	N/A	N/A
lecithin	Garbanzo bean	128.17	11	480.0	A
lecithin	Garlic	3,433.45	307	14,390.06	A
lecithin	Grape	57,684.95	1,942	48,462.98	A
lecithin	Grape, wine	32,082.11	3,395	97,968.9	A
lecithin	Grapefruit	661.85	124	1,400.66	A
lecithin	Guava	0.13	1	5.0	A
lecithin	Industrial site	303.98	4	657.65	A
lecithin	Industrial site	<0.01	N/A	230.0	S
lecithin	Kale	139.2	151	1,041.41	A
lecithin	Kiwi fruit fuzzy	296.2	22	770.7	A
lecithin	Kohlrabi	0.27	1	1.93	A
lecithin	Landscape maintenance	58.07	15	144.1	A
lecithin	Landscape maintenance	3.39	1	400,000.0	S
lecithin	Landscape maintenance	2.03	1	15.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Landscape maintenance	4,296.03	N/A	N/A	N/A
lecithin	Leek	59.45	24	219.7	A
lecithin	Lemon	3,641.78	558	11,394.94	A
lecithin	Lettuce, head	10,203.24	2,815	34,233.34	A
lecithin	Lettuce, leaf	26,137.03	7,506	86,460.39	A
lecithin	Lime	1.02	1	7.0	A
lecithin	Melon	221.49	23	1,612.5	A
lecithin	Mint	18.04	7	90.63	A
lecithin	Mustard greens	5.06	15	65.2	A
lecithin	N-grnhs flower	156.79	275	582.62	A
lecithin	N-grnhs flower	0.79	6	72,000.0	S
lecithin	N-grnhs plants in containers	453.56	455	1,130.56	A
lecithin	N-grnhs plants in containers	6.83	35	989,767.6	S
lecithin	N-grnhs transplants	575.49	498	457.14	A
lecithin	N-outdr flower	1,638.49	2,322	9,049.71	A
lecithin	N-outdr flower	1.13	14	194,600.0	S
lecithin	N-outdr plants in containers	2,337.56	3,005	6,870.17	A
lecithin	N-outdr plants in containers	7.27	65	850,250.0	S
lecithin	N-outdr plants in containers	11.48	25	192,051.17	U
lecithin	N-outdr transplants	170.93	323	743.78	A
lecithin	N-outdr transplants	<0.01	1	12,800.0	U
lecithin	Nectarine	1,236.52	447	3,755.03	A
lecithin	Oat	140.5	11	430.0	A
lecithin	Oat (forage - fodder)	925.22	171	6,570.29	A
lecithin	Olive	1,052.49	118	5,114.1	A
lecithin	Onion, dry	2,832.55	331	20,457.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Onion, green	43.33	45	366.03	A
lecithin	Orange	22,923.14	2,473	53,057.81	A
lecithin	Orchardgrass	2.61	1	47.0	A
lecithin	Parsley	99.51	59	357.5	A
lecithin	Pasture (forage - fodder)	2.25	2	16.0	A
lecithin	Pastureland	85.86	27	946.0	A
lecithin	Pastureland	0.14	1	1,740.0	S
lecithin	Peach	2,917.99	986	9,947.02	A
lecithin	Pear	22.08	15	124.01	A
lecithin	Pear, asian (oriental pear, ya, ya li, nashi)	35.53	24	160.0	A
lecithin	Peas	501.07	253	3,511.4	A
lecithin	Pecan	576.55	87	1,433.79	A
lecithin	Pepper, fruiting	1,266.49	172	5,575.88	A
lecithin	Pepper, spice	3.33	2	29.05	A
lecithin	Persimmon	54.18	18	211.0	A
lecithin	Pistachio	94,225.49	5,061	301,987.41	A
lecithin	Plum	3,174.34	1,195	9,990.32	A
lecithin	Pomegranate	5,211.07	376	21,545.57	A
lecithin	Pomelo	132.42	38	366.0	A
lecithin	Potato	630.15	246	6,196.39	A
lecithin	Prune	1,296.94	218	8,257.03	A
lecithin	Pumpkin	64.37	20	426.19	A
lecithin	Quince	61.85	34	193.0	A
lecithin	Rangeland	145.45	24	2,112.0	A
lecithin	Rapini	2,276.87	453	10,763.6	A
lecithin	Raspberry	583.94	62	1,186.7	A
lecithin	Regulatory pest control	1.34	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Research commodity	59.78	16	56.25	A
lecithin	Research commodity	0.05	5	640.0	S
lecithin	Research commodity	1.22	N/A	N/A	N/A
lecithin	Rice	6,190.78	358	31,042.87	A
lecithin	Rights of way	3,084.99	366	6,339.5	A
lecithin	Rights of way	100,001.19	N/A	N/A	N/A
lecithin	Rye	7.54	6	60.46	A
lecithin	Ryegrass	123.25	23	2,010.0	A
lecithin	Safflower	1,659.09	127	34,554.0	A
lecithin	Sod farm (turf)	52.22	49	375.86	A
lecithin	Soil fumigation/preplant	3,850.13	267	37,820.9	A
lecithin	Sorghum (forage - fodder)	130.79	37	1,464.0	A
lecithin	Sorghum/milo	2.25	1	10.0	A
lecithin	Spinach	49.43	36	321.4	A
lecithin	Squash	39.52	12	288.0	A
lecithin	Squash, summer	2.07	3	21.0	A
lecithin	Squash, winter	14.39	5	37.5	A
lecithin	Stone fruit	58.0	9	129.0	A
lecithin	Strawberry	24,583.64	2,092	87,090.42	A
lecithin	Structural pest control	15.13	N/A	N/A	N/A
lecithin	Sudangrass	96.49	10	481.7	A
lecithin	Sugarbeet	1,028.49	78	6,436.4	A
lecithin	Sunflower	256.22	28	1,865.7	A
lecithin	Sweet potato	44.49	18	423.62	A
lecithin	Swiss chard	102.89	57	249.32	A
lecithin	Tangelo	323.39	54	675.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Tangerine	17,573.67	2,011	48,478.86	A
lecithin	Tomato	544.59	191	4,253.51	A
lecithin	Tomato, processing	9,193.3	612	72,379.93	A
lecithin	Triticale	321.93	29	2,280.75	A
lecithin	Tropical/subtropical fruit	0.25	1	6.0	A
lecithin	Turf/sod	1,892.31	202	2,733.64	A
lecithin	Turnip	0.76	1	10.0	A
lecithin	Uncultivated ag	12,212.31	2,068	46,487.5	A
lecithin	Uncultivated non-ag	269.16	25	1,056.58	A
lecithin	Unknown	16.12	18	36.0	A
lecithin	Walnut	22,365.33	2,777	78,504.68	A
lecithin	Water (industrial)	1.17	N/A	7.0	A
lecithin	Water area	31.25	1	125.25	A
lecithin	Water area	1.63	N/A	2,250.0	S
lecithin	Water area	11.19	N/A	0.02	U
lecithin	Watermelon	1,707.5	227	7,020.9	A
lecithin	Wheat	1,136.68	198	11,415.3	A
lecithin	Wheat (forage - fodder)	959.71	162	9,039.74	A
lignin sulfonic acid	Carrot	0.75	8	382.2	A
lignin sulfonic acid	Landscape maintenance	4.75	N/A	N/A	N/A
lignin sulfonic acid	Lettuce, leaf	0.28	3	71.9	A
lignin sulfonic acid	Prune	3.34	1	54.0	A
lignin sulfonic acid, copper salt	Landscape maintenance	1.01	N/A	N/A	N/A
lignin sulfonic acid, zinc salt	Almond	403.88	7	225.5	A
lignin sulfonic acid, zinc salt	Grape	30.03	1	20.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lignin sulfonic acid, zinc salt	Grape, wine	37.53	2	50.0	A
lignin sulfonic acid, zinc salt	Nectarine	45.79	7	25.5	A
lignin sulfonic acid, zinc salt	Peach	163.92	9	56.09	A
lignin sulfonic acid, zinc salt	Plum	73.57	5	31.0	A
lime-sulfur	Almond	69,413.32	100	8,687.58	A
lime-sulfur	Apple	31,351.85	288	3,073.02	A
lime-sulfur	Apricot	0.72	1	0.17	A
lime-sulfur	Apricot	1.54	1	780.0	S
lime-sulfur	Blackberry	26,445.82	221	1,215.5	A
lime-sulfur	Blueberry	2,235.53	15	312.18	A
lime-sulfur	Blueberry	0.77	1	1,500.0	S
lime-sulfur	Cherry	52,421.33	116	2,301.7	A
lime-sulfur	Cherry	0.05	1	100.0	S
lime-sulfur	Fig	61.8	1	28.8	A
lime-sulfur	Grape	621,376.89	940	36,468.59	A
lime-sulfur	Grape, wine	453,666.26	904	28,519.71	A
lime-sulfur	Grape, wine	1.92	5	30,000.0	S
lime-sulfur	Landscape maintenance	23.85	N/A	N/A	N/A
lime-sulfur	N-grnhs plants in containers	0.1	1	0.16	A
lime-sulfur	N-outdr plants in containers	667.1	16	32.14	A
lime-sulfur	N-outdr plants in containers	0.02	5	5.0	S
lime-sulfur	N-outdr transplants	71.48	5	5.56	A
lime-sulfur	Nectarine	36.26	8	7.11	A
lime-sulfur	Nectarine	3.08	2	2,280.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lime-sulfur	Olallieberry	7.7	1	0.5	A
lime-sulfur	Orange	760.13	3	94.6	A
lime-sulfur	Peach	2,986.97	31	232.95	A
lime-sulfur	Peach	3.85	2	3,012.0	S
lime-sulfur	Peach	7.7	2	48.0	U
lime-sulfur	Pear	80,775.61	110	3,220.0	A
lime-sulfur	Pistachio	1,128.87	3	131.51	A
lime-sulfur	Plum	2.94	2	0.45	A
lime-sulfur	Pome fruit	5.56	1	0.75	A
lime-sulfur	Pomegranate	2.31	1	1.5	A
lime-sulfur	Prune	972.1	8	133.5	A
lime-sulfur	Quince	0.77	1	0.5	A
lime-sulfur	Raspberry	54,134.52	172	1,820.11	A
lime-sulfur	Raspberry	0.77	1	2,000.0	S
lime-sulfur	Research commodity	1.36	N/A	N/A	N/A
lime-sulfur	Rights of way	89.84	N/A	N/A	N/A
lime-sulfur	Small fruits/berry	6.14	1	0.5	A
lime-sulfur	Stone fruit	0.83	5	1.6	A
lime-sulfur	Tangelo	334.77	1	39.0	A
lime-sulfur	Uncultivated ag	153.95	1	10.0	A
lime-sulfur	Vegetables, fruiting	1.23	1	1,000.0	C
limonene	Alfalfa	55.82	8	367.0	A
limonene	Almond	13,730.95	597	25,939.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
limonene	Apple	1.53	1	1.0	A
limonene	Apricot	104.75	16	278.05	A
limonene	Blueberry	5.64	2	24.06	A
limonene	Cherry	336.01	104	981.0	A
limonene	Corn (forage - fodder)	23.76	9	253.8	A
limonene	Corn, human consumption	19.01	3	39.0	A
limonene	Grape	1,254.98	257	4,562.65	A
limonene	Grape, wine	550.52	28	964.66	A
limonene	Grapefruit	11.22	4	47.5	A
limonene	Kiwi fruit fuzzy	11.3	2	75.45	A
limonene	Landscape maintenance	267.99	14	7.5	A
limonene	Landscape maintenance	1,414.97	N/A	N/A	N/A
limonene	N-grnhs flower	4.76	N/A	6.88	A
limonene	N-outdr plants in containers	1.05	1	3.0	A
limonene	Nectarine	327.06	140	811.28	A
limonene	Olive	35.92	1	130.0	A
limonene	Orange	216.28	20	219.21	A
limonene	Peach	656.01	292	1,373.76	A
limonene	Persimmon	83.46	47	181.83	A
limonene	Pistachio	496.0	49	1,596.58	A
limonene	Plum	631.61	255	1,541.69	A
limonene	Potato	8.29	1	122.0	A
limonene	Prune	15.25	4	46.59	A
limonene	Public health	0.5	N/A	N/A	N/A
limonene	Regulatory pest control	15.06	N/A	N/A	N/A
limonene	Rights of way	5.72	4	28.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
limonene	Rights of way	1.21	1	375.0	S
limonene	Rights of way	306.46	N/A	N/A	N/A
limonene	Soil fumigation/preplant	0.39	3	1.98	A
limonene	Structural pest control	34,169.76	N/A	N/A	N/A
limonene	Tangelo	3.15	2	15.2	A
limonene	Tangerine	60.46	16	231.55	A
limonene	Tomato, processing	16.11	1	46.6	A
limonene	Walnut	2,413.33	298	7,059.5	A
limonene	Water (industrial)	41.5	N/A	118.0	A
limonene	Water area	1.35	N/A	500.0	U
linalool	Structural pest control	0.23	N/A	N/A	N/A
lindane	Landscape maintenance	19.8	N/A	N/A	N/A
linuron	Asparagus	18.5	3	18.0	A
linuron	Carrot	37,341.67	1,240	52,690.68	A
linuron	Celery	5,262.81	830	8,628.58	A
linuron	Celery	1.38	4	56,000.0	S
linuron	Cilantro	4,740.48	1,119	8,339.6	A
linuron	Dill	84.42	9	169.46	A
linuron	Horseradish	14.5	1	58.0	A
linuron	N-grnhs flower	6.5	1	6.5	A
linuron	N-outdr flower	21.48	7	22.63	A
linuron	N-outdr transplants	16.75	2	67.0	A
linuron	Parsley	375.15	156	622.02	A
linuron	Peas	74.31	26	144.5	A
linuron	Research commodity	0.72	2	0.32	A
linuron	Research commodity	0.37	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
linuron	Uncultivated ag	37.5	3	150.0	A
low molecular weight paraffinic oil	Alfalfa	146.74	154	7,297.5	A
low molecular weight paraffinic oil	Almond	17,351.27	931	37,447.26	A
low molecular weight paraffinic oil	Apricot	131.24	17	289.38	A
low molecular weight paraffinic oil	Artichoke, globe	2.59	32	492.38	A
low molecular weight paraffinic oil	Arugula	53.26	100	752.09	A
low molecular weight paraffinic oil	Barley (forage - fodder)	0.09	3	215.0	A
low molecular weight paraffinic oil	Bean, dried	6.48	19	219.0	A
low molecular weight paraffinic oil	Bean, succulent	7.15	63	356.7	A
low molecular weight paraffinic oil	Bean, unspecified	0.51	15	64.7	A
low molecular weight paraffinic oil	Blueberry	11.45	11	302.69	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	Broccoli	53.7	393	3,976.41	A
low molecular weight paraffinic oil	Brussels sprout	6.46	10	149.6	A
low molecular weight paraffinic oil	Cabbage	1.26	22	31.6	A
low molecular weight paraffinic oil	Cardoon	0.37	1	3.5	A
low molecular weight paraffinic oil	Carrot	4.52	46	662.4	A
low molecular weight paraffinic oil	Cauliflower	26.42	264	2,789.89	A
low molecular weight paraffinic oil	Celery	7.91	8	107.11	A
low molecular weight paraffinic oil	Cherry	442.32	157	1,647.8	A
low molecular weight paraffinic oil	Cilantro	0.54	11	69.1	A
low molecular weight paraffinic oil	Citrus	0.64	1	41.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	Corn (forage - fodder)	64.42	114	6,498.68	A
low molecular weight paraffinic oil	Corn, grain	13.02	13	680.8	A
low molecular weight paraffinic oil	Corn, human consumption	56.7	94	1,231.35	A
low molecular weight paraffinic oil	Cotton	70.02	237	12,642.19	A
low molecular weight paraffinic oil	Cucumber	2.66	2	127.0	A
low molecular weight paraffinic oil	Eggplant	0.1	2	20.0	A
low molecular weight paraffinic oil	Endive (escarole)	3.21	21	33.8	A
low molecular weight paraffinic oil	Fennel	0.83	1	7.93	A
low molecular weight paraffinic oil	Forage hay/silage	6.35	7	439.0	A
low molecular weight paraffinic oil	Garlic	36.17	76	7,913.59	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	Grape	1,580.66	302	6,127.65	A
low molecular weight paraffinic oil	Grape, wine	778.25	181	7,605.31	A
low molecular weight paraffinic oil	Grapefruit	14.02	4	47.5	A
low molecular weight paraffinic oil	Kale	10.31	74	132.3	A
low molecular weight paraffinic oil	Kiwi fruit fuzzy	58.83	398	2,458.03	A
low molecular weight paraffinic oil	Landscape maintenance	15.19	N/A	N/A	N/A
low molecular weight paraffinic oil	Lemon	0.05	2	10.0	A
low molecular weight paraffinic oil	Lettuce, head	92.28	251	2,758.76	A
low molecular weight paraffinic oil	Lettuce, leaf	264.63	534	4,015.65	A
low molecular weight paraffinic oil	Mizuna	0.08	1	1.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	N-outdr plants in containers	13.56	42	2,311.3	A
low molecular weight paraffinic oil	N-outdr transplants	0.16	1	7.22	A
low molecular weight paraffinic oil	Nectarine	408.83	140	811.28	A
low molecular weight paraffinic oil	Oat	2.94	10	182.4	A
low molecular weight paraffinic oil	Oat (forage - fodder)	21.9	31	1,881.5	A
low molecular weight paraffinic oil	Olive	65.98	73	1,532.34	A
low molecular weight paraffinic oil	Onion, dry	4.3	25	1,886.9	A
low molecular weight paraffinic oil	Orange	270.35	20	219.21	A
low molecular weight paraffinic oil	Orchardgrass	0.22	1	28.0	A
low molecular weight paraffinic oil	Parsley	0.2	4	425.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	Pasture (forage - fodder)	0.82	2	180.0	A
low molecular weight paraffinic oil	Pastureland	0.62	3	300.0	A
low molecular weight paraffinic oil	Peach	820.0	292	1,373.76	A
low molecular weight paraffinic oil	Peas	0.95	25	109.2	A
low molecular weight paraffinic oil	Pecan	8.94	3	427.33	A
low molecular weight paraffinic oil	Pepper, fruiting	1.0	9	170.76	A
low molecular weight paraffinic oil	Persimmon	104.46	51	219.83	A
low molecular weight paraffinic oil	Pistachio	688.09	187	5,892.81	A
low molecular weight paraffinic oil	Plum	786.29	255	1,541.69	A
low molecular weight paraffinic oil	Pomegranate	1.82	4	461.52	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	Potato	12.93	3	367.0	A
low molecular weight paraffinic oil	Prune	7.37	11	222.48	A
low molecular weight paraffinic oil	Public health	28.21	N/A	N/A	N/A
low molecular weight paraffinic oil	Rangeland	2.03	3	442.0	A
low molecular weight paraffinic oil	Rapini	7.3	16	69.83	A
low molecular weight paraffinic oil	Rice	258.16	195	10,132.2	A
low molecular weight paraffinic oil	Rights of way	33.82	30	1,235.0	A
low molecular weight paraffinic oil	Rights of way	453.04	N/A	N/A	N/A
low molecular weight paraffinic oil	Safflower	1.0	1	60.0	A
low molecular weight paraffinic oil	Soil fumigation/preplant	50.56	24	1,503.98	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	Spinach	121.31	313	3,259.81	A
low molecular weight paraffinic oil	Strawberry	0.33	3	72.0	A
low molecular weight paraffinic oil	Sunflower	7.5	54	2,952.02	A
low molecular weight paraffinic oil	Tangelo	3.94	2	15.2	A
low molecular weight paraffinic oil	Tangerine	75.57	16	231.55	A
low molecular weight paraffinic oil	Tomato	14.62	17	560.96	A
low molecular weight paraffinic oil	Tomato, processing	51.26	29	1,644.5	A
low molecular weight paraffinic oil	Triticale	1.8	19	1,397.0	A
low molecular weight paraffinic oil	Uncultivated ag	501.24	1,026	15,922.85	A
low molecular weight paraffinic oil	Uncultivated non-ag	17.37	16	682.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
low molecular weight paraffinic oil	Upland cress	5.3	39	64.8	A
low molecular weight paraffinic oil	Walnut	2,272.83	413	11,097.89	A
low molecular weight paraffinic oil	Water area	1.22	8	21.16	A
low molecular weight paraffinic oil	Wheat	1,830.38	112	5,662.9	A
low molecular weight paraffinic oil	Wheat (forage - fodder)	26.83	33	2,363.28	A
magnesium chloride	Landscape maintenance	11.3	N/A	N/A	N/A
magnesium phosphide	Almond	1,102.74	N/A	7,419,710.0	C
magnesium phosphide	Almond	280.47	N/A	6,313,120.0	P
magnesium phosphide	Almond	914.6	N/A	39,604.3	T
magnesium phosphide	Almond	1.93	N/A	22,000.0	U
magnesium phosphide	Commodity fumigation	0.04	1	230.0	C
magnesium phosphide	Commodity fumigation	1,978.65	N/A	N/A	N/A
magnesium phosphide	Corn, human consumption	0.14	N/A	3,000.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
magnesium phosphide	Dried fruit	177.47	N/A	636,000.0	C
magnesium phosphide	Fumigation, other	2,193.66	N/A	N/A	N/A
magnesium phosphide	Herb, spice	0.16	N/A	5,000.0	C
magnesium phosphide	Herb, spice	0.42	N/A	9,000.0	S
magnesium phosphide	Herb, spice	0.14	N/A	1.0	U
magnesium phosphide	Landscape maintenance	1.79	1	10,120.0	S
magnesium phosphide	Landscape maintenance	7.07	N/A	N/A	N/A
magnesium phosphide	Melon	0.16	N/A	2,390.0	C
magnesium phosphide	N-outdr transplants	2.89	N/A	41,600.0	C
magnesium phosphide	Pistachio	284.71	N/A	772,720.0	C
magnesium phosphide	Pistachio	1,001.14	N/A	7,032.5	K
magnesium phosphide	Prune	49.63	N/A	356,400.0	C
magnesium phosphide	Regulatory pest control	107.96	N/A	N/A	N/A
magnesium phosphide	Rice	76.27	N/A	808,569.0	C
magnesium phosphide	Rice, wild	3.1	N/A	49,190.0	C
magnesium phosphide	Rye	0.37	N/A	163.0	K

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
magnesium phosphide	Storage area/box	8.96	N/A	16,000.0	C
magnesium phosphide	Structural pest control	96.2	N/A	N/A	N/A
magnesium phosphide	Walnut	17.28	N/A	280.0	T
magnesium phosphide	Wheat	0.2	N/A	69.0	K
magnesium sulfate	N-grnhs plants in containers	<0.01	1	5,880.0	S
malathion	Alfalfa	48,859.97	818	45,162.85	A
malathion	Asparagus	415.77	4	406.6	A
malathion	Avocado	52.14	1	11.3	A
malathion	Bean, dried	36.8	1	24.0	A
malathion	Bean, unspecified	10.86	1	5.0	A
malathion	Beet	40.12	6	33.23	A
malathion	Bermudagrass	1,665.02	22	1,390.8	A
malathion	Blackberry	4,447.05	264	2,268.5	A
malathion	Blueberry	222.95	28	161.84	A
malathion	Bok choy	171.69	34	116.44	A
malathion	Bok choy	1.53	4	48,000.0	S
malathion	Broccoli	13,958.13	1,108	11,160.19	A
malathion	Brussels sprout	3,422.51	193	2,775.49	A
malathion	Cabbage	5,266.27	536	4,636.55	A
malathion	Cannabis (all or unspecified)	<0.01	3	9,568.0	C
malathion	Cannabis (all or unspecified)	0.02	13	32,681.0	S
malathion	Carrot	51.11	1	40.0	A
malathion	Cauliflower	3,666.04	292	2,922.3	A
malathion	Celery	14,369.75	1,127	10,209.63	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
malathion	Cherimoya	0.11	1	7.0	A
malathion	Cherry	11,050.2	294	8,422.44	A
malathion	Chinese cabbage (napa, won bok, celery cabbage)	558.54	87	438.11	A
malathion	Chinese cabbage (napa, won bok, celery cabbage)	1.34	4	42,000.0	S
malathion	Chinese greens	1.15	1	10,000.0	S
malathion	Chive	2.43	3	1.5	A
malathion	Citrus	0.01	1	1.0	A
malathion	Collard	18.87	4	18.52	A
malathion	Commodity fumigation	91.99	N/A	N/A	N/A
malathion	Corn (forage - fodder)	33.46	1	35.0	A
malathion	Cotton	55,094.45	127	25,917.2	A
malathion	Cucumber	1.06	2	1.3	A
malathion	Eggplant	14.82	8	16.0	A
malathion	Endive (escarole)	5.15	2	5.02	A
malathion	Fig	3,335.84	22	1,716.94	A
malathion	Forage hay/silage	104.24	3	147.0	A
malathion	Gai choy	6.9	10	10.25	A
malathion	Gai choy	1.47	4	46,000.0	S
malathion	Gai lon	21.39	10	10.45	A
malathion	Gai lon	0.51	1	16,000.0	S
malathion	Grape	4,370.16	56	3,364.59	A
malathion	Grape, wine	1,638.24	23	869.48	A
malathion	Grapefruit	584.92	20	323.5	A
malathion	Grass, seed	120.27	3	97.6	A
malathion	Herb, spice	1.02	1	1.0	A
malathion	Kale	252.74	41	251.05	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
malathion	Kohlrabi	5.11	2	4.0	A
malathion	Landscape maintenance	353.44	N/A	N/A	N/A
malathion	Leek	59.37	19	85.83	A
malathion	Lemon	651.47	45	599.6	A
malathion	Lettuce, head	14,519.74	791	8,883.14	A
malathion	Lettuce, leaf	12,532.8	888	7,764.4	A
malathion	Lime	2.54	1	5.0	A
malathion	Melon	17.0	5	10.75	A
malathion	Mint	148.61	34	148.05	A
malathion	Mustard greens	27.97	7	28.25	A
malathion	N-grnhs flower	0.52	5	3.5	A
malathion	N-grnhs flower	0.21	2	6,900.0	S
malathion	N-grnhs plants in containers	91.56	69	55.29	A
malathion	N-grnhs plants in containers	17.53	23	419,250.0	S
malathion	N-grnhs transplants	28.82	13	26.04	A
malathion	N-outdr flower	58.26	16	51.17	A
malathion	N-outdr plants in containers	1,108.73	276	594.95	A
malathion	N-outdr plants in containers	0.12	1	10,890.0	C
malathion	N-outdr plants in containers	17.4	12	303,180.0	S
malathion	N-outdr plants in containers	14.9	19	55,925.25	U
malathion	N-outdr transplants	455.82	19	228.73	A
malathion	Nectarine	6.22	2	2.0	A
malathion	Onion, dry	1,528.17	11	1,129.0	A
malathion	Onion, green	34.51	2	22.5	A
malathion	Orange	16,734.96	367	7,709.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
malathion	Orchardgrass	84.16	1	66.0	A
malathion	Pastureland	454.29	10	479.0	A
malathion	Peach	<0.01	1	2.0	A
malathion	Peas	939.38	130	1,036.8	A
malathion	Pecan	1,606.22	10	652.2	A
malathion	Pluot	0.2	2	1.05	A
malathion	Public health	3,915.64	N/A	N/A	N/A
malathion	Pumpkin	1,011.79	34	989.4	A
malathion	Radish	259.26	119	252.9	A
malathion	Raspberry	8,015.65	397	4,404.58	A
malathion	Regulatory pest control	14,105.43	N/A	N/A	N/A
malathion	Research commodity	0.49	7	0.17	A
malathion	Research commodity	0.76	N/A	N/A	N/A
malathion	Rice, wild	173.71	1	147.0	A
malathion	Rights of way	19.65	N/A	N/A	N/A
malathion	Rutabaga	4.74	2	4.6	A
malathion	Sorghum (forage - fodder)	0.46	1	0.5	A
malathion	Spinach	353.59	55	351.16	A
malathion	Stone fruit	0.02	1	0.25	A
malathion	Strawberry	64,250.27	953	32,128.57	A
malathion	Strawberry	0.02	1	400.0	S
malathion	Structural pest control	36.07	N/A	N/A	N/A
malathion	Tangelo	165.69	10	111.3	A
malathion	Tangerine	2,819.22	92	2,234.32	A
malathion	Timothy	225.7	5	233.0	A
malathion	Tomato	949.26	13	790.49	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
malathion	Tomato, processing	11,333.87	55	7,226.75	A
malathion	Triticale	3,000.46	18	2,870.0	A
malathion	Turnip	14.81	6	12.0	A
malathion	Uncultivated ag	1.58	N/A	1.0	A
malathion	Vegetable	0.1	1	5.0	A
malathion	Walnut	11,472.04	149	5,569.44	A
malathion	Watercress	89.79	21	72.0	A
malathion	Watermelon	241.91	4	229.0	A
malathion	Wheat	1,908.15	13	1,879.2	A
malathion	Wheat (forage - fodder)	5,566.36	80	5,670.22	A
maleic hydrazide	Landscape maintenance	0.12	N/A	N/A	N/A
maleic hydrazide, potassium salt	Garlic	735.49	2	279.71	A
maleic hydrazide, potassium salt	Onion, dry	3,602.63	68	1,370.25	A
maleic hydrazide, potassium salt	Potato	2,860.11	15	760.0	A
maleic hydrazide, potassium salt	Structural pest control	0.19	N/A	N/A	N/A
mancozeb	Almond	246,166.79	877	54,942.1	A
mancozeb	Apple	12,425.68	268	3,846.74	A
mancozeb	Broccoli	9,283.66	303	6,261.25	A
mancozeb	Cabbage	1,705.39	77	1,220.04	A
mancozeb	Cauliflower	37.5	1	26.0	A
mancozeb	Commodity fumigation	0.95	N/A	N/A	N/A
mancozeb	Cotton	219.0	1	146.0	A
mancozeb	Cucumber	4,052.43	95	2,305.36	A
mancozeb	Daikon	1,168.82	14	801.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mancozeb	Fennel	551.91	29	345.4	A
mancozeb	Garlic	3,271.32	17	1,547.1	A
mancozeb	Golf course turf	2,944.98	N/A	239.7	A
mancozeb	Golf course turf	678.13	N/A	1,260,000.0	S
mancozeb	Grape	13,869.44	230	11,441.04	A
mancozeb	Grape, wine	207.38	22	136.26	A
mancozeb	Landscape maintenance	8.25	1	2.0	A
mancozeb	Landscape maintenance	9.6	1	32,000.0	S
mancozeb	Landscape maintenance	16,856.79	N/A	N/A	N/A
mancozeb	Lettuce, head	117,757.88	6,854	84,966.04	A
mancozeb	Lettuce, leaf	116,605.41	7,851	78,889.23	A
mancozeb	Melon	33.46	4	25.08	A
mancozeb	N-grnhs flower	1,280.45	158	453.57	A
mancozeb	N-grnhs flower	33.7	2	341,059.0	S
mancozeb	N-grnhs plants in containers	402.15	156	161.08	A
mancozeb	N-grnhs plants in containers	2.46	9	48,600.0	S
mancozeb	N-grnhs plants in containers	0.14	N/A	7,640.0	U
mancozeb	N-grnhs transplants	2,446.86	1,367	1,954.08	A
mancozeb	N-grnhs transplants	40.01	33	1,207,765.0	S
mancozeb	N-outdr flower	4,792.47	1,074	5,824.2	A
mancozeb	N-outdr flower	<0.01	3	13.3	S
mancozeb	N-outdr plants in containers	3,106.79	619	2,620.64	A
mancozeb	N-outdr plants in containers	28.06	32	773,965.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mancozeb	N-outdr plants in containers	17.2	2	209,060.0	U
mancozeb	N-outdr transplants	1,968.58	177	718.5	A
mancozeb	N-outdr transplants	212.21	96	5,329,588.0	S
mancozeb	Onion, dry	105,924.38	951	55,287.32	A
mancozeb	Pear	63,244.6	620	23,932.54	A
mancozeb	Pepper, fruiting	2,166.51	52	1,657.45	A
mancozeb	Pepper, spice	303.0	3	202.0	A
mancozeb	Pistachio	2.23	1	1.0	A
mancozeb	Potato	9,222.52	140	6,342.11	A
mancozeb	Pumpkin	215.25	9	98.19	A
mancozeb	Research commodity	136.66	22	74.91	A
mancozeb	Research commodity	26.52	N/A	N/A	N/A
mancozeb	Rights of way	437.1	N/A	N/A	N/A
mancozeb	Sod farm (turf)	10,373.38	89	930.65	A
mancozeb	Squash	72.0	4	45.0	A
mancozeb	Stone fruit	63.58	4	17.0	A
mancozeb	Strawberry	1.0	1	2.0	A
mancozeb	Structural pest control	87.02	N/A	N/A	N/A
mancozeb	Tomato	11,593.18	267	9,851.98	A
mancozeb	Tomato, processing	25,069.36	420	21,424.11	A
mancozeb	Turf/sod	3,372.09	31	399.68	A
mancozeb	Uncultivated ag	206.48	4	120.8	A
mancozeb	Walnut	762,558.97	11,564	430,836.62	A
mancozeb	Watermelon	191.43	4	113.1	A
mandipropamid	Arugula	383.89	405	2,956.92	A
mandipropamid	Basil, sweet	127.79	106	985.85	A
mandipropamid	Bok choy	52.08	145	433.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mandipropamid	Broccoli	592.56	155	4,787.63	A
mandipropamid	Brussels sprout	60.78	13	481.04	A
mandipropamid	Cabbage	475.1	400	3,772.93	A
mandipropamid	Cauliflower	220.53	108	1,772.25	A
mandipropamid	Celery	0.1	2	0.8	A
mandipropamid	Chinese cabbage (napa, won bok, celery cabbage)	110.86	113	870.67	A
mandipropamid	Citrus	0.78	1	20.0	A
mandipropamid	Cole crop	2.59	31	20.17	A
mandipropamid	Collard	66.18	203	506.8	A
mandipropamid	Cucumber	121.73	39	962.69	A
mandipropamid	Dandelion green	0.29	3	2.24	A
mandipropamid	Date	0.11	1	3.0	A
mandipropamid	Endive (escarole)	8.62	46	64.78	A
mandipropamid	Gai lon	8.65	34	67.0	A
mandipropamid	Grape	0.27	1	2.0	A
mandipropamid	Grape, wine	0.45	5	5.34	A
mandipropamid	Kale	258.78	479	1,990.62	A
mandipropamid	Kohlrabi	3.29	30	25.27	A
mandipropamid	Leek	4.85	10	37.2	A
mandipropamid	Lemon	41.94	8	621.0	A
mandipropamid	Lettuce, head	8,666.67	5,664	68,052.08	A
mandipropamid	Lettuce, leaf	10,985.79	8,648	86,118.45	A
mandipropamid	Melon	11.32	8	86.83	A
mandipropamid	Mizuna	11.25	23	81.15	A
mandipropamid	Mustard	6.61	45	55.65	A
mandipropamid	Mustard greens	94.33	280	728.46	A
mandipropamid	N-grnhs flower	3.19	13	24.5	A
mandipropamid	N-grnhs flower	0.01	1	4,900.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mandipropamid	N-grnhs plants in containers	30.15	166	183.76	A
mandipropamid	N-grnhs plants in containers	2.61	25	589,738.0	S
mandipropamid	N-grnhs transplants	9.16	109	230.85	A
mandipropamid	N-grnhs transplants	6.4	87	2,360,050.0	S
mandipropamid	N-outdr flower	3.66	12	70.5	A
mandipropamid	N-outdr plants in containers	38.52	132	321.14	A
mandipropamid	N-outdr plants in containers	0.77	19	273,981.0	S
mandipropamid	N-outdr plants in containers	0.65	4	20,000.0	U
mandipropamid	N-outdr transplants	8.52	118	148.06	A
mandipropamid	N-outdr transplants	35.6	177	10,918,200.0	S
mandipropamid	Onion, dry	2,645.91	320	21,561.7	A
mandipropamid	Onion, green	61.84	48	473.6	A
mandipropamid	Parsley	11.98	4	92.0	A
mandipropamid	Peas	0.29	5	2.07	A
mandipropamid	Pepper, fruiting	18.16	6	152.0	A
mandipropamid	Potato	447.41	90	4,075.48	A
mandipropamid	Pumpkin	30.4	5	240.0	A
mandipropamid	Radicchio	4.75	4	36.5	A
mandipropamid	Research commodity	0.14	2	1.1	A
mandipropamid	Research commodity	0.79	N/A	N/A	N/A
mandipropamid	Spinach	4,944.76	4,003	38,459.0	A
mandipropamid	Squash	3.61	3	34.0	A
mandipropamid	Swiss chard	78.51	223	607.52	A
mandipropamid	Tangelo	4.41	2	25.0	A
mandipropamid	Tangerine	1.86	1	40.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mandipropamid	Tomato	322.65	75	2,935.91	A
mandipropamid	Upland cress	19.75	85	156.68	A
mandipropamid	Vegetables, leafy	5.16	57	38.92	A
maneb	Apple	2.4	1	1.0	A
maneb	Carrot	3.06	8	382.2	A
maneb	Christmas tree	4.8	2	5.0	A
maneb	Lettuce, leaf	1.15	3	71.9	A
maneb	N-grnhs flower	2.28	10	80,000.0	S
maneb	N-grnhs transplants	3.2	2	2.0	A
maneb	N-outdr plants in containers	8.8	2	11.0	A
maneb	Peach	6.62	1	4.0	A
maneb	Research commodity	4.6	N/A	N/A	N/A
maneb	Walnut	828.12	25	439.0	A
manganese sulfate	Alfalfa	0.17	1	35.5	A
manganese sulfate	Almond	384.93	63	5,234.1	A
manganese sulfate	Carrot	1.92	8	382.2	A
manganese sulfate	Landscape maintenance	<0.01	N/A	N/A	N/A
manganese sulfate	Lettuce, leaf	0.72	3	71.9	A
manganese sulfate	Raspberry	1.05	1	12.31	A
manganese sulfate	Walnut	0.03	1	0.5	A
margosa oil	Almond	382.76	7	170.0	A
margosa oil	Arugula	32.31	5	51.35	A
margosa oil	Bean, succulent	33.5	4	15.7	A
margosa oil	Beet	2,875.27	65	1,487.3	A
margosa oil	Blackberry	580.9	63	680.82	A
margosa oil	Blueberry	8.27	2	21.28	A
margosa oil	Broccoli	859.01	108	764.02	A
margosa oil	Brussels sprout	5.42	1	2.2	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
margosa oil	Cabbage	618.79	82	589.13	A
margosa oil	Cannabis (all or unspecified)	178.77	225	1,450,638.0	S
margosa oil	Cauliflower	1,959.41	102	1,082.38	A
margosa oil	Celery	294.98	27	265.41	A
margosa oil	Cilantro	43.25	14	193.3	A
margosa oil	Collard	475.87	92	399.24	A
margosa oil	Cucumber	76.21	9	22.7	A
margosa oil	Daikon	16.77	8	30.2	A
margosa oil	Dill	8.57	17	41.58	A
margosa oil	Fennel	0.07	1	1.15	A
margosa oil	Grape	26.17	2	34.0	A
margosa oil	Grape, wine	149.71	15	50.33	A
margosa oil	Industrial hemp	42.31	6	79.0	A
margosa oil	Kale	3,363.71	139	2,839.81	A
margosa oil	Landscape maintenance	788.7	N/A	N/A	N/A
margosa oil	Leek	110.09	28	297.9	A
margosa oil	Lettuce, head	1,825.09	75	789.4	A
margosa oil	Lettuce, leaf	11,535.72	1,009	8,259.13	A
margosa oil	Melon	0.31	1	1.0	A
margosa oil	Mizuna	9.41	5	14.7	A
margosa oil	Mustard	77.19	52	135.0	A
margosa oil	Mustard greens	56.23	35	89.11	A
margosa oil	N-grnhs plants in containers	3.7	2	1.74	A
margosa oil	N-grnhs transplants	32.03	4	400.0	A
margosa oil	N-outdr flower	2.96	2	4.82	A
margosa oil	N-outdr plants in containers	3.73	9	35.66	A
margosa oil	N-outdr transplants	9.94	18	702,724.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
margosa oil	Olive	9.85	2	2.6	A
margosa oil	Onion, dry	1,039.63	10	686.6	A
margosa oil	Onion, green	977.69	87	1,392.8	A
margosa oil	Parsley	4.35	14	94.1	A
margosa oil	Peas	598.12	4	53.6	A
margosa oil	Pepper, fruiting	92.38	3	75.0	A
margosa oil	Prune	222.85	1	55.0	A
margosa oil	Radicchio	497.63	7	404.0	A
margosa oil	Radish	85.38	11	87.9	A
margosa oil	Raspberry	1,296.42	119	1,742.75	A
margosa oil	Research commodity	1.74	5	45,500.0	S
margosa oil	Spinach	652.99	48	623.25	A
margosa oil	Strawberry	5,015.69	537	11,337.28	A
margosa oil	Structural pest control	18.91	N/A	N/A	N/A
margosa oil	Swiss chard	693.83	70	1,148.5	A
margosa oil	Tomato	917.1	25	263.55	A
margosa oil	Tomato, processing	234.82	6	440.0	A
mcpa, dimethylamine salt	Alfalfa	84.45	4	158.0	A
mcpa, dimethylamine salt	Barley	3,167.84	62	5,347.2	A
mcpa, dimethylamine salt	Barley (forage - fodder)	1,069.99	27	2,315.9	A
mcpa, dimethylamine salt	Corn (forage - fodder)	507.36	11	882.0	A
mcpa, dimethylamine salt	Forage hay/silage	6,132.7	192	9,655.6	A
mcpa, dimethylamine salt	Grass, seed	90.79	23	83.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>mcpa, dimethylamine salt</b>	Landscape maintenance	1.42	1	55.0	A
<b>mcpa, dimethylamine salt</b>	Landscape maintenance	2,964.05	N/A	N/A	N/A
<b>mcpa, dimethylamine salt</b>	N-grnhs flower	1.46	N/A	3.9	A
<b>mcpa, dimethylamine salt</b>	N-grnhs flower	0.81	1	84,000.0	S
<b>mcpa, dimethylamine salt</b>	N-outdr flower	0.19	N/A	30,000.0	S
<b>mcpa, dimethylamine salt</b>	N-outdr plants in containers	0.23	1	1.0	A
<b>mcpa, dimethylamine salt</b>	Oat	1,188.99	72	2,166.3	A
<b>mcpa, dimethylamine salt</b>	Oat (forage - fodder)	18,811.54	762	30,712.77	A
<b>mcpa, dimethylamine salt</b>	Orchardgrass	29.11	2	40.0	A
<b>mcpa, dimethylamine salt</b>	Pasture (forage - fodder)	31.63	3	57.0	A
<b>mcpa, dimethylamine salt</b>	Pastureland	453.35	14	588.25	A
<b>mcpa, dimethylamine salt</b>	Rangeland	591.53	3	533.28	A
<b>mcpa, dimethylamine salt</b>	Research commodity	3.66	1	6.5	A
<b>mcpa, dimethylamine salt</b>	Rights of way	124.31	1	250.0	A
<b>mcpa, dimethylamine salt</b>	Rights of way	171.48	N/A	N/A	N/A
<b>mcpa, dimethylamine salt</b>	Rye	323.83	16	527.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>mcpa, dimethylamine salt</b>	Ryegrass	1,490.6	49	1,912.38	A
<b>mcpa, dimethylamine salt</b>	Soil fumigation/preplant	329.82	6	343.0	A
<b>mcpa, dimethylamine salt</b>	Triticale	4,711.16	170	9,086.36	A
<b>mcpa, dimethylamine salt</b>	Uncultivated ag	1,388.51	36	2,884.47	A
<b>mcpa, dimethylamine salt</b>	Uncultivated non-ag	56.16	1	50.0	A
<b>mcpa, dimethylamine salt</b>	Wheat	22,301.25	585	40,405.92	A
<b>mcpa, dimethylamine salt</b>	Wheat (forage - fodder)	22,070.92	767	40,289.01	A
<b>mcpa, 2-ethyl hexyl ester</b>	Forage hay/silage	50.56	2	126.0	A
<b>mcpa, 2-ethyl hexyl ester</b>	Landscape maintenance	25.21	N/A	N/A	N/A
<b>mcpa, 2-ethyl hexyl ester</b>	Rights of way	10.08	N/A	N/A	N/A
<b>mcpa, 2-ethyl hexyl ester</b>	Wheat	117.54	5	250.0	A
<b>mcpa, isooctyl ester</b>	Landscape maintenance	1,239.45	N/A	N/A	N/A
<b>mcpa, isooctyl ester</b>	Rights of way	2.55	N/A	N/A	N/A
<b>mcpp</b>	Grape, wine	0.01	2	5.36	A
<b>mcpp</b>	Landscape maintenance	0.37	2	3.0	A
<b>mcpp</b>	Landscape maintenance	49.78	N/A	N/A	N/A
<b>mcpp</b>	N-grnhs plants in containers	<0.01	1	50,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>mcpp</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>mcpp</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>mcpp, diethanolamine salt</b>	Landscape maintenance	2.14	N/A	N/A	N/A
<b>mcpp, dimethylamine salt</b>	Golf course turf	0.78	1	1.0	A
<b>mcpp, dimethylamine salt</b>	Landscape maintenance	31.79	N/A	N/A	N/A
<b>mcpp, dimethylamine salt</b>	N-grnhs flower	7.9	N/A	10.0	A
<b>mcpp, dimethylamine salt</b>	N-grnhs flower	0.02	1	9,000.0	S
<b>mcpp, dimethylamine salt</b>	N-grnhs transplants	0.18	1	0.33	A
<b>mcpp, dimethylamine salt</b>	N-outdr plants in containers	0.16	1	10,000.0	S
<b>mcpp, dimethylamine salt</b>	Rights of way	10.14	N/A	N/A	N/A
<b>mcpp, dimethylamine salt</b>	Turf/sod	0.01	2	30.0	A
<b>mcpp, potassium salt</b>	Landscape maintenance	0.16	N/A	N/A	N/A
<b>mcpp, potassium salt</b>	N-grnhs plants in containers	4.47	17	11.51	A
<b>mcpp, potassium salt</b>	N-grnhs plants in containers	0.15	1	40,000.0	S
<b>mcpp, potassium salt</b>	N-outdr plants in containers	0.62	6	1.8	A
<b>mcpp, potassium salt</b>	N-outdr plants in containers	4.31	5	80,500.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>mcpp, potassium salt</b>	N-outdr transplants	0.3	1	1.0	A
<b>mcpp-p, dimethylamine salt</b>	Golf course turf	46.95	1	148.0	A
<b>mcpp-p, dimethylamine salt</b>	Landscape maintenance	4.36	3	68.5	A
<b>mcpp-p, dimethylamine salt</b>	Landscape maintenance	677.67	N/A	N/A	N/A
<b>mcpp-p, dimethylamine salt</b>	N-grnhs flower	3.06	N/A	4.0	A
<b>mcpp-p, dimethylamine salt</b>	N-outdr plants in containers	0.02	1	10,000.0	S
<b>mcpp-p, dimethylamine salt</b>	N-outdr transplants	0.03	1	0.01	A
<b>mcpp-p, dimethylamine salt</b>	Rights of way	155.58	N/A	N/A	N/A
<b>mcpp-p, dimethylamine salt</b>	Structural pest control	5.14	N/A	N/A	N/A
<b>mcpp-p, dimethylamine salt</b>	Turf/sod	146.22	20	478.0	A
<b>mcpp-p, dimethylamine salt</b>	Turf/sod	0.18	N/A	18,000.0	S
<b>mcpp-p, potassium salt</b>	County ag comm	0.76	N/A	N/A	N/A
<b>mcpp-p, potassium salt</b>	Grass, seed	28.5	11	56.0	A
<b>mcpp-p, potassium salt</b>	Landscape maintenance	471.12	N/A	N/A	N/A
<b>mcpp-p, potassium salt</b>	Rights of way	6.16	N/A	N/A	N/A
<b>mcpp-p, potassium salt</b>	Turf/sod	2.05	N/A	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mcpp-p, potassium salt	Turf/sod	12.32	N/A	120,000.0	S
mecoprop-p	Golf course turf	58.26	9	707.05	A
mecoprop-p	Golf course turf	0.1	N/A	31,000.0	S
mecoprop-p	Landscape maintenance	15.11	21	496.95	A
mecoprop-p	Landscape maintenance	3.88	31	925,000.0	S
mecoprop-p	Landscape maintenance	2,179.36	N/A	N/A	N/A
mecoprop-p	N-grnhs flower	35.01	N/A	315.89	A
mecoprop-p	N-grnhs flower	1.67	N/A	410,900.0	S
mecoprop-p	N-grnhs plants in containers	0.3	N/A	2.0	A
mecoprop-p	N-grnhs transplants	15.74	N/A	210.2	A
mecoprop-p	N-outdr flower	1.51	2	9.0	A
mecoprop-p	N-outdr plants in containers	0.89	2	16.25	A
mecoprop-p	N-outdr plants in containers	0.03	2	10,000.0	S
mecoprop-p	N-outdr transplants	0.45	N/A	7.0	A
mecoprop-p	N-outdr transplants	1.24	N/A	770,000.0	S
mecoprop-p	Public health	0.65	N/A	N/A	N/A
mecoprop-p	Recreation area	0.02	N/A	12,000.0	S
mecoprop-p	Rights of way	61.97	N/A	N/A	N/A
mecoprop-p	Sod farm (turf)	34.42	62	562.12	A
mecoprop-p	Structural pest control	2.06	N/A	N/A	N/A
mecoprop-p	Turf/sod	85.44	93	1,209.28	A
mecoprop-p	Turf/sod	0.01	1	11,000.0	S
mefenoxam	Alfalfa	37.78	6	253,257.0	?
mefenoxam	Alfalfa	199.13	38	444.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	Alfalfa	263.83	N/A	2,630,041.0	P
mefenoxam	Alfalfa	3.88	1	26,455.0	U
mefenoxam	Almond	24,977.49	585	49,958.63	A
mefenoxam	Apple	1.32	1	0.95	A
mefenoxam	Arugula	65.23	15	141.2	A
mefenoxam	Arugula	0.07	N/A	478.36	P
mefenoxam	Asparagus	144.98	8	375.3	A
mefenoxam	Avocado	81.78	30	156.6	A
mefenoxam	Basil, sweet	463.63	29	543.67	A
mefenoxam	Bean, dried	45.13	N/A	1,621,641.0	P
mefenoxam	Bean, dried	6.73	N/A	45.0	T
mefenoxam	Bean, dried	0.29	N/A	77.5	U
mefenoxam	Bean, succulent	0.66	5	5.58	A
mefenoxam	Beet	116.42	72	225.08	A
mefenoxam	Beet	0.06	N/A	401.0	P
mefenoxam	Blackberry	74.03	48	378.07	A
mefenoxam	Bok choy	4.39	2	59.5	A
mefenoxam	Broccoli	330.3	204	4,599.86	A
mefenoxam	Broccoli	0.01	N/A	97.4	P
mefenoxam	Brussels sprout	15.29	7	45.55	A
mefenoxam	Cabbage	68.24	36	1,155.65	A
mefenoxam	Cabbage	0.33	N/A	1,238.5	P
mefenoxam	Cantaloupe	1,704.63	97	4,764.42	A
mefenoxam	Cantaloupe	0.05	N/A	5,415.72	P
mefenoxam	Carrot	11,546.4	1,061	58,702.0	A
mefenoxam	Carrot	1.84	N/A	119,821.03	P
mefenoxam	Cauliflower	117.2	69	911.74	A
mefenoxam	Cauliflower	<0.01	N/A	1.19	P
mefenoxam	Celery	120.81	8	200.36	A
mefenoxam	Celery	<0.01	N/A	54.52	P
mefenoxam	Cherry	616.54	21	804.91	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	Chinese cabbage (napa, won bok, celery cabbage)	18.8	2	200.0	A
mefenoxam	Chinese greens	7.01	2	14.0	A
mefenoxam	Chive	2.63	1	42.0	A
mefenoxam	Cilantro	132.63	21	266.88	A
mefenoxam	Citrus	12.75	7	30.32	A
mefenoxam	Collard	1.5	1	11.92	A
mefenoxam	Commodity fumigation	1.03	2	6,909.0	?
mefenoxam	Commodity fumigation	0.9	1	6,000.0	U
mefenoxam	Commodity fumigation	677.62	N/A	N/A	N/A
mefenoxam	Cotton	4.14	1	68.2	A
mefenoxam	Cucumber	270.16	31	569.62	A
mefenoxam	Cucumber	4.02	N/A	134,699.69	P
mefenoxam	Dill	48.14	3	96.0	A
mefenoxam	Eggplant	24.74	4	69.04	A
mefenoxam	Eggplant	<0.01	N/A	18.03	P
mefenoxam	Endive (escarole)	61.13	6	122.0	A
mefenoxam	Fennel	0.03	N/A	184.0	P
mefenoxam	Fumigation, other	20.81	N/A	N/A	N/A
mefenoxam	Gai lon	19.82	3	363.0	A
mefenoxam	Golf course turf	146.41	2	212.85	A
mefenoxam	Golf course turf	8.06	N/A	515,000.0	S
mefenoxam	Grape	248.43	14	225.65	A
mefenoxam	Grape, wine	388.94	20	786.75	A
mefenoxam	Grapefruit	47.32	11	98.5	A
mefenoxam	Herb, spice	16.94	6	28.18	A
mefenoxam	Herb, spice	0.06	1	10,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	Kale	95.69	110	402.06	A
mefenoxam	Kiwi fruit fuzzy	1,605.52	289	4,535.33	A
mefenoxam	Landscape maintenance	1.87	2	3.5	A
mefenoxam	Landscape maintenance	1,358.83	N/A	N/A	N/A
mefenoxam	Leek	8.1	3	16.21	A
mefenoxam	Lemon	1,161.81	90	2,509.88	A
mefenoxam	Lettuce, head	716.76	367	6,107.75	A
mefenoxam	Lettuce, leaf	934.87	539	7,787.15	A
mefenoxam	Lettuce, leaf	1.04	N/A	6,760.0	P
mefenoxam	Lime	15.03	1	7.5	A
mefenoxam	Melon	567.35	66	2,611.04	A
mefenoxam	Melon	0.15	N/A	985.44	P
mefenoxam	Mustard greens	4.29	3	5.69	A
mefenoxam	N-grnhs flower	77.59	73	235.57	A
mefenoxam	N-grnhs flower	21.11	52	1,570,198.0	S
mefenoxam	N-grnhs flower	0.7	8	4,762.0	U
mefenoxam	N-grnhs plants in containers	524.98	1,943	1,953.96	A
mefenoxam	N-grnhs plants in containers	59.78	599	16,593,611.82	S
mefenoxam	N-grnhs plants in containers	8.23	5	3,627,914.03	U
mefenoxam	N-grnhs transplants	55.06	189	1,373.51	A
mefenoxam	N-grnhs transplants	100.43	543	5,503,757.0	S
mefenoxam	N-outdr flower	256.97	482	1,210.93	A
mefenoxam	N-outdr flower	0.26	42	192,575.0	S
mefenoxam	N-outdr plants in containers	531.26	2,156	6,840.24	A
mefenoxam	N-outdr plants in containers	35.48	446	5,247,529.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	N-outdr plants in containers	42.3	172	808,887.0	U
mefenoxam	N-outdr transplants	527.61	109	1,062.45	A
mefenoxam	N-outdr transplants	10.37	87	756,460.0	S
mefenoxam	Olive	0.03	1	0.5	A
mefenoxam	Onion, dry	6,375.4	891	60,400.41	A
mefenoxam	Onion, dry	1.96	N/A	80,957.07	P
mefenoxam	Onion, dry	<0.01	N/A	143.17	T
mefenoxam	Onion, green	1.24	1	2.5	A
mefenoxam	Onion, green	<0.01	N/A	141.51	P
mefenoxam	Orange	2,631.53	198	5,711.29	A
mefenoxam	Parsley	256.23	65	369.0	A
mefenoxam	Parsley	<0.01	N/A	4.65	P
mefenoxam	Parsnip	0.1	N/A	671.0	P
mefenoxam	Peach	42.4	11	80.34	A
mefenoxam	Peas	4.82	5	20.01	A
mefenoxam	Pepper, fruiting	2,188.18	244	7,343.96	A
mefenoxam	Pepper, fruiting	0.02	N/A	1,490.96	P
mefenoxam	Pepper, spice	79.9	7	159.48	A
mefenoxam	Pepper, spice	0.06	1	5,070.0	S
mefenoxam	Pimento	3.48	3	14.0	A
mefenoxam	Pistachio	0.2	1	0.1	A
mefenoxam	Potato	1,628.0	128	9,588.0	A
mefenoxam	Prune	90.95	7	199.0	A
mefenoxam	Pumpkin	155.16	24	967.5	A
mefenoxam	Pumpkin	1.08	N/A	7,011.2	P
mefenoxam	Radish	135.5	113	275.06	A
mefenoxam	Rapini	9.3	4	74.0	A
mefenoxam	Raspberry	403.59	46	584.27	A
mefenoxam	Research commodity	17.31	23	37.44	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	Research commodity	1.33	54	235,000.0	S
mefenoxam	Research commodity	4.32	N/A	N/A	N/A
mefenoxam	Rights of way	1.5	N/A	N/A	N/A
mefenoxam	Rutabaga	0.64	1	5.0	A
mefenoxam	Sod farm (turf)	87.7	13	130.11	A
mefenoxam	Soil fumigation/preplant	0.99	N/A	5,508.0	C
mefenoxam	Spinach	11,958.35	2,348	18,418.33	A
mefenoxam	Spinach	20.88	N/A	773,769.7	P
mefenoxam	Squash	1.43	6	4.82	A
mefenoxam	Squash	0.35	N/A	25,099.19	P
mefenoxam	Squash, summer	2.14	3	18.0	A
mefenoxam	Squash, winter	1.57	2	7.0	A
mefenoxam	Squash, zucchini	2.82	1	15.0	A
mefenoxam	Strawberry	6,623.21	331	13,697.87	A
mefenoxam	Structural pest control	1.17	N/A	N/A	N/A
mefenoxam	Sudangrass	0.39	N/A	11.02	T
mefenoxam	Sunflower	0.39	N/A	5,163.0	P
mefenoxam	Sweet potato	2.57	1	5.0	A
mefenoxam	Tangelo	33.99	8	70.0	A
mefenoxam	Tangerine	3,981.63	279	9,286.48	A
mefenoxam	Thyme	0.11	1	0.5	A
mefenoxam	Tomato	1,343.76	250	8,104.75	A
mefenoxam	Tomato	0.03	N/A	1,278.04	P
mefenoxam	Tomato	0.13	1	11,310.0	S
mefenoxam	Tomato, processing	4,066.62	364	28,670.56	A
mefenoxam	Turf/sod	58.81	5	86.77	A
mefenoxam	Turf/sod	0.51	N/A	32,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mefenoxam	Uncultivated ag	108.51	8	616.5	A
mefenoxam	Walnut	1,615.73	48	2,568.66	A
mefenoxam	Watercress	3.04	1	8.1	A
mefenoxam	Watermelon	789.5	111	3,865.15	A
mefenoxam	Watermelon	0.22	N/A	9,511.57	P
mefenoxam	Wheat	26.64	N/A	892.62	T
mefenoxam, other related	Alfalfa	1.06	4	231,327.0	?
mefenoxam, other related	Alfalfa	8.17	N/A	2,630,041.0	P
mefenoxam, other related	Alfalfa	0.12	1	26,455.0	U
mefenoxam, other related	Arugula	<0.01	N/A	153.36	P
mefenoxam, other related	Avocado	0.1	6	43.0	A
mefenoxam, other related	Bean, dried	1.4	N/A	1,621,641.0	P
mefenoxam, other related	Bean, dried	0.21	N/A	45.0	T
mefenoxam, other related	Bean, dried	<0.01	N/A	77.5	U
mefenoxam, other related	Blackberry	0.05	2	12.22	A
mefenoxam, other related	Broccoli	<0.01	N/A	97.4	P
mefenoxam, other related	Cabbage	<0.01	N/A	602.42	P
mefenoxam, other related	Cantaloupe	<0.01	N/A	5,415.72	P
mefenoxam, other related	Carrot	1.0	3	275.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mefenoxam, other related	Carrot	0.06	N/A	119,300.03	P
mefenoxam, other related	Cauliflower	<0.01	N/A	1.19	P
mefenoxam, other related	Commodity fumigation	0.03	2	6,909.0	?
mefenoxam, other related	Commodity fumigation	0.03	1	6,000.0	U
mefenoxam, other related	Commodity fumigation	1.21	N/A	N/A	N/A
mefenoxam, other related	Cotton	0.12	1	68.2	A
mefenoxam, other related	Cucumber	0.03	N/A	115,544.94	P
mefenoxam, other related	Eggplant	<0.01	N/A	18.03	P
mefenoxam, other related	Golf course turf	4.59	2	203.85	A
mefenoxam, other related	Golf course turf	0.09	N/A	175,000.0	S
mefenoxam, other related	Landscape maintenance	0.03	1	1.5	A
mefenoxam, other related	Landscape maintenance	35.6	N/A	N/A	N/A
mefenoxam, other related	Lemon	<0.01	1	2.0	A
mefenoxam, other related	Lettuce, leaf	<0.01	1	0.07	A
mefenoxam, other related	Lettuce, leaf	<0.01	N/A	549.0	P
mefenoxam, other related	N-grnhs flower	2.34	62	217.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mefenoxam, other related	N-grnhs flower	0.3	45	791,298.0	S
mefenoxam, other related	N-grnhs flower	0.02	8	4,762.0	U
mefenoxam, other related	N-grnhs plants in containers	16.87	1,778	1,867.62	A
mefenoxam, other related	N-grnhs plants in containers	1.69	429	14,105,812.82	S
mefenoxam, other related	N-grnhs plants in containers	0.27	5	3,627,914.03	U
mefenoxam, other related	N-grnhs transplants	1.01	69	126.74	A
mefenoxam, other related	N-grnhs transplants	2.6	402	2,531,365.0	S
mefenoxam, other related	N-outdr flower	0.47	139	289.1	A
mefenoxam, other related	N-outdr flower	<0.01	42	192,575.0	S
mefenoxam, other related	N-outdr plants in containers	13.84	1,831	5,851.51	A
mefenoxam, other related	N-outdr plants in containers	1.05	418	4,912,632.0	S
mefenoxam, other related	N-outdr plants in containers	1.33	164	795,298.0	U
mefenoxam, other related	N-outdr transplants	0.15	13	13.31	A
mefenoxam, other related	N-outdr transplants	0.11	31	260,000.0	S
mefenoxam, other related	Onion, dry	0.02	N/A	66,771.07	P
mefenoxam, other related	Onion, dry	<0.01	N/A	143.17	T

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>mefenoxam, other related</b>	Onion, green	<0.01	N/A	141.51	P
<b>mefenoxam, other related</b>	Orange	<0.01	1	17.0	A
<b>mefenoxam, other related</b>	Pepper, fruiting	<0.01	1	0.35	A
<b>mefenoxam, other related</b>	Pepper, fruiting	<0.01	N/A	1,480.96	P
<b>mefenoxam, other related</b>	Research commodity	<0.01	4	0.23	A
<b>mefenoxam, other related</b>	Research commodity	<0.01	2	1,000.0	S
<b>mefenoxam, other related</b>	Soil fumigation/preplant	0.03	N/A	5,508.0	C
<b>mefenoxam, other related</b>	Spinach	0.65	N/A	773,769.7	P
<b>mefenoxam, other related</b>	Squash	<0.01	N/A	24,430.95	P
<b>mefenoxam, other related</b>	Structural pest control	0.03	N/A	N/A	N/A
<b>mefenoxam, other related</b>	Sudangrass	0.01	N/A	11.02	T
<b>mefenoxam, other related</b>	Sunflower	0.01	N/A	5,163.0	P
<b>mefenoxam, other related</b>	Tomato	<0.01	N/A	1,144.04	P
<b>mefenoxam, other related</b>	Watermelon	<0.01	N/A	7,534.56	P
<b>mefluidide, diethanolamine salt</b>	Landscape maintenance	49.0	N/A	N/A	N/A
<b>mefluidide, diethanolamine salt</b>	Rights of way	11.65	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>mepiquat chloride</b>	Cotton	7,773.35	2,907	163,742.92	A
<b>mepiquat chloride</b>	N-grnhs plants in containers	0.2	1	4.5	A
<b>mepiquat chloride</b>	Research commodity	0.3	9	5.75	A
<b>mepiquat chloride</b>	Research commodity	0.07	N/A	N/A	N/A
<b>mesosulfuron-methyl</b>	Forage hay/silage	1.3	2	98.0	A
<b>mesosulfuron-methyl</b>	Research commodity	0.09	1	6.5	A
<b>mesosulfuron-methyl</b>	Triticale	30.75	59	2,305.76	A
<b>mesosulfuron-methyl</b>	Wheat	154.3	197	12,383.41	A
<b>mesosulfuron-methyl</b>	Wheat (forage - fodder)	15.27	37	1,208.0	A
<b>mesotrione</b>	Almond	11,476.21	1,534	63,460.16	A
<b>mesotrione</b>	Blueberry	20.0	12	221.9	A
<b>mesotrione</b>	Cherry	17.66	9	98.28	A
<b>mesotrione</b>	Citrus	<0.01	1	0.06	A
<b>mesotrione</b>	Corn (forage - fodder)	335.64	65	3,136.4	A
<b>mesotrione</b>	Corn, human consumption	71.02	14	753.7	A
<b>mesotrione</b>	Golf course turf	3.44	1	24.0	A
<b>mesotrione</b>	Golf course turf	<0.01	1	1,000.0	S
<b>mesotrione</b>	Grapefruit	24.99	13	136.76	A
<b>mesotrione</b>	Jujube	2.99	1	50.0	A
<b>mesotrione</b>	Landscape maintenance	0.78	7	12.68	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mesotrione	Landscape maintenance	38.81	N/A	N/A	N/A
mesotrione	Lemon	214.19	64	1,270.19	A
mesotrione	N-grnhs flower	5.31	N/A	31.8	A
mesotrione	N-outdr plants in containers	12.44	3	53.0	A
mesotrione	Nectarine	173.98	50	930.1	A
mesotrione	Orange	904.18	204	4,983.62	A
mesotrione	Peach	0.88	1	4.71	A
mesotrione	Pecan	81.47	4	434.6	A
mesotrione	Pistachio	2,506.64	329	15,325.08	A
mesotrione	Plum	67.66	23	361.76	A
mesotrione	Prune	98.3	28	738.68	A
mesotrione	Research commodity	10.09	N/A	N/A	N/A
mesotrione	Rights of way	389.43	N/A	N/A	N/A
mesotrione	Sod farm (turf)	25.15	31	292.5	A
mesotrione	Stone fruit	0.09	1	1.0	A
mesotrione	Tangelo	15.52	5	82.75	A
mesotrione	Tangerine	653.07	124	3,521.69	A
mesotrione	Turf/sod	392.01	67	1,629.47	A
mesotrione	Uncultivated ag	16.76	1	90.0	A
mesotrione	Walnut	1,439.39	277	7,872.07	A
meta-cresol	Grape	0.8	1	20.0	A
meta-cresol	N-grnhs flower	0.05	2	2.0	A
meta-cresol	Walnut	0.22	3	99.0	A
metaflumizone	Almond	0.04	1	40.0	?
metaflumizone	Almond	337.8	5,187	360,575.4	A
metaflumizone	Avocado	<0.01	1	2.5	A
metaflumizone	Cherry	0.09	4	90.5	A
metaflumizone	Citrus	0.03	4	36.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
metaflumizone	Grape	3.86	147	4,622.66	A
metaflumizone	Grape, wine	2.8	86	2,895.59	A
metaflumizone	Grapefruit	0.11	7	102.3	A
metaflumizone	Landscape maintenance	0.45	N/A	N/A	N/A
metaflumizone	Lemon	0.95	33	1,033.5	A
metaflumizone	N-outdr flower	<0.01	1	3.0	A
metaflumizone	N-outdr plants in containers	0.63	27	672.86	A
metaflumizone	N-outdr transplants	<0.01	1	1.8	A
metaflumizone	Nectarine	0.02	2	18.0	A
metaflumizone	Olive	<0.01	1	1.0	A
metaflumizone	Orange	2.83	113	3,319.81	A
metaflumizone	Peach	0.04	4	73.0	A
metaflumizone	Pistachio	5.47	52	5,786.04	A
metaflumizone	Plum	0.09	9	90.0	A
metaflumizone	Pomelo	<0.01	2	8.0	A
metaflumizone	Public health	0.07	N/A	N/A	N/A
metaflumizone	Regulatory pest control	<0.01	N/A	N/A	N/A
metaflumizone	Research commodity	0.05	N/A	N/A	N/A
metaflumizone	Rights of way	<0.01	N/A	N/A	N/A
metaflumizone	Structural pest control	<0.01	N/A	N/A	N/A
metaflumizone	Tangelo	<0.01	1	10.0	A
metaflumizone	Tangerine	6.84	210	7,269.41	A
metaflumizone	Turf/sod	<0.01	N/A	10.0	A
metaflumizone	Uncultivated ag	0.02	1	18.91	A
metaflumizone	Vertebrate control	<0.01	N/A	N/A	N/A
metaflumizone	Walnut	1.99	52	2,133.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
metalaxyl	Alfalfa	42.75	N/A	2,665,381.0	P
metalaxyl	Carrot	63.0	3	117.6	A
metalaxyl	Cotton	684.74	N/A	5,456.41	T
metalaxyl	Golf course turf	3.04	N/A	3.0	A
metalaxyl	Kale	99.86	3	96.4	A
metalaxyl	Landscape maintenance	49.12	N/A	N/A	N/A
metalaxyl	Lettuce, head	45.12	1	30.0	A
metalaxyl	Lettuce, leaf	105.27	2	67.0	A
metalaxyl	Mizuna	38.5	1	25.6	A
metalaxyl	N-grnhs plants in containers	2.77	5	2.5	A
metalaxyl	N-grnhs plants in containers	0.76	9	40,988.0	S
metalaxyl	N-grnhs transplants	<0.01	1	2,000.0	S
metalaxyl	N-outdr plants in containers	0.42	54	3.15	A
metalaxyl	N-outdr plants in containers	0.4	1	200.0	S
metalaxyl	N-outdr plants in containers	0.57	8	35,800.0	U
metalaxyl	Onion, dry	<0.01	N/A	50.8	P
metalaxyl	Spinach	243.83	5	387.0	A
metalaxyl	Spinach	42.21	N/A	122,498.25	P
metalaxyl	Tomato	0.25	1	153.8	A
metaldehyde	Apple	12.6	1	52.5	A
metaldehyde	Artichoke, globe	821.44	91	1,123.95	A
metaldehyde	Avocado	29.52	11	58.0	A
metaldehyde	Avocado	0.79	3	53,000.0	S
metaldehyde	Avocado	5.54	6	139,020.0	U
metaldehyde	Bean, unspecified	30.0	1	5.0	A
metaldehyde	Blackberry	76.46	5	104.07	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
metaldehyde	Blueberry	26.8	2	36.0	A
metaldehyde	Bok choy	0.88	1	1.0	A
metaldehyde	Bok choy	4.02	3	32,000.0	S
metaldehyde	Broccoli	31.61	3	36.4	A
metaldehyde	Brussels sprout	1,218.31	105	1,355.2	A
metaldehyde	Celery	223.09	32	233.14	A
metaldehyde	Chinese cabbage (napa, won bok, celery cabbage)	1.13	1	10,000.0	S
metaldehyde	Chive	0.53	1	1.0	A
metaldehyde	Chrysanthemum, garland	5.55	2	40,000.0	S
metaldehyde	Citrus	33.13	26	77.72	A
metaldehyde	Citrus	5.4	3	176,000.0	U
metaldehyde	Farm/ag building	0.96	N/A	56.7	A
metaldehyde	Farm/ag building	4.73	N/A	255,000.0	S
metaldehyde	Fumigation, other	8.23	N/A	N/A	N/A
metaldehyde	Gai choy	0.88	1	1.0	A
metaldehyde	Gai choy	6.15	3	44,000.0	S
metaldehyde	Grapefruit	1,032.84	71	1,396.47	A
metaldehyde	Kumquat	11.6	4	48.0	A
metaldehyde	Landscape maintenance	624.68	N/A	N/A	N/A
metaldehyde	Lemon	3,673.28	397	7,788.03	A
metaldehyde	Lettuce, head	474.8	45	496.9	A
metaldehyde	Lettuce, leaf	273.11	41	287.35	A
metaldehyde	Lime	5.2	3	51.0	A
metaldehyde	Mint	0.96	1	8.0	A
metaldehyde	N-grnhs flower	56.31	35	54.63	A
metaldehyde	N-grnhs flower	24.83	16	71,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
metaldehyde	N-grnhs plants in containers	560.41	255	431.84	A
metaldehyde	N-grnhs plants in containers	73.52	250	2,647,590.81	S
metaldehyde	N-grnhs plants in containers	0.24	9	810.0	U
metaldehyde	N-grnhs transplants	27.28	5	102.65	A
metaldehyde	N-grnhs transplants	15.4	16	647,000.0	S
metaldehyde	N-outdr flower	159.97	86	263.85	A
metaldehyde	N-outdr flower	1.56	4	50,500.0	S
metaldehyde	N-outdr plants in containers	2,310.2	656	2,354.32	A
metaldehyde	N-outdr plants in containers	102.6	362	2,719,964.96	S
metaldehyde	N-outdr plants in containers	3.16	6	69,994.42	U
metaldehyde	N-outdr transplants	160.61	38	575.3	A
metaldehyde	Nectarine	129.2	2	28.2	A
metaldehyde	Orange	14,813.27	1,398	39,031.22	A
metaldehyde	Peach	46.4	1	23.2	A
metaldehyde	Pomelo	34.48	10	104.0	A
metaldehyde	Raspberry	97.88	12	134.92	A
metaldehyde	Regulatory pest control	0.04	1	200.0	S
metaldehyde	Regulatory pest control	0.66	N/A	N/A	N/A
metaldehyde	Rights of way	5.57	4	5.0	A
metaldehyde	Rights of way	65.53	N/A	N/A	N/A
metaldehyde	Strawberry	41.2	11	142.85	A
metaldehyde	Structural pest control	3.5	3	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
metaldehyde	Structural pest control	0.04	1	200.0	S
metaldehyde	Structural pest control	39.51	N/A	N/A	N/A
metaldehyde	Tangelo	206.74	34	592.62	A
metaldehyde	Tangerine	6,832.22	616	17,284.41	A
metaldehyde	Tomato	6.0	2	6.0	A
metaldehyde	Tropical/subtropical fruit	1.0	1	3.23	A
metaldehyde	Uncultivated ag	2.42	2	4.0	A
metaldehyde	Uncultivated non-ag	2.6	N/A	194.0	A
metam-sodium	Artichoke, globe	6,265.29	3	52.0	A
metam-sodium	Blackberry	2,539.98	1	20.0	A
metam-sodium	Broccoli	1,269.99	2	6.0	A
metam-sodium	Brussels sprout	14,029.18	8	108.3	A
metam-sodium	Carrot	1,442,798.96	120	7,494.9	A
metam-sodium	Cauliflower	31,999.56	18	196.1	A
metam-sodium	Celery	3,979.31	2	18.8	A
metam-sodium	Chinese greens	7,461.2	12	32.5	A
metam-sodium	Eggplant	15,535.54	6	86.5	A
metam-sodium	Grape	20,129.55	5	133.0	A
metam-sodium	Landscape maintenance	3.96	N/A	N/A	N/A
metam-sodium	Lemon	36,723.93	7	165.0	A
metam-sodium	N-outdr flower	8,230.94	23	38.58	A
metam-sodium	Onion, dry	261,656.41	13	1,064.5	A
metam-sodium	Pepper, fruiting	878,707.08	146	4,321.57	A
metam-sodium	Pimento	1,333.49	N/A	7.0	A
metam-sodium	Potato	482,314.34	49	2,675.2	A
metam-sodium	Raspberry	5,661.2	3	37.21	A
metam-sodium	Rights of way	124,189.56	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
metam-sodium	Sewage system	387.92	N/A	9,777.82	C
metam-sodium	Soil fumigation/preplant	82,759.59	54	281.75	A
metam-sodium	Squash	6,807.16	4	42.0	A
metam-sodium	Strawberry	224,543.09	35	1,084.94	A
metam-sodium	Structural pest control	0.4	N/A	N/A	N/A
metam-sodium	Sweet potato	57,545.3	5	204.0	A
metam-sodium	Tomato	41,162.97	17	310.17	A
metam-sodium	Tomato, processing	379,516.58	45	1,941.87	A
metam-sodium	Walnut	343.91	2	90.0	A
metam-sodium	Water (industrial)	5,083.11	N/A	119,737.07	C
metam-sodium	Water (industrial)	209.55	N/A	12,840.0	S
metam-sodium	Watermelon	183,181.06	21	1,340.17	A
metarhizium anisopliae strain f52	Cannabis (all or unspecified)	0.22	1	0.2	A
metarhizium anisopliae strain f52	Cannabis (all or unspecified)	0.03	1	4,000.0	S
metarhizium anisopliae strain f52	Landscape maintenance	0.01	N/A	N/A	N/A
metconazole	Almond	47,410.1	6,981	458,219.79	A
metconazole	Almond	2.97	1	60.0	U
metconazole	Apricot	19.53	16	212.51	A
metconazole	Blueberry	23.34	13	287.9	A
metconazole	Cherry	174.32	108	1,794.48	A
metconazole	Golf course turf	44.13	7	94.95	A
metconazole	Grape	2.73	1	25.0	A
metconazole	Landscape maintenance	2.08	1	4.17	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
metconazole	Landscape maintenance	448.15	N/A	N/A	N/A
metconazole	N-grnhs flower	112.97	N/A	227.2	A
metconazole	N-outdr plants in containers	2.59	2	24.0	A
metconazole	N-outdr transplants	0.21	2	2.75	A
metconazole	Nectarine	176.37	50	1,489.38	A
metconazole	Peach	815.76	230	6,951.48	A
metconazole	Pecan	0.09	1	0.82	A
metconazole	Pistachio	7,346.71	772	58,825.24	A
metconazole	Plum	86.46	60	779.61	A
metconazole	Pluot	0.04	1	0.38	A
metconazole	Potato	179.25	19	1,593.5	A
metconazole	Prune	86.51	21	790.85	A
metconazole	Research commodity	0.02	N/A	N/A	N/A
metconazole	Turf/sod	4.0	1	8.0	A
metconazole	Walnut	2,287.98	548	21,725.38	A
methidathion	Structural pest control	0.31	N/A	N/A	N/A
methiocarb	Citrus	3.5	9	2.96	A
methiocarb	Landscape maintenance	1.03	N/A	N/A	N/A
methiocarb	N-grnhs flower	65.16	15	55.5	A
methiocarb	N-grnhs flower	7.88	27	362,462.0	S
methiocarb	N-grnhs plants in containers	123.73	68	72.53	A
methiocarb	N-grnhs plants in containers	9.86	7	112,440.0	S
methiocarb	N-grnhs transplants	3.75	3	6.0	A
methiocarb	N-grnhs transplants	13.6	8	87,964.0	S
methiocarb	N-outdr flower	299.25	63	265.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methiocarb</b>	N-outdr flower	0.05	1	4,000.0	S
<b>methiocarb</b>	N-outdr plants in containers	715.37	228	368.61	A
<b>methiocarb</b>	N-outdr plants in containers	18.36	15	257,200.0	S
<b>methiocarb</b>	N-outdr plants in containers	4.5	2	14,934.0	U
<b>methiocarb</b>	N-outdr transplants	48.75	9	141.5	A
<b>methiocarb</b>	Peach	11.7	15	13.57	A
<b>methiocarb</b>	Structural pest control	0.64	N/A	N/A	N/A
<b>methomyl</b>	Alfalfa	13,020.12	285	18,350.75	A
<b>methomyl</b>	Almond	18.0	2	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methomyl	Asparagus	342.0	7	380.0	A
methomyl	Bean, dried	501.76	18	778.91	A
methomyl	Bean, succulent	268.43	12	307.51	A
methomyl	Bean, unspecified	228.23	42	346.21	A
methomyl	Beet	56.52	13	62.8	A
methomyl	Bermudagrass	934.72	27	1,985.5	A
methomyl	Bitter melon	12.75	6	22.0	A
methomyl	Blueberry	256.19	15	311.05	A
methomyl	Bok choy	51.15	36	64.75	A
methomyl	Broccoli	3,116.36	368	4,094.92	A
methomyl	Brussels sprout	7,173.61	741	9,067.89	A
methomyl	Cabbage	3,567.72	469	4,363.53	A
methomyl	Cantaloupe	368.1	18	540.2	A
methomyl	Carrot	839.02	35	1,615.25	A
methomyl	Cauliflower	1,876.08	178	2,392.73	A
methomyl	Celery	14,840.48	2,029	18,007.07	A
methomyl	Chinese cabbage (napa, won bok, celery cabbage)	72.54	22	99.4	A
methomyl	Collard	81.29	40	90.74	A
methomyl	Corn (forage - fodder)	165.15	13	367.0	A
methomyl	Corn, human consumption	46,245.27	2,477	107,669.02	A
methomyl	Cotton	5,068.8	40	8,148.0	A
methomyl	Cucumber	336.24	16	378.6	A
methomyl	Eggplant	37.85	18	136.0	A
methomyl	Endive (escarole)	65.56	51	87.65	A
methomyl	Fennel	158.44	33	208.66	A
methomyl	Garlic	2,973.92	92	6,889.6	A
methomyl	Gourds (edible)	7.27	3	11.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methomyl	Kale	716.27	220	812.05	A
methomyl	Lettuce, head	45,971.47	5,557	71,273.91	A
methomyl	Lettuce, leaf	59,058.51	8,205	83,873.41	A
methomyl	Mustard	3.48	3	3.86	A
methomyl	Mustard greens	60.7	25	67.45	A
methomyl	N-outdr plants in containers	41.85	14	47.7	A
methomyl	Nectarine	1,384.88	61	1,724.35	A
methomyl	Onion, dry	17,149.04	475	20,608.95	A
methomyl	Orange	58.32	4	63.8	A
methomyl	Peach	76.5	4	92.8	A
methomyl	Peas	4,279.0	564	5,996.35	A
methomyl	Pecan	44.98	1	64.0	A
methomyl	Pepper, fruiting	73.39	10	92.6	A
methomyl	Pepper, spice	71.74	13	83.38	A
methomyl	Pomegranate	295.74	15	403.6	A
methomyl	Potato	1,080.33	33	1,784.9	A
methomyl	Pumpkin	395.24	20	520.4	A
methomyl	Radish	21.06	4	23.4	A
methomyl	Rapini	84.56	8	129.8	A
methomyl	Research commodity	51.39	16	74.0	A
methomyl	Research commodity	0.17	N/A	N/A	N/A
methomyl	Spinach	6,564.36	709	8,048.55	A
methomyl	Squash	389.33	28	464.31	A
methomyl	Squash, summer	34.51	10	138.0	A
methomyl	Structural pest control	0.55	N/A	N/A	N/A
methomyl	Sudangrass	45.36	2	100.8	A
methomyl	Sugarbeet	9,949.25	227	17,231.02	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methomyl	Swiss chard	24.46	13	27.18	A
methomyl	Tangerine	14.4	2	30.0	A
methomyl	Tomato	3,709.85	159	5,294.18	A
methomyl	Tomato, processing	2,675.55	42	3,540.83	A
methomyl	Turnip	12.19	2	13.55	A
methomyl	Uncultivated ag	39.6	1	88.0	A
methomyl	Watermelon	1,038.64	51	1,188.5	A
methoprene	Landscape maintenance	15.23	N/A	N/A	N/A
methoprene	Mushroom soil	15.6	15	84,450.0	S
methoprene	Public health	521.87	N/A	N/A	N/A
methoprene	Regulatory pest control	32.08	N/A	N/A	N/A
methoprene	Rights of way	0.01	1	465.0	A
methoprene	Rights of way	<0.01	N/A	N/A	N/A
methoprene	Structural pest control	12.5	N/A	N/A	N/A
methoprene	Water area	1,085.42	N/A	1,519.0	A
s-methoprene	Almond	743.51	1,228	113,079.03	A
s-methoprene	Animal premise	<0.01	N/A	0.01	U
s-methoprene	Barley	0.55	N/A	232,711.0	P
s-methoprene	Barley (forage - fodder)	0.06	N/A	12.95	T
s-methoprene	Buildings/non-ag outdoor	4.96	N/A	N/A	U
s-methoprene	Commodity fumigation	19.53	N/A	N/A	N/A
s-methoprene	Corn (forage - fodder)	11.91	N/A	2,538.77	T
s-methoprene	Corn, grain	0.3	N/A	128,070.0	P
s-methoprene	Corn, grain	110.08	N/A	23,517.85	T
s-methoprene	County ag comm	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
s-methoprene	Food processing plant	0.72	N/A	4,490,746.0	C
s-methoprene	Food processing plant	0.15	N/A	500.0	S
s-methoprene	Fumigation, other	0.85	N/A	N/A	N/A
s-methoprene	Grape	6.11	18	885.65	A
s-methoprene	Grape, wine	2.53	11	319.75	A
s-methoprene	Industrial site	0.07	N/A	27.22	A
s-methoprene	Landscape maintenance	9.97	N/A	N/A	N/A
s-methoprene	Lettuce, leaf	0.06	1	18.0	A
s-methoprene	Mushroom	1.89	3	17,250.0	S
s-methoprene	Mushroom house	3.78	6	34,500.0	S
s-methoprene	Mushroom soil	49.83	95	968,872.0	S
s-methoprene	N-grnhs plants in containers	11.39	92	355.84	A
s-methoprene	N-grnhs plants in containers	<0.01	15	73.5	S
s-methoprene	N-outdr plants in containers	30.47	206	2,246.78	A
s-methoprene	N-outdr transplants	<0.01	3	0.03	A
s-methoprene	Pastureland	0.13	1	20.0	A
s-methoprene	Pecan	0.07	1	10.0	A
s-methoprene	Public health	2,881.48	N/A	N/A	N/A
s-methoprene	Regulatory pest control	7.12	N/A	N/A	N/A
s-methoprene	Rights of way	1.5	N/A	N/A	N/A
s-methoprene	Sorghum (forage - fodder)	1.31	N/A	281.96	T
s-methoprene	Sorghum/milo	1.95	N/A	411.42	T
s-methoprene	Structural pest control	66.71	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
s-methoprene	Tangerine	0.19	2	23.23	A
s-methoprene	Turf/sod	0.79	9	178.0	A
s-methoprene	Uncultivated non-ag	0.24	N/A	1,190,000.0	C
s-methoprene	Walnut	3.94	12	553.0	A
s-methoprene	Water (industrial)	<0.01	N/A	1.0	A
s-methoprene	Water area	148.03	N/A	726.0	A
s-methoprene	Wheat	0.08	1	1.0	A
s-methoprene	Wheat	0.48	N/A	204,956.0	P
s-methoprene	Wheat	54.75	N/A	11,676.63	T
s-methoprene	Wheat (forage - fodder)	0.12	N/A	25.19	T
methoxyfenozide	Alfalfa	17,745.28	2,374	138,979.14	A
methoxyfenozide	Almond	360,012.96	16,380	1,082,333.2	A
methoxyfenozide	Apple	485.42	103	1,916.64	A
methoxyfenozide	Apricot	508.87	83	2,013.2	A
methoxyfenozide	Artichoke, globe	1,116.64	322	4,281.61	A
methoxyfenozide	Arugula	3.56	9	25.0	A
methoxyfenozide	Avocado	34.72	5	136.36	A
methoxyfenozide	Basil, sweet	64.23	87	429.42	A
methoxyfenozide	Bean, dried	742.8	90	4,716.4	A
methoxyfenozide	Bean, succulent	147.42	38	1,085.1	A
methoxyfenozide	Bean, unspecified	8.78	10	46.95	A
methoxyfenozide	Beet	59.19	83	365.19	A
methoxyfenozide	Bermudagrass	126.46	13	1,161.0	A
methoxyfenozide	Blackberry	50.4	25	234.54	A
methoxyfenozide	Blueberry	12.88	2	60.8	A
methoxyfenozide	Bok choy	18.79	51	98.36	A
methoxyfenozide	Broccoli	732.65	162	4,171.17	A
methoxyfenozide	Brussels sprout	510.25	148	1,878.03	A
methoxyfenozide	Cabbage	221.23	273	1,041.62	A
methoxyfenozide	Cantaloupe	1,871.42	270	12,504.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methoxyfenozide	Cardoon	6.17	7	21.7	A
methoxyfenozide	Carrot	822.84	165	7,256.69	A
methoxyfenozide	Cauliflower	137.18	56	634.1	A
methoxyfenozide	Celeriac	1.98	9	9.34	A
methoxyfenozide	Celery	2,107.01	1,107	14,164.76	A
methoxyfenozide	Cherry	2,038.39	433	9,766.56	A
methoxyfenozide	Chervil	0.14	3	0.8	A
methoxyfenozide	Chinese broccoli (gai lon)	29.44	12	415.0	A
methoxyfenozide	Chinese cabbage (napa, won bok, celery cabbage)	123.8	100	629.46	A
methoxyfenozide	Chinese greens	3.11	3	22.0	A
methoxyfenozide	Chive	0.42	4	2.1	A
methoxyfenozide	Cilantro	68.78	28	400.1	A
methoxyfenozide	Citrus	0.04	1	800.0	U
methoxyfenozide	Clover	8.65	1	70.0	A
methoxyfenozide	Collard	39.83	104	189.72	A
methoxyfenozide	Corn (forage - fodder)	271.71	59	1,897.56	A
methoxyfenozide	Corn, grain	6.51	6	23.0	A
methoxyfenozide	Corn, human consumption	368.29	78	2,543.62	A
methoxyfenozide	Cotton	512.63	32	3,139.91	A
methoxyfenozide	Cucumber	0.14	1	2.0	A
methoxyfenozide	Daikon	10.3	5	49.0	A
methoxyfenozide	Dandelion green	1.13	5	5.32	A
methoxyfenozide	Date	24.74	3	70.0	A
methoxyfenozide	Dill	0.65	8	3.55	A
methoxyfenozide	Eggplant	17.45	7	116.0	A
methoxyfenozide	Endive (escarole)	3.81	46	27.37	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methoxyfenozide	Fennel	5.13	2	37.7	A
methoxyfenozide	Forage hay/silage	19.3	1	85.0	A
methoxyfenozide	Garbanzo bean	50.87	14	180.0	A
methoxyfenozide	Gourds (edible)	0.68	1	1.0	A
methoxyfenozide	Grape	12,611.99	1,445	63,972.52	A
methoxyfenozide	Grape, wine	26,109.02	2,533	128,641.5	A
methoxyfenozide	Herb, spice	2.27	1	15.0	A
methoxyfenozide	Kale	123.49	238	639.7	A
methoxyfenozide	Kohlrabi	3.23	19	16.33	A
methoxyfenozide	Leek	0.9	2	4.3	A
methoxyfenozide	Lemon	30.3	10	204.9	A
methoxyfenozide	Lettuce, head	1,163.6	676	8,307.01	A
methoxyfenozide	Lettuce, leaf	893.13	819	6,290.14	A
methoxyfenozide	Lime	13.08	10	55.0	A
methoxyfenozide	Melon	1,118.65	214	8,025.84	A
methoxyfenozide	Mint	0.86	12	5.15	A
methoxyfenozide	Mustard	3.67	15	17.31	A
methoxyfenozide	Mustard greens	9.89	25	51.14	A
methoxyfenozide	N-grnhs flower	<0.01	1	350.0	U
methoxyfenozide	N-grnhs plants in containers	9.47	36	46.14	A
methoxyfenozide	N-grnhs transplants	13.54	13	185.6	A
methoxyfenozide	N-grnhs transplants	3.27	8	1,578,000.0	S
methoxyfenozide	N-outdr flower	37.96	43	250.03	A
methoxyfenozide	N-outdr plants in containers	142.11	111	473.03	A
methoxyfenozide	N-outdr plants in containers	0.46	3	33,805.0	S
methoxyfenozide	N-outdr transplants	72.06	59	358.75	A
methoxyfenozide	N-outdr transplants	19.51	42	9,162,000.0	S
methoxyfenozide	Nectarine	785.22	187	3,015.57	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methoxyfenozide	Oat (forage - fodder)	22.39	7	134.5	A
methoxyfenozide	Onion, dry	6.1	1	43.0	A
methoxyfenozide	Orange	19.88	4	160.0	A
methoxyfenozide	Orchardgrass	15.29	2	121.0	A
methoxyfenozide	Oregano	2.09	16	15.34	A
methoxyfenozide	Parsley	11.05	19	75.24	A
methoxyfenozide	Pasture (forage - fodder)	9.76	2	69.0	A
methoxyfenozide	Pastureland	8.65	1	70.0	A
methoxyfenozide	Peach	5,013.45	870	19,621.55	A
methoxyfenozide	Peach	2.26	N/A	3.0	U
methoxyfenozide	Pear	721.45	93	2,696.59	A
methoxyfenozide	Pear, asian (oriental pear, ya, ya li, nashi)	4.94	4	17.5	A
methoxyfenozide	Peas	31.2	17	186.7	A
methoxyfenozide	Pepper, fruiting	739.59	155	4,340.19	A
methoxyfenozide	Pepper, spice	4.11	3	29.15	A
methoxyfenozide	Pistachio	93,026.54	2,454	245,449.82	A
methoxyfenozide	Plum	1,420.29	295	5,207.03	A
methoxyfenozide	Pluot	0.11	1	0.38	A
methoxyfenozide	Pomegranate	521.37	44	1,957.98	A
methoxyfenozide	Pomelo	5.65	2	40.0	A
methoxyfenozide	Prune	254.68	25	1,027.92	A
methoxyfenozide	Pumpkin	596.18	105	3,965.49	A
methoxyfenozide	Quince	15.79	8	55.8	A
methoxyfenozide	Radish	5.85	8	31.51	A
methoxyfenozide	Raspberry	229.41	77	1,016.59	A
methoxyfenozide	Regulatory pest control	2.82	N/A	N/A	N/A
methoxyfenozide	Research commodity	10.27	21	56.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methoxyfenozide	Research commodity	0.15	N/A	N/A	N/A
methoxyfenozide	Rice	7,756.13	611	44,407.2	A
methoxyfenozide	Rights of way	0.68	1	1.0	A
methoxyfenozide	Rosemary	1.09	16	7.35	A
methoxyfenozide	Ryegrass	4.83	2	34.28	A
methoxyfenozide	Sage	2.68	34	15.53	A
methoxyfenozide	Soil fumigation/preplant	7.91	1	35.0	A
methoxyfenozide	Sorghum/milo	5.35	1	46.6	A
methoxyfenozide	Spinach	220.69	154	1,456.62	A
methoxyfenozide	Squash	62.33	16	360.45	A
methoxyfenozide	Squash, summer	19.25	5	107.0	A
methoxyfenozide	Squash, zucchini	5.29	3	30.0	A
methoxyfenozide	Stone fruit	1.82	2	8.5	A
methoxyfenozide	Strawberry	4,422.22	536	23,058.36	A
methoxyfenozide	Sudangrass	55.17	16	393.5	A
methoxyfenozide	Sugarbeet	3,954.99	445	29,129.5	A
methoxyfenozide	Sweet potato	32.03	8	200.8	A
methoxyfenozide	Swiss chard	55.21	206	262.78	A
methoxyfenozide	Tangerine	20.47	4	90.0	A
methoxyfenozide	Tarragon	0.9	12	5.1	A
methoxyfenozide	Thyme	1.59	16	10.58	A
methoxyfenozide	Tomato	2,817.55	289	14,096.77	A
methoxyfenozide	Tomato, processing	9,362.33	593	45,946.07	A
methoxyfenozide	Triticale	1.85	1	15.0	A
methoxyfenozide	Turnip	3.47	12	16.35	A
methoxyfenozide	Turnip greens	1.11	6	7.5	A
methoxyfenozide	Uncultivated ag	11.86	2	104.0	A
methoxyfenozide	Uncultivated non-ag	1.41	1	5.0	A
methoxyfenozide	Unknown	1.24	5	8.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methoxyfenozide	Vegetables, leafy	0.41	3	3.4	A
methoxyfenozide	Walnut	32,692.2	2,570	112,676.97	A
methoxyfenozide	Watermelon	1,119.15	196	7,063.61	A
methyl anthranilate	Blueberry	13.96	25	47.0	A
methyl anthranilate	Cherry	49.55	1	28.0	A
methyl anthranilate	Corn, human consumption	15.51	30	52.5	A
methyl anthranilate	Grape	285.19	87	1,493.84	A
methyl anthranilate	Grape, wine	154.79	53	472.63	A
methyl anthranilate	Landscape maintenance	36.16	N/A	N/A	N/A
methyl anthranilate	Plum	20.88	1	5.9	A
methyl anthranilate	Rice	108.87	7	339.5	A
methyl anthranilate	Rice, wild	25.72	2	44.79	A
methyl anthranilate	Sorghum/milo	39.82	3	90.0	A
methyl anthranilate	Structural pest control	532.49	N/A	N/A	N/A
methyl anthranilate	Sunflower	105.42	31	349.5	A
methylated fatty acids from canola oil	Alfalfa	11,051.92	218	11,490.82	A
methylated fatty acids from canola oil	Almond	146,938.25	1,407	65,001.38	A
methylated fatty acids from canola oil	Apricot	20.06	1	5.56	A
methylated fatty acids from canola oil	Cherry	154.26	9	70.41	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated fatty acids from canola oil</b>	Corn (forage - fodder)	5,010.64	125	4,291.39	A
<b>methylated fatty acids from canola oil</b>	Corn, human consumption	509.93	7	388.0	A
<b>methylated fatty acids from canola oil</b>	Cotton	5,047.71	117	5,282.93	A
<b>methylated fatty acids from canola oil</b>	Garbanzo bean	181.82	10	431.0	A
<b>methylated fatty acids from canola oil</b>	Garlic	323.59	2	299.0	A
<b>methylated fatty acids from canola oil</b>	Grape	1,467.54	28	756.15	A
<b>methylated fatty acids from canola oil</b>	Grape, wine	2,284.07	48	1,397.37	A
<b>methylated fatty acids from canola oil</b>	Grapefruit	27.13	2	14.2	A
<b>methylated fatty acids from canola oil</b>	Kiwi fruit fuzzy	1,386.88	71	499.23	A
<b>methylated fatty acids from canola oil</b>	Landscape maintenance	50.51	4	28.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated fatty acids from canola oil</b>	Landscape maintenance	7.22	4	85,000.0	S
<b>methylated fatty acids from canola oil</b>	Landscape maintenance	22.95	N/A	N/A	N/A
<b>methylated fatty acids from canola oil</b>	Lemon	150.42	14	196.1	A
<b>methylated fatty acids from canola oil</b>	N-grnhs plants in containers	0.17	1	2.0	A
<b>methylated fatty acids from canola oil</b>	N-outdr plants in containers	0.17	1	2.0	A
<b>methylated fatty acids from canola oil</b>	Nectarine	56.49	5	32.3	A
<b>methylated fatty acids from canola oil</b>	Onion, dry	2,082.47	27	1,668.0	A
<b>methylated fatty acids from canola oil</b>	Orange	4,844.63	167	4,243.96	A
<b>methylated fatty acids from canola oil</b>	Peach	1,336.84	42	678.26	A
<b>methylated fatty acids from canola oil</b>	Pecan	36.3	7	65.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated fatty acids from canola oil</b>	Persimmon	49.86	2	16.0	A
<b>methylated fatty acids from canola oil</b>	Pistachio	39,565.58	426	22,064.54	A
<b>methylated fatty acids from canola oil</b>	Plum	8.44	3	9.4	A
<b>methylated fatty acids from canola oil</b>	Pomegranate	53.75	2	20.82	A
<b>methylated fatty acids from canola oil</b>	Prune	60.61	3	62.0	A
<b>methylated fatty acids from canola oil</b>	Rangeland	13.29	N/A	27.0	A
<b>methylated fatty acids from canola oil</b>	Regulatory pest control	13.79	N/A	N/A	N/A
<b>methylated fatty acids from canola oil</b>	Rights of way	304.91	6	10.0	A
<b>methylated fatty acids from canola oil</b>	Rights of way	578.3	N/A	N/A	N/A
<b>methylated fatty acids from canola oil</b>	Soil fumigation/preplant	200.07	18	244.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated fatty acids from canola oil</b>	Strawberry	10.82	1	12.0	A
<b>methylated fatty acids from canola oil</b>	Sudangrass	3.61	2	20.0	A
<b>methylated fatty acids from canola oil</b>	Tangerine	7,501.01	239	5,902.98	A
<b>methylated fatty acids from canola oil</b>	Tomato	45.72	4	90.0	A
<b>methylated fatty acids from canola oil</b>	Tomato, processing	104.83	12	387.0	A
<b>methylated fatty acids from canola oil</b>	Uncultivated ag	1,706.75	29	993.08	A
<b>methylated fatty acids from canola oil</b>	Uncultivated non-ag	54.11	1	60.0	A
<b>methylated fatty acids from canola oil</b>	Walnut	7,310.72	150	6,764.22	A
<b>methylated fatty acids from canola oil</b>	Wheat	1.37	1	15.0	A
<b>methylated fatty acids from canola oil</b>	Wheat (forage - fodder)	67.68	1	75.0	A
<b>methylated silica</b>	Alfalfa	69.0	109	5,620.7	A
<b>methylated silica</b>	Almond	0.64	6	205.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated silica</b>	Parsley	0.28	2	18.9	A
<b>methylated silica</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>methylated silica</b>	Rights of way	0.4	N/A	N/A	N/A
<b>methylated silica</b>	Sugarbeet	1.57	2	165.0	A
<b>methylated silica</b>	Uncultivated ag	38.03	36	2,653.6	A
<b>methylated silica</b>	Wheat	1.41	4	284.0	A
<b>methylated soybean oil</b>	Alfalfa	110,092.55	7,078	386,041.98	A
<b>methylated soybean oil</b>	Almond	998,808.54	28,888	1,485,977.57	A
<b>methylated soybean oil</b>	Apple	425.33	29	1,458.55	A
<b>methylated soybean oil</b>	Apple	0.4	1	1.0	U
<b>methylated soybean oil</b>	Apricot	750.28	174	2,102.44	A
<b>methylated soybean oil</b>	Artichoke, globe	575.18	327	3,671.33	A
<b>methylated soybean oil</b>	Arugula	1,043.68	133	942.94	A
<b>methylated soybean oil</b>	Asparagus	1,858.14	23	1,615.0	A
<b>methylated soybean oil</b>	Avocado	2,451.5	372	3,106.96	A
<b>methylated soybean oil</b>	Avocado	0.06	4	24,000.0	S
<b>methylated soybean oil</b>	Barley	851.16	77	5,845.9	A
<b>methylated soybean oil</b>	Barley (forage - fodder)	508.04	25	2,056.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Basil, sweet	10.61	2	50.0	A
<b>methylated soybean oil</b>	Bean, dried	1,265.74	137	5,222.08	A
<b>methylated soybean oil</b>	Bean, succulent	440.29	104	1,388.7	A
<b>methylated soybean oil</b>	Bean, unspecified	18.38	18	111.7	A
<b>methylated soybean oil</b>	Beet	17.83	8	82.0	A
<b>methylated soybean oil</b>	Bermudagrass	1,027.86	47	3,214.11	A
<b>methylated soybean oil</b>	Blackberry	472.56	38	489.74	A
<b>methylated soybean oil</b>	Blueberry	1,452.85	114	3,179.82	A
<b>methylated soybean oil</b>	Bok choy	1,370.76	452	1,991.37	A
<b>methylated soybean oil</b>	Boysenberry	8.35	2	2.0	A
<b>methylated soybean oil</b>	Broccoli	12,902.5	4,854	59,101.04	A
<b>methylated soybean oil</b>	Brussels sprout	8,220.46	1,886	27,660.18	A
<b>methylated soybean oil</b>	Cabbage	4,846.72	2,109	19,272.78	A
<b>methylated soybean oil</b>	Canola (rape)	14.63	1	70.0	A
<b>methylated soybean oil</b>	Cantaloupe	635.91	56	2,948.2	A
<b>methylated soybean oil</b>	Cardoon	6.97	1	3.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Carrot	743.21	119	2,406.93	A
<b>methylated soybean oil</b>	Cauliflower	7,656.97	2,889	31,565.94	A
<b>methylated soybean oil</b>	Celery	14,943.79	2,801	32,341.66	A
<b>methylated soybean oil</b>	Cherry	16,833.28	1,482	24,755.1	A
<b>methylated soybean oil</b>	Chestnut	15.21	1	26.0	A
<b>methylated soybean oil</b>	Chinese broccoli (gai lon)	18.67	22	72.2	A
<b>methylated soybean oil</b>	Chinese cabbage (napa, won bok, celery cabbage)	885.34	664	2,511.43	A
<b>methylated soybean oil</b>	Christmas tree	289.64	2	70.0	A
<b>methylated soybean oil</b>	Cilantro	412.65	416	1,762.4	A
<b>methylated soybean oil</b>	Citrus	535.54	62	905.38	A
<b>methylated soybean oil</b>	Collard	98.78	115	332.35	A
<b>methylated soybean oil</b>	Corn (forage - fodder)	38,128.18	2,348	128,838.79	A
<b>methylated soybean oil</b>	Corn, grain	1,993.15	198	8,601.48	A
<b>methylated soybean oil</b>	Corn, human consumption	17,365.47	1,267	58,685.01	A
<b>methylated soybean oil</b>	Cotton	37,455.02	2,284	212,793.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	County ag comm	156.43	N/A	N/A	N/A
<b>methylated soybean oil</b>	Cucumber	171.59	26	768.36	A
<b>methylated soybean oil</b>	Daikon	4.84	4	41.0	A
<b>methylated soybean oil</b>	Date	44.27	6	190.0	A
<b>methylated soybean oil</b>	Dill	1.02	1	15.0	A
<b>methylated soybean oil</b>	Ditch bank	151.19	65	222.86	A
<b>methylated soybean oil</b>	Ditch bank	3.26	N/A	1,000.0	U
<b>methylated soybean oil</b>	Eggplant	84.1	27	441.0	A
<b>methylated soybean oil</b>	Endive (escarole)	80.03	64	93.78	A
<b>methylated soybean oil</b>	Farm/ag building	1.21	1	1.25	A
<b>methylated soybean oil</b>	Fennel	126.13	66	487.9	A
<b>methylated soybean oil</b>	Fig	2,330.84	58	3,280.77	A
<b>methylated soybean oil</b>	Food processing plant	5.43	1	25.0	A
<b>methylated soybean oil</b>	Forage hay/silage	1,171.81	119	5,684.55	A
<b>methylated soybean oil</b>	Forest, timberland	193,788.49	2,696	78,071.44	A
<b>methylated soybean oil</b>	Gai lon	105.31	13	721.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Garbanzo bean	446.34	15	1,010.0	A
<b>methylated soybean oil</b>	Garlic	6,605.18	362	22,585.06	A
<b>methylated soybean oil</b>	Grain	69.82	5	265.6	A
<b>methylated soybean oil</b>	Grape	39,605.22	2,295	61,079.02	A
<b>methylated soybean oil</b>	Grape, wine	140,669.59	12,894	263,077.62	A
<b>methylated soybean oil</b>	Grapefruit	2,084.37	306	4,368.67	A
<b>methylated soybean oil</b>	Grass, seed	118.25	7	584.0	A
<b>methylated soybean oil</b>	Guava	0.06	1	5.0	A
<b>methylated soybean oil</b>	Herb, spice	6.37	1	15.0	A
<b>methylated soybean oil</b>	Horseradish	36.52	3	252.0	A
<b>methylated soybean oil</b>	Industrial site	182.47	1	650.65	A
<b>methylated soybean oil</b>	Industrial site	<0.01	N/A	230.0	S
<b>methylated soybean oil</b>	Kale	514.18	267	1,674.46	A
<b>methylated soybean oil</b>	Kiwi fruit fuzzy	1,435.58	482	3,749.63	A
<b>methylated soybean oil</b>	Kohlrabi	3.8	13	17.5	A
<b>methylated soybean oil</b>	Landscape maintenance	97.75	26	245.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Landscape maintenance	9.19	4	1,273,000.0	S
<b>methylated soybean oil</b>	Landscape maintenance	1.02	1	15.0	U
<b>methylated soybean oil</b>	Landscape maintenance	25,305.57	N/A	N/A	N/A
<b>methylated soybean oil</b>	Leek	30.09	16	98.78	A
<b>methylated soybean oil</b>	Lemon	21,215.82	1,434	31,977.32	A
<b>methylated soybean oil</b>	Lettuce, head	14,204.12	4,402	58,356.42	A
<b>methylated soybean oil</b>	Lettuce, leaf	21,213.84	7,381	83,548.97	A
<b>methylated soybean oil</b>	Lime	8.29	12	23.4	A
<b>methylated soybean oil</b>	Melon	885.35	65	4,178.54	A
<b>methylated soybean oil</b>	Mint	910.46	65	4,085.0	A
<b>methylated soybean oil</b>	Mizuna	1.6	1	1.0	A
<b>methylated soybean oil</b>	Mustard	21.26	22	93.2	A
<b>methylated soybean oil</b>	Mustard greens	4.99	12	23.3	A
<b>methylated soybean oil</b>	N-grnhs flower	51.75	1	313.0	A
<b>methylated soybean oil</b>	N-grnhs plants in containers	0.73	6	7.68	A
<b>methylated soybean oil</b>	N-grnhs transplants	260.38	38	171.39	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	N-outdr flower	737.67	255	1,646.72	A
<b>methylated soybean oil</b>	N-outdr plants in containers	926.45	260	3,329.54	A
<b>methylated soybean oil</b>	N-outdr plants in containers	0.32	16	248,250.0	S
<b>methylated soybean oil</b>	N-outdr plants in containers	11.32	5	12,302.0	U
<b>methylated soybean oil</b>	N-outdr transplants	15.25	40	112.58	A
<b>methylated soybean oil</b>	Nectarine	1,728.6	386	2,820.51	A
<b>methylated soybean oil</b>	Nuts	6.43	1	8.0	A
<b>methylated soybean oil</b>	Oat	254.88	20	940.69	A
<b>methylated soybean oil</b>	Oat (forage - fodder)	1,895.51	266	11,486.89	A
<b>methylated soybean oil</b>	Olive	6,387.72	427	12,954.43	A
<b>methylated soybean oil</b>	Onion, dry	7,886.86	681	42,089.9	A
<b>methylated soybean oil</b>	Onion, green	143.18	18	164.79	A
<b>methylated soybean oil</b>	Orange	22,652.75	2,718	58,087.96	A
<b>methylated soybean oil</b>	Orchardgrass	261.79	17	1,324.0	A
<b>methylated soybean oil</b>	Parsley	301.78	115	1,114.92	A
<b>methylated soybean oil</b>	Pasture (forage - fodder)	15.74	2	180.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Pastureland	490.67	42	1,986.0	A
<b>methylated soybean oil</b>	Peach	8,528.02	1,321	16,116.71	A
<b>methylated soybean oil</b>	Pear	1,331.81	28	770.75	A
<b>methylated soybean oil</b>	Pear, asian (oriental pear, ya, ya li, nashi)	12.98	14	92.0	A
<b>methylated soybean oil</b>	Peas	261.39	136	1,256.1	A
<b>methylated soybean oil</b>	Peas (forage - fodder)	21.93	1	75.0	A
<b>methylated soybean oil</b>	Pecan	2,276.84	158	3,953.24	A
<b>methylated soybean oil</b>	Pepper, fruiting	3,304.29	264	7,615.56	A
<b>methylated soybean oil</b>	Pepper, spice	22.86	8	90.8	A
<b>methylated soybean oil</b>	Persimmon	121.61	54	416.08	A
<b>methylated soybean oil</b>	Pistachio	272,767.62	7,042	436,949.76	A
<b>methylated soybean oil</b>	Plum	1,142.86	410	3,448.09	A
<b>methylated soybean oil</b>	Pluot	3.66	3	6.0	A
<b>methylated soybean oil</b>	Pomegranate	9,880.24	191	10,096.89	A
<b>methylated soybean oil</b>	Pomelo	181.14	42	522.0	A
<b>methylated soybean oil</b>	Potato	7,031.5	475	21,070.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Prune	11,371.75	601	15,874.85	A
<b>methylated soybean oil</b>	Public health	538.81	N/A	N/A	N/A
<b>methylated soybean oil</b>	Pumpkin	299.54	34	801.6	A
<b>methylated soybean oil</b>	Quince	30.66	33	188.0	A
<b>methylated soybean oil</b>	Radicchio	263.67	126	2,971.15	A
<b>methylated soybean oil</b>	Rangeland	3,731.26	67	5,620.28	A
<b>methylated soybean oil</b>	Rapini	1,133.22	305	9,230.03	A
<b>methylated soybean oil</b>	Raspberry	435.2	51	1,228.6	A
<b>methylated soybean oil</b>	Regulatory pest control	9.99	N/A	N/A	N/A
<b>methylated soybean oil</b>	Research commodity	77.04	58	186.37	A
<b>methylated soybean oil</b>	Research commodity	<0.01	2	1,164.0	S
<b>methylated soybean oil</b>	Research commodity	7.95	N/A	N/A	N/A
<b>methylated soybean oil</b>	Rice	155,720.27	3,968	285,792.19	A
<b>methylated soybean oil</b>	Rice, wild	10.37	1	43.68	A
<b>methylated soybean oil</b>	Rights of way	4,384.66	399	8,832.11	A
<b>methylated soybean oil</b>	Rights of way	0.4	1	1.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Rights of way	106,722.08	N/A	N/A	N/A
<b>methylated soybean oil</b>	Rye	30.85	11	161.0	A
<b>methylated soybean oil</b>	Ryegrass	752.28	86	4,305.28	A
<b>methylated soybean oil</b>	Safflower	888.96	33	2,232.0	A
<b>methylated soybean oil</b>	Sod farm (turf)	25.4	48	364.16	A
<b>methylated soybean oil</b>	Soil fumigation/preplant	3,504.39	102	9,766.68	A
<b>methylated soybean oil</b>	Sorghum (forage - fodder)	1,618.17	96	7,925.12	A
<b>methylated soybean oil</b>	Sorghum/milo	1,108.09	80	5,707.26	A
<b>methylated soybean oil</b>	Spinach	2,395.81	391	3,817.26	A
<b>methylated soybean oil</b>	Squash	387.83	31	1,108.27	A
<b>methylated soybean oil</b>	Squash, summer	0.47	1	6.0	A
<b>methylated soybean oil</b>	Squash, winter	34.16	8	161.5	A
<b>methylated soybean oil</b>	Stone fruit	14.22	6	15.0	A
<b>methylated soybean oil</b>	Strawberry	10,241.35	623	19,448.37	A
<b>methylated soybean oil</b>	Structural pest control	77.71	N/A	N/A	N/A
<b>methylated soybean oil</b>	Sudangrass	1,721.97	143	8,270.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Sugarbeet	2,011.75	191	14,658.83	A
<b>methylated soybean oil</b>	Sunflower	7,949.34	282	16,715.69	A
<b>methylated soybean oil</b>	Sweet potato	91.06	11	479.8	A
<b>methylated soybean oil</b>	Swiss chard	42.76	49	181.92	A
<b>methylated soybean oil</b>	Tangelo	1,158.76	121	2,265.54	A
<b>methylated soybean oil</b>	Tangerine	14,620.03	1,564	44,471.28	A
<b>methylated soybean oil</b>	Timothy	60.4	14	726.0	A
<b>methylated soybean oil</b>	Tomatillo	0.8	1	2.5	A
<b>methylated soybean oil</b>	Tomato	3,528.46	454	18,209.59	A
<b>methylated soybean oil</b>	Tomato, processing	16,295.98	828	58,748.58	A
<b>methylated soybean oil</b>	Triticale	1,772.34	157	9,038.11	A
<b>methylated soybean oil</b>	Tropical/subtropical fruit	0.13	1	6.0	A
<b>methylated soybean oil</b>	Turf/sod	1,088.34	138	1,715.02	A
<b>methylated soybean oil</b>	Turnip	2.85	1	15.0	A
<b>methylated soybean oil</b>	Uncultivated ag	55,467.45	3,716	135,007.62	A
<b>methylated soybean oil</b>	Uncultivated non-ag	2,786.42	221	4,966.48	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methylated soybean oil</b>	Unknown	339.96	23	153.04	A
<b>methylated soybean oil</b>	Upland cress	101.34	39	64.8	A
<b>methylated soybean oil</b>	Vegetable	4.14	4	16.0	A
<b>methylated soybean oil</b>	Vertebrate control	410.24	N/A	N/A	N/A
<b>methylated soybean oil</b>	Vetch	43.87	2	150.0	A
<b>methylated soybean oil</b>	Walnut	168,640.57	7,228	225,850.57	A
<b>methylated soybean oil</b>	Water area	232.67	55	146.36	A
<b>methylated soybean oil</b>	Water area	0.82	N/A	2,250.0	S
<b>methylated soybean oil</b>	Water area	6.77	5	8.75	U
<b>methylated soybean oil</b>	Watermelon	626.67	60	3,000.54	A
<b>methylated soybean oil</b>	Wheat	39,631.44	615	33,067.18	A
<b>methylated soybean oil</b>	Wheat (forage - fodder)	8,963.36	609	39,862.24	A
<b>methyl bromide</b>	Almond	55,934.48	12	179.5	A
<b>methyl bromide</b>	Almond	11,442.76	N/A	4,918,108.0	C
<b>methyl bromide</b>	Almond	4,047.0	N/A	142,540.07	K
<b>methyl bromide</b>	Almond	1,062.0	N/A	612,000.0	U
<b>methyl bromide</b>	Apricot	26.5	N/A	1,440.0	P
<b>methyl bromide</b>	Bamboo shoots	6,309.34	N/A	730,937.0	C
<b>methyl bromide</b>	Bean, unspecified	36.5	N/A	12,600.0	C
<b>methyl bromide</b>	Broccoli	1,745.85	N/A	19,136.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methyl bromide	Bushberry	208.2	N/A	150,037.0	U
methyl bromide	Cherry	90.0	N/A	46,800.0	C
methyl bromide	Cherry	12,835.0	N/A	31,289.0	U
methyl bromide	Commodity fumigation	122,348.76	N/A	N/A	N/A
methyl bromide	Cranberry	132.3	N/A	45,654.0	U
methyl bromide	Dried fruit	44.0	N/A	22,000.0	C
methyl bromide	Fig	115.0	N/A	115,000.0	C
methyl bromide	Fumigation, other	67,474.76	N/A	N/A	N/A
methyl bromide	Joboba bean	189.0	N/A	63,374.0	C
methyl bromide	N-outdr flower	9,212.8	8	39.45	A
methyl bromide	N-outdr plants in containers	177,518.45	32	667.1	A
methyl bromide	N-outdr transplants	309,852.65	115	1,311.75	A
methyl bromide	N-outdr transplants	8.0	N/A	2,000.0	C
methyl bromide	Nectarine	1,860.0	N/A	1,484,676.0	P
methyl bromide	Nectarine	371.8	N/A	166.36	T
methyl bromide	Nursery soil	470.4	1	1.2	A
methyl bromide	Peach	748.6	N/A	822,527.0	P
methyl bromide	Peach	702.1	N/A	528.9	T
methyl bromide	Plum	588.6	N/A	628,304.0	P
methyl bromide	Plum	235.4	N/A	213.5	T
methyl bromide	Pomegranate	123.1	N/A	296,800.0	P
methyl bromide	Pomegranate	828.0	N/A	671.8	T
methyl bromide	Prune	89.0	N/A	32,920.0	C
methyl bromide	Quince	35.6	N/A	10.5	T
methyl bromide	Raspberry	2,387.73	1	11.9	A
methyl bromide	Regulatory pest control	23,338.55	N/A	N/A	N/A
methyl bromide	Rice	6.0	N/A	3,000.0	C
methyl bromide	Rights of way	146.8	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methyl bromide</b>	Soil fumigation/preplant	763,476.83	207	3,415.87	A
<b>methyl bromide</b>	Soil fumigation/preplant	160.39	1	17,823.0	S
<b>methyl bromide</b>	Stone fruit	20.3	N/A	19,008.0	P
<b>methyl bromide</b>	Stone fruit	1,197.7	N/A	751.87	T
<b>methyl bromide</b>	Storage area/box	99.0	N/A	21,051.0	C
<b>methyl bromide</b>	Strawberry	64,964.62	13	293.14	A
<b>methyl bromide</b>	Strawberry	141.5	N/A	46,800.0	C
<b>methyl bromide</b>	Strawberry	1,087.3	N/A	428,922.0	U
<b>methyl bromide</b>	Structural pest control	24,928.24	N/A	N/A	N/A
<b>methyl bromide</b>	Turf/sod	4,704.0	1	12.0	A
<b>methyl bromide</b>	Walnut	9,107.2	N/A	3,256,193.0	C
<b>methyl bromide</b>	Walnut	1,270.0	N/A	711.0	K
<b>methyl bromide</b>	Walnut	659.31	N/A	1,072,192.0	P
<b>methyl bromide</b>	Walnut	555.0	N/A	1,156.0	T
<b>methyl bromide</b>	Walnut	443.0	N/A	1,390.0	U
<b>2-methyl-1-butanol</b>	Landscape maintenance	0.04	N/A	N/A	N/A
<b>2-methyl-1-butanol</b>	Structural pest control	1.15	N/A	N/A	N/A
<b>methyl cellulose</b>	Tangerine	3.8	2	85.63	A
<b>1-methylcyclopropene</b>	Fumigation, other	0.24	N/A	N/A	N/A
<b>1-methylcyclopropene</b>	N-grnhs plants in containers	<0.01	N/A	21,357.54	C
<b>1-methylcyclopropene</b>	N-grnhs plants in containers	0.01	N/A	84,211.0	S
<b>1-methylcyclopropene</b>	N-outdr plants in containers	<0.01	N/A	127.77	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b>	Landscape maintenance	18.24	N/A	N/A	N/A
<b>methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b>	Regulatory pest control	0.03	N/A	N/A	N/A
<b>methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b>	Structural pest control	0.08	N/A	N/A	N/A
<b>methylene chloride</b>	Landscape maintenance	3.16	N/A	N/A	N/A
<b>methylene chloride</b>	Regulatory pest control	0.21	N/A	N/A	N/A
<b>methylene chloride</b>	Structural pest control	7.74	N/A	N/A	N/A
<b>methylene bis(thiocyanate)</b>	Almond	0.5	1	6.5	A
<b>methylene bis(thiocyanate)</b>	Peach	1.2	2	15.5	A
<b>methylene bis(thiocyanate)</b>	Rights of way	0.04	1	0.5	A
<b>methyl esters of cottonseed oil</b>	Almond	577.95	11	409.11	A
<b>methyl esters of cottonseed oil</b>	Orange	10.48	1	7.5	A
<b>methyl esters of cottonseed oil</b>	Pistachio	44.69	2	58.0	A
<b>methyl eugenol</b>	Regulatory pest control	448.71	N/A	N/A	N/A
<b>methyl eugenol</b>	Rights of way	26.77	N/A	N/A	N/A
<b>methyl eugenol</b>	Structural pest control	24.53	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Citrus	0.02	10	35.79	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Grapefruit	0.36	33	440.5	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Lemon	2.87	106	3,531.67	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	N-outdr plants in containers	<0.01	1	6.0	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Orange	25.19	1,111	29,288.82	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Pomelo	0.09	11	105.0	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangelo	0.47	30	603.48	A
(3s, 6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Tangerine	21.47	723	25,845.07	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Citrus	0.02	10	35.79	A
(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Grapefruit	0.36	33	440.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate</b>	Lemon	2.87	106	3,531.67	A
<b>(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate</b>	N-outdr plants in containers	<0.01	1	6.0	A
<b>(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate</b>	Orange	25.19	1,111	29,288.82	A
<b>(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate</b>	Pomelo	0.09	11	105.0	A
<b>(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate</b>	Tangelo	0.47	30	603.48	A
<b>(3s, 6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate</b>	Tangerine	21.47	723	25,845.07	A
<b>2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	6.58	N/A	222,124.0	C
<b>2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	9.13	N/A	2,229,678.0	P
<b>2-methyl-4-isothiazolin-3-one</b>	Industrial processing water	87.1	N/A	2,952.0	U
<b>2-methyl-4-isothiazolin-3-one</b>	Landscape maintenance	66.59	N/A	N/A	N/A
<b>2-methyl-4-isothiazolin-3-one</b>	Lumber, treated	2,637.68	N/A	9,512.38	K
<b>2-methyl-4-isothiazolin-3-one</b>	Water (industrial)	783.02	N/A	88.0	A
<b>2-methyl-4-isothiazolin-3-one</b>	Water (industrial)	984.09	N/A	14,140.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methyl isothiocyanate</b>	Rights of way	78.96	N/A	N/A	N/A
<b>methyl nonyl ketone</b>	Structural pest control	0.22	N/A	N/A	N/A
<b>n-methyl-n-oleoyltaurine, sodium salt</b>	Grapefruit	10.26	8	53.02	A
<b>n-methyl-n-oleoyltaurine, sodium salt</b>	Lemon	0.91	4	4.68	A
<b>n-methyl-n-oleoyltaurine, sodium salt</b>	Orange	15.31	5	79.19	A
<b>n-methyl-n-oleoyltaurine, sodium salt</b>	Pistachio	16.51	1	213.5	A
<b>n-methyl-n-oleoyltaurine, sodium salt</b>	Tangerine	25.74	8	133.17	A
<b>methyl parathion</b>	Alfalfa	1.23	1	25.0	A
<b>methyl parathion</b>	Almond	1.85	1	3.5	A
<b>methyl parathion</b>	Grape	53.35	1	37.0	A
<b>methyl parathion</b>	Landscape maintenance	15.08	N/A	N/A	N/A
<b>methyl parathion</b>	Orange	0.36	1	4.0	A
<b>methyl parathion</b>	Rights of way	0.99	N/A	N/A	N/A
<b>methyl parathion</b>	Structural pest control	0.01	N/A	N/A	N/A
<b>methyl parathion</b>	Uncultivated ag	1.25	1	5.3	A
<b>methyl parathion, other related</b>	Orange	0.02	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methyl silicone resins	Alfalfa	20.51	18	491.0	A
methyl silicone resins	Almond	14,498.28	1,534	107,665.64	A
methyl silicone resins	Apple	71.81	24	436.9	A
methyl silicone resins	Apricot	4.95	6	44.25	A
methyl silicone resins	Artichoke, globe	0.19	12	426.0	A
methyl silicone resins	Avocado	18.67	15	313.5	A
methyl silicone resins	Bean, dried	10.19	9	453.0	A
methyl silicone resins	Bean, succulent	104.78	15	356.5	A
methyl silicone resins	Beet	0.14	10	144.71	A
methyl silicone resins	Blackberry	339.78	82	592.66	A
methyl silicone resins	Blueberry	9.68	8	11.19	A
methyl silicone resins	Bok choy	<0.01	4	23.0	A
methyl silicone resins	Broccoli	108.92	604	5,423.58	A
methyl silicone resins	Brussels sprout	144.11	89	907.94	A
methyl silicone resins	Cabbage	4.49	63	697.11	A
methyl silicone resins	Cannabis (all or unspecified)	46.5	27	94.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methyl silicone resins	Cantaloupe	3.88	14	645.4	A
methyl silicone resins	Carrot	13.74	13	180.75	A
methyl silicone resins	Cauliflower	124.65	322	2,479.02	A
methyl silicone resins	Celery	213.26	347	4,283.0	A
methyl silicone resins	Cherry	1,197.81	343	8,040.85	A
methyl silicone resins	Cilantro	0.05	7	86.96	A
methyl silicone resins	Collard	0.02	11	28.3	A
methyl silicone resins	Corn (forage - fodder)	360.84	193	8,264.54	A
methyl silicone resins	Corn, human consumption	16.1	19	459.0	A
methyl silicone resins	Cotton	50.58	28	3,419.73	A
methyl silicone resins	Cucumber	20.62	43	846.26	A
methyl silicone resins	Date	0.04	31	180.0	A
methyl silicone resins	Dill	<0.01	1	3.0	A
methyl silicone resins	Endive (escarole)	4.18	134	52.86	A
methyl silicone resins	Forage hay/silage	<0.01	2	20.0	A
methyl silicone resins	Garlic	4.66	3	183.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methyl silicone resins	Grape	858.84	443	14,228.76	A
methyl silicone resins	Grape, wine	5,429.17	2,192	54,839.41	A
methyl silicone resins	Grapefruit	2.04	1	5.0	A
methyl silicone resins	Industrial site	<0.01	3	25.0	A
methyl silicone resins	Kale	3.37	19	82.62	A
methyl silicone resins	Kohlrabi	0.67	1	19.0	A
methyl silicone resins	Landscape maintenance	0.07	3	20.0	A
methyl silicone resins	Landscape maintenance	52.9	N/A	N/A	N/A
methyl silicone resins	Lemon	1,870.45	94	3,013.78	A
methyl silicone resins	Lettuce, head	375.01	982	9,510.27	A
methyl silicone resins	Lettuce, leaf	410.36	1,298	9,925.14	A
methyl silicone resins	Melon	3.37	8	248.4	A
methyl silicone resins	N-grnhs flower	<0.01	N/A	38.0	A
methyl silicone resins	N-grnhs plants in containers	0.06	109	129.49	A
methyl silicone resins	N-grnhs transplants	<0.01	11	4.63	A
methyl silicone resins	N-outdr flower	7.42	4	36.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methyl silicone resins</b>	N-outdr plants in containers	232.65	1,910	4,972.95	A
<b>methyl silicone resins</b>	N-outdr plants in containers	<0.01	1	2,000.0	S
<b>methyl silicone resins</b>	N-outdr plants in containers	<0.01	1	0.17	U
<b>methyl silicone resins</b>	N-outdr transplants	<0.01	54	13.62	A
<b>methyl silicone resins</b>	N-outdr transplants	<0.01	1	12,800.0	U
<b>methyl silicone resins</b>	Nectarine	41.72	34	233.1	A
<b>methyl silicone resins</b>	Oat (forage - fodder)	1.69	1	31.0	A
<b>methyl silicone resins</b>	Onion, dry	24.06	40	1,401.85	A
<b>methyl silicone resins</b>	Onion, green	0.11	40	287.03	A
<b>methyl silicone resins</b>	Orange	7,642.83	538	12,092.82	A
<b>methyl silicone resins</b>	Parsley	1.57	13	70.0	A
<b>methyl silicone resins</b>	Peach	928.34	167	2,848.3	A
<b>methyl silicone resins</b>	Pear	0.2	1	40.0	A
<b>methyl silicone resins</b>	Peas	2.17	7	33.0	A
<b>methyl silicone resins</b>	Pecan	48.03	4	240.0	A
<b>methyl silicone resins</b>	Pepper, fruiting	37.75	46	1,312.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methyl silicone resins	Pistachio	7,058.84	269	31,177.29	A
methyl silicone resins	Plum	1.26	3	7.5	A
methyl silicone resins	Pomegranate	20.3	6	148.0	A
methyl silicone resins	Prune	4.66	11	694.0	A
methyl silicone resins	Pumpkin	0.56	3	4.0	A
methyl silicone resins	Radish	2.11	5	62.5	A
methyl silicone resins	Raspberry	1,517.98	52	402.04	A
methyl silicone resins	Regulatory pest control	14.07	N/A	N/A	N/A
methyl silicone resins	Rice	703.45	196	19,027.16	A
methyl silicone resins	Rights of way	0.04	4	37.0	A
methyl silicone resins	Rights of way	105.64	N/A	N/A	N/A
methyl silicone resins	Spinach	<0.01	1	11.0	A
methyl silicone resins	Squash	32.29	20	450.48	A
methyl silicone resins	Squash, winter	4.21	6	82.5	A
methyl silicone resins	Strawberry	40,052.2	2,679	105,168.01	A
methyl silicone resins	Structural pest control	2.45	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methyl silicone resins</b>	Sunflower	2.92	2	22.0	A
<b>methyl silicone resins</b>	Sweet potato	48.63	16	642.5	A
<b>methyl silicone resins</b>	Swiss chard	10.42	30	128.25	A
<b>methyl silicone resins</b>	Tangelo	216.54	23	350.2	A
<b>methyl silicone resins</b>	Tangerine	2,709.75	106	4,992.11	A
<b>methyl silicone resins</b>	Tomato	37.32	47	1,521.85	A
<b>methyl silicone resins</b>	Tomato, processing	2,194.43	144	14,243.4	A
<b>methyl silicone resins</b>	Triticale	12.65	1	120.0	A
<b>methyl silicone resins</b>	Uncultivated ag	135.83	156	4,840.73	A
<b>methyl silicone resins</b>	Walnut	6,445.57	954	37,709.57	A
<b>methyl silicone resins</b>	Watermelon	8.63	39	1,311.43	A
<b>methyl silicone resins</b>	Wheat	11.29	5	225.0	A
<b>metiram</b>	Research commodity	0.07	N/A	N/A	N/A
<b>metiram</b>	Structural pest control	11.26	N/A	N/A	N/A
<b>metofluthrin</b>	Landscape maintenance	0.02	N/A	N/A	N/A
<b>metofluthrin</b>	Regulatory pest control	<0.01	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
metofluthrin	Structural pest control	8.01	N/A	N/A	N/A
metolachlor	Bean, dried	1,115.81	9	615.6	A
metolachlor	Corn (forage - fodder)	8,934.52	128	5,542.33	A
metolachlor	Corn, human consumption	4,973.23	39	2,642.6	A
metolachlor	Cotton	831.68	19	630.0	A
metolachlor	Garbanzo bean	1,191.76	6	736.13	A
metolachlor	Landscape maintenance	5.39	N/A	N/A	N/A
metolachlor	Oat (forage - fodder)	698.37	11	401.0	A
metolachlor	Potato	1,169.33	8	799.0	A
metolachlor	Safflower	182.5	3	118.0	A
metolachlor	Sorghum (forage - fodder)	331.94	3	213.0	A
metolachlor	Tomato	0.99	1	153.8	A
metolachlor	Tomato, processing	22,362.78	151	14,070.3	A
metolachlor	Watermelon	99.45	1	50.0	A
s-metolachlor	Alfalfa	87.79	3	55.0	A
s-metolachlor	Almond	142.94	1	75.0	A
s-metolachlor	Bean, dried	13,827.44	245	9,205.57	A
s-metolachlor	Bean, succulent	3,809.9	121	2,464.82	A
s-metolachlor	Bean, unspecified	581.1	68	405.82	A
s-metolachlor	Beet	118.75	83	259.38	A
s-metolachlor	Carrot	551.0	55	854.89	A
s-metolachlor	Celeriac	25.08	19	21.08	A
s-metolachlor	Celery	2,856.38	148	2,443.99	A
s-metolachlor	Corn (forage - fodder)	29,278.82	419	19,987.44	A
s-metolachlor	Corn, grain	214.45	1	150.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
s-metolachlor	Corn, human consumption	8,156.58	165	3,745.13	A
s-metolachlor	Cotton	11,477.03	175	9,166.84	A
s-metolachlor	Fava bean	20.74	17	17.0	A
s-metolachlor	Garbanzo bean	3,249.02	30	2,551.0	A
s-metolachlor	Golf course turf	0.69	N/A	17,000.0	S
s-metolachlor	Landscape maintenance	208.91	10	208.0	A
s-metolachlor	Landscape maintenance	91.6	N/A	N/A	N/A
s-metolachlor	Lettuce, leaf	0.48	1	0.5	A
s-metolachlor	N-outdr flower	916.26	162	623.59	A
s-metolachlor	N-outdr plants in containers	45.25	1	1.0	A
s-metolachlor	Onion, dry	31.39	17	126.9	A
s-metolachlor	Peas	653.75	140	1,085.45	A
s-metolachlor	Pepper, fruiting	2,064.91	49	1,726.18	A
s-metolachlor	Pepper, spice	5.72	2	4.0	A
s-metolachlor	Potato	10,988.4	100	6,747.4	A
s-metolachlor	Pumpkin	290.15	13	303.1	A
s-metolachlor	Radish	0.61	3	0.7	A
s-metolachlor	Research commodity	33.12	19	29.64	A
s-metolachlor	Research commodity	513.6	N/A	N/A	N/A
s-metolachlor	Rice	276.35	1	145.0	A
s-metolachlor	Rights of way	28.01	3	39.0	A
s-metolachlor	Safflower	2,633.67	31	1,677.1	A
s-metolachlor	Soil fumigation/preplant	867.91	10	614.0	A
s-metolachlor	Sorghum (forage - fodder)	9,498.09	80	6,191.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
s-metolachlor	Sorghum/milo	3,092.36	48	2,205.53	A
s-metolachlor	Spinach	660.09	298	1,747.09	A
s-metolachlor	Structural pest control	4.41	N/A	N/A	N/A
s-metolachlor	Sudangrass	433.01	5	337.2	A
s-metolachlor	Sunflower	18,093.17	217	10,757.85	A
s-metolachlor	Swiss chard	12.59	25	52.64	A
s-metolachlor	Tomato	35,653.0	451	20,863.29	A
s-metolachlor	Tomato, processing	137,236.24	1,376	87,031.58	A
s-metolachlor	Turf/sod	127.65	5	67.0	A
s-metolachlor	Turnip	28.4	48	79.44	A
s-metolachlor	Uncultivated ag	3,407.69	73	1,934.93	A
s-metolachlor	Watermelon	21.44	1	15.0	A
metrafenone	Cherry	92.72	4	307.94	A
metrafenone	Eggplant	6.18	2	24.0	A
metrafenone	Grape	14,001.29	1,118	52,016.96	A
metrafenone	Grape, wine	42,147.87	5,831	151,746.41	A
metrafenone	Melon	1.78	1	5.9	A
metrafenone	Pepper, fruiting	120.06	15	459.0	A
metrafenone	Pumpkin	102.25	5	346.0	A
metrafenone	Research commodity	5.04	7	16.75	A
metrafenone	Tomatillo	0.3	1	1.0	A
metrafenone	Tomato	37.55	6	124.7	A
metrafenone	Tomato, processing	178.18	15	591.92	A
metrafenone	Uncultivated ag	1.5	1	5.1	A
metrafenone	Watermelon	405.64	19	1,350.0	A
metribuzin	Alfalfa	17,609.02	546	35,131.33	A
metribuzin	Alfalfa-grass mixture	12.56	1	25.0	A
metribuzin	Asparagus	396.44	4	203.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
metribuzin	Bean, dried	68.56	5	277.0	A
metribuzin	Carrot	424.6	56	3,047.0	A
metribuzin	Corn, grain	24.1	4	171.3	A
metribuzin	Forage hay/silage	167.93	8	326.1	A
metribuzin	Garbanzo bean	222.22	11	705.13	A
metribuzin	Landscape maintenance	25.31	N/A	N/A	N/A
metribuzin	N-outdr transplants	0.27	1	38,506.0	S
metribuzin	Orchardgrass	30.75	2	60.0	A
metribuzin	Potato	2,212.74	103	4,742.7	A
metribuzin	Rangeland	2.23	2	4.5	A
metribuzin	Research commodity	0.16	1	0.32	A
metribuzin	Research commodity	2.88	N/A	N/A	N/A
metribuzin	Soil fumigation/preplant	61.81	1	123.0	A
metribuzin	Structural pest control	51.17	N/A	N/A	N/A
metribuzin	Tomato	1,739.92	118	3,526.76	A
metribuzin	Tomato, processing	10,322.36	507	20,830.12	A
metribuzin	Uncultivated ag	197.54	4	301.73	A
mevinphos	Onion, dry	18.51	1	150.0	A
mevinphos, other related	Onion, dry	12.34	1	150.0	A
milbemectin	N-outdr plants in containers	0.04	1	2.0	A
mineral oil	Alfalfa	206,718.59	5,099	282,112.9	A
mineral oil	Alfalfa-grass mixture	13.97	2	62.9	A
mineral oil	Almond	22,190,406.92	31,061	1,883,311.16	A
mineral oil	Apple	1.86	2	114.0	?

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Apple	133,978.33	969	12,600.02	A
mineral oil	Apple	22.19	19	569.0	U
mineral oil	Apricot	54,135.54	319	3,646.32	A
mineral oil	Apricot	3.06	2	1,530.0	S
mineral oil	Apricot	3.36	4	12.0	U
mineral oil	Artichoke, globe	20.36	41	253.85	A
mineral oil	Arugula	32.54	36	270.63	A
mineral oil	Asparagus	103.95	10	331.5	A
mineral oil	Avocado	367,360.81	1,467	26,532.82	A
mineral oil	Avocado	0.65	4	4,000.0	S
mineral oil	Avocado	582.12	10	826,200.0	U
mineral oil	Barley	351.33	14	1,838.5	A
mineral oil	Barley (forage - fodder)	12.42	13	1,429.0	A
mineral oil	Basil, sweet	247.33	7	196.5	A
mineral oil	Bean, dried	1,349.89	64	2,586.05	A
mineral oil	Bean, succulent	785.08	40	1,251.0	A
mineral oil	Bean, unspecified	44.21	8	70.52	A
mineral oil	Beet	93.75	55	306.94	A
mineral oil	Bermudagrass	13,834.57	294	16,489.0	A
mineral oil	Blackberry	71,511.9	996	10,512.88	A
mineral oil	Blueberry	4,983.83	392	7,841.03	A
mineral oil	Blueberry	2.44	8	8,312.0	S
mineral oil	Bok choy	7.2	15	60.18	A
mineral oil	Broccoli	8,066.81	824	11,875.37	A
mineral oil	Brussels sprout	233.17	50	299.7	A
mineral oil	Cabbage	2,042.35	366	3,148.39	A
mineral oil	Cabbage	0.19	1	2,250.0	S
mineral oil	Cannabis (all or unspecified)	9,154.9	951	1,561.14	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Cannabis (all or unspecified)	2.68	2	5,000.0	C
mineral oil	Cannabis (all or unspecified)	7,311.15	1,518	11,589,912.5	S
mineral oil	Cannabis (all or unspecified)	557.52	84	1,232.0	U
mineral oil	Canola (rape)	106.0	1	72.0	A
mineral oil	Cantaloupe	6,581.66	145	19,364.47	A
mineral oil	Carrot	15,306.98	338	17,938.9	A
mineral oil	Cauliflower	3,105.38	460	5,197.41	A
mineral oil	Celery	2,693.69	585	5,921.06	A
mineral oil	Cherry	247,666.84	1,899	37,793.59	A
mineral oil	Cherry	0.05	1	100.0	S
mineral oil	Cherry	1.68	3	6.0	U
mineral oil	Chestnut	2.98	1	5.0	A
mineral oil	Chinese cabbage (napa, won bok, celery cabbage)	38.3	5	35.16	A
mineral oil	Chive	0.24	2	2.5	A
mineral oil	Christmas tree	66.28	3	19.0	A
mineral oil	Cilantro	2,620.29	203	1,831.72	A
mineral oil	Citrus	35,196.29	327	3,605.6	A
mineral oil	Citrus	174.55	16	1,250,484.0	U
mineral oil	Clover	10.11	1	8.9	A
mineral oil	Cole crop	0.03	1	0.5	A
mineral oil	Cole crop	0.07	1	1,000.0	S
mineral oil	Collard	1.5	15	24.65	A
mineral oil	Commodity fumigation	4.56	N/A	N/A	N/A
mineral oil	Corn (forage - fodder)	30,879.33	1,822	97,119.24	A
mineral oil	Corn, grain	619.59	124	4,226.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mineral oil	Corn, human consumption	51,375.84	1,635	76,428.11	A
mineral oil	Cotton	64,134.91	2,048	155,338.91	A
mineral oil	Cucumber	660.58	44	479.78	A
mineral oil	Date	495.62	8	194.5	A
mineral oil	Dill	252.64	6	149.0	A
mineral oil	Ditch bank	26.55	1	25.0	A
mineral oil	Ditch bank	384.52	2	70.0	U
mineral oil	Eggplant	32.3	4	69.0	A
mineral oil	Endive (escarole)	41.88	29	80.66	A
mineral oil	Fennel	0.37	3	10.26	A
mineral oil	Fig	1,360.38	40	1,843.46	A
mineral oil	Forage hay/silage	3,538.85	149	6,333.93	A
mineral oil	Garbanzo bean	656.33	17	1,994.0	A
mineral oil	Garlic	10,742.69	156	17,835.79	A
mineral oil	Golf course turf	5,617.64	5	395.75	A
mineral oil	Golf course turf	242.09	N/A	486,000.0	S
mineral oil	Grape	275,292.43	4,134	127,823.22	A
mineral oil	Grape	2.36	2	11,500.0	S
mineral oil	Grape, wine	1,958,934.61	22,451	526,187.5	A
mineral oil	Grape, wine	17.98	3	585.0	U
mineral oil	Grapefruit	241,569.22	918	16,882.95	A
mineral oil	Grass, seed	712.72	73	932.35	A
mineral oil	Herb, spice	86.05	14	103.8	A
mineral oil	Hops	0.17	1	1.5	A
mineral oil	Horseradish	4.29	1	26,000.0	S
mineral oil	Industrial hemp	37.18	9	85.0	A
mineral oil	Industrial hemp	92.08	51	73,476.0	S
mineral oil	Kale	487.79	101	774.06	A
mineral oil	Kale	1.44	10	22,250.0	S
mineral oil	Kiwi fruit fuzzy	28,265.61	568	4,448.22	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Kumquat	159.39	11	25.9	A
mineral oil	Landscape maintenance	179.31	5	14.84	A
mineral oil	Landscape maintenance	357,802.63	N/A	N/A	N/A
mineral oil	Leek	5.66	16	46.11	A
mineral oil	Lemon	2,632,749.96	5,976	120,542.06	A
mineral oil	Lemon	22.11	2	200.0	U
mineral oil	Lettuce, head	3,098.44	1,408	17,880.16	A
mineral oil	Lettuce, leaf	5,427.28	2,231	22,539.0	A
mineral oil	Lime	10,586.25	50	645.0	A
mineral oil	Mango	547.89	2	60.0	A
mineral oil	Melon	4,761.53	206	11,502.36	A
mineral oil	Mint	14.09	3	2.75	A
mineral oil	Mizuna	0.31	5	6.8	A
mineral oil	Mustard greens	138.78	47	95.33	A
mineral oil	N-grnhs flower	6,448.42	221	469.43	A
mineral oil	N-grnhs flower	7.2	14	81,575.0	S
mineral oil	N-grnhs flower	0.61	2	470.0	U
mineral oil	N-grnhs plants in containers	4,005.57	559	578.68	A
mineral oil	N-grnhs plants in containers	628.39	126	1,522,385.0	S
mineral oil	N-grnhs plants in containers	45.94	10	75,402.62	U
mineral oil	N-grnhs transplants	76.39	113	369.05	A
mineral oil	N-grnhs transplants	121.44	74	1,603,416.0	S
mineral oil	N-outdr flower	4,268.5	305	2,252.83	A
mineral oil	N-outdr flower	2.12	2	3,400.0	S
mineral oil	N-outdr flower	0.77	3	720.0	U
mineral oil	N-outdr plants in containers	41,429.38	1,120	4,579.34	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mineral oil	N-outdr plants in containers	333.1	132	2,096,005.0	S
mineral oil	N-outdr plants in containers	83.55	28	139,140.0	U
mineral oil	N-outdr transplants	1,531.87	349	4,354.85	A
mineral oil	N-outdr transplants	336.85	301	44,092,844.0	S
mineral oil	N-outdr transplants	6.34	N/A	12.0	U
mineral oil	Nectarine	791,516.24	4,372	62,428.35	A
mineral oil	Nectarine	3.06	2	2,280.0	S
mineral oil	Nectarine	1.38	6	36.0	U
mineral oil	Oat	136.08	9	372.2	A
mineral oil	Oat (forage - fodder)	3,004.71	191	7,088.05	A
mineral oil	Olive	43,507.07	454	18,484.21	A
mineral oil	Olive	59.96	4	2,000.0	U
mineral oil	Onion, dry	22,473.6	571	37,364.09	A
mineral oil	Onion, green	12.37	3	9.09	A
mineral oil	Onion, green	4.81	11	52,125.0	S
mineral oil	Orange	6,032,956.47	16,213	352,730.95	A
mineral oil	Parsley	1,060.84	38	1,166.35	A
mineral oil	Parsley	0.08	1	1,500.0	S
mineral oil	Pasture (forage - fodder)	6.51	8	183.0	A
mineral oil	Pastureland	755.49	23	1,718.95	A
mineral oil	Pastureland	0.96	1	24,360.0	S
mineral oil	Peach	1,935,118.18	7,516	139,855.09	A
mineral oil	Peach	4.58	2	3,012.0	S
mineral oil	Peach	12.97	6	91.0	U
mineral oil	Pear	927,750.56	1,883	60,208.57	A
mineral oil	Pear	3.47	4	20.0	U
mineral oil	Pear, asian (oriental pear, ya, ya li, nashi)	9,242.27	30	553.21	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Peas	1,684.53	260	2,311.7	A
mineral oil	Peas (forage - fodder)	139.32	2	92.0	A
mineral oil	Pecan	3,003.41	34	1,330.43	A
mineral oil	Pepper, fruiting	1,212.8	138	3,943.31	A
mineral oil	Pepper, spice	195.15	10	218.7	A
mineral oil	Persimmon	1,900.75	37	430.33	A
mineral oil	Pistachio	542,106.71	3,423	209,793.7	A
mineral oil	Plum	479,239.58	1,955	21,965.46	A
mineral oil	Plum	2.01	4	8.0	U
mineral oil	Pluot	1,614.13	22	85.92	A
mineral oil	Pome fruit	210.38	4	5.9	A
mineral oil	Pomegranate	1,472.73	37	1,000.68	A
mineral oil	Pomelo	38,640.01	145	1,561.5	A
mineral oil	Potato	7,888.65	229	14,939.09	A
mineral oil	Prune	349,162.7	725	32,189.19	A
mineral oil	Public health	348,229.2	N/A	N/A	N/A
mineral oil	Pumpkin	492.8	32	1,297.9	A
mineral oil	Quince	0.6	7	40.0	A
mineral oil	Radicchio	1,059.05	44	1,105.95	A
mineral oil	Radish	90.83	145	467.77	A
mineral oil	Rangeland	425.16	32	1,935.65	A
mineral oil	Rapini	1.46	1	8.1	A
mineral oil	Raspberry	26,253.04	989	9,833.42	A
mineral oil	Recreation area	12.42	N/A	0.01	A
mineral oil	Recreation area	13.16	N/A	0.03	U
mineral oil	Regulatory pest control	3,701.52	N/A	N/A	N/A
mineral oil	Research commodity	414.08	53	124.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Research commodity	7.02	26	32,700.0	S
mineral oil	Research commodity	72.27	N/A	N/A	N/A
mineral oil	Rice	435,890.32	3,600	261,627.55	A
mineral oil	Rights of way	2,690.71	113	2,827.9	A
mineral oil	Rights of way	370.48	2	12.0	U
mineral oil	Rights of way	254,043.8	N/A	N/A	N/A
mineral oil	Rye	12.64	8	150.9	A
mineral oil	Ryegrass	194.81	20	770.5	A
mineral oil	Safflower	353.06	9	406.74	A
mineral oil	Small fruits/berry	0.77	5	5.03	A
mineral oil	Soil fumigation/preplant	2,769.41	79	3,240.67	A
mineral oil	Sorghum (forage - fodder)	758.23	83	6,476.44	A
mineral oil	Sorghum/milo	455.63	43	2,748.87	A
mineral oil	Spinach	1,200.76	137	1,845.76	A
mineral oil	Squash	414.27	28	843.88	A
mineral oil	Squash, winter	57.53	4	60.5	A
mineral oil	Stone fruit	3,170.64	38	220.48	A
mineral oil	Stone fruit	0.72	1	8.0	U
mineral oil	Strawberry	11,070.72	2,008	76,579.95	A
mineral oil	Structural pest control	49.38	1	10.0	A
mineral oil	Structural pest control	3,124.2	N/A	N/A	N/A
mineral oil	Sudangrass	3,850.55	66	4,046.71	A
mineral oil	Sugarbeet	14,467.66	249	18,217.23	A
mineral oil	Sugarcane	108.08	3	105.0	A
mineral oil	Sunflower	5,187.01	114	6,906.87	A
mineral oil	Sweet potato	150.84	26	1,445.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Swiss chard	9.8	24	121.36	A
mineral oil	Swiss chard	0.19	3	4,100.0	S
mineral oil	Tangelo	125,604.18	472	8,203.55	A
mineral oil	Tangerine	1,704,562.4	5,850	154,652.26	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Tomato	6,314.08	244	6,014.17	A
mineral oil	Tomato, processing	14,196.22	588	38,754.68	A
mineral oil	Triticale	196.33	150	9,410.34	A
mineral oil	Turf/sod	323.05	15	247.0	A
mineral oil	Turf/sod	447.42	N/A	904,500.0	S
mineral oil	Turnip greens	2.1	18	9.03	A
mineral oil	Uncultivated ag	29,557.88	1,475	61,463.99	A
mineral oil	Uncultivated ag	0.27	2	330.0	S
mineral oil	Uncultivated ag	11.82	2	260.0	U
mineral oil	Uncultivated non-ag	1,202.33	38	2,166.03	A
mineral oil	Unknown	133.42	5	106.7	A
mineral oil	Vegetable	62.73	6	14.75	A
mineral oil	Vegetables, fruiting	0.76	13	12.29	A
mineral oil	Vegetables, leafy	732.44	12	505.3	A
mineral oil	Walnut	287,888.48	4,249	140,739.21	A
mineral oil	Water area	5,173.63	3	3,754.37	A
mineral oil	Watermelon	2,514.83	93	3,710.55	A
mineral oil	Wheat	3,716.23	154	9,468.37	A
mineral oil	Wheat (forage - fodder)	1,230.02	600	32,705.4	A
modified phthalic glycerol alkyd resin	Alfalfa	9.63	3	152.0	A
modified phthalic glycerol alkyd resin	Almond	7,526.29	649	28,868.65	A
modified phthalic glycerol alkyd resin	Apple	20.27	14	58.8	A
modified phthalic glycerol alkyd resin	Apricot	772.52	259	3,796.45	A
modified phthalic glycerol alkyd resin	Blueberry	123.83	44	1,234.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
modified phthalic glycerol alkyd resin	Broccoli	3.72	9	250.0	A
modified phthalic glycerol alkyd resin	Cherry	2,874.95	327	8,783.75	A
modified phthalic glycerol alkyd resin	Citrus	53.61	7	168.47	A
modified phthalic glycerol alkyd resin	Corn (forage - fodder)	51.3	15	691.0	A
modified phthalic glycerol alkyd resin	Daikon	46.75	5	284.0	A
modified phthalic glycerol alkyd resin	Garlic	91.36	6	906.0	A
modified phthalic glycerol alkyd resin	Grape	32,750.87	6,006	243,204.04	A
modified phthalic glycerol alkyd resin	Grape, wine	10,890.5	739	52,683.01	A
modified phthalic glycerol alkyd resin	Grapefruit	159.19	30	450.94	A
modified phthalic glycerol alkyd resin	Kiwi fruit fuzzy	1,098.05	308	5,163.95	A
modified phthalic glycerol alkyd resin	Lemon	2,192.09	161	3,691.54	A
modified phthalic glycerol alkyd resin	Lime	5.03	2	20.0	A
modified phthalic glycerol alkyd resin	N-grnhs plants in containers	32.05	147	188.37	A
modified phthalic glycerol alkyd resin	N-outdr plants in containers	124.25	66	703.42	A
modified phthalic glycerol alkyd resin	Nectarine	7,676.58	1,491	20,126.68	A
modified phthalic glycerol alkyd resin	Olive	180.44	6	408.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
modified phthalic glycerol alkyd resin	Onion, dry	281.46	52	4,349.41	A
modified phthalic glycerol alkyd resin	Orange	18,497.25	1,349	34,023.03	A
modified phthalic glycerol alkyd resin	Pastureland	21.84	2	300.0	A
modified phthalic glycerol alkyd resin	Peach	7,553.45	1,931	27,524.93	A
modified phthalic glycerol alkyd resin	Pear	466.01	48	1,602.5	A
modified phthalic glycerol alkyd resin	Pear, asian (oriental pear, ya, ya li, nashi)	27.25	19	264.5	A
modified phthalic glycerol alkyd resin	Pepper, fruiting	2.48	1	25.0	A
modified phthalic glycerol alkyd resin	Persimmon	12.26	8	106.0	A
modified phthalic glycerol alkyd resin	Pistachio	13,911.93	631	66,648.27	A
modified phthalic glycerol alkyd resin	Plum	5,938.09	1,797	22,173.4	A
modified phthalic glycerol alkyd resin	Pomegranate	99.49	39	548.4	A
modified phthalic glycerol alkyd resin	Pomelo	8.79	3	11.0	A
modified phthalic glycerol alkyd resin	Prune	1.97	1	20.0	A
modified phthalic glycerol alkyd resin	Quince	8.56	7	54.6	A
modified phthalic glycerol alkyd resin	Research commodity	4.33	2	14.5	A
modified phthalic glycerol alkyd resin	Research commodity	1.9	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
modified phthalic glycerol alkyd resin	Rights of way	1.85	3	18.0	A
modified phthalic glycerol alkyd resin	Rights of way	898.52	N/A	N/A	N/A
modified phthalic glycerol alkyd resin	Structural pest control	113.01	N/A	N/A	N/A
modified phthalic glycerol alkyd resin	Tangelo	567.65	56	821.05	A
modified phthalic glycerol alkyd resin	Tangerine	8,739.17	960	26,057.83	A
modified phthalic glycerol alkyd resin	Tomato, processing	9.1	13	338.0	A
modified phthalic glycerol alkyd resin	Walnut	3,030.28	249	10,528.39	A
modified phthalic glycerol alkyd resin	Water area	5.97	1	60.0	A
modified phthalic glycerol alkyd resin	Watermelon	94.61	12	594.0	A
molasses	Alfalfa	3.97	2	136.0	A
molasses	Avocado	301.96	1	12.5	A
molasses	Grapefruit	386.51	1	32.0	A
molasses	Orange	4,465.06	8	369.67	A
molasses	Tangerine	17,084.68	41	1,201.9	A
molasses	Walnut	12,490.38	41	2,538.2	A
molinate	Structural pest control	4.01	N/A	N/A	N/A
monuron	Water area	0.06	N/A	2.0	A
morpholine	Alfalfa	3.01	1	160.0	A
morpholine	Almond	8.11	12	155.0	A
morpholine	Cherry	2.41	1	8.0	A
morpholine	Grape, wine	1.83	7	90.0	A
morpholine	Grapefruit	1.88	5	16.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
morpholine	Lemon	18.8	18	513.13	A
morpholine	Olive	1.88	4	17.0	A
morpholine	Orange	362.71	238	4,575.54	A
morpholine	Plum	1.69	2	45.0	A
morpholine	Pomelo	12.46	10	77.5	A
morpholine	Quince	4.07	15	105.0	A
morpholine	Tangelo	2.24	6	21.0	A
morpholine	Tangerine	17.7	24	348.0	A
morpholine	Walnut	270.98	69	3,772.5	A
msma	Cotton	829.48	21	512.61	A
msma	Golf course turf	2.76	1	1.5	A
msma	Golf course turf	3.0	N/A	188,000.0	S
msma	Landscape maintenance	24.14	1	20.0	A
msma	Landscape maintenance	9.36	1	100,000.0	S
msma	Landscape maintenance	2,487.55	N/A	N/A	N/A
msma	N-grnhs flower	16.58	N/A	252,000.0	S
msma	N-outdr flower	1.59	N/A	1.0	A
msma	N-outdr plants in containers	0.06	1	0.03	A
msma	N-outdr transplants	0.2	1	0.01	A
msma	Rights of way	214.41	1	50.0	A
msma	Rights of way	498.63	N/A	N/A	N/A
msma	Turf/sod	142.2	3	60.0	A
muscalure	Animal premise	0.1	N/A	962,304.0	S
muscalure	Animal premise	2.71	4	422.09	U
muscalure	Buildings/non-ag outdoor	0.03	N/A	8,500.0	S
muscalure	Buildings/non-ag outdoor	1.24	N/A	N/A	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
muscalure	Landscape maintenance	<0.01	N/A	N/A	N/A
muscalure	Pistachio	0.05	N/A	76,001.0	S
muscalure	Regulatory pest control	0.06	N/A	N/A	N/A
muscalure	Rights of way	<0.01	N/A	N/A	N/A
muscalure	Structural pest control	10.06	N/A	N/A	N/A
muscalure	Vertebrate control	<0.01	N/A	N/A	N/A
muscodor albus strain sa13	Strawberry	270.0	1	135.0	A
myclobutanol	Almond	181.79	30	1,010.99	A
myclobutanol	Apple	1,032.81	193	4,273.6	A
myclobutanol	Apricot	58.35	64	492.94	A
myclobutanol	Artichoke, globe	348.39	302	3,489.6	A
myclobutanol	Bean, succulent	4.13	6	39.0	A
myclobutanol	Blackberry	44.36	88	622.3	A
myclobutanol	Cantaloupe	179.35	35	1,549.2	A
myclobutanol	Celery	0.01	1	0.25	A
myclobutanol	Cherry	2,775.51	1,025	20,792.6	A
myclobutanol	Cotton	2,874.71	N/A	5,456.41	T
myclobutanol	Cucumber	18.25	15	156.45	A
myclobutanol	Eggplant	2.4	3	24.0	A
myclobutanol	Fumigation, other	0.06	1	1.0	A
myclobutanol	Fumigation, other	<0.01	1	2,520.0	S
myclobutanol	Golf course turf	2.35	N/A	3.44	A
myclobutanol	Grape	9,719.83	2,510	93,046.15	A
myclobutanol	Grape	0.01	1	9,000.0	S
myclobutanol	Grape	0.07	4	200.0	U
myclobutanol	Grape, wine	11,644.91	3,872	107,677.57	A
myclobutanol	Kale	0.04	3	0.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
myclobutanil	Landscape maintenance	21.75	3	14.0	A
myclobutanil	Landscape maintenance	274.32	N/A	N/A	N/A
myclobutanil	Lettuce, head	726.79	582	6,785.9	A
myclobutanil	Lettuce, leaf	1,061.99	833	9,074.65	A
myclobutanil	Melon	54.87	24	462.1	A
myclobutanil	Melon	0.04	7	17,055.0	S
myclobutanil	N-grnhs flower	26.69	132	220.74	A
myclobutanil	N-grnhs flower	0.26	6	41,800.0	S
myclobutanil	N-grnhs plants in containers	28.25	198	141.37	A
myclobutanil	N-grnhs plants in containers	4.09	72	1,647,283.15	S
myclobutanil	N-grnhs transplants	0.78	8	12.55	A
myclobutanil	N-grnhs transplants	0.18	12	66,400.0	S
myclobutanil	N-outdr flower	414.06	758	2,538.18	A
myclobutanil	N-outdr plants in containers	195.45	410	1,521.08	A
myclobutanil	N-outdr plants in containers	3.23	38	938,880.0	S
myclobutanil	N-outdr plants in containers	1.18	16	30,013.0	U
myclobutanil	N-outdr transplants	142.58	102	1,247.84	A
myclobutanil	N-outdr transplants	0.05	1	9,600.0	U
myclobutanil	Nectarine	678.37	489	5,109.56	A
myclobutanil	Olive	0.05	1	0.5	A
myclobutanil	Parsley	0.01	1	0.25	A
myclobutanil	Peach	1,161.5	762	9,301.92	A
myclobutanil	Pear	0.5	5	3.5	A
myclobutanil	Pepper, fruiting	438.22	139	3,909.88	A
myclobutanil	Pepper, spice	23.53	22	206.14	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
myclobutanil	Plum	521.81	348	3,982.16	A
myclobutanil	Pluot	2.71	3	18.1	A
myclobutanil	Prune	22.36	8	149.0	A
myclobutanil	Pumpkin	123.27	25	1,001.7	A
myclobutanil	Raspberry	220.94	381	3,160.98	A
myclobutanil	Research commodity	3.21	25	32.12	A
myclobutanil	Research commodity	0.32	9	102,500.0	S
myclobutanil	Research commodity	0.67	N/A	N/A	N/A
myclobutanil	Rights of way	0.15	N/A	N/A	N/A
myclobutanil	Soil fumigation/preplant	4.38	1	35.0	A
myclobutanil	Squash	70.12	36	633.75	A
myclobutanil	Squash, summer	2.01	2	20.1	A
myclobutanil	Squash, winter	0.62	1	5.0	A
myclobutanil	Squash, zucchini	0.01	1	0.1	A
myclobutanil	Stone fruit	11.05	4	76.5	A
myclobutanil	Strawberry	5,970.37	1,728	54,938.37	A
myclobutanil	Sunflower	5.26	1	70.0	A
myclobutanil	Tomato	213.64	88	2,194.42	A
myclobutanil	Tomato	0.02	3	7,920.0	S
myclobutanil	Tomato, processing	819.84	84	8,357.07	A
myclobutanil	Walnut	6.6	4	61.0	A
myclobutanil	Watermelon	240.07	75	2,016.62	A
myclobutanil	Watermelon	0.01	2	5,880.0	S
myristyl alcohol	Apple	38.88	58	741.0	A
myristyl alcohol	Pear	38.43	90	3,424.16	A
myristyl alcohol	Pear, asian (oriental pear, ya, ya li, nashi)	1.72	7	154.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
myristyl alcohol	Plum	0.16	1	34.0	A
myristyl alcohol	Quince	<0.01	2	0.4	A
myristyl alcohol	Walnut	9.61	24	703.76	A
myristyl alcohol	Walnut	<0.01	2	6.0	U
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Bok choy	529.83	48	139.1	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Broccoli	348.12	8	99.4	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Brussels sprout	2,886.21	66	693.9	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Cabbage	115.65	2	25.7	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Cauliflower	1,080.0	17	240.0	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Celery	60.75	1	13.5	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Chinese cabbage (napa, won bok, celery cabbage)	909.0	48	241.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Grape, wine	9,343.0	91	1,095.82	A
<b>myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Kiwi fruit fuzzy	227.2	2	23.48	A
<b>myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Lettuce, leaf	14.4	1	3.2	A
<b>myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Orange	342.0	8	190.0	A
<b>myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Prune	36.0	1	10.0	A
<b>myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Spinach	758.7	35	168.6	A
<b>myrothecium verrucaria, dried fermentation solids &amp; solubles, strain aarc-0255</b>	Walnut	5,406.17	25	775.88	A
<b>naa</b>	Cannabis (all or unspecified)	0.04	184	100,640.0	S
<b>naa</b>	Landscape maintenance	11.51	N/A	N/A	N/A
<b>naa</b>	N-grnhs flower	0.23	N/A	1,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
naa	N-grnhs flower	0.14	55	131,151.0	U
naa	N-grnhs plants in containers	2.7	14	6.21	A
naa	N-grnhs plants in containers	1.96	223	226,131.5	S
naa	N-grnhs plants in containers	0.14	12	14.0	U
naa	N-grnhs transplants	2.13	6	2.49	A
naa	N-grnhs transplants	0.28	111	44,800.0	S
naa	N-outdr plants in containers	0.6	72	58,434.0	S
naa	N-outdr plants in containers	0.29	77	146,920.0	U
naa	N-outdr transplants	0.37	1	13,020.0	S
naa	Research commodity	<0.01	N/A	N/A	N/A
naa, ammonium salt	Apple	5.57	5	166.0	A
naa, ammonium salt	Landscape maintenance	56.63	N/A	N/A	N/A
naa, ammonium salt	N-outdr flower	0.6	2	5.0	A
naa, ammonium salt	Olive	26.01	8	210.4	A
naa, ammonium salt	Pear	167.17	61	1,989.9	A
naa, ammonium salt	Structural pest control	0.8	N/A	N/A	N/A
naa, ethyl ester	Pomegranate	7,899.14	39	5,801.89	A
naa, ethyl ester	Rights of way	0.03	N/A	N/A	N/A
naa, potassium salt	Apple	2.52	2	23.0	A
naa, potassium salt	Pear	525.77	139	4,918.2	A
naa, potassium salt	Tangerine	70.92	4	141.25	A
nabam	Structural pest control	7.02	N/A	N/A	N/A
nabam	Water (industrial)	1,075.41	N/A	1.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
naled	Alfalfa	1,788.12	20	1,193.0	A
naled	Animal premise	7.57	1	75.0	A
naled	Bean, succulent	4.03	1	4.0	A
naled	Broccoli	8,413.74	687	7,113.08	A
naled	Brussels sprout	16,826.49	672	12,297.07	A
naled	Cabbage	14,611.48	1,692	14,047.99	A
naled	Cauliflower	6,659.64	628	5,841.83	A
naled	Collard	133.22	45	115.77	A
naled	Cotton	60,844.53	411	58,010.04	A
naled	Kale	940.96	199	910.02	A
naled	Landscape maintenance	4.79	N/A	N/A	N/A
naled	Lettuce, head	7.05	1	7.0	A
naled	N-outdr flower	147.23	38	310.6	A
naled	N-outdr plants in containers	28.2	8	28.0	A
naled	Pepper, fruiting	168.39	6	126.4	A
naled	Public health	46,200.11	N/A	N/A	N/A
naled	Regulatory pest control	7.05	N/A	N/A	N/A
naled	Research commodity	16.74	N/A	N/A	N/A
naled	Rights of way	8.06	N/A	N/A	N/A
naled	Safflower	28,031.7	98	24,954.0	A
naled	Strawberry	15,341.67	403	15,284.69	A
naled	Sugarbeet	2,100.93	36	2,156.93	A
naled	Walnut	1,024.8	28	921.0	A
naphtha, heavy aromatic	Structural pest control	0.05	N/A	N/A	N/A
1-naphthaleneacetamide	Apple	10.78	5	322.0	A
1-naphthaleneacetamide	Landscape maintenance	<0.01	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>1-naphthaleneacetamide</b>	Pear	0.02	1	1.0	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Alfalfa	0.34	13	575.0	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Almond	2.37	10	550.88	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Avocado	0.06	23	103.5	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Basil, sweet	0.37	2	111.0	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Bean, dried	0.05	7	113.0	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Blueberry	<0.01	1	1.5	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Cantaloupe	<0.01	1	16.0	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Corn (forage - fodder)	1.07	18	1,044.0	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Ditch bank	<0.01	1	1.0	A
<b>naphthalenesulfonic acid, formaldehyde condensate, sodium salt</b>	Grape	0.39	5	168.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Grape, wine	0.44	3	87.82	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Grapefruit	<0.01	1	5.0	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Landscape maintenance	2.13	N/A	N/A	N/A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lemon	0.27	23	150.2	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lettuce, head	0.53	16	218.8	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Lettuce, leaf	1.09	34	460.2	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Melon	0.03	1	58.0	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-grnhs plants in containers	<0.01	1	6,104.0	S
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-outdr flower	0.02	3	13.75	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	N-outdr plants in containers	0.19	32	45.23	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Orange	0.56	22	229.17	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Orchard floor	0.06	6	25.0	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Pistachio	2.36	8	519.61	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Rights of way	0.06	N/A	N/A	N/A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Strawberry	0.5	14	164.08	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Tangerine	0.03	8	90.4	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Tomato, processing	0.44	7	248.58	A
naphthalenesulfonic acid, formaldehyde condensate, sodium salt	Walnut	1.87	6	385.24	A
napropamide	Almond	513.0	2	281.0	A
napropamide	Basil, sweet	943.03	60	549.11	A
napropamide	Blackberry	88.39	4	41.5	A
napropamide	Blueberry	32.0	1	32.0	A
napropamide	Broccoli	4,725.37	509	7,653.29	A
napropamide	Brussels sprout	1,671.13	227	2,312.5	A
napropamide	Cauliflower	2,468.6	215	2,662.64	A
napropamide	Celery	6.75	1	13.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
napropamide	Herb, spice	49.69	2	33.0	A
napropamide	Kale	40.16	1	24.0	A
napropamide	Mint	65.64	4	21.0	A
napropamide	N-outdr flower	1,078.07	25	441.79	A
napropamide	N-outdr plants in containers	1,200.65	20	592.91	A
napropamide	Pepper, fruiting	256.23	7	186.08	A
napropamide	Pepper, spice	225.25	9	135.5	A
napropamide	Persimmon	379.55	8	97.2	A
napropamide	Raspberry	119.46	4	72.61	A
napropamide	Research commodity	1.0	1	1.0	A
napropamide	Spinach	31.0	1	124.0	A
napropamide	Strawberry	1,020.67	12	414.5	A
napropamide	Structural pest control	1.37	N/A	N/A	N/A
napropamide	Sweet potato	352.35	3	193.0	A
napropamide	Tomato, processing	606.11	15	1,328.0	A
natamycin	Cherry	227.62	N/A	55,850.0	T
natamycin	Strawberry	60.35	3	113.36	A
nerolidol	Almond	19.5	20	1,218.2	A
nerolidol	Cherry	1.18	3	71.0	A
nerolidol	Grape	12.35	14	568.6	A
nerolidol	Grape, wine	8.44	40	765.29	A
nerolidol	Nectarine	4.47	19	241.97	A
nerolidol	Peach	15.28	66	822.17	A
nerolidol	Rights of way	0.31	N/A	N/A	N/A
nerolidol	Walnut	0.21	1	20.0	A
nicarbazin	Structural pest control	55.25	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
nicosulfuron	Corn (forage - fodder)	636.65	497	26,555.52	A
nicosulfuron	Corn, grain	23.83	20	898.7	A
nicosulfuron	Corn, human consumption	5.6	7	192.0	A
nicosulfuron	Oat (forage - fodder)	4.6	4	194.0	A
nonanoic acid	Almond	0.3	1	0.06	A
nonanoic acid	Asparagus	4.0	1	1.0	A
nonanoic acid	Corn, human consumption	10.66	1	0.5	A
nonanoic acid	Golf course turf	138.88	N/A	6.2	A
nonanoic acid	Grape, wine	0.93	2	2.25	A
nonanoic acid	Grapefruit	23.5	5	5.0	A
nonanoic acid	Landscape maintenance	20.06	6	48.25	A
nonanoic acid	Landscape maintenance	11,395.17	N/A	N/A	N/A
nonanoic acid	N-grnhs flower	128.2	N/A	3.0	A
nonanoic acid	N-grnhs flower	0.67	N/A	26,000.0	S
nonanoic acid	N-grnhs plants in containers	29.04	13	5.58	A
nonanoic acid	N-grnhs plants in containers	385.24	40	3,630,001.0	S
nonanoic acid	N-grnhs transplants	6.33	3	0.5	A
nonanoic acid	N-grnhs transplants	9.52	4	16,000.0	S
nonanoic acid	N-outdr plants in containers	1,327.44	84	204.0	A
nonanoic acid	N-outdr plants in containers	29.35	20	142,500.0	S
nonanoic acid	N-outdr transplants	2.33	N/A	7,000.0	S
nonanoic acid	Orange	21.34	2	7.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
nonanoic acid	Regulatory pest control	0.37	N/A	N/A	N/A
nonanoic acid	Research commodity	0.08	1	0.11	A
nonanoic acid	Research commodity	7.16	N/A	N/A	N/A
nonanoic acid	Rights of way	116.94	N/A	N/A	N/A
nonanoic acid	Uncultivated ag	7.24	3	0.5	A
nonanoic acid	Walnut	0.77	1	6.0	A
nonanoic acid	Water area	25.64	N/A	26.0	A
nonanoic acid	Watermelon	29.84	4	2.0	A
nonanoic acid, other related	Almond	0.02	1	0.06	A
nonanoic acid, other related	Asparagus	0.21	1	1.0	A
nonanoic acid, other related	Corn, human consumption	0.56	1	0.5	A
nonanoic acid, other related	Golf course turf	7.31	N/A	6.2	A
nonanoic acid, other related	Grape, wine	0.05	2	2.25	A
nonanoic acid, other related	Grapefruit	1.24	5	5.0	A
nonanoic acid, other related	Landscape maintenance	1.05	4	45.0	A
nonanoic acid, other related	Landscape maintenance	599.48	N/A	N/A	N/A
nonanoic acid, other related	N-grnhs flower	6.75	N/A	3.0	A
nonanoic acid, other related	N-grnhs flower	0.04	N/A	26,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>nonanoic acid, other related</b>	N-grnhs plants in containers	1.53	13	5.58	A
<b>nonanoic acid, other related</b>	N-grnhs plants in containers	20.28	40	3,630,001.0	S
<b>nonanoic acid, other related</b>	N-grnhs transplants	0.33	3	0.5	A
<b>nonanoic acid, other related</b>	N-grnhs transplants	0.5	4	16,000.0	S
<b>nonanoic acid, other related</b>	N-outdr plants in containers	69.87	84	204.0	A
<b>nonanoic acid, other related</b>	N-outdr plants in containers	1.54	20	142,500.0	S
<b>nonanoic acid, other related</b>	N-outdr transplants	0.12	N/A	7,000.0	S
<b>nonanoic acid, other related</b>	Orange	1.12	2	7.0	A
<b>nonanoic acid, other related</b>	Regulatory pest control	0.02	N/A	N/A	N/A
<b>nonanoic acid, other related</b>	Research commodity	<0.01	1	0.11	A
<b>nonanoic acid, other related</b>	Research commodity	0.38	N/A	N/A	N/A
<b>nonanoic acid, other related</b>	Rights of way	6.15	N/A	N/A	N/A
<b>nonanoic acid, other related</b>	Uncultivated ag	0.38	3	0.5	A
<b>nonanoic acid, other related</b>	Water area	1.35	N/A	26.0	A
<b>nonanoic acid, other related</b>	Watermelon	1.57	4	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Alfalfa	4,392.2	1,389	83,288.14	A
4-nonylphenol, formaldehyde resin, propoxylated	Almond	53,649.17	8,125	425,161.71	A
4-nonylphenol, formaldehyde resin, propoxylated	Almond	11.97	1	105.0	C
4-nonylphenol, formaldehyde resin, propoxylated	Apple	197.86	73	1,635.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Apricot	497.72	83	2,426.42	A
4-nonylphenol, formaldehyde resin, propoxylated	Artichoke, globe	441.81	420	6,898.81	A
4-nonylphenol, formaldehyde resin, propoxylated	Arugula	13.67	38	318.92	A
4-nonylphenol, formaldehyde resin, propoxylated	Asparagus	2.89	1	25.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Avocado	4.39	3	17.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Barley	3.1	5	54.55	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Barley (forage - fodder)	15.78	7	991.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Bean, dried	291.34	105	7,509.4	A
4-nonylphenol, formaldehyde resin, propoxylated	Bean, succulent	16.69	9	540.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Bean, unspecified	1.74	1	10.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Beet	1.91	9	48.57	A
4-nonylphenol, formaldehyde resin, propoxylated	Bermudagrass	4.33	3	22.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Blackberry	16.74	18	82.93	A
4-nonylphenol, formaldehyde resin, propoxylated	Blueberry	19.22	31	832.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Bok choy	21.91	155	214.17	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	1,871.6	1,626	16,205.86	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Brussels sprout	627.74	349	3,609.22	A
4-nonylphenol, formaldehyde resin, propoxylated	Cabbage	560.93	468	5,933.88	A
4-nonylphenol, formaldehyde resin, propoxylated	Cannabis (all or unspecified)	0.91	12	41.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Cantaloupe	215.62	105	5,295.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Cardoon	0.35	2	6.2	A
4-nonylphenol, formaldehyde resin, propoxylated	Carrot	1,450.98	192	12,787.08	A
4-nonylphenol, formaldehyde resin, propoxylated	Cauliflower	713.78	603	6,414.08	A
4-nonylphenol, formaldehyde resin, propoxylated	Celery	1,578.34	1,067	12,415.47	A
4-nonylphenol, formaldehyde resin, propoxylated	Cherry	2,911.59	1,123	24,645.42	A
4-nonylphenol, formaldehyde resin, propoxylated	Chinese cabbage (napa, won bok, celery cabbage)	523.0	361	3,171.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Cilantro	47.04	66	494.26	A
4-nonylphenol, formaldehyde resin, propoxylated	Citrus	53.95	21	497.71	A
4-nonylphenol, formaldehyde resin, propoxylated	Collard	0.42	6	13.3	A
4-nonylphenol, formaldehyde resin, propoxylated	Corn (forage - fodder)	1,605.12	674	31,684.98	A
4-nonylphenol, formaldehyde resin, propoxylated	Corn, human consumption	18.04	15	368.19	A
4-nonylphenol, formaldehyde resin, propoxylated	Cotton	1,062.81	418	20,945.96	A
4-nonylphenol, formaldehyde resin, propoxylated	Ditch bank	0.26	N/A	2.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Eggplant	3.76	10	192.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Endive (escarole)	5.68	43	81.52	A
4-nonylphenol, formaldehyde resin, propoxylated	Fava bean	0.27	5	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Fennel	6.1	37	139.29	A
4-nonylphenol, formaldehyde resin, propoxylated	Forage hay/silage	1.44	1	10.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Garbanzo bean	25.53	5	802.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Garlic	235.94	25	2,265.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape	4,542.81	1,838	57,215.23	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape, wine	11,863.63	4,438	132,906.53	A
4-nonylphenol, formaldehyde resin, propoxylated	Grapefruit	178.63	76	965.67	A
4-nonylphenol, formaldehyde resin, propoxylated	Grass, seed	0.32	2	10.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Herb, spice	1.26	1	22.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Kale	77.81	253	1,477.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Kiwi fruit fuzzy	101.52	121	2,102.69	A
4-nonylphenol, formaldehyde resin, propoxylated	Landscape maintenance	7.02	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Lemon	913.49	275	5,409.18	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, head	3,175.45	2,836	34,198.93	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, leaf	2,128.97	2,489	32,960.14	A
4-nonylphenol, formaldehyde resin, propoxylated	Lime	4.29	1	1.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Melon	66.23	35	1,488.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Melon	<0.01	2	5,040.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Mizuna	7.85	26	181.3	A
4-nonylphenol, formaldehyde resin, propoxylated	Mustard	0.21	4	5.33	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	N-grnhs plants in containers	3.81	30	23.58	A
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr flower	2.41	3	14.1	A
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr plants in containers	33.58	37	888.75	A
4-nonylphenol, formaldehyde resin, propoxylated	N-outdr transplants	125.03	144	1,391.72	A
4-nonylphenol, formaldehyde resin, propoxylated	Nectarine	425.88	491	3,814.22	A
4-nonylphenol, formaldehyde resin, propoxylated	Oat	4.67	4	149.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Oat (forage - fodder)	65.55	37	1,715.58	A
4-nonylphenol, formaldehyde resin, propoxylated	Olive	71.87	14	313.17	A
4-nonylphenol, formaldehyde resin, propoxylated	Onion, dry	180.05	86	4,466.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Onion, green	2.03	8	33.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
4-nonylphenol, formaldehyde resin, propoxylated	Orange	7,298.51	1,940	40,445.58	A
4-nonylphenol, formaldehyde resin, propoxylated	Parsley	17.71	35	126.71	A
4-nonylphenol, formaldehyde resin, propoxylated	Peach	2,078.02	933	11,036.78	A
4-nonylphenol, formaldehyde resin, propoxylated	Pear	3,653.71	572	22,381.3	A
4-nonylphenol, formaldehyde resin, propoxylated	Pear, asian (oriental pear, ya, ya li, nashi)	3.77	9	58.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Pecan	98.15	29	470.64	A
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, fruiting	349.74	228	9,024.23	A
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, fruiting	<0.01	1	2,520.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Pepper, spice	6.4	13	82.13	A
4-nonylphenol, formaldehyde resin, propoxylated	Persimmon	2.62	10	65.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Pistachio	19,452.79	1,487	120,078.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Plum	101.65	183	1,721.11	A
4-nonylphenol, formaldehyde resin, propoxylated	Pomegranate	57.91	32	710.48	A
4-nonylphenol, formaldehyde resin, propoxylated	Pomelo	9.59	9	44.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Potato	64.8	11	630.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Prune	27.18	11	600.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Pumpkin	13.75	9	329.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Quince	3.81	15	85.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Radicchio	17.52	4	345.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Radish	0.83	6	22.09	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Rangeland	0.77	1	6.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Raspberry	51.2	56	247.64	A
4-nonylphenol, formaldehyde resin, propoxylated	Regulatory pest control	0.28	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Rice	62.41	16	1,369.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	18.55	29	227.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	120.01	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Soil fumigation/preplant	7.98	2	91.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Sorghum (forage - fodder)	48.3	20	1,170.67	A
4-nonylphenol, formaldehyde resin, propoxylated	Sorghum/milo	7.82	3	361.55	A
4-nonylphenol, formaldehyde resin, propoxylated	Spinach	70.91	125	1,588.53	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Squash, summer	0.38	1	18.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Squash, winter	8.7	12	287.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Squash, zucchini	<0.01	1	0.1	A
4-nonylphenol, formaldehyde resin, propoxylated	Strawberry	4,088.01	752	22,613.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Sudangrass	42.2	11	644.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Sugarbeet	249.56	70	4,755.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Sunflower	12.46	3	303.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Sweet potato	101.81	35	1,060.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Swiss chard	14.07	29	309.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Tangelo	229.19	61	1,165.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Tangerine	3,754.79	1,191	32,410.9	A
4-nonylphenol, formaldehyde resin, propoxylated	Tomato	67.04	61	2,232.45	A
4-nonylphenol, formaldehyde resin, propoxylated	Tomato	0.01	3	7,560.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Tomato, processing	763.6	184	15,765.43	A
4-nonylphenol, formaldehyde resin, propoxylated	Triticale	50.98	45	3,116.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Uncultivated ag	227.16	97	2,061.2	A
4-nonylphenol, formaldehyde resin, propoxylated	Uncultivated non-ag	1.27	1	20.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Unknown	2.97	2	95.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Walnut	26,311.05	3,158	103,158.49	A
4-nonylphenol, formaldehyde resin, propoxylated	Water area	0.26	N/A	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Watermelon	90.18	44	1,789.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Watermelon	0.06	2	5,040.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Wheat	266.14	111	6,099.66	A
4-nonylphenol, formaldehyde resin, propoxylated	Wheat (forage - fodder)	359.53	322	15,585.22	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	62,504.23	13,780	782,557.66	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa-grass mixture	11.32	2	50.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Almond	723,695.22	49,920	2,691,403.27	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Animal premise	3.66	1	20.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apple	2,093.82	221	3,933.64	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apple	<0.01	1	1.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Apricot	1,287.61	398	5,227.87	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	235.34	184	2,681.12	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Arugula	5.94	41	224.25	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Asparagus	362.24	53	2,976.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Avocado	614.97	496	6,202.44	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Avocado	0.38	2	25,200.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley	2,001.44	85	9,787.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley (forage - fodder)	583.1	63	4,625.57	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Basil, sweet	130.55	201	608.17	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	3,281.23	427	19,697.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	227.38	109	2,271.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	30.44	34	525.89	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Beet	160.62	311	788.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bermudagrass	1,380.5	266	15,898.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	370.56	115	1,058.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	5,229.92	307	10,073.95	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy	346.61	796	2,615.82	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Boysenberry	1.13	1	1.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	1,929.97	2,110	29,713.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	2,035.82	1,339	22,402.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	1,965.0	3,522	27,252.19	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	1.41	32	57.57	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	1.16	54	167,970.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Canola (rape)	10.07	2	142.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cantaloupe	650.16	167	12,356.17	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	1,202.09	307	13,480.13	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	1,005.17	988	14,342.47	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celeriac	2.3	91	100.95	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	6,133.62	3,298	43,892.08	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cherry	41,436.21	3,645	68,797.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chervil	0.04	3	2.93	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chestnut	1.38	1	26.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese broccoli (gai lon)	3.5	22	72.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, won bok, celery cabbage)	178.0	847	2,774.18	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chive	0.28	14	16.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Christmas tree	84.43	7	196.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	202.93	437	2,652.29	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Citrus	124.55	71	839.6	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Clover	3.44	2	34.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cole crop	0.03	4	1.1	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Collard	118.92	828	1,879.78	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Commodity fumigation	0.39	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	26,701.48	5,208	259,900.61	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, grain	2,682.97	508	20,890.38	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	5,490.02	2,869	115,317.82	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cotton	46,857.66	8,379	841,221.63	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	County ag comm	29.36	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cucumber	443.04	84	2,486.47	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Daikon	3.06	1	10.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Dandelion green	2.92	120	117.77	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Date	15.18	8	230.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Dill	0.3	1	0.89	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ditch bank	1,554.15	37	148.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ditch bank	183.65	2	2,070.0	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Eggplant	15.11	11	151.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	20.64	162	190.26	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Farm/ag building	0.36	1	2.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fava bean	0.72	4	14.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	11.35	31	217.08	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fig	331.16	88	3,920.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Food processing plant	5.69	1	25.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	1,932.71	381	17,943.95	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forest, timberland	32,764.31	2,621	74,656.32	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fumigation, other	311.07	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Gai lon	23.24	25	757.8	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garbanzo bean	301.61	36	3,588.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	5,308.95	481	41,317.48	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Golf course turf	24.29	N/A	48.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grain	96.17	7	372.15	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	95,213.3	7,210	224,151.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape	0.03	3	20,500.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	169,059.07	23,913	770,658.64	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	882.2	340	5,116.69	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grass, seed	275.52	105	2,309.51	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Herb, spice	14.1	77	132.91	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Hops	5.75	6	29.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Industrial hemp	576.94	20	1,337.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Industrial site	0.21	1	26.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Jujube	43.52	3	150.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	253.92	1,336	3,243.49	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	1,087.38	286	2,875.09	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kohlrabi	4.62	151	145.52	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	25.55	22	162.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	1.79	5	485,000.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	18,021.83	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	110.04	84	479.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	8,383.77	1,894	45,284.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	5,175.53	5,869	80,933.91	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	6,099.69	10,063	103,608.26	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lime	15.66	20	31.76	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lovegrass, teff (forage - fodder)	2.68	1	34.7	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mango	15.43	1	30.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Melon	317.4	151	7,111.38	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mint	54.17	11	218.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard	22.23	216	372.89	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard greens	29.12	354	669.7	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	55.12	338	495.77	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.66	53	448,000.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	11.43	N/A	821.0	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	228.09	483	1,141.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	6.77	52	1,181,767.6	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	71.12	642	445.71	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	5.62	1	196,552.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr flower	694.38	2,597	11,244.27	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr flower	0.32	14	194,600.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	1,791.56	2,619	7,892.54	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	2.98	35	481,000.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	65.59	86	1,135,319.2	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr transplants	2,462.52	1,003	6,624.89	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Nectarine	5,181.79	2,490	26,415.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	442.53	73	3,363.7	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	9,608.76	751	33,817.39	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Okra	5.25	1	60.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Olive	4,075.33	525	19,741.95	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	14,552.59	990	73,800.59	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, green	30.43	27	244.94	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	24,499.78	4,173	85,369.95	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Orchardgrass	116.57	25	1,634.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	635.3	950	3,989.36	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pasture (forage - fodder)	81.3	13	280.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	609.01	192	3,711.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	0.1	1	24,360.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peach	17,613.64	5,097	65,555.13	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pear	4,409.19	684	24,191.93	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	6.05	20	196.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	269.69	334	4,129.7	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peas (forage - fodder)	11.48	2	92.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pecan	1,917.62	141	4,005.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	3,521.63	835	22,628.98	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, spice	16.19	11	156.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Persimmon	279.89	98	1,251.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pistachio	308,186.63	12,245	926,893.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Plum	11,139.56	1,874	16,635.6	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pluot	2.47	9	9.55	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pomegranate	3,234.01	297	15,249.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pomelo	9.64	13	109.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Potato	5,213.93	301	20,549.33	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Prune	8,878.23	1,039	30,003.17	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Public health	1,150.9	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pumpkin	505.24	103	2,785.46	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Quince	12.53	16	81.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Radicchio	51.76	129	3,091.16	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Radish	71.83	20	217.21	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rangeland	993.17	144	10,116.27	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rapini	78.48	164	1,603.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	191.16	82	834.57	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Recreation area	2.64	N/A	0.01	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Regulatory pest control	124.55	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	79.06	103	349.55	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	1.44	80	364,432.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	14.73	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rice	71,785.77	4,279	314,018.37	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rice, wild	8.6	2	143.68	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	1,884.54	350	9,095.59	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	<0.01	1	1.0	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	59,347.09	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Root vegetable	0.04	3	0.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rye	78.23	32	1,225.6	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ryegrass	296.64	77	3,690.09	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Safflower	580.0	174	37,895.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sage	2.3	102	107.26	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sod farm (turf)	0.89	7	126.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	3,034.09	454	51,928.55	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	2,561.79	297	20,321.59	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sorghum/milo	777.42	212	11,894.78	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Soybean	3.08	1	17.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	53.14	188	520.29	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash	298.86	108	2,904.44	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, summer	1.78	4	39.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, winter	7.67	5	104.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Stone fruit	29.25	18	229.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	19,639.72	1,687	49,129.66	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Structural pest control	3,794.58	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sudangrass	659.43	155	8,133.67	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarbeet	1,643.39	508	35,779.94	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarcane	2.28	1	5.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sunflower	3,839.87	527	27,427.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sweet potato	119.35	39	1,593.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Swiss chard	44.86	930	1,167.07	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	362.58	124	2,341.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	6,736.99	1,686	34,131.01	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tarragon	0.13	6	10.33	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Timothy	48.95	44	2,225.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomatillo	0.07	1	2.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	5,860.06	1,054	45,186.93	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato, processing	36,562.09	4,092	315,016.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Triticale	2,760.28	364	22,457.67	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tropical/subtropical fruit	<0.01	2	0.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turf/sod	119.13	72	1,437.62	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turf/sod	0.41	N/A	75,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip	16.49	262	496.03	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Turnip greens	6.25	39	39.37	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	14,855.45	2,769	128,505.88	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1.04	1	130.0	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	874.19	221	3,878.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	0.08	N/A	2,000.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Unknown	92.92	14	353.04	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetable	1.81	2	5.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetables, fruiting	2.28	5	3.55	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Vegetables, leafy	0.78	39	26.3	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Vertebrate control	33.7	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Walnut	131,537.06	12,285	426,743.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Water (industrial)	11.78	10	17.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Water area	288.18	55	392.16	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Water area	58.45	N/A	1.04	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Watermelon	985.65	292	9,011.27	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	7,795.19	1,198	74,982.73	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	12,532.98	2,581	151,976.72	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Alfalfa	3,128.69	1,173	48,356.52	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Almond	9,077.06	1,894	85,236.24	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Apricot	9.66	3	132.6	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Asparagus	206.46	23	1,615.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Bean, dried	41.71	13	678.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Bermudagrass	2.22	1	36.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Blueberry	1.45	7	149.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Boysenberry	0.22	1	1.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Broccoli	32.64	40	790.02	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cauliflower	0.58	2	9.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Celery	0.09	1	1.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cherry	105.51	55	815.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Citrus	31.62	6	208.79	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Corn (forage - fodder)	455.62	88	5,201.88	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Corn, human consumption	21.29	30	1,037.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cotton	1,101.88	428	19,358.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Cucumber	0.85	1	6.93	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Ditch bank	0.01	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Fig	21.85	13	619.0	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Forest, timberland	1,010.99	170	3,804.28	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Garlic	91.03	11	867.71	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Grape	489.12	245	5,670.05	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Grape, wine	1,471.16	574	12,125.41	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Grapefruit	4.97	16	223.1	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Hops	0.01	1	1.5	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), branched	Kiwi fruit fuzzy	276.52	397	2,389.36	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Landscape maintenance	22.63	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lemon	41.07	44	767.83	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lovegrass, teff (forage - fodder)	28.81	3	244.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Melon	199.49	138	4,496.49	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	N-outdr flower	23.82	6	387.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Nectarine	1.01	23	91.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Oat	43.84	9	343.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Oat (forage - fodder)	0.02	1	50.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Olive	169.87	49	2,479.82	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Onion, dry	26.49	11	552.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Orange	598.68	298	5,966.42	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Parsley	3.72	2	101.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pastureland	3.28	1	70.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Peach	64.33	37	1,144.22	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pecan	151.73	11	884.66	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Persimmon	0.02	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pistachio	2,395.72	460	30,561.89	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Plum	3.1	7	80.6	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pomegranate	43.37	16	590.53	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Pomelo	19.6	10	77.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Prune	102.52	12	869.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Public health	50.23	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Quince	6.39	15	105.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rangeland	13.8	2	38.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Raspberry	5.75	2	33.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rice	6,950.13	695	45,689.67	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rights of way	31.53	4	305.62	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rights of way	648.53	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Safflower	4.31	2	35.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Sorghum (forage - fodder)	0.15	1	50.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Sorghum/milo	23.17	5	331.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Squash	0.25	1	2.07	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Strawberry	55.34	20	371.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Structural pest control	0.45	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Sudangrass	8.46	1	72.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Sugarbeet	10.65	2	206.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Sunflower	168.77	20	1,306.23	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tangelo	4.36	9	107.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tangerine	38.25	47	1,304.65	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tomato	21.96	11	454.74	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Tomato, processing	115.58	60	3,925.51	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Turf/sod	1.65	2	50.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Uncultivated ag	58.48	10	368.06	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Uncultivated non-ag	66.73	5	1,069.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Vertebrate control	45.58	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Walnut	2,133.33	578	18,954.83	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Watermelon	0.74	1	6.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Wheat	49.23	7	431.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Wheat (forage - fodder)	7.39	1	60.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	3,428.44	1,177	67,813.91	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Almond	101,129.24	6,907	359,214.18	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Apple	856.79	42	1,974.73	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Apricot	160.7	96	959.11	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Artichoke, globe	3.11	3	21.25	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Asparagus	0.08	4	12.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Avocado	254.01	354	3,098.51	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Avocado	0.06	4	24,000.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Barley (forage - fodder)	7.35	2	67.27	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Basil, sweet	1.54	1	15.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bean, dried	205.71	54	2,099.56	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bean, succulent	11.26	3	67.67	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bean, unspecified	0.35	3	33.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bermudagrass	45.92	67	2,513.31	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Blackberry	53.14	39	348.69	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Blueberry	104.45	35	697.73	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Broccoli	1,237.73	250	3,556.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cabbage	3.44	8	29.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Canola (rape)	0.87	1	72.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cantaloupe	123.65	21	1,336.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Carrot	150.28	183	10,624.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cauliflower	205.05	63	699.51	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Celery	358.58	169	2,511.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Cherry	1,228.08	486	9,863.54	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Clover	0.08	1	8.9	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Corn (forage - fodder)	3,766.7	797	46,511.64	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Corn, grain	155.71	46	1,458.3	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Corn, human consumption	56.98	54	3,154.0	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Cotton	7,550.11	1,225	156,760.0	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Cucumber	16.39	2	116.33	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Daikon	2.42	1	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Ditch bank	61.13	48	150.5	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Eggplant	97.17	18	259.6	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Endive (escarole)	0.03	1	1.5	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Fig	24.09	8	291.08	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Forage hay/silage	5.53	12	788.0	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Garbanzo bean	21.68	5	621.0	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Garlic	301.19	50	4,996.71	A
alpha-(para-nonylphenyl)- omega- hydroxypoly(oxyethylene), phosphate ester	Grape	26,599.11	1,382	32,506.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape, wine	17,265.71	4,404	122,731.92	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grapefruit	47.91	27	241.11	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grass, seed	1.76	29	210.35	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Industrial site	0.51	1	2.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Kiwi fruit fuzzy	50.31	107	1,249.26	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	9.61	4	16.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	359.29	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lemon	1,021.09	319	6,118.42	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lettuce, head	1,125.42	223	3,803.65	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lettuce, leaf	2,051.53	382	3,521.65	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Melon	123.99	26	1,578.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Mint	1.06	1	15.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-grnhs plants in containers	232.33	271	411.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr flower	203.88	468	2,354.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr plants in containers	50.42	78	395.25	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr plants in containers	0.02	1	1,600.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr plants in containers	0.01	1	493.0	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	N-outdr transplants	18.8	8	158.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Nectarine	260.42	322	2,061.73	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Nuts	0.36	2	4.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Oat	66.69	7	307.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Oat (forage - fodder)	51.01	35	917.08	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Olive	565.13	127	6,017.12	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Onion, dry	152.23	98	6,899.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Orange	3,841.99	907	20,697.38	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pastureland	1.37	3	9.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pastureland	0.01	1	24,360.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Peach	1,255.11	712	7,074.06	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pear	168.59	14	259.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pear, asian (oriental pear, ya, ya li, nashi)	1.71	3	20.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Peas	0.21	6	39.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Peas (forage - fodder)	1.14	2	92.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pecan	88.07	26	445.01	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pepper, fruiting	324.88	43	1,785.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pepper, spice	1.55	1	37.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Persimmon	27.32	28	361.93	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pistachio	14,405.01	2,630	119,015.77	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Plum	379.04	299	1,809.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pomegranate	146.77	45	1,391.84	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pomelo	2.02	2	13.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Potato	72.47	45	2,038.73	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Prune	473.04	123	3,762.79	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Pumpkin	24.01	11	450.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Quince	2.49	3	15.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rangeland	19.57	3	320.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Raspberry	144.42	70	548.71	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Research commodity	2.56	3	14.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rice	536.91	395	27,661.66	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	833.24	256	4,434.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	5,534.25	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rye	0.89	1	7.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Safflower	64.12	16	2,335.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Soil fumigation/preplant	397.97	63	8,856.85	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sorghum (forage - fodder)	4.77	2	123.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sorghum/milo	4.72	1	92.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Squash, winter	5.58	2	35.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Strawberry	27,067.97	1,781	63,326.65	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sudangrass	38.45	11	715.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sugarbeet	707.57	104	8,385.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sunflower	2.91	2	17.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sweet potato	14.33	10	286.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tangelo	48.21	28	336.94	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tangerine	5,925.3	1,351	34,752.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tomato	173.88	100	4,095.48	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Tomato, processing	1,999.97	271	22,335.78	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Triticale	43.21	7	562.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Turf/sod	853.82	96	1,178.74	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated ag	3,164.71	1,363	58,712.43	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated ag	0.15	1	130.0	U
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated non-ag	122.32	52	1,167.75	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Vertebrate control	1.37	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Walnut	7,744.29	1,931	59,845.92	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Water area	0.04	2	2.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Watermelon	147.62	42	1,743.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Wheat	121.02	64	3,177.82	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Wheat (forage - fodder)	304.76	106	5,976.89	A
nonyl phenoxy polyoxyethylene ethanol-iodine complex	Structural pest control	0.01	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) sulfate, ammonium salt	Alfalfa	1.24	3	251.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) sulfate, ammonium salt	Almond	8.76	40	1,232.42	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) sulfate, ammonium salt	Apple	6.77	20	352.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Cherry	0.66	5	60.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Cotton	0.95	6	298.8	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Forest, timberland	0.07	N/A	50.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Grape	1.55	7	177.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Landscape maintenance	2.38	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Lemon	0.29	4	40.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Lettuce, leaf	1.03	2	188.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	N-outdr plants in containers	<0.01	1	0.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	N-outdr plants in containers	<0.01	1	100.0	U
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Onion, dry	0.44	2	70.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Peach	0.03	2	24.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Pistachio	2.34	12	200.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Prune	0.19	2	65.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Rice	43.44	64	5,533.78	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Rights of way	<0.01	2	2.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Rights of way	790.58	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Sugarbeet	0.5	3	190.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Uncultivated ag	2.07	8	632.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Walnut	0.37	4	106.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Water area	0.69	N/A	60.66	A
norflurazon	Alfalfa	644.84	20	609.0	A
norflurazon	Almond	939.84	55	1,259.48	A
norflurazon	Blueberry	225.09	2	110.62	A
norflurazon	Cherry	31.74	3	35.0	A
norflurazon	Grape	84.32	5	46.03	A
norflurazon	Grape, wine	299.89	14	316.08	A
norflurazon	Lemon	230.87	9	213.12	A
norflurazon	N-grnhs transplants	2.75	5	7.0	A
norflurazon	N-outdr transplants	1.51	4	3.85	A
norflurazon	Orange	9.82	5	14.0	A
norflurazon	Tangerine	583.08	18	504.21	A
norflurazon	Uncultivated non-ag	5.89	1	3.0	A
norflurazon	Walnut	333.68	13	200.59	A
nosema locustae spores	N-grnhs plants in containers	<0.01	1	2,200.0	S
nosema locustae spores	Orange	<0.01	4	116.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
novaluron	Alfalfa	130.49	7	1,663.0	A
novaluron	Almond	<0.01	1	0.04	A
novaluron	Apple	7.88	7	58.5	A
novaluron	Bean, dried	18.28	7	233.0	A
novaluron	Bean, succulent	2.12	3	27.0	A
novaluron	Broccoli	665.61	865	8,707.86	A
novaluron	Brussels sprout	543.42	494	7,132.05	A
novaluron	Buildings/non-ag outdoor	0.05	N/A	48,000.0	S
novaluron	Cabbage	410.76	686	5,301.92	A
novaluron	Cauliflower	262.54	346	3,433.83	A
novaluron	Chinese cabbage (napa, won bok, celery cabbage)	7.17	32	91.39	A
novaluron	Corn, human consumption	94.54	87	1,321.0	A
novaluron	Cotton	10,780.97	1,157	138,067.15	A
novaluron	Cucumber	0.49	3	7.07	A
novaluron	Eggplant	5.25	4	67.0	A
novaluron	Grape, wine	0.03	1	1.5	A
novaluron	Kale	2.03	2	27.8	A
novaluron	Kohlrabi	0.25	2	3.17	A
novaluron	Landscape maintenance	0.53	N/A	N/A	N/A
novaluron	Lettuce, leaf	0.59	1	7.6	A
novaluron	Melon	<0.01	2	0.03	A
novaluron	N-grnhs flower	11.07	39	97.07	A
novaluron	N-grnhs flower	2.85	34	166,207.5	S
novaluron	N-grnhs plants in containers	9.89	86	118.13	A
novaluron	N-grnhs plants in containers	0.1	3	54,670.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
novaluron	N-grnhs transplants	1.42	20	29.91	A
novaluron	N-outdr flower	6.96	37	206.4	A
novaluron	N-outdr plants in containers	2.08	17	34.89	A
novaluron	N-outdr transplants	13.96	15	180.0	A
novaluron	Nectarine	68.4	30	382.45	A
novaluron	Peach	104.19	45	570.92	A
novaluron	Pepper, fruiting	184.46	116	2,386.65	A
novaluron	Plum	72.19	31	395.36	A
novaluron	Potato	188.67	30	2,594.8	A
novaluron	Public health	<0.01	N/A	N/A	N/A
novaluron	Pumpkin	1.49	1	19.0	A
novaluron	Regulatory pest control	8.21	N/A	N/A	N/A
novaluron	Research commodity	2.38	7	30.25	A
novaluron	Research commodity	0.77	N/A	N/A	N/A
novaluron	Strawberry	5,747.76	2,628	82,368.8	A
novaluron	Structural pest control	465.11	N/A	N/A	N/A
novaluron	Tomato	170.56	98	2,171.42	A
novaluron	Tomato, processing	220.1	23	3,294.0	A
novaluron	Vegetables, leafy	0.02	2	0.3	A
novaluron	Vertebrate control	<0.01	N/A	N/A	N/A
novaluron	Watermelon	93.79	16	1,214.0	A
noviflumuron	Structural pest control	18.45	N/A	N/A	N/A
octhilinone	Lumber, treated	43,661.54	N/A	9,512.38	K
n-octyl bicycloheptene dicarboximide	Almond	1.95	6	204.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n-octyl bicycloheptene dicarboximide	Buildings/non-ag outdoor	11.15	N/A	N/A	U
n-octyl bicycloheptene dicarboximide	Cabbage	<0.01	1	9.97	A
n-octyl bicycloheptene dicarboximide	Commodity fumigation	15.14	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Food processing plant	0.13	N/A	95,040.0	C
n-octyl bicycloheptene dicarboximide	Fumigation, other	3.56	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Grain	10.9	N/A	30,000.0	C
n-octyl bicycloheptene dicarboximide	Grape	9.15	N/A	7,187,994.0	C
n-octyl bicycloheptene dicarboximide	Grape, wine	0.87	4	93.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
n-octyl bicycloheptene dicarboximide	Landscape maintenance	5.41	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Mushroom house	0.02	6	34,500.0	S
n-octyl bicycloheptene dicarboximide	N-grnhs flower	<0.01	N/A	2.0	A
n-octyl bicycloheptene dicarboximide	N-outdr transplants	<0.01	2	17.0	A
n-octyl bicycloheptene dicarboximide	Public health	0.81	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Rapini	0.03	1	21.0	A
n-octyl bicycloheptene dicarboximide	Regulatory pest control	13.15	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Research commodity	0.01	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Structural pest control	16,253.25	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Sunflower	3.52	1	100.0	A
n-octyl bicycloheptene dicarboximide	Uncultivated non-ag	0.35	N/A	13.0	A
octyl decyl dimethyl ammonium chloride	Cannabis (all or unspecified)	0.02	2	3,732.0	S
octyl decyl dimethyl ammonium chloride	Fumigation, other	0.13	N/A	N/A	N/A
octyl decyl dimethyl ammonium chloride	Grape, wine	<0.01	1	9.0	A
octyl decyl dimethyl ammonium chloride	Household	<0.01	N/A	3,000.0	S
octyl decyl dimethyl ammonium chloride	Household	<0.01	N/A	1.0	U



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
octyl decyl dimethyl ammonium chloride	Industrial site	<0.01	N/A	1.0	U
octyl decyl dimethyl ammonium chloride	Landscape maintenance	16.56	N/A	N/A	N/A
octyl decyl dimethyl ammonium chloride	N-grnhs transplants	0.15	15	54,000.0	S
octyl decyl dimethyl ammonium chloride	Public health	1.72	N/A	N/A	N/A
octyl decyl dimethyl ammonium chloride	Regulatory pest control	0.09	N/A	N/A	N/A
octyl decyl dimethyl ammonium chloride	Structural pest control	1,179.31	N/A	N/A	N/A
octyl decyl dimethyl ammonium chloride	Tangelo	0.16	1	20.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Alfalfa	32.59	15	722.5	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Almond	1,718.1	598	25,964.15	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Apricot	13.09	16	278.05	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Blueberry	0.7	2	24.06	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Cherry	2,364.63	109	1,114.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	2.97	9	253.8	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Corn, human consumption	2.38	3	39.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Grape	550.12	278	5,574.15	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Grape, wine	90.53	35	1,006.66	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Grapefruit	1.4	4	47.5	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	1.41	2	75.45	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.09	N/A	N/A	N/A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.45	7	16,000.0	S
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.13	1	3.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Nectarine	40.88	140	811.28	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	5.2	1	19.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Olive	4.49	1	130.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Orange	75.57	22	268.21	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Peach	81.96	291	1,370.76	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Persimmon	10.43	47	181.83	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Pistachio	62.0	49	1,596.58	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Plum	65.75	252	1,527.69	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Potato	1.04	1	122.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Prune	1.87	4	46.59	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Rights of way	0.71	4	28.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Rights of way	3.12	N/A	N/A	N/A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	0.05	3	1.98	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Tangelo	0.39	2	15.2	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Tangerine	35.29	17	306.15	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	2.01	1	46.6	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Triticale	38.48	2	222.0	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Walnut	241.98	270	6,170.85	A
oil of black pepper	Landscape maintenance	0.13	N/A	N/A	N/A
oil of black pepper	Public health	<0.01	N/A	N/A	N/A
oil of black pepper	Structural pest control	0.06	N/A	N/A	N/A
oil of citronella	Landscape maintenance	0.03	N/A	N/A	N/A
oil of citronella	Structural pest control	1.06	N/A	N/A	N/A
oil of orange	Alfalfa	1.4	8	367.0	A
oil of orange	Almond	342.96	594	25,914.15	A
oil of orange	Apricot	2.62	16	278.05	A
oil of orange	Blueberry	0.14	2	24.06	A
oil of orange	Cherry	8.4	104	981.0	A
oil of orange	Corn (forage - fodder)	0.59	9	253.8	A
oil of orange	Corn, human consumption	0.48	3	39.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oil of orange	Grape	31.37	257	4,562.65	A
oil of orange	Grape, wine	13.76	28	964.66	A
oil of orange	Grapefruit	0.28	4	47.5	A
oil of orange	Kiwi fruit fuzzy	0.28	2	75.45	A
oil of orange	Landscape maintenance	0.02	N/A	N/A	N/A
oil of orange	N-outdr plants in containers	0.03	1	3.0	A
oil of orange	Nectarine	8.18	140	811.28	A
oil of orange	Olive	0.9	1	130.0	A
oil of orange	Orange	5.41	20	219.21	A
oil of orange	Peach	16.39	291	1,370.76	A
oil of orange	Persimmon	2.09	47	181.83	A
oil of orange	Pistachio	12.4	49	1,596.58	A
oil of orange	Plum	13.15	252	1,527.69	A
oil of orange	Potato	0.21	1	122.0	A
oil of orange	Prune	0.1	3	16.59	A
oil of orange	Rights of way	0.14	4	28.0	A
oil of orange	Rights of way	0.62	N/A	N/A	N/A
oil of orange	Soil fumigation/preplant	<0.01	3	1.98	A
oil of orange	Tangelo	0.08	2	15.2	A
oil of orange	Tangerine	1.51	16	231.55	A
oil of orange	Tomato, processing	0.4	1	46.6	A
oil of orange	Walnut	42.35	256	5,814.85	A
oleic acid	Alfalfa	937.05	291	18,579.8	A
oleic acid	Almond	36,524.35	5,410	294,419.98	A
oleic acid	Almond	14.96	1	105.0	C
oleic acid	Apple	69.25	36	708.6	A
oleic acid	Apricot	580.38	61	2,162.75	A
oleic acid	Artichoke, globe	48.59	38	801.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid	Arugula	7.48	21	157.72	A
oleic acid	Barley	3.87	5	54.55	A
oleic acid	Bean, dried	362.55	104	7,489.4	A
oleic acid	Bean, succulent	20.87	9	540.0	A
oleic acid	Beet	2.38	9	48.57	A
oleic acid	Blueberry	0.44	3	170.0	A
oleic acid	Bok choy	8.28	119	86.67	A
oleic acid	Broccoli	778.27	911	8,600.68	A
oleic acid	Brussels sprout	242.08	172	2,050.92	A
oleic acid	Cabbage	104.64	161	1,219.94	A
oleic acid	Cantaloupe	100.23	44	2,662.5	A
oleic acid	Cardoon	0.43	2	6.2	A
oleic acid	Carrot	1,457.35	162	11,200.78	A
oleic acid	Cauliflower	248.34	314	2,774.15	A
oleic acid	Celery	314.65	423	5,987.57	A
oleic acid	Cherry	2,015.05	728	15,169.15	A
oleic acid	Chinese cabbage (napa, won bok, celery cabbage)	88.85	133	580.56	A
oleic acid	Cilantro	34.13	49	293.1	A
oleic acid	Citrus	50.32	3	441.5	A
oleic acid	Collard	0.52	6	13.3	A
oleic acid	Corn (forage - fodder)	440.81	251	12,276.58	A
oleic acid	Corn, human consumption	8.56	4	240.0	A
oleic acid	Cotton	708.82	239	11,685.14	A
oleic acid	Eggplant	4.7	10	192.0	A
oleic acid	Endive (escarole)	7.12	44	82.15	A
oleic acid	Fava bean	0.34	5	5.0	A
oleic acid	Fennel	5.97	35	114.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid	Fig	0.16	1	17.5	A
oleic acid	Garlic	287.69	24	2,175.7	A
oleic acid	Grape	1,329.82	1,134	32,199.14	A
oleic acid	Grape, wine	1,152.75	559	15,888.3	A
oleic acid	Grapefruit	20.99	12	103.4	A
oleic acid	Herb, spice	1.57	1	22.0	A
oleic acid	Kale	57.88	162	897.81	A
oleic acid	Landscape maintenance	1.59	N/A	N/A	N/A
oleic acid	Leek	0.08	8	16.82	A
oleic acid	Lemon	311.84	156	3,817.83	A
oleic acid	Lettuce, head	1,328.49	1,538	17,341.57	A
oleic acid	Lettuce, leaf	634.98	1,126	11,552.32	A
oleic acid	Melon	56.93	17	1,071.0	A
oleic acid	Mizuna	2.88	8	62.3	A
oleic acid	Mustard	0.26	4	5.33	A
oleic acid	N-grnhs plants in containers	1.24	14	20.89	A
oleic acid	N-outdr flower	2.8	2	9.1	A
oleic acid	N-outdr plants in containers	41.21	34	887.5	A
oleic acid	N-outdr transplants	52.62	38	477.22	A
oleic acid	Nectarine	191.07	252	1,891.55	A
oleic acid	Oat	5.84	4	149.7	A
oleic acid	Olive	27.04	9	154.0	A
oleic acid	Onion, dry	209.94	78	4,146.5	A
oleic acid	Onion, green	2.54	8	33.35	A
oleic acid	Orange	5,715.91	1,301	30,269.09	A
oleic acid	Parsley	0.05	8	16.0	A
oleic acid	Peach	445.62	504	5,516.66	A
oleic acid	Pear	0.83	5	14.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid	Pear, asian (oriental pear, ya, ya li, nashi)	2.7	7	48.5	A
oleic acid	Pecan	15.64	8	101.64	A
oleic acid	Pepper, fruiting	261.69	180	7,914.58	A
oleic acid	Pepper, fruiting	<0.01	1	2,520.0	S
oleic acid	Pepper, spice	8.0	13	82.13	A
oleic acid	Persimmon	0.66	3	20.5	A
oleic acid	Pistachio	8,409.75	890	75,817.98	A
oleic acid	Plum	37.12	80	643.27	A
oleic acid	Pomegranate	63.88	28	638.68	A
oleic acid	Pomelo	42.76	12	87.5	A
oleic acid	Potato	46.97	7	403.5	A
oleic acid	Prune	18.33	7	516.0	A
oleic acid	Pumpkin	16.73	8	311.0	A
oleic acid	Quince	16.73	24	154.0	A
oleic acid	Radish	3.05	113	384.6	A
oleic acid	Raspberry	6.67	15	67.87	A
oleic acid	Regulatory pest control	0.62	N/A	N/A	N/A
oleic acid	Rice	78.01	16	1,369.0	A
oleic acid	Rights of way	16.97	18	134.0	A
oleic acid	Rights of way	17.61	N/A	N/A	N/A
oleic acid	Soil fumigation/preplant	9.97	2	91.0	A
oleic acid	Sorghum (forage - fodder)	3.08	1	36.0	A
oleic acid	Spinach	10.23	63	221.4	A
oleic acid	Squash, summer	0.48	1	18.0	A
oleic acid	Squash, winter	10.87	12	287.0	A
oleic acid	Squash, zucchini	0.01	1	0.1	A
oleic acid	Strawberry	4,900.48	736	21,859.36	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid	Structural pest control	0.25	N/A	N/A	N/A
oleic acid	Sugarbeet	42.17	15	1,060.0	A
oleic acid	Sunflower	1.14	1	101.0	A
oleic acid	Swiss chard	0.54	9	15.5	A
oleic acid	Tangelo	142.82	55	1,323.0	A
oleic acid	Tangerine	3,969.49	1,077	30,881.19	A
oleic acid	Tomato	3.48	7	25.75	A
oleic acid	Tomato	0.01	2	5,040.0	S
oleic acid	Tomato, processing	429.7	71	6,667.94	A
oleic acid	Uncultivated ag	150.54	54	1,253.8	A
oleic acid	Uncultivated ag	0.06	1	130.0	U
oleic acid	Unknown	2.43	1	85.0	A
oleic acid	Walnut	6,505.13	1,312	44,326.28	A
oleic acid	Watermelon	101.88	38	1,705.5	A
oleic acid	Watermelon	<0.01	1	2,520.0	S
oleic acid	Wheat	143.15	61	3,416.85	A
oleic acid	Wheat (forage - fodder)	68.19	45	2,030.6	A
oleic acid, ethyl ester	Alfalfa	11,822.83	764	36,275.8	A
oleic acid, ethyl ester	Almond	86,388.7	2,622	149,030.34	A
oleic acid, ethyl ester	Apple	0.4	2	1.0	A
oleic acid, ethyl ester	Apricot	1.85	1	2.5	A
oleic acid, ethyl ester	Artichoke, globe	349.24	150	1,831.65	A
oleic acid, ethyl ester	Arugula	5.89	7	36.17	A
oleic acid, ethyl ester	Barley	27.48	2	143.38	A
oleic acid, ethyl ester	Basil, sweet	1.55	2	2.5	A
oleic acid, ethyl ester	Bean, dried	402.22	46	1,817.0	A
oleic acid, ethyl ester	Bean, succulent	76.9	53	625.65	A
oleic acid, ethyl ester	Bean, unspecified	11.89	13	72.6	A
oleic acid, ethyl ester	Blackberry	1.55	N/A	4.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, ethyl ester	Bok choy	20.02	111	121.9	A
oleic acid, ethyl ester	Broccoli	16,038.33	2,266	25,585.32	A
oleic acid, ethyl ester	Brussels sprout	5,604.36	419	5,271.85	A
oleic acid, ethyl ester	Cabbage	935.54	488	2,547.56	A
oleic acid, ethyl ester	Carrot	448.9	45	604.1	A
oleic acid, ethyl ester	Cauliflower	7,753.94	970	10,444.02	A
oleic acid, ethyl ester	Celery	4,530.07	1,808	14,482.97	A
oleic acid, ethyl ester	Cherry	1,105.05	172	1,628.62	A
oleic acid, ethyl ester	Cilantro	6.62	32	65.5	A
oleic acid, ethyl ester	Citrus	43.82	2	84.14	A
oleic acid, ethyl ester	Collard	2.68	5	15.0	A
oleic acid, ethyl ester	Corn (forage - fodder)	2,114.87	150	7,628.16	A
oleic acid, ethyl ester	Corn, grain	273.09	40	886.8	A
oleic acid, ethyl ester	Corn, human consumption	3,040.76	854	12,195.36	A
oleic acid, ethyl ester	Cotton	473.98	33	1,448.76	A
oleic acid, ethyl ester	Cucumber	182.34	25	496.78	A
oleic acid, ethyl ester	Eggplant	42.18	13	223.68	A
oleic acid, ethyl ester	Endive (escarole)	22.93	104	147.59	A
oleic acid, ethyl ester	Fennel	63.84	35	174.33	A
oleic acid, ethyl ester	Forage hay/silage	42.88	5	193.0	A
oleic acid, ethyl ester	Forest, timberland	1,024.13	16	1,381.0	A
oleic acid, ethyl ester	Gai lon	1.15	2	9.6	A
oleic acid, ethyl ester	Garlic	162.51	25	1,159.37	A
oleic acid, ethyl ester	Grape	22.08	4	75.5	A
oleic acid, ethyl ester	Grape, wine	36,090.1	3,307	102,556.66	A
oleic acid, ethyl ester	Grapefruit	5.53	1	9.01	A
oleic acid, ethyl ester	Kale	55.64	64	261.3	A
oleic acid, ethyl ester	Kohlrabi	16.45	26	91.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, ethyl ester	Landscape maintenance	2,220.46	N/A	N/A	N/A
oleic acid, ethyl ester	Leek	25.92	22	283.81	A
oleic acid, ethyl ester	Lemon	26.99	5	44.1	A
oleic acid, ethyl ester	Lettuce, head	7,802.51	4,437	48,396.24	A
oleic acid, ethyl ester	Lettuce, leaf	8,531.26	6,240	53,900.35	A
oleic acid, ethyl ester	Melon	307.48	67	2,039.65	A
oleic acid, ethyl ester	Mustard greens	0.77	1	1.0	A
oleic acid, ethyl ester	N-grnhs flower	1.73	N/A	45.0	U
oleic acid, ethyl ester	N-outdr plants in containers	196.72	15	258.25	A
oleic acid, ethyl ester	N-outdr transplants	11.92	1	8.0	A
oleic acid, ethyl ester	Nectarine	0.31	1	0.5	A
oleic acid, ethyl ester	Olive	2,809.49	106	3,501.56	A
oleic acid, ethyl ester	Onion, dry	1,241.88	155	4,435.6	A
oleic acid, ethyl ester	Orange	210.48	44	348.91	A
oleic acid, ethyl ester	Pasture (forage - fodder)	53.62	2	180.0	A
oleic acid, ethyl ester	Pastureland	50.15	14	125.76	A
oleic acid, ethyl ester	Peach	830.54	70	1,371.09	A
oleic acid, ethyl ester	Pear	2.23	2	3.0	A
oleic acid, ethyl ester	Peas	156.09	111	1,074.4	A
oleic acid, ethyl ester	Pecan	1,778.68	23	1,586.82	A
oleic acid, ethyl ester	Pepper, fruiting	1,766.05	313	8,294.73	A
oleic acid, ethyl ester	Persimmon	12.27	1	20.0	A
oleic acid, ethyl ester	Pistachio	13,502.63	231	21,499.9	A
oleic acid, ethyl ester	Plum	0.37	1	0.5	A
oleic acid, ethyl ester	Prune	1,362.33	56	2,116.68	A
oleic acid, ethyl ester	Pumpkin	134.95	28	834.4	A
oleic acid, ethyl ester	Radicchio	16.68	4	87.0	A
oleic acid, ethyl ester	Rangeland	195.43	3	696.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, ethyl ester	Rapini	6.58	9	34.3	A
oleic acid, ethyl ester	Regulatory pest control	208.74	N/A	N/A	N/A
oleic acid, ethyl ester	Research commodity	2.98	N/A	N/A	N/A
oleic acid, ethyl ester	Rice	40,755.17	1,194	90,659.08	A
oleic acid, ethyl ester	Rights of way	369.77	10	375.0	A
oleic acid, ethyl ester	Rights of way	12,909.76	N/A	N/A	N/A
oleic acid, ethyl ester	Safflower	12.63	1	17.0	A
oleic acid, ethyl ester	Soil fumigation/preplant	101.29	1	170.0	A
oleic acid, ethyl ester	Sorghum/milo	43.55	4	227.3	A
oleic acid, ethyl ester	Spinach	32.11	13	228.4	A
oleic acid, ethyl ester	Squash	56.32	25	290.71	A
oleic acid, ethyl ester	Squash, winter	191.52	6	218.0	A
oleic acid, ethyl ester	Structural pest control	1.49	N/A	N/A	N/A
oleic acid, ethyl ester	Sudangrass	47.06	6	245.0	A
oleic acid, ethyl ester	Sunflower	926.26	89	3,368.96	A
oleic acid, ethyl ester	Swiss chard	3.64	5	28.0	A
oleic acid, ethyl ester	Tangelo	11.72	2	19.1	A
oleic acid, ethyl ester	Tangerine	36.65	11	77.93	A
oleic acid, ethyl ester	Tomato	6,056.4	392	14,567.45	A
oleic acid, ethyl ester	Tomato, processing	4,238.93	201	12,434.36	A
oleic acid, ethyl ester	Triticale	64.77	1	58.0	A
oleic acid, ethyl ester	Uncultivated ag	17,970.54	1,075	16,399.66	A
oleic acid, ethyl ester	Uncultivated non-ag	324.9	26	229.7	A
oleic acid, ethyl ester	Walnut	21,411.2	1,094	35,324.54	A
oleic acid, ethyl ester	Water area	1,204.21	7	285.96	A
oleic acid, ethyl ester	Watermelon	474.48	93	2,332.8	A
oleic acid, ethyl ester	Wheat	44.69	1	150.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, ethyl ester	Wheat (forage - fodder)	3.93	1	64.0	A
oleic acid, methyl ester	Airport	1.01	N/A	100.0	A
oleic acid, methyl ester	Alfalfa	15,968.89	457	25,324.9	A
oleic acid, methyl ester	Almond	335,601.68	5,729	351,745.34	A
oleic acid, methyl ester	Apple	626.41	27	519.0	A
oleic acid, methyl ester	Apricot	438.68	21	488.52	A
oleic acid, methyl ester	Artichoke, globe	6.83	1	5.2	A
oleic acid, methyl ester	Avocado	291.5	32	1,474.8	A
oleic acid, methyl ester	Barley	185.26	5	375.95	A
oleic acid, methyl ester	Bean, dried	465.09	29	771.5	A
oleic acid, methyl ester	Bean, succulent	0.95	2	1.5	A
oleic acid, methyl ester	Bermudagrass	349.66	13	1,038.0	A
oleic acid, methyl ester	Blueberry	296.88	9	379.64	A
oleic acid, methyl ester	Broccoli	85.97	16	184.5	A
oleic acid, methyl ester	Brussels sprout	642.74	55	1,400.57	A
oleic acid, methyl ester	Cabbage	1,027.43	327	2,001.64	A
oleic acid, methyl ester	Cantaloupe	33.94	3	107.0	A
oleic acid, methyl ester	Carrot	1,137.34	68	1,179.9	A
oleic acid, methyl ester	Cauliflower	34.42	5	78.0	A
oleic acid, methyl ester	Celery	884.47	126	1,030.63	A
oleic acid, methyl ester	Cherry	3,526.51	213	3,764.65	A
oleic acid, methyl ester	Chestnut	7.41	1	7.5	A
oleic acid, methyl ester	Chinese cabbage (napa, won bok, celery cabbage)	3.26	2	18.0	A
oleic acid, methyl ester	Cilantro	35.53	4	27.0	A
oleic acid, methyl ester	Citrus	271.74	31	405.78	A
oleic acid, methyl ester	Collard	2.13	1	3.0	A
oleic acid, methyl ester	Commodity fumigation	78.38	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, methyl ester	Corn (forage - fodder)	6,425.71	218	11,065.34	A
oleic acid, methyl ester	Corn, grain	2,000.25	67	1,885.75	A
oleic acid, methyl ester	Corn, human consumption	240.16	38	1,160.0	A
oleic acid, methyl ester	Cotton	17,225.46	164	19,661.21	A
oleic acid, methyl ester	Date	1.57	1	1.5	A
oleic acid, methyl ester	Eggplant	28.02	5	54.0	A
oleic acid, methyl ester	Fig	820.61	104	2,561.0	A
oleic acid, methyl ester	Forage hay/silage	28.91	2	45.0	A
oleic acid, methyl ester	Forest, timberland	31,141.53	552	9,684.9	A
oleic acid, methyl ester	Fumigation, other	0.05	N/A	N/A	N/A
oleic acid, methyl ester	Garlic	1,302.62	21	2,153.0	A
oleic acid, methyl ester	Golf course turf	14.32	N/A	14.0	A
oleic acid, methyl ester	Grape	5,474.77	253	4,811.56	A
oleic acid, methyl ester	Grape, wine	34,148.46	1,425	44,326.85	A
oleic acid, methyl ester	Grapefruit	1,452.15	101	2,434.7	A
oleic acid, methyl ester	Hops	8.41	1	12.0	A
oleic acid, methyl ester	Industrial site	1.0	1	2.0	A
oleic acid, methyl ester	Kale	14.46	8	37.0	A
oleic acid, methyl ester	Kiwi fruit fuzzy	98.28	6	161.0	A
oleic acid, methyl ester	Kumquat	2.0	4	11.4	A
oleic acid, methyl ester	Landscape maintenance	2,658.06	N/A	N/A	N/A
oleic acid, methyl ester	Lemon	2,841.71	194	4,116.73	A
oleic acid, methyl ester	Lettuce, head	1,024.66	116	2,842.7	A
oleic acid, methyl ester	Lettuce, leaf	1,668.69	279	3,423.29	A
oleic acid, methyl ester	Lime	8.07	7	46.1	A
oleic acid, methyl ester	Mint	72.26	5	60.63	A
oleic acid, methyl ester	N-grnhs flower	14.89	N/A	238.0	U
oleic acid, methyl ester	N-grnhs transplants	2.63	1	100.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, methyl ester	N-outdr flower	144.77	34	118.48	A
oleic acid, methyl ester	N-outdr plants in containers	261.41	15	199.32	A
oleic acid, methyl ester	N-outdr transplants	182.98	16	182.12	A
oleic acid, methyl ester	Nectarine	248.6	47	300.2	A
oleic acid, methyl ester	Oat (forage - fodder)	32.53	5	156.75	A
oleic acid, methyl ester	Olive	830.46	46	977.41	A
oleic acid, methyl ester	Onion, dry	713.92	47	2,871.0	A
oleic acid, methyl ester	Orange	7,958.83	568	9,620.32	A
oleic acid, methyl ester	Pastureland	181.81	7	238.0	A
oleic acid, methyl ester	Pastureland	0.63	1	1,740.0	S
oleic acid, methyl ester	Peach	1,180.23	141	1,269.76	A
oleic acid, methyl ester	Pear	40.96	4	40.0	A
oleic acid, methyl ester	Pear, asian (oriental pear, ya, ya li, nashi)	44.67	10	68.0	A
oleic acid, methyl ester	Pecan	226.24	13	320.83	A
oleic acid, methyl ester	Pepper, fruiting	574.67	30	749.17	A
oleic acid, methyl ester	Persimmon	12.09	7	26.6	A
oleic acid, methyl ester	Pistachio	143,180.46	2,311	132,405.11	A
oleic acid, methyl ester	Plum	399.07	38	304.79	A
oleic acid, methyl ester	Pomegranate	13,792.73	276	15,353.5	A
oleic acid, methyl ester	Pomelo	33.24	7	52.5	A
oleic acid, methyl ester	Potato	408.65	14	1,526.1	A
oleic acid, methyl ester	Prune	3,025.94	122	5,629.94	A
oleic acid, methyl ester	Pumpkin	111.25	9	397.0	A
oleic acid, methyl ester	Quince	2.47	1	5.0	A
oleic acid, methyl ester	Rangeland	4.59	2	2.75	A
oleic acid, methyl ester	Raspberry	66.34	9	38.92	A
oleic acid, methyl ester	Regulatory pest control	57.05	N/A	N/A	N/A
oleic acid, methyl ester	Rice	15,009.16	333	23,376.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, methyl ester	Rights of way	1,944.43	78	1,909.5	A
oleic acid, methyl ester	Rights of way	349,243.73	N/A	N/A	N/A
oleic acid, methyl ester	Rye	28.85	4	43.86	A
oleic acid, methyl ester	Safflower	1,463.49	6	1,906.0	A
oleic acid, methyl ester	Soil fumigation/preplant	12,241.77	76	12,870.03	A
oleic acid, methyl ester	Sorghum (forage - fodder)	47.46	5	218.0	A
oleic acid, methyl ester	Sorghum/milo	10.51	1	10.0	A
oleic acid, methyl ester	Squash	27.86	3	170.0	A
oleic acid, methyl ester	Stone fruit	270.66	9	129.0	A
oleic acid, methyl ester	Strawberry	476.37	29	622.0	A
oleic acid, methyl ester	Sugarbeet	480.77	19	1,696.0	A
oleic acid, methyl ester	Sunflower	489.88	12	690.7	A
oleic acid, methyl ester	Sweet potato	103.22	8	125.0	A
oleic acid, methyl ester	Swiss chard	1.06	1	1.5	A
oleic acid, methyl ester	Tangelo	17.08	4	39.5	A
oleic acid, methyl ester	Tangerine	8,985.26	870	13,204.4	A
oleic acid, methyl ester	Tomato	1,141.75	76	2,207.7	A
oleic acid, methyl ester	Tomato, processing	7,151.59	115	10,894.88	A
oleic acid, methyl ester	Triticale	7.08	4	17.25	A
oleic acid, methyl ester	Turf/sod	152.82	12	332.6	A
oleic acid, methyl ester	Uncultivated ag	8,416.21	581	9,034.83	A
oleic acid, methyl ester	Uncultivated non-ag	538.62	6	3,412.6	A
oleic acid, methyl ester	Walnut	61,311.29	1,042	31,877.16	A
oleic acid, methyl ester	Water (industrial)	1.95	N/A	8.0	A
oleic acid, methyl ester	Water area	144.53	1	125.0	A
oleic acid, methyl ester	Watermelon	111.68	14	344.0	A
oleic acid, methyl ester	Wheat	97.91	1	149.0	A
oleic acid, methyl ester	Wheat (forage - fodder)	60.14	5	670.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
orchex 796 oil	Almond	42.76	3	196.0	A
orchex 796 oil	Carrot	443.19	7	741.0	A
orchex 796 oil	Grape, wine	302.69	18	592.82	A
orchex 796 oil	Landscape maintenance	23.97	N/A	N/A	N/A
orchex 796 oil	Olive	3.0	1	2.0	A
orchex 796 oil	Potato	22.81	1	31.5	A
orchex 796 oil	Rights of way	215.0	N/A	N/A	N/A
orchex 796 oil	Uncultivated ag	0.75	1	2.0	A
organo/modified polysiloxane	Alfalfa	1.55	23	985.2	A
organo/modified polysiloxane	Almond	21.08	370	15,803.6	A
organo/modified polysiloxane	Barley	0.34	5	328.8	A
organo/modified polysiloxane	Bean, dried	0.28	8	202.75	A
organo/modified polysiloxane	Corn (forage - fodder)	4.53	29	2,465.8	A
organo/modified polysiloxane	Corn, human consumption	<0.01	7	461.6	A
organo/modified polysiloxane	Fig	2.57	22	1,486.0	A
organo/modified polysiloxane	Forage hay/silage	0.2	3	90.0	A
organo/modified polysiloxane	Grape	0.08	1	53.33	A
organo/modified polysiloxane	Grape, wine	<0.01	2	12.0	A
organo/modified polysiloxane	Landscape maintenance	2.81	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
organo/modified polysiloxane	Oat (forage - fodder)	0.18	5	160.5	A
organo/modified polysiloxane	Persimmon	0.06	2	23.2	A
organo/modified polysiloxane	Pistachio	8.36	60	3,282.4	A
organo/modified polysiloxane	Prune	1.76	49	1,619.58	A
organo/modified polysiloxane	Rights of way	0.39	3	385.0	A
organo/modified polysiloxane	Rights of way	0.65	N/A	N/A	N/A
organo/modified polysiloxane	Triticale	0.49	3	192.0	A
organo/modified polysiloxane	Uncultivated ag	<0.01	2	2.0	A
organo/modified polysiloxane	Uncultivated non-ag	0.12	1	60.0	A
organo/modified polysiloxane	Walnut	5.76	169	4,462.18	A
organo/modified polysiloxane	Wheat	0.75	9	305.3	A
organo/modified polysiloxane	Wheat (forage - fodder)	8.81	53	3,946.9	A
organosilicone, poly oxyalkylene ether copolymer	Alfalfa	309.12	250	14,394.7	A
organosilicone, poly oxyalkylene ether copolymer	Almond	3,565.47	436	31,279.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
organosilicone, poly oxyalkylene ether copolymer	Bermudagrass	2.0	1	70.0	A
organosilicone, poly oxyalkylene ether copolymer	Broccoli	10.5	10	531.4	A
organosilicone, poly oxyalkylene ether copolymer	Cabbage	3.0	3	33.0	A
organosilicone, poly oxyalkylene ether copolymer	Carrot	1.0	1	36.0	A
organosilicone, poly oxyalkylene ether copolymer	Cherry	3.0	1	65.0	A
organosilicone, poly oxyalkylene ether copolymer	Cilantro	1.0	1	35.0	A
organosilicone, poly oxyalkylene ether copolymer	Corn (forage - fodder)	2.92	5	156.0	A
organosilicone, poly oxyalkylene ether copolymer	Corn, human consumption	0.91	1	42.0	A
organosilicone, poly oxyalkylene ether copolymer	Cotton	12.92	12	660.0	A
organosilicone, poly oxyalkylene ether copolymer	Garbanzo bean	15.89	2	318.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
organosilicone, poly oxyalkylene ether copolymer	Garlic	91.9	28	3,327.0	A
organosilicone, poly oxyalkylene ether copolymer	Grape	101.59	33	872.38	A
organosilicone, poly oxyalkylene ether copolymer	Grape, wine	170.01	56	1,945.11	A
organosilicone, poly oxyalkylene ether copolymer	Grapefruit	3.76	6	60.0	A
organosilicone, poly oxyalkylene ether copolymer	Landscape maintenance	500.7	N/A	N/A	N/A
organosilicone, poly oxyalkylene ether copolymer	Lemon	35.49	6	159.0	A
organosilicone, poly oxyalkylene ether copolymer	Lettuce, head	151.7	163	5,595.0	A
organosilicone, poly oxyalkylene ether copolymer	Lettuce, leaf	24.46	30	1,579.13	A
organosilicone, poly oxyalkylene ether copolymer	Mustard	0.2	1	10.0	A
organosilicone, poly oxyalkylene ether copolymer	N-grnhs flower	5.81	N/A	821.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
organosilicone, poly oxyalkylene ether copolymer	N-grnhs plants in containers	0.32	1	1.0	A
organosilicone, poly oxyalkylene ether copolymer	Olive	9.59	6	307.0	A
organosilicone, poly oxyalkylene ether copolymer	Onion, dry	15.76	18	599.5	A
organosilicone, poly oxyalkylene ether copolymer	Orange	127.45	10	590.25	A
organosilicone, poly oxyalkylene ether copolymer	Peach	5.44	6	79.1	A
organosilicone, poly oxyalkylene ether copolymer	Pistachio	610.69	67	7,485.35	A
organosilicone, poly oxyalkylene ether copolymer	Prune	0.01	2	25.0	A
organosilicone, poly oxyalkylene ether copolymer	Public health	1.9	N/A	N/A	N/A
organosilicone, poly oxyalkylene ether copolymer	Rice	41.4	16	792.2	A
organosilicone, poly oxyalkylene ether copolymer	Rights of way	37.53	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
organosilicone, poly oxyalkylene ether copolymer	Sorghum (forage - fodder)	4.84	6	193.12	A
organosilicone, poly oxyalkylene ether copolymer	Structural pest control	3.23	N/A	N/A	N/A
organosilicone, poly oxyalkylene ether copolymer	Sudangrass	6.0	3	200.0	A
organosilicone, poly oxyalkylene ether copolymer	Sugarbeet	71.87	47	3,336.0	A
organosilicone, poly oxyalkylene ether copolymer	Sunflower	3.0	2	108.0	A
organosilicone, poly oxyalkylene ether copolymer	Tangerine	8.94	9	59.5	A
organosilicone, poly oxyalkylene ether copolymer	Walnut	586.44	123	3,676.67	A
oryzalin	Almond	36,512.42	456	15,035.01	A
oryzalin	Apple	458.9	6	121.17	A
oryzalin	Apricot	1.46	1	0.35	A
oryzalin	Avocado	140.41	3	34.0	A
oryzalin	Blueberry	1,579.98	26	430.02	A
oryzalin	Cherry	2,966.08	61	997.95	A
oryzalin	Christmas tree	33.38	4	19.5	A
oryzalin	Citrus	9.91	4	11.06	A
oryzalin	Fig	2,244.21	15	691.99	A
oryzalin	Fumigation, other	35.89	N/A	N/A	N/A
oryzalin	Grape	5,515.12	123	2,087.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oryzalin	Grape, wine	14,928.05	421	5,674.78	A
oryzalin	Grapefruit	32.26	2	22.0	A
oryzalin	Kiwi fruit fuzzy	3,638.07	79	914.89	A
oryzalin	Landscape maintenance	6.57	21	70.35	A
oryzalin	Landscape maintenance	16.25	1	125,000.0	S
oryzalin	Landscape maintenance	10,415.86	N/A	N/A	N/A
oryzalin	Lemon	218.02	8	76.0	A
oryzalin	N-grnhs flower	20.8	N/A	22.0	A
oryzalin	N-grnhs plants in containers	2.29	6	2.34	A
oryzalin	N-grnhs plants in containers	0.19	1	2,616.48	S
oryzalin	N-grnhs transplants	14.77	14	4.48	A
oryzalin	N-grnhs transplants	60.33	75	566,800.0	S
oryzalin	N-outdr flower	102.96	38	59.24	A
oryzalin	N-outdr plants in containers	1,220.26	359	790.01	A
oryzalin	N-outdr plants in containers	12.28	6	72,200.0	S
oryzalin	N-outdr transplants	77.78	18	59.57	A
oryzalin	Nectarine	80.53	11	106.89	A
oryzalin	Olive	1,117.72	16	538.09	A
oryzalin	Orange	889.08	25	426.26	A
oryzalin	Pastureland	6.9	2	22.3	A
oryzalin	Peach	2,000.78	43	626.26	A
oryzalin	Pear	641.5	17	279.7	A
oryzalin	Pecan	177.54	6	47.76	A
oryzalin	Pistachio	5,574.31	60	2,084.15	A
oryzalin	Plum	17.96	2	30.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oryzalin	Pome fruit	2.54	N/A	0.75	A
oryzalin	Pomegranate	76.44	4	26.67	A
oryzalin	Prune	1,327.2	16	444.95	A
oryzalin	Public health	22.33	N/A	N/A	N/A
oryzalin	Rangeland	8.98	1	86.0	A
oryzalin	Raspberry	5.2	1	2.0	A
oryzalin	Regulatory pest control	3.12	N/A	N/A	N/A
oryzalin	Research commodity	11.32	1	3.63	A
oryzalin	Research commodity	4.01	N/A	N/A	N/A
oryzalin	Rights of way	5.04	4	1.78	A
oryzalin	Rights of way	86.22	25	1,635,000.0	S
oryzalin	Rights of way	28,242.52	N/A	N/A	N/A
oryzalin	Small fruits/berry	0.52	1	1.0	A
oryzalin	Soil fumigation/preplant	72.25	1	17.2	A
oryzalin	Structural pest control	8.88	N/A	N/A	N/A
oryzalin	Tangerine	471.7	11	144.19	A
oryzalin	Uncultivated ag	1,047.85	44	258.86	A
oryzalin	Uncultivated non-ag	105.42	5	605.2	A
oryzalin	Walnut	9,149.33	205	2,875.2	A
oxadiazon	Golf course turf	12.0	N/A	3.0	A
oxadiazon	Landscape maintenance	2,203.43	N/A	N/A	N/A
oxadiazon	N-grnhs plants in containers	0.16	2	0.26	A
oxadiazon	N-outdr flower	314.57	114	201.38	A
oxadiazon	N-outdr plants in containers	111.97	93	83.21	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxadiazon	N-outdr plants in containers	11.19	15	221,830.0	S
oxadiazon	N-outdr plants in containers	1.0	1	5,968.0	U
oxadiazon	N-outdr transplants	6.4	3	128,000.0	S
oxadiazon	Rights of way	1.0	1	1.0	A
oxadiazon	Rights of way	135.94	N/A	N/A	N/A
oxadiazon	Turf/sod	362.71	10	121.07	A
oxalic acid	Almond	0.14	3	6.5	A
oxamyl	Cantaloupe	3,540.89	5	426.0	A
oxamyl	Celery	6,829.49	909	9,111.78	A
oxamyl	Cotton	40,084.65	277	40,450.73	A
oxamyl	Eggplant	268.31	40	350.4	A
oxamyl	Melon	311.27	4	193.0	A
oxamyl	Onion, dry	2,831.49	114	3,426.45	A
oxamyl	Pepper, fruiting	3,199.94	134	3,859.96	A
oxamyl	Potato	3,782.07	69	3,835.5	A
oxamyl	Pumpkin	33.61	5	58.0	A
oxamyl	Research commodity	0.14	N/A	N/A	N/A
oxamyl	Squash	35.29	19	102.0	A
oxamyl	Squash, summer	25.39	8	133.0	A
oxamyl	Tomato	1,334.23	48	1,652.08	A
oxamyl	Tomato	0.16	1	2,500.0	S
oxamyl	Tomato, processing	370.32	8	549.5	A
oxamyl	Watermelon	662.31	9	331.5	A
oxathiapiprolin	Arugula	6.03	45	414.0	A
oxathiapiprolin	Bok choy	1.07	1	100.0	A
oxathiapiprolin	Broccoli	19.48	38	1,346.17	A
oxathiapiprolin	Brussels sprout	1.57	2	114.8	A
oxathiapiprolin	Cabbage	18.34	57	1,275.05	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxathiapiprolin	Cauliflower	16.88	66	1,157.25	A
oxathiapiprolin	Chinese cabbage (napa, won bok, celery cabbage)	5.37	29	361.06	A
oxathiapiprolin	Citrus	1.09	4	40.2	A
oxathiapiprolin	Citrus	0.02	2	11,000.0	S
oxathiapiprolin	Commodity fumigation	8.8	N/A	N/A	N/A
oxathiapiprolin	Cucumber	14.19	33	936.49	A
oxathiapiprolin	Date	0.01	1	3.0	A
oxathiapiprolin	Endive (escarole)	0.29	4	17.04	A
oxathiapiprolin	Gai lon	0.16	1	10.0	A
oxathiapiprolin	Grapefruit	25.9	21	512.8	A
oxathiapiprolin	Kumquat	0.19	2	5.1	A
oxathiapiprolin	Leek	0.58	10	37.2	A
oxathiapiprolin	Lemon	118.43	147	3,643.19	A
oxathiapiprolin	Lettuce, head	253.06	1,394	17,321.99	A
oxathiapiprolin	Lettuce, leaf	341.83	2,034	23,520.32	A
oxathiapiprolin	Lime	0.69	3	22.0	A
oxathiapiprolin	Melon	1.36	8	86.83	A
oxathiapiprolin	N-grnhs flower	0.02	1	0.5	A
oxathiapiprolin	N-grnhs flower	0.14	7	9,550.0	S
oxathiapiprolin	N-grnhs plants in containers	17.7	119	55.24	A
oxathiapiprolin	N-grnhs plants in containers	0.82	2	0.75	S
oxathiapiprolin	N-grnhs plants in containers	1.5	N/A	739,492.0	U
oxathiapiprolin	N-grnhs transplants	2.26	95	114.45	A
oxathiapiprolin	N-grnhs transplants	7.18	105	2,270,650.0	S
oxathiapiprolin	N-outdr flower	16.01	57	511.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxathiapiprolin	N-outdr plants in containers	32.63	231	350.03	A
oxathiapiprolin	N-outdr plants in containers	0.36	5	135,500.0	S
oxathiapiprolin	N-outdr plants in containers	0.13	1	3.0	U
oxathiapiprolin	N-outdr transplants	1.28	101	131.88	A
oxathiapiprolin	N-outdr transplants	1.36	22	4,842,000.0	S
oxathiapiprolin	Onion, dry	248.76	242	17,119.42	A
oxathiapiprolin	Onion, green	5.76	32	368.24	A
oxathiapiprolin	Orange	704.29	1,027	20,007.38	A
oxathiapiprolin	Pepper, fruiting	43.41	31	630.39	A
oxathiapiprolin	Pumpkin	6.0	9	383.0	A
oxathiapiprolin	Raspberry	1.46	6	45.16	A
oxathiapiprolin	Research commodity	0.01	1	1.0	A
oxathiapiprolin	Research commodity	0.09	N/A	N/A	N/A
oxathiapiprolin	Spinach	209.53	1,511	14,038.18	A
oxathiapiprolin	Squash	0.21	1	20.0	A
oxathiapiprolin	Tangelo	17.51	34	439.39	A
oxathiapiprolin	Tangerine	144.2	123	2,536.36	A
oxathiapiprolin	Tomato	14.04	17	386.7	A
oxathiapiprolin	Tomato, processing	3.42	5	177.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Alfalfa	11.1	13	575.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Almond	78.27	10	550.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Avocado	1.84	23	103.5	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Basil, sweet	12.32	2	111.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Bean, dried	1.81	7	113.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Blueberry	0.16	1	1.5	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Cantaloupe	0.29	1	16.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Corn (forage - fodder)	35.27	18	1,044.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Ditch bank	0.04	1	1.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Grape	12.88	5	168.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Grape, wine	14.36	3	87.82	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Grapefruit	0.28	1	5.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Landscape maintenance	70.44	N/A	N/A	N/A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Lemon	8.93	23	150.2	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Lettuce, head	17.37	16	218.8	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Lettuce, leaf	35.88	34	460.2	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Melon	1.07	1	58.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	N-grnhs plants in containers	0.28	1	6,104.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	N-outdr flower	0.55	3	13.75	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	N-outdr plants in containers	6.23	32	45.23	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Orange	18.33	22	229.17	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Orchard floor	1.84	6	25.0	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Pistachio	77.96	8	519.61	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Rights of way	1.95	N/A	N/A	N/A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Strawberry	16.52	14	164.08	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Tangerine	1.13	8	90.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Tomato, processing	14.61	7	248.58	A
oxirane, 2-methyl-, polymer with oxirane, mono(2-ethylehexyl) ether	Walnut	61.71	6	385.24	A
oxydemeton-methyl	Landscape maintenance	0.76	N/A	N/A	N/A
oxyfluorfen	Alfalfa	54.28	7	213.8	A
oxyfluorfen	Almond	386,764.72	23,410	1,007,356.31	A
oxyfluorfen	Almond	15.75	2	100.0	U
oxyfluorfen	Animal premise	10.03	1	20.0	A
oxyfluorfen	Apple	589.54	42	753.09	A
oxyfluorfen	Apricot	864.61	132	1,844.39	A
oxyfluorfen	Artichoke, globe	1,530.62	200	2,836.44	A
oxyfluorfen	Avocado	458.55	82	452.2	A
oxyfluorfen	Barley	8.03	2	63.0	A
oxyfluorfen	Basil, sweet	0.8	3	3.5	A
oxyfluorfen	Bean, dried	266.09	20	1,241.8	A
oxyfluorfen	Bean, succulent	30.0	1	60.0	A
oxyfluorfen	Bean, unspecified	17.37	3	141.0	A
oxyfluorfen	Bitter melon	2.03	1	4.0	A
oxyfluorfen	Blueberry	0.66	1	2.0	A
oxyfluorfen	Broccoli	15,447.8	4,519	51,714.29	A
oxyfluorfen	Brussels sprout	33.97	4	81.69	A
oxyfluorfen	Cabbage	3,177.93	839	7,818.38	A
oxyfluorfen	Cantaloupe	751.36	36	2,918.29	A
oxyfluorfen	Carrot	13.54	1	27.0	A
oxyfluorfen	Cauliflower	8,835.47	2,480	27,671.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxyfluorfen	Celery	81.58	8	322.01	A
oxyfluorfen	Cherry	8,725.63	1,190	15,084.26	A
oxyfluorfen	Chestnut	4.62	1	5.0	A
oxyfluorfen	Chinese cabbage (napa, won bok, celery cabbage)	6.09	2	8.0	A
oxyfluorfen	Christmas tree	30.1	11	51.5	A
oxyfluorfen	Cilantro	4.34	2	17.2	A
oxyfluorfen	Citrus	267.11	10	214.38	A
oxyfluorfen	Commodity fumigation	0.62	N/A	N/A	N/A
oxyfluorfen	Corn (forage - fodder)	1,131.38	102	4,719.5	A
oxyfluorfen	Corn, grain	582.95	47	1,600.5	A
oxyfluorfen	Corn, human consumption	484.08	25	2,389.73	A
oxyfluorfen	Cotton	14,559.99	664	41,912.84	A
oxyfluorfen	County ag comm	1.03	N/A	N/A	N/A
oxyfluorfen	Cucumber	40.14	11	563.3	A
oxyfluorfen	Daikon	6.6	3	13.0	A
oxyfluorfen	Farm/ag building	1.13	2	3.25	A
oxyfluorfen	Fig	3,208.71	96	3,780.89	A
oxyfluorfen	Food processing plant	12.54	1	25.0	A
oxyfluorfen	Forage hay/silage	3.07	3	24.25	A
oxyfluorfen	Forest, timberland	19,159.85	222	14,112.39	A
oxyfluorfen	Fumigation, other	5.02	N/A	N/A	N/A
oxyfluorfen	Garbanzo bean	221.58	26	1,830.13	A
oxyfluorfen	Garlic	5,078.35	273	21,692.15	A
oxyfluorfen	Gourds (edible)	3.55	3	10.0	A
oxyfluorfen	Grape	28,349.55	2,245	52,636.65	A
oxyfluorfen	Grape, wine	90,737.8	8,346	191,745.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxyfluorfen	Grapefruit	114.22	33	390.07	A
oxyfluorfen	Grass, seed	1.5	2	6.0	A
oxyfluorfen	Horseradish	10.76	2	143.0	A
oxyfluorfen	Industrial site	11.91	7	16.0	A
oxyfluorfen	Jujube	1.52	1	3.0	A
oxyfluorfen	Kiwi fruit fuzzy	2,837.1	289	2,558.67	A
oxyfluorfen	Landscape maintenance	41.2	15	486.0	A
oxyfluorfen	Landscape maintenance	2,789.22	N/A	N/A	N/A
oxyfluorfen	Leek	1.5	2	5.0	A
oxyfluorfen	Lemon	747.33	66	1,169.03	A
oxyfluorfen	Lettuce, head	223.91	34	511.2	A
oxyfluorfen	Lettuce, leaf	1.16	1	7.31	A
oxyfluorfen	Melon	398.48	22	1,755.27	A
oxyfluorfen	Mint	497.89	19	1,092.5	A
oxyfluorfen	N-grnhs flower	27.46	5	73.9	A
oxyfluorfen	N-grnhs flower	0.97	17	45,470.0	U
oxyfluorfen	N-grnhs plants in containers	3.0	2	3.0	A
oxyfluorfen	N-grnhs plants in containers	1.4	4	60,868.0	S
oxyfluorfen	N-outdr flower	107.7	79	164.88	A
oxyfluorfen	N-outdr plants in containers	2,034.52	658	1,321.42	A
oxyfluorfen	N-outdr plants in containers	16.2	40	506,652.2	S
oxyfluorfen	N-outdr plants in containers	0.4	4	1,379.0	U
oxyfluorfen	N-outdr transplants	103.05	19	176.4	A
oxyfluorfen	Nectarine	3,311.18	699	6,652.19	A
oxyfluorfen	Oat (forage - fodder)	12.65	3	54.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxyfluorfen	Olive	5,949.04	318	12,591.72	A
oxyfluorfen	Olive	0.2	1	40.0	U
oxyfluorfen	Onion, dry	11,692.79	1,172	75,934.98	A
oxyfluorfen	Orange	1,237.01	126	2,260.1	A
oxyfluorfen	Pastureland	55.16	27	214.6	A
oxyfluorfen	Peach	7,366.91	1,506	15,187.77	A
oxyfluorfen	Pear	1,108.14	80	1,211.53	A
oxyfluorfen	Pecan	934.12	89	2,700.5	A
oxyfluorfen	Pepper, fruiting	701.42	76	2,374.74	A
oxyfluorfen	Pepper, spice	32.59	1	67.5	A
oxyfluorfen	Persimmon	607.69	65	628.32	A
oxyfluorfen	Pistachio	120,071.58	4,330	207,273.38	A
oxyfluorfen	Plum	3,580.82	688	5,523.72	A
oxyfluorfen	Pluot	1.07	1	9.0	A
oxyfluorfen	Pomegranate	3,825.66	128	4,823.76	A
oxyfluorfen	Potato	264.05	19	490.3	A
oxyfluorfen	Prune	6,865.18	598	18,885.29	A
oxyfluorfen	Public health	253.51	N/A	N/A	N/A
oxyfluorfen	Pumpkin	109.13	7	428.0	A
oxyfluorfen	Quince	6.69	4	17.0	A
oxyfluorfen	Rangeland	15.72	2	112.0	A
oxyfluorfen	Regulatory pest control	24.7	N/A	N/A	N/A
oxyfluorfen	Research commodity	27.82	41	81.54	A
oxyfluorfen	Research commodity	25.65	N/A	N/A	N/A
oxyfluorfen	Rice	361.43	27	1,498.3	A
oxyfluorfen	Rights of way	3,186.67	370	6,324.61	A
oxyfluorfen	Rights of way	0.24	1	2,000.0	S
oxyfluorfen	Rights of way	47,988.03	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxyfluorfen	Root vegetable	2.03	1	4.0	A
oxyfluorfen	Safflower	121.16	24	846.1	A
oxyfluorfen	Soil fumigation/preplant	1,784.85	117	6,878.82	A
oxyfluorfen	Squash	1.41	1	15.0	A
oxyfluorfen	Squash, summer	17.88	1	95.0	A
oxyfluorfen	Squash, winter	27.17	3	114.0	A
oxyfluorfen	Strawberry	1,598.06	116	4,805.5	A
oxyfluorfen	Structural pest control	20.25	N/A	N/A	N/A
oxyfluorfen	Sudangrass	0.71	1	9.0	A
oxyfluorfen	Sunflower	3,087.79	19	1,396.4	A
oxyfluorfen	Tangerine	2,872.53	156	3,515.37	A
oxyfluorfen	Tomato	1,657.23	168	8,102.79	A
oxyfluorfen	Tomato, processing	16,197.54	553	45,134.17	A
oxyfluorfen	Turnip	0.57	1	3.0	A
oxyfluorfen	Uncultivated ag	27,523.04	2,664	131,692.38	A
oxyfluorfen	Uncultivated ag	0.52	2	12,460.0	S
oxyfluorfen	Uncultivated ag	3.52	2	569.0	U
oxyfluorfen	Uncultivated non-ag	1,312.58	109	3,267.88	A
oxyfluorfen	Unknown	36.97	5	80.5	A
oxyfluorfen	Vertebrate control	48.05	8	126.0	A
oxyfluorfen	Vertebrate control	566.81	N/A	N/A	N/A
oxyfluorfen	Walnut	71,566.09	7,133	189,479.27	A
oxyfluorfen	Water area	43.89	1	32.0	A
oxyfluorfen	Water area	4.06	N/A	20.0	U
oxyfluorfen	Watermelon	2,682.59	11	936.7	A
oxyfluorfen	Wheat	386.53	30	1,718.95	A
oxyfluorfen	Wheat (forage - fodder)	10.03	1	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
oxypurinol	Structural pest control	<0.01	N/A	N/A	N/A
oxytetracycline, calcium complex	Apple	1,085.11	128	2,742.8	A
oxytetracycline, calcium complex	N-grnhs transplants	0.06	1	0.2	A
oxytetracycline, calcium complex	N-outdr transplants	3.15	12	29.3	A
oxytetracycline, calcium complex	Pear	1,610.16	292	10,811.09	A
oxytetracycline, calcium complex	Pear, asian (oriental pear, ya, ya li, nashi)	12.5	6	60.0	A
oxytetracycline, calcium complex	Pome fruit	0.63	3	1.5	A
oxytetracycline hydrochloride	Apple	55.74	41	462.5	A
oxytetracycline hydrochloride	Landscape maintenance	64.45	N/A	N/A	N/A
oxytetracycline hydrochloride	N-outdr transplants	0.17	2	1.0	A
oxytetracycline hydrochloride	Pear	5,469.04	853	31,340.0	A
oxytetracycline hydrochloride	Structural pest control	0.1	N/A	N/A	N/A
oxytetracycline hydrochloride, other related	Apple	0.52	41	462.5	A
oxytetracycline hydrochloride, other related	Landscape maintenance	0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxytetracycline hydrochloride, other related	Pear	50.46	853	31,340.0	A
paclobutrazol	Golf course turf	137.15	15	935.05	A
paclobutrazol	Golf course turf	0.1	N/A	278,000.0	S
paclobutrazol	Landscape maintenance	8.46	7	50.61	A
paclobutrazol	Landscape maintenance	3,524.3	N/A	N/A	N/A
paclobutrazol	N-grnhs flower	34.74	7	306.54	A
paclobutrazol	N-grnhs flower	0.35	41	226,273.0	S
paclobutrazol	N-grnhs flower	0.02	1	4.0	U
paclobutrazol	N-grnhs plants in containers	36.72	2,367	1,645.03	A
paclobutrazol	N-grnhs plants in containers	39.15	1,617	39,541,749.35	S
paclobutrazol	N-grnhs transplants	28.37	4	166.26	A
paclobutrazol	N-grnhs transplants	13.99	1,471	10,162,500.0	S
paclobutrazol	N-outdr flower	<0.01	5	7.38	A
paclobutrazol	N-outdr flower	0.03	60	455,430.0	S
paclobutrazol	N-outdr plants in containers	23.08	1,173	891.25	A
paclobutrazol	N-outdr plants in containers	8.89	372	8,224,063.0	S
paclobutrazol	N-outdr plants in containers	0.11	7	71,593.0	U
paclobutrazol	N-outdr transplants	0.26	52	26.25	A
paclobutrazol	Onion, dry	0.32	2	0.42	A
paclobutrazol	Regulatory pest control	0.04	N/A	N/A	N/A
paclobutrazol	Research commodity	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
paclobutrazol	Rights of way	7,065.37	N/A	N/A	N/A
paclobutrazol	Structural pest control	0.07	N/A	N/A	N/A
paclobutrazol	Turf/sod	0.25	N/A	120,000.0	S
paclobutrazol	Water (industrial)	1.39	N/A	10.7	A
paecilomyces fumosoroseus apopka strain 97	Alfalfa	1.0	1	5.0	A
paecilomyces fumosoroseus apopka strain 97	Almond	244.0	19	1,132.86	A
paecilomyces fumosoroseus apopka strain 97	Apple	4.8	1	12.0	A
paecilomyces fumosoroseus apopka strain 97	Basil, sweet	20.95	44	47.78	A
paecilomyces fumosoroseus apopka strain 97	Bean, succulent	0.02	1	0.1	A
paecilomyces fumosoroseus apopka strain 97	Beet	33.04	5	89.54	A
paecilomyces fumosoroseus apopka strain 97	Blackberry	680.46	216	1,972.73	A
paecilomyces fumosoroseus apopka strain 97	Blueberry	22.5	10	89.26	A
paecilomyces fumosoroseus apopka strain 97	Bok choy	69.12	22	172.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>paecilomyces fumosoroseus apopka strain 97</b>	Broccoli	255.05	76	661.64	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cabbage	522.36	114	1,315.77	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cannabis (all or unspecified)	100.53	109	2,955.79	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cannabis (all or unspecified)	0.5	6	4,792.0	C
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cannabis (all or unspecified)	374.97	1,114	11,273,872.64	S
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cannabis (all or unspecified)	7.65	14	3,392.0	U
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cauliflower	884.99	274	2,215.49	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Celery	495.44	91	1,248.86	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Chive	2.13	9	14.05	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cilantro	0.23	2	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>paecilomyces fumosoroseus apopka strain 97</b>	Collard	134.06	82	335.43	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Corn, human consumption	164.74	7	477.85	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	County ag comm	0.06	N/A	N/A	N/A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Cucumber	365.84	86	953.61	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Dill	1.71	6	5.21	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Edible flowers	0.3	3	0.75	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Endive (escarole)	1.16	1	2.9	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Grape, wine	21.76	10	105.0	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Herb, spice	21.29	17	61.82	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Industrial hemp	0.62	2	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>paecilomyces fumosoroseus apopka strain 97</b>	Kale	1,013.18	153	2,568.85	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Landscape maintenance	0.24	N/A	N/A	N/A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Lemon	15.92	2	58.5	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Lettuce, head	130.56	17	348.9	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Lettuce, leaf	525.14	195	1,630.8	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Lettuce, leaf	18.06	6	1,458,072.0	S
<b>paecilomyces fumosoroseus apopka strain 97</b>	Mint	16.53	25	46.55	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Mustard greens	44.4	40	221.0	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	N-grnhs flower	3.84	33	241,778.0	S
<b>paecilomyces fumosoroseus apopka strain 97</b>	N-grnhs plants in containers	68.87	21	28.85	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>paecilomyces fumosoroseus apopka strain 97</b>	N-grnhs plants in containers	0.2	1	59,854.0	S
<b>paecilomyces fumosoroseus apopka strain 97</b>	N-grnhs transplants	9.88	77	30.94	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	N-outdr plants in containers	3.6	5	7.28	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	N-outdr transplants	286.17	172	785.56	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Nectarine	7.9	7	39.5	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Oregano	3.43	11	10.56	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Parsley	2.2	3	9.03	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Peach	11.5	11	57.5	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Pepper, fruiting	197.89	39	564.49	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Plum	118.66	20	395.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>paecilomyces fumosoroseus apopka strain 97</b>	Potato	0.1	1	0.25	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Radish	0.64	1	1.6	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Raspberry	279.03	145	1,068.2	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Research commodity	0.03	4	4,096.0	S
<b>paecilomyces fumosoroseus apopka strain 97</b>	Research commodity	0.04	N/A	N/A	N/A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Rosemary	4.83	6	13.15	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Spinach	294.66	91	1,470.6	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Squash, winter	15.0	2	68.0	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Strawberry	302.4	35	796.13	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Swiss chard	194.78	60	595.22	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>paecilomyces fumosoroseus apopka strain 97</b>	Tarragon	0.42	3	2.0	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Tomato	628.76	197	2,718.44	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Tomato, processing	14.0	2	70.0	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Tropical/subtropical fruit	0.04	1	0.2	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Upland cress	1.19	18	3.06	A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Vegetables, leafy	0.64	4	1.97	A
<b>purpureocillium lilacium strain 251</b>	Almond	83.98	7	349.9	A
<b>purpureocillium lilacium strain 251</b>	Avocado	6.24	2	26.0	A
<b>purpureocillium lilacium strain 251</b>	Beet	79.55	72	301.19	A
<b>purpureocillium lilacium strain 251</b>	Carrot	1,617.62	150	5,209.06	A
<b>purpureocillium lilacium strain 251</b>	Grape	665.16	36	2,802.88	A
<b>purpureocillium lilacium strain 251</b>	Grape, wine	184.76	18	769.65	A
<b>purpureocillium lilacium strain 251</b>	Kale	0.48	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
purpureocillium lilacium strain 251	Landscape maintenance	0.06	N/A	N/A	N/A
purpureocillium lilacium strain 251	Lemon	301.3	53	1,249.2	A
purpureocillium lilacium strain 251	Mustard greens	0.37	1	1.56	A
purpureocillium lilacium strain 251	Onion, dry	387.74	30	1,585.6	A
purpureocillium lilacium strain 251	Orange	0.96	1	4.0	A
purpureocillium lilacium strain 251	Parsnip	3.6	3	12.0	A
purpureocillium lilacium strain 251	Pepper, fruiting	6.6	2	41.0	A
purpureocillium lilacium strain 251	Rutabaga	4.8	4	16.0	A
purpureocillium lilacium strain 251	Sugarbeet	19.2	1	75.0	A
purpureocillium lilacium strain 251	Tangerine	0.96	1	4.0	A
purpureocillium lilacium strain 251	Tomato	0.92	7	6.56	A
purpureocillium lilacium strain 251	Tomato, processing	8.5	1	35.4	A
purpureocillium lilacium strain 251	Turnip greens	0.37	1	1.53	A
purpureocillium lilacium strain 251	Uncultivated ag	12.6	1	35.0	A
purpureocillium lilacium strain 251	Watermelon	31.2	4	174.0	A
paraffin wax	Landscape maintenance	0.02	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
paraquat dichloride	Alfalfa	60,415.65	1,475	86,029.4	A
paraquat dichloride	Almond	357,357.69	6,073	286,697.42	A
paraquat dichloride	Apple	1,705.77	86	1,266.81	A
paraquat dichloride	Apricot	13.49	2	11.17	A
paraquat dichloride	Artichoke, globe	763.13	40	578.1	A
paraquat dichloride	Avocado	31.3	11	54.25	A
paraquat dichloride	Barley	195.39	2	249.5	A
paraquat dichloride	Barley (forage - fodder)	82.74	2	80.0	A
paraquat dichloride	Bean, dried	28.2	1	45.0	A
paraquat dichloride	Bean, succulent	47.44	7	58.0	A
paraquat dichloride	Bean, unspecified	22.36	6	16.0	A
paraquat dichloride	Bermudagrass	879.67	16	1,019.1	A
paraquat dichloride	Bitter melon	8.62	2	10.0	A
paraquat dichloride	Blackberry	347.02	25	251.63	A
paraquat dichloride	Blueberry	648.34	34	715.92	A
paraquat dichloride	Bok choy	1.72	2	1.4	A
paraquat dichloride	Broccoli	374.15	31	290.25	A
paraquat dichloride	Cabbage	36.24	4	36.02	A
paraquat dichloride	Carrot	22.78	2	22.0	A
paraquat dichloride	Cauliflower	49.42	5	38.81	A
paraquat dichloride	Celery	667.53	24	611.8	A
paraquat dichloride	Cherry	4,777.48	266	3,565.1	A
paraquat dichloride	Chinese greens	0.69	1	2.0	A
paraquat dichloride	Citrus	20.44	1	15.0	A
paraquat dichloride	Corn (forage - fodder)	3,973.07	84	3,852.7	A
paraquat dichloride	Cotton	122,247.82	1,155	159,968.67	A
paraquat dichloride	Date	31.06	2	40.0	A
paraquat dichloride	Eggplant	70.48	11	94.0	A
paraquat dichloride	Fig	387.89	13	529.74	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
paraquat dichloride	Forage hay/silage	333.81	10	504.9	A
paraquat dichloride	Fumigation, other	13.84	N/A	N/A	N/A
paraquat dichloride	Gourds (edible)	10.54	3	10.0	A
paraquat dichloride	Grape	25,261.74	932	23,139.8	A
paraquat dichloride	Grape, wine	32,497.34	539	29,507.19	A
paraquat dichloride	Grapefruit	298.09	17	219.76	A
paraquat dichloride	Grass, seed	199.96	1	145.0	A
paraquat dichloride	Jujube	4.14	1	3.0	A
paraquat dichloride	Kiwi fruit fuzzy	481.02	34	556.08	A
paraquat dichloride	Landscape maintenance	12.06	N/A	N/A	N/A
paraquat dichloride	Lemon	1,533.16	70	1,160.32	A
paraquat dichloride	Lettuce, head	235.65	14	216.5	A
paraquat dichloride	Lettuce, leaf	155.83	11	133.0	A
paraquat dichloride	N-grnhs transplants	1.07	1	1.0	A
paraquat dichloride	N-outdr plants in containers	75.54	8	65.33	A
paraquat dichloride	N-outdr transplants	388.5	46	294.02	A
paraquat dichloride	Nectarine	953.02	55	995.57	A
paraquat dichloride	Olive	8,347.49	203	6,301.01	A
paraquat dichloride	Onion, dry	1,353.88	13	1,066.0	A
paraquat dichloride	Orange	2,014.59	66	1,503.95	A
paraquat dichloride	Pasture (forage - fodder)	1.04	1	1.0	A
paraquat dichloride	Peach	6,365.17	222	5,530.87	A
paraquat dichloride	Pear	108.1	5	84.5	A
paraquat dichloride	Pecan	384.68	15	274.27	A
paraquat dichloride	Pepper, fruiting	1,509.03	50	1,317.93	A
paraquat dichloride	Pepper, spice	51.72	1	37.0	A
paraquat dichloride	Persimmon	259.91	21	236.51	A
paraquat dichloride	Pistachio	68,025.69	792	57,813.01	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
paraquat dichloride	Plum	226.19	25	196.13	A
paraquat dichloride	Pomegranate	10,531.99	194	8,205.29	A
paraquat dichloride	Potato	246.85	5	358.0	A
paraquat dichloride	Prune	4,413.34	143	5,267.71	A
paraquat dichloride	Pumpkin	459.56	9	425.0	A
paraquat dichloride	Rangeland	4.53	3	12.0	A
paraquat dichloride	Raspberry	112.23	10	115.57	A
paraquat dichloride	Regulatory pest control	5.46	N/A	N/A	N/A
paraquat dichloride	Research commodity	1.33	3	2.74	A
paraquat dichloride	Rice	137.85	2	108.0	A
paraquat dichloride	Rights of way	304.71	24	263.25	A
paraquat dichloride	Rights of way	513.33	N/A	N/A	N/A
paraquat dichloride	Safflower	1,986.94	6	1,971.0	A
paraquat dichloride	Soil fumigation/preplant	45,006.23	234	40,024.98	A
paraquat dichloride	Sorghum (forage - fodder)	52.89	1	81.0	A
paraquat dichloride	Squash	216.05	18	175.0	A
paraquat dichloride	Squash, summer	19.85	3	52.0	A
paraquat dichloride	Squash, winter	32.41	2	34.5	A
paraquat dichloride	Strawberry	196.63	17	240.54	A
paraquat dichloride	Structural pest control	10.35	N/A	N/A	N/A
paraquat dichloride	Sunflower	11,707.76	204	14,331.37	A
paraquat dichloride	Tangerine	1,839.13	69	1,449.05	A
paraquat dichloride	Tomato	328.67	14	619.19	A
paraquat dichloride	Tomato, processing	15,514.64	98	13,481.26	A
paraquat dichloride	Uncultivated ag	17,653.54	659	13,647.25	A
paraquat dichloride	Uncultivated non-ag	29.88	4	33.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
paraquat dichloride	Walnut	36,416.48	1,116	29,632.8	A
paraquat dichloride	Watermelon	0.06	1	0.5	A
paraquat dichloride	Wheat	120.44	1	153.8	A
paraquat dichloride	Wheat (forage - fodder)	255.18	5	258.6	A
parathion	Almond	9.94	2	80.0	A
parathion	N-grnhs plants in containers	1.12	1	0.02	A
pcnb	Avocado	14.8	4	40.0	A
pcnb	Broccoli	34,275.36	127	1,485.59	A
pcnb	Brussels sprout	5,539.96	20	246.1	A
pcnb	Cauliflower	503.88	2	24.0	A
pcnb	Chinese broccoli (gai lon)	62.58	11	55.0	A
pcnb	County ag comm	52.49	N/A	N/A	N/A
pcnb	Golf course turf	38.87	N/A	6.2	A
pcnb	Landscape maintenance	4,630.62	N/A	N/A	N/A
pcnb	Lemon	0.6	1	2.0	A
pcnb	N-grnhs flower	209.0	N/A	11.0	A
pcnb	N-grnhs plants in containers	8.74	6	143,972.0	S
pcnb	N-grnhs transplants	8.65	8	2.4	A
pcnb	N-outdr flower	52.68	13	95.57	A
pcnb	N-outdr plants in containers	228.55	23	501.42	A
pcnb	N-outdr transplants	0.04	2	0.91	A
pcnb	N-outdr transplants	1.76	6	209,860.0	S
pcnb	Orange	4.8	1	17.0	A
pcnb	Turf/sod	57.75	N/A	3.0	A
pcnb	Turf/sod	93.04	N/A	240,000.0	S
pcp, other related	Almond	0.03	4	36.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pcp, other related	Citrus	0.65	1	3.0	A
pcp, other related	Grape, wine	0.12	1	26.0	A
pcp, other related	Landscape maintenance	0.13	N/A	N/A	N/A
pcp, other related	Pastureland	<0.01	2	46.0	A
pcp, other related	Rights of way	0.1	N/A	N/A	N/A
pcp, other related	Structural pest control	<0.01	N/A	N/A	N/A
pendimethalin	Alfalfa	564,481.09	4,660	266,247.13	A
pendimethalin	Almond	729,360.68	6,887	269,371.87	A
pendimethalin	Apple	745.51	19	273.13	A
pendimethalin	Apple	0.18	1	30.0	U
pendimethalin	Apricot	1,902.02	74	880.18	A
pendimethalin	Apricot	0.24	1	40.0	U
pendimethalin	Artichoke, globe	1,120.06	82	1,130.37	A
pendimethalin	Asparagus	2,761.5	15	797.8	A
pendimethalin	Bean, dried	4,035.92	95	3,999.07	A
pendimethalin	Bean, succulent	759.02	25	899.32	A
pendimethalin	Bean, unspecified	60.61	1	40.0	A
pendimethalin	Bermudagrass	734.72	25	309.5	A
pendimethalin	Blueberry	1,060.31	23	275.72	A
pendimethalin	Broccoli	31.49	2	42.0	A
pendimethalin	Carrot	19,730.53	506	21,484.83	A
pendimethalin	Cherry	13,562.07	388	5,210.37	A
pendimethalin	Citrus	977.44	17	252.98	A
pendimethalin	Corn (forage - fodder)	22,570.17	413	22,474.74	A
pendimethalin	Corn, grain	137.31	3	145.0	A
pendimethalin	Corn, human consumption	10,384.13	242	8,573.08	A
pendimethalin	Cotton	80,652.97	505	62,812.51	A
pendimethalin	County ag comm	102.52	N/A	N/A	N/A
pendimethalin	Eggplant	38.79	4	55.0	A
pendimethalin	Forage hay/silage	11.36	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pendimethalin	Garbanzo bean	544.35	13	582.0	A
pendimethalin	Garlic	21,249.93	328	22,817.2	A
pendimethalin	Golf course turf	15.15	N/A	3.9	A
pendimethalin	Grape	81,766.81	1,580	36,661.71	A
pendimethalin	Grape	0.21	1	50.0	U
pendimethalin	Grape, wine	133,663.45	3,056	53,445.03	A
pendimethalin	Grape, wine	1.7	1	12,900.0	S
pendimethalin	Grapefruit	894.05	24	345.95	A
pendimethalin	Grass, seed	428.58	58	263.6	A
pendimethalin	Kiwi fruit fuzzy	3,543.4	164	1,034.52	A
pendimethalin	Landscape maintenance	6.93	7	175.0	A
pendimethalin	Landscape maintenance	22,101.03	N/A	N/A	N/A
pendimethalin	Leek	279.46	56	296.16	A
pendimethalin	Lemon	5,427.93	107	2,199.11	A
pendimethalin	Lettuce, head	64.39	1	68.0	A
pendimethalin	N-grnhs flower	68.8	N/A	24.0	A
pendimethalin	N-grnhs flower	1.94	17	45,470.0	U
pendimethalin	N-grnhs plants in containers	9.82	11	8.49	A
pendimethalin	N-grnhs plants in containers	2.89	5	62,868.0	S
pendimethalin	N-outdr flower	205.65	6	44.75	A
pendimethalin	N-outdr plants in containers	5,018.26	1,934	2,444.9	A
pendimethalin	N-outdr plants in containers	39.84	64	626,639.1	S
pendimethalin	N-outdr plants in containers	1.71	6	9,380.0	U
pendimethalin	N-outdr transplants	1,640.86	94	1,183.66	A
pendimethalin	Nectarine	15,720.07	535	4,881.68	A
pendimethalin	Okra	11.9	3	21.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pendimethalin	Olive	9,551.03	108	3,635.78	A
pendimethalin	Olive	0.38	1	40.0	U
pendimethalin	Onion, dry	31,387.42	598	39,463.25	A
pendimethalin	Onion, green	0.95	1	2.0	A
pendimethalin	Orange	21,888.53	366	8,505.5	A
pendimethalin	Pastureland	277.62	10	202.95	A
pendimethalin	Pastureland	0.24	2	6,000.0	S
pendimethalin	Peach	28,251.99	969	9,253.04	A
pendimethalin	Peach	0.35	1	60.0	U
pendimethalin	Pear	829.7	20	321.95	A
pendimethalin	Pear, asian (oriental pear, ya, ya li, nashi)	59.65	4	21.5	A
pendimethalin	Pecan	3,816.04	72	1,545.75	A
pendimethalin	Pepper, fruiting	2,349.26	103	3,245.03	A
pendimethalin	Pepper, spice	102.85	10	131.5	A
pendimethalin	Pistachio	243,022.63	1,764	80,677.32	A
pendimethalin	Plum	12,913.83	498	4,305.53	A
pendimethalin	Pomegranate	21,233.84	142	5,893.61	A
pendimethalin	Pomelo	77.65	3	23.0	A
pendimethalin	Potato	9,795.13	180	13,303.4	A
pendimethalin	Prune	11,942.98	200	4,456.22	A
pendimethalin	Public health	5.68	N/A	N/A	N/A
pendimethalin	Rangeland	4.97	N/A	2.5	A
pendimethalin	Research commodity	99.75	45	78.04	A
pendimethalin	Research commodity	16.34	N/A	N/A	N/A
pendimethalin	Rice	14,132.38	233	14,560.04	A
pendimethalin	Rights of way	10,680.83	72	3,811.5	A
pendimethalin	Rights of way	23,224.77	N/A	N/A	N/A
pendimethalin	Safflower	7,776.33	21	5,626.0	A
pendimethalin	Soil fumigation/preplant	44,065.86	136	31,201.74	A
pendimethalin	Sorghum (forage - fodder)	270.02	5	304.03	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pendimethalin	Sorghum/milo	4,931.76	70	4,853.17	A
pendimethalin	Soybean	19.89	1	14.0	A
pendimethalin	Stone fruit	10.42	3	3.5	A
pendimethalin	Strawberry	9,110.74	176	8,682.61	A
pendimethalin	Structural pest control	33.05	N/A	N/A	N/A
pendimethalin	Sugarcane	75.76	1	28.0	A
pendimethalin	Sunflower	3,239.67	57	3,469.67	A
pendimethalin	Tangelo	499.83	11	169.5	A
pendimethalin	Tangerine	18,178.19	285	6,714.62	A
pendimethalin	Tomato	2,747.77	103	3,367.89	A
pendimethalin	Tomato, processing	33,124.94	530	39,137.46	A
pendimethalin	Triticale	59.66	3	42.0	A
pendimethalin	Turf/sod	2,059.24	47	1,572.59	A
pendimethalin	Uncultivated ag	11,680.52	218	8,677.35	A
pendimethalin	Uncultivated ag	0.76	3	16,460.0	S
pendimethalin	Uncultivated ag	0.02	1	439.0	U
pendimethalin	Uncultivated non-ag	764.22	16	302.7	A
pendimethalin	Walnut	100,296.06	1,837	36,603.29	A
pendimethalin	Water area	416.66	N/A	0.02	U
pendimethalin	Watermelon	75.76	2	65.0	A
pendimethalin	Wheat	1,602.1	30	1,276.5	A
pendimethalin	Wheat (forage - fodder)	6,353.19	93	6,726.62	A
penflufen	Onion, dry	14.59	N/A	15,936.36	P
penflufen	Onion, green	0.84	N/A	359.51	P
penoxsulam	Almond	1,560.6	1,897	78,600.75	A
penoxsulam	Cherry	6.28	25	315.08	A
penoxsulam	Ditch bank	7.53	N/A	1,000.0	U
penoxsulam	Forest, timberland	405.58	226	14,147.59	A
penoxsulam	Golf course turf	1.17	N/A	119.0	A
penoxsulam	Golf course turf	<0.01	N/A	2,000.0	S
penoxsulam	Landscape maintenance	0.8	6	176.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
penoxsulam	Landscape maintenance	204.89	N/A	N/A	N/A
penoxsulam	N-grnhs flower	2.11	N/A	164.88	A
penoxsulam	N-grnhs flower	0.63	N/A	646,000.0	S
penoxsulam	N-grnhs transplants	0.29	N/A	29.75	A
penoxsulam	N-outdr flower	0.39	N/A	10.0	A
penoxsulam	N-outdr plants in containers	0.04	1	33,750.0	S
penoxsulam	Nectarine	5.93	42	241.72	A
penoxsulam	Olive	3.42	16	165.14	A
penoxsulam	Peach	10.59	75	472.02	A
penoxsulam	Pear	0.23	1	15.2	A
penoxsulam	Pecan	2.78	11	197.5	A
penoxsulam	Pistachio	683.87	559	27,791.79	A
penoxsulam	Plum	4.27	42	177.05	A
penoxsulam	Pomegranate	58.33	66	2,413.75	A
penoxsulam	Prune	10.79	17	516.85	A
penoxsulam	Rangeland	0.33	2	112.0	A
penoxsulam	Research commodity	0.03	N/A	N/A	N/A
penoxsulam	Rice	2,885.09	1,079	77,940.04	A
penoxsulam	Rights of way	12.48	15	322.97	A
penoxsulam	Rights of way	808.9	N/A	N/A	N/A
penoxsulam	Structural pest control	0.32	N/A	N/A	N/A
penoxsulam	Turf/sod	<0.01	N/A	3.0	A
penoxsulam	Uncultivated ag	6.65	20	316.6	A
penoxsulam	Uncultivated non-ag	9.15	5	239.0	A
penoxsulam	Vertebrate control	11.95	N/A	N/A	N/A
penoxsulam	Walnut	286.12	647	13,965.67	A
penoxsulam	Water area	1.26	1	27.65	A
penoxsulam	Water area	0.06	N/A	3,700.0	S
pentachlorophenol	Almond	0.24	4	36.0	A
pentachlorophenol	Citrus	5.76	1	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pentachlorophenol	Grape, wine	1.04	1	26.0	A
pentachlorophenol	Landscape maintenance	1.11	N/A	N/A	N/A
pentachlorophenol	Pastureland	0.03	2	46.0	A
pentachlorophenol	Rights of way	0.93	N/A	N/A	N/A
pentachlorophenol	Structural pest control	0.06	N/A	N/A	N/A
pentane	Structural pest control	0.62	N/A	N/A	N/A
penthiopyrad	Almond	73,612.11	4,676	324,657.52	A
penthiopyrad	Apple	17.88	7	66.7	A
penthiopyrad	Apricot	390.02	118	1,658.58	A
penthiopyrad	Arugula	0.22	1	1.0	A
penthiopyrad	Bean, dried	18.21	3	100.0	A
penthiopyrad	Bean, succulent	265.97	62	1,015.41	A
penthiopyrad	Beet	169.73	135	603.83	A
penthiopyrad	Bok choy	94.72	110	415.86	A
penthiopyrad	Broccoli	785.32	138	2,744.23	A
penthiopyrad	Brussels sprout	1,461.73	372	5,247.22	A
penthiopyrad	Cabbage	772.47	209	2,515.62	A
penthiopyrad	Cantaloupe	294.3	28	1,481.04	A
penthiopyrad	Carrot	775.44	56	2,525.06	A
penthiopyrad	Cauliflower	670.58	183	2,076.97	A
penthiopyrad	Celeriac	17.33	30	64.85	A
penthiopyrad	Celery	966.34	279	3,454.93	A
penthiopyrad	Cherry	2,607.05	552	10,880.72	A
penthiopyrad	Chinese cabbage (napa, won bok, celery cabbage)	115.59	97	409.95	A
penthiopyrad	Cilantro	1.04	2	4.0	A
penthiopyrad	Collard	15.86	18	50.81	A
penthiopyrad	Cucumber	5.69	4	28.0	A
penthiopyrad	Daikon	5.73	1	20.0	A
penthiopyrad	Dandelion green	4.0	12	12.81	A
penthiopyrad	Eggplant	58.07	12	250.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
penthiopyrad	Endive (escarole)	8.53	22	32.85	A
penthiopyrad	Fava bean	11.54	49	52.3	A
penthiopyrad	Fennel	39.58	28	161.45	A
penthiopyrad	Gai lon	116.97	8	702.0	A
penthiopyrad	Garlic	1,282.93	125	4,286.1	A
penthiopyrad	Golf course turf	356.66	6	388.45	A
penthiopyrad	Golf course turf	18.75	1	1,024,130.5	S
penthiopyrad	Grape	8.33	1	40.0	A
penthiopyrad	Kale	113.28	99	483.25	A
penthiopyrad	Kohlrabi	1.27	1	4.88	A
penthiopyrad	Landscape maintenance	6.88	5	13.7	A
penthiopyrad	Landscape maintenance	1.72	1	120,000.0	S
penthiopyrad	Landscape maintenance	1,345.34	N/A	N/A	N/A
penthiopyrad	Leek	155.19	91	550.38	A
penthiopyrad	Lettuce, head	2,694.38	887	11,189.37	A
penthiopyrad	Lettuce, leaf	3,078.63	1,231	11,593.07	A
penthiopyrad	Melon	444.71	40	2,230.0	A
penthiopyrad	Mustard	3.87	12	12.41	A
penthiopyrad	Mustard greens	7.75	11	24.82	A
penthiopyrad	N-grnhs flower	50.63	N/A	68.2	A
penthiopyrad	N-grnhs flower	9.97	N/A	670,000.0	S
penthiopyrad	N-grnhs plants in containers	1.72	N/A	110,000.0	S
penthiopyrad	N-grnhs transplants	37.33	17	132.62	A
penthiopyrad	N-grnhs transplants	7.1	10	1,617,336.0	S
penthiopyrad	N-outdr flower	1.69	N/A	110,000.0	S
penthiopyrad	N-outdr plants in containers	3.28	1	14.0	A
penthiopyrad	N-outdr transplants	28.63	15	93.26	A
penthiopyrad	N-outdr transplants	0.47	N/A	30.0	K
penthiopyrad	N-outdr transplants	44.73	98	10,194,303.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
penthiopyrad	Nectarine	1,200.67	296	5,014.15	A
penthiopyrad	Onion, dry	3,473.98	196	13,026.33	A
penthiopyrad	Onion, dry	<0.01	1	1,040.0	S
penthiopyrad	Parsley	211.27	218	722.48	A
penthiopyrad	Peach	2,916.87	580	12,586.9	A
penthiopyrad	Pear	30.14	6	115.75	A
penthiopyrad	Peas	405.12	175	1,535.22	A
penthiopyrad	Pepper, fruiting	634.33	77	2,493.96	A
penthiopyrad	Pepper, spice	5.2	2	16.65	A
penthiopyrad	Pistachio	13,716.92	729	59,360.02	A
penthiopyrad	Plum	671.46	249	2,698.37	A
penthiopyrad	Pluot	0.39	1	1.66	A
penthiopyrad	Potato	37.58	20	1,216.0	A
penthiopyrad	Prune	4.17	2	16.0	A
penthiopyrad	Pumpkin	83.35	19	400.19	A
penthiopyrad	Radicchio	46.58	4	229.0	A
penthiopyrad	Radish	24.75	5	79.19	A
penthiopyrad	Research commodity	8.86	36	43.59	A
penthiopyrad	Research commodity	2.86	33	340,120.0	S
penthiopyrad	Root vegetable	3.05	13	11.96	A
penthiopyrad	Spinach	41.82	28	146.06	A
penthiopyrad	Squash	61.38	14	297.5	A
penthiopyrad	Squash, summer	34.2	11	166.3	A
penthiopyrad	Squash, winter	12.49	3	60.0	A
penthiopyrad	Strawberry	8,811.93	945	29,153.35	A
penthiopyrad	Swiss chard	61.24	157	196.13	A
penthiopyrad	Tomatillo	0.42	1	2.0	A
penthiopyrad	Tomato	596.4	71	2,298.14	A
penthiopyrad	Tomato	0.38	11	28,440.0	S
penthiopyrad	Tomato, processing	992.04	62	3,844.25	A
penthiopyrad	Turf/sod	14.01	2	22.1	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
penthiopyrad	Turnip	29.92	58	95.76	A
penthiopyrad	Uncultivated ag	16.63	1	160.0	A
penthiopyrad	Upland cress	4.0	8	17.1	A
penthiopyrad	Vegetables, fruiting	<0.01	1	0.01	A
penthiopyrad	Vegetables, leafy	0.69	4	3.5	A
penthiopyrad	Walnut	1,278.69	109	5,175.73	A
penthiopyrad	Watermelon	208.62	20	1,029.3	A
permethrin	Alfalfa	6,368.19	616	38,384.44	A
permethrin	Almond	3,546.85	231	14,059.51	A
permethrin	Animal premise	6.0	1	75.0	A
permethrin	Animal premise	75.21	N/A	432,713.0	S
permethrin	Animal premise	1,067.96	N/A	555.0	U
permethrin	Artichoke, globe	1,777.48	428	6,303.11	A
permethrin	Arugula	230.62	270	1,501.01	A
permethrin	Asparagus	34.31	7	345.0	A
permethrin	Bok choy	4.18	14	12.3	A
permethrin	Bok choy	0.16	2	26,000.0	S
permethrin	Broccoli	2,790.72	1,284	17,499.17	A
permethrin	Brussels sprout	139.32	132	1,412.85	A
permethrin	Cabbage	887.19	608	5,361.66	A
permethrin	Cannabis (all or unspecified)	<0.01	1	4,000.0	S
permethrin	Cantaloupe	445.5	68	3,153.6	A
permethrin	Cardoon	1.82	3	9.3	A
permethrin	Cauliflower	515.17	512	5,078.13	A
permethrin	Celery	7,291.47	4,573	43,891.86	A
permethrin	Celery	0.06	1	10,000.0	S
permethrin	Cherry	225.88	37	1,164.95	A
permethrin	Chinese amaranth (chinese spinach, tampala, yin choy)	0.55	2	2.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
permethrin	Chinese amaranth (chinese spinach, tampala, yin choy)	1.49	15	248,000.0	S
permethrin	Chinese cabbage (napa, won bok, celery cabbage)	149.07	172	787.15	A
permethrin	Chinese cabbage (napa, won bok, celery cabbage)	0.14	2	22,000.0	S
permethrin	Chive	0.8	3	0.75	A
permethrin	Christmas tree	0.79	N/A	1.0	A
permethrin	Chrysanthemum, edible leaved	1.3	8	6.0	A
permethrin	Chrysanthemum, garland	0.4	1	1.0	A
permethrin	Collard	1.56	5	8.0	A
permethrin	Corn (forage - fodder)	507.88	107	3,538.89	A
permethrin	Corn, human consumption	1,250.16	190	7,409.68	A
permethrin	Cucumber	2.43	3	10.0	A
permethrin	Dandelion green	4.7	19	26.13	A
permethrin	Eggplant	16.37	7	115.0	A
permethrin	Endive (escarole)	41.37	284	288.42	A
permethrin	Fennel	27.65	28	172.33	A
permethrin	Forest, timberland	31.45	N/A	42.0	U
permethrin	Gai choy	1.96	4	3.0	A
permethrin	Gai choy	0.13	2	20,000.0	S
permethrin	Garlic	23.17	4	115.5	A
permethrin	Gourds (edible)	0.8	1	1.0	A
permethrin	Kale	10.18	12	53.6	A
permethrin	Kohlrabi	0.43	2	4.33	A
permethrin	Landscape maintenance	8,718.3	N/A	N/A	N/A
permethrin	Lettuce, head	12,469.23	5,821	72,621.41	A
permethrin	Lettuce, leaf	16,321.67	9,665	99,950.03	A
permethrin	Melon	149.49	41	1,680.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
permethrin	Mushroom	111.06	827	9,920,187.94	S
permethrin	Mushroom house	26.56	265	1,509,800.0	S
permethrin	N-grnhs flower	21.32	62	115.0	A
permethrin	N-grnhs flower	156.86	68	25,290,844.0	S
permethrin	N-grnhs flower	32.69	N/A	806.0	U
permethrin	N-grnhs plants in containers	176.37	506	543.41	A
permethrin	N-grnhs plants in containers	24.19	84	2,738,682.0	S
permethrin	N-grnhs plants in containers	0.74	8	74,966.26	U
permethrin	N-grnhs transplants	116.38	1,828	684.86	A
permethrin	N-grnhs transplants	16.02	59	2,119,010.0	S
permethrin	N-outdr flower	889.05	858	5,236.8	A
permethrin	N-outdr flower	0.3	5	20,002.2	S
permethrin	N-outdr plants in containers	623.48	614	2,176.65	A
permethrin	N-outdr plants in containers	16.05	35	1,233,500.0	S
permethrin	N-outdr plants in containers	0.52	5	99,958.4	U
permethrin	N-outdr transplants	7.58	91	92.0	A
permethrin	N-outdr transplants	15.35	78	4,349,503.0	S
permethrin	N-outdr transplants	2.24	N/A	74.0	U
permethrin	Onion, dry	2,443.63	160	10,259.1	A
permethrin	Parsley	346.73	192	2,333.33	A
permethrin	Peach	323.82	55	1,311.89	A
permethrin	Peas	0.28	4	1.9	A
permethrin	Pepper, fruiting	208.53	38	1,077.7	A
permethrin	Pepper, fruiting	0.02	1	3,800.0	S
permethrin	Pistachio	22,979.19	889	79,123.88	A
permethrin	Potato	163.98	10	818.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
permethrin	Public health	13,544.58	N/A	N/A	N/A
permethrin	Pumpkin	40.76	11	215.75	A
permethrin	Radicchio	114.04	99	797.52	A
permethrin	Regulatory pest control	364.67	N/A	N/A	N/A
permethrin	Research commodity	1.35	5	12.6	A
permethrin	Research commodity	0.03	3	19,500.0	S
permethrin	Research commodity	0.27	N/A	N/A	N/A
permethrin	Residential	0.04	N/A	2,750.0	S
permethrin	Rights of way	1.2	1	2.0	A
permethrin	Rights of way	5.01	N/A	N/A	N/A
permethrin	Soil fumigation/preplant	1.97	1	7.5	A
permethrin	Spinach	8,774.19	5,858	58,104.53	A
permethrin	Squash	2.43	5	14.5	A
permethrin	Squash, summer	0.64	1	1.0	A
permethrin	Structural pest control	38,012.56	N/A	N/A	N/A
permethrin	Swiss chard	96.62	299	529.15	A
permethrin	Tomato	281.31	69	3,394.76	A
permethrin	Tomato, processing	355.8	33	3,951.8	A
permethrin	Uncultivated ag	0.19	1	2.5	A
permethrin	Upland cress	0.17	1	1.4	A
permethrin	Walnut	7,005.39	567	28,089.61	A
permethrin	Watermelon	85.44	16	642.4	A
permethrin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
permethrin, other related	Regulatory pest control	<0.01	N/A	N/A	N/A
permethrin, other related	Structural pest control	0.27	N/A	N/A	N/A
peroxyacetic acid	Almond	6,880.17	316	31,249.07	A
peroxyacetic acid	Animal premise	45.49	N/A	73.68	A
peroxyacetic acid	Animal premise	76.59	N/A	2,400,800.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
peroxyacetic acid	Animal premise	1,518.51	N/A	758,640.0	U
peroxyacetic acid	Apple	46.68	20	212.5	A
peroxyacetic acid	Arugula	360.97	164	1,086.25	A
peroxyacetic acid	Arugula	6.86	1	20,000.0	S
peroxyacetic acid	Arugula	12.33	156	109,250.0	U
peroxyacetic acid	Avocado	36.75	4	8.5	A
peroxyacetic acid	Avocado	0.57	3	12,500.0	U
peroxyacetic acid	Basil, sweet	2.85	22	67.7	A
peroxyacetic acid	Bean, succulent	4.39	2	31.3	A
peroxyacetic acid	Bean, unspecified	0.62	1	4.5	A
peroxyacetic acid	Beet	26.48	19	312.9	A
peroxyacetic acid	Beet	6.86	1	20,000.0	S
peroxyacetic acid	Beet	3.36	49	34,300.0	U
peroxyacetic acid	Blackberry	93.42	81	295.12	A
peroxyacetic acid	Blueberry	414.93	163	4,545.1	A
peroxyacetic acid	Bok choy	5.68	6	61.8	A
peroxyacetic acid	Bok choy	6.86	1	20,000.0	S
peroxyacetic acid	Bok choy	10.46	155	108,550.0	U
peroxyacetic acid	Broccoli	24.91	118	833.21	A
peroxyacetic acid	Brussels sprout	37.55	13	193.9	A
peroxyacetic acid	Cabbage	57.89	138	3,045.2	A
peroxyacetic acid	Cannabis (all or unspecified)	12.32	87	32.78	A
peroxyacetic acid	Cannabis (all or unspecified)	<0.01	2	336.0	C
peroxyacetic acid	Cannabis (all or unspecified)	137.53	1,605	4,909,041.0	S
peroxyacetic acid	Carrot	413.9	30	1,607.8	A
peroxyacetic acid	Cauliflower	28.97	107	1,016.39	A
peroxyacetic acid	Celery	887.69	168	3,053.91	A
peroxyacetic acid	Cherry	120.57	43	647.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
peroxyacetic acid	Chive	0.36	1	2.0	A
peroxyacetic acid	Cilantro	155.11	34	288.95	A
peroxyacetic acid	Citrus	1.84	15	46.04	A
peroxyacetic acid	Citrus	3,744.22	N/A	437,316.8	T
peroxyacetic acid	Citrus	0.32	2	1,500.0	U
peroxyacetic acid	Collard	75.96	33	110.51	A
peroxyacetic acid	Commodity fumigation	4,089.39	N/A	N/A	N/A
peroxyacetic acid	Corn, human consumption	3.46	1	32.0	A
peroxyacetic acid	Cucumber	62.52	52	199.62	A
peroxyacetic acid	Cucumber	0.01	1	2,000.0	S
peroxyacetic acid	Dill	5.92	7	11.9	A
peroxyacetic acid	Ditch bank	653.42	N/A	592.0	A
peroxyacetic acid	Ditch bank	92,680.89	N/A	550,088.02	U
peroxyacetic acid	Eggplant	4.18	3	67.0	A
peroxyacetic acid	Endive (escarole)	0.09	22	25.41	A
peroxyacetic acid	Farm/ag building	2.68	8	2,207.0	S
peroxyacetic acid	Fennel	1.79	31	83.09	A
peroxyacetic acid	Fennel	6.86	1	20,000.0	S
peroxyacetic acid	Fennel	3.36	49	34,300.0	U
peroxyacetic acid	Food processing plant	124.35	N/A	109,667.96	T
peroxyacetic acid	Food processing plant	13.09	N/A	0.01	U
peroxyacetic acid	Fumigation, other	19.23	N/A	N/A	N/A
peroxyacetic acid	Garlic	246.36	44	2,837.12	A
peroxyacetic acid	Golf course turf	3.68	N/A	5.0	A
peroxyacetic acid	Grape	3,673.91	450	18,843.47	A
peroxyacetic acid	Grape, wine	2,536.63	443	12,059.7	A
peroxyacetic acid	Grapefruit	145.91	N/A	18,340.56	T
peroxyacetic acid	Greenhouse fumigation	1.04	N/A	540.0	U
peroxyacetic acid	Herb, spice	9.46	66	66,400.0	?
peroxyacetic acid	Herb, spice	0.32	4	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
peroxyacetic acid	Industrial hemp	0.39	2	11,500.0	S
peroxyacetic acid	Industrial processing water	55.94	N/A	53,046.0	U
peroxyacetic acid	Industrial site	0.44	N/A	46,380.0	S
peroxyacetic acid	Kale	577.28	241	1,875.52	A
peroxyacetic acid	Kale	6.86	1	20,000.0	S
peroxyacetic acid	Kale	10.46	155	108,500.0	U
peroxyacetic acid	Landscape maintenance	150.18	N/A	N/A	N/A
peroxyacetic acid	Lemon	0.74	1	4.0	A
peroxyacetic acid	Lemon	1,706.25	N/A	168,868.71	T
peroxyacetic acid	Lettuce, head	388.65	1,732	42,391.44	A
peroxyacetic acid	Lettuce, leaf	5,916.35	1,859	37,381.01	A
peroxyacetic acid	Lettuce, leaf	6.95	2	20,800.0	S
peroxyacetic acid	Lettuce, leaf	10.46	155	108,550.0	U
peroxyacetic acid	Lime	0.61	N/A	31.86	T
peroxyacetic acid	Melon	1.38	5	3.32	A
peroxyacetic acid	Mint	0.04	1	0.6	A
peroxyacetic acid	Mizuna	162.69	72	367.65	A
peroxyacetic acid	Mushroom	<0.01	3	2,700.0	S
peroxyacetic acid	Mustard	22.82	51	281.96	A
peroxyacetic acid	Mustard	6.86	1	20,000.0	S
peroxyacetic acid	Mustard	10.46	155	108,550.0	U
peroxyacetic acid	Mustard greens	1.5	10	62.99	A
peroxyacetic acid	N-grnhs flower	11.61	24	32.0	A
peroxyacetic acid	N-grnhs flower	1.63	31	138,817.0	S
peroxyacetic acid	N-grnhs flower	0.37	1	14.0	U
peroxyacetic acid	N-grnhs plants in containers	105.96	335	445.55	A
peroxyacetic acid	N-grnhs plants in containers	2.67	33	510,050.0	S
peroxyacetic acid	N-grnhs transplants	27.38	104	99.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
peroxyacetic acid	N-grnhs transplants	4.3	105	897,025.0	S
peroxyacetic acid	N-outdr flower	662.38	127	313.99	A
peroxyacetic acid	N-outdr plants in containers	60.13	126	318.78	A
peroxyacetic acid	N-outdr plants in containers	3.91	26	664,387.0	S
peroxyacetic acid	N-outdr transplants	26.08	46	190.27	A
peroxyacetic acid	N-outdr transplants	0.17	6	203,416.0	S
peroxyacetic acid	Nectarine	146.78	68	630.78	A
peroxyacetic acid	Onion, dry	1,447.09	57	2,564.13	A
peroxyacetic acid	Onion, dry	0.01	2	2,000.0	S
peroxyacetic acid	Onion, dry	9.6	N/A	5,200.0	T
peroxyacetic acid	Onion, green	1.56	6	18.1	A
peroxyacetic acid	Orange	36.37	N/A	56.0	A
peroxyacetic acid	Orange	2,220.3	N/A	686,161.66	T
peroxyacetic acid	Oregano	0.19	4	5.0	A
peroxyacetic acid	Parsley	17.74	24	69.04	A
peroxyacetic acid	Peach	397.61	99	969.77	A
peroxyacetic acid	Pear	4.45	9	63.8	A
peroxyacetic acid	Pear, asian (oriental pear, ya, ya li, nashi)	3.56	5	44.25	A
peroxyacetic acid	Peas	1.28	2	12.75	A
peroxyacetic acid	Pecan	<0.01	1	1,000.0	S
peroxyacetic acid	Pepper, fruiting	171.56	48	2,025.32	A
peroxyacetic acid	Pistachio	485.56	17	2,068.0	A
peroxyacetic acid	Plum	19.31	36	345.14	A
peroxyacetic acid	Potato	150.18	9	410.5	A
peroxyacetic acid	Potato	26.06	N/A	13,935.0	T
peroxyacetic acid	Pumpkin	11.97	12	159.24	A
peroxyacetic acid	Quince	3.68	4	20.0	A
peroxyacetic acid	Radicchio	8.27	1	74.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
peroxyacetic acid	Radish	3.0	5	26.9	A
peroxyacetic acid	Raspberry	215.88	101	712.31	A
peroxyacetic acid	Regulatory pest control	<0.01	1	1.0	U
peroxyacetic acid	Regulatory pest control	1.84	N/A	N/A	N/A
peroxyacetic acid	Research commodity	0.79	20	1.29	A
peroxyacetic acid	Research commodity	1.38	133	583,565.0	S
peroxyacetic acid	Research commodity	0.57	N/A	N/A	N/A
peroxyacetic acid	Rights of way	912.56	N/A	N/A	N/A
peroxyacetic acid	Rosemary	0.37	4	4.42	A
peroxyacetic acid	Rutabaga	0.09	1	2.3	A
peroxyacetic acid	Sage	0.54	7	10.39	A
peroxyacetic acid	Spinach	1,836.22	646	6,331.04	A
peroxyacetic acid	Squash	23.33	23	386.69	A
peroxyacetic acid	Squash, summer	0.74	2	1.2	A
peroxyacetic acid	Squash, winter	0.02	1	2,000.0	S
peroxyacetic acid	Strawberry	1,518.82	384	4,568.04	A
peroxyacetic acid	Strawberry	0.02	2	1,600.0	S
peroxyacetic acid	Structural pest control	0.61	N/A	N/A	N/A
peroxyacetic acid	Sunflower	0.14	1	70.0	A
peroxyacetic acid	Swiss chard	327.54	94	977.38	A
peroxyacetic acid	Tangelo	101.46	N/A	13,524.01	T
peroxyacetic acid	Tangerine	406.99	35	623.1	A
peroxyacetic acid	Tangerine	287.69	N/A	32,964.56	T
peroxyacetic acid	Tomatillo	0.07	1	0.1	A
peroxyacetic acid	Tomato	129.69	67	1,197.8	A
peroxyacetic acid	Tomato	<0.01	4	10,440.0	S
peroxyacetic acid	Tomato, processing	111.08	53	2,432.6	A
peroxyacetic acid	Turnip	1.1	1	12.0	A
peroxyacetic acid	Uncultivated ag	20.3	10	50.44	A
peroxyacetic acid	Uncultivated ag	0.36	2	20,005.0	S
peroxyacetic acid	Vegetables, leafy	3.77	6	57.07	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
peroxyacetic acid	Walnut	3.01	1	32.76	A
peroxyacetic acid	Water (industrial)	79.52	N/A	57.15	A
peroxyacetic acid	Water (industrial)	148.38	N/A	31,919.0	T
peroxyacetic acid	Water (industrial)	7,276.67	N/A	94,432.01	U
peroxyacetic acid	Water area	28.79	N/A	1.0	A
peroxyacetic acid	Water area	117.78	N/A	25,157.5	T
peroxyacetic acid	Water area	96,617.1	N/A	118,596.85	U
peroxyacetic acid	Water washer/cooler/condenser systems	57.6	N/A	0.03	U
peroxyacetic acid	Watermelon	86.46	9	362.2	A
petroleum distillates	Alfalfa	2.76	2	17.0	A
petroleum distillates	Almond	557.58	25	777.92	A
petroleum distillates	Broccoli	7.69	5	54.1	A
petroleum distillates	Cabbage	<0.01	1	9.97	A
petroleum distillates	Cauliflower	29.5	18	196.85	A
petroleum distillates	Celery	2.99	1	22.0	A
petroleum distillates	Cherry	21.08	6	128.5	A
petroleum distillates	Commodity fumigation	1.4	N/A	N/A	N/A
petroleum distillates	Corn (forage - fodder)	16.59	2	150.0	A
petroleum distillates	Cotton	41.8	7	255.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
petroleum distillates	Fumigation, other	0.31	N/A	N/A	N/A
petroleum distillates	Grape, wine	104.35	4	93.94	A
petroleum distillates	Kiwi fruit fuzzy	4.93	1	30.0	A
petroleum distillates	Landscape maintenance	9.48	N/A	N/A	N/A
petroleum distillates	N-grnhs plants in containers	0.42	2	36,000.0	S
petroleum distillates	N-outdr plants in containers	0.44	2	8.0	A
petroleum distillates	N-outdr plants in containers	1.49	2	30,000.0	S
petroleum distillates	Oat (forage - fodder)	1.85	1	47.0	A
petroleum distillates	Orange	16.66	1	9.0	A
petroleum distillates	Peach	79.97	2	24.0	A
petroleum distillates	Pistachio	47.51	4	96.67	A
petroleum distillates	Prune	33.32	1	10.0	A
petroleum distillates	Public health	366.96	N/A	N/A	N/A
petroleum distillates	Rapini	<0.01	1	21.0	A
petroleum distillates	Regulatory pest control	0.38	N/A	N/A	N/A
petroleum distillates	Research commodity	1.59	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
petroleum distillates	Rice	0.2	1	10.0	A
petroleum distillates	Rights of way	10.83	N/A	N/A	N/A
petroleum distillates	Sod farm (turf)	6.88	7	126.0	A
petroleum distillates	Strawberry	11.78	3	95.4	A
petroleum distillates	Structural pest control	462.3	N/A	N/A	N/A
petroleum distillates	Sunflower	47.9	1	100.0	A
petroleum distillates	Tangerine	16.66	1	11.0	A
petroleum distillates	Turf/sod	26.0	25	475.8	A
petroleum distillates	Uncultivated non-ag	41.3	N/A	13.0	A
petroleum distillates	Walnut	131.68	6	96.2	A
petroleum distillates, aliphatic	Almond	83.02	2	53.0	A
petroleum distillates, aliphatic	Grape	18.87	2	40.0	A
petroleum distillates, aliphatic	Pistachio	150.94	2	160.0	A
petroleum distillates, aromatic	Cabbage	<0.01	1	9.97	A
petroleum distillates, aromatic	Landscape maintenance	13.41	N/A	N/A	N/A
petroleum distillates, aromatic	Rapini	0.02	1	21.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>petroleum distillates, aromatic</b>	Structural pest control	0.6	N/A	N/A	N/A
<b>petroleum distillates, refined</b>	Landscape maintenance	55.94	N/A	N/A	N/A
<b>petroleum distillates, refined</b>	N-grnhs flower	28.31	2	1.75	A
<b>petroleum distillates, refined</b>	N-grnhs plants in containers	66.83	17	32.5	A
<b>petroleum distillates, refined</b>	N-grnhs transplants	6.64	N/A	8,000.0	S
<b>petroleum distillates, refined</b>	N-outdr flower	12.39	2	1.55	A
<b>petroleum distillates, refined</b>	N-outdr plants in containers	22.62	4	3.06	A
<b>petroleum distillates, refined</b>	Research commodity	4.31	N/A	N/A	N/A
<b>petroleum distillates, refined</b>	Structural pest control	12.44	N/A	N/A	N/A
<b>petroleum hydrocarbons</b>	Alfalfa	13.08	1	38.7	A
<b>petroleum hydrocarbons</b>	Grape	7.92	1	36.0	A
<b>petroleum hydrocarbons</b>	Grape, wine	4.58	4	26.35	A
<b>petroleum hydrocarbons</b>	Landscape maintenance	0.42	N/A	N/A	N/A
<b>petroleum hydrocarbons</b>	Onion, dry	30.86	1	150.0	A
<b>petroleum hydrocarbons</b>	Rights of way	19.57	1	3.0	A
<b>petroleum hydrocarbons</b>	Walnut	40.65	7	109.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
petroleum oil, paraffin based	Alfalfa	560.69	9	461.2	A
petroleum oil, paraffin based	Almond	4,130.39	91	2,963.89	A
petroleum oil, paraffin based	Apple	1,405.57	20	352.5	A
petroleum oil, paraffin based	Cherry	154.34	8	80.18	A
petroleum oil, paraffin based	Corn (forage - fodder)	67.97	4	60.0	A
petroleum oil, paraffin based	Corn, human consumption	101.33	3	150.0	A
petroleum oil, paraffin based	Cotton	973.53	20	1,517.8	A
petroleum oil, paraffin based	Forest, timberland	13.67	N/A	50.0	A
petroleum oil, paraffin based	Garbanzo bean	36.92	1	120.0	A
petroleum oil, paraffin based	Garlic	59.15	1	78.3	A
petroleum oil, paraffin based	Grape	1,345.25	50	2,602.75	A
petroleum oil, paraffin based	Grape, wine	2,336.98	60	1,647.12	A
petroleum oil, paraffin based	Landscape maintenance	623.41	N/A	N/A	N/A
petroleum oil, paraffin based	Lemon	94.56	7	217.12	A
petroleum oil, paraffin based	Lettuce, leaf	212.71	2	188.2	A
petroleum oil, paraffin based	N-grnhs plants in containers	0.14	1	25,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
petroleum oil, paraffin based	N-outdr plants in containers	2.63	2	1.25	A
petroleum oil, paraffin based	N-outdr plants in containers	0.38	1	100.0	U
petroleum oil, paraffin based	Onion, dry	385.05	6	329.4	A
petroleum oil, paraffin based	Orange	28.01	4	6.5	A
petroleum oil, paraffin based	Peach	1,154.68	6	84.8	A
petroleum oil, paraffin based	Pistachio	2,122.5	23	1,466.39	A
petroleum oil, paraffin based	Prune	690.65	6	146.0	A
petroleum oil, paraffin based	Rice	9,420.64	77	5,673.75	A
petroleum oil, paraffin based	Rights of way	1.14	2	2.0	A
petroleum oil, paraffin based	Rights of way	164,655.84	N/A	N/A	N/A
petroleum oil, paraffin based	Stone fruit	1.63	4	1.75	A
petroleum oil, paraffin based	Sugarbeet	103.8	3	190.0	A
petroleum oil, paraffin based	Tomato, processing	653.16	10	750.5	A
petroleum oil, paraffin based	Uncultivated ag	706.52	21	1,524.1	A
petroleum oil, paraffin based	Uncultivated non-ag	12.31	N/A	15.0	A
petroleum oil, paraffin based	Vegetables, fruiting	35.02	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
petroleum oil, paraffin based	Walnut	793.87	58	940.5	A
petroleum oil, paraffin based	Water area	142.15	N/A	60.66	A
petroleum oil, unclassified	Almond	207,039.88	159	12,185.36	A
petroleum oil, unclassified	Apple	7,290.4	20	384.0	A
petroleum oil, unclassified	Avocado	4,819.35	10	78.0	A
petroleum oil, unclassified	Blackberry	126.32	2	10.61	A
petroleum oil, unclassified	Cannabis (all or unspecified)	102.57	9	13.5	A
petroleum oil, unclassified	Cherry	11,403.18	59	1,501.25	A
petroleum oil, unclassified	Christmas tree	0.37	1	0.1	A
petroleum oil, unclassified	Citrus	767.8	3	13.0	A
petroleum oil, unclassified	Grape	56.55	4	7.7	A
petroleum oil, unclassified	Grape, wine	177.38	10	37.06	A
petroleum oil, unclassified	Grapefruit	9,123.01	21	642.25	A
petroleum oil, unclassified	Landscape maintenance	1,966.69	N/A	N/A	N/A
petroleum oil, unclassified	Lemon	15,516.3	22	1,295.0	A
petroleum oil, unclassified	N-grnhs plants in containers	49.9	9	0.87	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>petroleum oil, unclassified</b>	N-grnhs plants in containers	1.11	1	0.04	U
<b>petroleum oil, unclassified</b>	N-outdr plants in containers	85.48	8	50.0	A
<b>petroleum oil, unclassified</b>	N-outdr plants in containers	3.8	3	4,625.0	U
<b>petroleum oil, unclassified</b>	Nectarine	397.26	1	13.5	A
<b>petroleum oil, unclassified</b>	Olive	538.91	9	41.4	A
<b>petroleum oil, unclassified</b>	Orange	13,367.04	38	654.25	A
<b>petroleum oil, unclassified</b>	Pastureland	3.46	2	46.0	A
<b>petroleum oil, unclassified</b>	Peach	179.67	5	46.25	A
<b>petroleum oil, unclassified</b>	Pear	34.46	2	3.5	A
<b>petroleum oil, unclassified</b>	Plum	533.16	4	34.6	A
<b>petroleum oil, unclassified</b>	Pome fruit	0.43	3	0.75	A
<b>petroleum oil, unclassified</b>	Prune	1,432.26	4	123.0	A
<b>petroleum oil, unclassified</b>	Raspberry	85.29	2	14.29	A
<b>petroleum oil, unclassified</b>	Rights of way	111.69	N/A	N/A	N/A
<b>petroleum oil, unclassified</b>	Soil fumigation/preplant	242.31	1	35.0	A
<b>petroleum oil, unclassified</b>	Stone fruit	29.25	5	4.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>petroleum oil, unclassified</b>	Structural pest control	16.72	N/A	N/A	N/A
<b>petroleum oil, unclassified</b>	Tangelo	104.89	1	10.0	A
<b>petroleum oil, unclassified</b>	Tangerine	1,658.57	5	68.97	A
<b>petroleum oil, unclassified</b>	Walnut	2,127.26	10	295.0	A
<b>phenmedipham</b>	Beet	143.13	46	318.68	A
<b>phenmedipham</b>	Research commodity	0.15	N/A	N/A	N/A
<b>phenmedipham</b>	Spinach	20.45	6	41.6	A
<b>phenmedipham</b>	Sugarbeet	13.18	2	157.0	A
<b>phenol</b>	Alfalfa	0.44	1	35.5	A
<b>phenol</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>phenol, ferrous salt</b>	Landscape maintenance	0.06	N/A	N/A	N/A
<b>phenothrin</b>	Landscape maintenance	2.6	N/A	N/A	N/A
<b>phenothrin</b>	Public health	1,194.89	N/A	N/A	N/A
<b>phenothrin</b>	Regulatory pest control	1.14	N/A	N/A	N/A
<b>phenothrin</b>	Rights of way	0.88	N/A	N/A	N/A
<b>phenothrin</b>	Structural pest control	223.0	N/A	N/A	N/A
<b>phenothrin, other related</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>phenothrin, other related</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>phenothrin, other related</b>	Rights of way	<0.01	N/A	N/A	N/A
<b>phenothrin, other related</b>	Structural pest control	0.11	N/A	N/A	N/A
<b>phenylethyl propionate</b>	Regulatory pest control	1.93	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phenylethyl propionate	Structural pest control	13.25	N/A	N/A	N/A
ortho-phenylphenol	Animal premise	<0.01	N/A	6,000.0	S
ortho-phenylphenol	Animal premise	0.1	N/A	68.0	U
ortho-phenylphenol	Broccoli	<0.01	1	4.5	A
ortho-phenylphenol	Cauliflower	0.01	1	10.0	A
ortho-phenylphenol	Date	0.01	32	32.0	A
ortho-phenylphenol	Farm/ag building	75.23	N/A	139.0	U
ortho-phenylphenol	Landscape maintenance	0.35	N/A	N/A	N/A
ortho-phenylphenol	Regulatory pest control	0.04	N/A	N/A	N/A
ortho-phenylphenol	Rights of way	12.22	N/A	N/A	N/A
ortho-phenylphenol	Structural pest control	0.01	N/A	N/A	N/A
phorate	Cotton	14,123.72	159	12,651.6	A
phorate	N-outdr flower	1,437.41	108	301.91	A
phorate	Potato	2,279.72	7	1,085.2	A
phosmet	Alfalfa	1,027.13	43	1,500.9	A
phosmet	Almond	9,066.07	46	2,998.22	A
phosmet	Apple	2,440.86	40	559.0	A
phosmet	Apple	0.04	N/A	3.0	U
phosmet	Apricot	0.01	N/A	1.0	U
phosmet	Grape	4,633.81	63	3,239.16	A
phosmet	Grape, wine	54.53	4	49.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosmet	Grapefruit	150.68	5	78.0	A
phosmet	N-outdr plants in containers	5.64	2	4.25	A
phosmet	Nectarine	843.19	30	349.56	A
phosmet	Orange	2,810.45	29	1,350.56	A
phosmet	Peach	1,158.32	48	509.13	A
phosmet	Peach	0.03	N/A	2.0	U
phosmet	Pear	610.75	7	174.5	A
phosmet	Pear	0.03	N/A	2.0	U
phosmet	Pear, asian (oriental pear, ya, ya li, nashi)	22.4	1	8.0	A
phosmet	Pistachio	3,057.58	18	1,010.0	A
phosmet	Plum	666.04	19	234.15	A
phosmet	Plum	0.01	N/A	1.0	U
phosmet	Regulatory pest control	122.5	N/A	N/A	N/A
phosmet	Rights of way	N/A	N/A	N/A	N/A
phosmet	Safflower	1.75	1	0.5	A
phosmet	Structural pest control	0.03	N/A	N/A	N/A
phosmet	Walnut	5,403.59	92	4,672.3	A
phosphine	Almond	794.49	N/A	12,997,115.0	C
phosphine	Almond	83.17	N/A	1,730.0	K
phosphine	Almond	148.6	N/A	6,555,800.0	P
phosphine	Almond	2.56	N/A	14,500.0	S
phosphine	Almond	3,565.78	N/A	493,663.85	T
phosphine	Bean, dried	1.1	N/A	286.0	T
phosphine	Bean, unspecified	0.21	N/A	4,780.0	C
phosphine	Citrus	476.75	N/A	1,677,681.0	C
phosphine	Commodity fumigation	72,176.72	N/A	N/A	N/A
phosphine	Corn, human consumption	320.11	N/A	6,157,200.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphine	Corn, human consumption	53.3	N/A	22,280.0	K
phosphine	Dried fruit	11.29	N/A	1.0	A
phosphine	Dried fruit	338.1	N/A	8,206,007.0	C
phosphine	Dried fruit	38.25	N/A	1,092.0	K
phosphine	Dried fruit	266.26	N/A	5,818,420.0	U
phosphine	Fig	14.5	N/A	365,289.0	C
phosphine	Fumigation, other	1,759.76	N/A	N/A	N/A
phosphine	Garbanzo bean	0.74	N/A	17,000.0	C
phosphine	Garbanzo bean	15.68	N/A	13,506.0	T
phosphine	Grape	68.11	N/A	8,326,392.0	C
phosphine	Nuts	0.16	N/A	138,000.0	P
phosphine	Orange	178.77	N/A	1,947,607.0	C
phosphine	Orange	147.97	N/A	1,424.35	K
phosphine	Orange	46.78	N/A	2,800.1	T
phosphine	Pistachio	683.78	N/A	6,676,486.0	C
phosphine	Pistachio	156.9	N/A	6,797.57	K
phosphine	Pistachio	267.57	N/A	48,300.0	T
phosphine	Prune	6.5	N/A	148,000.0	C
phosphine	Prune	0.7	N/A	20.0	T
phosphine	Regulatory pest control	546.37	N/A	N/A	N/A
phosphine	Rice	366.96	N/A	9,222,124.0	C
phosphine	Rice, wild	4.3	N/A	20,000.0	C
phosphine	Storage area/box	47.39	N/A	2,130,792.0	C
phosphine	Structural pest control	39.76	N/A	N/A	N/A
phosphine	Sunflower	129.4	N/A	3,330.0	K
phosphine	Tangerine	15.8	N/A	846.3	T
phosphine	Walnut	89.03	N/A	247,300.0	C
phosphine	Walnut	126.54	N/A	1,785,000.0	P
phosphine	Walnut	264.07	N/A	16,592.0	T
phosphine	Wheat	0.48	N/A	12,000.0	C

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	Alfalfa	7,553.16	3,639	203,460.87	A
phosphoric acid	Almond	69,500.61	12,386	583,244.32	A
phosphoric acid	Apple	266.85	134	2,378.04	A
phosphoric acid	Apricot	22.02	30	566.53	A
phosphoric acid	Artichoke, globe	2.62	20	105.2	A
phosphoric acid	Arugula	3.42	40	172.39	A
phosphoric acid	Asparagus	8.64	5	294.0	A
phosphoric acid	Avocado	12.94	61	402.5	A
phosphoric acid	Avocado	<0.01	2	5,700.0	U
phosphoric acid	Barley (forage - fodder)	2.13	4	84.5	A
phosphoric acid	Basil, sweet	16.73	86	327.72	A
phosphoric acid	Bean, dried	110.61	94	4,768.45	A
phosphoric acid	Bean, succulent	93.83	47	547.64	A
phosphoric acid	Bean, unspecified	14.31	90	462.37	A
phosphoric acid	Beet	18.41	117	706.26	A
phosphoric acid	Bermudagrass	113.15	31	1,781.7	A
phosphoric acid	Blackberry	135.92	54	571.99	A
phosphoric acid	Blueberry	31.45	42	1,280.53	A
phosphoric acid	Bok choy	15.1	149	676.51	A
phosphoric acid	Broccoli	724.66	2,239	23,020.16	A
phosphoric acid	Brussels sprout	331.7	300	4,040.05	A
phosphoric acid	Bushberry	<0.01	4	0.9	A
phosphoric acid	Cabbage	123.5	350	2,212.84	A
phosphoric acid	Cannabis (all or unspecified)	<0.01	2	18,000.0	S
phosphoric acid	Cantaloupe	420.31	124	10,874.17	A
phosphoric acid	Carrot	29.09	135	1,380.43	A
phosphoric acid	Cauliflower	344.03	1,003	8,687.48	A
phosphoric acid	Celeriac	2.45	17	77.57	A
phosphoric acid	Celery	112.38	607	4,530.23	A
phosphoric acid	Cherry	4,915.77	1,793	28,569.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	Chestnut	1.91	4	48.66	A
phosphoric acid	Chinese cabbage (napa, won bok, celery cabbage)	22.75	129	782.18	A
phosphoric acid	Cilantro	31.4	365	1,416.97	A
phosphoric acid	Citrus	25.72	21	403.65	A
phosphoric acid	Clover	0.38	2	95.0	A
phosphoric acid	Cole crop	0.15	76	37.86	A
phosphoric acid	Commodity fumigation	0.69	N/A	N/A	N/A
phosphoric acid	Corn (forage - fodder)	3,641.4	1,422	72,736.04	A
phosphoric acid	Corn, grain	157.1	11	630.0	A
phosphoric acid	Corn, human consumption	1,915.46	632	34,926.68	A
phosphoric acid	Cotton	7,649.81	1,973	187,835.12	A
phosphoric acid	Cucumber	40.53	74	784.06	A
phosphoric acid	Daikon	0.07	1	8.0	A
phosphoric acid	Dill	8.76	3	96.0	A
phosphoric acid	Ditch bank	27.05	27	59.5	A
phosphoric acid	Ditch bank	0.87	N/A	31.0	U
phosphoric acid	Edible flowers	0.02	3	2.5	A
phosphoric acid	Eggplant	2.94	16	233.6	A
phosphoric acid	Endive (escarole)	14.13	164	534.04	A
phosphoric acid	Fennel	1.14	17	68.17	A
phosphoric acid	Fig	125.53	40	2,631.65	A
phosphoric acid	Forage hay/silage	47.86	38	1,894.25	A
phosphoric acid	Forest, timberland	79.86	28	602.8	A
phosphoric acid	Garbanzo bean	181.08	18	2,206.0	A
phosphoric acid	Garlic	133.8	75	3,960.9	A
phosphoric acid	Ginger	0.03	6	3.0	A
phosphoric acid	Golf course turf	0.11	N/A	10.7	A
phosphoric acid	Grape	5,050.33	2,565	100,812.32	A
phosphoric acid	Grape, wine	7,653.35	4,292	104,196.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	Grapefruit	80.85	34	496.39	A
phosphoric acid	Grass, seed	28.44	14	455.51	A
phosphoric acid	Herb, spice	3.44	143	109.68	A
phosphoric acid	Household	0.47	N/A	1.0	U
phosphoric acid	Kale	96.44	571	2,426.1	A
phosphoric acid	Kiwi fruit fuzzy	34.67	99	611.11	A
phosphoric acid	Kohlrabi	1.54	15	73.32	A
phosphoric acid	Landscape maintenance	0.92	6	36.5	A
phosphoric acid	Landscape maintenance	2,203.27	N/A	N/A	N/A
phosphoric acid	Leek	22.92	190	814.5	A
phosphoric acid	Lemon	711.6	269	4,882.51	A
phosphoric acid	Lemon	0.02	1	75.0	U
phosphoric acid	Lettuce, head	765.53	2,541	29,927.37	A
phosphoric acid	Lettuce, leaf	791.77	3,848	36,631.63	A
phosphoric acid	Lime	1.41	1	4.5	A
phosphoric acid	Melon	227.51	153	7,557.97	A
phosphoric acid	Mint	1.61	54	117.9	A
phosphoric acid	Mustard	0.03	22	7.79	A
phosphoric acid	Mustard greens	2.37	55	128.78	A
phosphoric acid	N-grnhs flower	136.06	547	1,128.97	A
phosphoric acid	N-grnhs flower	0.17	11	245,000.0	S
phosphoric acid	N-grnhs plants in containers	7.82	656	655.78	A
phosphoric acid	N-grnhs plants in containers	0.88	78	2,248,454.0	S
phosphoric acid	N-grnhs transplants	7.66	50	598.5	A
phosphoric acid	N-grnhs transplants	2.92	66	12,881,352.0	S
phosphoric acid	N-outdr flower	238.3	708	3,434.35	A
phosphoric acid	N-outdr plants in containers	53.39	958	1,694.85	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	N-outdr plants in containers	<0.01	3	42,000.0	S
phosphoric acid	N-outdr plants in containers	0.13	48	10,969.0	U
phosphoric acid	N-outdr transplants	26.03	36	408.5	A
phosphoric acid	N-outdr transplants	8.04	285	48,987,316.0	S
phosphoric acid	Nectarine	538.75	315	3,288.01	A
phosphoric acid	Oat	5.36	4	165.0	A
phosphoric acid	Oat (forage - fodder)	62.26	71	3,626.38	A
phosphoric acid	Okra	3.75	1	60.0	A
phosphoric acid	Olive	260.88	89	3,834.81	A
phosphoric acid	Onion, dry	238.19	186	10,649.65	A
phosphoric acid	Onion, green	0.07	28	9.95	A
phosphoric acid	Orange	3,348.29	804	18,706.89	A
phosphoric acid	Orchard floor	0.49	16	71.75	A
phosphoric acid	Orchardgrass	4.97	5	301.0	A
phosphoric acid	Parsley	39.05	161	1,480.78	A
phosphoric acid	Pastureland	20.67	28	731.0	A
phosphoric acid	Peach	1,039.01	711	9,144.18	A
phosphoric acid	Pear	80.97	7	299.0	A
phosphoric acid	Peas	7.46	115	829.68	A
phosphoric acid	Peas (forage - fodder)	1.17	1	75.0	A
phosphoric acid	Pecan	38.23	31	1,016.62	A
phosphoric acid	Pepper, fruiting	3.4	11	62.81	A
phosphoric acid	Persimmon	1.79	19	70.48	A
phosphoric acid	Pistachio	12,702.02	1,460	133,324.73	A
phosphoric acid	Plum	396.55	195	2,296.06	A
phosphoric acid	Pomegranate	61.51	28	897.94	A
phosphoric acid	Pomelo	0.04	1	6.0	A
phosphoric acid	Prune	265.45	231	6,237.72	A
phosphoric acid	Pumpkin	36.91	25	886.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	Radicchio	13.97	15	484.2	A
phosphoric acid	Radish	31.35	479	1,045.33	A
phosphoric acid	Rangeland	6.5	38	237.0	A
phosphoric acid	Raspberry	21.05	17	130.17	A
phosphoric acid	Regulatory pest control	3.47	N/A	N/A	N/A
phosphoric acid	Research commodity	9.33	60	122.19	A
phosphoric acid	Research commodity	0.31	52	234,000.0	S
phosphoric acid	Research commodity	0.12	N/A	N/A	N/A
phosphoric acid	Rice	1,748.76	1,009	68,536.72	A
phosphoric acid	Rights of way	82.82	105	2,319.65	A
phosphoric acid	Rights of way	15,156.88	N/A	N/A	N/A
phosphoric acid	Root vegetable	0.18	52	37.22	A
phosphoric acid	Ryegrass	16.4	24	685.3	A
phosphoric acid	Safflower	118.15	44	6,019.0	A
phosphoric acid	Soil fumigation/preplant	126.1	51	4,160.61	A
phosphoric acid	Sorghum (forage - fodder)	215.73	75	5,050.14	A
phosphoric acid	Sorghum/milo	18.23	28	1,369.8	A
phosphoric acid	Spinach	13.11	28	162.28	A
phosphoric acid	Squash	35.85	93	755.49	A
phosphoric acid	Squash, summer	0.72	3	26.1	A
phosphoric acid	Squash, winter	7.59	3	120.0	A
phosphoric acid	Squash, zucchini	0.07	3	30.0	A
phosphoric acid	Stone fruit	32.31	17	283.5	A
phosphoric acid	Strawberry	5,017.3	1,415	41,649.15	A
phosphoric acid	Structural pest control	14.5	N/A	N/A	N/A
phosphoric acid	Sugarbeet	335.28	147	10,159.32	A
phosphoric acid	Sunflower	124.14	97	4,207.93	A
phosphoric acid	Sweet potato	0.77	7	302.5	A
phosphoric acid	Swiss chard	2.77	69	146.8	A
phosphoric acid	Tangelo	34.83	15	297.5	A
phosphoric acid	Tangerine	2,904.35	1,166	34,909.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	Timothy	8.78	7	289.0	A
phosphoric acid	Tomato	92.53	38	2,161.64	A
phosphoric acid	Tomato, processing	4,330.4	784	67,925.29	A
phosphoric acid	Triticale	35.65	13	1,454.8	A
phosphoric acid	Tropical/subtropical fruit	0.01	5	1.85	A
phosphoric acid	Turf/sod	0.43	2	50.0	A
phosphoric acid	Turnip	1.4	20	54.04	A
phosphoric acid	Uncultivated ag	828.18	949	32,206.58	A
phosphoric acid	Uncultivated non-ag	116.31	183	2,683.52	A
phosphoric acid	Unknown	17.35	2	65.0	A
phosphoric acid	Vegetables, fruiting	0.03	23	5.71	A
phosphoric acid	Vegetables, leafy	36.78	490	716.19	A
phosphoric acid	Vertebrate control	28.43	N/A	N/A	N/A
phosphoric acid	Vetch	2.34	2	150.0	A
phosphoric acid	Walnut	13,224.33	5,147	178,082.67	A
phosphoric acid	Water area	34.95	N/A	100.0	A
phosphoric acid	Watermelon	187.19	53	2,271.65	A
phosphoric acid	Wheat	86.98	88	4,217.05	A
phosphoric acid	Wheat (forage - fodder)	188.05	166	8,764.55	A
phosphoric acid, monopotassium salt	Grape	125.0	2	25.0	A
phosphoric acid, monopotassium salt	Grape, wine	150.22	3	37.0	A
phosphorus	Landscape maintenance	0.16	N/A	N/A	N/A
picaridin	Structural pest control	0.16	N/A	N/A	N/A
picaridin	Vertebrate control	0.8	N/A	N/A	N/A
picloram	Regulatory pest control	0.03	N/A	N/A	N/A
picoxystrobin	Corn (forage - fodder)	5.43	2	65.0	A
picoxystrobin	Research commodity	<0.01	6	12.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>picoxystrobin</b>	Wheat	5.34	1	85.0	A
<b>pindone</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>beta-pinene polymer</b>	Alfalfa	6.19	1	26.0	A
<b>beta-pinene polymer</b>	Almond	633.37	11	1,270.0	A
<b>beta-pinene polymer</b>	N-outdr transplants	36.26	20	147.5	A
<b>beta-pinene polymer</b>	Nectarine	9.59	6	20.5	A
<b>beta-pinene polymer</b>	Walnut	597.78	91	2,250.0	A
<b>pine oil</b>	Golf course turf	8.32	N/A	82.75	A
<b>pine oil</b>	Landscape maintenance	2.99	1	18.0	A
<b>pine oil</b>	Landscape maintenance	0.8	N/A	N/A	N/A
<b>pine oil</b>	Regulatory pest control	0.05	N/A	N/A	N/A
<b>pine oil</b>	Structural pest control	1.97	N/A	N/A	N/A
<b>pinoxaden</b>	Barley	251.46	46	5,333.5	A
<b>pinoxaden</b>	Barley (forage - fodder)	43.81	8	816.0	A
<b>pinoxaden</b>	Corn (forage - fodder)	24.75	1	461.0	A
<b>pinoxaden</b>	Forage hay/silage	12.94	7	247.0	A
<b>pinoxaden</b>	Grass, seed	1.44	5	27.5	A
<b>pinoxaden</b>	Wheat	376.53	96	7,091.7	A
<b>pinoxaden</b>	Wheat (forage - fodder)	469.28	152	8,733.22	A
<b>piperalin</b>	N-grnhs flower	161.62	81	164.05	A
<b>piperalin</b>	N-grnhs flower	2.67	4	44,000.0	S
<b>piperalin</b>	N-grnhs plants in containers	41.81	68	113.09	A
<b>piperalin</b>	N-grnhs plants in containers	26.51	64	917,509.0	S
<b>piperalin</b>	N-grnhs transplants	8.4	11	20.56	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
piperalin	N-grnhs transplants	1.23	8	50,000.0	S
piperalin	N-outdr flower	0.99	2	9.0	A
piperalin	N-outdr flower	0.87	1	14,000.0	S
piperalin	N-outdr plants in containers	92.5	3	13.17	A
piperalin	N-outdr plants in containers	0.75	1	50,000.0	S
piperalin	Research commodity	0.25	N/A	N/A	N/A
piperine	Landscape maintenance	0.05	N/A	N/A	N/A
piperine	Public health	<0.01	N/A	N/A	N/A
piperine	Structural pest control	0.02	N/A	N/A	N/A
piperonyl butoxide	Alfalfa	32.17	1	166.2	A
piperonyl butoxide	Alfalfa	0.04	1	3,000.0	S
piperonyl butoxide	Almond	482.73	95	1,876.31	A
piperonyl butoxide	Animal premise	24.44	N/A	524,137.0	S
piperonyl butoxide	Animal premise	191.15	N/A	149.0	U
piperonyl butoxide	Arugula	0.7	2	1.65	A
piperonyl butoxide	Basil, sweet	26.6	64	58.47	A
piperonyl butoxide	Bean, dried	5.63	2	28.0	A
piperonyl butoxide	Bean, succulent	0.08	3	0.25	A
piperonyl butoxide	Bean, unspecified	9.33	4	22.5	A
piperonyl butoxide	Beet	21.36	9	53.99	A
piperonyl butoxide	Blackberry	51.52	10	135.63	A
piperonyl butoxide	Bok choy	8.55	12	24.2	A
piperonyl butoxide	Brussels sprout	30.78	8	189.5	A
piperonyl butoxide	Buildings/non-ag outdoor	203.96	N/A	134.01	U
piperonyl butoxide	Bushberry	0.13	2	0.5	A
piperonyl butoxide	Cabbage	0.25	2	1.0	A
piperonyl butoxide	Cannabis (all or unspecified)	<0.01	1	1.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
piperonyl butoxide	Cannabis (all or unspecified)	0.02	1	200.0	S
piperonyl butoxide	Celery	15.1	4	38.2	A
piperonyl butoxide	Cherry	13.5	12	71.62	A
piperonyl butoxide	Chervil	0.83	7	1.7	A
piperonyl butoxide	Chinese cabbage (napa, won bok, celery cabbage)	74.74	15	187.07	A
piperonyl butoxide	Chive	7.61	24	15.75	A
piperonyl butoxide	Cilantro	39.65	10	101.1	A
piperonyl butoxide	Cole crop	<0.01	1	0.03	A
piperonyl butoxide	Commercial storages or warehouses (all or unspec)	4.21	N/A	100,000.0	C
piperonyl butoxide	Commodity fumigation	242.59	N/A	N/A	N/A
piperonyl butoxide	Corn (forage - fodder)	0.02	1	0.03	A
piperonyl butoxide	Cucumber	1.39	12	4.29	A
piperonyl butoxide	Dill	3.42	21	6.95	A
piperonyl butoxide	Food processing plant	0.07	N/A	95,040.0	C
piperonyl butoxide	Fumigation, other	31.28	N/A	N/A	N/A
piperonyl butoxide	Ginger	0.75	5	2.5	A
piperonyl butoxide	Golf course turf	0.43	N/A	4.5	A
piperonyl butoxide	Grain	7.59	N/A	30,000.0	C
piperonyl butoxide	Grape	118.62	6	216.31	A
piperonyl butoxide	Grape	6.37	N/A	7,187,994.0	C
piperonyl butoxide	Grape, wine	598.05	41	835.59	A
piperonyl butoxide	Herb, spice	25.89	69	76.02	A
piperonyl butoxide	Kale	3.35	4	8.7	A
piperonyl butoxide	Landscape maintenance	13,326.2	N/A	N/A	N/A
piperonyl butoxide	Leek	0.97	2	2.9	A
piperonyl butoxide	Lettuce, leaf	91.01	67	197.24	A
piperonyl butoxide	Melon	<0.01	1	640.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>piperonyl butoxide</b>	Mint	15.49	54	35.32	A
<b>piperonyl butoxide</b>	Mushroom	0.25	4	23,000.0	S
<b>piperonyl butoxide</b>	Mushroom house	75.11	37	2,590,000.0	S
<b>piperonyl butoxide</b>	Mustard	0.04	1	0.2	A
<b>piperonyl butoxide</b>	Mustard greens	6.46	12	16.26	A
<b>piperonyl butoxide</b>	N-grnhs flower	10.24	25	50.02	A
<b>piperonyl butoxide</b>	N-grnhs flower	1.05	9	127,168.0	S
<b>piperonyl butoxide</b>	N-grnhs plants in containers	14.12	36	68.35	A
<b>piperonyl butoxide</b>	N-grnhs plants in containers	13.7	52	2,281,252.0	S
<b>piperonyl butoxide</b>	N-grnhs plants in containers	0.06	1	0.17	U
<b>piperonyl butoxide</b>	N-grnhs transplants	45.26	183	347.21	A
<b>piperonyl butoxide</b>	N-grnhs transplants	1.67	4	76,000.0	S
<b>piperonyl butoxide</b>	N-outdr flower	143.35	230	835.53	A
<b>piperonyl butoxide</b>	N-outdr plants in containers	52.91	160	180.68	A
<b>piperonyl butoxide</b>	N-outdr plants in containers	2.99	28	369,400.0	S
<b>piperonyl butoxide</b>	N-outdr plants in containers	21.53	30	628,474.0	U
<b>piperonyl butoxide</b>	N-outdr transplants	6.96	31	47.48	A
<b>piperonyl butoxide</b>	N-outdr transplants	54.28	107	4,400,753.0	S
<b>piperonyl butoxide</b>	Onion, green	0.33	3	1.3	A
<b>piperonyl butoxide</b>	Oregano	10.3	22	17.61	A
<b>piperonyl butoxide</b>	Pastureland	16.24	3	96.55	A
<b>piperonyl butoxide</b>	Peach	81.0	34	385.64	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>piperonyl butoxide</b>	Peas	0.19	2	0.75	A
<b>piperonyl butoxide</b>	Pecan	1.13	2	6.0	A
<b>piperonyl butoxide</b>	Pepper, fruiting	0.1	3	0.45	A
<b>piperonyl butoxide</b>	Persimmon	1.6	2	4.0	A
<b>piperonyl butoxide</b>	Pistachio	12.01	N/A	266,000.0	C
<b>piperonyl butoxide</b>	Pistachio	20.02	N/A	1,220,001.0	S
<b>piperonyl butoxide</b>	Plum	8.09	15	42.13	A
<b>piperonyl butoxide</b>	Prune	2.54	N/A	8,000.0	S
<b>piperonyl butoxide</b>	Public health	23,472.0	N/A	N/A	N/A
<b>piperonyl butoxide</b>	Radish	34.51	25	90.51	A
<b>piperonyl butoxide</b>	Raspberry	15.87	3	41.0	A
<b>piperonyl butoxide</b>	Regulatory pest control	369.21	N/A	N/A	N/A
<b>piperonyl butoxide</b>	Research commodity	0.2	3	41,000.0	S
<b>piperonyl butoxide</b>	Research commodity	1.24	N/A	N/A	N/A
<b>piperonyl butoxide</b>	Rights of way	265.82	N/A	N/A	N/A
<b>piperonyl butoxide</b>	Root vegetable	0.35	5	1.6	A
<b>piperonyl butoxide</b>	Rosemary	8.32	34	14.7	A
<b>piperonyl butoxide</b>	Sage	0.51	1	1.0	A
<b>piperonyl butoxide</b>	Spinach	44.53	13	111.89	A
<b>piperonyl butoxide</b>	Squash	1.08	3	4.0	A
<b>piperonyl butoxide</b>	Squash, summer	3.81	1	10.0	A
<b>piperonyl butoxide</b>	Strawberry	2,083.22	126	3,926.22	A
<b>piperonyl butoxide</b>	Structural pest control	23,941.55	N/A	N/A	N/A
<b>piperonyl butoxide</b>	Sweet potato	0.03	1	0.05	A
<b>piperonyl butoxide</b>	Tarragon	4.35	20	9.05	A
<b>piperonyl butoxide</b>	Thyme	11.55	28	19.52	A
<b>piperonyl butoxide</b>	Tomato	156.88	36	222.61	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>piperonyl butoxide</b>	Tomato	0.09	2	5,040.0	S
<b>piperonyl butoxide</b>	Tropical/subtropical fruit	0.16	1	0.5	A
<b>piperonyl butoxide</b>	Turnip greens	5.68	13	14.16	A
<b>piperonyl butoxide</b>	Uncultivated ag	0.64	1	1.5	A
<b>piperonyl butoxide</b>	Uncultivated non-ag	0.17	N/A	13.0	A
<b>piperonyl butoxide</b>	Uncultivated non-ag	0.15	2	400,000.0	C
<b>piperonyl butoxide</b>	Upland cress	14.08	36	9.5	A
<b>piperonyl butoxide</b>	Vegetables, fruiting	0.27	6	1.27	A
<b>piperonyl butoxide</b>	Vegetables, leafy	10.68	71	39.15	A
<b>piperonyl butoxide</b>	Walnut	11.58	2	29.0	A
<b>piperonyl butoxide</b>	Watercress	10.15	6	40.0	A
<b>piperonyl butoxide, other related</b>	Almond	0.24	6	204.0	A
<b>piperonyl butoxide, other related</b>	Arugula	0.18	2	1.65	A
<b>piperonyl butoxide, other related</b>	Basil, sweet	6.54	60	56.67	A
<b>piperonyl butoxide, other related</b>	Bean, unspecified	2.33	4	22.5	A
<b>piperonyl butoxide, other related</b>	Beet	5.34	9	53.99	A
<b>piperonyl butoxide, other related</b>	Blackberry	12.88	10	135.63	A
<b>piperonyl butoxide, other related</b>	Bok choy	1.44	10	18.0	A
<b>piperonyl butoxide, other related</b>	Brussels sprout	7.65	7	189.0	A
<b>piperonyl butoxide, other related</b>	Buildings/non-ag outdoor	1.55	N/A	N/A	U
<b>piperonyl butoxide, other related</b>	Cabbage	0.06	2	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>pipernyl butoxide, other related</b>	Celery	3.78	4	38.2	A
<b>pipernyl butoxide, other related</b>	Chervil	0.21	7	1.7	A
<b>pipernyl butoxide, other related</b>	Chinese cabbage (napa, won bok, celery cabbage)	18.15	14	182.57	A
<b>pipernyl butoxide, other related</b>	Chive	1.9	24	15.75	A
<b>pipernyl butoxide, other related</b>	Cilantro	9.91	10	101.1	A
<b>pipernyl butoxide, other related</b>	Commodity fumigation	31.2	N/A	N/A	N/A
<b>pipernyl butoxide, other related</b>	Cucumber	0.21	3	1.89	A
<b>pipernyl butoxide, other related</b>	Dill	0.86	21	6.95	A
<b>pipernyl butoxide, other related</b>	Food processing plant	0.01	N/A	95,040.0	C
<b>pipernyl butoxide, other related</b>	Fumigation, other	7.13	N/A	N/A	N/A
<b>pipernyl butoxide, other related</b>	Grape	29.66	6	216.31	A
<b>pipernyl butoxide, other related</b>	Grape, wine	149.51	37	809.24	A
<b>pipernyl butoxide, other related</b>	Herb, spice	5.21	27	53.35	A
<b>pipernyl butoxide, other related</b>	Kale	0.84	4	8.7	A
<b>pipernyl butoxide, other related</b>	Landscape maintenance	2,055.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>piperoyl butoxide, other related</b>	Leek	0.24	2	2.9	A
<b>piperoyl butoxide, other related</b>	Lettuce, leaf	22.75	67	197.24	A
<b>piperoyl butoxide, other related</b>	Melon	<0.01	1	640.0	S
<b>piperoyl butoxide, other related</b>	Mint	3.73	47	33.0	A
<b>piperoyl butoxide, other related</b>	Mushroom	0.06	4	23,000.0	S
<b>piperoyl butoxide, other related</b>	Mushroom house	18.78	37	2,590,000.0	S
<b>piperoyl butoxide, other related</b>	Mustard greens	1.61	12	16.26	A
<b>piperoyl butoxide, other related</b>	N-grnhs flower	2.56	25	48.02	A
<b>piperoyl butoxide, other related</b>	N-grnhs flower	0.05	3	12,568.0	S
<b>piperoyl butoxide, other related</b>	N-grnhs plants in containers	3.53	36	68.35	A
<b>piperoyl butoxide, other related</b>	N-grnhs plants in containers	3.19	49	2,149,252.0	S
<b>piperoyl butoxide, other related</b>	N-grnhs plants in containers	0.02	1	0.17	U
<b>piperoyl butoxide, other related</b>	N-grnhs transplants	7.08	118	263.36	A
<b>piperoyl butoxide, other related</b>	N-grnhs transplants	0.29	3	55,000.0	S
<b>piperoyl butoxide, other related</b>	N-outdr flower	35.74	229	829.53	A
<b>piperoyl butoxide, other related</b>	N-outdr plants in containers	13.23	160	180.68	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>pipерonyl butoxide, other related</b>	N-outdr plants in containers	0.75	28	369,400.0	S
<b>pipерonyl butoxide, other related</b>	N-outdr plants in containers	5.33	29	615,974.0	U
<b>pipерonyl butoxide, other related</b>	N-outdr transplants	1.64	27	44.98	A
<b>pipерonyl butoxide, other related</b>	N-outdr transplants	13.57	107	4,400,753.0	S
<b>pipерonyl butoxide, other related</b>	Oregano	2.57	22	17.61	A
<b>pipерonyl butoxide, other related</b>	Pastureland	4.06	3	96.55	A
<b>pipерonyl butoxide, other related</b>	Persimmon	0.4	2	4.0	A
<b>pipерonyl butoxide, other related</b>	Pistachio	3.0	N/A	266,000.0	C
<b>pipерonyl butoxide, other related</b>	Pistachio	5.0	N/A	1,220,001.0	S
<b>pipерonyl butoxide, other related</b>	Public health	368.6	N/A	N/A	N/A
<b>pipерonyl butoxide, other related</b>	Radish	8.63	25	90.51	A
<b>pipерonyl butoxide, other related</b>	Raspberry	3.97	3	41.0	A
<b>pipерonyl butoxide, other related</b>	Regulatory pest control	41.89	N/A	N/A	N/A
<b>pipерonyl butoxide, other related</b>	Research commodity	0.06	N/A	N/A	N/A
<b>pipерonyl butoxide, other related</b>	Rights of way	66.29	N/A	N/A	N/A
<b>pipерonyl butoxide, other related</b>	Rosemary	2.08	34	14.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>piperoyl butoxide, other related</b>	Sage	0.13	1	1.0	A
<b>piperoyl butoxide, other related</b>	Spinach	11.13	13	111.89	A
<b>piperoyl butoxide, other related</b>	Squash	0.19	2	3.0	A
<b>piperoyl butoxide, other related</b>	Squash, summer	0.95	1	10.0	A
<b>piperoyl butoxide, other related</b>	Strawberry	510.28	104	3,812.8	A
<b>piperoyl butoxide, other related</b>	Structural pest control	2,641.14	N/A	N/A	N/A
<b>piperoyl butoxide, other related</b>	Tarragon	1.09	20	9.05	A
<b>piperoyl butoxide, other related</b>	Thyme	2.89	28	19.52	A
<b>piperoyl butoxide, other related</b>	Tomato	38.98	35	219.61	A
<b>piperoyl butoxide, other related</b>	Tomato	0.02	2	5,040.0	S
<b>piperoyl butoxide, other related</b>	Turnip greens	1.42	13	14.16	A
<b>piperoyl butoxide, other related</b>	Uncultivated ag	0.16	1	1.5	A
<b>piperoyl butoxide, other related</b>	Uncultivated non-ag	0.04	N/A	13.0	A
<b>piperoyl butoxide, other related</b>	Upland cress	3.52	36	9.5	A
<b>piperoyl butoxide, other related</b>	Watercress	2.54	6	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide, polyethylene glycol mixture	Alfalfa	71.1	96	5,763.0	A
polyacrylamide, polyethylene glycol mixture	Almond	1,998.18	468	39,462.99	A
polyacrylamide, polyethylene glycol mixture	Animal premise	0.26	1	20.0	A
polyacrylamide, polyethylene glycol mixture	Apple	0.24	7	32.25	A
polyacrylamide, polyethylene glycol mixture	Blueberry	0.7	6	158.0	A
polyacrylamide, polyethylene glycol mixture	Cantaloupe	4.61	10	1,244.0	A
polyacrylamide, polyethylene glycol mixture	Cherry	5.21	36	740.59	A
polyacrylamide, polyethylene glycol mixture	Corn (forage - fodder)	38.47	155	6,612.28	A
polyacrylamide, polyethylene glycol mixture	Corn, human consumption	8.93	17	1,819.0	A
polyacrylamide, polyethylene glycol mixture	Cotton	298.11	503	49,203.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide, polyethylene glycol mixture	Cucumber	1.22	4	266.1	A
polyacrylamide, polyethylene glycol mixture	Forest, timberland	1.17	2	47.0	A
polyacrylamide, polyethylene glycol mixture	Garbanzo bean	3.11	6	717.0	A
polyacrylamide, polyethylene glycol mixture	Garlic	176.62	97	12,689.2	A
polyacrylamide, polyethylene glycol mixture	Grape	44.67	64	2,866.37	A
polyacrylamide, polyethylene glycol mixture	Grape, wine	19.12	82	2,616.39	A
polyacrylamide, polyethylene glycol mixture	Landscape maintenance	0.4	N/A	N/A	N/A
polyacrylamide, polyethylene glycol mixture	Lettuce, head	6.69	68	2,323.15	A
polyacrylamide, polyethylene glycol mixture	Lettuce, leaf	2.91	19	563.45	A
polyacrylamide, polyethylene glycol mixture	Melon	0.69	5	250.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide, polyethylene glycol mixture	Oat (forage - fodder)	9.34	27	1,438.97	A
polyacrylamide, polyethylene glycol mixture	Onion, dry	8.84	9	1,228.0	A
polyacrylamide, polyethylene glycol mixture	Orange	0.21	2	22.8	A
polyacrylamide, polyethylene glycol mixture	Parsley	3.41	4	488.0	A
polyacrylamide, polyethylene glycol mixture	Pastureland	0.23	1	50.0	A
polyacrylamide, polyethylene glycol mixture	Pear	0.02	2	18.0	A
polyacrylamide, polyethylene glycol mixture	Pecan	0.02	N/A	7.0	A
polyacrylamide, polyethylene glycol mixture	Pistachio	386.66	155	13,880.69	A
polyacrylamide, polyethylene glycol mixture	Pomegranate	27.25	7	299.1	A
polyacrylamide, polyethylene glycol mixture	Prune	1.0	1	123.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide, polyethylene glycol mixture	Rights of way	6.46	25	537.0	A
polyacrylamide, polyethylene glycol mixture	Rights of way	5,676.43	N/A	N/A	N/A
polyacrylamide, polyethylene glycol mixture	Safflower	4.35	2	584.0	A
polyacrylamide, polyethylene glycol mixture	Soil fumigation/preplant	26.6	23	2,605.15	A
polyacrylamide, polyethylene glycol mixture	Sorghum (forage - fodder)	1.03	3	112.0	A
polyacrylamide, polyethylene glycol mixture	Strawberry	4.26	3	102.62	A
polyacrylamide, polyethylene glycol mixture	Structural pest control	4.66	N/A	N/A	N/A
polyacrylamide, polyethylene glycol mixture	Tomato	3.32	3	690.0	A
polyacrylamide, polyethylene glycol mixture	Tomato, processing	87.41	133	16,892.8	A
polyacrylamide, polyethylene glycol mixture	Triticale	4.36	9	844.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyacrylamide, polyethylene glycol mixture</b>	Uncultivated ag	30.96	49	5,090.9	A
<b>polyacrylamide, polyethylene glycol mixture</b>	Uncultivated non-ag	0.56	1	60.0	A
<b>polyacrylamide, polyethylene glycol mixture</b>	Walnut	18.79	46	1,748.33	A
<b>polyacrylamide, polyethylene glycol mixture</b>	Watermelon	2.11	3	398.0	A
<b>polyacrylamide, polyethylene glycol mixture</b>	Wheat	60.06	69	6,871.11	A
<b>polyacrylamide, polyethylene glycol mixture</b>	Wheat (forage - fodder)	52.13	65	3,974.7	A
<b>polyacrylamide polymer</b>	Alfalfa	361.66	1,035	59,437.39	A
<b>polyacrylamide polymer</b>	Almond	3,004.51	5,860	305,321.17	A
<b>polyacrylamide polymer</b>	Apple	35.84	85	1,533.14	A
<b>polyacrylamide polymer</b>	Apricot	0.43	10	113.74	A
<b>polyacrylamide polymer</b>	Artichoke, globe	30.13	63	899.64	A
<b>polyacrylamide polymer</b>	Asparagus	0.03	1	3.0	A
<b>polyacrylamide polymer</b>	Barley	3.82	11	721.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Barley (forage - fodder)	2.4	4	185.27	A
polyacrylamide polymer	Basil, sweet	0.3	1	67.3	A
polyacrylamide polymer	Bean, dried	22.73	47	2,301.72	A
polyacrylamide polymer	Bermudagrass	15.39	13	1,038.0	A
polyacrylamide polymer	Blackberry	5.53	40	463.31	A
polyacrylamide polymer	Blueberry	0.51	12	150.5	A
polyacrylamide polymer	Bok choy	1.29	50	136.58	A
polyacrylamide polymer	Broccoli	143.24	628	7,566.86	A
polyacrylamide polymer	Brussels sprout	17.66	121	1,402.4	A
polyacrylamide polymer	Cabbage	48.36	218	2,174.16	A
polyacrylamide polymer	Cannabis (all or unspecified)	<0.01	4	4.0	A
polyacrylamide polymer	Cantaloupe	2.08	7	346.0	A
polyacrylamide polymer	Carrot	6.41	21	634.0	A
polyacrylamide polymer	Cauliflower	76.71	460	4,467.31	A
polyacrylamide polymer	Celery	44.45	395	3,689.29	A
polyacrylamide polymer	Cherry	249.45	959	13,542.99	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Chestnut	0.62	4	48.66	A
polyacrylamide polymer	Cilantro	18.66	204	1,343.98	A
polyacrylamide polymer	Collard	0.1	3	4.25	A
polyacrylamide polymer	Commodity fumigation	0.08	N/A	N/A	N/A
polyacrylamide polymer	Corn (forage - fodder)	326.6	893	53,406.18	A
polyacrylamide polymer	Corn, grain	17.58	136	3,891.95	A
polyacrylamide polymer	Corn, human consumption	17.71	28	2,147.18	A
polyacrylamide polymer	Cotton	3,854.27	2,919	448,491.58	A
polyacrylamide polymer	Cucumber	1.36	10	301.79	A
polyacrylamide polymer	Ditch bank	<0.01	N/A	0.03	U
polyacrylamide polymer	Fennel	10.16	57	374.29	A
polyacrylamide polymer	Fig	11.19	14	737.99	A
polyacrylamide polymer	Forage hay/silage	28.07	89	4,337.45	A
polyacrylamide polymer	Garbanzo bean	24.53	12	1,137.0	A
polyacrylamide polymer	Garlic	40.51	57	7,320.91	A
polyacrylamide polymer	Grape	46.36	193	4,564.53	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Grape, wine	590.56	1,645	40,846.46	A
polyacrylamide polymer	Grapefruit	1.25	5	49.51	A
polyacrylamide polymer	Grass, seed	0.1	2	40.0	A
polyacrylamide polymer	Kale	0.24	3	13.85	A
polyacrylamide polymer	Kiwi fruit fuzzy	12.16	91	635.96	A
polyacrylamide polymer	Landscape maintenance	25.78	N/A	N/A	N/A
polyacrylamide polymer	Leek	0.24	6	25.2	A
polyacrylamide polymer	Lemon	4.2	8	505.34	A
polyacrylamide polymer	Lettuce, head	29.15	173	2,252.04	A
polyacrylamide polymer	Lettuce, leaf	89.5	291	3,645.06	A
polyacrylamide polymer	Melon	1.96	11	457.5	A
polyacrylamide polymer	Mint	0.23	1	10.0	A
polyacrylamide polymer	Mustard greens	0.22	6	9.75	A
polyacrylamide polymer	N-grnhs transplants	0.06	1	10,000.0	S
polyacrylamide polymer	N-outdr flower	4.06	25	86.24	A
polyacrylamide polymer	N-outdr transplants	1.05	18	84.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Nectarine	0.98	31	216.59	A
polyacrylamide polymer	Oat	41.17	19	1,768.0	A
polyacrylamide polymer	Oat (forage - fodder)	25.95	130	5,789.23	A
polyacrylamide polymer	Olive	11.42	38	1,422.79	A
polyacrylamide polymer	Onion, dry	90.32	74	6,398.9	A
polyacrylamide polymer	Onion, green	1.56	15	70.35	A
polyacrylamide polymer	Orange	10.78	24	1,215.46	A
polyacrylamide polymer	Parsley	0.41	24	43.4	A
polyacrylamide polymer	Pastureland	8.73	14	850.66	A
polyacrylamide polymer	Peach	19.04	136	1,425.63	A
polyacrylamide polymer	Pear	0.1	2	17.0	A
polyacrylamide polymer	Peas	2.94	10	137.5	A
polyacrylamide polymer	Peas (forage - fodder)	0.38	1	75.0	A
polyacrylamide polymer	Pecan	1.11	11	77.64	A
polyacrylamide polymer	Pepper, fruiting	34.13	104	3,208.47	A
polyacrylamide polymer	Pepper, spice	1.45	2	104.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Persimmon	0.67	17	93.17	A
polyacrylamide polymer	Pistachio	780.04	2,065	116,252.99	A
polyacrylamide polymer	Plum	8.33	122	1,076.54	A
polyacrylamide polymer	Pomegranate	14.7	60	2,119.01	A
polyacrylamide polymer	Potato	4.02	24	1,004.5	A
polyacrylamide polymer	Prune	30.97	113	2,274.62	A
polyacrylamide polymer	Pumpkin	12.97	11	295.5	A
polyacrylamide polymer	Radicchio	0.18	1	80.0	A
polyacrylamide polymer	Radish	2.44	114	188.67	A
polyacrylamide polymer	Rangeland	1.24	4	296.0	A
polyacrylamide polymer	Rapini	6.28	10	193.7	A
polyacrylamide polymer	Raspberry	16.22	113	1,355.42	A
polyacrylamide polymer	Regulatory pest control	0.26	N/A	N/A	N/A
polyacrylamide polymer	Research commodity	0.49	12	16.72	A
polyacrylamide polymer	Rice	421.9	826	57,743.92	A
polyacrylamide polymer	Rights of way	47.51	154	6,221.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Rights of way	710.18	N/A	N/A	N/A
polyacrylamide polymer	Rye	5.27	21	1,115.0	A
polyacrylamide polymer	Ryegrass	13.48	49	1,508.49	A
polyacrylamide polymer	Safflower	102.33	62	9,974.8	A
polyacrylamide polymer	Sod farm (turf)	0.11	1	11.7	A
polyacrylamide polymer	Soil fumigation/preplant	351.26	393	63,008.02	A
polyacrylamide polymer	Sorghum (forage - fodder)	15.87	48	3,124.51	A
polyacrylamide polymer	Sorghum/milo	7.94	33	1,341.43	A
polyacrylamide polymer	Spinach	3.73	64	277.7	A
polyacrylamide polymer	Squash	3.24	5	252.77	A
polyacrylamide polymer	Strawberry	37.95	80	2,875.07	A
polyacrylamide polymer	Sudangrass	4.38	8	474.0	A
polyacrylamide polymer	Sugarbeet	10.05	14	794.0	A
polyacrylamide polymer	Sunflower	30.0	64	3,017.36	A
polyacrylamide polymer	Tangerine	17.45	59	1,801.2	A
polyacrylamide polymer	Tomato	12.07	60	2,113.94	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Tomato, processing	684.63	499	52,258.88	A
polyacrylamide polymer	Triticale	30.89	152	8,256.9	A
polyacrylamide polymer	Turf/sod	10.96	71	1,382.94	A
polyacrylamide polymer	Turnip	0.09	3	3.55	A
polyacrylamide polymer	Turnip greens	0.07	3	2.5	A
polyacrylamide polymer	Uncultivated ag	332.29	971	39,480.71	A
polyacrylamide polymer	Uncultivated non-ag	21.19	143	2,080.07	A
polyacrylamide polymer	Unknown	0.02	3	15.5	A
polyacrylamide polymer	Vetch	0.76	2	150.0	A
polyacrylamide polymer	Walnut	504.15	1,907	47,102.91	A
polyacrylamide polymer	Water area	2.64	1	129.11	A
polyacrylamide polymer	Watermelon	10.85	19	629.45	A
polyacrylamide polymer	Wheat	84.06	274	18,153.19	A
polyacrylamide polymer	Wheat (forage - fodder)	157.51	645	37,719.05	A
polyacrylic polymer	Alfalfa	340.06	1,265	60,905.99	A
polyacrylic polymer	Almond	644.21	1,977	95,771.57	A
polyacrylic polymer	Apple	0.93	3	29.0	A
polyacrylic polymer	Avocado	0.53	5	19.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyacrylic polymer	Barley (forage - fodder)	0.19	4	84.5	A
polyacrylic polymer	Basil, sweet	1.35	5	163.0	A
polyacrylic polymer	Bean, succulent	0.29	3	75.5	A
polyacrylic polymer	Beet	0.51	13	126.8	A
polyacrylic polymer	Bermudagrass	5.75	14	508.7	A
polyacrylic polymer	Blackberry	10.5	40	419.41	A
polyacrylic polymer	Blueberry	0.07	2	23.0	A
polyacrylic polymer	Broccoli	11.61	144	1,244.3	A
polyacrylic polymer	Brussels sprout	21.7	120	2,195.6	A
polyacrylic polymer	Cantaloupe	0.16	1	30.0	A
polyacrylic polymer	Carrot	0.19	4	22.65	A
polyacrylic polymer	Cauliflower	5.06	60	452.33	A
polyacrylic polymer	Cherry	1.38	9	143.47	A
polyacrylic polymer	Cilantro	0.87	2	106.0	A
polyacrylic polymer	Citrus	2.23	11	303.58	A
polyacrylic polymer	Clover	0.03	2	95.0	A
polyacrylic polymer	Commodity fumigation	0.04	N/A	N/A	N/A
polyacrylic polymer	Corn (forage - fodder)	88.43	438	26,145.66	A
polyacrylic polymer	Corn, grain	0.33	N/A	121.0	A
polyacrylic polymer	Corn, human consumption	2.09	36	841.0	A
polyacrylic polymer	Cotton	139.66	591	47,085.56	A
polyacrylic polymer	Dill	0.79	3	96.0	A
polyacrylic polymer	Ditch bank	2.45	26	58.5	A
polyacrylic polymer	Fig	10.91	33	2,416.65	A
polyacrylic polymer	Forage hay/silage	1.93	9	535.0	A
polyacrylic polymer	Forest, timberland	4.59	23	530.0	A
polyacrylic polymer	Garlic	0.9	6	337.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyacrylic polymer	Grape	25.74	152	2,341.94	A
polyacrylic polymer	Grape, wine	195.82	564	15,498.25	A
polyacrylic polymer	Grapefruit	3.38	7	83.0	A
polyacrylic polymer	Grass, seed	2.57	14	455.51	A
polyacrylic polymer	Herb, spice	0.27	2	33.0	A
polyacrylic polymer	Kale	0.16	2	20.0	A
polyacrylic polymer	Landscape maintenance	120.71	N/A	N/A	N/A
polyacrylic polymer	Lemon	5.82	12	167.5	A
polyacrylic polymer	Lettuce, head	9.87	60	556.4	A
polyacrylic polymer	Lettuce, leaf	2.01	33	244.4	A
polyacrylic polymer	Mint	0.14	2	100.0	A
polyacrylic polymer	N-grnhs flower	5.15	231	332.67	A
polyacrylic polymer	N-grnhs transplants	<0.01	1	0.5	A
polyacrylic polymer	N-outdr flower	19.54	153	1,322.75	A
polyacrylic polymer	N-outdr plants in containers	0.4	10	159.0	A
polyacrylic polymer	N-outdr transplants	0.02	2	1.5	A
polyacrylic polymer	Oat	0.42	3	154.0	A
polyacrylic polymer	Oat (forage - fodder)	2.83	20	962.5	A
polyacrylic polymer	Olive	6.09	16	749.57	A
polyacrylic polymer	Onion, dry	6.75	20	1,576.0	A
polyacrylic polymer	Onion, green	<0.01	1	0.09	A
polyacrylic polymer	Orange	123.5	180	3,217.34	A
polyacrylic polymer	Orchardgrass	0.42	4	276.0	A
polyacrylic polymer	Parsley	1.25	5	151.0	A
polyacrylic polymer	Pastureland	0.29	3	107.0	A
polyacrylic polymer	Peach	2.16	18	284.0	A
polyacrylic polymer	Peas	0.05	1	5.0	A
polyacrylic polymer	Pecan	0.28	8	28.32	A
polyacrylic polymer	Pistachio	172.86	436	29,403.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyacrylic polymer	Pomegranate	1.13	9	206.27	A
polyacrylic polymer	Prune	3.86	23	419.48	A
polyacrylic polymer	Pumpkin	0.34	2	200.0	A
polyacrylic polymer	Radicchio	0.05	1	80.0	A
polyacrylic polymer	Rangeland	0.21	1	75.0	A
polyacrylic polymer	Raspberry	0.67	4	30.0	A
polyacrylic polymer	Research commodity	0.82	38	58.64	A
polyacrylic polymer	Rice	1.4	3	282.0	A
polyacrylic polymer	Rights of way	1.05	10	226.0	A
polyacrylic polymer	Rights of way	1,294.42	N/A	N/A	N/A
polyacrylic polymer	Ryegrass	0.79	6	243.7	A
polyacrylic polymer	Safflower	2.53	10	1,259.0	A
polyacrylic polymer	Soil fumigation/preplant	2.66	11	739.6	A
polyacrylic polymer	Sorghum (forage - fodder)	3.59	20	1,025.87	A
polyacrylic polymer	Spinach	0.29	1	35.0	A
polyacrylic polymer	Stone fruit	0.11	1	4.0	A
polyacrylic polymer	Strawberry	63.56	120	2,416.86	A
polyacrylic polymer	Structural pest control	0.05	N/A	N/A	N/A
polyacrylic polymer	Sugarbeet	15.83	52	4,002.72	A
polyacrylic polymer	Sunflower	1.34	7	476.12	A
polyacrylic polymer	Tangelo	1.01	4	31.94	A
polyacrylic polymer	Tangerine	38.06	64	1,550.5	A
polyacrylic polymer	Timothy	0.79	7	289.0	A
polyacrylic polymer	Tomato	2.05	10	535.84	A
polyacrylic polymer	Tomato, processing	8.71	35	2,732.9	A
polyacrylic polymer	Uncultivated ag	10.7	35	1,867.19	A
polyacrylic polymer	Uncultivated non-ag	4.34	26	447.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylic polymer	Unknown	1.51	1	55.0	A
polyacrylic polymer	Vegetables, leafy	3.17	6	387.7	A
polyacrylic polymer	Vertebrate control	2.57	N/A	N/A	N/A
polyacrylic polymer	Walnut	234.21	631	20,323.11	A
polyacrylic polymer	Watermelon	2.88	6	900.0	A
polyacrylic polymer	Wheat	4.91	47	2,095.95	A
polyacrylic polymer	Wheat (forage - fodder)	5.35	60	2,548.87	A
polyalkene oxide modified heptamethyl trisiloxane	Alfalfa	1,239.63	2,621	132,166.9	A
polyalkene oxide modified heptamethyl trisiloxane	Almond	8,567.18	6,649	366,373.68	A
polyalkene oxide modified heptamethyl trisiloxane	Apple	0.99	2	30.0	A
polyalkene oxide modified heptamethyl trisiloxane	Apricot	2.25	26	89.47	A
polyalkene oxide modified heptamethyl trisiloxane	Artichoke, globe	9.68	43	571.7	A
polyalkene oxide modified heptamethyl trisiloxane	Arugula	1.04	26	87.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Avocado	7,023.73	242	3,049.81	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Barley	0.61	2	161.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Barley (forage - fodder)	1.7	5	89.75	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Basil, sweet	0.42	1	35.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Bean, dried	2.77	12	251.18	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Bean, succulent	10.69	16	522.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Bean, unspecified	0.31	2	36.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Beet	0.78	3	51.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Bermudagrass	46.16	42	2,870.1	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Blackberry	82.39	58	756.38	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Blueberry	0.78	6	75.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Bok choy	67.13	413	1,927.27	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Broccoli	269.29	1,249	14,700.83	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Brussels sprout	333.96	774	10,326.49	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Cabbage	247.47	1,132	9,690.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Cantaloupe	1.63	7	236.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Carrot	<0.01	1	0.03	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Cauliflower	208.32	761	9,961.57	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Celery	713.4	2,070	25,984.78	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Cherry	172.58	352	7,089.42	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Chinese broccoli (gai lon)	0.93	22	72.2	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Chinese cabbage (napa, won bok, celery cabbage)	44.18	663	2,503.53	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Cilantro	3.28	47	276.65	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Citrus	15.48	49	575.16	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Collard	19.15	146	413.5	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Corn (forage - fodder)	711.92	310	16,020.07	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Corn, human consumption	52.89	272	6,254.35	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Cotton	512.65	535	46,594.81	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	County ag comm	7.82	N/A	N/A	N/A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Cucumber	0.03	1	6.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Date	2.21	6	190.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Eggplant	2.68	8	105.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Endive (escarole)	0.8	40	57.82	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Fennel	0.6	15	48.1	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Fig	10.09	4	219.28	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Forage hay/silage	18.61	21	1,447.6	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Forest, timberland	65.36	43	1,081.83	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Gai lon	5.27	13	721.93	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Garbanzo bean	0.19	1	20.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Garlic	11.28	39	822.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Grain	1.42	3	75.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Grape	216.64	430	15,310.74	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Grape, wine	1,468.57	1,366	54,173.29	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Grapefruit	18.54	115	1,321.12	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Grass, seed	5.91	7	584.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Herb, spice	0.32	1	15.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Kale	47.24	176	884.39	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Kiwi fruit fuzzy	4.87	33	375.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Landscape maintenance	1.08	4	85,000.0	S
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Landscape maintenance	719.83	N/A	N/A	N/A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Leek	1.44	14	93.78	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Lemon	337.46	290	10,802.6	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Lettuce, head	364.26	2,277	28,423.58	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Lettuce, leaf	348.52	2,961	30,267.96	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Lime	0.39	11	16.4	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Melon	10.57	24	1,122.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Mustard	1.0	21	83.2	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Mustard greens	12.85	21	70.55	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-grnhs flower	29.57	87	139.15	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-grnhs flower	25.96	146	1,629,223.0	S
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-grnhs plants in containers	105.67	86	232.72	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-grnhs plants in containers	30.99	282	6,636,200.0	S
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-grnhs transplants	29.49	76	42.73	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-outdr flower	65.62	368	1,867.81	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-outdr flower	0.91	8	102,000.0	S
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-outdr plants in containers	200.81	655	1,862.6	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-outdr plants in containers	3.1	124	1,708,875.0	S
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-outdr plants in containers	0.57	5	12,302.0	U
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	N-outdr transplants	194.96	89	706.5	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Nectarine	2.24	39	117.5	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Oat	2.07	3	118.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Oat (forage - fodder)	1.46	2	96.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Olive	26.77	57	1,641.15	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Onion, dry	95.93	151	7,896.75	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Onion, green	7.16	18	164.79	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Orange	2,058.53	588	10,824.1	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Orchardgrass	2.72	5	362.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Parsley	6.64	52	381.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pastureland	1.89	9	229.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Peach	207.01	530	6,523.39	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Peas	16.07	42	309.6	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pecan	60.3	32	961.25	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pepper, fruiting	138.42	194	4,648.04	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pepper, spice	1.14	8	90.8	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Persimmon	1.76	18	86.75	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pistachio	1,989.74	1,277	104,775.14	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Plum	7.51	40	648.26	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pluot	0.18	3	6.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pomegranate	19.31	47	2,259.29	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pomelo	0.29	3	52.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Prune	125.74	182	6,732.84	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Pumpkin	18.39	25	562.6	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Radicchio	13.18	126	2,971.15	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Rangeland	1.69	4	1,072.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Raspberry	329.45	132	1,854.98	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Regulatory pest control	2.07	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Research commodity	1.58	28	73.52	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Research commodity	<0.01	2	1,164.0	S
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Research commodity	0.37	N/A	N/A	N/A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Rice	189.14	185	15,891.38	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Rice, wild	0.52	1	43.68	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Rights of way	6.07	6	401.36	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Rights of way	0.1	1	6,000.0	S
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Rights of way	201.92	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Ryegrass	1.18	4	90.1	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Safflower	0.29	1	10.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Soil fumigation/preplant	1.63	3	28.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Sorghum (forage - fodder)	14.08	14	802.4	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Sorghum/milo	0.89	1	70.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Spinach	0.74	26	136.75	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Squash	13.58	11	364.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Stone fruit	0.67	5	14.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Strawberry	2,156.38	456	14,344.45	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Structural pest control	3.32	N/A	N/A	N/A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Sudangrass	17.3	37	2,314.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Sugarbeet	42.07	57	4,020.43	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Sunflower	19.05	30	2,123.5	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Swiss chard	26.03	20	19.7	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Tangelo	72.37	39	855.67	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Tangerine	1,349.0	298	9,400.38	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Timothy	3.02	14	726.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Tomato	95.82	247	11,230.96	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Tomato, processing	40.0	73	4,343.74	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Turf/sod	10.61	9	227.2	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Turnip	0.14	1	15.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Uncultivated ag	26.15	29	1,190.5	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Uncultivated non-ag	4.12	7	200.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Walnut	8,642.68	2,366	85,155.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Watermelon	10.45	8	849.0	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Wheat	38.62	82	3,865.7	A
<b>polyalkene oxide modified heptamethyl trisiloxane</b>	Wheat (forage - fodder)	5.42	8	415.6	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Alfalfa	28.86	18	1,229.4	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Almond	22,771.97	2,096	126,495.07	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Apple	2.98	1	17.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Apricot	8.85	1	20.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Avocado	816.28	108	2,346.55	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Bean, dried	4.3	2	108.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Bean, unspecified	0.96	1	40.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Blackberry	61.35	15	117.95	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Blueberry	236.79	37	280.47	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Broccoli	5.35	4	27.2	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Cannabis (all or unspecified)	1.5	21	16.74	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Cannabis (all or unspecified)	0.65	25	16,756.0	S
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Cauliflower	5.21	2	11.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Cherry	26.77	13	240.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Chive	0.05	1	0.92	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Citrus	0.39	2	16.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Corn (forage - fodder)	84.46	45	1,629.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Corn, human consumption	9.32	4	69.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Cotton	16.05	3	205.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Cucumber	25.1	28	683.08	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Garbanzo bean	8.27	2	169.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Grape	335.88	21	1,180.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Grape, wine	699.29	802	6,697.16	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Grapefruit	1.0	4	50.63	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Industrial hemp	22.82	3	27.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Landscape maintenance	63.63	N/A	N/A	N/A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Lemon	578.6	52	1,241.63	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Lettuce, leaf	3.76	2	9.7	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Melon	1.83	1	35.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	N-outdr plants in containers	1.76	1	3.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Nectarine	216.09	12	80.2	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Olive	1.57	2	8.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Onion, dry	29.59	9	200.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Orange	193.59	90	1,236.9	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Peach	768.65	18	232.45	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Pecan	4.43	2	22.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Pepper, fruiting	0.06	1	30.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Persimmon	0.04	1	0.72	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Pistachio	206.35	25	1,235.13	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Prune	437.23	40	1,918.76	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Pumpkin	20.35	4	100.8	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Raspberry	27.19	11	117.21	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Rice	41.59	30	1,093.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Rights of way	0.4	10	1,000.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Rights of way	0.16	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Sorghum/milo	4.6	4	42.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Strawberry	2,570.19	204	4,727.7	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Sunflower	0.92	2	28.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Swiss chard	0.03	1	2.3	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Tangerine	4,423.14	344	16,495.75	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Tomato	10.05	4	210.4	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Tomato, processing	654.63	164	9,771.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Uncultivated ag	41.1	13	441.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Walnut	10,084.5	878	38,344.41	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Water area	0.26	1	1.0	A
<b>polyalkyleneoxide modified polydimethyl-siloxane</b>	Watermelon	206.32	38	1,381.0	A
<b>polybutenes</b>	Alfalfa	2,291.96	1,080	64,090.18	A
<b>polybutenes</b>	Almond	37,139.02	7,791	408,749.17	A
<b>polybutenes</b>	Almond	9.98	1	105.0	C
<b>polybutenes</b>	Apple	94.99	58	1,331.6	A
<b>polybutenes</b>	Apricot	404.31	81	2,422.42	A
<b>polybutenes</b>	Artichoke, globe	365.62	420	6,898.81	A
<b>polybutenes</b>	Arugula	9.03	38	318.92	A
<b>polybutenes</b>	Asparagus	1.52	1	25.0	A
<b>polybutenes</b>	Avocado	2.31	3	17.0	A
<b>polybutenes</b>	Barley	2.58	5	54.55	A
<b>polybutenes</b>	Bean, dried	242.39	105	7,509.4	A
<b>polybutenes</b>	Bean, succulent	30.03	10	765.0	A
<b>polybutenes</b>	Beet	1.59	9	48.57	A
<b>polybutenes</b>	Bermudagrass	2.28	3	22.0	A
<b>polybutenes</b>	Blackberry	8.81	18	82.93	A
<b>polybutenes</b>	Blueberry	0.3	3	170.0	A
<b>polybutenes</b>	Bok choy	13.56	155	214.17	A
<b>polybutenes</b>	Broccoli	1,178.4	1,622	16,176.01	A
<b>polybutenes</b>	Brussels sprout	393.2	349	3,609.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polybutenes	Cabbage	320.89	468	5,933.88	A
polybutenes	Cantaloupe	138.1	105	5,295.5	A
polybutenes	Cardoon	0.29	2	6.2	A
polybutenes	Carrot	1,121.62	192	12,787.08	A
polybutenes	Cauliflower	437.52	603	6,414.08	A
polybutenes	Celery	915.3	1,059	12,340.47	A
polybutenes	Cherry	1,858.87	959	20,267.18	A
polybutenes	Chinese cabbage (napa, won bok, celery cabbage)	297.08	361	3,171.55	A
polybutenes	Cilantro	32.97	65	472.51	A
polybutenes	Citrus	53.41	100	649.75	A
polybutenes	Collard	0.35	6	13.3	A
polybutenes	Corn (forage - fodder)	806.36	429	19,051.09	A
polybutenes	Corn, grain	35.69	6	249.0	A
polybutenes	Corn, human consumption	10.79	13	272.19	A
polybutenes	Cotton	657.99	339	15,244.54	A
polybutenes	Ditch bank	0.14	N/A	2.0	A
polybutenes	Eggplant	3.13	10	192.0	A
polybutenes	Endive (escarole)	4.74	43	81.52	A
polybutenes	Fava bean	0.23	5	5.0	A
polybutenes	Fennel	4.77	37	139.29	A
polybutenes	Forage hay/silage	0.76	1	10.0	A
polybutenes	Garlic	194.84	25	2,265.7	A
polybutenes	Grape	2,489.61	1,601	48,738.81	A
polybutenes	Grape, wine	2,651.62	952	40,591.56	A
polybutenes	Grapefruit	101.44	70	913.73	A
polybutenes	Grass, seed	0.17	2	10.0	A
polybutenes	Herb, spice	1.05	1	22.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polybutenes	Kale	55.98	254	1,499.95	A
polybutenes	Kiwi fruit fuzzy	53.43	121	2,102.69	A
polybutenes	Landscape maintenance	41.82	N/A	N/A	N/A
polybutenes	Lemon	598.23	310	5,444.03	A
polybutenes	Lettuce, head	1,999.92	2,832	34,092.93	A
polybutenes	Lettuce, leaf	1,273.22	2,465	32,058.51	A
polybutenes	Lime	0.57	1	5.0	A
polybutenes	Melon	48.84	35	1,488.5	A
polybutenes	Melon	<0.01	2	5,040.0	S
polybutenes	Mizuna	4.84	26	181.3	A
polybutenes	Mustard	0.17	4	5.33	A
polybutenes	N-grnhs plants in containers	3.41	27	37.14	A
polybutenes	N-outdr flower	1.96	3	14.1	A
polybutenes	N-outdr plants in containers	32.62	54	918.62	A
polybutenes	N-outdr transplants	78.73	144	1,391.72	A
polybutenes	Nectarine	344.64	546	4,528.86	A
polybutenes	Oat	3.89	4	149.7	A
polybutenes	Oat (forage - fodder)	27.6	29	1,281.13	A
polybutenes	Olive	190.5	66	1,800.62	A
polybutenes	Onion, dry	155.46	90	4,638.5	A
polybutenes	Onion, green	1.69	8	33.35	A
polybutenes	Orange	6,058.39	2,083	45,932.26	A
polybutenes	Parsley	9.32	35	126.71	A
polybutenes	Peach	1,172.64	904	10,246.42	A
polybutenes	Pear	264.83	104	4,374.2	A
polybutenes	Pear, asian (oriental pear, ya, ya li, nashi)	2.65	9	58.5	A
polybutenes	Pecan	53.32	28	420.64	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polybutenes	Pepper, fruiting	174.92	183	7,939.13	A
polybutenes	Pepper, fruiting	<0.01	1	2,520.0	S
polybutenes	Pepper, spice	5.33	13	82.13	A
polybutenes	Persimmon	1.31	5	40.0	A
polybutenes	Pistachio	13,875.32	1,446	120,192.37	A
polybutenes	Plum	62.17	174	1,697.06	A
polybutenes	Pomegranate	42.78	28	614.68	A
polybutenes	Pomelo	7.91	10	54.0	A
polybutenes	Potato	29.1	6	372.0	A
polybutenes	Prune	12.95	9	536.85	A
polybutenes	Pumpkin	11.15	8	311.0	A
polybutenes	Quince	2.38	9	49.0	A
polybutenes	Radicchio	9.22	4	345.0	A
polybutenes	Radish	0.69	6	22.09	A
polybutenes	Raspberry	29.45	57	263.76	A
polybutenes	Regulatory pest control	0.24	N/A	N/A	N/A
polybutenes	Rice	52.01	16	1,369.0	A
polybutenes	Rights of way	11.31	18	134.0	A
polybutenes	Rights of way	39.14	N/A	N/A	N/A
polybutenes	Soil fumigation/preplant	6.65	2	91.0	A
polybutenes	Sorghum (forage - fodder)	2.05	1	36.0	A
polybutenes	Spinach	39.77	124	1,586.13	A
polybutenes	Squash, summer	0.32	1	18.0	A
polybutenes	Squash, winter	7.25	12	287.0	A
polybutenes	Squash, zucchini	<0.01	1	0.1	A
polybutenes	Strawberry	3,387.49	755	22,808.6	A
polybutenes	Structural pest control	131.65	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polybutenes	Sudangrass	22.21	11	644.0	A
polybutenes	Sugarbeet	141.71	70	4,755.0	A
polybutenes	Sunflower	6.84	3	303.0	A
polybutenes	Sweet potato	53.58	35	1,060.0	A
polybutenes	Swiss chard	7.54	29	309.8	A
polybutenes	Tangelo	194.93	65	1,437.5	A
polybutenes	Tangerine	3,937.36	1,538	39,890.62	A
polybutenes	Tomato	2.32	7	25.75	A
polybutenes	Tomato	<0.01	3	7,560.0	S
polybutenes	Tomato, processing	315.95	83	7,319.94	A
polybutenes	Uncultivated ag	179.26	92	1,857.2	A
polybutenes	Unknown	2.16	2	95.0	A
polybutenes	Vertebrate control	44.31	N/A	N/A	N/A
polybutenes	Walnut	5,220.93	1,642	53,027.76	A
polybutenes	Water area	0.14	N/A	2.0	A
polybutenes	Watermelon	72.49	44	1,789.5	A
polybutenes	Watermelon	0.03	2	5,040.0	S
polybutenes	Wheat	163.16	94	5,029.85	A
polybutenes	Wheat (forage - fodder)	90.4	85	3,704.6	A
poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Almond	532.55	51	3,694.07	A
poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt	Bean, dried	2.17	1	60.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Blackberry	87.24	43	382.97	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Blueberry	<0.01	1	0.15	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Bok choy	2.4	1	5.0	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Broccoli	157.62	71	1,015.29	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Brussels sprout	88.92	40	488.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Cabbage	91.56	91	913.42	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Cauliflower	78.56	56	458.2	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Celery	607.96	232	4,355.37	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Fennel	0.86	3	9.6	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Grape	29.08	36	736.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Grape, wine	13.89	3	92.75	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Melon	5.1	28	278.92	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	N-grnhs flower	8.46	18	56.5	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	N-outdr flower	3.37	21	22.56	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Peach	3.36	3	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Pepper, fruiting	19.67	11	167.2	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Pistachio	137.22	16	1,917.11	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Raspberry	109.62	72	592.95	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Rights of way	4.02	12	11.85	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Strawberry	7,249.1	1,183	53,239.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Tomato	5.29	4	293.0	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Tomato, processing	204.22	73	5,334.4	A
<b>poly(oxy-1,2-ethanediyl), alpha-isodecyl-omega-hydroxy-phosphate, potassium salt</b>	Uncultivated ag	0.48	2	4.0	A
<b>polyether modified polysiloxane</b>	Alfalfa	1,065.45	976	60,815.87	A
<b>polyether modified polysiloxane</b>	Almond	31,856.6	4,549	205,119.72	A
<b>polyether modified polysiloxane</b>	Apple	73.41	48	964.57	A
<b>polyether modified polysiloxane</b>	Apricot	201.5	79	1,044.07	A
<b>polyether modified polysiloxane</b>	Artichoke, globe	219.55	214	2,567.5	A
<b>polyether modified polysiloxane</b>	Arugula	30.67	69	378.31	A
<b>polyether modified polysiloxane</b>	Avocado	62.8	29	358.88	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyether modified polysiloxane</b>	Basil, sweet	1.2	2	2.0	A
<b>polyether modified polysiloxane</b>	Bean, dried	19.07	32	938.67	A
<b>polyether modified polysiloxane</b>	Bean, succulent	38.18	53	927.12	A
<b>polyether modified polysiloxane</b>	Bean, unspecified	10.39	91	439.48	A
<b>polyether modified polysiloxane</b>	Beet	12.36	97	628.43	A
<b>polyether modified polysiloxane</b>	Bermudagrass	3.18	8	399.0	A
<b>polyether modified polysiloxane</b>	Blackberry	203.57	74	750.9	A
<b>polyether modified polysiloxane</b>	Blueberry	181.96	21	673.28	A
<b>polyether modified polysiloxane</b>	Bok choy	19.8	208	933.22	A
<b>polyether modified polysiloxane</b>	Broccoli	1,093.5	2,371	23,892.83	A
<b>polyether modified polysiloxane</b>	Brussels sprout	110.51	276	2,820.81	A
<b>polyether modified polysiloxane</b>	Cabbage	692.38	1,726	16,126.73	A
<b>polyether modified polysiloxane</b>	Cannabis (all or unspecified)	28.77	42	56.51	A
<b>polyether modified polysiloxane</b>	Cannabis (all or unspecified)	7.07	40	1,207,500.0	S
<b>polyether modified polysiloxane</b>	Cannabis (all or unspecified)	46.15	84	1,140.0	U
<b>polyether modified polysiloxane</b>	Canola (rape)	2.28	1	70.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyether modified polysiloxane	Cantaloupe	198.26	92	3,546.15	A
polyether modified polysiloxane	Carrot	95.09	132	1,803.85	A
polyether modified polysiloxane	Cauliflower	637.85	1,319	12,206.17	A
polyether modified polysiloxane	Celeriac	2.23	17	77.57	A
polyether modified polysiloxane	Celery	1,243.57	2,163	15,451.38	A
polyether modified polysiloxane	Cherry	1,569.57	489	8,336.05	A
polyether modified polysiloxane	Chestnut	2.37	1	26.0	A
polyether modified polysiloxane	Chinese cabbage (napa, won bok, celery cabbage)	20.68	129	782.18	A
polyether modified polysiloxane	Cilantro	24.31	373	1,387.46	A
polyether modified polysiloxane	Citrus	24.09	15	266.0	A
polyether modified polysiloxane	Cole crop	0.2	1	0.25	A
polyether modified polysiloxane	Collard	5.78	26	6.41	A
polyether modified polysiloxane	Corn (forage - fodder)	610.88	462	22,404.23	A
polyether modified polysiloxane	Corn, human consumption	4,849.75	1,060	59,072.29	A
polyether modified polysiloxane	Cotton	200.87	61	6,570.98	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyether modified polysiloxane	Cucumber	2.27	6	35.28	A
polyether modified polysiloxane	Cucumber	3.55	34	252,000.0	S
polyether modified polysiloxane	Endive (escarole)	30.6	178	669.01	A
polyether modified polysiloxane	Fava bean	0.07	4	4.0	A
polyether modified polysiloxane	Fennel	2.4	25	119.69	A
polyether modified polysiloxane	Fig	16.17	7	215.0	A
polyether modified polysiloxane	Forage hay/silage	2.58	2	114.2	A
polyether modified polysiloxane	Gai lon	0.88	47	45.34	A
polyether modified polysiloxane	Garlic	240.05	83	3,233.32	A
polyether modified polysiloxane	Grape	1,403.73	226	7,341.59	A
polyether modified polysiloxane	Grape, wine	5,349.57	1,565	37,059.32	A
polyether modified polysiloxane	Grapefruit	449.06	74	1,914.0	A
polyether modified polysiloxane	Herb, spice	4.51	3	11.0	A
polyether modified polysiloxane	Kale	229.48	696	3,354.37	A
polyether modified polysiloxane	Kiwi fruit fuzzy	66.21	38	387.95	A
polyether modified polysiloxane	Kohlrabi	1.4	15	73.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyether modified polysiloxane</b>	Landscape maintenance	0.37	3	20.0	A
<b>polyether modified polysiloxane</b>	Landscape maintenance	5.67	N/A	N/A	N/A
<b>polyether modified polysiloxane</b>	Leek	20.83	190	814.5	A
<b>polyether modified polysiloxane</b>	Lemon	2,262.41	345	11,100.21	A
<b>polyether modified polysiloxane</b>	Lettuce, head	760.15	2,479	28,053.52	A
<b>polyether modified polysiloxane</b>	Lettuce, leaf	1,339.88	4,181	37,743.31	A
<b>polyether modified polysiloxane</b>	Lettuce, leaf	0.75	23	46,000.0	S
<b>polyether modified polysiloxane</b>	Lime	6.09	2	13.0	A
<b>polyether modified polysiloxane</b>	Melon	778.26	128	2,062.16	A
<b>polyether modified polysiloxane</b>	Mint	0.4	1	0.5	A
<b>polyether modified polysiloxane</b>	Mizuna	3.4	7	20.75	A
<b>polyether modified polysiloxane</b>	Mustard greens	37.7	130	534.73	A
<b>polyether modified polysiloxane</b>	N-grnhs flower	1.03	2	6,000.0	S
<b>polyether modified polysiloxane</b>	N-grnhs plants in containers	120.82	303	218.18	A
<b>polyether modified polysiloxane</b>	N-grnhs plants in containers	77.23	262	2,532,110.0	S
<b>polyether modified polysiloxane</b>	N-grnhs transplants	3.37	27	7.48	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyether modified polysiloxane	N-grnhs transplants	146.98	625	17,367,240.0	S
polyether modified polysiloxane	N-outdr flower	2.53	2	32.62	A
polyether modified polysiloxane	N-outdr plants in containers	11.2	21	147.33	A
polyether modified polysiloxane	N-outdr plants in containers	86.01	54	1,981,416.0	S
polyether modified polysiloxane	N-outdr transplants	6.4	11	175.0	A
polyether modified polysiloxane	Nectarine	797.99	192	2,869.91	A
polyether modified polysiloxane	Oat	0.62	1	11.0	A
polyether modified polysiloxane	Oat (forage - fodder)	12.84	7	527.0	A
polyether modified polysiloxane	Olive	12.1	14	364.08	A
polyether modified polysiloxane	Onion, dry	736.79	258	14,496.55	A
polyether modified polysiloxane	Onion, green	0.53	1	0.5	A
polyether modified polysiloxane	Orange	3,619.38	278	6,830.99	A
polyether modified polysiloxane	Orchardgrass	0.28	1	25.0	A
polyether modified polysiloxane	Parsley	11.34	142	475.65	A
polyether modified polysiloxane	Pastureland	0.38	1	17.0	A
polyether modified polysiloxane	Peach	1,575.18	470	7,313.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyether modified polysiloxane</b>	Peas	26.3	148	1,015.95	A
<b>polyether modified polysiloxane</b>	Pecan	145.36	36	1,582.4	A
<b>polyether modified polysiloxane</b>	Pepper, fruiting	69.87	45	804.35	A
<b>polyether modified polysiloxane</b>	Pepper, spice	2.48	2	21.8	A
<b>polyether modified polysiloxane</b>	Persimmon	0.15	1	1.33	A
<b>polyether modified polysiloxane</b>	Pistachio	9,387.25	835	68,698.67	A
<b>polyether modified polysiloxane</b>	Plum	1,146.22	352	4,003.76	A
<b>polyether modified polysiloxane</b>	Pluot	1.24	1	19.0	A
<b>polyether modified polysiloxane</b>	Pomegranate	25.0	2	100.5	A
<b>polyether modified polysiloxane</b>	Pomelo	4.88	2	18.0	A
<b>polyether modified polysiloxane</b>	Potato	547.5	87	5,037.06	A
<b>polyether modified polysiloxane</b>	Prune	469.46	149	5,075.62	A
<b>polyether modified polysiloxane</b>	Pumpkin	0.34	4	6.8	A
<b>polyether modified polysiloxane</b>	Quince	5.13	4	20.0	A
<b>polyether modified polysiloxane</b>	Radicchio	3.1	18	72.83	A
<b>polyether modified polysiloxane</b>	Radish	26.74	436	979.57	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyether modified polysiloxane	Rangeland	1.33	35	35.0	A
polyether modified polysiloxane	Raspberry	73.49	19	185.75	A
polyether modified polysiloxane	Research commodity	0.08	N/A	N/A	N/A
polyether modified polysiloxane	Rice	2,294.6	359	26,494.65	A
polyether modified polysiloxane	Rights of way	19.67	23	427.0	A
polyether modified polysiloxane	Rights of way	54.07	N/A	N/A	N/A
polyether modified polysiloxane	Rye	3.05	5	81.0	A
polyether modified polysiloxane	Safflower	32.92	3	876.0	A
polyether modified polysiloxane	Soil fumigation/preplant	0.38	2	24.52	A
polyether modified polysiloxane	Sorghum (forage - fodder)	101.19	42	3,858.6	A
polyether modified polysiloxane	Sorghum/milo	115.76	60	4,344.16	A
polyether modified polysiloxane	Spinach	32.34	45	375.69	A
polyether modified polysiloxane	Squash	44.46	23	697.03	A
polyether modified polysiloxane	Squash, summer	4.98	12	99.86	A
polyether modified polysiloxane	Squash, zucchini	27.11	2	132.0	A
polyether modified polysiloxane	Strawberry	5,000.46	420	9,459.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyether modified polysiloxane</b>	Sudangrass	48.66	12	863.0	A
<b>polyether modified polysiloxane</b>	Sugarbeet	45.9	65	4,243.0	A
<b>polyether modified polysiloxane</b>	Sunflower	28.57	22	583.15	A
<b>polyether modified polysiloxane</b>	Sweet potato	14.89	18	782.3	A
<b>polyether modified polysiloxane</b>	Swiss chard	8.34	77	223.72	A
<b>polyether modified polysiloxane</b>	Tangelo	643.85	60	1,487.08	A
<b>polyether modified polysiloxane</b>	Tangerine	1,427.41	178	4,252.18	A
<b>polyether modified polysiloxane</b>	Tomatillo	0.13	1	2.5	A
<b>polyether modified polysiloxane</b>	Tomato	15.5	6	179.2	A
<b>polyether modified polysiloxane</b>	Tomato	6.99	37	1,010,000.0	S
<b>polyether modified polysiloxane</b>	Tomato, processing	1,596.82	148	12,019.42	A
<b>polyether modified polysiloxane</b>	Triticale	0.4	1	10.8	A
<b>polyether modified polysiloxane</b>	Turnip	0.57	12	39.04	A
<b>polyether modified polysiloxane</b>	Uncultivated ag	196.47	503	6,262.9	A
<b>polyether modified polysiloxane</b>	Uncultivated non-ag	15.35	20	674.52	A
<b>polyether modified polysiloxane</b>	Vegetables, leafy	0.8	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyether modified polysiloxane</b>	Walnut	7,676.78	2,623	116,353.5	A
<b>polyether modified polysiloxane</b>	Water area	0.83	1	22.0	A
<b>polyether modified polysiloxane</b>	Watermelon	253.8	77	1,563.01	A
<b>polyether modified polysiloxane</b>	Wheat	7.39	11	405.6	A
<b>polyether modified polysiloxane</b>	Wheat (forage - fodder)	674.77	303	21,611.75	A
<b>polyethoxylated castor oil</b>	Alfalfa	502.83	392	26,248.74	A
<b>polyethoxylated castor oil</b>	Almond	7,624.73	2,106	91,547.3	A
<b>polyethoxylated castor oil</b>	Apple	6.84	3	109.17	A
<b>polyethoxylated castor oil</b>	Apricot	0.25	1	6.67	A
<b>polyethoxylated castor oil</b>	Artichoke, globe	266.07	232	2,939.6	A
<b>polyethoxylated castor oil</b>	Barley	8.77	1	70.0	A
<b>polyethoxylated castor oil</b>	Broccoli	89.4	137	2,189.26	A
<b>polyethoxylated castor oil</b>	Brussels sprout	47.12	51	519.0	A
<b>polyethoxylated castor oil</b>	Cabbage	51.85	80	2,532.2	A
<b>polyethoxylated castor oil</b>	Canola (rape)	0.76	1	70.0	A
<b>polyethoxylated castor oil</b>	Cantaloupe	1.39	3	94.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethoxylated castor oil	Carrot	9.27	9	438.0	A
polyethoxylated castor oil	Cauliflower	112.54	134	3,280.3	A
polyethoxylated castor oil	Celery	75.08	94	981.8	A
polyethoxylated castor oil	Cherry	338.93	97	2,629.75	A
polyethoxylated castor oil	Chestnut	0.79	1	26.0	A
polyethoxylated castor oil	Corn (forage - fodder)	191.04	244	13,939.59	A
polyethoxylated castor oil	Corn, human consumption	755.54	679	42,555.0	A
polyethoxylated castor oil	Cotton	57.71	64	6,013.98	A
polyethoxylated castor oil	Endive (escarole)	0.14	3	2.16	A
polyethoxylated castor oil	Fava bean	3.55	38	38.3	A
polyethoxylated castor oil	Fennel	14.72	32	165.6	A
polyethoxylated castor oil	Fig	5.39	7	215.0	A
polyethoxylated castor oil	Forage hay/silage	0.66	1	79.2	A
polyethoxylated castor oil	Forest, timberland	26.76	8	294.0	A
polyethoxylated castor oil	Garlic	2.64	2	316.0	A
polyethoxylated castor oil	Grape	80.81	80	2,328.01	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethoxylated castor oil	Grape, wine	3,253.28	1,744	28,943.04	A
polyethoxylated castor oil	Grapefruit	51.94	52	1,442.0	A
polyethoxylated castor oil	Kale	2.74	14	283.14	A
polyethoxylated castor oil	Kiwi fruit fuzzy	7.76	27	186.5	A
polyethoxylated castor oil	Landscape maintenance	10.05	N/A	N/A	N/A
polyethoxylated castor oil	Lemon	288.66	258	8,979.1	A
polyethoxylated castor oil	Lettuce, head	172.66	222	4,275.9	A
polyethoxylated castor oil	Lettuce, leaf	169.57	295	4,828.44	A
polyethoxylated castor oil	Mint	210.99	28	1,787.0	A
polyethoxylated castor oil	N-outdr plants in containers	1.43	2	76.0	A
polyethoxylated castor oil	Nectarine	0.21	3	10.0	A
polyethoxylated castor oil	Nuts	2.41	1	8.0	A
polyethoxylated castor oil	Oat (forage - fodder)	3.47	3	208.0	A
polyethoxylated castor oil	Olive	4.19	2	25.0	A
polyethoxylated castor oil	Onion, dry	69.54	61	5,019.0	A
polyethoxylated castor oil	Orange	35.66	23	576.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethoxylated castor oil	Pastureland	47.37	3	300.0	A
polyethoxylated castor oil	Peach	89.55	102	1,672.7	A
polyethoxylated castor oil	Pear	93.29	11	177.05	A
polyethoxylated castor oil	Pecan	1.76	3	28.0	A
polyethoxylated castor oil	Persimmon	0.05	1	1.33	A
polyethoxylated castor oil	Pistachio	1,320.25	323	21,356.6	A
polyethoxylated castor oil	Plum	0.06	1	3.0	A
polyethoxylated castor oil	Pomegranate	0.08	1	4.0	A
polyethoxylated castor oil	Potato	362.32	61	3,843.26	A
polyethoxylated castor oil	Prune	124.79	62	1,186.77	A
polyethoxylated castor oil	Raspberry	1.43	15	75.8	A
polyethoxylated castor oil	Rice	760.05	340	25,208.65	A
polyethoxylated castor oil	Rights of way	6.76	8	111.0	A
polyethoxylated castor oil	Rights of way	266.04	N/A	N/A	N/A
polyethoxylated castor oil	Rye	1.02	5	81.0	A
polyethoxylated castor oil	Safflower	10.97	3	876.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethoxylated castor oil	Sorghum (forage - fodder)	33.73	42	3,858.6	A
polyethoxylated castor oil	Sorghum/milo	38.59	60	4,344.16	A
polyethoxylated castor oil	Spinach	26.81	46	298.3	A
polyethoxylated castor oil	Squash	4.44	9	512.0	A
polyethoxylated castor oil	Sudangrass	16.22	12	863.0	A
polyethoxylated castor oil	Sugarbeet	5.01	7	660.0	A
polyethoxylated castor oil	Sunflower	16.4	4	255.2	A
polyethoxylated castor oil	Sweet potato	4.73	11	479.8	A
polyethoxylated castor oil	Tangelo	28.17	29	757.0	A
polyethoxylated castor oil	Tangerine	40.32	51	1,087.2	A
polyethoxylated castor oil	Tomatillo	0.04	1	2.5	A
polyethoxylated castor oil	Tomato	4.84	1	145.0	A
polyethoxylated castor oil	Tomato, processing	40.3	38	1,630.07	A
polyethoxylated castor oil	Uncultivated ag	883.92	546	8,817.86	A
polyethoxylated castor oil	Uncultivated non-ag	55.76	11	437.27	A
polyethoxylated castor oil	Walnut	1,153.65	615	20,481.97	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyethoxylated castor oil</b>	Water area	72.22	20	104.0	A
<b>polyethoxylated castor oil</b>	Watermelon	3.7	9	326.0	A
<b>polyethoxylated castor oil</b>	Wheat	1.82	5	166.0	A
<b>polyethoxylated castor oil</b>	Wheat (forage - fodder)	229.35	298	21,372.75	A
<b>polyethoxy polypropoxy polyethoxy ethanol - iodine complex</b>	Structural pest control	0.15	N/A	N/A	N/A
<b>polyethylene glycol</b>	Alfalfa	3,523.97	1,103	62,505.66	A
<b>polyethylene glycol</b>	Almond	50,198.42	5,614	228,644.7	A
<b>polyethylene glycol</b>	Apple	479.72	119	1,178.98	A
<b>polyethylene glycol</b>	Apricot	295.51	92	506.87	A
<b>polyethylene glycol</b>	Artichoke, globe	0.47	2	20.0	A
<b>polyethylene glycol</b>	Asparagus	19.22	4	116.0	A
<b>polyethylene glycol</b>	Avocado	34.69	6	1,460.0	A
<b>polyethylene glycol</b>	Barley	36.81	6	1,168.7	A
<b>polyethylene glycol</b>	Barley (forage - fodder)	19.0	11	403.15	A
<b>polyethylene glycol</b>	Bean, dried	138.7	56	2,773.66	A
<b>polyethylene glycol</b>	Bean, succulent	24.14	24	451.5	A
<b>polyethylene glycol</b>	Bermudagrass	5.98	4	393.0	A
<b>polyethylene glycol</b>	Blackberry	53.91	55	501.62	A
<b>polyethylene glycol</b>	Blueberry	8.7	8	58.3	A
<b>polyethylene glycol</b>	Broccoli	25.11	34	431.0	A
<b>polyethylene glycol</b>	Cabbage	5.14	17	159.4	A
<b>polyethylene glycol</b>	Cantaloupe	56.48	31	1,384.65	A
<b>polyethylene glycol</b>	Cherry	3,057.44	785	9,905.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethylene glycol	Christmas tree	8.55	4	125.0	A
polyethylene glycol	Citrus	13.92	7	60.0	A
polyethylene glycol	Collard	2.08	3	66.0	A
polyethylene glycol	Corn (forage - fodder)	1,960.08	749	36,531.68	A
polyethylene glycol	Corn, grain	169.55	214	7,210.1	A
polyethylene glycol	Corn, human consumption	481.53	830	19,461.91	A
polyethylene glycol	Cotton	1,412.65	410	31,807.2	A
polyethylene glycol	Cucumber	6.97	6	233.6	A
polyethylene glycol	Daikon	1.67	1	10.5	A
polyethylene glycol	Ditch bank	821.95	N/A	66.0	A
polyethylene glycol	Fig	2.65	2	12.0	A
polyethylene glycol	Food processing plant	3.1	1	25.0	A
polyethylene glycol	Forage hay/silage	110.54	54	2,133.05	A
polyethylene glycol	Forest, timberland	0.05	3	1.25	A
polyethylene glycol	Garbanzo bean	6.3	1	50.0	A
polyethylene glycol	Garlic	363.27	51	5,980.2	A
polyethylene glycol	Grain	5.28	2	106.55	A
polyethylene glycol	Grape	7,888.74	1,434	40,288.55	A
polyethylene glycol	Grape, wine	9,194.01	2,101	70,159.66	A
polyethylene glycol	Grapefruit	31.13	21	280.41	A
polyethylene glycol	Grass, seed	17.1	16	148.0	A
polyethylene glycol	Landscape maintenance	0.62	1	2.0	A
polyethylene glycol	Landscape maintenance	496.23	N/A	N/A	N/A
polyethylene glycol	Lemon	359.87	220	3,566.77	A
polyethylene glycol	Lettuce, head	17.92	5	450.0	A
polyethylene glycol	Lettuce, leaf	28.43	11	318.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol	Lime	1.84	2	6.5	A
polyethylene glycol	Melon	5.55	7	79.4	A
polyethylene glycol	Mustard	0.19	1	6.0	A
polyethylene glycol	N-grnhs plants in containers	5.55	10	7.17	A
polyethylene glycol	N-grnhs transplants	9.04	10	27.0	A
polyethylene glycol	N-grnhs transplants	2.82	N/A	184,352.0	S
polyethylene glycol	N-outdr plants in containers	6.18	9	63.81	A
polyethylene glycol	N-outdr transplants	608.96	197	2,331.12	A
polyethylene glycol	Nectarine	1,469.41	715	7,694.19	A
polyethylene glycol	Oat	36.57	11	377.0	A
polyethylene glycol	Oat (forage - fodder)	731.36	232	10,157.76	A
polyethylene glycol	Olive	157.18	33	614.67	A
polyethylene glycol	Onion, dry	504.71	106	7,861.2	A
polyethylene glycol	Orange	1,592.09	303	5,053.3	A
polyethylene glycol	Pasture (forage - fodder)	3.28	5	97.0	A
polyethylene glycol	Pastureland	56.43	25	1,087.5	A
polyethylene glycol	Peach	4,859.58	1,661	20,092.67	A
polyethylene glycol	Pear	51.55	40	428.58	A
polyethylene glycol	Pecan	47.27	19	261.83	A
polyethylene glycol	Pepper, fruiting	31.92	15	677.07	A
polyethylene glycol	Persimmon	3.98	4	37.0	A
polyethylene glycol	Pistachio	5,605.55	581	32,260.62	A
polyethylene glycol	Plum	5,331.48	490	4,185.65	A
polyethylene glycol	Pluot	0.63	3	0.3	A
polyethylene glycol	Pomegranate	289.43	38	1,472.4	A
polyethylene glycol	Potato	90.79	7	632.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol	Prune	2,281.09	222	5,525.22	A
polyethylene glycol	Pumpkin	32.91	19	604.93	A
polyethylene glycol	Quince	5.59	3	14.0	A
polyethylene glycol	Rangeland	65.17	17	2,929.0	A
polyethylene glycol	Raspberry	2.62	4	33.25	A
polyethylene glycol	Research commodity	10.8	17	86.08	A
polyethylene glycol	Research commodity	1.74	N/A	N/A	N/A
polyethylene glycol	Rice	2,465.6	865	71,381.79	A
polyethylene glycol	Rights of way	179.67	71	1,203.0	A
polyethylene glycol	Rights of way	1,864.53	N/A	N/A	N/A
polyethylene glycol	Ryegrass	38.58	24	907.74	A
polyethylene glycol	Soil fumigation/preplant	98.64	21	2,493.6	A
polyethylene glycol	Sorghum (forage - fodder)	54.81	19	1,292.23	A
polyethylene glycol	Sorghum/milo	64.32	33	1,852.8	A
polyethylene glycol	Squash	43.35	18	460.17	A
polyethylene glycol	Strawberry	629.37	161	4,507.77	A
polyethylene glycol	Sudangrass	81.16	32	1,304.47	A
polyethylene glycol	Sugarbeet	131.41	24	2,000.2	A
polyethylene glycol	Sugarcane	1.24	1	5.5	A
polyethylene glycol	Sunflower	405.32	147	8,421.26	A
polyethylene glycol	Tangelo	14.03	8	59.56	A
polyethylene glycol	Tangerine	536.9	243	3,921.75	A
polyethylene glycol	Tomato	104.75	47	1,430.1	A
polyethylene glycol	Tomato, processing	1,568.82	467	23,565.13	A
polyethylene glycol	Triticale	222.93	104	6,406.7	A
polyethylene glycol	Turf/sod	0.82	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethylene glycol	Turnip	0.76	4	24.4	A
polyethylene glycol	Uncultivated ag	458.46	183	12,359.08	A
polyethylene glycol	Uncultivated non-ag	21.14	13	229.0	A
polyethylene glycol	Walnut	20,398.05	2,067	72,658.6	A
polyethylene glycol	Water (industrial)	5.92	10	10.0	A
polyethylene glycol	Water area	3.78	N/A	N/A	U
polyethylene glycol	Watermelon	10.95	18	312.98	A
polyethylene glycol	Wheat	485.5	215	14,207.58	A
polyethylene glycol	Wheat (forage - fodder)	723.94	272	12,241.33	A
polyethylene glycol diacetate	Alfalfa	2.27	8	1,121.0	A
polyethylene glycol diacetate	Almond	47.67	164	9,003.61	A
polyethylene glycol diacetate	Apple	<0.01	1	7.0	A
polyethylene glycol diacetate	Avocado	0.09	1	31.0	A
polyethylene glycol diacetate	Cabbage	1.39	42	343.0	A
polyethylene glycol diacetate	Cherry	0.04	2	19.5	A
polyethylene glycol diacetate	Chinese cabbage (napa, won bok, celery cabbage)	0.02	2	18.0	A
polyethylene glycol diacetate	Corn (forage - fodder)	0.76	7	359.0	A
polyethylene glycol diacetate	Cotton	0.15	15	396.44	A
polyethylene glycol diacetate	Forest, timberland	1.51	20	323.0	A
polyethylene glycol diacetate	Grape	3.03	22	635.7	A
polyethylene glycol diacetate	Grape, wine	18.6	270	5,939.89	A
polyethylene glycol diacetate	Grapefruit	0.27	1	10.0	A
polyethylene glycol diacetate	Landscape maintenance	0.1	N/A	N/A	N/A
polyethylene glycol diacetate	Lemon	2.43	9	154.17	A
polyethylene glycol diacetate	Lettuce, leaf	0.44	29	367.3	A
polyethylene glycol diacetate	N-grnhs flower	<0.01	N/A	33.0	U



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol diacetate	Nectarine	13.45	28	376.18	A
polyethylene glycol diacetate	Orange	16.16	58	983.96	A
polyethylene glycol diacetate	Peach	0.79	10	162.45	A
polyethylene glycol diacetate	Pepper, fruiting	0.22	12	468.6	A
polyethylene glycol diacetate	Pistachio	55.97	53	6,251.36	A
polyethylene glycol diacetate	Plum	0.04	1	10.0	A
polyethylene glycol diacetate	Potato	1.65	12	1,281.1	A
polyethylene glycol diacetate	Prune	0.08	1	20.0	A
polyethylene glycol diacetate	Rice	5.5	84	6,479.5	A
polyethylene glycol diacetate	Rights of way	0.31	N/A	N/A	N/A
polyethylene glycol diacetate	Strawberry	5.92	58	1,601.9	A
polyethylene glycol diacetate	Tangelo	3.78	10	166.09	A
polyethylene glycol diacetate	Tangerine	35.06	59	1,990.85	A
polyethylene glycol diacetate	Tomato	0.61	29	1,092.4	A
polyethylene glycol diacetate	Tomato, processing	0.17	7	421.0	A
polyethylene glycol diacetate	Walnut	263.44	55	2,179.09	A
polyethylene glycol diacetate	Watermelon	0.06	1	104.0	A
polyethylene glycol ditallate	Alfalfa	0.07	2	17.0	A
polyethylene glycol ditallate	Almond	2.22	19	572.92	A
polyethylene glycol ditallate	Broccoli	0.18	5	54.1	A
polyethylene glycol ditallate	Cauliflower	0.7	18	196.85	A
polyethylene glycol ditallate	Cherry	0.5	6	128.5	A
polyethylene glycol ditallate	Corn (forage - fodder)	0.27	1	70.0	A
polyethylene glycol ditallate	Cotton	0.99	7	255.0	A
polyethylene glycol ditallate	Kiwi fruit fuzzy	0.12	1	30.0	A
polyethylene glycol ditallate	N-outdr plants in containers	0.01	2	8.0	A
polyethylene glycol ditallate	Pistachio	0.34	3	86.67	A
polyethylene glycol ditallate	Sod farm (turf)	0.16	7	126.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol ditallate	Strawberry	0.28	3	95.4	A
polyethylene glycol ditallate	Turf/sod	0.62	25	475.8	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Alfalfa	12.9	8	219.8	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Almond	24,420.71	584	49,948.76	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Apple	2.49	1	3.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Artichoke, globe	13.95	26	132.5	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Avocado	120.15	12	418.46	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bean, dried	0.12	1	1.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Bean, unspecified	1.37	2	19.2	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Beet	4.92	6	29.5	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Blackberry	32.7	12	158.91	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Blueberry	2.56	2	13.75	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Broccoli	620.44	629	7,274.66	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Brussels sprout	20.19	17	133.85	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cabbage	183.66	94	1,031.29	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Carrot	2.43	5	18.02	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cauliflower	443.39	473	4,601.91	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Celery	1,476.98	728	7,523.16	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Chive	0.35	1	3.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Collard	3.13	7	16.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Corn, human consumption	0.47	1	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Cucumber	0.04	2	0.5	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Endive (escarole)	0.35	2	3.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Fava bean	4.85	4	50.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Fennel	3.82	3	9.6	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Garlic	8.85	6	56.9	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape	4.43	8	41.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape, wine	8,805.04	2,295	72,614.26	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Kale	89.92	109	883.06	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Landscape maintenance	13.22	N/A	N/A	N/A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lemon	193.85	55	703.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lettuce, head	866.66	597	8,638.8	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Lettuce, leaf	393.04	423	3,943.71	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Melon	0.08	1	1.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Mustard greens	0.65	2	5.5	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs flower	21.87	178	241.88	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs plants in containers	0.24	1	3.59	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs plants in containers	0.01	2	20,250.0	S
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs transplants	2.82	18	10.75	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs transplants	1.67	29	1,295,385.0	S
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr flower	242.19	1,190	5,498.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr flower	<0.01	3	13.3	S
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr plants in containers	12.52	35	120.55	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr plants in containers	1.18	10	286.0	U
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr transplants	95.57	18	246.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr transplants	3.66	56	2,670,256.0	S
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Oat	2.33	1	50.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Olive	1.63	7	11.42	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Onion, dry	31.53	28	372.4	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Orange	39.07	11	161.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Oregano	0.06	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Parsley	1.93	3	15.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Peach	53.79	83	920.69	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pecan	14.7	1	27.5	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pepper, fruiting	176.14	69	1,570.24	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pistachio	507.23	84	7,605.63	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Potato	1.54	7	13.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Prune	8.08	2	140.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Pumpkin	4.97	6	145.5	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Rangeland	29.14	1	250.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Raspberry	21.68	29	186.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Rice	4,349.95	318	22,923.64	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Rights of way	2.54	9	23.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Rights of way	1.91	N/A	N/A	N/A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Sage	0.12	1	1.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Shallot	2.96	10	71.82	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Squash	0.77	3	19.25	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Strawberry	13,861.8	1,817	67,912.76	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Structural pest control	0.16	N/A	N/A	N/A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Swiss chard	6.49	12	40.7	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tangerine	19.46	3	49.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tomatillo	1.47	1	50.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Tomato	0.47	2	3.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Turnip greens	0.35	2	3.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Uncultivated ag	9.34	8	109.7	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Uncultivated non-ag	1.7	1	4.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Walnut	2,812.16	391	20,921.56	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Watermelon	1.17	2	12.0	A
polyethylene glycol oleate	Alfalfa	122.09	27	1,828.2	A
polyethylene glycol oleate	Forage hay/silage	3.36	1	75.0	A
polyethylene glycol oleate	Onion, dry	48.4	6	582.0	A
polyethylene glycol oleate	Orchardgrass	11.02	3	246.0	A
polyethylene glycol oleate	Sugarbeet	17.6	8	689.0	A
polyethylene glycol oleate	Timothy	7.8	3	116.0	A
polyethylene glycol stearate	Alfalfa	2,955.71	764	36,275.8	A
polyethylene glycol stearate	Almond	21,597.17	2,622	149,030.34	A
polyethylene glycol stearate	Apple	0.1	2	1.0	A
polyethylene glycol stearate	Apricot	0.46	1	2.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol stearate	Artichoke, globe	87.31	150	1,831.65	A
polyethylene glycol stearate	Arugula	1.47	7	36.17	A
polyethylene glycol stearate	Barley	6.87	2	143.38	A
polyethylene glycol stearate	Basil, sweet	0.39	2	2.5	A
polyethylene glycol stearate	Bean, dried	100.56	46	1,817.0	A
polyethylene glycol stearate	Bean, succulent	19.23	53	625.65	A
polyethylene glycol stearate	Bean, unspecified	2.97	13	72.6	A
polyethylene glycol stearate	Bok choy	5.01	111	121.9	A
polyethylene glycol stearate	Broccoli	4,009.58	2,266	25,585.32	A
polyethylene glycol stearate	Brussels sprout	1,401.09	419	5,271.85	A
polyethylene glycol stearate	Cabbage	233.89	488	2,547.56	A
polyethylene glycol stearate	Carrot	112.22	45	604.1	A
polyethylene glycol stearate	Cauliflower	1,938.49	970	10,444.02	A
polyethylene glycol stearate	Celery	1,132.52	1,808	14,482.97	A
polyethylene glycol stearate	Cherry	276.26	172	1,628.62	A
polyethylene glycol stearate	Cilantro	1.66	32	65.5	A
polyethylene glycol stearate	Citrus	10.95	2	84.14	A
polyethylene glycol stearate	Collard	0.67	5	15.0	A
polyethylene glycol stearate	Corn (forage - fodder)	528.72	150	7,628.16	A
polyethylene glycol stearate	Corn, grain	68.27	40	886.8	A
polyethylene glycol stearate	Corn, human consumption	760.19	854	12,195.36	A
polyethylene glycol stearate	Cotton	118.49	33	1,448.76	A
polyethylene glycol stearate	Cucumber	45.58	25	496.78	A
polyethylene glycol stearate	Eggplant	10.55	13	223.68	A
polyethylene glycol stearate	Endive (escarole)	5.73	104	147.59	A
polyethylene glycol stearate	Fennel	15.96	35	174.33	A
polyethylene glycol stearate	Forage hay/silage	10.72	5	193.0	A
polyethylene glycol stearate	Forest, timberland	256.03	16	1,381.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol stearate	Gai lon	0.29	2	9.6	A
polyethylene glycol stearate	Garlic	40.63	25	1,159.37	A
polyethylene glycol stearate	Grape	5.52	4	75.5	A
polyethylene glycol stearate	Grape, wine	9,022.52	3,307	102,556.66	A
polyethylene glycol stearate	Grapefruit	1.38	1	9.01	A
polyethylene glycol stearate	Kale	13.91	64	261.3	A
polyethylene glycol stearate	Kohlrabi	4.11	26	91.3	A
polyethylene glycol stearate	Landscape maintenance	334.13	N/A	N/A	N/A
polyethylene glycol stearate	Leek	6.48	22	283.81	A
polyethylene glycol stearate	Lemon	6.75	5	44.1	A
polyethylene glycol stearate	Lettuce, head	1,950.63	4,437	48,396.24	A
polyethylene glycol stearate	Lettuce, leaf	2,132.81	6,240	53,900.35	A
polyethylene glycol stearate	Melon	76.87	67	2,039.65	A
polyethylene glycol stearate	Mustard greens	0.19	1	1.0	A
polyethylene glycol stearate	N-grnhs flower	0.43	N/A	45.0	U
polyethylene glycol stearate	N-outdr plants in containers	48.83	8	254.5	A
polyethylene glycol stearate	N-outdr transplants	2.98	1	8.0	A
polyethylene glycol stearate	Nectarine	0.08	1	0.5	A
polyethylene glycol stearate	Olive	702.37	106	3,501.56	A
polyethylene glycol stearate	Onion, dry	310.47	155	4,435.6	A
polyethylene glycol stearate	Orange	52.62	44	348.91	A
polyethylene glycol stearate	Pasture (forage - fodder)	13.41	2	180.0	A
polyethylene glycol stearate	Pastureland	1.65	13	20.5	A
polyethylene glycol stearate	Peach	207.64	70	1,371.09	A
polyethylene glycol stearate	Pear	0.56	2	3.0	A
polyethylene glycol stearate	Peas	39.02	111	1,074.4	A
polyethylene glycol stearate	Pecan	444.67	23	1,586.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol stearate	Pepper, fruiting	441.51	313	8,294.73	A
polyethylene glycol stearate	Persimmon	3.07	1	20.0	A
polyethylene glycol stearate	Pistachio	3,375.66	231	21,499.9	A
polyethylene glycol stearate	Plum	0.09	1	0.5	A
polyethylene glycol stearate	Prune	340.58	56	2,116.68	A
polyethylene glycol stearate	Pumpkin	33.74	28	834.4	A
polyethylene glycol stearate	Radicchio	4.17	4	87.0	A
polyethylene glycol stearate	Rangeland	48.86	3	696.0	A
polyethylene glycol stearate	Rapini	1.64	9	34.3	A
polyethylene glycol stearate	Research commodity	0.74	N/A	N/A	N/A
polyethylene glycol stearate	Rice	10,188.79	1,194	90,659.08	A
polyethylene glycol stearate	Rights of way	92.44	10	375.0	A
polyethylene glycol stearate	Rights of way	2,693.28	N/A	N/A	N/A
polyethylene glycol stearate	Safflower	3.16	1	17.0	A
polyethylene glycol stearate	Soil fumigation/preplant	25.32	1	170.0	A
polyethylene glycol stearate	Sorghum/milo	10.89	4	227.3	A
polyethylene glycol stearate	Spinach	8.03	13	228.4	A
polyethylene glycol stearate	Squash	14.08	25	290.71	A
polyethylene glycol stearate	Squash, winter	47.88	6	218.0	A
polyethylene glycol stearate	Structural pest control	0.37	N/A	N/A	N/A
polyethylene glycol stearate	Sudangrass	11.76	6	245.0	A
polyethylene glycol stearate	Sunflower	231.56	89	3,368.96	A
polyethylene glycol stearate	Swiss chard	0.91	5	28.0	A
polyethylene glycol stearate	Tangelo	2.93	2	19.1	A
polyethylene glycol stearate	Tangerine	9.16	11	77.93	A
polyethylene glycol stearate	Tomato	1,514.1	392	14,567.45	A
polyethylene glycol stearate	Tomato, processing	1,059.73	201	12,434.36	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethylene glycol stearate	Triticale	16.19	1	58.0	A
polyethylene glycol stearate	Uncultivated ag	4,492.64	1,075	16,399.66	A
polyethylene glycol stearate	Uncultivated non-ag	74.78	26	216.65	A
polyethylene glycol stearate	Walnut	5,352.8	1,094	35,324.54	A
polyethylene glycol stearate	Water area	10.86	5	31.66	A
polyethylene glycol stearate	Watermelon	118.62	93	2,332.8	A
polyethylene glycol stearate	Wheat	11.17	1	150.0	A
polyethylene glycol stearate	Wheat (forage - fodder)	0.98	1	64.0	A
polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)	Corn, human consumption	27.66	343	5,837.2	A
polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)	Industrial hemp	0.58	30	176.0	A
polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)	Squash	0.48	6	101.0	A
polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)	Strawberry	1.41	16	295.45	A
polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)	Swiss chard	0.04	3	9.2	A
polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helioverpa zea (corn earworm)	Tomato, processing	2.21	5	665.0	A
polyoxyethylene polyol fatty acid esters	Alfalfa	1,022.22	466	30,866.58	A
polyoxyethylene polyol fatty acid esters	Almond	312.38	25	982.88	A
polyoxyethylene polyol fatty acid esters	Barley	20.16	4	354.0	A
polyoxyethylene polyol fatty acid esters	Bean, dried	8.35	3	180.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene polyol fatty acid esters	Bean, unspecified	16.16	8	395.0	A
polyoxyethylene polyol fatty acid esters	Cherry	57.07	7	254.0	A
polyoxyethylene polyol fatty acid esters	Corn (forage - fodder)	260.03	3	32.6	A
polyoxyethylene polyol fatty acid esters	Cotton	13.04	5	230.0	A
polyoxyethylene polyol fatty acid esters	Forage hay/silage	0.32	1	5.5	A
polyoxyethylene polyol fatty acid esters	Garlic	12.19	4	131.0	A
polyoxyethylene polyol fatty acid esters	Grape, wine	1,498.35	154	4,373.07	A
polyoxyethylene polyol fatty acid esters	Horseradish	11.38	2	167.0	A
polyoxyethylene polyol fatty acid esters	Landscape maintenance	43.17	N/A	N/A	N/A
polyoxyethylene polyol fatty acid esters	Mint	5.56	3	134.0	A
polyoxyethylene polyol fatty acid esters	N-outdr plants in containers	32.16	40	747,876.0	U
polyoxyethylene polyol fatty acid esters	Onion, dry	77.68	35	2,010.6	A
polyoxyethylene polyol fatty acid esters	Potato	35.25	11	822.0	A
polyoxyethylene polyol fatty acid esters	Prune	54.1	7	216.4	A
polyoxyethylene polyol fatty acid esters	Rice	266.24	99	6,554.2	A
polyoxyethylene polyol fatty acid esters	Rights of way	10.78	2	245.0	A
polyoxyethylene polyol fatty acid esters	Rights of way	130.83	N/A	N/A	N/A
polyoxyethylene polyol fatty acid esters	Rye	4.88	1	60.0	A
polyoxyethylene polyol fatty acid esters	Sunflower	0.42	1	10.0	A
polyoxyethylene polyol fatty acid esters	Uncultivated ag	100.9	12	869.0	A
polyoxyethylene polyol fatty acid esters	Walnut	190.24	10	701.5	A
polyoxyethylene polyol fatty acid esters	Water area	5.59	1	24.0	A
polyoxyethylene polyol fatty acid esters	Wheat	20.32	8	363.0	A
poly-i-para-menthene	Almond	421.14	16	782.0	A
poly-i-para-menthene	Apple	230.29	4	166.0	A
poly-i-para-menthene	Apricot	6.18	5	17.0	A
poly-i-para-menthene	Artichoke, globe	3.96	1	16.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
poly-i-para-menthene	Beet	24.74	2	26.0	A
poly-i-para-menthene	Blackberry	17.14	90	29.1	A
poly-i-para-menthene	Blueberry	143.69	62	294.38	A
poly-i-para-menthene	Bok choy	6.93	5	12.0	A
poly-i-para-menthene	Brussels sprout	1.96	3	6.0	A
poly-i-para-menthene	Cabbage	133.7	23	195.75	A
poly-i-para-menthene	Cherry	140.92	26	362.7	A
poly-i-para-menthene	Cilantro	91.36	5	96.0	A
poly-i-para-menthene	Collard	0.66	2	3.69	A
poly-i-para-menthene	Dill	8.15	4	15.0	A
poly-i-para-menthene	Endive (escarole)	0.2	4	1.13	A
poly-i-para-menthene	Fig	0.28	1	0.75	A
poly-i-para-menthene	Grape	187.8	18	517.9	A
poly-i-para-menthene	Grape, wine	569.57	207	2,156.02	A
poly-i-para-menthene	Kale	4.45	1	8.87	A
poly-i-para-menthene	Kohlrabi	0.59	1	1.0	A
poly-i-para-menthene	Landscape maintenance	215.13	N/A	N/A	N/A
poly-i-para-menthene	Lemon	126.24	14	146.0	A
poly-i-para-menthene	Lettuce, leaf	1.98	1	12.0	A
poly-i-para-menthene	N-grnhs plants in containers	0.95	1	1.29	A
poly-i-para-menthene	N-outdr flower	7.83	6	12.76	A
poly-i-para-menthene	N-outdr plants in containers	22.93	5	31.0	A
poly-i-para-menthene	N-outdr transplants	3.49	1	217,800.0	S
poly-i-para-menthene	Nectarine	86.52	56	268.5	A
poly-i-para-menthene	Olive	26.21	2	30.1	A
poly-i-para-menthene	Onion, dry	46.42	6	190.0	A
poly-i-para-menthene	Orange	238.66	14	269.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
poly-i-para-menthene	Parsley	11.04	6	18.53	A
poly-i-para-menthene	Peach	100.8	52	292.0	A
poly-i-para-menthene	Pear	11.63	2	2.0	A
poly-i-para-menthene	Peas	10.51	1	6.8	A
poly-i-para-menthene	Plum	8.58	8	16.74	A
poly-i-para-menthene	Prune	211.26	8	265.0	A
poly-i-para-menthene	Quince	24.86	4	20.0	A
poly-i-para-menthene	Raspberry	10.31	83	17.27	A
poly-i-para-menthene	Research commodity	21.71	7	23.6	A
poly-i-para-menthene	Research commodity	1.59	N/A	N/A	N/A
poly-i-para-menthene	Squash, summer	24.36	2	68.0	A
poly-i-para-menthene	Stone fruit	0.74	3	5.0	A
poly-i-para-menthene	Strawberry	68.42	51	176.71	A
poly-i-para-menthene	Swiss chard	0.61	2	3.42	A
poly-i-para-menthene	Tangerine	41.56	4	41.91	A
poly-i-para-menthene	Tomato	19.42	3	85.73	A
poly-i-para-menthene	Vegetable	6.24	4	14.5	A
poly-i-para-menthene	Vegetables, fruiting	3.09	7	10.25	A
poly-i-para-menthene	Walnut	1,083.88	34	855.5	A
polymeric terpenes	Almond	215.08	52	1,300.0	A
polymeric terpenes	Cherry	38.41	12	260.0	A
polymeric terpenes	Grape	0.27	1	2.0	A
polymeric terpenes	Nectarine	9.6	5	35.0	A
polymeric terpenes	Peach	90.89	18	312.7	A
polymeric terpenes	Walnut	1,168.59	87	2,359.5	A
polymerized acrylic acid	Alfalfa	379.47	15	1,672.0	A
polymerized acrylic acid	Almond	9.02	5	163.3	A
polymerized acrylic acid	Grape, wine	7.7	7	86.44	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polymerized acrylic acid	Rights of way	21.21	N/A	N/A	N/A
polymerized acrylic acid	Strawberry	2.16	2	23.0	A
polymerized acrylic acid	Sugarbeet	294.88	27	2,206.0	A
polymerized acrylic acid	Walnut	2.36	1	15.5	A
polymerized pinene	Alfalfa	198.9	5	451.0	A
polymerized pinene	Almond	7,568.83	361	14,606.82	A
polymerized pinene	Apricot	14.37	4	70.66	A
polymerized pinene	Artichoke, globe	12.73	2	18.6	A
polymerized pinene	Bean, dried	147.62	11	350.5	A
polymerized pinene	Beet	10.99	4	16.1	A
polymerized pinene	Blackberry	32.79	6	36.0	A
polymerized pinene	Blueberry	327.71	20	1,277.6	A
polymerized pinene	Broccoli	1,293.66	186	2,224.11	A
polymerized pinene	Brussels sprout	6.83	1	10.0	A
polymerized pinene	Cabbage	169.37	47	381.8	A
polymerized pinene	Cauliflower	683.67	80	1,000.1	A
polymerized pinene	Celery	375.8	38	580.32	A
polymerized pinene	Cherry	62.18	8	109.77	A
polymerized pinene	Cilantro	185.71	7	140.6	A
polymerized pinene	Citrus	115.48	13	157.2	A
polymerized pinene	Corn (forage - fodder)	176.7	6	279.3	A
polymerized pinene	Corn, human consumption	49.33	11	210.0	A
polymerized pinene	Cotton	378.75	24	974.0	A
polymerized pinene	Fig	23.23	1	17.0	A
polymerized pinene	Garlic	10.6	2	35.0	A
polymerized pinene	Golf course turf	1.93	N/A	2.0	A
polymerized pinene	Grape	1,745.55	124	2,807.44	A
polymerized pinene	Grape, wine	4,985.59	131	3,631.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polymerized pinene	Grapefruit	462.48	54	523.07	A
polymerized pinene	Industrial hemp	14.81	2	78.0	A
polymerized pinene	Kale	30.06	8	45.1	A
polymerized pinene	Landscape maintenance	1,131.86	N/A	N/A	N/A
polymerized pinene	Leek	5.85	5	8.53	A
polymerized pinene	Lemon	2,664.87	226	3,320.8	A
polymerized pinene	Lettuce, head	319.84	25	377.4	A
polymerized pinene	Lettuce, leaf	462.1	81	710.2	A
polymerized pinene	Mustard greens	7.0	19	10.55	A
polymerized pinene	N-grnhs plants in containers	0.68	1	1.0	A
polymerized pinene	N-grnhs transplants	57.39	2	200.0	A
polymerized pinene	N-outdr plants in containers	22.23	3	130.0	A
polymerized pinene	Nectarine	23.61	8	55.1	A
polymerized pinene	Olive	3,077.19	54	4,402.95	A
polymerized pinene	Onion, dry	335.63	19	1,026.0	A
polymerized pinene	Orange	26,151.35	1,547	27,138.66	A
polymerized pinene	Parsley	2.73	1	8.0	A
polymerized pinene	Peach	1,112.16	38	1,380.66	A
polymerized pinene	Pear, asian (oriental pear, ya, ya li, nashi)	5.14	2	30.0	A
polymerized pinene	Peas	6.18	2	9.0	A
polymerized pinene	Pecan	17.13	3	43.83	A
polymerized pinene	Pepper, fruiting	484.67	39	1,045.1	A
polymerized pinene	Persimmon	2.08	1	6.0	A
polymerized pinene	Pistachio	2,620.3	113	4,502.54	A
polymerized pinene	Plum	45.58	11	157.89	A
polymerized pinene	Pomegranate	6.89	2	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polymerized pinene	Pomelo	163.39	20	187.0	A
polymerized pinene	Prune	86.93	9	119.39	A
polymerized pinene	Radish	81.0	36	102.76	A
polymerized pinene	Rapini	4.15	1	8.1	A
polymerized pinene	Raspberry	4.81	1	7.0	A
polymerized pinene	Research commodity	0.73	N/A	N/A	N/A
polymerized pinene	Rice	3,950.39	25	2,905.0	A
polymerized pinene	Rights of way	0.71	1	1.0	A
polymerized pinene	Rights of way	1,530.34	N/A	N/A	N/A
polymerized pinene	Strawberry	859.73	92	3,359.58	A
polymerized pinene	Tangelo	521.64	39	479.49	A
polymerized pinene	Tangerine	7,951.85	570	9,394.92	A
polymerized pinene	Tomato, processing	39.68	3	232.0	A
polymerized pinene	Turf/sod	8.25	N/A	5.0	A
polymerized pinene	Turnip greens	5.96	18	9.03	A
polymerized pinene	Uncultivated ag	353.18	37	613.01	A
polymerized pinene	Unknown	5.03	2	3.7	A
polymerized pinene	Walnut	1,619.95	118	2,471.14	A
polymerized pinene	Watermelon	9.02	2	105.0	A
polymerized pinene	Wheat	75.8	11	445.0	A
polyoxin d, zinc salt	Almond	7,307.22	1,864	157,478.33	A
polyoxin d, zinc salt	Apricot	9.29	11	218.01	A
polyoxin d, zinc salt	Bean, succulent	<0.01	14	0.97	A
polyoxin d, zinc salt	Beet	1.89	22	396.7	A
polyoxin d, zinc salt	Blackberry	26.27	100	645.11	A
polyoxin d, zinc salt	Blueberry	87.72	75	2,294.79	A
polyoxin d, zinc salt	Broccoli	0.05	1	13.8	A
polyoxin d, zinc salt	Bushberry	<0.01	3	0.65	A
polyoxin d, zinc salt	Cabbage	<0.01	1	1.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxin d, zinc salt	Carrot	7.61	31	1,437.86	A
polyoxin d, zinc salt	Celery	37.07	131	1,444.41	A
polyoxin d, zinc salt	Cherry	74.77	38	1,781.51	A
polyoxin d, zinc salt	Cilantro	5.2	3	118.79	A
polyoxin d, zinc salt	Cole crop	0.11	51	23.24	A
polyoxin d, zinc salt	Collard	0.12	7	22.8	A
polyoxin d, zinc salt	Cucumber	0.04	37	9.45	A
polyoxin d, zinc salt	Eggplant	1.75	2	40.0	A
polyoxin d, zinc salt	Fennel	<0.01	2	1.82	A
polyoxin d, zinc salt	Garlic	1.67	8	350.0	A
polyoxin d, zinc salt	Golf course turf	41.15	N/A	153.6	A
polyoxin d, zinc salt	Golf course turf	3.03	1	490,000.0	S
polyoxin d, zinc salt	Grape	1,173.96	742	31,820.85	A
polyoxin d, zinc salt	Grape, wine	420.49	979	9,966.13	A
polyoxin d, zinc salt	Household	0.55	1	12.49	A
polyoxin d, zinc salt	Kale	0.29	4	59.21	A
polyoxin d, zinc salt	Kiwi fruit fuzzy	23.98	32	547.56	A
polyoxin d, zinc salt	Landscape maintenance	168.53	N/A	N/A	N/A
polyoxin d, zinc salt	Lemon	1.75	1	40.0	A
polyoxin d, zinc salt	Lettuce, head	97.63	317	3,344.7	A
polyoxin d, zinc salt	Lettuce, leaf	141.6	512	4,146.06	A
polyoxin d, zinc salt	Mint	<0.01	2	0.5	A
polyoxin d, zinc salt	Mustard	0.03	14	6.26	A
polyoxin d, zinc salt	Mustard greens	0.13	2	3.0	A
polyoxin d, zinc salt	N-grnhs flower	8.62	47	109.7	A
polyoxin d, zinc salt	N-grnhs flower	6.21	43	1,189,480.0	S
polyoxin d, zinc salt	N-grnhs plants in containers	5.58	91	66.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxin d, zinc salt	N-grnhs plants in containers	3.67	10	244,000.0	S
polyoxin d, zinc salt	N-grnhs transplants	3.43	40	39.37	A
polyoxin d, zinc salt	N-outdr flower	38.12	231	1,440.21	A
polyoxin d, zinc salt	N-outdr plants in containers	13.54	32	246.24	A
polyoxin d, zinc salt	N-outdr plants in containers	0.06	5	38,000.0	S
polyoxin d, zinc salt	N-outdr transplants	25.65	22	64.76	A
polyoxin d, zinc salt	N-outdr transplants	0.8	3	131,112.0	S
polyoxin d, zinc salt	Nectarine	14.67	9	335.0	A
polyoxin d, zinc salt	Onion, green	0.02	13	4.26	A
polyoxin d, zinc salt	Parsley	0.71	11	23.81	A
polyoxin d, zinc salt	Peach	61.49	31	1,404.4	A
polyoxin d, zinc salt	Peas	<0.01	5	0.58	A
polyoxin d, zinc salt	Pepper, fruiting	23.17	20	535.57	A
polyoxin d, zinc salt	Pistachio	829.63	280	19,026.36	A
polyoxin d, zinc salt	Plum	1.19	1	28.0	A
polyoxin d, zinc salt	Pomegranate	85.45	36	1,951.37	A
polyoxin d, zinc salt	Raspberry	31.96	223	1,219.95	A
polyoxin d, zinc salt	Research commodity	0.12	5	48,680.0	S
polyoxin d, zinc salt	Research commodity	<0.01	N/A	N/A	N/A
polyoxin d, zinc salt	Rights of way	0.04	1	6,000.0	S
polyoxin d, zinc salt	Rights of way	1.04	N/A	N/A	N/A
polyoxin d, zinc salt	Root vegetable	<0.01	2	1.25	A
polyoxin d, zinc salt	Spinach	0.2	40	59.51	A
polyoxin d, zinc salt	Squash	0.33	58	70.06	A
polyoxin d, zinc salt	Strawberry	908.2	676	22,386.15	A
polyoxin d, zinc salt	Swiss chard	0.03	9	9.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxin d, zinc salt	Tangerine	18.47	27	421.16	A
polyoxin d, zinc salt	Turf/sod	2.17	1	8.0	A
polyoxin d, zinc salt	Turf/sod	1.63	N/A	240,000.0	S
polyoxin d, zinc salt	Turnip greens	0.07	2	1.5	A
polyoxin d, zinc salt	Vegetables, fruiting	0.01	12	2.2	A
polyoxin d, zinc salt	Vegetables, leafy	1.7	453	345.34	A
polyoxin d, zinc salt	Walnut	79.34	42	1,804.6	A
polyoxin d, zinc salt	Water filters & filtration systems	0.55	1	12.49	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Alfalfa	48.72	61	4,176.7	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Almond	25.73	32	1,160.54	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Barley	1.56	2	135.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Corn (forage - fodder)	7.6	8	514.39	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Cotton	1.91	1	129.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Forage hay/silage	0.51	1	45.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Forest, timberland	2.74	8	294.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Garlic	1.33	3	123.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Grape	<0.01	1	0.46	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Grape, wine	235.37	1,052	10,703.13	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Landscape maintenance	1.03	N/A	N/A	N/A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Mint	21.64	28	1,787.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Nuts	0.25	1	8.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Olive	0.41	1	23.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Onion, dry	0.45	1	71.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Pastureland	4.86	3	300.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Pear	9.57	11	177.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Pistachio	1.01	1	45.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Potato	57.16	95	5,062.1	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Prune	0.45	2	10.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Rights of way	0.29	2	6.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Rights of way	23.84	N/A	N/A	N/A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Sunflower	0.84	1	37.2	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Tangerine	0.2	1	2.2	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Uncultivated ag	26.12	29	1,175.25	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Uncultivated non-ag	5.66	7	421.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Walnut	6.86	22	268.99	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Water area	7.38	19	82.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Wheat	8.24	13	1,041.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Wheat (forage - fodder)	20.45	23	1,367.18	A
polyoxyethylene cetyl-stearyl ether	N-grnhs plants in containers	15.41	94	117.14	A
polyoxyethylene cetyl-stearyl ether	N-outdr plants in containers	1,023.52	1,544	3,023.84	A
polyoxyethylene cetyl-stearyl ether	N-outdr plants in containers	0.04	1	2,000.0	S
polyoxyethylene cetyl-stearyl ether	N-outdr transplants	0.32	10	1.22	A
polyoxyethylene cetyl-stearyl ether	N-outdr transplants	<0.01	1	12,800.0	U
polyoxyethylene cetyl-stearyl ether	Rights of way	4.06	N/A	N/A	N/A
poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride	Almond	0.4	1	20.0	A
poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride	Landscape maintenance	186.23	N/A	N/A	N/A
poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride	Water (industrial)	578.79	N/A	244.0	U
polyoxyethylene dioleate	Alfalfa	6.44	250	14,394.7	A
polyoxyethylene dioleate	Almond	74.27	435	31,238.45	A
polyoxyethylene dioleate	Bermudagrass	0.04	1	70.0	A
polyoxyethylene dioleate	Blackberry	0.27	N/A	4.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene dioleate	Broccoli	0.22	10	531.4	A
polyoxyethylene dioleate	Cabbage	0.06	3	33.0	A
polyoxyethylene dioleate	Carrot	0.02	1	36.0	A
polyoxyethylene dioleate	Cherry	0.06	1	65.0	A
polyoxyethylene dioleate	Cilantro	0.02	1	35.0	A
polyoxyethylene dioleate	Corn (forage - fodder)	0.06	5	156.0	A
polyoxyethylene dioleate	Corn, human consumption	0.02	1	42.0	A
polyoxyethylene dioleate	Cotton	0.27	12	660.0	A
polyoxyethylene dioleate	Garbanzo bean	0.33	2	318.0	A
polyoxyethylene dioleate	Garlic	1.91	28	3,327.0	A
polyoxyethylene dioleate	Grape	2.12	33	872.38	A
polyoxyethylene dioleate	Grape, wine	3.54	56	1,945.11	A
polyoxyethylene dioleate	Grapefruit	0.08	6	60.0	A
polyoxyethylene dioleate	Landscape maintenance	155.58	N/A	N/A	N/A
polyoxyethylene dioleate	Lemon	0.74	6	159.0	A
polyoxyethylene dioleate	Lettuce, head	3.16	163	5,595.0	A
polyoxyethylene dioleate	Lettuce, leaf	0.51	30	1,579.13	A
polyoxyethylene dioleate	Mustard	<0.01	1	10.0	A
polyoxyethylene dioleate	N-outdr plants in containers	0.25	7	3.75	A
polyoxyethylene dioleate	Olive	0.2	6	307.0	A
polyoxyethylene dioleate	Onion, dry	0.33	18	599.5	A
polyoxyethylene dioleate	Orange	2.66	10	590.25	A
polyoxyethylene dioleate	Pastureland	7.62	1	105.26	A
polyoxyethylene dioleate	Peach	0.11	6	79.1	A
polyoxyethylene dioleate	Pistachio	12.72	67	7,485.35	A
polyoxyethylene dioleate	Regulatory pest control	36.53	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene dioleate	Rice	0.86	16	792.2	A
polyoxyethylene dioleate	Rights of way	374.15	N/A	N/A	N/A
polyoxyethylene dioleate	Sorghum (forage - fodder)	0.1	6	193.12	A
polyoxyethylene dioleate	Sudangrass	0.12	3	200.0	A
polyoxyethylene dioleate	Sugarbeet	1.5	47	3,336.0	A
polyoxyethylene dioleate	Sunflower	0.06	2	108.0	A
polyoxyethylene dioleate	Tangerine	0.19	9	59.5	A
polyoxyethylene dioleate	Uncultivated non-ag	4.51	N/A	13.05	A
polyoxyethylene dioleate	Walnut	12.18	89	2,923.67	A
polyoxyethylene dioleate	Water area	203.13	2	254.3	A
polyoxyethylene mixed fatty acid ester	Alfalfa	75.61	13	356.3	A
polyoxyethylene mixed fatty acid ester	Almond	506.34	84	2,343.12	A
polyoxyethylene mixed fatty acid ester	Apple	1.68	2	6.0	A
polyoxyethylene mixed fatty acid ester	Cherry	160.76	22	569.7	A
polyoxyethylene mixed fatty acid ester	Corn (forage - fodder)	560.74	78	3,136.7	A
polyoxyethylene mixed fatty acid ester	Cotton	4.87	4	23.0	A
polyoxyethylene mixed fatty acid ester	Grape	883.03	378	6,009.62	A
polyoxyethylene mixed fatty acid ester	Grape, wine	43.16	12	153.8	A
polyoxyethylene mixed fatty acid ester	Nectarine	0.63	2	2.25	A
polyoxyethylene mixed fatty acid ester	Orange	4.27	1	23.0	A
polyoxyethylene mixed fatty acid ester	Peach	0.7	4	1.85	A
polyoxyethylene mixed fatty acid ester	Persimmon	4.02	4	38.0	A
polyoxyethylene mixed fatty acid ester	Pistachio	80.19	21	269.17	A
polyoxyethylene mixed fatty acid ester	Rights of way	6.73	1	20.0	A
polyoxyethylene mixed fatty acid ester	Rights of way	0.76	N/A	N/A	N/A
polyoxyethylene mixed fatty acid ester	Strawberry	3.09	1	40.0	A
polyoxyethylene mixed fatty acid ester	Uncultivated ag	43.17	27	558.3	A
polyoxyethylene mixed fatty acid ester	Walnut	33.07	12	115.57	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene polyoxypropylene	Alfalfa	53.95	32	2,372.39	A
polyoxyethylene polyoxypropylene	Almond	26,144.63	1,171	88,542.77	A
polyoxyethylene polyoxypropylene	Apple	1,005.48	106	3,086.24	A
polyoxyethylene polyoxypropylene	Apricot	123.92	46	503.51	A
polyoxyethylene polyoxypropylene	Artichoke, globe	101.12	75	769.62	A
polyoxyethylene polyoxypropylene	Arugula	57.21	65	192.15	A
polyoxyethylene polyoxypropylene	Avocado	1,315.19	149	2,769.06	A
polyoxyethylene polyoxypropylene	Avocado	23.48	20	4,253,500.0	U
polyoxyethylene polyoxypropylene	Basil, sweet	399.29	20	1,205.0	A
polyoxyethylene polyoxypropylene	Bean, dried	5.51	6	193.0	A
polyoxyethylene polyoxypropylene	Bean, succulent	103.33	32	852.05	A
polyoxyethylene polyoxypropylene	Bean, unspecified	34.92	16	105.5	A
polyoxyethylene polyoxypropylene	Beet	362.47	215	4,985.52	A
polyoxyethylene polyoxypropylene	Blackberry	2,655.59	889	6,815.96	A
polyoxyethylene polyoxypropylene	Blueberry	299.63	117	1,030.17	A
polyoxyethylene polyoxypropylene	Bok choy	44.56	102	519.2	A
polyoxyethylene polyoxypropylene	Broccoli	1,271.18	498	4,301.41	A
polyoxyethylene polyoxypropylene	Brussels sprout	1,347.66	449	7,923.86	A
polyoxyethylene polyoxypropylene	Cabbage	1,679.18	1,664	14,838.8	A
polyoxyethylene polyoxypropylene	Cannabis (all or unspecified)	1.27	11	11.25	A
polyoxyethylene polyoxypropylene	Cannabis (all or unspecified)	1.42	37	45,548.0	S
polyoxyethylene polyoxypropylene	Cantaloupe	18.69	2	229.14	A
polyoxyethylene polyoxypropylene	Carrot	197.85	63	2,906.94	A
polyoxyethylene polyoxypropylene	Cauliflower	1,248.07	429	5,201.56	A
polyoxyethylene polyoxypropylene	Celery	1,975.85	838	7,499.53	A
polyoxyethylene polyoxypropylene	Cherry	545.38	118	2,353.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene polyoxypropylene	Chinese cabbage (napa, won bok, celery cabbage)	27.83	27	79.15	A
polyoxyethylene polyoxypropylene	Cilantro	46.57	29	195.02	A
polyoxyethylene polyoxypropylene	Citrus	2.53	4	15.7	A
polyoxyethylene polyoxypropylene	Citrus	13.68	14	1,521,220.0	U
polyoxyethylene polyoxypropylene	Collard	52.7	157	610.79	A
polyoxyethylene polyoxypropylene	Corn (forage - fodder)	396.46	90	4,505.0	A
polyoxyethylene polyoxypropylene	Corn, grain	12.39	7	235.8	A
polyoxyethylene polyoxypropylene	Corn, human consumption	1,261.0	289	11,676.34	A
polyoxyethylene polyoxypropylene	Cotton	167.76	35	1,880.54	A
polyoxyethylene polyoxypropylene	Cucumber	3.58	1	12.0	A
polyoxyethylene polyoxypropylene	Daikon	1.81	7	19.8	A
polyoxyethylene polyoxypropylene	Date	44.71	4	169.0	A
polyoxyethylene polyoxypropylene	Dill	4.07	5	36.63	A
polyoxyethylene polyoxypropylene	Eggplant	1.22	2	10.0	A
polyoxyethylene polyoxypropylene	Fennel	5.34	45	150.19	A
polyoxyethylene polyoxypropylene	Fig	77.55	7	913.66	A
polyoxyethylene polyoxypropylene	Forage hay/silage	31.62	19	1,397.8	A
polyoxyethylene polyoxypropylene	Garlic	15.3	3	222.0	A
polyoxyethylene polyoxypropylene	Grape	12,862.2	2,728	110,334.78	A
polyoxyethylene polyoxypropylene	Grape, wine	7,762.47	1,151	54,694.19	A
polyoxyethylene polyoxypropylene	Grapefruit	63.68	15	141.0	A
polyoxyethylene polyoxypropylene	Industrial hemp	0.61	1	15.0	A
polyoxyethylene polyoxypropylene	Kale	433.46	270	3,778.24	A
polyoxyethylene polyoxypropylene	Kiwi fruit fuzzy	3.39	4	12.0	A
polyoxyethylene polyoxypropylene	Landscape maintenance	4.68	3	22.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene polyoxypropylene	Landscape maintenance	5.49	N/A	N/A	N/A
polyoxyethylene polyoxypropylene	Leek	99.42	58	621.06	A
polyoxyethylene polyoxypropylene	Lemon	650.62	155	2,472.54	A
polyoxyethylene polyoxypropylene	Lettuce, head	627.5	458	4,218.54	A
polyoxyethylene polyoxypropylene	Lettuce, leaf	3,982.05	1,652	13,715.99	A
polyoxyethylene polyoxypropylene	Lime	0.79	4	6.0	A
polyoxyethylene polyoxypropylene	Melon	1,633.23	1	156.21	A
polyoxyethylene polyoxypropylene	Mint	1.22	8	23.05	A
polyoxyethylene polyoxypropylene	Mizuna	2.48	4	6.5	A
polyoxyethylene polyoxypropylene	Mustard	5.41	31	68.8	A
polyoxyethylene polyoxypropylene	Mustard greens	9.36	11	38.78	A
polyoxyethylene polyoxypropylene	N-grnhs flower	405.6	895	2,114.69	A
polyoxyethylene polyoxypropylene	N-grnhs flower	4.79	20	259,800.0	S
polyoxyethylene polyoxypropylene	N-grnhs plants in containers	6.05	41	8.51	A
polyoxyethylene polyoxypropylene	N-grnhs plants in containers	1.6	21	365,365.6	S
polyoxyethylene polyoxypropylene	N-outdr flower	225.75	396	913.22	A
polyoxyethylene polyoxypropylene	N-outdr flower	0.69	4	48,000.0	S
polyoxyethylene polyoxypropylene	N-outdr plants in containers	49.03	48	120.21	A
polyoxyethylene polyoxypropylene	N-outdr plants in containers	1.27	1	20,000.0	U
polyoxyethylene polyoxypropylene	N-outdr transplants	5.09	3	180.0	A
polyoxyethylene polyoxypropylene	Nectarine	244.62	69	926.34	A
polyoxyethylene polyoxypropylene	Oat (forage - fodder)	8.55	2	146.0	A
polyoxyethylene polyoxypropylene	Olive	21.4	4	240.25	A
polyoxyethylene polyoxypropylene	Onion, dry	1,502.08	115	6,667.71	A
polyoxyethylene polyoxypropylene	Onion, green	163.94	128	1,461.45	A
polyoxyethylene polyoxypropylene	Orange	625.55	119	1,445.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene polyoxypropylene	Parsley	19.39	26	185.15	A
polyoxyethylene polyoxypropylene	Peach	895.5	232	4,061.17	A
polyoxyethylene polyoxypropylene	Pear	0.12	5	1.1	A
polyoxyethylene polyoxypropylene	Peas	86.04	82	900.4	A
polyoxyethylene polyoxypropylene	Pepper, fruiting	714.68	296	7,405.02	A
polyoxyethylene polyoxypropylene	Pepper, spice	117.76	20	447.72	A
polyoxyethylene polyoxypropylene	Persimmon	10.52	1	50.0	A
polyoxyethylene polyoxypropylene	Pistachio	6,658.79	626	60,552.87	A
polyoxyethylene polyoxypropylene	Plum	98.73	34	159.62	A
polyoxyethylene polyoxypropylene	Pluot	0.85	1	2.8	A
polyoxyethylene polyoxypropylene	Pomegranate	2,247.25	174	22,514.0	A
polyoxyethylene polyoxypropylene	Potato	208.71	58	3,902.4	A
polyoxyethylene polyoxypropylene	Prune	25.75	6	169.3	A
polyoxyethylene polyoxypropylene	Pumpkin	113.45	54	2,075.55	A
polyoxyethylene polyoxypropylene	Radish	12.15	22	147.1	A
polyoxyethylene polyoxypropylene	Raspberry	2,619.31	1,333	10,013.85	A
polyoxyethylene polyoxypropylene	Research commodity	0.57	N/A	N/A	N/A
polyoxyethylene polyoxypropylene	Rice	1,249.03	200	18,422.83	A
polyoxyethylene polyoxypropylene	Rights of way	3.27	10	8.85	A
polyoxyethylene polyoxypropylene	Rights of way	2.65	N/A	N/A	N/A
polyoxyethylene polyoxypropylene	Spinach	58.69	60	362.67	A
polyoxyethylene polyoxypropylene	Squash	5.98	9	82.75	A
polyoxyethylene polyoxypropylene	Squash, summer	3.98	1	20.0	A
polyoxyethylene polyoxypropylene	Stone fruit	114.88	23	103.0	A
polyoxyethylene polyoxypropylene	Strawberry	35,648.8	4,383	115,559.72	A
polyoxyethylene polyoxypropylene	Sugarbeet	44.66	12	810.0	A
polyoxyethylene polyoxypropylene	Swiss chard	254.53	233	2,338.79	A
polyoxyethylene polyoxypropylene	Tangelo	0.4	2	3.0	A
polyoxyethylene polyoxypropylene	Tangerine	119.46	43	512.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene polyoxypropylene	Tomato	790.77	487	16,087.98	A
polyoxyethylene polyoxypropylene	Tomato, processing	830.73	188	10,557.1	A
polyoxyethylene polyoxypropylene	Turnip greens	0.95	1	3.0	A
polyoxyethylene polyoxypropylene	Uncultivated ag	202.37	108	1,705.86	A
polyoxyethylene polyoxypropylene	Walnut	14,029.74	2,609	82,096.75	A
polyoxyethylene polyoxypropylene	Watermelon	387.6	115	8,299.0	A
polyoxyethylene polyoxypropylene	Wheat	10.99	6	375.0	A
polyoxyethylene polyoxypropylene	Wheat (forage - fodder)	2.44	1	38.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Alfalfa	12.15	27	1,581.4	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Almond	4,437.02	1,522	82,577.08	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Apple	17.99	37	625.9	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Apricot	2.78	22	68.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Artichoke, globe	4.48	69	645.3	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Arugula	3.05	47	171.85	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Basil, sweet	0.03	1	2.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Bean, dried	1.12	2	135.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Bean, succulent	0.12	2	3.6	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Bean, unspecified	1.78	14	91.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Beet	0.05	1	4.6	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Blackberry	94.56	234	1,199.31	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Blueberry	9.16	34	424.41	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Bok choy	0.22	2	6.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Broccoli	36.86	260	2,268.68	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Brussels sprout	63.2	247	2,494.6	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cabbage	22.83	235	966.14	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cannabis (all or unspecified)	20.43	140	254.98	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cannabis (all or unspecified)	110.77	207	8,198,495.0	S
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Carrot	0.51	9	32.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cauliflower	41.58	207	1,466.3	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Celery	27.45	233	1,707.82	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cherry	281.36	374	8,689.95	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cilantro	1.79	22	121.32	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Corn (forage - fodder)	80.75	198	7,060.57	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Corn, human consumption	3.07	19	459.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cotton	9.38	7	645.73	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cucumber	0.2	1	12.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Fennel	0.27	13	9.85	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Garlic	0.89	3	183.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Grape	268.24	382	10,285.41	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Grape, wine	1,047.3	1,326	37,987.77	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Grapefruit	0.39	1	5.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Kale	3.76	47	155.03	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Landscape maintenance	0.19	N/A	N/A	N/A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Leek	3.73	34	200.16	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Lemon	283.25	54	2,304.16	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Lettuce, head	25.47	224	2,318.98	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Lettuce, leaf	172.93	883	6,574.07	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Melon	0.35	1	35.0	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Mizuna	0.14	4	6.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Mustard greens	0.34	8	21.53	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-grnhs flower	431.61	731	1,498.68	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-grnhs plants in containers	6.52	71	63.37	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-outdr flower	1.2	3	28.9	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-outdr plants in containers	80.66	177	1,365.66	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-outdr transplants	2.24	5	93.5	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Nectarine	61.57	186	2,147.01	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Oat (forage - fodder)	0.32	1	31.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Onion, dry	2.89	3	154.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Orange	1,493.02	464	10,639.52	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Parsley	0.59	6	27.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Peach	330.25	425	5,931.75	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Peas	4.45	76	872.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pecan	7.54	2	60.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pepper, fruiting	6.91	34	1,087.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pistachio	1,436.58	244	31,249.69	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Plum	32.79	111	1,137.52	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pomegranate	3.86	3	133.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Prune	2.93	3	70.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Pumpkin	3.88	4	100.8	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Raspberry	417.85	216	1,845.74	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Regulatory pest control	2.67	N/A	N/A	N/A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Rice	2.78	2	166.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Rights of way	28.87	N/A	N/A	N/A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Spinach	1.57	9	52.77	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Squash	5.04	13	318.98	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Squash, summer	0.22	1	20.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Squash, winter	0.8	6	82.5	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Strawberry	5,565.03	1,354	21,119.98	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Sunflower	0.56	2	22.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Sweet potato	9.82	17	672.5	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Swiss chard	2.98	36	124.49	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tangelo	55.08	24	381.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tangerine	531.53	91	4,677.08	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tomato	6.94	48	1,464.85	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Tomato, processing	20.61	22	2,174.4	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Uncultivated ag	7.78	25	826.48	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Walnut	1,951.24	1,180	46,126.29	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Watermelon	40.44	40	1,479.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Wheat	2.15	5	225.0	A
<b>polyoxyethylene polyoxypropylene monobutyl ether</b>	Walnut	8.4	1	20.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Alfalfa	12,708.87	142	9,714.2	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Almond	7,552.8	135	5,617.59	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Apricot	4.49	5	9.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Bean, unspecified	3.69	4	12.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Bermudagrass	1,880.78	29	2,147.2	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Bok choy	5.99	3	20.18	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Broccoli	171.75	6	187.93	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Cabbage	37.81	22	123.11	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Cantaloupe	94.37	2	38.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Carrot	840.68	25	1,380.35	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Celery	291.53	60	418.53	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Cherry	161.34	5	99.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Chinese cabbage (napa, won bok, celery cabbage)	7.56	3	25.66	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Cilantro	4.39	11	2.82	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Corn (forage - fodder)	711.39	31	982.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Corn, grain	830.09	62	1,097.7	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Corn, human consumption	10,258.79	258	11,580.3	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Cotton	158.82	14	1,219.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Cucumber	16.03	2	53.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitol, mixed ether ester	Ditch bank	124.02	N/A	8.0	A
polyoxyethylene sorbitol, mixed ether ester	Endive (escarole)	22.69	14	63.69	A
polyoxyethylene sorbitol, mixed ether ester	Forage hay/silage	576.53	14	703.0	A
polyoxyethylene sorbitol, mixed ether ester	Garbanzo bean	7.56	1	120.0	A
polyoxyethylene sorbitol, mixed ether ester	Garlic	12.12	1	78.3	A
polyoxyethylene sorbitol, mixed ether ester	Grape	209.46	43	2,425.25	A
polyoxyethylene sorbitol, mixed ether ester	Grape, wine	4,575.42	311	8,146.74	A
polyoxyethylene sorbitol, mixed ether ester	Landscape maintenance	90.78	N/A	N/A	N/A
polyoxyethylene sorbitol, mixed ether ester	Lemon	11.03	4	217.12	A
polyoxyethylene sorbitol, mixed ether ester	Lettuce, head	3,433.04	847	11,197.79	A
polyoxyethylene sorbitol, mixed ether ester	Lettuce, leaf	3,266.88	1,071	9,232.57	A
polyoxyethylene sorbitol, mixed ether ester	Oat	49.91	3	165.0	A
polyoxyethylene sorbitol, mixed ether ester	Olive	293.23	6	181.0	A
polyoxyethylene sorbitol, mixed ether ester	Onion, dry	978.11	13	1,111.4	A
polyoxyethylene sorbitol, mixed ether ester	Orange	0.88	1	2.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Pear	877.2	3	145.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Peas	38.62	23	168.9	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Pistachio	335.15	11	1,266.39	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Potato	34.06	2	45.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Prune	141.93	3	121.7	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Pumpkin	405.39	9	289.7	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Radish	0.48	1	0.5	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Rice	83.21	13	139.97	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Rights of way	630.68	12	380.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Rights of way	304.06	N/A	N/A	N/A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Rye	61.71	8	150.9	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Soil fumigation/preplant	181.49	6	292.2	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Sorghum/milo	39.32	1	13.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Spinach	18.03	20	13.3	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Sugarbeet	356.93	6	466.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitol, mixed ether ester	Sugarcane	15.12	1	10.0	A
polyoxyethylene sorbitol, mixed ether ester	Tomato, processing	379.09	16	953.23	A
polyoxyethylene sorbitol, mixed ether ester	Triticale	58.98	4	65.0	A
polyoxyethylene sorbitol, mixed ether ester	Uncultivated ag	6,025.63	371	5,863.95	A
polyoxyethylene sorbitol, mixed ether ester	Uncultivated non-ag	44.87	3	201.0	A
polyoxyethylene sorbitol, mixed ether ester	Walnut	467.55	58	976.41	A
polyoxyethylene sorbitol, mixed ether ester	Wheat	997.47	21	1,441.6	A
polyoxyethylene sorbitan mixed fatty acid esters	Alfalfa	123.41	22	551.5	A
polyoxyethylene sorbitan mixed fatty acid esters	Almond	469.9	56	1,698.59	A
polyoxyethylene sorbitan mixed fatty acid esters	Apple	216.76	20	352.5	A
polyoxyethylene sorbitan mixed fatty acid esters	Bean, dried	66.22	6	189.0	A
polyoxyethylene sorbitan mixed fatty acid esters	Cherry	20.97	5	60.46	A
polyoxyethylene sorbitan mixed fatty acid esters	Corn (forage - fodder)	171.44	24	641.63	A
polyoxyethylene sorbitan mixed fatty acid esters	Cotton	30.55	6	298.8	A
polyoxyethylene sorbitan mixed fatty acid esters	Forest, timberland	2.11	N/A	50.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Grape	49.75	7	177.5	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Grape, wine	20.06	11	135.52	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Landscape maintenance	76.05	N/A	N/A	N/A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Lemon	9.37	4	40.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Lettuce, leaf	32.8	2	188.2	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	N-outdr plants in containers	0.23	1	0.5	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	N-outdr plants in containers	0.06	1	100.0	U
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Oat (forage - fodder)	70.71	13	290.5	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Onion, dry	14.06	2	70.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Pastureland	2.8	1	12.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Peach	1.07	2	24.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Pistachio	74.98	12	200.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Prune	6.19	2	65.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Rice	1,390.17	64	5,533.78	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Rights of way	0.18	2	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Rights of way	25,299.9	N/A	N/A	N/A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Sugarbeet	16.01	3	190.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Uncultivated ag	87.84	8	665.25	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Walnut	13.24	5	110.8	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Water area	22.36	1	62.66	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Wheat	4.64	1	20.0	A
<b>polyoxyethylene sorbitan mixed fatty acid esters</b>	Wheat (forage - fodder)	5.89	1	17.0	A
<b>polyoxyethylene sorbitan monolaurate</b>	Alfalfa	1,376.67	150	10,194.8	A
<b>polyoxyethylene sorbitan monolaurate</b>	Artichoke, globe	6.0	1	15.0	A
<b>polyoxyethylene sorbitan monolaurate</b>	Barley	456.98	40	2,656.2	A
<b>polyoxyethylene sorbitan monolaurate</b>	Broccoli	28.25	30	177.62	A
<b>polyoxyethylene sorbitan monolaurate</b>	Corn (forage - fodder)	4.8	1	24.0	A
<b>polyoxyethylene sorbitan monolaurate</b>	Cotton	1,100.47	124	4,719.27	A
<b>polyoxyethylene sorbitan monolaurate</b>	Ditch bank	10.0	1	10.0	A
<b>polyoxyethylene sorbitan monolaurate</b>	Forage hay/silage	30.01	2	160.0	A
<b>polyoxyethylene sorbitan monolaurate</b>	Forest, timberland	4.75	13	28.2	A
<b>polyoxyethylene sorbitan monolaurate</b>	Garlic	117.62	9	438.39	A
<b>polyoxyethylene sorbitan monolaurate</b>	Grape, wine	5,551.1	469	11,853.09	A
<b>polyoxyethylene sorbitan monolaurate</b>	Horseradish	48.01	1	85.0	A
<b>polyoxyethylene sorbitan monolaurate</b>	Landscape maintenance	886.05	N/A	N/A	N/A
<b>polyoxyethylene sorbitan monolaurate</b>	Mint	120.03	6	371.0	A
<b>polyoxyethylene sorbitan monolaurate</b>	N-grnhs flower	5.71	N/A	82.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene sorbitan monolaurate	Oat	74.74	3	354.49	A
polyoxyethylene sorbitan monolaurate	Onion, dry	850.66	105	5,965.3	A
polyoxyethylene sorbitan monolaurate	Potato	1,186.65	75	3,910.5	A
polyoxyethylene sorbitan monolaurate	Rangeland	8.0	1	40.0	A
polyoxyethylene sorbitan monolaurate	Rights of way	437.9	N/A	N/A	N/A
polyoxyethylene sorbitan monolaurate	Strawberry	58.51	3	117.0	A
polyoxyethylene sorbitan monolaurate	Uncultivated ag	1,056.08	138	2,660.17	A
polyoxyethylene sorbitan monolaurate	Uncultivated non-ag	53.97	5	110.0	A
polyoxyethylene sorbitan monolaurate	Water area	69.92	28	29.9	A
polyoxyethylene sorbitan monolaurate	Wheat	532.45	59	3,144.3	A
polyoxyethylene sorbitan monooleate	Alfalfa	2,399.74	1,067	52,112.66	A
polyoxyethylene sorbitan monooleate	Almond	38,684.9	1,380	63,917.24	A
polyoxyethylene sorbitan monooleate	Apple	31.56	5	267.5	A
polyoxyethylene sorbitan monooleate	Apricot	5.86	3	75.5	A
polyoxyethylene sorbitan monooleate	Avocado	1.37	8	348.0	A
polyoxyethylene sorbitan monooleate	Barley	103.44	12	1,589.0	A
polyoxyethylene sorbitan monooleate	Barley (forage - fodder)	14.18	3	223.0	A
polyoxyethylene sorbitan monooleate	Bean, dried	12.36	4	307.25	A
polyoxyethylene sorbitan monooleate	Bermudagrass	8.45	12	425.9	A
polyoxyethylene sorbitan monooleate	Blackberry	0.08	N/A	4.5	A
polyoxyethylene sorbitan monooleate	Blueberry	45.71	19	291.38	A
polyoxyethylene sorbitan monooleate	Broccoli	119.22	152	1,535.25	A
polyoxyethylene sorbitan monooleate	Cabbage	19.04	25	234.1	A
polyoxyethylene sorbitan monooleate	Carrot	<0.01	1	0.25	A
polyoxyethylene sorbitan monooleate	Cauliflower	97.86	121	1,404.1	A
polyoxyethylene sorbitan monooleate	Celery	94.09	157	1,587.6	A
polyoxyethylene sorbitan monooleate	Cherry	350.65	118	2,794.55	A
polyoxyethylene sorbitan monooleate	Cilantro	17.27	59	284.5	A
polyoxyethylene sorbitan monooleate	Citrus	0.14	1	12.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene sorbitan monooleate</b>	Commodity fumigation	0.11	N/A	N/A	N/A
<b>polyoxyethylene sorbitan monooleate</b>	Corn (forage - fodder)	1,964.28	698	36,266.02	A
<b>polyoxyethylene sorbitan monooleate</b>	Corn, grain	255.41	49	2,846.3	A
<b>polyoxyethylene sorbitan monooleate</b>	Corn, human consumption	52.3	43	2,021.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Cotton	829.16	612	44,051.2	A
<b>polyoxyethylene sorbitan monooleate</b>	Ditch bank	0.02	N/A	7.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Forage hay/silage	108.42	46	1,663.5	A
<b>polyoxyethylene sorbitan monooleate</b>	Garbanzo bean	37.68	6	641.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Grape	648.66	456	14,720.44	A
<b>polyoxyethylene sorbitan monooleate</b>	Grape, wine	515.53	161	10,031.26	A
<b>polyoxyethylene sorbitan monooleate</b>	Grapefruit	7.78	12	69.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Grass, seed	7.51	8	427.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Kiwi fruit fuzzy	18.84	11	193.3	A
<b>polyoxyethylene sorbitan monooleate</b>	Landscape maintenance	211.31	N/A	N/A	N/A
<b>polyoxyethylene sorbitan monooleate</b>	Lemon	11.12	24	590.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Lettuce, head	0.11	1	2.5	A
<b>polyoxyethylene sorbitan monooleate</b>	Lettuce, leaf	25.47	10	505.5	A
<b>polyoxyethylene sorbitan monooleate</b>	Melon	0.32	2	17.0	A
<b>polyoxyethylene sorbitan monooleate</b>	N-outdr plants in containers	13.56	26	147.75	A
<b>polyoxyethylene sorbitan monooleate</b>	N-outdr transplants	388.53	117	3,470.5	A
<b>polyoxyethylene sorbitan monooleate</b>	Nectarine	0.06	1	1.4	A
<b>polyoxyethylene sorbitan monooleate</b>	Oat	5.57	4	184.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Oat (forage - fodder)	577.14	176	6,214.1	A
<b>polyoxyethylene sorbitan monooleate</b>	Olive	58.48	9	366.55	A
<b>polyoxyethylene sorbitan monooleate</b>	Onion, dry	38.22	16	1,282.0	A
<b>polyoxyethylene sorbitan monooleate</b>	Onion, green	<0.01	1	0.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene sorbitan monooleate	Orange	39.71	6	67.2	A
polyoxyethylene sorbitan monooleate	Pasture (forage - fodder)	15.18	8	183.0	A
polyoxyethylene sorbitan monooleate	Pastureland	47.3	10	756.21	A
polyoxyethylene sorbitan monooleate	Peach	120.77	63	1,701.1	A
polyoxyethylene sorbitan monooleate	Pecan	0.47	2	13.68	A
polyoxyethylene sorbitan monooleate	Pepper, fruiting	11.25	3	144.0	A
polyoxyethylene sorbitan monooleate	Pistachio	6,265.16	347	16,798.08	A
polyoxyethylene sorbitan monooleate	Plum	53.46	94	804.18	A
polyoxyethylene sorbitan monooleate	Pluot	0.12	1	2.8	A
polyoxyethylene sorbitan monooleate	Pomegranate	0.16	1	8.67	A
polyoxyethylene sorbitan monooleate	Potato	6.03	1	90.0	A
polyoxyethylene sorbitan monooleate	Prune	66.43	53	1,185.81	A
polyoxyethylene sorbitan monooleate	Pumpkin	23.16	5	324.0	A
polyoxyethylene sorbitan monooleate	Radicchio	1.16	8	501.2	A
polyoxyethylene sorbitan monooleate	Rangeland	<0.01	1	5.0	A
polyoxyethylene sorbitan monooleate	Regulatory pest control	10.44	N/A	N/A	N/A
polyoxyethylene sorbitan monooleate	Rice	732.15	221	18,473.38	A
polyoxyethylene sorbitan monooleate	Rights of way	35.43	31	574.9	A
polyoxyethylene sorbitan monooleate	Rights of way	5,679.89	N/A	N/A	N/A
polyoxyethylene sorbitan monooleate	Ryegrass	2.2	1	30.7	A
polyoxyethylene sorbitan monooleate	Soil fumigation/preplant	91.03	57	1,827.6	A
polyoxyethylene sorbitan monooleate	Sorghum (forage - fodder)	199.94	44	4,278.16	A
polyoxyethylene sorbitan monooleate	Sorghum/milo	72.87	27	1,459.07	A
polyoxyethylene sorbitan monooleate	Squash	38.74	9	512.0	A
polyoxyethylene sorbitan monooleate	Structural pest control	1.12	N/A	N/A	N/A
polyoxyethylene sorbitan monooleate	Sudangrass	48.53	15	1,060.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene sorbitan monooleate	Sugarbeet	12.33	8	812.11	A
polyoxyethylene sorbitan monooleate	Sunflower	<0.01	1	0.12	A
polyoxyethylene sorbitan monooleate	Sweet potato	75.5	19	1,112.8	A
polyoxyethylene sorbitan monooleate	Tangerine	9.64	11	86.5	A
polyoxyethylene sorbitan monooleate	Tomato	25.24	3	207.9	A
polyoxyethylene sorbitan monooleate	Tomato, processing	215.31	42	2,892.5	A
polyoxyethylene sorbitan monooleate	Triticale	341.86	79	4,630.74	A
polyoxyethylene sorbitan monooleate	Turf/sod	2.47	3	40.0	A
polyoxyethylene sorbitan monooleate	Uncultivated ag	93.48	33	1,581.6	A
polyoxyethylene sorbitan monooleate	Uncultivated non-ag	9.65	8	453.25	A
polyoxyethylene sorbitan monooleate	Unknown	3.2	2	48.0	A
polyoxyethylene sorbitan monooleate	Walnut	450.61	301	8,185.44	A
polyoxyethylene sorbitan monooleate	Water area	185.72	3	4,006.67	A
polyoxyethylene sorbitan monooleate	Watermelon	5.29	3	74.0	A
polyoxyethylene sorbitan monooleate	Wheat	196.41	45	2,424.16	A
polyoxyethylene sorbitan monooleate	Wheat (forage - fodder)	1,288.97	340	18,851.25	A
polyoxyethylene sorbitan trioleate	Alfalfa	2,393.7	717	33,062.57	A
polyoxyethylene sorbitan trioleate	Almond	11,765.99	1,115	54,113.33	A
polyoxyethylene sorbitan trioleate	Apricot	0.15	1	0.5	A
polyoxyethylene sorbitan trioleate	Avocado	8.99	8	348.0	A
polyoxyethylene sorbitan trioleate	Basil, sweet	0.8	48	66.11	A
polyoxyethylene sorbitan trioleate	Bean, dried	7.8	4	236.0	A
polyoxyethylene sorbitan trioleate	Beet	1.01	49	83.4	A
polyoxyethylene sorbitan trioleate	Bermudagrass	55.63	12	425.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitan trioleate	Bok choy	1.49	89	123.11	A
polyoxyethylene sorbitan trioleate	Cabbage	2.5	134	207.07	A
polyoxyethylene sorbitan trioleate	Carrot	0.06	1	0.25	A
polyoxyethylene sorbitan trioleate	Celeriac	0.25	19	21.08	A
polyoxyethylene sorbitan trioleate	Cherry	1,702.01	87	2,268.13	A
polyoxyethylene sorbitan trioleate	Chinese cabbage (napa, won bok, celery cabbage)	0.5	31	41.73	A
polyoxyethylene sorbitan trioleate	Cilantro	1.74	77	143.84	A
polyoxyethylene sorbitan trioleate	Citrus	0.9	1	12.0	A
polyoxyethylene sorbitan trioleate	Collard	2.18	92	180.42	A
polyoxyethylene sorbitan trioleate	Commodity fumigation	0.74	N/A	N/A	N/A
polyoxyethylene sorbitan trioleate	Corn (forage - fodder)	606.03	492	20,274.05	A
polyoxyethylene sorbitan trioleate	Corn, grain	13.48	10	333.71	A
polyoxyethylene sorbitan trioleate	Corn, human consumption	344.33	43	2,021.0	A
polyoxyethylene sorbitan trioleate	Cotton	2,018.86	459	34,843.86	A
polyoxyethylene sorbitan trioleate	Dandelion green	0.25	22	20.7	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitan trioleate	Dill	0.65	37	53.51	A
polyoxyethylene sorbitan trioleate	Ditch bank	0.16	N/A	7.0	A
polyoxyethylene sorbitan trioleate	Endive (escarole)	0.06	16	4.91	A
polyoxyethylene sorbitan trioleate	Forage hay/silage	9.96	17	703.0	A
polyoxyethylene sorbitan trioleate	Grape	3,346.08	421	12,637.39	A
polyoxyethylene sorbitan trioleate	Grape, wine	202.47	33	976.27	A
polyoxyethylene sorbitan trioleate	Grass, seed	49.45	8	427.0	A
polyoxyethylene sorbitan trioleate	Kale	1.83	117	151.36	A
polyoxyethylene sorbitan trioleate	Kiwi fruit fuzzy	124.02	11	193.3	A
polyoxyethylene sorbitan trioleate	Kohlrabi	0.4	34	32.75	A
polyoxyethylene sorbitan trioleate	Landscape maintenance	1,100.18	N/A	N/A	N/A
polyoxyethylene sorbitan trioleate	Leek	0.6	28	49.59	A
polyoxyethylene sorbitan trioleate	Lemon	12.78	16	508.0	A
polyoxyethylene sorbitan trioleate	Lettuce, leaf	2.7	148	223.73	A
polyoxyethylene sorbitan trioleate	Melon	2.1	2	17.0	A
polyoxyethylene sorbitan trioleate	Mustard	0.79	50	65.23	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitan trioleate	Mustard greens	1.57	64	129.8	A
polyoxyethylene sorbitan trioleate	N-outdr transplants	4.25	15	376.4	A
polyoxyethylene sorbitan trioleate	Nectarine	0.39	1	1.4	A
polyoxyethylene sorbitan trioleate	Oat	18.94	3	154.0	A
polyoxyethylene sorbitan trioleate	Oat (forage - fodder)	23.66	97	4,703.55	A
polyoxyethylene sorbitan trioleate	Olive	3.0	2	65.0	A
polyoxyethylene sorbitan trioleate	Onion, dry	249.36	15	1,277.0	A
polyoxyethylene sorbitan trioleate	Onion, green	0.02	1	0.09	A
polyoxyethylene sorbitan trioleate	Orange	0.4	1	8.2	A
polyoxyethylene sorbitan trioleate	Parsley	1.52	65	125.47	A
polyoxyethylene sorbitan trioleate	Pastureland	5.03	6	485.75	A
polyoxyethylene sorbitan trioleate	Peach	354.63	59	1,153.61	A
polyoxyethylene sorbitan trioleate	Pecan	3.1	2	13.68	A
polyoxyethylene sorbitan trioleate	Pepper, fruiting	0.93	1	20.0	A
polyoxyethylene sorbitan trioleate	Pistachio	764.35	132	4,699.15	A
polyoxyethylene sorbitan trioleate	Plum	351.42	94	804.18	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitan trioleate	Pluot	0.79	1	2.8	A
polyoxyethylene sorbitan trioleate	Pomegranate	1.06	1	8.67	A
polyoxyethylene sorbitan trioleate	Prune	437.2	58	1,227.51	A
polyoxyethylene sorbitan trioleate	Radicchio	7.61	8	501.2	A
polyoxyethylene sorbitan trioleate	Rangeland	0.03	1	5.0	A
polyoxyethylene sorbitan trioleate	Rice	4,418.9	207	17,406.54	A
polyoxyethylene sorbitan trioleate	Rights of way	89.74	13	368.9	A
polyoxyethylene sorbitan trioleate	Rights of way	36,699.04	N/A	N/A	N/A
polyoxyethylene sorbitan trioleate	Ryegrass	0.3	2	63.0	A
polyoxyethylene sorbitan trioleate	Soil fumigation/preplant	14.86	3	302.0	A
polyoxyethylene sorbitan trioleate	Sorghum (forage - fodder)	18.9	4	307.0	A
polyoxyethylene sorbitan trioleate	Spinach	0.74	51	61.17	A
polyoxyethylene sorbitan trioleate	Structural pest control	7.38	N/A	N/A	N/A
polyoxyethylene sorbitan trioleate	Sudangrass	66.18	5	278.38	A
polyoxyethylene sorbitan trioleate	Sugarbeet	81.19	8	812.11	A
polyoxyethylene sorbitan trioleate	Sunflower	0.03	1	0.12	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitan trioleate	Swiss chard	1.59	108	131.43	A
polyoxyethylene sorbitan trioleate	Tangerine	3.57	4	15.0	A
polyoxyethylene sorbitan trioleate	Triticale	12.32	45	2,550.18	A
polyoxyethylene sorbitan trioleate	Turnip	1.19	59	98.27	A
polyoxyethylene sorbitan trioleate	Uncultivated ag	73.26	31	3,934.17	A
polyoxyethylene sorbitan trioleate	Uncultivated non-ag	55.17	4	1,959.2	A
polyoxyethylene sorbitan trioleate	Unknown	1.56	3	255.0	A
polyoxyethylene sorbitan trioleate	Walnut	635.73	217	4,883.9	A
polyoxyethylene sorbitan trioleate	Water area	836.61	N/A	3,730.37	A
polyoxyethylene sorbitan trioleate	Wheat	20.19	13	539.04	A
polyoxyethylene sorbitan trioleate	Wheat (forage - fodder)	8.6	51	1,824.64	A
polyoxyethylene soybean oil fatty acid ester	Alfalfa	5,057.62	677	38,334.94	A
polyoxyethylene soybean oil fatty acid ester	Almond	48,937.8	1,591	64,055.85	A
polyoxyethylene soybean oil fatty acid ester	Apple	97.97	12	356.73	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene soybean oil fatty acid ester</b>	Apricot	126.99	12	238.84	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Avocado	386.24	44	651.7	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Barley	59.11	12	1,589.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Barley (forage - fodder)	8.1	3	223.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Bean, dried	6.42	3	157.25	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Bean, succulent	3.44	1	9.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Bermudagrass	1,114.16	34	2,403.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Blueberry	26.12	19	291.38	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Broccoli	68.12	152	1,535.25	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Cabbage	10.88	25	234.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene soybean oil fatty acid ester</b>	Cantaloupe	55.34	2	148.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Cauliflower	55.92	121	1,404.1	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Celery	53.76	157	1,587.6	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Cherimoya	17.13	12	78.4	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Cherry	6,583.42	375	6,655.66	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Chestnut	4.04	1	14.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Cilantro	9.87	59	284.5	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Corn (forage - fodder)	1,590.24	602	31,405.07	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Corn, grain	144.91	46	2,716.3	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Corn, human consumption	224.89	14	592.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene soybean oil fatty acid ester	Cotton	298.5	153	9,207.34	A
polyoxyethylene soybean oil fatty acid ester	Cucumber	4.12	1	13.3	A
polyoxyethylene soybean oil fatty acid ester	Eggplant	13.47	2	35.0	A
polyoxyethylene soybean oil fatty acid ester	Fig	61.34	2	66.66	A
polyoxyethylene soybean oil fatty acid ester	Forage hay/silage	275.3	57	2,125.5	A
polyoxyethylene soybean oil fatty acid ester	Garbanzo bean	21.53	6	641.0	A
polyoxyethylene soybean oil fatty acid ester	Garlic	441.91	38	1,541.5	A
polyoxyethylene soybean oil fatty acid ester	Grape	1,782.96	114	4,055.55	A
polyoxyethylene soybean oil fatty acid ester	Grape, wine	43,588.06	1,453	57,548.07	A
polyoxyethylene soybean oil fatty acid ester	Grapefruit	70.16	27	142.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene soybean oil fatty acid ester	Guava	109.42	28	200.0	A
polyoxyethylene soybean oil fatty acid ester	Kale	2.34	1	5.0	A
polyoxyethylene soybean oil fatty acid ester	Kiwi fruit fuzzy	119.28	16	150.31	A
polyoxyethylene soybean oil fatty acid ester	Kohlrabi	3.69	1	8.0	A
polyoxyethylene soybean oil fatty acid ester	Kumquat	0.19	1	1.0	A
polyoxyethylene soybean oil fatty acid ester	Lemon	5.82	9	83.5	A
polyoxyethylene soybean oil fatty acid ester	Lettuce, head	0.07	1	2.5	A
polyoxyethylene soybean oil fatty acid ester	Lettuce, leaf	14.56	10	505.5	A
polyoxyethylene soybean oil fatty acid ester	Lime	52.5	24	134.0	A
polyoxyethylene soybean oil fatty acid ester	N-outdr plants in containers	13.86	20	146.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene soybean oil fatty acid ester	N-outdr transplants	222.01	117	3,470.5	A
polyoxyethylene soybean oil fatty acid ester	Nectarine	25.21	10	47.16	A
polyoxyethylene soybean oil fatty acid ester	Oat	1.54	1	30.0	A
polyoxyethylene soybean oil fatty acid ester	Oat (forage - fodder)	557.67	198	7,541.6	A
polyoxyethylene soybean oil fatty acid ester	Olive	216.55	19	696.76	A
polyoxyethylene soybean oil fatty acid ester	Onion, dry	238.46	8	581.0	A
polyoxyethylene soybean oil fatty acid ester	Orange	453.82	59	945.0	A
polyoxyethylene soybean oil fatty acid ester	Orchardgrass	3.26	1	28.0	A
polyoxyethylene soybean oil fatty acid ester	Pasture (forage - fodder)	8.67	8	183.0	A
polyoxyethylene soybean oil fatty acid ester	Pastureland	93.15	8	745.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene soybean oil fatty acid ester	Peach	733.52	111	2,200.76	A
polyoxyethylene soybean oil fatty acid ester	Pear	1.38	1	3.0	A
polyoxyethylene soybean oil fatty acid ester	Pepper, fruiting	6.35	2	124.0	A
polyoxyethylene soybean oil fatty acid ester	Pistachio	4,295.96	233	12,890.05	A
polyoxyethylene soybean oil fatty acid ester	Plum	3.38	3	7.0	A
polyoxyethylene soybean oil fatty acid ester	Pome fruit	3.07	1	5.5	A
polyoxyethylene soybean oil fatty acid ester	Potato	3.45	1	90.0	A
polyoxyethylene soybean oil fatty acid ester	Prune	453.13	22	479.7	A
polyoxyethylene soybean oil fatty acid ester	Pumpkin	21.78	7	350.0	A
polyoxyethylene soybean oil fatty acid ester	Radish	1.84	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene soybean oil fatty acid ester</b>	Regulatory pest control	33.16	N/A	N/A	N/A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Rice	5,310.28	226	15,335.31	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Rights of way	255.76	35	1,013.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Rights of way	3.07	N/A	N/A	N/A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Ryegrass	31.2	3	95.7	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Soil fumigation/preplant	108.28	57	1,604.8	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Sorghum (forage - fodder)	112.61	40	3,971.16	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Sorghum/milo	117.03	29	1,635.07	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Squash	105.7	14	760.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Squash, summer	14.63	1	95.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene soybean oil fatty acid ester	Sudangrass	22.02	12	863.0	A
polyoxyethylene soybean oil fatty acid ester	Sugarbeet	63.46	3	165.0	A
polyoxyethylene soybean oil fatty acid ester	Sunflower	691.43	17	1,499.0	A
polyoxyethylene soybean oil fatty acid ester	Sweet potato	43.15	19	1,112.8	A
polyoxyethylene soybean oil fatty acid ester	Tangerine	141.59	15	180.5	A
polyoxyethylene soybean oil fatty acid ester	Tomato	122.09	6	427.9	A
polyoxyethylene soybean oil fatty acid ester	Tomato, processing	447.67	61	3,922.0	A
polyoxyethylene soybean oil fatty acid ester	Triticale	195.35	79	4,630.74	A
polyoxyethylene soybean oil fatty acid ester	Tropical/subtropical fruit	14.56	11	61.04	A
polyoxyethylene soybean oil fatty acid ester	Turf/sod	1.41	3	40.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>polyoxyethylene soybean oil fatty acid ester</b>	Uncultivated ag	942.85	185	4,858.4	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Uncultivated non-ag	2.3	5	26.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Unknown	1.83	2	48.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Walnut	17,081.5	756	25,200.46	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Water area	97.19	3	232.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Watermelon	3.02	3	74.0	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Wheat	175.17	47	2,626.16	A
<b>polyoxyethylene soybean oil fatty acid ester</b>	Wheat (forage - fodder)	886.77	350	19,359.55	A
<b>polyoxyethylene tall oil fatty acid ester</b>	Alfalfa	70.93	27	2,171.0	A
<b>polyoxyethylene tall oil fatty acid ester</b>	Barley	1.99	1	65.0	A
<b>polyoxyethylene tall oil fatty acid ester</b>	Corn (forage - fodder)	22.81	8	514.39	A
<b>polyoxyethylene tall oil fatty acid ester</b>	Cotton	5.72	1	129.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene tall oil fatty acid ester	Forage hay/silage	1.53	1	45.0	A
polyoxyethylene tall oil fatty acid ester	Garlic	3.99	3	123.0	A
polyoxyethylene tall oil fatty acid ester	Grape, wine	4.18	1	40.0	A
polyoxyethylene tall oil fatty acid ester	Potato	111.01	64	3,590.9	A
polyoxyethylene tall oil fatty acid ester	Wheat	24.71	13	1,041.0	A
polyoxyethylene tall oil fatty acid ester	Wheat (forage - fodder)	61.34	23	1,367.18	A
polypropylene glycol	Almond	6.11	10	574.46	A
polypropylene glycol	Broccoli	6.99	461	4,083.4	A
polypropylene glycol	Cauliflower	1.64	141	934.6	A
polypropylene glycol	Cherry	0.05	3	50.0	A
polypropylene glycol	Grape	1.92	10	239.0	A
polypropylene glycol	Grape, wine	44.16	904	15,756.65	A
polypropylene glycol	Landscape maintenance	0.08	3	20.0	A
polypropylene glycol	Landscape maintenance	0.01	N/A	N/A	N/A
polypropylene glycol	Lemon	0.82	20	310.5	A
polypropylene glycol	Lettuce, head	10.32	537	5,306.0	A
polypropylene glycol	Lettuce, leaf	10.23	723	5,116.8	A
polypropylene glycol	N-outdr plants in containers	0.1	3	15.8	A
polypropylene glycol	Onion, dry	1.46	30	1,172.85	A
polypropylene glycol	Orange	4.18	89	1,734.7	A
polypropylene glycol	Pear	0.24	1	40.0	A
polypropylene glycol	Pistachio	6.16	13	823.2	A
polypropylene glycol	Prune	0.08	2	25.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polypropylene glycol	Rights of way	1.57	10	1,000.0	A
polypropylene glycol	Rights of way	7.86	N/A	N/A	N/A
polypropylene glycol	Strawberry	3.3	35	792.0	A
polypropylene glycol	Tangelo	0.18	5	42.0	A
polypropylene glycol	Tangerine	1.52	27	340.5	A
polypropylene glycol	Uncultivated ag	0.79	63	245.1	A
polypropylene glycol	Walnut	11.72	53	1,274.52	A
polysaccharide polymer	Alfalfa	0.95	56	1,574.86	A
polysaccharide polymer	Almond	0.11	3	95.4	A
polysaccharide polymer	Bermudagrass	0.24	3	210.0	A
polysaccharide polymer	Corn (forage - fodder)	0.35	16	1,001.9	A
polysaccharide polymer	Cotton	2.8	55	12,767.0	A
polysaccharide polymer	Cucumber	0.03	2	79.0	A
polysaccharide polymer	Forage hay/silage	1.85	48	2,573.2	A
polysaccharide polymer	Grape, wine	2.5	50	839.82	A
polysaccharide polymer	Grass, seed	0.01	2	40.0	A
polysaccharide polymer	Landscape maintenance	<0.01	N/A	N/A	N/A
polysaccharide polymer	N-outdr flower	0.41	18	46.14	A
polysaccharide polymer	Oat	4.11	8	1,142.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polysaccharide polymer	Oat (forage - fodder)	0.12	5	311.0	A
polysaccharide polymer	Onion, dry	0.04	1	26.0	A
polysaccharide polymer	Pastureland	<0.01	1	6.24	A
polysaccharide polymer	Rights of way	0.06	2	100.0	A
polysaccharide polymer	Rights of way	0.17	N/A	N/A	N/A
polysaccharide polymer	Safflower	0.06	1	150.0	A
polysaccharide polymer	Soil fumigation/preplant	1.07	16	3,295.0	A
polysaccharide polymer	Triticale	0.34	3	910.0	A
polysaccharide polymer	Uncultivated ag	0.23	8	468.8	A
polysaccharide polymer	Uncultivated non-ag	0.04	2	85.0	A
polysaccharide polymer	Walnut	0.02	1	22.12	A
polysaccharide polymer	Wheat	0.35	7	346.0	A
polysaccharide polymer	Wheat (forage - fodder)	0.26	14	1,410.77	A
polysiloxane	Alfalfa	5.23	120	3,913.7	A
polysiloxane	Corn (forage - fodder)	25.87	5	263.0	A
polysiloxane	Cotton	17.06	10	345.0	A
polysiloxane	Landscape maintenance	<0.01	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polysiloxane	Lettuce, head	0.19	2	35.2	A
polysiloxane	Lettuce, leaf	0.03	2	26.0	A
polysiloxane	N-grnhs plants in containers	0.45	1	1.95	A
polysiloxane	Pistachio	529.12	34	1,948.18	A
polysiloxane	Rice	2,507.96	196	19,027.16	A
polysiloxane	Rights of way	16.32	N/A	N/A	N/A
polysiloxane	Strawberry	0.04	43	620.0	A
polysiloxane	Tangerine	1.47	1	8.0	A
polysiloxane	Wheat	0.3	11	213.0	A
polysorbate 65	Alfalfa	1,342.67	275	16,740.68	A
polysorbate 65	Almond	3,004.18	1,157	53,655.25	A
polysorbate 65	Apricot	2.53	9	24.99	A
polysorbate 65	Arugula	1.76	3	12.6	A
polysorbate 65	Basil, sweet	21.82	6	196.0	A
polysorbate 65	Bean, dried	18.56	6	82.8	A
polysorbate 65	Beet	6.35	1	76.0	A
polysorbate 65	Bermudagrass	31.49	3	246.0	A
polysorbate 65	Blackberry	0.07	1	1.0	A
polysorbate 65	Blueberry	12.05	24	200.64	A
polysorbate 65	Bok choy	0.28	1	2.0	A
polysorbate 65	Broccoli	442.42	191	2,035.3	A
polysorbate 65	Cabbage	163.69	103	878.24	A
polysorbate 65	Carrot	88.88	26	602.7	A
polysorbate 65	Cauliflower	233.36	73	1,045.2	A
polysorbate 65	Celery	172.01	91	727.0	A
polysorbate 65	Cherry	26.45	34	423.14	A
polysorbate 65	Chinese cabbage (napa, won bok, celery cabbage)	0.28	1	2.0	A
polysorbate 65	Cilantro	186.65	100	698.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polysorbate 65	Citrus	7.05	6	173.79	A
polysorbate 65	Corn (forage - fodder)	284.61	87	4,660.8	A
polysorbate 65	Corn, human consumption	15.96	3	384.8	A
polysorbate 65	Cotton	478.29	46	9,535.6	A
polysorbate 65	Dill	20.73	4	124.0	A
polysorbate 65	Endive (escarole)	3.26	14	16.34	A
polysorbate 65	Fig	103.84	24	1,418.58	A
polysorbate 65	Garbanzo bean	0.84	1	20.0	A
polysorbate 65	Garlic	30.86	10	242.9	A
polysorbate 65	Grape	145.74	104	2,696.64	A
polysorbate 65	Grape, wine	989.72	288	7,974.42	A
polysorbate 65	Grapefruit	45.46	27	556.96	A
polysorbate 65	Herb, spice	3.01	1	18.0	A
polysorbate 65	Kale	35.21	20	154.7	A
polysorbate 65	Kiwi fruit fuzzy	11.27	14	94.5	A
polysorbate 65	Landscape maintenance	15.57	N/A	N/A	N/A
polysorbate 65	Lemon	103.7	69	1,486.71	A
polysorbate 65	Lettuce, head	129.86	75	771.75	A
polysorbate 65	Lettuce, leaf	301.74	183	1,675.35	A
polysorbate 65	Lime	3.03	4	5.3	A
polysorbate 65	Mustard greens	11.82	18	48.6	A
polysorbate 65	N-outdr plants in containers	0.35	5	42,000.0	S
polysorbate 65	Nectarine	0.97	7	16.13	A
polysorbate 65	Olive	38.78	11	535.14	A
polysorbate 65	Onion, dry	336.57	70	3,053.0	A
polysorbate 65	Orange	589.6	291	7,932.81	A
polysorbate 65	Parsley	43.37	18	287.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polysorbate 65	Pastureland	0.84	1	60.0	A
polysorbate 65	Peach	19.39	27	170.89	A
polysorbate 65	Peas	139.09	75	601.8	A
polysorbate 65	Pecan	3.86	8	37.66	A
polysorbate 65	Pepper, fruiting	13.41	9	207.97	A
polysorbate 65	Pepper, spice	6.55	4	33.0	A
polysorbate 65	Persimmon	4.39	3	45.2	A
polysorbate 65	Pistachio	1,249.29	331	12,705.78	A
polysorbate 65	Plum	10.08	18	190.98	A
polysorbate 65	Pomegranate	2.21	2	16.67	A
polysorbate 65	Pomelo	3.49	5	45.5	A
polysorbate 65	Potato	60.84	20	1,169.41	A
polysorbate 65	Prune	59.19	34	571.08	A
polysorbate 65	Radicchio	89.31	36	604.75	A
polysorbate 65	Regulatory pest control	20.35	N/A	N/A	N/A
polysorbate 65	Research commodity	1.73	8	12.35	A
polysorbate 65	Rights of way	4.74	4	62.0	A
polysorbate 65	Rights of way	974.91	N/A	N/A	N/A
polysorbate 65	Safflower	9.61	2	115.0	A
polysorbate 65	Soil fumigation/preplant	3.34	2	125.0	A
polysorbate 65	Sorghum (forage - fodder)	23.81	3	142.0	A
polysorbate 65	Spinach	101.86	52	447.55	A
polysorbate 65	Squash	1.19	1	8.5	A
polysorbate 65	Strawberry	14.75	5	171.15	A
polysorbate 65	Sugarbeet	170.59	38	2,597.22	A
polysorbate 65	Sunflower	4.88	2	85.0	A
polysorbate 65	Tangelo	33.82	18	504.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polysorbate 65	Tangerine	285.64	122	3,583.19	A
polysorbate 65	Tomato	8.72	1	156.4	A
polysorbate 65	Tomato, processing	10.25	6	485.0	A
polysorbate 65	Uncultivated ag	276.57	148	3,278.92	A
polysorbate 65	Uncultivated non-ag	3.56	4	36.33	A
polysorbate 65	Unknown	11.5	1	55.0	A
polysorbate 65	Vegetables, leafy	64.37	6	387.7	A
polysorbate 65	Walnut	912.6	288	10,031.84	A
polysorbate 65	Wheat	1.4	2	110.0	A
potash soap	Apple	224.6	5	55.26	A
potash soap	Artichoke, globe	239.81	2	38.4	A
potash soap	Arugula	190.89	8	95.75	A
potash soap	Avocado	294.8	10	44.7	A
potash soap	Basil, sweet	439.42	80	122.57	A
potash soap	Basil, sweet	0.08	2	600.0	S
potash soap	Bean, succulent	28.12	8	20.45	A
potash soap	Bean, unspecified	50.04	7	26.5	A
potash soap	Beet	408.61	11	126.2	A
potash soap	Beet	0.02	1	80.0	S
potash soap	Blackberry	4,730.45	139	1,129.37	A
potash soap	Blueberry	1,455.62	40	526.82	A
potash soap	Bok choy	345.66	21	78.05	A
potash soap	Boysenberry	4.06	1	1.0	A
potash soap	Broccoli	40,887.13	1,149	7,453.34	A
potash soap	Broccoli	0.06	3	240.0	S
potash soap	Brussels sprout	1,617.42	66	205.2	A
potash soap	Bushberry	0.81	2	0.5	A
potash soap	Cabbage	13,139.85	620	2,693.63	A
potash soap	Cabbage	0.08	3	300.0	S
potash soap	Cannabis (all or unspecified)	2,534.01	437	773.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potash soap	Cannabis (all or unspecified)	1.95	1	2,500.0	C
potash soap	Cannabis (all or unspecified)	3,885.58	1,471	15,964,871.0	S
potash soap	Cannabis (all or unspecified)	0.25	8	200.0	U
potash soap	Carrot	145.72	1	16.87	A
potash soap	Cauliflower	29,658.33	842	5,302.55	A
potash soap	Cauliflower	0.06	3	240.0	S
potash soap	Celery	14,739.63	431	2,667.18	A
potash soap	Cherry	249.8	2	30.0	A
potash soap	Chervil	18.36	4	3.93	A
potash soap	Chinese greens	0.09	5	1,010.0	S
potash soap	Chive	226.05	27	36.92	A
potash soap	Cilantro	6.7	6	6.0	A
potash soap	Cole crop	0.81	3	0.55	A
potash soap	Collard	1,243.59	49	112.56	A
potash soap	Collard	0.03	4	256.0	S
potash soap	Cucumber	101.33	16	14.94	A
potash soap	Dandelion green	0.04	4	480.0	S
potash soap	Dill	157.57	9	31.02	A
potash soap	Edible flowers	3.41	4	1.5	A
potash soap	Eggplant	124.9	6	30.0	A
potash soap	Fennel	22.32	3	14.3	A
potash soap	Grape	17,159.85	95	2,036.1	A
potash soap	Grape, wine	3,705.16	67	723.96	A
potash soap	Herb, spice	807.61	199	239.76	A
potash soap	Industrial hemp	511.76	73	119.21	A
potash soap	Kale	9,382.91	132	1,044.69	A
potash soap	Kale	0.19	7	1,350.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potash soap	Landscape maintenance	3,007.85	N/A	N/A	N/A
potash soap	Lettuce, head	252.34	28	83.94	A
potash soap	Lettuce, head	1.87	9	12,858.72	S
potash soap	Lettuce, leaf	8,343.69	450	2,511.75	A
potash soap	Lettuce, leaf	1,310.77	21	2,882,760.0	S
potash soap	Lime	6.41	2	1.63	A
potash soap	Loganberry	2.03	1	0.5	A
potash soap	Melon	43.72	6	6.0	A
potash soap	Melon	1.77	4	10,080.0	S
potash soap	Mint	269.93	131	118.47	A
potash soap	Mizuna	30.18	4	9.22	A
potash soap	Mustard	0.04	2	480.0	S
potash soap	Mustard greens	130.85	10	32.84	A
potash soap	N-grnhs flower	116.6	46	34.48	A
potash soap	N-grnhs flower	33.51	15	292,688.0	S
potash soap	N-grnhs flower	0.1	2	28.0	U
potash soap	N-grnhs plants in containers	988.12	197	168.3	A
potash soap	N-grnhs plants in containers	50.26	112	1,130,665.5	S
potash soap	N-grnhs plants in containers	11.87	2	19,200.0	U
potash soap	N-grnhs transplants	724.04	134	146.29	A
potash soap	N-grnhs transplants	47.77	37	502,256.0	S
potash soap	N-outdr flower	375.0	39	97.17	A
potash soap	N-outdr flower	0.64	5	31,460.0	S
potash soap	N-outdr plants in containers	991.18	178	203.4	A
potash soap	N-outdr plants in containers	149.78	52	1,548,172.4	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potash soap	N-outdr plants in containers	41.82	28	50,823.0	U
potash soap	N-outdr transplants	444.84	52	65.92	A
potash soap	N-outdr transplants	116.24	18	931,962.0	S
potash soap	Onion, green	1.5	4	1.7	A
potash soap	Onion, green	<0.01	1	50.0	S
potash soap	Oregano	35.52	18	17.73	A
potash soap	Parsley	122.08	9	26.18	A
potash soap	Pear	176.61	3	29.0	A
potash soap	Pepper, fruiting	5,241.63	42	959.9	A
potash soap	Pepper, fruiting	1.3	4	10,080.0	S
potash soap	Plum	0.53	2	0.48	A
potash soap	Prune	962.21	8	460.0	A
potash soap	Public health	112.16	N/A	N/A	N/A
potash soap	Radish	13.03	1	1.52	A
potash soap	Rapini	395.52	10	518.0	A
potash soap	Raspberry	972.44	34	239.74	A
potash soap	Regulatory pest control	162.07	N/A	N/A	N/A
potash soap	Research commodity	73.55	59	12.29	A
potash soap	Research commodity	3.36	14	47,652.0	S
potash soap	Research commodity	76.88	N/A	N/A	N/A
potash soap	Rights of way	9.78	N/A	N/A	N/A
potash soap	Root vegetable	0.65	1	0.5	A
potash soap	Rosemary	456.62	74	151.33	A
potash soap	Sage	442.41	53	60.24	A
potash soap	Spinach	1,249.27	32	502.67	A
potash soap	Squash	692.84	15	127.32	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potash soap	Squash, winter	48.72	1	40.0	A
potash soap	Stone fruit	6.55	N/A	5.5	A
potash soap	Strawberry	7,492.97	99	1,626.93	A
potash soap	Structural pest control	58.25	N/A	N/A	N/A
potash soap	Sweet potato	0.05	1	0.05	A
potash soap	Swiss chard	2,209.41	59	294.05	A
potash soap	Swiss chard	0.11	4	960.0	S
potash soap	Tarragon	36.13	5	5.51	A
potash soap	Thyme	17.64	6	7.7	A
potash soap	Tomato	1,568.1	27	348.83	A
potash soap	Tomato	5.78	14	31,032.0	S
potash soap	Vegetable	6.25	2	2.7	A
potash soap	Vegetables, fruiting	1.35	6	1.2	A
potash soap	Vegetables, leafy	173.51	59	148.49	A
potash soap	Vegetables, leafy	0.03	4	480.0	S
potash soap	Walnut	404.16	3	71.0	A
potash soap	Watercress	0.04	4	480.0	S
potash soap	Watermelon	466.09	14	120.9	A
potash soap	Watermelon	0.33	2	5,040.0	S
potassium bicarbonate	Apple	137.05	12	44.0	A
potassium bicarbonate	Apricot	370.99	20	153.68	A
potassium bicarbonate	Basil, sweet	171.97	97	97.39	A
potassium bicarbonate	Basil, sweet	0.04	3	1,004.0	S
potassium bicarbonate	Beet	1,918.3	24	779.8	A
potassium bicarbonate	Blackberry	298.89	12	123.22	A
potassium bicarbonate	Blueberry	829.55	20	421.64	A
potassium bicarbonate	Bok choy	30.5	1	12.4	A
potassium bicarbonate	Brussels sprout	110.64	6	51.5	A
potassium bicarbonate	Cabbage	44.17	7	51.88	A
potassium bicarbonate	Cabbage	1.2	5	26,700.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potassium bicarbonate	Cannabis (all or unspecified)	0.38	1	6,900.0	?
potassium bicarbonate	Cannabis (all or unspecified)	101.92	74	76.04	A
potassium bicarbonate	Cannabis (all or unspecified)	717.44	517	10,347,768.0	S
potassium bicarbonate	Cannabis (all or unspecified)	1.59	1	10.0	U
potassium bicarbonate	Cantaloupe	143.32	3	59.2	A
potassium bicarbonate	Carrot	2.46	1	1.0	A
potassium bicarbonate	Celery	1,111.52	85	460.1	A
potassium bicarbonate	Cherry	234.15	5	101.3	A
potassium bicarbonate	Chervil	1.23	3	0.7	A
potassium bicarbonate	Chrysanthemum, edible leaved	3.07	2	1.25	A
potassium bicarbonate	Cilantro	0.82	1	0.5	A
potassium bicarbonate	Citrus	1.59	1	0.3	A
potassium bicarbonate	Collard	137.01	21	89.7	A
potassium bicarbonate	Commodity fumigation	1.91	N/A	N/A	N/A
potassium bicarbonate	Cucumber	450.22	39	147.86	A
potassium bicarbonate	Dill	14.76	12	8.2	A
potassium bicarbonate	Grape	117,825.82	790	37,729.79	A
potassium bicarbonate	Grape	0.61	1	9,000.0	S
potassium bicarbonate	Grape	24.6	4	10.0	U
potassium bicarbonate	Grape, wine	130,074.32	2,196	43,511.6	A
potassium bicarbonate	Herb, spice	88.55	25	34.55	A
potassium bicarbonate	Kale	905.36	50	376.65	A
potassium bicarbonate	Landscape maintenance	9.41	N/A	N/A	N/A
potassium bicarbonate	Lettuce, head	780.92	19	347.57	A
potassium bicarbonate	Lettuce, head	0.1	5	1,440.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium bicarbonate	Lettuce, leaf	1,104.58	65	487.15	A
potassium bicarbonate	Lettuce, leaf	0.45	12	9,072.0	S
potassium bicarbonate	Mint	13.08	5	5.4	A
potassium bicarbonate	N-grnhs flower	145.19	46	127.83	A
potassium bicarbonate	N-grnhs flower	28.89	24	221,140.0	S
potassium bicarbonate	N-grnhs plants in containers	244.36	118	67.2	A
potassium bicarbonate	N-grnhs plants in containers	186.42	137	1,503,201.83	S
potassium bicarbonate	N-grnhs plants in containers	2.92	1	15,125.0	U
potassium bicarbonate	N-grnhs transplants	236.71	89	128.59	A
potassium bicarbonate	N-grnhs transplants	43.16	79	913,809.0	S
potassium bicarbonate	N-outdr flower	64.3	31	33.34	A
potassium bicarbonate	N-outdr plants in containers	353.76	96	209.21	A
potassium bicarbonate	N-outdr plants in containers	38.07	27	383,915.0	S
potassium bicarbonate	N-outdr plants in containers	0.2	1	1,200.0	U
potassium bicarbonate	N-outdr transplants	123.45	73	100.63	A
potassium bicarbonate	N-outdr transplants	11.34	5	205,144.0	S
potassium bicarbonate	Nectarine	1,799.04	63	749.11	A
potassium bicarbonate	Onion, green	75.77	2	30.8	A
potassium bicarbonate	Oregano	48.84	33	27.85	A
potassium bicarbonate	Parsley	140.3	9	59.1	A
potassium bicarbonate	Peach	2,652.34	94	1,090.44	A
potassium bicarbonate	Pepper, fruiting	499.89	19	257.63	A
potassium bicarbonate	Pistachio	11.32	1	4.6	A
potassium bicarbonate	Plum	1,325.75	34	563.13	A
potassium bicarbonate	Radicchio	250.82	2	104.0	A
potassium bicarbonate	Raspberry	218.53	4	88.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium bicarbonate	Research commodity	0.1	2	0.04	A
potassium bicarbonate	Research commodity	39.41	52	424,350.0	S
potassium bicarbonate	Research commodity	16.95	N/A	N/A	N/A
potassium bicarbonate	Rosemary	44.6	42	34.3	A
potassium bicarbonate	Sage	282.67	105	81.65	A
potassium bicarbonate	Spinach	59.04	3	24.0	A
potassium bicarbonate	Squash	11.47	2	2.0	A
potassium bicarbonate	Squash, winter	206.39	4	91.0	A
potassium bicarbonate	Squash, winter	0.1	1	2,000.0	S
potassium bicarbonate	Stone fruit	7.38	2	3.0	A
potassium bicarbonate	Strawberry	39,170.62	691	14,172.21	A
potassium bicarbonate	Strawberry	17.35	8	287,570.0	S
potassium bicarbonate	Swiss chard	986.94	52	406.25	A
potassium bicarbonate	Tarragon	1.43	2	0.7	A
potassium bicarbonate	Thyme	46.96	40	27.29	A
potassium bicarbonate	Tomato	2,305.57	170	850.26	A
potassium bicarbonate	Tomato	2.01	15	39,308.0	S
potassium bicarbonate	Tomato, processing	1,574.76	12	937.1	A
potassium bicarbonate	Upland cress	48.71	23	31.76	A
potassium bicarbonate	Vegetables, leafy	<0.01	1	36.0	S
potassium bicarbonate	Watermelon	2,847.03	18	753.6	A
potassium carbonate	Forest, timberland	3.15	4	75.5	A
potassium carbonate	Grape, wine	0.02	1	1.0	A
potassium carbonate	Rights of way	1.87	N/A	N/A	N/A
potassium hydroxide	Alfalfa	47.0	89	4,142.5	A
potassium hydroxide	Almond	2,044.42	1,539	107,337.32	A
potassium hydroxide	Apple	22.46	34	700.74	A
potassium hydroxide	Apricot	0.04	10	5.99	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium hydroxide	Artichoke, globe	5.42	12	426.0	A
potassium hydroxide	Avocado	1.08	2	203.5	A
potassium hydroxide	Bean, dried	2.43	2	166.0	A
potassium hydroxide	Bean, succulent	1.69	5	212.0	A
potassium hydroxide	Beet	4.19	10	144.71	A
potassium hydroxide	Blueberry	21.9	31	1,103.03	A
potassium hydroxide	Bok choy	0.17	4	23.0	A
potassium hydroxide	Broccoli	0.31	6	353.73	A
potassium hydroxide	Brussels sprout	1.5	3	99.4	A
potassium hydroxide	Cabbage	12.91	56	640.91	A
potassium hydroxide	Celery	25.95	103	2,293.13	A
potassium hydroxide	Cherry	52.18	243	3,860.2	A
potassium hydroxide	Cilantro	1.34	7	86.96	A
potassium hydroxide	Collard	0.63	11	28.3	A
potassium hydroxide	Corn (forage - fodder)	47.05	159	6,398.28	A
potassium hydroxide	Cotton	39.19	25	2,889.0	A
potassium hydroxide	Cucumber	3.78	23	257.93	A
potassium hydroxide	Date	1.05	31	180.0	A
potassium hydroxide	Dill	0.09	1	3.0	A
potassium hydroxide	Forest, timberland	1.19	3	27.8	A
potassium hydroxide	Garlic	0.44	1	155.0	A
potassium hydroxide	Grape	203.77	215	6,769.5	A
potassium hydroxide	Grape, wine	276.99	518	15,069.73	A
potassium hydroxide	Industrial site	0.28	3	25.0	A
potassium hydroxide	Kale	0.44	8	35.4	A
potassium hydroxide	Landscape maintenance	0.8	N/A	N/A	N/A
potassium hydroxide	Lemon	5.64	22	296.49	A
potassium hydroxide	Lettuce, leaf	1.46	54	120.43	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potassium hydroxide	N-grnhs plants in containers	1.64	109	129.49	A
potassium hydroxide	N-grnhs transplants	0.32	16	14.77	A
potassium hydroxide	N-outdr plants in containers	101.44	1,763	3,250.76	A
potassium hydroxide	N-outdr plants in containers	<0.01	1	2,000.0	S
potassium hydroxide	N-outdr plants in containers	<0.01	1	0.17	U
potassium hydroxide	N-outdr transplants	4.89	152	1,717.5	A
potassium hydroxide	N-outdr transplants	<0.01	1	12,800.0	U
potassium hydroxide	Nectarine	0.43	16	46.88	A
potassium hydroxide	Oat (forage - fodder)	0.06	4	33.0	A
potassium hydroxide	Olive	8.07	23	476.2	A
potassium hydroxide	Onion, green	3.24	40	287.03	A
potassium hydroxide	Orange	22.63	96	1,030.69	A
potassium hydroxide	Parsley	0.84	9	53.0	A
potassium hydroxide	Peach	13.76	220	2,699.41	A
potassium hydroxide	Pear	0.09	6	22.68	A
potassium hydroxide	Pecan	34.39	6	854.66	A
potassium hydroxide	Pepper, fruiting	1.96	11	250.1	A
potassium hydroxide	Pistachio	230.64	216	15,569.82	A
potassium hydroxide	Plum	1.71	74	275.59	A
potassium hydroxide	Pomegranate	0.24	3	15.0	A
potassium hydroxide	Prune	21.14	45	1,446.29	A
potassium hydroxide	Raspberry	0.38	3	12.23	A
potassium hydroxide	Research commodity	0.5	19	63.3	A
potassium hydroxide	Rice	5.38	15	1,159.0	A
potassium hydroxide	Rights of way	5.61	11	331.0	A
potassium hydroxide	Rights of way	10.78	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium hydroxide	Safflower	1.15	1	40.0	A
potassium hydroxide	Soil fumigation/preplant	0.76	2	120.0	A
potassium hydroxide	Sorghum (forage - fodder)	1.38	4	84.44	A
potassium hydroxide	Sorghum/milo	0.08	1	70.0	A
potassium hydroxide	Spinach	0.09	1	11.0	A
potassium hydroxide	Strawberry	1,526.63	1,465	62,755.44	A
potassium hydroxide	Structural pest control	0.19	N/A	N/A	N/A
potassium hydroxide	Sunflower	1.68	2	86.4	A
potassium hydroxide	Swiss chard	0.15	6	9.0	A
potassium hydroxide	Tangelo	0.77	5	33.36	A
potassium hydroxide	Tangerine	19.88	18	564.39	A
potassium hydroxide	Tomato, processing	1.82	11	810.0	A
potassium hydroxide	Uncultivated ag	29.23	58	2,880.67	A
potassium hydroxide	Uncultivated non-ag	7.85	11	333.5	A
potassium hydroxide	Walnut	343.14	772	22,932.42	A
potassium hydroxide	Watermelon	27.4	33	1,174.0	A
potassium hydroxide	Wheat	0.56	2	39.0	A
potassium hydroxide	Wheat (forage - fodder)	0.25	1	22.91	A
potassium n-methyldithiocarbamate	Almond	6,008.74	1	70.0	A
potassium n-methyldithiocarbamate	Artichoke, globe	4,706.85	1	17.5	A
potassium n-methyldithiocarbamate	Basil, sweet	45,687.9	78	315.74	A
potassium n-methyldithiocarbamate	Beet	47,588.5	111	327.5	A
potassium n-methyldithiocarbamate	Blackberry	1,716.78	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium n-methyldithiocarbamate	Bok choy	50,012.45	183	406.81	A
potassium n-methyldithiocarbamate	Broccoli	6,186.14	2	23.0	A
potassium n-methyldithiocarbamate	Brussels sprout	64,733.88	47	678.0	A
potassium n-methyldithiocarbamate	Cabbage	44,854.38	174	360.44	A
potassium n-methyldithiocarbamate	Cantaloupe	58,939.28	21	381.49	A
potassium n-methyldithiocarbamate	Carrot	2,879,407.58	116	9,815.7	A
potassium n-methyldithiocarbamate	Celeriac	5,805.41	34	45.34	A
potassium n-methyldithiocarbamate	Celery	7.87	1	0.11	A
potassium n-methyldithiocarbamate	Chinese cabbage (napa, won bok, celery cabbage)	14,441.31	55	105.2	A
potassium n-methyldithiocarbamate	Cilantro	45,669.55	170	371.02	A
potassium n-methyldithiocarbamate	Collard	72,533.01	219	579.5	A
potassium n-methyldithiocarbamate	Dandelion green	2,828.48	25	22.78	A
potassium n-methyldithiocarbamate	Dill	20,816.8	95	169.54	A
potassium n-methyldithiocarbamate	Eggplant	16,269.38	3	71.0	A
potassium n-methyldithiocarbamate	Endive (escarole)	1,578.46	18	12.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium n-methyldithiocarbamate	Fennel	1,424.13	6	11.68	A
potassium n-methyldithiocarbamate	Grape	10,327.04	6	182.2	A
potassium n-methyldithiocarbamate	Grape, wine	5,364.83	1	20.38	A
potassium n-methyldithiocarbamate	Kale	36,703.45	150	296.01	A
potassium n-methyldithiocarbamate	Kohlrabi	10,025.87	53	80.54	A
potassium n-methyldithiocarbamate	Leek	4,883.31	19	39.46	A
potassium n-methyldithiocarbamate	Lettuce, head	102,085.64	10	444.0	A
potassium n-methyldithiocarbamate	Lettuce, leaf	188,809.28	326	1,162.34	A
potassium n-methyldithiocarbamate	Melon	131,065.75	41	1,106.48	A
potassium n-methyldithiocarbamate	Mint	718.31	3	3.7	A
potassium n-methyldithiocarbamate	Mustard	19,071.34	80	151.87	A
potassium n-methyldithiocarbamate	Mustard greens	34,598.13	120	278.33	A
potassium n-methyldithiocarbamate	N-outdr transplants	26,533.74	7	93.55	A
potassium n-methyldithiocarbamate	Onion, dry	272,167.7	14	1,189.2	A
potassium n-methyldithiocarbamate	Onion, green	44,234.63	4	198.2	A
potassium n-methyldithiocarbamate	Parsley	34,686.31	127	273.01	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium n-methyldithiocarbamate	Pepper, fruiting	293,313.57	93	1,370.21	A
potassium n-methyldithiocarbamate	Pepper, spice	40,830.82	4	239.5	A
potassium n-methyldithiocarbamate	Potato	247,425.47	14	966.0	A
potassium n-methyldithiocarbamate	Pumpkin	26,524.3	2	235.0	A
potassium n-methyldithiocarbamate	Raspberry	17,293.73	2	69.0	A
potassium n-methyldithiocarbamate	Soil fumigation/preplant	509,375.3	54	4,388.41	A
potassium n-methyldithiocarbamate	Spinach	60,328.8	128	351.0	A
potassium n-methyldithiocarbamate	Squash	8,614.73	3	111.0	A
potassium n-methyldithiocarbamate	Squash, summer	37,952.35	5	200.0	A
potassium n-methyldithiocarbamate	Squash, winter	38,959.53	5	203.0	A
potassium n-methyldithiocarbamate	Strawberry	859,304.09	98	3,453.98	A
potassium n-methyldithiocarbamate	Sweet potato	631,167.32	134	2,655.74	A
potassium n-methyldithiocarbamate	Swiss chard	40,455.9	167	323.56	A
potassium n-methyldithiocarbamate	Tomato	138,014.48	34	594.97	A
potassium n-methyldithiocarbamate	Tomato, processing	1,608,099.52	255	9,761.79	A
potassium n-methyldithiocarbamate	Turnip	36,056.38	139	292.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium n-methyldithiocarbamate	Uncultivated ag	20,229.43	3	110.8	A
potassium n-methyldithiocarbamate	Watermelon	73,650.57	21	925.84	A
potassium nitrate	Alfalfa	17.83	24	704.1	A
potassium nitrate	Almond	5,877.34	652	44,507.71	A
potassium nitrate	Apple	213.35	34	700.74	A
potassium nitrate	Apricot	0.12	8	2.49	A
potassium nitrate	Broccoli	1.95	5	349.73	A
potassium nitrate	Cherry	465.24	238	3,720.89	A
potassium nitrate	Corn (forage - fodder)	38.71	108	4,382.04	A
potassium nitrate	Cotton	6.91	4	115.0	A
potassium nitrate	Garlic	4.74	1	155.0	A
potassium nitrate	Grape	6.95	2	62.0	A
potassium nitrate	Grape, wine	24.35	8	317.0	A
potassium nitrate	Landscape maintenance	35.88	N/A	N/A	N/A
potassium nitrate	N-grnhs transplants	2.46	5	10.14	A
potassium nitrate	N-outdr transplants	44.48	98	1,703.88	A
potassium nitrate	Nectarine	0.23	7	4.8	A
potassium nitrate	Oat (forage - fodder)	0.6	4	33.0	A
potassium nitrate	Orange	4.12	2	30.0	A
potassium nitrate	Peach	96.78	188	2,509.14	A
potassium nitrate	Pear	0.83	6	22.68	A
potassium nitrate	Pistachio	490.27	85	9,548.0	A
potassium nitrate	Plum	9.3	68	243.79	A
potassium nitrate	Prune	20.69	5	108.92	A
potassium nitrate	Rice	51.07	15	1,159.0	A
potassium nitrate	Rights of way	10.07	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium nitrate	Soil fumigation/preplant	7.25	2	120.0	A
potassium nitrate	Sorghum/milo	0.86	1	70.0	A
potassium nitrate	Strawberry	6.18	3	56.0	A
potassium nitrate	Tangerine	49.36	2	230.0	A
potassium nitrate	Tomato, processing	2.5	3	385.0	A
potassium nitrate	Uncultivated ag	1.99	2	91.19	A
potassium nitrate	Uncultivated non-ag	1.14	1	9.5	A
potassium nitrate	Walnut	1,881.61	501	17,064.43	A
potassium permanganate	N-outdr transplants	11.88	1	240,000.0	S
potassium peroxymonosulfate	Animal premise	1,016.23	44	3,252,800.0	S
potassium peroxymonosulfate	Animal premise	160.44	8	396,012.0	U
potassium peroxymonosulfate	Grape, wine	13.52	4	26.3	A
potassium phosphite	Alfalfa	3,036.67	30	1,417.7	A
potassium phosphite	Almond	397,088.63	3,006	157,529.12	A
potassium phosphite	Apple	178.33	4	43.0	A
potassium phosphite	Apricot	326.06	4	137.0	A
potassium phosphite	Artichoke, globe	905.02	13	200.7	A
potassium phosphite	Arugula	3,027.29	222	1,533.32	A
potassium phosphite	Avocado	3,281.23	73	1,005.38	A
potassium phosphite	Avocado	218.83	4	203,000.0	U
potassium phosphite	Basil, sweet	7,115.49	59	1,945.06	A
potassium phosphite	Bean, succulent	1.67	11	0.76	A
potassium phosphite	Beet	777.62	148	296.4	A
potassium phosphite	Blackberry	214.28	9	77.81	A
potassium phosphite	Blackberry	2.94	10	65,651.0	S
potassium phosphite	Blackberry	0.06	3	0.13	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium phosphite	Bok choy	70.01	24	42.36	A
potassium phosphite	Broccoli	1,378.17	37	464.34	A
potassium phosphite	Brussels sprout	3,071.92	69	985.3	A
potassium phosphite	Bushberry	1.83	4	0.9	A
potassium phosphite	Cabbage	1,273.31	88	597.34	A
potassium phosphite	Cannabis (all or unspecified)	68.18	8	20.0	A
potassium phosphite	Cannabis (all or unspecified)	111.53	417	830,318.0	S
potassium phosphite	Cantaloupe	264.47	1	204.0	A
potassium phosphite	Carrot	1,764.89	9	650.0	A
potassium phosphite	Cauliflower	264.87	5	84.44	A
potassium phosphite	Celeriac	160.25	54	59.87	A
potassium phosphite	Celery	293.12	8	64.15	A
potassium phosphite	Cherry	3,955.81	70	1,810.37	A
potassium phosphite	Chinese broccoli (gai lon)	27.87	3	19.5	A
potassium phosphite	Chinese cabbage (napa, won bok, celery cabbage)	5.86	1	9.0	A
potassium phosphite	Chrysanthemum, edible leaved	71.51	19	14.25	A
potassium phosphite	Cilantro	126.2	26	50.47	A
potassium phosphite	Citrus	58.93	7	23.85	A
potassium phosphite	Citrus	10.55	3	111,964.0	U
potassium phosphite	Cole crop	4.11	10	2.43	A
potassium phosphite	Collard	142.24	20	55.25	A
potassium phosphite	Corn (forage - fodder)	165.19	3	75.0	A
potassium phosphite	Cotton	656.71	12	716.0	A
potassium phosphite	Cucumber	1,280.71	97	299.49	A
potassium phosphite	Cucumber	3.02	2	16,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium phosphite	Dandelion green	162.49	59	60.82	A
potassium phosphite	Dill	57.44	12	15.5	A
potassium phosphite	Eggplant	20.87	1	6.0	A
potassium phosphite	Endive (escarole)	341.26	77	91.31	A
potassium phosphite	Garlic	125.19	1	36.0	A
potassium phosphite	Golf course turf	1,933.16	N/A	156.7	A
potassium phosphite	Golf course turf	513.89	1	1,450,000.0	S
potassium phosphite	Grape	23,106.19	251	9,660.55	A
potassium phosphite	Grape	0.33	2	100.0	U
potassium phosphite	Grape, wine	3,621.93	43	1,658.21	A
potassium phosphite	Grapefruit	125.95	6	62.4	A
potassium phosphite	Herb, spice	206.18	106	72.65	A
potassium phosphite	Kale	3,537.08	264	1,552.56	A
potassium phosphite	Kohlrabi	2.95	1	0.77	A
potassium phosphite	Landscape maintenance	162.84	7	18.8	A
potassium phosphite	Landscape maintenance	18.64	1	100,000.0	S
potassium phosphite	Landscape maintenance	76,688.78	N/A	N/A	N/A
potassium phosphite	Lemon	16,711.75	382	6,150.85	A
potassium phosphite	Lemon	440.78	N/A	44,247.0	T
potassium phosphite	Lettuce, head	125,058.97	3,500	40,650.91	A
potassium phosphite	Lettuce, leaf	214,846.84	5,967	64,110.21	A
potassium phosphite	Lime	25.47	3	9.0	A
potassium phosphite	Melon	53.15	2	10.0	A
potassium phosphite	Melon	1.36	4	10,620.0	S
potassium phosphite	Mint	60.39	14	13.25	A
potassium phosphite	Mizuna	122.64	33	76.68	A
potassium phosphite	Mustard	131.92	23	77.31	A
potassium phosphite	Mustard greens	485.44	77	163.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium phosphite	N-grnhs flower	591.54	1	57.25	A
potassium phosphite	N-grnhs flower	61.55	N/A	282,000.0	S
potassium phosphite	N-grnhs flower	561.12	N/A	1,126.0	U
potassium phosphite	N-grnhs plants in containers	118.21	29	27.25	A
potassium phosphite	N-grnhs plants in containers	9.6	14	108,320.0	S
potassium phosphite	N-grnhs plants in containers	71.56	N/A	726,030.0	U
potassium phosphite	N-grnhs transplants	3,397.88	111	480.64	A
potassium phosphite	N-grnhs transplants	65.09	7	235,711.0	S
potassium phosphite	N-outdr flower	200.95	65	374.29	A
potassium phosphite	N-outdr plants in containers	2,470.87	212	1,383.26	A
potassium phosphite	N-outdr plants in containers	4.16	5	39,000.0	S
potassium phosphite	N-outdr plants in containers	204.79	18	161,530.0	U
potassium phosphite	N-outdr transplants	3,141.49	129	650.03	A
potassium phosphite	Nectarine	15.66	4	12.0	A
potassium phosphite	Olive	6,409.57	42	1,987.12	A
potassium phosphite	Onion, dry	27,293.87	92	9,638.2	A
potassium phosphite	Orange	7,327.35	146	2,740.05	A
potassium phosphite	Orchardgrass	114.76	1	66.0	A
potassium phosphite	Parsley	3,348.51	552	1,331.84	A
potassium phosphite	Peach	3,368.18	78	1,474.57	A
potassium phosphite	Peas	9,017.46	273	3,075.23	A
potassium phosphite	Pecan	65.1	5	12.46	A
potassium phosphite	Pepper, fruiting	1,236.84	8	356.54	A
potassium phosphite	Pistachio	84,722.58	357	25,100.02	A
potassium phosphite	Plum	76.84	2	26.5	A
potassium phosphite	Pomegranate	217.35	2	120.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potassium phosphite	Potato	2,616.47	19	993.5	A
potassium phosphite	Pumpkin	85.11	5	49.75	A
potassium phosphite	Quince	77.79	6	30.0	A
potassium phosphite	Radicchio	1.33	1	0.51	A
potassium phosphite	Raspberry	928.31	28	245.99	A
potassium phosphite	Raspberry	0.63	5	37,997.0	S
potassium phosphite	Research commodity	3.81	5	1.19	A
potassium phosphite	Rights of way	401.78	N/A	N/A	N/A
potassium phosphite	Root vegetable	22.96	13	10.8	A
potassium phosphite	Sage	3.75	3	1.2	A
potassium phosphite	Spinach	73,020.88	2,807	29,526.41	A
potassium phosphite	Squash	47.34	19	35.25	A
potassium phosphite	Squash, summer	34.78	2	32.0	A
potassium phosphite	Strawberry	4,695.34	47	1,460.79	A
potassium phosphite	Strawberry	3.59	12	71,345.0	S
potassium phosphite	Strawberry	0.21	1	6.06	U
potassium phosphite	Structural pest control	2,255.51	N/A	N/A	N/A
potassium phosphite	Sweet potato	354.72	3	102.0	A
potassium phosphite	Swiss chard	2,030.23	404	725.2	A
potassium phosphite	Tangelo	249.57	7	117.8	A
potassium phosphite	Tangerine	4,443.11	96	1,983.31	A
potassium phosphite	Tomato	1,471.36	42	367.62	A
potassium phosphite	Tomato, processing	5,803.29	60	2,515.82	A
potassium phosphite	Turf/sod	3,204.67	67	1,037.36	A
potassium phosphite	Turnip	360.55	80	142.7	A
potassium phosphite	Turnip greens	0.88	1	0.5	A
potassium phosphite	Uncultivated ag	1.94	1	2.5	A
potassium phosphite	Uncultivated non-ag	17.39	1	5.0	A
potassium phosphite	Upland cress	40.25	18	29.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium phosphite	Vegetables, fruiting	1.9	6	0.9	A
potassium phosphite	Vegetables, leafy	137.37	105	61.22	A
potassium phosphite	Walnut	251,448.79	1,974	83,865.72	A
potassium phosphite	Water area	52.21	N/A	12.0	U
potassium phosphite	Watermelon	731.12	4	212.7	A
potassium phosphite	Watermelon	<0.01	1	2,520.0	S
potassium salt of hop beta acids	Beehive	20.01	3	3,372.0	U
potassium silicate	Almond	716.35	13	958.37	A
potassium silicate	Apricot	22.82	1	25.5	A
potassium silicate	Arugula	12.18	3	4.0	A
potassium silicate	Beet	4,677.5	59	1,564.02	A
potassium silicate	Blackberry	32.27	1	10.6	A
potassium silicate	Bok choy	450.25	10	147.9	A
potassium silicate	Broccoli	1,537.96	24	474.4	A
potassium silicate	Cabbage	978.76	32	332.31	A
potassium silicate	Cannabis (all or unspecified)	131.14	61	47.05	A
potassium silicate	Cannabis (all or unspecified)	124.02	291	2,133,692.0	S
potassium silicate	Carrot	13,495.58	79	4,512.2	A
potassium silicate	Cauliflower	710.23	10	223.5	A
potassium silicate	Celery	453.72	24	137.36	A
potassium silicate	Chicory	0.61	1	0.4	A
potassium silicate	Collard	618.44	46	196.64	A
potassium silicate	Daikon	8.25	2	2.71	A
potassium silicate	Dandelion green	57.84	3	19.0	A
potassium silicate	Garlic	261.84	3	234.0	A
potassium silicate	Grape	1,359.38	29	1,372.5	A
potassium silicate	Grape, wine	2,248.35	64	1,400.71	A
potassium silicate	Industrial hemp	45.29	2	20.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium silicate	Kale	3,606.69	52	1,156.67	A
potassium silicate	Lettuce, head	914.5	21	312.7	A
potassium silicate	Lettuce, leaf	3,650.61	73	1,158.15	A
potassium silicate	Mustard	214.59	33	71.39	A
potassium silicate	Onion, dry	2,087.91	20	781.5	A
potassium silicate	Onion, green	253.89	6	83.4	A
potassium silicate	Orange	19.24	1	25.26	A
potassium silicate	Peach	7.61	1	5.0	A
potassium silicate	Pecan	5.33	1	7.0	A
potassium silicate	Plum	285.34	5	98.63	A
potassium silicate	Potato	2,549.87	11	835.2	A
potassium silicate	Prune	179.58	3	74.0	A
potassium silicate	Radish	301.08	12	98.9	A
potassium silicate	Raspberry	1,720.07	25	453.11	A
potassium silicate	Rice	256.97	9	844.1	A
potassium silicate	Small fruits/berry	9.13	3	4.0	A
potassium silicate	Spinach	464.17	15	186.0	A
potassium silicate	Strawberry	5,176.42	69	1,864.11	A
potassium silicate	Swiss chard	732.98	16	255.4	A
potassium silicate	Tangerine	182.64	23	137.5	A
potassium silicate	Tomato	15.98	2	7.0	A
potassium silicate	Tomato, processing	490.91	4	348.52	A
potassium silicate	Walnut	140.89	3	189.27	A
potassium sorbate	Landscape maintenance	2.85	N/A	N/A	N/A
prallethrin	Animal premise	0.06	N/A	27.0	U
prallethrin	Buildings/non-ag outdoor	3.96	N/A	137.0	U
prallethrin	Commodity fumigation	0.02	N/A	N/A	N/A
prallethrin	Fumigation, other	0.07	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
prallethrin	Landscape maintenance	0.49	N/A	N/A	N/A
prallethrin	N-outdr plants in containers	<0.01	3	4.0	A
prallethrin	Public health	234.25	N/A	N/A	N/A
prallethrin	Regulatory pest control	18.29	N/A	N/A	N/A
prallethrin	Research commodity	<0.01	1	128.0	S
prallethrin	Rights of way	0.1	N/A	N/A	N/A
prallethrin	Structural pest control	535.47	N/A	N/A	N/A
prodiamine	Commodity fumigation	0.35	N/A	N/A	N/A
prodiamine	Golf course turf	632.72	N/A	975.46	A
prodiamine	Golf course turf	0.3	N/A	20,000.0	S
prodiamine	Landscape maintenance	119.01	17	198.0	A
prodiamine	Landscape maintenance	42,905.5	N/A	N/A	N/A
prodiamine	N-grnhs flower	410.3	N/A	763.68	A
prodiamine	N-grnhs plants in containers	22.95	46	141.95	A
prodiamine	N-grnhs plants in containers	2.01	7	515,000.0	S
prodiamine	N-grnhs transplants	189.54	N/A	306.0	A
prodiamine	N-outdr flower	26.28	6	8.24	A
prodiamine	N-outdr plants in containers	2,949.99	1,711	18,872.11	A
prodiamine	N-outdr plants in containers	40.89	56	3,691,399.0	S
prodiamine	N-outdr transplants	232.42	8	252.94	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
prodiamine	Rangeland	0.11	2	79.0	A
prodiamine	Research commodity	0.29	N/A	N/A	N/A
prodiamine	Rights of way	35.75	11	55.0	A
prodiamine	Rights of way	4,466.32	N/A	N/A	N/A
prodiamine	Structural pest control	54.09	N/A	N/A	N/A
prodiamine	Turf/sod	304.62	9	406.28	A
prodiamine	Turf/sod	1.48	N/A	25,000.0	S
prodiamine	Water area	283.07	N/A	100.0	A
prodiamine, other related	Landscape maintenance	1.59	N/A	N/A	N/A
prodiamine, other related	Rights of way	1.22	N/A	N/A	N/A
prohexadione-calcium	Apple	635.14	97	2,704.3	A
prohexadione-calcium	Cherry	927.28	169	3,395.43	A
prometon	Structural pest control	0.05	N/A	N/A	N/A
prometryn	Cabbage	7.49	1	7.5	A
prometryn	Carrot	813.37	77	642.4	A
prometryn	Cauliflower	12.23	1	10.6	A
prometryn	Celeriac	12.31	6	16.39	A
prometryn	Celery	29,770.43	2,091	21,985.08	A
prometryn	Celery	2.62	4	56,000.0	S
prometryn	Cilantro	11,475.57	1,566	8,701.81	A
prometryn	Cotton	290.65	10	249.0	A
prometryn	Dill	2.57	3	9.0	A
prometryn	Fennel	1,084.41	253	1,007.72	A
prometryn	Herb, spice	79.9	1	50.0	A
prometryn	Parsley	3,936.94	223	2,295.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
prometryn	Research commodity	4.99	3	3.5	A
prometryn	Vertebrate control	19.98	2	20.0	A
propamocarb	Golf course turf	37.19	N/A	460,000.0	S
propamocarb	Landscape maintenance	370.97	N/A	N/A	N/A
propamocarb	N-grnhs flower	22.16	N/A	4.5	A
propamocarb	N-grnhs flower	33.21	N/A	354,000.0	S
propamocarb	N-grnhs transplants	27.43	N/A	5.0	A
propamocarb	N-outdr transplants	60.1	N/A	10.0	A
propamocarb hydrochloride	Cucumber	938.48	121	1,559.26	A
propamocarb hydrochloride	Golf course turf	462.05	2	90.7	A
propamocarb hydrochloride	Golf course turf	99.13	N/A	845,000.0	S
propamocarb hydrochloride	Landscape maintenance	15.0	1	100,000.0	S
propamocarb hydrochloride	Landscape maintenance	1,906.04	N/A	N/A	N/A
propamocarb hydrochloride	Lettuce, head	32,270.88	2,698	34,172.89	A
propamocarb hydrochloride	Lettuce, leaf	32,986.84	3,522	34,573.18	A
propamocarb hydrochloride	Melon	18.91	4	31.6	A
propamocarb hydrochloride	N-grnhs flower	208.61	10	85.8	A
propamocarb hydrochloride	N-grnhs flower	24.28	N/A	156,000.0	S
propamocarb hydrochloride	N-grnhs plants in containers	35.43	7	48.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propamocarb hydrochloride	N-grnhs transplants	639.46	99	621.89	A
propamocarb hydrochloride	N-grnhs transplants	8.53	19	492,515.0	S
propamocarb hydrochloride	N-outdr plants in containers	30.0	N/A	4.0	A
propamocarb hydrochloride	N-outdr plants in containers	9.37	3	19,000.0	U
propamocarb hydrochloride	N-outdr transplants	3.37	1	12.0	A
propamocarb hydrochloride	N-outdr transplants	2.9	5	193,403.0	S
propamocarb hydrochloride	Pepper, fruiting	49.86	3	58.0	A
propamocarb hydrochloride	Pepper, fruiting	0.02	1	2,520.0	S
propamocarb hydrochloride	Research commodity	2.62	3	1.21	A
propamocarb hydrochloride	Research commodity	7.69	4	14,000.0	S
propamocarb hydrochloride	Research commodity	0.83	N/A	N/A	N/A
propamocarb hydrochloride	Squash	13.0	3	22.65	A
propamocarb hydrochloride	Tomato	3,066.57	134	4,106.77	A
propamocarb hydrochloride	Watermelon	16.79	2	28.03	A
propamocarb hydrochloride	Watermelon	0.02	1	2,520.0	S
propanil	Rice	2,065,014.19	5,595	408,790.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propanil	Structural pest control	5.07	N/A	N/A	N/A
propargite	Alfalfa	4,436.66	24	2,346.0	A
propargite	Almond	11,771.55	101	5,674.47	A
propargite	Bean, dried	322.04	4	150.0	A
propargite	Bean, succulent	1,105.18	3	520.0	A
propargite	Bean, unspecified	117.03	2	67.0	A
propargite	Cherry	3,237.12	70	1,669.34	A
propargite	Corn (forage - fodder)	127,243.9	1,126	54,255.21	A
propargite	Corn, grain	2,541.22	37	1,226.5	A
propargite	Corn, human consumption	2,175.82	42	1,021.2	A
propargite	Cotton	1,802.99	14	1,080.7	A
propargite	Forage hay/silage	196.08	2	94.0	A
propargite	Grape	21.0	2	50.0	A
propargite	Grape, wine	972.02	13	439.9	A
propargite	N-grnhs plants in containers	0.49	2	0.57	A
propargite	N-outdr plants in containers	156.8	2	98.0	A
propargite	Peanut	3.0	1	4.0	A
propargite	Sorghum (forage - fodder)	2,675.65	13	1,626.8	A
propargite	Walnut	66,418.24	552	23,326.07	A
propazine	Alfalfa	92.77	1	93.0	A
propazine	Grape, wine	0.11	1	20.0	A
propetamphos	Structural pest control	1.41	N/A	N/A	N/A
propiconazole	Almond	46,919.71	3,307	208,755.51	A
propiconazole	Apple	1.08	1	9.0	A
propiconazole	Apricot	291.11	154	2,287.97	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propiconazole	Barley	171.83	29	1,830.53	A
propiconazole	Beet	5.97	3	53.0	A
propiconazole	Bermudagrass	16.92	1	76.0	A
propiconazole	Blackberry	14.02	5	72.46	A
propiconazole	Blueberry	14.95	9	89.5	A
propiconazole	Cabbage	2.07	1	18.5	A
propiconazole	Carrot	1,887.84	339	16,874.63	A
propiconazole	Celery	4,544.5	3,242	40,307.93	A
propiconazole	Cherry	1,095.07	466	8,966.31	A
propiconazole	Cherry	9.34	N/A	2,188.0	T
propiconazole	Chrysanthemum, edible leaved	0.22	2	1.75	A
propiconazole	Cilantro	102.58	202	904.98	A
propiconazole	Citrus	30.59	N/A	462,638.89	T
propiconazole	Collard	0.22	2	2.5	A
propiconazole	Commodity fumigation	174.3	N/A	N/A	N/A
propiconazole	Corn (forage - fodder)	26.28	8	298.0	A
propiconazole	County ag comm	12.91	N/A	N/A	N/A
propiconazole	Dill	2.74	10	27.0	A
propiconazole	Fennel	42.84	41	382.41	A
propiconazole	Garlic	2,965.36	247	17,754.24	A
propiconazole	Golf course turf	415.6	10	538.21	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propiconazole	Golf course turf	11.95	1	875,000.0	S
propiconazole	Grape	0.96	1	12.0	A
propiconazole	Grass, seed	35.26	25	246.0	A
propiconazole	Kale	10.83	26	100.84	A
propiconazole	Landscape maintenance	102.25	19	85.01	A
propiconazole	Landscape maintenance	4.52	7	266,000.0	S
propiconazole	Landscape maintenance	5,543.31	N/A	N/A	N/A
propiconazole	Leek	47.89	56	391.33	A
propiconazole	Lemon	3,106.68	N/A	661,172.11	T
propiconazole	Lemon	22.19	N/A	9,432.0	U
propiconazole	Lumber, treated	11,676.95	N/A	15,010.58	K
propiconazole	N-grnhs flower	183.01	1	223.1	A
propiconazole	N-grnhs flower	29.45	11	1,470,620.0	S
propiconazole	N-grnhs flower	0.02	N/A	27.0	U
propiconazole	N-grnhs plants in containers	23.67	89	139.3	A
propiconazole	N-grnhs plants in containers	6.06	26	1,059,800.0	S
propiconazole	N-grnhs transplants	165.88	304	385.31	A
propiconazole	N-grnhs transplants	6.9	44	3,412,675.0	S
propiconazole	N-outdr flower	85.43	266	574.82	A
propiconazole	N-outdr plants in containers	279.15	586	1,476.47	A
propiconazole	N-outdr plants in containers	4.25	29	703,250.0	S
propiconazole	N-outdr plants in containers	0.35	6	27,850.17	U
propiconazole	N-outdr transplants	99.14	65	427.48	A
propiconazole	N-outdr transplants	28.39	75	10,422,870.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propiconazole	Nectarine	2,323.02	1,467	19,340.14	A
propiconazole	Nectarine	9.18	N/A	12,189.75	T
propiconazole	Oat	58.4	5	249.7	A
propiconazole	Oat (forage - fodder)	8.53	1	75.0	A
propiconazole	Onion, dry	1,155.65	99	7,123.1	A
propiconazole	Orange	404.2	N/A	159,145.66	T
propiconazole	Orange	16.69	N/A	6,710.0	U
propiconazole	Parsley	26.97	92	247.85	A
propiconazole	Peach	5,470.43	2,815	46,617.95	A
propiconazole	Peach	4.81	N/A	8,966.0	T
propiconazole	Pecan	14.33	4	86.0	A
propiconazole	Pistachio	543.09	53	2,927.73	A
propiconazole	Plum	1,384.54	1,000	11,016.65	A
propiconazole	Plum	2.07	N/A	2,697.0	T
propiconazole	Pluot	4.36	8	25.9	A
propiconazole	Prune	3,178.63	624	28,714.88	A
propiconazole	Raspberry	2.98	3	17.9	A
propiconazole	Rice	11,103.28	636	54,784.0	A
propiconazole	Rights of way	11.32	N/A	N/A	N/A
propiconazole	Sod farm (turf)	364.27	27	211.13	A
propiconazole	Soil fumigation/preplant	3.99	1	35.0	A
propiconazole	Stone fruit	0.23	2	2.0	A
propiconazole	Stone fruit	167.35	N/A	112,387.65	T
propiconazole	Strawberry	1,705.11	495	14,961.35	A
propiconazole	Structural pest control	15.2	N/A	N/A	N/A
propiconazole	Sugarbeet	1,446.57	153	11,197.7	A
propiconazole	Tangerine	25.42	N/A	8,112.78	T
propiconazole	Tomato, processing	1.45	N/A	2,529.0	T
propiconazole	Turf/sod	482.13	65	950.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propiconazole	Turf/sod	2.84	N/A	184,500.0	S
propiconazole	Uncultivated ag	14.04	2	60.0	A
propiconazole	Walnut	13,184.28	1,403	62,811.46	A
propiconazole	Wheat	387.77	59	3,962.45	A
propiconazole	Wheat (forage - fodder)	37.56	5	336.08	A
propionic acid	Alfalfa	4,743.21	909	50,429.31	A
propionic acid	Almond	47,675.4	3,480	223,126.96	A
propionic acid	Apple	97.16	6	73.5	A
propionic acid	Apricot	162.39	81	826.97	A
propionic acid	Artichoke, globe	248.67	113	1,803.23	A
propionic acid	Arugula	7.6	15	137.0	A
propionic acid	Asparagus	17.11	3	175.7	A
propionic acid	Avocado	46.64	76	680.7	A
propionic acid	Barley	19.41	11	342.3	A
propionic acid	Barley (forage - fodder)	1.13	1	15.0	A
propionic acid	Bean, dried	119.29	29	1,691.0	A
propionic acid	Bean, succulent	41.52	13	517.5	A
propionic acid	Bean, unspecified	9.77	6	88.5	A
propionic acid	Beet	28.87	10	144.71	A
propionic acid	Bermudagrass	32.95	5	341.0	A
propionic acid	Blackberry	1.93	1	8.5	A
propionic acid	Blueberry	172.14	16	470.74	A
propionic acid	Bok choy	1.29	5	24.26	A
propionic acid	Broccoli	3,439.92	2,526	28,600.15	A
propionic acid	Brussels sprout	3,328.29	1,352	23,436.24	A
propionic acid	Cabbage	1,457.42	1,846	15,925.02	A
propionic acid	Cannabis (all or unspecified)	2.4	10	90,000.0	S
propionic acid	Cantaloupe	20.2	4	221.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propionic acid	Carrot	20.4	13	240.5	A
propionic acid	Cauliflower	1,186.08	1,481	12,989.09	A
propionic acid	Celery	769.52	442	5,110.9	A
propionic acid	Cherry	1,104.31	251	5,071.43	A
propionic acid	Cilantro	9.21	7	86.96	A
propionic acid	Collard	14.42	55	180.92	A
propionic acid	Corn (forage - fodder)	1,965.22	442	20,547.63	A
propionic acid	Corn, grain	129.2	28	1,094.0	A
propionic acid	Corn, human consumption	251.09	120	2,018.0	A
propionic acid	Cotton	21,983.65	2,923	450,768.07	A
propionic acid	Cucumber	61.56	32	534.16	A
propionic acid	Date	7.27	31	180.0	A
propionic acid	Dill	0.64	1	3.0	A
propionic acid	Ditch bank	9.61	11	20.25	A
propionic acid	Endive (escarole)	1.48	10	18.3	A
propionic acid	Fava bean	2.69	4	14.0	A
propionic acid	Fennel	30.9	14	143.9	A
propionic acid	Forage hay/silage	32.78	9	430.5	A
propionic acid	Fumigation, other	6.82	N/A	N/A	N/A
propionic acid	Garbanzo bean	14.75	1	78.0	A
propionic acid	Garlic	994.36	103	3,536.06	A
propionic acid	Grape	3,034.25	586	17,604.58	A
propionic acid	Grape, wine	7,343.83	1,043	33,558.81	A
propionic acid	Grapefruit	51.13	18	210.9	A
propionic acid	Industrial site	1.9	3	25.0	A
propionic acid	Kale	47.23	116	536.4	A
propionic acid	Kohlrabi	0.27	1	1.93	A
propionic acid	Landscape maintenance	0.38	1	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propionic acid	Landscape maintenance	710.54	N/A	N/A	N/A
propionic acid	Leek	57.66	23	216.2	A
propionic acid	Lemon	384.54	39	1,481.54	A
propionic acid	Lettuce, head	4,172.13	1,368	17,475.61	A
propionic acid	Lettuce, leaf	10,070.0	3,917	43,863.44	A
propionic acid	Melon	3.71	7	57.5	A
propionic acid	Mint	0.27	1	15.0	A
propionic acid	Mustard greens	5.06	15	65.2	A
propionic acid	N-grnhs flower	129.1	274	414.62	A
propionic acid	N-grnhs flower	0.79	6	72,000.0	S
propionic acid	N-grnhs plants in containers	448.13	449	1,122.88	A
propionic acid	N-grnhs plants in containers	6.83	35	989,767.6	S
propionic acid	N-grnhs transplants	54.34	464	192.99	A
propionic acid	N-outdr flower	1,614.45	2,284	8,958.98	A
propionic acid	N-outdr flower	1.13	14	194,600.0	S
propionic acid	N-outdr plants in containers	1,694.39	2,926	6,419.67	A
propionic acid	N-outdr plants in containers	5.4	32	423,000.0	S
propionic acid	N-outdr plants in containers	11.47	25	192,051.17	U
propionic acid	N-outdr transplants	122.29	293	555.97	A
propionic acid	N-outdr transplants	<0.01	1	12,800.0	U
propionic acid	Nectarine	398.23	146	1,668.56	A
propionic acid	Oat	41.38	10	334.0	A
propionic acid	Oat (forage - fodder)	121.54	33	1,187.0	A
propionic acid	Olive	283.39	35	2,385.48	A
propionic acid	Onion, dry	427.28	107	4,260.2	A
propionic acid	Onion, green	35.51	45	366.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propionic acid	Orange	622.88	153	3,026.97	A
propionic acid	Orchardgrass	2.41	1	47.0	A
propionic acid	Parsley	11.05	17	102.2	A
propionic acid	Pastureland	26.02	13	437.5	A
propionic acid	Peach	944.24	298	3,934.67	A
propionic acid	Pear	10.2	8	76.0	A
propionic acid	Peas	352.11	215	2,967.8	A
propionic acid	Pepper, fruiting	309.77	93	2,452.85	A
propionic acid	Pepper, spice	3.33	2	29.05	A
propionic acid	Persimmon	0.91	1	3.0	A
propionic acid	Pistachio	12,988.96	845	57,644.39	A
propionic acid	Plum	2,175.55	865	7,474.41	A
propionic acid	Pomegranate	1,012.87	82	5,079.06	A
propionic acid	Pomelo	1.33	1	3.5	A
propionic acid	Potato	45.32	22	567.55	A
propionic acid	Prune	130.46	29	1,107.38	A
propionic acid	Pumpkin	33.26	14	252.19	A
propionic acid	Rangeland	26.64	9	249.0	A
propionic acid	Rapini	346.18	189	2,006.6	A
propionic acid	Raspberry	62.01	10	95.23	A
propionic acid	Research commodity	1.33	1	3.5	A
propionic acid	Research commodity	0.05	5	640.0	S
propionic acid	Rights of way	189.84	28	838.0	A
propionic acid	Rights of way	797.53	N/A	N/A	N/A
propionic acid	Rye	1.36	2	16.6	A
propionic acid	Ryegrass	65.27	13	1,122.0	A
propionic acid	Safflower	1,333.76	121	32,411.0	A
propionic acid	Sod farm (turf)	1.42	1	11.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propionic acid	Soil fumigation/preplant	1,072.89	186	24,191.79	A
propionic acid	Sorghum (forage - fodder)	72.48	20	847.0	A
propionic acid	Spinach	32.66	26	155.2	A
propionic acid	Squash	6.4	6	91.5	A
propionic acid	Squash, summer	1.13	2	15.0	A
propionic acid	Strawberry	12,573.69	1,721	73,472.05	A
propionic acid	Structural pest control	1.32	N/A	N/A	N/A
propionic acid	Sudangrass	24.22	6	131.7	A
propionic acid	Sunflower	0.17	1	6.0	A
propionic acid	Sweet potato	22.37	10	298.62	A
propionic acid	Swiss chard	23.45	23	81.85	A
propionic acid	Tangelo	1.66	2	10.2	A
propionic acid	Tangerine	1,246.18	117	2,946.83	A
propionic acid	Tomato	115.36	64	1,209.01	A
propionic acid	Tomato, processing	3,002.69	317	38,716.83	A
propionic acid	Triticale	11.46	2	607.0	A
propionic acid	Turf/sod	143.34	70	1,155.22	A
propionic acid	Turnip	0.76	1	10.0	A
propionic acid	Uncultivated ag	3,161.91	521	14,411.03	A
propionic acid	Uncultivated non-ag	105.11	10	225.0	A
propionic acid	Unknown	5.87	3	15.5	A
propionic acid	Walnut	6,693.91	813	25,189.86	A
propionic acid	Water (industrial)	1.17	N/A	7.0	A
propionic acid	Water area	0.28	N/A	0.25	A
propionic acid	Water area	11.19	N/A	0.02	U
propionic acid	Watermelon	1,278.77	188	5,341.8	A
propionic acid	Wheat	295.4	47	3,183.59	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propionic acid	Wheat (forage - fodder)	290.58	71	3,800.31	A
propoxur	Landscape maintenance	0.03	N/A	N/A	N/A
propoxur	Public health	<0.01	N/A	N/A	N/A
propoxur	Regulatory pest control	0.04	N/A	N/A	N/A
propoxur	Rights of way	0.3	N/A	N/A	N/A
propoxur	Structural pest control	4.81	N/A	N/A	N/A
propylene glycol	Alfalfa	949.51	578	32,439.67	A
propylene glycol	Almond	30,593.08	4,942	265,697.44	A
propylene glycol	Apple	1,018.01	145	4,065.47	A
propylene glycol	Apricot	29.13	41	489.17	A
propylene glycol	Artichoke, globe	11.06	30	170.9	A
propylene glycol	Avocado	60.45	34	511.96	A
propylene glycol	Barley	10.1	4	887.0	A
propylene glycol	Basil, sweet	0.25	2	111.0	A
propylene glycol	Bean, dried	11.14	16	745.6	A
propylene glycol	Bean, unspecified	3.13	5	223.2	A
propylene glycol	Beet	2.5	6	29.5	A
propylene glycol	Bermudagrass	12.69	6	542.0	A
propylene glycol	Blackberry	36.29	21	310.44	A
propylene glycol	Blueberry	164.02	44	777.38	A
propylene glycol	Broccoli	1,741.38	2,675	29,541.96	A
propylene glycol	Brussels sprout	971.82	883	13,593.17	A
propylene glycol	Cabbage	298.22	682	4,858.05	A
propylene glycol	Cantaloupe	17.74	6	537.84	A
propylene glycol	Carrot	1.24	5	18.02	A
propylene glycol	Cauliflower	812.87	1,847	16,152.72	A
propylene glycol	Celery	258.55	613	5,282.77	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propylene glycol	Cherry	2,813.14	874	18,058.1	A
propylene glycol	Chive	0.18	1	3.0	A
propylene glycol	Citrus	2.16	3	10.23	A
propylene glycol	Collard	2.38	14	34.18	A
propylene glycol	Commodity fumigation	1.0	N/A	N/A	N/A
propylene glycol	Corn (forage - fodder)	2,128.79	719	36,674.27	A
propylene glycol	Corn, grain	164.61	92	3,190.4	A
propylene glycol	Corn, human consumption	21.43	11	671.0	A
propylene glycol	Cotton	659.79	310	44,491.5	A
propylene glycol	Cucumber	0.24	3	2.5	A
propylene glycol	Ditch bank	<0.01	1	1.0	A
propylene glycol	Ditch bank	58.52	N/A	1,000.0	U
propylene glycol	Endive (escarole)	0.18	2	3.0	A
propylene glycol	Fava bean	2.47	4	50.0	A
propylene glycol	Fig	32.47	16	492.0	A
propylene glycol	Forage hay/silage	3.04	6	76.0	A
propylene glycol	Forest, timberland	8.56	N/A	30.0	U
propylene glycol	Fumigation, other	788.21	N/A	N/A	N/A
propylene glycol	Garbanzo bean	19.36	6	540.0	A
propylene glycol	Garlic	23.73	10	591.9	A
propylene glycol	Golf course turf	5.41	N/A	26.4	A
propylene glycol	Grape	3,431.54	1,846	44,297.39	A
propylene glycol	Grape, wine	6,830.74	4,111	115,921.59	A
propylene glycol	Grapefruit	150.81	90	1,023.76	A
propylene glycol	Jujube	2.64	1	50.0	A
propylene glycol	Kale	46.29	113	911.56	A
propylene glycol	Kiwi fruit fuzzy	0.37	11	43.16	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propylene glycol	Landscape maintenance	1.54	4	28.0	A
propylene glycol	Landscape maintenance	1,507.19	N/A	N/A	N/A
propylene glycol	Lemon	1,312.36	463	9,643.73	A
propylene glycol	Lettuce, head	451.79	619	9,036.9	A
propylene glycol	Lettuce, leaf	211.71	475	4,675.41	A
propylene glycol	Lime	0.43	1	5.0	A
propylene glycol	Melon	42.74	10	608.0	A
propylene glycol	Mustard greens	0.33	2	5.5	A
propylene glycol	N-grnhs flower	24.01	124	184.66	A
propylene glycol	N-grnhs flower	4.08	70	955,874.0	S
propylene glycol	N-grnhs flower	1.94	N/A	821.0	U
propylene glycol	N-grnhs plants in containers	4.52	26	25.19	A
propylene glycol	N-grnhs plants in containers	99.26	803	55,035,930.0	S
propylene glycol	N-grnhs transplants	8.57	77	82.96	A
propylene glycol	N-grnhs transplants	4.27	29	1,479,737.0	S
propylene glycol	N-outdr flower	527.73	2,887	6,243.58	A
propylene glycol	N-outdr flower	0.25	9	77,013.3	S
propylene glycol	N-outdr plants in containers	237.39	974	2,184.68	A
propylene glycol	N-outdr plants in containers	43.92	434	25,374,051.0	S
propylene glycol	N-outdr plants in containers	0.6	10	286.0	U
propylene glycol	N-outdr transplants	156.49	188	1,612.86	A
propylene glycol	N-outdr transplants	8.04	56	2,670,256.0	S
propylene glycol	Nectarine	70.67	125	904.54	A
propylene glycol	Oat	3.87	7	98.0	A
propylene glycol	Oat (forage - fodder)	71.72	70	2,683.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propylene glycol	Olive	616.44	78	3,831.59	A
propylene glycol	Onion, dry	259.28	98	4,267.85	A
propylene glycol	Orange	7,597.23	2,252	48,483.46	A
propylene glycol	Orchard floor	0.04	6	25.0	A
propylene glycol	Oregano	0.03	1	0.5	A
propylene glycol	Parsley	1.66	10	30.4	A
propylene glycol	Pastureland	13.55	3	213.0	A
propylene glycol	Peach	461.79	459	6,134.99	A
propylene glycol	Pear, asian (oriental pear, ya, ya li, nashi)	1.45	3	20.0	A
propylene glycol	Pecan	61.36	7	472.1	A
propylene glycol	Pepper, fruiting	181.26	132	3,130.99	A
propylene glycol	Persimmon	2.06	4	31.2	A
propylene glycol	Pistachio	11,531.49	1,914	123,804.89	A
propylene glycol	Plum	21.98	70	374.52	A
propylene glycol	Pluot	0.18	3	3.25	A
propylene glycol	Pomegranate	6.71	7	227.92	A
propylene glycol	Pomelo	28.69	21	198.5	A
propylene glycol	Potato	173.98	25	1,303.66	A
propylene glycol	Prune	511.1	123	6,069.4	A
propylene glycol	Public health	4.39	N/A	N/A	N/A
propylene glycol	Pumpkin	2.89	8	149.5	A
propylene glycol	Quince	0.55	2	10.0	A
propylene glycol	Rangeland	83.22	19	2,701.0	A
propylene glycol	Rapini	37.88	25	403.2	A
propylene glycol	Raspberry	23.56	49	310.99	A
propylene glycol	Regulatory pest control	0.66	N/A	N/A	N/A
propylene glycol	Research commodity	0.27	4	3.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propylene glycol	Research commodity	<0.01	1	128.0	S
propylene glycol	Rice	220.09	75	6,498.4	A
propylene glycol	Rights of way	34.22	34	486.0	A
propylene glycol	Rights of way	2,504.58	N/A	N/A	N/A
propylene glycol	Safflower	5.06	5	1,348.0	A
propylene glycol	Sage	0.06	1	1.0	A
propylene glycol	Shallot	1.5	10	71.82	A
propylene glycol	Soil fumigation/preplant	28.61	34	2,341.9	A
propylene glycol	Sorghum (forage - fodder)	88.27	16	1,652.0	A
propylene glycol	Sorghum/milo	78.53	44	2,243.84	A
propylene glycol	Squash	12.4	9	359.25	A
propylene glycol	Squash, summer	0.72	5	8.0	A
propylene glycol	Stone fruit	1.26	2	8.0	A
propylene glycol	Strawberry	4,809.95	1,722	57,854.86	A
propylene glycol	Structural pest control	15.2	N/A	N/A	N/A
propylene glycol	Sudangrass	54.83	17	1,164.0	A
propylene glycol	Sunflower	11.24	1	65.0	A
propylene glycol	Sweet potato	20.73	10	523.0	A
propylene glycol	Swiss chard	3.3	12	40.7	A
propylene glycol	Tangelo	143.12	58	911.13	A
propylene glycol	Tangerine	2,479.74	726	27,644.03	A
propylene glycol	Tomatillo	0.75	1	50.0	A
propylene glycol	Tomato	142.82	71	3,682.25	A
propylene glycol	Tomato, processing	740.41	125	9,981.11	A
propylene glycol	Triticale	24.61	21	1,652.18	A
propylene glycol	Turnip greens	0.18	2	3.0	A
propylene glycol	Uncultivated ag	552.22	181	7,898.07	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propylene glycol	Uncultivated non-ag	8.31	4	69.0	A
propylene glycol	Walnut	10,014.2	2,279	102,797.46	A
propylene glycol	Water (industrial)	0.22	N/A	0.5	A
propylene glycol	Watermelon	4.52	10	167.0	A
propylene glycol	Wheat	92.05	26	1,708.0	A
propylene glycol	Wheat (forage - fodder)	816.87	342	20,315.76	A
propylene glycol, methyl ether	Grape, wine	11.84	6	694.0	A
propylene oxide	Almond	38,415.5	N/A	1,205,280.0	C
propylene oxide	Almond	5,724.0	N/A	1,357,757.0	P
propylene oxide	Commodity fumigation	172,276.16	N/A	N/A	N/A
propylene oxide	Fumigation, other	7,612.0	N/A	N/A	N/A
propylene oxide	Pecan	666.0	N/A	8,370.0	C
propylene oxide	Pistachio	5,406.0	N/A	86,211.0	C
propylene oxide	Pistachio	5,670.0	N/A	867,783.0	P
propylene oxide	Structural pest control	35,163.16	N/A	N/A	N/A
propylene oxide	Walnut	295.0	N/A	5,022.0	C
propyzamide	Artichoke, globe	91.91	5	73.2	A
propyzamide	Broccoli	97.44	9	83.2	A
propyzamide	Cabbage	2.08	3	4.05	A
propyzamide	Cauliflower	25.56	1	16.3	A
propyzamide	Cilantro	2.94	1	3.51	A
propyzamide	Endive (escarole)	1,103.42	252	976.42	A
propyzamide	Golf course turf	7.53	N/A	6.0	A
propyzamide	Golf course turf	0.16	N/A	20,000.0	S
propyzamide	Grape, wine	0.63	1	5.0	A
propyzamide	Landscape maintenance	366.55	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propyzamide	Lettuce, head	48,694.13	4,253	51,198.16	A
propyzamide	Lettuce, leaf	66,752.67	7,115	66,041.25	A
propyzamide	Lettuce, leaf	4.6	1	11.0	U
propyzamide	N-grnhs transplants	39.12	N/A	48.0	A
propyzamide	N-outdr plants in containers	7.01	N/A	10.0	A
propyzamide	N-outdr transplants	28.23	2	27.0	A
propyzamide	Radicchio	293.56	37	325.15	A
propyzamide	Research commodity	1.27	1	0.75	A
propyzamide	Research commodity	16.67	N/A	N/A	N/A
propyzamide	Sod farm (turf)	118.3	16	109.84	A
propyzamide	Soil fumigation/preplant	50.18	1	25.0	A
propyzamide	Turf/sod	651.59	47	687.82	A
propyzamide	Uncultivated ag	178.7	10	215.9	A
propyzamide	Vegetables, leafy	386.42	6	387.7	A
pseudomonas chlororaphis subsp. aurantiaca strain afs009	Celery	10.88	1	1.45	A
pseudomonas chlororaphis subsp. aurantiaca strain afs009	Leek	41.77	7	16.71	A
pseudomonas chlororaphis subsp. aurantiaca strain afs009	Radish	34.25	4	13.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>pseudomonas chlororaphis subsp. aurantiaca strain afs009</b>	Strawberry	3,299.84	36	1,061.25	A
<b>pseudomonas fluorescens, strain a506</b>	Apple	4.44	2	20.0	A
<b>pseudomonas fluorescens, strain a506</b>	Grape, wine	31.6	3	134.38	A
<b>pseudomonas fluorescens, strain a506</b>	Pear	1.92	4	12.5	A
<b>putrescent whole egg solids</b>	Animal premise	5.01	N/A	228.0	U
<b>putrescent whole egg solids</b>	Landscape maintenance	0.32	N/A	N/A	N/A
<b>putrescent whole egg solids</b>	Structural pest control	1.04	N/A	N/A	N/A
<b>pydiflumetofen</b>	Celery	5.76	4	44.18	A
<b>pydiflumetofen</b>	Cucumber	0.7	1	6.27	A
<b>pydiflumetofen</b>	Golf course turf	3.98	1	41.0	A
<b>pydiflumetofen</b>	Grape	975.26	134	7,496.73	A
<b>pydiflumetofen</b>	Grape, wine	890.87	148	7,090.73	A
<b>pydiflumetofen</b>	Landscape maintenance	4.4	N/A	N/A	N/A
<b>pydiflumetofen</b>	Lettuce, head	1.09	1	8.3	A
<b>pydiflumetofen</b>	Lettuce, leaf	4.18	4	32.0	A
<b>pydiflumetofen</b>	Parsley	9.56	2	73.24	A
<b>pydiflumetofen</b>	Pepper, fruiting	65.84	30	638.08	A
<b>pydiflumetofen</b>	Pumpkin	11.49	7	103.18	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pydiflumetofen	Research commodity	0.07	N/A	N/A	N/A
pydiflumetofen	Squash	25.96	10	233.63	A
pydiflumetofen	Swiss chard	0.3	1	2.25	A
pydiflumetofen	Tomato	86.34	23	811.07	A
pydiflumetofen	Tomato, processing	81.19	14	832.4	A
pydiflumetofen	Watermelon	33.96	5	305.49	A
pymetrozine	Arugula	63.77	96	744.92	A
pymetrozine	Asparagus	4.04	4	47.0	A
pymetrozine	Avocado	4.38	10	2,828,000.0	U
pymetrozine	Bok choy	4.87	31	57.04	A
pymetrozine	Broccoli	10.18	12	118.48	A
pymetrozine	Brussels sprout	138.33	94	1,611.06	A
pymetrozine	Cabbage	39.06	153	443.23	A
pymetrozine	Cannabis (all or unspecified)	0.07	24	23,340.0	S
pymetrozine	Cantaloupe	290.81	44	3,422.46	A
pymetrozine	Cauliflower	10.66	16	124.1	A
pymetrozine	Celery	155.42	188	1,810.73	A
pymetrozine	Chinese cabbage (napa, won bok, celery cabbage)	8.49	22	98.78	A
pymetrozine	Citrus	0.95	4	3.93	A
pymetrozine	Citrus	0.23	1	9,700.0	U
pymetrozine	Collard	7.1	48	82.6	A
pymetrozine	Cotton	2,189.84	100	25,506.0	A
pymetrozine	Cucumber	24.53	38	162.31	A
pymetrozine	Eggplant	2.38	4	28.0	A
pymetrozine	Endive (escarole)	0.85	10	9.85	A
pymetrozine	Kale	50.01	204	581.96	A
pymetrozine	Kohlrabi	1.33	18	15.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pymetrozine	Landscape maintenance	1.5	N/A	N/A	N/A
pymetrozine	Lettuce, head	252.34	256	3,004.68	A
pymetrozine	Lettuce, leaf	295.2	431	3,489.68	A
pymetrozine	Melon	49.96	7	578.8	A
pymetrozine	Mustard	0.55	7	6.45	A
pymetrozine	Mustard greens	1.5	9	17.46	A
pymetrozine	N-grnhs flower	36.67	138	198.32	A
pymetrozine	N-grnhs flower	3.39	22	208,800.0	S
pymetrozine	N-grnhs plants in containers	145.75	484	688.97	A
pymetrozine	N-grnhs plants in containers	12.02	75	1,504,301.0	S
pymetrozine	N-grnhs plants in containers	0.06	1	1,000.0	U
pymetrozine	N-grnhs transplants	4.15	16	31.4	A
pymetrozine	N-grnhs transplants	12.85	109	4,720,625.0	S
pymetrozine	N-outdr flower	28.31	67	138.15	A
pymetrozine	N-outdr plants in containers	167.63	370	618.31	A
pymetrozine	N-outdr plants in containers	6.99	30	1,180,600.0	S
pymetrozine	N-outdr plants in containers	10.23	13	268,187.0	U
pymetrozine	N-outdr transplants	1.52	7	10.75	A
pymetrozine	N-outdr transplants	6.73	21	4,242,000.0	S
pymetrozine	Parsley	0.93	5	10.79	A
pymetrozine	Pecan	48.44	16	387.5	A
pymetrozine	Pepper, fruiting	36.24	22	424.05	A
pymetrozine	Pepper, spice	1.43	2	16.65	A
pymetrozine	Pumpkin	119.97	47	1,401.74	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pymetrozine	Research commodity	0.18	5	0.49	A
pymetrozine	Research commodity	0.31	14	109,152.0	S
pymetrozine	Research commodity	3.2	N/A	N/A	N/A
pymetrozine	Spinach	171.19	249	1,994.95	A
pymetrozine	Squash	1.76	2	20.5	A
pymetrozine	Squash, summer	0.69	2	8.0	A
pymetrozine	Swiss chard	10.11	105	117.62	A
pymetrozine	Tomato	71.2	73	497.92	A
pymetrozine	Upland cress	0.56	3	6.7	A
pymetrozine	Walnut	5.06	1	4.0	A
pymetrozine	Watermelon	109.51	23	1,277.3	A
pyraclostrobin	Alfalfa	483.88	90	3,970.28	A
pyraclostrobin	Almond	40,621.29	6,681	414,044.33	A
pyraclostrobin	Apple	23.91	5	262.53	A
pyraclostrobin	Apricot	112.59	106	1,173.54	A
pyraclostrobin	Artichoke, globe	73.3	31	422.9	A
pyraclostrobin	Arugula	7.21	3	42.3	A
pyraclostrobin	Bean, succulent	5.56	4	62.0	A
pyraclostrobin	Bean, unspecified	1.42	2	11.0	A
pyraclostrobin	Beet	34.0	92	177.82	A
pyraclostrobin	Bermudagrass	514.73	27	2,659.0	A
pyraclostrobin	Blackberry	244.57	184	1,412.4	A
pyraclostrobin	Blueberry	1.8	1	15.0	A
pyraclostrobin	Bok choy	110.34	268	705.93	A
pyraclostrobin	Broccoli	3,107.74	1,664	17,468.75	A
pyraclostrobin	Brussels sprout	1,272.17	560	7,463.1	A
pyraclostrobin	Cabbage	471.19	298	2,739.63	A
pyraclostrobin	Cantaloupe	30.73	6	296.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	Cardoon	4.1	7	20.5	A
pyraclostrobin	Carrot	2,116.68	437	22,326.11	A
pyraclostrobin	Cauliflower	424.39	229	2,313.62	A
pyraclostrobin	Celeriac	7.23	33	36.19	A
pyraclostrobin	Celery	881.47	459	5,227.0	A
pyraclostrobin	Cherry	2,053.09	1,020	20,993.69	A
pyraclostrobin	Chinese broccoli (gai lon)	6.0	9	30.0	A
pyraclostrobin	Chinese cabbage (napa, won bok, celery cabbage)	135.96	217	851.81	A
pyraclostrobin	Chrysanthemum, edible leaved	0.3	1	2.0	A
pyraclostrobin	Cole crop	0.04	2	0.9	A
pyraclostrobin	Collard	42.39	86	246.47	A
pyraclostrobin	Corn (forage - fodder)	10.91	1	120.0	A
pyraclostrobin	County ag comm	1.99	N/A	N/A	N/A
pyraclostrobin	Cucumber	62.45	29	396.89	A
pyraclostrobin	Dandelion green	5.57	31	28.68	A
pyraclostrobin	Eggplant	6.24	3	36.0	A
pyraclostrobin	Endive (escarole)	63.17	24	372.61	A
pyraclostrobin	Fava bean	9.07	10	65.0	A
pyraclostrobin	Fennel	7.67	4	43.6	A
pyraclostrobin	Gai lon	97.05	7	647.0	A
pyraclostrobin	Garlic	56.28	6	375.2	A
pyraclostrobin	Golf course turf	91.04	N/A	252.3	A
pyraclostrobin	Golf course turf	9.94	N/A	990,000.0	S
pyraclostrobin	Grape	7,008.42	1,563	63,363.95	A
pyraclostrobin	Grape, wine	13,395.82	3,659	99,336.22	A
pyraclostrobin	Grapefruit	58.82	27	295.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	Hops	1.34	1	12.0	A
pyraclostrobin	Kale	164.68	219	872.67	A
pyraclostrobin	Kohlrabi	2.07	12	10.32	A
pyraclostrobin	Landscape maintenance	1.84	1	5.4	A
pyraclostrobin	Landscape maintenance	1,593.74	N/A	N/A	N/A
pyraclostrobin	Leek	20.29	27	130.8	A
pyraclostrobin	Lemon	1,004.41	180	5,193.18	A
pyraclostrobin	Lettuce, head	1,424.75	774	8,810.34	A
pyraclostrobin	Lettuce, leaf	2,578.69	1,649	15,256.44	A
pyraclostrobin	Melon	121.3	30	1,162.35	A
pyraclostrobin	Melon	0.01	1	2,520.0	S
pyraclostrobin	Mizuna	0.23	1	1.15	A
pyraclostrobin	Mustard	21.64	37	108.21	A
pyraclostrobin	Mustard greens	12.48	36	63.1	A
pyraclostrobin	N-grnhs flower	227.36	283	676.22	A
pyraclostrobin	N-grnhs flower	10.77	37	1,065,170.0	S
pyraclostrobin	N-grnhs plants in containers	288.01	1,185	1,037.74	A
pyraclostrobin	N-grnhs plants in containers	36.66	293	6,408,267.6	S
pyraclostrobin	N-grnhs plants in containers	5.53	2	340,500.09	U
pyraclostrobin	N-grnhs transplants	53.1	167	557.23	A
pyraclostrobin	N-grnhs transplants	17.44	225	2,101,723.0	S
pyraclostrobin	N-outdr flower	761.26	977	30,262.81	A
pyraclostrobin	N-outdr flower	1.13	4	159,400.0	S
pyraclostrobin	N-outdr flower	13.2	9	11,106.0	U
pyraclostrobin	N-outdr plants in containers	777.69	1,452	3,273.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	N-outdr plants in containers	17.95	93	2,068,872.4	S
pyraclostrobin	N-outdr plants in containers	19.15	42	516,439.0	U
pyraclostrobin	N-outdr transplants	271.21	195	1,551.34	A
pyraclostrobin	N-outdr transplants	7.93	6	817,644.0	S
pyraclostrobin	N-outdr transplants	1.32	1	23,000.0	U
pyraclostrobin	Nectarine	529.11	312	5,263.56	A
pyraclostrobin	Olive	0.23	1	2.0	A
pyraclostrobin	Onion, dry	1,108.21	229	8,011.59	A
pyraclostrobin	Onion, dry	0.02	7	5,672.0	S
pyraclostrobin	Onion, green	1.28	2	7.25	A
pyraclostrobin	Orange	6,139.22	1,412	30,230.43	A
pyraclostrobin	Parsley	193.59	276	1,063.98	A
pyraclostrobin	Peach	1,840.62	888	18,446.96	A
pyraclostrobin	Pear	32.95	10	229.21	A
pyraclostrobin	Peas	214.74	142	1,521.55	A
pyraclostrobin	Pecan	2.04	3	20.0	A
pyraclostrobin	Pepper, fruiting	674.31	168	4,036.11	A
pyraclostrobin	Pepper, spice	46.47	7	233.84	A
pyraclostrobin	Pistachio	3,709.99	553	35,983.4	A
pyraclostrobin	Plum	209.48	153	2,093.12	A
pyraclostrobin	Pomelo	8.74	3	42.0	A
pyraclostrobin	Potato	440.33	114	2,966.9	A
pyraclostrobin	Prune	20.74	15	208.02	A
pyraclostrobin	Pumpkin	52.43	15	322.7	A
pyraclostrobin	Radicchio	106.68	16	590.56	A
pyraclostrobin	Radish	123.89	131	622.56	A
pyraclostrobin	Raspberry	581.31	306	3,324.57	A
pyraclostrobin	Regulatory pest control	0.72	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	Research commodity	7.86	51	56.67	A
pyraclostrobin	Research commodity	0.27	11	46,900.0	S
pyraclostrobin	Research commodity	3.46	N/A	N/A	N/A
pyraclostrobin	Root vegetable	0.96	18	13.9	A
pyraclostrobin	Spinach	11.2	25	56.1	A
pyraclostrobin	Squash	57.98	25	313.52	A
pyraclostrobin	Stone fruit	6.08	8	62.5	A
pyraclostrobin	Strawberry	8,376.59	1,392	47,828.98	A
pyraclostrobin	Strawberry	0.03	1	10,000.0	S
pyraclostrobin	Structural pest control	0.14	N/A	N/A	N/A
pyraclostrobin	Sugarbeet	203.67	20	1,309.0	A
pyraclostrobin	Sunflower	136.76	18	1,067.5	A
pyraclostrobin	Swiss chard	100.04	296	528.81	A
pyraclostrobin	Tangelo	71.96	22	344.5	A
pyraclostrobin	Tangerine	5,088.25	897	23,349.4	A
pyraclostrobin	Tomato	1,044.27	205	6,152.65	A
pyraclostrobin	Tomato	1.05	10	286,520.0	S
pyraclostrobin	Tomato, processing	7,955.48	626	48,562.83	A
pyraclostrobin	Turf/sod	4.55	1	11.0	A
pyraclostrobin	Turf/sod	1.92	N/A	152,000.0	S
pyraclostrobin	Turnip	23.86	80	119.24	A
pyraclostrobin	Uncultivated ag	6.0	3	36.8	A
pyraclostrobin	Upland cress	2.65	20	18.1	A
pyraclostrobin	Vegetable	0.2	1	1.5	A
pyraclostrobin	Vegetables, leafy	83.76	10	390.85	A
pyraclostrobin	Walnut	5,417.09	1,424	52,822.36	A
pyraclostrobin	Watermelon	365.55	60	2,555.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	Wheat	659.63	106	5,067.22	A
pyraflufen-ethyl	Alfalfa	0.33	4	151.0	A
pyraflufen-ethyl	Almond	702.72	2,904	159,591.62	A
pyraflufen-ethyl	Apple	3.81	39	652.88	A
pyraflufen-ethyl	Apricot	1.64	44	450.85	A
pyraflufen-ethyl	Artichoke, globe	0.22	7	64.0	A
pyraflufen-ethyl	Barley (forage - fodder)	0.27	2	80.0	A
pyraflufen-ethyl	Bean, dried	0.18	2	56.0	A
pyraflufen-ethyl	Bermudagrass	0.27	1	82.0	A
pyraflufen-ethyl	Broccoli	0.89	19	281.0	A
pyraflufen-ethyl	Brussels sprout	0.34	7	100.7	A
pyraflufen-ethyl	Cabbage	0.08	6	25.75	A
pyraflufen-ethyl	Cantaloupe	1.52	6	460.48	A
pyraflufen-ethyl	Carrot	0.16	3	49.5	A
pyraflufen-ethyl	Cauliflower	0.25	6	75.5	A
pyraflufen-ethyl	Celery	0.22	2	66.7	A
pyraflufen-ethyl	Cherry	23.48	415	5,501.92	A
pyraflufen-ethyl	Chestnut	0.1	2	19.0	A
pyraflufen-ethyl	Chinese cabbage (napa, won bok, celery cabbage)	0.04	2	11.65	A
pyraflufen-ethyl	Corn (forage - fodder)	17.79	125	6,157.3	A
pyraflufen-ethyl	Corn, grain	1.23	24	402.6	A
pyraflufen-ethyl	Corn, human consumption	3.32	8	1,024.78	A
pyraflufen-ethyl	Cotton	654.64	2,336	188,719.29	A
pyraflufen-ethyl	Cotton	0.21	N/A	1,823.21	U
pyraflufen-ethyl	Cucumber	0.62	3	186.0	A
pyraflufen-ethyl	Date	0.01	31	180.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraflufen-ethyl	Ditch bank	0.31	N/A	31.0	U
pyraflufen-ethyl	Fennel	0.04	3	14.0	A
pyraflufen-ethyl	Fig	8.07	25	1,717.33	A
pyraflufen-ethyl	Forage hay/silage	2.2	22	1,559.8	A
pyraflufen-ethyl	Garbanzo bean	2.38	5	719.0	A
pyraflufen-ethyl	Golf course turf	0.01	N/A	5.0	A
pyraflufen-ethyl	Grape	101.03	1,103	30,395.44	A
pyraflufen-ethyl	Grape, wine	344.48	3,414	95,337.82	A
pyraflufen-ethyl	Grapefruit	0.22	3	42.0	A
pyraflufen-ethyl	Kiwi fruit fuzzy	18.57	587	3,904.72	A
pyraflufen-ethyl	Landscape maintenance	0.11	3	20.0	A
pyraflufen-ethyl	Landscape maintenance	18.99	N/A	N/A	N/A
pyraflufen-ethyl	Lemon	0.41	8	200.19	A
pyraflufen-ethyl	Lettuce, head	2.37	26	827.6	A
pyraflufen-ethyl	Lettuce, leaf	0.85	27	392.2	A
pyraflufen-ethyl	N-grnhs flower	0.57	8	203.2	A
pyraflufen-ethyl	N-outdr plants in containers	1.33	22	312.83	A
pyraflufen-ethyl	Nectarine	14.03	336	3,171.62	A
pyraflufen-ethyl	Oat (forage - fodder)	0.41	3	135.0	A
pyraflufen-ethyl	Olive	16.35	75	3,988.87	A
pyraflufen-ethyl	Onion, dry	5.67	28	1,835.0	A
pyraflufen-ethyl	Orange	0.46	10	115.05	A
pyraflufen-ethyl	Peach	30.97	586	6,779.07	A
pyraflufen-ethyl	Pear	0.92	10	173.92	A
pyraflufen-ethyl	Pecan	0.54	9	101.23	A
pyraflufen-ethyl	Pepper, fruiting	0.22	3	78.5	A
pyraflufen-ethyl	Pepper, spice	0.03	1	19.25	A
pyraflufen-ethyl	Persimmon	1.77	51	540.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraflufen-ethyl	Pistachio	306.36	1,323	71,400.42	A
pyraflufen-ethyl	Plum	13.27	339	3,669.26	A
pyraflufen-ethyl	Pomegranate	57.39	249	12,142.3	A
pyraflufen-ethyl	Potato	22.06	42	2,637.96	A
pyraflufen-ethyl	Prune	14.31	117	2,884.09	A
pyraflufen-ethyl	Pumpkin	1.2	14	442.7	A
pyraflufen-ethyl	Research commodity	0.78	6	157.0	A
pyraflufen-ethyl	Rice	0.64	11	257.2	A
pyraflufen-ethyl	Rights of way	3.87	44	986.5	A
pyraflufen-ethyl	Rights of way	24.14	N/A	N/A	N/A
pyraflufen-ethyl	Safflower	1.41	5	1,045.3	A
pyraflufen-ethyl	Soil fumigation/preplant	41.52	123	15,816.17	A
pyraflufen-ethyl	Sorghum/milo	0.23	1	94.0	A
pyraflufen-ethyl	Spinach	0.19	10	57.12	A
pyraflufen-ethyl	Stone fruit	0.01	2	2.0	A
pyraflufen-ethyl	Structural pest control	0.7	N/A	N/A	N/A
pyraflufen-ethyl	Sugarbeet	0.14	2	87.0	A
pyraflufen-ethyl	Sunflower	0.38	1	115.0	A
pyraflufen-ethyl	Sweet potato	0.31	7	93.0	A
pyraflufen-ethyl	Tangerine	3.34	44	694.81	A
pyraflufen-ethyl	Tomato	1.9	22	1,212.84	A
pyraflufen-ethyl	Tomato, processing	22.36	95	7,305.6	A
pyraflufen-ethyl	Triticale	13.56	151	8,627.1	A
pyraflufen-ethyl	Turf/sod	0.24	1	129.67	A
pyraflufen-ethyl	Uncultivated ag	179.83	2,539	54,790.53	A
pyraflufen-ethyl	Uncultivated non-ag	7.47	8	1,619.0	A
pyraflufen-ethyl	Unknown	0.03	1	10.0	A
pyraflufen-ethyl	Walnut	64.82	520	14,531.04	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraflufen-ethyl	Watermelon	1.23	8	371.0	A
pyraflufen-ethyl	Wheat	9.2	108	5,798.18	A
pyraflufen-ethyl	Wheat (forage - fodder)	64.85	709	40,313.72	A
pyrethrins	Alfalfa	3.24	2	129.0	A
pyrethrins	Alfalfa	0.01	3	9,000.0	S
pyrethrins	Almond	268.5	88	9,369.03	A
pyrethrins	Animal premise	0.02	N/A	330,000.0	S
pyrethrins	Animal premise	0.25	N/A	32.0	U
pyrethrins	Apple	11.51	36	410.88	A
pyrethrins	Apricot	5.04	9	159.18	A
pyrethrins	Artichoke, globe	7.96	27	202.3	A
pyrethrins	Arugula	71.05	297	1,884.63	A
pyrethrins	Avocado	41.98	29	380.7	A
pyrethrins	Basil, sweet	38.55	215	1,038.58	A
pyrethrins	Basil, sweet	<0.01	1	72.0	S
pyrethrins	Bean, succulent	9.78	37	287.38	A
pyrethrins	Bean, unspecified	6.07	30	159.5	A
pyrethrins	Beet	12.67	64	502.97	A
pyrethrins	Beet	0.02	1	1,200.0	S
pyrethrins	Blackberry	233.84	441	5,444.67	A
pyrethrins	Blackberry	0.04	6	171,614.0	S
pyrethrins	Blueberry	95.47	178	2,426.13	A
pyrethrins	Blueberry	0.03	5	7,500.0	S
pyrethrins	Bok choy	19.72	135	441.49	A
pyrethrins	Broccoli	263.99	712	6,427.29	A
pyrethrins	Broccoli	<0.01	2	160.0	S
pyrethrins	Brussels sprout	13.24	81	384.31	A
pyrethrins	Buildings/non-ag outdoor	7.94	N/A	N/A	U
pyrethrins	Bushberry	0.06	3	0.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Cabbage	44.24	307	1,054.99	A
pyrethrins	Cabbage	0.06	7	25,200.0	S
pyrethrins	Cannabis (all or unspecified)	6.57	103	82.76	A
pyrethrins	Cannabis (all or unspecified)	0.04	8	2,304.0	C
pyrethrins	Cannabis (all or unspecified)	16.71	1,107	4,958,034.0	S
pyrethrins	Cannabis (all or unspecified)	1.68	21	65,153.0	U
pyrethrins	Cantaloupe	3.04	3	90.0	A
pyrethrins	Carrot	9.25	13	205.8	A
pyrethrins	Cauliflower	176.67	639	4,049.75	A
pyrethrins	Cauliflower	<0.01	2	160.0	S
pyrethrins	Celery	291.9	901	7,863.21	A
pyrethrins	Cherry	11.15	32	379.5	A
pyrethrins	Chervil	0.19	12	6.2	A
pyrethrins	Chicory	0.04	2	0.8	A
pyrethrins	Chinese cabbage (napa, won bok, celery cabbage)	20.53	40	433.8	A
pyrethrins	Chive	2.22	45	53.97	A
pyrethrins	Chrysanthemum, edible leaved	0.04	2	1.25	A
pyrethrins	Cilantro	19.55	84	531.29	A
pyrethrins	Citrus	23.87	53	667.5	A
pyrethrins	Cole crop	0.52	43	19.26	A
pyrethrins	Cole crop	<0.01	1	1,800.0	S
pyrethrins	Collard	2.9	34	63.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Commercial storages or warehouses (all or unspec)	0.84	N/A	100,000.0	C
pyrethrins	Commodity fumigation	48.16	N/A	N/A	N/A
pyrethrins	Corn (forage - fodder)	<0.01	2	0.2	A
pyrethrins	Corn, grain	0.04	1	0.8	A
pyrethrins	Corn, human consumption	26.67	102	656.75	A
pyrethrins	Cotton	2.68	2	199.0	A
pyrethrins	Cucumber	3.94	65	81.93	A
pyrethrins	Cucumber	0.03	7	8,600.0	S
pyrethrins	Daikon	0.29	2	6.4	A
pyrethrins	Date	0.37	1	25.0	A
pyrethrins	Dill	2.85	48	67.26	A
pyrethrins	Edible flowers	0.24	6	3.25	A
pyrethrins	Eggplant	0.34	4	11.0	A
pyrethrins	Endive (escarole)	17.09	62	378.4	A
pyrethrins	Fennel	0.15	5	3.16	A
pyrethrins	Fig	12.67	14	340.65	A
pyrethrins	Food processing plant	0.04	N/A	95,040.0	C
pyrethrins	Fumigation, other	<0.01	1	2,520.0	S
pyrethrins	Fumigation, other	8.32	N/A	N/A	N/A
pyrethrins	Ginger	0.27	6	3.0	A
pyrethrins	Golf course turf	0.04	N/A	4.5	A
pyrethrins	Grain	3.8	N/A	30,000.0	C
pyrethrins	Grape	385.25	248	9,504.0	A
pyrethrins	Grape	3.19	N/A	7,187,994.0	C
pyrethrins	Grape, wine	354.42	541	7,553.97	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Grapefruit	67.69	80	1,684.43	A
pyrethrins	Herb, spice	26.6	372	532.71	A
pyrethrins	Herb, spice	<0.01	1	975.0	S
pyrethrins	Industrial hemp	80.17	24	1,680.0	A
pyrethrins	Kale	69.47	298	1,928.05	A
pyrethrins	Kale	0.02	5	8,000.0	S
pyrethrins	Kumquat	0.47	3	9.0	A
pyrethrins	Landscape maintenance	0.1	2	4.0	A
pyrethrins	Landscape maintenance	2,036.97	N/A	N/A	N/A
pyrethrins	Leek	0.44	6	14.03	A
pyrethrins	Lemon	300.82	273	6,651.39	A
pyrethrins	Lettuce, head	28.86	168	783.2	A
pyrethrins	Lettuce, head	<0.01	2	28,750.0	S
pyrethrins	Lettuce, leaf	804.5	2,768	20,201.72	A
pyrethrins	Lettuce, leaf	5.46	6	1,274,868.0	S
pyrethrins	Lime	1.3	4	26.0	A
pyrethrins	Melon	22.0	18	565.9	A
pyrethrins	Melon	<0.01	7	16,480.0	S
pyrethrins	Mint	10.5	214	233.36	A
pyrethrins	Mizuna	6.18	81	169.2	A
pyrethrins	Mushroom	0.04	6	34,500.0	S
pyrethrins	Mushroom house	9.45	71	2,784,600.0	S
pyrethrins	Mushroom soil	<0.01	2	11,500.0	S
pyrethrins	Mustard	57.82	144	1,564.83	A
pyrethrins	Mustard greens	11.97	117	308.43	A
pyrethrins	N-grnhs flower	6.8	79	108.59	A
pyrethrins	N-grnhs flower	0.2	10	135,168.0	S
pyrethrins	N-grnhs plants in containers	11.74	280	265.13	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyrethrins	N-grnhs plants in containers	2.4	153	2,624,645.15	S
pyrethrins	N-grnhs plants in containers	0.03	3	0.31	U
pyrethrins	N-grnhs transplants	22.94	1,776	1,074.77	A
pyrethrins	N-grnhs transplants	0.86	72	837,957.0	S
pyrethrins	N-outdr flower	20.14	262	928.43	A
pyrethrins	N-outdr plants in containers	7.88	198	305.31	A
pyrethrins	N-outdr plants in containers	0.39	34	375,145.0	S
pyrethrins	N-outdr plants in containers	2.78	32	668,474.0	U
pyrethrins	N-outdr transplants	10.15	227	430.22	A
pyrethrins	N-outdr transplants	9.82	269	10,992,523.0	S
pyrethrins	Nectarine	39.19	98	1,046.77	A
pyrethrins	Olive	0.02	1	1.5	A
pyrethrins	Olive	0.05	1	15,552.0	S
pyrethrins	Onion, dry	7.23	12	198.0	A
pyrethrins	Onion, dry	<0.01	3	3,120.0	S
pyrethrins	Onion, green	0.24	19	6.26	A
pyrethrins	Orange	410.88	467	8,956.19	A
pyrethrins	Oregano	3.35	70	64.91	A
pyrethrins	Parsley	0.76	13	19.0	A
pyrethrins	Pastureland	2.03	3	96.55	A
pyrethrins	Peach	40.83	120	1,082.99	A
pyrethrins	Pear	3.45	3	76.0	A
pyrethrins	Peas	2.08	12	63.75	A
pyrethrins	Pepper, fruiting	19.37	46	667.55	A
pyrethrins	Pepper, fruiting	<0.01	2	2,820.0	S
pyrethrins	Persimmon	0.2	2	4.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Pistachio	147.57	46	3,208.42	A
pyrethrins	Pistachio	2.1	N/A	266,000.0	C
pyrethrins	Pistachio	3.5	N/A	1,220,001.0	S
pyrethrins	Plum	5.47	18	146.63	A
pyrethrins	Pomegranate	20.81	17	464.43	A
pyrethrins	Pomegranate	0.6	21	1,183.0	U
pyrethrins	Potato	10.8	6	351.4	A
pyrethrins	Prune	0.01	1	1.75	A
pyrethrins	Prune	0.4	N/A	16,000.0	S
pyrethrins	Public health	1,662.22	N/A	N/A	N/A
pyrethrins	Pumpkin	0.3	4	31.75	A
pyrethrins	Radicchio	27.15	21	915.0	A
pyrethrins	Radish	34.74	264	746.63	A
pyrethrins	Rapini	7.4	4	200.0	A
pyrethrins	Raspberry	212.8	466	5,433.87	A
pyrethrins	Raspberry	0.11	8	176,270.0	S
pyrethrins	Regulatory pest control	53.12	N/A	N/A	N/A
pyrethrins	Research commodity	0.31	25	10.96	A
pyrethrins	Research commodity	0.05	4	43,000.0	S
pyrethrins	Research commodity	0.14	N/A	N/A	N/A
pyrethrins	Rights of way	34.68	N/A	N/A	N/A
pyrethrins	Root vegetable	0.74	34	21.57	A
pyrethrins	Rosemary	5.61	105	112.37	A
pyrethrins	Ryegrass	12.29	1	269.31	A
pyrethrins	Sage	0.17	4	3.33	A
pyrethrins	Shallot	2.62	10	71.82	A
pyrethrins	Spinach	402.19	896	11,364.66	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Squash	20.09	88	522.27	A
pyrethrins	Squash	<0.01	3	3,750.0	S
pyrethrins	Squash, summer	4.53	16	93.7	A
pyrethrins	Squash, winter	8.59	5	220.0	A
pyrethrins	Squash, zucchini	0.24	1	5.0	A
pyrethrins	Stone fruit	0.14	6	24.25	A
pyrethrins	Strawberry	558.63	474	11,112.0	A
pyrethrins	Strawberry	0.27	15	909,079.0	S
pyrethrins	Structural pest control	6,469.66	N/A	N/A	N/A
pyrethrins	Sunflower	0.11	3	2.75	A
pyrethrins	Sweet potato	18.05	16	527.35	A
pyrethrins	Swiss chard	60.6	372	1,682.56	A
pyrethrins	Swiss chard	<0.01	2	400.0	S
pyrethrins	Tangelo	20.91	13	431.0	A
pyrethrins	Tangerine	181.42	154	4,201.72	A
pyrethrins	Tarragon	0.66	25	11.63	A
pyrethrins	Thyme	2.39	43	44.52	A
pyrethrins	Timothy	0.91	1	52.0	A
pyrethrins	Tomatillo	0.15	2	100.0	A
pyrethrins	Tomato	87.46	137	941.17	A
pyrethrins	Tomato	0.15	22	44,755.0	S
pyrethrins	Tomato, processing	87.76	51	3,758.04	A
pyrethrins	Tropical/subtropical fruit	0.09	7	1.85	A
pyrethrins	Turnip greens	0.78	14	15.66	A
pyrethrins	Uncultivated ag	0.08	1	1.5	A
pyrethrins	Uncultivated non-ag	0.03	2	400,000.0	C
pyrethrins	Upland cress	1.76	36	9.5	A
pyrethrins	Vegetable	0.43	11	15.65	A
pyrethrins	Vegetables, fruiting	0.75	37	20.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyrethrins	Vegetables, leafy	42.05	335	1,044.77	A
pyrethrins	Vegetables, leafy	<0.01	4	2,202.01	S
pyrethrins	Walnut	40.93	36	1,114.31	A
pyrethrins	Watercress	1.74	17	54.0	A
pyrethrins	Watermelon	11.33	19	343.2	A
pyrethrins	Watermelon	<0.01	3	8,400.0	S
pyridaben	Grape	29.18	2	76.0	A
pyridaben	Grape, wine	314.67	4	841.47	A
pyridaben	Landscape maintenance	416.81	N/A	N/A	N/A
pyridaben	Lemon	169.49	28	406.7	A
pyridaben	N-grnhs flower	0.98	8	5.5	A
pyridaben	N-grnhs flower	2.71	32	195,017.5	S
pyridaben	N-grnhs plants in containers	189.85	252	418.95	A
pyridaben	N-grnhs plants in containers	12.8	46	1,865,926.6	S
pyridaben	N-grnhs transplants	4.0	4	10.7	A
pyridaben	N-grnhs transplants	22.23	38	1,164,380.0	S
pyridaben	N-outdr flower	23.7	29	64.08	A
pyridaben	N-outdr flower	0.05	2	14,020.0	S
pyridaben	N-outdr plants in containers	16.46	47	57.02	A
pyridaben	N-outdr plants in containers	2.06	9	319,000.0	S
pyridaben	N-outdr transplants	17.57	14	46.06	A
pyridaben	Nectarine	19.75	1	39.5	A
pyridaben	Orange	1.54	1	4.0	A
pyridaben	Peach	39.02	1	78.0	A
pyridaben	Plum	3.52	1	15.0	A
pyridaben	Regulatory pest control	3.12	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyridaben	Research commodity	0.03	3	0.13	A
pyridaben	Research commodity	0.22	N/A	N/A	N/A
pyridaben	Strawberry	625.21	107	832.09	A
pyridaben	Structural pest control	24.33	N/A	N/A	N/A
pyridaben	Tangerine	538.82	36	1,088.73	A
pyridaben	Tomato	3.14	10	23.93	A
pyridalyl	N-grnhs flower	216.28	267	602.96	A
pyridalyl	N-grnhs flower	10.81	54	976,286.0	S
pyridalyl	N-grnhs plants in containers	89.34	349	533.24	A
pyridalyl	N-grnhs plants in containers	1.31	8	112,354.0	S
pyridalyl	N-grnhs plants in containers	0.09	1	0.17	U
pyridalyl	N-grnhs transplants	1.84	4	10.5	A
pyridalyl	N-grnhs transplants	17.22	113	2,148,225.0	S
pyridalyl	N-outdr flower	97.48	169	428.53	A
pyridalyl	N-outdr flower	1.59	9	225,737.0	S
pyridalyl	N-outdr plants in containers	12.11	25	45.7	A
pyridalyl	N-outdr plants in containers	1.4	5	311,500.0	S
pyridalyl	N-outdr plants in containers	2.1	2	37,750.0	U
pyridalyl	N-outdr transplants	9.8	9	33.0	A
pyridalyl	Regulatory pest control	0.04	N/A	N/A	N/A
pyridalyl	Research commodity	0.18	4	29,040.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyridalyl	Research commodity	2.15	N/A	N/A	N/A
pyrifluquinazon	N-grnhs flower	4.76	57	51.56	A
pyrifluquinazon	N-grnhs flower	0.88	20	106,677.5	S
pyrifluquinazon	N-grnhs plants in containers	45.02	350	399.74	A
pyrifluquinazon	N-grnhs plants in containers	2.82	33	661,030.0	S
pyrifluquinazon	N-grnhs transplants	0.17	5	8.8	A
pyrifluquinazon	N-grnhs transplants	7.16	42	1,550,658.0	S
pyrifluquinazon	N-outdr flower	1.56	4	9.76	A
pyrifluquinazon	N-outdr plants in containers	47.56	94	188.28	A
pyrifluquinazon	N-outdr plants in containers	0.69	8	396,600.0	S
pyrifluquinazon	Regulatory pest control	0.06	N/A	N/A	N/A
pyrifluquinazon	Research commodity	0.01	2	0.18	A
pyrifluquinazon	Research commodity	<0.01	N/A	N/A	N/A
pyrifluquinazon	Squash	<0.01	2	0.02	A
pyrimethanil	Almond	32,525.41	2,553	139,934.25	A
pyrimethanil	Apple	108.62	39	507.6	A
pyrimethanil	Apricot	36.03	5	161.0	A
pyrimethanil	Blackberry	162.46	29	278.7	A
pyrimethanil	Blueberry	223.99	20	443.81	A
pyrimethanil	Citrus	893.04	N/A	162,822.04	T
pyrimethanil	Commodity fumigation	583.99	N/A	N/A	N/A
pyrimethanil	Grape	3,620.42	249	10,529.59	A
pyrimethanil	Grape, wine	7,510.39	1,229	22,375.14	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrimethanil	Grapefruit	12.29	N/A	4,766.65	T
pyrimethanil	Leek	5.13	3	10.52	A
pyrimethanil	Lemon	85.93	N/A	15,562.12	T
pyrimethanil	N-grnhs flower	19.75	23	25.25	A
pyrimethanil	N-grnhs transplants	0.07	2	0.12	A
pyrimethanil	N-outdr plants in containers	32.76	7	52.73	A
pyrimethanil	N-outdr transplants	151.0	19	341.29	A
pyrimethanil	Nectarine	256.33	22	674.5	A
pyrimethanil	Onion, dry	1,960.14	64	5,508.15	A
pyrimethanil	Orange	77.16	N/A	134,479.66	T
pyrimethanil	Peach	1,209.28	181	4,283.45	A
pyrimethanil	Pear	10.1	4	47.3	A
pyrimethanil	Pistachio	17,815.17	556	56,546.22	A
pyrimethanil	Plum	31.2	17	154.5	A
pyrimethanil	Pluot	1.71	1	5.0	A
pyrimethanil	Potato	1,571.71	106	7,748.1	A
pyrimethanil	Prune	181.65	30	905.55	A
pyrimethanil	Quince	0.21	1	1.0	A
pyrimethanil	Raspberry	22.85	78	42.59	A
pyrimethanil	Regulatory pest control	1.28	N/A	N/A	N/A
pyrimethanil	Strawberry	6,953.67	624	18,886.29	A
pyrimethanil	Strawberry	1.07	6	122,205.0	S
pyrimethanil	Tomato	133.18	35	790.08	A
pyrimethanil	Uncultivated ag	11.51	2	60.0	A
pyriofenone	Blackberry	7.56	15	91.81	A
pyriofenone	Blueberry	0.23	1	3.0	A
pyriofenone	Fumigation, other	0.08	1	1.0	A
pyriofenone	Grape	683.13	213	7,074.91	A
pyriofenone	Grape, wine	3,941.99	2,924	42,128.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyriofenone	Landscape maintenance	0.16	N/A	N/A	N/A
pyriofenone	Pumpkin	13.88	3	142.0	A
pyriofenone	Raspberry	5.08	43	61.88	A
pyriofenone	Strawberry	28.3	21	300.19	A
pyriofenone	Tomato	<0.01	4	0.07	A
pyriofenone	Tomato, processing	25.19	4	257.7	A
pyriproxyfen	Almond	4,715.82	3,057	233,844.0	A
pyriproxyfen	Apple	136.04	39	913.9	A
pyriproxyfen	Apricot	56.93	43	563.69	A
pyriproxyfen	Broccoli	4.67	6	69.54	A
pyriproxyfen	Brussels sprout	7.5	13	122.7	A
pyriproxyfen	Buildings/non-ag outdoor	0.05	N/A	48,000.0	S
pyriproxyfen	Buildings/non-ag outdoor	8.73	N/A	0.01	U
pyriproxyfen	Cabbage	1.11	22	16.5	A
pyriproxyfen	Cantaloupe	77.26	18	1,208.25	A
pyriproxyfen	Cauliflower	13.84	24	205.79	A
pyriproxyfen	Cherry	34.98	28	362.34	A
pyriproxyfen	Citrus	17.53	15	168.84	A
pyriproxyfen	Commodity fumigation	1.23	N/A	N/A	N/A
pyriproxyfen	Cotton	2,197.56	361	33,188.08	A
pyriproxyfen	Fig	2.3	2	229.84	A
pyriproxyfen	Food processing plant	<0.01	N/A	6,499,994.0	C
pyriproxyfen	Fumigation, other	1.0	N/A	N/A	N/A
pyriproxyfen	Grape	0.1	1	10.0	A
pyriproxyfen	Grape, wine	11.48	34	1,201.93	A
pyriproxyfen	Grapefruit	77.38	63	730.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyriproxyfen	Kale	0.79	2	11.75	A
pyriproxyfen	Kiwi fruit fuzzy	132.6	79	1,267.7	A
pyriproxyfen	Landscape maintenance	130.32	N/A	N/A	N/A
pyriproxyfen	Lemon	499.09	253	4,791.31	A
pyriproxyfen	Lime	2.11	6	19.6	A
pyriproxyfen	Melon	10.22	1	152.06	A
pyriproxyfen	N-grnhs flower	10.8	63	172.1	A
pyriproxyfen	N-grnhs flower	0.18	9	33,428.0	S
pyriproxyfen	N-grnhs plants in containers	6.27	67	66.97	A
pyriproxyfen	N-grnhs plants in containers	3.76	50	1,190,693.0	S
pyriproxyfen	N-grnhs transplants	3.09	29	33.68	A
pyriproxyfen	N-grnhs transplants	0.57	12	273,250.0	S
pyriproxyfen	N-outdr flower	0.13	6	42,052.0	S
pyriproxyfen	N-outdr plants in containers	20.73	64	296.96	A
pyriproxyfen	N-outdr plants in containers	0.68	9	526,061.0	S
pyriproxyfen	N-outdr plants in containers	2.74	11	254,687.0	U
pyriproxyfen	N-outdr transplants	3.83	22	37.88	A
pyriproxyfen	Nectarine	542.34	398	5,784.04	A
pyriproxyfen	Olive	55.16	16	566.6	A
pyriproxyfen	Orange	3,718.23	1,461	34,808.39	A
pyriproxyfen	Peach	831.62	551	9,066.93	A
pyriproxyfen	Pear	0.9	4	10.3	A
pyriproxyfen	Pear, asian (oriental pear, ya, ya li, nashi)	2.41	2	17.5	A
pyriproxyfen	Pecan	0.55	1	5.0	A
pyriproxyfen	Pepper, fruiting	39.94	28	689.56	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyriproxyfen	Pistachio	480.01	57	6,797.22	A
pyriproxyfen	Plum	587.04	471	5,984.98	A
pyriproxyfen	Pluot	0.79	1	9.0	A
pyriproxyfen	Pomelo	19.13	15	187.5	A
pyriproxyfen	Prune	29.33	17	297.8	A
pyriproxyfen	Public health	25.23	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyriproxyfen	Quince	2.98	5	34.0	A
pyriproxyfen	Regulatory pest control	33.4	N/A	N/A	N/A
pyriproxyfen	Research commodity	1.77	4	17.25	A
pyriproxyfen	Research commodity	0.05	N/A	N/A	N/A
pyriproxyfen	Rights of way	0.05	1	5.0	A
pyriproxyfen	Rights of way	0.61	N/A	N/A	N/A
pyriproxyfen	Storage area/box	<0.01	N/A	999,999.0	C
pyriproxyfen	Strawberry	174.58	60	2,573.04	A
pyriproxyfen	Structural pest control	2,617.14	N/A	N/A	N/A
pyriproxyfen	Tangelo	90.31	57	848.89	A
pyriproxyfen	Tangerine	875.75	337	8,226.28	A
pyriproxyfen	Tomato	73.82	89	1,433.33	A
pyriproxyfen	Tomato, processing	21.2	3	394.0	A
pyriproxyfen	Uncultivated ag	4.42	2	43.0	A
pyriproxyfen	Vegetables, fruiting	0.05	2	1.0	A
pyriproxyfen	Vertebrate control	<0.01	N/A	N/A	N/A
pyriproxyfen	Walnut	3,873.2	942	38,901.17	A
pyriproxyfen	Watermelon	19.05	13	336.8	A
pyrithiobac-sodium	Cotton	247.17	169	3,920.15	A
pyrithiobac-sodium	Research commodity	4.18	N/A	N/A	N/A
pyroxsulam	Alfalfa	0.99	2	75.0	A
pyroxsulam	Corn (forage - fodder)	1.74	1	148.0	A
pyroxsulam	Forage hay/silage	1.19	3	90.0	A
pyroxsulam	N-outdr plants in containers	0.03	1	2.47	A
pyroxsulam	Oat (forage - fodder)	0.24	1	18.38	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyroxsulam	Triticale	232.9	253	17,660.15	A
pyroxsulam	Uncultivated ag	0.22	1	17.0	A
pyroxsulam	Wheat	455.83	552	35,461.08	A
pyroxsulam	Wheat (forage - fodder)	1,132.47	1,475	86,284.17	A
qst 713 strain of dried bacillus subtilis	Almond	1,859.35	294	27,102.87	A
qst 713 strain of dried bacillus subtilis	Apple	384.85	135	1,259.59	A
qst 713 strain of dried bacillus subtilis	Apricot	59.15	31	350.68	A
qst 713 strain of dried bacillus subtilis	Artichoke, globe	33.19	56	337.5	A
qst 713 strain of dried bacillus subtilis	Arugula	45.95	173	644.75	A
qst 713 strain of dried bacillus subtilis	Arugula	0.08	40	13,325.0	S
qst 713 strain of dried bacillus subtilis	Avocado	3.19	4	32.0	A
qst 713 strain of dried bacillus subtilis	Barley	3.47	1	61.0	A
qst 713 strain of dried bacillus subtilis	Basil, sweet	4.79	90	85.32	A
qst 713 strain of dried bacillus subtilis	Basil, sweet	0.03	16	2,221.0	S
qst 713 strain of dried bacillus subtilis	Bean, succulent	0.51	2	9.0	A
qst 713 strain of dried bacillus subtilis	Blackberry	74.66	81	801.87	A
qst 713 strain of dried bacillus subtilis	Blackberry	0.12	11	114,049.0	S



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	Blackberry	<0.01	3	0.13	U
qst 713 strain of dried bacillus subtilis	Blueberry	213.96	23	1,274.31	A
qst 713 strain of dried bacillus subtilis	Blueberry	<0.01	2	1,000.0	S
qst 713 strain of dried bacillus subtilis	Bok choy	43.16	44	204.06	A
qst 713 strain of dried bacillus subtilis	Broccoli	25.16	39	259.33	A
qst 713 strain of dried bacillus subtilis	Broccoli	0.02	14	2,150.0	S
qst 713 strain of dried bacillus subtilis	Brussels sprout	0.4	5	12.0	A
qst 713 strain of dried bacillus subtilis	Cabbage	9.88	13	114.21	A
qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	76.15	455	933.18	A
qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	0.03	3	6,900.0	C
qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	23.71	687	4,522,882.0	S
qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	0.15	1	10.0	U
qst 713 strain of dried bacillus subtilis	Cantaloupe	21.99	8	330.59	A
qst 713 strain of dried bacillus subtilis	Carrot	855.33	170	10,968.81	A
qst 713 strain of dried bacillus subtilis	Carrot	0.01	8	3,180.0	S
qst 713 strain of dried bacillus subtilis	Cauliflower	4.98	14	78.33	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	Cauliflower	<0.01	2	500.0	S
qst 713 strain of dried bacillus subtilis	Celery	73.2	104	522.93	A
qst 713 strain of dried bacillus subtilis	Cherry	126.87	58	618.25	A
qst 713 strain of dried bacillus subtilis	Chervil	0.04	3	1.35	A
qst 713 strain of dried bacillus subtilis	Chicory	0.04	18	6,500.0	S
qst 713 strain of dried bacillus subtilis	Chinese amaranth (chinese spinach, tampala, yin choy)	0.02	14	675.0	S
qst 713 strain of dried bacillus subtilis	Chive	0.75	19	18.35	A
qst 713 strain of dried bacillus subtilis	Cilantro	1.13	2	10.83	A
qst 713 strain of dried bacillus subtilis	Citrus	1.48	7	6.28	A
qst 713 strain of dried bacillus subtilis	Collard	1.11	46	9.73	A
qst 713 strain of dried bacillus subtilis	Cucumber	9.36	22	128.35	A
qst 713 strain of dried bacillus subtilis	Cucumber	0.35	22	112,720.0	S
qst 713 strain of dried bacillus subtilis	Dandelion green	0.08	38	14,390.0	S
qst 713 strain of dried bacillus subtilis	Dill	0.16	7	3.95	A
qst 713 strain of dried bacillus subtilis	Eggplant	0.02	10	3,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	Endive (escarole)	33.26	31	223.6	A
qst 713 strain of dried bacillus subtilis	Fava bean	0.05	20	5,280.0	S
qst 713 strain of dried bacillus subtilis	Fennel	0.17	1	3.0	A
qst 713 strain of dried bacillus subtilis	Fig	0.04	1	0.75	A
qst 713 strain of dried bacillus subtilis	Fumigation, other	0.79	1	1.0	A
qst 713 strain of dried bacillus subtilis	Gai lon	10.39	35	48.15	A
qst 713 strain of dried bacillus subtilis	Garlic	13.95	3	270.0	A
qst 713 strain of dried bacillus subtilis	Grape	1,626.58	427	18,972.79	A
qst 713 strain of dried bacillus subtilis	Grape, wine	9,445.89	3,381	45,562.09	A
qst 713 strain of dried bacillus subtilis	Herb, spice	4.39	44	42.85	A
qst 713 strain of dried bacillus subtilis	Herb, spice	0.1	38	68,310.0	S
qst 713 strain of dried bacillus subtilis	Industrial hemp	5.75	44	50.85	A
qst 713 strain of dried bacillus subtilis	Kale	39.27	128	535.03	A
qst 713 strain of dried bacillus subtilis	Kale	0.08	38	7,710.0	S
qst 713 strain of dried bacillus subtilis	Landscape maintenance	16.36	N/A	N/A	N/A
qst 713 strain of dried bacillus subtilis	Leek	1.65	5	17.89	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	Lettuce, head	64.13	102	526.99	A
qst 713 strain of dried bacillus subtilis	Lettuce, head	0.12	48	99,048.48	S
qst 713 strain of dried bacillus subtilis	Lettuce, leaf	367.05	783	4,235.17	A
qst 713 strain of dried bacillus subtilis	Lettuce, leaf	3.06	21	482,544.0	S
qst 713 strain of dried bacillus subtilis	Melon	9.29	15	132.68	A
qst 713 strain of dried bacillus subtilis	Mint	3.22	45	43.7	A
qst 713 strain of dried bacillus subtilis	Mizuna	3.85	11	35.54	A
qst 713 strain of dried bacillus subtilis	Mustard	0.06	28	7,115.0	S
qst 713 strain of dried bacillus subtilis	Mustard greens	5.11	31	88.3	A
qst 713 strain of dried bacillus subtilis	N-grnhs flower	35.47	155	187.9	A
qst 713 strain of dried bacillus subtilis	N-grnhs flower	1.57	36	198,035.0	S
qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	66.57	501	370.47	A
qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	9.92	89	2,119,085.6	S
qst 713 strain of dried bacillus subtilis	N-grnhs transplants	92.38	1,289	1,098.96	A
qst 713 strain of dried bacillus subtilis	N-grnhs transplants	12.36	219	2,279,112.5	S
qst 713 strain of dried bacillus subtilis	N-outdr flower	2.64	4	47.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	N-outdr flower	0.08	37	9,200.0	S
qst 713 strain of dried bacillus subtilis	N-outdr plants in containers	109.51	319	294.18	A
qst 713 strain of dried bacillus subtilis	N-outdr plants in containers	7.93	72	1,771,232.0	S
qst 713 strain of dried bacillus subtilis	N-outdr transplants	175.94	378	1,169.37	A
qst 713 strain of dried bacillus subtilis	N-outdr transplants	79.74	417	11,729,306.0	S
qst 713 strain of dried bacillus subtilis	Nectarine	358.53	308	3,617.34	A
qst 713 strain of dried bacillus subtilis	Olive	2.09	10	1.25	A
qst 713 strain of dried bacillus subtilis	Onion, dry	34.33	7	252.7	A
qst 713 strain of dried bacillus subtilis	Orange	4.17	5	65.8	A
qst 713 strain of dried bacillus subtilis	Oregano	1.04	11	6.97	A
qst 713 strain of dried bacillus subtilis	Parsley	1.06	8	31.57	A
qst 713 strain of dried bacillus subtilis	Parsley	0.08	41	8,510.0	S
qst 713 strain of dried bacillus subtilis	Peach	627.17	522	8,123.75	A
qst 713 strain of dried bacillus subtilis	Pear	141.04	72	1,345.6	A
qst 713 strain of dried bacillus subtilis	Pear, asian (oriental pear, ya, ya li, nashi)	11.73	16	167.75	A
qst 713 strain of dried bacillus subtilis	Peas	1.31	15	12.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	Pepper, fruiting	115.93	25	1,018.1	A
qst 713 strain of dried bacillus subtilis	Pepper, fruiting	0.02	9	9,900.0	S
qst 713 strain of dried bacillus subtilis	Pistachio	8.3	7	279.38	A
qst 713 strain of dried bacillus subtilis	Plum	104.92	82	1,013.41	A
qst 713 strain of dried bacillus subtilis	Pluot	3.42	6	30.02	A
qst 713 strain of dried bacillus subtilis	Pome fruit	0.84	1	6.6	A
qst 713 strain of dried bacillus subtilis	Potato	182.51	25	1,794.24	A
qst 713 strain of dried bacillus subtilis	Prune	7.07	1	27.0	A
qst 713 strain of dried bacillus subtilis	Quince	2.28	6	30.0	A
qst 713 strain of dried bacillus subtilis	Radish	0.03	1	1.0	A
qst 713 strain of dried bacillus subtilis	Radish	0.03	11	1,625.0	S
qst 713 strain of dried bacillus subtilis	Raspberry	81.7	83	764.74	A
qst 713 strain of dried bacillus subtilis	Raspberry	0.9	14	212,330.0	S
qst 713 strain of dried bacillus subtilis	Regulatory pest control	2.62	N/A	N/A	N/A
qst 713 strain of dried bacillus subtilis	Research commodity	0.25	8	0.48	A
qst 713 strain of dried bacillus subtilis	Research commodity	0.08	47	100,179.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	Research commodity	0.22	N/A	N/A	N/A
qst 713 strain of dried bacillus subtilis	Rice	5.38	3	313.0	A
qst 713 strain of dried bacillus subtilis	Rosemary	5.91	9	12.02	A
qst 713 strain of dried bacillus subtilis	Sage	23.12	22	43.43	A
qst 713 strain of dried bacillus subtilis	Shallot	2.29	2	7.0	A
qst 713 strain of dried bacillus subtilis	Spinach	117.84	243	1,731.7	A
qst 713 strain of dried bacillus subtilis	Squash	4.01	6	63.72	A
qst 713 strain of dried bacillus subtilis	Squash	0.01	7	1,030.0	S
qst 713 strain of dried bacillus subtilis	Squash, summer	3.65	7	80.1	A
qst 713 strain of dried bacillus subtilis	Squash, zucchini	<0.01	1	0.13	A
qst 713 strain of dried bacillus subtilis	Stone fruit	4.66	8	66.65	A
qst 713 strain of dried bacillus subtilis	Strawberry	407.19	323	4,133.37	A
qst 713 strain of dried bacillus subtilis	Strawberry	3.96	19	732,245.0	S
qst 713 strain of dried bacillus subtilis	Strawberry	<0.01	2	0.07	U
qst 713 strain of dried bacillus subtilis	Structural pest control	5.24	2	20.0	A
qst 713 strain of dried bacillus subtilis	Swiss chard	11.06	73	118.98	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
qst 713 strain of dried bacillus subtilis	Tangerine	2.28	1	80.0	A
qst 713 strain of dried bacillus subtilis	Tarragon	0.12	5	2.5	A
qst 713 strain of dried bacillus subtilis	Thyme	2.03	3	4.41	A
qst 713 strain of dried bacillus subtilis	Tomatillo	2.85	1	50.0	A
qst 713 strain of dried bacillus subtilis	Tomatillo	0.02	9	450.0	S
qst 713 strain of dried bacillus subtilis	Tomato	238.0	123	4,077.23	A
qst 713 strain of dried bacillus subtilis	Tomato	0.48	17	221,300.0	S
qst 713 strain of dried bacillus subtilis	Tomato, processing	96.6	28	1,552.2	A
qst 713 strain of dried bacillus subtilis	Upland cress	0.08	2	1.1	A
qst 713 strain of dried bacillus subtilis	Walnut	159.91	33	998.9	A
qst 713 strain of dried bacillus subtilis	Water area	0.11	1	0.5	A
qst 713 strain of dried bacillus subtilis	Watermelon	21.51	9	287.8	A
quillaja	Almond	9.1	35	779.2	A
quillaja	Apple	0.44	7	65.1	A
quillaja	Apricot	3.22	15	289.0	A
quillaja	Basil, sweet	1.32	58	90.91	A
quillaja	Bean, succulent	<0.01	2	0.08	A
quillaja	Cannabis (all or unspecified)	0.45	20	16.07	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
quillaja	Cannabis (all or unspecified)	0.53	44	77,970.0	S
quillaja	Carrot	0.01	1	0.5	A
quillaja	Cherry	0.77	10	68.4	A
quillaja	Chervil	0.04	3	2.93	A
quillaja	Chive	0.29	14	16.4	A
quillaja	Citrus	1.39	5	83.0	A
quillaja	Cole crop	0.03	4	1.1	A
quillaja	Cucumber	0.03	3	0.95	A
quillaja	Fig	3.1	13	374.4	A
quillaja	Grape	13.83	43	1,313.13	A
quillaja	Grape, wine	1,121.27	1,449	19,514.72	A
quillaja	Grapefruit	0.25	1	15.0	A
quillaja	Herb, spice	1.38	60	66.5	A
quillaja	Landscape maintenance	0.54	N/A	N/A	N/A
quillaja	Lemon	2.51	3	52.0	A
quillaja	Lettuce, leaf	<0.01	1	0.25	A
quillaja	Lime	0.02	3	2.36	A
quillaja	Mint	<0.01	1	0.5	A
quillaja	Mustard	0.02	2	0.75	A
quillaja	Nectarine	32.18	336	4,394.34	A
quillaja	Olive	<0.01	3	10.25	A
quillaja	Onion, green	0.05	4	1.15	A
quillaja	Orange	8.46	13	240.0	A
quillaja	Peach	39.18	411	5,109.82	A
quillaja	Pear, asian (oriental pear, ya, ya li, nashi)	0.67	4	60.0	A
quillaja	Peas	0.02	1	0.5	A
quillaja	Plum	8.05	55	1,037.09	A
quillaja	Rights of way	4.35	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
quillaja	Root vegetable	0.04	3	0.9	A
quillaja	Sage	2.36	102	107.26	A
quillaja	Squash	0.02	1	1.25	A
quillaja	Swiss chard	0.01	2	0.5	A
quillaja	Tangerine	0.96	3	67.8	A
quillaja	Tarragon	0.14	6	10.33	A
quillaja	Tomato	0.02	1	1.17	A
quillaja	Tropical/subtropical fruit	<0.01	2	0.4	A
quillaja	Uncultivated ag	0.12	6	21.5	A
quillaja	Vegetables, fruiting	0.03	4	1.05	A
quillaja	Vegetables, leafy	0.8	39	26.3	A
quillaja	Walnut	0.08	1	23.5	A
quillaja	Water area	0.7	28	118.0	A
quinclorac	Golf course turf	8.63	2	23.25	A
quinclorac	Grape, wine	<0.01	1	0.25	A
quinclorac	Landscape maintenance	309.91	N/A	N/A	N/A
quinclorac	N-grnhs flower	40.22	N/A	49.7	A
quinclorac	N-outdr transplants	0.01	N/A	1,000.0	S
quinclorac	Rights of way	0.08	N/A	N/A	N/A
quinclorac	Structural pest control	0.07	N/A	N/A	N/A
quinclorac	Turf/sod	48.75	2	65.0	A
quinclorac, dimethylamine salt	County ag comm	0.88	N/A	N/A	N/A
quinclorac, dimethylamine salt	Golf course turf	100.95	N/A	222.51	A
quinclorac, dimethylamine salt	Golf course turf	0.8	N/A	47,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
quinclorac, dimethylamine salt	Landscape maintenance	79.06	13	94.9	A
quinclorac, dimethylamine salt	Landscape maintenance	8.01	1	400,000.0	S
quinclorac, dimethylamine salt	Landscape maintenance	1,607.12	N/A	N/A	N/A
quinclorac, dimethylamine salt	N-grnhs flower	5.93	N/A	12.0	A
quinclorac, dimethylamine salt	N-grnhs flower	1.54	N/A	84,000.0	S
quinclorac, dimethylamine salt	N-grnhs transplants	7.89	N/A	9.0	A
quinclorac, dimethylamine salt	N-outdr plants in containers	5.22	N/A	3.75	A
quinclorac, dimethylamine salt	Research commodity	0.02	1	0.02	A
quinclorac, dimethylamine salt	Structural pest control	0.79	N/A	N/A	N/A
quinclorac, dimethylamine salt	Turf/sod	24.04	1	27.0	A
quinoxifen	Apricot	11.35	5	102.5	A
quinoxifen	Artichoke, globe	5.13	2	53.45	A
quinoxifen	Cantaloupe	166.08	47	1,904.07	A
quinoxifen	Cherry	823.77	338	7,704.6	A
quinoxifen	Fumigation, other	0.1	1	1.0	A
quinoxifen	Grape	7,895.45	2,230	85,573.98	A
quinoxifen	Grape	0.02	1	9,000.0	S
quinoxifen	Grape, wine	24,675.35	8,940	260,048.04	A
quinoxifen	Grape, wine	0.06	1	3.5	U
quinoxifen	Landscape maintenance	0.4	N/A	N/A	N/A
quinoxifen	Lettuce, head	89.35	124	1,265.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
quinoxifen	Lettuce, leaf	135.06	137	1,662.82	A
quinoxifen	Melon	225.52	43	2,354.58	A
quinoxifen	N-outdr plants in containers	25.84	15	267.39	A
quinoxifen	N-outdr transplants	52.51	49	545.8	A
quinoxifen	Nectarine	267.1	120	2,383.38	A
quinoxifen	Olive	1.06	1	10.0	A
quinoxifen	Peach	615.3	180	5,520.76	A
quinoxifen	Pepper, fruiting	596.83	238	6,768.61	A
quinoxifen	Plum	80.68	48	720.9	A
quinoxifen	Pumpkin	53.07	15	557.35	A
quinoxifen	Research commodity	1.88	7	19.7	A
quinoxifen	Research commodity	0.53	N/A	N/A	N/A
quinoxifen	Squash	8.47	4	93.0	A
quinoxifen	Squash, summer	2.0	1	25.0	A
quinoxifen	Squash, winter	0.47	1	5.0	A
quinoxifen	Strawberry	4,073.89	1,212	43,058.65	A
quinoxifen	Strawberry	0.01	1	4,950.0	S
quinoxifen	Structural pest control	0.72	N/A	N/A	N/A
quinoxifen	Tomato	<0.01	4	0.05	A
quinoxifen	Uncultivated ag	2.26	2	19.79	A
quinoxifen	Watermelon	384.82	100	4,065.31	A
red cabbage color	Alfalfa	14.17	16	3,587.0	A
red cabbage color	Almond	0.11	1	12.73	A
red cabbage color	Bermudagrass	0.34	1	146.0	A
red cabbage color	Corn, grain	0.05	1	10.0	A
red cabbage color	Cotton	77.34	91	21,298.67	A
red cabbage color	Kiwi fruit fuzzy	0.13	11	43.16	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
red cabbage color	Pistachio	2.07	9	894.96	A
red cabbage color	Pomegranate	0.3	4	128.42	A
red cabbage color	Safflower	3.03	5	1,348.0	A
red cabbage color	Soil fumigation/preplant	4.07	9	1,897.0	A
red cabbage color	Triticale	2.08	10	1,149.0	A
red cabbage color	Uncultivated ag	<0.01	1	1.0	A
resmethrin	Grape, wine	0.23	7	201.0	A
resmethrin	Landscape maintenance	0.13	N/A	N/A	N/A
resmethrin	N-grnhs plants in containers	<0.01	1	30,000.0	S
resmethrin	N-grnhs transplants	0.17	1	36,000.0	S
resmethrin	Public health	9.09	N/A	N/A	N/A
resmethrin	Structural pest control	1.16	N/A	N/A	N/A
resmethrin, other related	Landscape maintenance	0.02	N/A	N/A	N/A
resmethrin, other related	N-grnhs plants in containers	<0.01	1	30,000.0	S
resmethrin, other related	Structural pest control	0.09	N/A	N/A	N/A
reynoutria sachalinensis	Alfalfa	26.39	5	243.5	A
reynoutria sachalinensis	Almond	6,241.79	397	36,271.31	A
reynoutria sachalinensis	Apple	32.03	16	154.25	A
reynoutria sachalinensis	Apricot	63.63	41	338.07	A
reynoutria sachalinensis	Artichoke, globe	40.91	33	309.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Arugula	0.43	1	3.95	A
reynoutria sachalinensis	Basil, sweet	45.48	33	410.35	A
reynoutria sachalinensis	Basil, sweet	<0.01	1	160.0	S
reynoutria sachalinensis	Beet	0.19	5	0.95	A
reynoutria sachalinensis	Blackberry	9.2	7	31.4	A
reynoutria sachalinensis	Blackberry	0.21	1	41,728.0	S
reynoutria sachalinensis	Blueberry	53.02	10	229.95	A
reynoutria sachalinensis	Broccoli	23.36	18	208.2	A
reynoutria sachalinensis	Brussels sprout	0.42	2	3.8	A
reynoutria sachalinensis	Cabbage	18.97	8	112.04	A
reynoutria sachalinensis	Cannabis (all or unspecified)	217.7	416	753.5	A
reynoutria sachalinensis	Cannabis (all or unspecified)	0.31	17	44,700.0	C
reynoutria sachalinensis	Cannabis (all or unspecified)	177.2	2,642	10,515,092.83	S
reynoutria sachalinensis	Cannabis (all or unspecified)	78.85	28	5,484.0	U
reynoutria sachalinensis	Carrot	0.08	1	0.5	A
reynoutria sachalinensis	Cauliflower	25.31	11	64.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Celery	338.25	301	1,690.77	A
reynoutria sachalinensis	Cherry	46.73	28	360.41	A
reynoutria sachalinensis	Cilantro	0.98	1	9.03	A
reynoutria sachalinensis	Citrus	0.52	6	4.46	A
reynoutria sachalinensis	Cole crop	3.24	28	18.67	A
reynoutria sachalinensis	Collard	3.08	9	14.2	A
reynoutria sachalinensis	Cucumber	36.71	67	285.38	A
reynoutria sachalinensis	Cucumber	<0.01	1	144.0	S
reynoutria sachalinensis	Dill	3.47	2	10.5	A
reynoutria sachalinensis	Edible flowers	0.14	1	1.0	A
reynoutria sachalinensis	Eggplant	2.71	2	25.0	A
reynoutria sachalinensis	Eggplant	<0.01	1	300.0	S
reynoutria sachalinensis	Endive (escarole)	12.8	26	93.8	A
reynoutria sachalinensis	Fennel	0.65	1	3.0	A
reynoutria sachalinensis	Garlic	215.69	24	878.6	A
reynoutria sachalinensis	Grape	1,655.34	235	7,459.41	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Grape, wine	5,154.97	2,258	21,306.81	A
reynoutria sachalinensis	Grapefruit	7.8	2	36.0	A
reynoutria sachalinensis	Grass, seed	5.57	21	159.0	A
reynoutria sachalinensis	Herb, spice	13.43	58	70.5	A
reynoutria sachalinensis	Herb, spice	<0.01	1	2,200.0	S
reynoutria sachalinensis	Industrial hemp	22.84	42	59.0	A
reynoutria sachalinensis	Industrial hemp	4.92	33	85,516.0	S
reynoutria sachalinensis	Kale	60.44	29	213.94	A
reynoutria sachalinensis	Landscape maintenance	1.57	N/A	N/A	N/A
reynoutria sachalinensis	Leek	5.3	17	48.9	A
reynoutria sachalinensis	Lemon	19.29	8	115.0	A
reynoutria sachalinensis	Lettuce, head	64.15	88	660.7	A
reynoutria sachalinensis	Lettuce, leaf	256.35	250	2,029.56	A
reynoutria sachalinensis	Melon	1.63	1	35.0	A
reynoutria sachalinensis	Mint	3.11	41	27.88	A
reynoutria sachalinensis	Mustard	1.46	23	7.84	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Mustard greens	0.65	1	6.33	A
reynoutria sachalinensis	N-grnhs flower	0.13	4	1.95	A
reynoutria sachalinensis	N-grnhs plants in containers	14.5	95	78.38	A
reynoutria sachalinensis	N-grnhs plants in containers	1.19	5	5,940.0	S
reynoutria sachalinensis	N-grnhs transplants	11.79	79	64.45	A
reynoutria sachalinensis	N-grnhs transplants	3.88	26	770,733.0	S
reynoutria sachalinensis	N-outdr flower	3.06	13	24.59	A
reynoutria sachalinensis	N-outdr flower	<0.01	1	200.0	S
reynoutria sachalinensis	N-outdr plants in containers	1.63	9	22.39	A
reynoutria sachalinensis	N-outdr plants in containers	1.37	2	20,060.0	S
reynoutria sachalinensis	N-outdr plants in containers	77.38	13	1,150,878.0	U
reynoutria sachalinensis	N-outdr transplants	17.07	55	70.89	A
reynoutria sachalinensis	N-outdr transplants	126.43	309	28,072,927.0	S
reynoutria sachalinensis	Nectarine	511.86	230	2,911.87	A
reynoutria sachalinensis	Onion, dry	323.8	35	1,591.1	A
reynoutria sachalinensis	Onion, green	0.29	4	1.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Orange	66.35	33	1,017.2	A
reynoutria sachalinensis	Parsley	4.53	16	40.38	A
reynoutria sachalinensis	Peach	965.16	393	5,302.52	A
reynoutria sachalinensis	Pear	316.57	66	2,260.0	A
reynoutria sachalinensis	Pear, asian (oriental pear, ya, ya li, nashi)	0.43	2	4.0	A
reynoutria sachalinensis	Peas	0.01	1	0.05	A
reynoutria sachalinensis	Pepper, fruiting	84.3	25	608.12	A
reynoutria sachalinensis	Pepper, fruiting	<0.01	1	1,200.0	S
reynoutria sachalinensis	Pistachio	173.57	14	943.75	A
reynoutria sachalinensis	Plum	158.66	84	996.45	A
reynoutria sachalinensis	Pluot	1.8	5	12.75	A
reynoutria sachalinensis	Potato	72.24	12	650.0	A
reynoutria sachalinensis	Prune	15.17	2	70.0	A
reynoutria sachalinensis	Quince	16.04	12	74.0	A
reynoutria sachalinensis	Radicchio	60.64	9	493.0	A
reynoutria sachalinensis	Radish	1.14	3	10.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Raspberry	5.87	16	56.17	A
reynoutria sachalinensis	Raspberry	0.58	4	116,674.0	S
reynoutria sachalinensis	Research commodity	1.48	12	6.83	A
reynoutria sachalinensis	Research commodity	0.03	3	2,000.0	S
reynoutria sachalinensis	Research commodity	0.24	N/A	N/A	N/A
reynoutria sachalinensis	Rice	1,418.9	292	19,461.24	A
reynoutria sachalinensis	Root vegetable	1.76	18	15.45	A
reynoutria sachalinensis	Rosemary	1.05	2	4.86	A
reynoutria sachalinensis	Sage	5.68	11	22.95	A
reynoutria sachalinensis	Spinach	14.02	75	156.22	A
reynoutria sachalinensis	Squash	4.1	16	32.76	A
reynoutria sachalinensis	Squash	<0.01	1	150.0	S
reynoutria sachalinensis	Squash, summer	6.32	1	15.0	A
reynoutria sachalinensis	Stone fruit	40.4	17	227.4	A
reynoutria sachalinensis	Strawberry	2,895.56	836	14,007.65	A
reynoutria sachalinensis	Strawberry	1.83	4	367,078.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Swiss chard	22.58	60	115.46	A
reynoutria sachalinensis	Tangerine	80.53	31	632.65	A
reynoutria sachalinensis	Thyme	0.74	2	3.4	A
reynoutria sachalinensis	Tomatillo	<0.01	1	50.0	S
reynoutria sachalinensis	Tomato	281.79	199	1,987.31	A
reynoutria sachalinensis	Tomato	<0.01	3	6,440.0	S
reynoutria sachalinensis	Tomato, processing	272.03	27	2,369.53	A
reynoutria sachalinensis	Turnip	0.07	2	1.0	A
reynoutria sachalinensis	Uncultivated ag	7.38	2	68.06	A
reynoutria sachalinensis	Upland cress	3.01	13	12.65	A
reynoutria sachalinensis	Vegetables, leafy	10.32	99	69.74	A
reynoutria sachalinensis	Walnut	632.97	107	4,069.06	A
reynoutria sachalinensis	Watercress	0.04	2	2.0	A
reynoutria sachalinensis	Watermelon	19.51	3	94.0	A
rimulfuron	Alfalfa	0.94	1	30.0	A
rimulfuron	Almond	16,108.25	6,950	302,342.18	A
rimulfuron	Apple	6.0	16	110.56	A
rimulfuron	Apricot	33.95	89	633.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
rimulfuron	Bean, unspecified	0.75	1	12.0	A
rimulfuron	Cherry	244.05	406	4,897.77	A
rimulfuron	Chestnut	0.16	1	5.0	A
rimulfuron	Citrus	12.34	12	212.58	A
rimulfuron	Corn (forage - fodder)	350.89	543	28,850.04	A
rimulfuron	Corn, grain	9.18	13	782.9	A
rimulfuron	Corn, human consumption	0.66	1	56.0	A
rimulfuron	Cotton	3.6	2	329.0	A
rimulfuron	Golf course turf	0.52	N/A	33.4	A
rimulfuron	Grape	1,918.69	1,839	44,567.97	A
rimulfuron	Grape, wine	3,711.68	5,220	92,523.41	A
rimulfuron	Grapefruit	214.32	157	3,729.67	A
rimulfuron	Industrial site	2.16	N/A	332.52	A
rimulfuron	Landscape maintenance	32.8	N/A	N/A	N/A
rimulfuron	Lemon	494.84	440	10,000.09	A
rimulfuron	Lime	2.39	2	3.8	A
rimulfuron	N-grnhs transplants	20.25	3	300.0	A
rimulfuron	N-outdr plants in containers	8.76	12	149.17	A
rimulfuron	N-outdr transplants	1.75	5	28.0	A
rimulfuron	Nectarine	434.95	684	7,524.76	A
rimulfuron	Oat (forage - fodder)	2.28	4	194.0	A
rimulfuron	Orange	2,320.47	2,220	53,100.14	A
rimulfuron	Peach	931.98	1,373	15,899.11	A
rimulfuron	Pear	35.61	58	710.65	A
rimulfuron	Pear, asian (oriental pear, ya, ya li, nashi)	1.25	3	20.0	A
rimulfuron	Pecan	14.33	19	319.28	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
rimulfuron	Persimmon	0.21	1	6.75	A
rimulfuron	Pistachio	5,076.04	1,612	78,950.37	A
rimulfuron	Plum	224.71	511	4,147.81	A
rimulfuron	Pluot	0.58	1	9.0	A
rimulfuron	Pomelo	9.19	17	145.5	A
rimulfuron	Potato	271.73	223	12,936.8	A
rimulfuron	Prune	326.68	238	7,330.14	A
rimulfuron	Quince	2.91	10	70.0	A
rimulfuron	Regulatory pest control	0.29	N/A	N/A	N/A
rimulfuron	Research commodity	1.01	12	26.19	A
rimulfuron	Research commodity	1.22	N/A	N/A	N/A
rimulfuron	Rights of way	5.6	20	141.0	A
rimulfuron	Rights of way	390.23	N/A	N/A	N/A
rimulfuron	Soil fumigation/preplant	11.85	5	151.67	A
rimulfuron	Structural pest control	0.94	N/A	N/A	N/A
rimulfuron	Tangelo	82.0	77	1,562.23	A
rimulfuron	Tangerine	1,551.96	1,002	32,794.21	A
rimulfuron	Tomato	214.12	354	8,594.69	A
rimulfuron	Tomato, processing	1,466.2	1,343	50,586.84	A
rimulfuron	Uncultivated ag	12.09	87	673.56	A
rimulfuron	Uncultivated non-ag	13.84	9	310.12	A
rimulfuron	Walnut	2,321.76	2,299	49,487.84	A
ronnel	Commodity fumigation	1.44	N/A	N/A	N/A
ronnel	Fumigation, other	0.32	N/A	N/A	N/A
ronnel	Structural pest control	<0.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
rotenone	Cucumber	0.03	2	3.5	A
rotenone	Fumigation, other	<0.01	1	2,520.0	S
rotenone	Landscape maintenance	0.03	N/A	N/A	N/A
rotenone	Melon	<0.01	5	13,320.0	S
rotenone	N-outdr transplants	0.09	8	10.4	A
rotenone	N-outdr transplants	<0.01	1	56,628.0	S
rotenone	Onion, dry	<0.01	3	3,120.0	S
rotenone	Pepper, fruiting	<0.01	2	0.75	A
rotenone	Pepper, fruiting	<0.01	1	2,520.0	S
rotenone	Regulatory pest control	0.01	N/A	N/A	N/A
rotenone	Structural pest control	0.11	N/A	N/A	N/A
rotenone	Tomato	0.01	2	1.5	A
rotenone	Tomato	<0.01	6	14,175.0	S
rotenone	Watermelon	<0.01	2	5,880.0	S
<b>rotenone, other related</b>	Cucumber	0.03	2	3.5	A
<b>rotenone, other related</b>	Fumigation, other	<0.01	1	2,520.0	S
<b>rotenone, other related</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>rotenone, other related</b>	Melon	<0.01	5	13,320.0	S
<b>rotenone, other related</b>	N-outdr transplants	0.09	8	10.4	A
<b>rotenone, other related</b>	N-outdr transplants	<0.01	1	56,628.0	S
<b>rotenone, other related</b>	Onion, dry	<0.01	3	3,120.0	S
<b>rotenone, other related</b>	Pepper, fruiting	<0.01	2	0.75	A
<b>rotenone, other related</b>	Pepper, fruiting	<0.01	1	2,520.0	S
<b>rotenone, other related</b>	Regulatory pest control	0.02	N/A	N/A	N/A
<b>rotenone, other related</b>	Structural pest control	0.19	N/A	N/A	N/A
<b>rotenone, other related</b>	Tomato	0.01	2	1.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
rotenone, other related	Tomato	<0.01	6	14,175.0	S
rotenone, other related	Watermelon	<0.01	2	5,880.0	S
sabadilla alkaloids	Avocado	7.56	20	247.75	A
sabadilla alkaloids	Grapefruit	1.86	5	83.5	A
sabadilla alkaloids	Lemon	3.53	11	181.5	A
sabadilla alkaloids	N-grnhs plants in containers	0.34	15	13.24	A
sabadilla alkaloids	N-outdr plants in containers	0.36	6	12.0	A
sabadilla alkaloids	Orange	32.35	55	1,207.79	A
sabadilla alkaloids	Tangerine	53.63	72	1,894.39	A
saflufenacil	Alfalfa	2,683.11	1,413	71,109.84	A
saflufenacil	Almond	22,092.42	10,604	556,985.87	A
saflufenacil	Apple	15.42	35	470.74	A
saflufenacil	Avocado	1.38	12	74.3	A
saflufenacil	Bean, dried	1.56	1	35.0	A
saflufenacil	Bermudagrass	0.66	2	15.0	A
saflufenacil	Citrus	9.0	21	126.74	A
saflufenacil	Corn (forage - fodder)	130.31	49	3,154.0	A
saflufenacil	Corn, human consumption	43.71	13	294.0	A
saflufenacil	Cotton	26.26	19	591.0	A
saflufenacil	Forage hay/silage	1.32	2	30.0	A
saflufenacil	Garbanzo bean	1.25	1	28.0	A
saflufenacil	Grape	6.53	9	127.0	A
saflufenacil	Grape, wine	2.85	2	84.0	A
saflufenacil	Grapefruit	20.2	66	661.78	A
saflufenacil	Grass, seed	1.5	2	27.0	A
saflufenacil	Landscape maintenance	0.62	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
saflufenacil	Lemon	462.81	1,423	16,795.88	A
saflufenacil	N-grnhs plants in containers	0.07	1	2.0	A
saflufenacil	N-outdr plants in containers	1.24	3	30.0	A
saflufenacil	N-outdr transplants	15.22	25	224.0	A
saflufenacil	Olive	157.78	95	3,052.39	A
saflufenacil	Orange	752.32	1,418	30,420.6	A
saflufenacil	Pastureland	4.21	3	210.0	A
saflufenacil	Peach	2.32	4	53.0	A
saflufenacil	Pear	49.19	47	1,180.12	A
saflufenacil	Pear, asian (oriental pear, ya, ya li, nashi)	0.35	1	8.0	A
saflufenacil	Pecan	0.35	2	35.0	A
saflufenacil	Pistachio	8,333.24	3,665	194,779.02	A
saflufenacil	Pomegranate	546.43	207	12,621.51	A
saflufenacil	Pomelo	9.06	18	207.5	A
saflufenacil	Prune	0.17	2	3.9	A
saflufenacil	Rangeland	0.57	3	21.0	A
saflufenacil	Research commodity	1.71	18	38.04	A
saflufenacil	Rights of way	45.0	69	690.0	A
saflufenacil	Rights of way	6.65	2	12.0	U
saflufenacil	Rights of way	205.73	N/A	N/A	N/A
saflufenacil	Safflower	14.71	13	330.0	A
saflufenacil	Soil fumigation/preplant	9.79	7	291.5	A
saflufenacil	Tangelo	6.79	26	253.61	A
saflufenacil	Tangerine	649.75	909	18,124.0	A
saflufenacil	Tomato, processing	4.65	3	105.0	A
saflufenacil	Uncultivated ag	139.13	69	3,776.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
saflufenacil	Uncultivated non-ag	11.51	7	309.0	A
saflufenacil	Vertebrate control	14.26	N/A	N/A	N/A
saflufenacil	Walnut	2,713.9	2,601	70,068.68	A
saflufenacil	Wheat (forage - fodder)	52.52	16	1,177.0	A
salicylic and benzoic esters of propylene glycol	Rights of way	9.52	N/A	N/A	N/A
saponin	Almond	649.84	91	5,361.0	A
saponin	Bok choy	1.63	1	6.1	A
saponin	Cannabis (all or unspecified)	1.97	2	20.5	A
saponin	Cannabis (all or unspecified)	<0.01	3	828.0	S
saponin	Carrot	89.7	7	412.7	A
saponin	Cauliflower	13.26	3	49.6	A
saponin	Celery	20.75	8	77.6	A
saponin	Grape	141.89	61	1,168.9	A
saponin	Grape, wine	107.43	45	966.21	A
saponin	Lettuce, head	3.5	2	13.1	A
saponin	Lettuce, leaf	16.31	4	61.0	A
saponin	Onion, dry	57.51	5	350.0	A
saponin	Orange	6.55	2	20.75	A
saponin	Tangerine	13.91	4	32.0	A
saponin	Tomato, processing	139.0	19	1,292.0	A
sawdust	Landscape maintenance	0.18	N/A	N/A	N/A
sethoxydim	Alfalfa	4,151.23	309	16,636.67	A
sethoxydim	Almond	19,848.95	1,215	70,836.74	A
sethoxydim	Apple	108.45	11	278.34	A
sethoxydim	Apricot	30.24	17	83.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sethoxydim	Bean, dried	71.85	4	192.0	A
sethoxydim	Bean, succulent	52.06	14	144.0	A
sethoxydim	Blueberry	0.06	1	0.2	A
sethoxydim	Boysenberry	0.43	1	1.0	A
sethoxydim	Broccoli	254.58	35	1,003.9	A
sethoxydim	Cabbage	53.71	15	217.9	A
sethoxydim	Cantaloupe	81.55	9	570.0	A
sethoxydim	Carrot	73.6	5	292.0	A
sethoxydim	Cauliflower	74.84	13	294.0	A
sethoxydim	Celery	46.11	9	175.6	A
sethoxydim	Cherry	411.8	130	1,063.28	A
sethoxydim	Chestnut	1.98	1	7.5	A
sethoxydim	Cilantro	9.67	5	36.57	A
sethoxydim	Citrus	71.41	9	261.58	A
sethoxydim	Clover	2.34	1	8.9	A
sethoxydim	Cotton	205.06	11	737.0	A
sethoxydim	Cucumber	1.81	1	6.93	A
sethoxydim	Eggplant	3.96	3	15.1	A
sethoxydim	Fig	46.29	12	557.0	A
sethoxydim	Garbanzo bean	0.04	1	0.2	A
sethoxydim	Garlic	274.54	22	1,099.1	A
sethoxydim	Grape	515.19	97	1,644.72	A
sethoxydim	Grape, wine	3,664.2	692	12,066.04	A
sethoxydim	Grapefruit	16.19	8	59.46	A
sethoxydim	Grass, seed	9.2	1	35.0	A
sethoxydim	Landscape maintenance	316.79	N/A	N/A	N/A
sethoxydim	Lemon	38.05	11	209.94	A
sethoxydim	Lettuce, head	138.22	21	644.2	A
sethoxydim	Lettuce, leaf	138.54	14	572.6	A
sethoxydim	Melon	10.26	4	39.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sethoxydim	Mint	18.4	21	40.0	A
sethoxydim	N-outdr plants in containers	5.96	3	25.5	A
sethoxydim	N-outdr transplants	53.41	16	212.0	A
sethoxydim	Nectarine	29.88	11	72.51	A
sethoxydim	Okra	4.29	3	27.0	A
sethoxydim	Olive	49.28	10	139.71	A
sethoxydim	Onion, dry	1,005.77	50	4,162.9	A
sethoxydim	Orange	256.63	38	769.09	A
sethoxydim	Pastureland	34.44	4	133.5	A
sethoxydim	Peach	91.49	50	280.38	A
sethoxydim	Pear	90.09	17	297.47	A
sethoxydim	Peas	1.1	2	5.2	A
sethoxydim	Pecan	41.23	11	114.85	A
sethoxydim	Pepper, fruiting	24.02	2	98.0	A
sethoxydim	Persimmon	7.58	6	36.5	A
sethoxydim	Pistachio	5,145.85	277	17,682.45	A
sethoxydim	Plum	10.11	23	49.39	A
sethoxydim	Pomegranate	79.56	10	454.14	A
sethoxydim	Prune	34.48	14	166.39	A
sethoxydim	Public health	0.13	N/A	N/A	N/A
sethoxydim	Pumpkin	19.04	3	72.4	A
sethoxydim	Quince	1.32	1	5.0	A
sethoxydim	Radicchio	118.96	6	419.7	A
sethoxydim	Radish	0.7	2	6.0	A
sethoxydim	Research commodity	0.68	3	1.8	A
sethoxydim	Research commodity	5.78	N/A	N/A	N/A
sethoxydim	Rights of way	10.51	2	40.0	A
sethoxydim	Rights of way	119.94	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sethoxydim	Squash	6.46	2	24.57	A
sethoxydim	Stone fruit	0.48	1	1.5	A
sethoxydim	Sunflower	49.59	9	141.83	A
sethoxydim	Sweet potato	2.8	1	15.0	A
sethoxydim	Tangerine	347.51	68	1,510.29	A
sethoxydim	Tomatillo	0.66	1	2.5	A
sethoxydim	Tomato	19.31	6	73.7	A
sethoxydim	Tomato, processing	221.45	10	852.7	A
sethoxydim	Turf/sod	29.09	4	76.0	A
sethoxydim	Uncultivated ag	30.1	7	94.57	A
sethoxydim	Uncultivated non-ag	1.14	N/A	3.0	A
sethoxydim	Walnut	2,510.37	367	8,297.88	A
sethoxydim	Watermelon	155.66	15	592.0	A
siduron	Landscape maintenance	1.0	1	2.0	A
siduron	Landscape maintenance	86.55	N/A	N/A	N/A
siduron	Turf/sod	755.0	6	151.0	A
silica aerogel	Landscape maintenance	2.9	N/A	N/A	N/A
silica aerogel	Public health	103.76	N/A	N/A	N/A
silica aerogel	Regulatory pest control	275.61	N/A	N/A	N/A
silica aerogel	Rights of way	0.38	N/A	N/A	N/A
silica aerogel	Structural pest control	4,248.64	N/A	N/A	N/A
silicone	Almond	1.58	14	905.54	A
silicone	Avocado	1.88	7	65.0	A
silicone	Grape, wine	10.63	55	1,150.3	A
silicone	Lemon	0.83	1	120.0	A
silicone	N-grnhs flower	393.51	58	107.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
silicone	Rice	8.16	37	2,724.78	A
silicone	Rights of way	0.72	N/A	N/A	N/A
silicone	Walnut	12.78	1	15.0	A
silicone defoamer	Alfalfa	0.46	35	1,538.5	A
silicone defoamer	Almond	15.83	306	13,713.5	A
silicone defoamer	Apple	<0.01	2	12.0	A
silicone defoamer	Apricot	<0.01	7	7.5	A
silicone defoamer	Artichoke, globe	<0.01	2	1.0	A
silicone defoamer	Avocado	0.13	31	205.0	A
silicone defoamer	Avocado	<0.01	2	5,700.0	U
silicone defoamer	Basil, sweet	0.03	79	53.72	A
silicone defoamer	Bean, dried	0.13	13	553.42	A
silicone defoamer	Bean, succulent	0.02	18	6.37	A
silicone defoamer	Beet	<0.01	9	4.03	A
silicone defoamer	Blackberry	<0.01	3	9.78	A
silicone defoamer	Broccoli	0.2	16	338.0	A
silicone defoamer	Bushberry	<0.01	4	0.9	A
silicone defoamer	Cabbage	0.04	5	31.7	A
silicone defoamer	Cannabis (all or unspecified)	<0.01	2	18,000.0	S
silicone defoamer	Cantaloupe	0.61	50	2,639.1	A
silicone defoamer	Carrot	0.04	25	57.33	A
silicone defoamer	Celery	0.14	12	114.5	A
silicone defoamer	Cherry	0.33	8	201.0	A
silicone defoamer	Citrus	<0.01	5	4.07	A
silicone defoamer	Cole crop	0.02	76	37.86	A
silicone defoamer	Corn (forage - fodder)	1.14	14	1,087.4	A
silicone defoamer	Corn, human consumption	0.1	4	68.68	A
silicone defoamer	Cotton	0.43	34	905.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
silicone defoamer	Cucumber	0.02	44	34.46	A
silicone defoamer	Ditch bank	0.12	N/A	31.0	U
silicone defoamer	Edible flowers	<0.01	3	2.5	A
silicone defoamer	Garbanzo bean	0.31	1	165.0	A
silicone defoamer	Garlic	0.1	2	176.4	A
silicone defoamer	Ginger	<0.01	6	3.0	A
silicone defoamer	Golf course turf	0.01	N/A	10.7	A
silicone defoamer	Grape	35.01	1,735	76,726.09	A
silicone defoamer	Grape, wine	2.5	93	4,434.78	A
silicone defoamer	Grapefruit	0.02	3	17.2	A
silicone defoamer	Herb, spice	0.06	141	76.68	A
silicone defoamer	Kiwi fruit fuzzy	0.03	2	22.75	A
silicone defoamer	Landscape maintenance	0.07	3	16.5	A
silicone defoamer	Landscape maintenance	4.43	N/A	N/A	N/A
silicone defoamer	Lemon	0.13	14	158.1	A
silicone defoamer	Lemon	<0.01	1	75.0	U
silicone defoamer	Lettuce, head	3.36	278	3,316.35	A
silicone defoamer	Lettuce, leaf	3.27	278	3,076.49	A
silicone defoamer	Melon	0.95	74	3,998.4	A
silicone defoamer	Mint	0.01	52	17.9	A
silicone defoamer	Mustard	<0.01	22	7.79	A
silicone defoamer	N-grnhs flower	0.65	172	509.55	A
silicone defoamer	N-grnhs flower	0.02	11	245,000.0	S
silicone defoamer	N-grnhs plants in containers	0.95	633	628.28	A
silicone defoamer	N-grnhs plants in containers	0.11	77	2,242,350.0	S
silicone defoamer	N-grnhs transplants	0.45	39	571.0	A
silicone defoamer	N-grnhs transplants	0.21	59	12,681,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
silicone defoamer	N-outdr flower	2.35	529	2,062.6	A
silicone defoamer	N-outdr plants in containers	6.04	909	1,415.81	A
silicone defoamer	N-outdr plants in containers	<0.01	3	42,000.0	S
silicone defoamer	N-outdr plants in containers	0.02	48	10,969.0	U
silicone defoamer	N-outdr transplants	0.04	14	63.0	A
silicone defoamer	N-outdr transplants	1.07	285	48,987,316.0	S
silicone defoamer	Nectarine	0.38	30	242.35	A
silicone defoamer	Olive	0.07	1	30.0	A
silicone defoamer	Onion, dry	0.03	10	447.0	A
silicone defoamer	Onion, green	<0.01	27	9.86	A
silicone defoamer	Orange	3.0	74	2,492.04	A
silicone defoamer	Orchard floor	0.03	10	46.75	A
silicone defoamer	Parsley	<0.01	6	1.13	A
silicone defoamer	Pastureland	0.04	8	60.0	A
silicone defoamer	Peach	1.29	75	800.69	A
silicone defoamer	Peas	<0.01	10	1.28	A
silicone defoamer	Pepper, fruiting	0.02	9	41.31	A
silicone defoamer	Persimmon	0.01	9	11.15	A
silicone defoamer	Pistachio	2.18	34	2,218.66	A
silicone defoamer	Plum	0.01	3	25.5	A
silicone defoamer	Pomegranate	<0.01	2	1.25	A
silicone defoamer	Pomelo	<0.01	1	6.0	A
silicone defoamer	Prune	1.66	33	772.3	A
silicone defoamer	Radish	0.06	39	42.36	A
silicone defoamer	Raspberry	<0.01	2	5.0	A
silicone defoamer	Regulatory pest control	0.22	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
silicone defoamer	Research commodity	<0.01	3	0.25	A
silicone defoamer	Research commodity	0.02	N/A	N/A	N/A
silicone defoamer	Rice	15.58	162	15,500.72	A
silicone defoamer	Rights of way	0.45	12	487.0	A
silicone defoamer	Rights of way	0.6	N/A	N/A	N/A
silicone defoamer	Root vegetable	0.02	52	37.22	A
silicone defoamer	Safflower	0.49	17	668.0	A
silicone defoamer	Spinach	<0.01	17	2.86	A
silicone defoamer	Squash	0.06	59	93.63	A
silicone defoamer	Squash, zucchini	<0.01	3	30.0	A
silicone defoamer	Strawberry	8.02	233	3,254.97	A
silicone defoamer	Structural pest control	0.69	N/A	N/A	N/A
silicone defoamer	Sunflower	1.48	29	1,613.52	A
silicone defoamer	Swiss chard	<0.01	9	1.25	A
silicone defoamer	Tangelo	0.07	2	80.0	A
silicone defoamer	Tangerine	0.55	54	1,412.24	A
silicone defoamer	Tomato	0.29	8	347.58	A
silicone defoamer	Tomato, processing	6.89	241	10,052.25	A
silicone defoamer	Tropical/subtropical fruit	<0.01	5	1.85	A
silicone defoamer	Turnip	<0.01	7	3.0	A
silicone defoamer	Uncultivated ag	7.5	161	9,767.2	A
silicone defoamer	Uncultivated non-ag	1.55	110	784.0	A
silicone defoamer	Vegetables, fruiting	<0.01	23	5.71	A
silicone defoamer	Vegetables, leafy	0.23	484	328.49	A
silicone defoamer	Walnut	8.34	300	5,499.51	A
silicone defoamer	Watermelon	0.04	3	73.84	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
silica filled polydimethylsiloxane	Alfalfa	2.21	152	10,352.6	A
silica filled polydimethylsiloxane	Almond	2.72	2	56.0	A
silica filled polydimethylsiloxane	Artichoke, globe	<0.01	1	15.0	A
silica filled polydimethylsiloxane	Arugula	0.24	1	18.39	A
silica filled polydimethylsiloxane	Barley	0.26	40	2,656.2	A
silica filled polydimethylsiloxane	Broccoli	0.24	32	194.57	A
silica filled polydimethylsiloxane	Cauliflower	0.16	2	12.52	A
silica filled polydimethylsiloxane	Cherry	0.06	3	50.0	A
silica filled polydimethylsiloxane	Corn (forage - fodder)	0.73	2	104.0	A
silica filled polydimethylsiloxane	Cotton	0.63	124	4,719.27	A
silica filled polydimethylsiloxane	Ditch bank	<0.01	1	10.0	A
silica filled polydimethylsiloxane	Forage hay/silage	0.02	2	160.0	A
silica filled polydimethylsiloxane	Forest, timberland	<0.01	13	28.2	A
silica filled polydimethylsiloxane	Garlic	0.07	9	438.39	A
silica filled polydimethylsiloxane	Grape, wine	6.8	540	12,912.7	A
silica filled polydimethylsiloxane	Horseradish	0.03	1	85.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
silica filled polydimethylsiloxane	Kale	0.1	1	7.72	A
silica filled polydimethylsiloxane	Landscape maintenance	0.38	N/A	N/A	N/A
silica filled polydimethylsiloxane	Lettuce, leaf	0.26	2	20.13	A
silica filled polydimethylsiloxane	Mint	0.07	6	371.0	A
silica filled polydimethylsiloxane	Oat	0.04	3	354.49	A
silica filled polydimethylsiloxane	Onion, dry	10.32	113	6,547.3	A
silica filled polydimethylsiloxane	Potato	0.67	75	3,910.5	A
silica filled polydimethylsiloxane	Prune	0.09	2	25.0	A
silica filled polydimethylsiloxane	Rangeland	<0.01	1	40.0	A
silica filled polydimethylsiloxane	Rights of way	1.88	10	1,000.0	A
silica filled polydimethylsiloxane	Rights of way	0.25	N/A	N/A	N/A
silica filled polydimethylsiloxane	Sorghum/milo	13.26	36	2,650.09	A
silica filled polydimethylsiloxane	Spinach	0.47	2	35.87	A
silica filled polydimethylsiloxane	Strawberry	3.11	32	174.0	A
silica filled polydimethylsiloxane	Tomato, processing	32.06	12	1,525.6	A
silica filled polydimethylsiloxane	Uncultivated ag	0.6	138	2,660.17	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
silica filled polydimethylsiloxane	Uncultivated non-ag	0.03	5	110.0	A
silica filled polydimethylsiloxane	Walnut	12.68	34	753.0	A
silica filled polydimethylsiloxane	Water area	0.04	28	29.9	A
silica filled polydimethylsiloxane	Wheat	0.3	59	3,144.3	A
silica filled polydimethylsiloxane	Wheat (forage - fodder)	2.04	5	401.92	A
silver iodide, colloidal	N-grnhs plants in containers	0.02	1	5,880.0	S
silver, ionic	Food processing plant	0.74	N/A	14.0	U
silver, ionic	Water (industrial)	0.02	N/A	1.0	U
silver nitrate	N-outdr flower	<0.01	5	78,584.0	S
simazine	Almond	9,618.05	215	10,942.28	A
simazine	Apple	338.23	8	106.5	A
simazine	Avocado	5,039.21	319	2,982.7	A
simazine	Blueberry	69.23	7	34.97	A
simazine	Cherimoya	9.95	1	2.0	A
simazine	Cherry	6.01	2	5.0	A
simazine	Citrus	289.13	13	1,481.5	A
simazine	Corn (forage - fodder)	720.91	4	631.0	A
simazine	Golf course turf	234.23	N/A	195.66	A
simazine	Grape	10,214.6	386	8,356.65	A
simazine	Grape, wine	12,111.57	270	7,015.98	A
simazine	Grapefruit	335.42	16	108.75	A
simazine	Guava	22.88	1	4.0	A
simazine	Landscape maintenance	0.76	1	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
simazine	Landscape maintenance	1,623.35	N/A	N/A	N/A
simazine	Lemon	3,378.87	167	1,181.0	A
simazine	Lime	15.92	3	6.5	A
simazine	N-outdr flower	7.96	1	3.0	A
simazine	N-outdr plants in containers	20.43	3	9.0	A
simazine	N-outdr transplants	8.95	N/A	7.0	A
simazine	Nectarine	51.08	15	113.5	A
simazine	Nuts	2.7	1	3.0	A
simazine	Olive	3,078.68	37	1,153.2	A
simazine	Orange	11,308.96	216	4,626.26	A
simazine	Orchard floor	4.5	2	2.0	A
simazine	Peach	85.1	19	129.0	A
simazine	Pear	1,237.43	23	446.91	A
simazine	Rights of way	88.25	9	34.7	A
simazine	Rights of way	488.51	N/A	N/A	N/A
simazine	Tangerine	463.64	17	224.25	A
simazine	Tropical/subtropical fruit	7.96	1	4.0	A
simazine	Turf/sod	270.75	16	270.96	A
simazine	Uncultivated ag	107.36	18	58.5	A
simazine	Uncultivated non-ag	36.05	1	12.0	A
simazine	Walnut	10,197.91	208	5,585.16	A
simazine	Water area	0.04	N/A	2.0	A
soap	Regulatory pest control	0.26	N/A	N/A	N/A
sodium arsenate	Landscape maintenance	0.02	N/A	N/A	N/A
sodium arsenate	Structural pest control	<0.01	N/A	N/A	N/A
sodium bicarbonate	N-outdr flower	0.65	1	2.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium bisulfate	Almond	56.63	6	307.5	A
sodium bisulfate	Grape, wine	16.6	9	38.7	A
sodium bisulfate	Strawberry	6.46	1	7.0	A
sodium bromide	Industrial processing water	5,252.08	N/A	11.0	A
sodium bromide	Industrial processing water	29,789.66	N/A	18.0	U
sodium bromide	Industrial waste disposal systems, disposal water	3.5	N/A	1.0	A
sodium bromide	Landscape maintenance	4,034.76	N/A	N/A	N/A
sodium bromide	Rights of way	3.5	N/A	N/A	N/A
sodium bromide	Structural pest control	113.49	N/A	N/A	N/A
sodium bromide	Unknown	7.0	N/A	2.0	U
sodium bromide	Water (industrial)	31,146.73	N/A	369.0	A
sodium bromide	Water (industrial)	227,665.29	N/A	30,326.0	U
sodium bromide	Water area	<0.01	N/A	1.0	A
sodium bromide	Water area	249.07	N/A	6.0	U
sodium bromide	Water systems - human potable/drinking	3.51	N/A	2.0	A
sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate	Industrial processing water	159.94	N/A	1,237,239.0	P

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate</b>	Water (industrial)	3,731.37	N/A	79.0	U
<b>sodium cacodylate</b>	Landscape maintenance	5.88	N/A	N/A	N/A
<b>sodium carbonate</b>	Cannabis (all or unspecified)	<0.01	2	2,101.0	S
<b>sodium carbonate</b>	Grape, wine	0.02	1	1.0	A
<b>sodium carbonate</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>sodium carbonate</b>	Water area	9.53	N/A	19.0	U
<b>sodium carbonate peroxyhydrate</b>	Farm/ag building	8.5	N/A	10,000.0	S
<b>sodium carbonate peroxyhydrate</b>	Food processing plant	1.21	N/A	1.0	U
<b>sodium carbonate peroxyhydrate</b>	Fumigation, other	23.8	N/A	N/A	N/A
<b>sodium carbonate peroxyhydrate</b>	Grape, wine	1,416.07	12	879.49	A
<b>sodium carbonate peroxyhydrate</b>	Landscape maintenance	13,723.73	N/A	N/A	N/A
<b>sodium carbonate peroxyhydrate</b>	N-grnhs flower	170.0	4	4.0	A
<b>sodium carbonate peroxyhydrate</b>	N-grnhs plants in containers	956.25	10	41.51	A
<b>sodium carbonate peroxyhydrate</b>	N-grnhs plants in containers	336.48	11	592,734.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium carbonate peroxyhydrate	N-grnhs transplants	1.57	3	2,350.0	S
sodium carbonate peroxyhydrate	N-outdr plants in containers	85.0	2	2.29	A
sodium carbonate peroxyhydrate	N-outdr plants in containers	64.62	4	20,220.0	S
sodium carbonate peroxyhydrate	Research commodity	0.21	N/A	N/A	N/A
sodium carbonate peroxyhydrate	Rice	203,577.53	145	11,591.97	A
sodium carbonate peroxyhydrate	Rights of way	36,749.32	N/A	N/A	N/A
sodium carbonate peroxyhydrate	Uncultivated ag	496.4	16	12.1	A
sodium carbonate peroxyhydrate	Uncultivated ag	68.0	N/A	45,000.0	S
sodium carbonate peroxyhydrate	Uncultivated non-ag	204.0	1	12.0	A
sodium carbonate peroxyhydrate	Water (industrial)	2,215.95	N/A	240.75	A
sodium carbonate peroxyhydrate	Water area	15,713.52	N/A	507.98	A
sodium carbonate peroxyhydrate	Water area	1,402.5	N/A	3,945.0	C
sodium carbonate peroxyhydrate	Water area	1.27	N/A	16,000.0	S
sodium carbonate peroxyhydrate	Water area	680.0	N/A	1.0	U
sodium chlorate	Bean, dried	185.84	3	37.0	A
sodium chlorate	Bean, succulent	198.76	1	40.0	A
sodium chlorate	Cotton	107,268.47	321	21,968.88	A
sodium chlorate	Garbanzo bean	1,007.71	2	169.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium chlorate	Landscape maintenance	99,953.09	N/A	N/A	N/A
sodium chlorate	N-grnhs plants in containers	<0.01	1	5,880.0	S
sodium chlorate	Regulatory pest control	2.25	1	6,720.0	S
sodium chlorate	Rice	35,584.56	84	6,646.9	A
sodium chlorate	Rights of way	24.75	3	5,395.0	S
sodium chlorate	Rights of way	40.5	N/A	N/A	N/A
sodium chlorate	Safflower	1,594.83	6	259.8	A
sodium chlorate	Sorghum/milo	6,081.22	20	1,075.0	A
sodium chlorate	Structural pest control	0.16	N/A	N/A	N/A
sodium chlorate	Sunflower	2,748.83	12	461.0	A
sodium chlorate	Tomato	7.5	1	2,520.0	S
sodium chlorate	Water (industrial)	179,578.78	N/A	23.0	A
sodium chlorate	Wheat	238.51	1	40.0	A
sodium chloride	Animal premise	71.2	44	3,252,800.0	S
sodium chloride	Animal premise	11.24	8	396,012.0	U
sodium chlorite	Cannabis (all or unspecified)	1.5	64	112,793.0	S
sodium chlorite	Commodity fumigation	35,965.55	N/A	N/A	N/A
sodium chlorite	Food processing plant	2,785.26	N/A	3.0	A
sodium chlorite	Food processing plant	35.17	N/A	1.0	U
sodium chlorite	Landscape maintenance	281.75	N/A	N/A	N/A
sodium chlorite	Rights of way	102,082.32	N/A	N/A	N/A
sodium chlorite	Water (industrial)	1,004.63	N/A	15.0	A
sodium chlorite	Water (industrial)	120,935.32	N/A	9.03	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium chlorite	Water area	232.97	N/A	5,891.38	A
sodium chlorite	Water area	4,311.97	N/A	146.43	U
sodium cyanide	Commodity fumigation	2,697.7	N/A	N/A	N/A
sodium decyl sulfate	Landscape maintenance	24.62	N/A	N/A	N/A
sodium decyl sulfate	Regulatory pest control	2.69	N/A	N/A	N/A
sodium decyl sulfate	Structural pest control	2,371.36	N/A	N/A	N/A
sodium di (1-alkenyl) phenoxy benzene disulfonate	Landscape maintenance	0.08	N/A	N/A	N/A
sodium dichloro-s-triazinetrione	Grape, wine	1.46	1	2.6	A
sodium dichloro-s-triazinetrione	Industrial waste disposal systems, disposal water	45.0	N/A	1.0	A
sodium dichloro-s-triazinetrione	Landscape maintenance	317.65	N/A	N/A	N/A
sodium dichloro-s-triazinetrione	Rights of way	45.0	N/A	N/A	N/A
sodium dichloro-s-triazinetrione	Unknown	90.0	N/A	2.0	U
sodium dichloro-s-triazinetrione	Water (industrial)	982.52	N/A	8.0	A
sodium dichloro-s-triazinetrione	Water (industrial)	72,525.54	N/A	5,853.0	U
sodium dichloro-s-triazinetrione	Water systems - human potable/drinking	45.0	N/A	1.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>sodium dichloro-s-triazinetrione dihydrate</b>	Landscape maintenance	19,655.97	N/A	N/A	N/A
<b>sodium dichloro-s-triazinetrione dihydrate</b>	Water (industrial)	2,880.9	N/A	272.0	U
<b>sodium diisooctylsulfosuccinate</b>	Alfalfa	74.98	429	26,388.32	A
<b>sodium diisooctylsulfosuccinate</b>	Almond	672.67	1,952	79,200.55	A
<b>sodium diisooctylsulfosuccinate</b>	Artichoke, globe	0.05	1	10.0	A
<b>sodium diisooctylsulfosuccinate</b>	Bean, dried	0.82	17	313.0	A
<b>sodium diisooctylsulfosuccinate</b>	Bermudagrass	8.83	39	2,300.0	A
<b>sodium diisooctylsulfosuccinate</b>	Broccoli	2.34	18	914.7	A
<b>sodium diisooctylsulfosuccinate</b>	Cantaloupe	0.02	2	8.0	A
<b>sodium diisooctylsulfosuccinate</b>	Carrot	0.1	1	70.0	A
<b>sodium diisooctylsulfosuccinate</b>	Cherry	10.12	19	475.11	A
<b>sodium diisooctylsulfosuccinate</b>	Clover	0.14	1	26.0	A
<b>sodium diisooctylsulfosuccinate</b>	Corn (forage - fodder)	41.05	302	13,331.13	A
<b>sodium diisooctylsulfosuccinate</b>	Cotton	0.5	5	306.0	A
<b>sodium diisooctylsulfosuccinate</b>	Farm/ag building	0.02	1	2.0	A
<b>sodium diisooctylsulfosuccinate</b>	Forage hay/silage	0.86	12	518.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium diisooctylsulfosuccinate	Grape	6.55	40	1,112.33	A
sodium diisooctylsulfosuccinate	Grape, wine	9.95	84	1,444.11	A
sodium diisooctylsulfosuccinate	Grapefruit	0.57	5	16.0	A
sodium diisooctylsulfosuccinate	Landscape maintenance	8.4	N/A	N/A	N/A
sodium diisooctylsulfosuccinate	Lemon	5.73	18	513.13	A
sodium diisooctylsulfosuccinate	Lettuce, leaf	0.3	4	98.2	A
sodium diisooctylsulfosuccinate	N-outdr plants in containers	0.4	1	64.0	A
sodium diisooctylsulfosuccinate	Nectarine	0.4	10	53.0	A
sodium diisooctylsulfosuccinate	Oat (forage - fodder)	5.93	86	4,169.11	A
sodium diisooctylsulfosuccinate	Olive	0.57	4	17.0	A
sodium diisooctylsulfosuccinate	Onion, dry	5.54	23	1,969.0	A
sodium diisooctylsulfosuccinate	Orange	110.63	238	4,575.54	A
sodium diisooctylsulfosuccinate	Pastureland	0.9	11	202.77	A
sodium diisooctylsulfosuccinate	Peach	14.33	90	1,714.85	A
sodium diisooctylsulfosuccinate	Pepper, fruiting	0.15	1	25.0	A
sodium diisooctylsulfosuccinate	Persimmon	0.02	1	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium diisooctylsulfosuccinate	Pistachio	67.44	142	11,001.78	A
sodium diisooctylsulfosuccinate	Plum	0.75	4	69.0	A
sodium diisooctylsulfosuccinate	Pomelo	3.8	10	77.5	A
sodium diisooctylsulfosuccinate	Quince	1.24	15	105.0	A
sodium diisooctylsulfosuccinate	Rice	0.06	1	20.0	A
sodium diisooctylsulfosuccinate	Rights of way	0.97	6	137.0	A
sodium diisooctylsulfosuccinate	Rights of way	10.44	N/A	N/A	N/A
sodium diisooctylsulfosuccinate	Ryegrass	1.33	4	71.99	A
sodium diisooctylsulfosuccinate	Sorghum (forage - fodder)	4.46	19	1,143.31	A
sodium diisooctylsulfosuccinate	Stone fruit	0.54	12	206.5	A
sodium diisooctylsulfosuccinate	Strawberry	0.39	5	50.0	A
sodium diisooctylsulfosuccinate	Structural pest control	<0.01	N/A	N/A	N/A
sodium diisooctylsulfosuccinate	Sugarbeet	13.4	99	6,799.1	A
sodium diisooctylsulfosuccinate	Sunflower	0.7	2	208.0	A
sodium diisooctylsulfosuccinate	Tangelo	0.68	6	21.0	A
sodium diisooctylsulfosuccinate	Tangerine	5.72	25	364.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium diisooctylsulfosuccinate	Tomato	0.05	2	134.0	A
sodium diisooctylsulfosuccinate	Tomato, processing	6.3	27	2,296.27	A
sodium diisooctylsulfosuccinate	Triticale	1.25	19	1,162.2	A
sodium diisooctylsulfosuccinate	Uncultivated ag	0.8	8	360.6	A
sodium diisooctylsulfosuccinate	Uncultivated non-ag	0.12	N/A	42.5	A
sodium diisooctylsulfosuccinate	Walnut	130.0	262	8,864.05	A
sodium diisooctylsulfosuccinate	Watermelon	0.91	3	270.0	A
sodium diisooctylsulfosuccinate	Wheat	0.62	6	277.5	A
sodium diisooctylsulfosuccinate	Wheat (forage - fodder)	5.27	61	2,535.55	A
sodium dimethyl dithio carbamate	Structural pest control	7.02	N/A	N/A	N/A
sodium dimethyl dithio carbamate	Water (industrial)	1,075.41	N/A	1.0	U
sodium dioctylsulfosuccinate	Artichoke, globe	0.03	4	70.52	A
sodium dioctylsulfosuccinate	Cauliflower	0.05	15	133.06	A
sodium dioctylsulfosuccinate	Celery	0.15	45	402.72	A
sodium dioctylsulfosuccinate	Fennel	0.05	31	135.94	A
sodium dioctylsulfosuccinate	Grape, wine	1.52	15	44.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium dioctylsulfosuccinate	Landscape maintenance	0.05	N/A	N/A	N/A
sodium dioctylsulfosuccinate	Peach	0.02	3	4.5	A
sodium dioctylsulfosuccinate	Rights of way	0.08	N/A	N/A	N/A
sodium dioctylsulfosuccinate	Uncultivated ag	0.19	45	756.16	A
sodium fluoride	Rights of way	16.65	N/A	N/A	N/A
sodium hydroxide	Alfalfa	561.77	361	21,592.32	A
sodium hydroxide	Almond	6,767.01	3,064	112,908.94	A
sodium hydroxide	Apple	135.79	76	1,410.64	A
sodium hydroxide	Apricot	0.07	2	0.8	A
sodium hydroxide	Bean, dried	24.89	17	1,183.72	A
sodium hydroxide	Bermudagrass	19.11	5	459.0	A
sodium hydroxide	Cantaloupe	1.47	2	88.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium hydroxide	Cherry	1,466.02	1,130	18,090.95	A
sodium hydroxide	Chestnut	3.37	4	48.66	A
sodium hydroxide	Commodity fumigation	0.41	N/A	N/A	N/A
sodium hydroxide	Corn (forage - fodder)	401.09	240	14,629.92	A
sodium hydroxide	Corn, human consumption	43.5	16	1,135.7	A
sodium hydroxide	Cotton	17.94	20	1,435.0	A
sodium hydroxide	Cucumber	3.04	4	53.46	A
sodium hydroxide	Fig	4.44	7	215.0	A
sodium hydroxide	Forage hay/silage	39.17	28	1,324.25	A
sodium hydroxide	Garbanzo bean	61.39	8	735.0	A
sodium hydroxide	Garlic	8.42	1	153.0	A
sodium hydroxide	Grape	79.25	74	1,460.45	A
sodium hydroxide	Grape, wine	2,275.93	1,506	30,703.64	A
sodium hydroxide	Grapefruit	3.4	5	49.51	A
sodium hydroxide	Kiwi fruit fuzzy	58.52	88	567.95	A
sodium hydroxide	Landscape maintenance	5.75	N/A	N/A	N/A
sodium hydroxide	Lemon	4.08	4	59.34	A
sodium hydroxide	Lettuce, leaf	1.22	3	118.0	A
sodium hydroxide	N-grnhs transplants	0.62	10	27.0	A
sodium hydroxide	N-grnhs transplants	0.19	N/A	184,352.0	S
sodium hydroxide	N-outdr plants in containers	0.27	3	11.81	A
sodium hydroxide	Nectarine	1.32	5	16.0	A
sodium hydroxide	Oat (forage - fodder)	47.11	44	2,213.5	A
sodium hydroxide	Olive	42.63	19	581.8	A
sodium hydroxide	Onion, dry	11.48	8	261.0	A
sodium hydroxide	Orange	9.52	6	134.37	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium hydroxide	Pastureland	25.75	5	437.0	A
sodium hydroxide	Peach	84.87	127	1,335.82	A
sodium hydroxide	Peas (forage - fodder)	2.06	1	75.0	A
sodium hydroxide	Pecan	4.05	6	48.64	A
sodium hydroxide	Persimmon	2.32	13	60.33	A
sodium hydroxide	Pistachio	144.46	54	2,646.35	A
sodium hydroxide	Plum	7.62	12	69.7	A
sodium hydroxide	Pomegranate	0.55	1	8.0	A
sodium hydroxide	Prune	149.74	98	1,743.3	A
sodium hydroxide	Rangeland	4.87	2	127.0	A
sodium hydroxide	Regulatory pest control	1.17	N/A	N/A	N/A
sodium hydroxide	Rice	2,294.29	822	57,414.92	A
sodium hydroxide	Rights of way	53.67	51	1,036.15	A
sodium hydroxide	Rights of way	96.29	N/A	N/A	N/A
sodium hydroxide	Ryegrass	13.52	18	441.6	A
sodium hydroxide	Safflower	19.34	17	668.0	A
sodium hydroxide	Soil fumigation/preplant	20.55	14	517.71	A
sodium hydroxide	Squash	15.56	5	252.77	A
sodium hydroxide	Sugarbeet	13.92	10	568.0	A
sodium hydroxide	Sunflower	119.13	48	2,410.56	A
sodium hydroxide	Tangerine	22.06	14	350.52	A
sodium hydroxide	Tomato	13.03	8	407.4	A
sodium hydroxide	Tomato, processing	189.37	93	6,108.96	A
sodium hydroxide	Uncultivated ag	802.14	347	20,785.62	A
sodium hydroxide	Uncultivated non-ag	86.79	130	1,244.07	A
sodium hydroxide	Vetch	4.13	2	150.0	A
sodium hydroxide	Walnut	3,031.53	1,941	57,046.75	A
sodium hydroxide	Watermelon	57.8	17	599.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium hydroxide	Wheat	36.18	28	1,573.9	A
sodium hydroxide	Wheat (forage - fodder)	35.71	23	827.7	A
sodium hypochlorite	Animal premise	132.9	N/A	324,416.0	S
sodium hypochlorite	Animal premise	5,648.68	N/A	489.5	U
sodium hypochlorite	Apricot	<0.01	1	4.5	A
sodium hypochlorite	Cherry	263.64	N/A	2,188.0	T
sodium hypochlorite	Citrus	264.89	N/A	33,920.0	P
sodium hypochlorite	Citrus	13,516.36	N/A	1,739,200.0	T
sodium hypochlorite	Citrus	463.56	N/A	59,630.0	U
sodium hypochlorite	Commodity fumigation	27,409.89	N/A	N/A	N/A
sodium hypochlorite	Dill	2,715.98	N/A	10.0	U
sodium hypochlorite	Ditch bank	559,622.53	N/A	2,187.0	U
sodium hypochlorite	Food processing plant	76,134.52	N/A	725,482.34	T
sodium hypochlorite	Food processing plant	19,681.17	N/A	56.01	U
sodium hypochlorite	Fumigation, other	137.2	N/A	N/A	N/A
sodium hypochlorite	Grape	0.48	6	13.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium hypochlorite	Grape, wine	42.83	53	595.21	A
sodium hypochlorite	Grapefruit	897.18	N/A	19,884.0	T
sodium hypochlorite	Industrial processing water	0.23	N/A	4.0	A
sodium hypochlorite	Landscape maintenance	9,961.58	N/A	N/A	N/A
sodium hypochlorite	Lemon	62,913.53	N/A	914,356.16	T
sodium hypochlorite	Lemon	347.36	N/A	15,340.0	U
sodium hypochlorite	Lettuce, leaf	1,002.88	N/A	591.0	A
sodium hypochlorite	N-grnhs transplants	681.33	17	101.74	A
sodium hypochlorite	N-grnhs transplants	0.55	3	84,000.0	S
sodium hypochlorite	N-outdr plants in containers	0.47	1	8,000.0	S
sodium hypochlorite	N-outdr transplants	169.79	17	49.12	A
sodium hypochlorite	Nectarine	281.97	N/A	4,057.0	T
sodium hypochlorite	Onion, dry	2,227.51	39	922.0	A
sodium hypochlorite	Orange	1,230.76	N/A	589.0	A
sodium hypochlorite	Orange	78,553.94	N/A	2,094,284.0	T
sodium hypochlorite	Orange	2,975.06	N/A	93,248.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium hypochlorite	Peach	269.48	N/A	9,067.0	T
sodium hypochlorite	Plum	448.19	N/A	8,589.0	T
sodium hypochlorite	Pomegranate	31,228.75	N/A	150,100.0	T
sodium hypochlorite	Public health	32.2	N/A	N/A	N/A
sodium hypochlorite	Regulatory pest control	86.07	N/A	N/A	N/A
sodium hypochlorite	Research commodity	1.28	N/A	N/A	N/A
sodium hypochlorite	Rice	107.24	N/A	143,800.0	P
sodium hypochlorite	Rice	2,125.14	N/A	1,652.3	T
sodium hypochlorite	Structural pest control	88.08	N/A	N/A	N/A
sodium hypochlorite	Tomato, processing	8,429.13	N/A	37,559.0	T
sodium hypochlorite	Water (industrial)	16,124.64	N/A	387.02	A
sodium hypochlorite	Water (industrial)	10.13	N/A	721,000.0	C
sodium hypochlorite	Water (industrial)	250,696.07	N/A	60,426.05	U
sodium hypochlorite	Water area	70.14	N/A	27,501.0	A
sodium hypochlorite	Water area	793.6	N/A	84,049.0	K
sodium hypochlorite	Water area	380.56	N/A	82,506.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>sodium hypochlorite</b>	Water systems - human potable/drinking	564.83	N/A	159.0	A
<b>sodium hypochlorite</b>	Water systems - human potable/drinking	0.85	N/A	450.0	C
<b>sodium hypochlorite</b>	Water systems - human potable/drinking	110.58	N/A	27.0	U
<b>sodium lauroampho acetate</b>	Landscape maintenance	18.58	N/A	N/A	N/A
<b>sodium lauroampho acetate</b>	Regulatory pest control	2.03	N/A	N/A	N/A
<b>sodium lauroampho acetate</b>	Structural pest control	1,789.7	N/A	N/A	N/A
<b>sodium lauryl sulfate</b>	Landscape maintenance	12.54	N/A	N/A	N/A
<b>sodium lauryl sulfate</b>	Regulatory pest control	1.37	N/A	N/A	N/A
<b>sodium lauryl sulfate</b>	Structural pest control	1,209.28	N/A	N/A	N/A
<b>sodium metabisulfite</b>	Grape	6,272.75	N/A	4,592.0	T
<b>sodium metaborate</b>	Landscape maintenance	133.0	N/A	N/A	N/A
<b>sodium metaborate</b>	Rights of way	3.33	N/A	N/A	N/A
<b>sodium metaborate tetrahydrate</b>	Regulatory pest control	3.64	1	6,720.0	S
<b>sodium metaborate tetrahydrate</b>	Rights of way	41.36	3	5,395.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>sodium metaborate tetrahydrate</b>	Rights of way	63.05	N/A	N/A	N/A
<b>sodium metaborate tetrahydrate</b>	Tomato	12.13	1	2,520.0	S
<b>sodium metasilicate</b>	Grape, wine	0.05	1	7.81	A
<b>sodium metasilicate</b>	Landscape maintenance	2.35	N/A	N/A	N/A
<b>sodium metasilicate</b>	N-grnhs transplants	<0.01	1	0.75	A
<b>sodium metasilicate</b>	N-outdr flower	<0.01	1	4.7	A
<b>sodium metasilicate</b>	N-outdr transplants	0.03	2	3.84	A
<b>sodium metasilicate</b>	Research commodity	0.01	2	2.0	A
<b>sodium metasilicate</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>sodium mono (1-alkenyl) phenoxy benzene disulfonate</b>	Landscape maintenance	0.19	N/A	N/A	N/A
<b>sodium nitrate</b>	County ag comm	0.38	N/A	N/A	N/A
<b>sodium nitrate</b>	Landscape maintenance	8,237.5	N/A	N/A	N/A
<b>sodium nitrate</b>	Public health	0.53	N/A	N/A	N/A
<b>sodium nitrate</b>	Regulatory pest control	0.75	N/A	N/A	N/A
<b>sodium nitrate</b>	Rights of way	538.11	N/A	N/A	N/A
<b>sodium nitrate</b>	Structural pest control	63.96	N/A	N/A	N/A
<b>sodium nitrate</b>	Vertebrate control	387.09	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>sodium alpha-olefin (c14-c16) sulfonate</b>	Rights of way	19,648.68	N/A	N/A	N/A
<b>sodium polyacrylate</b>	Alfalfa	69.1	383	22,356.43	A
<b>sodium polyacrylate</b>	Almond	493.86	2,371	119,903.14	A
<b>sodium polyacrylate</b>	Apple	0.27	3	30.14	A
<b>sodium polyacrylate</b>	Apricot	1.44	18	495.27	A
<b>sodium polyacrylate</b>	Avocado	6.0	208	1,446.88	A
<b>sodium polyacrylate</b>	Barley (forage - fodder)	0.25	2	67.27	A
<b>sodium polyacrylate</b>	Basil, sweet	0.05	1	15.0	A
<b>sodium polyacrylate</b>	Bean, dried	2.43	14	484.16	A
<b>sodium polyacrylate</b>	Bean, succulent	0.38	2	53.67	A
<b>sodium polyacrylate</b>	Bermudagrass	0.45	3	100.0	A
<b>sodium polyacrylate</b>	Blackberry	0.58	7	60.89	A
<b>sodium polyacrylate</b>	Blueberry	1.08	4	245.6	A
<b>sodium polyacrylate</b>	Broccoli	1.05	84	1,290.6	A
<b>sodium polyacrylate</b>	Cabbage	0.11	3	12.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium polyacrylate	Cantaloupe	4.24	19	1,283.0	A
sodium polyacrylate	Carrot	0.33	2	71.8	A
sodium polyacrylate	Cauliflower	0.27	33	338.9	A
sodium polyacrylate	Celery	8.86	126	1,897.75	A
sodium polyacrylate	Cherry	17.34	121	2,402.03	A
sodium polyacrylate	Corn (forage - fodder)	40.28	260	16,699.74	A
sodium polyacrylate	Corn, grain	0.71	3	300.0	A
sodium polyacrylate	Corn, human consumption	14.56	11	527.0	A
sodium polyacrylate	Cotton	110.37	364	61,761.6	A
sodium polyacrylate	Ditch bank	1.63	44	137.0	A
sodium polyacrylate	Endive (escarole)	<0.01	1	1.5	A
sodium polyacrylate	Garlic	0.17	1	66.0	A
sodium polyacrylate	Grape	9.84	72	2,186.7	A
sodium polyacrylate	Grape, wine	205.54	895	30,106.31	A
sodium polyacrylate	Grapefruit	0.02	4	9.0	A
sodium polyacrylate	Industrial site	0.02	1	2.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium polyacrylate	Kiwi fruit fuzzy	0.46	6	132.0	A
sodium polyacrylate	Landscape maintenance	0.33	3	15.0	A
sodium polyacrylate	Landscape maintenance	9.49	N/A	N/A	N/A
sodium polyacrylate	Lemon	7.42	121	1,841.56	A
sodium polyacrylate	Lettuce, head	1.11	79	1,330.75	A
sodium polyacrylate	Lettuce, leaf	0.24	2	34.0	A
sodium polyacrylate	Melon	4.27	24	1,457.5	A
sodium polyacrylate	N-grnhs plants in containers	8.01	271	411.1	A
sodium polyacrylate	N-outdr flower	106.19	468	2,354.0	A
sodium polyacrylate	N-outdr plants in containers	0.98	70	331.25	A
sodium polyacrylate	N-outdr plants in containers	<0.01	1	1,600.0	S
sodium polyacrylate	N-outdr plants in containers	<0.01	1	493.0	U
sodium polyacrylate	N-outdr transplants	0.65	8	158.5	A
sodium polyacrylate	Nectarine	0.05	2	8.07	A
sodium polyacrylate	Nuts	0.01	2	4.0	A
sodium polyacrylate	Oat	0.59	6	211.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium polyacrylate	Oat (forage - fodder)	1.21	30	503.08	A
sodium polyacrylate	Olive	11.3	49	2,965.16	A
sodium polyacrylate	Onion, dry	1.94	14	777.5	A
sodium polyacrylate	Orange	20.57	397	5,250.14	A
sodium polyacrylate	Pastureland	0.01	2	6.0	A
sodium polyacrylate	Peach	2.38	53	497.39	A
sodium polyacrylate	Pear	0.15	7	60.46	A
sodium polyacrylate	Pear, asian (oriental pear, ya, ya li, nashi)	0.06	3	20.0	A
sodium polyacrylate	Pecan	0.7	4	147.6	A
sodium polyacrylate	Pepper, fruiting	15.7	24	709.8	A
sodium polyacrylate	Persimmon	0.23	3	46.0	A
sodium polyacrylate	Pistachio	181.5	1,100	43,683.92	A
sodium polyacrylate	Plum	0.58	16	97.89	A
sodium polyacrylate	Pomegranate	1.02	8	172.5	A
sodium polyacrylate	Potato	1.83	11	592.5	A
sodium polyacrylate	Prune	11.78	84	2,959.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium polyacrylate	Quince	0.01	1	5.0	A
sodium polyacrylate	Rangeland	0.67	2	300.0	A
sodium polyacrylate	Raspberry	2.38	31	230.48	A
sodium polyacrylate	Rights of way	7.38	79	2,832.0	A
sodium polyacrylate	Rights of way	109.49	N/A	N/A	N/A
sodium polyacrylate	Rye	0.03	1	7.0	A
sodium polyacrylate	Soil fumigation/preplant	6.77	39	4,586.8	A
sodium polyacrylate	Sorghum (forage - fodder)	0.16	2	123.0	A
sodium polyacrylate	Sorghum/milo	0.16	1	92.0	A
sodium polyacrylate	Strawberry	566.68	1,192	44,540.76	A
sodium polyacrylate	Sugarbeet	6.8	15	1,292.0	A
sodium polyacrylate	Sunflower	0.1	2	17.0	A
sodium polyacrylate	Sweet potato	0.44	7	93.0	A
sodium polyacrylate	Tangelo	0.79	17	200.19	A
sodium polyacrylate	Tangerine	59.98	890	15,452.74	A
sodium polyacrylate	Tomato	13.46	15	500.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium polyacrylate	Tomato, processing	9.61	36	3,230.6	A
sodium polyacrylate	Triticale	1.49	7	562.0	A
sodium polyacrylate	Uncultivated ag	25.96	295	22,636.84	A
sodium polyacrylate	Uncultivated non-ag	3.57	49	1,037.75	A
sodium polyacrylate	Vertebrate control	0.05	N/A	N/A	N/A
sodium polyacrylate	Walnut	94.15	783	26,115.82	A
sodium polyacrylate	Watermelon	1.06	9	339.25	A
sodium polyacrylate	Wheat	2.53	34	1,616.42	A
sodium polyacrylate	Wheat (forage - fodder)	6.4	60	3,038.2	A
sodium tetraborate (pentahydrate)	Structural pest control	252.32	N/A	N/A	N/A
sodium tripolyphosphate	Alfalfa	18.43	13	616.8	A
sodium tripolyphosphate	Almond	787.24	958	32,508.29	A
sodium tripolyphosphate	Apricot	2.97	4	203.67	A
sodium tripolyphosphate	Bean, dried	0.79	1	20.0	A
sodium tripolyphosphate	Broccoli	0.95	2	30.0	A
sodium tripolyphosphate	Cantaloupe	5.31	2	168.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium tripolyphosphate	Cherry	8.76	10	342.0	A
sodium tripolyphosphate	Corn (forage - fodder)	14.86	11	1,032.5	A
sodium tripolyphosphate	Garlic	10.04	3	276.0	A
sodium tripolyphosphate	Grape, wine	0.42	5	40.6	A
sodium tripolyphosphate	Landscape maintenance	0.4	N/A	N/A	N/A
sodium tripolyphosphate	N-outdr plants in containers	0.06	1	3.0	A
sodium tripolyphosphate	Oat (forage - fodder)	0.15	1	18.38	A
sodium tripolyphosphate	Olive	5.18	5	318.57	A
sodium tripolyphosphate	Pastureland	1.26	10	40.0	A
sodium tripolyphosphate	Peach	6.39	24	417.57	A
sodium tripolyphosphate	Pistachio	2.96	4	52.63	A
sodium tripolyphosphate	Rights of way	2.26	6	101.0	A
sodium tripolyphosphate	Rights of way	0.65	N/A	N/A	N/A
sodium tripolyphosphate	Soil fumigation/preplant	3.79	7	106.0	A
sodium tripolyphosphate	Stone fruit	31.1	16	279.5	A
sodium tripolyphosphate	Tomato, processing	9.67	10	926.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium tripolyphosphate	Uncultivated non-ag	0.2	1	10.0	A
sodium tripolyphosphate	Walnut	156.91	260	6,095.88	A
sodium tripolyphosphate	Wheat	0.22	1	27.6	A
sodium xylene sulfonate	Alfalfa	493.47	475	28,324.82	A
sodium xylene sulfonate	Almond	5,192.32	2,138	89,368.68	A
sodium xylene sulfonate	Apple	0.05	2	12.0	A
sodium xylene sulfonate	Apricot	0.04	7	7.5	A
sodium xylene sulfonate	Artichoke, globe	0.34	3	11.0	A
sodium xylene sulfonate	Avocado	1.58	54	308.5	A
sodium xylene sulfonate	Avocado	<0.01	2	5,700.0	U
sodium xylene sulfonate	Basil, sweet	0.63	81	164.72	A
sodium xylene sulfonate	Bean, dried	6.34	33	900.0	A
sodium xylene sulfonate	Bean, succulent	0.19	18	6.37	A
sodium xylene sulfonate	Beet	0.06	9	4.03	A
sodium xylene sulfonate	Bermudagrass	57.42	39	2,300.0	A
sodium xylene sulfonate	Blackberry	0.1	3	9.78	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium xylene sulfonate	Blueberry	<0.01	1	1.5	A
sodium xylene sulfonate	Broccoli	17.56	34	1,252.7	A
sodium xylene sulfonate	Bushberry	<0.01	4	0.9	A
sodium xylene sulfonate	Cabbage	0.45	5	31.7	A
sodium xylene sulfonate	Cannabis (all or unspecified)	0.01	2	18,000.0	S
sodium xylene sulfonate	Cantaloupe	11.87	59	2,772.1	A
sodium xylene sulfonate	Carrot	1.06	26	127.33	A
sodium xylene sulfonate	Celery	1.65	12	114.5	A
sodium xylene sulfonate	Cherry	64.92	26	668.11	A
sodium xylene sulfonate	Citrus	0.04	5	4.07	A
sodium xylene sulfonate	Clover	0.91	1	26.0	A
sodium xylene sulfonate	Cole crop	0.24	76	37.86	A
sodium xylene sulfonate	Corn (forage - fodder)	268.33	321	14,411.13	A
sodium xylene sulfonate	Corn, grain	1.59	1	70.9	A
sodium xylene sulfonate	Corn, human consumption	0.07	3	6.0	A
sodium xylene sulfonate	Cotton	8.27	39	1,211.87	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium xylene sulfonate	Cucumber	0.09	43	11.0	A
sodium xylene sulfonate	Ditch bank	<0.01	1	1.0	A
sodium xylene sulfonate	Ditch bank	1.36	N/A	31.0	U
sodium xylene sulfonate	Edible flowers	0.03	3	2.5	A
sodium xylene sulfonate	Farm/ag building	0.13	1	2.0	A
sodium xylene sulfonate	Forage hay/silage	5.61	12	518.0	A
sodium xylene sulfonate	Garlic	1.16	2	176.4	A
sodium xylene sulfonate	Ginger	0.05	6	3.0	A
sodium xylene sulfonate	Golf course turf	0.17	N/A	10.7	A
sodium xylene sulfonate	Grape	454.73	1,780	78,006.42	A
sodium xylene sulfonate	Grape, wine	116.51	176	5,891.21	A
sodium xylene sulfonate	Grapefruit	0.2	4	22.2	A
sodium xylene sulfonate	Herb, spice	0.66	141	76.68	A
sodium xylene sulfonate	Landscape maintenance	0.8	3	16.5	A
sodium xylene sulfonate	Landscape maintenance	144.17	N/A	N/A	N/A
sodium xylene sulfonate	Lemon	2.08	38	315.8	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium xylene sulfonate	Lemon	0.04	1	75.0	U
sodium xylene sulfonate	Lettuce, head	39.87	294	3,535.15	A
sodium xylene sulfonate	Lettuce, leaf	41.15	316	3,634.89	A
sodium xylene sulfonate	Melon	11.14	75	4,056.4	A
sodium xylene sulfonate	Mint	0.15	52	17.9	A
sodium xylene sulfonate	Mustard	0.05	22	7.79	A
sodium xylene sulfonate	N-grnhs flower	7.66	172	509.55	A
sodium xylene sulfonate	N-grnhs flower	0.27	11	245,000.0	S
sodium xylene sulfonate	N-grnhs plants in containers	11.22	633	628.28	A
sodium xylene sulfonate	N-grnhs plants in containers	1.32	78	2,248,454.0	S
sodium xylene sulfonate	N-grnhs transplants	5.32	39	571.0	A
sodium xylene sulfonate	N-grnhs transplants	2.47	59	12,681,000.0	S
sodium xylene sulfonate	N-outdr flower	27.69	532	2,076.35	A
sodium xylene sulfonate	N-outdr plants in containers	73.82	942	1,525.04	A
sodium xylene sulfonate	N-outdr plants in containers	<0.01	3	42,000.0	S
sodium xylene sulfonate	N-outdr plants in containers	0.21	48	10,969.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium xylene sulfonate	N-outdr transplants	0.52	14	63.0	A
sodium xylene sulfonate	N-outdr transplants	12.56	285	48,987,316.0	S
sodium xylene sulfonate	Nectarine	7.06	40	295.35	A
sodium xylene sulfonate	Oat (forage - fodder)	38.54	86	4,169.11	A
sodium xylene sulfonate	Onion, dry	36.39	33	2,416.0	A
sodium xylene sulfonate	Onion, green	0.1	27	9.86	A
sodium xylene sulfonate	Orange	34.99	88	2,631.86	A
sodium xylene sulfonate	Orchard floor	0.42	16	71.75	A
sodium xylene sulfonate	Parsley	<0.01	6	1.13	A
sodium xylene sulfonate	Pastureland	6.27	19	262.77	A
sodium xylene sulfonate	Peach	97.63	131	1,983.1	A
sodium xylene sulfonate	Peas	<0.01	10	1.28	A
sodium xylene sulfonate	Pepper, fruiting	0.19	9	41.31	A
sodium xylene sulfonate	Persimmon	0.16	5	6.15	A
sodium xylene sulfonate	Pistachio	608.67	183	13,736.05	A
sodium xylene sulfonate	Plum	1.67	5	49.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium xylene sulfonate	Pomegranate	0.09	2	1.25	A
sodium xylene sulfonate	Pomelo	0.07	1	6.0	A
sodium xylene sulfonate	Radish	0.72	39	42.36	A
sodium xylene sulfonate	Raspberry	0.07	2	5.0	A
sodium xylene sulfonate	Regulatory pest control	2.62	N/A	N/A	N/A
sodium xylene sulfonate	Research commodity	<0.01	3	0.25	A
sodium xylene sulfonate	Research commodity	0.18	N/A	N/A	N/A
sodium xylene sulfonate	Rice	0.42	1	20.0	A
sodium xylene sulfonate	Rights of way	6.31	7	139.0	A
sodium xylene sulfonate	Rights of way	102.34	N/A	N/A	N/A
sodium xylene sulfonate	Root vegetable	0.28	52	37.22	A
sodium xylene sulfonate	Ryegrass	8.66	4	71.99	A
sodium xylene sulfonate	Sorghum (forage - fodder)	28.98	19	1,143.31	A
sodium xylene sulfonate	Spinach	0.02	17	2.86	A
sodium xylene sulfonate	Squash	0.54	58	67.86	A
sodium xylene sulfonate	Squash, zucchini	0.12	3	30.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium xylene sulfonate	Stone fruit	3.5	12	206.5	A
sodium xylene sulfonate	Strawberry	97.24	252	3,469.05	A
sodium xylene sulfonate	Structural pest control	8.08	N/A	N/A	N/A
sodium xylene sulfonate	Sugarbeet	87.09	99	6,799.1	A
sodium xylene sulfonate	Sunflower	4.53	2	208.0	A
sodium xylene sulfonate	Swiss chard	<0.01	9	1.25	A
sodium xylene sulfonate	Tangelo	0.77	2	80.0	A
sodium xylene sulfonate	Tangerine	5.78	57	1,441.7	A
sodium xylene sulfonate	Timothy	0.58	1	52.0	A
sodium xylene sulfonate	Tomato	2.07	3	173.0	A
sodium xylene sulfonate	Tomato, processing	50.98	74	4,564.63	A
sodium xylene sulfonate	Triticale	8.12	19	1,162.2	A
sodium xylene sulfonate	Tropical/subtropical fruit	0.02	5	1.85	A
sodium xylene sulfonate	Turnip	0.04	7	3.0	A
sodium xylene sulfonate	Uncultivated ag	8.11	41	527.3	A
sodium xylene sulfonate	Uncultivated non-ag	1.31	N/A	42.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium xylene sulfonate	Vegetables, fruiting	0.04	23	5.71	A
sodium xylene sulfonate	Vegetables, leafy	2.66	484	328.49	A
sodium xylene sulfonate	Walnut	328.62	244	6,190.14	A
sodium xylene sulfonate	Watermelon	10.08	3	270.0	A
sodium xylene sulfonate	Wheat	4.03	6	277.5	A
sodium xylene sulfonate	Wheat (forage - fodder)	34.24	61	2,535.55	A
sorbitan fatty acid esters	Alfalfa	8.71	3	251.0	A
sorbitan fatty acid esters	Almond	61.33	40	1,232.42	A
sorbitan fatty acid esters	Apple	47.42	20	352.5	A
sorbitan fatty acid esters	Cherry	4.59	5	60.46	A
sorbitan fatty acid esters	Cotton	6.68	6	298.8	A
sorbitan fatty acid esters	Forest, timberland	0.46	N/A	50.0	A
sorbitan fatty acid esters	Grape	10.88	7	177.5	A
sorbitan fatty acid esters	Landscape maintenance	16.64	N/A	N/A	N/A
sorbitan fatty acid esters	Lemon	2.05	4	40.0	A
sorbitan fatty acid esters	Lettuce, leaf	7.18	2	188.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sorbitan fatty acid esters	N-outdr plants in containers	0.05	1	0.5	A
sorbitan fatty acid esters	N-outdr plants in containers	0.01	1	100.0	U
sorbitan fatty acid esters	Onion, dry	3.08	2	70.0	A
sorbitan fatty acid esters	Peach	0.23	2	24.0	A
sorbitan fatty acid esters	Pistachio	16.4	12	200.0	A
sorbitan fatty acid esters	Prune	1.35	2	65.0	A
sorbitan fatty acid esters	Rice	304.1	64	5,533.78	A
sorbitan fatty acid esters	Rights of way	0.04	2	2.0	A
sorbitan fatty acid esters	Rights of way	5,534.06	N/A	N/A	N/A
sorbitan fatty acid esters	Sugarbeet	3.5	3	190.0	A
sorbitan fatty acid esters	Uncultivated ag	14.49	8	632.0	A
sorbitan fatty acid esters	Walnut	2.59	4	106.0	A
sorbitan fatty acid esters	Water area	4.8	N/A	60.66	A
sorbitan monooleate	Almond	58.82	40	2,492.36	A
sorbitan monooleate	Cherry	0.82	2	12.0	A
sorbitan monooleate	Grape	145.34	120	2,851.09	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sorbitan monooleate	Grape, wine	122.72	133	3,035.37	A
sorbitan monooleate	Peach	0.46	1	6.74	A
sorbitan monooleate	Pistachio	4.66	2	170.35	A
sorbitan monooleate	Plum	0.66	2	9.6	A
sorbitan monooleate	Uncultivated ag	0.76	3	11.5	A
sorbitan trioleate	Alfalfa	1,342.67	275	16,740.68	A
sorbitan trioleate	Almond	3,213.1	1,164	55,064.24	A
sorbitan trioleate	Apricot	2.53	9	24.99	A
sorbitan trioleate	Arugula	1.76	3	12.6	A
sorbitan trioleate	Basil, sweet	21.82	6	196.0	A
sorbitan trioleate	Bean, dried	18.56	6	82.8	A
sorbitan trioleate	Beet	6.35	1	76.0	A
sorbitan trioleate	Bermudagrass	31.49	3	246.0	A
sorbitan trioleate	Blackberry	0.07	1	1.0	A
sorbitan trioleate	Blueberry	12.05	24	200.64	A
sorbitan trioleate	Bok choy	0.28	1	2.0	A
sorbitan trioleate	Broccoli	442.42	191	2,035.3	A
sorbitan trioleate	Cabbage	163.69	103	878.24	A
sorbitan trioleate	Carrot	88.88	26	602.7	A
sorbitan trioleate	Cauliflower	233.36	73	1,045.2	A
sorbitan trioleate	Celery	172.01	91	727.0	A
sorbitan trioleate	Cherry	26.45	34	423.14	A
sorbitan trioleate	Chinese cabbage (napa, won bok, celery cabbage)	0.28	1	2.0	A
sorbitan trioleate	Cilantro	186.65	100	698.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sorbitan trioleate	Citrus	7.05	6	173.79	A
sorbitan trioleate	Corn (forage - fodder)	284.61	87	4,660.8	A
sorbitan trioleate	Corn, human consumption	15.96	3	384.8	A
sorbitan trioleate	Cotton	478.29	46	9,535.6	A
sorbitan trioleate	Dill	20.73	4	124.0	A
sorbitan trioleate	Endive (escarole)	3.26	14	16.34	A
sorbitan trioleate	Fig	103.84	24	1,418.58	A
sorbitan trioleate	Garbanzo bean	0.84	1	20.0	A
sorbitan trioleate	Garlic	30.86	10	242.9	A
sorbitan trioleate	Grape	145.74	104	2,696.64	A
sorbitan trioleate	Grape, wine	989.72	288	7,974.42	A
sorbitan trioleate	Grapefruit	45.46	27	556.96	A
sorbitan trioleate	Herb, spice	3.01	1	18.0	A
sorbitan trioleate	Kale	35.21	20	154.7	A
sorbitan trioleate	Kiwi fruit fuzzy	11.27	14	94.5	A
sorbitan trioleate	Landscape maintenance	15.57	N/A	N/A	N/A
sorbitan trioleate	Lemon	103.7	69	1,486.71	A
sorbitan trioleate	Lettuce, head	129.86	75	771.75	A
sorbitan trioleate	Lettuce, leaf	301.74	183	1,675.35	A
sorbitan trioleate	Lime	3.03	4	5.3	A
sorbitan trioleate	Mustard greens	11.82	18	48.6	A
sorbitan trioleate	N-outdr plants in containers	0.35	5	42,000.0	S
sorbitan trioleate	Nectarine	0.97	7	16.13	A
sorbitan trioleate	Olive	38.78	11	535.14	A
sorbitan trioleate	Onion, dry	336.57	70	3,053.0	A
sorbitan trioleate	Orange	589.6	291	7,932.81	A
sorbitan trioleate	Parsley	43.37	18	287.1	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sorbitan trioleate	Pastureland	0.84	1	60.0	A
sorbitan trioleate	Peach	19.39	27	170.89	A
sorbitan trioleate	Peas	139.09	75	601.8	A
sorbitan trioleate	Pecan	3.86	8	37.66	A
sorbitan trioleate	Pepper, fruiting	13.41	9	207.97	A
sorbitan trioleate	Pepper, spice	6.55	4	33.0	A
sorbitan trioleate	Persimmon	4.39	3	45.2	A
sorbitan trioleate	Pistachio	1,249.29	331	12,705.78	A
sorbitan trioleate	Plum	10.08	18	190.98	A
sorbitan trioleate	Pomegranate	2.21	2	16.67	A
sorbitan trioleate	Pomelo	3.49	5	45.5	A
sorbitan trioleate	Potato	60.84	20	1,169.41	A
sorbitan trioleate	Prune	59.19	34	571.08	A
sorbitan trioleate	Radicchio	89.31	36	604.75	A
sorbitan trioleate	Regulatory pest control	20.35	N/A	N/A	N/A
sorbitan trioleate	Research commodity	1.73	8	12.35	A
sorbitan trioleate	Rights of way	4.74	4	62.0	A
sorbitan trioleate	Rights of way	974.91	N/A	N/A	N/A
sorbitan trioleate	Safflower	9.61	2	115.0	A
sorbitan trioleate	Soil fumigation/preplant	3.34	2	125.0	A
sorbitan trioleate	Sorghum (forage - fodder)	23.81	3	142.0	A
sorbitan trioleate	Spinach	101.86	52	447.55	A
sorbitan trioleate	Squash	1.19	1	8.5	A
sorbitan trioleate	Strawberry	14.75	5	171.15	A
sorbitan trioleate	Sugarbeet	170.59	38	2,597.22	A
sorbitan trioleate	Sunflower	4.88	2	85.0	A
sorbitan trioleate	Tangelo	33.82	18	504.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sorbitan trioleate	Tangerine	285.64	122	3,583.19	A
sorbitan trioleate	Tomato	8.72	1	156.4	A
sorbitan trioleate	Tomato, processing	10.25	6	485.0	A
sorbitan trioleate	Uncultivated ag	276.57	148	3,278.92	A
sorbitan trioleate	Uncultivated non-ag	3.56	4	36.33	A
sorbitan trioleate	Unknown	11.5	1	55.0	A
sorbitan trioleate	Vegetables, leafy	64.37	6	387.7	A
sorbitan trioleate	Walnut	912.6	288	10,031.84	A
sorbitan trioleate	Wheat	1.4	2	110.0	A
sorbitol	Alfalfa	296.13	139	8,911.6	A
sorbitol	Almond	4,172.94	798	40,537.68	A
sorbitol	Apple	396.93	25	1,611.0	A
sorbitol	Apricot	8.33	2	48.0	A
sorbitol	Artichoke, globe	1.49	1	17.5	A
sorbitol	Avocado	1.28	2	20.0	A
sorbitol	Bean, dried	9.46	5	212.0	A
sorbitol	Bermudagrass	0.93	1	146.0	A
sorbitol	Blueberry	1.62	4	48.48	A
sorbitol	Cherry	199.17	126	1,915.67	A
sorbitol	Corn (forage - fodder)	75.25	47	2,381.92	A
sorbitol	Corn, grain	5.26	4	164.0	A
sorbitol	Cotton	1,339.57	309	73,127.09	A
sorbitol	Cucumber	7.91	2	116.33	A
sorbitol	Garlic	30.31	8	963.78	A
sorbitol	Grape	49.09	56	573.73	A
sorbitol	Grape, wine	221.97	259	2,486.32	A
sorbitol	Grapefruit	0.15	2	1.75	A
sorbitol	Kiwi fruit fuzzy	0.81	11	43.16	A
sorbitol	Landscape maintenance	21.96	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sorbitol	Lemon	0.13	1	1.5	A
sorbitol	Mint	0.51	1	15.0	A
sorbitol	Oat (forage - fodder)	6.29	4	229.0	A
sorbitol	Olive	7.93	5	146.66	A
sorbitol	Onion, dry	7.81	1	147.0	A
sorbitol	Orange	5.8	5	38.18	A
sorbitol	Peach	19.59	6	190.4	A
sorbitol	Pear	2.01	5	79.9	A
sorbitol	Pecan	1.28	1	12.5	A
sorbitol	Pepper, fruiting	0.12	1	25.0	A
sorbitol	Pistachio	227.86	104	5,526.92	A
sorbitol	Pomegranate	13.48	14	326.14	A
sorbitol	Prune	4.8	4	107.0	A
sorbitol	Pumpkin	9.73	5	143.0	A
sorbitol	Research commodity	1.24	3	14.5	A
sorbitol	Rights of way	14.99	4	561.0	A
sorbitol	Rights of way	91.18	N/A	N/A	N/A
sorbitol	Safflower	37.22	20	3,386.0	A
sorbitol	Soil fumigation/preplant	80.89	24	4,824.75	A
sorbitol	Strawberry	34.28	7	259.0	A
sorbitol	Tangerine	19.91	18	234.33	A
sorbitol	Tomato	34.88	24	987.33	A
sorbitol	Tomato, processing	92.75	27	2,036.33	A
sorbitol	Triticale	12.7	10	1,149.0	A
sorbitol	Uncultivated ag	195.92	140	2,284.6	A
sorbitol	Walnut	1,355.88	304	9,748.92	A
sorbitol	Watermelon	12.92	4	199.0	A
sorbitol	Wheat	7.57	4	244.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sorbitol	Wheat (forage - fodder)	6.18	7	281.0	A
soybean fatty acids, dimethylamine salt	Wheat	1.26	1	55.7	A
soybean oil	Alfalfa	0.09	4	12,000.0	S
soybean oil	Almond	1,453.1	200	5,104.84	A
soybean oil	Apple	28.71	1	1.0	A
soybean oil	Artichoke, globe	1,507.74	232	2,939.6	A
soybean oil	Blackberry	58,997.59	616	4,464.53	A
soybean oil	Broccoli	415.15	66	833.3	A
soybean oil	Brussels sprout	267.03	51	519.0	A
soybean oil	Cabbage	53.27	15	111.2	A
soybean oil	Cannabis (all or unspecified)	46.56	47	121.2	A
soybean oil	Cannabis (all or unspecified)	70.41	107	5,127,351.0	S
soybean oil	Cauliflower	434.68	71	846.2	A
soybean oil	Celery	412.65	89	807.9	A
soybean oil	Cherry	70.31	12	207.16	A
soybean oil	Citrus	8.44	6	5.22	A
soybean oil	Corn (forage - fodder)	241.9	7	1,177.0	A
soybean oil	Fava bean	20.13	38	38.3	A
soybean oil	Fennel	83.4	32	165.6	A
soybean oil	Industrial hemp	0.69	1	1.0	A
soybean oil	Landscape maintenance	0.4	N/A	N/A	N/A
soybean oil	Lettuce, head	822.6	129	1,667.7	A
soybean oil	Lettuce, leaf	797.5	178	1,617.65	A
soybean oil	N-grnhs flower	39.25	31	31.57	A
soybean oil	N-grnhs plants in containers	96.71	204	187.14	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
soybean oil	N-grnhs plants in containers	13.57	24	787,079.0	S
soybean oil	N-grnhs transplants	0.75	6	10,650.0	S
soybean oil	N-outdr flower	1.07	4	3.0	A
soybean oil	N-outdr plants in containers	270.61	222	235.13	A
soybean oil	Peach	10.13	2	24.66	A
soybean oil	Pistachio	1.84	2	8.64	A
soybean oil	Pome fruit	23.72	N/A	4.5	A
soybean oil	Raspberry	382.78	8	41.01	A
soybean oil	Research commodity	43.9	17	8.61	A
soybean oil	Rights of way	312.95	N/A	N/A	N/A
soybean oil	Spinach	151.93	46	298.3	A
soybean oil	Stone fruit	244.39	N/A	10.0	A
soybean oil	Strawberry	5.38	1	0.5	A
soybean oil	Tomato	10.85	5	25.84	A
soybean oil	Uncultivated ag	3,508.49	508	6,965.9	A
soybean oil	Walnut	52.95	5	243.45	A
soybean oil	Wheat (forage - fodder)	30.65	1	149.0	A
spinetoram	Alfalfa	<0.01	1	0.03	A
spinetoram	Almond	17,219.72	4,062	261,455.34	A
spinetoram	Apple	183.07	66	1,427.82	A
spinetoram	Apricot	112.6	70	1,170.51	A
spinetoram	Artichoke, globe	365.92	495	6,214.83	A
spinetoram	Arugula	141.67	445	2,945.82	A
spinetoram	Avocado	141.55	55	1,354.5	A
spinetoram	Basil, sweet	24.96	72	444.75	A
spinetoram	Bean, succulent	15.5	36	348.76	A
spinetoram	Bean, unspecified	8.5	40	152.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinetoram	Beet	34.93	139	616.08	A
spinetoram	Blackberry	133.51	253	1,647.51	A
spinetoram	Blueberry	143.99	66	1,853.08	A
spinetoram	Bok choy	169.18	573	3,058.75	A
spinetoram	Broccoli	1,444.53	2,206	25,643.45	A
spinetoram	Broccoli	<0.01	1	1,881.0	S
spinetoram	Brussels sprout	1,198.49	1,166	17,777.17	A
spinetoram	Cabbage	1,218.35	2,272	20,511.09	A
spinetoram	Cabbage	<0.01	1	2,394.0	S
spinetoram	Cantaloupe	69.56	23	1,568.43	A
spinetoram	Cardoon	1.07	6	17.4	A
spinetoram	Cauliflower	757.64	1,306	13,422.13	A
spinetoram	Cauliflower	<0.01	1	2,394.0	S
spinetoram	Celeriac	3.38	25	54.75	A
spinetoram	Celery	1,534.12	2,692	27,216.25	A
spinetoram	Cherry	155.78	105	1,547.19	A
spinetoram	Chinese amaranth (chinese spinach, tampala, yin choy)	8.16	11	170.0	A
spinetoram	Chinese broccoli (gai lon)	2.75	20	55.9	A
spinetoram	Chinese cabbage (napa, won bok, celery cabbage)	102.12	380	1,679.39	A
spinetoram	Chinese greens	3.56	23	127.0	A
spinetoram	Cilantro	51.92	127	949.3	A
spinetoram	Citrus	63.4	22	663.72	A
spinetoram	Cole crop	0.18	14	2.34	A
spinetoram	Collard	36.95	228	514.5	A
spinetoram	Corn (forage - fodder)	1.0	1	31.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinetoram	Corn, human consumption	310.9	129	7,541.35	A
spinetoram	Cotton	85.28	28	1,770.58	A
spinetoram	Cucumber	5.62	43	108.22	A
spinetoram	Daikon	1.55	3	27.25	A
spinetoram	Dandelion green	1.66	25	23.47	A
spinetoram	Date	7.66	3	70.0	A
spinetoram	Dill	0.2	2	4.73	A
spinetoram	Eggplant	10.34	15	187.84	A
spinetoram	Endive (escarole)	12.08	172	230.57	A
spinetoram	Fava bean	3.87	17	94.5	A
spinetoram	Fennel	24.99	67	434.19	A
spinetoram	Gai lon	1.41	21	26.32	A
spinetoram	Garlic	199.04	85	4,072.49	A
spinetoram	Grape	5,533.4	1,928	83,119.84	A
spinetoram	Grape, wine	226.5	184	5,129.03	A
spinetoram	Grapefruit	171.75	105	1,909.41	A
spinetoram	Herb, spice	5.39	103	92.05	A
spinetoram	Hops	0.47	2	12.0	A
spinetoram	Kale	225.06	984	4,053.73	A
spinetoram	Kohlrabi	8.22	60	122.56	A
spinetoram	Kumquat	1.06	6	12.62	A
spinetoram	Landscape maintenance	1.62	N/A	N/A	N/A
spinetoram	Leek	44.58	130	773.44	A
spinetoram	Lemon	1,443.96	487	16,270.75	A
spinetoram	Lettuce, head	4,312.12	6,461	85,416.03	A
spinetoram	Lettuce, leaf	6,759.81	11,922	125,308.56	A
spinetoram	Lime	7.84	12	103.1	A
spinetoram	Melon	57.42	13	1,114.01	A
spinetoram	Melon	<0.01	1	2,520.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinetoram	Mint	1.6	5	5.55	A
spinetoram	Mizuna	7.75	66	194.38	A
spinetoram	Mustard	7.63	74	112.53	A
spinetoram	Mustard greens	70.06	449	1,171.69	A
spinetoram	N-grnhs plants in containers	1.43	10	13.29	A
spinetoram	N-grnhs transplants	2.07	3	35.74	A
spinetoram	N-outdr flower	0.11	1	1.0	A
spinetoram	N-outdr plants in containers	20.25	10	258.27	A
spinetoram	N-outdr transplants	38.55	50	548.6	A
spinetoram	Nectarine	2,304.22	1,636	23,327.23	A
spinetoram	Onion, dry	1,252.16	475	22,292.07	A
spinetoram	Onion, green	5.7	20	103.04	A
spinetoram	Orange	2,904.2	1,372	32,688.33	A
spinetoram	Oregano	0.01	1	0.3	A
spinetoram	Parsley	43.76	115	691.41	A
spinetoram	Peach	1,991.63	915	20,054.48	A
spinetoram	Pear	596.47	145	5,598.18	A
spinetoram	Pear, asian (oriental pear, ya, ya li, nashi)	1.56	4	15.28	A
spinetoram	Peas	221.59	433	4,461.24	A
spinetoram	Pepper, fruiting	1,033.64	613	17,760.38	A
spinetoram	Pepper, spice	11.41	22	208.6	A
spinetoram	Pimento	0.2	1	5.0	A
spinetoram	Pistachio	5,186.02	873	76,893.58	A
spinetoram	Plum	440.93	391	4,154.51	A
spinetoram	Pome fruit	0.27	4	2.0	A
spinetoram	Pomegranate	183.58	39	1,871.79	A
spinetoram	Pomelo	0.78	3	16.0	A
spinetoram	Potato	36.75	16	753.2	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinetoram	Prune	5.2	2	47.5	A
spinetoram	Pumpkin	10.64	12	169.6	A
spinetoram	Quince	1.06	3	10.0	A
spinetoram	Radicchio	103.11	117	2,416.47	A
spinetoram	Radish	72.57	447	1,161.25	A
spinetoram	Rapini	253.57	239	4,330.0	A
spinetoram	Raspberry	371.57	455	4,626.34	A
spinetoram	Research commodity	4.16	41	61.92	A
spinetoram	Research commodity	<0.01	11	22.0	S
spinetoram	Research commodity	1.61	N/A	N/A	N/A
spinetoram	Rice	3.59	1	90.3	A
spinetoram	Root vegetable	<0.01	1	0.01	A
spinetoram	Rosemary	0.07	1	1.5	A
spinetoram	Spinach	2,409.63	4,892	45,573.03	A
spinetoram	Squash	5.0	22	96.0	A
spinetoram	Squash, summer	3.13	7	57.3	A
spinetoram	Squash, winter	3.57	2	80.0	A
spinetoram	Stone fruit	3.03	5	37.0	A
spinetoram	Strawberry	3,185.34	1,334	43,162.43	A
spinetoram	Sugarbeet	78.8	29	2,693.0	A
spinetoram	Sweet potato	20.13	6	320.7	A
spinetoram	Swiss chard	76.05	602	1,365.87	A
spinetoram	Tangelo	104.29	55	1,163.02	A
spinetoram	Tangerine	1,566.11	744	17,587.33	A
spinetoram	Thyme	0.02	1	0.5	A
spinetoram	Tomatillo	0.11	1	2.0	A
spinetoram	Tomato	1,106.72	532	21,781.15	A
spinetoram	Tomato, processing	1,701.34	391	36,078.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinetoram	Turnip	10.01	84	159.97	A
spinetoram	Turnip greens	1.0	15	15.18	A
spinetoram	Uncultivated ag	1.42	4	30.2	A
spinetoram	Unknown	0.59	8	13.0	A
spinetoram	Upland cress	10.41	121	225.3	A
spinetoram	Vegetables, fruiting	0.05	6	0.8	A
spinetoram	Vegetables, leafy	6.34	142	114.03	A
spinetoram	Walnut	2,717.87	1,400	53,826.0	A
spinetoram	Watercress	0.74	2	10.0	A
spinetoram	Watermelon	213.22	116	3,781.47	A
spinetoram	Yam	1.0	3	20.0	A
spinosad	Alfalfa	74.53	28	1,432.0	A
spinosad	Alfalfa	<0.01	1	3,000.0	S
spinosad	Almond	1,191.4	285	17,088.87	A
spinosad	Animal premise	38.78	N/A	37.0	U
spinosad	Apple	178.24	128	1,272.93	A
spinosad	Apple	0.02	1	8.0	U
spinosad	Apricot	24.78	33	306.16	A
spinosad	Apricot	<0.01	1	3.0	U
spinosad	Artichoke, globe	81.92	96	770.74	A
spinosad	Arugula	213.5	338	2,175.52	A
spinosad	Avocado	140.95	92	1,013.03	A
spinosad	Basil, sweet	38.25	102	494.22	A
spinosad	Bean, dried	7.0	3	71.6	A
spinosad	Bean, succulent	29.07	47	437.58	A
spinosad	Bean, unspecified	7.65	22	107.74	A
spinosad	Beet	102.64	96	909.29	A
spinosad	Blackberry	262.95	344	3,301.37	A
spinosad	Blueberry	310.66	135	3,574.38	A
spinosad	Blueberry	<0.01	1	1,500.0	S
spinosad	Bok choy	27.07	86	244.33	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinosad	Broccoli	1,762.46	1,906	18,131.5	A
spinosad	Brussels sprout	186.76	113	1,264.13	A
spinosad	Bushberry	0.05	2	0.5	A
spinosad	Cabbage	463.57	792	4,744.92	A
spinosad	Cannabis (all or unspecified)	0.02	4	5.1	A
spinosad	Cannabis (all or unspecified)	0.01	2	4,000.0	S
spinosad	Cantaloupe	33.86	26	832.0	A
spinosad	Carrot	41.92	35	784.38	A
spinosad	Cauliflower	728.52	946	7,418.08	A
spinosad	Celery	756.1	1,118	7,460.54	A
spinosad	Cherimoya	0.21	1	15.0	A
spinosad	Cherry	473.98	238	4,553.83	A
spinosad	Cherry	<0.01	1	2.0	U
spinosad	Chervil	0.3	2	2.0	A
spinosad	Chicory	0.04	1	0.4	A
spinosad	Chinese broccoli (gai lon)	32.15	117	403.0	A
spinosad	Chinese cabbage (napa, won bok, celery cabbage)	5.83	24	44.3	A
spinosad	Chive	5.35	26	43.72	A
spinosad	Christmas tree	<0.01	1	10.0	A
spinosad	Cilantro	30.38	55	329.26	A
spinosad	Citrus	28.19	26	264.62	A
spinosad	Cole crop	0.2	9	1.53	A
spinosad	Collard	17.43	106	154.98	A
spinosad	Corn (forage - fodder)	<0.01	1	0.1	A
spinosad	Corn, human consumption	492.67	179	4,571.54	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
spinosad	Cotton	28.83	17	294.67	A
spinosad	County ag comm	0.06	N/A	N/A	N/A
spinosad	Cucumber	5.18	34	54.48	A
spinosad	Daikon	2.63	6	21.2	A
spinosad	Dairy equipment	3.0	4	35.0	A
spinosad	Date	2.07	2	25.0	A
spinosad	Dill	2.45	24	34.76	A
spinosad	Edible flowers	0.06	4	1.0	A
spinosad	Eggplant	2.41	6	28.0	A
spinosad	Endive (escarole)	14.26	31	179.11	A
spinosad	Fennel	4.55	37	51.36	A
spinosad	Fig	8.94	4	57.75	A
spinosad	Fumigation, other	<0.01	N/A	N/A	N/A
spinosad	Gai choy	0.13	4	3.0	A
spinosad	Gai lon	35.83	6	549.0	A
spinosad	Garbanzo bean	0.03	1	3.0	A
spinosad	Garlic	45.69	9	518.2	A
spinosad	Grape	2,019.23	412	17,395.76	A
spinosad	Grape, wine	178.26	170	3,331.99	A
spinosad	Grapefruit	103.23	43	891.78	A
spinosad	Herb, spice	15.04	112	151.96	A
spinosad	Kale	281.28	464	2,730.35	A
spinosad	Kale	<0.01	3	9,150.0	S
spinosad	Kohlrabi	<0.01	1	0.15	A
spinosad	Landscape maintenance	<0.01	1	1,000.0	S
spinosad	Landscape maintenance	70.39	N/A	N/A	N/A
spinosad	Leek	28.86	63	256.33	A
spinosad	Lemon	561.73	234	5,206.3	A
spinosad	Lemon	0.19	2	200.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinosad	Lettuce, head	913.2	1,117	9,492.94	A
spinosad	Lettuce, leaf	4,412.17	4,956	44,345.46	A
spinosad	Lime	0.39	5	18.5	A
spinosad	Melon	59.22	61	906.01	A
spinosad	Melon	0.04	8	18,460.0	S
spinosad	Mint	10.19	94	128.85	A
spinosad	Mizuna	27.59	116	322.46	A
spinosad	Mustard	235.63	269	2,433.48	A
spinosad	Mustard greens	185.01	358	1,673.92	A
spinosad	N-grnhs flower	56.25	296	483.45	A
spinosad	N-grnhs flower	7.41	147	2,565,042.5	S
spinosad	N-grnhs flower	1.5	1	800,925.0	U
spinosad	N-grnhs plants in containers	134.16	1,119	1,166.28	A
spinosad	N-grnhs plants in containers	33.31	352	13,428,340.2	S
spinosad	N-grnhs plants in containers	0.04	2	16,500.17	U
spinosad	N-grnhs transplants	121.41	2,361	912.11	A
spinosad	N-grnhs transplants	37.5	291	13,849,489.0	S
spinosad	N-outdr flower	121.35	595	1,578.18	A
spinosad	N-outdr flower	1.88	30	585,407.0	S
spinosad	N-outdr plants in containers	394.01	1,371	4,422.05	A
spinosad	N-outdr plants in containers	9.18	186	3,678,941.5	S
spinosad	N-outdr plants in containers	7.09	42	316,993.1	U
spinosad	N-outdr transplants	67.93	228	985.23	A
spinosad	N-outdr transplants	23.1	122	19,419,834.0	S
spinosad	Nectarine	1,086.21	615	9,712.72	A
spinosad	Nectarine	<0.01	1	3.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinosad	Olive	7.1	1,685	21,573.77	A
spinosad	Olive	0.18	189	28,125.15	U
spinosad	Onion, dry	382.38	112	3,738.09	A
spinosad	Onion, dry	1,468.42	N/A	31,252.24	P
spinosad	Onion, green	84.24	78	727.0	A
spinosad	Orange	825.98	407	7,547.31	A
spinosad	Oregano	1.52	26	22.17	A
spinosad	Parsley	13.38	12	105.57	A
spinosad	Parsnip	0.06	1	1.0	A
spinosad	Pastureland	<0.01	5	50.0	A
spinosad	Peach	1,020.41	494	8,306.43	A
spinosad	Peach	<0.01	1	10.0	U
spinosad	Pear	223.99	119	1,918.4	A
spinosad	Pear	<0.01	1	5.0	U
spinosad	Pear, asian (oriental pear, ya, ya li, nashi)	5.02	4	34.0	A
spinosad	Peas	33.9	68	392.5	A
spinosad	Pepper, fruiting	212.4	97	1,933.15	A
spinosad	Pepper, fruiting	0.08	5	12,600.0	S
spinosad	Pistachio	1.85	6	190.2	A
spinosad	Plum	32.56	57	423.62	A
spinosad	Plum	<0.01	1	2.0	U
spinosad	Pluot	1.92	3	20.0	A
spinosad	Pomegranate	0.46	5	146.48	A
spinosad	Potato	119.54	14	986.5	A
spinosad	Prune	1.68	1	27.0	A
spinosad	Public health	33,774.06	N/A	N/A	N/A
spinosad	Pumpkin	<0.01	1	0.01	A
spinosad	Radicchio	68.89	28	748.63	A
spinosad	Radish	36.17	162	532.6	A
spinosad	Rangeland	<0.01	1	1.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinosad	Rapini	47.1	18	505.9	A
spinosad	Raspberry	422.54	510	5,311.46	A
spinosad	Regulatory pest control	18.97	N/A	N/A	N/A
spinosad	Research commodity	2.29	37	21.71	A
spinosad	Research commodity	0.74	55	325,603.0	S
spinosad	Research commodity	5.94	N/A	N/A	N/A
spinosad	Rights of way	0.02	1	4,200.0	S
spinosad	Rights of way	3.13	N/A	N/A	N/A
spinosad	Rosemary	1.47	10	18.0	A
spinosad	Sage	0.22	3	3.5	A
spinosad	Shallot	9.46	17	140.66	A
spinosad	Spinach	3,061.88	2,663	30,146.15	A
spinosad	Squash	40.36	40	347.47	A
spinosad	Squash, summer	7.72	11	140.7	A
spinosad	Squash, winter	1.38	5	68.63	A
spinosad	Stone fruit	11.46	20	135.5	A
spinosad	Strawberry	1,042.12	571	11,600.09	A
spinosad	Strawberry	<0.01	4	5,200.0	S
spinosad	Structural pest control	27.95	N/A	N/A	N/A
spinosad	Sweet potato	31.94	10	441.9	A
spinosad	Swiss chard	370.75	663	3,730.04	A
spinosad	Tangelo	24.57	8	196.0	A
spinosad	Tangerine	967.06	414	12,526.57	A
spinosad	Tarragon	0.19	6	2.75	A
spinosad	Thyme	0.81	8	8.14	A
spinosad	Tomatillo	0.75	3	150.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
spinosad	Tomato	198.61	109	1,587.62	A
spinosad	Tomato	<0.01	3	6,255.0	S
spinosad	Tomato, processing	648.29	109	9,308.2	A
spinosad	Triticale	0.37	1	384,000.0	?
spinosad	Uncultivated ag	0.17	1	6.0	A
spinosad	Uncultivated non-ag	<0.01	2	1.0	A
spinosad	Upland cress	0.6	4	2.56	A
spinosad	Vegetable	2.49	5	52.75	A
spinosad	Vegetables, fruiting	3.38	15	13.04	A
spinosad	Vegetables, leafy	70.64	99	759.57	A
spinosad	Vegetables, leafy	0.07	2	1,400.0	S
spinosad	Walnut	520.59	572	16,697.82	A
spinosad	Water area	17.42	1	223.0	A
spinosad	Watercress	0.59	1	6.0	A
spinosad	Watermelon	62.02	49	751.6	A
spinosad	Watermelon	<0.01	3	7,560.0	S
spirodiclofen	Almond	30,475.85	1,096	63,490.29	A
spirodiclofen	Apple	7.3	7	43.12	A
spirodiclofen	Apricot	23.47	6	82.3	A
spirodiclofen	Avocado	272.3	17	861.2	A
spirodiclofen	Avocado	2.6	4	381,000.0	U
spirodiclofen	Cherry	336.75	79	1,154.44	A
spirodiclofen	Commodity fumigation	0.08	N/A	N/A	N/A
spirodiclofen	Grape	1,272.47	62	3,678.0	A
spirodiclofen	Grape, wine	354.78	12	809.83	A
spirodiclofen	Grapefruit	7.12	1	25.0	A
spirodiclofen	Hops	5.65	2	14.57	A
spirodiclofen	Lemon	1,890.57	255	6,199.6	A
spirodiclofen	Lime	0.32	1	1.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spirodiclofen	N-grnhs plants in containers	9.31	26	30.26	A
spirodiclofen	N-grnhs plants in containers	0.03	N/A	7,640.0	U
spirodiclofen	N-outdr plants in containers	30.26	27	79.28	A
spirodiclofen	N-outdr plants in containers	0.06	N/A	50,000.0	U
spirodiclofen	N-outdr transplants	0.32	1	1.0	A
spirodiclofen	Nectarine	741.48	150	2,712.95	A
spirodiclofen	Orange	503.42	85	1,633.9	A
spirodiclofen	Peach	1,608.54	267	5,820.83	A
spirodiclofen	Pear	4.52	3	15.89	A
spirodiclofen	Pistachio	87.04	3	161.7	A
spirodiclofen	Plum	175.52	56	631.28	A
spirodiclofen	Prune	13.6	5	81.0	A
spirodiclofen	Quince	2.86	2	10.0	A
spirodiclofen	Research commodity	0.51	1	1.0	A
spirodiclofen	Tangelo	52.06	6	164.4	A
spirodiclofen	Tangerine	769.36	70	2,432.53	A
spirodiclofen	Walnut	20,031.1	791	39,864.1	A
spiromesifen	Alfalfa	<0.01	1	3,000.0	S
spiromesifen	Artichoke, globe	0.19	2	1.0	A
spiromesifen	Broccoli	31.48	25	260.33	A
spiromesifen	Brussels sprout	50.12	29	406.1	A
spiromesifen	Cantaloupe	304.43	48	2,658.75	A
spiromesifen	Citrus	3.13	10	14.3	A
spiromesifen	Citrus	2.48	3	378,550.0	U
spiromesifen	Corn (forage - fodder)	26,822.55	2,440	112,870.84	A
spiromesifen	Corn, grain	199.34	20	931.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
spiromesifen	Corn, human consumption	632.01	118	3,073.4	A
spiromesifen	Cotton	1,277.64	91	5,258.47	A
spiromesifen	Cucumber	80.03	27	622.38	A
spiromesifen	Eggplant	27.49	15	235.0	A
spiromesifen	Landscape maintenance	3.11	N/A	N/A	N/A
spiromesifen	Lettuce, head	41.82	5	342.3	A
spiromesifen	Lettuce, leaf	2.67	3	20.3	A
spiromesifen	Melon	131.82	42	1,065.69	A
spiromesifen	N-grnhs flower	23.55	27	65.03	A
spiromesifen	N-grnhs flower	0.22	5	17,600.0	S
spiromesifen	N-grnhs plants in containers	48.29	194	240.84	A
spiromesifen	N-grnhs plants in containers	4.01	63	1,566,002.0	S
spiromesifen	N-grnhs transplants	7.78	130	56.18	A
spiromesifen	N-grnhs transplants	1.12	16	254,360.0	S
spiromesifen	N-outdr flower	8.53	23	45.05	A
spiromesifen	N-outdr plants in containers	52.85	94	311.37	A
spiromesifen	N-outdr plants in containers	1.4	8	480,700.0	S
spiromesifen	N-outdr plants in containers	15.47	26	416,883.0	U
spiromesifen	N-outdr transplants	119.93	44	449.91	A
spiromesifen	Oat (forage - fodder)	23.91	2	94.0	A
spiromesifen	Pepper, fruiting	762.95	221	5,900.13	A
spiromesifen	Pepper, spice	38.75	12	340.13	A
spiromesifen	Pumpkin	20.12	13	152.55	A
spiromesifen	Research commodity	0.33	9	1.39	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spiromesifen	Research commodity	0.17	16	58,884.0	S
spiromesifen	Research commodity	21.0	N/A	N/A	N/A
spiromesifen	Ryegrass	64.74	3	254.7	A
spiromesifen	Spinach	2.49	4	19.0	A
spiromesifen	Squash	41.05	17	322.21	A
spiromesifen	Strawberry	3,319.7	440	13,551.35	A
spiromesifen	Strawberry	0.03	1	4,950.0	S
spiromesifen	Tomatillo	0.04	2	0.2	A
spiromesifen	Tomato	219.02	170	1,696.87	A
spiromesifen	Tomato, processing	162.78	21	1,280.2	A
spiromesifen	Uncultivated ag	22.77	2	255.0	A
spiromesifen	Vegetables, fruiting	0.15	5	1.14	A
spiromesifen	Vegetables, leafy	0.94	14	6.69	A
spiromesifen	Watermelon	595.25	107	4,734.69	A
spiromesifen	Watermelon	<0.01	1	1,215.0	S
spiromesifen	Wheat (forage - fodder)	12.97	1	50.0	A
spirotriamat	Almond	4,445.58	613	33,668.99	A
spirotriamat	Apple	121.3	44	912.0	A
spirotriamat	Apricot	86.73	77	713.72	A
spirotriamat	Artichoke, globe	81.2	61	812.9	A
spirotriamat	Arugula	24.43	35	313.88	A
spirotriamat	Avocado	25.19	10	199.8	A
spirotriamat	Bean, dried	10.72	3	136.0	A
spirotriamat	Bean, succulent	1.05	1	13.3	A
spirotriamat	Bean, unspecified	0.33	2	3.9	A
spirotriamat	Blueberry	5.88	3	38.1	A
spirotriamat	Bok choy	136.06	621	1,751.63	A
spirotriamat	Broccoli	5,238.6	6,239	68,790.13	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spirotetramat	Brussels sprout	1,591.86	1,336	20,428.44	A
spirotetramat	Cabbage	1,455.1	2,413	18,976.5	A
spirotetramat	Canola (rape)	5.5	1	70.0	A
spirotetramat	Carrot	0.08	1	1.0	A
spirotetramat	Cauliflower	2,125.92	2,700	27,930.16	A
spirotetramat	Celery	1,308.7	1,570	17,074.75	A
spirotetramat	Cherry	124.5	41	897.2	A
spirotetramat	Chinese broccoli (gai lon)	23.76	87	303.4	A
spirotetramat	Chinese cabbage (napa, won bok, celery cabbage)	198.16	566	2,524.25	A
spirotetramat	Christmas tree	0.79	1	8.0	A
spirotetramat	Citrus	89.79	54	607.47	A
spirotetramat	Citrus	0.51	2	104,147.0	U
spirotetramat	Collard	35.42	193	477.64	A
spirotetramat	Cucumber	<0.01	1	0.01	A
spirotetramat	Eggplant	5.82	6	73.84	A
spirotetramat	Endive (escarole)	24.72	229	333.69	A
spirotetramat	Fava bean	3.65	21	45.8	A
spirotetramat	Fennel	12.43	28	158.09	A
spirotetramat	Gai lon	3.72	39	46.76	A
spirotetramat	Garlic	23.13	8	294.0	A
spirotetramat	Grape	12,871.28	3,110	113,893.4	A
spirotetramat	Grape, wine	25,994.1	6,597	228,108.7	A
spirotetramat	Grapefruit	528.41	230	3,600.68	A
spirotetramat	Greenhouse fumigation	0.05	N/A	3,000.0	U
spirotetramat	Kale	206.44	563	2,674.04	A
spirotetramat	Kohlrabi	4.68	37	62.46	A
spirotetramat	Kumquat	0.43	2	3.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
spirothetramat	Landscape maintenance	0.08	2	5.5	A
spirothetramat	Landscape maintenance	2.7	N/A	N/A	N/A
spirothetramat	Lemon	3,231.01	1,015	21,394.32	A
spirothetramat	Lettuce, head	4,827.21	5,659	64,420.96	A
spirothetramat	Lettuce, leaf	6,490.74	8,860	86,520.11	A
spirothetramat	Lime	9.09	14	67.4	A
spirothetramat	Melon	0.05	3	7,560.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spirotetramat	Mizuna	9.18	17	112.1	A
spirotetramat	Mustard	49.26	145	634.6	A
spirotetramat	Mustard greens	12.08	78	170.33	A
spirotetramat	N-grnhs flower	18.57	73	168.85	A
spirotetramat	N-grnhs flower	0.63	19	72,460.0	S
spirotetramat	N-grnhs plants in containers	20.24	271	258.14	A
spirotetramat	N-grnhs plants in containers	2.33	159	1,476,613.4	S
spirotetramat	N-grnhs plants in containers	0.95	8	47,390.0	U
spirotetramat	N-grnhs transplants	9.49	79	97.21	A
spirotetramat	N-grnhs transplants	4.22	131	1,090,414.0	S
spirotetramat	N-outdr flower	6.75	21	68.08	A
spirotetramat	N-outdr flower	0.51	15	316,277.0	S
spirotetramat	N-outdr plants in containers	133.49	224	1,470.33	A
spirotetramat	N-outdr plants in containers	0.85	35	408,686.0	S
spirotetramat	N-outdr plants in containers	9.42	69	339,865.0	U
spirotetramat	N-outdr transplants	23.06	70	196.35	A
spirotetramat	Nectarine	221.81	134	1,823.76	A
spirotetramat	Okra	1.57	1	20.0	A
spirotetramat	Onion, dry	958.0	165	12,412.5	A
spirotetramat	Onion, dry	<0.01	3	3,120.0	S
spirotetramat	Onion, green	0.67	1	8.5	A
spirotetramat	Orange	15,082.91	4,429	96,847.45	A
spirotetramat	Orchard floor	9.6	2	75.0	A
spirotetramat	Parsley	17.6	30	223.13	A
spirotetramat	Peach	457.91	282	3,647.42	A
spirotetramat	Pear	20.91	5	166.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spirotetramat	Pear, asian (oriental pear, ya, ya li, nashi)	1.51	2	12.0	A
spirotetramat	Peas	26.74	55	341.35	A
spirotetramat	Pecan	113.96	27	823.02	A
spirotetramat	Pepper, fruiting	590.23	308	7,593.81	A
spirotetramat	Pepper, fruiting	0.04	1	2,520.0	S
spirotetramat	Pepper, spice	16.77	22	224.63	A
spirotetramat	Persimmon	43.9	24	264.6	A
spirotetramat	Pistachio	8,182.08	574	61,217.33	A
spirotetramat	Plum	559.6	405	4,509.56	A
spirotetramat	Pomegranate	35.77	6	231.7	A
spirotetramat	Pomelo	51.56	47	368.5	A
spirotetramat	Potato	136.91	23	1,997.7	A
spirotetramat	Prune	151.75	48	1,167.97	A
spirotetramat	Radicchio	5.1	9	64.75	A
spirotetramat	Rapini	511.92	302	6,717.9	A
spirotetramat	Research commodity	4.26	34	44.62	A
spirotetramat	Research commodity	0.07	4	39,364.0	S
spirotetramat	Research commodity	4.0	N/A	N/A	N/A
spirotetramat	Rights of way	0.76	N/A	N/A	N/A
spirotetramat	Spinach	403.22	465	4,694.86	A
spirotetramat	Squash	<0.01	1	0.02	A
spirotetramat	Stone fruit	0.8	2	8.0	A
spirotetramat	Structural pest control	0.03	N/A	N/A	N/A
spirotetramat	Sweet potato	15.07	9	191.5	A
spirotetramat	Swiss chard	38.42	169	495.73	A
spirotetramat	Tangelo	307.64	134	1,963.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>spirotriamet</b>	Tangerine	4,455.83	1,278	28,835.77	A
<b>spirotriamet</b>	Tomatillo	0.12	1	2.0	A
<b>spirotriamet</b>	Tomato	110.37	44	1,402.22	A
<b>spirotriamet</b>	Tomato, processing	116.24	11	1,481.0	A
<b>spirotriamet</b>	Uncultivated ag	12.41	2	153.7	A
<b>spirotriamet</b>	Vegetables, fruiting	<0.01	1	0.02	A
<b>spirotriamet</b>	Vegetables, leafy	<0.01	1	0.02	A
<b>spirotriamet</b>	Walnut	2,431.86	495	18,177.58	A
<b>spirotriamet</b>	Watercress	0.76	2	6.0	A
<b>starch</b>	Broccoli	<0.01	1	5.0	A
<b>starch</b>	Grape, wine	0.03	20	250.82	A
<b>starch</b>	N-grnhs flower	0.02	18	25.0	A
<b>starch</b>	N-grnhs plants in containers	<0.01	1	3.59	A
<b>starch</b>	N-grnhs plants in containers	<0.01	1	20,000.0	S
<b>starch</b>	N-grnhs transplants	<0.01	29	1,295,385.0	S
<b>starch</b>	N-outdr flower	0.95	815	3,871.45	A
<b>starch</b>	N-outdr flower	<0.01	3	13.3	S
<b>starch</b>	N-outdr transplants	0.02	56	2,670,256.0	S
<b>streptomyces griseoviridis strain k61</b>	Cannabis (all or unspecified)	0.12	8	16,155.0	S
<b>streptomyces lydicus wyec 108</b>	Almond	0.86	30	4,644.78	A
<b>streptomyces lydicus wyec 108</b>	Basil, sweet	<0.01	3	5.76	A
<b>streptomyces lydicus wyec 108</b>	Beet	<0.01	2	12.0	A
<b>streptomyces lydicus wyec 108</b>	Blackberry	<0.01	2	13.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>streptomyces lydicus wyec 108</b>	Blueberry	0.01	9	53.76	A
<b>streptomyces lydicus wyec 108</b>	Blueberry	<0.01	2	299.0	S
<b>streptomyces lydicus wyec 108</b>	Broccoli	0.06	38	226.1	A
<b>streptomyces lydicus wyec 108</b>	Brussels sprout	<0.01	2	12.25	A
<b>streptomyces lydicus wyec 108</b>	Cannabis (all or unspecified)	0.02	22	24.09	A
<b>streptomyces lydicus wyec 108</b>	Cannabis (all or unspecified)	0.01	259	667,526.0	S
<b>streptomyces lydicus wyec 108</b>	Cantaloupe	<0.01	3	21.0	A
<b>streptomyces lydicus wyec 108</b>	Celery	0.02	3	59.2	A
<b>streptomyces lydicus wyec 108</b>	Cherry	0.02	4	93.0	A
<b>streptomyces lydicus wyec 108</b>	Chinese cabbage (napa, won bok, celery cabbage)	0.04	41	144.15	A
<b>streptomyces lydicus wyec 108</b>	Cilantro	0.01	5	51.0	A
<b>streptomyces lydicus wyec 108</b>	Collard	<0.01	3	4.42	A
<b>streptomyces lydicus wyec 108</b>	Cucumber	<0.01	1	2,000.0	S
<b>streptomyces lydicus wyec 108</b>	Garlic	0.02	6	73.0	A
<b>streptomyces lydicus wyec 108</b>	Grape, wine	0.05	38	336.29	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>streptomyces lydicus wyec 108</b>	Herb, spice	<0.01	2	2.05	A
<b>streptomyces lydicus wyec 108</b>	Herb, spice	<0.01	1	3,200.0	S
<b>streptomyces lydicus wyec 108</b>	Kale	<0.01	5	57.96	A
<b>streptomyces lydicus wyec 108</b>	Landscape maintenance	0.03	N/A	N/A	N/A
<b>streptomyces lydicus wyec 108</b>	Lettuce, leaf	<0.01	2	26.0	A
<b>streptomyces lydicus wyec 108</b>	Mint	<0.01	2	2.1	A
<b>streptomyces lydicus wyec 108</b>	N-grnhs flower	<0.01	3	14.1	A
<b>streptomyces lydicus wyec 108</b>	N-grnhs flower	<0.01	32	172,768.0	S
<b>streptomyces lydicus wyec 108</b>	N-grnhs plants in containers	0.04	127	100.66	A
<b>streptomyces lydicus wyec 108</b>	N-grnhs plants in containers	0.02	17	169,600.0	S
<b>streptomyces lydicus wyec 108</b>	N-grnhs transplants	0.04	288	200.68	A
<b>streptomyces lydicus wyec 108</b>	N-outdr flower	0.03	34	168.62	A
<b>streptomyces lydicus wyec 108</b>	N-outdr plants in containers	<0.01	8	14.4	A
<b>streptomyces lydicus wyec 108</b>	N-outdr plants in containers	<0.01	1	35,000.0	S
<b>streptomyces lydicus wyec 108</b>	N-outdr transplants	0.07	157	350.87	A
<b>streptomyces lydicus wyec 108</b>	N-outdr transplants	<0.01	103	1,123,600.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>streptomyces lydicus wyec 108</b>	Nectarine	<0.01	12	64.0	A
<b>streptomyces lydicus wyec 108</b>	Onion, dry	<0.01	1	25.0	A
<b>streptomyces lydicus wyec 108</b>	Oregano	<0.01	3	1.05	A
<b>streptomyces lydicus wyec 108</b>	Peach	<0.01	15	77.1	A
<b>streptomyces lydicus wyec 108</b>	Pepper, fruiting	0.01	3	59.57	A
<b>streptomyces lydicus wyec 108</b>	Plum	0.02	1	72.3	A
<b>streptomyces lydicus wyec 108</b>	Potato	0.02	2	90.0	A
<b>streptomyces lydicus wyec 108</b>	Pumpkin	<0.01	1	4.6	A
<b>streptomyces lydicus wyec 108</b>	Raspberry	<0.01	5	24.16	A
<b>streptomyces lydicus wyec 108</b>	Research commodity	0.02	34	79.35	A
<b>streptomyces lydicus wyec 108</b>	Research commodity	<0.01	18	116,000.0	S
<b>streptomyces lydicus wyec 108</b>	Research commodity	<0.01	N/A	N/A	N/A
<b>streptomyces lydicus wyec 108</b>	Rosemary	<0.01	4	7.86	A
<b>streptomyces lydicus wyec 108</b>	Sage	0.01	10	23.86	A
<b>streptomyces lydicus wyec 108</b>	Spinach	0.05	40	173.98	A
<b>streptomyces lydicus wyec 108</b>	Strawberry	0.78	175	3,207.35	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
streptomyces lydicus wyec 108	Strawberry	<0.01	5	9,100.0	S
streptomyces lydicus wyec 108	Strawberry	<0.01	N/A	170,000.0	U
streptomyces lydicus wyec 108	Tomato	<0.01	2	1.99	A
streptomyces lydicus wyec 108	Tomato, processing	0.04	3	381.4	A
streptomyces lydicus wyec 108	Watermelon	<0.01	2	29.0	A
streptomycin	Apple	3.18	1	10.0	A
streptomycin	Landscape maintenance	5.42	N/A	N/A	N/A
streptomycin	N-grnhs transplants	5.38	5	106.2	A
streptomycin	N-outdr plants in containers	1.48	2	8.0	A
streptomycin sulfate	Apple	1,168.7	254	4,565.64	A
streptomycin sulfate	Grape	0.04	1	0.5	A
streptomycin sulfate	Landscape maintenance	30.68	N/A	N/A	N/A
streptomycin sulfate	N-grnhs plants in containers	72.92	95	87.65	A
streptomycin sulfate	N-grnhs plants in containers	18.31	33	2,652,425.0	S
streptomycin sulfate	N-grnhs transplants	97.3	137	709.4	A
streptomycin sulfate	N-grnhs transplants	5.63	24	814,310.0	S
streptomycin sulfate	N-outdr flower	61.75	95	272.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
streptomycin sulfate	N-outdr plants in containers	152.29	127	690.6	A
streptomycin sulfate	N-outdr plants in containers	10.45	14	458,796.0	S
streptomycin sulfate	N-outdr plants in containers	0.67	1	30,550.0	U
streptomycin sulfate	N-outdr transplants	38.05	59	286.25	A
streptomycin sulfate	N-outdr transplants	17.92	60	2,327,660.0	S
streptomycin sulfate	Onion, dry	2.22	2	9.0	A
streptomycin sulfate	Pear	8,662.5	964	35,692.42	A
streptomycin sulfate	Pear, asian (oriental pear, ya, ya li, nashi)	66.33	23	169.37	A
streptomycin sulfate	Pepper, fruiting	4.95	14	24.0	A
streptomycin sulfate	Pistachio	0.06	1	0.5	A
streptomycin sulfate	Research commodity	0.22	1	1.0	A
streptomycin sulfate	Research commodity	0.08	N/A	N/A	N/A
streptomycin sulfate	Tomato	3.76	9	18.25	A
strychnine	Alfalfa	3.52	20	1,232.8	A
strychnine	Almond	89.9	207	10,210.93	A
strychnine	Almond	0.09	2	55.0	U
strychnine	Apple	0.01	21	105.0	A
strychnine	Avocado	1.61	334	1,567.7	A
strychnine	Blueberry	0.85	4	75.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
strychnine	Cherry	1.46	50	1,229.1	A
strychnine	Cherry	<0.01	2	10.0	U
strychnine	Christmas tree	0.05	5	19.0	A
strychnine	Citrus	1.36	136	16,303.0	A
strychnine	County ag comm	0.01	N/A	N/A	N/A
strychnine	Cucumber	0.13	4	26.0	A
strychnine	Date	0.07	12	213.0	A
strychnine	Eggplant	6.45	31	470.0	A
strychnine	Farm/ag building	0.1	1	20.0	A
strychnine	Fig	0.65	10	800.0	A
strychnine	Forest, timberland	0.11	6	108.0	A
strychnine	Golf course turf	0.1	6	220.0	A
strychnine	Grape	10.63	28	872.27	A
strychnine	Grape, wine	30.73	149	5,379.69	A
strychnine	Grape, wine	0.24	N/A	3,294.0	U
strychnine	Grapefruit	0.26	32	853.01	A
strychnine	Grapefruit	<0.01	8	53.0	S
strychnine	Kiwi fruit fuzzy	2.48	5	39.0	A
strychnine	Landscape maintenance	0.2	28	912.5	A
strychnine	Landscape maintenance	210.36	N/A	N/A	N/A
strychnine	Lemon	6.36	239	10,375.75	A
strychnine	N-outdr plants in containers	0.05	3	12.0	A
strychnine	N-outdr plants in containers	<0.01	1	15,000.0	S
strychnine	Nectarine	0.37	2	24.4	A
strychnine	Olive	0.06	2	11.5	A
strychnine	Onion, dry	0.05	1	25.0	A
strychnine	Orange	6.3	346	10,586.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
strychnine	Pastureland	0.4	18	156.0	A
strychnine	Peach	1.49	4	99.0	A
strychnine	Pear	0.3	1	120.0	A
strychnine	Pecan	0.01	1	34.0	A
strychnine	Pepper, fruiting	10.99	30	609.0	A
strychnine	Persimmon	0.03	1	3.0	A
strychnine	Pistachio	38.52	81	6,189.0	A
strychnine	Plum	2.1	6	338.5	A
strychnine	Prune	1.71	5	166.5	A
strychnine	Recreation area	<0.01	N/A	1.0	S
strychnine	Regulatory pest control	1.01	N/A	N/A	N/A
strychnine	Research commodity	0.23	19	67.25	A
strychnine	Rights of way	0.3	2	20.0	A
strychnine	Rights of way	17.38	N/A	N/A	N/A
strychnine	Squash, summer	3.58	16	239.0	A
strychnine	Squash, winter	5.28	34	352.0	A
strychnine	Stone fruit	0.02	3	5.5	A
strychnine	Structural pest control	10.6	N/A	N/A	N/A
strychnine	Sunflower	0.05	1	45.0	A
strychnine	Tangelo	0.24	15	620.0	A
strychnine	Tangerine	1.96	31	334.6	A
strychnine	Tomatillo	0.03	1	2.0	A
strychnine	Tomato, processing	0.13	6	25.0	A
strychnine	Uncultivated ag	1.34	46	400.0	A
strychnine	Uncultivated non-ag	0.13	N/A	4.0	U
strychnine	Unknown	0.03	1	10.0	A
strychnine	Vertebrate control	0.96	51	1,170.3	A
strychnine	Vertebrate control	33.01	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
strychnine	Walnut	13.11	74	4,081.87	A
styrene butadiene copolymer	Alfalfa	6.43	5	137.31	A
styrene butadiene copolymer	Almond	1,237.52	177	11,709.37	A
styrene butadiene copolymer	Apple	48.56	32	764.48	A
styrene butadiene copolymer	Apricot	19.15	32	428.2	A
styrene butadiene copolymer	Blackberry	26.35	8	150.0	A
styrene butadiene copolymer	Blueberry	1.12	1	12.0	A
styrene butadiene copolymer	Broccoli	0.56	2	10.0	A
styrene butadiene copolymer	Cabbage	0.59	5	10.01	A
styrene butadiene copolymer	Cauliflower	1.35	3	23.0	A
styrene butadiene copolymer	Celery	3.06	6	69.46	A
styrene butadiene copolymer	Cherry	423.35	88	1,243.2	A
styrene butadiene copolymer	Citrus	1.87	1	10.0	A
styrene butadiene copolymer	Collard	1.06	7	18.18	A
styrene butadiene copolymer	Corn, human consumption	2.67	1	65.0	A
styrene butadiene copolymer	Cotton	0.18	1	8.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
styrene butadiene copolymer	Forest, timberland	7.49	N/A	30.0	U
styrene butadiene copolymer	Grape	880.01	763	18,459.78	A
styrene butadiene copolymer	Grape, wine	981.78	1,202	27,573.24	A
styrene butadiene copolymer	Grapefruit	120.7	67	899.2	A
styrene butadiene copolymer	Landscape maintenance	23.15	N/A	N/A	N/A
styrene butadiene copolymer	Lemon	1,117.59	395	9,098.8	A
styrene butadiene copolymer	Lime	0.37	1	5.0	A
styrene butadiene copolymer	N-grnhs flower	21.1	40	58.0	A
styrene butadiene copolymer	N-grnhs flower	0.06	6	35,724.0	S
styrene butadiene copolymer	N-grnhs plants in containers	0.73	1	3.59	A
styrene butadiene copolymer	N-grnhs plants in containers	88.0	801	55,029,576.0	S
styrene butadiene copolymer	N-grnhs transplants	4.96	29	1,295,385.0	S
styrene butadiene copolymer	N-outdr flower	602.74	2,699	5,667.59	A
styrene butadiene copolymer	N-outdr flower	<0.01	3	13.3	S
styrene butadiene copolymer	N-outdr plants in containers	47.71	135	215.21	A
styrene butadiene copolymer	N-outdr plants in containers	41.68	434	25,374,051.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
styrene butadiene copolymer	N-outdr transplants	14.46	59	167.96	A
styrene butadiene copolymer	N-outdr transplants	10.9	56	2,670,256.0	S
styrene butadiene copolymer	Nectarine	19.44	20	383.0	A
styrene butadiene copolymer	Olive	391.14	28	2,195.44	A
styrene butadiene copolymer	Onion, dry	154.89	43	2,406.65	A
styrene butadiene copolymer	Orange	5,896.13	1,764	40,229.05	A
styrene butadiene copolymer	Parsley	0.92	7	15.4	A
styrene butadiene copolymer	Peach	61.78	90	1,467.1	A
styrene butadiene copolymer	Pear, asian (oriental pear, ya, ya li, nashi)	1.27	3	20.0	A
styrene butadiene copolymer	Pecan	7.39	1	18.0	A
styrene butadiene copolymer	Pistachio	977.39	476	29,913.75	A
styrene butadiene copolymer	Plum	5.72	23	197.1	A
styrene butadiene copolymer	Pomelo	23.53	20	188.5	A
styrene butadiene copolymer	Prune	17.54	3	186.0	A
styrene butadiene copolymer	Quince	0.48	2	10.0	A
styrene butadiene copolymer	Raspberry	13.41	10	79.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
styrene butadiene copolymer	Research commodity	0.37	4	3.2	A
styrene butadiene copolymer	Rights of way	113.16	N/A	N/A	N/A
styrene butadiene copolymer	Strawberry	47.66	13	325.8	A
styrene butadiene copolymer	Tangelo	102.82	46	760.63	A
styrene butadiene copolymer	Tangerine	1,864.21	632	24,862.12	A
styrene butadiene copolymer	Tomato	115.61	56	3,060.0	A
styrene butadiene copolymer	Uncultivated ag	5.24	1	70.0	A
styrene butadiene copolymer	Walnut	1,154.09	246	9,267.0	A
sugar	N-outdr flower	0.22	1	10.24	A
sugar	Pistachio	117.5	2	47.0	A
sugar	Structural pest control	2.34	N/A	N/A	N/A
sulfaquinoxaline	Landscape maintenance	<0.01	N/A	N/A	N/A
sulfaquinoxaline	Structural pest control	0.21	N/A	N/A	N/A
sulfentrazone	Golf course turf	0.46	N/A	19.25	A
sulfentrazone	Grape	9.94	2	80.0	A
sulfentrazone	Grape, wine	147.79	15	477.83	A
sulfentrazone	Horseradish	7.17	1	58.0	A
sulfentrazone	Landscape maintenance	627.69	N/A	N/A	N/A
sulfentrazone	N-grnhs flower	3.73	N/A	48.7	A
sulfentrazone	N-outdr flower	0.06	1	0.24	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfentrazone	Research commodity	0.7	1	2.5	A
sulfentrazone	Rights of way	2,365.25	N/A	N/A	N/A
sulfentrazone	Structural pest control	<0.01	N/A	N/A	N/A
sulfentrazone	Turf/sod	18.35	4	89.0	A
sulfentrazone	Turf/sod	0.02	N/A	291,500.0	S
sulfentrazone	Walnut	44.55	5	121.03	A
sulfluramid	Landscape maintenance	<0.01	N/A	N/A	N/A
sulfluramid	Structural pest control	0.04	N/A	N/A	N/A
sulfometuron-methyl	Forest, timberland	56.57	51	748.3	A
sulfometuron-methyl	Grape, wine	0.23	1	3.0	A
sulfometuron-methyl	Industrial site	9.85	1	57.0	A
sulfometuron-methyl	Landscape maintenance	1,391.45	N/A	N/A	N/A
sulfometuron-methyl	Public health	2.8	N/A	N/A	N/A
sulfometuron-methyl	Regulatory pest control	4.08	N/A	N/A	N/A
sulfometuron-methyl	Rights of way	6,207.02	N/A	N/A	N/A
sulfometuron-methyl	Structural pest control	6.01	N/A	N/A	N/A
sulfometuron-methyl	Uncultivated ag	15.98	7	111.75	A
sulfometuron-methyl	Uncultivated non-ag	2.81	3	28.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfosulfuron	Landscape maintenance	4.44	N/A	N/A	N/A
sulfosulfuron	N-grnhs flower	0.37	N/A	23.2	A
sulfosulfuron	N-grnhs flower	0.02	N/A	45,000.0	S
sulfosulfuron	Rights of way	87.4	N/A	N/A	N/A
sulfoxaflor	Arugula	13.73	77	440.19	A
sulfoxaflor	Bean, dried	7.88	3	112.0	A
sulfoxaflor	Bok choy	13.96	179	353.45	A
sulfoxaflor	Broccoli	448.34	1,176	13,314.14	A
sulfoxaflor	Brussels sprout	326.35	591	8,012.56	A
sulfoxaflor	Cabbage	117.75	428	2,859.11	A
sulfoxaflor	Cauliflower	147.98	392	4,248.44	A
sulfoxaflor	Celery	769.97	1,718	17,196.55	A
sulfoxaflor	Chinese cabbage (napa, won bok, celery cabbage)	24.82	159	652.19	A
sulfoxaflor	Collard	9.42	117	237.22	A
sulfoxaflor	Dandelion green	0.59	19	18.83	A
sulfoxaflor	Endive (escarole)	6.05	101	182.09	A
sulfoxaflor	Grape	6.01	3	67.0	A
sulfoxaflor	Grape, wine	15.62	9	175.83	A
sulfoxaflor	Kale	60.77	487	1,771.18	A
sulfoxaflor	Kohlrabi	1.84	30	58.92	A
sulfoxaflor	Lettuce, head	1,648.54	4,670	51,422.31	A
sulfoxaflor	Lettuce, leaf	2,077.29	6,726	63,333.01	A
sulfoxaflor	Mizuna	0.44	13	14.08	A
sulfoxaflor	Mustard	1.45	37	46.33	A
sulfoxaflor	Mustard greens	6.41	110	194.24	A
sulfoxaflor	Parsley	10.15	64	258.49	A
sulfoxaflor	Pecan	77.54	23	1,672.93	A
sulfoxaflor	Pepper, fruiting	40.33	31	711.74	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfoxaflor	Pepper, spice	2.54	4	50.85	A
sulfoxaflor	Pistachio	319.76	29	3,588.52	A
sulfoxaflor	Radicchio	3.81	14	120.7	A
sulfoxaflor	Rapini	54.31	114	1,705.35	A
sulfoxaflor	Research commodity	0.16	1	5.0	A
sulfoxaflor	Research commodity	0.01	N/A	N/A	N/A
sulfoxaflor	Spinach	287.15	839	8,768.01	A
sulfoxaflor	Swiss chard	12.1	253	403.56	A
sulfoxaflor	Upland cress	1.6	26	50.97	A
sulfoxide	Structural pest control	<0.01	N/A	N/A	N/A
sulfoxide, other related	Structural pest control	<0.01	N/A	N/A	N/A
sulfur	Alfalfa	287,970.81	359	20,751.6	A
sulfur	Almond	1,350,258.15	2,215	146,200.51	A
sulfur	Apple	31,376.55	434	5,855.6	A
sulfur	Apricot	494.8	11	124.2	A
sulfur	Artichoke, globe	3,699.96	69	538.45	A
sulfur	Avocado	3,601.6	17	156.5	A
sulfur	Barley	732.0	3	183.0	A
sulfur	Basil, sweet	19.44	14	10.42	A
sulfur	Bean, dried	2,082.5	1	69.0	A
sulfur	Bean, succulent	5,477.22	71	951.33	A
sulfur	Bean, unspecified	1,717.99	91	393.75	A
sulfur	Beet	49.6	4	12.4	A
sulfur	Bermudagrass	428,604.57	226	17,892.8	A
sulfur	Blackberry	8,417.16	234	1,814.53	A
sulfur	Blueberry	3,848.76	7	345.53	A
sulfur	Broccoli	13,738.24	397	5,113.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfur	Brussels sprout	50,641.88	797	10,028.51	A
sulfur	Cabbage	188.82	10	85.97	A
sulfur	Cannabis (all or unspecified)	999.39	384	626.49	A
sulfur	Cannabis (all or unspecified)	0.06	4	11,680.0	C
sulfur	Cannabis (all or unspecified)	1,070.83	812	5,632,417.12	S
sulfur	Cannabis (all or unspecified)	5.42	16	7,234.0	U
sulfur	Cantaloupe	22,717.22	79	3,008.93	A
sulfur	Carrot	662,673.75	2,164	110,943.6	A
sulfur	Cauliflower	1,221.42	20	194.71	A
sulfur	Celery	2,247.65	64	578.56	A
sulfur	Cherry	66,315.87	598	12,390.72	A
sulfur	Chervil	2.48	5	1.35	A
sulfur	Chive	6.75	6	3.85	A
sulfur	Collard	16.0	2	2.0	A
sulfur	Corn (forage - fodder)	5,255.34	9	756.0	A
sulfur	Corn, human consumption	1,442.32	23	229.2	A
sulfur	Cotton	43.52	3	25.28	A
sulfur	County ag comm	0.29	N/A	N/A	N/A
sulfur	Cucumber	796.54	33	272.43	A
sulfur	Date	2,536.0	10	272.5	A
sulfur	Dill	30.79	23	11.05	A
sulfur	Eggplant	1,973.82	11	172.84	A
sulfur	Fava bean	267.07	16	84.0	A
sulfur	Fennel	5.8	5	1.45	A
sulfur	Garlic	16,029.18	43	2,222.42	A
sulfur	Grape	10,327,953.43	39,699	1,660,478.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfur	Grape, wine	22,161,939.13	74,164	2,530,397.0	A
sulfur	Grape, wine	3.0	4	28,000.0	S
sulfur	Grape, wine	4.8	2	7.0	U
sulfur	Grapefruit	4,504.85	19	435.25	A
sulfur	Grass, seed	22,316.36	8	759.06	A
sulfur	Herb, spice	19.0	3	11.72	A
sulfur	Hops	12.0	1	5.0	A
sulfur	Industrial hemp	6.0	11	115,600.0	S
sulfur	Kale	8,286.22	409	1,824.4	A
sulfur	Landscape maintenance	1.12	2	0.26	A
sulfur	Landscape maintenance	6,967.24	N/A	N/A	N/A
sulfur	Lemon	41,776.31	166	4,623.08	A
sulfur	Lettuce, head	1,189.97	13	359.44	A
sulfur	Lettuce, leaf	4,611.44	83	1,186.68	A
sulfur	Lime	48.0	1	8.0	A
sulfur	Mango	2,128.0	5	212.0	A
sulfur	Melon	33,492.05	203	6,104.34	A
sulfur	Mint	250.47	79	92.27	A
sulfur	N-grnhs flower	339.66	80	114.35	A
sulfur	N-grnhs plants in containers	0.12	1	0.05	A
sulfur	N-grnhs plants in containers	17.55	12	56,500.0	S
sulfur	N-grnhs transplants	382.06	862	228.52	A
sulfur	N-grnhs transplants	10.43	7	258,017.0	S
sulfur	N-outdr flower	2,111.5	390	1,032.8	A
sulfur	N-outdr plants in containers	4,807.36	150	1,414.06	A
sulfur	N-outdr plants in containers	<0.01	2	600.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfur	N-outdr transplants	42,366.25	409	10,074.17	A
sulfur	N-outdr transplants	180.99	62	3,285,710.0	S
sulfur	Nectarine	66,928.73	1,635	19,465.58	A
sulfur	Olive	449.75	24	44.6	A
sulfur	Onion, dry	86,266.52	209	14,374.0	A
sulfur	Onion, green	168.0	3	40.0	A
sulfur	Orange	9,180.37	52	1,739.72	A
sulfur	Oregano	44.86	31	26.47	A
sulfur	Peach	194,082.27	2,264	34,584.15	A
sulfur	Pear	49,272.06	228	4,995.35	A
sulfur	Peas	50,389.56	541	5,537.77	A
sulfur	Pepper, fruiting	60,395.11	256	6,303.49	A
sulfur	Pepper, spice	245.0	2	10.0	A
sulfur	Pistachio	1,522,936.07	2,097	242,063.59	A
sulfur	Plum	56,015.85	1,056	14,166.92	A
sulfur	Pluot	68.6	3	23.5	A
sulfur	Pome fruit	6.4	1	0.9	A
sulfur	Pomegranate	295,990.49	356	27,456.74	A
sulfur	Potato	40.8	7	10.25	A
sulfur	Prune	56,737.07	128	7,393.05	A
sulfur	Pumpkin	69,962.87	80	3,348.44	A
sulfur	Radish	70.8	2	28.5	A
sulfur	Rangeland	3.2	2	1.7	A
sulfur	Raspberry	8,813.05	124	1,707.6	A
sulfur	Raspberry	2.44	1	22,184.0	S
sulfur	Regulatory pest control	4.03	N/A	N/A	N/A
sulfur	Research commodity	102.49	31	26.69	A
sulfur	Research commodity	0.32	2	1,878.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfur	Research commodity	33.8	N/A	N/A	N/A
sulfur	Rights of way	709.41	N/A	N/A	N/A
sulfur	Rosemary	11.7	15	6.15	A
sulfur	Sage	47.15	45	23.31	A
sulfur	Spinach	340.1	7	32.64	A
sulfur	Squash	5,525.97	60	466.74	A
sulfur	Squash, summer	6,622.36	62	484.65	A
sulfur	Squash, winter	3,478.81	48	540.44	A
sulfur	Stone fruit	788.4	9	107.05	A
sulfur	Strawberry	704,706.11	5,221	175,721.43	A
sulfur	Strawberry	25.22	9	441,780.0	S
sulfur	Structural pest control	128.0	2	65.0	A
sulfur	Structural pest control	51.87	N/A	N/A	N/A
sulfur	Sugarbeet	530,670.51	343	23,845.41	A
sulfur	Sunflower	1,575.02	3	55.75	A
sulfur	Swiss chard	42.55	7	6.65	A
sulfur	Tangelo	1,059.97	4	117.0	A
sulfur	Tangerine	27,920.12	73	3,128.99	A
sulfur	Tarragon	11.81	14	6.25	A
sulfur	Thyme	43.88	37	24.64	A
sulfur	Tomatillo	1.6	2	0.4	A
sulfur	Tomato	475,475.37	607	23,653.93	A
sulfur	Tomato, processing	7,270,095.95	3,158	298,178.46	A
sulfur	Uncultivated ag	934.6	15	378.74	A
sulfur	Vertebrate control	20.45	N/A	N/A	N/A
sulfur	Walnut	6,494.75	18	1,461.23	A
sulfur	Watermelon	104,074.99	178	7,712.34	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sulfur dioxide	Commodity fumigation	171.5	1	2.56	A
sulfur dioxide	Commodity fumigation	168,674.0	N/A	N/A	N/A
sulfur dioxide	Farm/ag building	308.88	N/A	884,520.0	U
sulfur dioxide	Food processing plant	391.0	N/A	396,400.0	C
sulfur dioxide	Fumigation, other	11.88	6	1,200.0	U
sulfur dioxide	Fumigation, other	81,092.33	N/A	N/A	N/A
sulfur dioxide	Grape	962.2	2	96.94	A
sulfur dioxide	Grape	1,600.0	N/A	2,286,900.0	C
sulfur dioxide	Grape	2,884.52	N/A	39,836.95	K
sulfur dioxide	Grape	9,043.63	N/A	79,482,340.8	P
sulfur dioxide	Grape	3,488.6	N/A	726,322.0	S
sulfur dioxide	Grape	66,311.9	N/A	822,005.27	T
sulfur dioxide	Grape	21,703.05	N/A	5,667,545.56	U
sulfur dioxide	Grape, wine	0.99	N/A	1.0	A
sulfur dioxide	Grape, wine	161.68	N/A	482.0	T
sulfur dioxide	Grape, wine	21.32	N/A	514.0	U
sulfur dioxide	Industrial site	60.94	N/A	61.0	P
sulfur dioxide	Industrial site	27.0	N/A	2,055.0	U
sulfur dioxide	Landscape maintenance	1,213.07	N/A	N/A	N/A
sulfur dioxide	Regulatory pest control	15.84	N/A	N/A	N/A
sulfur dioxide	Research commodity	1.5	N/A	N/A	N/A
sulfur dioxide	Rights of way	204.0	N/A	N/A	N/A
sulfur dioxide	Storage area/box	101.86	N/A	126.0	U
sulfur dioxide	Structural pest control	2,993.31	N/A	N/A	N/A
sulfur dioxide	Uncultivated ag	1.62	2	200,000.0	C

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfur dioxide	Unknown	19.8	N/A	100.0	U
sulfur dioxide	Vertebrate control	<0.01	N/A	N/A	N/A
sulfuric acid	Alfalfa	283.01	338	19,351.89	A
sulfuric acid	Almond	1,979.41	1,761	58,975.27	A
sulfuric acid	Apple	0.1	3	4.5	A
sulfuric acid	Apricot	0.67	6	25.97	A
sulfuric acid	Blueberry	11.92	24	287.03	A
sulfuric acid	Cabbage	0.44	1	50.0	A
sulfuric acid	Cantaloupe	4.93	3	373.0	A
sulfuric acid	Cherry	27.44	28	921.93	A
sulfuric acid	Corn (forage - fodder)	371.54	465	24,762.65	A
sulfuric acid	Corn, grain	12.42	41	1,085.0	A
sulfuric acid	Corn, human consumption	3.7	5	250.0	A
sulfuric acid	Cotton	110.25	117	5,607.43	A
sulfuric acid	Fig	12.99	16	492.0	A
sulfuric acid	Garbanzo bean	6.23	4	390.0	A
sulfuric acid	Garlic	3.28	2	231.0	A
sulfuric acid	Grape	115.03	228	3,417.67	A
sulfuric acid	Grape, wine	161.97	259	4,927.97	A
sulfuric acid	Grapefruit	1.43	11	37.0	A
sulfuric acid	Jujube	1.06	1	50.0	A
sulfuric acid	Landscape maintenance	0.62	4	28.0	A
sulfuric acid	Lemon	5.13	18	181.07	A
sulfuric acid	Melon	17.07	8	549.0	A
sulfuric acid	N-outdr flower	0.05	1	2.0	A
sulfuric acid	N-outdr plants in containers	1.0	2	76.0	A
sulfuric acid	Nectarine	19.38	105	521.54	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfuric acid	Oat	0.95	2	25.0	A
sulfuric acid	Oat (forage - fodder)	4.27	11	397.6	A
sulfuric acid	Olive	13.17	19	589.4	A
sulfuric acid	Onion, dry	11.53	8	699.0	A
sulfuric acid	Orange	89.95	187	3,086.95	A
sulfuric acid	Pastureland	<0.01	1	4.0	A
sulfuric acid	Peach	110.05	201	2,611.41	A
sulfuric acid	Pepper, fruiting	0.39	1	44.0	A
sulfuric acid	Persimmon	0.82	4	31.2	A
sulfuric acid	Pistachio	2,095.14	734	41,622.05	A
sulfuric acid	Plum	4.48	39	119.72	A
sulfuric acid	Pluot	0.07	3	3.25	A
sulfuric acid	Pomegranate	2.51	3	99.5	A
sulfuric acid	Potato	30.27	4	389.06	A
sulfuric acid	Prune	3.17	6	60.0	A
sulfuric acid	Rights of way	10.32	23	341.0	A
sulfuric acid	Rights of way	4.2	N/A	N/A	N/A
sulfuric acid	Soil fumigation/preplant	7.03	24	399.45	A
sulfuric acid	Sorghum (forage - fodder)	17.55	13	1,312.0	A
sulfuric acid	Sorghum/milo	15.53	19	1,381.09	A
sulfuric acid	Squash	4.8	6	340.0	A
sulfuric acid	Sudangrass	11.4	12	863.0	A
sulfuric acid	Sweet potato	8.29	10	523.0	A
sulfuric acid	Tangerine	17.76	31	690.06	A
sulfuric acid	Tomato	2.22	4	190.0	A
sulfuric acid	Tomato, processing	63.23	32	2,957.3	A
sulfuric acid	Triticale	1.23	2	140.0	A
sulfuric acid	Uncultivated ag	105.47	34	2,912.87	A
sulfuric acid	Uncultivated non-ag	0.21	1	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfuric acid	Walnut	136.17	144	5,755.99	A
sulfuric acid	Watermelon	0.65	3	74.0	A
sulfuric acid	Wheat	1.32	5	150.0	A
sulfuric acid	Wheat (forage - fodder)	146.84	202	13,302.76	A
sulfuryl fluoride	Almond	35,218.22	N/A	5,563,881.0	C
sulfuryl fluoride	Almond	88,652.84	N/A	235,317.2	K
sulfuryl fluoride	Almond	1,654.24	N/A	81,630.5	T
sulfuryl fluoride	Almond	<0.01	N/A	0.01	U
sulfuryl fluoride	Commercial storages or warehouses (all or unspec)	19.96	N/A	4,000.0	C
sulfuryl fluoride	Commodity fumigation	599.8	4	46,760.0	C
sulfuryl fluoride	Commodity fumigation	761.97	1	2,519.0	K
sulfuryl fluoride	Commodity fumigation	221,528.0	N/A	N/A	N/A
sulfuryl fluoride	Date	1,049.42	N/A	982.97	T
sulfuryl fluoride	Dried fruit	2,606.78	N/A	580,720.9	C
sulfuryl fluoride	Food processing plant	29.94	N/A	50.0	T
sulfuryl fluoride	Fumigation, other	131,168.9	N/A	N/A	N/A
sulfuryl fluoride	Grape	14.85	1	27.0	A
sulfuryl fluoride	Industrial site	37.92	1	17,680.0	C
sulfuryl fluoride	Industrial site	4,366.25	N/A	1,459.99	K
sulfuryl fluoride	Landscape maintenance	184.63	N/A	N/A	N/A
sulfuryl fluoride	N-grnhs flower	158.4	6	8.0	A
sulfuryl fluoride	Pistachio	28,696.49	N/A	13,285,671.0	C
sulfuryl fluoride	Prune	1,516.84	N/A	1,119,384.0	C

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfuryl fluoride	Prune	998.0	N/A	1,100.0	T
sulfuryl fluoride	Regulatory pest control	787.62	N/A	N/A	N/A
sulfuryl fluoride	Rice	119.76	N/A	60,000.0	C
sulfuryl fluoride	Storage area/box	3,149.69	N/A	21,051.0	C
sulfuryl fluoride	Structural pest control	2,236,379.6	N/A	N/A	N/A
sulfuryl fluoride	Vertebrate control	5,775.43	N/A	N/A	N/A
sulfuryl fluoride	Walnut	16,528.88	N/A	5,474,884.0	C
sulfuryl fluoride	Walnut	24,824.25	N/A	415,340.81	K
sulfuryl fluoride	Walnut	871.25	N/A	1,000,000.0	P
sulfuryl fluoride	Walnut	124.75	N/A	27,000.0	S
sulfuryl fluoride	Walnut	8,929.11	N/A	13,498.0	T
sulfuryl fluoride	Walnut	1,027.94	N/A	2,169.0	U
synthetic vegetable gums	Alfalfa	2.65	2	136.0	A
tall oil	Alfalfa	6,722.16	1,793	87,481.14	A
tall oil	Almond	8,142.39	2,207	97,208.56	A
tall oil	Apple	18.37	24	394.13	A
tall oil	Apricot	17.83	13	174.48	A
tall oil	Avocado	51.5	44	651.7	A
tall oil	Basil, sweet	0.31	136	197.46	A
tall oil	Bean, dried	24.88	3	158.0	A
tall oil	Bean, succulent	0.46	1	9.0	A
tall oil	Beet	0.78	288	484.49	A
tall oil	Bermudagrass	313.26	77	4,971.5	A
tall oil	Blueberry	9.55	4	30.54	A
tall oil	Bok choy	1.35	349	490.3	A
tall oil	Broccoli	52.67	45	869.92	A
tall oil	Cabbage	6.04	1,030	1,585.81	A
tall oil	Canola (rape)	10.95	1	72.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil	Cantaloupe	7.38	2	148.0	A
tall oil	Carrot	295.17	23	1,978.8	A
tall oil	Celeriac	0.17	91	100.95	A
tall oil	Celery	11.63	11	170.0	A
tall oil	Cherimoya	2.28	12	78.4	A
tall oil	Cherry	1,002.15	467	8,212.68	A
tall oil	Chestnut	0.54	1	14.0	A
tall oil	Chinese cabbage (napa, won bok, celery cabbage)	0.58	180	241.59	A
tall oil	Cilantro	0.11	38	71.84	A
tall oil	Clover	1.04	1	8.9	A
tall oil	Collard	4.18	651	1,266.1	A
tall oil	Corn (forage - fodder)	131.48	51	2,620.68	A
tall oil	Corn, human consumption	317.56	56	3,124.3	A
tall oil	Cotton	1,240.15	161	13,401.95	A
tall oil	Cucumber	1.72	2	20.23	A
tall oil	Dandelion green	0.2	119	116.8	A
tall oil	Ditch bank	0.02	1	10.0	A
tall oil	Eggplant	1.8	2	35.0	A
tall oil	Endive (escarole)	0.03	54	16.76	A
tall oil	Fig	8.18	3	66.74	A
tall oil	Forage hay/silage	101.68	32	1,610.0	A
tall oil	Garbanzo bean	37.06	3	316.0	A
tall oil	Garlic	173.84	51	2,737.21	A
tall oil	Golf course turf	0.25	N/A	6.2	A
tall oil	Grape	1,313.98	404	9,809.32	A
tall oil	Grape, wine	7,887.16	2,349	87,441.39	A
tall oil	Grapefruit	8.76	15	73.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil	Grass, seed	9.38	1	68.0	A
tall oil	Guava	14.59	28	200.0	A
tall oil	Hops	0.02	1	1.5	A
tall oil	Kale	5.14	986	1,424.35	A
tall oil	Kiwi fruit fuzzy	762.98	507	3,419.43	A
tall oil	Kohlrabi	0.84	151	151.59	A
tall oil	Kumquat	0.03	1	1.0	A
tall oil	Landscape maintenance	173.32	N/A	N/A	N/A
tall oil	Lemon	2.42	2	16.5	A
tall oil	Lettuce, head	7.68	6	150.0	A
tall oil	Lettuce, leaf	6.17	594	961.9	A
tall oil	Lime	7.0	24	134.0	A
tall oil	Melon	274.72	138	4,496.49	A
tall oil	Mint	<0.01	4	4.7	A
tall oil	Mustard	0.61	189	239.74	A
tall oil	Mustard greens	1.54	288	537.58	A
tall oil	N-grnhs transplants	2.09	91	164.0	A
tall oil	N-outdr flower	32.81	6	387.0	A
tall oil	N-outdr plants in containers	3.44	82	77.0	A
tall oil	Nectarine	159.16	186	1,104.69	A
tall oil	Oat (forage - fodder)	39.31	29	1,636.67	A
tall oil	Olive	330.41	71	3,529.85	A
tall oil	Onion, dry	299.14	50	3,393.4	A
tall oil	Orange	96.22	83	1,246.0	A
tall oil	Orchardgrass	0.43	1	28.0	A
tall oil	Parsley	2.26	733	1,375.94	A
tall oil	Pastureland	9.41	6	323.0	A
tall oil	Peach	751.11	404	4,943.55	A
tall oil	Pear	564.91	569	22,428.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil	Peas	1.11	4	25.0	A
tall oil	Peas (forage - fodder)	14.38	2	92.0	A
tall oil	Pecan	4.23	2	49.13	A
tall oil	Persimmon	8.66	10	116.93	A
tall oil	Pistachio	1,797.79	329	20,453.12	A
tall oil	Plum	38.29	37	275.49	A
tall oil	Pome fruit	0.41	1	5.5	A
tall oil	Pomegranate	59.93	13	401.74	A
tall oil	Potato	110.08	11	704.0	A
tall oil	Prune	82.83	33	649.64	A
tall oil	Public health	129.58	N/A	N/A	N/A
tall oil	Pumpkin	31.91	6	302.0	A
tall oil	Radicchio	<0.01	1	0.51	A
tall oil	Radish	0.25	1	4.0	A
tall oil	Rangeland	1.54	1	27.0	A
tall oil	Regulatory pest control	4.42	N/A	N/A	N/A
tall oil	Rice	14,823.74	1,264	82,943.8	A
tall oil	Rights of way	73.27	13	1,032.62	A
tall oil	Rights of way	133.23	N/A	N/A	N/A
tall oil	Ryegrass	3.99	2	65.0	A
tall oil	Safflower	5.93	2	35.0	A
tall oil	Soil fumigation/preplant	35.84	5	459.5	A
tall oil	Sorghum/milo	41.78	5	444.3	A
tall oil	Spinach	0.29	124	152.3	A
tall oil	Squash	11.49	6	250.07	A
tall oil	Squash, summer	1.95	1	95.0	A
tall oil	Structural pest control	25.79	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tall oil	Sudangrass	29.68	7	435.0	A
tall oil	Sugarbeet	184.55	75	4,407.9	A
tall oil	Sunflower	329.21	39	2,913.23	A
tall oil	Swiss chard	2.24	888	1,061.27	A
tall oil	Tangerine	67.43	32	519.55	A
tall oil	Tomato	40.44	10	407.1	A
tall oil	Tomato, processing	63.99	25	1,217.5	A
tall oil	Triticale	18.52	16	963.8	A
tall oil	Tropical/subtropical fruit	1.94	11	61.04	A
tall oil	Turf/sod	0.01	N/A	1.0	A
tall oil	Turf/sod	0.03	N/A	75,000.0	S
tall oil	Turnip	0.89	255	434.63	A
tall oil	Uncultivated ag	414.65	241	7,979.72	A
tall oil	Uncultivated non-ag	95.84	6	1,105.0	A
tall oil	Vertebrate control	<0.01	N/A	N/A	N/A
tall oil	Walnut	4,208.28	1,437	53,915.14	A
tall oil	Water area	12.91	2	210.0	A
tall oil	Watermelon	30.63	8	499.0	A
tall oil	Wheat	123.03	25	1,353.0	A
tall oil	Wheat (forage - fodder)	31.74	12	608.3	A
tall oil fatty acids	Alfalfa	11,464.26	3,311	185,162.07	A
tall oil fatty acids	Almond	71,246.83	11,523	623,054.01	A
tall oil fatty acids	Apple	64.86	60	908.2	A
tall oil fatty acids	Apple	0.01	1	1.0	U
tall oil fatty acids	Apricot	87.8	71	1,270.99	A
tall oil fatty acids	Artichoke, globe	493.84	370	5,998.06	A
tall oil fatty acids	Arugula	0.41	23	171.7	A
tall oil fatty acids	Asparagus	9.0	10	331.5	A
tall oil fatty acids	Avocado	201.61	169	3,556.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tall oil fatty acids	Barley	119.09	26	4,029.2	A
tall oil fatty acids	Barley (forage - fodder)	20.4	13	551.15	A
tall oil fatty acids	Basil, sweet	0.99	3	111.5	A
tall oil fatty acids	Bean, dried	195.82	89	3,858.81	A
tall oil fatty acids	Bean, succulent	15.25	24	615.5	A
tall oil fatty acids	Bean, unspecified	3.22	6	237.5	A
tall oil fatty acids	Bermudagrass	760.4	131	7,297.8	A
tall oil fatty acids	Blackberry	70.4	81	715.62	A
tall oil fatty acids	Blueberry	107.58	50	1,610.76	A
tall oil fatty acids	Broccoli	243.16	266	4,695.74	A
tall oil fatty acids	Brussels sprout	13.65	10	161.2	A
tall oil fatty acids	Cabbage	12.27	47	411.5	A
tall oil fatty acids	Cantaloupe	142.8	59	3,127.45	A
tall oil fatty acids	Carrot	552.27	200	9,607.9	A
tall oil fatty acids	Cauliflower	36.73	148	1,687.05	A
tall oil fatty acids	Celery	110.11	267	2,657.1	A
tall oil fatty acids	Cherry	800.86	713	10,847.51	A
tall oil fatty acids	Christmas tree	7.56	3	120.0	A
tall oil fatty acids	Cilantro	74.67	380	1,819.65	A
tall oil fatty acids	Citrus	3.32	92	198.25	A
tall oil fatty acids	Cole crop	<0.01	1	0.5	A
tall oil fatty acids	Collard	2.08	3	66.0	A
tall oil fatty acids	Corn (forage - fodder)	3,766.45	1,775	90,990.82	A
tall oil fatty acids	Corn, grain	337.12	315	12,267.8	A
tall oil fatty acids	Corn, human consumption	2,329.58	1,018	29,046.47	A
tall oil fatty acids	Cotton	3,204.88	1,197	73,731.13	A
tall oil fatty acids	Cucumber	12.52	16	300.56	A
tall oil fatty acids	Dill	3.39	1	15.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil fatty acids	Ditch bank	<0.01	1	1.0	A
tall oil fatty acids	Ditch bank	84.98	2	1,070.0	U
tall oil fatty acids	Eggplant	1.7	2	26.0	A
tall oil fatty acids	Fennel	0.41	2	9.68	A
tall oil fatty acids	Fig	20.13	16	599.6	A
tall oil fatty acids	Forage hay/silage	194.01	113	4,518.8	A
tall oil fatty acids	Forest, timberland	108.61	20	493.98	A
tall oil fatty acids	Garbanzo bean	30.27	8	846.0	A
tall oil fatty acids	Garlic	341.37	61	4,998.98	A
tall oil fatty acids	Golf course turf	7.03	N/A	40.4	A
tall oil fatty acids	Grain	5.28	2	106.55	A
tall oil fatty acids	Grape	5,403.58	1,508	45,734.56	A
tall oil fatty acids	Grape, wine	12,137.88	6,703	166,513.2	A
tall oil fatty acids	Grapefruit	61.71	88	955.42	A
tall oil fatty acids	Grass, seed	34.81	46	412.35	A
tall oil fatty acids	Herb, spice	0.02	4	2.75	A
tall oil fatty acids	Industrial site	0.94	1	20.0	A
tall oil fatty acids	Kale	0.15	5	64.75	A
tall oil fatty acids	Kiwi fruit fuzzy	18.57	14	389.5	A
tall oil fatty acids	Landscape maintenance	0.02	1	1.0	A
tall oil fatty acids	Landscape maintenance	1,637.33	N/A	N/A	N/A
tall oil fatty acids	Lemon	807.06	617	8,861.62	A
tall oil fatty acids	Lettuce, head	47.65	42	799.15	A
tall oil fatty acids	Lettuce, leaf	68.61	123	1,964.26	A
tall oil fatty acids	Lime	1.46	2	9.5	A
tall oil fatty acids	Melon	36.48	30	1,625.5	A
tall oil fatty acids	Mint	146.07	29	1,787.5	A
tall oil fatty acids	Mizuna	0.01	2	4.16	A
tall oil fatty acids	Mustard	0.19	1	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil fatty acids	Mustard greens	<0.01	2	1.42	A
tall oil fatty acids	N-grnhs flower	5.63	N/A	145.0	A
tall oil fatty acids	N-grnhs flower	2.79	N/A	202.0	U
tall oil fatty acids	N-grnhs plants in containers	1.19	19	25.79	A
tall oil fatty acids	N-grnhs plants in containers	0.04	4	37,104.0	S
tall oil fatty acids	N-grnhs transplants	0.1	39	898,800.0	S
tall oil fatty acids	N-outdr flower	1.21	191	1,575.25	A
tall oil fatty acids	N-outdr plants in containers	101.8	350	910.93	A
tall oil fatty acids	N-outdr plants in containers	0.03	11	183,805.0	S
tall oil fatty acids	N-outdr transplants	184.81	218	4,925.91	A
tall oil fatty acids	N-outdr transplants	6.15	299	43,599,160.0	S
tall oil fatty acids	Nectarine	964.77	1,084	13,457.21	A
tall oil fatty acids	Nuts	1.67	1	8.0	A
tall oil fatty acids	Oat	1.88	6	81.0	A
tall oil fatty acids	Oat (forage - fodder)	345.49	321	12,128.16	A
tall oil fatty acids	Olive	591.22	181	7,424.66	A
tall oil fatty acids	Onion, dry	995.92	185	12,624.03	A
tall oil fatty acids	Orange	2,909.53	1,551	32,130.47	A
tall oil fatty acids	Orchard floor	0.15	6	25.0	A
tall oil fatty acids	Orchardgrass	0.3	1	47.0	A
tall oil fatty acids	Parsley	0.62	25	88.02	A
tall oil fatty acids	Pasture (forage - fodder)	7.61	13	280.0	A
tall oil fatty acids	Pastureland	119.17	46	2,372.2	A
tall oil fatty acids	Pastureland	0.06	1	24,360.0	S
tall oil fatty acids	Peach	1,110.51	1,258	16,016.98	A
tall oil fatty acids	Pear	144.71	175	5,171.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil fatty acids	Pear, asian (oriental pear, ya, ya li, nashi)	10.85	18	148.5	A
tall oil fatty acids	Peas	0.78	10	196.1	A
tall oil fatty acids	Pecan	283.27	28	1,595.99	A
tall oil fatty acids	Pepper, fruiting	128.05	31	1,390.07	A
tall oil fatty acids	Pepper, spice	6.31	1	37.0	A
tall oil fatty acids	Persimmon	4.52	8	62.5	A
tall oil fatty acids	Pistachio	21,409.7	2,877	188,857.13	A
tall oil fatty acids	Plum	215.38	363	3,244.84	A
tall oil fatty acids	Pomegranate	977.61	49	2,943.45	A
tall oil fatty acids	Pomelo	5.38	5	36.0	A
tall oil fatty acids	Potato	1,094.75	217	14,369.86	A
tall oil fatty acids	Prune	642.01	200	6,819.75	A
tall oil fatty acids	Public health	2.76	N/A	N/A	N/A
tall oil fatty acids	Pumpkin	45.68	26	975.93	A
tall oil fatty acids	Quince	2.48	7	31.0	A
tall oil fatty acids	Rangeland	67.09	27	3,904.0	A
tall oil fatty acids	Raspberry	22.05	33	235.84	A
tall oil fatty acids	Regulatory pest control	0.29	N/A	N/A	N/A
tall oil fatty acids	Research commodity	6.85	13	62.95	A
tall oil fatty acids	Research commodity	<0.01	1	128.0	S
tall oil fatty acids	Research commodity	1.74	N/A	N/A	N/A
tall oil fatty acids	Rice	6,821.98	1,086	84,780.94	A
tall oil fatty acids	Rights of way	171.81	80	1,869.4	A
tall oil fatty acids	Rights of way	0.01	1	1.0	U
tall oil fatty acids	Rights of way	6,867.86	N/A	N/A	N/A
tall oil fatty acids	Ryegrass	21.99	15	704.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tall oil fatty acids	Safflower	23.51	1	156.0	A
tall oil fatty acids	Small fruits/berry	<0.01	3	4.0	A
tall oil fatty acids	Sod farm (turf)	0.74	7	126.0	A
tall oil fatty acids	Soil fumigation/preplant	146.18	89	4,783.77	A
tall oil fatty acids	Sorghum (forage - fodder)	125.25	71	6,077.0	A
tall oil fatty acids	Sorghum/milo	90.5	77	4,389.07	A
tall oil fatty acids	Spinach	1.14	29	474.2	A
tall oil fatty acids	Squash	24.42	23	708.17	A
tall oil fatty acids	Squash, winter	2.91	2	22.5	A
tall oil fatty acids	Strawberry	657.84	224	5,714.5	A
tall oil fatty acids	Structural pest control	10.18	N/A	N/A	N/A
tall oil fatty acids	Sudangrass	336.11	53	3,299.5	A
tall oil fatty acids	Sugarbeet	1,258.79	102	8,020.0	A
tall oil fatty acids	Sunflower	412.86	154	8,401.96	A
tall oil fatty acids	Sweet potato	28.15	22	1,305.8	A
tall oil fatty acids	Swiss chard	0.03	2	10.42	A
tall oil fatty acids	Tangelo	68.89	47	831.99	A
tall oil fatty acids	Tangerine	925.82	975	19,046.01	A
tall oil fatty acids	Tomato	158.43	105	3,963.86	A
tall oil fatty acids	Tomato, processing	2,803.63	798	44,533.84	A
tall oil fatty acids	Triticale	304.51	182	10,674.62	A
tall oil fatty acids	Turf/sod	35.21	40	724.8	A
tall oil fatty acids	Turnip	0.76	4	24.4	A
tall oil fatty acids	Uncultivated ag	1,836.3	630	44,228.23	A
tall oil fatty acids	Uncultivated ag	0.6	1	130.0	U
tall oil fatty acids	Uncultivated non-ag	129.44	46	1,877.18	A
tall oil fatty acids	Uncultivated non-ag	<0.01	N/A	2,000.0	S
tall oil fatty acids	Unknown	0.91	2	48.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil fatty acids	Vegetable	0.05	3	5.75	A
tall oil fatty acids	Vegetables, fruiting	0.03	13	12.29	A
tall oil fatty acids	Vegetables, leafy	<0.01	2	1.25	A
tall oil fatty acids	Walnut	8,459.42	2,957	103,992.38	A
tall oil fatty acids	Water (industrial)	0.58	N/A	8.5	A
tall oil fatty acids	Water area	50.15	22	106.0	A
tall oil fatty acids	Water area	3.78	N/A	N/A	U
tall oil fatty acids	Watermelon	70.03	47	1,175.23	A
tall oil fatty acids	Wheat	597.36	262	16,945.54	A
tall oil fatty acids	Wheat (forage - fodder)	767.91	537	28,514.79	A
tallow bis(2-hydroxyethyl)amine	Almond	1.01	2	80.0	A
tallow bis(2-hydroxyethyl)amine	Grape	13.6	77	1,853.06	A
tartrazine	Landscape maintenance	0.72	1	4.0	A
tartrazine	Landscape maintenance	60.46	N/A	N/A	N/A
tartrazine	Public health	0.1	N/A	N/A	N/A
tartrazine	Rights of way	0.78	N/A	N/A	N/A
tartrazine	Water area	77.11	35	1,612.62	A
tartrazine	Water area	16.05	2	672.87	U
tcmtb	Cotton	879.49	N/A	962.39	T
tcmtb	Rights of way	2.99	N/A	N/A	N/A
tcmtb	Safflower	198.27	N/A	288.89	T
tebuconazole	Almond	38,899.03	5,188	295,659.61	A
tebuconazole	Apple	1.53	2	6.8	A
tebuconazole	Apricot	17.83	23	95.72	A
tebuconazole	Bean, succulent	4.25	2	25.3	A
tebuconazole	Bean, unspecified	6.06	2	36.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tebuconazole	Beet	12.86	6	76.98	A
tebuconazole	Bermudagrass	1,350.44	94	6,699.8	A
tebuconazole	Cantaloupe	127.31	22	881.9	A
tebuconazole	Cherry	3,248.93	756	17,212.03	A
tebuconazole	Cherry	213.75	N/A	11,875.0	T
tebuconazole	Cucumber	0.93	2	8.0	A
tebuconazole	Daikon	32.63	2	145.0	A
tebuconazole	Garlic	3,041.33	294	17,574.17	A
tebuconazole	Golf course turf	484.34	1	495.03	A
tebuconazole	Golf course turf	50.01	2	2,760,000.0	S
tebuconazole	Grape	12,861.32	3,058	120,733.58	A
tebuconazole	Grape, wine	25,750.29	7,680	250,677.02	A
tebuconazole	Grass, seed	61.15	5	344.0	A
tebuconazole	Kale	2.68	2	24.0	A
tebuconazole	Landscape maintenance	49.27	8	63.67	A
tebuconazole	Landscape maintenance	2.74	1	87,500.0	S
tebuconazole	Landscape maintenance	6,373.76	N/A	N/A	N/A
tebuconazole	Leek	93.03	96	511.87	A
tebuconazole	Lumber, treated	10,262.22	N/A	9,512.38	K
tebuconazole	Melon	23.52	3	148.0	A
tebuconazole	N-grnhs flower	258.12	N/A	266.02	A
tebuconazole	N-grnhs flower	18.45	N/A	755,000.0	S
tebuconazole	N-grnhs plants in containers	5.87	21	32.57	A
tebuconazole	N-grnhs plants in containers	1.61	5	113,570.0	S
tebuconazole	N-grnhs plants in containers	<0.01	1	90.0	U
tebuconazole	N-grnhs transplants	16.64	20	32.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tebuconazole	N-outdr flower	125.13	85	393.45	A
tebuconazole	N-outdr plants in containers	114.82	43	394.37	A
tebuconazole	N-outdr plants in containers	0.04	9	10,400.0	S
tebuconazole	N-outdr plants in containers	0.03	8	2,691.0	U
tebuconazole	N-outdr transplants	438.72	55	486.81	A
tebuconazole	N-outdr transplants	8.7	N/A	276,000.0	S
tebuconazole	Nectarine	808.44	390	5,440.81	A
tebuconazole	Onion, dry	642.94	42	2,078.0	A
tebuconazole	Peach	2,385.97	655	14,560.57	A
tebuconazole	Pecan	96.14	3	427.33	A
tebuconazole	Pistachio	4,774.7	639	48,347.82	A
tebuconazole	Plum	30.41	44	278.72	A
tebuconazole	Pluot	2.14	1	19.0	A
tebuconazole	Pome fruit	0.23	1	0.5	A
tebuconazole	Prune	407.27	44	1,906.66	A
tebuconazole	Pumpkin	31.87	12	144.94	A
tebuconazole	Regulatory pest control	1.37	N/A	N/A	N/A
tebuconazole	Research commodity	0.25	8	0.61	A
tebuconazole	Research commodity	0.83	31	263,900.0	S
tebuconazole	Research commodity	0.19	N/A	N/A	N/A
tebuconazole	Rights of way	16.13	N/A	N/A	N/A
tebuconazole	Soil fumigation/preplant	2.82	1	34.0	A
tebuconazole	Squash	27.47	7	166.75	A
tebuconazole	Stone fruit	0.23	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tebuconazole	Structural pest control	3.6	1	32.5	A
tebuconazole	Structural pest control	<0.01	N/A	N/A	N/A
tebuconazole	Sunflower	40.96	28	324.7	A
tebuconazole	Tomato, processing	11.22	1	54.0	A
tebuconazole	Turf/sod	32.7	N/A	24.0	A
tebuconazole	Turf/sod	8.03	N/A	368,000.0	S
tebuconazole	Uncultivated ag	63.6	9	452.79	A
tebuconazole	Walnut	22,426.67	2,489	104,029.96	A
tebufenozide	Grape, wine	60.57	5	282.0	A
tebuthiuron	Airport	6.4	N/A	4.0	A
tebuthiuron	Industrial site	0.7	N/A	7,600.0	S
tebuthiuron	Landscape maintenance	793.7	N/A	N/A	N/A
tebuthiuron	Rangeland	0.06	1	3,580.0	S
tebuthiuron	Rights of way	1,874.29	N/A	N/A	N/A
tembotrione	Alfalfa	3.74	1	46.0	A
tembotrione	Corn (forage - fodder)	5,450.15	1,290	67,303.32	A
tembotrione	Corn, grain	292.57	135	3,604.35	A
tembotrione	Corn, human consumption	205.4	63	2,983.91	A
tembotrione	N-outdr plants in containers	1.14	1	14.0	A
tembotrione	Uncultivated ag	12.91	2	159.0	A
temephos	Public health	3.07	N/A	N/A	N/A
1080	Almond	0.1	1	132.0	A
1080	Landscape maintenance	0.02	N/A	N/A	N/A
1080	Olive	0.02	1	8.0	A
1080	Pastureland	<0.01	4	12.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
1080	Rights of way	0.03	N/A	N/A	N/A
1080	Uncultivated ag	<0.01	1	7.0	A
1080	Vertebrate control	<0.01	N/A	N/A	N/A
terbutylazine	Water (industrial)	78.67	N/A	26.0	U
terbutryn	N-grnhs plants in containers	0.05	1	1,200.0	S
terbutryn, other related	N-grnhs plants in containers	<0.01	1	1,200.0	S
terrazole	N-grnhs flower	0.21	2	14,437.5	S
terrazole	N-grnhs plants in containers	14.77	21	28.37	A
terrazole	N-grnhs transplants	0.57	1	9,600.0	S
terrazole	N-outdr plants in containers	55.81	63	101.14	A
terrazole	N-outdr plants in containers	5.77	5	31,000.0	S
terrazole	N-outdr transplants	0.26	1	2.0	A
terrazole	N-outdr transplants	1.05	2	10,800.0	S
tetrachloroethylene	Landscape maintenance	9.19	N/A	N/A	N/A
tetrachloroethylene	Regulatory pest control	0.61	N/A	N/A	N/A
tetrachloroethylene	Structural pest control	22.53	N/A	N/A	N/A
tetrachlorvinphos	Landscape maintenance	0.01	N/A	N/A	N/A
tetrachlorvinphos	N-grnhs flower	<0.01	N/A	0.25	A
tetrachlorvinphos	Regulatory pest control	30.99	N/A	N/A	N/A
tetrachlorvinphos	Structural pest control	<0.01	N/A	N/A	N/A
tetraconazole	Cantaloupe	17.76	6	292.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tetraconazole	Eggplant	2.74	3	60.0	A
tetraconazole	Grape	1,223.37	822	30,412.21	A
tetraconazole	Grape, wine	3,554.54	3,132	91,938.18	A
tetraconazole	Landscape maintenance	0.11	N/A	N/A	N/A
tetraconazole	Melon	2.61	1	40.0	A
tetraconazole	N-outdr plants in containers	5.81	19	151.68	A
tetraconazole	N-outdr transplants	7.24	15	177.64	A
tetraconazole	Olive	0.02	1	0.5	A
tetraconazole	Pepper, fruiting	84.48	47	1,365.45	A
tetraconazole	Pumpkin	21.8	5	346.0	A
tetraconazole	Strawberry	1,206.72	897	29,731.07	A
tetraconazole	Sugarbeet	0.42	2	4.0	A
tetraconazole	Tomato	0.15	1	3.0	A
tetraconazole	Uncultivated ag	1.27	2	31.0	A
tetraconazole	Watermelon	132.5	30	2,085.67	A
z,e-9,12-tetradecadien-1-yl acetate	Structural pest control	20.1	N/A	N/A	N/A
e-11-tetradecen-1-yl acetate	Apple	3.52	2	39.0	A
e-11-tetradecen-1-yl acetate	Blackberry	N/A	1	16.36	A
e-11-tetradecen-1-yl acetate	Grape	1.28	1	48.61	A
e-11-tetradecen-1-yl acetate	Kiwi fruit fuzzy	1.15	93	1,590.6	A
e-11-tetradecen-1-yl acetate	N-grnhs plants in containers	0.48	3	13,600.0	S
e-11-tetradecen-1-yl acetate	N-outdr plants in containers	0.09	1	1,195.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>e-11-tetradecen-1-yl acetate</b>	Raspberry	5.65	4	54.74	A
<b>z-11-tetradecen-1-yl acetate</b>	Grape	0.2	1	48.61	A
<b>z-11-tetradecen-1-yl acetate</b>	Kiwi fruit fuzzy	0.19	93	1,590.6	A
<b>tetradecyl dimethyl betaine</b>	Alfalfa	0.33	2	157.8	A
<b>tetradecyl dimethyl betaine</b>	Corn (forage - fodder)	0.17	1	80.0	A
<b>tetradecyl dimethyl betaine</b>	Sorghum/milo	3.11	36	2,650.09	A
<b>tetradecyl dimethyl betaine</b>	Wheat (forage - fodder)	0.48	5	401.92	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tetrakis (hydroxymethyl) phosphonium sulfate	Water (industrial)	2,319.81	N/A	5.0	A
tetrakis (hydroxymethyl) phosphonium sulfate	Water (industrial)	1,142.93	N/A	2.0	U
tetramethrin	Landscape maintenance	0.04	N/A	N/A	N/A
tetramethrin	N-grnhs plants in containers	<0.01	1	30,000.0	S
tetramethrin	N-outdr transplants	<0.01	2	0.02	A
tetramethrin	Public health	<0.01	N/A	N/A	N/A
tetramethrin	Regulatory pest control	0.53	N/A	N/A	N/A
tetramethrin	Rights of way	0.03	N/A	N/A	N/A
tetramethrin	Structural pest control	5.52	N/A	N/A	N/A
tetramethrin, other related	N-grnhs plants in containers	<0.01	1	30,000.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Alfalfa	15.95	32	1,406.5	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Almond	435.67	187	9,821.07	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Apple	0.2	2	12.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Apricot	0.14	7	7.5	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Artichoke, globe	0.05	2	1.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Avocado	5.86	31	205.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Avocado	<0.01	2	5,700.0	U
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Basil, sweet	1.47	79	53.72	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Bean, dried	3.61	9	474.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Bean, succulent	0.71	18	6.37	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Beet	0.21	9	4.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Blackberry	0.4	3	9.78	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Broccoli	9.04	16	338.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Bushberry	0.02	4	0.9	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cabbage	1.73	5	31.7	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	0.04	2	18,000.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cantaloupe	27.18	50	2,639.1	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Carrot	1.59	25	57.33	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Celery	6.28	12	114.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cherry	14.75	8	201.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Citrus	0.15	5	4.07	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cole crop	0.9	76	37.86	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Corn, human consumption	0.25	3	6.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cotton	1,414.02	106	4,411.11	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Cucumber	0.33	43	11.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Ditch bank	5.17	N/A	31.0	U
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Edible flowers	0.1	3	2.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Garlic	4.41	2	176.4	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Ginger	0.18	6	3.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Golf course turf	0.67	N/A	10.7	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Grape	1,584.54	1,756	77,000.09	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Grape, wine	119.43	99	4,516.55	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Grapefruit	9.19	7	87.2	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Herb, spice	2.53	141	76.68	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	2.99	3	16.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	223.83	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lemon	5.63	14	158.1	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lemon	0.13	1	75.0	U
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, head	150.57	278	3,316.35	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	146.67	278	3,076.49	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Melon	42.38	74	3,998.4	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Mint	0.57	52	17.9	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Mustard	0.19	22	7.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs flower	29.19	172	509.55	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs flower	1.01	11	245,000.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	42.75	633	628.28	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	5.0	77	2,242,350.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	20.07	39	571.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	9.41	59	12,681,000.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr flower	105.47	529	2,062.6	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	270.9	909	1,415.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.03	3	42,000.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.8	48	10,969.0	U
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr transplants	1.97	14	63.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-outdr transplants	47.87	285	48,987,316.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Nectarine	16.96	30	242.35	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Onion, dry	1.51	10	447.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Onion, green	0.36	27	9.86	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Orange	133.32	69	2,442.69	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Orchard floor	1.46	10	46.75	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Parsley	0.03	6	1.13	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Pastureland	1.62	8	60.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Peach	17.12	41	268.25	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Peas	0.03	10	1.28	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	0.71	9	41.31	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Persimmon	0.13	4	3.15	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Pistachio	97.67	33	2,214.66	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Plum	0.53	3	25.5	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Pomegranate	0.33	2	1.25	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Pomelo	0.25	1	6.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Radish	2.76	39	42.36	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Raspberry	0.25	2	5.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Regulatory pest control	14.4	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Research commodity	<0.01	3	0.25	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Research commodity	0.68	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Rights of way	0.05	1	2.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Rights of way	301.18	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Root vegetable	1.07	52	37.22	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Spinach	0.07	17	2.86	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Squash	2.04	58	67.86	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Squash, zucchini	0.44	3	30.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Strawberry	359.54	233	3,254.97	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Structural pest control	30.7	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Swiss chard	0.03	9	1.25	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tangelo	2.92	2	80.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tangerine	21.93	49	1,351.3	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tomato, processing	37.0	40	2,019.78	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Tropical/subtropical fruit	0.07	5	1.85	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Turnip	0.17	7	3.0	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Uncultivated ag	41.36	37	542.7	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Vegetables, fruiting	0.17	23	5.71	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Vegetables, leafy	10.12	484	328.49	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Walnut	26.28	33	570.85	A
tetrapotassium pyrophosphate	Alfalfa	2.09	32	1,406.5	A
tetrapotassium pyrophosphate	Almond	51.93	183	9,642.25	A
tetrapotassium pyrophosphate	Apple	0.03	2	12.0	A
tetrapotassium pyrophosphate	Apricot	0.02	7	7.5	A
tetrapotassium pyrophosphate	Artichoke, globe	<0.01	2	1.0	A
tetrapotassium pyrophosphate	Avocado	0.77	31	205.0	A
tetrapotassium pyrophosphate	Avocado	<0.01	2	5,700.0	U
tetrapotassium pyrophosphate	Basil, sweet	0.19	79	53.72	A
tetrapotassium pyrophosphate	Bean, dried	0.47	9	474.0	A
tetrapotassium pyrophosphate	Bean, succulent	0.09	18	6.37	A
tetrapotassium pyrophosphate	Beet	0.03	9	4.03	A
tetrapotassium pyrophosphate	Blackberry	0.05	3	9.78	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tetrapotassium pyrophosphate	Broccoli	1.19	16	338.0	A
tetrapotassium pyrophosphate	Bushberry	<0.01	4	0.9	A
tetrapotassium pyrophosphate	Cabbage	0.23	5	31.7	A
tetrapotassium pyrophosphate	Cannabis (all or unspecified)	<0.01	2	18,000.0	S
tetrapotassium pyrophosphate	Cantaloupe	3.57	50	2,639.1	A
tetrapotassium pyrophosphate	Carrot	0.21	25	57.33	A
tetrapotassium pyrophosphate	Celery	0.82	12	114.5	A
tetrapotassium pyrophosphate	Cherry	1.94	8	201.0	A
tetrapotassium pyrophosphate	Citrus	0.02	5	4.07	A
tetrapotassium pyrophosphate	Cole crop	0.12	76	37.86	A
tetrapotassium pyrophosphate	Corn, human consumption	0.03	3	6.0	A
tetrapotassium pyrophosphate	Cotton	2.51	34	905.87	A
tetrapotassium pyrophosphate	Cucumber	0.04	43	11.0	A
tetrapotassium pyrophosphate	Ditch bank	0.68	N/A	31.0	U
tetrapotassium pyrophosphate	Edible flowers	0.01	3	2.5	A
tetrapotassium pyrophosphate	Garlic	0.58	2	176.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tetrapotassium pyrophosphate	Ginger	0.02	6	3.0	A
tetrapotassium pyrophosphate	Golf course turf	0.09	N/A	10.7	A
tetrapotassium pyrophosphate	Grape	205.94	1,735	76,726.09	A
tetrapotassium pyrophosphate	Grape, wine	14.68	93	4,434.78	A
tetrapotassium pyrophosphate	Grapefruit	0.1	3	17.2	A
tetrapotassium pyrophosphate	Herb, spice	0.33	141	76.68	A
tetrapotassium pyrophosphate	Landscape maintenance	0.4	3	16.5	A
tetrapotassium pyrophosphate	Landscape maintenance	25.99	N/A	N/A	N/A
tetrapotassium pyrophosphate	Lemon	0.74	14	158.1	A
tetrapotassium pyrophosphate	Lemon	0.02	1	75.0	U
tetrapotassium pyrophosphate	Lettuce, head	19.76	278	3,316.35	A
tetrapotassium pyrophosphate	Lettuce, leaf	19.25	278	3,076.49	A
tetrapotassium pyrophosphate	Melon	5.56	74	3,998.4	A
tetrapotassium pyrophosphate	Mint	0.08	52	17.9	A
tetrapotassium pyrophosphate	Mustard	0.02	22	7.79	A
tetrapotassium pyrophosphate	N-grnhs flower	3.83	172	509.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tetrapotassium pyrophosphate	N-grnhs flower	0.13	11	245,000.0	S
tetrapotassium pyrophosphate	N-grnhs plants in containers	5.61	633	628.28	A
tetrapotassium pyrophosphate	N-grnhs plants in containers	0.66	77	2,242,350.0	S
tetrapotassium pyrophosphate	N-grnhs transplants	2.66	39	571.0	A
tetrapotassium pyrophosphate	N-grnhs transplants	1.23	59	12,681,000.0	S
tetrapotassium pyrophosphate	N-outdr flower	13.84	529	2,062.6	A
tetrapotassium pyrophosphate	N-outdr plants in containers	35.55	909	1,415.81	A
tetrapotassium pyrophosphate	N-outdr plants in containers	<0.01	3	42,000.0	S
tetrapotassium pyrophosphate	N-outdr plants in containers	0.1	48	10,969.0	U
tetrapotassium pyrophosphate	N-outdr transplants	0.26	14	63.0	A
tetrapotassium pyrophosphate	N-outdr transplants	6.28	285	48,987,316.0	S
tetrapotassium pyrophosphate	Nectarine	2.23	30	242.35	A
tetrapotassium pyrophosphate	Onion, dry	0.2	10	447.0	A
tetrapotassium pyrophosphate	Onion, green	0.05	27	9.86	A
tetrapotassium pyrophosphate	Orange	17.03	65	2,392.69	A
tetrapotassium pyrophosphate	Orchard floor	0.19	10	46.75	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tetrapotassium pyrophosphate	Parsley	<0.01	6	1.13	A
tetrapotassium pyrophosphate	Pastureland	0.21	8	60.0	A
tetrapotassium pyrophosphate	Peach	2.25	41	268.25	A
tetrapotassium pyrophosphate	Peas	<0.01	10	1.28	A
tetrapotassium pyrophosphate	Pepper, fruiting	0.09	9	41.31	A
tetrapotassium pyrophosphate	Persimmon	0.02	4	3.15	A
tetrapotassium pyrophosphate	Pistachio	12.82	33	2,214.66	A
tetrapotassium pyrophosphate	Plum	0.07	3	25.5	A
tetrapotassium pyrophosphate	Pomegranate	0.04	2	1.25	A
tetrapotassium pyrophosphate	Pomelo	0.03	1	6.0	A
tetrapotassium pyrophosphate	Radish	0.36	39	42.36	A
tetrapotassium pyrophosphate	Raspberry	0.03	2	5.0	A
tetrapotassium pyrophosphate	Regulatory pest control	1.31	N/A	N/A	N/A
tetrapotassium pyrophosphate	Research commodity	<0.01	3	0.25	A
tetrapotassium pyrophosphate	Research commodity	0.09	N/A	N/A	N/A
tetrapotassium pyrophosphate	Rights of way	<0.01	1	2.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tetrapotassium pyrophosphate	Rights of way	2.62	N/A	N/A	N/A
tetrapotassium pyrophosphate	Root vegetable	0.14	52	37.22	A
tetrapotassium pyrophosphate	Spinach	<0.01	17	2.86	A
tetrapotassium pyrophosphate	Squash	0.27	58	67.86	A
tetrapotassium pyrophosphate	Squash, zucchini	0.06	3	30.0	A
tetrapotassium pyrophosphate	Strawberry	47.18	233	3,254.97	A
tetrapotassium pyrophosphate	Structural pest control	4.03	N/A	N/A	N/A
tetrapotassium pyrophosphate	Swiss chard	<0.01	9	1.25	A
tetrapotassium pyrophosphate	Tangelo	0.38	2	80.0	A
tetrapotassium pyrophosphate	Tangerine	2.88	49	1,351.3	A
tetrapotassium pyrophosphate	Tomato, processing	4.86	40	2,019.78	A
tetrapotassium pyrophosphate	Tropical/subtropical fruit	<0.01	5	1.85	A
tetrapotassium pyrophosphate	Turnip	0.02	7	3.0	A
tetrapotassium pyrophosphate	Uncultivated ag	1.0	32	72.7	A
tetrapotassium pyrophosphate	Vegetables, fruiting	0.02	23	5.71	A
tetrapotassium pyrophosphate	Vegetables, leafy	1.33	484	328.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tetrapotassium pyrophosphate	Walnut	3.45	33	570.85	A
thiabendazole	Citrus	7.62	N/A	1,613,100.0	P
thiabendazole	Citrus	8,876.81	N/A	1,339,548.82	T
thiabendazole	Citrus	436.29	N/A	20,332.91	U
thiabendazole	Commodity fumigation	3,939.87	N/A	N/A	N/A
thiabendazole	Fumigation, other	333.98	N/A	N/A	N/A
thiabendazole	Grapefruit	254.13	N/A	41,316.77	T
thiabendazole	Landscape maintenance	8.19	N/A	N/A	N/A
thiabendazole	Lemon	4,881.91	N/A	1,093,414.42	T
thiabendazole	Lemon	243.29	N/A	24,772.0	U
thiabendazole	Lime	0.83	N/A	92.25	T
thiabendazole	Mushroom	725.63	10	88.75	A
thiabendazole	Mushroom	814.6	636	5,396,722.0	S
thiabendazole	Mushroom house	76.52	1	8.86	A
thiabendazole	Mushroom house	0.75	2	11,050.0	S
thiabendazole	Mushroom soil	19.5	34	194,150.0	S
thiabendazole	Orange	142.82	N/A	69.0	A
thiabendazole	Orange	15,627.61	N/A	3,111,785.55	T
thiabendazole	Orange	3,128.36	N/A	103,002.0	U
thiabendazole	Tangelo	140.9	N/A	16,835.56	T
thiabendazole	Tangerine	286.63	N/A	40,448.36	T
thiabendazole	Watermelon	0.34	N/A	5,180.26	P
thiabendazole, hypophosphite salt	Landscape maintenance	15.91	N/A	N/A	N/A
thiamethoxam	Animal premise	13.82	N/A	13.06	U
thiamethoxam	Apple	35.4	8	231.0	A
thiamethoxam	Artichoke, globe	73.5	122	1,569.25	A
thiamethoxam	Arugula	55.91	101	806.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiamethoxam	Avocado	1.34	4	22.2	A
thiamethoxam	Avocado	<0.01	1	50.0	U
thiamethoxam	Bean, dried	611.37	N/A	1,526,650.0	P
thiamethoxam	Bean, dried	44.54	N/A	45.0	T
thiamethoxam	Beet	3.19	13	113.07	A
thiamethoxam	Blackberry	18.85	39	402.04	A
thiamethoxam	Blueberry	0.19	1	3.0	A
thiamethoxam	Bok choy	15.07	79	251.45	A
thiamethoxam	Broccoli	1,350.91	1,940	20,876.25	A
thiamethoxam	Brussels sprout	788.08	674	9,509.36	A
thiamethoxam	Cabbage	250.23	579	4,724.21	A
thiamethoxam	Cantaloupe	271.79	42	3,570.4	A
thiamethoxam	Cantaloupe	0.08	N/A	25.41	P
thiamethoxam	Cardoon	2.01	8	23.6	A
thiamethoxam	Carrot	8.59	19	137.5	A
thiamethoxam	Carrot	127.32	N/A	6,249.01	P
thiamethoxam	Cauliflower	700.49	1,083	11,162.46	A
thiamethoxam	Celeriac	1.24	8	39.81	A
thiamethoxam	Celery	463.73	803	7,007.26	A
thiamethoxam	Cherry	226.27	145	3,180.57	A
thiamethoxam	Chinese cabbage (napa, won bok, celery cabbage)	43.36	146	724.16	A
thiamethoxam	Citrus	26.7	82	340.44	A
thiamethoxam	Citrus	0.23	1	764.0	U
thiamethoxam	Collard	4.43	37	70.81	A
thiamethoxam	Commodity fumigation	8,652.02	N/A	N/A	N/A
thiamethoxam	Cotton	1,191.32	145	19,501.38	A
thiamethoxam	Cucumber	8.86	10	141.35	A
thiamethoxam	Cucumber	1,017.55	N/A	142,088.58	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiamethoxam	Eggplant	11.02	12	196.74	A
thiamethoxam	Endive (escarole)	14.84	76	251.94	A
thiamethoxam	Fennel	5.19	8	63.8	A
thiamethoxam	Fumigation, other	1.74	N/A	N/A	N/A
thiamethoxam	Golf course turf	23.77	5	94.1	A
thiamethoxam	Grape	104.87	36	1,464.4	A
thiamethoxam	Grape, wine	5,939.37	1,494	63,376.77	A
thiamethoxam	Grapefruit	140.53	137	1,927.59	A
thiamethoxam	Herb, spice	<0.01	1	0.5	A
thiamethoxam	Kale	42.44	223	687.7	A
thiamethoxam	Kohlrabi	0.83	8	13.2	A
thiamethoxam	Kumquat	0.43	1	5.0	A
thiamethoxam	Landscape maintenance	311.96	N/A	N/A	N/A
thiamethoxam	Lemon	2,197.26	1,498	29,931.86	A
thiamethoxam	Lettuce, head	1,705.96	2,586	30,689.93	A
thiamethoxam	Lettuce, leaf	2,410.95	4,180	42,138.29	A
thiamethoxam	Lettuce, leaf	3.9	N/A	9.75	P
thiamethoxam	Lime	1.92	4	27.0	A
thiamethoxam	Melon	255.73	56	3,318.53	A
thiamethoxam	Melon	20.15	N/A	891.84	P
thiamethoxam	Mint	2.27	4	58.42	A
thiamethoxam	Mizuna	0.39	3	7.35	A
thiamethoxam	Mustard	0.08	2	1.21	A
thiamethoxam	Mustard greens	0.22	2	3.52	A
thiamethoxam	N-grnhs flower	17.05	4	67.21	A
thiamethoxam	N-grnhs flower	1.22	11	256,795.0	S
thiamethoxam	N-grnhs plants in containers	31.47	182	211.66	A
thiamethoxam	N-grnhs plants in containers	6.54	76	1,337,773.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiamethoxam	N-grnhs plants in containers	0.16	3	9,000.0	U
thiamethoxam	N-grnhs transplants	1.53	14	14.84	A
thiamethoxam	N-grnhs transplants	<0.01	1	600.0	S
thiamethoxam	N-outdr flower	25.56	45	114.46	A
thiamethoxam	N-outdr flower	0.01	1	7,827.0	S
thiamethoxam	N-outdr plants in containers	59.29	223	644.31	A
thiamethoxam	N-outdr plants in containers	2.41	25	668,185.0	S
thiamethoxam	N-outdr plants in containers	8.46	26	238,394.0	U
thiamethoxam	N-outdr transplants	13.35	21	107.54	A
thiamethoxam	N-outdr transplants	1.11	N/A	157,000.0	S
thiamethoxam	Onion, dry	613.18	N/A	23,114.29	P
thiamethoxam	Orange	10,681.55	6,291	125,198.98	A
thiamethoxam	Peach	3.08	3	41.0	A
thiamethoxam	Pecan	2.47	2	45.0	A
thiamethoxam	Pepper, fruiting	483.01	208	6,049.75	A
thiamethoxam	Pepper, spice	10.31	9	153.68	A
thiamethoxam	Pistachio	11.33	4	186.0	A
thiamethoxam	Pomelo	11.5	27	171.0	A
thiamethoxam	Potato	43.64	15	1,087.36	A
thiamethoxam	Pumpkin	56.43	32	971.9	A
thiamethoxam	Pumpkin	30.88	N/A	6,647.46	P
thiamethoxam	Radicchio	15.9	31	197.84	A
thiamethoxam	Radish	0.89	7	14.28	A
thiamethoxam	Rapini	42.77	36	633.5	A
thiamethoxam	Raspberry	6.98	24	149.06	A
thiamethoxam	Regulatory pest control	6.39	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiamethoxam	Research commodity	0.35	6	16.6	A
thiamethoxam	Research commodity	0.71	N/A	N/A	N/A
thiamethoxam	Rights of way	1.41	N/A	N/A	N/A
thiamethoxam	Spinach	439.59	548	6,395.28	A
thiamethoxam	Squash	3.77	26	65.77	A
thiamethoxam	Squash	17.5	N/A	10,188.96	P
thiamethoxam	Squash, summer	6.72	9	93.25	A
thiamethoxam	Squash, zucchini	<0.01	1	0.02	A
thiamethoxam	Strawberry	1,093.04	630	17,757.26	A
thiamethoxam	Structural pest control	2,455.02	N/A	N/A	N/A
thiamethoxam	Sunflower	2.57	N/A	5,163.0	P
thiamethoxam	Sweet potato	13.38	6	320.7	A
thiamethoxam	Swiss chard	7.77	87	127.14	A
thiamethoxam	Tangelo	114.46	96	1,385.76	A
thiamethoxam	Tangerine	573.57	351	8,060.05	A
thiamethoxam	Tomato	597.18	221	10,112.81	A
thiamethoxam	Tomato, processing	3,787.08	633	65,586.65	A
thiamethoxam	Tropical/subtropical fruit	0.09	5	1.55	A
thiamethoxam	Turf/sod	5.53	2	22.5	A
thiamethoxam	Uncultivated ag	1.17	2	13.22	A
thiamethoxam	Upland cress	2.24	20	33.0	A
thiamethoxam	Vegetable	0.1	1	1.2	A
thiamethoxam	Vegetables, fruiting	0.27	11	3.87	A
thiamethoxam	Vegetables, leafy	0.89	20	13.32	A
thiamethoxam	Vertebrate control	0.12	N/A	N/A	N/A
thiamethoxam	Watermelon	109.57	44	1,835.0	A
thiamethoxam	Watermelon	0.17	N/A	184.13	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thidiazuron	Cotton	10,600.48	2,812	206,466.16	A
thidiazuron	Cotton	7.33	N/A	1,823.31	U
thidiazuron	Research commodity	0.1	2	0.7	A
thidiazuron	Soil fumigation/preplant	3.48	1	65.0	A
thiencarbazone-methyl	Golf course turf	0.45	N/A	31.0	A
thiencarbazone-methyl	Golf course turf	0.66	N/A	176,000.0	S
thiencarbazone-methyl	Landscape maintenance	<0.01	1	19,000.0	S
thiencarbazone-methyl	Landscape maintenance	0.3	1	15.0	U
thiencarbazone-methyl	Landscape maintenance	15.82	N/A	N/A	N/A
thiencarbazone-methyl	N-grnhs flower	0.42	N/A	30.25	A
thiencarbazone-methyl	N-grnhs flower	<0.01	N/A	10,000.0	S
thiencarbazone-methyl	N-outdr transplants	0.23	N/A	19.0	A
thiobencarb	N-outdr plants in containers	0.49	1	1.0	A
thiobencarb	Research commodity	0.03	N/A	N/A	N/A
thiobencarb	Rice	595,146.82	2,052	177,063.33	A
thiophanate	Almond	110.6	8	158.0	A
thiophanate	Landscape maintenance	16.78	N/A	N/A	N/A
thiophanate	N-grnhs flower	40.0	N/A	560,000.0	S
thiophanate	N-outdr flower	86.0	18	178.0	A
thiophanate	N-outdr plants in containers	0.01	1	1.0	A
thiophanate-methyl	Almond	65,486.3	1,432	77,400.76	A
thiophanate-methyl	Apple	609.95	28	650.4	A
thiophanate-methyl	Apricot	444.64	58	658.64	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiophanate-methyl	Bean, succulent	9.8	2	14.0	A
thiophanate-methyl	Cantaloupe	352.19	11	1,003.0	A
thiophanate-methyl	Cherry	3,308.13	170	3,595.51	A
thiophanate-methyl	Commodity fumigation	1.56	N/A	N/A	N/A
thiophanate-methyl	County ag comm	11.76	N/A	N/A	N/A
thiophanate-methyl	Fumigation, other	1,188.99	N/A	N/A	N/A
thiophanate-methyl	Golf course turf	1,297.74	3	263.88	A
thiophanate-methyl	Golf course turf	289.42	1	1,844,000.0	S
thiophanate-methyl	Grape	5,568.17	177	7,111.48	A
thiophanate-methyl	Grape	0.35	4	200.0	U
thiophanate-methyl	Grape, wine	33,283.58	1,480	39,631.88	A
thiophanate-methyl	Landscape maintenance	90.91	6	15.6	A
thiophanate-methyl	Landscape maintenance	20,301.76	N/A	N/A	N/A
thiophanate-methyl	Melon	425.44	17	1,211.5	A
thiophanate-methyl	N-grnhs flower	952.57	83	285.67	A
thiophanate-methyl	N-grnhs flower	160.34	87	1,261,107.5	S
thiophanate-methyl	N-grnhs flower	0.06	1	14.0	U
thiophanate-methyl	N-grnhs plants in containers	6,213.32	1,303	1,562.43	A
thiophanate-methyl	N-grnhs plants in containers	530.38	491	10,213,457.0	S
thiophanate-methyl	N-grnhs plants in containers	56.63	1	2,109,698.0	U
thiophanate-methyl	N-grnhs transplants	236.8	122	524.96	A
thiophanate-methyl	N-grnhs transplants	887.81	451	4,135,050.0	S
thiophanate-methyl	N-outdr flower	890.26	1,453	2,655.17	A
thiophanate-methyl	N-outdr flower	21.2	9	192,780.0	S
thiophanate-methyl	N-outdr plants in containers	4,130.79	1,415	2,838.71	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiophanate-methyl	N-outdr plants in containers	415.91	233	3,727,404.0	S
thiophanate-methyl	N-outdr plants in containers	129.85	61	751,285.0	U
thiophanate-methyl	N-outdr transplants	1,373.45	120	1,174.43	A
thiophanate-methyl	N-outdr transplants	43.92	6	177,500.0	S
thiophanate-methyl	Nectarine	912.21	112	1,324.8	A
thiophanate-methyl	Peach	1,378.27	194	2,034.1	A
thiophanate-methyl	Pecan	299.13	3	427.33	A
thiophanate-methyl	Pistachio	1,079.26	24	1,018.88	A
thiophanate-methyl	Plum	972.47	294	1,520.22	A
thiophanate-methyl	Prune	4,291.77	82	4,191.66	A
thiophanate-methyl	Recreation area	0.51	N/A	8,000.0	S
thiophanate-methyl	Regulatory pest control	4.78	N/A	N/A	N/A
thiophanate-methyl	Research commodity	5.83	2	5.75	A
thiophanate-methyl	Research commodity	1.84	N/A	N/A	N/A
thiophanate-methyl	Rights of way	43.53	N/A	N/A	N/A
thiophanate-methyl	Stone fruit	8.52	2	8.5	A
thiophanate-methyl	Strawberry	9,288.96	429	13,250.79	A
thiophanate-methyl	Structural pest control	29.3	N/A	N/A	N/A
thiophanate-methyl	Turf/sod	45.12	2	20.0	A
thiophanate-methyl	Turf/sod	5.38	N/A	42,000.0	S
thiophanate-methyl	Uncultivated ag	57.53	2	64.0	A
thiophanate-methyl	Watermelon	216.14	12	617.33	A
thiram	Alfalfa	2,394.86	10	961,133.0	?
thiram	Alfalfa	406.67	N/A	901,444.0	P
thiram	Alfalfa	1,709.41	N/A	1,371.23	T
thiram	Artichoke, globe	0.19	N/A	150.0	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiram	Arugula	0.21	N/A	155.11	P
thiram	Asparagus	0.19	N/A	100.0	P
thiram	Basil, sweet	1.47	N/A	713.06	P
thiram	Bean, dried	56.74	N/A	151,845.0	P
thiram	Bean, unspecified	14.27	N/A	44,321.75	P
thiram	Beet	22.43	N/A	14,224.84	P
thiram	Broccoli	88.47	N/A	36,155.17	P
thiram	Cabbage	47.05	N/A	13,041.85	P
thiram	Cantaloupe	10.93	N/A	7,738.54	P
thiram	Carrot	361.85	N/A	143,480.88	P
thiram	Cauliflower	6.81	N/A	3,052.1	P
thiram	Celery	9.82	N/A	4,425.65	P
thiram	Chicory	0.04	N/A	24.5	P
thiram	Chive	0.51	N/A	273.3	P
thiram	Cilantro	5.48	N/A	4,440.0	P
thiram	Clover	0.02	N/A	20.0	P
thiram	Commodity fumigation	98.93	1	39,682.0	?
thiram	Corn, human consumption	1.09	N/A	700.0	P
thiram	Cucumber	35.27	N/A	68,397.62	P
thiram	Dandelion green	<0.01	N/A	4.0	P
thiram	Dill	0.2	N/A	79.02	P
thiram	Eggplant	1.92	N/A	1,080.94	P
thiram	Endive (escarole)	0.52	N/A	251.0	P
thiram	Fennel	0.05	N/A	21.0	P
thiram	Fumigation, other	1.25	N/A	N/A	N/A
thiram	Kale	0.4	N/A	194.57	P
thiram	Kohlrabi	0.67	N/A	347.77	P
thiram	Landscape maintenance	56.44	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiram	Leek	85.87	N/A	34,540.34	P
thiram	Lettuce, head	15.4	N/A	12,730.86	P
thiram	Lettuce, leaf	25.0	N/A	10,721.79	P
thiram	Melon	1.26	N/A	1,006.0	P
thiram	Mint	<0.01	N/A	1.59	P
thiram	Mustard	0.58	N/A	448.0	P
thiram	N-grnhs plants in containers	0.2	3	2.63	A
thiram	N-grnhs plants in containers	0.97	4	19,160.0	S
thiram	N-outdr flower	59.86	8	68.9	A
thiram	N-outdr plants in containers	170.13	17	148.7	A
thiram	N-outdr transplants	5,411.36	110	2,373.49	A
thiram	Okra	14.52	N/A	9,446.13	P
thiram	Onion, dry	482.31	N/A	273,129.22	P
thiram	Onion, dry	1.08	N/A	573.17	U
thiram	Onion, green	1.3	N/A	695.05	P
thiram	Oregano	0.15	N/A	65.11	P
thiram	Papaya	<0.01	N/A	4.6	P
thiram	Parsley	2.64	N/A	2,118.0	P
thiram	Parsnip	0.08	N/A	61.0	P
thiram	Peas	11.24	N/A	21,463.88	P
thiram	Pepper, fruiting	45.32	N/A	18,601.77	P
thiram	Pepper, spice	13.38	N/A	7,013.81	P
thiram	Pumpkin	2.33	N/A	1,895.17	P
thiram	Radish	151.59	N/A	124,650.58	P
thiram	Rutabaga	0.37	N/A	150.0	P
thiram	Safflower	17.95	N/A	14,433.0	P
thiram	Spinach	2,117.78	N/A	910,754.84	P
thiram	Squash	121.09	N/A	95,379.03	P

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
thiram	Strawberry	121,986.28	1,497	52,621.05	A
thiram	Strawberry	12.76	12	566,625.0	S
thiram	Strawberry	<0.01	1	0.01	U
thiram	Sudangrass	0.2	N/A	100.0	P
thiram	Sudangrass	431.14	N/A	86.48	T
thiram	Swiss chard	13.29	N/A	8,221.63	P
thiram	Tomatillo	0.16	N/A	160.0	P
thiram	Tomato	13.59	N/A	9,646.23	P
thiram	Turnip	8.68	N/A	3,783.52	P
thiram	Vegetable	518.4	N/A	971,031.0	P
thiram	Watermelon	26.37	N/A	23,398.89	P
thyme	Regulatory pest control	3.2	N/A	N/A	N/A
thyme	Structural pest control	5.71	N/A	N/A	N/A
thyme oil	Structural pest control	3.28	N/A	N/A	N/A
thymol	Beehive	347.05	4	2,612.64	A
thymol	Beehive	102.4	37	5,462.0	U
thymol	Landscape maintenance	0.08	N/A	N/A	N/A
thymol	Structural pest control	5.04	N/A	N/A	N/A
tofenpyrad	Alfalfa	0.02	1	3,000.0	S
tofenpyrad	Grapefruit	16.66	7	72.0	A
tofenpyrad	Lemon	72.45	24	267.3	A
tofenpyrad	Lime	2.82	1	10.0	A
tofenpyrad	Melon	0.06	3	7,740.0	S
tofenpyrad	N-grnhs flower	40.91	41	121.8	A
tofenpyrad	N-grnhs flower	0.48	4	58,568.0	S
tofenpyrad	N-grnhs plants in containers	20.27	43	44.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tolfenpyrad	N-grnhs plants in containers	27.79	50	2,511,750.0	S
tolfenpyrad	N-grnhs transplants	0.61	1	4.2	A
tolfenpyrad	N-grnhs transplants	4.25	44	614,000.0	S
tolfenpyrad	N-outdr flower	84.61	83	307.04	A
tolfenpyrad	N-outdr flower	0.07	5	36,000.0	S
tolfenpyrad	N-outdr plants in containers	5.73	13	15.07	A
tolfenpyrad	N-outdr plants in containers	2.43	3	193,000.0	S
tolfenpyrad	N-outdr plants in containers	6.58	9	86,300.0	U
tolfenpyrad	N-outdr transplants	0.58	1	4.0	A
tolfenpyrad	Orange	933.41	164	3,390.93	A
tolfenpyrad	Pomelo	1.67	1	10.0	A
tolfenpyrad	Research commodity	0.2	N/A	N/A	N/A
tolfenpyrad	Tangelo	3.43	3	14.0	A
tolfenpyrad	Tangerine	485.63	81	1,929.44	A
tolfenpyrad	Tomato	0.02	2	5,040.0	S
topramezone	Golf course turf	0.99	3	35.98	A
topramezone	Golf course turf	0.03	N/A	48,500.0	S
topramezone	Landscape maintenance	0.4	3	18.3	A
topramezone	Landscape maintenance	0.17	1	236,500.0	S
topramezone	Landscape maintenance	93.41	N/A	N/A	N/A
topramezone	N-grnhs flower	1.02	N/A	29.0	A
topramezone	N-grnhs flower	0.08	N/A	4,000.0	S
topramezone	N-grnhs transplants	2.83	N/A	129.4	A
topramezone	Turf/sod	13.43	9	257.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
toxaphene	Landscape maintenance	0.57	N/A	N/A	N/A
tralomethrin	Regulatory pest control	0.05	N/A	N/A	N/A
tralomethrin	Structural pest control	0.25	N/A	N/A	N/A
triadimefon	Golf course turf	56.08	1	38.0	A
triadimefon	Landscape maintenance	20.77	5	14.5	A
triadimefon	Landscape maintenance	554.34	N/A	N/A	N/A
triadimefon	N-grnhs flower	141.07	49	194.1	A
triadimefon	N-grnhs flower	2.17	20	245,888.0	S
triadimefon	N-grnhs plants in containers	9.32	111	97.84	A
triadimefon	N-grnhs plants in containers	0.04	1	30,000.0	S
triadimefon	N-grnhs transplants	14.51	4	13.82	A
triadimefon	N-outdr flower	97.9	31	171.63	A
triadimefon	N-outdr flower	0.01	2	22,176.0	S
triadimefon	N-outdr plants in containers	54.05	143	377.08	A
triadimefon	N-outdr plants in containers	0.73	7	217,000.0	S
triadimefon	N-outdr plants in containers	0.16	1	5,000.0	U
triadimefon	N-outdr transplants	0.23	2	2.25	A
triadimefon	Research commodity	0.12	N/A	N/A	N/A
triadimefon	Turf/sod	4.97	N/A	5.0	A
triadimefon	Turf/sod	0.11	N/A	4,000.0	S
triallate	Bermudagrass	286.5	3	191.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tribenuron-methyl	Alfalfa	1.56	4	149.0	A
tribenuron-methyl	Barley	67.54	62	5,638.85	A
tribenuron-methyl	Barley (forage - fodder)	50.75	41	3,530.9	A
tribenuron-methyl	Cauliflower	0.17	1	10.7	A
tribenuron-methyl	Corn (forage - fodder)	14.72	9	1,397.0	A
tribenuron-methyl	Cotton	5.86	12	749.51	A
tribenuron-methyl	Forage hay/silage	51.25	105	4,272.0	A
tribenuron-methyl	Grain	0.28	1	30.0	A
tribenuron-methyl	Grass, seed	2.94	7	63.5	A
tribenuron-methyl	N-outdr flower	0.38	3	20.5	A
tribenuron-methyl	Oat	10.64	34	1,576.59	A
tribenuron-methyl	Oat (forage - fodder)	235.58	690	31,099.66	A
tribenuron-methyl	Pastureland	0.08	1	8.0	A
tribenuron-methyl	Soil fumigation/preplant	0.32	1	20.0	A
tribenuron-methyl	Sorghum/milo	0.32	1	10.0	A
tribenuron-methyl	Structural pest control	<0.01	N/A	N/A	N/A
tribenuron-methyl	Sunflower	154.43	200	9,981.88	A
tribenuron-methyl	Triticale	176.15	263	14,076.54	A
tribenuron-methyl	Uncultivated ag	65.94	70	4,705.49	A
tribenuron-methyl	Wheat	499.85	581	37,457.6	A
tribenuron-methyl	Wheat (forage - fodder)	1,008.16	1,491	81,464.79	A
s,s,s-tributyl phosphorotrithioate	Cotton	6,545.01	114	5,106.09	A
s,s,s-tributyl phosphorotrithioate	Research commodity	0.57	N/A	N/A	N/A
tributyl tetradecyl phosphonium chloride	Water (industrial)	44.0	N/A	14.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tributyltin oxide	Structural pest control	<0.01	N/A	N/A	N/A
trichlorfon	Landscape maintenance	0.5	N/A	N/A	N/A
trichlorfon	Structural pest control	1.33	N/A	N/A	N/A
trichlorofluoromethane	Landscape maintenance	9.41	N/A	N/A	N/A
trichlorofluoromethane	Regulatory pest control	0.38	N/A	N/A	N/A
trichlorofluoromethane	Rights of way	3.0	N/A	N/A	N/A
trichlorofluoromethane	Structural pest control	667.72	N/A	N/A	N/A
trichloro-s-triazinetrione	Almond	<0.01	1	75.0	A
trichloro-s-triazinetrione	Landscape maintenance	6,427.75	N/A	N/A	N/A
trichloro-s-triazinetrione	Water (industrial)	3,810.82	N/A	16.0	A
trichloro-s-triazinetrione	Water (industrial)	14,121.03	N/A	21.0	U
trichoderma harzianum rifai strain krl-ag2	Basil, sweet	0.34	1	15.0	A
trichoderma harzianum rifai strain krl-ag2	Basil, sweet	<0.01	2	64.0	S
trichoderma harzianum rifai strain krl-ag2	Cannabis (all or unspecified)	0.07	19	6.85	A
trichoderma harzianum rifai strain krl-ag2	Cannabis (all or unspecified)	0.98	65	530,072.0	S
trichoderma harzianum rifai strain krl-ag2	Citrus	0.3	3	8.25	A
trichoderma harzianum rifai strain krl-ag2	Cucumber	0.97	27	120.0	A
trichoderma harzianum rifai strain krl-ag2	Herb, spice	0.13	18	19.53	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trichoderma harzianum rifai strain krl-ag2	Industrial hemp	<0.01	1	1,080.0	S
trichoderma harzianum rifai strain krl-ag2	Landscape maintenance	<0.01	N/A	N/A	N/A
trichoderma harzianum rifai strain krl-ag2	Lettuce, leaf	0.01	4	0.16	A
trichoderma harzianum rifai strain krl-ag2	Mint	0.03	6	4.04	A
trichoderma harzianum rifai strain krl-ag2	N-grnhs flower	2.01	94	226,500.0	S
trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	8.29	357	101.2	A
trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	0.81	3	4,050.0	C
trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	4.14	158	3,052,465.4	S
trichoderma harzianum rifai strain krl-ag2	N-grnhs plants in containers	0.02	1	54.0	U
trichoderma harzianum rifai strain krl-ag2	N-grnhs transplants	26.36	75	224.59	A
trichoderma harzianum rifai strain krl-ag2	N-grnhs transplants	8.45	324	2,738,417.5	S
trichoderma harzianum rifai strain krl-ag2	N-outdr flower	0.2	8	5.01	A
trichoderma harzianum rifai strain krl-ag2	N-outdr flower	<0.01	2	1,400.0	S
trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	3.09	145	254.83	A
trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	0.06	3	135.0	C
trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	1.01	76	943,810.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trichoderma harzianum rifai strain krl-ag2	N-outdr plants in containers	0.02	1	54.0	U
trichoderma harzianum rifai strain krl-ag2	N-outdr transplants	12.96	48	136.3	A
trichoderma harzianum rifai strain krl-ag2	N-outdr transplants	1.05	58	287,761.0	S
trichoderma harzianum rifai strain krl-ag2	Nursery soil	1.68	53	7,824.0	C
trichoderma harzianum rifai strain krl-ag2	Onion, green	<0.01	1	8.0	S
trichoderma harzianum rifai strain krl-ag2	Pepper, fruiting	0.05	1	8.0	A
trichoderma harzianum rifai strain krl-ag2	Research commodity	0.09	N/A	N/A	N/A
trichoderma harzianum rifai strain krl-ag2	Tomato	5.75	31	356.0	A
trichoderma harzianum rifai strain krl-ag2	Tomato	<0.01	N/A	1.5	P
trichoderma harzianum rifai strain krl-ag2	Uncultivated ag	0.5	125	135.19	A
trichoderma harzianum rifai strain krl-ag2	Vegetables, leafy	0.63	2	55.0	A
trichoderma icc 012 asperellum	Grape, wine	8.7	9	455.6	A
trichoderma icc 012 asperellum	Landscape maintenance	0.3	N/A	N/A	N/A
trichoderma icc 012 asperellum	N-grnhs plants in containers	1.96	22	10.51	A
trichoderma icc 012 asperellum	N-grnhs transplants	3.39	39	17.6	A
trichoderma icc 012 asperellum	N-outdr plants in containers	1.91	10	8.76	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>trichoderma icc 012 asperellum</b>	N-outdr transplants	1.29	11	7.0	A
<b>trichoderma icc 012 asperellum</b>	Prune	6.04	9	151.0	A
<b>trichoderma icc 080 gamsii</b>	Grape, wine	8.7	9	455.6	A
<b>trichoderma icc 080 gamsii</b>	Landscape maintenance	0.3	N/A	N/A	N/A
<b>trichoderma icc 080 gamsii</b>	N-grnhs plants in containers	1.96	22	10.51	A
<b>trichoderma icc 080 gamsii</b>	N-grnhs transplants	3.39	39	17.6	A
<b>trichoderma icc 080 gamsii</b>	N-outdr plants in containers	1.91	10	8.76	A
<b>trichoderma icc 080 gamsii</b>	N-outdr transplants	1.29	11	7.0	A
<b>trichoderma icc 080 gamsii</b>	Prune	6.04	9	151.0	A
<b>trichoderma virens strain g-41</b>	Basil, sweet	0.18	1	15.0	A
<b>trichoderma virens strain g-41</b>	Cannabis (all or unspecified)	0.04	19	6.85	A
<b>trichoderma virens strain g-41</b>	Cannabis (all or unspecified)	0.47	55	471,032.0	S
<b>trichoderma virens strain g-41</b>	Cucumber	0.24	25	88.0	A
<b>trichoderma virens strain g-41</b>	Industrial hemp	<0.01	1	1,080.0	S
<b>trichoderma virens strain g-41</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>trichoderma virens strain g-41</b>	N-grnhs flower	0.97	89	212,800.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trichoderma virens strain g-41	N-grnhs plants in containers	3.66	294	82.26	A
trichoderma virens strain g-41	N-grnhs plants in containers	0.08	1	1,620.0	C
trichoderma virens strain g-41	N-grnhs plants in containers	0.64	38	419,565.4	S
trichoderma virens strain g-41	N-grnhs plants in containers	0.01	1	54.0	U
trichoderma virens strain g-41	N-grnhs transplants	0.25	11	16.44	A
trichoderma virens strain g-41	N-grnhs transplants	2.65	112	521,567.5	S
trichoderma virens strain g-41	N-outdr flower	0.1	8	5.01	A
trichoderma virens strain g-41	N-outdr flower	<0.01	2	1,400.0	S
trichoderma virens strain g-41	N-outdr plants in containers	1.06	84	233.86	A
trichoderma virens strain g-41	N-outdr plants in containers	0.03	3	135.0	C
trichoderma virens strain g-41	N-outdr plants in containers	0.5	71	864,810.0	S
trichoderma virens strain g-41	N-outdr plants in containers	0.01	1	54.0	U
trichoderma virens strain g-41	N-outdr transplants	0.05	2	1.55	A
trichoderma virens strain g-41	N-outdr transplants	0.55	58	287,761.0	S
trichoderma virens strain g-41	Pepper, fruiting	0.03	1	8.0	A
trichoderma virens strain g-41	Research commodity	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trichoderma virens strain g-41	Tomato	1.18	16	188.0	A
trichoderma virens strain g-41	Vegetables, leafy	0.27	1	44.0	A
triclopyr, butoxyethyl ester	Christmas tree	169.14	2	70.0	A
triclopyr, butoxyethyl ester	County ag comm	209.66	N/A	N/A	N/A
triclopyr, butoxyethyl ester	Ditch bank	70.67	N/A	3.0	A
triclopyr, butoxyethyl ester	Forest, timberland	6,950.49	179	3,581.37	A
triclopyr, butoxyethyl ester	Forest, timberland	0.57	5	40,000.0	S
triclopyr, butoxyethyl ester	Golf course turf	167.82	1	259.83	A
triclopyr, butoxyethyl ester	Golf course turf	4.2	1	96,750.0	S
triclopyr, butoxyethyl ester	Grape, wine	1.96	1	1.0	A
triclopyr, butoxyethyl ester	Grass, seed	0.25	1	0.05	A
triclopyr, butoxyethyl ester	Landscape maintenance	153.09	24	387.13	A
triclopyr, butoxyethyl ester	Landscape maintenance	34,546.23	N/A	N/A	N/A
triclopyr, butoxyethyl ester	N-grnhs flower	348.85	N/A	352.4	A
triclopyr, butoxyethyl ester	N-grnhs flower	0.66	N/A	20,000.0	S
triclopyr, butoxyethyl ester	N-grnhs flower	0.19	N/A	2.0	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triclopyr, butoxyethyl ester	N-grnhs plants in containers	0.13	1	0.5	A
triclopyr, butoxyethyl ester	N-grnhs transplants	253.5	N/A	289.38	A
triclopyr, butoxyethyl ester	N-grnhs transplants	0.35	2	8,000.0	S
triclopyr, butoxyethyl ester	N-outdr flower	0.53	1	3.0	A
triclopyr, butoxyethyl ester	N-outdr plants in containers	48.34	4	8.6	A
triclopyr, butoxyethyl ester	N-outdr plants in containers	27.06	11	119,559.0	S
triclopyr, butoxyethyl ester	N-outdr transplants	183.57	8	135.0	A
triclopyr, butoxyethyl ester	Pasture (forage - fodder)	40.48	1	34.45	A
triclopyr, butoxyethyl ester	Pastureland	959.29	41	1,766.42	A
triclopyr, butoxyethyl ester	Pastureland	5.56	7	257,140.0	S
triclopyr, butoxyethyl ester	Peas	7.82	3	1.6	A
triclopyr, butoxyethyl ester	Public health	305.02	N/A	N/A	N/A
triclopyr, butoxyethyl ester	Rangeland	493.06	44	732.84	A
triclopyr, butoxyethyl ester	Recreation area	0.01	N/A	0.01	A
triclopyr, butoxyethyl ester	Recreation area	0.74	N/A	0.03	U
triclopyr, butoxyethyl ester	Regulatory pest control	174.03	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triclopyr, butoxyethyl ester	Research commodity	0.26	3	3.54	A
triclopyr, butoxyethyl ester	Rights of way	267.63	8	147.5	A
triclopyr, butoxyethyl ester	Rights of way	23,970.55	N/A	N/A	N/A
triclopyr, butoxyethyl ester	Sod farm (turf)	165.61	11	132.54	A
triclopyr, butoxyethyl ester	Soil fumigation/preplant	10.88	1	4.0	A
triclopyr, butoxyethyl ester	Structural pest control	1.09	N/A	N/A	N/A
triclopyr, butoxyethyl ester	Turf/sod	755.92	37	816.63	A
triclopyr, butoxyethyl ester	Turf/sod	0.25	N/A	291,500.0	S
triclopyr, butoxyethyl ester	Uncultivated ag	398.03	32	164.45	A
triclopyr, butoxyethyl ester	Uncultivated ag	0.93	2	125,000.0	S
triclopyr, butoxyethyl ester	Uncultivated non-ag	282.43	9	2,144.02	A
triclopyr, butoxyethyl ester	Vertebrate control	0.14	N/A	N/A	N/A
triclopyr, butoxyethyl ester	Wheat (forage - fodder)	3.59	1	11.5	A
triclopyr choline	Blackberry	32.83	N/A	15.5	A
triclopyr choline	Forest, timberland	2,000.8	31	1,479.08	A
triclopyr choline	Grape, wine	1.12	1	1.0	A
triclopyr choline	Industrial site	0.17	N/A	6.0	A
triclopyr choline	Landscape maintenance	3,665.23	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
triclopyr choline	N-outdr plants in containers	8.04	16	255,500.0	S
triclopyr choline	Oat (forage - fodder)	22.32	1	32.0	A
triclopyr choline	Pastureland	118.28	4	85.67	A
triclopyr choline	Rangeland	31.42	N/A	30.0	A
triclopyr choline	Rights of way	816.8	7	277.0	A
triclopyr choline	Rights of way	11,179.89	N/A	N/A	N/A
triclopyr choline	Ryegrass	181.13	3	55.99	A
triclopyr choline	Structural pest control	0.7	N/A	N/A	N/A
triclopyr choline	Uncultivated ag	55.8	N/A	4.0	A
triclopyr choline	Uncultivated non-ag	9.32	N/A	1,457.8	A
triclopyr choline	Unknown	39.06	1	18.55	A
triclopyr choline	Water area	9.42	N/A	3.5	A
triclopyr choline	Water area	2.57	N/A	55,000.0	S
triclopyr choline	Water area	5.23	N/A	8.0	U
triclopyr, triethylamine salt	Christmas tree	79.17	3	120.0	A
triclopyr, triethylamine salt	Commodity fumigation	8.51	N/A	N/A	N/A
triclopyr, triethylamine salt	County ag comm	14.36	N/A	N/A	N/A
triclopyr, triethylamine salt	Ditch bank	1,152.88	46	417.6	A
triclopyr, triethylamine salt	Forest, timberland	5,587.88	213	5,738.75	A
triclopyr, triethylamine salt	Forest, timberland	91.31	N/A	47,780.0	U
triclopyr, triethylamine salt	Golf course turf	64.14	N/A	92.8	A
triclopyr, triethylamine salt	Landscape maintenance	0.26	1	4.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
triclopyr, triethylamine salt	Landscape maintenance	8,308.44	N/A	N/A	N/A
triclopyr, triethylamine salt	Lemon	8.53	2	19.7	A
triclopyr, triethylamine salt	N-grnhs flower	0.14	N/A	650.0	S
triclopyr, triethylamine salt	N-grnhs plants in containers	0.62	4	32,000.0	S
triclopyr, triethylamine salt	N-outdr plants in containers	<0.01	1	2,000.0	S
triclopyr, triethylamine salt	Pasture (forage - fodder)	14.43	2	16.0	A
triclopyr, triethylamine salt	Pastureland	412.93	30	631.6	A
triclopyr, triethylamine salt	Pastureland	0.18	2	8,000.0	S
triclopyr, triethylamine salt	Public health	63.01	N/A	N/A	N/A
triclopyr, triethylamine salt	Rangeland	1,662.54	71	3,583.97	A
triclopyr, triethylamine salt	Regulatory pest control	173.46	N/A	N/A	N/A
triclopyr, triethylamine salt	Rice	67,545.03	4,466	348,137.21	A
triclopyr, triethylamine salt	Rights of way	2,830.92	74	2,061.28	A
triclopyr, triethylamine salt	Rights of way	0.03	1	120.0	S
triclopyr, triethylamine salt	Rights of way	162,196.4	N/A	N/A	N/A
triclopyr, triethylamine salt	Soil fumigation/preplant	222.12	10	82.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
triclopyr, triethylamine salt	Structural pest control	11.35	N/A	N/A	N/A
triclopyr, triethylamine salt	Turf/sod	3.11	2	7.6	A
triclopyr, triethylamine salt	Turf/sod	9.03	N/A	120,000.0	S
triclopyr, triethylamine salt	Uncultivated ag	251.79	35	238.63	A
triclopyr, triethylamine salt	Uncultivated non-ag	1,706.73	37	1,744.19	A
triclopyr, triethylamine salt	Vertebrate control	8.4	N/A	N/A	N/A
triclopyr, triethylamine salt	Walnut	61.37	4	40.5	A
triclopyr, triethylamine salt	Water (industrial)	26.28	N/A	31.5	A
triclopyr, triethylamine salt	Water area	278.33	1	176.12	A
triclopyr, triethylamine salt	Water area	0.26	N/A	8,500.0	S
triclopyr, triethylamine salt	Water area	0.1	N/A	1.0	U
(e)-4-tridecen-1-yl-acetate	Orange	0.24	2	10.0	A
(z)-4-tridecen-1-yl-acetate	Orange	5.68	2	10.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Alfalfa	1,615.63	2,020	78,444.03	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Almond	12,040.88	3,567	131,481.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Apricot	0.83	12	19.6	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Artichoke, globe	0.44	1	40.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Asparagus	0.6	4	86.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Avocado	3.93	74	390.74	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Barley (forage - fodder)	0.05	1	5.25	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Basil, sweet	0.24	1	67.3	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Bean, dried	0.48	2	75.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Bermudagrass	85.2	53	3,530.38	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Blackberry	0.02	1	1.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Blueberry	108.3	42	1,249.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Broccoli	12.92	12	234.1	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cantaloupe	11.06	9	978.59	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Carrot	2.47	6	152.03	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cherry	198.1	144	2,592.78	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Citrus	10.48	37	952.94	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Clover	0.7	1	70.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Corn (forage - fodder)	318.51	248	12,794.63	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Corn, grain	9.46	14	674.2	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Corn, human consumption	12.52	15	1,782.96	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cotton	711.57	929	61,025.96	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Cucumber	0.28	2	79.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Date	4.66	34	1,107.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Fig	529.07	32	2,513.08	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Forage hay/silage	21.01	42	2,237.5	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Forest, timberland	5.64	3	27.8	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Garbanzo bean	17.1	9	1,126.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Garlic	13.89	4	367.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grain	0.94	4	101.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape	707.47	625	14,502.73	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	4,959.97	1,128	27,470.15	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grapefruit	66.63	65	1,577.83	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grass, seed	9.68	18	966.7	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Industrial site	0.39	3	18.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Kiwi fruit fuzzy	34.41	15	391.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Landscape maintenance	3.51	N/A	N/A	N/A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lemon	361.39	369	10,205.85	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lettuce, head	10.04	4	390.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lettuce, leaf	2.9	6	171.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Lime	1.86	10	215.5	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Mango	0.41	2	60.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Melon	6.48	6	672.91	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Nectarine	1.5	11	38.9	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Oat	0.07	1	10.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Oat (forage - fodder)	0.04	1	92.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Olive	357.48	138	3,430.69	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Onion, dry	32.38	40	2,464.2	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Orange	598.3	576	10,362.42	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pastureland	0.7	1	70.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Peach	41.06	80	960.82	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pecan	177.46	23	1,583.52	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pepper, fruiting	5.84	4	179.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Persimmon	9.14	20	87.8	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pistachio	6,774.54	1,371	67,343.31	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Plum	11.46	34	433.06	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pomegranate	90.07	53	1,437.84	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pomelo	49.43	33	397.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Prune	411.88	137	3,138.97	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Pumpkin	16.74	3	57.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Raspberry	8.08	2	55.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Research commodity	2.37	19	63.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rice	2,504.58	199	19,273.16	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	72.93	29	2,428.86	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	272.95	N/A	N/A	N/A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Safflower	10.13	11	2,334.3	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Soil fumigation/preplant	488.44	50	9,022.2	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sorghum (forage - fodder)	6.75	6	139.44	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Stone fruit	0.57	2	5.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sudangrass	4.43	15	412.11	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sugarbeet	108.24	79	5,703.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sunflower	106.9	17	1,231.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tangelo	18.77	29	791.36	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tangerine	431.73	321	8,423.24	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Timothy	0.21	1	60.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tomato	9.67	8	233.4	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Tomato, processing	267.26	113	10,634.71	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Triticale	0.69	2	138.0	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated ag	1,154.03	458	26,905.02	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated non-ag	47.7	37	1,568.66	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Walnut	3,264.57	1,045	27,739.39	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Watermelon	12.88	2	134.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Wheat	38.21	32	2,214.13	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Wheat (forage - fodder)	4.91	18	707.91	A
triethanolamine	Alfalfa	486.09	600	33,074.84	A
triethanolamine	Almond	7,760.54	1,533	73,884.77	A
triethanolamine	Apple	723.05	29	1,623.9	A
triethanolamine	Apricot	15.25	12	66.14	A
triethanolamine	Artichoke, globe	2.73	3	18.5	A
triethanolamine	Avocado	4.29	33	225.0	A
triethanolamine	Avocado	<0.01	2	5,700.0	U
triethanolamine	Basil, sweet	0.49	79	53.72	A
triethanolamine	Bean, dried	18.66	16	792.0	A
triethanolamine	Bean, succulent	0.24	18	6.37	A
triethanolamine	Beet	0.07	9	4.03	A
triethanolamine	Bermudagrass	2.9	26	1,458.0	A
triethanolamine	Blackberry	0.13	3	9.78	A
triethanolamine	Blueberry	3.16	8	79.02	A
triethanolamine	Broccoli	3.19	21	417.9	A
triethanolamine	Bushberry	<0.01	4	0.9	A
triethanolamine	Cabbage	0.58	6	33.1	A
triethanolamine	Cannabis (all or unspecified)	0.02	2	18,000.0	S
triethanolamine	Canola (rape)	0.23	1	72.0	A
triethanolamine	Cantaloupe	9.1	50	2,639.1	A
triethanolamine	Carrot	6.73	48	2,036.13	A
triethanolamine	Celery	2.35	23	284.5	A
triethanolamine	Cherry	368.83	165	2,664.21	A
triethanolamine	Citrus	0.05	5	4.07	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triethanolamine	Clover	0.02	1	8.9	A
triethanolamine	Cole crop	0.3	76	37.86	A
triethanolamine	Corn (forage - fodder)	138.11	57	2,814.01	A
triethanolamine	Corn, grain	9.34	3	154.0	A
triethanolamine	Corn, human consumption	6.12	45	2,538.0	A
triethanolamine	Cotton	1,973.38	378	65,125.72	A
triethanolamine	Cucumber	14.52	45	127.33	A
triethanolamine	Ditch bank	1.73	N/A	31.0	U
triethanolamine	Edible flowers	0.03	3	2.5	A
triethanolamine	Fig	<0.01	1	0.08	A
triethanolamine	Forage hay/silage	1.38	11	758.0	A
triethanolamine	Garbanzo bean	0.78	3	316.0	A
triethanolamine	Garlic	25.39	12	1,536.18	A
triethanolamine	Ginger	0.06	6	3.0	A
triethanolamine	Golf course turf	0.22	N/A	10.7	A
triethanolamine	Grape	637.3	2,106	85,067.64	A
triethanolamine	Grape, wine	430.77	563	16,165.65	A
triethanolamine	Grapefruit	0.52	5	18.95	A
triethanolamine	Grass, seed	0.2	1	68.0	A
triethanolamine	Herb, spice	0.85	141	76.68	A
triethanolamine	Kiwi fruit fuzzy	7.69	94	879.76	A
triethanolamine	Landscape maintenance	1.02	3	16.5	A
triethanolamine	Landscape maintenance	103.96	N/A	N/A	N/A
triethanolamine	Lemon	2.17	16	174.6	A
triethanolamine	Lemon	0.05	1	75.0	U
triethanolamine	Lettuce, head	50.39	278	3,316.35	A
triethanolamine	Lettuce, leaf	49.18	279	3,119.49	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triethanolamine	Melon	14.18	74	3,998.4	A
triethanolamine	Mint	1.12	53	32.9	A
triethanolamine	Mustard	0.06	22	7.79	A
triethanolamine	N-grnhs flower	9.77	172	509.55	A
triethanolamine	N-grnhs flower	0.34	11	245,000.0	S
triethanolamine	N-grnhs plants in containers	14.31	633	628.28	A
triethanolamine	N-grnhs plants in containers	1.67	77	2,242,350.0	S
triethanolamine	N-grnhs transplants	6.79	39	571.0	A
triethanolamine	N-grnhs transplants	3.15	59	12,681,000.0	S
triethanolamine	N-outdr flower	35.29	529	2,062.6	A
triethanolamine	N-outdr plants in containers	90.68	911	1,429.81	A
triethanolamine	N-outdr plants in containers	<0.01	3	42,000.0	S
triethanolamine	N-outdr plants in containers	0.27	48	10,969.0	U
triethanolamine	N-outdr transplants	0.66	14	63.0	A
triethanolamine	N-outdr transplants	16.02	285	48,987,316.0	S
triethanolamine	Nectarine	8.95	206	1,299.88	A
triethanolamine	Oat (forage - fodder)	11.46	4	229.0	A
triethanolamine	Olive	16.46	30	1,046.97	A
triethanolamine	Onion, dry	20.3	53	3,396.4	A
triethanolamine	Onion, green	0.12	27	9.86	A
triethanolamine	Orange	54.81	96	2,695.87	A
triethanolamine	Orchard floor	0.49	10	46.75	A
triethanolamine	Parsley	0.01	6	1.13	A
triethanolamine	Pastureland	0.54	8	60.0	A
triethanolamine	Peach	54.92	346	3,795.59	A
triethanolamine	Pear	0.06	1	58.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triethanolamine	Peas	0.03	14	26.28	A
triethanolamine	Peas (forage - fodder)	0.3	2	92.0	A
triethanolamine	Pecan	2.42	3	61.63	A
triethanolamine	Pepper, fruiting	0.24	9	41.31	A
triethanolamine	Persimmon	0.22	14	120.08	A
triethanolamine	Pistachio	459.32	338	18,555.43	A
triethanolamine	Plum	0.97	37	293.99	A
triethanolamine	Pomegranate	24.43	25	600.71	A
triethanolamine	Pomelo	0.08	1	6.0	A
triethanolamine	Potato	2.31	11	704.0	A
triethanolamine	Prune	0.44	10	161.94	A
triethanolamine	Pumpkin	18.36	9	419.0	A
triethanolamine	Radish	0.92	39	42.36	A
triethanolamine	Raspberry	0.08	2	5.0	A
triethanolamine	Regulatory pest control	3.35	N/A	N/A	N/A
triethanolamine	Research commodity	2.26	6	14.75	A
triethanolamine	Research commodity	0.23	N/A	N/A	N/A
triethanolamine	Rice	95.95	364	23,500.66	A
triethanolamine	Rights of way	27.32	5	563.0	A
triethanolamine	Rights of way	172.84	N/A	N/A	N/A
triethanolamine	Root vegetable	0.36	52	37.22	A
triethanolamine	Safflower	49.65	15	2,038.0	A
triethanolamine	Soil fumigation/preplant	110.17	17	3,308.05	A
triethanolamine	Spinach	0.02	17	2.86	A
triethanolamine	Squash	0.68	58	67.86	A
triethanolamine	Squash, zucchini	0.15	3	30.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triethanolamine	Strawberry	182.75	240	3,513.97	A
triethanolamine	Structural pest control	10.28	N/A	N/A	N/A
triethanolamine	Sudangrass	0.59	6	355.0	A
triethanolamine	Sugarbeet	1.79	14	1,002.9	A
triethanolamine	Swiss chard	0.01	9	1.25	A
triethanolamine	Tangelo	0.98	2	80.0	A
triethanolamine	Tangerine	44.19	90	1,980.18	A
triethanolamine	Tomato	63.52	24	987.33	A
triethanolamine	Tomato, processing	165.52	71	3,940.11	A
triethanolamine	Tropical/subtropical fruit	0.02	5	1.85	A
triethanolamine	Turnip	0.06	7	3.0	A
triethanolamine	Uncultivated ag	362.18	207	3,965.72	A
triethanolamine	Vegetables, fruiting	0.06	23	5.71	A
triethanolamine	Vegetables, leafy	3.39	484	328.49	A
triethanolamine	Walnut	2,502.25	567	18,345.23	A
triethanolamine	Watermelon	24.13	8	422.0	A
triethanolamine	Wheat	7.82	21	1,099.0	A
triethanolamine oleate	Alfalfa	235.13	300	18,752.96	A
triethanolamine oleate	Almond	609.46	349	20,955.97	A
triethanolamine oleate	Barley (forage - fodder)	8.21	7	991.0	A
triethanolamine oleate	Blueberry	9.81	28	662.0	A
triethanolamine oleate	Broccoli	0.19	4	29.85	A
triethanolamine oleate	Cannabis (all or unspecified)	0.56	12	41.5	A
triethanolamine oleate	Celery	0.54	8	75.0	A
triethanolamine oleate	Cherry	28.71	62	2,375.97	A
triethanolamine oleate	Cilantro	0.17	1	21.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triethanolamine oleate	Corn (forage - fodder)	158.56	251	12,751.39	A
triethanolamine oleate	Corn, human consumption	0.79	2	96.0	A
triethanolamine oleate	Cotton	74.57	79	5,701.42	A
triethanolamine oleate	Garbanzo bean	13.27	5	802.0	A
triethanolamine oleate	Grape	156.78	138	5,526.65	A
triethanolamine oleate	Grape, wine	1,172.32	547	36,563.8	A
triethanolamine oleate	Lemon	1.78	4	66.0	A
triethanolamine oleate	Lettuce, head	1.66	5	125.0	A
triethanolamine oleate	Lettuce, leaf	13.51	29	975.43	A
triethanolamine oleate	Nectarine	0.81	11	52.0	A
triethanolamine oleate	Oat (forage - fodder)	6.82	8	434.45	A
triethanolamine oleate	Orange	42.77	30	505.77	A
triethanolamine oleate	Peach	24.73	35	678.2	A
triethanolamine oleate	Persimmon	0.22	5	25.0	A
triethanolamine oleate	Pistachio	276.54	182	11,545.48	A
triethanolamine oleate	Plum	0.59	13	47.6	A
triethanolamine oleate	Potato	15.53	5	258.0	A
triethanolamine oleate	Pumpkin	0.19	1	18.6	A
triethanolamine oleate	Quince	0.5	6	36.0	A
triethanolamine oleate	Rights of way	2.59	11	93.0	A
triethanolamine oleate	Rights of way	22.01	N/A	N/A	N/A
triethanolamine oleate	Sorghum (forage - fodder)	23.84	19	1,134.67	A
triethanolamine oleate	Sorghum/milo	4.07	3	361.55	A
triethanolamine oleate	Strawberry	2.26	2	50.4	A
triethanolamine oleate	Tangelo	0.17	1	4.0	A
triethanolamine oleate	Tangerine	5.48	13	283.5	A
triethanolamine oleate	Tomato	32.99	52	2,188.0	A
triethanolamine oleate	Tomato, processing	43.22	46	6,504.49	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
triethanolamine oleate	Triticale	24.79	39	2,989.6	A
triethanolamine oleate	Uncultivated ag	1.86	1	150.0	A
triethanolamine oleate	Uncultivated non-ag	0.66	1	20.0	A
triethanolamine oleate	Walnut	5.28	8	238.0	A
triethanolamine oleate	Wheat	9.25	11	872.41	A
triethanolamine oleate	Wheat (forage - fodder)	105.57	214	11,113.55	A
triethylene glycol	Landscape maintenance	2.7	N/A	N/A	N/A
triethylene glycol	N-outdr plants in containers	<0.01	1	5.0	A
triethylene glycol	Structural pest control	0.27	N/A	N/A	N/A
trifloxystrobin	Almond	44,370.96	7,294	463,188.31	A
trifloxystrobin	Almond	8.56	1	105.0	C
trifloxystrobin	Apple	473.18	241	4,130.96	A
trifloxystrobin	Apricot	166.52	125	1,546.72	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
trifloxystrobin	Barley	7.76	2	143.38	A
trifloxystrobin	Beet	2.18	2	23.01	A
trifloxystrobin	Blueberry	2.11	2	18.15	A
trifloxystrobin	Bok choy	1.19	7	11.1	A
trifloxystrobin	Broccoli	55.49	50	455.93	A
trifloxystrobin	Brussels sprout	1,219.76	602	10,066.75	A
trifloxystrobin	Cabbage	37.03	31	402.44	A
trifloxystrobin	Cantaloupe	38.78	5	333.0	A
trifloxystrobin	Cardoon	1.58	6	17.4	A
trifloxystrobin	Carrot	2.53	1	20.4	A
trifloxystrobin	Cauliflower	58.83	47	473.9	A
trifloxystrobin	Celery	234.76	250	2,607.45	A
trifloxystrobin	Cherry	1,511.78	634	14,801.83	A
trifloxystrobin	Chinese cabbage (napa, won bok, celery cabbage)	53.11	38	436.29	A
trifloxystrobin	Citrus	1.04	1	10.0	A
trifloxystrobin	Collard	5.4	13	50.68	A
trifloxystrobin	Corn (forage - fodder)	26.28	8	298.0	A
trifloxystrobin	Cucumber	12.76	7	106.0	A
trifloxystrobin	Daikon	2.55	1	20.0	A
trifloxystrobin	Dandelion green	0.64	6	5.52	A
trifloxystrobin	Eggplant	4.51	2	43.0	A
trifloxystrobin	Endive (escarole)	15.23	10	123.14	A
trifloxystrobin	Fennel	20.2	15	213.75	A
trifloxystrobin	Golf course turf	20.2	1	74.5	A
trifloxystrobin	Grape	9,462.18	2,309	88,654.82	A
trifloxystrobin	Grape	0.02	1	2,500.0	S
trifloxystrobin	Grape, wine	10,911.93	3,539	108,710.49	A
trifloxystrobin	Grape, wine	0.09	1	3.5	U

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
trifloxystrobin	Grapefruit	3.11	3	35.0	A
trifloxystrobin	Kale	52.33	137	437.68	A
trifloxystrobin	Landscape maintenance	4.15	5	14.5	A
trifloxystrobin	Landscape maintenance	167.17	N/A	N/A	N/A
trifloxystrobin	Lemon	73.18	37	674.88	A
trifloxystrobin	Lettuce, head	901.74	679	7,307.89	A
trifloxystrobin	Lettuce, leaf	1,369.8	1,320	11,111.65	A
trifloxystrobin	Lime	0.47	3	4.8	A
trifloxystrobin	Melon	33.37	10	281.24	A
trifloxystrobin	Mustard	0.31	3	3.33	A
trifloxystrobin	Mustard greens	1.05	5	9.96	A
trifloxystrobin	N-grnhs flower	48.36	166	382.41	A
trifloxystrobin	N-grnhs flower	0.33	34	255,892.0	S
trifloxystrobin	N-grnhs plants in containers	9.7	166	160.29	A
trifloxystrobin	N-grnhs plants in containers	0.38	2	65,000.0	S
trifloxystrobin	N-grnhs plants in containers	0.44	N/A	355,000.0	U
trifloxystrobin	N-grnhs transplants	14.47	89	174.88	A
trifloxystrobin	N-grnhs transplants	6.53	21	2,403,729.0	S
trifloxystrobin	N-outdr flower	37.6	79	445.33	A
trifloxystrobin	N-outdr flower	0.08	8	69,908.0	S
trifloxystrobin	N-outdr plants in containers	93.07	256	1,282.3	A
trifloxystrobin	N-outdr plants in containers	0.11	6	210,000.0	S
trifloxystrobin	N-outdr plants in containers	0.03	1	5,000.0	U
trifloxystrobin	N-outdr transplants	18.51	36	170.84	A

trifloxystrobin	Artichoke, globe	762.92	467	6,265.35	A
trifloxystrobin	N-outdr transplants	18.02	53	7,644,246.0	S
trifloxystrobin	Nectarine	819.12	444	7,836.43	A
trifloxystrobin	Orange	278.14	110	2,724.95	A
trifloxystrobin	Parsley	82.59	103	672.42	A
trifloxystrobin	Peach	1,644.61	856	16,295.27	A
trifloxystrobin	Pear	0.64	4	7.54	A
trifloxystrobin	Pecan	1.21	3	11.64	A
trifloxystrobin	Pepper, fruiting	233.59	97	2,041.92	A
trifloxystrobin	Pepper, fruiting	0.03	1	7,000.0	S
trifloxystrobin	Pepper, spice	0.79	1	6.35	A
trifloxystrobin	Pistachio	5,206.31	730	50,852.73	A
trifloxystrobin	Plum	377.44	431	3,606.81	A
trifloxystrobin	Pluot	0.17	1	1.66	A
trifloxystrobin	Pome fruit	0.17	4	2.0	A
trifloxystrobin	Pomelo	0.48	2	15.0	A
trifloxystrobin	Prune	91.19	20	834.5	A
trifloxystrobin	Pumpkin	158.36	45	1,288.0	A
trifloxystrobin	Quince	0.93	2	10.0	A
trifloxystrobin	Rapini	6.77	3	54.6	A
trifloxystrobin	Regulatory pest control	0.03	N/A	N/A	N/A
trifloxystrobin	Research commodity	8.56	33	71.07	A
trifloxystrobin	Research commodity	0.33	42	196,500.0	S
trifloxystrobin	Research commodity	0.58	N/A	N/A	N/A
trifloxystrobin	Rice	39.59	3	310.0	A
trifloxystrobin	Soil fumigation/preplant	3.65	1	35.0	A
trifloxystrobin	Spinach	1.7	5	18.59	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
trifloxystrobin	Squash	10.16	15	82.8	A
trifloxystrobin	Squash, summer	5.74	4	51.0	A
trifloxystrobin	Squash, winter	4.18	1	35.0	A
trifloxystrobin	Stone fruit	1.17	5	11.0	A
trifloxystrobin	Strawberry	6,262.55	1,541	52,893.2	A
trifloxystrobin	Strawberry	0.59	4	206,995.0	S
trifloxystrobin	Swiss chard	14.26	112	150.4	A
trifloxystrobin	Tangelo	8.44	6	81.34	A
trifloxystrobin	Tangerine	700.03	193	6,300.72	A
trifloxystrobin	Tomatillo	0.02	1	0.1	A
trifloxystrobin	Tomato	247.45	59	2,028.57	A
trifloxystrobin	Tomato, processing	268.24	46	2,753.89	A
trifloxystrobin	Turf/sod	1.99	3	11.0	A
trifloxystrobin	Turnip	0.58	1	6.1	A
trifloxystrobin	Uncultivated ag	14.6	2	132.0	A
trifloxystrobin	Walnut	1,578.64	253	13,839.5	A
trifloxystrobin	Watermelon	166.97	36	1,482.0	A
trifloxystrobin	Wheat	12.67	1	164.0	A
trifloxysulfuron-sodium	Golf course turf	2.76	N/A	152.84	A
trifloxysulfuron-sodium	Landscape maintenance	172.44	N/A	N/A	N/A
trifloxysulfuron-sodium	N-grnhs flower	0.42	N/A	45.88	A
trifloxysulfuron-sodium	N-outdr plants in containers	0.04	2	1.75	A
trifloxysulfuron-sodium	Sod farm (turf)	0.16	1	11.7	A
trifloxysulfuron-sodium	Turf/sod	9.58	27	488.03	A
triflumizole	Apple	68.35	7	145.53	A
triflumizole	Avocado	5.0	4	1,230,000.0	U
triflumizole	Brussels sprout	733.09	242	3,049.76	A
triflumizole	Cabbage	3.72	3	14.9	A
triflumizole	Cantaloupe	224.65	29	959.06	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
triflumizole	Cherry	811.92	45	1,802.45	A
triflumizole	Cilantro	12.37	4	53.25	A
triflumizole	Cole crop	0.12	2	0.5	A
triflumizole	Collard	10.05	14	39.6	A
triflumizole	Cucumber	36.62	38	150.95	A
triflumizole	Grape	8,881.0	766	38,227.76	A
triflumizole	Grape, wine	3,937.69	747	17,707.69	A
triflumizole	Kale	173.53	156	791.26	A
triflumizole	Landscape maintenance	0.71	N/A	N/A	N/A
triflumizole	Lettuce, head	15.77	6	74.3	A
triflumizole	Lettuce, leaf	2.4	2	10.22	A
triflumizole	Melon	319.05	41	1,355.79	A
triflumizole	N-grnhs flower	125.74	141	223.5	A
triflumizole	N-grnhs flower	5.06	13	287,560.0	S
triflumizole	N-grnhs plants in containers	24.86	146	143.46	A
triflumizole	N-grnhs plants in containers	0.51	10	170,400.0	S
triflumizole	N-grnhs transplants	7.93	25	30.69	A
triflumizole	N-outdr flower	2.71	6	7.93	A
triflumizole	N-outdr flower	0.13	1	4,500.0	S
triflumizole	N-outdr plants in containers	33.94	88	140.06	A
triflumizole	N-outdr plants in containers	0.36	3	11,500.0	S
triflumizole	N-outdr transplants	97.99	33	441.18	A
triflumizole	Parsley	108.55	19	433.92	A
triflumizole	Pear	338.95	28	868.46	A
triflumizole	Pear, asian (oriental pear, ya, ya li, nashi)	14.21	4	35.0	A
triflumizole	Pumpkin	14.97	4	59.9	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>triflumizole</b>	Regulatory pest control	0.02	N/A	N/A	N/A
<b>triflumizole</b>	Research commodity	0.26	2	34,500.0	S
<b>triflumizole</b>	Research commodity	0.56	N/A	N/A	N/A
<b>triflumizole</b>	Squash	5.0	25	28.2	A
<b>triflumizole</b>	Strawberry	8,290.37	1,028	34,147.13	A
<b>triflumizole</b>	Swiss chard	16.0	15	70.94	A
<b>triflumizole</b>	Tomato	28.79	21	117.76	A
<b>triflumizole</b>	Vegetables, leafy	8.36	38	35.7	A
<b>triflumizole</b>	Watermelon	432.28	58	1,799.56	A
<b>trifluralin</b>	Alfalfa	123,502.74	1,106	63,193.19	A
<b>trifluralin</b>	Almond	12,850.58	223	12,538.67	A
<b>trifluralin</b>	Asparagus	290.85	7	296.0	A
<b>trifluralin</b>	Bean, dried	2,298.46	72	3,321.83	A
<b>trifluralin</b>	Bean, succulent	439.13	55	678.4	A
<b>trifluralin</b>	Bean, unspecified	143.63	10	202.95	A
<b>trifluralin</b>	Beet	19.44	2	38.5	A
<b>trifluralin</b>	Bermudagrass	34,809.33	263	18,799.0	A
<b>trifluralin</b>	Bitter melon	2.74	2	7.0	A
<b>trifluralin</b>	Bok choy	308.6	18	571.1	A
<b>trifluralin</b>	Broccoli	3,871.07	591	7,861.72	A
<b>trifluralin</b>	Brussels sprout	31.73	9	53.2	A
<b>trifluralin</b>	Cabbage	312.0	148	349.07	A
<b>trifluralin</b>	Cantaloupe	2,947.62	68	5,344.34	A
<b>trifluralin</b>	Carrot	9,035.43	192	11,453.53	A
<b>trifluralin</b>	Cauliflower	979.66	116	1,390.85	A
<b>trifluralin</b>	Celery	857.06	39	976.52	A
<b>trifluralin</b>	Chinese broccoli (gai lon)	13.43	26	130.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
trifluralin	Chinese greens	63.22	21	130.0	A
trifluralin	Christmas tree	6.0	1	6.0	A
trifluralin	Collard	6.47	6	14.75	A
trifluralin	Corn (forage - fodder)	856.81	18	474.0	A
trifluralin	Corn, grain	356.36	5	355.0	A
trifluralin	Corn, human consumption	4.68	2	35.5	A
trifluralin	Cotton	8,365.13	238	10,016.61	A
trifluralin	Cucumber	104.78	5	115.46	A
trifluralin	Fumigation, other	21.92	N/A	N/A	N/A
trifluralin	Gai choy	1.49	1	3.0	A
trifluralin	Gai choy	<0.01	1	69.04	S
trifluralin	Gai lon	17.12	9	30.0	A
trifluralin	Garbanzo bean	346.56	9	591.13	A
trifluralin	Gourds (edible)	5.14	3	10.0	A
trifluralin	Grape	1,030.14	34	956.32	A
trifluralin	Grape, wine	3,633.69	253	8,403.03	A
trifluralin	Hops	1.11	1	1.5	A
trifluralin	Jujube	1.64	1	3.0	A
trifluralin	Kale	701.03	20	197.04	A
trifluralin	Kohlrabi	9.62	1	19.0	A
trifluralin	Landscape maintenance	2,444.44	N/A	N/A	N/A
trifluralin	Lemon	30.0	1	40.0	A
trifluralin	Lettuce, head	0.09	1	0.06	A
trifluralin	Lettuce, leaf	34.09	13	62.23	A
trifluralin	Melon	3,409.19	109	4,053.92	A
trifluralin	Mustard	11.69	5	19.25	A
trifluralin	Mustard greens	12.92	15	22.3	A
trifluralin	N-grnhs flower	1.0	N/A	1.0	A



<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
trifluralin	N-grnhs flower	0.25	7	2,955.0	U
trifluralin	N-grnhs plants in containers	5.05	11	2.8	A
trifluralin	N-grnhs plants in containers	5.43	12	119,409.0	S
trifluralin	N-outdr flower	159.0	47	39.79	A
trifluralin	N-outdr plants in containers	1,831.89	876	884.9	A
trifluralin	N-outdr plants in containers	43.06	74	927,916.8	S
trifluralin	N-outdr plants in containers	3.06	6	27,137.0	U
trifluralin	N-outdr transplants	112.11	1	60.0	A
trifluralin	N-outdr transplants	0.23	N/A	5,000.0	S
trifluralin	Okra	56.32	7	79.0	A
trifluralin	Onion, dry	25.88	6	51.6	A
trifluralin	Peas	39.56	12	73.8	A
trifluralin	Pepper, fruiting	1,485.45	71	2,636.43	A
trifluralin	Pepper, spice	28.79	5	38.0	A
trifluralin	Radicchio	118.72	6	144.5	A
trifluralin	Radish	76.7	10	122.0	A
trifluralin	Research commodity	40.7	29	55.2	A
trifluralin	Research commodity	1.64	N/A	N/A	N/A
trifluralin	Rice	146.49	1	145.0	A
trifluralin	Rights of way	151.12	N/A	N/A	N/A
trifluralin	Root vegetable	2.19	1	4.0	A
trifluralin	Safflower	5,215.85	122	5,850.07	A
trifluralin	Soil fumigation/preplant	80.4	2	125.0	A
trifluralin	Squash	10.33	3	15.4	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
trifluralin	Structural pest control	2.67	N/A	N/A	N/A
trifluralin	Sunflower	7,664.25	166	11,177.31	A
trifluralin	Tomato	13,056.57	435	21,380.73	A
trifluralin	Tomato, processing	51,876.44	1,148	75,898.54	A
trifluralin	Turnip	17.41	7	25.05	A
trifluralin	Turnip greens	2.86	5	5.75	A
trifluralin	Uncultivated ag	3,321.94	100	3,980.15	A
trifluralin	Uncultivated non-ag	8.95	2	6.0	A
trifluralin	Vegetables, leafy	152.67	9	297.0	A
trifluralin	Walnut	438.47	13	269.0	A
trifluralin	Watermelon	204.41	10	367.71	A
trifluralin	Wheat	53.44	1	65.0	A
triflusulfuron-methyl	Beet	<0.01	1	0.34	A
triflusulfuron-methyl	Lettuce, leaf	0.31	1	10.2	A
triflusulfuron-methyl	Sugarbeet	139.78	65	5,842.26	A
triforine	Landscape maintenance	1.08	N/A	N/A	N/A
trimethylamine	Animal premise	0.15	N/A	228.0	U
trimethylamine	Structural pest control	0.16	N/A	N/A	N/A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Alfalfa	255.13	155	8,162.64	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Almond	13,067.24	1,386	95,959.9	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Apple	4.64	1	3.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Artichoke, globe	26.01	26	132.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Avocado	274.4	39	1,873.26	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bean, dried	13.21	7	261.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bean, unspecified	2.55	2	19.2	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Beet	9.18	6	29.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Bermudagrass	38.22	10	908.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Blackberry	73.1	20	308.91	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Blueberry	4.78	2	13.75	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Broccoli	1,160.39	631	7,334.66	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Brussels sprout	155.87	72	1,534.42	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cabbage	331.09	364	2,488.34	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cantaloupe	1.04	2	64.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Carrot	4.53	5	18.02	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cauliflower	823.54	476	4,669.91	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Celery	929.46	604	5,312.67	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cherry	158.8	53	956.7	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Chive	0.65	1	3.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Citrus	46.08	21	382.78	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Collard	6.72	15	37.18	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	101.59	54	2,782.31	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn, grain	5.15	2	100.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Corn, human consumption	45.06	39	1,180.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cotton	89.56	21	1,868.16	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Cucumber	0.07	2	0.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Date	0.29	1	1.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Eggplant	5.15	5	54.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Endive (escarole)	0.65	2	3.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Fava bean	9.04	4	50.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Garlic	16.49	6	56.9	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape	34.82	16	334.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape, wine	17,728.82	2,653	88,997.72	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grapefruit	244.82	82	2,264.45	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Hops	1.55	1	12.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Kale	170.31	117	920.06	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Kumquat	0.37	4	11.4	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Landscape maintenance	25.88	N/A	N/A	N/A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lemon	176.8	38	1,228.76	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lettuce, head	1,637.67	634	10,429.9	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	791.48	474	5,729.9	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Lime	1.49	7	46.1	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Melon	0.14	1	1.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Mustard greens	1.21	2	5.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs flower	9.7	42	59.06	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.03	6	35,724.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.3	1	3.59	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	1.54	61	736,450.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	5.25	18	10.75	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	2.05	29	1,295,385.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr flower	264.51	911	4,177.4	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr flower	<0.01	3	13.3	S

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	32.44	89	231.81	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	4.24	124	1,708,875.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	2.21	10	286.0	U
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr transplants	178.18	18	246.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr transplants	4.51	56	2,670,256.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Oat	4.35	1	50.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	5.26	4	153.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Olive	3.85	9	26.42	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Onion, dry	131.73	84	2,863.05	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Orange	175.26	102	1,579.61	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Oregano	0.11	1	0.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Parsley	4.03	10	30.4	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Peach	115.97	89	1,005.69	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pecan	10.51	2	87.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	297.65	71	1,741.94	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Persimmon	1.03	3	16.6	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pistachio	1,935.75	203	14,623.73	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pomegranate	46.36	6	379.6	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Potato	2.87	7	13.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Prune	17.64	3	160.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Pumpkin	29.74	15	542.5	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Rangeland	54.33	1	250.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Raspberry	46.59	39	265.93	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Research commodity	0.17	4	3.2	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Rice	821.85	125	9,439.7	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Rights of way	6.27	10	35.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Rights of way	1.81	N/A	N/A	N/A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Safflower	3.09	1	60.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Sage	0.22	1	1.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Shallot	5.52	10	71.82	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	7.81	3	202.1	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Squash	6.55	6	189.25	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Strawberry	17,202.87	1,657	56,716.48	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Structural pest control	0.29	N/A	N/A	N/A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Sugarbeet	25.6	13	1,222.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Swiss chard	12.29	13	42.2	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tangerine	62.33	24	608.2	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomatillo	2.73	1	50.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomato	125.17	58	1,540.9	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Tomato, processing	52.74	34	937.03	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Turf/sod	12.09	6	172.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Turnip greens	0.65	2	3.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Uncultivated ag	44.18	33	884.77	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Walnut	4,240.39	676	31,728.75	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Watermelon	13.04	13	276.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Wheat (forage - fodder)	11.06	5	670.0	A
<b>trinexapac-ethyl</b>	County ag comm	6.8	N/A	N/A	N/A
<b>trinexapac-ethyl</b>	Golf course turf	580.23	34	6,116.29	A
<b>trinexapac-ethyl</b>	Golf course turf	10.5	6	9,362,000.0	S



<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
trinexapac-ethyl	Landscape maintenance	34.87	55	499.47	A
trinexapac-ethyl	Landscape maintenance	0.49	2	262,000.0	S
trinexapac-ethyl	Landscape maintenance	8,038.54	N/A	N/A	N/A
trinexapac-ethyl	N-grnhs flower	321.2	N/A	3,007.98	A
trinexapac-ethyl	N-grnhs flower	4.82	N/A	3,535,000.0	S
trinexapac-ethyl	N-grnhs plants in containers	10.27	N/A	441.38	A
trinexapac-ethyl	N-grnhs transplants	116.47	N/A	1,406.33	A
trinexapac-ethyl	N-grnhs transplants	0.2	N/A	100,000.0	S
trinexapac-ethyl	N-outdr flower	4.65	N/A	42.4	A
trinexapac-ethyl	N-outdr flower	1.75	N/A	705,000.0	S
trinexapac-ethyl	N-outdr plants in containers	12.92	N/A	156.25	A
trinexapac-ethyl	N-outdr transplants	37.7	N/A	682.53	A
trinexapac-ethyl	N-outdr transplants	1.44	N/A	1,267,000.0	S
trinexapac-ethyl	Recreation area	0.2	N/A	105,210.0	S
trinexapac-ethyl	Rights of way	0.63	N/A	N/A	N/A
trinexapac-ethyl	Turf/sod	50.4	16	382.07	A
trinexapac-ethyl	Turf/sod	2.46	N/A	1,510,000.0	S
triptolide	Landscape maintenance	<0.01	N/A	N/A	N/A
triptolide	Structural pest control	0.02	N/A	N/A	N/A
trisodium phosphate	Almond	2.95	2	76.0	A
trisodium phosphate	Apple	4.92	6	48.0	A
trisodium phosphate	Cherry	94.46	59	1,039.7	A
trisodium phosphate	Walnut	110.02	74	1,917.35	A
triticonazole	Golf course turf	89.62	N/A	89.1	A
triticonazole	Golf course turf	0.4	N/A	15,000.0	S

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>triticonazole</b>	Landscape maintenance	310.96	N/A	N/A	N/A
<b>triticonazole</b>	N-grnhs flower	1.06	1	4.0	A
<b>triticonazole</b>	N-grnhs flower	0.23	6	35,724.0	S
<b>triticonazole</b>	N-grnhs plants in containers	0.9	11	3.1	A
<b>triticonazole</b>	N-outdr flower	139.63	115	485.2	A
<b>triticonazole</b>	N-outdr plants in containers	115.44	59	852.54	A
<b>triticonazole</b>	N-outdr transplants	0.31	N/A	24,000.0	S
<b>triticonazole</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>triticonazole</b>	Turf/sod	3.7	1	3.2	A
<b>ulocladium oudemansii (u3 strain)</b>	Almond	147.6	4	103.0	A
<b>ulocladium oudemansii (u3 strain)</b>	Apricot	1.8	1	1.0	A
<b>ulocladium oudemansii (u3 strain)</b>	Blueberry	325.8	1	181.0	A
<b>ulocladium oudemansii (u3 strain)</b>	Cannabis (all or unspecified)	81.22	81	165.0	A
<b>ulocladium oudemansii (u3 strain)</b>	Cannabis (all or unspecified)	3.99	14	157,960.0	S
<b>ulocladium oudemansii (u3 strain)</b>	Cherry	0.14	5	0.15	A
<b>ulocladium oudemansii (u3 strain)</b>	Grape	1.84	2	6.8	A
<b>ulocladium oudemansii (u3 strain)</b>	N-grnhs flower	6.23	27	154,004.0	S
<b>ulocladium oudemansii (u3 strain)</b>	N-grnhs plants in containers	1.35	1	32,200.0	S
<b>ulocladium oudemansii (u3 strain)</b>	Nectarine	73.8	15	68.0	A
<b>ulocladium oudemansii (u3 strain)</b>	Peach	137.35	20	129.99	A
<b>ulocladium oudemansii (u3 strain)</b>	Plum	16.65	2	16.0	A
<b>ulocladium oudemansii (u3 strain)</b>	Pluot	38.48	4	36.5	A
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Alfalfa	9,302.85	2,171	143,405.03	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Almond	206,376.8	11,387	757,133.15	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Apple	656.7	105	3,760.55	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Apricot	418.96	81	2,728.93	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Artichoke, globe	672.83	485	5,963.79	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Arugula	9.71	46	264.65	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Asparagus	100.3	9	762.1	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Avocado	73.4	29	602.7	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Avocado	0.38	2	25,200.0	S
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Barley	32.35	6	593.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Barley (forage - fodder)	120.28	4	141.67	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Basil, sweet	6.28	2	28.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, dried	314.06	104	4,430.47	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, succulent	187.62	74	1,619.12	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bean, unspecified	22.31	92	440.48	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Beet	88.51	120	875.17	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bermudagrass	523.86	33	2,669.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Blackberry	38.11	9	159.8	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Blueberry	130.94	23	895.99	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bok choy	51.37	209	959.28	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Broccoli	6,792.71	5,011	56,899.83	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Brussels sprout	3,595.4	1,398	21,493.13	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cabbage	3,470.71	2,635	22,062.69	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cantaloupe	217.24	68	3,487.65	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Carrot	121.98	134	2,007.55	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cauliflower	2,736.51	2,710	24,165.32	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celeriac	4.46	17	77.57	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celery	4,864.75	2,183	27,428.66	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cherry	5,781.16	1,078	20,452.74	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Chinese cabbage (napa, won bok, celery cabbage)	41.37	129	782.18	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Christmas tree	0.86	1	1.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cilantro	106.38	390	1,739.02	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Citrus	5.08	6	52.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Collard	6.55	11	28.3	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn (forage - fodder)	6,710.41	1,206	62,244.55	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn, grain	93.46	23	1,165.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn, human consumption	944.04	403	14,954.2	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cotton	9,410.0	1,494	164,011.75	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cucumber	39.54	28	270.13	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Daikon	4.84	4	41.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Date	17.79	33	220.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Dill	1.98	2	18.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Ditch bank	137.25	61	209.36	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Ditch bank	1.7	N/A	1,000.0	U
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Eggplant	28.57	17	316.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Endive (escarole)	33.54	205	565.57	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Fava bean	0.29	4	4.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Fennel	79.52	54	432.68	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Forage hay/silage	60.03	22	1,196.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Forest, timberland	139.05	23	537.18	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Forest, timberland	8.56	N/A	30.0	U
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Gai lon	3.47	47	45.34	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garbanzo bean	44.27	10	292.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garlic	1,902.83	331	15,549.12	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Golf course turf	9.27	N/A	29.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape	8,878.61	2,123	53,414.01	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape	0.03	3	20,500.0	S
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	21,766.52	4,306	120,058.15	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grapefruit	428.05	152	1,907.85	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grass, seed	0.19	1	1.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Guava	0.06	1	5.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Herb, spice	11.55	16	51.41	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Hops	5.62	5	28.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Industrial hemp	5.03	2	55.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Industrial site	153.47	3	661.65	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Industrial site	<0.01	N/A	230.0	S
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kale	259.43	667	3,156.93	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kiwi fruit fuzzy	155.85	16	618.7	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kohlrabi	2.81	15	73.32	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	45.26	18	217.1	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	3.07	1	400,000.0	S
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	1.02	1	15.0	U
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	3,546.17	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Leek	51.67	212	867.45	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lemon	2,607.38	757	17,399.67	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	3,974.0	3,599	39,891.75	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	9,325.61	6,836	73,223.35	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lime	1.32	4	13.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Melon	194.81	42	2,917.17	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Mint	1.14	1	15.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Mustard greens	10.8	94	172.4	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs flower	28.63	6	324.25	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs flower	2.79	N/A	202.0	U
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	48.2	88	86.3	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	99.24	753	54,442,876.0	S
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	268.05	70	199.09	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr flower	160.74	1,857	1,927.69	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	453.12	802	1,768.2	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	37.53	327	23,928,426.0	S
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	0.04	1	0.17	U
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr transplants	360.37	459	1,217.19	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Nectarine	273.19	190	1,785.2	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat	46.13	14	553.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat (forage - fodder)	6,883.83	184	8,576.68	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Olive	937.13	91	5,741.83	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	1,739.37	421	25,706.5	A



<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, green	33.49	40	287.03	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Orange	14,828.26	3,389	72,782.76	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Orchardgrass	0.56	1	25.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Parsley	123.99	253	1,053.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pastureland	16.38	9	223.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peach	988.92	590	8,010.14	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pear, asian (oriental pear, ya, ya li, nashi)	14.44	17	112.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peas	86.27	161	1,363.35	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pecan	738.42	88	2,608.2	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	1,944.93	443	12,209.36	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Persimmon	130.07	24	685.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pistachio	109,128.19	4,345	358,928.53	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Plum	132.53	75	1,118.49	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pomegranate	2,384.89	121	7,262.71	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pomelo	88.66	51	509.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Potato	532.26	296	9,307.67	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Prune	572.69	156	5,974.95	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Pumpkin	49.85	15	447.1	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Quince	29.14	33	188.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Radicchio	2.3	10	59.2	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Radish	57.7	439	1,016.92	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rangeland	9.26	37	120.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rapini	992.18	289	9,160.2	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Raspberry	11.48	8	94.23	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Recreation area	2.64	N/A	0.01	U
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Regulatory pest control	29.9	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Research commodity	5.61	19	20.25	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Research commodity	0.94	19	122,500.0	S
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Research commodity	0.61	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rice	1,369.55	173	13,148.65	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	756.73	127	3,455.45	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	18,739.33	N/A	N/A	N/A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rye	67.76	20	1,108.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Ryegrass	54.64	15	883.28	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Safflower	48.61	10	1,666.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sod farm (turf)	25.4	48	364.16	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Soil fumigation/preplant	529.19	82	13,538.63	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sorghum (forage - fodder)	232.47	62	3,825.36	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sorghum/milo	35.71	22	674.73	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Spinach	9.91	19	198.13	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash	47.42	27	682.15	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash, summer	1.77	4	32.1	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Squash, winter	4.79	6	60.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Strawberry	20,388.37	1,893	78,814.61	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Structural pest control	26.27	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sudangrass	16.51	12	309.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sugarbeet	346.81	109	7,812.4	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sunflower	130.82	45	1,757.15	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sweet potato	5.22	9	365.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Swiss chard	45.45	99	318.24	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tangelo	254.84	88	1,284.43	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tangerine	5,722.2	1,349	40,919.95	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato	446.34	218	7,458.73	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tomato, processing	7,462.47	966	81,143.37	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Triticale	185.78	51	2,648.6	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Tropical/subtropical fruit	0.13	1	6.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Turf/sod	59.69	43	532.4	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Turnip	1.13	12	39.04	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Turnip greens	6.25	39	39.37	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1,838.35	797	14,584.02	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	106.25	26	1,271.05	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Unknown	15.83	16	55.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Vertebrate control	1.37	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Walnut	17,773.69	3,219	133,118.66	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Water (industrial)	5.95	N/A	126.0	A
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Water area	1.01	N/A	10.8	A
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Water area	0.82	N/A	2,250.0	S
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Water area	39.26	N/A	500.02	U
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Watermelon	439.36	83	2,984.4	A
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Wheat	783.52	203	12,101.53	A
<b>alpha-undecyl-omega-hydroxypoly(oxyethylene)</b>	Wheat (forage - fodder)	2,156.92	605	38,034.62	A
<b>uniconazole-p</b>	N-grnhs flower	<0.01	6	2,600.0	S
<b>uniconazole-p</b>	N-grnhs plants in containers	0.31	413	115.57	A
<b>uniconazole-p</b>	N-grnhs plants in containers	0.16	117	397,982.0	S
<b>uniconazole-p</b>	N-grnhs transplants	1.11	82	807.97	A
<b>uniconazole-p</b>	N-grnhs transplants	0.33	163	893,857.0	S
<b>uniconazole-p</b>	N-outdr plants in containers	0.06	62	39.71	A
<b>uniconazole-p</b>	N-outdr plants in containers	0.02	41	372,526.0	S
<b>uniconazole-p</b>	N-outdr transplants	<0.01	1	0.15	A
<b>uniconazole-p</b>	N-outdr transplants	0.05	28	609,940.0	S
<b>uniconazole-p</b>	Pepper, fruiting	<0.01	18	9.25	A
<b>uniconazole-p</b>	Regulatory pest control	<0.01	N/A	N/A	N/A
<b>uniconazole-p</b>	Research commodity	<0.01	N/A	N/A	N/A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>uniconazole-p</b>	Tomato	0.02	23	9.0	A
<b>urea</b>	Alfalfa	509.37	61	3,679.76	A
<b>urea</b>	Almond	8,551.84	565	30,480.63	A
<b>urea</b>	Asparagus	7.71	5	294.0	A
<b>urea</b>	Barley	90.66	5	328.8	A
<b>urea</b>	Bean, dried	75.48	8	202.75	A
<b>urea</b>	Cantaloupe	347.65	46	6,939.87	A
<b>urea</b>	Cherry	5.02	1	13.0	A
<b>urea</b>	Corn (forage - fodder)	1,306.35	43	3,136.8	A
<b>urea</b>	Corn, grain	6.44	4	250.0	A
<b>urea</b>	Corn, human consumption	259.38	139	7,000.78	A
<b>urea</b>	Cotton	567.35	223	15,830.18	A
<b>urea</b>	Fig	689.45	22	1,486.0	A
<b>urea</b>	Forage hay/silage	54.88	3	90.0	A
<b>urea</b>	Grape	21.95	1	53.33	A
<b>urea</b>	Grape, wine	715.63	125	2,639.47	A
<b>urea</b>	Landscape maintenance	751.71	N/A	N/A	N/A
<b>urea</b>	Lettuce, head	2.09	2	50.0	A
<b>urea</b>	Melon	78.99	12	1,635.07	A
<b>urea</b>	Oat (forage - fodder)	47.85	5	160.5	A
<b>urea</b>	Persimmon	15.91	2	23.2	A
<b>urea</b>	Pistachio	3,018.09	199	17,629.15	A
<b>urea</b>	Prune	471.17	49	1,619.58	A
<b>urea</b>	Rice	6,208.74	196	19,027.16	A
<b>urea</b>	Rights of way	105.64	3	385.0	A
<b>urea</b>	Rights of way	213.72	N/A	N/A	N/A
<b>urea</b>	Tomato	4.75	2	82.0	A
<b>urea</b>	Tomato, processing	1,413.29	191	24,785.25	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
urea	Triticale	132.39	3	192.0	A
urea	Uncultivated ag	7.32	4	153.5	A
urea	Uncultivated non-ag	32.93	1	60.0	A
urea	Walnut	1,543.38	169	4,462.18	A
urea	Wheat	200.1	9	305.3	A
urea	Wheat (forage - fodder)	2,358.59	53	3,946.9	A
urea dihydrogen sulfate	Alfalfa	815.61	1,984	75,612.71	A
urea dihydrogen sulfate	Almond	4,382.58	2,337	87,754.29	A
urea dihydrogen sulfate	Apricot	9.71	8	17.2	A
urea dihydrogen sulfate	Artichoke, globe	0.26	1	40.0	A
urea dihydrogen sulfate	Asparagus	0.36	4	86.0	A
urea dihydrogen sulfate	Avocado	2.36	74	390.74	A
urea dihydrogen sulfate	Barley (forage - fodder)	0.03	1	5.25	A
urea dihydrogen sulfate	Basil, sweet	0.14	1	67.3	A
urea dihydrogen sulfate	Bean, dried	1.42	2	75.0	A
urea dihydrogen sulfate	Bermudagrass	82.57	53	3,530.38	A
urea dihydrogen sulfate	Blackberry	0.01	1	1.0	A
urea dihydrogen sulfate	Blueberry	111.2	40	1,223.03	A
urea dihydrogen sulfate	Broccoli	1.91	8	200.0	A
urea dihydrogen sulfate	Cantaloupe	4.0	8	948.59	A
urea dihydrogen sulfate	Carrot	1.48	6	152.03	A
urea dihydrogen sulfate	Cherry	73.14	88	1,554.57	A
urea dihydrogen sulfate	Citrus	6.01	36	950.94	A
urea dihydrogen sulfate	Clover	0.42	1	70.0	A
urea dihydrogen sulfate	Corn (forage - fodder)	62.65	222	11,218.63	A
urea dihydrogen sulfate	Corn, grain	5.68	14	674.2	A
urea dihydrogen sulfate	Corn, human consumption	7.51	15	1,782.96	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
urea dihydrogen sulfate	Cotton	267,977.08	2,175	184,601.31	A
urea dihydrogen sulfate	Cotton	108.97	N/A	1,823.31	U
urea dihydrogen sulfate	Cucumber	0.17	2	79.0	A
urea dihydrogen sulfate	Date	2.8	34	1,107.0	A
urea dihydrogen sulfate	Fig	8.27	11	854.59	A
urea dihydrogen sulfate	Forage hay/silage	9.08	41	2,187.5	A
urea dihydrogen sulfate	Forest, timberland	6.02	3	27.8	A
urea dihydrogen sulfate	Garbanzo bean	30.92	9	1,126.0	A
urea dihydrogen sulfate	Garlic	66.25	3	335.0	A
urea dihydrogen sulfate	Grain	0.56	4	101.0	A
urea dihydrogen sulfate	Grape	1,321.98	522	11,354.41	A
urea dihydrogen sulfate	Grape, wine	1,511.3	629	15,382.64	A
urea dihydrogen sulfate	Grapefruit	26.04	57	1,429.83	A
urea dihydrogen sulfate	Grass, seed	5.81	18	966.7	A
urea dihydrogen sulfate	Industrial site	0.23	3	18.0	A
urea dihydrogen sulfate	Kiwi fruit fuzzy	3.74	11	281.0	A
urea dihydrogen sulfate	Landscape maintenance	3.99	N/A	N/A	N/A
urea dihydrogen sulfate	Lemon	98.59	326	9,125.39	A
urea dihydrogen sulfate	Lettuce, head	61.1	4	390.0	A
urea dihydrogen sulfate	Lettuce, leaf	8.63	6	171.0	A
urea dihydrogen sulfate	Lime	1.12	10	215.5	A
urea dihydrogen sulfate	Mango	0.25	2	60.0	A
urea dihydrogen sulfate	Melon	3.89	6	672.91	A
urea dihydrogen sulfate	Nectarine	0.3	5	29.9	A
urea dihydrogen sulfate	Oat	0.04	1	10.0	A
urea dihydrogen sulfate	Oat (forage - fodder)	0.02	1	92.0	A
urea dihydrogen sulfate	Olive	56.16	72	1,577.19	A
urea dihydrogen sulfate	Onion, dry	114.58	40	2,464.2	A
urea dihydrogen sulfate	Orange	224.0	509	9,085.81	A
urea dihydrogen sulfate	Pastureland	0.42	1	70.0	A



<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
urea dihydrogen sulfate	Peach	78.2	76	891.68	A
urea dihydrogen sulfate	Pecan	178.4	18	1,540.52	A
urea dihydrogen sulfate	Pepper, fruiting	0.77	3	148.0	A
urea dihydrogen sulfate	Persimmon	0.25	14	58.3	A
urea dihydrogen sulfate	Pistachio	1,031.57	831	34,999.7	A
urea dihydrogen sulfate	Plum	13.41	26	419.81	A
urea dihydrogen sulfate	Pomegranate	4.13	19	629.6	A
urea dihydrogen sulfate	Pomelo	5.0	26	267.0	A
urea dihydrogen sulfate	Prune	74.09	88	1,927.82	A
urea dihydrogen sulfate	Research commodity	2.53	19	63.3	A
urea dihydrogen sulfate	Rights of way	29.78	23	2,273.86	A
urea dihydrogen sulfate	Rights of way	230.44	N/A	N/A	N/A
urea dihydrogen sulfate	Safflower	8.62	11	2,334.3	A
urea dihydrogen sulfate	Soil fumigation/preplant	117.73	28	5,695.0	A
urea dihydrogen sulfate	Sorghum (forage - fodder)	7.11	6	139.44	A
urea dihydrogen sulfate	Stone fruit	0.17	1	4.0	A
urea dihydrogen sulfate	Sudangrass	2.66	15	412.11	A
urea dihydrogen sulfate	Sugarbeet	64.94	79	5,703.0	A
urea dihydrogen sulfate	Sunflower	17.16	9	656.4	A
urea dihydrogen sulfate	Tangelo	10.68	28	780.36	A
urea dihydrogen sulfate	Tangerine	148.72	279	7,386.36	A
urea dihydrogen sulfate	Timothy	0.13	1	60.0	A
urea dihydrogen sulfate	Tomato	1.32	7	207.9	A
urea dihydrogen sulfate	Tomato, processing	728.6	104	9,648.39	A
urea dihydrogen sulfate	Triticale	0.41	2	138.0	A
urea dihydrogen sulfate	Uncultivated ag	712.02	369	22,881.77	A
urea dihydrogen sulfate	Uncultivated non-ag	44.11	37	1,448.66	A
urea dihydrogen sulfate	Unknown	29.65	2	170.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
urea dihydrogen sulfate	Walnut	763.69	653	15,210.27	A
urea dihydrogen sulfate	Watermelon	0.03	1	80.0	A
urea dihydrogen sulfate	Wheat	13.59	31	2,060.83	A
urea dihydrogen sulfate	Wheat (forage - fodder)	3.49	18	707.91	A
urea inclusion adduct of polyoxy(ethylene)/polyoxy(propylene) block copolymer	Almond	0.02	1	0.1	A
vanillin	N-outdr flower	0.02	1	10.24	A
vegetable oil	Alfalfa	47,459.61	923	42,802.45	A
vegetable oil	Almond	53,863.48	431	24,691.56	A
vegetable oil	Apricot	335.49	14	69.53	A
vegetable oil	Asparagus	522.76	5	294.0	A
vegetable oil	Bean, dried	61.63	1	75.8	A
vegetable oil	Bermudagrass	114.41	15	484.2	A
vegetable oil	Blackberry	57.12	1	16.0	A
vegetable oil	Cantaloupe	333.43	3	225.0	A
vegetable oil	Cherry	309.39	5	42.0	A
vegetable oil	Corn (forage - fodder)	26,751.05	292	13,297.4	A
vegetable oil	Corn, human consumption	1,769.14	22	999.88	A
vegetable oil	Cotton	370,353.64	1,597	259,759.76	A
vegetable oil	Forage hay/silage	3.07	1	15.0	A
vegetable oil	Lettuce, leaf	59.6	3	54.0	A
vegetable oil	Nectarine	301.21	8	62.43	A
vegetable oil	Orange	6.69	1	5.0	A
vegetable oil	Peach	2,015.52	74	857.74	A
vegetable oil	Pear	43.6	1	3.5	A
vegetable oil	Pepper, fruiting	8.53	1	9.0	A
vegetable oil	Pistachio	1,392.72	17	647.36	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
vegetable oil	Plum	833.43	23	126.67	A
vegetable oil	Pomegranate	195.72	5	219.2	A
vegetable oil	Radish	35.56	1	28.0	A
vegetable oil	Rights of way	302.28	N/A	N/A	N/A
vegetable oil	Safflower	56,149.85	135	34,015.0	A
vegetable oil	Soil fumigation/preplant	667.71	2	751.0	A
vegetable oil	Tomato, processing	12,347.25	93	10,776.24	A
vegetable oil	Triticale	924.83	8	1,040.0	A
vegetable oil	Uncultivated ag	456.62	7	589.5	A
vegetable oil	Walnut	282.3	7	198.14	A
vegetable oil	Watermelon	279.45	6	314.5	A
vegetable oil	Wheat	3,529.97	26	3,970.0	A
<b>(s)-verbenone</b>	Landscape maintenance	593.43	N/A	N/A	N/A
<b>vinclozolin</b>	Landscape maintenance	1.69	N/A	N/A	N/A
<b>vinclozolin</b>	N-outdr transplants	112.5	1	1.3	A
<b>4-vinylcyclohexenediepoide</b>	Landscape maintenance	0.28	N/A	N/A	N/A
<b>4-vinylcyclohexenediepoide</b>	Structural pest control	1.92	N/A	N/A	N/A
<b>vinyl ester polymer</b>	Artichoke, globe	8.24	4	70.52	A
<b>vinyl ester polymer</b>	Cauliflower	15.54	15	133.06	A
<b>vinyl ester polymer</b>	Celery	47.04	45	402.72	A
<b>vinyl ester polymer</b>	Fennel	15.88	31	135.94	A
<b>vinyl ester polymer</b>	Landscape maintenance	16.62	N/A	N/A	N/A
<b>vinyl ester polymer</b>	Rights of way	24.37	N/A	N/A	N/A
<b>vinyl ester polymer</b>	Uncultivated ag	60.14	45	756.16	A
<b>vinyl polymer</b>	Alfalfa	132.11	507	23,820.32	A
<b>vinyl polymer</b>	Almond	544.15	781	43,606.95	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
vinyl polymer	Apple	13.19	86	996.83	A
vinyl polymer	Barley	2.22	4	508.0	A
vinyl polymer	Bean, dried	1.73	16	201.0	A
vinyl polymer	Bean, succulent	1.38	1	21.06	A
vinyl polymer	Bean, unspecified	0.11	1	5.0	A
vinyl polymer	Bermudagrass	8.79	38	2,324.0	A
vinyl polymer	Bok choy	0.51	4	23.38	A
vinyl polymer	Broccoli	36.8	44	420.57	A
vinyl polymer	Cabbage	9.97	81	408.73	A
vinyl polymer	Cantaloupe	3.11	9	634.0	A
vinyl polymer	Carrot	1.45	9	343.0	A
vinyl polymer	Cauliflower	13.21	21	201.3	A
vinyl polymer	Celery	25.69	53	499.89	A
vinyl polymer	Cherry	13.78	78	1,069.79	A
vinyl polymer	Chinese cabbage (napa, won bok, celery cabbage)	1.45	6	46.7	A
vinyl polymer	Cilantro	4.31	60	120.75	A
vinyl polymer	Citrus	0.09	1	0.2	A
vinyl polymer	Collard	0.06	1	3.2	A
vinyl polymer	Corn (forage - fodder)	60.61	282	9,200.04	A
vinyl polymer	Corn, grain	40.36	181	5,744.6	A
vinyl polymer	Corn, human consumption	1.82	10	470.0	A
vinyl polymer	Cotton	86.52	74	7,173.08	A
vinyl polymer	Cucumber	0.36	3	29.0	A
vinyl polymer	Ditch bank	1.31	N/A	100.0	A
vinyl polymer	Endive (escarole)	1.27	14	63.69	A
vinyl polymer	Fig	6.73	11	496.0	A
vinyl polymer	Forage hay/silage	5.56	26	1,144.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
vinyl polymer	Garbanzo bean	8.91	2	268.0	A
vinyl polymer	Garlic	11.13	10	430.96	A
vinyl polymer	Grape	36.92	108	2,920.15	A
vinyl polymer	Grape, wine	46.92	117	3,976.4	A
vinyl polymer	Grapefruit	0.07	1	4.0	A
vinyl polymer	Kiwi fruit fuzzy	0.66	2	54.0	A
vinyl polymer	Landscape maintenance	0.44	N/A	N/A	N/A
vinyl polymer	Lemon	3.09	12	493.94	A
vinyl polymer	Lettuce, head	126.92	1,003	13,379.67	A
vinyl polymer	Lettuce, leaf	124.26	1,305	11,492.14	A
vinyl polymer	Melon	1.38	5	379.0	A
vinyl polymer	Mustard greens	<0.01	1	1.68	A
vinyl polymer	Nectarine	1.63	26	110.88	A
vinyl polymer	Oat	0.84	2	73.0	A
vinyl polymer	Oat (forage - fodder)	29.17	73	3,814.0	A
vinyl polymer	Olive	2.91	23	361.12	A
vinyl polymer	Onion, dry	8.01	27	605.85	A
vinyl polymer	Orange	5.57	9	226.2	A
vinyl polymer	Parsley	0.44	2	101.0	A
vinyl polymer	Pasture (forage - fodder)	0.17	1	40.0	A
vinyl polymer	Pastureland	11.3	15	1,737.0	A
vinyl polymer	Peach	14.62	65	1,082.0	A
vinyl polymer	Peas	0.04	1	2.0	A
vinyl polymer	Pecan	0.68	2	20.0	A
vinyl polymer	Pistachio	204.08	187	17,485.17	A
vinyl polymer	Plum	0.46	14	31.25	A
vinyl polymer	Prune	12.49	49	818.08	A
vinyl polymer	Pumpkin	1.03	2	108.0	A
vinyl polymer	Rangeland	2.51	3	374.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
vinyl polymer	Raspberry	0.19	2	17.8	A
vinyl polymer	Research commodity	0.07	2	0.75	A
vinyl polymer	Research commodity	0.12	N/A	N/A	N/A
vinyl polymer	Rice	10.21	25	1,099.8	A
vinyl polymer	Rights of way	3.8	13	450.0	A
vinyl polymer	Rights of way	25.08	N/A	N/A	N/A
vinyl polymer	Rye	4.2	7	106.3	A
vinyl polymer	Ryegrass	5.06	28	751.34	A
vinyl polymer	Safflower	1.31	5	199.24	A
vinyl polymer	Soil fumigation/preplant	2.93	4	350.7	A
vinyl polymer	Sorghum (forage - fodder)	2.8	4	383.5	A
vinyl polymer	Sorghum/milo	1.33	7	172.0	A
vinyl polymer	Spinach	5.24	14	70.23	A
vinyl polymer	Squash	0.19	1	4.3	A
vinyl polymer	Strawberry	0.74	2	34.0	A
vinyl polymer	Sudangrass	5.16	17	780.8	A
vinyl polymer	Sugarbeet	17.49	48	3,796.0	A
vinyl polymer	Sunflower	2.29	6	82.25	A
vinyl polymer	Tangerine	12.0	23	228.7	A
vinyl polymer	Tat soi (spinach mustard)	0.14	1	6.2	A
vinyl polymer	Tomato, processing	7.04	13	795.58	A
vinyl polymer	Triticale	13.38	43	2,220.2	A
vinyl polymer	Uncultivated ag	274.96	467	17,240.32	A
vinyl polymer	Uncultivated non-ag	0.85	6	53.0	A
vinyl polymer	Walnut	23.8	86	1,709.98	A
vinyl polymer	Watermelon	1.36	2	62.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>vinyl polymer</b>	Wheat	63.46	101	9,609.9	A
<b>vinyl polymer</b>	Wheat (forage - fodder)	67.94	208	13,036.51	A
<b>warfarin</b>	Almond	<0.01	2	16.0	A
<b>warfarin</b>	Avocado	0.02	32	102.9	A
<b>warfarin</b>	Commodity fumigation	<0.01	N/A	N/A	N/A
<b>warfarin</b>	Grape, wine	<0.01	2	10.0	A
<b>warfarin</b>	Landscape maintenance	0.14	N/A	N/A	N/A
<b>warfarin</b>	Lemon	<0.01	11	17.5	A
<b>warfarin</b>	N-grnhs flower	<0.01	1	4.0	A
<b>warfarin</b>	N-grnhs plants in containers	<0.01	1	25,000.0	S
<b>warfarin</b>	N-outdr plants in containers	<0.01	1	10.0	A
<b>warfarin</b>	N-outdr plants in containers	<0.01	4	140,000.0	S
<b>warfarin</b>	Orange	<0.01	3	5.5	A
<b>warfarin</b>	Regulatory pest control	0.02	N/A	N/A	N/A
<b>warfarin</b>	Structural pest control	0.38	N/A	N/A	N/A
<b>warfarin</b>	Tangerine	<0.01	4	9.5	A
<b>warfarin</b>	Vertebrate control	0.05	N/A	N/A	N/A
<b>warfarin</b>	Walnut	0.01	1	30.0	A
<b>warfarin, sodium salt</b>	Almond	<0.01	1	17.0	A
<b>warfarin, sodium salt</b>	Grape, wine	<0.01	1	5.0	A
<b>warfarin, sodium salt</b>	Structural pest control	0.06	N/A	N/A	N/A
<b>xanthan gum</b>	Alfalfa	12.75	49	3,306.29	A
<b>xanthan gum</b>	Almond	30.52	349	21,007.93	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
xanthan gum	Blueberry	0.02	7	149.0	A
xanthan gum	Cherry	0.46	22	336.57	A
xanthan gum	Corn (forage - fodder)	0.05	28	1,178.49	A
xanthan gum	Cotton	0.91	74	4,287.97	A
xanthan gum	Garlic	18.13	5	559.0	A
xanthan gum	Grape	0.25	43	1,017.8	A
xanthan gum	Grape, wine	21.04	52	1,356.75	A
xanthan gum	Grapefruit	0.03	11	207.1	A
xanthan gum	Lemon	0.03	5	143.65	A
xanthan gum	Nectarine	0.02	23	91.5	A
xanthan gum	Oat (forage - fodder)	<0.01	1	50.0	A
xanthan gum	Onion, dry	<0.01	3	112.0	A
xanthan gum	Orange	0.28	57	1,336.05	A
xanthan gum	Peach	0.09	20	574.8	A
xanthan gum	Pear	2.01	5	79.9	A
xanthan gum	Persimmon	<0.01	1	5.0	A
xanthan gum	Pistachio	6.73	135	13,034.48	A
xanthan gum	Plum	<0.01	5	35.6	A
xanthan gum	Pomegranate	0.02	6	167.0	A
xanthan gum	Prune	3.88	3	53.0	A
xanthan gum	Rice	<0.01	1	11.0	A
xanthan gum	Sorghum (forage - fodder)	<0.01	1	50.0	A
xanthan gum	Sorghum/milo	<0.01	2	63.0	A
xanthan gum	Tangelo	0.01	3	86.9	A
xanthan gum	Tangerine	0.22	25	1,042.28	A
xanthan gum	Tomato, processing	8.94	33	2,493.4	A
xanthan gum	Walnut	0.91	84	3,166.7	A
xanthan gum	Wheat	4.57	3	156.0	A



<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>xanthan gum</b>	Wheat (forage - fodder)	6.17	7	281.0	A
<b>xanthine</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>xylylene</b>	Alfalfa	216.34	7	567.0	A
<b>xylylene</b>	Almond	12.23	3	83.5	A
<b>xylylene</b>	Brussels sprout	274.42	30	438.0	A
<b>xylylene</b>	Cabbage	16.49	9	50.57	A
<b>xylylene</b>	Cantaloupe	7.5	1	32.5	A
<b>xylylene</b>	Daikon	4.5	2	3.0	A
<b>xylylene</b>	Landscape maintenance	0.91	N/A	N/A	N/A
<b>xylylene</b>	Melon	7.5	1	32.5	A
<b>xylylene</b>	N-grnhs flower	0.69	10	80,000.0	S
<b>xylylene</b>	N-grnhs plants in containers	1.41	1	40,000.0	S
<b>xylylene</b>	N-outdr flower	5.89	1	19.0	A
<b>xylylene</b>	N-outdr plants in containers	0.35	3	1.5	A
<b>xylylene</b>	N-outdr transplants	14.43	3	26.0	A
<b>xylylene</b>	Peach	63.87	3	57.0	A
<b>xylylene</b>	Regulatory pest control	0.02	N/A	N/A	N/A
<b>xylylene</b>	Rights of way	1.34	N/A	N/A	N/A
<b>xylylene</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>xylylene</b>	Uncultivated ag	0.95	1	5.3	A
<b>xylylene range aromatic solvent</b>	Alfalfa	24.31	1	55.63	A
<b>xylylene range aromatic solvent</b>	Grape	63.79	2	54.9	A
<b>xylylene range aromatic solvent</b>	Mushroom soil	4.69	14	78,700.0	S
<b>xylylene range aromatic solvent</b>	N-grnhs plants in containers	0.02	1	0.22	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>xylene range aromatic solvent</b>	Orange	1.31	1	4.0	A
<b>xylene range aromatic solvent</b>	Pepper, fruiting	20.8	1	62.0	A
<b>xylene range aromatic solvent</b>	Tomato	174.19	1	13.0	A
<b>2,4-xylenol</b>	Grape	0.79	1	20.0	A
<b>2,4-xylenol</b>	N-grnhs flower	0.05	2	2.0	A
<b>2,4-xylenol</b>	Walnut	0.21	3	99.0	A
<b>yeast</b>	Structural pest control	0.31	N/A	N/A	N/A
<b>yucca schidigera</b>	Almond	1,357.36	23	2,204.34	A
<b>yucca schidigera</b>	Blackberry	3.27	1	6.2	A
<b>yucca schidigera</b>	Blueberry	722.28	31	1,461.61	A
<b>yucca schidigera</b>	Cannabis (all or unspecified)	2.02	2	1.0	A
<b>yucca schidigera</b>	Cannabis (all or unspecified)	13.56	36	144,712.0	S
<b>yucca schidigera</b>	Grape	1,645.58	125	6,806.94	A
<b>yucca schidigera</b>	Grape, wine	43.53	12	79.0	A
<b>yucca schidigera</b>	Grapefruit	37.11	1	24.0	A
<b>yucca schidigera</b>	Landscape maintenance	7.52	N/A	N/A	N/A
<b>yucca schidigera</b>	Lemon	124.25	8	84.0	A
<b>yucca schidigera</b>	N-grnhs transplants	0.02	1	0.02	A
<b>yucca schidigera</b>	N-outdr transplants	0.65	1	0.25	A
<b>yucca schidigera</b>	Nectarine	7.01	7	90.6	A
<b>yucca schidigera</b>	Orange	835.5	45	577.0	A
<b>yucca schidigera</b>	Parsley	3.36	2	30.0	A
<b>yucca schidigera</b>	Peach	21.85	16	250.0	A
<b>yucca schidigera</b>	Pistachio	64.32	3	117.0	A
<b>yucca schidigera</b>	Rights of way	0.16	N/A	N/A	N/A
<b>yucca schidigera</b>	Tangerine	14.87	17	225.08	A
<b>yucca schidigera</b>	Walnut	30.35	4	92.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
zinc chloride	Almond	0.1	3	6.5	A
zinc naphthenate	Structural pest control	0.69	N/A	N/A	N/A
zinc phosphide	Alfalfa	334.02	91	4,073.34	A
zinc phosphide	Almond	1,304.87	114	10,501.92	A
zinc phosphide	Avocado	0.84	7	173.0	A
zinc phosphide	Blackberry	3.17	2	24.63	A
zinc phosphide	Blueberry	0.28	2	2.5	A
zinc phosphide	Cherry	14.07	2	81.0	A
zinc phosphide	County ag comm	0.02	N/A	N/A	N/A
zinc phosphide	Ditch bank	5.4	N/A	19.0	A
zinc phosphide	Farm/ag building	0.68	N/A	8,712.0	S
zinc phosphide	Forage hay/silage	4.6	3	80.01	A
zinc phosphide	Grape	19.4	13	431.3	A
zinc phosphide	Grape, wine	442.01	111	3,989.73	A
zinc phosphide	Landscape maintenance	545.67	N/A	N/A	N/A
zinc phosphide	Lemon	0.5	1	21.23	A
zinc phosphide	N-outdr flower	1.0	3	14.0	A
zinc phosphide	N-outdr plants in containers	1.0	1	0.5	A
zinc phosphide	N-outdr transplants	4.59	5	103.22	A
zinc phosphide	Orange	20.16	1	17.0	A
zinc phosphide	Pastureland	7.5	1	10.0	A
zinc phosphide	Peach	5.95	3	95.5	A
zinc phosphide	Pecan	0.6	4	55.0	A
zinc phosphide	Pistachio	323.8	72	9,460.12	A
zinc phosphide	Plum	0.7	1	17.5	A
zinc phosphide	Pumpkin	0.04	1	3.0	A
zinc phosphide	Rangeland	12.54	5	1,261.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>zinc phosphide</b>	Regulatory pest control	15.69	N/A	N/A	N/A
<b>zinc phosphide</b>	Research commodity	0.24	3	85.0	A
<b>zinc phosphide</b>	Rights of way	17.4	7	170.0	A
<b>zinc phosphide</b>	Rights of way	26.4	N/A	N/A	N/A
<b>zinc phosphide</b>	Structural pest control	66.17	N/A	N/A	N/A
<b>zinc phosphide</b>	Tangerine	2.0	2	42.4	A
<b>zinc phosphide</b>	Uncultivated ag	19.24	15	241.0	A
<b>zinc phosphide</b>	Uncultivated non-ag	0.12	N/A	118.38	A
<b>zinc phosphide</b>	Uncultivated non-ag	<0.01	N/A	45.0	U
<b>zinc phosphide</b>	Vertebrate control	79.29	25	1,613.5	A
<b>zinc phosphide</b>	Vertebrate control	322.24	N/A	N/A	N/A
<b>zinc phosphide</b>	Walnut	108.09	33	1,446.5	A
<b>zinc sulfate</b>	Alfalfa	65.39	57	3,360.18	A
<b>zinc sulfate</b>	Almond	1,184.59	192	11,393.31	A
<b>zinc sulfate</b>	Cherry	132.06	61	1,799.0	A
<b>zinc sulfate</b>	Corn (forage - fodder)	357.78	118	5,607.39	A
<b>zinc sulfate</b>	Cotton	500.26	145	14,310.7	A
<b>zinc sulfate</b>	Garlic	1.93	2	316.0	A
<b>zinc sulfate</b>	Grape	26.6	7	345.0	A
<b>zinc sulfate</b>	Grape, wine	10.07	4	334.0	A
<b>zinc sulfate</b>	Landscape maintenance	0.01	N/A	N/A	N/A
<b>zinc sulfate</b>	Lettuce, leaf	10.79	10	557.5	A
<b>zinc sulfate</b>	Orange	62.36	22	373.4	A
<b>zinc sulfate</b>	Pistachio	81.09	7	946.0	A
<b>zinc sulfate</b>	Raspberry	1.81	1	12.31	A
<b>zinc sulfate</b>	Safflower	8.05	3	876.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>zinc sulfate</b>	Sorghum (forage - fodder)	5.26	4	307.0	A
<b>zinc sulfate</b>	Tomato, processing	7.81	4	637.7	A
<b>zinc sulfate</b>	Triticale	3.61	2	295.0	A
<b>zinc sulfate</b>	Walnut	47.39	13	511.5	A
<b>zinc sulfate</b>	Wheat (forage - fodder)	6.81	13	542.5	A
<b>zineb</b>	Rights of way	36.0	N/A	N/A	N/A
<b>ziram</b>	Almond	235,128.59	810	40,182.8	A
<b>ziram</b>	Apple	64.41	5	14.08	A
<b>ziram</b>	Apricot	8,016.6	149	1,527.23	A
<b>ziram</b>	Cherry	1,454.4	31	393.3	A
<b>ziram</b>	Grape	15,645.62	242	7,498.15	A
<b>ziram</b>	Grape, wine	1,539.0	18	552.0	A
<b>ziram</b>	Landscape maintenance	9.12	N/A	N/A	N/A
<b>ziram</b>	N-outdr plants in containers	187.26	10	36.7	A
<b>ziram</b>	N-outdr transplants	293.36	10	68.0	A
<b>ziram</b>	Nectarine	75,381.34	1,100	12,661.72	A
<b>ziram</b>	Peach	187,921.6	2,274	34,636.75	A
<b>ziram</b>	Pear	16,109.42	136	3,954.2	A
<b>ziram</b>	Pear, asian (oriental pear, ya, ya li, nashi)	10.94	1	2.4	A
<b>ziram</b>	Plum	399.62	15	64.33	A
<b>ziram</b>	Pluot	42.56	2	5.6	A
<b>ziram</b>	Prune	31.31	2	10.15	A
<b>ziram</b>	Stone fruit	63.84	3	20.0	A
<b>ziram</b>	Uncultivated ag	510.72	2	84.0	A
<b>ziram</b>	Vegetable	24.32	1	4.0	A
<b>ziram</b>	Walnut	91.2	1	15.0	A

<b>trifloxystrobin</b>	<b>Artichoke, globe</b>	<b>762.92</b>	<b>467</b>	<b>6,265.35</b>	<b>A</b>
<b>zoxamide</b>	Cucumber	56.0	14	337.33	A
<b>zoxamide</b>	Grape	36.94	5	178.0	A
<b>zoxamide</b>	Melon	4.16	4	25.08	A
<b>zoxamide</b>	Onion, dry	2.99	1	18.0	A
<b>zoxamide</b>	Potato	540.39	88	3,159.57	A
<b>zoxamide</b>	Tomato, processing	156.55	14	943.1	A