

2018 Annual Statewide Pesticide Use Report Indexed by Chemical LOS ANGELES County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many nonagricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------|------------------------------|----------------|------|--------------|--------------|
| abamectin | Herb, spice | 0.12 | 7 | 126,000.0 | S |
| abamectin | Landscape maintenance | 14.37 | N/A | N/A | N/A |
| abamectin | N-grnhs flower | 0.02 | 1 | 2.0 | A |
| abamectin | N-grnhs plants in containers | 0.33 | 16 | 17.72 | A |
| abamectin | N-outdr flower | 0.07 | 21 | 156,000.0 | S |
| abamectin | N-outdr plants in containers | 6.21 | 148 | 304.54 | A |
| abamectin | N-outdr plants in containers | 0.06 | 5 | 59,000.0 | S |
| abamectin | N-outdr plants in containers | 0.06 | 14 | 283,135.0 | U |
| abamectin | N-outdr transplants | 0.34 | 20 | 34.75 | A |
| abamectin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| abamectin | Structural pest control | 6.4 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| abamectin, other related | Structural pest control | 0.02 | N/A | N/A | N/A |
| acephate | Landscape maintenance | 322.84 | N/A | N/A | N/A |
| acephate | N-grnhs flower | 16.92 | 20 | 34.75 | A |
| acephate | N-grnhs flower | 0.38 | 3 | 700.0 | U |
| acephate | N-grnhs plants in containers | 21.92 | 29 | 37.5 | A |
| acephate | N-grnhs plants in containers | 2.49 | 8 | 37,500.0 | S |
| acephate | N-grnhs plants in containers | 0.24 | 3 | 515.0 | U |
| acephate | N-outdr flower | 0.36 | 3 | 18,000.0 | S |
| acephate | N-outdr flower | 0.28 | 2 | 600.0 | U |
| acephate | N-outdr plants in containers | 415.1 | 164 | 384.67 | A |
| acephate | N-outdr plants in containers | 0.29 | 2 | 13,000.0 | S |
| acephate | N-outdr plants in containers | 8.04 | 8 | 48,300.0 | U |
| acephate | N-outdr transplants | 19.89 | 36 | 29.5 | A |
| acephate | Structural pest control | 1,151.23 | N/A | N/A | N/A |
| acequinocyl | N-grnhs plants in containers | 0.34 | 2 | 2.07 | A |
| acequinocyl | N-outdr plants in containers | 5.64 | 3 | 13.26 | A |
| acetamiprid | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| acetamiprid | N-grnhs plants in containers | 0.19 | 10 | 0.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| acetamiprid | N-outdr plants in containers | 11.88 | 35 | 64.06 | A |
| acetamiprid | N-outdr plants in containers | 0.05 | 1 | 8,000.0 | S |
| acetamiprid | N-outdr plants in containers | 0.12 | 14 | 39,051.0 | U |
| acetamiprid | Regulatory pest control | 0.08 | N/A | N/A | N/A |
| acetamiprid | Structural pest control | 435.48 | N/A | N/A | N/A |
| acetamiprid | Vegetable | 0.3 | 3 | 4.6 | A |
| acetic acid | Landscape maintenance | 120.94 | N/A | N/A | N/A |
| acibenzolar-s-methyl | Golf course turf | 1.29 | N/A | 122.0 | A |
| acibenzolar-s-methyl | Landscape maintenance | 8.71 | N/A | N/A | N/A |
| acibenzolar-s-methyl | N-grnhs flower | 0.13 | N/A | 442,000.0 | S |
| acibenzolar-s-methyl | Turf/sod | 0.01 | N/A | 30,000.0 | S |
| acid blue 9, diammonium salt | Landscape maintenance | 173.77 | N/A | N/A | N/A |
| acid blue 9, diammonium salt | Water area | 53.5 | N/A | 46.0 | A |
| acifluorfen, sodium salt | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| alachlor | Corn (forage - fodder) | 4.51 | 1 | 3.0 | A |
| alcohols, c12-c14, aliphatic | Rights of way | 179.21 | N/A | N/A | N/A |
| alkyl (as in fatty acids of coconut oil) monoethanolamide | Structural pest control | 5.44 | N/A | N/A | N/A |
| alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride | Industrial processing water | 15,372.95 | N/A | 24.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Regulatory pest control | 0.05 | N/A | N/A | N/A |
| alkyl (50% c14 , 40% c12 , 10% c16) dimethylbenzyl ammonium chloride | Structural pest control | 12.05 | N/A | N/A | N/A |
| alkyl (58% c14 , 28% c16 , 14% c12) dimethylbenzyl ammonium chloride | Structural pest control | 0.26 | N/A | N/A | N/A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | N-outdr plants in containers | 0.03 | 1 | 1.0 | A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | N-outdr plants in containers | 0.21 | 3 | 22,000.0 | U |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Structural pest control | 0.22 | N/A | N/A | N/A |
| alkyl (60% c14 , 30% c16 , 5% c12 , 5% c18) dimethylbenzyl ammonium chloride | Water area | <0.01 | N/A | 6.0 | S |
| alkyl (67% c12 , 25% c14 , 7% c16 , 1% c8 , c10 , c18) dimethylbenzyl ammonium chloride | Structural pest control | 2.0 | N/A | N/A | N/A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | N-outdr plants in containers | 0.03 | 1 | 1.0 | A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | N-outdr plants in containers | 0.21 | 3 | 22,000.0 | U |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Structural pest control | 0.22 | N/A | N/A | N/A |
| alkyl (68% c12 , 32% c14) dimethylethylbenzyl ammonium chloride | Water area | <0.01 | N/A | 6.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-alkyl-omega-hydroxypoly(oxyethylene) phosphate | Grape | 0.02 | 1 | 0.5 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Carrot | 5.93 | 1 | 64.3 | A |
| alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.88 | N/A | N/A | N/A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 1.46 | N/A | N/A | N/A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Pistachio | 8.45 | 2 | 30.0 | A |
| alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene) | Rights of way | 35.79 | N/A | N/A | N/A |
| alpha-alkyl (mixed)-omega-hydroxypoly (oxyethylene) sulfate | Structural pest control | 17.41 | N/A | N/A | N/A |
| alpha-pinene beta-pinene copolymer | Grape | 4.57 | 5 | 6.75 | A |
| alpha-pinene beta-pinene copolymer | Grape, wine | 1.24 | 2 | 5.75 | A |
| alpha-pinene beta-pinene copolymer | Landscape maintenance | 75.55 | N/A | N/A | N/A |
| alpha-pinene beta-pinene copolymer | N-grnhs plants in containers | 0.56 | 1 | 1.0 | A |
| alpha-pinene beta-pinene copolymer | N-outdr plants in containers | 1.54 | 2 | 2.25 | A |
| alkyl (c9-c11) oligomeric d-glucopyranoside | Rights of way | 512.02 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Landscape maintenance | 20.99 | N/A | N/A | N/A |
| alkyl (c8,c10) polyglucoside | Structural pest control | 4.83 | N/A | N/A | N/A |
| alkyl(42%c12, 26%c18, 15%c14, 8%c16, 5%c10, 4%c8)1,3-propylenediamine | Water (industrial) | 2,073.62 | N/A | 8.0 | U |
| d-allethrin | Structural pest control | 0.04 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| d-allethrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| d-trans allethrin | Landscape maintenance | 0.29 | N/A | N/A | N/A |
| d-trans allethrin | Public health | 0.71 | N/A | N/A | N/A |
| d-trans allethrin | Regulatory pest control | 0.37 | N/A | N/A | N/A |
| d-trans allethrin | Rights of way | 0.13 | N/A | N/A | N/A |
| d-trans allethrin | Structural pest control | 4.58 | N/A | N/A | N/A |
| aluminum phosphide | Commodity fumigation | 8.2 | N/A | N/A | N/A |
| aluminum phosphide | Fumigation, other | 124.52 | N/A | N/A | N/A |
| aluminum phosphide | Landscape maintenance | 2,763.1 | N/A | N/A | N/A |
| aluminum phosphide | Regulatory pest control | 0.9 | N/A | N/A | N/A |
| aluminum phosphide | Rice | 1,769.62 | N/A | 115,328.0 | C |
| aluminum phosphide | Rights of way | 434.67 | N/A | N/A | N/A |
| aluminum phosphide | Storage area/box | 39.1 | N/A | 303,550.0 | C |
| aluminum phosphide | Structural pest control | 3.56 | N/A | N/A | N/A |
| aluminum phosphide | Uncultivated ag | 71.57 | 68 | 955.0 | A |
| aluminum phosphide | Vertebrate control | 131.07 | N/A | N/A | N/A |
| ametoctradin | N-outdr plants in containers | 0.31 | 2 | 1.45 | A |
| ametoctradin | N-outdr transplants | 4.99 | 13 | 18.7 | A |
| aminocyclopyrachlor | Landscape maintenance | 20.5 | N/A | N/A | N/A |
| aminocyclopyrachlor | Rights of way | 17.73 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| aminocyclopyrachlor, potassium salt | Landscape maintenance | 492.11 | N/A | N/A | N/A |
| aminocyclopyrachlor, potassium salt | Rights of way | 46.57 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Landscape maintenance | 35.67 | N/A | N/A | N/A |
| aminopyralid, triisopropanolamine salt | Pastureland | 1.86 | 4 | 28.0 | A |
| aminopyralid, triisopropanolamine salt | Rights of way | 12.65 | 1 | 60.0 | A |
| aminopyralid, triisopropanolamine salt | Rights of way | 1,511.74 | N/A | N/A | N/A |
| 4-aminopyridine | Landscape maintenance | 0.17 | N/A | N/A | N/A |
| 4-aminopyridine | Structural pest control | 3.08 | N/A | N/A | N/A |
| ammonium nonanoate | Landscape maintenance | 39.45 | N/A | N/A | N/A |
| ammonium nitrate | Landscape maintenance | 4.07 | N/A | N/A | N/A |
| ammonium nitrate | Structural pest control | 8.78 | N/A | N/A | N/A |
| ammonium propionate | Landscape maintenance | 8.63 | N/A | N/A | N/A |
| ammonium propionate | N-outdr plants in containers | 77.43 | 94 | 367.5 | A |
| ammonium propionate | Pistachio | 6.37 | 2 | 30.0 | A |
| ammonium sulfate | Landscape maintenance | 33.03 | N/A | N/A | N/A |
| ammonium sulfate | N-outdr plants in containers | 19.36 | 94 | 367.5 | A |
| ammonium sulfate | Pistachio | 1.59 | 2 | 30.0 | A |
| ammonium sulfate | Rights of way | 80.95 | N/A | N/A | N/A |
| ammonium sulfate | Structural pest control | 8.78 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|------------------------------|----------------|------|--------------|--------------|
| para-tert-amylphenol | Structural pest control | <0.01 | N/A | N/A | N/A |
| ancymidol | N-grnhs plants in containers | <0.01 | 14 | 0.14 | A |
| aspergillus flavus strain af36 | Pistachio | <0.01 | 1 | 20.0 | A |
| atrazine | Corn, human consumption | 58.55 | 19 | 32.25 | A |
| atrazine | Turf/sod | 13.66 | 1 | 14.0 | A |
| atrazine, other related | Corn, human consumption | 1.24 | 19 | 32.25 | A |
| atrazine, other related | Turf/sod | 0.29 | 1 | 14.0 | A |
| azadirachtin | Landscape maintenance | 2.55 | N/A | N/A | N/A |
| azadirachtin | N-grnhs plants in containers | 0.15 | 8 | 5.15 | A |
| azadirachtin | N-grnhs plants in containers | 0.11 | 6 | 85,400.0 | S |
| azadirachtin | N-outdr plants in containers | 0.74 | 18 | 22.54 | A |
| azadirachtin | N-outdr transplants | 0.62 | 13 | 27.0 | A |
| azadirachtin | Onion, dry | 2.73 | 1 | 120.0 | A |
| azadirachtin | Structural pest control | 0.02 | N/A | N/A | N/A |
| azoxystrobin | Carrot | 366.9 | 36 | 3,115.8 | A |
| azoxystrobin | Golf course turf | 35.5 | N/A | 71.2 | A |
| azoxystrobin | Golf course turf | 5.29 | N/A | 524,003.16 | S |
| azoxystrobin | Grape | 6.38 | 5 | 33.05 | A |
| azoxystrobin | Landscape maintenance | 361.37 | N/A | N/A | N/A |
| azoxystrobin | N-grnhs flower | 4.83 | 46 | 57.53 | A |
| azoxystrobin | N-grnhs flower | 7.08 | N/A | 552,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| azoxystrobin | N-grnhs plants in containers | 0.56 | 10 | 8.02 | A |
| azoxystrobin | N-grnhs transplants | 1.13 | N/A | 45,000.0 | S |
| azoxystrobin | N-outdr plants in containers | 16.13 | 53 | 121.15 | A |
| azoxystrobin | N-outdr plants in containers | 0.73 | 9 | 203,000.0 | U |
| azoxystrobin | N-outdr transplants | 6.73 | 44 | 54.2 | A |
| azoxystrobin | Potato | 321.04 | 20 | 1,862.0 | A |
| azoxystrobin | Turf/sod | 0.25 | N/A | 30,000.0 | S |
| bacillus amyloliquefaciens strain d747 | N-grnhs plants in containers | 9.08 | 13 | 0.45 | A |
| bacillus pumilus, strain qst 2808 | Grape | 0.24 | 4 | 4.0 | A |
| bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins | Public health | 3,583.79 | N/A | N/A | N/A |
| bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins | Structural pest control | 0.06 | N/A | N/A | N/A |
| bacillus subtilis gb03 | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner) | Grape | 0.26 | 1 | 9.5 | A |
| bacillus thuringiensis (berliner) | Public health | 0.01 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner) | Structural pest control | 0.04 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Landscape maintenance | 320.71 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Public health | 583.73 | N/A | N/A | N/A |
| bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14 | Structural pest control | 0.12 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Landscape maintenance | 415.38 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. israelensis, strain am 65-52 | Public health | 1,797.04 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Apricot | 1.62 | 1 | 1.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Corn, human consumption | 8.64 | 5 | 13.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Landscape maintenance | 14.79 | N/A | N/A | N/A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-grnhs plants in containers | 0.27 | 1 | 1.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr flower | 0.63 | 7 | 48,000.0 | S |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr plants in containers | 51.3 | 18 | 56.5 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | N-outdr transplants | 3.65 | 4 | 5.0 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Peach | 18.09 | 4 | 23.25 | A |
| bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles | Vegetable | 1.62 | 1 | 1.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bacillus thuringiensis, subsp. kurstaki, strain hd-1 | Herb, spice | 3.71 | 6 | 108,000.0 | S |
| bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin | N-outdr transplants | 0.4 | 1 | 0.5 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Corn, human consumption | 26.37 | 13 | 34.0 | A |
| bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Landscape maintenance | 2.03 | N/A | N/A | N/A |
| beauveria bassiana strain gha | Landscape maintenance | 2.75 | N/A | N/A | N/A |
| beauveria bassiana strain gha | N-outdr plants in containers | 0.22 | 1 | 2.0 | A |
| benefin | Landscape maintenance | 0.5 | N/A | N/A | N/A |
| bensulide | Broccoli | 35.57 | 6 | 8.0 | A |
| bensulide | Landscape maintenance | 315.68 | N/A | N/A | N/A |
| bensulide | Lettuce, leaf | 2.48 | 1 | 0.5 | A |
| bensulide | Melon | 15.37 | 4 | 3.5 | A |
| bensulide | Onion, green | 5.95 | 1 | 1.0 | A |
| bensulide | Squash | 0.99 | 1 | 0.5 | A |
| bensulide | Vegetable | 22.41 | 4 | 4.16 | A |
| benzoic acid | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| n6-benzyl adenine | N-outdr transplants | <0.01 | 1 | 0.5 | A |
| bifenazate | Landscape maintenance | 2.6 | N/A | N/A | N/A |
| bifenazate | N-grnhs plants in containers | 3.74 | 11 | 9.39 | A |
| bifenazate | N-outdr flower | 0.12 | 2 | 22,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| bifenazate | N-outdr plants in containers | 14.81 | 14 | 36.95 | A |
| bifenthrin | Golf course turf | 0.48 | N/A | 360,000.0 | S |
| bifenthrin | Landscape maintenance | 389.41 | N/A | N/A | N/A |
| bifenthrin | N-grnhs flower | 1.71 | 20 | 40.25 | A |
| bifenthrin | N-grnhs plants in containers | 1.9 | 27 | 35.91 | A |
| bifenthrin | N-grnhs plants in containers | 0.62 | 57 | 60,000.0 | S |
| bifenthrin | N-outdr plants in containers | 11.16 | 71 | 123.53 | A |
| bifenthrin | N-outdr plants in containers | 1.8 | 21 | 471,234.13 | S |
| bifenthrin | N-outdr plants in containers | 0.41 | 13 | 243,450.0 | U |
| bifenthrin | N-outdr transplants | 3.99 | 47 | 94.35 | A |
| bifenthrin | Nursery soil | 0.6 | 3 | 220.0 | C |
| bifenthrin | Pistachio | 7.45 | 2 | 40.0 | A |
| bifenthrin | Public health | 6.39 | N/A | N/A | N/A |
| bifenthrin | Regulatory pest control | 195.93 | N/A | N/A | N/A |
| bifenthrin | Rights of way | 1.57 | N/A | N/A | N/A |
| bifenthrin | Structural pest control | 7,341.93 | N/A | N/A | N/A |
| bifenthrin | Uncultivated ag | 0.02 | 1 | 3,500.0 | S |
| s-bioallethrin | Structural pest control | <0.01 | N/A | N/A | N/A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Carrot | 44.13 | 3 | 167.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Landscape maintenance | 4.33 | N/A | N/A | N/A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | N-grnhs plants in containers | 0.03 | 1 | 1.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | N-outdr plants in containers | 0.07 | 2 | 2.25 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Onion, dry | 3.15 | 3 | 150.0 | A |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Rights of way | 1.17 | N/A | N/A | N/A |
| borax | Landscape maintenance | 0.07 | N/A | N/A | N/A |
| borax | Rights of way | 11,761.27 | N/A | N/A | N/A |
| borax | Structural pest control | 9.05 | N/A | N/A | N/A |
| boric acid | Fumigation, other | 0.09 | N/A | N/A | N/A |
| boric acid | Landscape maintenance | 9.45 | N/A | N/A | N/A |
| boric acid | Regulatory pest control | 693.17 | N/A | N/A | N/A |
| boric acid | Rights of way | 93.13 | N/A | N/A | N/A |
| boric acid | Structural pest control | 67,280.62 | N/A | N/A | N/A |
| boscalid | Apricot | 0.46 | 1 | 1.0 | A |
| boscalid | Grape | 6.23 | 15 | 26.8 | A |
| boscalid | Grape | 0.03 | 1 | 9,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| boscalid | Grape, wine | 3.97 | 9 | 27.87 | A |
| boscalid | Landscape maintenance | 56.5 | N/A | N/A | N/A |
| boscalid | N-grnhs flower | 0.86 | 6 | 12.25 | A |
| boscalid | N-grnhs plants in containers | 0.18 | 4 | 0.3 | A |
| boscalid | N-outdr plants in containers | 12.86 | 29 | 33.15 | A |
| boscalid | N-outdr plants in containers | 0.28 | 10 | 2,340.0 | U |
| boscalid | N-outdr transplants | 3.11 | 32 | 39.95 | A |
| boscalid | Onion, dry | 217.98 | 16 | 865.0 | A |
| boscalid | Potato | 244.38 | 10 | 931.0 | A |
| brodifacoum | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| brodifacoum | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| brodifacoum | Structural pest control | 0.95 | N/A | N/A | N/A |
| bromacil | Citrus | 28.8 | 3 | 24.0 | A |
| bromacil | Landscape maintenance | 67.6 | N/A | N/A | N/A |
| bromacil | N-outdr plants in containers | 0.11 | 1 | 3.0 | A |
| bromacil | Structural pest control | 1.6 | N/A | N/A | N/A |
| bromacil, lithium salt | Rights of way | 4,009.35 | N/A | N/A | N/A |
| bromadiolone | Landscape maintenance | 0.24 | N/A | N/A | N/A |
| bromadiolone | Public health | <0.01 | N/A | N/A | N/A |
| bromadiolone | Regulatory pest control | 0.02 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------------|-----------------------------|-----------------------|-------------|---------------------|---------------------|
| bromadiolone | Rights of way | 0.04 | N/A | N/A | N/A |
| bromadiolone | Structural pest control | 5.88 | N/A | N/A | N/A |
| bromadiolone | Vertebrate control | 0.08 | N/A | N/A | N/A |
| bromethalin | Landscape maintenance | 0.06 | N/A | N/A | N/A |
| bromethalin | Rights of way | <0.01 | N/A | N/A | N/A |
| bromethalin | Structural pest control | 0.37 | N/A | N/A | N/A |
| bromethalin | Uncultivated ag | <0.01 | 5 | 3.01 | ? |
| bromethalin | Vertebrate control | <0.01 | N/A | N/A | N/A |
| bromine chloride | Water (industrial) | 1.21 | N/A | 4.0 | U |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Industrial processing water | 223.01 | N/A | 609,840.0 | P |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Unknown | 6,964.7 | N/A | 12.0 | U |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (industrial) | 19,926.58 | N/A | 2,203.0 | U |
| bromoxynil heptanoate | Onion, dry | 46.19 | 16 | 679.0 | A |
| bromoxynil octanoate | Onion, dry | 47.9 | 16 | 679.0 | A |
| bronopol | Industrial processing water | 120.5 | N/A | 3,417,940.0 | P |
| 2-butoxyethanol | Rights of way | 460.82 | N/A | N/A | N/A |
| butyl alcohol | Broccoli | 0.26 | 2 | 6.0 | A |
| butyl alcohol | Citrus | 1.62 | 4 | 29.0 | A |
| butyl alcohol | Corn, human consumption | 4.25 | 25 | 59.0 | A |
| butyl alcohol | Grape | 2.39 | 12 | 30.3 | A |
| butyl alcohol | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| butyl alcohol | Pastureland | 0.72 | 1 | 13.0 | A |
| butyl alcohol | Rights of way | 0.78 | 1 | 60.0 | A |
| butyl alcohol | Rights of way | 0.13 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| cacodylic acid | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| cacodylic acid | Structural pest control | <0.01 | N/A | N/A | N/A |
| cadmium chloride | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| calcium hypochlorite | Structural pest control | 1.98 | N/A | N/A | N/A |
| calcium hypochlorite | Unknown | 149.6 | N/A | 1.0 | U |
| calcium hypochlorite | Water (industrial) | 74.8 | N/A | 1.0 | U |
| canola oil | Landscape maintenance | 0.06 | N/A | N/A | N/A |
| capric acid | Avocado | 11.4 | 4 | 10.0 | A |
| capric acid | Grape | 5.77 | 2 | 6.0 | A |
| capric acid | Landscape maintenance | 186.16 | N/A | N/A | N/A |
| capric acid | Onion, dry | 857.75 | 5 | 185.0 | A |
| capric acid | Rights of way | 1.8 | N/A | N/A | N/A |
| capric acid | Uncultivated ag | 1.8 | 1 | 4.0 | A |
| caprylic acid | Avocado | 16.74 | 4 | 10.0 | A |
| caprylic acid | Grape | 8.48 | 2 | 6.0 | A |
| caprylic acid | Landscape maintenance | 273.42 | N/A | N/A | N/A |
| caprylic acid | Onion, dry | 1,259.82 | 5 | 185.0 | A |
| caprylic acid | Rights of way | 2.64 | N/A | N/A | N/A |
| caprylic acid | Uncultivated ag | 2.64 | 1 | 4.0 | A |
| capsicum oleoresin | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| capsicum oleoresin | N-outdr plants in containers | 0.24 | 7 | 6.26 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| capsicum oleoresin | N-outdr plants in containers | <0.01 | 1 | 1.0 | U |
| capsicum oleoresin | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| capsicum oleoresin | Structural pest control | 0.01 | N/A | N/A | N/A |
| carbaryl | Landscape maintenance | 113.43 | N/A | N/A | N/A |
| carbaryl | N-outdr plants in containers | 75.42 | 51 | 53.25 | A |
| carbaryl | N-outdr plants in containers | 46.06 | 106 | 306,500.0 | S |
| carbaryl | N-outdr plants in containers | 0.72 | 14 | 7,648.0 | U |
| carbaryl | Rights of way | 0.04 | N/A | N/A | N/A |
| carbaryl | Structural pest control | 0.01 | N/A | N/A | N/A |
| carbon | Landscape maintenance | 168.42 | N/A | N/A | N/A |
| carbon | Rights of way | 6.48 | N/A | N/A | N/A |
| carbon | Structural pest control | 0.06 | N/A | N/A | N/A |
| carbon | Vertebrate control | 4.35 | N/A | N/A | N/A |
| carfentrazone-ethyl | Golf course turf | 1.5 | N/A | 180.0 | A |
| carfentrazone-ethyl | Golf course turf | 0.06 | N/A | 160,000.0 | S |
| carfentrazone-ethyl | Golf course turf | 0.01 | N/A | 50.0 | U |
| carfentrazone-ethyl | Landscape maintenance | <0.01 | 1 | 0.1 | A |
| carfentrazone-ethyl | Landscape maintenance | 45.38 | N/A | N/A | N/A |
| carfentrazone-ethyl | Rights of way | 0.14 | N/A | N/A | N/A |
| carfentrazone-ethyl | Turf/sod | 0.31 | 6 | 31.1 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| chlorantraniliprole | Corn (forage - fodder) | 0.2 | 1 | 3.0 | A |
| chlorantraniliprole | Corn, human consumption | 1.57 | 7 | 26.8 | A |
| chlorantraniliprole | Golf course turf | 11.97 | N/A | 95.0 | A |
| chlorantraniliprole | Landscape maintenance | 0.01 | 1 | 3,000.0 | S |
| chlorantraniliprole | Landscape maintenance | 93.6 | N/A | N/A | N/A |
| chlorantraniliprole | Nectarine | 0.78 | 4 | 9.0 | A |
| chlorantraniliprole | Peach | 2.17 | 4 | 23.25 | A |
| chlorantraniliprole | Plum | 0.25 | 2 | 2.5 | A |
| chlorantraniliprole | Structural pest control | 539.49 | N/A | N/A | N/A |
| chlorantraniliprole | Tomato | 1.18 | 9 | 18.0 | A |
| chlordecone | Structural pest control | <0.01 | N/A | N/A | N/A |
| chlorfenapyr | Landscape maintenance | 36.2 | N/A | N/A | N/A |
| chlorfenapyr | N-grnhs plants in containers | 2.4 | 16 | 13.71 | A |
| chlorfenapyr | N-outdr transplants | 1.8 | 10 | 11.0 | A |
| chlorfenapyr | Regulatory pest control | 3.68 | N/A | N/A | N/A |
| chlorfenapyr | Structural pest control | 4,515.71 | N/A | N/A | N/A |
| chlorflurenol, methyl ester | Landscape maintenance | 7.53 | N/A | N/A | N/A |
| chlorine dioxide | Structural pest control | 0.1 | N/A | N/A | N/A |
| chlormequat chloride | N-grnhs plants in containers | 0.56 | 34 | 0.48 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| chlormequat chloride | N-outdr plants in containers | 0.23 | 2 | 0.16 | A |
| chlormequat chloride | N-outdr transplants | 28.19 | 58 | 42.08 | A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Industrial processing water | 48.04 | N/A | 3,541,789.0 | P |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Industrial processing water | 159.61 | N/A | 3,216.0 | U |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Unknown | 421.13 | N/A | 18.0 | U |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (industrial) | 795.5 | N/A | 184.0 | U |
| chlorophacinone | Landscape maintenance | 0.31 | N/A | N/A | N/A |
| chlorophacinone | Structural pest control | 0.33 | N/A | N/A | N/A |
| chlorophacinone | Uncultivated ag | <0.01 | 3 | 35.0 | A |
| chlorophacinone | Vertebrate control | 0.01 | N/A | N/A | N/A |
| chloropicrin | Structural pest control | 67.13 | N/A | N/A | N/A |
| chlorothalonil | Carrot | 19.18 | 1 | 122.5 | A |
| chlorothalonil | Golf course turf | 637.05 | N/A | 98.16 | A |
| chlorothalonil | Golf course turf | 87.86 | N/A | 644,000.0 | S |
| chlorothalonil | Landscape maintenance | 17,133.94 | N/A | N/A | N/A |
| chlorothalonil | N-grnhs flower | 30.13 | 6 | 8.7 | A |
| chlorothalonil | N-grnhs flower | 206.74 | N/A | 690,000.0 | S |
| chlorothalonil | N-grnhs plants in containers | 4.21 | 3 | 4.5 | A |
| chlorothalonil | N-grnhs plants in containers | 8.43 | N/A | 45,000.0 | S |
| chlorothalonil | N-outdr plants in containers | 41.95 | 37 | 42.63 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| chlorothalonil | N-outdr plants in containers | 16.42 | 10 | 132,000.0 | S |
| chlorothalonil | N-outdr plants in containers | 0.19 | 1 | 600.0 | U |
| chlorothalonil | N-outdr transplants | 3.25 | 6 | 4.15 | A |
| chlorothalonil | Potato | 1,045.87 | 10 | 931.0 | A |
| chlorothalonil | Structural pest control | 0.98 | N/A | N/A | N/A |
| chlorothalonil | Turf/sod | 0.94 | 1 | 0.25 | A |
| chlorothalonil | Turf/sod | 60.63 | N/A | 240,000.0 | S |
| chlorpyrifos | Corn, human consumption | 0.94 | 1 | 1.0 | A |
| chlorpyrifos | Landscape maintenance | 8.81 | N/A | N/A | N/A |
| chlorpyrifos | N-outdr plants in containers | 0.5 | 1 | 1.0 | A |
| chlorpyrifos | Regulatory pest control | 2.67 | N/A | N/A | N/A |
| chlorpyrifos | Rights of way | 560.99 | N/A | N/A | N/A |
| chlorpyrifos | Structural pest control | 97.61 | N/A | N/A | N/A |
| chlorsulfuron | Landscape maintenance | 7.42 | N/A | N/A | N/A |
| chlorsulfuron | Rights of way | 328.54 | N/A | N/A | N/A |
| chlorthal-dimethyl | Broccoli | 39.62 | 6 | 8.0 | A |
| chlorthal-dimethyl | Melon | 20.38 | 4 | 3.5 | A |
| cholecalciferol | Landscape maintenance | 0.47 | N/A | N/A | N/A |
| cholecalciferol | Regulatory pest control | 0.03 | N/A | N/A | N/A |
| cholecalciferol | Structural pest control | 3.07 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| cholecalciferol | Vertebrate control | 0.04 | N/A | N/A | N/A |
| citric acid | Grape | 1.29 | 1 | 1.0 | A |
| citric acid | Landscape maintenance | 10.14 | N/A | N/A | N/A |
| citric acid | N-outdr plants in containers | 38.71 | 94 | 367.5 | A |
| citric acid | Pistachio | 3.19 | 2 | 30.0 | A |
| citric acid | Rights of way | 30.43 | N/A | N/A | N/A |
| clarified hydrophobic extract of neem oil | Landscape maintenance | 254.13 | N/A | N/A | N/A |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 24.89 | 10 | 17.0 | A |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 0.03 | 6 | 780.0 | S |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 16.99 | 12 | 60,000.0 | U |
| clarified hydrophobic extract of neem oil | Nursery soil | 5.0 | 7 | 680.0 | S |
| clarified hydrophobic extract of neem oil | Onion, dry | 114.63 | 1 | 120.0 | A |
| clarified hydrophobic extract of neem oil | Rights of way | 0.26 | N/A | N/A | N/A |
| clarified hydrophobic extract of neem oil | Structural pest control | 0.26 | N/A | N/A | N/A |
| clethodim | Landscape maintenance | 47.98 | N/A | N/A | N/A |
| clethodim | Rights of way | 0.18 | N/A | N/A | N/A |
| clopyralid | N-outdr plants in containers | 4.16 | 7 | 10.0 | A |
| clopyralid, monoethanolamine salt | Landscape maintenance | 59.86 | N/A | N/A | N/A |
| clopyralid, monoethanolamine salt | N-outdr plants in containers | 150.9 | 96 | 372.5 | A |
| clopyralid, monoethanolamine salt | Rights of way | 1,032.74 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| clopyralid, monoethanolamine salt | Turf/sod | 2.17 | N/A | 350,000.0 | S |
| clothianidin | Landscape maintenance | 52.29 | N/A | N/A | N/A |
| clothianidin | Structural pest control | 183.92 | N/A | N/A | N/A |
| coconut diethanolamide | Landscape maintenance | 2.29 | N/A | N/A | N/A |
| coconut diethanolamide | N-outdr plants in containers | 0.11 | 16 | 13.95 | A |
| coconut diethanolamide | Pastureland | 0.02 | 1 | 1.0 | A |
| coconut diethanolamide | Rights of way | 1.16 | N/A | N/A | N/A |
| coconut diethanolamide | Structural pest control | 4.78 | N/A | N/A | N/A |
| coconut diethanolamide | Uncultivated ag | 0.03 | 1 | 4.0 | A |
| copper ammonium complex | Landscape maintenance | 1.15 | N/A | N/A | N/A |
| copper carbonate, basic | Structural pest control | 47.08 | N/A | N/A | N/A |
| copper ethanolamine complexes, mixed | Landscape maintenance | 1,429.56 | N/A | N/A | N/A |
| copper ethanolamine complexes, mixed | Rights of way | 199.06 | N/A | N/A | N/A |
| copper ethanolamine complexes, mixed | Water area | 874.23 | N/A | 385.0 | A |
| copper ethylenediamine complex | Landscape maintenance | 5.37 | N/A | N/A | N/A |
| copper ethylenediamine complex | Water area | 40.64 | N/A | 4.25 | A |
| copper hydroxide | Citrus | 31.37 | 3 | 29.0 | A |
| copper hydroxide | Grape | 19.03 | 9 | 26.2 | A |
| copper hydroxide | Grape, wine | 0.98 | 1 | 2.82 | A |
| copper hydroxide | Landscape maintenance | 30.73 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper hydroxide | N-grnhs plants in containers | 0.54 | 8 | 52,800.0 | S |
| copper hydroxide | N-outdr plants in containers | 67.92 | 31 | 63.25 | A |
| copper hydroxide | Rights of way | 941.75 | N/A | N/A | N/A |
| copper naphthenate | N-outdr plants in containers | 0.8 | 1 | 16.0 | U |
| copper naphthenate | Regulatory pest control | 0.02 | N/A | N/A | N/A |
| copper naphthenate | Rights of way | 705.02 | N/A | N/A | N/A |
| copper naphthenate | Structural pest control | 13.21 | N/A | N/A | N/A |
| copper octanoate | Landscape maintenance | 2.66 | N/A | N/A | N/A |
| copper oxide (ous) | Grape | 0.84 | 1 | 1.0 | A |
| copper oxychloride | Landscape maintenance | 0.13 | N/A | N/A | N/A |
| copper 8-quinolinoleate | Structural pest control | <0.01 | N/A | N/A | N/A |
| copper salts of fatty and rosin acids | Landscape maintenance | 13.84 | N/A | N/A | N/A |
| copper sulfate (basic) | Landscape maintenance | 0.74 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | Landscape maintenance | 2,827.72 | N/A | N/A | N/A |
| copper sulfate (pentahydrate) | N-grnhs plants in containers | 0.23 | 2 | 0.22 | A |
| copper sulfate (pentahydrate) | N-outdr plants in containers | 9.74 | 25 | 35.54 | A |
| copper sulfate (pentahydrate) | N-outdr transplants | 0.06 | 1 | 0.25 | A |
| copper sulfate (pentahydrate) | Rights of way | 26,959.68 | 2 | 1,281.76 | A |
| copper sulfate (pentahydrate) | Water area | 2,769.57 | N/A | 554.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| copper triethanolamine complex | Landscape maintenance | 6.06 | N/A | N/A | N/A |
| coyote urine | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| creosote | Structural pest control | 0.01 | N/A | N/A | N/A |
| cube extracts | Structural pest control | 0.01 | N/A | N/A | N/A |
| cyantraniliprole | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| cyantraniliprole | N-outdr transplants | 2.82 | 23 | 48.2 | A |
| cyantraniliprole | Onion, dry | 39.57 | 6 | 300.0 | A |
| cyantraniliprole | Structural pest control | 0.01 | N/A | N/A | N/A |
| cyazofamid | Carrot | 310.81 | 24 | 1,996.1 | A |
| cyazofamid | Golf course turf | 1.77 | N/A | 20.0 | A |
| cyazofamid | Landscape maintenance | 87.02 | N/A | N/A | N/A |
| cyazofamid | N-outdr plants in containers | 0.06 | 2 | 2.08 | A |
| cyazofamid | N-outdr plants in containers | 0.41 | 17 | 64,775.0 | U |
| cyflufenamid | Grape | 0.12 | 5 | 5.4 | A |
| cyflufenamid | N-outdr plants in containers | 2.02 | 6 | 6.2 | A |
| cyflumetofen | Landscape maintenance | 0.09 | N/A | N/A | N/A |
| cyflumetofen | N-outdr plants in containers | 5.95 | 7 | 30.56 | A |
| cyfluthrin | Landscape maintenance | 19.66 | N/A | N/A | N/A |
| cyfluthrin | N-grnhs flower | 0.12 | 13 | 14.5 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| cyfluthrin | N-grnhs plants in containers | 0.19 | 13 | 21.5 | A |
| cyfluthrin | N-outdr plants in containers | 2.39 | 43 | 73.79 | A |
| cyfluthrin | N-outdr plants in containers | 0.15 | 14 | 103,500.0 | S |
| cyfluthrin | N-outdr plants in containers | 0.04 | 5 | 1,786.0 | U |
| cyfluthrin | N-outdr transplants | 0.05 | 1 | 1.0 | A |
| cyfluthrin | Regulatory pest control | 28.63 | N/A | N/A | N/A |
| cyfluthrin | Structural pest control | 1,261.54 | N/A | N/A | N/A |
| beta-cyfluthrin | Broccoli | 0.22 | 4 | 8.0 | A |
| beta-cyfluthrin | Citrus | 0.01 | 6 | 0.85 | A |
| beta-cyfluthrin | Corn, human consumption | 0.37 | 5 | 15.0 | A |
| beta-cyfluthrin | Fumigation, other | 0.51 | N/A | N/A | N/A |
| beta-cyfluthrin | Grape | 0.18 | 3 | 7.3 | A |
| beta-cyfluthrin | Landscape maintenance | 22.0 | N/A | N/A | N/A |
| beta-cyfluthrin | Melon | 0.03 | 1 | 1.0 | A |
| beta-cyfluthrin | N-outdr plants in containers | 0.08 | 17 | 5.53 | A |
| beta-cyfluthrin | N-outdr transplants | 0.01 | 2 | 1.0 | A |
| beta-cyfluthrin | Pepper, fruiting | 0.08 | 2 | 3.0 | A |
| beta-cyfluthrin | Potato | 41.25 | 20 | 1,862.0 | A |
| beta-cyfluthrin | Public health | 3.69 | N/A | N/A | N/A |
| beta-cyfluthrin | Regulatory pest control | 16.86 | N/A | N/A | N/A |
| beta-cyfluthrin | Rights of way | 0.54 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| beta-cyfluthrin | Structural pest control | 4,541.31 | N/A | N/A | N/A |
| beta-cyfluthrin | Tomato | 0.07 | 2 | 3.5 | A |
| beta-cyfluthrin | Uncultivated ag | 0.09 | 2 | 21.0 | A |
| beta-cyfluthrin | Uncultivated ag | <0.01 | 1 | 2,000.0 | S |
| beta-cyfluthrin | Uncultivated ag | 0.02 | 2 | 2.0 | U |
| beta-cyfluthrin | Uncultivated non-ag | 0.09 | N/A | 2.0 | A |
| cypermethrin | Landscape maintenance | 0.11 | N/A | N/A | N/A |
| cypermethrin | Regulatory pest control | 42.02 | N/A | N/A | N/A |
| cypermethrin | Structural pest control | 1,599.67 | N/A | N/A | N/A |
| (s)-cypermethrin | Landscape maintenance | 0.37 | N/A | N/A | N/A |
| (s)-cypermethrin | Onion, dry | 31.71 | 9 | 685.0 | A |
| (s)-cypermethrin | Structural pest control | 15.27 | N/A | N/A | N/A |
| cyprodinil | Grape | 3.84 | 23 | 16.69 | A |
| cyprodinil | Grape | 0.07 | 2 | 5,000.0 | S |
| cyprodinil | N-outdr plants in containers | 4.57 | 12 | 18.12 | A |
| 2,4-d | Landscape maintenance | 53.04 | N/A | N/A | N/A |
| 2,4-d | Structural pest control | 0.02 | N/A | N/A | N/A |
| 2,4-d, butoxyethanol ester | Landscape maintenance | 18.89 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Grape | <0.01 | 1 | 2,500.0 | S |
| 2,4-d, dimethylamine salt | Landscape maintenance | 509.99 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| 2,4-d, dimethylamine salt | Pastureland | 4.6 | 1 | 5.0 | A |
| 2,4-d, dimethylamine salt | Structural pest control | 6.8 | N/A | N/A | N/A |
| 2,4-d, dimethylamine salt | Turf/sod | 0.01 | N/A | 2,000.0 | S |
| 2,4-d, dimethylamine salt | Uncultivated ag | 45.22 | 1 | 40.0 | A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 29.1 | N/A | 180.0 | A |
| 2,4-d, 2-ethylhexyl ester | Golf course turf | 2.04 | N/A | 160,000.0 | S |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 0.01 | 1 | 0.1 | A |
| 2,4-d, 2-ethylhexyl ester | Landscape maintenance | 1,808.37 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | Oat | 118.96 | 2 | 83.0 | A |
| 2,4-d, 2-ethylhexyl ester | Pastureland | 40.85 | 7 | 28.5 | A |
| 2,4-d, 2-ethylhexyl ester | Rights of way | 2.71 | N/A | N/A | N/A |
| 2,4-d, 2-ethylhexyl ester | Turf/sod | 189.77 | 8 | 312.43 | A |
| 2,4-d, isooctyl ester | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| 2,4-d, isooctyl ester | N-outdr plants in containers | 0.2 | 1 | 3.0 | A |
| 2,4-d, isopropyl ester | Citrus | 1.37 | 2 | 21.0 | A |
| 2,4-d, triisopropanolamine salt | Landscape maintenance | 212.68 | N/A | N/A | N/A |
| 2,4-d, triisopropylamine salt | Landscape maintenance | 28.26 | N/A | N/A | N/A |
| daminozide | N-grnhs flower | 3.51 | 5 | 3.36 | A |
| daminozide | N-grnhs flower | 0.58 | 3 | 9,581.0 | S |
| daminozide | N-outdr plants in containers | 10.84 | 11 | 3.99 | A |
| daminozide | N-outdr plants in containers | 0.85 | 1 | 2,000.0 | S |
| daminozide | N-outdr transplants | 100.94 | 100 | 59.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------|---------------------------------------------------|-----------------------|-------------|---------------------|---------------------|
| dazomet | Rights of way | 5,421.69 | N/A | N/A | N/A |
| ddvp | Commercial storages or warehouses (all or unspec) | 4.16 | N/A | 4,000.0 | K |
| ddvp | Fumigation, other | 5.2 | N/A | N/A | N/A |
| ddvp | Structural pest control | 708.98 | N/A | N/A | N/A |
| ddvp, other related | Fumigation, other | 0.39 | N/A | N/A | N/A |
| ddvp, other related | Structural pest control | 13.64 | N/A | N/A | N/A |
| deltamethrin | Landscape maintenance | 13.79 | N/A | N/A | N/A |
| deltamethrin | Public health | 0.27 | N/A | N/A | N/A |
| deltamethrin | Regulatory pest control | 1.92 | N/A | N/A | N/A |
| deltamethrin | Rights of way | <0.01 | N/A | N/A | N/A |
| deltamethrin | Structural pest control | 1,701.05 | N/A | N/A | N/A |
| diatomaceous earth | Regulatory pest control | 0.12 | N/A | N/A | N/A |
| diatomaceous earth | Structural pest control | 291.68 | N/A | N/A | N/A |
| diatomaceous earth, other related | Structural pest control | 0.4 | N/A | N/A | N/A |
| diazinon | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| diazinon | N-outdr plants in containers | 8.93 | 12 | 18.0 | A |
| diazinon | Onion, dry | 1,825.65 | 7 | 460.0 | A |
| diazinon | Structural pest control | 3.99 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------|-------------------------|----------------|------|--------------|--------------|
| 2,2-dibromo-3-nitrilopropionamide | Jujube | 9.8 | N/A | 18.0 | U |
| 2,2-dibromo-3-nitrilopropionamide | Unknown | 355.97 | N/A | 205.0 | U |
| 2,2-dibromo-3-nitrilopropionamide | Water (industrial) | 1,026.44 | N/A | 242.0 | U |
| dicamba | Golf course turf | 1.86 | N/A | 180.0 | A |
| dicamba | Golf course turf | 0.12 | N/A | 160,000.0 | S |
| dicamba | Grape | <0.01 | 1 | 2,500.0 | S |
| dicamba | Landscape maintenance | <0.01 | 1 | 0.1 | A |
| dicamba | Landscape maintenance | 153.2 | N/A | N/A | N/A |
| dicamba | Rights of way | 0.18 | N/A | N/A | N/A |
| dicamba | Turf/sod | 15.55 | 8 | 312.43 | A |
| dicamba, dimethylamine salt | Landscape maintenance | 46.69 | N/A | N/A | N/A |
| dicamba, dimethylamine salt | Structural pest control | 0.62 | N/A | N/A | N/A |
| dichlobenil | Rights of way | 63,029.21 | N/A | N/A | N/A |
| 1,3-dichloro-5,5-dimethylhydantoin | Unknown | 3,713.65 | N/A | 12.0 | U |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (industrial) | 6,321.28 | N/A | 2,164.0 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Unknown | 2,043.15 | N/A | 12.0 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (industrial) | 3,477.8 | N/A | 2,164.0 | U |
| didecyl dimethyl ammonium chloride | Landscape maintenance | 0.49 | N/A | N/A | N/A |
| didecyl dimethyl ammonium chloride | Regulatory pest control | 0.08 | N/A | N/A | N/A |
| didecyl dimethyl ammonium chloride | Structural pest control | 25.78 | N/A | N/A | N/A |
| didecyl dimethyl ammonium chloride | Unknown | 23.53 | N/A | 402.0 | U |
| didecyl dimethyl ammonium chloride | Water (industrial) | 4.25 | N/A | 84.0 | U |
| diethylene glycol | Grape | 1.29 | 53 | 38.18 | A |
| diethylene glycol | Grape | 0.02 | 6 | 34,500.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diethylene glycol | Grape, wine | 0.03 | 3 | 1.17 | A |
| diethylene glycol | Landscape maintenance | 42.78 | N/A | N/A | N/A |
| diethylene glycol | Onion, dry | 58.77 | 19 | 1,009.0 | A |
| diethylene glycol | Rights of way | 67.56 | N/A | N/A | N/A |
| difenacoum | Structural pest control | <0.01 | N/A | N/A | N/A |
| difenoconazole | Golf course turf | 0.38 | N/A | 120,003.16 | S |
| difenoconazole | Grape | 0.73 | 21 | 10.89 | A |
| difenoconazole | Grape | 0.02 | 2 | 5,000.0 | S |
| difenoconazole | Landscape maintenance | 38.12 | N/A | N/A | N/A |
| difenoconazole | N-grnhs flower | 0.82 | N/A | 3.2 | A |
| difenoconazole | Potato | 106.4 | 10 | 931.0 | A |
| difethialone | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| difethialone | N-outdr plants in containers | <0.01 | 8 | 5.32 | A |
| difethialone | Regulatory pest control | 0.09 | N/A | N/A | N/A |
| difethialone | Rights of way | <0.01 | N/A | N/A | N/A |
| difethialone | Structural pest control | 2.6 | N/A | N/A | N/A |
| difethialone | Vertebrate control | <0.01 | N/A | N/A | N/A |
| diflubenzuron | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| diflubenzuron | N-outdr plants in containers | 0.03 | 1 | 2,500.0 | S |
| diflubenzuron | Structural pest control | 0.1 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Landscape maintenance | 108.76 | N/A | N/A | N/A |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Rights of way | 30.25 | N/A | N/A | N/A |
| 2-(2-(p-(diisobutyl phenoxy) ethoxy) ethyl dimethylbenzyl ammonium chloride | Water (industrial) | 11.2 | N/A | 5.0 | U |
| dikegulac sodium | Landscape maintenance | 145.48 | N/A | N/A | N/A |
| dikegulac sodium | Rights of way | 5.16 | N/A | N/A | N/A |
| dimethenamid-p | Landscape maintenance | 2.81 | N/A | N/A | N/A |
| dimethenamid-p | N-outdr plants in containers | 26.66 | 26 | 18.79 | A |
| dimethenamid-p | N-outdr plants in containers | 0.19 | 5 | 11,000.0 | S |
| dimethenamid-p | Onion, dry | 137.79 | 6 | 450.0 | A |
| dimethomorph | N-outdr plants in containers | 1.96 | 6 | 2.63 | A |
| dimethomorph | N-outdr transplants | 4.31 | 16 | 20.2 | A |
| dimethomorph | Structural pest control | 1.95 | N/A | N/A | N/A |
| dimethyl alkyl tertiary amines | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| 5,5-dimethylhydantoin | Unknown | 717.66 | N/A | 2.0 | U |
| 5,5-dimethylhydantoin | Water (industrial) | 358.75 | N/A | 1.0 | U |
| dimethylpolysiloxane | Broccoli | <0.01 | 2 | 6.0 | A |
| dimethylpolysiloxane | Citrus | 0.02 | 4 | 29.0 | A |
| dimethylpolysiloxane | Corn, human consumption | 0.04 | 25 | 59.0 | A |
| dimethylpolysiloxane | Grape | 0.05 | 65 | 68.48 | A |
| dimethylpolysiloxane | Grape | <0.01 | 6 | 34,500.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dimethylpolysiloxane | Grape, wine | <0.01 | 3 | 1.17 | A |
| dimethylpolysiloxane | Landscape maintenance | 9.38 | N/A | N/A | N/A |
| dimethylpolysiloxane | N-grnhs plants in containers | <0.01 | 1 | 1.0 | A |
| dimethylpolysiloxane | N-outdr plants in containers | 13.57 | 45 | 119.1 | A |
| dimethylpolysiloxane | Onion, dry | 11.12 | 24 | 1,489.0 | A |
| dimethylpolysiloxane | Pastureland | 0.01 | 1 | 13.0 | A |
| dimethylpolysiloxane | Rights of way | 0.01 | 1 | 60.0 | A |
| dimethylpolysiloxane | Rights of way | 17.93 | N/A | N/A | N/A |
| dimethylpolysiloxane | Structural pest control | 0.07 | N/A | N/A | N/A |
| dimethyl silicone fluid emulsion | Landscape maintenance | 1.67 | N/A | N/A | N/A |
| dimethyl silicone fluid emulsion | Rights of way | 6.22 | N/A | N/A | N/A |
| dinotefuran | Landscape maintenance | 121.04 | N/A | N/A | N/A |
| dinotefuran | N-grnhs plants in containers | 2.16 | 14 | 12.55 | A |
| dinotefuran | N-grnhs plants in containers | 0.26 | 3 | 43,500.0 | S |
| dinotefuran | N-outdr flower | 0.19 | 5 | 43,000.0 | S |
| dinotefuran | N-outdr plants in containers | 45.45 | 107 | 227.12 | A |
| dinotefuran | N-outdr plants in containers | 0.41 | 15 | 34,533.0 | S |
| dinotefuran | N-outdr plants in containers | 2.23 | 46 | 142,892.0 | U |
| dinotefuran | N-outdr transplants | 5.33 | 41 | 61.35 | A |
| dinotefuran | Nursery soil | <0.01 | 2 | 100.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dinotefuran | Regulatory pest control | 0.87 | N/A | N/A | N/A |
| dinotefuran | Rights of way | 13.42 | N/A | N/A | N/A |
| dinotefuran | Structural pest control | 2,900.91 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Landscape maintenance | 0.49 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Structural pest control | 0.85 | N/A | N/A | N/A |
| dioctyl dimethyl ammonium chloride | Water (industrial) | 1,021.12 | N/A | 16.0 | U |
| diphacinone | Avocado | <0.01 | 2 | 4.0 | A |
| diphacinone | Citrus | <0.01 | 1 | 2.0 | A |
| diphacinone | Forage hay/silage | 0.01 | 1 | 35.0 | A |
| diphacinone | Grape | <0.01 | 1 | 0.5 | A |
| diphacinone | Landscape maintenance | 1.62 | N/A | N/A | N/A |
| diphacinone | N-outdr plants in containers | 0.11 | 25 | 45.42 | A |
| diphacinone | Public health | <0.01 | N/A | N/A | N/A |
| diphacinone | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| diphacinone | Rights of way | 0.74 | N/A | N/A | N/A |
| diphacinone | Structural pest control | 0.74 | N/A | N/A | N/A |
| diphacinone | Uncultivated ag | 0.04 | 60 | 735.0 | A |
| diphacinone | Vertebrate control | 0.07 | N/A | N/A | N/A |
| diphacinone, sodium salt | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| diphacinone, sodium salt | Structural pest control | 0.19 | N/A | N/A | N/A |
| diquat dibromide | Golf course turf | 24.91 | N/A | 355,300.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| diquat dibromide | Landscape maintenance | 2,308.3 | N/A | N/A | N/A |
| diquat dibromide | N-outdr plants in containers | 698.1 | 219 | 561.29 | A |
| diquat dibromide | N-outdr plants in containers | 3.57 | 14 | 30,700.0 | S |
| diquat dibromide | Rights of way | 1,529.54 | N/A | N/A | N/A |
| diquat dibromide | Structural pest control | 0.02 | N/A | N/A | N/A |
| diquat dibromide | Turf/sod | 0.03 | 1 | 0.5 | A |
| diquat dibromide | Uncultivated ag | 8.39 | 7 | 7.0 | A |
| diquat dibromide | Uncultivated ag | 4.6 | 20 | 107,496.0 | S |
| diquat dibromide | Uncultivated non-ag | 2.62 | N/A | 10,000.0 | S |
| diquat dibromide | Water area | 158.52 | N/A | 24.5 | A |
| disodium lauryl sulfosuccinate | Structural pest control | 3.82 | N/A | N/A | N/A |
| disodium octaborate anhydrous | Rights of way | 1,684.61 | N/A | N/A | N/A |
| disodium octaborate anhydrous | Structural pest control | 3.93 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Landscape maintenance | 1.03 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Regulatory pest control | 0.54 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Rights of way | 2,349.68 | N/A | N/A | N/A |
| disodium octaborate tetrahydrate | Structural pest control | 62,227.11 | N/A | N/A | N/A |
| dithiopyr | Landscape maintenance | 605.69 | N/A | N/A | N/A |
| dithiopyr | N-outdr plants in containers | 23.62 | 24 | 27.5 | A |
| dithiopyr | Rights of way | 1,700.26 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| dithiopyr | Turf/sod | 1.72 | N/A | 80,000.0 | S |
| diuron | Citrus | 28.8 | 3 | 24.0 | A |
| diuron | Grape | 12.16 | 3 | 7.4 | A |
| diuron | Landscape maintenance | 129.6 | N/A | N/A | N/A |
| diuron | Rights of way | 42.55 | N/A | N/A | N/A |
| diuron | Structural pest control | 1.6 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | Landscape maintenance | 9.93 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | N-outdr plants in containers | 0.5 | 16 | 13.95 | A |
| dodecylbenzene sulfonic acid | Pastureland | 0.07 | 1 | 1.0 | A |
| dodecylbenzene sulfonic acid | Rights of way | 5.03 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | Structural pest control | 20.71 | N/A | N/A | N/A |
| dodecylbenzene sulfonic acid | Uncultivated ag | 0.14 | 1 | 4.0 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Golf course turf | 0.51 | N/A | 6.4 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Grape | 0.24 | 5 | 6.75 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine | 0.07 | 2 | 5.75 | A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.74 | N/A | N/A | N/A |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | N-grnhs flower | 0.67 | N/A | 3.2 | A |
| 2-(2,4-dp), dimethylamine salt | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| 2,4-dp-p, dimethylamine salt | Landscape maintenance | 0.02 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| 2,4-dp-p, dimethylamine salt | Turf/sod | <0.01 | N/A | 2,000.0 | S |
| 2,4-dp-p, isooctyl ester | Landscape maintenance | 3.27 | N/A | N/A | N/A |
| edta, tetrasodium salt | Landscape maintenance | 0.61 | N/A | N/A | N/A |
| edta, tetrasodium salt | N-outdr plants in containers | 0.03 | 16 | 13.95 | A |
| edta, tetrasodium salt | Pastureland | <0.01 | 1 | 1.0 | A |
| edta, tetrasodium salt | Rights of way | 0.31 | N/A | N/A | N/A |
| edta, tetrasodium salt | Structural pest control | 1.27 | N/A | N/A | N/A |
| edta, tetrasodium salt | Uncultivated ag | 0.01 | 1 | 4.0 | A |
| emamectin benzoate | Landscape maintenance | 21.12 | N/A | N/A | N/A |
| emamectin benzoate | Rights of way | 0.11 | N/A | N/A | N/A |
| emamectin benzoate | Structural pest control | 0.62 | N/A | N/A | N/A |
| endothall, dipotassium salt | Landscape maintenance | 10.58 | N/A | N/A | N/A |
| endothall, dipotassium salt | Water area | 300.36 | N/A | 18.75 | A |
| endothall, mono [n,n-dimethyl alkylamine] salt | Landscape maintenance | 158.94 | N/A | N/A | N/A |
| eptc | Potato | 988.76 | 11 | 1,033.0 | A |
| esfenvalerate | Corn, human consumption | 11.67 | 71 | 283.8 | A |
| esfenvalerate | Landscape maintenance | 0.54 | N/A | N/A | N/A |
| esfenvalerate | Regulatory pest control | 71.83 | N/A | N/A | N/A |
| esfenvalerate | Structural pest control | 443.38 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| ethephon | Golf course turf | 80.63 | N/A | 21.16 | A |
| ethephon | Golf course turf | 39.93 | N/A | 600,000.0 | S |
| ethephon | Landscape maintenance | 4,570.39 | N/A | N/A | N/A |
| ethephon | N-outdr plants in containers | 0.06 | 2 | 0.08 | A |
| ethephon | N-outdr transplants | 2.04 | 10 | 8.2 | A |
| ethephon | Turf/sod | 14.01 | N/A | 180,000.0 | S |
| etofenprox | Regulatory pest control | 0.47 | N/A | N/A | N/A |
| etofenprox | Structural pest control | 46.18 | N/A | N/A | N/A |
| ethofumesate | Landscape maintenance | 422.93 | N/A | N/A | N/A |
| ethofumesate | Turf/sod | 8.87 | 1 | 6.0 | A |
| ethyl alcohol | Structural pest control | 0.91 | N/A | N/A | N/A |
| ethylene glycol | Structural pest control | 59.85 | N/A | N/A | N/A |
| ethylene glycol monomethyl ether | Grape | 0.01 | 1 | 0.5 | A |
| etoxazole | Landscape maintenance | 0.13 | N/A | N/A | N/A |
| etoxazole | N-grnhs plants in containers | 0.34 | 5 | 4.59 | A |
| etoxazole | N-outdr plants in containers | 0.58 | 8 | 11.63 | A |
| etoxazole | N-outdr plants in containers | 0.06 | 2 | 49,500.0 | U |
| fatty acids, methyl esters | Alfalfa | 365.09 | 2 | 270.0 | A |
| fatty acids, mixed | Grape | 2.3 | 54 | 38.43 | A |
| fatty acids, mixed | Grape | 0.05 | 9 | 42,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| fatty acids, mixed | Grape, wine | 0.06 | 4 | 1.45 | A |
| fatty acids, mixed | Landscape maintenance | 72.77 | N/A | N/A | N/A |
| fatty acids, mixed | N-outdr plants in containers | 1.8 | 92 | 164.5 | A |
| fatty acids, mixed | N-outdr transplants | 0.24 | 32 | 16.0 | A |
| fatty acids, mixed | Onion, dry | 104.67 | 19 | 1,009.0 | A |
| fatty acids, mixed | Pistachio | 0.24 | 1 | 20.0 | A |
| fatty acids, mixed | Rights of way | 120.33 | N/A | N/A | N/A |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Carrot | 164.77 | 3 | 167.4 | A |
| fenamidone | Carrot | 842.1 | 38 | 3,187.4 | A |
| fenamidone | N-grnhs flower | 1.06 | 4 | 4.0 | A |
| fenamidone | N-outdr plants in containers | 0.23 | 1 | 0.9 | A |
| fenarimol | N-outdr plants in containers | 0.26 | 4 | 4.25 | A |
| fenhexamid | Grape | 7.43 | 8 | 15.9 | A |
| fenhexamid | N-outdr transplants | 3.25 | 7 | 4.5 | A |
| fenpropathrin | Landscape maintenance | 0.21 | N/A | N/A | N/A |
| fenpropathrin | N-outdr plants in containers | 6.47 | 9 | 12.88 | A |
| fenpropathrin | N-outdr plants in containers | 0.06 | 9 | 1,800.0 | S |
| fenpropathrin | N-outdr transplants | 0.04 | 1 | 0.5 | A |
| fenpyroximate | N-grnhs plants in containers | 1.65 | 10 | 10.74 | A |
| fenpyroximate | N-grnhs plants in containers | 0.01 | 2 | 13,200.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| ferric sodium edta | Landscape maintenance | 5.46 | N/A | N/A | N/A |
| ferric sodium edta | Structural pest control | 0.07 | N/A | N/A | N/A |
| fipronil | Landscape maintenance | 9.17 | N/A | N/A | N/A |
| fipronil | Regulatory pest control | 27.55 | N/A | N/A | N/A |
| fipronil | Rights of way | 0.1 | N/A | N/A | N/A |
| fipronil | Structural pest control | 7,506.33 | N/A | N/A | N/A |
| flazasulfuron | Landscape maintenance | 1.18 | N/A | N/A | N/A |
| flonicamid | Landscape maintenance | 2.73 | N/A | N/A | N/A |
| fluazifop-butyl | Landscape maintenance | 42.13 | N/A | N/A | N/A |
| fluazifop-butyl | Rights of way | 3.24 | N/A | N/A | N/A |
| fluazifop-butyl | Turf/sod | 0.01 | 1 | 0.3 | A |
| fluazifop-p-butyl | Carrot | 42.03 | 3 | 167.4 | A |
| fluazifop-p-butyl | Landscape maintenance | 0.75 | 5 | 5.0 | A |
| fluazifop-p-butyl | Landscape maintenance | 330.82 | N/A | N/A | N/A |
| fluazifop-p-butyl | Onion, dry | 56.5 | 3 | 150.0 | A |
| fluazifop-p-butyl | Rights of way | 993.72 | N/A | N/A | N/A |
| fluazinam | Golf course turf | 8.49 | N/A | 22.56 | A |
| fluazinam | Landscape maintenance | 57.48 | N/A | N/A | N/A |
| fludioxonil | Golf course turf | 4.72 | N/A | 9.2 | A |
| fludioxonil | Golf course turf | 4.02 | N/A | 240,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| fludioxonil | Grape | 1.16 | 2 | 5.8 | A |
| fludioxonil | Landscape maintenance | 130.94 | N/A | N/A | N/A |
| fludioxonil | N-grnhs flower | 0.61 | N/A | 3.2 | A |
| fludioxonil | N-grnhs plants in containers | 1.52 | 40 | 0.49 | A |
| fludioxonil | N-outdr plants in containers | 8.72 | 28 | 42.98 | A |
| fludioxonil | N-outdr plants in containers | 0.12 | 4 | 157,000.0 | U |
| fludioxonil | N-outdr transplants | 1.98 | 14 | 15.6 | A |
| flumioxazin | Golf course turf | 0.51 | N/A | 2.5 | A |
| flumioxazin | Landscape maintenance | 25.09 | N/A | N/A | N/A |
| flumioxazin | N-outdr plants in containers | 14.35 | 63 | 48.4 | A |
| flumioxazin | Rights of way | 296.58 | N/A | N/A | N/A |
| flumioxazin | Uncultivated non-ag | 0.96 | N/A | 120,000.0 | S |
| fluopicolide | N-outdr plants in containers | 2.37 | 9 | 11.0 | A |
| fluopicolide | N-outdr plants in containers | 1.51 | 12 | 36,320.0 | U |
| fluopyram | Grape | 0.83 | 5 | 8.3 | A |
| fluopyram | Landscape maintenance | 8.41 | N/A | N/A | N/A |
| fluoxastrobin | Landscape maintenance | 1.85 | N/A | N/A | N/A |
| flupyradifurone | Landscape maintenance | 0.66 | N/A | N/A | N/A |
| flupyradifurone | N-grnhs plants in containers | 2.09 | 22 | 8.76 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| flupyradifurone | N-outdr plants in containers | 0.55 | 4 | 2.25 | A |
| flupyradifurone | N-outdr plants in containers | 0.47 | 9 | 15,200.0 | U |
| flurecol-methyl | Landscape maintenance | 1.8 | N/A | N/A | N/A |
| fluridone | Landscape maintenance | 52.07 | N/A | N/A | N/A |
| fluroxypyr, 1-methylheptyl ester | Landscape maintenance | 171.29 | N/A | N/A | N/A |
| flurprimidol | Landscape maintenance | 186.39 | N/A | N/A | N/A |
| flutolanil | Landscape maintenance | 457.94 | N/A | N/A | N/A |
| flutolanil | N-grnhs flower | 9.84 | N/A | 90,000.0 | S |
| flutolanil | N-grnhs plants in containers | 3.15 | N/A | 45,000.0 | S |
| tau-fluvalinate | Landscape maintenance | 2.71 | N/A | N/A | N/A |
| tau-fluvalinate | N-grnhs plants in containers | 0.02 | 1 | 0.01 | A |
| tau-fluvalinate | N-outdr plants in containers | 18.8 | 40 | 73.22 | A |
| tau-fluvalinate | N-outdr plants in containers | 1.84 | 7 | 201,500.0 | S |
| tau-fluvalinate | N-outdr plants in containers | 0.6 | 7 | 199,700.0 | U |
| tau-fluvalinate | Structural pest control | 0.05 | N/A | N/A | N/A |
| fluxapyroxad | Landscape maintenance | 101.08 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| fluxapyroxad | N-outdr plants in containers | 0.26 | 1 | 2.0 | A |
| foramsulfuron | Landscape maintenance | 36.35 | N/A | N/A | N/A |
| foramsulfuron | Rights of way | <0.01 | N/A | N/A | N/A |
| fosetyl-al | Landscape maintenance | 1,083.8 | N/A | N/A | N/A |
| fosetyl-al | N-grnhs flower | 3.2 | 3 | 3.0 | A |
| fosetyl-al | N-grnhs plants in containers | 0.3 | 1 | 3.0 | A |
| fosetyl-al | N-outdr plants in containers | 145.15 | 25 | 36.96 | A |
| fosetyl-al | N-outdr transplants | 1.6 | 2 | 2.0 | A |
| fox urine | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| free fatty acids and/or amine salts | N-outdr plants in containers | 9.28 | 4 | 1.03 | A |
| freon 12 | Structural pest control | 10.5 | N/A | N/A | N/A |
| gamma-cyhalothrin | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| gamma-cyhalothrin | Structural pest control | 0.51 | N/A | N/A | N/A |
| garlic | N-outdr plants in containers | 0.71 | 5 | 6.0 | A |
| garlic | N-outdr plants in containers | <0.01 | 1 | 1.0 | U |
| gibberellins | N-outdr transplants | <0.01 | 1 | 0.5 | A |
| glufosinate-ammonium | Apple | 1.07 | 1 | 3.75 | A |
| glufosinate-ammonium | Cherry | 0.57 | 1 | 2.0 | A |
| glufosinate-ammonium | Landscape maintenance | 179.86 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|-----------------------------|-----------------------|-------------|---------------------|---------------------|
| glufosinate-ammonium | Nectarine | 1.29 | 3 | 5.5 | A |
| glufosinate-ammonium | Peach | 3.0 | 3 | 10.5 | A |
| glufosinate-ammonium | Rights of way | 3.42 | N/A | N/A | N/A |
| glufosinate-ammonium | Uncultivated ag | 0.65 | 2 | 24,500.0 | S |
| glutaraldehyde | Industrial processing water | 17,734.15 | N/A | 1,244.0 | U |
| glutaraldehyde | Structural pest control | <0.01 | N/A | N/A | N/A |
| glutaraldehyde | Unknown | 208.53 | N/A | 1.0 | U |
| glutaraldehyde | Water (industrial) | 7,144.04 | N/A | 50.0 | U |
| glycerol | Grape | 0.01 | 1 | 0.5 | A |
| glyphosate, dimethylamine salt | Landscape maintenance | 99.34 | N/A | N/A | N/A |
| glyphosate, dimethylamine salt | Rights of way | 156.59 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Alfalfa | 124.02 | 1 | 74.4 | A |
| glyphosate, isopropylamine salt | Apple | 5.63 | 1 | 3.75 | A |
| glyphosate, isopropylamine salt | Apricot | 1.5 | 1 | 1.0 | A |
| glyphosate, isopropylamine salt | Cherry | 3.0 | 1 | 2.0 | A |
| glyphosate, isopropylamine salt | Corn, human consumption | 7.52 | 2 | 3.0 | A |
| glyphosate, isopropylamine salt | Golf course turf | 16.41 | N/A | 4.8 | A |
| glyphosate, isopropylamine salt | Golf course turf | 132.69 | N/A | 723,300.0 | S |
| glyphosate, isopropylamine salt | Golf course turf | 4.0 | N/A | 100.0 | U |
| glyphosate, isopropylamine salt | Grape | 3.4 | 2 | 10.0 | A |
| glyphosate, isopropylamine salt | Landscape maintenance | 49.41 | 14 | 30.0 | A |
| glyphosate, isopropylamine salt | Landscape maintenance | 33,601.64 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | N-grnhs flower | 0.87 | 3 | 2.0 | A |
| glyphosate, isopropylamine salt | N-grnhs flower | 6.56 | N/A | 70,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|------|--------------|--------------|
| glyphosate, isopropylamine salt | N-grnhs plants in containers | 11.49 | 6 | 13.0 | A |
| glyphosate, isopropylamine salt | N-grnhs plants in containers | 3.4 | 15 | 45,000.0 | S |
| glyphosate, isopropylamine salt | N-grnhs transplants | 1.0 | 6 | 5.0 | A |
| glyphosate, isopropylamine salt | N-outdr flower | 1.67 | 4 | 4.0 | A |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 2,527.73 | 456 | 1,127.95 | A |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 12.18 | 27 | 281,000.0 | S |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 1.0 | 1 | 1.0 | U |
| glyphosate, isopropylamine salt | N-outdr transplants | 138.54 | 30 | 70.25 | A |
| glyphosate, isopropylamine salt | Nectarine | 10.13 | 2 | 6.75 | A |
| glyphosate, isopropylamine salt | Pastureland | 91.71 | 2 | 41.0 | A |
| glyphosate, isopropylamine salt | Peach | 29.76 | 5 | 20.25 | A |
| glyphosate, isopropylamine salt | Plum | 3.0 | 1 | 2.0 | A |
| glyphosate, isopropylamine salt | Regulatory pest control | 1.81 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Rights of way | 150.35 | 1 | 60.0 | A |
| glyphosate, isopropylamine salt | Rights of way | 94,272.84 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Structural pest control | 0.39 | N/A | N/A | N/A |
| glyphosate, isopropylamine salt | Turf/sod | 1.81 | 8 | 3.0 | A |
| glyphosate, isopropylamine salt | Turf/sod | 5.98 | N/A | 75,000.0 | S |
| glyphosate, isopropylamine salt | Uncultivated ag | 446.17 | 116 | 268.4 | A |
| glyphosate, isopropylamine salt | Uncultivated ag | 42.87 | 33 | 174,796.0 | S |
| glyphosate, isopropylamine salt | Uncultivated non-ag | 32.53 | N/A | 240.0 | A |
| glyphosate, isopropylamine salt | Water area | 2.7 | N/A | 28,800.0 | S |
| glyphosate, monoammonium salt | Landscape maintenance | 381.18 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|----------------|------|--------------|--------------|
| glyphosate, monoammonium salt | Rights of way | 157.32 | N/A | N/A | N/A |
| glyphosate, potassium salt | Avocado | 37.76 | 11 | 19.0 | A |
| glyphosate, potassium salt | Broccoli | 5.52 | 1 | 4.0 | A |
| glyphosate, potassium salt | Carrot | 2.76 | 1 | 1.0 | A |
| glyphosate, potassium salt | Citrus | 258.51 | 42 | 121.0 | A |
| glyphosate, potassium salt | Corn, grain | 4.83 | 2 | 3.5 | A |
| glyphosate, potassium salt | Corn, human consumption | 2.59 | 2 | 3.0 | A |
| glyphosate, potassium salt | Golf course turf | 1.52 | N/A | 8,000.0 | S |
| glyphosate, potassium salt | Grape | 84.65 | 15 | 36.6 | A |
| glyphosate, potassium salt | Landscape maintenance | 18.96 | 7 | 9.0 | A |
| glyphosate, potassium salt | Landscape maintenance | 15,073.8 | N/A | N/A | N/A |
| glyphosate, potassium salt | Melon | 16.08 | 3 | 7.5 | A |
| glyphosate, potassium salt | N-outdr plants in containers | 496.59 | 214 | 343.72 | A |
| glyphosate, potassium salt | N-outdr plants in containers | 54.54 | 114 | 974,621.5 | S |
| glyphosate, potassium salt | N-outdr plants in containers | 0.01 | 1 | 4.0 | U |
| glyphosate, potassium salt | N-outdr transplants | 0.26 | 1 | 4.0 | A |
| glyphosate, potassium salt | Oat | 147.57 | 2 | 54.0 | A |
| glyphosate, potassium salt | Onion, green | 2.76 | 2 | 2.0 | A |
| glyphosate, potassium salt | Pistachio | 82.75 | 2 | 30.0 | A |
| glyphosate, potassium salt | Rights of way | 9,013.33 | N/A | N/A | N/A |
| glyphosate, potassium salt | Squash | 5.69 | 2 | 3.0 | A |
| glyphosate, potassium salt | Stone fruit | 13.45 | 2 | 8.0 | A |
| glyphosate, potassium salt | Tropical/subtropical fruit | 35.69 | 6 | 18.0 | A |
| glyphosate, potassium salt | Uncultivated ag | 65.34 | 6 | 21.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| glyphosate, potassium salt | Uncultivated ag | 9.01 | 15 | 182,000.0 | S |
| glyphosate, potassium salt | Vegetable | 11.03 | 1 | 5.0 | A |
| halosulfuron-methyl | Landscape maintenance | 104.81 | N/A | N/A | N/A |
| halosulfuron-methyl | N-outdr plants in containers | <0.01 | 1 | 1.0 | U |
| halosulfuron-methyl | Rights of way | 0.2 | N/A | N/A | N/A |
| halosulfuron-methyl | Turf/sod | 2.04 | 6 | 66.0 | A |
| halosulfuron-methyl | Uncultivated ag | <0.01 | 1 | 0.5 | A |
| heptamethyltrisiloxane ethoxylated | Onion, dry | 0.6 | 2 | 120.0 | A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Rights of way | 6.75 | N/A | N/A | N/A |
| (z)-9-hexadecenal | Structural pest control | 0.12 | N/A | N/A | N/A |
| hexazinone | Alfalfa | 135.68 | 3 | 400.0 | A |
| hexazinone | Forage hay/silage | 127.32 | 1 | 125.0 | A |
| hexylene glycol | Rights of way | 460.82 | N/A | N/A | N/A |
| hexythiazox | Landscape maintenance | 0.48 | N/A | N/A | N/A |
| hexythiazox | N-outdr plants in containers | 0.88 | 4 | 10.5 | A |
| hydramethylnon | Landscape maintenance | 2.85 | N/A | N/A | N/A |
| hydramethylnon | Public health | <0.01 | N/A | N/A | N/A |
| hydramethylnon | Regulatory pest control | 0.07 | N/A | N/A | N/A |
| hydramethylnon | Structural pest control | 31.54 | N/A | N/A | N/A |
| hydrogen peroxide | Carrot | 735.28 | 4 | 295.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| hydrogen peroxide | Landscape maintenance | 2.49 | N/A | N/A | N/A |
| hydrogen peroxide | Onion, dry | 578.66 | 5 | 180.0 | A |
| hydrogen peroxide | Onion, dry | 93.33 | N/A | 8,850.0 | T |
| hydrogen peroxide | Unknown | 136.25 | N/A | 88.0 | U |
| hydrogen peroxide | Water (industrial) | 421.12 | N/A | 3.0 | U |
| hydroprene | Landscape maintenance | 1.05 | N/A | N/A | N/A |
| hydroprene | Regulatory pest control | 39.42 | N/A | N/A | N/A |
| hydroprene | Structural pest control | 866.35 | N/A | N/A | N/A |
| hydrotreated paraffinic solvent | Structural pest control | 0.14 | N/A | N/A | N/A |
| n-(2-hydroxyethyl)ethylenediaminetriacetic acid, trisodium salt | Grape | 0.01 | 1 | 0.5 | A |
| iba | N-grnhs plants in containers | 0.02 | N/A | 8,000.0 | S |
| iba | N-outdr plants in containers | 0.01 | 21 | 86.0 | U |
| iba | N-outdr transplants | 0.1 | 37 | 111.0 | A |
| iba | N-outdr transplants | 0.27 | 141 | 8,090.0 | S |
| iba | Nursery soil | 0.01 | 20 | 114.0 | U |
| imazamox, ammonium salt | Alfalfa | 23.95 | 5 | 645.0 | A |
| imazamox, ammonium salt | Forage hay/silage | 4.21 | 1 | 125.0 | A |
| imazamox, ammonium salt | Landscape maintenance | 0.25 | N/A | N/A | N/A |
| imazapic, ammonium salt | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| imazapic, ammonium salt | Uncultivated ag | 0.01 | 1 | 200.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| imazapyr, isopropylamine salt | Landscape maintenance | 311.16 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Rights of way | 257.81 | N/A | N/A | N/A |
| imazapyr, isopropylamine salt | Uncultivated non-ag | 1.14 | N/A | 200.0 | A |
| imidacloprid | Broccoli | 0.19 | 2 | 3.0 | A |
| imidacloprid | Carrot | 393.93 | 18 | 1,557.9 | A |
| imidacloprid | Citrus | 7.57 | 12 | 24.4 | A |
| imidacloprid | Fumigation, other | 1.01 | N/A | N/A | N/A |
| imidacloprid | Grape | 0.65 | 1 | 2.5 | A |
| imidacloprid | Grape, wine | 1.43 | 2 | 5.75 | A |
| imidacloprid | Landscape maintenance | 1,403.0 | N/A | N/A | N/A |
| imidacloprid | N-grnhs flower | 0.5 | 13 | 14.5 | A |
| imidacloprid | N-grnhs plants in containers | 1.64 | 116 | 31.63 | A |
| imidacloprid | N-grnhs plants in containers | 0.11 | 1 | 9,000.0 | S |
| imidacloprid | N-grnhs plants in containers | 0.01 | 1 | 24.0 | U |
| imidacloprid | N-outdr plants in containers | 27.86 | 217 | 395.75 | A |
| imidacloprid | N-outdr plants in containers | 1.69 | 2 | 2,625.0 | C |
| imidacloprid | N-outdr plants in containers | 4.63 | 24 | 140,960.0 | S |
| imidacloprid | N-outdr plants in containers | 1.8 | 24 | 129,739.0 | U |
| imidacloprid | N-outdr transplants | 2.4 | 3 | 1.5 | A |
| imidacloprid | Potato | 331.23 | 30 | 2,793.0 | A |
| imidacloprid | Public health | 343.59 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| imidacloprid | Regulatory pest control | 15.13 | N/A | N/A | N/A |
| imidacloprid | Rights of way | 10.31 | N/A | N/A | N/A |
| imidacloprid | Squash | 0.36 | 1 | 1.0 | A |
| imidacloprid | Structural pest control | 0.25 | 7 | 42,000.0 | S |
| imidacloprid | Structural pest control | 10,088.7 | N/A | N/A | N/A |
| imidacloprid | Tomato | 3.6 | 5 | 10.0 | A |
| imidacloprid | Turf/sod | 0.85 | N/A | 90,000.0 | S |
| imidacloprid | Uncultivated ag | 0.39 | N/A | 1.0 | A |
| imidacloprid | Uncultivated non-ag | 0.9 | N/A | 3.0 | A |
| indaziflam | Golf course turf | 0.03 | N/A | 7.5 | A |
| indaziflam | Landscape maintenance | 192.23 | N/A | N/A | N/A |
| indaziflam | N-outdr plants in containers | 0.13 | 9 | 3.0 | A |
| indaziflam | Rights of way | 525.83 | N/A | N/A | N/A |
| indaziflam | Structural pest control | <0.01 | N/A | N/A | N/A |
| indaziflam | Uncultivated ag | 0.18 | 2 | 2.0 | A |
| indaziflam | Uncultivated ag | 0.04 | 1 | 22,000.0 | S |
| indoxacarb | Fumigation, other | 0.11 | N/A | N/A | N/A |
| indoxacarb | Golf course turf | 0.23 | N/A | 3.16 | K |
| indoxacarb | Landscape maintenance | 3.79 | N/A | N/A | N/A |
| indoxacarb | N-grnhs flower | 0.19 | N/A | 3.2 | A |
| indoxacarb | N-outdr plants in containers | <0.01 | 1 | 15,000.0 | S |
| indoxacarb | Regulatory pest control | 0.54 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| indoxacarb | Structural pest control | 418.64 | N/A | N/A | N/A |
| indoxacarb | Turf/sod | 0.11 | N/A | 90,000.0 | S |
| iodosulfuron-methyl-sodium | Landscape maintenance | 0.21 | N/A | N/A | N/A |
| iprodione | Golf course turf | 22.99 | N/A | 6.0 | A |
| iprodione | Landscape maintenance | 1,584.56 | N/A | N/A | N/A |
| iprodione | N-grnhs flower | 15.75 | 36 | 38.5 | A |
| iprodione | N-grnhs flower | 13.36 | N/A | 178,000.0 | S |
| iprodione | N-grnhs plants in containers | 2.5 | 5 | 5.0 | A |
| iprodione | N-grnhs transplants | 19.41 | N/A | 150,000.0 | S |
| iprodione | N-outdr plants in containers | 59.56 | 37 | 57.94 | A |
| iprodione | N-outdr plants in containers | 3.04 | 5 | 211,000.0 | U |
| iprodione | N-outdr transplants | 0.94 | 2 | 1.0 | A |
| iprodione | Onion, dry | 89.84 | 1 | 120.0 | A |
| iron hedta | Landscape maintenance | 0.24 | N/A | N/A | N/A |
| iron phosphate | Landscape maintenance | 42.08 | N/A | N/A | N/A |
| iron phosphate | Structural pest control | 0.47 | N/A | N/A | N/A |
| alpha-isooctadecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| alpha-isooctadecyl-omega-hydroxypoly(oxyethylene) | Public health | 173.95 | N/A | N/A | N/A |
| isopropyl alcohol | Landscape maintenance | 154.78 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| isopropyl alcohol | N-outdr plants in containers | 4.0 | 67 | 54.4 | A |
| isopropyl alcohol | Pastureland | 0.02 | 1 | 1.0 | A |
| isopropyl alcohol | Regulatory pest control | 40.18 | N/A | N/A | N/A |
| isopropyl alcohol | Rights of way | 12.79 | N/A | N/A | N/A |
| isopropyl alcohol | Structural pest control | 3,745.23 | N/A | N/A | N/A |
| isopropyl alcohol | Uncultivated ag | 0.04 | 1 | 4.0 | A |
| isopropyl alcohol | Water (industrial) | 1.7 | N/A | 84.0 | U |
| isoxaben | Landscape maintenance | 87.34 | N/A | N/A | N/A |
| isoxaben | N-outdr plants in containers | 250.03 | 65 | 292.91 | A |
| isoxaben | N-outdr plants in containers | 2.32 | 12 | 24,700.0 | S |
| isoxaben | N-outdr plants in containers | 0.03 | 1 | 100.0 | U |
| isoxaben | N-outdr transplants | 0.56 | 1 | 1.5 | A |
| isoxaben | Rights of way | 2,760.65 | N/A | N/A | N/A |
| isoxaben | Uncultivated ag | 7.5 | 5 | 7.5 | A |
| isoxaben | Uncultivated ag | 0.45 | 2 | 16,000.0 | S |
| kaolin | Olive | 23.75 | 1 | 0.5 | A |
| (s)-kinoprene | Landscape maintenance | 0.5 | N/A | N/A | N/A |
| (s)-kinoprene | N-grnhs plants in containers | 0.48 | 9 | 2.55 | A |
| kresoxim-methyl | Grape | 0.25 | 2 | 2.0 | A |
| lambda-cyhalothrin | Corn, human consumption | 4.09 | 27 | 131.8 | A |
| lambda-cyhalothrin | Golf course turf | 1.45 | N/A | 30.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| lambda-cyhalothrin | Landscape maintenance | 10.79 | N/A | N/A | N/A |
| lambda-cyhalothrin | N-outdr plants in containers | 0.55 | 10 | 19.24 | A |
| lambda-cyhalothrin | Regulatory pest control | 0.03 | N/A | N/A | N/A |
| lambda-cyhalothrin | Structural pest control | 1,144.67 | N/A | N/A | N/A |
| lecithin | Landscape maintenance | 344.09 | N/A | N/A | N/A |
| lecithin | N-outdr plants in containers | 42.21 | 93 | 165.5 | A |
| lecithin | N-outdr transplants | 5.55 | 32 | 16.0 | A |
| lecithin | Pistachio | 14.13 | 3 | 50.0 | A |
| lecithin | Rights of way | 2,189.44 | N/A | N/A | N/A |
| lecithin | Uncultivated non-ag | 0.18 | N/A | 205.0 | A |
| limonene | Landscape maintenance | 138.14 | N/A | N/A | N/A |
| limonene | Structural pest control | 7,790.08 | N/A | N/A | N/A |
| linalool | Structural pest control | 0.93 | N/A | N/A | N/A |
| linuron | Carrot | 601.53 | 22 | 1,789.6 | A |
| magnesium phosphide | Commodity fumigation | 101.67 | N/A | N/A | N/A |
| magnesium phosphide | Fumigation, other | 152.46 | N/A | N/A | N/A |
| magnesium phosphide | Rice | 3.09 | N/A | 18,020.0 | C |
| magnesium phosphide | Soybean | 0.25 | N/A | 5,400.0 | C |
| magnesium phosphide | Wheat | 0.33 | N/A | 8,289.0 | C |
| malathion | Landscape maintenance | 10.2 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| malathion | N-outdr plants in containers | 60.23 | 27 | 31.0 | A |
| malathion | N-outdr plants in containers | 4.15 | 6 | 11,600.0 | U |
| malathion | Public health | 1.55 | N/A | N/A | N/A |
| malathion | Structural pest control | 90.92 | N/A | N/A | N/A |
| maleic hydrazide, potassium salt | Onion, dry | 522.6 | 5 | 199.0 | A |
| mancozeb | Golf course turf | 94.5 | N/A | 6.0 | A |
| mancozeb | Landscape maintenance | 5,015.74 | N/A | N/A | N/A |
| mancozeb | N-grnhs flower | 108.0 | N/A | 6.36 | A |
| mancozeb | N-grnhs flower | 108.0 | N/A | 338,000.0 | S |
| mancozeb | N-outdr plants in containers | 25.13 | 14 | 31.25 | A |
| mancozeb | Structural pest control | 0.14 | N/A | N/A | N/A |
| mancozeb | Turf/sod | 117.0 | N/A | 360,000.0 | S |
| mandipropamid | N-outdr plants in containers | 1.4 | 6 | 10.62 | A |
| mandipropamid | N-outdr transplants | 2.18 | 25 | 13.25 | A |
| margosa oil | Structural pest control | 36.51 | N/A | N/A | N/A |
| mcpa, dimethylamine salt | Landscape maintenance | 363.23 | N/A | N/A | N/A |
| mcpa, 2-ethyl hexyl ester | Landscape maintenance | 0.34 | N/A | N/A | N/A |
| mcpa, 2-ethyl hexyl ester | Rights of way | 0.05 | N/A | N/A | N/A |
| mcpa, isoctyl ester | Landscape maintenance | 442.99 | N/A | N/A | N/A |
| mcpp | Landscape maintenance | 7.86 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mcpp, dimethylamine salt | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| mcpp, potassium salt | Landscape maintenance | 8.33 | N/A | N/A | N/A |
| mcpp-p, dimethylamine salt | Landscape maintenance | 176.85 | N/A | N/A | N/A |
| mcpp-p, dimethylamine salt | Structural pest control | 1.82 | N/A | N/A | N/A |
| mcpp-p, dimethylamine salt | Turf/sod | <0.01 | N/A | 2,000.0 | S |
| mcpp-p, potassium salt | Landscape maintenance | 94.51 | N/A | N/A | N/A |
| mecoprop-p | Golf course turf | 7.38 | N/A | 180.0 | A |
| mecoprop-p | Golf course turf | 0.44 | N/A | 160,000.0 | S |
| mecoprop-p | Landscape maintenance | <0.01 | 1 | 0.1 | A |
| mecoprop-p | Landscape maintenance | 254.08 | N/A | N/A | N/A |
| mecoprop-p | Rights of way | 0.7 | N/A | N/A | N/A |
| mecoprop-p | Turf/sod | 1.53 | 6 | 31.1 | A |
| mefenoxam | Carrot | 1,198.49 | 57 | 4,679.1 | A |
| mefenoxam | Golf course turf | <0.01 | N/A | 3.16 | S |
| mefenoxam | Landscape maintenance | 470.98 | N/A | N/A | N/A |
| mefenoxam | N-grnhs flower | 0.19 | 2 | 3.0 | A |
| mefenoxam | N-grnhs flower | 7.0 | N/A | 442,000.0 | S |
| mefenoxam | N-grnhs plants in containers | 0.83 | 42 | 2.49 | A |
| mefenoxam | N-outdr plants in containers | 15.26 | 63 | 123.66 | A |
| mefenoxam | N-outdr plants in containers | 1.47 | 54 | 623,828.76 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mefenoxam | N-outdr plants in containers | 1.91 | 28 | 58,710.0 | U |
| mefenoxam | N-outdr transplants | 0.46 | 1 | 1.0 | A |
| mefenoxam | Turf/sod | 2.65 | N/A | 170,000.0 | S |
| mefenoxam | Uncultivated ag | 0.02 | 2 | 19,000.0 | S |
| mefenoxam, other related | Landscape maintenance | 3.67 | N/A | N/A | N/A |
| mefenoxam, other related | N-grnhs flower | <0.01 | 1 | 1.0 | A |
| mefenoxam, other related | N-grnhs plants in containers | 0.03 | 41 | 1.49 | A |
| mefenoxam, other related | N-outdr plants in containers | 0.37 | 43 | 107.58 | A |
| mefenoxam, other related | N-outdr plants in containers | 0.05 | 54 | 623,828.76 | S |
| mefenoxam, other related | N-outdr plants in containers | 0.06 | 27 | 55,710.0 | U |
| mefenoxam, other related | N-outdr transplants | 0.02 | 1 | 1.0 | A |
| mefenoxam, other related | Turf/sod | 0.04 | N/A | 80,000.0 | S |
| mefenoxam, other related | Uncultivated ag | <0.01 | 2 | 19,000.0 | S |
| mefluidide, diethanolamine salt | Landscape maintenance | 20.03 | N/A | N/A | N/A |
| mesotrione | Corn, human consumption | 0.94 | 3 | 10.0 | A |
| mesotrione | Landscape maintenance | 18.56 | N/A | N/A | N/A |
| mesotrione | Turf/sod | 35.61 | 7 | 148.33 | A |
| metaflumizone | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| metaflumizone | Rights of way | 0.02 | N/A | N/A | N/A |
| metaflumizone | Structural pest control | <0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| metalaxyl | Landscape maintenance | 3.46 | N/A | N/A | N/A |
| metalaxyl | N-outdr plants in containers | 0.09 | 3 | 12,900.0 | U |
| metaldehyde | Landscape maintenance | 161.21 | N/A | N/A | N/A |
| metaldehyde | N-grnhs plants in containers | 0.02 | N/A | 2,000.0 | S |
| metaldehyde | N-outdr plants in containers | 61.45 | 29 | 49.84 | A |
| metaldehyde | N-outdr plants in containers | 3.46 | 9 | 60,800.0 | S |
| metaldehyde | Structural pest control | 1.03 | N/A | N/A | N/A |
| metam-sodium | Rights of way | 41,913.98 | N/A | N/A | N/A |
| metconazole | Landscape maintenance | 6.14 | N/A | N/A | N/A |
| methiocarb | N-grnhs plants in containers | 3.23 | 9 | 1.74 | A |
| methiocarb | N-outdr flower | 1.24 | 10 | 75,000.0 | S |
| methiocarb | N-outdr plants in containers | 112.91 | 29 | 31.7 | A |
| methomyl | Structural pest control | 0.03 | N/A | N/A | N/A |
| methoprene | Landscape maintenance | 0.36 | N/A | N/A | N/A |
| methoprene | Public health | 39.46 | N/A | N/A | N/A |
| methoprene | Regulatory pest control | 0.11 | N/A | N/A | N/A |
| methoprene | Structural pest control | 1.87 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| s-methoprene | Landscape maintenance | 9.65 | N/A | N/A | N/A |
| s-methoprene | Public health | 46.94 | N/A | N/A | N/A |
| s-methoprene | Regulatory pest control | 0.52 | N/A | N/A | N/A |
| s-methoprene | Structural pest control | 7.83 | N/A | N/A | N/A |
| methoxyfenozone | Corn, human consumption | 17.21 | 23 | 102.8 | A |
| methoxyfenozone | N-outdr plants in containers | 6.16 | 21 | 39.5 | A |
| methyl anthranilate | Grape | 17.38 | 5 | 14.1 | A |
| methyl anthranilate | Landscape maintenance | 21.63 | N/A | N/A | N/A |
| methyl anthranilate | Structural pest control | 1.51 | N/A | N/A | N/A |
| methylated fatty acids from canola oil | Landscape maintenance | 131.17 | N/A | N/A | N/A |
| methylated naphthalene | Structural pest control | 0.07 | N/A | N/A | N/A |
| methylated soybean oil | Alfalfa | 690.49 | 3 | 375.0 | A |
| methylated soybean oil | Forage hay/silage | 209.75 | 1 | 125.0 | A |
| methylated soybean oil | Landscape maintenance | 182.59 | N/A | N/A | N/A |
| methylated soybean oil | Rights of way | 1,094.24 | N/A | N/A | N/A |
| methylated soybean oil | Uncultivated non-ag | 0.09 | N/A | 205.0 | A |
| methyl bromide | Commodity fumigation | 42,129.74 | N/A | N/A | N/A |
| methyl bromide | Fumigation, other | 66,391.03 | N/A | N/A | N/A |
| methyl bromide | Regulatory pest control | 21,268.5 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------------------------|-----------------------------|-----------------------|-------------|---------------------|---------------------|
| methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate | Landscape maintenance | 1.37 | N/A | N/A | N/A |
| methylen chloride | Structural pest control | 5.78 | N/A | N/A | N/A |
| methyl eugenol | Regulatory pest control | 488.6 | N/A | N/A | N/A |
| 2-methyl-4-isothiazolin-3-one | Industrial processing water | 16.85 | N/A | 3,541,789.0 | P |
| 2-methyl-4-isothiazolin-3-one | Industrial processing water | 56.08 | N/A | 3,216.0 | U |
| 2-methyl-4-isothiazolin-3-one | Unknown | 147.96 | N/A | 18.0 | U |
| 2-methyl-4-isothiazolin-3-one | Water (industrial) | 278.47 | N/A | 184.0 | U |
| methyl silicone resins | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| metofluthrin | Structural pest control | 4.51 | N/A | N/A | N/A |
| metolachlor | Landscape maintenance | 0.95 | N/A | N/A | N/A |
| s-metolachlor | Carrot | 767.37 | 15 | 1,288.3 | A |
| s-metolachlor | Corn, human consumption | 11.76 | 9 | 8.25 | A |
| s-metolachlor | Landscape maintenance | 0.21 | N/A | N/A | N/A |
| s-metolachlor | Potato | 1,436.4 | 10 | 931.0 | A |
| s-metolachlor | Turf/sod | 53.34 | 2 | 28.0 | A |
| metrafenone | Grape | 1.72 | 2 | 6.0 | A |
| mineral oil | Golf course turf | 99.05 | N/A | 21.4 | A |
| mineral oil | Grape | 160.56 | 27 | 43.0 | A |
| mineral oil | Grape, wine | 20.98 | 6 | 11.37 | A |
| mineral oil | Landscape maintenance | 7,614.1 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| mineral oil | N-grnhs flower | 4.16 | 1 | 3.21 | A |
| mineral oil | N-grnhs flower | 0.88 | 1 | 200.0 | U |
| mineral oil | N-grnhs plants in containers | 178.4 | 102 | 9.13 | A |
| mineral oil | N-grnhs plants in containers | 10.91 | 4 | 57,600.0 | S |
| mineral oil | N-outdr flower | <0.01 | 1 | 0.01 | A |
| mineral oil | N-outdr plants in containers | 1,571.61 | 50 | 88.81 | A |
| mineral oil | N-outdr plants in containers | 17.94 | 5 | 28,000.0 | S |
| mineral oil | N-outdr plants in containers | 30.61 | 13 | 20,142.0 | U |
| mineral oil | N-outdr transplants | 37.92 | 8 | 11.75 | A |
| mineral oil | Public health | 1,004.77 | N/A | N/A | N/A |
| mineral oil | Rights of way | 126.89 | N/A | N/A | N/A |
| mineral oil | Structural pest control | 1.95 | N/A | N/A | N/A |
| modified phthalic glycerol alkyd resin | N-outdr plants in containers | 96.3 | 51 | 102.0 | A |
| msma | Landscape maintenance | 93.43 | N/A | N/A | N/A |
| muscalure | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| muscalure | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| muscalure | Structural pest control | 2.06 | N/A | N/A | N/A |
| myclobutanil | Apricot | 0.15 | 1 | 1.0 | A |
| myclobutanil | Golf course turf | 0.34 | N/A | 44,000.0 | S |
| myclobutanil | Grape | 1.6 | 25 | 19.9 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| myclobutanil | Grape | 0.04 | 3 | 14,000.0 | S |
| myclobutanil | Grape, wine | 0.38 | 6 | 4.0 | A |
| myclobutanil | Landscape maintenance | 42.52 | N/A | N/A | N/A |
| myclobutanil | N-outdr plants in containers | 1.73 | 21 | 16.4 | A |
| myclobutanil | N-outdr plants in containers | <0.01 | 2 | 2,100.0 | S |
| myclobutanil | N-outdr plants in containers | 0.1 | 6 | 7,485.0 | U |
| myclobutanil | Nectarine | 0.15 | 1 | 1.0 | A |
| myclobutanil | Peach | 0.9 | 2 | 6.0 | A |
| naa | N-grnhs plants in containers | 0.01 | N/A | 8,000.0 | S |
| naa | N-outdr plants in containers | 0.01 | 21 | 86.0 | U |
| naa | N-outdr transplants | <0.01 | 3 | 182.0 | S |
| naa | Nursery soil | 0.01 | 20 | 114.0 | U |
| naa, ammonium salt | Landscape maintenance | 0.67 | N/A | N/A | N/A |
| napropamide | Structural pest control | 0.43 | N/A | N/A | N/A |
| nicarbazin | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| nicarbazin | Structural pest control | 2.23 | N/A | N/A | N/A |
| nicosulfuron | Corn, human consumption | 0.18 | 2 | 6.0 | A |
| nithiazine | Structural pest control | <0.01 | N/A | N/A | N/A |
| nonanoic acid | Asparagus | 6.39 | 1 | 1.0 | A |
| nonanoic acid | Avocado | 4.0 | 1 | 2.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| nonanoic acid | Grape | 31.6 | 7 | 11.5 | A |
| nonanoic acid | Landscape maintenance | 168.43 | N/A | N/A | N/A |
| nonanoic acid | N-outdr plants in containers | 17.66 | 11 | 4.0 | A |
| nonanoic acid | Tropical/subtropical fruit | 1.86 | 1 | 2.0 | A |
| nonanoic acid, other related | Asparagus | 0.34 | 1 | 1.0 | A |
| nonanoic acid, other related | Avocado | 0.21 | 1 | 2.0 | A |
| nonanoic acid, other related | Grape | 1.66 | 7 | 11.5 | A |
| nonanoic acid, other related | Landscape maintenance | 8.86 | N/A | N/A | N/A |
| nonanoic acid, other related | N-outdr plants in containers | 0.93 | 11 | 4.0 | A |
| nonanoic acid, other related | Tropical/subtropical fruit | 0.1 | 1 | 2.0 | A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Carrot | 55.9 | 3 | 167.4 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Alfalfa | 38.42 | 3 | 390.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Broccoli | 2.08 | 2 | 6.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Citrus | 13.12 | 4 | 29.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, human consumption | 34.36 | 25 | 59.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape | 22.7 | 66 | 68.73 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape | 0.1 | 9 | 42,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine | 0.13 | 4 | 1.45 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 1,403.51 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 0.59 | 1 | 1.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 28.62 | 148 | 214.55 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr transplants | 1.49 | 32 | 16.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Onion, dry | 175.45 | 22 | 1,159.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pastureland | 5.83 | 1 | 13.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pistachio | 1.52 | 1 | 20.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Potato | 2,051.07 | 50 | 4,655.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 6.26 | 1 | 60.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights of way | 14,715.14 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Structural pest control | 0.08 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Rights of way | 0.75 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Structural pest control | 0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Landscape maintenance | 7.1 | N/A | N/A | N/A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | N-outdr plants in containers | 56.13 | 94 | 367.5 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Onion, dry | 3.15 | 3 | 150.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Pistachio | 4.62 | 2 | 30.0 | A |
| alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt | Rights of way | 0.07 | N/A | N/A | N/A |
| novaluron | N-outdr plants in containers | 0.04 | 2 | 0.2 | A |
| novaluron | Potato | 73.0 | 10 | 931.0 | A |
| novaluron | Regulatory pest control | 2.62 | N/A | N/A | N/A |
| novaluron | Structural pest control | 64.72 | N/A | N/A | N/A |
| noviflumuron | Structural pest control | 1.78 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Landscape maintenance | 0.52 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Regulatory pest control | 4.11 | N/A | N/A | N/A |
| n-octyl bicycloheptene dicarboximide | Structural pest control | 2,635.51 | N/A | N/A | N/A |
| octyl decyl dimethyl ammonium chloride | Landscape maintenance | 0.98 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| octyl decyl dimethyl ammonium chloride | Structural pest control | 1.71 | N/A | N/A | N/A |
| oil of black pepper | Regulatory pest control | 0.01 | N/A | N/A | N/A |
| oleic acid, methyl ester | Landscape maintenance | 8.08 | N/A | N/A | N/A |
| oleic acid, methyl ester | Onion, dry | 3.98 | 2 | 120.0 | A |
| oleic acid, methyl ester | Pistachio | 39.42 | 2 | 30.0 | A |
| oleic acid, methyl ester | Rights of way | 293.03 | N/A | N/A | N/A |
| oryzalin | Landscape maintenance | 782.48 | N/A | N/A | N/A |
| oryzalin | N-outdr plants in containers | 934.44 | 109 | 471.41 | A |
| oryzalin | Rights of way | 302.24 | N/A | N/A | N/A |
| oryzalin | Uncultivated ag | 1.56 | 1 | 0.5 | A |
| oxadiazon | Landscape maintenance | 784.74 | N/A | N/A | N/A |
| oxadiazon | N-grnhs plants in containers | 0.13 | N/A | 3,200.0 | S |
| oxadiazon | N-outdr plants in containers | 0.04 | 1 | 0.04 | A |
| oxadiazon | Rights of way | 0.04 | N/A | N/A | N/A |
| oxamyl | Potato | 124.62 | 1 | 124.0 | A |
| oxathiapiprolin | N-grnhs flower | 0.05 | 2 | 2.0 | A |
| oxyfluorfen | Landscape maintenance | 11.79 | N/A | N/A | N/A |
| oxyfluorfen | N-outdr plants in containers | 0.08 | 1 | 0.04 | A |
| oxyfluorfen | Onion, dry | 92.12 | 19 | 784.0 | A |
| oxyfluorfen | Onion, green | 0.25 | 1 | 1.0 | A |
| oxyfluorfen | Rights of way | 366.78 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| oxyfluorfen | Uncultivated ag | 5.89 | 3 | 3.5 | A |
| oxyfluorfen | Uncultivated ag | 4.61 | 15 | 111,100.0 | S |
| oxytetracycline hydrochloride | Landscape maintenance | 7.9 | N/A | N/A | N/A |
| paclobutrazol | Landscape maintenance | 101.02 | N/A | N/A | N/A |
| paclobutrazol | N-grnhs flower | 0.01 | 2 | 11,323.0 | S |
| paclobutrazol | N-grnhs plants in containers | <0.01 | 1 | 4,500.0 | S |
| paclobutrazol | N-outdr plants in containers | 0.02 | 3 | 2.12 | A |
| paclobutrazol | N-outdr plants in containers | 0.01 | 3 | 4,300.0 | S |
| paclobutrazol | N-outdr transplants | 0.32 | 47 | 33.5 | A |
| paecilomyces fumosoroseus apopka strain 97 | Landscape maintenance | 0.28 | N/A | N/A | N/A |
| paraquat dichloride | Apricot | 0.35 | 1 | 1.0 | A |
| paraquat dichloride | N-grnhs plants in containers | 0.51 | 1 | 1.6 | A |
| paraquat dichloride | Nectarine | 2.16 | 3 | 6.25 | A |
| paraquat dichloride | Peach | 4.67 | 3 | 13.5 | A |
| paraquat dichloride | Plum | 0.87 | 2 | 2.5 | A |
| pcnb | Landscape maintenance | 1,101.41 | N/A | N/A | N/A |
| pcp, other related | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| pcp, other related | N-outdr plants in containers | 0.02 | 1 | 3.0 | A |
| pendimethalin | Alfalfa | 812.04 | 3 | 395.0 | A |
| pendimethalin | Golf course turf | 33.33 | N/A | 17.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pendimethalin | Landscape maintenance | 869.47 | N/A | N/A | N/A |
| pendimethalin | N-outdr plants in containers | 196.08 | 80 | 126.79 | A |
| pendimethalin | N-outdr plants in containers | 0.25 | 5 | 11,000.0 | S |
| pendimethalin | Onion, dry | 457.31 | 26 | 1,551.0 | A |
| pendimethalin | Potato | 661.1 | 10 | 931.0 | A |
| pendimethalin | Rights of way | 178.12 | N/A | N/A | N/A |
| pendimethalin | Turf/sod | 229.22 | 5 | 202.5 | A |
| penoxsulam | Landscape maintenance | 0.44 | N/A | N/A | N/A |
| penoxsulam | Rights of way | 7.73 | N/A | N/A | N/A |
| pentachlorophenol | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| pentachlorophenol | N-outdr plants in containers | 0.14 | 1 | 3.0 | A |
| pentachlorophenol | Structural pest control | <0.01 | N/A | N/A | N/A |
| penthiopyrad | Golf course turf | 9.76 | N/A | 29.0 | A |
| penthiopyrad | Golf course turf | 1.13 | N/A | 120,000.0 | S |
| penthiopyrad | Landscape maintenance | 209.83 | N/A | N/A | N/A |
| penthiopyrad | N-grnhs flower | 2.75 | N/A | 176,000.0 | S |
| penthiopyrad | Onion, dry | 263.26 | 14 | 843.0 | A |
| permethrin | Animal premise | 33.59 | N/A | 207,642.0 | S |
| permethrin | Fumigation, other | 2.39 | N/A | N/A | N/A |
| permethrin | Landscape maintenance | 586.97 | N/A | N/A | N/A |
| permethrin | N-grnhs flower | 6.09 | 26 | 30.67 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| permethrin | N-grnhs plants in containers | 1.77 | 33 | 5.3 | A |
| permethrin | N-outdr flower | 0.14 | 2 | 19,000.0 | S |
| permethrin | N-outdr plants in containers | 21.03 | 45 | 95.48 | A |
| permethrin | N-outdr transplants | 3.12 | 14 | 15.85 | A |
| permethrin | Regulatory pest control | 105.75 | N/A | N/A | N/A |
| permethrin | Structural pest control | 6,621.22 | N/A | N/A | N/A |
| permethrin, other related | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| permethrin, other related | Structural pest control | 0.54 | N/A | N/A | N/A |
| peroxyacetic acid | Carrot | 54.26 | 4 | 295.3 | A |
| peroxyacetic acid | Landscape maintenance | 0.18 | N/A | N/A | N/A |
| peroxyacetic acid | Onion, dry | 107.16 | 5 | 180.0 | A |
| peroxyacetic acid | Onion, dry | 17.26 | N/A | 8,850.0 | T |
| peroxyacetic acid | Unknown | 28.79 | N/A | 88.0 | U |
| peroxyacetic acid | Water (industrial) | 88.99 | N/A | 3.0 | U |
| petroleum distillates | Landscape maintenance | 0.35 | N/A | N/A | N/A |
| petroleum distillates | Regulatory pest control | 0.03 | N/A | N/A | N/A |
| petroleum distillates | Structural pest control | 250.07 | N/A | N/A | N/A |
| petroleum distillates, aromatic | Landscape maintenance | 58.76 | N/A | N/A | N/A |
| petroleum distillates, aromatic | Onion, dry | 219.68 | 3 | 150.0 | A |
| petroleum distillates, aromatic | Structural pest control | 0.11 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| petroleum distillates, refined | Grape | 307.67 | 45 | 41.29 | A |
| petroleum distillates, refined | Grape | 3.21 | 5 | 19,000.0 | S |
| petroleum distillates, refined | Grape, wine | 21.33 | 6 | 8.45 | A |
| petroleum distillates, refined | Landscape maintenance | 0.97 | 2 | 3.0 | A |
| petroleum distillates, refined | Landscape maintenance | 2.29 | N/A | N/A | N/A |
| petroleum distillates, refined | N-grnhs plants in containers | 0.56 | 1 | 4,200.0 | S |
| petroleum distillates, refined | N-outdr plants in containers | 17.69 | 40 | 4.0 | A |
| petroleum distillates, refined | N-outdr plants in containers | 0.11 | 1 | 500.0 | S |
| petroleum distillates, refined | Public health | 291.24 | N/A | N/A | N/A |
| petroleum hydrocarbons | Structural pest control | 0.32 | N/A | N/A | N/A |
| petroleum oil, paraffin based | Rights of way | 14.44 | N/A | N/A | N/A |
| petroleum oil, unclassified | Citrus | 6.92 | 1 | 2.0 | A |
| petroleum oil, unclassified | Grape | 211.85 | 8 | 24.4 | A |
| petroleum oil, unclassified | Landscape maintenance | 8.38 | N/A | N/A | N/A |
| petroleum oil, unclassified | N-outdr plants in containers | 24.23 | 2 | 4.0 | A |
| petroleum oil, unclassified | Structural pest control | 0.03 | N/A | N/A | N/A |
| phenothrin | Landscape maintenance | 0.31 | N/A | N/A | N/A |
| phenothrin | Public health | 1.07 | N/A | N/A | N/A |
| phenothrin | Regulatory pest control | 0.65 | N/A | N/A | N/A |
| phenothrin | Rights of way | 0.12 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| phenothrin | Structural pest control | 217.03 | N/A | N/A | N/A |
| phenothrin, other related | Structural pest control | <0.01 | N/A | N/A | N/A |
| phenylethyl propionate | Structural pest control | 14.07 | N/A | N/A | N/A |
| ortho-phenylphenol | Structural pest control | <0.01 | N/A | N/A | N/A |
| phosphine | Commodity fumigation | 17.36 | N/A | N/A | N/A |
| phosphoric acid | Landscape maintenance | 10.26 | N/A | N/A | N/A |
| phosphoric acid | N-outdr plants in containers | 0.1 | 16 | 13.95 | A |
| phosphoric acid | Pastureland | 0.01 | 1 | 1.0 | A |
| phosphoric acid | Potato | 9.36 | 1 | 124.0 | A |
| phosphoric acid | Rights of way | 32.39 | N/A | N/A | N/A |
| phosphoric acid | Structural pest control | 4.08 | N/A | N/A | N/A |
| phosphoric acid | Uncultivated ag | 0.03 | 1 | 4.0 | A |
| pine oil | Structural pest control | 1.47 | N/A | N/A | N/A |
| pipерine | Regulatory pest control | <0.01 | N/A | N/A | N/A |
| pipерonyl butoxide | Animal premise | 33.59 | N/A | 207,642.0 | S |
| pipерonyl butoxide | Commodity fumigation | 0.5 | N/A | N/A | N/A |
| pipерonyl butoxide | Landscape maintenance | 371.93 | N/A | N/A | N/A |
| pipерonyl butoxide | N-grnhs plants in containers | 0.44 | 6 | 1.19 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| piperonyl butoxide | N-outdr plants in containers | 0.23 | 2 | 0.23 | A |
| piperonyl butoxide | N-outdr plants in containers | 0.2 | 6 | 801.0 | S |
| piperonyl butoxide | N-outdr plants in containers | 0.54 | 9 | 5,975.0 | U |
| piperonyl butoxide | Nursery soil | 0.03 | 1 | 70.0 | S |
| piperonyl butoxide | Public health | 1.23 | N/A | N/A | N/A |
| piperonyl butoxide | Regulatory pest control | 117.6 | N/A | N/A | N/A |
| piperonyl butoxide | Structural pest control | 5,266.28 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Commodity fumigation | 0.12 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Landscape maintenance | 91.92 | N/A | N/A | N/A |
| piperonyl butoxide, other related | N-grnhs plants in containers | 0.11 | 6 | 1.19 | A |
| piperonyl butoxide, other related | N-outdr plants in containers | 0.05 | 6 | 801.0 | S |
| piperonyl butoxide, other related | N-outdr plants in containers | 0.13 | 9 | 5,975.0 | U |
| piperonyl butoxide, other related | Nursery soil | 0.01 | 1 | 70.0 | S |
| piperonyl butoxide, other related | Public health | 0.21 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Regulatory pest control | 5.53 | N/A | N/A | N/A |
| piperonyl butoxide, other related | Structural pest control | 278.06 | N/A | N/A | N/A |
| polyacrylamide, polyethylene glycol mixture | Rights of way | 8.42 | N/A | N/A | N/A |
| polyacrylic polymer | Landscape maintenance | 0.23 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| polyalkene oxide modified heptamethyl trisiloxane | Landscape maintenance | 115.76 | N/A | N/A | N/A |
| polyalkene oxide modified heptamethyl trisiloxane | N-grnhs plants in containers | 0.01 | 1 | 1.0 | A |
| polyalkene oxide modified heptamethyl trisiloxane | N-outdr plants in containers | 4.03 | 46 | 102.9 | A |
| polyalkene oxide modified heptamethyl trisiloxane | Rights of way | 4.07 | N/A | N/A | N/A |
| polybutenes | Carrot | 29.42 | 3 | 167.4 | A |
| polybutenes | Landscape maintenance | 0.04 | N/A | N/A | N/A |
| polybutenes | N-grnhs plants in containers | 0.14 | 1 | 1.0 | A |
| polybutenes | N-outdr plants in containers | 0.04 | 1 | 0.25 | A |
| polybutenes | Structural pest control | 35.95 | N/A | N/A | N/A |
| polyethylene glycol | Alfalfa | 3.78 | 1 | 120.0 | A |
| polyethylene glycol | Potato | 512.77 | 50 | 4,655.0 | A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Landscape maintenance | 1.45 | N/A | N/A | N/A |
| polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether | Onion, dry | 7.48 | 2 | 240.0 | A |
| poly-i-para-menthene | Landscape maintenance | 17.15 | N/A | N/A | N/A |
| poly-i-para-menthene | Onion, dry | 170.77 | 7 | 460.0 | A |
| polymerized pinene | Golf course turf | 9.02 | N/A | 6.4 | A |
| polymerized pinene | Landscape maintenance | 12.98 | N/A | N/A | N/A |
| polymerized pinene | N-grnhs flower | 11.82 | N/A | 3.2 | A |
| polyoxin d, zinc salt | Golf course turf | 1.63 | N/A | 6.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| polyoxin d, zinc salt | Golf course turf | 0.79 | N/A | 120,000.0 | S |
| polyoxin d, zinc salt | Landscape maintenance | 64.87 | N/A | N/A | N/A |
| polyoxin d, zinc salt | N-grnhs plants in containers | 0.32 | N/A | 45,000.0 | S |
| polyoxin d, zinc salt | Turf/sod | 0.54 | N/A | 2.0 | A |
| polyoxin d, zinc salt | Turf/sod | 0.54 | N/A | 90,000.0 | S |
| polyoxyethylene cetyl-stearyl ether | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride | Landscape maintenance | 2.09 | N/A | N/A | N/A |
| poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride | Water (industrial) | 14.99 | N/A | 12.0 | U |
| poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride | Water area | 2.28 | N/A | 2,000.0 | S |
| polyoxyethylene polyoxypropylene | Onion, dry | 38.2 | 1 | 120.0 | A |
| poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Rights of way | 21.01 | N/A | N/A | N/A |
| polyoxyethylene sorbitan mixed fatty acid esters | Rights of way | 2.23 | N/A | N/A | N/A |
| polysorbate 65 | Rights of way | 11.2 | N/A | N/A | N/A |
| potash soap | Landscape maintenance | 389.66 | N/A | N/A | N/A |
| potash soap | N-grnhs plants in containers | 5.47 | 13 | 0.74 | A |
| potash soap | N-grnhs plants in containers | 6.25 | 1 | 20,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| potash soap | N-outdr plants in containers | 7.81 | 3 | 1.0 | A |
| potash soap | N-outdr plants in containers | 0.08 | 1 | 43.5 | S |
| potash soap | N-outdr plants in containers | 31.28 | 31 | 42,400.0 | U |
| potash soap | N-outdr transplants | 0.49 | 1 | 0.5 | A |
| potash soap | Public health | 20.46 | N/A | N/A | N/A |
| potash soap | Rights of way | 6.73 | N/A | N/A | N/A |
| potash soap | Structural pest control | 2.07 | N/A | N/A | N/A |
| potash soap | Uncultivated ag | 4.16 | 1 | 1.0 | U |
| potassium bicarbonate | Grape | 85.39 | 31 | 31.29 | A |
| potassium bicarbonate | Grape | 1.85 | 4 | 23,000.0 | S |
| potassium bicarbonate | Landscape maintenance | 0.02 | N/A | N/A | N/A |
| potassium hydroxide | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| potassium n-methyldithiocarbamate | Carrot | 494,700.24 | 16 | 1,400.9 | A |
| potassium nitrate | Structural pest control | 0.31 | N/A | N/A | N/A |
| potassium phosphite | Grape | 117.86 | 13 | 35.2 | A |
| potassium phosphite | Landscape maintenance | 4,788.49 | N/A | N/A | N/A |
| potassium phosphite | N-outdr plants in containers | 6.82 | 2 | 4.2 | A |
| potassium phosphite | Uncultivated ag | 2.34 | 1 | 1.0 | A |
| potassium phosphite | Uncultivated ag | 2.34 | 1 | 1.0 | U |
| prallethrin | Landscape maintenance | 0.18 | N/A | N/A | N/A |
| prallethrin | Public health | 0.08 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| prallethrin | Regulatory pest control | 18.04 | N/A | N/A | N/A |
| prallethrin | Structural pest control | 108.6 | N/A | N/A | N/A |
| prodiamine | Golf course turf | 82.96 | N/A | 157.0 | A |
| prodiamine | Landscape maintenance | 1,078.76 | N/A | N/A | N/A |
| prodiamine | N-outdr plants in containers | 114.7 | 23 | 101.44 | A |
| prodiamine | Rights of way | 114.78 | N/A | N/A | N/A |
| propamocarb hydrochloride | Landscape maintenance | 272.99 | N/A | N/A | N/A |
| propiconazole | Carrot | 174.21 | 18 | 1,557.9 | A |
| propiconazole | Golf course turf | 36.41 | N/A | 38.56 | A |
| propiconazole | Golf course turf | 4.65 | N/A | 375,000.0 | S |
| propiconazole | Landscape maintenance | 1,249.53 | N/A | N/A | N/A |
| propiconazole | N-grnhs flower | 2.6 | N/A | 3.2 | A |
| propiconazole | N-outdr plants in containers | 6.61 | 34 | 52.94 | A |
| propiconazole | N-outdr plants in containers | 0.26 | 2 | 23,500.0 | S |
| propiconazole | N-outdr plants in containers | 0.11 | 3 | 2,800.0 | U |
| propiconazole | N-outdr transplants | 0.02 | 1 | 0.25 | A |
| propiconazole | Rights of way | 8.94 | N/A | N/A | N/A |
| propiconazole | Structural pest control | 0.1 | N/A | N/A | N/A |
| propiconazole | Turf/sod | 0.02 | 1 | 0.5 | A |
| propiconazole | Turf/sod | 3.95 | N/A | 180,000.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| propionic acid | Landscape maintenance | 32.71 | N/A | N/A | N/A |
| propionic acid | N-outdr plants in containers | 42.21 | 93 | 165.5 | A |
| propionic acid | N-outdr transplants | 5.55 | 32 | 16.0 | A |
| propionic acid | Pistachio | 5.68 | 1 | 20.0 | A |
| propoxur | Structural pest control | 12.56 | N/A | N/A | N/A |
| propylene glycol | Landscape maintenance | 64.21 | N/A | N/A | N/A |
| propylene glycol | N-grnhs plants in containers | 0.24 | 2 | 2.0 | A |
| propylene glycol | N-outdr plants in containers | 10.32 | 50 | 111.5 | A |
| propylene glycol | Onion, dry | 3.81 | 2 | 240.0 | A |
| propylene glycol | Rights of way | 15.63 | N/A | N/A | N/A |
| propyzamide | Landscape maintenance | 16.04 | N/A | N/A | N/A |
| propyzamide | Lettuce, leaf | 2.82 | 6 | 3.0 | A |
| propyzamide | Vegetable | 1.67 | 2 | 1.0 | A |
| prothioconazole | Landscape maintenance | 84.82 | N/A | N/A | N/A |
| pymetrozine | Landscape maintenance | 1.78 | N/A | N/A | N/A |
| pymetrozine | N-grnhs plants in containers | 1.13 | 9 | 3.06 | A |
| pymetrozine | N-grnhs plants in containers | 0.2 | 2 | 27,000.0 | S |
| pyraclostrobin | Apricot | 0.23 | 1 | 1.0 | A |
| pyraclostrobin | Golf course turf | 14.99 | N/A | 38.56 | A |
| pyraclostrobin | Grape | 2.99 | 14 | 25.8 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyraclostrobin | Grape | 0.02 | 1 | 9,000.0 | S |
| pyraclostrobin | Grape, wine | 1.57 | 8 | 22.87 | A |
| pyraclostrobin | Landscape maintenance | 358.48 | N/A | N/A | N/A |
| pyraclostrobin | N-grnhs flower | 3.25 | 6 | 15.45 | A |
| pyraclostrobin | N-grnhs flower | 0.39 | N/A | 45,000.0 | C |
| pyraclostrobin | N-grnhs plants in containers | 0.95 | 38 | 6.46 | A |
| pyraclostrobin | N-grnhs plants in containers | 0.39 | N/A | 45,000.0 | S |
| pyraclostrobin | N-outdr plants in containers | 15.12 | 30 | 35.15 | A |
| pyraclostrobin | N-outdr plants in containers | 0.44 | 3 | 52,000.0 | S |
| pyraclostrobin | N-outdr plants in containers | 0.55 | 10 | 2,340.0 | U |
| pyraclostrobin | N-outdr transplants | 6.13 | 32 | 39.95 | A |
| pyraclostrobin | Onion, dry | 110.72 | 16 | 865.0 | A |
| pyraclostrobin | Turf/sod | 1.54 | N/A | 180,000.0 | S |
| pyraflufen-ethyl | Landscape maintenance | <0.01 | N/A | N/A | N/A |
| pyraflufen-ethyl | Turf/sod | 0.29 | 2 | 281.33 | A |
| pyrethrins | Broccoli | 0.42 | 4 | 8.1 | A |
| pyrethrins | Commodity fumigation | 0.06 | N/A | N/A | N/A |
| pyrethrins | Landscape maintenance | 92.71 | N/A | N/A | N/A |
| pyrethrins | N-grnhs plants in containers | 0.13 | 16 | 1.72 | A |
| pyrethrins | N-grnhs plants in containers | 0.18 | 5 | 58,600.0 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| pyrethrins | N-outdr plants in containers | 0.02 | 2 | 0.23 | A |
| pyrethrins | N-outdr plants in containers | 0.03 | 6 | 801.0 | S |
| pyrethrins | N-outdr plants in containers | 0.07 | 9 | 5,975.0 | U |
| pyrethrins | Nursery soil | <0.01 | 1 | 70.0 | S |
| pyrethrins | Onion, dry | 11.68 | 2 | 240.0 | A |
| pyrethrins | Public health | 0.1 | N/A | N/A | N/A |
| pyrethrins | Regulatory pest control | 5.5 | N/A | N/A | N/A |
| pyrethrins | Squash | 0.04 | 1 | 0.25 | A |
| pyrethrins | Structural pest control | 1,060.93 | N/A | N/A | N/A |
| pyridalyl | N-grnhs plants in containers | 0.61 | 6 | 1.19 | A |
| pyridalyl | N-outdr flower | 0.11 | 2 | 15,000.0 | S |
| pyriproxyfen | Landscape maintenance | 1.16 | N/A | N/A | N/A |
| pyriproxyfen | N-grnhs plants in containers | 0.07 | 2 | 27,000.0 | S |
| pyriproxyfen | N-outdr plants in containers | 0.17 | 5 | 0.78 | A |
| pyriproxyfen | Regulatory pest control | 2.72 | N/A | N/A | N/A |
| pyriproxyfen | Structural pest control | 498.34 | N/A | N/A | N/A |
| qst 713 strain of dried bacillus subtilis | Carrot | 530.76 | 19 | 1,663.6 | A |
| qst 713 strain of dried bacillus subtilis | Grape | 0.09 | 1 | 1.0 | A |
| qst 713 strain of dried bacillus subtilis | Landscape maintenance | 6.08 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| qst 713 strain of dried bacillus subtilis | N-grnhs plants in containers | 0.05 | 2 | 0.12 | A |
| qst 713 strain of dried bacillus subtilis | N-outdr plants in containers | <0.01 | 1 | 1.0 | A |
| qst 713 strain of dried bacillus subtilis | N-outdr plants in containers | 0.01 | 4 | 650.0 | S |
| qst 713 strain of dried bacillus subtilis | N-outdr plants in containers | <0.01 | 11 | 51,000.0 | U |
| qst 713 strain of dried bacillus subtilis | Nursery soil | 0.01 | 1 | 400.0 | S |
| qst 713 strain of dried bacillus subtilis | Uncultivated ag | <0.01 | 1 | 200.0 | S |
| quinclorac | Grape | <0.01 | 1 | 2,500.0 | S |
| quinclorac | Landscape maintenance | 14.37 | N/A | N/A | N/A |
| quinclorac, dimethylamine salt | Golf course turf | 50.76 | N/A | 185.0 | A |
| quinclorac, dimethylamine salt | Landscape maintenance | 118.63 | N/A | N/A | N/A |
| quinoxifen | Grape | 1.58 | 18 | 17.49 | A |
| quinoxifen | Grape | 0.02 | 2 | 11,500.0 | S |
| quinoxifen | Nectarine | 0.53 | 2 | 5.0 | A |
| quinoxifen | Peach | 0.95 | 2 | 8.5 | A |
| resmethrin | Structural pest control | 0.06 | N/A | N/A | N/A |
| resmethrin, other related | Structural pest control | 0.01 | N/A | N/A | N/A |
| reynoutria sachalinensis | Landscape maintenance | 0.03 | N/A | N/A | N/A |
| rimsulfuron | Potato | 14.54 | 10 | 931.0 | A |
| rimsulfuron | Rights of way | 208.77 | N/A | N/A | N/A |
| rotenone | Structural pest control | 0.06 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| rotenone, other related | Structural pest control | 0.14 | N/A | N/A | N/A |
| sabadilla alkaloids | N-grnhs plants in containers | 0.02 | 12 | 38,100.0 | S |
| saflufenacil | Pistachio | 1.32 | 2 | 30.0 | A |
| sethoxydim | Landscape maintenance | 29.37 | N/A | N/A | N/A |
| siduron | Landscape maintenance | 52.96 | N/A | N/A | N/A |
| siduron | Turf/sod | 375.0 | 5 | 75.5 | A |
| silica aerogel | Landscape maintenance | 1.78 | N/A | N/A | N/A |
| silica aerogel | Public health | 4.13 | N/A | N/A | N/A |
| silica aerogel | Regulatory pest control | 16.91 | N/A | N/A | N/A |
| silica aerogel | Structural pest control | 2,043.71 | N/A | N/A | N/A |
| silicone defoamer | Landscape maintenance | 0.26 | N/A | N/A | N/A |
| silicone defoamer | N-outdr plants in containers | 0.01 | 16 | 13.95 | A |
| silicone defoamer | Pastureland | <0.01 | 1 | 1.0 | A |
| silicone defoamer | Rights of way | 0.13 | N/A | N/A | N/A |
| silicone defoamer | Structural pest control | 0.54 | N/A | N/A | N/A |
| silicone defoamer | Uncultivated ag | <0.01 | 1 | 4.0 | A |
| simazine | Grape | 13.68 | 3 | 7.4 | A |
| simazine | Landscape maintenance | 2.06 | N/A | N/A | N/A |
| sodium bromide | Industrial processing water | 3,077.75 | N/A | 2.0 | U |
| sodium bromide | Unknown | 7,632.55 | N/A | 7.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------|-------------|---------------------|---------------------|
| sodium bromide | Water (industrial) | 59,134.93 | N/A | 11,763.0 | U |
| sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate | Industrial processing water | 296.23 | N/A | 2,268,271.5 | P |
| sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate | Unknown | 1,643.45 | N/A | 6.0 | U |
| sodium bromosulfamate, sodium chlorosulfamate, potassium bromosulfamate, potassium chlorosulfamate | Water (industrial) | 1,177.81 | N/A | 39.0 | U |
| sodium cacodylate | Landscape maintenance | 0.12 | N/A | N/A | N/A |
| sodium cacodylate | Structural pest control | <0.01 | N/A | N/A | N/A |
| sodium carbonate peroxyhydrate | Landscape maintenance | 510.0 | N/A | N/A | N/A |
| sodium carbonate peroxyhydrate | Water area | 212.5 | N/A | 5.0 | A |
| sodium chlorite | Structural pest control | 0.01 | N/A | N/A | N/A |
| sodium chlorite | Water (industrial) | 362.85 | N/A | 12.0 | U |
| sodium decyl sulfate | Structural pest control | 293.84 | N/A | N/A | N/A |
| sodium dichloro-s-triazinetrione | Water (industrial) | 1,882.3 | N/A | 269.0 | U |
| sodium dichloro-s-triazinetrione dihydrate | Water (industrial) | 49.5 | N/A | 1.0 | U |
| sodium diisooctylsulfosuccinate | Grape | 0.01 | 1 | 0.5 | A |
| sodium fluoride | Structural pest control | 0.01 | N/A | N/A | N/A |
| sodium hypochlorite | Grape | 0.08 | 1 | 1.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| sodium hypochlorite | Grape, wine | 0.08 | 1 | 3.5 | A |
| sodium hypochlorite | Onion, dry | 3,734.76 | 45 | 2,965.0 | A |
| sodium hypochlorite | Unknown | 6,962.67 | N/A | 7.0 | U |
| sodium hypochlorite | Water (industrial) | 52,771.4 | N/A | 12,217.0 | U |
| sodium hypochlorite | Water filter | 53.38 | N/A | 1.0 | U |
| sodium lauroampho acetate | Structural pest control | 221.77 | N/A | N/A | N/A |
| sodium lauryl sulfate | Structural pest control | 154.46 | N/A | N/A | N/A |
| sodium nitrate | Landscape maintenance | 345.01 | N/A | N/A | N/A |
| sodium nitrate | Rights of way | 14.43 | N/A | N/A | N/A |
| sodium nitrate | Vertebrate control | 8.24 | N/A | N/A | N/A |
| sodium alpha-olefin (c14-c16) sulfonate | Rights of way | 3,507.34 | N/A | N/A | N/A |
| sodium polyacrylate | Landscape maintenance | 0.22 | N/A | N/A | N/A |
| sodium polyacrylate | N-outdr plants in containers | 1.94 | 94 | 367.5 | A |
| sodium polyacrylate | Pistachio | 0.16 | 2 | 30.0 | A |
| sodium tetraborate (pentahydrate) | Structural pest control | 658.36 | N/A | N/A | N/A |
| sodium xylene sulfonate | Landscape maintenance | 3.06 | N/A | N/A | N/A |
| sodium xylene sulfonate | N-outdr plants in containers | 0.15 | 16 | 13.95 | A |
| sodium xylene sulfonate | Pastureland | 0.02 | 1 | 1.0 | A |
| sodium xylene sulfonate | Rights of way | 1.55 | N/A | N/A | N/A |
| sodium xylene sulfonate | Structural pest control | 6.37 | N/A | N/A | N/A |
| sodium xylene sulfonate | Uncultivated ag | 0.04 | 1 | 4.0 | A |
| sorbitan fatty acid esters | Rights of way | 0.49 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| sorbitan trioleate | Rights of way | 11.2 | N/A | N/A | N/A |
| soybean oil | N-outdr plants in containers | 1.79 | 5 | 6.0 | A |
| soybean oil | N-outdr plants in containers | <0.01 | 1 | 1.0 | U |
| spinetoram | Nectarine | 0.76 | 4 | 9.0 | A |
| spinetoram | Onion, dry | 39.32 | 12 | 765.0 | A |
| spinetoram | Plum | 0.22 | 2 | 2.5 | A |
| spinosad | Corn, human consumption | 1.57 | 3 | 16.8 | A |
| spinosad | Landscape maintenance | 5.07 | N/A | N/A | N/A |
| spinosad | N-grnhs flower | 0.28 | 2 | 4.33 | A |
| spinosad | N-grnhs plants in containers | 0.65 | 20 | 3.17 | A |
| spinosad | N-outdr plants in containers | 9.19 | 75 | 134.75 | A |
| spinosad | N-outdr plants in containers | 0.42 | 8 | 41,000.0 | S |
| spinosad | N-outdr plants in containers | 0.5 | 26 | 162,741.0 | U |
| spinosad | N-outdr transplants | 1.53 | 13 | 32.4 | A |
| spinosad | Olive | <0.01 | N/A | N/A | A |
| spinosad | Onion, dry | 57.16 | 7 | 525.0 | A |
| spinosad | Public health | 8.87 | N/A | N/A | N/A |
| spinosad | Regulatory pest control | 19.36 | N/A | N/A | N/A |
| spinosad | Structural pest control | 0.01 | N/A | N/A | N/A |
| spiromesifen | Corn, human consumption | 1.49 | 1 | 6.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| spiromesifen | Landscape maintenance | 1.46 | N/A | N/A | N/A |
| spiromesifen | N-outdr plants in containers | 0.06 | 1 | 0.5 | A |
| spiromesifen | N-outdr plants in containers | 0.02 | 1 | 150.0 | U |
| spirotetramat | Broccoli | 0.31 | 2 | 4.0 | A |
| spirotetramat | Citrus | 0.84 | 4 | 6.55 | A |
| spirotetramat | Grape | 0.1 | 1 | 0.75 | A |
| spirotetramat | Landscape maintenance | 0.64 | N/A | N/A | N/A |
| spirotetramat | N-grnhs plants in containers | 0.02 | 1 | 0.2 | A |
| spirotetramat | N-outdr plants in containers | 0.37 | 10 | 8.4 | A |
| spirotetramat | N-outdr plants in containers | <0.01 | 3 | 440.0 | S |
| spirotetramat | N-outdr plants in containers | 0.06 | 1 | 5,000.0 | U |
| spirotetramat | Structural pest control | 0.03 | N/A | N/A | N/A |
| streptomyces lydicus wyec 108 | Apricot | <0.01 | N/A | 0.1 | A |
| streptomycin sulfat | Landscape maintenance | 2.47 | N/A | N/A | N/A |
| streptomycin sulfat | N-outdr plants in containers | 0.45 | 2 | 2.0 | A |
| strychnine | Landscape maintenance | <0.01 | 1 | 1.0 | A |
| strychnine | Landscape maintenance | 42.23 | N/A | N/A | N/A |
| strychnine | Regulatory pest control | 0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| strychnine | Rights of way | 0.32 | N/A | N/A | N/A |
| strychnine | Structural pest control | 0.03 | N/A | N/A | N/A |
| strychnine | Uncultivated ag | 0.13 | 39 | 505.0 | A |
| strychnine | Vertebrate control | 0.48 | N/A | N/A | N/A |
| styrene butadiene copolymer | Landscape maintenance | 3.6 | N/A | N/A | N/A |
| styrene butadiene copolymer | N-grnhs plants in containers | 0.03 | 1 | 1.0 | A |
| styrene butadiene copolymer | N-outdr plants in containers | 12.01 | 46 | 102.9 | A |
| sulfaquinoxaline | Structural pest control | <0.01 | N/A | N/A | N/A |
| sulfentrazone | Landscape maintenance | 499.52 | N/A | N/A | N/A |
| sulfentrazone | Rights of way | 29.81 | N/A | N/A | N/A |
| sulfluramid | Structural pest control | 0.04 | N/A | N/A | N/A |
| sulfometuron-methyl | Landscape maintenance | 153.38 | N/A | N/A | N/A |
| sulfometuron-methyl | Rights of way | 723.12 | N/A | N/A | N/A |
| sulfosulfuron | Landscape maintenance | 3.08 | N/A | N/A | N/A |
| sulfosulfuron | Rights of way | 1.95 | N/A | N/A | N/A |
| sulfur | Carrot | 11,192.24 | 56 | 4,409.1 | A |
| sulfur | Grape | 499.6 | 38 | 171.31 | A |
| sulfur | Grape, wine | 14.4 | 3 | 12.5 | A |
| sulfur | Landscape maintenance | 33.2 | N/A | N/A | N/A |
| sulfur | N-outdr flower | 2.94 | 3 | 10.25 | A |
| sulfur | Rights of way | 2.49 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| sulfur | Structural pest control | 0.31 | N/A | N/A | N/A |
| sulfuryl fluoride | Fumigation, other | 10,566.1 | N/A | N/A | N/A |
| sulfuryl fluoride | Landscape maintenance | 0.05 | N/A | N/A | N/A |
| sulfuryl fluoride | Pistachio | 1,372.25 | N/A | 563,383.0 | C |
| sulfuryl fluoride | Structural pest control | 745,794.16 | N/A | N/A | N/A |
| tall oil | Landscape maintenance | 39.72 | N/A | N/A | N/A |
| tall oil | N-outdr plants in containers | 1.01 | 51 | 40.45 | A |
| tall oil | Rights of way | 2.96 | N/A | N/A | N/A |
| tall oil | Structural pest control | 0.01 | N/A | N/A | N/A |
| tall oil fatty acids | Alfalfa | 3.78 | 1 | 120.0 | A |
| tall oil fatty acids | Landscape maintenance | 42.92 | N/A | N/A | N/A |
| tall oil fatty acids | N-grnhs plants in containers | 0.17 | 2 | 2.0 | A |
| tall oil fatty acids | N-outdr plants in containers | 1.07 | 6 | 10.85 | A |
| tall oil fatty acids | Onion, dry | 12.78 | 3 | 150.0 | A |
| tall oil fatty acids | Potato | 512.77 | 50 | 4,655.0 | A |
| tall oil fatty acids | Rights of way | 10.78 | N/A | N/A | N/A |
| tall oil fatty acids | Structural pest control | 0.01 | N/A | N/A | N/A |
| tartrazine | Landscape maintenance | 11.35 | N/A | N/A | N/A |
| tartrazine | Water area | 4.42 | N/A | 46.0 | A |
| tebuconazole | Golf course turf | 159.53 | N/A | 195.3 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------------|---------------------------------------------------|-----------------------|-------------|---------------------|---------------------|
| tebuconazole | Grape | 0.83 | 5 | 8.3 | A |
| tebuconazole | Landscape maintenance | 0.01 | 1 | 3.0 | A |
| tebuconazole | Landscape maintenance | <0.01 | 1 | 200.0 | S |
| tebuconazole | Landscape maintenance | 1,571.99 | N/A | N/A | N/A |
| tebuconazole | N-grnhs flower | 5.61 | N/A | 178,000.0 | S |
| tebuconazole | Turf/sod | 5.04 | N/A | 270,000.0 | S |
| tebuthiuron | Landscape maintenance | 204.7 | N/A | N/A | N/A |
| tebuthiuron | Rights of way | 197.9 | N/A | N/A | N/A |
| terbutylazine | Water (industrial) | 3.33 | N/A | 2.0 | U |
| terrazole | N-outdr plants in containers | 3.69 | 3 | 3.5 | A |
| tetrachloroethylene | Structural pest control | 16.8 | N/A | N/A | N/A |
| tetrachlorophenol | Structural pest control | <0.01 | N/A | N/A | N/A |
| tetraconazole | Grape | 0.96 | 1 | 29.5 | A |
| tetraconazole | Grape, wine | 0.02 | N/A | 1.0 | A |
| z,e-9,12-tetradecadien-1-yl acetate | Structural pest control | 4.32 | N/A | N/A | N/A |
| tetrakis (hydroxymethyl) phosphonium sulfate | Industrial waste disposal systems, disposal water | 1,336.92 | N/A | 3.0 | U |
| tetrakis (hydroxymethyl) phosphonium sulfate | Water (industrial) | 2,656.7 | N/A | 6.0 | U |
| tetramethrin | Landscape maintenance | 0.01 | N/A | N/A | N/A |
| tetramethrin | Regulatory pest control | 0.69 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| tetramethrin | Structural pest control | 0.88 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 11.58 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.58 | 16 | 13.95 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Pastureland | 0.08 | 1 | 1.0 | A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Rights of way | 5.89 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Structural pest control | 24.31 | N/A | N/A | N/A |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Uncultivated ag | 0.17 | 1 | 4.0 | A |
| tetrapotassium pyrophosphate | Landscape maintenance | 1.53 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | N-outdr plants in containers | 0.08 | 16 | 13.95 | A |
| tetrapotassium pyrophosphate | Pastureland | 0.01 | 1 | 1.0 | A |
| tetrapotassium pyrophosphate | Rights of way | 0.77 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | Structural pest control | 3.19 | N/A | N/A | N/A |
| tetrapotassium pyrophosphate | Uncultivated ag | 0.02 | 1 | 4.0 | A |
| thiamethoxam | Golf course turf | 7.5 | N/A | 27.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|------------------------------|----------------|------|--------------|--------------|
| thiamethoxam | Landscape maintenance | 124.48 | N/A | N/A | N/A |
| thiamethoxam | N-outdr plants in containers | 0.31 | 4 | 8.0 | A |
| thiamethoxam | Orange | 0.75 | 2 | 12.0 | A |
| thiamethoxam | Regulatory pest control | 0.19 | N/A | N/A | N/A |
| thiamethoxam | Structural pest control | 146.13 | N/A | N/A | N/A |
| thiencarbazone-methyl | Landscape maintenance | 12.15 | N/A | N/A | N/A |
| thiencarbazone-methyl | Rights of way | <0.01 | N/A | N/A | N/A |
| thiophanate | Landscape maintenance | 1.5 | N/A | N/A | N/A |
| thiophanate-methyl | Golf course turf | 23.24 | N/A | 3.0 | A |
| thiophanate-methyl | Landscape maintenance | 0.13 | 1 | 0.1 | A |
| thiophanate-methyl | Landscape maintenance | 5,923.67 | N/A | N/A | N/A |
| thiophanate-methyl | N-grnhs flower | 13.47 | N/A | 2.0 | A |
| thiophanate-methyl | N-grnhs flower | 53.46 | N/A | 288,000.0 | S |
| thiophanate-methyl | N-grnhs plants in containers | 8.75 | 15 | 70,000.0 | S |
| thiophanate-methyl | N-grnhs transplants | 0.75 | 3 | 1.5 | A |
| thiophanate-methyl | N-grnhs transplants | 0.25 | 1 | 4,000.0 | S |
| thiophanate-methyl | N-outdr flower | 8.69 | N/A | 45,000.0 | S |
| thiophanate-methyl | N-outdr plants in containers | 138.81 | 57 | 193.34 | A |
| thiophanate-methyl | N-outdr plants in containers | 14.49 | 12 | 202,501.01 | S |
| thiophanate-methyl | N-outdr plants in containers | 1.21 | 3 | 130,000.0 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| thiophanate-methyl | Structural pest control | 0.1 | N/A | N/A | N/A |
| thiophanate-methyl | Turf/sod | 31.41 | N/A | 170,000.0 | S |
| thiram | Landscape maintenance | 33.25 | N/A | N/A | N/A |
| thyme | Structural pest control | 5.52 | N/A | N/A | N/A |
| thyme oil | Structural pest control | 0.76 | N/A | N/A | N/A |
| tolfenpyrad | N-outdr flower | 0.12 | 2 | 18,000.0 | S |
| tralomethrin | Structural pest control | <0.01 | N/A | N/A | N/A |
| triadimefon | Landscape maintenance | 62.86 | N/A | N/A | N/A |
| triadimefon | N-outdr plants in containers | 4.37 | 22 | 24.31 | A |
| triadimefon | N-outdr plants in containers | 0.06 | 1 | 4,500.0 | S |
| triadimefon | Structural pest control | 30.59 | N/A | N/A | N/A |
| tributyl tetradecyl phosphonium chloride | Water (industrial) | 2.0 | N/A | 1.0 | U |
| trichlorofluoromethane | Structural pest control | 15.0 | N/A | N/A | N/A |
| trichloro-s-triazinetrione | Landscape maintenance | 1.0 | N/A | N/A | N/A |
| trichloro-s-triazinetrione | Water (industrial) | 2,508.35 | N/A | 14.0 | U |
| trichoderma harzianum rifai strain krl-ag2 | N-outdr plants in containers | 0.09 | 4 | 432.0 | S |
| trichoderma harzianum rifai strain krl-ag2 | Nursery soil | 2.13 | 81 | 9,468.0 | C |
| trichoderma harzianum rifai strain krl-ag2 | Uncultivated ag | 0.02 | 1 | 108.0 | S |
| triclopyr, butoxyethyl ester | Landscape maintenance | 7.48 | 8 | 19.0 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| triclopyr, butoxyethyl ester | Landscape maintenance | 1,490.61 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | N-outdr plants in containers | 0.14 | 8 | 176.0 | S |
| triclopyr, butoxyethyl ester | Rights of way | 1,060.26 | N/A | N/A | N/A |
| triclopyr, butoxyethyl ester | Turf/sod | 428.67 | 9 | 644.16 | A |
| triclopyr, butoxyethyl ester | Uncultivated ag | 35.54 | 2 | 3.5 | A |
| triclopyr, butoxyethyl ester | Uncultivated non-ag | 3.74 | N/A | 176.0 | A |
| triclopyr choline | Rights of way | 7.72 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Landscape maintenance | 124.99 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Pastureland | 13.61 | 4 | 28.0 | A |
| triclopyr, triethylamine salt | Rights of way | 305.62 | N/A | N/A | N/A |
| triclopyr, triethylamine salt | Uncultivated non-ag | 2.02 | N/A | 96.0 | A |
| alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Rights of way | 1.08 | N/A | N/A | N/A |
| triethanolamine | Landscape maintenance | 3.9 | N/A | N/A | N/A |
| triethanolamine | N-outdr plants in containers | 0.19 | 16 | 13.95 | A |
| triethanolamine | Pastureland | 0.03 | 1 | 1.0 | A |
| triethanolamine | Rights of way | 1.97 | N/A | N/A | N/A |
| triethanolamine | Structural pest control | 8.12 | N/A | N/A | N/A |
| triethanolamine | Uncultivated ag | 0.06 | 1 | 4.0 | A |
| trifloxystrobin | Grape | 0.36 | 4 | 4.0 | A |
| trifloxystrobin | Grape, wine | 1.41 | 6 | 19.0 | A |
| trifloxystrobin | Landscape maintenance | 23.61 | N/A | N/A | N/A |
| trifloxystrobin | N-outdr plants in containers | 0.61 | 16 | 19.69 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| trifloxystrobin | N-outdr plants in containers | 0.19 | 5 | 5,600.0 | U |
| trifloxysulfuron-sodium | Golf course turf | 1.21 | N/A | 75.0 | A |
| trifloxysulfuron-sodium | Landscape maintenance | 2.83 | N/A | N/A | N/A |
| trifloxysulfuron-sodium | Turf/sod | 1.92 | 1 | 93.0 | A |
| triflumizole | Grape, wine | 2.68 | 4 | 10.5 | A |
| triflumizole | N-grnhs flower | 0.19 | 1 | 0.5 | A |
| triflumizole | N-outdr plants in containers | 0.63 | 2 | 2.5 | A |
| trifluralin | Carrot | 1,548.62 | 18 | 1,557.9 | A |
| trifluralin | Landscape maintenance | 89.26 | N/A | N/A | N/A |
| trifluralin | N-outdr plants in containers | 29.12 | 6 | 10.06 | A |
| trifluralin | N-outdr plants in containers | 0.13 | 1 | 100.0 | U |
| trifluralin | Rights of way | 0.02 | N/A | N/A | N/A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 4.36 | N/A | N/A | N/A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-grnhs plants in containers | 0.01 | 1 | 1.0 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 5.52 | 46 | 102.9 | A |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Onion, dry | 14.69 | 4 | 360.0 | A |
| trinexapac-ethyl | Golf course turf | 159.43 | N/A | 1,230.92 | A |
| trinexapac-ethyl | Golf course turf | 2.9 | N/A | 2,860,000.0 | S |
| trinexapac-ethyl | Landscape maintenance | 873.02 | N/A | N/A | N/A |
| trinexapac-ethyl | N-grnhs flower | 1.17 | N/A | 6.4 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| trinexapac-ethyl | N-grnhs flower | 0.22 | N/A | 220,000.0 | S |
| trinexapac-ethyl | N-outdr plants in containers | 0.11 | N/A | 110,000.0 | S |
| trinexapac-ethyl | Rights of way | 0.19 | N/A | N/A | N/A |
| trinexapac-ethyl | Turf/sod | 18.84 | 3 | 182.14 | A |
| trinexapac-ethyl | Turf/sod | 0.66 | N/A | 380,000.0 | S |
| triptolide | Structural pest control | <0.01 | N/A | N/A | N/A |
| triticonazole | Landscape maintenance | 48.56 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Grape | 3.35 | 53 | 38.18 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Grape | 0.06 | 6 | 34,500.0 | S |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Grape, wine | 0.08 | 3 | 1.17 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 262.26 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Onion, dry | 153.13 | 19 | 1,009.0 | A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights of way | 1,252.86 | N/A | N/A | N/A |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated non-ag | 0.09 | N/A | 205.0 | A |
| uniconzole-p | N-grnhs flower | <0.01 | 1 | 0.32 | A |
| uniconzole-p | N-outdr plants in containers | <0.01 | 10 | 0.52 | A |
| urea dihydrogen sulfate | Rights of way | 0.65 | N/A | N/A | N/A |
| 4-vinylcyclohexenediepoide | Structural pest control | 0.01 | N/A | N/A | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| warfarin | Structural pest control | <0.01 | N/A | N/A | N/A |
| warfarin, sodium salt | Structural pest control | <0.01 | N/A | N/A | N/A |
| xylene | Landscape maintenance | 0.39 | N/A | N/A | N/A |
| zinc naphthenate | Structural pest control | 0.28 | N/A | N/A | N/A |
| zinc phosphide | Landscape maintenance | 96.99 | N/A | N/A | N/A |
| zinc phosphide | Structural pest control | 7.95 | N/A | N/A | N/A |
| zinc phosphide | Vertebrate control | 1.7 | N/A | N/A | N/A |