

# 2019 Annual Statewide Pesticide Use Report Indexed by Chemical CONTRA COSTA County

---

[Text files](https://files.cdpr.ca.gov/pub/outgoing/pur/data/) of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K = Thousand Cubic Feet, P = Pounds, T = Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many non-agricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

| Chemical  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------|------------------------------|----------------|------|--------------|--------------|
| abamectin | Almond                       | 4.24           | 5    | 174.3        | A            |
| abamectin | Bean, succulent              | 0.56           | 3    | 32.0         | A            |
| abamectin | Cherry                       | 12.09          | 35   | 576.5        | A            |
| abamectin | Corn, human consumption      | 46.85          | 107  | 2,710.6      | A            |
| abamectin | Golf course turf             | 0.35           | N/A  | 5.0          | A            |
| abamectin | Grape, wine                  | 31.12          | 152  | 1,922.44     | A            |
| abamectin | Landscape maintenance        | 0.06           | N/A  | N/A          | N/A          |
| abamectin | N-outdr plants in containers | 0.01           | 2    | 8,016.0      | S            |
| abamectin | Peach                        | 0.08           | 2    | 4.25         | A            |
| abamectin | Pumpkin                      | 0.06           | 1    | 4.0          | A            |
| abamectin | Regulatory pest control      | <0.01          | N/A  | N/A          | N/A          |
| abamectin | Structural pest control      | 0.08           | N/A  | N/A          | N/A          |
| abamectin | Tomato                       | 1.93           | 6    | 122.5        | A            |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| abamectin   | Tomato, processing      | 28.03          | 46   | 2,096.59     | A            |
| abamectin   | Walnut                  | 6.12           | 11   | 293.5        | A            |
| abamectin, other related  | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| acephate  | Almond                  | 32.98          | 1    | 68.0         | A            |
| acephate  | Landscape maintenance   | 29.47          | N/A  | N/A          | N/A          |
| acephate  | Structural pest control | 58.42          | N/A  | N/A          | N/A          |
| acetamiprid   | Corn, human consumption | 72.99          | 57   | 1,273.0      | A            |
| acetamiprid   | Grape, wine             | 2.1            | 1    | 33.25        | A            |
| acetamiprid   | Landscape maintenance   | 10.02          | N/A  | N/A          | N/A          |
| acetamiprid   | Structural pest control | 16.6           | N/A  | N/A          | N/A          |
| acetamiprid   | Walnut                  | 1.05           | 1    | 7.0          | A            |
| acibenzolar-s-methyl  | Golf course turf        | 0.51           | N/A  | 36.67        | A            |
| acibenzolar-s-methyl  | Landscape maintenance   | 1.71           | N/A  | N/A          | N/A          |
| acrolein  | Rights of way           | 3,002.15       | N/A  | N/A          | N/A          |
| acrylamide/sodium acrylate copolymer                                  | Oat (forage - fodder)   | 0.07           | 1    | 4.0          | A            |
| alcohols, c12-c14, aliphatic  | Rights of way           | 23.62          | N/A  | N/A          | N/A          |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene)                        | Golf course turf        | 35.58          | N/A  | 88.0         | A            |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene)                        | Golf course turf        | 0.36           | N/A  | 5,000.0      | S            |
| alpha-alkylaryl-omega-hydroxypoly(oxyethylene)                        | Landscape maintenance   | 2.4            | N/A  | N/A          | N/A          |
| alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride       | Structural pest control | 8.55           | N/A  | N/A          | N/A          |
| alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride | Landscape maintenance   | 0.02           | N/A  | N/A          | N/A          |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| alkyl (60% <i>c</i> 14, 30% <i>c</i> 16, 5% <i>c</i> 12, 5% <i>c</i> 18) dimethylbenzyl ammonium chloride       | Regulatory pest control | 0.1            | N/A  | N/A          | N/A          |
| alkyl (60% <i>c</i> 14, 30% <i>c</i> 16, 5% <i>c</i> 12, 5% <i>c</i> 18) dimethylbenzyl ammonium chloride       | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| alkyl (50% <i>c</i> 12, 30% <i>c</i> 14, 17% <i>c</i> 16, 3% <i>c</i> 18) dimethylethylbenzyl ammonium chloride | Regulatory pest control | 0.1            | N/A  | N/A          | N/A          |
| alkyl (68% <i>c</i> 12, 32% <i>c</i> 14) dimethylethylbenzyl ammonium chloride                                  | Landscape maintenance   | 0.02           | N/A  | N/A          | N/A          |
| alkyl (68% <i>c</i> 12, 32% <i>c</i> 14) dimethylethylbenzyl ammonium chloride                                  | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Alfalfa                 | 15.22          | 1    | 180.0        | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Almond                  | 74.21          | 19   | 617.32       | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Apricot                 | 3.66           | 10   | 47.09        | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Bean, succulent         | 4.23           | 7    | 78.0         | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Cherry                  | 196.53         | 93   | 1,190.46     | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Corn, human consumption | 13.0           | 19   | 561.0        | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Grape, wine             | 238.3          | 170  | 2,165.8      | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Landscape maintenance   | 0.01           | N/A  | N/A          | N/A          |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Nectarine               | 0.79           | 4    | 6.43         | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Olive                   | 22.1           | 5    | 280.69       | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Peach                   | 2.12           | 7    | 19.72        | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Plum                    | 5.32           | 6    | 10.43        | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Rights of way           | 10.39          | N/A  | N/A          | N/A          |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Uncultivated ag         | 13.01          | 20   | 363.5        | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Uncultivated non-ag     | 295.37         | 7    | 1,020.0      | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 11)-omega-hydroxypoly(oxyethylene)   | Walnut                  | 126.43         | 34   | 702.28       | A            |
| alpha-alkyl ( <i>c</i> 9- <i>c</i> 16)-omega-hydroxypoly(oxyethylene)   | Rights of way           | 0.45           | N/A  | N/A          | N/A          |
| alpha-alkyl ( <i>c</i> 10- <i>c</i> 16)-omega-hydroxypoly(oxyethylene)  | Rights of way           | 6.83           | N/A  | N/A          | N/A          |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| alpha-pinene beta-pinene copolymer  | Alfalfa                 | 78.61          | 25   | 1,905.6      | A            |
| alpha-pinene beta-pinene copolymer  | Almond                  | 27.55          | 6    | 163.7        | A            |
| alpha-pinene beta-pinene copolymer  | Apple                   | 7.7            | 6    | 16.0         | A            |
| alpha-pinene beta-pinene copolymer  | Apricot                 | 43.12          | 16   | 123.0        | A            |
| alpha-pinene beta-pinene copolymer  | Cherry                  | 38.82          | 15   | 112.66       | A            |
| alpha-pinene beta-pinene copolymer  | Corn (forage - fodder)  | 26.71          | 10   | 652.8        | A            |
| alpha-pinene beta-pinene copolymer  | Grape                   | 0.34           | 2    | 1.32         | A            |
| alpha-pinene beta-pinene copolymer  | Grape, wine             | 330.58         | 94   | 1,215.59     | A            |
| alpha-pinene beta-pinene copolymer  | Nectarine               | 36.46          | 23   | 84.0         | A            |
| alpha-pinene beta-pinene copolymer  | Olive                   | 13.87          | 3    | 108.59       | A            |
| alpha-pinene beta-pinene copolymer  | Peach                   | 187.56         | 35   | 361.5        | A            |
| alpha-pinene beta-pinene copolymer  | Pear                    | 30.57          | 6    | 64.0         | A            |
| alpha-pinene beta-pinene copolymer  | Plum                    | 32.5           | 13   | 96.5         | A            |
| alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)                      | Landscape maintenance   | 118.73         | N/A  | N/A          | N/A          |
| alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Grape                   | 0.06           | 2    | 1.32         | A            |
| alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt | Grape, wine             | 0.06           | 2    | 1.32         | A            |
| alkyl (c9-c11) oligomeric d-glucopyranoside                               | Rights of way           | 67.48          | N/A  | N/A          | N/A          |
| alkyl (c8,c10) polyglucoside  | Grape                   | 1.59           | 1    | 2.7          | A            |
| alkyl (c8,c10) polyglucoside  | Landscape maintenance   | 42.24          | N/A  | N/A          | N/A          |
| alkyl (c8,c10) polyglucoside  | Rights of way           | 51.52          | N/A  | N/A          | N/A          |
| alkyl (c8,c10) polyglucoside  | Structural pest control | 0.55           | N/A  | N/A          | N/A          |
| alkyl (c8,c10) polyglucoside  | Uncultivated ag         | 5.02           | 2    | 12.0         | A            |
| alkyl (c8,c10) polyglucoside  | Wheat                   | 106.25         | 2    | 1,061.16     | A            |
| d-trans allethrin   | Landscape maintenance   | 0.01           | N/A  | N/A          | N/A          |

| Chemical                               | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| d-trans allethrin                      | Structural pest control | 0.32           | N/A  | N/A          | N/A          |
| allyloxypolyethylene glycol acetate    | Rights of way           | 0.12           | N/A  | N/A          | N/A          |
| aluminum phosphide                     | Cherry                  | 1.8            | 1    | 23.0         | A            |
| aluminum phosphide                     | Golf course turf        | 29.42          | N/A  | 178.0        | A            |
| aluminum phosphide                     | Grape, wine             | 0.04           | 1    | 2.0          | A            |
| aluminum phosphide                     | Landscape maintenance   | 0.37           | N/A  | N/A          | N/A          |
| aluminum phosphide                     | Uncultivated ag         | 0.73           | 2    | 8.0          | A            |
| aluminum phosphide                     | Uncultivated ag         | 0.43           | 1    | 50.0         | U            |
| aminocyclopyrachlor, potassium salt    | Landscape maintenance   | 1,812.68       | N/A  | N/A          | N/A          |
| aminocyclopyrachlor, potassium salt    | Rights of way           | 13.32          | N/A  | N/A          | N/A          |
| aminopyralid, triisopropanolamine salt | Landscape maintenance   | 46.03          | N/A  | N/A          | N/A          |
| aminopyralid, triisopropanolamine salt | Pastureland             | 0.38           | 1    | 4.6          | A            |
| aminopyralid, triisopropanolamine salt | Regulatory pest control | 5.52           | N/A  | N/A          | N/A          |
| aminopyralid, triisopropanolamine salt | Rights of way           | 355.82         | N/A  | N/A          | N/A          |
| aminopyralid, triisopropanolamine salt | Uncultivated non-ag     | 38.61          | 5    | 184.0        | A            |
| 4-aminopyridine                        | Structural pest control | 0.02           | N/A  | N/A          | N/A          |
| ammonium nonanoate                     | Landscape maintenance   | 177.81         | N/A  | N/A          | N/A          |
| ammonium nonanoate                     | Rights of way           | 7.72           | N/A  | N/A          | N/A          |
| ammonium nitrate                       | Alfalfa                 | 1.96           | 1    | 180.0        | A            |
| ammonium nitrate                       | Landscape maintenance   | 18.7           | N/A  | N/A          | N/A          |
| ammonium nitrate                       | Rights of way           | 0.72           | N/A  | N/A          | N/A          |
| ammonium nitrate                       | Structural pest control | 1.01           | N/A  | N/A          | N/A          |

| Chemical                                 | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| ammonium nitrate                         | Uncultivated non-ag     | 38.11          | 7    | 1,020.0      | A            |
| ammonium sulfate                         | Alfalfa                 | 211.88         | 27   | 867.5        | A            |
| ammonium sulfate                         | Almond                  | 39.15          | 6    | 131.59       | A            |
| ammonium sulfate                         | Apricot                 | 12.82          | 1    | 7.56         | A            |
| ammonium sulfate                         | Cherry                  | 110.71         | 20   | 196.23       | A            |
| ammonium sulfate                         | Corn (forage - fodder)  | 1,065.13       | 16   | 4,534.43     | A            |
| ammonium sulfate                         | Grape                   | 4.03           | 1    | 2.7          | A            |
| ammonium sulfate                         | Grape, wine             | 1.55           | 1    | 5.0          | A            |
| ammonium sulfate                         | Landscape maintenance   | 146.8          | N/A  | N/A          | N/A          |
| ammonium sulfate                         | Olive                   | 32.0           | 2    | 113.26       | A            |
| ammonium sulfate                         | Rights of way           | 119.87         | N/A  | N/A          | N/A          |
| ammonium sulfate                         | Structural pest control | 1.01           | N/A  | N/A          | N/A          |
| ammonium sulfate                         | Uncultivated ag         | 112.95         | 9    | 214.0        | A            |
| ammonium sulfate                         | Uncultivated non-ag     | 943.28         | 7    | 1,020.0      | A            |
| ammonium sulfate                         | Walnut                  | 8.55           | 4    | 32.66        | A            |
| ammonium sulfate                         | Wheat                   | 268.99         | 2    | 1,061.16     | A            |
| ammonium sulfate                         | Wheat (forage - fodder) | 11.87          | 4    | 135.0        | A            |
| aureobasidium pullulans strain dsm 14940 | Apricot                 | 23.28          | 11   | 96.0         | A            |
| aureobasidium pullulans strain dsm 14940 | Cherry                  | 9.0            | 3    | 36.0         | A            |
| aureobasidium pullulans strain dsm 14940 | Plum                    | 1.03           | 2    | 5.0          | A            |
| aureobasidium pullulans strain dsm 14941 | Apricot                 | 23.28          | 11   | 96.0         | A            |
| aureobasidium pullulans strain dsm 14941 | Cherry                  | 9.0            | 3    | 36.0         | A            |
| aureobasidium pullulans strain dsm 14941 | Plum                    | 1.03           | 2    | 5.0          | A            |
| azadirachtin                             | Cherry                  | 1.42           | 6    | 58.0         | A            |
| azadirachtin                             | Grape, wine             | 0.29           | 1    | 12.0         | A            |
| azadirachtin                             | Landscape maintenance   | 0.23           | N/A  | N/A          | N/A          |

| Chemical  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| <b>azadirachtin</b>   | N-grnhs plants in containers | 0.01           | 1    | 10,000.0     | S            |
| <b>azadirachtin</b>   | N-outdr plants in containers | 0.14           | 8    | 33,768.0     | S            |
| <b>azoxystrobin</b>   | Apricot                      | 2.84           | 1    | 22.0         | A            |
| <b>azoxystrobin</b>   | Corn, human consumption      | 3.61           | 1    | 28.0         | A            |
| <b>azoxystrobin</b>   | Garlic                       | 145.17         | 15   | 783.0        | A            |
| <b>azoxystrobin</b>   | Golf course turf             | 15.58          | N/A  | 30.67        | A            |
| <b>azoxystrobin</b>   | Landscape maintenance        | 33.97          | N/A  | N/A          | N/A          |
| <b>azoxystrobin</b>   | N-grnhs flower               | 23.68          | N/A  | 32.0         | A            |
| <b>azoxystrobin</b>   | Tomato                       | 21.86          | 7    | 213.5        | A            |
| <b>azoxystrobin</b>   | Tomato, processing           | 81.38          | 22   | 776.69       | A            |
| <b>bacillus pumilus, strain qst 2808</b>  | Grape, wine                  | 8.4            | 6    | 45.3         | A            |
| <b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b> | Public health                | 137.35         | N/A  | N/A          | N/A          |
| <b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b> | Rights of way                | 0.02           | N/A  | N/A          | N/A          |
| <b>bacillus subtilis gb03</b>   | Landscape maintenance        | <0.01          | N/A  | N/A          | N/A          |
| <b>bacillus subtilis gb03</b>   | N-grnhs flower               | 0.04           | N/A  | 5.0          | A            |
| <b>bacillus subtilis gb03</b>   | N-outdr flower               | 0.04           | N/A  | 2.5          | A            |
| <b>bacillus amyloliquefaciens strain mbi 600</b>  | Grape                        | 0.11           | 2    | 1.32         | A            |
| <b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>   | Public health                | 207.21         | N/A  | N/A          | N/A          |
| <b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>   | Rights of way                | 0.03           | N/A  | N/A          | N/A          |
| <b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>  | Public health                | 56.76          | N/A  | N/A          | N/A          |
| <b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>                     | Almond                       | 0.54           | 1    | 1.0          | A            |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| <b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b> | Corn, human consumption | 21.6           | 3    | 40.0         | A            |
| <b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b> | Landscape maintenance   | 44.85          | N/A  | N/A          | N/A          |
| <b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b> | Nectarine               | 9.99           | 3    | 12.0         | A            |
| <b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b> | Peach                   | 46.17          | 6    | 45.75        | A            |
| <b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b> | Plum                    | 10.53          | 1    | 13.0         | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Apple                   | 38.25          | 2    | 30.0         | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Bean, succulent         | 23.8           | 1    | 28.0         | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Cherry                  | 38.25          | 2    | 30.0         | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Citrus                  | <0.01          | 1    | 0.1          | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Corn, human consumption | 430.1          | 25   | 506.0        | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | N-outdr flower          | 0.04           | 1    | 1.0          | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Nectarine               | 2.55           | 1    | 2.0          | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Peach                   | 5.1            | 1    | 4.0          | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Plum                    | 14.03          | 1    | 11.0         | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>                           | Pome fruit              | 0.09           | 3    | 1.5          | A            |

| Chemical  | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|----------------|------|--------------|--------------|
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b> | Tomato                   | 0.08           | 2    | 2.0          | A            |
| <b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b> | Vegetable                | 0.04           | 1    | 0.5          | A            |
| <b>benefin</b>  | Landscape maintenance    | 1.25           | N/A  | N/A          | N/A          |
| <b>bensulide</b>  | Golf course turf         | 39.85          | N/A  | 5.0          | A            |
| <b>bentazon, sodium salt</b>  | Bean, succulent          | 9.88           | 1    | 9.0          | A            |
| <b>benzoic acid</b>   | Alfalfa                  | 16.44          | 11   | 893.0        | A            |
| <b>benzoic acid</b>   | Apple                    | 0.18           | 1    | 5.63         | A            |
| <b>benzoic acid</b>   | Apricot                  | 0.84           | 4    | 30.01        | A            |
| <b>benzoic acid</b>   | Bean, succulent          | 0.04           | 1    | 9.0          | A            |
| <b>benzoic acid</b>   | Cherry                   | 5.25           | 28   | 210.5        | A            |
| <b>benzoic acid</b>   | Corn, human consumption  | 1.24           | 5    | 185.06       | A            |
| <b>benzoic acid</b>   | Garlic                   | 1.92           | 5    | 254.48       | A            |
| <b>benzoic acid</b>   | Golf course turf         | 0.04           | N/A  | 8.0          | A            |
| <b>benzoic acid</b>   | Grape                    | 0.02           | 2    | 4.7          | A            |
| <b>benzoic acid</b>   | Grape, wine              | 7.45           | 36   | 294.69       | A            |
| <b>benzoic acid</b>   | Landscape maintenance    | 0.3            | N/A  | N/A          | N/A          |
| <b>benzoic acid</b>   | Nectarine                | 0.02           | 1    | 0.75         | A            |
| <b>benzoic acid</b>   | Oat (forage - fodder)    | 1.04           | 3    | 82.0         | A            |
| <b>benzoic acid</b>   | Olive                    | 1.92           | 1    | 59.09        | A            |
| <b>benzoic acid</b>   | Peach                    | 0.05           | 1    | 1.5          | A            |
| <b>benzoic acid</b>   | Plum                     | 0.13           | 1    | 4.13         | A            |
| <b>benzoic acid</b>   | Rights of way            | 0.1            | N/A  | N/A          | N/A          |
| <b>benzoic acid</b>   | Soil fumigation/preplant | 11.23          | 16   | 489.0        | A            |
| <b>benzoic acid</b>   | Tomato, processing       | 10.86          | 13   | 541.5        | A            |
| <b>benzoic acid</b>   | Uncultivated ag          | 70.53          | 102  | 3,768.5      | A            |

| Chemical   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| benzoic acid   | Uncultivated non-ag          | 5.8            | 7    | 1,020.0      | A            |
| benzoic acid   | Walnut                       | 6.06           | 17   | 271.64       | A            |
| bifenazate   | Almond                       | 20.0           | 1    | 40.0         | A            |
| bifenazate   | Cherry                       | 20.0           | 1    | 40.0         | A            |
| bifenazate   | Grape, wine                  | 13.39          | 3    | 48.28        | A            |
| bifenazate   | Landscape maintenance        | 7.33           | N/A  | N/A          | N/A          |
| bifenazate   | N-grnhs plants in containers | 2.25           | 5    | 0.28         | A            |
| bifenazate   | Strawberry                   | 12.25          | 11   | 28.5         | A            |
| bifenazate   | Structural pest control      | 0.03           | N/A  | N/A          | N/A          |
| bifenazate   | Walnut                       | 57.75          | 4    | 77.0         | A            |
| bifenthrin   | Almond                       | 5.77           | 1    | 68.0         | A            |
| bifenthrin   | Bean, succulent              | 0.8            | 1    | 8.0          | A            |
| bifenthrin   | Corn, human consumption      | 306.35         | 134  | 3,201.6      | A            |
| bifenthrin   | Landscape maintenance        | 128.24         | N/A  | N/A          | N/A          |
| bifenthrin   | N-grnhs plants in containers | 0.04           | 6    | 0.28         | A            |
| bifenthrin   | Structural pest control      | 2,032.88       | N/A  | N/A          | N/A          |
| bifenthrin   | Tomato                       | 1.5            | 2    | 31.5         | A            |
| bifenthrin   | Tomato, processing           | 45.99          | 6    | 524.0        | A            |
| bifenthrin   | Walnut                       | 15.98          | 6    | 114.0        | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Alfalfa                      | 8.83           | 12   | 375.4        | A            |

| Chemical   | Commodity or Site      | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------|----------------|------|--------------|--------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Almond                 | 11.66          | 7    | 185.0        | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Apple                  | 0.33           | 6    | 16.0         | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Apricot                | 6.91           | 13   | 144.0        | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Cherry                 | 56.55          | 26   | 457.0        | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Corn (forage - fodder) | 17.58          | 4    | 429.2        | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Grape, wine            | 163.08         | 105  | 1,143.0      | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Nectarine              | 2.1            | 17   | 70.0         | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Peach                  | 8.02           | 29   | 333.5        | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Pear                   | 1.29           | 6    | 64.0         | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Plum                   | 1.34           | 10   | 93.5         | A            |

| Chemical   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Tomato, processing           | 0.44           | 3    | 38.92        | A            |
| n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Walnut                       | 8.09           | 3    | 61.0         | A            |
| n,n-bis-(2-(omega-hydroxypoly(oxyethylene)/poly(oxypropylene))ethyl)alkyl (c8-c18) amine         | Landscape maintenance        | 39.33          | N/A  | N/A          | N/A          |
| borax  | Landscape maintenance        | 1.89           | N/A  | N/A          | N/A          |
| borax  | Rights of way                | 2.18           | N/A  | N/A          | N/A          |
| borax  | Structural pest control      | 12.92          | N/A  | N/A          | N/A          |
| boric acid   | Structural pest control      | 9,505.34       | N/A  | N/A          | N/A          |
| boscalid   | Apricot                      | 5.38           | 3    | 26.62        | A            |
| boscalid   | Cherry                       | 82.49          | 22   | 461.0        | A            |
| boscalid   | Grape                        | 0.1            | 1    | 0.66         | A            |
| boscalid   | Grape, wine                  | 105.49         | 78   | 540.25       | A            |
| boscalid   | Landscape maintenance        | 0.34           | N/A  | N/A          | N/A          |
| boscalid   | N-outdr plants in containers | 0.1            | 1    | 1.5          | A            |
| boscalid   | Peach                        | 1.04           | 2    | 5.5          | A            |
| boscalid   | Strawberry                   | 0.25           | 1    | 1.0          | A            |
| brodifacoum  | Landscape maintenance        | <0.01          | N/A  | N/A          | N/A          |
| brodifacoum  | Structural pest control      | 0.16           | N/A  | N/A          | N/A          |

| Chemical  | Commodity or Site             | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------------|----------------|------|--------------|--------------|
| bromacil  | Landscape maintenance         | 0.01           | N/A  | N/A          | N/A          |
| bromadiolone  | Landscape maintenance         | 0.03           | N/A  | N/A          | N/A          |
| bromadiolone  | Public health                 | 0.01           | N/A  | N/A          | N/A          |
| bromadiolone  | Structural pest control       | 0.53           | N/A  | N/A          | N/A          |
| bromadiolone  | Vertebrate control            | 0.01           | N/A  | N/A          | N/A          |
| bromethalin   | Landscape maintenance         | 0.03           | N/A  | N/A          | N/A          |
| bromethalin   | Structural pest control       | 0.13           | N/A  | N/A          | N/A          |
| bromethalin   | Vertebrate control            | <0.01          | N/A  | N/A          | N/A          |
| <b>1-bromo-3-chloro-5,5-dimethyl hydantoin</b>                  | Water (industrial)            | 265.95         | N/A  | 4.0          | U            |
| bromoxynil heptanoate   | Alfalfa                       | 8.95           | 2    | 52.0         | A            |
| bromoxynil octanoate  | Alfalfa                       | 9.28           | 2    | 52.0         | A            |
| <b>burkholderia sp strain a396 cells and fermentation media</b> | Cannabis (all or unspecified) | 0.14           | 1    | 800.0        | S            |
| <b>burkholderia sp strain a396 cells and fermentation media</b> | Corn, human consumption       | 3,180.85       | 34   | 500.0        | A            |
| <b>burkholderia sp strain a396 cells and fermentation media</b> | Nectarine                     | 45.44          | 3    | 10.5         | A            |
| <b>burkholderia sp strain a396 cells and fermentation media</b> | Peach                         | 119.01         | 4    | 27.5         | A            |
| <b>burkholderia sp strain a396 cells and fermentation media</b> | Squash                        | 64.92          | 1    | 10.0         | A            |
| <b>2-butoxyethanol</b>  | Rights of way                 | 60.73          | N/A  | N/A          | N/A          |
| <b>butyl alcohol</b>  | Landscape maintenance         | 0.52           | N/A  | N/A          | N/A          |
| <b>butyl alcohol</b>  | Regulatory pest control       | <0.01          | N/A  | N/A          | N/A          |
| <b>butyl alcohol</b>  | Rights of way                 | 5.46           | N/A  | N/A          | N/A          |
| <b>butyl alcohol</b>  | Uncultivated non-ag           | 191.32         | 5    | 920.0        | A            |

| Chemical                     | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|-------------------------|----------------|------|--------------|--------------|
| butyl lactate                | Landscape maintenance   | 0.63           | N/A  | N/A          | N/A          |
| calcium acid methanearsonate | Landscape maintenance   | 0.03           | N/A  | N/A          | N/A          |
| calcium chloride             | Alfalfa                 | 17.8           | 11   | 893.0        | A            |
| calcium chloride             | Almond                  | 32.49          | 14   | 434.43       | A            |
| calcium chloride             | Apple                   | 3.95           | 2    | 19.0         | A            |
| calcium chloride             | Apricot                 | 0.15           | 3    | 3.43         | A            |
| calcium chloride             | Cherry                  | 40.11          | 47   | 496.75       | A            |
| calcium chloride             | Corn, human consumption | 201.47         | 350  | 8,727.4      | A            |
| calcium chloride             | Grape                   | 0.03           | 1    | 0.5          | A            |
| calcium chloride             | Grape, wine             | 20.8           | 40   | 373.05       | A            |
| calcium chloride             | Nectarine               | 0.62           | 4    | 4.43         | A            |
| calcium chloride             | Olive                   | 1.76           | 1    | 59.09        | A            |
| calcium chloride             | Peach                   | 3.36           | 7    | 25.86        | A            |
| calcium chloride             | Pear                    | 5.04           | 1    | 16.0         | A            |
| calcium chloride             | Plum                    | 0.11           | 2    | 1.43         | A            |
| calcium chloride             | Pomegranate             | 0.24           | 1    | 8.0          | A            |
| calcium chloride             | Rights of way           | 10.97          | N/A  | N/A          | N/A          |
| calcium chloride             | Tomato, processing      | 25.19          | 11   | 526.5        | A            |
| calcium chloride             | Uncultivated ag         | 59.46          | 88   | 3,406.11     | A            |
| calcium chloride             | Walnut                  | 52.58          | 23   | 469.21       | A            |
| calcium chloride             | Wheat (forage - fodder) | 1.68           | 2    | 75.0         | A            |
| canola oil                   | Pear                    | 0.86           | 1    | 0.1          | A            |
| canola oil                   | Pome fruit              | 0.86           | 1    | 0.5          | A            |
| canola oil                   | Rights of way           | 0.07           | N/A  | N/A          | N/A          |
| capric acid                  | Apricot                 | 3.69           | 1    | 2.0          | A            |
| capric acid                  | Landscape maintenance   | 68.59          | N/A  | N/A          | N/A          |

| Chemical            | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------|-------------------------|----------------|------|--------------|--------------|
| capric acid         | Peach                   | 8.31           | 1    | 4.5          | A            |
| caprylic acid       | Apricot                 | 5.43           | 1    | 2.0          | A            |
| caprylic acid       | Landscape maintenance   | 100.74         | N/A  | N/A          | N/A          |
| caprylic acid       | Peach                   | 12.21          | 1    | 4.5          | A            |
| capsicum oleoresin  | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| carbaryl            | Landscape maintenance   | 20.45          | N/A  | N/A          | N/A          |
| carbaryl            | Tomato                  | 102.5          | 2    | 102.0        | A            |
| carbaryl            | Tomato, processing      | 1,253.05       | 48   | 1,963.09     | A            |
| carbon              | Landscape maintenance   | 7.96           | N/A  | N/A          | N/A          |
| carbon              | Rights of way           | 23.47          | N/A  | N/A          | N/A          |
| carbon              | Structural pest control | 0.12           | N/A  | N/A          | N/A          |
| carfentrazone-ethyl | Alfalfa                 | 1.01           | 2    | 70.0         | A            |
| carfentrazone-ethyl | Cherry                  | 0.73           | 5    | 75.0         | A            |
| carfentrazone-ethyl | Corn (forage - fodder)  | 2.08           | 2    | 353.0        | A            |
| carfentrazone-ethyl | Corn, human consumption | 0.52           | 2    | 49.0         | A            |
| carfentrazone-ethyl | Forage hay/silage       | 8.19           | 2    | 284.5        | A            |
| carfentrazone-ethyl | Golf course turf        | 1.85           | N/A  | 55.35        | A            |
| carfentrazone-ethyl | Grape, wine             | 0.06           | 3    | 5.19         | A            |
| carfentrazone-ethyl | Landscape maintenance   | 7.4            | N/A  | N/A          | N/A          |
| carfentrazone-ethyl | Oat                     | 0.8            | 1    | 10.0         | A            |
| carfentrazone-ethyl | Oat (forage - fodder)   | 1.99           | 5    | 182.0        | A            |
| carfentrazone-ethyl | Public health           | 0.02           | N/A  | N/A          | N/A          |
| carfentrazone-ethyl | Rights of way           | 0.09           | N/A  | N/A          | N/A          |

| Chemical              | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------------|--------------------------|----------------|------|--------------|--------------|
| carfentrazone-ethyl   | Soil fumigation/preplant | 4.07           | 10   | 346.0        | A            |
| carfentrazone-ethyl   | Tomato, processing       | 7.2            | 13   | 655.09       | A            |
| carfentrazone-ethyl   | Uncultivated ag          | 78.73          | 159  | 6,548.81     | A            |
| carfentrazone-ethyl   | Wheat                    | 6.86           | 2    | 625.0        | A            |
| carfentrazone-ethyl   | Wheat (forage - fodder)  | 3.32           | 13   | 296.5        | A            |
| castor oil ethoxylate | Alfalfa                  | 18.34          | 20   | 946.0        | A            |
| castor oil ethoxylate | Almond                   | 25.58          | 9    | 227.22       | A            |
| castor oil ethoxylate | Apricot                  | 1.43           | 2    | 17.34        | A            |
| castor oil ethoxylate | Bean, succulent          | 1.44           | 2    | 17.0         | A            |
| castor oil ethoxylate | Cherry                   | 32.07          | 33   | 337.33       | A            |
| castor oil ethoxylate | Corn, human consumption  | 447.68         | 357  | 9,362.96     | A            |
| castor oil ethoxylate | Garlic                   | 12.07          | 5    | 261.0        | A            |
| castor oil ethoxylate | Grape                    | 0.16           | 1    | 2.7          | A            |
| castor oil ethoxylate | Grape, wine              | 59.25          | 53   | 494.84       | A            |
| castor oil ethoxylate | Olive                    | 6.67           | 1    | 54.17        | A            |
| castor oil ethoxylate | Regulatory pest control  | 1.02           | N/A  | N/A          | N/A          |
| castor oil ethoxylate | Rights of way            | 16.4           | N/A  | N/A          | N/A          |
| castor oil ethoxylate | Tomato                   | 4.09           | 2    | 102.0        | A            |
| castor oil ethoxylate | Tomato, processing       | 56.89          | 29   | 1,255.5      | A            |
| castor oil ethoxylate | Uncultivated ag          | 48.97          | 70   | 2,647.5      | A            |
| castor oil ethoxylate | Uncultivated non-ag      | 0.07           | 1    | 4.0          | A            |
| castor oil ethoxylate | Walnut                   | 12.17          | 15   | 151.34       | A            |
| castor oil ethoxylate | Wheat (forage - fodder)  | 2.16           | 3    | 110.0        | A            |
| chlorantraniliprole   | Alfalfa                  | 4.02           | 5    | 194.0        | A            |
| chlorantraniliprole   | Almond                   | 21.95          | 6    | 244.3        | A            |
| chlorantraniliprole   | Apple                    | 3.25           | 3    | 38.0         | A            |

| Chemical                               | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| chlorantraniliprole                    | Apricot                 | 1.75           | 1    | 22.0         | A            |
| chlorantraniliprole                    | Bean, succulent         | 2.47           | 2    | 38.0         | A            |
| chlorantraniliprole                    | Corn, human consumption | 143.94         | 88   | 2,258.0      | A            |
| chlorantraniliprole                    | Golf course turf        | 4.93           | N/A  | 27.0         | A            |
| chlorantraniliprole                    | Landscape maintenance   | 19.86          | N/A  | N/A          | N/A          |
| chlorantraniliprole                    | N-outdr flower          | 15.96          | N/A  | 40.0         | A            |
| chlorantraniliprole                    | Structural pest control | 31.25          | N/A  | N/A          | N/A          |
| chlorantraniliprole                    | Tomato                  | 1.71           | 2    | 31.5         | A            |
| chlorfenapyr                           | Structural pest control | 300.24         | N/A  | N/A          | N/A          |
| chlorflurenol, methyl ester            | Landscape maintenance   | 1.8            | N/A  | N/A          | N/A          |
| chlorflurenol, methyl ester            | Structural pest control | 0.3            | N/A  | N/A          | N/A          |
| chlorine dioxide                       | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (industrial)      | 15.71          | N/A  | 161.0        | U            |
| chlorophacinone                        | Landscape maintenance   | 0.16           | N/A  | N/A          | N/A          |
| chlorophacinone                        | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| chloropicrin                           | Structural pest control | 5.46           | N/A  | N/A          | N/A          |
| chlorothalonil                         | Almond                  | 496.19         | 4    | 164.8        | A            |
| chlorothalonil                         | Golf course turf        | 722.05         | N/A  | 84.04        | A            |
| chlorothalonil                         | Golf course turf        | 7.6            | N/A  | 40,000.0     | S            |
| chlorothalonil                         | Landscape maintenance   | 2,103.74       | N/A  | N/A          | N/A          |

| Chemical                                 | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| chlorothalonil                           | N-grnhs flower               | 458.6          | N/A  | 50.0         | A            |
| chlorothalonil                           | N-outdr plants in containers | 0.36           | 2    | 0.06         | A            |
| chlorothalonil                           | Pumpkin                      | 3.34           | 1    | 4.0          | A            |
| chlorothalonil                           | Tomato                       | 248.75         | 4    | 143.0        | A            |
| chlorothalonil                           | Tomato, processing           | 4,249.37       | 65   | 3,027.09     | A            |
| chlorothalonil                           | Vegetable                    | 4.49           | 4    | 2.5          | A            |
| chlorpyrifos                             | N-grnhs plants in containers | <0.01          | 2    | 0.08         | A            |
| chlorpyrifos                             | Rights of way                | 19.63          | N/A  | N/A          | N/A          |
| chlorpyrifos                             | Structural pest control      | 2.71           | N/A  | N/A          | N/A          |
| chlorsulfuron                            | Landscape maintenance        | 19.08          | N/A  | N/A          | N/A          |
| chlorsulfuron                            | Rights of way                | 51.3           | N/A  | N/A          | N/A          |
| chlorsulfuron                            | Structural pest control      | 0.05           | N/A  | N/A          | N/A          |
| cholecalciferol                          | Landscape maintenance        | 0.04           | N/A  | N/A          | N/A          |
| cholecalciferol                          | Public health                | 0.01           | N/A  | N/A          | N/A          |
| cholecalciferol                          | Regulatory pest control      | <0.01          | N/A  | N/A          | N/A          |
| cholecalciferol                          | Structural pest control      | 0.82           | N/A  | N/A          | N/A          |
| chromobacterium subtsugae strain praa4-1 | Apple                        | 3.6            | 2    | 4.0          | A            |
| chromobacterium subtsugae strain praa4-1 | Apricot                      | 3.6            | 1    | 4.0          | A            |
| chromobacterium subtsugae strain praa4-1 | Cherry                       | 21.0           | 3    | 30.0         | A            |
| chromobacterium subtsugae strain praa4-1 | Nectarine                    | 45.0           | 4    | 25.0         | A            |
| chromobacterium subtsugae strain praa4-1 | Peach                        | 4.5            | 1    | 5.0          | A            |
| chromobacterium subtsugae strain praa4-1 | Pear                         | 14.4           | 2    | 16.0         | A            |
| citric acid                              | Alfalfa                      | 52.92          | 21   | 1,281.0      | A            |

| Chemical                                  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| citric acid                               | Almond                       | 94.4           | 23   | 614.42       | A            |
| citric acid                               | Apple                        | 10.64          | 2    | 19.0         | A            |
| citric acid                               | Apricot                      | 0.41           | 3    | 3.43         | A            |
| citric acid                               | Cherry                       | 113.26         | 66   | 675.98       | A            |
| citric acid                               | Corn, human consumption      | 534.69         | 350  | 8,727.4      | A            |
| citric acid                               | Grape                        | 0.07           | 1    | 0.5          | A            |
| citric acid                               | Grape, wine                  | 55.45          | 41   | 378.05       | A            |
| citric acid                               | Landscape maintenance        | 9.82           | N/A  | N/A          | N/A          |
| citric acid                               | Nectarine                    | 1.7            | 4    | 4.43         | A            |
| citric acid                               | Olive                        | 8.95           | 3    | 172.35       | A            |
| citric acid                               | Peach                        | 9.29           | 7    | 25.86        | A            |
| citric acid                               | Pear                         | 13.99          | 1    | 16.0         | A            |
| citric acid                               | Plum                         | 0.3            | 2    | 1.43         | A            |
| citric acid                               | Pomegranate                  | 0.63           | 1    | 8.0          | A            |
| citric acid                               | Rights of way                | 44.93          | N/A  | N/A          | N/A          |
| citric acid                               | Tomato, processing           | 66.84          | 11   | 526.5        | A            |
| citric acid                               | Uncultivated ag              | 158.73         | 90   | 3,437.61     | A            |
| citric acid                               | Walnut                       | 140.67         | 27   | 501.87       | A            |
| citric acid                               | Wheat (forage - fodder)      | 6.04           | 6    | 210.0        | A            |
| clarified hydrophobic extract of neem oil | Landscape maintenance        | 1.05           | N/A  | N/A          | N/A          |
| clarified hydrophobic extract of neem oil | N-outdr plants in containers | 55.13          | 25   | 503,300.0    | S            |
| clarified hydrophobic extract of neem oil | Strawberry                   | 0.01           | 1    | 1.0          | A            |
| clethodim                                 | Alfalfa                      | 53.31          | 9    | 259.5        | A            |
| clethodim                                 | Bean, succulent              | 0.97           | 1    | 8.0          | A            |
| clethodim                                 | Grape, wine                  | 0.99           | 1    | 8.18         | A            |
| clethodim                                 | Rights of way                | 0.27           | N/A  | N/A          | N/A          |

| Chemical                            | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------------|------------------------------|----------------|------|--------------|--------------|
| clethodim                           | Uncultivated ag              | 3.45           | 1    | 19.0         | A            |
| clethodim                           | Uncultivated non-ag          | 35.31          | 4    | 180.0        | A            |
| clofentezine                        | Almond                       | 45.19          | 5    | 174.3        | A            |
| clofentezine                        | Apple                        | 1.95           | 1    | 15.0         | A            |
| clopyralid, monoethanolamine salt   | Golf course turf             | 0.57           | N/A  | 1.2          | A            |
| clopyralid, monoethanolamine salt   | Golf course turf             | 0.26           | N/A  | 10,000.0     | S            |
| clopyralid, monoethanolamine salt   | Landscape maintenance        | 43.21          | N/A  | N/A          | N/A          |
| clopyralid, monoethanolamine salt   | Rights of way                | 48.38          | N/A  | N/A          | N/A          |
| clopyralid, triethylamine salt      | Golf course turf             | 4.6            | N/A  | 4.5          | A            |
| clothianidin                        | Landscape maintenance        | 241.13         | N/A  | N/A          | N/A          |
| clothianidin                        | Pomegranate                  | 0.81           | 1    | 8.0          | A            |
| clothianidin                        | Regulatory pest control      | 0.01           | N/A  | N/A          | N/A          |
| clothianidin                        | Structural pest control      | 8.17           | N/A  | N/A          | N/A          |
| clothianidin                        | Walnut                       | 3.0            | 1    | 30.0         | A            |
| coconut diethanolamide              | Golf course turf             | 0.21           | N/A  | 17.49        | A            |
| coconut diethanolamide              | Grape                        | 0.26           | 2    | 1.32         | A            |
| coconut diethanolamide              | Grape, wine                  | 0.26           | 2    | 1.32         | A            |
| coconut diethanolamide              | Landscape maintenance        | 0.3            | N/A  | N/A          | N/A          |
| coconut diethanolamide              | Rights of way                | 0.01           | N/A  | N/A          | N/A          |
| codling moth granulosis virus       | Apple                        | <0.01          | 2    | 4.5          | A            |
| codling moth granulosis virus       | Pear                         | <0.01          | 2    | 22.0         | A            |
| copper                              | Water area                   | 0.74           | N/A  | 0.2          | A            |
| copper diammonium diacetate complex | Landscape maintenance        | 35.47          | N/A  | N/A          | N/A          |
| copper diammonium diacetate complex | N-grnhs plants in containers | 0.74           | 1    | 10,000.0     | S            |

| Chemical                             | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------------|------------------------------|----------------|------|--------------|--------------|
| copper ethanolamine complexes, mixed | Landscape maintenance        | 83.97          | N/A  | N/A          | N/A          |
| copper ethanolamine complexes, mixed | Rights of way                | 4,141.31       | N/A  | N/A          | N/A          |
| copper ethanolamine complexes, mixed | Water (industrial)           | 301.55         | N/A  | 65.0         | A            |
| copper ethanolamine complexes, mixed | Water area                   | 123.82         | N/A  | 46.98        | A            |
| copper ethylenediamine complex       | Water area                   | 31.0           | N/A  | 3.5          | A            |
| copper hydroxide                     | Apricot                      | 58.1           | 8    | 34.0         | A            |
| copper hydroxide                     | Cherry                       | 223.29         | 14   | 137.5        | A            |
| copper hydroxide                     | Grape                        | 1.15           | 2    | 1.32         | A            |
| copper hydroxide                     | Grape, wine                  | 491.78         | 76   | 1,036.99     | A            |
| copper hydroxide                     | Landscape maintenance        | 30.82          | N/A  | N/A          | N/A          |
| copper hydroxide                     | Nectarine                    | 15.61          | 5    | 9.0          | A            |
| copper hydroxide                     | Olive                        | 2.88           | 2    | 0.5          | A            |
| copper hydroxide                     | Peach                        | 35.52          | 6    | 20.0         | A            |
| copper hydroxide                     | Plum                         | 10.39          | 4    | 5.0          | A            |
| copper hydroxide                     | Regulatory pest control      | 3.23           | N/A  | N/A          | N/A          |
| copper hydroxide                     | Rights of way                | 0.16           | N/A  | N/A          | N/A          |
| copper hydroxide                     | Tomato                       | 26.1           | 1    | 80.0         | A            |
| copper hydroxide                     | Tomato, processing           | 903.54         | 61   | 2,095.58     | A            |
| copper hydroxide                     | Walnut                       | 290.6          | 8    | 167.0        | A            |
| copper octanoate                     | N-outdr plants in containers | 3.07           | 14   | 63,648.0     | S            |
| copper oxide (ous)                   | Apple                        | 2.03           | 1    | 4.0          | A            |
| copper oxide (ous)                   | Grape, wine                  | 18.88          | 2    | 18.0         | A            |
| copper oxide (ous)                   | Nectarine                    | 147.97         | 8    | 38.5         | A            |
| copper oxide (ous)                   | Peach                        | 558.56         | 16   | 138.5        | A            |
| copper oxide (ous)                   | Pear                         | 8.11           | 1    | 16.0         | A            |
| copper oxychloride                   | Apricot                      | 59.04          | 7    | 33.0         | A            |

| Chemical                      | Commodity or Site     | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|-----------------------|----------------|------|--------------|--------------|
| copper oxychloride            | Cherry                | 245.12         | 14   | 137.5        | A            |
| copper oxychloride            | Grape, wine           | 492.21         | 75   | 1,003.99     | A            |
| copper oxychloride            | Landscape maintenance | 3.47           | N/A  | N/A          | N/A          |
| copper oxychloride            | Nectarine             | 12.38          | 4    | 7.0          | A            |
| copper oxychloride            | Peach                 | 34.28          | 5    | 18.0         | A            |
| copper oxychloride            | Plum                  | 6.67           | 3    | 4.0          | A            |
| copper oxychloride            | Tomato                | 28.57          | 1    | 80.0         | A            |
| copper oxychloride            | Tomato, processing    | 245.99         | 17   | 606.5        | A            |
| copper oxychloride            | Walnut                | 318.03         | 8    | 167.0        | A            |
| copper sulfate (basic)        | Almond                | 4.27           | 3    | 3.0          | A            |
| copper sulfate (basic)        | Stone fruit           | 1.07           | 2    | 0.75         | A            |
| copper sulfate (basic)        | Walnut                | 4.98           | 2    | 2.0          | A            |
| copper sulfate (pentahydrate) | Landscape maintenance | 792.0          | N/A  | N/A          | N/A          |
| copper sulfate (pentahydrate) | Water area            | 352.94         | N/A  | 38.93        | A            |
| corn product, hydrolyzed      | Walnut                | 50.73          | 1    | 30.0         | A            |
| corn syrup                    | Rights of way         | 9.52           | N/A  | N/A          | N/A          |
| coyote urine                  | Landscape maintenance | 0.42           | N/A  | N/A          | N/A          |
| cyantraniliprole              | Landscape maintenance | 0.7            | N/A  | N/A          | N/A          |
| cyazofamid                    | N-grnhs flower        | 4.15           | N/A  | 5.0          | A            |
| cyflufenamid                  | Grape                 | 0.19           | 2    | 8.0          | A            |
| cyflufenamid                  | Grape, wine           | 21.18          | 59   | 922.98       | A            |
| cyflufenamid                  | Landscape maintenance | 0.02           | N/A  | N/A          | N/A          |
| cyflufenamid                  | Pumpkin               | 0.1            | 1    | 4.0          | A            |
| cyflufenamid                  | Tomato, processing    | 8.78           | 4    | 381.0        | A            |
| cyflumetofen                  | Grape, wine           | 0.46           | 1    | 2.5          | A            |

| Chemical                         | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|------------------------------|----------------|------|--------------|--------------|
| <b>cyfluthrin</b>                | Landscape maintenance        | 0.02           | N/A  | N/A          | N/A          |
| <b>cyfluthrin</b>                | Structural pest control      | 104.19         | N/A  | N/A          | N/A          |
| <b>beta-cyfluthrin</b>           | Grape, wine                  | 10.36          | 20   | 394.5        | A            |
| <b>beta-cyfluthrin</b>           | Landscape maintenance        | 1.97           | N/A  | N/A          | N/A          |
| <b>beta-cyfluthrin</b>           | Structural pest control      | 148.16         | N/A  | N/A          | N/A          |
| <b>beta-cyfluthrin</b>           | Tomato                       | 5.07           | 5    | 195.0        | A            |
| <b>cypermethrin</b>              | Structural pest control      | 52.34          | N/A  | N/A          | N/A          |
| <b>(s)-cypermethrin</b>          | Corn, human consumption      | 299.92         | 237  | 6,044.9      | A            |
| <b>(s)-cypermethrin</b>          | Structural pest control      | 0.25           | N/A  | N/A          | N/A          |
| <b>cypromidinil</b>              | Grape                        | 2.79           | 2    | 8.5          | A            |
| <b>cypromidinil</b>              | Grape, wine                  | 24.06          | 22   | 59.08        | A            |
| <b>cypromidinil</b>              | N-grnhs plants in containers | 0.02           | 3    | 0.12         | A            |
| <b>2,4-d</b>                     | Landscape maintenance        | 40.95          | N/A  | N/A          | N/A          |
| <b>2,4-d, dimethylamine salt</b> | Golf course turf             | 42.49          | N/A  | 42.29        | A            |
| <b>2,4-d, dimethylamine salt</b> | Landscape maintenance        | 110.73         | N/A  | N/A          | N/A          |
| <b>2,4-d, dimethylamine salt</b> | Oat (forage - fodder)        | 38.45          | 2    | 44.0         | A            |
| <b>2,4-d, dimethylamine salt</b> | Pastureland                  | 218.04         | 2    | 200.0        | A            |
| <b>2,4-d, dimethylamine salt</b> | Water area                   | 950.15         | N/A  | 209.35       | A            |
| <b>2,4-d, dimethylamine salt</b> | Wheat                        | 5.72           | 1    | 7.0          | A            |
| <b>2,4-d, 2-ethylhexyl ester</b> | Golf course turf             | 9.05           | N/A  | 31.0         | A            |

| Chemical                                    | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| 2,4-d, 2-ethylhexyl ester                   | Landscape maintenance   | 134.72         | N/A  | N/A          | N/A          |
| 2,4-d, 2-ethylhexyl ester                   | Public health           | 0.36           | N/A  | N/A          | N/A          |
| 2,4-d, 2-ethylhexyl ester                   | Rights of way           | 1.09           | N/A  | N/A          | N/A          |
| 2,4-d, isoctyl ester                        | Landscape maintenance   | 12.72          | N/A  | N/A          | N/A          |
| ddvp  | Commodity fumigation    | 31.62          | N/A  | N/A          | N/A          |
| ddvp  | Regulatory pest control | 0.03           | N/A  | N/A          | N/A          |
| ddvp  | Structural pest control | 0.06           | N/A  | N/A          | N/A          |
| ddvp, other related                         | Commodity fumigation    | 2.38           | N/A  | N/A          | N/A          |
| ddvp, other related                         | Regulatory pest control | <0.01          | N/A  | N/A          | N/A          |
| ddvp, other related                         | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| 2,4-decadienoic acid, ethyl ester, (2e,4z)- | Apple                   | 0.01           | 2    | 8.0          | A            |
| 2,4-decadienoic acid, ethyl ester, (2e,4z)- | Pear                    | 0.05           | 2    | 32.0         | A            |
| deltamethrin                                | Landscape maintenance   | 1.8            | N/A  | N/A          | N/A          |
| deltamethrin                                | Public health           | 1.01           | N/A  | N/A          | N/A          |
| deltamethrin                                | Structural pest control | 310.13         | N/A  | N/A          | N/A          |
| deltamethrin                                | Vertebrate control      | 0.14           | N/A  | N/A          | N/A          |
| diatomaceous earth                          | Landscape maintenance   | 2.24           | N/A  | N/A          | N/A          |
| diatomaceous earth                          | Structural pest control | 36.68          | N/A  | N/A          | N/A          |
| diazinon                                    | Bean, succulent         | 396.88         | 4    | 160.0        | A            |
| diazinon                                    | Cherry                  | 75.58          | 7    | 87.0         | A            |

| Chemical                                      | Commodity or Site                                 | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|----------------|------|--------------|--------------|
| <b>diazinon</b>                               | Landscape maintenance                             | 0.48           | N/A  | N/A          | N/A          |
| <b>diazinon</b>                               | Peach   | 18.0           | 1    | 6.0          | A            |
| <b>2,2-dibromo-3-nitrilopropionamide</b>      | Industrial processing water                       | 0.03           | N/A  | 1.0          | U            |
| <b>2,2-dibromo-3-nitrilopropionamide</b>      | Water (industrial)                                | 7,876.79       | N/A  | 105.0        | U            |
| <b>dicamba</b>                                | Golf course turf                                  | 3.68           | N/A  | 63.69        | A            |
| <b>dicamba</b>                                | Landscape maintenance                             | 14.52          | N/A  | N/A          | N/A          |
| <b>dicamba</b>                                | Public health                                     | 0.02           | N/A  | N/A          | N/A          |
| <b>dicamba</b>                                | Rights of way                                     | 0.07           | N/A  | N/A          | N/A          |
| <b>dicamba</b>                                | Structural pest control                           | <0.01          | N/A  | N/A          | N/A          |
| <b>dicamba, dimethylamine salt</b>            | Golf course turf                                  | 1.17           | N/A  | 9.6          | A            |
| <b>dicamba, dimethylamine salt</b>            | Landscape maintenance                             | 9.25           | N/A  | N/A          | N/A          |
| <b>1,3-dichloro-5,5-dimethylhydantoin</b>     | Water (industrial)                                | 115.68         | N/A  | 3.0          | U            |
| <b>1,3-dichloro-5-ethyl-5-methylhydantoin</b> | Water (industrial)                                | 63.64          | N/A  | 3.0          | U            |
| <b>didecyl dimethyl ammonium chloride</b>     | Industrial waste disposal systems, disposal water | 0.05           | N/A  | 1.0          | U            |
| <b>didecyl dimethyl ammonium chloride</b>     | Structural pest control                           | 3.07           | N/A  | N/A          | N/A          |
| <b>diethylene glycol</b>                      | Alfalfa   | 8.54           | 14   | 351.2        | A            |
| <b>diethylene glycol</b>                      | Corn, human consumption                           | 28.98          | 18   | 533.5        | A            |
| <b>diethylene glycol</b>                      | Grape, wine                                       | 3.69           | 11   | 248.83       | A            |
| <b>diethylene glycol</b>                      | Landscape maintenance                             | 0.22           | N/A  | N/A          | N/A          |
| <b>diethylene glycol</b>                      | N-outdr plants in containers                      | 0.02           | 2    | 0.25         | A            |

| Chemical   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| diethylene glycol                                | Oat (forage - fodder)   | 1.65           | 3    | 140.0        | A            |
| diethylene glycol                                | Pomegranate             | 0.08           | 1    | 8.0          | A            |
| diethylene glycol                                | Rights of way           | 27.89          | N/A  | N/A          | N/A          |
| diethylene glycol                                | Tomato, processing      | 80.87          | 60   | 3,227.5      | A            |
| diethylene glycol                                | Uncultivated ag         | 580.61         | 45   | 1,748.0      | A            |
| diethylene glycol                                | Water area              | 0.01           | N/A  | 2.0          | A            |
| diethylene glycol                                | Wheat (forage - fodder) | 2.85           | 9    | 161.5        | A            |
| difenoconazole                                   | Grape, wine             | 0.07           | 13   | 3.2          | A            |
| difenoconazole                                   | Landscape maintenance   | 3.14           | N/A  | N/A          | N/A          |
| difenoconazole                                   | Tomato                  | 13.69          | 7    | 213.5        | A            |
| difenoconazole                                   | Tomato, processing      | 50.97          | 22   | 776.69       | A            |
| difethialone                                     | Landscape maintenance   | <0.01          | N/A  | N/A          | N/A          |
| difethialone                                     | Regulatory pest control | <0.01          | N/A  | N/A          | N/A          |
| difethialone                                     | Structural pest control | 0.38           | N/A  | N/A          | N/A          |
| diflubenzuron                                    | Structural pest control | 0.02           | N/A  | N/A          | N/A          |
| diflubenzuron                                    | Walnut                  | 74.2           | 11   | 293.5        | A            |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Landscape maintenance   | 0.05           | N/A  | N/A          | N/A          |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Regulatory pest control | 10.14          | N/A  | N/A          | N/A          |
| diglycolamine salt of 3,6-dichloro-o-anisic acid | Uncultivated non-ag     | 1.28           | 1    | 4.0          | A            |
| dikegulac sodium                                 | Landscape maintenance   | 23.0           | N/A  | N/A          | N/A          |
| dimethenamid-p                                   | Garlic                  | 49.25          | 2    | 75.08        | A            |

| Chemical                       | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------------------|--------------------------|----------------|------|--------------|--------------|
| dimethenamid-p                 | Landscape maintenance    | 1.5            | N/A  | N/A          | N/A          |
| dimethoate                     | Alfalfa                  | 479.89         | 23   | 1,612.3      | A            |
| dimethomorph                   | Tomato, processing       | 37.66          | 5    | 191.5        | A            |
| dimethyl alkyl tertiary amines | Alfalfa                  | 17.9           | 11   | 893.0        | A            |
| dimethyl alkyl tertiary amines | Apple                    | 0.2            | 1    | 5.63         | A            |
| dimethyl alkyl tertiary amines | Apricot                  | 0.91           | 4    | 30.01        | A            |
| dimethyl alkyl tertiary amines | Bean, succulent          | 0.04           | 1    | 9.0          | A            |
| dimethyl alkyl tertiary amines | Cherry                   | 5.72           | 28   | 210.5        | A            |
| dimethyl alkyl tertiary amines | Corn, human consumption  | 1.35           | 5    | 185.06       | A            |
| dimethyl alkyl tertiary amines | Garlic                   | 2.09           | 5    | 254.48       | A            |
| dimethyl alkyl tertiary amines | Golf course turf         | 0.05           | N/A  | 8.0          | A            |
| dimethyl alkyl tertiary amines | Grape                    | 0.02           | 2    | 4.7          | A            |
| dimethyl alkyl tertiary amines | Grape, wine              | 8.11           | 36   | 294.69       | A            |
| dimethyl alkyl tertiary amines | Landscape maintenance    | 0.33           | N/A  | N/A          | N/A          |
| dimethyl alkyl tertiary amines | Nectarine                | 0.03           | 1    | 0.75         | A            |
| dimethyl alkyl tertiary amines | Oat (forage - fodder)    | 1.14           | 3    | 82.0         | A            |
| dimethyl alkyl tertiary amines | Olive                    | 2.09           | 1    | 59.09        | A            |
| dimethyl alkyl tertiary amines | Peach                    | 0.05           | 1    | 1.5          | A            |
| dimethyl alkyl tertiary amines | Plum                     | 0.15           | 1    | 4.13         | A            |
| dimethyl alkyl tertiary amines | Rights of way            | 0.11           | N/A  | N/A          | N/A          |
| dimethyl alkyl tertiary amines | Soil fumigation/preplant | 12.23          | 16   | 489.0        | A            |
| dimethyl alkyl tertiary amines | Tomato, processing       | 11.83          | 13   | 541.5        | A            |
| dimethyl alkyl tertiary amines | Uncultivated ag          | 76.81          | 102  | 3,768.5      | A            |
| dimethyl alkyl tertiary amines | Uncultivated non-ag      | 6.34           | 7    | 1,020.0      | A            |
| dimethyl alkyl tertiary amines | Walnut                   | 6.6            | 17   | 271.64       | A            |
| dimethylpolysiloxane           | Alfalfa                  | 0.36           | 28   | 790.4        | A            |

| Chemical             | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|------------------------------|----------------|------|--------------|--------------|
| dimethylpolysiloxane | Almond                       | 0.44           | 2    | 138.0        | A            |
| dimethylpolysiloxane | Apple                        | 0.29           | 6    | 83.0         | A            |
| dimethylpolysiloxane | Apricot                      | 0.2            | 13   | 89.18        | A            |
| dimethylpolysiloxane | Bean, succulent              | 0.02           | 1    | 10.0         | A            |
| dimethylpolysiloxane | Cherry                       | 5.74           | 125  | 2,261.0      | A            |
| dimethylpolysiloxane | Corn (forage - fodder)       | 0.62           | 19   | 4,783.63     | A            |
| dimethylpolysiloxane | Corn, human consumption      | 6.26           | 351  | 8,559.5      | A            |
| dimethylpolysiloxane | Forage hay/silage            | 0.03           | 1    | 17.0         | A            |
| dimethylpolysiloxane | Grape                        | 0.41           | 11   | 24.46        | A            |
| dimethylpolysiloxane | Grape, wine                  | 3.39           | 95   | 1,609.08     | A            |
| dimethylpolysiloxane | Landscape maintenance        | 0.55           | N/A  | N/A          | N/A          |
| dimethylpolysiloxane | N-outdr plants in containers | <0.01          | 2    | 0.25         | A            |
| dimethylpolysiloxane | Nectarine                    | 0.04           | 13   | 21.5         | A            |
| dimethylpolysiloxane | Oat                          | 0.01           | 1    | 10.0         | A            |
| dimethylpolysiloxane | Oat (forage - fodder)        | 0.08           | 7    | 226.0        | A            |
| dimethylpolysiloxane | Olive                        | 0.04           | 1    | 0.25         | A            |
| dimethylpolysiloxane | Peach                        | 0.08           | 18   | 44.5         | A            |
| dimethylpolysiloxane | Plum                         | 0.04           | 6    | 18.0         | A            |
| dimethylpolysiloxane | Pomegranate                  | 0.05           | 3    | 24.0         | A            |
| dimethylpolysiloxane | Pumpkin                      | 0.01           | 1    | 4.0          | A            |
| dimethylpolysiloxane | Regulatory pest control      | <0.01          | N/A  | N/A          | N/A          |
| dimethylpolysiloxane | Rights of way                | 4.27           | N/A  | N/A          | N/A          |
| dimethylpolysiloxane | Structural pest control      | 0.01           | N/A  | N/A          | N/A          |
| dimethylpolysiloxane | Tomato                       | 0.46           | 17   | 428.5        | A            |
| dimethylpolysiloxane | Tomato, processing           | 1.73           | 78   | 3,893.0      | A            |

| Chemical                           | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------------|------------------------------|----------------|------|--------------|--------------|
| dimethylpolysiloxane               | Uncultivated ag              | 1.39           | 50   | 1,918.5      | A            |
| dimethylpolysiloxane               | Uncultivated non-ag          | 1.99           | 5    | 990.0        | A            |
| dimethylpolysiloxane               | Walnut                       | 0.8            | 8    | 167.0        | A            |
| dimethylpolysiloxane               | Water area                   | <0.01          | N/A  | 2.0          | A            |
| dimethylpolysiloxane               | Wheat (forage - fodder)      | 0.09           | 11   | 236.5        | A            |
| dinotefuran                        | Landscape maintenance        | 40.04          | N/A  | N/A          | N/A          |
| dinotefuran                        | N-grnhs plants in containers | 0.28           | 17   | 1.12         | A            |
| dinotefuran                        | N-grnhs plants in containers | 0.13           | 2    | 20,000.0     | S            |
| dinotefuran                        | N-outdr plants in containers | 0.02           | 1    | 7,000.0      | S            |
| dinotefuran                        | Pumpkin                      | 0.7            | 1    | 4.0          | A            |
| dinotefuran                        | Structural pest control      | 293.19         | N/A  | N/A          | N/A          |
| dinotefuran                        | Tomato                       | 21.01          | 7    | 156.0        | A            |
| dinotefuran                        | Tomato, processing           | 94.19          | 23   | 717.5        | A            |
| dinotefuran                        | Vegetable                    | 0.26           | 3    | 1.5          | A            |
| dioctyl dimethyl ammonium chloride | Structural pest control      | 2.95           | N/A  | N/A          | N/A          |
| dioctyl dimethyl ammonium chloride | Water (industrial)           | 19.07          | N/A  | 1.0          | U            |
| diphacinone                        | Golf course turf             | 0.03           | N/A  | 180.0        | A            |
| diphacinone                        | Landscape maintenance        | 3.72           | N/A  | N/A          | N/A          |
| diphacinone                        | Public health                | <0.01          | N/A  | N/A          | N/A          |
| diphacinone                        | Rights of way                | 0.03           | N/A  | N/A          | N/A          |
| diphacinone                        | Structural pest control      | 0.09           | N/A  | N/A          | N/A          |
| diphacinone                        | Vertebrate control           | 0.93           | N/A  | N/A          | N/A          |

| Chemical                         | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|-------------------------|----------------|------|--------------|--------------|
| diphacinone, sodium salt         | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| diquat dibromide                 | Golf course turf        | 0.7            | N/A  | 0.25         | A            |
| diquat dibromide                 | Landscape maintenance   | 398.49         | N/A  | N/A          | N/A          |
| diquat dibromide                 | Regulatory pest control | 7.29           | N/A  | N/A          | N/A          |
| diquat dibromide                 | Rights of way           | 257.53         | N/A  | N/A          | N/A          |
| diquat dibromide                 | Water (industrial)      | 223.75         | N/A  | 30.0         | A            |
| diquat dibromide                 | Water area              | 2,592.36       | N/A  | 718.0        | A            |
| disodium octaborate tetrahydrate | Structural pest control | 24,586.66      | N/A  | N/A          | N/A          |
| dithiopyr                        | Golf course turf        | 28.32          | N/A  | 54.25        | A            |
| dithiopyr                        | Landscape maintenance   | 480.01         | N/A  | N/A          | N/A          |
| dithiopyr                        | Rights of way           | 779.62         | N/A  | N/A          | N/A          |
| diuron                           | Alfalfa                 | 362.88         | 1    | 290.0        | A            |
| diuron                           | Landscape maintenance   | 103.04         | N/A  | N/A          | N/A          |
| diuron                           | Rights of way           | 434.01         | N/A  | N/A          | N/A          |
| z-8-dodecenol                    | Apricot                 | <0.01          | 3    | 45.5         | A            |
| z-8-dodecenol                    | Cherry                  | <0.01          | 2    | 13.5         | A            |
| z-8-dodecenol                    | Nectarine               | 0.02           | 3    | 22.0         | A            |
| z-8-dodecenol                    | Peach                   | <0.01          | 6    | 75.5         | A            |
| z-8-dodecenol                    | Plum                    | <0.01          | 2    | 29.0         | A            |
| e-8-dodecenyl acetate            | Apricot                 | 0.01           | 3    | 45.5         | A            |
| e-8-dodecenyl acetate            | Cherry                  | <0.01          | 2    | 13.5         | A            |
| e-8-dodecenyl acetate            | Nectarine               | 0.1            | 3    | 22.0         | A            |
| e-8-dodecenyl acetate            | Peach                   | 0.03           | 6    | 75.5         | A            |
| e-8-dodecenyl acetate            | Plum                    | 0.01           | 2    | 29.0         | A            |
| z-8-dodecenyl acetate            | Apricot                 | 0.22           | 3    | 45.5         | A            |

| Chemical  | Commodity or Site     | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-----------------------|----------------|------|--------------|--------------|
| z-8-dodecenyl acetate                                     | Cherry                | 0.06           | 2    | 13.5         | A            |
| z-8-dodecenyl acetate                                     | Nectarine             | 1.59           | 3    | 22.0         | A            |
| z-8-dodecenyl acetate                                     | Peach                 | 0.41           | 6    | 75.5         | A            |
| z-8-dodecenyl acetate                                     | Plum                  | 0.14           | 2    | 29.0         | A            |
| dodecylbenzene sulfonic acid                              | Golf course turf      | 0.93           | N/A  | 17.49        | A            |
| dodecylbenzene sulfonic acid                              | Landscape maintenance | 1.28           | N/A  | N/A          | N/A          |
| dodecylbenzene sulfonic acid                              | Rights of way         | 0.06           | N/A  | N/A          | N/A          |
| dodecylbenzene sulfonic acid, calcium salt                | Rights of way         | 0.03           | N/A  | N/A          | N/A          |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Apricot               | 0.34           | 6    | 24.0         | A            |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Cherry                | 0.21           | 6    | 15.0         | A            |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Grape                 | 0.02           | 2    | 1.32         | A            |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine           | 17.63          | 94   | 1,215.59     | A            |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance | 182.36         | N/A  | N/A          | N/A          |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Nectarine             | 0.38           | 7    | 16.0         | A            |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Olive                 | 0.01           | 1    | 0.25         | A            |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Peach                 | 0.73           | 9    | 37.5         | A            |
| alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Plum                  | 0.04           | 3    | 3.0          | A            |
| 2,4-dp-p, dimethylamine salt                              | Landscape maintenance | 0.07           | N/A  | N/A          | N/A          |
| edta  | Almond                | 0.59           | 3    | 48.4         | A            |
| edta, tetrasodium salt                                    | Golf course turf      | 0.06           | N/A  | 17.49        | A            |

| Chemical                                       | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| edta, tetrasodium salt                         | Landscape maintenance   | 0.13           | N/A  | N/A          | N/A          |
| edta, tetrasodium salt                         | Rights of way           | <0.01          | N/A  | N/A          | N/A          |
| emamectin benzoate                             | Landscape maintenance   | 0.73           | N/A  | N/A          | N/A          |
| emulsifiable methylated vegetable oil          | Almond                  | 684.57         | 19   | 617.32       | A            |
| emulsifiable methylated vegetable oil          | Apricot                 | 28.07          | 7    | 39.09        | A            |
| emulsifiable methylated vegetable oil          | Bean, succulent         | 38.98          | 7    | 78.0         | A            |
| emulsifiable methylated vegetable oil          | Cherry                  | 1,811.38       | 91   | 1,188.46     | A            |
| emulsifiable methylated vegetable oil          | Corn, human consumption | 119.9          | 19   | 561.0        | A            |
| emulsifiable methylated vegetable oil          | Grape, wine             | 1,837.11       | 142  | 1,759.18     | A            |
| emulsifiable methylated vegetable oil          | Nectarine               | 3.3            | 2    | 1.43         | A            |
| emulsifiable methylated vegetable oil          | Olive                   | 203.84         | 5    | 280.69       | A            |
| emulsifiable methylated vegetable oil          | Peach                   | 9.62           | 4    | 5.22         | A            |
| emulsifiable methylated vegetable oil          | Plum                    | 3.3            | 2    | 1.43         | A            |
| emulsifiable methylated vegetable oil          | Rights of way           | 44.74          | N/A  | N/A          | N/A          |
| emulsifiable methylated vegetable oil          | Uncultivated ag         | 120.01         | 20   | 363.5        | A            |
| emulsifiable methylated vegetable oil          | Walnut                  | 1,166.35       | 34   | 702.28       | A            |
| endothall, dipotassium salt                    | Landscape maintenance   | 35.96          | N/A  | N/A          | N/A          |
| endothall, dipotassium salt                    | Water area              | 21,180.95      | N/A  | 944.2        | A            |
| endothall, mono [n,n-dimethyl alkylamine] salt | Landscape maintenance   | 124.66         | N/A  | N/A          | N/A          |
| endothall, mono [n,n-dimethyl alkylamine] salt | Rights of way           | 2,110.73       | N/A  | N/A          | N/A          |
| endothall, mono [n,n-dimethyl alkylamine] salt | Water area              | 306.57         | N/A  | 29.07        | A            |
| esfenvalerate                                  | Apricot                 | 0.53           | 5    | 14.81        | A            |
| esfenvalerate                                  | Cherry                  | 1.32           | 5    | 30.0         | A            |
| esfenvalerate                                  | Corn, human consumption | 295.89         | 244  | 5,937.6      | A            |

| Chemical             | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|-------------------------|----------------|------|--------------|--------------|
| <b>esfenvalerate</b> | Landscape maintenance   | 0.02           | N/A  | N/A          | N/A          |
| <b>esfenvalerate</b> | Nectarine               | 0.22           | 3    | 4.0          | A            |
| <b>esfenvalerate</b> | Peach                   | 0.62           | 5    | 15.0         | A            |
| <b>esfenvalerate</b> | Plum                    | 0.14           | 3    | 4.0          | A            |
| <b>esfenvalerate</b> | Regulatory pest control | 0.07           | N/A  | N/A          | N/A          |
| <b>esfenvalerate</b> | Structural pest control | 35.37          | N/A  | N/A          | N/A          |
| <b>ethephon</b>      | Golf course turf        | 146.7          | N/A  | 43.4         | A            |
| <b>ethephon</b>      | Golf course turf        | 9.98           | N/A  | 128,000.0    | S            |
| <b>ethephon</b>      | Landscape maintenance   | 462.64         | N/A  | N/A          | N/A          |
| <b>ethephon</b>      | N-grnhs flower          | 129.76         | N/A  | 21.0         | A            |
| <b>ethephon</b>      | Walnut                  | 32.67          | 3    | 52.0         | A            |
| <b>etofenprox</b>    | Public health           | 0.6            | N/A  | N/A          | N/A          |
| <b>etofenprox</b>    | Regulatory pest control | 0.32           | N/A  | N/A          | N/A          |
| <b>etofenprox</b>    | Structural pest control | 5.88           | N/A  | N/A          | N/A          |
| <b>ethofumesate</b>  | Landscape maintenance   | 40.21          | N/A  | N/A          | N/A          |
| <b>etoxazole</b>     | Almond                  | 21.87          | 3    | 208.0        | A            |
| <b>etoxazole</b>     | Apricot                 | 0.14           | 1    | 1.0          | A            |
| <b>etoxazole</b>     | Cherry                  | 28.38          | 15   | 231.0        | A            |
| <b>etoxazole</b>     | Corn (forage - fodder)  | 73.9           | 14   | 702.6        | A            |
| <b>etoxazole</b>     | Grape, wine             | 4.55           | 1    | 33.7         | A            |
| <b>etoxazole</b>     | Nectarine               | 0.14           | 1    | 1.0          | A            |
| <b>etoxazole</b>     | Peach                   | 0.27           | 1    | 2.0          | A            |
| <b>etoxazole</b>     | Plum                    | 0.14           | 1    | 1.0          | A            |

| Chemical  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| <b>etoxazole</b>  | Walnut                       | 0.94           | 1    | 7.0          | A            |
| <b>fatty acids, mixed</b>   | Alfalfa                      | 16.0           | 25   | 630.5        | A            |
| <b>fatty acids, mixed</b>   | Almond                       | 1.18           | 6    | 169.4        | A            |
| <b>fatty acids, mixed</b>   | Corn (forage - fodder)       | 0.56           | 1    | 173.0        | A            |
| <b>fatty acids, mixed</b>   | Corn, human consumption      | 45.21          | 16   | 484.5        | A            |
| <b>fatty acids, mixed</b>   | Grape, wine                  | 6.52           | 8    | 243.33       | A            |
| <b>fatty acids, mixed</b>   | Landscape maintenance        | 0.39           | N/A  | N/A          | N/A          |
| <b>fatty acids, mixed</b>   | N-outdr plants in containers | 0.04           | 2    | 0.25         | A            |
| <b>fatty acids, mixed</b>   | Oat (forage - fodder)        | 2.94           | 3    | 140.0        | A            |
| <b>fatty acids, mixed</b>   | Pomegranate                  | 0.13           | 1    | 8.0          | A            |
| <b>fatty acids, mixed</b>   | Rights of way                | 20.52          | N/A  | N/A          | N/A          |
| <b>fatty acids, mixed</b>   | Safflower                    | 0.49           | 1    | 150.0        | A            |
| <b>fatty acids, mixed</b>   | Soil fumigation/preplant     | 1.59           | 16   | 489.0        | A            |
| <b>fatty acids, mixed</b>   | Tomato, processing           | 85.97          | 54   | 2,927.5      | A            |
| <b>fatty acids, mixed</b>   | Uncultivated ag              | 3.35           | 19   | 1,039.7      | A            |
| <b>fatty acids, mixed</b>   | Water area                   | 0.09           | N/A  | 11.0         | A            |
| <b>fatty acids, mixed</b>   | Wheat (forage - fodder)      | 5.08           | 9    | 161.5        | A            |
| <b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b> | Alfalfa                      | 2.12           | 6    | 565.0        | A            |
| <b>fatty acids, c16-18 and c18-unsaturated, branched and linear</b> | Wheat                        | 1.34           | 2    | 625.0        | A            |
| <b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>      | Almond                       | 32.13          | 4    | 136.6        | A            |
| <b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>      | Apricot                      | 17.49          | 3    | 45.0         | A            |
| <b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>      | Cherry                       | 177.2          | 20   | 400.0        | A            |

| Chemical  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Corn (forage - fodder)       | 51.27          | 1    | 180.0        | A            |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Grape, wine                  | 521.84         | 105  | 1,143.0      | A            |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Nectarine                    | 3.19           | 1    | 2.0          | A            |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Peach                        | 2.27           | 3    | 9.5          | A            |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Rights of way                | 3.5            | N/A  | N/A          | N/A          |
| fatty acids, c16-c18 and c18-unsaturated, methyl esters | Walnut                       | 25.89          | 3    | 61.0         | A            |
| fatty acids derived from tallow                         | Landscape maintenance        | 47.49          | N/A  | N/A          | N/A          |
| fenamidone  | N-outdr plants in containers | 0.1            | 4    | 17,616.0     | S            |
| fenbuconazole   | Cherry                       | 1.16           | 1    | 12.0         | A            |
| fenhexamid  | Apricot                      | 16.5           | 1    | 22.0         | A            |
| fenhexamid  | Cherry                       | 78.0           | 3    | 106.0        | A            |
| fenhexamid  | Grape, wine                  | 62.05          | 14   | 124.09       | A            |
| fenoxy carb   | Structural pest control      | 0.07           | N/A  | N/A          | N/A          |
| fenpropathrin   | Almond                       | 28.75          | 2    | 138.0        | A            |
| fenpropathrin   | Apricot                      | 0.23           | 1    | 1.0          | A            |
| fenpropathrin   | Cherry                       | 367.86         | 75   | 1,264.5      | A            |
| fenpropathrin   | Citrus                       | 0.04           | 1    | 0.1          | A            |
| fenpropathrin   | N-outdr flower               | 1.37           | 7    | 7.0          | A            |
| fenpropathrin   | Nectarine                    | 0.23           | 1    | 1.0          | A            |
| fenpropathrin   | Olive                        | 5.0            | 2    | 1.5          | A            |
| fenpropathrin   | Peach                        | 1.58           | 3    | 6.25         | A            |
| fenpropathrin   | Plum                         | 0.23           | 1    | 1.0          | A            |
| fenpropathrin   | Pome fruit                   | 0.49           | 5    | 2.5          | A            |
| fenpropathrin   | Stone fruit                  | 0.29           | 3    | 1.5          | A            |
| fenpropathrin   | Tomato                       | 0.42           | 3    | 2.12         | A            |
| fenpropathrin   | Vegetable                    | 0.2            | 1    | 1.0          | A            |

| <b>Chemical</b>           | <b>Commodity or Site</b>     | <b>Pounds Applied</b> | <b>Apps</b> | <b>Area Treated</b> | <b>Unit Treated</b> |
|---------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| <b>ferric sodium edta</b> | Landscape maintenance        | 25.54                 | N/A         | N/A                 | N/A                 |
| <b>ferric sodium edta</b> | Structural pest control      | <0.01                 | N/A         | N/A                 | N/A                 |
| <b>fipronil</b>           | Landscape maintenance        | 0.92                  | N/A         | N/A                 | N/A                 |
| <b>fipronil</b>           | Regulatory pest control      | <0.01                 | N/A         | N/A                 | N/A                 |
| <b>fipronil</b>           | Structural pest control      | 965.82                | N/A         | N/A                 | N/A                 |
| <b>flonicamid</b>         | Apple                        | 1.17                  | 1           | 15.0                | A                   |
| <b>fluazifop-butyl</b>    | Regulatory pest control      | 0.09                  | N/A         | N/A                 | N/A                 |
| <b>fluazifop-p-butyl</b>  | Apricot                      | 1.91                  | 1           | 7.56                | A                   |
| <b>fluazifop-p-butyl</b>  | Grape, wine                  | 14.42                 | 5           | 42.82               | A                   |
| <b>fluazifop-p-butyl</b>  | Landscape maintenance        | 67.57                 | N/A         | N/A                 | N/A                 |
| <b>fluazifop-p-butyl</b>  | Rights of way                | 0.06                  | N/A         | N/A                 | N/A                 |
| <b>fluazinam</b>          | Golf course turf             | 5.9                   | N/A         | 5.0                 | A                   |
| <b>fluazinam</b>          | Landscape maintenance        | 14.12                 | N/A         | N/A                 | N/A                 |
| <b>fludioxonil</b>        | Golf course turf             | 17.21                 | N/A         | 47.04               | A                   |
| <b>fludioxonil</b>        | Golf course turf             | 4.15                  | N/A         | 290,680.0           | S                   |
| <b>fludioxonil</b>        | Grape                        | 1.86                  | 2           | 8.5                 | A                   |
| <b>fludioxonil</b>        | Grape, wine                  | 0.03                  | 1           | 0.14                | A                   |
| <b>fludioxonil</b>        | Landscape maintenance        | 27.64                 | N/A         | N/A                 | N/A                 |
| <b>fludioxonil</b>        | N-grnhs flower               | 44.04                 | N/A         | 50.0                | A                   |
| <b>fludioxonil</b>        | N-grnhs plants in containers | 0.01                  | 3           | 0.12                | A                   |
| <b>flumioxazin</b>        | Almond                       | 42.08                 | 11          | 286.87              | A                   |

| Chemical        | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|-----------------|------------------------------|----------------|------|--------------|--------------|
| flumioxazin     | Apricot                      | 0.95           | 2    | 7.43         | A            |
| flumioxazin     | Cherry                       | 50.39          | 39   | 354.66       | A            |
| flumioxazin     | Grape                        | 1.04           | 1    | 2.7          | A            |
| flumioxazin     | Grape, wine                  | 154.34         | 92   | 816.64       | A            |
| flumioxazin     | Landscape maintenance        | 18.08          | N/A  | N/A          | N/A          |
| flumioxazin     | N-outdr plants in containers | 14.12          | 5    | 40.0         | A            |
| flumioxazin     | Olive                        | 3.45           | 1    | 54.17        | A            |
| flumioxazin     | Peach                        | 0.11           | 1    | 0.86         | A            |
| flumioxazin     | Rights of way                | 81.01          | N/A  | N/A          | N/A          |
| flumioxazin     | Uncultivated ag              | 26.38          | 13   | 259.0        | A            |
| flumioxazin     | Walnut                       | 49.76          | 24   | 363.71       | A            |
| flumioxazin     | Water area                   | 1.79           | N/A  | 7.2          | A            |
| fluopyram       | Almond                       | 0.33           | 4    | 4.0          | A            |
| fluopyram       | Grape                        | 0.88           | 2    | 8.5          | A            |
| fluopyram       | Grape, wine                  | 171.29         | 139  | 1,763.6      | A            |
| fluopyram       | N-grnhs plants in containers | 0.18           | 10   | 1.52         | A            |
| fluopyram       | Stone fruit                  | 0.03           | 1    | 0.25         | A            |
| flupyradifurone | Corn, human consumption      | 794.45         | 193  | 4,372.6      | A            |
| flupyradifurone | Landscape maintenance        | 0.03           | N/A  | N/A          | N/A          |
| flupyradifurone | N-grnhs plants in containers | 0.16           | 2    | 20,000.0     | S            |
| flupyradifurone | N-outdr plants in containers | 0.08           | 2    | 14,000.0     | S            |
| flupyradifurone | Wheat (forage - fodder)      | 7.41           | 1    | 50.0         | A            |

| <b>Chemical</b>                          | <b>Commodity or Site</b>     | <b>Pounds Applied</b> | <b>Apps</b> | <b>Area Treated</b> | <b>Unit Treated</b> |
|--|------------------------------|-----------------------|-------------|---------------------|---------------------|
| <b>flurecol-methyl</b>                   | Landscape maintenance        | 0.43                  | N/A         | N/A                 | N/A                 |
| <b>flurecol-methyl</b>                   | Structural pest control      | 0.07                  | N/A         | N/A                 | N/A                 |
| <b>fluridone</b>                         | Landscape maintenance        | 87.54                 | N/A         | N/A                 | N/A                 |
| <b>fluridone</b>                         | Water (industrial)           | 0.5                   | N/A         | 0.5                 | A                   |
| <b>fluridone</b>                         | Water area                   | 2,577.52              | N/A         | 14,993.7            | A                   |
| <b>fluroxypyrr, 1-methylheptyl ester</b> | Golf course turf             | 4.47                  | N/A         | 32.69               | A                   |
| <b>fluroxypyrr, 1-methylheptyl ester</b> | Landscape maintenance        | 19.26                 | N/A         | N/A                 | N/A                 |
| <b>flurprimidol</b>                      | Landscape maintenance        | 27.0                  | N/A         | N/A                 | N/A                 |
| <b>flutolanil</b>                        | Golf course turf             | 21.0                  | N/A         | 3.0                 | A                   |
| <b>flutolanil</b>                        | Landscape maintenance        | 70.7                  | N/A         | N/A                 | N/A                 |
| <b>flutolanil</b>                        | N-grnhs flower               | 123.9                 | N/A         | 9.0                 | A                   |
| <b>flutolanil</b>                        | N-grnhs flower               | 1.93                  | N/A         | 5,000.0             | S                   |
| <b>flutriafol</b>                        | Grape, wine                  | 5.63                  | 2           | 66.25               | A                   |
| <b>flutriafol</b>                        | Landscape maintenance        | 0.13                  | N/A         | N/A                 | N/A                 |
| <b>flutriafol</b>                        | Tomato, processing           | 157.02                | 29          | 1,380.09            | A                   |
| <b>tau-fluvalinate</b>                   | Landscape maintenance        | 0.03                  | N/A         | N/A                 | N/A                 |
| <b>tau-fluvalinate</b>                   | N-outdr plants in containers | 0.53                  | 1           | 1.02                | A                   |
| <b>tau-fluvalinate</b>                   | Structural pest control      | 0.81                  | N/A         | N/A                 | N/A                 |
| <b>fluxapyroxad</b>                      | Golf course turf             | 2.76                  | N/A         | 11.5                | A                   |
| <b>fluxapyroxad</b>                      | Landscape maintenance        | 9.7                   | N/A         | N/A                 | N/A                 |

| Chemical                                   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| <b>fluxapyroxad</b>                        | N-grnhs flower               | 1.24           | N/A  | 6.0          | A            |
| <b>fluxapyroxad</b>                        | Tomato                       | 2.74           | 2    | 31.5         | A            |
| <b>fluxapyroxad</b>                        | Tomato, processing           | 4.78           | 2    | 55.0         | A            |
| <b>fluxapyroxad</b>                        | Walnut                       | 0.36           | 1    | 4.0          | A            |
| <b>foramsulfuron</b>                       | Golf course turf             | 0.04           | N/A  | 103,000.0    | S            |
| <b>foramsulfuron</b>                       | Landscape maintenance        | 0.25           | N/A  | N/A          | N/A          |
| <b>formic acid</b>                         | Beehive                      | 13.78          | 3    | 59.0         | U            |
| <b>fosetyl-al</b>                          | Apple                        | 72.0           | 2    | 30.0         | A            |
| <b>fosetyl-al</b>                          | Golf course turf             | 26.0           | N/A  | 3.0          | A            |
| <b>fosetyl-al</b>                          | Golf course turf             | 26.4           | N/A  | 130,680.0    | S            |
| <b>fosetyl-al</b>                          | Landscape maintenance        | 156.0          | N/A  | N/A          | N/A          |
| <b>fosetyl-al</b>                          | N-grnhs flower               | 356.0          | N/A  | 23.0         | A            |
| <b>fosetyl-al</b>                          | N-grnhs plants in containers | 1.21           | 3    | 0.16         | A            |
| <b>fox urine</b>                           | Landscape maintenance        | 0.18           | N/A  | N/A          | N/A          |
| <b>free fatty acids and/or amine salts</b> | Landscape maintenance        | 11.64          | N/A  | N/A          | N/A          |
| <b>freon 12</b>                            | Landscape maintenance        | 0.06           | N/A  | N/A          | N/A          |
| <b>gamma-cyhalothrin</b>                   | Landscape maintenance        | 0.25           | N/A  | N/A          | N/A          |
| <b>gamma-cyhalothrin</b>                   | Structural pest control      | 49.5           | N/A  | N/A          | N/A          |
| <b>german cockroach pheromone</b>          | Structural pest control      | <0.01          | N/A  | N/A          | N/A          |
| <b>gibberellins</b>                        | Cherry                       | 30.7           | 67   | 1,343.0      | A            |
| <b>gibberellins</b>                        | Grape                        | 0.02           | 1    | 4.0          | A            |
| <b>gibberellins</b>                        | Grape, wine                  | 4.65           | 40   | 586.0        | A            |

| Chemical                        | Commodity or Site           | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|-----------------------------|----------------|------|--------------|--------------|
| glufosinate-ammonium            | Almond                      | 223.07         | 8    | 169.81       | A            |
| glufosinate-ammonium            | Apricot                     | 19.68          | 2    | 15.12        | A            |
| glufosinate-ammonium            | Cherry                      | 173.07         | 17   | 123.6        | A            |
| glufosinate-ammonium            | Grape                       | 2.29           | 1    | 2.0          | A            |
| glufosinate-ammonium            | Grape, wine                 | 392.07         | 79   | 482.3        | A            |
| glufosinate-ammonium            | Landscape maintenance       | 642.26         | N/A  | N/A          | N/A          |
| glufosinate-ammonium            | Olive                       | 239.2          | 3    | 167.43       | A            |
| glufosinate-ammonium            | Rights of way               | 111.19         | N/A  | N/A          | N/A          |
| glufosinate-ammonium            | Walnut                      | 4.87           | 1    | 3.41         | A            |
| glutaraldehyde                  | Industrial processing water | 30,194.41      | N/A  | 1,163,038.0  | C            |
| glutaraldehyde                  | Water (industrial)          | 1,736.89       | N/A  | 53.0         | U            |
| glycerol                        | Alfalfa                     | 94.92          | 16   | 953.0        | A            |
| glycerol                        | Almond                      | 28.58          | 6    | 131.59       | A            |
| glycerol                        | Cherry                      | 36.77          | 19   | 179.23       | A            |
| glycerol                        | Grape, wine                 | 1.13           | 1    | 5.0          | A            |
| glycerol                        | Landscape maintenance       | 0.08           | N/A  | N/A          | N/A          |
| glycerol                        | Olive                       | 23.36          | 2    | 113.26       | A            |
| glycerol                        | Rights of way               | 67.76          | N/A  | N/A          | N/A          |
| glycerol                        | Uncultivated ag             | 5.02           | 2    | 31.5         | A            |
| glycerol                        | Walnut                      | 6.24           | 4    | 32.66        | A            |
| glycerol                        | Wheat                       | 41.59          | 2    | 625.0        | A            |
| glycerol                        | Wheat (forage - fodder)     | 8.66           | 4    | 135.0        | A            |
| glyphosate, dimethylamine salt  | Landscape maintenance       | 85.83          | N/A  | N/A          | N/A          |
| glyphosate, dimethylamine salt  | Rights of way               | 3,394.87       | N/A  | N/A          | N/A          |
| glyphosate, isopropylamine salt | Alfalfa                     | 1,599.12       | 28   | 990.0        | A            |
| glyphosate, isopropylamine salt | Almond                      | 786.03         | 18   | 438.75       | A            |

| Chemical                        | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|------------------------------|----------------|------|--------------|--------------|
| glyphosate, isopropylamine salt | Cherry                       | 272.37         | 14   | 164.88       | A            |
| glyphosate, isopropylamine salt | Corn (forage - fodder)       | 396.09         | 2    | 353.0        | A            |
| glyphosate, isopropylamine salt | Forage hay/silage            | 30.74          | 3    | 26.0         | A            |
| glyphosate, isopropylamine salt | Golf course turf             | 184.17         | N/A  | 67.5         | A            |
| glyphosate, isopropylamine salt | Golf course turf             | 15.95          | N/A  | 113,000.0    | S            |
| glyphosate, isopropylamine salt | Grape, wine                  | 220.04         | 4    | 110.0        | A            |
| glyphosate, isopropylamine salt | Landscape maintenance        | 13,518.27      | N/A  | N/A          | N/A          |
| glyphosate, isopropylamine salt | N-outdr plants in containers | 12.87          | 3    | 3.34         | A            |
| glyphosate, isopropylamine salt | Nectarine                    | 4.56           | 2    | 3.5          | A            |
| glyphosate, isopropylamine salt | Olive                        | 307.81         | 3    | 167.43       | A            |
| glyphosate, isopropylamine salt | Peach                        | 7.56           | 3    | 6.25         | A            |
| glyphosate, isopropylamine salt | Plum                         | 1.56           | 1    | 1.0          | A            |
| glyphosate, isopropylamine salt | Public health                | 13.16          | N/A  | N/A          | N/A          |
| glyphosate, isopropylamine salt | Regulatory pest control      | 184.26         | N/A  | N/A          | N/A          |
| glyphosate, isopropylamine salt | Rights of way                | 11,136.97      | N/A  | N/A          | N/A          |
| glyphosate, isopropylamine salt | Soil fumigation/preplant     | 488.58         | 16   | 489.0        | A            |
| glyphosate, isopropylamine salt | Structural pest control      | 2.35           | N/A  | N/A          | N/A          |
| glyphosate, isopropylamine salt | Uncultivated ag              | 1,700.83       | 29   | 1,688.2      | A            |
| glyphosate, isopropylamine salt | Uncultivated non-ag          | 2,943.94       | 7    | 1,090.0      | A            |
| glyphosate, isopropylamine salt | Walnut                       | 143.47         | 14   | 87.78        | A            |
| glyphosate, isopropylamine salt | Water area                   | 1,054.64       | N/A  | 139.92       | A            |
| glyphosate, monoammonium salt   | Landscape maintenance        | 251.26         | N/A  | N/A          | N/A          |
| glyphosate, potassium salt      | Alfalfa                      | 2,326.12       | 19   | 1,314.9      | A            |
| glyphosate, potassium salt      | Almond                       | 0.47           | 1    | 1.0          | A            |

| Chemical                   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|-------------------------|----------------|------|--------------|--------------|
| glyphosate, potassium salt | Apple                   | 11.64          | 1    | 5.63         | A            |
| glyphosate, potassium salt | Apricot                 | 52.52          | 5    | 23.31        | A            |
| glyphosate, potassium salt | Bean, succulent         | 143.43         | 7    | 70.0         | A            |
| glyphosate, potassium salt | Cherry                  | 1,079.68       | 62   | 560.44       | A            |
| glyphosate, potassium salt | Corn (forage - fodder)  | 8,263.55       | 19   | 4,783.63     | A            |
| glyphosate, potassium salt | Corn, human consumption | 541.36         | 7    | 192.0        | A            |
| glyphosate, potassium salt | Grape                   | 5.13           | 1    | 2.7          | A            |
| glyphosate, potassium salt | Grape, wine             | 1,619.02       | 61   | 533.61       | A            |
| glyphosate, potassium salt | Landscape maintenance   | 16.42          | 22   | 22.0         | A            |
| glyphosate, potassium salt | Landscape maintenance   | 3,067.71       | N/A  | N/A          | N/A          |
| glyphosate, potassium salt | Nectarine               | 2.43           | 2    | 1.18         | A            |
| glyphosate, potassium salt | Orchard floor           | 0.47           | 1    | 1.0          | A            |
| glyphosate, potassium salt | Peach                   | 7.23           | 3    | 3.22         | A            |
| glyphosate, potassium salt | Plum                    | 9.43           | 2    | 4.56         | A            |
| glyphosate, potassium salt | Pomegranate             | 16.55          | 1    | 8.0          | A            |
| glyphosate, potassium salt | Public health           | 64.78          | N/A  | N/A          | N/A          |
| glyphosate, potassium salt | Rights of way           | 19.39          | 13   | 13.0         | A            |
| glyphosate, potassium salt | Rights of way           | 750.47         | N/A  | N/A          | N/A          |
| glyphosate, potassium salt | Safflower               | 248.25         | 1    | 150.0        | A            |
| glyphosate, potassium salt | Structural pest control | 0.25           | N/A  | N/A          | N/A          |
| glyphosate, potassium salt | Tomato, processing      | 1,820.13       | 22   | 1,091.59     | A            |
| glyphosate, potassium salt | Uncultivated ag         | 10,769.97      | 169  | 6,280.61     | A            |
| glyphosate, potassium salt | Walnut                  | 952.88         | 26   | 445.93       | A            |
| halosulfuron-methyl        | Landscape maintenance   | 0.87           | N/A  | N/A          | N/A          |

| Chemical   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| halosulfuron-methyl  | N-outdr plants in containers | 0.04           | 2    | 2.34         | A            |
| heptamethyltrisiloxane ethoxylated                                     | Cherry                       | 0.89           | 1    | 17.0         | A            |
| heptamethyltrisiloxane ethoxylated                                     | Grape, wine                  | 1.69           | 1    | 33.25        | A            |
| heptamethyltrisiloxane ethoxylated                                     | Rights of way                | 1.37           | N/A  | N/A          | N/A          |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Apricot                      | 0.16           | 2    | 6.0          | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Cherry                       | 0.51           | 5    | 33.0         | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Corn (forage - fodder)       | 1.94           | 7    | 299.0        | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Grape                        | 0.18           | 1    | 2.0          | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Grape, wine                  | 1.27           | 1    | 33.25        | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Nectarine                    | 0.13           | 2    | 5.0          | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Peach                        | 0.27           | 2    | 10.0         | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Plum                         | 0.05           | 1    | 2.0          | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Uncultivated ag              | 1.7            | 8    | 423.11       | A            |
| heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Walnut                       | 0.51           | 1    | 15.0         | A            |
| heptyl butyrate  | Structural pest control      | 0.03           | N/A  | N/A          | N/A          |
| hexaflumuron   | Structural pest control      | 0.01           | N/A  | N/A          | N/A          |
| hexazinone   | Alfalfa                      | 221.53         | 1    | 290.0        | A            |
| hexylene glycol  | Rights of way                | 60.73          | N/A  | N/A          | N/A          |

| Chemical   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| hexythiazox  | Bean, succulent         | 5.64           | 3    | 46.0         | A            |
| hexythiazox  | Corn, human consumption | 87.48          | 19   | 473.5        | A            |
| humic acid   | Almond                  | 1.17           | 3    | 48.4         | A            |
| hydramethylnon   | Structural pest control | 0.1            | N/A  | N/A          | N/A          |
| hydrogen cyanamide   | Cherry                  | 3,190.87       | 16   | 305.5        | A            |
| hydrogen peroxide  | Apricot                 | 59.77          | 3    | 37.0         | A            |
| hydrogen peroxide  | Cherry                  | 138.52         | 3    | 78.0         | A            |
| hydrogen peroxide  | Ditch bank              | 220.79         | N/A  | 1.0          | U            |
| hydrogen peroxide  | Landscape maintenance   | 0.08           | N/A  | N/A          | N/A          |
| hydrogen peroxide  | Rights of way           | 684.73         | N/A  | N/A          | N/A          |
| hydroprene   | Regulatory pest control | 0.09           | N/A  | N/A          | N/A          |
| hydroprene   | Structural pest control | 35.72          | N/A  | N/A          | N/A          |
| hydrotreated paraffinic solvent                                    | Alfalfa                 | 58.96          | 25   | 1,905.6      | A            |
| hydrotreated paraffinic solvent                                    | Almond                  | 20.67          | 6    | 163.7        | A            |
| hydrotreated paraffinic solvent                                    | Cherry                  | 7.17           | 4    | 50.66        | A            |
| hydrotreated paraffinic solvent                                    | Corn (forage - fodder)  | 20.03          | 10   | 652.8        | A            |
| hydrotreated paraffinic solvent                                    | Grape, wine             | 1.42           | 1    | 52.99        | A            |
| hydrotreated paraffinic solvent                                    | Olive                   | 10.28          | 2    | 108.34       | A            |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Landscape maintenance   | 1.88           | N/A  | N/A          | N/A          |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Rights of way           | 0.4            | N/A  | N/A          | N/A          |
| imazamox, ammonium salt  | Alfalfa                 | 19.1           | 18   | 379.4        | A            |
| imazamox, ammonium salt  | Landscape maintenance   | 0.53           | N/A  | N/A          | N/A          |

| Chemical                      | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|-------------------------|----------------|------|--------------|--------------|
| imazamox, ammonium salt       | Water area              | 186.38         | N/A  | 179.0        | A            |
| imazapic, ammonium salt       | Rights of way           | 2.33           | N/A  | N/A          | N/A          |
| imazapyr, isopropylamine salt | Landscape maintenance   | 9.28           | N/A  | N/A          | N/A          |
| imazapyr, isopropylamine salt | Rights of way           | 43.42          | N/A  | N/A          | N/A          |
| imidacloprid                  | Bean, succulent         | 1.2            | 3    | 26.0         | A            |
| imidacloprid                  | Cherry                  | 60.69          | 11   | 172.5        | A            |
| imidacloprid                  | Golf course turf        | 17.63          | N/A  | 77.0         | A            |
| imidacloprid                  | Grape, wine             | 361.56         | 167  | 2,403.45     | A            |
| imidacloprid                  | Landscape maintenance   | 161.07         | N/A  | N/A          | N/A          |
| imidacloprid                  | N-grnhs flower          | 6.75           | N/A  | 9.0          | A            |
| imidacloprid                  | N-outdr flower          | 0.61           | 3    | 3.0          | A            |
| imidacloprid                  | Regulatory pest control | 0.1            | N/A  | N/A          | N/A          |
| imidacloprid                  | Rights of way           | 2.27           | N/A  | N/A          | N/A          |
| imidacloprid                  | Structural pest control | 497.63         | N/A  | N/A          | N/A          |
| imidacloprid                  | Tomato                  | 65.22          | 13   | 449.0        | A            |
| imidacloprid                  | Tomato, processing      | 503.12         | 52   | 1,969.08     | A            |
| imidacloprid                  | Vertebrate control      | <0.01          | N/A  | N/A          | N/A          |
| indaziflam                    | Grape, wine             | 0.83           | 2    | 12.75        | A            |
| indaziflam                    | Landscape maintenance   | 1,423.44       | N/A  | N/A          | N/A          |
| indaziflam                    | Rights of way           | 116.49         | N/A  | N/A          | N/A          |
| indoxacarb                    | Corn, human consumption | 0.98           | 1    | 15.0         | A            |
| indoxacarb                    | Landscape maintenance   | 0.03           | N/A  | N/A          | N/A          |
| indoxacarb                    | Regulatory pest control | 0.17           | N/A  | N/A          | N/A          |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| indoxacarb  | Structural pest control | 75.35          | N/A  | N/A          | N/A          |
| indoxacarb  | Tomato                  | 2.03           | 2    | 31.5         | A            |
| indoxacarb  | Tomato, processing      | 37.12          | 24   | 712.5        | A            |
| iodosulfuron-methyl-sodium                        | Landscape maintenance   | 0.02           | N/A  | N/A          | N/A          |
| iprodione   | Apricot                 | 17.22          | 3    | 26.0         | A            |
| iprodione   | Cherry                  | 192.21         | 20   | 375.0        | A            |
| iprodione   | Golf course turf        | 56.2           | N/A  | 14.5         | A            |
| iprodione   | Golf course turf        | 2.65           | N/A  | 48,113.0     | S            |
| iprodione   | Landscape maintenance   | 242.31         | N/A  | N/A          | N/A          |
| iprodione   | N-grnhs flower          | 100.37         | N/A  | 17.5         | A            |
| iprodione   | Nectarine               | 12.98          | 2    | 3.0          | A            |
| iprodione   | Peach                   | 13.25          | 5    | 19.0         | A            |
| iprodione   | Plum                    | 2.0            | 2    | 4.0          | A            |
| iron heda   | Landscape maintenance   | 16.56          | N/A  | N/A          | N/A          |
| iron phosphate                                    | Landscape maintenance   | 19.65          | N/A  | N/A          | N/A          |
| iron phosphate                                    | Structural pest control | 0.19           | N/A  | N/A          | N/A          |
| isofetamid  | Landscape maintenance   | 1.34           | N/A  | N/A          | N/A          |
| alpha-isooctadecyl-omega-hydroxypoly(oxyethylene) | Public health           | 0.83           | N/A  | N/A          | N/A          |
| isopropyl alcohol                                 | Alfalfa                 | 0.87           | 3    | 110.0        | A            |
| isopropyl alcohol                                 | Almond                  | 9.04           | 2    | 138.0        | A            |
| isopropyl alcohol                                 | Apple                   | 5.97           | 6    | 83.0         | A            |
| isopropyl alcohol                                 | Apricot                 | 4.09           | 12   | 81.62        | A            |
| isopropyl alcohol                                 | Bean, succulent         | 0.31           | 1    | 10.0         | A            |
| isopropyl alcohol                                 | Cherry                  | 138.25         | 147  | 2,502.5      | A            |

| Chemical                                | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| isopropyl alcohol                       | Corn, human consumption | 117.53         | 333  | 8,026.0      | A            |
| isopropyl alcohol                       | Forage hay/silage       | 0.63           | 1    | 17.0         | A            |
| isopropyl alcohol                       | Golf course turf        | 1.87           | N/A  | 27.99        | A            |
| isopropyl alcohol                       | Grape                   | 1.28           | 5    | 20.5         | A            |
| isopropyl alcohol                       | Grape, wine             | 67.51          | 83   | 1,327.0      | A            |
| isopropyl alcohol                       | Landscape maintenance   | 9.71           | N/A  | N/A          | N/A          |
| isopropyl alcohol                       | Nectarine               | 0.83           | 13   | 21.5         | A            |
| isopropyl alcohol                       | Oat                     | 0.1            | 1    | 10.0         | A            |
| isopropyl alcohol                       | Oat (forage - fodder)   | 0.86           | 4    | 86.0         | A            |
| isopropyl alcohol                       | Peach                   | 1.64           | 18   | 44.5         | A            |
| isopropyl alcohol                       | Plum                    | 0.87           | 6    | 18.0         | A            |
| isopropyl alcohol                       | Pomegranate             | 1.01           | 2    | 16.0         | A            |
| isopropyl alcohol                       | Pumpkin                 | 0.21           | 1    | 4.0          | A            |
| isopropyl alcohol                       | Rights of way           | 314.76         | N/A  | N/A          | N/A          |
| isopropyl alcohol                       | Structural pest control | 64.21          | N/A  | N/A          | N/A          |
| isopropyl alcohol                       | Tomato                  | 9.43           | 17   | 428.5        | A            |
| isopropyl alcohol                       | Tomato, processing      | 11.92          | 18   | 665.5        | A            |
| isopropyl alcohol                       | Uncultivated non-ag     | 1.26           | N/A  | 70.0         | A            |
| isopropyl alcohol                       | Walnut                  | 16.52          | 8    | 167.0        | A            |
| isopropyl alcohol                       | Wheat (forage - fodder) | 0.59           | 2    | 75.0         | A            |
| isopropylamine dodecylbenzene sulfonate | Water area              | 7.04           | N/A  | 329.33       | A            |
| isoxaben                                | Landscape maintenance   | 297.56         | N/A  | N/A          | N/A          |
| isoxaben                                | Rights of way           | 240.5          | N/A  | N/A          | N/A          |
| kasugamycin hydrochloride               | Apple                   | 2.9            | 2    | 30.0         | A            |
| lactic acid                             | Landscape maintenance   | 2.96           | N/A  | N/A          | N/A          |

| Chemical           | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|--------------------|--------------------------|----------------|------|--------------|--------------|
| lambda-cyhalothrin | Alfalfa                  | 59.32          | 32   | 1,894.1      | A            |
| lambda-cyhalothrin | Almond                   | 10.07          | 6    | 246.6        | A            |
| lambda-cyhalothrin | Apple                    | 0.63           | 1    | 15.0         | A            |
| lambda-cyhalothrin | Bean, succulent          | 1.24           | 2    | 38.0         | A            |
| lambda-cyhalothrin | Cherry                   | 18.47          | 26   | 454.0        | A            |
| lambda-cyhalothrin | Corn, human consumption  | 90.64          | 101  | 2,619.8      | A            |
| lambda-cyhalothrin | Landscape maintenance    | 0.01           | N/A  | N/A          | N/A          |
| lambda-cyhalothrin | Peach                    | 0.22           | 2    | 5.5          | A            |
| lambda-cyhalothrin | Pumpkin                  | 0.13           | 1    | 4.0          | A            |
| lambda-cyhalothrin | Structural pest control  | 105.58         | N/A  | N/A          | N/A          |
| lambda-cyhalothrin | Tomato, processing       | 31.03          | 24   | 987.19       | A            |
| lambda-cyhalothrin | Walnut                   | 12.12          | 11   | 293.5        | A            |
| lauric acid        | Grape                    | 0.05           | 2    | 1.32         | A            |
| lauric acid        | Grape, wine              | 0.05           | 2    | 1.32         | A            |
| lecithin           | Alfalfa                  | 24.67          | 12   | 325.5        | A            |
| lecithin           | Almond                   | 74.65          | 9    | 354.9        | A            |
| lecithin           | Corn (forage - fodder)   | 13.09          | 1    | 173.0        | A            |
| lecithin           | Corn, human consumption  | 50.5           | 24   | 491.0        | A            |
| lecithin           | Landscape maintenance    | 82.41          | N/A  | N/A          | N/A          |
| lecithin           | Rights of way            | 27.71          | N/A  | N/A          | N/A          |
| lecithin           | Safflower                | 11.34          | 1    | 150.0        | A            |
| lecithin           | Soil fumigation/preplant | 37.07          | 16   | 489.0        | A            |
| lecithin           | Uncultivated ag          | 78.09          | 19   | 1,039.7      | A            |
| lime-sulfur        | Grape                    | 18.47          | 1    | 0.66         | A            |

| Chemical                  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|------------------------------|----------------|------|--------------|--------------|
| lime-sulfur               | Grape, wine                  | 560.11         | 5    | 22.0         | A            |
| lime-sulfur               | Small fruits/berry           | 6.14           | 1    | 0.5          | A            |
| limonene                  | Landscape maintenance        | 20.82          | N/A  | N/A          | N/A          |
| limonene                  | Structural pest control      | 134.96         | N/A  | N/A          | N/A          |
| magnesium phosphide       | Commodity fumigation         | 0.31           | N/A  | N/A          | N/A          |
| malathion                 | Cherry                       | 359.28         | 25   | 290.0        | A            |
| mancozeb                  | Apple                        | 78.75          | 2    | 30.0         | A            |
| mancozeb                  | Golf course turf             | 28.22          | N/A  | 5.25         | A            |
| mancozeb                  | Landscape maintenance        | 343.8          | N/A  | N/A          | N/A          |
| mancozeb                  | N-grnhs flower               | 80.0           | N/A  | 5.5          | A            |
| mancozeb                  | Structural pest control      | 0.03           | N/A  | N/A          | N/A          |
| mancozeb                  | Tomato                       | 112.51         | 2    | 102.0        | A            |
| mancozeb                  | Tomato, processing           | 1,657.21       | 44   | 1,489.08     | A            |
| mancozeb                  | Walnut                       | 21.6           | 1    | 12.0         | A            |
| margosa oil               | Structural pest control      | 0.01           | N/A  | N/A          | N/A          |
| mcpa, dimethylamine salt  | Landscape maintenance        | <0.01          | N/A  | N/A          | N/A          |
| mcpa, dimethylamine salt  | N-grnhs plants in containers | 0.13           | 1    | 10,000.0     | S            |
| mcpa, dimethylamine salt  | Oat (forage - fodder)        | 29.61          | 2    | 42.0         | A            |
| mcpa, dimethylamine salt  | Wheat                        | 346.08         | 2    | 625.0        | A            |
| mcpa, dimethylamine salt  | Wheat (forage - fodder)      | 97.46          | 4    | 135.0        | A            |
| mcpa, 2-ethyl hexyl ester | Landscape maintenance        | 0.43           | N/A  | N/A          | N/A          |

| Chemical                        | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------------|-------------------------|----------------|------|--------------|--------------|
| mcpa, isoctyl ester             | Landscape maintenance   | 0.49           | N/A  | N/A          | N/A          |
| mcpa, isoctyl ester             | Structural pest control | 0.04           | N/A  | N/A          | N/A          |
| mcpp                            | Landscape maintenance   | 1.43           | N/A  | N/A          | N/A          |
| mcpp, dimethylamine salt        | Landscape maintenance   | 0.03           | N/A  | N/A          | N/A          |
| mcpp-p, dimethylamine salt      | Golf course turf        | 3.06           | N/A  | 8.0          | A            |
| mcpp-p, dimethylamine salt      | Landscape maintenance   | 22.64          | N/A  | N/A          | N/A          |
| mecoprop-p                      | Golf course turf        | 2.29           | N/A  | 31.0         | A            |
| mecoprop-p                      | Landscape maintenance   | 44.22          | N/A  | N/A          | N/A          |
| mecoprop-p                      | Public health           | 0.09           | N/A  | N/A          | N/A          |
| mecoprop-p                      | Rights of way           | 0.27           | N/A  | N/A          | N/A          |
| mefenoxam                       | Landscape maintenance   | 1.52           | N/A  | N/A          | N/A          |
| mefenoxam                       | Pumpkin                 | 0.33           | 1    | 4.0          | A            |
| mefenoxam, other related        | Landscape maintenance   | 0.04           | N/A  | N/A          | N/A          |
| mefluidide, diethanolamine salt | Landscape maintenance   | <0.01          | N/A  | N/A          | N/A          |
| mesosulfuron-methyl             | Wheat                   | 24.06          | 3    | 1,076.16     | A            |
| mesotrione                      | Landscape maintenance   | 0.75           | N/A  | N/A          | N/A          |
| metaflumizone                   | Almond                  | 0.11           | 3    | 121.0        | A            |
| metaldehyde                     | Landscape maintenance   | 28.98          | N/A  | N/A          | N/A          |
| metam-sodium                    | Rights of way           | 1.98           | N/A  | N/A          | N/A          |
| metconazole                     | Almond                  | 13.49          | 3    | 123.3        | A            |

| Chemical               | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------|-------------------------|----------------|------|--------------|--------------|
| <b>metconazole</b>     | Landscape maintenance   | 43.25          | N/A  | N/A          | N/A          |
| <b>methomyl</b>        | Corn, human consumption | 5,585.94       | 543  | 13,811.4     | A            |
| <b>methomyl</b>        | Pomegranate             | 3.6            | 1    | 8.0          | A            |
| <b>methomyl</b>        | Structural pest control | 0.04           | N/A  | N/A          | N/A          |
| <b>methoprene</b>      | Landscape maintenance   | 0.01           | N/A  | N/A          | N/A          |
| <b>methoprene</b>      | Public health           | 1.44           | N/A  | N/A          | N/A          |
| <b>methoprene</b>      | Structural pest control | 0.2            | N/A  | N/A          | N/A          |
| <b>s-methoprene</b>    | Commodity fumigation    | 0.74           | N/A  | N/A          | N/A          |
| <b>s-methoprene</b>    | Public health           | 78.69          | N/A  | N/A          | N/A          |
| <b>s-methoprene</b>    | Structural pest control | 0.51           | N/A  | N/A          | N/A          |
| <b>methoxyfenozide</b> | Alfalfa                 | 228.08         | 25   | 1,374.6      | A            |
| <b>methoxyfenozide</b> | Almond                  | 32.5           | 3    | 123.3        | A            |
| <b>methoxyfenozide</b> | Apricot                 | 5.31           | 3    | 23.0         | A            |
| <b>methoxyfenozide</b> | Cherry                  | 38.46          | 8    | 136.0        | A            |
| <b>methoxyfenozide</b> | Corn, human consumption | 5.29           | 1    | 30.0         | A            |
| <b>methoxyfenozide</b> | Grape                   | 0.76           | 1    | 4.0          | A            |
| <b>methoxyfenozide</b> | Grape, wine             | 138.96         | 38   | 666.19       | A            |
| <b>methoxyfenozide</b> | Nectarine               | 1.4            | 2    | 5.0          | A            |
| <b>methoxyfenozide</b> | Peach                   | 2.85           | 2    | 10.0         | A            |
| <b>methoxyfenozide</b> | Plum                    | 0.86           | 2    | 4.0          | A            |
| <b>methoxyfenozide</b> | Tomato                  | 58.63          | 10   | 267.0        | A            |
| <b>methoxyfenozide</b> | Tomato, processing      | 376.75         | 45   | 2,176.09     | A            |

| Chemical                                      | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|----------------|------|--------------|--------------|
| <b>methyl anthranilate</b>                    | Structural pest control  | 1.41           | N/A  | N/A          | N/A          |
| <b>methylated fatty acids from canola oil</b> | Alfalfa                  | 57.65          | 2    | 79.9         | A            |
| <b>methylated fatty acids from canola oil</b> | Forage hay/silage        | 396.11         | 2    | 274.5        | A            |
| <b>methylated fatty acids from canola oil</b> | Landscape maintenance    | 5.71           | N/A  | N/A          | N/A          |
| <b>methylated fatty acids from canola oil</b> | Rights of way            | 19.02          | N/A  | N/A          | N/A          |
| <b>methylated soybean oil</b>                 | Alfalfa                  | 632.16         | 12   | 939.2        | A            |
| <b>methylated soybean oil</b>                 | Almond                   | 23.6           | 3    | 185.5        | A            |
| <b>methylated soybean oil</b>                 | Apple                    | 6.78           | 1    | 5.63         | A            |
| <b>methylated soybean oil</b>                 | Apricot                  | 30.96          | 4    | 30.01        | A            |
| <b>methylated soybean oil</b>                 | Bean, succulent          | 1.34           | 1    | 9.0          | A            |
| <b>methylated soybean oil</b>                 | Cherry                   | 194.3          | 28   | 210.5        | A            |
| <b>methylated soybean oil</b>                 | Corn, human consumption  | 71.18          | 29   | 676.06       | A            |
| <b>methylated soybean oil</b>                 | Garlic                   | 71.07          | 5    | 254.48       | A            |
| <b>methylated soybean oil</b>                 | Golf course turf         | 1.6            | N/A  | 8.0          | A            |
| <b>methylated soybean oil</b>                 | Grape                    | 1.98           | 3    | 6.7          | A            |
| <b>methylated soybean oil</b>                 | Grape, wine              | 275.59         | 36   | 294.69       | A            |
| <b>methylated soybean oil</b>                 | Landscape maintenance    | 135.29         | N/A  | N/A          | N/A          |
| <b>methylated soybean oil</b>                 | Nectarine                | 0.9            | 1    | 0.75         | A            |
| <b>methylated soybean oil</b>                 | Oat (forage - fodder)    | 38.64          | 3    | 82.0         | A            |
| <b>methylated soybean oil</b>                 | Olive                    | 70.88          | 1    | 59.09        | A            |
| <b>methylated soybean oil</b>                 | Peach                    | 1.79           | 1    | 1.5          | A            |
| <b>methylated soybean oil</b>                 | Plum                     | 4.93           | 1    | 4.13         | A            |
| <b>methylated soybean oil</b>                 | Rights of way            | 46.18          | N/A  | N/A          | N/A          |
| <b>methylated soybean oil</b>                 | Soil fumigation/preplant | 415.57         | 16   | 489.0        | A            |
| <b>methylated soybean oil</b>                 | Tomato, processing       | 401.75         | 13   | 541.5        | A            |
| <b>methylated soybean oil</b>                 | Uncultivated ag          | 2,609.19       | 102  | 3,768.5      | A            |

| Chemical   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| <b>methylated soybean oil</b>                              | Uncultivated non-ag     | 221.76         | 7    | 1,020.0      | A            |
| <b>methylated soybean oil</b>                              | Walnut                  | 227.62         | 18   | 286.64       | A            |
| <b>methyl bromide</b>                                      | Fumigation, other       | 2,330.0        | N/A  | N/A          | N/A          |
| <b>methyl bromide</b>                                      | Walnut                  | 2,095.0        | N/A  | 248,000.0    | C            |
| <b>methyl-2,3-dichloro-9-hydroxyfluorene-9-carboxylate</b> | Landscape maintenance   | 0.01           | N/A  | N/A          | N/A          |
| <b>methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b> | Landscape maintenance   | 0.31           | N/A  | N/A          | N/A          |
| <b>methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate</b> | Structural pest control | 0.06           | N/A  | N/A          | N/A          |
| <b>methylene chloride</b>                                  | Landscape maintenance   | 0.04           | N/A  | N/A          | N/A          |
| <b>methyl eugenol</b>                                      | Rights of way           | 120.3          | N/A  | N/A          | N/A          |
| <b>2-methyl-4-isothiazolin-3-one</b>                       | Water (industrial)      | 5.56           | N/A  | 161.0        | U            |
| <b>methyl silicone resins</b>                              | Alfalfa                 | 5.19           | 2    | 119.0        | A            |
| <b>methyl silicone resins</b>                              | Almond                  | 8.98           | 1    | 40.0         | A            |
| <b>methyl silicone resins</b>                              | Cherry                  | 3.93           | 2    | 22.0         | A            |
| <b>methyl silicone resins</b>                              | Corn, human consumption | 0.84           | 1    | 15.0         | A            |
| <b>methyl silicone resins</b>                              | Garlic                  | 23.0           | 10   | 522.0        | A            |
| <b>methyl silicone resins</b>                              | Grape, wine             | 43.41          | 4    | 162.0        | A            |
| <b>methyl silicone resins</b>                              | Landscape maintenance   | 0.01           | N/A  | N/A          | N/A          |
| <b>methyl silicone resins</b>                              | Walnut                  | 6.45           | 3    | 46.0         | A            |
| <b>metofluthrin</b>  | Structural pest control | 0.2            | N/A  | N/A          | N/A          |
| <b>s-metolachlor</b>                                       | Bean, succulent         | 47.27          | 5    | 40.0         | A            |
| <b>s-metolachlor</b>                                       | Corn, human consumption | 871.99         | 19   | 593.5        | A            |
| <b>s-metolachlor</b>                                       | Safflower               | 254.47         | 6    | 160.0        | A            |
| <b>s-metolachlor</b>                                       | Tomato, processing      | 3,429.47       | 58   | 2,226.92     | A            |

| Chemical      | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------|------------------------------|----------------|------|--------------|--------------|
| s-metolachlor | Uncultivated ag              | 50.01          | 1    | 35.0         | A            |
| metrafenone   | Grape, wine                  | 21.38          | 4    | 82.1         | A            |
| mineral oil   | Alfalfa                      | 29.85          | 10   | 713.0        | A            |
| mineral oil   | Almond                       | 419.49         | 1    | 40.0         | A            |
| mineral oil   | Apple                        | 536.21         | 11   | 41.13        | A            |
| mineral oil   | Apricot                      | 420.98         | 28   | 176.82       | A            |
| mineral oil   | Bean, succulent              | 0.07           | 1    | 9.0          | A            |
| mineral oil   | Cherry                       | 3,209.07       | 57   | 438.0        | A            |
| mineral oil   | Corn, human consumption      | 899.98         | 39   | 685.06       | A            |
| mineral oil   | Garlic                       | 3.72           | 5    | 254.48       | A            |
| mineral oil   | Golf course turf             | 466.68         | N/A  | 40.0         | A            |
| mineral oil   | Golf course turf             | 47.94          | N/A  | 103,000.0    | S            |
| mineral oil   | Golf course turf             | 47.94          | N/A  | 103,000.0    | U            |
| mineral oil   | Grape                        | 1.39           | 5    | 6.68         | A            |
| mineral oil   | Grape, wine                  | 569.46         | 229  | 1,620.95     | A            |
| mineral oil   | Landscape maintenance        | 3,066.28       | N/A  | N/A          | N/A          |
| mineral oil   | N-grnhs flower               | 1,358.73       | N/A  | 33.0         | A            |
| mineral oil   | N-grnhs plants in containers | 33.33          | 3    | 30,000.0     | S            |
| mineral oil   | N-outdr plants in containers | 8.28           | 2    | 14,000.0     | S            |
| mineral oil   | Nectarine                    | 566.21         | 40   | 146.75       | A            |
| mineral oil   | Oat (forage - fodder)        | 2.02           | 3    | 82.0         | A            |
| mineral oil   | Olive                        | 3.76           | 2    | 59.34        | A            |
| mineral oil   | Peach                        | 1,690.76       | 65   | 562.46       | A            |
| mineral oil   | Pear                         | 525.22         | 11   | 93.0         | A            |
| mineral oil   | Plum                         | 633.44         | 21   | 134.63       | A            |
| mineral oil   | Public health                | 10.94          | N/A  | N/A          | N/A          |

| Chemical                | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------|------------------------------|----------------|------|--------------|--------------|
| mineral oil             | Rights of way                | 1,244.66       | N/A  | N/A          | N/A          |
| mineral oil             | Soil fumigation/preplant     | 21.75          | 16   | 489.0        | A            |
| mineral oil             | Squash                       | 17.55          | 1    | 10.0         | A            |
| mineral oil             | Tomato, processing           | 21.03          | 13   | 541.5        | A            |
| mineral oil             | Uncultivated ag              | 136.59         | 102  | 3,768.5      | A            |
| mineral oil             | Walnut                       | 11.73          | 17   | 271.64       | A            |
| msma                    | Golf course turf             | 18.97          | N/A  | 18.0         | A            |
| msma                    | Landscape maintenance        | 6.25           | N/A  | N/A          | N/A          |
| muscalure               | Structural pest control      | 0.06           | N/A  | N/A          | N/A          |
| myclobutanol            | Apricot                      | 4.8            | 5    | 32.0         | A            |
| myclobutanol            | Cherry                       | 44.61          | 20   | 300.5        | A            |
| myclobutanol            | Grape                        | 0.09           | 2    | 1.32         | A            |
| myclobutanol            | Grape, wine                  | 36.38          | 25   | 334.88       | A            |
| myclobutanol            | Landscape maintenance        | 25.11          | N/A  | N/A          | N/A          |
| myclobutanol            | N-outdr plants in containers | 0.13           | 15   | 1.59         | A            |
| myclobutanol            | Nectarine                    | 1.85           | 7    | 13.0         | A            |
| myclobutanol            | Peach                        | 3.68           | 10   | 28.21        | A            |
| myclobutanol            | Plum                         | 0.6            | 2    | 4.0          | A            |
| myclobutanol            | Strawberry                   | 0.6            | 5    | 13.0         | A            |
| naa                     | Landscape maintenance        | 0.86           | N/A  | N/A          | N/A          |
| naa, ammonium salt      | Landscape maintenance        | 0.65           | N/A  | N/A          | N/A          |
| naphtha, heavy aromatic | Structural pest control      | 0.09           | N/A  | N/A          | N/A          |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| nicarbazin  | Structural pest control | 3.88           | N/A  | N/A          | N/A          |
| nonanoic acid   | Landscape maintenance   | 509.1          | N/A  | N/A          | N/A          |
| nonanoic acid, other related                            | Landscape maintenance   | 26.79          | N/A  | N/A          | N/A          |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Almond                  | 8.03           | 4    | 136.6        | A            |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Apricot                 | 4.59           | 3    | 45.0         | A            |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Cherry                  | 44.3           | 20   | 400.0        | A            |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Corn (forage - fodder)  | 17.39          | 1    | 180.0        | A            |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Grape, wine             | 134.71         | 106  | 1,195.99     | A            |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Nectarine               | 1.08           | 1    | 2.0          | A            |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Peach                   | 0.64           | 3    | 9.5          | A            |
| 4-nonylphenol, formaldehyde resin, propoxylated         | Walnut                  | 6.47           | 3    | 61.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Alfalfa                 | 343.56         | 65   | 2,815.6      | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Almond                  | 112.02         | 8    | 307.4        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Apple                   | 69.07          | 6    | 83.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Apricot                 | 47.3           | 12   | 81.62        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, succulent         | 3.65           | 1    | 10.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Cherry                  | 1,792.73       | 148  | 2,512.5      | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn (forage - fodder)  | 125.33         | 18   | 1,124.8      | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, human consumption | 1,428.46       | 351  | 8,559.5      | A            |

| Chemical  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Forage hay/silage            | 63.21          | 3    | 291.5        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Golf course turf             | 5.5            | N/A  | 10.5         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape                        | 14.88          | 6    | 22.5         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, wine                  | 795.96         | 95   | 1,628.82     | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape maintenance        | 284.45         | N/A  | N/A          | N/A          |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.06           | 2    | 0.25         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.01           | N/A  | 61.0         | U            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Nectarine                    | 9.57           | 13   | 21.5         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Oat                          | 1.22           | 1    | 10.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Oat (forage - fodder)        | 14.26          | 7    | 226.0        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Peach                        | 19.0           | 18   | 44.5         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Plum                         | 10.11          | 6    | 18.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pomegranate                  | 11.86          | 3    | 24.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pumpkin                      | 2.43           | 1    | 4.0          | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Regulatory pest control      | 0.03           | N/A  | N/A          | N/A          |

| Chemical   | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|--------------------------|----------------|------|--------------|--------------|
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Rights of way            | 1,880.78       | N/A  | N/A          | N/A          |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Safflower                | 3.04           | 1    | 150.0        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Soil fumigation/preplant | 9.94           | 16   | 489.0        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Tomato                   | 109.18         | 17   | 428.5        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Tomato, processing       | 279.46         | 81   | 3,931.92     | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Uncultivated ag          | 244.78         | 64   | 2,787.7      | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Uncultivated non-ag      | 1,560.63       | 5    | 990.0        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Walnut                   | 191.3          | 9    | 182.0        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Water area               | 0.34           | N/A  | 11.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Wheat                    | 239.28         | 4    | 1,686.16     | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)                  | Wheat (forage - fodder)  | 14.28          | 11   | 236.5        | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Almond                   | 4.27           | 3    | 48.4         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Cherry                   | 0.1            | 1    | 10.0         | A            |
| alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Tomato, processing       | 0.44           | 3    | 38.92        | A            |
| novaluron  | Corn, human consumption  | 87.38          | 55   | 1,218.0      | A            |

| Chemical                                      | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| <b>novaluron</b>                              | Structural pest control      | 33.82          | N/A  | N/A          | N/A          |
| <b>noviflumuron</b>                           | Structural pest control      | 0.84           | N/A  | N/A          | N/A          |
| <b>n-octyl bicycloheptene dicarboximide</b>   | Landscape maintenance        | <0.01          | N/A  | N/A          | N/A          |
| <b>n-octyl bicycloheptene dicarboximide</b>   | N-grnhs plants in containers | <0.01          | 2    | 0.08         | A            |
| <b>n-octyl bicycloheptene dicarboximide</b>   | Public health                | <0.01          | N/A  | N/A          | N/A          |
| <b>n-octyl bicycloheptene dicarboximide</b>   | Regulatory pest control      | 0.1            | N/A  | N/A          | N/A          |
| <b>n-octyl bicycloheptene dicarboximide</b>   | Structural pest control      | 34.33          | N/A  | N/A          | N/A          |
| <b>octyl decyl dimethyl ammonium chloride</b> | Structural pest control      | 5.9            | N/A  | N/A          | N/A          |
| <b>oil of black pepper</b>                    | Structural pest control      | 0.01           | N/A  | N/A          | N/A          |
| <b>oleic acid</b>                             | Almond                       | 10.04          | 4    | 136.6        | A            |
| <b>oleic acid</b>                             | Apricot                      | 4.72           | 2    | 44.0         | A            |
| <b>oleic acid</b>                             | Cherry                       | 55.38          | 20   | 400.0        | A            |
| <b>oleic acid</b>                             | Grape, wine                  | 163.08         | 105  | 1,143.0      | A            |
| <b>oleic acid</b>                             | Peach                        | 0.46           | 2    | 6.5          | A            |
| <b>oleic acid</b>                             | Walnut                       | 8.09           | 3    | 61.0         | A            |
| <b>oleic acid, ethyl ester</b>                | Alfalfa                      | 10.35          | 1    | 180.0        | A            |
| <b>oleic acid, ethyl ester</b>                | Landscape maintenance        | 314.1          | N/A  | N/A          | N/A          |
| <b>oleic acid, ethyl ester</b>                | Uncultivated non-ag          | 104.27         | 3    | 140.0        | A            |
| <b>oleic acid, ethyl ester</b>                | Water area                   | 938.48         | N/A  | 316.08       | A            |
| <b>oleic acid, methyl ester</b>               | Cherry                       | 5.94           | 1    | 17.0         | A            |
| <b>oleic acid, methyl ester</b>               | Grape, wine                  | 11.21          | 1    | 33.25        | A            |

| Chemical   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| oleic acid, methyl ester                         | Landscape maintenance        | 13.57          | N/A  | N/A          | N/A          |
| oleic acid, methyl ester                         | Rights of way                | 3.7            | N/A  | N/A          | N/A          |
| oleic acid, methyl ester                         | Uncultivated non-ag          | 37.9           | 1    | 40.0         | A            |
| organosilicone, poly oxyalkylene ether copolymer | Alfalfa                      | 3.47           | 1    | 46.2         | A            |
| organosilicone, poly oxyalkylene ether copolymer | Landscape maintenance        | 1.59           | N/A  | N/A          | N/A          |
| oryzalin   | Almond                       | 780.15         | 7    | 149.47       | A            |
| oryzalin   | Apple                        | 29.57          | 1    | 5.63         | A            |
| oryzalin   | Apricot                      | 91.03          | 2    | 17.34        | A            |
| oryzalin   | Cherry                       | 937.12         | 17   | 191.46       | A            |
| oryzalin   | Grape                        | 8.32           | 1    | 2.0          | A            |
| oryzalin   | Grape, wine                  | 487.34         | 24   | 90.63        | A            |
| oryzalin   | Landscape maintenance        | 144.98         | N/A  | N/A          | N/A          |
| oryzalin   | Nectarine                    | 3.95           | 1    | 0.75         | A            |
| oryzalin   | Olive                        | 284.4          | 1    | 54.17        | A            |
| oryzalin   | Orchard floor                | 0.52           | 1    | 1.0          | A            |
| oryzalin   | Peach                        | 7.9            | 1    | 1.5          | A            |
| oryzalin   | Plum                         | 21.68          | 1    | 4.13         | A            |
| oryzalin   | Public health                | 16.58          | N/A  | N/A          | N/A          |
| oryzalin   | Regulatory pest control      | 4.88           | N/A  | N/A          | N/A          |
| oryzalin   | Rights of way                | 122.37         | N/A  | N/A          | N/A          |
| oryzalin   | Walnut                       | 434.88         | 8    | 83.73        | A            |
| oxadiaxon  | Landscape maintenance        | 201.15         | N/A  | N/A          | N/A          |
| oxadiaxon  | N-outdr flower               | 62.5           | 2    | 2.5          | A            |
| oxadiaxon  | Rights of way                | 14.88          | N/A  | N/A          | N/A          |
| oxathiapiprolin                                  | N-outdr plants in containers | 0.31           | 10   | 1.26         | A            |

| Chemical                                | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--------------------------|----------------|------|--------------|--------------|
| <b>oxyfluorfen</b>                      | Almond                   | 132.81         | 3    | 78.75        | A            |
| <b>oxyfluorfen</b>                      | Apple                    | 11.46          | 1    | 5.63         | A            |
| <b>oxyfluorfen</b>                      | Apricot                  | 37.86          | 5    | 21.08        | A            |
| <b>oxyfluorfen</b>                      | Cherry                   | 483.82         | 35   | 308.82       | A            |
| <b>oxyfluorfen</b>                      | Garlic                   | 137.79         | 12   | 450.98       | A            |
| <b>oxyfluorfen</b>                      | Grape                    | 3.39           | 1    | 2.7          | A            |
| <b>oxyfluorfen</b>                      | Grape, wine              | 699.71         | 55   | 374.21       | A            |
| <b>oxyfluorfen</b>                      | Landscape maintenance    | 105.04         | N/A  | N/A          | N/A          |
| <b>oxyfluorfen</b>                      | Nectarine                | 3.22           | 3    | 3.18         | A            |
| <b>oxyfluorfen</b>                      | Olive                    | 108.7          | 1    | 54.17        | A            |
| <b>oxyfluorfen</b>                      | Peach                    | 8.59           | 4    | 9.85         | A            |
| <b>oxyfluorfen</b>                      | Plum                     | 10.09          | 3    | 5.56         | A            |
| <b>oxyfluorfen</b>                      | Pomegranate              | 12.19          | 1    | 8.0          | A            |
| <b>oxyfluorfen</b>                      | Rights of way            | 243.27         | N/A  | N/A          | N/A          |
| <b>oxyfluorfen</b>                      | Soil fumigation/preplant | 8.97           | 6    | 143.0        | A            |
| <b>oxyfluorfen</b>                      | Uncultivated non-ag      | 135.44         | 4    | 180.0        | A            |
| <b>oxyfluorfen</b>                      | Walnut                   | 296.69         | 16   | 163.34       | A            |
| <b>oxytetracycline, calcium complex</b> | Pome fruit               | 0.63           | 4    | 2.0          | A            |
| <b>oxytetracycline hydrochloride</b>    | Landscape maintenance    | 0.58           | N/A  | N/A          | N/A          |
| <b>paclobutrazol</b>                    | Golf course turf         | 1.44           | N/A  | 10.5         | A            |
| <b>paclobutrazol</b>                    | Golf course turf         | 0.04           | N/A  | 7,725.0      | S            |
| <b>paclobutrazol</b>                    | Landscape maintenance    | 134.97         | N/A  | N/A          | N/A          |
| <b>paraquat dichloride</b>              | Alfalfa                  | 195.16         | 1    | 290.0        | A            |
| <b>paraquat dichloride</b>              | Almond                   | 25.07          | 1    | 18.18        | A            |
| <b>paraquat dichloride</b>              | Cherry                   | 10.43          | 1    | 17.0         | A            |
| <b>paraquat dichloride</b>              | Grape, wine              | 86.4           | 15   | 70.5         | A            |

| Chemical                  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|-------------------------|----------------|------|--------------|--------------|
| <b>pcnb</b>               | Landscape maintenance   | 374.04         | N/A  | N/A          | N/A          |
| <b>pcp, other related</b> | Landscape maintenance   | <0.01          | N/A  | N/A          | N/A          |
| <b>pendimethalin</b>      | Cherry                  | 30.98          | 2    | 12.68        | A            |
| <b>pendimethalin</b>      | Garlic                  | 186.06         | 7    | 196.5        | A            |
| <b>pendimethalin</b>      | Grape, wine             | 115.11         | 4    | 41.48        | A            |
| <b>pendimethalin</b>      | Landscape maintenance   | 2,953.1        | N/A  | N/A          | N/A          |
| <b>pendimethalin</b>      | Regulatory pest control | 43.95          | N/A  | N/A          | N/A          |
| <b>pendimethalin</b>      | Rights of way           | 297.35         | N/A  | N/A          | N/A          |
| <b>pendimethalin</b>      | Tomato                  | 265.0          | 8    | 254.0        | A            |
| <b>pendimethalin</b>      | Tomato, processing      | 1,541.13       | 35   | 1,469.5      | A            |
| <b>penoxsulam</b>         | Golf course turf        | 0.01           | N/A  | 5,000.0      | S            |
| <b>penoxsulam</b>         | Landscape maintenance   | 2.5            | N/A  | N/A          | N/A          |
| <b>penoxsulam</b>         | Rights of way           | 4.37           | N/A  | N/A          | N/A          |
| <b>penoxsulam</b>         | Walnut                  | 1.91           | 4    | 61.83        | A            |
| <b>penoxsulam</b>         | Water area              | 0.66           | N/A  | 6.0          | A            |
| <b>pentachlorophenol</b>  | Landscape maintenance   | 0.02           | N/A  | N/A          | N/A          |
| <b>pentiopyrad</b>        | Bean, succulent         | 3.13           | 1    | 10.0         | A            |
| <b>pentiopyrad</b>        | Golf course turf        | 36.29          | N/A  | 56.75        | A            |
| <b>pentiopyrad</b>        | Landscape maintenance   | 41.06          | N/A  | N/A          | N/A          |
| <b>pentiopyrad</b>        | N-grnhs flower          | 6.5            | N/A  | 6.0          | A            |
| <b>permethrin</b>         | Landscape maintenance   | 179.41         | N/A  | N/A          | N/A          |
| <b>permethrin</b>         | Structural pest control | 112.44         | N/A  | N/A          | N/A          |

| Chemical                         | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------------|-------------------------|----------------|------|--------------|--------------|
| permethrin, other related        | Landscape maintenance   | <0.01          | N/A  | N/A          | N/A          |
| permethrin, other related        | Structural pest control | 0.04           | N/A  | N/A          | N/A          |
| peroxyacetic acid                | Cherry                  | 10.22          | 3    | 78.0         | A            |
| peroxyacetic acid                | Ditch bank              | 150.54         | N/A  | 1.0          | U            |
| peroxyacetic acid                | Landscape maintenance   | 0.12           | N/A  | N/A          | N/A          |
| peroxyacetic acid                | Rights of way           | 50.53          | N/A  | N/A          | N/A          |
| petroleum distillates            | Landscape maintenance   | 184.21         | N/A  | N/A          | N/A          |
| petroleum distillates            | Public health           | 3.04           | N/A  | N/A          | N/A          |
| petroleum distillates            | Structural pest control | 9.09           | N/A  | N/A          | N/A          |
| petroleum distillates, aliphatic | Oat (forage - fodder)   | <0.01          | 1    | 4.0          | A            |
| petroleum distillates, aromatic  | Cherry                  | 7.32           | 1    | 10.0         | A            |
| petroleum distillates, aromatic  | Tomato, processing      | 30.64          | 3    | 38.92        | A            |
| petroleum distillates, refined   | Cherry                  | 91.48          | 2    | 13.0         | A            |
| petroleum distillates, refined   | Corn, human consumption | 348.19         | 12   | 230.5        | A            |
| petroleum distillates, refined   | Grape, wine             | 321.64         | 12   | 55.0         | A            |
| petroleum distillates, refined   | Landscape maintenance   | 4.0            | N/A  | N/A          | N/A          |
| petroleum distillates, refined   | Public health           | 18,808.77      | N/A  | N/A          | N/A          |
| petroleum naphthenic oils        | Oat (forage - fodder)   | 0.05           | 1    | 4.0          | A            |
| petroleum oil, paraffin based    | Landscape maintenance   | 2.73           | N/A  | N/A          | N/A          |
| petroleum oil, paraffin based    | Water area              | 1,146.49       | N/A  | 329.33       | A            |
| petroleum oil, unclassified      | Landscape maintenance   | 50.29          | N/A  | N/A          | N/A          |

| <b>Chemical</b>                    | <b>Commodity or Site</b> | <b>Pounds Applied</b> | <b>Apps</b> | <b>Area Treated</b> | <b>Unit Treated</b> |
|------------------------------------|--------------------------|-----------------------|-------------|---------------------|---------------------|
| <b>petroleum oil, unclassified</b> | Structural pest control  | 0.11                  | N/A         | N/A                 | N/A                 |
| <b>phenothrin</b>                  | Landscape maintenance    | 0.01                  | N/A         | N/A                 | N/A                 |
| <b>phenothrin</b>                  | Regulatory pest control  | 0.04                  | N/A         | N/A                 | N/A                 |
| <b>phenothrin</b>                  | Structural pest control  | 2.31                  | N/A         | N/A                 | N/A                 |
| <b>phenothrin, other related</b>   | Structural pest control  | <0.01                 | N/A         | N/A                 | N/A                 |
| <b>phenylethyl propionate</b>      | Structural pest control  | 0.3                   | N/A         | N/A                 | N/A                 |
| <b>phosphine</b>                   | Fumigation, other        | 0.08                  | N/A         | N/A                 | N/A                 |
| <b>phosphoric acid</b>             | Alfalfa                  | 9.07                  | 10          | 388.0               | A                   |
| <b>phosphoric acid</b>             | Almond                   | 49.69                 | 25          | 748.91              | A                   |
| <b>phosphoric acid</b>             | Apricot                  | 1.67                  | 7           | 39.09               | A                   |
| <b>phosphoric acid</b>             | Bean, succulent          | 2.32                  | 7           | 78.0                | A                   |
| <b>phosphoric acid</b>             | Cherry                   | 119.41                | 110         | 1,367.69            | A                   |
| <b>phosphoric acid</b>             | Corn, human consumption  | 7.15                  | 19          | 561.0               | A                   |
| <b>phosphoric acid</b>             | Golf course turf         | 0.18                  | N/A         | 17.49               | A                   |
| <b>phosphoric acid</b>             | Grape, wine              | 109.88                | 143         | 1,764.18            | A                   |
| <b>phosphoric acid</b>             | Landscape maintenance    | 35.14                 | N/A         | N/A                 | N/A                 |
| <b>phosphoric acid</b>             | Nectarine                | 0.2                   | 2           | 1.43                | A                   |
| <b>phosphoric acid</b>             | Olive                    | 19.41                 | 7           | 393.95              | A                   |
| <b>phosphoric acid</b>             | Peach                    | 0.57                  | 4           | 5.22                | A                   |
| <b>phosphoric acid</b>             | Plum                     | 0.2                   | 2           | 1.43                | A                   |
| <b>phosphoric acid</b>             | Rights of way            | 27.43                 | N/A         | N/A                 | N/A                 |
| <b>phosphoric acid</b>             | Uncultivated ag          | 8.71                  | 22          | 395.0               | A                   |
| <b>phosphoric acid</b>             | Walnut                   | 71.48                 | 38          | 734.94              | A                   |

| Chemical   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| <b>phosphoric acid</b>                             | Wheat (forage - fodder)      | 2.69           | 4    | 135.0        | A            |
| <b>pine oil</b>                                    | Landscape maintenance        | 0.01           | N/A  | N/A          | N/A          |
| <b>pinoxaden</b>                                   | Wheat                        | 0.05           | 1    | 150.0        | A            |
| <b>piperine</b>                                    | Structural pest control      | <0.01          | N/A  | N/A          | N/A          |
| <b>piperonyl butoxide</b>                          | Landscape maintenance        | 0.52           | N/A  | N/A          | N/A          |
| <b>piperonyl butoxide</b>                          | N-grnhs plants in containers | <0.01          | 2    | 0.08         | A            |
| <b>piperonyl butoxide</b>                          | Public health                | 9.37           | N/A  | N/A          | N/A          |
| <b>piperonyl butoxide</b>                          | Regulatory pest control      | 1.27           | N/A  | N/A          | N/A          |
| <b>piperonyl butoxide</b>                          | Structural pest control      | 364.15         | N/A  | N/A          | N/A          |
| <b>piperonyl butoxide, other related</b>           | Landscape maintenance        | 0.13           | N/A  | N/A          | N/A          |
| <b>piperonyl butoxide, other related</b>           | N-grnhs plants in containers | <0.01          | 2    | 0.08         | A            |
| <b>piperonyl butoxide, other related</b>           | Public health                | 2.34           | N/A  | N/A          | N/A          |
| <b>piperonyl butoxide, other related</b>           | Structural pest control      | 5.42           | N/A  | N/A          | N/A          |
| <b>polyacrylamide, polyethylene glycol mixture</b> | Rights of way                | 4.46           | N/A  | N/A          | N/A          |
| <b>polyacrylamide polymer</b>                      | Alfalfa                      | 2.93           | 10   | 388.0        | A            |
| <b>polyacrylamide polymer</b>                      | Almond                       | 2.87           | 6    | 131.59       | A            |
| <b>polyacrylamide polymer</b>                      | Cherry                       | 3.69           | 19   | 179.23       | A            |
| <b>polyacrylamide polymer</b>                      | Grape, wine                  | 0.11           | 1    | 5.0          | A            |
| <b>polyacrylamide polymer</b>                      | Oat (forage - fodder)        | 0.26           | 3    | 140.0        | A            |
| <b>polyacrylamide polymer</b>                      | Olive                        | 2.35           | 2    | 113.26       | A            |
| <b>polyacrylamide polymer</b>                      | Pastureland                  | 0.75           | 2    | 200.0        | A            |

| Chemical   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| <b>polyacrylamide polymer</b>                            | Rights of way                | 6.88           | N/A  | N/A          | N/A          |
| <b>polyacrylamide polymer</b>                            | Safflower                    | 0.56           | 1    | 150.0        | A            |
| <b>polyacrylamide polymer</b>                            | Uncultivated ag              | 5.15           | 15   | 919.2        | A            |
| <b>polyacrylamide polymer</b>                            | Walnut                       | 0.63           | 4    | 32.66        | A            |
| <b>polyacrylamide polymer</b>                            | Wheat (forage - fodder)      | 0.87           | 4    | 135.0        | A            |
| <b>polyacrylic polymer</b>                               | Landscape maintenance        | 2.73           | N/A  | N/A          | N/A          |
| <b>polyalkene oxide modified heptamethyl trisiloxane</b> | Landscape maintenance        | 15.44          | N/A  | N/A          | N/A          |
| <b>polyalkene oxide modified heptamethyl trisiloxane</b> | N-outdr plants in containers | <0.01          | N/A  | 61.0         | U            |
| <b>polybutenes</b>                                       | Almond                       | 6.69           | 4    | 136.6        | A            |
| <b>polybutenes</b>                                       | Apricot                      | 3.57           | 3    | 45.0         | A            |
| <b>polybutenes</b>                                       | Cherry                       | 36.92          | 20   | 400.0        | A            |
| <b>polybutenes</b>                                       | Corn (forage - fodder)       | 9.16           | 1    | 180.0        | A            |
| <b>polybutenes</b>                                       | Grape, wine                  | 108.72         | 105  | 1,143.0      | A            |
| <b>polybutenes</b>                                       | Landscape maintenance        | 13.17          | N/A  | N/A          | N/A          |
| <b>polybutenes</b>                                       | Nectarine                    | 0.57           | 1    | 2.0          | A            |
| <b>polybutenes</b>                                       | Peach                        | 0.45           | 3    | 9.5          | A            |
| <b>polybutenes</b>                                       | Structural pest control      | 8.82           | N/A  | N/A          | N/A          |
| <b>polybutenes</b>                                       | Vertebrate control           | 14.54          | N/A  | N/A          | N/A          |
| <b>polybutenes</b>                                       | Walnut                       | 5.39           | 3    | 61.0         | A            |
| <b>polyether modified polysiloxane</b>                   | Almond                       | 37.1           | 19   | 617.32       | A            |
| <b>polyether modified polysiloxane</b>                   | Apricot                      | 1.52           | 7    | 39.09        | A            |
| <b>polyether modified polysiloxane</b>                   | Bean, succulent              | 2.11           | 7    | 78.0         | A            |
| <b>polyether modified polysiloxane</b>                   | Cherry                       | 98.18          | 91   | 1,188.46     | A            |

| Chemical                               | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| <b>polyether modified polysiloxane</b> | Corn, human consumption | 6.5            | 19   | 561.0        | A            |
| <b>polyether modified polysiloxane</b> | Grape, wine             | 99.57          | 142  | 1,759.18     | A            |
| <b>polyether modified polysiloxane</b> | Nectarine               | 0.18           | 2    | 1.43         | A            |
| <b>polyether modified polysiloxane</b> | Olive                   | 11.05          | 5    | 280.69       | A            |
| <b>polyether modified polysiloxane</b> | Peach                   | 0.52           | 4    | 5.22         | A            |
| <b>polyether modified polysiloxane</b> | Plum                    | 0.18           | 2    | 1.43         | A            |
| <b>polyether modified polysiloxane</b> | Rights of way           | 2.42           | N/A  | N/A          | N/A          |
| <b>polyether modified polysiloxane</b> | Uncultivated ag         | 6.5            | 20   | 363.5        | A            |
| <b>polyether modified polysiloxane</b> | Walnut                  | 63.22          | 34   | 702.28       | A            |
| <b>polyethylene glycol</b>             | Alfalfa                 | 5.49           | 3    | 110.0        | A            |
| <b>polyethylene glycol</b>             | Almond                  | 57.09          | 2    | 138.0        | A            |
| <b>polyethylene glycol</b>             | Apple                   | 37.68          | 6    | 83.0         | A            |
| <b>polyethylene glycol</b>             | Apricot                 | 25.8           | 12   | 81.62        | A            |
| <b>polyethylene glycol</b>             | Bean, succulent         | 1.99           | 1    | 10.0         | A            |
| <b>polyethylene glycol</b>             | Cherry                  | 742.49         | 123  | 2,227.0      | A            |
| <b>polyethylene glycol</b>             | Corn (forage - fodder)  | 2.78           | 7    | 299.0        | A            |
| <b>polyethylene glycol</b>             | Corn, human consumption | 742.32         | 333  | 8,026.0      | A            |
| <b>polyethylene glycol</b>             | Forage hay/silage       | 3.98           | 1    | 17.0         | A            |
| <b>polyethylene glycol</b>             | Grape                   | 8.11           | 5    | 20.5         | A            |
| <b>polyethylene glycol</b>             | Grape, wine             | 426.38         | 83   | 1,327.0      | A            |
| <b>polyethylene glycol</b>             | Nectarine               | 5.22           | 13   | 21.5         | A            |
| <b>polyethylene glycol</b>             | Oat                     | 0.66           | 1    | 10.0         | A            |
| <b>polyethylene glycol</b>             | Oat (forage - fodder)   | 5.44           | 4    | 86.0         | A            |
| <b>polyethylene glycol</b>             | Peach                   | 10.36          | 18   | 44.5         | A            |
| <b>polyethylene glycol</b>             | Plum                    | 5.52           | 6    | 18.0         | A            |
| <b>polyethylene glycol</b>             | Pomegranate             | 6.36           | 2    | 16.0         | A            |
| <b>polyethylene glycol</b>             | Pumpkin                 | 1.33           | 1    | 4.0          | A            |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| <b>polyethylene glycol</b>  | Rights of way           | 0.12           | N/A  | N/A          | N/A          |
| <b>polyethylene glycol</b>  | Tomato                  | 59.55          | 17   | 428.5        | A            |
| <b>polyethylene glycol</b>  | Tomato, processing      | 75.27          | 18   | 665.5        | A            |
| <b>polyethylene glycol</b>  | Uncultivated non-ag     | 7.95           | N/A  | 70.0         | A            |
| <b>polyethylene glycol</b>  | Walnut                  | 104.33         | 8    | 167.0        | A            |
| <b>polyethylene glycol</b>  | Wheat                   | 56.69          | 2    | 1,061.16     | A            |
| <b>polyethylene glycol</b>  | Wheat (forage - fodder) | 3.74           | 2    | 75.0         | A            |
| <b>polyethylene glycol diacetate</b>  | Rights of way           | 0.01           | N/A  | N/A          | N/A          |
| <b>polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether</b>                    | Landscape maintenance   | 1.58           | N/A  | N/A          | N/A          |
| <b>polyethylene glycol stearate</b>   | Alfalfa                 | 2.59           | 1    | 180.0        | A            |
| <b>polyethylene glycol stearate</b>   | Uncultivated non-ag     | 26.07          | 3    | 140.0        | A            |
| <b>polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helicoverpa zea (corn earworm)</b> | Bean, succulent         | 0.13           | 1    | 28.0         | A            |
| <b>polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helicoverpa zea (corn earworm)</b> | Corn, human consumption | 13.25          | 143  | 2,788.5      | A            |
| <b>polyhedral occlusion bodies (ob's) of the nuclear polyhedrosis virus of helicoverpa zea (corn earworm)</b> | Squash                  | 0.05           | 1    | 10.0         | A            |
| <b>poly-i-para-menthene</b>   | Grape, wine             | 3.34           | N/A  | 2.51         | A            |
| <b>polymerized pinene</b>   | Landscape maintenance   | 3,236.89       | N/A  | N/A          | N/A          |
| <b>polyoxin d, zinc salt</b>  | Landscape maintenance   | 2.99           | N/A  | N/A          | N/A          |
| <b>polyoxin d, zinc salt</b>  | N-grnhs flower          | 2.82           | N/A  | 12.0         | A            |
| <b>polyoxyethylene dioleate</b>   | Alfalfa                 | 0.07           | 1    | 46.2         | A            |
| <b>polyoxyethylene dioleate</b>   | Landscape maintenance   | 55.0           | N/A  | N/A          | N/A          |
| <b>polyoxyethylene dioleate</b>   | Water area              | 164.23         | N/A  | 316.08       | A            |
| <b>polyoxyethylene polyoxypropylene</b>   | Grape                   | 1.38           | 6    | 3.96         | A            |
| <b>polyoxyethylene polyoxypropylene</b>   | Olive                   | 0.16           | 1    | 0.25         | A            |

| Chemical   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Alfalfa                 | 0.99           | 2    | 119.0        | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Almond                  | 1.71           | 1    | 40.0         | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Apricot                 | 0.66           | 2    | 6.0          | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Cherry                  | 2.79           | 7    | 55.0         | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Corn, human consumption | 0.16           | 1    | 15.0         | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Garlic                  | 4.38           | 10   | 522.0        | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Grape, wine             | 13.36          | 5    | 195.25       | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Nectarine               | 0.54           | 2    | 5.0          | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Peach                   | 1.07           | 2    | 10.0         | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Plum                    | 0.2            | 1    | 2.0          | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Uncultivated ag         | 6.79           | 8    | 423.11       | A            |
| <b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b> | Walnut                  | 1.23           | 3    | 46.0         | A            |
| <b>polyoxyethylene sorbitan monolaurate</b>                        | Landscape maintenance   | 47.79          | N/A  | N/A          | N/A          |
| <b>polyoxyethylene sorbitan monooleate</b>                         | Alfalfa                 | 137.57         | 25   | 1,905.6      | A            |
| <b>polyoxyethylene sorbitan monooleate</b>                         | Almond                  | 48.22          | 6    | 163.7        | A            |
| <b>polyoxyethylene sorbitan monooleate</b>                         | Cherry                  | 16.73          | 4    | 50.66        | A            |
| <b>polyoxyethylene sorbitan monooleate</b>                         | Corn (forage - fodder)  | 46.74          | 10   | 652.8        | A            |

| Chemical  | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|-------------------------|----------------|------|--------------|--------------|
| <b>polyoxyethylene sorbitan monooleate</b>          | Landscape maintenance   | 15.71          | N/A  | N/A          | N/A          |
| <b>polyoxyethylene sorbitan monooleate</b>          | Olive                   | 23.99          | 2    | 108.34       | A            |
| <b>polyoxyethylene sorbitan monooleate</b>          | Water area              | 75.1           | N/A  | 645.41       | A            |
| <b>polyoxyethylene sorbitan trioleate</b>           | Rights of way           | 0.08           | N/A  | N/A          | N/A          |
| <b>polyoxyethylene sorbitan trioleate</b>           | Water area              | 185.51         | N/A  | 329.33       | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Alfalfa                 | 216.16         | 45   | 2,851.6      | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Almond                  | 219.4          | 15   | 390.92       | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Apricot                 | 10.7           | 2    | 17.34        | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Bean, succulent         | 10.82          | 2    | 17.0         | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Cherry                  | 250.1          | 37   | 387.99       | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Corn (forage - fodder)  | 26.71          | 10   | 652.8        | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Corn, human consumption | 3,357.61       | 357  | 9,362.96     | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Garlic                  | 90.51          | 5    | 261.0        | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Grape                   | 1.23           | 1    | 2.7          | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Grape, wine             | 444.38         | 53   | 494.84       | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Olive                   | 63.7           | 3    | 162.51       | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Regulatory pest control | 7.67           | N/A  | N/A          | N/A          |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Rights of way           | 122.98         | N/A  | N/A          | N/A          |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Tomato                  | 30.68          | 2    | 102.0        | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Tomato, processing      | 426.66         | 29   | 1,255.5      | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Uncultivated ag         | 367.27         | 70   | 2,647.5      | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Uncultivated non-ag     | 0.55           | 1    | 4.0          | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Walnut                  | 91.25          | 15   | 151.34       | A            |
| <b>polyoxyethylene soybean oil fatty acid ester</b> | Wheat (forage - fodder) | 16.23          | 3    | 110.0        | A            |
| <b>polypropylene glycol</b>                         | Landscape maintenance   | 0.01           | N/A  | N/A          | N/A          |

| Chemical                     | Commodity or Site             | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------------------|-------------------------------|----------------|------|--------------|--------------|
| <b>potash soap</b>           | Landscape maintenance         | 0.33           | N/A  | N/A          | N/A          |
| <b>potassium bicarbonate</b> | Apricot                       | 249.03         | 10   | 99.0         | A            |
| <b>potassium bicarbonate</b> | Grape                         | 5.72           | 3    | 1.82         | A            |
| <b>potassium bicarbonate</b> | Grape, wine                   | 731.3          | 15   | 275.15       | A            |
| <b>potassium bicarbonate</b> | Nectarine                     | 50.84          | 5    | 20.0         | A            |
| <b>potassium bicarbonate</b> | Peach                         | 185.93         | 7    | 73.0         | A            |
| <b>potassium bicarbonate</b> | Plum                          | 16.91          | 3    | 10.0         | A            |
| <b>potassium phosphite</b>   | Alfalfa                       | 1,171.33       | 5    | 673.6        | A            |
| <b>potassium phosphite</b>   | Almond                        | 88.68          | 1    | 68.0         | A            |
| <b>potassium phosphite</b>   | Apple                         | 26.08          | 1    | 15.0         | A            |
| <b>potassium phosphite</b>   | Apricot                       | 38.25          | 1    | 22.0         | A            |
| <b>potassium phosphite</b>   | Cannabis (all or unspecified) | 0.58           | 7    | 5,600.0      | S            |
| <b>potassium phosphite</b>   | Cherry                        | 13.91          | 1    | 8.0          | A            |
| <b>potassium phosphite</b>   | Industrial hemp               | 0.1            | 3    | 3,200.0      | S            |
| <b>potassium phosphite</b>   | Landscape maintenance         | 1,226.75       | N/A  | N/A          | N/A          |
| <b>potassium phosphite</b>   | N-grnhs flower                | 43.5           | N/A  | 2.5          | A            |
| <b>potassium phosphite</b>   | N-outdr plants in containers  | 12.14          | N/A  | 61.0         | U            |
| <b>potassium phosphite</b>   | Walnut                        | 187.79         | 2    | 54.0         | A            |
| <b>potassium silicate</b>    | Cherry                        | 135.47         | 6    | 169.0        | A            |
| <b>potassium silicate</b>    | Grape, wine                   | 994.63         | 93   | 1,306.51     | A            |
| <b>prallethrin</b>           | Landscape maintenance         | <0.01          | N/A  | N/A          | N/A          |
| <b>prallethrin</b>           | Structural pest control       | 8.26           | N/A  | N/A          | N/A          |
| <b>prodiamine</b>            | Landscape maintenance         | 199.09         | N/A  | N/A          | N/A          |
| <b>prodiamine</b>            | N-grnhs flower                | 60.25          | N/A  | 47.0         | A            |

| Chemical                  | Commodity or Site        | Pounds Applied | Apps | Area Treated | Unit Treated |
|---------------------------|--------------------------|----------------|------|--------------|--------------|
| prodiamine                | Rights of way            | 162.72         | N/A  | N/A          | N/A          |
| prohexadione-calcium      | Cherry                   | 4.61           | 2    | 18.0         | A            |
| propamocarb hydrochloride | N-grnhs flower           | 28.68          | N/A  | 6.0          | A            |
| propargite                | Corn, human consumption  | 2,414.28       | 51   | 1,158.0      | A            |
| propiconazole             | Almond                   | 23.01          | 4    | 136.6        | A            |
| propiconazole             | Apricot                  | 5.82           | 4    | 52.5         | A            |
| propiconazole             | Cherry                   | 22.53          | 17   | 201.0        | A            |
| propiconazole             | Citrus                   | <0.01          | 1    | 0.1          | A            |
| propiconazole             | Corn, human consumption  | 3.13           | 1    | 28.0         | A            |
| propiconazole             | Garlic                   | 81.32          | 10   | 522.0        | A            |
| propiconazole             | Golf course turf         | 77.81          | N/A  | 73.29        | A            |
| propiconazole             | Landscape maintenance    | 155.11         | N/A  | N/A          | N/A          |
| propiconazole             | N-grnhs flower           | 37.62          | N/A  | 24.0         | A            |
| propiconazole             | N-outdr flower           | 0.95           | 9    | 9.0          | A            |
| propiconazole             | Nectarine                | 0.11           | 1    | 1.0          | A            |
| propiconazole             | Peach                    | 1.07           | 3    | 9.5          | A            |
| propiconazole             | Plum                     | 0.11           | 1    | 1.0          | A            |
| propiconazole             | Stone fruit              | 0.06           | 1    | 0.5          | A            |
| propionic acid            | Alfalfa                  | 24.67          | 12   | 325.5        | A            |
| propionic acid            | Almond                   | 27.45          | 6    | 169.4        | A            |
| propionic acid            | Corn (forage - fodder)   | 13.09          | 1    | 173.0        | A            |
| propionic acid            | Landscape maintenance    | 8.07           | N/A  | N/A          | N/A          |
| propionic acid            | Safflower                | 11.34          | 1    | 150.0        | A            |
| propionic acid            | Soil fumigation/preplant | 37.07          | 16   | 489.0        | A            |
| propionic acid            | Uncultivated ag          | 78.09          | 19   | 1,039.7      | A            |

| <b>Chemical</b>         | <b>Commodity or Site</b>     | <b>Pounds Applied</b> | <b>Apps</b> | <b>Area Treated</b> | <b>Unit Treated</b> |
|-------------------------|------------------------------|-----------------------|-------------|---------------------|---------------------|
| <b>propoxur</b>         | Public health                | 0.01                  | N/A         | N/A                 | N/A                 |
| <b>propoxur</b>         | Structural pest control      | <0.01                 | N/A         | N/A                 | N/A                 |
| <b>propylene glycol</b> | Alfalfa                      | 12.62                 | 12          | 375.4               | A                   |
| <b>propylene glycol</b> | Corn (forage - fodder)       | 5.49                  | 3           | 249.2               | A                   |
| <b>propylene glycol</b> | Grape                        | 0.09                  | 2           | 1.32                | A                   |
| <b>propylene glycol</b> | Grape, wine                  | 0.12                  | 5           | 6.82                | A                   |
| <b>propylene glycol</b> | Landscape maintenance        | 5.67                  | N/A         | N/A                 | N/A                 |
| <b>propylene glycol</b> | N-outdr plants in containers | <0.01                 | N/A         | 61.0                | U                   |
| <b>propylene glycol</b> | Rights of way                | 20.62                 | N/A         | N/A                 | N/A                 |
| <b>pyraclostrobin</b>   | Apricot                      | 2.73                  | 3           | 26.62               | A                   |
| <b>pyraclostrobin</b>   | Cherry                       | 41.9                  | 22          | 461.0               | A                   |
| <b>pyraclostrobin</b>   | Golf course turf             | 5.64                  | N/A         | 12.1                | A                   |
| <b>pyraclostrobin</b>   | Grape                        | 0.05                  | 1           | 0.66                | A                   |
| <b>pyraclostrobin</b>   | Grape, wine                  | 53.58                 | 78          | 540.25              | A                   |
| <b>pyraclostrobin</b>   | Landscape maintenance        | 29.0                  | N/A         | N/A                 | N/A                 |
| <b>pyraclostrobin</b>   | N-grnhs flower               | 15.41                 | N/A         | 29.5                | A                   |
| <b>pyraclostrobin</b>   | N-outdr plants in containers | 0.19                  | 1           | 1.5                 | A                   |
| <b>pyraclostrobin</b>   | Peach                        | 0.53                  | 2           | 5.5                 | A                   |
| <b>pyraclostrobin</b>   | Regulatory pest control      | 0.2                   | N/A         | N/A                 | N/A                 |
| <b>pyraclostrobin</b>   | Strawberry                   | 0.13                  | 1           | 1.0                 | A                   |
| <b>pyraclostrobin</b>   | Tomato                       | 5.46                  | 2           | 31.5                | A                   |
| <b>pyraclostrobin</b>   | Tomato, processing           | 9.53                  | 2           | 55.0                | A                   |
| <b>pyraclostrobin</b>   | Walnut                       | 0.36                  | 1           | 4.0                 | A                   |
| <b>pyraflufen-ethyl</b> | Apricot                      | 0.07                  | 3           | 13.1                | A                   |

| Chemical         | Commodity or Site             | Pounds Applied | Apps | Area Treated | Unit Treated |
|------------------|-------------------------------|----------------|------|--------------|--------------|
| pyraflufen-ethyl | Cherry                        | 1.13           | 31   | 269.68       | A            |
| pyraflufen-ethyl | Grape                         | 0.01           | 1    | 2.0          | A            |
| pyraflufen-ethyl | Grape, wine                   | 1.64           | 33   | 441.58       | A            |
| pyraflufen-ethyl | Nectarine                     | <0.01          | 1    | 0.43         | A            |
| pyraflufen-ethyl | Olive                         | 1.18           | 4    | 221.6        | A            |
| pyraflufen-ethyl | Peach                         | <0.01          | 1    | 0.86         | A            |
| pyraflufen-ethyl | Plum                          | <0.01          | 1    | 0.43         | A            |
| pyraflufen-ethyl | Rights of way                 | 0.54           | N/A  | N/A          | N/A          |
| pyraflufen-ethyl | Uncultivated ag               | 0.14           | 3    | 41.5         | A            |
| pyraflufen-ethyl | Walnut                        | 0.13           | 2    | 27.27        | A            |
| pyrethrins       | Cannabis (all or unspecified) | <0.01          | 2    | 1,600.0      | S            |
| pyrethrins       | Cherry                        | 4.69           | 15   | 129.0        | A            |
| pyrethrins       | Grape, wine                   | 0.34           | 1    | 12.0         | A            |
| pyrethrins       | Landscape maintenance         | 0.07           | N/A  | N/A          | N/A          |
| pyrethrins       | N-grnhs plants in containers  | 0.03           | 14   | 0.92         | A            |
| pyrethrins       | Pear                          | <0.01          | 1    | 0.1          | A            |
| pyrethrins       | Plum                          | 0.82           | 1    | 16.0         | A            |
| pyrethrins       | Pome fruit                    | <0.01          | 1    | 0.5          | A            |
| pyrethrins       | Pomegranate                   | 0.22           | 1    | 8.0          | A            |
| pyrethrins       | Public health                 | 1.55           | N/A  | N/A          | N/A          |
| pyrethrins       | Structural pest control       | 30.42          | N/A  | N/A          | N/A          |
| pyrimethanil     | Almond                        | 36.08          | 3    | 157.3        | A            |
| pyrimethanil     | Apricot                       | 10.48          | 2    | 23.0         | A            |
| pyrimethanil     | Grape, wine                   | 4.34           | 1    | 11.37        | A            |
| pyriofenone      | Landscape maintenance         | 0.08           | N/A  | N/A          | N/A          |
| pyriproxyfen     | Almond                        | 0.13           | 1    | 13.3         | A            |

| Chemical   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| <b>pyriproxyfen</b>                              | Apple                   | 1.31           | 1    | 15.0         | A            |
| <b>pyriproxyfen</b>                              | Cherry                  | 0.11           | 1    | 1.0          | A            |
| <b>pyriproxyfen</b>                              | Commodity fumigation    | 1.65           | N/A  | N/A          | N/A          |
| <b>pyriproxyfen</b>                              | Landscape maintenance   | 1.11           | N/A  | N/A          | N/A          |
| <b>pyriproxyfen</b>                              | Structural pest control | 28.2           | N/A  | N/A          | N/A          |
| <b>qst 713 strain of dried bacillus subtilis</b> | Apricot                 | 4.13           | 9    | 32.0         | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Cherry                  | 8.56           | 7    | 75.0         | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Grape, wine             | 0.31           | 2    | 1.25         | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Landscape maintenance   | <0.01          | N/A  | N/A          | N/A          |
| <b>qst 713 strain of dried bacillus subtilis</b> | N-outdr flower          | 0.06           | 2    | 2.0          | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Nectarine               | 0.77           | 2    | 4.0          | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Peach                   | 1.59           | 2    | 9.0          | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Plum                    | 3.66           | 2    | 12.0         | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Pome fruit              | 0.04           | 3    | 1.5          | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Stone fruit             | 0.01           | 1    | 0.5          | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Tomato                  | 0.4            | 3    | 3.0          | A            |
| <b>qst 713 strain of dried bacillus subtilis</b> | Vegetable               | 0.03           | 1    | 0.5          | A            |
| <b>quinclorac</b>                                | Golf course turf        | 0.77           | N/A  | 1.6          | A            |
| <b>quinclorac</b>                                | Landscape maintenance   | 9.86           | N/A  | N/A          | N/A          |
| <b>quinclorac, dimethylamine salt</b>            | Landscape maintenance   | 62.79          | N/A  | N/A          | N/A          |
| <b>quinoxifen</b>                                | Apricot                 | 0.16           | 1    | 2.5          | A            |
| <b>quinoxifen</b>                                | Cherry                  | 0.47           | 1    | 5.0          | A            |
| <b>quinoxifen</b>                                | Grape, wine             | 1.9            | 2    | 19.77        | A            |
| <b>quinoxifen</b>                                | Landscape maintenance   | 0.06           | N/A  | N/A          | N/A          |

| Chemical   | Commodity or Site             | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------------|----------------|------|--------------|--------------|
| <i>reynoutria sachalinensis</i>                  | Apricot                       | 2.6            | 3    | 12.0         | A            |
| <i>reynoutria sachalinensis</i>                  | Cannabis (all or unspecified) | 0.03           | 5    | 4,000.0      | S            |
| <i>reynoutria sachalinensis</i>                  | Cherry                        | 2.38           | 2    | 11.0         | A            |
| <i>reynoutria sachalinensis</i>                  | Grape                         | 0.43           | 2    | 1.32         | A            |
| <i>reynoutria sachalinensis</i>                  | Industrial hemp               | 0.06           | 8    | 6,400.0      | S            |
| <i>reynoutria sachalinensis</i>                  | Nectarine                     | 0.43           | 1    | 2.0          | A            |
| <i>reynoutria sachalinensis</i>                  | Peach                         | 1.08           | 1    | 5.0          | A            |
| <i>reynoutria sachalinensis</i>                  | Plum                          | 0.22           | 1    | 1.0          | A            |
| rimsulfuron                                      | Grape, wine                   | 15.08          | 32   | 290.26       | A            |
| rimsulfuron                                      | Landscape maintenance         | 3.56           | N/A  | N/A          | N/A          |
| rimsulfuron                                      | Rights of way                 | 7.9            | N/A  | N/A          | N/A          |
| rimsulfuron                                      | Tomato, processing            | 5.47           | 18   | 175.28       | A            |
| rotenone   | Landscape maintenance         | <0.01          | N/A  | N/A          | N/A          |
| rotenone, other related                          | Landscape maintenance         | <0.01          | N/A  | N/A          | N/A          |
| saflufenacil                                     | Almond                        | 11.14          | 11   | 282.64       | A            |
| saflufenacil                                     | Corn, human consumption       | 0.23           | 1    | 20.0         | A            |
| saflufenacil                                     | Uncultivated ag               | 3.05           | 10   | 220.5        | A            |
| saflufenacil                                     | Walnut                        | 0.97           | 4    | 32.66        | A            |
| salicylic and benzoic esters of propylene glycol | Rights of way                 | 27.19          | N/A  | N/A          | N/A          |
| sethoxydim                                       | Grape, wine                   | 2.92           | 1    | 11.08        | A            |
| sethoxydim                                       | Landscape maintenance         | 0.15           | N/A  | N/A          | N/A          |
| silica aerogel                                   | Public health                 | 31.85          | N/A  | N/A          | N/A          |
| silica aerogel                                   | Structural pest control       | 222.62         | N/A  | N/A          | N/A          |
| silicone defoamer                                | Golf course turf              | 0.02           | N/A  | 17.49        | A            |

| Chemical                                   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| silicone defoamer                          | Landscape maintenance   | 0.03           | N/A  | N/A          | N/A          |
| silicone defoamer                          | Rights of way           | 0.24           | N/A  | N/A          | N/A          |
| silica filled polydimethylsiloxane         | Landscape maintenance   | <0.01          | N/A  | N/A          | N/A          |
| simazine                                   | Grape, wine             | 148.5          | 13   | 67.5         | A            |
| simazine                                   | Rights of way           | 104.13         | N/A  | N/A          | N/A          |
| simazine                                   | Walnut                  | 129.0          | 6    | 47.78        | A            |
| sodium arsenate                            | Structural pest control | 0.01           | N/A  | N/A          | N/A          |
| sodium bromide                             | Water (industrial)      | 819.36         | N/A  | 358.0        | U            |
| sodium carbonate peroxyhydrate             | Water area              | 114.75         | N/A  | 1.7          | A            |
| sodium decyl sulfate                       | Structural pest control | 11.58          | N/A  | N/A          | N/A          |
| sodium dichloro-s-triazinetrione           | Water (industrial)      | 44.55          | N/A  | 144.0        | U            |
| sodium dichloro-s-triazinetrione dihydrate | Water (industrial)      | 14.85          | N/A  | 48.0         | U            |
| sodium diisooctylsulfosuccinate            | Alfalfa                 | 1.06           | 6    | 565.0        | A            |
| sodium diisooctylsulfosuccinate            | Wheat                   | 0.67           | 2    | 625.0        | A            |
| sodium hydroxide                           | Alfalfa                 | 16.01          | 10   | 388.0        | A            |
| sodium hydroxide                           | Almond                  | 15.66          | 6    | 131.59       | A            |
| sodium hydroxide                           | Cherry                  | 20.15          | 19   | 179.23       | A            |
| sodium hydroxide                           | Grape, wine             | 0.62           | 1    | 5.0          | A            |
| sodium hydroxide                           | Olive                   | 12.8           | 2    | 113.26       | A            |
| sodium hydroxide                           | Rights of way           | 37.13          | N/A  | N/A          | N/A          |
| sodium hydroxide                           | Uncultivated ag         | 2.75           | 2    | 31.5         | A            |
| sodium hydroxide                           | Walnut                  | 3.42           | 4    | 32.66        | A            |
| sodium hydroxide                           | Wheat (forage - fodder) | 4.75           | 4    | 135.0        | A            |
| sodium hypochlorite                        | Food processing plant   | 129.95         | N/A  | 2.0          | U            |
| sodium hypochlorite                        | Grape, wine             | 0.91           | 4    | 12.0         | A            |

| Chemical                                | Commodity or Site                      | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|--|----------------|------|--------------|--------------|
| sodium hypochlorite                     | Water (industrial)                     | 2,192.35       | N/A  | 368.0        | U            |
| sodium hypochlorite                     | Water systems - human potable/drinking | 1.52           | N/A  | 4.0          | A            |
| sodium lauroampho acetate               | Structural pest control                | 8.74           | N/A  | N/A          | N/A          |
| sodium lauryl sulfate                   | Structural pest control                | 5.9            | N/A  | N/A          | N/A          |
| sodium metasilicate                     | Landscape maintenance                  | 0.01           | N/A  | N/A          | N/A          |
| sodium nitrate                          | Landscape maintenance                  | 26.89          | N/A  | N/A          | N/A          |
| sodium nitrate                          | Rights of way                          | 44.42          | N/A  | N/A          | N/A          |
| sodium nitrate                          | Structural pest control                | 0.66           | N/A  | N/A          | N/A          |
| sodium alpha-olefin (c14-c16) sulfonate | Rights of way                          | 462.21         | N/A  | N/A          | N/A          |
| sodium xylene sulfonate                 | Alfalfa                                | 6.89           | 6    | 565.0        | A            |
| sodium xylene sulfonate                 | Golf course turf                       | 0.29           | N/A  | 17.49        | A            |
| sodium xylene sulfonate                 | Landscape maintenance                  | 0.39           | N/A  | N/A          | N/A          |
| sodium xylene sulfonate                 | Rights of way                          | 0.02           | N/A  | N/A          | N/A          |
| sodium xylene sulfonate                 | Wheat                                  | 4.36           | 2    | 625.0        | A            |
| sorbitol                                | Almond                                 | 2.06           | 3    | 48.4         | A            |
| spinetoram                              | Almond                                 | 2.55           | 2    | 53.3         | A            |
| spinetoram                              | Apricot                                | 0.47           | 3    | 3.0          | A            |
| spinetoram                              | Cherry                                 | 57.58          | 35   | 563.5        | A            |
| spinetoram                              | Grape                                  | 0.15           | 1    | 4.0          | A            |
| spinetoram                              | Nectarine                              | 0.91           | 7    | 13.0         | A            |
| spinetoram                              | Peach                                  | 0.91           | 6    | 10.0         | A            |
| spinetoram                              | Tomato                                 | 18.14          | 13   | 396.5        | A            |
| spinetoram                              | Tomato, processing                     | 33.88          | 14   | 737.5        | A            |

| Chemical                      | Commodity or Site             | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|-------------------------------|----------------|------|--------------|--------------|
| spinetoram                    | Walnut                        | 0.44           | 1    | 4.0          | A            |
| spinosad                      | Apple                         | 0.62           | 2    | 6.0          | A            |
| spinosad                      | Apricot                       | 0.92           | 3    | 10.0         | A            |
| spinosad                      | Cherry                        | 8.37           | 12   | 101.0        | A            |
| spinosad                      | Corn, human consumption       | 10.86          | 6    | 116.5        | A            |
| spinosad                      | Landscape maintenance         | 0.43           | N/A  | N/A          | N/A          |
| spinosad                      | N-outdr plants in containers  | 0.05           | 1    | 0.25         | A            |
| spinosad                      | N-outdr plants in containers  | 0.61           | 17   | 468,500.0    | S            |
| spinosad                      | Nectarine                     | 2.06           | 7    | 21.0         | A            |
| spinosad                      | Olive                         | 0.03           | 28   | 96.0         | A            |
| spinosad                      | Peach                         | 5.87           | 7    | 50.5         | A            |
| spinosad                      | Pear                          | 2.64           | 4    | 29.0         | A            |
| spinosad                      | Public health                 | 2.71           | N/A  | N/A          | N/A          |
| spinosad                      | Rights of way                 | 4.72           | N/A  | N/A          | N/A          |
| spinosad                      | Structural pest control       | <0.01          | N/A  | N/A          | N/A          |
| spinosad                      | Vegetable                     | <0.01          | 4    | 4.0          | A            |
| spinosad                      | Walnut                        | 0.01           | 2    | 24.0         | A            |
| spiromesifen                  | Landscape maintenance         | <0.01          | N/A  | N/A          | N/A          |
| spirotetramat                 | Grape, wine                   | 21.29          | 23   | 217.2        | A            |
| spirotetramat                 | Landscape maintenance         | 0.02           | N/A  | N/A          | N/A          |
| streptomyces lydicus wyec 108 | Cannabis (all or unspecified) | <0.01          | 5    | 4,000.0      | S            |
| strychnine                    | Landscape maintenance         | 1.98           | N/A  | N/A          | N/A          |

| Chemical                   | Commodity or Site             | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------------|-------------------------------|----------------|------|--------------|--------------|
| <b>strychnine</b>          | Structural pest control       | 0.2            | N/A  | N/A          | N/A          |
| <b>sulfentrazone</b>       | Golf course turf              | 0.06           | N/A  | 1.6          | A            |
| <b>sulfentrazone</b>       | Landscape maintenance         | 32.54          | N/A  | N/A          | N/A          |
| <b>sulfentrazone</b>       | Rights of way                 | 3.55           | N/A  | N/A          | N/A          |
| <b>sulfometuron-methyl</b> | Landscape maintenance         | 44.97          | N/A  | N/A          | N/A          |
| <b>sulfometuron-methyl</b> | Rights of way                 | 122.32         | N/A  | N/A          | N/A          |
| <b>sulfometuron-methyl</b> | Structural pest control       | 0.1            | N/A  | N/A          | N/A          |
| <b>sulfur</b>              | Cannabis (all or unspecified) | 0.13           | 11   | 8,800.0      | S            |
| <b>sulfur</b>              | Cherry                        | 92.0           | 4    | 18.5         | A            |
| <b>sulfur</b>              | Grape                         | 4.32           | 3    | 1.98         | A            |
| <b>sulfur</b>              | Grape, wine                   | 131,633.64     | 536  | 8,154.9      | A            |
| <b>sulfur</b>              | Industrial hemp               | 0.07           | 6    | 5,200.0      | S            |
| <b>sulfur</b>              | Landscape maintenance         | 66.46          | N/A  | N/A          | N/A          |
| <b>sulfur</b>              | Nectarine                     | 201.6          | 10   | 40.0         | A            |
| <b>sulfur</b>              | Peach                         | 1,030.4        | 16   | 214.5        | A            |
| <b>sulfur</b>              | Plum                          | 230.4          | 7    | 48.5         | A            |
| <b>sulfur</b>              | Structural pest control       | 0.5            | N/A  | N/A          | N/A          |
| <b>sulfur</b>              | Tomato                        | 2,107.03       | 4    | 133.5        | A            |
| <b>sulfur</b>              | Tomato, processing            | 30,589.77      | 70   | 3,258.09     | A            |
| <b>sulfuric acid</b>       | Alfalfa                       | 5.05           | 12   | 375.4        | A            |
| <b>sulfuric acid</b>       | Corn (forage - fodder)        | 2.2            | 3    | 249.2        | A            |
| <b>sulfuryl fluoride</b>   | Structural pest control       | 14,357.95      | N/A  | N/A          | N/A          |

| Chemical             | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|-------------------------|----------------|------|--------------|--------------|
| sulfuryl fluoride    | Walnut                  | 2,111.77       | N/A  | 168,000.0    | C            |
| tall oil             | Alfalfa                 | 18.34          | 20   | 946.0        | A            |
| tall oil             | Almond                  | 25.58          | 9    | 227.22       | A            |
| tall oil             | Apricot                 | 1.43           | 2    | 17.34        | A            |
| tall oil             | Bean, succulent         | 1.44           | 2    | 17.0         | A            |
| tall oil             | Cherry                  | 32.07          | 33   | 337.33       | A            |
| tall oil             | Corn, human consumption | 447.68         | 357  | 9,362.96     | A            |
| tall oil             | Garlic                  | 12.07          | 5    | 261.0        | A            |
| tall oil             | Golf course turf        | 0.42           | N/A  | 10.5         | A            |
| tall oil             | Grape                   | 0.16           | 1    | 2.7          | A            |
| tall oil             | Grape, wine             | 59.9           | 54   | 547.83       | A            |
| tall oil             | Landscape maintenance   | 2.45           | N/A  | N/A          | N/A          |
| tall oil             | Olive                   | 6.67           | 1    | 54.17        | A            |
| tall oil             | Regulatory pest control | 1.02           | N/A  | N/A          | N/A          |
| tall oil             | Rights of way           | 16.4           | N/A  | N/A          | N/A          |
| tall oil             | Tomato                  | 4.09           | 2    | 102.0        | A            |
| tall oil             | Tomato, processing      | 56.89          | 29   | 1,255.5      | A            |
| tall oil             | Uncultivated ag         | 48.97          | 70   | 2,647.5      | A            |
| tall oil             | Uncultivated non-ag     | 0.07           | 1    | 4.0          | A            |
| tall oil             | Walnut                  | 12.17          | 15   | 151.34       | A            |
| tall oil             | Wheat (forage - fodder) | 2.16           | 3    | 110.0        | A            |
| tall oil fatty acids | Alfalfa                 | 39.31          | 25   | 1,905.6      | A            |
| tall oil fatty acids | Almond                  | 13.78          | 6    | 163.7        | A            |
| tall oil fatty acids | Apple                   | 0.11           | 6    | 16.0         | A            |
| tall oil fatty acids | Apricot                 | 0.52           | 10   | 99.0         | A            |
| tall oil fatty acids | Cherry                  | 5.56           | 10   | 107.66       | A            |

| Chemical             | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|----------------------|-------------------------|----------------|------|--------------|--------------|
| tall oil fatty acids | Corn (forage - fodder)  | 15.94          | 17   | 951.8        | A            |
| tall oil fatty acids | Grape                   | 0.04           | 1    | 2.0          | A            |
| tall oil fatty acids | Grape, wine             | 0.06           | 3    | 5.5          | A            |
| tall oil fatty acids | Nectarine               | 0.41           | 16   | 68.0         | A            |
| tall oil fatty acids | Olive                   | 6.85           | 2    | 108.34       | A            |
| tall oil fatty acids | Peach                   | 2.45           | 26   | 324.0        | A            |
| tall oil fatty acids | Pear                    | 0.43           | 6    | 64.0         | A            |
| tall oil fatty acids | Plum                    | 0.45           | 10   | 93.5         | A            |
| tall oil fatty acids | Rights of way           | 207.07         | N/A  | N/A          | N/A          |
| tall oil fatty acids | Tomato, processing      | 1.78           | 3    | 38.92        | A            |
| tall oil fatty acids | Walnut                  | 0.11           | 1    | 15.0         | A            |
| tall oil fatty acids | Wheat                   | 56.69          | 2    | 1,061.16     | A            |
| tebuconazole         | Cherry                  | 2.03           | 1    | 9.0          | A            |
| tebuconazole         | Corn, human consumption | 4.62           | 1    | 28.0         | A            |
| tebuconazole         | Garlic                  | 86.35          | 10   | 522.0        | A            |
| tebuconazole         | Golf course turf        | 21.24          | N/A  | 15.8         | A            |
| tebuconazole         | Golf course turf        | 0.74           | N/A  | 40,000.0     | S            |
| tebuconazole         | Grape                   | 0.88           | 2    | 8.5          | A            |
| tebuconazole         | Grape, wine             | 52.1           | 35   | 621.6        | A            |
| tebuconazole         | Landscape maintenance   | 110.05         | N/A  | N/A          | N/A          |
| tebuconazole         | Pome fruit              | 0.44           | 4    | 2.0          | A            |
| tebuconazole         | Stone fruit             | 0.33           | 2    | 1.0          | A            |
| tebuconazole         | Walnut                  | 12.15          | 2    | 54.0         | A            |
| tebuthiuron          | Rights of way           | 43.2           | N/A  | N/A          | N/A          |
| tembotriione         | Corn, human consumption | 12.02          | 4    | 148.06       | A            |
| tetrachloroethylene  | Landscape maintenance   | 0.1            | N/A  | N/A          | N/A          |

| Chemical   | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| tetraconazole  | Grape, wine             | 0.41           | 2    | 23.0         | A            |
| tetraconazole  | Landscape maintenance   | 0.03           | N/A  | N/A          | N/A          |
| z,e-9,12-tetradecadien-1-yl acetate  | Structural pest control | 1.06           | N/A  | N/A          | N/A          |
| tetramethrin   | Structural pest control | 0.66           | N/A  | N/A          | N/A          |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Golf course turf        | 1.09           | N/A  | 17.49        | A            |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Landscape maintenance   | 1.5            | N/A  | N/A          | N/A          |
| alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene) | Rights of way           | 0.07           | N/A  | N/A          | N/A          |
| tetrapotassium pyrophosphate   | Golf course turf        | 0.14           | N/A  | 17.49        | A            |
| tetrapotassium pyrophosphate   | Landscape maintenance   | 0.2            | N/A  | N/A          | N/A          |
| tetrapotassium pyrophosphate   | Rights of way           | 0.01           | N/A  | N/A          | N/A          |
| thiamethoxam   | Apple                   | 0.69           | 1    | 8.0          | A            |
| thiamethoxam   | Apricot                 | 0.47           | 2    | 6.0          | A            |
| thiamethoxam   | Cherry                  | 0.16           | 2    | 2.0          | A            |
| thiamethoxam   | Grape, wine             | 4.69           | 2    | 52.99        | A            |
| thiamethoxam   | Nectarine               | 0.39           | 2    | 5.0          | A            |
| thiamethoxam   | Peach                   | 0.39           | 1    | 5.0          | A            |
| thiamethoxam   | Plum                    | 1.18           | 3    | 15.0         | A            |
| thiamethoxam   | Structural pest control | 0.47           | N/A  | N/A          | N/A          |
| thiamethoxam   | Tomato                  | 1.0            | 1    | 22.0         | A            |
| thiencarbazone-methyl  | Landscape maintenance   | 0.1            | N/A  | N/A          | N/A          |
| thiophanate-methyl   | Apricot                 | 27.3           | 3    | 28.0         | A            |
| thiophanate-methyl   | Cherry                  | 511.07         | 24   | 491.0        | A            |

| Chemical                                   | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| thiophanate-methyl                         | Golf course turf             | 25.36          | N/A  | 5.5          | A            |
| thiophanate-methyl                         | Golf course turf             | 2.49           | N/A  | 40,000.0     | S            |
| thiophanate-methyl                         | Landscape maintenance        | 400.18         | N/A  | N/A          | N/A          |
| thiophanate-methyl                         | N-grnhs flower               | 298.49         | N/A  | 21.5         | A            |
| thiophanate-methyl                         | N-outdr plants in containers | 0.09           | 2    | 0.06         | A            |
| thiophanate-methyl                         | Nectarine                    | 3.5            | 2    | 5.0          | A            |
| thiophanate-methyl                         | Pome fruit                   | 0.28           | 1    | 0.5          | A            |
| thiophanate-methyl                         | Stone fruit                  | 0.28           | 1    | 0.5          | A            |
| thyme                                      | Structural pest control      | <0.01          | N/A  | N/A          | N/A          |
| thyme oil                                  | Structural pest control      | 0.03           | N/A  | N/A          | N/A          |
| thymol                                     | Beehive                      | 1.38           | 1    | 25.0         | U            |
| topramezone                                | Landscape maintenance        | 0.39           | N/A  | N/A          | N/A          |
| tribenuron-methyl                          | Forage hay/silage            | 0.31           | N/A  | 10.0         | A            |
| tribenuron-methyl                          | Oat (forage - fodder)        | 0.88           | 3    | 140.0        | A            |
| tribenuron-methyl                          | Wheat                        | 33.01          | 4    | 1,686.16     | A            |
| tribenuron-methyl                          | Wheat (forage - fodder)      | 2.92           | 10   | 211.5        | A            |
| trichlorofluoromethane                     | Landscape maintenance        | 0.06           | N/A  | N/A          | N/A          |
| trichoderma harzianum rifai strain krl-ag2 | N-outdr plants in containers | 0.09           | 27   | 0.54         | A            |
| trichoderma virens strain g-41             | N-outdr plants in containers | 0.02           | 11   | 0.22         | A            |
| triclopyr, butoxyethyl ester               | Almond                       | 0.34           | 1    | 1.0          | A            |
| triclopyr, butoxyethyl ester               | Forage hay/silage            | 5.92           | 1    | 7.0          | A            |
| triclopyr, butoxyethyl ester               | Golf course turf             | 2.78           | N/A  | 10.0         | A            |

| Chemical                      | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|-------------------------------|-------------------------|----------------|------|--------------|--------------|
| triclopyr, butoxyethyl ester  | Landscape maintenance   | 910.22         | N/A  | N/A          | N/A          |
| triclopyr, butoxyethyl ester  | N-grnhs flower          | 132.26         | N/A  | 97.0         | A            |
| triclopyr, butoxyethyl ester  | Rights of way           | 24.19          | N/A  | N/A          | N/A          |
| triclopyr, butoxyethyl ester  | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| triclopyr choline             | Landscape maintenance   | 57.32          | N/A  | N/A          | N/A          |
| triclopyr choline             | Rights of way           | 57.1           | N/A  | N/A          | N/A          |
| triclopyr, triethylamine salt | Fumigation, other       | 0.03           | N/A  | N/A          | N/A          |
| triclopyr, triethylamine salt | Golf course turf        | 12.53          | N/A  | 4.5          | A            |
| triclopyr, triethylamine salt | Landscape maintenance   | 301.31         | N/A  | N/A          | N/A          |
| triclopyr, triethylamine salt | Pastureland             | 2.76           | 1    | 4.6          | A            |
| triclopyr, triethylamine salt | Rights of way           | 495.49         | N/A  | N/A          | N/A          |
| triclopyr, triethylamine salt | Uncultivated ag         | 32.12          | 6    | 20.0         | A            |
| triclopyr, triethylamine salt | Uncultivated non-ag     | 2,921.35       | 2    | 870.0        | A            |
| triclopyr, triethylamine salt | Water area              | 0.89           | N/A  | 9.0          | A            |
| triethanolamine               | Almond                  | 3.75           | 3    | 48.4         | A            |
| triethanolamine               | Golf course turf        | 0.36           | N/A  | 17.49        | A            |
| triethanolamine               | Landscape maintenance   | 0.5            | N/A  | N/A          | N/A          |
| triethanolamine               | Rights of way           | 0.02           | N/A  | N/A          | N/A          |
| trifloxystrobin               | Almond                  | 0.33           | 4    | 4.0          | A            |
| trifloxystrobin               | Apple                   | 1.38           | 1    | 15.0         | A            |
| trifloxystrobin               | Apricot                 | 2.48           | 3    | 25.0         | A            |
| trifloxystrobin               | Cherry                  | 84.02          | 38   | 744.5        | A            |
| trifloxystrobin               | Golf course turf        | 2.0            | N/A  | 9.0          | A            |
| trifloxystrobin               | Grape                   | 0.97           | 2    | 8.5          | A            |
| trifloxystrobin               | Grape, wine             | 137.28         | 116  | 1,313.5      | A            |

| Chemical  | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|------------------------------|----------------|------|--------------|--------------|
| trifloxystrobin   | Landscape maintenance        | 3.24           | N/A  | N/A          | N/A          |
| trifloxystrobin   | N-grnhs flower               | 6.51           | N/A  | 18.0         | A            |
| trifloxystrobin   | N-grnhs plants in containers | 0.18           | 10   | 1.52         | A            |
| trifloxystrobin   | Nectarine                    | 0.34           | 2    | 2.0          | A            |
| trifloxystrobin   | Peach                        | 0.91           | 4    | 7.25         | A            |
| trifloxystrobin   | Plum                         | 1.21           | 1    | 11.0         | A            |
| trifloxystrobin   | Stone fruit                  | 0.03           | 1    | 0.25         | A            |
| trifloxysulfuron-sodium   | Landscape maintenance        | 1.09           | N/A  | N/A          | N/A          |
| triflumizole  | Cherry                       | 126.69         | 17   | 403.5        | A            |
| triflumizole  | Grape, wine                  | 145.4          | 40   | 631.2        | A            |
| triflumizole  | Landscape maintenance        | 1.41           | N/A  | N/A          | N/A          |
| trifluralin   | Landscape maintenance        | 80.55          | N/A  | N/A          | N/A          |
| trifluralin   | Rights of way                | 4.98           | N/A  | N/A          | N/A          |
| trifluralin   | Safflower                    | 119.2          | 6    | 160.0        | A            |
| trifluralin   | Tomato, processing           | 139.67         | 3    | 225.0        | A            |
| trifluralin   | Uncultivated ag              | 557.61         | 1    | 461.0        | A            |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Cherry                       | 1.09           | 1    | 17.0         | A            |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Grape, wine                  | 2.06           | 1    | 33.25        | A            |
| alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Landscape maintenance        | 2.95           | N/A  | N/A          | N/A          |
| trinexapac-ethyl  | Golf course turf             | 39.81          | N/A  | 475.25       | A            |
| trinexapac-ethyl  | Golf course turf             | 1.01           | N/A  | 361,680.0    | S            |
| trinexapac-ethyl  | Landscape maintenance        | 122.63         | N/A  | N/A          | N/A          |

| Chemical                                     | Commodity or Site            | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|------------------------------|----------------|------|--------------|--------------|
| trinexapac-ethyl                             | N-grnhs flower               | 26.46          | N/A  | 210.0        | A            |
| triptolide                                   | Structural pest control      | <0.01          | N/A  | N/A          | N/A          |
| triticonazole                                | Golf course turf             | 6.8            | N/A  | 6.1          | A            |
| triticonazole                                | Landscape maintenance        | 5.8            | N/A  | N/A          | N/A          |
| triticonazole                                | N-grnhs flower               | 3.38           | N/A  | 2.5          | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Alfalfa                      | 21.86          | 13   | 305.0        | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Almond                       | 95.95          | 22   | 802.82       | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Apricot                      | 2.97           | 7    | 39.09        | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, succulent              | 4.12           | 7    | 78.0         | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Cherry                       | 191.45         | 91   | 1,188.46     | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Corn, human consumption      | 104.07         | 59   | 1,536.5      | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Grape, wine                  | 203.7          | 150  | 2,002.51     | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape maintenance        | 55.76          | N/A  | N/A          | N/A          |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-outdr plants in containers | 0.06           | 2    | 0.25         | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Nectarine                    | 0.35           | 2    | 1.43         | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Oat (forage - fodder)        | 4.3            | 3    | 140.0        | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Olive                        | 21.54          | 5    | 280.69       | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Peach                        | 1.02           | 4    | 5.22         | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Plum                         | 0.35           | 2    | 1.43         | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Pomegranate                  | 0.2            | 1    | 8.0          | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights of way                | 45.78          | N/A  | N/A          | N/A          |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Tomato, processing           | 125.78         | 54   | 2,927.5      | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated ag              | 12.68          | 20   | 363.5        | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Walnut                       | 123.27         | 34   | 702.28       | A            |
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Water area                   | 0.04           | N/A  | 2.0          | A            |

| Chemical                                     | Commodity or Site       | Pounds Applied | Apps | Area Treated | Unit Treated |
|--|-------------------------|----------------|------|--------------|--------------|
| alpha-undecyl-omega-hydroxypoly(oxyethylene) | Wheat (forage - fodder) | 7.43           | 9    | 161.5        | A            |
| 4-vinylcyclohexenediepoxide                  | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| vinyl polymer                                | Rights of way           | 1.03           | N/A  | N/A          | N/A          |
| vinyl polymer                                | Uncultivated ag         | 0.03           | 1    | 7.0          | A            |
| vinyl polymer                                | Wheat                   | 7.87           | 2    | 1,061.16     | A            |
| warfarin                                     | Landscape maintenance   | 0.04           | N/A  | N/A          | N/A          |
| warfarin                                     | Structural pest control | <0.01          | N/A  | N/A          | N/A          |
| zinc phosphide                               | Landscape maintenance   | 4.28           | N/A  | N/A          | N/A          |
| zinc phosphide                               | Structural pest control | 0.03           | N/A  | N/A          | N/A          |
| zinc phosphide                               | Vertebrate control      | 0.6            | N/A  | N/A          | N/A          |
| ziram  | Apricot                 | 28.88          | 3    | 7.0          | A            |
| ziram  | Cherry                  | 1,616.9        | 23   | 426.5        | A            |
| ziram  | Nectarine               | 146.68         | 9    | 18.5         | A            |
| ziram  | Peach                   | 318.06         | 18   | 60.71        | A            |
| ziram  | Plum                    | 6.08           | 1    | 1.0          | A            |