Table D8: Summary of Cases Reported in California¹ as Associated With² Pesticide Exposure, Summarized by Gender, Age Distribution, Type of Pesticide, and Type of Use 2016

Agricultural Use Pesticide Exposure Incidents³

	Pesticides other than Antimicrobial Pesticides ⁴			Antimicrobial Pesticides ⁴			
Age Group	Male	Female	Unknown	Male	Female	Unknown	Total
≤ 6	0	0	0	0	0	0	0
7 – 12	0	0	0	0	0	0	0
13 – 17	2	2	0	0	0	0	4
18 - 24	13	5	0	0	0	0	18
25 - 34	32	10	0	3	0	0	45
35 – 44	26	11	0	1	2	0	40
45 - 54	19	6	0	3	3	0	31
55 – 64	11	3	0	0	0	0	14
> 65	0	2	0	0	0	0	2
Minor, Unknown Age	0	0	3	0	0	0	3
Adult, Unknown Age	53	26	0	0	0	0	79
Total Ag Cases	156	65	3	7	5	0	236

Non-Agricultural Use Pesticide Exposure Incidents³

	Pesticides other than Antimicrobial Pesticides ⁴			Antimicrobial Pesticides ⁴			
Age Group	Male	Female	Unknown	Male	Female	Unknown	Total
≤ 6	37	19	0	19	10	0	85
7 - 12	10	7	0	8	5	0	30
13 - 17	8	5	0	4	5	0	22
18 - 24	17	14	0	18	27	0	76
25 - 34	28	23	0	34	26	0	111
35 – 44	28	22	0	23	27	0	100
45 – 54	37	28	0	19	38	0	122
55 – 64	31	26	0	15	19	0	91
> 65	19	21	0	10	9	0	59
Minor, Unknown Age	1	0	1	0	0	0	2

Adult, Unknown Age	6	26	0	0	2	0	34
Unknown	0	2	0	0	0	0	2
Total Non-Ag Cases	222	193	1	150	168	0	734
TOTAL CASES ⁵	384	259	4	158	173	0	978

- 1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.
- 2. Associated With: Includes cases classified as definitely, probably, or possibly related to pesticide exposure.

Definite: High degree of correlation between pattern of exposure and resulting

> symptomatology. Requires both medical evidence (e.g., measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (e.g., environmental and/or

biological samples, exposure history) to support the conclusions.

Probable: Relatively high degree of correlation exists between the pattern of exposure and the

resulting symptomatology. Either medical or physical evidence is inconclusive or

unavailable.

Possible: Health effects correspond generally to the reported exposure, but evidence is not

available to support a relationship.

3. Intended Use: Agricultural/Non-Agricultural - Indicates whether the pesticide(s) were intended to contribute to the production of agricultural commodities.

The pesticide(s) were intended to contribute to the production of agricultural Agricultural:

commodities, including livestock. This includes: 1) agricultural research facilities, 2)

handling of raw agricultural commodities in packing houses, 3) drift from

agricultural applications into non-agricultural areas, and 4) transportation and storage

of pesticides on farm lands. It excludes forestry operations, although they are classified as agricultural for regulatory purposes. It also excludes manufacture, transportation, and storage of pesticides prior to arrival at the site of agricultural

production.

Non-The pesticide(s) were not intended to contribute to the production of agricultural Agricultural:

commodities. This includes: 1) residential pesticide uses, 2) structural pest control,

3) rights-of-way, 4) parks, 5) landscaped urban areas, and 6) manufacture,

transportation and storage of pesticides except on farm lands.

- **4. Antimicrobial**: Pesticides used to kill or inactivate microbiological organisms (e.g., bacteria,
- 5. Totals include 8 additional cases which could not be determined to be agricultural or non-agricultural use situations.

Whom to Contact:

California Department of Pesticide Regulation

Worker Health and Safety Branch

Physical address: 1001 I St., Sacramento, CA 95814-2828 Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015

Phone: (916) 445-4222; Fax: (916) 445-4280

www.cdpr.ca.gov

About the Pesticide Illness Surveillance Program Data

Pesticide-related illnesses have been tracked within the state of California for more than 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. The Pesticide Illness Surveillance Program (PISP) documents information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products. This program maintains a database, which is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.