APPENDIX E

Propanil Application Field Log Sheets

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Log #	Sample Name	Sampler ID Number	Date & Time Entry Example (6/14/08 13:42) Start	End	Elapsed Time In Hours:Mins	Counter Start	End	Elapsed Time In Hours	Mass Flow Meter Display Start	End	Corrected Average Flow	Comment Number
001	NS-P-B	2265	6/20/08 9:30	6/21/08 3:09	17:39:00	925.1	942.6	17.5	3.89	3.99	4.3	1 & P102
002	NS-P-FS	2253	6/20/08 9:35	6/21/08 3:21	17:46:00	1856.6	1874.4	17.8	3.89	4.15	4.4	1 & P184
003	ES-P-B	2251	6/20/08 9:50	6/21/08 3:38	17:48:00	1242.3	1260.1	17.8	3.89	4.00	4.3	1 & P136
004	ES-P-FS	2244	6/20/08 9:52	6/21/08 3:47	17:55:00	2002.2	2019.9	17.7	3.89	4.03	4.3	1 & P192
005	SS-P-B	917	6/20/08 9:57	6/21/08 4:33	18:36:00	2070.6	2089.1	18.6	3.89	3.89	4.3	1 & P125
006	SS-P-FS	2246	6/20/08 10:03	6/21/08 4:33	18:30:00	1466.3	1484.9	18.6	3.89	4.13	4.4	1 & P179
007	WS-P-B	956	6/20/08 10:07	6/21/08 4:55	18:48:00	2753.0	2771.8	18.7	3.89	3.93	4.3	1 & P072
008	WS-P-FS	915	6/20/08 10:13	6/21/08 4:58	18:45:00	1909.0	1927.8	18.7	3.89	4.04	4.3	1 & P183
009	WS-P-BF	4649	6/20/08 10:19	6/21/08 5:08	18:49:00	708.1	726.9	18.8	3.89	4.70	4.7	1 & P127
010	WS-P-BX	4649	6/20/08 10:19	6/21/08 5:08	18:49:00	708.1	726.9	18.8	3.89	4.70	4.7	1
011	ES-P-BF	4663	6/20/08 10:34	6/21/08 3:56	17:22:00	776.3	793.7	17.4	3.80	3.51	4.0	1 & P081
012	ES-P-BX	4663	6/20/08 10:34	6/21/08 3:56	17:22:00	776.3	793.7	17.4	3.80	3.51	4.0	1
013	P-TS		6/20/08 10:35									P181
014	NS-P-1	2265	6/21/08 5:21	6/21/08 9:23	4:02:00	942.6	946.7	4.1	2.74	2.66	3.0	P071
015	NEC-P-1	2253	6/21/08 5:22	6/21/08 9:08	3:46:00	1874.4	1878.1	3.7	2.74	2.63	2.9	2 INVALID
016	ES-P-1	2251	6/21/08 5:23	6/21/08 9:18	3:55:00	1260.1	1264.0	3.9	2.76	2.87	3.1	P110
017	SEC-P-1	2244	6/21/08 5:24	6/21/08 9:18	3:54:00	2019.9	2023.8	3.9	2.77	2.57	2.9	P100
018	SEC-P-1F	4663	6/21/08 5:26	6/21/08 9:26	4:00:00	793.7	797.7	4.0	2.74	2.69	3.0	P077
019	SEC-P-1X	4663	6/21/08 5:26	6/21/08 9:26	4:00:00	793.7	797.7	4.0	2.74	2.69	3.0	3
020	SEC-P-1X (R)	4656	6/21/08 5:25	6/21/08 9:07	3:42:00	528.5	532.2	3.7	2.74	2.73	3.0	
021	SEC-P-1F (R)	4656	6/21/08 5:25	6/21/08 9:07	3:42:00	528.5	532.2	3.7	2.74	2.73	3.0	P134
022	SEC-P-1C	998	6/21/08 5:27	6/21/08 9:21	3:54:00	1586.0	1589.9	3.9	2.75	2.82	3.0	P122

MFM Used #: 2-5286 **Slope:** 1.086 **Intercept:** 0.024 1. Plastic flow adaptor biases flow by -0.9 lpm.

Corrected to match MFM 20005286. 2. Found no filter in sampler. INVALID. Flows in green actually measured with MFM 5063 which was within 0.13 lpm of 5286.

3. South field sprayed also. See report.

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Weather K,P,C,F&R		Initials	
Start	End	Start	End
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K	P	NA	SRR
K		NA	
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Log #	Sample Name	Sampler ID Number	Date & Time Entry Example (6/14/08 13:42) Start	End	Elapsed Time In Hours:Mins	Counter Start	End	Elapsed Time In Hours	Mass Flow Meter Display Start	End	Corrected Average Flow	Comment Number
023	SS-P-1	917	6/21/08 5:29	6/21/08 9:35	4:06:00	2089.1	2093.2	4.1	2.73	2.62	2.9	P128
024	SWC-P-1	2246	6/21/08 5:30	6/21/08 9:39	4:09:00	1484.9	1489.0	4.1	2.74	2.36	2.8	P086
025	WS-P-1	915	6/21/08 5:31	6/21/08 9:43	4:12:00	1927.8	1931.9	4.2	2.83	2.66	3.0	P113
026	NWC-P-1	956	6/21/08 5:34	6/21/08 9:32	3:58:00	2771.8	2775.7	3.9	2.74	2.87	3.1	P108
027	NWC-P-1F	4649	6/21/08 5:35	6/21/08 9:44	4:09:00	726.9	731.0	4.1	2.75	2.76	3.0	P132
028	NWC-P-1X	4649	6/21/08 5:35	6/21/08 9:44	4:09:00	726.9	731.0	4.1	2.75	2.76	3.0	
029	SEC-P-2F (R)	4656	6/21/08 9:13	6/21/08 18:37	9:24:00	532.2	541.6	9.4	2.74	2.76	3.0	P075
030	SEC-P-2X (R)	4656	6/21/08 9:13	6/21/08 18:37	9:24:00	532.2	541.6	9.4	2.74	2.76	3.0	
031	SEC-P-2	2244	6/21/08 9:20	6/21/08 18:40	9:20:00	2023.8	2033.1	9.3	2.76	2.6	2.9	P076
032	SEC-P-2C	998	6/21/08 9:22	6/21/08 18:52	9:30:00	1589.9	1599.4	9.5	2.77	2.7	3.0	P123
033	SEC-P-2F	4663	6/21/08 9:30	6/21/08 18:46	9:16:00	797.7	807.0	9.3	2.75	2.56	2.9	P121
034	SEC-P-2X	4663	6/21/08 9:30	6/21/08 18:46	9:16:00	797.7	807.0	9.3	2.75	2.56	2.9	
035	SS-P-2	917	6/21/08 9:36	6/21/08 19:00	9:24:00	2093.2	2102.6	9.4	2.78	2.67	3.0	P109
036	SWC-P-2	2246	6/21/08 9:40	6/21/08 19:06	9:26:00	1489.0	1498.4	9.4	2.76	2.73	3.0	P110
037	WS-P-2	915	6/21/08 9:44	6/21/08 19:11	9:27:00	1931.9	1941.4	9.4	2.73	2.53	2.9	P131
038	NEC-P-2	2253	6/21/08 9:08	6/21/08 18:25	9:17:00	1878.1	1887.4	9.3	2.87	2.9	3.2	P083
039	ES-P-2	2251	6/21/08 9:18	6/21/08 18:31	9:13:00	1264.0	1273.2	9.2	2.87	2.91	3.2	P105
040	NS-P-2	2265	6/21/08 9:23	6/21/08 18:18	8:55:00	946.7	955.6	8.9	2.87	2.92	3.2	P104
041	NWC-P-2	956	6/21/08 9:32	6/21/08 18:02	8:30:00	2775.7	2784.2	8.5	2.95	2.8	3.1	4 & P130
042	NWC-P-2F	4549	6/21/08 9:44	6/21/08 18:10	8:26:00	731.0	739.4	8.4	2.87	2.79	3.1	P133
043	NWC-P-2X	4649	6/21/08 9:44	6/21/08 18:10	8:26:00	731.0	739.4	8.4	2.87	2.79	3.1	
044	NWC-P-3	2252	6/21/08 18:06	6/22/08 5:56	11:50:00	1739.1	1750.9	11.8	2.74	2.99	3.1	P091

MFM Used #: 2-5286 **Slope:** 1.086 **Intercept:** 0.024 4. MiniVol cannot maintain 3.0 lpm. Replaced.

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Weather K,P,C,F&R		Initials	
Start	End	Start	End
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	SRR	SRR
P	P	NA	SRR
P	P	NA	SRR
P	P	NA	SRR
P	P	NA	SRR
P	P	NA	SRR
P	P	NA	SRR
P	K	SRR	SRR

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Log #	Sample Name	Sampler ID Number	Date & Time Entry Example (6/14/08 13:42) Start	End	Elapsed Time In Hours:Mins	Counter Start	End	Elapsed Time In Hours	Mass Flow Meter Display Start	End	Corrected Average Flow	Comment Number
045	NWC-P-3F	4649	6/21/08 18:13	6/22/08 5:59	11:46:00	739.4	751.2	11.8	2.74	2.73	3.0	P084
046	NWC-P-3X	4649	6/21/08 18:13	6/22/08 5:59	11:46:00	739.4	751.2	11.8	2.74	2.73	3.0	
047	NS-P-3	2265	6/21/08 18:20	6/22/08 6:07	11:47:00	955.6	967.3	11.7	2.74	2.74	3.0	P088
048	NEC-P-3	2253	6/21/08 18:27	6/22/08 6:12	11:45:00	1887.4	1899.2	11.8	2.74	2.7	3.0	P095
049	ES-P-3	2251	6/21/08 18:33	6/22/08 6:17	11:44:00	1273.2	1284.9	11.7	2.74	2.72	3.0	P124
050	SEC-P-3	2244	6/21/08 18:43	6/22/08 6:22	11:39:00	2033.1	2044.8	11.7	2.74	2.78	3.0	P080
051	SEC-P-3C	998	6/21/08 18:55	6/22/08 6:31	11:36:00	1599.4	1610.9	11.6	2.74	2.65	3.0	P119
052	SEC-P-3F	4663	6/21/08 18:50	6/22/08 6:26	11:36:00	807.0	818.6	11.6	2.73	2.78	3.0	P118
053	SEC-P-3X	4663	6/21/08 18:50	6/22/08 6:26	11:36:00	807.0	818.6	11.6	2.73	2.78	3.0	
054	SS-P-3	917	6/21/08 19:01	6/22/08 6:36	11:35:00	2102.6	2114.2	11.6	2.74	2.65	3.0	P105
055	SWC-P-3	2246	6/21/08 19:08	6/22/08 6:43	11:35:00	1498.4	1510.0	11.6	2.74	2.85	3.1	P099
056	WS-P-3	915	6/21/08 19:13	6/22/08 6:47	11:34:00	1941.4	1952.9	11.6	2.75	2.79	3.0	P094
057	NWC-P-4	2252	6/22/08 5:57	6/22/08 18:01	12:04:00	1750.9	1763.0	12.1	2.74	2.7	3.0	P135
058	NWC-P-4F	4649	6/22/08 6:03	6/22/08 18:05	12:02:00	751.2	763.2	12.0	2.74	2.66	3.0	P106
059	NWC-P-4X	4649	6/22/08 6:03	6/22/08 18:05	12:02:00	751.2	763.2	12.0	2.74	2.66	3.0	
060	NS-P-4	2265	6/22/08 6:08	6/22/08 18:11	12:03:00	967.3	979.4	12.1	2.74	2.69	3.0	P082
061	NEC-P-4	2253	6/22/08 6:14	6/22/08 18:17	12:03:00	1899.2	1911.2	12.0	2.74	2.64	2.9	P089
062	ES-P-4	2251	6/22/08 6:18	6/22/08 18:21	12:03:00	1284.9	1297.0	12.1	2.74	2.64	2.9	P093
063	SEC-P-4	2244	6/22/08 6:23	6/22/08 18:26	12:03:00	2044.8	2056.8	12.0	2.74	2.69	3.0	P126
064	SEC-P-4C	998	6/22/08 6:32	6/22/08 18:36	12:04:00	1610.9	1623.0	12.1	2.74	2.78	3.0	P074
065	SEC-P-4F	4663	6/22/08 6:28	6/22/08 18:30	12:02:00	818.6	830.6	12.0	2.65	2.46	2.8	P186
066	SEC-P-4X	4663	6/22/08 6:28	6/22/08 18:30	12:02:00	818.6	830.6	12.0	2.65	2.46	2.8	

MFM Used #: 2-5286 **Slope:** 1.086 **Intercept:** 0.024

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Weather K,P,C,F&R		Initials	
Start	End	Start	End
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
P	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Log #	Sample Name	Sampler ID Number	Date & Time Entry Example (6/14/08 13:42) Start	End	Elapsed Time In Hours:Mins	Counter Start	End	Elapsed Time In Hours	Mass Flow Meter Display Start	End	Corrected Average Flow	Comment Number
067	SS-P-4	917	6/22/08 6:37	6/22/08 18:40	12:03:00	2114.2	2126.2	12.0	2.74	2.68	3.0	P101
068	SWC-P-4	2246	6/22/08 6:44	6/22/08 18:44	12:00:00	1510.0	1522.0	12.0	2.74	2.66	3.0	P097
069	WS-P-4	915	6/22/08 6:49	6/22/08 18:49	12:00:00	1952.9	1964.9	12.0	2.74	2.62	2.9	P197
070	NWC-P-5	2252	6/22/08 18:02	6/23/08 5:32	11:30:00	1763.0	1764.6	1.6	2.74	0	1.5	5 & P195
071	NWC-P-5F	4649	6/22/08 18:08	6/23/08 5:38	11:30:00	763.2	774.5	11.3	2.74	2.38	2.8	P120
072	NWC-P-5X	4649	6/22/08 18:08	6/23/08 5:38	11:30:00	763.2	774.5	11.3	2.74	2.38	2.8	
073	NS-P-5	2265	6/22/08 18:13	6/23/08 5:46	11:33:00	979.4	990.9	11.5	2.74	2.74	3.0	P085
074	NEC-P-5	2253	6/22/08 18:18	6/23/08 5:52	11:34:00	1911.2	1922.8	11.6	2.74	2.74	3.0	P117
075	ES-P-5	2251	6/22/08 18:23	6/23/08 5:56	11:33:00	1297.0	1308.6	11.6	2.74	2.72	3.0	P103
076	SEC-P-5	2244	6/22/08 18:28	6/23/08 6:03	11:35:00	2056.8	2068.4	11.6	2.74	5.34	4.4	6 & P079
077	SEC-P-5C	998	6/22/08 18:35	6/23/08 6:14	11:39:00	1623.0	1634.6	11.6	2.74	2.72	3.0	P196
078	SEC-P-5F	4645	6/22/08 18:33	6/23/08 6:06	11:33:00	830.6	830.5	-0.1	2.74	2.52	2.9	7 & P114
079	SEC-5-5X	4645	6/22/08 18:33	6/23/08 6:06	11:33:00	830.6	830.5	-0.1	2.74	2.52	2.9	7
080	SS-P-5	917	6/22/08 18:41	6/23/08 6:19	11:38:00	2126.3	2137.8	11.6	2.74	2.79	3.0	P205
081	SWC-P-5	2246	6/22/08 18:46	6/23/08 6:23	11:37:00	1522.0	1533.7	11.7	2.74	2.85	3.1	P202
082	WS-P-5	915	6/22/08 18:50	6/23/08 6:28	11:38:00	1964.9	1976.6	11.6	2.74	2.75	3.0	P188
083	NWC-P-6	958	6/23/08 5:37	6/23/08 18:05	12:28:00	2566.1	2578.6	12.5	2.74	2.85	3.1	P187
084	NWC-P-6F	4649	6/23/08 5:42	6/23/08 18:07	12:25:00	774.5	786.9	12.4	2.74	2.67	3.0	P177
085	NWC-P-6X	4649	6/23/08 5:42	6/23/08 18:07	12:25:00	774.5	786.9	12.4	2.74	2.67	3.0	
086	NS-P-6	2265	6/23/08 5:47	6/23/08 18:13	12:26:00	990.9	1003.4	12.5	2.74	2.69	3.0	P143
087	NEC-P-6	2253	6/23/08 5:53	6/23/08 18:17	12:24:00	1922.8	1935.2	12.4	2.74	2.6	2.9	P219
088	ES-P-6	2251	6/23/08 5:58	6/23/08 18:20	12:22:00	1308.6	1320.9	12.3	2.74	2.65	3.0	8 & P194

MFM Used #: 2-5286 **Slope:** 1.086 **Intercept:** 0.024 5. Replaced minivol after failure. 6. Replaced minivol.

7. Replaced pump, counter inop. 8. Dropped filter. S = Smokey

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Weather K,P,C,F&R		Initials	
Start	End	Start	End
K	K	SRR	SRR
K	K	SRR	SRR
K	K	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Log #	Sample Name	Sampler ID Number	Date & Time Entry Example (6/14/08 13:42) Start	End	Elapsed Time In Hours:Mins	Counter Start	End	Elapsed Time In Hours	Mass Flow Meter Display Start	End	Corrected Average Flow	Comment Number
089	SEC-P-6	2-0402	6/23/08 6:50	6/23/08 18:25	11:35:00	1373.5	1385.1	11.6	3.05	3	3.3	9 & P215
090	SEC-P-6C	998	6/23/08 6:15	6/23/08 18:34	12:19:00	1634.6	1646.9	12.3	2.74	2.83	3.0	P189
091	SEC-P-6F	4664	6/23/08 6:12	6/23/08 18:30	12:18:00	339.8	344.4	4.6	2.74	0	1.5	10 & P112
092	SEC-P-6X	4664	6/23/08 6:12	6/23/08 18:30	12:18:00	339.8	344.4	4.6	2.74	0	1.5	10 INVALID
093	SS-P-6	917	6/23/08 6:20	6/23/08 18:38	12:18:00	2137.8	2150.1	12.3	2.74	2.74	3.0	P218
094	SWC-P-6	2246	6/23/08 6:24	6/23/08 18:41	12:17:00	1533.7	1546.0	12.3	2.74	2.69	3.0	P198
095	WS-P-6	915	6/23/08 6:29	6/23/08 18:45	12:16:00	1976.6	1988.8	12.3	2.74	2.72	3.0	P096
096	NWC-P-7	958	6/23/08 18:06	6/24/08 5:28	11:22:00	2578.6	2589.9	11.4	2.74	2.68	3.0	P221
097	NWC-P-7F	4649	6/23/08 18:09	6/24/08 5:30	11:21:00	786.9	798.3	11.4	2.74	2.71	3.0	P223
098	NWC-P-7X	4649	6/23/08 18:09	6/24/08 5:30	11:21:00	786.9	798.3	11.4	2.74	2.71	3.0	
099	NS-P-7	2265	6/23/08 18:13	6/24/08 5:37	11:24:00	1003.4	1014.8	11.4	2.74	2.72	3.0	P213
100	NEC-P-7	2253	6/23/08 18:18	6/24/08 5:40	11:22:00	1935.2	1946.5	11.3	2.74	2.74	3.0	P208
101	ES-P-7	2251	6/23/08 18:21	6/24/08 5:42	11:21:00	1320.9	1332.3	11.4	2.74	2.63	2.9	P182
102	SEC-P-7	957	6/23/08 18:27	6/24/08 5:45	11:18:00	~~2160.4~~	2168.4	~~8.1~~	2.74	2.79	3.0	11 & P210
103	SEC-P-7C	998	6/23/08 18:35	6/24/08 5:50	11:15:00	1646.9	1658.2	11.2	2.74	2.78	3.0	P092
104	SEC-P-7F	4664	6/23/08 18:32	6/24/08 5:48	11:16:00	344.4	355.6	11.2	2.74	2.71	3.0	P190
105	SEC-P-7X	4664	6/23/08 18:32	6/24/08 5:48	11:16:00	344.4	355.6	11.2	2.74	2.71	3.0	
106	SS-P-7	917	6/23/08 18:39	6/24/08 5:53	11:14:00	2150.1	2161.4	11.2	2.74	2.87	3.1	P212
107	SWC-P-7	2246	6/23/08 18:43	6/24/08 5:57	11:14:00	1546.0	1557.2	11.2	2.74	2.89	3.1	P214
108	WS-P-7	915	6/23/08 18:46	6/24/08 5:59	11:13:00	1988.8	2000.0	11.2	2.74	2.74	3.0	P203
109	TB-1		6/24/08 6:01									P200
110	FB-1		6/24/08 6:02									P201

MFM Used #: 2-5286 **Slope:** 1.086 **Intercept:** 0.024

9. Lowest flow possible. Replaced minivol.

10. Battery failed. INVALID 11. "Counter Start" value incorrect. Use "Elapsed Time".

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)

FILTER FIELD LOG SHEET

Project: Propanil Pesticide Application Air Monitoring

Start Flow Set: 3.0 ±0.1lpm End Flow Criteria: 3.0 lpm ±20%

Weather K,P,C,F&R		Initials	
Start	End	Start	End
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S	K & S	SRR	SRR
K & S		SRR	
K & S		SRR	

Weather Codes: K = Clear, P = Partly Cloudy, C = ≥67% Cloudy, F = Fog, and R = Rain (any)