

**1,3-Dichloropropene (with and without chloropicrin)**  
**Field Fumigation Methods Allowed**  
California Code of Regulations, Chapter 3, Section 6448.1

Regulations to reduce emissions of volatile organic compounds (VOCs) from fumigant pesticides became effective on January 25, 2008. The rules focus on field fumigant applications made between May 1 and October 31 in five “nonattainment areas” (NAAs) that do not meet federal air quality standards for pesticide VOC emissions. Application method requirements depend on:

- When the fumigant will be applied, and
- Where the fumigant will be applied.

**Between November 1 and April 30, there is no change.** Any field fumigant method previously allowed can be used, anywhere in California. (Regulations and permit conditions that already restricted the use of some fumigants still apply.)

**Throughout the year, in areas outside the five NAAs there is no change.** Any field fumigant method previously allowed can be used, anywhere in California. (Regulations and permit conditions that already restricted the use of some fumigants still apply.)

**In the five NAAs,** from May 1 to October 31, field fumigations are limited to specific methods listed in the regulations. (For a map of the NAAs and a list of geographic sections affected by the field fumigant regulations, go to [www.cdpr.ca.gov](http://www.cdpr.ca.gov), click on “A-Z Index,” then “Nonattainment area maps.”)

**Key to abbreviations:**

- SAC** Sacramento Metro (All of Sacramento and Yolo, parts of El Dorado, Placer, Solano, Sutter)  
**SC** South Coast (All of Orange, parts of Los Angeles, Riverside, San Bernardino)  
**SJV** San Joaquin Valley (All of Fresno, Kings, Madera, Merced, San Joaquin, Stanislaus, Tulare, parts of Kern)  
**SED** Southeast Desert (Parts of Los Angeles, Riverside, San Bernardino)  
**VEN** Ventura (all of Ventura)

**Method:** Nontarpaulin/Shallow/Broadcast or Bed

**Method Code:** 1201

**1,3-D Emission Rating:** 65%

**Chloropicrin Emission Rating:** 64%

**Method allowed (X) in these NAAs (May 1 –October 31):**

SAC SC SJV SED VEN

× ×

**Method Description:**

- Injection point must be at least 12 inches below the soil surface.
- Chisel trace must be eliminated by use of tillage equipment to mix the soil to a depth of at least three inches. Broadcast fumigation must be followed by compaction of the soil surface.

**1,3-Dichloropropene (with and without chloropicrin)**  
**Field Fumigation Methods Allowed**  
California Code of Regulations, Chapter 3, Section 6448.1

<p><b>Method:</b> Tarpaulin/Shallow/Broadcast</p> <p style="text-align: right;"><b>Method Code:</b> 1202 <b>1,3-D Emission Rating:</b> 65% <b>Chloropicrin Emission Rating:</b> 44%</p> <p><b>Method allowed (X) in these NAAs (May 1 –October 31):</b> SAC SC SJV SED VEN X X</p> <p><b>Method Description:</b></p> <ul style="list-style-type: none"><li>• Injection point must be at least 12 inches below the soil surface.</li><li>• Chisel trace must be eliminated by use of tillage equipment to mix the soil to a depth of at least three inches. Broadcast fumigation must be followed by compaction of the soil surface.</li><li>• Tarpaulins must be buried under at least four inches of firmly packed soil at the end of the rows.</li><li>• The operator of the property shall maintain a “tarpaulin repair response plan’ pursuant to subsection (e).</li></ul>
<p><b>Method:</b> Tarpaulin/Shallow/Bed</p> <p style="text-align: right;"><b>Method Code:</b> 1203 <b>1,3-D Emission Rating:</b> 65% <b>Chloropicrin Emission Rating:</b> 64%</p> <p><b>Method allowed (X) in these NAAs (May 1 –October 31):</b> SAC SC SJV SED VEN X X</p> <p><b>Method Description:</b></p> <ul style="list-style-type: none"><li>• Injection point must be at least 12 inches below the soil surface.</li><li>• Chisel trace must be eliminated by use of tillage equipment to mix the soil to a depth of at least three inches. Broadcast fumigation must be followed by compaction of the soil surface.</li><li>• Tarpaulins must be buried under at least four inches of firmly packed soil at the end of the rows.</li><li>• The operator of the property shall maintain a “tarpaulin repair response plan’ pursuant to subsection (e).</li></ul>

**1,3-Dichloropropene (with and without chloropicrin)**  
**Field Fumigation Methods Allowed**  
California Code of Regulations, Chapter 3, Section 6448.1

<b>Method:</b> Nontarpaulin/Shallow/Broadcast or Bed Three Post-Fumigation Water Treatments	<b>Method Code:</b> 1204 <b>1,3-D Emission Rating:</b> 44% <b>Chloropicrin Emission Rating:</b> 43%
--	---

**Method allowed (X) in these NAAs (May 1 –October 31):**

SAC	SC	SJV	SED	VEN
✗	✗	✗	✗	✗

**Method Description:**

- Injection point must be at least 12 inches below the soil surface.
- Chisel trace must be eliminated by use of tillage equipment to mix the soil to a depth of at least three inches. Broadcast fumigation must be followed by compaction of the soil surface.
- Fumigation must be completed in a time that allows compliance with the post-fumigation water treatments below:
  - Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.
  - On the day of fumigation, the first water treatment must consist of at least 0.20 inches of water beginning within 30 minutes of the completion of fumigation. A second post-fumigation water treatment must consist of at least 0.20 inches of water applied starting no earlier than one hour prior to sunset on the day of fumigation and completed by midnight.
  - On the day following fumigation, a third post-fumigation water treatment must consist of at least 0.20 inches of water, and must be applied starting no earlier than one hour prior to sunset and completed by midnight.
  - Additional post-fumigation water treatment(s) may be applied at any time provided the treatments required above are completed in the specified time periods.

**1,3-Dichloropropene (with and without chloropicrin)**  
**Field Fumigation Methods Allowed**  
 California Code of Regulations, Chapter 3, Section 6448.1

<p><b>Method:</b> Tarpaulin/Shallow/Bed                  Three Post-Fumigation Water Treatments</p>	<p><b>Method Code:</b> 1205  <b>1,3-D Emission Rating:</b> 44%  <b>Chloropicrin Emission Rating:</b> 43%</p>										
<p><b>Method allowed (X) in these NAAs (May 1 –October 31):</b></p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">SAC</td> <td style="text-align: center;">SC</td> <td style="text-align: center;">SJV</td> <td style="text-align: center;">SED</td> <td style="text-align: center;">VEN</td> </tr> <tr> <td style="text-align: center;">✗</td> </tr> </table>		SAC	SC	SJV	SED	VEN	✗	✗	✗	✗	✗
SAC	SC	SJV	SED	VEN							
✗	✗	✗	✗	✗							
<p><b>Method Description:</b></p> <ul style="list-style-type: none"> <li>• Injection point must be at least 12 inches below the soil surface.</li> <li>• Chisel trace must be eliminated by use of tillage equipment to mix the soil to a depth of at least three inches.</li> <li>• Tarpaulins must be buried under at least four inches of firmly packed soil at the ends of the rows.</li> <li>• Fumigation must be completed in a time that allows compliance with the post-fumigation water treatments below:                         <ul style="list-style-type: none"> <li>▪ Water must be applied by an irrigation method that uniformly covers the treated area in the entire application block.</li> <li>▪ On the day of fumigation, the first water treatment must consist of at least 0.20 inches of water to the untarped areas, beginning within 30 minutes of the completion of fumigation. A second post-fumigation water treatment must consist of at least 0.20 inches of water to the untarped areas applied starting no earlier than one hour prior to sunset on the day of fumigation and completed by midnight.</li> <li>▪ On the day following fumigation, a third post-fumigation water treatment must consist of at least 0.20 inches of water to the untarped areas, and must be applied starting no earlier than one hour prior to sunset and completed by midnight.</li> <li>▪ Additional post-fumigation water treatment(s) may be applied at any time provided the treatments required above are completed in the specified time periods.</li> </ul> </li> <li>• The operator of the property shall maintain a "tarpaulin repair response plan" pursuant to subsection (e).</li> </ul>											

<p><b>Method:</b> Nontarpaulin/Deep/Broadcast or Bed</p>	<p><b>Method Code:</b> 1206  <b>1,3-D Emission Rating:</b> 26%  <b>Chloropicrin Emission Rating:</b> 64%</p>										
<p><b>Method allowed (X) in these NAAs (May 1 –October 31):</b></p> <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">SAC</td> <td style="text-align: center;">SC</td> <td style="text-align: center;">SJV</td> <td style="text-align: center;">SED</td> <td style="text-align: center;">VEN</td> </tr> <tr> <td style="text-align: center;">✗</td> </tr> </table>		SAC	SC	SJV	SED	VEN	✗	✗	✗	✗	✗
SAC	SC	SJV	SED	VEN							
✗	✗	✗	✗	✗							
<p><b>Method Description:</b></p> <ul style="list-style-type: none"> <li>• Injection point must be at least 18 inches below the soil surface.</li> <li>• Chisel trace must be eliminated by use of tillage equipment to mix the soil to a depth of at least three inches. Broadcast fumigation must be followed by compaction of the soil surface.</li> </ul>											

**1,3-Dichloropropene (with and without chloropicrin)**  
**Field Fumigation Methods Allowed**  
 California Code of Regulations, Chapter 3, Section 6448.1

<p><b>Method:</b> Tarpaulin/Deep/Broadcast</p> <p align="right"><b>Method Code:</b> 1207  <b>1,3-D Emission Rating:</b> 26%  <b>Chloropicrin Emission Rating:</b> 44%</p> <p><b>Method allowed (X) in these NAAs (May 1 –October 31):</b></p> <table> <tr> <td>SAC</td> <td>SC</td> <td>SJV</td> <td>SED</td> <td>VEN</td> </tr> <tr> <td align="center">X</td> <td align="center">X</td> <td align="center">X</td> <td align="center">X</td> <td align="center">X</td> </tr> </table> <p><b>Method Description:</b></p> <ul style="list-style-type: none"> <li>• Injection point must be at least 18 inches below the soil surface.</li> <li>• Chisel trace must be eliminated by use of tillage equipment to mix the soil to at depth of at least three inches. Broadcast fumigation must be followed by compaction of the soil surface.</li> <li>• Tarpaulins must be buried under at least four inches of firmly packed soil at the end of the rows.</li> <li>• The operator of the property shall maintain a “tarpaulin repair response plan” pursuant to subsection (e).</li> </ul>	SAC	SC	SJV	SED	VEN	X	X	X	X	X
SAC	SC	SJV	SED	VEN						
X	X	X	X	X						
<p><b>Method:</b> Tarpaulin/Deep/Bed</p> <p align="right"><b>Method Code:</b> 1208  <b>1,3-D Emission Rating:</b> 26%  <b>Chloropicrin Emission Rating:</b> 44%</p> <p><b>Method allowed (X) in these NAAs (May 1 –October 31):</b></p> <table> <tr> <td>SAC</td> <td>SC</td> <td>SJV</td> <td>SED</td> <td>VEN</td> </tr> <tr> <td align="center">X</td> <td align="center">X</td> <td align="center">X</td> <td align="center">X</td> <td align="center">X</td> </tr> </table> <p><b>Method Description:</b></p> <ul style="list-style-type: none"> <li>• Injection point must be at least 18 inches below the soil surface.</li> <li>• Chisel trace must be eliminated by use of tillage equipment to mix the soil to at depth of at least three inches.</li> <li>• Tarpaulins must be buried under at least four inches of firmly packed soil at the end of the rows.</li> <li>• The operator of the property shall maintain a “tarpaulin repair response plan” pursuant to subsection (e).</li> </ul>	SAC	SC	SJV	SED	VEN	X	X	X	X	X
SAC	SC	SJV	SED	VEN						
X	X	X	X	X						

**1,3-Dichloropropene (with and without chloropicrin)**  
**Field Fumigation Methods Allowed**  
California Code of Regulations, Chapter 3, Section 6448.1

<b>Method:</b> Chemigation (Drip System)/Tarpaulin	<b>Method Code:</b> 1209
<b>Method allowed (X) in these NAAs (May 1 –October 31):</b>	<b>1,3-D Emission Rating:</b> 19%
<b>Emission Rating:</b> 12%	<b>Chloropicrin</b>
SAC    SC    SJV    SED    VEN	
X    X    X    X    X	
<b>Method Description:</b>	
<ul style="list-style-type: none"><li>• Drip system must be filled with water and tested for pressure variation, clogged emitters, and leaks before chemigation. The pressure must not exceed the pressure rating of the drip tape and the pressure variation in the drip tape throughout the field must be less than three pounds per square inch. Drip system must be free of leaks and clogged emitters.</li><li>• The tarpaulin shall be placed and inspected for tears, holes, or improperly secured edges prior to fumigating. Repairs and adjustments shall be made before the chemigation begins.</li><li>• Ends of drip tape not covered by tarpaulin must be covered by two inches of soil.</li><li>• After chemigation, the drip system must be flushed with a volume of water at least three times the volume of the mainline and laterals of the drip system.</li></ul>	
The operator of the property shall maintain a “tarpaulin repair response plan” pursuant to subsection (e).	