

STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|---------------|
| (E)-4-TRIDECEN-1-YL-ACETATE | 2 | .60 |
| (E)-5-DECENOL | 3 | .28 |
| (E)-5-DECENYL ACETATE | 4 | 1.30 |
| (E,E)-9, 11-TETRADECADIEN-1-YL ACETATE | 4 | .04 |
| (E,Z)-7,9-DODECADIEN-1-YL ACETATE | 1 | 273.87 |
| (S)-CYPERMETHRIN | 3 | 30,143.81 |
| (S)-KINOPRENE | 1 | 261.07 |
| (S)-VERBENONE | 1 | 1,360.46 |
| (Z)-11-HEXADECEN-1-YL ACETATE | 1 | .08 |
| (Z)-4-TRIDECEN-1-YL-ACETATE | 2 | .02 |
| (Z)-9-DODECENYL ACETATE | 1 | .37 |
| (Z,Z)-11,13-HEXADECADIENAL | 1 | 3.80 |
| 1,2-BENZISOTHIAZOLIN-3-ONE | 10 | 148,559.53 |
| 1,2-DIBROMO-2,4-DICYANOBTANE | 2 | 2,288.82 |
| 1,3-BIS(HYDROXYMETHYL)-5,5-DIMETHYL HYDANTOIN | 2 | 50,365.34 |
| 1,3-DIBROMO-5,5-DIMETHYLHYDANTOIN | 7 | 44,690.45 |
| 1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN | 25 | 251,687.81 |
| 1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN | 25 | 92,164.48 |
| 1,3-DICHLOROPROPENE | 3 | 10,533,492.13 |
| 1,4-DIMETHYLNAPHTHALENE | 1 | 2,449.43 |
| 1,7-DIOXASPIRO-(5,5)-UNDECANE | 1 | .00 |
| 1-(2-HYDROXYETHYL)-2-ALKYL-2-IMIDAZOLINE, ALKYL DERIVED FROM TALL OIL FATTY ACIDS | 1 | 218.01 |
| 1-(3-CHLOROALLYL)-3,5,7-TRIAZA-1-AZONIA ADAMANTANE CHLORIDE | 2 | 21,696.00 |
| 1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN | 63 | 1,281,577.61 |
| 1-METHYLCYCLOPROPENE | 3 | 2.44 |
| 1-NAPHTHALENEACETAMIDE | 2 | 49.17 |
| 1-OCTEN-3-OL | 11 | 195.22 |
| 10,10'-OXYBISPHENOXYARSINE | 1 | 619.32 |
| 2,2'-(1-METHYLTRIMETHYLENEDIOXY)BIS-(4-METHYL-1,3,2-DIOXABORINANE) | 1 | 9,651.74 |
| 2,2'-OXYBIS (4,4,6-TRIMETHYL-1,3,2-DIOXABORINANE) | 1 | 3,912.09 |
| 2,2-DIBROMO-3-NITRILOPROPIONAMIDE | 31 | 193,302.49 |
| 2,4-D | 21 | 128,277.23 |
| 2,4-D, 2-ETHYLHEXYL ESTER | 10 | 64,444.45 |
| 2,4-D, BUTOXYETHANOL ESTER | 6 | 5,385.05 |
| 2,4-D, DIETHANOLAMINE SALT | 2 | 6,752.72 |
| 2,4-D, DIMETHYLAMINE SALT | 47 | 911,324.21 |
| 2,4-D, ISOOCTYL ESTER | 14 | 61,986.03 |
| 2,4-D, ISOPROPYL ESTER | 2 | 13,823.26 |
| 2,4-D, TRIISOPROPANOLAMINE SALT | 3 | 2,988.55 |
| 2,4-D, TRIISOPROPYLAMINE SALT | 1 | 2,861.13 |
| 2,4-DP, ISOOCTYL ESTER | 1 | 9.29 |
| 2,4-DP-P, DIMETHYLAMINE SALT | 16 | 6,818.35 |
| 2,4-DP-P, ISOOCTYL ESTER | 5 | 24.57 |
| 2,4-XYLENOL | 1 | 23.60 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| 2-((HYDROXYMETHYL)AMINO) ETHANOL | 2 | 765,237.49 |
| 2-(2,4-DP), DIMETHYLAMINE SALT | 10 | 947.23 |
| 2-(2-(P-(DIISOBUTYL) PHENOXY) ETHOXY) ETHYL DIMETHYLBENZYL AMMONIUM CHLORIDE | 12 | 7,000.09 |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 2 | 101,038.77 |
| 2-BUTOXYETHANOL | 6 | 6,422.81 |
| 2-METHYL-1-BUTANOL | 1 | 156.84 |
| 2-METHYL-4-ISOTHIAZOLIN-3-ONE | 44 | 20,559.18 |
| 3,7-DIMETHYL-6-OCTEN-1-OL | 1 | 158.98 |
| 3-(TRIHYDROXSILYL) PROPYL DIMETHYL OCTADECYL AMMONIUM CHLORIDE | 6 | 630.86 |
| 3-(TRIMETHOXSILYL) PROPYLDIMETHYLOCTADECYL AMMONIUM CHLORIDE | 8 | 136.62 |
| 3-CHLORO-P-TOLUIDINE HYDROCHLORIDE | 1 | .16 |
| 3-iodo-2-propynyl butylcarbamate | 21 | 255,307.63 |
| 4,4-(2-ETHYL-2-NITROTRIMETHYLENE)DIMORPHOLINE | 7 | 195.80 |
| 4,4-DIMETHYL OXAZOLIDINE | 4 | 33,331.88 |
| 4,5-DICHLORO-2-N-OCTYL-3(2H)-ISOTHIAZOLONE | 6 | 20,606.90 |
| 4-(2,4-DB), DIMETHYLAMINE SALT | 3 | 72,284.22 |
| 4-(2-NITROBUTYL)MORPHOLINE | 7 | 3,466.51 |
| 4-AMINOPYRIDINE | 1 | 9.56 |
| 4-CHLORO-3,5-XYLENOL | 2 | 7,077.23 |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 11 | 197,762.94 |
| 5,5-DIMETHYLHYDANTOIN | 4 | 63,702.19 |
| 5-CHLORO-2-(2,4-DICHLOROPHENOXY) PHENOL | 2 | 17.32 |
| 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE | 44 | 44,887.44 |
| 5-HYDROXY METHOXY METHYL-1-AZA-3,7-DIOXABICYCLO (3.3.0) OCTANE | 1 | 1,976.00 |
| 5-HYDROXYMETHYL-1-AZA-3,7-DIOXABICYCLO (3.3.0) OCTANE | 1 | 3,556.80 |
| 5-HYDROXPOLY (METHYLENEOXY) (74%C2, 21%C3, 4%C4, 1%C5) METHYL-1-AZA-3,7-DIOXABICYCLO (3.3.0) OCTANE | 1 | 642.20 |
| ABAMECTIN | 28 | 32,976.77 |
| ABAMECTIN, OTHER RELATED | 1 | .01 |
| ACEPHATE | 20 | 246,668.78 |
| ACEQUINOCYL | 2 | 6,928.19 |
| ACETAMIPRID | 5 | 43,917.42 |
| ACETIC ACID | 7 | 1,348.41 |
| ACIBENZOLAR-S-METHYL | 1 | 2,110.00 |
| ACID BLUE 9, DIAMMONIUM SALT | 2 | 20,678.45 |
| ACROLEIN | 1 | 996,798.34 |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 2 | 1,972.98 |
| ACRYLIC ACID | 1 | 12,322.49 |
| AGROBACTERIUM RADIOBACTER | 1 | 1,068.71 |
| AGROBACTERIUM RADIOBACTER, STRAIN K1026 | 1 | 7.48 |
| ALACHLOR | 1 | 9,590.33 |
| ALCOHOLS, C12-C14, ALIPHATIC | 1 | 1,776.91 |
| ALCOHOLS, C4-C12, NORMAL | 2 | 656.37 |
| ALDICARB | 1 | 1,966.50 |
| ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | 3 | 138.24 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | 30 | 635.59 |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | 265 | 1,403,597.58 |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM SACCHARINATE | 9 | 553.10 |
| ALKYL (58%C14, 28%C16, 14%C12) DIMETHYLBENZYL AMMONIUM CHLORIDE | 18 | 30,171.60 |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | 286 | 371,372.78 |
| ALKYL (61%C12,23%C14,11%C16,2.5%C8 & C10,2.5%C18) DIMETHYL BENZYL AMMONIUM CHLORIDE | 4 | 7,594.37 |
| ALKYL (67%C12, 25%C14, 7%C16, 1%C8,C10,C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | 10 | 6,860.37 |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | 272 | 327,554.83 |
| ALKYL (95%C14, 3%C12, 2%C16) DIMETHYL BENZYL AMMONIUM CHLORIDE | 3 | 18,063.54 |
| ALKYL (95%C14, 3%C12, 2%C16) DIMETHYL BENZYL AMMONIUM CHLORIDE DIHYDRATE | 4 | 4,131.00 |
| ALKYL (95%C14, 3%C12, 2%C16) DIMETHYL BENZYL AMMONIUM CHLORIDE MONOHYDRATE | 2 | 1,018.50 |
| ALKYL (98%C12, 2%C14) DIMETHYL 1-NAPHTHYLMETHYL AMMONIUM CHLORIDE | 1 | 78.80 |
| ALKYL (AS IN FATTY ACIDS OF COCONUT OIL) MONOETHANOLAMIDE | 1 | 216.29 |
| ALKYL (C8,C10) POLYGLUCOSIDE | 10 | 209,194.54 |
| ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE | 3 | 7,256.94 |
| ALKYL(42%C12, 26%C18, 15%C14, 8%C16, 5%C10, 4%C8)1,3-PROPYLENEDIAMINE | 1 | 40,516.05 |
| ALKYL-1,3-PROPYLENE DIAMINE ACETATE, ALKYL DERIVED FROM COCONUT OIL FATTY ACIDS | 1 | 163,366.63 |
| ALLETHRIN | 1 | 5.97 |
| ALLYL ISOTHIOCYANATE | 1 | .00 |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 1 | 13,487.51 |
| ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE | 1 | 1,617.49 |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 4 | 28,068.21 |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | 1 | .17 |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 39 | 2,201,572.16 |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE), BRANCHED | 7 | 24,585.55 |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE), PHOSPHATE ESTER | 6 | 415,081.89 |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE | 2 | 24,538.78 |
| ALPHA-2,4,6-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE) | 1 | 2,866.04 |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE) | 1 | 27,143.53 |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 1 | 11,643.70 |
| ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 1 | 1,156.25 |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 1 | 85,655.25 |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXPOLY(OXYETHYLENE) SULFATE, SODIUM SALT | 1 | 6,125.33 |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 3 | 1,455.10 |
| ALPHA-ALKYL (C12-C18)-OMEGA-HYDROXPOLY(OXYETHYLENE) POLY(OXYPROPYLENE) | 1 | 2,325.66 |
| ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXPOLY(OXYETHYLENE) POLY(OXYPROPYLENE) | 1 | 2.53 |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 9 | 231,994.58 |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 3 | 79,880.92 |
| ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY(OXYETHYLENE) | 1 | 10,310.45 |
| ALPHA-ALKYL (MIXED)-OMEGA-HYDROXPOLY (OXYETHYLENE) SULFATE | 1 | 692.12 |
| ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 4 | 14,006.94 |
| ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE | 2 | 931.60 |

STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|--------------|
| ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE | 1 | 681.04 |
| ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE | 1 | 2,344.71 |
| ALPHA-ISOOCTADECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 1 | 17,831.00 |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 4 | 1,481.54 |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 3 | 143,905.35 |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 7 | 196,126.74 |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE ESTER | 1 | 98.91 |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXPOLY(OXYETHYLENE) | 8 | 106,366.77 |
| ALUMINUM PHOSPHIDE | 6 | 210,487.00 |
| AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE | 1 | 2,225.10 |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 1 | 27,506.51 |
| AMITRAZ | 4 | 1,473.34 |
| AMMONIUM BICARBONATE | 2 | 21.89 |
| AMMONIUM NITRATE | 6 | 94,249.89 |
| AMMONIUM PROPIONATE | 1 | 53,885.87 |
| AMMONIUM SULFATE | 20 | 1,064,672.23 |
| AMYL ACETATE | 1 | 80.06 |
| ANCYMIDOL | 2 | 1.01 |
| ARSENIC ACID | 3 | 15,000.00 |
| ARSENIC PENTOXIDE | 3 | 299,984.25 |
| ARSENIC TRIOXIDE | 1 | 24.38 |
| ASPERGILLUS FLAVUS STRAIN AF36 | 1 | .24 |
| ATRAZINE | 4 | 29,551.52 |
| ATRAZINE, OTHER RELATED | 4 | 613.05 |
| AZADIRACHTIN | 16 | 3,864.84 |
| AZINPHOS-METHYL | 4 | 2,640.00 |
| AZOXYSTROBIN | 4 | 204,760.29 |
| BACILLUS LICHENIFORMIS SB 3086 | 1 | 2.59 |
| BACILLUS PUMILUS, STRAIN QST 2808 | 1 | 9,312.87 |
| BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362 | 3 | 695.22 |
| BACILLUS SUBTILIS GB03 | 2 | 2.16 |
| BACILLUS SUBTILIS MBI600 | 2 | 2.88 |
| BACILLUS SUBTILIS VAR. AMYLOLIQUEFACIENS STRAIN FZB24 | 2 | 5.00 |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 1 | 22,773.04 |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14 | 10 | 11,065.78 |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | 2 | 306.25 |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | 4 | 681.33 |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 1 | 93,982.80 |
| BACILLUS THURINGIENSIS SUBSPECIES KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7841 LEPIDOPTERAN ACTIVE TOXIN | 1 | 864.00 |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 1 | 42,027.66 |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52 | 1 | 6,690.67 |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 3 | 129,710.42 |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | 1 | 29.14 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| BACTERIAL PROTEASE | 1 | 3.10 |
| BACTERIOPHAGE ACTIVE AGAINST XANTHOMONAS CAMPESTRIS PV. VESICATORIA AND PSEUDOMONAS SYRINGAE PV. TOMATO | 1 | .00 |
| BALSAM FIR OIL | 3 | 60.61 |
| BARIUM METABORATE | 1 | 3,648.59 |
| BEAUVERIA BASSIANA HF 23 | 1 | .03 |
| BEAUVERIA BASSIANA STRAIN GHA | 1 | 1,413.34 |
| BENEFIN | 10 | 16,579.80 |
| BENSULFURON METHYL | 2 | 37,685.40 |
| BENSULIDE | 3 | 325,579.82 |
| BENTAZON, SODIUM SALT | 2 | 9,594.54 |
| BENTONITE | 1 | 159,542.40 |
| BENZOIC ACID | 1 | 4,906.43 |
| BENZYLDIETHYL [(2,6-XYLYLCARBAMOYL)METHYL] AMMONIUM SACCHARIDE | 3 | 17.29 |
| BETA-CYFLUTHRIN | 4 | 23,552.91 |
| BETA-PINENE POLYMER | 8 | 9,290.20 |
| BIFENAZATE | 2 | 101,089.23 |
| BIFENTHRIN | 36 | 294,563.00 |
| BIS(TRICHLOROMETHYL) SULFONE | 1 | 16.96 |
| BISPYRIBAC-SODIUM | 1 | 4,409.39 |
| BORAX | 15 | 36,161.39 |
| BORIC ACID | 42 | 741,541.17 |
| BOSCALID | 1 | 319,559.53 |
| BRODIFACOUM | 7 | 40.61 |
| BROMACIL | 15 | 124,415.72 |
| BROMACIL, LITHIUM SALT | 1 | 3,952.80 |
| BROMADIOLONE | 12 | 62.46 |
| BROMETHALIN | 14 | 58.36 |
| BROMINE CHLORIDE | 7 | 44,169.64 |
| BROMOXYNIL HEPTANOATE | 2 | 52,995.16 |
| BROMOXYNIL OCTANOATE | 4 | 73,237.48 |
| BRONOPOL | 15 | 35,389.65 |
| BUPROFEZIN | 2 | 126,132.68 |
| BUTOXY POLYPROPOXY POLYETHOXY ETHANOL - IODINE COMPLEX | 6 | 4,176.95 |
| BUTOXY POLYPROPYLENE GLYCOL | 10 | 32,971.74 |
| BUTYL ALCOHOL | 4 | 50,421.78 |
| BUTYL MERCAPTAN | 2 | .00 |
| CALCIUM ACETATE | 1 | 1.58 |
| CALCIUM CARBONATE | 2 | 211,288.00 |
| CALCIUM CHLORIDE | 1 | 9,107.50 |
| CALCIUM HYDROXIDE | 3 | 7,604,726.00 |
| CALCIUM HYPOCHLORITE | 32 | 8,544,693.76 |
| CANOLA OIL | 12 | 19,954.20 |
| CAPRIC ACID | 16 | 84,759.15 |
| CAPRYLIC ACID | 2 | 64,300.17 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|---------------|
| CAPSICUM OLEORESIN | 16 | 514.11 |
| CAPTAN | 7 | 321,380.23 |
| CAPTAN, OTHER RELATED | 7 | 7,243.62 |
| CARBARYL | 17 | 181,050.58 |
| CARBENDAZIM | 3 | 144,574.81 |
| CARBO METHOXY ETHER CELLULOSE, SODIUM SALT | 2 | 313.81 |
| CARBOFURAN | 1 | 8.54 |
| CARBON | 5 | 26,411.81 |
| CARBON DIOXIDE | 1 | 772,039.79 |
| CARBOXIN | 2 | 505.93 |
| CARFENTRAZONE-ETHYL | 5 | 23,745.18 |
| CASEIN | 2 | 11,966.93 |
| CASTOR OIL | 2 | 9,408.97 |
| CASTOR OIL ETHOXYLATE | 2 | 9,742.02 |
| CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES | 1 | 14,843.45 |
| CHITOSAN | 1 | 220.11 |
| CHLORANTRANILIPROLE | 4 | 56,568.18 |
| CHLORFENAPYR | 3 | 3,876.78 |
| CHLORFLURENOL, METHYL ESTER | 1 | 496.15 |
| CHLORHEXIDINE DIACETATE | 2 | 287.84 |
| CHLORHEXIDINE GLUCONATE | 2 | .16 |
| CHLORINE | 16 | 53,204,206.86 |
| CHLORINE DIOXIDE | 14 | 7,176.65 |
| CHLORMEQUAT CHLORIDE | 5 | 1,642.00 |
| CHLOROPHACINONE | 7 | 56.63 |
| CHLOROPICRIN | 7 | 6,368,948.38 |
| CHLOROTHALONIL | 32 | 1,510,536.02 |
| CHLORPROPHAM | 5 | 6,257.49 |
| CHLORPYRIFOS | 20 | 1,630,920.02 |
| CHLORSULFURON | 4 | 9,763.96 |
| CHLORTHAL-DIMETHYL | 1 | 229,307.04 |
| CHOLECALCIFEROL | 2 | 22.96 |
| CHROMIC ACID | 3 | 424,835.84 |
| CINNAMALDEHYDE | 1 | .11 |
| CITRIC ACID | 36 | 436,680.22 |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 14 | 316,636.20 |
| CLETHODIM | 11 | 94,617.74 |
| CLOFENTEZINE | 1 | 12,199.67 |
| CLOMAZONE | 2 | 151,447.50 |
| CLOPYRALID, MONOETHANOLAMINE SALT | 7 | 15,717.16 |
| CLOPYRALID, TRIETHYLAMINE SALT | 3 | 586.02 |
| CLOTHIANIDIN | 5 | 40,935.44 |
| COCONUT DIETHANOLAMIDE | 7 | 33,898.54 |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 1 | 226.90 |
| CODLING MOTH GRANULOSIS VIRUS | 1 | .62 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|--------------|
| CONIOTHYRIUM MINITANS STRAIN CON/M/91-08 | 1 | 653.23 |
| COPPER | 28 | 597,857.79 |
| COPPER 8-QUINOLINOLEATE | 3 | 121.45 |
| COPPER AMMONIUM CARBONATE | 2 | 461,160.25 |
| COPPER AMMONIUM COMPLEX | 3 | 43,623.18 |
| COPPER CARBONATE, BASIC | 2 | 48,795.05 |
| COPPER CITRATE | 1 | 1,592.54 |
| COPPER CITRATE CHELATE | 1 | 173.63 |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | 6 | 221,880.50 |
| COPPER ETHYLENEDIAMINE COMPLEX | 3 | 29,255.61 |
| COPPER GLUCONATE CHELATE | 1 | 173.63 |
| COPPER HYDROXIDE | 12 | 2,343,793.11 |
| COPPER NAPHTHENATE | 16 | 120,145.46 |
| COPPER OCTANOATE | 9 | 13,031.85 |
| COPPER OXIDE (IC) | 3 | 169,571.35 |
| COPPER OXIDE (OUS) | 21 | 971,604.51 |
| COPPER OXYCHLORIDE | 8 | 402,978.28 |
| COPPER SULFATE (BASIC) | 11 | 1,803,840.26 |
| COPPER SULFATE (PENTAHYDRATE) | 45 | 3,783,301.12 |
| COPPER TRIETHANOLAMINE COMPLEX | 6 | 66,880.55 |
| CORN GLUTEN MEAL | 1 | 15,135.90 |
| CORN PRODUCT, HYDROLYZED | 1 | 230,298.56 |
| CORN STEEP LIQUOR | 1 | 3,529.92 |
| CORN SYRUP | 1 | 4,824.04 |
| COTTONSEED FLOUR | 2 | 856.80 |
| COTTONSEED OIL | 7 | 85,241.93 |
| COUMAPHOS | 2 | .39 |
| COYOTE URINE | 1 | 68.64 |
| CRYOLITE | 3 | 626,632.92 |
| CUPROUS THIOCYANATE | 4 | 7,051.63 |
| CYANURIC ACID | 24 | 2,920,950.19 |
| CYANURIC ACID, MONOSODIUM SALT | 4 | 279,209.90 |
| CYAZOFAMID | 2 | 9,081.34 |
| CYCLANILIDE | 2 | 1,696.06 |
| CYCLOATE | 1 | 41,793.46 |
| CYFLUTHRIN | 13 | 16,481.78 |
| CYHALOFOP-BUTYL | 1 | 31,435.41 |
| CYMOXANIL | 2 | 10,488.53 |
| CYPERMETHRIN | 21 | 48,866.29 |
| CYPHENOTHRIN | 3 | 1,365.87 |
| CYPRODINIL | 1 | 208,077.07 |
| CYROMAZINE | 4 | 11,830.37 |
| CYTOKININ | 2 | .01 |
| D-ALLETHRIN | 13 | 1,280.60 |
| D-TRANS ALLETHRIN | 15 | 2,192.37 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| DAMINOZIDE | 4 | 7,266.65 |
| DAZOMET | 12 | 42,391.86 |
| DDVP | 8 | 24,701.03 |
| DDVP, OTHER RELATED | 8 | 1,653.99 |
| DEET | 35 | 282,786.75 |
| DEET, OTHER RELATED | 10 | 708.38 |
| DELTAMETHRIN | 34 | 3,007.40 |
| DERIVATED NATURAL POLYMERS | 1 | 250.86 |
| DESMEDIPHAM | 2 | 1,981.73 |
| DIALLYL SULFIDES | 1 | 975.41 |
| DIATOMACEOUS EARTH | 17 | 64,164.91 |
| DIATOMACEOUS EARTH, OTHER RELATED | 1 | 1,692.24 |
| DIAZINON | 5 | 123,133.91 |
| DICAMBA | 28 | 10,157.34 |
| DICAMBA, DIMETHYLAMINE SALT | 36 | 61,429.38 |
| DICAMBA, DIMETHYLAMINE SALT, OTHER RELATED | 1 | .74 |
| DICAMBA, POTASSIUM SALT | 1 | - 40.78 |
| DICAMBA, SODIUM SALT | 2 | 10,686.72 |
| DICHLOBENIL | 9 | 32,963.04 |
| DICLORAN | 1 | 43,334.93 |
| DICOFOL | 2 | 14,754.40 |
| DIDECYL DIMETHYL AMMONIUM BICARBONATE | 5 | 134,224.35 |
| DIDECYL DIMETHYL AMMONIUM CARBONATE | 6 | 231,770.24 |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | 241 | 375,480.86 |
| DIETHYLENE GLYCOL | 8 | 149,865.14 |
| DIETHYLENE GLYCOL MONOETHYL ETHER | 2 | 41.74 |
| DIFENACOU | 3 | .05 |
| DIFENOCONAZOLE | 2 | 43,031.56 |
| DIFETHIALONE | 5 | 11.46 |
| DIFLUBENZURON | 9 | 33,344.40 |
| DIFLUFENZOPYR, SODIUM SALT | 1 | 1,036.77 |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 5 | 67,554.01 |
| DIHYDRO-5-HEPTYL-2(3H)-FURANONE | 2 | 24.89 |
| DIHYDRO-5-PENTYL-2(3H)-FURANONE | 2 | 12.19 |
| DIIODOMETHYL P-TOLYL SULFONE | 2 | 99,404.45 |
| DIKEGULAC SODIUM | 1 | 2,680.13 |
| DIMETHENAMID-P | 3 | 5,829.52 |
| DIMETHOATE | 6 | 270,206.65 |
| DIMETHOMORPH | 1 | 4,265.87 |
| DIMETHYL ALKYL TERTIARY AMINES | 1 | 5,343.08 |
| DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE | 1 | 663.72 |
| DIMETHYL SILICONE FLUID EMULSION | 1 | 9,295.80 |
| DIMETHYLPOLYSILOXANE | 24 | 197,956.86 |
| DINOTEFURAN | 12 | 9,977.18 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|--------------|
| DIOCTYL DIMETHYL AMMONIUM CHLORIDE | 178 | 172,423.02 |
| DIPHACINONE | 15 | 235.08 |
| DIPHACINONE, SODIUM SALT | 2 | 12.55 |
| DIPHENYLAMINE | 2 | 2,903.54 |
| DIPROPYL ISOCINCHOMERONATE | 25 | 872.54 |
| DIPROPYLENE GLYCOL | 2 | 9.37 |
| DIPROPYLENE GLYCOL METHYL ETHER | 1 | 52.24 |
| DIQUAT DIBROMIDE | 22 | 193,059.81 |
| DISODIUM CYANODITHIOIMIDO CARBONATE | 5 | 792.80 |
| DISODIUM OCTABORATE ANHYDROUS | 4 | 2,376.54 |
| DISODIUM OCTABORATE TETRAHYDRATE | 28 | 334,608.59 |
| DISODIUM PHOSPHATE | 1 | 192.68 |
| DISODIUM SALT OF ETHYLENEDIAMINETETRAACETIC ACID DIHYDRATE | 4 | 25,414.70 |
| DISULFOTON | 3 | 1,737.49 |
| DITHIOPYR | 24 | 242,883.44 |
| DIURON | 19 | 987,632.61 |
| DODECYL GUANIDINE HYDROCHLORIDE | 3 | 764.32 |
| DODECYLBENZENE SULFONIC ACID | 15 | 41,931.87 |
| DODECYLBENZENE SULFONIC ACID, CALCIUM SALT | 1 | 1.66 |
| DODINE | 1 | 4,600.74 |
| E,E-8,10-DODECADIEN-1-OL | 7 | 1,750.87 |
| E-11-TETRADECEN-1-YL ACETATE | 5 | 16.42 |
| E-8-DODECENYL ACETATE | 7 | 253.55 |
| EDTA | 1 | 1,244.40 |
| EDTA, SODIUM SALT | 2 | 207.30 |
| EDTA, TETRASODIUM SALT | 8 | 4,500.73 |
| EMAMECTIN BENZOATE | 1 | 1,717.32 |
| EMULSIFIABLE METHYLATED VEGETABLE OIL | 2 | 60,633.14 |
| ENDOSULFAN | 3 | 26,653.55 |
| ENDOTHALL, DIPOTASSIUM SALT | 1 | 29,328.77 |
| ENDOTHALL, MONO [N,N-DIMETHYL ALKYLAMINE] SALT | 2 | 17,777.79 |
| EPTC | 2 | 204,997.11 |
| ESBIOTHRIN | 5 | 6.06 |
| ESFENVALERATE | 41 | 45,505.21 |
| ETHALFLURALIN | 2 | 63,934.56 |
| ETHEPHON | 17 | 768,860.83 |
| ETHOFUMESATE | 4 | 15,288.02 |
| ETHOPROP | 2 | 11,943.69 |
| ETHYL ALCOHOL | 78 | 4,088,279.41 |
| ETHYL BUTYLACETYLAMINOPROPIONATE | 5 | 5,336.51 |
| ETHYLENE | 3 | 29,273.69 |
| ETHYLENE GLYCOL | 5 | 150,808.86 |
| ETHYLENE GLYCOL MONOMETHYL ETHER | 2 | 5,115.99 |
| ETHYLENE OXIDE | 6 | 1,519,019.51 |
| ETOFENPROX | 5 | 37,101.93 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| ETOXAZOLE | 1 | 44,791.55 |
| EUCALYPTUS OIL | 3 | 5.08 |
| EUGENOL | 3 | .90 |
| FAMOXADONE | 1 | 3,745.13 |
| FARNESOL | 2 | 63.67 |
| FATTY ACIDS DERIVED FROM TALLOW | 1 | 34,265.58 |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 4 | 422,446.80 |
| FATTY ACIDS, METHYL ESTERS | 7 | 20,183.30 |
| FATTY ACIDS, MIXED | 5 | 104,035.88 |
| FENAMIDONE | 2 | 36,885.24 |
| FENARIMOL | 1 | 2,523.12 |
| FENBUCONAZOLE | 1 | 8,335.21 |
| FENBUTATIN-OXIDE | 3 | 7,248.67 |
| FENHEXAMID | 2 | 108,119.45 |
| FENOXAPROP-P-ETHYL | 4 | 33,736.80 |
| FENOXYCARB | 1 | .75 |
| FENPROPATHRIN | 1 | 39,222.24 |
| FENPYROXIMATE | 2 | 21,979.43 |
| FERRIC SODIUM EDTA | 3 | 24,002.51 |
| FERRIC SULFATE (ANHYDROUS) | 1 | 20,452.20 |
| FERROUS SULFATE | 1 | 1,179.86 |
| FERROUS SULFATE (MONOHYDRATE) | 2 | 1,282.88 |
| FIPRONIL | 12 | 39,632.59 |
| FISH OIL | 1 | 2,245.47 |
| FLONICAMID | 2 | 63,002.43 |
| FLUAZIFOP-P-BUTYL | 6 | 20,490.41 |
| FLUAZINAM | 2 | 22,658.37 |
| FLUBENDIAMIDE | 2 | 25,404.33 |
| FLUDIOXONIL | 1 | 42,823.53 |
| FLUMIOXAZIN | 1 | 128,798.36 |
| FLUOPICOLIDE | 1 | 18,734.07 |
| FLUOXASTROBIN | 1 | - 83.97 |
| FLURECOL-METHYL | 1 | 118.40 |
| FLURIDONE | 4 | 7,773.66 |
| FLUROXYPYR | 2 | 27.83 |
| FLUROXYPYR, 1-METHYLHEPTYL ESTER | 8 | 925.76 |
| FLURPRIMIDOL | 2 | 19.26 |
| FLUTOLANIL | 4 | 17,598.00 |
| FOLPET | 2 | 61.27 |
| FORAMSULFURON | 2 | 201.39 |
| FORCHLORFENURON | 2 | 215.61 |
| FORMALDEHYDE | 5 | 14,266.69 |
| FORMETANATE HYDROCHLORIDE | 1 | 37,168.00 |
| FORMIC ACID | 1 | 8,239.13 |
| FOSETYL-AL | 8 | 348,020.24 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|---------------|
| FOX URINE | 1 | 140.76 |
| FREE FATTY ACIDS AND/OR AMINE SALTS | 15 | 5,254.73 |
| GAMMA-CYHALOTHRIN | 8 | 1,641.78 |
| GARLIC | 4 | 465.18 |
| GERANIOL | 3 | 159.37 |
| GIBBERELLINS | 8 | 52,482.13 |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 1 | 3,091.20 |
| GLUFOSINATE-AMMONIUM | 3 | 1,299,405.43 |
| GLUTARALDEHYDE | 45 | 1,281,582.73 |
| GLYCEROL | 7 | 16,172.25 |
| GLYCOLIC ACID | 2 | 23,331.52 |
| GLYPHOSATE | 1 | 13,314.27 |
| GLYPHOSATE, DIAMMONIUM SALT | 1 | 107.84 |
| GLYPHOSATE, DIMETHYLAMINE SALT | 1 | 172,569.10 |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 66 | 12,026,399.63 |
| GLYPHOSATE, MONOAMMONIUM SALT | 3 | 187,141.19 |
| GLYPHOSATE, POTASSIUM SALT | 3 | 8,617,172.88 |
| HALOSULFURON-METHYL | 6 | 4,817.69 |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 4 | 7,776.50 |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 5 | 10,091.80 |
| HEPTYL BUTYRATE | 1 | 2,812.01 |
| HEXAFLUMURON | 1 | .09 |
| HEXAHYDRO-1,3,5-TRIS (2-HYDROXYETHYL)-S-TRIAZINE | 7 | 79,794.63 |
| HEXAZINONE | 2 | 152,119.38 |
| HEXYLENE GLYCOL | 1 | 4,569.20 |
| HEXYTHIAZOX | 1 | 49,586.99 |
| HYDRAMETHYLNON | 7 | 2,936.89 |
| HYDROGEN CHLORIDE | 55 | 31,536,735.81 |
| HYDROGEN CYANAMIDE | 3 | 561,268.76 |
| HYDROGEN PEROXIDE | 64 | 2,162,466.67 |
| HYDROPRENE | 3 | 1,804.84 |
| HYDROTREATED PARAFFINIC SOLVENT | 4 | 134,849.50 |
| HYDROXYMETHYL-5,5-DIMETHYL HYDANTOIN | 2 | 12,172.67 |
| IBA | 17 | 262.69 |
| IMAZALIL | 8 | 37,827.54 |
| IMAZALIL SULFATE | 3 | 7,555.00 |
| IMAZAMOX, AMMONIUM SALT | 1 | 5,463.01 |
| IMAZAPIC, AMMONIUM SALT | 1 | 593.06 |
| IMAZAPYR | 2 | 75.15 |
| IMAZAPYR, ISOPROPYLAMINE SALT | 9 | 47,156.55 |
| IMAZETHAPYR, AMMONIUM SALT | 2 | 7,718.61 |
| IMIDACLOPRID | 60 | 1,502,469.00 |
| IMIPROTHRIN | 3 | 5,639.35 |
| INDAZIFLAM | 3 | 9,787.85 |
| INDOLE | 1 | 143.48 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| INDOXACARB | 5 | 46,840.67 |
| IODINE | 23 | 15,965.66 |
| IPCONAZOLE | 2 | 12.44 |
| IPRODIONE | 13 | 493,832.40 |
| IRON HEDTA | 6 | 107.08 |
| IRON PHOSPHATE | 13 | 15,518.61 |
| ISODECYL ALCOHOL | 1 | 122.69 |
| ISOCTYL PHTHALATE | 2 | 5,188.17 |
| ISOPROPYL ALCOHOL | 57 | 2,651,653.23 |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 7 | 3,620.35 |
| ISOXABEN | 7 | 36,986.34 |
| KAOLIN | 3 | 3,266,116.15 |
| KEROSENE | 2 | 49,477.99 |
| KRESOXIM-METHYL | 1 | 43,439.13 |
| LACTIC ACID | 9 | 130,877.33 |
| LACTOSE | 1 | 11,965.68 |
| LAMBDA-CYHALOTHRIN | 27 | 67,457.27 |
| LAURIC ACID | 1 | 5,568.48 |
| LAURYL ALCOHOL | 3 | 1,452.39 |
| LAURYL SULFATE | 1 | 70.60 |
| LAVANDULYL SENECIOATE | 1 | 99.42 |
| LECITHIN | 8 | 476,558.73 |
| LIGNIN SULFONIC ACID | 1 | 12,909.92 |
| LIME | 1 | 8.05 |
| LIME-SULFUR | 5 | 311,864.08 |
| LIMONENE | 19 | 79,691.23 |
| LINALOOL | 8 | 3,690.93 |
| LINURON | 2 | 83,903.75 |
| LITHIUM HYPOCHLORITE | 12 | 21,616.89 |
| LOW MOLECULAR WEIGHT PARAFFINIC OIL | 1 | 1,241.02 |
| MAGNESIUM CHLORIDE | 1 | 10,143.01 |
| MAGNESIUM PHOSPHIDE | 2 | 10,580.66 |
| MALATHION | 15 | 848,605.15 |
| MALEIC HYDRAZIDE | 2 | 5.41 |
| MALEIC HYDRAZIDE, POTASSIUM SALT | 2 | 51,224.57 |
| MANCOZEB | 16 | 1,830,214.52 |
| MANDIPROPAMID | 1 | 34,576.96 |
| MANGANESE SULFATE | 3 | 1,918.23 |
| MARGOSA OIL | 1 | 9,740.55 |
| MCPA | 2 | 236.67 |
| MCPA, 2-ETHYL HEXYL ESTER | 4 | 2,856.57 |
| MCPA, DIMETHYLAMINE SALT | 11 | 417,291.97 |
| MCPA, ISOCTYL ESTER | 4 | 8,876.54 |
| MCPP | 7 | 256.55 |
| MCPP, DIMETHYLAMINE SALT | 9 | 1,254.94 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|---------------|
| MCPP, POTASSIUM SALT | 1 | 1,652.65 |
| MCPP-P, DIMETHYLAMINE SALT | 32 | 26,779.80 |
| MCPP-P, POTASSIUM SALT | 1 | - 86.26 |
| MECOPROP-P | 20 | 60,678.48 |
| MEFENOXAM | 6 | 123,430.05 |
| MEFENOXAM, OTHER RELATED | 2 | 1,051.22 |
| MEFLUIDIDE, DIETHANOLAMINE SALT | 2 | 1,388.51 |
| MENTHOL | 2 | 1,849.82 |
| MEPIQUAT CHLORIDE | 14 | 34,029.32 |
| MESOSULFURON-METHYL | 1 | 2,071.50 |
| META-CRESOL | 1 | 23.75 |
| METAFLUMIZONE | 2 | 281.61 |
| METALAXYL | 8 | 480.98 |
| METALDEHYDE | 14 | 270,836.73 |
| METALLIC SILVER | 23 | 487.71 |
| METAM-SODIUM | 8 | 11,470,097.37 |
| METARHIZIUM ANISOPLIAE STRAIN F52 | 1 | .44 |
| METCONAZOLE | 2 | 36,125.90 |
| METHAMIDOPHOS | 1 | - 2,708.77 |
| METHIDATHION | 1 | 28,192.49 |
| METHIOCARB | 1 | 3,613.50 |
| METHOMYL | 6 | 297,899.31 |
| METHOXYFENOZIDE | 1 | 188,828.98 |
| METHYL ANTHRANILATE | 5 | 4,250.47 |
| METHYL BROMIDE | 4 | 4,255,470.60 |
| METHYL IODIDE | 1 | 1,900.71 |
| METHYL NONYL KETONE | 12 | 2,642.45 |
| METHYL NONYL KETONE, OTHER RELATED | 7 | 109.98 |
| METHYL PARATHION | 1 | 11,704.87 |
| METHYL PARATHION, OTHER RELATED | 1 | 616.05 |
| METHYL SALICYLATE | 3 | 18.06 |
| METHYL SILICONE RESINS | 5 | 50,400.31 |
| METHYL-2,7-DICHLORO-9-HYDROXYFLUORENE-9-CARBOXYLATE | 1 | 90.21 |
| METHYLATED FATTY ACIDS FROM CANOLA OIL | 2 | 8,675.58 |
| METHYLATED SILICA | 2 | 188.26 |
| METHYLATED SOYBEAN OIL | 15 | 1,897,830.53 |
| METHYLENE BIS(THIOCYANATE) | 12 | 127,765.81 |
| METOFLUTHRIN | 1 | 18.50 |
| METOLACHLOR | 4 | 202,579.17 |
| METRAFENONE | 1 | 13,983.30 |
| METRIBUZIN | 6 | 39,021.04 |
| MILBEMECTIN | 1 | 2.33 |
| MINERAL OIL | 27 | 19,260,697.77 |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 3 | 246,008.04 |
| MORPHOLINE | 2 | 2,243.30 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| MSMA | 8 | 86,639.48 |
| MUSCALURE | 11 | 84.10 |
| MYCLOBUTANIL | 14 | 87,704.51 |
| MYRISTYL ALCOHOL | 1 | 124.61 |
| MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255 | 1 | 42,480.00 |
| N,N-BIS-(2-(OMEGA-HYDROXPOLY(OXYETHYLENE)/POLY(OXYPROPYLENE))ETHYL)ALKYL (C8-C18) AMINE | 1 | 31,888.38 |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL)ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 8 | 132,807.50 |
| N-BUTYL-1,2-BENZISOTHIAZOLIN-3-ONE | 1 | 1,190.40 |
| N-CYCLOPROPYL-N'-(1,1-DIMETHYLETHYL)-6-(METHYLTHIO)-1,3,5-TRIAZINE-2,4-DIAMINE | 8 | 4,667.16 |
| N-DIALKYL (60%C14, 30%C16, 5%C12, 5%C18) METHYL BENZYL AMMONIUM CHLORIDE | 15 | 174.38 |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 80 | 24,500.11 |
| N6-BENZYL ADENINE | 5 | 464.48 |
| NAA | 6 | 82.36 |
| NAA, AMMONIUM SALT | 3 | 1,047.97 |
| NAA, ETHYL ESTER | 2 | 87.94 |
| NAA, SODIUM SALT | 1 | 31.90 |
| NABAM | 11 | 12,327.71 |
| NALED | 1 | 257,969.44 |
| NAPROPAMIDE | 2 | 26,956.00 |
| NEROLIDOL | 1 | 158.98 |
| NICARBAZIN | 1 | 11.55 |
| NICOSULFURON | 5 | 693.51 |
| NITHIAZINE | 1 | 2.49 |
| NONANOIC ACID | 20 | 541,367.22 |
| NONANOIC ACID, OTHER RELATED | 2 | 2,437.36 |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 6 | 25,160.29 |
| NORFLURAZON | 2 | 28,225.26 |
| NOSEMA LOCUSTAE SPORES | 2 | 4.31 |
| NOVALURON | 2 | 29,333.40 |
| NURANONE | 2 | .00 |
| OCTHILINONE | 8 | 29,923.04 |
| OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE | 177 | 337,634.07 |
| OCTYL DODECYL DIMETHYL AMMONIUM CHLORIDE | 1 | .37 |
| OIL OF BLACK PEPPER | 1 | 747.85 |
| OIL OF CEDARWOOD | 6 | 94.42 |
| OIL OF CITRONELLA | 13 | 18,475.39 |
| OIL OF GERANIUM | 2 | 29.44 |
| OIL OF LEMON EUCALYPTUS | 3 | 3,504.20 |
| OIL OF LEMONGRASS | 1 | 5.24 |
| OIL OF LEMONGRASS | 5 | 91.03 |
| OIL OF PEPPERMINT | 2 | 23.59 |
| OLEIC ACID | 6 | 9,845.14 |
| OLEIC ACID, ETHYL ESTER | 1 | 5,767.40 |
| OLEIC ACID, METHYL ESTER | 2 | 789,999.75 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|---------------|
| ORGANO/MODIFIED POLYSILOXANE | 1 | 57.98 |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 5 | 4,207.78 |
| ORTHO-BENZYL-PARA-CHLOROPHENOL | 39 | 13,650.74 |
| ORTHO-BENZYL-PARA-CHLOROPHENOL, POTASSIUM SALT | 6 | 705.18 |
| ORTHO-BENZYL-PARA-CHLOROPHENOL, SODIUM SALT | 5 | 98.44 |
| ORTHO-PHENYLPHENOL | 81 | 29,767.17 |
| ORTHO-PHENYLPHENOL, POTASSIUM SALT | 4 | 304.16 |
| ORTHO-PHENYLPHENOL, SODIUM SALT | 15 | 16,273.35 |
| ORYZALIN | 17 | 1,276,076.60 |
| OXADIAZON | 9 | 25,045.14 |
| OXAMYL | 1 | 214,745.49 |
| OXAZOLIDINE E | 1 | 15,592.19 |
| OXYDEMETON-METHYL | 2 | 23,363.56 |
| OXYDIETHYLENE BIS (ALKYL DIMETHYL AMMONIUM CHLORIDE), ALKYL DERIVED FROM COCONUT OIL FATTY ACIDS | 2 | 86,034.92 |
| OXYFLUORFEN | 15 | 1,116,874.27 |
| OXYTETRACYCLINE HYDROCHLORIDE | 3 | 1.93 |
| OXYTETRACYCLINE HYDROCHLORIDE, OTHER RELATED | 2 | .00 |
| OXYTETRACYCLINE, CALCIUM COMPLEX | 1 | 15,487.92 |
| P-MENTHANE-3,8-DIOL | 1 | 377.54 |
| PACLOBUTRAZOL | 13 | 3,557.94 |
| PAECILOMYCES LILACINUS STRAIN 251 | 1 | 853.20 |
| PANTOEA AGGLOMERANS STRAIN E325, NRRL B-21856 | 1 | .84 |
| PARA-CHLORO-META-CRESOL | 1 | 219.78 |
| PARA-DICHLOROBENZENE | 7 | 544,277.21 |
| PARA-TERT-AMYLPHENOL | 38 | 6,741.17 |
| PARA-TERT-AMYLPHENOL, POTASSIUM SALT | 4 | 208.26 |
| PARAQUAT DICHLORIDE | 7 | 1,401,793.30 |
| PCNB | 7 | 800.40 |
| PENDIMETHALIN | 15 | 2,710,591.15 |
| PENOX SULAM | 5 | 8,328.68 |
| PERMETHRIN | 163 | 350,214.54 |
| PERMETHRIN, OTHER RELATED | 24 | 5,868.19 |
| PEROXYACETIC ACID | 43 | 598,372.89 |
| PEROXYOCTANOIC ACID | 1 | 3,955.72 |
| PETROLEUM DISTILLATES | 16 | 326,422.05 |
| PETROLEUM DISTILLATES, ALIPHATIC | 1 | 109.30 |
| PETROLEUM DISTILLATES, REFINED | 5 | 2,121,171.08 |
| PETROLEUM NAPHTHENIC OILS | 1 | 1,275.16 |
| PETROLEUM OIL, PARAFFIN BASED | 11 | 1,153,277.41 |
| PETROLEUM OIL, UNCLASSIFIED | 13 | 24,590,861.79 |
| PHENMEDIPHAM | 2 | 4,820.76 |
| PHENOL | 1 | 679.02 |
| PHENOTHHRIN | 60 | 20,481.46 |
| PHENYLETHYL PROPIONATE | 5 | 237.87 |

STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|--------------|
| PHORATE | 2 | 82,328.00 |
| PHOSMET | 2 | 98,783.14 |
| PHOSPHINE | 1 | 15,962.17 |
| PHOSPHORIC ACID | 58 | 610,946.88 |
| PHOSPHORIC ACID, MONOPOTASSIUM SALT | 2 | 60,116.87 |
| PICARIDIN | 7 | 6,014.66 |
| PINE OIL | 22 | 1,929,094.13 |
| PINOXADEN | 1 | 4,741.39 |
| PIPERALIN | 1 | 1,525.71 |
| PIPERINE | 1 | 288.23 |
| PIPERONYL BUTOXIDE | 128 | 88,866.38 |
| PIPERONYL BUTOXIDE, OTHER RELATED | 91 | 15,555.96 |
| POLY(OXYETHYLENE) (DIMETHYLIMINO) ETHYLENE (DIMETHYLIMINO) ETHYLENE DICHLORIDE | 61 | 1,214,910.82 |
| POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER | 2 | 31,186.62 |
| POLY-I-PARA-MENTHENE | 1 | 129,086.61 |
| POLYACRYLAMIDE POLYMER | 12 | 7,471.65 |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 4 | 5,129.20 |
| POLYACRYLIC POLYMER | 2 | 4,191.61 |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 10 | 37,133.73 |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | 2 | 2,629.67 |
| POLYBUTENES | 7 | 107,078.55 |
| POLYETHER MODIFIED POLYSILOXANE | 7 | 41,116.85 |
| POLYETHOXY POLYPROPPOXY POLYETHOXY ETHANOL - IODINE COMPLEX | 4 | 1,872.48 |
| POLYETHOXYLATED CASTOR OIL | 2 | 750.54 |
| POLYETHYLENE GLYCOL | 1 | 208,637.86 |
| POLYETHYLENE GLYCOL DIACETATE | 1 | 1,226.14 |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 3 | 22,295.30 |
| POLYETHYLENE GLYCOL OLEATE | 1 | 1,537.04 |
| POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM) | 1 | 58.10 |
| POLYHEXAMETHYLENE BIGUANIDINE | 10 | 44,025.59 |
| POLYMERIC TERPENES | 2 | 38,332.37 |
| POLYMERIZED PINENE | 4 | 24,285.09 |
| POLYOXIN D | 3 | 4,870.01 |
| POLYOXYETHYLENE DIOLEATE | 4 | 1,096.96 |
| POLYOXYETHYLENE MIXED FATTY ACID ESTER | 2 | 39,408.97 |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 4 | 75,961.04 |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | 1 | 5.33 |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 2 | 12,985.56 |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 2 | 84,180.32 |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | 1 | 244,630.22 |
| POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER | 3 | 73,065.16 |
| POLYPROPYLENE GLYCOL | 1 | 263.03 |
| POLYSACCHARIDE POLYMER | 1 | .18 |
| POLYSILOXANE | 4 | 3,001.45 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---|-----------------------|--------------|
| POTASH SOAP | 21 | 61,464.43 |
| POTASSIUM BICARBONATE | 5 | 692,419.12 |
| POTASSIUM CARBONATE | 10 | 10,191.58 |
| POTASSIUM DIMETHYL DITHIO CARBAMATE | 3 | 396.31 |
| POTASSIUM HYDROXIDE | 2 | 4,985.75 |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 7 | 8,616,839.68 |
| POTASSIUM NITRATE | 5 | 10,064.29 |
| POTASSIUM PEROXYMONOSULFATE | 31 | 479,245.11 |
| POTASSIUM PHOSPHATE, DIBASIC | 5 | 4,924.03 |
| POTASSIUM PHOSPHITE | 16 | 303,270.92 |
| POTASSIUM SALT OF HOP BETA ACIDS | 1 | 153.12 |
| POTASSIUM SORBATE | 1 | 7.06 |
| PRALLETHRIN | 24 | 1,371.98 |
| PRODIAMINE | 25 | 54,822.26 |
| PROHEXADIONE CALCIUM | 1 | 198.00 |
| PROMETON | 9 | 2,490.09 |
| PROMETRYN | 4 | 91,538.25 |
| PROPAMOCARB HYDROCHLORIDE | 4 | 105,417.61 |
| PROPANIL | 3 | 2,743,410.00 |
| PROPARGITE | 1 | 405,660.22 |
| PROPETAMPHOS | 1 | 50.66 |
| PROPICONAZOLE | 31 | 105,500.09 |
| PROPIONIC ACID | 29 | 530,340.17 |
| PROPOXUR | 20 | 2,857.13 |
| PROPYLENE GLYCOL | 19 | 66,307.38 |
| PROPYLENE GLYCOL, METHYL ETHER | 1 | 88.31 |
| PROPYLENE OXIDE | 1 | 809,462.00 |
| PROPYZAMIDE | 2 | 65,213.45 |
| PSEUDOMONAS FLUORESCENS, STRAIN A506 | 2 | 62.48 |
| PSEUDOMONAS SYRINGAE, STRAIN ESC-10 | 1 | 101.03 |
| PUTRESCENT WHOLE EGG SOLIDS | 3 | 15,206.79 |
| PYMETROZINE | 1 | 3,785.52 |
| PYRACLOSTROBIN | 1 | 190,818.62 |
| PYRAFLUFEN-ETHYL | 4 | 1,735.31 |
| PYRETHRINS | 119 | 18,075.10 |
| PYRIDABEN | 3 | 4,012.06 |
| PYRIDALYL | 1 | 829.85 |
| PYRIMETHANIL | 5 | 61,432.18 |
| PYRIPROXYFEN | 27 | 18,435.29 |
| PYRITHIOBAC-SODIUM | 2 | 1,444.89 |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 4 | 38,909.46 |
| QUILLAJA | 4 | 4,347.25 |
| QUINCLORAC | 16 | 50,985.59 |
| QUINCLORAC, DIMETHYLAMINE SALT | 1 | 2,904.90 |
| QUINOXYFEN | 1 | 42,805.99 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|--------------|
| RED CABBAGE COLOR | 1 | 520.65 |
| RESMETHRIN | 10 | 136.40 |
| RESMETHRIN, OTHER RELATED | 3 | .54 |
| REYNOUTRIA SACHALINENSIS | 3 | 18,964.06 |
| RIMSULFURON | 4 | 21,849.40 |
| ROSEMARY OIL | 2 | 42.02 |
| ROTENONE | 5 | 32.80 |
| ROTENONE, OTHER RELATED | 4 | 51.66 |
| S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE | 2 | 51,792.05 |
| S-ABSCISIC ACID | 1 | 2,633.80 |
| S-BIOALLETHRIN | 8 | 38.80 |
| S-METHOPRENE | 24 | 26,463.50 |
| S-METOLACHLOR | 3 | 412,132.31 |
| SABADILLA ALKALOIDS | 1 | 24.00 |
| SAFLUFENACIL | 1 | 26,503.40 |
| SALICYLIC AND BENZOIC ESTERS OF PROPYLENE GLYCOL | 1 | 3,141.75 |
| SAPONIN | 1 | 13,132.05 |
| SESAME OIL | 1 | 1,361.27 |
| SETHOXYDIM | 2 | 39,745.26 |
| SIDURON | 4 | 5,568.88 |
| SILICA AEROGEL | 5 | 1,763.35 |
| SILICONE | 4 | 1,740.90 |
| SILICONE DEFOAMER | 8 | 845.52 |
| SILVER CHLORIDE | 2 | 88.10 |
| SILVER IODIDE, COLLOIDAL | 1 | 3.74 |
| SILVER NITRATE | 4 | 35.56 |
| SILVER, IONIC | 7 | .16 |
| SIMAZINE | 5 | 749,466.05 |
| SOAP | 1 | 45.70 |
| SODIUM ALPHA-OLEFIN (C14-C16) SULFONATE | 1 | 34,776.72 |
| SODIUM BICARBONATE | 30 | 9,197,629.79 |
| SODIUM BISULFATE | 27 | 786,923.69 |
| SODIUM BISULFITE | 9 | 819,123.64 |
| SODIUM BROMIDE | 51 | 2,277,085.96 |
| SODIUM BROMOSULFAMATE, SODIUM CHLOROSULFAMATE, POTASSIUM BROMOSULFAMATE, POTASSIUM CHLOROSULFAMATE | 4 | 18,658.82 |
| SODIUM CARBONATE | 26 | 1,275,674.62 |
| SODIUM CARBONATE PEROXYHYDRATE | 9 | 607,436.28 |
| SODIUM CHLORATE | 9 | 1,107,166.03 |
| SODIUM CHLORIDE | 3 | 961.30 |
| SODIUM CHLORITE | 29 | 1,631,313.86 |
| SODIUM CYANIDE | 2 | 2,573.30 |
| SODIUM DECYL SULFATE | 1 | 4,485.83 |
| SODIUM DICHLORO-S-TRIAZINETRIONE | 43 | 4,018,760.46 |
| SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE | 60 | 3,297,453.36 |

STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|---------------------------------------|-----------------------|----------------|
| SODIUM DIHYDROGEN PHOSPHATE | 5 | 902.89 |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 4 | 3,290.45 |
| SODIUM DIMETHYL DITHIO CARBAMATE | 11 | 35,069.19 |
| SODIUM DIOCTYLSULFOSUCCINATE | 1 | 792.43 |
| SODIUM DODECYLBENZENE SULFONATE | 4 | 9,648.68 |
| SODIUM FLUORIDE | 1 | 511.85 |
| SODIUM HYDROXIDE | 8 | 9,513.82 |
| SODIUM HYDROXYMETHYLGLYCINATE | 1 | 132.00 |
| SODIUM HYPOCHLORITE | 128 | 190,717,275.44 |
| SODIUM LAUROAMPHO ACETATE | 1 | 3,385.53 |
| SODIUM LAURYL ETHER SULFATE | 1 | 1,552.03 |
| SODIUM LAURYL SULFATE | 6 | 40,707.68 |
| SODIUM METABORATE TETRAHYDRATE | 1 | 41,037.23 |
| SODIUM NITRATE | 2 | 102,172.63 |
| SODIUM PARA-TERT-AMYLPHENATE | 6 | 4,998.99 |
| SODIUM PERSULFATE | 3 | 14,725.50 |
| SODIUM PHENATE | 1 | 26.12 |
| SODIUM POLYACRYLATE | 1 | 1,342.14 |
| SODIUM PYRITHIONE | 3 | 82,127.75 |
| SODIUM TETRABORATE (PENTAHYDRATE) | 8 | 6,770.67 |
| SODIUM TETRATHIOCARBONATE | 1 | 256,972.22 |
| SODIUM XYLENE SULFONATE | 6 | 7,102.64 |
| SORBITAN FATTY ACID ESTERS | 1 | 1.17 |
| SORBITAN MONOOLEATE | 3 | 600.21 |
| SORBITAN TRIOLEATE | 1 | 340.52 |
| SORBITOL | 2 | 6,196.07 |
| SOYBEAN OIL | 6 | 54,982.93 |
| SPINETORAM | 2 | 43,645.28 |
| SPINOSAD | 16 | 28,674.92 |
| SPIRODICLOFEN | 1 | 29,612.13 |
| SPIROMESIFEN | 3 | 47,048.83 |
| SPIROTETRAMAT | 3 | 10,968.44 |
| STREPTOMYCES GRISEOVIRIDIS STRAIN K61 | 1 | 2.98 |
| STREPTOMYCES LYDICUS WYEC 108 | 1 | 7.20 |
| STREPTOMYCIN SULFATE | 6 | 6,120.78 |
| STRYCHNINE | 8 | 5,327.52 |
| STYRENE BUTADIENE COPOLYMER | 1 | 18,261.02 |
| SUCROSE OCTANOATE | 2 | 1,602.82 |
| SUGAR | 4 | 30,555.22 |
| SULFENTRAZONE | 6 | 11,045.01 |
| SULFLURAMID | 3 | 1.52 |
| SULFOMETURON-METHYL | 5 | 19,978.75 |
| SULFOSULFURON | 1 | 201.21 |
| SULFUR | 45 | 54,319,355.51 |
| SULFUR DIOXIDE | 2 | 355,766.00 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|--|-----------------------|---------------|
| SULFURIC ACID | 14 | 153,220.69 |
| SULFURYL FLUORIDE | 3 | 2,701,841.84 |
| TALL OIL | 7 | 31,097.05 |
| TALL OIL FATTY ACIDS | 20 | 110,870.88 |
| TARTRAZINE | 2 | 2,062.82 |
| TAU-FLUVALINATE | 2 | 2,509.58 |
| TCMTB | 9 | 2,217.29 |
| TEBUCONAZOLE | 24 | 98,442.62 |
| TEBUFENOZIDE | 2 | 219.59 |
| TEBUTHIURON | 4 | 9,310.38 |
| TEMEPHOS | 3 | 22.00 |
| TERBUTHYLAZINE | 9 | 368.53 |
| TERRAZOLE | 2 | 1,236.50 |
| TETRACHLORVINPHOS | 7 | 17,934.75 |
| TETRACONAZOLE | 2 | 3,621.57 |
| TETRADECYL DIMETHYL BENZYL AMMONIUM CHLORIDE DIHYDRATE | 1 | 164.26 |
| TETRAGLYCINE HYDROPERIODIDE | 2 | 4,652.09 |
| TETRAKIS (HYDROXYMETHYL) PHOSPHONIUM SULFATE | 12 | 48,248.09 |
| TETRAMETHRIN | 74 | 6,301.74 |
| TETRAPOTASSIUM PYROPHOSPHATE | 5 | 3,551.32 |
| THIABENDAZOLE | 13 | 653,042.31 |
| THIAMETHOXAM | 4 | 26,053.02 |
| THIDIAZURON | 5 | 42,086.36 |
| THIOBENCARB | 1 | 203,855.27 |
| THIOPHANATE-METHYL | 22 | 130,126.58 |
| THIRAM | 6 | 66,059.27 |
| THYME | 2 | 342.35 |
| THYME OIL | 1 | 4.97 |
| THYMOL | 12 | 3,632.63 |
| TRALOMETHRIN | 4 | 3.66 |
| TRALOPYRIL | 2 | 1,015.96 |
| TRI-N-BUTYLTIN MALEATE | 1 | 2,879.36 |
| TRIADIMEFON | 6 | 2,192.30 |
| TRIBENURON-METHYL | 1 | 3,952.38 |
| TRIBUTYL TETRADECYL PHOSPHONIUM CHLORIDE | 2 | 24.00 |
| TRIBUTYLTIN OXIDE | 3 | 133.77 |
| TRICHLORO-S-TRIAZINETRIONE | 37 | 28,477,463.88 |
| TRICHLOROMELAMINE | 3 | 3,398.32 |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | 2 | 543.88 |
| TRICLOPYR, BUTOXYETHYL ESTER | 10 | 185,640.48 |
| TRICLOPYR, TRIETHYLAMINE SALT | 17 | 192,343.70 |
| TRIETHANOLAMINE | 6 | 9,146.69 |
| TRIETHYLENE GLYCOL | 11 | 25,460.09 |
| TRIFLOXYSTROBIN | 4 | 52,682.39 |
| TRIFLOXYSULFURON-SODIUM | 1 | 2,452.86 |

**STATE OF CALIFORNIA
PESTICIDES SOLD IN CALIFORNIA FOR YEAR: 2011
Combined Active Ingredients By Chemical Name**

02/14/13

| ACTIVE INGREDIENTS | Number of Registrants | Total Pounds |
|-------------------------------------|-----------------------|--------------|
| TRIFLUMIZOLE | 1 | 71,107.49 |
| TRIFLURALIN | 20 | 811,932.94 |
| TRIFLUSULFURON-METHYL | 1 | 395.88 |
| TRIFORINE | 1 | 6,129.31 |
| TRIMETHYLAMINE | 1 | 2,008.71 |
| TRINEXAPAC-ETHYL | 11 | 6,422.47 |
| TRIS (HYDROXYMETHYL) NITROMETHANE | 2 | 346.18 |
| TRISODIUM PHOSPHATE | 1 | 18,466.60 |
| TRITICONAZOLE | 3 | 671.84 |
| UNDECYLENIC ACID | 1 | 620.52 |
| UNICONIZOLE-P | 2 | 3.38 |
| UREA | 5 | 32,903.13 |
| UREA DIHYDROGEN SULFATE | 4 | 894,514.60 |
| VEGETABLE OIL | 3 | 698,951.65 |
| VINCLOZOLIN | 2 | 743.00 |
| VINYL POLYMER | 2 | 4,761.21 |
| WARFARIN | 8 | 19.84 |
| XANTHAN GUM | 1 | 9.19 |
| YEAST | 2 | 5,049.44 |
| YUCCA SCHIDIGERA | 4 | 9,663.33 |
| Z,E-9,12-TETRADECADIEN-1-YL ACETATE | 4 | 165.23 |
| Z-11-TETRADECEN-1-YL ACETATE | 3 | 2.31 |
| Z-7-TETRADECEN-2-ONE | 2 | .00 |
| Z-8-DODECENOL | 7 | 44.39 |
| Z-8-DODECENYL ACETATE | 7 | 3,920.48 |
| ZINC 2-PYRIDINETHIOL-1-OXIDE | 7 | 81,963.41 |
| ZINC CHLORIDE | 1 | 269.42 |
| ZINC NAPHTHENATE | 3 | 9,571.53 |
| ZINC OXIDE | 1 | 7,760.00 |
| ZINC PHOSPHIDE | 10 | 27,017.24 |
| ZINC SULFATE | 5 | 8,147.40 |
| ZINC SULFATE, MONOHYDRATE | 1 | 204.62 |
| ZIRAM | 4 | 1,014,870.01 |
| ZOXAMIDE | 1 | 2,761.41 |
| No. Chemicals: | 921 | |

| | |
|----------------------|-----------------------|
| Total Pounds: | 619,348,642.23 |
|----------------------|-----------------------|