Table 55: *The non-adjuvant pesticides with the largest change in area treated of peach and nectarine from 2010 to 2011. This table shows acres treated with each AI in each year from 2007 to 2011, the change in acres treated and percent change from 2010 to 2011.*

AI	AI Type	2007	2008	2009	2010	2011	Change	Percent Change
ZIRAM	FUNGICIDE	54,144	58,629	36,809	40,530	63,728	23,198	57
ABAMECTIN	INSECTICIDE			2	10,677	24,607	13,930	130
OIL	INSECTICIDE	115,746	127,964	125,071	105,841	95,294	-10,546	-10
DIFLUBENZURON	INSECTICIDE	10,993	8,472	8,976	13,280	5,624	-7,655	-58
SPINOSAD	INSECTICIDE	35,337	32,899	16,834	20,131	12,854	-7,277	-36
CAPTAN	FUNGICIDE	632	1,174	443	7,622	788	-6,834	-90
SPINETORAM	INSECTICIDE		8,551	14,855	17,271	23,888	6,617	38
COPPER	FUNGICIDE	43,872	40,648	60,431	43,856	37,385	-6,471	-15
PROPICONAZOLE	FUNGICIDE	64,695	65,731	67,489	73,983	80,339	6,356	9
HEXYTHIAZOX	INSECTICIDE	22,574	22,219	20,869	14,757	9,120	-5,637	-38
SULFUR	FUNGICIDE/ INSECTICIDE	76,428	70,892	71,272	85,735	80,236	-5,498	-6
LAMBDA-CYHALOTHRIN	INSECTICIDE	16,395	13,778	18,242	17,828	23,258	5,431	30
BACILLUS THURINGIENSIS	INSECTICIDE	16,497	18,225	14,627	15,404	10,461	-4,943	-32
FLUBENDIAMIDE	INSECTICIDE			4,090	3,058	7,944	4,885	160
SPIRODICLOFEN	INSECTICIDE	12,066	16,916	23,104	16,091	11,374	-4,718	-29