

**Summary of
Pesticide Use Report Data
2012**
Indexed by Commodity



California Department of Pesticide Regulation
P.O. Box 4015
Sacramento, CA 95812-4015

California Environmental Protection Agency Department of Pesticide Regulation

Edmund G. Brown Jr., Governor

Matt Rodriquez, Secretary
California Environmental Protection Agency

Brian Leahy, Director
Department of Pesticide Regulation

February 2014

Any portion of this report may be reproduced for any but profit-making purposes.

For information on obtaining electronic data files, see Page iii.

This report is also available on DPR's Web site <www.cdpr.ca.gov>.

If you have questions concerning this report, call 916-445-3887.

Contents

How to Access the Summary of Pesticide Use Report Data	ii
1 Introduction	1
Continuous Evaluation of Pesticides	1
Data Collection	3
CalAgPermits	4
Improving Accuracy	4
Improving Access to the Data	5
2 Comments and Clarifications of Data	6
Terminology	6
Agricultural and Nonagricultural Pesticide Use	6
Commodity Codes	9
Unregistered Use	9
Adjuvants	10
Acres Treated	10
Number of Applications	10
3 Data Summary	11
Pesticide Use in California	11
Pesticide Sales in California	14
4 Trends in Use in Certain Pesticide Categories	14
5 Trends In Pesticide Use In Certain Commodities	66
6 Summary of Pesticide Use Report Data 2012 Indexed by Commodity	125

How to Access the Summary of Pesticide Use Report Data

The *Summary of Pesticide Use Report Data* indexed by chemical or commodity reports for years 1989-2012 can be found on DPR's Web site at <www.cdpr.ca.gov>. The *Summary of Pesticide Use Report Data* is available in two formats. One report is indexed by chemical and lists the amount of each pesticide used, the commodity on which it was used, the number of agricultural applications, and the acres/units treated. The second report is indexed by commodity and lists amount of pesticide used for each chemical, the number of agricultural applications, and the acres/units treated.

The *Annual Pesticide Use Report Data* (the complete database of reported pesticide applications for 1989 to 2012) are available on CD and on DPR's FTP site at <ftp://pestreg.cdpr.ca.gov/pub/outgoing/pur_archives/>. The FTP site also includes data for years 1974 to 1989. The files are in text (comma-delimited) format.

Questions regarding the *Summary of Pesticide Use Report Data* should be directed to the Department of Pesticide Regulation, Pest Management and Licensing Branch, P.O. Box 4015, Sacramento, California 95812-4015, telephone 916-322-2152, or you may request copies of the data by contacting <Basil.Ibewiro@cdpr.ca.gov>.

1 Introduction

California's pesticide use reporting program is recognized as the most comprehensive in the world. California has had pesticide use reporting of some form since at least 1950. In 1990, California became the first state to require full reporting of agricultural pesticide use to have more realistic and comprehensive pesticide data to better inform DPR's pesticide regulatory programs while protecting people and the environment. Over the years, these data have been used by many individuals and groups including government officials, scientists, growers, legislators, and public interest groups. All pesticide use required to be reported must be sent to county agricultural commissioners (CACs), who, in turn, report the data to DPR. In the last couple of years DPR has annually collected and processed more than three million records of pesticide applications. (A single application creates more than one record if multiple pesticide products are applied at the same time.)

California has a broad legal definition of "agricultural use" so the reporting requirements include pesticide applications in production agriculture, parks, golf courses, cemeteries, rangeland, pastures, and along roadside and railroad rights-of-way. In addition, all postharvest pesticide treatments of agricultural commodities must be reported along with all pesticide treatments in poultry and fish production as well as some livestock applications. All uses by licensed applicators and outdoor applications of pesticides with the potential to pollute ground water must be reported. The primary exceptions to the reporting requirements are home-and-garden use and most industrial and institutional uses.

California law (Food and Agricultural Code [FAC] section 12979) requires reporting on uses of pesticides and prescribes how DPR will use the reports in setting priorities for food monitoring, enforcing pesticide use, protecting the safety of farm workers, monitoring the environment for unanticipated residues, researching pest control practices, monitoring and researching public health issues, and similar activities. These uses of the data help to achieve another mandated activity of DPR: to develop an orderly program for the continuous evaluation of currently registered pesticides (FAC section 12824). Information gathered during continuous evaluation is used in DPR's reevaluation of currently registered pesticides. Regulations (California Code of Regulations Title 3, sections 6624 et seq.) further describe pesticide use record keeping and reporting requirements.

Continuous Evaluation of Pesticides

The Pesticide Use Report (PUR) greatly increased the accuracy and efficiency of continuous evaluation of pesticides by providing details on each application including date, location, site (e.g., crop), time, acres or units treated, and the identity and quantity of each pesticide applied. These data allow scientists and others to identify trends in pesticide use, compare use locations

with other geographical information and data, and perform quantitative assessments and evaluations of pesticides to human health and the environment to carry out DPR's mandates.

DPR uses the PUR throughout its pesticide regulatory programs in ways that can be broadly grouped as temporal (time), geospatial (place), and quantitative (amount), and often combines elements of each.

Temporal analyses can pinpoint specific applications or span many years. Investigations into suspected worker illnesses, spray drift, fish or wildlife losses, or other enforcement inquiries frequently begin with a review of the PUR to see what applications were made in an area at a particular time. Protection of ground and surface waters, assessments of risks to human health with accurate potential acute and chronic exposure scenarios, and allocation of monitoring and enforcement resources often begin with analyses of PUR data spanning many years to evaluate pesticide use trends.

Geospatial analyses may be local or expansive in scale. Local analyses are used to help set priorities for surface and ground water monitoring programs by determining pesticide use and runoff potential in specific watersheds or other defined areas. DPR scientists calculate pesticides' contributions of smog-forming volatile organic compounds (VOCs) in the atmosphere using reliable pesticide use data and emissions data on products. They further refine their analyses to specific air basins that are particularly vulnerable to air pollution and determine whether pesticide-related VOC emissions are below required targets or whether additional restrictions on use may be warranted to protect air quality. More expansive analyses relate areas of pesticide use to habitats of endangered species and provide a means to guide growers with use practices that better protect these species. The results of such analyses are very valuable when assessing regulatory responses or evaluating the performance of voluntary stewardship efforts.

Quantitative assessments are broadly used to model risks of pesticide use to humans and the environment. The quality and depth of the PUR often allows researchers to apply realistic assumptions when modeling pesticide exposures, for example, of residents near agricultural lands, workers in the field, handlers preparing and applying pesticides, or aquatic organisms inhabiting waterways that receive agricultural runoff. The result is well-informed and realistic risk management decisions.

After the passage of the federal Food Quality Protection Act (FQPA) in 1996, complete pesticide use data became even more important to the U.S. Environmental Protection Agency (U.S. EPA), groups representing California's various agricultural commodities, and other stakeholders. The FQPA contained a new food safety standard against which all pesticide tolerances (amounts of pesticide residue allowed by federal law to remain on a harvested crop) must be measured. DPR provides recent use data and summaries to commodity groups, University of California (UC) specialists, U.S. EPA, and other interested parties as they reassess tolerances and calculate dietary risks from pesticides.

Data on types and rates of pesticide use in various crops and at other sites help researchers understand how various pest management options are implemented and devise strategies that reduce environmental risks. Analyses of these data support and assess grant projects DPR funds to promote the development and adoption of integrated pest management practices in both agricultural and urban settings.

The PUR data are used by many state, regional, and local agencies; scientists; and public interest groups to better understand pesticide use and to find better ways to protect human health and the environment while producing food and fiber and maintaining our shelters and surroundings.

Data Collection

Partial reporting of agricultural pesticide use has been in place in California since at least the 1950s. In those years, CACs required agricultural pest control operators to send monthly reports. County requirements varied, but many included a statement for each application that showed the grower's name; treatment location and date; crop; acres or other units treated; target pest; and the kind, strength, and amount of the pesticide applied. Only statistics on aerial pesticide applications were forwarded to the state for tabulation. In 1955, state regulators asked for reports on ground application acreage but dropped requirements for detailed reporting of pesticides used and commodities treated. In 1970, DPR required farmers to report all applications of restricted use pesticides and pest control operators to report all pesticides used, whether restricted or nonrestricted. Both kinds of reports had to include the date, location, site (e.g., crop), acres or units treated, and the identity and quantity of each pesticide applied. Production agricultural applications included records for each application and the location to a square mile area (section, township, and range); all other applications were reported as a monthly summary by county. The reports were filed with the CAC, who forwarded the data to the state, where it was entered into a database and summarized in annual publications.

The Food Safety Act of 1989 (Chapter 12001, assembly bill 2161) gave DPR statutory authority to require full reporting of pesticide use. That year, the department adopted regulations and full use reporting began in 1990.

The first years of full use reporting nearly overwhelmed the department's capacity to process data. Use reports were on paper and staff had to hand-enter data representing more than a million records each year. DPR began almost immediately to search for ways to automate reporting from pesticide users to CACs and, in turn, from the counties to DPR. However, it was difficult to find an approach that suited the diversity of use reporting and differing budget resources among the counties. Starting in 1991, various automated programs were developed and modified by DPR and the CACs. Meanwhile, technological progress and increasing use of the Internet by businesses fed expectations for more Web-based functionality for pesticide use reporting.

CalAgPermits

In 2011, the counties worked together to implement a new standardized county system, called CalAgPermits, that operates over the Internet. It helps CACs issue restricted materials permits and provides an automated platform for validating and relaying pesticide use reports electronically to DPR. It accepts pesticide use reports electronically from individuals and subscriber-based firms and allows pesticide use reporting directly via the Web. CalAgPermits allows pesticide use data to flow back and forth electronically between DPR and CACs for quality assurance. It also offers more robust data quality assurances that prevent coding mistakes and transcription errors (e.g., drop down menus and requisite data fields that must be filled before records are accepted). CalAgPermits has enhanced the efficiency of data entry and data transfer and enhanced the accuracy and integrity of the database.

Improving Accuracy

The use report data are checked for accuracy at several steps in the process. CalAgPermits checks for several kinds of errors when users enter data. For example, if the pesticide is a restricted material CalAgPermits compares the pesticide's reported use to the grower's restricted materials permit to ensure that the pesticide is listed in the permit. When data are sent to DPR to be loaded into DPR's database, more than 50 different validity checks are made against the data. In particular, the U.S. EPA or California registration number is verified and a check is made to confirm the commodity reported is an acceptable use of the pesticide product. The database contains some products that are no longer registered since continued use of those products is often allowed while existing stocks remain with end-users. Records with suspected errors are flagged and returned electronically to the county for resolution.

In the late 1990s, DPR developed a statistical method to detect probable errors in the data fields for the acres treated and the pounds of pesticide used. This is one of the error checks done after data are sent to DPR. If a reported rate of use (pounds of pesticide per area treated) is so large it was probably an error, the rate is replaced with an estimated rate equal to the median rate of all applications of the pesticide product on the same crop or site. This is still flagged as an error and sent back to the counties for checking. Since the error could have been in the pounds reported or the area or unit treated, the value that is most unusual is replaced with an estimate. Although less than one percent of the reports are flagged as this type of error, some are so large that if included they would significantly affect total pounds applied of the pesticide. (For example, in 2007 an application of the insecticide imidacloprid was inaccurately reported as 108,000 pounds on one acre of cabbage. The median rate of imidacloprid use in 2007 was 0.05 pounds an acre. These types of errors, while rare, can occur.)

Improving Access to the Data

The annual reports present only a summary of the use reporting data base (typically a 450-megabyte file for each year's data). In the late 1990s, DPR took steps to improve public access to the data and present it in a more meaningful context. Summaries of the statewide data indexed by chemical and by commodity, previously available on paper and compact disk, were posted on DPR's Web site. Summaries of use in each of the state's 58 counties, previously available only on request, were also posted online. The entire database starting with the 1974 data is also available on DPR's Web site.

In 2003, DPR launched the Web-based California Pesticide Information Portal (CalPIP) database to increase public access to the nation's most extensive source of pesticide use information. CalPIP provides pesticide use statistics including date, site or crop treated, pounds used, acres treated, pesticide product name, chemical name (active ingredient), application pattern (ground, air, or other), county, ZIP code, and location to a one-square-mile area.

DPR also began examining trends in pesticide use, starting with the 1996 data, analyzing critical crops, pest problems and trends in pounds used, number of applications, and acres treated. Each year, the pesticide use report summary charts use of pesticides over several years in specific categories:

- Reproductive toxins.
- Carcinogens.
- Insecticide organophosphate and carbamate chemicals.
- Chemicals classified by DPR as ground water contaminants.
- Chemicals listed by DPR as toxic air contaminants.
- Fumigants.
- Oil pesticides derived from petroleum distillation. (Some may be on the state's Proposition 65 list of chemicals "known to cause cancer," but most serve as alternatives to high-toxicity pesticides).
- Biopesticides (including microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest, such as pheromones).

DPR scientists review changes in pesticide use for about a dozen crops selected based on pesticide use or treated acreage. To compile this information, staff reviews publications and conducts telephone interviews with pest control advisers, growers, researchers, commodity association representatives, and UC Cooperative Extension farm advisers and specialists. Based on their knowledge of pesticides, California agriculture, and pests and pest management practices, DPR scientists propose explanations for year-to-year changes in pesticide use.

Pesticide use trend analyses can help agencies understand where efforts to promote reduced-risk

pest management strategies are succeeding or failing. Information on long-term trends also helps researchers better identify emerging challenges and direct research attention to finding solutions.

2 Comments and Clarifications of Data

The following comments and points should be taken into consideration when analyzing data contained in this report.

Terminology

- *Number of agricultural applications* - Number of applications of pesticide products made to production agriculture. More detailed information is given below under “Number of Applications.”
- *Pounds applied* - Number of pounds of an active ingredient.
- *Unit type* - The amount listed in this column is one of the following:
 - A = Acreage
 - C = Cubic feet (of commodity treated)
 - K = Thousand cubic feet (of commodity treated)
 - P = Pounds (of commodity treated)
 - S = Square feet
 - T = Tons (of commodity treated)
 - U = Miscellaneous units (e.g., number of tractors, trees, tree holes, bins, etc.)
- *Acres treated* - Cumulative number of acres treated. More detailed information is given below under “Acres Treated.”

Agricultural and Nonagricultural Pesticide Use

Many pesticide licensing, sales, and use requirements are tied to California’s definition of agricultural use, and pesticide labels differentiate between agricultural, industrial, or institutional uses. The law (FAC section 11408) identifies agricultural use as all use except that specifically identified as nonagricultural use, which is specified as:

- *Home* - Use in or in the immediate environment of a household.
- *Industrial* - Use in or on property necessary to operate factories, processing plants, packinghouses or similar buildings, or use for or in a manufacturing, mining, or chemical process. In California, industrial use does not include use on rights-of-way. Postharvest commodity fumigations at buildings or on trucks, vans, or railcars are normally industrial use.

- *Institutional* - Use in or on property necessary to operate buildings such as hospitals, office buildings, libraries, auditoriums, or schools. When a licensed structural pest control operator treats these buildings, it is structural use. Landscaping of walkways, parking lots, and other areas bordering these buildings is institutional. Landscaping of larger, more independent areas is not considered institutional.
- *Structural* - Use by licensed structural pest control operators within the scope of their licenses.
- *Vector control* - Use by certain vector control (mosquito abatement) districts.
- *Veterinarian* - Use according to a written prescription of a licensed veterinarian.

Agricultural use of pesticides includes:

- *Production agricultural use* - Any use to produce a plant or animal agricultural product (food, feed, fiber, ornamental, or forest) that will be distributed in the channels of trade. (While production agricultural use includes various agricultural products, some requirements—most notably in the worker safety and use reporting—apply only to plant product production.)
- *Nonproduction agricultural use* - Any use to areas such as watersheds, rights-of-way, and landscaped areas (such as golf courses, parks, recreation areas, and cemeteries) not covered by the definitions of home and institutional. There are some pesticide products labeled for dual-use, that is, they have both agricultural and nonagricultural uses.

The reporting requirements apply to a range of uses partly due to the California legal definition of agricultural use. With implementation of full use reporting in 1990, the following pesticide uses are required to be reported to the CAC who, in turn, reports the data to DPR:

- Production of any agricultural commodity except livestock.
- Treatment of postharvest agricultural commodities.
- Landscape maintenance in parks, golf courses, cemeteries, and similar sites defined in the FAC as agricultural use.
- Roadside and railroad rights-of-way.
- Poultry and fish production.
- Application of a restricted material.
- Application of a pesticide listed in regulation as having the potential to pollute ground water when used outdoors in industrial and institutional settings.
- Application by licensed pest control operators, which include agricultural and structural applicators and maintenance gardeners.

The primary exceptions to the use reporting requirements are consumer home-and-garden use and most industrial and institutional uses.

Operator and site identification numbers. An operator identification number (OIN), sometimes called a “grower ID,” is issued by CACs to property operators. The number is needed to report pesticide use and to buy agricultural- or restricted-use pesticides. Pest control professionals do not have to get operator ID numbers. A site identification code must be assigned for each location or field where pesticides will be used for production of an agricultural commodity. This alphanumeric code is also recorded on any restricted material permit the grower gets for the location.

What must be reported. The PUR contains two kinds of records: production agricultural records and all others. For the PUR, production agricultural records represent applications made while producing agricultural commodities. Production agricultural pesticide use reports must be sent monthly by growers or seven days after the application by pest control businesses to the CAC. They include:

- Date and time of application.
- Geographic location including the section, township, range, and base line/meridian.
- Operator identification number.
- Operator name and address (although this information is not submitted to DPR).
- Site identification number.
- Commodity, crop, or site treated.
- Acres or units planted and treated.
- Whether the application was by air, ground, or other means.
- For field fumigations in ozone nonattainment areas, details on fumigation method (for example, shallow shank injection with a tarp). This is to allow the department to estimate pesticide VOC emissions.
- Amount of product applied with its name and U.S. EPA registration number or, if the product was an adjuvant, its California registration number. (The U.S. EPA does not require registration of adjuvants.)

Reports of all other kinds of applications pesticide use, which are mostly nonagricultural, are monthly summaries that include pesticide product name, the product registration number, amount used, number of applications, the kind of site treated (for example, roadside, structure), the month of application, and county.

Commodity Codes

DPR's pesticide product label database is used to cross-check data entries to determine if the product reported is registered for use on the reported commodity. The DPR label database uses a crop coding system based on crop names used by U.S. EPA to prepare official label language. However, this system caused some problems until DPR modified it in the early 1990s to account for U.S. EPA's grouping of certain crops under generic names. Problems occurred when the label language in the database called a crop by one name and the use report used another. For example, a grower may have reported a pesticide use on "almonds," but the actual label on the pesticide product coded into the database stated the pesticide was to be used on "nuts." A cross-reference table was created associating each crop with a more general crop name that could be used on a label. This cross-reference table also associated the crop name used in the PUR with all the different names for a crop in the label database. For example, the PUR uses one name for "cotton," but the label database has several names for cotton, such as "cotton (fiber crop)," "cotton (forage - fodder)," "cotton (all or unspec)," and "cotton, general." This system greatly reduces the number of rejections.

Plants and commodities grown in greenhouse and nursery operations represented a challenge in use reporting because of their diversity. Six commodity groupings were suggested by industry in 1990 and incorporate terminology that are generally known and accepted. The six use reporting categories are: greenhouse-grown cut flowers or greens; outdoor-grown cut flowers or greens; greenhouse-grown plants in containers; outdoor-grown plants in container/field-grown plants; greenhouse-grown transplants/propagative material; and outdoor-grown transplants/propagative material.

Tomatoes and grapes were also separated into two categories because of public and processor interest in differentiating pesticide use. Tomatoes are assigned two codes to differentiate between fresh market and processing categories. One code was assigned to table grapes, which includes grapes grown for fresh market, raisins, canning, or juicing. A second code was assigned to wine grapes.

Unregistered Use

The report contains entries that reflect the use of a pesticide on a commodity for which the pesticide is not currently registered. This sometimes occurs because the original use report was in error; that is either the pesticide or the commodity was inaccurately reported. DPR's computer program checks that the commodity is listed on the label, but nonetheless such errors appear in the PUR, possibly because of errors in the label database. Also, the validation program does not check whether the pesticide product was registered at the time of application. For example, parathion (ethyl parathion) is shown reported on crops after most uses were suspended in 1992. (These records are researched and corrected as time and resources allow.) DPR continues to implement methods that identify and reduce these types of reporting errors in future reports.

Other instances may occur because, by law, growers are sometimes allowed to use stock they have on hand of a pesticide product that has been withdrawn from the market by the manufacturer or suspended or canceled by regulatory authorities. Other reporting “errors” may occur when a pesticide is applied directly to a site to control a particular pest, but is not applied directly to the crop in the field. A grower may use an herbicide to treat weeds on the edge of a field, a fumigant on bare soil prior to planting, or a rodenticide to treat rodent burrows. For example, reporting the use of the herbicide glyphosate on tomatoes when it was actually applied to bare soil prior to planting the tomatoes could be perceived to be an error. Although technically incorrect, recording the data as if the application were made directly to the commodity provides valuable crop usage information for DPR’s regulatory program.

Adjuvants

Data on spray adjuvants (including emulsifiers, wetting agents, foam suppressants, and other efficacy enhancers), not reported prior to full use reporting, are now included. Examples of these types of chemicals include the “alkyls” and some petroleum distillates. (Adjuvants are exempt from federal registration requirements but must be registered as pesticides in California.)

Acres Treated

The summary information in this annual report cannot be used to determine the total number of acres of a crop. However, it can be used to determine the cumulative acres treated. The problem is that the same field can be treated more than once in a year with the same active ingredient. A similar problem occurs when the product used contains more than one active ingredient. (In any pesticide product, the active ingredient is the component that kills, or otherwise controls, target pests. A pesticide product is made up of one or more active ingredients, and possibly one or more inert ingredients.) For example, if a 20-acre field is treated with a product that contains three different pesticide active ingredients, a use report is filed by the farmer correctly recording the application of a single pesticide product to 20 acres. However, in the summary tables, the three different active ingredients will each have recorded 20 acres treated. Adding these values results in a total of 60 acres as being treated instead of the 20 acres actually treated.

Number of Applications

The values for number of applications include only production agricultural applications. Applicators are required to submit one of two basic types of use reports, a production agricultural report or a monthly summary report. The production agricultural report must include information for each application. The monthly summary report, for all uses other than production agriculture, includes only monthly totals for all applications of pesticide product, site or commodity, and applicator. The total number of applications in the monthly summary reports is not consistently given so they are no longer included in the totals. In the annual PUR reports before 1997, each

monthly summary record was counted as one application. In the annual summary report by commodity, the total number of applications given for each commodity may not equal the sum of all applications of each active ingredient on that commodity. As explained above, some pesticide products contain more than one active ingredient. If the number of applications were summed for each active ingredient in such a product, the total number of applications would be more than one, even though only one application of the product was made.

3 Data Summary

This report is a summary of 2012 data submitted to DPR as of August 21, 2013. Total pounds may change slightly due to ongoing error correction. The revised numbers, when available, will more accurately reflect the total pounds applied.

Pesticide Use in California

In 2012, there were 186 million pounds of pesticide active ingredients reported used in California. Annual use has varied from year to year since full use reporting was implemented in 1990. For example, reported pesticide use was 196 million pounds in 2005, 158 million pounds in 2009, and 192 million pounds in 2011.

Such variances are and will continue to be a normal occurrence. These fluctuations can be attributed to a variety of factors, including changes in planted acreage, crop plantings, pest pressures, and weather conditions. For example, extremely heavy rains result in excessive weeds, thus more pesticide may be used; drought conditions may result in fewer planted acres, thus less pesticide may be used.

In addition, it should be noted that the pounds of pesticides used and the number of applications are not necessarily accurate indicators of the extent of pesticide use or, conversely, the extent of use of reduced-risk pest management methods. For example, farmers may make a number of small-scale “spot” applications targeted at problem areas rather than one treatment of a large area. They may replace a more toxic pesticide used at one pound per acre with a less hazardous compound that must be applied at several pounds per acre. Either of these scenarios could increase the number of applications or amount of pounds used, respectively, without indicating an increased reliance on pesticides.

As in previous years, the greatest pesticide use occurred in California’s San Joaquin Valley (Table 1). The four counties in this region with the highest use were Fresno, Kern, Tulare, and San Joaquin.

Table 2 breaks down the pounds of pesticide use by general use categories: production agriculture, post-harvest commodity fumigation, structural pest control, landscape maintenance, and all others.

Table 1: *Total pounds of pesticide active ingredients reported in each county and rank during 2011 and 2012*

County	<u>2011 Pesticide Use</u>		<u>2012 Pesticide Use</u>	
	Pounds Applied	Rank	Pounds Applied	Rank
Alameda	352,925	37	289,411	39
Alpine	621	58	155	58
Amador	95,377	44	61,705	46
Butte	2,094,646	21	2,795,981	18
Calaveras	78,444	46	40,532	48
Colusa	2,523,891	18	2,540,002	19
Contra Costa	411,502	36	478,769	36
Del Norte	293,163	38	299,458	38
El Dorado	130,851	42	148,929	42
Fresno	36,742,956	1	33,238,182	1
Glenn	2,326,252	19	1,887,874	22
Humboldt	27,881	51	37,618	49
Imperial	5,222,679	11	5,845,189	12
Inyo	7,800	54	9,750	54
Kern	28,160,997	2	27,548,925	2
Kings	7,180,729	8	6,630,944	9
Lake	699,221	32	562,739	34
Lassen	80,165	45	65,995	45
Los Angeles	1,652,065	23	2,041,840	21
Madera	11,639,501	4	9,475,529	5
Marin	64,963	48	73,082	44
Mariposa	5,883	55	4,403	56
Mendocino	782,982	31	890,818	31
Merced	7,029,359	9	7,256,071	8
Modoc	116,185	43	115,026	43
Mono	9,745	53	5,489	55
Monterey	8,592,403	6	9,214,278	6
Napa	1,393,623	24	1,301,567	26
Nevada	30,363	50	46,748	47
Orange	959,407	28	1,024,479	28
Placer	267,146	40	325,694	37
Plumas	2,939	56	34,328	50
Riverside	2,117,956	20	2,815,462	17
Sacramento	3,562,310	13	3,265,064	14

Table 1: (continued) *Total pounds of pesticide active ingredients reported in each county and rank during 2011 and 2012*

County	<u>2011 Pesticide Use</u>		<u>2012 Pesticide Use</u>	
	Pounds Applied	Rank	Pounds Applied	Rank
San Benito	533,185	34	612,577	33
San Bernardino	509,146	35	520,269	35
San Diego	1,358,088	25	1,354,849	25
San Francisco	40,667	49	31,992	51
San Joaquin	10,862,797	5	9,556,521	4
San Luis Obispo	3,244,942	15	2,824,889	16
San Mateo	284,574	39	212,415	41
Santa Barbara	5,187,768	12	6,180,856	11
Santa Clara	892,257	29	899,928	30
Santa Cruz	1,682,416	22	1,693,000	24
Shasta	232,544	41	277,430	40
Sierra	718	57	3,307	57
Siskiyou	1,251,340	26	1,864,896	23
Solano	548,617	33	962,273	29
Sonoma	2,661,814	17	2,243,080	20
Stanislaus	6,391,740	10	6,463,110	10
Sutter	3,134,668	16	2,909,561	15
Tehama	879,269	30	680,068	32
Trinity	25,158	52	17,638	53
Tulare	15,273,797	3	14,164,763	3
Tuolumne	71,101	47	28,443	52
Ventura	7,528,413	7	7,653,583	7
Yolo	3,266,316	14	3,280,214	13
Yuba	1,203,499	27	1,133,656	27
Total	191,721,767		185,941,355	

Table 2: *Pounds of pesticide active ingredients, 1998 – 2012, by general use categories.*

Year	Production Agriculture	Post Harvest Fumigation	Structural Pest Control	Landscape Maintenance	All Others	Total Pounds
1998	207,927,441	1,760,324	5,931,519	1,408,227	6,874,496	223,902,007
1999	189,266,088	2,059,858	5,673,552	1,413,513	7,908,437	206,321,449
2000	175,720,759	2,167,778	5,187,129	1,416,991	6,855,212	191,347,868
2001	142,936,981	1,462,160	4,922,710	1,291,002	6,325,075	156,937,928
2002	159,183,713	1,852,668	5,469,448	1,450,458	6,834,752	174,791,040
2003	160,998,120	1,785,747	5,177,461	1,976,594	7,527,304	177,465,226
2004	165,872,033	1,874,210	5,120,277	1,613,244	6,995,543	181,475,307
2005	178,316,264	2,260,932	5,625,449	1,776,590	8,517,682	196,496,917
2006	168,594,038	2,216,042	5,273,684	2,287,478	10,340,442	188,711,684
2007	157,546,121	2,279,532	3,967,344	1,673,202	7,337,671	172,803,871
2008	150,964,696	2,540,189	3,224,588	1,589,888	7,173,158	165,492,519
2009	146,404,943	1,479,629	2,939,877	1,345,632	6,017,243	158,187,324
2010	159,817,371	2,164,749	3,734,020	1,735,295	8,020,581	175,472,016
2011	176,802,235	1,431,343	3,200,349	1,716,308	8,571,531	191,721,767
2012	170,574,727	1,244,780	3,524,498	1,572,048	9,025,302	185,941,355

Pesticide Sales in California

Reported pesticide applications are only a portion of the pesticides sold each year. Typically, about two-thirds of the pesticide active ingredients sold in a given year are not subject to use reporting. Examples of non-reported active ingredients are chlorine (used primarily for municipal water treatment) and home-use pesticide products.

There were 619 million pounds of pesticide active ingredients sold in 2011, 629 million pounds sold in 2010, 594 million pounds sold in 2009, 713 million pounds sold in 2008, and 678 million pounds sold in 2007. Prior-years data are posted on DPR's Web site at <www.cdpr.ca.gov>, click "A - Z Index," "Sales of pesticides."

4 Trends in Use in Certain Pesticide Categories

Reported pesticide use in California in 2012 totaled 186 million pounds, a decrease of 5.8 million pounds (3.0 percent) from 2011. Production agriculture, the major category of use subject to reporting requirements, accounted for most of the decrease. Applications decreased by 6.2 million pounds for production agriculture, 186,000 pounds for post-harvest treatments, and 144,000 pounds for landscape maintenance. In contrast, there was a 324,000-pound increase for

structural pest control and 453,000 pounds for other reported non-agricultural uses, which includes rights of way, vector control, research, and fumigation of nonfood and nonfeed materials such as lumber and furniture.

The AIs with the largest use amounts as measured by pounds were sulfur, petroleum and mineral oils, 1,3-dichloropropene, glyphosate, and chloropicrin. The amount of sulfur accounted for 25 percent of all reported pesticide use in 2012.

This report discusses two different measures of pesticide use: amount of active ingredient (AI) applied in pounds and cumulative acres treated, which means that the area treated is added for each application even when the same field is treated more than once in a year. Because different AIs are used at very different rates, the picture of pesticide use looks quite different using these two measures. (For example, if one acre is treated three times in a season with an individual AI, it is counted as three acres treated in the tables and graphs in Sections IV and V of this report.) The data for pounds include both agricultural and nonagricultural applications; the data for area treated are primarily agricultural applications.

Reported pesticide use by cumulative area treated in 2012 was 84 million acres, a decrease of 1 million acres (1.2 percent) from 2011. By this measure the non-adjuvant pesticides with the greatest use in 2012 were glyphosate, sulfur, petroleum and mineral oils, abamectin, and copper-based pesticides. The most-used fumigant by area treated was aluminum phosphide.

DPR data analyses have shown that pesticide use varies from year to year depending upon pest problems, weather, acreage and types of crops planted, economics, and other factors. Use of most pesticide categories decreased from 2011 to 2012, except for increases in area treated by pesticides identified as reproductive toxins and fumigants and pounds of pesticides identified as carcinogens, air contaminants, and fumigants.

To provide an overview, pesticide use is summarized for eight different pesticide categories from 2004 to 2012 (Tables 3 – 18) and from 1995 to 2012 (Figures 1 – 8). These categories classify pesticides according to certain characteristics such as reproductive toxins, carcinogens, or reduced-risk characteristics. Some of the major changes from 2011 to 2012 include:

- Chemicals classified as reproductive toxins decreased in amount applied from 2011 to 2012 (2.6-million-pound decrease, 16 percent) while increasing in area treated (261,000-acres-treated increase, 7.7 percent). The decrease in pounds was mainly due to less use of the fumigant metam-sodium. In addition, there were also decreases in the fumigants methyl bromide and sodium tetrathiocarbonate and the miticide propargite. The increase in area was mostly from uses of the miticide/insecticide abamectin (also called avermectin). Pesticides in this category are ones listed on the State's Proposition 65 list of chemicals "known to cause reproductive toxicity."

- Amount applied of chemicals classified as carcinogens increased from 2011 to 2012 (1.0-million-pound increase, 3.0 percent), but area treated decreased (351,000-acre decrease, 8.4 percent). The increase in pounds was mainly due to higher use of the fumigants 1,3-dichloropropene and metam-potassium (potassium n-methyldithiocarbamate), and, to a lesser degree, increase in use of the fungicide mancozeb. However, the increase in use of metam-potassium was accompanied by a nearly identical decrease in use of the similar fumigant, metam-sodium. The decrease in area treated was mostly from decreases in acreage treated with the herbicide diuron and the fungicide iprodione. The pesticides in this category are ones listed by U.S. EPA as B2 carcinogens or on the State's Proposition 65 list of chemicals "known to cause cancer."
- Use of cholinesterase-inhibiting pesticides (organophosphate [OP] and carbamate pesticides), which include compounds of high regulatory concern, decreased from the previous year (520,000-pound decrease, 11 percent; 429,000-acre decrease, 10 percent). Pesticides in this category have continued to decline for most years since 1995. The AIs with the greatest decreases were the insecticides chlorpyrifos, malathion, dimethoate, and oxamyl and the plant growth regulator ethephon. Note that ethephon, used mostly in cotton, is not a classical organophosphate and has only mild cholinergic potential.
- Use of chemicals categorized as ground water contaminants decreased in both amount and area treated (176,000-pound decrease, 14 percent; 218,000-acre decrease, 20 percent). The decreases were from less use of the herbicides diuron, simazine, and bromacil.
- Chemicals categorized as toxic air contaminants increased in amount while decreasing in area treated (3.7-million-pound increase, 8 percent; 41,000-acre decrease, 1.6 percent). By pounds, most toxic air contaminants are fumigants which are used at high rates. The increase in amount was mainly from increased uses of the fumigants and metam-potassium, chloropicrin, and 1,3-dichloropropene. The decrease in area treated was mainly from the herbicide 2,4-D, dimethylamine salt.
- Use of fumigant chemicals applied increased in both amount and area treated (3.0-million-pound increase, 7.1 percent; 15,000-acre increase, 4.0 percent). The largest increases in amount were in metam-potassium, chloropicrin, and 1,3-dichloropropene, while amounts of metam sodium, sodium tetrathiocarbonate, and methyl bromide decreased. The increase in area treated was mostly from increases with aluminum phosphide and 1,3-dichloropropene.
- Use of oil pesticides decreased in both amount and area treated (3.5-million-pound decrease, 11 percent; 299,000-acre decrease, 10 percent). However, from 2001 the area treated with oils has increased in most years. Oils include many different chemicals, but the category used here includes only ones derived from petroleum distillation. Some of these oils may be on the State's Proposition 65 list of chemicals "known to cause cancer" but

most serve as alternatives to highly toxic pesticides. Oils are also used by organic growers.

- Use of biopesticides decreased in both amount and area treated (241,000-pound decrease, 15 percent; 35,000-acre treated decrease, 1.2 percent). However, the use of most biopesticide AIs increased. The most-used biopesticide AIs by amount were *Bacillus thuringiensis* (Bt) (combining all subspecies), vegetable oil, and potassium bicarbonate. Vegetable oil and potassium bicarbonate accounted for most of the decrease in pounds while the amount of *Bacillus thuringiensis* used increased. Most of the decrease in area treated was due to vegetable oil. In general, biopesticides are derived from or synthetically mimic natural materials such as animals, plants, bacteria and minerals and fall into three major classes: microbial, plant-incorporated protectant, or naturally occurring substances that control pests by non-toxic mechanisms.

Since 1990, the reported pounds of pesticides applied have fluctuated from year to year. An increase or decrease in use from one year to the next or in the span of a few years does not necessarily indicate a general trend in use; it simply may reflect variations related to various factors (e.g. climate or economic changes). Short periods of time (three to five years) may suggest trends, such as the increased pesticide use from 2001 to 2005 or the decreased use from 2005 to 2009. However, regression analyses on use from 1998 to 2012 do not indicate a significant trend of either increase or decrease in total pesticide use.

To improve data quality when calculating the total pounds of pesticides, DPR excluded values that were so large they were probably in error. The procedure to exclude probable errors involved the development of complex error-checking algorithms, a data improvement process that is ongoing.

Over-reporting errors have a much greater impact on the numerical accuracy of the database than under-reporting errors. For example, if a field is treated with 100 pounds of a pesticide AI and the application is erroneously recorded as 100,000 pounds (a decimal point shift of three places to the right), an error of 99,900 pounds is introduced into the database. If the same degree of error is made in shifting the decimal point to the left, the application is recorded as 0.1 pound, and an error of 99.9 pounds is entered into the database.

The summaries detailed in the following use categories are not intended to serve as indicators of pesticide risks to the public or the environment. Rather, the data supports DPR regulatory functions to enhance public safety and environmental protection. (See “Continuous Evaluation of Pesticides” on page 1.)

USE TRENDS OF PESTICIDES ON THE STATE'S PROPOSITION 65 LIST OF CHEMICALS THAT ARE "KNOWN TO CAUSE REPRODUCTIVE TOXICITY."

Table 3: *The reported pounds of pesticides used that are on the State's Proposition 65 list of chemicals that are "known to cause reproductive toxicity." Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1080	<1	<1	<1	<1	<1	<1	<1	<1	<1
2,4-DB ACID	5,486	11,722	9,733	9,185	11,416	13,523	4,570	55	5,826
ABAMECTIN	8,514	9,817	10,941	12,362	12,860	16,625	19,348	26,672	32,671
ABAMECTIN, OTHER RELATED	<1	<1	<1	<1	<1	<1	<1	<1	1
AMITRAZ	0	0	12	0	0	7	0	0	0
ARSENIC PENTOXIDE	12,705	180,505	474,517	7,805	7,433	400	16,144	8,034	9,240
ARSENIC TRIOXIDE	<1	<1	<1	<1	<1	<1	<1	<1	<1
BENOMYL	2,217	948	898	590	100	56	31	28	33
BROMACIL, LITHIUM SALT	1,801	1,059	2,529	1,172	1,851	896	1,835	1,486	1,422
BROMOXNYL OCTANOATE	50,232	34,481	37,406	41,406	65,444	50,300	43,594	48,553	54,843
CARBARYL	240,068	190,633	156,997	142,010	126,860	135,301	113,238	74,833	114,200
CHLORSULFURON	9,967	3,242	3,488	3,675	3,886	5,048	3,386	4,377	3,282
CYANAZINE	8	7	0	0	0	0	0	1	<1
CYCLOATE	43,249	40,092	41,488	31,868	21,242	25,284	27,292	31,037	33,596
DICLOFOP-METHYL	5,988	1,413	174	157	0	15	0	7	0
DINOCAP	2	2	2	2	2	2	0	<1	0
DINOSEB	63	131	213	81	166	816	26	75	60
DIOCTYL PHTHALATE	397	708	1,016	610	340	186	453	248	262
DISODIUM CYANODITHIOIMIDO CARBONATE	0	0	0	0	0	0	0	0	53
EPTC	182,532	181,825	108,228	152,707	129,470	128,993	118,509	126,441	148,882
ETHYLENE GLYCOL MONOMETHYL ETHER	2,729	2,546	4,186	2,653	1,986	2,257	5,187	4,324	3,781
ETHYLENE OXIDE	0	0	0	2	3	7	0	0	8
FENOXAPROP-ETHYL	64	161	196	153	219	11	<1	8	0
FLUAZIFOP-BUTYL	34	41	26	5	3	21	11	8	5
FLUAZIFOP-P-BUTYL	10,298	11,638	11,104	10,192	11,408	7,903	9,542	9,073	10,392
HYDRAMETHYLNON	1,896	1,381	1,231	887	825	393	609	1,096	485
LINURON	69,289	72,093	59,164	58,592	60,693	51,265	48,424	54,489	56,652
METAM-SODIUM	14,698,228	12,991,279	11,422,382	9,929,803	10,227,094	9,027,455	11,153,177	10,868,495	8,423,824
METHYL BROMIDE	7,120,860	6,509,322	6,542,161	6,448,643	5,708,525	5,625,249	4,786,099	4,008,187	3,912,674
METIRAM	5	0	<1	0	0	0	0	15	34
MOLINATE	367,155	171,362	141,421	75,241	19,653	12,516	24	<1	3
MYCLOBUTANIL	74,963	84,102	74,365	68,403	61,565	59,057	65,598	65,360	64,068
NABAM	10,693	30,440	23,414	9,073	9,635	8,963	10,518	13,358	13,485
NICOTINE	4	2	<1	<1	<1	<1	<1	7	<1

Table 3: (continued) *The reported pounds of pesticides used that are on the State's Proposition 65 list of chemicals that are "known to cause reproductive toxicity."*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
NITRAPYRIN	12	171	0	9	0	84	211	0	<1
OXADIAZON	13,129	13,825	11,714	12,517	9,402	8,741	12,382	7,775	7,377
OXYDEMETON-METHYL	105,318	122,433	119,891	122,723	111,612	68,576	71,290	26,017	17,617
OXYTHIOQUINOX	27	8	90	166	170	45	6	<1	1
POTASSIUM DIMETHYL DITHIO CARBAMATE	293	0	0	0	0	<1	0	0	0
PROPARGITE	1,014,200	1,010,039	580,630	537,439	389,721	380,651	295,309	296,332	258,637
RESMETHRIN	245	958	676	452	269	211	206	122	46
SODIUM DIMETHYL DITHIO CARBAMATE	10,693	30,440	23,414	9,073	9,800	8,963	11,053	13,358	13,485
SODIUM TETRATHIOCARBONATE	259,542	330,886	171,204	391,303	355,373	249,580	233,949	168,761	49,713
STREPTOMYCIN SULFATE	4,740	7,862	7,598	5,809	4,394	3,233	4,040	4,650	4,061
TAU-FLUVALINATE	1,603	1,166	1,104	1,028	1,068	1,179	869	822	1,043
THIOPHANATE-METHYL	120,249	159,957	114,191	99,497	74,903	89,882	115,025	87,190	108,861
TRIADIMEFON	2,111	1,918	1,116	873	1,503	1,056	2,153	1,921	2,442
TRIBUTYLtin METHACRYLATE	0	0	0	0	0	0	0	0	0
TRIFORINE	295	137	452	64	69	4	42	22	2
VINCLOZOLIN	14,863	3,574	402	390	512	476	217	328	456
WARFARIN	3	1	9	1	<1	<1	1	2	2
TOTAL	24,466,771	22,214,327	20,159,784	18,188,626	17,441,474	15,985,233	17,174,370	15,953,565	13,353,524

Table 4: The reported cumulative acres treated with pesticides that are on the State's Proposition 65 list of chemicals that are "known to cause reproductive toxicity." Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1080	<1	41	22	170	<1	67	176	127	<1
2,4-DB ACID	10,162	18,597	16,303	15,080	19,457	21,629	6,980	121	11,301
ABAMECTIN	1,001,281	1,076,948	1,131,758	1,257,542	1,226,819	1,274,963	1,552,536	1,979,078	2,209,384
ABAMECTIN, OTHER RELATED	<1	<1	<1	<1	<1	<1	<1	<1	<1
AMITRAZ	0	0	<1	0	0	74	0	0	0
ARSENIC PENTOXIDE	48	<1	<1	<1	<1	<1	<1	<1	<1
ARSENIC TRIOXIDE	<1	1	<1	<1	<1	<1	<1	<1	<1
BENOMYL	3,983	2,789	1,674	568	221	162	0	26	19
BROMACIL, LITHIUM SALT	<1	<1	<1	<1	<1	<1	<1	<1	<1
BROMOXYNIL OCTANOATE	162,572	120,175	134,283	136,831	186,214	146,301	125,836	141,014	148,292
CARBARYL	103,261	99,086	87,789	97,016	96,438	107,458	80,095	68,249	96,790
CHLORSULFURON	25,745	21,903	26,345	12,653	32,912	31,267	20,345	18,877	12,054
CYANAZINE	5	8	0	0	0	0	0	4	<1
CYCLOATE	20,699	19,319	19,886	15,601	10,581	12,058	13,799	14,895	17,623
DICLOFOP-METHYL	7,391	729	186	224	0	30	0	20	0
DINOCAP	47	7	9	8	7	7	0	1	0
DINoseb	98	310	72	16	453	304	111	427	81
DIOCTYL PHTHALATE	6,249	13,858	13,231	13,258	3,582	4,928	7,921	4,741	5,311
DISODIUM CYANODITHIOIMIDO CARBONATE	0	0	0	0	0	0	0	0	157
EPTC	64,194	64,263	38,871	51,706	45,560	49,708	44,289	47,922	56,163
ETHYLENE GLYCOL MONOMETHYL ETHER	25,075	16,655	25,655	26,412	14,857	14,573	35,802	37,642	35,673
ETHYLENE OXIDE	0	0	0	<1	2	60	0	0	<1
FENOXAPROP-ETHYL	1,681	3,247	3,418	2,552	3,444	142	<1	61	0
FLUAZIFOP-BUTYL	<1	3	<1	<1	6	2	80	<1	<1
FLUAZIFOP-P-BUTYL	31,739	35,348	34,591	31,920	31,497	25,517	27,917	27,077	35,530
HYDRAMETHYLNON	1,314	1,990	657	931	1,138	1,280	4,689	1,554	6,799
LINURON	95,565	101,987	81,535	81,041	81,633	68,604	68,058	76,964	80,070
METAM-SODIUM	128,427	97,562	102,451	78,030	75,398	74,132	71,407	70,930	59,033
METHYL BROMIDE	57,385	45,700	50,677	45,675	35,761	39,619	32,095	46,741	28,774
METIRAM	2	0	1	0	0	0	0	<1	<1
MOLINATE	89,593	40,535	33,045	17,476	4,529	2,942	6	<1	<1
MYCLOBUTANIL	656,020	699,773	644,490	599,368	545,306	512,918	588,686	568,329	570,622
NABAM	<1	<1	<1	2	1	3	12	<1	4
NICOTINE	2	3	<1	<1	<1	<1	<1	<1	<1
NITRAPYRIN	42	143	0	35	0	88	111	0	<1
OXADIAZON	3,120	2,209	2,144	2,991	2,747	1,451	1,712	927	1,169

Table 4: (continued) The reported cumulative acres treated with pesticides that are on the State's Proposition 65 list of chemicals that are "known to cause reproductive toxicity."

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
OXYDEMETON-METHYL	206,751	173,480	164,094	161,835	140,760	82,368	86,131	27,447	18,202
OXYTHIOQUINOX	137	14	10	9	5	4	4	1	1
POTASSIUM DIMETHYL DITHIO CARBAMATE	<1	0	0	0	0	<1	0	0	0
PROPARGITE	543,728	519,412	287,261	261,953	186,656	174,063	137,106	142,328	114,249
RESMETHRIN	209	1	1	18	3	11	<1	6	4
SODIUM DIMETHYL DITHIO CARBAMATE	<1	<1	<1	2	1	3	12	<1	4
SODIUM TETRATHIOCARBONATE	8,497	7,977	6,170	11,485	10,991	7,180	7,301	4,826	1,672
STREPTOMYCIN SULFATE	37,461	52,061	57,295	38,468	27,011	24,453	28,966	39,190	34,965
TAU-FLUVALINATE	7,313	5,879	5,438	4,777	5,708	5,015	4,583	4,994	4,788
THIOPHANATE-METHYL	112,501	135,296	108,408	100,011	71,867	92,429	122,563	85,694	122,916
TRIADIMEFON	6,752	8,585	2,949	1,806	2,043	1,007	1,172	2,425	1,290
TRIBUTYL TIN METHACRYLATE	0	0	0	0	0	0	0	0	0
TRIFORINE	61	181	102	373	11	10	22	3	<1
VINCLOZOLIN	18,207	3,899	440	258	212	85	86	100	26
WARFARIN	1,504	430	473	3,165	1,118	365	290	1,290	2,995
TOTAL	3,438,821	3,390,403	3,081,734	3,071,261	2,864,945	2,777,278	3,070,887	3,414,029	3,675,959




Figure 1: Use trends of pesticides that are on the State's Proposition 65 list of chemicals that are "known to cause reproductive toxicity." Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

USE TRENDS OF PESTICIDES LISTED BY U.S. EPA AS B2 CARCINOGENS OR ON THE STATE'S PROPOSITION 65 LIST OF CHEMICALS THAT ARE "KNOWN TO CAUSE CANCER."

Table 5: *The reported pounds of pesticides used that are listed by U.S. EPA as B2 carcinogens or on the State's Proposition 65 list of chemicals that are "known to cause cancer." Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1,3-DICHLOROPROPENE	8,945,145	9,355,308	8,735,190	9,595,625	9,974,387	6,399,515	8,777,092	10,906,982	12,012,976
ACIFLUORFEN, SODIUM SALT	18	<1	0	0	0	0	<1	0	<1
ALACHLOR	27,229	21,052	13,740	3,911	4,343	6,362	9,936	9,294	7,928
ARSENIC ACID	223	68	3	0	0	0	0	17	0
ARSENIC PENTOXIDE	12,705	180,505	474,517	7,805	7,433	400	16,144	8,034	9,240
ARSENIC TRIOXIDE	<1	<1	<1	<1	<1	<1	<1	<1	<1
CACODYLIC ACID	115	131	20	41	43	<1	3	<1	<1
CAPTAN	374,607	472,744	510,661	456,475	362,757	329,747	450,225	375,944	387,816
CARBARYL	240,068	190,633	156,997	142,010	126,860	135,301	113,238	74,833	114,200
CHLOROTHALONIL	572,543	765,159	824,949	736,173	566,912	715,474	957,312	1,147,777	1,170,426
CHROMIC ACID	17,754	252,176	662,927	10,904	10,384	559	22,555	11,224	12,908
CREOSOTE	1,048	<1	0	3	<1	<1	0	0	0
DAMINOZIDE	9,635	8,882	7,812	7,192	7,094	6,570	9,361	8,402	7,996
DDVP	3,807	4,914	6,577	6,376	6,859	4,164	4,169	5,164	4,733
DIOCTYL PHTHALATE	397	708	1,016	610	340	186	453	248	262
DIPROPYL ISOCINCHOMERONATE	<1	<1	52	2	<1	<1	1	1	<1
DIURON	1,399,006	957,462	1,054,075	860,510	735,545	622,598	588,573	674,184	550,764
ETHOPROP	23,130	18,924	24,485	24,241	26,897	20,793	5,645	7,475	2,077
ETHYLENE OXIDE	0	0	0	2	3	7	0	0	8
FENOXYCARB	34	30	8	4	8	5	3	3	2
FOLPET	0	<1	<1	0	<1	0	<1	0	<1
FORMALDEHYDE	111,151	48,968	73,392	47,733	24,306	3,972	5,511	4,615	3,847
IMAZALIL	21,291	30,480	21,624	14,421	23,415	13,255	26,181	25,767	26,013
IPRODIONE	268,239	291,299	304,219	255,123	252,763	248,877	349,098	353,443	295,238
LINDANE	776	40	379	2	21	8	18	1	0
MANCOZEB	379,790	643,194	662,040	408,652	331,476	281,969	755,098	1,045,594	1,115,942
MANEB	963,204	1,135,698	1,181,738	1,061,028	861,006	656,648	370,333	53,870	6,276
METAM-SODIUM	14,698,228	12,991,279	11,422,382	9,929,803	10,227,094	9,027,455	11,153,177	10,868,495	8,423,824
METHYL IODIDE	0	0	0	0	0	0	0	1,157	21
METIRAM	5	0	<1	0	0	0	0	15	34
NITRAPYRIN	12	171	0	9	0	84	211	0	<1
ORTHO-PHENYLPHENOL	21,775	9,482	2,083	5,128	4,389	2,133	2,271	2,582	3,204
ORTHO-PHENYLPHENOL, SODIUM SALT	5,898	4,979	6,948	2,266	3,211	2,294	2,129	5,192	3,586
ORYZALIN	576,104	704,971	1,008,320	664,266	604,932	529,664	602,258	767,950	667,769
OXADIAZON	13,129	13,825	11,714	12,517	9,402	8,741	12,382	7,775	7,377

Table 5: (continued) The reported pounds of pesticides used that are listed by U.S. EPA as B2 carcinogens or on the State's Proposition 65 list of chemicals that are "known to cause cancer."

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
OXYTHIOQUINOX	27	8	90	166	170	45	6	<1	1
PARA-DICHLOROBENZENE	10	139	0	15	1	17	0	<1	18
PENTACHLOROPHENOL	2	3	27	22	4	0	3	18	224
POLYACRYLAMIDE POLYMER	5,407	5,683	6,383	5,093	4,614	4,200	5,198	6,488	6,659
POTASSIUM DICHROMATE	71	40	0	0	0	0	0	0	0
POTASSIUM	894,186	1,994,072	3,202,884	3,785,436	5,791,671	4,102,412	4,832,615	5,673,371	8,315,873
N-METHYLDITHIOCARBAMATE									
PROPARGITE	1,014,200	1,010,039	580,630	537,439	389,721	380,651	295,309	296,332	258,637
PROPOXUR	223	220	212	191	188	202	298	808	361
PROPYLENE OXIDE	158,027	147,489	133,028	110,068	105,600	111,609	300,008	421,562	332,377
PROPYZAMIDE	119,191	116,967	121,711	114,882	104,086	73,811	51,345	49,649	47,271
SODIUM DICHROMATE	0	0	0	0	0	0	0	0	0
TERRAZOLE	1,100	750	946	872	1,534	1,140	1,500	642	479
THIODICARB	2,249	1,872	894	686	410	511	152	472	145
VINCLOZOLIN	14,863	3,574	402	390	512	476	217	328	456
TOTAL	30,896,624	31,383,941	31,215,071	28,808,096	30,570,389	23,691,856	29,720,030	32,815,707	33,796,967

Table 6: The reported cumulative acres treated with pesticides that are listed by U.S. EPA as B2 carcinogens or on the State's Proposition 65 list of chemicals that are "known to cause cancer." Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1,3-DICHLOROPROPENE	56,618	51,486	49,885	53,937	59,415	38,374	54,049	59,049	70,087
ACIFLUOREN, SODIUM SALT	2	<1	0	0	0	0	<1	0	<1
ALACHLOR	9,888	7,935	5,192	1,500	1,635	2,261	3,276	3,385	3,041
ARSENIC ACID	<1	<1	<1	0	0	0	0	<1	0
ARSENIC PENTOXIDE	48	<1	<1	<1	<1	<1	<1	<1	<1
ARSENIC TRIOXIDE	<1	1	<1	<1	<1	<1	<1	<1	<1
CACODYLIC ACID	100	82	121	<1	<1	<1	<1	<1	<1
CAPTAN	211,028	252,040	262,936	215,864	198,262	173,133	245,464	209,556	204,672
CARBARYL	103,261	99,086	87,789	97,016	96,438	107,458	80,095	68,249	96,790
CHLOROTHALONIL	331,710	418,600	438,373	389,497	292,450	378,097	490,658	588,131	565,566
CHROMIC ACID	<1	<1	<1	<1	<1	<1	<1	<1	<1
CREOSOTE	<1	<1	0	1	1	2	0	0	0
DAMINOZIDE	2,667	2,376	2,220	2,291	2,471	2,111	4,357	2,427	2,915
DDVP	1,637	7,445	1,526	2,733	2,231	2,685	1,880	5,184	7,228
DIOCTYL PHTHALATE	6,249	13,858	13,231	13,258	3,582	4,928	7,921	4,741	5,311
DIPROPYL ISOCINCHOMERONATE	<1	1	18	<1	<1	<1	19	<1	<1
DIURON	971,628	894,073	886,032	702,939	519,050	405,583	517,619	691,013	552,515
ETHOPROP	4,917	4,296	4,815	4,283	4,159	4,293	1,348	1,892	541
ETHYLENE OXIDE	0	0	0	<1	2	60	0	0	<1
FENOXYCARB	1,011	1,398	828	210	489	353	100	106	110
FOLPET	0	<1	<1	0	<1	0	<1	0	<1
FORMALDEHYDE	23	2	265	57	67	5	1	6	4
IMAZALIL	476	<1	<1	<1	668	<1	26	2	<1
IPRODIONE	409,250	450,354	468,465	412,699	437,003	434,326	577,688	638,433	524,977
LINDANE	9,437	557	9	0	37	10	31	1	0
MANCOZEB	194,219	370,266	348,360	212,349	170,247	145,799	432,175	634,368	668,602
MANEB	601,360	730,254	675,941	655,235	558,506	471,395	290,266	40,464	4,567
METAM-SODIUM	128,427	97,562	102,451	78,030	75,398	74,132	71,407	70,930	59,033
METHYL IODIDE	0	0	0	0	0	0	0	278	37
METIRAM	2	0	1	0	0	0	0	<1	<1
NITRAPYRIN	42	143	0	35	0	88	111	0	<1
ORTHO-PHENYLPHENOL	272	429	65	149	22	49	58	117	94
ORTHO-PHENYLPHENOL, SODIUM SALT	<1	<1	<1	<1	<1	<1	<1	<1	<1
ORYZALIN	298,712	359,076	400,237	313,343	272,273	236,567	217,193	294,475	257,554
OXADIAZON	3,120	2,209	2,144	2,991	2,747	1,451	1,712	927	1,169
OXYTHIOQUINOX	137	14	10	9	5	4	4	1	1
PARA-DICHLOROBENZENE	<1	<1	0	<1	0	<1	<1	<1	<1

Table 6: (continued) The reported cumulative acres treated with pesticides that are listed by U.S. EPA as B2 carcinogens or on the State's Proposition 65 list of chemicals that are "known to cause cancer."

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
PENTACHLOROPHENOL	20	3	0	10	46	0	4	1	15
POLYACRYLAMIDE POLYMER	495,213	551,014	645,781	445,134	471,314	441,305	584,187	628,802	591,227
POTASSIUM DICHROMATE	<1	10	0	0	0	0	0	0	0
POTASSIUM	10,229	19,670	27,299	42,988	57,415	38,197	41,444	44,078	50,652
N-METHYLDITHIOCARBAMATE									
PROPARGITE	543,728	519,412	287,261	261,953	186,656	174,063	137,106	142,328	114,249
PROPOXUR	7	8	2	<1	10	356	<1	3	<1
PROPYLENE OXIDE	22	185	20	<1	12	<1	<1	<1	288
PROPYZAMIDE	147,631	148,376	153,045	148,399	133,444	102,176	69,303	60,994	57,619
SODIUM DICHROMATE	0	0	0	0	0	0	0	0	0
TERRAZOLE	253	495	884	879	1,419	711	5,107	443	575
THIODICARB	3,684	2,965	1,293	1,196	673	680	192	656	206
VINCLOZOLIN	18,207	3,899	440	258	212	85	86	100	26
TOTAL	4,555,834	5,009,021	4,866,938	4,059,245	3,548,357	3,240,740	3,834,886	4,191,142	3,839,670





Figure 2: Use trends of pesticides that are listed by U.S. EPA as B2 carcinogens or on the State's Proposition 65 list of chemicals that are "known to cause cancer." Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

USE TRENDS OF CHOLINESTERASE-INHIBITING PESTICIDES.

Table 7: The reported pounds of pesticides used that are cholinesterase-inhibiting pesticides. These pesticides are organophosphate and carbamate active ingredients. Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
3-IODO-2-PROPYNYL BUTYLCARBAMATE	0	0	0	0	0	<1	2,675	102	<1
ACEPHATE	205,428	195,704	167,705	143,073	152,342	112,562	134,993	152,545	129,999
ALDICARB	231,012	231,322	176,624	115,475	75,767	31,579	64,626	24,167	1,503
AZINPHOS-METHYL	50,578	55,183	38,775	25,418	17,037	13,045	1,619	1,582	1,232
BENDIOCARB	9	6	2	8	2	<1	1	3	3
BENSULIDE	237,293	247,767	288,048	259,548	244,526	247,733	271,835	288,558	267,262
BUTYLATE	20,323	9,923	2,671	945	27	0	299	0	0
CARBARYL	240,068	190,633	156,997	142,010	126,860	135,301	113,238	74,833	114,200
CARBOFURAN	30,354	28,093	25,790	25,467	16,389	10,117	4	1	0
CHLORPROPHAM	2,861	2,825	3,704	1,532	4,384	4,675	6,990	3,093	2,969
CHLORPYRIFOS	1,787,240	2,031,348	1,928,989	1,442,521	1,369,063	1,246,560	1,288,733	1,299,602	1,100,873
COUNAPHOS	63	1	3	<1	0	0	<1	3	3
CYCLOATE	43,249	40,092	41,488	31,868	21,242	25,284	27,292	31,037	33,596
DDVP	3,807	4,914	6,577	6,376	6,859	4,164	4,169	5,164	4,733
DEMETON	0	1	<1	1	0	2	0	0	0
DESMEDIPHAM	3,845	4,169	2,954	1,905	1,598	1,257	1,385	1,345	1,408
DIAZINON	493,748	403,996	386,244	353,098	258,544	142,061	126,804	86,661	76,907
DICROTOPHOS	0	2	6	0	0	0	0	0	0
DIMETHOATE	334,398	312,144	294,736	315,358	292,119	251,726	210,128	225,642	182,686
DISULFOTON	41,317	32,349	22,601	24,558	8,028	10,233	9,085	4,351	5,479
EPTC	182,532	181,825	108,228	152,707	129,470	128,993	118,509	126,441	148,882
ETHEPHON	640,139	643,450	587,954	430,522	298,031	207,788	373,574	548,842	483,676
ETHION	<1	261	13	0	2	28	72	1	44
ETHOPROP	23,130	18,924	24,485	24,241	26,897	20,793	5,645	7,475	2,077
FENAMIPHOS	58,691	46,336	33,511	39,677	17,482	11,493	8,978	2,964	5,254
FENTHION	36	15	2	4	4	9	4	<1	0
FONOFOS	30	15	0	0	1	0	<1	0	0
FORMETANATE HYDROCHLORIDE	30,651	30,761	33,738	34,127	44,704	32,670	30,313	20,952	20,362
MALATHION	497,263	426,416	411,505	468,614	484,322	532,321	560,117	511,397	403,576
METHAMIDOPHOS	31,332	37,865	30,570	18,867	24,224	17,934	9,664	6,037	<1
METHIDATHION	61,206	48,857	56,691	45,666	47,347	47,319	51,190	29,545	23,300
METHIOCARB	2,800	2,460	1,798	1,767	2,068	3,093	3,506	2,697	3,658
METHOMYL	264,226	349,785	318,089	307,169	251,382	221,248	231,690	219,731	273,285
METHYL PARATHION	71,573	79,000	84,785	75,385	34,110	25,770	21,427	22,970	25,392
MEVINPHOS	1	160	18	30	4	9	24	118	3
MEVINPHOS, OTHER RELATED	<1	107	12	20	3	6	16	79	2
MEXACARBATE	0	0	0	0	0	0	0	0	0

Table 7: (continued) The reported pounds of pesticides used that are cholinesterase-inhibiting pesticides. These pesticides are organophosphate and carbamate active ingredients.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
MOLINATE	367,155	171,362	141,421	75,241	19,653	12,516	24	<1	3
MONOCROTOPHOS	0	0	0	0	0	0	0	0	0
NALED	152,755	225,863	196,369	132,528	172,705	162,530	174,280	199,092	153,427
O,O-DIMETHYL O-(4-NITRO-M-TOLYL) PHOSPHOROTHIOATE	0	0	<1	0	0	0	0	0	0
OXAMYL	113,512	153,432	123,109	45,096	100,147	48,994	118,048	136,967	51,814
OXYDEMETON-METHYL	105,318	122,433	119,891	122,723	111,612	68,576	71,290	26,017	17,617
PARATHION	240	855	1,542	479	33	118	285	241	370
PEBULATE	10,118	1,154	210	441	68	0	0	0	0
PHENMEDIPHAM	4,579	5,419	4,046	2,841	2,305	2,516	2,448	2,087	1,985
PHORATE	60,247	48,981	38,066	33,776	32,408	17,686	14,775	46,061	58,965
PHOSALONE	0	0	0	0	0	0	0	0	0
PHOSMET	658,093	547,822	628,892	424,874	343,061	132,647	115,008	95,776	53,630
POTASSIUM DIMETHYL DITHIO CARBAMATE	293	0	0	0	0	<1	0	0	0
PROFENOFOS	15,620	23,924	20,885	3,638	216	0	1,552	0	58
PROPAMOCARB HYDROCHLORIDE	5	0	364	137,589	116,725	106,078	99,482	92,304	107,598
PROPETAMPHOS	315	148	207	136	116	352	213	139	171
PROPOXUR	223	220	212	191	188	202	298	808	361
S,S-S-TRIBUTYL PHOSPHOROTRITHIOATE	179,690	100,225	78,084	45,757	16,335	8,161	18,427	30,745	21,960
SODIUM DIMETHYL DITHIO CARBAMATE	10,693	30,440	23,414	9,073	9,800	8,963	11,053	13,358	13,485
SULFOTEP	29	17	1	7	4	2	0	1	0
SULPROFOS	0	0	0	0	0	0	0	0	0
TEMEPHOS	356	1,102	803	1,173	684	83	99	33	17
TETRACHLORVINPHOS	722	788	1,203	667	1,012	1,306	1,086	912	689
THIOBENCARB	521,586	448,208	310,352	289,046	263,499	320,643	258,402	246,927	277,342
THIODICARB	2,249	1,872	894	686	410	511	152	472	145
TRIALLATE	6	0	0	0	0	0	879	2,671	819
TRICHLORFON	1,035	1,222	1,003	336	961	25	34	40	29
TOTAL	7,794,044	7,542,195	6,926,282	5,814,258	5,146,781	4,377,680	4,566,439	4,592,590	4,072,847

Table 8: The reported cumulative acres treated with pesticides that are cholinesterase-inhibiting pesticides. These pesticides are organophosphate and carbamate active ingredients. Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
3-IODO-2-PROPYNYL BUTYLCARBAMATE	0	0	0	0	0	0	<1	<1	<1
ACEPHATE	211,892	198,982	172,119	148,887	147,950	115,063	144,134	150,202	131,868
ALDICARB	217,540	214,260	158,000	108,892	66,829	31,977	66,192	29,363	1,478
AZINPHOS-METHYL	38,622	37,622	25,534	16,636	10,272	7,849	1,724	1,809	1,639
BENDIOCARB	<1	1	<1	6	<1	<1	<1	<1	<1
BENSULIDE	70,367	70,625	82,280	76,748	75,695	73,306	78,736	84,205	79,152
BUTYLATE	3,940	1,954	610	236	6	0	60	0	0
CARBARYL	103,261	99,086	87,789	97,016	96,438	107,458	80,095	68,249	96,790
CARBOFURAN	50,138	55,488	43,417	39,795	24,651	7,331	15	30	0
CHLOROPHOS	166	88	115	178	147	159	38	82	76
CHLORPYRIFOS	1,323,331	1,681,634	1,538,958	1,154,681	1,163,050	934,562	1,097,107	1,187,852	1,051,292
COUMAPHOS	49	<1	2	<1	0	0	<1	<1	<1
CYCLOATE	20,699	19,319	19,886	15,601	10,581	12,058	13,799	14,895	17,623
DDVP	1,637	7,445	1,526	2,733	2,231	2,685	1,880	5,184	7,228
DEMETON	0	35	<1	10	0	10	0	0	0
DESMEDIPHAM	37,152	35,795	30,883	24,780	16,787	16,073	19,264	19,349	16,691
DIAZINON	509,233	440,839	439,814	422,244	310,125	140,620	104,443	71,155	48,027
DICROTOPHOS	0	<1	110	0	0	0	0	0	0
DIMETHOATE	701,470	672,935	613,479	608,819	576,286	499,889	436,233	530,746	420,905
DISULFOTON	34,481	25,320	18,926	20,315	4,723	7,591	6,167	1,621	2,595
EPTC	64,194	64,263	38,871	51,706	45,560	49,708	44,289	47,922	56,163
ETHEPHOS	660,356	679,253	640,720	490,361	365,752	261,211	452,404	602,803	532,933
ETHION	<1	66	32	0	6	15	184	81	332
ETHOPROP	4,917	4,296	4,815	4,283	4,159	4,293	1,348	1,892	541
FENAMIPHOS	34,142	29,314	18,918	22,618	10,730	7,537	5,873	2,127	2,690
FENTHION	18	<1	<1	<1	<1	<1	<1	<1	0
FONOFOS	20	15	0	0	<1	0	3	0	0
FORMETANATE HYDROCHLORIDE	33,167	31,775	35,293	35,383	45,715	32,678	30,898	22,038	21,733
MALATHION	249,319	226,729	218,196	250,823	288,852	277,706	433,352	280,421	269,797
METHAMIDOPHOS	38,874	45,835	37,585	23,022	27,532	20,408	10,731	6,464	<1
METHIDATHION	45,281	37,751	34,786	37,301	43,046	54,227	49,662	34,918	31,733
METHIOCARB	3,064	2,501	3,072	2,649	2,439	2,131	2,335	2,053	2,720
METHOMYL	437,673	612,989	529,347	502,384	406,030	377,954	410,186	395,172	472,789
METHYL PARATHION	48,640	49,771	51,184	45,173	21,574	15,198	13,046	13,343	15,556
MEVINPHOS	3	215	8	198	34	69	11	108	2
MEVINPHOS, OTHER RELATED	3	215	8	198	34	69	11	108	2
MEXACARBATE	0	0	0	0	0	0	0	0	0

Table 8: (continued) The reported cumulative acres treated with pesticides that are cholinesterase-inhibiting pesticides. These pesticides are organophosphate and carbamate active ingredients.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
MOLINATE	89,593	40,535	33,045	17,476	4,529	2,942	6	<1	<1
MONOCROTOPHOS	0	0	0	0	0	0	0	0	0
NALED	110,218	191,906	159,851	107,774	105,505	128,415	145,147	163,374	108,859
O,O-DIMETHYL O-(4-NITRO-M-TOLYL) PHOSPHOROTHIOATE	0	0	<1	0	0	0	0	0	0
OXAMYL	135,832	178,893	137,541	60,773	116,350	59,118	134,931	150,265	61,649
OXYDEMETON-METHYL	206,751	173,480	164,094	161,835	140,760	82,368	86,131	27,447	18,202
PARATHION	392	717	713	414	101	195	76	202	149
PEBULATE	4,319	297	35	163	151	0	0	0	0
PHENMEDIPHAM	38,964	38,675	33,208	26,762	18,198	18,837	21,366	20,767	17,920
PHORATE	47,488	35,938	27,676	23,557	10,933	10,236	8,719	32,555	45,886
PHOSALONE	0	0	0	0	0	0	0	0	0
PHOSMET	209,843	170,683	200,531	142,991	116,966	51,514	40,276	33,689	18,904
POTASSIUM DIMETHYL DITHIO CARBAMATE	<1	0	0	0	0	<1	0	0	0
PROFENOFOS	11,657	25,096	20,563	4,509	289	0	1,635	0	155
PROPAMOCARB HYDROCHLORIDE	10	0	187	144,949	123,699	109,027	103,734	95,929	112,418
PROPETAMPHOS	<1	<1	<1	<1	<1	<1	<1	<1	<1
PROPOXUR	7	8	2	<1	10	356	<1	3	<1
S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE	133,535	74,538	52,330	31,408	10,850	7,182	15,785	27,233	21,957
SODIUM DIMETHYL DITHIO CARBAMATE	<1	<1	<1	2	1	3	12	<1	4
SULFOTEP	8	9	<1	5	2	3	0	1	0
SULPROFOS	0	0	0	0	0	0	0	0	0
TEMEPHOS	<1	<1	<1	<1	<1	<1	<1	<1	<1
TETRACHLORVINPHOS	291	1,518	1	200	5	<1	5	5	8
THIOBENCARB	136,132	118,786	79,109	74,271	67,483	83,567	75,172	71,824	78,628
THIODICARB	3,684	2,965	1,293	1,196	673	680	192	656	206
TRIALATE	<1	0	0	0	0	0	867	1,854	546
TRICHLORFON	<1	<1	<1	<1	<1	<1	<1	<1	<1
TOTAL	6,034,805	6,362,725	5,725,402	4,976,667	4,466,872	3,597,902	4,118,780	4,180,350	3,751,122




Figure 3: Use trends of pesticides that are cholinesterase-inhibiting pesticides. These pesticides are organophosphate and carbamate active ingredients. Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

USE TRENDS OF PESTICIDES ON THE “A” PART OF DPR’S GROUNDWATER PROTECTION LIST.

Table 9: The reported pounds of pesticides used that are on the “a” part of DPR’s groundwater protection list. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6800(a). Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation’s Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
ATRAZINE	38,776	33,015	35,291	27,546	28,491	23,260	28,937	23,006	31,655
ATRAZINE, OTHER RELATED	812	695	732	571	600	482	607	483	665
BENTAZON, SODIUM SALT	1,370	2,272	2,633	4,858	8,075	9,589	7,447	5,800	7,111
BROMACIL	56,760	48,929	62,774	85,097	68,162	52,049	67,784	92,406	80,238
BROMACIL, LITHIUM SALT	1,801	1,059	2,529	1,172	1,851	896	1,835	1,486	1,422
DIURON	1,399,006	957,462	1,054,075	860,510	735,545	622,598	588,573	674,184	550,764
NORFLURAZON	140,143	94,082	107,826	78,150	58,590	44,762	43,686	30,572	41,703
PROMETON	20	3	8	3	3	1	6	3	8
SIMAZINE	732,677	628,561	637,691	541,296	438,952	419,423	378,373	425,373	363,058
TOTAL	2,371,364	1,766,079	1,903,558	1,599,204	1,340,270	1,173,061	1,117,248	1,253,313	1,076,623

Table 10: The reported cumulative acres treated with pesticides that are on the “a” part of DPR’s groundwater protection list. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6800(a). Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation’s Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
ATRAZINE	26,989	24,085	21,834	17,382	16,766	15,767	19,990	17,514	23,358
ATRAZINE, OTHER RELATED	26,989	24,085	21,834	17,382	16,766	15,767	19,990	17,514	23,358
BENTAZON, SODIUM SALT	1,279	2,218	2,217	4,215	6,631	6,424	6,258	4,846	6,589
BROMACIL	26,204	21,886	19,132	20,455	21,471	24,420	28,757	32,168	28,746
BROMACIL, LITHIUM SALT	<1	<1	<1	<1	<1	<1	<1	<1	<1
DIURON	971,628	894,073	886,032	702,939	519,050	405,583	517,619	691,013	552,515
NORFLURAZON	125,802	81,589	91,035	74,085	58,866	44,503	45,638	30,601	31,569
PROMETON	171	6	168	4	35	2	20	<1	<1
SIMAZINE	588,016	463,244	480,142	411,719	320,992	339,117	289,038	324,309	236,430
TOTAL	1,716,706	1,466,859	1,483,320	1,212,529	923,696	812,543	879,390	1,068,916	850,855




Figure 4: Use trends of pesticides that are on the “a” part of DPR’s groundwater protection list. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6800(a). Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation’s Pesticide Use Reports.

USE TRENDS OF PESTICIDES ON DPR'S TOXIC AIR CONTAMINANTS LIST.

Table 11: The reported pounds of pesticides used that are on DPR's toxic air contaminants list applied in California. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6860. Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1,3-DICHLOROPROPENE	8,945,145	9,355,308	8,735,190	9,595,625	9,974,387	6,399,515	8,777,092	10,906,982	12,012,976
2,4-D	1,797	1,552	1,735	2,755	11,619	10,788	12,526	5,400	4,253
2,4-D, 2-ETHYLHEXYL ESTER	21,130	26,641	21,062	15,029	20,464	15,113	74,398	25,746	27,623
2,4-D, ALKANOLAMINE SALTS (ETHANOL AND ISOPROPANOL AMINES)	624	458	16	29	25	131	516	1	16
2,4-D, BUTOXYETHANOL ESTER	4,782	8,190	1,720	843	1,775	2,751	1,368	1,757	1,807
2,4-D, BUTOXYPROPYL ESTER	0	0	<1	0	13	0	0	0	0
2,4-D, BUTYL ESTER	0	10	15	9	0	2	3	4	7
2,4-D, DIETHANOLAMINE SALT	5,024	3,961	2,947	4,025	5,533	4,913	6,872	3,164	2,696
2,4-D, DIMETHYLAMINE SALT	475,954	455,858	439,100	397,197	466,872	446,575	488,489	408,590	366,490
2,4-D, DODECYLAMINE SALT	0	0	0	0	0	0	0	0	0
2,4-D, HEPTYLAMINE SALT	0	0	0	0	0	0	0	0	0
2,4-D, ISOCTYL ESTER	10,039	10,314	10,627	11,572	9,603	4,446	4,214	5,361	4,623
2,4-D, ISOPROPYL ESTER	10,992	11,220	10,863	10,578	10,671	13,123	11,682	19,605	12,471
2,4-D, N-OLEYL-1,3-PROPYLENEDIAMINE SALT	0	0	0	0	0	0	0	0	0
2,4-D, OCTYL ESTER	0	0	0	0	0	0	0	0	0
2,4-D, PROPYL ESTER	472	404	398	212	141	99	57	0	0
2,4-D, TETRADECYLAMINE SALT	0	0	0	0	0	0	0	0	0
2,4-D, TRIETHYLAMINE SALT	391	203	1,614	383	332	472	2,829	106	5
2,4-D, TRIISOPROPANOLAMINE SALT	742	672	1,133	985	1,140	1,930	2,092	2,740	1,746
2,4-D, TRIISOPROPYLAMINE SALT	0	0	458	636	472	1,941	1,655	1,971	782
ACROLEIN	211,014	257,194	246,659	201,156	215,822	161,637	121,861	97,643	117,142
ALUMINUM PHOSPHIDE	131,864	137,969	151,037	105,169	132,296	108,084	108,406	155,187	140,010
ARSENIC ACID	223	68	3	0	0	0	0	17	0
ARSENIC PENTOXIDE	12,705	180,505	474,517	7,805	7,433	400	16,144	8,034	9,240
ARSENIC TRIOXIDE	<1	<1	<1	<1	<1	<1	<1	<1	<1
CAPTAN	374,607	472,744	510,661	456,475	362,757	329,747	450,225	375,944	387,816
CAPTAN, OTHER RELATED	7,766	9,982	11,217	10,131	8,031	7,374	10,002	8,380	8,557
CARBARYL	240,068	190,633	156,997	142,010	126,860	135,301	113,238	74,833	114,200
CHLORINE	516,546	613,837	730,986	857,144	1,278,580	585,673	1,011,383	762,464	1,437,637
CHLOROPICRIN	5,143,213	4,872,161	5,037,770	5,502,827	5,593,517	5,686,410	6,375,111	7,298,736	9,029,526
CHROMIC ACID	17,754	252,176	662,927	10,904	10,384	559	22,555	11,224	12,908
DAZOMET	58,567	48,263	34,310	37,537	40,272	65,725	60,539	59,245	38,593

Table 11: (continued) The reported pounds of pesticides used that are on DPR's toxic air contaminants list applied in California. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6860.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
DDVP	3,807	4,914	6,577	6,376	6,859	4,164	4,169	5,164	4,733
ENDOSULFAN	154,351	83,302	92,757	52,403	59,917	41,840	37,146	15,679	10,965
ETHYLENE OXIDE	0	0	0	2	3	7	0	0	8
FORMALDEHYDE	111,151	48,968	73,392	47,733	24,306	3,972	5,511	4,615	3,847
HYDROGEN CHLORIDE	2,529	14,755	2,464	1,470	4,318	3,976	2,240	504	336
LINDANE	776	40	379	2	21	8	18	1	0
MAGNESIUM PHOSPHIDE	2,621	3,156	3,931	5,132	10,507	8,009	12,233	12,700	12,514
MANCOZEB	379,790	643,194	662,040	408,652	331,476	281,969	755,098	1,045,594	1,115,942
MANEB	963,204	1,135,698	1,181,738	1,061,028	861,006	656,648	370,333	53,870	6,276
META-CRESOL	2	1	<1	<1	<1	<1	<1	1	2
METAM-SODIUM	14,698,228	12,991,279	11,422,382	9,929,803	10,227,094	9,027,455	11,153,177	10,868,495	8,423,824
METHANOL	0	0	0	0	0	0	0	0	0
METHIDATHION	61,206	48,857	56,691	45,666	47,347	47,319	51,190	29,545	23,300
METHOXYCHLOR	1	13	130	6	0	8	270	39	0
METHOXYCHLOR, OTHER RELATED	<1	<1	0	0	0	0	0	0	0
METHYL BROMIDE	7,120,860	6,509,322	6,542,161	6,448,643	5,708,525	5,625,249	4,786,099	4,008,187	3,912,674
METHYL ISOTHIOCYANATE	1,357	1,549	1,073	388	0	0	73	476	764
METHYL PARATHION	71,573	79,000	84,785	75,385	34,110	25,770	21,427	22,970	25,392
METHYL PARATHION, OTHER RELATED	3,766	4,155	4,447	3,960	1,792	1,355	1,127	1,195	1,333
NAPHTHALENE	0	<1	0	0	0	0	1	<1	0
PARA-DICHLOROBENZENE	10	139	0	15	1	17	0	<1	18
PARATHION	240	855	1,542	479	33	118	285	241	370
PCNB	34,216	38,038	32,786	30,689	29,188	24,637	37,378	11,629	17,350
PCP, OTHER RELATED	<1	<1	3	2	1	0	<1	3	32
PCP, SODIUM SALT	0	0	0	<1	0	0	0	<1	0
PCP, SODIUM SALT, OTHER RELATED	0	0	0	<1	0	0	0	0	0
PENTACHLOROPHENOL	2	3	27	22	4	0	3	18	224
PHENOL	9	71	<1	0	0	2	0	0	0
PHOSPHINE	1,690	2,699	3,491	5,286	48,243	29,527	11,291	118,089	49,604
PHOSPHORUS	1	<1	2	<1	<1	<1	1	0	4
POTASSIUM	894,186	1,994,072	3,202,884	3,785,436	5,791,671	4,102,412	4,832,615	5,673,371	8,315,873
N-METHYLDITHIOCARBAMATE	0	0	0	0	0	109	0	0	0
POTASSIUM PERMANGANATE	223	220	212	191	188	202	298	808	361
PROPOXUR	158,027	147,489	133,028	110,068	105,600	111,609	300,008	421,562	332,377
PROPYLENE OXIDE	179,690	100,225	78,084	45,757	16,335	8,161	18,427	30,745	21,960
S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE	2,865	3,086	2,853	2,670	3,406	2,579	2,502	1,073	2,588
SODIUM CYANIDE	0	0	0	0	0	0	0	0	0
SODIUM DICHROMATE	0	0	0	0	0	0	0	0	0

Table 11: (continued) *The reported pounds of pesticides used that are on DPR's toxic air contaminants list applied in California. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6860.*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
SODIUM TETRATHIOCARBONATE	259,542	330,886	171,204	391,303	355,373	249,580	233,949	168,761	49,713
SULFURYL FLUORIDE	3,270,698	3,394,126	2,880,853	2,152,451	2,120,860	2,184,823	2,728,977	2,354,589	2,714,292
TRIFLURALIN	1,028,782	1,032,503	1,049,147	908,614	676,386	533,307	473,502	497,353	482,782
XYLENE	2,109	1,598	1,418	1,173	576	517	1,103	291	406
ZINC PHOSPHIDE	1,925	2,380	3,794	3,215	1,299	20,898	1,745	2,543	2,263
TOTAL	45,600,857	45,526,915	44,940,235	42,895,058	44,747,442	36,978,955	43,515,454	45,583,242	49,263,248

Table 12: The reported cumulative acres treated with pesticides that are on DPR's toxic air contaminants list applied in California. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6860. Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1,3-DICHLOROPROPENE	56,618	51,486	49,885	53,937	59,415	38,374	54,049	59,049	70,087
2,4-D	3,377	1,466	2,824	7,405	33,344	25,244	23,856	7,565	7,647
2,4-D, 2-ETHYLHEXYL ESTER	20,642	21,360	15,303	8,362	15,047	9,020	11,797	10,318	7,746
2,4-D, ALKANOLAMINE SALTS	1,475	403	6	23	55	270	172	1	36
(ETHANOL AND ISOPROPANOL AMINES)									
2,4-D, BUTOXYETHANOL ESTER	3,835	2,950	1,600	1,297	3,648	5,110	2,542	1,206	1,054
2,4-D, BUTOXYPROPYL ESTER	0	0	<1	0	<1	0	0	0	0
2,4-D, BUTYL ESTER	0	8	1	10	0	6	<1	<1	7
2,4-D, DIETHANOLAMINE SALT	22,729	18,739	13,826	13,339	19,085	18,931	27,009	11,075	7,106
2,4-D, DIMETHYLAMINE SALT	553,369	567,143	523,912	487,361	543,863	527,098	518,915	445,578	372,176
2,4-D, DODECYLAMINE SALT	0	0	0	0	0	0	0	0	0
2,4-D, HEPTYLAMINE SALT	0	0	0	0	0	0	0	0	0
2,4-D, ISOCTYL ESTER	7,502	6,532	7,638	7,143	4,708	2,673	2,424	2,903	414
2,4-D, ISOPROPYL ESTER	117,870	144,377	146,090	137,055	135,797	132,302	138,826	145,519	160,911
2,4-D,	0	0	0	0	0	0	0	0	0
N-OLEYL-1,3-PROPYLENEDIAMINE SALT									
2,4-D, OCTYL ESTER	0	0	0	0	0	0	0	0	0
2,4-D, PROPYL ESTER	8,680	5,261	5,660	3,348	1,955	1,750	895	0	0
2,4-D, TETRADECYLAMINE SALT	0	0	0	0	0	0	0	0	0
2,4-D, TRIETHYLAMINE SALT	677	243	815	473	679	740	165	117	3
2,4-D, TRIISOPROPANOLAMINE SALT	209	396	392	108	952	541	720	623	308
2,4-D, TRIISOPROPYLAMINE SALT	0	0	<1	204	<1	<1	<1	25	37
ACROLEIN	575	73	18	141	1,027	1,497	12	45	56
ALUMINUM PHOSPHIDE	74,762	63,289	79,951	84,963	81,029	112,063	100,859	133,283	160,332
ARSENIC ACID	<1	<1	<1	0	0	0	0	<1	0
ARSENIC PENTOXIDE	48	<1	<1	<1	<1	<1	<1	<1	<1
ARSENIC TRIOXIDE	<1	1	<1	<1	<1	<1	<1	<1	<1
CAPTAN	211,028	252,040	262,936	215,864	198,262	173,133	245,464	209,556	204,672
CAPTAN, OTHER RELATED	209,571	251,846	262,860	215,229	198,095	173,083	245,464	209,556	200,658
CARBARYL	103,261	99,086	87,789	97,016	96,438	107,458	80,095	68,249	96,790
CHLORINE	2,137	<1	431	1,201	14,414	24,644	88,144	24,253	24,097
CHLOROPICRIN	60,932	53,797	56,129	55,678	54,152	49,639	51,877	70,519	68,322
CHROMIC ACID	<1	<1	<1	<1	<1	<1	<1	<1	<1
DAZOMET	298	113	124	700	183	301	274	243	348
DDVP	1,637	7,445	1,526	2,733	2,231	2,685	1,880	5,184	7,228

Table 12: (continued) The reported cumulative acres treated with pesticides that are on DPR's toxic air contaminants list applied in California. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6860.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
ENDOSULFAN	180,387	97,745	111,338	56,627	64,695	48,639	47,147	19,812	10,985
ETHYLENE OXIDE	0	0	0	<1	2	60	0	0	<1
FORMALDEHYDE	23	2	265	57	67	5	1	6	4
HYDROGEN CHLORIDE	1	17	18	4	46	49	116	<1	2
LINDANE	9,437	557	9	0	37	10	31	1	0
MAGNESIUM PHOSPHIDE	1	23	29	6	143	32	145	80	29
MANCOZEB	194,219	370,266	348,360	212,349	170,247	145,799	432,175	634,368	668,602
MANEB	601,360	730,254	675,941	655,235	558,506	471,395	290,266	40,464	4,567
META-CRESOL	288	164	50	54	38	108	79	144	857
METAM-SODIUM	128,427	97,562	102,451	78,030	75,398	74,132	71,407	70,930	59,033
METHANOL	0	0	0	0	0	0	0	0	0
METHIDATHION	45,281	37,751	34,786	37,301	43,046	54,227	49,662	34,918	31,733
METHOXYCHLOR	44	26	395	43	0	75	90	58	0
METHOXYCHLOR, OTHER RELATED	<1	<1	0	0	0	0	0	0	0
METHYL BROMIDE	57,385	45,700	50,677	45,675	35,761	39,619	32,095	46,741	28,774
METHYL ISOTHIOCYANATE	<1	<1	<1	<1	0	0	<1	<1	<1
METHYL PARATHION	48,640	49,771	51,184	45,173	21,574	15,198	13,046	13,343	15,556
METHYL PARATHION, OTHER RELATED	48,609	49,644	50,762	45,165	21,331	15,053	13,029	13,326	15,342
NAPHTHALENE	0	2	0	0	0	0	3	<1	0
PARA-DICHLOROBENZENE	<1	<1	0	<1	0	<1	<1	<1	<1
PARATHION	392	717	713	414	101	195	76	202	149
PCNB	3,817	3,001	1,496	1,764	1,656	1,400	4,429	879	334
PCP, OTHER RELATED	20	3	0	10	46	0	4	1	15
PCP, SODIUM SALT	0	0	0	<1	0	0	0	47	0
PCP, SODIUM SALT, OTHER RELATED	0	0	0	<1	0	0	0	0	0
PENTACHLOROPHENOL	20	3	0	10	46	0	4	1	15
PHENOL	310	239	<1	0	0	15	0	0	0
PHOSPHINE	349	22	23	3	1,751	50	643	665	686
PHOSPHORUS	<1	23	<1	10	<1	<1	<1	0	74
POTASSIUM	10,229	19,670	27,299	42,988	57,415	38,197	41,444	44,078	50,652
N-METHYLDITHIOCARBAMATE									
POTASSIUM PERMANGANATE	0	0	0	0	0	5	0	0	0
PROPOXUR	7	8	2	<1	10	356	<1	3	<1
PROPYLENE OXIDE	22	185	20	<1	12	<1	<1	<1	288
S,S,S-TRIBUTYL	133,535	74,538	52,330	31,408	10,850	7,182	15,785	27,233	21,957
PHOSPHOTRITHIOATE									
SODIUM CYANIDE	<1	<1	<1	<1	<1	<1	<1	<1	<1
SODIUM DICHROMATE	0	0	0	0	0	0	0	0	0
SODIUM TETRATHIOCARBONATE	8,497	7,977	6,170	11,485	10,991	7,180	7,301	4,826	1,672

Table 12: (continued) The reported cumulative acres treated with pesticides that are on DPR's toxic air contaminants list applied in California. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6860.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
SULFURYL FLUORIDE	2	<1	78	9	57	361	130	537	532
TRIFLURALIN	920,545	886,258	901,629	772,753	556,306	492,498	438,784	466,933	464,458
XYLENE	3,375	2,722	1,824	2,021	1,418	1,387	609	747	1,074
ZINC PHOSPHIDE	14,150	9,038	15,284	9,301	11,478	14,512	12,751	21,417	21,610
TOTAL	3,522,709	3,661,116	3,571,082	3,116,678	2,815,873	2,578,286	2,733,484	2,550,000	2,508,923




Figure 5: Use trends of pesticides that are on DPR's toxic air contaminants list applied in California. These pesticides are the active ingredients listed in the California Code of Regulations, Title 3, Division 6, Chapter 4, Subchapter 1, Article 1, Section 6860. Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

USE TRENDS OF PESTICIDES THAT ARE FUMIGANTS.

Table 13: The reported pounds of pesticides used that are fumigants. Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1,2-DICHLOROPROPANE, 1,3-DICHLOROPROPENE AND RELATED C3 COMPOUNDS	22	0	182	10,532	0	0	0	0	6
1,3-DICHLOROPROPENE	8,945,145	9,355,308	8,735,190	9,595,625	9,974,387	6,399,515	8,777,092	10,906,982	12,012,976
ALUMINUM PHOSPHIDE	131,864	137,969	151,037	105,169	132,296	108,084	108,406	155,187	140,010
CARBON TETRACHLORIDE	<1	0	0	180	1,980	<1	0	6	90
CHLOROPICRIN	5,143,213	4,872,161	5,037,770	5,502,827	5,595,517	5,686,410	6,375,111	7,298,736	9,029,526
DAZOMET	58,567	48,263	34,310	37,537	40,272	65,725	60,539	59,245	38,593
ETHYLENE DIBROMIDE	3	0	0	3	127	<1	0	0	6
ETHYLENE DICHLORIDE	1	0	0	0	<1	0	0	0	0
ETHYLENE OXIDE	0	0	0	2	3	7	0	0	8
MAGNESIUM PHOSPHIDE	2,621	3,156	3,931	5,132	10,507	8,009	12,233	12,700	12,514
METAM-SODIUM	14,698,228	12,991,279	11,422,382	9,929,803	10,227,094	9,027,455	11,153,177	10,868,495	8,423,824
METHYL BROMIDE	7,120,860	6,509,322	6,542,161	6,448,643	5,708,525	5,625,249	4,786,099	4,008,187	3,912,674
METHYL IODIDE	0	0	0	0	0	0	0	1,157	21
PHOSPHINE	1,690	2,699	3,491	5,286	48,243	29,527	11,291	118,089	49,604
POTASSIUM	894,186	1,994,072	3,202,884	3,785,436	5,791,671	4,102,412	4,832,615	5,673,371	8,315,873
N-METHYLDITHIOCARBAMATE									
PROPYLENE OXIDE	158,027	147,489	133,028	110,068	105,600	111,609	300,008	421,562	332,377
SODIUM TETRATHIOCARBONATE	259,542	330,886	171,204	391,303	355,373	249,580	233,949	168,761	49,713
SULFURYL FLUORIDE	3,270,698	3,394,126	2,880,853	2,152,451	2,120,860	2,184,823	2,728,977	2,354,589	2,714,292
ZINC PHOSPHIDE	1,925	2,380	3,794	3,215	1,299	20,898	1,745	2,543	2,263
TOTAL	40,686,593	39,789,111	38,322,216	38,083,212	40,113,755	33,619,302	39,381,244	42,049,609	45,034,369

Table 14: The reported cumulative acres treated with pesticides that are fumigants. Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
1,2-DICHLOROPROPANE, 1,3-DICHLOROPROPENE AND RELATED C3 COMPOUNDS	9	0	32	108	0	0	0	0	18
1,3-DICHLOROPROPENE	56,618	51,486	49,885	53,937	59,415	38,374	54,049	59,049	70,087
ALUMINUM PHOSPHIDE	74,762	63,289	79,951	84,963	81,029	112,063	100,859	133,283	160,332
CARBON TETRACHLORIDE	<1	0	0	<1	161	<1	0	<1	<1
CHLOROPICRIN	60,932	53,797	56,129	55,678	54,152	49,639	51,877	70,519	68,322
DAZOMET	298	113	124	700	183	301	274	243	348
ETHYLENE DIBROMIDE	<1	0	0	<1	<1	<1	0	0	<1
ETHYLENE DICHLORIDE	<1	0	0	0	160	0	0	0	0
ETHYLENE OXIDE	0	0	0	<1	2	60	0	0	<1
MAGNESIUM PHOSPHIDE	1	23	29	6	143	32	145	80	29
METAM-SODIUM	128,427	97,562	102,451	78,030	75,398	74,132	71,407	70,930	59,033
METHYL BROMIDE	57,385	45,700	50,677	45,675	35,761	39,619	32,095	46,741	28,774
METHYL IODIDE	0	0	0	0	0	0	0	278	37
PHOSPHINE	349	22	23	3	1,751	50	643	665	686
POTASSIUM	10,229	19,670	27,299	42,988	57,415	38,197	41,444	44,078	50,652
N-METHYLDITHIOCARBAMATE									
PROPYLENE OXIDE	22	185	20	<1	12	<1	<1	<1	288
SODIUM TETRATHIOCARBONATE	8,497	7,977	6,170	11,485	10,991	7,180	7,301	4,826	1,672
SULFURYL FLUORIDE	2	<1	78	9	57	361	130	537	532
ZINC PHOSPHIDE	14,150	9,038	15,284	9,301	11,478	14,512	12,751	21,417	21,610
TOTAL	356,814	300,847	337,084	333,549	340,330	331,284	328,742	391,245	406,747




Figure 6: Use trends of pesticides that are fumigants. Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

USE TRENDS OF OIL PESTICIDES.

Table 15: The reported pounds of pesticides used that are oils. As a broad group, oil pesticides and other petroleum distillates are on U.S. EPA's list of B2 carcinogens or the State's Proposition 65 list of chemicals "known to cause cancer." However, these classifications do not distinguish among oil pesticides that may not qualify as carcinogenic due to their degree of refinement. Many such oil pesticides also serve as alternatives to high-toxicity chemicals. For this reason, oil pesticide data was classified separately in this report. Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
COAL TAR HYDROCARBONS	0	0	0	0	0	0	0	0	0
HYDROTREATED PARAFFINIC SOLVENT	334,196	244,817	254,213	300,501	247,676	248,774	224,458	239,377	153,941
ISOPARAFFINIC HYDROCARBONS	30,166	31,183	18,997	16,859	11,250	13,007	6,628	13,823	9,510
KEROSENE	14,266	8,023	11,387	12,431	22,272	148,479	95,973	34,659	20,347
MINERAL OIL	9,975,877	10,617,874	12,414,370	12,859,559	12,286,611	11,635,255	11,419,335	10,298,846	11,379,029
MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT REFINED LIGHT	0	0	169	139	219	124	401	11	0
NAPHTHA, HEAVY AROMATIC PETROLEUM DERIVATIVE RESIN	53	0	0	0	0	0	0	0	0
PETROLEUM DISTILLATES	1	4	5	0	0	1	0	<1	0
PETROLEUM DISTILLATES, ALIPHATIC	715,611	609,966	297,335	343,123	504,035	548,178	341,843	279,083	247,315
PETROLEUM DISTILLATES, AROMATIC	40,238	34,182	34,017	18,323	16,390	10,493	15,627	8,987	6,641
PETROLEUM DISTILLATES, REFINED	5,486	2,092	2,136	1,160	367	103	247	12	100
PETROLEUM HYDROCARBONS	1,025,718	781,411	1,206,463	1,240,305	1,487,043	1,222,830	2,005,527	1,982,349	1,817,471
PETROLEUM NAPHTHENIC OILS	642	956	1,574	1,407	184	138	177	177	27
PETROLEUM OIL, PARAFFIN BASED	27	48	158	240	249	254	888	1,048	552
PETROLEUM OIL, UNCLASSIFIED	443,264	414,094	563,646	511,255	506,841	1,048,157	618,281	748,994	974,420
PETROLEUM SULFONATES	15,936,714	16,232,621	18,241,640	13,419,141	13,629,907	12,246,849	12,490,234	17,835,068	13,285,490
TOTAL	0	0	<1	<1	<1	0	0	<1	0
	28,522,260	28,977,272	33,046,110	28,724,444	28,713,046	27,122,642	27,219,619	31,442,432	27,894,845

Table 16: The reported cumulative acres treated with pesticides that are oils. As a broad group, oil pesticides and other petroleum distillates are on U.S. EPA's list of B2 carcinogens or the State's Proposition 65 list of chemicals "known to cause cancer." However, these classifications do not distinguish among oil pesticides that may not qualify as carcinogenic due to their degree of refinement. Many such oil pesticides also serve as alternatives to high-toxicity chemicals. For this reason, oil pesticide data was classified separately in this report. Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
COAL TAR HYDROCARBONS	0	0	0	0	0	0	0	0	0
HYDROTREATED PARAFFINIC SOLVENT	327,022	252,863	270,421	261,415	226,988	232,299	227,415	254,703	180,502
ISOPARAFFINIC HYDROCARBONS	67,795	55,920	39,757	27,903	19,228	22,913	13,709	19,129	14,683
KEROSENE	264,266	314,821	348,522	254,279	284,703	303,567	316,705	319,353	286,018
MINERAL OIL	417,559	488,458	607,575	823,491	872,331	996,953	1,182,216	1,262,492	1,365,781
MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT REFINED LIGHT	0	0	959	522	1,010	850	1,255	60	0
NAPHTHA, HEAVY AROMATIC PETROLEUM DERIVATIVE RESIN	<1	0	0	0	0	0	0	0	0
PETROLEUM DISTILLATES	<1	10	<1	0	0	<1	0	<1	0
PETROLEUM DISTILLATES, ALIPHATIC	244,673	171,158	180,495	280,747	422,253	277,893	238,831	215,595	175,738
PETROLEUM DISTILLATES, AROMATIC	25,904	22,723	34,136	31,441	28,312	30,905	58,342	75,134	32,428
PETROLEUM DISTILLATES, REFINED	519	385	658	383	107	225	445	12	170
PETROLEUM HYDROCARBONS	79,589	117,570	200,933	231,860	288,363	258,026	273,923	254,728	241,273
PETROLEUM NAPHTHENIC OILS	108	430	260	546	334	309	159	35	5
PETROLEUM OIL, PARAFFIN BASED	2,484	358	11,125	17,950	18,246	22,435	44,879	65,431	27,369
PETROLEUM OIL, UNCLASSIFIED	555,670	605,289	724,671	738,037	658,728	631,263	673,415	712,408	712,722
PETROLEUM SULFONATES	653,743	717,903	807,931	674,659	706,768	693,360	762,026	1,041,623	847,112
TOTAL	2,632,389	2,744,767	3,213,555	3,323,231	3,506,793	3,445,584	3,748,162	4,155,217	3,856,272




Figure 7: Use trends of pesticides that are oils. As a broad group, oil pesticides and other petroleum distillates are on U.S. EPA's list of B2 carcinogens or the State's Proposition 65 list of chemicals "known to cause cancer." However, these classifications do not distinguish among oil pesticides that may not qualify as carcinogenic due to their degree of refinement. Many such oil pesticides also serve as alternatives to high-toxicity chemicals. For this reason, oil pesticide data was classified separately in this report. Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

USE TRENDS OF BIOPESTICIDES.

Table 17: The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones). Use includes both agricultural and reportable non-agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
(3S, 6R)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	<1	<1	<1	0	0	<1	0	0	<1
(3S, 6S)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	<1	<1	<1	0	0	<1	0	0	<1
(E)-4-TRIDECEN-1-YL-ACETATE	131	68	103	113	176	80	94	0	0
(E)-5-DECEN-1-OL	0	0	0	0	0	0	0	0	<1
(E)-5-DECENOL	5	<1	4	2	2	1	1	<1	2
(E)-5-DECENYL ACETATE	23	<1	17	7	8	4	5	2	10
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	0	0	0	39	28	11	2	6	3
(E,Z)-7,9-DODECADIEN-1-YL ACETATE (R,Z)-5-(1-DECENYL)	0	0	0	0	0	0	50	249	269
DIHYDRO-2-(3H)-FURANONE	<1	<1	0	0	0	0	0	0	0
(S)-KINOPRENE	359	289	201	238	252	276	277	191	297
(S)-VERBENONE	0	0	0	0	0	0	0	0	55
(Z)-11-HEXADECEN-1-YL ACETATE	10	5	6	2	0	681	0	1	0
(Z)-11-HEXADECENAL	10	5	6	2	0	0	0	0	0
(Z)-4-TRIDECEN-1-YL-ACETATE	4	2	3	4	6	3	3	0	0
(Z)-9-DODECENYL ACETATE	0	<1	<1	1	<1	<1	<1	<1	<1
(Z,E)-7,11-HEXADECADIEN-1-YL ACETATE	0	0	0	0	<1	3	2	0	0
(Z,Z)-11,13-HEXADECADIENAL	0	0	0	<1	<1	0	<1	569	270
(Z,Z)-7,11-HEXADECADIEN-1-YL ACETATE	0	0	0	0	0	3	3	0	0
1,7-DIOXASPIRO-(5,5)-UNDECANE	0	<1	<1	<1	<1	<1	<1	<1	<1
1-DECANOL	0	0	0	0	0	0	0	0	0
1-METHYLCYCLOPROPENE	<1	<1	<1	<1	<1	<1	<1	<1	1
1-NAPHTHALENEACETAMIDE	113	55	30	49	55	32	25	20	20
3,13 OCTADECADIEN-1-YL ACETATE	0	0	0	0	44	0	1	12	0
3,7-DIMETHYL-6-OCTEN-1-OL	0	0	0	0	1	5	23	12	28
ACETIC ACID	<1	<1	0	1	21	79	1,732	73	601
AGROBACTERIUM RADIOBACTER	183	27	291	577	32	142	124	97	28
AGROBACTERIUM RADIOBACTER, STRAIN K1026	<1	<1	6	<1	<1	1	<1	<1	<1

Table 17: (continued) *The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
ALLYL ISOTHIOCYANATE	<1	<1	<1	0	0	0	0	0	<1
ALMOND, BITTER	0	0	<1	<1	<1	<1	<1	<1	<1
AMINO ETHOXY VINYL GLYCINE	0	24	703	963	1,073	543	1,024	1,194	1,354
HYDROCHLORIDE									
AMMONIUM BICARBONATE	0	<1	2	7	2	<1	9	14	7
AMPELOMYCES QUISQUALIS	<1	<1	<1	<1	0	<1	<1	0	0
ANIMAL GLAND EXTRACTS	0	0	0	0	0	0	0	0	0
ASPERGILLUS FLAVUS STRAIN AF36	0	<1	0	0	0	0	0	<1	4
AZADIRACTIN	2,933	1,350	2,408	2,235	2,248	2,500	1,885	2,005	2,700
BACILLUS PUMILUS, STRAIN QST 2808	2	3,567	5,646	7,062	8,138	6,987	6,783	7,537	6,700
BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362	14,187	34,154	45,430	20,192	21,441	18,178	13,013	10,572	9,046
BACILLUS SUBTILIS GB03	7	15	14	6	1	<1	<1	<1	1
BACILLUS SUBTILIS MB1600	0	0	0	0	0	0	0	0	<1
BACILLUS SUBTILIS VAR.	0	0	0	0	0	0	0	0	3
AMYLLOQUEFACIENS STRAIN FZB24									
BACILLUS THURINGIENSIS (BERLINER)	12	16	35	27	16	4	6	26	18
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	4,088	11,255	9,377	20,474	20,569	27,539	20,397	11,666	17,084
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	3,015	2,336	1,752	2,877	2,373	894	814	812	716
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14	9,254	11,869	14,310	8,267	9,433	17,202	11,401	22,620	12,797
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	16,576	16,580	16,042	22,702	12,325	12,128	7,424	4,689	9,736
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	3,987	1,932	2,272	987	460	402	150	244	234
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG 2348	107	211	281	147	369	118	66	478	44
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG2371	2	5	1	0	0	0	<1	<1	0

Table 17: (continued) *The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	20,547	53,895	54,236	63,866	66,651	80,565	75,036	58,196	52,325
BACILLUS THURINGIENSIS (BERLINER), SUBSP. SAN DIEGO	1	<1	2	2	0	<1	<1	0	0
BACILLUS THURINGIENSIS	10	1	3	0	764	118	14	0	0
SUBSPECIES KURSTAKI STRAIN BMP 123									
BACILLUS THURINGIENSIS SUBSPECIES KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7841 LEPIDOPTERAN ACTIVE TOXIN	344	338	3,872	632	277	42	1	75	298
BACILLUS THURINGIENSIS VAR. KURSTAKI STRAIN M-200	0	0	0	<1	0	<1	0	0	0
BACILLUS THURINGIENSIS VAR. KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7826	930	1,919	1,384	154	442	95	0	0	528
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	27,075	33,336	28,905	32,529	41,824	31,043	26,250	24,515	30,462
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN SD-1372, LEPIDOPTERAN ACTIVE TOXIN(S)	532	315	432	563	256	243	130	88	1
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	23,001	41,734	59,019	40,376	52,969	53,778	71,050	52,817	170,566
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	46,762	57,987	53,351	71,755	79,539	69,545	96,988	82,936	94,895
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	4,731	3,185	6,139	2,262	2,076	3,747	3,579	2,611	3,169
BACILLUS THURINGIENSIS, VAR. KURSTAKI DELTA ENDOTOXINS CRY I(A/C) AND CRY IC (GENETICALLY ENGINEERED) ENCAPSULATED IN PSEUDOMONAS FLUORESCENS (KILLED)	5	3	<1	1	26	28	<1	<1	4

Table 17: (continued) *The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
BACTERIOPHAGE ACTIVE AGAINST XANTHOMONAS CAMPESTRIS PV. VESICATORIA AND PSEUDOMONAS SYRINGAE PV. TOMATO	0	0	0	0	0	0	0	<1	<1
BALSAM FIR OIL	0	0	0	0	0	0	<1	0	<1
BEAUVERIA BASSIANA STRAIN GH	863	824	571	711	569	378	357	574	920
BUFFALO GOURD ROOT POWDER	0	0	0	137	279	1	11	0	1
CANDIDA OLEOPHILA ISOLATE I-182	0	0	0	0	0	0	0	0	0
CANOLA OIL	4	1	4	29	25	17	131	26	15
CAPSICUM OLEORESIN	49	2	2	10	5	2	4	4	12
CASTOR OIL	363	79	37	4	4	21	7	<1	2
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	0	0	0	0	0	20,330	10,336	7,897	10,319
CHITOSAN	<1	0	0	0	0	0	0	0	0
CINNAMALDEHYDE	326	34	12	3	354	0	0	1	0
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	86,776	117,205	96,537	110,881	104,956	106,271	115,931	70,555	75,968
CODLING MOTH GRANULOSIS VIRUS	0	0	<1	<1	<1	<1	<1	<1	<1
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	198	6	11	6	0	127	80	176	229
CORN GLUTEN MEAL	18	2	1	0	<1	0	0	0	0
CORN SYRUP	0	0	0	81	1,893	2,891	3,026	4,368	4,739
COYOTE URINE	0	0	0	0	0	0	<1	1	2
CYTOKININ	0	0	0	0	0	0	0	<1	<1
DIHYDRO-5-HEPTYL-2(3H)-FURANONE	<1	<1	<1	<1	<1	<1	<1	<1	<1
DIHYDRO-5-PENTYL-2(3H)-FURANONE	<1	<1	<1	<1	<1	<1	<1	0	0
E,E-8,10-DODECADIEN-1-OL	1,170	2,388	2,278	2,273	2,037	4,978	1,942	1,376	1,894
E-11-TETRADECEN-1-YL ACETATE	91	79	99	2,399	744	312	100	172	132
E-8-DODECENYL ACETATE	135	118	229	236	265	607	898	188	266
ENCAPSULATED DELTA ENDOTOXIN OF BACILLUS THURINGIENSIS VAR. KURSTAKI IN KILLED PSEUDOMONAS FLUORESCENS	114	7	6	32	18	18	0	1	<1
ENCAPSULATED DELTA ENDOTOXIN OF BACILLUS THURINGIENSIS VAR. SAN DIEGO IN KILLED PSEUDOMONAS FLUORESCENS	2	1	0	0	0	0	0	0	0
ESSENTIAL OILS	1	<1	4	<1	0	<1	<1	<1	1
ETHYLENE	32	0	0	0	0	0	97	1,030	941
EUCALYPTUS OIL	0	50	<1	0	0	0	22	<1	0

Table 17: (continued) *The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
EUGENOL	3	<1	<1	0	0	0	0	0	1
FARNESOL	7	10	4	2	2	3	10	5	11
FENUGREEK	0	0	5	31	6	17	1	5	8
FISH OIL	0	0	0	0	0	0	0	1,657	5,466
FORMIC ACID	0	0	1	1,509	499	280	223	241	634
FOX URINE	0	0	0	0	0	0	<1	<1	2
GAMMA AMINOBUTYRIC ACID	8,664	8,679	4,213	1,936	944	177	118	40	133
GARLIC	174	203	89	142	212	36	423	29	1,883
GERANIOL	0	0	<1	0	1	5	23	12	28
GERMAN COCKROACH PHEROMONE	<1	<1	<1	<1	<1	<1	<1	<1	<1
GIBBERELLINS	22,984	26,516	24,688	25,083	23,517	22,916	21,378	21,258	22,518
GIBBERELLINS, POTASSIUM SALT	1	<1	15	<1	<1	0	<1	<1	5
GLIOCLADIUM VIRENS GL-21 (SPORES)	30	19	1	152	945	356	945	650	1,957
GLUTAMIC ACID	8,664	8,679	4,213	1,936	944	177	118	40	133
HARPIN PROTEIN	170	127	60	32	16	14	13	11	1
HEPTYL BUTYRATE	0	0	0	0	0	0	<1	<1	<1
HYDROGEN PEROXIDE	2,822	5,553	17,526	11,860	20,740	21,750	69,179	59,233	36,112
HYDROPERENE	1,309	2,910	11,970	2,282	2,383	1,664	6,381	11,265	3,959
IBA	27	11	31	20	11	6	7	9	12
IRON PHOSPHATE	1,256	1,645	1,484	1,634	1,916	1,435	2,351	2,862	2,278
LACTOSE	3,923	7,903	10,667	9,019	11,365	9,160	7,967	9,280	6,541
LAGENIDIUM GIGANTEUM (CALIFORNIA STRAIN)	58	<1	0	<1	<1	0	0	0	5
LAURYL ALCOHOL	317	876	472	503	830	432	736	497	753
LAVANDULYL SENECIOATE	0	0	0	0	140	462	437	6,120	586
LIMONENE	14,392	45,890	32,845	68,949	45,536	56,495	56,406	62,815	73,179
LINALOOL	174	176	170	113	63	62	1,104	95	137
MARGOSA OIL	0	0	0	0	0	0	579	7,701	9,217
MENTHOL	0	93	<1	0	0	0	5	<1	0
METARHIZIUM ANISOPLIAE STRAIN F52	0	0	0	0	0	0	0	0	115
METARHIZIUM ANISOPLIAE, VAR. ANISOPLIAE, STRAIN ESF1	<1	<1	<1	<1	<1	0	<1	<1	0
METHOPRENE	8,874	9,900	6,941	3,357	2,620	1,568	1,492	1,801	1,310
METHYL ANTHRANILATE	534	151	449	152	118	312	343	448	301
METHYL EUGENOL	0	0	0	0	0	0	0	5	0
METHYL SALICYLATE	0	0	<1	<1	0	<1	0	0	0
MONOK PEPPER	0	0	0	0	0	0	0	0	0
MUSCALURE	10	14	15	22	19	20	15	15	16

Table 17: (continued) *The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
MYRISTYL ALCOHOL	65	178	96	102	169	88	150	102	154
MYROTHECIUM VERRUCARIA, DRIED	39,888	27,977	25,039	29,990	23,867	23,273	22,813	27,757	25,556
FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255									
N6-BENZYL ADENINE	174	124	446	198	153	168	217	128	168
NAA	13	12	9	4	31	3	5	4	9
NAA, AMMONIUM SALT	1,356	1,543	1,100	1,253	1,193	1,203	976	839	1,294
NAA, ETHYL ESTER	1	3	1	2	8	3	6	23	4
NAA, SODIUM SALT	10	8	3	3	1	2	0	0	0
NEROLIDOL	6	8	3	2	2	6	24	12	28
NITROGEN, LIQUIFIED	79,369	82,298	57,121	15,741	11,945	2,181	135	216	74
NONANOIC ACID	7,224	8,845	11,203	10,949	11,093	9,063	17,322	17,938	18,210
NONANOIC ACID, OTHER RELATED	380	466	590	576	584	477	912	944	958
NOSEMA LOCUSTAE SPORES	<1	<1	<1	<1	<1	<1	<1	<1	1
OIL OF ANISE	<1	<1	<1	<1	<1	0	0	<1	<1
OIL OF BERGAMOT	0	0	<1	0	0	0	0	0	0
OIL OF CEDARWOOD	0	0	0	0	0	0	<1	0	0
OIL OF CITRONELLA	0	<1	<1	<1	3	0	5	46	0
OIL OF CITRUS	0	<1	0	0	0	0	0	0	0
OIL OF GERANIUM	0	0	0	0	0	0	<1	0	0
OIL OF JOJOBA	3,031	3,540	9,572	7,240	12,070	3,418	4,176	1,202	507
OIL OF LEMON EUCALYPTUS	0	0	0	0	0	0	0	<1	3
OIL OF LEMONGRASS	0	<1	<1	0	0	0	0	0	0
OIL OF MUSTARD	0	0	0	0	0	0	0	0	0
OIL OF PEPPERMINT	<1	<1	0	<1	<1	0	<1	0	0
OXYPURINOL	0	<1	0	<1	0	0	0	0	0
PAECILOMYCES FUMOSOROSEUS	0	0	0	0	0	0	0	0	507
APOPKA STRAIN 97									
PAECILOMYCES LILACINUS STRAIN 251	0	0	0	0	0	0	252	515	840
PANTOEA AGGLOMERANS STRAIN E325, NRRL B-21856	0	0	0	0	0	33	4	1	1
PERFUME	<1	0	0	0	0	0	0	0	0
POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR	1	0	0	0	<1	1	1	51	6
POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM)									
POTASSIUM BICARBONATE	160,569	390,806	163,083	114,163	109,171	180,858	275,648	358,002	224,160
PROPYLENE GLYCOL	46,580	48,956	42,641	28,505	24,132	25,792	54,215	47,897	58,046

Table 17: (continued) *The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
PSEUDOMONAS FLUORESCENS, STRAIN A506	872	896	1,004	614	390	328	217	274	59
PSEUDOMONAS SYRINGAE STRAIN ESC-11	20	<1	<1	0	0	0	0	0	0
PSEUDOMONAS SYRINGAE, STRAIN ESC-10	0	0	<1	0	0	0	<1	0	0
PUTRESCENT WHOLE EGG SOLIDS	110	60	69	20	1	143	3	1	1
PYTHIUM OLIGANDRUM DV74	0	0	0	0	0	0	0	<1	<1
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	16,737	14,040	17,139	17,337	16,889	16,175	21,307	23,721	22,757
QUILLAJA	0	0	83	276	1,183	410	682	1,060	783
REYNOUTRIA SACHALINENSIS	0	0	0	0	0	179	8,996	14,807	14,654
S-ABSCISIC ACID	0	0	0	0	7	66	864	1,852	2,651
S-METHOPRENE	530	1,138	1,391	1,726	3,520	3,284	3,921	2,313	2,173
SAWDUST	1	<1	2	<1	1	<1	1	0	4
SESAME OIL	0	0	35	883	529	851	1,309	1,334	15
SILVER NITRATE	0	0	0	0	0	0	<1	<1	<1
SODIUM BICARBONATE	126	0	0	0	67	27	3	515	145
SODIUM LAURYL SULFATE	3	15	274	400	340	146	96	458	879
SOYBEAN OIL	50,301	46,199	70,398	14,747	12,201	28,359	23,805	23,957	22,208
STREPTOMYCES GRISEOVIRIDIS STRAIN K61	<1	<1	1	<1	<1	<1	<1	<1	<1
STREPTOMYCES LYDICUS WYEC 108	0	0	<1	<1	<1	1	2	1	2
SUCROSE OCTANOATE	0	0	2	0	1,685	4,003	1,128	230	55
THYME	0	0	171	485	593	775	1,311	662	845
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	37	16	24	38	20	11	504	129	156
TRICHODERMA ICC 012 ASPERELLUM	0	0	0	0	0	0	0	13	18
TRICHODERMA ICC 080 GAMSII	0	0	0	0	0	0	0	13	18
VANILLIN	0	0	1	5	1	3	<1	1	1
VEGETABLE OIL	248,684	208,860	256,605	154,128	270,375	196,078	323,250	514,438	276,278
XANTHINE	0	<1	0	<1	0	0	0	0	0
XANTHOMONAS CAMPESTRIS PV. POANNUA	0	0	<1	0	0	0	0	0	0
YEAST	1,085	1,106	1,159	1,030	999	926	470	1,165	818
YUCCA SCHIDIGERA	0	0	0	0	7	169	634	1,649	7,086
Z,E-9,12-TETRADECADIEN-1-YL ACETATE	0	0	0	1	0	6,149	1	7	6
Z-11-TETRADECEN-1-YL ACETATE	14	12	14	228	9	9	9	4	8
Z-8-DODECENOL	24	21	41	41	47	106	157	33	45

Table 17: (continued) *The reported pounds of pesticides used that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
Z-8-DODECENYL ACETATE	2,081	1,818	3,454	3,646	4,050	9,261	13,964	2,890	3,739
Z-9-TETRADECEN-1-OL	0	0	0	0	0	0	0	0	0
TOTAL	1,002,777	1,355,579	1,184,708	948,993	1,055,212	1,094,349	1,421,055	1,603,992	1,362,946

Table 18: The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones). Use includes primarily agricultural applications. The grand total for acres treated may be less than the sum of acres treated for all active ingredients because some products contain more than one active ingredient. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
(3S, 6R)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	86	1,604	1,484	0	0	3	0	0	7
(3S, 6S)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	86	1,604	1,484	0	0	3	0	0	7
(E)-4-TRIDECEN-1-YL-ACETATE	5,555	3,226	4,870	5,193	7,672	3,942	3,905	0	0
(E)-5-DECEN-1-OL	0	0	0	0	0	0	0	0	53
(E)-5-DECENOL	809	70	385	737	262	118	249	166	502
(E)-5-DECENYL ACETATE	809	70	385	737	262	118	249	166	555
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	0	0	0	22	956	3	474	759	585
(E,Z)-7,9-DODECADIEN-1-YL ACETATE	0	0	0	0	0	0	5,168	18,098	22,774
(R,Z)-5-(1-DECENYL) DIHYDRO-2-(3H)-FURANONE	15	<1	0	0	0	0	0	0	0
(S)-KINOPRENE	1,864	494	440	453	575	510	490	346	481
(S)-VERBENONE	0	0	0	0	0	0	0	0	100
(Z)-11-HEXADECEN-1-YL ACETATE	365	164	183	116	0	1,622	0	49	0
(Z)-11-HEXADECENAL	365	164	423	72	0	0	0	0	0
(Z)-4-TRIDECEN-1-YL-ACETATE	5,555	3,226	4,870	5,193	7,672	3,942	3,905	0	0
(Z)-9-DODECENYL ACETATE	0	570	96	5,342	1,304	123	74	1,814	392
(Z,E)-7,11-HEXADECADIEN-1-YL ACETATE	0	0	0	0	1	93	1	0	0
(Z,Z)-11,13-HEXADECADIENAL	0	0	0	200	109	0	763	11,336	17,283
(Z,Z)-7,11-HEXADECADIEN-1-YL ACETATE	0	0	0	0	0	93	1	0	0
1,7-DIOXASPIRO-(5,5)-UNDECANE	0	49	4	55	<1	6	<1	<1	30
1-DECANOL	0	0	0	0	0	0	0	0	0
1-METHYLCYCLOPROPENE	4	8	2	6	13	61	3	1	17
1-NAPHTHALENEACETAMIDE	2,201	1,100	666	927	870	607	408	315	393
3,13 OCTADECADIEN-1-YL ACETATE	0	0	0	0	85	0	50	131	0
3,7-DIMETHYL-6-OCTEN-1-OL ACETIC ACID	0	0	0	0	67	349	1,531	788	2,220
AGROBACTERIUM RADIOBACTER	290	60	0	10	2	226	110	162	3,173
AGROBACTERIUM RADIOBACTER, STRAIN K1026	493	306	698	555	217	215	362	325	852
	524	292	335	366	1,935	5,086	81	19	4,947
ALLYL ISOTHIOCYANATE	<1	20	<1	0	0	0	0	0	<1

Table 18: (continued) *The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
ALMOND, BITTER	0	0	328	2,068	87	471	74	412	271
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	0	229	6,453	9,238	10,253	5,611	10,179	11,108	14,752
AMMONIUM BICARBONATE	0	49	4	55	<1	6	<1	<1	30
AMPELOMYCES QUISQUALIS	696	247	10	14	0	22	2	0	0
ANIMAL GLAND EXTRACTS	0	0	0	0	0	0	0	0	0
ASPERGILLUS FLAVUS STRAIN AF36	0	258	0	0	0	0	0	260	48,833
AZADIRACTIN	64,488	55,657	68,244	91,385	86,950	82,652	71,707	70,007	97,649
BACILLUS PUMILUS, STRAIN QST 2808	4	34,748	64,333	79,795	91,795	75,509	72,518	84,080	75,674
BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362	<1	<1	<1	<1	<1	<1	9	<1	231
BACILLUS SUBTILIS GB03	379	23	3	2	5	2	<1	6	<1
BACILLUS SUBTILIS MB1600	0	0	0	0	0	0	0	0	2
BACILLUS SUBTILIS VAR. AMYLOLIQUEFACIENS STRAIN FZB24	0	0	0	0	0	0	0	0	384
BACILLUS THURINGIENSIS (BERLINER)	441	100	2,939	1,129	41	82	127	875	292
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	63,504	62,244	39,077	53,040	40,553	48,842	40,395	18,657	25,317
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	24,160	19,190	15,784	24,379	20,510	7,888	6,847	7,745	6,079
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENSENSIS, SEROTYPE H-14	1,048	3,480	543	833	4,719	501	1,873	337	650
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	28,485	34,533	29,505	35,513	21,008	19,700	10,721	8,222	14,643
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	69,454	31,406	42,279	16,522	8,671	7,807	2,269	3,063	1,972
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG 2348	737	1,625	2,913	1,271	2,147	1,302	688	3,428	644
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG2371	18	54	7	0	0	0	<1	<1	0

Table 18: (continued) *The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	123,796	156,026	125,390	119,055	100,718	101,522	111,686	84,076	81,158
BACILLUS THURINGIENSIS (BERLINER), SUBSP. SAN DIEGO	1	<1	<1	<1	0	<1	<1	0	0
BACILLUS THURINGIENSIS SUBSPECIES KURSTAKI STRAIN BMP 123	268	20	93	0	1,898	310	73	0	0
BACILLUS THURINGIENSIS SUBSPECIES KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7841 LEPIDOPTERAN ACTIVE TOXIN	1,766	1,160	6,684	1,225	451	62	3	200	373
BACILLUS THURINGIENSIS VAR. KURSTAKI STRAIN M-200	0	0	0	<1	0	<1	0	0	0
BACILLUS THURINGIENSIS VAR. KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7826	6,456	8,724	3,021	479	1,298	250	0	0	1,320
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	38,718	47,071	41,546	43,209	50,665	41,724	37,209	35,252	41,432
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN SD-1372, LEPIDOPTERAN ACTIVE TOXIN(S)	3,465	3,025	4,235	4,766	2,343	2,136	1,057	640	4
BACILLUS THURINGIENSIS, SUBSP. ISRAELENISIS, STRAIN AM 65-52	3	313	4,809	25	2,497	270	758	824	1,301
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	94,559	109,681	100,697	133,297	135,227	120,661	162,444	152,302	164,266
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	44,536	29,129	23,346	20,045	15,249	20,295	18,369	16,390	15,058
BACILLUS THURINGIENSIS, VAR. KURSTAKI DELTA ENDOTOXINS CRY IA(C) AND CRY IC (GENETICALLY ENGINEERED) ENCAPSULATED IN PSEUDOMONAS FLUORESCENS (KILLED)	7	<1	<1	<1	25	52	2	<1	10

Table 18: (continued) The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
BACTERIOPHAGE ACTIVE AGAINST XANTHOMONAS CAMPESTRIS PV. VESICATORIA AND PSEUDOMONAS SYRINGAE PV. TOMATO	0	0	0	0	0	0	0	11	25
BALSAM FIR OIL	0	0	0	0	0	0	<1	0	<1
BEAUVERIA BASSIANA STRAIN GHA	4,019	3,531	2,743	2,481	2,091	2,188	1,686	2,573	3,521
BUFFALO GOURD ROOT POWDER	0	0	0	1,694	3,227	8	138	0	25
CANDIDA OLEOPHILA ISOLATE I-182	0	0	0	0	0	0	0	0	0
CANOLA OIL	<1	2	5	33	1,388	1,541	4,786	3,872	2,329
CAPSICUM OLEORESIN	379	71	247	277	528	325	388	238	557
CASTOR OIL	<1	<1	2	<1	4	12	<1	<1	<1
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	0	0	0	0	0	6,355	9,265	6,868	13,617
CHITOSAN	<1	0	0	0	0	0	0	0	0
CINNAMALDEHYDE	137	18	10	2	556	0	0	<1	0
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	51,009	69,051	73,386	71,278	64,429	47,422	42,281	40,802	42,090
CODLING MOTH GRANULOSIS VIRUS	0	0	1,479	2,141	1,487	1,139	984	3,468	3,416
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	1,781	26	62	120	0	1,204	395	1,107	1,546
CORN GLUTEN MEAL	<1	<1	<1	0	3	0	0	0	0
CORN SYRUP	0	0	0	1,132	7,991	14,316	12,877	27,648	27,398
COYOTE URINE	0	0	0	0	0	0	<1	12	<1
CYTOKININ	0	0	0	0	0	0	0	199	2,409
DIHYDRO-5-HEPTYL-2(3H)-FURANONE	<1	<1	<1	<1	<1	<1	<1	<1	<1
DIHYDRO-5-PENTYL-2(3H)-FURANONE	<1	<1	<1	<1	<1	<1	<1	0	0
E,E-8,10-DODECADIEN-1-OL	17,383	21,896	20,728	27,784	21,585	15,309	15,283	17,872	15,815
E-1-I-TETRADECEN-1-YL ACETATE	8,836	7,351	6,637	6,189	5,996	5,592	5,405	1,701	4,463
E-8-DODECENYL ACETATE	41,752	33,419	37,412	49,086	54,242	46,757	49,591	45,650	49,024
ENCAPSULATED DELTA ENDOTOXIN OF BACILLUS THURINGIENSIS VAR. KURSTAKI IN KILLED PSEUDOMONAS FLUORESCENS	143	33	9	35	91	37	0	<1	<1
ENCAPSULATED DELTA ENDOTOXIN OF BACILLUS THURINGIENSIS VAR. SAN DIEGO IN KILLED PSEUDOMONAS FLUORESCENS	1	0	0	0	0	0	0	0	0
ESSENTIAL OILS	1	<1	<1	1	0	<1	4	<1	<1
ETHYLENE	7	0	0	0	0	0	4	70	49
EUCALYPTUS OIL	0	150	<1	0	0	0	2	<1	0

Table 18: (continued) *The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
EUGENOL	15	<1	<1	0	0	0	0	0	<1
FARNESOL	4,294	4,369	1,246	652	422	503	1,597	826	2,227
FENUGREEK	0	0	328	2,068	87	471	74	412	271
FISH OIL	0	0	0	0	0	0	0	<1	382
FORMIC ACID	0	0	<1	1	51	10	60	1	368
FOX URINE	0	0	0	0	0	0	<1	12	<1
GAMMA AMINOBUTYRIC ACID	117,477	114,189	58,586	24,697	12,905	1,786	835	542	1,811
GARLIC	259	513	363	346	288	374	1,123	1,369	12,222
GERANIOL	0	0	<1	0	67	349	1,531	788	2,220
GERMAN COCKROACH PHEROMONE	<1	6	<1	<1	<1	<1	<1	<1	<1
GIBBERELLINS	414,093	462,231	458,764	455,130	490,970	513,398	492,342	509,698	526,309
GIBBERELLINS, POTASSIUM SALT	170	65	348	32	8	0	34	150	795
GLIOCLADIUM VIRENS GL-21 (SPORES)	<1	18	<1	5	1,090	716	1,401	1,077	3,172
GLUTAMIC ACID	117,477	114,189	58,586	24,697	12,905	1,786	835	542	1,811
HARPIN PROTEIN	17,949	12,232	6,089	3,721	1,998	1,562	1,631	1,582	115
HEPTYL BUTYRATE	0	0	0	0	0	0	<1	<1	<1
HYDROGEN PEROXIDE	1,057	985	9,952	7,744	9,361	14,521	23,208	39,181	21,749
HYDROPRENE	<1	<1	7	2	200	82	<1	<1	1
IBA	1,566	79	27,670	44,093	3,862	150	227	1,155	1,264
IRON PHOSPHATE	2,148	3,910	4,197	7,145	6,649	4,561	6,345	5,477	6,340
LACTOSE	45,293	79,734	95,549	80,366	101,586	77,363	80,387	91,887	68,215
LAGENIDIUM GIGANTEUM (CALIFORNIA STRAIN)	24	2	0	<1	<1	0	0	0	2
LAURYL ALCOHOL	6,009	6,719	5,488	9,358	7,782	4,705	5,495	6,443	6,578
LAVANDULYL SENECIOATE	0	0	0	0	4,316	2,375	7,025	11,754	6,669
LIMONENE	49,320	62,359	75,333	79,012	64,151	55,465	29,621	15,289	71,439
LINALOOL	<1	<1	<1	<1	7	1	<1	<1	<1
MARGOSA OIL	0	0	0	0	0	0	40	4,110	7,979
MENTHOL	0	150	<1	0	0	0	2	<1	0
METARHIZIUM ANISOPLIAE STRAIN F52	0	0	0	0	0	0	0	0	202
METARHIZIUM ANISOPLIAE, VAR. ANISOPLIAE, STRAIN ESFI	<1	<1	<1	<1	<1	0	<1	<1	0
METHOPRENE	1	<1	157	51	42	211	4	896	<1
METHYL ANTHRANILATE	1,458	448	1,557	298	219	550	380	2,043	215
METHYL EUGENOL	0	0	0	0	0	0	0	<1	0
METHYL SALICYLATE	0	0	<1	1	0	<1	0	0	0
MONKOT PEPPER	0	0	0	0	0	0	0	0	0
MUSCALURE	307	2,715	476	1,179	<1	739	300	68	40

Table 18: (continued) *The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
MYRISTYL ALCOHOL	6,009	6,719	5,488	9,358	7,782	4,705	5,495	6,443	6,578
MYROTHECIUM VERRUCARIA, DRIED	8,348	4,680	4,478	5,097	5,257	5,331	4,840	5,136	4,274
FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255									
N6-BENZYL ADENINE	4,544	1,552	7,711	2,628	1,775	2,072	3,352	1,691	1,667
NAA	1,096	49	26,799	43,507	3,331	47	38	220	635
NAA, AMMONIUM SALT	12,889	12,569	11,174	11,709	10,445	9,024	9,140	9,075	11,579
NAA, ETHYL ESTER	<1	<1	<1	<1	73	1	23	396	374
NAA, SODIUM SALT	642	858	452	340	37	257	0	0	0
NEROLIDOL	4,294	4,369	1,246	652	422	503	1,597	826	2,227
NITROGEN, LIQUIFIED	<1	<1	<1	<1	<1	<1	<1	<1	<1
NONANOIC ACID	1,075	675	883	1,275	498	703	412	828	457
NONANOIC ACID, OTHER RELATED	1,075	675	877	1,275	498	701	412	828	457
NOSEMA LOCUSTAE SPORES	37	1	<1	254	30	132	12	12	1,598
OIL OF ANISE	<1	<1	<1	<1	<1	0	0	<1	<1
OIL OF BERGAMOT	0	0	<1	0	0	0	0	0	0
OIL OF CEDARWOOD	0	0	0	0	0	0	15	0	0
OIL OF CITRONELLA	0	<1	<1	<1	2	0	34	48	0
OIL OF CITRUS	0	<1	0	0	0	0	0	0	0
OIL OF GERANIUM	0	0	0	0	0	0	15	0	0
OIL OF JOJOBA	1,259	4,705	9,029	7,846	11,566	7,203	8,255	1,760	1,075
OIL OF LEMON EUCALYPTUS	0	0	0	0	0	0	0	<1	<1
OIL OF LEMONGRASS	0	20	<1	0	0	0	0	0	0
OIL OF MUSTARD	0	0	0	0	0	0	0	0	0
OIL OF PEPPERMINT	<1	<1	0	<1	<1	0	15	0	0
OXYPURINOL	0	<1	0	1	0	0	0	0	0
PAECILOMYCES FUMOSOROSEUS	0	0	0	0	0	0	0	0	2,106
APOPKA STRAIN 97									
PAECILOMYCES LILACINUS STRAIN 251	0	0	0	0	0	0	1,115	2,330	3,531
PANTOEA AGGLOMERANS STRAIN E325, NRRL B-21856	0	0	0	0	0	698	55	25	50
PERFUME	<1	0	0	0	0	0	0	0	0
POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM)	742	0	0	0	98	254	302	14,752	1,297
POTASSIUM BICARBONATE	64,994	143,968	61,465	47,299	41,899	69,155	101,283	118,565	73,801
PROPYLENE GLYCOL	778,321	754,665	738,448	520,537	420,161	381,957	591,117	661,113	670,507

Table 18: (continued) *The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
PSEUDOMONAS FLUORESCENS, STRAIN A506	6,559	7,176	11,929	4,801	1,943	2,463	1,472	1,281	372
PSEUDOMONAS SYRINGAE STRAIN ESC-11	<1	<1	<1	0	0	0	0	0	0
PSEUDOMONAS SYRINGAE, STRAIN ESC-10	0	0	<1	0	0	0	3	0	0
PUTRESCENT WHOLE EGG SOLIDS	<1	<1	<1	<1	<1	33	2	<1	<1
PYTHIUM OLIGANDRUM DV74	0	0	0	0	0	0	0	2	2
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	58,871	56,342	64,606	67,563	76,784	81,252	99,317	116,467	121,517
QUILLAIA	0	0	3,591	18,584	27,814	22,595	22,916	29,853	21,803
REYNOUTRIA SACHALINENSIS	0	0	0	0	0	1,297	70,363	90,509	93,331
S-ABSCISIC ACID	0	0	0	0	34	502	5,197	9,528	14,974
S-METHOPRENE	49	2,395	9,552	30,635	47,284	47,190	65,114	62,668	87,369
SAWDUST	<1	23	<1	10	19	<1	<1	0	74
SESAME OIL	0	0	<1	888	846	1,448	1,912	1,945	39
SILVER NITRATE	0	0	0	0	0	0	<1	<1	5
SODIUM BICARBONATE	100	0	0	0	17	57	1	967	1,008
SODIUM LAURYL SULFATE	<1	<1	<1	<1	14	<1	<1	<1	<1
SOYBEAN OIL	9,870	6,344	3,675	3,277	2,900	3,792	6,160	3,636	3,271
STREPTOMYCES GRISEOVIRIDIS STRAIN K61	5	20	29	12	<1	<1	<1	1	<1
STREPTOMYCES LYDICUS WYEC 108	0	0	50	96	1,910	4,009	6,998	6,403	10,058
SUCROSE OCTANOATE	0	0	4	0	448	930	1,172	148	1
THYME	0	0	<1	<1	<1	68	<1	<1	<1
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	833	406	286	311	201	320	7,253	873	1,086
TRICHODERMA ICC 012 ASPERELLUM	0	0	0	0	0	0	0	86	668
TRICHODERMA ICC 080 GAMSII	0	0	0	0	0	0	0	86	668
VANILLIN	0	0	328	2,068	87	471	74	412	271
VEGETABLE OIL	214,183	211,388	275,541	144,591	231,954	211,586	292,218	458,210	266,226
XANTHINE	0	<1	0	1	0	0	0	0	0
XANTHOMONAS CAMPESTRIS PV. POANNUA	0	0	14	0	0	0	0	0	0
YEAST	4,630	4,835	5,262	4,694	4,560	3,957	1,306	5,261	3,729
YUCCA SCHIDIGERA	0	0	0	0	18	598	2,316	4,907	15,914
Z-E-9,12-TETRADECADIEN-1-YL ACETATE	0	0	0	44	0	1,622	<1	49	<1
Z-11-TETRADECEN-1-YL ACETATE	8,836	7,351	6,637	6,166	5,040	5,589	4,931	942	3,877
Z-8-DODECENOL	41,752	33,419	37,412	49,086	54,242	46,757	49,591	45,650	49,024

Table 18: (continued) *The reported cumulative acres treated with pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones).*

AI	2004	2005	2006	2007	2008	2009	2010	2011	2012
Z-8-DODECENYL ACETATE	41,752	33,419	37,412	49,086	54,242	46,757	49,591	45,650	49,024
Z-9-TETRADECEN-1-OL	0	0	0	0	0	0	0	0	0
TOTAL	2,526,848	2,698,117	2,681,867	2,386,180	2,358,040	2,221,245	2,647,051	2,967,008	2,932,027





Figure 8: Use trends of pesticides that are biopesticides. Biopesticides include microorganisms and naturally occurring compounds, or compounds essentially identical to naturally occurring compounds that are not toxic to the target pest (such as pheromones). Reported pounds of active ingredient (AI) applied include both agricultural and non-agricultural applications. The reported cumulative acres treated include primarily agricultural applications. Data are from the Department of Pesticide Regulation's Pesticide Use Reports.

5 Trends In Pesticide Use In Certain Commodities

This chapter describes possible reasons for changes in pesticide use from 2011 to 2012 in the following commodities: almond, wine grape, table and raisin grape, cotton, alfalfa, processing tomato, rice, walnut, pistachio, orange, strawberry, peach and nectarine, and carrot. These 13 commodities were chosen because each was treated with more than 3.9 million pounds of active ingredients (AIs) or treated on more than 2 million acres, cumulatively. Collectively, this represents 71 percent of the amount reportedly used (77 percent of total used on agricultural fields) and 72 percent of the area treated in 2012.

Information used to develop this chapter was drawn from several publications and phone interviews with pest control advisors, growers, University of California Cooperative Extension farm advisors and specialists, researchers, and commodity association representatives. DPR staff analyzed the information, using their knowledge of pesticides, California agriculture, pests, and pest management practices. However, it is important to note these explanations for changes in pesticide use are based on anecdotal information, not rigorous statistical analyses.

This report discusses two different measures of pesticide use: amount of AI applied and cumulative area treated. The latter can be described as the sum total of the area treated with an AI and integrates situations where the same field may be treated with the same AI more than once in a year. For example, if the same acre is treated three times in a calendar year with an AI, the AI would have been applied to three acres. Thus the total area treated could be more than the area planted for a crop. Because different AIs are often used at very different rates, the picture of pesticide use may look quite different using the two measures, amount applied and area treated. Most pesticides are applied at rates of around 1 to 2 pounds per acre. However, some AIs are applied at rates of ounces per acre, while other AIs are applied at rates of hundreds of pounds per acre. This difference can be seen by looking at the use of different non-adjuvant pesticide types (Figures 9 and 10). By amount applied, the most-used pesticide types were fungicide/insecticides (which is mostly sulfur), fumigants, and insecticides. By cumulative area treated the most-used types were insecticides, herbicides, and fungicides. When comparing use among different AIs, area treated is often the more useful measure; using pounds will emphasize pesticides used at high rates, such as fumigants. However, the trends in use for any AI will be very similar regardless of the measure of use.

Reported pesticide use in California in 2012 totaled 186 million pounds, a decrease of 5.8 million pounds (3.0 percent) from 2011. The AIs with the largest use amounts were sulfur, petroleum and mineral oils, 1,3-dichloropropene, glyphosate, and chloropicrin.

Reported pesticide use by cumulative area treated in 2012 was 84 million acres, a decrease of 1 million acres (1.2 percent) from 2011. By this measure the non-adjuvant pesticides with the greatest use in 2012 were glyphosate, sulfur, petroleum and mineral oils, abamectin, and




Figure 9: Pounds of all AIs in the major types of pesticides from 1995 to 2012.

copper-based pesticides (Figures 11 and 12). The most-used fumigant by area treated was aluminum phosphide.

Although total use declined from 2011 to 2012, the amount of fumigants used and the area treated increased, and insecticide area treated increased (Figures 9 and 10). Among the most-used pesticides by amount, the fumigant metam-potassium had the greatest percentage increase in use. Also increasing were the fumigants chloropicrin and 1,3-dichloropropene. Among the most-used pesticides by area treated, the insecticide abamectin had the greatest percentage increase in use. The use of most insecticides increased, especially some low-risk pesticides such as spinetoram, methoxyfenozide, and chlorantraniliprole. Notable decreases in use included sulfur, oils, metam-sodium, and chlorpyrifos.

The amount of sulfur accounted for 25 percent of all reported pesticide use in 2012. Sulfur is a natural fungicide favored by both conventional and organic farmers and is used mostly to control powdery mildew on grape and processing tomato. However, it is used in some crops to suppress mites. Petroleum and mineral oils were used mostly as insecticides on almond, orange, wine grape, lemon, and peach. The fumigant 1,3-dichloropropene was used mostly for strawberry, almond, carrot, sweet potato, and wine grape. Glyphosate is an herbicide used mostly for almond, rights-of-way, cotton, and wine grape. Chloropicrin is a fumigant used mostly for strawberry. In production agriculture, fumigants are usually applied to the soil before planting a crop.




Figure 10: Acres treated by all AIs in the major types of pesticides from 1995 to 2012.

Metam-potassium use increased primarily because metam-potassium is replacing the similar fumigant, metam-sodium. Metam-potassium may be preferred because in addition to controlling pests, it adds potassium as a nutrient to the soil. Most of its use and most of the increase in use was in carrot, followed by processing tomato, the next most commonly crop treated with metam-potassium.

The insecticide abamectin is a natural fermentation product of a bacterium. It is mostly used for controlling mites, which were a problem for some crops in 2012 because the high temperatures in July were favorable to mite population build-ups. By far, most of the use and most of the increase in use was in almond. It is also used in cotton, wine grape, and walnut. Spinetoram is a recently developed insecticide; the AI was discovered using artificial intelligence to find the most effective insecticide among many related compounds produced by a particular soil microorganism during fermentation. Spinetoram is used mostly in orange orchards to control citrus thrips and to a lesser degree on lettuce and table and raisin grape. However, it is used on many crops and its use has increased dramatically since its introduction in 2007. Methoxyfenozide is an insect growth regulator that disrupts natural molting of caterpillars by mimicking the action of the insect hormone ecdysone. Methoxyfenozide will cause the insect to molt prematurely and to stop feeding, leading to its death. Most use is on almond for navel orangeworm control followed by use on wine grape, table and raisin grape, and pistachio. Chlorantraniliprole is another new insecticide that interrupts muscle contraction in caterpillars and in some beetles and flies. Most




Figure 11: Acres treated by the top 5 AIs in each of the major types of pesticides from 2006 to 2012.

chlorantraniliprole is used in almond, structural pest control, and walnut. Use on all three sites has increased dramatically since its first use in 2008.

Crops treated with the greatest amount of pesticides in 2012 were wine grape, almond, table and raisin grape, strawberry, and processing tomato. Major crops or sites with an increase in amount applied from 2011 to 2012 include strawberry, industrial water, soil fumigation, sweet potato, and water area (Table 19). Crops or sites with a decrease in amount applied include almond, wine grape, table and raisin grape, cotton, and orange. For some crops, the increase in pesticide use was larger than the increase in area planted, especially sweet potato, which had a 131 percent increase in amount of pesticide but a 1 percent decrease in area planted. All crops with a decrease




Figure 12: Acres treated by the top 5 AIs in each of the major types of pesticides from 2006 to 2012.

in use had a smaller percent decrease in area planted or even an increase in area planted.

DPR data analyses have shown that pesticide use varies from year to year. A grower's or applicator's decision to spray or not depends on many things, such as current pest levels and the likelihood that pest populations will increase; cost of pesticides and their application relative to the economic loss from pest damage, which depends on the expected amount of damage and the value of the crop; the availability of other methods to manage the pest; and the desire to minimize possible harm to the environment and farm workers. Pest populations are determined by many complex ecological interactions; sometimes the causes of pest outbreaks are unknown. Weather is a critically important factor and affects different pest species in different ways. For example, the

Table 19: *The change in pounds of AI applied and acres planted or harvested and the percent change from 2011 to 2012 for the crops or sites with the greatest increase and decrease in pounds applied.*

Crop Treated	Change in Use 2011–2012		Percent Change 2011–2012	
	Pounds	Acres	Pounds	Acres
STRAWBERRY	1,961,231	500	16	1
WATER (INDUSTRIAL)	995,716		89	
SOIL FUMIGATION/PREPLANT	993,643		26	
SWEET POTATO	686,737	-500	131	-3
WATER AREA	576,251		109	
ORANGE	-1,210,551	-3,000	-12	-2
COTTON	-1,532,467	-89,000	-30	-20
GRAPE	-1,660,361	-4,000	-10	-1
GRAPE, WINE	-2,731,254	3,000	-9	1
ALMOND	-3,192,935	35,000	-12	4

winter of 2012 was relatively dry and mild, conditions that reduced levels of many weeds and diseases, but helped overwintering survival of many insect pests. However, there was a very cold spell in January, and some insect populations suffered. Insect pest populations were low in cotton and alfalfa in 2012, but high in peach and nectarine, processing tomato, and walnut. Spring was rainy, promoting disease problems in some crops. High summer temperatures, such as those seen in July 2012, seemed to favor spider mites build-ups.

In the following tables, use is expressed as pounds of AI applied and as cumulative number of acres treated. However, in some tables, such as the first table in each crop section, acres treated values are summed across different AIs and include data from applications of products that contain more than one AI. For those applications, the acres treated during that application are only tallied once, rather than adding acres treated for each AI in the product.

Almond

Almonds are California's largest nut crop economically and have the highest export value of any specialty crop in the United States. Almond acreage has been consistently increasing over the last 15 years and was up 4 percent from 835,000 acres in 2011 to 870,000 acres in 2012 (Table 20). Of the total acreage for 2012, 790,000 acres were bearing and 80,000 acres were non-bearing. There are three distinct almond growing regions in California: Sacramento Valley, central San Joaquin Valley, and southern San Joaquin Valley. The total production of almonds increased 3 percent to about 1.89 billion pounds of nutmeat.

The 2012 California almond production season began with a warm and dry February that created favorable bloom conditions. The 2012 bloom period was shorter than in the previous year, but the excellent weather favored honeybee activity and pollination. Chilling hours were plentiful.

Table 20: *Total reported pounds of all active ingredients (AI), acres treated, acres planted, and prices for almond each year from 2008 to 2012. Planted acres from 2008 to 2012 are from CDFA, April 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	19,569,674	18,887,758	20,416,487	25,841,205	22,647,959
Acres Treated	10,187,072	10,511,318	12,410,536	13,715,695	14,633,587
Acres Planted	795,000	810,000	825,000	835,000	870,000
Price/lb	\$ 1.45	\$ 1.65	\$ 1.79	\$ 1.99	\$ 2.20

Weather conditions and pest pressure varied greatly between the northern and southern regions. Consequently, pesticide product preferences and use rates varied from region to region.

A frost in early March resulted in some spotty damage to crops in the southern San Joaquin Valley, and a hailstorm in April affected orchards in Merced County. Weather in the Sacramento Valley was near ideal. A heavier than normal nut drop was reported in the San Joaquin Valley. Across the state, lower limb death was higher than in 2011. The total amount of pesticides used in almonds decreased 12 percent, mostly from a decreased amount of insecticides. However, the total area treated increased 7 percent. The area treated with herbicides in 2012 increased 5 percent, insecticide use increased 8 percent, and fungicide use increased 5 percent (Figure 13).

The most prominent insecticides used in 2012, based on area treated, were abamectin, oils, bifenthrin, methoxyfenozide, and esfenvalerate (Figure 14). The use of insecticides for controlling larval lepidopterans continued to shift away from organophosphates and toward alternatives that include pyrethroids, such as bifenthrin and esfenvalerate; insect growth regulators, such as methoxyfenozide; and diamides, such as chlorantraniliprole. This shift to alternative products may be an indication of their effectiveness and growers' intolerance for insect damage, considering crop prices increased in 2012. Growers tend to use more insecticides and fungicides to protect a crop from damage and yield loss as crop prices increase, which is probably a reason why use of bifenthrin and methoxyfenozide, insecticides that are primarily used for navel orangeworm (NOW), increased. Pyrethroid insecticides are often linked with outbreaks of spider mites, so their increased use in 2012 may help explain the increased use of the acaricides hexythiazox and abamectin. The decreased use of oils may have been the result of relatively low overwintering pest populations in 2012 or of a shift to employing other control measures at other times of the year. Red imported fire ant, an invasive species, was a problem in the southern San Joaquin Valley; most growers bait for ants with insect growth regulators.

Key pests in almonds are NOW, San Jose scale (SJS), peach twig borer (PTB), web-spinning spider mites, and ants. Winter sanitation to eliminate mummy nuts (unharvested nuts that hang in trees throughout the winter) has become a standard practice to reduce habitat for overwintering NOW larvae. Almonds can be treated with oils alone in the winter dormant season to control low




Figure 13: Acres of almond treated by all AIs in the major types of pesticides from 1995 to 2012.

to moderate populations of SJS and brown and European red mites. In situations where overwintering populations of SJS and PTB are relatively high, other insecticides may be added to oils. Because pesticide users are not required to report target pests, it is difficult to determine what products are used for what pest. However, by examining the month the product is applied as reported in the PUR, one can infer a target pest. For example, applications of insecticide products to almond in the dormant season or during bloom probably target SJS and PTB; treatments in July and August, probably target NOW; and treatments in May may target any of these. However, most May applications north of Fresno target PTB and south of Fresno, NOW.

The area treated with fungicides increased 5 percent from 2011 to 2012. The main fungicides, as determined by area treated, were pyraclostrobin, in combination with boscalid; iprodione; propiconazole; metconazole; and azoxystrobin (Figure 14). The shift in use of fungicide AIs from 2011 to 2012 may indicate that diseases are developing resistance to various fungicides or that growers are practicing resistance management and rotating the use of different classes of fungicides. The rest of the top fungicides used in 2012 were relatively new in the market. Fungicide use is often dictated by local climatic conditions: warm, late winters favor disease growth, and hot summers reduce disease growth.

In 2012, herbicide use increased slightly due to the warmer spring weather. The main herbicides as measured by area treated were glyphosate, oxyfluorfen, saflufenacil, paraquat dichloride, and




Figure 14: Acres of almond treated by the top 5 AIs of each AI type from 2008 to 2012.

pendimethalin (Figure 14). In the past, glufosinate-ammonium use increased as concerns with glyphosate resistant weeds increased, but use in 2012 decreased 72 percent. The decrease in 2012 is most likely due to supply-chain issues, with growers of large-scale production of crops like corn, soybean, canola, and cotton buying up most of the glufosinate-ammonium as fast as the manufacturer produced it. Increased glyphosate use may reflect increased bearing acreage of almonds. Saflufenacil and indaziflam are relatively new in the market and are efficacious, which may explain the increased use of the two products. There was no significant regional difference observed in the use of herbicides in 2012.

Wine grape

In 2012, wine grape acreage in California increased marginally from approximately 543,000 to 546,000 acres and accounts for roughly 64 percent of all California vineyards (Table 21). Chardonnay and Cabernet Sauvignon remained the two most widely-planted wine grape varieties in California. There are four major wine grape production regions: 1) North Coast (Lake, Mendocino, Napa, Sonoma, and Solano counties); 2) Central Coast (Alameda, Monterey, San Luis Obispo, Santa Barbara, San Benito, Santa Cruz, and Santa Clara counties); 3) northern San Joaquin Valley (San Joaquin, Calaveras, Amador, Sacramento, Merced, Stanislaus, and Yolo counties); and 4) southern San Joaquin Valley (Fresno, Kings, Tulare, Kern, and Madera counties). Pest and disease pressure may differ among these regions. The pooled figures in this report may not reflect differences in pesticide use patterns between production regions.

Table 21: *Total reported pounds of all active ingredients (AI), acres treated, acres planted, and prices for wine grape each year from 2008 to 2012. Planted acres in 2012 are from CDFA, March 2013; planted acres from 2008 to 2011 are from USDA, October 2012; marketing year average prices from 2008 to 2011 are from USDA, October 2012. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	21,297,620	22,101,212	26,274,352	29,442,693	26,627,634
Acres Treated	7,173,352	7,740,909	8,901,928	9,702,396	9,233,495
Acres Planted	526,000	531,000	535,000	543,000	546,000
Price/ton	\$ 609	\$ 613	\$ 576	\$ 638	NA

Changes in pesticide use on wine grapes are influenced by a number of factors, including weather, topography, pest pressure, evolution of resistance, competition from newer pesticide products, commodity prices, application restrictions, efforts by growers to reduce costs, and increased emphasis on sustainable farming.

By most accounts, 2012 was an exceptional year for wine grape growers, with low levels of pressure from pests and disease. As a result, the total amount of pesticide AIs applied to wine grapes and the cumulative area treated declined in 2012, although the levels still remained higher than what was seen from 2008 to 2010 (Table 21).

Vine mealybug continued to be a concern for growers, appearing in locations in Santa Barbara County where it had not been found before. In the North Coast, a new pest, the Virginia creeper leafhopper, caused substantial damage in some locations. While there is effective biological control for western grape leafhopper, Virginia creeper leafhopper infestations require insecticide applications. In contrast, pest pressure from the invasive European grapevine moth lessened. The quarantine was lifted for Fresno, Mendocino, Merced, and San Joaquin counties, and trap catches decreased (from >100,000 in 2010, to 146 in 2011, to only 77 in 2012). Growers in Napa County were still advised to spray for this pest, however.




Figure 15: Acres of wine grape treated by all AIs in the major types of pesticides from 1995 to 2012.

Overall, the amount of insecticide applied to wine grapes decreased in 2012 to a level lower than that of the previous two years, though the area treated increased marginally (Figure 15). The insecticides applied to the greatest acreage in 2012 were imidacloprid, abamectin, methoxyfenozide, spirotetramat, and oils (Figure 16). Chlorantraniliprole, etoxazole, and bifenthrin were relatively widely used; acres treated with these insecticides ranged from about 35,000 (bifenthrin) to 54,000 (chlorantraniliprole). Spirotetramat provides good control of mealybugs and continued to increase in popularity. Grape prices were high in 2012, which may have made an expensive but effective product like spirotetramat affordable. There was a substantial decrease in use of oils and a small decrease in use of imidacloprid (Figure 16). Oils have many attractive, broad spectrum properties and are relatively low risk to public health and the environment. Increasingly mixed with fungicides, oils can replace a surfactant and eradicate




Figure 16: Acres of wine grape treated by the top 5 AIs of each AI type from 2008 to 2012.

mildew growth, as well as suppress mites and insects such as grape leafhoppers. Imidacloprid may not be effective where heavy clay soils exist due to poor plant uptake; this likely explains less use of this insecticide in the North Coast, where heavy clay soils are common. Use of the low-risk insecticide *Bacillus thuringiensis* (Bt) decreased 34 percent. In contrast, there was a large increase in use of chlorpyrifos (88 percent). The 28,360 acres treated with chlorpyrifos was still lower than in any of the previous 8 years, except 2011. Chlorpyrifos was used for post-harvest applications and as a delayed dormant application for control of mealybugs and ants. Imidacloprid was used during warmer weather between budbreak and harvest to control mealybug infestations. The area treated with chlorantraniliprole, first registered in 2008, increased 32 percent in 2012.

Chlorantraniliprole is relatively selective and methoxyfenozide is highly selective for lepidopteran pests. Both AIs are used in the control of the European grapevine moth. The area treated with indoxacarb, also used for the control of lepidopteran pests, decreased 30 percent in 2012.

In general, fungal pathogens were not as big a problem as in the previous two years, and thanks to a dry year, the incidence of powdery mildew in particular was much lower in most areas in 2012. Nevertheless, fungicide use only decreased marginally and the area treated with sulfur declined for the first time since 2008 (Figure 15). With the exception of copper-based pesticides, use of other fungicides was similar to the previous two years. The fungicides applied to the largest area included sulfur, copper-based pesticides, quinoxifen, boscalid, pyraclostrobin (boscalid and pyraclostrobin are used as a mix), myclobutanil, and trifloxystrobin (Figure 16). Other widely applied fungicides were tebuconazole, cyprodinil, and tetraconazole. The area treated with tebuconazole decreased by nearly 50,000 acres. The area treated with cyprodinil decreased slightly, as growers shifted to the newer chemicals difenoconazole and metrafenone. The latter increased in use nearly threefold. Growers are cognizant of the need to rotate AIs to delay the evolution of resistance.

Glyphosate-resistant weeds, such as marestalk and fleabane, continue to be a problem in vineyards. Marestalk is also host to the glassy-winged sharpshooter, which has become less of a threat over the past few years. The area treated with herbicides decreased 11 percent in 2012 (Figure 15). Glyphosate resistance issues and a reduced supply of glufosinate-ammonium due to global demand may help to explain some of the observed trends in herbicide use. The herbicides applied to the greatest area in wine grapes were glyphosate, oxyfluorfen, glufosinate-ammonium, paraquat dichloride, flumioxazin, and carfentrazone-ethyl. With the exceptions of paraquat dichloride and carfentrazone-ethyl, use of all these herbicides decreased in 2012. Use reductions ranged from 6 percent (glyphosate) to 52 percent (glufosinate-ammonium) (Figure 16). The area treated with paraquat dichloride had decreased in the previous two years; increased use may reflect the unavailability of glufosinate-ammonium. Carfentrazone-ethyl was applied to 26,000 more acres in 2012. Its use has increased every year since 2005, when two new products containing this AI were first registered.

Largely due to a perceived shortage of grapes over the past two years, as well as the age of vineyards planted during the planting boom of the early 1990s, planting increased in 2012. The

planting of new vineyards is reflected in an increase in use of fumigants in preparing for planting. Though the total area treated is small, there were relatively large increases in use of 1,3-dichloropropene (from 1,625 to 2,649 acres) and sodium tetrathiocarbonate (from 367 to 1,318 acres). In addition, though used on an even smaller number of acres, there was a substantial increase in area treated with metam-potassium and chloropicrin. The majority of pre-plant fumigations occurred in the southern San Joaquin Valley and the Central Coast, though increases occurred in the other two major grape growing regions as well. The largest use of a fumigant in wine grapes in 2012, as in years past, was aluminum phosphide, used to control rodents. Aluminum phosphide use was especially pronounced in Monterey County (82 percent of all applications).

Gibberellins are applied in early spring in order to lengthen and loosen grape clusters, which reduces vulnerability to berry splitting and bunch rot. They continue to be by far the most common plant growth regulator (PGR) used in wine grapes, accounting for 89 percent of PGR use. Overall area treated with PGRs increased marginally in 2012 (4 percent).

Table and raisin grape

Total acreage planted to table and raisin grapes decreased slightly from 305,000 to 301,000 acres, continuing a trend that reflects the increasing attraction of planting almonds in the southern San Joaquin Valley region (Table 22). This comprised approximately 36 percent of California's total grape acreage in 2012, the rest being wine grapes. The southern San Joaquin Valley region accounts for more than 90 percent of California's raisin and table grape production. In 2012, raisin acreage decreased nearly 3 percent while table grape acreage increased by slightly more than 2 percent. These values tend to shift yearly depending on market conditions, since some grape varieties can be used for more than one purpose. Thompson Seedless was the leading raisin grape variety, while Flame Seedless was again the leading table grape variety. California produced 1,951,000 tons of raisin grapes and 987,000 tons of table grapes in 2012. Statewide raisin grape tonnage decreased 16 percent and table grape tonnage decreased 4.5 percent.

Table 22: *Total reported pounds of all active ingredients (AI), acres treated, acres planted, and prices for table and raisin grape each year from 2008 to 2012. Planted acres in 2012 are from CDFA, March 2013; planted acres from 2008 to 2011 are from USDA, October 2012; marketing year average prices from 2008 to 2011 are from USDA, October 2012. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	13,880,609	12,832,640	14,041,039	16,361,154	14,781,992
Acres Treated	5,536,969	5,501,176	5,880,474	6,786,534	6,784,949
Acres Planted	318,000	312,000	307,000	305,000	301,000
Price/ton	\$ 305.94	\$ 341.57	\$ 354.94	\$ 524.94	NA

Changes in pesticide use on table and raisin grapes are, like wine grapes, influenced by a number of factors, including weather, topography, pest pressure, evolution of resistance, competition from newer pesticide products, commodity prices, application restrictions, and effort by growers to reduce costs. Pest and disease pressure was relatively low in 2012. As might be expected, the total amount of AI applied declined in 2012, though the area treated remained relatively stable (Table 22).




Figure 17: Acres of table and raisin grape treated by all AIs in the major types of pesticides from 1995 to 2012.

The cumulative area treated with insecticides increased in 2012, reaching the highest level recorded in nearly two decades (Figure 17). Although the amount of insecticide applied increased, this value was still less than in most recent years and substantially less than in the 1990s. Growers appear to be treating more area, or more frequently, with a smaller amount of AI. This trend is reflected in the lower application rates of some of the newer insecticides.

The insecticides applied to the greatest area in 2012 were imidacloprid, spirotetramat, abamectin, methoxyfenozide, spinetoram, and *Bacillus thuringiensis* (Bt), the last of which was applied to nearly as many acres as spinetoram (Figure 18). Imidacloprid and buprofezin are used during warm weather between budbreak and harvest to control mealybug infestations. Spirotetramat also provides control of mealybugs. It has steadily increased in use since its registration in 2008. Abamectin is used to treat for mites, which were a concern for growers due to above average temperatures early in the growing season. Other widely applied insecticides were cryolite,




Figure 18: Acres of table and raisin grape treated by the top 5 AIs of each AI type from 2008 to 2012.

buprofezin, spinosad, chlorantraniliprole, and chlorpyrifos. Cryolite use decreased in 2012, a trend that has continued since at least 2004. Cryolite is a stomach poison applied early in the season to control lepidopteran pests such as omnivorous leafroller. Methoxyfenozide controls similar pests, but can be used later in the growing season than cryolite. Buprofezin use increased in 2012, but the area treated was still lower than in any of the years from 2007-2010. Use of spinosad decreased in 2012, while chlorpyrifos use increased. Chlorpyrifos was used as a delayed dormant spray or post-harvest application to prevent spring build-up of vine mealybug populations. Chlorantraniliprole treatments had increased slightly in 2011 but increased 65 percent in 2012; this insecticide is relatively selective for lepidopteran pests and is used to control the invasive pest European grapevine moth. This species was trapped in far fewer numbers in 2011 and 2012 than in 2010, and the quarantine was lifted in the southern San Joaquin region in 2012. It is likely that growers continue to be apprehensive about the damage potential of this pest.

The area treated with sulfur decreased slightly, while the area treated with all other fungicides was nearly the same as in 2011 (Figure 17). Spring rains caused growers to spray for powdery mildew early in the season but treatments decreased later in the year. Fungicides with the greatest area treated included sulfur, copper-based pesticides, myclobutanil, trifloxystrobin, boscalid, pyraclostrobin (boscalid and pyraclostrobin are used as a mix), and tebuconazole (Figure 18). Other commonly used fungicides were quinoxyfen and cyprodinil. The area treated with lime sulfur against overwintering disease inoculum in early 2012 increased, with close to 7,000 more acres being treated in 2012. Use of the recently registered fungicides metrafenone, fludioxonil, and difenoconazole has been increasing (nearly threefold for metrafenone and nearly twofold for fludioxonil), as growers seek to rotate AIs to delay the evolution of resistance.

Winter of 2012 was relatively dry, which may have inhibited weed growth. The area treated with herbicides decreased in 2012 (Figure 17). The herbicides applied to the greatest area were glyphosate, oxyfluorfen, paraquat dichloride, glufosinate-ammonium, and pendimethalin (Figure 18). Glyphosate use decreased, likely the result of growing concerns over weed resistance to this AI. Glufosinate-ammonium is an attractive alternative to glyphosate. Corn and soybean varieties genetically engineered for resistance to glufosinate-ammonium have been planted in the Midwest, causing a high demand for the herbicide. Stocks of glufosinate-ammonium were subsequently low in California, causing a steep reduction in its use. The unavailability of glufosinate-ammonium perhaps explains the increased use of paraquat dichloride and other herbicides such as rimsulfuron, flumioxazin, oryzalin, and carfentrazone-ethyl. Use increases of these herbicides ranged from 18 percent (flumioxazin) to 36 percent (carfentrazone-ethyl).

Fumigant use dropped dramatically in 2012; only 2,938 acres were treated in 2012, 25 percent of the acreage treated in 2011. This is the smallest area treated with fumigants in table and raisin grapes in nearly 20 years.

The area treated with plant growth regulators (PGRs) changed little in 2012. The most commonly used PGRs were gibberellins (78 percent of the area treated), which are applied in early spring to

lengthen and loosen grape clusters and increase berry size. Less compact clusters may be less vulnerable to berry splitting and bunch rot. The gibberellin-treated area decreased slightly in 2012. Ethephon was the next most commonly applied PGR, though it was applied on 16 percent fewer acres in 2012. Ethephon is applied at onset of ripening to improve berry color.

Cotton

Cotton is an unusual crop in that it is grown for fiber, oil, and animal feed. It is primarily grown for its fiber, but cottonseed, which is removed from the fibers during ginning, is processed into oil and is also used as a supplement for dairy feed. Total planted acreage in 2012 was 367,000, a 20 percent decrease from 2011 (Table 23). The decrease results partly from lower cotton prices, but a more probable explanation is that growers were concerned about the availability of irrigation water. Competing with cotton for water are higher value orchards and vineyards. Because of the lower cotton acreage, the cotton that was planted was grown on the best available land, which with the ideal weather conditions in 2012, led to some of the highest yields ever: 1,604 pounds per acre. Two main kinds of cotton are grown: upland and Pima. About 60 percent of the cotton acreage was Pima. Most cotton varieties have also been genetically modified to be tolerant to the herbicide glyphosate. Most cotton is grown in the southern San Joaquin Valley, though a small percentage is grown in Imperial and Riverside counties and a few counties in the Sacramento Valley.

Table 23: *Total reported pounds of all active ingredients (AI), acres treated, acres planted, and prices for cotton each year from 2008 to 2012. Planted acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	2,448,264	1,445,785	3,072,021	5,047,214	3,514,860
Acres Treated	4,979,626	2,887,709	6,107,494	9,882,606	6,540,322
Acres Planted	275,000	190,000	306,000	456,000	367,000
Price/lb	\$ 0.82	\$ 1.00	\$ 1.50	\$ 1.29	\$ 1.11

Total amount of pesticides used on cotton decreased 30 percent from 5.1 million to 3.5 million pounds from 2011 to 2012 (Table 23); use per acre planted also decreased. Use in every cotton-growing county decreased, except in Riverside and San Joaquin counties. Use of nearly all major AIs decreased. The use of all AI types decreased more than the decrease in planted acreage, except for the use of fungicides, which decreased 15 percent in amount of AI (Figure 19). The largest decrease was in use of insecticides.

The low insecticide use in 2012 may be due to low pest pressures. The major arthropod pests in cotton in 2012 were lygus bugs, spider mites, cotton aphids, silverleaf whitefly, thrips, beet armyworms, and stink bugs. The foothills surrounding the San Joaquin Valley were not a source for lygus bugs migrating into cotton, as they have been in the past, because winter and early




Figure 19: Acres of cotton treated by all AIs in the major types of pesticides from 1995 to 2012.

spring rainfall patterns resulted in less than ideal vegetative habitat for lygus. Although use of most major insecticides decreased (Figure 20), use of phorate, the third highest used insecticide by amount, increased. Phorate is applied at planting as an alternative to aldicarb for nematode control. Aldicarb, once one of the most-used insecticides, has decreased dramatically because the producer/registrant, Bayer, will voluntarily phase out its production by December 31, 2014, due to health and environmental concerns and has already reduced its supply.

Abamectin, flonicamid, novaluron, imidacloprid, and bifenthrin were all applied from June through August, mostly for lygus bugs. Acetamiprid, chlorpyrifos, and naled were applied in August and September to manage aphids and whiteflies. Abamectin, etoxazole, and spiromesifin are used mostly for mites. Use of indoxacarb decreased because growers are using newer products, such as flubendiamide, for caterpillar control and because caterpillars were not much of a problem in 2012.

Use of nearly all major herbicides decreased even though use per area planted remained nearly the same (Figure 20). As had been the case for the last several years, glyphosate was by far the most-used herbicide by amount, accounting for 74 percent of all herbicide use. The high use of glyphosate was due to the large acreage of Roundup-Ready cotton, which is genetically engineered to be resistant to glyphosate. Some AIs, such as paraquat dichloride, are used both as harvest aids and herbicides. It is assumed if use occurred between August and November it was




Figure 20: Acres of cotton treated by the top 5 AIs of each AI type from 2008 to 2012.

used as a harvest aid, otherwise as an herbicide. The largest decreases in herbicide use, as measured by amount used, were in paraquat dichloride and trifluralin use. The decrease in trifluralin use was relative: use in 2011 was unusually high.

Use of harvest aids, chemicals used to defoliate or desiccate cotton plants before harvest, decreased 19 percent as measured by amount of AI and 21 percent by area treated, which is nearly the same as the decrease in area planted (Figure 20). The main exception was use of mepiquat chloride, which decreased 37 percent in amount applied, and sodium chlorate, which decreased 7 percent. Mepiquat chloride is included among the harvest aids, but it is actually a growth regulator and typically used mid-season. The decrease in mepiquat chloride use was in relation to its particularly high use in 2011; the use in 2012 was close to normal.

The amount of fungicides used decreased 15 percent, but the area treated decreased only 1 percent (Figure 20). Fungicides are not widely used in cotton, but use has been increasing in recent years because of increased incidence of seedling diseases, especially the disease caused by *Rhizoctonia solani*. The most-used fungicides are azoxystrobin, iprodione, and pyraclostrobin. Azoxystrobin and iprodione are applied to cotton fields at planting in April to control seedling diseases; pyraclostrobin is applied mostly in June and July. Most of the other fungicides are used as seed treatments, so the area treated is not reported.

Fumigants are little used in cotton fields and account for only 0.01 percent of all acreage treated with pesticides. The amount of fumigants applied decreased 62 percent in 2012, although fumigant use was still more than in years before 2011. The main fumigants were metam-sodium and metam-potassium. Fumigants are used to treat the soil before planting for a range of soil pathogens, nematodes, and weeds and are also used to treat stored products. The increased use in cotton in the last few years may be the result of concern about the soil-inhabiting fungus *Fusarium oxysporum* f. sp. *vasinfectum* race 4, more commonly known as FOV race 4, which is spreading throughout the San Joaquin Valley. Some experts consider this pathogen to be one of the biggest challenges facing California cotton growers in many years. Once a field is infected, it is impossible to achieve economic yields with many cotton varieties. The pathogen cannot be controlled by pesticides, but some research has shown that metam-sodium treatments can knock down inoculum populations. However, they will not eradicate the disease.

Alfalfa

Alfalfa is grown primarily as a forage crop, providing protein and high energy feed primarily for dairy cows and other livestock as well. California is the leading alfalfa hay-producing state in the United States. More than half of California's alfalfa production in 2012 was in Fresno, Kern, Imperial, Merced, and Tulare counties. The price received per ton of hay remains historically high although it decreased 12 percent from a peak in 2011. The decreased price for hay may be due to increased harvested tonnage, a downturn in the dairy industry and lower milk prices, weak economic conditions, and increased supplies from other Western states that ship large quantities of hay into California to augment local production. From 2011 to 2012, the acres harvested

increased 8 percent, but alfalfa acreage treated with pesticides decreased 7 percent (Table 24). The total amount of pesticide AI applied to California alfalfa was unchanged.

Table 24: *Total reported pounds of all active ingredients (AI), acres treated, acres harvested, and prices for alfalfa each year from 2008 to 2012. Harvested acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	3,231,235	3,364,459	2,727,502	3,522,167	3,513,798
Acres Treated	5,350,863	4,415,891	4,558,137	5,538,759	5,169,582
Acres Harvested	1,030,000	1,000,000	930,000	880,000	950,000
Price/ton	\$ 204	\$ 107	\$ 133	\$ 239	\$ 211

Insecticides and herbicides continued to be the most commonly used pesticide classes in California alfalfa production (Figure 21). The area treated with insecticides decreased 6 percent but the amount AI applied increased 6 percent. From 2011 to 2012, use of herbicides decreased 7 percent as measured by area treated and 2 percent by amount AI applied. The decreased use resulted primarily from growers' management practices and intensity of pest infestations.




Figure 21: *Acres of alfalfa treated by all AIs in the major types of pesticides from 1995 to 2012.*

The decrease in area treated with insecticides resulted from reduced insect pest infestations and a lower price received for hay. The reason the area treated decreased but the amount of AI applied




Figure 22: Acres of alfalfa treated by the top 5 AIs of each AI type from 2008 to 2012.

increased was that use of chlorantraniliprole and other recently registered insecticides, which are applied at lower rates per unit area than the older products, declined. Growers generally deal with three major insect pest groups in alfalfa production: a weevil complex in late winter to spring, an aphid complex in late fall through spring and continuing throughout summer, and a larval lepidopteran complex in the summer. In 2012, weevil problems seemed less due to the warm, relatively dry winter and spring, which affected emergence and development of weevil pests. This situation resulted in less use of some pyrethroids like lambda-cyhalothrin and beta-cyfluthrin. Aphid problems were not very severe in the summer of 2012, especially in the San Joaquin Valley, resulting in decreased use of chlorpyrifos, which growers most prefer. Populations of the summer lepidopteran complex were lower in 2012 than in recent years and accounted for the decreased use of indoxacarb and chlorantraniliprole. The uncertainty surrounding hay prices, water availability, and shipments from other states affected management practices for insect pests in 2012.

From 2011 to 2012, statewide herbicide use, as measured by amount used and area treated, decreased 2 and 7 percent, respectively. The reduction may be a result of less weed pressure and reduced hay prices. The area treated with the most-used herbicides decreased except that treated with glyphosate and trifluralin. Glyphosate is replacing pendimethalin because of increased planting of Roundup Ready alfalfa, which is resistant to glyphosate. Use of diquat dibromide increased, possibly because the use of paraquat dichloride, which is applied as an alternative pre-harvest desiccant in alfalfa seed production, declined. The decrease in herbicide use occurred mainly in the San Joaquin and Sacramento valleys, whereas most of the increased application of herbicides occurred in the Imperial Valley. Although the reasons for growers selecting certain herbicides over others are unclear, efforts to use materials that are unlikely to contaminate groundwater play a role in the selection process.

Use of fungicides in alfalfa is minimal compared to that of insecticides and herbicides.

Processing tomato

In 2012, processing tomato growers planted 260,000 acres, which yielded 12.6 million tons, a 6 percent yield increase over 2011's yield. About 95 percent of U.S. processing tomatoes are grown in California. The U.S. is the world's top producer of processing tomatoes (34 percent of the world's total), followed by the European Union and China. California processing tomatoes, valued at \$950 million in 2012, are primarily grown in the Sacramento and San Joaquin valleys. Fresno County leads the state in acreage with 38 percent (99,000 acres) of the statewide total, followed by Yolo (35,000 acres), Kings (29,000 acres), and San Joaquin (22,000 acres) counties. Significant production also occurs in Merced, Colusa, Kern, Stanislaus, and Solano counties.

Overall, use of all pesticide AIs decreased 4 percent, from 14 million pounds in 2011 to 13.5 million pounds in 2012 (Table 25). Total cumulative treated area of processing tomatoes decreased 4 percent. Insecticides was the most-used category as measured by area treated, which increased 22 percent from 2011 to 2012 (Figure 23). The most-used category as measured by amount AI applied was fungicide/insecticide (mostly sulfur and kaolin); use in this category

Table 25: *Total reported pounds of all active ingredients (AI), acres treated, acres planted, and prices for processing tomato each year from 2008 to 2012. Planted acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	11,576,987	14,540,732	13,808,650	14,029,414	13,471,268
Acres Treated	2,667,762	3,269,116	3,214,722	3,119,124	2,996,126
Acres Planted	281,000	312,000	271,000	255,000	260,000
Price/ton	\$ 78.60	\$ 86.10	\$ 71.40	\$ 74.30	\$ 75.00

decreased 2 percent. The overall decrease in pesticide use may have been in response to an especially dry growing season which reduced the incidence of weeds and diseases.




Figure 23: *Acres of processing tomato treated by all AIs in the major types of pesticides from 1995 to 2012.*

Overall fungicide use, expressed as cumulative area treated, decreased 34 percent and the amount of AI decreased 30 percent. The decrease in fungicide use may be attributed to a drier 2012 growing season, resulting in fewer early spring diseases and reduced mildew pressure. Although not a fungal disease, bacterial speck was almost a non-existent problem in 2012, especially compared to the previous year. The top fungicides used in terms of area treated in 2012 were chlorothalonil, azoxystrobin, difenoconazole, copper-based pesticides, and pyraclostrobin




Figure 24: Acres of processing tomato treated by the top 5 AIs of each AI type from 2008 to 2012.

(Figure 24). Although overall fungicide use decreased, the amount of difenoconazole and azoxystrobin applied increased 133 percent and 69 percent, respectively. These preventive fungicides are often applied in combination products to treat black mold and powdery mildew. Since 2009, use of difenoconazole and azoxystrobin has continuously increased, likely because of increasingly severe powdery mildew outbreaks in the last few years. As a result of these outbreaks, growers must now apply preventive treatments instead of treating powdery mildew as it appears. The area treated with chlorothalonil decreased 17 percent. This may have been due in part to increased use of products containing both difenoconazole and azoxystrobin and increased use restrictions for chlorothalonil. Although the overall use of sulfur decreased, use in parts of the northern Sacramento Valley increased because of high local incidence of powdery mildew.

Since many growers are installing drip lines for multi-year use, they tend to rotate out of tomatoes less frequently, which increases the bank of soilborne pests, such as *Phytophthora* spp. Additionally, growers are moving toward pesticides that can be effectively applied via drip. For example, the amount of mefenoxam used increased 3 percent, perhaps in response to the increased incidence of *Phytophthora* root rot.

The acreage treated with herbicides decreased 6 percent from 2011 to 2012 (Figure 23); the amount used increased 8 percent. Primary weeds of concern for processing tomatoes are nightshades and bindweed. Since 2012 was a relatively dry year, there were fewer post-emergence herbicide applications. The most-applied herbicides in 2012 were trifluralin, glyphosate, s-metolachlor, rimsulfuron, and pendimethalin (Figure 24). Trifluralin and pendimethalin are used to control bindweed and are often used in combination with s-metolachlor. The area treated with pendimethalin decreased 5 percent, trifluralin use was unchanged, s-metolachlor use decreased 5 percent, and metolachlor use increased 49 percent (Figure 24). Recent episodes of phytotoxicity involving trifluralin and pendimethalin may have contributed in part to an increase in the use of metolachlor. Additionally, metolachlor is also used to control problem weeds such as nutsedge and nightshade and is a relatively inexpensive generic alternative to s-metolachlor. This may account for its increased use and the decrease in s-metolachlor use in 2012; this was also the case in 2011. Glyphosate is commonly used for preplant treatments in late winter and early spring; the amount used increased 17 percent. Flumioxazin is a relatively new product used on fallowed tomato fields. Because of reduced water availability in some growing areas, there was more fallowed ground in 2012 than in 2011.

In 2012, 867,000 cumulative acres were treated with insecticides, a 22 percent increase from 2011 (Figure 23). This overall increase was likely to due to population explosions of thrips, which vectors tomato spotted wilt virus. For the last 5 years, growers have been treating for thrips more frequently and earlier in the season, practices that effectively reduce the incidence of tomato spotted wilt disease. Dimethoate, methomyl, spinetoram, and flonicamid are available for thrips control; the area treated by the first three of these AIs increased in 2012. These insecticides, as well as imidacloprid, endosulfan, and methoxyfenozide, are rotated to prevent resistance from developing in thrips populations. Spinetoram is the most effective pesticide used for thrips

management in processing tomato, and the area treated with spinetoram increased 28 percent. Dimethoate is a broad spectrum insecticide; its use increased 3 percent. However, its use early in the season can affect biological control organisms and cause population explosions of other insect pests, such as leafminers, later in the season. Secondary pest outbreaks due to the use of broad spectrum insecticides to control thrips may account for the 9 percent increase in spinosad use, the 20 percent increase in abamectin use, and the 30 percent increase in use of methoxyfenozide, an insect growth regulator used against lepidopteran pests. Methomyl use increased 7 percent, even though growers have begun switching to pyrethroids because they pose fewer hazards to workers. Bifenthrin, use of which increased 29 percent, is a broad spectrum pyrethroid often used in rotation with spinosad for thrips control. Bifenthrin is also used to manage mites and stinkbugs. The area treated with lambda-cyhalothrin, also used to control thrips, increased 7 percent. The use of flonicamid and imidacloprid, the most-used insecticide, both decreased 8 percent from the previous year. This may account for the increased use of other insecticides to threat thrips.

Carbaryl and diazinon, the use of which increased 67 percent and 7 percent, respectively, are also used to control seedling pests, such as cutworms and flea beetles, at planting. Carbaryl, primarily applied in bait form, is applied prophylactically before planting to avoid loss of new transplants, which are very attractive to pests. Carbaryl and diazinon use may have increased in response to higher levels of soilborne pests that often occur in second year crops. Many of these pests are becoming more prevalent because growers are not rotating from tomatoes to other crops as frequently. Although lepidopteran pest pressures were relatively low in 2012, there was a 79 percent increase in the use of indoxacarb. Chlorantraniliprole, the use of which increased 30 percent, is used midseason, and because it is easily applied through drip irrigation, growers may have begun to use the pesticide more frequently. Use of flubendiamide, another relatively new product that controls lepidopterous pests, significantly increased from 11,000 acres in 2011 to 52,000 acres in 2012. Acres treated with emamectin benzoate, used to control russet mites, increased 76 percent.

Found mostly in the Sacramento Valley, consperse stinkbug populations have been increasing in new locations, primarily in western Fresno County. Although there has been a gradual increase in stink bug populations, only Fresno County has experienced heavy pest pressures. There was a 22 percent increase in the use of endosulfan to treat stink bugs. Although not a highly used insecticide, clothianidin use more than doubled in 2012, largely because products containing the AI were only recently registered for use in California. Clothianidin was used primarily to control stink bugs.

Processing tomato growers primarily use three fumigants—metam-potassium, metam-sodium, and 1,3-dichloropropene—to manage root-knot nematodes and weeds, particularly those of the nightshade family. In 2012, the amount of fumigant applied decreased 9 percent, but accounted for about 25 percent of the total amount of pesticide AIs applied. In terms of area treated, fumigant use decreased 4 percent. The overall decrease in fumigant use, particularly metam-sodium and metam-potassium use, may be attributed to increasingly stringent regulations

that make these products less attractive for growers to use. About 95 percent of processing tomatoes are grown from transplants, which have reduced the need for preplant treatments of metam to control weeds. Additionally, metam is being used prophylactically more frequently to manage diseases and is being injected into drip irrigation lines, which reduces application rates.

The increase in 1,3-dichloropropene use is likely due to increased incidence of resistance-breaking nematodes in nematode-resistant tomato cultivars. Populations of these nematodes are limited but are becoming more widespread. Growers are rotating out of tomatoes less often, which increases the number of soilborne pests, particularly nematodes. Over the last 10 years growers have been moving away from furrow irrigation and converting to buried drip irrigation, which produces higher crop yields. The transition to buried drip irrigation, however, has enhanced conditions for nematode infestations, and nematode damage in tomatoes has increased. The shift to buried drip also correlated to an increase in the use of aluminum phosphide, from 645 acres in 2011 to 4,080 acres in 2012, to control gopher populations that damage drip tape. In 2012, approximately 90–95 percent of processing tomato acreage in San Joaquin Valley has been converted to drip irrigation, about 70–45 percent in the Sacramento Valley.

Rice

California is the second most productive rice-growing state in the United States, producing more than 2 million tons of rice each year and contributing over \$1.3 billion to the state's economy. Six counties in the Sacramento Valley (Colusa, Sutter, Glenn, Butte, Yuba, and Yolo) together grow 95 percent of California's rice. Approximately 500,000 acres in the Valley are of a soil type restricting the crops to rice or pasture. From 2011 to 2012, rice acreage decreased 4 percent and the price dropped 8 percent. Pesticide use, measured by pounds of AI, increased 9 percent, and area treated was unchanged at 3 million acres (Table 26).

Table 26: *Total reported pounds of all active ingredients (AI), acres treated, acres planted, and prices for rice each year from 2008 to 2012. Planted acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	4,731,653	5,634,595	4,668,693	4,864,232	5,310,356
Acres Treated	2,468,221	2,805,673	2,635,836	2,961,290	2,958,780
Acres Planted	519,000	561,000	558,000	585,000	561,000
Price/cwt	\$ 27.50	\$ 19.60	\$ 21.00	\$ 18.60	\$ 17.10

Herbicides was the most-used pesticide class in 2012 (Figure 25) and accounted for 72 percent of the area treated and 70 percent of the total amount of AIs applied. The area treated with propanil, penoxsulam, and triclopyr (triethylamine salt) decreased 4, 6, and 4 percent, respectively, reflecting the reduced rice acreage, while the area treated with bispyribac-sodium and clomazone




Figure 25: Acres of rice treated by all AIs in the major types of pesticides from 1995 to 2012.

increased 22 and 2 percent, respectively (Figure 26). Thiobencarb use increased, probably because growers were seeing less resistance of sprangletop (a troublesome grassy weed) to it than was forecast. This would help explain why clomazone use increased and propanil use decreased. Both herbicides are alternatives to thiobencarb for sprangletop control. Penoxsulam use dropped, perhaps because growers rotated use to other herbicide classes as a means to manage resistance. Although penoxsulam is an acetolactate synthase (ALS)-inhibiting herbicide, resistance among sedges and broadleaf weeds to penoxsulam is not as widespread as it is to other ALS-inhibiting herbicides. Bensulfuron methyl use decreased because several sedges and broadleaf weeds are resistant to it.

The area treated with fungicides increased 4 percent, continuing a trend that started in the late 1990s. Azoxystrobin was the major fungicide used on rice in California, accounting for 81 percent of all the area treated with fungicides. In 2012, the area treated with azoxystrobin increased marginally (1 percent), even as the total amount applied increased 2 percent. The area treated with propiconazole and trifloxystrobin both increased 12 percent. Azoxystrobin, propiconazole, and trifloxystrobin are reduced-risk fungicides often used for preventive treatments. In 2010, there was an unexpected increase in the incidence of rice blast disease, so in 2011 and 2012, growers responded by treating fields where high levels of disease were previously documented. Use of the three major fungicides increased due to their effectiveness in increasing yields when used in preventive applications.




Figure 26: Acres of rice treated by the top 5 AIs of each AI type from 2008 to 2012.

Copper sulfate is the key algaecide used in California rice and is acceptable for organic production. Copper sulfate use has fluctuated from 2004 through 2012; in 2012 the cumulative area treated with copper sulfate increased 40 percent over the area treated in 2011. Copper sulfate is used primary for algae control, but also doubles as a control for tadpole shrimp in both conventional and organic production. Some of the increase may be associated with increasing organic rice production.

In 2012, the total area treated with insecticides increased marginally (1 percent) but the amount used decreased 21 percent. Only one insecticide, lambda-cyhalothrin, was among the 15 pesticides with the largest change in area treated; its use increased 3 percent. The other commonly used insecticide on rice is (s)-cypermethrin, and the area treated with it decreased 6 percent. Decreased use of both insecticides, even with substantial drops in their prices in recent years, may be due to decreased rice acreage. Lambda-cyhalothrin and (s)-cypermethrin are used to control primarily rice water weevil and secondarily armyworm and tadpole shrimp. Rice water weevil is the major arthropod pest on California rice. Growers have limited options among insecticides and often rely on the two pyrethroids, applied soon after planting for weevil and tadpole shrimp. Insect pressures are usually low on California rice and insecticides are used on relatively few acres.

Walnut

California produces 99 percent of the walnuts grown in the United States and around 78 percent grown in the world. The California walnut industry is comprised of over 4,000 growers, who farmed approximately 245,000 bearing acres in 2012 (Table 27). Weather in 2012 was favorable for walnut pollination and growth, although there were some reports of abnormal nut drop in June and July due to blight. Walnut production was estimated at 497,000 tons in 2012, an increase of 8 percent from the previous year. Although the total bearing acreage remained the same as in 2011, the area treated with pesticides increased 24 percent, and the amount of applied AIs increased 6 percent.

Table 27: *Total reported pounds of all active ingredients (AI), acres treated, acres bearing, and prices for walnut each year from 2008 to 2012. Bearing acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2011 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	3,381,725	3,273,681	3,992,294	3,951,869	4,200,788
Acres Treated	1,781,229	1,856,395	2,316,586	2,348,478	2,922,455
Acres Bearing	223,000	227,000	237,000	245,000	245,000
Price/ton	\$ 1,280	\$ 1,710	\$ 2,040	\$ 2,900	NA

The Sacramento and San Joaquin Valleys accounted for 99 percent of total walnut pesticide use in 2012, both in terms of amount of AIs applied and area treated. Total pesticide use was split nearly

equally between the two valleys, with the Sacramento Valley contributing a slightly higher amount. Overall, use of insecticides, herbicides, and plant growth regulators increased in 2012, while use of fungicides and fumigants decreased (Figure 27).




Figure 27: Acres of walnut treated by all AIs in the major types of pesticides from 1995 to 2012.

The area treated with insecticides, including miticides, increased 49 percent in 2012, replacing herbicides as the pesticide type with the highest use (Figure 27). Important pests in walnuts include codling moth, walnut husk fly, navel orangeworm, aphids, and webspinning spider mites. The insecticide applied to the largest area in 2012 was the miticide abamectin: It is relatively low cost, and the periodic flares of hot weather favored build-ups of webspinning spider mites populations. Other insecticides with high use in 2012 included chlorpyrifos, bifenthrin, chlorantraniliprole, and lambda-cyhalothrin (Figure 28). With the exception of chlorantraniliprole, which was mainly used in the San Joaquin Valley to control codling moth, these pesticides had approximately equal use in the San Joaquin and Sacramento valleys and were capable of controlling a broad spectrum of pests, including the most important walnut pests. Notably, although the area treated with insecticides rose considerably in 2012, the use of insecticides with relatively low risks to human health and the environment also rose, largely due to a higher use of oils.

The area treated with herbicides increased 14 percent in 2012 (Figure 27). Glyphosate remained the herbicide with the most use, likely due to its effectiveness at controlling a wide variety of weeds and its relatively low cost. However, reports of glyphosate-resistant weeds continue to




Figure 28: Acres of walnut treated by the top 5 AIs of each AI type from 2008 to 2012.

surface, causing growers to take measures to delay or prevent resistance. Glyphosate-resistant populations of ryegrass are evident in the Sacramento Valley, while resistant populations of hairy fleabane and horseweed are evident in the San Joaquin Valley. The herbicides applied to the greatest area in 2012 included glyphosate, oxyfluorfen, paraquat dichloride, saflufenacil, pendimethalin, and glufosinate-ammonium (Figure 28). All increased in use except glufosinate-ammonium (not shown in Figure 28) which decreased 61 percent due to a global supply shortage. While both valleys had similar use of oxyfluorfen, the Sacramento Valley tended toward higher use of glyphosate and glufosinate-ammonium, while the San Joaquin Valley had higher use of paraquat dichloride, saflufenacil, and pendimethalin. Glufosinate-ammonium and paraquat dichloride are nonselective herbicides which are recommended for use in combination with a protoporphyrinogen (PPO) oxidase inhibitor, such as saflufenacil or oxyfluorfen, to slow or prevent glyphosate resistance. Saflufenacil is less expensive than glufosinate-ammonium, but it does not control grasses. Pendimethalin is a selective herbicide used to control most annual grasses and certain broadleaf weeds. A popular new formulation of pendimethalin may be applied to bearing acreage, whereas use of previously registered products was limited to orchards with nonbearing dormant trees.

The area treated with the plant growth regulator ethephon increased 28 percent in 2012. Ethephon hastens hull cracking and shell separation, which can advance harvest 4 to 7 days. It allows growers to spread out the harvest and thus optimize use of existing harvesting, hulling, and drying equipment. In addition, ethephon allows growers to harvest earlier in the year, potentially avoiding the onset of fall rains, which can cause economic loss if they occur at harvest time.

Fungicide use, as measured by area treated, decreased 2 percent in 2012 (Figure 27). Use of copper-based fungicides and mancozeb predominated, and over 70 percent of their total use occurred in the Sacramento Valley for walnut blight control. They were often applied as tank mixes because there has been documented resistance of the causal bacterium to copper-based fungicides used alone. Mancozeb disrupts bacterial cell membranes and prevents copper-resistant bacteria from removing copper ions that had penetrated cells.

The area treated with fumigants decreased 25 percent from the relatively high usage in 2011 to a level approaching the ten-year average (Figure 27). Most of this decrease can be attributed to a 67 percent reduction in the area treated with methyl bromide and a 41 percent reduction in the area treated with chloropicrin (Figure 28). Methyl bromide use continues to decline under the terms of an international agreement aimed at reducing applications of methyl bromide, a potent depleter of stratospheric ozone. Other fumigants applied to large areas in 2012 included 1,3-dichloropropene and dazomet; both had slight decreases in use since 2011. In contrast, use of aluminum phosphide, a fumigant used for burrowing rodents, increased in use 21 percent. Post-harvest fumigation only accounted for 7 percent of the total amount of fumigants used.

Pistachio

In 2012, California accounted for more than 178,000 bearing acres of pistachio, or almost 99 percent of the U.S. crop (Table 28). Worldwide, U.S. pistachio production in 2012 ranked second to that of Iran. In California, pistachios are grown in 22 counties, from San Bernardino County in the south to Tehama County in the north. In 2012, 97 percent of all pistachio acreage in California was located in the San Joaquin Valley (Kern, Madera, Fresno, Tulare, Kings, Merced, Stanislaus, Alameda, San Joaquin, and Contra Costa counties), 2 percent in the Sacramento Valley (Colusa, Glenn, Butte, Yolo, Tehama, and Sutter counties), and 1 percent in Santa Barbara, San Bernardino, San Luis Obispo, Placer, Calaveras, and Riverside counties. In 2012, the counties with the highest number of bearing acres were Kern, Fresno, and Madera, which had 41, 17, and 16 percent, respectively, of the state's production.

Table 28: *Total reported pounds of all active ingredients (AI), acres treated, acres bearing, and prices for pistachio each year from 2008 to 2012. Bearing acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	2,416,673	3,016,942	2,829,109	4,033,552	3,941,622
Acres Treated	1,402,050	1,767,435	2,167,513	2,363,983	2,769,755
Acres Bearing	118,000	126,000	137,000	153,000	178,000
Price/lb	\$ 2.05	\$ 1.67	\$ 2.22	\$ 1.98	\$ 2.02

Pistachio trees alternate between high and low production each year. Projected as a good year for most trees, 2012 saw the highest total pistachio production and yield ever recorded in California at 551 million pounds. The dry, cool spring and mild summer of 2012 resulted in normal growth. During early 2012, ample winter chilling encouraged adequate bloom and pollination. From 2011 to 2012, the number of bearing acres increased 16 percent (Table 28). This increase will continue over the next few years due to a surge in planting around 2005.

Pesticide use on pistachio fluctuated from 2008 through 2012 (Table 28). Combined use of insecticides, fungicides, and herbicides, as measured by area treated, increased 17 percent from 2011 to 2012, reflecting the 16 percent rise in bearing acres (Table 28). Use of sulfur, a miticide, decreased 11 percent.

During 2012, the top insecticides used as measured by area treated were lambda-cyhalothrin, bifenthrin, permethrin, beta-cyfluthrin, and chlorantraniliprole (Figure 30). Sulfur was the dominant miticide used. The main fungicides used were pyraclostrobin, boscalid, fluopyram, metconazole, pyrimethanil, and trifloxystrobin. *Aspergillus flavus* strain AF36, widely used in 2012, is lumped with the fungicides, but is actually a fungal inoculant that serves as a biological control agent and prevents contamination of nuts by aflatoxins. Three herbicides dominated:




Figure 29: Acres of pistachio treated by all AIs in the major types of pesticides from 1995 to 2012.

glyphosate, oxyfluorfen, and saflufenacil. Aluminum phosphide, which is used for burrowing rodents, was the main fumigant.

Insecticide use, as measured by pounds, increased 4 percent from 2011 to 2012, primarily due to additional bearing acres and higher pest pressure. During 2012, early-season populations of true bugs were much higher than they had been in 2011. Several species of true bugs cause early- and late-season damage to nuts. In early spring, plant bugs such as lygus will fly into pistachio orchards and may cause epicarp lesion, characterized by direct damage to the nut as shells harden during May. Like lygus bugs, false chinch bugs may also migrate to pistachio orchards from cruciferous weeds during spring. Feeding can lead to leaf drop. Feeding by the leaffooted plant bugs can cause epicarp lesion to the nuts shortly after bloom and lead to kernel necrosis after shell hardening in June, darkening and ruining the flavor of the nutmeat. These bugs usually appear late in the season during August and September. Stink bugs can also be late-season pests, causing kernel necrosis during July and August. Often growers apply pyrethroids—permethrin, lambda-cyhalothrin, and beta-cyfluthrin—preemptively for all of the bugs before the bugs can do much damage. Use of permethrin peaked during May, although its use that month was 39 percent lower compared with 2011. From 2011 to 2012, area treated with permethrin increased 27 percent and use of lambda-cyhalothrin increased 19 percent. Beta-cyfluthrin use peaked during May and its overall use decreased 19 percent from 2011 to 2012.




Figure 30: Acres of pistachio treated by the top 5 AIs of each AI type from 2008 to 2012.

Two lepidopteran pests can cause late-season damage. From June through August, the obliquebanded leafroller (OBLR) can feed on the stems of the nut clusters, causing them to dry and shrivel, thus reducing crop yield. The navel orangeworm (NOW) causes much more damage than OBLR by feeding directly on the nutmeat. NOW attacks nuts beginning in July, but insecticide sprays target the third generation that coincides with the beginning of the nut harvest. NOW pressure was higher in 2012 than in 2011, and according to several observations, was at the highest level since 2007. The harvest in 2012 was later than average, although not as late as in 2011. Still, growers applied 56 percent more bifenthrin, as measured by area treated, and 95 percent more chlorantraniliprole than they did in 2011. The latter is also used for OBLR. During September and October, use of permethrin tripled over the amount used in 2011. Since 2011, the target pest of permethrin applications shifted from true bugs to late-season NOW.

Oils comprise 90 percent of insecticide use and 35 percent of total pesticides used by pounds. From 2011 to 2012, amount of oils increased 1 percent. Horticultural oil, considered a low-risk material, sharpens bloom when applied in late January to early February and suppresses scale insects when used during the dormant stage and in-season. Its label specifies use of several pounds per acre. Growers applied 92 percent of the oils used throughout the growing season in February.

Use of buprofezin for Gill's mealybug climbed 14 percent from 2011 to 2012. Most applications were made in June and targeted immature crawlers moving into the clusters.

Sulfur use decreased 11 percent from 2011 to 2012, as measured by area treated (Figure 29). Used as a low-risk miticide, sulfur is applied at several pounds per acre. Citrus flat mite feeds on the stems of nut clusters as well as the nut hulls and nuts themselves, which can lead to shell stain. As the weather warms up in June, mite populations thrive and peak in late July and August. In 2012, growers began applying sulfur for mites in April, applied most in May and August, and continued applications through September.

The fungi, *Aspergillus flavus* and *A. parasiticus*, grow on pest-damaged nuts and produce aflatoxins, which are both toxic and carcinogenic. About half of the strains of *A. flavus* found in the orchard are atoxigenic—that is, they do not produce aflatoxin. However, almost all *A. parasiticus* strains produce aflatoxins. When applied to orchards, the harmless, atoxigenic strain of *Aspergillus flavus*, AF36, crowds out aflatoxin-producing strains and drastically reduces aflatoxin levels in the nuts. AF36 is technically not a fungicide, but an organically acceptable biological control agent. From 2011 to 2012, AF36 use rose from 260 acres to almost 49,000 acres.

From 2011 to 2012, fungicide use decreased 3 percent as measured by pounds. The spring was warmer and drier than in 2011 and growers in the San Joaquin Valley made fewer fungicide applications. During 2012, fungicide applications peaked in April with additional applications during June for *Botryosphaeria* of a product containing pyraclostrobin and boscalid and another

product containing metconazole. Use of the pyraclostrobin-boscalid product fell 46 percent because pyraclostrobin lacks efficacy against *Alternaria*, and fungal resistance to boscalid is becoming more widespread. During 2012, the new fungicide fluopyram was used on over 34,000 acres. Growers used two combination products, one containing trifloxystrobin and fluopyram and another with tebuconazole and fluopyram; both reportedly have outstanding efficacy for *Alternaria*, *Botryosphaeria*, and *Botrytis*.

Herbicide use by area treated increased 7 percent from 2011 to 2012 (Figure 29). The post-emergence herbicide glyphosate is applied year-round, but mostly during the summer months to manage weeds such as field bindweed and cheeseweed. From 2011 to 2012, use of glyphosate increased 9 percent. Use of the pre-emergence herbicide oxyfluorfen increased 3 percent from 2011 to 2012, while that of pendimethalin, a pre-emergence herbicide for cool-weather weeds, decreased 10 percent. Saflufenacil, a post-emergence burn-down herbicide first used in 2010, effectively treats spring and summer weeds such as nettle, puncturevine, and Russian thistle. Its use from 2011 to 2012 increased 134 percent. Use of flumioxazin, another pre-emergence herbicide used mostly during winter, decreased 43 percent. Flumioxazin provides long residual pre-emergence control of annual grasses, hairy fleabane, and other annual broadleaf weeds. Use of oryzalin, a cool-weather pre-emergence herbicide that controls annual grasses, decreased 57 percent.

Orange

California's citrus industry ranks first in the United States in terms of value. California accounts for 32 percent of the citrus production in the United States, Florida produces 65 percent, and Arizona and Texas produce the remaining 3 percent. Oranges on average account for about two-thirds of California's citrus crop, and California oranges comprise 21 percent of the United States orange crop. In 2012 oranges ranked the 18th highest-valued commodity in California. Eighty-two percent of California's orange crop is fresh market compared to only 5 percent of Florida's crop. California exports approximately 40 percent of its citrus crop, predominately to Japan, Canada, Hong Kong, Korea, and France.

Citrus is grown in four major areas in California. The San Joaquin Valley Region comprises nearly 65 percent of the state's acreage and is characterized by hot, dry summers and cold, wet winters. The Interior Region includes Riverside and San Bernardino counties, and inland portions of San Diego, Orange, and Los Angeles counties and is marginally affected by the coastal climate. The Coastal-Intermediate Region is from Santa Barbara County south to the San Diego County/Mexico border and has a mild climate that is influenced by marine air. The Desert Region includes the Coachella and Imperial valleys where temperatures fluctuate wildly.

California accounted for 177,000 bearing acres of oranges in 2012, a decline of 2 percent from 2011 (Table 29), and orange production was 5 percent lower. The price per box increased 25 percent from 2011 and was the highest in five years.

Table 29: *Total reported pounds of all active ingredients (AI), acres treated, acres bearing, and prices for orange each year from 2008 to 2012. Bearing acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	9,581,427	8,495,167	8,803,065	10,038,578	8,840,795
Acres Treated	2,334,103	2,253,339	2,416,705	2,444,725	2,337,478
Acres Bearing	188,000	186,000	183,000	180,000	177,000
Price/box	\$ 9.82	\$ 12.91	\$ 12.54	\$ 10.50	\$ 13.15

The dry winter conditions reduced overall fruit size, and then record low freezing temperatures in January in the San Joaquin Valley resulted in lower naval orange production. Spring was predominately dry and mild, but at times temperatures were below normal. Above normal temperatures persisted through summer with a heat wave in July. Late summer and fall were warm and windy with a number of thunderstorms. Santa Ana winds brought warm winds and low humidity to the San Joaquin Valley, where temperatures were very high in October. Temperatures remained relatively warm through the end of the year.

Pesticide use on oranges has fluctuated from 2008 through 2012 (Table 29). The cumulative area treated with pesticides decreased 4 percent from 2011 to 2012. The area treated in 2012 differed from the 5-year average only 0.8 percent, and the bearing acreage decreased nearly 6 percent from the high in 2008.

The area treated with insecticides decreased 2 percent between 2011 and 2012; however, the amount of insecticides used increased 6 percent. During 2012, the insecticides oils, spinetoram, beta-cyfluthrin, imidacloprid, and abamectin were used on the greatest acreage (Figure 31). The area treated with oils decreased in 2012 and, except for an increase in 2011 and 2012, its use had been declining since 2005. However, the amount of oils applied in 2012 increased 8 percent. Oils is a class of broad spectrum pesticides that kills soft-bodied insects such as aphids, immature whiteflies, immature scales, psyllids, immature true bugs, thrips, and some insect eggs, as well as mites. Oils also control powdery mildew and other fungi. The decrease in area treated was mostly tied to a reduction in the use of chlorpyrifos and spinosad. The area treated with a number of pesticides, including spirotetramat, pyridaben, and spinetoram increased.

The Asian citrus psyllid (ACP), which vectors Huanglongbing (citrus greening disease), was first detected in California in Los Angeles in 2008. Since that time it has spread throughout southern California, up the Central Coast as far north as the Santa Barbara/San Luis Obispo county line, and to two locations in Tulare County in the San Joaquin Valley. The eradication protocol consists of two treatments: a foliar synthetic pyrethroid, such as beta-cyfluthrin, and a ground treatment with a systemic neonicotinoid, such as imidacloprid or thiamethoxam. Areas treated with beta-cyfluthrin, imidacloprid, and thiamethoxam have all increased. However, despite eradication




Figure 31: Acres of orange treated by all AIs in the major types of pesticides from 1995 to 2012.

efforts, treatments have not prevented the spread of ACP. In most citrus growing regions where there are established populations, growers are advised to provide year-round control by applying a foliar application of an organophosphate (e.g., chlorpyrifos) in the fall, a foliar application of a synthetic pyrethroid in early spring, and a systemic neonicotinoid during the growing season. Additionally, growers are encouraged to treat for other pests using broad-spectrum pesticides that will kill ACP as well. Because imidacloprid is toxic to bees, applying it during bloom is discouraged.

Aside from its use for the ACP eradication program, chlorpyrifos is a broad-spectrum insecticide used primarily for citricola scale control. However, chlorpyrifos resistance in citricola scale populations has been documented and imidacloprid is increasingly being used to help suppress these resistant populations. Its use has steadily increased since 2005, and it is used by many large operations that make pre-planned applications in the spring. It has the positive effect of a growth stimulant for orange trees, possibly because it suppresses nematodes. Imidacloprid is also used in the glassy-winged sharpshooter treatment program, and orange growers are required to treat for the pest to reduce the spread of Pierce's disease in grapes. Nevertheless, sharpshooter populations are increasing in some areas. Acetamiprid is also used in the sharpshooter treatment program, but its use has declined.

Spinosad and spinetoram are relatively new insecticides and are primarily used in citrus to




Figure 32: Acres of orange treated by the top 5 AIs of each AI type from 2008 to 2012.

manage citrus thrips. Both are very selective, allowing natural enemies to survive. They may eventually erode the market share of older insecticides and miticides. Of the two, spinetoram is more effective against citrus thrips populations that have developed resistance to carbamate insecticides, and its persistence and effectiveness has resulted in the reduced use of spinosad. The area treated with spinosad decreased 56 percent in 2012, while spinetoram use increased 15 percent. These two chemicals are in the same chemical category, and the overall acreage treated with one or the other in the last four years has been similar.

Mite populations have increased in recent years, and there has been a concomitant increase in miticide use. This is possibly due to the increased use of imidacloprid, which reduces populations of natural enemies and predatory mites. Fenpropathrin is used to control red mites, citrus thrips, Asian citrus psyllid, katydids, and other miscellaneous pests. The insecticidal activity of fenpropathrin is largely interchangeable with that of beta-cyfluthrin, and use of both insecticides increased in 2012, possibly as ACP treatments.

Abamectin is used for thrips, mites, and citrus leafminer, and it is preferred because it is inexpensive and has broad-spectrum and long residual activity, low worker risk, and a short pre-harvest interval. With the exception of a slight drop in 2007, its use has steadily increased since 2004.

Dimethoate is used for a variety of pests such as scales and thrips. Its declining use is likely due to the growing popularity of replacement insecticides such as neonicotinoids (imidacloprid and acetamiprid) and spinetoram. The area treated with dimethoate declined 64 percent, following a downward trend seen in the last ten years. The use of pyriproxyfen, which is used almost exclusively for California red scale control, has also been declining. The area treated with pyriproxyfen increased slightly (4 percent) in 2012, but has been steadily declining since 2009.

Citrus that is exported to Korea must be treated to prevent transport of Fuller rose beetle. The weevil does not cause economic damage in California, but it is hard to kill. To control it, the University of California Statewide IPM Program recommends 2-4 bifenthrin trunk sprays in June-September, followed by a foliar treatment of thiamethoxam in November. Additional postharvest fumigation with methyl bromide, phosphine, or ethyl formate is also necessary.

Fungicide use decreased both by acreage treated and by amount applied in 2012. The area treated decreased 27 percent to the fewest number of acres treated with fungicides since 2003. This decrease is attributable to a substantial decrease in the use of copper-based fungicides, which are the most widely used fungicides in oranges. They are used to prevent *Phytophthora* gummosis, *Phytophthora* root rot, and fruit diseases such as brown rot and *Septoria* spot. Copper-based pesticides are also used for the brown garden snail. These diseases and pests are exacerbated by wet, cool weather during harvest, but the spring of 2012 was dominated by warm, dry weather. Copper-based pesticide treatments are required for citrus exported to Korea to control *Septoria* spot fungus. Similarly, imazalil is used as a post-harvest treatment to control storage decay.

Weed control is important in citrus groves to prevent weeds from affecting tree growth and yields or impeding production and harvesting operations. Total elimination of all weeds is not necessary. A combination of pre- and post-emergence herbicides are used, as well as mechanical removal. The area treated with herbicides increased 4 percent between 2011 and 2012, and the amount applied was similar to that in 2011. Increases in area treated were observed in the use of glyphosate, saflufenacil, rimsulfuron, and indaziflam; decreases were seen in the use of simazine and diuron. Glyphosate, a post-emergence herbicide, was the most-used herbicide, and the amount of glyphosate applied was the highest in over 9 years. Saflufenacil is a post-emergence, burn-down herbicide that was first used in 2010. The area treated increased 82 percent in 2012. There is a growing problem with resistance of horseweed and fleabane to glyphosate, and saflufenacil is a contact herbicide that is a good replacement.

Use of pendimethalin (a pre-emergence herbicide) has steadily declined since 2007, when it had its highest use in California oranges. Simazine is also a pre-emergence herbicide, as are oryzalin and diuron; use of all these herbicides decreased. Decreased use of pre-emergence herbicides was probably due to the relatively dry conditions in 2012 and reduced weed growth. Decreased use of some herbicides may also be partially due to regulations aimed at protecting ground water quality, particularly the regulations that affect the use of simazine and diuron, which are classified as ground water contaminants and regulated accordingly. Trifluralin and oryzalin are probably replacing diuron as a pre-emergence herbicide.

The area treated with diphacinone, a ground squirrel control agent, increased 38 percent between 2011 and 2012, following an increase in 2011. Prior to 2011, there had been a steady decrease in the area it was used on since 2001. In 2012, diphacinone was applied to the highest number of acres since 2006.

The area treated with metaldehyde decreased 18 percent. Metaldehyde is used to control snails and slugs, and the warm, dry spring inhibited outbreaks of these pests.

Strawberry

In 2012 California produced 2.76 billion pounds of strawberries—over 90 percent of the total U.S. production—valued at more than \$1.94 billion. Market prices determine how much of the crop goes to fresh market and how much is processed, and in 2011, about 93 percent of the crop went to fresh market. About 38,500 acres of strawberries were planted and harvested in 2012, primarily along the central and southern coast, with smaller but significant production occurring in the Central Valley.

Total acreage treated with pesticides increased 12 percent from 2011 to 2012 as harvested acreage increased 1 percent (Table 30). Amounts of pesticide applied increased 16 percent from 2011 to 2012. Fungicides, followed by insecticides, account for the largest proportion of pesticides applied on a per acre basis (Figure 33). The total area treated with fungicides increased 12 percent, while use of insecticides increased 17 percent. Area treated with fumigants increased 11

Table 30: *Total reported pounds of all active ingredients (AI), acres treated, acres harvested, and prices for strawberry each year from 2008 to 2012. Harvested acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	9,920,980	10,046,019	11,038,419	12,089,497	14,050,729
Acres Treated	1,515,882	1,661,396	2,000,497	1,970,651	2,204,754
Acres Harvested	37,600	39,800	38,600	38,000	38,500
Price/cwt	\$ 69.60	\$ 69.40	\$ 69.60	\$ 75.70	\$ 76.80

percent, and area treated with herbicides increased 21 percent. The major pesticides with greatest increase in area treated from 2011 to 2012 were sulfur, boscalid, pyraclostrobin, cyprodinil, and fludioxanil; each of these active ingredients are fungicides. The major pesticides with decreased use were dimethylpolysiloxane, captan, and lecithin.




Figure 33: *Acres of strawberry treated by all AIs in the major types of pesticides from 1995 to 2012.*

The major insect pests of strawberries are lygus bugs and worms (various moth and beetle larvae), especially in the Central and South Coast growing areas. Until recently, lygus bugs were not considered a problem in the South Coast, but lygus has become a serious threat probably due to warmer, dryer winters and increased diversity in the regional crop complex that supports this pest.




Figure 34: Acres of strawberry treated by the top 5 AIs of each AI type from 2008 to 2012.

Insecticides with the greatest increase in area treated from 2011 to 2012 were *Bacillus thuringiensis* (32 percent), bifenthrin (19 percent), abamectin (15 percent), novaluron (29 percent), acetamiprid (62 percent), and chlorantraniliprole (90 percent). With the exceptions of *Bacillus thuringiensis* and chlorantraniliprole, all of these active ingredients are used to control lygus bugs. Insecticides with decreased use include azadirachtin (36 percent), fenpropathrin (6 percent), and malathion (11 percent). Fenpropathrin and malathion are used primarily to control whitefly populations.

The increase in herbicide use in 2012 was due to increases in the area treated with two herbicides: oxyfluorfen (54 percent increase) and pendimethalin (98 percent increase). These herbicides, when used in combination with clear plastic mulches, can be more cost-effective in controlling certain weeds than hand-weeding or multiple fumigant applications. Area treated with glyphosate decreased by 53 percent in 2012.

Fungicides continue to be the most-used pesticides, as measured by area treated. Fungal pressure was higher in 2012 compared to 2011, which is reflected in the overall increase in area treated. Fungicides with significant increases in area treated in 2012 include sulfur (24 percent), pyraclostrobin (18 percent), boscalid (26 percent), quinoxyfen (48 percent), trifloxystrobin (86 percent), and *Reynoutria sachalinensis* extract (175 percent). Pyraclostrobin is frequently used in combination with boscalid. For these two fungicides, both area treated and amount of active ingredient applied increased in 2012 despite concerns about their declining efficacy. *Reynoutria* extract is a relatively new product that is obtained from the giant knotweed plant. This reduced-risk botanical product works by systemically inducing an increased resistance to certain fungi, such as powdery mildew, in the treated plant.

Strawberry production relies on several fumigants. Fumigants accounted for about 87 percent (as measured by pounds applied) of all pesticide AIs applied to strawberries in 2012, but only two percent of the planted acreage was treated. The area treated with fumigants in 2012 increased 16 percent. This increase is attributable to increases in the use of three fumigant active ingredients: chloropicrin (11 percent), 1,3-dichloropropene (24 percent), and metam-sodium (72 percent). Area treated with methyl bromide dropped by 23 percent in 2012. Methyl bromide is used primarily to control pathogens and nutsedge. Metam-sodium is generally more effective in controlling weeds, but less effective than 1,3-dichloropropene or 1,3-dichloropropene plus chloropicrin against soilborne diseases and nematodes. Fumigants usually are applied at higher rates than other pesticide types, such as fungicides and insecticides, in part because they treat a volume of space rather than a surface such as leaves and stems of plants. Thus, the amounts applied are large relative to other pesticide types even though the number of applications or number of acres treated may be relatively small.

Peach and nectarine

California grew 74 percent of all U.S. peaches (including 58 percent of fresh market peaches and 100 percent of processed peaches) and 95 percent of nectarines in 2012. Most freestone peaches

and nectarines are produced in Fresno, Tulare, and Kings counties in the central San Joaquin Valley and sold on the fresh market. Clingstone peach, largely grown in the Sacramento Valley, is used exclusively for processing into canned and frozen products including baby food and juice. Peach and nectarine are discussed together because pest management issues for the two crops are similar.

Bearing acreage of peach and nectarine continued to decline in 2012, decreasing 3 percent (Table 31). Low production helped raise the overall price per ton 27 percent compared to 2011, perhaps signaling that the California stone fruit industry is turning a corner after several years of financial hardship and consolidation. During that period some growers switched to grapes or nut crops, which have lower labor requirements and higher profit margins. Other factors contributing to higher prices in 2012 included losses due to bad weather, an increase in canned peach exports while imports declined (especially from China, California's main competitor), and growing consumer demand for fresh peaches and nectarines coupled with a reduction in competing production in other U.S. states due to adverse weather conditions.

Table 31: *Total reported pounds of all active ingredients (AI), acres treated, acres bearing, and prices for peach and nectarine each year from 2008 to 2012. Bearing acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	5,387,748	5,033,843	4,469,213	4,562,657	3,950,860
Acres Treated	1,439,445	1,382,214	1,341,690	1,337,310	1,352,509
Acres Bearing	87,000	81,500	78,000	74,000	72,000
Price/ton	\$ 350.84	\$ 483.04	\$ 427.95	\$ 451.35	\$ 572.68

Peach and nectarine acreage treated with the major categories of pesticides has fluctuated from year to year since 1994. Data for most types of pesticide use do not show substantial increasing or decreasing trends (Figure 35). The total amount of pesticide AI applied decreased 13 percent but the number of cumulative acres treated remained almost unchanged (Table 31). The area treated with insecticides and herbicides increased while the area treated with fungicides and sulfur declined (Figure 35).

Rainfall in California during winter 2011/12 was sparse, with many Central Valley peach and nectarine growing areas reporting 30–80 percent of normal. Ample chilling hours produced a good bloom. Full bloom came earlier than in 2011 and was followed by severe frost and hail damage. A series of mid-April hailstorms shredded leaves, knocked fruit off of trees, and slashed developing fruit. Labor costs increased after the storms because thinning had to be more selective. Some growers suffered massive crop losses and damage totaled tens of millions of dollars. A July hot spell that slowed growth plus a lack of thinning labor caused clingstone peaches to be small-to average-sized, but freestone peach and nectarine quality was good. Reduced per acre yields

contributed to 6, 9, and 17 percent decreases in production for clingstone peaches, freestone peaches, and nectarines, respectively, compared to 2011.




Figure 35: Acres of peach and nectarine treated by all AIs in the major types of pesticides from 1995 to 2012.

Warm dry weather can favor survival and reproduction of insect pests and mites that attack orchard trees. Total cumulative peach and nectarine acreage treated with insecticides and miticides increased 9 percent in 2012 in spite of the decrease in bearing acreage. Price and efficacy also affect choices of pesticide products. Figure 36 shows the most-used insecticide AIs as measured by area treated. Oils are applied during the dormant season or the growing season or both to prevent outbreaks of scales, mites, and larval moth pests. Esfenvalerate is a broad-spectrum chemical used during tree dormancy or the growing season or both and offers an alternative to the oriental fruit moth (OFM) mating disruption pheromones E-8-dodecenyl acetate, Z-8-dodecenyl acetate, and Z-8-dodecenol. The striking increases in area treated with chlorantraniliprole (42 percent) and abamectin (47 percent) suggest that growers were responding to problems caused by mites, thrips, possibly katydids in the San Joaquin Valley, and the larvae of moths such as OFM, peach twig borer, and leafrollers. Spinetoram, an AI that controls thrips, moth larvae, and katydids, was applied to 31 percent more acres than in 2011. Area treated with the broad-spectrum synthetic pyrethroid beta-cyfluthrin, which is very inexpensive, soared 79 percent. Growers also applied insect growth regulators (IGRs) to more acres: The use of pyriproxyfen, which controls sucking insects including San Jose scale, and methoxyfenozide, which affects moth larvae, was up 76 and 26 percent, respectively. IGRs are comparatively slow




Figure 36: Acres of peach and nectarine treated by the top 5 AIs of each AI type from 2008 to 2012.

to take effect and applications must be well timed, but Farm Advisors have been recommending them as relatively “soft” management tools and part of AI rotations that prevent the development of resistance to other insecticides. Contrary to the general upward trend in insecticide use, phosmet was applied to 38 percent fewer acres in 2012. The continuing decrease in phosmet use may reflect pesticide residue concerns, reduced-risk cannery guidelines for growers, and declining effectiveness for moth control.

Cumulative total acres of peach and nectarine orchards treated with fungicides and sulfur during 2012 declined 4 and 5 percent, respectively—only slightly more than the decline in bearing acres (Figure 35). This suggests that crop disease pressure was similar to that in 2011. Sulfur is the standard treatment for preventing powdery mildew infection (Figure 36). It has no curative effect, unlike propiconazole and the reduced-risk AIs pyraclostrobin and boscalid, all of which control powdery mildew and brown rot reliably (Figure 36). Many growers also use propiconazole to control sour rot, especially during fruit ripening mid- to late-season. Ziram provides excellent control of leaf curl and is also effective against shot hole and scab diseases. Copper-based fungicides, which have become expensive, are applied to control leaf curl and shot hole diseases. Iprodione is reliable for brown rot control. Tebuconazole controls brown rot and is also effective against powdery mildew and rust.

Rainfall during the growing season affects the volume of fresh peaches and nectarines treated with fungicides after harvest to prevent spoilage by rots and molds. Brown rot is the chief cause of postharvest fruit decay, but gray mold (known as *Botrytis* bunch rot when it infects grapes), *Rhizopus* rot (aka black bread mold), and sour rot can also pose significant problems. Fludioxonil and fenhexamid generally dominate postharvest fungicide applications. Propiconazole is the most effective fungicide for preventing post-harvest sour rot. These fungicides allow fruit to be shipped over longer periods to distant export markets or displayed within the marketplace at shelf temperatures without decay developing.

In spite of the dry winter, herbicides were applied to 5 percent more cumulative acres of peach and nectarine orchards in 2012 (Figure 35). Increasing problems with glyphosate-resistant weeds and significantly higher crop prices may have lessened some growers’ inclination to save money by cutting back on weed control. The area treated with pyraflufen-ethyl (Figure 36) and indaziflam soared 3,705 and 784 percent, respectively. Pyraflufen-ethyl became cheaper because its patent expired. It works well against hard-to-control weeds such as *Malva*, bindweed, and hairy fleabane and is excellent against catchweed bedstraw, an increasingly problematic weed with clinging seeds that are easily spread by animals and are annoying to orchard laborers. Indaziflam is a new AI that mixes well with other herbicides and controls glyphosate-resistant weeds such as hairy fleabane and Italian ryegrass. Oxyfluorfen, pendimethalin, rimsulfuron, and indaziflam are pre-emergence herbicides that are applied to soil before the growing season to prevent weed sprouting. Post-emergence herbicides such as glyphosate, 2,4-D, paraquat dichloride, and pyraflufen-ethyl kill existing weeds on contact.

Fumigants are used in peach and nectarine orchards for rodent control and for pre-plant soil treatments against arthropod pests, nematodes, pathogens, and weeds. Areas with rodent burrows fumigated with aluminum phosphide dropped 87 percent, perhaps in part because lack of rainfall reduced food and shelter for rodent pests. Moreover, aluminum phosphide requires and works best in moist soils. The area treated with the most widely-used pre-plant soil fumigants, 1,3-dichloropropene and chloropicrin, decreased in 2012 73 and 88 percent, respectively. This is generally associated with decreased replanting. Indeed, in 2012 over 2,400 acres of clingstone peach trees were pulled out while only 400 acres were planted; nursery sales of small cling peach trees sank 66 percent to the lowest figure in over 20 years. In recent years relatively few acres—57 in 2012—have been treated with the soil fumigant methyl bromide before planting. Field agricultural use of methyl bromide is being phased out and it has become expensive. Changing interactions between nematode infestations, pathogen infections, rootstock choices, and application patterns also affect fumigant selection and use from year to year.

Depending on the importing country, growers who export fresh fruit may need to follow protocols that require carefully documented pre-harvest pest trapping, monitoring, and pesticide treatments or a post-harvest quarantine pesticide treatment. Methyl bromide is currently the only post-harvest fumigant used to treat fresh peach and nectarine to prevent transport of potentially invasive species within or outside the state. In 2012, a total of 3,118 pounds of methyl bromide was applied post-harvest to peach and nectarine, a decrease of approximately 9 percent.

A cumulative total of 1,096 acres of peaches and nectarines were treated with plant growth regulators (PGRs) in 2012. Gibberellins, which are plant hormones that regulate growth and development, were applied to 924 acres. Amino ethoxy vinyl glycine hydrochloride, an ethylene synthesis inhibitor, was applied to 171 acres. Both chemicals can enhance the firmness, size, and storability of fruit. In many cultivars, gibberellins applied from May through July can reduce the percentage of buds that produce flowers the following year. As a result, fruit numbers are reduced, the need for hand thinning is reduced and in some cases eliminated, and fruit quality is better. There are risks associated with “chemical thinning” because it is impossible to predict weather conditions during bloom and fruit set, but a worsening scarcity of field labor may have motivated some growers to experiment with PGRs for that purpose.

Carrot

California is the largest producer of fresh market carrots in the United States, accounting for 81 percent of the U.S. production of 2.3 billion pounds in 2012. California has four main production regions for carrots: the San Joaquin Valley (Kern County), the Central Coast in San Luis Obispo and Santa Barbara counties (Cuyama Valley) and Monterey County, the low desert (Imperial and Riverside counties), and the high desert (Los Angeles County). The San Joaquin Valley accounts for more than half the state’s acreage.

In 2012, 62,000 acres of carrots were planted, a decrease of 5 percent from 2011 (Table 32). The amount of AI applied to carrots increased 9 percent (6.6 million in 2011 to 7.2 million in 2012),

Table 32: *Total reported pounds of all active ingredients (AI), acres treated, acres planted, and prices for carrot each year from 2008 to 2012. Planted acres from 2008 to 2012 are from USDA, August 2013; marketing year average prices from 2008 to 2012 are from USDA, August 2013. Acres treated means cumulative acres treated (see explanation p. 10).*

	2008	2009	2010	2011	2012
Pounds AI	10,025,381	5,238,641	8,107,134	6,615,370	7,186,253
Acres Treated	622,276	427,434	445,375	457,584	499,755
Acres Planted	63,500	63,500	57,000	65,000	62,000
Price/cwt	\$ 25.20	\$ 25.70	\$ 27.60	\$ 34.20	\$ 26.60

and the area treated increased 9 percent (Table 32). Reported use of herbicides and fumigants both increased 6 percent in terms of area treated, while use of fungicides increased 8 percent (Figure 37). Cumulative area of carrot treated with insecticides increased 26 percent, while the amount of insecticide applied decreased 26 percent.




Figure 37: *Acres of carrot treated by all AIs in the major types of pesticides from 1995 to 2012.*

The most-applied fungicides in 2012, as measured by cumulative acres treated, were sulfur, mefenoxam, pyraclostrobin, and cyazofamid. The trend in fungicide use in 2012 was similar to the previous year, though mefenoxam use decreased and cyazofamid use increased (Figure 38). Cyazofamid is a relatively new fungicide for cavity spot control and is often used in rotation with mefenoxam (Figure 38). Cavity spot is a major soilborne fungal disease that is also controlled by




Figure 38: Acres of carrot treated by the top 5 AIs of each AI type from 2008 to 2012.

fenamidone or the soil fumigants metam-sodium and metam-potassium. In addition, the use of QST 713 strain of dried *Bacillus subtilis* to control soil borne diseases increased 54 percent, due in part to positive research results. Alternaria leaf blight, a foliar disease, is generally controlled with iprodione, chlorothalonil, pyraclostrobin, and azoxystrobin. Sulfur, an inexpensive and popular choice for controlling powdery mildew, saw a 12 percent increase in use (Figure 38). Copper-based pesticides, also used for powdery mildew, increased 6 percent over the previous year. Boscalid, used to control cottony soft rot, saw a 20 percent increase.

The main herbicides used in carrot production in terms of area treated in 2012 were linuron, pendimethalin, trifluralin, fluazifop-p-butyl, and clethodim (Figure 38). Linuron, a post-emergence herbicide that provides good control of broadleaf weeds and small grasses, showed a 7 percent increase in use (Figure 38). Trifluralin is a pre-emergence herbicide that complements linuron for weed management; its use decreased 3 percent. Pendimethalin, another selective herbicide, saw a 16 percent increase in use. Fluazifop-p-butyl, a selective post-emergence phenoxy herbicide used for control of annual and perennial grasses, decreased 18 percent.

The major insecticides used in 2012 in terms of area treated included esfenvalerate, imidacloprid, methoxyfenozide, s-cypermethrin, and diazinon (Figure 38). The area treated with the insecticide esfenvalerate, used against a range of insect pests such as whitefly, flea beetles, leafhoppers, and cutworms, increased 46 percent. The use of imidacloprid, effective against aphids and whiteflies, increased 60 percent, which may be attributed to its low cost and the broad-spectrum activity. Use of methoxyfenozide, a selective insecticide that controls lepidopterous pests, such as cutworms and leafhoppers, increased 113 percent, while use of the pyrethroid s-cypermethrin increased 137 percent. Use of diazinon, used to control aphids and flea beetles, decreased 26 percent, and use of methomyl, a carbamate pesticide that is effective against cutworms, leafhoppers, and whiteflies, decreased 16 percent. The use of the biological insecticide spinosad increased 224 percent after a 60 percent decline between 2010 and 2011. Growers are moving away from older broad-spectrum pesticides to those with relatively new chemistries that have fewer potential problems with target pest resistance. Concern about meeting maximum residue limits may also be contributing to growers' changing preferences.

Fumigants in carrot production are primarily used to manage nematodes and also provide control of weeds and soil-borne diseases. In terms of pounds applied, fumigants accounted for 90 percent of all pesticide AIs applied to carrot acreage. The area treated with metam-sodium decreased 25 percent, while metam-potassium use increased 45 percent. The move from metam-sodium to metam-potassium may be due to a marketing push by manufacturers and because metam-potassium adds the nutrient potassium. As metam is generally required to be applied by soil shank, which is a less effective application method, growers have also been switching to 1,3-dichloropropene, which saw a 119 percent increase in area treated. No chloropicrin use was reported in carrot production in 2012.

Sources of Information

Adaskaveg, J., D. Gubler and T. Michailides. 2012. Fungicides, bactericides, and biologicals for deciduous tree fruit, nut, strawberry, and vine crops. UC Davis Dept. of Plant Pathology, UC Kearney Agricultural Center, UC Statewide IPM Program. 51 pp.
<<http://plantpathology.ucdavis.edu/files/146650.pdf> >

Allied Grape Growers Newsletters. September 2012, January 2013, May 2013.

Almond Board of California. <<http://www.almondboard.com>>

Brieter, N., and M. Sullivan. 2007. Grape commodity based survey reference. Cooperative Agricultural Pest Survey, 227 pp.

California Canning Peach Association. 2012. Peach Fuzz newsletter. Various issues.

California Canning Peach Association. 2013. Cling Peach Review. Winter/Spring. 20 pp.

California Canning Peach Association Web site, <<http://www.calpeach.com/statistics.html>>, viewed 30, 2013.

California Department of Food and Agriculture - National Agricultural Statistics Service (CDFA). March 2013. California Grape Acreage Report 2012.

California Department of Food and Agriculture - National Agricultural Statistics Service (CDFA). April 2013. 2012 California Almond Acreage Report.

California Farm Bureau. 2010–2012. Ag Alert. Various issues. <<http://www.agalert.com/>>

California Grape & Tree Fruit League Web site, In the News
<<http://www.cgftfl.com/cgftfl-in-the-news> >viewed August 30, 2013.

California Winegrape Workgroup. 2009. A pest management strategic plan for winegrape production in California, 95pp.

County Agricultural Commissioners

Department of Agriculture and Weights and Measures, Napa County. 2012. Ag Commissioner/Sealer News, November, 10 pp.

Fidelibus, Matthew & Stephen Vasquez. 2012. Using Plant Growth Regulators to Improve the Color of Grapes. Extension <<http://www.extension.org/pages/31613/using-plant-growth-regulators-to-improve-the-color-of-grapes>>

Growers

Lurie, S., and C. H. Crisosto. 2005. Chilling injury in peach and nectarine. *Postharvest Biology and Technology* 37:195-208.

<http://www.clemson.edu/extension/peach/files_documents/chillinginjurypeach.pdf >

Napa Valley Grapegrowers, various reports. <<http://www.napagrowers.org/> >

Pest Control Advisors

Private Consultants

Stenersen, J. H. V. 2004. *Chemical pesticides: Mode of action and toxicology*. CRC Press, London.

Southwick, S. M., and K. Glozer. 2000. Reducing flowering with gibberellins to increase fruit size in stone fruit trees: Applications and implications in fruit production. *HortTechnology* 10(4): 744-751. <<http://horttech.ashspublications.org/content/10/4/744.full.pdf> >

University of California ANR Field Notes, San Joaquin County. November, 2012. 10 pp.

University of California Cooperative Extension Area IPM Advisors

University of California Cooperative Extension Farm Advisors

University of California. IPM Pest Management Guidelines. Grape.
<<http://www.ipm.ucdavis.edu/PMG/selectnewpest.grapes.html> >.

University of California-IPM. 2012 Annual Report. Non-native bugs invade California, p. 6.

University of California Researchers

United States Department of Agriculture - National Agricultural Statistics Service (USDA). 2012. *California Crop Weather*. Vol. 32 (weekly bulletins).

United States Department of Agriculture - National Agricultural Statistics Service (USDA). October 2012. *California Agricultural Statistics 2011 Crop Year*.

United States Department of Agriculture - National Agricultural Statistics Service (USDA). August 2013. Quick Stats (<http://quickstats.nass.usda.gov>).

United States Department of Agriculture - National Agricultural Statistics Service, 2013
California Walnut Objective Measurement Report

Varela, Lucia G.; Rhonda J. Smith; and Glenn T. McGourty. 2013. Sonoma County Farm News, July.

Weksler, A., A. Dagar, H. Friedman and S. Lurie. 2009. The effect of gibberellin on firmness and storage potential of peaches and nectarines. Proceedings of the VII International Peach Symposium. International Society for Horticultural Science Acta Horticulturae 962.
<http://www.actahort.org/books/962/962_80.htm >

Western Farm Press. 2012. Newspaper published two or three times per month. Various issues.

6 Summary of Pesticide Use Report Data 2012 Indexed by Commodity

The following report presents information of statewide pesticide use for 2012. For each commodity, the chemical that was used, total pounds applied, the number of agricultural applications made, and the amount of commodity treated are summarized.

A summary by chemical is presented in a separate report, *Summary of Pesticide Use Report Data 2012 Indexed by Chemical*. Both versions of the Pesticide Use Report are available on a cd (send requests to <bibewiro@cdpr.ca.gov>) or can be found on DPRs Web site at <www.cdpr.ca.gov/docs/pur/purmain.htm>.

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
AIRPORT				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.65	1	55.00	A
CHLORSULFURON	1.50		12.00	A
DIQUAT DIBROMIDE	51.28	1	55.00	A
FLUMIOXAZIN	7.65		12.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	24.00		12.00	A
GLYPHOSATE, POTASSIUM SALT	259.29		48.00	A
LECITHIN	12.21		12.00	A
METHYLATED SOYBEAN OIL	31.15	1	67.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.70	1	55.00	A
PENDIMETHALIN	15.91		16.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1.25	1	55.00	A
SULFOMETURON-METHYL	3.00		12.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	6.10		12.00	A
Site Total	420.69	3		
ALFALFA				
ABAMECTIN	106.17	125	9,003.31	A
ACEPHATE	14,220.21	211	14,605.80	A
ACETAMIPRID	2.41	1	50.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	105.06	144	10,367.32	A
ACRYLIC ACID	80.59	69	4,664.97	A
ALCOHOLS, C4-C12, NORMAL	84.86	267	12,140.90	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	8,425.14	938	65,126.76	A
ALKYL BENZENE SULFONIC ACID	0.22	1	75.00	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	5.10	1	33.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	5.10	1	33.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5,861.27	1,533	92,914.00	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,287.14	162	7,994.49	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,033.79	622	37,716.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	628.23	270	17,411.57	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.93	5	171.50	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	78.06	270	17,411.57	A
ALPHA-ALKYL (C6-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	193.48	28	1,911.90	A
ALPHA-ALKYL (C12-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	162.21	23	1,810.20	A
ALPHA-PINENE BETA-PINENE COPOLYMER	1,595.40	134	9,862.90	A
	5.47	1	74.00	C
Total Pounds On This Chemical	1,600.86			
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,654.52	1,038	63,165.52	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.59	1	71.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	50.12	15	762.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALFALFA				
ALKYL (C8,C10) POLYGLUCOSIDE	16,898.26	1,344	70,357.04	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	245.47	36	2,167.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	28.17	99	3,787.68	A
ALUMINUM PHOSPHIDE	615.86	177	24,617.00	A
	0.03		11.00	P
Total Pounds On This Chemical	615.89			
AMMONIUM NITRATE	4,907.92	980	53,127.38	A
AMMONIUM PROPIONATE	1,984.24	212	12,823.92	A
AMMONIUM SULFATE	39,615.73	3,427	175,609.05	A
AZADIRACTIN	4.04	7	483.00	A
AZINPHOS-METHYL		1	45.00	A
AZOXYSTROBIN	23.70	2	138.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	88.39	3	379.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	855.68	21	1,904.80	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	518.66	26	1,792.76	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	3.30	1	32.00	A
BACILLUS THURINGIENSIS SUBSPECIES KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7841				
LEPIDOPTERAN ACTIVE TOXIN	295.20	5	369.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	526.15	43	3,218.00	A
BENEFIN	4,492.16	58	3,594.87	A
BENZOIC ACID	244.93	514	26,311.99	A
BIFENTHRIN	239.12	37	2,417.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3,046.97	1,082	69,361.70	A
	0.23	1	74.00	C
Total Pounds On This Chemical	3,047.20			
BOSCALID	173.26	15	757.48	A
BROMOXYNIL HEPTANOATE	3,566.38	348	16,598.40	A
BROMOXYNIL OCTANOATE	9,295.57	535	28,927.91	A
2-BUTOXYETHANOL	0.59	1	71.00	A
BUTYL ALCOHOL	1,207.50	1,045	60,323.07	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	2,416.95	1,426	70,705.37	A
CALCIUM CHLORIDE	554.71	841	46,318.41	A
CANOLA OIL	1.33	4	256.28	A
CARBARYL	291.78	7	318.00	A
CARFENTHAZONE-ETHYL	6.66	15	544.00	A
CASTOR OIL ETHOXYLATE	247.31	178	10,561.17	A
CHLORANTRANILIPROLE	1,322.98	689	43,631.90	A
CHLORPYRIFOS	174,669.06	6,398	405,521.21	A
CITRIC ACID	5,229.18	2,999	162,615.68	A
CLETHODIM	35,677.31	3,055	167,049.50	A
COCONUT DIETHANOLAMIDE	75.20	323	17,237.39	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	44.13	681	35,703.93	A
COPPER HYDROXIDE	9.22	1	16.00	A
CORN SYRUP	2,009.04	134	8,003.80	A
COTTONSEED OIL	16,333.30	399	21,627.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALFALFA				
CYFLUTHRIN	876.17	361	22,564.58	A
BETA-CYFLUTHRIN	1,841.81	1,728	87,451.07	A
CYHALOFOP-BUTYL	24.59	2	71.00	A
CYPERMETHRIN	8.60	4	191.50	A
(S)-CYPERMETHRIN	4,137.85	1,347	95,284.29	A
2,4-D	6.10	1	40.00	A
2,4-D, BUTOXYETHANOL ESTER	10.83	1	40.00	A
2,4-D, BUTYL ESTER	2.71	1	5.00	A
2,4-D, DIMETHYLAMINE SALT	1,151.80	12	952.50	A
2,4-DB ACID	5,825.99	245	11,301.22	A
4-(2,4-DB), DIMETHYLAMINE SALT	44,435.07	1,111	61,739.30	A
ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	32.47	25	1,906.04	A
DERIVATED NATURAL POLYMERS	7.44	57	3,351.35	A
DIAMMONIUM PHOSPHATE	12.65	10	720.00	A
DICAMBA, DIMETHYLAMINE SALT	44.99	6	217.00	A
DIETHYLENE GLYCOL	6,694.95	2,222	131,812.14	A
DIETHYLENE GLYCOL MONOETHYL ETHER	1.77	13	1,199.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	70.71	6	205.00	A
DIMETHOATE	55,981.33	2,297	141,045.24	A
DIMETHYL ALKYL TERTIARY AMINES	266.78	514	26,311.99	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	24.98	35	2,419.70	A
DIMETHYLPOLYSILOXANE	385.29	5,826	346,826.75	A
DIMETHYL SILICONE FLUID EMULSION	0.62	3	315.00	A
ALPHA-(ORTHO, PARA-DINONYLPHENYL)-OMEGA- HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	31.49	14	722.90	A
DIOCTYL PHTHALATE	7.25	3	137.90	A
DIPHACINONE	0.35	22	736.90	A
	0.02	10	110,000.00	S
Total Pounds On This Chemical	0.36			
DIPROPYLENE GLYCOL METHYL ETHER	32.43	150	7,381.70	A
DIQUAT DIBROMIDE	16,796.08	295	20,459.60	A
DIURON	66,817.49	946	58,349.80	A
DODECYLBENZENE SULFONIC ACID	325.88	323	17,237.39	A
DODECYLBENZENE SULFONIC ACID, CALCIUM SALT	0.66	4	256.28	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.54	5	340.00	A
EDTA, SODIUM SALT	0.82	16	935.40	A
EDTA, TETRASODIUM SALT	20.05	323	17,237.39	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	9,298.97	505	34,388.35	A
EPTC	71,247.11	461	29,924.62	A
ESFENVALERATE	1.95	1	48.00	A
ETHION	< 0.01	1	44.50	A
ETHYLENE GLYCOL	5,639.28	319	25,605.31	A
ETHYLENE GLYCOL MONOMETHYL ETHER	6.84	1	30.00	A
FATTY ACIDS, METHYL ESTERS	481.15	11	803.20	A
FATTY ACIDS, MIXED	4,440.16	1,835	120,767.45	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	10,226.14	894	56,101.18	A
FATTY ACIDS DERIVED FROM TALLOW	1,461.89	1,038	63,165.52	A
FERROUS SULFATE	229.45	681	35,703.93	A
FLONICAMID	1,849.11	288	21,188.25	A
FLUBENDIAMIDE	3,683.74	862	61,099.75	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALFALFA				
FLUMIOXAZIN	8,184.03	1,100	65,873.90	A
FORMETANATE HYDROCHLORIDE	5,595.16	89	6,325.20	A
GAMMA-CYHALOTHRIN	181.71	393	18,752.53	A
GLUFOSINATE-AMMONIUM	40.91	9	79.00	A
GLYCEROL	272.35	62	3,073.10	A
GLYPHOSATE, ISOPROPYLAMINE SALT	45,882.27	618	29,873.20	A
GLYPHOSATE, POTASSIUM SALT	154,112.99	1,824	93,696.73	A
HALOSULFURON-METHYL	166.05	141	3,954.36	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	100.30	66	3,470.05	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	68.49	357	16,711.48	A
HEXAZINONE	44,969.16	1,808	104,784.90	A
HEXYTHIAZOX	156.99	12	1,282.10	A
HYDROTREATED PARAFFINIC SOLVENT	39,950.65	673	39,151.40	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1,027.99	434	22,958.52	A
IMAZAMOX, AMMONIUM SALT	4,251.47	1,808	107,223.31	A
IMAZETHAPYR	48.63	12	521.23	A
IMAZETHAPYR, AMMONIUM SALT	6,671.80	1,618	92,476.28	A
IMIDACLOPRID	3.84	2	88.00	A
INDOXACARB	13,653.97	2,636	179,262.70	A
ISODECYL ALCOHOL	40.54	31	2,238.40	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	2.29	1	40.00	A
ISOOCTYL PHTHALATE	6.93	1	30.00	A
ISOPARAFFINIC HYDROCARBONS	295.51	6	595.00	A
ISOPROPYL ALCOHOL	11,807.52	5,390	336,840.90	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	119.79	906	46,284.56	A
KEROSENE	445.60	458	23,703.39	A
LAMBDA-CYHALOTHRIN	11,851.40	6,862	403,744.39	A
LECITHIN	5,725.10	972	62,880.00	A
MAGNESIUM SULFATE	2.44	5	700.00	A
MALATHION	94,618.57	1,369	81,829.33	A
MANGANESE SULFATE	328.70	697	37,245.93	A
MARGOSA OIL	300.55	6	453.00	A
MCPA, DIMETHYLAMINE SALT	371.92	8	679.00	A
MEFENOXAM	317.53		1,064.00	T
	97.08	11	663.50	A
	21.94		973,235.00	P
Total Pounds On This Chemical	436.55			
MEFENOXAM, OTHER RELATED		9.83	1,064.00	T
		0.68	973,235.00	P
Total Pounds On This Chemical	10.51			
MEPIQUAT CHLORIDE	1.51	1	35.00	A
MESOSULFURON-METHYL	1.87	2	140.00	A
METALAXYL	56.61		3,110,277.00	P
METAM-SODIUM	9,990.60	2	56.00	A
METHIDATHION	1,260.98	11	1,277.90	A
METHOMYL	15,686.53	320	22,275.88	A
METHOXYFENOZIDE	12,619.56	2,104	127,099.99	A
	4.52	1	74.00	C
Total Pounds On This Chemical	12,624.08			
METHYLATED SILICA	95.54	132	7,748.80	A
METHYLATED SOYBEAN OIL	45,360.05	1,953	108,343.30	A
METHYL CELLULOSE	7.15	3	137.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALFALFA				
METHYL PARATHION	2.00	1	34.00	A
METHYL SILICONE RESINS	4.76	7	477.80	A
METOLACHLOR	537.01	3	360.00	A
METRIBUZIN	9,653.44	349	17,872.15	A
MINERAL OIL	53,613.84	1,034	65,371.20	A
	1.92	1	74.00	C
Total Pounds On This Chemical	53,615.77			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	52.26	18	945.40	A
MORPHOLINE	6.13	4	167.90	A
NALED	6,861.61	70	4,915.46	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	4,110.09	1,454	91,347.94	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	67,219.63	12,116	719,996.52	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	1,784.24	459	28,664.94	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	13,452.54	798	50,675.14	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	227.49	110	6,737.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	19.94	150	9,780.70	A
NORFLURAZON	4,965.50	77	4,812.07	A
NOVALURON	757.62	115	9,652.21	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	469.81	214	14,616.66	A
OLEIC ACID	3,951.19	430	28,824.82	A
OLEIC ACID, METHYL ESTER	24,616.90	882	47,113.20	A
ORCHEX 796 OIL	27,007.96	391	26,517.42	A
ORGANO/MODIFIED POLYSILOXANE	1.33	15	762.20	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	192.42	67	3,629.80	A
OXYDEMETON-METHYL	5.19	4	14.00	A
OXYFLUORFEN	100.55	35	463.93	A
PARAQUAT DICHLORIDE	121,521.14	3,438	196,261.97	A
PARATHION	99.47	1	70.00	A
PARATHION, OTHER RELATED	4.77	1	70.00	A
PENDIMETHALIN	594,371.57	4,648	281,221.70	A
PENOXSULAM	2.59	1	72.00	A
PERMETHRIN	2,667.98	301	19,885.14	A
PETROLEUM DISTILLATES	8,393.93	199	9,899.62	A
PETROLEUM DISTILLATES, ALIPHATIC	3,033.23	190	12,650.32	A
PETROLEUM DISTILLATES, AROMATIC	61.30	2	133.00	A
PETROLEUM NAPHTHENIC OILS	73.54	144	10,367.32	A
PETROLEUM OIL, PARAFFIN BASED	65,516.85	2,282	130,993.26	A
PHOSMET	72.17	9	104.00	A
PHOSPHORIC ACID	8,815.14	4,571	271,863.83	A
PINOXADEN	4.61	1	93.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	278.66	524	35,503.92	A
POLYACRYLAMIDE POLYMER	292.70	749	46,340.02	A
POLYACRYLIC POLYMER	179.65	1,011	51,903.54	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	320.29	562	35,180.14	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	119.49	24	1,848.00	A
POLYBUTENES	1,813.54	890	55,844.90	A
POLYETHER MODIFIED POLYSILOXANE	617.15	532	35,856.15	A
POLYETHOXYLATED CASTOR OIL	63.27	86	4,992.70	A
POLYETHYLENE GLYCOL	9,316.42	1,909	114,365.99	A
POLYETHYLENE GLYCOL DIACETATE	2.56	99	3,787.68	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALFALFA				
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	562.96	77	5,501.67	A
POLYETHYLENE GLYCOL OLEATE	57.84	35	2,419.70	A
POLY-I-PARA-MENTHENE	131.30	10	640.20	A
POLYMERIZED ACRYLIC ACID	6.13	3	254.00	A
POLYMERIZED PINENE	102.52	6	379.00	A
POLYOXYETHYLENE DIOLEATE	4.01	67	3,629.80	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	2,376.91	372	18,422.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	325.66	54	3,357.10	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	4.83	5	142.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	50,135.53	676	46,039.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	638.03	150	9,780.70	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	479.18	906	46,284.56	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	3,184.49	935	48,446.88	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	2,474.01	193	11,681.37	A
POLYPROPYLENE GLYCOL	0.10	3	27.80	A
POLYSACCHARIDE POLYMER	11.86	294	20,426.96	A
POLYSILOXANE	138.04	611	25,270.45	A
POTASH SOAP	49.97	1	64.00	A
POTASSIUM HYDROXIDE	65.70	283	13,913.01	A
POTASSIUM NITRATE	292.68	198	9,753.61	A
POTASSIUM PHOSPHITE	11.27	1	36.00	A
PROPANIL	345.06	2	71.00	A
PROPARGITE	6,090.92	48	3,183.35	A
PROPICONAZOLE	0.93	1	44.00	A
PROPIONIC ACID	3,288.68	735	49,831.31	A
PROPYLENE GLYCOL	1,404.99	540	31,639.64	A
PROPYLENE GLYCOL, METHYL ETHER	5.91	10	722.00	A
PROPYZAMIDE	736.04	12	1,668.00	A
PYRACLOSTROBIN	96.20	17	821.48	A
PYRETHRINS	32.71	8	604.00	A
QUINOXYFEN	4.61	1	44.00	A
REYNOUTRIA SACHALINENSIS	10.53	1	75.00	A
SAFLUFENACIL	1.01	1	35.00	A
SALICYLIC AND BENZOIC ESTERS OF PROPYLENE GLYCOL	326.34	2	255.00	A
SETHOXYDIM	2,606.30	202	8,978.01	A
SILICONE	1.05	4	459.64	A
SILICONE DEFOAMER	13.34	358	18,876.29	A
SIMAZINE	95.04	2	88.00	A
SODIUM DIISOCTYLSULFOSUCCINATE	1.87	4	167.90	A
SODIUM DIOCTYLSULFOSUCCINATE	45.08	25	1,700.70	A
SODIUM DODECYLBENZENE SULFONATE	1.51	22	1,437.50	A
SODIUM HYDROXIDE	115.44	68	3,302.10	A
SODIUM HYPOCHLORITE	5.08	4	2,400.00	?
SODIUM POLYACRYLATE	331.59	209	12,569.92	A
SODIUM TRIPOLYPHOSPHATE	0.61	1	71.00	A
SODIUM XYLENE SULFONATE	100.27	323	17,237.39	A
SORBITAN FATTY ACID ESTERS	139.57	150	9,780.70	A
SORBITAN MONOOLEATE	2.96	6	162.10	A
SORBITAN TRIOLEATE	16.24	25	1,906.04	A
SORBITOL	17.30	22	1,437.50	A
SPINOSAD	68.76	13	1,142.00	A
SPIROMESIFEN	43.90	7	290.70	A
SPIROTETRAMAT	0.54	1	44.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALFALFA				
STRYCHNINE	22.05	74	1,917.50	A
STYRENE BUTADIENE COPOLYMER	25.39	10	847.00	A
SULFUR	886,044.61	371	26,538.68	A
SULFURIC ACID	28.05	36	2,167.00	A
TALL OIL	3,870.10	1,342	76,479.44	A
TALL OIL FATTY ACIDS	8,991.53	2,255	132,626.31	A
	0.08	1	74.00	C
Total Pounds On This Chemical	8,991.61			
TEBUCONAZOLE	2.81	1	44.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	1,502.23	382	22,078.54	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.68	5	700.00	A
TETRAPOTASSIUM PYROPHOSPHATE	50.14	323	17,237.39	A
THIRAM	2,806.33		3,005,107.00	P
	1,795.10		9.26	C
Total Pounds On This Chemical	4,601.43			
TRIBENURON-METHYL	5.80	4	616.00	A
TRICLOPYR, TRIETHYLAMINE SALT	14.38	1	72.00	A
TRIETHANOLAMINE	173.38	558	31,960.74	A
TRIFLOXYSTROBIN	2.81	1	44.00	A
TRIFLURALIN	229,558.45	1,912	119,991.28	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE)	125.01	64	3,395.05	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	7,490.39	1,486	97,480.39	A
UREA	673.04	140	8,115.60	A
UREA DIHYDROGEN SULFATE	483.32	20	1,431.55	A
VEGETABLE OIL	36,836.51	848	41,924.72	A
VINYL POLYMER	158.60	436	25,082.93	A
XANTHAN GUM	0.27	132	9,709.59	A
XYLENE RANGE AROMATIC SOLVENT	2.18	1	34.00	A
ZINC PHOSPHIDE	361.65	55	3,510.20	A
ZINC SULFATE	919.92	1,061	64,949.17	A
Site Total	3,513,798.30	86,497		
ALMOND				
ABAMECTIN	12,849.26	12,415	908,890.59	A
	0.72	1	32.00	U
Total Pounds On This Chemical	12,849.98			
ACEPHATE	285.29	8	385.00	A
ACEQUINOCYL	84.84	7	270.00	A
ACETAMIPRID	1,530.79	128	15,436.94	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	69.55	134	5,664.33	A
ACRYLIC ACID	2,062.77	309	18,286.18	A
AGROBACTERIUM RADIOBACTER	9.30	8	455.50	A
AGROBACTERIUM RADIOBACTER, STRAIN K1026	< 0.01	16	4,861.67	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	37,593.16	1,323	121,779.14	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	217.24	111	4,487.27	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	80.11	8	405.60	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	37,305.20	5,296	308,365.42	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	28,263.08	2,237	139,884.51	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,487.57	424	19,589.25	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	746.58	52	1,597.63	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	116.19	13	791.00	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	26.97	33	1,350.85	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	92.77	52	1,597.63	A
ALPHA-PINENE BETA-PINENE COPOLYMER	4,051.24	224	16,320.59	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12,313.22	1,265	77,733.51	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.45	1	35.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	394.86	247	11,874.57	A
ALPHA-ALKYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	133.37	34	1,114.50	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	659.82	395	28,411.02	A
ALKYL (C8,C10) POLYGLUCOSIDE	11,238.83	1,997	77,461.34	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	3,008.28	408	17,779.20	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	1,651.81	910	53,117.39	A
ALUMINUM HYDROXIDE	2.06	1	180.00	A
ALUMINUM PHOSPHIDE	8,001.46		15,592,956.00	C
	5,100.44		26,168.36	K
	4,220.20	1,190	70,594.39	A
	1,382.38		133,304.05	T
	1,226.91	7	202,282.00	U
	10.48		1,821,376.00	P
Total Pounds On This Chemical	19,941.87			
AMMONIUM CITRATE	29.70	4	469.00	A
AMMONIUM NITRATE	12,540.40	4,447	212,335.36	A
AMMONIUM PROPIONATE	11,236.23	1,737	110,892.63	A
	1.79	1	38.00	C
Total Pounds On This Chemical	11,238.02			
AMMONIUM SULFATE	94,435.15	9,093	455,471.41	A
	0.45	1	38.00	C
Total Pounds On This Chemical	94,435.60			
AMMONIUM THIOCYANATE	20.14	1	180.00	A
AMYL ACETATE	2.63	6	168.20	A
AZOXYSTROBIN	44,482.18	3,011	231,047.91	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	14.58	2	13.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	8.06	1	70.00	A
BACILLUS THURINGIENSIS VAR. KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7826	528.00	13	1,320.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	6,119.21	111	11,170.76	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	20.90	7	234.70	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	309.40	7	289.00	A
BENTONITE	102.78	4	112.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
BENZOIC ACID	419.70	1,037	52,726.98	A
BIFENAZATE	32,392.11	850	54,059.69	A
BIFENTHRIN	62,260.06	4,302	359,404.48	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	33,428.60	3,933	244,483.52	A
BORIC ACID	< 0.01	1	10.00	A
BOSCALID	68,181.59	5,492	327,571.69	A
BUPROFEZIN	9,087.49	127	8,999.81	A
2-BUTOXYETHANOL	91.21	138	5,414.77	A
BUTYL ALCOHOL	11,714.30	2,686	169,073.98	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	836.61	76	7,415.23	A
CALCIUM CHLORIDE	1,308.18	388	21,532.10	A
CALCIUM HYPOCHLORITE	1.61	2	18.00	A
CAPTAN	32,166.69	116	13,657.65	A
CAPTAN, OTHER RELATED	707.24	116	13,657.65	A
CARBARYL	178.82	5	190.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	2.76	5	168.50	A
CARBON	3.31	3	36.00	A
CARFENTRAZONE-ETHYL	1,070.81	988	57,150.48	A
CASEIN	7.71	4	112.20	A
CASTOR OIL ETHOXYLATE	2,549.64	545	20,122.06	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	1,937.65	38	1,554.80	A
CHLORANTRANILIPROLE	11,074.50	1,791	140,418.44	A
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE	0.28	2	119.40	A
CHLOROPHACINONE	0.21	45	2,331.60	A
	< 0.01	3	120.00	U
Total Pounds On This Chemical	0.21			
CHLOROPICRIN	13,826.37	134	5,418.40	A
	56.46	15	241.00	U
	31.75	1	127.00	S
Total Pounds On This Chemical	13,914.58			
CHLOROTHALONIL	391,752.45	2,576	141,121.61	A
CHLORPYRIFOS	192,482.14	1,622	106,772.10	A
CITRIC ACID	25,261.42	5,174	289,012.27	A
	0.90	1	38.00	C
Total Pounds On This Chemical	25,262.32			
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	1,828.95	18	579.90	A
CLETHODIM	1,311.49	202	11,004.38	A
CLOFENTEZINE	12,862.45	670	67,049.30	A
CLOTHIANIDIN	758.89	121	7,754.28	A
COCONUT DIETHANOLAMIDE	1,965.99	480	26,197.65	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	141.29	124	11,347.84	A
COPPER	257.28	17	485.00	A
COPPER HYDROXIDE	252,186.47	1,954	132,004.46	A
	0.87	4	16.00	U
Total Pounds On This Chemical	252,187.34			
COPPER OXIDE (OUS)	28,882.48	260	9,385.20	A
COPPER OXYCHLORIDE	6,221.38	82	5,514.66	A
COPPER SULFATE (BASIC)	166,389.28	513	42,455.11	A
COPPER SULFATE (PENTAHYDRATE)	297.00	6	1,275.00	A
CORN PRODUCT, HYDROLYZED	90.15	6	108.00	A
CORN STEEP LIQUOR	36.26	1	10.00	A
CORN SYRUP	71.94	18	1,061.30	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
COTTONSEED OIL	2,193.58	16	1,146.13	A
COUMAFURYL	< 0.01	1	35.00	A
CYFLUTHRIN	0.18	1	4.00	A
BETA-CYFLUTHRIN	123.23	89	5,664.80	A
(S)-CYPERMETHRIN	45.61	21	917.00	A
CYPRODINIL	53,004.62	2,813	189,918.49	A
2,4-D	1,569.49	36	2,663.85	A
2,4-D, DIETHANOLAMINE SALT	1,112.82	105	3,142.79	A
2,4-D, DIMETHYLAMINE SALT	80,268.28	2,254	79,789.59	A
2,4-D, TRIETHYLAMINE SALT	5.39	1	3.00	A
2,4-D, TRIISOPROPANOLAMINE SALT	3.42	1	28.00	A
DAZOMET	34.65	3	100.00	A
DDVP	2.64		44,000.00	P
	2.64		1.60	C
	2.64		1.60	K
Total Pounds On This Chemical	7.93			
DDVP, OTHER RELATED	0.07		44,000.00	P
	0.07		1.60	C
	0.07		1.60	K
Total Pounds On This Chemical	0.20			
(E)-5-DECENOL	< 0.01	1	1.00	A
(E)-5-DECENYL ACETATE	< 0.01	1	1.00	A
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	58.33	9	664.00	A
DELTAMETHRIN	31.30	29	1,459.85	A
DERIVATED NATURAL POLYMERS	4.99	28	823.59	A
DIAMMONIUM PHOSPHATE	0.27	1	13.50	A
DIAZINON	1,168.96	30	850.50	A
DICAMBA	4.57	5	284.00	A
DICAMBA, DIMETHYLAMINE SALT	0.14	1	7.00	A
DICAMBA, SODIUM SALT	3.58	2	28.00	A
1,3-DICHLOROPROPENE	1,087,422.52	185	3,541.11	A
DIETHYLENE GLYCOL	21,877.31	2,327	159,289.15	A
DIETHYLENE GLYCOL MONOETHYL ETHER	0.22	2	66.24	A
DIFENOCONAZOLE	19,706.52	2,145	176,534.89	A
DIFLUBENZURON	17,742.87	1,472	91,685.36	A
DIMETHYL ALKYL TERTIARY AMINES	456.58	1,036	52,686.98	A
3,7-DIMETHYL-6-OCTEN-1-OL	0.89	4	71.00	A
DIMETHYLPOLYSILOXANE	33,073.42	13,562	830,752.46	A
	< 0.01		135.00	U
Total Pounds On This Chemical	33,073.43			
DIMETHYL SILICONE FLUID EMULSION	10.96	60	2,071.00	A
DIMETHYL SOYA AMINE	1.68	1	40.00	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	77.35	41	1,528.31	A
DINOSEB	1.59	2	54.00	A
DIOCTYL PHTHALATE	13.33	6	535.14	A
DIPHACINONE	2.32	251	13,413.32	A
DIPROPYLENE GLYCOL METHYL ETHER	115.58	31	1,987.12	A
DIQUAT DIBROMIDE	541.69	28	3,920.08	A
	9.32		135.00	U
Total Pounds On This Chemical	551.01			
DISODIUM CYANODITHIOIMIDO CARBONATE	53.35	1	157.00	A
DITHIOPYR	0.57	2	57.00	A
DIURON	32.15	10	660.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
Z-8-DODECENOL	0.03	1	30.00	A
E-8-DODECENYL ACETATE	0.19	1	30.00	A
Z-8-DODECENYL ACETATE	2.91	1	30.00	A
DODECYLBENZENE SULFONIC ACID	741.77	233	14,323.08	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	188.42	167	9,070.79	A
EDTA, SODIUM SALT	48.13	396	40,786.33	A
EDTA, TETRASODIUM SALT	45.65	233	14,323.08	A
EMAMECTIN BENZOATE	636.16	522	47,365.47	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	3,412.35	155	4,741.35	A
EMULSIFIABLE POLYETHYLENE	18.68	1	37.00	A
EPTC	1,506.82	22	1,086.16	A
ESFENVALERATE	13,283.61	3,219	232,562.18	A
ETHION	39.45	3	260.25	A
ETHYLENE GLYCOL	4,052.43	243	15,693.63	A
ETHYLENE GLYCOL MONOMETHYL ETHER	94.91	22	694.00	A
ETOXAZOLE	18,915.43	1,856	144,647.33	A
FARNESOL	0.36	4	71.00	A
FATTY ACIDS, METHYL ESTERS	1,260.14	36	1,522.82	A
FATTY ACIDS, MIXED	24,418.19	3,119	258,342.41	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	119,594.63	3,200	203,782.69	A
FATTY ACIDS DERIVED FROM TALLOW	4,926.34	1,265	77,733.51	A
FENBUCONAZOLE	3,321.94	537	33,689.81	A
FENBUTATIN-OXIDE	727.00	22	738.40	A
FENPROPATHRIN	729.90	37	2,349.44	A
FENPYROXIMATE	10,450.45	851	84,611.94	A
FERROUS SULFATE	734.85	125	11,357.84	A
FLUAZIFOP-P-BUTYL	480.93	24	1,443.15	A
FLUBENDIAMIDE	10,163.60	1,378	90,519.40	A
FLUMIOXAZIN	14,375.97	1,578	62,285.88	A
FLUOPYRAM	5,096.11	670	59,562.27	A
FLUROXYPYR, 1-METHYLHEPTYL ESTER	8.51	5	284.00	A
FOSETYL-AL	160.00	3	287.00	A
GAMMA AMINOBUTYRIC ACID	111.49	17	1,523.00	A
GAMMA-CYHALOTHRIN	0.08	1	5.00	A
GERANIOL	0.89	4	71.00	A
GLUFOSINATE-AMMONIUM	58,981.73	2,091	79,939.37	A
GLUTAMIC ACID	111.49	17	1,523.00	A
GLYCEROL	1,318.28	349	13,377.11	A
GLYPHOSATE, DIAMMONIUM SALT	2,050.83	49	2,670.10	A
GLYPHOSATE, DIMETHYLAMINE SALT	8.96		3.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	974,021.54	13,289	698,112.04	A
GLYPHOSATE, MONOAMMONIUM SALT	24.14	60	639.00	A
GLYPHOSATE, POTASSIUM SALT	1,508,118.33	14,128	841,515.70	A
GLYPHOSATE-TRIMESIUM	62.65	5	106.00	A
HALOSULFURON-METHYL	0.81	2	28.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	2,629.81	241	28,574.86	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1,800.66	3,597	150,663.69	A
(Z,Z)-11,13-HEXADECADIENAL	230.33	58	15,000.32	A
HEXYTHIAZOX	20,308.84	1,249	129,043.54	A
HYDRAMETHYLNON	31.17	40	5,694.00	A
HYDROTREATED PARAFFINIC SOLVENT	15,055.63	347	24,922.13	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	31,084.89	3,016	178,110.87	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
IMIDACLOPRID	745.37	38	2,099.49	A
INDAZIFLAM	4,329.56	1,547	61,797.17	A
IPRODIONE	151,994.12	4,857	315,149.22	A
IRON PHOSPHATE	4.50	2	30.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	1,426.81	56	7,033.92	A
ISOOCTYL PHTHALATE	96.25	22	694.00	A
ISOPARAFFINIC HYDROCARBONS	856.10	20	3,116.91	A
ISOPROPYL ALCOHOL	70,812.37	7,301	469,485.29	A
	0.13		135.00	U
Total Pounds On This Chemical	70,812.51			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	267.49	674	39,684.02	A
ISOXABEN	1,680.30	123	4,269.69	A
JAGUAR	0.23	1	180.00	A
KAOLIN	712.50	2	15.00	A
KEROSENE	581.53	736	31,277.97	A
LACTOSE	7.71	4	112.20	A
LAMBDA-CYHALOTHRIN	3,024.67	1,599	97,246.38	A
LAURIC ACID	358.96	247	11,874.57	A
LECITHIN	61,032.62	3,774	237,397.59	A
LIGNIN SULFONIC ACID	0.25	1	10.00	A
LIGNIN SULFONIC ACID, ZINC SALT	300.28	3	200.00	A
LIME-SULFUR	37,112.46	13	1,299.11	A
LIMONENE	2,409.01	142	5,415.52	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	5.90	2	60.00	A
MAGNESIUM PHOSPHIDE	1,681.63		7,511,190.60	C
	496.69		405.00	U
	446.40		13,767.00	T
	2.27		188,000.00	P
	0.12		1.00	A
Total Pounds On This Chemical	2,627.13			
MAGNESIUM SULFATE	1.11	2	80.00	A
MALATHION	4.80	1	8.00	A
MANCOZEB	48,530.25	224	12,360.00	A
MANEB	429.72	8	142.00	A
MANGANESE SULFATE	1,065.07	173	12,914.59	A
MCPA, DIMETHYLAMINE SALT	42.08	1	75.00	A
MEFENOXAM	401.79	12	827.00	A
MEFENOXAM, OTHER RELATED	2.94	1	100.00	A
METAFLUMIZONE	0.09	4	99.00	A
METALAXYL	3.14	1	25.00	A
METALDEHYDE	449.30	13	1,283.71	A
METAM-SODIUM	13,504.25	1	319.00	A
METCONAZOLE	27,478.65	3,783	269,278.55	A
S-METHOPRENE	541.85	830	83,793.98	A
METHOXYFENOZIDE	58,606.58	3,319	242,573.57	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	114.58	4	109.00	A
METHYLATED SILICA	1.81	18	1,061.30	A
METHYLATED SOYBEAN OIL	500,559.81	10,757	655,769.30	A
METHYL BROMIDE	10,504.49	125	5,213.07	A
	2,889.75		1,395,818.00	C
	553.78	15	112,745.00	U
	341.03		8,931.25	T
	95.25	1	127.00	S
	33.00		90,000.00	P

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
Total Pounds On This Chemical	14,417.31			
METHYL CELLULOSE	13.15	6	535.14	A
2-METHYL-4-ISOTHIAZOLIN-3-ONE	0.10	2	119.40	A
METHYL SILICONE RESINS	13,802.72	1,747	122,335.04	A
METOLACHLOR	557.10	2	64.00	A
MINERAL OIL	4,096,051.46	6,480	397,550.13	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	9,925.52	781	65,940.56	A
MORPHOLINE	47.38	28	1,229.14	A
MSMA	612.65	5	317.70	A
MYCLOBUTANIL	899.32	63	5,257.16	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	7,438.50	10	862.00	A
NAPROPAMIDE	6.00	1	4.00	A
NEROLIDOL	0.89	4	71.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	49,268.88	5,179	331,573.35	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	389,774.81	24,642	1,523,750.04	A
	0.31		135.00	U
Total Pounds On This Chemical	389,775.12			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	2,447.08	587	38,401.30	A
	1.04		135.00	U
Total Pounds On This Chemical	2,448.12			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	28,757.00	3,095	186,086.02	A
	1.30	1	38.00	C
Total Pounds On This Chemical	28,758.30			
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	4,671.99	625	29,715.77	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	6.93	70	2,449.58	A
NORFLURAZON	5,374.39	154	5,555.36	A
NOSEMA LOCUSTAE SPORES	0.08	3	160.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	594.41	49	2,489.88	A
OLEIC ACID	552.42	98	3,470.46	A
OLEIC ACID, ETHYL ESTER	64.09	1	53.33	A
OLEIC ACID, METHYL ESTER	195,223.42	4,105	245,158.69	A
ORCHEX 796 OIL	3,205.95	40	4,104.23	A
ORGANO/MODIFIED POLYSILOXANE	17.55	395	28,411.02	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	116.29	44	4,017.75	A
ORYZALIN	257,543.26	2,307	109,286.52	A
	10.42		135.00	U
Total Pounds On This Chemical	257,553.68			
OXYFLUORFEN	238,017.49	15,335	772,224.98	A
	2.51		135.00	U
Total Pounds On This Chemical	238,020.00			
PACLOBUTRAZOL	5.80	1	13.00	A
PARAQUAT DICHLORIDE	265,891.24	5,853	265,366.46	A
PARATHION	0.62	1	10.00	A
PENDIMETHALIN	333,663.15	3,306	143,421.93	A
PENOXULAM	1,020.59	1,035	45,807.91	A
PENTHIOPYRAD	1.67	1	8.00	A
PERMETHRIN	7,756.84	442	34,563.86	A
PETROLEUM DISTILLATES	6,804.81	335	20,292.35	A
PETROLEUM DISTILLATES, ALIPHATIC	2.55	19	1,227.81	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
PETROLEUM DISTILLATES, REFINED	64,531.80	45	3,696.25	A
PETROLEUM NAPHTHENIC OILS	29.78	19	1,227.81	A
PETROLEUM OIL, PARAFFIN BASED	190,983.22	1,433	76,678.24	A
PETROLEUM OIL, UNCLASSIFIED	7,910,775.20	5,845	571,896.22	A
	1.93	4	16.00	U
Total Pounds On This Chemical	7,910,777.13			
PHOSMET	911.40	7	263.50	A
PHOSPHINE	651.42		15,672,893.54	C
	56.41		23,586.89	T
	31.12		3,105,547.00	P
	29.44		602,812.54	K
	26.90		88,072.00	U
Total Pounds On This Chemical	795.29			
PHOSPHORIC ACID	40,241.63	5,204	339,636.96	A
	0.29		135.00	U
Total Pounds On This Chemical	40,241.92			
BETA-PINENE POLYMER	279.11	15	1,156.59	A
PINE OIL	160.21	8	405.60	A
PIPERONYL BUTOXIDE	1.16	2	8.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.29	2	8.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1,876.96	437	24,891.68	A
POLYACRYLAMIDE POLYMER	455.38	654	36,091.91	A
POLYACRYLIC POLYMER	190.75	793	43,019.72	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	3,455.65	2,794	182,446.13	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	568.62	52	1,479.55	A
POLYBUTENES	21,358.44	3,201	203,790.69	A
POLYETHER MODIFIED POLYSILOXANE	16,376.33	1,687	134,976.58	A
POLYETHOXYLATED CASTOR OIL	585.11	613	25,483.51	A
POLYETHYLENE GLYCOL	18,626.84	2,019	96,498.36	A
POLYETHYLENE GLYCOL DIACETATE	150.16	910	53,117.39	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	694.88	225	10,391.66	A
POLY-I-PARA-MENTHENE	3,747.78	138	9,385.32	A
POLYMERIZED ACRYLIC ACID	184.18	127	3,952.25	A
POLYMERIZED PINENE	2,317.35	152	8,529.54	A
POLYOXIN D, ZINC SALT	3,041.27	830	69,697.49	A
POLYOXYETHYLENE DIOLEATE	13.64	45	4,071.08	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	662.67	99	3,391.56	A
POLYOXYETHYLENE POLYOXYPROPYLENE	12,526.83	1,226	104,329.09	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	4,735.17	1,205	39,180.38	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1,818.87	254	10,996.49	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	221.80	70	2,449.58	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	710.17	538	34,357.58	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	4,701.62	546	34,968.25	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	19,328.69	546	20,175.06	A
POLYPROPYLENE GLYCOL	21.33	135	15,477.50	A
POLYSACCHARIDE POLYMER	11.28	57	5,946.60	A
POLYSILOXANE	62.37	105	4,006.27	A
POTASH SOAP	1,207.60	4	185.00	A
POTASSIUM HYDROXIDE	603.86	386	25,937.30	A
POTASSIUM N-METHYLDITHIOCARBAMATE	73.67	1	157.00	A
POTASSIUM NITRATE	2,352.51	321	23,072.62	A
POTASSIUM PHOSPHITE	2,050.81	21	1,431.30	A
PROMETRYN	25.66	1	29.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
PROPARGITE	36,634.85	256	17,291.64	A
PROPICONAZOLE	53,758.53	4,608	285,651.02	A
	4.17	1	32.00	U
Total Pounds On This Chemical	53,762.70			
PROPIONIC ACID	21,580.37	975	67,303.64	A
PROPYLENE GLYCOL	15,065.28	1,768	92,526.71	A
PROPYLENE GLYCOL, METHYL ETHER	10.26	29	552.00	A
PROPYLENE OXIDE	6,613.82		1,309,615.00	U
	6,249.00		1,857.68	T
	1,895.00		67,548.00	C
	250.00		118,000.00	P
Total Pounds On This Chemical	15,007.82			
PYRACLOSTROBIN	34,631.92	5,492	327,571.69	A
PYRAFLUFEN-ETHYL	99.38	639	29,384.95	A
PYRETHRINS	91.57	12	1,747.90	A
PYRIMETHANIL	12,359.49	853	57,029.65	A
PYRIPROXYFEN	3,266.62	1,867	195,486.16	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	123.49	25	1,259.40	A
QUILLAJA	5.66	5	168.50	A
QUINCLORAC	0.50	1	7.00	A
QUINOXYFEN	0.94	1	10.00	A
RED CABBAGE COLOR	2.70	3	77.00	A
REYNOUTRIA SACHALINENSIS	1,271.45	101	6,543.10	A
RIMSULFURON	3,166.45	1,640	74,993.64	A
SAFLUFENACIL	20,912.30	7,921	480,323.05	A
SETHOXYDIM	11,656.28	822	45,323.94	A
SILICONE	0.57	1	14.00	A
SILICONE DEFOAMER	32.59	469	26,230.27	A
SIMAZINE	37,378.44	838	48,032.77	A
SODIUM BICARBONATE	10.94	13	238.50	A
SODIUM BISULFATE	20.55	3	116.00	A
SODIUM CHLORITE	4.82	1	21.43	A
SODIUM DICHLORO-S-TRIAZINETRIONE	51.98	1	40.00	A
SODIUM DIISOCTYLSULFOSUCCINATE	14.45	28	1,229.14	A
SODIUM DIOCTYLSULFOSUCCINATE	31.95	17	382.00	A
SODIUM HYDROXIDE	732.41	395	14,623.01	A
SODIUM HYPOCHLORITE	48.23	11	792.00	A
SODIUM NITRATE	6.26	3	36.00	A
SODIUM POLYACRYLATE	276.60	1,604	106,772.18	A
	0.04	1	38.00	C
Total Pounds On This Chemical	276.65			
SODIUM TRIPOLYPHOSPHATE	0.47	1	35.00	A
SODIUM XYLENE SULFONATE	228.24	233	14,323.08	A
SORBITAN FATTY ACID ESTERS	48.52	70	2,449.58	A
SORBITAN MONOOLEATE	2.85	6	106.00	A
SORBITAN TRIOLEATE	29.17	9	664.00	A
SORBITOL	7.29	3	77.00	A
SPINETORAM	1,011.11	179	10,909.63	A
SPINOSAD	126.66	43	4,270.90	A
SPIRODICLOFEN	14,952.81	437	38,386.98	A
SPIROTETRAMAT	140.20	319	9,847.87	A
STARCH	0.20	5	372.40	A
STREPTOMYCES LYDICUS WYEC 108	0.06	21	493.40	A
STRYCHNINE	170.48	284	19,936.67	A
STYRENE BUTADIENE COPOLYMER	1,754.32	133	14,719.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ALMOND				
SULFOSULFURON		1	11.20	A
SULFUR	520,509.21	793	53,466.05	A
SULFURIC ACID	365.28	436	19,128.02	A
SULFURYL FLUORIDE	6,220.53		711,000.00	C
	1,832.33		42,000.00	P
	1,023.95		2,524.95	T
Total Pounds On This Chemical	9,076.81			
TALL OIL	8,437.51	1,818	95,493.95	A
TALL OIL FATTY ACIDS	16,523.46	5,343	270,314.82	A
TEBUCONAZOLE	4,776.79	534	51,386.18	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	7,333.40	709	57,783.34	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.31	2	80.00	A
TETRAPOTASSIUM PYROPHOSPHATE	114.12	233	14,323.08	A
THIAZOPYR	25.08	2	19.00	A
THIOPHANATE-METHYL	23,440.79	734	50,748.05	A
TRICLOPYR, BUTOXYETHYL ESTER	27.71	1	20.00	A
TRIETHANOLAMINE	292.63	247	15,466.16	A
TRIFLOXYSTROBIN	4,281.62	592	44,891.10	A
TRIFLURALIN	13,538.66	163	27,670.81	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE)	3,002.81	347	26,272.22	A
TRISODIUM PHOSPHATE	19.04	28	2,099.67	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	38,807.95	1,548	135,679.37	A
UREA	8,007.04	577	48,243.40	A
UREA DIHYDROGEN SULFATE	353.76	89	3,078.43	A
VEGETABLE OIL	10,229.34	88	6,565.00	A
VINYL POLYMER	111.17	290	11,970.96	A
XANTHAN GUM	0.36	63	5,299.25	A
XYLENE	0.64	1	10.00	A
YUCCA SCHIDIGERA	12.86	1	30.00	A
ZINC PHOSPHIDE	148.51	38	2,435.86	A
ZINC SULFATE	7,087.27	1,040	87,059.90	A
ZIRAM	535,164.43	1,607	100,120.05	A
Site Total	22,647,959.21	233,233		
AMARANTH, EDIBLE (CHINESE SPINACH)				
CHLORANTRANILIPROLE	0.39	1	10.00	A
CYFLUTHRIN	1.45	4	60.00	A
MALATHION	87.24	7	87.00	A
METHOXYFENOZIDE	0.71	2	10.00	A
SPINETORAM	0.94	2	20.00	A
Site Total	90.74	16		
ANIMAL PREMISE				
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	745.18		872.00	U
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	52.25		450,000.00	S
	28.27		4,187.00	U
Total Pounds On This Chemical	80.52			
ALKYL (61%C12,23%C14,11%C16,2.5%C8 & C10, 2.5%C18) DIMETHYL BENZYL AMMONIUM CHLORIDE	97.69		32.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ANIMAL PREMISE				
ALKYL (67%C12, 25%C14, 7%C16, 1%C8,C10,C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	155.77	2	18.00	U
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	52.25		450,000.00	S
	28.27		4,187.00	U
Total Pounds On This Chemical	80.52			
D-TRANS ALLETHRIN	0.11		32.00	U
PARA-TERT-AMYLPHENOL	498.43	2	448,624.00	U
	45.49		4,094,041.00	S
Total Pounds On This Chemical	543.92			
ORTHO-BENZYL-PARA-CHLOROPHENOL	1,443.64	2	448,624.00	U
	68.24		4,094,041.00	S
Total Pounds On This Chemical	1,511.87			
BORIC ACID	116,431.67	48	19,285,711.66	S
	9,225.60	19	975,000.00	C
	3,200.00	2	11.94	A
Total Pounds On This Chemical	128,857.27			
BRODIFACOU	0.06		475,125.00	U
	< 0.01		1,425,000.00	S
Total Pounds On This Chemical	0.07			
BROMADIOLONE	0.06		374.00	U
	0.03		6,398,800.00	S
Total Pounds On This Chemical	0.09			
BROMETHALIN	0.03		33.00	U
	< 0.01		1,425,000.00	S
Total Pounds On This Chemical	0.03			
CHLORINE DIOXIDE	59.82	24	1,310,000.00	C
	27.29	5	202,500.00	S
Total Pounds On This Chemical	87.11			
CHLORPYRIFOS	31.99		985,000.00	S
	3.51		0.29	A
Total Pounds On This Chemical	35.49			
CHOLECALCIFEROL	0.10		45.00	U
BETA-CYFLUTHRIN	6.29		1,562,000.00	S
	5.50		13.00	U
Total Pounds On This Chemical	11.79			
CYPERMETHRIN	179.02		2,160.03	A
	46.83		181.00	U
Total Pounds On This Chemical	225.85			
CYROMAZINE	24.97		158.00	U
	0.88		2.00	A
Total Pounds On This Chemical	25.85			
DDVP	1,460.48		7,218.17	A
	212.42		875.00	U
Total Pounds On This Chemical	1,672.90			
DDVP, OTHER RELATED	109.27		7,218.17	A
	15.90		875.00	U
Total Pounds On This Chemical	125.17			
DIDECYL DIMETHYL AMMONIUM CHLORIDE	97.69		32.00	U
DIFENACOU	< 0.01		2.00	U
DIFETHIALONE	0.05		144.00	U
DIMETHYLPOLYSILOXANE	0.37		78.00	U
	0.10	3	97.50	A
Total Pounds On This Chemical	0.47			
DINOTEFURAN	0.94		54.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ANIMAL PREMISE				
Total Pounds On This Chemical	1.15	0.21	295,000.00	S
DIPHACINONE		0.06	475,076.00	U
		0.02	3,172,500.00	S
Total Pounds On This Chemical	0.09			
DIPHACINONE, SODIUM SALT		0.38	83.00	U
		0.04	3.00	A
Total Pounds On This Chemical	0.42			
FORMALDEHYDE		525.93	158,400.00	S
		396.93	4.00	U
Total Pounds On This Chemical	922.86			
GAMMA-CYHALOTHRIN		1.42	13.00	U
		0.06	21,750.00	S
Total Pounds On This Chemical	1.49			
GLUFOSINATE-AMMONIUM		72.03	70.00	A
GLUTARALDEHYDE		41.64	16.00	U
GLYPHOSATE, ISOPROPYLAMINE SALT		141.13	97.50	A
IMIDACLOPRID		1,479.86	109.00	U
		157.50	690,000.00	S
		0.46	22.00	A
Total Pounds On This Chemical	1,637.81			
INDAZIFLAM		1.78	27.50	A
ISOPROPYL ALCOHOL		7.56	78.00	U
		2.05	97.50	A
Total Pounds On This Chemical	9.61			
MUSCALURE		1.15	22.00	A
		1.12	108.00	U
		0.13	800,000.00	S
Total Pounds On This Chemical	2.40			
NALED		164.56	650.13	A
		88.62	42.00	U
Total Pounds On This Chemical	253.19			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		87.50	78.00	U
		23.72	97.50	A
Total Pounds On This Chemical	111.22			
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX		6.80	2.00	U
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE		1.96	1.00	U
OXYFLUORFEN		3.45	27.50	A
PENDIMETHALIN		198.86	70.00	A
PERMETHRIN		234.61	114.00	U
		39.19	1,021,224.00	S
		25.31	14.71	A
Total Pounds On This Chemical	299.11			
PHENOTHRIN		0.10	32.00	U
ORTHO-PHENYLPHENOL		1,623.35	448,624.00	U
		125.10	4,094,041.00	S
Total Pounds On This Chemical	1,748.45			
PHOSMET		0.24	0.02	A
PHOSPHORIC ACID		6.02	2.00	U
PIPERONYL BUTOXIDE		140.35	87.00	U
		101.99	74.18	A
		51.89	404,730.00	S
Total Pounds On This Chemical	294.23			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ANIMAL PREMISE				
PIPERONYL BUTOXIDE, OTHER RELATED	32.68		53.00	U
	22.77		60.00	A
	11.08		118,506.00	S
Total Pounds On This Chemical	66.54			
POLYETHYLENE GLYCOL	47.73		78.00	U
	12.94	3	97.50	A
Total Pounds On This Chemical	60.66			
POTASSIUM PEROXYMONOSULFATE	726.53	31	16,173,026.00	S
	15.27		13.00	U
Total Pounds On This Chemical	741.79			
PYRETHRINS	11.49		60.18	A
	5.57		368,506.00	S
	2.79		38.00	U
Total Pounds On This Chemical	19.85			
RIMSULFURON	5.24	3	97.50	A
SODIUM CHLORIDE	52.72	31	16,173,026.00	S
	1.07		13.00	U
Total Pounds On This Chemical	53.79			
SODIUM HYPOCHLORITE	9,254.66		742.00	U
SPINOSAD	115.85		45.00	U
	< 0.01		12,000.00	S
Total Pounds On This Chemical	115.85			
STRYCHNINE	< 0.01		1.00	U
TETRACHLORVINPHOS	134.04		63.00	U
	43.69		8.07	A
Total Pounds On This Chemical	177.73			
TRIBUTYL TIN OXIDE	9.21		18.00	U
TRIETHYLENE GLYCOL	1.41		14.00	U
TRIS (HYDROXYMETHYL) NITROMETHANE	6.91	2	2.00	U
Site Total	150,625.22	154		
APPLE				
ABAMECTIN	36.30	60	1,873.59	A
ACETAMIPRID	244.68	77	1,670.36	A
ACRYLIC ACID	5.18	3	8.00	A
ALCOHOLS, C4-C12, NORMAL	0.44	1	3.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	86.87	26	228.61	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.59	1	23.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	572.10	74	1,507.72	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	913.87	25	896.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	189.46	40	1,181.50	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.02	1	1.00	A
ALUMINUM PHOSPHIDE	50.49	34	351.34	A
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	0.11	1	1.00	A
AMMONIUM NITRATE	90.23	41	1,182.07	A
AMMONIUM SULFATE	598.21	92	1,924.27	A
AZADIRACTIN	0.20	6	26.00	A
AZINPHOS-METHYL	376.25	33	549.00	A
BACILLUS THURINGIENSIS (BERLINER)	0.19	2	4.00	A
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	1.16	1	5.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APPLE				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	918.14	168	1,258.50	A
	0.06	1	14.00	U
Total Pounds On This Chemical	918.20			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	28.61	7	108.48	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	21.03	5	27.20	A
BENOMYL	1.00	1	4.00	A
BENZOIC ACID	13.08	27	1,368.67	A
N6-BENZYL ADENINE	137.45	52	1,268.75	A
BIFENAZATE	464.03	27	929.06	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	460.65	224	6,066.10	A
BOSCALID	161.62	28	725.44	A
2-BUTOXYETHANOL	353.60	45	1,191.00	A
BUTYL ALCOHOL	6.07	5	75.00	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	952.54	12	460.40	A
CALCIUM CHLORIDE	134.60	45	1,322.50	A
CALCIUM HYDROXIDE	4.50	1	0.50	A
CAPTAN	47.12	10	24.50	A
CAPTAN, OTHER RELATED	1.08	10	24.50	A
CARBARYL	7,469.54	162	3,993.01	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.18	2	2.00	A
CARFENTRAZONE-ETHYL	31.31	110	1,257.90	A
CASTOR OIL ETHOXYLATE	31.22	10	193.90	A
CHLORANTRANILIPROLE	361.27	194	4,253.50	A
CHLORPYRIFOS	3,249.95	86	2,060.19	A
CITRIC ACID	498.99	96	2,136.90	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	12.47	6	3.70	A
CLETHODIM	1.87	1	14.00	A
CLOFENTEZINE	42.82	2	165.00	A
COCONUT DIETHANOLAMIDE	0.14	15	27.00	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.05	1	6.00	A
CODLING MOTH GRANULOSIS VIRUS	0.22	186	2,370.61	A
COPPER AMMONIUM COMPLEX	1.34	3	15.00	U
	0.99	2	5.10	A
Total Pounds On This Chemical	2.34			
COPPER HYDROXIDE	2,341.81	128	1,551.94	A
	3.41	7	88.00	U
Total Pounds On This Chemical	2,345.22			
COPPER OXIDE (OUS)	189.46	18	43.77	A
COPPER OXYCHLORIDE	248.86	39	258.78	A
COPPER SULFATE (BASIC)	61.25	6	10.50	A
COPPER SULFATE (PENTAHYDRATE)	0.06	1	0.13	A
COTTONSEED OIL	39.11	1	3.00	A
CYFLUTHRIN	2.33	4	93.50	A
BETA-CYFLUTHRIN	11.31	12	494.00	A
CYPRODINIL	361.69	54	1,632.60	A
2,4-D, DIMETHYLAMINE SALT	0.62	1	0.57	A
DAZOMET	539.55	1	2.00	A
DELTAMETHRIN	0.02	1	1.00	A
DIAZINON	6,841.59	122	2,498.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APPLE				
1,3-DICHLOROPROPENE	11,854.08	1	35.50	A
DIETHYLENE GLYCOL	210.64	27	750.68	A
DIFENOCONAZOLE	59.00	21	865.50	A
DIMETHYL ALKYL TERTIARY AMINES	13.46	26	1,348.67	A
DIMETHYLPOLYSILOXANE	191.30	237	4,062.81	A
DIPHACINONE	< 0.01	9	97.30	A
DIPHENYLAMINE	146.34		7,846.40	T
DIURON	226.33	4	115.50	A
E,E-8,10-DODECADIEN-1-OL	958.30	86	1,615.06	A
Z-8-DODECENOL	0.04	4	72.00	A
E-8-DODECENYL ACETATE	0.22	4	72.00	A
Z-8-DODECENYL ACETATE	3.47	4	72.00	A
DODECYLBENZENE SULFONIC ACID	0.60	15	27.00	A
EDTA, TETRASODIUM SALT	0.04	15	27.00	A
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	0.73	6	74.00	A
ESFENVALERATE	78.73	104	1,408.04	A
ETHEPHON	48.82	9	148.60	A
ETHYLENE GLYCOL	14.72	2	4.00	A
ETOXAZOLE	134.00	26	1,043.38	A
FATTY ACIDS, MIXED	309.59	98	4,120.96	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,628.24	150	4,558.38	A
FATTY ACIDS DERIVED FROM TALLOW	365.55	25	896.00	A
FENARIMOL	11.54	22	140.25	A
FENBUTATIN-OXIDE	10.00	5	40.00	A
FENPROPATHRIN	689.90	81	1,925.25	A
FENPYROXIMATE	20.24	3	168.00	A
FERRIC SODIUM EDTA	1.60	1	2.00	A
FERROUS SULFATE	0.28	1	6.00	A
FISH OIL	4,562.52	6	271.20	A
FLUBENDIAMIDE	148.76	34	1,088.30	A
FLUMIOXAZIN	28.26	11	132.05	A
FLUOPYRAM	1.21	3	13.00	A
FORMETANATE HYDROCHLORIDE	305.44	9	332.00	A
FOSETYL-AL	157.20	3	40.50	A
GIBBERELLINS	20.24	26	613.00	A
GLUFOSINATE-AMMONIUM	361.43	35	424.50	A
GLYCEROL	113.18	33	508.00	A
GLYPHOSATE, DIMETHYLAMINE SALT	10.16		4.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,701.16	139	1,217.12	A
	0.03	1	5.00	U
Total Pounds On This Chemical	1,701.19			
GLYPHOSATE, POTASSIUM SALT	6,542.23	195	4,179.76	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	9.81	53	830.05	A
HEXYTHIAZOX	2.07	3	21.75	A
HYDROGEN PEROXIDE	184.69	14	85.44	A
HYDROTREATED PARAFFINIC SOLVENT	23.60	18	433.04	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	39.46	11	167.00	A
IMIDACLOPRID	117.39	82	1,411.63	A
INDAZIFLAM	6.43	3	82.21	A
IRON PHOSPHATE	0.36	1	4.50	A
ISOPROPYL ALCOHOL	217.48	174	2,185.23	A
ISOXABEN	4.22	1	5.63	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APPLE				
KAOLIN	45,930.13	85	1,108.25	A
KEROSENE	55.21	27	1,368.67	A
KRESOXIM-METHYL	104.79	31	598.42	A
LAMBDA-CYHALOTHRIN	127.21	143	3,264.70	A
LAURYL ALCOHOL	435.43	65	1,146.80	A
LECITHIN	1,223.36	48	2,337.66	A
LIGNIN SULFONIC ACID, CALCIUM SALT	28.83	6	24.00	A
LIME-SULFUR	32,057.39	273	2,687.08	A
MALATHION	2.94	3	1.10	A
MANCOZEB	21,922.54	423	9,045.27	A
MANGANESE SULFATE	0.39	1	6.00	A
MARGOSA OIL	4.93	4	18.00	A
METALDEHYDE	10.00	1	10.00	A
METHIDATHION	1,646.33	17	823.00	A
METHOXYFENOZIDE	280.57	41	960.48	A
	0.03	1	14.00	U
Total Pounds On This Chemical	280.61			
METHYLATED SOYBEAN OIL	2,687.12	107	3,482.56	A
METHYL BROMIDE	44.55		89,912.00	P
MINERAL OIL	89,815.92	468	6,083.87	A
	4.30	3	23.00	U
Total Pounds On This Chemical	89,820.21			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	332.69	46	802.94	A
MYCLOBUTANIL	910.06	397	6,980.12	A
MYRISTYL ALCOHOL	89.64	65	1,146.80	A
NAA, AMMONIUM SALT	11.10	14	132.20	A
1-NAPHTHALENEACETAMIDE	20.27	18	392.80	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1,044.86	228	6,828.86	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4,053.56	429	10,629.64	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.06	1	3.16	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	285.01	26	423.35	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	82.95	24	390.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.01	1	0.50	A
NORFLURAZON	179.60	3	99.50	A
NOSEMA LOCUSTAE SPORES	< 0.01	1	1.00	A
NOVALURON	61.30	8	293.00	A
OLEIC ACID	5.49	11	496.60	A
OLEIC ACID, METHYL ESTER	52.89	5	93.00	A
ORYZALIN	348.01	12	131.48	A
OXYFLUORFEN	474.44	73	896.87	A
OXYTETRACYCLINE, CALCIUM COMPLEX	887.90	192	3,254.96	A
PARAQUAT DICHLORIDE	2,146.91	144	1,899.49	A
PENDIMETHALIN	1,216.62	32	536.96	A
PERMETHRIN	1.96	2	25.50	A
PETROLEUM DISTILLATES	1.88	2	1.25	A
PETROLEUM DISTILLATES, REFINED	243.57	11	15.45	A
PETROLEUM OIL, PARAFFIN BASED	19,795.39	22	570.58	A
PETROLEUM OIL, UNCLASSIFIED	64,612.49	155	2,331.01	A
	8.96	4	71.00	U
Total Pounds On This Chemical	64,621.46			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APPLE				
PHOSMET	5,896.32	174	1,994.20	A
	0.88	13	82.00	U
Total Pounds On This Chemical	5,897.20			
PHOSPHORIC ACID	793.71	153	3,198.40	A
PIPERONYL BUTOXIDE	89.97	4	180.12	A
PIPERONYL BUTOXIDE, OTHER RELATED	22.49	4	180.12	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.06	2	112.00	A
POLYACRYLAMIDE POLYMER	11.69	35	525.20	A
POLYACRYLIC POLYMER	0.55	4	59.90	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	41.36	29	1,260.74	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	8.01	2	4.00	A
POLYBUTENES	290.76	150	4,558.38	A
POLYETHER MODIFIED POLYSILOXANE	1.58	2	39.72	A
POLYETHOXYLATED CASTOR OIL	14.04	2	50.00	A
POLYETHYLENE GLYCOL	581.18	138	1,409.63	A
POLYETHYLENE GLYCOL DIACETATE	< 0.01	1	1.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	10.38	2	18.50	A
POLY-I-PARA-MENTHENE	230.89	62	762.13	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	3.71	1	13.33	A
POLYOXYETHYLENE POLYOXYPROPYLENE	234.71	49	1,194.50	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	17.32	13	156.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	0.83	8	21.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	0.47	1	0.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	234.16	10	193.90	A
POTASH SOAP	30.19	4	13.60	A
POTASSIUM BICARBONATE	42.90	2	17.44	A
POTASSIUM HYDROXIDE	3.56	6	149.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	628.00	1	1.77	A
POTASSIUM NITRATE	33.81	6	149.00	A
PROHEXADIONE CALCIUM	205.31	48	848.00	A
PROPIONIC ACID	1,220.77	47	2,314.66	A
PROPYLENE GLYCOL	535.56	140	3,454.58	A
PROPYLENE GLYCOL, METHYL ETHER	8.89	9	459.10	A
PSEUDOMONAS FLUORESCENS, STRAIN A506	4.10	6	17.90	A
	< 0.01	1	14.00	U
Total Pounds On This Chemical	4.11			
PYRACLOSTROBIN	82.09	28	725.44	A
PYRAFLUFEN-ETHYL	0.32	6	126.30	A
PYRETHRINS	12.72	9	253.00	A
	< 0.01	1	35.00	U
Total Pounds On This Chemical	12.72			
PYRIMETHANIL	112.01	32	625.70	A
	26.50		18,000.00	T
Total Pounds On This Chemical	138.51			
PYRIPROXYFEN	31.58	27	1,070.50	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	64.59	31	206.05	A
QUILLAJA	0.36	2	2.00	A
REYNOUTRIA SACHALINENSIS	7.26	4	60.00	A
	0.03	1	35.00	U
Total Pounds On This Chemical	7.29			
RIMSULFURON	20.03	21	447.96	A
SAFLUFENACIL	12.56	18	420.20	A
SETHOXYDIM	12.75	11	49.33	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APPLE				
SILICONE DEFOAMER	0.06	17	75.30	A
SIMAZINE	76.40	10	114.00	A
SODIUM DIOCTYLSULFOSUCCINATE	2.71	2	37.50	A
SODIUM HYDROXIDE	143.97	96	2,279.70	A
SODIUM HYPOCHLORITE	34.14		337.93	T
SODIUM XYLENE SULFONATE	0.18	15	27.00	A
SORBITAN FATTY ACID ESTERS	0.10	1	0.50	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.91	1	20.00	A
SOYBEAN OIL	1,116.10	5	81.00	A
SPINETORAM	358.79	202	3,423.65	A
SPINOSAD	78.49	163	3,732.78	A
	0.04	3	15.00	U
Total Pounds On This Chemical	78.53			
SPIRODICLOFEN	36.90	8	129.80	A
SPIROTETRAMAT	27.51	46	1,700.77	A
STREPTOMYCIN	3.39	3	16.00	A
STREPTOMYCIN SULFATE	1,000.45	343	6,315.64	A
	0.15	6	84.00	U
Total Pounds On This Chemical	1,000.60			
STRYCHNINE	0.33	23	155.55	A
SULFUR	26,658.82	362	3,647.03	A
	1.58	3	17.00	U
Total Pounds On This Chemical	26,660.40			
TALL OIL	42.57	28	637.78	A
TALL OIL FATTY ACIDS	105.46	128	2,559.01	A
E-11-TETRADECEN-1-YL ACETATE	17.74	6	74.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.70	15	27.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.09	15	27.00	A
THIABENDAZOLE	3.71		9,330.49	T
THIACLOPRID	0.64	1	3.00	A
THIAMETHOXAM	2.81	1	45.00	A
TRIETHANOLAMINE	0.23	15	27.00	A
TRIFLOXYSTROBIN	208.33	167	2,798.57	A
TRIFLUMIZOLE	40.36	26	176.50	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	0.65	1	8.50	A
TRISODIUM PHOSPHATE	5.70	19	107.80	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	278.84	16	378.60	A
VINYL POLYMER	7.95	14	234.00	A
ZINC PHOSPHIDE	0.21	2	7.00	A
ZINC SULFATE	44.29	8	560.00	A
ZIRAM	2,534.79	57	598.35	A
Site Total	398,419.74	8,089		
APRICOT				
ABAMECTIN	21.87	43	1,125.48	A
ACETAMIPRID	16.03	12	133.18	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.31	6	78.60	A
ACRYLIC ACID	108.03	23	1,022.70	A
AGROBACTERIUM RADIOBACTER, STRAIN K1026	< 0.01	1	0.10	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	5.86	6	131.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	2.24	12	143.41	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APRICOT				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	106.45	39	872.34	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.53	2	5.44	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	10.28	1	41.52	A
ALPHA-PINENE BETA-PINENE COPOLYMER	90.32	29	410.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.43	2	60.50	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	0.09	1	2.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	49.92	26	361.67	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	2.12	1	11.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	22.98	6	371.00	A
ALUMINUM PHOSPHIDE	21.79	15	85.75	A
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	0.11	1	0.50	A
AMMONIUM NITRATE	25.50	34	571.27	A
AMMONIUM PROPIONATE	7.54	1	16.00	A
AMMONIUM SULFATE	428.67	67	1,668.58	A
AZADIRACTIN	0.73	4	73.00	A
AZOXYSTROBIN	61.59	23	292.21	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	179.09	30	418.09	A
	< 0.01	1	200.00	S
Total Pounds On This Chemical	179.09			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	3.39	6	47.70	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	86.24	20	128.83	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	1.01	4	1.19	A
BENZOIC ACID	0.20	2	84.00	A
BIFENAZATE	223.42	16	446.83	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1,680.38	168	8,336.85	A
BOSCALID	986.86	182	5,203.55	A
BUPROFEZIN	9.44	6	46.00	A
2-BUTOXYETHANOL	0.89	12	143.41	A
BUTYL ALCOHOL	10.18	17	366.35	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	9.98	5	24.50	A
CAPTAN	110.93	10	45.70	A
CAPTAN, OTHER RELATED	2.50	10	45.70	A
CARBARYL	612.13	5	91.25	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.05	3	6.00	A
CARFENTHAZONE-ETHYL	7.16	19	587.94	A
CASTOR OIL ETHOXYLATE	1.31	5	46.80	A
CHLORANTRANILIPROLE	13.62	13	164.40	A
CHLOROPICRIN	75.14	5	40.25	A
CHLOROTHALONIL	2,551.74	47	890.18	A
CITRIC ACID	38.86	24	665.21	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	342.58	9	106.48	A
CLOFENTEZINE	3.35	6	14.99	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APRICOT				
COCONUT DIETHANOLAMIDE	1.27	8	99.66	A
COPPER AMMONIUM COMPLEX	0.57	1	0.10	A
	0.34	3	6.00	U
Total Pounds On This Chemical	0.92			
COPPER HYDROXIDE	12,044.05	142	4,658.73	A
	0.07	2	6.00	U
	0.02	1	200.00	S
Total Pounds On This Chemical	12,044.15			
COPPER OXIDE (OUS)	1,884.11	57	446.37	A
COPPER OXYCHLORIDE	572.61	6	108.43	A
COPPER SULFATE (BASIC)	2,631.97	17	261.55	A
COTTONSEED FLOUR	305.15	19	1,793.00	A
COTTONSEED OIL	15.09	23	1,798.40	A
CYFLUTHRIN	0.05	2	1.08	A
BETA-CYFLUTHRIN	13.67	35	666.80	A
CYPRODINIL	289.31	49	1,259.32	A
2,4-D, DIMETHYLAMINE SALT	757.86	59	1,009.44	A
(E)-5-DECENOL	0.05	2	47.00	A
(E)-5-DECENYL ACETATE	0.23	2	47.00	A
DIAZINON	61.69	9	55.90	A
1,3-DICHLOROPROPENE	4,674.85	1	14.00	A
DIETHYLENE GLYCOL	760.06	59	2,078.69	A
DIFLUBENZURON	236.10	63	1,250.61	A
DIMETHYL ALKYL TERTIARY AMINES	0.22	2	84.00	A
3,7-DIMETHYL-6-OCTEN-1-OL	0.02	1	0.75	A
DIMETHYLPOLYSILOXANE	42.35	344	6,869.52	A
DIPHACINONE	< 0.01	14	485.60	A
E,E-8,10-DODECADIEN-1-OL	< 0.01	1	0.05	A
Z-8-DODECENOL	0.82	55	728.75	A
E-8-DODECENYL ACETATE	4.70	55	728.75	A
Z-8-DODECENYL ACETATE	73.26	55	728.75	A
DODECYLBENZENE SULFONIC ACID	3.78	7	97.66	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.95	14	560.00	A
EDTA, SODIUM SALT	0.20	8	145.00	A
EDTA, TETRASODIUM SALT	0.23	7	97.66	A
ESFENVALERATE	210.28	215	4,346.79	A
ETHYLENE GLYCOL	251.55	35	2,223.50	A
ETOXAZOLE	19.86	21	147.48	A
FARNESOL	< 0.01	1	0.75	A
FATTY ACIDS, MIXED	110.27	50	1,004.43	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	6,257.17	138	7,915.35	A
FATTY ACIDS DERIVED FROM TALLOW	2.57	2	60.50	A
FENBUCONAZOLE	25.94	20	294.00	A
FENHEXAMID	0.02	2	0.20	A
FENPROPATHRIN	13.86	11	48.00	A
FENPYROXIMATE	1.20	1	20.00	A
FLUBENDIAMIDE	93.35	52	840.93	A
FLUDIOXONIL	53.33		1,914.40	T
FLUMIOXAZIN	130.98	24	466.95	A
GERANIOL	0.02	1	0.75	A
GIBBERELLINS	0.66	1	14.00	A
GLYCEROL	0.54	2	6.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	11,174.22	308	7,656.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APRICOT					
		0.03	2	210.00	S
		0.01	1	2.00	U
Total Pounds On This Chemical	11,174.26				
GLYPHOSATE, POTASSIUM SALT		3,355.93	86	1,419.57	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED		3.37	2	170.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED		0.72	22	151.87	A
HEXYTHIAZOX		47.19	13	246.20	A
HYDROGEN PEROXIDE		283.42	7	122.50	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE		131.14	16	739.00	A
IMIDACLOPRID		5.23	14	114.35	A
INDAZIFLAM		53.79	57	1,618.97	A
INDOXACARB		21.44	21	190.74	A
IPRODIONE		1,976.18	171	3,018.98	A
ISOPROPYL ALCOHOL		301.85	274	6,436.11	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE		1.44	14	200.41	A
ISOXABEN		0.07	1	0.18	A
KEROSENE		0.39	2	84.00	A
LAMBDA-CYHALOTHRIN		142.70	71	4,817.18	A
LAURIC ACID		0.08	1	2.00	A
LAURYL ALCOHOL		< 0.01	1	0.05	A
LECITHIN		109.58	34	435.27	A
LIMONENE		59.02	14	145.41	A
MALATHION		1.02	2	12.00	A
MARGOSA OIL		19.95	1	5.00	A
METALDEHYDE		6.00	1	23.00	A
METCONAZOLE		100.74	30	890.57	A
METHOXYFENOZIDE		320.34	37	1,711.70	A
METHYLATED SOYBEAN OIL		1,537.39	78	1,446.48	A
METHYL BROMIDE		250.50	2	34.00	A
		36.35		152,256.00	P
Total Pounds On This Chemical	286.85				
METHYL SILICONE RESINS		6.85	7	43.83	A
MINERAL OIL		54,809.59	237	4,191.54	A
		1.49	2	4.00	U
Total Pounds On This Chemical	54,811.07				
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN		508.59	140	3,456.77	A
MYCLOBUTANIL		303.57	145	2,492.73	A
MYRISTYL ALCOHOL		< 0.01	1	0.05	A
NEROLIDOL		0.02	1	0.75	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED		2,127.28	151	7,966.45	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		2,931.29	484	11,211.88	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED		< 0.01	1	0.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER		491.35	44	1,277.10	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX		0.03	1	0.10	A
OIL OF JOJOBA		10.56	4	27.50	A
OLEIC ACID		1.07	1	22.00	A
OLEIC ACID, METHYL ESTER		106.68	10	433.44	A
ORYZALIN		1,146.61	26	466.79	A
OXYFLUORFEN		905.31	139	2,353.66	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APRICOT				
PARAQUAT DICHLORIDE	1,678.89	81	1,512.22	A
PENDIMETHALIN	2,340.97	64	1,092.57	A
PETROLEUM DISTILLATES	127.44	11	401.76	A
PETROLEUM DISTILLATES, REFINED	857.63	10	150.50	A
PETROLEUM OIL, PARAFFIN BASED	1,198.77	24	270.41	A
PETROLEUM OIL, UNCLASSIFIED	24,579.78	72	1,670.05	A
PHOSMET	138.60	7	57.50	A
	0.08	2	6.00	U
Total Pounds On This Chemical	138.68			
PHOSPHORIC ACID	199.22	92	2,194.75	A
BETA-PINENE POLYMER	1.71	3	7.50	A
PIPERONYL BUTOXIDE	13.19	2	26.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	3.30	2	26.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	7.96	28	696.65	A
POLYACRYLAMIDE POLYMER	0.05	2	6.00	A
POLYACRYLIC POLYMER	0.47	3	88.89	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	6.73	13	260.90	A
POLYBUTENES	1,117.35	138	7,915.35	A
POLYETHER MODIFIED POLYSILOXANE	118.50	42	620.97	A
POLYETHOXYLATED CASTOR OIL	2.72	4	72.43	A
POLYETHYLENE GLYCOL	675.55	164	2,036.03	A
POLYETHYLENE GLYCOL DIACETATE	2.09	6	371.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.82	1	16.00	A
POLY-I-PARA-MENTHENE	5.61	12	23.61	A
POLYMERIZED PINENE	141.14	14	560.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	22.53	2	113.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	1.15	1	27.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	2.17	2	57.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	14.28	2	57.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	9.80	5	46.80	A
POLYSILOXANE	< 0.01	2	0.60	A
POTASSIUM BICARBONATE	158.26	5	87.00	A
POTASSIUM HYDROXIDE	0.01	2	0.60	A
POTASSIUM PHOSPHITE	1.46	3	3.50	A
PROPICONAZOLE	449.24	204	4,163.70	A
PROPIONIC ACID	87.34	20	356.43	A
PROPYLENE GLYCOL	11.64	25	82.92	A
PYRACLOSTROBIN	501.26	182	5,203.55	A
PYRAFLUFEN-ETHYL	8.16	123	1,994.36	A
PYRETHRINS	1.77	6	30.60	A
PYRIMETHANIL	344.82	35	1,796.00	A
PYRIPROXYFEN	41.78	43	421.19	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	107.24	54	606.11	A
QUILLAJA	0.10	3	6.00	A
QUINOXYFEN	117.82	30	1,174.44	A
REYNOUTRIA SACHALINENSIS	38.41	37	271.24	A
RIMSULFURON	35.57	61	1,008.24	A
SAPONIN	< 0.01	1	0.25	A
SETHOXYDIM	4.56	3	28.00	A
SILICONE DEFOAMER	0.10	7	97.66	A
SODIUM DIOCTYLSULFOSUCCINATE	1.50	1	22.00	A
SODIUM HYDROXIDE	0.38	6	12.50	A
SODIUM POLYACRYLATE	0.19	1	16.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
APRICOT				
SODIUM XYLENE SULFONATE	1.16	7	97.66	A
SPINETORAM	23.60	18	322.35	A
SPINOSAD	37.16	44	456.96	A
	< 0.01	2	4.00	U
Total Pounds On This Chemical	37.16			
SPIRODICLOFEN	20.10	2	75.00	A
SPIROTETRAMAT	1.86	6	151.00	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	5	4.00	A
STRYCHNINE	< 0.01	2	0.75	A
SUGAR	125.65	19	1,793.00	A
SULFUR	372.00	4	77.50	A
SULFURIC ACID	0.24	1	11.00	A
TALL OIL	30.62	30	1,423.32	A
TALL OIL FATTY ACIDS	17.28	60	588.33	A
TEBUCONAZOLE	17.04	6	96.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	29.37	16	243.16	A
TETRAPOTASSIUM PYROPHOSPHATE	0.58	7	97.66	A
THIOPHANATE-METHYL	643.20	19	642.55	A
TRIETHANOLAMINE	1.48	7	97.66	A
TRIFLOXYSTROBIN	68.94	21	576.99	A
TRIFLURALIN	131.84	3	346.25	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	5.65	3	186.00	A
TRISODIUM PHOSPHATE	0.14	8	3.85	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	155.94	31	645.20	A
VINYL POLYMER	1.35	4	191.00	A
WARFARIN	< 0.01	1	15.00	A
XANTHAN GUM	< 0.01	1	0.33	A
YEAST	393.11	19	1,793.00	A
ZIRAM	11,765.15	172	2,840.08	A
Site Total	171,809.10	5,007		
ARRUGULA				
ABAMECTIN	0.88	30	76.38	A
ACETAMIPRID	25.65	110	384.67	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	19.84	85	190.68	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.24	1	12.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	16.67	19	96.10	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.02	1	1.14	A
AZADIRACTIN	5.68	86	301.18	A
AZOXYSTROBIN	7.33	10	34.15	A
BACILLUS PUMILUS, STRAIN QST 2808	22.16	47	218.80	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	24.27	6	23.62	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	7.16	4	9.84	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1.60	3	1.88	A
BEAUVERIA BASSIANA STRAIN GH	< 0.01	1	108.00	S
BENSULIDE	3,972.04	304	1,531.52	A
BENZOIC ACID	9.62	48	259.63	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ARRUGULA				
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL)				
ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	20.10	84	554.80	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.02	2	8.67	A
CHLORANTRANILIPROLE	15.48	44	220.61	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	2.25	1	2.50	A
CITRIC ACID	0.06	1	4.30	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	107.21	19	42.07	A
COCONUT DIETHANOLAMIDE	< 0.01	2	0.50	A
COPPER OCTANOATE	0.04	1	0.25	A
BETA-CYFLUTHRIN	2.28	20	87.65	A
CYMOXANIL	2.04	2	16.28	A
CYPERMETHRIN	2.17	14	47.00	A
(S)-CYPERMETHRIN	72.03	320	1,384.18	A
CYROMAZINE	7.04	32	56.47	A
DIETHYLENE GLYCOL	0.73	1	12.00	A
DIMETHYL ALKYL TERTIARY AMINES	10.47	48	259.63	A
DIMETHYLPOLYSILOXANE	0.43	10	52.30	A
DODECYLBENZENE SULFONIC ACID	0.02	2	0.50	A
EDTA, TETRASODIUM SALT	< 0.01	2	0.50	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	21.55	36	105.36	A
FAMOXADONE	2.04	2	16.28	A
FATTY ACIDS, MIXED	0.19	14	70.20	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	72.39	65	458.70	A
FENAMIDONE	1.10	2	52.50	A
FLONICAMID	28.07	63	321.96	A
FLUOPICOLIDE	33.68	73	274.11	A
FOSETYL-AL	433.61	56	175.25	A
HYDROGEN PEROXIDE	100.26	17	40.68	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.06	1	1.14	A
IMIDACLOPRID	42.75	126	546.19	A
IRON PHOSPHATE	0.01	4	0.40	A
ISOPROPYL ALCOHOL	4.22	5	26.20	A
KEROSENE	18.62	48	259.63	A
LECITHIN	4.33	14	70.20	A
MALATHION	0.13	1	0.50	A
MANDIPROPAMID	159.93	254	1,231.40	A
MARGOSA OIL	109.97	26	143.78	A
MEFENOXAM	36.57	6	50.10	A
METHYLATED SOYBEAN OIL	355.69	48	259.63	A
METHYL SILICONE RESINS	0.84	8	20.70	A
MINERAL OIL	5.87	19	96.10	A
NAPROPAMIDE	1.50	1	0.75	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	24.56	65	458.70	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	16.78	19	104.57	A
PERMETHRIN	113.03	187	768.84	A
PHOSPHORIC ACID	1.29	38	105.86	A
PIPERONYL BUTOXIDE	1.09	3	2.87	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.27	3	2.87	A
POLYBUTENES	12.93	65	458.70	A
POLYETHER MODIFIED POLYSILOXANE	1.33	38	114.46	A
POLYETHYLENE GLYCOL DIACETATE	< 0.01	1	1.14	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ARRUGULA				
POLYOXYETHYLENE POLYOXYPROPYLENE	1.50	3	25.00	A
POTASH SOAP	57.53	12	26.40	A
POTASSIUM BICARBONATE	0.25	1	0.10	A
POTASSIUM PHOSPHITE	791.67	50	324.78	A
PROPIONIC ACID	4.33	14	70.20	A
PYRACLOSTROBIN	79.33	87	402.39	A
PYRETHRINS	27.13	136	595.33	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	38.45	83	327.65	A
QUILLAJA	0.05	2	8.67	A
REYNOUTRIA SACHALINENSIS	73.56	115	396.53	A
SILICONE	0.06	13	51.82	A
SILICONE DEFOAMER	< 0.01	2	0.50	A
SODIUM XYLENE SULFONATE	< 0.01	2	0.50	A
SPINETORAM	35.07	160	808.27	A
SPINOSAD	130.85	220	1,107.00	A
SPIROTETRAMAT	1.47	20	160.14	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	1	0.10	A
TALL OIL	1.87	3	25.70	A
TALL OIL FATTY ACIDS	0.23	19	96.10	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.02	2	0.50	A
TETRAPOTASSIUM PYROPHOSPHATE	< 0.01	2	0.50	A
THIAMETHOXAM	6.35	16	87.22	A
TRIETHANOLAMINE	< 0.01	2	0.50	A
TRIFLUMIZOLE	9.05	12	35.90	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.34	36	105.36	A
Site Total	7,222.29	3,029		
ARTICHOKE, GLOBE				
ACRYLIC ACID	44.18	17	272.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	58.91	69	744.08	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	60.06	26	426.55	A
ALPHA-PINENE BETA-PINENE COPOLYMER	106.05	13	322.70	A
ALKYL (C8,C10) POLYGLUCOSIDE	1,494.91	77	1,775.80	A
ALUMINUM PHOSPHIDE	438.69	175	9,379.80	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	19.28		15.00	A
AMMONIUM NITRATE	711.77	76	1,719.50	A
AMMONIUM PROPIONATE	19.80	3	42.00	A
AMMONIUM SULFATE	1,545.42	89	1,947.20	A
AZADIRACTIN	21.99	60	636.47	A
AZOXYSTROBIN	510.75	204	2,198.91	A
BACILLUS PUMILUS, STRAIN QST 2808	50.38	53	575.80	A
BACILLUS SUBTILIS VAR. AMYLOLIQUEFACIENS STRAIN FZB24	1.37	2	51.54	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	72.55	9	115.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	114.79	11	165.57	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1.08	1	2.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	59.41	25	327.44	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ARTICHOKE, GLOBE				
BENZOIC ACID	144.59	751	13,183.18	A
BIFENTHRIN	807.15	399	8,072.58	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3,630.10	2,002	41,061.15	A
CALCIUM CHLORIDE	18.04	41	304.50	A
CHLORANTRANILIPROLE	607.23	565	9,014.36	A
CHLOROPHACINONE	10.86	43	2,520.10	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	12.00	1	20.00	A
CITRIC ACID	60.09	45	360.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	2,991.58	18	577.60	A
CLOTHIANIDIN	1.75	2	34.70	A
(S)-CYPERMETHRIN	3.15	5	65.20	A
DELTAMETHRIN	0.96	4	36.80	A
DIFENOCONAZOLE	6.86	2	60.00	A
DIFLUBENZURON	3,703.32	1,026	18,986.75	A
DIMETHYL ALKYL TERTIARY AMINES	52.79	250	4,464.13	A
DIMETHYLPOLYSILOXANE	154.54	292	4,168.35	A
DIMETHYL SILICONE FLUID EMULSION	2.20	61	379.63	A
DIURON	1,026.23	118	2,062.05	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	1.85	2	24.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	41.33	4	59.70	A
ESFENVALERATE	1,357.13	1,485	28,623.95	A
ETHYLENE GLYCOL	0.24	1	1.00	A
FATTY ACIDS, METHYL ESTERS	298.12	70	1,112.40	A
FATTY ACIDS, MIXED	44.95	390	4,937.37	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	13,237.53	1,919	39,626.05	A
FERRIC SODIUM EDTA	2,576.07	111	3,345.10	A
GIBBERELLINS	72.02	388	3,792.55	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1.99	2	29.30	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	56.31	87	1,031.78	A
IMIDACLOPRID	322.56	220	2,771.35	A
IRON PHOSPHATE	27.75	10	104.00	A
ISOPROPYL ALCOHOL	31.92	140	794.07	A
KEROSENE	4,284.95	751	13,183.18	A
LAMBDA-CYHALOTHRIN	0.18	2	11.00	A
LECITHIN	1,127.89	421	5,466.22	A
METALDEHYDE	7,947.95	155	6,203.85	A
METHIDATHION	4,830.20	224	4,850.16	A
METHOXYFENOZIDE	140.74	67	975.03	A
METHYLATED SOYBEAN OIL	1,805.16	257	4,540.13	A
METHYL SILICONE RESINS	45.93	136	1,220.63	A
MINERAL OIL	95.03	18	383.70	A
MYCLOBUTANIL	844.77	617	8,444.96	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	4,592.45	1,989	40,738.45	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	405.41	491	5,459.86	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE), PHOSPHATE ESTER	179.31	20	314.50	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	16.41	47	369.08	A
OLEIC ACID, METHYL ESTER	506.88	115	1,527.83	A
OXYFLUORFEN	2,806.94	359	5,128.49	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ARTICHOKE, GLOBE				
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	6.94	3	34.70	A
PARAQUAT DICHLORIDE	5,076.07	187	3,877.35	A
PENDIMETHALIN	1,707.95	171	1,909.73	A
PERMETHRIN	2,717.31	681	9,112.36	A
PHOSPHORIC ACID	56.26	153	1,066.97	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	3.91	8	175.50	A
POLYACRYLAMIDE POLYMER	3.43	14	139.10	A
POLYACRYLIC POLYMER	0.04	1	14.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	30.96	8	327.05	A
POLYBUTENES	2,363.85	1,919	39,626.05	A
POLYETHER MODIFIED POLYSILOXANE	2.24	4	59.70	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	83.84	100	1,049.66	A
POLY-I-PARA-MENTHENE	50.19	6	105.20	A
POLYMERIZED PINENE	32.79	2	24.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.30	1	9.28	A
POLYPROPYLENE GLYCOL	0.36	10	151.11	A
POLYSACCHARIDE POLYMER	0.29	2	38.10	A
POLYSILOXANE	< 0.01	1	56.30	A
POTASSIUM HYDROXIDE	0.22	1	56.30	A
POTASSIUM PHOSPHITE	74.09	2	23.70	A
PROPIONIC ACID	1,050.25	391	4,993.67	A
PROPYLENE GLYCOL	45.89	101	1,069.66	A
PROPYZAMIDE	395.04	77	466.52	A
PYRETHRINS	33.02	81	907.18	A
QUINOXYFEN	73.65	76	873.85	A
REYNOUTRIA SACHALINENSIS	86.33	55	711.38	A
ROTENONE	0.21	2	42.50	A
ROTENONE, OTHER RELATED	0.21	2	42.50	A
SETHOXYDIM	15.69	4	44.00	A
SILICONE	0.06	1	10.20	A
SODIUM POLYACRYLATE	0.49	3	42.00	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	121.68	501	8,719.05	A
SPINETORAM	821.64	804	13,842.62	A
SPINOSAD	48.13	38	433.20	A
STREPTOMYCES LYDICUS WYEC 108	0.02	4	76.54	A
STRYCHNINE	0.46	14	257.00	A
SULFUR	12,333.95	226	2,693.12	A
TALL OIL FATTY ACIDS	6.54	16	359.70	A
THIAMETHOXAM	283.54	386	6,017.49	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE)	156.31	100	1,049.66	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	17.29	35	474.80	A
VINYL POLYMER	0.98	2	18.00	A
Site Total	93,967.27	13,193		
ASIAN PEAR				
ABAMECTIN	1.05	8	82.38	A
AZADIRACHTIN	0.10	1	5.00	A
CHLORANTRANILIPROLE	8.53	10	97.55	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	38.21	3	15.00	A
COPPER HYDROXIDE	86.41	10	75.16	A
COPPER OXYCHLORIDE	4.76	1	5.00	A
DICOFOL	7.50	1	1.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ASIAN PEAR				
E,E-8,10-DODECADIEN-1-OL	10.38	7	85.07	A
Z-8-DODECENOL	0.27	6	100.86	A
E-8-DODECENYL ACETATE	1.52	6	100.86	A
Z-8-DODECENYL ACETATE	23.73	6	100.86	A
GLYPHOSATE, ISOPROPYLAMINE SALT	91.56	10	51.10	A
LAURYL ALCOHOL	5.83	7	85.07	A
LIME-SULFUR	2,479.14	7	84.23	A
MINERAL OIL	2,731.79	15	90.53	A
MYRISTYL ALCOHOL	1.18	7	85.07	A
OLEIC ACID, METHYL ESTER	4.15	2	10.00	A
OXYTETRACYCLINE, CALCIUM COMPLEX	6.68	3	28.43	A
PETROLEUM OIL, UNCLASSIFIED	2,471.00	20	226.63	A
PYRETHRINS	0.11	1	5.00	A
SPINETORAM	3.42	6	34.80	A
SPINOSAD	0.49	1	5.00	A
STREPTOMYCIN SULFATE	27.93	26	204.62	A
Site Total	8,005.75	136		
ASPARAGUS				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	12.64	6	490.20	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	60.04	2	242.20	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	141.43	27	1,602.60	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	148.58	26	532.23	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.94	3	72.70	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.73	3	72.70	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	54.86	5	712.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	1.54	4	135.00	A
ALUMINUM PHOSPHIDE	3.44	1	1,606.30	A
	0.16		4.20	K
Total Pounds On This Chemical	3.59			
AMMONIUM NITRATE	6.78	10	504.20	A
AMMONIUM PROPIONATE	23.76	6	398.00	A
AMMONIUM SULFATE	663.96	42	1,823.43	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	16.74	1	62.00	A
BENZOIC ACID	16.33	24	1,250.90	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.41	3	228.00	A
BUTYL ALCOHOL	104.84	41	1,870.00	A
CALCIUM CHLORIDE	53.81	46	1,405.04	A
CARBARYL	4,518.53	91	2,256.65	A
CASTOR OIL ETHOXYLATE	3.21	2	52.00	A
CHLORANTRANILIPROLE	19.12	5	460.00	A
CHLOROPICRIN	2,037.50	1	9.30	A
CHLORPYRIFOS	10,397.45	207	10,837.38	A
CITRIC ACID	183.13	59	2,193.94	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	143.29	3	150.00	A
CLETHODIM	152.74	38	1,172.73	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ASPARAGUS				
COCONUT DIETHANOLAMIDE	7.88	15	899.50	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	1.24	3	391.00	A
2,4-D, DIMETHYLAMINE SALT	311.42	5	280.20	A
2,4-D, TRIISOPROPANOLAMINE SALT	482.65	5	280.20	A
1,3-DICHLOROPROPENE	2,849.27	2	17.30	A
DIETHYLENE GLYCOL	119.79	43	2,027.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	527.90	19	983.03	A
DIMETHYL ALKYL TERTIARY AMINES	17.79	24	1,250.90	A
DIMETHYLPOLYSILOXANE	11.36	87	3,928.60	A
DISULFOTON	937.68	15	927.70	A
DIURON	4,356.14	66	3,044.01	A
DODECYLBENZENE SULFONIC ACID	34.15	15	899.50	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.85	1	48.00	A
EDTA, SODIUM SALT	0.05	2	77.00	A
EDTA, TETRASODIUM SALT	2.10	15	899.50	A
ETHYLENE GLYCOL	481.34	29	1,321.20	A
FATTY ACIDS, METHYL ESTERS	138.37	5	440.20	A
FATTY ACIDS, MIXED	163.75	92	4,590.94	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1.52	3	228.00	A
FATTY ACIDS DERIVED FROM TALLOW	21.94	5	712.00	A
FERROUS SULFATE	6.47	3	391.00	A
FLUMIOXAZIN	205.09	27	1,192.90	A
GLYPHOSATE, ISOPROPYLAMINE SALT	2,973.16	41	1,427.73	A
GLYPHOSATE, POTASSIUM SALT	6,360.47	60	2,619.37	A
HALOSULFURON-METHYL	20.69	13	381.28	A
HYDROTREATED PARAFFINIC SOLVENT	270.66	13	172.10	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	8.83	5	193.00	A
ISOPROPYL ALCOHOL	205.70	70	4,092.60	A
KEROSENE	30.11	22	1,144.70	A
LECITHIN	766.23	77	3,313.37	A
LINURON	3,337.81	80	3,190.31	A
MALATHION	2,139.65	37	1,508.83	A
MANGANESE SULFATE	8.95	3	391.00	A
MEFENOXAM	544.18	30	1,207.88	A
METAM-SODIUM	18,059.28	1	142.20	A
METHOMYL	1,564.19	36	1,468.44	A
METHYLATED SOYBEAN OIL	629.53	25	1,268.90	A
METHYL BROMIDE	31.25		2.00	U
METHYL SILICONE RESINS	< 0.01	1	1.60	A
METRIBUZIN	1,848.44	18	1,664.85	A
MINERAL OIL	113.30	19	358.66	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	3.23	2	77.00	A
NAPROPAMIDE	336.00	1	112.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.51	3	228.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,308.01	246	11,925.58	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	5.91	4	35.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	775.09	25	1,304.28	A
OLEIC ACID, METHYL ESTER	703.92	27	590.23	A
PAECILOMYCES LILACINUS STRAIN 251	36.00	3	150.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ASPARAGUS				
PARAQUAT DICHLORIDE	283.77	7	279.00	A
PENDIMETHALIN	3,266.74	20	1,316.30	A
PERMETHRIN	186.89	52	1,840.30	A
PETROLEUM DISTILLATES	30.19	3	100.00	A
PETROLEUM DISTILLATES, ALIPHATIC	0.76	6	490.20	A
PETROLEUM NAPHTHENIC OILS	8.84	6	490.20	A
PETROLEUM OIL, PARAFFIN BASED	222.33	13	320.08	A
PHOSPHORIC ACID	72.93	24	1,708.70	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.57	7	331.54	A
POLYACRYLAMIDE POLYMER	0.88	2	187.00	A
POLYACRYLIC POLYMER	0.39	1	142.20	A
POLYBUTENES	0.27	3	228.00	A
POLYETHYLENE GLYCOL DIACETATE	0.14	4	135.00	A
POLY-I-PARA-MENTHENE	177.95	6	457.00	A
POLYMERIZED PINENE	32.79	1	48.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	34.72	6	124.73	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	147.55	7	195.35	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	24.04	2	52.00	A
POLYPROPYLENE GLYCOL	< 0.01	1	1.60	A
POLYSACCHARIDE POLYMER	0.09	1	154.00	A
POTASH SOAP	20.82	1	8.50	A
PROPIONIC ACID	551.63	46	2,340.94	A
PROPYLENE GLYCOL	13.38	4	177.00	A
PYMETROZINE	206.38	20	2,401.60	A
SETHOXYDIM	64.48	7	152.00	A
SILICONE DEFOAMER	0.92	16	917.50	A
SODIUM POLYACRYLATE	0.59	6	398.00	A
SODIUM XYLENE SULFONATE	10.51	15	899.50	A
SPINETORAM	88.36	17	1,862.00	A
SPINOSAD	3.81	3	34.00	A
SULFENTRAZONE	112.09	2	77.00	A
TALL OIL	29.03	19	1,354.70	A
TALL OIL FATTY ACIDS	66.68	33	639.76	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	46.50	17	976.50	A
TETRAPOTASSIUM PYROPHOSPHATE	5.25	15	899.50	A
TRIETHANOLAMINE	13.40	15	899.50	A
TRIFLURALIN	4,294.98	55	2,411.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	182.35	37	1,673.00	A
VINYL POLYMER	1.14	7	217.50	A
ZINC SULFATE	13.92	3	391.00	A
Site Total	82,759.87	1,468		
AVOCADO				
ABAMECTIN	543.09	1,301	28,082.45	A
	0.25	1	270,000.00	U
Total Pounds On This Chemical	543.33			
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	97.22	9	250.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	154.52	9	257.70	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.10	1	40.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	473.66	67	2,195.73	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
AVOCADO				
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.00	1	40.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	57.60	2	78.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	4.34	6	49.65	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	14.62	29	247.45	A
ALUMINUM PHOSPHIDE	18.11	24	150.50	A
AMMONIUM NITRATE	0.89	2	1.00	A
AMMONIUM PROPIONATE	0.47	2	3.00	A
AMMONIUM SULFATE	108.15	49	295.92	A
AZADIRACTIN	0.09	1	2.00	A
AZOXYSTROBIN	0.02	1	1.00	A
BACILLUS THURINGIENSIS (BERLINER)	0.47	2	40.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	14.04	2	10.00	A
BENTONITE	42.89	49	123.15	A
BIFENAZATE	5.95	2	11.90	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	8.15	16	158.00	A
BROMADIOLONE	0.02	26	472.40	A
BUTYL ALCOHOL	5.07	19	86.50	A
CALCIUM HYDROXIDE	30.06	2	8.20	A
	18.00	1	270,000.00	U
Total Pounds On This Chemical	48.06			
CARFENTHAZONE-ETHYL	3.14	32	346.55	A
CASEIN	2.67	40	117.65	A
CHLORANTRANILIPROLE	0.88	1	10.00	A
CHLOROPHACINONE	< 0.01	20	430.50	A
CHLORPYRIFOS	24.39	4	34.20	A
CITRIC ACID	4.05	3	43.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	15.28	1	2.00	A
COCONUT DIETHANOLAMIDE	13.29	180	1,224.45	A
	1.00	8	676,940.00	U
Total Pounds On This Chemical	14.30			
COPPER DIAMMONIUM DIACETATE COMPLEX	24.97	6	10.50	A
COPPER HYDROXIDE	51.11	7	35.40	A
COPPER OXIDE (OUS)	80.42	2	22.50	A
COPPER SULFATE (BASIC)	267.95	2	26.00	A
	19.60	1	270,000.00	U
Total Pounds On This Chemical	287.55			
2,4-D, ISOPROPYL ESTER	0.11	1	4.00	A
DIETHYLENE GLYCOL	33.06	4	236.78	A
DIMETHYLPOLYSILOXANE	901.95	325	7,594.86	A
DIMETHYL SILICONE FLUID EMULSION	2.00	15	306.80	A
DIPHACINONE	1.02	680	8,824.48	A
	< 0.01	32	12,280.00	S
Total Pounds On This Chemical	1.02			
DISODIUM OCTABORATE TETRAHYDRATE	0.22	5	20.90	A
DODECYLBENZENE SULFONIC ACID	57.60	180	1,224.45	A
	4.35	8	676,940.00	U
Total Pounds On This Chemical	61.95			
EDTA, TETRASODIUM SALT	3.54	180	1,224.45	A
	0.27	8	676,940.00	U
Total Pounds On This Chemical	3.81			
EMULSIFIABLE POLYETHYLENE	2.60	2	11.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
AVOCADO				
ETHYLENE GLYCOL	100.03	40	252.50	A
ETOXAZOLE	370.80	3	145.00	A
FATTY ACIDS, MIXED	0.72	10	35.25	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	21.35	14	80.00	A
FENPROPATHRIN	57.69	7	152.00	A
	14.94	8	406,942.00	U
Total Pounds On This Chemical	72.63			
FERRIC SODIUM EDTA	37.85	3	147.00	A
	2.50	1	70,000.00	U
Total Pounds On This Chemical	40.35			
FLUMIOXAZIN	0.77	1	2.00	A
GLYPHOSATE, DIAMMONIUM SALT	19.52	7	44.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	38,887.61	3,932	44,415.26	A
	44.05	5	589,000.00	U
Total Pounds On This Chemical	38,931.66			
GLYPHOSATE, MONOAMMONIUM SALT	0.08	1	10.00	A
GLYPHOSATE, POTASSIUM SALT	32,865.32	2,981	30,693.81	A
	0.69	2	2.00	U
Total Pounds On This Chemical	32,866.01			
HEPTAMETHYLTRISILOXANE ETHOXYLATED	94.73	67	2,195.73	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.72	17	366.90	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	116.28	37	621.45	A
IMIDACLOPRID	34.73	6	99.50	A
IRON PHOSPHATE	2.05	5	73.00	A
ISOPROPYL ALCOHOL	63.25	271	1,987.10	A
	1.32	8	676,940.00	U
Total Pounds On This Chemical	64.57			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.28	24	1,279.00	A
KAOLIN	1,341.88	14	88.80	A
LACTOSE	3.36	49	123.15	A
LECITHIN	246.61	27	553.41	A
MALATHION	156.08	6	57.60	A
METALDEHYDE	169.01	47	574.52	A
METHYLATED SOYBEAN OIL	518.50	53	1,178.66	A
MINERAL OIL	409,283.22	1,088	22,060.93	A
MOLASSES	483.14	1	20.00	A
MYCLOBUTANIL	0.54	2	8.50	A
NAA, ETHYL ESTER	1.41	5	286.67	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	7.24	14	80.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	340.30	231	3,769.98	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	71.89	29	311.79	A
NORFLURAZON	20.04	4	21.00	A
NOSEMA LOCUSTAE SPORES	0.03	3	38.30	A
OLEIC ACID	1.21	26	57.00	A
ORYZALIN	113.12	6	23.98	A
OXYFLUORFEN	60.92	64	595.53	A
PARAQUAT DICHLORIDE	16.72	9	18.10	A
PETROLEUM DISTILLATES	69.13	47	497.31	A
PETROLEUM DISTILLATES, REFINED	148.19	2	340,000.00	U
PETROLEUM OIL, PARAFFIN BASED	28,346.29	120	2,982.02	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
AVOCADO				
PETROLEUM OIL, UNCLASSIFIED	143,210.43	347	8,825.72	A
PHOSPHORIC ACID	14.41	186	1,399.50	A
	0.86	8	676,940.00	U
Total Pounds On This Chemical	15.27			
PIPERONYL BUTOXIDE	5.12	1	70,000.00	U
PIPERONYL BUTOXIDE, OTHER RELATED	1.28	1	70,000.00	U
POLYACRYLAMIDE POLYMER	0.84	28	225.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	219.33	39	1,713.20	A
POLYBUTENES	3.81	14	80.00	A
POLYETHOXYLATED CASTOR OIL	3.59	17	279.00	A
POLYETHYLENE GLYCOL DIACETATE	1.33	29	247.45	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	439.75	97	2,274.18	A
POLY-I-PARA-MENTHENE	7.14	1	3.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	13.32	2	26.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	1.13	24	1,279.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	7.45	24	1,279.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	1,952.34	43	1,352.50	A
POLYSILOXANE	0.05	3	47.40	A
POTASSIUM HYDROXIDE	1.36	3	47.40	A
PROPIONIC ACID	16.27	11	79.65	A
PROPYLENE GLYCOL	496.10	192	5,658.41	A
PYRETHRINS	0.64	1	70,000.00	U
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.57		625.00	S
	0.05		31.00	U
	0.05		31.00	A
Total Pounds On This Chemical	0.68			
SABADILLA ALKALOIDS	7.00	7	237.00	A
SAFLUFENACIL	1.09	7	196.00	A
SILICONE DEFOAMER	1.51	180	1,224.45	A
	0.11	8	676,940.00	U
Total Pounds On This Chemical	1.62			
SIMAZINE	16,771.07	1,179	11,215.72	A
SODIUM POLYACRYLATE	0.01	2	3.00	A
SODIUM XYLENE SULFONATE	17.72	180	1,224.45	A
	1.34	8	676,940.00	U
Total Pounds On This Chemical	19.06			
SPINETORAM	133.15	60	1,333.10	A
SPINOSAD	260.32	110	1,579.77	A
SPIRODICLOFEN	586.10	81	1,864.02	A
SPIROMESIFEN	0.10	1	11,000.00	U
SPIROTETRAMAT	1.07	12	56.77	A
STRYCHNINE	11.84	482	4,410.60	A
STYRENE BUTADIENE COPOLYMER	9.87	17	64.00	A
SULFAQUINOXALINE	0.03	24	57.00	A
SULFUR	9,531.51	33	691.57	A
TALL OIL	2.25	10	27.60	A
TALL OIL FATTY ACIDS	9.66	22	459.70	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE)	88.40	208	1,293.05	A
	5.10	8	676,940.00	U
Total Pounds On This Chemical	93.49			
TETRAPOTASSIUM PYROPHOSPHATE	8.86	180	1,224.45	A
	0.67	8	676,940.00	U
Total Pounds On This Chemical	9.53			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
AVOCADO				
TRIETHANOLAMINE	22.60	180	1,224.45	A
	1.71	8	676,940.00	U
Total Pounds On This Chemical	24.30			
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	687.25	79	2,005.18	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	139.39	38	588.16	A
WARFARIN	0.03	24	57.00	A
Site Total	691,965.33	13,958		
BAMBOO SHOOTS				
METHYL BROMIDE	1,957.90		266,884.00	C
	994.75		36.00	U
Total Pounds On This Chemical	2,952.65			
Site Total	2,952.65			
BARLEY				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	2.24	1	130.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	116.04	9	633.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	20.09	3	370.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	22.14	14	998.70	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.75	14	998.70	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	77.41	33	1,921.10	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	0.24	1	10.00	A
AMMONIUM NITRATE	2.31	1	10.00	A
AMMONIUM SULFATE	349.86	6	1,304.29	A
AZOXYSTROBIN	40.01	2	310.00	A
BENZOIC ACID	13.41	8	1,656.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL)ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	95.39	9	701.30	A
BROMOXYNIL HEPTANOATE	219.89	26	970.67	A
BROMOXYNIL OCTANOATE	461.92	35	1,693.87	A
BUTYL ALCOHOL	8.54	6	590.00	A
CARFENTRAZONE-ETHYL	85.24	51	5,624.69	A
CHLORSULFURON	102.96	33	4,193.80	A
CITRIC ACID	150.57	20	2,302.99	A
CLOPYRALID, MONOETHANOLAMINE SALT	27.89	5	259.80	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.44	2	331.00	A
2,4-D	2.44	1	21.00	A
2,4-D, BUTOXYETHANOL ESTER	4.33	1	21.00	A
2,4-D, DIMETHYLAMINE SALT	6,452.87	75	8,095.40	A
DERIVATED NATURAL POLYMERS	0.27	3	150.70	A
DICAMBA, DIMETHYLAMINE SALT	599.57	63	6,688.70	A
DIETHYLENE GLYCOL	10,881.73	42	6,299.90	A
DIFENOCONAZOLE	5.59		94,000.00	P
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	334.97	12	1,600.00	A
DIMETHYL ALKYL TERTIARY AMINES	14.61	8	1,656.00	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	1.45	2	142.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BARLEY				
DIMETHYLPOLYSILOXANE	26.77	65	7,852.70	A
DIPHACINONE	0.10	1	100.00	A
DIPROPYLENE GLYCOL METHYL ETHER	0.22	1	35.00	A
ETHEPHON	13.33	1	36.00	A
ETHYLENE GLYCOL	15.72	1	130.00	A
FATTY ACIDS, MIXED	49.05	44	3,743.90	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	356.12	9	701.30	A
FATTY ACIDS DERIVED FROM TALLOW	30.97	33	1,921.10	A
FENOXAPROP-P-ETHYL	46.17	5	554.00	A
FERROUS SULFATE	2.31	2	331.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	434.23	4	417.00	A
GLYPHOSATE, POTASSIUM SALT	2,880.03	12	1,928.89	A
ISOPROPYL ALCOHOL	38.88	31	1,965.80	A
KEROSENE	25.98	8	1,656.00	A
LAMBDA-CYHALOTHRIN	42.34	20	1,394.00	A
LECITHIN	19.66	4	160.00	A
MALATHION	1,127.31	9	1,094.00	A
MANGANESE SULFATE	3.20	2	331.00	A
MCPA, DIMETHYLAMINE SALT	5,255.10	115	8,809.40	A
MEFENOXAM	1.39		94,000.00	P
METALAXYL	9.90		361,050.00	P
METAM-SODIUM	12,086.30	1	72.50	A
METHYLATED SOYBEAN OIL	496.24	8	1,656.00	A
METHYL SILICONE RESINS	6.32	8	245.00	A
MINERAL OIL	92.47	2	310.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	160.61	41	3,590.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4,694.31	153	14,405.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	82.01	2	279.30	A
OLEIC ACID, METHYL ESTER	17.06	2	9.00	A
ORGANO/MODIFIED POLYSILOXANE	< 0.01	1	10.00	A
PARAQUAT DICHLORIDE	71.07	2	129.90	A
PETROLEUM DISTILLATES, ALIPHATIC	0.13	1	130.00	A
PETROLEUM NAPHTHENIC OILS	1.57	1	130.00	A
PETROLEUM OIL, PARAFFIN BASED	52.96	4	164.67	A
PHOSPHINE	0.12		2,800.00	S
PHOSPHORIC ACID	172.73	8	1,635.29	A
PINOXADEN	428.91	63	8,460.30	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	26.66	40	4,072.79	A
POLYACRYLAMIDE POLYMER	8.48	15	1,205.60	A
POLYACRYLIC POLYMER	0.29	4	105.90	A
POLYBUTENES	63.59	9	701.30	A
POLYETHYLENE GLYCOL	79.41	17	962.80	A
POLYETHYLENE GLYCOL OLEATE	3.36	2	142.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	4.23	1	38.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	6.05	3	126.67	A
POLYSACCHARIDE POLYMER	0.07	2	153.00	A
POLYSILOXANE	3.12	3	150.70	A
POTASSIUM N-METHYLDITHIOCARBAMATE	177,671.35	7	539.60	A
PROPICONAZOLE	160.79	22	1,428.00	A
PROPIONIC ACID	19.51	4	160.00	A
PROPYLENE GLYCOL	6.00	1	120.00	A
PYRACLOSTROBIN	18.42	2	142.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BARLEY				
TALL OIL	1.50	1	131.00	A
TALL OIL FATTY ACIDS	11.32	2	155.00	A
TEBUCONAZOLE	7.43		361,050.00	P
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	58.87	1	156.00	A
TRALKOXYDIM	19.38	4	105.90	A
TRIBENURON-METHYL	124.66	92	9,998.40	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	59.56	9	729.90	A
UREA	1.73	1	10.00	A
UREA DIHYDROGEN SULFATE	36.39	1	156.00	A
VINYL POLYMER	7.59	16	1,076.40	A
ZINC SULFATE	4.98	2	331.00	A
Site Total	227,243.55	918		
BARLEY (FORAGE - FODDER)				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	35.98	5	265.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	14.41	1	187.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	61.96	13	548.50	A
ALUMINUM PHOSPHIDE	0.36	1	42.00	A
AMMONIUM NITRATE	29.51	13	548.50	A
AMMONIUM SULFATE	59.01	13	548.50	A
BENZOIC ACID	0.42	1	390.00	A
BROMOXYNIL HEPTANOATE	13.08	4	66.00	A
BROMOXYNIL OCTANOATE	13.56	4	66.00	A
BUTYL ALCOHOL	3.62	1	390.00	A
CARFENTHAZONE-ETHYL	15.85	21	1,093.50	A
2,4-D, DIMETHYLAMINE SALT	1,033.95	19	1,505.00	A
2,4-D, 2-ETHYLHEXYL ESTER	233.21	6	253.00	A
DIETHYLENE GLYCOL	0.10	1	17.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	43.80	3	256.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.46	1	390.00	A
DIMETHYLPOLYSILOXANE	0.81	28	1,493.00	A
DIPROPYLENE GLYCOL METHYL ETHER	0.11	1	17.00	A
FATTY ACIDS DERIVED FROM TALLOW	5.77	1	187.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	17.58	1	32.20	A
ISOPROPYL ALCOHOL	7.51	18	802.50	A
KEROSENE	0.82	1	390.00	A
LECITHIN	0.94	1	17.00	A
MCPA, DIMETHYLAMINE SALT	133.17	2	126.00	A
METCONAZOLE	4.63	1	99.00	A
METHYLATED SOYBEAN OIL	15.61	1	390.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	108.56	16	1,131.50	A
PINOXADEN	3.22	1	60.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	13.03	14	1,314.00	A
POLYACRYLAMIDE POLYMER	4.69	13	548.50	A
POLYETHYLENE GLYCOL	33.20	13	537.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	5.18	1	99.00	A
PROPIONIC ACID	0.87	1	17.00	A
PYRACLOSTROBIN	7.52	1	99.00	A
TALL OIL FATTY ACIDS	0.11	1	17.00	A
TRIBENURON-METHYL	5.80	8	404.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BARLEY (FORAGE - FODDER)				
Site Total	1,928.41	130		
BASIL, SWEET				
ABAMECTIN	3.04	124	221.88	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	5.51	3	15.70	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.17	10	42.75	A
ALPHA-PINENE BETA-PINENE COPOLYMER	13.39	22	53.48	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.85	4	10.00	A
AMMONIUM SULFATE	2.22	3	15.70	A
AZADIRACTIN	7.94	170	343.51	A
AZOXYSTROBIN	202.80	391	993.73	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	8.01	6	25.65	A
BACILLUS PUMILUS, STRAIN QST 2808	0.12	1	1.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	3.25	2	3.52	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	23.56	30	44.61	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	4.32	4	8.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	69.28	40	109.70	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.57	22	53.48	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.85	16	16.72	A
CARBOXIN	0.19		264.00	P
CHLORANTRANILIPROLE	10.63	136	199.80	A
CITRIC ACID	0.95	3	15.70	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	66.09	24	42.41	A
CLETHODIM	7.71	6	63.70	A
COPPER OCTANOATE	81.65	206	328.25	A
FATTY ACIDS DERIVED FROM TALLOW	1.54	4	10.00	A
GLYPHOSATE, POTASSIUM SALT	5.30	2	20.00	A
HYDROGEN PEROXIDE	11.09	3	9.00	A
IMIDACLOPRID	8.99	75	154.82	A
IRON PHOSPHATE	0.02	3	2,400.00	S
ISOPROPYL ALCOHOL	0.67	37	70.25	A
LIMONENE	13.67	1	0.66	A
MARGOSA OIL	93.39	37	103.67	A
MEFENOXAM	116.56	52	380.87	A
MEFENOXAM, OTHER RELATED	0.85	4	50.00	A
METAM-SODIUM	2,564.73	1	8.00	A
METHOXYFENOZIDE	0.56	1	5.00	A
MINERAL OIL	4.71	22	53.48	A
NAPROPAMIDE	735.98	79	500.34	A
NONANOIC ACID	283.45	3	46.00	A
NONANOIC ACID, OTHER RELATED	14.92	3	46.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.68	54	81.27	A
OIL OF JOJOBA	0.57	1	2.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	6.63	10	26.86	A
PHOSPHORIC ACID	1.01	3	15.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BASIL, SWEET				
PIPERONYL BUTOXIDE	31.44	25	79.25	A
PIPERONYL BUTOXIDE, OTHER RELATED	7.86	25	79.25	A
POTASH SOAP	101.84	21	51.67	A
POTASSIUM BICARBONATE	84.53	16	34.46	A
POTASSIUM N-METHYLDITHIOCARBAMATE	21,289.72	116	174.60	A
PYRETHRINS	12.45	124	316.28	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	5.31	10	22.10	A
QUILLAJA	1.74	16	16.72	A
REYNOUTRIA SACHALINENSIS	7.78	24	44.74	A
SPINETORAM	34.41	300	534.50	A
SPINOSAD	14.09	55	155.88	A
STREPTOMYCES LYDICUS WYEC 108	0.05	10	15.16	A
TALL OIL	0.09	34	54.55	A
TALL OIL FATTY ACIDS	0.19	22	53.48	A
THIRAM	0.31		264.00	P
TRICHODERMA ICC 012 ASPERELLUM	0.90	4	10.25	A
TRICHODERMA ICC 080 GAMSII	0.90	4	10.25	A
Site Total	25,985.03	2,143		
BEAN, DRIED				
ABAMECTIN	526.07	400	24,033.65	A
ACEPHATE	7,825.12	201	8,494.98	A
ACETAMIPRID	62.88	17	764.13	A
ACRYLIC ACID	20.12	4	325.00	A
ALACHLOR	1,713.38	31	659.90	A
ALDICARB	7.35	1	3.50	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	130.57	56	3,503.37	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	118.51	41	2,096.69	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	179.19	25	1,781.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	15.23	4	246.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.89	4	246.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	67.23	6	513.20	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	40.34	19	802.85	A
ALPHA-ALKYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	15.32	3	216.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	1.48	5	33.80	A
ALKYL (C8,C10) POLYGLUCOSIDE	76.57	12	591.20	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	1.61	12	253.67	A
ALUMINUM PHOSPHIDE	13.20		630.00	T
	5.53	6	525.00	A
Total Pounds On This Chemical	18.73			
AMMONIUM NITRATE	54.65	20	1,227.00	A
AMMONIUM SULFATE	1,148.82	50	3,476.10	A
AZADIRACTIN	11.16	8	294.00	A
AZOXYSTROBIN	11.91	2	105.33	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	4.86	1	18.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	129.60	8	160.00	A
BENTAZON, SODIUM SALT	1,047.22	35	969.72	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, DRIED				
BENZOIC ACID	21.01	38	1,692.10	A
BIFENAZATE	113.38	5	203.50	A
BIFENTHRIN	1,052.77	263	12,058.03	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	393.28	173	10,686.04	A
BOSCALID	32.18	6	98.60	A
BUTYL ALCOHOL	24.60	31	1,172.54	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	6.00	2	106.40	A
CALCIUM CHLORIDE	45.35	80	3,762.75	A
CANOLA OIL	0.41	1	100.00	A
CARBARYL	147.86	3	146.00	A
CARFENTHAZONE-ETHYL	43.89	52	2,011.69	A
CASTOR OIL ETHOXYLATE	159.98	48	3,209.00	A
CHLORANTRANILIPROLE	188.25	80	3,791.05	A
CHLORONEB	1,069.66		965,590.00	P
CHLOROTHALONIL	104.87	1	70.00	A
CHLORPYRIFOS	768.66	43	921.90	A
	660.85		1,223,600.00	P
Total Pounds On This Chemical	1,429.51			
CITRIC ACID	283.89	140	7,388.95	A
CLETHODIM	507.16	60	2,530.73	A
COCONUT DIETHANOLAMIDE	17.92	89	3,674.40	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	1.10	13	517.88	A
COTTONSEED OIL	71.79	2	48.00	A
CYFLUTHRIN	27.98	14	1,038.00	A
BETA-CYFLUTHRIN	12.72	58	3,964.00	A
CYPERMETHRIN	3.00	1	65.00	A
(S)-CYPERMETHRIN	121.44	79	3,038.60	A
DDVP	12.05		2,994.00	K
DDVP, OTHER RELATED	0.31		2,994.00	K
DERIVATED NATURAL POLYMERS	0.18	1	73.90	A
1,3-DICHLOROPROPENE	10,685.36	1	32.00	A
DICOFOL	501.92	10	361.28	A
DIETHYLENE GLYCOL	141.69	83	3,946.92	A
DIMETHOATE	18,274.97	715	36,924.94	A
DIMETHYL ALKYL TERTIARY AMINES	22.88	38	1,692.10	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	3.09	1	47.80	A
DIMETHYLPOLYSILOXANE	131.80	266	11,330.75	A
DIMETHYL SILICONE FLUID EMULSION	0.51	2	78.00	A
DIOCTYL PHTHALATE	20.99	4	466.00	A
DIPHACINONE	0.02	7	513.00	A
DODECYLBENZENE SULFONIC ACID	77.64	89	3,674.40	A
DODECYLBENZENE SULFONIC ACID, CALCIUM SALT	0.21	1	100.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	0.61	1	68.00	A
EDTA, TETRASODIUM SALT	4.78	89	3,674.40	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	29.75	5	117.50	A
EPTC	716.71	21	318.00	A
ESFENVALERATE	24.20	16	549.00	A
ETHALFLURALIN	8,120.30	122	7,020.96	A
ETHYLENE GLYCOL	435.21	42	1,740.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, DRIED				
FATTY ACIDS, MIXED	83.08	69	3,656.80	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,477.89	167	10,232.84	A
FATTY ACIDS DERIVED FROM TALLOW	16.14	19	802.85	A
FERROUS SULFATE	5.73	13	517.88	A
FLUAZIFOP-P-BUTYL	40.01	2	113.00	A
FLUBENDIAMIDE	52.65	10	762.84	A
FLUDIOXONIL	12.36		832,700.00	P
FLUMIOXAZIN	120.45	18	2,259.00	A
GLYCEROL	2.51	1	37.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	11,138.14	60	4,737.90	A
GLYPHOSATE, POTASSIUM SALT	4,776.47	29	2,007.21	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	0.08	1	0.80	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.93	4	140.90	A
HEXYTHIAZOX	5,495.92	57	2,262.92	A
HYDROTREATED PARAFFINIC SOLVENT	208.83	2	137.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	181.06	89	4,393.12	A
IMAZETHAPYR, AMMONIUM SALT	1.06	1	30.00	A
IMIDACLOPRID	433.78	204	11,346.17	A
IPRODIONE	19.06	2	19.40	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	0.18	1	0.80	A
ISOPARAFFINIC HYDROCARBONS	17.56	1	40.00	A
ISOPROPYL ALCOHOL	252.86	270	12,990.19	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	2.56	13	659.50	A
KEROSENE	40.68	38	1,692.10	A
LAMBDA-CYHALOTHRIN	687.53	407	23,096.22	A
LECITHIN	467.46	60	3,567.30	A
MAGNESIUM PHOSPHIDE	27.90		2,831,300.00	P
	5.21		300.00	T
Total Pounds On This Chemical	33.11			
MALATHION	1,732.81	25	1,394.00	A
MANGANESE SULFATE	7.93	13	517.88	A
MEFENOXAM	38.75		898,100.00	P
MEFENOXAM, OTHER RELATED	1.20		898,100.00	P
METHOMYL	2,250.40	72	3,450.11	A
METHOXYFENOZIDE	878.08	114	6,916.78	A
METHYLATED SOYBEAN OIL	2,019.82	132	6,493.00	A
METHYL CELLULOSE	20.70	4	466.00	A
METHYL SILICONE RESINS	30.59	25	593.50	A
METOLACHLOR	17,118.42	154	10,805.50	A
S-METOLACHLOR	12,322.70	222	8,464.10	A
MINERAL OIL	426.97	22	1,007.60	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	0.57	2	4.66	A
MORPHOLINE	9.08	4	466.00	A
NALED	494.73	14	487.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	532.21	180	10,666.84	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,454.92	484	24,514.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	15.92	2	100.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	192.81	12	863.98	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, DRIED				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	1.34	26	1,423.60	A
NOVALURON	76.64	28	988.20	A
OIL OF JOJOBA	122.81	6	270.00	A
OLEIC ACID	29.76	5	496.00	A
OLEIC ACID, METHYL ESTER	1,367.82	103	5,938.45	A
ORCHEX 796 OIL	11.96	1	40.00	A
ORGANO/MODIFIED POLYSILOXANE	0.04	5	33.80	A
OXYFLUORFEN	627.26	25	2,731.17	A
PARAQUAT DICHLORIDE	390.92	12	466.19	A
PENDIMETHALIN	10,778.07	177	11,155.02	A
PETROLEUM DISTILLATES	615.78	18	1,354.40	A
PETROLEUM OIL, PARAFFIN BASED	1,459.46	54	3,050.10	A
PHOSPHORIC ACID	390.04	258	13,054.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	6.02	14	592.54	A
POLYACRYLAMIDE POLYMER	10.45	38	1,751.70	A
POLYACRYLIC POLYMER	6.71	12	1,162.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	30.21	61	3,065.60	A
POLYBUTENES	260.00	166	10,132.84	A
POLYETHER MODIFIED POLYSILOXANE	14.53	15	494.80	A
POLYETHOXYLATED CASTOR OIL	9.88	11	744.20	A
POLYETHYLENE GLYCOL	179.24	39	1,539.84	A
POLYETHYLENE GLYCOL DIACETATE	0.15	12	253.67	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	4.08	3	35.00	A
POLYETHYLENE GLYCOL OLEATE	7.15	1	47.80	A
POLY-I-PARA-MENTHENE	145.89	6	505.00	A
POLYMERIZED PINENE	19.66	1	68.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	28.97	3	104.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	15.94	4	271.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	170.27	10	791.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	42.93	26	1,423.60	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	10.25	13	659.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	67.97	14	759.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	1,207.66	49	3,246.50	A
POLYPROPYLENE GLYCOL	0.35	11	161.20	A
POLYSACCHARIDE POLYMER	0.33	8	422.16	A
POLYSILOXANE	2.04	3	141.40	A
POTASSIUM HYDROXIDE	4.31	31	1,655.50	A
POTASSIUM NITRATE	34.43	29	1,588.00	A
PROPARGITE	1,727.79	20	871.40	A
PROPIONIC ACID	234.81	33	1,594.30	A
PROPYLENE GLYCOL	134.93	68	2,965.60	A
PYRACLOSTROBIN	17.12	8	124.60	A
PYRIPROXYFEN	1.20	2	18.00	A
SAFLUFENACIL	0.01	1	0.80	A
SETHOXYDIM	128.29	14	321.60	A
SILICONE DEFOAMER	2.06	91	3,725.40	A
SODIUM CHLORATE	2,463.71	6	374.70	A
SODIUM DIISOCTYLSULFOSUCCINATE	2.77	4	466.00	A
SODIUM DIOCTYLSULFOSUCCINATE	0.70	1	30.00	A
SODIUM HYDROXIDE	1.62	5	87.50	A
SODIUM XYLENE SULFONATE	23.89	89	3,674.40	A
SORBITAN FATTY ACID ESTERS	9.39	26	1,423.60	A
SPINETORAM	17.25	6	340.81	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, DRIED				
SPIROTETRAMAT	0.25	1	26.60	A
SULFURYL FLUORIDE	773.45		1,809.00	T
	249.50		951.00	K
	< 0.01		62,000.00	C
Total Pounds On This Chemical	1,022.95			
TALL OIL	168.01	68	4,180.00	A
TALL OIL FATTY ACIDS	213.40	68	3,436.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	91.02	89	3,674.40	A
TETRAPOTASSIUM PYROPHOSPHATE	11.95	89	3,674.40	A
THIABENDAZOLE	28.78		44,200.00	P
THIAMETHOXAM	97.30		196,600.00	P
THIRAM	1,232.95		1,543,175.40	P
TRIETHANOLAMINE	30.46	89	3,674.40	A
TRIFLURALIN	4,744.19	124	6,744.30	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	7.60	3	35.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	65.74	31	1,384.00	A
UREA	10.56	5	33.80	A
VINYL POLYMER	25.61	27	2,182.50	A
ZINC PHOSPHIDE	0.32	3	72.00	A
ZINC SULFATE	40.17	45	2,348.58	A
Site Total	155,139.89	5,384		
BEAN, SUCCULENT				
ABAMECTIN	36.18	61	2,144.75	A
ACEPHATE	1,986.12	57	2,202.53	A
ACETAMIPRID	14.29	8	172.10	A
ACRYLIC ACID	1.30	1	30.00	A
ALACHLOR	1,612.66	17	579.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	15.22	6	430.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.40	2	2.75	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	68.34	15	699.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.69	3	73.30	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.33	3	73.30	A
ALPHA-PINENE BETA-PINENE COPOLYMER	0.87	1	12.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.33	1	38.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	52.74	35	1,023.96	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	1.63	6	101.45	A
AMMONIUM NITRATE	19.73	3	194.00	A
AMMONIUM SULFATE	137.40	16	612.00	A
AZADIRACTIN	0.45	7	19.84	A
AZOXYSTROBIN	20.12	14	164.08	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	3.75	1	5.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	2.53	1	2.34	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	367.31	35	345.05	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	2.37	4	27.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, SUCCULENT				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	263.66	17	254.50	A
BENTAZON, SODIUM SALT	203.65	47	204.45	A
BENZOIC ACID	16.03	64	901.49	A
BIFENAZATE	11.75	5	37.30	A
BIFENTHRIN	62.95	30	831.10	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	18.85	7	402.60	A
BORAX	0.02	1	2.00	A
BOSCALID	147.54	30	313.40	A
BUFFALO GOURD ROOT POWDER	0.33	3	14.80	A
BUTYL ALCOHOL	5.16	7	225.50	A
CALCIUM CHLORIDE	21.01	9	307.50	A
CARFENTHAZONE-ETHYL	0.98	4	51.00	A
CASTOR OIL ETHOXYLATE	6.75	7	196.00	A
CHLORANTRANILIPROLE	8.97	7	164.75	A
CHLOROTHALONIL	320.84	8	152.00	A
CHLORPYRIFOS	523.49	34	584.00	A
CITRIC ACID	104.07	39	1,487.80	A
CLETHODIM	6.40	3	41.40	A
COCONUT DIETHANOLAMIDE	0.55	7	124.00	A
COPPER OCTANOATE	9.59	2	13.00	A
COTTONSEED OIL	39.79	3	82.00	A
BETA-CYFLUTHRIN	0.65	7	248.10	A
(S)-CYPERMETHRIN	10.75	13	222.00	A
CYPRODINIL	4.27	2	13.00	A
DIAZINON	1,208.90	30	507.70	A
DICLORAN	290.32	12	177.00	A
DICOFOL	681.45	5	470.92	A
DIETHYLENE GLYCOL	15.41	3	50.00	A
DIMETHOATE	2,641.99	128	5,173.81	A
DIMETHYL ALKYL TERTIARY AMINES	17.45	64	901.49	A
DIMETHYLPOLYSILOXANE	9.58	76	1,686.40	A
DIMETHYL SILICONE FLUID EMULSION	0.16	1	25.00	A
E,E-8,10-DODECADIEN-1-OL	< 0.01	1	14.00	A
DODECYLBENZENE SULFONIC ACID	2.38	7	124.00	A
EDTA, TETRASODIUM SALT	0.15	7	124.00	A
EPTC	3,434.39	67	1,424.28	A
ESFENVALERATE	9.30	39	228.70	A
ETHALFLURALIN	186.95	7	135.50	A
ETHYLENE GLYCOL	479.69	34	759.00	A
FATTY ACIDS, MIXED	8.42	20	602.82	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	70.25	6	390.10	A
FATTY ACIDS DERIVED FROM TALLOW	2.93	1	38.00	A
FLUDIOXONIL	2.84	2	13.00	A
GLYCEROL	0.30	1	3.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	593.31	14	333.00	A
GLYPHOSATE, POTASSIUM SALT	508.57	18	270.27	A
HALOSULFURON-METHYL	1.82	1	35.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	2.91	15	68.40	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.19	1	24.00	A
HEXYTHIAZOX	53.35	17	562.02	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, SUCCULENT				
HYDROGEN PEROXIDE	76.80	6	80.80	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	20.62	30	501.85	A
IMIDACLOPRID	210.67	77	1,559.42	A
ISOPROPYL ALCOHOL	110.73	76	1,922.40	A
KEROSENE	31.03	64	901.49	A
LAMBDA-CYHALOTHRIN	76.38	50	2,374.12	A
LECITHIN	250.12	65	1,954.46	A
MAGNESIUM SULFATE	0.36	1	35.00	A
MALATHION	120.48	5	107.40	A
MARGOSA OIL	27.41	5	15.50	A
MEFENOXAM	63.51	8	145.50	A
METAM-SODIUM	2,539.98	1	20.00	A
METHOMYL	307.70	23	456.00	A
METHOXYFENOZIDE	82.86	14	455.42	A
METHYLATED SOYBEAN OIL	799.16	79	1,612.49	A
METHYL SILICONE RESINS	2.18	26	319.50	A
METOLACHLOR	2,033.90	23	1,051.92	A
S-METOLACHLOR	2,604.58	97	2,000.84	A
MINERAL OIL	144.32	23	101.00	A
MYCLOBUTANIL	12.71	9	172.10	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	57.21	11	699.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	526.41	119	3,499.02	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	72.85	6	312.92	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	40.45	5	309.00	A
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	< 0.01	1	27.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.30	1	35.00	A
OLEIC ACID, METHYL ESTER	383.21	54	1,167.80	A
OXYFLUORFEN	98.49	6	301.50	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	5.00	1	12.50	A
PARAQUAT DICHLORIDE	92.06	9	86.00	A
PENDIMETHALIN	1,364.96	64	1,418.18	A
PETROLEUM DISTILLATES, REFINED	3.52	4	2.00	A
PHOSPHORIC ACID	91.34	49	1,598.92	A
PIPERONYL BUTOXIDE	< 0.01	1	27.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	< 0.01	1	27.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.07	2	48.00	A
POLYACRYLAMIDE POLYMER	0.03	1	3.00	A
POLYACRYLIC POLYMER	2.69	11	410.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	4.74	8	307.00	A
POLYBUTENES	12.54	6	390.10	A
POLYETHER MODIFIED POLYSILOXANE	2.16	2	72.00	A
POLYETHOXYLATED CASTOR OIL	2.80	3	187.00	A
POLYETHYLENE GLYCOL	37.36	6	140.00	A
POLYETHYLENE GLYCOL DIACETATE	0.15	6	101.45	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.15	2	2.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	8.00	5	159.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	0.76	1	24.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	50.60	7	196.00	A
POLYPROPYLENE GLYCOL	0.59	24	293.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, SUCCULENT				
POLYSILOXANE	0.45	32	829.96	A
POTASH SOAP	9.99	1	2.00	A
POTASSIUM BICARBONATE	695.30	14	168.00	A
POTASSIUM HYDROXIDE	14.83	46	1,518.96	A
POTASSIUM NITRATE	14.83	14	689.00	A
PROPARGITE	164.18	1	65.00	A
PROPIONIC ACID	137.78	49	1,220.46	A
PROPYLENE GLYCOL	1.81	3	22.00	A
PYRACLOSTROBIN	0.48	1	5.00	A
PYRAFLUFEN-ETHYL	< 0.01	1	2.00	A
PYRETHRINS	0.68	4	40.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	16.93	8	71.00	A
REYNOUTRIA SACHALINENSIS	4.22	3	27.70	A
SETHOXYDIM	26.72	6	80.00	A
SILICONE	0.12	7	76.60	A
SILICONE DEFOAMER	0.14	11	326.00	A
SODIUM HYDROXIDE	0.17	1	3.00	A
SODIUM XYLENE SULFONATE	0.73	7	124.00	A
SPINETORAM	25.65	37	713.02	A
SPINOSAD	3.64	14	70.55	A
SPIROTETRAMAT	0.26	2	35.10	A
STRYCHNINE	< 0.01	1	0.10	A
STYRENE BUTADIENE COPOLYMER	2.34	1	20.00	A
SULFUR	5,476.15	28	565.52	A
SULFURYL FLUORIDE	2,004.98		248,000.00	C
TALL OIL	6.75	7	196.00	A
TALL OIL FATTY ACIDS	0.64	2	43.90	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.78	7	124.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.10	1	35.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.37	7	124.00	A
THIAMETHOXAM	9.90		20,908.00	P
THIRAM	14.76		20,908.00	P
TRIETHANOLAMINE	0.93	7	124.00	A
TRIFLURALIN	1,198.23	55	2,110.02	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	4.91	18	90.40	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	138.26	33	859.96	A
ZINC SULFATE	5.53	3	240.92	A
Site Total	38,725.38	1,741		
BEAN, UNSPECIFIED				
ABAMECTIN	1.06	2	75.50	A
ACEPHATE	754.53	29	790.05	A
ACETAMIPRID	40.41	13	469.29	A
ALACHLOR	1,016.57	17	349.25	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	30.09	6	159.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	49.61	24	721.06	A
AMMONIUM NITRATE	19.46	4	127.60	A
AMMONIUM SULFATE	38.92	4	127.60	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	< 0.01	2	0.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, UNSPECIFIED				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.03	3	336.00	S
BEAUVERIA BASSIANA STRAIN GH	0.28	2	1.27	A
BENTAZON, SODIUM SALT	81.47	1	100.00	A
BIFENTHRIN	45.12	16	688.35	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	30.45	13	427.37	A
BUTYL ALCOHOL	4.21	7	249.00	A
CALCIUM HYPOCHLORITE	9,163.68	3	940.00	U
	5,782.04	2	602.00	A
Total Pounds On This Chemical	14,945.72			
CARFENTHAZON-ETHYL	1.03	4	40.00	A
CITRIC ACID	0.49	1	20.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	0.20	4	0.40	A
CLETHODIM	30.09	7	224.00	A
COCONUT DIETHANOLAMIDE	2.34	4	357.00	A
COPPER OXIDE (OUS)	1.89	1	1.50	A
BETA-CYFLUTHRIN	0.95	5	358.00	A
(S)-CYPERMETHRIN	3.35	2	75.33	A
CYPRODINIL	13.20	10	49.00	A
DIAZINON	11.91	1	6.00	A
DICOFOL	93.19	1	64.40	A
DIMETHOATE	387.18	30	795.58	A
DIMETHYLPOLYSILOXANE	1.65	14	429.35	A
DIMETHYL SILICONE FLUID EMULSION	0.31	1	47.00	A
DODECYLBENZENE SULFONIC ACID	10.15	4	357.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.11	1	9.50	A
EDTA, TETRASODIUM SALT	0.62	4	357.00	A
EPTC	279.67	6	115.00	A
ESFENVALERATE	29.67	15	610.60	A
ETHALFLURALIN	1,752.95	27	1,190.00	A
ETHOPROP	105.94	1	17.50	A
FATTY ACIDS, MIXED	3.85	4	239.30	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	113.69	13	427.37	A
FATTY ACIDS DERIVED FROM TALLOW	12.04	6	159.00	A
FLUDIOXONIL	8.80	10	49.00	A
FLUMIOXAZIN	28.64	5	589.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	160.03	2	40.00	A
HEXYTHIAZOX	94.52	12	831.00	A
HYDROTREATED PARAFFINIC SOLVENT	48.61	1	40.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	34.78	5	358.00	A
IMIDACLOPRID	20.39	12	773.40	A
IRON PHOSPHATE	1.75	4	6.10	A
ISOPROPYL ALCOHOL	16.56	9	623.00	A
KAOLIN	28.50	1	1.20	A
LAMBDA-CYHALOTHRIN	14.18	24	485.80	A
LECITHIN	184.34	24	832.76	A
MALATHION	1.25	1	2.00	A
MEFENOXAM	1.49	1	16.00	A
METHOMYL	72.86	8	324.40	A
METHOXYFENOZIDE	88.88	16	510.18	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEAN, UNSPECIFIED				
METHYLATED SOYBEAN OIL	104.32	15	288.80	A
METOLACHLOR	218.61	2	109.30	A
S-METOLACHLOR	2,556.77	35	1,553.75	A
MINERAL OIL	1.57	2	10.00	A
	0.11	1	112.00	S
Total Pounds On This Chemical	1.68			
NALED	86.61	2	86.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	38.57	13	427.37	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	162.52	38	1,250.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	5.08	1	40.00	A
OLEIC ACID, METHYL ESTER	104.34	5	358.00	A
OXYFLUORFEN	4.96	2	19.75	A
PENDIMETHALIN	696.14	14	611.72	A
PHOSPHORIC ACID	15.85	5	405.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.08	4	40.00	A
POLYACRYLAMIDE POLYMER	0.27	2	18.25	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	4.58	11	248.80	A
POLYBUTENES	20.30	13	427.37	A
POLYMERIZED PINENE	1.97	1	9.50	A
POLYSILOXANE	0.35	20	593.46	A
POTASH SOAP	8.95	8	1.70	A
POTASSIUM HYDROXIDE	10.34	21	613.46	A
POTASSIUM NITRATE	0.10	1	20.00	A
POTASSIUM PHOSPHITE	15.56	2	12.00	A
PROPARGITE	695.66	10	410.00	A
PROPIONIC ACID	159.86	24	832.76	A
PYRETHRINS	0.09	15	2.98	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	< 0.01	2	0.20	A
SILICONE DEFOAMER	0.27	4	357.00	A
SODIUM HYPOCHLORITE	0.16	1	100.00	?
SODIUM XYLENE SULFONATE	3.12	4	357.00	A
SPINETORAM	1.50	2	28.00	A
SPINOSAD	< 0.01	1	112.00	S
	< 0.01	2	0.20	A
Total Pounds On This Chemical	< 0.01			
SULFUR	142.10	2	4.20	A
TALL OIL FATTY ACIDS	8.03	6	306.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	11.90	4	357.00	A
TETRAPOTASSIUM PYROPHOSPHATE	1.56	4	357.00	A
THIOPHANATE-METHYL	18.90	6	26.00	A
TRIETHANOLAMINE	3.98	4	357.00	A
TRIFLURALIN	365.32	19	583.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	104.89	20	593.46	A
UREA	12.35	1	48.00	A
VINYL POLYMER	0.13	1	20.00	A
Site Total	26,307.75	505		
BEEHIVE				
ALUMINUM PHOSPHIDE	63.85		456,492.00	C
	2.20	2	67,126.00	U
	1.35		7,686.00	K

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEEHIVE				
Total Pounds On This Chemical	68.40	1.00	647.21	A
COUMAPHOS		1.42	111.00	U
DELTAMETHRIN		< 0.01	32.00	S
		< 0.01	38.00	U
Total Pounds On This Chemical	< 0.01			
TAU-FLUVALINATE		0.14	250.00	U
FORMIC ACID		587.89	1,278.00	U
		20.94	368.50	A
Total Pounds On This Chemical	608.82			
POTASSIUM SALT OF HOP BETA ACIDS		23.72	5,027.00	U
		6.12	1,310.01	A
		1.34	1,000.00	C
		0.06	150.00	S
Total Pounds On This Chemical	31.24			
THYMOL		178.45	8,319.00	U
		0.84	34.00	S
		0.03	1.00	A
Total Pounds On This Chemical	179.32			
Site Total	889.35	82		
BEET				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		21.34	367.27	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.42	2.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER		55.18	143.73	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		6.54	79.49	A
AZADIRACTIN		37.87	1,406.90	A
		< 0.01	75.00	S
Total Pounds On This Chemical	37.87			
AZOXYSTROBIN		31.52	168.82	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747		10.22	36.89	A
BACILLUS PUMILUS, STRAIN QST 2808		20.19	186.27	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN		0.75	3.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857		524.90	638.30	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B		0.01	0.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		143.61	130.06	A
		< 0.01	60.00	S
Total Pounds On This Chemical	143.61			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		22.83	157.11	A
BEAUVERIA BASSIANA STRAIN GH		7.21	32.67	A
BENZOIC ACID		0.26	19.00	A
BIFENTHRIN		15.62	208.82	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLO FATTY ACIDS		2.93	158.13	A
CARBOXIN		0.94	1,252.00	P

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEET				
CASTOR OIL ETHOXYLATE	0.65	2	15.00	A
CHLORANTRANILIPROLE	32.24	242	542.07	A
CITRIC ACID	0.02	1	1.30	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	706.17	50	519.79	A
CLETHODIM	2.09	4	20.50	A
COCONUT DIETHANOLAMIDE	0.07	5	9.28	A
COPPER HYDROXIDE	95.93	95	208.21	A
COPPER OCTANOATE	28.39	42	86.36	A
COPPER OXIDE (OUS)	6.34	1	5.04	A
COPPER OXYCHLORIDE	74.19	86	170.59	A
CYCLOATE	1,989.64	259	1,238.84	A
CYFLUTHRIN	1.84	6	41.94	A
BETA-CYFLUTHRIN	0.92	7	38.00	A
(S)-CYPERMETHRIN	22.28	122	557.29	A
DIATOMACEOUS EARTH	3.00	1	200.00	S
DIAZINON	298.60	63	180.61	A
1,3-DICHLOROPROPENE	8,880.36	5	41.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.28	1	19.00	A
DIMETHYLPOLYSILOXANE	11.36	32	207.66	A
DIMETHYL SILICONE FLUID EMULSION	0.28	14	42.60	A
DIPHACINONE	< 0.01	1	44.00	A
DODECYLBENZENE SULFONIC ACID	0.29	5	9.28	A
EDTA, TETRASODIUM SALT	0.02	5	9.28	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	68.81	58	309.09	A
ETHYLENE GLYCOL	57.43	26	154.81	A
FATTY ACIDS, MIXED	0.41	17	40.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	2.16	4	14.40	A
FATTY ACIDS DERIVED FROM TALLOW	2.61	26	79.49	A
FENAMIDONE	88.78	72	337.27	A
FLONICAMID	15.97	36	244.29	A
FLUOPICOLIDE	17.54	54	142.55	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	12.60	8	21.00	A
GLYPHOSATE, POTASSIUM SALT	33.11	1	11.87	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.08	1	1.25	A
IMIDACLOPRID	81.08	273	852.91	A
INDOXACARB	0.11	4	2.26	A
IRON PHOSPHATE	0.02	4	3,200.00	S
	0.02	6	0.60	A
Total Pounds On This Chemical	0.04			
ISOPROPYL ALCOHOL	14.15	333	760.70	A
KAOLIN	879.70	11	29.60	A
KEROSENE	0.50	1	19.00	A
LECITHIN	10.44	21	43.03	A
MALATHION	54.52	18	46.19	A
MANCOZEB	4.00	2	2.50	A
MARGOSA OIL	87.73	31	95.12	A
MEFENOXAM	253.90	97	425.14	A
	0.05		361.00	P
Total Pounds On This Chemical	253.96			
MEFENOXAM, OTHER RELATED	< 0.01		361.00	P
METALAXYL	1.72		8,682.68	P
METAM-SODIUM	3,193.09	1	37.00	A
METHOMYL	50.27	6	59.58	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEET				
METHOXYFENOZIDE	25.26	63	148.83	A
METHYLATED SOYBEAN OIL	9.73	2	20.03	A
METHYL SILICONE RESINS	8.50	51	249.59	A
S-METOLACHLOR	76.35	81	143.47	A
MINERAL OIL	18.68	39	143.73	A
NONANOIC ACID	556.24	3	41.87	A
NONANOIC ACID, OTHER RELATED	29.28	3	41.87	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.73	4	14.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	47.78	371	870.91	A
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	< 0.01	1	100.00	S
OLEIC ACID, METHYL ESTER	2.18	4	3.25	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	5.33	16	20.35	A
PHENMEDIPHAM	27.26	18	89.30	A
PHOSPHORIC ACID	4.16	63	318.37	A
PIPERONYL BUTOXIDE	0.23	2	4.68	A
	< 0.01	1	100.00	S
Total Pounds On This Chemical	0.23			
PIPERONYL BUTOXIDE, OTHER RELATED	0.06	2	4.68	A
	< 0.01	1	100.00	S
Total Pounds On This Chemical	0.06			
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	2.35	18	88.00	A
POLYACRYLAMIDE POLYMER	0.38	5	27.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	13.44	12	68.50	A
POLYBUTENES	0.39	4	14.40	A
POLYETHER MODIFIED POLYSILOXANE	3.73	58	309.09	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.80	2	5.00	A
POLY-I-PARA-MENTHENE	1.34	4	3.25	A
POLYOXYETHYLENE POLYOXYPROPYLENE	16.81	5	128.16	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	4.86	2	15.00	A
POLYPROPYLENE GLYCOL	0.11	16	53.20	A
POTASH SOAP	270.85	36	40.08	A
POTASSIUM BICARBONATE	1,261.68	31	512.88	A
POTASSIUM N-METHYLDITHIOCARBAMATE	30,924.29	129	258.19	A
POTASSIUM PHOSPHITE	57.13	6	80.22	A
PROPICONAZOLE	1.18	6	10.65	A
PROPIONIC ACID	9.49	17	40.00	A
PROPYLENE GLYCOL	0.40	2	5.00	A
PYRACLOSTROBIN	126.26	264	728.68	A
PYRETHRINS	7.22	95	159.50	A
	< 0.01	5	175.00	S
Total Pounds On This Chemical	7.22			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	15.00	29	66.45	A
REYNOUTRIA SACHALINENSIS	23.18	23	74.24	A
SETHOXYDIM	7.89	6	55.00	A
SILICONE DEFOAMER	< 0.01	5	9.28	A
SODIUM XYLENE SULFONATE	0.09	5	9.28	A
SPINETORAM	23.37	138	414.77	A
SPINOSAD	92.71	230	931.66	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	8	15.77	A
SULFUR	32.69	14	51.94	A
TALL OIL	1.60	304	611.61	A
TALL OIL FATTY ACIDS	0.79	39	143.73	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.34	5	9.28	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BEET				
TETRAPOTASSIUM PYROPHOSPHATE	0.05	5	9.28	A
THIAMETHOXAM	18.81	147	321.08	A
THIRAM	127.02		71,873.00	P
TRIETHANOLAMINE	0.11	5	9.28	A
TRIFLOXYSTROBIN	0.32	1	3.40	A
TRIFLUSULFURON-METHYL	0.19	1	6.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	1.48	2	5.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	7.72	59	310.12	A
Site Total	51,855.95	4,013		
BERMUDAGRASS				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	154.10	36	1,409.83	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	10.12	1	135.00	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	139.90	22	1,026.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	45.43	7	508.90	A
ALKYL (C8,C10) POLYGLUCOSIDE	818.67	55	2,876.00	A
AMMONIUM NITRATE	368.33	35	1,888.00	A
AMMONIUM SULFATE	1,305.69	69	3,459.30	A
BENZOIC ACID	1.01	3	202.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	42.76	3	185.00	A
BROMOXYNIL HEPTANOATE	9.03	1	35.00	A
BROMOXYNIL OCTANOATE	1,099.39	42	1,657.25	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	31.18	4	483.00	A
CARFENTRAZONE-ETHYL	164.11	114	6,757.63	A
CHLOROTHALONIL	62.97	2	50.00	A
CHLORPYRIFOS	70.70	2	140.00	A
CITRIC ACID	8.69	15	718.30	A
CORN SYRUP	152.30	18	897.00	A
CYFLUTHRIN	19.27	4	360.00	A
(S)-CYPERMETHRIN	3.33	1	70.00	A
2,4-D, DIMETHYLAMINE SALT	8,829.60	111	6,469.38	A
DICOFOL	18.52	1	48.00	A
DIETHYLENE GLYCOL	86.96	28	1,350.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	1,414.84	55	3,910.00	A
DIMETHENAMID-P	1.66	1	14.00	A
DIMETHOATE	41.57	1	150.00	A
DIMETHYL ALKYL TERTIARY AMINES	1.10	3	202.00	A
DIMETHYLPOLYSILOXANE	12.04	114	6,837.53	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	6.75	1	135.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	16.60	3	160.00	A
FATTY ACIDS, MIXED	8.38	2	140.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	8.51	2	50.00	A
FATTY ACIDS DERIVED FROM TALLOW	18.17	7	508.90	A
GLYPHOSATE, ISOPROPYLAMINE SALT	2,864.96	36	2,180.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BERMUDAGRASS				
GLYPHOSATE, POTASSIUM SALT	888.94	16	743.00	A
HALOSULFURON-METHYL	8.42	4	191.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.56	1	68.00	A
HYDROTREATED PARAFFINIC SOLVENT	179.92	2	137.00	A
ISOPROPYL ALCOHOL	138.02	100	5,940.53	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	1.45	10	379.00	A
KEROSENE	1.96	3	202.00	A
LAMBDA-CYHALOTHRIN	43.92	24	1,505.73	A
MALATHION	2,279.06	34	2,010.73	A
MCPA, DIMETHYLAMINE SALT	402.24	3	355.00	A
METHOXYFENOZIDE	68.18	4	483.00	A
METHYLATED SILICA	7.68	18	897.00	A
METHYLATED SOYBEAN OIL	424.17	23	1,788.00	A
MINERAL OIL	1,067.97	13	878.00	A
MSMA	57.18	1	36.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2.89	2	50.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,852.11	140	8,899.43	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1.24	1	100.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.18	4	100.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.76	1	105.00	A
OLEIC ACID	228.52	33	1,249.83	A
OLEIC ACID, METHYL ESTER	57.76	4	61.00	A
ORCHEX 796 OIL	1,574.21	33	1,249.83	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	5.75	4	184.00	A
PENDIMETHALIN	28.41	1	14.00	A
PETROLEUM OIL, PARAFFIN BASED	1,193.40	40	1,940.00	A
PHOSPHORIC ACID	33.07	18	848.30	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	4.37	10	528.00	A
POLYACRYLAMIDE POLYMER	3.11	14	684.80	A
POLYACRYLIC POLYMER	2.66	14	583.30	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	12.66	15	1,334.00	A
POLYBUTENES	1.52	2	50.00	A
POLYETHER MODIFIED POLYSILOXANE	0.90	3	160.00	A
POLYETHYLENE GLYCOL	836.69	77	4,809.53	A
POLYOXYETHYLENE DIOLEATE	0.12	4	184.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1,166.99	18	882.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	5.86	4	100.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	5.80	10	379.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	38.19	10	379.00	A
POLYSACCHARIDE POLYMER	0.28	9	556.00	A
POLYSILOXANE	0.53	2	91.00	A
PROPICONAZOLE	35.71	4	184.00	A
PYRACLOSTROBIN	152.99	20	1,311.43	A
SORBITAN FATTY ACID ESTERS	1.28	4	100.00	A
SULFUR	197,788.46	102	7,754.66	A
TALL OIL	102.47	23	1,126.00	A
TALL OIL FATTY ACIDS	234.74	20	1,376.00	A
THIRAM	10.89		11,614.00	P
TRIADIMEFON	3.46	2	50.00	A
TRIALATE	819.00	8	546.00	A
TRICLOPYR, TRIETHYLAMINE SALT	32.12	1	27.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BERMUDAGRASS				
TRIETHANOLAMINE	0.33	1	100.00	A
TRIFLURALIN	10,008.06	91	5,424.23	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	14.06	5	300.00	A
VINYL POLYMER	1.16	3	180.00	A
Site Total	239,672.05	1,013		
BITTER MELON				
ABAMECTIN	0.28	4	27.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	3.78	2	7.00	A
BIFENAZATE	2.50	1	10.00	A
BOSCALID	0.95	1	10.00	A
CHLORANTRANILIPROLE	0.39	1	10.00	A
GLYPHOSATE, POTASSIUM SALT	5.52	1	5.00	A
IMIDACLOPRID	13.84	4	28.00	A
LAMBDA-CYHALOTHRIN	0.35	2	16.00	A
METHOXYFENOZIDE	1.41	1	10.00	A
PYRACLOSTROBIN	0.48	1	10.00	A
SPINOSAD	7.31	4	28.00	A
TRIFLURALIN	< 0.01	1	6.00	A
Site Total	36.82	22		
BLACKBERRY				
ACETAMIPRID	37.33	75	389.30	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.62	4	28.40	A
ACRYLIC ACID	0.10	1	10.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	20.85	45	100.18	A
ALPHA-PINENE BETA-PINENE COPOLYMER	72.57	54	385.78	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	70.46	59	249.60	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	1.10	8	20.44	A
AMMONIUM PROPIONATE	2.00	2	5.70	A
AMMONIUM SULFATE	4.36	3	13.57	A
AZADIRACTIN	8.92	26	234.00	A
BACILLUS PUMILUS, STRAIN QST 2808	8.69	23	100.13	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	136.93	25	161.62	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	190.03	41	201.71	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	900.44	246	1,228.47	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	23.90	7	116.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	57.90	22	259.53	A
	0.07	1	32,240.00	S
Total Pounds On This Chemical	57.97			
BIFENAZATE	134.77	49	274.07	A
BIFENTHRIN	2.53	12	27.06	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3.11	55	387.78	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BLACKBERRY				
BOSCALID	166.70	104	483.80	A
BUTYL ALCOHOL	0.38		67,580.00	S
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	7.05	8	22.86	A
CAPTAN	0.54	1	32,240.00	S
CAPTAN, OTHER RELATED	0.01	1	32,240.00	S
CARBARYL	23.99	1	12.00	A
CARFENTRAZONE-ETHYL	10.33	42	209.83	A
CHLORANTRANILIPROLE	29.21	23	319.57	A
CHLOROPICRIN	41,070.49	25	206.55	A
CITRIC ACID	1.22	3	13.57	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	382.65	44	150.38	A
COCONUT DIETHANOLAMIDE	6.65	34	263.44	A
COPPER HYDROXIDE	0.81	1	1.00	A
COPPER OXIDE (OUS)	0.63	1	0.25	A
(S)-CYPERMETHRIN	29.30	130	630.57	A
CYPRODINIL	59.34	23	195.80	A
	0.95	5	115,009.00	S
Total Pounds On This Chemical	60.28			
DIAZINON	32.94	9	45.14	A
1,3-DICHLOROPROPENE	19,677.46	13	137.05	A
DIMETHYLPOLYSILOXANE	53.03	61	415.51	A
	< 0.01		67,580.00	S
Total Pounds On This Chemical	53.04			
DIMETHYL SILICONE FLUID EMULSION	0.13	1	10.00	A
DIPHACINONE	< 0.01	2	11.00	A
DODECYLBENZENE SULFONIC ACID	7.23	26	243.00	A
EDTA, TETRASODIUM SALT	0.44	26	243.00	A
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	0.27	9	84.50	A
ETHYLENE GLYCOL	9.77	2	24.00	A
ETOXAZOLE	1.87	4	13.84	A
FATTY ACIDS, MIXED	0.38	3	24.70	A
FATTY ACIDS DERIVED FROM TALLOW	28.19	59	249.60	A
FENHEXAMID	1.11	2	64,480.00	S
FLUDIOXONIL	39.56	23	195.80	A
	0.63	5	115,009.00	S
Total Pounds On This Chemical	40.19			
FOSETYL-AL	251.92	18	86.88	A
	2.17	1	40,946.00	S
Total Pounds On This Chemical	254.09			
GLYPHOSATE, ISOPROPYLAMINE SALT	35.03	5	9.00	A
	7.16		67,580.00	S
Total Pounds On This Chemical	42.19			
GLYPHOSATE, POTASSIUM SALT	126.00	14	183.15	A
HEXYTHIAZOX	14.32	16	79.72	A
HYDROTREATED PARAFFINIC SOLVENT	0.26	2	1.00	A
IMIDACLOPRID	3.57	3	16.50	A
IPIODIONE	79.23	25	93.27	A
IRON PHOSPHATE	9.75	2	39.00	A
ISOPARAFFINIC HYDROCARBONS	1.76	1	2.00	A
ISOPROPYL ALCOHOL	9.61	29	281.00	A
LAURIC ACID	1.00	8	20.44	A
LECITHIN	9.09	4	24.95	A
LIME-SULFUR	47,538.03	258	1,721.96	A
LIMONENE	20.34	1	4.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BLACKBERRY				
MALATHION	894.55	112	486.20	A
MARGOSA OIL	25.87	1	14.00	A
METALDEHYDE	67.82	11	63.59	A
METHYLATED SOYBEAN OIL	38.51	16	62.51	A
METHYL BROMIDE	11,062.00	12	69.50	A
METHYL SILICONE RESINS	49.11	38	115.95	A
MINERAL OIL	2,746.46	92	645.05	A
MYCLOBUTANIL	28.03	73	444.82	A
	0.05	1	32,240.00	S
Total Pounds On This Chemical	28.08			
NALED	1.51	2	3.00	A
NAPROPAMIDE	206.40	22	111.73	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	102.84	93	434.81	A
	3.38		67,580.00	S
Total Pounds On This Chemical	106.22			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.03	2	1.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	71.93	23	100.94	A
ORCHEX 796 OIL	1.20	1	2.00	A
ORYZALIN	12.58	5	11.61	A
PARAQUAT DICHLORIDE	15.39	7	11.95	A
PETROLEUM DISTILLATES, REFINED	9,129.42	77	746.21	A
PETROLEUM OIL, UNCLASSIFIED	209.94	17	77.00	A
PHOSPHORIC ACID	4.38	29	274.87	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.83	4	52.50	A
POLYACRYLAMIDE POLYMER	0.11	1	2.00	A
POLYACRYLIC POLYMER	0.11	1	7.87	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	16.10	22	106.32	A
POLYOXYETHYLENE POLYOXYPROPYLENE	79.86	39	303.58	A
POTASH SOAP	69.75	4	32.00	A
POTASSIUM BICARBONATE	259.86	23	149.44	A
PROPICONAZOLE	1.10	2	6.50	A
PROPIONIC ACID	8.96	3	24.70	A
PROPYLENE GLYCOL	1.70	8	20.44	A
PYRACLOSTROBIN	550.84	123	671.98	A
PYRETHRINS	24.43	98	458.29	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	29.57	44	245.09	A
REYNOUTRIA SACHALINENSIS	6.01	6	55.50	A
SETHOXYDIM	0.14	1	6.00	A
SILICONE DEFOAMER	0.19	26	243.00	A
SODIUM POLYACRYLATE	0.05	2	5.70	A
SODIUM XYLENE SULFONATE	2.22	26	243.00	A
SOYBEAN OIL	17,512.75	332	1,673.88	A
SPINETORAM	70.00	135	766.33	A
SPINOSAD	45.88	87	508.99	A
	0.07	1	32,240.00	S
Total Pounds On This Chemical	45.96			
STREPTOMYCES LYDICUS WYEC 108	< 0.01	13	31.15	A
SULFUR	7,774.81	296	1,693.93	A
	13.50	3	108,040.00	S
Total Pounds On This Chemical	7,788.31			
TALL OIL FATTY ACIDS	1.22	57	388.78	A
TEBUFENOZIDE	11.95	3	47.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BLACKBERRY				
E-11-TETRADECEN-1-YL ACETATE	6.61	9	84.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.61	27	243.50	A
TETRAPOTASSIUM PYROPHOSPHATE	1.11	26	243.00	A
THIAMETHOXAM	6.14	8	128.67	A
TRICLOPYR, BUTOXYETHYL ESTER	16.66		3.00	A
TRIETHANOLAMINE	2.84	26	243.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.06	1	0.25	A
Site Total	162,624.66	3,099		
BLUEBERRY				
ACETAMIPRID	150.15	46	1,652.16	A
ACETIC ACID	4.46	3	114.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.18	3	101.82	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	71.85	7	239.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	411.20	77	1,959.67	A
ALPHA-PINENE BETA-PINENE COPOLYMER	299.44	74	1,728.83	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.16	2	6.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	169.03	30	583.07	A
AMMONIUM NITRATE	27.55	18	315.41	A
AMMONIUM PROPIONATE	0.59	3	5.00	A
AMMONIUM SULFATE	524.46	39	1,571.63	A
AZADIRACTIN	4.39	3	155.60	A
AZOXYSTROBIN	79.85	12	379.00	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	29.43	5	117.64	A
BACILLUS PUMILUS, STRAIN QST 2808	0.09	1	0.75	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	1.60	1	1.60	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	70.15	10	206.55	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	20.09	14	359.37	A
BIFENTHRIN	75.04	11	770.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	20.41	88	2,271.23	A
BOSCALID	132.71	15	429.45	A
CAPTAN	408.86	9	164.00	A
CAPTAN, OTHER RELATED	9.15	9	164.00	A
CARFENTHAZONE-ETHYL	47.81	44	2,257.00	A
CHLOROPICRIN	4,682.69	1	22.00	A
CITRIC ACID	57.58	21	1,301.33	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	99.73	13	45.43	A
COCONUT DIETHANOLAMIDE	0.12	7	15.21	A
COPPER HYDROXIDE	684.84	13	442.68	A
COPPER OCTANOATE	124.51	10	238.90	A
COPPER OXIDE (OUS)	4,083.45	30	826.80	A
(S)-CYPERMETHRIN	39.25	34	796.28	A
CYPRODINIL	1,175.48	91	3,997.37	A
DIAZINON	154.00	4	308.00	A
1,3-DICHLOROPROPENE	3,064.17	1	22.00	A
DIETHYLENE GLYCOL	54.28	66	1,159.30	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BLUEBERRY				
DIMETHYLPOLYSILOXANE	13.47	132	3,191.37	A
DIPHACINONE	0.03	8	244.25	A
DODECYLBENZENE SULFONIC ACID	0.51	7	15.21	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.92	3	60.00	A
EDTA, SODIUM SALT	8.28	64	4,451.20	A
EDTA, TETRASODIUM SALT	0.03	7	15.21	A
ETHEPHON	3.00	1	15.00	A
ETHYLENE GLYCOL	14.06	6	75.50	A
FATTY ACIDS, MIXED	10.50	11	281.91	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	27.57	14	542.40	A
FATTY ACIDS DERIVED FROM TALLOW	0.46	2	6.00	A
FENBUCONAZOLE	5.83	2	60.00	A
FENHEXAMID	1,916.27	66	2,671.15	A
FENPROPATHRIN	255.00	26	1,025.00	A
FLUDIOXONIL	783.66	91	3,997.37	A
FLUMIOXAZIN	150.47	36	569.91	A
GLUFOSINATE-AMMONIUM	1,999.98	109	2,437.67	A
GLYCEROL	178.05	15	1,182.33	A
GLYPHOSATE, ISOPROPYLAMINE SALT	5,720.21	109	2,519.02	A
GLYPHOSATE, POTASSIUM SALT	3,287.02	48	1,834.03	A
HALOSULFURON-METHYL	4.65	12	143.00	A
HEXAZINONE	32.63	4	58.00	A
HYDROGEN CYANAMIDE	9,121.87	23	877.14	A
HYDROGEN PEROXIDE	785.11	16	493.55	A
HYDROTREATED PARAFFINIC SOLVENT	18.90	3	25.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	8.94	6	87.00	A
IMIDACLOPRID	122.79	63	1,389.52	A
IPRODIONE	796.12	41	1,011.76	A
IRON PHOSPHATE	0.42	3	2.25	A
ISOPROPYL ALCOHOL	327.26	147	6,157.43	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.05	1	6.20	A
KAOLIN	6,391.13	11	316.16	A
LECITHIN	23.05	3	73.61	A
LIMONENE	249.18	1	54.68	A
MALATHION	1,262.03	31	1,301.71	A
MEFENOXAM	3.61	1	2.00	A
METHOMYL	805.50	9	895.00	A
METHOXYFENOZIDE	7.31	3	31.25	A
METHYLATED SOYBEAN OIL	84.43	10	165.00	A
METHYL SILICONE RESINS	3.96	2	4.00	A
MINERAL OIL	2,139.42	118	3,248.76	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	757.19	128	5,802.92	A
NAPROPAMIDE	236.64	9	66.66	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	21.01	19	707.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,531.20	149	4,528.27	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	32.40	14	114.80	A
NORFLURAZON	653.50	17	419.86	A
OLEIC ACID	2.14	32	34.00	A
OLEIC ACID, METHYL ESTER	41.75	10	102.82	A
ORYZALIN	3,026.78	47	795.35	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BLUEBERRY				
OXYFLUORFEN	12.54	3	25.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	1.40	2	7.50	A
PARAQUAT DICHLORIDE	431.71	17	393.76	A
PETROLEUM OIL, PARAFFIN BASED	877.68	45	1,665.82	A
PETROLEUM OIL, UNCLASSIFIED	105.52	3	107.48	A
PHOSPHORIC ACID	55.39	22	1,197.54	A
PIPERONYL BUTOXIDE	0.38	1	1.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.10	1	1.00	A
POLYACRYLAMIDE POLYMER	17.89	15	1,182.33	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	4.22	10	165.00	A
POLYBUTENES	4.92	14	542.40	A
POLYETHER MODIFIED POLYSILOXANE	64.48	15	700.00	A
POLYETHYLENE GLYCOL	342.04	30	1,327.52	A
POLY-I-PARA-MENTHENE	110.93	4	237.00	A
POLYMERIZED PINENE	16.40	3	60.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	28.97	13	243.94	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	7.67	6	62.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.19	1	6.20	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	1.22	1	6.20	A
POTASH SOAP	45.81	6	15.00	A
POTASSIUM PHOSPHITE	619.48	7	445.00	A
PROPICONAZOLE	44.94	6	333.00	A
PROPIONIC ACID	23.05	3	73.61	A
PROPYLENE GLYCOL	154.16	66	1,275.54	A
PYRACLOSTROBIN	67.58	16	430.45	A
PYRETHRINS	47.93	31	752.03	A
PYRIPROXYFEN	3.02	3	28.96	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	253.29	47	1,387.08	A
REYNOUTRIA SACHALINENSIS	123.89	12	526.02	A
SILICONE DEFOAMER	0.01	7	15.21	A
SIMAZINE	523.25	20	349.36	A
SODIUM BICARBONATE	0.54	1	10.00	A
SODIUM HYDROXIDE	97.56	15	1,182.33	A
SODIUM HYPOCHLORITE	60.18	5	516.00	A
SODIUM POLYACRYLATE	0.01	3	5.00	A
SODIUM XYLENE SULFONATE	0.16	7	15.21	A
SPINETORAM	871.36	89	3,540.25	A
SPINOSAD	237.89	83	2,498.21	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	1	3.00	A
STRYCHNINE	3.38	21	562.00	A
SULFUR	143.92	1	14.00	A
TALL OIL	1.95	3	25.00	A
TALL OIL FATTY ACIDS	260.48	175	4,442.45	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,078.57	103	4,500.41	A
TETRAPOTASSIUM PYROPHOSPHATE	0.08	7	15.21	A
THIAMETHOXAM	0.75	4	11.29	A
THIOPHANATE-METHYL	21.00	1	20.00	A
TRIETHANOLAMINE	0.24	10	40.21	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	10.99	3	43.30	A
VINYL POLYMER	0.50	1	45.36	A
YUCCA SCHIDIGERA	361.30	18	612.52	A
ZINC PHOSPHIDE	0.12	1	40.00	A
Site Total	66,787.06	2,094		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BOK CHOY				
ABAMECTIN	0.11	6	3.95	A
ACETAMIPRID	26.18	139	361.75	A
ACRYLIC ACID	1.68	5	10.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.95	70	225.96	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.64	1	9.06	A
ALPHA-PINENE BETA-PINENE COPOLYMER	3.66	6	20.31	A
ALKYL (C8,C10) POLYGLUCOSIDE	2.25	22	43.84	A
AMMONIUM PROPIONATE	0.20	9	4.86	A
AMMONIUM SULFATE	14.57	7	15.00	A
AMYL ACETATE	0.08	9	4.86	A
AZADIRACTIN	5.48	147	213.87	A
AZOXYSTROBIN	37.59	59	144.98	A
BACILLUS PUMILUS, STRAIN QST 2808	2.52	12	34.31	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	5.70	4	9.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	137.36	74	218.98	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.42	6	5.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	208.15	79	369.05	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	1.93	21	30.30	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1.65	1	1.30	A
BEAUVERIA BASSIANA STRAIN GHA	< 0.01	1	108.00	S
BENSULIDE	2,030.39	180	431.19	A
BENZOIC ACID	0.20	36	41.20	A
BIFENTHRIN	4.20	10	44.26	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	81.87	299	1,017.85	A
BOSCALID	7.28	10	24.56	A
CARBARYL	3.00	1	3.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	46.60	116	118.18	A
CHLORANTRANILIPROLE	19.35	236	307.30	A
CHLOROTHALONIL	25.75	4	34.10	A
CHLORPYRIFOS	35.85	27	29.30	A
CHLORTHAL-DIMETHYL	6,524.01	364	1,305.35	A
CITRIC ACID	0.60	9	4.86	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	10.24	4	4.60	A
CLOTHIANIDIN	0.87	6	6.05	A
COCONUT DIETHANOLAMIDE	0.71	45	102.65	A
COPPER HYDROXIDE	60.34	26	203.60	A
COPPER OCTANOATE	2.54	2	3.05	A
CYAZOFAMID	0.77	7	10.73	A
CYFLUTHRIN	0.75	4	28.00	A
BETA-CYFLUTHRIN	12.38	310	850.32	A
(S)-CYPERMETHRIN	130.41	818	2,747.81	A
CYROMAZINE	27.41	126	218.13	A
DIAZINON	180.10	17	210.50	A
DIETHYLENE GLYCOL	1.67	27	48.45	A
DIMETHOMORPH	0.19	3	8.05	A
DIMETHYL ALKYL TERTIARY AMINES	0.22	36	41.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BOK CHOY				
DIMETHYLPOLYSILOXANE	2.39	58	89.40	A
DINOTEFURAN	1.39	1	7.96	A
DIPROPYLENE GLYCOL METHYL ETHER	0.08	5	8.00	A
DODECYLBENZENE SULFONIC ACID	3.08	45	102.65	A
EDTA, TETRASODIUM SALT	0.19	45	102.65	A
EMAMECTIN BENZOATE	1.05	64	78.08	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	47.21	50	180.96	A
ESFENVALERATE	3.52	3	77.00	A
ETHYLENE GLYCOL	34.98	19	96.39	A
FATTY ACIDS, MIXED	0.13	15	20.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	305.09	293	997.54	A
FENAMIDONE	31.07	36	123.91	A
FLONICAMID	38.81	88	472.25	A
FLUBENDIAMIDE	1.97	37	44.55	A
FLUOPICOLIDE	24.51	71	197.48	A
FOSETYL-AL	341.30	81	112.56	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	34.80	22	58.00	A
GLYPHOSATE, POTASSIUM SALT	37.35	8	27.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	0.53	1	9.06	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.40	9	4.86	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	5.29	65	91.20	A
IMIDACLOPRID	449.38	774	2,431.07	A
INDOXACARB	20.89	123	341.57	A
IRON PHOSPHATE	0.14	3	0.90	A
	< 0.01	1	5.00	C
Total Pounds On This Chemical	0.14			
ISOPROPYL ALCOHOL	10.08	407	592.44	A
KAOLIN	324.85	12	15.49	A
KEROSENE	0.39	36	41.20	A
LAMBDA-CYHALOTHRIN	3.13	9	125.00	A
LECITHIN	30.53	51	76.70	A
MALATHION	353.59	147	236.35	A
MANDIPROPAMID	29.88	167	229.13	A
MANEB	36.85	4	31.94	A
MEFENOXAM	1.66	9	21.40	A
METALDEHYDE	9.78	14	14.50	A
METHOMYL	131.99	84	158.58	A
METHOXYFENOZIDE	19.08	53	150.76	A
METHYLATED SOYBEAN OIL	20.12	63	88.36	A
METHYL SILICONE RESINS	23.21	221	384.65	A
MINERAL OIL	1.29	6	20.31	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	115.29	19	43.00	A
NALED	7.30	11	9.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	103.51	293	997.54	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	38.33	422	600.54	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	6.29	5	10.50	A
OLEIC ACID, METHYL ESTER	13.29	60	77.40	A
PARAQUAT DICHLORIDE	27.71	6	20.00	A
PERMETHRIN	17.83	22	93.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BOK CHOY				
PETROLEUM OIL, UNCLASSIFIED	0.56	1	1.00	A
PHOSPHORIC ACID	5.09	119	307.81	A
BETA-PINENE POLYMER	0.59	7	10.60	A
PIPERONYL BUTOXIDE	6.41	4	20.20	A
PIPERONYL BUTOXIDE, OTHER RELATED	1.60	4	20.20	A
POLYBUTENES	54.48	293	997.54	A
POLYETHER MODIFIED POLYSILOXANE	10.70	89	236.92	A
POLYETHYLENE GLYCOL	0.93	1	3.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-((TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.80	5	10.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	4.75	20	35.74	A
POLYPROPYLENE GLYCOL	0.02	7	3.70	A
POLYSILOXANE	0.09	22	43.84	A
POTASH SOAP	324.08	20	29.78	A
POTASSIUM HYDROXIDE	2.63	22	43.84	A
POTASSIUM N-METHYLDITHIOCARBAMATE	24,692.25	189	205.06	A
POTASSIUM PHOSPHITE	385.74	27	202.00	A
POTASSIUM SILICATE	13.46	2	4.42	A
PROPIONIC ACID	22.46	51	76.70	A
PROPYLENE GLYCOL	2.83	37	64.87	A
PYMETROZINE	21.06	180	252.86	A
PYRACLOSTROBIN	174.22	509	1,075.69	A
PYRETHRINS	1.98	25	50.58	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	65.33	32	215.77	A
REYNOUTRIA SACHALINENSIS	10.46	7	40.70	A
ROTENONE	0.02	4	4.00	A
ROTENONE, OTHER RELATED	0.02	4	4.00	A
SETHOXYDIM	0.79	1	3.00	A
SILICONE DEFOAMER	0.08	45	102.65	A
SODIUM XYLENE SULFONATE	0.95	45	102.65	A
SPINETORAM	35.41	307	733.35	A
SPINOSAD	33.11	65	482.45	A
SPIROTETRAMAT	5.88	307	624.40	A
TALL OIL	0.59	323	376.20	A
TALL OIL FATTY ACIDS	3.08	33	68.76	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.61	45	102.65	A
TETRAPOTASSIUM PYROPHOSPHATE	0.47	45	102.65	A
THIAMETHOXAM	24.01	253	353.56	A
TRIETHANOLAMINE	1.21	45	102.65	A
TRIFLUMIZOLE	24.98	51	92.26	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	1.48	5	10.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	33.29	81	229.66	A
XYLENE	44.98	3	60.00	A
Site Total	38,396.84	7,712		
BOYSENBERRY				
BIFENTHRIN	0.07	1	1.00	A
COPPER OXIDE (OUS)	2.52	1	0.75	A
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	< 0.01	1	1.00	A
GLYPHOSATE, POTASSIUM SALT	4.14	1	1.00	A
METHYL SILICONE RESINS	0.03	1	0.50	A
MYCLOBUTANIL	0.03	1	0.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BOYSENBERRY				
SODIUM HYPOCHLORITE	0.03	1	1.00	A
E-11-TETRADECEN-1-YL ACETATE	0.09	1	1.00	A
Site Total	6.92	7		
BROCCOLI				
ABAMECTIN	0.61	3	39.80	A
ACETAMIPRID	140.08	135	1,709.80	A
ACIBENZOLAR-S-METHYL	4.57	2	53.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	1.14	3	169.48	A
ACRYLIC ACID	302.95	155	2,103.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	55.35	5	258.00	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.42	1	56.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	982.56	1,184	17,434.19	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.12	1	1.80	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	45.81	16	611.50	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.06	1	2.20	A
ALPHA-ALKYL (C6-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	13.33	2	75.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	2,687.65	266	3,377.19	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	19.20	13	356.00	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.11	1	10.30	A
ALKYL (C8,C10) POLYGLUCOSIDE	68.52	56	988.45	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	96.94	418	5,155.83	A
AMMONIUM NITRATE	11.67	6	61.10	A
AMMONIUM PROPIONATE	483.48	862	10,896.14	A
AMMONIUM SULFATE	361.32	159	2,478.72	A
AMYL ACETATE	180.36	812	10,023.54	A
AZADIRACTIN	181.48	402	6,263.15	A
	< 0.01	8	750.00	S
Total Pounds On This Chemical	181.48			
AZOXYSTROBIN	7,641.74	3,103	34,971.83	A
	< 0.01		93.54	P
Total Pounds On This Chemical	7,641.74			
BACILLUS PUMILUS, STRAIN QST 2808	50.69	20	726.48	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	1,918.87	297	3,058.94	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	1,497.85	152	1,574.51	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.22	8	2.27	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	744.13	154	877.02	A
	0.05	6	460.00	S
Total Pounds On This Chemical	744.18			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	844.74	78	955.90	A
BEAUVERIA BASSIANA STRAIN GHA	9.79	8	44.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BROCCOLI				
BENSULIDE	23,640.96	389	7,689.91	A
BENTONITE	10.26	4	171.00	A
BENZOIC ACID	40.61	448	4,889.24	A
BIFENAZATE	13.00	1	26.00	A
BIFENTHRIN	1,470.27	409	16,925.65	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2,551.60	2,057	28,116.37	A
BORAX	1.41	12	128.89	A
BOSCALID	1,321.95	304	3,501.35	A
	0.24		290.45	P
Total Pounds On This Chemical	1,322.18			
BUPROFEZIN	1,509.76	257	5,547.25	A
2-BUTOXYETHANOL	0.11	1	10.30	A
BUTYL ALCOHOL	37.69	186	1,550.50	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	12.53	18	448.14	A
CALCIUM CHLORIDE	15.68	38	734.82	A
CAPTAN	107.92	2	60.00	A
CAPTAN, OTHER RELATED	2.48	2	60.00	A
CARBARYL	9.80	5	12.50	A
CASEIN	0.77	4	171.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	18.69	3	20.10	A
CHLORANTRANILIPROLE	2,021.74	2,406	33,388.37	A
CHLOROTHALONIL	5,835.99	396	5,001.42	A
CHLORPYRIFOS	17,429.44	918	12,953.60	A
CHLORTHAL-DIMETHYL	86,986.16	1,610	24,613.57	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	27.57	4	34.95	A
CITRIC ACID	1,423.88	996	12,727.98	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	5,263.70	162	3,877.66	A
CLETHODIM	627.91	112	5,284.29	A
CLOPYRALID, MONOETHANOLAMINE SALT	31.77	2	155.00	A
CLOTHIANIDIN	443.46	157	2,442.22	A
COCONUT DIETHANOLAMIDE	8.53	118	1,532.64	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.72	15	299.00	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	30.89	13	171.98	A
COPPER HYDROXIDE	620.61	112	1,424.64	A
COPPER OCTANOATE	6.24	1	13.00	A
COPPER OXIDE (OUS)	92.72	4	158.00	A
CORN SYRUP	44.45	7	448.00	A
COTTONSEED OIL	247.91	13	778.00	A
CYAZOFAMID	0.37	1	5.00	A
CYFLUTHRIN	41.68	27	965.44	A
BETA-CYFLUTHRIN	120.26	1,540	18,972.55	A
CYMOXANIL	6.23	2	35.07	A
CYPERMETHRIN	89.00	64	1,038.04	A
(S)-CYPERMETHRIN	937.26	1,513	22,781.57	A
CYPRODINIL	22.12	14	67.74	A
CYROMAZINE	61.62	32	494.20	A
DIAZINON	781.56	58	746.34	A
1,3-DICHLOROPROPENE	797.46	1	9.00	A
DIDECYL DIMETHYL AMMONIUM CHLORIDE	0.16	1	56.00	A
DIETHYLENE GLYCOL	247.29	244	8,821.95	A
DIFENOCONAZOLE	93.29	14	847.32	A
DIMETHOATE	4,467.94	696	9,433.55	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BROCCOLI				
DIMETHOMORPH	15.94	23	757.20	A
DIMETHYL ALKYL TERTIARY AMINES	44.18	446	4,863.64	A
DIMETHYLPOLYSILOXANE	1,939.67	2,506	35,246.04	A
DIMETHYL SILICONE FLUID EMULSION	1.67	28	300.05	A
DINOTEFURAN	717.72	170	5,457.42	A
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	0.16	1	56.00	A
DIOCTYL PHTHALATE	1.95	3	31.10	A
DIPHACINONE	< 0.01	1	37.00	A
DIPROPYLENE GLYCOL METHYL ETHER	2.00	26	222.50	A
DISULFOTON	184.33	13	197.44	A
DODECYLBENZENE SULFONIC ACID	36.98	118	1,532.64	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.61	11	145.42	A
EDTA, TETRASODIUM SALT	2.28	118	1,532.64	A
EMAMECTIN BENZOATE	43.35	75	3,469.36	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	6,390.56	1,037	13,448.03	A
ESFENVALERATE	1,004.16	1,101	23,045.79	A
ETHYLENE GLYCOL	1,189.39	93	6,857.00	A
FATTY ACIDS, METHYL ESTERS	448.32	118	1,419.49	A
FATTY ACIDS, MIXED	461.83	1,098	17,322.01	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	8,653.70	1,673	23,319.69	A
FATTY ACIDS DERIVED FROM TALLOW	7.68	13	356.00	A
FENAMIDONE	588.24	48	2,851.71	A
FENHEXAMID	10.00	1	20.00	A
FENPROPATHRIN	89.42	26	448.50	A
FERRIC SODIUM EDTA	10.00	1	7.80	A
FERROUS SULFATE	3.76	15	299.00	A
FLONICAMID	194.41	76	2,316.30	A
FLUBENDIAMIDE	341.49	472	8,382.21	A
FLUDIOXONIL	14.75	14	302.20	A
	< 0.01		99.14	P
Total Pounds On This Chemical	14.75			
FLUOPICOLIDE	4.44	4	40.86	A
FOSETYL-AL	2,320.81	105	754.71	A
GAMMA-CYHALOTHRIN	18.99	20	1,496.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	400.91	12	220.35	A
GLYPHOSATE, POTASSIUM SALT	1,593.69	18	723.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	19.67	29	835.90	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	901.83	815	10,045.04	A
HYDROGEN PEROXIDE	157.58	21	109.25	A
HYDROTREATED PARAFFINIC SOLVENT	305.17	4	232.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	705.85	939	11,327.83	A
IMIDACLOPRID	14,705.11	6,843	85,290.94	A
INDOXACARB	1,971.30	2,782	31,312.21	A
IPRODIONE	589.96	94	641.71	A
	0.03		6.45	P
Total Pounds On This Chemical	589.99			
IRON PHOSPHATE	0.06	5	8,000.00	S
	0.05	7	1.20	A
Total Pounds On This Chemical	0.11			
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	3.18	4	55.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BROCCOLI				
ISOPROPYL ALCOHOL	310.79	405	14,040.52	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.83	7	195.50	A
KAOLIN	2,822.69	18	118.85	A
KEROSENE	80.44	448	4,889.24	A
LACTOSE	0.77	4	171.00	A
LAMBDA-CYHALOTHRIN	791.62	2,139	28,339.73	A
LECITHIN	8,908.63	1,984	32,921.19	A
LIMONENE	20.34	1	3.70	A
MALATHION	11,454.68	753	7,953.95	A
MANCOZEB	4,258.59	228	2,955.43	A
MANDIPROPAMID	620.77	124	4,883.65	A
MANEB	470.66	11	340.00	A
MANGANESE SULFATE	25.51	17	406.00	A
MARGOSA OIL	549.51	68	444.35	A
MEFENOXAM	249.77	171	2,634.27	A
	< 0.01		101.59	P
Total Pounds On This Chemical	249.78			
MEFENOXAM, OTHER RELATED	0.05	3	229.68	A
METALDEHYDE	24.24	3	20.70	A
METAM-SODIUM	7,670.75	3	45.30	A
METHOMYL	1,271.34	85	2,064.13	A
METHOXYFENOZIDE	697.67	248	4,533.46	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	43.40	7	115.81	A
METHYLATED SILICA	2.24	7	448.00	A
METHYLATED SOYBEAN OIL	10,427.66	2,792	43,211.22	A
METHYL BROMIDE	201.50		53,039.05	C
METHYL CELLULOSE	1.92	3	31.10	A
METHYL SILICONE RESINS	160.06	411	4,754.08	A
MINERAL OIL	2,654.30	320	4,729.44	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	1.44	2	73.00	A
MORPHOLINE	0.84	3	31.10	A
MYCLOBUTANIL	2.60	1	26.00	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	1,091.52	32	358.70	A
NALED	7,489.49	342	4,547.68	A
NAPROPAMIDE	3,287.50	549	6,882.85	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	3,127.66	1,995	26,946.68	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,570.61	2,871	48,934.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	19.75	7	154.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,450.70	221	3,511.48	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.46	4	60.10	A
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	0.31	1	56.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	11.74	5	181.70	A
OIL OF JOJOBA	9.14	9	39.50	A
OLEIC ACID	23.74	5	167.10	A
OLEIC ACID, METHYL ESTER	14,847.63	1,438	16,445.39	A
ORCHEX 796 OIL	144.72	2	136.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	90.91	61	2,664.50	A
OXYDEMETON-METHYL	9,984.13	798	10,429.22	A
OXYFLUORFEN	16,673.59	4,832	57,590.70	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	15.00	5	75.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BROCCOLI				
PAECILOMYCES LILACINUS STRAIN 251	3.99	2	16.62	A
PARAQUAT DICHLORIDE	648.13	51	499.15	A
PENDIMETHALIN	119.32	6	120.00	A
PERMETHRIN	840.52	506	6,964.56	A
PETROLEUM DISTILLATES, ALIPHATIC	0.07	3	169.48	A
PETROLEUM NAPHTHENIC OILS	0.80	3	169.48	A
PETROLEUM OIL, PARAFFIN BASED	312.88	17	465.60	A
PETROLEUM OIL, UNCLASSIFIED	2,178.90	56	415.04	A
PHOSPHORIC ACID	745.73	1,494	20,690.49	A
PIPERONYL BUTOXIDE	1.45	3	10.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.33	2	10.25	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	82.57	358	3,682.39	A
POLYACRYLAMIDE POLYMER	13.70	102	1,097.40	A
POLYACRYLIC POLYMER	5.68	96	1,097.02	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	139.99	868	8,971.94	A
POLYBUTENES	1,545.30	1,673	23,319.69	A
POLYETHER MODIFIED POLYSILOXANE	578.93	1,267	15,984.82	A
POLYETHOXYLATED CASTOR OIL	23.40	91	2,289.30	A
POLYETHYLENE GLYCOL	256.46	103	3,292.48	A
POLYETHYLENE GLYCOL DIACETATE	8.81	418	5,155.83	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	574.82	475	6,734.58	A
POLY-I-PARA-MENTHENE	19.15	7	103.50	A
POLYMERIZED PINENE	16.40	3	113.00	A
POLYOXYETHYLENE DIOLEATE	1.89	61	2,664.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	19.66	20	514.38	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	263.30	6	210.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	14.71	4	60.10	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	3.31	7	195.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	21.78	7	195.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	7.79	1	72.00	A
POLYPROPYLENE GLYCOL	12.41	288	3,322.60	A
POLYSACCHARIDE POLYMER	0.91	11	141.70	A
POLYSILOXANE	1.24	43	479.35	A
POTASH SOAP	2,711.46	123	532.50	A
POTASSIUM HYDROXIDE	36.26	43	479.35	A
POTASSIUM PHOSPHITE	3,926.64	66	2,089.52	A
POTASSIUM SILICATE	6.85	1	2.25	A
PROPIONIC ACID	3,661.40	1,660	20,721.85	A
PROPYLENE GLYCOL	1,381.39	1,307	16,957.22	A
PYMETROZINE	249.72	243	2,549.38	A
PYRACLOSTROBIN	279.97	146	1,299.60	A
	0.12		290.45	P
Total Pounds On This Chemical	280.08			
PYRETHRINS	95.42	336	2,217.90	A
	0.27	14	12,790.00	S
Total Pounds On This Chemical	95.69			
PYRIPROXYFEN	27.25	5	405.24	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	81.22	13	191.71	A
QUILLAJA	11.38	1	4.50	A
REYNOUTRIA SACHALINENSIS	42.12	17	311.84	A
SESAME OIL	1.06	2	0.20	A
SETHOXYDIM	234.62	28	973.85	A
SILICONE	1.45	87	967.32	A
SILICONE DEFOAMER	0.97	118	1,532.64	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BROCCOLI				
SODIUM DIISOCTYLSULFOSUCCINATE	0.26	3	31.10	A
SODIUM HYPOCHLORITE	12.70	11	6,550.00	?
	0.64	2	200.00	U
Total Pounds On This Chemical	13.34			
SODIUM POLYACRYLATE	0.81	50	872.60	A
SODIUM TRIPOLYPHOSPHATE	0.11	1	10.30	A
SODIUM XYLENE SULFONATE	11.38	118	1,532.64	A
SORBITAN FATTY ACID ESTERS	3.22	4	60.10	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.05	2	25.60	A
SPINETORAM	1,179.20	1,156	25,466.08	A
SPINOSAD	548.37	1,014	11,652.78	A
	< 0.01	1	150.00	C
Total Pounds On This Chemical	548.37			
SPIROTETRAMAT	657.50	6,180	71,725.60	A
STREPTOMYCES LYDICUS WYEC 108	0.03	20	116.30	A
	< 0.01	18	3,600.00	S
Total Pounds On This Chemical	0.03			
STRYCHNINE	0.03	5	70.10	A
STYRENE BUTADIENE COPOLYMER	3.02	2	48.00	A
SULFUR	1,437.76	42	341.53	A
TALL OIL	41.70	20	774.00	A
TALL OIL FATTY ACIDS	91.89	319	4,252.09	A
TEBUCONAZOLE	6.64	1	12.08	A
TEBUFENOZIDE	21.75	15	178.80	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	43.35	118	1,532.64	A
TETRAPOTASSIUM PYROPHOSPHATE	5.69	118	1,532.64	A
THIAMETHOXAM	880.10	1,016	12,926.37	A
THIRAM	168.88		72,153.91	P
	168.00	2	66.00	A
	53.68		11,158.87	U
Total Pounds On This Chemical	390.56			
TRIETHANOLAMINE	14.78	121	1,686.64	A
TRIFLUMIZOLE	4.84	4	19.50	A
TRIFLURALIN	6,519.98	925	12,398.21	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	1,094.74	500	7,526.18	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	4,961.77	2,344	41,407.71	A
UREA	26.98	8	104.92	A
VEGETABLE OIL	105.26	11	186.43	A
VINYL POLYMER	10.68	15	180.94	A
XANTHAN GUM	< 0.01	1	10.70	A
XYLENE	1.84	1	65.00	A
YUCCA SCHIDIGERA	11.16	1	19.00	A
ZINC SULFATE	65.39	35	1,853.28	A
Site Total	378,952.91	60,955		
BRUSSELS SPROUT				
ACEPHATE	713.96	68	805.00	A
ACETAMIPRID	37.36	56	502.40	A
ACIBENZOLAR-S-METHYL	1.18	4	37.84	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	76.95	177	1,447.65	A
ALUMINUM PHOSPHIDE	3.68	10	142.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BRUSSELS SPROUT				
AMMONIUM PROPIONATE	8.41	10	157.40	A
AMYL ACETATE	3.37	10	157.40	A
AZADIRACTIN	6.92	52	254.74	A
AZOXYSTROBIN	7.73	6	46.32	A
BACILLUS PUMILUS, STRAIN QST 2808	0.84	1	14.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	186.14	32	264.97	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	36.62	7	43.53	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	68.46	8	53.69	A
BEAUVERIA BASSIANA STRAIN GHA	1.35	6	12.20	A
BENSULIDE	594.61	17	208.30	A
BENZOIC ACID	0.11	2	13.50	A
BIFENTHRIN	38.76	27	443.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	58.26	72	376.26	A
BOSCALID	68.65	15	184.30	A
BUPROFEZIN	51.20	12	170.00	A
CAPSICUM OLEORESIN	0.36	2	35.00	A
CARBARYL	38.04	5	21.60	A
CHLORANTRANILIPROLE	126.73	179	1,925.45	A
CHLOROTHALONIL	5,314.87	313	4,028.95	A
CHLORPYRIFOS	1,012.63	79	1,142.85	A
CHLORTHAL-DIMETHYL	2,897.78	60	630.25	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	7.15	2	7.94	A
CITRIC ACID	25.24	10	157.40	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	240.51	48	209.13	A
CLOTHIANIDIN	5.90	3	29.00	A
COCONUT DIETHANOLAMIDE	4.43	33	587.95	A
COPPER HYDROXIDE	60.90	24	156.42	A
CYAZOFAMID	4.95	2	6.50	A
BETA-CYFLUTHRIN	1.82	38	266.25	A
(S)-CYPERMETHRIN	25.32	49	645.50	A
CYPRODINIL	60.73	32	196.04	A
DIATOMACEOUS EARTH	0.78	1	0.10	A
1,3-DICHLOROPROPENE	195,527.68	85	1,727.35	A
DIETHYLENE GLYCOL	0.25	3	20.90	A
DIFENOCONAZOLE	2.17	3	20.40	A
DIMETHOATE	1,409.02	161	2,865.90	A
DIMETHOMORPH	1.45	4	61.40	A
DIMETHYL ALKYL TERTIARY AMINES	0.12	2	13.50	A
DIMETHYLPOLYSILOXANE	111.83	227	2,578.12	A
DIMETHYL SILICONE FLUID EMULSION	3.18	87	879.86	A
DINOTEFURAN	58.22	43	487.95	A
DIPROPYLENE GLYCOL METHYL ETHER	0.27	3	20.90	A
DODECYLBENZENE SULFONIC ACID	19.19	33	587.95	A
EDTA, TETRASODIUM SALT	1.18	33	587.95	A
EMAMECTIN BENZOATE	13.84	82	1,149.90	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	703.60	159	1,398.45	A
FATTY ACIDS, METHYL ESTERS	9.34	24	28.60	A
FATTY ACIDS, MIXED	11.74	77	821.85	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	208.17	48	347.66	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BRUSSELS SPROUT				
FENAMIDONE	5.98	4	23.10	A
FLONICAMID	144.43	131	1,672.07	A
FLUBENDIAMIDE	10.37	20	222.90	A
FLUDIOXONIL	40.49	32	196.04	A
FLUOPICOLIDE	0.82	5	6.60	A
GLYPHOSATE, POTASSIUM SALT	35.87	1	14.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	16.83	10	157.40	A
HYDROGEN PEROXIDE	12.32	2	43.00	A
IMIDACLOPRID	487.77	255	3,357.56	A
INDOXACARB	296.02	323	4,760.64	A
ISOPROPYL ALCOHOL	9.22	41	828.95	A
KAOLIN	413.25	4	18.40	A
KEROSENE	0.21	2	13.50	A
LAMBDA-CYHALOTHRIN	68.94	168	2,297.09	A
LECITHIN	434.97	109	1,234.15	A
MALATHION	1,753.74	113	976.53	A
MANDIPROPAMID	8.61	9	66.05	A
MARGOSA OIL	14.93	6	12.12	A
MEFENOXAM	4.93	14	57.20	A
METALDEHYDE	79.00	4	129.00	A
METAM-SODIUM	12,361.25	10	156.50	A
METHOMYL	831.93	100	924.37	A
METHOXYFENOZIDE	30.66	18	199.60	A
METHYLATED SOYBEAN OIL	171.99	78	922.36	A
METHYL SILICONE RESINS	51.37	92	856.85	A
NALED	843.38	58	683.22	A
NAPROPAMIDE	230.57	34	415.23	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	73.80	72	376.26	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	130.93	135	1,601.21	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	287.45	28	447.70	A
OXYDEMETON-METHYL	868.78	94	969.19	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	6.81	5	34.04	A
PCNB	3,066.92	9	143.50	A
PERMETHRIN	28.31	35	291.47	A
PHOSPHORIC ACID	54.45	220	2,434.10	A
PIPERONYL BUTOXIDE	0.06	1	0.25	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.02	1	0.25	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	5.31	49	522.46	A
POLYBUTENES	37.17	48	347.66	A
POLYETHER MODIFIED POLYSILOXANE	38.37	162	1,403.05	A
POLYETHYLENE GLYCOL	21.29	8	241.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	80.43	94	1,003.34	A
POLYOXYETHYLENE POLYOXYPROPYLENE	1.25	5	10.59	A
POLYPROPYLENE GLYCOL	0.02	1	5.00	A
POTASH SOAP	85.81	7	14.14	A
POTASSIUM BICARBONATE	988.32	56	436.09	A
POTASSIUM N-METHYLDITHIOCARBAMATE	3,390.65	5	27.50	A
POTASSIUM PHOSPHITE	333.50	21	267.22	A
PROPIONIC ACID	381.77	118	1,447.85	A
PROPYLENE GLYCOL	61.09	104	1,160.74	A
PYMETROZINE	120.86	96	1,374.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
BRUSSELS SPROUT				
PYRACLOSTROBIN	492.67	223	2,545.45	A
PYRETHRINS	2.60	9	56.15	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	16.97	21	244.00	A
REYNOUTRIA SACHALINENSIS	20.81	16	110.50	A
SESAME OIL	1.06	2	0.30	A
SILICONE DEFOAMER	0.50	33	587.95	A
SODIUM PERSULFATE	0.79	1	6.00	A
SODIUM XYLENE SULFONATE	5.90	33	587.95	A
SPINETORAM	46.78	72	815.88	A
SPINOSAD	12.46	34	262.07	A
	< 0.01	1	250.00	C
Total Pounds On This Chemical	12.46			
SPIROMESIFEN	7.43	2	68.00	A
SPIROTETRAMAT	27.05	294	2,789.27	A
SULFUR	745.76	42	220.75	A
TALL OIL FATTY ACIDS	0.27	3	20.90	A
TEBUFENOZIDE	3.62	4	28.80	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	22.21	33	587.95	A
TETRAPOTASSIUM PYROPHOSPHATE	2.95	33	587.95	A
THIAMETHOXAM	227.91	189	2,393.39	A
TRIETHANOLAMINE	7.53	33	587.95	A
TRIFLUMIZOLE	222.61	98	901.07	A
TRIFLURALIN	9.64	2	10.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	149.96	94	1,003.34	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	155.58	188	1,789.85	A
VINYL POLYMER	1.56	2	23.70	A
Site Total	240,481.82	4,884		
BUILDINGS/NON-AG OUTDOOR				
ALKYL (C8,C10) POLYGLUCOSIDE	0.53	1	5.00	A
AMMONIUM NITRATE	0.25	1	5.00	A
AMMONIUM SULFATE	0.51	1	5.00	A
BIFENTHRIN	0.03		2.00	U
BROMADIOLONE	< 0.01		1,684,800.00	S
DIMETHYLPOLYSILOXANE	< 0.01	1	5.00	A
DIPHACINONE	< 0.01		1,000.00	S
GLYPHOSATE, POTASSIUM SALT	10.32	1	5.00	A
ORYZALIN	10.40	1	5.00	A
SAFLUFENACIL	0.22	1	5.00	A
SULFUR DIOXIDE	51.00		698.00	U
Site Total	73.27	4		
BUSHBERRY				
METHYL BROMIDE	510.46		82,583.10	U
PROPICONAZOLE	18.24	2	104.00	A
Site Total	528.70	2		
CABBAGE				
ACETAMIPRID	152.47	157	1,531.15	A
ACRYLIC ACID	26.13	30	160.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CABBAGE				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.02	3	56.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	101.22	289	1,792.91	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.20	5	53.05	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12.38	5	97.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.89	1	5.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	247.21	48	391.86	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	167.06	83	974.05	A
ALKYL (C8,C10) POLYGLUCOSIDE	32.14	80	794.71	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	3.39	18	137.30	A
ALUMINUM PHOSPHIDE	103.50	1	6.90	A
AMMONIUM CITRATE	0.95	1	6.00	A
AMMONIUM NITRATE	7.54	1	29.68	A
AMMONIUM PROPIONATE	18.45	100	629.92	A
AMMONIUM SULFATE	38.37	7	114.18	A
AMYL ACETATE	7.24	99	628.42	A
AZADIRACTIN	67.13	373	2,445.79	A
	< 0.01	7	775.00	S
Total Pounds On This Chemical	67.13			
AZOXYSTROBIN	95.86	92	509.59	A
BACILLUS PUMILUS, STRAIN QST 2808	8.38	18	75.68	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	8.39	5	8.84	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	902.15	140	1,153.94	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.32	1	2.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	86.09	27	230.52	A
	0.03	4	400.00	S
Total Pounds On This Chemical	86.12			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.31	3	3.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	256.60	48	358.48	A
BEAUVERIA BASSIANA STRAIN GHA	0.14	3	1.20	A
BENSULIDE	4,316.80	196	934.27	A
BENTONITE	0.30	1	5.00	A
BENZOIC ACID	0.30	4	34.30	A
BIFENTHRIN	269.55	106	1,804.27	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	300.96	387	5,236.19	A
BOSCALID	127.89	28	329.08	A
BUPROFEZIN	336.24	48	1,055.00	A
BUTYL ALCOHOL	0.13	1	7.00	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	3.77	9	141.00	A
CANOLA OIL	1.13	3	0.70	A
CARBARYL	1.74	3	3.80	A
CARBOXIN	0.13		176.00	P

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CABBAGE				
CASEIN	0.02	1	5.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	132.32	232	356.36	A
CHLORANTRANILIPROLE	430.39	876	7,383.43	A
CHLOROTHALONIL	3,108.66	279	2,870.13	A
CHLORPYRIFOS	2,167.11	266	2,507.72	A
CHLORTHAL-DIMETHYL	5,637.36	302	2,041.54	A
CHROMOBACTERIUM SUBSUGAE STRAIN PRAA4-1	2.66	2	2.96	A
CITRIC ACID	54.94	101	647.92	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	2,237.71	190	1,538.32	A
CLETHODIM	49.52	24	404.40	A
CLOPYRALID, MONOETHANOLAMINE SALT	1.95	1	16.00	A
CLOTHIANIDIN	171.63	95	897.76	A
COCONUT DIETHANOLAMIDE	1.72	37	260.65	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	3.82	1	18.00	A
COPPER HYDROXIDE	202.53	74	678.03	A
COPPER OCTANOATE	63.60	19	69.95	A
COPPER OXIDE (OUS)	15.07	1	17.96	A
COPPER OXYCHLORIDE	8.25	18	28.11	A
COPPER SULFATE (BASIC)	40.88	3	23.00	A
CORN SYRUP	6.37	3	59.00	A
CYAZOFAMID	2.34	15	32.74	A
CYFLUTHRIN	7.37	5	142.00	A
BETA-CYFLUTHRIN	51.23	253	2,164.53	A
CYPERMETHRIN	3.97	4	21.00	A
(S)-CYPERMETHRIN	317.34	709	6,940.98	A
CYROMAZINE	0.79	4	6.31	A
DIAZINON	74.79	13	85.10	A
DIETHYLENE GLYCOL	23.70	53	936.27	A
DIFENOCONAZOLE	4.01	5	37.00	A
DIMETHOATE	3.17	3	4.20	A
DIMETHOMORPH	5.18	21	254.01	A
DIMETHYL ALKYL TERTIARY AMINES	0.32	4	34.30	A
DIMETHYLPOLYSILOXANE	119.24	521	4,466.32	A
DIMETHYL SILICONE FLUID EMULSION	8.00	100	1,137.09	A
DINOTEFURAN	70.29	64	605.10	A
DIOCTYL PHTHALATE	2.16	12	80.70	A
DIPROPYLENE GLYCOL METHYL ETHER	0.16	7	16.60	A
DODECYLBENZENE SULFONIC ACID	7.44	37	260.65	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.99	5	64.35	A
EDTA, TETRASODIUM SALT	0.46	37	260.65	A
EMAMECTIN BENZOATE	14.66	151	1,267.30	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	351.28	187	917.67	A
ESFENVALERATE	124.79	361	2,842.60	A
ETHOPROP	230.06	18	92.25	A
ETHYLENE GLYCOL	170.99	58	673.81	A
FATTY ACIDS, METHYL ESTERS	230.07	93	824.50	A
FATTY ACIDS, MIXED	80.64	408	5,140.77	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	854.48	246	4,019.83	A
FATTY ACIDS DERIVED FROM TALLOW	66.82	83	974.05	A
FENAMIDONE	146.53	46	584.39	A
FENPROPATHRIN	7.66	2	34.00	A
FERRIC SODIUM EDTA	2.50	1	4.00	A
FLONICAMID	89.98	167	1,133.89	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CABBAGE				
FLUAZINAM	0.82	1	10.00	A
FLUBENDIAMIDE	68.13	207	1,434.58	A
FLUOPICOLIDE	29.16	85	261.67	A
FOSETYL-AL	320.34	24	180.81	A
GLYCEROL	2.68	1	18.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	69.99	6	46.50	A
GLYPHOSATE, POTASSIUM SALT	132.46	3	33.18	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	2.97	10	133.20	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	36.18	99	628.42	A
HYDROGEN PEROXIDE	64.51	3	10.80	A
HYDROTREATED PARAFFINIC SOLVENT	36.34	3	29.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	22.92	39	344.00	A
IMIDACLOPRID	1,294.30	991	6,546.96	A
INDOXACARB	133.47	422	2,124.95	A
IPRODIONE	66.55	10	73.20	A
	18.84		29.57	U
	0.01		2.12	P
Total Pounds On This Chemical	85.40			
IRON PHOSPHATE	0.02			
	0.02	5	2,680.00	S
Total Pounds On This Chemical	0.04			
ISODECYL ALCOHOL	1.70	1	45.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	5.56	9	128.20	A
ISOPROPYL ALCOHOL	64.95	633	2,252.53	A
KAOLIN	4,526.70	19	196.14	A
KEROSENE	0.58	4	34.30	A
LACTOSE	0.02	1	5.00	A
LAMBDA-CYHALOTHRIN	173.91	509	6,642.81	A
LECITHIN	2,020.00	633	7,063.96	A
MALATHION	2,836.32	267	2,363.90	A
MANCOZEB	2,839.97	177	2,137.99	A
MANDIPROPAMID	139.40	158	1,095.13	A
MANEB	144.45	10	96.25	A
MARGOSA OIL	80.31	10	110.77	A
MEFENOXAM	28.43	18	437.90	A
	< 0.01		6.91	P
Total Pounds On This Chemical	28.44			
MEFENOXAM, OTHER RELATED	< 0.01	6	3.00	A
METALDEHYDE	19.20	1	6.00	A
METHOMYL	899.62	100	1,378.75	A
METHOXYFENOZIDE	265.24	219	1,680.15	A
METHYLATED SILICA	0.32	3	59.00	A
METHYLATED SOYBEAN OIL	2,595.57	570	6,670.38	A
METHYL CELLULOSE	2.13	12	80.70	A
METHYL SILICONE RESINS	35.43	298	2,774.94	A
MINERAL OIL	238.62	58	518.41	A
MORPHOLINE	0.94	12	80.70	A
NALED	200.45	14	105.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	380.78	358	4,952.13	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,130.99	1,523	13,660.70	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	1.60	9	128.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CABBAGE				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	117.39	39	247.40	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	1.15	1	7.00	A
NOVALURON	41.35	87	718.26	A
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	< 0.01	1	200.00	S
OLEIC ACID	3.03	12	80.70	A
OLEIC ACID, METHYL ESTER	433.80	67	521.55	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	20.24	22	649.00	A
OXYDEMETON-METHYL	467.14	30	318.90	A
OXYFLUORFEN	2,115.54	669	5,411.65	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	8.86	1	44.30	A
PARAQUAT DICHLORIDE	34.19	4	24.70	A
PERMETHRIN	319.21	162	2,043.06	A
PETROLEUM OIL, PARAFFIN BASED	1.98	2	8.50	A
PETROLEUM OIL, UNCLASSIFIED	363.22	6	29.92	A
PHOSPHORIC ACID	26.62	264	1,485.42	A
BETA-PINENE POLYMER	0.22	1	2.70	A
PIPERONYL BUTOXIDE	0.06	1	0.25	A
	< 0.01	1	200.00	S
Total Pounds On This Chemical	0.06			
PIPERONYL BUTOXIDE, OTHER RELATED	0.02	1	0.25	A
	< 0.01	1	200.00	S
Total Pounds On This Chemical	0.02			
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	11.85	25	262.50	A
POLYACRYLAMIDE POLYMER	0.94	3	34.80	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	76.81	289	3,328.70	A
POLYBUTENES	152.59	246	4,019.83	A
POLYETHER MODIFIED POLYSILOXANE	46.55	232	1,198.37	A
POLYETHOXYLATED CASTOR OIL	26.73	43	983.20	A
POLYETHYLENE GLYCOL	1.62	5	20.80	A
POLYETHYLENE GLYCOL DIACETATE	0.31	18	137.30	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	91.19	112	794.05	A
POLY-I-PARA-MENTHENE	30.00	12	99.00	A
POLYMERIZED PINENE	35.25	5	64.35	A
POLYOXYETHYLENE DIOLEATE	0.42	22	649.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	46.34	51	398.89	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	9.68	2	8.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	23.37	2	52.00	A
POLYPROPYLENE GLYCOL	6.52	250	2,554.70	A
POLYSILOXANE	0.58	76	706.03	A
POTASH SOAP	4,810.38	45	308.83	A
POTASSIUM HYDROXIDE	16.90	76	706.03	A
POTASSIUM N-METHYLDITHIOCARBAMATE	25,423.99	130	210.85	A
POTASSIUM PHOSPHITE	2,809.30	228	1,659.20	A
PROPIONIC ACID	1,549.97	574	6,443.35	A
PROPYLENE GLYCOL	90.74	211	1,440.97	A
PYMETROZINE	24.98	118	300.24	A
PYRACLOSTROBIN	130.35	219	734.29	A
PYRETHRINS	10.00	55	205.39	A
	0.17	16	12,625.00	S
Total Pounds On This Chemical	10.18			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	25.02	10	78.14	A
REYNOUTRIA SACHALINENSIS	13.46	10	132.86	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CABBAGE				
SESAME OIL	1.06	2	0.20	A
SETHOXYDIM	32.75	8	148.00	A
SILICONE	0.36	35	324.80	A
SILICONE DEFOAMER	0.19	37	260.65	A
SODIUM DIISOCTYLSULFOSUCCINATE	0.29	12	80.70	A
SODIUM HYDROXIDE	0.73	1	18.00	A
SODIUM HYPOCHLORITE	0.16	1	25.00	?
SODIUM POLYACRYLATE	< 0.01	1	1.50	A
SODIUM XYLENE SULFONATE	2.29	37	260.65	A
SPINETORAM	218.87	453	4,618.65	A
SPINOSAD	213.10	233	2,313.09	A
SPIROTETRAMAT	57.87	899	6,371.04	A
SULFUR	16.00	2	4.00	A
TALL OIL	12.53	460	825.07	A
TALL OIL FATTY ACIDS	5.97	58	458.46	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.72	37	260.65	A
TETRAPOTASSIUM PYROPHOSPHATE	1.14	37	260.65	A
THIAMETHOXAM	110.42	355	1,568.53	A
THIRAM	77.18		36,306.29	P
	6.23		2,494.06	U
	0.29		116.62	A
Total Pounds On This Chemical	83.70			
TRIETHANOLAMINE	3.00	40	289.65	A
TRIFLUMIZOLE	57.91	13	231.40	A
TRIFLURALIN	174.74	28	264.60	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	164.79	108	757.55	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	484.89	432	2,943.35	A
Site Total	87,137.89	15,644		
CABBAGE, SAVOY				
CHLORANTRANILIPROLE	0.07	1	2.00	A
DINOTEFURAN	0.18	1	2.00	A
MALATHION	0.96	1	2.00	A
OXYFLUORFEN	0.51	1	10.00	A
Site Total	1.71	4		
CACTUS PEAR				
ACRYLIC ACID	40.39	15	215.40	A
CARBARYL	2,352.02	65	1,240.20	A
DIMETHYLPOLYSILOXANE	26.97	19	307.00	A
FATTY ACIDS, MIXED	14.74	48	964.40	A
LECITHIN	344.00	48	964.40	A
METALDEHYDE	674.72	23	480.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	92.29	48	964.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	150.81	15	215.40	A
PHOSPHORIC ACID	4.58	15	215.40	A
PROPIONIC ACID	344.00	48	964.40	A
PYRETHRINS	1.52	2	31.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CACTUS PEAR				
Site Total	4,046.04	157		
CANOLA (RAPE)				
BENSULIDE	261.75	6	91.00	A
BIFENTHRIN	0.96	1	23.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.82	1	23.00	A
CHLORTHAL-DIMETHYL	758.77	13	193.00	A
CLETHODIM	14.91	2	118.00	A
CYPERMETHRIN	1.02	2	11.00	A
(S)-CYPERMETHRIN	0.37	1	4.00	A
DIMETHYLPOLYSILOXANE	< 0.01	1	23.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	3.06	1	23.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	67.50	3	146.20	A
GLYPHOSATE, POTASSIUM SALT	99.15	4	107.77	A
IMIDACLOPRID	40.56	11	242.00	A
INDOXACARB	9.51	8	169.00	A
METHOXYFENOZIDE	9.04	2	118.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.04	1	23.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE), BRANCHED	0.02	1	23.00	A
PETROLEUM OIL, PARAFFIN BASED	35.93	2	118.00	A
PHOSPHORIC ACID	0.27	1	23.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.15	1	23.00	A
POLYBUTENES	0.55	1	23.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	175.44	2	118.00	A
SPINETORAM	9.50	8	201.00	A
SPINOSAD	8.94	8	137.00	A
TRIFLURALIN	64.65	2	112.00	A
XANTHAN GUM	< 0.01	1	23.00	A
Site Total	1,563.92	76		
CANTALOUPE				
ABAMECTIN	250.22	386	22,943.65	A
ACETAMIPRID	477.06	155	6,227.33	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.03	1	2.00	A
ALCOHOLS, C4-C12, NORMAL	12.76	17	1,149.20	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	202.09	4	455.80	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	102.56	41	2,625.62	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	2.90	2	51.50	A
ALPHA-PINENE BETA-PINENE COPOLYMER	55.47	6	326.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	38.32	18	613.11	A
ALKYL (C8,C10) POLYGLUCOSIDE	1.24	2	151.00	A
AMMONIUM NITRATE	6.22	5	592.00	A
AMMONIUM PROPIONATE	4.43	2	76.00	A
AMMONIUM SULFATE	248.68	12	984.00	A
AZADIRACHTIN	1.59	1	80.00	A
AZOXYSTROBIN	674.68	121	6,699.90	A
	< 0.01		154.08	P

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CANTALOUPE				
Total Pounds On This Chemical	674.68			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	333.79	10	615.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	48.60	1	60.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	164.97	6	334.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	885.42	40	2,234.11	A
BENSULIDE	10,929.34	53	2,916.11	A
BENZOIC ACID	2.85	4	500.00	A
BIFENAZATE	27.50	1	67.00	A
BIFENTHRIN	1,717.74	294	20,671.38	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	95.52	63	3,401.20	A
BOSCALID	32.54	3	126.50	A
BUPROFEZIN	265.52	39	1,489.71	A
BUTYL ALCOHOL	20.42	15	764.76	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	8.87	16	106.01	A
CALCIUM CHLORIDE	6.74	3	150.00	A
CARBARYL	4,753.03	102	7,839.15	A
CARFENTHAZONE-ETHYL	12.67	6	522.00	A
CASTOR OIL ETHOXYLATE	5.68	3	222.00	A
CHLORANTRANILIPROLE	219.01	84	4,238.92	A
CITRIC ACID	21.38	6	256.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	251.23	8	308.00	A
CLETHODIM	52.73	12	522.18	A
CLOTHIANIDIN	132.95	4	649.00	A
COCONUT DIETHANOLAMIDE	0.62	6	188.80	A
COPPER HYDROXIDE	0.23	5	0.90	A
COPPER OXYCHLORIDE	0.25	5	0.90	A
CORN SYRUP	4.20	2	151.00	A
COTTONSEED OIL	1,130.40	17	1,149.20	A
CYFLUTHRIN	3.41	1	75.00	A
BETA-CYFLUTHRIN	202.67	1	150.00	A
(S)-CYPERMETHRIN	126.10	67	3,061.30	A
4-(2,4-DB), DIMETHYLAMINE SALT	47.80	1	81.70	A
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	5.93	6	172.00	A
DIAZINON	201.64	8	444.27	A
1,3-DICHLOROPROPENE	28,427.68	6	608.00	A
DIETHYLENE GLYCOL	114.67	30	1,686.00	A
DIFENOCONAZOLE	11.63	3	115.00	A
DIMETHOATE	146.14	3	295.00	A
DIMETHYL ALKYL TERTIARY AMINES	3.10	4	500.00	A
DIMETHYLPOLYSILOXANE	38.70	64	3,378.99	A
DIMETHYL SILICONE FLUID EMULSION	2.54	5	144.70	A
DINOTEFURAN	789.06	70	4,387.39	A
DIOCTYL PHTHALATE	1.32	3	115.00	A
DIPHACINONE	< 0.01	2	53.00	A
DODECYLBENZENE SULFONIC ACID	2.69	6	188.80	A
EDTA, TETRASODIUM SALT	0.17	6	188.80	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	297.89	32	1,723.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CANTALOUPE				
ENDOSULFAN	187.66	4	209.90	A
ESFENVALERATE	111.90	39	2,579.06	A
ETHYLENE GLYCOL	1,330.78	39	5,045.19	A
ETOXAZOLE	10.35	1	40.00	A
FATTY ACIDS, MIXED	209.67	39	2,828.11	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	347.86	57	3,075.20	A
FATTY ACIDS DERIVED FROM TALLOW	15.33	18	613.11	A
FENPROPATHRIN	144.51	4	165.00	A
FLONICAMID	202.38	30	2,328.75	A
FLUBENDIAMIDE	495.70	116	10,528.70	A
FLUDIOXONIL	< 0.01		154.08	P
	< 0.01		5.73	A
Total Pounds On This Chemical	< 0.01			
GLYPHOSATE, ISOPROPYLAMINE SALT	4,507.73	24	1,749.80	A
GLYPHOSATE, POTASSIUM SALT	3,198.38	13	1,290.20	A
HALOSULFURON-METHYL	5.84	6	421.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	1.69	1	68.90	A
IMIDACLOPRID	3,679.02	173	11,309.19	A
INDOXACARB	110.39	33	1,118.45	A
ISOPROPYL ALCOHOL	273.87	72	6,745.12	A
KEROSENE	5.51	4	500.00	A
KRESOXIM-METHYL	9.30	3	85.10	A
LAMBDA-CYHALOTHRIN	59.40	38	2,202.55	A
LECITHIN	145.51	24	2,612.70	A
MANDIPROPAMID	3.39	1	26.00	A
MEFENOXAM	19.85	9	506.00	A
	0.02		154.08	P
Total Pounds On This Chemical	19.87			
MEPIQUAT CHLORIDE	11.35	2	258.50	A
METAM-SODIUM	12,624.85	3	169.28	A
METHOMYL	3,980.56	116	6,135.00	A
METHOXYFENOZIDE	1,755.70	226	11,681.75	A
METHYLATED SILICA	0.21	2	151.00	A
METHYLATED SOYBEAN OIL	572.80	60	3,030.80	A
METHYL CELLULOSE	1.30	3	115.00	A
METHYL SILICONE RESINS	9.67	11	1,044.40	A
MINERAL OIL	743.17	26	1,152.00	A
MORPHOLINE	0.57	3	115.00	A
MYCLOBUTANIL	1,120.78	207	10,958.62	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	134.99	64	3,900.11	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,538.80	230	16,379.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	3.21	2	76.00	A
OLEIC ACID	20.76	4	205.00	A
OLEIC ACID, METHYL ESTER	24.74	3	120.40	A
ORCHEX 796 OIL	130.25	1	90.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	6.50	4	288.00	A
OXAMYL	691.54	8	711.20	A
OXYFLUORFEN	66.72	2	133.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	38.00	2	130.00	A
PARAQUAT DICHLORIDE	533.50	14	568.64	A
PERMETHRIN	1,105.54	129	8,318.78	A
PETROLEUM DISTILLATES	118.34	7	387.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CANTALOUPE				
PETROLEUM OIL, PARAFFIN BASED	27.88	2	100.00	A
PHOSPHORIC ACID	102.20	59	3,618.18	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	3.86	4	225.00	A
POLYACRYLAMIDE POLYMER	0.39	3	200.00	A
POLYACRYLIC POLYMER	0.22	1	30.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	10.02	37	1,378.10	A
POLYBUTENES	62.12	57	3,075.20	A
POLYETHER MODIFIED POLYSILOXANE	19.44	34	1,793.00	A
POLYETHOXYLATED CASTOR OIL	9.74	13	794.70	A
POLYETHYLENE GLYCOL	31.31	15	503.33	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	26.94	7	305.00	A
POLY-I-PARA-MENTHENE	18.33	1	75.00	A
POLYOXYETHYLENE DIOLEATE	0.14	4	288.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	48.47	6	534.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	136.12	2	100.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	5.34	6	172.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	42.61	3	222.00	A
POLYSACCHARIDE POLYMER	0.03	1	70.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	104,230.03	22	2,573.09	A
PROPIONIC ACID	142.61	22	2,561.20	A
PYMETROZINE	54.85	13	638.30	A
PYRACLOSTROBIN	80.53	18	685.36	A
PYRETHRINS	8.40	4	360.00	A
PYRIPROXYFEN	47.31	6	403.12	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	5.53	8	62.50	A
QUINOXYFEN	451.77	137	5,729.89	A
SETHOXYDIM	16.92	5	94.53	A
SILICONE DEFOAMER	0.07	6	188.80	A
SODIUM DIISOCTYLSULFOSUCCINATE	0.17	3	115.00	A
SODIUM POLYACRYLATE	0.11	2	76.00	A
SODIUM XYLENE SULFONATE	0.83	6	188.80	A
SORBITAN TRIOLEATE	2.97	6	172.00	A
SPINETORAM	88.78	41	2,175.38	A
SPINOSAD	17.79	7	215.50	A
SPIROMESIFEN	348.82	75	3,094.95	A
SULFUR	48,665.09	165	5,958.00	A
TALL OIL	7.68	5	384.00	A
TALL OIL FATTY ACIDS	15.99	15	638.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.15	6	188.80	A
TETRAPOTASSIUM PYROPHOSPHATE	0.41	6	188.80	A
THIAMETHOXAM	791.46		12.79	P
	75.81	11	1,288.69	A
Total Pounds On This Chemical	867.27			
THIOPHANATE-METHYL	232.45	10	657.80	A
THIRAM	22.91		16,288.06	P
	7.13		5,070.74	U
Total Pounds On This Chemical	30.04			
TRIETHANOLAMINE	1.05	6	188.80	A
TRIFLUMIZOLE	332.77	48	2,046.64	A
TRIFLURALIN	3,076.73	49	3,949.90	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	2.06	1	68.90	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	338.25	60	3,191.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CANTALOUPE				
VEGETABLE OIL	667.36	18	557.36	A
VINYL POLYMER	1.18	2	270.00	A
YUCCA SCHIDIGERA	119.40	6	440.00	A
ZINC SULFATE	24.88	19	1,601.38	A
Site Total	254,363.90	3,757		
CARDOON				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.27	1	5.00	A
AZOXYSTROBIN	1.35	1	6.90	A
BACILLUS PUMILUS, STRAIN QST 2808	0.91	6	15.10	A
BENSULIDE	173.31	8	30.80	A
BENZOIC ACID	0.41	8	30.80	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.40	7	21.20	A
CHLORANTRANILIPROLE	0.99	2	15.20	A
(S)-CYPERMETHRIN	1.64	4	35.50	A
DIMETHYL ALKYL TERTIARY AMINES	0.44	8	30.80	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	2.60	1	5.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	5.23	7	21.20	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1.85	4	35.50	A
IMIDACLOPRID	5.78	3	20.00	A
KEROSENE	0.79	8	30.80	A
METHYLATED SOYBEAN OIL	15.10	8	30.80	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.78	7	21.20	A
OLEIC ACID, METHYL ESTER	5.54	4	35.50	A
PERMETHRIN	1.37	1	6.90	A
PHOSPHORIC ACID	0.16	1	5.00	A
POLYBUTENES	0.93	7	21.20	A
POLYETHER MODIFIED POLYSILOXANE	0.14	1	5.00	A
REYNOUTRIA SACHALINENSIS	0.68	1	4.20	A
SPINETORAM	2.44	10	50.60	A
SPIROTETRAMAT	0.08	1	8.30	A
THIAMETHOXAM	0.56	2	11.90	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.28	1	5.00	A
Site Total	226.04	59		
CARROT				
ACRYLIC ACID	3.56	4	22.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.25	3	164.20	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	197.29	55	1,557.50	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	556.75	149	3,431.99	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.48	1	35.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	116.45	20	545.50	A
ALPHA-ALKYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.09	1	29.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	141.99	15	591.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	10.01	38	561.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CARROT				
AMMONIUM NITRATE	67.74	16	616.00	A
AMMONIUM PROPIONATE	6.93	3	66.00	A
AMMONIUM SULFATE	140.96	20	687.00	A
ATRAZINE	39.03	1	31.00	A
ATRAZINE, OTHER RELATED	0.82	1	31.00	A
AZADIRACTIN	0.26	8	47.18	A
AZOXYSTROBIN	2,049.53	174	11,311.28	A
	0.35		13,991.06	P
Total Pounds On This Chemical	2,049.88			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	257.24	26	813.36	A
BACILLUS PUMILUS, STRAIN QST 2808	6.26	3	52.11	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	3.36	2	26.18	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	47.39	2	58.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	311.75	11	510.00	A
BENTONITE	1,141.73	113	5,581.53	A
BENZOIC ACID	7.19	115	1,690.90	A
BIFENTHRIN	115.05	60	1,150.26	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2,282.11	269	17,141.05	A
BOSCALID	2,640.29	270	15,995.59	A
BUTYL ALCOHOL	27.11	36	676.80	A
CALCIUM CHLORIDE	13.17	22	376.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	< 0.01	1	0.50	A
CARBOXIN	0.47		3,956.00	P
CARFENTHAZONE-ETHYL	< 0.01	2	105.00	A
CASEIN	85.63	113	5,581.53	A
CHLORANTRANILIPROLE	39.70	29	858.00	A
CHLOROTHALONIL	23,822.34	284	18,769.99	A
CITRIC ACID	41.02	26	447.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	1.45	1	1.50	A
CLETHODIM	602.49	101	4,791.52	A
COCONUT DIETHANOLAMIDE	8.73	62	959.97	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	128.78	17	974.17	A
COPPER HYDROXIDE	9,923.22	180	7,723.40	A
COPPER OCTANOATE	2.08	1	5.50	A
COPPER OXIDE (OUS)	454.40	15	376.80	A
COPPER OXYCHLORIDE	69.74	8	219.60	A
CYAZOFAMID	3,707.95	275	21,363.86	A
CYFLUTHRIN	2.42	2	80.00	A
BETA-CYFLUTHRIN	4.10	5	212.00	A
(S)-CYPERMETHRIN	124.91	65	2,722.35	A
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	26.47	22	672.00	A
DELTAMETHRIN	16.41	16	548.00	A
DIAZINON	2,703.98	52	2,497.25	A
1,3-DICHLOROPROPENE	909,092.40	193	8,212.62	A
DIETHYLENE GLYCOL	6.62	4	58.00	A
DIFENOCONAZOLE	9.20	2	80.00	A
DIMETHYL ALKYL TERTIARY AMINES	7.83	115	1,690.90	A
DIMETHYLPOLYSILOXANE	13.92	237	5,659.37	A
DIPHACINONE	0.06	6	333.36	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CARROT				
DODECYLBENZENE SULFONIC ACID	37.81	62	959.97	A
EDTA, TETRASODIUM SALT	2.33	62	959.97	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	88.86	22	481.14	A
EPTC	9,036.88	79	3,083.68	A
ESFENVALERATE	500.43	248	11,523.41	A
ETHYLENE GLYCOL	4.74	4	20.00	A
FATTY ACIDS, MIXED	16.73	23	590.50	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	8,476.48	242	16,167.55	A
FENAMIDONE	1,956.78	90	7,349.93	A
FLONICAMID	79.06	41	906.60	A
FLUAZIFOP-P-BUTYL	3,101.18	181	11,190.76	A
FLUDIOXONIL	0.35		13,698.85	P
	0.02		914.57	A
Total Pounds On This Chemical	0.38			
FLUOPICOLIDE	149.63	18	1,166.90	A
TAU-FLUVALINATE	158.31	40	1,002.60	A
GIBBERELLINS	15.90	61	3,050.95	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	297.52	21	441.33	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,355.90	19	648.75	A
GLYPHOSATE, POTASSIUM SALT	1,433.95	11	790.25	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	6.19	68	1,038.50	A
HYDROGEN PEROXIDE	19.72	2	80.00	A
HYDROTREATED PARAFFINIC SOLVENT	302.86	8	384.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	80.75	83	1,447.10	A
IMIDACLOPRID	989.91	35	3,193.03	A
	16.59		5,939.10	P
Total Pounds On This Chemical	1,006.50			
IPRODIONE	10,589.28	219	14,049.51	A
	484.87		105,867.46	P
	32.72		6,611.85	U
Total Pounds On This Chemical	11,106.86			
IRON PHOSPHATE	0.02	4	3,200.00	S
	0.02	2	0.08	A
Total Pounds On This Chemical	0.04			
ISOPARAFFINIC HYDROCARBONS	257.72	7	428.00	A
ISOPROPYL ALCOHOL	82.43	181	4,431.71	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.47	1	42.00	A
KEROSENE	13.41	113	1,644.40	A
LACTOSE	85.63	113	5,581.53	A
LECITHIN	590.03	167	3,886.49	A
LINURON	46,823.50	1,655	65,482.62	A
MALATHION	2.67	2	1.58	A
MARGOSA OIL	13.70	5	19.50	A
MEFENOXAM	10,630.89	926	54,144.26	A
	3.29		15,932.36	P
Total Pounds On This Chemical	10,634.18			
MEFENOXAM, OTHER RELATED	15.00	46	2,519.11	A
	< 0.01		54.58	P
Total Pounds On This Chemical	15.00			
METALAXYL	1.43		4,782.30	P
METAM-SODIUM	2,971,363.88	254	15,595.27	A
METHOMYL	663.24	56	1,132.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CARROT				
METHOXYFENOZIDE	246.60	59	2,748.20	A
METHYLATED SOYBEAN OIL	2,335.87	190	3,325.40	A
METHYL SILICONE RESINS	26.95	112	1,403.30	A
S-METOLACHLOR	176.20	25	139.12	A
METRIBUZIN	958.06	53	3,975.93	A
MINERAL OIL	1,527.97	62	2,111.70	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2,994.57	258	16,604.15	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,496.81	491	17,645.44	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	6,355.32	228	11,000.40	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	3.07	2	18.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	4.13	15	661.50	A
OLEIC ACID, METHYL ESTER	3,678.06	263	5,274.89	A
ORCHEX 796 OIL	175.55	7	428.00	A
PAECILOMYCES LILACINUS STRAIN 251	23.28	7	97.00	A
PENDIMETHALIN	23,733.08	474	26,084.69	A
PETROLEUM DISTILLATES, ALIPHATIC	471.69	11	468.00	A
PETROLEUM OIL, PARAFFIN BASED	1,833.56	132	6,370.60	A
PHOSPHORIC ACID	28.84	106	1,910.41	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	2.71	9	95.00	A
POLYACRYLAMIDE POLYMER	1.35	5	265.20	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.29	1	25.00	A
POLYBUTENES	1,513.66	242	16,167.55	A
POLYETHER MODIFIED POLYSILOXANE	81.62	82	1,992.84	A
POLYETHYLENE GLYCOL	282.08	102	3,070.04	A
POLYETHYLENE GLYCOL DIACETATE	0.91	38	561.80	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	3.88	4	40.00	A
POLY-I-PARA-MENTHENE	35.67	6	164.85	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	16.83	2	50.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	10.78	4	153.03	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	3,826.55	115	5,592.10	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	132.28	15	661.50	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	1.87	1	42.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	36.13	23	714.00	A
POLYPROPYLENE GLYCOL	1.67	51	698.60	A
POLYSACCHARIDE POLYMER	0.14	4	255.20	A
POTASSIUM N-METHYLDITHIOCARBAMATE	2,576,402.07	109	8,109.44	A
PROPICONAZOLE	200.26	30	1,865.40	A
PROPIONIC ACID	22.88	17	420.50	A
PROPYLENE GLYCOL	1.97	4	40.00	A
PYRACLOSTROBIN	3,643.56	486	28,937.65	A
PYRETHRINS	0.57	4	18.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	1,058.41	148	6,524.33	A
QUILLAJA	0.01	1	0.50	A
REYNOUTRIA SACHALINENSIS	251.43	29	1,613.37	A
SETHOXYDIM	42.24	14	164.50	A
SILICONE	0.25	13	217.20	A
SILICONE DEFOAMER	0.99	62	959.97	A
SODIUM POLYACRYLATE	0.17	3	66.00	A
SODIUM XYLENE SULFONATE	11.63	62	959.97	A
SORBITAN FATTY ACID ESTERS	28.94	15	661.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CARROT				
SORBITAN TRIOLEATE	13.24	22	672.00	A
SPINETORAM	16.62	10	377.00	A
SPINOSAD	90.00	34	1,094.84	A
STREPTOMYCES LYDICUS WYEC 108	0.41	52	1,974.64	A
STRYCHNINE	< 0.01	1	0.10	A
SULFUR	510,940.82	1,321	61,163.34	A
TALL OIL	33.73	10	492.20	A
TALL OIL FATTY ACIDS	169.29	129	3,441.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	44.33	62	959.97	A
TETRAPOTASSIUM PYROPHOSPHATE	5.82	62	959.97	A
THIAMETHOXAM	5.63	2	103.12	A
THIRAM	470.37		200,580.69	P
	51.79		20,741.87	U
Total Pounds On This Chemical	522.16			
TRICHODERMA ICC 012 ASPERELLUM	16.04	19	283.99	A
TRICHODERMA ICC 080 GAMSII	16.04	19	283.99	A
TRIETHANOLAMINE	15.49	70	1,343.97	A
TRIFLURALIN	8,787.58	222	11,319.39	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	7.23	4	40.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.90	23	484.14	A
VINYL POLYMER	6.38	10	368.90	A
Site Total	7,186,252.66	10,450		
CAULIFLOWER				
ACEPHATE	2,167.85	189	2,269.84	A
ACETAMIPRID	49.28	53	695.18	A
ACIBENZOLAR-S-METHYL	0.60	2	22.00	A
ACRYLIC ACID	107.40	74	745.70	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.63	2	140.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	437.13	771	8,419.63	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5.40	3	59.00	A
ALPHA-ALKYL (C6-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	6.66	1	35.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	353.37	54	392.35	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.96	1	17.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	138.66	30	881.90	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	49.15	162	1,849.30	A
AMMONIUM NITRATE	64.99	13	624.90	A
AMMONIUM PROPIONATE	120.56	243	3,037.97	A
AMMONIUM SULFATE	161.22	91	1,808.40	A
AMYL ACETATE	40.06	181	1,985.47	A
AZADIRACTIN	99.05	364	4,191.63	A
	< 0.01	7	195.00	S
Total Pounds On This Chemical	99.05			
AZOXYSTROBIN	72.40	38	343.49	A
BACILLUS PUMILUS, STRAIN QST 2808	18.86	16	267.20	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	711.50	72	785.87	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	507.14	45	567.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CAULIFLOWER				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	124.56	18	163.05	A
	< 0.01	3	70.00	S
Total Pounds On This Chemical	124.56			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	307.73	135	581.24	A
BEAUVERIA BASSIANA STRAIN GHA	15.63	22	71.56	A
BENSULIDE	2,744.99	29	782.50	A
BENZOIC ACID	12.02	178	2,209.70	A
BIFENTHRIN	230.32	101	2,760.40	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	367.73	392	6,271.35	A
BORAX	0.31	4	23.80	A
BOSCALID	521.67	140	1,444.18	A
BUPROFEZIN	707.98	104	2,430.87	A
BUTYL ALCOHOL	0.16	1	8.90	A
CALCIUM CHLORIDE	0.34	1	8.00	A
CARBARYL	12.00	2	10.00	A
CARFENTRAZONE-ETHYL	5.62	7	419.00	A
CHLORANTRANILIPROLE	450.48	570	7,754.59	A
CHLOROTHALONIL	1,487.65	148	1,491.86	A
CHLORPYRIFOS	3,801.57	406	3,476.67	A
CHLORTHAL-DIMETHYL	7,494.35	234	2,433.10	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	22.68	4	35.30	A
CITRIC ACID	313.32	260	3,176.97	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	2,182.20	105	1,559.99	A
CLETHODIM	119.54	18	985.00	A
CLOPYRALID, MONOETHANOLAMINE SALT	33.59	2	140.00	A
CLOTHIANIDIN	234.94	120	1,252.95	A
COCONUT DIETHANOLAMIDE	3.74	60	656.76	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	16.23	11	102.90	A
COPPER HYDROXIDE	803.36	172	1,616.55	A
COPPER SULFATE (BASIC)	13.33	3	15.00	A
COTTONSEED OIL	84.74	5	362.50	A
CYFLUTHRIN	28.07	38	603.55	A
BETA-CYFLUTHRIN	31.02	238	3,161.86	A
CYPERMETHRIN	13.98	15	209.75	A
(S)-CYPERMETHRIN	244.42	353	5,441.60	A
CYPRODINIL	14.94	6	54.25	A
CYROMAZINE	11.98	9	96.10	A
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	0.59	1	35.00	A
DIAZINON	38.00	1	9.50	A
DIETHYLENE GLYCOL	18.11	38	755.60	A
DIFENOCONAZOLE	1.01	1	8.90	A
DIMETHOATE	1,855.08	347	4,042.98	A
DIMETHOMORPH	4.01	7	188.30	A
DIMETHYL ALKYL TERTIARY AMINES	13.08	177	2,199.10	A
DIMETHYLPOLYSILOXANE	573.69	875	10,108.39	A
DIMETHYL SILICONE FLUID EMULSION	0.02	2	9.00	A
DINOTEFURAN	142.17	47	1,511.46	A
DIPROPYLENE GLYCOL METHYL ETHER	0.15	2	17.50	A
DODECYLBENZENE SULFONIC ACID	16.22	60	656.76	A
EDTA, TETRASODIUM SALT	1.00	60	656.76	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CAULIFLOWER				
EMAMECTIN BENZOATE	2.62	9	296.50	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	3,323.65	699	7,232.77	A
ESFENVALERATE	240.02	400	5,558.12	A
FATTY ACIDS, METHYL ESTERS	101.97	36	371.68	A
FATTY ACIDS, MIXED	14.61	182	1,815.59	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,215.08	302	5,507.32	A
FATTY ACIDS DERIVED FROM TALLOW	1.18	1	17.00	A
FENAMIDONE	69.43	35	279.78	A
FLONICAMID	13.42	16	156.45	A
FLUBENDIAMIDE	148.43	198	3,365.22	A
FLUDIOXONIL	9.96	6	66.42	A
	< 0.01		33.09	P
Total Pounds On This Chemical	9.96			
FLUOPICOLIDE	1.40	3	11.20	A
FOSETYL-AL	347.20	15	193.00	A
GLYCEROL	2.68	1	45.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,203.91	21	739.30	A
GLYPHOSATE, POTASSIUM SALT	42.41	2	16.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	1.60	5	71.50	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	200.29	181	1,985.47	A
HYDROGEN PEROXIDE	122.81	13	271.00	A
HYDROTREATED PARAFFINIC SOLVENT	408.87	4	337.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	328.78	359	4,587.82	A
IMIDACLOPRID	4,448.89	1,995	22,896.03	A
INDOXACARB	536.60	839	8,584.05	A
IPRODIONE	998.82	119	1,053.19	A
	0.32		65.14	P
Total Pounds On This Chemical	999.14			
IRON PHOSPHATE	1.00	2	7.00	A
	< 0.01	2	720.00	S
Total Pounds On This Chemical	1.01			
ISODECYL ALCOHOL	3.41	2	140.00	A
ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	3.73	5	71.50	A
ISOPROPYL ALCOHOL	39.45	116	2,409.96	A
KAOLIN	1,071.60	8	41.56	A
KEROSENE	23.76	178	2,209.70	A
LAMBDA-CYHALOTHRIN	215.04	615	8,201.45	A
LECITHIN	1,609.00	409	4,327.66	A
MALATHION	2,271.95	171	1,791.54	A
MANCOZEB	65.25	3	55.00	A
MANDIPROPAMID	100.45	43	791.41	A
MANEB	196.80	9	146.50	A
MARGOSA OIL	261.25	31	238.79	A
MEFENOXAM	52.25	43	517.22	A
	< 0.01		65.14	P
Total Pounds On This Chemical	52.25			
MEFENOXAM, OTHER RELATED	0.04	9	72.82	A
METAM-SODIUM	14,223.91	3	98.00	A
METHOMYL	511.97	57	748.02	A
METHOXYFENOZIDE	124.14	29	851.22	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	5.19	2	24.25	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CAULIFLOWER				
METHYLATED SOYBEAN OIL	3,077.13	705	9,523.19	A
METHYL SILICONE RESINS	37.78	95	754.60	A
MINERAL OIL	604.01	77	611.46	A
MOLASSES	22.35	1	1.85	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	597.33	14	172.60	A
NALED	1,963.32	104	1,000.70	A
NAPROPAMIDE	832.13	53	922.30	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	447.03	339	5,889.70	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	716.27	579	9,324.36	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	1.07	5	71.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	432.01	142	2,163.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	< 0.01	1	0.10	A
NOVALURON	8.84	7	112.60	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.03	7	23.50	A
OLEIC ACID, METHYL ESTER	4,811.58	433	5,340.24	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	10.50	12	352.00	A
OXYDEMETON-METHYL	1,860.60	179	1,969.32	A
OXYFLUORFEN	5,238.17	1,499	17,264.39	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	10.13	3	50.67	A
PAECILOMYCES LILACINUS STRAIN 251	6.11	1	8.48	A
PARAQUAT DICHLORIDE	92.48	5	83.50	A
PERMETHRIN	168.45	158	1,841.17	A
PETROLEUM DISTILLATES	28.07	1	93.00	A
PETROLEUM OIL, PARAFFIN BASED	120.40	16	646.10	A
PETROLEUM OIL, UNCLASSIFIED	333.18	10	92.55	A
PHOSPHORIC ACID	232.25	879	9,000.93	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	19.43	142	1,157.24	A
POLYACRYLAMIDE POLYMER	3.83	41	609.50	A
POLYACRYLIC POLYMER	0.63	15	86.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	40.57	161	2,207.38	A
POLYBUTENES	216.98	302	5,507.32	A
POLYETHER MODIFIED POLYSILOXANE	190.62	710	7,339.58	A
POLYETHOXYLATED CASTOR OIL	20.91	31	1,112.05	A
POLYETHYLENE GLYCOL	103.25	22	1,133.50	A
POLYETHYLENE GLYCOL DIACETATE	4.47	162	1,849.30	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	327.63	298	3,075.05	A
POLY-I-PARA-MENTHENE	9.28	12	27.00	A
POLYOXYETHYLENE DIOLEATE	0.22	12	352.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	71.75	41	724.83	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	587.60	15	646.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	< 0.01	1	0.10	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	0.53	1	35.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	62.31	2	140.00	A
POLYPROPYLENE GLYCOL	1.98	60	462.50	A
POLYSACCHARIDE POLYMER	0.15	3	121.00	A
POLYSILOXANE	0.09	17	257.00	A
POTASH SOAP	2,750.09	111	468.06	A
POTASSIUM HYDROXIDE	2.55	17	257.00	A
POTASSIUM PHOSPHITE	149.74	7	89.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CAULIFLOWER				
PROPIONIC ACID	699.25	381	4,064.86	A
PROPYLENE GLYCOL	415.96	499	5,378.62	A
PROPYZAMIDE	7.50	1	5.00	A
PYMETROZINE	60.91	73	708.50	A
PYRACLOSTROBIN	89.97	49	478.88	A
PYRETHRINS	49.77	128	1,299.56	A
	< 0.01	7	195.00	S
Total Pounds On This Chemical	49.77			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	14.80	18	178.50	A
REYNOUTRIA SACHALINENSIS	2.05	2	18.90	A
SESAME OIL	1.06	2	0.20	A
SETHOXYDIM	40.45	6	165.50	A
SILICONE	1.05	26	324.45	A
SILICONE DEFOAMER	0.42	60	656.76	A
SODIUM HYDROXIDE	0.73	1	45.00	A
SODIUM POLYACRYLATE	0.51	62	1,052.50	A
SODIUM XYLENE SULFONATE	4.99	60	656.76	A
SORBITAN FATTY ACID ESTERS	< 0.01	1	0.10	A
SORBITAN TRIOLEATE	0.30	1	35.00	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.01	1	10.60	A
SPINETORAM	223.34	336	5,171.90	A
SPINOSAD	89.05	367	3,115.51	A
SPIROMESIFEN	10.91	3	90.00	A
SPIROTETRAMAT	190.16	1,988	20,509.83	A
SUGAR	14.80	1	1.85	A
SULFUR	1.57	2	0.20	A
TALL OIL	45.57	7	396.00	A
TALL OIL FATTY ACIDS	20.17	78	822.95	A
TEBUFENOZIDE	35.39	24	292.45	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	19.01	60	656.76	A
TETRAPOTASSIUM PYROPHOSPHATE	2.50	60	656.76	A
THIAMETHOXAM	294.58	372	4,230.11	A
THIRAM	23.62		11,641.58	P
	6.97		2,790.19	U
	1.32		529.15	A
Total Pounds On This Chemical	31.91			
TRIETHANOLAMINE	7.25	64	993.76	A
TRIFLURALIN	4,042.65	148	1,717.77	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	610.83	298	3,075.05	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,002.88	924	9,720.04	A
Site Total	99,062.44	18,176		
CELERIAC				
ABAMECTIN	2.34	105	172.30	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.07	20	70.15	A
AZADIRACHTIN	1.20	24	48.53	A
AZOXYSTROBIN	20.91	58	94.67	A
BACILLUS PUMILUS, STRAIN QST 2808	0.22	5	7.31	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	18.00	16	33.35	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN SD- 1372, LEPIDOPTERAN ACTIVE TOXIN(S)	0.17	1	1.68	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CELERIAC				
CHLORANTRANILIPROLE	4.70	49	84.48	A
COPPER HYDROXIDE	36.75	57	112.18	A
COPPER OCTANOATE	20.56	40	81.40	A
COPPER OXYCHLORIDE	32.02	53	101.20	A
BETA-CYFLUTHRIN	0.96	12	40.03	A
(S)-CYPERMETHRIN	0.19	1	4.00	A
CYPRODINIL	16.68	16	50.85	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	19.59	20	70.15	A
FLONICAMID	1.22	2	13.90	A
FLUDIOXONIL	11.12	16	50.85	A
IMIDACLOPRID	4.96	20	32.66	A
IRON PHOSPHATE	0.50	1	2.00	A
ISOPROPYL ALCOHOL	1.41	128	229.61	A
METHOXYFENOZIDE	5.06	17	26.78	A
S-METOLACHLOR	10.96	13	22.65	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.88	128	229.61	A
PHOSPHORIC ACID	1.17	20	70.15	A
POLYETHER MODIFIED POLYSILOXANE	1.06	20	70.15	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.06	1	1.68	A
POTASH SOAP	3.40	1	2.34	A
POTASSIUM N-METHYLDITHIOCARBAMATE	5,363.74	27	46.60	A
PYRACLOSTROBIN	23.62	70	133.06	A
SPINETORAM	6.40	61	102.01	A
TALL OIL	0.37	128	229.61	A
THIAMETHOXAM	1.20	8	19.18	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.12	20	70.15	A
Site Total	5,619.60	753		
CELERY				
ABAMECTIN	294.39	2,254	22,978.73	A
ACEPHATE	11,015.81	1,016	11,920.01	A
ACETAMIPRID	1,212.64	1,367	18,241.98	A
ACETIC ACID	4.48	3	114.50	A
ACRYLIC ACID	107.50	96	1,070.43	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	377.08	923	9,385.24	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	242.98	118	1,439.15	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.48	1	20.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	36.71	6	239.27	A
ALPHA-PINENE BETA-PINENE COPOLYMER	355.72	131	1,702.88	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	135.49	27	439.50	A
ALKYL (C8,C10) POLYGLUCOSIDE	63.52	127	3,993.29	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	5.81	30	297.60	A
AMMONIUM NITRATE	0.18	1	14.00	A
AMMONIUM PROPIONATE	88.86	344	3,122.30	A
AMMONIUM SULFATE	124.31	167	1,905.80	A
AMYL ACETATE	17.62	233	1,592.70	A
AZADIRACTIN	78.39	246	3,034.34	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CELERY				
AZOXYSTROBIN	718.30	224	3,143.31	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	3.38	6	4.50	A
BACILLUS PUMILUS, STRAIN QST 2808	13.64	25	124.64	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	1,464.10	163	1,789.37	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	3,138.04	213	4,354.15	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1,376.35	152	1,450.39	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	335.94	49	302.19	A
BEAUVERIA BASSIANA STRAIN GHA	7.74	4	35.08	A
BENSULIDE	1,782.28	41	381.59	A
BENZOIC ACID	12.69	201	1,692.10	A
BIFENTHRIN	10.31	13	102.80	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	815.76	965	9,785.63	A
BORAX	0.49	3	30.80	A
BOSCALID	1,704.82	240	4,445.51	A
BUPROFEZIN	178.13	68	680.58	A
BUTYL ALCOHOL	9.13	41	415.90	A
CALCIUM CHLORIDE	5.83	7	72.50	A
CARBARYL	431.49	16	240.05	A
CARBOXIN	0.08		44.00	P
CARFENTHAZONE-ETHYL	1.20	7	47.90	A
CHLORANTRANILIPROLE	1,716.04	1,937	25,426.81	A
CHLOROTHALONIL	43,739.36	1,782	23,599.41	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	373.25	17	439.95	A
CITRIC ACID	201.62	408	3,663.35	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	1,424.48	33	433.79	A
CLETHODIM	113.24	54	861.30	A
CLOTHIANIDIN	9.90	12	139.80	A
COCONUT DIETHANOLAMIDE	6.60	157	1,227.10	A
COPPER HYDROXIDE	9,980.58	1,171	13,317.46	A
COPPER OCTANOATE	611.16	51	550.66	A
COPPER OXIDE (OUS)	2,233.48	198	1,676.49	A
COPPER OXYCHLORIDE	155.85	64	872.20	A
COPPER SULFATE (BASIC)	261.53	30	304.50	A
BETA-CYFLUTHRIN	53.73	195	2,155.79	A
CYPERMETHRIN	0.93	2	18.80	A
(S)-CYPERMETHRIN	879.49	1,408	19,321.02	A
CYROMAZINE	2,009.69	1,333	16,146.64	A
DICLORAN	22,382.88	628	9,101.17	A
DIETHYLENE GLYCOL	32.59	118	1,334.62	A
DIMETHOATE	3,018.52	587	6,227.54	A
DIMETHYL ALKYL TERTIARY AMINES	13.82	201	1,692.10	A
DIMETHYLPOLYSILOXANE	1,117.82	1,336	14,350.63	A
DIMETHYL SILICONE FLUID EMULSION	0.97	15	147.50	A
DINOTEFURAN	106.99	87	819.67	A
DIPHACINONE	< 0.01	4	34.00	A
DIPROPYLENE GLYCOL METHYL ETHER	7.64	73	671.37	A
DODECYLBENZENE SULFONIC ACID	28.61	157	1,227.10	A
EDTA, SODIUM SALT	< 0.01	1	3.00	A
EDTA, TETRASODIUM SALT	1.76	157	1,227.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CELERY				
EMAMECTIN BENZOATE	7.44	56	770.50	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	3,533.79	916	9,326.25	A
ETHYLENE GLYCOL	455.99	52	1,380.77	A
FATTY ACIDS, METHYL ESTERS	227.03	88	639.45	A
FATTY ACIDS, MIXED	135.56	843	12,691.69	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	2,791.81	816	8,313.95	A
FATTY ACIDS DERIVED FROM TALLOW	54.20	27	439.50	A
FENAMIDONE	92.21	38	355.75	A
FLONICAMID	516.76	358	6,708.00	A
FLUBENDIAMIDE	88.61	182	2,216.93	A
FLUMIOXAZIN	0.42	2	6.00	A
FLUOPICOLIDE	9.40	2	41.18	A
FOSETYL-AL	1.64	3	0.80	A
GIBBERELLINS	0.80	11	31.16	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	105.10	12	172.87	A
GLYPHOSATE, ISOPROPYLAMINE SALT	42.81	2	10.70	A
GLYPHOSATE, POTASSIUM SALT	217.28	5	86.50	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	21.44	25	730.97	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	88.15	235	1,605.20	A
HYDROGEN PEROXIDE	7,963.33	201	3,339.45	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	485.95	799	8,824.61	A
IMIDACLOPRID	904.02	249	2,592.24	A
INDOXACARB	46.15	26	737.30	A
IRON PHOSPHATE	7.88	11	49.95	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	8.28	6	92.70	A
ISOPROPYL ALCOHOL	196.51	388	4,038.34	A
KEROSENE	24.50	200	1,685.10	A
LAMBDA-CYHALOTHRIN	0.55	1	17.75	A
LECITHIN	4,190.14	1,493	21,085.25	A
LINURON	5,966.23	958	10,866.78	A
MALATHION	9,220.22	770	6,587.14	A
MANDIPROPAMID	12.00	5	79.90	A
MARGOSA OIL	349.62	33	305.73	A
MEFENOXAM	10.02	1	10.00	A
METALDEHYDE	29.60	7	20.50	A
METHOMYL	4,711.37	626	6,413.47	A
METHOXYFENOZIDE	1,941.51	983	13,108.89	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	15.36	6	89.30	A
METHYLATED SOYBEAN OIL	13,803.63	1,950	24,655.10	A
METHYL SILICONE RESINS	285.67	697	7,397.58	A
S-METOLACHLOR	102.66	8	111.05	A
MINERAL OIL	1,055.16	71	957.03	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	0.02	1	3.00	A
NALED	22.02	9	16.75	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1,027.54	927	9,142.61	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,827.66	2,602	37,199.49	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	2.37	6	92.70	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	606.02	226	2,859.57	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CELERY				
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.17	25	200.30	A
OIL OF JOJOBA	6.72	12	45.45	A
OLEIC ACID, METHYL ESTER	4,196.95	1,051	11,689.45	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	2.25	4	80.00	A
OXAMYL	8,313.75	926	10,442.95	A
	23.50	1	23.60	U
Total Pounds On This Chemical	8,337.25			
OXYFLUORFEN	6.09	1	12.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	8.76	2	21.90	A
PARAQUAT DICHLORIDE	385.72	16	371.50	A
PERMETHRIN	4,645.97	2,584	27,827.29	A
PETROLEUM DISTILLATES	317.21	29	248.50	A
PETROLEUM OIL, PARAFFIN BASED	221.09	183	1,353.07	A
PETROLEUM OIL, UNCLASSIFIED	970.69	4	71.20	A
PHOSPHORIC ACID	365.57	1,370	13,273.77	A
PIPERONYL BUTOXIDE	2.23	1	7.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.56	1	7.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	36.77	157	1,600.42	A
POLYACRYLAMIDE POLYMER	26.96	347	2,956.01	A
POLYACRYLIC POLYMER	3.01	54	354.05	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	586.09	1,168	18,090.41	A
POLYBUTENES	498.54	816	8,313.95	A
POLYETHER MODIFIED POLYSILOXANE	390.40	1,029	10,483.60	A
POLYETHOXYLATED CASTOR OIL	2.89	12	354.45	A
POLYETHYLENE GLYCOL	1.51	1	30.00	A
POLYETHYLENE GLYCOL DIACETATE	0.53	30	297.60	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	195.40	197	1,968.58	A
POLY-I-PARA-MENTHENE	80.67	20	326.07	A
POLYOXYETHYLENE DIOLEATE	0.05	4	80.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	3.30	4	31.83	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1,079.44	183	1,353.07	A
POLYPROPYLENE GLYCOL	8.41	309	3,859.25	A
POLYSACCHARIDE POLYMER	0.08	5	175.00	A
POLYSILOXANE	2.52	126	3,985.14	A
POTASH SOAP	4,150.32	32	382.62	A
POTASSIUM HYDROXIDE	73.89	126	3,985.14	A
PROMETRYN	25,094.46	1,739	19,044.84	A
PROPAMOCARB HYDROCHLORIDE	17.71	1	17.75	A
PROPICONAZOLE	3,726.35	2,324	32,498.76	A
PROPIONIC ACID	2,872.55	1,213	18,194.44	A
PROPYLENE GLYCOL	217.94	443	3,884.95	A
PYMETROZINE	544.01	483	6,005.03	A
PYRACLOSTROBIN	695.77	292	3,715.40	A
PYRETHRINS	124.82	261	3,063.89	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	171.16	30	515.51	A
REYNOUTRIA SACHALINENSIS	575.61	207	2,383.45	A
ROTENONE	0.06	1	6.00	A
ROTENONE, OTHER RELATED	0.06	1	6.00	A
SETHOXYDIM	31.26	7	121.55	A
SILICONE	0.61	41	347.20	A
SILICONE DEFOAMER	0.75	157	1,227.10	A
SODIUM POLYACRYLATE	1.12	111	1,529.60	A
SODIUM XYLENE SULFONATE	8.80	157	1,227.10	A
SPINETORAM	1,101.15	2,001	22,518.02	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CELERY				
SPINOSAD	535.94	457	5,243.51	A
SPIROTETRAMAT	108.51	1,115	12,101.22	A
STREPTOMYCES LYDICUS WYEC 108	0.01	3	53.38	A
STYRENE BUTADIENE COPOLYMER	10.53	6	78.40	A
SULFUR	725.64	13	155.15	A
TALL OIL	1.54	1	20.00	A
TALL OIL FATTY ACIDS	10.70	137	1,522.10	A
TEBUFENOZIDE	71.02	67	592.10	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	33.57	158	1,230.10	A
TETRAPOTASSIUM PYROPHOSPHATE	4.40	157	1,227.10	A
THIAMETHOXAM	313.49	544	4,843.60	A
THIODICARB	96.27	5	127.77	A
THIRAM	0.30		97.84	P
TRIETHANOLAMINE	11.22	157	1,227.10	A
TRIFLOXYSTROBIN	414.77	347	4,466.04	A
TRIFLURALIN	515.02	37	654.08	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	382.04	216	2,445.98	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,724.24	1,479	16,946.00	A
VINYL POLYMER	0.35	2	20.00	A
WARFARIN	< 0.01	2	16.00	A
YUCCA SCHIDIGERA	145.95	29	424.47	A
Site Total	248,768.28	42,860		
CHERIMOYA				
GLYPHOSATE, ISOPROPYLAMINE SALT	332.06	10	205.00	A
GLYPHOSATE, POTASSIUM SALT	5.52	1	2.25	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.19	1	2.25	A
PETROLEUM DISTILLATES	0.75	1	2.25	A
PIPERONYL BUTOXIDE	0.13	1	2.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.03	1	2.00	A
PYRETHRINS	0.02	1	2.00	A
SULFAQUINOXALINE	< 0.01	2	3.00	A
WARFARIN	< 0.01	2	3.00	A
Site Total	338.71	15		
CHERRY				
ABAMECTIN	410.01	800	19,591.25	A
ACEPHATE	0.75	2	22.33	A
ACETAMIPRID	219.18	48	1,699.60	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.22	7	92.76	A
ACRYLIC ACID	290.78	61	2,186.93	A
AGROBACTERIUM RADIOBACTER, STRAIN K1026	< 0.01	1	0.20	A
ALCOHOLS, C4-C12, NORMAL	0.08	1	10.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	287.32	42	1,037.49	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	78.03	154	3,420.67	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	10.24	2	53.00	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	12.64	2	64.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHERRY				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,982.50	509	9,054.07	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	115.83	36	927.06	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	115.25	10	404.63	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.78	3	17.50	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.10	1	1.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.47	3	17.50	A
ALPHA-PINENE BETA-PINENE COPOLYMER	1,810.74	310	5,569.87	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	86.33	10	507.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	11.28	7	111.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	1,236.41	320	5,604.61	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	4.97	5	19.36	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	93.33	121	2,111.85	A
ALUMINUM PHOSPHIDE	59.73	57	1,390.75	A
AMMONIUM NITRATE	563.89	420	6,360.52	A
AMMONIUM PROPIONATE	48.84	12	345.66	A
AMMONIUM SULFATE	3,374.44	708	11,466.75	A
AZADIRACHTIN	1.13	13	40.02	A
	< 0.01	1	800.00	S
Total Pounds On This Chemical	1.13			
AZINPHOS-METHYL	276.57	12	472.13	A
AZOXYSTROBIN	38.34	14	187.54	A
BACILLUS PUMILUS, STRAIN QST 2808	6.25	5	82.81	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	37.80	1	70.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	102.25	14	155.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	3.55	13	34.31	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	79.60	8	173.13	A
BEAUVERIA BASSIANA STRAIN GHA	3.31	1	15.00	A
BENOMYL	0.04	1	0.25	A
BENTONITE	171.00	8	285.00	A
BENZOIC ACID	15.42	81	676.62	A
N6-BENZYL ADENINE	0.24	4	42.00	A
BIFENAZATE	2,142.45	213	4,249.61	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1,708.06	1,467	28,995.30	A
N,N-BIS-(2-(OMEGA-HYDROXYPOLY(OXYETHYLENE)/POLY (OXYPROPYLENE))ETHYL)ALKYL (C8-C18) AMINE	5,649.45	35	423.50	A
BOSCALID	4,539.24	1,060	23,135.16	A
BUPROFEZIN	5.06	1	21.70	A
2-BUTOXYETHANOL	636.32	229	4,594.42	A
BUTYL ALCOHOL	109.69	176	1,703.34	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	13.34	6	63.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHERRY				
CALCIUM CHLORIDE	5.67	5	63.50	A
CALCIUM HYDROXIDE	27,909.25	76	1,285.50	A
CANOLA OIL	0.06	1	29.27	A
CAPSICUM OLEORESIN	0.26	2	28.00	A
CAPTAN	61.78	3	39.40	A
CAPTAN, OTHER RELATED	1.42	3	39.40	A
CARBARYL	2,940.24	14	651.18	A
	0.20	1	75.00	U
Total Pounds On This Chemical	2,940.44			
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	2.42	19	189.31	A
CARFENTRAZONE-ETHYL	124.36	456	7,090.39	A
CASEIN	12.83	8	285.00	A
CASTOR OIL ETHOXYLATE	143.38	47	1,270.66	A
CHLORANTRANILIPROLE	20.55	15	257.04	A
CHLOROPHACINONE	< 0.01	7	151.88	A
CHLOROPICRIN	1,118.74	20	434.60	A
	53.88	10	114.00	U
	1.25	1	500.00	S
Total Pounds On This Chemical	1,173.87			
CHLOROTHALONIL	85.56	5	39.36	A
CHLORPYRIFOS	272.99	22	169.90	A
CITRIC ACID	1,476.10	313	6,448.47	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	2.54	3	0.49	A
CLETHODIM	162.04	14	768.61	A
CLOFENTEZINE	59.70	10	266.00	A
COCONUT DIETHANOLAMIDE	52.92	19	336.00	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	2.94	20	655.00	A
COPPER AMMONIUM COMPLEX	0.57	1	0.10	A
	0.19	2	4.00	U
Total Pounds On This Chemical	0.76			
COPPER HYDROXIDE	16,025.01	236	4,166.64	A
	1.05	5	24.00	U
Total Pounds On This Chemical	16,026.06			
COPPER OXIDE (OUS)	2,696.54	61	630.66	A
COPPER OXYCHLORIDE	49.78	8	29.00	A
COPPER SULFATE (BASIC)	13,979.87	138	2,741.06	A
	0.07	1	2.00	U
Total Pounds On This Chemical	13,979.95			
COPPER SULFATE (PENTAHYDRATE)	27,636.35	75	1,164.50	A
CORN PRODUCT, HYDROLYZED	7,157.34	639	14,001.92	A
CORN STEEP LIQUOR	9.06	1	2.50	A
CORN SYRUP	22.94	8	150.00	A
COTTONSEED OIL	290.53	36	401.60	A
CYFLUTHRIN	0.20	1	5.00	A
BETA-CYFLUTHRIN	6.96	17	273.82	A
CYPERMETHRIN	1.03	2	52.00	A
(S)-CYPERMETHRIN	223.99	225	4,887.84	A
CYPRODINIL	0.07	1	0.30	A
2,4-D	86.31	2	99.45	A
2,4-D, DIETHANOLAMINE SALT	168.45	49	661.71	A
2,4-D, DIMETHYLAMINE SALT	3,259.40	208	3,221.68	A
DIAZINON	4,309.57	157	3,100.25	A
1,3-DICHLOROPROPENE	77,046.29	12	232.00	A
DICOFOL	10.50	1	7.00	A
DIDECYL DIMETHYL AMMONIUM CHLORIDE	3.75	2	53.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHERRY				
DIETHYLENE GLYCOL	1,797.04	318	6,933.91	A
DIFENOCONAZOLE	3.13	2	32.00	A
DIMETHYL ALKYL TERTIARY AMINES	16.79	81	676.62	A
3,7-DIMETHYL-6-OCTEN-1-OL	0.01	1	0.50	A
DIMETHYLPOLYSILOXANE	702.04	1,778	32,768.45	A
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	3.71	1	40.00	A
DIPHACINONE	0.01	20	464.74	A
Z-8-DODECENOL	0.54	24	554.11	A
E-8-DODECENYL ACETATE	3.11	24	554.11	A
Z-8-DODECENYL ACETATE	48.24	24	554.11	A
DODECYLBENZENE SULFONIC ACID	7.09	12	225.00	A
DODECYLBENZENE SULFONIC ACID, CALCIUM SALT	0.03	1	29.27	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.73	42	956.50	A
EDTA, SODIUM SALT	11.96	87	2,900.88	A
EDTA, TETRASODIUM SALT	0.44	12	225.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	217.66	8	204.00	A
ESBIOTHRIN	0.06	1	13.00	A
ESFENVALERATE	285.35	341	5,484.03	A
ETHYLENE GLYCOL	145.25	12	527.00	A
ETHYLENE GLYCOL MONOMETHYL ETHER	15.98	9	77.50	A
ETOXAZOLE	301.30	72	2,454.80	A
FARNESOL	< 0.01	1	0.50	A
FATTY ACIDS, METHYL ESTERS	35.94	3	56.50	A
FATTY ACIDS, MIXED	621.39	260	5,524.90	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	6,068.72	1,148	23,399.01	A
FATTY ACIDS DERIVED FROM TALLOW	34.53	10	507.00	A
FENBUCONAZOLE	127.94	76	1,336.53	A
FENBUTATIN-OXIDE	2.56	3	10.25	A
FENHEXAMID	674.06	61	1,272.30	A
FENPROPATHRIN	3,795.25	711	12,008.61	A
FENPYROXIMATE	25.42	9	170.50	A
FERROUS SULFATE	15.28	20	655.00	A
FISH OIL	903.69	15	110.60	A
FLUAZIFOP-P-BUTYL	7.30	2	42.50	A
FLUBENDIAMIDE	52.37	18	260.74	A
FLUDIOXONIL	5.78		1,728.60	T
FLUMIOXAZIN	511.79	193	2,541.89	A
FLUOPYRAM	52.26	19	589.58	A
GERANIOL	0.01	1	0.50	A
GIBBERELLINS	1,487.63	1,129	20,818.73	A
GLYCEROL	284.30	154	2,674.68	A
GLYPHOSATE, DIAMMONIUM SALT	12.62	3	17.75	A
GLYPHOSATE, ISOPROPYLAMINE SALT	26,655.60	1,050	19,199.60	A
	0.01	1	2.00	U
	< 0.01	1	150.00	S
Total Pounds On This Chemical	26,655.62			
GLYPHOSATE, POTASSIUM SALT	10,274.44	439	6,467.38	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	113.46	29	831.50	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	35.40	206	3,359.22	A
HEXYTHIAZOX	379.98	72	2,013.60	A
HYDROGEN CYANAMIDE	143,003.04	300	8,854.94	A
HYDROGEN PEROXIDE	177.45	3	72.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHERRY				
HYDROTREATED PARAFFINIC SOLVENT	768.15	147	3,543.32	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	844.25	279	4,877.54	A
IMIDACLOPRID	827.19	318	6,217.94	A
INDAZIFLAM	114.99	157	2,040.61	A
INDOXACARB	0.84	1	7.50	A
IPRODIONE	19,740.26	1,084	25,681.88	A
IRON PHOSPHATE	0.24	2	0.75	A
ISOOCTYL PHTHALATE	16.21	9	77.50	A
ISOPROPYL ALCOHOL	1,759.64	1,026	19,049.25	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	54.88	201	4,615.57	A
ISOXABEN	76.44	10	97.65	A
KAOLIN	138,828.73	146	3,124.17	A
KEROSENE	29.31	78	627.62	A
LACTOSE	12.83	8	285.00	A
LAMBDA-CYHALOTHRIN	2,175.14	1,171	23,520.22	A
LAURIC ACID	10.26	7	111.00	A
LECITHIN	1,208.33	141	3,422.91	A
LIME-SULFUR	67,044.53	165	2,634.61	A
LIMONENE	681.86	158	3,433.67	A
MALATHION	32,169.92	1,310	35,817.72	A
MANGANESE SULFATE	21.15	20	655.00	A
MEFENOXAM	4.01	1	2.00	A
METALAXYL	1.26	1	7.00	A
METALDEHYDE	10.50	6	115.00	A
METCONAZOLE	156.43	104	1,370.81	A
METHOXYFENOZIDE	2,076.66	489	10,522.93	A
METHYL ANTHRANILATE	4.09	3	8.72	A
METHYLATED SILICA	0.53	3	70.02	A
METHYLATED SOYBEAN OIL	6,329.69	522	11,867.45	A
METHYL BROMIDE	5,865.00		14,771.00	C
	1,916.33	10	3,834.00	U
	1,656.94	22	569.50	A
	82.95	1	6,620.00	S
Total Pounds On This Chemical	9,521.22			
METHYL SILICONE RESINS	68.97	56	677.36	A
MINERAL OIL	321,781.58	1,759	34,181.17	A
	0.81	2	4.00	U
Total Pounds On This Chemical	321,782.40			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	7,312.45	507	13,175.30	A
MORPHOLINE	7.01	9	77.50	A
MYCLOBUTANIL	1,522.85	532	11,362.48	A
NAPROPAMIDE	16.00	2	19.00	A
NEROLIDOL	0.01	1	0.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2,654.39	1,341	27,765.74	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16,186.39	2,223	42,646.93	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	66.04	39	385.92	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,673.19	165	5,034.29	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	20.15	14	141.50	A
NORFLURAZON	175.99	13	153.20	A
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	7.41	1	40.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHERRY				
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	299.47	10	100.00	A
OLEIC ACID	67.54	26	355.96	A
OLEIC ACID, METHYL ESTER	2,053.89	231	3,166.83	A
ORCHEX 796 OIL	177.14	2	33.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	2.93	4	62.50	A
ORYZALIN	7,465.37	211	3,103.80	A
OXYFLUORFEN	7,206.98	1,059	16,841.14	A
PARAQUAT DICHLORIDE	11,175.09	795	12,885.59	A
PENDIMETHALIN	9,630.51	336	5,069.96	A
PERMETHRIN	270.96	99	1,498.52	A
PETROLEUM DISTILLATES	166.64	17	396.29	A
PETROLEUM DISTILLATES, REFINED	28.04	2	24.00	A
PETROLEUM OIL, PARAFFIN BASED	5,569.12	227	4,962.57	A
PETROLEUM OIL, UNCLASSIFIED	102,926.04	304	6,592.51	A
	2.23	4	20.00	U
Total Pounds On This Chemical	102,928.27			
PHOSMET	71.23	2	48.00	A
PHOSPHORIC ACID	1,454.99	507	10,449.44	A
BETA-PINENE POLYMER	28.66	10	122.00	A
PIPERONYL BUTOXIDE	1.61	4	8.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.10	3	3.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	41.06	160	3,548.48	A
POLYACRYLAMIDE POLYMER	37.11	200	3,438.54	A
POLYACRYLIC POLYMER	10.45	23	738.09	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	131.55	131	5,439.49	A
POLYBUTENES	1,094.47	1,148	23,378.31	A
POLYETHER MODIFIED POLYSILOXANE	170.09	83	1,693.86	A
POLYETHOXYLATED CASTOR OIL	13.41	44	443.50	A
POLYETHYLENE GLYCOL	3,204.57	664	10,581.65	A
POLYETHYLENE GLYCOL DIACETATE	8.48	121	2,111.85	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	76.16	12	258.00	A
POLY-I-PARA-MENTHENE	378.84	69	971.42	A
POLYMERIZED ACRYLIC ACID	1.79	2	40.00	A
POLYMERIZED PINENE	275.02	48	1,037.50	A
POLYOXYETHYLENE DIOLEATE	0.06	4	62.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	536.28	119	2,480.43	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	84.56	30	461.90	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	9.39	8	101.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	94.40	45	1,184.90	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	621.47	46	1,214.17	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	1,075.37	47	1,270.66	A
POLYSACCHARIDE POLYMER	0.27	32	426.36	A
POTASSIUM BICARBONATE	4,842.89	47	2,192.50	A
POTASSIUM HYDROXIDE	63.09	91	2,273.00	A
POTASSIUM NITRATE	492.83	90	2,196.00	A
POTASSIUM PHOSPHITE	15.23	1	36.50	A
POTASSIUM SILICATE	18.27	1	12.00	A
PROPARGITE	5,905.41	149	3,011.16	A
PROPICONAZOLE	899.47	345	8,272.88	A
PROPIONIC ACID	470.70	55	1,023.50	A
PROPYLENE GLYCOL	1,782.59	348	6,455.90	A
PROPYLENE GLYCOL, METHYL ETHER	0.06	1	6.00	A
PYRACLOSTROBIN	2,332.01	1,069	23,357.16	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHERRY				
PYRAFLUFEN-ETHYL	10.76	203	3,250.04	A
PYRETHRINS	30.90	77	1,272.88	A
	< 0.01	1	800.00	S
Total Pounds On This Chemical	30.90			
PYRIPROXYFEN	130.36	78	1,902.59	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	186.91	42	571.19	A
QUILLAJA	4.96	19	189.31	A
QUINOXYFEN	1,545.03	640	14,610.22	A
REYNOUTRIA SACHALINENSIS	185.21	39	642.75	A
RIMSULFURON	103.68	166	3,043.72	A
SAFLUFENACIL	0.11	1	5.00	A
SALICYLIC AND BENZOIC ESTERS OF PROPYLENE GLYCOL	35.25	5	79.98	A
SETHOXYDIM	141.68	30	488.84	A
SILICONE DEFOAMER	0.63	32	516.20	A
SIMAZINE	3.98	1	8.00	A
SODIUM BISULFATE	0.73	1	20.00	A
SODIUM DIISOCTYLSULFOSUCCINATE	2.14	9	77.50	A
SODIUM DIOCTYLSULFOSUCCINATE	2.06	5	90.00	A
SODIUM HYDROXIDE	252.06	242	4,261.95	A
SODIUM HYPOCHLORITE	545.00		1,869.30	T
	0.45	1	6.00	A
Total Pounds On This Chemical	545.46			
SODIUM POLYACRYLATE	1.13	10	305.66	A
SODIUM XYLENE SULFONATE	2.18	12	225.00	A
SPINETORAM	38.39	29	419.38	A
	0.07	3	36.00	U
Total Pounds On This Chemical	38.46			
SPINOSAD	1,721.23	1,183	23,692.52	A
	< 0.01	2	4.00	U
Total Pounds On This Chemical	1,721.23			
SPIRODICLOFEN	277.03	73	1,054.99	A
SPIROTETRAMAT	43.13	117	2,878.16	A
STREPTOMYCES LYDICUS WYEC 108	0.29	137	1,819.94	A
STRYCHNINE	14.01	49	1,231.00	A
STYRENE BUTADIENE COPOLYMER	268.58	54	1,500.16	A
SULFUR	53,183.31	441	10,733.33	A
SULFURIC ACID	1.05	8	35.69	A
TALL OIL	359.46	211	5,536.89	A
TALL OIL FATTY ACIDS	325.15	651	11,528.95	A
TEBUCONAZOLE	2,669.76	674	13,309.38	A
	344.98		19,165.60	T
Total Pounds On This Chemical	3,014.74			
TEBUFENOZIDE	1.91	1	15.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,925.14	116	3,641.44	A
TETRAPOTASSIUM PYROPHOSPHATE	1.09	12	225.00	A
THIAMETHOXAM	260.82	163	3,474.60	A
THIOPHANATE-METHYL	2,561.01	69	2,571.70	A
TRIETHANOLAMINE	3.72	23	428.00	A
TRIFLOXYSTROBIN	170.68	68	1,810.48	A
TRIFLUMIZOLE	1,735.16	192	4,033.61	A
TRIFLURALIN	4.70	1	2.33	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	165.52	27	579.00	A
TRISODIUM PHOSPHATE	45.16	40	516.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHERRY				
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,160.71	220	5,291.86	A
UREA	19.88	9	146.00	A
UREA DIHYDROGEN SULFATE	25.16	5	90.00	A
UREA INCLUSION ADDUCT OF POLYOXY(ETHYLENE) /POLYOXY(PROPYLENE) BLOCK COPOLYMER	1.88	1	5.00	A
VINYL POLYMER	35.80	136	1,938.89	A
WARFARIN	< 0.01	1	18.00	A
ZINC PHOSPHIDE	19.59	1	234.00	A
ZINC SULFATE	48.83	35	928.75	A
ZIRAM	1,627.05	35	469.50	A
Site Total	1,294,298.94	31,364		
CHERVIL				
AZADIRACTIN	0.06	5	1.88	A
AZOXYSTROBIN	0.39	2	2.00	A
BENSULIDE	1.49	1	0.25	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.06	20	6.93	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	9.02	5	2.66	A
CYPRODINIL	0.14	1	0.50	A
FLUDIOXONIL	0.09	1	0.50	A
NAPROPAMIDE	2.00	1	1.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.12	20	6.93	A
POTASSIUM BICARBONATE	47.11	30	12.43	A
PROMETRYN	0.24	1	0.50	A
PYRETHRINS	0.91	26	11.73	A
QUILLAJA	0.13	20	6.93	A
SPINOSAD	0.13	2	1.44	A
Site Total	61.90	94		
CHESTNUT				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.25	1	8.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	9.22	3	36.00	A
AMMONIUM SULFATE	1.68	3	18.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.39	3	36.00	A
BUTYL ALCOHOL	1.11	2	16.00	A
CASTOR OIL ETHOXYLATE	1.07	1	15.00	A
CHLOROPICRIN	7.47	1	0.02	A
CITRIC ACID	0.22	3	18.00	A
DIMETHYLPOLYSILOXANE	0.04	6	31.12	A
GLYCEROL	1.22	3	18.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	58.25	4	33.00	A
GLYPHOSATE, POTASSIUM SALT	30.34	2	16.00	A
IMIDACLOPRID	0.02	1	0.12	A
INDAZIFLAM	1.04	2	16.00	A
ISOPROPYL ALCOHOL	0.65	4	15.12	A
METHOXYFENOZIDE	7.62	3	36.00	A
METHYL BROMIDE	34.75	1	1.02	A
	22.25		3,670.00	C
	8.00		1.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHESTNUT				
Total Pounds On This Chemical	65.00			
MINERAL OIL	4.46	4	44.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	17.50	6	31.12	A
ORYZALIN	31.20	1	15.00	A
OXYFLUORFEN	20.82	8	49.00	A
PENDIMETHALIN	56.82	3	15.00	A
PHOSPHORIC ACID	0.38	3	18.00	A
POLYACRYLAMIDE POLYMER	0.12	3	18.00	A
POLYETHYLENE GLYCOL	4.09	4	15.12	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	8.05	1	15.00	A
SODIUM HYDROXIDE	0.67	3	18.00	A
TALL OIL	1.07	1	15.00	A
TALL OIL FATTY ACIDS	0.13	3	36.00	A
Site Total	330.92	39		
CHICKEN				
DIPHACINONE	< 0.01	2	28.00	U
Site Total	< 0.01	2		
CHICORY				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.62	1	16.00	A
BACILLUS PUMILUS, STRAIN QST 2808	4.44	11	130.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	< 0.01	1	0.15	A
BENSULIDE	3.57	1	0.60	A
BOSCALID	51.73		1,799.87	T
BUTYL ALCOHOL	0.10	1	9.00	A
DIMETHYLPOLYSILOXANE	< 0.01	1	9.00	A
HYDROGEN PEROXIDE	24.65	2	40.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	11.48	14	234.90	A
IMIDACLOPRID	4.21	6	93.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.93	1	9.00	A
OLEIC ACID, METHYL ESTER	34.45	14	234.90	A
PERMETHRIN	35.43	14	283.40	A
POTASH SOAP	0.22	1	0.15	A
PYRACLOSTROBIN	26.28		1,799.87	T
PYRETHRINS	3.27	6	95.00	A
	1.31	8	24.00	?
Total Pounds On This Chemical	4.59			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.04	1	0.15	A
SPINOSAD	38.19	26	427.90	A
SULFUR	14.03	1	9.00	A
THIAMETHOXAM	1.13	2	18.00	A
Site Total	260.08	96		
CHINESE CABBAGE (NAPPA)				
ACETAMIPRID	21.83	115	307.69	A
ACIBENZOLAR-S-METHYL	0.24	2	10.14	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHINESE CABBAGE (NAPPA)				
ACRYLIC ACID	0.62	3	4.40	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	15.18	86	206.57	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.05	4	9.71	A
ALPHA-PINENE BETA-PINENE COPOLYMER	5.03	3	24.45	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.67	15	115.74	A
ALKYL (C8,C10) POLYGLUCOSIDE	3.26	28	111.61	A
AMMONIUM PROPIONATE	0.46	8	12.13	A
AMMONIUM SULFATE	50.91	8	43.05	A
AMYL ACETATE	0.18	8	12.13	A
AZADIRACTIN	1.77	42	65.21	A
AZOXYSTROBIN	45.08	22	561.25	A
BACILLUS PUMILUS, STRAIN QST 2808	2.53	3	39.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	37.60	6	59.50	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	93.20	41	117.08	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	20.26	13	20.55	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.10	1	1.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	6.93	13	26.40	A
BENSULIDE	1,251.04	106	319.09	A
BENZOIC ACID	0.63	41	129.20	A
BIFENTHRIN	12.28	22	137.64	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	321.01	562	3,081.23	A
BOSCALID	6.29	8	18.67	A
BUPROFEZIN	7.69	11	38.17	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	2.27	7	86.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	42.36	60	107.38	A
CHLORANTRANILIPROLE	63.46	327	1,058.98	A
CHLOROTHALONIL	891.59	231	780.92	A
CHLORPYRIFOS	306.56	95	932.97	A
CHLORTHAL-DIMETHYL	4,869.25	334	1,286.29	A
CITRIC ACID	1.38	8	12.13	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	4.43	2	6.00	A
CLOTHIANIDIN	34.56	64	178.70	A
COCONUT DIETHANOLAMIDE	1.30	52	258.70	A
COPPER HYDROXIDE	4.51	6	13.11	A
COPPER OCTANOATE	1.92	2	2.30	A
COPPER OXYCHLORIDE	3.54	5	7.86	A
CYAZOFAMID	1.48	11	21.45	A
CYFLUTHRIN	2.37	15	55.81	A
BETA-CYFLUTHRIN	26.64	538	2,444.48	A
CYPERMETHRIN	0.74	7	26.49	A
(S)-CYPERMETHRIN	154.41	848	3,533.13	A
CYROMAZINE	57.90	178	464.58	A
DIAZINON	14.55	14	29.10	A
1,3-DICHLOROPROPENE	6,346.87	6	71.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHINESE CABBAGE (NAPPA)				
DIETHYLENE GLYCOL	4.29	33	125.70	A
DIMETHOATE	3.99	4	8.00	A
DIMETHOMORPH	2.00	6	84.50	A
DIMETHYL ALKYL TERTIARY AMINES	0.69	41	129.20	A
DIMETHYLPOLYSILOXANE	39.36	152	1,111.52	A
DINOTEFURAN	42.57	98	310.23	A
DIPROPYLENE GLYCOL METHYL ETHER	0.28	8	27.40	A
DODECYLBENZENE SULFONIC ACID	5.62	52	258.70	A
EDTA, TETRASODIUM SALT	0.35	52	258.70	A
EMAMECTIN BENZOATE	1.51	36	110.84	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	3.54	5	19.92	A
ESFENVALERATE	5.17	12	141.45	A
ETHOPROP	28.76	2	9.50	A
FATTY ACIDS, MIXED	0.24	18	34.55	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,197.66	559	3,056.78	A
FATTY ACIDS DERIVED FROM TALLOW	3.07	15	115.74	A
FENAMIDONE	73.13	80	271.99	A
FENPROPATHRIN	4.38	2	17.00	A
FLONICAMID	11.22	45	135.48	A
FLUBENDIAMIDE	25.63	125	397.91	A
FLUOPICOLIDE	7.23	35	58.33	A
FOSETYL-AL	157.26	24	41.05	A
GLYPHOSATE, POTASSIUM SALT	127.99	10	82.05	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	1.13	2	10.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.92	8	12.13	A
HYDROGEN PEROXIDE	326.25	18	65.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	15.18	70	250.20	A
IMIDACLOPRID	565.60	984	4,755.45	A
INDOXACARB	25.31	143	412.69	A
IRON PHOSPHATE	0.68	2	3.40	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	2.63	2	10.00	A
ISOPROPYL ALCOHOL	15.05	397	1,049.27	A
KAOLIN	95.48	5	4.24	A
KEROSENE	1.22	41	129.20	A
LAMBDA-CYHALOTHRIN	52.54	99	1,803.08	A
LECITHIN	50.86	66	195.40	A
MALATHION	1,145.95	198	778.89	A
MANCOZEB	150.60	43	749.72	A
MANDIPROPAMID	65.16	143	524.70	A
MANEB	14.73	1	10.20	A
MEFENOXAM	37.39	115	1,000.57	A
METHOMYL	349.76	134	469.64	A
METHOXYFENOZIDE	64.66	93	433.00	A
METHYLATED SOYBEAN OIL	93.12	89	340.92	A
METHYL SILICONE RESINS	41.53	266	776.27	A
S-METOLACHLOR	13.31	9	17.65	A
MINERAL OIL	1.77	3	24.45	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	233.10	19	86.40	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	406.35	559	3,056.78	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	113.92	449	1,256.15	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHINESE CABBAGE (NAPPA)				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.75	2	10.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	2.32	3	4.40	A
OLEIC ACID, METHYL ESTER	48.91	69	228.61	A
OXYFLUORFEN	1.13	2	4.00	A
PARAQUAT DICHLORIDE	51.36	7	37.08	A
PERMETHRIN	112.75	161	705.53	A
PHOSPHORIC ACID	40.26	185	718.13	A
BETA-PINENE POLYMER	2.97	9	29.70	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1.74	17	96.59	A
POLYBUTENES	213.87	559	3,056.78	A
POLYETHER MODIFIED POLYSILOXANE	9.88	85	201.87	A
POLYETHYLENE GLYCOL	6.10	2	23.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	10.57	38	126.99	A
POLYOXYETHYLENE POLYOXYPROPYLENE	25.15	86	190.54	A
POLYPROPYLENE GLYCOL	0.05	7	9.80	A
POLYSILOXANE	0.13	28	111.61	A
POTASH SOAP	180.77	13	18.80	A
POTASSIUM HYDROXIDE	3.82	28	111.61	A
POTASSIUM N-METHYLDITHIOCARBAMATE	16,882.03	82	140.67	A
POTASSIUM SILICATE	7.00	2	2.30	A
PROPIONIC ACID	35.53	62	185.69	A
PROPYLENE GLYCOL	10.51	71	237.42	A
PYMETROZINE	38.90	159	459.59	A
PYRACLOSTROBIN	297.23	459	1,742.73	A
PYRAFLUFEN-ETHYL	0.01	1	3.00	A
PYRETHRINS	3.80	20	126.70	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	3.96	7	21.80	A
REYNOUTRIA SACHALINENSIS	4.18	11	28.30	A
SETHOXYDIM	1.84	1	7.00	A
SILICONE	1.63	138	539.44	A
SILICONE DEFOAMER	0.15	52	258.70	A
SODIUM XYLENE SULFONATE	1.73	52	258.70	A
SPINETORAM	87.53	372	1,872.35	A
SPINOSAD	62.77	47	1,106.99	A
SPIROTETRAMAT	17.04	448	1,831.84	A
TALL OIL	0.54	220	342.46	A
TALL OIL FATTY ACIDS	7.81	36	150.15	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	6.59	52	258.70	A
TETRAPOTASSIUM PYROPHOSPHATE	0.86	52	258.70	A
THIAMETHOXAM	55.24	291	797.43	A
TRIETHANOLAMINE	2.21	52	258.70	A
TRIFLUMIZOLE	38.46	51	159.83	A
TRIFLURALIN	6.96	2	14.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	19.70	38	126.99	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	42.28	41	143.66	A
Site Total	38,725.08	9,192		
CHINESE GREENS				
ACETAMIPRID	0.06	2	2.05	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHINESE GREENS				
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.77	6	17.93	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.59	1	1.50	A
AZADIRACTIN	0.14	1	5.00	A
AZOXYSTROBIN	5.24	19	106.00	A
BACILLUS PUMILUS, STRAIN QST 2808	0.60	1	5.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.54	1	1.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	40.89	15	41.00	A
BENSULIDE	429.32	34	105.25	A
CHLORTHAL-DIMETHYL	141.54	17	23.16	A
CYFLUTHRIN	1.07	11	21.50	A
BETA-CYFLUTHRIN	0.12	3	4.72	A
(S)-CYPERMETHRIN	2.16	15	46.04	A
DIMETHYLPOLYSILOXANE	1.00	8	10.84	A
FATTY ACIDS DERIVED FROM TALLOW	0.23	1	1.50	A
FENAMIDONE	0.95	2	3.68	A
FLONICAMID	0.80	6	9.13	A
FLUOPICOLIDE	0.43	2	3.68	A
IMIDACLOPRID	9.59	17	121.88	A
INDOXACARB	0.07	1	1.04	A
IRON PHOSPHATE	2.00	1	5.00	A
LAMBDA-CYHALOTHRIN	2.41	3	60.00	A
LECITHIN	3.77	6	17.93	A
MALATHION	2.37	1	1.87	A
MANDIPROPAMID	3.04	12	23.16	A
MEFENOXAM	0.12	1	1.04	A
METAM-SODIUM	12,139.00	11	43.45	A
METHYLATED SOYBEAN OIL	16.25	11	21.50	A
S-METOLACHLOR	1.60	1	2.27	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.63	12	23.00	A
OLEIC ACID, METHYL ESTER	17.61	6	17.93	A
PERMETHRIN	1.00	5	5.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.81	11	21.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.61	4	5.11	A
SPINETORAM	0.66	7	18.18	A
SPINOSAD	2.82	2	55.00	A
SPIROTETRAMAT	0.16	9	17.62	A
Site Total	12,836.99	226		
CHIVE				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.66	6	5.55	A
ALPHA-PINENE BETA-PINENE COPOLYMER	4.54	8	18.15	A
AZADIRACTIN	2.81	82	88.59	A
AZOXYSTROBIN	18.52	62	142.75	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	4.32	12	13.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.15	2	1.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	36.94	14	30.77	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHIVE				
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.19	8	18.15	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	4.30	105	100.64	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	224.68	44	57.56	A
CLETHODIM	2.05	8	15.50	A
COPPER HYDROXIDE	20.23	8	25.50	A
(S)-CYPERMETHRIN	1.05	7	22.00	A
CYPRODINIL	5.63	9	20.00	A
FLUDIOXONIL	3.75	9	20.00	A
HYDROGEN PEROXIDE	29.57	6	12.00	A
IMIDACLOPRID	4.56	18	37.00	A
LIMONENE	33.82	5	1.65	A
MARGOSA OIL	9.12	6	11.47	A
MEFENOXAM	3.15	7	10.00	A
METAM-SODIUM	7,103.49	3	24.00	A
MINERAL OIL	1.60	8	18.15	A
NONANOIC ACID	6.39	1	1.50	A
NONANOIC ACID, OTHER RELATED	0.34	1	1.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	8.61	105	100.64	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	1.15	4	5.27	A
PIPERONYL BUTOXIDE	32.35	26	85.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	8.09	26	85.00	A
POTASH SOAP	449.03	36	88.20	A
POTASSIUM BICARBONATE	14.76	5	6.00	A
PYRETHRINS	12.56	150	213.84	A
QUILLAJA	8.82	105	100.64	A
REYNOUTRIA SACHALINENSIS	0.56	3	2.00	A
SPINOSAD	7.38	35	72.14	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	2	0.50	A
SULFUR	8.00	1	2.00	A
TALL OIL FATTY ACIDS	0.06	8	18.15	A
Site Total	8,075.22	643		
CHRISTMAS TREE				
ABAMECTIN	0.04	1	4.00	A
ALUMINUM PHOSPHIDE	3.00	1	8.00	A
ATRAZINE	20.52	3	6.00	A
ATRAZINE, OTHER RELATED	0.43	3	6.00	A
BIFENTHRIN	3.54	2	18.00	A
COCONUT DIETHANOLAMIDE	0.12	3	12.00	A
DIFLUBENZURON	0.06	1	5.00	A
DIMETHOATE	86.89	7	116.00	A
DIMETHYLPOLYSILOXANE	0.02	1	40.00	A
DINOTEFURAN	0.44	3	1.48	A
DIPHACINONE	< 0.01	1	1.50	A
	< 0.01	1	50.00	S
Total Pounds On This Chemical	< 0.01			
DODECYLBENZENE SULFONIC ACID	0.52	3	12.00	A
EDTA, TETRASODIUM SALT	0.03	3	12.00	A
ESFENVALERATE	4.57	2	51.00	A
TAU-FLUVALINATE	4.73	11	112.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	296.60	58	389.06	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CHRISTMAS TREE				
GLYPHOSATE, POTASSIUM SALT	20.25	7	22.00	A
HEXAZINONE	4.58	3	6.00	A
HEXYTHIAZOX	3.63	6	59.00	A
IMIDACLOPRID	0.61	2	23.00	A
IRON PHOSPHATE	0.50	1	5.00	A
ISOPROPYL ALCOHOL	0.58	4	52.00	A
LECITHIN	30.52	4	36.00	A
MALATHION	1.02	1	1.00	A
METHYLATED SOYBEAN OIL	15.26	4	36.00	A
MINERAL OIL	145.87	2	10.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.86	1	40.00	A
ORYZALIN	62.93	5	24.50	A
OXYFLUORFEN	23.69	7	48.30	A
OXYTHIOQUINOX	0.33	2	1.38	A
PETROLEUM OIL, UNCLASSIFIED	400.35	4	50.00	A
PHOSPHORIC ACID	0.10	3	12.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.13	1	0.06	A
POLYETHYLENE GLYCOL	2.65	1	40.00	A
SILICONE DEFOAMER	0.01	3	12.00	A
SODIUM XYLENE SULFONATE	0.16	3	12.00	A
STRYCHNINE	< 0.01	1	5.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.60	3	12.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.08	3	12.00	A
TRICLOPYR, BUTOXYETHYL ESTER	4.16	1	15.00	A
TRIETHANOLAMINE	0.20	3	12.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	15.26	4	36.00	A
Site Total	1,159.85	142		
CILANTRO				
ABAMECTIN	0.49	18	38.79	A
ACRYLIC ACID	9.15	24	56.30	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	18.59	30	126.75	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12.25	2	51.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	23.39	23	101.63	A
AMMONIUM SULFATE	19.17	7	27.00	A
AZADIRACTIN	5.63	117	249.96	A
AZOXYSTROBIN	105.85	129	544.76	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	30.69	14	111.84	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	59.81	17	110.76	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	8.94	8	21.35	A
BENSULIDE	8,091.29	490	2,162.07	A
BENZOIC ACID	0.08	1	9.50	A
BIFENTHRIN	2.47	2	58.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	20.28	48	241.49	A
CARBOXIN	2.72		18,562.00	P
CHLORANTRANILIPROLE	7.01	64	130.93	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CILANTRO				
CITRIC ACID	8.22	8	29.60	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	52.71	14	16.68	A
CLETHODIM	10.07	2	79.00	A
COCONUT DIETHANOLAMIDE	0.35	19	79.50	A
COPPER HYDROXIDE	4.43	2	4.00	A
COPPER OCTANOATE	130.80	245	485.42	A
COPPER OXIDE (OUS)	7.01	1	4.18	A
(S)-CYPERMETHRIN	36.30	163	826.63	A
CYPRODINIL	0.70	2	2.50	A
DIETHYLENE GLYCOL	1.58	4	87.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.09	1	9.50	A
DIMETHYLPOLYSILOXANE	13.81	90	485.11	A
DIMETHYL SILICONE FLUID EMULSION	1.94	35	207.20	A
DODECYLBENZENE SULFONIC ACID	1.52	19	79.50	A
EDTA, TETRASODIUM SALT	0.09	19	79.50	A
ETHYLENE GLYCOL	10.64	14	48.62	A
FATTY ACIDS, MIXED	8.90	73	410.72	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	72.03	25	139.86	A
FLUDIOXONIL	0.47	2	2.50	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	211.50	25	352.50	A
GLYPHOSATE, POTASSIUM SALT	67.97	13	34.30	A
IMIDACLOPRID	197.02	380	1,629.50	A
IRON PHOSPHATE	< 0.01	2	720.00	S
ISOPROPYL ALCOHOL	3.71	102	275.27	A
KEROSENE	0.16	1	9.50	A
LECITHIN	172.27	75	473.42	A
LIMONENE	65.10	2	2.00	A
MARGOSA OIL	26.75	8	41.70	A
MEFENOXAM	10.38	3	12.34	A
METHOXYFENOZIDE	3.53	9	21.12	A
METHYLATED SOYBEAN OIL	94.10	38	279.90	A
METHYL SILICONE RESINS	14.25	119	644.87	A
MINERAL OIL	256.08	27	316.63	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	24.44	25	139.86	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	73.85	198	930.49	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	39.48	30	63.60	A
OLEIC ACID, METHYL ESTER	57.18	2	51.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	2.00	2	70.00	A
PHOSPHORIC ACID	10.08	50	162.80	A
PIPERONYL BUTOXIDE	20.17	15	52.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	5.04	15	52.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	4.94	31	217.50	A
POLYACRYLAMIDE POLYMER	0.06	2	4.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	7.19	12	70.00	A
POLYBUTENES	12.86	25	139.86	A
POLYETHER MODIFIED POLYSILOXANE	0.17	2	3.00	A
POLYETHYLENE GLYCOL	2.52	1	9.50	A
POLYOXYETHYLENE DIOLEATE	0.04	2	70.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.42	2	3.00	A
POLYPROPYLENE GLYCOL	0.60	43	293.12	A
POTASH SOAP	151.99	11	36.50	A
POTASSIUM BICARBONATE	6.15	5	2.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CILANTRO				
POTASSIUM N-METHYLDITHIOCARBAMATE	45,381.62	183	383.77	A
POTASSIUM SILICATE	30.75	1	50.50	A
PROMETRYN	1,703.41	216	1,265.25	A
PROPICONAZOLE	0.45	1	4.00	A
PROPIONIC ACID	145.41	71	393.72	A
PYRACLOSTROBIN	0.50	1	5.00	A
PYRETHRINS	7.24	37	160.43	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	22.12	1	50.50	A
REYNOUTRIA SACHALINENSIS	23.25	8	119.00	A
SETHOXYDIM	59.09	8	248.00	A
SILICONE	0.01	1	12.70	A
SILICONE DEFOAMER	0.04	19	79.50	A
SODIUM XYLENE SULFONATE	0.47	19	79.50	A
SPINETORAM	29.36	131	506.14	A
SPINOSAD	21.42	41	244.90	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	7	30.29	A
SULFUR	10.00	1	2.50	A
TALL OIL	0.24	68	137.65	A
TALL OIL FATTY ACIDS	10.43	24	176.63	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.79	19	79.50	A
TETRAPOTASSIUM PYROPHOSPHATE	0.23	19	79.50	A
THIRAM	136.36		113,562.00	P
TRIETHANOLAMINE	0.60	19	79.50	A
TRIFLUMIZOLE	5.92	5	23.65	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	11.21	4	45.70	A
Site Total	57,923.44	2,929		
CITRUS				
ABAMECTIN	3.06	22	333.65	A
ACEQUINOCYL	3.18	2	9.00	A
ACETAMIPRID	7.75	10	80.10	A
	1.84	1	11,000.00	U
Total Pounds On This Chemical	9.59			
ACRYLIC ACID	1.62	1	20.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.70	2	32.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	19.00	15	147.80	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.10	1	11.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.02	1	11,000.00	U
ALPHA-PINENE BETA-PINENE COPOLYMER	4.95	5	21.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	28.89	1	25.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	12.56	7	30.10	A
ALUMINUM PHOSPHIDE	8.33	6	33.00	A
AMMONIUM NITRATE	6.18	9	55.10	A
AMMONIUM SULFATE	45.00	16	161.10	A
AZADIRACTIN	< 0.01	1	1,000.00	S
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	6.27	1	14.75	A
BENTONITE	30.51	3	35.40	A
	0.45	1	12,000.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CITRUS				
Total Pounds On This Chemical	30.96			
BIFENAZATE	5.75	2	150,000.00	U
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	19.34	16	94.50	A
BROMACIL	33.40	7	28.50	A
BUTYL ALCOHOL	0.09	1	1.00	A
CALCIUM HYDROXIDE	5,825.50	12	214.00	A
	17.33	2	137,000.00	U
Total Pounds On This Chemical	5,842.83			
CALCIUM HYPOCHLORITE	904.40		212,800.00	T
CARBARYL	5.98	2	1.50	A
	0.69	6	2,680.00	U
	0.16	3	2,534.75	S
	< 0.01	1	155.50	C
Total Pounds On This Chemical	6.83			
CARFENTRAZONE-ETHYL	0.69	2	35.00	A
CASEIN	2.29	3	35.40	A
	0.02	1	12,000.00	U
Total Pounds On This Chemical	2.31			
CASTOR OIL ETHOXYLATE	0.02	3	0.60	A
CHLOROPICRIN	19.80	1	0.25	A
CHLORPYRIFOS	899.61	17	490.70	A
	6.99	2	115,320.00	U
Total Pounds On This Chemical	906.61			
CITRIC ACID	16.22	7	210.00	A
CLETHODIM	0.92	4	6.00	A
COCONUT DIETHANOLAMIDE	1.22	10	662,512.00	U
COPPER	172.95	6	59.15	A
COPPER HYDROXIDE	162.62	16	111.35	A
COPPER OXIDE (OUS)	338.67	4	150.00	A
COPPER SULFATE (BASIC)	18.87	2	137,000.00	U
	1.96	1	0.25	A
Total Pounds On This Chemical	20.83			
CYFLUTHRIN	3.84	4	37.00	A
BETA-CYFLUTHRIN	2.55	12	63.07	A
	0.09	12	13,449.00	U
	< 0.01	2	2,541.00	S
Total Pounds On This Chemical	2.65			
(S)-CYPERMETHRIN	1.18	4	49.00	A
2,4-D, DIMETHYLAMINE SALT	101.61	3	61.96	A
2,4-D, ISOPROPYL ESTER	124.20		296,013.00	T
	3.84	5	55.40	A
Total Pounds On This Chemical	128.04			
DIMETHYLPOLYSILOXANE	5.11	18	146.85	A
	0.03	1	38.00	U
Total Pounds On This Chemical	5.14			
DIMETHYL SILICONE FLUID EMULSION	< 0.01	1	1.00	A
DIPHACINONE	< 0.01	1	3.00	A
DIURON	166.60	18	110.46	A
DODECYLBENZENE SULFONIC ACID	5.30	10	662,512.00	U
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	6.08	14	133.00	A
EDTA, TETRASODIUM SALT	0.33	10	662,512.00	U
EMULSIFIABLE METHYLATED VEGETABLE OIL	22.27	2	16.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CITRUS				
ESFENVALERATE	0.01	1	0.25	A
ETHYLENE GLYCOL MONOMETHYL ETHER	3.61	5	85.00	A
FATTY ACIDS, METHYL ESTERS	61.23	11	73.50	A
FATTY ACIDS, MIXED	0.14	2	10.00	A
FATTY ACIDS DERIVED FROM TALLOW	11.56	1	25.00	A
FENARIMOL	< 0.01	1	0.10	A
FENPROPATHRIN	0.85	4	134,188.00	U
	0.20	3	97.00	A
Total Pounds On This Chemical	1.06			
FERRIC SODIUM EDTA	3.75	1	110,000.00	U
FLUDIOXONIL	118.99		449.29	T
	26.62		5,024.32	U
Total Pounds On This Chemical	145.60			
FLUMIOXAZIN	6.38	1	20.00	A
FOSETYL-AL	60.00	3	149,000.00	U
GIBBERELLINS	95.11		243,230.81	T
	4.17		234,610.00	U
	0.21	1	2.00	A
Total Pounds On This Chemical	99.50			
GLYPHOSATE, ISOPROPYLAMINE SALT	1,458.50	96	1,306.51	A
	27.03	4	272,360.00	U
Total Pounds On This Chemical	1,485.53			
GLYPHOSATE, POTASSIUM SALT	2,438.20	31	234.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	2.95	2	6.00	A
	0.40	1	11,000.00	U
Total Pounds On This Chemical	3.36			
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.13	2	29.00	A
HYDROGEN PEROXIDE	1,000.33		815,927.61	T
HYDROTREATED PARAFFINIC SOLVENT	1.99	1	2.00	A
IBA	< 0.01		0.40	A
IMAZALIL	3,334.61		841,022.48	T
	1,202.32		2,506,834.96	U
Total Pounds On This Chemical	4,536.93			
IMAZALIL SULFATE	5,361.37		683,635.97	T
	154.06		1,353,415.90	U
Total Pounds On This Chemical	5,515.43			
IMIDACLOPRID	223.07	26	548.14	A
	23.39	21	148,799.00	U
	1.30	5	4,916.00	S
	0.09	1	225.41	C
Total Pounds On This Chemical	247.85			
INDAZIFLAM	1.45	2	20.00	A
ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	6.87	2	6.00	A
ISOCTYL PHTHALATE	3.66	5	85.00	A
ISOPROPYL ALCOHOL	4.39	13	141.60	A
	1.61	10	662,512.00	U
Total Pounds On This Chemical	6.00			
ISOXABEN	0.75	1	2.00	A
LACTOSE	2.29	3	35.40	A
	0.03	1	12,000.00	U
Total Pounds On This Chemical	2.32			
LECITHIN	17.14	3	58.00	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	12.76	11	73.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CITRUS				
MALATHION	185.48	8	78.50	A
MEFENOXAM	2.16	2	7.50	A
MEFENOXAM, OTHER RELATED	< 0.01	1	3.00	A
METHOXYFENOZIDE	1.13	3	128,000.00	U
METHYLATED SOYBEAN OIL	160.76	10	180.00	A
MINERAL OIL	6,643.36	47	412.50	A
	13.54	3	126,320.00	U
Total Pounds On This Chemical	6,656.90			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	168.55	13	695.50	A
MORPHOLINE	1.58	5	85.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	15.67	12	76.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	73.27	20	380.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	4.67	8	93.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	131.75	3	264.00	A
NORFLURAZON	11.79	1	15.00	A
OLEIC ACID	5.19	7	88.00	A
OLEIC ACID, METHYL ESTER	14.45	1	11.00	A
ORYZALIN	433.07	20	119.51	A
OXYFLUORFEN	3.40	3	3.75	A
PARAQUAT DICHLORIDE	59.40	7	60.00	A
PENDIMETHALIN	62.59	3	21.21	A
PEROXYACETIC ACID	682.04		815,927.61	T
PETROLEUM DISTILLATES	7.60	4	6.00	A
PETROLEUM DISTILLATES, REFINED	10.62	1	1.00	A
	7.08	1	40,000.00	U
Total Pounds On This Chemical	17.69			
PETROLEUM OIL, UNCLASSIFIED	4,752.26	29	520.40	A
ORTHO-PHENYLPHENOL, SODIUM SALT	3,570.45		75,370.00	T
PHOSPHORIC ACID	9.49	11	136.10	A
	1.04	10	662,512.00	U
Total Pounds On This Chemical	10.53			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1.56	3	128,000.00	U
POLYETHER MODIFIED POLYSILOXANE	7.43	3	41.10	A
POLYETHYLENE GLYCOL	1.41	2	11.50	A
POLY-I-PARA-MENTHENE	8.04	1	9.00	A
POLYMERIZED PINENE	107.87	14	133.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	6.10	4	37.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	0.16	3	0.60	A
POTASSIUM HYDROXIDE	0.36	1	115.00	A
POTASSIUM NITRATE	3.45	1	115.00	A
POTASSIUM PHOSPHITE	2,574.63		128,633.00	T
PROPIONIC ACID	1.65	1	7.00	A
PROPYLENE GLYCOL	2.29	2	11.00	A
	0.27	1	11,000.00	U
Total Pounds On This Chemical	2.56			
PYRAFLUFEN-ETHYL	0.01	1	0.25	A
PYRETHRINS	1.35	2	25.00	A
	< 0.01	1	1,000.00	S
Total Pounds On This Chemical	1.35			
PYRIMETHANIL	391.74		117,220.00	T
PYRIPROXYFEN	6.96	8	70.00	A
RIMSULFURON	3.83	8	61.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CITRUS				
SABADILLA ALKALOIDS	0.48	1	80.00	A
SAFLUFENACIL	5.37	15	163.00	A
SETHOXYDIM	5.26	1	15.00	A
SILICONE DEFOAMER	0.14	10	662,512.00	U
SIMAZINE	167.21	10	88.00	A
SODIUM CYANIDE	941.78		558,303.00	U
SODIUM DIISOCTYLSULFOSUCCINATE	0.48	5	85.00	A
SODIUM HYPOCHLORITE	9,530.01		1,014,085.90	T
	3,313.81		3,178,391.28	U
Total Pounds On This Chemical	12,843.82			
SODIUM XYLENE SULFONATE	1.63	10	662,512.00	U
SPINETORAM	65.02	33	942.85	A
SPINOSAD	23.01	16	187.82	A
SPIRODICLOFEN	3.48	1	95,000.00	U
SPIROMESIFEN	0.14	1	1,100.00	U
SPIROTETRAMAT	2.18	12	117.65	A
	0.19	3	111,362.00	U
Total Pounds On This Chemical	2.37			
STREPTOMYCIN SULFATE	0.07	1	0.10	A
STYRENE BUTADIENE COPOLYMER	0.94	1	7.00	A
SULFUR	41.10	2	6.00	A
TALL OIL	0.02	3	0.60	A
TALL OIL FATTY ACIDS	20.02	19	125.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	6.21	10	662,512.00	U
	1.05	2	3.00	A
Total Pounds On This Chemical	7.26			
TETRAPOTASSIUM PYROPHOSPHATE	0.82	10	662,512.00	U
THIABENDAZOLE	6,025.19		972,585.68	T
	810.90		654,948.69	U
Total Pounds On This Chemical	6,836.10			
TRIETHANOLAMINE	2.08	10	662,512.00	U
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.48	3	23.10	A
Site Total	65,889.09	754		
CLOVER				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	22.84	3	195.60	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	11.26	1	50.00	A
AMMONIUM NITRATE	0.58	2	120.60	A
AMMONIUM SULFATE	24.72	3	195.60	A
BUTYL ALCOHOL	2.22	1	60.30	A
CITRIC ACID	1.38	1	75.00	A
2,4-D, DIMETHYLAMINE SALT	43.61	2	70.30	A
DIMETHYLPOLYSILOXANE	0.14	4	136.30	A
GLYCEROL	7.53	1	75.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	225.27	1	75.00	A
GLYPHOSATE, POTASSIUM SALT	3.23	1	3.00	A
IMAZAMOX, AMMONIUM SALT	6.04	2	120.60	A
IMAZETHAPYR, AMMONIUM SALT	4.23	1	50.00	A
ISOPROPYL ALCOHOL	2.39	3	76.00	A
LECITHIN	11.26	1	50.00	A
MALATHION	96.93	1	60.30	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CLOVER				
MINERAL OIL	89.49	1	75.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	47.70	4	136.30	A
OLEIC ACID, METHYL ESTER	109.41	2	110.30	A
OXYFLUORFEN	6.02	1	12.00	A
PARAQUAT DICHLORIDE	51.55	3	76.00	A
PETROLEUM OIL, PARAFFIN BASED	185.45	2	120.60	A
PHOSPHORIC ACID	2.34	1	75.00	A
POLYACRYLAMIDE POLYMER	0.76	1	75.00	A
POLYETHYLENE GLYCOL	15.11	3	76.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	33.51	2	120.60	A
SETHOXYDIM	82.91	4	206.60	A
SODIUM HYDROXIDE	4.13	1	75.00	A
VINYL POLYMER	0.17	1	60.30	A
Site Total	1,092.18	29		
COLE CROP				
AZADIRACTIN	0.01	1	1.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.14	1	1.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.10	1	1.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	0.12	1	144.00	S
FOSETYL-AL	1.60	2	2.00	A
KAOLIN	0.71	2	288.00	S
POTASH SOAP	0.72	3	432.00	S
PYRETHRINS	0.11	1	2.00	A
Site Total	3.52	12		
COLLARD				
ACETAMIPRID	19.75	37	273.67	A
ACIBENZOLAR-S-METHYL	0.26	1	8.18	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.86	5	24.71	A
ALPHA-PINENE BETA-PINENE COPOLYMER	4.54	17	24.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	343.32	109	940.77	A
AZADIRACTIN	20.32	260	749.21	A
AZOXYSTROBIN	23.63	50	138.89	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	8.15	10	16.25	A
BACILLUS PUMILUS, STRAIN QST 2808	21.26	62	195.78	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	222.94	103	264.72	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	17.89	4	20.58	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	104.98	109	530.19	A
BENSULIDE	838.55	84	192.82	A
BIFENTHRIN	35.31	31	287.32	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	4.32	27	46.50	A
BOSCALID	5.11	2	13.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COLLARD				
BUTYL ALCOHOL	0.09	1	5.00	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	114.17	164	291.34	A
CHLORANTRANILIPROLE	28.63	166	485.50	A
CHLOROTHALONIL	5.99	1	4.00	A
CHLORPYRIFOS	64.01	11	86.36	A
CHLORTHAL-DIMETHYL	560.02	49	134.51	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	4.95	5	6.00	A
CITRIC ACID	2.54	4	4.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	530.33	93	350.12	A
CLOTHIANIDIN	3.93	10	71.33	A
COPPER HYDROXIDE	18.91	21	43.98	A
COPPER OXIDE (OUS)	39.08	22	46.58	A
COPPER OXYCHLORIDE	9.03	18	30.98	A
CYAZOFAMID	26.06	57	378.41	A
CYFLUTHRIN	0.85	3	16.50	A
BETA-CYFLUTHRIN	4.55	44	238.26	A
(S)-CYPERMETHRIN	7.58	47	268.83	A
CYROMAZINE	0.75	3	5.99	A
DIAZINON	2.98	3	7.00	A
DIFENOCONAZOLE	0.45	1	4.00	A
DIMETHOMORPH	6.28	42	265.84	A
DIMETHYLPOLYSILOXANE	21.17	56	177.95	A
DIMETHYL SILICONE FLUID EMULSION	0.02	3	4.05	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.68	2	11.37	A
EMAMECTIN BENZOATE	2.63	64	243.95	A
ESFENVALERATE	3.07	5	62.85	A
FATTY ACIDS, MIXED	0.29	9	18.55	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	15.43	10	22.50	A
FATTY ACIDS DERIVED FROM TALLOW	137.33	109	940.77	A
FENAMIDONE	8.13	11	30.34	A
FLONICAMID	15.64	25	178.77	A
FLUBENDIAMIDE	12.01	63	233.92	A
FLUOPICOLIDE	18.01	84	145.99	A
FOSETYL-AL	424.00	56	109.57	A
HYDROGEN PEROXIDE	0.99	1	0.40	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.52	2	8.00	A
IMIDACLOPRID	34.98	145	323.04	A
INDOXACARB	24.63	124	375.66	A
ISOPROPYL ALCOHOL	4.94	447	791.97	A
KAOLIN	235.27	13	12.94	A
LECITHIN	16.24	13	37.31	A
MALATHION	79.88	9	51.57	A
MANDIPROPAMID	81.93	248	629.85	A
MANEB	2.12	6	1.75	A
MARGOSA OIL	43.35	15	43.72	A
MEFENOXAM	18.03	22	144.43	A
METHOMYL	9.95	2	15.54	A
METHOXYFENOZIDE	11.62	35	58.61	A
METHYLATED SOYBEAN OIL	16.06	7	35.26	A
METHYL SILICONE RESINS	0.03	8	18.80	A
MINERAL OIL	119.51	23	54.36	A
NALED	13.41	4	14.28	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COLLARD				
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	5.23	10	22.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	365.87	574	1,774.04	A
OLEIC ACID, METHYL ESTER	1.57	2	8.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	4.27	11	19.67	A
PARATHION	21.35	1	5.28	A
PETROLEUM OIL, UNCLASSIFIED	4.77	1	0.40	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.56	3	16.50	A
POLYBUTENES	2.76	10	22.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	3.71	6	28.50	A
POLY-I-PARA-MENTHENE	4.56	5	18.74	A
POLYOXYETHYLENE POLYOXYPROPYLENE	9.47	19	89.99	A
POLYPROPYLENE GLYCOL	0.04	8	18.80	A
POTASH SOAP	2,843.74	80	258.63	A
POTASSIUM BICARBONATE	4.02	4	1.70	A
POTASSIUM N-METHYLDITHIOCARBAMATE	27,201.77	125	228.06	A
POTASSIUM PHOSPHITE	145.40	3	28.51	A
POTASSIUM SILICATE	11.23	2	3.69	A
PROPIONIC ACID	6.68	9	18.55	A
PROPYLENE GLYCOL	1.94	6	22.45	A
PYMETROZINE	9.20	66	117.39	A
PYRACLOSTROBIN	124.84	248	656.87	A
PYRETHRINS	4.64	69	90.93	A
	0.07	5	3,120.00	S
Total Pounds On This Chemical	4.70			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	13.23	16	44.80	A
REYNOUTRIA SACHALINENSIS	9.33	20	36.48	A
SPINETORAM	20.46	116	309.26	A
SPINOSAD	19.50	54	188.10	A
SPIROTETRAMAT	1.32	20	138.88	A
STYRENE BUTADIENE COPOLYMER	0.34	1	2.95	A
SULFUR	1,040.00	63	360.13	A
TALL OIL	1.24	441	789.97	A
TALL OIL FATTY ACIDS	0.06	17	24.00	A
THIAMETHOXAM	19.08	122	333.10	A
THIRAM	6.03		2,391.10	P
TRIFLUMIZOLE	29.57	19	167.08	A
TRIFLURALIN	3.13	4	5.75	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	5.66	5	19.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	5.17	5	21.71	A
Site Total	36,428.10	4,134		
COMMODITY FUMIGATION				
ACETAMIPRID	10.34			
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	< 0.01			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	3.15			
ALKYL (67%C12, 25%C14, 7%C16, 1%C8,C10,C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.41			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	3.15			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COMMODITY FUMIGATION				
ALUMINUM PHOSPHIDE	17,319.57			
	164.46	6	6.00	A
	9.09	5	51.20	K
	2.22	3	14,240.00	C
	1.65	1	11,000.00	S
Total Pounds On This Chemical	17,497.00			
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	3.00			
AZOXYSTROBIN	43.91			
BENTAZON, SODIUM SALT	7.60			
N6-BENZYL ADENINE	4.10			
BIFENTHRIN	4.88			
BOSCALID	0.16			
CALCIUM HYPOCHLORITE	446.38			
CAPTAN	0.03			
CAPTAN, OTHER RELATED	< 0.01			
CARBON DIOXIDE	209.90			
CARBOXIN	0.05			
CHLOROPICRIN	717.75			
CITRIC ACID	58.96			
COPPER HYDROXIDE	515.98			
COPPER OXYCHLORIDE	9.53			
BETA-CYFLUTHRIN	0.19	1	3,000.00	?
	0.04			
Total Pounds On This Chemical	0.23			
DDVP	186.63			
DDVP, OTHER RELATED	10.07			
DIDECYL DIMETHYL AMMONIUM CHLORIDE	< 0.01			
DIFENOCONAZOLE	177.04			
DIFETHIALONE	0.02			
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	< 0.01			
DIPHACINONE	0.02			
DIPHACINONE, SODIUM SALT	< 0.01			
DIQUAT DIBROMIDE	0.15			
(Z)-9-DODECENYL ACETATE	0.04			
ESFENVALERATE	0.27			
ETHALFLURALIN	107.67			
ETOXAZOLE	4.05			
FLUDIOXONIL	409.81			
FORMALDEHYDE	0.36			
GIBBERELLINS	567.62			
GLUFOSINATE-AMMONIUM	0.22			
GLYPHOSATE, ISOPROPYLAMINE SALT	21.78			
GLYPHOSATE, POTASSIUM SALT	1.21			
HEXYTHIAZOX	18.91			
HYDROGEN PEROXIDE	749.28			
IMAZALIL	99.48			
IMAZAMOX, AMMONIUM SALT	0.13			
IMIDACLOPRID	< 0.01			
LIMONENE	6.65			
MAGNESIUM PHOSPHIDE	4,741.23			
	0.37	8	2,070.00	C
Total Pounds On This Chemical	4,741.59			
MALATHION	85.86			
MANCOZEB	215.10			
MEFENOXAM	2,458.98			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COMMODITY FUMIGATION				
MEFENOXAM, OTHER RELATED	74.76			
S-METHOPRENE	0.50			
METHYL BROMIDE	69,018.27			
	12.00	3	1,500.00	C
Total Pounds On This Chemical	69,030.27			
1-METHYLCYCLOPROPENE	0.05			
S-METOLACHLOR	532.41			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	33.91			
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	< 0.01			
OXYFLUORFEN	4.01			
PERMETHRIN	1.34			
PEROXYACETIC ACID	158.34			
PETROLEUM DISTILLATES, REFINED	2.47			
PHOSPHINE	6,978.53			
	99.92	4	140.00	A
	12.46	2	40,480.00	C
Total Pounds On This Chemical	7,090.91			
PIPERONYL BUTOXIDE	27.81			
PIPERONYL BUTOXIDE, OTHER RELATED	5.93			
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-((TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	32.24			
POTASSIUM BICARBONATE	1.17			
PROPYLENE OXIDE	205,452.70			
PYRACLOSTROBIN	0.08			
PYRETHRINS	18.31			
PYRIPROXYFEN	< 0.01			
RESMETHRIN	1.75			
SODIUM CYANIDE	1,646.40			
SODIUM HYPOCHLORITE	5,081.21			
SPIROMESIFEN	31.88			
STREPTOMYCIN SULFATE	42.86			
SULFUR DIOXIDE	37,363.01			
SULFURYL FLUORIDE	259,279.92			
	598.80	1	1,935.00	?
	119.76	1	20,240.00	C
Total Pounds On This Chemical	259,998.48			
TCMTB	68.72			
THIABENDAZOLE	0.57			
THIAMETHOXAM	515.73			
THIRAM	334.79			
TRIBENURON-METHYL	0.44			
TRIFLURALIN	74.55			
TRIS (HYDROXYMETHYL) NITROMETHANE	3.45			
TRISODIUM PHOSPHATE	0.05			
Site Total	617,030.58	35		
CORN (FORAGE - FODDER)				
ACETAMIPRID	3.38	1	51.46	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	16.76	86	4,173.83	A
ACRYLIC ACID	9.06	13	459.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3,336.18	557	26,538.44	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	4.21	4	275.57	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,903.08	1,195	59,038.33	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN (FORAGE - FODDER)				
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,606.03	163	6,811.00	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	294.65	40	3,256.60	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.70	3	187.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.70	3	187.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	83.96	16	450.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,414.94	357	16,766.60	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.66	1	40.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	9.13	8	546.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	4,971.57	732	43,216.63	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	632.55	151	6,530.81	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	6.63	19	938.22	A
ALUMINUM PHOSPHIDE	22.55		1,080.00	K
	2.12	9	131.50	A
Total Pounds On This Chemical	24.67			
AMMONIUM NITRATE	2,593.79	1,252	67,201.26	A
AMMONIUM PROPIONATE	1,509.01	272	18,649.95	A
AMMONIUM SULFATE	31,357.67	3,335	184,016.68	A
ATRAZINE	8,108.86	35	4,893.00	A
ATRAZINE, OTHER RELATED	166.40	35	4,893.00	A
AZOXYSTROBIN	18.49	2	177.32	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	7.56	3	10.75	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	89.25	1	70.00	A
BENZOIC ACID	148.35	353	19,376.91	A
BIFENTHRIN	4,190.65	987	43,649.70	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1,862.31	569	26,631.00	A
BROMOXYNIL HEPTANOATE	322.04	26	1,094.00	A
BROMOXYNIL OCTANOATE	388.15	28	1,194.00	A
2-BUTOXYETHANOL	2.35	5	315.57	A
BUTYL ALCOHOL	631.16	539	25,519.74	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	7.40	8	359.80	A
CALCIUM CHLORIDE	175.42	214	11,263.42	A
CANOLA OIL	2.13	15	521.82	A
CARBARYL	369.83	10	733.00	A
CARFENTRAZONE-ETHYL	475.43	906	42,728.99	A
CASTOR OIL ETHOXYLATE	122.30	106	4,381.60	A
CHLORANTRANILIPROLE	40.41	23	922.18	A
CHLORPYRIFOS	32,503.66	949	48,083.60	A
CITRIC ACID	5,714.29	2,268	119,246.45	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	69.85	4	425.00	A
CLETHODIM	88.47	11	522.50	A
COCONUT DIETHANOLAMIDE	23.42	126	4,408.90	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.82	12	611.90	A
COPPER HYDROXIDE	19.82	1	43.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN (FORAGE - FODDER)				
CORN SYRUP	287.81	33	2,583.70	A
COTTONSEED OIL	15,492.16	318	14,654.50	A
CYFLUTHRIN	9.89	5	298.00	A
BETA-CYFLUTHRIN	15.83	13	722.00	A
(S)-CYPERMETHRIN	29.52	23	855.10	A
2,4-D, DIMETHYLAMINE SALT	1,223.72	41	2,496.20	A
2,4-D, 2-ETHYLHEXYL ESTER	46.65	1	66.00	A
4-(2,4-DB), DIMETHYLAMINE SALT	63.79	2	109.00	A
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	14.21	8	421.70	A
DELTAMETHRIN	6.11	6	306.00	A
DERIVATED NATURAL POLYMERS	3.77	33	1,649.00	A
DICAMBA, DIMETHYLAMINE SALT	1,819.38	143	6,747.79	A
DICAMBA, SODIUM SALT	7,817.43	1,082	51,091.14	A
1,3-DICHLOROPROPENE	21,704.65	3	65.00	A
DIETHYLENE GLYCOL	1,770.72	755	39,767.37	A
DIFENOCONAZOLE	11.58	2	177.32	A
DIFLUFENZOPYR, SODIUM SALT	882.68	439	24,617.53	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	10,915.10	568	30,181.34	A
DIMETHENAMID-P	16.05	2	158.50	A
DIMETHOATE	11,637.66	511	24,069.52	A
DIMETHYL ALKYL TERTIARY AMINES	161.57	353	19,376.91	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	46.49	12	448.00	A
DIMETHYLPOLYSILOXANE	607.49	5,072	247,820.57	A
ALPHA-(ORTHO, PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	139.48	73	3,071.60	A
DIOCTYL PHTHALATE	11.93	2	252.00	A
DIPHACINONE	0.03	5	45.00	A
DIPROPYLENE GLYCOL METHYL ETHER	0.83	3	60.00	A
DODECYLBENZENE SULFONIC ACID	101.49	126	4,408.90	A
DODECYLBENZENE SULFONIC ACID, CALCIUM SALT	1.07	15	521.82	A
EDTA, SODIUM SALT	0.27	9	684.00	A
EDTA, TETRASODIUM SALT	6.25	126	4,408.90	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	446.93	29	1,870.60	A
EPTC	200.64	1	60.00	A
ESFENVALERATE	48.03	27	1,097.50	A
ETHALFLURALIN	33.06	1	39.00	A
ETHYLENE GLYCOL	989.93	97	6,082.71	A
ETOXAZOLE	7,733.08	1,523	77,750.11	A
FATTY ACIDS, MIXED	1,987.11	1,028	53,061.64	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	3,440.80	341	16,836.91	A
FATTY ACIDS DERIVED FROM TALLOW	565.99	357	16,766.60	A
FERROUS SULFATE	4.26	12	611.90	A
FLUBENDIAMIDE	451.28	134	6,705.43	A
FLUDIOXONIL	11.83	1	35.00	A
FLUMIOXAZIN	299.77	58	3,270.10	A
FORAMSULFURON	4.40	17	115.35	A
GAMMA-CYHALOTHRIN	0.20	1	25.94	A
GLUFOSINATE-AMMONIUM	395.35	18	1,016.15	A
GLYCEROL	316.20	86	4,182.56	A
GLYPHOSATE	1.06	1	1.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	187,707.02	3,163	164,236.11	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN (FORAGE - FODDER)				
GLYPHOSATE, POTASSIUM SALT	362,411.86	5,075	257,781.22	A
	0.04	1	5,200.00	S
Total Pounds On This Chemical	362,411.90			
HALOSULFURON-METHYL	1,413.22	713	30,236.62	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	181.23	71	3,032.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	40.70	139	9,587.50	A
HEXYTHIAZOX	13,414.73	2,109	110,214.35	A
HYDROTREATED PARAFFINIC SOLVENT	1,098.11	38	1,335.90	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	622.50	229	13,184.01	A
IMAZETHAPYR, AMMONIUM SALT	20.39	7	206.00	A
INDOXACARB	6.73	2	92.00	A
ISODECYL ALCOHOL	3.94	4	337.00	A
ISOPROPYL ALCOHOL	4,480.09	2,792	135,925.16	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	31.99	263	14,071.22	A
KEROSENE	275.70	322	18,322.91	A
LAMBDA-CYHALOTHRIN	245.59	193	10,222.80	A
LECITHIN	3,791.82	384	15,294.73	A
LIMONENE	34.54	4	275.57	A
MALATHION	435.79	8	519.18	A
MANGANESE SULFATE	5.89	12	611.90	A
MCPA, DIMETHYLAMINE SALT	63.55	5	152.00	A
MEFENOXAM	4.73	1	35.00	A
METAM-SODIUM	3,047.98	1	72.00	A
METHOMYL	1,021.41	89	2,565.11	A
METHOXYFENOZIDE	493.96	72	3,250.33	A
METHYLATED SILICA	7.60	28	2,295.70	A
METHYLATED SOYBEAN OIL	17,099.17	958	50,546.41	A
METHYL CELLULOSE	11.76	2	252.00	A
METHYL PARATHION	4.64	1	94.90	A
METHYL SILICONE RESINS	393.26	55	4,152.30	A
METOLACHLOR	18,961.73	196	10,778.64	A
S-METOLACHLOR	11,953.20	150	7,824.90	A
MINERAL OIL	4,815.19	141	7,064.40	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	157.46	52	3,192.00	A
MORPHOLINE	5.16	2	252.00	A
MSMA	144.37	4	101.00	A
NICOSULFURON	250.99	116	8,745.21	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1,808.67	839	40,993.06	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	34,877.21	5,435	269,954.81	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	183.18	235	11,828.28	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	2,333.84	469	25,584.05	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	156.70	35	1,080.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.02	1	70.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	92.32	18	887.50	A
OLEIC ACID	73.65	67	3,505.00	A
OLEIC ACID, METHYL ESTER	10,761.57	385	20,178.42	A
ORCHEX 796 OIL	16.27	1	225.00	A
ORGANO/MODIFIED POLYSILOXANE	0.24	8	546.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN (FORAGE - FODDER)				
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	91.24	52	2,579.20	A
OXYFLUORFEN	319.86	39	2,512.50	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	2.00	1	10.00	A
PARAQUAT DICHLORIDE	4,431.37	102	4,954.75	A
PENDIMETHALIN	11,853.62	216	10,879.15	A
PERMETHRIN	3,939.20	569	32,426.44	A
PETROLEUM DISTILLATES	344.00	29	1,278.00	A
PETROLEUM DISTILLATES, ALIPHATIC	0.67	18	1,224.00	A
PETROLEUM NAPHTHENIC OILS	7.85	18	1,224.00	A
PETROLEUM OIL, PARAFFIN BASED	5,683.41	298	15,405.22	A
PETROLEUM OIL, UNCLASSIFIED	1,166.47	4	165.00	A
PHORATE	5,288.27	19	5,354.20	A
PHOSPHORIC ACID	5,499.08	2,170	109,680.56	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	277.84	201	10,382.04	A
POLYACRYLAMIDE POLYMER	235.05	572	27,297.10	A
POLYACRYLIC POLYMER	85.91	356	19,040.13	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	152.02	233	11,140.01	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	29.70	9	613.20	A
POLYBUTENES	594.30	326	16,315.09	A
POLYETHER MODIFIED POLYSILOXANE	37.81	30	1,636.30	A
POLYETHOXYLATED CASTOR OIL	2.14	8	257.70	A
POLYETHYLENE GLYCOL	8,100.72	1,758	82,723.45	A
POLYETHYLENE GLYCOL DIACETATE	0.60	19	938.22	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	114.75	44	2,216.60	A
POLYETHYLENE GLYCOL OLEATE	107.67	12	448.00	A
POLY-I-PARA-MENTHENE	44.11	4	179.00	A
POLYMERIZED ACRYLIC ACID	2.47	1	70.00	A
POLYOXYETHYLENE DIOLEATE	1.90	52	2,579.20	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	22.46	5	161.75	A
POLYOXYETHYLENE POLYOXYPROPYLENE	419.34	131	5,882.61	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	62.89	86	3,186.50	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	407.25	27	1,011.05	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	0.70	1	70.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	121.22	259	13,795.65	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	812.29	282	14,739.17	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	1,271.55	137	5,467.60	A
POLYPROPYLENE GLYCOL	0.04	7	50.50	A
POLYSACCHARIDE POLYMER	3.88	50	3,482.02	A
POLYSILOXANE	44.10	38	1,977.00	A
POTASSIUM HYDROXIDE	44.49	264	9,189.96	A
POTASSIUM NITRATE	409.08	260	9,001.96	A
PROPARGITE	133,228.30	1,197	59,378.27	A
PROPICONAZOLE	26.84	7	317.00	A
PROPIONIC ACID	810.15	134	5,735.14	A
PROPYLENE GLYCOL	2,651.38	813	39,367.73	A
PROPYLENE GLYCOL, METHYL ETHER	3.79	4	284.00	A
PYRACLOSTROBIN	8.97	5	73.00	A
PYRAFLUFEN-ETHYL	5.86	80	3,466.07	A
RIMSULFURON	64.70	92	4,995.51	A
SALICYLIC AND BENZOIC ESTERS OF PROPYLENE GLYCOL	391.60	5	288.00	A
SETHOXYDIM	7.01	1	146.00	A
SILICONE DEFOAMER	6.50	137	5,117.10	A
SODIUM CHLORATE	1,498.73	2	250.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN (FORAGE - FODDER)				
SODIUM DIISOCTYLSULFOSUCCINATE	1.57	2	252.00	A
SODIUM DIOCTYLSULFOSUCCINATE	95.39	54	2,556.00	A
SODIUM HYDROXIDE	189.20	179	6,632.86	A
SODIUM POLYACRYLATE	37.60	271	18,579.95	A
SODIUM TRIPOLYPHOSPHATE	0.68	1	40.00	A
SODIUM XYLENE SULFONATE	31.23	126	4,408.90	A
SORBITAN FATTY ACID ESTERS	0.15	1	70.00	A
SORBITAN MONOOLEATE	34.75	21	931.10	A
SORBITAN TRIOLEATE	7.11	8	421.70	A
SPINETORAM	7.66	2	94.50	A
SPINOSAD	23.24	9	397.50	A
SPIROMESIFEN	18,792.86	2,629	114,358.89	A
STYRENE BUTADIENE COPOLYMER	3.43	5	208.30	A
SULFUR	5,511.15	17	871.54	A
SULFURIC ACID	74.52	154	6,794.31	A
TALL OIL	475.53	419	20,255.06	A
TALL OIL FATTY ACIDS	1,102.05	368	23,779.32	A
TEMBOTRIONE	111.07	36	1,448.70	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	192.11	143	5,343.40	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	91.64	4	278.00	A
TETRAPOTASSIUM PYROPHOSPHATE	15.61	126	4,408.90	A
TRIBENURON-METHYL	9.93	20	801.48	A
TRICLOPYR, BUTOXYETHYL ESTER	0.29	2	1.00	A
TRIETHANOLAMINE	39.88	139	4,546.90	A
TRIFLOXYSTROBIN	26.84	7	317.00	A
TRIFLURALIN	449.85	10	635.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	272.00	73	3,318.00	A
TRISODIUM PHOSPHATE	24.58	13	597.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2,469.57	450	23,194.72	A
UREA	80.47	15	1,001.00	A
UREA DIHYDROGEN SULFATE	4.14	2	62.50	A
VEGETABLE OIL	217.01	6	165.00	A
VINYL POLYMER	176.27	360	30,840.99	A
XANTHAN GUM	0.39	205	10,248.38	A
XYLENE	5.15	1	94.90	A
ZINC SULFATE	116.72	123	5,847.64	A
Site Total	1,104,508.23	38,252		
CORN SALAD				
ABAMECTIN	1.63	58	114.78	A
AZADIRACTIN	0.12	5	4.25	A
AZOXYSTROBIN	6.87	23	46.99	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	8.66	10	8.66	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	5.40	1	5.00	A
BENSULIDE	528.66	64	134.35	A
CHLORANTRANILIPROLE	3.01	24	46.53	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	23.29	69	109.88	A
CYPRODINIL	6.60	12	22.10	A
FENAMIDONE	7.72	8	29.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN SALAD				
FLONICAMID	5.90	31	67.44	A
FLUDIOXONIL	4.40	12	22.10	A
HYDROGEN PEROXIDE	225.33	120	253.74	A
IMIDACLOPRID	7.23	76	162.41	A
MANDIPROPAMID	29.65	114	235.07	A
MEFENOXAM	0.07		33.88	P
PERMETHRIN	33.81	127	269.40	A
POLYETHER MODIFIED POLYSILOXANE	11.06	60	122.03	A
POTASH SOAP	12.08	5	4.25	A
PYRETHRINS	0.25	1	5.00	A
SPINETORAM	1.04	12	22.26	A
SPINOSAD	0.50	1	5.00	A
Site Total	923.25	821		
CORN, GRAIN				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.38	5	114.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	106.06	20	762.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	168.32	39	1,945.10	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	14.97	5	189.22	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	110.33	19	974.20	A
ALKYL (C8,C10) POLYGLUCOSIDE	330.51	130	4,431.33	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	17.55	5	114.00	A
AMMONIUM NITRATE	177.19	157	5,779.43	A
AMMONIUM PROPIONATE	21.31	6	226.00	A
AMMONIUM SULFATE	3,953.36	278	9,415.93	A
ATRAZINE	865.58	36	669.70	A
ATRAZINE, OTHER RELATED	18.29	36	669.70	A
BENZOIC ACID	9.71	29	1,362.10	A
BIFENTHRIN	202.88	45	2,159.30	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	85.95	37	1,376.33	A
BROMOXYNIL HEPTANOATE	13.76	1	40.00	A
BROMOXYNIL OCTANOATE	14.27	1	40.00	A
BUTYL ALCOHOL	80.28	22	902.30	A
CARFENTRAZONE-ETHYL	38.52	102	4,286.90	A
CASTOR OIL ETHOXYLATE	3.29	5	160.00	A
CHLORPYRIFOS	924.80	24	948.10	A
CITRIC ACID	112.51	68	2,595.03	A
CLETHODIM	2.45	1	54.00	A
COCONUT DIETHANOLAMIDE	0.28	2	84.00	A
COTTONSEED OIL	547.61	13	546.00	A
2,4-D, DIMETHYLAMINE SALT	658.23	13	603.40	A
DERIVATED NATURAL POLYMERS	0.12	3	66.70	A
DICAMBA, DIMETHYLAMINE SALT	363.42	27	1,247.80	A
DICAMBA, SODIUM SALT	294.90	32	1,390.10	A
DIETHYLENE GLYCOL	72.00	41	1,263.20	A
DIFLUFENZOPYR, SODIUM SALT	57.72	24	1,027.10	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	1,551.96	106	4,587.30	A
DIMETHOATE	509.86	22	1,033.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN, GRAIN				
DIMETHYL ALKYL TERTIARY AMINES	10.58	29	1,362.10	A
DIMETHYLPOLYSILOXANE	57.23	440	15,288.46	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	4.37	3	130.33	A
DODECYLBENZENE SULFONIC ACID	1.21	2	84.00	A
EDTA, TETRASODIUM SALT	0.07	2	84.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	120.61	8	492.00	A
ESFENVALERATE	12.79	5	262.00	A
ETHYLENE GLYCOL	18.58	4	105.00	A
ETOXAZOLE	322.14	90	3,451.59	A
FATTY ACIDS, MIXED	41.95	28	956.42	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	151.22	18	585.00	A
FATTY ACIDS DERIVED FROM TALLOW	44.13	19	974.20	A
FLUMIOXAZIN	38.54	10	532.00	A
GLYCEROL	7.98	9	240.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	8,163.14	205	7,615.33	A
GLYPHOSATE, POTASSIUM SALT	24,808.25	491	19,182.63	A
HALOSULFURON-METHYL	47.82	15	667.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.16	1	70.00	A
HEXYTHIAZOX	383.03	70	3,063.80	A
HYDROTREATED PARAFFINIC SOLVENT	44.06	3	145.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	18.17	18	724.60	A
ISOPROPYL ALCOHOL	261.07	202	6,846.78	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	3.19	39	1,635.80	A
KEROSENE	15.40	22	1,023.10	A
LAMBDA-CYHALOTHRIN	24.07	30	887.90	A
LECITHIN	1,180.84	99	3,389.41	A
METHOXYFENOZIDE	14.82	1	140.00	A
METHYLATED SOYBEAN OIL	1,363.56	154	5,819.90	A
METHYL SILICONE RESINS	6.49	3	164.00	A
METOLACHLOR	245.09	4	164.00	A
S-METOLACHLOR	2,675.74	28	1,486.30	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	52.18	20	650.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,725.85	388	13,304.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	4.77	5	236.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,401.17	129	3,949.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.36	3	139.80	A
OLEIC ACID	2.08	5	131.00	A
OLEIC ACID, METHYL ESTER	341.52	25	1,086.49	A
PARAQUAT DICHLORIDE	333.23	11	373.42	A
PENDIMETHALIN	834.16	11	667.70	A
PETROLEUM DISTILLATES	161.50	18	596.00	A
PETROLEUM OIL, PARAFFIN BASED	593.40	43	1,784.60	A
PHORATE	399.67	12	367.00	A
PHOSPHINE	0.16		4,000.00	S
PHOSPHORIC ACID	210.75	84	3,224.70	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	11.01	6	656.33	A
POLYACRYLAMIDE POLYMER	3.42	41	1,149.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN, GRAIN				
POLYACRYLIC POLYMER	1.27	16	439.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	15.69	32	1,179.70	A
POLYBUTENES	27.00	18	585.00	A
POLYETHER MODIFIED POLYSILOXANE	6.54	8	492.00	A
POLYETHYLENE GLYCOL	338.69	120	4,040.53	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	24.90	34	447.60	A
POLYOXYETHYLENE POLYOXYPROPYLENE	8.68	2	91.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	0.21	1	9.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	11.39	3	139.80	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	12.74	39	1,635.80	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	83.79	39	1,635.80	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	26.45	6	164.50	A
POLYSILOXANE	1.42	7	171.70	A
POTASSIUM HYDROXIDE	3.50	30	1,314.20	A
POTASSIUM NITRATE	26.93	26	1,209.20	A
PROPARGITE	2,438.37	27	1,041.90	A
PROPICONAZOLE	84.60	30	937.00	A
PROPIONIC ACID	7.23	6	176.42	A
PROPYLENE GLYCOL	56.51	37	1,418.10	A
PYRAFLUFEN-ETHYL	1.17	31	1,107.42	A
SILICONE DEFOAMER	0.03	2	84.00	A
SODIUM DIOCTYLSULFOSUCCINATE	3.89	5	131.00	A
SODIUM HYDROXIDE	11.34	24	840.10	A
SODIUM POLYACRYLATE	0.53	6	226.00	A
SODIUM XYLENE SULFONATE	0.37	2	84.00	A
SORBITAN FATTY ACID ESTERS	2.49	3	139.80	A
SPIROMESIFEN	587.64	146	3,639.45	A
SULFURIC ACID	10.98	16	661.00	A
TALL OIL	36.85	32	1,289.50	A
TALL OIL FATTY ACIDS	4.88	4	215.00	A
TEMBOTRIONE	20.95	9	352.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.42	2	84.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.19	2	84.00	A
TRIETHANOLAMINE	0.48	2	84.00	A
TRIFLOXYSTROBIN	84.60	30	937.00	A
TRISODIUM PHOSPHATE	0.08	1	26.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	53.01	27	1,079.20	A
VINYL POLYMER	24.85	139	4,361.25	A
XANTHAN GUM	< 0.01	2	91.00	A
ZINC SULFATE	1.15	3	61.00	A
Site Total	62,512.72	2,831		
CORN, HUMAN CONSUMPTION				
ABAMECTIN	0.89	2	118.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	125.59	17	1,616.38	A
ALACHLOR	1,920.12	65	837.15	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	598.16	90	5,293.02	A
ALKYLARYL SULFONATES	4.53	13	766.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	359.08	180	10,625.00	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	396.79	90	3,830.38	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN, HUMAN CONSUMPTION				
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.95	2	83.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.61	1	12.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.08	1	12.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	230.72	106	3,168.71	A
ALKYL (C8,C10) POLYGLUCOSIDE	336.33	416	13,508.68	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	13.09	2	85.00	A
ALUMINUM PHOSPHIDE	285.59		2,085,080.00	C
	283.80		1,010.00	K
	0.75	3	198.00	A
Total Pounds On This Chemical	570.15			
AMMONIUM NITRATE	92.06	43	1,500.50	A
AMMONIUM PROPIONATE	59.23	7	642.00	A
AMMONIUM SULFATE	930.51	150	6,523.10	A
ATRAZINE	10,826.58	157	8,777.70	A
ATRAZINE, OTHER RELATED	226.75	157	8,777.70	A
AZADIRACTIN	3.33	11	100.05	A
AZOXYSTROBIN	36.70	8	251.00	A
BACILLUS PUMILUS, STRAIN QST 2808	3.24	2	54.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	179.34	30	1,148.40	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	560.90	26	761.30	A
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	42.34	36	165.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	11.88	8	16.00	A
	0.07	4	2,100.00	S
Total Pounds On This Chemical	11.95			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.04	2	0.40	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	384.61	104	4,996.02	A
	< 0.01	1	2,000.00	S
Total Pounds On This Chemical	384.61			
BENTAZON, SODIUM SALT	91.33	18	94.50	A
BENZOIC ACID	15.20	79	2,013.60	A
BIFENTHRIN	4,406.15	563	16,372.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	62.62	35	1,927.00	A
BUTYL ALCOHOL	16.30	36	838.60	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	179.95	92	3,896.39	A
CALCIUM CHLORIDE	2.60	3	145.00	A
CARBARYL	1,060.65	38	539.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.05	2	10.00	A
CARFENTHAZONE-ETHYL	63.90	114	3,933.68	A
CASTOR OIL ETHOXYLATE	1,423.35	289	9,898.00	A
CHLORANTRANILIPROLE	1,235.80	399	23,366.40	A
CHLOROTHALONIL	469.06	28	386.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN, HUMAN CONSUMPTION				
CHLORPYRIFOS	12,073.29	204	12,620.85	A
CITRIC ACID	84.11	67	3,438.30	A
CLETHODIM	7.67	2	39.00	A
COCONUT DIETHANOLAMIDE	1.84	6	308.00	A
COCONUT OIL AMINE ACETATE	3.83	13	766.00	A
CYFLUTHRIN	183.77	73	4,125.70	A
BETA-CYFLUTHRIN	729.25	610	31,334.05	A
CYPERMETHRIN	29.57	53	639.50	A
(S)-CYPERMETHRIN	1,071.85	445	22,473.74	A
2,4-D, DIMETHYLAMINE SALT	90.87	5	108.40	A
DERIVATED NATURAL POLYMERS	1.28	7	694.30	A
DIAZINON	32.74	2	60.00	A
DICAMBA, DIMETHYLAMINE SALT	24.49	2	85.50	A
DICAMBA, SODIUM SALT	211.56	32	1,077.45	A
DIETHYLENE GLYCOL	681.13	472	17,533.64	A
DIFLUFENZOPYR, SODIUM SALT	54.07	20	705.85	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	292.99	16	771.88	A
DIMETHYL ALKYL TERTIARY AMINES	16.55	79	2,013.60	A
DIMETHYLPOLYSILOXANE	128.60	1,277	45,621.44	A
DIPROPYLENE GLYCOL METHYL ETHER	1.95	3	202.00	A
DODECYLBENZENE SULFONIC ACID	7.96	6	308.00	A
EDTA, TETRASODIUM SALT	0.49	6	308.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	869.10	89	5,453.00	A
ESFENVALERATE	6,405.79	3,092	134,905.20	A
ETHYLENE GLYCOL	9,676.90	668	54,178.02	A
ETOXAZOLE	465.64	90	3,905.76	A
FATTY ACIDS, MIXED	990.73	547	26,430.03	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	224.00	33	1,842.00	A
FATTY ACIDS DERIVED FROM TALLOW	92.29	106	3,168.71	A
FLUBENDIAMIDE	2,974.67	347	32,185.06	A
FLUMIOXAZIN	53.56	10	553.20	A
GLUFOSINATE-AMMONIUM	2.69	1	2.00	S
GLYCEROL	5.32	2	92.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	6,272.31	94	4,543.56	A
GLYPHOSATE, POTASSIUM SALT	11,573.50	172	8,041.12	A
HALOSULFURON-METHYL	37.57	20	843.30	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	33.54	35	1,034.60	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.83	5	156.00	A
HEXYTHIAZOX	1,134.46	200	8,796.47	A
HYDROTREATED PARAFFINIC SOLVENT	10,248.59	111	8,955.07	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	121.65	120	2,414.79	A
IMIDACLOPRID	3,162.33	195	4,878.20	A
INDOXACARB	1,997.27	341	30,367.54	A
ISODECYL ALCOHOL	1.18	1	110.00	A
ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	15.43	4	251.00	A
ISOPROPYL ALCOHOL	2,406.27	1,501	89,868.54	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	4.11	18	1,139.20	A
KEROSENE	29.43	79	2,013.60	A
LAMBDA-CYHALOTHRIN	2,038.16	1,168	68,987.34	A
LECITHIN	4,120.85	712	30,673.95	A
MAGNESIUM PHOSPHIDE	0.04		1.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN, HUMAN CONSUMPTION				
MAGNESIUM SULFATE	17.55	12	358.30	A
MALATHION	2,269.58	58	2,220.00	A
	0.04	1	500.00	S
	0.02	1	150.00	U
Total Pounds On This Chemical	2,269.64			
MANCOZEB	4.88	1	5.00	A
MARGOSA OIL	1.23	1	1.00	A
MEPIQUAT CHLORIDE	3.91	2	98.00	A
METHOMYL	67,075.54	2,939	153,507.65	A
METHOXYFENOZIDE	444.33	77	3,415.16	A
METHYLATED SOYBEAN OIL	8,519.19	571	26,353.02	A
METHYL SILICONE RESINS	99.31	92	2,429.00	A
METOLACHLOR	11,968.89	73	5,757.54	A
S-METOLACHLOR	3,393.31	143	2,111.29	A
MINERAL OIL	7,449.92	210	10,205.90	A
NICOSULFURON	67.42	54	1,980.91	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	114.38	50	3,587.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	15,587.08	3,190	169,399.19	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	279.72	61	4,760.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	3,680.95	203	12,723.01	A
NOSEMA LOCUSTAE SPORES	< 0.01	1	0.25	A
NOVALURON	2.28	1	58.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	18.39	14	478.30	A
OLEIC ACID	27.69	16	973.00	A
OLEIC ACID, METHYL ESTER	2,459.10	248	7,317.97	A
ORCHEX 796 OIL	72.36	1	70.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	104.46	59	3,598.00	A
OXYDEMETON-METHYL	2,737.47	81	2,601.00	A
OXYFLUORFEN	164.15	19	792.65	A
PARAQUAT DICHLORIDE	139.12	3	149.00	A
PENDIMETHALIN	11,662.55	262	10,101.81	A
PERMETHRIN	736.48	225	3,926.55	A
PETROLEUM DISTILLATES	152.23	14	797.00	A
PETROLEUM DISTILLATES, ALIPHATIC	7.54	17	1,616.38	A
PETROLEUM NAPHTHENIC OILS	87.92	17	1,616.38	A
PETROLEUM OIL, PARAFFIN BASED	3,388.10	304	13,048.50	A
PHOSMET	4.20	3	1.50	A
PHOSPHINE	6.18		5,209,920.00	C
	0.24		3.00	A
Total Pounds On This Chemical	6.42			
PHOSPHORIC ACID	4,489.21	1,089	89,066.63	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	14.17	35	2,077.67	A
POLYACRYLAMIDE POLYMER	7.96	40	1,550.00	A
POLYACRYLIC POLYMER	4.32	35	1,983.13	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	240.55	351	15,628.82	A
POLYBUTENES	40.00	33	1,842.00	A
POLYETHER MODIFIED POLYSILOXANE	97.51	98	5,896.00	A
POLYETHOXYLATED CASTOR OIL	86.01	47	3,751.00	A
POLYETHYLENE GLYCOL	2,229.19	551	17,416.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	7.45	5	175.20	A
POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA	5.46	30	1,219.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN, HUMAN CONSUMPTION				
POLYOXYETHYLENE DIOLEATE	2.18	59	3,598.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	76.65	43	1,393.87	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	3.46	2	72.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	11,457.92	286	11,909.30	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	16.45	18	1,139.20	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	108.30	18	1,139.20	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	19,706.02	542	30,582.00	A
POLYPROPYLENE GLYCOL	0.06	2	15.00	A
POLYSACCHARIDE POLYMER	0.37	12	764.00	A
POLYSILOXANE	20.79	388	13,138.48	A
POTASSIUM HYDROXIDE	177.16	381	12,444.18	A
PROPARGITE	7,043.27	63	3,252.08	A
PROPICONAZOLE	2.47	1	30.00	A
PROPIONIC ACID	3,298.78	620	26,840.57	A
PROPYLENE GLYCOL	173.24	283	3,467.10	A
PROPYLENE GLYCOL, METHYL ETHER	1.33	2	137.00	A
PYRACLOSTROBIN	97.58	7	622.00	A
PYRAFLUFEN-ETHYL	2.65	13	799.70	A
PYRETHRINS	5.96	17	470.65	A
QUILLAJA	0.11	2	10.00	A
RIMSULFURON	31.70	49	1,854.71	A
SETHOXYDIM	14.01	2	32.00	A
SILICONE DEFOAMER	0.22	7	386.00	A
SIMAZINE	24.03	6	12.00	A
SODIUM CHLORATE	2,466.09	11	411.37	A
SODIUM DIOCTYLSULFOSUCCINATE	31.08	13	766.00	A
SODIUM HYDROXIDE	2.92	2	92.00	A
SODIUM POLYACRYLATE	3.68	7	642.00	A
SODIUM XYLENE SULFONATE	2.45	6	308.00	A
SPINETORAM	298.41	129	7,405.32	A
SPINOSAD	162.08	66	2,187.57	A
SPIROMESIFEN	3,611.99	387	17,259.12	A
SPIROTETRAMAT	0.38	1	40.00	A
STYRENE BUTADIENE COPOLYMER	26.73	228	963.00	A
SUGAR	15.34	13	766.00	A
SULFUR	54,299.30	46	2,485.40	A
SULFURIC ACID	1.50	2	85.00	A
TALL OIL	2,456.10	392	18,701.00	A
TALL OIL FATTY ACIDS	807.91	220	11,091.57	A
TEMBOTRIONE	44.22	18	526.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.33	6	308.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	4.88	12	358.30	A
TETRAPOTASSIUM PYROPHOSPHATE	1.22	6	308.00	A
THIODICARB	12.70	1	22.00	A
TRIBENURON-METHYL	0.90	1	72.00	A
TRIETHANOLAMINE	24.75	106	9,019.00	A
TRIFLOXYSTROBIN	2.47	1	30.00	A
TRIFLURALIN	250.77	7	250.10	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	41.99	36	958.80	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3,245.08	1,019	30,106.72	A
UREA	10.81	2	42.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CORN, HUMAN CONSUMPTION				
VEGETABLE OIL	292.53	10	374.84	A
VINYL POLYMER	0.54	1	31.00	A
XANTHAN GUM	< 0.01	2	45.53	A
ZINC SULFATE	1,084.98	646	62,718.80	A
Site Total	369,082.11	19,763		
COTTON				
ABAMECTIN	2,858.09	3,611	271,464.35	A
ACEPHATE	20,787.74	279	20,898.46	A
	12,437.79		1,827.00	T
Total Pounds On This Chemical	33,225.53			
ACETAMIPRID	11,731.09	1,465	168,775.78	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	53.62	64	5,359.70	A
ACRYLIC ACID	293.14	73	6,051.21	A
ALCOHOL SULFATES	45.62	17	1,016.00	A
ALCOHOLS, C4-C12, NORMAL	113.69	111	6,190.32	A
ALDICARB	1,495.43	43	1,474.66	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	11,498.44	920	79,095.14	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	2.93	5	200.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,509.74	690	42,726.97	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,291.14	193	15,592.47	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	402.10	66	8,053.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	616.99	135	5,214.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	76.67	135	5,214.00	A
ALPHA-ALKYL (C12-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	735.14	270	17,813.51	A
ALPHA-PINENE BETA-PINENE COPOLYMER	54.65	1	160.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4,660.27	1,587	70,577.25	A
ALPHA-ALKYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	54.34	7	300.91	A
ALKYL (C8,C10) POLYGLUCOSIDE	977.36	221	11,472.43	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	584.77	52	3,974.60	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	6.80	5	347.50	A
ALMOND, BITTER	0.01	2	93.00	A
ALUMINUM PHOSPHIDE	7.54		72,000.00	C
	1.09	19	2,865.00	A
Total Pounds On This Chemical	8.63			
AMMONIUM NITRATE	626.94	411	26,066.78	A
AMMONIUM PROPIONATE	9,953.75	1,179	133,999.13	A
AMMONIUM SULFATE	24,136.67	3,622	282,496.52	A
AZOXYSTROBIN	15,503.58	488	98,225.94	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	116.25	1	155.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	33.73	10	1,331.00	A
BENZOIC ACID	241.01	400	31,183.37	A
BIFENTHRIN	5,298.19	507	54,001.77	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COTTON				
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	4,298.41	707	51,394.05	A
BUPROFEZIN	10,224.82	361	29,769.00	A
2-BUTOXYETHANOL	1.17	5	200.00	A
BUTYL ALCOHOL	1,136.92	565	36,405.11	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	2,055.15	985	43,767.65	A
CALCIUM CHLORIDE	329.92	290	14,934.29	A
CARBARYL	3.31	1	37.80	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	1.95	2	93.00	A
CARFENTRAZONE-ETHYL	401.42	303	23,836.41	A
CASTOR OIL ETHOXYLATE	49.33	33	1,810.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	31.08	3	204.56	A
CHLORANTRANILIPROLE	101.69	33	2,619.40	A
CHLORONEB	243.46		40.00	T
CHLORPYRIFOS	97,768.84	829	107,051.69	A
CITRIC ACID	10,379.72	3,609	283,170.22	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	150.75	8	970.00	A
CLETHODIM	4,058.78	368	23,330.72	A
CLOTHIANIDIN	1,277.33	287	17,249.48	A
COCONUT DIETHANOLAMIDE	95.56	545	18,993.55	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	19.04	200	11,208.10	A
CORN SYRUP	12.21	2	57.63	A
COTTONSEED OIL	38,610.53	440	36,211.01	A
CYCLANILIDE	1,225.27	349	20,978.67	A
CYFLUTHRIN	260.28	117	9,142.99	A
BETA-CYFLUTHRIN	66.37	224	17,282.72	A
CYPERMETHRIN	16.44	1	170.00	A
(S)-CYPERMETHRIN	925.41	167	20,933.24	A
CYTOKININ	0.05	65	2,408.55	A
4-(2,4-DB), DIMETHYLAMINE SALT	31.37	1	53.60	A
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	1.90	2	128.30	A
DERIVATED NATURAL POLYMERS	12.97	153	8,442.02	A
DICOFOL	9,960.78	107	7,609.31	A
DIETHYLENE GLYCOL	4,108.51	1,371	121,375.24	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	12.46	3	66.00	A
DIMETHOATE	10,618.45	337	23,913.20	A
DIMETHYL ALKYL TERTIARY AMINES	262.47	400	31,183.37	A
DIMETHYLPOLYSILOXANE	737.91	3,800	289,411.54	A
DIMETHYL SILICONE FLUID EMULSION	0.20	1	303.00	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	296.51	93	9,563.28	A
DINOTEFURAN	673.32	85	6,075.50	A
DIOCTYL PHTHALATE	42.25	4	498.80	A
DIPHACINONE	< 0.01	15	589.00	A
DIPROPYLENE GLYCOL METHYL ETHER	8.73	21	1,802.00	A
DIURON	9,731.76	4,578	350,667.31	A
DODECYLBENZENE SULFONIC ACID	414.08	545	18,993.55	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	224.20	96	3,462.20	A
EDTA, SODIUM SALT	0.24	6	1,218.53	A
EDTA, TETRASODIUM SALT	25.48	545	18,993.55	A
EMAMECTIN BENZOATE	137.66	36	11,859.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COTTON				
ESFENVALERATE	15.95	8	516.50	A
ETHEPHON	363,303.83	4,791	358,049.90	A
ETHYLENE GLYCOL	3,618.39	314	17,378.86	A
ETOXAZOLE	1,003.63	247	19,983.69	A
FATTY ACIDS, METHYL ESTERS	27.50	6	292.00	A
FATTY ACIDS, MIXED	8,551.61	3,767	396,275.93	A
	0.49	1	151.75	U
Total Pounds On This Chemical	8,552.11			
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	8,660.73	524	34,834.67	A
FATTY ACIDS DERIVED FROM TALLOW	1,864.11	1,587	70,577.25	A
FENPROPATHRIN	4,616.98	195	18,384.90	A
FENPYROXIMATE	62.07	19	889.50	A
FENUGREEK	1.17	2	93.00	A
FERROUS SULFATE	99.01	200	11,208.10	A
FLONICAMID	23,200.46	2,684	263,468.10	A
FLUAZIFOP-P-BUTYL	181.32	7	646.40	A
FLUBENDIAMIDE	991.20	102	14,443.49	A
FLUDIOXONIL	75.89		1,479.00	T
FLUMIOXAZIN	3,163.97	477	41,071.26	A
GAMMA-CYHALOTHRIN	31.45	20	3,274.30	A
GLUFOSINATE-AMMONIUM	1,959.27	73	4,618.97	A
GLYCEROL	114.17	59	3,012.11	A
GLYPHOSATE, DIAMMONIUM SALT	121.46	1	162.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	141,129.87	1,602	113,212.30	A
GLYPHOSATE, POTASSIUM SALT	649,674.05	5,956	462,793.42	A
GLYPHOSATE-TRIMESIUM	62.56	1	66.45	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	11.65	5	171.50	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	10.54	73	3,940.50	A
HEXYTHIAZOX	110.04	18	950.50	A
HYDROTREATED PARAFFINIC SOLVENT	13,852.93	212	15,640.67	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	153.92	71	3,938.11	A
IMAZETHAPYR, AMMONIUM SALT	8.13	2	82.00	A
IMIDACLOPRID	6,037.60	975	77,543.46	A
INDOXACARB	4,864.29	303	46,817.82	A
IPRODIONE	15,109.59	233	61,679.50	A
ISOPARAFFINIC HYDROCARBONS	621.13	13	1,329.40	A
ISOPROPYL ALCOHOL	18,810.21	3,100	202,201.11	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	199.29	1,204	82,523.46	A
KEROSENE	459.21	385	30,538.07	A
LAMBDA-CYHALOTHRIN	756.74	114	13,300.66	A
LECITHIN	22,479.63	2,299	257,941.86	A
	11.46	1	151.75	U
Total Pounds On This Chemical	22,491.09			
LIGNIN SULFONIC ACID, METAL SALTS	19.17	4	302.00	A
LIGNIN SULFONIC ACID, ZINC SALT	243.23	1	162.00	A
LIMONENE	24.01	5	200.00	A
MAGNESIUM SULFATE	7.75	15	1,758.50	A
MALATHION	6,296.38	47	5,687.20	A
MANCOZEB	12.15	1	5.40	A
MANGANESE SULFATE	137.09	200	11,208.10	A
MCPA, DIMETHYLAMINE SALT	28.97	3	66.00	A
MEFENOXAM	226.68		1,519.00	T

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COTTON				
MEFENOXAM, OTHER RELATED	7.02		1,519.00	T
MEPIQUAT CHLORIDE	14,880.76	5,897	369,559.22	A
	9.99	1	151.75	U
Total Pounds On This Chemical	14,890.75			
METAM-SODIUM	23,592.21	6	699.00	A
METHIDATHION	150.53	2	300.30	A
METHOMYL	71.16	4	159.00	A
METHOXYFENOZIDE	3,118.36	150	19,463.34	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	3.02	1	16.00	A
METHYLATED SOYBEAN OIL	31,086.51	1,461	117,517.64	A
METHYL CELLULOSE	41.66	4	498.80	A
METHYL IODIDE	20.77	1	37.00	A
METOLACHLOR	10,798.67	104	8,150.56	A
S-METOLACHLOR	23,720.15	155	18,663.89	A
MINERAL OIL	18,818.00	368	28,815.69	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	15.14	6	1,218.53	A
MORPHOLINE	18.27	4	498.80	A
MSMA	5,242.16	80	4,371.15	A
MYCLOBUTANIL	847.45		1,519.00	T
NALED	52,299.07	335	46,529.65	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	4,209.88	1,058	96,340.98	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	54,853.44	9,497	749,932.50	A
	3.07	1	151.75	U
Total Pounds On This Chemical	54,856.52			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	1,428.92	227	16,617.17	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	12,886.80	1,750	179,326.96	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	227.91	6	832.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	28.06	138	7,904.10	A
NOVALURON	4,605.43	434	75,834.75	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.60	17	1,872.00	A
OLEIC ACID	89.14	16	1,178.96	A
OLEIC ACID, METHYL ESTER	9,126.21	288	16,219.90	A
ORCHEX 796 OIL	589.24	18	1,580.06	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	6.82	3	340.00	A
OXAMYL	29,168.34	284	30,032.46	A
OXYFLUORFEN	20,727.00	674	56,789.16	A
PARAQUAT DICHLORIDE	167,895.59	2,438	259,788.48	A
PENDIMETHALIN	102,398.20	782	83,957.01	A
PETROLEUM DISTILLATES	13,377.03	184	13,231.10	A
PETROLEUM DISTILLATES, ALIPHATIC	3.19	62	5,109.70	A
PETROLEUM NAPHTHENIC OILS	37.24	62	5,109.70	A
PETROLEUM OIL, PARAFFIN BASED	44,986.57	1,587	105,956.06	A
PETROLEUM OIL, UNCLASSIFIED	1,628.85	27	1,261.00	A
PHORATE	49,277.01	477	38,767.65	A
PHOSPHINE	0.05		1,300.00	C
PHOSPHORIC ACID	8,233.54	3,239	209,771.24	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	976.13	939	106,555.43	A
POLYACRYLAMIDE POLYMER	1,431.62	2,455	276,885.84	A
POLYACRYLIC POLYMER	204.90	1,130	55,030.77	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	650.25	607	43,033.82	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COTTON				
POLYBUTENES	1,546.56	524	34,834.67	A
POLYETHER MODIFIED POLYSILOXANE	35.16	3	286.80	A
POLYETHOXYLATED CASTOR OIL	0.91	2	20.00	A
POLYETHYLENE GLYCOL	3,635.75	762	43,926.99	A
POLYETHYLENE GLYCOL DIACETATE	0.62	5	347.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	162.44	31	2,502.25	A
POLY-I-PARA-MENTHENE	188.48	9	475.50	A
POLYMERIZED ACRYLIC ACID	9.01	4	114.20	A
POLYOXYETHYLENE DIOLEATE	0.14	3	340.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	72.03	13	517.10	A
POLYOXYETHYLENE POLYOXYPROPYLENE	25.87	9	291.80	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	681.66	80	5,162.50	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	897.80	138	7,904.10	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	792.49	1,199	82,323.46	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	5,216.20	1,201	82,451.76	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	406.97	36	1,950.00	A
POLYSACCHARIDE POLYMER	31.83	466	85,962.13	A
POLYSILOXANE	151.06	206	11,128.62	A
POTASSIUM HYDROXIDE	64.82	192	11,727.07	A
POTASSIUM N-METHYLDITHIOCARBAMATE	10,019.15	2	168.68	A
POTASSIUM NITRATE	480.52	168	10,178.07	A
PROFENOFOS	58.21	1	155.30	A
PROMETRYN	7,312.25	51	4,422.10	A
PROPARGITE	2,391.57	23	1,493.30	A
PROPIONIC ACID	16,955.80	2,011	232,205.97	A
	11.46	1	151.75	U
Total Pounds On This Chemical	16,967.26			
PROPYLENE GLYCOL	1,051.00	246	12,548.00	A
PYRACLOSTROBIN	2,216.83	553	22,269.00	A
PYRAFLUFEN-ETHYL	920.30	3,546	283,391.64	A
PYRIPROXYFEN	1,217.27	394	19,630.90	A
PYRITHIOBAC-SODIUM	826.03	306	13,313.23	A
SALICYLIC AND BENZOIC ESTERS OF PROPYLENE GLYCOL	34.89	2	57.63	A
SETHOXYDIM	612.11	23	2,067.01	A
SILICONE	3.80	61	2,151.48	A
SILICONE DEFOAMER	11.14	547	19,051.18	A
SODIUM CHLORATE	308,763.57	755	61,807.60	A
SODIUM DIISOOCTYLSULFOSUCCINATE	5.57	4	498.80	A
SODIUM DIOCTYLSULFOSUCCINATE	5.50	5	302.00	A
SODIUM HYDROXIDE	64.19	61	3,372.11	A
SODIUM POLYACRYLATE	467.93	1,175	133,884.93	A
SODIUM XYLENE SULFONATE	127.41	545	18,993.55	A
SORBITAN FATTY ACID ESTERS	196.39	138	7,904.10	A
SORBITAN TRIOLEATE	0.95	2	128.30	A
SPINETORAM	49.80	36	2,168.36	A
SPINOSAD	20.54	15	544.50	A
SPIROMESIFEN	1,922.56	191	11,040.70	A
SUGAR	1.95	2	93.00	A
SULFUR	5,428.40	3	317.00	A
SULFURIC ACID	99.57	70	5,214.70	A
TALL OIL	361.53	179	15,430.40	A
TALL OIL FATTY ACIDS	3,032.68	715	51,831.06	A
TCMTB	1,294.74		1,519.00	T
TEBUCONAZOLE	88.63	1	156.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
COTTON				
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	6,410.76	825	37,443.44	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	2.15	15	1,758.50	A
TETRAPOTASSIUM PYROPHOSPHATE	63.71	545	18,993.55	A
THIAMETHOXAM	1,909.39	227	31,173.19	A
	297.45		1,479.00	T
Total Pounds On This Chemical	2,206.83			
THIDIAZURON	19,460.71	4,745	358,087.91	A
S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE	21,820.16	505	21,893.89	A
TRIETHANOLAMINE	162.78	557	19,506.25	A
TRIFLURALIN	26,501.12	455	34,950.39	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	11.96	5	240.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	10,190.78	1,335	117,767.27	A
UREA	631.20	171	18,215.64	A
UREA DIHYDROGEN SULFATE	536,824.09	2,720	224,552.29	A
VANILLIN	0.18	2	93.00	A
VEGETABLE OIL	151,187.44	946	137,503.55	A
VINYL POLYMER	623.41	926	75,539.94	A
XANTHAN GUM	0.05	27	1,489.20	A
ZINC SULFATE	707.91	514	44,807.90	A
Site Total	3,514,859.95	78,796		
COTTON (FORAGE - FODDER)				
ALKYL (C8,C10) POLYGLUCOSIDE	10.68	1	50.00	A
AMMONIUM NITRATE	5.08	1	50.00	A
AMMONIUM SULFATE	10.17	1	50.00	A
DIMETHYLPOLYSILOXANE	0.08	1	50.00	A
GLYPHOSATE, POTASSIUM SALT	68.96	1	50.00	A
Site Total	94.96	2		
COUNTY AG COMM				
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	11.78			
BROMADIOLONE	< 0.01			
BUTYL ALCOHOL	3.31			
CHLORSULFURON	2.97			
COPPER ETHANOLAMINE COMPLEXES, MIXED	0.70			
DIMETHYLPOLYSILOXANE	0.04			
FIPRONIL	0.32			
GLYPHOSATE, ISOPROPYLAMINE SALT	2.09			
GLYPHOSATE, POTASSIUM SALT	0.09			
METHYLATED FATTY ACIDS FROM CANOLA OIL	4.88			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	30.25			
OLEIC ACID, METHYL ESTER	0.53			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.73			
TALL OIL FATTY ACIDS	0.11			
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.11			
Site Total	57.90			
CUCUMBER				
ABAMECTIN	39.97	134	2,994.46	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CUCUMBER				
Total Pounds On This Chemical	39.99	0.02	2	35,840.00 S
ACETAMIPRID		311.28	81	2,055.61 A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		104.07	42	1,751.91 A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		3.46	3	49.00 A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.43	3	49.00 A
ALPHA-PINENE BETA-PINENE COPOLYMER		0.30	1	1.00 A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		4.77	3	33.00 A
ALKYL (C8,C10) POLYGLUCOSIDE		8.66	9	130.50 A
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE		38.48	93	623.10 A
AMMONIUM NITRATE		4.29	4	133.05 A
AMMONIUM PROPIONATE		9.43	4	34.00 A
AMMONIUM SULFATE		138.76	15	360.05 A
AZADIRACTIN		1.00	39	49.08 A
		< 0.01	1	100.00 S
Total Pounds On This Chemical	1.00			
AZOXYSTROBIN		113.52	38	1,456.35 A
		3.06		113,063.17 P
		0.05		2,054.63 U
Total Pounds On This Chemical	116.62			
BACILLUS PUMILUS, STRAIN QST 2808		1.93	11	24.10 A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN		0.50	1	0.50 A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857		5.54	6	7.50 A
		0.14	1	3,600.00 S
Total Pounds On This Chemical	5.67			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52		8.42	3	24.00 A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		17.89	9	26.31 A
		0.03	3	98.10 S
Total Pounds On This Chemical	17.92			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1		0.27	6	11.80 A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		37.88	12	83.29 A
BEAUVERIA BASSIANA STRAIN GHA		4.84	15	13.71 A
BENSULIDE		1,031.59	25	229.41 A
BENZOIC ACID		1.16	4	114.13 A
BIFENAZATE		62.58	14	130.40 A
BIFENTHRIN		345.81	147	3,529.74 A
		0.07	1	32,240.00 S
Total Pounds On This Chemical	345.89			
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS		0.01	1	1.00 A
BOSCALID		53.79	21	215.50 A
BUTYL ALCOHOL		12.61	25	548.30 A
CALCIUM CHLORIDE		4.53	24	620.50 A
CARBARYL		14.55	4	19.00 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CUCUMBER				
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	< 0.01	1	0.13	A
CARBOXIN	0.23		300.00	P
CARFENTRAZONE-ETHYL	2.42	5	173.50	A
CASTOR OIL ETHOXYLATE	5.85	8	105.40	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	15.30	9	21.80	A
	0.31	3	10,800.00	S
Total Pounds On This Chemical	15.61			
CHLORANTRANILIPROLE	10.46	17	164.30	A
CHLOROTHALONIL	8,817.75	205	5,863.02	A
	0.71	2	35,840.00	S
Total Pounds On This Chemical	8,818.46			
CHLORPYRIFOS	1.10		7,891.81	P
	0.66		16,984.61	U
Total Pounds On This Chemical	1.76			
CHLORTHAL-DIMETHYL	166.03	2	40.00	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	0.67	1	32,240.00	S
CITRIC ACID	31.85	33	748.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	153.13	16	21.04	A
CLETHODIM	107.81	39	820.83	A
CLOTHIANIDIN	27.29	4	138.00	A
COCONUT DIETHANOLAMIDE	0.44	11	64.50	A
COPPER HYDROXIDE	2,736.41	38	415.50	A
COPPER OCTANOATE	0.05	2	1.00	A
COPPER OXIDE (OUS)	16.78	2	16.00	A
COPPER OXYCHLORIDE	11.05	6	46.05	A
CYAZOFAMID	232.68	130	3,307.60	A
CYFLUTHRIN	4.41	6	98.00	A
CYMOXANIL	343.92	80	2,525.86	A
(S)-CYPERMETHRIN	5.82	8	125.20	A
CYPRODINIL	26.36	31	98.68	A
CYROMAZINE	0.25	2	0.50	A
DIETHYLENE GLYCOL	13.74	15	629.40	A
DIFENOCONAZOLE	16.29	9	166.00	A
DIMETHOMORPH	0.17	1	7.00	A
DIMETHYL ALKYL TERTIARY AMINES	1.27	4	114.13	A
DIMETHYLPOLYSILOXANE	127.34	214	2,482.56	A
DINOTEFURAN	2.86	10	16.50	A
DODECYLBENZENE SULFONIC ACID	1.89	11	64.50	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.23	1	3.00	A
EDTA, TETRASODIUM SALT	0.12	11	64.50	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	0.16	2	1.00	A
ESFENVALERATE	15.31	20	328.10	A
ETHALFLURALIN	537.20	14	335.10	A
ETHEPHON	345.26	124	2,113.06	A
ETHYLENE GLYCOL	15.63	3	35.00	A
ETOXAZOLE	1.27	7	9.60	A
FAMOXADONE	343.92	80	2,525.86	A
FATTY ACIDS, MIXED	20.67	20	530.50	A
FATTY ACIDS DERIVED FROM TALLOW	1.91	3	33.00	A
FENAMIDONE	5.04	3	29.00	A
FENHEXAMID	0.75	1	1.00	A
FENPYROXIMATE	0.53	6	2.75	A
FLONICAMID	36.27	25	428.98	A
FLUDIOXONIL	17.33	30	779.45	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CUCUMBER					
		2.81		110,070.70	P
		0.05		2,054.74	U
Total Pounds On This Chemical	20.20				
FLUOPICOLIDE		101.51	28	836.40	A
FOSETYL-AL		15.40	5	5.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT		1,779.03	44	1,869.45	A
GLYPHOSATE, POTASSIUM SALT		189.61	4	150.15	A
HALOSULFURON-METHYL		7.58	8	196.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED		2.17	3	51.00	A
HYDROGEN PEROXIDE		56.13	17	24.35	A
		1.94		386.00	P
Total Pounds On This Chemical	58.07				
HYDROTREATED PARAFFINIC SOLVENT		118.62	8	132.33	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE		57.12	44	1,024.46	A
IMIDACLOPRID		95.53	28	317.40	A
ISOPROPYL ALCOHOL		11.85	49	771.18	A
KAOLIN		167.50	5	6.78	A
KEROSENE		2.25	3	114.05	A
LAMBDA-CYHALOTHRIN		36.24	31	949.60	A
LECITHIN		18.71	14	136.45	A
MALATHION		127.24	30	93.04	A
MANCOZEB		12,988.14	200	6,774.96	A
MANDIPROPAMID		1.79	2	13.90	A
MARGOSA OIL		12.93	1	7.00	A
MEFENOXAM		16.66		127,980.00	P
		4.14		40,366.37	U
		3.42	6	20.50	A
Total Pounds On This Chemical	24.21				
MEFENOXAM, OTHER RELATED		0.12		39,489.11	U
		0.01	2	2.00	A
Total Pounds On This Chemical	0.14				
METALAXYL		0.05	1	1.00	A
METHOMYL		98.33	13	149.50	A
METHOXYFENOZIDE		6.85	3	43.25	A
METHYLATED SOYBEAN OIL		67.50	17	209.98	A
METHYL SILICONE RESINS		267.17	166	4,993.20	A
S-METOLACHLOR		15.24	1	8.00	A
MINERAL OIL		481.49	19	97.07	A
		1.51	2	3,632.70	S
Total Pounds On This Chemical	483.00				
MYCLOBUTANIL		53.06	36	499.45	A
		0.06	1	32,240.00	S
Total Pounds On This Chemical	53.11				
NICOSULFURON		1.13	1	48.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED		2.70	3	66.08	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		320.41	117	2,488.11	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED		11.43	7	82.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER		314.53	18	313.00	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX		1.32	2	16.08	A
OIL OF JOJOBA		1.13	1	4.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CUCUMBER				
OLEIC ACID, METHYL ESTER	185.80	47	1,075.46	A
OXAMYL	0.50	1	1.00	A
OXYFLUORFEN	10.32	4	148.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	2.30	3	7.00	A
PARAQUAT DICHLORIDE	205.57	12	197.00	A
PERMETHRIN	30.68	24	162.13	A
PEROXYACETIC ACID	2.63		386.00	P
PETROLEUM DISTILLATES, REFINED	70.37	2	40.00	A
PETROLEUM OIL, PARAFFIN BASED	169.54	3	110.00	A
PHOSPHORIC ACID	9.90	26	285.88	A
PIPERONYL BUTOXIDE	19.57	25	42.90	A
	0.25	2	7,200.00	S
Total Pounds On This Chemical	19.83			
PIPERONYL BUTOXIDE, OTHER RELATED	4.89	25	42.90	A
	0.06	2	7,200.00	S
Total Pounds On This Chemical	4.96			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.48	7	65.00	A
POLYETHER MODIFIED POLYSILOXANE	3.44	9	58.40	A
POLYETHOXYLATED CASTOR OIL	0.17	2	22.00	A
POLYETHYLENE GLYCOL	37.22	22	451.30	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	47.19	17	492.20	A
POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM)	0.04	1	8.00	A
POLY-I-PARA-MENTHENE	1.34	3	3.00	A
POLYMERIZED PINENE	4.10	1	3.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	30.08	2	108.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	0.63	1	2.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	43.90	8	105.40	A
POLYPROPYLENE GLYCOL	0.22	16	105.40	A
POLYSILOXANE	0.13	6	85.00	A
POTASH SOAP	14.42	6	9.67	A
	< 0.01	1	100.00	S
Total Pounds On This Chemical	14.43			
POTASSIUM BICARBONATE	245.96	18	63.24	A
	0.31	1	3,600.00	S
Total Pounds On This Chemical	246.27			
POTASSIUM HYDROXIDE	0.54	4	39.00	A
POTASSIUM PHOSPHITE	169.31	10	87.00	A
POTASSIUM SILICATE	25.88	2	9.00	A
PROPAMOCARB HYDROCHLORIDE	1,684.71	130	2,953.68	A
	0.69	2	36,270.00	S
Total Pounds On This Chemical	1,685.39			
PROPIONIC ACID	17.27	11	136.10	A
PROPYLENE GLYCOL	7.01	9	263.70	A
PYMETROZINE	29.78	55	350.72	A
	0.20	5	17,600.00	S
Total Pounds On This Chemical	29.98			
PYRACLOSTROBIN	110.49	40	709.00	A
PYRETHRINS	3.74	48	87.67	A
	0.03	2	7,200.00	S
Total Pounds On This Chemical	3.78			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	55.24	52	321.55	A
	0.49	2	64,480.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
CUCUMBER				
Total Pounds On This Chemical	55.73			
QUILLAJA	< 0.01	1	0.13	A
QUINOXYFEN	3.89	3	43.25	A
REYNOUTRIA SACHALINENSIS	67.15	60	611.37	A
	0.29	4	43,040.00	S
Total Pounds On This Chemical	67.43			
ROTENONE	< 0.01	2	1.50	A
ROTENONE, OTHER RELATED	< 0.01	2	1.50	A
SETHOXYDIM	42.27	5	162.00	A
SILICONE	< 0.01	2	6.00	A
SILICONE DEFOAMER	0.06	12	73.00	A
SODIUM POLYACRYLATE	0.24	4	34.00	A
SODIUM XYLENE SULFONATE	0.58	11	64.50	A
SPINETORAM	4.46	42	70.20	A
SPINOSAD	13.10	57	109.27	A
SPIROMESIFEN	5.78	4	46.50	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	6	35.86	A
STRYCHNINE	< 0.01	1	5.00	A
SULFUR	525.97	22	145.34	A
	0.20	1	3,600.00	S
Total Pounds On This Chemical	526.17			
TALL OIL	6.10	9	155.40	A
TALL OIL FATTY ACIDS	21.69	10	279.33	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.21	11	64.50	A
TETRAPOTASSIUM PYROPHOSPHATE	0.29	11	64.50	A
THIAMETHOXAM	655.91		62,658.51	P
	56.02		2,054.74	U
	26.33	7	746.40	A
Total Pounds On This Chemical	738.26			
THIOPHANATE-METHYL	1.55	3	1.25	A
THIRAM	310.37		213,778.92	P
	21.14		15,034.31	U
Total Pounds On This Chemical	331.51			
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	0.13	4	18.70	A
TRIETHANOLAMINE	0.74	11	64.50	A
TRIFLOXYSTROBIN	5.00	1	40.00	A
TRIFLUMIZOLE	60.74	41	297.98	A
TRIFLURALIN	333.51	17	495.26	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	19.34	10	118.70	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	34.98	22	473.75	A
VINYL POLYMER	0.40	8	91.00	A
ZOXAMIDE	240.04	35	1,446.06	A
Site Total	39,780.83	3,247		
DAIKON				
AZADIRACTIN	2.47	50	96.63	A
AZOXYSTROBIN	5.13	37	31.30	A
BACILLUS PUMILUS, STRAIN QST 2808	0.43	2	3.60	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	13.76	7	16.33	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	14.81	8	27.42	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
DAIKON				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	41.06	15	63.88	A
CARBARYL	0.77	1	3.00	A
CHLORANTRANILIPROLE	4.46	92	75.17	A
CHLORTHAL-DIMETHYL	18.11	1	6.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	71.95	11	42.22	A
(S)-CYPERMETHRIN	0.69	1	15.00	A
DIMETHOATE	11.46	7	33.00	A
DIMETHYLPOLYSILOXANE	0.42	6	13.66	A
FLUOPICOLIDE	1.06	10	8.58	A
IMIDACLOPRID	6.52	54	73.57	A
ISOPROPYL ALCOHOL	0.51	84	85.55	A
MARGOSA OIL	12.83	4	10.42	A
METHOXYFENOZIDE	2.63	13	13.02	A
S-METOLACHLOR	11.87	23	21.61	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.77	84	85.55	A
POLYOXYETHYLENE POLYOXYPROPYLENE	1.65	6	13.66	A
POTASSIUM N-METHYLDITHIOCARBAMATE	6,519.67	57	52.46	A
PYRACLOSTROBIN	11.07	57	60.68	A
PYRETHRINS	0.13	2	2.36	A
SPINETORAM	1.98	44	31.61	A
TALL OIL	0.13	84	85.55	A
THIAMETHOXAM	3.48	59	55.80	A
Site Total	6,760.84	641		
DAIRY EQUIPMENT				
CYPERMETHRIN	186.49		63.00	U
	124.00		40.00	A
Total Pounds On This Chemical	310.49			
Site Total	310.49			
DANDELION GREEN				
ABAMECTIN	0.15	14	11.02	A
ACETAMIPRID	0.18	1	1.00	A
AZADIRACTIN	0.70	17	25.66	A
AZOXYSTROBIN	0.65	5	4.04	A
BACILLUS PUMILUS, STRAIN QST 2808	0.84	26	19.88	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	6.65	3	7.11	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	0.02	1	0.23	A
BENSULIDE	119.57	25	22.19	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	1.81	4	3.75	A
CHLORANTRANILIPROLE	0.82	18	13.99	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	14.41	3	7.54	A
(S)-CYPERMETHRIN	0.05	1	1.00	A
CYPRODINIL	1.51	7	5.24	A
DIMETHYLPOLYSILOXANE	0.13	2	4.88	A
EMAMECTIN BENZOATE	0.03	3	2.43	A
FLONICAMID	0.57	7	7.29	A
FLUBENDIAMIDE	0.04	1	1.31	A
FLUDIOXONIL	1.00	7	5.24	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
DANDELION GREEN				
FLUOPICOLIDE	0.50	4	4.00	A
FOSETYL-AL	37.52	10	9.39	A
IMIDACLOPRID	3.74	27	23.34	A
INDOXACARB	0.25	5	3.89	A
ISOPROPYL ALCOHOL	0.29	54	47.57	A
MALATHION	9.92	5	5.00	A
MANDIPROPAMID	0.74	5	5.66	A
METHOXYFENOZIDE	0.72	3	3.55	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.00	54	47.57	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.52	2	4.88	A
POTASH SOAP	2.01	1	0.23	A
POTASSIUM BICARBONATE	1.28	1	0.52	A
POTASSIUM N-METHYLDITHIOCARBAMATE	5,016.51	50	41.44	A
PYMETROZINE	0.43	7	5.72	A
PYRACLOSTROBIN	11.67	73	60.75	A
PYRETHRINS	0.21	2	3.78	A
SPINETORAM	0.68	10	8.92	A
SPINOSAD	3.59	12	37.25	A
SPIROTETRAMAT	0.02	2	2.13	A
TALL OIL	0.08	54	47.57	A
THIAMETHOXAM	0.17	3	2.72	A
Site Total	5,240.96	412		
DATE				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	133.18	74	1,986.46	A
DIMETHYLPOLYSILOXANE	0.14	11	984.02	A
GLYPHOSATE, ISOPROPYLAMINE SALT	8,606.36	345	11,975.74	A
GLYPHOSATE, POTASSIUM SALT	557.28	17	438.50	A
HEXYTHIAZOX	218.65	49	1,515.74	A
HYDRAMETHYLNON	0.07	2	1.50	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	2.49	3	68.00	A
IMIDACLOPRID	0.05	3	77.35	A
ISOPROPYL ALCOHOL	2.85	11	984.02	A
METHYLATED SOYBEAN OIL	10.92	3	95.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	35.06	14	1,079.02	A
OLEIC ACID, METHYL ESTER	7.47	3	68.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.55	3	95.00	A
POLYETHYLENE GLYCOL	18.01	11	984.02	A
SPINETORAM	52.89	30	608.00	A
SPINOSAD	< 0.01	2	6.00	A
STRYCHNINE	0.70	4	305.00	A
WARFARIN	0.07	3	77.35	A
Site Total	9,646.72	543		
DILL				
ABAMECTIN	< 0.01	1	0.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.21	3	1.50	A
ALPHA-PINENE BETA-PINENE COPOLYMER	0.16	2	0.64	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
DILL				
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	2.63	4	131.00	A
AZADIRACTIN	0.67	24	19.49	A
AZOXYSTROBIN	3.76	12	57.32	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	0.38	2	1.20	A
BENSULIDE	2.48	1	0.50	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	< 0.01	2	0.64	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	17.88	11	6.36	A
COPPER HYDROXIDE	21.34	23	26.91	A
COPPER OXYCHLORIDE	0.41	1	1.66	A
CYPRODINIL	0.26	1	1.00	A
FLUDIOXONIL	0.17	1	1.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	9.07	4	131.00	A
IMIDACLOPRID	13.74	15	67.68	A
ISOPROPYL ALCOHOL	< 0.01	1	1.66	A
MARGOSA OIL	1.08	2	1.20	A
MINERAL OIL	0.06	2	0.64	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.03	1	1.66	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	0.14	3	0.57	A
PIPERONYL BUTOXIDE	13.32	12	35.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	3.33	12	35.00	A
POLYETHYLENE GLYCOL DIACETATE	0.24	4	131.00	A
POTASH SOAP	195.92	26	46.50	A
POTASSIUM BICARBONATE	120.27	7	134.04	A
POTASSIUM N-METHYLDITHIOCARBAMATE	11,843.14	81	96.17	A
PROMETRYN	236.55	59	316.29	A
PYRETHRINS	2.28	30	46.82	A
SPINOSAD	3.14	19	32.05	A
TALL OIL	< 0.01	1	1.66	A
TALL OIL FATTY ACIDS	< 0.01	2	0.64	A
Site Total	12,492.71	325		
DITCH BANK				
ACROLEIN	277.49		8.00	U
ALKYL (C8,C10) POLYGLUCOSIDE	18.24	12	44.50	A
AMMONIUM NITRATE	8.67	11	29.50	A
AMMONIUM PROPIONATE	6.37	3	9.00	A
AMMONIUM SULFATE	63.37	17	81.00	A
BENZOIC ACID	0.63	2	110.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3.12	7	18.00	A
BUTYL ALCOHOL	4.08	2	110.00	A
CALCIUM HYPOCHLORITE	398,540.85		3,830.83	U
	37,412.38	3	699.61	A
	26,833.54		507.23	S
	21,103.80		162.32	K
	153.00		2.00	C
Total Pounds On This Chemical	484,043.57			
CHLORINE	89,152.00		2.00	U
CITRIC ACID	3.37	4	26.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
DITCH BANK				
COCONUT DIETHANOLAMIDE	< 0.01	1	2.00	A
COPPER CARBONATE, BASIC	427.53		85.00	A
COPPER ETHYLENEDIAMINE COMPLEX	134.15		100.00	C
	59.70		9.00	U
Total Pounds On This Chemical	193.84			
COPPER SULFATE (PENTAHYDRATE)	19,419.39		164.00	U
	7,007.75		231.00	A
	742.50		375.00	C
Total Pounds On This Chemical	27,169.65			
COPPER TRIETHANOLAMINE COMPLEX	151.42		100.00	C
	67.38		9.00	U
Total Pounds On This Chemical	218.81			
2,4-D, BUTOXYETHANOL ESTER	3.63	1	2.50	A
DIETHYLENE GLYCOL	11.59	3	37.50	A
DIMETHYL ALKYL TERTIARY AMINES	0.68	2	110.00	A
DIMETHYLPOLYSILOXANE	1.48	17	192.00	A
DIMETHYL SILICONE FLUID EMULSION	0.12	4	19.00	A
DIPHACINONE	0.01	1	25.00	A
DIPROPYLENE GLYCOL METHYL ETHER	0.02	1	2.50	A
DIQUAT DIBROMIDE	0.37	1	1.00	A
DODECYLBENZENE SULFONIC ACID	0.04	1	2.00	A
EDTA, TETRASODIUM SALT	< 0.01	1	2.00	A
ENDOTHALL, DIPOTASSIUM SALT	1,163.38		225.00	C
ETHYLENE GLYCOL	4.21	4	11.50	A
FATTY ACIDS, MIXED	0.34	2	11.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	11.66	7	18.00	A
FLURIDONE	0.51		0.25	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,666.45	77	453.15	A
	40.03		8.00	U
Total Pounds On This Chemical	1,706.48			
GLYPHOSATE, POTASSIUM SALT	55.85	4	23.02	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.07	1	15.00	A
HYDROGEN PEROXIDE	304.89	6	457.80	A
	93.59		3.00	T
Total Pounds On This Chemical	398.48			
IMAZAPYR, ISOPROPYLAMINE SALT	2.47	1	5.00	A
ISOPROPYL ALCOHOL	0.78	5	13.50	A
ISOXABEN	1.25	2	1.50	A
LECITHIN	43.57	7	37.50	A
METHYLATED SOYBEAN OIL	53.68	7	149.00	A
MINERAL OIL	15.40		15.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	3.96	7	18.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	48.30	12	200.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	20.11	4	24.00	A
OXYFLUORFEN	21.25	3	33.00	A
PEROXYACETIC ACID	125.83	6	456.00	A
	60.71		3.00	T
Total Pounds On This Chemical	186.54			
PHOSPHORIC ACID	0.99	2	19.50	A
POLYACRYLIC POLYMER	0.09	1	17.50	A
POLYBUTENES	2.08	7	18.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
DITCH BANK				
POLYSILOXANE	0.04	1	15.00	A
PROPIONIC ACID	7.99	3	13.50	A
SILICONE DEFOAMER	< 0.01	1	2.00	A
SODIUM POLYACRYLATE	0.16	3	9.00	A
SODIUM XYLENE SULFONATE	0.01	1	2.00	A
TALL OIL FATTY ACIDS	1.73	2	32.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.04	1	2.00	A
TETRAPOTASSIUM PYROPHOSPHATE	< 0.01	1	2.00	A
TRICLOPYR, BUTOXYETHYL ESTER	75.78	2	52.50	A
TRICLOPYR, TRIETHYLAMINE SALT	126.51	1	60.00	A
TRIETHANOLAMINE	0.01	1	2.00	A
TRIFLURALIN	5.00	2	1.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.30	3	9.00	A
Site Total	605,569.71	148		
DRIED FRUIT				
ALUMINUM PHOSPHIDE	7,009.30		205,151.35	K
	1,269.50		10,098,117.78	C
	290.76		1,866,202.00	U
Total Pounds On This Chemical	8,569.57			
MAGNESIUM PHOSPHIDE	67.76		1,243,000.00	C
	35.50		1,076.20	K
	0.08		1.00	U
Total Pounds On This Chemical	103.34			
METHYL BROMIDE	2,222.08		2,236,089.60	C
	845.00		873.00	K
	326.00		324,000.00	S
Total Pounds On This Chemical	3,393.08			
PHOSPHINE	219.73		7,440.17	K
	203.65		5,608,404.00	C
	41.83		1,440,708.00	U
Total Pounds On This Chemical	465.21			
SULFURYL FLUORIDE	1,786.42		531.00	K
	287.42		133,000.00	C
Total Pounds On This Chemical	2,073.84			
Site Total	14,605.04			
DUCK				
BROMADIOLONE	< 0.01	47	1,645,000.00	S
BROMETHALIN	< 0.01	69	2,415,000.00	S
Site Total	< 0.01	116		
EDIBLE FLOWERS				
AZADIRACTIN	0.10	4	3.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	< 0.01	2	1.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.01	2	1.00	A
PIPERONYL BUTOXIDE	0.13	1	0.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.03	1	0.50	A
POTASH SOAP	2.08	2	0.50	A
POTASSIUM SILICATE	3.76	3	2.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
EDIBLE FLOWERS				
PYRETHRINS	0.30	6	3.75	A
QUILLAJA	0.01	2	1.00	A
SUCROSE OCTANOATE	0.56	1	0.25	A
Site Total	6.99	18		
EGGPLANT				
ABAMECTIN	12.05	108	650.98	A
ACETAMIPRID	0.09	1	1.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12.64	13	178.73	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.73	1	10.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.03	1	3.00	A
ALUMINUM PHOSPHIDE	11.05	5	60.00	A
AZADIRACTIN	0.31	16	25.00	A
AZOXYSTROBIN	5.17	2	33.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	0.14	1	0.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	2.43	6	13.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	1.03	1	10.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	5.33	3	13.00	A
BENSULIDE	60.08	2	15.10	A
BIFENAZATE	66.03	12	133.10	A
BIFENTHRIN	4.72	10	63.66	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.22	1	10.00	A
BOSCALID	10.42	4	65.80	A
CARBARYL	8.42	2	8.10	A
CHLORANTRANILIPROLE	11.69	16	212.50	A
CHLORFENAPYR	0.66	10	6.50	A
CHLOROPICRIN	4,962.64	9	46.40	A
CHLOROTHALONIL	11.24	1	10.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	7.64	2	1.00	A
COPPER HYDROXIDE	1.61	9	5.65	A
COPPER OXYCHLORIDE	0.02	1	0.15	A
CYFLUTHRIN	2.25	3	50.00	A
BETA-CYFLUTHRIN	0.40	4	24.10	A
(S)-CYPERMETHRIN	24.73	29	487.50	A
1,3-DICHLOROPROPENE	5,296.89	8	43.20	A
DIETHYLENE GLYCOL	1.90	4	70.00	A
DIFENOCONAZOLE	3.14	1	30.00	A
DIMETHOATE	0.50	1	1.00	A
DIMETHYLPOLYSILOXANE	13.00	20	283.00	A
DINOTEFURAN	5.51	9	22.50	A
DIPHACINONE	< 0.01	7	18.20	A
ESFENVALERATE	37.10	118	460.65	A
FATTY ACIDS, MIXED	3.64	8	140.00	A
FATTY ACIDS DERIVED FROM TALLOW	0.69	1	10.00	A
FENPYROXIMATE	5.12	3	30.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1.19	3	1.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
EGGPLANT				
GLYPHOSATE, POTASSIUM SALT	24.83	2	12.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	2.95	3	70.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	2.99	5	60.00	A
IMIDACLOPRID	56.16	39	322.50	A
INDOXACARB	3.12	13	52.06	A
ISOPARAFFINIC HYDROCARBONS	8.78	1	10.00	A
ISOPROPYL ALCOHOL	0.01	1	0.10	A
LAMBDA-CYHALOTHRIN	0.51	5	16.00	A
LECITHIN	14.00	6	110.00	A
MALATHION	1.53	2	1.50	A
MARGOSA OIL	11.53	1	15.00	A
MEFENOXAM	10.60	5	62.21	A
	0.02		15.28	P
Total Pounds On This Chemical	10.62			
METAM-SODIUM	7,619.95	3	46.00	A
METHOMYL	59.27	18	115.00	A
METHOXYFENOZIDE	0.28	1	4.00	A
METHYLATED SOYBEAN OIL	24.81	7	68.78	A
MINERAL OIL	7.05	1	1.00	A
MYCLOBUTANIL	2.50	1	20.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.24	2	6.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	32.21	23	267.88	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	93.95	8	89.00	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.29	2	6.00	A
OLEIC ACID, METHYL ESTER	28.24	7	127.00	A
ORCHEX 796 OIL	5.98	1	10.00	A
OXAMYL	126.35	46	241.90	A
	0.33	5	14,050.00	S
Total Pounds On This Chemical	126.68			
PARAQUAT DICHLORIDE	99.82	18	152.00	A
PENDIMETHALIN	14.20	1	10.00	A
PERMETHRIN	6.25	8	41.70	A
PETROLEUM DISTILLATES, REFINED	35.18	1	20.00	A
PHOSPHORIC ACID	0.04	1	0.10	A
PIPERONYL BUTOXIDE	0.32	1	1.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.08	1	1.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1.04	5	28.78	A
POLYETHYLENE GLYCOL DIACETATE	< 0.01	1	3.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	4.34	6	48.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	1,464.99	1	8.00	A
PROPIONIC ACID	5.86	4	70.00	A
PYMETROZINE	0.39	8	5.00	A
PYRACLOSTROBIN	6.20	2	40.00	A
PYRETHRINS	2.02	12	57.50	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	9.26	3	50.00	A
ROTENONE	< 0.01	3	2.00	A
ROTENONE, OTHER RELATED	< 0.01	3	2.00	A
SETHOXYDIM	8.76	2	30.00	A
SPINETORAM	8.61	16	186.30	A
SPINOSAD	14.01	23	86.64	A
SPIROMESIFEN	21.90	14	189.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
EGGPLANT				
SPIROTETRAMAT	1.31	10	141.53	A
SULFUR	411.60	3	41.80	A
TALL OIL FATTY ACIDS	0.89	1	10.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.54	1	0.50	A
THIAMETHOXAM	0.92	3	16.78	A
THIRAM	0.77		376.08	P
	0.47		231.31	A
Total Pounds On This Chemical	1.24			
TRIFLOXYSTROBIN	0.63	1	10.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	3.61	3	70.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.03	6	110.00	A
Site Total	20,865.02	724		
ENDIVE (ESCAROLE)				
ABAMECTIN	1.24	151	120.36	A
ACETAMIPRID	11.33	104	152.89	A
ACRYLIC ACID	4.29	5	27.10	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	21.36	217	473.92	A
ALPHA-PINENE BETA-PINENE COPOLYMER	0.64	1	3.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.46	2	1.51	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.91	1	34.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.09	1	6.00	A
AMMONIUM SULFATE	8.88	1	34.00	A
AZADIRACTIN	2.18	57	101.74	A
AZOXYSTROBIN	3.12	43	18.87	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	7.50	1	10.00	A
BACILLUS PUMILUS, STRAIN QST 2808	10.93	111	162.75	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	20.62	13	20.62	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	1.30	1	1.20	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	4.32	1	4.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	0.08	1	1.00	A
BEAUVERIA BASSIANA STRAIN GH4	1.24	8	15.00	A
BENSULIDE	1,994.62	195	488.37	A
BENZOIC ACID	0.60	18	41.65	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	25.31	78	415.40	A
BUPROFEZIN	4.66	1	17.00	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	9.99	61	26.57	A
CHLORANTRANILIPROLE	11.57	40	202.51	A
CHLORTHAL-DIMETHYL	191.48	10	63.88	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	251.64	11	92.37	A
CLETHODIM	4.26	1	34.00	A
COCONUT DIETHANOLAMIDE	0.19	5	10.90	A
COPPER HYDROXIDE	13.06	11	31.50	A
COPPER OCTANOATE	1.08	10	3.93	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ENDIVE (ESCAROLE)				
CORN SYRUP	3.11	1	34.00	A
BETA-CYFLUTHRIN	7.60	54	372.53	A
(S)-CYPERMETHRIN	25.60	151	542.38	A
CYPRODINIL	54.79	5	166.99	A
CYROMAZINE	6.53	60	51.63	A
DIAZINON	3.57	3	7.20	A
DICLORAN	1.40	4	2.80	A
DIMETHOATE	54.20	88	216.86	A
DIMETHYL ALKYL TERTIARY AMINES	0.65	18	41.65	A
DIMETHYLPOLYSILOXANE	5.93	31	80.24	A
DIMETHYL SILICONE FLUID EMULSION	0.02	3	11.70	A
DIOCTYL PHTHALATE	0.14	1	0.80	A
DODECYLBENZENE SULFONIC ACID	0.81	5	10.90	A
EDTA, TETRASODIUM SALT	0.05	5	10.90	A
EMAMECTIN BENZOATE	0.05	9	3.88	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	135.62	189	449.42	A
FATTY ACIDS, MIXED	0.31	27	113.70	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	94.39	77	412.40	A
FATTY ACIDS DERIVED FROM TALLOW	0.18	2	1.51	A
FENAMIDONE	12.74	18	53.47	A
FLONICAMID	10.65	103	135.54	A
FLUBENDIAMIDE	0.71	5	18.30	A
FLUDIOXONIL	36.53	5	166.99	A
FLUOPICOLIDE	6.57	37	56.90	A
GLYPHOSATE, ISOPROPYLAMINE SALT	19.98	1	20.00	A
HYDROGEN PEROXIDE	76.03	7	48.27	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	5.14	27	110.87	A
IMIDACLOPRID	108.12	482	1,073.39	A
INDOXACARB	1.19	9	18.11	A
ISOPROPYL ALCOHOL	1.67	175	122.08	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.04	1	3.30	A
KEROSENE	1.16	18	41.65	A
LECITHIN	7.45	28	114.12	A
MALATHION	82.65	7	73.45	A
MANDIPROPAMID	26.53	119	207.16	A
MARGOSA OIL	46.67	11	42.72	A
MEFENOXAM	3.01	2	4.00	A
METHOMYL	129.75	63	206.53	A
METHOXYFENOZIDE	6.89	13	44.59	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	1.03	4	5.25	A
METHYLATED SILICA	0.16	1	34.00	A
METHYLATED SOYBEAN OIL	42.05	42	137.60	A
METHYL CELLULOSE	0.14	1	0.80	A
METHYL SILICONE RESINS	26.98	317	442.78	A
MINERAL OIL	0.23	1	3.00	A
MORPHOLINE	0.06	1	0.80	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	32.03	77	412.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12.18	226	327.17	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	16.01	5	27.10	A
OLEIC ACID	0.19	1	0.80	A
OLEIC ACID, METHYL ESTER	14.98	27	105.39	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ENDIVE (ESCAROLE)				
PERMETHRIN	191.19	413	1,160.31	A
PETROLEUM OIL, PARAFFIN BASED	5.70	1	3.30	A
PHOSPHORIC ACID	12.05	209	526.62	A
PIPERONYL BUTOXIDE	0.85	2	6.60	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.21	2	6.60	A
POLYACRYLAMIDE POLYMER	0.01	10	13.14	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1.00	22	85.82	A
POLYBUTENES	16.86	77	412.40	A
POLYETHER MODIFIED POLYSILOXANE	7.40	190	450.22	A
POLYETHOXYLATED CASTOR OIL	0.15	5	14.96	A
POLYETHYLENE GLYCOL DIACETATE	< 0.01	1	6.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.12	1	1.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	1.78	10	14.60	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.14	1	3.30	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	0.92	1	3.30	A
POTASH SOAP	4.87	2	5.40	A
POTASSIUM N-METHYLDITHIOCARBAMATE	5,397.93	109	46.15	A
POTASSIUM PHOSPHITE	41.34	12	18.39	A
PROPIONIC ACID	7.32	27	113.70	A
PROPYLENE GLYCOL	0.06	1	1.50	A
PROPYZAMIDE	1,046.13	280	920.56	A
PYMETROZINE	5.62	49	65.14	A
PYRACLOSTROBIN	13.69	131	76.81	A
PYRETHRINS	1.58	27	41.95	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	13.35	79	116.97	A
SETHOXYDIM	4.15	3	15.81	A
SILICONE	0.21	2	8.65	A
SILICONE DEFOAMER	0.02	5	10.90	A
SODIUM DIISOOCTYLSULFOSUCCINATE	0.02	1	0.80	A
SODIUM XYLENE SULFONATE	0.25	5	10.90	A
SPINETORAM	40.88	440	790.86	A
SPINOSAD	23.96	69	218.11	A
SPIROTETRAMAT	7.07	351	774.62	A
SULFUR	23.47	8	10.39	A
TALL OIL	0.11	159	71.18	A
TALL OIL FATTY ACIDS	0.12	2	3.52	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.95	5	10.90	A
TETRAPOTASSIUM PYROPHOSPHATE	0.12	5	10.90	A
THIAMETHOXAM	7.70	44	99.99	A
THIRAM	0.09		35.46	P
TRIETHANOLAMINE	0.32	5	10.90	A
TRIFLURALIN	50.19	2	86.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.23	1	1.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	14.87	191	450.36	A
Site Total	10,678.44	4,984		
FARM/AG BUILDING				
DDVP	10.36		12.00	U
DDVP, OTHER RELATED	0.78		12.00	U
GAMMA-CYHALOTHRIN	< 0.01		3.00	U
POTASSIUM PEROXYMONOSULFATE	150.52	6	382,500.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FARM/AG BUILDING				
SODIUM CHLORIDE	10.80	6	382,500.00	S
TETRACHLORVINPHOS	9.00		4.00	U
Site Total	181.47	6		
FAVA BEAN				
ACEPHATE	0.97	1	2.00	A
AZOXYSTROBIN	13.72	13	64.42	A
CHLOROTHALONIL	1.50	1	1.00	A
DIATOMACEOUS EARTH	0.78	1	0.10	A
DIMETHYL SILICONE FLUID EMULSION	0.09	7	25.92	A
FATTY ACIDS, MIXED	0.90	17	72.34	A
IMIDACLOPRID	5.49	25	130.34	A
LAMBDA-CYHALOTHRIN	2.42	17	96.42	A
LECITHIN	20.95	17	72.34	A
MALATHION	46.70	12	37.84	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5.62	17	72.34	A
POTASSIUM PHOSPHITE	6.48	1	5.00	A
PROPIONIC ACID	20.95	17	72.34	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	1.24	2	14.50	A
REYNOUTRIA SACHALINENSIS	3.14	2	14.50	A
SULFUR	176.88	10	51.42	A
Site Total	307.83	109		
FENNEL				
ACETAMIPRID	21.74	61	337.75	A
ACRYLIC ACID	28.07	16	191.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.22	13	41.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	6.66	3	21.60	A
AZADIRACTIN	0.26	11	9.35	A
AZOXYSTROBIN	39.21	47	158.95	A
	0.04		623.03	P
Total Pounds On This Chemical	39.24			
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	1.61	4	2.98	A
BENSULIDE	461.34	17	81.02	A
BENZOIC ACID	0.58	15	55.30	A
BIFENTHRIN	0.03	1	0.25	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2.88	14	66.30	A
BUTYL ALCOHOL	0.33	4	14.30	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	1.84	5	4.57	A
CHLORANTRANILIPROLE	18.93	29	283.32	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	1.53	2	1.70	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	6.42	2	13.40	A
COCONUT DIETHANOLAMIDE	1.58	61	293.30	A
(S)-CYPERMETHRIN	10.23	11	210.72	A
CYPRODINIL	3.08	3	9.40	A
DICLORAN	468.44	31	189.88	A
DIMETHYL ALKYL TERTIARY AMINES	0.63	15	55.30	A
DIMETHYLPOLYSILOXANE	14.35	66	316.53	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FENNEL				
DIPHACINONE	< 0.01	2	1.60	A
DODECYLBENZENE SULFONIC ACID	6.84	61	293.30	A
EDTA, TETRASODIUM SALT	0.42	61	293.30	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	11.56	13	41.00	A
FATTY ACIDS, MIXED	3.38	31	416.70	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	9.61	11	44.70	A
FLONICAMID	1.57	9	19.16	A
FLUBENDIAMIDE	0.05	2	1.78	A
FLUDIOXONIL	2.06	3	9.40	A
	0.04		530.75	P
Total Pounds On This Chemical	2.09			
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1.77	2	42.42	A
IMIDACLOPRID	14.69	55	40.28	A
INDOXACARB	0.93	1	19.80	A
IRON PHOSPHATE	< 0.01	3	1,080.00	S
ISOPROPYL ALCOHOL	2.21	86	315.35	A
KEROSENE	1.12	15	55.30	A
LECITHIN	78.82	31	416.70	A
MALATHION	53.27	10	59.30	A
MANCOZEB	355.21	93	266.46	A
MANDIPROPAMID	1.16	4	8.83	A
MEFENOXAM	0.06		422.97	P
	0.01		71.20	A
Total Pounds On This Chemical	0.08			
MEFENOXAM, OTHER RELATED	< 0.01		92.28	P
METHOMYL	198.81	19	235.40	A
METHOXYFENOZIDE	29.64	45	223.74	A
METHYLATED SOYBEAN OIL	34.95	42	103.46	A
METHYL SILICONE RESINS	5.19	42	110.45	A
MINERAL OIL	1.59	3	21.60	A
NALED	7.98	1	19.80	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	3.26	11	44.70	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	26.69	87	501.21	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	104.78	16	191.00	A
OLEIC ACID, METHYL ESTER	5.30	2	42.42	A
PERMETHRIN	36.01	39	310.70	A
PETROLEUM OIL, PARAFFIN BASED	0.26	1	2.20	A
PHOSPHORIC ACID	5.22	90	525.30	A
POLYACRYLAMIDE POLYMER	0.74	1	11.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.35	19	17.96	A
POLYBUTENES	1.72	11	44.70	A
POLYETHER MODIFIED POLYSILOXANE	0.63	13	41.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.02	1	0.25	A
POLY-I-PARA-MENTHENE	27.45	5	56.76	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1.27	1	2.20	A
POLYSACCHARIDE POLYMER	0.08	1	11.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	2,415.13	23	19.74	A
POTASSIUM PHOSPHITE	82.19	2	31.70	A
PROMETRYN	526.80	183	593.91	A
PROPICONAZOLE	4.39	10	40.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FENNEL				
PROPIONIC ACID	78.82	31	416.70	A
PROPYLENE GLYCOL	0.01	1	0.25	A
PYMETROZINE	0.83	6	9.82	A
PYRACLOSTROBIN	125.99	79	639.21	A
PYRETHRINS	0.20	4	6.70	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	152.98	28	349.45	A
REYNOUTRIA SACHALINENSIS	7.49	11	52.70	A
SILICONE	0.02	3	10.20	A
SILICONE DEFOAMER	0.18	61	293.30	A
SODIUM XYLENE SULFONATE	2.10	61	293.30	A
SPINETORAM	9.80	59	193.56	A
SPINOSAD	4.37	46	74.20	A
SPIROTETRAMAT	1.09	12	116.12	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	3	30.00	A
TALL OIL	0.03	25	22.05	A
TALL OIL FATTY ACIDS	0.10	3	21.60	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.02	61	293.30	A
TETRAPOTASSIUM PYROPHOSPHATE	1.05	61	293.30	A
THIAMETHOXAM	3.84	17	60.16	A
TRIETHANOLAMINE	2.68	61	293.30	A
TRIFLOXYSTROBIN	1.04	3	11.60	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	0.05	1	0.25	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.25	13	41.00	A
VINYL POLYMER	0.03	1	1.00	A
Site Total	5,558.22	1,300		
FIG				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.34	7	282.07	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.56	1	15.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	79.42	4	232.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	63.00	34	2,044.87	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	169.28	32	1,964.87	A
ALKYL (C8,C10) POLYGLUCOSIDE	23.17	7	50.47	A
AMMONIUM NITRATE	1,618.72	39	2,015.34	A
AMMONIUM SULFATE	68.41	20	492.68	A
AZADIRACHTIN	0.94	1	38.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3.36	4	232.50	A
CARFENTHAZONE-ETHYL	106.75	35	4,357.77	A
CHLORANTRANILIPROLE	139.31	11	1,415.20	A
CITRIC ACID	21.85	17	641.31	A
ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	12.76	6	109.00	A
DIAZINON	114.10	2	230.00	A
1,3-DICHLOROPROPENE	10,721.41	1	33.00	A
DIMETHYLPOLYSILOXANE	51.64	53	1,675.46	A
DIPHACINONE	0.05	13	1,524.10	A
DIQUAT DIBROMIDE	27.97	2	60.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FIG				
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	10.83	4	237.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	57.65	1	41.67	A
FATTY ACIDS DERIVED FROM TALLOW	25.47	34	2,044.87	A
FLUMIOXAZIN	0.99	1	5.21	A
GLYPHOSATE, ISOPROPYLAMINE SALT	11,127.12	174	6,491.73	A
	0.01	1	2.00	U
Total Pounds On This Chemical	11,127.13			
GLYPHOSATE, POTASSIUM SALT	11,167.22	67	4,839.74	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.27	6	300.42	A
HYDROGEN CYANAMIDE	2,754.90		205.00	A
HYDROTREATED PARAFFINIC SOLVENT	66.52	6	38.33	A
ISOPROPYL ALCOHOL	534.75	100	4,071.99	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	22.87	83	5,781.67	A
ISOXABEN	0.52	2	2.70	A
LECITHIN	422.39	38	1,485.25	A
MALATHION	244.67	3	85.00	A
METHYLATED SOYBEAN OIL	357.52	50	2,106.06	A
METHYL BROMIDE	120.00		120,000.00	C
MINERAL OIL	2,234.66	38	2,331.29	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,630.97	159	8,474.96	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	6.95	6	38.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	210.91	37	1,470.25	A
NOSEMA LOCUSTAE SPORES	0.34	13	670.00	A
OLEIC ACID	8.19	4	237.00	A
OLEIC ACID, METHYL ESTER	2.63	1	15.00	A
ORCHEX 796 OIL	148.78	4	237.00	A
ORGANO/MODIFIED POLYSILOXANE	4.50	32	1,964.87	A
ORYZALIN	3,469.48	28	1,359.65	A
OXYFLUORFEN	2,985.48	113	4,890.14	A
PARAQUAT DICHLORIDE	3,427.86	114	3,393.90	A
PETROLEUM OIL, PARAFFIN BASED	3,722.28	83	5,781.67	A
PHOSPHINE	10.93		280.00	C
PHOSPHORIC ACID	242.91	85	3,606.92	A
POLYACRYLIC POLYMER	0.90	9	277.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	6.39	10	485.60	A
POLYETHER MODIFIED POLYSILOXANE	3.12	1	41.67	A
POLYETHYLENE GLYCOL	12.51	5	74.24	A
POLY-I-PARA-MENTHENE	14.27	1	30.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	0.65	3	150.21	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	91.49	83	5,781.67	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	612.88	89	5,890.67	A
POTASSIUM HYDROXIDE	2.70	5	214.10	A
POTASSIUM NITRATE	2.70	5	214.10	A
PYRAFLUFEN-ETHYL	3.75	33	697.75	A
PYRIPROXYFEN	25.93	34	2,141.00	A
SORBITAN TRIOLEATE	6.38	6	109.00	A
SPINOSAD	19.69	11	263.10	A
STRYCHNINE	18.12	82	7,545.00	A
SULFUR	3,420.00	3	142.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FIG				
SULFURYL FLUORIDE	990.02		126,162.00	C
TALL OIL FATTY ACIDS	192.52	47	2,519.83	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	6.25	1	41.67	A
UREA	1,205.65	32	1,964.87	A
VEGETABLE OIL	1,128.28	66	1,781.50	A
Site Total	66,023.84	1,162		
FOOD PROCESSING PLANT				
DDVP	12.12		150,000.00	U
	2.98		264.35	K
Total Pounds On This Chemical	15.10			
DDVP, OTHER RELATED	0.91		150,000.00	U
	0.22		264.35	K
Total Pounds On This Chemical	1.14			
ESFENVALERATE	1.16		620,600.00	C
	0.08		286.00	T
Total Pounds On This Chemical	1.24			
HYDROGEN PEROXIDE	28.12		1,084.00	T
MAGNESIUM PHOSPHIDE	20.11		492,000.00	C
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	10.98		2,000.00	K
	0.19		25,000.00	C
Total Pounds On This Chemical	11.18			
PEROXYACETIC ACID	42.19		1,084.00	T
PIPERONYL BUTOXIDE	5.86		2,000.00	K
	0.13		25,000.00	C
Total Pounds On This Chemical	5.99			
PIPERONYL BUTOXIDE, OTHER RELATED	1.46		2,000.00	K
PYRETHRINS	3.66		2,000.00	K
	0.07		25,000.00	C
Total Pounds On This Chemical	3.73			
SODIUM HYPOCHLORITE	37,432.95		500,504.14	T
SULFURYL FLUORIDE	873.25		424.91	K
Site Total	38,436.45			
FORAGE HAY/SILAGE				
ALCOHOLS, C4-C12, NORMAL	0.17	5	167.10	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	15.59	3	271.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	194.10	37	1,880.13	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.73	1	70.00	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	115.14	20	1,047.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	49.19	15	1,053.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	9.73	6	131.30	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.27	1	49.00	A
ALUMINUM PHOSPHIDE	9.10	11	215.00	A
	0.25	3	21.00	U
Total Pounds On This Chemical	9.35			
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	30.87	2	205.00	A
AMMONIUM NITRATE	5.98	10	390.10	A
AMMONIUM SULFATE	250.67	30	1,225.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FORAGE HAY/SILAGE				
BENZOIC ACID	6.29	30	936.60	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	32.62	3	271.00	A
BROMOXYNIL HEPTANOATE	218.31	28	1,132.30	A
BROMOXYNIL OCTANOATE	301.00	41	1,327.30	A
BUTYL ALCOHOL	39.68	37	1,720.20	A
CARFENTRAZONE-ETHYL	184.94	195	8,074.03	A
CASTOR OIL ETHOXYLATE	2.72	5	85.80	A
CHLORANTRANILIPROLE	10.64	6	193.90	A
CHLORSULFURON	6.89	19	786.00	A
CITRIC ACID	5.74	13	640.50	A
CLETHODIM	13.28	2	59.00	A
CLOPYRALID, MONOETHANOLAMINE SALT	7.12	1	15.00	A
COCONUT DIETHANOLAMIDE	0.72	5	301.00	A
CORN SYRUP	3.23	2	82.50	A
COTTONSEED OIL	25.13	7	232.60	A
CYFLUTHRIN	2.80	2	90.00	A
BETA-CYFLUTHRIN	21.46	27	1,078.00	A
(S)-CYPERMETHRIN	10.16	5	204.00	A
2,4-D	22.09	1	15.50	A
2,4-D, DIMETHYLAMINE SALT	9,897.63	236	10,295.79	A
DICAMBA, DIMETHYLAMINE SALT	532.82	62	4,023.70	A
DICAMBA, SODIUM SALT	17.66	5	321.30	A
DIETHYLENE GLYCOL	125.35	60	2,747.00	A
DIFLUFENZOPYR, SODIUM SALT	6.86	5	321.30	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	2,189.71	83	3,789.90	A
DIMETHOATE	42.46	1	86.00	A
DIMETHYL ALKYL TERTIARY AMINES	6.86	30	936.60	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	2.32	2	146.00	A
DIMETHYLPOLYSILOXANE	15.12	132	5,329.20	A
ALPHA-(ORTHO, PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	4.49	1	70.00	A
DIPROPYLENE GLYCOL METHYL ETHER	3.64	12	593.00	A
DODECYLBENZENE SULFONIC ACID	3.11	5	301.00	A
EDTA, TETRASODIUM SALT	0.19	5	301.00	A
FATTY ACIDS, MIXED	5.55	23	1,034.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	21.27	2	201.00	A
FATTY ACIDS DERIVED FROM TALLOW	19.68	15	1,053.00	A
FENOXAPROP-P-ETHYL	12.10	3	147.00	A
GLUFOSINATE-AMMONIUM	10.29	1	35.00	A
GLYCEROL	3.55	4	123.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,942.89	36	1,706.10	A
GLYPHOSATE, POTASSIUM SALT	861.77	16	450.30	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	8.43	7	231.00	A
IMAZETHAPYR, AMMONIUM SALT	6.46	3	88.00	A
ISOPROPYL ALCOHOL	67.90	98	4,870.00	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	1.15	5	246.00	A
KEROSENE	10.40	22	774.70	A
LAMBDA-CYHALOTHRIN	23.44	15	823.70	A
LECITHIN	32.94	13	605.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FORAGE HAY/SILAGE				
MALATHION	214.75	4	171.50	A
MCPA, DIMETHYLAMINE SALT	3,472.20	148	5,942.30	A
METHIDATHION	35.54	3	125.00	A
METHYLATED SILICA	0.16	2	82.50	A
METHYLATED SOYBEAN OIL	399.54	37	1,249.60	A
METOLACHLOR	55.23	1	42.00	A
MINERAL OIL	450.48	14	584.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	13.66	19	1,058.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,026.62	224	10,287.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	40.30	1	55.00	A
OLEIC ACID	259.03	32	2,183.83	A
OLEIC ACID, METHYL ESTER	22.44	6	182.00	A
ORCHEX 796 OIL	1,778.50	30	1,503.83	A
PETROLEUM OIL, PARAFFIN BASED	186.52	5	246.00	A
PHOSPHORIC ACID	28.38	27	1,448.70	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.28	10	636.00	A
POLYACRYLAMIDE POLYMER	1.86	8	284.50	A
POLYACRYLIC POLYMER	0.94	7	415.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	5.65	6	273.00	A
POLYBUTENES	3.80	2	201.00	A
POLYETHER MODIFIED POLYSILOXANE	1.11	2	38.00	A
POLYETHYLENE GLYCOL	89.80	39	1,316.50	A
POLYETHYLENE GLYCOL DIACETATE	0.02	1	49.00	A
POLYETHYLENE GLYCOL OLEATE	5.37	2	146.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	4.58	5	246.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	30.18	5	246.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	20.41	5	85.80	A
POLYSACCHARIDE POLYMER	0.09	2	121.00	A
PROPIONIC ACID	30.52	13	605.00	A
PROPYLENE GLYCOL	17.67	17	605.00	A
PYRAFLUFEN-ETHYL	0.07	1	40.00	A
SILICONE DEFOAMER	0.08	5	301.00	A
SODIUM HYDROXIDE	1.95	4	123.50	A
SODIUM XYLENE SULFONATE	0.96	5	301.00	A
STRYCHNINE	0.36	1	10.00	A
TALL OIL	79.83	39	1,884.30	A
TALL OIL FATTY ACIDS	61.82	38	1,699.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	17.62	7	981.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.48	5	301.00	A
TRIBENURON-METHYL	5.69	10	539.80	A
TRIETHANOLAMINE	1.22	5	301.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	17.50	6	204.50	A
UREA	12.51	9	482.20	A
VINYL POLYMER	10.78	25	1,061.70	A
Site Total	25,886.12	1,340		
FOREST, TIMBERLAND				
ACEPHATE	1.16	1	5.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	26.33	21	594.00	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,763.95	69	2,337.32	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FOREST, TIMBERLAND				
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	0.02	1	4.00	A
AMMONIUM SULFATE	379.03	26	685.50	A
ATRAZINE	62.95	3	77.00	A
ATRAZINE, OTHER RELATED	1.19	3	77.00	A
BORAX	4,449.60	33	6,753.50	A
	10.00		100.00	U
Total Pounds On This Chemical	4,459.60			
BUTYL ALCOHOL	162.31	19	722.50	A
CALCIUM CHLORIDE	3.19	15	483.67	A
CHLORSULFURON	0.23	1	4.00	A
CITRIC ACID	30.08	41	1,169.17	A
CLOPYRALID, MONOETHANOLAMINE SALT	132.25	23	294.02	A
2,4-D, DIMETHYLAMINE SALT	1,592.89	3	45.00	A
2,4-D, 2-ETHYLHEXYL ESTER	9,773.31	64	1,704.51	A
2,4-D, ISOCTYL ESTER	3,696.40	9	304.10	A
DIMETHYLPOLYSILOXANE	1.82	19	722.50	A
DISODIUM OCTABORATE TETRAHYDRATE	2.94	2	600.00	A
(Z)-9-DODECENYL ACETATE	0.02	3	392.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.23	2	3.00	A
ESFENVALERATE	1.60	7	41.00	A
FATTY ACIDS, METHYL ESTERS	66,297.48	836	21,073.77	A
FATTY ACIDS, MIXED	0.32	1	2.00	A
GLYPHOSATE, DIMETHYLAMINE SALT	29,820.70	277	9,390.69	A
GLYPHOSATE, ISOPROPYLAMINE SALT	119,814.43	1,478	38,515.32	A
	< 0.01	1	600.00	S
Total Pounds On This Chemical	119,814.44			
GLYPHOSATE, POTASSIUM SALT	155.61	7	41.30	A
HEXAZINONE	16,499.70	206	8,845.97	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	778.40	51	2,189.00	A
IMAZAPYR, ISOPROPYLAMINE SALT	23,168.27	1,069	35,635.39	A
LECITHIN	2,781.01	75	2,387.32	A
MANCOZEB	6.39	2	20.00	A
METHYLATED SOYBEAN OIL	49,764.95	650	17,139.78	A
MINERAL OIL	900.40	70	1,187.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	15,630.49	1,544	39,432.45	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.05	1	4.00	A
OLEIC ACID, ETHYL ESTER	168.24	8	840.80	A
OLEIC ACID, METHYL ESTER	28,948.97	249	9,259.32	A
PERMETHRIN	0.82	3	392.00	A
PETROLEUM OIL, PARAFFIN BASED	10.37	1	4.00	A
PHOSPHORIC ACID	117.29	26	685.50	A
POLYACRYLAMIDE POLYMER	2.11	1	28.00	A
POLYACRYLIC POLYMER	10.61	26	685.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1,231.31	287	7,601.66	A
POLYMERIZED PINENE	4.09	2	3.00	A
POLYOXYETHYLENE DIOLEATE	29.44	8	840.80	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	1.60	1	4.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	8.41	8	840.80	A
SORBITAN FATTY ACID ESTERS	0.35	1	4.00	A
STRYCHNINE	11.28	216	7,125.98	A
SULFOMETURON-METHYL	37.54	27	331.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FOREST, TIMBERLAND				
TALL OIL FATTY ACIDS	2,909.69	171	5,141.60	A
TRICLOPYR, BUTOXYETHYL ESTER	9,934.52	146	2,927.82	A
TRICLOPYR, TRIETHYLAMINE SALT	6,659.03	200	4,249.87	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	2,842.91	130	4,601.10	A
(S)-VERBENONE	54.53	2	100.00	A
Site Total	401,692.83	5,656		
FUMIGATION, OTHER				
ABAMECTIN	< 0.01			
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.02			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.21			
ALKYL (67%C12, 25%C14, 7%C16, 1%C8,C10,C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	2.77			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.21			
ALUMINUM PHOSPHIDE	10,998.17			
	48.00	1	1.00	A
Total Pounds On This Chemical	11,046.17			
PARA-TERT-AMYLPHENOL	20.18			
ARSENIC PENTOXIDE	9,239.61			
AZOXYSTROBIN	0.50			
ORTHO-BENZYL-PARA-CHLOROPHENOL	103.18			
BORAX	1,117.81			
BORIC ACID	29,786.33			
BOSCALID	0.14			
BROMADIOLONE	< 0.01			
CHLOROPICRIN	4,281.26			
CHLOROTHALONIL	5,453.18			
CHLORPYRIFOS	14.98			
CHROMIC ACID	12,908.28			
COPPER AMMONIUM CARBONATE	63,096.32			
COPPER ETHANOLAMINE COMPLEXES, MIXED	36,148.88			
COPPER HYDROXIDE	79.66			
COPPER OXIDE (IC)	5,027.44			
CYFLUTHRIN	2.65			
BETA-CYFLUTHRIN	1.45			
CYPERMETHRIN	64.06			
DDVP	171.11			
DDVP, OTHER RELATED	4.96			
DELTAMETHRIN	1.24			
DIDECYL DIMETHYL AMMONIUM BICARBONATE	20,853.21			
DIDECYL DIMETHYL AMMONIUM CARBONATE	20,853.21			
DIDECYL DIMETHYL AMMONIUM CHLORIDE	0.03			
DIFETHIALONE	0.63			
DIMETHYLPOLYSILOXANE	< 0.01			
DINOTEFURAN	0.45			
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	< 0.01			
DISODIUM OCTABORATE TETRAHYDRATE	49,096.08			
DODECYL GUANIDINE HYDROCHLORIDE	4.34			
ESFENVALERATE	0.89			
FIPRONIL	1.24			
FORMALDEHYDE	2.05			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
FUMIGATION, OTHER				
FORMIC ACID	24.71			
GAMMA-CYHALOTHRIN	0.66			
GLYPHOSATE, ISOPROPYLAMINE SALT	11.99			
GLYPHOSATE, POTASSIUM SALT	0.17			
IMAZALIL	10.71			
IRON PHOSPHATE	0.12			
ISOPROPYL ALCOHOL	14.09			
MAGNESIUM PHOSPHIDE	2,445.99			
MEFENOXAM	2.99			
MEFENOXAM, OTHER RELATED	0.09			
METAM-SODIUM	2,589.27			
S-METHOPRENE	0.19			
METHYL BROMIDE	88,113.24			
1-METHYLCYCLOPROPENE	0.37			
MUSCALURE	0.04			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.15			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	19.90			
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	< 0.01			
OXYFLUORFEN	0.50			
PARAQUAT DICHLORIDE	4.04			
PETROLEUM OIL, UNCLASSIFIED	0.43			
PHENOTHRIN	0.06			
ORTHO-PHENYLPHENOL	81.96			
PHOSPHINE	8,227.56			
PIPERONYL BUTOXIDE	94.96			
PIPERONYL BUTOXIDE, OTHER RELATED	22.27			
POLYETHYLENE GLYCOL	0.08			
PROPYLENE OXIDE	83,004.50			
PYRACLOSTROBIN	0.07			
PYRETHRINS	14.24			
PYRIPROXYFEN	0.03			
SODIUM CHLORITE	0.04			
SODIUM HYPOCHLORITE	78.72			
STREPTOMYCIN SULFATE	2.91			
SULFUR DIOXIDE	58,926.21			
	58.00	1	5,773.00	U
	26.88	2	2.00	A
Total Pounds On This Chemical	59,011.09			
SULFURYL FLUORIDE	53,857.21			
TEBUCONAZOLE	0.42			
THIOPHANATE-METHYL	1,470.54			
THIRAM	94.83			
TRIS (HYDROXYMETHYL) NITROMETHANE	17.27			
ZINC PHOSPHIDE	0.16			
Site Total	568,603.27	4		
GAI CHOY				
ABAMECTIN	0.03	1	1.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1.08	2	2.00	A
CHLOROTHALONIL	22.47	1	20.00	A
CYFLUTHRIN	0.37	4	14.00	A
(S)-CYPERMETHRIN	0.10	2	2.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GAI CHOY				
EMAMECTIN BENZOATE	0.03	5	5.00	A
IMIDACLOPRID	0.52	4	14.00	A
LAMBDA-CYHALOTHRIN	0.38	3	12.00	A
MALATHION	4.94	10	9.50	A
SPINOSAD	0.93	4	14.00	A
Site Total	30.84	32		
GAI LON				
ACETAMIPRID	2.95	14	52.60	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5.79	2	7.50	A
AZOXYSTROBIN	19.75	19	140.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	36.61	25	67.80	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	16.03	18	111.00	A
BENSULIDE	189.87	10	49.50	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	31.28	19	73.70	A
BOSCALID	77.78	48	199.15	A
CHLOROTHALONIL	157.63	56	207.70	A
CHLORTHAL-DIMETHYL	1,565.95	69	376.86	A
BETA-CYFLUTHRIN	0.40	2	16.00	A
(S)-CYPERMETHRIN	22.28	146	476.58	A
DIAZINON	43.66	10	50.00	A
DIMETHOATE	5.41	8	37.00	A
ESFENVALERATE	0.31	2	10.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	116.79	19	73.70	A
FATTY ACIDS DERIVED FROM TALLOW	2.32	2	7.50	A
FENAMIDONE	7.22	9	27.90	A
FLONICAMID	3.90	13	48.40	A
FLUOPICOLIDE	2.80	9	22.90	A
FOSETYL-AL	334.10	38	139.50	A
GLYPHOSATE, POTASSIUM SALT	143.43	4	104.00	A
IMIDACLOPRID	77.94	89	481.60	A
INDOXACARB	0.84	1	15.00	A
LAMBDA-CYHALOTHRIN	21.04	31	767.00	A
MALATHION	37.80	8	22.50	A
MANDIPROPAMID	1.10	4	8.40	A
MEFENOXAM	8.80	43	140.70	A
METHOXYFENOZIDE	4.94	12	56.00	A
METHYLATED SOYBEAN OIL	1.15	1	20.00	A
NALED	2.77	6	3.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	39.63	19	73.70	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.01	3	27.50	A
OXYFLUORFEN	1.13	2	12.00	A
PERMETHRIN	2.41	8	8.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.06	1	20.00	A
POLYBUTENES	20.86	19	73.70	A
POTASSIUM PHOSPHITE	160.92	12	71.40	A
PYRACLOSTROBIN	3.04	1	27.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GAI LON				
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	2.04	10	11.20	A
SPINETORAM	4.69	6	127.00	A
SPINOSAD	12.89	12	209.00	A
Site Total	3,196.33	724		
GARBANZO BEAN				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.88	2	182.00	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	42.51	1	151.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	22.42	2	90.00	A
ALUMINUM PHOSPHIDE	0.05	1	345.00	A
AMMONIUM NITRATE	10.93	3	142.00	A
AMMONIUM SULFATE	124.26	9	780.00	A
AZOXYSTROBIN	369.69	29	2,185.40	A
BENZOIC ACID	0.21	1	38.00	A
BOSCALID	99.49	6	379.00	A
BUTYL ALCOHOL	6.12	2	170.00	A
CARFENTHAZONE-ETHYL	7.78	9	537.00	A
CHLOROTHALONIL	2,627.26	24	1,744.00	A
CITRIC ACID	52.21	5	618.00	A
CLETHODIM	280.19	19	1,245.10	A
DIMETHOATE	158.82	2	321.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.22	1	38.00	A
DIMETHYLPOLYSILOXANE	2.95	23	1,779.00	A
FLUMIOXAZIN	25.01	5	518.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	173.67	3	105.00	A
GLYPHOSATE, POTASSIUM SALT	1,895.66	10	896.50	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.65	1	234.00	A
HYDROTREATED PARAFFINIC SOLVENT	308.20	3	433.00	A
ISOPROPYL ALCOHOL	175.52	33	2,653.00	A
KEROSENE	0.40	1	38.00	A
LAMBDA-CYHALOTHRIN	9.60	2	305.00	A
LECITHIN	83.48	2	306.00	A
METHYLATED SOYBEAN OIL	590.00	9	775.50	A
METHYL SILICONE RESINS	46.38	23	1,273.80	A
METOLACHLOR	265.38	2	136.00	A
S-METOLACHLOR	514.34	9	394.00	A
METRIBUZIN	210.53	11	588.60	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	48.67	1	242.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	489.23	42	3,254.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	30.50	2	191.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	137.65	3	235.00	A
OLEIC ACID, METHYL ESTER	247.67	2	203.00	A
OXYFLUORFEN	203.53	12	910.00	A
PENDIMETHALIN	1,009.10	18	858.60	A
PETROLEUM OIL, PARAFFIN BASED	741.41	10	553.10	A
PHOSPHORIC ACID	52.84	15	1,289.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	2.91	4	623.00	A
POLYACRYLAMIDE POLYMER	0.64	4	43.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GARBANZO BEAN				
POLYETHER MODIFIED POLYSILOXANE	6.56	4	251.00	A
POLYETHYLENE GLYCOL	136.31	18	1,364.00	A
POLY-I-PARA-MENTHENE	418.94	16	1,411.50	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	151.86	10	553.10	A
PYRACLOSTROBIN	362.91	34	2,604.90	A
SETHOXYDIM	82.01	1	234.00	A
SILICONE DEFOAMER	0.31	6	348.50	A
SODIUM CHLORATE	479.59	2	80.00	A
TALL OIL	7.49	1	242.00	A
TALL OIL FATTY ACIDS	35.14	3	425.00	A
VINYL POLYMER	1.88	6	348.50	A
Site Total	12,755.93	327		
GARLIC				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	818.05	30	4,458.70	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	234.29	35	2,664.16	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	217.54	11	1,677.00	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	24.02	5	775.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.58	1	77.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.20	1	77.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.51	2	90.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	1.64	2	90.00	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	6.16	2	40.00	A
AMMONIUM NITRATE	22.01	5	534.00	A
AMMONIUM PROPIONATE	44.42	5	311.00	A
AMMONIUM SULFATE	735.95	23	2,500.40	A
AZOXYSTROBIN	3,258.97	202	18,438.29	A
BACILLUS PUMILUS, STRAIN QST 2808	12.48	6	104.00	A
BENZOIC ACID	10.49	20	1,560.20	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	173.40	63	4,455.20	A
BOSCALID	341.76	14	1,228.59	A
BROMOXYNIL HEPTANOATE	2,045.56	69	5,819.23	A
BROMOXYNIL OCTANOATE	2,218.17	71	5,970.23	A
BUTYL ALCOHOL	23.96	7	902.60	A
CALCIUM CHLORIDE	30.92	10	1,338.10	A
CHLOROTHALONIL	6,624.31	40	3,460.70	A
CITRIC ACID	146.34	25	2,707.10	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	42.99	3	93.78	A
CLETHODIM	994.61	53	5,683.70	A
COPPER HYDROXIDE	1,092.68	23	924.10	A
COPPER OCTANOATE	2.84	1	2.15	A
CYPERMETHRIN	239.45	7	1,079.00	A
(S)-CYPERMETHRIN	53.74	13	1,751.00	A
CYPRODINIL	141.93	10	671.40	A
DIETHYLENE GLYCOL	62.03	21	2,384.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GARLIC				
DIFENOCONAZOLE	89.72	5	785.00	A
DIMETHENAMID-P	229.49	32	2,835.60	A
DIMETHYL ALKYL TERTIARY AMINES	11.42	20	1,560.20	A
DIMETHYLPOLYSILOXANE	225.33	124	8,960.22	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.96	7	101.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	134.00	6	151.40	A
ETHYLENE GLYCOL	12.10	1	80.00	A
FATTY ACIDS, METHYL ESTERS	140.95	20	526.65	A
FATTY ACIDS, MIXED	89.02	53	3,894.25	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	309.43	22	1,048.65	A
FATTY ACIDS DERIVED FROM TALLOW	0.20	2	90.00	A
FLUAZIFOP-P-BUTYL	398.56	36	3,343.93	A
FLUDIOXONIL	94.62	10	671.40	A
FLUMIOXAZIN	1,566.69	73	9,344.70	A
GARLIC	2.41	1	114.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	6,018.88	16	1,635.05	A
GLYPHOSATE, POTASSIUM SALT	7,930.44	31	3,157.93	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	29.37	28	1,392.00	A
HYDROGEN PEROXIDE	557.42	26	692.40	A
HYDROTREATED PARAFFINIC SOLVENT	838.79	7	949.30	A
IMIDACLOPRID	457.24	17	911.30	A
IPRODIONE	26.57	2	13.30	A
ISOPARAFFINIC HYDROCARBONS	2,051.62	19	2,839.90	A
ISOPROPYL ALCOHOL	547.39	61	8,128.00	A
KEROSENE	20.31	20	1,560.20	A
LAMBDA-CYHALOTHRIN	137.51	37	4,583.90	A
LECITHIN	827.60	59	4,797.25	A
MANCOZEB	678.71	4	427.00	A
MEFENOXAM	46.24	9	468.00	A
MEFENOXAM, OTHER RELATED	1.22	6	306.00	A
METHOMYL	2,813.45	56	6,350.33	A
METHYLATED SOYBEAN OIL	2,731.29	43	4,644.70	A
METHYL BROMIDE	15.50		1.00	U
METHYL SILICONE RESINS	3.25	21	466.75	A
MINERAL OIL	895.11	17	1,723.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	154.87	44	1,893.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,975.22	166	16,475.75	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	86.55	7	949.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,345.89	44	4,386.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	1.60	7	385.15	A
OLEIC ACID, METHYL ESTER	1,210.35	39	3,069.00	A
ORCHEX 796 OIL	1,397.53	19	2,839.90	A
ORGANO/MODIFIED POLYSILOXANE	0.04	2	90.00	A
OXAMYL	395.51	17	303.00	A
OXYFLUORFEN	4,249.73	164	16,730.69	A
PARAQUAT DICHLORIDE	227.24	3	228.35	A
PENDIMETHALIN	15,639.24	162	15,129.85	A
PERMETHRIN	23.15	1	154.00	A
PETROLEUM DISTILLATES	77.48	3	101.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GARLIC				
PETROLEUM OIL, PARAFFIN BASED	390.48	9	460.15	A
PHOSPHORIC ACID	222.46	31	3,614.10	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	66.09	97	12,070.73	A
POLYACRYLAMIDE POLYMER	3.63	7	616.40	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.91	1	23.00	A
POLYBUTENES	55.26	22	1,048.65	A
POLYETHER MODIFIED POLYSILOXANE	7.26	6	151.40	A
POLYETHYLENE GLYCOL	150.47	13	1,423.00	A
POLY-I-PARA-MENTHENE	20.94	1	45.00	A
POLYMERIZED PINENE	52.47	7	101.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.86	1	27.12	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	0.31	1	2.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	51.34	7	385.15	A
POLYPROPYLENE GLYCOL	1.76	12	327.40	A
POLYSACCHARIDE POLYMER	0.20	4	271.40	A
POTASSIUM PHOSPHITE	66.85	6	306.00	A
PROPICONAZOLE	1,116.19	102	7,624.34	A
PROPIONIC ACID	558.56	47	2,975.25	A
PROPYLENE GLYCOL	14.20	10	465.00	A
PYRACLOSTROBIN	109.48	14	745.35	A
PYRAFLUFEN-ETHYL	0.74	2	300.00	A
PYRETHRINS	6.23	1	114.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	27.52	14	239.56	A
REYNOUTRIA SACHALINENSIS	4.04	12	13.62	A
SETHOXYDIM	219.87	8	844.00	A
SILICONE	0.70	32	638.70	A
SODIUM POLYACRYLATE	1.11	5	311.00	A
SORBITAN FATTY ACID ESTERS	11.23	7	385.15	A
SPINETORAM	7.06	1	150.00	A
SPINOSAD	16.51	2	141.12	A
STYRENE BUTADIENE COPOLYMER	2.70	1	23.00	A
SULFUR	2,668.50	37	488.70	A
SULFURIC ACID	0.70	2	40.00	A
TALL OIL	14.91	5	775.00	A
TALL OIL FATTY ACIDS	349.34	41	5,212.20	A
TEBUCONAZOLE	3,719.41	173	18,166.54	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	10.81	1	28.63	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	37.14	29	1,415.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	112.26	15	1,358.40	A
UREA	15.61	4	397.00	A
UREA DIHYDROGEN SULFATE	6.68	1	28.63	A
VEGETABLE OIL	815.65	3	612.20	A
VINYL POLYMER	73.58	41	4,618.20	A
YUCCA SCHIDIGERA	57.82	2	192.30	A
ZINC SULFATE	50.72	8	1,216.70	A
Site Total	87,462.75	2,069		
GOURD				
ABAMECTIN	0.12	2	10.00	A
ACETAMIPRID	0.28	2	10.00	A
Site Total	0.40	4		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAIN				
ALUMINUM PHOSPHIDE	109.44	9	3,810.00	U
	58.30		2,800.00	T
Total Pounds On This Chemical	167.74			
2,4-D, DIMETHYLAMINE SALT	240.75	10	221.76	A
DICAMBA, DIMETHYLAMINE SALT	5.72	1	40.00	A
MAGNESIUM PHOSPHIDE	0.12		2,700.00	C
MCPA, DIMETHYLAMINE SALT	16.61	1	40.00	A
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	43.60		10,000.00	K
PHOSPHINE	0.20		2,700.00	C
PIPERONYL BUTOXIDE	25.93		10,000.00	K
PIPERONYL BUTOXIDE, OTHER RELATED	3.63		6,000.00	K
PYRETHRINS	14.78		10,000.00	K
SODIUM HYPOCHLORITE	37.49	36	30,104.00	U
	31.14	26	24,750.01	?
Total Pounds On This Chemical	68.63			
Site Total	587.72	83		
GRAPE				
ABAMECTIN	1,969.30	2,471	102,401.56	A
S-ABSCISIC ACID	2,575.13	405	14,633.27	A
ACETAMIPRID	199.94	92	3,974.88	A
ACETIC ACID	20.66	91	2,491.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	9.35	13	626.38	A
ACRYLIC ACID	1,115.49	510	17,283.24	A
ALCOHOLS, C4-C12, NORMAL	0.16	1	40.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	18,018.91	1,098	29,108.82	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	33.63	50	1,152.16	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	1.18	3	47.93	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	4,073.93	566	25,710.86	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	312.94	39	1,814.89	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE)	1.56	1	20.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	14.76	5	108.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	5,362.77	782	25,088.53	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	626.77	237	9,320.22	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	191.19	235	10,403.92	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	35.52	14	460.89	A
ALKYL (C8,C10) POLYGLUCOSIDE	4,204.23	734	16,952.19	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	117.61	21	946.07	A
ALLYLOXPOLYETHYLENE GLYCOL ACETATE	217.06	88	4,392.90	A
ALUMINUM PHOSPHIDE	691.80		6,121.97	K
	439.04		2,455,673.45	C
	27.01	51	1,085.28	A
	18.70		1,428.20	T
Total Pounds On This Chemical	1,176.54			
AMMONIUM NITRATE	1,953.42	668	14,879.36	A
AMMONIUM PROPIONATE	275.68	58	1,663.12	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE				
AMMONIUM SULFATE	13,929.61	1,632	48,607.89	A
AMYL ACETATE	0.85	1	40.00	A
AZADIRACTIN	50.91	47	1,902.27	A
AZOXYSTROBIN	3,991.55	516	21,572.48	A
BACILLUS PUMILUS, STRAIN QST 2808	1,262.35	396	16,041.09	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	150.88	21	1,120.13	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG 2348	38.35	28	559.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	28,799.81	1,066	58,500.91	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	759.64	92	4,781.53	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1,186.58	58	2,306.43	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	4.25	1	7.00	A
BENTONITE	0.04	1	26.00	A
BENZOIC ACID	28.65	131	2,748.23	A
BIFENAZATE	9,682.66	488	20,094.98	A
BIFENTHRIN	28.75	7	289.57	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3,544.91	1,387	43,892.04	A
N,N-BIS-(2-(OMEGA-HYDROXPOLY(OXYETHYLENE)/POLY (OXYPROPYLENE))ETHYL)ALKYL (C8-C18) AMINE	8.01	2	36.00	A
BORAX	0.90	1	20.00	A
BORIC ACID	86.00	1	20.00	A
BOSCALID	27,304.90	2,962	134,869.44	A
BUPROFEZIN	21,715.45	960	40,204.65	A
2-BUTOXYETHANOL	15.79	58	1,263.16	A
BUTYL ALCOHOL	701.66	425	14,675.11	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	605.89	98	2,910.80	A
CALCIUM CHLORIDE	28.12	6	386.22	A
CALCIUM HYDROXIDE	2,010.73	15	471.90	A
CAPTAN	2,309.50	83	2,858.83	A
CAPTAN, OTHER RELATED	53.10	83	2,858.83	A
CARBARYL	16.76	5	9.17	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	12.26	70	3,055.40	A
CARBON	31.52	8	147.00	A
CARBON DIOXIDE	18,400.80		71,586.32	T
	11,486.25	2	864.00	A
	179.01		94,860.00	P
Total Pounds On This Chemical	30,066.06			
CARFENTRAZONE-ETHYL	243.79	502	17,960.38	A
CASTOR OIL ETHOXYLATE	3.37	5	87.50	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	425.32	11	712.52	A
CHLORANTRANILIPROLE	1,850.53	598	30,115.25	A
CHLOROPHACINONE	0.02	46	1,783.90	A
CHLOROPICRIN	1,014.80	1	7.50	A
CHLORPYRIFOS	47,905.45	603	26,298.27	A
	1,830.08		974.00	U
Total Pounds On This Chemical	49,735.53			
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	144.00	4	160.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE				
CITRIC ACID	5,267.43	985	38,954.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	194.61	3	58.93	A
CLETHODIM	68.24	7	339.00	A
CLOFENTEZINE	294.28	22	1,195.00	A
CLOTHIANIDIN	1,160.21	260	10,553.26	A
COCONUT DIETHANOLAMIDE	1,217.18	1,476	63,669.57	A
COPPER	38,836.15	544	17,015.51	A
COPPER AMMONIUM COMPLEX	8.98	5	10.00	A
COPPER HYDROXIDE	106,817.22	3,813	160,364.00	A
COPPER OCTANOATE	13.34	1	18.00	A
COPPER OXIDE (OUS)	23,871.73	592	22,322.07	A
COPPER OXYCHLORIDE	71,027.20	945	38,897.40	A
COPPER OXYCHLORIDE SULFATE	3,603.50	67	1,657.38	A
COPPER SULFATE (BASIC)	79,111.69	1,299	70,969.71	A
COPPER SULFATE (PENTAHYDRATE)	5,478.50	279	13,396.49	A
COTTONSEED OIL	604.76	90	2,243.00	A
CRYOLITE	325,811.33	1,577	56,361.22	A
CYFLUTHRIN	106.68	58	2,216.91	A
BETA-CYFLUTHRIN	426.27	422	17,718.30	A
(S)-CYPERMETHRIN	5.26	3	106.00	A
CYPRODINIL	37,074.77	2,101	105,104.25	A
2,4-D, DIMETHYLAMINE SALT	15,315.89	817	26,239.15	A
ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	17.80	3	160.00	A
1,3-DICHLOROPROPENE	441,428.26	35	1,338.33	A
DICLORAN	14.70	2	15.80	A
DIETHYLENE GLYCOL	3,569.89	812	32,750.64	A
DIFENOCONAZOLE	3,228.04	608	29,841.52	A
DIMETHYL ALKYL TERTIARY AMINES	31.20	131	2,748.23	A
3,7-DIMETHYL-6-OCTEN-1-OL	7.87	23	656.25	A
DIMETHYLPOLYSILOXANE	4,483.88	7,179	268,457.81	A
DIMETHYL SILICONE FLUID EMULSION	1.47	29	455.00	A
ALPHA-(ORTHO, PARA-DINONYLPHENYL)-OMEGA- HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	2.36	5	28.82	A
DINOTEFURAN	28.67	6	218.40	A
DIPHACINONE	0.20	49	1,596.63	A
DIPROPYLENE GLYCOL METHYL ETHER	12.72	20	530.00	A
DIQUAT DIBROMIDE	56.61	4	159.00	A
DIURON	4,660.57	287	8,530.91	A
DODECYLBENZENE SULFONIC ACID	1,508.52	1,241	53,265.65	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	91.41	20	761.30	A
EDTA, SODIUM SALT	10.48	579	18,252.32	A
EDTA, TETRASODIUM SALT	92.83	1,241	53,265.65	A
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	< 0.01	1	100.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	518.00	13	689.01	A
ENDOSULFAN	1,200.00	3	400.00	A
ETHEPHON	18,622.36	1,577	60,667.78	A
ETHYLENE GLYCOL	1,739.90	177	5,690.21	A
ETOXAZOLE	2,958.40	484	25,801.41	A
FARNESOL	3.15	23	656.25	A
FATTY ACIDS, METHYL ESTERS	158.26	17	1,380.00	A
FATTY ACIDS, MIXED	2,634.99	2,144	85,505.94	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	11,823.25	521	14,809.78	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE				
FATTY ACIDS DERIVED FROM TALLOW	250.77	237	9,320.22	A
FENAMIPHOS	4,894.68	33	2,577.50	A
FENARIMOL	185.25	210	5,046.24	A
FENBUTATIN-OXIDE	664.50	13	905.00	A
FENHEXAMID	12,014.43	601	25,179.92	A
FENPROPATHRIN	4,908.71	383	18,781.31	A
FENPYROXIMATE	822.10	184	7,304.68	A
FLAZASULFURON	8.95	13	358.34	A
FLUAZIFOP-P-BUTYL	1,256.71	265	5,267.33	A
FLUBENDIAMIDE	1,153.55	250	10,062.84	A
FLUDIOXONIL	6,105.21	626	29,737.17	A
FLUMIOXAZIN	6,008.74	1,121	37,019.93	A
FLUOPYRAM	8.79	4	88.00	A
FORCHLORFENURON	79.02	385	14,619.77	A
GARLIC	1,818.04	265	9,263.30	A
GERANIOL	7.87	23	656.25	A
GIBBERELLINS	12,367.44	8,919	372,057.08	A
GIBBERELLINS, POTASSIUM SALT	5.24	15	795.00	A
GLUFOSINATE-AMMONIUM	48,613.11	2,600	78,232.66	A
GLYCEROL	9.96	3	93.50	A
GLYPHOSATE, DIAMMONIUM SALT	42.59	1	71.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	124,338.13	3,573	101,024.44	A
	0.12	1	600.00	S
Total Pounds On This Chemical	124,338.25			
GLYPHOSATE, POTASSIUM SALT	135,518.64	3,467	102,093.97	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	428.43	126	2,640.70	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	26.92	136	3,682.64	A
HEXYTHIAZOX	364.51	60	2,662.28	A
HYDROGEN CYANAMIDE	225,717.41	339	14,354.16	A
HYDROGEN PEROXIDE	2,032.94	73	2,010.50	A
HYDROTREATED PARAFFINIC SOLVENT	3,534.86	247	6,834.26	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	4,276.97	471	19,791.37	A
IMIDACLOPRID	31,022.03	3,246	148,076.61	A
INDOXACARB	240.38	32	2,096.43	A
IPRODIONE	6,924.75	248	10,212.23	A
IRON PHOSPHATE	2.00	1	15.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	718.42	43	1,459.22	A
ISOPARAFFINIC HYDROCARBONS	2.32	1	8.00	A
ISOPROPYL ALCOHOL	9,211.99	6,155	199,153.26	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	124.68	693	20,076.58	A
ISOXABEN	1,189.20	106	2,322.01	A
KAOLIN	1,006.99	8	37.00	A
KEROSENE	53.54	125	2,571.39	A
KRESOXIM-METHYL	11,012.31	1,840	82,921.01	A
LACTOSE	< 0.01	1	26.00	A
LAURIC ACID	173.81	235	10,403.92	A
LAVANDULYL SENECIOATE	90.02	31	1,145.00	A
LECITHIN	4,806.93	601	20,293.72	A
LIGNIN SULFONIC ACID, CALCIUM SALT	1.13	2	30.00	A
LIGNIN SULFONIC ACID, ZINC SALT	184.67	4	123.00	A
LIME-SULFUR	873,466.56	625	30,646.94	A
	0.15	2	44.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE				
Total Pounds On This Chemical	873,466.71			
LIMONENE	462.04	63	1,340.16	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	2.86	4	160.00	A
MALATHION	1,310.63	34	777.83	A
MANCOZEB	33,117.50	549	24,032.11	A
MANDIPROPAMID	0.26	1	2.00	A
MANEB	715.54	17	724.20	A
MANGANESE SULFATE	27.74	4	292.50	A
META-CRESOL	0.33	4	47.20	A
METALDEHYDE	902.90	62	3,124.75	A
METAM-SODIUM	58,322.26	7	227.00	A
METHOMYL	3,888.96	96	5,418.73	A
S-METHOPRENE	0.14	2	72.00	A
METHOXYFENOZIDE	17,440.20	2,089	89,232.07	A
METHYLATED SILICA	< 0.01	1	11.00	A
METHYLATED SOYBEAN OIL	24,242.62	1,086	40,725.32	A
METHYL BROMIDE	200.00		224.00	K
	101.10		69,120.00	P
	50.00		36,000.00	C
Total Pounds On This Chemical	351.10			
METHYL SILICONE RESINS	2.17	7	61.00	A
METRAFENONE	8,273.93	678	31,202.36	A
MINERAL OIL	91,484.09	1,450	50,806.93	A
	1.41	7	140.00	U
Total Pounds On This Chemical	91,485.50			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	86,469.50	9,863	493,694.11	A
MOLASSES	664.32	2	90.00	A
MYCLOBUTANIL	19,750.57	4,169	171,778.89	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	36.00	1	17.00	A
NALED	160.85	2	160.00	A
NAPROPAMIDE	15.00	2	12.50	A
NEROLIDOL	7.87	23	656.25	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	8,776.11	2,267	85,045.12	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	58,412.30	7,976	286,711.96	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	960.10	461	12,992.28	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	20,544.78	1,076	41,102.04	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	887.58	171	5,913.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	10.29	26	1,087.95	A
NORFLURAZON	15,790.13	229	9,663.50	A
NOSEMA LOCUSTAE SPORES	< 0.01	1	0.25	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	972.44	71	2,795.80	A
OIL OF JOJOBA	55.41	7	105.00	A
OLEIC ACID	306.23	447	13,274.30	A
OLEIC ACID, METHYL ESTER	4,259.23	211	7,214.78	A
ORCHEX 796 OIL	1.58	1	8.00	A
ORGANO/MODIFIED POLYSILOXANE	0.94	14	460.89	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	32.97	11	399.22	A
ORYZALIN	63,270.59	951	31,853.15	A
OXYFLUORFEN	29,419.86	2,984	96,305.94	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE				
PAECILOMYCES LILACINUS STRAIN 251	272.43	50	1,138.00	A
PARAQUAT DICHLORIDE	77,524.11	2,707	91,657.78	A
PARATHION	1.24	1	40.00	A
PENDIMETHALIN	126,377.04	2,099	64,798.83	A
PETROLEUM DISTILLATES	1,421.14	310	6,891.42	A
PETROLEUM DISTILLATES, ALIPHATIC	0.43	5	186.00	A
PETROLEUM DISTILLATES, REFINED	22,522.62	142	2,433.85	A
PETROLEUM NAPHTHENIC OILS	5.06	5	186.00	A
PETROLEUM OIL, PARAFFIN BASED	66,194.63	926	28,221.46	A
PETROLEUM OIL, UNCLASSIFIED	70,450.22	199	8,084.87	A
PHOSMET	1,241.37	28	701.00	A
PHOSPHINE	31.46		1,469.00	K
	< 0.01		1.20	C
Total Pounds On This Chemical	31.46			
PHOSPHORIC ACID	9,256.10	3,175	124,909.75	A
PHOSPHORUS	3.90	4	72.00	A
BETA-PINENE POLYMER	585.08	75	2,791.55	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	227.52	269	14,509.63	A
POLYACRYLAMIDE POLYMER	18.32	35	686.17	A
POLYACRYLIC POLYMER	16.70	138	5,141.02	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	108.04	206	8,271.94	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	127.06	13	689.01	A
POLYBUTENES	2,111.29	521	14,809.78	A
POLYETHER MODIFIED POLYSILOXANE	1,759.82	298	18,063.34	A
POLYETHYLENE GLYCOL	8,102.14	1,641	45,681.04	A
POLYETHYLENE GLYCOL DIACETATE	19.73	88	4,392.90	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.19	1	2.50	A
POLY-I-PARA-MENTHENE	455.28	61	2,322.39	A
POLYMERIC TERPENES	4.83	5	25.00	A
POLYMERIZED ACRYLIC ACID	5.89	1	25.00	A
POLYMERIZED PINENE	56.76	4	172.50	A
POLYOXIN D, ZINC SALT	491.63	198	7,443.67	A
POLY(OXYETHYLENE) (DIMETHYLIMINO) ETHYLENE (DIMETHYLIMINO) ETHYLENE DICHLORIDE	3.00	2	13.33	A
POLYOXYETHYLENE DIOLEATE	0.69	11	399.22	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	2.23	1	8.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	9,572.41	1,976	88,946.08	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	38.38	8	273.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	460.32	95	2,819.46	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	329.44	26	1,087.95	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	435.56	635	18,813.42	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	2,882.84	638	18,973.42	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	58.37	6	121.50	A
POLYPROPYLENE GLYCOL	0.02	2	9.00	A
POLYSACCHARIDE POLYMER	0.85	17	299.34	A
POLYSILOXANE	0.27	34	474.00	A
POTASH SOAP	2,270.84	37	1,138.40	A
POTASSIUM BICARBONATE	34,977.63	247	11,196.34	A
POTASSIUM HYDROXIDE	65.73	133	4,103.76	A
POTASSIUM N-METHYLDITHIOCARBAMATE	17,179.28	6	375.00	A
POTASSIUM NITRATE	548.15	99	3,629.76	A
POTASSIUM PHOSPHITE	8,162.43	442	23,508.67	A
PROPARGITE	512.16	13	356.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE				
PROPICONAZOLE	1.46	1	12.00	A
PROPIONIC ACID	2,537.78	340	12,687.84	A
PROPYLENE GLYCOL	2,059.22	985	43,021.71	A
PROPYLENE GLYCOL, METHYL ETHER	12.58	15	362.00	A
PYRACLOSTROBIN	13,868.44	2,955	134,863.44	A
PYRAFLUFEN-ETHYL	87.51	955	30,777.54	A
PYRETHRINS	240.50	135	4,821.79	A
PYRIDABEN	92.06	4	214.21	A
PYRIMETHANIL	5,774.30	449	21,494.23	A
PYRIPROXYFEN	18.07	62	1,902.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	4,405.72	513	23,632.50	A
QUILLAJA	105.19	71	3,087.40	A
QUINOXYFEN	10,022.40	2,750	110,362.56	A
	< 0.01	3	60.00	U
Total Pounds On This Chemical	10,022.41			
REYNOUTRIA SACHALINENSIS	348.92	72	2,031.50	A
RIMSULFURON	1,657.88	1,484	45,729.46	A
ROTENONE	0.15	1	29.83	A
ROTENONE, OTHER RELATED	0.15	1	29.83	A
SAWDUST	4.22	4	72.00	A
SETHOXYDIM	3,298.62	220	8,093.98	A
SILICONE DEFOAMER	39.45	1,241	53,265.65	A
SIMAZINE	39,255.25	1,067	37,006.85	A
SODIUM BICARBONATE	13.63	4	85.00	A
SODIUM DIOCTYLSULFOSUCCINATE	0.73	1	20.00	A
SODIUM HYDROXIDE	6.25	15	150.00	A
SODIUM NITRATE	72.30	8	147.00	A
SODIUM POLYACRYLATE	6.54	56	1,598.12	A
SODIUM TETRATHIOCARBONATE	10,506.93	5	354.00	A
SODIUM XYLENE SULFONATE	464.16	1,241	53,265.65	A
SORBITAN FATTY ACID ESTERS	72.06	26	1,087.95	A
SORBITAN MONOOLEATE	44.92	184	4,046.84	A
SORBITAN TRIOLEATE	8.90	3	160.00	A
SPINETORAM	4,635.63	1,437	67,624.37	A
SPINOSAD	3,389.37	675	29,357.12	A
SPIRODICLOFEN	1,727.38	130	5,102.42	A
SPIROTETRAMAT	1,565.39	2,781	112,884.81	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	12	53.00	A
STRYCHNINE	23.26	43	1,763.64	A
STYRENE BUTADIENE COPOLYMER	717.49	376	19,414.61	A
SULFUR	10,776,044.54	43,956	1,811,381.57	A
	1.48	11	14,100.00	S
Total Pounds On This Chemical	10,776,046.02			
SULFUR DIOXIDE	62,517.94		567,852.28	T
	7,715.50		7,255,678.00	U
	5,505.56		44,609,085.46	P
	4,861.51		35,790.65	K
	3,641.00	2	958.33	A
	2,524.97		1,960,074.00	C
	175.00		281,020.00	S
Total Pounds On This Chemical	86,941.48			
SULFURIC ACID	53.77	62	2,594.91	A
SULFURYL FLUORIDE	45.31		144.00	K
TALL OIL	48.44	48	1,630.20	A
TALL OIL FATTY ACIDS	2,953.42	1,937	65,666.77	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE				
TEBUCONAZOLE	15,635.71	3,134	133,005.75	A
TETRACONAZOLE	510.35	336	13,712.57	A
E-11-TETRADECEN-1-YL ACETATE	0.04	1	100.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	8,215.51	2,298	85,351.97	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	60.90	8	413.04	A
TETRAPOTASSIUM PYROPHOSPHATE	232.08	1,241	53,265.65	A
THIAMETHOXAM	87.88	14	1,010.16	A
THIAZOPYR	44.58	1	24.00	A
THIOPHANATE-METHYL	9,467.06	255	10,075.08	A
TRIADIMEFON	2.78	1	19.00	A
TRICHLORO-S-TRIAZINETRIONE	9.84	1	12.00	A
TRIETHANOLAMINE	591.82	1,242	53,283.85	A
TRIFLOXYSTROBIN	11,102.69	3,717	152,432.34	A
TRIFLUMIZOLE	12,533.11	1,245	64,403.61	A
TRIFLURALIN	4,745.93	165	16,402.29	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	101.62	90	1,182.28	A
TRISODIUM PHOSPHATE	3.22	1	53.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3,226.32	677	31,854.53	A
UREA	275.97	18	510.89	A
VEGETABLE OIL	18.64	4	199.00	A
VINYL POLYMER	30.68	39	1,699.79	A
WARFARIN	< 0.01	2	37.00	A
XANTHAN GUM	0.07	26	720.00	A
XYLENE	1.27	1	40.00	A
2,4-XYLENOL	0.32	4	47.20	A
YUCCA SCHIDIGERA	5,836.61	332	10,788.30	A
ZINC PHOSPHIDE	112.24	17	901.55	A
ZINC SULFATE	266.72	60	3,743.27	A
ZIRAM	24,813.69	453	13,448.19	A
Site Total	15,086,613.93	169,466		
GRAPE, WINE				
ABAMECTIN	2,786.45	2,784	152,640.79	A
S-ABSCISIC ACID	75.66	7	340.75	A
ACETAMIPRID	1,066.95	628	14,912.86	A
ACETIC ACID	0.91	9	162.00	A
ACID BLUE 9, DIAMMONIUM SALT	51.20	11	11.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	23.30	49	2,886.00	A
ACRYLIC ACID	3,729.96	2,185	53,125.82	A
ALCOHOLS, C4-C12, NORMAL	0.24	1	32.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	4,549.66	396	17,766.32	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	28.49	27	1,280.76	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	21.70	1	100.00	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	1.97	2	109.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	1.97	2	109.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	32,100.27	7,254	240,909.67	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	960.71	150	6,333.21	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	93.89	9	512.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	25.65	42	157.54	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.04	2	91.00	A
ALPHA-ALKYL (C10-C20)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.21	2	32.00	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.16	1	11.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.19	42	157.54	A
ALPHA-PINENE BETA-PINENE COPOLYMER	6,380.97	1,745	36,391.38	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	313.52	78	2,911.53	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	113.60	81	3,841.26	A
ALPHA-ALKYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	259.58	26	664.98	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	18.95	11	241.77	A
ALKYL (C8,C10) POLYGLUCOSIDE	6,144.18	1,135	32,247.29	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	161.74	17	1,064.88	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	4,106.21	4,930	85,490.82	A
ALUMINUM PHOSPHIDE	1,086.32	664	19,078.83	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	5.27	1	25.00	A
AMMONIUM NITRATE	3,356.74	3,155	60,865.29	A
AMMONIUM PROPIONATE	1,318.39	316	8,182.85	A
AMMONIUM SULFATE	59,049.34	5,779	140,818.75	A
AMYL ACETATE	12.55	12	647.00	A
AZADIRACTIN	25.39	31	938.57	A
AZOXYSTROBIN	6,073.11	606	20,169.86	A
BACILLUS PUMILUS, STRAIN QST 2808	2,127.90	1,758	21,841.42	A
BACILLUS THURINGIENSIS (BERLINER)	12.44	15	214.89	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	1.37	1	18.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	21.60	1	40.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	18.27	10	235.26	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG 2348	5.36	9	85.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	9,329.99	1,187	15,785.25	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	2,084.83	97	7,428.88	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	4,340.44	77	6,955.90	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	37.15	8	50.50	A
BENTONITE	6.00	3	103.85	A
BENZOIC ACID	476.06	578	17,019.91	A
BIFENAZATE	16,197.52	861	33,935.18	A
BIFENTHRIN	194.79	20	1,993.46	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	4,645.57	2,929	90,637.86	A
BORIC ACID	92.53	24	192.04	A
BOSCALID	53,340.17	7,266	239,940.44	A
BUPROFEZIN	5,614.55	494	10,393.11	A
2-BUTOXYETHANOL	11.40	27	1,280.76	A
BUTYL ALCOHOL	7,430.53	7,659	208,525.97	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	534.11	42	3,099.20	A
CALCIUM CHLORIDE	231.30	390	9,728.68	A
CALCIUM HYDROXIDE	58.32	3	25.00	A
CALCIUM HYPOCHLORITE	407.63	12	1,003.40	A
CAPSICUM OLEORESIN	2.41	11	225.43	A
CAPTAN	13.60	4	12.25	A
CAPTAN, OTHER RELATED	0.31	4	12.25	A
CARBARYL	936.31	41	602.86	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	89.54	1,254	15,741.12	A
CARBON	19.56	17	128.00	A
CARBOPHENOTHION	1,204.39	3	30.90	A
CARFENTRAZONE-ETHYL	1,480.65	2,470	94,376.92	A
CASEIN	362.93	3	708.85	A
CASTOR OIL ETHOXYLATE	615.69	63	3,006.06	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	1,398.74	60	1,830.38	A
CHLORANTRANILIPROLE	3,877.84	1,742	52,626.83	A
CHLOROPHACINONE	0.20	80	6,459.67	A
CHLOROPICRIN	29,907.75	7	162.00	A
CHLORPYRIFOS	52,341.29	329	28,359.77	A
CHOLECALCIFEROL	0.04	1	17.00	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	9.00	1	10.00	A
CITRIC ACID	4,257.39	1,731	54,578.60	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	242.85	13	209.62	A
CLETHODIM	125.97	21	714.42	A
CLOFENTEZINE	449.19	44	2,262.02	A
CLOTHIANIDIN	537.52	131	5,059.98	A
COCONUT DIETHANOLAMIDE	864.13	406	14,778.04	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	8.06	8	600.00	A
COPPER	14,840.07	128	5,657.99	A
COPPER AMMONIUM COMPLEX	0.20	3	2.00	A
COPPER DIAMMONIUM DIACETATE COMPLEX	0.90	2	0.60	A
COPPER HYDROXIDE	153,989.22	6,221	281,131.66	A
COPPER OCTANOATE	51.89	20	124.90	A
COPPER OXIDE (OUS)	28,263.59	1,540	29,003.16	A
COPPER OXYCHLORIDE	24,095.90	2,085	49,869.30	A
COPPER OXYCHLORIDE SULFATE	2,180.49	9	731.08	A
COPPER SALTS OF FATTY AND ROSIN ACIDS	12.20	1	20.00	A
COPPER SULFATE (ANHYDROUS)	0.18	2	16.50	A
COPPER SULFATE (BASIC)	19,846.29	302	17,509.19	A
COPPER SULFATE (PENTAHYDRATE)	0.03	1	16.00	A
CORN PRODUCT, HYDROLYZED	12.67	2	20.00	A
COTTONSEED OIL	316.86	37	1,221.53	A
CRYOLITE	8,763.13	55	1,894.39	A
CYANURIC ACID	14.44	1	24.89	A
CYFLUTHRIN	418.32	153	8,425.13	A
BETA-CYFLUTHRIN	36.45	62	2,260.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
(S)-CYPERMETHRIN	23.05	6	491.00	A
CYPRODINIL	45,081.81	4,503	122,916.31	A
2,4-D, DIMETHYLAMINE SALT	8,721.08	321	11,536.69	A
DIAMMONIUM PHOSPHATE	1.58	3	6.00	A
DIAZINON	11.60	12	158.60	A
DICAMBA, DIMETHYLAMINE SALT	0.07	1	2.50	A
1,3-DICHLOROPROPENE	666,004.90	70	2,648.89	A
DICLORAN	1.25		1.00	A
DICOFOL	86.48	14	148.00	A
DIDECYL DIMETHYL AMMONIUM CHLORIDE	9.77	1	100.00	A
DIETHYLENE GLYCOL	28,925.38	4,560	172,751.92	A
DIETHYLENE GLYCOL MONOETHYL ETHER	1.02	23	589.00	A
DIFENOCONAZOLE	8,516.19	2,485	71,522.98	A
DIMETHOATE	6.70	4	5.50	A
DIMETHYL ALKYL TERTIARY AMINES	518.76	558	16,902.73	A
3,7-DIMETHYL-6-OCTEN-1-OL	10.79	47	683.09	A
DIMETHYLPOLYSILOXANE	33,096.69	23,621	723,592.96	A
DIMETHYL SILICONE FLUID EMULSION	27.57	299	10,288.60	A
DIMETHYL SOYA AMINE	2.07	20	117.18	A
DINOTEFURAN	728.98	252	7,396.75	A
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	6.51	1	100.00	A
DIOCTYL PHTHALATE	0.06	1	0.53	A
DIPHACINONE	0.71	265	10,968.05	A
DIPROPYLENE GLYCOL METHYL ETHER	6.13	30	472.61	A
DIQUAT DIBROMIDE	40.70	15	97.86	A
DISODIUM OCTABORATE TETRAHYDRATE	30.05	22	614.22	A
DIURON	13,149.40	419	12,908.73	A
(E,Z)-7,9-DODECADIEN-1-YL ACETATE	268.40	1,451	22,764.48	A
DODECYLBENZENE SULFONIC ACID	1,507.03	326	10,938.78	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	57.01	69	1,228.39	A
EDTA, SODIUM SALT	9.91	216	20,652.50	A
EDTA, TETRASODIUM SALT	92.74	325	10,936.78	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	12.01	4	32.85	A
ENDOTHALL, DIPOTASSIUM SALT	169.22	1	20.00	A
ETHANOLAMINE	0.37	2	10.33	A
ETHEPHON	110.47	17	467.50	A
ETHION	4.01	1	1.00	A
ETHYLENE GLYCOL	6,956.37	935	35,288.32	A
ETHYLENE GLYCOL MONOMETHYL ETHER	24.03	29	432.36	A
ETOXAZOLE	4,848.90	712	43,421.16	A
FARNESOL	4.32	47	683.09	A
FATTY ACIDS, METHYL ESTERS	880.75	155	3,922.52	A
FATTY ACIDS, MIXED	3,920.52	1,969	77,093.08	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	15,171.38	983	47,187.74	A
FATTY ACIDS DERIVED FROM TALLOW	125.44	78	2,911.53	A
FENAMIPHOS	181.53	2	78.00	A
FENARIMOL	240.82	323	6,598.99	A
FENBUTATIN-OXIDE	90.00	1	72.00	A
FENHEXAMID	35,115.35	2,317	70,927.58	A
FENPROPATHRIN	1,959.89	172	7,672.39	A
FENPYROXIMATE	979.63	198	9,398.37	A
FERROUS SULFATE	41.91	8	600.00	A
FLAZASULFURON	7.17	19	401.77	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
FLUAZIFOP-P-BUTYL	1,153.03	120	4,429.50	A
FLUBENDIAMIDE	494.87	113	5,001.47	A
FLUDIOXONIL	730.62	171	3,695.93	A
FLUMIOXAZIN	19,820.80	4,364	96,358.29	A
FLUOPYRAM	153.73	61	1,615.77	A
FORCHLORFENURON	2.60	56	672.62	A
FREE FATTY ACIDS AND/OR AMINE SALTS	0.85	1	1.00	A
GAMMA AMINOBUTYRIC ACID	19.71	2	270.00	A
GARLIC	57.46	202	2,794.23	A
GERANIOL	10.79	47	683.09	A
GIBBERELLINS	187.26	394	15,024.87	A
GLUFOSINATE-AMMONIUM	70,701.03	3,960	114,813.71	A
	11.76	1	14.00	S
Total Pounds On This Chemical	70,712.79			
GLUTAMIC ACID	19.71	2	270.00	A
GLYCEROL	821.63	252	8,010.28	A
GLYPHOSATE, DIAMMONIUM SALT	19.56	2	17.81	A
GLYPHOSATE, ISOPROPYLAMINE SALT	228,397.48	6,713	171,160.35	A
GLYPHOSATE, MONOAMMONIUM SALT	< 0.01	1	8.00	A
GLYPHOSATE, POTASSIUM SALT	417,617.45	10,728	260,731.86	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	82.56	102	2,250.81	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	189.17	455	18,580.51	A
HEXYTHIAZOX	1,264.04	148	8,730.10	A
HYDROGEN CHLORIDE	0.11	1	2.00	A
HYDROGEN CYANAMIDE	2,749.81	6	192.50	A
HYDROGEN PEROXIDE	4,969.11	112	2,101.85	A
	30.93		570.00	U
Total Pounds On This Chemical	5,000.03			
HYDROTREATED PARAFFINIC SOLVENT	4,443.78	265	11,060.21	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	28,991.45	7,363	200,450.85	A
IMIDACLOPRID	44,040.34	4,104	189,885.42	A
INDAZIFLAM	12.81	14	213.83	A
INDOXACARB	1,736.71	139	18,384.07	A
IPRODIONE	855.41	59	1,549.82	A
IRON PHOSPHATE	118.20	13	673.76	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	0.50	2	10.33	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	4.56	2	50.00	A
ISOCTYL PHTHALATE	24.37	29	432.36	A
ISOPARAFFINIC HYDROCARBONS	348.44	30	1,520.35	A
ISOPROPYL ALCOHOL	16,355.46	4,309	168,822.88	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	17.70	131	4,232.37	A
ISOXABEN	5,715.01	528	13,098.81	A
KAOLIN	39,542.65	249	3,085.13	A
KEROSENE	164.18	436	10,835.34	A
KRESOXIM-METHYL	14,001.78	2,729	102,456.48	A
LACTOSE	0.47	3	103.85	A
LAURIC ACID	103.27	81	3,841.26	A
LAVANDULYL SENECIOATE	496.08	92	5,524.25	A
LECITHIN	17,521.09	1,623	47,665.80	A
LIME	2,334.50	1	620.00	A
LIME-SULFUR	472,563.28	765	22,964.97	A
	5.29	1	150.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
Total Pounds On This Chemical	472,568.57			
LIMONENE	600.44	33	1,410.81	A
MALATHION	1,037.18	20	578.80	A
MANCOZEB	9,482.25	255	6,465.04	A
MANEB	213.00	2	61.64	A
MANGANESE SULFATE	58.03	8	600.00	A
MARGOSA OIL	214.72	9	162.00	A
MCPA, DIMETHYLAMINE SALT	0.74	1	2.50	A
MEFENOXAM	0.15	4	9.30	A
META-CRESOL	0.67	2	75.47	A
METALDEHYDE	132.99	9	241.15	A
METHOMYL	552.69	17	981.05	A
METHOXYFENOZIDE	28,711.92	3,678	139,978.93	A
METHYLATED SILICA	< 0.01	1	31.00	A
METHYLATED SOYBEAN OIL	63,064.62	2,662	101,455.41	A
METHYL BROMIDE	8,096.76	2	27.00	A
METHYL CELLULOSE	0.05	1	0.53	A
METHYL PARATHION	19.74	1	10.00	A
METHYL SILICONE RESINS	133.83	506	13,242.49	A
S-METOLACHLOR	118.24	1	100.00	A
METRAFENONE	20,105.07	1,370	72,401.40	A
MINERAL OIL	501,727.57	6,563	188,001.67	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	6,562.12	1,051	55,370.88	A
MOLASSES	1.25	1	23.10	A
MORPHOLINE	10.56	30	432.89	A
MYCLOBUTANIL	19,733.43	6,412	188,671.06	A
	< 0.01		32.00	K
Total Pounds On This Chemical	19,733.43			
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	10,554.01	192	1,663.67	A
NALED	103.96	16	172.10	A
NAPROPAMIDE	78.00	18	37.76	A
NEROLIDOL	10.79	47	683.09	A
NONANOIC ACID	4.00	1	4.50	A
NONANOIC ACID, OTHER RELATED	0.21	1	4.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	13,127.94	5,518	153,293.28	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	149,441.23	24,716	746,427.53	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	558.15	228	7,191.87	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	65,706.73	5,240	144,975.51	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	2,977.30	1,216	31,830.62	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.82	52	236.65	A
NORFLURAZON	6,828.30	137	6,670.05	A
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	16.28	1	100.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	192.24	62	974.23	A
OIL OF JOJOBA	27.50	11	70.00	A
OLEIC ACID	145.30	201	3,864.45	A
OLEIC ACID, METHYL ESTER	38,155.83	2,316	96,436.17	A
ORCHEX 796 OIL	767.59	59	2,091.60	A
ORGANO/MODIFIED POLYSILOXANE	0.50	11	241.77	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	1,017.66	286	11,549.19	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
ORYZALIN	91,938.10	1,092	36,218.50	A
OXYFLUORFEN	71,267.66	5,889	181,160.39	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	67.10	10	353.50	A
PAECILOMYCES LILACINUS STRAIN 251	55.75	5	281.65	A
PARAQUAT DICHLORIDE	99,172.38	2,396	112,926.97	A
PENDIMETHALIN	143,253.67	2,015	68,146.67	A
PERMETHRIN	29.04	1	4.00	A
PETROLEUM DISTILLATES	6,314.45	268	8,643.77	A
PETROLEUM DISTILLATES, ALIPHATIC	0.44	7	570.86	A
PETROLEUM DISTILLATES, REFINED	1,153,339.65	6,521	227,620.72	A
PETROLEUM NAPHTHENIC OILS	5.16	7	570.86	A
PETROLEUM OIL, PARAFFIN BASED	7,350.86	859	17,796.19	A
PETROLEUM OIL, UNCLASSIFIED	38,239.36	90	6,471.95	A
PHOSMET	258.20	11	171.90	A
PHOSPHORIC ACID	5,003.61	3,858	110,890.12	A
BETA-PINENE POLYMER	372.13	39	2,045.87	A
PINOXADEN	0.05	1	35.00	A
PIPERONYL BUTOXIDE	0.57	3	2.25	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.14	3	2.25	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	131.59	173	7,961.38	A
POLYACRYLAMIDE POLYMER	99.82	365	9,336.12	A
POLYACRYLIC POLYMER	33.22	125	7,022.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	737.02	1,117	41,398.41	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	2.78	2	27.50	A
POLYBUTENES	2,709.17	983	47,187.74	A
POLYETHER MODIFIED POLYSILOXANE	1,996.01	269	20,605.43	A
POLYETHOXYLATED CASTOR OIL	50.10	20	1,577.50	A
POLYETHYLENE GLYCOL	8,515.91	1,383	46,777.39	A
POLYETHYLENE GLYCOL DIACETATE	373.29	4,930	85,490.82	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	7,987.46	1,704	45,210.72	A
POLY-I-PARA-MENTHENE	1,241.81	347	5,078.62	A
POLYMERIZED ACRYLIC ACID	74.73	99	2,925.97	A
POLYMERIZED PINENE	120.46	37	949.69	A
POLYOXIN D, ZINC SALT	299.83	376	7,129.01	A
POLYOXYETHYLENE DIOLEATE	21.20	286	11,549.19	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	53.47	8	180.22	A
POLYOXYETHYLENE POLYOXYPROPYLENE	3,817.87	677	32,656.33	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	136.77	58	1,355.04	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	2,964.69	664	13,113.95	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	26.40	52	236.65	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	25.21	104	2,951.61	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	165.96	104	2,951.61	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	4,617.71	63	3,006.06	A
POLYPROPYLENE GLYCOL	37.89	481	12,478.77	A
POLYSACCHARIDE POLYMER	0.88	15	362.20	A
POLYSILOXANE	9.78	46	1,892.80	A
POTASH SOAP	374.98	10	154.83	A
POTASSIUM BICARBONATE	151,337.60	2,072	47,333.42	A
POTASSIUM HYDROXIDE	31.50	44	2,625.36	A
POTASSIUM N-METHYLDITHIOCARBAMATE	29,651.36	6	337.55	A
POTASSIUM NITRATE	289.71	38	2,517.00	A
POTASSIUM PEROXYMONOSULFATE	12.73	3	39.00	A
POTASSIUM PHOSPHITE	1,125.98	68	4,019.28	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
POTASSIUM SILICATE	88.76	16	111.09	A
PROPARGITE	3,540.24	38	1,580.15	A
PROPIONIC ACID	8,296.02	851	25,524.23	A
PROPYLENE GLYCOL	7,260.53	2,999	111,011.70	A
PROPYLENE GLYCOL, METHYL ETHER	26.65	58	1,154.66	A
PYRACLOSTROBIN	27,092.94	7,261	239,936.89	A
PYRAFLUFEN-ETHYL	153.97	1,275	46,505.68	A
PYRETHRINS	150.19	204	3,562.87	A
PYRIDABEN	146.15	30	445.79	A
PYRIMETHANIL	7,518.65	741	23,350.25	A
PYRIPROXYFEN	0.25	8	65.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	10,755.32	2,878	42,914.24	A
QUILLAJA	339.35	1,287	16,024.58	A
QUINOXYFEN	22,648.47	7,279	247,185.04	A
REYNOUTRIA SACHALINENSIS	1,473.30	633	7,032.98	A
RIMSULFURON	1,659.92	1,298	47,001.68	A
SAFLUFENACIL	3.49	1	80.00	A
SAPONIN	17.19	30	263.80	A
SETHOXYDIM	3,696.26	652	18,333.87	A
SILICONE	7.04	188	2,853.39	A
SILICONE DEFOAMER	39.84	350	11,348.90	A
SILVER NITRATE	< 0.01	1	5.00	A
SIMAZINE	74,328.68	1,623	57,725.66	A
SODIUM BICARBONATE	2.15	4	51.00	A
SODIUM BISULFATE	52.28	5	142.50	A
SODIUM DICHLORO-S-TRIAZINETRIONE	12.38	1	11.00	A
SODIUM DIISOCTYLSULFOSUCCINATE	3.22	30	432.89	A
SODIUM DIOCTYLSULFOSUCCINATE	7.08	26	181.32	A
SODIUM HYDROXIDE	431.60	253	8,023.95	A
SODIUM HYPOCHLORITE	60.41	67	728.19	A
SODIUM NITRATE	62.00	17	128.00	A
SODIUM POLYACRYLATE	29.65	205	4,609.88	A
SODIUM TETRATHIOCARBONATE	39,206.36	17	1,317.70	A
SODIUM XYLENE SULFONATE	463.71	326	10,938.78	A
SORBITAN FATTY ACID ESTERS	5.77	52	236.65	A
SORBITAN MONOOLEATE	18.28	29	1,271.24	A
SPINETORAM	70.51	68	1,080.15	A
SPINOSAD	182.11	143	1,641.31	A
	0.01	3	714.00	U
Total Pounds On This Chemical	182.12			
SPIRODICLOFEN	468.88	47	1,672.27	A
SPIROTETRAMAT	1,573.48	2,783	117,551.29	A
STARCH	0.36	81	2,562.03	A
STREPTOMYCES LYDICUS WYEC 108	0.09	70	488.50	A
STRYCHNINE	106.08	305	15,315.25	A
STYRENE BUTADIENE COPOLYMER	1,418.19	991	24,157.98	A
SULFUR	20,353,755.14	58,311	2,370,571.30	A
	9.60	1	4.00	S
	2.25	1	150.00	U
Total Pounds On This Chemical	20,353,766.99			
SULFUR DIOXIDE	360.50		4,090.00	T
	271.91		4,132.32	U
	176.37		604,243.00	P
	156.68	6	327.00	A
	0.33		7,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPE, WINE				
	0.02		30.00	C
Total Pounds On This Chemical	965.81			
SULFURIC ACID	42.63	33	1,783.43	A
SYNTHETIC VEGETABLE GUMS	0.84	1	23.10	A
TALL OIL	916.45	270	12,031.60	A
TALL OIL FATTY ACIDS	6,580.68	3,189	114,700.58	A
TARTRAZINE	5.18	11	11.00	A
TEBUCONAZOLE	13,898.95	3,049	127,573.13	A
TEBUFENOZIDE	8.58	1	45.00	A
TETRACONAZOLE	4,713.97	4,355	115,258.85	A
E-11-TETRADECEN-1-YL ACETATE	25.26	72	2,058.20	A
Z-11-TETRADECEN-1-YL ACETATE	3.92	72	2,058.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	3,595.76	653	33,824.93	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	32.21	3	203.00	A
TETRAPOTASSIUM PYROPHOSPHATE	231.85	325	10,936.78	A
THIAMETHOXAM	978.96	287	12,716.65	A
THIOPHANATE-METHYL	4,141.67	641	10,408.17	A
TRIADIMEFON	0.18	5	46.33	A
TRICLOPYR, TRIETHYLAMINE SALT	0.08	1	2.50	A
ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE	0.24	2	10.33	A
TRIETHANOLAMINE	591.20	325	10,936.78	A
TRIFLOXYSTROBIN	12,900.15	5,895	177,022.73	A
TRIFLUMIZOLE	15,831.14	2,631	73,954.09	A
TRIFLURALIN	9,258.59	149	16,351.41	A
3-(TRIMETHOXSILYL) PROPYLDIMETHYLOCTADECYL AMMONIUM CHLORIDE	0.14	1	4.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	10,860.27	1,964	49,643.72	A
TRISODIUM PHOSPHATE	0.18	1	10.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	6,173.98	1,178	47,045.91	A
UREA	675.83	164	3,416.69	A
UREA DIHYDROGEN SULFATE	23.82	9	162.94	A
UREA INCLUSION ADDUCT OF POLYOXY(ETHYLENE) /POLYOXY(PROPYLENE) BLOCK COPOLYMER	2.35	1	20.00	A
VEGETABLE OIL	4.45	6	15.00	A
VINYL POLYMER	151.90	250	8,370.35	A
XANTHAN GUM	0.14	15	880.00	A
XYLENE	21.93	1	10.00	A
XYLENE RANGE AROMATIC SOLVENT	1,231.16	3	30.90	A
2,4-XYLENOL	0.66	2	75.47	A
YUCCA SCHIDIGERA	262.06	217	2,979.60	A
ZINC PHOSPHIDE	391.51	141	5,367.13	A
ZINC SULFATE	299.28	56	4,068.80	A
ZIRAM	5,515.47	101	3,493.08	A
Site Total	26,323,012.21	272,521		
GRAPEFRUIT				
ABAMECTIN	22.05	71	1,126.94	A
ACEPHATE	12.73	3	30.00	A
ACEQUINOCYL	12.85	1	40.00	A
ACETAMIPRID	82.42	45	521.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPEFRUIT				
ALCOHOLS, C4-C12, NORMAL	45.94	4	60.60	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	17.84	9	64.40	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	184.00	118	2,719.37	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	141.33	20	154.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	79.69	14	136.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	18.16	7	159.10	A
ALKYL (C8,C10) POLYGLUCOSIDE	161.92	38	454.10	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	5.05	2	14.30	A
ALUMINUM PHOSPHIDE	74.80	5	110.00	A
AMMONIUM NITRATE	66.17	27	391.40	A
AMMONIUM SULFATE	146.19	39	474.40	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	149.94	24	295.40	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	18.70	2	22.00	A
BENTONITE	1,068.38	53	533.20	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	84.70	38	367.30	A
BROMACIL	552.87	34	361.90	A
BUPROFEZIN	82.99	3	50.00	A
CALCIUM HYDROXIDE	46,151.20	120	1,579.40	A
CARBARYL	413.90	2	57.00	A
CARFENTHAZONE-ETHYL	1.93	9	102.56	A
CASEIN	74.24	53	533.20	A
CHLORANTRANILIPROLE	19.56	21	264.50	A
CHLORPYRIFOS	2,615.47	92	1,522.47	A
CHOLECALCIFEROL	< 0.01	2	10.00	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	30.00	2	40.00	A
CITRIC ACID	0.79	7	48.00	A
CLETHODIM	0.48	1	3.00	A
COCONUT DIETHANOLAMIDE	85.09	31	376.10	A
COPPER	1,334.00	42	481.80	A
COPPER DIAMMONIUM DIACETATE COMPLEX	3.86	2	13.00	A
COPPER HYDROXIDE	3,086.42	76	2,018.90	A
COPPER OXIDE (OUS)	1,747.98	36	721.20	A
COPPER SULFATE (BASIC)	4,628.63	74	980.10	A
COPPER SULFATE (PENTAHYDRATE)	36.53	3	30.00	A
CORN SYRUP	1.55	4	30.00	A
COTTONSEED OIL	4,068.58	4	60.60	A
CRYOLITE	425.28	4	37.00	A
CYFLUTHRIN	3.13	2	30.25	A
BETA-CYFLUTHRIN	36.82	81	1,177.90	A
(S)-CYPERMETHRIN	2.08	2	45.00	A
2,4-D, DIMETHYLAMINE SALT	277.68	17	353.90	A
2,4-D, ISOPROPYL ESTER	336.57	180	3,698.51	A
DIFLUBENZURON	109.27	40	614.82	A
DIMETHOATE	17.89	4	17.50	A
DIMETHYLPOLYSILOXANE	98.41	116	2,072.27	A
DIPHACINONE	0.30	70	1,130.00	A
DISODIUM OCTABORATE TETRAHYDRATE	0.28	1	2.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPEFRUIT				
DIURON	3,063.89	94	1,384.45	A
DODECYLBENZENE SULFONIC ACID	10.96	24	217.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.15	13	342.92	A
EDTA, TETRASODIUM SALT	0.67	24	217.00	A
ETHYLENE GLYCOL MONOMETHYL ETHER	13.44	6	78.10	A
FATTY ACIDS, METHYL ESTERS	106.18	11	111.00	A
FATTY ACIDS, MIXED	0.70	8	103.50	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	217.34	13	124.00	A
FENPROPATHRIN	148.57	39	397.35	A
FENPYROXIMATE	35.16	21	291.80	A
FLUMIOXAZIN	5.74	2	15.00	A
FORMETANATE HYDROCHLORIDE	27.60	3	27.00	A
GIBBERELLINS	4.43	9	102.81	A
	1.32		12,041.45	T
Total Pounds On This Chemical	5.75			
GLYCEROL	4.33	7	48.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	8,157.79	499	8,888.64	A
GLYPHOSATE, POTASSIUM SALT	7,735.06	358	5,612.07	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	3.42	48	658.80	A
HEXYTHIAZOX	20.01	5	129.60	A
HYDROTREATED PARAFFINIC SOLVENT	5.29	1	5.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	18.76	7	80.00	A
IMAZALIL	162.28		29,907.95	T
	5.71		1,955,629.00	P
	0.45		59.42	K
Total Pounds On This Chemical	168.44			
IMIDACLOPRID	1,200.83	106	2,442.84	A
INDAZIFLAM	291.54	71	1,997.90	A
IRON PHOSPHATE	6.57	7	53.30	A
ISOCTYL PHTHALATE	13.63	6	78.10	A
ISOPROPYL ALCOHOL	69.52	90	1,471.17	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.71	8	226.00	A
ISOXABEN	0.28	2	6.00	A
KAOLIN	33,202.95	22	558.60	A
LACTOSE	78.58	53	533.20	A
LAURIC ACID	16.51	7	159.10	A
LECITHIN	452.76	34	349.00	A
LIMONENE	2,909.21	1	143.00	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	14.62	9	93.00	A
MALATHION	293.59	9	117.00	A
MEFENOXAM	3.94	8	72.10	A
MEFENOXAM, OTHER RELATED	0.12	8	72.10	A
METALDEHYDE	406.40	75	1,424.60	A
METAM-SODIUM	3,174.98	1	10.00	A
METHOMYL	54.00	2	80.00	A
METHOXYFENOZIDE	9.88	3	34.00	A
METHYLATED SILICA	0.08	4	30.00	A
METHYLATED SOYBEAN OIL	1,316.25	114	2,545.70	A
METHYL PARATHION	2.00	2	17.00	A
MINERAL OIL	37,364.40	210	3,506.33	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	115.63	20	273.30	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPEFRUIT				
MORPHOLINE	5.89	6	78.10	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	94.36	28	284.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	914.57	175	3,786.87	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	9.82	7	83.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	2.28	3	19.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.07	2	13.00	A
NORFLURAZON	42.44	1	18.00	A
OLEIC ACID	21.17	8	102.40	A
OLEIC ACID, METHYL ESTER	661.02	21	162.00	A
ORYZALIN	1,206.02	25	366.50	A
OXYFLUORFEN	29.71	4	73.00	A
PARAQUAT DICHLORIDE	68.72	11	73.20	A
PENDIMETHALIN	256.82	12	75.79	A
PETROLEUM OIL, PARAFFIN BASED	2,988.74	19	368.50	A
PETROLEUM OIL, UNCLASSIFIED	32,944.76	115	1,818.80	A
PHOSMET	6.30	1	3.00	A
PHOSPHORIC ACID	7.82	34	288.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.37	1	8.00	A
POLYACRYLAMIDE POLYMER	0.43	7	48.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	18.70	31	973.40	A
POLYBUTENES	38.81	13	124.00	A
POLYETHER MODIFIED POLYSILOXANE	17.06	8	232.00	A
POLYETHOXYLATED CASTOR OIL	9.12	19	689.00	A
POLYETHYLENE GLYCOL	242.36	46	1,013.17	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	14.36	1	80.00	A
POLY-I-PARA-MENTHENE	4.76	1	10.00	A
POLYMERIZED PINENE	233.42	13	342.92	A
POLYOXYETHYLENE POLYOXYPROPYLENE	89.40	16	417.50	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	7.47	1	10.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	2.11	2	13.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	2.83	8	226.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	18.62	8	226.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	5.84	1	4.00	A
PROPIONIC ACID	2.72	2	36.00	A
PROPYLENE GLYCOL	119.18	37	611.80	A
PYRETHRINS	2.67	7	49.70	A
PYRIDABEN	50.40	4	110.90	A
PYRIPROXYFEN	61.28	41	663.70	A
RIMSULFURON	44.94	70	899.07	A
SABADILLA ALKALOIDS	0.82	2	80.00	A
SAFLUFENACIL	19.40	82	716.35	A
SAPONIN	21.39	6	120.00	A
SILICONE DEFOAMER	0.29	24	217.00	A
SIMAZINE	2,283.84	107	1,115.65	A
SODIUM DIISOCTYLSULFOSUCCINATE	1.80	6	78.10	A
SODIUM DIOCTYLSULFOSUCCINATE	0.75	1	9.30	A
SODIUM HYDROXIDE	2.37	7	48.00	A
SODIUM HYPOCHLORITE	1,205.00		24,015.36	T
SODIUM XYLENE SULFONATE	3.37	24	217.00	A
SORBITAN FATTY ACID ESTERS	0.46	2	13.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
GRAPEFRUIT				
SPINETORAM	176.04	128	2,600.57	A
SPINOSAD	76.81	29	607.10	A
SPIRODICLOFEN	13.92	2	44.00	A
SPIROTETRAMAT	19.33	81	1,400.65	A
STARCH	0.09	1	80.00	A
STRYCHNINE	3.69	189	1,179.98	A
STYRENE BUTADIENE COPOLYMER	76.66	22	369.00	A
SULFUR	16,345.78	30	1,154.30	A
SULFURIC ACID	0.58	2	14.30	A
TALL OIL	0.30	2	56.50	A
TALL OIL FATTY ACIDS	44.03	74	936.80	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	154.76	46	622.00	A
TETRAPOTASSIUM PYROPHOSPHATE	1.69	24	217.00	A
THIABENDAZOLE	133.66		26,239.42	T
	7.54		1,557,629.00	P
Total Pounds On This Chemical	141.19			
THIAMETHOXAM	25.00	14	382.00	A
TRIETHANOLAMINE	4.30	24	217.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	17.69	1	80.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	190.84	30	429.00	A
ZINC PHOSPHIDE	0.70	2	3.50	A
Site Total	230,478.17	4,160		
GRASS, SEED				
AZOXYSTROBIN	201.82	5	19.30	A
CARFENTRAZONE-ETHYL	0.61	4	21.00	A
CLOPYRALID, MONOETHANOLAMINE SALT	5.43	3	16.00	A
(S)-CYPERMETHRIN	0.38	1	20.00	A
2,4-D, DIMETHYLAMINE SALT	68.01	6	43.20	A
DICAMBA, DIMETHYLAMINE SALT	1.43	1	2.20	A
GLYPHOSATE, ISOPROPYLAMINE SALT	12.00	1	6.00	A
METHYL BROMIDE	35.00		5,400.00	C
THIRAM	9.97		7,493.00	P
Site Total	334.66	21		
GUAVA				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.68	1	7.50	A
DIMETHYLPOLYSILOXANE	0.04	8	34.30	A
GLYPHOSATE, POTASSIUM SALT	242.05	24	198.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.11	8	34.30	A
PROPYLENE GLYCOL	15.57	8	34.30	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	3.29	1	7.50	A
SIMAZINE	57.45	4	16.90	A
Site Total	326.18	38		
HERB, SPICE				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.01	2	2.14	A
	0.72	1	87,120.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
HERB, SPICE				
Total Pounds On This Chemical	1.73			
ALPHA-PINENE BETA-PINENE COPOLYMER	2.08	3	8.20	A
ALKYL (C8,C10) POLYGLUCOSIDE	1.27	20	23.25	A
AZADIRACTIN	4.13	116	120.34	A
	2.13	24	1,864,670.00	S
Total Pounds On This Chemical	6.26			
AZOXYSTROBIN	9.66	49	42.00	A
BACILLUS PUMILUS, STRAIN QST 2808	0.51	10	9.75	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	2.80	1	3.25	A
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	332.83	43	64.41	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.03	6	0.60	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	20.45	50	36.25	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	1.24	2	36,000.00	S
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	74.27	75	181.64	A
	1.09	5	435,600.00	S
	0.85	1	1.00	U
Total Pounds On This Chemical	76.21			
BEAUVERIA BASSIANA STRAIN GHA	49.37	90	95.15	A
BENSULIDE	39.66	1	10.00	A
BENTAZON, SODIUM SALT	18.66	4	34.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.27	4	9.70	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.74	94	88.16	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	1.80	1	1.90	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	558.93	149	192.85	A
	262.87	18	1,217,120.00	S
Total Pounds On This Chemical	821.80			
CLETHODIM	6.54	7	54.00	A
COCONUT DIETHANOLAMIDE	0.04	11	6.25	A
CYPRODINIL	2.02	10	5.25	A
DIMETHYLPOLYSILOXANE	5.74	9	5.75	A
DODECYLBENZENE SULFONIC ACID	0.18	11	6.25	A
EDTA, TETRASODIUM SALT	0.01	11	6.25	A
FATTY ACIDS, MIXED	0.19	2	9.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	0.67	1	1.50	A
FLUDIOXONIL	1.35	10	5.25	A
FOSETYL-AL	0.40	1	0.25	A
GLYPHOSATE, ISOPROPYLAMINE SALT	42.33	2	9.00	A
GLYPHOSATE, POTASSIUM SALT	3.09	1	1.50	A
HYDROGEN PEROXIDE	1.26	2	0.52	A
IMIDACLOPRID	2.14	21	12.00	A
IRON PHOSPHATE	1.77	18	6.50	A
ISOPROPYL ALCOHOL	0.06	11	6.25	A
LECITHIN	18.10	22	32.25	A
MARGOSA OIL	3.60	2	4.90	A
MEFENOXAM	15.53	7	35.00	A
	0.13	1	1.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
HERB, SPICE				
Total Pounds On This Chemical	15.66			
MEFENOXAM, OTHER RELATED	0.15	1	10.00	A
MINERAL OIL	0.73	3	8.20	A
NAPROPAMIDE	46.50	5	31.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.23	1	1.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.67	96	97.16	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	3.50	9	17.48	A
PERMETHRIN	14.84	14	19.25	A
PHOSPHORIC ACID	0.04	11	6.25	A
PIPERONYL BUTOXIDE	9.55	11	16.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	2.39	11	16.00	A
POLYBUTENES	0.12	1	1.50	A
POLY-I-PARA-MENTHENE	0.06	1	0.25	A
POLYSILOXANE	0.05	20	23.25	A
POTASH SOAP	307.92	66	119.02	A
	76.43	4	304,920.00	S
Total Pounds On This Chemical	384.35			
POTASSIUM BICARBONATE	191.31	61	98.38	A
POTASSIUM HYDROXIDE	1.49	20	23.25	A
PROPIONIC ACID	14.55	22	32.25	A
PYRETHRINS	7.45	158	155.63	A
	0.16	3	253,080.00	S
Total Pounds On This Chemical	7.60			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	15.03	41	67.12	A
	4.11	13	839,870.00	S
Total Pounds On This Chemical	19.14			
QUILLAJA	1.52	94	88.16	A
REYNOUTRIA SACHALINENSIS	8.86	23	33.29	A
	8.15	24	1,638,310.00	S
Total Pounds On This Chemical	17.01			
ROTENONE	0.02	5	5.00	A
ROTENONE, OTHER RELATED	0.02	5	5.00	A
SILICONE DEFOAMER	< 0.01	11	6.25	A
SODIUM XYLENE SULFONATE	0.06	11	6.25	A
SPINETORAM	3.45	14	50.50	A
SPINOSAD	19.77	43	46.27	A
	1.35	6	522,720.00	S
Total Pounds On This Chemical	21.12			
STREPTOMYCES LYDICUS WYEC 108	< 0.01	7	2.60	A
TALL OIL FATTY ACIDS	0.03	3	8.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.21	11	6.25	A
TETRAPOTASSIUM PYROPHOSPHATE	0.03	11	6.25	A
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	1.55	46	66.15	A
TRICHODERMA ICC 012 ASPERELLUM	0.14	3	2.85	A
TRICHODERMA ICC 080 GAMSII	0.14	3	2.85	A
TRIETHANOLAMINE	0.07	11	6.25	A
TRIFLUMIZOLE	0.09	1	2.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	15.21	20	23.25	A
VEGETABLE OIL	35.56	1	40.00	A
Site Total	2,288.02	1,401		
HOPS				
COPPER HYDROXIDE	1.07	1	10.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
HOPS				
COPPER OXYCHLORIDE	1.19	1	10.00	A
3,7-DIMETHYL-6-OCTEN-1-OL	0.10	1	10.00	A
FARNESOL	0.04	1	10.00	A
GERANIOL	0.10	1	10.00	A
NEROLIDOL	0.10	1	10.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	7.01	2	20.00	A
REYNOUTRIA SACHALINENSIS	2.17	1	10.00	A
Site Total	11.78	5		
HORSE RADISH				
OXYFLUORFEN	15.01	2	104.02	A
Site Total	15.01	2		
INDUSTRIAL SITE				
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	< 0.01		3.00	U
ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	< 0.01		3.00	U
ALKYL (C8,C10) POLYGLUCOSIDE	0.05		30.00	A
ALKYL(42%C12, 26%C18, 15%C14, 8%C16, 5%C10, 4%C8)1,3-PROPYLENEDIAMINE	11,945.71		14.00	U
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	0.26		1.25	A
AMMONIUM SULFATE	4.92		30.00	A
PARA-TERT-AMYLPHENOL	< 0.01		3.00	U
ORTHO-BENZYL-PARA-CHLOROPHENOL	< 0.01		3.00	U
BROMACIL	22.40		15.00	A
CHLORSULFURON	1.69		24.00	A
CLETHODIM	1.03		4.25	A
CYFLUTHRIN	1.91		572,000.00	S
DDVP	5.29		2,775.00	K
	0.36		194,350.00	S
Total Pounds On This Chemical	5.65			
DDVP, OTHER RELATED	0.14		2,775.00	K
	0.03		194,350.00	S
Total Pounds On This Chemical	0.16			
DIETHYLENE GLYCOL	14.47		9.00	A
DIMETHYLPOLYSILOXANE	0.03		9.00	A
DIPHACINONE	< 0.01		52.00	A
DITHIOPYR	4.25		4.25	A
DIURON	57.60		26.00	A
ESFENVALERATE	0.12		2,400.00	K
ETHYL ALCOHOL	4.98		3.00	U
FATTY ACIDS, MIXED	0.62		145.00	A
GLUTARALDEHYDE	4,817.08		6.00	U
GLYPHOSATE, ISOPROPYLAMINE SALT	282.66	3	887.75	A
	3.00		143,000.00	S
Total Pounds On This Chemical	285.66			
GLYPHOSATE, POTASSIUM SALT	114.21		72.00	A
	1.55		143,000.00	S
Total Pounds On This Chemical	115.76			
HYDROGEN PEROXIDE	0.86		129,500.00	S
LECITHIN	14.36		145.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9.43		154.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
INDUSTRIAL SITE				
ORYZALIN	46.12		670.50	A
OXYFLUORFEN	51.28		75.00	A
PENOXSULAM	0.82		55.00	A
PEROXYACETIC ACID	0.20		129,500.00	S
ORTHO-PHENYLPHENOL	< 0.01		3.00	U
POLYSILOXANE	0.07		30.00	A
PROPIONIC ACID	14.36		145.00	A
PROPYLENE GLYCOL	0.43		3.00	U
SODIUM HYPOCHLORITE	950.88		12.00	A
SULFOMETURON-METHYL	6.26		85.50	A
SULFUR DIOXIDE	34.14	3	2,912.00	U
	1.98		327.00	P
Total Pounds On This Chemical	36.12			
TETRAKIS (HYDROXYMETHYL) PHOSPHONIUM SULFATE	16,594.45		3.00	U
TRICLOPYR, BUTOXYETHYL ESTER	3.15		4.25	A
Site Total	35,013.15	6		
KALE				
ACETAMIPRID	37.89	132	645.42	A
ACIBENZOLAR-S-METHYL	0.48	4	26.41	A
ACRYLIC ACID	3.50	17	29.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12.26	68	516.17	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.43	4	3.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	75.22	39	392.70	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	379.44	136	1,025.74	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.05	4	4.20	A
AMMONIUM PROPIONATE	13.64	47	319.67	A
AMMONIUM SULFATE	3.73	7	14.00	A
AMYL ACETATE	5.46	47	319.67	A
AZADIRACTIN	71.49	502	2,765.51	A
	< 0.01	7	170.00	S
Total Pounds On This Chemical	71.49			
AZOXYSTROBIN	28.39	56	159.56	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	39.19	9	114.55	A
BACILLUS PUMILUS, STRAIN QST 2808	101.67	132	933.52	A
BACILLUS THURINGIENSIS (BERLINER)	0.10	4	13.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	26.20	15	29.85	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	966.69	176	1,187.84	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.04	9	0.90	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	57.23	7	76.98	A
	< 0.01	5	90.00	S
Total Pounds On This Chemical	57.24			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	608.14	402	2,605.61	A
BEAUVERIA BASSIANA STRAIN GHA	6.51	15	30.57	A
	< 0.01	1	108.00	S
Total Pounds On This Chemical	6.51			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
KALE				
BENSULIDE	767.21	84	177.43	A
BENZOIC ACID	0.03	2	3.50	A
BIFENTHRIN	30.83	43	323.23	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	15.60	82	491.76	A
BOSCALID	11.02	5	28.00	A
CANOLA OIL	0.11	1	0.10	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	80.63	151	200.63	A
CHLORANTRANILIPROLE	44.52	267	789.59	A
CHLOROTHALONIL	3.37	1	3.00	A
CHLORPYRIFOS	210.01	59	270.27	A
CHLORTHAL-DIMETHYL	1,983.21	120	466.06	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	56.21	15	69.05	A
CITRIC ACID	41.24	58	340.37	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	2,175.38	151	1,370.65	A
CLOTHIANIDIN	6.64	17	111.05	A
COCONUT DIETHANOLAMIDE	< 0.01	1	0.25	A
COPPER HYDROXIDE	9.97	21	408.25	A
COPPER OCTANOATE	330.21	93	371.08	A
COPPER OXIDE (OUS)	12.38	4	7.38	A
CYAZOFAMID	25.75	61	363.60	A
CYFLUTHRIN	0.16	1	3.47	A
BETA-CYFLUTHRIN	7.34	99	373.43	A
CYPERMETHRIN	0.06	1	1.02	A
(S)-CYPERMETHRIN	46.93	305	1,299.57	A
CYROMAZINE	2.18	9	17.52	A
DIAZINON	15.44	11	41.00	A
DIMETHOATE	23.68	17	95.35	A
DIMETHOMORPH	8.16	51	344.49	A
DIMETHYL ALKYL TERTIARY AMINES	0.03	2	3.50	A
DIMETHYLPOLYSILOXANE	189.87	258	1,430.42	A
DIMETHYL SILICONE FLUID EMULSION	0.81	33	123.75	A
DODECYLBENZENE SULFONIC ACID	< 0.01	1	0.25	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	6.06	4	23.88	A
EDTA, TETRASODIUM SALT	< 0.01	1	0.25	A
EMAMECTIN BENZOATE	4.35	90	389.83	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	0.63	8	3.00	A
ETHYLENE GLYCOL	0.13	1	1.72	A
FATTY ACIDS, METHYL ESTERS	22.66	8	54.05	A
FATTY ACIDS, MIXED	3.74	126	516.42	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	23.72	35	45.01	A
FATTY ACIDS DERIVED FROM TALLOW	151.78	136	1,025.74	A
FENAMIDONE	16.66	25	63.74	A
FERRIC SODIUM EDTA	0.20	1	0.10	A
FLONICAMID	30.94	72	361.19	A
FLUBENDIAMIDE	11.80	88	242.65	A
FLUOPICOLIDE	13.01	74	110.06	A
FOSETYL-AL	470.40	63	151.70	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	27.29	47	319.67	A
HYDROGEN PEROXIDE	97.62	22	75.67	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.39	7	14.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
KALE				
IMIDACLOPRID	52.78	330	786.62	A
INDOXACARB	34.32	180	523.71	A
IPRODIONE	4.99	1	5.00	A
IRON PHOSPHATE	0.10	17	1.70	A
	0.05	7	22,960.01	S
Total Pounds On This Chemical	0.15			
ISOPROPYL ALCOHOL	4.01	400	567.70	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.04	1	7.85	A
KAOLIN	3,249.71	21	134.34	A
KEROSENE	0.05	2	3.50	A
LECITHIN	257.20	186	864.77	A
MALATHION	542.92	65	365.13	A
MANDIPROPAMID	99.67	235	763.10	A
MARGOSA OIL	256.38	40	339.31	A
MEFENOXAM	47.90	78	384.37	A
MEFENOXAM, OTHER RELATED	0.11	3	28.79	A
METHOMYL	96.00	25	111.56	A
METHOXYFENOZIDE	23.38	82	119.23	A
METHYLATED SOYBEAN OIL	88.49	58	362.65	A
METHYL SILICONE RESINS	8.49	154	653.66	A
MINERAL OIL	593.13	71	590.04	A
NALED	52.07	12	49.66	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	15.73	43	99.06	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	422.35	668	2,128.36	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	13.06	17	29.00	A
OLEIC ACID, METHYL ESTER	3.16	11	17.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	80.33	47	408.73	A
PERMETHRIN	0.05	1	2.50	A
PETROLEUM OIL, PARAFFIN BASED	5.97	1	7.85	A
PETROLEUM OIL, UNCLASSIFIED	156.44	11	55.16	A
PHOSPHORIC ACID	1.59	33	46.25	A
PIPERONYL BUTOXIDE	0.53	5	6.41	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.13	5	6.41	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.94	18	39.50	A
POLYACRYLIC POLYMER	0.10	7	14.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.08	4	18.00	A
POLYBUTENES	4.24	35	45.01	A
POLYETHER MODIFIED POLYSILOXANE	15.15	63	518.49	A
POLYETHYLENE GLYCOL	3.82	5	22.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	5.48	15	45.62	A
POLY-I-PARA-MENTHENE	15.21	9	64.47	A
POLYOXYETHYLENE POLYOXYPROPYLENE	49.46	37	722.93	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.15	1	7.85	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	0.96	1	7.85	A
POLYPROPYLENE GLYCOL	1.37	122	522.58	A
POLYSILOXANE	< 0.01	4	4.20	A
POTASH SOAP	17,857.55	345	1,769.86	A
POTASSIUM BICARBONATE	186.21	19	98.71	A
POTASSIUM HYDROXIDE	0.06	4	4.20	A
POTASSIUM N-METHYLDITHIOCARBAMATE	19,960.43	121	166.22	A
POTASSIUM PHOSPHITE	114.98	6	31.24	A
POTASSIUM SILICATE	130.54	5	42.88	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
KALE				
PROPIONIC ACID	134.02	177	840.29	A
PROPYLENE GLYCOL	37.09	62	379.21	A
PYMETROZINE	40.03	153	848.17	A
PYRACLOSTROBIN	153.35	254	866.92	A
PYRETHRINS	74.25	423	1,577.27	A
	0.30	14	14,770.00	S
Total Pounds On This Chemical	74.55			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	45.49	65	160.96	A
REYNOUTRIA SACHALINENSIS	92.74	131	340.96	A
SESAME OIL	1.06	2	0.20	A
SETHOXYDIM	7.01	1	16.00	A
SILICONE	< 0.01	1	2.00	A
SILICONE DEFOAMER	< 0.01	1	0.25	A
SODIUM HYPOCHLORITE	0.64	1	350.00	?
SODIUM XYLENE SULFONATE	< 0.01	1	0.25	A
SPINETORAM	26.43	160	522.24	A
SPINOSAD	109.79	310	1,199.06	A
SPIROTETRAMAT	6.79	141	729.15	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	2	0.20	A
STYRENE BUTADIENE COPOLYMER	1.39	2	15.89	A
SULFUR	4,209.05	206	1,195.69	A
TALL OIL	0.85	389	541.98	A
TALL OIL FATTY ACIDS	1.06	39	392.70	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	< 0.01	1	0.25	A
TETRAPOTASSIUM PYROPHOSPHATE	< 0.01	1	0.25	A
THIAMETHOXAM	38.84	210	626.12	A
THIRAM	0.14		56.72	P
TRIETHANOLAMINE	< 0.01	1	0.25	A
TRIFLUMIZOLE	59.94	44	306.93	A
TRIFLURALIN	28.13	4	51.25	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	10.11	13	43.65	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	86.73	66	364.24	A
Site Total	59,041.20	8,521		
KIWI				
ACETAMIPRID	1.19	1	12.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	66.64	3	121.60	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	30.24	3	70.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	23.87	4	108.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	2.61	9	106.25	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.66	1	8.33	A
ALUMINUM PHOSPHIDE	1.65	3	22.00	A
AMMONIUM NITRATE	0.32	1	8.33	A
AMMONIUM SULFATE	6.43	6	21.33	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	804.60	4	745.00	A
BUTYL ALCOHOL	10.85	10	199.38	A
CALCIUM HYDROXIDE	3,262.50	3	72.50	A
CARFENTRAZONE-ETHYL	6.88	8	221.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
KIWI				
CASTOR OIL ETHOXYLATE	0.65	2	7.00	A
CITRIC ACID	5.68	5	13.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	57.32	2	6.00	A
COCONUT DIETHANOLAMIDE	12.03	10	117.25	A
COPPER HYDROXIDE	65.79	3	17.10	A
CRYOLITE	7,732.80	11	880.00	A
CYPRODINIL	352.04	8	751.00	A
2,4-D, DIMETHYLAMINE SALT	38.03	3	117.20	A
1,3-DICHLOROPROPENE	7,589.94	2	23.00	A
DIETHYLENE GLYCOL	60.01	28	552.00	A
DIMETHYLPOLYSILOXANE	19.34	95	6,753.81	A
DIPHACINONE	< 0.01		16.00	A
DODECYLBENZENE SULFONIC ACID	0.78	1	11.00	A
EDTA, SODIUM SALT	0.18	2	67.20	A
EDTA, TETRASODIUM SALT	0.05	1	11.00	A
ESFENVALERATE	9.96	9	204.00	A
FATTY ACIDS, MIXED	107.74	37	811.20	A
FATTY ACIDS DERIVED FROM TALLOW	9.55	4	108.00	A
FORCHLORFENURON	12.30	32	1,238.25	A
GLYPHOSATE, ISOPROPYLAMINE SALT	3,121.73	67	2,408.15	A
GLYPHOSATE, POTASSIUM SALT	1,340.96	74	861.28	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.03	1	8.00	A
HYDROGEN CYANAMIDE	18,691.48	23	1,063.00	A
HYDROGEN PEROXIDE	98.58	1	40.00	A
HYDROTREATED PARAFFINIC SOLVENT	0.17	1	1.00	A
ISOPROPYL ALCOHOL	10.77	10	220.80	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.53	8	141.30	A
LAURIC ACID	2.37	9	106.25	A
LECITHIN	66.03	16	252.00	A
MEFENOXAM	60.12	3	100.00	A
METAM-SODIUM	1,371.59	3	4.38	A
METHIDATHION	430.09	10	215.00	A
METHYLATED SOYBEAN OIL	90.52	50	484.73	A
METHYL BROMIDE	2,273.60	1	5.80	A
MINERAL OIL	1,987.10	17	324.20	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	742.76	26	3,183.20	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	29.81	11	271.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	336.17	97	1,523.31	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.02	1	1.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	32.26	15	232.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.13	1	60.00	A
ORYZALIN	1,318.18	27	368.21	A
OXYFLUORFEN	1,133.37	35	910.11	A
PARAQUAT DICHLORIDE	380.82	14	266.16	A
PETROLEUM DISTILLATES	9.61	2	8.00	A
PETROLEUM OIL, PARAFFIN BASED	780.07	12	243.50	A
PETROLEUM OIL, UNCLASSIFIED	632.72	2	15.30	A
PHOSPHORIC ACID	0.15	1	11.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1.62	32	231.40	A
POLYETHOXYLATED CASTOR OIL	0.76	1	8.33	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
KIWI				
POLYETHYLENE GLYCOL	2.02	2	9.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	4.22	1	60.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	2.10	8	141.30	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	13.84	8	141.30	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	4.86	2	7.00	A
PROPIONIC ACID	1.50	1	20.00	A
PROPYLENE GLYCOL	4.03	9	106.25	A
PYRAFLUFEN-ETHYL	0.87	4	131.00	A
REYNOUTRIA SACHALINENSIS	39.01	4	120.00	A
SILICONE DEFOAMER	0.03	2	16.00	A
SODIUM XYLENE SULFONATE	0.24	1	11.00	A
SORBITAN FATTY ACID ESTERS	0.92	1	60.00	A
SPIROTETRAMAT	0.14	1	12.00	A
TALL OIL	0.65	2	7.00	A
TALL OIL FATTY ACIDS	10.37	7	131.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	23.55	3	78.20	A
TETRAPOTASSIUM PYROPHOSPHATE	0.12	1	11.00	A
TRIETHANOLAMINE	0.31	1	11.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	149.45	26	540.00	A
Site Total	55,494.96	585		
KOHLRABI				
ACETAMIPRID	1.01	2	13.80	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.92	27	127.06	A
ALPHA-PINENE BETA-PINENE COPOLYMER	0.30	1	1.00	A
AZADIRACTIN	1.70	53	65.55	A
	< 0.01	1	20.00	S
Total Pounds On This Chemical	1.70			
AZOXYSTROBIN	10.06	13	41.92	A
BACILLUS PUMILUS, STRAIN QST 2808	0.91	3	7.57	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	25.37	23	29.21	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.03	1	1.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	4.74	2	5.40	A
	< 0.01	1	20.00	S
Total Pounds On This Chemical	4.74			
BENSULIDE	191.70	69	58.75	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.01	1	1.00	A
BOSCALID	15.38	4	40.47	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	11.35	38	27.84	A
CHLORANTRANILIPROLE	1.76	37	28.55	A
CHLORTHAL-DIMETHYL	422.26	63	83.69	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	20.02	6	18.40	A
COPPER HYDROXIDE	8.16	8	23.59	A
COPPER OCTANOATE	2.25	10	8.56	A
COTTONSEED OIL	31.09	1	20.00	A
BETA-CYFLUTHRIN	0.06	3	7.40	A
CYPERMETHRIN	1.94	1	20.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
KOHLRABI				
(S)-CYPERMETHRIN	0.18	11	3.80	A
CYPRODINIL	0.26	1	1.00	A
DIMETHYLPOLYSILOXANE	0.02	2	13.10	A
EMAMECTIN BENZOATE	0.17	16	12.55	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	11.07	20	36.06	A
ESFENVALERATE	0.19	11	4.05	A
FATTY ACIDS, MIXED	0.97	1	20.00	A
FENAMIDONE	13.57	6	62.70	A
FLONICAMID	0.22	4	2.67	A
FLUBENDIAMIDE	0.38	16	12.62	A
FLUDIOXONIL	0.17	1	1.00	A
FLUOPICOLIDE	1.16	11	9.42	A
FOSETYL-AL	67.71	18	17.12	A
IMIDACLOPRID	7.33	83	67.80	A
INDOXACARB	0.88	17	13.33	A
ISOPROPYL ALCOHOL	1.73	83	103.50	A
KAOLIN	76.95	1	1.62	A
MALATHION	37.62	12	23.80	A
MANDIPROPAMID	3.84	34	29.53	A
MARGOSA OIL	8.06	3	6.54	A
MEFENOXAM	0.51	1	1.00	A
METHOXYFENOZIDE	0.34	2	1.91	A
MINERAL OIL	0.07	1	1.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	14.54	84	123.50	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	0.66	1	3.29	A
PERMETHRIN	2.36	8	23.59	A
PHOSPHORIC ACID	0.66	20	36.06	A
POLYETHER MODIFIED POLYSILOXANE	0.60	20	36.06	A
POLYETHYLENE GLYCOL	0.85	1	12.80	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	1.10	1	14.20	A
POLY-I-PARA-MENTHENE	0.45	1	1.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.04	1	0.30	A
POTASSIUM N-METHYLDITHIOCARBAMATE	6,651.90	69	54.68	A
PYMETROZINE	1.56	23	20.81	A
PYRACLOSTROBIN	11.56	56	64.21	A
PYRETHRINS	0.03	1	1.00	A
	< 0.01	1	20.00	S
Total Pounds On This Chemical	0.03			
SPINETORAM	2.22	46	31.48	A
SPINOSAD	0.07	1	1.00	A
SPIROTETRAMAT	0.32	5	32.15	A
TALL OIL	0.11	81	70.70	A
TALL OIL FATTY ACIDS	< 0.01	1	1.00	A
THIAMETHOXAM	3.14	50	50.79	A
THIRAM	0.25		97.70	P
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.20	20	36.06	A
Site Total	7,682.06	957		
KUMQUAT				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	10.84	12	198.27	A
BENTONITE	1.80	1	1.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
KUMQUAT				
BROMACIL	0.45	1	12.00	A
CALCIUM HYDROXIDE	92.00	1	1.00	A
CASEIN	0.14	1	1.00	A
COPPER	3.00	1	1.00	A
DIPHACINONE	< 0.01	1	16.00	A
DIURON	0.45	1	12.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	86.51	17	225.39	A
GLYPHOSATE, POTASSIUM SALT	5.52	1	16.00	A
IMIDACLOPRID	8.14	1	16.63	A
LACTOSE	0.14	1	1.00	A
METALDEHYDE	2.55	1	16.00	A
POTASH SOAP	1.25	1	0.30	A
SPINETORAM	1.13	1	16.63	A
STRYCHNINE	0.01	3	48.00	A
SULFAQUINOXALINE	< 0.01	1	16.00	A
WARFARIN	< 0.01	1	16.00	A
Site Total	213.93	43		
LANDSCAPE MAINTENANCE				
ABAMECTIN	22.05			
ABAMECTIN, OTHER RELATED	< 0.01			
ACEPHATE	2,323.58			
ACEQUINOCYL	0.13			
ACETAMIPRID	10.02			
	0.04	1	11.00	U
Total Pounds On This Chemical	10.06			
ACETIC ACID	524.05			
ACIBENZOLAR-S-METHYL	5.32			
ACID BLUE 9, DIAMMONIUM SALT	1,210.00			
ACIFLUORFEN, SODIUM SALT	< 0.01			
ACROLEIN	174.27			
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.48			
ACRYLIC ACID	4.66			
ALACHLOR	1.58			
ALCOHOLS, C4-C12, NORMAL	0.02			
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	32.57			
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	1.54			
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	45.14			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	47.63			
ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	< 0.01			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	47.58			
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	1.94			
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	107.16			
	0.75	1	5.00	A
Total Pounds On This Chemical	107.91			
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	49.65			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.50			
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.65			
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.99			
ALPHA-PINENE BETA-PINENE COPOLYMER	1,463.02			
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	92.12			
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	0.12			
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	8.16			
ALKYL (C8,C10) POLYGLUCOSIDE	1,093.31			
	42.84	2	201.00	A
Total Pounds On This Chemical	1,136.15			
D-TRANS ALLETHRIN	1.32			
ALLYL ISOTHIOCYANATE	0.02			
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	15.34			
ALUMINUM PHOSPHIDE	24,024.09			
	9.60	14	214.94	A
	< 0.01	1	8,000.00	S
Total Pounds On This Chemical	24,033.70			
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	1,599.23			
	0.42	2	21.50	A
Total Pounds On This Chemical	1,599.65			
4-AMINOPYRIDINE	1.14			
AMMONIUM BICARBONATE	7.40			
AMMONIUM NITRATE	189.97			
	20.43	2	205.00	A
Total Pounds On This Chemical	210.40			
AMMONIUM PROPIONATE	85.99			
AMMONIUM SULFAMATE	0.35			
AMMONIUM SULFATE	1,170.97			
	43.37	3	206.00	A
Total Pounds On This Chemical	1,214.34			
AMMONIUM TALL OIL FATTY ACID SOAP	0.45			
PARA-TERT-AMYLPHENOL	88.47			
ARSENIC TRIOXIDE	< 0.01			
ATRAZINE	75.91			
ATRAZINE, OTHER RELATED	2.08			
AZADIRACTIN	222.80			
AZOXYSTROBIN	2,951.26			
	8.95	4	34.00	A
	0.98	1	100,000.00	S
Total Pounds On This Chemical	2,961.19			
BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362	2.25			
BACILLUS SUBTILIS GB03	0.54			
BACILLUS THURINGIENSIS (BERLINER)	0.29			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	0.29			
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN SD- 1372, LEPIDOPTERAN ACTIVE TOXIN(S)	0.03			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14	1.03			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	41.59			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	4.77			
BACILLUS THURINGIENSIS, VAR. KURSTAKI DELTA ENDOTOXINS CRY 1A(C) AND CRY 1C (GENETICALLY ENGINEERED) ENCAPSULATED IN PSEUDOMONAS FLUORESCENS (KILLED)	0.07			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	523.53			
	1.62	1	8.00	A
Total Pounds On This Chemical	525.15			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	9.93			
	0.21	1	5.00	A
Total Pounds On This Chemical	10.14			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	4.18			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	0.53			
BALSAM FIR OIL	0.08			
BEAUVERIA BASSIANA STRAIN GHA	2.24			
BENDIOCARB	0.23			
BENEFIN	98.91			
BENOMYL	6.00			
BENSULIDE	2,260.67			
	22.82	1	2.50	A
Total Pounds On This Chemical	2,283.49			
1,2-BENZISOTHAZOLIN-3-ONE	0.23			
BENZOIC ACID	4.51			
	0.14	1	2.50	A
Total Pounds On This Chemical	4.65			
ORTHO-BENZYL-PARA-CHLOROPHENOL	133.98			
BENZYLDIETHYL [(2,6-XYLYLCARBAMOYL)METHYL] AMMONIUM SACCHARIDE	< 0.01			
BIFENAZATE	30.96			
BIFENTHRIN	2,855.29			
	1.02	3	7.20	A
Total Pounds On This Chemical	2,856.31			
BIS BUTENYLENE TETRAHYDRO FURFURAL	0.13			
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	62.29			
BISPYRIBAC-SODIUM	69.55			
BORAX	952.30			
BORIC ACID	338.35			
BOSCALID	158.71			
BRODIFACOU	0.08			
BROMACIL	15,178.26			
BROMACIL, LITHIUM SALT	6.19			
BROMADIOLONE	2.27			
BROMETHALIN	0.79			
	< 0.01	1	95.00	A
	< 0.01	1	4.00	U
Total Pounds On This Chemical	0.79			
BROMINE CHLORIDE	296.93			
1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN	887.30			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
BROMOXYNIL HEPTANOATE	5.42			
	0.28	6	38,000.00	S
Total Pounds On This Chemical	5.70			
BROMOXYNIL OCTANOATE	29.29			
	0.30	6	38,000.00	S
Total Pounds On This Chemical	29.58			
2-BUTOXYETHANOL	0.62			
BUTYL ALCOHOL	91.75			
BUTYL MERCAPTAN	< 0.01			
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	0.04			
CACODYLIC ACID	0.03			
CADMIUM CHLORIDE	0.13			
CALCIUM ACID METHANEARSONATE	0.11			
CALCIUM CHLORIDE	9.62			
CALCIUM HYDROXIDE	45.00			
CALCIUM HYPOCHLORITE	19,868.92			
CANOLA OIL	3.60			
CAPSICUM OLEORESIN	0.89			
CAPTAN	1.96			
CAPTAN, OTHER RELATED	0.04			
CARBARYL	6,545.01			
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.01			
CARBON	283.39			
CARBON DISULFIDE	0.79			
CARBON TETRACHLORIDE	3.98			
CARFENTRAZONE-ETHYL	482.08			
	3.60	23	51.77	A
	0.68	23	641,000.00	S
Total Pounds On This Chemical	486.36			
CASTOR OIL	2.25			
CASTOR OIL ETHOXYLATE	0.31			
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	0.29			
CHLORANTRANILIPROLE	4,165.29			
	0.42	1	9,999.99	S
Total Pounds On This Chemical	4,165.71			
CHLORDANE	15.70			
CHLORFENAPYR	31.34			
CHLORFLURENOL, METHYL ESTER	98.38			
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE	767.18			
CHLOROPHACINONE	3.09			
CHLOROTHALONIL	96,382.93			
	605.19	25	78.10	A
	168.90	19	1,093,499.99	S
Total Pounds On This Chemical	97,157.02			
CHLORPYRIFOS	763.95			
CHLORSULFURON	296.39			
	7.81	1	200.00	A
Total Pounds On This Chemical	304.21			
CHLORTHAL-DIMETHYL	6.79			
CHOLECALCIFEROL	3.58			
CITRIC ACID	203.95			
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	850.52			
CLETHODIM	554.32			
CLOFENTEZINE	0.06			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
CLOPYRALID	0.36			
CLOPYRALID, MONOETHANOLAMINE SALT	940.71			
	0.05	1	9,000.00	S
Total Pounds On This Chemical	940.76			
CLOPYRALID, TRIETHYLAMINE SALT	235.11			
	3.89	6	1,406,000.00	S
	1.06	10	190.00	A
Total Pounds On This Chemical	240.05			
CLOTHIANIDIN	256.31			
	1.44	1	2.20	A
Total Pounds On This Chemical	257.75			
COCONUT DIETHANOLAMIDE	60.61			
CODLING MOTH GRANULOSIS VIRUS	< 0.01			
COPPER	292.73			
COPPER AMMONIUM CARBONATE	2.82			
COPPER AMMONIUM COMPLEX	27.48			
COPPER CARBONATE, BASIC	1,049.26			
COPPER DIAMMONIUM DIACETATE COMPLEX	1,195.02			
COPPER ETHANOLAMINE COMPLEXES, MIXED	8,564.24			
	196.23	1	20.00	A
	14.02	2	550,000.00	S
Total Pounds On This Chemical	8,774.49			
COPPER ETHYLENEDIAMINE COMPLEX	1,002.52			
COPPER HYDROXIDE	2,384.61			
COPPER OCTANOATE	70.24			
COPPER OXIDE (OUS)	371.65			
COPPER OXYCHLORIDE	10.07			
COPPER SALTS OF FATTY AND ROSIN ACIDS	67.91			
COPPER SULFATE (BASIC)	161.85			
COPPER SULFATE (PENTAHYDRATE)	34,423.65			
COPPER TRIETHANOLAMINE COMPLEX	526.19			
CORN PRODUCT, HYDROLYZED	40.83			
COTTONSEED OIL	9.15			
COUMAFURYL	0.05			
CYANURIC ACID	8.86			
CYAZOFAMID	5.47			
CYFLUTHRIN	98.36			
BETA-CYFLUTHRIN	18,324.27			
CYPERMETHRIN	3,152.15			
(S)-CYPERMETHRIN	0.08			
2,4-D	311.73			
	3.01	1	160.00	A
Total Pounds On This Chemical	314.74			
2,4-D, ALKANOLAMINE SALTS (ETHANOL AND ISOPROPANOL AMINES)	2.71			
2,4-D, BUTOXYETHANOL ESTER	60.62			
2,4-D, BUTYL ESTER	0.38			
2,4-D, DIETHANOLAMINE SALT	5.64			
2,4-D, DIMETHYLAMINE SALT	11,879.57			
	19.76	11	57.10	A
Total Pounds On This Chemical	11,899.32			
2,4-D, 2-ETHYLHEXYL ESTER	9,854.47			
	21.76	22	541,000.00	S
	19.84	12	24.57	A
Total Pounds On This Chemical	9,896.07			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
2,4-D, ISOOCTYL ESTER	614.85			
2,4-D, TRIISOPROPANOLAMINE SALT	452.70			
2,4-D, TRIISOPROPYLAMINE SALT	279.34			
DAZOMET	1,246.16			
4-(2,4-DB), DIMETHYLAMINE SALT	1.39			
D & C RED NO. 28	19.71			
D & C YELLOW NO. 8	8.86			
DDVP	182.55			
DDVP, OTHER RELATED	12.60			
DELTAMETHRIN	30.14			
DERIVATED NATURAL POLYMERS	1.07			
DEXTRIN	0.20			
DIATOMACEOUS EARTH	26.38			
DIATOMACEOUS EARTH, OTHER RELATED	2.95			
DIAZINON	140.14			
2,2-DIBROMO-3-NITRILOPROPIONAMIDE	802.00			
DICAMBA	880.57			
	1.52	13	184.57	A
	1.30	22	541,000.00	S
Total Pounds On This Chemical	883.40			
DICAMBA, DIMETHYLAMINE SALT	999.88			
	5.77	8	53.60	A
Total Pounds On This Chemical	1,005.64			
DICAMBA, POTASSIUM SALT	< 0.01			
DICHOLOBENIL	77.64			
PARA-DICHLOROBENZENE	17.61			
1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN	412.76			
1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN	173.84			
DIDECYL DIMETHYL AMMONIUM CHLORIDE	0.02			
DIETHYLENE GLYCOL	604.54			
	0.10	2	4.00	A
Total Pounds On This Chemical	604.65			
DIFENACOU	< 0.01			
DIFETHIALONE	0.12			
DIFLUBENZURON	8.36			
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	1,469.35			
DIKEGULAC SODIUM	1,982.23			
DIMETHENAMID-P	223.90			
DIMETHOATE	58.69			
DIMETHOMORPH	0.55			
DIMETHYL ALKYL TERTIARY AMINES	4.87			
	0.15	1	2.50	A
Total Pounds On This Chemical	5.02			
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	2.45			
DIMETHYLPOLYSILOXANE	102.89			
	0.59	5	208.00	A
Total Pounds On This Chemical	103.49			
DIMETHYL SILICONE FLUID EMULSION	11.34			
DINOTEFURAN	671.87			
	0.50	1	50,000.00	S
Total Pounds On This Chemical	672.37			
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	2,961.67			
DIOCTYL PHTHALATE	2.22			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
1,7-DIOXASPIRO-(5,5)-UNDECANE	0.09			
DIPHACINONE	15.49			
	< 0.01	6	11.00	A
	< 0.01	2	6,000.00	S
Total Pounds On This Chemical	15.49			
DIPHACINONE, SODIUM SALT	0.06			
DIPHENAMID	14.05			
DIPHENYLAMINE	0.45			
DIPROPYL ISOCINCHOMERONATE	0.13			
DIQUAT DIBROMIDE	14,359.34			
	33.33	28	40.50	A
	19.00	3	552,500.00	S
Total Pounds On This Chemical	14,411.67			
DISODIUM OCTABORATE TETRAHYDRATE	76.48			
DISULFOTON	7.82			
DITHIOPYR	11,442.18			
	4.94	5	19.00	A
	0.68	4	11,500.00	S
Total Pounds On This Chemical	11,447.79			
DIURON	44,134.82			
	165.97	2	205.00	A
Total Pounds On This Chemical	44,300.79			
E,E-8,10-DODECADIEN-1-OL	0.21			
DODECYLBENZENE SULFONIC ACID	260.36			
DICHLORPROP, BUTOXYETHANOL ESTER	0.36			
2-(2,4-DP), DIMETHYLAMINE SALT	0.43			
2,4-DP, ISOCTYL ESTER	< 0.01			
2,4-DP-P, DIMETHYLAMINE SALT	25.45			
2,4-DP-P, ISOCTYL ESTER	9.80			
EDTA, SODIUM SALT	0.31			
EDTA, TETRASODIUM SALT	16.07			
EMAMECTIN BENZOATE	8.55			
EMULSIFIABLE METHYLATED VEGETABLE OIL	6.57			
ENDOTHALL, DIPOTASSIUM SALT	11,466.03			
	17.72	2	12.55	A
Total Pounds On This Chemical	11,483.75			
ENDOTHALL, MONO [N,N-DIMETHYL ALKYLAMINE] SALT	1,410.71			
EPN	0.22			
ESFENVALERATE	3.19			
ESSENTIAL OILS	< 0.01			
ETHEPHON	18,166.50			
	190.00	8	56.90	A
	70.18	8	829,000.00	S
Total Pounds On This Chemical	18,426.68			
ETOFENPROX	0.07			
ETHOFUMESATE	8,974.44			
	2.59	2	2.00	A
Total Pounds On This Chemical	8,977.02			
ETHYL ALCOHOL	1.11			
ETHYLENE GLYCOL	89.21			
ETHYLENE GLYCOL MONOMETHYL ETHER	3.70			
ETOXAZOLE	2.31			
FATTY ACIDS, MIXED	589.15			
	0.26	2	3.50	A
	0.20	1	100,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
Total Pounds On This Chemical	589.61			
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	56.03			
FATTY ACIDS DERIVED FROM TALLOW	36.86			
FENAMIPHOS	61.80			
FENARIMOL	43.42			
FENBUTATIN-OXIDE	0.07			
FENHEXAMID	4.83			
FENOXAPROP-P-ETHYL	0.16			
FENOXYCARB	0.35			
FENPROPATHRIN	2.85			
FENPYROXIMATE	0.78			
FERRIC SODIUM EDTA	130.69			
FERRIC SULFATE (ANHYDROUS)	17.56			
FIPRONIL	109.31			
FLAZASULFURON	0.42			
FLONICAMID	< 0.01			
FLUAZIFOP-BUTYL	0.98			
	0.06	1	8,000.00	S
Total Pounds On This Chemical	1.04			
FLUAZIFOP-P-BUTYL	925.81			
	32.75	3	132.00	A
Total Pounds On This Chemical	958.56			
FLUDIOXONIL	1,010.48			
	10.49	9	32.25	A
	4.10	7	502,000.00	S
Total Pounds On This Chemical	1,025.08			
FLUMIOXAZIN	1,569.05			
	0.24	1	3.00	A
Total Pounds On This Chemical	1,569.29			
FLUOPICOLIDE	0.13			
FLUOXASTROBIN	64.11			
FLURECOL-METHYL	23.48			
FLURIDONE	252.31			
FLUROXYPYR	3.19			
FLUROXYPYR, 1-METHYLHEPTYL ESTER	214.45			
FLURPRIMIDOL	0.04			
FLUTOLANIL	9,017.80			
	140.46	7	15.60	A
	59.16	6	329,000.00	S
Total Pounds On This Chemical	9,217.41			
TAU-FLUVALINATE	28.41			
FORAMSULFURON	102.63			
FOSETYL-AL	12,709.84			
	92.00	3	290,000.00	S
Total Pounds On This Chemical	12,801.84			
FOX URINE	1.25			
FREE FATTY ACIDS AND/OR AMINE SALTS	66.09			
FREON 12	2.03			
GAMMA-CYHALOTHRIN	3.35			
GARLIC	< 0.01			
GIBBERELLINS	0.64			
GLUFOSINATE-AMMONIUM	570.80			
	5.63	9	29.00	A
Total Pounds On This Chemical	576.43			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
GLUTARALDEHYDE	6,123.54			
GLYPHOSATE	1,959.50			
GLYPHOSATE, DIAMMONIUM SALT	24.06			
GLYPHOSATE, DIMETHYLAMINE SALT	3,187.47			
GLYPHOSATE, ISOPROPYLAMINE SALT	396,418.56			
	562.62	100	496.90	A
	56.99	67	658,350.00	S
Total Pounds On This Chemical	397,038.18			
GLYPHOSATE, MONOAMMONIUM SALT	10,411.42			
GLYPHOSATE, POTASSIUM SALT	129,591.81			
	79.91	6	23.21	A
	5.95	2	11,420.00	S
Total Pounds On This Chemical	129,677.67			
GLYPHOSATE-TRIMESIUM	18.71			
HALOSULFURON-METHYL	712.71			
	0.01	2	13,000.00	S
Total Pounds On This Chemical	712.72			
HEPTAMETHYLTRISILOXANE ETHOXYLATED	0.13			
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	9.03			
HEPTYL BUTYRATE	< 0.01			
HEXAFLUMURON	5.50			
HEXAZINONE	188.25			
HEXYTHIAZOX	0.74			
HYDRAMETHYLNON	17.78			
HYDROGEN CHLORIDE	335.49			
HYDROGEN PEROXIDE	1,493.92			
HYDROPRENE	0.64			
HYDROTREATED PARAFFINIC SOLVENT	22.01			
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	57.75			
IBA	0.01			
IMAZALIL	26.72			
IMAZAMOX, AMMONIUM SALT	1.92			
IMAZAPIC, AMMONIUM SALT	0.05			
IMAZAPYR, ISOPROPYLAMINE SALT	1,523.51			
	< 0.01	1	5,000.00	S
Total Pounds On This Chemical	1,523.52			
IMAZETHAPYR	1.14			
IMIDACLOPRID	11,809.11			
	54.50	5	175.20	A
	0.86	7	105,700.00	S
	0.68	12	78.00	U
Total Pounds On This Chemical	11,865.15			
INDAZIFLAM	129.73			
INDOXACARB	46.47			
IPRODIONE	12,116.48			
	39.98	3	7.85	A
	12.14	3	170,000.00	S
Total Pounds On This Chemical	12,168.61			
IRON HEDTA	47.36			
IRON PHOSPHATE	829.88			
ALPHA-ISOOCTADECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	410.73			
ISOCTYL PHTHALATE	3.75			
ISOPARAFFINIC HYDROCARBONS	18.65			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
ISOPROPYL ALCOHOL	1,224.33			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	3.82			
ISOXABEN	3,418.81			
	0.54	4	4.00	A
Total Pounds On This Chemical	3,419.35			
KEROSENE	10.56			
	0.27	1	2.50	A
Total Pounds On This Chemical	10.83			
(S)-KINOPRENE	< 0.01			
LAMBDA-CYHALOTHRIN	133.26			
LAURIC ACID	0.11			
LAURYL ALCOHOL	0.12			
LECITHIN	968.02			
LIGNIN SULFONIC ACID	1.34			
LIGNIN SULFONIC ACID, COPPER SALT	2.72			
LIME-SULFUR	176.91			
LIMONENE	910.93			
LITHIUM HYPOCHLORITE	0.07			
MAGNESIUM CHLORIDE	2.26			
MAGNESIUM PHOSPHIDE	23.47			
MAGNESIUM SULFATE	0.05			
MALATHION	892.02			
MANCOZEB	40,083.78			
	131.68	8	494,000.00	S
	38.61	2	52.20	A
Total Pounds On This Chemical	40,254.07			
MANEB	75.14			
MARGOSA OIL	2,700.88			
MCPA	18.55			
MCPA, DIMETHYLAMINE SALT	3,889.89			
MCPA, 2-ETHYL HEXYL ESTER	536.68			
MCPA, ISOOCTYL ESTER	913.03			
MCPP	83.72			
	1.35	1	160.00	A
Total Pounds On This Chemical	85.06			
MCPP, DIMETHYLAMINE SALT	632.87			
MCPP, POTASSIUM SALT	1,191.14			
MCPP-P, DIMETHYLAMINE SALT	2,316.67			
	21.60	8	53.60	A
Total Pounds On This Chemical	2,338.28			
MCPP-P, POTASSIUM SALT	0.01			
MECOPROP-P	2,338.66			
	4.64	12	24.57	A
	4.48	22	541,000.00	S
Total Pounds On This Chemical	2,347.78			
MEFENOXAM	1,039.61			
MEFENOXAM, OTHER RELATED	22.62			
MEFLUIDIDE, DIETHANOLAMINE SALT	741.18			
META-CRESOL	0.02			
METALAXYL	27.31			
METALDEHYDE	4,564.85			
METAM-SODIUM	38.63			
METCONAZOLE	388.43			
METHIOCARB	14.02			
METHOMYL	0.41			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
METHOPRENE	3.23			
S-METHOPRENE	4.22			
METHOXYFENOZIDE	6.92			
METHYL ANTHRANILATE	97.32			
METHYLATED FATTY ACIDS FROM CANOLA OIL	907.99			
METHYLATED SOYBEAN OIL	3,261.10			
	28.60	4	33.50	A
Total Pounds On This Chemical	3,289.70			
METHYL CELLULOSE	2.19			
METHYL-2,3-DICHLORO-9-HYDROXYFLUORENE-9-CARBOXYLATE	1.33			
METHYL-2,7-DICHLORO-9-HYDROXYFLUORENE-9-CARBOXYLATE	16.56			
N,N-METHYLENEBISMORPHOLINE	0.11			
METHYLENE CHLORIDE	1.12			
2-METHYL-4-ISOTHIAZOLIN-3-ONE	271.90			
METHYL PARATHION	1.64			
METHYL PARATHION, OTHER RELATED	0.05			
METHYL SILICONE RESINS	2.40			
	< 0.01	1	3.00	A
Total Pounds On This Chemical	2.41			
METOLACHLOR	3.65			
S-METOLACHLOR	47.59			
METRIBUZIN	10.69			
MINERAL OIL	23,051.46			
	0.41	1	1.00	A
	0.11	1	5.00	U
Total Pounds On This Chemical	23,051.98			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	19.40			
MORPHOLINE	2.59			
MSMA	2,692.84			
	50.17	12	26.40	A
Total Pounds On This Chemical	2,743.01			
MUSCALURE	1.77			
	0.02	1	4,200.00	S
Total Pounds On This Chemical	1.79			
MYCLOBUTANIL	557.54			
	4.13	3	54.40	A
	2.85	1	95,000.00	S
Total Pounds On This Chemical	564.52			
MYRISTYL ALCOHOL	0.02			
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	0.25			
NAA	5.59			
NAA, AMMONIUM SALT	89.91			
NAA, ETHYL ESTER	0.11			
NABAM	0.02			
NALED	534.93			
NAPROPAMIDE	20.57			
NITRAPYRIN	< 0.01			
NONANOIC ACID	15,251.42			
NONANOIC ACID, OTHER RELATED	802.55			
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2.04			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	11,491.19			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE					
		8.24	8	53.50	A
		1.02	1	100,000.00	S
Total Pounds On This Chemical	11,500.45				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED		8.49			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER		559.56			
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX		< 0.01			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT		1.62			
NOVALURON		0.21			
NOVIFLUMURON		< 0.01			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE		9.88			
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE		0.03			
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)		198.20			
OIL OF ANISE		< 0.01			
OIL OF BLACK PEPPER		< 0.01			
OIL OF JOJOBA		2.03			
OLEIC ACID		18.62			
OLEIC ACID, ETHYL ESTER		952.43			
OLEIC ACID, METHYL ESTER		1,101.34			
		0.61	1	1.00	A
Total Pounds On This Chemical	1,101.95				
ORCHEX 796 OIL		12.71			
ORGANO/MODIFIED POLYSILOXANE		0.22			
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER		4.26			
ORYZALIN		25,816.32			
		125.88	51	108.75	A
		5.20	3	7,421.00	S
Total Pounds On This Chemical	25,947.40				
OXADIAZON		3,038.81			
		2.28	3	1.22	A
Total Pounds On This Chemical	3,041.09				
OXYDEMETON-METHYL		15.80			
OXYFLUORFEN		1,615.68			
		54.31	4	209.00	A
Total Pounds On This Chemical	1,669.99				
OXYTETRACYCLINE, CALCIUM COMPLEX		3.05			
OXYTETRACYCLINE HYDROCHLORIDE		21.22			
OXYTETRACYCLINE HYDROCHLORIDE, OTHER RELATED		0.16			
OXYTHIOQUINOX		0.27			
PACLOBUTRAZOL		1,439.26			
		53.41	30	282.10	A
		0.55	4	259,999.99	S
Total Pounds On This Chemical	1,493.22				
PARAQUAT DICHLORIDE		18.23			
		1.38	1	2.00	A
Total Pounds On This Chemical	19.62				
PARATHION		240.25			
PCNB		12,772.23			
		251.94	2	15.00	A
Total Pounds On This Chemical	13,024.17				
PENDIMETHALIN		28,314.66			
		30.64	5	448,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
Total Pounds On This Chemical	28,347.29	1.98	1	2.50 A
PENOXSULAM	20.03			
PERMETHRIN	22,233.20			
	0.98	1	1.00	A
Total Pounds On This Chemical	22,234.19			
PERMETHRIN, OTHER RELATED	< 0.01			
PETROLEUM DISTILLATES	2,204.54			
	10.94	2	16.00	A
Total Pounds On This Chemical	2,215.49			
PETROLEUM DISTILLATES, ALIPHATIC	7.55			
PETROLEUM DISTILLATES, AROMATIC	12.86			
PETROLEUM DISTILLATES, REFINED	1,848.10			
PETROLEUM HYDROCARBONS	0.14			
PETROLEUM OIL, PARAFFIN BASED	1,081.56			
PETROLEUM OIL, UNCLASSIFIED	19,323.12			
PHENOTHRIN	1.60			
PHENYLETHYL PROPIONATE	10.44			
ORTHO-PHENYLPHENOL	243.75			
ORTHO-PHENYLPHENOL, SODIUM SALT	15.42			
PHOSMET	0.20			
PHOSPHINE	0.72			
PHOSPHORIC ACID	315.70			
PINDONE	< 0.01			
PINE OIL	0.28			
PIPERALIN	4.44			
PIPERINE	< 0.01			
PIPERONYL BUTOXIDE	566.88			
PIPERONYL BUTOXIDE, OTHER RELATED	139.18			
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.90			
POLYACRYLAMIDE POLYMER	2.38			
POLYACRYLIC POLYMER	20.63			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	739.21			
	1.17	3	31.00	A
Total Pounds On This Chemical	740.38			
POLYBUTENES	0.06			
POLYETHER MODIFIED POLYSILOXANE	0.38			
POLYETHYLENE GLYCOL	42.00			
POLYETHYLENE GLYCOL DIACETATE	1.39			
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	10.39			
POLYETHYLENE GLYCOL OLEATE	5.67			
POLY-I-PARA-MENTHENE	28.07			
POLYMERIZED ACRYLIC ACID	0.68			
POLYOXIN D, ZINC SALT	420.54			
	2.51	3	328,500.00	S
Total Pounds On This Chemical	423.05			
POLY(OXYETHYLENE) (DIMETHYLIMINO) ETHYLENE (DIMETHYLIMINO) ETHYLENE DICHLORIDE	1,699.59			
POLYOXYETHYLENE DIOLEATE	166.76			
POLYOXYETHYLENE POLYOXYPROPYLENE	63.96			
	1.06	1	1.00	A
Total Pounds On This Chemical	65.02			
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	0.02			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	150.23			
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	51.82			
POLYOXYETHYLENE SORBITAN MONOOLEATE	60.42			
POLYOXYETHYLENE SORBITAN TRIOLEATE	84.26			
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	2.31			
POLYPROPYLENE GLYCOL	2.86			
	< 0.01	1	3.00	A
Total Pounds On This Chemical	2.87			
POLYSILOXANE	12.33			
POTASH SOAP	1,898.57			
POTASSIUM BICARBONATE	53.14			
POTASSIUM HYDROXIDE	0.06			
POTASSIUM NITRATE	4.59			
POTASSIUM PEROXYMONOSULFATE	20.55			
POTASSIUM PHOSPHITE	49,670.97			
POTASSIUM SILICATE	8.87			
PRALLETHRIN	0.06			
PRODIAMINE	14,815.44			
	10.40	1	25.00	A
	9.37	5	208,420.00	S
Total Pounds On This Chemical	14,835.21			
PRODIAMINE, OTHER RELATED	5.05			
PROMETON	7.80			
PROMETRYN	502.49			
PROPAMOCARB	106.46			
PROPAMOCARB HYDROCHLORIDE	790.63			
PROPANIL	2.07			
PROPETAMPHOS	2.97			
PROPICONAZOLE	6,055.16			
	55.26	22	101.91	A
	14.25	10	695,000.00	S
Total Pounds On This Chemical	6,124.68			
PROPIONIC ACID	291.27			
PROPOXUR	0.15			
PROPYLENE GLYCOL	537.27			
PROPYLENE GLYCOL, METHYL ETHER	0.53			
PROPYZAMIDE	314.15			
PUTRESCENT WHOLE EGG SOLIDS	0.34			
PYMETROZINE	1.18			
PYRACLOSTROBIN	996.30			
	21.63	12	57.20	A
	4.73	7	535,000.00	S
Total Pounds On This Chemical	1,022.66			
PYRAFLUFEN-ETHYL	1.41			
PYRETHRINS	87.86			
PYRIDABEN	5.25			
PYRIDALYL	1.58			
PYRIDATE	26.26			
PYRIPROXYFEN	49.38			
	< 0.01	1	1.00	A
Total Pounds On This Chemical	49.39			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	10.19			
QUILLAJA	150.16			
QUINCLORAC	514.38			
	0.41	4	66,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
Total Pounds On This Chemical	514.79			
QUINCLORAC, DIMETHYLAMINE SALT	942.12			
	1.96	16	274,500.00	S
	0.89	1	1.00	A
Total Pounds On This Chemical	944.97			
QUINOXYFEN	0.32			
REYNOUTRIA SACHALINENSIS	6.87			
RIMSULFURON	9.16			
ROTENONE	0.26			
ROTENONE, OTHER RELATED	0.28			
SAFLUFENACIL	50.41			
SETHOXYDIM	65.21			
SIDURON	353.63			
SILICA AEROGEL	6.49			
SILICONE DEFOAMER	6.81			
SIMAZINE	2,443.26			
SOAP	0.06			
SODIUM ARSENATE	0.15			
SODIUM BICARBONATE	0.97			
SODIUM BISULFATE	27.60			
SODIUM BROMIDE	19,191.83			
SODIUM BROMOSULFAMATE, SODIUM CHLOROSULFAMATE, POTASSIUM BROMOSULFAMATE, POTASSIUM CHLOROSULFAMATE	21.77			
SODIUM CACODYLATE	0.19			
SODIUM CARBONATE	14.38			
SODIUM CARBONATE PEROXYHYDRATE	22,017.27			
SODIUM CHLORATE	12,135.30			
SODIUM CHLORIDE	1.44			
SODIUM DICHLORO-S-TRIAZINETRIONE	4,486.74			
SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE	14,912.07			
SODIUM DIISOOCTYLSULFOSUCCINATE	0.79			
SODIUM DIMETHYL DITHIO CARBAMATE	0.02			
SODIUM HYPOCHLORITE	4,348.34			
SODIUM METABORATE TETRAHYDRATE	21,266.49			
SODIUM NITRATE	917.05			
SODIUM POLYACRYLATE	2.12			
SODIUM XYLENE SULFONATE	80.11			
SORBITAN FATTY ACID ESTERS	11.34			
SORBITAN MONOOLEATE	0.09	1	1.00	A
SORBITOL	0.37			
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.06			
SOYBEAN OIL	243.41			
SPINETORAM	1.16			
SPINOSAD	6,428.91			
SPIROMESIFEN	6.33			
SPIROTETRAMAT	1.27			
STARCH	< 0.01			
STREPTOMYCES LYDICUS WYEC 108	< 0.01			
STREPTOMYCIN	1.13			
STREPTOMYCIN SULFATE	44.62			
STRYCHNINE	304.84			
	0.07	3	20.00	S
Total Pounds On This Chemical	304.90			
STYRENE BUTADIENE COPOLYMER	33.09			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
SUCROSE OCTANOATE	53.99			
SULFAQUINOXALINE	0.21			
SULFENTRAZONE	457.62			
	0.29	3	57,000.00	S
	0.03	1	0.25	A
Total Pounds On This Chemical	457.94			
SULFLURAMID	< 0.01			
SULFOMETURON-METHYL	1,927.54			
	15.63	1	200.00	A
Total Pounds On This Chemical	1,943.17			
SULFOSULFURON	15.92			
	0.18	3	4.00	A
Total Pounds On This Chemical	16.10			
SULFUR	16,237.95			
SULFUR DIOXIDE	4,829.52			
SULFURYL FLUORIDE	125.75			
TALL OIL	269.25			
TALL OIL FATTY ACIDS	536.62			
TARTRAZINE	114.96			
TEBUCONAZOLE	1,242.51			
TEBUTHIURON	815.50			
1080	0.45			
TERRAZOLE	19.15			
TETRACHLOROETHYLENE	3.25			
TETRACHLORVINPHOS	60.71			
TETRACONAZOLE	0.16			
TETRAMETHRIN	0.30			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	516.54			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.01			
TETRAPOTASSIUM PYROPHOSPHATE	40.06			
THIABENDAZOLE, HYPOPHOSPHITE SALT	11.39			
THIAMETHOXAM	308.28			
	0.01	1	3,000.00	S
Total Pounds On This Chemical	308.29			
THIOPHANATE	69.81			
THIOPHANATE-METHYL	19,281.12			
	24.97	2	6.50	A
	18.00	1	95,000.00	S
Total Pounds On This Chemical	19,324.10			
THIRAM	81.70			
THYME	17.11			
THYMOL	< 0.01			
TRALOMETHRIN	< 0.01			
TRIADIMEFON	2,216.88			
	22.84	4	10.00	A
Total Pounds On This Chemical	2,239.72			
TRICHLORFON	4.00			
TRICHLOROFLUOROMETHANE	2.03			
TRICHLORO-S-TRIAZINETRIONE	20,737.63			
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	3.80			
TRICHODERMA ICC 012 ASPERELLUM	0.10			
TRICHODERMA ICC 080 GAMSII	0.10			
TRICLOPYR, BUTOXYETHYL ESTER	22,444.85			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LANDSCAPE MAINTENANCE				
	210.71	12	178.93	A
	17.27	16	447,000.00	S
Total Pounds On This Chemical	22,672.84			
TRICLOPYR, TRIETHYLAMINE SALT	3,870.35			
	10.60	6	1,406,000.00	S
	5.04	11	209.00	A
Total Pounds On This Chemical	3,886.00			
TRIETHANOLAMINE	102.14			
TRIETHYLENE GLYCOL	< 0.01			
TRIFLOXYSTROBIN	300.47			
	0.80	2	128,000.00	S
Total Pounds On This Chemical	301.27			
TRIFLOXYSULFURON-SODIUM	418.73			
TRIFLUMIZOLE	4.62			
TRIFLURALIN	1,246.85			
	0.35	1	1,000.00	S
Total Pounds On This Chemical	1,247.20			
TRIFORINE	1.79			
ALPHA-2,4,6-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.11			
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.26			
TRINEXAPAC-ETHYL	4,845.61			
	81.48	83	959.03	A
	4.90	27	2,409,000.00	S
Total Pounds On This Chemical	4,931.99			
TRITICONAZOLE	415.21			
	10.56	4	9.20	A
Total Pounds On This Chemical	425.77			
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	992.99			
	0.09	1	1.00	A
Total Pounds On This Chemical	993.08			
UREA	59.15			
VINCLOZOLIN	439.32			
	3.13	1	2.30	A
Total Pounds On This Chemical	442.44			
VINYL POLYMER	1.42			
WARFARIN	0.31			
XYLENE	38.98			
XYLENE RANGE AROMATIC SOLVENT	16.40			
2,4-XYLENOL	0.02			
ZINC CHLORIDE	3.57			
ZINC PHOSPHIDE	155.72			
	30.44	3	95.66	A
Total Pounds On This Chemical	186.16			
ZINC SULFATE	0.09			
ZIRAM	14.83			
UNKNOWN		1	7.50	A
Site Total	1,572,047.87	873		
LEEK				
ACETAMIPRID	1.69	3	19.22	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.99	1	10.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.81	6	42.06	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LEEK				
ALPHA-PINENE BETA-PINENE COPOLYMER	1.58	5	16.20	A
AMMONIUM PROPIONATE	2.55	3	12.70	A
AMMONIUM SULFATE	0.64	3	12.70	A
AZADIRACTIN	10.00	198	382.66	A
AZOXYSTROBIN	201.37	205	849.52	A
BACILLUS PUMILUS, STRAIN QST 2808	1.95	25	16.55	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	8.19	12	11.72	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	4.28	4	3.36	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.38	10	56.73	A
BOSCALID	69.69	61	263.56	A
CARBOXIN	0.94		7,247.00	P
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	51.18	91	139.08	A
CHLORANTRANILIPROLE	1.53	3	23.31	A
CHLOROTHALONIL	921.98	114	445.65	A
CHLORTHAL-DIMETHYL	968.97	103	203.34	A
CITRIC ACID	1.27	3	12.70	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	111.08	6	148.27	A
COPPER HYDROXIDE	10.75	3	23.31	A
COPPER OCTANOATE	65.47	159	236.82	A
CYPERMETHRIN	1.05	2	15.62	A
(S)-CYPERMETHRIN	40.24	143	883.08	A
CYROMAZINE	4.94	24	39.58	A
DELTAMETHRIN	9.50	53	354.09	A
DIAZINON	19.05	1	4.80	A
1,3-DICHLOROPROPENE	886.07	1	6.00	A
DIMETHYLPOLYSILOXANE	0.73	31	178.66	A
DIMETHYL SILICONE FLUID EMULSION	0.72	26	109.40	A
DIPHACINONE	< 0.01	1	2.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	7.58	5	29.00	A
ETHYLENE GLYCOL	4.40	2	14.63	A
FATTY ACIDS, MIXED	1.36	36	195.40	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	4.89	5	40.53	A
FLUOPICOLIDE	0.75	1	6.09	A
GLYPHOSATE, POTASSIUM SALT	2.76	1	1.00	A
HYDROGEN PEROXIDE	1.23	1	8.00	A
IPRODIONE	< 0.01	2	0.02	A
IRON PHOSPHATE	0.04	4	5,360.00	S
ISOPROPYL ALCOHOL	31.88	200	311.95	A
LECITHIN	32.68	37	200.20	A
MALATHION	251.72	26	182.86	A
MANCOZEB	< 0.01	2	0.02	A
MANDIPROPAMID	1.98	10	15.24	A
MEFENOXAM	10.36	8	22.39	A
METHOXYFENOZIDE	32.04	110	162.68	A
METHYLATED SOYBEAN OIL	0.47	1	4.80	A
METHYL SILICONE RESINS	31.48	138	832.73	A
MINERAL OIL	0.56	5	16.20	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.66	5	40.53	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.64	235	497.35	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LEEK				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1.85	3	12.70	A
PHOSPHORIC ACID	0.45	5	29.00	A
POLYBUTENES	0.87	5	40.53	A
POLYETHER MODIFIED POLYSILOXANE	0.41	5	29.00	A
POLYPROPYLENE GLYCOL	0.34	30	165.60	A
POTASH SOAP	59.60	46	36.74	A
POTASSIUM BICARBONATE	70.61	4	30.37	A
POTASSIUM N-METHYLDITHIOCARBAMATE	12,475.48	79	106.96	A
POTASSIUM PHOSPHITE	1.94	1	2.00	A
POTASSIUM SILICATE	39.74	2	67.78	A
PROPICONAZOLE	0.45	1	0.50	A
PROPIONIC ACID	31.75	36	195.40	A
PYRACLOSTROBIN	56.85	160	409.56	A
PYRETHRINS	0.32	12	8.30	A
PYRIMETHANIL	1.72	1	9.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	8.56	19	47.75	A
REYNOUTRIA SACHALINENSIS	31.56	23	152.88	A
SILICONE	0.02	1	20.93	A
SODIUM POLYACRYLATE	0.06	3	12.70	A
SPINETORAM	62.00	359	1,134.64	A
SPINOSAD	28.83	53	284.30	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	6	22.29	A
SULFUR	1.20	2	2.50	A
TALL OIL	0.46	197	287.32	A
TALL OIL FATTY ACIDS	0.02	5	16.20	A
THIRAM	1.56		7,247.00	P
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.30	7	46.86	A
Site Total	16,721.03	2,515		
LEMON				
ABAMECTIN	260.96	792	17,269.68	A
ACEPHATE	30.02	5	91.00	A
ACEQUINOCYL	227.12	11	571.02	A
ACETAMIPRID	179.93	97	1,346.94	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	360.13	43	1,055.50	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.64	1	40.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.64	1	40.00	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	5.33	6	64.51	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	980.09	313	10,788.46	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	273.96	22	370.91	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	127.38	7	290.50	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	123.04	13	253.90	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	15.83	7	290.50	A
ALPHA-PINENE BETA-PINENE COPOLYMER	143.82	31	310.80	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	8.25	21	264.66	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LEMON				
ALKYL (C8,C10) POLYGLUCOSIDE	28.80	25	1,055.79	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	8.62	1	16.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	1.49	2	21.00	A
ALUMINUM PHOSPHIDE	3.85	8	44.50	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	1.93	1	8.37	A
AMMONIUM NITRATE	3.75	7	56.50	A
AMMONIUM PROPIONATE	22.46	22	200.40	A
AMMONIUM SULFATE	359.44	92	1,128.08	A
AZADIRACTIN	26.70	26	1,198.79	A
AZOXYSTROBIN	11.71	1	60.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	273.74	30	609.94	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	3.61	1	35.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1.70	1	4.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	356.39	5	562.00	A
BENTONITE	8,379.93	282	6,055.27	A
BENZOIC ACID	0.97	4	124.50	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	201.03	66	805.35	A
BRODIFACUM	< 0.01	1	21.00	A
BROMACIL	2,639.74	94	2,321.35	A
BROMADIOLONE	0.14	56	2,021.00	A
BUPROFEZIN	3.50	1	2.00	A
BUTYL ALCOHOL	151.08	59	2,289.50	A
CALCIUM HYDROXIDE	227,635.07	482	11,252.58	A
CARBARYL	20.56	6	17.70	A
	0.02	1	176.00	U
Total Pounds On This Chemical	20.57			
CARBON DIOXIDE	300.00	1	15.00	A
CARFENTHAZONE-ETHYL	7.12	32	580.51	A
CASEIN	515.38	277	5,994.27	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	12.16	1	20.00	A
CHLORANTRANILIPROLE	33.17	35	547.35	A
CHLOROPHACINONE	0.02	39	745.50	A
CHLOROPICRIN	1,270.44	1	8.41	A
CHLORPYRIFOS	19,848.49	506	7,120.55	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	30.00	1	40.00	A
CITRIC ACID	84.42	59	1,134.30	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	4.09	1	33.00	A
COCONUT DIETHANOLAMIDE	40.32	45	641.76	A
COPPER	6,331.10	126	2,113.16	A
COPPER DIAMMONIUM DIACETATE COMPLEX	388.69	103	195.09	A
COPPER HYDROXIDE	10,420.81	355	10,098.16	A
COPPER OXIDE (OUS)	6,987.08	92	2,122.20	A
COPPER OXYCHLORIDE	2.38	2	50.00	A
COPPER SULFATE (BASIC)	32,752.10	294	7,387.69	A
COPPER SULFATE (PENTAHYDRATE)	882.45	5	613.00	A
CRYOLITE	72.00	2	14.00	A
CYFLUTHRIN	39.08	13	414.40	A
BETA-CYFLUTHRIN	96.52	116	2,747.14	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LEMON				
(S)-CYPERMETHRIN	21.13	24	494.20	A
2,4-D, DIMETHYLAMINE SALT	445.15	29	663.50	A
2,4-D, ISOOCTYL ESTER	0.09	1	15.00	A
2,4-D, ISOPROPYL ESTER	450.21	344	8,859.73	A
	235.45		488,560.08	T
	38.97		122,136.00	U
Total Pounds On This Chemical	724.62			
1,3-DICHLOROPROPENE	4,097.73	2	14.01	A
DIETHYLENE GLYCOL	60.02	51	2,197.00	A
DIFLUBENZURON	7.81	3	58.84	A
DIMETHOATE	43.18	8	65.75	A
DIMETHYL ALKYL TERTIARY AMINES	1.05	4	124.50	A
DIMETHYLPOLYSILOXANE	2,115.25	412	15,773.91	A
DIMETHYL SILICONE FLUID EMULSION	2.45	15	367.00	A
DIPHACINONE	0.09	78	1,790.06	A
DISODIUM OCTABORATE TETRAHYDRATE	0.78	8	109.60	A
DIURON	10,361.98	320	5,894.16	A
DODECYLBENZENE SULFONIC ACID	12.15	24	377.10	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	14.61	32	289.56	A
DRY MILK SOLIDS	0.24	1	4.00	A
EDTA, TETRASODIUM SALT	0.75	24	377.10	A
EMULSIFIABLE POLYETHYLENE	7.55	4	128.00	A
ETHYLENE GLYCOL	372.38	42	329.00	A
ETHYLENE GLYCOL MONOMETHYL ETHER	88.10	35	689.64	A
FATTY ACIDS, METHYL ESTERS	142.60	19	151.05	A
FATTY ACIDS, MIXED	113.76	79	2,521.31	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	560.49	17	336.50	A
FENBUTATIN-OXIDE	10.00	1	10.00	A
FENPROPATHRIN	178.02	29	532.50	A
FENPYROXIMATE	147.35	42	934.57	A
FERRIC SODIUM EDTA	2,951.26	144	3,944.16	A
FLUAZIFOP-P-BUTYL	6.39	1	1.57	A
FLUDIOXONIL	929.88		651,449.86	T
	305.28		210,489.00	U
Total Pounds On This Chemical	1,235.16			
FLUMIOXAZIN	27.25	7	88.00	A
FORMETANATE HYDROCHLORIDE	51.95	6	114.00	A
FOSETYL-AL	30.80	2	32.00	A
GIBBERELLINS	785.61	694	15,579.29	A
	31.08		552,414.31	T
	8.66		210,489.00	U
Total Pounds On This Chemical	825.36			
GLYCEROL	4.45	3	54.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	46,117.67	3,089	46,607.01	A
GLYPHOSATE, POTASSIUM SALT	49,376.62	1,654	35,921.25	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	24.61	13	253.90	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	23.11	50	2,582.60	A
HEXYTHIAZOX	88.64	9	394.60	A
HYDROTREATED PARAFFINIC SOLVENT	17.39	2	16.50	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	408.92	28	703.31	A
IMAZALIL	3,234.86		586,804.82	T

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LEMON				
	791.41		210,489.00	U
Total Pounds On This Chemical	4,026.27			
IMIDACLOPRID	4,792.02	469	13,978.89	A
	0.10	1	176.00	U
Total Pounds On This Chemical	4,792.11			
INDAZIFLAM	64.38	54	871.66	A
IRON PHOSPHATE	43.46	34	529.10	A
ISOOCTYL PHTHALATE	89.35	35	689.64	A
ISOPROPYL ALCOHOL	337.84	317	5,657.75	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	4.38	58	2,059.50	A
ISOXABEN	48.78		48.00	A
KAOLIN	153,912.89	70	2,608.90	A
KEROSENE	1.87	4	124.50	A
LACTOSE	606.94	281	6,051.27	A
LAURIC ACID	7.50	21	264.66	A
LECITHIN	2,701.99	129	5,831.92	A
LIME-SULFUR	736.31	14	192.00	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	28.51	17	142.05	A
MALATHION	143.30	9	85.75	A
MEFENOXAM	65.17	7	240.70	A
MEFENOXAM, OTHER RELATED	0.11	2	44.00	A
METALDEHYDE	8,587.95	1,102	17,110.04	A
	0.23	1	1.00	U
Total Pounds On This Chemical	8,588.18			
METAM-SODIUM	6,444.15	38	61.17	A
METHOXYFENOZIDE	6.57	23	34.85	A
METHYLATED SOYBEAN OIL	7,217.00	287	11,214.75	A
MINERAL OIL	649,255.62	1,031	16,520.44	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	1,080.41	79	2,299.06	A
MORPHOLINE	38.63	35	689.64	A
NAA, ETHYL ESTER	0.49	1	20.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	258.82	58	758.86	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,598.06	504	16,996.15	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	65.29	39	719.14	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	527.98	77	3,417.42	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.41	1	7.00	A
NORFLURAZON	315.23	60	427.75	A
OLEIC ACID	128.68	105	848.64	A
OLEIC ACID, METHYL ESTER	1,278.65	23	402.91	A
ORYZALIN	2,362.42	43	678.60	A
OXYFLUORFEN	442.29	39	534.38	A
PAECILOMYCES LILACINUS STRAIN 251	425.67	56	1,758.61	A
PARAQUAT DICHLORIDE	189.71	18	178.40	A
PCP, OTHER RELATED	< 0.01	1	15.00	A
PENDIMETHALIN	1,099.58	33	604.34	A
PENTACHLOROPHENOL	0.07	1	15.00	A
PETROLEUM OIL, PARAFFIN BASED	63,152.73	125	3,563.40	A
PETROLEUM OIL, UNCLASSIFIED	601,574.87	629	15,068.06	A
PHOSMET	25.20	1	18.00	A
PHOSPHORIC ACID	76.95	67	1,162.75	A
BETA-PINENE POLYMER	31.81	1	17.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LEMON				
PIPERONYL BUTOXIDE	1.02	2	12.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.25	2	12.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.23	4	50.00	A
POLYACRYLAMIDE POLYMER	1.24	32	282.50	A
POLYACRYLIC POLYMER	1.94	20	250.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	345.51	70	2,294.62	A
POLYBUTENES	100.09	17	336.50	A
POLYETHER MODIFIED POLYSILOXANE	278.92	57	1,635.25	A
POLYETHOXYLATED CASTOR OIL	40.12	86	2,666.00	A
POLYETHYLENE GLYCOL	411.61	84	2,829.45	A
POLYETHYLENE GLYCOL DIACETATE	0.14	2	21.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	355.58	29	1,001.00	A
POLY-I-PARA-MENTHENE	100.82	3	59.00	A
POLYMERIZED PINENE	259.26	32	289.56	A
POLYOXYETHYLENE POLYOXYPROPYLENE	242.36	43	1,434.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	13.12	1	7.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	17.50	58	2,059.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	115.24	58	2,059.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	497.03	22	402.95	A
POLYSACCHARIDE POLYMER	< 0.01	1	10.00	A
POLYSILOXANE	0.19	13	949.29	A
POTASH SOAP	67.67	1	6.50	A
POTASSIUM HYDROXIDE	5.64	13	949.29	A
POTASSIUM PHOSPHITE	156.58	5	60.00	A
PROPIONIC ACID	427.38	33	2,013.89	A
PROPYLENE GLYCOL	470.47	171	3,959.86	A
PYRETHRINS	1.22	13	109.00	A
PYRIDABEN	28.75	4	69.00	A
PYRIPROXYFEN	241.49	119	2,323.80	A
RIMSULFURON	61.84	81	1,137.01	A
SAFLUFENACIL	129.16	289	5,913.94	A
SAPONIN	6.75	3	90.00	A
SESAME OIL	5.46	1	33.00	A
SILICONE DEFOAMER	0.32	24	377.10	A
SIMAZINE	10,534.88	442	4,618.29	A
SODIUM DIISOOCTYLSULFOSUCCINATE	11.78	35	689.64	A
SODIUM HYDROXIDE	2.44	3	54.00	A
SODIUM HYPOCHLORITE	23,184.11		589,391.50	T
	3,579.39		210,489.00	U
	43.86		465.37	K
	22.72		18.00	A
Total Pounds On This Chemical	26,830.08			
SODIUM POLYACRYLATE	0.56	22	200.40	A
SODIUM XYLENE SULFONATE	3.74	24	377.10	A
SORBITAN FATTY ACID ESTERS	2.87	1	7.00	A
SPINETORAM	322.67	190	4,600.46	A
SPINOSAD	168.08	52	1,468.58	A
SPIRODICLOFEN	250.40	16	821.93	A
SPIROTETRAMAT	239.30	406	10,883.35	A
STRYCHNINE	2.02	128	2,343.50	A
STYRENE BUTADIENE COPOLYMER	404.92	140	3,417.81	A
SULFUR	44,007.09	99	3,204.40	A
SULFURIC ACID	0.99	1	16.00	A
TALL OIL FATTY ACIDS	166.67	105	3,125.95	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LEMON				
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	77.01	98	664.10	A
TETRAPOTASSIUM PYROPHOSPHATE	1.87	24	377.10	A
THIABENDAZOLE	1,145.34		593,542.90	T
	171.71		210,489.00	U
Total Pounds On This Chemical	1,317.05			
THIAMETHOXAM	73.98	54	1,181.86	A
TRIETHANOLAMINE	4.77	24	377.10	A
TRIFLURALIN	134.51	14	268.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	12.71	2	72.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,210.54	231	7,072.06	A
UREA	1.80	1	3.50	A
WARFARIN	0.30	31	2,579.07	A
ZINC SULFATE	4.08	1	20.00	A
Site Total	2,049,678.72	17,616		
LETTUCE, HEAD				
ABAMECTIN	563.43	4,095	61,031.03	A
ACEPHATE	29,884.85	2,344	33,150.89	A
ACETAMIPRID	1,478.27	1,183	23,269.57	A
ACIBENZOLAR-S-METHYL	13.12	75	429.50	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	9.49	7	119.20	A
ACRYLIC ACID	1,912.73	1,184	14,659.51	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	234.29	29	1,168.58	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.49	1	85.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.49	1	85.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	612.22	1,414	22,722.58	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	117.97	61	1,747.31	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	168.00	43	1,623.50	A
ALPHA-ALKYL (C6-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	212.32	40	803.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	512.63	266	4,139.20	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	35.85	30	887.10	A
ALKYL (C8,C10) POLYGLUCOSIDE	188.39	19	1,015.96	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	9.77	56	690.00	A
AMMONIUM NITRATE	30.50	5	443.00	A
AMMONIUM PROPIONATE	60.17	133	2,071.40	A
AMMONIUM SULFATE	1,103.56	347	6,327.18	A
AMYL ACETATE	3.23	31	301.90	A
AZADIRACTIN	18.72	123	1,544.33	A
AZOXYSTROBIN	239.89	50	1,126.84	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	13.38	3	53.50	A
BACILLUS PUMILUS, STRAIN QST 2808	244.96	304	2,853.38	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	310.38	47	390.04	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	453.23	102	497.64	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, HEAD				
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	11.80	6	11.11	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	219.68	19	203.43	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	97.76	19	419.09	A
BENEFIN	6,257.65	136	6,123.92	A
BENSULIDE	37,100.37	711	11,426.72	A
BENZOIC ACID	45.00	309	3,423.15	A
BIFENTHRIN	422.76	220	4,649.79	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2,801.11	3,145	43,496.02	A
BORAX	0.53	9	92.60	A
BOSCALID	19,888.30	3,605	49,039.67	A
BUPROFEZIN	694.45	190	3,095.24	A
BUTYL ALCOHOL	115.65	245	3,565.40	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	51.45	51	1,166.12	A
CALCIUM CHLORIDE	35.53	42	1,240.73	A
CARFENTHAZONE-ETHYL	19.52	26	1,031.80	A
CASTOR OIL ETHOXYLATE	0.07	1	11.00	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	153.45	9	232.30	A
CHLORANTRANILIPROLE	2,143.15	2,123	37,188.93	A
CHLOROPICRIN	60,631.62	15	370.50	A
CHLOROTHALONIL	12.53	3	119.90	A
CITRIC ACID	234.38	393	6,752.31	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	735.02	117	1,653.60	A
CLETHODIM	243.99	62	2,134.70	A
CLOTHIANIDIN	155.08	103	1,229.10	A
COCONUT DIETHANOLAMIDE	79.00	790	10,928.82	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.13	7	119.05	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	21.19	26	133.27	A
COPPER HYDROXIDE	563.47	82	1,048.70	A
COPPER OCTANOATE	24.96	4	76.65	A
COPPER OXIDE (OUS)	59.99	6	66.90	A
CORN SYRUP	83.92	5	395.00	A
COTTONSEED OIL	169.55	7	433.30	A
CYFLUTHRIN	63.77	40	1,346.00	A
BETA-CYFLUTHRIN	91.91	1,015	11,922.29	A
CYMOXANIL	3,008.73	1,508	16,621.57	A
CYPERMETHRIN	112.27	109	1,263.70	A
(S)-CYPERMETHRIN	1,253.52	1,411	26,066.17	A
CYPRODINIL	574.56	129	1,756.40	A
CYROMAZINE	737.73	473	5,439.77	A
ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	0.59	1	20.00	A
DIAZINON	3,920.99	296	4,642.10	A
1,3-DICHLOROPROPENE	51,546.43	16	379.50	A
DICLORAN	6,378.63	624	6,732.31	A
	< 0.01	1	287.00	S
Total Pounds On This Chemical	6,378.63			
DIETHYLENE GLYCOL	179.92	447	11,049.13	A
DIMETHOATE	5.67	2	19.00	A
DIMETHOMORPH	1,052.26	3,417	44,440.94	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, HEAD				
DIMETHYL ALKYL TERTIARY AMINES	49.00	308	3,414.65	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	9.35	9	202.75	A
DIMETHYLPOLYSILOXANE	1,826.49	4,448	63,460.26	A
DIMETHYL SILICONE FLUID EMULSION	15.89	383	4,048.20	A
DINOTEFURAN	104.24	38	1,111.50	A
DIPHACINONE	< 0.01	4	58.50	A
DIPROPYLENE GLYCOL METHYL ETHER	9.27	60	673.83	A
DISULFOTON	1,461.96	66	741.10	A
DODECYLBENZENE SULFONIC ACID	342.35	790	10,928.82	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9.43	10	198.09	A
EDTA, TETRASODIUM SALT	21.07	790	10,928.82	A
EMAMECTIN BENZOATE	345.61	1,408	30,979.26	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	5,087.98	1,234	20,152.57	A
ENDOSULFAN	1,655.15	83	2,122.79	A
ESFENVALERATE	496.98	626	11,431.61	A
ETHYLENE GLYCOL	269.69	76	2,185.79	A
FAMOXADONE	230.86	106	1,638.80	A
FATTY ACIDS, METHYL ESTERS	2,465.81	769	9,432.41	A
FATTY ACIDS, MIXED	313.47	1,881	25,282.49	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	7,910.86	2,111	29,927.41	A
FATTY ACIDS DERIVED FROM TALLOW	14.34	30	887.10	A
FENAMIDONE	9,509.35	2,487	41,870.10	A
FERRIC SODIUM EDTA	20.00	2	20.40	A
FERROUS SULFATE	0.69	7	119.05	A
FLONICAMID	773.31	541	9,674.83	A
FLUBENDIAMIDE	213.84	322	5,900.98	A
FLUDIOXONIL	2,302.15	932	10,613.70	A
FLUOPICOLIDE	909.23	683	7,565.71	A
FOSETYL-AL	114,956.22	3,083	39,493.32	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	27.24	3	22.70	A
GLYPHOSATE, ISOPROPYLAMINE SALT	5,539.58	45	2,147.43	A
GLYPHOSATE, POTASSIUM SALT	7,278.37	130	3,137.05	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	98.21	108	4,857.94	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	16.17	32	313.70	A
HYDROGEN PEROXIDE	19.06	32	161.45	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1,191.03	1,809	21,661.18	A
IMIDACLOPRID	13,319.14	8,177	111,042.36	A
INDOXACARB	309.94	277	4,182.22	A
IPRODIONE	6,608.03	481	6,936.96	A
	0.04	5	19,761.00	S
Total Pounds On This Chemical	6,608.08			
IRON PHOSPHATE	41.06	19	166.70	A
ISODECYL ALCOHOL	1.70	1	35.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	1.32	4	28.00	A
ISOPROPYL ALCOHOL	1,792.00	1,838	31,118.61	A
KEROSENE	87.56	309	3,423.15	A
LAMBDA-CYHALOTHRIN	4,128.06	8,932	149,176.98	A
LECITHIN	6,388.22	2,061	29,869.98	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, HEAD				
LIMONENE	40.61	2	0.53	A
MAGNESIUM SULFATE	1.96	2	182.00	A
MALATHION	17,467.86	960	11,184.97	A
MANCOZEB	186,813.74	9,874	134,836.35	A
MANDIPROPAMID	8,421.89	4,845	65,201.83	A
MANEB	1,886.78	72	1,291.85	A
MANGANESE SULFATE	0.96	7	119.05	A
MEFENOXAM	847.59	379	6,678.94	A
MEFENOXAM, OTHER RELATED	0.04	1	11.10	A
METALDEHYDE	95.63	10	112.50	A
METAM-SODIUM	67,521.23	2	290.00	A
METHOMYL	36,932.04	3,364	66,708.08	A
METHOXYFENOZIDE	2,291.16	1,097	16,148.77	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	42.86	14	229.11	A
METHYLATED SILICA	4.23	5	395.00	A
METHYLATED SOYBEAN OIL	12,832.29	2,809	40,822.42	A
METHYL SILICONE RESINS	1,534.65	2,513	31,128.08	A
MINERAL OIL	1,027.48	290	5,076.44	A
MYCLOBUTANIL	294.87	156	2,702.96	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	3,567.18	3,017	41,661.68	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6,992.29	5,528	83,789.02	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.38	4	28.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	8,017.70	1,312	17,190.71	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	75.95	74	1,321.10	A
OLEIC ACID, METHYL ESTER	4,500.06	1,882	27,353.38	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	209.39	253	7,308.50	A
OXYDEMETON-METHYL	1,603.02	143	1,828.59	A
OXYFLUORFEN	143.40	25	364.60	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	2.00	1	10.00	A
PARAQUAT DICHLORIDE	627.36	37	715.41	A
PERMETHRIN	15,899.43	7,233	95,857.58	A
PETROLEUM DISTILLATES, ALIPHATIC	170.38	10	224.20	A
PETROLEUM NAPHTHENIC OILS	6.64	7	119.20	A
PETROLEUM OIL, PARAFFIN BASED	294.74	22	1,251.19	A
PETROLEUM OIL, UNCLASSIFIED	0.31	3	0.53	A
PHOSPHORIC ACID	1,486.08	4,159	57,734.74	A
BETA-PINENE POLYMER	21.30	19	160.60	A
PIPERONYL BUTOXIDE	38.57	27	303.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	9.64	27	303.50	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	37.09	180	1,478.98	A
POLYACRYLAMIDE POLYMER	2.79	11	388.80	A
POLYACRYLIC POLYMER	11.57	172	1,493.68	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	222.18	1,450	17,918.39	A
POLYBUTENES	1,412.65	2,111	29,927.41	A
POLYETHER MODIFIED POLYSILOXANE	830.07	1,772	25,698.33	A
POLYETHOXYLATED CASTOR OIL	29.51	143	2,798.76	A
POLYETHYLENE GLYCOL	378.04	103	4,615.30	A
POLYETHYLENE GLYCOL DIACETATE	0.89	56	690.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	1,247.85	863	12,062.29	A
POLYETHYLENE GLYCOL OLEATE	21.64	9	202.75	A
POLY-I-PARA-MENTHENE	2,312.93	74	2,773.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, HEAD				
POLYOXYETHYLENE DIOLEATE	4.36	253	7,308.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	44.68	34	714.62	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1,439.02	22	1,251.19	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	0.53	1	20.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	8.32	2	28.50	A
POLYPROPYLENE GLYCOL	21.52	554	6,556.17	A
POLYSACCHARIDE POLYMER	0.21	4	269.00	A
POLYSILOXANE	< 0.01	1	8.46	A
POTASH SOAP	0.68	7	47,087.00	S
	0.62	3	0.52	A
Total Pounds On This Chemical	1.31			
POTASSIUM BICARBONATE	46.74	1	19.00	A
POTASSIUM HYDROXIDE	0.13	1	8.46	A
POTASSIUM PHOSPHITE	48,426.28	1,505	17,304.95	A
PROPAMOCARB HYDROCHLORIDE	52,818.70	3,964	52,716.57	A
PROPIONIC ACID	4,970.60	1,830	24,925.42	A
PROPYLENE GLYCOL	676.93	917	12,435.15	A
PROPYZAMIDE	41,106.36	3,437	49,716.73	A
PYMETROZINE	343.65	313	3,999.50	A
PYRACLOSTROBIN	1,459.04	647	7,955.78	A
PYRAFLUFEN-ETHYL	0.67	8	206.50	A
PYRETHRINS	15.29	49	688.02	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	47.02	87	288.82	A
QUINOXYFEN	33.42	19	359.95	A
REYNOUTRIA SACHALINENSIS	1,041.93	677	8,891.66	A
SETHOXYDIM	280.72	34	1,199.19	A
SILICONE	20.26	349	5,217.56	A
SILICONE DEFOAMER	8.95	790	10,928.82	A
SODIUM POLYACRYLATE	1.30	102	1,769.50	A
SODIUM XYLENE SULFONATE	105.34	790	10,928.82	A
SORBITAN TRIOLEATE	0.30	1	20.00	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.01	1	8.50	A
SPINETORAM	4,725.33	6,323	104,861.17	A
SPINOSAD	729.79	535	9,073.32	A
	0.10	6	56,700.00	S
Total Pounds On This Chemical	729.89			
SPIROMESIFEN	0.68	5	6.00	A
SPIROTETRAMAT	783.36	7,085	86,253.81	A
STREPTOMYCES LYDICUS WYEC 108	0.02	54	78.14	A
	< 0.01	1	0.41	S
Total Pounds On This Chemical	0.02			
STRYCHNINE	< 0.01	1	20.00	A
STYRENE BUTADIENE COPOLYMER	17.67	13	178.06	A
SULFUR	11,485.85	353	7,610.73	A
	0.49	3	18,450.00	S
Total Pounds On This Chemical	11,486.33			
TALL OIL	104.35	44	1,634.50	A
TALL OIL FATTY ACIDS	50.92	347	5,215.13	A
TEBUFENOZIDE	111.24	83	1,007.55	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	401.32	790	10,928.82	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.54	2	182.00	A
TETRAPOTASSIUM PYROPHOSPHATE	52.67	790	10,928.82	A
THIAMETHOXAM	959.98	1,273	16,898.32	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, HEAD				
THIODICARB	29.00	4	38.50	A
THIRAM	10.34		9,604.75	P
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	0.08	4	1.00	A
TRIETHANOLAMINE	134.31	790	10,928.82	A
TRIFLUMIZOLE	22.37	8	89.30	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	2,441.33	967	16,892.23	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	992.46	1,672	26,881.14	A
VEGETABLE OIL	96.75	3	96.33	A
VINYL POLYMER	7.99	20	673.40	A
XYLENE	180.68	29	536.25	A
ZINC SULFATE	5.54	10	325.95	A
Site Total	1,003,103.32	127,548		
LETTUCE, LEAF				
ABAMECTIN	589.62	6,310	59,643.48	A
ACEPHATE	64.28	2	66.00	A
ACETAMIPRID	775.28	1,047	12,066.71	A
ACIBENZOLAR-S-METHYL	1,178.33	4,101	38,889.70	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	4.98	2	45.00	A
ACRYLIC ACID	3,351.78	2,203	26,096.09	A
ALACHLOR	199.75	2	127.00	A
ALCOHOLS, C4-C12, NORMAL	1.76	21	174.85	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	18.40	3	74.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	877.08	2,258	25,731.02	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	79.19	64	1,273.92	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	33.80	15	365.00	A
ALPHA-ALKYL (C6-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	19.99	5	88.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	598.36	310	3,952.47	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	55.95	19	331.50	A
ALKYL (C8,C10) POLYGLUCOSIDE	71.93	164	1,852.70	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	25.43	156	1,566.60	A
AMMONIUM NITRATE	10.17	1	35.00	A
AMMONIUM PROPIONATE	14.46	43	426.28	A
AMMONIUM SULFATE	980.70	347	3,243.79	A
AMYL ACETATE	3.80	42	391.28	A
AZADIRACTIN	260.68	986	11,416.33	A
AZOXYSTROBIN	388.97	328	1,922.21	A
	0.11		1,811.03	P
Total Pounds On This Chemical	389.09			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	145.53	18	288.23	A
BACILLUS PUMILUS, STRAIN QST 2808	1,037.68	930	11,426.28	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	2,737.44	378	3,569.13	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	4.53	2	44.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	1,509.86	166	1,870.49	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.06	16	2.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, LEAF				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1,544.36	272	1,999.25	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	4,481.66	368	4,049.84	A
BEAUVERIA BASSIANA STRAIN GHA	29.19	77	321.39	A
	< 0.01	4	6,044.00	S
Total Pounds On This Chemical	29.20			
BENEFIN	5,749.78	263	6,305.03	A
BENSULIDE	140,176.75	4,845	42,394.70	A
BENZOIC ACID	136.25	786	5,649.92	A
BIFENTHRIN	2.18	1	22.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2,443.71	3,214	43,719.43	A
BORAX	< 0.01	1	1.00	A
BOSCALID	16,857.44	4,196	40,811.00	A
BUPROFEZIN	47.40	24	279.60	A
BUTYL ALCOHOL	89.81	763	3,694.30	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	0.70	2	25.00	A
CALCIUM CHLORIDE	3.07	6	206.64	A
CALCIUM HYDROXIDE	310.50	9	151.44	A
CARBARYL	10.00	2	5.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.08	4	19.58	A
CARBOXIN	0.21		274.00	P
CARFENTRAZONE-ETHYL	6.35	15	296.83	A
CASTOR OIL ETHOXYLATE	1.17	2	28.50	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	214.62	330	527.13	A
CHLORANTRANILIPROLE	1,339.98	1,698	21,676.67	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	62.05	9	75.57	A
CITRIC ACID	97.53	387	3,700.62	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	6,102.83	329	5,408.49	A
CLETHODIM	146.52	40	1,072.39	A
CLOTHIANIDIN	118.91	126	983.02	A
COCONUT DIETHANOLAMIDE	48.01	662	5,711.11	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	3.13	2	19.25	A
COPPER HYDROXIDE	3,158.78	723	6,774.33	A
COPPER OCTANOATE	589.95	195	2,532.90	A
COPPER OXIDE (OUS)	1,732.09	98	1,474.22	A
COPPER SULFATE (PENTAHYDRATE)	466.29	2	31.40	A
CORN SYRUP	40.41	2	132.00	A
COTTONSEED OIL	168.42	26	237.24	A
CYFLUTHRIN	28.89	29	650.22	A
BETA-CYFLUTHRIN	166.69	705	8,744.01	A
CYMOXANIL	1,908.75	1,051	11,412.68	A
CYPERMETHRIN	5.85	17	122.80	A
(S)-CYPERMETHRIN	1,505.89	2,872	32,442.82	A
CYPRODINIL	788.33	226	2,465.32	A
CYROMAZINE	1,088.05	925	8,650.72	A
DERIVATED NATURAL POLYMERS	0.09	1	8.80	A
DIATOMACEOUS EARTH	3.88	1	0.10	A
DIAZINON	3,501.89	345	3,577.64	A
1,3-DICHLOROPROPENE	9,605.56	3	91.00	A
DICLORAN	6,089.73	693	8,180.73	A
DIETHYLENE GLYCOL	144.08	223	4,199.24	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, LEAF				
DIMETHOATE	1,667.89	756	6,767.44	A
DIMETHOMORPH	962.39	3,856	40,350.80	A
DIMETHYL ALKYL TERTIARY AMINES	148.25	785	5,633.52	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	10.03	12	279.53	A
DIMETHYLPOLYSILOXANE	2,513.13	6,259	69,997.17	A
DIMETHYL SILICONE FLUID EMULSION	11.61	281	2,311.04	A
DINOTEFURAN	150.98	54	852.52	A
DIOCTYL PHTHALATE	5.33	25	256.30	A
DIPHACINONE	< 0.01	9	147.30	A
DIPROPYLENE GLYCOL METHYL ETHER	7.60	55	312.05	A
DISULFOTON	788.56	34	394.60	A
DODECYLBENZENE SULFONIC ACID	208.06	662	5,711.11	A
EDTA, TETRASODIUM SALT	12.80	662	5,711.11	A
EMAMECTIN BENZOATE	68.43	340	6,482.90	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	4,149.20	1,631	17,663.86	A
ENDOSULFAN	604.49	42	717.86	A
ETHYLENE GLYCOL	164.01	43	555.01	A
FAMOXADONE	513.89	382	3,705.45	A
FATTY ACIDS, METHYL ESTERS	2,310.29	694	7,649.45	A
FATTY ACIDS, MIXED	266.94	2,638	31,065.55	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	6,718.50	2,210	32,117.51	A
FATTY ACIDS DERIVED FROM TALLOW	22.38	19	331.50	A
FENAMIDONE	9,977.12	3,835	41,937.83	A
FLONICAMID	1,464.69	1,749	17,404.37	A
FLUBENDIAMIDE	126.03	163	3,105.10	A
FLUDIOXONIL	3,559.08	1,587	16,396.33	A
	0.11		2,027.52	P
Total Pounds On This Chemical	3,559.18			
FLUOPICOLIDE	1,143.41	1,263	9,973.30	A
FOSETYL-AL	110,446.52	3,785	37,806.68	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	34.20	5	29.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,370.60	12	479.90	A
GLYPHOSATE, POTASSIUM SALT	2,299.04	73	1,051.04	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	15.30	21	774.48	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	19.06	47	441.28	A
HYDROGEN PEROXIDE	1,801.55	255	3,009.52	A
HYDROTREATED PARAFFINIC SOLVENT	108.02	4	175.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1,591.64	3,474	30,226.20	A
IMIDACLOPRID	12,647.31	12,820	124,933.21	A
INDOXACARB	131.83	137	1,857.51	A
IPRODIONE	7,556.24	712	7,652.11	A
	< 0.01	1	357.00	S
Total Pounds On This Chemical	7,556.24			
IRON PHOSPHATE	1.05	14	5.30	A
	0.02	4	2,900.00	S
Total Pounds On This Chemical	1.07			
ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	8.20	5	80.60	A
ISOPROPYL ALCOHOL	1,109.38	2,874	23,229.15	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.96	12	183.84	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, LEAF				
KEROSENE	268.19	784	5,627.12	A
LAMBDA-CYHALOTHRIN	3,502.13	10,394	124,071.73	A
LECITHIN	7,193.32	3,212	37,211.49	A
MALATHION	16,579.54	1,114	10,327.08	A
MANCOZEB	148,446.91	10,509	104,767.88	A
MANDIPROPAMID	9,391.26	7,487	72,749.58	A
MANEB	760.49	36	561.65	A
MARGOSA OIL	949.08	86	1,757.93	A
MEFENOXAM	1,978.70	780	10,741.32	A
	0.53		3,800.94	P
Total Pounds On This Chemical	1,979.23			
MEFENOXAM, OTHER RELATED	0.06	2	20.50	A
METALDEHYDE	69.87	17	69.91	A
METHOMYL	30,964.06	4,358	51,490.18	A
METHOXYFENOZIDE	1,172.15	694	8,238.42	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	51.08	28	293.46	A
METHYLATED SILICA	2.04	2	132.00	A
METHYLATED SOYBEAN OIL	10,754.01	2,832	31,272.60	A
METHYL CELLULOSE	5.26	25	256.30	A
METHYL PARATHION	0.48	1	3.90	A
METHYL SILICONE RESINS	1,696.15	3,794	35,329.40	A
MINERAL OIL	855.74	346	4,227.64	A
MORPHOLINE	2.31	25	256.30	A
MYCLOBUTANIL	441.59	245	3,645.37	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	3,069.35	2,925	40,218.96	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5,933.85	7,460	75,900.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	4.06	6	134.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	13,156.84	2,243	27,060.15	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	35.52	57	691.30	A
OIL OF JOJOBA	9.85	16	67.60	A
OLEIC ACID	7.46	25	256.30	A
OLEIC ACID, METHYL ESTER	4,909.35	3,378	30,416.20	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	79.60	90	2,731.00	A
OXYFLUORFEN	36.80	6	60.70	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	16.94	6	45.50	A
PAECILOMYCES LILACINUS STRAIN 251	2.86	3	15.04	A
PARAQUAT DICHLORIDE	225.99	26	229.60	A
PERMETHRIN	19,073.78	12,328	124,635.71	A
PETROLEUM DISTILLATES, ALIPHATIC	38.03	3	73.00	A
PETROLEUM NAPHTHENIC OILS	3.48	2	45.00	A
PETROLEUM OIL, PARAFFIN BASED	203.72	21	415.64	A
PETROLEUM OIL, UNCLASSIFIED	904.19	59	384.46	A
PHOSPHORIC ACID	1,702.26	6,286	64,106.08	A
PIPERONYL BUTOXIDE	90.79	86	591.95	A
PIPERONYL BUTOXIDE, OTHER RELATED	22.70	86	591.95	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	70.56	370	3,064.93	A
POLYACRYLAMIDE POLYMER	8.79	97	930.06	A
POLYACRYLIC POLYMER	20.34	324	2,742.91	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	502.01	1,384	16,294.43	A
POLYBUTENES	1,199.73	2,210	32,117.51	A
POLYETHER MODIFIED POLYSILOXANE	852.98	2,357	24,104.79	A
POLYETHOXYLATED CASTOR OIL	23.00	208	2,850.62	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, LEAF				
POLYETHYLENE GLYCOL	452.39	136	4,585.69	A
POLYETHYLENE GLYCOL DIACETATE	2.31	156	1,566.60	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-((TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	128.72	259	1,756.51	A
POLYETHYLENE GLYCOL OLEATE	23.22	12	279.53	A
POLY-I-PARA-MENTHENE	517.62	120	2,497.56	A
POLYOXYETHYLENE DIOLEATE	1.66	90	2,731.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	264.30	138	2,645.64	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	230.07	9	231.80	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	3.85	12	183.84	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	25.34	12	183.84	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	8.79	2	28.50	A
POLYPROPYLENE GLYCOL	26.27	673	7,305.85	A
POLYSACCHARIDE POLYMER	0.25	2	60.00	A
POLYSILOXANE	1.91	159	1,638.60	A
POTASH SOAP	4,503.30	92	881.43	A
POTASSIUM BICARBONATE	61.36	14	37.80	A
POTASSIUM HYDROXIDE	26.25	158	1,629.80	A
POTASSIUM N-METHYLDITHIOCARBAMATE	142,873.86	528	990.89	A
POTASSIUM PHOSPHITE	80,732.44	2,544	30,299.67	A
POTASSIUM SILICATE	118.54	8	49.80	A
PROPAMOCARB HYDROCHLORIDE	49,348.86	5,940	53,033.58	A
PROPIONIC ACID	5,992.90	2,867	32,932.96	A
PROPYLENE GLYCOL	106.41	315	2,298.07	A
PROPYZAMIDE	2,862.69	174	3,998.37	A
PYMETROZINE	446.05	629	4,964.86	A
PYRACLOSTROBIN	2,331.97	1,740	12,629.42	A
PYRAFLUFEN-ETHYL	0.11	3	39.00	A
PYRETHRINS	437.78	834	12,455.75	A
PYTHIUM OLIGANDRUM DV74	< 0.01	1	2.30	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	367.05	271	2,197.57	A
QUILLAJA	0.16	4	19.58	A
QUINOXYFEN	44.10	32	502.30	A
REYNOUTRIA SACHALINENSIS	2,172.59	1,854	19,206.74	A
SETHOXYDIM	332.39	44	1,306.89	A
SILICONE	16.95	585	6,762.29	A
SILICONE DEFOAMER	5.44	662	5,711.11	A
SODIUM DIISOOCTYLSULFOSUCCINATE	0.70	25	256.30	A
SODIUM POLYACRYLATE	0.12	1	35.00	A
SODIUM XYLENE SULFONATE	64.02	662	5,711.11	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.14	1	16.40	A
SPINETORAM	5,216.63	10,725	113,160.55	A
SPINOSAD	2,930.27	2,542	29,313.89	A
SPIROMESIFEN	20.29	6	200.50	A
SPIROTETRAMAT	901.35	10,071	98,879.96	A
STREPTOMYCES LYDICUS WYEC 108	0.14	103	817.89	A
STYRENE BUTADIENE COPOLYMER	9.18	8	87.28	A
SULFUR	11,243.13	343	4,767.36	A
TALL OIL	33.73	855	1,908.92	A
TALL OIL FATTY ACIDS	20.58	372	4,384.52	A
TEBUFENOZIDE	6.61	4	60.60	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	243.91	662	5,711.11	A
TETRAPOTASSIUM PYROPHOSPHATE	32.01	662	5,711.11	A
THIAMETHOXAM	1,020.59	1,866	18,454.85	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LETTUCE, LEAF				
	715.80		1,651.40	P
Total Pounds On This Chemical	1,736.38			
THIODICARB	5.63	1	7.00	A
THIRAM	42.44		18,682.39	P
	11.71		4,689.75	U
	0.56		226.05	A
Total Pounds On This Chemical	54.71			
TRIETHANOLAMINE	81.82	665	5,832.11	A
TRIFLUMIZOLE	57.27	40	217.97	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	254.38	275	2,450.39	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,283.61	2,457	26,748.96	A
UREA	2.48	5	96.50	A
VINYL POLYMER	5.80	19	494.38	A
XYLENE	84.78	11	210.00	A
XYLENE RANGE AROMATIC SOLVENT	0.51	1	3.90	A
YUCCA SCHIDIGERA	1.06	1	4.00	A
Site Total	1,008,822.78	183,152		
LIME				
ABAMECTIN	0.31	4	16.16	A
ACETAMIPRID	2.19	1	10.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	52.90	42	1,267.49	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.23	1	2.50	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	< 0.01	1	1.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.18	7	34.89	A
BENTONITE	10.35	4	5.75	A
BROMACIL	0.40	1	16.00	A
BROMADIOLONE	< 0.01	1	4.00	A
CALCIUM HYDROXIDE	151.88	5	6.75	A
CASEIN	0.78	4	5.75	A
CHLORANTRANILIPROLE	0.07	1	1.00	A
CHLORPYRIFOS	1.87	1	3.00	A
COCONUT DIETHANOLAMIDE	< 0.01	1	1.00	A
COPPER	44.25	6	14.75	A
COPPER HYDROXIDE	87.13	6	57.60	A
CYFLUTHRIN	0.75	1	10.00	A
BETA-CYFLUTHRIN	0.42	1	10.00	A
2,4-D, ISOPROPYL ESTER	0.81	6	14.75	A
DIMETHYLPOLYSILOXANE	1.20	2	4.50	A
DIPHACINONE	< 0.01	4	37.50	A
DIURON	0.40	1	16.00	A
FATTY ACIDS, MIXED	0.15	2	11.00	A
GIBBERELLINS	2.18	8	53.19	A
GLYPHOSATE, ISOPROPYLAMINE SALT	158.97	23	499.86	A
GLYPHOSATE, POTASSIUM SALT	203.34	17	130.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	0.25	1	2.50	A
IMIDACLOPRID	24.59	7	48.22	A
IRON PHOSPHATE	1.00	1	4.00	A
LACTOSE	0.78	4	5.75	A
LAURIC ACID	< 0.01	1	1.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
LIME				
LECITHIN	4.99	9	40.89	A
MEFENOXAM	4.11	1	10.00	A
METALDEHYDE	13.40	4	54.00	A
METHYLATED SOYBEAN OIL	1.55	2	6.00	A
MINERAL OIL	1,056.76	8	21.50	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	5.50	1	8.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.77	2	11.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.28	3	12.50	A
ORYZALIN	12.48	1	3.00	A
OXYFLUORFEN	2.81	1	3.00	A
PETROLEUM OIL, UNCLASSIFIED	775.92	2	15.00	A
POLYSILOXANE	< 0.01	7	34.89	A
POTASSIUM HYDROXIDE	0.21	7	34.89	A
PROPIONIC ACID	1.40	7	34.89	A
PROPYLENE GLYCOL	0.98	3	5.00	A
PYRETHRINS	0.03	2	0.50	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.11	1	3.00	A
SPINETORAM	1.24	3	21.00	A
SPINOSAD	0.29	1	3.00	A
SPIRODICLOFEN	1.90	2	6.00	A
SPIROTETRAMAT	0.12	5	6.25	A
STRYCHNINE	0.04	5	56.50	A
SULFAQUINOXALINE	< 0.01	1	17.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.65	9	40.89	A
WARFARIN	< 0.01	1	17.00	A
Site Total	2,637.91	192		
LOGANBERRY				
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	< 0.01	1	1.00	A
E-11-TETRADECEN-1-YL ACETATE	0.09	1	1.00	A
Site Total	0.10	1		
LUMBER, TREATED				
BORAX	1,542.55		1,213.00	U
COPPER	11,050.73		4,972,832.00	U
COPPER AMMONIUM CARBONATE	66,908.57		4,972,832.00	U
COPPER HYDROXIDE	109.93		1,213.00	U
DIDECYL DIMETHYL AMMONIUM BICARBONATE	15,963.22		4,972,832.00	U
DIDECYL DIMETHYL AMMONIUM CARBONATE	15,963.22		4,972,832.00	U
Site Total	111,538.21			
MANGO				
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	27.47	4	166.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	6.44	3	98.00	A
FATTY ACIDS DERIVED FROM TALLOW	10.99	4	166.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	844.76	20	891.00	A
GLYPHOSATE, POTASSIUM SALT	681.87	4	430.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	22.26	3	98.00	A
KAOLIN	1,900.00	1	60.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MANGO				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	27.47	4	166.00	A
POLYETHYLENE GLYCOL DIACETATE	0.59	3	98.00	A
SPINETORAM	1.63	1	50.00	A
SULFUR	7,264.00	7	360.00	A
Site Total	10,787.47	40		
MELON				
ABAMECTIN	104.40	172	9,659.64	A
	< 0.01	2	6,400.00	S
Total Pounds On This Chemical	104.41			
ACETAMIPRID	286.57	103	3,485.35	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.68	2	60.00	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	2.02	1	153.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	29.94	15	900.64	A
ALPHA-PINENE BETA-PINENE COPOLYMER	4.26	1	25.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	19.50	10	246.70	A
ALKYL (C8,C10) POLYGLUCOSIDE	57.24	6	340.20	A
AMMONIUM NITRATE	28.81	10	699.20	A
AMMONIUM PROPIONATE	20.74	2	95.98	A
AMMONIUM SULFATE	119.55	14	935.18	A
AZADIRACTIN	0.93	7	31.59	A
AZOXYSTROBIN	469.35	93	3,311.13	A
	< 0.01		130.88	P
Total Pounds On This Chemical	469.35			
BACILLUS PUMILUS, STRAIN QST 2808	6.60	5	181.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	405.00	11	730.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	237.34	6	351.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	535.50	24	1,346.90	A
BENSULIDE	2,341.27	36	544.87	A
BENZOIC ACID	0.27	11	47.76	A
BIFENAZATE	40.00	2	80.00	A
BIFENTHRIN	976.93	188	11,056.03	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	22.54	28	529.47	A
BOSCALID	20.18	9	85.88	A
BUPROFEZIN	85.93	17	418.87	A
BUTYL ALCOHOL	0.48	6	36.08	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	25.02	23	294.79	A
CALCIUM CHLORIDE	15.03	13	526.50	A
CARBARYL	2,335.25	52	3,335.99	A
CARFENTHAZONE-ETHYL	0.30	3	15.54	A
CASTOR OIL ETHOXYLATE	0.69	1	15.00	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	0.15	2	1.15	A
CHLORANTRANILIPROLE	130.31	29	2,300.95	A
CHLOROTHALONIL	153.78	8	103.16	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MELON				
CITRIC ACID	55.07	19	687.73	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	278.10	10	380.59	A
CLETHODIM	26.93	9	214.00	A
CLOTHIANIDIN	57.07	3	278.50	A
COCONUT DIETHANOLAMIDE	2.14	29	410.30	A
COTTONSEED OIL	0.99	1	5.00	A
CYAZOFAMID	9.37	7	133.50	A
BETA-CYFLUTHRIN	0.39	4	16.66	A
(S)-CYPERMETHRIN	10.76	3	240.00	A
CYPRODINIL	0.05	1	4,000.00	S
DIAZINON	891.27	29	1,519.88	A
1,3-DICHLOROPROPENE	23,854.80	5	535.00	A
DIETHYLENE GLYCOL	10.31	5	290.00	A
DIFENOCONAZOLE	160.38	30	1,527.10	A
DIMETHOATE	6.45	2	12.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.30	11	47.76	A
DIMETHYLPOLYSILOXANE	4.33	52	1,702.38	A
DINOTEFURAN	723.18	42	2,562.57	A
DIOCTYL PHTHALATE	3.51	3	238.00	A
DODECYLBENZENE SULFONIC ACID	9.29	29	410.30	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.99	7	29.79	A
EDTA, TETRASODIUM SALT	0.57	29	410.30	A
ESFENVALERATE	12.42	6	254.30	A
ETHALFLURALIN	55.00	20	64.36	A
ETHEPHON	0.09	1	1.00	A
ETHYLENE GLYCOL	632.27	23	2,127.10	A
FATTY ACIDS, MIXED	19.95	13	471.94	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	83.50	27	504.47	A
FATTY ACIDS DERIVED FROM TALLOW	7.80	10	246.70	A
FENPROPATHRIN	27.13	6	86.70	A
FLONICAMID	142.60	41	1,794.66	A
FLUBENDIAMIDE	116.55	37	2,480.14	A
FLUDIOXONIL	2.75	1	11.00	A
	0.03	1	4,000.00	S
	< 0.01		130.88	P
Total Pounds On This Chemical	2.78			
GLYCEROL	1.51	1	10.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	4,747.45	28	1,660.89	A
GLYPHOSATE, POTASSIUM SALT	256.43	7	129.52	A
HALOSULFURON-METHYL	0.75	1	65.00	A
HYDROGEN PEROXIDE	22.33	1	90.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	20.54	14	438.77	A
IMIDACLOPRID	1,438.19	78	4,786.47	A
INDOXACARB	30.75	7	250.00	A
ISOPROPYL ALCOHOL	157.94	102	4,633.50	A
KAOLIN	43,856.64	27	1,720.89	A
KRESOXIM-METHYL	1.35	1	9.00	A
LAGENIDIUM GIGANTEUM (CALIFORNIA STRAIN)	5.36	1	1.61	A
LAMBDA-CYHALOTHRIN	54.70	38	1,776.86	A
LECITHIN	364.96	27	2,589.30	A
MANCOZEB	83.01	3	50.00	A
MANDIPROPAMID	1.31	2	10.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MELON				
MEFENOXAM	32.71	10	304.50	A
	0.01		114.02	P
Total Pounds On This Chemical	32.72			
METALAXYL	0.41	1	3.00	A
METHOMYL	703.13	16	1,047.50	A
METHOXYFENOZIDE	727.72	96	5,457.48	A
METHYLATED SOYBEAN OIL	326.42	69	3,535.76	A
METHYL CELLULOSE	3.46	3	238.00	A
METHYL SILICONE RESINS	5.14	10	502.60	A
METRIBUZIN	0.83	1	1.40	A
MINERAL OIL	1.50	1	25.00	A
MORPHOLINE	1.52	3	238.00	A
MYCLOBUTANIL	374.94	48	3,140.74	A
	0.07	4	11,480.00	S
Total Pounds On This Chemical	375.00			
NALED	35.25	1	35.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	31.92	39	619.43	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	600.13	149	6,907.32	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	15.04	2	95.98	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	2.06	8	33.32	A
NOSEMA LOCUSTAE SPORES	< 0.01	1	0.25	A
OIL OF JOJOBA	0.89	1	3.00	A
OLEIC ACID	4.91	3	238.00	A
OLEIC ACID, METHYL ESTER	61.62	14	438.77	A
OXAMYL	60.65	8	115.97	A
OXYFLUORFEN	24.35	4	144.00	A
PARAQUAT DICHLORIDE	38.78	4	86.15	A
PERMETHRIN	199.50	31	1,560.95	A
PETROLEUM DISTILLATES	90.08	8	324.40	A
PETROLEUM OIL, PARAFFIN BASED	174.20	2	151.00	A
PHOSPHORIC ACID	32.93	44	1,055.60	A
PIPERONYL BUTOXIDE	0.06	1	2.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.02	1	2.00	A
POLYACRYLAMIDE POLYMER	3.46	4	278.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	7.07	28	1,097.00	A
POLYBUTENES	14.91	27	504.47	A
POLYETHER MODIFIED POLYSILOXANE	2.50	5	74.00	A
POLYETHOXYLATED CASTOR OIL	2.64	11	235.00	A
POLYETHYLENE GLYCOL	43.85	29	845.10	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	19.72	2	190.00	A
POLY-I-PARA-MENTHENE	12.36	5	73.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	13.23	6	191.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	35.68	2	151.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	5.16	1	15.00	A
POTASH SOAP	1.20	2	0.56	A
POTASSIUM BICARBONATE	0.31	3	7,665.84	S
POTASSIUM HYDROXIDE	0.52	3	55.25	A
POTASSIUM N-METHYLDITHIOCARBAMATE	37,417.26	6	695.93	A
POTASSIUM NITRATE	0.52	3	55.25	A
PROPAMOCARB HYDROCHLORIDE	4.79	1	16.00	A
PROPIONIC ACID	47.20	7	433.30	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MELON				
PYMETROZINE	2.90	2	33.73	A
PYRACLOSTROBIN	256.15	60	1,529.30	A
PYRETHRINS	6.44	12	148.59	A
PYRIPROXYFEN	43.01	6	624.32	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	18.68	5	290.00	A
QUINOXYFEN	471.98	108	5,972.85	A
REYNOUTRIA SACHALINENSIS	8.07	6	65.66	A
SETHOXYDIM	53.25	9	228.50	A
SILICONE DEFOAMER	0.25	30	420.30	A
SODIUM DIISOOCTYLSULFOSUCCINATE	0.46	3	238.00	A
SODIUM HYDROXIDE	0.83	1	10.00	A
SODIUM POLYACRYLATE	0.52	2	95.98	A
SODIUM XYLENE SULFONATE	2.86	29	410.30	A
SPINETORAM	61.58	27	1,397.16	A
SPINOSAD	26.94	20	364.40	A
SPIROMESIFEN	146.95	39	1,275.42	A
	< 0.01	1	2,700.00	S
Total Pounds On This Chemical	146.95			
STREPTOMYCES LYDICUS WYEC 108	< 0.01	2	6.00	A
STYRENE BUTADIENE COPOLYMER	9.09	1	153.00	A
SULFUR	12,771.38	130	2,850.60	A
TALL OIL	6.21	3	329.00	A
TALL OIL FATTY ACIDS	0.16	2	30.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	10.89	29	410.30	A
TETRAPOTASSIUM PYROPHOSPHATE	1.43	29	410.30	A
THIAMETHOXAM	87.86	17	1,687.63	A
	2.48		130.88	P
Total Pounds On This Chemical	90.34			
THIOPHANATE-METHYL	4.94	2	14.00	A
THIRAM	15.08		10,698.50	P
TRIETHANOLAMINE	3.64	29	410.30	A
TRIFLUMIZOLE	265.03	47	1,485.62	A
TRIFLURALIN	798.21	25	993.43	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	185.75	25	2,446.00	A
VEGETABLE OIL	62.66	10	119.48	A
VINYL POLYMER	0.13	1	30.00	A
ZOXAMIDE	2.49	1	15.00	A
Site Total	143,254.02	2,300		
MINT				
ABAMECTIN	14.17	26	1,347.60	A
ACEPHATE	456.67	11	473.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.00	10	18.25	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	62.02	23	1,427.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.71	23	1,427.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	3.17	6	12.60	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	104.49	35	1,917.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	10.06	11	484.00	A
AMMONIUM NITRATE	95.57	11	484.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MINT				
AMMONIUM SULFATE	1.96	1	20.00	A
AZADIRACTIN	1.45	50	83.14	A
AZOXYSTROBIN	139.76	53	995.31	A
BACILLUS PUMILUS, STRAIN QST 2808	0.57	7	10.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	6.76	13	12.74	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	5.13	8	9.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.08	6	30.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	32.95	23	49.47	A
BENTAZON, SODIUM SALT	1,689.96	34	1,685.00	A
BIFENAZATE	1,128.49	29	1,590.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.13	6	12.60	A
BROMOXYNIL OCTANOATE	2.18	1	25.00	A
CHLORANTRANILIPROLE	88.60	22	1,425.00	A
CITRIC ACID	14.79	24	1,447.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	120.03	23	30.06	A
CLETHODIM	82.02	19	903.50	A
CLOPYRALID, MONOETHANOLAMINE SALT	91.61	16	699.00	A
COCONUT DIETHANOLAMIDE	< 0.01	1	0.25	A
CYPRODINIL	0.84	1	3.00	A
2,4-D	8.54	2	102.00	A
2,4-D, BUTOXYETHANOL ESTER	15.16	2	102.00	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	30.93	30	1,750.00	A
DIMETHYLPOLYSILOXANE	0.13	2	0.50	A
DIURON	946.49	15	753.00	A
DODECYLBENZENE SULFONIC ACID	< 0.01	1	0.25	A
EDTA, TETRASODIUM SALT	< 0.01	1	0.25	A
ETHOPROP	147.00	1	28.00	A
ETOXAZOLE	0.06	2	0.75	A
FATTY ACIDS DERIVED FROM TALLOW	41.81	35	1,917.00	A
FLUDIOXONIL	0.56	1	3.00	A
GLYPHOSATE, POTASSIUM SALT	329.13	3	173.00	A
IMIDACLOPRID	0.24	1	5.50	A
IRON PHOSPHATE	11.20	2	28.00	A
ISOPROPYL ALCOHOL	0.07	11	11.13	A
MALATHION	31.41	5	31.70	A
MARGOSA OIL	43.75	30	52.50	A
METALDEHYDE	30.40	3	25.00	A
METAM-SODIUM	1,185.33	1	7.00	A
METHYLATED SOYBEAN OIL	324.62	23	1,263.00	A
MINERAL OIL	1.12	6	12.60	A
MYCLOBUTANIL	0.05	2	0.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	209.62	91	4,617.88	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.03	1	20.00	A
OLEIC ACID, METHYL ESTER	223.15	4	304.00	A
ORGANO/MODIFIED POLYSILOXANE	0.27	11	484.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MINT				
OXYFLUORFEN	289.75	19	988.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	4.15	9	17.59	A
PARAQUAT DICHLORIDE	1,178.03	25	1,496.00	A
PETROLEUM DISTILLATES, REFINED	14.07	2	2.00	A
PETROLEUM OIL, PARAFFIN BASED	6.08	1	20.00	A
PHOSPHORIC ACID	0.61	2	20.25	A
PIPERONYL BUTOXIDE	42.21	21	113.75	A
PIPERONYL BUTOXIDE, OTHER RELATED	10.55	21	113.75	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	4.86	19	1,422.00	A
POLYACRYLIC POLYMER	0.05	1	20.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	16.23	23	1,263.00	A
POLYETHYLENE GLYCOL OLEATE	71.62	30	1,750.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	0.94	1	20.00	A
POTASH SOAP	404.83	20	100.75	A
POTASSIUM BICARBONATE	24.47	7	11.67	A
POTASSIUM N-METHYLDITHIOCARBAMATE	461.99	4	3.98	A
PROPARGITE	225.57	2	120.00	A
PYRACLOSTROBIN	44.95	7	304.00	A
PYRETHRINS	8.84	77	223.56	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	1.93	4	8.14	A
REYNOUTRIA SACHALINENSIS	8.66	5	8.39	A
ROTENONE	< 0.01	6	30.00	A
ROTENONE, OTHER RELATED	< 0.01	6	30.00	A
SETHOXYDIM	0.02	1	0.50	A
SILICONE DEFOAMER	< 0.01	1	0.25	A
SODIUM XYLENE SULFONATE	< 0.01	1	0.25	A
SORBITAN FATTY ACID ESTERS	0.21	1	20.00	A
SPINETORAM	3.57	15	26.12	A
SPINOSAD	3.22	11	27.32	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	7	8.50	A
SULFENTRAZONE	182.37	18	718.00	A
SULFUR	133.20	17	37.50	A
TALL OIL	0.02	10	10.88	A
TALL OIL FATTY ACIDS	0.04	6	12.60	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	< 0.01	1	0.25	A
TETRAPOTASSIUM PYROPHOSPHATE	< 0.01	1	0.25	A
THIAMETHOXAM	7.53	16	161.24	A
TRIETHANOLAMINE	< 0.01	1	0.25	A
UREA	71.67	11	484.00	A
Site Total	10,966.47	811		
MIZUNA				
ACETAMIPRID	3.68	27	162.40	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.38	11	32.90	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.24	1	12.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	5.78	15	33.88	A
AZADIRACTIN	2.41	56	139.43	A
BACILLUS PUMILUS, STRAIN QST 2808	11.41	43	120.43	A
BENSULIDE	1,936.57	109	944.74	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	13.41	64	374.38	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MIZUNA				
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	< 0.01	3	2.18	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	0.50	1	0.56	A
CITRIC ACID	0.37	1	1.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	17.19	5	7.50	A
COPPER OCTANOATE	2.08	1	10.00	A
BETA-CYFLUTHRIN	0.91	5	34.40	A
CYPERMETHRIN	0.07	1	1.50	A
(S)-CYPERMETHRIN	37.13	138	745.70	A
CYROMAZINE	5.94	13	47.60	A
DIETHYLENE GLYCOL	0.76	2	37.00	A
DIMETHYLPOLYSILOXANE	0.25	3	20.43	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	3.83	9	22.20	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	49.15	49	340.50	A
FENAMIDONE	1.28	1	5.00	A
FLONICAMID	0.26	1	2.90	A
FOSETYL-AL	777.76	65	243.05	A
HYDROGEN PEROXIDE	9.24	3	12.39	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.06	1	4.00	A
IMIDACLOPRID	23.13	17	163.60	A
ISOPROPYL ALCOHOL	0.04	1	12.00	A
MANDIPROPAMID	1.37	4	11.00	A
MARGOSA OIL	59.32	27	72.12	A
MEFENOXAM	26.73	3	46.70	A
METHOXYFENOZIDE	0.41	1	2.90	A
METHYLATED SOYBEAN OIL	4.94	1	25.00	A
METHYL SILICONE RESINS	0.10	2	6.53	A
MINERAL OIL	2.04	15	33.88	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	16.68	49	340.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.53	5	39.18	A
OLEIC ACID, METHYL ESTER	0.17	1	4.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	0.75	1	25.00	A
PHOSPHORIC ACID	0.23	9	22.20	A
POLYACRYLAMIDE POLYMER	0.11	2	7.70	A
POLYBUTENES	8.78	49	340.50	A
POLYETHER MODIFIED POLYSILOXANE	0.21	9	22.20	A
POLYOXYETHYLENE DIOLEATE	0.02	1	25.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.81	2	15.00	A
POLYPROPYLENE GLYCOL	0.02	1	5.43	A
POTASH SOAP	17.99	3	26.77	A
PYRACLOSTROBIN	2.91	6	16.00	A
PYRETHRINS	12.90	188	365.06	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	3.08	12	25.25	A
QUILLAJA	0.01	3	2.18	A
REYNOUTRIA SACHALINENSIS	2.36	9	16.55	A
SPINETORAM	12.36	46	271.50	A
SPINOSAD	54.52	228	609.76	A
SPIROTETRAMAT	0.54	10	60.00	A
TALL OIL	0.77	1	12.00	A
TALL OIL FATTY ACIDS	0.08	15	33.88	A
THIAMETHOXAM	3.91	7	50.20	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.42	9	22.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MIZUNA				
Site Total	3,141.91	1,090		
MUSHROOM				
AZADIRACTIN	0.67	27	156,300.00	S
CALCIUM HYPOCHLORITE	499.88	1,680	458.68	A
	92.68	502	3,446,000.00	S
Total Pounds On This Chemical	592.56			
CHLOROTHALONIL	73.95	3	16.74	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	664.79	76	433,800.00	S
CYROMAZINE	160.07	358	3,380,247.00	S
	21.04	5	13.00	A
Total Pounds On This Chemical	181.11			
HYDROGEN PEROXIDE	145.22	339	953,360.00	S
S-METHOPRENE	3.33	81	486,000.00	S
PERMETHRIN	342.15	3,024	29,103,207.00	S
PIPERONYL BUTOXIDE	443.87	2,368	17,774,550.00	S
PIPERONYL BUTOXIDE, OTHER RELATED	110.97	2,368	17,774,550.00	S
PYRETHRINS	9.03	543	3,165,800.00	S
THIABENDAZOLE	3,353.37	2,140	21,576,381.00	S
	2,641.97	872	477.53	A
Total Pounds On This Chemical	5,995.34			
Site Total	8,562.98	11,479		
MUSHROOM HOUSE				
ALKYL (60%C14, 30%C16, 5%C12, 5%C18)				
DIMETHYLBENZYL AMMONIUM CHLORIDE	6.57		258,000.00	S
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL				
AMMONIUM CHLORIDE	6.57		258,000.00	S
PERMETHRIN	30.85		2,988,200.00	S
PIPERONYL BUTOXIDE	64.58		4,643,111.00	S
PIPERONYL BUTOXIDE, OTHER RELATED	16.15		4,643,111.00	S
PROPICONAZOLE	8.43	22	113,100.00	S
PYRETHRINS	1.09		917,911.00	S
Site Total	134.25	22		
MUSHROOM SOIL				
CYROMAZINE	29.28	20	120,000.00	S
S-METHOPRENE	53.12	37	664,908.00	S
Site Total	82.40	57		
MUSTARD				
ACEPHATE	9.70	1	30.00	A
ACETAMIPRID	7.95	58	438.34	A
ACIBENZOLAR-S-METHYL	20.76	118	1,046.06	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	26.50	31	409.88	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	39.96	14	189.29	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	400.19	139	1,236.21	A
AZADIRACTIN	13.59	171	486.88	A
AZOXYSTROBIN	9.35	39	76.37	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MUSTARD				
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	8.13	6	26.71	A
BACILLUS PUMILUS, STRAIN QST 2808	19.62	55	205.06	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	30.81	11	48.21	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	60.09	26	74.15	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	< 0.01	1	0.10	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	4.90	2	5.68	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	38.15	30	108.72	A
BEAUVERIA BASSIANA STRAIN GHA	4.84	2	11.21	A
BENSULIDE	5,467.63	344	2,038.48	A
BENZOIC ACID	2.05	35	59.50	A
BIFENTHRIN	21.60	27	215.44	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.10	5	20.27	A
BOSCALID	13.53	4	35.71	A
CARBARYL	4.26	1	4.28	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	14.30	32	35.67	A
CHLORANTRANILIPROLE	38.43	162	630.53	A
CHLORPYRIFOS	257.55	25	291.25	A
CHLORTHAL-DIMETHYL	1,822.07	72	618.17	A
CITRIC ACID	1.60	1	30.75	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	343.98	78	254.58	A
CLOTHIANIDIN	2.84	5	56.10	A
COCONUT DIETHANOLAMIDE	0.34	25	27.74	A
COPPER HYDROXIDE	136.03	75	556.88	A
COPPER OCTANOATE	22.01	14	88.00	A
COPPER OXIDE (OUS)	190.69	113	370.85	A
COPPER OXYCHLORIDE	12.81	23	34.49	A
COPPER SULFATE (PENTAHYDRATE)	547.97	2	36.90	A
CYAZOFAMID	3.15	9	45.25	A
CYFLUTHRIN	2.11	3	44.05	A
BETA-CYFLUTHRIN	9.00	124	964.78	A
(S)-CYPERMETHRIN	92.67	352	2,072.50	A
CYROMAZINE	16.93	56	135.37	A
DIETHYLENE GLYCOL	3.28	3	42.68	A
DIMETHOATE	0.06	1	0.10	A
DIMETHOMORPH	1.68	25	71.02	A
DIMETHYL ALKYL TERTIARY AMINES	2.23	35	59.50	A
DIMETHYLPOLYSILOXANE	11.43	58	383.06	A
DIPHACINONE	< 0.01	1	44.00	A
DODECYLBENZENE SULFONIC ACID	1.45	25	27.74	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	6.60	3	36.99	A
EDTA, TETRASODIUM SALT	0.09	25	27.74	A
EMAMECTIN BENZOATE	3.73	48	435.25	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	1.72	4	10.80	A
ESFENVALERATE	9.89	17	202.63	A
FATTY ACIDS, MIXED	6.88	51	442.93	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	4.12	5	20.27	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MUSTARD				
FATTY ACIDS DERIVED FROM TALLOW	160.07	139	1,236.21	A
FENAMIDONE	175.27	103	726.02	A
FLONICAMID	65.32	171	755.92	A
FLUBENDIAMIDE	23.38	55	338.41	A
FLUOPICOLIDE	5.99	20	48.35	A
FOSETYL-AL	529.36	74	178.43	A
HYDROGEN PEROXIDE	8.58	2	15.87	A
IMIDACLOPRID	244.18	343	2,411.11	A
INDOXACARB	18.94	53	288.46	A
IRON PHOSPHATE	< 0.01	1	0.10	A
ISOPROPYL ALCOHOL	2.01	201	257.75	A
KAOLIN	23.75	1	0.50	A
KEROSENE	3.97	35	59.50	A
LAMBDA-CYHALOTHRIN	4.97	12	157.00	A
LECITHIN	64.70	63	617.64	A
MALATHION	382.61	35	295.40	A
MANDIPROPAMID	149.65	252	1,243.00	A
MARGOSA OIL	13.18	4	10.85	A
MEFENOXAM	1.13	6	294.00	A
METHOMYL	102.40	19	166.20	A
METHOXYFENOZIDE	3.09	14	16.23	A
METHYLATED SOYBEAN OIL	122.71	45	171.70	A
METHYL SILICONE RESINS	5.74	58	139.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.40	5	20.27	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	428.06	374	1,988.25	A
OLEIC ACID, METHYL ESTER	186.46	14	189.29	A
PHOSPHORIC ACID	0.45	30	39.54	A
PIPERONYL BUTOXIDE	0.50	5	1.25	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.02	1	0.25	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	2.19	8	79.10	A
POLYBUTENES	0.74	5	20.27	A
POLYETHER MODIFIED POLYSILOXANE	39.34	103	751.34	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.20	1	2.50	A
POLY-I-PARA-MENTHENE	5.63	2	31.76	A
POLYOXYETHYLENE POLYOXYPROPYLENE	17.78	33	176.64	A
POTASH SOAP	0.02	1	0.10	A
POTASSIUM N-METHYLDITHIOCARBAMATE	13,115.97	94	109.41	A
PROPIONIC ACID	18.44	47	395.25	A
PROPYLENE GLYCOL	0.10	1	2.50	A
PYMETROZINE	6.89	34	85.44	A
PYRACLOSTROBIN	176.49	205	894.49	A
PYRETHRINS	24.08	109	716.56	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	10.28	24	99.21	A
REYNOUTRIA SACHALINENSIS	12.10	34	58.61	A
SILICONE	2.36	63	567.80	A
SILICONE DEFOAMER	0.04	25	27.74	A
SODIUM XYLENE SULFONATE	0.45	25	27.74	A
SPINETORAM	67.74	308	1,355.56	A
SPINOSAD	126.74	242	1,368.15	A
SPIROTETRAMAT	4.86	63	512.16	A
SULFUR	356.54	18	105.84	A
TALL OIL	0.36	175	229.01	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.70	25	27.74	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
MUSTARD				
TETRAPOTASSIUM PYROPHOSPHATE	0.22	25	27.74	A
THIAMETHOXAM	29.85	111	476.71	A
TRIETHANOLAMINE	0.57	25	27.74	A
TRIFLUMIZOLE	4.11	3	17.47	A
TRIFLURALIN	58.00	14	105.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	0.37	1	2.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	11.89	9	86.58	A
Site Total	26,596.25	5,229		
N-GRNHS FLOWER				
ABAMECTIN	25.66	778	1,442.20	A
	4.35	252	7,890,422.00	S
Total Pounds On This Chemical	30.01			
ACEPHATE	1,151.79	497	1,081.55	A
	184.71	138	5,260,274.00	S
	4.63	3	1,115,000.00	U
Total Pounds On This Chemical	1,341.13			
ACEQUINOCYL	79.73	249	404.70	A
	3.62	43	1,070,600.00	S
Total Pounds On This Chemical	83.35			
ACETAMIPRID	52.21	155	372.74	A
	8.15	39	1,933,800.00	S
Total Pounds On This Chemical	60.36			
ACIBENZOLAR-S-METHYL	0.16		10.70	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	3.76	6	7,800.00	S
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	2.32	7	145,242.00	S
	1.99	29	31.05	A
Total Pounds On This Chemical	4.31			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	2.32	7	145,242.00	S
	1.99	29	31.05	A
Total Pounds On This Chemical	4.31			
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.58		9.00	A
	0.58			
Total Pounds On This Chemical	1.16			
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	21.38	37	173.36	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.16		200.00	S
ALUMINUM PHOSPHIDE	17.68		111.00	K
	1.98			
	1.67	4	9.50	A
	1.02		6,450.00	C
Total Pounds On This Chemical	22.34			
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	< 0.01		200.00	S
AMMONIUM SULFATE	370.17	556	590.22	A
ANCYMIDOL	< 0.01	10	5,875.00	S
AZADIRACTIN	64.05	793	1,803.44	A
	2.09	46	1,562,127.00	S
	0.03		10.00	U
Total Pounds On This Chemical	66.17			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER					
AZOXYSTROBIN		113.97	283	486.59	A
		16.66	72	2,871,420.00	S
		4.00			
Total Pounds On This Chemical	134.63				
BACILLUS PUMILUS, STRAIN QST 2808		< 0.01	1	0.50	A
BACILLUS THURINGIENSIS (BERLINER)		0.08	4	6.00	A
		0.01	2	9,300.00	S
Total Pounds On This Chemical	0.10				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7		1.36	7	7.02	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857		67.37	52	77.91	A
		0.07		1,000.00	S
Total Pounds On This Chemical	67.44				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14		0.31	1	0.82	A
		0.26	3	12,000.00	S
Total Pounds On This Chemical	0.57				
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52		4.39	3	40,000.00	S
		1.94	2	2.73	A
Total Pounds On This Chemical	6.33				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B		0.02	1	4,800.00	S
		< 0.01		1.00	U
Total Pounds On This Chemical	0.02				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		110.96	96	196.46	A
		6.44	15	774,000.00	S
Total Pounds On This Chemical	117.40				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1		1.09	8	9.75	A
		0.02	1	36,000.00	S
Total Pounds On This Chemical	1.10				
BACILLUS THURINGIENSIS SUBSPECIES KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7841 LEPIDOPTERAN ACTIVE TOXIN		2.25	3	3.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		7.80	52	104.00	A
BEAUVERIA BASSIANA STRAIN GH4		487.39	692	1,991.67	A
		1.07	16	133,700.00	S
Total Pounds On This Chemical	488.46				
BENEFIN		0.02	1	1.00	A
BENSULIDE		80.86		6.00	A
N6-BENZYL ADENINE		0.56	24	15.55	A
		0.06	8	182,240.00	S
Total Pounds On This Chemical	0.62				
BIFENAZATE		113.63	219	457.30	A
		13.70	70	1,852,116.00	S
Total Pounds On This Chemical	127.34				
BIFENTHRIN		277.30		710.97	K
		13.09	102	249.65	A
		3.56	39	1,311,664.00	S
Total Pounds On This Chemical	293.95				
BORAX		665.00		390.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
BORIC ACID	0.95	6	1.43	A
	0.45	2	16,000.00	S
Total Pounds On This Chemical	1.40			
BOSCALID	37.07	180	284.56	A
	3.81	32	1,112,790.00	S
	0.57			
Total Pounds On This Chemical	41.45			
BRODIFACOU	< 0.01	1	15.00	A
BROMADIOLONE	< 0.01	2	12.00	A
BUPROFEZIN	137.99	103	190.96	A
BUTYL ALCOHOL	0.11	3	9,600.00	S
CAPTAN	445.48	31	350.00	A
CAPTAN, OTHER RELATED	10.02	31	350.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.06	19	7.48	A
CARFENTRAZONE-ETHYL	7.92		598.53	A
	0.43		404,602.82	S
Total Pounds On This Chemical	8.35			
CHLORANTRANILIPROLE	10.73		64.85	A
CHLORFENAPYR	28.75	121	218.39	A
	11.92	45	1,722,040.00	S
Total Pounds On This Chemical	40.67			
CHLORMEQUAT CHLORIDE	12.14	27	321,186.00	S
	4.43	6	3.35	A
Total Pounds On This Chemical	16.57			
CHLOROPICRIN	209.51	50	41.86	A
CHLOROTHALONIL	3,954.64	497	1,617.52	A
	146.86	59	3,641,223.00	S
	51.80		200.00	K
	0.23		10.00	U
Total Pounds On This Chemical	4,153.53			
CHLORPYRIFOS	76.07	69	197.45	A
	43.30	20	1,304,644.00	S
Total Pounds On This Chemical	119.38			
CITRIC ACID	20.73	556	590.22	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	158.95	38	68.16	A
	16.05	1	91,500.00	S
Total Pounds On This Chemical	175.00			
CLOPYRALID, MONOETHANOLAMINE SALT	3.06		11.50	A
	0.25		17,600.00	S
Total Pounds On This Chemical	3.31			
CLOPYRALID, TRIETHYLAMINE SALT	29.59		120.40	A
CLOTHIANIDIN	1.34		4.50	A
	0.13		6,000.00	S
Total Pounds On This Chemical	1.46			
COCONUT DIETHANOLAMIDE	122.02	776	1,980.54	A
	1.99	20	783,200.00	S
Total Pounds On This Chemical	124.01			
COPPER HYDROXIDE	20.08	11	95.35	A
COPPER OXYCHLORIDE	14.29		80.00	A
COPPER SALTS OF FATTY AND ROSIN ACIDS	19.99	3	9.00	A
	2.74	1	540,000.00	U
Total Pounds On This Chemical	22.73			
COPPER SULFATE (BASIC)	0.16	1	3.00	A
COPPER SULFATE (PENTAHYDRATE)	29.58	62	57.17	A
	4.54	19	877,946.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
		0.69	1	510,000.00 U
Total Pounds On This Chemical	34.81			
CYAZOFAMID		0.56	22	44.79 A
		0.11	2	65,300.00 S
Total Pounds On This Chemical	0.67			
CYFLUTHRIN		12.82	219	464.46 A
		0.63	36	511,394.00 S
Total Pounds On This Chemical	13.45			
(S)-CYPERMETHRIN		0.44	5	9.50 A
CYPRODINIL		73.60	164	348.48 A
CYROMAZINE		375.10	684	1,776.24 A
		20.68	126	4,262,318.00 S
Total Pounds On This Chemical	395.78			
2,4-D		32.83		35.00 A
2,4-D, DIMETHYLAMINE SALT		54.29		50.00 A
		0.05		10,000.00 S
Total Pounds On This Chemical	54.34			
2,4-D, 2-ETHYLHEXYL ESTER		176.45		581.18 A
		3.56		187,602.50 S
Total Pounds On This Chemical	180.00			
DAMINOZIDE		208.90	159	112.34 A
		54.41	122	627,593.50 S
Total Pounds On This Chemical	263.31			
DAZOMET		148.50	1	3,200.00 S
DELTAMETHRIN		0.62		320,000.00 S
DESMEDIPHAM		4.24		9.30 A
DIATOMACEOUS EARTH		10.31		10.00 A
DIAZINON		50.86	28	66.90 A
		5.93	5	245,000.00 S
Total Pounds On This Chemical	56.79			
DICAMBA		14.13		617.68 A
		0.23		187,602.50 S
Total Pounds On This Chemical	14.36			
DICAMBA, DIMETHYLAMINE SALT		5.79		48.50 A
		< 0.01		9,000.00 S
Total Pounds On This Chemical	5.79			
DICOFOL		0.02	1	1.00 A
DIDECYL DIMETHYL AMMONIUM CHLORIDE		1.41	6	7,800.00 S
DIETHYLENE GLYCOL		10.18	85	184.43 A
		0.29		132,000.00 S
Total Pounds On This Chemical	10.46			
DIFLUBENZURON		0.98	3	2.80 A
		0.05	1	4,200.00 S
Total Pounds On This Chemical	1.02			
DIMETHOATE		9.06	5	4.75 A
DIMETHOMORPH		90.02	102	216.49 A
		24.82	49	1,336,700.00 S
Total Pounds On This Chemical	114.84			
DIMETHYLPOLYSILOXANE		738.60	2,133	4,316.43 A
		2.14	7	341,600.00 S
Total Pounds On This Chemical	740.74			
DINOTEFURAN		145.46	459	729.45 A
		26.39	55	1,550,201.00 S
		2.39	1	540,086.00 U
Total Pounds On This Chemical	174.24			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	1.41	6	7,800.00	S
DIPHACINONE	0.01	7	81.00	A
DIQUAT DIBROMIDE	206.54	74	449.63	A
	18.04	20	436,436.00	S
	0.93		1.00	U
Total Pounds On This Chemical	225.52			
DITHIOPYR	161.93		431.00	A
	0.37			
Total Pounds On This Chemical	162.30			
DODECYLBENZENE SULFONIC ACID	107.60	739	1,807.18	A
	8.62	20	783,200.00	S
Total Pounds On This Chemical	116.22			
2-(2,4-DP), DIMETHYLAMINE SALT	0.01		1,000.00	S
EDTA, TETRASODIUM SALT	6.62	739	1,807.18	A
	0.53	20	783,200.00	S
Total Pounds On This Chemical	7.15			
EMAMECTIN BENZOATE	0.25	6	16.50	A
	0.09	4	218,000.00	S
Total Pounds On This Chemical	0.34			
ENDOSULFAN	0.50	1	1.25	A
ETHEPHON	730.21	49	220.85	A
	22.49	128	1,846,019.00	S
	7.99			
Total Pounds On This Chemical	760.69			
ETHOFUMESATE	318.03		339.30	A
ETHYLENE GLYCOL	36.21	344	619.99	A
ETOXAZOLE	14.57	93	229.23	A
	1.77	36	1,096,724.00	S
Total Pounds On This Chemical	16.34			
FARNESOL	< 0.01	3	6.00	A
	< 0.01	1	1,800.00	S
Total Pounds On This Chemical	< 0.01			
FATTY ACIDS, MIXED	7.85	125	273.03	A
	0.20	9	579,200.55	S
Total Pounds On This Chemical	8.05			
FATTY ACIDS DERIVED FROM TALLOW	0.23		9.00	A
	0.23			
Total Pounds On This Chemical	0.46			
FENAMIDONE	45.44	46	97.99	A
	8.62	18	653,000.00	S
Total Pounds On This Chemical	54.06			
FENARIMOL	1.54	25	47.70	A
	0.19	3	160,000.00	S
Total Pounds On This Chemical	1.73			
FENHEXAMID	517.96	450	931.50	A
	8.05	13	481,780.00	S
Total Pounds On This Chemical	526.01			
FENPROPATHRIN	0.78	5	5.00	A
	< 0.01	1	200.00	S
Total Pounds On This Chemical	0.79			
FENPYROXIMATE	1.92	23	37.65	A
	0.15	6	68,900.00	S
Total Pounds On This Chemical	2.07			
FERRIC SULFATE (ANHYDROUS)	0.26		1,000.00	S
FLONICAMID	79.33	194	466.04	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
Total Pounds On This Chemical	80.22	0.88	9	260,600.00 S
FLUAZIFOP-P-BUTYL		0.14		12,000.00 S
FLUDIOXONIL		169.92	483	1,060.14 A
		25.80	74	2,547,565.00 S
		1.00		100.00 K
Total Pounds On This Chemical	196.72	2.25	9	325,000.00 S
FLUOPICOLIDE		0.06	1	8.00 A
Total Pounds On This Chemical	2.31	0.05		2.00 A
FLUOPYRAM		0.18		1.50 A
FLUROXYPYR, 1-METHYLHEPTYL ESTER		< 0.01	1	400.00 U
FLURPRIMIDOL		81.20		16.00 A
FLUTOLANIL		14.70		
		1.21		19,000.00 S
Total Pounds On This Chemical	97.11	24.87	165	247.96 A
TAU-FLUVALINATE		11.00	46	1,454,012.00 S
Total Pounds On This Chemical	35.87	9.20		94.72 A
FORAMSULFURON		1,530.69	333	787.45 A
FOSETYL-AL		274.45	95	958,160.00 S
		26.40		
Total Pounds On This Chemical	1,831.53	3.01	80	1,804,828.00 S
GIBBERELLINS		0.55	26	23.35 A
Total Pounds On This Chemical	3.56	2.51	5	1.25 A
GLUFOSINATE-AMMONIUM		27.58	24	26.10 A
GLYPHOSATE		1.50	3	1.50 A
GLYPHOSATE, DIAMMONIUM SALT		1,110.09	117	1,168.57 A
GLYPHOSATE, ISOPROPYLAMINE SALT		239.24		35.00 U
		28.11	9	414,400.00 S
		4.82		
Total Pounds On This Chemical	1,382.26	18.69	1	7.00 A
GLYPHOSATE, MONOAMMONIUM SALT		4.05		30,750.00 S
Total Pounds On This Chemical	22.75	9.43	8	65.50 A
GLYPHOSATE, POTASSIUM SALT		2.24		
		0.34		1,600.00 S
Total Pounds On This Chemical	12.01	0.06		5.00 A
HALOSULFURON-METHYL		18.11	68	102.92 A
HEXYTHIAZOX		2.76	20	673,650.00 S
Total Pounds On This Chemical	20.87	0.35	5	14.00 A
HYDRAMETHYLNON		33.91	17	14.35 A
HYDROGEN PEROXIDE		0.24	2	2,880.00 S
Total Pounds On This Chemical	34.15	1.13	89	83,645.50 S
IBA		0.17	308	382,289.00 U
		0.01	60	103.58 A
Total Pounds On This Chemical	1.32			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
IMAZAPYR, ISOPROPYLAMINE SALT	49.58		38.00	A
IMIDACLOPRID	57.32	151	342.24	A
	15.85	121	2,064,368.38	S
	5.69		499.00	U
	0.01	1	800.00	C
Total Pounds On This Chemical	78.88			
INDAZIFLAM	5.00		80.00	A
INDOXACARB	0.96		14.50	A
IPRODIONE	1,469.33	1,211	2,197.31	A
	111.25	65	2,201,669.75	S
Total Pounds On This Chemical	1,580.58			
IRON PHOSPHATE	1.33	6	7.00	A
ISOPROPYL ALCOHOL	75.88	1,242	2,688.92	A
	2.63	20	783,200.00	S
Total Pounds On This Chemical	78.50			
ISOXABEN	17.45	21	14.38	A
(S)-KINOPRENE	81.19	71	72.36	A
	22.24	54	1,971,260.00	S
Total Pounds On This Chemical	103.43			
KRESOXIM-METHYL	7.06	49	60.53	A
	0.09	6	76,600.00	S
Total Pounds On This Chemical	7.16			
LAMBDA-CYHALOTHRIN	4.98	15	75.85	A
	0.23	5	348,000.00	S
Total Pounds On This Chemical	5.21			
LAURIC ACID	19.44	37	173.36	A
LECITHIN	87.92	174	294.84	A
	4.69	9	579,200.55	S
Total Pounds On This Chemical	92.61			
LINURON	2.43	5	2.10	A
MALATHION	44.90	14	19.30	A
	8.87	2	150,000.00	S
	0.05	1	800.00	U
Total Pounds On This Chemical	53.81			
MANCOZEB	1,120.32	242	585.55	A
	156.16	27	1,478,452.00	S
Total Pounds On This Chemical	1,276.48			
MANEB	3.94	3	4.83	A
MARGOSA OIL	0.52	2	4.00	A
MCPP	14.69		35.00	A
MCPP, POTASSIUM SALT	59.27		80.00	A
MCPP-P, DIMETHYLAMINE SALT	12.31		42.00	A
	0.01		1,000.00	S
Total Pounds On This Chemical	12.33			
MECOPROP-P	40.46		581.18	A
	0.90		187,602.50	S
Total Pounds On This Chemical	41.37			
MEFENOXAM	91.06	618	588.84	A
	13.97	40	877,758.00	C
	12.13	126	1,471,269.00	S
Total Pounds On This Chemical	117.16			
MEFENOXAM, OTHER RELATED	0.84	180	295.46	A
	0.43	40	877,758.00	C
	0.32	99	1,106,189.00	S
Total Pounds On This Chemical	1.58			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER					
MEFLUIDIDE, DIETHANOLAMINE SALT		1.17		4.00	A
METALAXYL		2.01		2.00	A
METALDEHYDE		98.04	73	144.29	A
		11.89	26	340,700.00	S
Total Pounds On This Chemical	109.92				
METARHIZIUM ANISOPLIAE STRAIN F52		90.93	107	178.05	A
		0.13	4	87,840.00	S
Total Pounds On This Chemical	91.07				
METCONAZOLE		8.90		21.39	A
		5.00		305,000.37	S
Total Pounds On This Chemical	13.90				
METHIOCARB		159.01	76	169.00	A
		55.34	31	1,449,780.00	S
Total Pounds On This Chemical	214.35				
METHOXYFENOZIDE		1.13	5	5.00	A
		0.28	1	30,000.00	S
		0.16	1	540,000.00	U
Total Pounds On This Chemical	1.57				
METHYLATED FATTY ACIDS FROM CANOLA OIL		0.02	1	5,400.00	S
METHYLATED SOYBEAN OIL		0.83		120,000.00	S
METHYL BROMIDE		10,403.15	51	45.86	A
		1,466.57	40	279,260.00	S
Total Pounds On This Chemical	11,869.72				
1-METHYLCYCLOPROPENE		< 0.01		5,797.00	U
		< 0.01		17,272.00	S
Total Pounds On This Chemical	< 0.01				
S-METOLACHLOR		0.07	1	0.15	A
MILBEMECTIN		0.30	23	12.40	A
MINERAL OIL		1,290.29	131	5,567,210.00	S
		497.07	44	59.83	A
		0.28	1	800.00	U
Total Pounds On This Chemical	1,787.64				
MSMA		14.29		10.00	A
MYCLOBUTANIL		119.52	460	808.30	A
		11.44	18	1,183,000.00	S
Total Pounds On This Chemical	130.95				
NAA		0.06	30	52,431.00	U
		< 0.01	53	92.75	A
Total Pounds On This Chemical	0.07				
NALED		12.83	11	17.42	A
		5.54	3	166,000.00	S
Total Pounds On This Chemical	18.37				
NEROLIDOL		< 0.01	3	6.00	A
		< 0.01	1	1,800.00	S
Total Pounds On This Chemical	< 0.01				
NONANOIC ACID		130.00		10.50	A
NONANOIC ACID, OTHER RELATED		6.84		10.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		266.91	895	1,825.25	A
		11.11			
		3.82	13	846,200.55	S
Total Pounds On This Chemical	281.84				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER		0.09	3	6,676.00	S
NOVALURON		35.81	240	460.71	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
Total Pounds On This Chemical	38.24	2.43	29	810,150.00 S
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE		< 0.01	1	1.25 A
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE		2.82	6	7,800.00 S
OLEIC ACID, METHYL ESTER		10.07		2.00 A
ORYZALIN		97.40	18	57.20 A
		0.03		100.00 S
Total Pounds On This Chemical	97.43			
OXADIAZON		31.73	7	12.70 A
		7.20	4	72,000.00 S
Total Pounds On This Chemical	38.93			
OXYFLUORFEN		2.02		43.50 A
PACLOBUTRAZOL		43.59	233	473.83 A
		0.50	2	2,006.00 U
		0.20	79	234,426.50 S
Total Pounds On This Chemical	44.29			
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97		2.94	4	4.75 A
		0.23	2	36,000.00 S
Total Pounds On This Chemical	3.16			
PCNB		111.38		7.07 A
		16.40		114,000.00 S
Total Pounds On This Chemical	127.78			
PENDIMETHALIN		7.97		4.50 A
PENOXSULAM		1.16		142.76 A
PERMETHRIN		319.37	318	602.35 A
		39.91	110	4,459,964.00 S
		33.23		139.00 U
Total Pounds On This Chemical	392.51			
PETROLEUM DISTILLATES		100.40	2	3.25 A
PETROLEUM DISTILLATES, REFINED		4,279.03	54	145.75 A
		794.65	16	977,800.00 S
Total Pounds On This Chemical	5,073.68			
PETROLEUM HYDROCARBONS		0.66	1	2.00 A
		0.02		1.00 U
Total Pounds On This Chemical	0.68			
PETROLEUM OIL, PARAFFIN BASED		0.77		41.50 A
		0.06	2	3,600.00 S
Total Pounds On This Chemical	0.83			
PETROLEUM OIL, UNCLASSIFIED		12.67	2	3.50 A
PHENMEDIPHAM		4.24		9.30 A
PHOSPHORIC ACID		222.26	1,458	2,833.55 A
		1.70	20	783,200.00 S
Total Pounds On This Chemical	223.96			
PIPERALIN		529.94	417	670.48 A
		10.29	12	542,385.00 S
Total Pounds On This Chemical	540.23			
PIPERONYL BUTOXIDE		115.06	160	243.82 A
		21.58	26	816,060.00 S
Total Pounds On This Chemical	136.64			
PIPERONYL BUTOXIDE, OTHER RELATED		28.76	160	243.82 A
		5.39	26	816,060.00 S
Total Pounds On This Chemical	34.16			
POLYACRYLIC POLYMER		10.37	556	590.22 A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE		12.04	26	157.50 A
		5.36		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
Total Pounds On This Chemical	17.40	< 0.01	1	5,400.00 S
POLYETHER MODIFIED POLYSILOXANE		0.99	7	1.70 A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER		87.23	544	528.36 A
POLYOXIN D, ZINC SALT		15.51	47	120.45 A
		0.90		200,000.00 S
		0.55		
Total Pounds On This Chemical	16.96			
POLYOXYETHYLENE POLYOXYPROPYLENE		394.70	1,741	3,257.77 A
POTASH SOAP		2,490.22	236	374.05 A
		408.00	23	882,130.00 S
Total Pounds On This Chemical	2,898.21			
POTASSIUM BICARBONATE		1,171.75	150	343.95 A
		38.84	13	253,300.00 S
Total Pounds On This Chemical	1,210.59			
POTASSIUM PHOSPHITE		1,189.53		874.00 U
		273.08		
		0.16	1	6,000.00 S
Total Pounds On This Chemical	1,462.77			
PRODIAMINE		444.47	16	366.53 A
PROPAMOCARB HYDROCHLORIDE		15.00		2.50 A
PROPICONAZOLE		357.16	44	532.73 A
		20.87	10	1,324,002.00 S
		0.12		17.00 U
Total Pounds On This Chemical	378.15			
PROPIONIC ACID		87.92	174	294.84 A
		4.69	9	579,200.55 S
Total Pounds On This Chemical	92.61			
PROPYLENE GLYCOL		66.68	78	450.06 A
		1.79		
		0.29		132,000.00 S
Total Pounds On This Chemical	68.75			
PYMETROZINE		137.24	391	628.25 A
		10.51	49	2,130,904.00 S
Total Pounds On This Chemical	147.75			
PYRACLOSTROBIN		85.14	189	364.95 A
		6.19	33	1,112,941.00 S
Total Pounds On This Chemical	91.34			
PYRETHRINS		15.00	184	260.41 A
		2.72	31	839,260.00 S
Total Pounds On This Chemical	17.72			
PYRIDABEN		26.88	36	66.25 A
		8.75	30	982,940.00 S
Total Pounds On This Chemical	35.63			
PYRIDALYL		223.10	334	746.94 A
		36.68	108	4,720,560.00 S
Total Pounds On This Chemical	259.79			
PYRIPROXYFEN		34.89	227	301.24 A
		1.56	34	981,671.00 S
Total Pounds On This Chemical	36.45			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS		28.39	133	207.57 A
		3.23	11	682,587.00 S
Total Pounds On This Chemical	31.62			
QUILLAJA		0.13	19	7.48 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
QUINCLORAC	5.03		7.00	A
	0.33			
	0.20		19,000.00	S
Total Pounds On This Chemical	5.56			
QUINCLORAC, DIMETHYLAMINE SALT	13.70		30.50	A
	0.56		120,000.00	S
Total Pounds On This Chemical	14.26			
RESMETHRIN	0.82	11	3.08	A
RESMETHRIN, OTHER RELATED	0.11	11	3.08	A
REYNOUTRIA SACHALINENSIS	0.94	5	339,974.00	S
RIMSULFURON	0.38		51.50	A
ROTENONE	0.04	1	4.00	A
	< 0.01	4	13,200.00	S
Total Pounds On This Chemical	0.04			
ROTENONE, OTHER RELATED	0.04	1	4.00	A
	< 0.01	4	13,200.00	S
Total Pounds On This Chemical	0.04			
SETHOXYDIM	0.18		41.50	A
SIDURON	20.00		1.50	A
SILICONE DEFOAMER	2.81	739	1,807.18	A
	0.23	20	783,200.00	S
Total Pounds On This Chemical	3.04			
SODIUM BISULFATE	11.25	1	6.50	A
SODIUM XYLENE SULFONATE	33.11	739	1,807.18	A
	2.65	20	783,200.00	S
Total Pounds On This Chemical	35.76			
SOYBEAN OIL	21.53	2	3.00	A
SPINOSAD	142.58	588	1,026.11	A
	27.58	211	7,542,076.00	S
Total Pounds On This Chemical	170.16			
SPIROMESIFEN	47.84	73	137.30	A
	3.86	28	789,600.00	S
Total Pounds On This Chemical	51.70			
SPIROTETRAMAT	8.84	84	114.46	A
	2.19	20	511,856.00	S
Total Pounds On This Chemical	11.03			
STARCH	< 0.01	8	25.00	A
STREPTOMYCES LYDICUS WYEC 108	0.03	76	102.00	A
	< 0.01	69	724,525.00	S
Total Pounds On This Chemical	0.03			
STREPTOMYCIN SULFATE	2.40	20	27.41	A
	0.67	2	605,000.00	U
Total Pounds On This Chemical	3.07			
STRYCHNINE	0.38	1	441.50	A
STYRENE BUTADIENE COPOLYMER	37.63	41	186.50	A
SULFENTRAZONE	1.91		14.00	A
	< 0.01		9,000.00	S
Total Pounds On This Chemical	1.91			
SULFUR	327.59	68	248.16	A
TALL OIL FATTY ACIDS	10.36		131.70	A
	0.53		132,000.00	S
Total Pounds On This Chemical	10.89			
TEBUCONAZOLE	60.59		84.50	A
	3.27		101,000.60	S
Total Pounds On This Chemical	63.86			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
TERRAZOLE	7.70	22	55,000.00	S
	0.70	7	4.50	A
Total Pounds On This Chemical	8.40			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	126.11	739	1,807.18	A
	10.10	20	783,200.00	S
Total Pounds On This Chemical	136.21			
TETRAPOTASSIUM PYROPHOSPHATE	16.55	739	1,807.18	A
	1.33	20	783,200.00	S
Total Pounds On This Chemical	17.88			
THIABENDAZOLE	6.70	11	210,000.00	S
THIAMETHOXAM	37.82	160	254.33	A
	1.41	42	926,720.00	S
Total Pounds On This Chemical	39.23			
THIOPHANATE-METHYL	1,480.44	584	1,944.77	A
	177.25	191	2,241,337.00	S
	10.30			
Total Pounds On This Chemical	1,667.99			
THIRAM	< 0.01		1.88	P
TRIADIMEFON	40.26	44	149.75	A
	0.13	6	24,600.00	S
Total Pounds On This Chemical	40.39			
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	0.71	38	22.82	A
	0.11	4	31,000.00	S
Total Pounds On This Chemical	0.82			
TRICLOPYR, BUTOXYETHYL ESTER	265.67		322.25	A
	17.42		328.00	U
	6.79		78,910.00	S
	0.17			
Total Pounds On This Chemical	290.06			
TRICLOPYR, TRIETHYLAMINE SALT	108.10		171.40	A
	6.33			
	0.19	1	300.00	S
Total Pounds On This Chemical	114.61			
TRIETHANOLAMINE	42.21	739	1,807.18	A
	3.38	20	783,200.00	S
Total Pounds On This Chemical	45.59			
TRIFLOXYSTROBIN	31.02	211	359.82	A
	3.99	45	223,250.00	S
Total Pounds On This Chemical	35.02			
TRIFLOXYSULFURON-SODIUM	0.73		34.50	A
TRIFLUMIZOLE	92.77	112	212.75	A
	2.44	12	103,700.00	S
Total Pounds On This Chemical	95.21			
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE)	16.83	32	173.50	A
TRINEXAPAC-ETHYL	132.27	10	1,675.21	A
	7.60			
	0.84		514,000.13	S
	0.09		100.00	K
Total Pounds On This Chemical	140.80			
TRITICONAZOLE	2.60		21.00	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	9.98	89	102.90	A
UNICONIZOLE-P	0.02	16	5.25	A
	< 0.01	4	9,355.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS FLOWER				
Total Pounds On This Chemical	0.02			
UREA	111.92	113	346.15	A
VINCLOZOLIN	3.88	7	16.00	A
XYLENE	3.29	3	9.25	A
ZINC PHOSPHIDE	< 0.01	1	0.50	A
Site Total	54,444.30	26,623		
N-GRNHS PLANTS IN CONTAINERS				
ABAMECTIN	32.16	1,760	2,795.52	A
	15.38	1,132	44,471,694.44	S
	0.55	8	140,236.00	U
	0.01			
	< 0.01	1	10.00	K
Total Pounds On This Chemical	48.11			
ACEPHATE	801.79	471	660.49	A
	419.85	477	12,692,466.34	S
	1.46	1	60,000.00	U
Total Pounds On This Chemical	1,223.10			
ACEQUINOCYL	60.43	234	355.59	A
	14.03	112	2,558,938.00	S
	0.78	5	145,000.00	U
Total Pounds On This Chemical	75.23			
ACETAMIPRID	144.22	297	563.25	A
	50.31	266	8,235,076.00	S
	0.12			
	0.08	1	10.00	K
Total Pounds On This Chemical	194.72			
AGROBACTERIUM RADIOBACTER	0.34	15	4,750.00	S
AGROBACTERIUM RADIOBACTER, STRAIN K1026	0.02	6	120,000.00	S
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	84.27	30	136.61	A
	0.35	8	16,380.00	S
Total Pounds On This Chemical	84.62			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	126.25	97	179.57	A
	20.89	28	510,948.00	S
Total Pounds On This Chemical	147.14			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	126.25	97	179.57	A
	20.89	28	510,948.00	S
Total Pounds On This Chemical	147.14			
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	0.32	5	2.25	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	1.20	52	18.40	A
ALPHA-PINENE BETA-PINENE COPOLYMER	26.30	49	56.65	A
	13.11	25	37,781.39	S
Total Pounds On This Chemical	39.41			
ALKYL (C8,C10) POLYGLUCOSIDE	3.08	59	60.89	A
AMMONIUM SULFATE	47.11	34	41.61	A
	2.21	4	120,000.00	U
Total Pounds On This Chemical	49.31			
ANCYMIDOL	0.13	127	231,056.00	S
	0.03	61	7.98	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS					
Total Pounds On This Chemical	0.16				
AZADIRACTIN		29.45	508	945.54	A
		28.93	836	35,836,431.14	S
Total Pounds On This Chemical	58.38				
AZOXYSTROBIN		268.11	710	24,598,209.27	S
		249.17	747	866.88	A
		1.08			
Total Pounds On This Chemical	518.35				
BACILLUS AMYLOLIQUEFACIENS STRAIN D747		< 0.01	1	2.00	A
BACILLUS PUMILUS, STRAIN QST 2808		0.42	6	9.00	A
BACILLUS SUBTILIS MBI600		0.02	1	0.03	A
		< 0.01	1	840.00	S
Total Pounds On This Chemical	0.02				
BACILLUS THURINGIENSIS (BERLINER)		0.10	6	2.52	A
		0.03	1	75,000.00	S
Total Pounds On This Chemical	0.13				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7		0.10	2	55,000.00	S
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857		116.01	80	115.68	A
		1.08	1	4,000.00	S
Total Pounds On This Chemical	117.09				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14		15.13	45	71.48	A
		5.96	18	120,000.00	S
Total Pounds On This Chemical	21.09				
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52		98.97	41	38.60	A
		64.93	80	1,848,606.00	S
Total Pounds On This Chemical	163.90				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B		0.19	14	2.53	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		194.94	51	1,155,200.00	U
		113.16	115	795.07	A
		48.53	63	2,064,900.00	S
Total Pounds On This Chemical	356.63				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1		1.03	9	190,432.00	S
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		52.49	179	11,624,425.00	S
		6.10	71	53.22	A
		0.11	1	60,000.00	U
Total Pounds On This Chemical	58.70				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12		0.82	2	0.96	A
BEAUVERIA BASSIANA STRAIN GH		74.41	101	186.02	A
		6.89	42	706,783.00	S
Total Pounds On This Chemical	81.30				
BENEFIN		1.00	1	3.00	A
N6-BENZYL ADENINE		10.19	188	135.56	A
		4.57	246	2,332,707.00	S
Total Pounds On This Chemical	14.77				
BIFENAZATE		231.74	522	877.73	A
		64.54	462	18,901,860.52	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS				
Total Pounds On This Chemical	296.69	0.41	5	63,400.00 U
BIFENTHRIN		83.84	331	487.64 A
		47.11	354	11,307,917.36 S
		28.50		54.75 K
		15.07	7	142.00 U
		0.08	5	19,000.00 ?
Total Pounds On This Chemical	174.61			
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS		1.35	57	59.60 A
		0.57	25	37,781.39 S
Total Pounds On This Chemical	1.92			
BISPYRIBAC-SODIUM		0.60	1	350.00 S
BOSCALID		34.64	151	245.97 A
		31.47	236	2,425,390.00 S
		0.48	1	16,000.00 U
Total Pounds On This Chemical	66.60			
BRODIFACUM		< 0.01	9	59.00 A
BROMADIOLONE		0.02	38	243.05 A
		< 0.01	13	349,724.00 S
Total Pounds On This Chemical	0.02			
BROMETHALIN		< 0.01	2	6,000.00 S
BUPROFEZIN		63.58	42	121.93 A
		9.43	33	647,121.00 S
		2.63		
Total Pounds On This Chemical	75.63			
BUTYL ALCOHOL		0.13	3	16,200.00 S
CALCIUM HYDROXIDE		0.17	1	20,000.00 S
CAPRYLIC ACID		0.81	18	0.70 A
		0.30	3	7,740.00 S
Total Pounds On This Chemical	1.11			
CAPTAN		0.78	1	1,100.00 S
		0.11	3	0.27 A
Total Pounds On This Chemical	0.89			
CAPTAN, OTHER RELATED		0.02	1	1,100.00 S
		< 0.01	3	0.27 A
Total Pounds On This Chemical	0.02			
CARBARYL		390.76	198	144.40 A
		119.87	18	1,512,803.00 S
		0.30	1	0.01 U
Total Pounds On This Chemical	510.93			
CARFENTRAZONE-ETHYL		0.48		4.50 A
CASTOR OIL ETHOXYLATE		0.96	1	3.00 A
CHLORANTRANILIPROLE		0.26	8	2.95 A
CHLORFENAPYR		85.71	293	537.06 A
		19.18	193	5,020,068.16 S
Total Pounds On This Chemical	104.89			
CHLORMEQUAT CHLORIDE		568.40	976	1,212.40 A
		327.92	497	8,028,322.00 S
		0.32	3	24.00 K
		0.02	1	12,800.00 U
Total Pounds On This Chemical	896.65			
CHLOROPHACINONE		< 0.01	1	0.75 A
CHLOROTHALONIL		828.14	309	380.79 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS					
		571.89	397	10,546,936.00	S
		0.30	5	30,500.00	U
Total Pounds On This Chemical	1,400.34				
CHLORPYRIFOS		365.58	173	4,689,132.00	S
		113.13	70	193.38	A
Total Pounds On This Chemical	478.71				
CITRIC ACID		2.61	35	34.11	A
		0.12	4	120,000.00	U
Total Pounds On This Chemical	2.73				
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL		313.86	53	1,685,891.00	S
		158.60	38	35.69	A
Total Pounds On This Chemical	472.46				
CLOFENTEZINE		15.04	16	44.54	A
COCONUT DIETHANOLAMIDE		26.60	1,319	3,193.16	A
		3.10	157	2,567,567.00	S
		0.32	3	124,800.00	U
		< 0.01	1	10.00	K
Total Pounds On This Chemical	30.03				
COPPER HYDROXIDE		237.57	205	277.85	A
		85.11	133	2,116,405.00	S
Total Pounds On This Chemical	322.68				
COPPER OCTANOATE		11.84	38	43.36	A
		0.44	12	52,300.00	S
Total Pounds On This Chemical	12.29				
COPPER SALTS OF FATTY AND ROSIN ACIDS		89.10	48	1,054,200.00	S
		67.87	23	20.98	A
Total Pounds On This Chemical	156.98				
COPPER SULFATE (BASIC)		4.59	1	0.50	A
		0.44	15	858,910.00	S
Total Pounds On This Chemical	5.03				
COPPER SULFATE (PENTAHYDRATE)		218.78	228	380.73	A
		82.68	258	5,111,183.00	S
		0.96	7	9,600.00	U
		0.05	1	8.00	K
Total Pounds On This Chemical	302.47				
CORN PRODUCT, HYDROLYZED		6.92	2	10.50	A
CRYOLITE		71.04		30.00	A
		6.72			
Total Pounds On This Chemical	77.76				
CYAZOFAMID		8.85	87	30.81	A
		3.15	71	825,457.00	S
Total Pounds On This Chemical	12.00				
CYFLUTHRIN		15.93	210	457.02	A
		3.00	104	2,077,579.87	S
Total Pounds On This Chemical	18.93				
BETA-CYFLUTHRIN		0.05	8	63,780.00	S
		< 0.01	1	1.00	A
		< 0.01	2	49.00	U
Total Pounds On This Chemical	0.05				
CYMOXANIL		0.03	1	0.01	A
CYPRODINIL		13.63	50	108.01	A
		10.03	70	1,031,580.00	S
Total Pounds On This Chemical	23.66				
CYROMAZINE		170.71	323	663.08	A
		57.23	65	1,192,738.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS					
Total Pounds On This Chemical	227.94				
2,4-D, ALKANOLAMINE SALTS (ETHANOL AND ISOPROPANOL AMINES)		0.21	2	29,000.00	S
DAMINOZIDE		2,192.51	1,086	1,085.33	A
		1,825.39	1,081	16,473,062.78	S
		0.27	2	16.00	K
Total Pounds On This Chemical	4,018.18				
DAZOMET		0.62	1	43,560.00	S
DEET		0.27	3	7.00	A
DELTAMETHRIN		0.08	2	6.00	A
DIAZINON		36.28	25	50.08	A
		0.32	2	20,000.00	S
Total Pounds On This Chemical	36.59				
DICLORAN		1.50	1	1.00	A
DICOFOL		0.26	2	50,400.00	S
DIDECYL DIMETHYL AMMONIUM CHLORIDE		32.12	39	142.72	A
		0.32	42	41,140.00	S
Total Pounds On This Chemical	32.43				
DIETHYLENE GLYCOL		1.68	9	407,500.00	S
DIFLUBENZURON		10.93	99	93.07	A
		7.19	88	686,318.00	S
Total Pounds On This Chemical	18.13				
DIKEGULAC SODIUM		0.92	7	30,469.68	S
DIMETHENAMID-P		4.65	3	4.11	A
		0.19	3	13,753.00	S
Total Pounds On This Chemical	4.84				
DIMETHOATE		33.32	59	47.13	A
		9.95	3	173,000.00	S
Total Pounds On This Chemical	43.26				
DIMETHOMORPH		29.63	87	2,727,777.00	S
		25.08	58	69.27	A
Total Pounds On This Chemical	54.71				
DIMETHYLPOLYSILOXANE		308.24	205	626.93	A
		49.20	55	1,370,265.84	S
		1.30	3	70,000.00	U
Total Pounds On This Chemical	358.74				
DINOTEFURAN		298.52	685	9,713,546.05	S
		260.05	798	1,667.79	A
		113.04	73	1,220,311.00	U
		0.81			
Total Pounds On This Chemical	672.42				
DIOCTYL DIMETHYL AMMONIUM CHLORIDE		31.60	28	136.11	A
		0.13	8	16,380.00	S
Total Pounds On This Chemical	31.73				
DIPHACINONE		0.03	37	123.63	A
		< 0.01	2	12,000.80	S
Total Pounds On This Chemical	0.03				
DIQUAT DIBROMIDE		383.58	104	3,893,990.00	S
		344.89	220	312.91	A
Total Pounds On This Chemical	728.47				
DITHIOPYR		0.47	4	116,200.00	S
		0.46	4	0.50	A
Total Pounds On This Chemical	0.93				
DIURON		16.00	1	2.50	A
		0.20	1	10,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS				
		0.10	1	400.00 U
Total Pounds On This Chemical	16.30			
DODECYLBENZENE SULFONIC ACID		115.28	1,319	3,193.16 A
		13.43	157	2,567,567.00 S
		1.39	3	124,800.00 U
		0.02	1	10.00 K
Total Pounds On This Chemical	130.11			
EDTA, TETRASODIUM SALT		7.09	1,319	3,193.16 A
		0.83	157	2,567,567.00 S
		0.09	3	124,800.00 U
		< 0.01	1	10.00 K
Total Pounds On This Chemical	8.01			
ESFENVALERATE		0.49	3	4.90 A
ETHEPHON		43.24	242	134.87 A
		26.83	332	1,590,664.00 S
		0.18	1	2,240.00 U
Total Pounds On This Chemical	70.25			
ETOFENPROX		0.04	1	20,000.00 S
ETHYLENE		620.24	236	789,439.00 S
		320.80	123	30.73 A
Total Pounds On This Chemical	941.04			
ETHYLENE GLYCOL		2.95	5	130,320.00 S
		0.76	2	2.00 A
Total Pounds On This Chemical	3.70			
ETHYLENE GLYCOL MONOMETHYL ETHER		1.67	13	390,000.00 S
ETHYLENE OXIDE		8.00	1	16,000.00 S
ETOXAZOLE		42.71	151	286.71 A
		8.43	193	4,364,840.42 S
		0.04	1	20,000.00 U
Total Pounds On This Chemical	51.18			
FAMOXADONE		0.03	1	0.01 A
FARNESOL		< 0.01	3	13,500.00 S
FATTY ACIDS, MIXED		22.33	182	558.64 A
		3.36	25	825,651.00 S
Total Pounds On This Chemical	25.69			
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS		0.79	8	2.95 A
FENAMIDONE		39.48	24	1,026,250.00 S
		8.97	6	5.43 A
Total Pounds On This Chemical	48.45			
FENARIMOL		0.04	9	97,700.00 S
		0.03	1	0.24 A
Total Pounds On This Chemical	0.07			
FENBUTATIN-OXIDE		35.20	11	25.60 A
		3.75	5	150,000.00 S
Total Pounds On This Chemical	38.95			
FENHEXAMID		300.42	470	19,760,430.00 S
		192.89	465	368.03 A
		1.75		
Total Pounds On This Chemical	495.06			
FENPROPATHRIN		45.27	323	4,639,172.00 S
		14.16	39	44.18 A
Total Pounds On This Chemical	59.43			
FENPYROXIMATE		13.22	69	140.84 A
		3.32	60	1,286,546.12 S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS				
Total Pounds On This Chemical	16.54			
FIPRONIL	< 0.01	4	52,008.00	S
FLONICAMID	3.46	22	18.51	A
	0.86	11	212,600.00	S
Total Pounds On This Chemical	4.32			
FLUDIOXONIL	135.91	511	537.01	A
	82.71	493	11,260,179.00	S
	0.19	1	20,000.00	U
Total Pounds On This Chemical	218.81			
FLUMIOXAZIN	31.35	19	48.08	A
	0.03	2	2,400.00	S
Total Pounds On This Chemical	31.37			
FLUOPICOLIDE	1.96	12	8.23	A
	0.16	1	2,000.00	S
Total Pounds On This Chemical	2.11			
FLUOXASTROBIN	0.12	2	20,000.00	S
FLURPRIMIDOL	0.32	62	1,127,944.00	S
	0.17	7	32,000.00	U
	0.07	6	3.80	A
Total Pounds On This Chemical	0.56			
FLUTOLANIL	21.66			
	10.68		3.50	A
Total Pounds On This Chemical	32.33			
TAU-FLUVALINATE	186.24	665	29,467,243.00	S
	130.06	553	797.79	A
	5.87	7	1,036.00	U
Total Pounds On This Chemical	322.18			
FOSETYL-AL	1,844.73	698	24,561,642.00	S
	953.28	293	289.54	A
	112.20	21	729,600.00	U
Total Pounds On This Chemical	2,910.21			
GAMMA AMINOBUTYRIC ACID	0.79	2	7.75	A
GIBBERELLINS	5.79	272	7,244,752.00	S
	4.68	211	119.44	A
Total Pounds On This Chemical	10.47			
GLUTAMIC ACID	0.79	2	7.75	A
GLYPHOSATE, ISOPROPYLAMINE SALT	867.85	273	538.57	A
	115.23	134	2,061,649.50	S
	6.35	3	10,002.00	U
Total Pounds On This Chemical	989.42			
GLYPHOSATE, POTASSIUM SALT	249.11	49	1,122,924.00	S
	32.01	9	14.50	A
Total Pounds On This Chemical	281.12			
HALOSULFURON-METHYL	0.28	1	2,000.00	S
	0.28	1	0.50	A
Total Pounds On This Chemical	0.56			
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	34.03	80	165.27	A
HEXYTHIAZOX	32.83	162	355.72	A
	9.39	117	2,981,072.26	S
	0.06	1	35,000.00	U
Total Pounds On This Chemical	42.29			
HYDRAMETHYLNON	0.05	2	1.50	A
HYDROGEN PEROXIDE	218.58	106	81.61	A
	109.71	82	949,690.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS				
		2.47		
Total Pounds On This Chemical	330.76			
HYDROPRENE	< 0.01	1	0.01	A
IBA	0.60	27	42.29	A
	0.07	21	16,015.25	S
	< 0.01	3	4,500.00	U
Total Pounds On This Chemical	0.68			
IMAZAMOX, AMMONIUM SALT	22.08	1	12,590.00	S
IMIDACLOPRID	169.07	1,097	44,084,212.63	S
	118.37	612	525.74	A
	12.52	20	103,371.01	U
	0.79			
	0.38	3	939.00	C
Total Pounds On This Chemical	301.13			
3-iodo-2-propynyl butylcarbamate	< 0.01	1	20,000.00	S
Iprodione	715.35	588	568.30	A
	359.77	698	34,292,437.00	S
	202.02			
	0.64	5	120,000.00	U
Total Pounds On This Chemical	1,277.78			
IRON PHOSPHATE	36.67	43	137.86	A
	0.65	13	371,000.00	S
Total Pounds On This Chemical	37.32			
ISOCTYL PHTHALATE	1.69	13	390,000.00	S
ISOPROPYL ALCOHOL	35.39	1,322	3,201.21	A
	5.98	175	3,087,887.00	S
	0.42	3	124,800.00	U
	< 0.01	1	10.00	K
Total Pounds On This Chemical	41.80			
ISOXABEN	70.81	105	107.44	A
	4.48	11	135,950.00	S
Total Pounds On This Chemical	75.30			
KINOPRENE	2.51	2	113,500.00	S
(S)-KINOPRENE	142.15	285	10,355,762.00	S
	7.46	30	28.48	A
	1.63	1	12,800.00	U
Total Pounds On This Chemical	151.24			
KRESOXIM-METHYL	3.32	10	15.03	A
LAMBDA-CYHALOTHRIN	3.64	41	142.40	A
	1.51	43	1,211,976.00	S
Total Pounds On This Chemical	5.15			
LECITHIN	373.84	315	630.36	A
	10.92	30	537,451.00	S
Total Pounds On This Chemical	384.76			
LIME-SULFUR	1.30	3	48,000.00	S
LINURON	1.25	1	6.00	A
MALATHION	153.97	107	138.23	A
	65.35	67	1,146,559.99	S
Total Pounds On This Chemical	219.32			
MANCOZEB	867.45	493	546.80	A
	282.17	242	6,072,356.00	S
	0.56			
	0.42	3	45,000.00	U
Total Pounds On This Chemical	1,150.61			
MANDIPROPAMID	2.98	26	208,738.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS				
MANEB	6.68	7	2.91	A
MCPP, POTASSIUM SALT	15.51	11	93,812.00	S
	1.82	7	11.00	A
Total Pounds On This Chemical	17.33			
MEFENOXAM	257.37	912	1,428.98	A
	180.43			
	169.77	1,385	41,282,564.49	S
	10.08	181	3,627,594.00	U
	0.08	1	2,000.00	C
Total Pounds On This Chemical	617.73			
MEFENOXAM, OTHER RELATED	6.44	688	1,151.08	A
	5.93			
	2.81	848	27,118,859.49	S
	< 0.01	12	46,794.00	U
	< 0.01	1	2,000.00	C
Total Pounds On This Chemical	15.18			
METALAXYL	22.27	251	5,915,486.00	S
	0.45	10	8.27	A
Total Pounds On This Chemical	22.72			
METALDEHYDE	691.71	343	957.99	A
	496.92	328	9,537,243.00	S
	1.88	1	60.00	K
	0.68	8	2,050.00	U
Total Pounds On This Chemical	1,191.19			
METALLIC SILVER	< 0.01	1	40,000.00	S
METHIDATHION	2.38	1	9.50	A
METHIOCARB	511.27	132	360.55	A
	245.02	137	3,327,280.00	S
	0.75	2	500.00	U
Total Pounds On This Chemical	757.03			
METHOXYFENOZIDE	19.65	29	65.54	A
	1.01	4	107,000.00	S
Total Pounds On This Chemical	20.66			
1-METHYLCYCLOPROPENE	0.06		740,304.00	S
	0.02		88,395.54	C
	< 0.01		52.91	K
	< 0.01		3,041.00	U
Total Pounds On This Chemical	0.08			
METIRAM	0.01	1	400.00	S
METOLACHLOR	0.63	1	2,460.00	S
	0.13	1	0.03	A
Total Pounds On This Chemical	0.75			
METRIBUZIN	0.62	1	44,200.00	S
MILBEMECTIN	0.22	6	225,280.00	S
MINERAL OIL	1,900.51	229	213.69	A
	390.51	125	1,686,515.39	S
	0.44	8	4,021.00	U
Total Pounds On This Chemical	2,291.45			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	23.13	4	32.08	A
	3.36			
	1.50	27	284,200.00	S
Total Pounds On This Chemical	28.00			
MOLINATE	0.02	1	0.12	A
MORPHOLINE	0.73	13	390,000.00	S
MYCLOBUTANIL	40.30	143	213.12	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS				
	14.12	71	3,446,515.00	S
	0.16			
Total Pounds On This Chemical	54.58			
NAA	0.24	18	37.20	A
	0.02	14	3,955.25	S
	< 0.01	3	1,500.00	U
Total Pounds On This Chemical	0.25			
NALED	9.44		30.00	A
	1.38			
Total Pounds On This Chemical	10.83			
NEROLIDOL	< 0.01	3	13,500.00	S
NONANOIC ACID	269.50	97	174.62	A
	21.58	53	409,862.00	S
Total Pounds On This Chemical	291.08			
NONANOIC ACID, OTHER RELATED	14.18	97	174.62	A
	1.14	53	409,862.00	S
Total Pounds On This Chemical	15.32			
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	12.70	44	44.51	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	151.96	317	673.74	A
	9.99	48	1,092,171.00	S
Total Pounds On This Chemical	161.96			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE), BRANCHED	1.15	13	390,000.00	S
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE), PHOSPHATE ESTER	0.24	2	3,800.00	S
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE				
COMPLEX	0.21	1	0.34	A
NOVALURON	8.12	61	141.21	A
	2.76	34	1,027,490.00	S
Total Pounds On This Chemical	10.87			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	< 0.01	1	10,000.00	S
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	63.20	28	136.11	A
	0.26	8	16,380.00	S
Total Pounds On This Chemical	63.47			
OIL OF JOJOBA	22.75	4	6.49	A
OLEIC ACID	2.37	13	390,000.00	S
	0.05		6.00	A
Total Pounds On This Chemical	2.41			
ORYZALIN	75.56	52	73.21	A
	11.04	4	85,680.00	S
Total Pounds On This Chemical	86.60			
OXADIAZON	11.65	11	12.96	A
	0.02	1	3,600.00	S
Total Pounds On This Chemical	11.66			
OXYFLUORFEN	11.04	11	17.86	A
	6.20	3	131,300.00	S
	0.04			
Total Pounds On This Chemical	17.28			
PACLOBUTRAZOL	51.16	2,466	52,389,000.50	S
	31.38	820	882.24	A
	4.30	119	750,477.63	U
Total Pounds On This Chemical	86.84			
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	3.37	4	5.00	A
	0.04	2	1,950.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS					
Total Pounds On This Chemical	3.41				
PCNB		92.70	58	3,011,885.00	S
		64.14	7	7.14	A
Total Pounds On This Chemical	156.84				
PENDIMETHALIN		8.69	9	6.87	A
		3.36	6	145,053.00	S
		0.02			
Total Pounds On This Chemical	12.07				
PERMETHRIN		235.00	346	681.84	A
		174.60	362	14,638,374.00	S
		0.22	2	6,200.00	C
Total Pounds On This Chemical	409.82				
PEROXYACETIC ACID		1.08	18	0.70	A
		0.40	3	7,740.00	S
Total Pounds On This Chemical	1.49				
PETROLEUM DISTILLATES, REFINED		467.34	27	30.02	A
		138.72	31	417,490.05	S
Total Pounds On This Chemical	606.06				
PETROLEUM OIL, PARAFFIN BASED		0.96	1	1.00	A
		0.14	3	9,000.00	S
Total Pounds On This Chemical	1.10				
PETROLEUM OIL, UNCLASSIFIED		3,718.50	265	836.13	A
		33.61	16	303,937.00	S
		9.13	2	60,000.00	U
Total Pounds On This Chemical	3,761.24				
PHENOTHRIN		< 0.01	1	200.00	S
PHENOTHRIN, OTHER RELATED		< 0.01	1	200.00	S
PHOSMET		3.85	2	82,000.00	S
PHOSPHORIC ACID		36.48	1,353	3,224.77	A
		2.64	157	2,567,567.00	S
		0.96	7	244,800.00	U
		< 0.01	1	10.00	K
Total Pounds On This Chemical	40.09				
PIPERALIN		59.16	73	116.53	A
		10.93	70	1,237,664.00	S
Total Pounds On This Chemical	70.09				
PIPERONYL BUTOXIDE		168.01	21	459.00	U
		131.67	62	246.95	A
		72.82	119	6,956,567.24	S
Total Pounds On This Chemical	372.50				
PIPERONYL BUTOXIDE, OTHER RELATED		42.00	21	459.00	U
		30.94	47	227.96	A
		16.49	108	6,360,907.24	S
Total Pounds On This Chemical	89.43				
POLYACRYLIC POLYMER		1.25	34	31.61	A
		0.06	4	120,000.00	U
Total Pounds On This Chemical	1.31				
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE		40.31	313	11,468,989.00	S
		7.63	17	56.92	A
Total Pounds On This Chemical	47.94				
POLYBUTENES		0.14	8	2.95	A
POLYETHER MODIFIED POLYSILOXANE		118.58	266	156.04	A
		6.54	40	232,330.00	S
Total Pounds On This Chemical	125.11				
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER		3.18		1,113,570.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS					
		1.68	35	5.31	A
Total Pounds On This Chemical	4.86				
POLY-I-PARA-MENTHENE		291.91	301	625.92	A
		3.59	18	179,600.00	S
Total Pounds On This Chemical	295.50				
POLYOXIN D, ZINC SALT		6.61	165	2,158,764.00	S
		4.11	50	64.98	A
Total Pounds On This Chemical	10.72				
POLYOXYETHYLENE POLYOXYPROPYLENE		12.86	10	22.69	A
		1.89	26	457,625.84	S
Total Pounds On This Chemical	14.75				
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER		136.13	80	165.27	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER		7.21	1	3.00	A
POLYSILOXANE		0.16	59	60.89	A
POTASH SOAP		582.73	97	123.96	A
		246.05	140	2,251,807.00	S
Total Pounds On This Chemical	828.78				
POTASSIUM BICARBONATE		259.06	82	87.04	A
		93.70	54	253,190.00	S
Total Pounds On This Chemical	352.76				
POTASSIUM HYDROXIDE		3.58	59	50.89	A
POTASSIUM PHOSPHITE		137.56	12	61.73	A
		68.60	17	303,559.24	S
Total Pounds On This Chemical	206.16				
POTASSIUM SILICATE		13.70	6	3.45	A
PRALLETHRIN		0.03	6	4,400.00	S
PRODIAMINE		45.26	63	87.06	A
		2.07	11	240,600.00	S
Total Pounds On This Chemical	47.33				
PROPAMOCARB HYDROCHLORIDE		8.85	7	6.50	A
		< 0.01	1	500.00	S
Total Pounds On This Chemical	8.86				
PROPICONAZOLE		14.58	73	141.78	A
		7.79	21	359,445.00	S
		1.79			
Total Pounds On This Chemical	24.16				
PROPIONIC ACID		365.28	315	630.36	A
		10.92	30	537,451.00	S
Total Pounds On This Chemical	376.20				
PROPYLENE GLYCOL		30.78	118	116.74	A
		23.98	230	10,255,723.00	S
Total Pounds On This Chemical	54.76				
PYMETROZINE		73.62	286	656.25	A
		38.22	115	4,900,439.00	S
		4.88	3	124,800.00	U
Total Pounds On This Chemical	116.71				
PYRACLOSTROBIN		59.31	157	251.98	A
		38.67	233	2,546,170.00	S
		0.95	1	16,000.00	U
Total Pounds On This Chemical	98.92				
PYRETHRINS		21.00	21	459.00	U
		17.27	113	331.73	A
		10.58	303	8,510,873.24	S
Total Pounds On This Chemical	48.85				

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS					
PYRIDABEN		190.05	292	729.56	A
		125.39	210	13,137,052.32	S
Total Pounds On This Chemical	315.44				
PYRIDALYL		40.74	106	130.21	A
		8.31	41	1,419,040.00	S
		3.85	4	51,206.00	U
Total Pounds On This Chemical	52.90				
PYRIPROXYFEN		28.52	147	9,372,093.00	S
		13.71	179	152.49	A
Total Pounds On This Chemical	42.23				
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS		75.36	506	13,406,806.00	S
		20.21	142	177.64	A
Total Pounds On This Chemical	95.57				
RESMETHRIN		0.06	1	38,360.00	S
RESMETHRIN, OTHER RELATED		< 0.01	1	38,360.00	S
REYNOUTRIA SACHALINENSIS		86.37	209	7,523,282.00	S
		2.09	5	7.23	A
Total Pounds On This Chemical	88.46				
ROTENONE		0.43	26	53.25	A
		< 0.01	2	3,600.00	S
Total Pounds On This Chemical	0.43				
ROTENONE, OTHER RELATED		0.43	26	53.25	A
		< 0.01	2	3,600.00	S
Total Pounds On This Chemical	0.43				
SILICONE DEFOAMER		3.02	1,319	3,193.16	A
		0.35	157	2,567,567.00	S
		0.04	3	124,800.00	U
		< 0.01	1	10.00	K
Total Pounds On This Chemical	3.40				
SIMAZINE		76.80	5	20.25	A
SODIUM CARBONATE PEROXYHYDRATE		2,602.06	10	40.51	A
		206.08	5	89,149.00	S
Total Pounds On This Chemical	2,808.14				
SODIUM DIISOCTYLSULFOSUCCINATE		0.22	13	390,000.00	S
SODIUM HYPOCHLORITE		11.01	1	10.00	A
SODIUM XYLENE SULFONATE		35.47	1,319	3,193.16	A
		4.13	157	2,567,567.00	S
		0.43	3	124,800.00	U
		< 0.01	1	10.00	K
Total Pounds On This Chemical	40.04				
SOYBEAN OIL		19.60	2	1.77	A
		18.95	4	320,000.00	S
Total Pounds On This Chemical	38.55				
SPINETORAM		6.36	37	14.83	A
SPINOSAD		98.68	548	618.80	A
		53.43	550	22,923,772.00	S
		0.19	5	71,200.00	U
Total Pounds On This Chemical	152.30				
SPIRODICLOFEN		13.72	21	48.99	A
		0.13			
Total Pounds On This Chemical	13.85				
SPIROMESIFEN		25.24	93	226.77	A
		15.59	91	4,070,095.14	S
Total Pounds On This Chemical	40.82				
SPIROTETRAMAT		19.91	158	291.18	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS					
		9.08	119	4,872,997.00	S
		3.22	11	211,200.00	U
		0.02	1	4,200.00	C
Total Pounds On This Chemical	32.23				
STARCH		< 0.01	30	2.23	A
STREPTOMYCES LYDICUS WYEC 108		< 0.01	14	82,280.31	S
		< 0.01	6	4.74	A
Total Pounds On This Chemical	< 0.01				
STREPTOMYCIN SULFATE		293.29	220	5,272,995.00	S
		43.12	70	91.39	A
Total Pounds On This Chemical	336.41				
STYRENE BUTADIENE COPOLYMER		36.78	123	118.99	A
		24.16	230	10,255,723.00	S
Total Pounds On This Chemical	60.94				
SULFUR		119.90	14	12.39	A
		3.10	6	72,800.00	S
Total Pounds On This Chemical	123.00				
TALL OIL		0.96	1	3.00	A
TALL OIL FATTY ACIDS		0.50	50	57.65	A
		0.19	25	37,781.39	S
Total Pounds On This Chemical	0.69				
TEBUCONAZOLE		2.53	3	16.00	A
		0.67	1	3,000.00	S
Total Pounds On This Chemical	3.20				
TERRAZOLE		84.40	62	128.84	A
		77.36	72	863,521.00	S
		1.38	2	45,600.00	U
Total Pounds On This Chemical	163.14				
TETRAMETHRIN		< 0.01	1	200.00	S
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)		135.85	1,319	3,199.16	A
		15.65	157	2,567,567.00	S
		1.62	3	124,800.00	U
		0.02	1	10.00	K
Total Pounds On This Chemical	153.15				
TETRAPOTASSIUM PYROPHOSPHATE		17.74	1,319	3,193.16	A
		2.07	157	2,567,567.00	S
		0.21	3	124,800.00	U
		< 0.01	1	10.00	K
Total Pounds On This Chemical	20.02				
THIAMETHOXAM		58.40	258	552.26	A
		12.88	147	2,710,214.54	S
		0.53	1	12,800.00	U
Total Pounds On This Chemical	71.81				
THIOPHANATE		0.31	2	2.00	A
THIOPHANATE-METHYL		5,745.09	786	2,207.59	A
		3,346.12	1,407	36,759,974.00	S
		288.31	177	3,544,950.00	U
		134.25			
Total Pounds On This Chemical	9,513.77				
TRIADIMEFON		24.49	23	53.25	A
		1.86	18	465,500.00	S
Total Pounds On This Chemical	26.35				
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2		3.08	307	1,958,754.00	S
		2.77	144	49.05	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS PLANTS IN CONTAINERS				
	0.60	33	1,464.00	C
	0.14	9	301,000.00	U
Total Pounds On This Chemical	6.59			
TRICLOPYR, BUTOXYETHYL ESTER	8.29	7	35,000.00	S
TRIETHANOLAMINE	45.23	1,319	3,193.16	A
	5.27	157	2,567,567.00	S
	0.54	3	124,800.00	U
	< 0.01	1	10.00	K
Total Pounds On This Chemical	51.04			
TRIFLOXYSTROBIN	7.15	64	2,109,519.00	S
	5.67	51	46.28	A
Total Pounds On This Chemical	12.82			
TRIFLUMIZOLE	32.75	113	3,208,990.00	S
	25.32	32	75.15	A
Total Pounds On This Chemical	58.07			
TRIFLURALIN	197.50	75	74.15	A
	1.00	1	21,150.00	S
Total Pounds On This Chemical	198.50			
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE)	10.92	46	57.65	A
	4.14	75	3,411,300.00	S
Total Pounds On This Chemical	15.06			
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	49.79	131	109.98	A
	21.70	164	7,251,923.00	S
Total Pounds On This Chemical	71.49			
UNICONIZOLE-P	0.47	272	1,546,116.00	S
	0.42	160	105.84	A
	0.08	10	66,496.00	U
Total Pounds On This Chemical	0.97			
VINCLOZOLIN	0.60	9	88,197.00	S
XYLENE RANGE AROMATIC SOLVENT	0.54	3	1.55	A
YUCCA SCHIDIGERA	0.32	1	0.67	A
ZIRAM	47.66	3	4.44	A
Site Total	54,861.37	55,216		
N-GRNHS TRANSPLANTS				
ABAMECTIN	2.11	282	7,143,245.47	S
	1.87	88	184.37	A
	< 0.01	1	25,000.00	?
Total Pounds On This Chemical	3.98			
ACEPHATE	174.26	120	264.17	A
	22.67	54	833,920.00	S
Total Pounds On This Chemical	196.94			
ACEQUINOCYL	3.65	18	29.15	A
ACETAMIPRID	9.41	69	74.15	A
	0.20	3	74,300.00	S
Total Pounds On This Chemical	9.61			
ACIBENZOLAR-S-METHYL	1.59	8	68.00	A
AGROBACTERIUM RADIOBACTER	2.25	3	0.80	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	32.07	12	64,500.00	S
	1.00	9	18.35	A
Total Pounds On This Chemical	33.07			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	34.90	16	227.14	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS				
Total Pounds On This Chemical	35.56	0.65	3	74,000.00 S
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE		34.90	16	227.14 A
		0.62	1	15,000.00 S
Total Pounds On This Chemical	35.52			
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.03	1	0.31 A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.42	10	2.60 A
AMMONIUM PROPIONATE		0.01	2	1.00 A
AMYL ACETATE		< 0.01	2	1.00 A
ANCYMIDOL		0.12	642	6,105,725.00 S
AZADIRACTIN		7.03	174	3,342,163.97 S
		5.34	269	263.48 A
Total Pounds On This Chemical	12.36			
AZOXYSTROBIN		42.39	144	1,035.89 A
		8.82	203	2,626,676.00 S
Total Pounds On This Chemical	51.21			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747		0.63	3	2.50 A
BACILLUS SUBTILIS GB03		< 0.01	2	15,245.00 S
BACILLUS SUBTILIS MBI600		0.11	2	1.50 A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN		11.71	122	97.34 A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857		81.03	110	156.17 A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14		2.07	3	3,500.00 S
		1.96	34	14.84 A
Total Pounds On This Chemical	4.03			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52		299.90	333	79.67 A
		3.37	5	24,000.00 S
Total Pounds On This Chemical	303.27			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		53.25	133	2,567,216.00 S
		22.12	30	39.17 A
Total Pounds On This Chemical	75.36			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1		1.65	2	8.00 A
		0.01	1	5,000.00 S
Total Pounds On This Chemical	1.66			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		15.98	48	903.98 A
		2.44	12	408,366.00 S
Total Pounds On This Chemical	18.41			
BACTERIOPHAGE ACTIVE AGAINST XANTHOMONAS CAMPESTRIS PV. VESICATORIA AND PSEUDOMONAS SYRINGAE PV. TOMATO		< 0.01	14	10.89 A
BEAUVERIA BASSIANA STRAIN GH4		13.05	72	42.68 A
		0.14	2	6,800.00 S
Total Pounds On This Chemical	13.20			
BENEFIN		0.83	3	3.00 A
N6-BENZYL ADENINE		0.11	18	91,350.00 S
BIFENAZATE		5.38	25	31.34 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS				
		2.87	47	1,397,890.00 S
Total Pounds On This Chemical	8.25			
BIFENTHRIN		3.08	36	67.32 A
		1.14	9	365,000.00 S
Total Pounds On This Chemical	4.23			
BOSCALID		62.82	252	219.82 A
		1.26	70	815,595.00 S
Total Pounds On This Chemical	64.08			
CAPTAN		10.68	19	5.78 A
		2.54	5	53,725.00 S
Total Pounds On This Chemical	13.22			
CAPTAN, OTHER RELATED		0.15	15	4.62 A
		0.06	5	53,725.00 S
Total Pounds On This Chemical	0.21			
CARBARYL		1.18	4	0.71 A
		0.09	1	10,745.00 S
Total Pounds On This Chemical	1.27			
CARFENTRAZONE-ETHYL		0.20		7.75 A
CHLORFENAPYR		1.03	39	1,323,266.00 S
		0.71	4	5.96 A
Total Pounds On This Chemical	1.74			
CHLORMEQUAT CHLORIDE		33.82	211	2,961,900.00 S
		5.38	21	12.56 A
Total Pounds On This Chemical	39.20			
CHLOROPHACINONE		< 0.01	9	160.41 A
CHLOROPICRIN		137.60	2	0.80 A
CHLOROTHALONIL		962.20	336	1,535.69 A
		279.08	263	8,676,019.00 S
Total Pounds On This Chemical	1,241.28			
CHLORPYRIFOS		10.83	6	4.72 A
		4.67	7	153,200.00 S
Total Pounds On This Chemical	15.50			
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1		0.12	1	5,616.00 S
CITRIC ACID		0.03	2	1.00 A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL		69.95	84	24.93 A
		44.10	7	222,264.00 S
Total Pounds On This Chemical	114.05			
CLOPYRALID, TRIETHYLAMINE SALT		7.54		24.00 A
CLOTHIANIDIN		0.51	4	7.30 A
COCONUT DIETHANOLAMIDE		4.72	41	425.00 A
		0.15	13	148,200.00 S
Total Pounds On This Chemical	4.87			
COPPER HYDROXIDE		1,422.62	538	1,025.68 A
		675.48	295	12,177,873.00 S
		< 0.01	1	100.00 U
Total Pounds On This Chemical	2,098.11			
COPPER OCTANOATE		43.19	90	58.27 A
		8.14	87	1,267,500.00 S
Total Pounds On This Chemical	51.33			
COPPER OXIDE (OUS)		351.49	35	874.12 A
COPPER OXYCHLORIDE		15.97	34	35.43 A
		0.16	4	37,955.00 S
Total Pounds On This Chemical	16.13			
COPPER SALTS OF FATTY AND ROSIN ACIDS		7.51	8	7.72 A
		4.47	57	203,450.00 S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS					
Total Pounds On This Chemical	11.98				
COPPER SULFATE (BASIC)		1.60	2	4.81	A
COPPER SULFATE (PENTAHYDRATE)		16.66	19	57.23	A
		9.13	40	400,499.98	S
Total Pounds On This Chemical	25.79				
CYAZOFAMID		0.06	2	1.00	A
CYFLUTHRIN		0.80	30	78.00	A
		0.40	6	468,200.00	S
Total Pounds On This Chemical	1.20				
BETA-CYFLUTHRIN		0.02	4	16,600.00	S
CYMOXANIL		9.03	61	68.47	A
(S)-CYPERMETHRIN		0.48	13	15.55	A
CYPRODINIL		4.10	23	16.21	A
		3.46	29	581,674.00	S
Total Pounds On This Chemical	7.56				
CYROMAZINE		1.06	83	519,900.00	S
		0.92	18	4.65	A
Total Pounds On This Chemical	1.98				
2,4-D, BUTOXYETHANOL ESTER		5.81		1.33	A
2,4-D, DIMETHYLAMINE SALT		8.01		6.25	A
2,4-D, 2-ETHYLHEXYL ESTER		9.35		7.75	A
DAMINOZIDE		243.34	557	8,093,155.00	S
		11.65	19	11.67	A
Total Pounds On This Chemical	254.99				
DIATOMACEOUS EARTH		18.04	24	6.11	A
DIAZINON		3.76	4	6.40	A
		0.81	4	168,300.00	S
Total Pounds On This Chemical	4.57				
DICAMBA		0.56		7.75	A
DICAMBA, DIMETHYLAMINE SALT		0.85		6.25	A
DICLORAN		2.73	1	1.25	A
DIDECYL DIMETHYL AMMONIUM CHLORIDE		17.70	17	94,500.00	S
		6.41	28	25.23	A
Total Pounds On This Chemical	24.10				
DIENOCHLOR		14.20	13	21.16	A
DIETHYLENE GLYCOL		0.03	6	1.50	A
DIFENOCONAZOLE		0.02	2	2,640.00	S
DIFETHIALONE		< 0.01	8	92,000.00	S
DIFLUBENZURON		0.29	6	2.25	A
		0.03	1	44,000.00	S
Total Pounds On This Chemical	0.32				
DIMETHOATE		7.28	6	10.25	A
		0.12	2	14,500.00	S
Total Pounds On This Chemical	7.41				
DIMETHOMORPH		8.78	37	59.03	A
		3.30	81	2,269,700.00	S
Total Pounds On This Chemical	12.08				
DIMETHYLPOLYSILOXANE		37.13	106	140.78	A
		0.03	17	952,890.00	S
Total Pounds On This Chemical	37.16				
DINOTEFURAN		17.23	62	30.12	A
		7.37	111	2,369,750.00	S
Total Pounds On This Chemical	24.60				
DIOCTYL DIMETHYL AMMONIUM CHLORIDE		12.03	12	64,500.00	S
		0.21	1	0.25	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS					
Total Pounds On This Chemical	12.24				
DIPHACINONE		< 0.01	3	3.09	A
DIQUAT DIBROMIDE		50.01	20	22.55	A
		6.06	40	180,750.00	S
Total Pounds On This Chemical	56.06				
DIURON		8.00	2	150.00	A
DODECYLBENZENE SULFONIC ACID		20.47	41	425.00	A
		0.64	13	148,200.00	S
Total Pounds On This Chemical	21.11				
EDTA, TETRASODIUM SALT		1.26	41	425.00	A
		0.07	15	207,200.00	S
Total Pounds On This Chemical	1.33				
ESFENVALERATE		1.03	37	38.82	A
ETHEPHON		10.66	5	6.96	A
		1.87	43	127,700.00	S
Total Pounds On This Chemical	12.53				
ETHYLENE GLYCOL		0.22	28	6.85	A
ETOXAZOLE		0.95	15	19.58	A
		0.53	6	429,000.00	S
Total Pounds On This Chemical	1.48				
FAMOXADONE		9.03	61	68.47	A
FATTY ACIDS, MIXED		0.54	67	79.78	A
FATTY ACIDS DERIVED FROM TALLOW		0.17	10	2.60	A
FENAMIDONE		1.80	18	214,200.00	S
		1.12	2	3.32	A
Total Pounds On This Chemical	2.91				
FENHEXAMID		115.20	72	599.14	A
		25.16	70	1,369,235.00	S
Total Pounds On This Chemical	140.36				
FENPROPATHRIN		1.20	2	4.62	A
FENPYROXIMATE		2.87	49	1,699,700.00	S
		0.88	6	10.25	A
Total Pounds On This Chemical	3.75				
FLONICAMID		0.98	17	17.08	A
FLUDIOXONIL		15.73	56	29.37	A
		10.85	142	1,635,318.40	S
Total Pounds On This Chemical	26.58				
FLUMIOXAZIN		< 0.01	1	3.00	A
FLUOPICOLIDE		1.36	5	6.24	A
		0.03	12	111,000.00	S
Total Pounds On This Chemical	1.39				
FLUOPYRAM		0.03	1	12,000.00	S
FLURPRIMIDOL		0.03	6	2.54	A
		< 0.01	5	17,200.00	S
Total Pounds On This Chemical	0.04				
TAU-FLUVALINATE		20.37	203	5,855,900.00	S
		8.75	51	49.37	A
Total Pounds On This Chemical	29.12				
FOSETYL-AL		306.64	89	985.26	A
		49.53	103	2,620,991.96	S
Total Pounds On This Chemical	356.17				
GIBBERELLINS		< 0.01	12	76,950.00	S
GLIOCLADIUM VIRENS GL-21 (SPORES)		0.72	3	3.25	A
GLYPHOSATE, ISOPROPYLAMINE SALT		229.53	30	497.10	A
		24.50	42	505,143.97	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS					
Total Pounds On This Chemical	254.03				
GLYPHOSATE, POTASSIUM SALT		4.65	3	4.50	A
HALOSULFURON-METHYL		< 0.01	1	8,000.00	S
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED		0.24	2	22,000.00	S
		0.04	4	1.17	A
Total Pounds On This Chemical	0.27				
HEXYTHIAZOX		1.77	17	698,990.00	S
		1.16	17	24.61	A
Total Pounds On This Chemical	2.93				
HYDROGEN PEROXIDE		381.64	177	3,691,575.00	S
		297.81	213	105.05	A
Total Pounds On This Chemical	679.44				
IBA		1.58	121	4,170,000.10	S
		0.09	65	6.41	A
		0.02	25	147,688.00	U
Total Pounds On This Chemical	1.69				
IMIDACLOPRID		118.97	84	1,058.75	A
		16.79	179	1,371,333.01	S
Total Pounds On This Chemical	135.76				
IPRODIONE		78.43	194	4,099,899.96	S
		26.66	83	57.98	A
		9.99	1	1,000.00	U
Total Pounds On This Chemical	115.08				
IRON PHOSPHATE		4.11	20	33.53	A
		0.62	9	62,500.00	S
Total Pounds On This Chemical	4.73				
ISOPROPYL ALCOHOL		31.41	446	698.40	A
		0.19	13	148,200.00	S
Total Pounds On This Chemical	31.61				
ISOXABEN		2.13	4	3.50	A
KAOLIN		57.39	4	2.11	A
(S)-KINOPRENE		6.18	17	12.85	A
LAMBDA-CYHALOTHRIN		0.31	2	120,000.00	S
LECITHIN		11.27	63	79.28	A
MALATHION		210.75	69	53.63	A
		0.25	1	4,400.00	S
Total Pounds On This Chemical	211.00				
MANCOZEB		516.41	203	1,219.17	A
		26.52	22	849,567.00	S
Total Pounds On This Chemical	542.93				
MANEB		194.04	216	179.40	A
		20.11	24	1,207,383.00	S
Total Pounds On This Chemical	214.15				
MARGOSA OIL		28.23	35	718,800.00	S
MCPP-P, DIMETHYLAMINE SALT		2.14		6.25	A
MECOPROP-P		1.93		7.75	A
MEFENOXAM		31.94	140	1,236.76	A
		11.38	411	2,461,578.40	S
		0.20	6	7,700.00	U
Total Pounds On This Chemical	43.52				
MEFENOXAM, OTHER RELATED		0.21	327	1,561,783.00	S
		0.20	27	24.51	A
		< 0.01	6	7,700.00	U
Total Pounds On This Chemical	0.41				

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS				
METALAXYL	1.44	2	8.00	A
METALDEHYDE	75.68	81	2,405,800.00	S
	5.64	12	15.30	A
Total Pounds On This Chemical	81.32			
METHIOCARB	1.34	13	715,000.00	S
METHYLATED SOYBEAN OIL	0.07	2	1.00	A
METHYL BROMIDE	184.11	2	0.80	A
MINERAL OIL	77.10	16	13.30	A
	25.53	8	56,276.00	S
Total Pounds On This Chemical	102.64			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	3.12	37	17.17	A
MYCLOBUTANIL	1.58	13	14.22	A
	1.49	19	440,625.00	S
Total Pounds On This Chemical	3.07			
NAA	0.34	83	3,458,000.00	S
	< 0.01	3	112,000.00	U
Total Pounds On This Chemical	0.35			
NONANOIC ACID	85.25		3.00	A
NONANOIC ACID, OTHER RELATED	4.49		3.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	81.10	483	370.78	A
	0.55		3,100.00	S
Total Pounds On This Chemical	81.66			
NOVALURON	0.55	16	10.39	A
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	24.05	12	64,500.00	S
	0.43	1	0.25	A
Total Pounds On This Chemical	24.48			
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.46	7	30,000.00	S
OIL OF JOJOBA	1.52	3	3.00	A
ORYZALIN	36.69	16	17.22	A
	3.01	6	30,600.00	S
Total Pounds On This Chemical	39.70			
PACLOBUTRAZOL	2.55	642	4,794,770.00	S
	0.16	68	293.45	A
Total Pounds On This Chemical	2.71			
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	0.28	2	22,000.00	S
PENDIMETHALIN	0.47	1	4.00	A
PENOXSULAM	1.84	1	6.00	A
PERMETHRIN	32.66	219	304.97	A
	13.15	60	1,844,000.00	S
Total Pounds On This Chemical	45.81			
PEROXYACETIC ACID	0.67	2	4.15	A
PETROLEUM DISTILLATES	2.22		3,100.00	S
PETROLEUM DISTILLATES, REFINED	66.01	15	12.19	A
	0.05	1	500.00	S
Total Pounds On This Chemical	66.06			
PETROLEUM OIL, UNCLASSIFIED	100.30	57	1,196,500.00	S
PHOSPHORIC ACID	4.03	41	425.00	A
	0.38	20	178,200.00	S
Total Pounds On This Chemical	4.41			
BETA-PINENE POLYMER	5.14	1	15.00	A
PIPERALIN	17.10	17	22.99	A
	7.05	17	249,500.00	S
Total Pounds On This Chemical	24.15			
PIPERONYL BUTOXIDE	25.20	153	145.67	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS				
Total Pounds On This Chemical	25.48	0.28	1	11,800.00 S
PIPERONYL BUTOXIDE, OTHER RELATED		6.30	153	145.67 A
		0.03	1	7,000.00 S
Total Pounds On This Chemical	6.33			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE		0.03	1	1.00 A
POLYETHER MODIFIED POLYSILOXANE		2.73	6	7.00 A
		0.16	2	2,000.00 S
Total Pounds On This Chemical	2.90			
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER		0.96	17	952,890.00 S
POLY-I-PARA-MENTHENE		26.29	56	56.97 A
		< 0.01	1	24,000.00 S
Total Pounds On This Chemical	26.30			
POLYOXIN D, ZINC SALT		0.04	1	1.00 A
		0.03	1	32,400.00 S
Total Pounds On This Chemical	0.07			
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER		0.95	2	22,000.00 S
		0.06	2	0.17 A
Total Pounds On This Chemical	1.01			
POTASH SOAP		210.79	39	30.20 A
		98.40	15	289,630.00 S
Total Pounds On This Chemical	309.19			
POTASSIUM BICARBONATE		22.53	24	11.60 A
		9.37	24	200,000.00 S
Total Pounds On This Chemical	31.89			
POTASSIUM N-METHYLDITHIOCARBAMATE		384.56	1	1.60 A
POTASSIUM PHOSPHITE		49.24	16	80.00 A
PRODIAMINE		0.65	1	2.00 A
PROMETRYN		1.47	1	70,000.00 S
PROPAMOCARB HYDROCHLORIDE		237.63	118	246.73 A
		36.29	42	2,161,372.00 S
Total Pounds On This Chemical	273.92			
PROPICONAZOLE		4.48	63	119.12 A
		0.45	10	125,302.30 S
Total Pounds On This Chemical	4.92			
PROPIONIC ACID		11.17	63	79.28 A
PROPYLENE GLYCOL		2.11	17	952,890.00 S
		0.03	2	1.00 A
Total Pounds On This Chemical	2.14			
PYMETROZINE		7.07	14	24.75 A
		6.54	86	2,009,500.00 S
Total Pounds On This Chemical	13.61			
PYRACLOSTROBIN		8.17	236	33.42 A
		2.33	71	826,340.00 S
Total Pounds On This Chemical	10.50			
PYRETHRINS		4.71	275	204.73 A
		1.46	143	2,495,399.96 S
Total Pounds On This Chemical	6.16			
PYRIDABEN		0.47	6	80,000.00 S
		0.44	2	2.00 A
Total Pounds On This Chemical	0.90			
PYRIDALYL		5.78	10	160,000.00 S
		0.50	3	1.57 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS				
Total Pounds On This Chemical	6.28			
PYRIPROXYFEN	0.69	17	159,000.00	S
	0.53	15	10.97	A
Total Pounds On This Chemical	1.22			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	30.43	291	4,884,202.99	S
	29.40	357	153.24	A
Total Pounds On This Chemical	59.82			
QUINOXYFEN	0.02	1	10,745.00	S
REYNOUTRIA SACHALINENSIS	5.61	66	43.28	A
	3.59	67	1,205,653.00	S
Total Pounds On This Chemical	9.21			
ROTENONE	0.02	4	3.25	A
ROTENONE, OTHER RELATED	0.02	4	3.25	A
SILICONE DEFOAMER	0.54	41	425.00	A
	0.02	13	148,200.00	S
Total Pounds On This Chemical	0.55			
SODIUM CARBONATE	0.65	2	2.33	A
SODIUM CARBONATE PEROXYHYDRATE	22.95	1	2.42	A
SODIUM XYLENE SULFONATE	6.30	41	425.00	A
	0.20	13	148,200.00	S
Total Pounds On This Chemical	6.50			
SPINETORAM	2.24	7	77.00	A
	0.02	1	12,000.00	S
Total Pounds On This Chemical	2.25			
SPINOSAD	22.79	134	405.45	A
	16.18	196	4,253,060.00	S
	0.05	1	5,000.00	?
Total Pounds On This Chemical	39.02			
SPIROMESIFEN	3.53	33	1,562,980.00	S
	0.36	3	3.50	A
Total Pounds On This Chemical	3.90			
SPIROTETRAMAT	1.71	32	39.89	A
	0.16	10	163,250.00	S
Total Pounds On This Chemical	1.87			
STARCH	< 0.01	17	952,890.00	S
STREPTOMYCES GRISEOVIRIDIS STRAIN K61	< 0.01	17	21,764.00	S
STREPTOMYCES LYDICUS WYEC 108	< 0.01	26	25.82	A
STREPTOMYCIN SULFATE	122.22	112	1,056.16	A
	9.42	32	1,869,763.00	S
Total Pounds On This Chemical	131.64			
STYRENE BUTADIENE COPOLYMER	2.86	17	952,890.00	S
SULFUR	85.28	28	831,457.00	S
	8.00	2	2.00	A
Total Pounds On This Chemical	93.28			
TALL OIL FATTY ACIDS	1.47	1	15.00	A
TEBUCONAZOLE	0.03	1	12,000.00	S
TEBUFENOZIDE	0.70	5	5.00	A
TERRAZOLE	8.17	11	6.92	A
	1.86	8	40,500.00	S
Total Pounds On This Chemical	10.03			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	23.62	41	425.00	A
	0.75	13	148,200.00	S
Total Pounds On This Chemical	24.37			
TETRAPOTASSIUM PYROPHOSPHATE	3.15	41	425.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-GRNHS TRANSPLANTS				
		0.10	13	148,200.00 S
Total Pounds On This Chemical	3.25			
THIAMETHOXAM		0.70	6	75,000.00 S
		0.27	3	5.02 A
Total Pounds On This Chemical	0.97			
THIOPHANATE-METHYL		340.12	381	2,955,723.00 S
		253.95	132	405.90 A
		5.25	6	7,700.00 U
Total Pounds On This Chemical	599.32			
TRIADIMEFON		0.14	3	1.77 A
		0.07	14	242,000.00 S
Total Pounds On This Chemical	0.21			
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2		3.65	228	2,500,490.00 S
		2.97	249	39.55 A
Total Pounds On This Chemical	6.63			
TRICLOPYR, BUTOXYETHYL ESTER		2.79		1.33 A
TRICLOPYR, TRIETHYLAMINE SALT		20.57		24.00 A
TRIETHANOLAMINE		8.03	41	425.00 A
		0.25	13	148,200.00 S
Total Pounds On This Chemical	8.28			
TRIFLOXYSTROBIN		0.31	5	0.60 A
		0.01	3	42,000.00 S
Total Pounds On This Chemical	0.33			
TRIFLUMIZOLE		28.62	5	2.32 A
		0.72	5	88,700.00 S
Total Pounds On This Chemical	29.34			
TRIFLURALIN		1.00	1	1.00 A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE)		1.18	17	952,890.00 S
TRINEXAPAC-ETHYL		1.32		6.00 A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)		0.15	8	2.50 A
UNICONIZOLE-P		0.17	49	374.21 A
		0.14	115	1,457,469.00 S
Total Pounds On This Chemical	0.31			
VINCLOZOLIN		0.05	1	0.12 A
YUCCA SCHIDIGERA		17.16	38	36.85 A
ZINC PHOSPHIDE		0.12	1	1.00 A
Site Total	11,735.61	15,976		
N-OUTDR FLOWER				
ABAMECTIN		18.08	431	1,807.07 A
		0.54	88	1,714,444.00 S
Total Pounds On This Chemical	18.62			
ACEPHATE		3,985.62	1,317	6,923.95 A
		5.28	10	245,800.00 S
Total Pounds On This Chemical	3,990.90			
ACEQUINOCYL		5.79	14	29.55 A
		2.39	29	733,524.00 S
Total Pounds On This Chemical	8.18			
ACETAMIPRID		44.70	90	309.75 A
		2.22	13	322,838.00 S
Total Pounds On This Chemical	46.92			
ACIBENZOLAR-S-METHYL		0.02	1	0.10 A
ACRYLIC ACID		4.09	5	32.00 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.08	1	5.00	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.59	2	2.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.59	2	2.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	122.04	121	1,213.10	A
ALPHA-PINENE BETA-PINENE COPOLYMER	91.25	165	1,340.25	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.86	7	155.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	4.18	74	737.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	6.92	96	837.19	A
ALUMINUM PHOSPHIDE	0.53	2	3.00	A
AMMONIUM PROPIONATE	255.83	127	994.40	A
AMMONIUM SULFATE	77.37	151	1,203.40	A
ANCYMIDOL	< 0.01	3	18,588.00	S
AZADIRACTIN	14.66	172	562.43	A
	0.48	18	481,650.00	S
Total Pounds On This Chemical	15.14			
AZOXYSTROBIN	343.31	643	3,479.69	A
	6.44	69	1,064,645.00	S
Total Pounds On This Chemical	349.75			
BACILLUS PUMILUS, STRAIN QST 2808	0.15	2	5.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	33.35	76	381.28	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	35.36	42	391.95	A
	0.68	1	36,000.00	S
Total Pounds On This Chemical	36.03			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.58	6	9.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	296.20	126	472.12	A
	2.62	11	147,400.00	S
Total Pounds On This Chemical	298.82			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	1.77	15	33.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	61.51	70	550.20	A
	7.65	3	135,000.00	S
Total Pounds On This Chemical	69.16			
BEAUVERIA BASSIANA STRAIN GH	11.07	10	18.75	A
BENSULIDE	7.93	1	2.00	A
N6-BENZYL ADENINE	0.03	8	88,668.00	S
BIFENAZATE	52.55	99	228.16	A
	3.35	48	1,032,312.00	S
Total Pounds On This Chemical	55.91			
BIFENTHRIN	69.08	166	367.68	A
	6.60		19.80	K
	2.53	28	910,560.00	S
Total Pounds On This Chemical	78.21			
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	17.92	196	1,470.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
BOSCALID	244.33	392	2,268.53	A
	1.18	21	497,512.00	S
Total Pounds On This Chemical	245.51			
BROMADIOLONE	< 0.01	10	55.25	A
BUPROFEZIN	2.67	3	6.75	A
BUTYL ALCOHOL	0.01	1	10,000.00	S
CAPTAN	81.34	15	44.50	A
CAPTAN, OTHER RELATED	1.66	15	44.50	A
CARBARYL	82.09	15	101.39	A
	0.16	2	565.00	U
	0.15	1	2,000.00	S
Total Pounds On This Chemical	82.41			
CARFENTRAZONE-ETHYL	1.41	15	119.95	A
CHLORANTRANILIPROLE	0.36	1	5.50	A
CHLORFENAPYR	11.77	30	81.89	A
	4.10	43	948,682.00	S
Total Pounds On This Chemical	15.87			
CHLORMEQUAT CHLORIDE	3.61	31	224,024.00	S
CHLOROPHACINONE	< 0.01	3	18.00	A
CHLOROPICRIN	56,487.54	103	473.96	A
CHLOROTHALONIL	15,738.65	1,842	16,496.10	A
	38.07	58	1,073,530.00	S
Total Pounds On This Chemical	15,776.71			
CHLORPYRIFOS	792.39	197	1,684.88	A
	3.59	7	151,230.00	S
Total Pounds On This Chemical	795.97			
CHLORTHAL-DIMETHYL	2,639.01	105	451.55	A
CITRIC ACID	128.55	150	1,196.40	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	22.23	13	6.79	A
CLETHODIM	8.98	2	35.50	A
CLOPYRALID, MONOETHANOLAMINE SALT	3.22	4	27.00	A
COCONUT DIETHANOLAMIDE	29.22	370	1,722.09	A
	0.44	28	1,070,000.00	S
Total Pounds On This Chemical	29.67			
COPPER HYDROXIDE	774.48	112	928.92	A
	1.34	2	91,500.00	S
Total Pounds On This Chemical	775.82			
COPPER OCTANOATE	0.44	2	37,176.00	S
COPPER OXYCHLORIDE	4.50	3	9.00	A
COPPER SALTS OF FATTY AND ROSIN ACIDS	8.49	5	5.49	A
	0.74	1	22,500.00	S
Total Pounds On This Chemical	9.24			
COPPER SULFATE (BASIC)	1.11	2	1.00	A
	< 0.01	1	18,620.00	S
Total Pounds On This Chemical	1.11			
COPPER SULFATE (PENTAHYDRATE)	13.63	18	42.80	A
	1.36	1	97,500.00	S
Total Pounds On This Chemical	14.99			
CYAZOFAMID	7.48	77	742.15	A
	0.15	9	118,580.00	S
Total Pounds On This Chemical	7.63			
CYFLUTHRIN	8.22	88	257.79	A
	0.27	20	359,960.00	S
	< 0.01	2	89.00	U
Total Pounds On This Chemical	8.50			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
CYPRODINIL	86.23	157	677.36	A
	0.44	8	147,750.00	S
Total Pounds On This Chemical	86.67			
CYROMAZINE	51.40	94	229.10	A
	7.62	53	1,461,480.00	S
	4.04		24.00	U
Total Pounds On This Chemical	63.06			
2,4-D, 2-ETHYLHEXYL ESTER	29.04	13	115.95	A
2,4-D, ISOOCTYL ESTER	4.65	4	2.55	A
DAMINOZIDE	21.98	76	424,756.00	S
	1.91	2	1.10	A
Total Pounds On This Chemical	23.89			
DAZOMET	95.04	4	21,000.00	S
DIAZINON	35.99	24	35.04	A
	0.89	5	55,200.00	S
Total Pounds On This Chemical	36.88			
DICAMBA	1.83	13	115.95	A
1,3-DICHLOROPROPENE	29,989.87	39	238.26	A
DIDECYL DIMETHYL AMMONIUM CHLORIDE	0.12	1	5.00	A
DIETHYLENE GLYCOL	35.28	151	785.35	A
DIFLUBENZURON	2.45	7	69.00	A
DIMETHENAMID-P	1.13	1	1.00	A
DIMETHOATE	17.90	25	37.50	A
DIMETHOMORPH	356.33	197	1,690.56	A
	1.42	2	97,500.00	S
Total Pounds On This Chemical	357.75			
DIMETHYLPOLYSILOXANE	266.31	1,546	10,973.45	A
	2.65	6	260,000.00	S
Total Pounds On This Chemical	268.96			
DINOTEFURAN	77.93	195	803.97	A
	3.49	17	461,484.00	S
Total Pounds On This Chemical	81.42			
DIPHACINONE	0.02	7	19.35	A
	< 0.01	2	22,500.00	S
Total Pounds On This Chemical	0.02			
DIPROPYLENE GLYCOL METHYL ETHER	5.32	31	165.70	A
DIQUAT DIBROMIDE	1,289.79	288	1,200.28	A
	32.74	33	648,100.00	S
Total Pounds On This Chemical	1,322.53			
DITHIOPYR	0.13		300.00	S
DIURON	66.46	53	111.75	A
DODECYLBENZENE SULFONIC ACID	44.39	296	985.09	A
	1.93	28	1,070,000.00	S
Total Pounds On This Chemical	46.32			
EDTA, TETRASODIUM SALT	2.73	296	985.09	A
	0.12	28	1,070,000.00	S
Total Pounds On This Chemical	2.85			
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	0.26	1	2.00	A
	0.17	1	13,000.00	S
Total Pounds On This Chemical	0.43			
EMULSIFIABLE METHYLATED VEGETABLE OIL	5.53	1	30.00	A
ESFENVALERATE	0.40	3	13.00	A
ETHEPHON	67.48	79	102.02	A
	2.77	83	1,178,480.00	S
Total Pounds On This Chemical	70.25			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
ETHOFUMESATE	153.44	16	153.73	A
ETHYLENE GLYCOL	53.70	238	570.77	A
ETOXAZOLE	2.31	24	63.25	A
	0.50	17	393,800.00	S
Total Pounds On This Chemical	2.80			
FATTY ACIDS, METHYL ESTERS	8.09	6	30.15	A
FATTY ACIDS, MIXED	52.77	950	4,114.29	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	44.35	25	100.50	A
FATTY ACIDS DERIVED FROM TALLOW	5.54	7	155.00	A
FENAMIDONE	20.07	28	60.75	A
	0.93	1	60,000.00	S
Total Pounds On This Chemical	21.00			
FENARIMOL	16.55	97	459.75	A
FENBUTATIN-OXIDE	126.81	36	119.30	A
FENHEXAMID	339.41	166	623.17	A
	3.91	19	323,254.00	S
Total Pounds On This Chemical	343.31			
FENPROPATHRIN	1.04	6	4.10	A
	0.09	13	2,900.00	S
Total Pounds On This Chemical	1.13			
FENPYROXIMATE	2.10	14	35.00	A
	0.03	1	16,632.00	S
Total Pounds On This Chemical	2.13			
FERRIC SODIUM EDTA	62.75	13	62.94	A
FIPRONIL	< 0.01	1	9.00	S
FLONICAMID	20.08	32	108.75	A
	5.49	24	568,140.00	S
Total Pounds On This Chemical	25.57			
FLUAZIFOP-P-BUTYL	8.49	11	27.55	A
FLUDIOXONIL	217.74	557	1,884.84	A
	2.58	38	551,318.00	S
Total Pounds On This Chemical	220.32			
FLUMIOXAZIN	48.58	94	190.00	A
FLUOPICOLIDE	56.79	82	466.50	A
TAU-FLUVALINATE	110.01	214	710.98	A
	2.24	10	241,350.00	S
Total Pounds On This Chemical	112.25			
FOSETYL-AL	2,905.91	338	2,650.45	A
	3.00	6	75,000.00	S
Total Pounds On This Chemical	2,908.91			
GAMMA-CYHALOTHRIN	< 0.01	3	1.50	A
GIBBERELLINS	29.72	34	83.20	A
	0.01	8	81,304.00	S
Total Pounds On This Chemical	29.74			
GLIOCLADIUM VIRENS GL-21 (SPORES)	86.46	9	72.05	A
GLYPHOSATE	28.09	8	27.00	A
GLYPHOSATE, DIAMMONIUM SALT	0.75	1	4.00	A
GLYPHOSATE, DIMETHYLAMINE SALT	152.30	25	57.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	6,189.52	717	2,516.16	A
	44.54	25	826,000.00	S
Total Pounds On This Chemical	6,234.06			
GLYPHOSATE, POTASSIUM SALT	247.84	23	107.05	A
	1.90	1	8,800.00	S
Total Pounds On This Chemical	249.74			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER					
HALOSULFURON-METHYL		2.69	13	46.75	A
HEXAZINONE		5.09	1	8.00	A
HEXYTHIAZOX		15.64	43	136.75	A
		1.79	56	1,021,544.00	S
Total Pounds On This Chemical	17.44				
HYDROGEN PEROXIDE		51.94	11	35.09	A
		0.77	1	80,000.00	S
Total Pounds On This Chemical	52.72				
HYDROTREATED PARAFFINIC SOLVENT		34.76	1	29.50	A
2-HYDROXYETHYL OCTYL SULFIDE		5.02	2	24.00	A
HYDROXYETHYL OCTYL SULFIDE, OTHER RELATED		0.26	2	24.00	A
IBA		< 0.01	2	4.00	A
IMIDACLOPRID		84.40	260	1,515.96	A
		5.68	31	280,918.00	S
		0.23	4	654.00	U
Total Pounds On This Chemical	90.31				
IPRODIONE		1,857.35	591	2,954.11	A
		37.29	33	1,522,000.00	S
Total Pounds On This Chemical	1,894.64				
IRON PHOSPHATE		21.10	12	107.57	A
		0.01	3	1,960.00	S
Total Pounds On This Chemical	21.11				
ISOPROPYL ALCOHOL		70.46	674	2,253.51	A
		0.59	28	1,070,000.00	S
Total Pounds On This Chemical	71.05				
ISOXABEN		200.38	111	249.37	A
(S)-KINOPRENE		10.17	5	13.10	A
		5.90	18	449,640.00	S
Total Pounds On This Chemical	16.07				
KRESOXIM-METHYL		49.69	70	570.50	A
LAMBDA-CYHALOTHRIN		7.25	39	204.85	A
		0.10	1	50,000.00	S
Total Pounds On This Chemical	7.36				
LAURIC ACID		3.80	74	737.00	A
LECITHIN		2,551.44	2,192	11,591.63	A
LINURON		403.69	56	424.50	A
MALATHION		1,835.65	236	1,793.13	A
		1.10	23	36,600.00	S
Total Pounds On This Chemical	1,836.75				
MANCOZEB		17,213.53	1,929	13,436.61	A
		13.63	8	247,670.00	S
Total Pounds On This Chemical	17,227.16				
MECOPROP-P		7.03	13	115.95	A
MEFENOXAM		41.82	333	594.56	A
		1.35	38	1,364,467.00	S
Total Pounds On This Chemical	43.17				
MEFENOXAM, OTHER RELATED		1.07	153	288.38	A
		0.04	38	1,364,467.00	S
Total Pounds On This Chemical	1.11				
METALAXYL		4.40	28	466,800.00	S
		0.06	1	0.40	A
Total Pounds On This Chemical	4.46				
METALDEHYDE		311.44	96	341.36	A
		30.06	121	729,500.00	S
Total Pounds On This Chemical	341.50				

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
METAM-SODIUM	41,844.48	37	311.20	A
METARHIZIUM ANISOPLIAE STRAIN F52	23.79	15	21.75	A
METHIOCARB	296.91	86	243.60	A
	1.31	5	53,200.00	S
Total Pounds On This Chemical	298.22			
METHOXYFENOZIDE	32.14	31	109.76	A
METHYLATED SOYBEAN OIL	38.51	11	219.50	A
METHYL BROMIDE	43,782.47	56	201.00	A
	743.33	12	128,980.00	S
	117.60	1	5.40	K
	2.00		1.00	U
Total Pounds On This Chemical	44,645.40			
METHYL SILICONE RESINS	5.16	10	69.35	A
S-METOLACHLOR	1,386.66	151	965.83	A
	0.18	1	15,900.00	S
Total Pounds On This Chemical	1,386.84			
MILBEMECTIN	0.23	7	8.70	A
MINERAL OIL	1,473.53	239	1,583.20	A
	220.82	25	621,690.00	S
Total Pounds On This Chemical	1,694.35			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	0.88	3	2.50	A
MSMA	17.15		5.00	A
MYCLOBUTANIL	321.10	598	2,338.55	A
	0.18	13	131,262.00	S
Total Pounds On This Chemical	321.28			
NALED	256.41	18	180.46	A
NAPROPAMIDE	56.81	7	11.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	17.79	31	130.65	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,074.80	2,626	13,156.81	A
	0.10	1	10,000.00	S
Total Pounds On This Chemical	1,074.90			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	81.49	133	1,055.90	A
NOVALURON	20.29	67	405.22	A
	0.17	8	109,908.00	S
Total Pounds On This Chemical	20.46			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	1.32	2	24.00	A
ORYZALIN	130.97	45	90.81	A
	< 0.01	1	11,088.00	S
Total Pounds On This Chemical	130.97			
OXADIAZON	985.92	115	206.75	A
OXYFLUORFEN	204.30	145	328.23	A
PACLOBUTRAZOL	0.78	86	552,903.00	S
	0.39	5	8.46	A
Total Pounds On This Chemical	1.17			
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	0.95	6	103,368.00	S
PAECILOMYCES LILACINUS STRAIN 251	1.50	1	6.25	A
PARAQUAT DICHLORIDE	102.94	15	79.80	A
PCNB	109.76	22	24.93	A
PENDIMETHALIN	258.46	14	63.50	A
PERMETHRIN	1,318.61	1,121	7,546.31	A
	10.94	36	1,219,980.00	S
Total Pounds On This Chemical	1,329.55			
PETROLEUM DISTILLATES	504.37	2	24.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
PETROLEUM OIL, UNCLASSIFIED	223.38	13	35.33	A
PHOSPHORIC ACID	13.03	325	1,249.09	A
	0.38	28	1,070,000.00	S
Total Pounds On This Chemical	13.41			
PIPERALIN	74.14	57	138.67	A
	0.50	1	15,000.00	S
Total Pounds On This Chemical	74.63			
PIPERONYL BUTOXIDE	660.32	321	6,591.47	A
	0.14	2	19,200.00	S
Total Pounds On This Chemical	660.46			
PIPERONYL BUTOXIDE, OTHER RELATED	164.88	319	6,567.47	A
	0.03	2	19,200.00	S
Total Pounds On This Chemical	164.92			
POLYACRYLIC POLYMER	0.32	23	202.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	2.07	12	224.50	A
POLYBUTENES	7.92	25	100.50	A
POLYETHER MODIFIED POLYSILOXANE	1.67	4	31.75	A
	0.10	1	15,900.00	S
Total Pounds On This Chemical	1.76			
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	630.57	1,272	9,480.48	A
POLY-I-PARA-MENTHENE	157.53	122	699.49	A
POLYMERIZED ACRYLIC ACID	1.41	12	126.50	A
POLYOXIN D, ZINC SALT	46.00	149	1,103.50	A
	0.35	7	68,624.00	S
Total Pounds On This Chemical	46.34			
POLYOXYETHYLENE POLYOXYPROPYLENE	27.43	41	182.83	A
POLYPROPYLENE GLYCOL	0.07	3	12.50	A
POLYSILOXANE	0.24	95	830.19	A
POTASH SOAP	715.32	59	241.40	A
	18.94	7	142,332.00	S
Total Pounds On This Chemical	734.26			
POTASSIUM BICARBONATE	536.72	87	426.93	A
POTASSIUM HYDROXIDE	6.98	95	830.19	A
POTASSIUM N-METHYLDITHIOCARBAMATE	43,536.13	32	190.58	A
POTASSIUM PHOSPHITE	491.57	55	470.80	A
PRODIAMINE	168.96	129	180.25	A
PROPICONAZOLE	275.28	225	1,021.59	A
	0.89	4	117,000.00	S
Total Pounds On This Chemical	276.17			
PROPIONIC ACID	2,531.21	2,192	11,591.63	A
PROPYLENE GLYCOL	839.41	1,326	10,383.28	A
PYMETROZINE	63.74	49	493.83	A
	1.86	11	280,482.00	S
Total Pounds On This Chemical	65.60			
PYRACLOSTROBIN	467.71	399	2,324.33	A
	2.21	21	497,512.00	S
Total Pounds On This Chemical	469.92			
PYRETHRINS	80.45	311	6,470.14	A
	0.02	3	31,200.00	S
Total Pounds On This Chemical	80.46			
PYRIDABEN	5.72	7	34.62	A
	4.38	29	550,104.00	S
Total Pounds On This Chemical	10.10			
PYRIDALYL	60.72	96	262.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
Total Pounds On This Chemical	66.40	5.69	51	1,045,960.00 S
PYRIPROXYFEN		15.71	50	131.17 A
		0.36	6	72,414.00 S
Total Pounds On This Chemical	16.07			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS		14.40	22	177.55 A
QUINOXYFEN		0.45	1	7.00 A
REYNOUTRIA SACHALINENSIS		1.52	1	7.00 A
SILICONE DEFOAMER		1.16	296	985.09 A
		0.05	28	1,070,000.00 S
Total Pounds On This Chemical	1.21			
SIMAZINE		117.96	12	39.50 A
SODIUM CHLORATE		0.09	1	0.50 A
SODIUM POLYACRYLATE		78.49	115	867.90 A
SODIUM XYLENE SULFONATE		13.66	296	985.09 A
		0.59	28	1,070,000.00 S
Total Pounds On This Chemical	14.25			
SORBITAN MONOOLEATE		0.64	1	7.00 A
SOYBEAN OIL		59.21	10	28.50 A
SPINOSAD		282.63	613	4,118.76 A
		7.51	100	1,913,726.00 S
		0.03	1	600.00 U
Total Pounds On This Chemical	290.17			
SPIROMESIFEN		24.77	49	163.86 A
		1.22	5	208,400.00 S
Total Pounds On This Chemical	25.99			
SPIROTETRAMAT		24.10	46	313.98 A
		1.42	18	219,964.00 S
Total Pounds On This Chemical	25.52			
STARCH		1.80	914	6,747.60 A
STREPTOMYCES LYDICUS WYEC 108		0.03	59	166.75 A
STREPTOMYCIN		9.54	5	36,000.00 S
		1.59	6	12.50 A
Total Pounds On This Chemical	11.13			
STREPTOMYCIN SULFATE		18.73	37	185.33 A
		0.06	1	7,200.00 S
Total Pounds On This Chemical	18.79			
STRYCHNINE		0.02	10	19.20 A
STYRENE BUTADIENE COPOLYMER		904.06	939	6,810.10 A
SULFAQUINOXALINE		< 0.01	3	3.00 A
SULFENTRAZONE		0.17		1.00 A
SULFOMETURON-METHYL		3.00	1	4.00 A
SULFUR		3,396.26	336	1,272.08 A
TALL OIL		7.36	31	327.00 A
TALL OIL FATTY ACIDS		62.48	305	2,116.45 A
TEBUCONAZOLE		192.31	99	512.62 A
TERRAZOLE		0.02	1	11,088.00 S
E-11-TETRADECEN-1-YL ACETATE		6.30	1	2.00 A
		4.20	1	13,000.00 S
Total Pounds On This Chemical	10.49			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)		51.88	296	985.09 A
		2.23	28	1,070,000.00 S
Total Pounds On This Chemical	54.11			
TETRAPOTASSIUM PYROPHOSPHATE		6.83	296	985.09 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR FLOWER				
		0.30	28	1,070,000.00 S
Total Pounds On This Chemical	7.13			
THIAMETHOXAM		16.69	35	88.23 A
		4.34	79	1,339,866.00 S
Total Pounds On This Chemical	21.03			
THIOPHANATE-METHYL		1,698.29	943	4,413.90 A
		145.65	64	1,366,488.00 S
Total Pounds On This Chemical	1,843.94			
TRIADIMEFON		53.33	92	524.30 A
		0.16	2	69,000.00 S
Total Pounds On This Chemical	53.49			
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2		0.13	8	644,000.00 S
		0.02	4	6.00 A
Total Pounds On This Chemical	0.15			
TRICLOPYR, BUTOXYETHYL ESTER		309.72	33	192.35 A
		12.11	10	165,000.00 S
Total Pounds On This Chemical	321.83			
TRIETHANOLAMINE		17.49	297	1,014.59 A
		0.76	28	1,070,000.00 S
Total Pounds On This Chemical	18.25			
TRIFLOXYSTROBIN		27.41	32	293.78 A
		0.07	3	31,444.00 S
Total Pounds On This Chemical	27.49			
TRIFLUMIZOLE		31.44	31	116.75 A
		1.25	4	54,750.00 S
Total Pounds On This Chemical	32.69			
TRIFLURALIN		26.95	12	20.50 A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE)		857.40	1,118	8,972.48 A
TRINEXAPAC-ETHYL		0.29	5	45.75 A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)		77.80	131	926.84 A
UNICONIZOLE-P		0.01	11	84,008.00 S
VINCLOZOLIN		3.12		0.60 A
WARFARIN		< 0.01	3	3.00 A
Site Total	307,201.41	27,199		
N-OUTDR PLANTS IN CONTAINERS				
ABAMECTIN		59.36	1,622	5,374.00 A
		3.41	281	8,490,634.00 S
		< 0.01	2	5,700.00 U
Total Pounds On This Chemical	62.77			
ACEPHATE		3,309.90	1,446	3,069.79 A
		219.43	265	5,943,176.25 S
		1.83	8	1,903.00 U
Total Pounds On This Chemical	3,531.16			
ACEQUINOCYL		48.23	157	193.50 A
		5.77	32	1,072,540.00 S
Total Pounds On This Chemical	54.00			
ACETAMIPRID		251.11	638	3,400.19 A
		13.32	44	884,660.00 S
Total Pounds On This Chemical	264.43			
ACRYLIC ACID		0.61	3	15.00 A
AGROBACTERIUM RADIOBACTER		2.72	28	3.98 A
		2.06	1	200.00 S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
Total Pounds On This Chemical	4.78				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)		44.49	13	112.01	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE		0.02	4	0.70	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE		56.08	79	72.82	A
		2.31	51	208,416.00	S
		0.05	7	2,900.00	U
Total Pounds On This Chemical	58.44				
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE		56.08	79	72.82	A
		2.31	51	208,416.00	S
		0.05	7	2,900.00	U
Total Pounds On This Chemical	58.44				
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)		1.04	23	39.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		112.44	125	713.46	A
		0.58	1	100.00	S
Total Pounds On This Chemical	113.01				
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.11	2	0.24	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		1.64	2	5.33	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		410.15	190	602.82	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.20	2	5.33	A
ALPHA-PINENE BETA-PINENE COPOLYMER		245.66	250	950.29	A
		0.35	1	12,340.00	S
		0.12	2	259.00	U
Total Pounds On This Chemical	246.13				
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.18	2	0.96	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT		5.83	54	96.80	A
ALKYL (C8,C10) POLYGLUCOSIDE		58.77	300	767.91	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE		0.05	2	1.07	A
ALMOND, BITTER		0.02	3	33.10	A
ALUMINUM PHOSPHIDE		0.64	2	6,800.00	U
		0.19	1	40.00	A
Total Pounds On This Chemical	0.83				
AMINOPYRALID, TRIISOPROPANOLAMINE SALT		61.97	3	5.53	A
AMMONIUM NITRATE		14.72	65	407.92	A
AMMONIUM PROPIONATE		45.93	44	111.52	A
AMMONIUM SULFATE		648.27	742	948.12	A
AMMONIUM TALL OIL FATTY ACID SOAP		6.77	8	1.57	A
ANCYMIDOL		0.11	67	91,714.50	S
		0.03	29	13.99	A
		< 0.01	1	6,000.00	U
Total Pounds On This Chemical	0.15				
ATRAZINE		0.05	1	20,000.00	S
ATRAZINE, OTHER RELATED		< 0.01	1	20,000.00	S
AZADIRACTIN		25.44	356	1,052.84	A
		1.45	222	1,072,214.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
Total Pounds On This Chemical	26.89				
AZOXYSTROBIN		435.71	1,032	3,087.06	A
		36.24	201	4,032,605.25	S
Total Pounds On This Chemical	471.95				
BACILLUS AMYLOLIQUEFACIENS STRAIN D747		0.06	1	2.00	A
BACILLUS PUMILUS, STRAIN QST 2808		12.27	10	194.80	A
BACILLUS SUBTILIS MBI600		0.01	1	0.03	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN		1.65	9	18.25	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7		7.89	35	42.85	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857		600.81	239	546.70	A
		37.94	38	1,138,005.00	S
Total Pounds On This Chemical	638.74				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14		4.91	14	446,722.00	S
		1.88	7	7.99	A
Total Pounds On This Chemical	6.79				
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52		39.33	35	203,221.00	S
		32.36	17	57.40	A
		1.22	1	9,300.00	K
Total Pounds On This Chemical	72.91				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B		0.32	22	6.86	A
BACILLUS THURINGIENSIS, VAR. KURSTAKI DELTA ENDOTOXINS CRY 1A(C) AND CRY 1C (GENETICALLY ENGINEERED) ENCAPSULATED IN PSEUDOMONAS FLUORESCENS (KILLED)		3.64	5	10.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		512.65	331	943.47	A
		68.84	78	1,963,290.00	S
Total Pounds On This Chemical	581.48				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1		3.33	10	45.63	A
		0.98	5	163,000.00	S
Total Pounds On This Chemical	4.30				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		123.03	75	2,075,370.00	S
		20.57	22	163.40	A
Total Pounds On This Chemical	143.60				
BEAUVERIA BASSIANA STRAIN GHA		20.95	38	59.60	A
		4.32	15	353,513.33	S
Total Pounds On This Chemical	25.27				
BENEFIN		31.87	81	47.16	A
		0.07	1	4,000.00	S
Total Pounds On This Chemical	31.94				
BENOMYL		25.40	8	14.38	A
BENTONITE		0.30	2	1.00	A
BENZOIC ACID		8.81	67	609.80	A
N6-BENZYL ADENINE		4.10	90	65.83	A
		1.19	54	456,753.00	S
Total Pounds On This Chemical	5.29				
BIFENAZATE		450.85	512	1,616.64	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
		18.04	121	3,889,450.00	S
		0.02	1	2,000.00	U
Total Pounds On This Chemical	468.90				
BIFENTHRIN		292.10	1,602	4,402.21	A
		187.00	11	559.35	K
		69.24	349	9,550,918.25	S
		7.12	163	59,608.00	U
		0.04			
Total Pounds On This Chemical	555.51				
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS		110.13	297	2,217.08	A
		0.02	1	12,340.00	S
		< 0.01	2	259.00	U
Total Pounds On This Chemical	110.16				
BOSCALID		272.41	459	1,627.34	A
		21.53	104	1,489,420.00	S
Total Pounds On This Chemical	293.94				
BROMACIL		12.00	1	7.50	A
BROMADIOLONE		0.04	67	739.75	A
		< 0.01	10	96.00	U
		< 0.01	18	73,090.00	S
Total Pounds On This Chemical	0.05				
BROMETHALIN		0.01	10	10.22	A
BROMOXYNIL HEPTANOATE		193.75	52	843.15	A
BROMOXYNIL OCTANOATE		200.93	52	843.15	A
BUPROFEZIN		46.96	38	100.22	A
		2.81	8	85,000.00	S
Total Pounds On This Chemical	49.77				
BUTYL ALCOHOL		61.42	302	1,179.46	A
CALCIUM CHLORIDE		2.16	9	824.50	A
CALCIUM HYDROXIDE		94.08	3	10.00	A
CANOLA OIL		0.32	2	1.00	A
		0.03	2	29.00	S
Total Pounds On This Chemical	0.35				
CAPRYLIC ACID		1.48	1	5.00	A
CAPSICUM OLEORESIN		0.61	10	4.85	A
CAPTAN		938.33	32	414.16	A
CAPTAN, OTHER RELATED		16.86	32	414.16	A
CARBARYL		834.06	626	771.72	A
		15.76	165	254,962.00	S
		5.85	31	14,306.00	U
Total Pounds On This Chemical	855.67				
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT		4.03	3	33.10	A
CARFENTRAZONE-ETHYL		16.31	64	486.38	A
CASEIN		0.02	2	1.00	A
CASTOR OIL ETHOXYLATE		2.05	4	30.00	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES		3.54	2	4.50	A
CHLORANTRANILIPROLE		37.34	18	435.05	A
CHLORFENAPYR		39.41	62	519.25	A
		3.96	36	1,617,740.00	S
Total Pounds On This Chemical	43.37				
CHLORMEQUAT CHLORIDE		94.59	254	133.67	A
		10.28	31	297,589.00	S
Total Pounds On This Chemical	104.87				

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS				
CHLOROPHACINONE	0.06	35	224.06	A
CHLOROPICRIN	34,665.35	29	509.56	A
CHLOROTHALONIL	3,671.31	954	2,556.79	A
	278.94	155	4,092,507.00	S
	3.37	2	27,000.00	U
Total Pounds On This Chemical	3,953.62			
CHLORPYRIFOS	874.58	331	1,732.33	A
	63.59	65	1,080,476.00	S
Total Pounds On This Chemical	938.17			
CHLORSULFURON	1.69	1	12.00	A
CHLORTHAL-DIMETHYL	910.15	14	112.50	A
CITRIC ACID	62.68	646	1,306.73	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	582.53	50	502.72	A
	265.14	89	1,028,233.00	S
	< 0.01		133.00	U
Total Pounds On This Chemical	847.67			
CLETHODIM	3.86	13	16.45	A
CLOFENTEZINE	2.40	5	4.68	A
CLOPYRALID, MONOETHANOLAMINE SALT	46.84	23	160.54	A
CLOTHIANIDIN	51.20	21	81.34	A
COCONUT DIETHANOLAMIDE	73.11	1,638	6,319.22	A
	0.98	37	175,872.00	S
Total Pounds On This Chemical	74.09			
COPPER	22.91	2	11.66	A
COPPER AMMONIUM CARBONATE	0.03	1	3,000.00	S
	< 0.01	1	1.50	A
Total Pounds On This Chemical	0.03			
COPPER AMMONIUM COMPLEX	2.38	6	10.00	A
	0.16	1	3,000.00	S
Total Pounds On This Chemical	2.54			
COPPER DIAMMONIUM DIACETATE COMPLEX	77.85	38	40.90	A
COPPER ETHANOLAMINE COMPLEXES, MIXED	29.44	10	12.92	A
COPPER HYDROXIDE	5,848.04	780	2,777.01	A
	31.70	45	726,481.00	S
	< 0.01	1	1,600.00	U
Total Pounds On This Chemical	5,879.74			
COPPER NAPHTHENATE	2.81	1	2,000.00	S
COPPER OCTANOATE	161.88	115	284.02	A
	3.07	3	59,280.00	S
Total Pounds On This Chemical	164.94			
COPPER OXIDE (OUS)	264.51	27	72.97	A
COPPER OXYCHLORIDE	17.17	15	8.75	A
COPPER OXYCHLORIDE SULFATE	0.18	1	2.00	A
COPPER SALTS OF FATTY AND ROSIN ACIDS	401.12	61	252.78	A
	39.60	21	502,405.00	S
Total Pounds On This Chemical	440.72			
COPPER SULFATE (BASIC)	514.71	29	143.00	A
COPPER SULFATE (PENTAHYDRATE)	1,581.71	479	1,332.32	A
	32.08	80	2,080,062.00	S
Total Pounds On This Chemical	1,613.79			
CORN PRODUCT, HYDROLYZED	33.26	13	50.50	A
COTTONSEED OIL	15.53	9	20.75	A
CRYOLITE	898.68	9	127.14	A
CYANAZINE	0.06	1	0.25	A
CYAZOFAMID	18.58	125	690.81	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS				
Total Pounds On This Chemical	20.81	2.23	56	839,971.36 S
CYFLUFENAMID		0.26	2	0.30 A
CYFLUTHRIN		457.17	1,609	9,207.43 A
		1.07	37	600,566.25 S
		0.03	1	150.00 U
Total Pounds On This Chemical	458.27			
BETA-CYFLUTHRIN		16.22	243	372.20 A
		0.15	43	17,696.00 U
		0.11	56	28,982.00 S
		< 0.01	1	209.00 C
Total Pounds On This Chemical	16.48			
(S)-CYPERMETHRIN		4.98	29	117.25 A
CYPRODINIL		190.14	186	707.73 A
		2.98	16	246,440.00 S
Total Pounds On This Chemical	193.12			
CYROMAZINE		35.61	174	417.56 A
		7.95	33	531,061.36 S
Total Pounds On This Chemical	43.56			
2,4-D, DIMETHYLAMINE SALT		225.02	14	465.66 A
		0.07	1	2,960.00 U
Total Pounds On This Chemical	225.09			
2,4-D, 2-ETHYLHEXYL ESTER		40.83	5	104.58 A
2,4-D, ISOCTYL ESTER		6.03	1	7.00 A
		0.11	2	2,000.00 S
Total Pounds On This Chemical	6.14			
DAMINOZIDE		2,615.23	622	941.10 A
		615.51	211	2,375,065.00 S
Total Pounds On This Chemical	3,230.74			
DAZOMET		1,837.44	6	4.47 A
4-(2,4-DB), DIMETHYLAMINE SALT		6.36	2	14.50 A
DELTAMETHRIN		0.88	19	15.43 A
DIAZINON		250.72	161	359.28 A
		1.39	3	4,333.00 U
		0.23	1	6,000.00 S
Total Pounds On This Chemical	252.34			
DICAMBA		2.76	8	105.67 A
DICAMBA, DIMETHYLAMINE SALT		0.45		5.00 A
DICHLORBENIL		355.80	7	271.00 A
1,3-DICHLOROPROPENE		166,892.38	24	747.32 A
DICLORAN		4.50	1	6.00 A
DICOFOL		21.03	7	28.00 A
		0.55	1	20,000.00 S
Total Pounds On This Chemical	21.58			
DIDECYL DIMETHYL AMMONIUM CHLORIDE		0.25	9	8.77 A
		0.03	8	7,400.00 S
Total Pounds On This Chemical	0.29			
DIETHYLENE GLYCOL		138.92	204	2,658.66 A
		0.07	3	30,000.00 S
Total Pounds On This Chemical	139.00			
DIFENOCONAZOLE		6.00	17	17.00 A
DIFLUBENZURON		23.13	68	176.91 A
		0.18	10	144,300.00 S
Total Pounds On This Chemical	23.31			
DIKEGULAC SODIUM		10.97	11	4.55 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
		0.10	2	1,980.00	S
Total Pounds On This Chemical	11.07				
DIMETHENAMID-P		728.77	746	686.04	A
		2.10	12	97,391.00	S
Total Pounds On This Chemical	730.87				
DIMETHOATE		60.38	55	85.40	A
		0.33	3	9,600.00	S
Total Pounds On This Chemical	60.70				
DIMETHOMORPH		215.32	242	617.17	A
		43.70	102	3,700,030.00	S
Total Pounds On This Chemical	259.02				
DIMETHYL ALKYL TERTIARY AMINES		9.60	67	609.80	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE		0.39	1	0.50	A
DIMETHYLPOLYSILOXANE		1,043.17	2,414	16,506.01	A
		3.24	9	206,500.00	S
Total Pounds On This Chemical	1,046.41				
DINOSEB		< 0.01	1	0.25	A
DINOTEFURAN		338.09	717	1,357.20	A
		77.44	258	2,408,725.00	S
		0.16	12	4,074.00	U
Total Pounds On This Chemical	415.69				
DIPHACINONE		0.23	178	644.23	A
		< 0.01	39	9,886.00	S
		< 0.01	1	1.00	U
Total Pounds On This Chemical	0.23				
DIQUAT DIBROMIDE		2,407.09	737	1,562.13	A
		51.96	51	747,390.00	S
		0.07	1	1.00	U
Total Pounds On This Chemical	2,459.12				
DITHIOPYR		296.14	232	638.87	A
		1.87	17	324,645.00	S
Total Pounds On This Chemical	298.01				
DIURON		25.50	3	11.50	A
Z-8-DODECENOL		0.58	5	56.00	A
E-8-DODECENYL ACETATE		3.33	5	56.00	A
Z-8-DODECENYL ACETATE		51.98	5	56.00	A
DODECYLBENZENE SULFONIC ACID		201.87	1,584	6,222.42	A
		4.26	37	175,872.00	S
Total Pounds On This Chemical	206.13				
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		18.00	29	785.62	A
DODEMORPH ACETATE		0.05	1	0.50	A
2-(2,4-DP), DIMETHYLAMINE SALT		0.37	2	36.00	A
2,4-DP, ISOCTYL ESTER		0.06	2	2,000.00	S
EDTA, SODIUM SALT		1.17	56	1,056.76	A
EDTA, TETRASODIUM SALT		12.42	1,585	6,222.92	A
		0.26	37	175,872.00	S
Total Pounds On This Chemical	12.69				
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE		0.17	5	29.00	A
EMULSIFIABLE POLYETHYLENE		0.02	1	0.10	A
ENDOSULFAN		0.05	1	400.00	S
ESFENVALERATE		37.54	25	736.39	A
ETHEPHON		29.62	145	74.67	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
		8.46	54	534,288.00	S
Total Pounds On This Chemical	38.09				
ETHOFUMESATE		10.84	1	11.00	A
ETHYL ALCOHOL		0.27	1	1.10	A
ETHYLENE GLYCOL		87.99	41	151.00	A
ETOXAZOLE		136.42	216	1,784.28	A
		2.09	37	1,123,100.00	S
		< 0.01	1	8,000.00	U
Total Pounds On This Chemical	138.52				
FARNESOL		< 0.01	1	1.00	A
FATTY ACIDS, METHYL ESTERS		76.77	9	285.30	A
FATTY ACIDS, MIXED		199.46	666	2,561.40	A
		0.26	11	145,450.00	S
Total Pounds On This Chemical	199.72				
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS		293.92	38	981.49	A
FATTY ACIDS DERIVED FROM TALLOW		0.07	2	0.96	A
FENAMIDONE		13.52	25	61,400.00	S
		5.24	15	12.75	A
Total Pounds On This Chemical	18.76				
FENARIMOL		2.12	25	30.66	A
		0.17	3	32,000.00	S
Total Pounds On This Chemical	2.30				
FENBUTATIN-OXIDE		119.39	33	132.20	A
		3.00	3	120,000.00	S
Total Pounds On This Chemical	122.39				
FENHEXAMID		207.03	212	251.42	A
		47.04	73	1,324,572.25	S
Total Pounds On This Chemical	254.07				
FENOXYCARB		1.02	12	110.28	A
		< 0.01	1	500.00	S
Total Pounds On This Chemical	1.02				
FENPROPATHRIN		182.09	475	1,188.42	A
		36.03	202	3,221,106.00	S
		0.09	8	3,954.00	U
Total Pounds On This Chemical	218.21				
FENPYROXIMATE		43.25	36	357.79	A
		1.43	20	569,900.00	S
Total Pounds On This Chemical	44.68				
FENUGREEK		2.42	3	33.10	A
FIPRONIL		0.11	8	13.31	A
		0.01	2	38,010.00	S
Total Pounds On This Chemical	0.12				
FLONICAMID		8.68	42	37.00	A
		0.44	2	70,000.00	S
Total Pounds On This Chemical	9.11				
FLUAZIFOP-P-BUTYL		2.06	3	4.14	A
FLUDIOXONIL		338.36	832	2,236.63	A
		44.15	155	3,259,669.61	S
Total Pounds On This Chemical	382.51				
FLUMIOXAZIN		1,019.17	1,874	3,747.69	A
		0.25	8	241,290.00	S
Total Pounds On This Chemical	1,019.42				
FLUOPICOLIDE		66.42	80	422.23	A
		0.09	3	26,500.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS				
Total Pounds On This Chemical	66.51			
FLUOPYRAM	12.57	3	1.75	A
FLUOXASTROBIN	0.26	2	42,000.00	S
FLURIDONE	0.15	1	2.00	A
FLUROXYPYR, 1-METHYLHEPTYL ESTER	31.14	9	61.90	A
FLURPRIMIDOL	0.29	52	813,544.00	S
	0.02	9	3.00	A
Total Pounds On This Chemical	0.31			
FLUTOLANIL	0.51	2	3.00	A
TAU-FLUVALINATE	193.07	465	896.77	A
	20.44	120	3,278,648.00	S
	1.32	5	50,620.00	U
Total Pounds On This Chemical	214.83			
FORMETANATE HYDROCHLORIDE	10.21	2	11.10	A
FOSETYL-AL	3,298.88	667	1,612.73	A
	497.03	224	5,688,331.00	S
	< 0.01	1	1.00	U
Total Pounds On This Chemical	3,795.92			
GIBBERELLINS	4.30	60	60.11	A
	0.28	34	304,697.00	S
Total Pounds On This Chemical	4.58			
GLIOCLADIUM VIRENS GL-21 (SPORES)	85.80	5	71.50	A
	0.04	1	80.00	S
Total Pounds On This Chemical	85.84			
GLUFOSINATE-AMMONIUM	214.15	100	870.73	A
GLYPHOSATE	910.21	408	362.55	A
GLYPHOSATE, DIMETHYLAMINE SALT	66.07	17	45.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	43,332.43	6,610	16,599.48	A
	436.83	283	4,193,041.14	S
	5.38	1	2,960.00	U
	0.98			
Total Pounds On This Chemical	43,775.62			
GLYPHOSATE, MONOAMMONIUM SALT	8.08	80	237.74	A
	0.72	4	23,750.00	S
Total Pounds On This Chemical	8.80			
GLYPHOSATE, POTASSIUM SALT	5,053.41	611	6,679.33	A
	180.77	127	1,650,875.00	S
	0.02	1	50.00	U
Total Pounds On This Chemical	5,234.20			
HALOSULFURON-METHYL	19.27	85	182.69	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	82.04	191	602.92	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	29.32	96	515.22	A
HEXYTHIAZOX	102.89	325	896.10	A
	3.59	43	1,138,920.00	S
Total Pounds On This Chemical	106.48			
HYDRAMETHYLNON	8.09	35	918.31	A
HYDROGEN CYANAMIDE	211.92	1	12.00	A
HYDROGEN PEROXIDE	386.99	98	140.56	A
	30.68		1,120,000.00	U
	10.59	8	192,877.80	S
Total Pounds On This Chemical	428.26			
HYDROPRENE	0.01	1	0.61	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	8.22	6	6.07	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS				
IBA	5.37	498	656.22	A
	2.44	145	78,824.50	S
	< 0.01	20	11,360.00	U
Total Pounds On This Chemical	7.81			
IMIDACLOPRID	1,673.50	2,480	8,276.37	A
	45.79	365	7,704,533.65	S
	12.05	61	33,968.00	U
	10.69	3	1,392.00	C
Total Pounds On This Chemical	1,742.02			
INDAZIFLAM	0.80	4	19.66	A
INDOXACARB	3.21	5	28.60	A
IPRODIONE	4,714.76	1,053	4,600.73	A
	110.32	175	3,750,144.00	S
Total Pounds On This Chemical	4,825.08			
IRON PHOSPHATE	247.30	341	1,401.58	A
	1.19	73	125,783.00	S
	0.02	1	2,500.00	U
Total Pounds On This Chemical	248.51			
ISOPROPYL ALCOHOL	365.87	2,315	21,853.60	A
	1.33	41	177,372.00	S
	< 0.01	1	800.00	U
Total Pounds On This Chemical	367.21			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.04	2	9.00	A
ISOXABEN	2,831.56	2,447	4,571.49	A
	57.23	169	2,952,126.00	S
	0.06	1	200.00	U
Total Pounds On This Chemical	2,888.86			
KAOLIN	2,185.00	15	71.30	A
KEROSENE	17.07	67	609.80	A
(S)-KINOPRENE	11.54	20	46.25	A
	5.50	13	553,159.00	S
Total Pounds On This Chemical	17.03			
KRESOXIM-METHYL	14.94	32	179.51	A
LACTOSE	0.02	2	1.00	A
LAMBDA-CYHALOTHRIN	67.77	298	1,411.14	A
	3.21	58	2,122,320.00	S
Total Pounds On This Chemical	70.98			
LAURIC ACID	5.30	54	96.80	A
LECITHIN	1,642.90	1,525	3,085.07	A
	2.96	8	115,450.00	S
Total Pounds On This Chemical	1,645.86			
LIME-SULFUR	1,517.15	2	43.00	A
	13.16	1	6,100.00	S
Total Pounds On This Chemical	1,530.31			
LINURON	0.50	2	4.00	A
MALATHION	2,805.06	655	1,602.64	A
	12.40	37	149,576.00	S
Total Pounds On This Chemical	2,817.46			
MANCOZEB	6,034.36	1,022	3,787.72	A
	57.99	44	806,864.00	S
	0.20	1	8,000.00	U
Total Pounds On This Chemical	6,092.54			
MANEB	400.64	81	206.66	A
MANGANESE SULFATE	0.06	4	1.81	A
MARGOSA OIL	3.70	3	5.12	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS				
MCPA, DIMETHYLAMINE SALT	59.49	14	107.45	A
MCPA, ISOCTYL ESTER	4.85	3	1.09	A
MCPP, DIMETHYLAMINE SALT	0.37	2	36.00	A
MCPP, POTASSIUM SALT	5.73	14	31.75	A
MCPP-P, DIMETHYLAMINE SALT	1.77		5.00	A
MECOPROP-P	8.42	5	104.58	A
MEFENOXAM	2,246.63	2,458	9,339.21	A
	35.25	510	5,333,575.00	S
	0.15	4	200.00	U
Total Pounds On This Chemical	2,282.04			
MEFENOXAM, OTHER RELATED	15.65	1,696	5,148.15	A
	1.01	423	3,802,342.00	S
	< 0.01	4	200.00	U
Total Pounds On This Chemical	16.66			
META-CRESOL	0.19	10	31.10	A
METALAXYL	16.62	13	49,405.03	S
	14.94	64	51.98	A
Total Pounds On This Chemical	31.56			
METALDEHYDE	6,030.19	1,396	6,762.85	A
	195.05	339	5,114,786.00	S
	1.01	21	8,235.00	U
Total Pounds On This Chemical	6,226.25			
METCONAZOLE	4.92	8	42.56	A
METHIDATHION	2.25	1	9.00	A
METHIOCARB	2,083.57	497	1,703.12	A
	224.08	95	3,037,910.00	S
	2.06	5	1,349.00	U
Total Pounds On This Chemical	2,309.72			
S-METHOPRENE	0.68	1	16.00	A
METHOXYFENOZIDE	54.81	97	308.21	A
	1.40	12	157,000.00	S
Total Pounds On This Chemical	56.20			
METHYLATED SOYBEAN OIL	1,188.66	669	1,690.07	A
METHYL BROMIDE	292,171.45	47	1,266.56	A
	18.25		3.00	U
Total Pounds On This Chemical	292,189.70			
METHYL PARATHION	11.25	2	4.00	A
METOLACHLOR	8.69	2	4.55	A
S-METOLACHLOR	174.83	32	56.53	A
	0.04	1	20,000.00	S
Total Pounds On This Chemical	174.87			
METRAFENONE	13.85	2	46.00	A
MILBEMECTIN	0.08	4	93,500.00	S
	0.04	6	9.90	A
	< 0.01	2	1,800.00	U
Total Pounds On This Chemical	0.12			
MINERAL OIL	26,119.41	1,065	5,763.25	A
	265.10	69	774,484.00	S
	30.14	3	2,559.00	U
Total Pounds On This Chemical	26,414.64			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	116.31	74	1,397.51	A
	0.29	3	60,000.00	S
Total Pounds On This Chemical	116.60			
MYCLOBUTANIL	296.84	499	2,449.02	A
	7.31	103	2,617,229.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS				
Total Pounds On This Chemical	304.14			
NAA	1.71	57	424.70	A
	1.20	119	50,260.00	S
	< 0.01	1	250.00	U
Total Pounds On This Chemical	2.91			
NAA, ETHYL ESTER	1.71	1	6.00	A
NALED	18.09	3	18.00	A
NAPROPAMIDE	1,808.71	34	976.11	A
NEROLIDOL	< 0.01	1	1.00	A
NONANOIC ACID	477.10	133	114.07	A
	7.06	14	29,600.00	S
Total Pounds On This Chemical	484.17			
NONANOIC ACID, OTHER RELATED	25.11	133	114.07	A
	0.37	14	29,600.00	S
Total Pounds On This Chemical	25.48			
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	237.21	210	1,905.78	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,480.57	2,424	22,586.52	A
	1.11	16	149,350.00	S
	0.02	1	800.00	U
Total Pounds On This Chemical	3,481.70			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.04	1	0.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	61.76	53	192.87	A
NOVALURON	10.02	40	169.88	A
	0.08	1	16,500.00	S
Total Pounds On This Chemical	10.09			
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	20.76	18	193.25	A
OLEIC ACID	2.28	50	4,955.50	A
OLEIC ACID, METHYL ESTER	318.94	15	44.18	A
	2.43	1	27,120.00	S
Total Pounds On This Chemical	321.37			
ORYZALIN	4,988.96	1,237	2,791.34	A
	77.75	29	1,190,756.14	S
Total Pounds On This Chemical	5,066.71			
OXADIAZON	1,295.06	390	656.25	A
	33.48	10	13,411.00	S
	2.00	2	100.00	U
Total Pounds On This Chemical	1,330.54			
OXYFLUORFEN	2,135.58	1,354	2,317.79	A
	46.08	49	1,030,400.00	S
Total Pounds On This Chemical	2,181.66			
PACLOBUTRAZOL	76.65	1,053	4,068.10	A
	17.70	840	18,339,481.57	S
	< 0.01	1	700.00	U
Total Pounds On This Chemical	94.35			
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	< 0.01	1	450.00	S
PARAQUAT DICHLORIDE	174.96	15	139.51	A
PCNB	21.28	11	44.93	A
	0.42	10	1,460.00	S
Total Pounds On This Chemical	21.71			
PENDIMETHALIN	4,678.96	1,913	3,813.75	A
	26.78	81	1,145,111.00	S
	0.03	1	250.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
Total Pounds On This Chemical	4,705.77				
PENOXSULAM		0.59	1	19.00	A
PERMETHRIN		1,446.18	833	4,350.83	A
		29.75	74	2,908,367.00	S
		0.37	2	3,700.00	U
Total Pounds On This Chemical	1,476.29				
PEROXYACETIC ACID		1.98	1	5.00	A
PETROLEUM DISTILLATES		64.36	30	57.65	A
		0.09	1	2,400.00	S
Total Pounds On This Chemical	64.45				
PETROLEUM DISTILLATES, REFINED		963.44	120	179.45	A
		171.01	27	394,452.00	S
		2.78	1	2,010.00	U
Total Pounds On This Chemical	1,137.23				
PETROLEUM HYDROCARBONS		0.12	1	0.25	A
PETROLEUM OIL, PARAFFIN BASED		13.90	6	14.00	A
		0.01	1	100.00	S
Total Pounds On This Chemical	13.91				
PETROLEUM OIL, UNCLASSIFIED		10,134.73	400	971.71	A
		28.28	1	1,300.00	U
		8.85	4	34,000.00	S
Total Pounds On This Chemical	10,171.87				
PHOSMET		190.88	44	152.40	A
		45.68	22	987,000.00	S
Total Pounds On This Chemical	236.56				
PHOSPHORIC ACID		518.32	2,454	12,074.38	A
		0.84	37	175,872.00	S
Total Pounds On This Chemical	519.16				
BETA-PINENE POLYMER		0.21	2	3.66	A
PINOXADEN		2.91	8	55.50	A
PIPERALIN		204.87	82	280.32	A
		0.92	4	37,000.00	S
Total Pounds On This Chemical	205.79				
PIPERONYL BUTOXIDE		875.01	418	5,888.47	A
		14.06	45	1,625,260.00	S
		0.08	2	500.00	U
Total Pounds On This Chemical	889.15				
PIPERONYL BUTOXIDE, OTHER RELATED		210.34	373	5,770.81	A
		2.46	34	1,241,660.00	S
Total Pounds On This Chemical	212.80				
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE		3.17	3	87.90	A
POLYACRYLAMIDE POLYMER		2.79	39	80.27	A
POLYACRYLIC POLYMER		14.82	582	326.13	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE		81.42	239	1,070.26	A
		0.19	14	51,030.00	S
Total Pounds On This Chemical	81.60				
POLYBUTENES		52.49	38	981.49	A
POLYETHER MODIFIED POLYSILOXANE		12.36	10	18.59	A
		8.88	22	684,750.00	S
Total Pounds On This Chemical	21.24				
POLYETHOXYLATED CASTOR OIL		25.46	55	316.60	A
POLYETHYLENE GLYCOL		634.22	369	8,481.37	A
POLYETHYLENE GLYCOL DIACETATE		< 0.01	2	1.07	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER		49.65	92	1,015.94	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS				
POLYETHYLENE GLYCOL OLEATE	0.89	1	0.50	A
POLY-I-PARA-MENTHENE	333.69	462	842.27	A
	5.17	3	200,000.00	S
Total Pounds On This Chemical	338.87			
POLYMERIZED ACRYLIC ACID	4.18	18	35.50	A
POLYMERIZED PINENE	319.48	29	785.62	A
POLYOXIN D, ZINC SALT	30.31	85	598.54	A
	0.91	20	341,900.00	S
Total Pounds On This Chemical	31.22			
POLYOXYETHYLENE POLYOXYPROPYLENE	92.10	144	192.91	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	117.29	96	515.22	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.17	2	9.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	1.10	2	9.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	15.36	4	30.00	A
POLYSILOXANE	0.62	221	386.74	A
POTASH SOAP	1,594.70	229	230.05	A
	77.70	70	964,333.00	S
Total Pounds On This Chemical	1,672.40			
POTASSIUM BICARBONATE	578.89	164	291.76	A
	28.30	19	120,300.00	S
Total Pounds On This Chemical	607.19			
POTASSIUM HYDROXIDE	18.30	222	387.24	A
POTASSIUM NITRATE	0.09	1	0.50	A
POTASSIUM PHOSPHITE	676.18	88	682.93	A
	5.40	4	47,870.00	S
Total Pounds On This Chemical	681.57			
PRODIAMINE	3,594.13	2,370	4,549.86	A
	28.64	48	1,486,986.00	S
	1.30	2	4.00	U
Total Pounds On This Chemical	3,624.07			
PROPARGITE	842.08	13	526.30	A
PROPICONAZOLE	263.35	668	2,144.22	A
	3.37	43	786,740.00	S
	0.29	3	5,563.00	U
Total Pounds On This Chemical	267.02			
PROPIONIC ACID	855.76	976	2,325.06	A
	2.96	8	115,450.00	S
Total Pounds On This Chemical	858.72			
PROPYLENE GLYCOL	562.17	1,147	10,009.96	A
	11.20	127	4,992,237.00	S
Total Pounds On This Chemical	573.37			
PYMETROZINE	108.26	381	836.71	A
	19.56	72	2,778,330.00	S
	0.78	1	2,000.00	U
Total Pounds On This Chemical	128.60			
PYRACLOSTROBIN	394.62	506	1,763.10	A
	31.56	162	2,104,810.00	S
Total Pounds On This Chemical	426.18			
PYRAFLUFEN-ETHYL	0.37	10	132.00	A
PYRETHRINS	13.26	239	427.61	A
	1.73	60	1,759,949.00	S
	< 0.01	2	500.00	U
Total Pounds On This Chemical	15.00			
PYRIDABEN	101.72	93	246.45	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
		9.10	33	918,557.00	S
		< 0.01	1	1.00	U
Total Pounds On This Chemical	110.83				
PYRIDALYL		9.70	38	41.55	A
		3.40	12	397,740.00	S
Total Pounds On This Chemical	13.10				
PYRIMETHANIL		17.02	3	48.50	A
PYRIPROXYFEN		49.98	142	692.40	A
		2.91	47	1,576,554.00	S
		0.01	1	2,000.00	U
Total Pounds On This Chemical	52.90				
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS		50.30	180	412.20	A
		10.72	85	1,715,457.00	S
Total Pounds On This Chemical	61.02				
QUINCLORAC, DIMETHYLAMINE SALT		1.39		2.30	A
QUINOXYFEN		2.72	2	34.00	A
REYNOUTRIA SACHALINENSIS		15.28	20	91.37	A
RIMSULFURON		0.83	8	23.00	A
ROTENONE		0.36	23	38.49	A
		< 0.01	1	12,600.00	S
Total Pounds On This Chemical	0.36				
ROTENONE, OTHER RELATED		0.36	23	38.49	A
		< 0.01	1	12,600.00	S
Total Pounds On This Chemical	0.36				
SABADILLA ALKALOIDS		1.33	4	39.35	A
SAFLUFENACIL		15.23	27	159.05	A
SESAME OIL		1.86	4	1.72	A
SETHOXYDIM		2.40	7	5.20	A
SIDURON		2.00	2	0.66	A
SILICONE DEFOAMER		5.28	1,584	6,222.42	A
		0.11	37	175,872.00	S
Total Pounds On This Chemical	5.39				
SIMAZINE		336.85	39	130.16	A
SODIUM CHLORATE		1.10	1	3.00	A
SODIUM HYPOCHLORITE		20.38	4	8.50	A
SODIUM METASILICATE		< 0.01	1	0.50	A
SODIUM POLYACRYLATE		0.94	26	76.02	A
SODIUM XYLENE SULFONATE		62.11	1,584	6,222.42	A
		1.31	37	175,872.00	S
Total Pounds On This Chemical	63.42				
SORBITAN MONOOLEATE		< 0.01	1	0.10	A
SPINETORAM		40.70	101	540.91	A
SPINOSAD		480.94	1,202	4,306.10	A
		15.69	202	3,718,803.00	S
Total Pounds On This Chemical	496.63				
SPIRODICLOFEN		7.75	7	31.24	A
SPIROMESIFEN		60.69	140	229.72	A
		1.05	11	187,330.00	S
Total Pounds On This Chemical	61.74				
SPIROTETRAMAT		55.76	366	1,887.32	A
		1.36	33	483,235.00	S
		0.04	6	664.00	U
Total Pounds On This Chemical	57.16				
STARCH		0.10	71	132.77	A
STREPTOMYCES LYDICUS WYEC 108		< 0.01	13	30.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
		< 0.01	5	124,870.00	S
Total Pounds On This Chemical	< 0.01				
STREPTOMYCIN		21.97	14	191.00	A
STREPTOMYCIN SULFATE		227.71	150	861.79	A
		12.46	23	764,730.00	S
Total Pounds On This Chemical	240.17				
STRYCHNINE		1.46	6	871.05	A
STYRENE BUTADIENE COPOLYMER		296.51	586	1,703.86	A
		10.00	127	4,992,237.00	S
Total Pounds On This Chemical	306.50				
SUGAR		4.03	3	33.10	A
SULFUR		5,691.76	111	942.16	A
TALL OIL		37.09	173	717.42	A
		< 0.01	4	1,500.00	S
		< 0.01	1	800.00	U
Total Pounds On This Chemical	37.10				
TALL OIL FATTY ACIDS		61.24	351	3,159.39	A
		< 0.01	1	12,340.00	S
		< 0.01	2	259.00	U
Total Pounds On This Chemical	61.25				
TEBUCONAZOLE		46.19	42	238.72	A
TERRAZOLE		176.19	71	388.01	A
		89.17	77	1,001,289.00	S
Total Pounds On This Chemical	265.36				
E-11-TETRADECEN-1-YL ACETATE		4.07	5	29.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)		421.56	1,690	12,234.68	A
		4.93	37	175,872.00	S
Total Pounds On This Chemical	426.50				
TETRAPOTASSIUM PYROPHOSPHATE		31.06	1,584	6,222.42	A
		0.66	37	175,872.00	S
Total Pounds On This Chemical	31.71				
THIAMETHOXAM		185.03	462	1,358.25	A
		7.66	68	1,833,169.00	S
Total Pounds On This Chemical	192.69				
THIAZOPYR		10.77	13	11.55	A
THIOPHANATE-METHYL		2,632.46	1,236	2,896.02	A
		599.10	479	9,574,255.80	S
		0.41	2	3,154.00	U
Total Pounds On This Chemical	3,231.97				
TRIADIMEFON		64.19	134	401.93	A
		0.99	16	378,500.00	S
Total Pounds On This Chemical	65.18				
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2		5.35	150	548.01	A
		2.16	117	955,562.60	S
Total Pounds On This Chemical	7.51				
TRICLOPYR, BUTOXYETHYL ESTER		156.70	22	82.72	A
		65.86	9	155,000.00	S
Total Pounds On This Chemical	222.56				
TRICLOPYR, TRIETHYLAMINE SALT		5.77	1	18.00	A
TRIETHANOLAMINE		79.19	1,584	6,222.42	A
		1.67	37	175,872.00	S
Total Pounds On This Chemical	80.87				
TRIFLOXYSTROBIN		118.58	177	1,218.70	A
		1.26	20	448,844.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR PLANTS IN CONTAINERS					
Total Pounds On This Chemical	119.84				
TRIFLUMIZOLE		82.86	78	356.18	A
		18.00	49	493,545.00	S
Total Pounds On This Chemical	100.86				
TRIFLURALIN		2,349.83	792	1,059.22	A
		62.85	113	1,383,702.00	S
		0.25	1	200.00	U
Total Pounds On This Chemical	2,412.93				
TRIFORINE		< 0.01	1	0.33	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE)		124.30	321	1,257.58	A
		0.26	14	51,030.00	S
Total Pounds On This Chemical	124.55				
TRISODIUM PHOSPHATE		95.33	225	5,330.47	A
TRITICONAZOLE		0.31	1	0.50	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)		702.97	1,114	1,717.86	A
		10.98	116	4,971,207.00	S
Total Pounds On This Chemical	713.95				
UNICONIZOLE-P		0.44	62	65.66	A
		0.05	36	193,362.56	S
Total Pounds On This Chemical	0.49				
UREA		0.51	5	20.00	A
VANILLIN		0.37	3	33.10	A
VEGETABLE OIL		24.89	7	28.00	A
VINYL POLYMER		0.55	7	163.65	A
XYLENE		1.97	3	5.00	A
XYLENE RANGE AROMATIC SOLVENT		0.59	2	4.75	A
2,4-XYLENOL		0.19	10	31.10	A
YUCCA SCHIDIGERA		115.25	14	51.01	A
ZINC SULFATE		0.10	4	1.81	A
ZIRAM		693.82	30	138.71	A
Site Total		720,627.57	82,321		
N-OUTDR TRANSPLANTS					
ABAMECTIN		14.33	184	1,010.23	A
		1.34	54	3,530,690.00	S
Total Pounds On This Chemical	15.67				
ACEPHATE		994.22	312	1,857.87	A
		91.96	96	5,885,209.00	S
Total Pounds On This Chemical	1,086.17				
ACETAMIPRID		107.62	102	891.25	A
		9.35	96	8,675,600.00	S
Total Pounds On This Chemical	116.97				
ACIBENZOLAR-S-METHYL		10.42	115	16,303,800.00	S
		2.33	17	61.92	A
Total Pounds On This Chemical	12.75				
ACRYLIC ACID		21.19	22	130.40	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE		6.07	14	194.20	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE		19.56	42	40.26	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE		19.56	42	40.26	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)		9.50	3	41.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
ALPHA-PINENE BETA-PINENE COPOLYMER	183.22	228	1,411.71	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	225.84	96	399.17	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	0.10	2	5.50	A
ALKYL (C8,C10) POLYGLUCOSIDE	8.31	5	36.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	24.40	52	1,334.00	A
ALUMINUM PHOSPHIDE	48.40	21	307.25	A
AMMONIUM NITRATE	4.29	7	39.50	A
AMMONIUM PROPIONATE	0.10	16	9.41	A
AMMONIUM SULFATE	92.44	18	308.90	A
AMYL ACETATE	0.04	16	9.41	A
ANCYMIDOL	< 0.01	5	2.00	A
	< 0.01	1	0.16	S
Total Pounds On This Chemical	< 0.01			
AZADIRACTIN	12.79	380	1,260.13	A
	5.75	150	5,136,779.15	S
Total Pounds On This Chemical	18.54			
AZOXYSTROBIN	247.12	278	1,320.16	A
	19.06	56	5,423,859.00	S
Total Pounds On This Chemical	266.18			
BACILLUS PUMILUS, STRAIN QST 2808	1.67	21	1,903,200.00	S
	0.06	1	1.00	A
Total Pounds On This Chemical	1.73			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SERO TYPE H-7	45.45	195	20,114,100.00	S
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	98.52	65	120.81	A
	0.41	1	15,000.00	S
Total Pounds On This Chemical	98.92			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENISIS, STRAIN AM 65-52	157.35	192	12,397,957.00	S
	14.00	17	5.08	A
Total Pounds On This Chemical	171.35			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	66.06	79	773.52	A
	1.87	23	130,519.00	S
Total Pounds On This Chemical	67.94			
BACILLUS THURINGIENSIS SUBSPECIES KURSTAKI, GENETICALLY ENGINEERED STRAIN EG7841 LEPIDOPTERAN ACTIVE TOXIN	0.07	1	0.56	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	373.30	22	301.04	A
	9.38	93	3,866,483.00	S
Total Pounds On This Chemical	382.68			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	6.80	1	5.20	A
BACTERIOPHAGE ACTIVE AGAINST XANTHOMONAS CAMPESTRIS PV. VESICATORIA AND PSEUDOMONAS SYRINGAE PV. TOMATO	< 0.01	4	1.30	A
BEAUVERIA BASSIANA STRAIN GHA	15.33	108	44.67	A
BENZOIC ACID	0.15	3	52.00	A
N6-BENZYL ADENINE	0.06	7	2.70	A
BIFENAZATE	348.83	64	726.24	A
	< 0.01	2	30.00	S
Total Pounds On This Chemical	348.83			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
BIFENTHRIN	95.72	185	967.92	A
	0.40	6	136,800.00	S
Total Pounds On This Chemical	96.13			
S-BIOALLETHRIN	< 0.01	1	0.50	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	25.73	237	1,697.71	A
BOSCALID	765.66	182	2,521.40	A
	51.34	98	5,901,738.00	S
Total Pounds On This Chemical	816.99			
BROMADIOLONE	< 0.01	2	30.00	A
	< 0.01	1	14,000.00	S
Total Pounds On This Chemical	< 0.01			
BUTYL ALCOHOL	3.49	8	79.10	A
CAPSICUM OLEORESIN	0.38	6	55.50	A
CAPTAN	9,402.60	192	3,647.05	A
	203.93		5,850,000.00	U
	0.31	2	7,160.00	S
Total Pounds On This Chemical	9,606.84			
CAPTAN, OTHER RELATED	206.97	192	3,647.05	A
	4.63		5,850,000.00	U
	< 0.01	2	7,160.00	S
Total Pounds On This Chemical	211.61			
CARBARYL	119.62	12	46.18	A
CARFENTHAZONE-ETHYL	1.39	6	102.00	A
CHLORANTRANILIPROLE	30.28	9	602.00	A
CHLORFENAPYR	0.10	2	2.00	A
CHLORMEQUAT CHLORIDE	35.37	72	46.77	A
CHLOROPHACINONE	< 0.01	3	10.11	A
	< 0.01	4	161,078.00	S
Total Pounds On This Chemical	< 0.01			
CHLOROPICRIN	151,728.02	94	1,619.23	A
	71.37	9	11,896.00	S
Total Pounds On This Chemical	151,799.39			
CHLOROTHALONIL	7,517.00	1,075	8,987.30	A
	374.19	255	12,698,584.00	S
Total Pounds On This Chemical	7,891.19			
CHLORPROPHAM	173.90	7	76.16	A
CHLORPYRIFOS	494.48	62	661.12	A
	5.68	21	301,091.00	S
Total Pounds On This Chemical	500.16			
CHLORTHAL-DIMETHYL	10.57	1	1.00	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	0.86	5	41,688.00	S
CITRIC ACID	18.60	28	274.31	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	244.42	64	5,344,157.00	S
	52.10	110	19.03	A
Total Pounds On This Chemical	296.53			
CLETHODIM	6.99	8	31.30	A
CLOPYRALID, MONOETHANOLAMINE SALT	33.51	9	112.50	A
CLOTHIANIDIN	3.39	11	36.59	A
COCONUT DIETHANOLAMIDE	5.15	238	28,537,800.00	S
	2.19	78	61.45	A
	0.15	3	39,000.00	U
Total Pounds On This Chemical	7.50			
COPPER DIAMMONIUM DIACETATE COMPLEX	1,101.78	72	1,649.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
COPPER HYDROXIDE	31,104.72	1,191	10,177.84	A
	446.62	259	12,601,626.00	S
Total Pounds On This Chemical	31,551.34			
COPPER OCTANOATE	116.36	120	10,612,044.00	S
	9.91	9	8.72	A
Total Pounds On This Chemical	126.27			
COPPER OXIDE (OUS)	35.38	27	2,395,200.00	S
	11.99	21	30.00	A
Total Pounds On This Chemical	47.37			
COPPER OXYCHLORIDE	27.05	11	105.46	A
	2.56	13	378,620.00	S
Total Pounds On This Chemical	29.61			
COPPER OXYCHLORIDE SULFATE	0.44	1	0.32	A
COPPER 8-QUINOLINOLEATE	6.61	1	15.00	A
COPPER SALTS OF FATTY AND ROSIN ACIDS	0.65	1	16,800.00	S
COPPER SULFATE (BASIC)	1,883.29	38	379.57	A
COPPER SULFATE (PENTAHYDRATE)	5,185.44	120	659.95	A
	0.06	1	200.00	S
Total Pounds On This Chemical	5,185.50			
CYAZOFAMID	0.54	12	7.74	A
CYFLUTHRIN	8.91	73	1,093.90	A
	0.06	3	48,950.00	S
Total Pounds On This Chemical	8.96			
BETA-CYFLUTHRIN	0.06	12	20,852.66	S
	0.04	3	1.46	A
	0.01	1	10,080.00	C
Total Pounds On This Chemical	0.12			
CYPERMETHRIN	0.01	3	0.03	A
(S)-CYPERMETHRIN	2.99	38	80.90	A
CYPRODINIL	395.84	110	1,362.37	A
	14.09	32	3,502,525.00	S
Total Pounds On This Chemical	409.93			
CYROMAZINE	4.93	7	20.50	A
	4.21	8	538,000.00	S
Total Pounds On This Chemical	9.14			
2,4-D	24.39	2	80.00	A
2,4-D, BUTOXYETHANOL ESTER	43.31	2	80.00	A
2,4-D, DIMETHYLAMINE SALT	90.99	12	99.90	A
DAMINOZIDE	203.86	200	120.12	A
	0.89	3	15,800.00	S
Total Pounds On This Chemical	204.75			
DAZOMET	3,960.00	3	20.00	A
DELTAMETHRIN	< 0.01	1	0.50	A
DIATOMACEOUS EARTH	41.81	43	27.44	A
DIAZINON	19.44	7	18.50	A
	0.07	1	9,200.00	S
Total Pounds On This Chemical	19.51			
DICAMBA, DIMETHYLAMINE SALT	34.38	2	80.00	A
DICAMBA, SODIUM SALT	4.54	2	18.00	A
1,3-DICHLOROPROPENE	135,200.05	53	515.90	A
DICLORAN	9.15	15	8.99	A
DICOFOL	93.00	3	62.00	A
DIDECYL DIMETHYL AMMONIUM CHLORIDE	7.50	16	9.50	A
DIENOCHLOR	0.25	2	2.00	A
DIETHYLENE GLYCOL	255.42	120	1,779.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
DIFLUBENZURON	0.83	5	2.50	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	30.25	2	40.00	A
DIMETHENAMID-P	27.38	19	1,140.00	A
DIMETHOATE	3.27	13	6.45	A
	0.02	1	1,360.00	S
Total Pounds On This Chemical	3.28			
DIMETHOMORPH	7.35	38	23.61	A
	2.41	40	5,254,400.00	S
Total Pounds On This Chemical	9.76			
DIMETHYL ALKYL TERTIARY AMINES	0.16	3	52.00	A
DIMETHYLPOLYSILOXANE	111.21	425	5,442.52	A
	0.53	206	14,374,787.00	S
Total Pounds On This Chemical	111.74			
DINOTEFURAN	17.05	98	394.37	A
	0.16	3	43,810.00	S
Total Pounds On This Chemical	17.21			
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	1.83	8	2.00	A
DIPHACINONE	< 0.01	20	86.26	A
DIPROPYLENE GLYCOL METHYL ETHER	4.24	9	67.50	A
DIQUAT DIBROMIDE	407.00	116	426.94	A
	0.23	1	1,600.00	S
Total Pounds On This Chemical	407.24			
DISULFOTON	2,098.34	104	334.59	A
DIURON	1,157.97	109	1,109.27	A
DODECYLBENZENE SULFONIC ACID	22.33	238	28,537,800.00	S
	9.51	78	61.45	A
	0.64	3	39,000.00	U
Total Pounds On This Chemical	32.48			
EDTA, TETRASODIUM SALT	1.37	238	28,537,800.00	S
	0.90	84	253.65	A
	0.04	3	39,000.00	U
Total Pounds On This Chemical	2.32			
ENDOSULFAN	291.00	12	291.00	A
ESFENVALERATE	91.12	26	398.29	A
ETHEPHON	2.72	26	9.26	A
ETHOPROP	1,530.95	119	360.09	A
ETHYL ACRYLATE AND METHYL METHACRYLATE COPOLYMER	6.80	1	16.00	A
ETOXAZOLE	52.78	29	423.45	A
FATTY ACIDS, MIXED	463.55	296	2,391.08	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	65.43	9	286.00	A
FATTY ACIDS DERIVED FROM TALLOW	90.34	96	399.17	A
FENAMIDONE	27.04	42	5,897,800.00	S
	3.97	25	16.33	A
Total Pounds On This Chemical	31.00			
FENARIMOL	0.40	6	9.90	A
FENHEXAMID	41.82	59	88.85	A
	0.26	6	18,920.00	S
Total Pounds On This Chemical	42.08			
FENPROPATHRIN	0.74	2	1.48	A
	0.47	1	20,000.00	U
Total Pounds On This Chemical	1.21			
FENPYROXIMATE	2.89	5	18.00	A
FLONICAMID	0.04	1	2.00	A
FLUAZINAM	48.29	7	94.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
FLUBENDIAMIDE	0.24	1	2.00	A
FLUDIOXONIL	272.81	147	1,408.97	A
	9.39	32	3,502,525.00	S
Total Pounds On This Chemical	282.20			
FLUMIOXAZIN	50.11	9	160.00	A
FLUOPICOLIDE	15.12	48	6,822,600.00	S
	11.89	62	88.29	A
Total Pounds On This Chemical	27.01			
FLURPRIMIDOL	< 0.01	1	0.50	A
	< 0.01	1	400.00	S
Total Pounds On This Chemical	< 0.01			
TAU-FLUVALINATE	6.49	27	43.95	A
	0.02	3	58,600.00	S
Total Pounds On This Chemical	6.51			
FOSETYL-AL	1,262.11	296	545.69	A
	854.75	278	14,297,643.00	S
Total Pounds On This Chemical	2,116.86			
GIBBERELLINS	39.68	17	94.20	A
GLUFOSINATE-AMMONIUM	71.05	15	118.13	A
GLYPHOSATE, ISOPROPYLAMINE SALT	2,264.72	264	1,221.44	A
	16.05	2	177,233.00	S
	5.01	2	23,000.00	U
Total Pounds On This Chemical	2,285.78			
GLYPHOSATE, MONOAMMONIUM SALT	32.25	6	20.00	A
GLYPHOSATE, POTASSIUM SALT	577.23	50	201.17	A
	1.31	2	12,000.00	S
Total Pounds On This Chemical	578.55			
HALOSULFURON-METHYL	2.34	6	46.00	A
	0.05		56,000.00	S
Total Pounds On This Chemical	2.40			
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	43.63	168	3,050.03	A
HEXYTHIAZOX	45.11	29	281.37	A
HYDRAMETHYLNON	0.07	1	6.66	A
HYDROGEN PEROXIDE	223.53	37	4,054,446.00	S
	221.12	174	100.35	A
	32.41		730,000.00	U
Total Pounds On This Chemical	477.06			
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	87.15	55	1,374.70	A
IBA	0.23	114	2,474.00	S
	0.05	22	358.00	U
	0.02	5	300.00	A
Total Pounds On This Chemical	0.29			
IMIDACLOPRID	64.57	205	1,516.49	A
	28.79	258	21,480,482.16	S
	5.80	12	14,516.00	C
	0.01		472,000.00	U
Total Pounds On This Chemical	99.17			
IMIPROTHRIN	0.01	3	0.03	A
INDAZIFLAM	0.92	3	14.00	A
INDOXACARB	1.58	17	24.14	A
IPRODIONE	702.48	172	1,041.66	A
	0.50	5	22,680.00	S
Total Pounds On This Chemical	702.98			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
IRON PHOSPHATE	15.48	55	111.45	A
	1.87	30	466,326.00	S
Total Pounds On This Chemical	17.35			
ISOPROPYL ALCOHOL	67.62	134	931.56	A
	39.97	303	38,175,000.00	S
	0.19	3	39,000.00	U
Total Pounds On This Chemical	107.79			
ISOXABEN	118.37	20	140.60	A
KAOLIN	429.11	20	17.07	A
KEROSENE	0.29	3	52.00	A
(S)-KINOPRENE	0.18	4	1.99	A
	0.12	2	9,314.00	S
Total Pounds On This Chemical	0.30			
LAMBDA-CYHALOTHRIN	59.63	172	1,975.66	A
LECITHIN	531.99	229	1,016.19	A
LIME-SULFUR	490.87	1	16.00	A
LINURON	71.50	16	71.50	A
MALATHION	523.85	150	238.83	A
	15.37	5	167,740.00	S
Total Pounds On This Chemical	539.23			
MANCOZEB	2,274.22	250	985.92	A
	383.73	282	10,997,752.00	S
Total Pounds On This Chemical	2,657.96			
MANDIPROPAMID	1.38	16	10.67	A
MANEB	260.69	105	491.37	A
	4.44	3	239,715.00	S
Total Pounds On This Chemical	265.14			
MARGOSA OIL	0.42	7	23,958.00	S
MCPA, DIMETHYLAMINE SALT	43.69	3	96.00	A
MCPP, POTASSIUM SALT	2.05	9	10.25	A
MEFENOXAM	477.78	201	758.70	A
	2.81	26	80,150.00	S
	0.41	3	11,200.00	U
Total Pounds On This Chemical	481.00			
MEFENOXAM, OTHER RELATED	0.95	61	117.69	A
	0.06	20	48,025.00	S
	0.01	3	11,200.00	U
Total Pounds On This Chemical	1.02			
METALAXYL	0.10	12	7.32	A
METALDEHYDE	103.03	39	238.64	A
	11.06	10	993,700.00	S
Total Pounds On This Chemical	114.09			
METAM-SODIUM	132,361.82	66	417.03	A
METCONAZOLE	6.46	4	59.00	A
METHIDATHION	220.01	5	56.00	A
METHIOCARB	57.00	20	47.00	A
METHOXYFENOZIDE	64.13	36	837.30	A
	23.54	79	11,345,100.00	S
Total Pounds On This Chemical	87.67			
METHYLATED SOYBEAN OIL	78.28	39	322.65	A
METHYL BROMIDE	497,641.11	116	2,090.03	A
	172.88	9	11,896.00	S
Total Pounds On This Chemical	497,813.98			
METHYL PARATHION	0.40	1	14.00	A
METHYL PARATHION, OTHER RELATED	0.02	1	14.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
S-METOLACHLOR	108.63	5	57.00	A
MINERAL OIL	2,233.41	269	2,227.81	A
MYCLOBUTANIL	123.60	70	1,056.23	A
	0.17	6	38,880.00	S
Total Pounds On This Chemical	123.77			
NALED	2.01	2	2.00	A
NAPROPAMIDE	580.85	31	279.48	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	79.36	13	622.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,460.19	527	4,317.12	A
	33.81	65	9,637,200.00	S
Total Pounds On This Chemical	1,494.00			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.31	1	9.64	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	533.83	64	384.90	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	69.29	4	336.00	A
NOVALURON	0.22	4	4.75	A
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	3.66	8	2.00	A
OLEIC ACID	5.99	5	60.00	A
OLEIC ACID, METHYL ESTER	2.19	1	8.00	A
ORCHEX 796 OIL	34.73	1	14.00	A
ORGANO/MODIFIED POLYSILOXANE	< 0.01	2	5.50	A
ORYZALIN	1,201.32	44	287.69	A
OXADIAZON	63.50	11	20.50	A
	0.70	2	1,600.00	S
Total Pounds On This Chemical	64.20			
OXYFLUORFEN	139.73	49	234.30	A
PACLOBUTRAZOL	0.94	77	35.81	A
	0.13	50	114,740.80	S
Total Pounds On This Chemical	1.08			
PARAQUAT DICHLORIDE	792.61	83	556.00	A
PARATHION	0.85	1	14.00	A
PCNB	667.69		9,046,500.00	U
	60.20	19	434,473.00	S
	3.06	3	2.75	A
Total Pounds On This Chemical	730.94			
PENDIMETHALIN	1,516.14	65	1,600.55	A
PENOXULAM	0.25	2	8.00	A
PERMETHRIN	232.03	154	1,338.39	A
	51.66	182	19,021,385.00	S
Total Pounds On This Chemical	283.69			
PETROLEUM DISTILLATES, REFINED	103.77	11	15.26	A
	17.32	8	104,800.00	S
Total Pounds On This Chemical	121.09			
PETROLEUM OIL, UNCLASSIFIED	90.67	3	11.37	A
	4.72	5	12,256.00	S
Total Pounds On This Chemical	95.40			
PHORATE	1,963.56	119	360.09	A
PHOSPHORIC ACID	77.34	133	771.36	A
	14.71	303	38,175,000.00	S
	0.13	3	39,000.00	U
Total Pounds On This Chemical	92.17			
BETA-PINENE POLYMER	39.79	79	61.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
PIPERALIN	0.21	3	15,170.00	S
PIPERONYL BUTOXIDE	328.82	310	2,932.79	A
PIPERONYL BUTOXIDE, OTHER RELATED	82.20	310	2,932.79	A
POLYACRYLAMIDE POLYMER	0.56	1	50.00	A
POLYACRYLIC POLYMER	1.06	5	149.90	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	4.88	79	285,542.00	S
	0.54	2	2.54	A
Total Pounds On This Chemical	5.42			
POLYBUTENES	11.68	9	286.00	A
POLYETHER MODIFIED POLYSILOXANE	0.57	4	3.50	A
POLYETHYLENE GLYCOL	80.22	18	305.60	A
POLYETHYLENE GLYCOL DIACETATE	2.22	52	1,334.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	17.76	206	14,374,787.00	S
	9.69	17	189.34	A
Total Pounds On This Chemical	27.45			
POLY-I-PARA-MENTHENE	7.43	21	20.70	A
	2.04	6	298,200.00	S
Total Pounds On This Chemical	9.47			
POLYOXYETHYLENE POLYOXYPROPYLENE	5.54	29	1,740.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	173.75	152	3,040.62	A
POTASH SOAP	383.97	29	1,226,038.00	S
	362.51	53	50.70	A
Total Pounds On This Chemical	746.48			
POTASSIUM BICARBONATE	171.50	188	82.86	A
	3.70	23	71,755.00	S
Total Pounds On This Chemical	175.19			
POTASSIUM N-METHYLDITHIOCARBAMATE	18,911.52	13	77.54	A
POTASSIUM PHOSPHITE	800.30	1	0.25	S
	497.16	35	132.52	A
	7.82	3	35,400.00	U
Total Pounds On This Chemical	1,305.29			
PRODIAMINE	11.58	4	32.00	A
	0.51		80,000.00	S
Total Pounds On This Chemical	12.09			
PROPAMOCARB HYDROCHLORIDE	53.67	50	60.25	A
	15.16	28	954,741.00	S
Total Pounds On This Chemical	68.83			
PROPARGITE	24.00	1	15.00	A
PROPICONAZOLE	66.81	64	583.53	A
	10.85	54	4,537,926.00	S
Total Pounds On This Chemical	77.66			
PROPIONIC ACID	397.80	210	756.49	A
PROPYLENE GLYCOL	39.02	206	14,374,787.00	S
	8.45	38	245.75	A
Total Pounds On This Chemical	47.47			
PYMETROZINE	47.58	56	313.50	A
	8.45	37	5,529,000.00	S
Total Pounds On This Chemical	56.03			
PYRACLOSTROBIN	496.31	181	2,813.10	A
	0.13	1	44,000.00	S
Total Pounds On This Chemical	496.43			
PYRAFLUFEN-ETHYL	0.36	5	99.00	A
PYRETHRINS	67.65	485	3,762.45	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
Total Pounds On This Chemical	70.42	2.77	59	5,269,632.00 S
PYRIDABEN		1.13	2	4.50 A
PYRIDALYL		2.67	8	15.25 A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS		79.52	255	8,375,167.92 S
		28.79	367	220.39 A
Total Pounds On This Chemical	108.31			
QUINOXYFEN		2.82	2	32.00 A
REYNOUTRIA SACHALINENSIS		35.53	207	9,091,018.00 S
		14.89	82	61.74 A
		1.19	4	39,400.00 U
Total Pounds On This Chemical	51.61			
RIMSULFURON		0.56	5	12.00 A
ROTENONE		0.34	23	31.16 A
ROTENONE, OTHER RELATED		0.34	23	31.16 A
SETHOXYDIM		5.62	1	14.00 A
SILICONE DEFOAMER		0.58	238	28,537,800.00 S
		0.25	78	61.45 A
		0.02	3	39,000.00 U
Total Pounds On This Chemical	0.85			
SIMAZINE		4.50	1	3.00 A
SODIUM CARBONATE		1.13	3	2.25 A
SODIUM DIOCTYLSULFOSUCCINATE		1.51	4	46.00 A
SODIUM METASILICATE		1.31	6	192.20 A
SODIUM XYLENE SULFONATE		6.87	238	28,537,800.00 S
		2.92	78	61.45 A
		0.20	3	39,000.00 U
Total Pounds On This Chemical	9.99			
SORBITAN MONOOLEATE		0.91	1	10.00 A
SOYBEAN OIL		5.35	1	0.48 A
SPINETORAM		115.04	79	1,191.88 A
		2.45	21	2,496,000.00 S
Total Pounds On This Chemical	117.49			
SPINOSAD		137.96	374	1,828.02 A
		15.02	138	11,039,628.00 S
Total Pounds On This Chemical	152.98			
SPIRODICLOFEN		2.58	3	9.00 A
SPIROMESIFEN		0.38	5	6.00 A
SPIROTETRAMAT		6.70	35	399.86 A
		0.48	10	166,026.00 S
Total Pounds On This Chemical	7.18			
STARCH		0.11	206	14,374,787.00 S
		< 0.01	2	1.34 A
Total Pounds On This Chemical	0.11			
STREPTOMYCES LYDICUS WYEC 108		< 0.01	44	24.37 A
STREPTOMYCIN SULFATE		26.01	29	140.19 A
		3.84	19	647,219.00 S
Total Pounds On This Chemical	29.85			
STRYCHNINE		0.05	12	80.00 A
STYRENE BUTADIENE COPOLYMER		52.87	206	14,374,787.00 S
		0.13	2	1.34 A
Total Pounds On This Chemical	52.99			
SULFUR		15,288.19	231	5,674.44 A
		47.54	38	682,481.00 S
Total Pounds On This Chemical	15,335.73			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
TALL OIL	2.89	9	69.00	A
TALL OIL FATTY ACIDS	16.37	261	1,900.73	A
TEBUCONAZOLE	107.57	49	461.46	A
TERRAZOLE	13.15	14	43,850.00	S
	0.07	1	0.50	A
Total Pounds On This Chemical	13.21			
TETRACONAZOLE	0.89	3	25.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	26.18	238	28,537,800.00	S
	18.86	80	94.95	A
	0.75	3	39,000.00	U
Total Pounds On This Chemical	45.79			
TETRAPOTASSIUM PYROPHOSPHATE	3.44	238	28,537,800.00	S
	1.46	78	61.45	A
	0.10	3	39,000.00	U
Total Pounds On This Chemical	5.00			
THIABENDAZOLE	118.37		6,046,500.00	U
	0.06	1	0.13	A
Total Pounds On This Chemical	118.44			
THIAMETHOXAM	5.38	18	54.00	A
	0.06	1	20,000.00	S
Total Pounds On This Chemical	5.44			
THIAZOPYR	12.54	2	12.50	A
THIOPHANATE-METHYL	509.97	92	617.83	A
	116.86	30	236,270.00	S
	12.50	3	11,200.00	U
Total Pounds On This Chemical	639.33			
THIRAM	388.35		6,046,500.00	U
TRIADIMEFON	1.33	9	6.95	A
TRIBENURON-METHYL	1.50	3	96.00	A
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	128.33	94	94.90	A
	0.09	15	96,476.00	S
Total Pounds On This Chemical	128.42			
TRICLOPYR, TRIETHYLAMINE SALT	35.26	1	21.50	A
TRIETHANOLAMINE	8.76	238	28,537,800.00	S
	3.73	78	61.45	A
	0.25	3	39,000.00	U
Total Pounds On This Chemical	12.74			
TRIFLOXYSTROBIN	0.27	3	15.66	A
TRIFLUMIZOLE	21.63	46	85.85	A
TRIFLURALIN	82.32	4	67.50	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	21.89	206	14,374,787.00	S
	18.80	18	205.34	A
Total Pounds On This Chemical	40.69			
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	721.23	146	1,980.61	A
UNICONIZOLE-P	0.02	11	396,315.00	S
	< 0.01	7	2.33	A
Total Pounds On This Chemical	0.03			
UREA	30.60	20	276.97	A
VINCLOZOLIN	2.00	6	2.25	A
XYLENE	0.09	1	14.00	A
YUCCA SCHIDIGERA	9.59	29	19.78	A
ZIRAM	160.36	9	39.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
N-OUTDR TRANSPLANTS				
Site Total	1,059,433.87	19,253		
NECTARINE				
ABAMECTIN	429.11	851	12,085.83	A
ACETAMIPRID	7.93	19	70.45	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.79	21	193.60	A
ACRYLIC ACID	50.31	47	508.92	A
AGROBACTERIUM RADIOBACTER, STRAIN K1026	< 0.01	1	3.20	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,520.68	854	5,541.58	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	37.88	148	1,564.99	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	346.68	254	2,647.56	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.76	1	6.22	A
ALPHA-PINENE BETA-PINENE COPOLYMER	2,242.92	404	7,214.09	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	0.14	6	27.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	288.27	182	1,779.50	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	31.70	12	175.30	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.66	6	10.25	A
ALUMINUM PHOSPHIDE	0.25	9	14.00	A
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	10.48	16	95.50	A
AMMONIUM NITRATE	136.53	177	1,758.60	A
AMMONIUM PROPIONATE	13.46	3	42.75	A
AMMONIUM SULFATE	313.14	209	1,895.28	A
AZADIRACTIN	37.29	139	1,932.73	A
	< 0.01	1	400.00	S
Total Pounds On This Chemical	37.29			
AZOXYSTROBIN	51.55	29	242.88	A
BACILLUS PUMILUS, STRAIN QST 2808	38.67	27	499.05	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	2,070.12	225	3,234.20	A
	0.11	5	2,100.00	S
Total Pounds On This Chemical	2,070.23			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	4.70	12	45.82	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	599.87	69	774.51	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	18.92	7	43.50	A
BIFENAZATE	1,094.25	115	2,285.96	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	444.80	676	9,420.92	A
N,N-BIS-(2-(OMEGA-HYDROXYPOLY(OXYETHYLENE)/POLY (OXYPROPYLENE))ETHYL)ALKYL (C8-C18) AMINE	0.71	2	15.00	A
BOSCALID	1,087.51	378	5,941.34	A
BUPROFEZIN	941.98	80	928.58	A
2-BUTOXYETHANOL	15.19	150	1,575.79	A
BUTYL ALCOHOL	33.19	147	1,146.85	A
CALCIUM CHLORIDE	1.07	2	8.00	A
CALCIUM HYDROXIDE	397.00	6	41.10	A
CAPTAN	70.51	3	28.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
NECTARINE				
CAPTAN, OTHER RELATED	1.59	3	28.80	A
CARBARYL	86.46	11	29.75	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	3.25	77	619.04	A
CARFENTRAZONE-ETHYL	6.40	19	266.22	A
CASTOR OIL ETHOXYLATE	3.50	17	64.27	A
CHLORANTRANILIPROLE	946.97	768	10,906.74	A
CHLOROPICRIN	31.12	2	3.00	A
CHLOROTHALONIL	1,683.52	36	776.78	A
CHLORPYRIFOS	2,395.70	91	1,259.45	A
CITRIC ACID	34.00	60	387.68	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	25.56	3	6.54	A
CLOFENTEZINE	140.88	62	665.10	A
COCONUT DIETHANOLAMIDE	14.92	107	1,882.17	A
COPPER	42.00	2	14.00	A
COPPER AMMONIUM COMPLEX	0.57	1	0.10	A
	0.33	3	9.00	U
Total Pounds On This Chemical	0.91			
COPPER HYDROXIDE	19,149.26	302	4,853.25	A
	0.51	5	11.00	U
	0.28	3	1,700.00	S
Total Pounds On This Chemical	19,150.05			
COPPER OXIDE (OUS)	13,837.26	275	2,177.93	A
COPPER OXYCHLORIDE	115.14	8	40.12	A
COPPER SULFATE (BASIC)	5,055.66	31	469.00	A
COTTONSEED OIL	254.82	84	759.27	A
CYFLUTHRIN	0.05	2	1.15	A
BETA-CYFLUTHRIN	43.11	141	2,085.33	A
CYPRODINIL	252.35	137	887.91	A
2,4-D, DIMETHYLAMINE SALT	7,509.18	730	6,956.16	A
(E)-5-DECENOL	< 0.01	2	5.00	A
(E)-5-DECEN-1-OL	0.07	2	11.00	A
(E)-5-DECENYL ACETATE	1.26	4	16.00	A
DIAZINON	366.25	18	196.24	A
1,3-DICHLOROPROPENE	12,533.43	7	37.71	A
DIETHYLENE GLYCOL	482.56	88	1,364.84	A
DIFENOCONAZOLE	1.03	1	9.00	A
DIFLUBENZURON	519.07	187	2,314.96	A
3,7-DIMETHYL-6-OCTEN-1-OL	3.31	26	332.52	A
DIMETHYLPOLYSILOXANE	52.81	1,384	13,873.95	A
DIPHACINONE	0.01	21	483.05	A
E,E-8,10-DODECADIEN-1-OL	5.19	25	153.03	A
Z-8-DODECENOL	12.38	818	10,701.27	A
E-8-DODECENYL ACETATE	71.24	818	10,701.27	A
Z-8-DODECENYL ACETATE	1,091.90	818	10,701.27	A
DODECYLBENZENE SULFONIC ACID	61.88	101	1,855.17	A
EDTA, SODIUM SALT	0.83	23	630.00	A
EDTA, TETRASODIUM SALT	3.81	101	1,855.17	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	137.99	124	1,386.59	A
ESFENVALERATE	861.97	1,258	16,244.55	A
ETHYLENE GLYCOL	17.51	25	175.71	A
ETOXAZOLE	114.10	68	873.50	A
FARNESOL	1.33	26	332.52	A
FATTY ACIDS, MIXED	23.20	125	909.51	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,212.72	154	1,222.17	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
NECTARINE				
FENBUCONAZOLE	208.34	125	2,225.64	A
FENHEXAMID	77.75		9,719.00	T
FENPROPATHRIN	83.32	38	258.51	A
FLUAZIFOP-P-BUTYL	1.12	1	6.00	A
FLUBENDIAMIDE	182.65	139	1,642.34	A
FLUDIOXONIL	219.79		171,983.56	T
	3.68		466,209.00	P
Total Pounds On This Chemical	223.47			
FLUMIOXAZIN	212.26	53	741.24	A
FORMETANATE HYDROCHLORIDE	6,872.94	551	7,247.49	A
GERANIOL	3.31	26	332.52	A
GIBBERELLINS	18.14	45	321.85	A
GLYCEROL	1.22	6	18.60	A
GLYPHOSATE, ISOPROPYLAMINE SALT	43,692.27	1,565	22,150.08	A
	0.13	3	560.00	S
	0.02	1	3.00	U
Total Pounds On This Chemical	43,692.42			
GLYPHOSATE, POTASSIUM SALT	10,710.96	1,089	8,015.09	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.49	54	360.38	A
HEXYTHIAZOX	285.65	125	1,737.69	A
HYDROTREATED PARAFFINIC SOLVENT	908.98	288	1,660.70	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	295.80	225	1,552.29	A
IMAZALIL	8.18		1,275.36	T
IMIDACLOPRID	16.27	33	145.78	A
INDAZIFLAM	148.32	314	2,940.97	A
INDOXACARB	643.31	439	5,770.43	A
IPRODIONE	9,477.41	890	11,631.79	A
ISOPROPYL ALCOHOL	773.52	1,820	17,836.34	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	15.24	153	1,582.29	A
ISOXABEN	0.31	1	0.82	A
LAMBDA-CYHALOTHRIN	55.47	113	1,380.91	A
LAURIC ACID	0.13	6	27.00	A
LECITHIN	393.94	122	1,167.15	A
LIME-SULFUR	27.45	16	18.81	A
LIMONENE	311.40	150	1,575.79	A
MALATHION	11.59	3	2.00	A
METCONAZOLE	34.63	57	303.70	A
METHOMYL	2,630.69	165	3,205.64	A
METHOXYFENOZIDE	420.70	132	1,767.53	A
METHYLATED SOYBEAN OIL	484.85	180	1,513.36	A
METHYL BROMIDE	522.05		2,174,179.68	P
	371.80		1,567.00	T
	18.00		46,900.00	C
Total Pounds On This Chemical	911.85			
METHYL SILICONE RESINS	5.08	7	37.88	A
MINERAL OIL	400,367.63	1,407	19,957.80	A
	0.62	2	6.00	U
Total Pounds On This Chemical	400,368.24			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	4,461.09	1,274	16,382.94	A
MYCLOBUTANIL	627.99	369	4,872.60	A
NEROLIDOL	3.31	26	332.52	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	434.01	254	1,888.14	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8,938.37	2,450	26,695.62	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
NECTARINE				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	103.98	328	1,893.91	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	551.43	182	1,941.39	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.10	1	0.50	A
NORFLURAZON	0.79	1	6.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	45.23	14	323.53	A
OIL OF JOJOBA	15.60	10	45.56	A
OLEIC ACID	0.02	1	4.50	A
OLEIC ACID, METHYL ESTER	11.11	3	12.22	A
ORYZALIN	2,416.54	165	1,353.31	A
OXYFLUORFEN	2,931.85	1,155	11,767.76	A
PARAQUAT DICHLORIDE	6,267.33	671	6,072.39	A
PENDIMETHALIN	14,522.55	512	5,580.50	A
PERMETHRIN	0.99	1	5.00	A
PETROLEUM DISTILLATES	15.02	3	5.00	A
PETROLEUM DISTILLATES, REFINED	21.11	1	3.00	A
	0.40	2	1,300.00	S
Total Pounds On This Chemical	21.52			
PETROLEUM OIL, PARAFFIN BASED	18,472.85	186	1,961.93	A
PETROLEUM OIL, UNCLASSIFIED	344,763.33	1,199	13,855.98	A
	1.09	3	9.00	U
Total Pounds On This Chemical	344,764.41			
PHOSMET	8,709.38	341	4,122.12	A
	0.51	7	7.00	U
Total Pounds On This Chemical	8,709.89			
PHOSPHORIC ACID	1,029.43	1,288	11,554.16	A
BETA-PINENE POLYMER	871.90	300	3,399.29	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	18.72	145	1,577.99	A
POLYACRYLAMIDE POLYMER	0.12	6	18.60	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	2.53	11	74.00	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	37.23	127	1,404.59	A
POLYBUTENES	221.46	155	1,225.17	A
POLYETHER MODIFIED POLYSILOXANE	281.07	149	1,911.23	A
POLYETHOXYLATED CASTOR OIL	< 0.01	1	1.00	A
POLYETHYLENE GLYCOL	2,163.04	716	7,000.47	A
POLYETHYLENE GLYCOL DIACETATE	0.06	6	10.25	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.19	1	3.75	A
POLY-I-PARA-MENTHENE	515.06	147	747.73	A
POLYOXYETHYLENE POLYOXYPROPYLENE	1.06	2	10.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.22	3	6.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	1.43	3	6.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	26.24	17	64.27	A
POLYSILOXANE	0.06	5	20.90	A
POTASH SOAP	0.59	3	0.30	A
POTASSIUM BICARBONATE	913.60	29	395.26	A
POTASSIUM HYDROXIDE	1.82	5	20.90	A
POTASSIUM PHOSPHITE	10.73	6	35.41	A
PROPARGITE	662.23	13	384.53	A
PROPICONAZOLE	2,390.49	1,660	20,938.99	A
	21.40		19,279.18	T
Total Pounds On This Chemical	2,411.88			
PROPIONIC ACID	40.75	10	86.45	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
NECTARINE				
PROPYLENE GLYCOL	51.80	185	1,293.59	A
PYRACLOSTROBIN	552.39	378	5,941.34	A
PYRAFLUFEN-ETHYL	29.62	486	7,730.62	A
PYRETHRINS	48.13	106	992.27	A
PYRIMETHANIL	109.71	39	349.10	A
PYRIPROXYFEN	439.77	407	4,521.41	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	248.16	166	1,059.25	A
QUILLAJA	6.67	77	619.04	A
QUINOXYFEN	71.35	42	649.18	A
REYNOUTRIA SACHALINENSIS	157.85	81	640.14	A
RIMSULFURON	250.68	482	5,259.04	A
SETHOXYDIM	6.97	1	26.50	A
SILICONE DEFOAMER	1.62	101	1,855.17	A
SIMAZINE	127.80	18	155.50	A
SODIUM DIOCTYLSULFOSUCCINATE	0.03	1	4.50	A
SODIUM HYDROXIDE	1.58	25	85.60	A
SODIUM HYPOCHLORITE	490.77		9,744.31	T
SODIUM POLYACRYLATE	0.34	3	42.75	A
SODIUM XYLENE SULFONATE	19.04	101	1,855.17	A
SPINETORAM	1,965.21	1,408	22,416.36	A
SPINOSAD	820.03	655	7,566.19	A
	< 0.01	3	9.00	U
Total Pounds On This Chemical	820.04			
SPIRODICLOFEN	1,019.39	260	3,744.82	A
SPIROTETRAMAT	2.26	18	148.50	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	4	2.29	A
STRYCHNINE	1.17	3	41.85	A
STYRENE BUTADIENE COPOLYMER	12.33	22	186.90	A
SULFUR	80,785.59	1,439	17,846.16	A
	0.09	1	400.00	S
Total Pounds On This Chemical	80,785.68			
SULFURIC ACID	13.19	118	984.66	A
TALL OIL	3.55	19	66.27	A
TALL OIL FATTY ACIDS	131.60	768	9,342.37	A
TEBUCONAZOLE	1,317.64	555	8,410.01	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	177.44	124	2,485.17	A
TETRAPOTASSIUM PYROPHOSPHATE	9.52	101	1,855.17	A
THIOPHANATE-METHYL	1,247.60	79	1,435.58	A
TRIETHANOLAMINE	24.28	101	1,855.17	A
TRIFLOXYSTROBIN	243.70	220	2,434.52	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	0.36	1	3.75	A
TRISODIUM PHOSPHATE	0.52	12	16.68	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	60.75	44	332.42	A
XANTHAN GUM	0.04	34	209.34	A
ZINC PHOSPHIDE	0.96	1	8.00	A
ZINC SULFATE	165.96	598	3,358.71	A
ZIRAM	95,150.66	1,329	16,023.34	A
Site Total	1,170,364.31	36,208		
NURSERY SOIL				
ABAMECTIN	0.03	2	6.00	A
ACEQUINOCYL	0.81	2	6.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
NURSERY SOIL				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	33.67	6	18.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.75	9	27.00	A
BIFENTHRIN	5.14	10	16,956.00	C
CHLORANTRANILIPROLE	0.14	1	3.00	A
ISOPROPYL ALCOHOL	2.10	6	18.00	A
METHYL BROMIDE	1,078.00	10	109,137.00	C
PIPERONYL BUTOXIDE	1.54	1	3.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.39	1	3.00	A
PYRETHRINS	0.19	1	3.00	A
SPINETORAM	0.32	2	6.00	A
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	0.18	6	287.50	C
Site Total	1,123.27	49		
NUTS				
CHLORPYRIFOS	29.91	1	15.00	A
MAGNESIUM PHOSPHIDE	0.16		1.00	U
PHOSPHINE	0.98		431.00	T
SULFURYL FLUORIDE	179.64	1	5.00	A
Site Total	210.69	2		
OAT				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	2.14	2	127.00	A
ALCOHOLS, C4-C12, NORMAL	0.08	1	55.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	34.99	4	90.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	43.47	9	439.72	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.19	5	250.00	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12.38	1	80.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	43.69	11	602.70	A
ALKYL (C8,C10) POLYGLUCOSIDE	9.41	4	168.00	A
ALUMINUM PHOSPHIDE	2.25	1	19.00	A
AMMONIUM NITRATE	1.00	1	13.00	A
AMMONIUM SULFATE	73.04	4	168.00	A
BENZOIC ACID	14.29	49	1,835.80	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	102.75	24	1,284.20	A
BROMOXYNIL HEPTANOATE	1,415.03	154	5,307.21	A
BROMOXYNIL OCTANOATE	1,929.65	176	6,121.71	A
BUTYL ALCOHOL	23.29	44	1,306.10	A
CARFENTRAZONE-ETHYL	132.40	216	8,705.49	A
CASTOR OIL ETHOXYLATE	3.81	5	103.00	A
CHLORSULFURON	61.93	75	4,570.44	A
CITRIC ACID	5.40	5	250.00	A
CORN SYRUP	24.87	3	155.00	A
COTTONSEED OIL	6.77	1	55.00	A
2,4-D	27.77	1	64.00	A
2,4-D, DIETHANOLAMINE SALT	20.76	1	30.00	A
2,4-D, DIMETHYLAMINE SALT	7,361.40	177	8,248.12	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OAT				
2,4-D, 2-ETHYLHEXYL ESTER	7.24	1	4.00	A
DERIVATED NATURAL POLYMERS	0.30	4	197.70	A
DICAMBA, DIMETHYLAMINE SALT	443.15	65	2,965.44	A
DIETHYLENE GLYCOL	155.62	34	1,306.79	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	346.79	49	1,818.00	A
DIMETHYL ALKYL TERTIARY AMINES	15.57	49	1,835.80	A
DIMETHYLPOLYSILOXANE	20.39	116	4,181.47	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	10.80	5	250.00	A
DIPHACINONE	0.03	4	200.00	A
FATTY ACIDS, MIXED	78.94	16	1,023.74	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	141.78	19	1,034.20	A
FATTY ACIDS DERIVED FROM TALLOW	17.48	11	602.70	A
GLYPHOSATE, ISOPROPYLAMINE SALT	714.92	14	755.25	A
GLYPHOSATE, POTASSIUM SALT	350.41	2	127.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	< 0.01	1	0.72	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1.85	1	20.20	A
ISODECYL ALCOHOL	0.22	1	7.00	A
ISOPROPYL ALCOHOL	69.36	63	2,209.50	A
KEROSENE	24.10	41	1,510.80	A
LAMBDA-CYHALOTHRIN	14.52	5	485.00	A
LECITHIN	142.74	9	566.74	A
MALATHION	194.58	3	196.00	A
MCPA, DIMETHYLAMINE SALT	5,196.75	206	8,452.59	A
METHYLATED SILICA	1.26	5	179.00	A
METHYLATED SOYBEAN OIL	530.87	49	1,835.80	A
METHYL SILICONE RESINS	0.07	3	46.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	48.36	20	1,073.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	921.54	152	6,509.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE), PHOSPHATE ESTER	149.89	4	753.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE) SULFATE, AMMONIUM SALT	0.11	1	77.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.03	3	19.50	A
OLEIC ACID	65.94	16	571.72	A
OLEIC ACID, METHYL ESTER	5.54	1	20.20	A
ORCHEX 796 OIL	449.15	9	439.72	A
PARAQUAT DICHLORIDE	44.12	2	62.50	A
PETROLEUM OIL, PARAFFIN BASED	78.35	20	415.87	A
PHOSPHORIC ACID	0.58	2	22.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	9.85	13	1,065.20	A
POLYACRYLAMIDE POLYMER	5.99	27	1,679.08	A
POLYBUTENES	25.32	19	1,034.20	A
POLYETHYLENE GLYCOL	172.22	29	1,245.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	7.16	4	92.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	0.04	1	0.72	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	179.91	19	338.87	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	3.61	1	77.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	28.58	5	103.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OAT				
POLYPROPYLENE GLYCOL	0.05	1	22.00	A
POLYSACCHARIDE POLYMER	0.10	2	156.00	A
POLYSILOXANE	3.40	4	197.70	A
PROPIONIC ACID	142.74	9	566.74	A
PROPYLENE GLYCOL	5.83	9	165.00	A
PYRETHRINS	< 0.01	1	0.72	A
SORBITAN FATTY ACID ESTERS	0.79	1	77.00	A
SULFUR	3,852.61	5	262.94	A
TALL OIL	13.64	12	397.00	A
TALL OIL FATTY ACIDS	3.87	5	73.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	12.21	7	132.00	A
THIRAM	11.09		25,000.00	P
TRIBENURON-METHYL	3.35	6	214.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	13.35	4	92.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	106.47	6	418.00	A
VINYL POLYMER	8.22	28	1,075.40	A
Site Total	26,222.48	1,375		
OAT (FORAGE - FODDER)				
ACEPHATE	29.22	2	30.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.89	5	267.50	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	300.54	32	3,147.60	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.31	3	53.00	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.78	1	95.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	577.93	166	8,104.03	A
ALKYL (C8,C10) POLYGLUCOSIDE	143.71	38	1,565.14	A
ALUMINUM PHOSPHIDE	2.74	4	86.00	A
AMMONIUM NITRATE	68.65	39	1,575.14	A
AMMONIUM PROPIONATE	14.14	1	150.00	A
AMMONIUM SULFATE	330.67	74	3,463.64	A
BENZOIC ACID	31.84	112	4,867.44	A
BIFENTHRIN	2.30	1	23.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	6.77	6	205.00	A
BROMOXYNIL HEPTANOATE	1,228.66	134	5,021.00	A
BROMOXYNIL OCTANOATE	1,720.91	147	5,928.80	A
BUTYL ALCOHOL	176.32	134	4,440.50	A
CALCIUM CHLORIDE	2.55	5	275.00	A
CANOLA OIL	2.58	20	622.49	A
CARBON	1.93	2	10.50	A
CARFENTHAZONE-ETHYL	1,374.99	1,915	77,204.33	A
CASTOR OIL ETHOXYLATE	16.52	17	754.00	A
CHLORANTRANILIPROLE	2.99	3	114.16	A
CHLOROPHACINONE	< 0.01	3	83.00	A
CHLORSULFURON	4.94	13	341.00	A
CITRIC ACID	68.13	38	2,185.50	A
COCONUT DIETHANOLAMIDE	0.32	2	96.70	A
COTTONSEED OIL	34.23	10	194.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OAT (FORAGE - FODDER)				
2,4-D, DIMETHYLAMINE SALT	9,280.68	227	8,694.52	A
2,4-D, 2-ETHYLHEXYL ESTER	43.41	1	60.00	A
DERIVATED NATURAL POLYMERS	4.31	55	2,595.04	A
DICAMBA, DIMETHYLAMINE SALT	2,047.51	300	14,002.11	A
DICAMBA, SODIUM SALT	4.13	1	20.00	A
1,3-DICHLOROPROPENE	1,669.59	1	5.00	A
DIETHYLENE GLYCOL	654.50	255	10,746.61	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	2,622.18	317	14,308.91	A
DIMETHOATE	25.67	1	52.00	A
DIMETHYL ALKYL TERTIARY AMINES	34.70	112	4,867.44	A
DIMETHYLPOLYSILOXANE	27.00	1,026	38,867.91	A
DIPHACINONE	0.25	12	333.00	A
DODECYLBENZENE SULFONIC ACID	1.38	2	96.70	A
DODECYLBENZENE SULFONIC ACID, CALCIUM SALT	1.29	20	622.49	A
EDTA, TETRASODIUM SALT	0.08	2	96.70	A
ETHYLENE GLYCOL	41.90	8	155.00	A
FATTY ACIDS, MIXED	701.74	248	12,782.52	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	161.62	26	827.49	A
FATTY ACIDS DERIVED FROM TALLOW	231.17	166	8,104.03	A
GLYCEROL	15.46	5	256.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,519.19	35	1,670.77	A
GLYPHOSATE, POTASSIUM SALT	1,496.65	20	863.10	A
HALOSULFURON-METHYL	0.94	1	20.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	0.51	1	41.80	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.09	3	39.54	A
HEXYTHIAZOX	4.87	2	41.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	10.37	3	226.00	A
IMIDACLOPRID	0.91	2	30.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	1.19	1	41.80	A
ISOPROPYL ALCOHOL	876.74	925	34,905.98	A
KEROSENE	48.83	75	3,702.44	A
LAMBDA-CYHALOTHRIN	29.20	17	971.37	A
LECITHIN	153.05	13	1,305.50	A
MALATHION	149.73	3	156.70	A
MCPA, DIMETHYLAMINE SALT	35,715.07	1,457	61,056.97	A
METHYLATED SOYBEAN OIL	1,253.47	130	5,452.47	A
MINERAL OIL	4.94	1	18.00	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	0.25	2	25.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	75.37	72	3,853.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9,927.99	1,538	61,405.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	14.24	9	169.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	11.65	2	168.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	26.00	2	60.00	A
OLEIC ACID	0.50	9	117.50	A
OLEIC ACID, METHYL ESTER	72.10	4	321.00	A
OXYFLUORFEN	28.17	3	122.00	A
PETROLEUM DISTILLATES, ALIPHATIC	< 0.01	1	32.00	A
PETROLEUM NAPHTHENIC OILS	0.06	1	32.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OAT (FORAGE - FODDER)				
PETROLEUM OIL, PARAFFIN BASED	9.13	3	38.00	A
PHOSPHORIC ACID	80.33	50	2,181.40	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	44.62	87	6,839.02	A
POLYACRYLAMIDE POLYMER	35.55	69	3,886.54	A
POLYACRYLIC POLYMER	1.89	14	604.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.62	4	87.39	A
POLYBUTENES	4.51	6	205.00	A
POLYETHYLENE GLYCOL	2,180.89	575	21,381.66	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1.87	3	38.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	3.01	20	622.49	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	123.93	17	754.00	A
POLYSACCHARIDE POLYMER	0.44	32	2,256.47	A
POLYSILOXANE	49.57	56	2,625.04	A
POTASSIUM HYDROXIDE	0.57	2	90.00	A
POTASSIUM NITRATE	3.60	1	60.00	A
PROPIONIC ACID	90.94	4	811.20	A
PROPYLENE GLYCOL	65.94	35	1,199.17	A
PYRAFLUFEN-ETHYL	0.34	9	195.00	A
SILICONE DEFOAMER	0.04	2	96.70	A
SODIUM HYDROXIDE	8.47	5	256.00	A
SODIUM NITRATE	3.64	2	10.50	A
SODIUM POLYACRYLATE	0.35	1	150.00	A
SODIUM XYLENE SULFONATE	0.42	2	96.70	A
SPINOSAD	0.35	1	50.00	A
SPIROMESIFEN	31.07	2	207.00	A
TALL OIL	102.65	248	8,422.62	A
TALL OIL FATTY ACIDS	40.57	29	708.71	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.82	11	214.20	A
TETRAPOTASSIUM PYROPHOSPHATE	0.21	2	96.70	A
TRIBENURON-METHYL	10.69	16	729.50	A
TRIETHANOLAMINE	0.54	2	96.70	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	607.78	171	7,024.24	A
VINYL POLYMER	46.76	121	5,087.33	A
Site Total	78,707.37	6,702		
OKRA				
CHLORANTRANILIPROLE	0.66	1	5.00	A
(S)-CYPERMETHRIN	0.74	3	11.00	A
FLONICAMID	2.80	1	32.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	10.04	1	5.00	A
HYDROTREATED PARAFFINIC SOLVENT	15.14	1	5.00	A
KAOLIN	1.14	1	0.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.25	1	5.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	0.12	1	5.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	1.87	1	32.00	A
SETHOXYDIM	3.50	1	5.00	A
SPINETORAM	0.78	1	5.00	A
TALL OIL	1.56	1	5.00	A
THIRAM	0.40		160.26	P
TRIETHANOLAMINE	0.03	1	5.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OKRA				
TRIFLURALIN	133.77	5	109.20	A
Site Total	173.82	16		
OLIVE				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.07	3	52.82	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	79.52	8	423.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	0.68	3	52.82	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,079.14	222	6,924.43	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	25.80	3	78.38	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.21	3	78.38	A
ALPHA-PINENE BETA-PINENE COPOLYMER	656.83	22	1,067.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	14.41	9	203.23	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5.16	6	101.30	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	124.60	32	695.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	1.01	5	140.25	A
ALKYL (C8,C10) POLYGLUCOSIDE	1,115.52	123	7,032.88	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	81.91	42	1,910.94	A
ALUMINUM PHOSPHIDE	3.26	33	26.93	A
	0.96	2	10,000.00	S
Total Pounds On This Chemical	4.21			
AMMONIUM BICARBONATE	0.01	6	29.50	A
AMMONIUM NITRATE	503.42	276	12,021.80	A
AMMONIUM PROPIONATE	31.96	8	499.00	A
AMMONIUM SULFATE	2,962.08	377	14,439.98	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	6.21	5	8.70	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	8.94	4	8.75	A
BENTONITE	2,513.31	76	1,491.50	A
BENZOIC ACID	1.78	8	451.02	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	41.72	32	1,382.50	A
BUPROFEZIN	578.61	19	354.00	A
2-BUTOXYETHANOL	5.46	9	154.12	A
BUTYL ALCOHOL	122.11	55	1,504.16	A
CALCIUM CHLORIDE	32.49	11	391.00	A
CALCIUM HYDROXIDE	92,811.66	203	6,130.07	A
CARBARYL	13,979.25	90	4,126.37	A
CARFENTRAZONE-ETHYL	295.86	149	13,366.88	A
CASEIN	180.86	76	1,491.50	A
CASTOR OIL ETHOXYLATE	8.30	11	162.00	A
CHLORANTRANILIPROLE	6.59	12	329.49	A
CHLOROPHACINONE	< 0.01	1	12.00	A
CITRIC ACID	301.35	110	2,747.81	A
CLETHODIM	102.12	4	22.30	A
COCONUT DIETHANOLAMIDE	566.35	32	695.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OLIVE				
COPPER HYDROXIDE	54,685.67	458	20,158.41	A
COPPER OCTANOATE	0.42		0.50	A
COPPER OXIDE (OUS)	4,082.73	33	909.21	A
COPPER OXYCHLORIDE	2,349.25	61	2,046.30	A
COPPER SULFATE (BASIC)	46,977.89	157	4,207.00	A
COPPER SULFATE (PENTAHYDRATE)	9,147.60	14	462.00	A
CORN PRODUCT, HYDROLYZED	29.64	3	19.00	A
ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	4.89	3	16.50	A
DIETHYLENE GLYCOL	87.84	21	415.33	A
DIMETHYL ALKYL TERTIARY AMINES	1.92	7	411.02	A
DIMETHYLPOLYSILOXANE	91.86	314	11,996.13	A
DIMETHYL SILICONE FLUID EMULSION	12.66	33	536.00	A
1,7-DIOXASPIRO-(5,5)-UNDECANE	< 0.01	6	29.50	A
DIPHACINONE	0.12	26	695.00	A
DIQUAT DIBROMIDE	13.98	1	15.00	A
DIURON	6,577.64	204	4,898.48	A
(E,Z)-7,9-DODECADIEN-1-YL ACETATE	0.08	4	8.20	A
EDTA, SODIUM SALT	0.02	1	20.00	A
ESFENVALERATE	2.45	2	12.00	A
ETHEPHON	2.13	2	10.00	A
ETHYLENE GLYCOL MONOMETHYL ETHER	28.86	10	134.00	A
FATTY ACIDS, METHYL ESTERS	203.76	9	192.00	A
FATTY ACIDS, MIXED	43.32	26	1,104.83	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	24.50	7	205.00	A
FATTY ACIDS DERIVED FROM TALLOW	5.76	9	203.23	A
FENPROPATHRIN	46.61	15	294.00	A
FLUMIOXAZIN	103.23	10	318.01	A
GLYCEROL	54.14	19	493.64	A
GLYPHOSATE, DIAMMONIUM SALT	9.29	1	48.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	47,724.13	919	35,874.44	A
GLYPHOSATE, MONOAMMONIUM SALT	17.62	3	83.60	A
GLYPHOSATE, POTASSIUM SALT	14,056.73	418	8,876.49	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	12.13	5	113.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	7.40	20	1,077.88	A
HYDROTREATED PARAFFINIC SOLVENT	48.16	7	98.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	310.15	49	2,083.41	A
INDAZIFLAM	5.37	5	82.50	A
ISOOCXYL PHTHALATE	29.26	10	134.00	A
ISOPARAFFINIC HYDROCARBONS	105.36	1	60.00	A
ISOPROPYL ALCOHOL	236.92	154	3,762.03	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.46	4	62.82	A
ISOXABEN	198.14	21	274.51	A
KAOLIN	9.50	1	3.00	A
KEROSENE	3.78	7	404.87	A
LACTOSE	186.49	76	1,491.50	A
LAMBDA-CYHALOTHRIN	< 0.01	6	29.50	A
LAURIC ACID	113.27	32	695.00	A
LECITHIN	96.74	5	260.00	A
LIMONENE	5.59	3	52.82	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	1.52	1	10.00	A
MANCOZEB	43.78	1	24.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OLIVE				
METCONAZOLE	218.00	1	268.00	A
METHIDATHION	125.03	3	57.00	A
METHYLATED SOYBEAN OIL	1,729.77	59	2,206.04	A
MINERAL OIL	41,529.00	167	5,212.83	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	156.91	16	494.50	A
MORPHOLINE	12.65	10	134.00	A
NAA, AMMONIUM SALT	362.65	55	1,374.74	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	377.44	73	2,447.74	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,536.60	296	8,734.25	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	45.80	24	381.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	212.97	21	1,187.00	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	386.91	55	1,620.10	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.32	1	8.00	A
OLEIC ACID	41.11	13	149.00	A
OLEIC ACID, METHYL ESTER	204.87	16	368.70	A
ORCHEX 796 OIL	71.77	1	60.00	A
ORGANO/MODIFIED POLYSILOXANE	0.03	5	140.25	A
ORYZALIN	6,358.97	95	2,376.66	A
OXYFLUORFEN	4,227.71	333	11,254.11	A
PARAQUAT DICHLORIDE	3,009.81	100	3,058.50	A
PENDIMETHALIN	5,016.51	84	3,290.21	A
PERMETHRIN	48.40	1	35.00	A
PETROLEUM DISTILLATES	45.88	2	101.80	A
PETROLEUM DISTILLATES, REFINED	53.99	4	10.00	A
PETROLEUM OIL, PARAFFIN BASED	377.45	23	901.87	A
PETROLEUM OIL, UNCLASSIFIED	21,998.80	33	1,737.50	A
PHOSMET	0.26	3	12.00	U
PHOSPHORIC ACID	200.24	86	2,035.73	A
BETA-PINENE POLYMER	57.05	7	188.00	A
POLYACRYLAMIDE POLYMER	5.98	28	835.64	A
POLYACRYLIC POLYMER	8.21	44	907.46	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	6.75	21	380.22	A
POLYBUTENES	4.37	7	205.00	A
POLYETHER MODIFIED POLYSILOXANE	4.15	4	149.00	A
POLYETHYLENE GLYCOL	361.71	101	2,506.55	A
POLYETHYLENE GLYCOL DIACETATE	7.45	42	1,910.94	A
POLY-I-PARA-MENTHENE	582.29	15	665.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	41.53	12	591.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	42.17	5	299.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.75	1	10.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	9.33	4	26.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	62.23	11	162.00	A
POTASSIUM CARBONATE	18.80	1	28.00	A
PROPIONIC ACID	81.25	2	200.00	A
PROPYLENE GLYCOL	314.63	49	1,288.00	A
PROPYLENE GLYCOL, METHYL ETHER	0.39	3	15.00	A
PYRAFLUFEN-ETHYL	4.68	20	1,041.89	A
PYRETHRINS	0.42	2	12.83	A
PYRIPROXYFEN	74.14	31	697.00	A
REYNOUTRIA SACHALINENSIS	27.66	4	139.50	A
SAFLUFENACIL	33.82	3	273.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OLIVE				
SETHOXYDIM	14.02	2	536.00	A
SIMAZINE	11,465.34	225	5,476.13	A
SODIUM DIISOOCTYLSULFOSUCCINATE	3.86	10	134.00	A
SODIUM HYDROXIDE	36.82	22	651.64	A
SODIUM POLYACRYLATE	0.80	8	499.00	A
SODIUM TRIPOLYPHOSPHATE	5.32	6	101.30	A
SORBITAN TRIOLEATE	2.45	3	16.50	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.03	1	40.00	A
SPINOSAD	9.45	3,539	46,057.83	A
	< 0.01	8	2,281.00	U
Total Pounds On This Chemical	9.46			
STRYCHNINE	0.72	20	122.00	A
STYRENE BUTADIENE COPOLYMER	35.59	11	297.00	A
SULFUR	1,668.00	21	256.00	A
SULFURIC ACID	0.66	1	40.00	A
TALL OIL	8.47	12	170.31	A
TALL OIL FATTY ACIDS	150.70	74	2,844.10	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.53	1	20.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	15.26	6	117.00	A
TRISODIUM PHOSPHATE	2.43	1	40.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	94.67	31	700.50	A
UREA	7.97	6	143.25	A
VINYL POLYMER	0.44	3	68.80	A
YUCCA SCHIDIGERA	20.68	2	80.00	A
Site Total	410,699.07	8,767		
ONION, DRY				
ABAMECTIN	22.16	80	2,561.66	A
ACETAMIPRID	505.18	38	3,479.69	A
ACRYLIC ACID	13.20	6	214.08	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	240.93	25	3,025.03	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	484.02	302	14,186.43	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	38.88	4	280.50	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.95	2	52.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	71.83	67	3,681.50	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.93	67	3,681.50	A
ALPHA-PINENE BETA-PINENE COPOLYMER	1,988.92	115	8,889.90	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	171.66	24	1,208.50	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	0.58	1	51.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	193.07	27	935.20	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	37.17	2	327.80	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	37.59	88	2,293.65	A
ALUMINUM PHOSPHIDE	0.03		1,227.00	P
AMMONIUM NITRATE	93.61	28	1,097.08	A
AMMONIUM PROPIONATE	32.87	5	236.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ONION, DRY				
AMMONIUM SULFATE	746.94	73	3,842.19	A
AZADIRACTIN	67.74	64	3,223.80	A
	< 0.01	1	200.00	S
Total Pounds On This Chemical	67.74			
AZOXYSTROBIN	1,584.24	144	9,020.28	A
	0.94		23,440.77	P
Total Pounds On This Chemical	1,585.18			
BACILLUS PUMILUS, STRAIN QST 2808	78.48	26	827.32	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1.25	1	13.00	A
BENSULIDE	2,956.83	18	822.10	A
BENZOIC ACID	8.82	74	1,575.63	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	443.29	246	14,889.10	A
BOSCALID	4,167.88	378	15,431.31	A
BROMOXYNIL HEPTANOATE	2,458.72	302	21,564.08	A
BROMOXYNIL OCTANOATE	5,012.00	417	28,237.90	A
BUTYL ALCOHOL	50.05	54	1,612.70	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	6.38	2	198.00	A
CALCIUM CHLORIDE	34.66	28	734.17	A
CALCIUM HYPOCHLORITE	5,334.35	33	3,033.00	A
CARBOXIN	205.03		49,903.98	P
	1.28		160.94	A
Total Pounds On This Chemical	206.32			
CARFENTRAZONE-ETHYL	13.27	13	845.50	A
CASTOR OIL ETHOXYLATE	11.08	18	246.10	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	2.83	1	11.30	A
CHLORANTRANILIPROLE	82.35	10	1,255.32	A
CHLOROPICRIN	21,163.62	2	273.20	A
CHLOROTHALONIL	84,678.38	1,394	68,898.78	A
CHLORPYRIFOS	4,978.52	122	6,550.94	A
CHLORTHAL-DIMETHYL	35,341.73	251	6,376.75	A
CITRIC ACID	229.48	132	6,705.97	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	6,591.21	94	3,866.72	A
CLETHODIM	1,905.97	242	13,345.32	A
COCONUT DIETHANOLAMIDE	1.85	16	446.70	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.14	2	98.00	A
COPPER HYDROXIDE	27,341.80	723	38,310.94	A
COPPER OCTANOATE	46.59	9	134.00	A
COPPER OXIDE (OUS)	1,437.90	29	1,021.97	A
COPPER OXYCHLORIDE	262.89	63	804.11	A
COPPER SULFATE (BASIC)	24,631.60	124	14,529.60	A
CORN SYRUP	4.97	3	66.00	A
COTTONSEED OIL	47.10	4	72.53	A
CYMOXANIL	152.59	24	1,280.62	A
CYPERMETHRIN	554.58	67	5,724.10	A
(S)-CYPERMETHRIN	1,164.39	536	24,946.35	A
CYPRODINIL	10.93	3	36.80	A
CYROMAZINE	285.49		6,215.62	P
	35.05	14	359.07	A
Total Pounds On This Chemical	320.54			
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	2.20	13	60.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ONION, DRY				
DIAZINON	5,783.46	82	2,759.99	A
DICAMBA, DIMETHYLAMINE SALT	1.51	1	15.00	A
1,3-DICHLOROPROPENE	44,785.63	3	331.90	A
DICLORAN	57.24	6	32.40	A
DIETHYLENE GLYCOL	223.95	92	4,220.15	A
DIFENOCONAZOLE	410.46	43	3,756.89	A
DIMETHENAMID-P	571.34	202	11,124.40	A
DIMETHOMORPH	204.16	213	7,974.72	A
DIMETHYL ALKYL TERTIARY AMINES	9.61	74	1,575.63	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	6.89	13	375.50	A
DIMETHYLPOLYSILOXANE	248.65	571	25,191.83	A
DIPROPYLENE GLYCOL METHYL ETHER	0.54	3	167.00	A
DODECYLBENZENE SULFONIC ACID	8.04	16	446.70	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	23.46	5	157.00	A
EDTA, TETRASODIUM SALT	0.49	16	446.70	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	2,091.34	168	10,128.10	A
EPTC	55.76	1	27.00	A
ETHOFUMESATE	9,100.35	172	11,880.30	A
ETHYLENE GLYCOL	77.36	10	412.90	A
ETHYLENE GLYCOL MONOMETHYL ETHER	1.03	1	40.00	A
FAMOXADONE	152.59	24	1,280.62	A
FATTY ACIDS, METHYL ESTERS	126.13	16	364.10	A
FATTY ACIDS, MIXED	195.61	353	10,627.55	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,160.82	107	4,829.30	A
FATTY ACIDS DERIVED FROM TALLOW	68.67	24	1,208.50	A
FENAMIDONE	2,997.19	299	16,803.48	A
FERROUS SULFATE	0.74	2	98.00	A
FLUAZIFOP-P-BUTYL	1,337.19	89	4,995.31	A
FLUAZINAM	41.45	1	79.00	A
FLUDIOXONIL	2.86		50,302.09	P
	0.10	1	288.22	A
	0.04		1,459.89	U
Total Pounds On This Chemical	2.99			
FLUOPICOLIDE	3.89	2	42.00	A
FOSETYL-AL	591.48	10	246.45	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	10.20	7	17.00	A
GLYCEROL	7.28	2	72.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	6,979.00	54	3,521.20	A
GLYPHOSATE, POTASSIUM SALT	16,277.35	109	8,066.81	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	105.15	78	3,601.93	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	4.39	20	510.20	A
HYDROGEN PEROXIDE	459.12	11	408.24	A
HYDROTREATED PARAFFINIC SOLVENT	2,758.21	28	2,674.70	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	303.04	214	5,799.65	A
IMIDACLOPRID	258.31	12	543.95	A
IPIODIONE	14,160.52	377	20,039.44	A
ISOCTYL PHTHALATE	1.04	1	40.00	A
ISOPARAFFINIC HYDROCARBONS	282.55	6	478.00	A
ISOPROPYL ALCOHOL	622.70	321	15,311.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ONION, DRY				
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	2.60	17	861.00	A
KAOLIN	142,608.99	127	3,319.36	A
KEROSENE	16.92	73	1,560.13	A
LAMBDA-CYHALOTHRIN	492.44	470	17,512.64	A
LECITHIN	1,321.34	327	8,558.75	A
MAGNESIUM SULFATE	1.11	2	180.00	A
MALATHION	2,060.62	29	1,424.35	A
MALEIC HYDRAZIDE, DIETHANOLAMINE SALT	38.23	5	57.60	A
MALEIC HYDRAZIDE, POTASSIUM SALT	4,726.10	94	1,797.30	A
MANCOZEB	102,184.96	1,081	55,251.13	A
MANDIPROPAMID	1,183.27	197	9,169.61	A
MANGANESE SULFATE	1.03	2	98.00	A
MARGOSA OIL	8.81	1	14.30	A
MCPA, DIMETHYLAMINE SALT	8.86	1	15.00	A
MEFENOXAM	4,820.92	955	47,248.32	A
	4.61		40,628.65	P
	0.11		1,459.89	U
Total Pounds On This Chemical	4,825.64			
MEFENOXAM, OTHER RELATED	4.32	30	2,210.52	A
	0.08		21,230.00	P
	< 0.01		1,459.89	U
Total Pounds On This Chemical	4.40			
METAM-SODIUM	365,175.73	24	1,906.70	A
METHOMYL	26,164.95	783	38,430.51	A
METHOXYFENOZIDE	6.19	2	31.00	A
METHYLATED SILICA	0.25	3	66.00	A
METHYLATED SOYBEAN OIL	2,874.94	213	8,851.48	A
METHYL PARATHION	8.10	1	17.20	A
METHYL PARATHION, OTHER RELATED	0.43	1	17.20	A
METHYL SILICONE RESINS	164.31	287	5,449.40	A
S-METOLACHLOR	55.65	1	35.00	A
MINERAL OIL	1,998.18	158	10,279.77	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	647.60	51	6,287.80	A
MORPHOLINE	0.45	1	40.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	467.02	137	6,201.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4,707.06	1,059	43,915.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	215.49	20	2,065.70	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	3,857.59	92	5,444.23	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.35	3	71.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.93	2	180.00	A
OLEIC ACID	1.46	1	40.00	A
OLEIC ACID, METHYL ESTER	4,833.29	304	7,492.23	A
ORCHEX 796 OIL	192.47	6	478.00	A
ORGANO/MODIFIED POLYSILOXANE	0.02	1	51.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	17.42	23	622.50	A
OXAMYL	4,249.87	165	5,666.64	A
OXYFLUORFEN	10,599.25	1,315	73,140.67	A
PARAQUAT DICHLORIDE	368.22	4	327.00	A
PENDIMETHALIN	26,982.46	582	33,863.09	A
PERMETHRIN	2,054.24	123	8,604.65	A
PEROXYACETIC ACID	7.14	1	36.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ONION, DRY				
PETROLEUM DISTILLATES	126.79	8	210.00	A
PETROLEUM DISTILLATES, ALIPHATIC	75.47	1	39.00	A
PETROLEUM OIL, PARAFFIN BASED	2,164.38	93	4,665.90	A
PHOSPHORIC ACID	618.98	367	18,541.98	A
BETA-PINENE POLYMER	17.43	3	192.70	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	65.31	215	10,585.53	A
POLYACRYLAMIDE POLYMER	18.62	66	2,579.70	A
POLYACRYLIC POLYMER	1.56	15	460.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	34.08	51	3,291.00	A
POLYBUTENES	207.29	107	4,829.30	A
POLYETHER MODIFIED POLYSILOXANE	625.14	368	14,702.10	A
POLYETHOXYLATED CASTOR OIL	22.46	25	1,284.00	A
POLYETHYLENE GLYCOL	612.41	138	8,865.30	A
POLYETHYLENE GLYCOL DIACETATE	3.42	88	2,293.65	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	6.40	6	55.75	A
POLYETHYLENE GLYCOL OLEATE	15.95	13	375.50	A
POLY-I-PARA-MENTHENE	2,578.98	95	7,847.74	A
POLYMERIZED PINENE	52.96	4	100.00	A
POLYOXYETHYLENE DIOLEATE	0.36	23	622.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	187.50	42	1,904.89	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	17.25	19	435.20	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	3,231.87	60	3,004.40	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	11.29	3	71.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	10.40	17	861.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	70.45	30	921.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	83.13	18	246.10	A
POLYPROPYLENE GLYCOL	5.18	99	1,668.70	A
POLYSACCHARIDE POLYMER	1.25	48	1,805.10	A
POLYSILOXANE	< 0.01	1	10.00	A
POTASH SOAP	0.01	1	200.00	S
POTASSIUM HYDROXIDE	0.68	3	136.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	654,917.63	25	2,497.00	A
POTASSIUM NITRATE	1.29	2	126.00	A
POTASSIUM PHOSPHITE	107.12	2	113.90	A
PROPICONAZOLE	8.99	3	52.00	A
PROPIONIC ACID	1,248.77	318	8,017.75	A
PROPYLENE GLYCOL	56.21	25	2,201.55	A
PYRACLOSTROBIN	2,043.58	438	15,933.01	A
PYRETHRINS	5.26	5	132.80	A
	< 0.01	1	200.00	S
Total Pounds On This Chemical	5.26			
PYRIMETHANIL	3,212.59	116	10,531.16	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	453.73	26	1,382.07	A
REYNOUTRIA SACHALINENSIS	32.21	14	310.12	A
SETHOXYDIM	1,008.47	65	3,952.05	A
SILICONE	1.02	47	885.90	A
SILICONE DEFOAMER	0.58	33	683.20	A
SODIUM DIISOCTYLSULFOSUCCINATE	0.14	1	40.00	A
SODIUM HYDROXIDE	3.99	2	72.50	A
SODIUM HYPOCHLORITE	65,932.10	227	19,647.00	A
SODIUM POLYACRYLATE	1.82	5	236.00	A
SODIUM XYLENE SULFONATE	2.47	16	446.70	A
SORBITAN FATTY ACID ESTERS	2.47	3	71.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ONION, DRY				
SORBITAN TRIOLEATE	1.10	13	60.50	A
SPINETORAM	1,189.60	550	20,835.09	A
SPINOSAD	1,317.54	145	10,722.72	A
	564.42		13,629.88	P
Total Pounds On This Chemical	1,881.96			
SPIROTETRAMAT	18.08	38	1,983.00	A
STYRENE BUTADIENE COPOLYMER	34.27	14	1,590.50	A
SULFUR	42,610.17	68	6,077.19	A
SULFURIC ACID	4.25	2	327.80	A
TALL OIL	101.45	41	1,730.80	A
TALL OIL FATTY ACIDS	485.46	190	13,232.10	A
TEBUCONAZOLE	283.86	20	1,143.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	65.69	33	1,144.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.31	2	180.00	A
TETRAPOTASSIUM PYROPHOSPHATE	1.24	16	446.70	A
THIAMETHOXAM	638.32		16,305.54	P
	5.37		88.18	A
Total Pounds On This Chemical	643.69			
THIRAM	894.53		374,484.51	P
	111.10		59,253.65	U
	2.14		160.94	A
Total Pounds On This Chemical	1,007.78			
TRIBENURON-METHYL	0.10	1	15.00	A
TRIETHANOLAMINE	4.68	24	1,077.70	A
TRIFLURALIN	92.90	2	107.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	122.59	80	3,544.68	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	422.55	218	13,676.40	A
UREA	11.20	3	320.00	A
UREA DIHYDROGEN SULFATE	42.75	18	774.50	A
VEGETABLE OIL	1,040.18	14	867.30	A
VINYL POLYMER	29.84	59	3,011.40	A
YUCCA SCHIDIGERA	10.00	1	25.80	A
ZINC SULFATE	45.29	20	2,173.70	A
Site Total	1,855,846.63	16,611		
ONION, GREEN				
ACETAMIPRID	0.97	3	6.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.78	5	30.00	A
AZADIRACTIN	25.44	77	902.38	A
AZOXYSTROBIN	12.91	28	67.34	A
	0.04		1,783.02	P
Total Pounds On This Chemical	12.96			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	1.50	1	2.00	A
BACILLUS PUMILUS, STRAIN QST 2808	5.67	11	62.20	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	69.02	8	127.81	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.09	1	0.20	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.85	7	25.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ONION, GREEN				
BOSCALID	58.58	22	197.13	A
BUTYL ALCOHOL	1.45	2	39.00	A
CARBOXIN	6.38		850.31	P
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	0.23	1	0.75	A
CHLOROTHALONIL	67.04	5	33.40	A
CHLORTHAL-DIMETHYL	1,216.11	46	146.91	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	996.11	67	761.74	A
COCONUT DIETHANOLAMIDE	0.02	5	2.25	A
COPPER HYDROXIDE	436.46	46	295.24	A
COPPER OCTANOATE	5.82	23	22.21	A
COPPER OXYCHLORIDE	3.57	2	20.00	A
COPPER SULFATE (BASIC)	23.11	1	13.00	A
(S)-CYPERMETHRIN	19.69	47	403.10	A
CYPRODINIL	0.77	3	1.50	A
CYROMAZINE	395.11		498.90	P
	77.39	84	620.48	A
Total Pounds On This Chemical	472.50			
DIAZINON	308.97	38	126.00	A
DIFENOCONAZOLE	1.48	1	13.00	A
DIMETHOMORPH	6.08	44	255.20	A
DIMETHYLPOLYSILOXANE	33.64	53	478.05	A
DODECYLBENZENE SULFONIC ACID	0.09	5	2.25	A
EDTA, TETRASODIUM SALT	< 0.01	5	2.25	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	7.35	5	30.00	A
ETHYLENE GLYCOL	241.08	77	609.23	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	6.91	7	25.50	A
FENAMIDONE	67.10	49	385.08	A
FLUDIOXONIL	0.52	3	1.50	A
	0.18		7,498.69	P
Total Pounds On This Chemical	0.70			
FLUOPICOLIDE	56.22	58	452.34	A
FOSETYL-AL	1.60	1	0.50	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	37.80	24	63.00	A
GLYPHOSATE, POTASSIUM SALT	41.39	1	10.00	A
IRON PHOSPHATE	0.01		600.00	S
ISOPROPYL ALCOHOL	43.96	97	627.44	A
LAMBDA-CYHALOTHRIN	0.29	1	11.00	A
MALATHION	0.96	1	0.50	A
MANDIPROPAMID	23.09	20	175.24	A
MANEB	156.08	5	80.54	A
MARGOSA OIL	2.22	1	1.20	A
MEFENOXAM	19.53	22	140.80	A
	0.51		6,568.26	P
Total Pounds On This Chemical	20.04			
METHOMYL	9.00	3	24.00	A
METHYL PARATHION	2.36	3	24.00	A
METHYL PARATHION, OTHER RELATED	0.12	3	24.00	A
METHYL SILICONE RESINS	20.41	8	48.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	8.37	13	88.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	130.22	100	727.19	A
OXYFLUORFEN	10.13	3	59.60	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	5.56	8	73.52	A
PENDIMETHALIN	14.20	1	10.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ONION, GREEN				
PERMETHRIN	0.60	2	4.00	A
PHOSPHORIC ACID	0.46	10	32.25	A
PIPERONYL BUTOXIDE	0.51	1	1.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.13	1	1.00	A
POLYBUTENES	1.23	7	25.50	A
POLYETHER MODIFIED POLYSILOXANE	0.40	5	30.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	24.46	20	246.95	A
POTASSIUM N-METHYLDITHIOCARBAMATE	1,102.24	11	9.28	A
POTASSIUM PHOSPHITE	720.60	32	307.64	A
PROPICONAZOLE	0.79	2	3.50	A
PYRACLOSTROBIN	15.75	15	105.10	A
PYRETHRINS	0.25	5	15.40	A
PYRIMETHANIL	98.23	21	255.34	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	5.95	2	13.59	A
REYNOUTRIA SACHALINENSIS	64.22	31	242.39	A
SILICONE DEFOAMER	< 0.01	5	2.25	A
SODIUM XYLENE SULFONATE	0.03	5	2.25	A
SPINETORAM	32.91	113	679.22	A
SPINOSAD	65.26	69	642.19	A
STREPTOMYCES LYDICUS WYEC 108	0.05	17	188.29	A
TALL OIL	0.03	15	15.96	A
TEBUCONAZOLE	7.87	10	62.40	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.10	5	2.25	A
TETRAPOTASSIUM PYROPHOSPHATE	0.01	5	2.25	A
THIRAM	49.11		21,371.53	P
TRIETHANOLAMINE	0.03	5	2.25	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.80	5	30.00	A
Site Total	6,875.56	1,239		
ORANGE				
ABAMECTIN	973.31	1,853	52,849.66	A
ACEPHATE	149.30	17	320.00	A
ACEQUINOCYL	818.55	87	2,453.90	A
ACETAMIPRID	2,287.37	797	16,243.44	A
ACETIC ACID	4.72	8	225.00	A
ACRYLIC ACID	79.06	37	1,642.50	A
ALCOHOLS, C4-C12, NORMAL	254.99	5	288.70	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	5,693.13	335	11,478.25	A
ALKYL (58%C14, 28%C16, 14%C12) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.04	2	20.00	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.30	2	19.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.30	2	19.00	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	103.71	38	1,512.72	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9,647.07	2,713	66,131.43	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	549.19	72	1,500.16	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.32	1	9.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	264.42	34	616.75	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ORANGE				
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.91	1	9.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	3,448.56	289	5,175.59	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	189.59	56	1,295.00	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.02	1	1.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	754.75	345	8,370.67	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	12.39	3	265.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	4,252.74	768	16,812.81	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	61.61	6	141.10	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	8.38	3	69.00	A
ALUMINUM PHOSPHIDE	12.08	15	184.00	A
AMMONIUM NITRATE	846.94	485	12,027.48	A
AMMONIUM PROPIONATE	4,445.76	1,004	26,999.05	A
AMMONIUM SULFATE	4,645.37	1,809	44,834.98	A
AZADIRACTIN	35.40	35	1,600.19	A
AZOXYSTROBIN	263.92	59	1,084.06	A
	0.85		168.00	T
Total Pounds On This Chemical	264.76			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	14.16	1	18.88	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.65	1	40.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	6,889.43	456	14,263.90	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	51.95	16	482.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	758.31	24	1,248.38	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	4,926.40	139	7,622.95	A
BENTONITE	64,433.68	1,908	40,938.36	A
BENZOIC ACID	1.18	8	62.00	A
BIFENTHRIN	26.84	7	404.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3,206.72	922	16,222.43	A
BRODIFACOU	< 0.01	1	6.00	A
BROMACIL	25,176.58	684	19,582.47	A
BROMADIOLONE	0.01	6	331.00	A
BROMETHALIN	0.01		17,260.60	T
BUPROFEZIN	7,266.39	147	3,647.26	A
2-BUTOXYETHANOL	0.45	3	10.00	A
BUTYL ALCOHOL	510.99	37	5,434.20	A
CALCIUM CHLORIDE	22.67	1	29.00	A
CALCIUM HYDROXIDE	3,237,770.97	5,318	129,140.51	A
CARBARYL	10,775.15	113	1,827.39	A
	0.07	1	405.00	U
Total Pounds On This Chemical	10,775.22			
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	9.54	16	248.00	A
CARBON	35.00	1	20.00	A
CARBON DIOXIDE	942.50	2	37.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ORANGE				
CARFENTRAZONE-ETHYL	52.82	163	3,995.21	A
CASEIN	4,401.55	1,875	40,144.26	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	875.00	18	758.58	A
CHLORANTRANILIPROLE	1,164.43	746	16,909.67	A
CHLOROPHACINONE	0.17	189	5,697.60	A
CHLORPYRIFOS	129,544.78	1,917	42,871.08	A
	1.50	1	90.00	U
Total Pounds On This Chemical	129,546.28			
CHROMOBACTERIUM SUBSUGAE STRAIN PRAA4-1	3.00	1	5.00	A
CITRIC ACID	2,688.53	1,210	32,709.88	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	136.60	4	83.00	A
CLETHODIM	6.13	2	66.00	A
COCONUT DIETHANOLAMIDE	3,504.80	544	15,960.89	A
COPPER	114,496.91	1,997	39,739.73	A
COPPER DIAMMONIUM DIACETATE COMPLEX	7.23	2	2.80	A
COPPER HYDROXIDE	24,935.40	431	8,878.57	A
COPPER OXIDE (OUS)	48,449.19	572	17,607.90	A
COPPER OXYCHLORIDE SULFATE	1.25	1	3.50	A
COPPER SULFATE (BASIC)	378,024.50	3,336	88,700.41	A
COPPER SULFATE (PENTAHYDRATE)	18,542.19	60	2,736.96	A
CORN SYRUP	52.18	110	936.00	A
COTTONSEED OIL	22,602.78	12	343.90	A
CRYOLITE	98,054.33	203	7,160.80	A
CYANURIC ACID	125.00	1	5.00	A
CYFLUTHRIN	426.44	250	6,755.03	A
BETA-CYFLUTHRIN	2,553.72	2,537	70,238.67	A
(S)-CYPERMETHRIN	328.79	360	8,724.53	A
2,4-D	2.48	3	51.20	A
2,4-D, DIMETHYLAMINE SALT	8,227.44	418	11,902.04	A
2,4-D, ISOPROPYL ESTER	9,929.62	5,269	127,249.13	A
DERIVATED NATURAL POLYMERS	1.41	10	251.00	A
1,3-DICHLOROPROPENE	2,864.95	2	8.80	A
DIETHYLENE GLYCOL	1,038.14	171	7,163.02	A
DIFENOCONAZOLE	15.76	7	136.50	A
DIFETHIALONE	< 0.01	24	461.50	A
DIFLUBENZURON	1,014.61	203	4,931.31	A
DIMETHOATE	2,181.64	183	2,888.44	A
DIMETHYL ALKYL TERTIARY AMINES	1.28	8	62.00	A
DIMETHYLPOLYSILOXANE	9,366.08	2,959	90,011.14	A
	0.07	1	64.00	U
Total Pounds On This Chemical	9,366.15			
DIMETHYL SILICONE FLUID EMULSION	86.67	197	3,806.61	A
DIPHACINONE	2.03	594	19,849.12	A
	< 0.01	1	90.00	U
	< 0.01	1	15.00	S
Total Pounds On This Chemical	2.03			
DISODIUM OCTABORATE TETRAHYDRATE	0.56	2	14.98	A
DIURON	122,054.36	2,289	64,720.84	A
DODECYLBENZENE SULFONIC ACID	321.16	199	7,590.22	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	262.24	300	4,849.82	A
DRY MILK SOLIDS	1.16	1	8.10	A
EDTA, SODIUM SALT	0.53	7	381.87	A
EDTA, TETRASODIUM SALT	19.76	199	7,590.22	A
ETHYLENE GLYCOL	51.53	9	334.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ORANGE				
ETHYLENE GLYCOL MONOMETHYL ETHER	2,587.81	663	22,428.07	A
FATTY ACIDS, METHYL ESTERS	4,992.80	396	5,380.98	A
FATTY ACIDS, MIXED	491.29	346	9,787.82	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	6,292.49	260	6,118.26	A
FATTY ACIDS DERIVED FROM TALLOW	75.85	56	1,295.00	A
FENAMIPHOS	43.73	1	15.00	A
FENBUTATIN-OXIDE	672.75	27	473.50	A
FENPROPATHRIN	10,408.86	1,209	27,761.60	A
	0.16	1	64.00	U
Total Pounds On This Chemical	10,409.03			
FENPYROXIMATE	1,682.26	549	12,601.26	A
FERRIC SODIUM EDTA	187.32	23	489.33	A
FLUAZIFOP-P-BUTYL	223.02	8	509.00	A
FLUDIOXONIL	231.74		166,499.67	T
FLUMIOXAZIN	135.71	42	905.71	A
FORMETANATE HYDROCHLORIDE	5,344.70	211	5,444.84	A
FOSETYL-AL	946.40	38	1,033.40	A
GIBBERELLINS	4,732.23	2,669	55,771.86	A
	47.31		546,125.62	T
Total Pounds On This Chemical	4,779.55			
GLUFOSINATE-AMMONIUM	4.13	2	137.00	A
GLYCEROL	71.59	33	706.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	184,248.87	6,467	143,394.93	A
	2.99	1	95.00	U
Total Pounds On This Chemical	184,251.86			
GLYPHOSATE, POTASSIUM SALT	217,858.42	6,006	168,950.99	A
	2.41	2	180.00	U
Total Pounds On This Chemical	217,860.84			
HEPTAMETHYLTRISILOXANE ETHOXYLATED	60.48	36	851.75	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	67.82	485	9,936.60	A
HEXYTHIAZOX	1,061.67	161	6,242.18	A
HYDROGEN PEROXIDE	86.26	3	35.00	A
	6.24		731.00	T
Total Pounds On This Chemical	92.50			
HYDROTREATED PARAFFINIC SOLVENT	16.84	3	17.50	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	4,917.53	356	9,606.32	A
IMAZALIL	16,159.63		1,771,089.31	T
	586.14		46,747.28	U
	0.96		305,296.00	P
	0.31		178.50	K
Total Pounds On This Chemical	16,747.04			
IMAZALIL SULFATE	164.60		128,781.80	T
	43.00		493.10	K
	18.30		2,589.00	U
Total Pounds On This Chemical	225.90			
IMIDACLOPRID	25,976.08	2,018	60,561.24	A
	209.58	8	32,000.00	S
	0.16	1	405.00	U
Total Pounds On This Chemical	26,185.81			
INDAZIFLAM	1,065.13	652	15,413.64	A
IRON PHOSPHATE	104.91	22	914.70	A
ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	17.67	2	235.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ORANGE				
ISOOCTYL PHTHALATE	2,624.32	663	22,428.07	A
ISOPROPYL ALCOHOL	4,918.70	2,297	69,016.29	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	8.78	70	2,217.50	A
ISOXABEN	71.37	4	82.57	A
KAOLIN	204,601.25	134	3,677.43	A
KEROSENE	2.28	8	62.00	A
LACTOSE	4,829.75	1,907	40,930.26	A
LAURIC ACID	686.14	345	8,370.67	A
LECITHIN	15,890.67	390	14,286.17	A
LIME-SULFUR	3,092.21	42	849.00	A
LIMONENE	98.28	4	40.00	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	903.28	367	4,787.48	A
MALATHION	6,477.81	325	5,100.67	A
MEFENOXAM	800.13	139	2,586.95	A
MEFENOXAM, OTHER RELATED	0.37	70	726.05	A
METALDEHYDE	14,737.20	1,297	32,887.34	A
METAM-SODIUM	8,360.78	2	39.50	A
METHIDATHION	110.02	2	47.80	A
METHOMYL	2,362.77	27	2,680.30	A
S-METHOPRENE	4.23	27	463.75	A
METHOXYFENOZIDE	29.88	13	135.70	A
METHYLATED SILICA	2.63	110	936.00	A
METHYLATED SOYBEAN OIL	31,975.70	1,346	36,720.10	A
(3S, 6R)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	< 0.01	1	1.29	A
(3S, 6S)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	< 0.01	1	1.29	A
MINERAL OIL	1,089,366.29	3,064	64,928.97	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	22,272.66	1,065	33,988.05	A
MORPHOLINE	1,134.72	663	22,428.07	A
MSMA	60.35	2	40.00	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	218.88	4	61.60	A
NAA, ETHYL ESTER	0.10	7	61.00	A
NALED	8.06	1	5.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	3,865.62	847	16,791.48	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	32,210.88	3,257	86,404.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	1,864.99	687	23,134.07	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	9,409.57	1,281	39,368.35	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	43.22	3	48.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	2.06	36	302.50	A
NORFLURAZON	1,976.51	34	653.30	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	100.08	9	162.40	A
OLEIC ACID	3,739.29	713	25,585.93	A
OLEIC ACID, METHYL ESTER	3,396.17	111	2,536.80	A
ORGANO/MODIFIED POLYSILOXANE	0.33	3	265.00	A
ORYZALIN	25,834.73	322	8,049.42	A
OXYFLUORFEN	1,402.15	123	2,443.79	A
PAECILOMYCES LILACINUS STRAIN 251	8.99	4	43.94	A
PARAQUAT DICHLORIDE	2,627.88	99	3,673.26	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ORANGE				
PENDIMETHALIN	21,453.51	492	11,060.05	A
PEROXYACETIC ACID	4.25		731.00	T
PETROLEUM DISTILLATES	2,114.80	89	1,218.69	A
PETROLEUM OIL, PARAFFIN BASED	34,643.15	218	7,298.30	A
PETROLEUM OIL, UNCLASSIFIED	2,092,630.05	4,316	108,261.23	A
PHOSMET	154.00	10	158.00	A
PHOSPHORIC ACID	1,146.94	628	19,382.24	A
BETA-PINENE POLYMER	809.24	24	592.00	A
PIPERONYL BUTOXIDE	10.15	3	20.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	2.54	3	20.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	4.01	10	200.00	A
POLYACRYLAMIDE POLYMER	40.22	43	1,085.00	A
POLYACRYLIC POLYMER	25.54	113	2,817.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	3,477.99	542	13,771.26	A
POLYBUTENES	1,123.66	260	6,118.26	A
POLYETHER MODIFIED POLYSILOXANE	5,550.44	587	15,151.56	A
POLYETHOXYLATED CASTOR OIL	0.44	2	60.00	A
POLYETHYLENE GLYCOL	3,921.28	820	19,063.39	A
POLYETHYLENE GLYCOL DIACETATE	0.76	3	69.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	821.22	91	3,023.70	A
POLY-I-PARA-MENTHENE	300.95	36	475.00	A
POLYMERIZED PINENE	4,727.01	301	4,916.82	A
POLYOXYETHYLENE POLYOXYPROPYLENE	741.46	135	2,652.88	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	26.89	2	45.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	23.63	1	150.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	66.07	36	302.50	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	33.43	68	2,208.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	220.05	68	2,208.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	1.54	6	49.50	A
POLYSILOXANE	16.28	12	286.00	A
POTASSIUM BICARBONATE	1.28	1	0.06	A
POTASSIUM HYDROXIDE	0.60	3	44.00	A
POTASSIUM NITRATE	2.16	1	9.00	A
POTASSIUM PHOSPHITE	2,740.58	107	2,291.74	A
POTASSIUM SILICATE	97.42	1	32.00	A
PROPARGITE	146.64	3	47.00	A
PROPICONAZOLE	3.07	1	12.00	A
PROPIONIC ACID	818.79	97	4,285.20	A
PROPYLENE GLYCOL	4,586.95	1,116	37,183.25	A
PYRETHRINS	137.91	132	3,012.30	A
PYRIDABEN	6,247.87	460	14,262.55	A
PYRIPROXYFEN	3,432.67	1,342	32,959.25	A
QUILLAJA	41.35	20	303.00	A
QUINOXYFEN	1.44	1	15.00	A
RIMSULFURON	1,401.40	1,116	24,906.61	A
SABADILLA ALKALOIDS	2.93	8	157.00	A
SAFLUFENACIL	1,839.28	2,055	44,474.53	A
SAPONIN	413.94	61	1,549.00	A
SETHOXYDIM	0.44	1	10.00	A
SILICONE DEFOAMER	8.44	200	7,630.22	A
SIMAZINE	113,548.17	1,725	47,643.07	A
SODIUM DIISOCTYLSULFOSUCCINATE	346.11	663	22,428.07	A
SODIUM DIOCTYLSULFOSUCCINATE	0.24	1	6.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ORANGE				
SODIUM HYDROXIDE	39.23	33	706.00	A
SODIUM HYPOCHLORITE	75,305.40		1,421,266.92	T
	2,481.66		186,462.16	U
	53.73		493.10	K
	0.64		0.51	A
Total Pounds On This Chemical	77,841.44			
SODIUM NITRATE	66.25	1	20.00	A
SODIUM POLYACRYLATE	111.14	1,004	26,999.05	A
SODIUM TRIPOLYPHOSPHATE	0.02	1	1.00	A
SODIUM XYLENE SULFONATE	98.82	199	7,590.22	A
SORBITAN FATTY ACID ESTERS	14.45	36	302.50	A
SPINETORAM	7,103.69	3,464	86,025.56	A
SPINOSAD	1,842.30	624	14,732.36	A
SPIRODICLOFEN	916.14	67	3,116.00	A
SPIROTETRAMAT	630.60	1,417	36,000.53	A
STARCH	0.75	17	1,442.10	A
STRYCHNINE	14.57	618	11,892.03	A
STYRENE BUTADIENE COPOLYMER	3,155.50	716	26,609.69	A
SULFUR	10,321.87	73	3,538.70	A
SULFURIC ACID	7.04	6	141.10	A
TALL OIL	7.19	49	285.00	A
TALL OIL FATTY ACIDS	2,757.40	1,391	28,276.57	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,906.00	297	11,917.75	A
ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	84.38	2	133.00	A
TETRAPOTASSIUM PYROPHOSPHATE	49.41	199	7,590.22	A
THIABENDAZOLE	9,997.25		1,766,317.54	T
	144.46		47,161.28	U
	7.88		493.10	K
	1.11		305,296.00	P
Total Pounds On This Chemical	10,150.71			
THIAMETHOXAM	1,357.34	442	11,198.28	A
TRIETHANOLAMINE	125.99	199	7,590.22	A
TRIFLURALIN	740.41	12	1,232.50	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	232.71	18	1,682.10	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	5,866.93	879	30,108.10	A
UREA	288.08	48	707.25	A
VINYL POLYMER	0.07	1	28.00	A
WARFARIN	0.01	4	34.00	A
YUCCA SCHIDIGERA	54.27	1	80.00	A
ZINC SULFATE	64.75	33	737.47	A
Site Total	8,840,795.23	92,516		
ORCHARD FLOOR				
ABAMECTIN	1.13	2	61.00	A
ALUMINUM PHOSPHIDE	1.90	7	46.00	A
CARBON	8.97	3	18.50	A
2,4-D, DIMETHYLAMINE SALT	21.07	2	20.50	A
DIPHACINONE	0.02	20	194.00	A
ETHYLENE GLYCOL	61.96	4	140.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	718.77	41	312.00	A
GLYPHOSATE, POTASSIUM SALT	25.29	5	36.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ORCHARD FLOOR				
INDAZIFLAM	0.47	1	6.50	A
ISOPROPYL ALCOHOL	11.27	4	140.00	A
METALDEHYDE	33.50	3	22.00	A
MINERAL OIL	836.59	2	61.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	28.17	4	140.00	A
NORFLURAZON	9.43	5	15.00	A
OXYFLUORFEN	0.18	1	2.00	A
PARAQUAT DICHLORIDE	27.04	2	9.00	A
SIMAZINE	106.49	4	43.00	A
SODIUM NITRATE	17.03	3	18.50	A
STRYCHNINE	0.23	11	202.00	A
SULFAQUINOXALINE	< 0.01	1	36.00	A
SULFUR	0.05	2	18.00	A
WARFARIN	< 0.01	1	36.00	A
Site Total	1,909.56	114		
ORCHARDGRASS				
BENZOIC ACID	1.27	2	222.00	A
BROMOXYNIL HEPTANOATE	90.85	5	352.00	A
BROMOXYNIL OCTANOATE	94.21	5	352.00	A
BUTYL ALCOHOL	6.12	5	352.00	A
CALCIUM CHLORIDE	4.48	5	359.00	A
CARFENTRAZONE-ETHYL	0.88	1	60.00	A
CITRIC ACID	12.46	5	359.00	A
2,4-D, DIMETHYLAMINE SALT	202.32	2	222.00	A
4-(2,4-DB), DIMETHYLAMINE SALT	461.45	5	352.00	A
DICAMBA, DIMETHYLAMINE SALT	70.28	2	222.00	A
DIMETHYL ALKYL TERTIARY AMINES	1.38	2	222.00	A
DIMETHYLPOLYSILOXANE	0.07	5	352.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	45.05	1	60.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	20.73	5	359.00	A
KEROSENE	2.45	2	222.00	A
LAMBDA-CYHALOTHRIN	10.80	5	359.00	A
MALATHION	347.01	5	359.00	A
METHYLATED SOYBEAN OIL	46.83	2	222.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	54.98	5	352.00	A
OLEIC ACID, METHYL ESTER	62.19	5	359.00	A
VINYL POLYMER	0.38	1	88.00	A
Site Total	1,536.19	42		
OREGANO				
AZADIRACTIN	1.52	22	54.84	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	2.84	6	23.40	A
CARBOXIN	0.23		44.00	P
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	3.15	3	1.60	A
CYPRODINIL	0.28	1	1.00	A
FLUDIOXONIL	0.19	1	1.00	A
HYDROGEN PEROXIDE	1.11	1	1.20	A
MARGOSA OIL	2.22	1	1.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
OREGANO				
PIPERONYL BUTOXIDE	0.38	1	1.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.10	1	1.00	A
POTASH SOAP	653.83	58	157.85	A
PYRETHRINS	7.49	55	146.45	A
SPINOSAD	0.90	5	9.00	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	1	0.50	A
THIRAM	0.38		44.00	P
Site Total	674.61	152		
PARSLEY				
ABAMECTIN	0.16	6	14.18	A
ACETAMIPRID	19.33	26	262.52	A
ACRYLIC ACID	2.70	14	16.50	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.35	2	292.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.84	12	121.27	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	32.54	12	115.50	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	10.15	1	35.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	18.20	13	77.72	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.06	3	24.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.22	1	16.00	A
AMMONIUM NITRATE	1.08	4	111.00	A
AMMONIUM PROPIONATE	5.52	1	16.00	A
AMMONIUM SULFATE	65.64	6	204.90	A
AZADIRACTIN	12.48	234	491.01	A
AZOXYSTROBIN	989.52	810	4,618.73	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	25.29	12	97.15	A
BACILLUS PUMILUS, STRAIN QST 2808	13.48	57	103.83	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	113.30	28	200.52	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.95	4	4.00	A
BENSULIDE	132.86	7	25.40	A
BENZOIC ACID	0.07	1	8.00	A
BIFENTHRIN	3.31	3	44.10	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	30.55	64	954.93	A
CARBOXIN	0.26		352.00	P
CASTOR OIL ETHOXYLATE	1.32	3	43.00	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	50.18	48	105.32	A
CHLORANTRANILIPROLE	18.65	123	312.48	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	3.60	2	4.00	A
CITRIC ACID	2.98	5	29.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	31.05	9	7.80	A
CLETHODIM	46.93	7	367.61	A
COPPER HYDROXIDE	1,868.04	783	2,875.84	A
COPPER OCTANOATE	178.24	273	552.00	A
COPPER OXIDE (OUS)	57.09	3	22.02	A
COPPER OXYCHLORIDE	505.54	607	1,228.03	A
CYFLUTHRIN	4.14	2	88.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PARSLEY				
BETA-CYFLUTHRIN	0.02	1	6.00	A
(S)-CYPERMETHRIN	102.07	66	2,742.26	A
CYPRODINIL	42.66	59	151.04	A
1,3-DICHLOROPROPENE	4,528.20	1	37.90	A
DIETHYLENE GLYCOL	2.15	2	159.20	A
DIMETHYL ALKYL TERTIARY AMINES	0.08	1	8.00	A
DIMETHYLPOLYSILOXANE	15.54	92	764.27	A
DIMETHYL SILICONE FLUID EMULSION	2.10	44	248.70	A
DINOTEFURAN	1.04	2	7.93	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	1.11	2	5.87	A
ETHYLENE GLYCOL	234.40	28	618.45	A
FATTY ACIDS, METHYL ESTERS	7.15	3	45.20	A
FATTY ACIDS, MIXED	10.97	67	545.92	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	85.01	45	444.11	A
FATTY ACIDS DERIVED FROM TALLOW	1.22	3	24.00	A
FENAMIDONE	1.57	1	6.00	A
FLONICAMID	137.27	92	1,572.57	A
FLUBENDIAMIDE	4.68	2	100.00	A
FLUDIOXONIL	28.44	59	151.04	A
FOSETYL-AL	356.74	46	90.08	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	25.80	4	43.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	357.33	5	116.00	A
GLYPHOSATE, POTASSIUM SALT	183.58	2	91.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	2.03	1	35.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.02	1	2.50	A
HYDROGEN PEROXIDE	80.71	5	34.25	A
IMIDACLOPRID	28.03	113	396.66	A
INDOXACARB	4.23	33	64.46	A
ISOPARAFFINIC HYDROCARBONS	202.95	3	387.90	A
ISOPROPYL ALCOHOL	54.01	833	2,295.66	A
KEROSENE	0.13	1	8.00	A
LECITHIN	145.35	79	610.52	A
LIMONENE	130.20	1	4.00	A
MALATHION	16.78	9	9.00	A
MARGOSA OIL	32.55	9	40.00	A
MEFENOXAM	226.24	40	379.80	A
METALAXYL	0.53		3,460.00	P
METHOMYL	39.69	3	44.10	A
METHOXYFENOZIDE	4.95	16	28.08	A
METHYLATED SOYBEAN OIL	13.58	4	91.50	A
METHYL SILICONE RESINS	38.86	160	1,341.57	A
S-METOLACHLOR	1.30	1	2.70	A
MINERAL OIL	6.41	13	77.72	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	31.27	48	489.31	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	265.31	912	3,521.18	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	24.28	19	495.40	A
OLEIC ACID, METHYL ESTER	151.83	12	115.50	A
ORCHEX 796 OIL	138.25	3	387.90	A
PERMETHRIN	10.93	17	95.20	A
PETROLEUM DISTILLATES	33.51	4	111.00	A
PETROLEUM OIL, PARAFFIN BASED	12.55	9	54.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PARSLEY				
PETROLEUM OIL, UNCLASSIFIED	10.74	1	0.90	A
PHOSPHORIC ACID	9.69	22	688.37	A
PIPERONYL BUTOXIDE	5.90	10	15.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	1.47	10	15.50	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	5.38	20	308.90	A
POLYBUTENES	15.18	45	444.11	A
POLYETHER MODIFIED POLYSILOXANE	9.77	13	133.17	A
POLYETHYLENE GLYCOL	2.12	1	8.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	1.84	7	17.70	A
POLY-I-PARA-MENTHENE	756.00	28	1,656.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.63	6	4.40	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	61.28	9	54.70	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	9.90	3	43.00	A
POLYPROPYLENE GLYCOL	0.89	50	441.15	A
POLYSILOXANE	< 0.01	1	16.00	A
POTASH SOAP	343.80	11	30.40	A
POTASSIUM BICARBONATE	1,306.03	33	568.70	A
POTASSIUM HYDROXIDE	0.25	1	16.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	27,595.22	114	236.81	A
POTASSIUM PHOSPHITE	32.58	16	79.50	A
POTASSIUM SILICATE	41.25	1	13.55	A
PROMETRYN	3,964.85	235	2,492.35	A
PROPICONAZOLE	16.30	28	122.87	A
PROPIONIC ACID	96.15	65	414.02	A
PROPYLENE GLYCOL	4.97	10	213.90	A
PYMETROZINE	13.42	31	154.93	A
PYRACLOSTROBIN	366.67	422	2,036.72	A
PYRETHRINS	8.18	34	132.20	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	29.69	21	104.32	A
REYNOUTRIA SACHALINENSIS	9.05	4	36.90	A
SETHOXYDIM	20.83	2	87.90	A
SILICONE	0.26	9	230.20	A
SODIUM POLYACRYLATE	1.74	1	16.00	A
SPINETORAM	28.67	130	506.10	A
SPINOSAD	20.36	16	218.95	A
SPIROTETRAMAT	2.93	63	333.21	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	6	38.54	A
STYRENE BUTADIENE COPOLYMER	0.66	1	7.00	A
SULFUR	323.93	3	53.87	A
TALL OIL	4.23	807	1,712.21	A
TALL OIL FATTY ACIDS	24.59	18	622.32	A
THIAMETHOXAM	1.71	15	23.73	A
THIRAM	48.52		27,008.30	P
TRIFLUMIZOLE	4.76	2	19.02	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE)	3.43	7	17.70	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	4.33	6	39.87	A
VINYL POLYMER	0.68	1	77.90	A
ZINC SULFATE	1.35	3	219.00	A
Site Total	47,295.41	5,472		
PARSNIP				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	0.80	10	27.97	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PARSNIP				
AZOXYSTROBIN	< 0.01		92.30	P
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	3.10	1	3.25	A
BETA-CYFLUTHRIN	0.24	3	9.59	A
(S)-CYPERMETHRIN	0.30	1	6.06	A
CYPRODINIL	6.99	7	21.30	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	7.58	10	27.97	A
FLONICAMID	0.08	1	0.87	A
FLUDIOXONIL	4.66	7	21.30	A
	< 0.01		92.30	P
Total Pounds On This Chemical	4.66			
LINURON	12.00	3	12.00	A
MALATHION	1.31	1	0.87	A
MEFENOXAM	0.01		92.30	P
S-METOLACHLOR	1.07	1	0.83	A
PHOSPHORIC ACID	0.45	10	27.97	A
POLYETHER MODIFIED POLYSILOXANE	0.41	10	27.97	A
PYRACLOSTROBIN	1.81	3	9.05	A
SULFUR	20.20	2	5.05	A
THIAMETHOXAM	0.04	1	0.87	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.82	10	27.97	A
Site Total	61.86	34		
PASTURELAND				
ACEPHATE	0.75		20.00	A
ACRYLIC ACID	0.28	1	7.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	29.30	7	437.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	49.80	15	346.40	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.41	1	5.00	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.55	1	10.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.97	7	87.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	0.77	1	20.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	93.06	7	413.60	A
ALUMINUM PHOSPHIDE	28.65	53	382.60	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	383.08	86	3,332.00	A
	0.12	2	900.00	S
Total Pounds On This Chemical	383.21			
AMMONIUM NITRATE	22.50	13	398.00	A
AMMONIUM SULFATE	1,034.87	26	671.56	A
	4.02	25	90,480.00	S
Total Pounds On This Chemical	1,038.88			
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	2.30	6	1.65	A
BENZOIC ACID	27.16	80	3,921.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	12.20	1	300.00	A
BROMOXYNIL OCTANOATE	2.91	1	8.00	A
BUTYL ALCOHOL	43.40	44	1,736.00	A
CARBARYL	55.00	1	55.00	A
CARBON	16.45	5	34.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PASTURELAND				
CARFENTRAZONE-ETHYL	28.65	34	1,445.56	A
CASTOR OIL ETHOXYLATE	1.35	1	22.00	A
CHLOROPHACINONE	0.01	3	102.00	A
CHLORSULFURON	5.62	13	119.00	A
CITRIC ACID	5.80	10	151.56	A
CLOPYRALID, MONOETHANOLAMINE SALT	229.24	32	1,586.30	A
	0.14	1	750.00	S
Total Pounds On This Chemical	229.38			
COTTONSEED OIL	322.40	2	360.00	A
BETA-CYFLUTHRIN	8.48	2	360.00	A
2,4-D	28.64	2	66.00	A
2,4-D, BUTYL ESTER	3.61	1	2.00	A
2,4-D, DIETHANOLAMINE SALT	16.97	3	20.50	A
2,4-D, DIMETHYLAMINE SALT	8,137.00	206	8,088.25	A
2,4-D, 2-ETHYLHEXYL ESTER	259.01	11	219.90	A
2,4-D, ISOCTYL ESTER	231.32	2	80.00	A
DICAMBA, DIMETHYLAMINE SALT	1,048.91	28	1,597.78	A
DICAMBA, DIMETHYLAMINE SALT, OTHER RELATED	121.07	3	200.00	A
DIETHYLENE GLYCOL	9.34	9	139.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	455.09	19	830.50	A
DIMETHYL ALKYL TERTIARY AMINES	29.58	80	3,921.00	A
DIMETHYLPOLYSILOXANE	9.79	92	4,578.20	A
DIPHACINONE	0.51	37	1,556.00	A
DIPROPYLENE GLYCOL METHYL ETHER	0.20	3	32.00	A
DIURON	23.49	3	9.00	A
2,4-DP-P, DIMETHYLAMINE SALT	0.02	1	4.50	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	65.84	6	282.00	A
ETHYLENE GLYCOL	10.02	6	50.00	A
FATTY ACIDS, MIXED	3.95	4	216.70	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	45.56	1	300.00	A
FATTY ACIDS DERIVED FROM TALLOW	6.79	7	87.00	A
FLUMIOXAZIN	0.48	1	1.50	A
GLUFOSINATE-AMMONIUM	2.51		20.00	A
GLYCEROL	2.89	2	20.00	A
GLYPHOSATE, DIAMMONIUM SALT	2.79	2	2.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,378.81	109	1,748.70	A
	124.14		7.00	U
	16.63	25	90,480.00	S
Total Pounds On This Chemical	1,519.57			
GLYPHOSATE, POTASSIUM SALT	1,134.87	48	1,345.24	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	2.56	4	185.56	A
HYDROTREATED PARAFFINIC SOLVENT	501.00	17	655.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.30	1	5.00	A
IMAZAPYR, ISOPROPYLAMINE SALT	13.91	2	58.60	A
ISOPROPYL ALCOHOL	60.82	39	1,880.60	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.17	5	63.56	A
KEROSENE	47.78	73	3,483.50	A
LAMBDA-CYHALOTHRIN	0.50	1	22.00	A
LECITHIN	146.79	11	508.70	A
MALATHION	565.62	6	295.00	A
MCPA, DIMETHYLAMINE SALT	741.50	23	1,355.62	A
MCPP-P, DIMETHYLAMINE SALT	0.02	1	4.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PASTURELAND				
METHOXYFENOZIDE	13.54	2	113.00	A
METHYLATED SOYBEAN OIL	2,205.15	101	5,319.16	A
MINERAL OIL	646.36	4	220.00	A
NALED	36.26	2	360.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	15.63	2	310.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,286.49	130	5,647.46	A
	0.96	31	123,540.00	S
Total Pounds On This Chemical	1,287.45			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	3.36	2	50.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	34.04	5	312.00	A
	4.87	31	123,540.00	S
Total Pounds On This Chemical	38.92			
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.21	1	10.00	A
NOSEMA LOCUSTAE SPORES	0.48	2	700.00	A
OLEIC ACID	0.05	1	12.00	A
OLEIC ACID, METHYL ESTER	35.91	3	110.00	A
ORGANO/MODIFIED POLYSILOXANE	0.02	1	20.00	A
ORYZALIN	19.97	2	13.00	A
OXYFLUORFEN	58.16	14	224.00	A
PARAQUAT DICHLORIDE	342.20	26	641.00	A
PETROLEUM OIL, PARAFFIN BASED	379.66	21	946.56	A
PHOSPHORIC ACID	8.43	17	389.56	A
PICLORAM	92.68	1	40.00	A
PINOXADEN	13.41	1	250.00	A
PIPERONYL BUTOXIDE	20.30	6	120.74	A
PIPERONYL BUTOXIDE, OTHER RELATED	5.07	6	120.74	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	3.17	1	138.00	A
POLYACRYLAMIDE POLYMER	41.76	10	845.00	A
POLYACRYLIC POLYMER	0.16	6	62.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	2.99	11	196.60	A
POLYBUTENES	8.14	1	300.00	A
POLYETHER MODIFIED POLYSILOXANE	3.57	6	282.00	A
POLYETHYLENE GLYCOL	357.48	25	1,699.60	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	19.92	2	143.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	6.79	1	64.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1,063.73	14	740.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.69	5	63.56	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	4.53	5	63.56	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	220.43	4	299.71	A
POLYSACCHARIDE POLYMER	4.37	5	679.00	A
PROPIONIC ACID	79.27	6	198.70	A
PROPYLENE GLYCOL	2.19	5	72.00	A
PYRETHRINS	2.60	11	122.14	A
PYRIPROXYFEN	0.53	3	70.00	A
SETHOXYDIM	1.91	2	6.00	A
SODIUM HYDROXIDE	1.58	2	20.00	A
SODIUM NITRATE	31.14	5	34.50	A
STRYCHNINE	0.02	3	8.00	A
SULFOMETURON-METHYL	0.25	1	1.50	A
TALL OIL	2.82	3	44.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PASTURELAND				
TALL OIL FATTY ACIDS	70.45	28	890.56	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.87	1	12.00	A
TRICLOPYR, BUTOXYETHYL ESTER	806.43	33	762.90	A
	4.94	6	33,060.00	S
Total Pounds On This Chemical	811.37			
TRICLOPYR, TRIETHYLAMINE SALT	1,470.52	34	1,463.69	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.05	7	332.00	A
UREA	5.49	1	20.00	A
VINYL POLYMER	8.49	17	1,365.60	A
Site Total	27,136.52	1,277		
PEACH				
ABAMECTIN	476.82	1,484	24,029.94	A
ACEPHATE	0.97	1	1.00	A
ACETAMIPRID	242.89	150	2,062.82	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	1.03	25	255.65	A
ACRYLIC ACID	83.49	50	581.08	A
AGROBACTERIUM RADIOBACTER, STRAIN K1026	< 0.01	1	2.00	A
ALCOHOLS, C4-C12, NORMAL	42.88	4	89.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,981.25	850	6,449.27	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	21.63	96	854.09	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	< 0.01	1	8.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	< 0.01	1	8.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	814.96	495	6,206.76	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	37.79	17	228.05	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	33.02	4	226.51	A
ALPHA-PINENE BETA-PINENE COPOLYMER	2,547.93	487	8,252.85	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	286.74	99	1,838.42	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	12.37	35	463.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	765.32	421	5,785.00	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	38.72	30	214.40	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	44.29	99	1,540.27	A
ALUMINUM PHOSPHIDE	24.51	22	204.19	A
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	7.85	14	75.60	A
AMMONIUM NITRATE	350.53	358	4,302.79	A
AMMONIUM PROPIONATE	22.74	12	202.36	A
AMMONIUM SULFATE	1,580.88	624	8,044.93	A
AZADIRACTIN	15.79	74	1,024.27	A
	< 0.01	1	600.00	S
Total Pounds On This Chemical	15.79			
AZOXYSTROBIN	109.35	51	550.76	A
BACILLUS PUMILUS, STRAIN QST 2808	35.62	28	460.28	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN SD- 1372, LEPIDOPTERAN ACTIVE TOXIN(S)	0.39	1	2.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEACH				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.10	1	1.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	4,041.98	422	6,288.34	A
	0.14	5	2,700.00	S
Total Pounds On This Chemical	4,042.12			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	19.08	37	191.84	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1,168.64	137	1,729.94	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	256.11	25	309.94	A
BENOMYL	0.04	1	0.25	A
BENTONITE	0.90	1	0.50	A
BENZOIC ACID	0.53	6	93.69	A
BIFENAZATE	2,558.63	242	5,327.24	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2,121.37	1,309	25,257.63	A
BOSCALID	3,829.41	975	20,936.92	A
BUPROFEZIN	1,171.59	113	1,446.69	A
2-BUTOXYETHANOL	8.65	96	854.09	A
BUTYL ALCOHOL	277.25	218	3,113.27	A
CALCIUM CHLORIDE	87.51	37	746.00	A
CALCIUM HYDROXIDE	90.80	2	8.50	A
CALCIUM HYPOCHLORITE	34.41	12	238.50	A
CAPTAN	10.79	4	7.30	A
CAPTAN, OTHER RELATED	0.24	4	7.30	A
CARBARYL	272.74	16	99.50	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	1.84	52	338.08	A
CARFENTHAZONE-ETHYL	52.82	130	2,267.18	A
CASEIN	0.07	1	0.50	A
CASTOR OIL ETHOXYLATE	276.88	261	2,739.06	A
CHLORANTRANILIPROLE	2,332.84	1,514	28,029.72	A
CHLOROPHACINONE	< 0.01	6	87.50	A
CHLOROPICRIN	3,399.60	8	72.06	A
	0.32	1	16.00	U
Total Pounds On This Chemical	3,399.92			
CHLOROTHALONIL	10,443.97	228	3,607.27	A
CHLORPYRIFOS	6,440.71	146	3,398.53	A
CITRIC ACID	419.01	298	4,405.66	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	110.31	4	28.72	A
CLETHODIM	1.05	1	8.00	A
CLOFENTEZINE	295.47	102	1,496.44	A
CLOTHIANIDIN	1.22	1	12.00	A
COCONUT DIETHANOLAMIDE	72.25	112	2,209.01	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.13	1	10.00	A
COPPER	1.00	1	0.50	A
COPPER AMMONIUM COMPLEX	0.93	2	26.00	U
	0.57	1	0.10	A
Total Pounds On This Chemical	1.50			
COPPER HYDROXIDE	70,681.64	770	16,187.90	A
	2.18	8	29.00	U
	0.29	3	1,800.00	S
Total Pounds On This Chemical	70,684.11			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEACH				
COPPER OXIDE (OUS)	31,764.19	463	5,284.03	A
COPPER OXYCHLORIDE	1,789.09	67	1,357.94	A
COPPER OXYCHLORIDE SULFATE	0.10	1	0.30	A
COPPER SULFATE (BASIC)	121,949.51	355	7,559.28	A
	0.59	1	17.00	U
Total Pounds On This Chemical	121,950.09			
COPPER SULFATE (PENTAHYDRATE)	39.60	1	3.00	A
COTTONSEED FLOUR	329.80	18	1,936.00	A
COTTONSEED OIL	3,921.24	75	2,327.10	A
CRYOLITE	38.40	1	10.00	A
CYFLUTHRIN	3.44	5	77.02	A
BETA-CYFLUTHRIN	135.35	366	7,045.91	A
CYPRODINIL	2,827.26	621	12,157.48	A
2,4-D, DIETHANOLAMINE SALT	95.89	22	263.51	A
2,4-D, DIMETHYLAMINE SALT	12,927.65	954	12,337.10	A
(E)-5-DECENOL	1.61	17	331.75	A
(E)-5-DECEN-1-OL	0.27	4	40.00	A
(E)-5-DECENYL ACETATE	7.35	21	371.75	A
DERIVATED NATURAL POLYMERS	0.19	1	15.56	A
DIAZINON	5,145.09	130	2,893.65	A
1,2-DICHLOROPROPANE, 1,3-DICHLOROPROPENE AND RELATED C3 COMPOUNDS	5.40	1	14.50	A
1,3-DICHLOROPROPENE	120,644.53	46	365.84	A
DIETHYLENE GLYCOL	693.89	167	2,535.81	A
DIFENOCONAZOLE	9.88	3	101.00	A
DIFLUBENZURON	831.96	273	3,959.24	A
DIMETHYL ALKYL TERTIARY AMINES	0.58	6	93.69	A
3,7-DIMETHYL-6-OCTEN-1-OL	3.27	25	319.70	A
DIMETHYLPOLYSILOXANE	464.30	2,675	37,303.21	A
DIMETHYL SILICONE FLUID EMULSION	1.42	16	248.00	A
DINOSEB	57.05	4	27.20	A
DIPHACINONE	0.02	43	878.18	A
DIPROPYLENE GLYCOL METHYL ETHER	0.10	4	2.00	A
DIQUAT DIBROMIDE	14.51	1	15.56	A
DIURON	190.20	9	199.00	A
E,E-8,10-DODECADIEN-1-OL	7.92	44	276.60	A
Z-8-DODECENOL	19.40	1,578	24,765.82	A
E-8-DODECENYL ACETATE	117.87	1,578	24,765.82	A
Z-8-DODECENYL ACETATE	1,570.30	1,578	24,765.82	A
DODECYLBENZENE SULFONIC ACID	69.40	77	1,746.01	A
DODINE	474.64	21	341.25	A
EDTA, SODIUM SALT	0.19	11	172.40	A
EDTA, TETRASODIUM SALT	4.27	77	1,746.01	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	114.87	113	1,200.88	A
ESFENVALERATE	2,731.23	2,764	49,857.12	A
ETHYL ACRYLATE AND METHYL METHACRYLATE COPOLYMER	0.85	1	5.00	A
ETHYLENE GLYCOL	163.76	30	1,506.85	A
ETOXAZOLE	139.54	85	1,059.17	A
FARNESOL	1.31	25	319.70	A
FATTY ACIDS, MIXED	180.09	303	9,840.26	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	7,253.53	631	15,083.39	A
FATTY ACIDS DERIVED FROM TALLOW	114.70	99	1,838.42	A
FENAMIPHOS	52.28	1	18.00	A
FENBUCONAZOLE	680.89	278	6,995.76	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEACH				
FENBUTATIN-OXIDE	86.38	10	101.00	A
FENHEXAMID	74.56		9,319.00	T
	0.88	1	2.00	A
Total Pounds On This Chemical	75.44			
FENPROPATHRIN	161.80	53	526.20	A
FERROUS SULFATE	0.70	1	10.00	A
FLUAZIFOP-P-BUTYL	9.98	4	43.74	A
FLUBENDIAMIDE	858.58	403	7,348.53	A
FLUDIOXONIL	237.42		186,855.64	T
	1.22		566,839.00	P
Total Pounds On This Chemical	238.64			
FLUMIOXAZIN	837.60	219	3,352.47	A
FORMETANATE HYDROCHLORIDE	38.18	7	40.93	A
GERANIOL	3.27	25	319.70	A
GIBBERELLINS	35.97	96	602.59	A
GLUFOSINATE-AMMONIUM	6.57	1	12.00	A
GLYCEROL	17.55	31	273.91	A
GLYPHOSATE, DIAMMONIUM SALT	6.48	2	19.00	A
GLYPHOSATE, DIMETHYLAMINE SALT	8.96		3.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	72,882.29	2,545	38,834.35	A
	0.17	2	1,000.00	S
	0.04	1	8.00	U
Total Pounds On This Chemical	72,882.49			
GLYPHOSATE, POTASSIUM SALT	29,119.03	1,830	19,132.30	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	6.60	4	226.51	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	114.63	460	5,245.81	A
HEXYTHIAZOX	706.97	295	4,756.19	A
HYDROTREATED PARAFFINIC SOLVENT	1,074.66	205	1,051.66	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	837.59	437	5,060.15	A
IMAZALIL	1.18		186.10	T
IMIDACLOPRID	41.61	108	1,405.35	A
INDAZIFLAM	237.57	386	3,976.65	A
INDOXACARB	535.83	346	4,804.72	A
IPRODIONE	13,866.31	1,343	20,066.44	A
IRON PHOSPHATE	7.60	1	38.00	A
ISOPROPYL ALCOHOL	1,754.00	2,567	31,250.56	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	49.94	195	3,511.21	A
ISOXABEN	11.80	7	51.07	A
KAOLIN	95.00	1	2.00	A
LACTOSE	0.07	1	0.50	A
LAMBDA-CYHALOTHRIN	798.73	799	22,294.64	A
LAURIC ACID	11.25	35	463.00	A
LAURYL ALCOHOL	0.24	2	5.75	A
LECITHIN	1,032.39	271	3,833.99	A
LIGNIN SULFONIC ACID, ZINC SALT	155.02	2	51.75	A
LIME-SULFUR	972.69	67	447.83	A
	0.07	1	9.00	U
Total Pounds On This Chemical	972.76			
LIMONENE	177.34	96	854.09	A
MALATHION	1.47	3	11.00	A
MANGANESE SULFATE	1.35	2	14.00	A
METALDEHYDE	2.00	1	19.00	A
METCONAZOLE	176.80	135	1,716.11	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEACH				
METHIDATHION	43.44	4	34.00	A
METHOMYL	40.28	8	61.15	A
S-METHOPRENE	0.09	1	12.00	A
METHOXYFENOZIDE	3,379.11	601	14,065.20	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	4.02	1	7.10	A
METHYLATED SOYBEAN OIL	3,411.26	578	8,152.87	A
METHYL BROMIDE	4,217.28	6	57.20	A
	1,244.73		3,788,522.00	P
	812.10		1,032.15	T
	149.00		408,325.00	C
	15.68	1	16.00	U
Total Pounds On This Chemical	6,438.79			
METHYL SILICONE RESINS	162.45	39	1,107.69	A
MINERAL OIL	724,344.54	2,691	41,259.30	A
	3.71	3	24.00	U
Total Pounds On This Chemical	724,348.25			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	5,017.78	1,517	19,825.40	A
MYCLOBUTANIL	1,214.08	533	9,210.01	A
MYRISTYL ALCOHOL	0.05	2	5.75	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	1,500.48	13	302.23	A
NAPROPAMIDE	13.95	1	8.00	A
NEROLIDOL	3.27	25	319.70	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	3,039.22	921	25,501.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	19,812.82	4,354	64,113.63	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	180.21	258	1,321.22	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,474.56	259	3,754.94	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	220.10	34	1,171.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.40	6	57.00	A
NORFLURAZON	61.80	8	114.50	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	44.55	17	322.63	A
OIL OF JOJOBA	42.78	13	84.56	A
OLEIC ACID	0.61	10	48.75	A
OLEIC ACID, METHYL ESTER	306.09	41	529.42	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	14.86	9	172.05	A
ORYZALIN	11,192.40	312	4,237.89	A
	0.29	1	9.00	U
Total Pounds On This Chemical	11,192.69			
OXAMYL	9.58	1	5.50	A
OXYFLUORFEN	8,064.13	1,865	24,236.36	A
OXYTETRACYCLINE, CALCIUM COMPLEX	15.12	4	4.00	A
PARAQUAT DICHLORIDE	8,993.61	792	8,469.78	A
PARATHION	1.01	1	2.00	U
PENDIMETHALIN	26,918.19	800	10,315.80	A
PENOX SULAM	0.29	2	9.50	A
PERMETHRIN	748.61	137	3,467.73	A
PETROLEUM DISTILLATES	108.19	9	60.33	A
PETROLEUM DISTILLATES, REFINED	5,689.63	17	183.15	A
	0.52	2	1,300.00	S
Total Pounds On This Chemical	5,690.15			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEACH				
PETROLEUM HYDROCARBONS	1.03	1	2.00	U
PETROLEUM OIL, PARAFFIN BASED	37,718.51	265	4,502.09	A
PETROLEUM OIL, UNCLASSIFIED	544,225.54	1,569	23,967.02	A
	1.21	4	20.00	U
Total Pounds On This Chemical	544,226.75			
PHOSMET	8,773.81	292	3,636.73	A
	0.58	7	12.00	U
Total Pounds On This Chemical	8,774.39			
PHOSPHORIC ACID	969.12	1,339	13,254.89	A
BETA-PINENE POLYMER	515.46	200	2,140.63	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	24.61	128	1,601.42	A
POLYACRYLAMIDE POLYMER	1.76	31	273.91	A
POLYACRYLIC POLYMER	15.58	146	2,412.69	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	60.61	187	3,389.84	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	28.18	113	1,200.88	A
POLYBUTENES	1,295.27	631	15,083.39	A
POLYETHER MODIFIED POLYSILOXANE	1,093.18	308	5,438.48	A
POLYETHOXYLATED CASTOR OIL	24.76	32	731.00	A
POLYETHYLENE GLYCOL	5,375.71	1,300	17,797.50	A
POLYETHYLENE GLYCOL DIACETATE	4.03	99	1,540.27	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	75.05	16	370.40	A
POLY-I-PARA-MENTHENE	234.75	126	717.28	A
POLYMERIZED ACRYLIC ACID	0.63	1	30.00	A
POLYOXYETHYLENE DIOLEATE	0.31	9	172.05	A
POLYOXYETHYLENE POLYOXYPROPYLENE	492.95	149	3,458.20	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	430.28	250	3,034.19	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	8.00	4	39.98	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	12.95	6	57.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	165.17	99	2,657.12	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	1,085.77	99	2,657.12	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	2,076.57	261	2,739.06	A
POLYSILOXANE	3.13	87	1,652.66	A
POTASH SOAP	19.26	6	3.80	A
POTASSIUM BICARBONATE	487.19	17	199.95	A
POTASSIUM HYDROXIDE	29.01	86	1,637.10	A
POTASSIUM PHOSPHITE	22.90	5	37.00	A
PROPARGITE	25.92	1	27.00	A
PROPICONAZOLE	5,960.14	3,111	52,428.70	A
	46.49		139,700.00	P
	30.27		26,922.73	T
Total Pounds On This Chemical	6,036.91			
PROPIONIC ACID	326.31	117	2,085.07	A
PROPYLENE GLYCOL	296.01	379	4,848.83	A
PROPYLENE GLYCOL, METHYL ETHER	0.39	6	23.25	A
PYRACLOSTROBIN	1,945.10	975	20,936.92	A
PYRAFLUFEN-ETHYL	44.89	740	11,577.26	A
PYRETHRINS	35.57	73	746.95	A
PYRIMETHANIL	848.02	116	3,850.85	A
PYRIPROXYFEN	483.89	435	5,227.77	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	279.22	196	1,322.96	A
QUILLAJA	3.77	52	338.08	A
QUINOXYFEN	172.98	107	1,599.78	A
REYNOUTRIA SACHALINENSIS	211.16	119	941.79	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEACH				
RIMSULFURON	450.37	699	9,180.30	A
SAFLUFENACIL	1.80	3	50.00	A
SAPONIN	0.13	3	4.00	A
SETHOXYDIM	7.45	3	18.00	A
SILICONE DEFOAMER	1.82	78	1,751.01	A
SIMAZINE	1,045.92	83	1,237.94	A
SODIUM BICARBONATE	5.36	2	16.50	A
SODIUM DIOCTYLSULFOSUCCINATE	0.64	4	25.50	A
SODIUM HYDROXIDE	18.54	65	679.91	A
SODIUM HYPOCHLORITE	648.73		13,732.35	T
SODIUM POLYACRYLATE	0.54	11	172.36	A
SODIUM XYLENE SULFONATE	21.35	77	1,746.01	A
SORBITAN FATTY ACID ESTERS	2.83	6	57.00	A
SPINETORAM	803.51	545	8,894.29	A
SPINOSAD	681.70	360	6,117.63	A
	0.02	3	23.00	U
Total Pounds On This Chemical	681.72			
SPIRODICLOFEN	1,863.89	398	6,972.23	A
SPIROTETRAMAT	28.53	103	1,990.39	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	6	4.86	A
STREPTOMYCIN SULFATE	0.25	3	0.87	A
STRYCHNINE	3.30	24	847.90	A
STYRENE BUTADIENE COPOLYMER	55.09	44	883.64	A
SUGAR	135.80	18	1,936.00	A
SULFUR	539,713.71	3,187	58,107.86	A
	0.14	1	600.00	S
Total Pounds On This Chemical	539,713.84			
SULFURIC ACID	39.46	191	1,921.39	A
TALL OIL	291.58	295	3,076.09	A
TALL OIL FATTY ACIDS	474.54	1,314	15,912.12	A
TEBUCONAZOLE	2,315.41	653	13,771.91	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	112.41	94	2,027.41	A
ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	6.18	1	20.00	A
TETRAPOTASSIUM PYROPHOSPHATE	10.68	77	1,746.01	A
THIOPHANATE-METHYL	2,183.52	140	2,387.32	A
TRIETHANOLAMINE	27.22	77	1,746.01	A
TRIFLOXYSTROBIN	256.28	189	2,544.23	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	140.01	17	375.40	A
TRISODIUM PHOSPHATE	5.18	22	136.13	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	523.92	175	3,042.97	A
UREA DIHYDROGEN SULFATE	4.10	6	109.00	A
VINYL POLYMER	1.63	4	76.11	A
XANTHAN GUM	< 0.01	4	29.96	A
YEAST	424.86	18	1,936.00	A
YUCCA SCHIDIGERA	32.36	3	75.00	A
ZINC PHOSPHIDE	1.60	1	15.00	A
ZINC SULFATE	81.78	522	2,295.33	A
ZIRAM	214,856.36	2,351	37,180.28	A
	0.46	1	17.00	U
Total Pounds On This Chemical	214,856.82			
Site Total	2,780,495.70	58,763		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEANUT				
CARBARYL	2.04	1	1.00	A
GLYPHOSATE, POTASSIUM SALT	24.83	3	4.00	A
PROPARGITE	1.60	1	5.00	A
Site Total	28.47	5		
PEAR				
ABAMECTIN	197.88	335	12,419.73	A
ACETAMIPRID	30.23	21	215.40	A
ACRYLIC ACID	6.26	2	34.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	101.87	21	430.23	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.73	3	51.54	A
ALPHA-PINENE BETA-PINENE COPOLYMER	2,231.41	169	8,167.25	A
ALKYL (C8,C10) POLYGLUCOSIDE	222.41	78	734.91	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	2.97	2	60.00	A
ALUMINUM PHOSPHIDE	0.60	2	9.00	A
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	26.44	22	250.40	A
AMMONIUM NITRATE	96.66	76	712.91	A
AMMONIUM PROPIONATE	22.74	12	182.90	A
AMMONIUM SULFATE	233.63	95	965.54	A
AZADIRACTIN	1.79	10	93.00	A
AZINPHOS-METHYL	309.50	23	313.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	287.66	34	341.10	A
	0.34	1	86.00	U
Total Pounds On This Chemical	288.00			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	173.93	7	138.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	22.95	2	27.00	A
BENZOIC ACID	0.40	1	25.00	A
N6-BENZYL ADENINE	4.95	6	64.00	A
BIFENAZATE	731.07	70	1,795.00	A
BIFENTHRIN	7.99	3	49.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	109.91	178	8,273.08	A
BOSCALID	138.79	26	561.63	A
BUTYL ALCOHOL	7.41	6	125.00	A
CALCIUM CHLORIDE	7.84	9	110.00	A
CALCIUM HYDROXIDE	9.20	1	1.00	A
CARBARYL	4,171.02	45	1,883.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.14	3	51.00	A
CARFENTHAZONE-ETHYL	6.22	20	273.90	A
CASTOR OIL ETHOXYLATE	0.01	1	0.25	A
CHLORANTRANILIPROLE	512.29	208	5,467.18	A
CHLOROPHACINONE	< 0.01	4	6.50	A
CHLORPYRIFOS	44.78	3	47.50	A
CITRIC ACID	34.82	26	337.30	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	15.76	6	4.20	A
CLOFENTEZINE	167.10	13	654.00	A
CLOTHIANIDIN	2.44	1	13.00	A
COCONUT DIETHANOLAMIDE	0.02	1	4.00	A
CODLING MOTH GRANULOSIS VIRUS	0.12	97	937.35	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEAR				
COPPER AMMONIUM COMPLEX	0.84	3	18.00	U
	0.57	1	0.10	A
Total Pounds On This Chemical	1.42			
COPPER HYDROXIDE	6,432.88	531	15,088.81	A
	2.76	7	111.00	U
Total Pounds On This Chemical	6,435.64			
COPPER OXIDE (OUS)	674.11	41	468.20	A
COPPER OXYCHLORIDE	700.76	89	1,591.95	A
COPPER SULFATE (BASIC)	242.06	5	42.25	A
COPPER SULFATE (PENTAHYDRATE)	9.90	1	1.00	A
CORN PRODUCT, HYDROLYZED	3.12	2	2.00	A
COTTONSEED OIL	7.87	5	18.60	A
BETA-CYFLUTHRIN	0.09	2	7.30	A
(S)-CYPERMETHRIN	0.09	2	2.00	A
CYPRODINIL	379.58	56	1,969.50	A
2,4-D, DIMETHYLAMINE SALT	1,154.31	41	928.20	A
DIAZINON	3,158.70	75	2,537.37	A
DICOFOL	17.50	1	7.00	A
DIETHYLENE GLYCOL	255.14	15	453.14	A
DIFENOCONAZOLE	60.35	24	937.00	A
DIFLUBENZURON	117.35	34	1,353.50	A
DIMETHYL ALKYL TERTIARY AMINES	0.44	1	25.00	A
DIMETHYLPOLYSILOXANE	891.48	348	8,031.11	A
DIPHACINONE	< 0.01	21	62.00	A
DIURON	1,769.72	47	710.71	A
E,E-8,10-DODECADIEN-1-OL	660.49	170	6,721.14	A
Z-8-DODECENOL	1.95	157	5,033.80	A
E-8-DODECENYL ACETATE	11.00	157	5,033.80	A
Z-8-DODECENYL ACETATE	167.65	157	5,033.80	A
DODECYLBENZENE SULFONIC ACID	0.11	1	4.00	A
DODINE	4,623.90	137	3,968.86	A
EDTA, SODIUM SALT	0.30	5	109.00	A
EDTA, TETRASODIUM SALT	< 0.01	1	4.00	A
EMAMECTIN BENZOATE	0.06	1	4.00	A
ESFENVALERATE	497.17	221	7,850.57	A
ETOXAZOLE	6.32	7	55.33	A
FATTY ACIDS, MIXED	13.28	22	503.50	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	23.36	7	95.83	A
FENARIMOL	20.38	4	226.00	A
FENPROPATHRIN	26.60	15	67.50	A
FENPYROXIMATE	15.63	7	129.80	A
FLUBENDIAMIDE	0.48	1	3.00	A
FLUDIOXONIL	106.99		25,007.20	T
FLUMIOXAZIN	274.91	48	1,530.19	A
FOSETYL-AL	121.60	2	35.00	A
GLYCEROL	9.14	5	44.40	A
GLYPHOSATE, ISOPROPYLAMINE SALT	10,953.72	345	7,915.71	A
	0.03	1	5.00	U
Total Pounds On This Chemical	10,953.75			
GLYPHOSATE, POTASSIUM SALT	4,823.63	112	2,954.39	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.33	8	188.14	A
HYDROTREATED PARAFFINIC SOLVENT	680.06	360	12,625.40	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	12.16	3	85.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEAR				
IMIDACLOPRID	14.35	9	52.92	A
INDAZIFLAM	38.62	32	567.06	A
ISOPROPYL ALCOHOL	63.95	89	1,515.00	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.30	4	16.00	A
KAOLIN	2,375.00	10	156.00	A
KEROSENE	10,322.21	6	211.00	A
KRESOXIM-METHYL	840.72	109	4,819.82	A
LAMBDA-CYHALOTHRIN	17.86	33	573.30	A
LAURYL ALCOHOL	305.73	136	5,192.44	A
LECITHIN	127.09	25	490.34	A
LIME-SULFUR	130,781.18	205	5,065.35	A
MALATHION	5.73	2	2.00	A
MANCOZEB	63,115.87	668	24,301.12	A
METHOXYFENOZIDE	860.64	140	3,523.06	A
	0.18	1	86.00	U
Total Pounds On This Chemical	860.82			
METHYLATED SOYBEAN OIL	2,030.43	80	2,061.23	A
MINERAL OIL	976,544.84	993	34,752.88	A
	14.42	3	27.00	U
Total Pounds On This Chemical	976,559.26			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	649.76	66	2,863.45	A
MYRISTYL ALCOHOL	62.11	136	5,192.44	A
NAA, AMMONIUM SALT	829.73	295	10,071.60	A
NONANOIC ACID	2.13	1	1.00	A
NONANOIC ACID, OTHER RELATED	0.11	1	1.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2,048.35	370	12,731.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,290.32	567	16,970.33	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	42.15	16	227.90	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.03	1	0.10	A
NORFLURAZON	80.41	7	107.30	A
OLEIC ACID, METHYL ESTER	89.72	5	101.54	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	3.09	3	49.64	A
ORYZALIN	999.25	20	340.12	A
OXYFLUORFEN	590.01	70	1,256.54	A
OXYTETRACYCLINE, CALCIUM COMPLEX	11,301.65	1,462	50,583.72	A
OXYTETRACYCLINE HYDROCHLORIDE	59.37	35	363.50	A
OXYTETRACYCLINE HYDROCHLORIDE, OTHER RELATED	0.46	30	306.50	A
PANTOEA AGGLOMERANS STRAIN E325, NRRL B-21856	1.16	2	50.00	A
PARAQUAT DICHLORIDE	1,056.61	31	801.61	A
PENDIMETHALIN	754.32	21	412.30	A
PERMETHRIN	6.23	1	25.00	A
PETROLEUM DISTILLATES	1.13	1	1.50	A
PETROLEUM DISTILLATES, REFINED	40.11	6	3.90	A
PETROLEUM OIL, PARAFFIN BASED	3,627.20	15	211.00	A
PETROLEUM OIL, UNCLASSIFIED	84,165.21	230	5,060.36	A
	5.93	4	92.00	U
Total Pounds On This Chemical	84,171.14			
PHOSMET	1,047.94	30	309.55	A
	0.14	5	10.00	U
Total Pounds On This Chemical	1,048.08			
PHOSPHORIC ACID	102.30	31	465.66	A
PIPERONYL BUTOXIDE	0.26	2	2.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEAR				
PIPERONYL BUTOXIDE, OTHER RELATED	0.06	2	2.00	A
POLYACRYLAMIDE POLYMER	0.92	5	44.40	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	3.64	1	30.00	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	92.16	2	16.00	A
POLYBUTENES	4.17	7	95.83	A
POLYETHER MODIFIED POLYSILOXANE	490.75	88	4,813.20	A
POLYETHYLENE GLYCOL	343.46	78	1,383.40	A
POLYETHYLENE GLYCOL DIACETATE	0.27	2	60.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	36.19	6	74.00	A
POLY-I-PARA-MENTHENE	30.48	30	103.25	A
POLYOXYETHYLENE DIOLEATE	0.06	3	49.64	A
POLYOXYETHYLENE POLYOXYPROPYLENE	1.35	2	41.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	1.49	1	7.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	1.20	4	16.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	7.88	4	16.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	0.10	1	0.25	A
POTASSIUM PHOSPHITE	9.49	7	28.00	A
PROPIONIC ACID	84.26	15	348.00	A
PROPYLENE GLYCOL	47.24	24	383.26	A
PSEUDOMONAS FLUORESCENS, STRAIN A506	54.80	11	354.00	A
	0.05	1	86.00	U
Total Pounds On This Chemical	54.85			
PYRACLOSTROBIN	70.50	26	561.63	A
PYRAFLUFEN-ETHYL	1.32	11	282.10	A
PYRETHRINS	3.44	5	63.00	A
	< 0.01	1	9.00	U
Total Pounds On This Chemical	3.44			
PYRIPROXYFEN	67.47	21	772.50	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	1.19	8	4.50	A
QUILLAJA	0.29	3	51.00	A
REYNOUTRIA SACHALINENSIS	< 0.01	1	9.00	U
RIMSULFURON	1.59	3	29.16	A
SAFLUFENACIL	73.74	69	1,689.47	A
SAPONIN	0.08	2	2.00	A
SETHOXYDIM	104.67	26	427.14	A
SILICONE DEFOAMER	1.67	58	1,547.65	A
SIMAZINE	981.94	28	360.62	A
SODIUM HYDROXIDE	19.31	21	407.40	A
SODIUM POLYACRYLATE	0.57	12	182.90	A
SODIUM XYLENE SULFONATE	0.03	1	4.00	A
SPINETORAM	417.38	173	4,151.18	A
SPINOSAD	57.57	41	459.50	A
	0.02	3	18.00	U
Total Pounds On This Chemical	57.59			
SPIRODICLOFEN	150.93	21	559.00	A
SPIROTETRAMAT	13.56	16	889.30	A
STREPTOMYCIN	13.08	9	104.00	A
STREPTOMYCIN SULFATE	2,171.12	976	25,864.23	A
	0.87	7	526.00	U
Total Pounds On This Chemical	2,171.99			
STRYCHNINE	0.18	2	35.00	A
SULFUR	70,616.84	366	7,994.80	A
SULFURIC ACID	0.66	2	10.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEAR				
TALL OIL	313.89	361	12,625.65	A
TALL OIL FATTY ACIDS	38.97	176	8,348.39	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	37.29	6	113.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.02	1	4.00	A
THIOPHANATE-METHYL	57.61	6	164.60	A
TRIETHANOLAMINE	0.04	1	4.00	A
TRIFLOXYSTROBIN	23.56	16	374.49	A
TRIFLUMIZOLE	1,252.66	132	3,608.50	A
TRISODIUM PHOSPHATE	0.23	6	10.26	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	26.65	11	227.80	A
UREA	1.03	1	10.00	A
VINYL POLYMER	6.69	33	666.84	A
ZINC PHOSPHIDE	6.72	6	131.00	A
ZIRAM	30,819.03	263	7,577.76	A
Site Total	1,455,770.93	10,864		
PEAS				
ACETAMIPRID	1.69	9	37.01	A
ACRYLIC ACID	58.87	69	622.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	60.92	27	353.10	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9.56	3	66.61	A
ALPHA-PINENE BETA-PINENE COPOLYMER	10.76	10	79.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	20.30	30	63.06	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	3.98	17	230.80	A
AMMONIUM NITRATE	7.63	24	314.50	A
AMMONIUM SULFATE	219.74	25	378.50	A
AZADIRACTIN	3.59	19	184.90	A
AZOXYSTROBIN	6.54	5	28.38	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	40.50	3	54.00	A
BACILLUS PUMILUS, STRAIN QST 2808	82.62	73	933.80	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	117.99	38	146.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	12.91	3	12.08	A
BEAUVERIA BASSIANA STRAIN GHA	0.01	1	0.07	A
	< 0.01	1	108.00	S
Total Pounds On This Chemical	0.02			
BENTAZON, SODIUM SALT	3,778.35	295	3,304.35	A
BENZOIC ACID	3.62	50	634.50	A
BIFENTHRIN	58.36	67	611.59	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	105.62	86	1,044.10	A
BOSCALID	44.93	2	128.00	A
CALCIUM HYPOCHLORITE	633.76	3	241.00	U
	439.28	2	167.00	A
Total Pounds On This Chemical	1,073.04			
CARBARYL	11.00	1	11.00	A
CHLORANTRANILIPROLE	146.64	228	2,268.49	A
CHLOROTHALONIL	322.91	2	254.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEAS				
CHLORPYRIFOS	5.99	2	8.50	A
CHLORTHAL-DIMETHYL	43.69	2	26.00	A
CLETHODIM	11.85	3	65.00	A
COCONUT DIETHANOLAMIDE	0.03	1	4.00	A
COPPER AMMONIUM COMPLEX	0.08	2	0.60	A
COPPER HYDROXIDE	143.60	49	249.50	A
COPPER OCTANOATE	84.22	7	135.00	A
COPPER OXYCHLORIDE	13.50	3	54.00	A
CYFLUTHRIN	6.45	1	127.00	A
(S)-CYPERMETHRIN	261.00	470	5,312.05	A
DIATOMACEOUS EARTH	0.78	1	0.10	A
DIAZINON	8.58	2	2.00	A
DIETHYLENE GLYCOL	394.29	64	543.70	A
DIMETHOATE	667.51	270	2,758.36	A
DIMETHYL ALKYL TERTIARY AMINES	3.94	50	634.50	A
DIMETHYLPOLYSILOXANE	70.82	285	2,558.20	A
DIMETHYL SILICONE FLUID EMULSION	0.35	1	18.00	A
DODECYLBENZENE SULFONIC ACID	0.13	1	4.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.11	13	76.24	A
EDTA, TETRASODIUM SALT	< 0.01	1	4.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	16.91	3	38.60	A
ESFENVALERATE	55.47	128	1,242.35	A
ETHYLENE GLYCOL	216.50	10	179.00	A
FATTY ACIDS, METHYL ESTERS	136.11	35	354.70	A
FATTY ACIDS, MIXED	7.72	98	952.20	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	256.50	41	610.40	A
FATTY ACIDS DERIVED FROM TALLOW	8.12	30	63.06	A
HYDROGEN PEROXIDE	0.23	2	0.21	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	48.46	66	933.40	A
IMAZETHAPYR, AMMONIUM SALT	3.18	1	64.00	A
IMIDACLOPRID	35.40	85	280.06	A
ISOPROPYL ALCOHOL	95.48	45	507.20	A
KAOLIN	645.05	5	67.90	A
KEROSENE	7.01	50	634.50	A
LAMBDA-CYHALOTHRIN	72.04	181	2,349.10	A
LECITHIN	191.23	103	1,022.91	A
MALATHION	524.39	100	810.92	A
MCFA, DIMETHYLAMINE SALT	29.84	1	65.00	A
MEFENOXAM	12.36	2	24.00	A
METAM-SODIUM	47.62	1	0.15	A
METHOMYL	4,934.42	563	6,546.98	A
METHOXYFENOZIDE	14.07	8	64.63	A
METHYLATED SOYBEAN OIL	134.75	52	638.60	A
METHYL SILICONE RESINS	41.80	225	1,580.60	A
S-METOLACHLOR	1,128.35	103	1,185.09	A
MINERAL OIL	3.79	10	79.00	A
NALED	40.91	9	51.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	133.20	76	965.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	437.90	241	2,203.66	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	364.78	73	751.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEAS				
OLEIC ACID, METHYL ESTER	644.23	91	1,238.21	A
PARATHION	1.18	1	10.00	A
PARATHION, OTHER RELATED	0.06	1	10.00	A
PENDIMETHALIN	97.06	4	53.00	A
PETROLEUM DISTILLATES	18.90	1	12.50	A
PHOSPHORIC ACID	20.67	92	878.80	A
PIPERONYL BUTOXIDE	1.54	4	4.40	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.39	4	4.40	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	3.78	2	24.00	A
POLYBUTENES	45.80	41	610.40	A
POLYETHER MODIFIED POLYSILOXANE	52.27	88	1,187.15	A
POLYETHYLENE GLYCOL DIACETATE	0.36	17	230.80	A
POLY-I-PARA-MENTHENE	2.09	4	11.00	A
POLYPROPYLENE GLYCOL	1.57	43	381.20	A
POTASH SOAP	5.02	1	1.15	A
POTASSIUM BICARBONATE	535.50	7	126.00	A
POTASSIUM PHOSPHITE	2,051.04	89	878.10	A
PROPIONIC ACID	180.08	98	952.20	A
PROPYLENE GLYCOL	8.72	3	29.00	A
PYRACLOSTROBIN	12.50	10	87.70	A
PYRETHRINS	10.78	36	269.50	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	3.55	5	58.07	A
REYNOUTRIA SACHALINENSIS	20.03	24	184.67	A
SETHOXYDIM	84.30	5	248.50	A
SILICONE	0.72	51	505.20	A
SILICONE DEFOAMER	< 0.01	1	4.00	A
SODIUM XYLENE SULFONATE	0.04	1	4.00	A
SPINETORAM	222.58	370	4,225.20	A
SPINOSAD	100.26	80	1,042.20	A
SPIROTETRAMAT	0.64	17	66.76	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	1	0.14	A
STYRENE BUTADIENE COPOLYMER	11.59	3	29.00	A
SULFUR	62,632.15	615	6,849.72	A
TALL OIL FATTY ACIDS	0.15	10	79.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.15	1	4.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.02	1	4.00	A
THIAMETHOXAM	45.78		94,148.00	P
THIRAM	96.06		102,949.00	P
	1.04		1,925.00	U
Total Pounds On This Chemical	97.09			
TRIETHANOLAMINE	0.05	1	4.00	A
TRIFLURALIN	71.45	7	86.80	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	5.17	2	24.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.02	6	47.70	A
VINYL POLYMER	1.13	2	129.00	A
XYLENE	1.38	1	10.00	A
YUCCA SCHIDIGERA	1.24	1	4.80	A
Site Total	84,574.63	5,101		
PEAS (FORAGE - FODDER)				
METOLACHLOR	18.54	2	19.00	A
TRIFLURALIN	5.47	2	19.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEAS (FORAGE - FODDER)				
Site Total	24.00	4		
PECAN				
ABAMECTIN	0.49	5	32.50	A
ACETAMIPRID	90.72	23	782.10	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	5.26	6	36.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	57.32	22	453.26	A
ALPHA-PINENE BETA-PINENE COPOLYMER	3.65	3	35.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.24	2	54.64	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	0.79	2	54.64	A
ALKYL (C8,C10) POLYGLUCOSIDE	25.24	12	69.50	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	47.90	7	497.00	A
AMMONIUM NITRATE	15.40	15	260.40	A
AMMONIUM SULFATE	91.94	19	260.26	A
BIFENTHRIN	79.64	5	453.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.31	4	48.00	A
BUTYL ALCOHOL	33.07	21	782.20	A
CARFENTHAZONE-ETHYL	0.57	2	24.00	A
CASTOR OIL ETHOXYLATE	7.58	4	32.00	A
CHLORANTRANILIPROLE	5.88	4	92.00	A
CHLORPYRIFOS	2,507.44	49	1,795.82	A
CITRIC ACID	3.12	6	54.50	A
CLETHODIM	6.05	1	50.00	A
CLOTHIANIDIN	21.85	4	225.00	A
COPPER HYDROXIDE	24.20	1	15.00	A
CYFLUTHRIN	16.54	12	375.00	A
BETA-CYFLUTHRIN	3.96	14	539.10	A
(S)-CYPERMETHRIN	4.31	2	170.00	A
2,4-D, DIMETHYLAMINE SALT	275.16	16	264.93	A
DELTAMETHRIN	0.03	1	2.00	A
DIETHYLENE GLYCOL	33.99	2	170.00	A
DIMETHOATE	73.26	5	222.50	A
DIMETHYLPOLYSILOXANE	12.14	48	1,579.04	A
DIMETHYL SILICONE FLUID EMULSION	4.37	9	531.32	A
DIPHACINONE	0.03	2	170.00	A
DIURON	36.40	2	21.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.23	1	15.00	A
EDTA, SODIUM SALT	0.08	1	30.00	A
ESFENVALERATE	4.16	3	57.00	A
ETHYLENE GLYCOL	127.00	2	70.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	4.32	1	13.00	A
FATTY ACIDS DERIVED FROM TALLOW	0.10	2	54.64	A
FLUMIOXAZIN	18.11	10	79.00	A
GLUFOSINATE-AMMONIUM	170.83	29	370.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	2,483.00	115	1,179.95	A
GLYPHOSATE, POTASSIUM SALT	848.37	51	535.06	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	24.52	5	239.64	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.34	3	50.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PECAN				
HYDROTREATED PARAFFINIC SOLVENT	30.77	2	110.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	222.93	20	842.00	A
IMIDACLOPRID	608.90	71	2,020.68	A
INDAZIFLAM	4.80	4	73.60	A
ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	53.34	4	224.64	A
ISOPROPYL ALCOHOL	28.49	16	225.00	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.40	17	139.50	A
LAMBDA-CYHALOTHRIN	11.34	8	302.00	A
LECITHIN	43.42	5	68.34	A
MALATHION	2.04	1	2.00	A
METHYLATED SOYBEAN OIL	398.90	33	708.73	A
MINERAL OIL	2.73	4	50.00	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	212.81	34	1,128.99	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.47	1	13.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	648.36	53	1,725.09	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE), BRANCHED	21.56	6	244.64	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE), PHOSPHATE ESTER	7.92	4	34.84	A
OLEIC ACID, METHYL ESTER	563.02	20	736.10	A
ORGANO/MODIFIED POLYSILOXANE	0.02	2	54.64	A
ORYZALIN	200.21	7	44.75	A
OXYFLUORFEN	211.64	48	641.07	A
PARAQUAT DICHLORIDE	96.10	13	127.50	A
PENDIMETHALIN	413.39	18	168.07	A
PENOXSULAM	0.79	1	25.71	A
PETROLEUM DISTILLATES	10.51	2	29.00	A
PETROLEUM OIL, PARAFFIN BASED	123.69	20	201.88	A
PHOSPHORIC ACID	17.62	12	299.14	A
POLYACRYLIC POLYMER	0.96	4	44.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	7.82	5	236.00	A
POLYBUTENES	0.77	1	13.00	A
POLYETHER MODIFIED POLYSILOXANE	1.94	1	10.00	A
POLYETHYLENE GLYCOL	9.36	3	65.00	A
POLYETHYLENE GLYCOL DIACETATE	4.35	7	497.00	A
POLYMERIZED PINENE	4.10	1	15.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	9.56	2	42.67	A
POLYOXYETHYLENE POLYOXYPROPYLENE	35.17	4	340.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	1.59	17	139.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	10.46	17	139.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	56.88	4	32.00	A
PROPYLENE GLYCOL	169.65	5	274.00	A
PROPYLENE OXIDE	477.00		37.85	T
PYMETROZINE	15.63	2	125.00	A
PYRAFLUFEN-ETHYL	0.19	6	53.00	A
REYNOUTRIA SACHALINENSIS	1.63	1	15.00	A
RIMSULFURON	1.93	10	74.34	A
SAFLUFENACIL	0.90	4	21.75	A
SETHOXYDIM	7.01	2	110.00	A
SIMAZINE	55.29	4	23.30	A
SPIROTETRAMAT	32.25	51	1,940.42	A
STRYCHNINE	6.12	2	170.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PECAN				
TALL OIL	7.66	6	36.00	A
TALL OIL FATTY ACIDS	77.28	24	490.71	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	10.11	1	30.00	A
THIAMETHOXAM	1.75	2	28.00	A
TRIFLURALIN	1.88	1	0.25	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	1.93	1	15.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	22.82	15	146.00	A
UREA	5.62	2	54.64	A
Site Total	12,147.75	818		
PEPPER, FRUITING				
ABAMECTIN	161.89	408	13,134.63	A
	< 0.01	1	44.00	S
Total Pounds On This Chemical	161.89			
ACEPHATE	3,333.28	144	4,287.46	A
ACEQUINOCYL	1.94	9	2.25	A
ACETAMIPRID	189.09	114	3,167.64	A
ACETIC ACID	0.11	2	45.50	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	12.85	1	149.63	A
ACRYLIC ACID	7.39	7	279.60	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	124.17	6	550.46	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	593.84	362	9,536.08	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	15.48	3	60.30	A
ALPHA-PINENE BETA-PINENE COPOLYMER	1,156.51	90	4,904.62	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	83.64	12	304.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	0.04	1	20.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	3.46	6	203.70	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	103.44	153	4,691.50	A
ALUMINUM PHOSPHIDE	14.37	3	105.00	A
AMMONIUM NITRATE	9.45	22	287.00	A
AMMONIUM PROPIONATE	37.67	8	173.00	A
AMMONIUM SULFATE	369.53	33	541.40	A
AZADIRACTIN	14.27	41	574.65	A
	< 0.01	1	0.06	S
Total Pounds On This Chemical	14.27			
AZOXYSTROBIN	1,999.52	336	11,179.44	A
	< 0.01		212.59	P
Total Pounds On This Chemical	1,999.53			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	17.50	2	36.00	A
BACILLUS PUMILUS, STRAIN QST 2808	48.55	28	635.70	A
BACILLUS SUBTILIS VAR. AMYLOLIQUEFACIENS STRAIN FZB24	1.65	4	179.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	26.00	2	26.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	104.73	17	145.96	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	5.12	1	80.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEPPER, FRUITING				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	171.40	28	391.49	A
	0.02	2	66.60	S
Total Pounds On This Chemical	171.42			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	132.59	12	184.05	A
BEAUVERIA BASSIANA STRAIN GHA	2.22	3	10.30	A
BENSULIDE	1,689.12	47	498.62	A
BENZOIC ACID	3.02	28	379.15	A
BIFENAZATE	18.75	4	40.81	A
	< 0.01	1	300.00	S
Total Pounds On This Chemical	18.75			
BIFENTHRIN	502.25	193	6,102.57	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	454.16	361	10,541.09	A
BOSCALID	148.87	36	988.42	A
BUPROFEZIN	168.13	46	592.49	A
BUTYL ALCOHOL	19.20	16	670.53	A
CALCIUM CHLORIDE	6.47	6	301.80	A
CAPSICUM OLEORESIN	0.53	1	45.30	A
CARBARYL	659.42	25	873.86	A
CARBOXIN	0.30		400.00	P
CARFENTHAZONE-ETHYL	12.37	29	935.00	A
CASTOR OIL ETHOXYLATE	120.72	76	1,277.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	1,352.04	20	1,896.65	A
CHLORANTRANILIPROLE	831.74	481	14,886.28	A
CHLORFENAPYR	0.10	1	1.00	A
CHLOROPICRIN	75,179.53	50	1,328.83	A
CHLOROTHALONIL	1,332.32	37	1,170.33	A
CHLOROTHAL-DIMETHYL	117.00	2	39.00	A
CITRIC ACID	37.84	17	571.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	32.99	6	10.54	A
CLETHODIM	25.06	10	200.70	A
CLOTHIANIDIN	80.75	33	646.30	A
COCONUT DIETHANOLAMIDE	0.22	6	22.60	A
COPPER HYDROXIDE	4,414.68	228	7,537.97	A
COPPER OCTANOATE	94.16	14	398.85	A
COPPER OXIDE (OUS)	17.75	1	10.00	A
COPPER OXYCHLORIDE	9.21	6	40.85	A
COPPER SULFATE (BASIC)	64.22	4	90.32	A
CORN PRODUCT, HYDROLYZED	85.33	19	269.50	A
CRYOLITE	36,761.00	93	4,961.96	A
CYFLUTHRIN	5.12	8	165.88	A
BETA-CYFLUTHRIN	22.90	85	1,791.98	A
CYMOXANIL	116.11	26	928.40	A
(S)-CYPERMETHRIN	471.35	321	10,251.55	A
DIAZINON	285.16	5	197.40	A
1,3-DICHLOROPROPENE	117,172.96	53	1,416.41	A
DIETHYLENE GLYCOL	131.35	93	3,297.91	A
DIETHYLENE GLYCOL MONOETHYL ETHER	1.36	3	300.33	A
DIFENOCONAZOLE	896.48	248	8,416.64	A
DIFLUBENZURON	402.59	70	3,217.93	A
DIMETHOATE	893.23	107	3,943.83	A
DIMETHYL ALKYL TERTIARY AMINES	3.29	28	379.15	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEPPER, FRUITING				
DIMETHYL AND METHYL NAPHTHALENE SULFONIC ACID, SODIUM SALT	8.80	1	33.00	A
DIMETHYLPOLYSILOXANE	580.50	547	13,281.12	A
DIMETHYL SILICONE FLUID EMULSION	9.47	51	1,454.55	A
DINOTEFURAN	245.36	34	1,737.46	A
DIPROPYLENE GLYCOL METHYL ETHER	2.22	4	342.33	A
DODECYLBENZENE SULFONIC ACID	8.62	6	35.60	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.51	21	313.60	A
EDTA, SODIUM SALT	0.09	7	250.00	A
EDTA, TETRASODIUM SALT	< 0.01	5	2.60	A
EMAMECTIN BENZOATE	12.64	30	1,009.20	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	24.23	3	43.80	A
ESFENVALERATE	105.62	100	2,792.50	A
ETHEPHON	308.44	25	769.15	A
ETHION	0.08	1	26.00	A
ETHYLENE GLYCOL	762.29	20	2,444.43	A
ETOXAZOLE	3.41	1	37.90	A
FAMOXADONE	116.11	26	928.40	A
FATTY ACIDS, METHYL ESTERS	360.05	53	1,041.10	A
FATTY ACIDS, MIXED	218.86	164	5,087.78	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,152.84	218	4,595.37	A
FATTY ACIDS DERIVED FROM TALLOW	33.45	12	304.00	A
FENAMIDONE	93.65	8	357.98	A
FENPROPATHRIN	174.67	11	839.86	A
FENPYROXIMATE	118.69	46	1,365.00	A
FLONICAMID	332.98	73	3,857.47	A
FLUBENDIAMIDE	185.08	149	4,181.66	A
FLUDIOXONIL	< 0.01		212.59	P
	< 0.01		7.94	A
Total Pounds On This Chemical	< 0.01			
FLUMIOXAZIN	69.09	21	553.10	A
FLUOPICOLIDE	109.73	16	934.63	A
GAMMA-CYHALOTHRIN	0.48	5	33.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	4,621.32	79	2,542.76	A
GLYPHOSATE, POTASSIUM SALT	1,154.42	26	723.26	A
HALOSULFURON-METHYL	11.05	8	337.50	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	27.69	38	812.90	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.04	3	31.94	A
HYDROGEN PEROXIDE	144.67	15	228.76	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	719.96	342	9,709.57	A
IMIDACLOPRID	4,008.16	692	17,290.59	A
INDOXACARB	289.65	96	2,823.63	A
ISOPROPYL ALCOHOL	265.79	122	5,428.19	A
KAOLIN	10,136.42	28	297.20	A
KEROSENE	5.83	27	376.80	A
LAMBDA-CYHALOTHRIN	121.07	188	4,183.93	A
LAURIC ACID	0.04	1	20.00	A
LECITHIN	1,486.73	195	5,569.77	A
MALATHION	433.04	31	567.25	A
MANCOZEB	2,667.31	63	2,155.00	A
MARGOSA OIL	141.55	8	184.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEPPER, FRUITING				
MEFENOXAM	2,441.22	215	7,899.46	A
	0.02		303.51	P
Total Pounds On This Chemical	2,441.24			
MEFENOXAM, OTHER RELATED	1.62	18	877.86	A
METAM-SODIUM	586,138.80	109	3,812.13	A
METHOMYL	1,593.12	47	2,121.48	A
METHOXYFENOZIDE	624.91	135	3,730.29	A
METHYLATED SOYBEAN OIL	863.24	124	2,762.67	A
METHYL SILICONE RESINS	4.19	55	831.88	A
S-METOLACHLOR	1,600.56	71	1,439.15	A
MINERAL OIL	4,033.59	172	6,922.77	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	31.81	14	581.00	A
MYCLOBUTANIL	2,112.55	770	19,234.68	A
NALED	699.77	21	554.16	A
NAPROPAMIDE	1,157.41	25	628.85	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1,196.23	381	7,920.61	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,965.01	439	14,693.88	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	537.69	76	1,846.72	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	780.84	91	1,634.14	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	< 0.01	1	10.00	A
NOVALURON	148.21	30	1,885.50	A
OLEIC ACID, METHYL ESTER	1,456.98	204	4,211.02	A
OXAMYL	2,314.12	113	3,638.25	A
	0.22	4	11,350.00	S
Total Pounds On This Chemical	2,314.34			
OXYDEMETON-METHYL	14.41	1	13.84	A
OXYFLUORFEN	338.61	57	1,108.35	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	27.00	4	72.00	A
PARAQUAT DICHLORIDE	1,409.55	65	1,550.58	A
PENDIMETHALIN	2,443.51	104	2,867.47	A
PERMETHRIN	65.04	16	397.09	A
PETROLEUM DISTILLATES	39.57	4	26.70	A
PETROLEUM DISTILLATES, ALIPHATIC	0.77	1	149.63	A
PETROLEUM DISTILLATES, REFINED	13,538.43	160	4,028.48	A
PETROLEUM NAPHTHENIC OILS	8.99	1	149.63	A
PETROLEUM OIL, PARAFFIN BASED	19.94	3	28.00	A
PHOSPHORIC ACID	174.83	48	1,171.55	A
PIPERONYL BUTOXIDE	0.32	1	1.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.08	1	1.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	6.81	9	490.11	A
POLYACRYLAMIDE POLYMER	25.01	100	1,853.60	A
POLYACRYLIC POLYMER	0.21	1	50.70	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1,796.10	176	8,723.44	A
POLYBUTENES	205.86	218	4,595.37	A
POLYETHER MODIFIED POLYSILOXANE	125.08	116	3,120.02	A
POLYETHYLENE GLYCOL	107.75	18	268.00	A
POLYETHYLENE GLYCOL DIACETATE	9.40	153	4,691.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.12	1	1.00	A
POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM)	0.04	1	8.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEPPER, FRUITING				
POLY-I-PARA-MENTHENE	1,565.57	86	4,511.69	A
POLYMERIZED PINENE	133.25	21	313.60	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	3.25	2	18.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	420.64	162	4,042.45	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	0.30	1	10.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	905.39	76	1,277.00	A
POLYPROPYLENE GLYCOL	1.47	44	667.97	A
POLYSACCHARIDE POLYMER	0.81	12	230.80	A
POLYSILOXANE	0.14	6	203.70	A
POTASH SOAP	113.26	3	58.00	A
	0.24	1	610.00	S
Total Pounds On This Chemical	113.51			
POTASSIUM BICARBONATE	722.21	19	322.50	A
POTASSIUM HYDROXIDE	4.05	6	203.70	A
POTASSIUM N-METHYLDITHIOCARBAMATE	739,138.82	92	3,213.58	A
PROPAMOCARB HYDROCHLORIDE	459.26	21	799.47	A
PROPIONIC ACID	789.59	127	3,864.89	A
PROPYLENE GLYCOL	95.82	58	1,440.10	A
PYMETROZINE	155.66	47	1,780.82	A
PYRACLOSTROBIN	715.94	153	4,134.99	A
PYRAFLUFEN-ETHYL	0.14	1	42.00	A
PYRETHRINS	17.40	39	493.56	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	61.82	53	874.10	A
QUINOXYFEN	341.54	152	4,304.71	A
REYNOUTRIA SACHALINENSIS	16.03	10	132.97	A
ROTENONE	< 0.01	2	1.75	A
ROTENONE, OTHER RELATED	< 0.01	2	1.75	A
SETHOXYDIM	27.43	5	101.00	A
SILICONE	0.44	21	362.63	A
SILICONE DEFOAMER	< 0.01	5	2.60	A
SODIUM BISULFATE	2.47	1	5.29	A
SODIUM CHLORATE	1,057.73	13	141.15	A
SODIUM DI (1-ALKENYL) PHENOXY BENZENE DISULFONATE	2.38	1	33.00	A
SODIUM HYPOCHLORITE	27.49		3,301.00	T
SODIUM MONO (1-ALKENYL) PHENOXY BENZENE DISULFONATE	5.54	1	33.00	A
SODIUM POLYACRYLATE	1.68	8	173.00	A
SODIUM XYLENE SULFONATE	0.03	5	2.60	A
SORBITAN FATTY ACID ESTERS	0.07	1	10.00	A
SPINETORAM	968.48	706	21,032.76	A
SPINOSAD	318.53	146	3,915.58	A
SPIROMESIFEN	634.63	189	5,129.11	A
SPIROTETRAMAT	93.19	394	10,848.18	A
STREPTOMYCES LYDICUS WYEC 108	0.21	34	1,028.65	A
STYRENE BUTADIENE COPOLYMER	9.68	6	94.35	A
SULFUR	128,812.51	462	13,162.22	A
TALL OIL	120.72	76	1,277.00	A
TALL OIL FATTY ACIDS	40.90	132	6,369.97	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	27.26	17	440.60	A
TETRAPOTASSIUM PYROPHOSPHATE	0.01	5	2.60	A
THIAMETHOXAM	159.22	97	2,837.69	A
THIRAM	61.74		31,930.35	P
	16.00		6,406.48	U
Total Pounds On This Chemical	77.74			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEPPER, FRUITING				
TRIETHANOLAMINE	0.03	5	2.60	A
TRIFLOXYSTROBIN	44.17	18	746.60	A
TRIFLURALIN	929.10	96	1,807.74	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	37.94	44	872.25	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	345.81	80	2,428.33	A
UREA	3.56	1	13.84	A
UREA DIHYDROGEN SULFATE	9.42	5	188.00	A
VEGETABLE OIL	160.03	3	73.00	A
ZINC SULFATE	4.83	2	199.11	A
Site Total	1,794,308.04	12,169		
PEPPER, SPICE				
ABAMECTIN	1.25	4	90.64	A
	0.01	2	9,600.00	S
Total Pounds On This Chemical	1.27			
ACETAMIPRID	1.54	1	20.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.97	8	111.70	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	17.08	6	80.81	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.92	3	62.40	A
AZADIRACTIN	0.01	3	14,400.00	S
AZOXYSTROBIN	6.61	6	119.78	A
	< 0.01		10.00	P
Total Pounds On This Chemical	6.61			
BACILLUS SUBTILIS VAR. AMYLOLIQUEFACIENS STRAIN FZB24	0.03	1	153.00	A
BACILLUS THURINGIENSIS (BERLINER)	< 0.01	2	8,400.00	S
BENZOIC ACID	0.76	1	20.00	A
BIFENAZATE	3.18	6	12.95	A
BIFENTHRIN	3.32	7	75.70	A
	0.06	2	9,600.00	S
Total Pounds On This Chemical	3.38			
BUTYL ALCOHOL	0.10	1	11.00	A
CARFENTHAZONE-ETHYL	0.16	1	11.00	A
CHLORANTRANILIPROLE	6.42	2	104.10	A
CHLOROTHALONIL	40.64	5	36.14	A
COPPER HYDROXIDE	0.05	2	0.25	A
COPPER OXYCHLORIDE	0.06	2	0.25	A
CRYOLITE	11.52	2	1.50	A
(S)-CYPERMETHRIN	2.07	3	43.00	A
CYROMAZINE	3.07	1	24.60	A
DIETHYLENE GLYCOL	0.41	2	12.50	A
DIFENOCONAZOLE	4.12	4	36.00	A
DIFLUBENZURON	0.16	2	1.50	A
DIMETHOATE	26.92	5	80.78	A
DIMETHYL ALKYL TERTIARY AMINES	0.82	1	20.00	A
DIMETHYLPOLYSILOXANE	0.15	8	104.28	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	5.26	4	75.70	A
ESFENVALERATE	0.48	4	11.75	A
ETHEPHON	63.90	10	177.68	A
FATTY ACIDS, MIXED	0.16	2	44.20	A
FLUDIOXONIL	< 0.01		67.99	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEPPER, SPICE				
Total Pounds On This Chemical	< 0.01	< 0.01	10.00	P
FLUOPICOLIDE	14.14	1	153.00	A
GLYPHOSATE, POTASSIUM SALT	15.17	1	11.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.07	3	54.80	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	3.17	3	62.40	A
IMIDACLOPRID	71.03	9	272.25	A
ISOPROPYL ALCOHOL	5.23	15	47.18	A
KAOLIN	1,486.75	4	83.50	A
KEROSENE	1.47	1	20.00	A
LECITHIN	20.85	8	125.01	A
MEFENOXAM	137.49	4	267.00	A
Total Pounds On This Chemical	< 0.01		10.00	P
Total Pounds On This Chemical	137.49			
METHOMYL	65.61	6	105.38	A
METHOXYFENOZIDE	2.77	1	19.60	A
METHYLATED SOYBEAN OIL	43.06	5	83.80	A
METHYL SILICONE RESINS	9.02	23	307.04	A
S-METOLACHLOR	134.17	7	99.98	A
MYCLOBUTANIL	3.86	3	38.60	A
NALED	36.26	4	36.00	A
NAPROPAMIDE	158.23	18	215.48	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	23.32	24	178.68	A
OLEIC ACID, METHYL ESTER	79.72	6	80.81	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	0.04	1	0.14	A
PARAQUAT DICHLORIDE	190.61	10	138.11	A
PENDIMETHALIN	99.98	6	129.40	A
PETROLEUM DISTILLATES, REFINED	14.07	2	2.00	A
PHOSPHORIC ACID	2.66	17	100.88	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.13	1	9.00	A
POLYETHER MODIFIED POLYSILOXANE	1.23	8	111.70	A
POLYETHYLENE GLYCOL DIACETATE	0.08	3	62.40	A
POLY-I-PARA-MENTHENE	0.60	2	1.50	A
POLYOXYETHYLENE POLYOXYPROPYLENE	2.35	4	36.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	11,620.44	1	79.50	A
PROPIONIC ACID	3.77	2	44.20	A
PROPYLENE GLYCOL	0.41	2	12.50	A
PYMETROZINE	2.11	1	24.60	A
Total Pounds On This Chemical	0.04	1	4,080.00	S
Total Pounds On This Chemical	2.15			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	2.49	3	20.14	A
SODIUM CHLORATE	1,068.73	15	204.18	A
SODIUM HYPOCHLORITE	10.00		1,145.00	U
SPINETORAM	2.82	8	84.06	A
SPINOSAD	0.02	2	9,600.00	S
SPIROTETRAMAT	0.19	3	21.10	A
Total Pounds On This Chemical	< 0.01	1	4,800.00	S
Total Pounds On This Chemical	0.20			
SULFUR	6.86	2	0.25	A
TALL OIL FATTY ACIDS	1.12	5	67.30	A
THIAMETHOXAM	0.25	1	8.00	A
THIRAM	8.42		3,372.60	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PEPPER, SPICE				
Total Pounds On This Chemical	15.35	6.93	3,129.69	P
TRIFLURALIN		9.98	2	14.00 A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)		0.57	4	75.70 A
VINYL POLYMER		1.48	1	15.00 A
Site Total	15,572.99	261		
PERSIMMON				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE		0.39	2	18.00 A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		16.80	9	57.40 A
ALPHA-PINENE BETA-PINENE COPOLYMER		12.30	2	18.00 A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		1.65	2	27.50 A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE		2.17	1	22.50 A
ALKYL (C8,C10) POLYGLUCOSIDE		14.79	5	24.40 A
ALUMINUM PHOSPHIDE		12.90	19	127.50 A
AMMONIUM NITRATE		27.75	7	49.90 A
AMMONIUM SULFATE		52.63	10	70.15 A
AZADIRACTIN		1.47	7	47.50 A
AZOXYSTROBIN		8.79	6	36.06 A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		0.54	1	0.01 A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		94.35	3	74.00 A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12		111.35	4	94.00 A
BIFENAZATE		2.16	1	4.31 A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS		5.01	8	55.31 A
2-BUTOXYETHANOL		0.16	2	18.00 A
BUTYL ALCOHOL		5.70	11	66.00 A
CARFENTRAZONE-ETHYL		0.90	4	43.00 A
CITRIC ACID		1.41	3	23.75 A
DIETHYLENE GLYCOL		41.25	7	63.00 A
DIMETHYLPOLYSILOXANE		2.35	64	534.15 A
DIPHACINONE		< 0.01	3	8.30 A
EDTA, SODIUM SALT		0.05	3	34.00 A
FATTY ACIDS, MIXED		0.02	1	0.25 A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS		14.91	4	32.61 A
FATTY ACIDS DERIVED FROM TALLOW		0.67	2	27.50 A
GLYCEROL		3.01	1	20.00 A
GLYPHOSATE, ISOPROPYLAMINE SALT		2,055.95	140	1,132.01 A
Total Pounds On This Chemical	2,056.05	0.10	5	5.00 U
GLYPHOSATE, POTASSIUM SALT		1,288.38	95	784.49 A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED		< 0.01	1	0.19 A
HYDROTREATED PARAFFINIC SOLVENT		4.56	1	3.00 A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE		4.30	1	20.00 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PERSIMMON				
IMIDACLOPRID	9.92	12	99.05	A
ISOPROPYL ALCOHOL	13.47	31	288.05	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.26	3	40.50	A
KAOLIN	475.00	1	10.00	A
LECITHIN	42.92	13	136.25	A
LIMONENE	3.18	2	18.00	A
MARGOSA OIL	138.03	7	47.50	A
S-METHOPRENE	0.04	1	10.00	A
METHYLATED SOYBEAN OIL	23.35	15	142.19	A
METHYL SILICONE RESINS	3.56	2	18.00	A
MINERAL OIL	67.57	4	41.00	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	12.72	8	64.00	A
NAPROPAMIDE	224.40	8	77.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	5.06	4	32.61	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	159.52	63	440.69	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.48	1	3.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	25.96	16	144.00	A
ORGANO/MODIFIED POLYSILOXANE	0.06	1	22.50	A
ORYZALIN	0.89	2	0.50	A
OXYFLUORFEN	183.29	32	228.85	A
PARAQUAT DICHLORIDE	133.78	19	123.90	A
PETROLEUM DISTILLATES	3.02	5	11.00	A
PETROLEUM OIL, PARAFFIN BASED	39.46	6	64.50	A
PHOSPHORIC ACID	3.65	5	42.06	A
POLYACRYLAMIDE POLYMER	0.30	1	20.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.09	2	6.00	A
POLYBUTENES	2.66	4	32.61	A
POLYETHYLENE GLYCOL	44.13	27	240.05	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	3.78	3	24.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.42	1	22.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	2.77	1	22.50	A
PROPIONIC ACID	0.38	1	0.25	A
PROPYLENE GLYCOL	1.02	3	9.01	A
PYRAFLUFEN-ETHYL	0.67	19	154.60	A
PYRETHRINS	0.05	5	12.35	A
ROTENONE	0.04	4	12.10	A
ROTENONE, OTHER RELATED	0.04	4	12.10	A
SODIUM HYDROXIDE	1.65	1	20.00	A
SODIUM HYPOCHLORITE	9.98		212.59	T
SPINOSAD	< 0.01	7	14.00	A
SPIROTETRAMAT	< 0.01	1	0.25	A
STRYCHNINE	0.08	16	90.60	A
SULFURIC ACID	0.29	2	4.70	A
TALL OIL FATTY ACIDS	0.60	4	21.19	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.96	9	71.00	A
TRISODIUM PHOSPHATE	0.13	1	4.31	A
UREA	15.45	1	22.50	A
Site Total	5,451.84	535		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PIMENTO				
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	15.81	1	29.27	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.47	1	29.27	A
CRYOLITE	744.65	2	96.96	A
(S)-CYPERMETHRIN	2.75	3	55.27	A
DIMETHYLPOLYSILOXANE	0.11	5	66.00	A
DIMETHYL SILICONE FLUID EMULSION	0.32	1	48.48	A
FATTY ACIDS, MIXED	1.38	19	377.56	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1.74	1	29.27	A
IMIDACLOPRID	16.97	1	23.50	A
KAOLIN	2,945.00	6	77.50	A
LECITHIN	32.17	19	377.56	A
MEFENOXAM	24.33	2	48.50	A
METHOMYL	104.18	14	231.50	A
METHOXYFENOZIDE	46.97	20	332.40	A
METHYLATED SOYBEAN OIL	2.98	1	17.50	A
MYCLOBUTANIL	42.86	21	392.65	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.59	1	29.27	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	9.19	20	395.06	A
PENDIMETHALIN	129.17	9	136.40	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.15	1	17.50	A
POLYBUTENES	0.31	1	29.27	A
POLYETHER MODIFIED POLYSILOXANE	7.13	6	110.20	A
PROPIONIC ACID	32.17	19	377.56	A
SILICONE	0.14	6	125.90	A
SPIROMESIFEN	6.18	4	53.30	A
SPIROTETRAMAT	2.55	14	269.37	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	1	29.27	A
SULFUR	623.89	9	222.88	A
THIAMETHOXAM	6.09	6	97.40	A
Site Total	4,800.27	152		
PISTACHIO				
ABAMECTIN	4.25	11	1,432.40	A
ACEPHATE	985.00	15	1,230.96	A
ACETAMIPRID	2,078.09	185	13,321.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	34.11	29	1,358.04	A
ACRYLIC ACID	190.50	34	1,485.70	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	9,360.99	345	18,048.37	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	77.67	24	3,161.63	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	2.01	1	152.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	2,656.93	461	25,556.71	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	6,355.28	554	33,355.75	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE)	142.25	15	1,736.52	A
ALPHA-ALKYL (C12-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	2.06	1	40.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PISTACHIO				
ALPHA-PINENE BETA-PINENE COPOLYMER	1,180.42	31	2,869.41	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4,989.21	715	40,524.51	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	439.82	171	8,562.80	A
ALKYL (C8,C10) POLYGLUCOSIDE	1,669.80	211	8,657.81	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	1,617.55	149	9,571.74	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	140.65	53	3,565.18	A
ALUMINUM PHOSPHIDE	817.64		38,597.95	T
	359.37		1,992,000.00	C
	288.87	33	5,289.00	A
	19.52		412,625.00	P
Total Pounds On This Chemical	1,485.40			
AMMONIUM NITRATE	5,003.16	554	27,362.66	A
AMMONIUM PROPIONATE	1,855.20	408	22,649.00	A
AMMONIUM SULFATE	17,075.97	1,282	66,071.46	A
ASPERGILLUS FLAVUS STRAIN AF36	3.83	380	48,613.03	A
AZOXYSTROBIN	1,376.16	110	7,786.40	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	80.00	1	80.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	22.34	1	41.37	A
BENZOIC ACID	51.25	109	6,110.94	A
BIFENAZATE	60.00	2	80.00	A
BIFENTHRIN	32,071.94	1,600	173,686.35	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	4,893.75	589	49,983.15	A
BORIC ACID	1,056.00	1	88.00	A
BOSCALID	7,289.46	531	34,771.22	A
BUPROFEZIN	28,451.11	124	17,331.31	A
2-BUTOXYETHANOL	31.07	24	3,161.63	A
BUTYL ALCOHOL	2,601.45	517	38,942.43	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	24.09	2	149.50	A
CALCIUM CHLORIDE	194.17	28	2,541.60	A
CARBARYL	3,779.98	45	3,774.35	A
CARFENTHAZONE-ETHYL	165.30	174	7,758.80	A
CASTOR OIL ETHOXYLATE	158.97	36	1,041.23	A
CHLORANTRANILIPROLE	4,186.11	688	50,313.99	A
CHLOROPHACINONE	0.47	95	24,748.50	A
CHLOROPICRIN	0.72	1	36.00	A
CHLOROTHALONIL	5,052.85	42	4,122.83	A
CHLORPYRIFOS	150.31	1	80.00	A
CITRIC ACID	2,973.16	834	44,707.57	A
CLETHODIM	34.89	25	511.15	A
COCONUT DIETHANOLAMIDE	5.97	13	578.50	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	20.36	32	2,252.87	A
COPPER HYDROXIDE	321.94	13	420.00	A
COPPER OXIDE (OUS)	10.15	1	6.00	A
COPPER SULFATE (PENTAHYDRATE)	628.16		488.00	A
CORN SYRUP	21.60	12	692.38	A
COTTONSEED OIL	1,605.44	12	1,184.50	A
CYFLUTHRIN	131.30	23	3,037.60	A
BETA-CYFLUTHRIN	951.21	480	52,021.93	A
CYPRODINIL	5,521.46	207	19,268.06	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PISTACHIO				
2,4-D, DIMETHYLAMINE SALT	9,684.25	107	7,848.65	A
DDVP	5.82		1,408,000.00	C
DDVP, OTHER RELATED	0.15		1,408,000.00	C
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	96.97	5	646.00	A
DERIVATED NATURAL POLYMERS	1.66	5	260.74	A
DIETHYLENE GLYCOL	12,297.63	682	91,789.24	A
DIFENOCONAZOLE	1,104.26	124	10,247.27	A
DIFLUBENZURON	19.14	6	298.00	A
DIMETHYL ALKYL TERTIARY AMINES	55.82	109	6,110.94	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	117.31	4	765.00	A
DIMETHYLPOLYSILOXANE	11,013.89	3,225	256,467.14	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	50.50	42	1,790.95	A
DIOCTYL PHTHALATE	0.59	1	27.00	A
DIPHACINONE	0.67	121	11,353.00	A
DIPROPYLENE GLYCOL METHYL ETHER	72.63	6	718.22	A
DIQUAT DIBROMIDE	88.80	5	641.00	A
DODECYLBENZENE SULFONIC ACID	25.87	13	578.50	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	292.24	34	2,925.50	A
EDTA, SODIUM SALT	19.62	94	8,396.61	A
EDTA, TETRASODIUM SALT	1.59	13	578.50	A
EMAMECTIN BENZOATE	30.95	29	2,318.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	278.02	9	200.99	A
ETHEPHON	11.34	1	20.00	A
ETHYLENE GLYCOL	3,332.58	196	14,241.37	A
ETHYLENE GLYCOL MONOMETHYL ETHER	39.05	15	768.00	A
ETOXAZOLE	49.93	7	370.00	A
FATTY ACIDS, METHYL ESTERS	188.90	8	292.45	A
FATTY ACIDS, MIXED	19,753.42	1,074	130,517.15	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	15,506.69	333	33,875.60	A
FATTY ACIDS DERIVED FROM TALLOW	1,996.39	715	40,524.51	A
FENHEXAMID	262.03	10	775.25	A
FENPROPATHRIN	5,143.62	115	16,311.34	A
FENPYROXIMATE	32.98	6	272.50	A
FERROUS SULFATE	105.90	32	2,252.87	A
FLUAZIFOP-P-BUTYL	298.12	10	940.00	A
FLUBENDIAMIDE	834.42	65	7,735.17	A
FLUDIOXONIL	803.19	46	3,746.40	A
FLUMIOXAZIN	4,905.12	346	16,045.80	A
FLUOPYRAM	3,097.18	512	34,573.32	A
GLUFOSINATE-AMMONIUM	9,274.37	263	12,892.09	A
GLYCEROL	30.37	45	584.12	A
GLYPHOSATE, ISOPROPYLAMINE SALT	85,265.16	1,257	65,573.48	A
GLYPHOSATE, POTASSIUM SALT	409,804.00	4,132	228,682.89	A
HALOSULFURON-METHYL	39.57	46	1,711.37	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	527.67	66	4,455.70	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	179.86	178	10,261.21	A
(Z,Z)-11,13-HEXADECADIENAL	39.18	12	2,282.66	A
HYDROTREATED PARAFFINIC SOLVENT	1,129.63	28	2,261.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PISTACHIO				
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	3,466.03	293	36,421.18	A
IMIDACLOPRID	2,126.82	81	8,502.44	A
INDAZIFLAM	1,252.32	508	26,781.06	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	1,032.94	60	3,607.50	A
ISOOCTYL PHTHALATE	39.60	15	768.00	A
ISOPROPYL ALCOHOL	18,618.22	1,223	88,239.46	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	87.41	153	12,083.25	A
ISOXABEN	1,295.92	36	1,780.43	A
KAOLIN	17,560.75	8	369.70	A
KEROSENE	95.60	104	5,780.18	A
LAMBDA-CYHALOTHRIN	7,573.37	2,329	194,555.01	A
LECITHIN	30,604.50	1,209	91,208.67	A
LIMONENE	636.89	24	3,161.63	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	18.04	2	190.00	A
MAGNESIUM PHOSPHIDE	0.97		74,403.00	P
MAGNESIUM SULFATE	2.05	1	588.00	A
MANGANESE SULFATE	146.63	32	2,252.87	A
METAFLUMIZONE	0.06	1	60.00	A
METCONAZOLE	4,151.67	527	34,120.50	A
METHOXYFENOZIDE	13,547.33	362	37,320.52	A
METHYLATED SILICA	0.83	12	692.38	A
METHYLATED SOYBEAN OIL	100,615.25	2,148	132,095.48	A
METHYL BROMIDE	685.76		1,145.63	T
	231.00		528,031.00	P
	35.28	1	36.00	A
Total Pounds On This Chemical	952.04			
METHYL CELLULOSE	0.58	1	27.00	A
METHYL SILICONE RESINS	10.67	2	54.00	A
MINERAL OIL	622,634.89	365	27,912.90	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	14,140.56	1,003	101,062.74	A
MORPHOLINE	17.38	16	795.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	6,489.26	570	56,782.75	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	100,711.29	5,262	403,991.46	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	474.96	159	12,617.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	6,575.50	709	41,593.59	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	572.23	4	937.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.43	11	671.74	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.71	1	588.00	A
OIL OF JOJOBA	86.73	1	80.00	A
OLEIC ACID	56.25	16	795.00	A
OLEIC ACID, METHYL ESTER	32,497.05	622	37,418.45	A
ORGANO/MODIFIED POLYSILOXANE	11.70	171	8,562.80	A
ORYZALIN	44,056.57	321	12,955.82	A
OXYFLUORFEN	54,784.60	1,875	108,595.23	A
PARAQUAT DICHLORIDE	27,955.33	439	30,007.60	A
PENDIMETHALIN	120,069.04	756	42,543.99	A
PENOX SULAM	313.56	238	12,028.91	A
PERMETHRIN	25,118.86	1,086	82,391.45	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PISTACHIO				
PETROLEUM DISTILLATES	30.13	9	112.90	A
PETROLEUM DISTILLATES, ALIPHATIC	1.92	20	1,054.38	A
PETROLEUM NAPHTHENIC OILS	22.44	20	1,054.38	A
PETROLEUM OIL, PARAFFIN BASED	60,784.97	390	27,411.28	A
PETROLEUM OIL, UNCLASSIFIED	557,904.71	91	14,633.91	A
PHOSMET	1,006.60	11	434.00	A
PHOSPHINE	10.78		1,501.99	T
	8.76		112,000.00	C
	1.40		373,936.00	P
	0.56		99.95	K
Total Pounds On This Chemical	21.50			
PHOSPHORIC ACID	8,276.41	800	68,816.83	A
BETA-PINENE POLYMER	52.88	10	199.00	A
PIPERONYL BUTOXIDE	3.81	2	80.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.95	2	80.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	151.15	138	10,283.50	A
POLYACRYLAMIDE POLYMER	279.40	135	6,731.76	A
POLYACRYLIC POLYMER	45.06	107	5,648.03	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	864.60	825	47,469.39	A
POLYBUTENES	2,769.05	333	33,875.60	A
POLYETHER MODIFIED POLYSILOXANE	818.61	188	8,759.93	A
POLYETHYLENE GLYCOL	2,739.57	237	10,644.80	A
POLYETHYLENE GLYCOL DIACETATE	12.79	53	3,565.18	A
POLYETHYLENE GLYCOL OLEATE	271.66	4	765.00	A
POLY-I-PARA-MENTHENE	896.96	37	1,365.30	A
POLYMERIZED PINENE	353.43	7	513.00	A
POLYOXIN D, ZINC SALT	361.53	140	8,302.07	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	45.85	9	187.30	A
POLYOXYETHYLENE POLYOXYPROPYLENE	7,182.17	827	41,253.53	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL				
MONOALLYL ETHER	487.78	14	2,052.18	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1,112.43	78	9,051.04	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	13.72	11	671.74	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	225.39	129	8,921.62	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	1,569.27	134	9,567.62	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	1,289.68	38	1,141.23	A
POLYSACCHARIDE POLYMER	17.90	8	675.20	A
POLYSILOXANE	19.68	30	772.78	A
POTASSIUM HYDROXIDE	21.30	33	1,159.62	A
POTASSIUM NITRATE	53.05	8	647.58	A
PROPICONAZOLE	212.06	29	1,227.00	A
PROPIONIC ACID	19,793.00	422	41,321.79	A
PROPYLENE GLYCOL	3,740.07	493	36,744.23	A
PROPYLENE OXIDE	5,343.00		788.08	T
	50.00		288.00	A
Total Pounds On This Chemical	5,393.00			
PYRACLOSTROBIN	3,713.18	534	34,824.22	A
PYRAFLUFEN-ETHYL	20.63	111	5,284.05	A
PYRETHRINS	0.78	4	160.00	A
PYRIMETHANIL	7,662.10	426	29,149.79	A
PYRIPROXYFEN	12.16	6	565.08	A
REYNOUTRIA SACHALINENSIS	136.88	12	636.00	A
RIMSULFURON	890.76	476	23,665.48	A
SAFLUFENACIL	3,531.26	1,822	102,491.21	A
SETHOXYDIM	1,845.99	99	6,422.77	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PISTACHIO				
SILICONE DEFOAMER	1.18	25	899.40	A
SODIUM DIISOCTYLSULFOSUCCINATE	5.30	16	795.00	A
SODIUM DIOCTYLSULFOSUCCINATE	1.98	2	305.00	A
SODIUM HYDROXIDE	16.64	45	584.12	A
SODIUM POLYACRYLATE	46.38	408	22,649.00	A
SODIUM XYLENE SULFONATE	7.96	13	578.50	A
SORBITAN FATTY ACID ESTERS	3.00	11	671.74	A
SORBITAN TRIOLEATE	48.49	5	646.00	A
SPINETORAM	309.98	37	3,348.98	A
SPINOSAD	53.11	6	913.00	A
SPIROTETRAMAT	55.12	57	3,999.73	A
STRYCHNINE	3.99	52	7,594.48	A
STYRENE BUTADIENE COPOLYMER	453.10	62	5,672.80	A
SULFUR	1,160,691.40	1,140	134,068.00	A
SULFURIC ACID	205.59	181	11,257.19	A
TALL OIL	282.75	66	3,354.95	A
TALL OIL FATTY ACIDS	4,073.73	839	50,753.65	A
TEBUCONAZOLE	1,624.10	234	18,745.82	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	2,503.24	109	9,280.11	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.57	1	588.00	A
TETRAPOTASSIUM PYROPHOSPHATE	3.98	13	578.50	A
THIOPHANATE-METHYL	12,612.74	121	10,833.89	A
TRIETHANOLAMINE	10.26	16	662.50	A
TRIFLOXYSTROBIN	2,374.67	446	27,712.90	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	29,177.87	671	82,086.18	A
UREA	4,331.21	221	15,436.60	A
UREA DIHYDROGEN SULFATE	36.32	1	20.00	A
VEGETABLE OIL	5,430.82	27	3,023.46	A
VINYL POLYMER	31.13	82	3,075.34	A
XANTHAN GUM	0.92	60	6,177.30	A
ZINC PHOSPHIDE	28.79	36	5,052.70	A
ZINC SULFATE	948.76	129	18,080.61	A
Site Total	3,941,622.03	37,396		
PLUM				
ABAMECTIN	120.60	432	5,852.38	A
ACETAMIPRID	57.30	22	410.50	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	1.06	25	264.85	A
ACRYLIC ACID	23.08	16	249.58	A
AGROBACTERIUM RADIOBACTER, STRAIN K1026	< 0.01	1	2.00	A
ALCOHOLS, C4-C12, NORMAL	2.41	1	30.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,018.59	421	3,051.47	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	24.84	115	1,601.27	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	< 0.01	1	14.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	< 0.01	1	14.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	327.61	198	2,653.88	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.15	2	29.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PLUM				
ALPHA-PINENE BETA-PINENE COPOLYMER	572.63	134	2,138.40	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	12.15	3	28.50	A
ALKYL (C8,C10) POLYGLUCOSIDE	333.31	166	2,234.74	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	5.89	4	32.00	A
ALUMINUM PHOSPHIDE	0.62	5	11.25	A
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	0.33	1	3.00	A
AMMONIUM NITRATE	123.02	161	2,132.34	A
AMMONIUM PROPIONATE	0.63	1	4.00	A
AMMONIUM SULFATE	1,027.69	252	5,182.34	A
AZADIRACTIN	1.31	9	86.34	A
	< 0.01	2	1,100.00	S
Total Pounds On This Chemical	1.31			
AZOXYSTROBIN	93.48	99	449.38	A
BACILLUS PUMILUS, STRAIN QST 2808	36.23	14	406.94	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.19	1	3.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1,087.18	133	1,828.48	A
	0.02	2	600.00	S
Total Pounds On This Chemical	1,087.19			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	32.04	14	311.13	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1,158.00	200	1,912.68	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	99.15	5	96.65	A
BIFENAZATE	270.60	20	553.59	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	122.93	287	3,233.98	A
BOSCALID	510.23	221	2,677.58	A
BUPROFEZIN	685.56	76	935.25	A
2-BUTOXYETHANOL	9.94	115	1,601.27	A
BUTYL ALCOHOL	2.20	11	80.28	A
CALCIUM HYDROXIDE	10,535.90	7	242.63	A
CAPTAN	26.84	2	9.10	A
CAPTAN, OTHER RELATED	0.60	2	9.10	A
CARBARYL	235.82	4	74.75	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.29	8	53.14	A
CARFENTHAZONE-ETHYL	35.11	68	1,310.77	A
CASTOR OIL ETHOXYLATE	0.39	7	8.10	A
CHLORANTRANILIPROLE	557.85	396	6,236.21	A
CHLOROPICRIN	34.74	2	5.25	A
CHLOROTHALONIL	1,957.10	50	665.58	A
CHLORPYRIFOS	1,887.01	94	1,073.43	A
CITRIC ACID	302.37	96	3,061.30	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	10.79	3	2.65	A
CLOFENTEZINE	12.97	4	55.70	A
COCONUT DIETHANOLAMIDE	63.38	61	1,123.89	A
COPPER AMMONIUM COMPLEX	0.57	1	0.10	A
	0.38	3	8.00	U
Total Pounds On This Chemical	0.95			
COPPER HYDROXIDE	9,273.53	271	2,833.63	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PLUM					
		0.51	4	11.00	U
		0.10	1	800.00	S
Total Pounds On This Chemical	9,274.14				
COPPER OXIDE (OUS)		2,399.78	71	475.19	A
COPPER OXYCHLORIDE		35.59	5	22.20	A
COPPER OXYCHLORIDE SULFATE		1.28	1	4.00	A
COPPER SULFATE (BASIC)		2,319.64	30	455.30	A
		0.81	1	15.00	U
Total Pounds On This Chemical	2,320.45				
COTTONSEED OIL		454.72	48	690.10	A
BETA-CYFLUTHRIN		35.03	97	1,725.57	A
CYPRODINIL		284.85	53	767.54	A
2,4-D, DIMETHYLAMINE SALT		4,863.67	407	4,176.34	A
DDVP		3.17		3.00	A
DDVP, OTHER RELATED		0.08		3.00	A
(E)-5-DECENOL		0.63	8	117.30	A
(E)-5-DECEN-1-OL		0.01	1	2.00	A
(E)-5-DECENYL ACETATE		1.03	9	119.30	A
DIAZINON		758.10	35	371.48	A
1,2-DICHLOROPROPANE, 1,3-DICHLOROPROPENE AND RELATED C3 COMPOUNDS		0.41	1	3.50	A
1,3-DICHLOROPROPENE		6,358.41	5	19.36	A
DIETHYLENE GLYCOL		313.32	73	1,012.02	A
DIFLUBENZURON		744.02	174	3,572.30	A
3,7-DIMETHYL-6-OCTEN-1-OL		0.17	2	24.97	A
DIMETHYLPOLYSILOXANE		163.64	1,137	14,196.20	A
DIPHACINONE		0.01	12	116.22	A
E,E-8,10-DODECADIEN-1-OL		22.38	22	244.14	A
Z-8-DODECENOL		8.42	446	6,654.16	A
E-8-DODECENYL ACETATE		51.78	446	6,654.16	A
Z-8-DODECENYL ACETATE		695.01	446	6,654.16	A
DODECYLBENZENE SULFONIC ACID		35.36	58	1,095.39	A
EDTA, SODIUM SALT		0.15	10	119.00	A
EDTA, TETRASODIUM SALT		2.18	58	1,095.39	A
EMULSIFIABLE METHYLATED VEGETABLE OIL		75.41	68	794.00	A
ESFENVALERATE		700.72	1,026	13,030.85	A
ETHYLENE GLYCOL		16.30	6	57.25	A
ETOXAZOLE		99.72	76	739.63	A
FARNESOL		0.07	2	24.97	A
FATTY ACIDS, MIXED		42.14	110	1,693.44	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS		321.67	104	810.34	A
FENBUCONAZOLE		28.30	36	271.50	A
FENHEXAMID		14.46		1,283.30	T
		7.50	2	10.00	A
Total Pounds On This Chemical	21.96				
FENPROPATHRIN		82.58	41	275.05	A
FLUAZIFOP-P-BUTYL		6.43	1	24.00	A
FLUBENDIAMIDE		141.38	103	1,251.85	A
FLUDIOXONIL		105.41		73,706.74	T
		0.66		348,252.00	P
Total Pounds On This Chemical	106.07				
FLUMIOXAZIN		185.25	54	722.53	A
GERANIOL		0.17	2	24.97	A
GIBBERELLINS		0.35	1	8.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PLUM				
GLUFOSINATE-AMMONIUM	0.88	1	3.00	A
GLYCEROL	0.12	2	1.00	A
GLYPHOSATE, DIAMMONIUM SALT	10.56	1	31.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	33,766.54	1,477	20,225.96	A
	0.02	1	3.00	U
	0.02	1	100.00	S
Total Pounds On This Chemical	33,766.57			
GLYPHOSATE, MONOAMMONIUM SALT		1	3.00	A
GLYPHOSATE, POTASSIUM SALT	13,583.19	743	8,233.75	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	2.42	63	499.34	A
HEXYTHIAZOX	101.55	33	607.30	A
HYDROTREATED PARAFFINIC SOLVENT	1,094.80	165	1,067.54	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	109.25	104	641.22	A
IMAZALIL	0.32		48.84	T
IMIDACLOPRID	53.10	39	499.45	A
INDAZIFLAM	169.57	303	3,299.72	A
INDOXACARB	323.18	121	2,885.12	A
IPRODIONE	2,417.66	423	4,098.88	A
IRON PHOSPHATE	7.60	2	38.00	A
ISOPROPYL ALCOHOL	624.31	1,199	12,686.86	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	32.70	300	3,070.97	A
ISOXABEN	0.29	1	0.78	A
KAOLIN	949.05	2	37.30	A
LAMBDA-CYHALOTHRIN	23.65	52	692.31	A
LAURIC ACID	11.04	3	28.50	A
LAURYL ALCOHOL	0.02	1	0.54	A
LECITHIN	446.48	112	1,518.39	A
LIGNIN SULFONIC ACID, ZINC SALT	45.04	2	30.00	A
LIME-SULFUR	170.39	14	20.27	A
LIMONENE	203.67	115	1,601.27	A
MAGNESIUM PHOSPHIDE	6.24		11.00	A
METCONAZOLE	55.11	46	528.11	A
METHIDATHION	18.00	1	18.00	A
METHOXYFENOZIDE	549.93	134	2,301.70	A
METHYLATED SOYBEAN OIL	2,174.21	206	3,258.82	A
METHYL BROMIDE	2,418.54		6,581,888.00	P
	289.80		202.60	T
Total Pounds On This Chemical	2,708.34			
METHYL SILICONE RESINS	2.23	5	13.86	A
MINERAL OIL	309,500.98	990	12,706.58	A
	1.56	2	6.00	U
Total Pounds On This Chemical	309,502.54			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	2,187.28	693	11,620.87	A
MYCLOBUTANIL	513.12	288	4,235.90	A
MYRISTYL ALCOHOL	< 0.01	1	0.54	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	72.00	1	20.00	A
NEROLIDOL	0.17	2	24.97	A
NONANOIC ACID	8.52	3	4.00	A
NONANOIC ACID, OTHER RELATED	0.45	3	4.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	183.00	182	2,179.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6,050.50	1,295	16,637.96	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PLUM				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	142.31	174	1,145.14	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	382.75	130	1,789.92	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.03	1	0.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.37	2	27.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.60	4	12.00	A
OIL OF JOJOBA	8.98	6	17.70	A
OLEIC ACID, METHYL ESTER	33.37	2	29.40	A
ORYZALIN	2,293.80	105	1,028.15	A
OXYFLUORFEN	2,385.73	783	8,195.83	A
PARAQUAT DICHLORIDE	7,135.86	571	6,233.57	A
PARATHION	1.01	1	2.00	U
PENDIMETHALIN	10,125.66	376	3,732.34	A
PETROLEUM DISTILLATES	97.41	14	209.75	A
PETROLEUM DISTILLATES, REFINED	1,834.35	3	45.50	A
	0.89	3	1,800.00	S
Total Pounds On This Chemical	1,835.24			
PETROLEUM HYDROCARBONS	1.03	1	2.00	U
PETROLEUM OIL, PARAFFIN BASED	53,406.39	392	4,166.31	A
PETROLEUM OIL, UNCLASSIFIED	162,918.94	510	6,529.90	A
	7.18	4	24.00	U
Total Pounds On This Chemical	162,926.12			
PHOSMET	4,456.72	98	1,645.51	A
	0.44	3	13.00	U
Total Pounds On This Chemical	4,457.15			
PHOSPHINE	10.93		9.00	A
PHOSPHORIC ACID	649.20	569	7,123.18	A
BETA-PINENE POLYMER	380.09	117	1,703.98	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	63.18	171	4,006.71	A
POLYACRYLAMIDE POLYMER	3.82	22	349.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.86	4	52.00	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	21.69	71	811.00	A
POLYBUTENES	57.44	104	810.34	A
POLYETHER MODIFIED POLYSILOXANE	355.68	182	2,286.66	A
POLYETHOXYLATED CASTOR OIL	< 0.01	1	1.00	A
POLYETHYLENE GLYCOL	2,392.15	593	7,390.67	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.21	1	4.00	A
POLY-I-PARA-MENTHENE	29.84	25	92.15	A
POLYOXYETHYLENE POLYOXYPROPYLENE	7.63	7	31.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	12.00	2	27.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	91.05	185	1,469.70	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	598.49	185	1,469.70	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	2.89	7	8.10	A
POLYSILOXANE	< 0.01	1	0.40	A
POTASH SOAP	0.65	3	0.30	A
POTASSIUM BICARBONATE	699.72	9	284.44	A
POTASSIUM HYDROXIDE	0.58	8	69.70	A
POTASSIUM NITRATE	5.44	7	69.30	A
POTASSIUM PHOSPHITE	62.17	14	149.00	A
PROPICONAZOLE	1,499.69	849	13,078.79	A
PROPIONIC ACID	42.77	13	184.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PLUM				
PROPYLENE GLYCOL	44.88	77	541.25	A
PYRACLOSTROBIN	259.16	221	2,677.58	A
PYRAFLUFEN-ETHYL	21.28	454	5,442.94	A
PYRETHRINS	3.39	13	72.54	A
	< 0.01	1	800.00	S
Total Pounds On This Chemical	3.39			
PYRIMETHANIL	52.75	36	206.35	A
PYRIPROXYFEN	555.77	366	6,267.22	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	187.77	40	553.29	A
QUILLAJA	0.60	8	53.14	A
QUINOXYFEN	25.93	14	291.75	A
REYNOUTRIA SACHALINENSIS	103.77	59	436.26	A
RIMSULFURON	205.83	376	4,752.43	A
SAFLUFENACIL	0.83	1	19.00	A
SAPONIN	0.03	1	1.00	A
SILICONE DEFOAMER	1.01	62	1,155.39	A
SIMAZINE	15.99	1	4.00	A
SODIUM DODECYLBENZENE SULFONATE	6.67	13	519.63	A
SODIUM HYDROXIDE	0.41	10	26.25	A
SODIUM HYPOCHLORITE	778.63		15,530.88	T
SODIUM POLYACRYLATE	0.02	1	4.00	A
SODIUM XYLENE SULFONATE	10.88	58	1,095.39	A
SORBITAN FATTY ACID ESTERS	2.62	2	27.00	A
SORBITOL	76.26	13	519.63	A
SOYBEAN OIL	5.38	2	1.25	A
SPINETORAM	173.84	159	2,263.60	A
SPINOSAD	61.07	73	635.61	A
	< 0.01	3	7.00	U
Total Pounds On This Chemical	61.07			
SPIRODICLOFEN	383.43	104	1,407.51	A
SPIROTETRAMAT	4.52	25	303.45	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	2	2.00	A
STRYCHNINE	0.32	1	6.00	A
STYRENE BUTADIENE COPOLYMER	2.03	4	50.00	A
SULFUR	46,243.56	554	8,482.04	A
SULFURIC ACID	7.18	49	285.24	A
TALL OIL	0.39	7	8.10	A
TALL OIL FATTY ACIDS	143.76	429	4,473.50	A
TEBUCONAZOLE	33.70	17	213.50	A
	0.65		470.80	T
Total Pounds On This Chemical	34.35			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	60.37	68	1,214.39	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	4.48	1	14.50	A
TETRAPOTASSIUM PYROPHOSPHATE	5.44	58	1,095.39	A
THIOPHANATE-METHYL	628.16	90	782.45	A
TRIETHANOLAMINE	13.87	58	1,095.39	A
TRIFLOXYSTROBIN	8.64	10	89.70	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	0.39	1	4.00	A
TRISODIUM PHOSPHATE	0.50	6	17.64	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	64.95	30	312.28	A
UREA	1.03	1	10.00	A
XANTHAN GUM	< 0.01	1	8.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PLUM				
ZINC PHOSPHIDE	1.44	1	12.00	A
ZINC SULFATE	113.86	351	2,168.02	A
ZIRAM	748.27	17	124.83	A
Site Total	735,555.15	20,217		
PLUOT				
ABAMECTIN	4.51	9	195.25	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	15.71	56	698.14	A
ALPHA-PINENE BETA-PINENE COPOLYMER	4.86	4	16.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	97.36	56	698.14	A
AMMONIUM NITRATE	46.36	56	698.14	A
AMMONIUM SULFATE	92.73	56	698.14	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	5.21	1	9.65	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.21	4	16.00	A
BOSCALID	3.94	5	19.00	A
BUPROFEZIN	37.29	9	159.79	A
2-BUTOXYETHANOL	6.28	56	698.14	A
CARFENTHAZONE-ETHYL	0.02	1	1.00	A
CASTOR OIL ETHOXYLATE	0.10	2	1.35	A
CHLORANTRANILIPROLE	0.20	2	2.50	A
COCONUT DIETHANOLAMIDE	0.08	1	9.65	A
COPPER HYDROXIDE	30.71	2	4.00	A
COPPER OXIDE (OUS)	5.13	1	0.90	A
2,4-D, DIMETHYLAMINE SALT	514.43	26	314.60	A
DIAZINON	1.25	1	1.00	A
DIETHYLENE GLYCOL	11.46	2	25.39	A
DIMETHYLPOLYSILOXANE	5.77	61	749.37	A
Z-8-DODECENOL	0.05	9	55.12	A
E-8-DODECENYL ACETATE	0.29	9	55.12	A
Z-8-DODECENYL ACETATE	4.46	9	55.12	A
DODECYLBENZENE SULFONIC ACID	0.36	1	9.65	A
EDTA, TETRASODIUM SALT	0.02	1	9.65	A
ESFENVALERATE	1.83	5	40.29	A
FENPROPATHRIN	1.56	1	5.00	A
FLUBENDIAMIDE	19.27	10	164.79	A
FLUDIOXONIL	0.12		40,392.00	P
GLYPHOSATE, ISOPROPYLAMINE SALT	1,064.49	50	539.73	A
HYDROTREATED PARAFFINIC SOLVENT	0.21	2	4.00	A
IMIDACLOPRID	0.20	1	2.00	A
INDAZIFLAM	2.06	3	31.52	A
INDOXACARB	19.11	7	169.86	A
IPRODIONE	92.18	15	172.36	A
ISOPROPYL ALCOHOL	0.13	2	10.10	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	6.28	56	698.14	A
LIMONENE	128.80	56	698.14	A
METHOXYFENOZIDE	8.99	4	33.39	A
METHYL SILICONE RESINS	0.10	1	0.75	A
MINERAL OIL	582.49	10	39.90	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	7.25	4	23.65	A
MYCLOBUTANIL	27.24	11	185.36	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PLUOT				
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.64	2	4.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	10.36	7	39.84	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	0.13	1	0.45	A
ORYZALIN	0.75	1	0.45	A
OXYFLUORFEN	40.11	28	317.70	A
PARAQUAT DICHLORIDE	230.72	19	222.24	A
PENDIMETHALIN	18.94	1	5.00	A
PETROLEUM DISTILLATES	3.00	1	1.00	A
PETROLEUM OIL, PARAFFIN BASED	157.07	56	698.14	A
PETROLEUM OIL, UNCLASSIFIED	353.23	2	25.39	A
PHOSPHORIC ACID	0.11	2	10.10	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	10.19	56	698.14	A
POLYETHER MODIFIED POLYSILOXANE	18.67	26	396.43	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	0.74	2	1.35	A
PROPICONAZOLE	22.47	19	193.54	A
PYRACLOSTROBIN	2.00	5	19.00	A
PYRAFLUFEN-ETHYL	0.07	2	25.39	A
PYRIPROXYFEN	1.23	2	14.00	A
QUINOXYFEN	0.56	1	5.00	A
REYNOUTRIA SACHALINENSIS	4.01	5	20.00	A
RIMSULFURON	0.30	1	9.65	A
SILICONE DEFOAMER	< 0.01	1	9.65	A
SODIUM XYLENE SULFONATE	0.11	1	9.65	A
SPINETORAM	2.10	4	30.39	A
SPIRODICLOFEN	23.77	5	92.51	A
SULFUR	1,251.79	14	184.36	A
TALL OIL	0.20	4	5.35	A
TALL OIL FATTY ACIDS	0.07	4	16.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.43	1	9.65	A
TETRAPOTASSIUM PYROPHOSPHATE	0.06	1	9.65	A
TRIETHANOLAMINE	0.14	1	9.65	A
Site Total	5,005.07	489		
POME FRUIT				
ACETAMIPRID	1.79	2	12.00	A
ALUMINUM PHOSPHIDE	0.31	9	0.90	A
COPPER HYDROXIDE	0.03	1	0.10	A
(S)-CYPERMETHRIN	0.21	1	4.50	A
DIMETHYLPOLYSILOXANE	50.27	31	151.50	A
E,E-8,10-DODECADIEN-1-OL	0.03	1	0.30	A
GLYPHOSATE, POTASSIUM SALT	67.58	6	39.50	A
KAOLIN	0.24	1	0.10	A
LAURYL ALCOHOL	0.02	1	0.30	A
METHOXYFENOZIDE	8.05	6	28.50	A
MYRISTYL ALCOHOL	< 0.01	1	0.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.38	2	8.00	A
PROPYLENE GLYCOL	1.14	3	10.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	28.67	31	153.00	A
SPINETORAM	3.83	7	33.50	A
STYRENE BUTADIENE COPOLYMER	0.14	1	2.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POME FRUIT				
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	0.16	1	2.00	A
Site Total	162.85	97		
POMEGRANATE				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.78	4	65.00	A
ACRYLIC ACID	23.65	3	181.25	A
ALCOHOLS, C4-C12, NORMAL	1.87	1	93.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	176.41	27	1,362.40	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	846.48	166	45,798.22	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	713.50	36	2,557.08	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	41.01	6	326.03	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE)	23.23	4	150.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	84.71	4	236.60	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	290.40	24	1,792.67	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	6.69	4	102.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	80.07	16	508.90	A
ALLYLOXPOLYETHYLENE GLYCOL ACETATE	33.70	5	500.00	A
ALMOND, BITTER	< 0.01	1	39.38	A
AMMONIUM NITRATE	96.86	18	555.78	A
AMMONIUM PROPIONATE	181.77	41	1,860.98	A
AMMONIUM SULFATE	4,777.23	101	5,422.91	A
AZADIRACTIN	8.64	7	347.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	104.11	6	172.10	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	183.26	1	107.80	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	24.65	4	29.00	A
BENTONITE	2.40	1	10.00	A
BENZOIC ACID	2.94	7	379.46	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	147.03	17	2,149.85	A
BUPROFEZIN	10,426.66	59	6,854.10	A
2-BUTOXYETHANOL	338.59	166	45,798.22	A
BUTYL ALCOHOL	211.84	37	4,031.09	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	7.74	2	80.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	1.22	1	39.38	A
CARFENTRAZONE-ETHYL	898.63	244	43,089.42	A
CASEIN	0.18	1	10.00	A
CHLORANTRANILIPROLE	413.25	124	5,016.88	A
CITRIC ACID	203.96	74	3,336.65	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	5,439.50	18	1,575.06	A
CLOTHIANIDIN	56.87	25	601.95	A
COCONUT DIETHANOLAMIDE	2.32	18	359.00	A
CORN SYRUP	6.22	1	16.00	A
COTTONSEED OIL	334.34	9	382.40	A
CYANURIC ACID, MONOSODIUM SALT	222.55	8	107.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POMEGRANATE				
CYFLUTHRIN	3.78	1	38.00	A
DERIVATED NATURAL POLYMERS	0.50	4	249.20	A
DIETHYLENE GLYCOL	13,299.25	216	42,136.56	A
DIMETHYL ALKYL TERTIARY AMINES	3.20	7	379.46	A
DIMETHYLPOLYSILOXANE	204.11	341	49,885.08	A
DIPHACINONE	< 0.01	3	1.50	A
DIPROPYLENE GLYCOL METHYL ETHER	0.32	1	5.00	A
DIQUAT DIBROMIDE	3.39	1	3.64	A
DODECYLBENZENE SULFONIC ACID	10.06	18	359.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.32	3	34.00	A
EDTA, SODIUM SALT	0.05	3	28.00	A
EDTA, TETRASODIUM SALT	0.62	18	359.00	A
ETHYLENE GLYCOL	70.15	11	467.00	A
ETHYLENE GLYCOL MONOMETHYL ETHER	16.41	1	60.00	A
FATTY ACIDS, METHYL ESTERS	62.60	4	215.00	A
FATTY ACIDS, MIXED	7,678.15	198	32,562.60	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	530.93	12	1,905.25	A
FATTY ACIDS DERIVED FROM TALLOW	116.17	24	1,792.67	A
FENUGREEK	0.73	1	39.38	A
FLUAZIFOP-P-BUTYL	5.00	1	13.30	A
FLUDIOXONIL	1,522.67		306,868.29	T
	34.83		2,385,203.00	P
Total Pounds On This Chemical	1,557.50			
FLUMIOXAZIN	188.00	14	736.71	A
GIBBERELLINS	687.55	43	8,056.83	A
GLUFOSINATE-AMMONIUM	15.28	4	20.00	A
GLYCEROL	9.04	2	34.67	A
GLYPHOSATE, ISOPROPYLAMINE SALT	4,051.93	149	3,095.82	A
GLYPHOSATE, POTASSIUM SALT	78,994.24	393	44,248.65	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	2.15	3	115.00	A
HYDROTREATED PARAFFINIC SOLVENT	409.35	26	489.94	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	217.16	18	1,495.10	A
IMIDACLOPRID	5,721.57	219	17,407.23	A
ISOOCITYL PHTHALATE	16.64	1	60.00	A
ISOPROPYL ALCOHOL	3,093.13	213	22,099.57	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	340.20	185	46,498.42	A
ISOXABEN	2.50	1	2.50	A
KAOLIN	89,527.43	64	2,474.50	A
KEROSENE	5.69	7	379.46	A
LACTOSE	0.18	1	10.00	A
LECITHIN	912.84	52	3,914.05	A
LIMONENE	6,941.13	166	45,798.22	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	0.76	1	8.00	A
METHOMYL	18,326.62	95	20,391.55	A
S-METHOPRENE	3.00	5	452.58	A
METHOXYFENOZIDE	4,410.90	130	16,996.89	A
METHYLATED SILICA	0.16	1	16.00	A
METHYLATED SOYBEAN OIL	10,123.24	135	14,471.56	A
MINERAL OIL	5,201.67	32	1,229.75	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	402.26	101	2,321.00	A
MORPHOLINE	7.20	1	60.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POMEGRANATE				
MSMA	7.74	1	26.00	A
NAA, ETHYL ESTER	0.03	3	0.15	A
NAPROPAMIDE	600.00	5	485.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	197.19	33	2,321.25	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	33,854.38	569	73,200.86	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	73.15	31	745.94	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	750.84	80	3,956.99	A
NORFLURAZON	7.86	2	10.00	A
OLEIC ACID	23.33	2	61.00	A
OLEIC ACID, METHYL ESTER	306.09	9	520.03	A
ORGANO/MODIFIED POLYSILOXANE	0.18	4	102.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	7.00	5	93.33	A
ORYZALIN	5,262.59	72	1,993.51	A
OXYFLUORFEN	12,425.66	239	12,646.90	A
PARAQUAT DICHLORIDE	1.99	2	18.00	A
PENDIMETHALIN	29,315.20	139	8,528.64	A
PETROLEUM OIL, PARAFFIN BASED	9,662.20	218	47,193.91	A
PHOSPHORIC ACID	587.79	128	9,649.43	A
BETA-PINENE POLYMER	13.13	2	47.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	4.37	20	483.55	A
POLYACRYLAMIDE POLYMER	3.71	8	266.34	A
POLYACRYLIC POLYMER	4.60	22	887.10	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	37.34	25	1,089.10	A
POLYBUTENES	94.81	12	1,905.25	A
POLYETHER MODIFIED POLYSILOXANE	142.14	8	659.00	A
POLYETHYLENE GLYCOL	234.90	45	1,227.72	A
POLYETHYLENE GLYCOL DIACETATE	3.06	5	500.00	A
POLYMERIZED PINENE	23.38	3	34.00	A
POLYOXYETHYLENE DIOLEATE	0.15	5	93.33	A
POLYOXYETHYLENE POLYOXYPROPYLENE	102.42	3	224.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	6.52	1	60.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	159.61	32	491.49	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	6.43	19	700.20	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	42.31	19	700.20	A
POLYSACCHARIDE POLYMER	0.08	4	134.67	A
POLYSILOXANE	5.95	5	280.20	A
POTASSIUM HYDROXIDE	3.91	3	310.00	A
POTASSIUM NITRATE	37.18	3	310.00	A
PROPIONIC ACID	232.40	21	2,143.33	A
PROPYLENE GLYCOL	35.28	3	181.38	A
PYRAFLUFEN-ETHYL	84.99	226	27,810.58	A
PYRETHRINS	38.79	39	1,070.50	A
REYNOUTRIA SACHALINENSIS	1.63	1	15.00	A
SAFLUFENACIL	0.02	1	0.50	A
SETHOXYDIM	27.11	4	128.83	A
SILICONE DEFOAMER	0.45	21	525.67	A
SODIUM DIISOOCTYLSULFOSUCCINATE	2.19	1	60.00	A
SODIUM HYDROXIDE	4.95	2	34.67	A
SODIUM HYPOCHLORITE	9,514.13		279,618.70	T
SODIUM POLYACRYLATE	4.54	41	1,860.98	A
SODIUM XYLENE SULFONATE	3.10	18	359.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POMEGRANATE				
SPINETORAM	88.69	30	1,060.39	A
SPINOSAD	9.05	4	81.00	A
STRYCHNINE	0.30	1	67.00	A
SUGAR	1.22	1	39.38	A
SULFUR	274,109.58	253	34,481.93	A
TALL OIL	14.42	4	150.00	A
TALL OIL FATTY ACIDS	143.52	61	2,245.70	A
TEBUCONAZOLE	2.84	1	17.00	A
E-11-TETRADECEN-1-YL ACETATE	23.83	6	1,819.20	A
Z-11-TETRADECEN-1-YL ACETATE	3.94	6	1,819.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	19.35	23	392.00	A
TETRAPOTASSIUM PYROPHOSPHATE	1.55	18	359.00	A
TRICHODERMA ICC 012 ASPERELLUM	0.40	4	363.02	A
TRICHODERMA ICC 080 GAMSII	0.40	4	363.02	A
TRIETHANOLAMINE	3.95	18	359.00	A
TRIFLURALIN	10.00	1	2.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	11,235.35	161	30,220.27	A
UREA	48.70	5	112.00	A
VANILLIN	0.11	1	39.38	A
XANTHAN GUM	0.01	1	80.00	A
ZINC SULFATE	14.03	4	300.00	A
Site Total	669,281.35	3,911		
POMELO				
ABAMECTIN	0.89	7	88.00	A
ACETAMIPRID	9.88	15	81.20	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.61	4	33.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	17.01	14	75.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.39	1	2.00	A
AZOXYSTROBIN	3.42	1	17.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	11.34	3	42.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	5.10	2	12.00	A
BENTONITE	176.04	12	99.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOO FATTY ACIDS	19.91	10	56.20	A
BROMACIL	103.81	9	104.00	A
CALCIUM HYDROXIDE	7,850.72	22	218.00	A
CASEIN	13.20	12	99.00	A
CHLORANTRANILIPROLE	2.78	5	33.00	A
CHLORPYRIFOS	196.28	9	70.00	A
CITRIC ACID	530.13	1	42.00	A
COPPER	779.00	28	260.00	A
COPPER HYDROXIDE	10.56	1	5.00	A
COPPER OXIDE (OUS)	140.15	5	51.00	A
COPPER SULFATE (BASIC)	343.00	6	70.00	A
CRYOLITE	362.88	2	31.50	A
CYFLUTHRIN	0.95	2	16.00	A
BETA-CYFLUTHRIN	3.66	15	134.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POMELO				
(S)-CYPERMETHRIN	0.07	1	4.00	A
2,4-D, DIMETHYLAMINE SALT	3.98	2	11.00	A
2,4-D, ISOPROPYL ESTER	0.22	1	2.00	A
DIFENOCONAZOLE	2.14	1	17.00	A
DIFLUBENZURON	36.37	21	222.00	A
DIMETHYLPOLYSILOXANE	0.13	12	102.00	A
DIPHACINONE	< 0.01	1	2.00	A
DIURON	327.33	30	234.20	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.38	28	146.40	A
ETHYLENE GLYCOL MONOMETHYL ETHER	8.89	3	46.00	A
FATTY ACIDS, METHYL ESTERS	89.15	10	61.20	A
FATTY ACIDS, MIXED	0.59	1	5.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	5.32	1	5.00	A
FATTY ACIDS DERIVED FROM TALLOW	0.15	1	2.00	A
FENPROPATHRIN	18.42	4	19.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	512.67	67	418.40	A
GLYPHOSATE, POTASSIUM SALT	592.96	27	264.25	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.06	2	20.00	A
IMIDACLOPRID	34.41	11	143.00	A
INDAZIFLAM	1.82	5	26.00	A
ISOOCTYL PHTHALATE	9.01	3	46.00	A
ISOPROPYL ALCOHOL	9.53	17	180.00	A
LACTOSE	13.20	12	99.00	A
LECITHIN	69.18	5	28.00	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	12.32	9	51.20	A
MALATHION	14.39	1	7.00	A
METALDEHYDE	2.80	1	10.00	A
METHYLATED SOYBEAN OIL	63.44	10	68.00	A
MINERAL OIL	7,094.72	60	530.90	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	3.75	1	5.00	A
MORPHOLINE	3.90	3	46.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	19.76	11	61.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	34.11	22	178.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	6.13	3	46.00	A
OLEIC ACID	12.62	3	46.00	A
PENDIMETHALIN	56.82	3	15.00	A
PETROLEUM OIL, UNCLASSIFIED	6,487.87	34	208.90	A
PHOSPHORIC ACID	3.00	2	15.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.38	2	10.00	A
POLYBUTENES	0.95	1	5.00	A
POLYETHYLENE GLYCOL	8.12	9	91.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	4.23	1	17.00	A
POLYMERIZED PINENE	131.05	28	146.40	A
POTASSIUM HYDROXIDE	21.21	1	42.00	A
POTASSIUM NITRATE	201.45	1	42.00	A
POTASSIUM PHOSPHITE	11.45	2	10.00	A
PROPYLENE GLYCOL	11.28	8	67.00	A
PYRIPROXYFEN	21.97	25	204.20	A
RIMSULFURON	1.13	5	25.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POMELO				
SAFLUFENACIL	1.81	6	44.75	A
SIMAZINE	7.20	1	2.00	A
SODIUM DIISOOCTYLSULFOSUCCINATE	1.19	3	46.00	A
SPINETORAM	9.58	16	117.00	A
SPINOSAD	2.74	3	42.00	A
SPIROTETRAMAT	1.27	12	88.50	A
STYRENE BUTADIENE COPOLYMER	9.87	8	67.00	A
TALL OIL FATTY ACIDS	19.79	14	86.20	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	45.87	13	95.00	A
UREA	1.29	1	5.00	A
Site Total	26,663.15	541		
POTATO				
ABAMECTIN	0.74	1	37.90	A
ACETAMIPRID	19.16	6	272.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	4.26	22	1,856.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	116.47	46	2,756.88	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	58.09	37	2,093.50	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.22	37	2,093.50	A
ALPHA-PINENE BETA-PINENE COPOLYMER	571.65	54	3,254.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	138.96	65	3,959.80	A
ALKYL (C8,C10) POLYGLUCOSIDE	52.16	7	456.00	A
AMMONIUM NITRATE	26.04	9	601.00	A
AMMONIUM SULFATE	308.06	55	4,009.00	A
AZADIRACTIN	9.18	13	394.44	A
AZOXYSTROBIN	3,182.89	228	17,087.57	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	25.92	1	32.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.01	8	0.80	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	46.50	2	43.06	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	7.31	1	71.00	A
BENTONITE	365.77	21	1,283.43	A
BENZOIC ACID	10.85	15	1,454.80	A
BIFENAZATE	39.95	1	70.00	A
BIFENTHRIN	124.63	31	1,679.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	216.29	82	5,351.70	A
BOSCALID	1,648.59	148	8,768.50	A
BUTYL ALCOHOL	48.51	35	2,342.90	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	7.45	6	213.00	A
CALCIUM CHLORIDE	11.18	5	549.00	A
CARBARYL	2,155.92	73	1,779.30	A
CARFENTHAZONE-ETHYL	30.56	19	914.00	A
CASEIN	23.88	21	1,283.43	A
CHLORANTRANILIPROLE	245.47	57	4,104.93	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POTATO				
CHLOROTHALONIL	42,869.74	559	39,350.35	A
CHLORPROPHAM	1,925.07		71,834.35	T
	90.34		183,454.00	U
	16.74		17,520.00	C
Total Pounds On This Chemical	2,032.15			
CITRIC ACID	57.60	88	6,050.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	0.40	8	0.80	A
CLETHODIM	310.43	74	2,338.90	A
CLOTHIANIDIN	73.28	16	1,407.00	A
COCONUT DIETHANOLAMIDE	1.18	8	467.00	A
COPPER HYDROXIDE	5,296.95	69	4,227.68	A
COPPER OXIDE (OUS)	313.58	7	278.00	A
CYFLUTHRIN	134.63	53	3,150.84	A
BETA-CYFLUTHRIN	72.35	129	9,264.35	A
CYMOXANIL	1,554.35	217	11,923.49	A
CYPERMETHRIN	13.00	3	281.20	A
(S)-CYPERMETHRIN	103.13	69	3,002.10	A
2,4-D, 2-ETHYLHEXYL ESTER	30.69	4	339.00	A
1,3-DICHLOROPROPENE	108,856.38	22	1,256.00	A
DIETHYLENE GLYCOL	180.36	42	1,245.80	A
DIFENOCONAZOLE	74.11	10	664.80	A
DIMETHENAMID-P	347.11	59	4,750.00	A
DIMETHOATE	280.64	14	579.20	A
DIMETHOMORPH	8.98	20	380.50	A
DIMETHYL ALKYL TERTIARY AMINES	11.82	15	1,454.80	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	2.35	2	143.00	A
1,4-DIMETHYLNAPHTHALENE	854.13		57,800.00	T
	38.47		20,000.00	U
Total Pounds On This Chemical	892.60			
DIMETHYLPOLYSILOXANE	36.93	169	9,260.00	A
DIOCTYL PHTHALATE	0.12	1	7.00	A
DIQUAT DIBROMIDE	5,098.23	128	6,903.75	A
DODECYLBENZENE SULFONIC ACID	5.10	8	467.00	A
EDTA, TETRASODIUM SALT	0.31	8	467.00	A
ENDOSULFAN	103.11	3	104.00	A
EPTC	24,957.89	100	7,402.53	A
ESFENVALERATE	594.31	183	10,546.77	A
ETHYLENE GLYCOL	1.50	1	38.00	A
FAMOXADONE	394.16	60	3,338.90	A
FATTY ACIDS, MIXED	34.96	41	2,948.50	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	717.14	28	2,097.20	A
FATTY ACIDS DERIVED FROM TALLOW	55.59	65	3,959.80	A
FLONICAMID	12.87	2	147.00	A
FLUAZINAM	128.20	8	488.70	A
FLUDIOXONIL	152.19	3	1,074.30	A
	15.25		458.00	T
Total Pounds On This Chemical	167.44			
FLUMIOXAZIN	13.55	11	524.70	A
FLUOPYRAM	146.09	28	1,698.78	A
FLUTOLANIL	660.81	17	1,111.94	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	12.00	1	10.00	A
GLUFOSINATE-AMMONIUM	791.56	38	2,078.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POTATO				
GLYPHOSATE, ISOPROPYLAMINE SALT	534.05	3	491.80	A
GLYPHOSATE, POTASSIUM SALT	1,387.33	28	968.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	69.10	24	1,614.00	A
HYDROGEN PEROXIDE	0.31	1	0.40	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	11.58	2	173.00	A
IMIDACLOPRID	1,094.51	193	13,278.30	A
INDOXACARB	246.65	53	3,661.00	A
IPRODIONE	2,458.71	37	3,715.00	A
IRON PHOSPHATE	0.01	6	0.60	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	155.76	22	1,514.00	A
ISOPROPYL ALCOHOL	92.48	95	3,987.88	A
KEROSENE	21.01	15	1,454.80	A
LACTOSE	26.50	21	1,283.43	A
LAMBDA-CYHALOTHRIN	140.61	122	4,635.56	A
LECITHIN	197.09	8	617.00	A
MAGNESIUM PHOSPHIDE	0.18		400.00	C
MALEIC HYDRAZIDE, POTASSIUM SALT	16,632.94	85	4,433.27	A
MANCOZEB	35,097.55	516	27,517.01	A
	173.85		458.00	T
Total Pounds On This Chemical	35,271.40			
MANDIPROPAMID	203.84	25	1,904.64	A
MARGOSA OIL	384.53	8	207.04	A
MEFENOXAM	389.51	46	3,078.90	A
METAM-SODIUM	996,284.57	92	6,037.96	A
METHOMYL	4,171.05	65	5,074.50	A
METHYLATED SOYBEAN OIL	2,888.95	185	12,000.00	A
METHYL CELLULOSE	0.12	1	7.00	A
METHYL PARATHION	122.51	1	130.00	A
METHYL PARATHION, OTHER RELATED	6.45	1	130.00	A
S-METOLACHLOR	11,054.12	130	8,159.11	A
METRIBUZIN	3,609.08	199	9,542.60	A
MINERAL OIL	295.45	56	3,349.50	A
MORPHOLINE	0.05	1	7.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	292.56	62	4,376.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,812.44	522	26,199.90	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	46.32	28	2,112.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,584.92	86	2,311.40	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	23.62	11	571.80	A
OLEIC ACID	11.22	22	1,260.08	A
OLEIC ACID, METHYL ESTER	148.65	6	337.00	A
OXAMYL	2,041.23	46	3,139.80	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	54.46	7	212.46	A
PARAQUAT DICHLORIDE	69.20	4	148.40	A
PENDIMETHALIN	12,170.91	255	16,888.33	A
PERMETHRIN	797.34	41	4,004.00	A
PETROLEUM DISTILLATES	55.56	1	37.00	A
PETROLEUM OIL, PARAFFIN BASED	846.16	5	549.00	A
PHORATE	2,036.81	8	1,037.20	A
PHOSPHORIC ACID	305.21	258	11,470.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POTATO				
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	43.75	229	14,006.80	A
POLYACRYLAMIDE POLYMER	0.58	2	75.00	A
POLYACRYLIC POLYMER	6.40	46	3,408.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	98.99	142	8,736.20	A
POLYBUTENES	128.06	28	2,097.20	A
POLYETHYLENE GLYCOL	36.51	19	1,179.10	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	3.97	6	95.50	A
POLYETHYLENE GLYCOL OLEATE	5.44	2	143.00	A
POLY-I-PARA-MENTHENE	824.05	67	3,766.50	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	152.92	5	549.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	107.22	17	1,246.70	A
POLYSACCHARIDE POLYMER	0.06	2	75.00	A
POTASH SOAP	0.24	6	0.60	A
POTASSIUM N-METHYLDITHIOCARBAMATE	460,069.09	19	1,714.00	A
POTASSIUM PHOSPHITE	92.88	1	32.92	A
PROPIONIC ACID	197.09	8	617.00	A
PROPYLENE GLYCOL	39.95	53	1,737.80	A
PROPYLENE GLYCOL, METHYL ETHER	0.36	1	75.00	A
PYMETROZINE	15.81	4	178.50	A
PYRACLOSTROBIN	362.68	53	2,389.70	A
PYRAFLUFEN-ETHYL	8.64	24	1,345.00	A
PYRETHRINS	11.70	24	241.56	A
PYRIMETHANIL	455.90	31	1,826.78	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	818.64	98	6,132.24	A
REYNOUTRIA SACHALINENSIS	136.18	19	824.20	A
RIMSULFURON	216.58	231	10,674.60	A
SETHOXYDIM	26.47	2	84.00	A
SILICONE	0.61	5	539.00	A
SILICONE DEFOAMER	0.13	8	467.00	A
SODIUM DIISOOCTYLSULFOSUCCINATE	0.02	1	7.00	A
SODIUM HYDROXIDE	10.43	39	1,095.30	A
SODIUM XYLENE SULFONATE	1.57	8	467.00	A
SPINOSAD	< 0.01	2	0.20	A
SPIROMESIFEN	30.16	2	171.00	A
SPIROTETRAMAT	77.03	126	8,298.80	A
STARCH	< 0.01	1	75.00	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	4	0.40	A
STYRENE BUTADIENE COPOLYMER	1.00	1	75.00	A
SULFUR	71.53	1	45.00	A
TALL OIL FATTY ACIDS	18.08	59	3,693.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	185.87	28	1,645.08	A
TETRAPOTASSIUM PYROPHOSPHATE	0.78	8	467.00	A
THIABENDAZOLE	8.14		17,810.00	U
	4.07		9,760.00	C
Total Pounds On This Chemical	12.20			
THIAMETHOXAM	79.61	32	1,850.80	A
TRIETHANOLAMINE	2.00	8	467.00	A
TRIFLURALIN	264.31	5	345.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	9.76	8	195.50	A
TRISODIUM PHOSPHATE	0.39	4	128.00	A
VINYL POLYMER	0.31	1	70.40	A
XANTHAN GUM	0.03	6	598.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
POTATO				
ZOXAMIDE	532.31	53	3,206.70	A
Site Total	1,772,158.75	6,183		
POULTRY				
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	0.47	2	40.00	A
CHOLECALCIFEROL	< 0.01		2.00	U
CLOPYRALID, MONOETHANOLAMINE SALT	0.68	2	16.00	A
DDVP	7.84		17.00	U
DDVP, OTHER RELATED	0.59		17.00	U
DIPHACINONE	< 0.01	2	2.00	A
FATTY ACIDS, MIXED	0.26		22.00	U
LECITHIN	6.05		22.00	U
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.62		22.00	U
PROPIONIC ACID	6.05		22.00	U
TETRACHLORVINPHOS	34.01		17.00	U
TRICLOPYR, TRIETHYLAMINE SALT	3.45	2	40.00	A
Site Total	61.02	6		
PRUNE				
ABAMECTIN	167.93	214	9,826.74	A
ACETAMIPRID	115.38	44	1,270.90	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	1.23	1	60.00	A
ACRYLIC ACID	3.24	1	20.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	373.71	15	685.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	1.66	8	77.20	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,271.63	299	11,459.32	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	22.52	2	75.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	150.21	12	420.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	59.83	6	417.50	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	18.67	12	420.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	134.76	6	208.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	319.52	89	2,340.15	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	145.16	81	2,959.20	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	64.99	58	1,210.36	A
ALKYL (C8,C10) POLYGLUCOSIDE	1,196.35	267	8,856.08	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	161.06	91	2,592.30	A
ALUMINUM PHOSPHIDE	379.08		20,542.00	T
	79.75		1,197,400.00	C
	33.11		864,000.00	S
	15.73		1,676.00	K
	11.45	12	595.50	A
Total Pounds On This Chemical	519.13			
AMMONIUM NITRATE	1,174.76	418	12,244.45	A
AMMONIUM SULFATE	3,972.61	488	13,763.29	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PRUNE				
AZOXYSTROBIN	66.87	8	348.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	168.47	8	251.00	A
BENZOIC ACID	5.66	44	740.07	A
BIFENAZATE	350.90	33	892.10	A
BIFENTHRIN	1.25	1	62.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	90.08	20	904.50	A
BOSCALID	371.12	51	2,088.54	A
BUPROFEZIN	4.50	1	19.30	A
2-BUTOXYETHANOL	0.66	8	77.20	A
BUTYL ALCOHOL	490.92	239	8,786.23	A
CAPSICUM OLEORESIN	5.16	5	77.50	A
CAPTAN	39,173.11	275	14,365.20	A
CAPTAN, OTHER RELATED	853.15	275	14,365.20	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.89	4	118.00	A
CARFENTRAZONE-ETHYL	60.77	94	2,620.76	A
CASTOR OIL ETHOXYLATE	217.96	83	1,508.10	A
CHLORANTRANILIPROLE	12.58	10	752.00	A
CHLOROPICRIN	1,117.50	3	79.20	A
	35.64	1	0.30	U
Total Pounds On This Chemical	1,153.14			
CHLOROTHALONIL	58,462.00	463	20,551.83	A
CHLORPYRIFOS	349.20	12	173.00	A
CITRIC ACID	688.16	132	2,845.20	A
CLETHODIM	26.90	7	130.60	A
COCONUT DIETHANOLAMIDE	662.45	82	3,039.70	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.99	1	98.00	A
COPPER HYDROXIDE	12,920.72	83	4,390.00	A
	0.49	3	9.00	U
Total Pounds On This Chemical	12,921.21			
COPPER OXIDE (OUS)	607.12	8	135.32	A
COPPER OXYCHLORIDE	905.16	13	1,245.00	A
COPPER SULFATE (BASIC)	3,952.43	15	689.00	A
CORN PRODUCT, HYDROLYZED	7.90	1	5.00	A
BETA-CYFLUTHRIN	10.96	39	1,915.50	A
CYPRODINIL	2,669.76	288	12,069.98	A
2,4-D	17.18	7	88.70	A
2,4-D, DIETHANOLAMINE SALT	206.80	17	363.89	A
2,4-D, DIMETHYLAMINE SALT	6,310.90	233	6,450.39	A
DAZOMET	49.50	1	16.00	A
DERIVATED NATURAL POLYMERS	0.20	3	131.00	A
DIAZINON	984.29	22	539.00	A
1,3-DICHLOROPROPENE	21,437.12	5	64.23	A
DIETHYLENE GLYCOL	298.24	30	1,590.45	A
DIFENOCONAZOLE	24.70	5	216.00	A
DIFLUBENZURON	65.62	5	297.00	A
DIMETHYL ALKYL TERTIARY AMINES	6.17	44	740.07	A
DIMETHYLPOLYSILOXANE	124.52	759	25,895.91	A
DIMETHYL SILICONE FLUID EMULSION	4.82	16	398.00	A
DIPHACINONE	< 0.01	3	92.00	A
Z-8-DODECENOL	0.04	1	120.00	A
E-8-DODECENYL ACETATE	0.19	1	120.00	A
Z-8-DODECENYL ACETATE	2.84	1	120.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PRUNE				
DODECYLBENZENE SULFONIC ACID	11.44	1	80.50	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.93	3	58.00	A
EDTA, TETRASODIUM SALT	0.70	1	80.50	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	11.07	2	32.00	A
ESFENVALERATE	1,660.94	621	31,749.95	A
ETHYLENE GLYCOL	17.08	6	85.00	A
ETOXAZOLE	37.57	4	326.00	A
FATTY ACIDS, MIXED	277.11	34	1,243.30	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	295.67	10	630.50	A
FATTY ACIDS DERIVED FROM TALLOW	127.91	89	2,340.15	A
FENBUCONAZOLE	135.50	32	1,348.00	A
FENBUTATIN-OXIDE	17.50	3	35.00	A
FERROUS SULFATE	5.14	1	98.00	A
FLONICAMID	5.94	2	95.00	A
FLUAZIFOP-P-BUTYL	149.79	33	703.21	A
FLUBENDIAMIDE	12.24	2	99.30	A
FLUMIOXAZIN	1,301.19	131	3,344.35	A
GARLIC	5.49	2	50.00	A
GLUFOSINATE-AMMONIUM	235.15	2	320.00	A
GLYCEROL	21.95	4	142.00	A
GLYPHOSATE, DIAMMONIUM SALT	18.70	2	33.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	32,179.73	897	24,657.06	A
GLYPHOSATE, POTASSIUM SALT	42,958.02	751	26,452.19	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	11.97	6	417.50	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.31	6	72.92	A
HEXYTHIAZOX	165.09	39	1,269.00	A
HYDROTREATED PARAFFINIC SOLVENT	893.67	54	1,067.97	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1,160.00	140	5,367.60	A
IMIDACLOPRID	99.31	60	2,649.73	A
INDAZIFLAM	111.04	79	1,959.88	A
INDOXACARB	2.17	1	19.30	A
IPRODIONE	1,249.01	45	1,884.30	A
ISOPROPYL ALCOHOL	709.52	315	10,294.72	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	23.20	89	2,121.00	A
KAOLIN	997.50	1	30.00	A
KEROSENE	5.26	12	222.50	A
LAMBDA-CYHALOTHRIN	59.72	31	1,770.40	A
LAURIC ACID	131.96	81	2,959.20	A
LECITHIN	225.93	44	1,139.95	A
LIME-SULFUR	461.86	2	75.00	A
LIMONENE	13.61	8	77.20	A
MAGNESIUM PHOSPHIDE	66.58		1,166,200.00	C
	34.61		432,000.00	S
Total Pounds On This Chemical	101.19			
MANGANESE SULFATE	7.11	1	98.00	A
METCONAZOLE	151.57	37	1,394.23	A
METHIDATHION	1,143.31	12	592.00	A
METHOXYFENOZIDE	279.27	25	1,105.15	A
METHYLATED SOYBEAN OIL	4,511.98	276	8,085.27	A
METHYL BROMIDE	70.05	2	8.40	A
	10.00		9,200.00	C

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PRUNE				
Total Pounds On This Chemical	80.05			
METHYL SILICONE RESINS	86.35	5	594.00	A
MINERAL OIL	308,928.72	438	20,795.84	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	60.53	5	294.00	A
MYCLOBUTANIL	26.87	6	240.30	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	1,575.90	7	240.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1,155.95	80	5,141.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	11,933.77	1,089	36,226.69	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	16.85	9	119.72	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,303.11	33	2,329.00	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	1,172.48	45	3,678.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.79	4	53.00	A
NORFLURAZON	509.60	18	311.30	A
OLEIC ACID	0.42	1	16.00	A
OLEIC ACID, METHYL ESTER	2,694.68	77	3,172.26	A
ORCHEX 796 OIL	2.89	1	16.00	A
ORGANO/MODIFIED POLYSILOXANE	1.73	58	1,210.36	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	4.29	1	220.00	A
ORYZALIN	10,942.62	167	4,725.88	A
OXYFLUORFEN	6,103.87	623	19,156.34	A
PARAQUAT DICHLORIDE	9,315.63	356	10,149.88	A
PENDIMETHALIN	5,893.18	103	2,390.16	A
PETROLEUM DISTILLATES	2,731.89	66	1,690.90	A
PETROLEUM DISTILLATES, ALIPHATIC	0.07	1	60.00	A
PETROLEUM NAPHTHENIC OILS	0.86	1	60.00	A
PETROLEUM OIL, PARAFFIN BASED	10,356.67	141	3,594.75	A
PETROLEUM OIL, UNCLASSIFIED	93,387.81	131	6,538.91	A
	1.09	3	9.00	U
Total Pounds On This Chemical	93,388.90			
PHOSMET	274.40	1	98.00	A
PHOSPHINE	11.43		1,290.00	T
	6.05		125,300.00	C
Total Pounds On This Chemical	17.48			
PHOSPHORIC ACID	392.50	129	3,306.68	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.41	8	77.20	A
POLYACRYLAMIDE POLYMER	16.76	56	2,300.00	A
POLYACRYLIC POLYMER	5.81	37	824.20	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	144.09	151	5,053.24	A
POLYBUTENES	52.80	10	630.50	A
POLYETHER MODIFIED POLYSILOXANE	25.46	11	233.60	A
POLYETHOXYLATED CASTOR OIL	7.19	4	276.54	A
POLYETHYLENE GLYCOL	1,718.02	189	5,956.55	A
POLYETHYLENE GLYCOL DIACETATE	14.64	91	2,592.30	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	118.78	32	1,304.64	A
POLY-I-PARA-MENTHENE	129.50	6	252.01	A
POLYMERIZED PINENE	16.58	3	58.00	A
POLYOXYETHYLENE DIOLEATE	0.09	1	220.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	28.69	9	235.95	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PRUNE				
POLYOXYETHYLENE POLYOXYPROPYLENE	194.53	24	1,055.50	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	149.54	28	808.80	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	25.21	4	53.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	90.16	81	2,043.80	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	592.70	81	2,043.80	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	1,634.69	83	1,508.10	A
POLYSILOXANE	2.66	32	831.95	A
POTASSIUM HYDROXIDE	10.10	33	759.95	A
POTASSIUM NITRATE	1.54	4	59.00	A
PROPANIL	209.91	2	35.00	A
PROPICONAZOLE	4,628.82	802	42,727.26	A
PROPIONIC ACID	83.29	33	804.95	A
PROPYLENE GLYCOL	249.94	107	4,014.70	A
PYRACLOSTROBIN	188.51	51	2,088.54	A
PYRAFLUFEN-ETHYL	4.38	60	1,455.30	A
PYRETHRINS	0.06	2	0.20	A
PYRIMETHANIL	157.24	14	713.70	A
PYRIPROXYFEN	19.51	2	223.00	A
QUILLAJA	1.81	4	118.00	A
REYNOUTRIA SACHALINENSIS	65.26	19	592.20	A
RIMSULFURON	139.11	122	3,271.03	A
SETHOXYDIM	20.17	4	139.33	A
SILICONE DEFOAMER	0.83	15	506.50	A
SIMAZINE	115.88	4	51.50	A
SODIUM HYDROXIDE	12.02	4	142.00	A
SODIUM XYLENE SULFONATE	3.52	1	80.50	A
SORBITAN FATTY ACID ESTERS	5.51	4	53.00	A
SPINETORAM	5.98	2	95.65	A
SPIRODICLOFEN	505.16	47	1,877.94	A
SPIROTETRAMAT	6.13	24	460.50	A
STRYCHNINE	11.94	20	1,412.80	A
SULFUR	201,433.41	371	19,613.06	A
SULFURIC ACID	2.80	4	66.00	A
SULFURYL FLUORIDE	18.96		9,500.00	C
TALL OIL	224.43	95	1,868.10	A
TALL OIL FATTY ACIDS	292.91	129	3,932.58	A
TEBUCONAZOLE	2.70	1	20.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.42	1	80.50	A
TETRAPOTASSIUM PYROPHOSPHATE	1.76	1	80.50	A
THIAMETHOXAM	4.63	2	74.00	A
TRICLOPYR, TRIETHYLAMINE SALT	1,012.09	2	96.00	A
TRIETHANOLAMINE	4.49	1	80.50	A
TRIFLOXYSTROBIN	5.50	2	46.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	30.53	13	406.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	482.10	56	1,752.75	A
UREA	462.89	58	1,210.36	A
VEGETABLE OIL	72.97	1	44.90	A
VINYL POLYMER	2.23	11	1,081.00	A
YUCCA SCHIDIGERA	16.47	2	50.00	A
ZINC SULFATE	11.06	1	98.00	A
ZIRAM	27.74	4	39.00	A
Site Total	941,213.29	10,623		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PUBLIC HEALTH				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	27.41			
ALKYL (C8,C10) POLYGLUCOSIDE	0.97			
ALKYL (C8,C10) POLYGLUCOSIDE	0.97			
D-TRANS ALLETHRIN	1.20			
BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362	8,802.49			
BACILLUS THURINGIENSIS (BERLINER)	0.54			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14	12,623.48			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	169,224.63			
BENZOIC ACID	24.20			
BIFENTHRIN	2.12			
BORIC ACID	1,472.00			
BOSCALID	7.88			
BRODIFACOU	< 0.01			
BROMACIL	7.20			
BROMADIOLONE	0.53			
BROMETHALIN	< 0.01			
1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN	4.20			
BUTYL ALCOHOL	44.54			
CARFENTRAZONE-ETHYL	1.46			
CHOLECALCIFEROL	< 0.01			
COPPER CARBONATE, BASIC	40.12			
COPPER ETHANOLAMINE COMPLEXES, MIXED	2.95			
COPPER HYDROXIDE	23.05			
COPPER SULFATE (PENTAHYDRATE)	594.00			
BETA-CYFLUTHRIN	4.96			
CYPERMETHRIN	2.25			
2,4-D, DIMETHYLAMINE SALT	27.05			
DDVP	4.13			
DDVP, OTHER RELATED	0.31			
DELTAMETHRIN	13.66			
DIAZINON	1.04			
DICHLOROBENIL	20.54			
1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN	1.92			
1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN	0.74			
DIFETHIALONE	< 0.01			
DIFLUBENZURON	44.77			
DIMETHYL ALKYL TERTIARY AMINES	26.35			
DIMETHYLPOLYSILOXANE	2.51			
DIPHACINONE	0.01			
DIQUAT DIBROMIDE	111.00			
DITHIOPYR	1.19			
DIURON	1,594.40			
ESFENVALERATE	< 0.01			
ETOFENPROX	495.50			
FATTY ACIDS, MIXED	2.41			
FIPRONIL	0.34			
FLUMIOXAZIN	2.27			
FLURIDONE	2.02			
FORMALDEHYDE	2,110.56			
GLUFOSINATE-AMMONIUM	25.27			
GLUTARALDEHYDE	47.07			
GLYPHOSATE, ISOPROPYLAMINE SALT	5,246.37			
GLYPHOSATE, POTASSIUM SALT	139.52			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PUBLIC HEALTH				
HYDRAMETHYLNON	120.07			
IMAZAPYR, ISOPROPYLAMINE SALT	295.53			
IMIDACLOPRID	321.15			
INDOXACARB	3.44			
ALPHA-ISOOCTADECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	16,779.29			
ISOPROPYL ALCOHOL	121.61			
ISOXABEN	0.02			
KEROSENE	46.86			
LAMBDA-CYHALOTHRIN	5.52			
LECITHIN	189.50			
MALATHION	5,887.81			
METALDEHYDE	0.07			
METAM-SODIUM	12.33			
METHOPRENE	1,239.23			
S-METHOPRENE	1,484.99			
METHYLATED SOYBEAN OIL	961.80			
MINERAL OIL	3,415.14			
NALED	28,957.66			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	886.97			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	1.18			
OLEIC ACID, ETHYL ESTER	30.87			
ORYZALIN	2.81			
OXYFLUORFEN	76.56			
PERMETHRIN	3,227.14			
PETROLEUM DISTILLATES	45,979.27			
PETROLEUM DISTILLATES, AROMATIC	21.75			
PETROLEUM DISTILLATES, REFINED	517,759.45			
PHENOTHRIN	5,353.54			
PIPERONYL BUTOXIDE	15,694.75			
PIPERONYL BUTOXIDE, OTHER RELATED	3,701.53			
POLYOXYETHYLENE DIOLEATE	5.40			
POLYOXYETHYLENE POLYOXYPROPYLENE	7.95			
POLYOXYETHYLENE SORBITAN MONOOLEATE	1.54			
POTASH SOAP	101.21			
PRALLETHRIN	6.82			
PROPIONIC ACID	56.23			
PYRACLOSTROBIN	4.00			
PYRAFLUFEN-ETHYL	0.27			
PYRETHRINS	1,877.97			
PYRIPROXYFEN	29.70			
RESMETHRIN	29.80			
RESMETHRIN, OTHER RELATED	2.16			
SILICA AEROGEL	73.66			
SODIUM BROMIDE	0.12			
SODIUM CARBONATE PEROXYHYDRATE	3.40			
SODIUM HYPOCHLORITE	0.09			
SPINOSAD	2,593.61			
STRYCHNINE	< 0.01			
SULFOMETURON-METHYL	47.47			
SULFUR	980.00			
TALL OIL	32.00			
TEMEPHOS	16.59			
TETRAMETHRIN	0.02			
TRICLOPYR, BUTOXYETHYL ESTER	74.03			
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	66.63			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PUBLIC HEALTH				
WARFARIN	0.02			
ZINC PHOSPHIDE	22.16			
Site Total	861,443.86			
PUMPKIN				
ABAMECTIN	47.08	93	3,495.50	A
ACETAMIPRID	95.65	56	1,104.36	A
ALCOHOLS, C4-C12, NORMAL	0.49	6	244.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.83	12	238.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	2.19	2	10.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.15	3	10.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.60	5	45.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	1.41	5	159.25	A
ALUMINUM PHOSPHIDE	5.92	16	26.00	A
AZADIRACTIN	0.40	4	19.20	A
	< 0.01	7	1,900.00	S
Total Pounds On This Chemical	0.41			
AZOXYSTROBIN	39.15	13	227.00	A
	0.02		875.36	P
Total Pounds On This Chemical	39.17			
BACILLUS PUMILUS, STRAIN QST 2808	7.98	3	77.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	5.94	2	11.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	< 0.01	1	150.00	S
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	122.40	1	96.00	A
BENSULIDE	1,082.02	38	139.46	A
BENZOIC ACID	0.20	6	23.57	A
BIFENTHRIN	418.85	120	4,530.02	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	3.87	7	78.05	A
BOSCALID	15.62	5	59.25	A
BUPROFEZIN	3.29	1	15.00	A
BUTYL ALCOHOL	9.39	18	294.81	A
CALCIUM CHLORIDE	0.79	4	63.50	A
CARBARYL	294.70	9	294.50	A
CARFENTHAZONE-ETHYL	0.23	3	16.00	A
CASTOR OIL ETHOXYLATE	0.07	2	2.00	A
CHLORANTRANILIPROLE	10.30	6	176.31	A
CHLOROTHALONIL	929.82	19	660.07	A
CHLORPYRIFOS	7.50	2	10.00	A
CITRIC ACID	2.19	4	63.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	1.17	2	3.20	A
CLETHODIM	10.36	7	79.00	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.03	1	25.00	A
COTTONSEED OIL	43.24	6	244.00	A
CYFLUTHRIN	0.23	1	5.00	A
(S)-CYPERMETHRIN	1.58	5	32.25	A
DIETHYLENE GLYCOL	52.99	25	1,142.00	A
DIFENOCONAZOLE	21.82	10	204.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.21	6	23.57	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PUMPKIN				
DIMETHYLPOLYSILOXANE	32.92	123	4,396.91	A
DIMETHYL SILICONE FLUID EMULSION	0.33	6	50.00	A
DIPHACINONE	< 0.01	5	245.00	A
ESFENVALERATE	5.73	7	124.40	A
ETHALFLURALIN	281.95	11	369.00	A
ETHEPHON	16.06	21	77.40	A
ETHYLENE GLYCOL	32.08	9	201.00	A
FATTY ACIDS, MIXED	95.37	34	1,215.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	14.12	5	68.05	A
FATTY ACIDS DERIVED FROM TALLOW	0.86	3	10.00	A
FENAMIDONE	0.37	1	2.00	A
FERROUS SULFATE	0.18	1	25.00	A
FLONICAMID	57.28	23	663.50	A
FLUBENDIAMIDE	3.31	4	75.40	A
FLUDIOXONIL	0.02		875.36	P
FLUOPICOLIDE	3.33	3	27.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	138.85	6	82.50	A
GLYPHOSATE, POTASSIUM SALT	67.93	13	50.50	A
HALOSULFURON-METHYL	2.15	10	68.33	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	106.62	53	2,469.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.05	1	9.50	A
HYDROGEN PEROXIDE	47.20		13,335.00	P
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	20.79	24	744.70	A
IMIDACLOPRID	660.37	53	1,960.50	A
INDOXACARB	52.87	13	649.00	A
ISOPROPYL ALCOHOL	9.28	21	390.00	A
KEROSENE	0.19	2	6.00	A
KRESOXIM-METHYL	0.28	1	2.20	A
LAMBDA-CYHALOTHRIN	6.32	15	210.99	A
LECITHIN	60.98	22	222.00	A
MALATHION	1,236.18	27	1,596.50	A
MANCOZEB	13.50	1	9.00	A
MANGANESE SULFATE	0.24	1	25.00	A
MEFENOXAM	169.02	29	1,066.00	A
	0.14		912.52	P
Total Pounds On This Chemical	169.16			
METALAXYL	0.14	1	1.00	A
METALDEHYDE	8.75	1	14.00	A
METHOMYL	754.14	36	1,442.22	A
METHOXYFENOZIDE	394.14	43	2,019.00	A
METHYLATED SOYBEAN OIL	39.28	19	157.07	A
METHYL SILICONE RESINS	42.71	25	244.37	A
S-METOLACHLOR	318.54	44	410.39	A
MINERAL OIL	0.77	2	10.00	A
MYCLOBUTANIL	234.73	65	1,954.86	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	10.20	11	150.12	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	300.40	91	2,278.31	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.75	3	12.07	A
OLEIC ACID, METHYL ESTER	755.39	71	3,052.25	A
OXYDEMETON-METHYL	60.10	3	57.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PUMPKIN				
OXYFLUORFEN	5.02	1	20.00	A
PARAQUAT DICHLORIDE	27.10	4	21.00	A
PERMETHRIN	40.34	28	218.24	A
PEROXYACETIC ACID	64.06		13,335.00	P
PETROLEUM DISTILLATES	15.09	1	25.00	A
PETROLEUM OIL, PARAFFIN BASED	1.03	1	5.50	A
PHOSMET	4.20	3	1.50	A
PHOSPHORIC ACID	2.20	7	59.95	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	4.53	5	41.50	A
POLYBUTENES	2.52	5	68.05	A
POLYETHER MODIFIED POLYSILOXANE	8.82	10	277.30	A
POLYETHYLENE GLYCOL	21.79	12	189.00	A
POLYETHYLENE GLYCOL DIACETATE	0.13	5	159.25	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.59	1	15.00	A
POLY-I-PARA-MENTHENE	6.78	3	16.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	20.68	12	277.60	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	5.02	1	5.50	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	0.49	2	2.00	A
POLYPROPYLENE GLYCOL	0.09	3	43.00	A
POLYSILOXANE	0.02	5	45.00	A
POTASH SOAP	0.45	2	1,200.00	S
POTASSIUM BICARBONATE	29.31	5	12.80	A
POTASSIUM HYDROXIDE	0.71	5	45.00	A
PROPAMOCARB HYDROCHLORIDE	6.90	2	11.50	A
PROPIONIC ACID	28.20	14	118.00	A
PYMETROZINE	17.21	8	200.15	A
PYRACLOSTROBIN	114.73	29	627.94	A
PYRETHRINS	1.98	6	129.50	A
	< 0.01	5	700.00	S
Total Pounds On This Chemical	1.99			
QUINOXYFEN	42.65	16	465.50	A
REYNOUTRIA SACHALINENSIS	6.73	3	62.07	A
SESAME OIL	1.55	2	3.20	A
SETHOXYDIM	7.98	2	28.00	A
SILICONE	< 0.01	1	2.25	A
SPINETORAM	3.36	6	68.07	A
SPINOSAD	2.34	4	24.00	A
STRYCHNINE	0.05	2	4.00	A
SULFUR	66,222.19	60	2,617.45	A
TALL OIL	0.07	2	2.00	A
TALL OIL FATTY ACIDS	0.30	3	19.50	A
THIAMETHOXAM	15.58	20	185.26	A
	8.85		666.51	P
Total Pounds On This Chemical	24.42			
THIOPHANATE-METHYL	7.00	2	20.00	A
THIRAM	1.95		1,387.98	P
TRIFLOXYSTROBIN	22.73	13	310.78	A
TRIFLUMIZOLE	41.40	13	171.00	A
TRIFLURALIN	43.92	2	45.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	130.31	53	2,469.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	160.85	38	1,291.00	A
VINYL POLYMER	< 0.01	1	2.00	A
ZINC SULFATE	0.38	1	25.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
PUMPKIN				
Site Total	76,457.80	1,331		
QUINCE				
ABAMECTIN	0.23	1	9.00	A
ACETAMIPRID	2.25	2	20.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.68	1	9.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	2.90	1	7.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.12	1	7.00	A
BUPROFEZIN	2.17	2	7.00	A
CARFENTRAZONE-ETHYL	0.18	3	9.00	A
CHLORANTRANILIPROLE	4.73	5	54.00	A
COCONUT DIETHANOLAMIDE	0.33	2	25.00	A
COPPER HYDROXIDE	17.52	17	74.50	A
COTTONSEED OIL	6.98	2	18.00	A
BETA-CYFLUTHRIN	0.02	1	9.00	A
DIMETHYLPOLYSILOXANE	0.08	12	54.07	A
DIPHACINONE	< 0.01	1	2.00	A
E,E-8,10-DODECADIEN-1-OL	0.01	3	20.00	U
DODECYLBENZENE SULFONIC ACID	1.42	2	25.00	A
EDTA, TETRASODIUM SALT	0.09	2	25.00	A
FLUBENDIAMIDE	1.08	2	7.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	91.96	9	54.08	A
GLYPHOSATE, POTASSIUM SALT	55.17	2	20.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	< 0.01	1	0.08	A
IMIDACLOPRID	0.05	1	9.00	A
ISOPROPYL ALCOHOL	2.34	16	97.07	A
KAOLIN	1,330.00	7	28.00	A
LAMBDA-CYHALOTHRIN	0.75	2	18.00	A
LAURYL ALCOHOL	< 0.01	3	20.00	U
METHOXYFENOZIDE	26.05	14	92.00	A
METHYLATED SOYBEAN OIL	0.06	1	0.08	A
METHYL BROMIDE	146.00		85,008.00	P
MINERAL OIL	1.02	1	7.00	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	7.81	2	25.00	A
MYRISTYL ALCOHOL	< 0.01	3	20.00	U
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	20.56	15	72.15	A
ORYZALIN	10.67	2	7.08	A
OXYFLUORFEN	10.15	2	7.08	A
PHOSPHORIC ACID	0.28	2	25.00	A
POLYETHYLENE GLYCOL	10.40	12	54.07	A
POTASSIUM PHOSPHITE	3.76	1	9.00	A
SILICONE DEFOAMER	0.04	2	25.00	A
SODIUM XYLENE SULFONATE	0.44	2	25.00	A
SPINETORAM	4.60	8	48.00	A
SULFUR	48.00	2	7.00	A
TALL OIL FATTY ACIDS	0.04	2	7.08	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.67	2	25.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.22	2	25.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
QUINCE				
TRIETHANOLAMINE	0.56	2	25.00	A
Site Total	1,813.39	105		
RADICCHIO				
ABAMECTIN	0.94	30	78.88	A
ACETAMIPRID	2.83	1	38.00	A
ACRYLIC ACID	18.39	6	113.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	27.71	35	1,314.70	A
AMMONIUM PROPIONATE	0.36	1	18.00	A
AMYL ACETATE	0.14	1	18.00	A
AZADIRACTIN	14.34	15	401.40	A
AZOXYSTROBIN	43.80	10	459.08	A
BACILLUS PUMILUS, STRAIN QST 2808	115.60	31	1,828.20	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	140.04	16	679.80	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	121.61	4	112.60	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	11.48	3	9.00	A
BEAUVERIA BASSIANA STRAIN GHA	< 0.01	1	108.00	S
BENSULIDE	25.69	10	4.47	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	17.76	11	158.00	A
BOSCALID	53.41	2	178.00	A
BUPROFEZIN	2.52	2	11.50	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	20.45	7	552.00	A
CARFENTHAZONE-ETHYL	3.05	2	204.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	1.58	4	4.00	A
CHLORANTRANILIPROLE	91.28	41	1,616.76	A
CITRIC ACID	1.08	1	18.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	13.37	4	8.00	A
CLETHODIM	62.77	9	471.00	A
(S)-CYPERMETHRIN	1.90	3	39.50	A
CYPRODINIL	0.06	1	0.25	A
DIMETHYLPOLYSILOXANE	23.29	16	146.37	A
DIMETHYL SILICONE FLUID EMULSION	0.04	2	12.50	A
EMAMECTIN BENZOATE	69.22	14	690.22	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	7.02	1	20.30	A
FATTY ACIDS, METHYL ESTERS	15.29	4	42.00	A
FATTY ACIDS, MIXED	1.15	7	327.25	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	51.01	7	116.00	A
FLONICAMID	1.25	16	15.55	A
FLUBENDIAMIDE	0.43	6	13.79	A
FLUDIOXONIL	3.98	3	18.25	A
FLUOPICOLIDE	0.49	6	3.95	A
FOSETYL-AL	5.04	1	1.26	A
GLYPHOSATE, POTASSIUM SALT	35.86	1	26.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.72	1	18.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	8.14	7	76.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RADICCHIO				
IMIDACLOPRID	50.88	60	562.02	A
INDOXACARB	1.43	6	20.08	A
ISOPROPYL ALCOHOL	6.82	89	286.91	A
KAOLIN	47.50	1	2.00	A
LECITHIN	68.19	21	229.45	A
MALATHION	96.16	1	72.00	A
MANDIPROPAMID	0.79	7	6.10	A
METHOXYFENOZIDE	12.54	16	81.03	A
METHYLATED SOYBEAN OIL	208.27	50	2,526.20	A
MINERAL OIL	24.61	1	40.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	28.22	15	478.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	76.58	126	2,943.16	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	68.64	6	113.50	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.68	3	15.00	A
OLEIC ACID, METHYL ESTER	24.41	7	76.80	A
PERMETHRIN	415.13	84	2,144.60	A
PHOSPHORIC ACID	27.49	57	394.80	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	8.74	32	2,304.00	A
POLYBUTENES	9.11	7	116.00	A
POLYETHER MODIFIED POLYSILOXANE	0.38	1	20.30	A
POTASSIUM N-METHYLDITHIOCARBAMATE	1,386.35	17	11.73	A
PROPIONIC ACID	2.62	4	25.25	A
PROPYLENE GLYCOL	0.87	1	18.00	A
PROPYZAMIDE	595.25	40	654.10	A
PYMETROZINE	4.26	15	50.09	A
PYRACLOSTROBIN	56.61	53	308.50	A
PYRETHRINS	33.15	29	1,043.80	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	17.10	3	42.00	A
REYNOUTRIA SACHALINENSIS	32.78	35	273.10	A
SILICONE	0.27	13	65.75	A
SPINETORAM	19.04	49	360.59	A
SPINOSAD	179.85	47	1,466.97	A
SPIROTETRAMAT	4.78	61	505.80	A
SULFUR	5,374.55	28	1,530.20	A
TALL OIL	0.04	39	25.91	A
TALL OIL FATTY ACIDS	2.69	1	40.00	A
THIAMETHOXAM	65.24	8	550.50	A
TRIFLURALIN	323.00	7	323.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	34.16	19	242.50	A
Site Total	10,324.28	1,031		
RADISH				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.52	63	123.62	A
ALPHA-PINENE BETA-PINENE COPOLYMER	3.99	8	38.49	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	< 0.01	2	0.02	A
AMMONIUM PROPIONATE	1.89	1	8.00	A
AMMONIUM SULFATE	0.47	1	8.00	A
AZADIRACTIN	0.04	1	1.40	A
AZOXYSTROBIN	140.29	136	837.18	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	1.00	1	4.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RADISH				
BACILLUS PUMILUS, STRAIN QST 2808	5.33	5	48.20	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	68.00	10	114.73	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	0.96	3	5.00	A
BIFENTHRIN	4.71	25	60.65	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.10	10	49.24	A
CALCIUM HYPOCHLORITE	410.04	3	156.00	U
	278.80	2	106.00	A
Total Pounds On This Chemical	688.84			
CARBARYL	160.04	92	162.74	A
CARBOXIN	2.64		3,527.00	P
CHLORANTRANILIPROLE	14.91	99	247.65	A
CHLORPYRIFOS	1,068.33	263	771.56	A
CHLORTHAL-DIMETHYL	3,550.05	227	915.30	A
CITRIC ACID	0.94	1	8.00	A
CLETHODIM	0.53	1	4.00	A
COCONUT DIETHANOLAMIDE	0.17	33	13.16	A
COPPER HYDROXIDE	646.53	121	568.20	A
COPPER SULFATE (PENTAHYDRATE)	1,854.35	2	69.20	A
CYFLUTHRIN	7.08	32	169.00	A
BETA-CYFLUTHRIN	8.73	104	352.09	A
(S)-CYPERMETHRIN	15.28	113	292.27	A
DIAZINON	22.82	9	29.50	A
DIMETHYLPOLYSILOXANE	7.44	98	512.44	A
DIMETHYL SILICONE FLUID EMULSION	3.31	96	399.50	A
DIPHACINONE	< 0.01	2	12.09	A
DODECYLBENZENE SULFONIC ACID	0.75	33	13.16	A
EDTA, TETRASODIUM SALT	0.05	33	13.16	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	42.77	63	123.62	A
ESFENVALERATE	31.25	195	781.60	A
ETHYLENE GLYCOL	26.42	28	110.25	A
FATTY ACIDS, MIXED	12.10	169	728.25	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	3.49	2	10.75	A
FATTY ACIDS DERIVED FROM TALLOW	< 0.01	2	0.02	A
FENAMIDONE	3.35	13	49.00	A
FLONICAMID	0.31	6	1.50	A
FLUOPICOLIDE	2.00	5	16.12	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	113.76	30	189.60	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.16	3	13.20	A
IMIDACLOPRID	40.15	31	181.21	A
IPRODIONE	14.44	4	14.45	A
IRON PHOSPHATE	0.06	5	8,560.00	S
ISOPROPYL ALCOHOL	5.06	64	127.79	A
LECITHIN	252.96	175	786.75	A
MALATHION	137.32	92	128.67	A
MEFENOXAM	275.34	274	1,013.22	A
METHOXYFENOZIDE	0.57	2	2.96	A
METHYLATED SOYBEAN OIL	5.45	9	89.00	A
METHYL SILICONE RESINS	8.17	154	450.34	A
MINERAL OIL	1.40	8	38.49	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RADISH				
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.18	2	10.75	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	85.68	202	842.90	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1.37	1	8.00	A
OLEIC ACID, METHYL ESTER	0.49	3	13.20	A
PERMETHRIN	0.13	1	3.00	A
PETROLEUM DISTILLATES, AROMATIC	0.56	1	2.00	A
PHOSPHORIC ACID	2.70	96	136.78	A
PIPERONYL BUTOXIDE	0.75	6	1.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.12	4	1.00	A
POLYACRYLAMIDE POLYMER	0.07	1	2.50	A
POLYBUTENES	0.62	2	10.75	A
POLYETHER MODIFIED POLYSILOXANE	2.32	63	123.62	A
POLY-I-PARA-MENTHENE	2.59	6	9.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	22.95	22	178.99	A
POLYPROPYLENE GLYCOL	0.69	75	333.20	A
POTASSIUM N-METHYLDITHIOCARBAMATE	340.10	2	2.92	A
POTASSIUM PHOSPHITE	40.81	1	15.73	A
PROPIONIC ACID	242.05	166	697.75	A
PYRACLOSTROBIN	38.36	27	198.13	A
PYRETHRINS	5.08	21	97.44	A
REYNOUTRIA SACHALINENSIS	3.81	2	8.80	A
SILICONE DEFOAMER	0.02	33	13.16	A
SODIUM POLYACRYLATE	0.05	1	8.00	A
SODIUM XYLENE SULFONATE	0.23	33	13.16	A
SPINETORAM	18.68	80	333.30	A
SPINOSAD	24.27	37	237.22	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	8	38.49	A
SULFUR	2.40	1	3.00	A
TALL OIL	< 0.01	3	4.38	A
TALL OIL FATTY ACIDS	0.06	8	38.49	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.87	33	13.16	A
TETRAPOTASSIUM PYROPHOSPHATE	0.11	33	13.16	A
THIAMETHOXAM	2.72	10	44.38	A
THIRAM	406.08		192,978.68	P
TRIETHANOLAMINE	0.29	33	13.16	A
TRIFLURALIN	71.34	17	125.67	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	10.09	72	212.62	A
Site Total	10,591.30	2,597		
RANGELAND				
ABAMECTIN	0.12	1	30.00	A
ACRYLIC ACID	9.72	1	80.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.38	5	231.00	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.96	1	45.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	7.38	2	124.00	A
ALUMINUM PHOSPHIDE	5.22	17	33.25	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	1,037.31	90	6,480.11	A
	1.37	6	413,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RANGELAND				
Total Pounds On This Chemical	1,038.68			
AMMONIUM SULFATE	9.23	2	94.00	A
BENZOIC ACID	0.57	1	60.00	A
BROMOXYNIL HEPTANOATE	1.42	1	5.00	A
BROMOXYNIL OCTANOATE	1.47	1	5.00	A
BUTYL ALCOHOL	56.95	96	2,161.34	A
	0.02	1	500.00	S
Total Pounds On This Chemical	56.97			
CARBARYL	233.92	10	360.50	A
CARBON	30.80	4	23.00	A
CARFENTRAZONE-ETHYL	0.73	2	35.00	A
CASTOR OIL ETHOXYLATE	4.25	2	414.00	A
CHLOROPHACINONE	0.04	2	180.00	A
CHLORSULFURON	10.09	7	244.00	A
CITRIC ACID	0.52	2	94.00	A
CLOPYRALID, MONOETHANOLAMINE SALT	520.52	91	4,568.29	A
	40.11	15	43,546.00	S
Total Pounds On This Chemical	560.63			
COCONUT DIETHANOLAMIDE	0.05	2	54.00	A
(S)-CYPERMETHRIN	0.46	1	40.00	A
2,4-D, DIMETHYLAMINE SALT	1,683.97	52	1,647.00	A
	0.11	1	6,000.00	S
Total Pounds On This Chemical	1,684.08			
2,4-D, 2-ETHYLHEXYL ESTER	1.45		7.00	A
DICAMBA, DIMETHYLAMINE SALT	79.79	5	319.00	A
DIETHYLENE GLYCOL	81.80	14	890.36	A
DIFLUBENZURON	1.90	2	60.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	443.11	4	588.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.62	1	60.00	A
DIMETHYLPOLYSILOXANE	6.93	125	4,289.20	A
	< 0.01	1	500.00	S
Total Pounds On This Chemical	6.93			
DIPHACINONE	1.50	97	5,136.25	A
DIPROPYLENE GLYCOL METHYL ETHER	1.61	5	498.00	A
DODECYLBENZENE SULFONIC ACID	0.21	2	54.00	A
EDTA, TETRASODIUM SALT	0.01	2	54.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	31.98	5	231.00	A
FATTY ACIDS, MIXED	7.58	24	1,420.36	A
FATTY ACIDS DERIVED FROM TALLOW	2.95	2	124.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,257.18	160	2,071.73	A
	5.02	5	7,880.00	S
Total Pounds On This Chemical	1,262.19			
GLYPHOSATE, POTASSIUM SALT	204.72	19	145.75	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	2.16	2	4.00	A
ISOPROPYL ALCOHOL	34.83	24	2,471.50	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	< 0.01		3.00	A
KEROSENE	1.10	1	60.00	A
LAMBDA-CYHALOTHRIN	40.04	15	1,230.00	A
LECITHIN	173.40	24	1,870.00	A
MCPA, DIMETHYLAMINE SALT	3.32	1	2.00	A
METHYLATED SOYBEAN OIL	77.98	4	114.00	A
METHYL SILICONE RESINS	1.87	4	19.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2.13	3	10.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,367.23	153	6,657.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RANGELAND				
Total Pounds On This Chemical	1,367.39	0.16	1	500.00 S
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	2.95	1	45.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	94.22	3	210.00	A
OLEIC ACID	0.97	7	457.00	A
OLEIC ACID, METHYL ESTER	25.48	21	13.60	A
OXYFLUORFEN	2.40	3	9.75	A
PETROLEUM OIL, PARAFFIN BASED	64.70	3	51.00	A
PHOSPHORIC ACID	5.91	10	459.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.06	1	35.00	A
POLYACRYLAMIDE POLYMER	53.60	4	1,338.00	A
POLYACRYLIC POLYMER	0.26	2	94.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.07	2	9.00	A
POLYETHER MODIFIED POLYSILOXANE	1.73	5	231.00	A
POLYETHYLENE GLYCOL	116.26	10	1,135.50	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	11.14	1	40.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	2.54	1	6.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	12.10	2	8.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.01		3.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	0.09		3.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	31.85	2	414.00	A
POLYPROPYLENE GLYCOL	0.03	3	16.00	A
POLYSACCHARIDE POLYMER	5.96	4	1,338.00	A
PROPIONIC ACID	172.33	24	1,870.00	A
PROPYLENE GLYCOL	58.19	3	194.00	A
PYRIPROXYFEN	1.50	4	166.00	A
SILICONE	0.51	4	446.00	A
SILICONE DEFOAMER	< 0.01	2	54.00	A
SIMAZINE	40.50	2	45.95	A
SODIUM NITRATE	58.30	4	23.00	A
SODIUM XYLENE SULFONATE	0.07	2	54.00	A
STRYCHNINE	1.50	2	29.00	A
TALL OIL	9.61	4	504.00	A
TALL OIL FATTY ACIDS	109.26	8	692.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	16.22	9	511.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.03	2	54.00	A
TRICLOPYR, BUTOXYETHYL ESTER	468.83	125	1,696.08	A
TRICLOPYR, TRIETHYLAMINE SALT	60.51	6	73.50	A
TRIETHANOLAMINE	0.08	2	54.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	4.56	10	279.36	A
ZINC PHOSPHIDE	37.40	7	1,134.50	A
Site Total	8,965.98	969		
RAPPINI				
ACETAMIPRID	9.58	38	133.60	A
ACIBENZOLAR-S-METHYL	0.40	1	12.60	A
ACRYLIC ACID	143.70	82	1,352.90	A
AZADIRACTIN	1.25	10	60.10	A
AZOXYSTROBIN	267.00	15	1,068.90	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	19.60	8	19.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RAPPINI				
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	0.63	1	1.16	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1.74	20	20.35	A
BENSULIDE	748.24	28	182.14	A
BENZOIC ACID	0.96	24	78.47	A
BIFENTHRIN	145.57	21	1,621.40	A
BUTYL ALCOHOL	4.93	72	212.70	A
CHLORANTRANILIPROLE	2.99	3	51.00	A
CHLORTHAL-DIMETHYL	3,893.32	97	1,287.38	A
CLETHODIM	81.99	9	662.40	A
BETA-CYFLUTHRIN	0.44	5	153.70	A
CYPERMETHRIN	50.11	37	622.20	A
(S)-CYPERMETHRIN	84.61	112	1,973.76	A
DIMETHYL ALKYL TERTIARY AMINES	1.04	24	78.47	A
DIMETHYLPOLYSILOXANE	131.67	212	2,614.00	A
FATTY ACIDS, MIXED	8.13	53	1,003.34	A
FENAMIDONE	340.25	154	1,460.94	A
FLONICAMID	1.27	6	14.50	A
FLUBENDIAMIDE	0.11	4	2.20	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	8.22	27	126.51	A
IMIDACLOPRID	510.22	246	3,527.74	A
KEROSENE	1.86	24	78.47	A
LECITHIN	554.09	94	3,787.14	A
MALATHION	21.96	2	17.20	A
MANDIPROPAMID	6.83	3	52.60	A
MEFENOXAM	1,748.32	4	30.80	A
MEFENOXAM, OTHER RELATED	51.42	4	30.80	A
METHYLATED SOYBEAN OIL	217.63	65	2,862.27	A
METHYL SILICONE RESINS	0.27	5	87.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	95.23	125	1,216.04	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	536.47	82	1,352.90	A
OLEIC ACID, METHYL ESTER	24.66	27	126.51	A
PHOSPHORIC ACID	16.29	82	1,352.90	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.32	4	2.20	A
POLYPROPYLENE GLYCOL	0.32	5	87.50	A
POTASH SOAP	61.41	9	18.15	A
POTASSIUM PHOSPHITE	303.36	8	156.00	A
PROPIONIC ACID	189.72	53	1,003.34	A
PROPYLENE GLYCOL	0.16	4	2.20	A
PYRETHRINS	0.95	18	17.40	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	3.20	15	14.74	A
REYNOUTRIA SACHALINENSIS	377.46	219	3,465.60	A
SILICONE	0.14	6	131.20	A
SPINETORAM	160.54	317	4,173.24	A
SPINOSAD	15.09	17	200.00	A
SPIROTETRAMAT	44.83	271	4,984.04	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	4	2.60	A
THIAMETHOXAM	3.70	5	79.00	A
THIRAM	0.18		72.00	P
TRIFLURALIN	100.23	24	389.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RAPPINI				
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.60	4	2.20	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	182.19	41	2,783.80	A
Site Total	11,177.36	2,089		
RASPBERRY				
ACETAMIPRID	82.37	80	905.48	A
ACRYLIC ACID	2.01	2	10.40	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	63.72	45	406.30	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	71.45	10	375.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	436.47	188	2,291.78	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	490.76	220	1,949.66	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY(OXYETHYLENE) SULFATE, SODIUM SALT	43.48	28	541.90	A
ALKYL (C8,C10) POLYGLUCOSIDE	17.72	111	898.85	A
AMMONIUM PROPIONATE	66.62	49	256.71	A
AMMONIUM SULFATE	26.31	51	259.71	A
AZADIRACTIN	41.32	74	753.46	A
AZOXYSTROBIN	29.90	14	150.78	A
BACILLUS PUMILUS, STRAIN QST 2808	18.49	31	237.90	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	98.69	14	145.56	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	3.70	6	35.90	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	1,826.77	138	2,031.46	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1,880.25	199	2,412.96	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	13.65	7	80.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1,974.80	245	3,213.73	A
BEAUVERIA BASSIANA STRAIN GH	6.08	4	27.58	A
BIFENAZATE	1,507.06	323	3,033.30	A
BIFENTHRIN	72.40	120	743.53	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL)ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	33.92	202	2,726.45	A
BOSCALID	972.31	281	2,915.25	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	50.81	6	59.70	A
CAPTAN	261.67	11	130.92	A
CAPTAN, OTHER RELATED	5.84	11	130.92	A
CARFENTHAZONE-ETHYL	165.83	166	2,489.31	A
CHLORANTRANILIPROLE	101.91	99	1,281.73	A
CHLOROPICRIN	587,440.42	189	2,875.47	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	29.70	2	33.00	A
CITRIC ACID	33.31	49	256.71	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	4,398.88	176	1,475.89	A
COCONUT DIETHANOLAMIDE	201.34	67	1,093.06	A
COPPER HYDROXIDE	64.24	4	104.62	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RASPBERRY				
COPPER OXIDE (OUS)	485.03	36	299.60	A
COTTONSEED OIL	5.78	3	5.50	A
(S)-CYPERMETHRIN	203.90	455	4,679.64	A
CYPRODINIL	280.77	77	877.73	A
DIAZINON	69.91	8	83.84	A
1,3-DICHLOROPROPENE	271,903.61	115	1,956.83	A
DIETHYLENE GLYCOL	14.02	7	95.00	A
DIMETHYLPOLYSILOXANE	1,260.17	561	6,785.37	A
DIMETHYL SILICONE FLUID EMULSION	0.66	5	97.00	A
DIPHACINONE	< 0.01	6	59.49	A
DODECYLBENZENE SULFONIC ACID	16.09	39	551.16	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.47	3	20.00	A
EDTA, TETRASODIUM SALT	0.99	39	551.16	A
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	1.64	13	250.35	A
ETHYLENE GLYCOL	43.24	5	153.00	A
ETOXAZOLE	69.95	45	520.43	A
FATTY ACIDS, MIXED	22.50	11	106.92	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	54.08	10	380.00	A
FATTY ACIDS DERIVED FROM TALLOW	196.31	220	1,949.66	A
FENHEXAMID	109.41	22	140.87	A
FENPROPATHRIN	11.37	5	36.50	A
FLUDIOXONIL	187.18	77	877.73	A
GLYPHOSATE, ISOPROPYLAMINE SALT	2,006.13	3	5.00	A
GLYPHOSATE, POTASSIUM SALT	73.48	10	91.78	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	14.29	10	375.00	A
HEXYTHIAZOX	337.42	157	1,832.52	A
IMIDACLOPRID	443.06	84	651.24	A
IPRODIONE	483.78	79	660.39	A
ISOPARAFFINIC HYDROCARBONS	39.46	4	54.67	A
ISOPROPYL ALCOHOL	23.91	51	752.51	A
LAURIC ACID	39.53	28	541.90	A
LECITHIN	210.55	118	944.77	A
LIME-SULFUR	61,048.97	204	2,274.87	A
LIMONENE	48.83	1	3.00	A
MALATHION	7,121.81	379	3,692.03	A
MARGOSA OIL	18.48	1	20.00	A
MEFENOXAM	246.98	23	401.63	A
METALDEHYDE	144.79	9	148.37	A
METHOXYFENOZIDE	0.11	1	0.50	A
METHYLATED SOYBEAN OIL	135.33	7	80.20	A
METHYL BROMIDE	77,854.95	48	473.44	A
METHYL SILICONE RESINS	652.79	197	2,261.13	A
MINERAL OIL	19,604.76	522	4,962.11	A
MYCLOBUTANIL	296.15	398	4,759.50	A
NALED	0.38	1	0.75	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	18.35	10	380.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	623.62	258	2,436.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	188.39	136	891.97	A
ORCHEX 796 OIL	26.88	4	54.67	A
OXYFLUORFEN	5.07	2	4.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	13.20	9	64.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RASPBERRY				
PARAQUAT DICHLORIDE	212.00	11	184.22	A
PETROLEUM DISTILLATES, REFINED	16,680.00	121	1,326.34	A
PETROLEUM OIL, UNCLASSIFIED	955.09	18	133.53	A
PHOSPHORIC ACID	13.97	46	624.41	A
PIPERONYL BUTOXIDE	28.23	5	70.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	7.06	5	70.50	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	13.83	82	1,424.95	A
POLYACRYLAMIDE POLYMER	2.47	5	81.01	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	157.40	72	1,352.95	A
POLYBUTENES	9.66	10	380.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	22.47	9	115.00	A
POLY-I-PARA-MENTHENE	18.48	10	106.32	A
POLYOXYETHYLENE POLYOXYPROPYLENE	669.20	251	2,686.47	A
POLYPROPYLENE GLYCOL	0.39	4	64.50	A
POLYSILOXANE	0.71	111	898.85	A
POTASH SOAP	1,305.91	32	232.49	A
POTASSIUM BICARBONATE	16.41	1	6.67	A
POTASSIUM HYDROXIDE	20.77	111	898.85	A
POTASSIUM N-METHYLDITHIOCARBAMATE	5,384.98	3	25.00	A
POTASSIUM PHOSPHITE	98.16	5	26.21	A
PROPICONAZOLE	45.99	28	274.64	A
PROPIONIC ACID	160.94	118	944.77	A
PROPYLENE GLYCOL	82.65	46	1,023.90	A
PYRACLOSTROBIN	526.75	314	3,106.27	A
PYRETHRINS	185.35	232	2,643.84	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	64.83	67	647.57	A
REYNOUTRIA SACHALINENSIS	15.00	9	63.40	A
SILICONE DEFOAMER	0.42	39	551.16	A
SODIUM BICARBONATE	1.59	1	4.20	A
SODIUM DODECYLBENZENE SULFONATE	0.10	1	20.00	A
SODIUM POLYACRYLATE	4.97	49	256.71	A
SODIUM XYLENE SULFONATE	4.95	39	551.16	A
SORBITOL	1.11	1	20.00	A
SOYBEAN OIL	270.05	8	53.26	A
SPINETORAM	523.74	460	5,960.35	A
SPINOSAD	267.16	207	2,141.31	A
STREPTOMYCES LYDICUS WYEC 108	0.06	18	344.75	A
STYRENE BUTADIENE COPOLYMER	0.23	1	2.00	A
SULFUR	5,863.83	112	1,580.70	A
TALL OIL FATTY ACIDS	10.17	192	2,346.45	A
TEBUFENOZIDE	43.98	6	173.00	A
E-11-TETRADECEN-1-YL ACETATE	40.03	13	250.35	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE)	18.86	39	551.16	A
TETRAPOTASSIUM PYROPHOSPHATE	2.48	39	551.16	A
THIAMETHOXAM	1.50	7	38.84	A
TRIETHANOLAMINE	6.31	39	551.16	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	21.20	8	107.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	244.36	115	959.85	A
ZINC SULFATE	0.78	1	20.00	A
Site Total	1,083,225.28	7,669		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RECREATION AREA				
ALUMINUM PHOSPHIDE	0.10	1	108.00	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	1.29	1	41.00	A
AZOXYSTROBIN	0.88		73,560.00	S
CARFENTRAZONE-ETHYL	0.10		5.00	A
CHLOROTHALONIL	45.85		253,000.00	S
	8.06		2.00	A
Total Pounds On This Chemical	53.91			
2,4-D, DIMETHYLAMINE SALT	0.91		10,000.00	S
2,4-D, 2-ETHYLHEXYL ESTER	1.97		5.00	A
DICAMBA	0.13		5.00	A
DICAMBA, DIMETHYLAMINE SALT	0.08		10,000.00	S
DIPHACINONE	< 0.01	1	12.60	A
GLYPHOSATE, ISOPROPYLAMINE SALT	25.00	5	70.00	A
	9.97		8,000.00	K
Total Pounds On This Chemical	34.96			
IPRODIONE	17.11		3.14	A
	3.88		30,000.00	S
Total Pounds On This Chemical	20.99			
LAMBDA-CYHALOTHRIN	0.07		83,000.00	S
MCPP-P, DIMETHYLAMINE SALT	0.24		10,000.00	S
MECOPROP-P	0.50		5.00	A
PYRACLOSTROBIN	0.99		83,000.00	S
THIOPHANATE-METHYL	4.12		30,000.00	S
TRICLOPYR, TRIETHYLAMINE SALT	8.53	1	40.00	A
TRINEXAPAC-ETHYL	0.09		83,000.00	S
	0.04		1.00	A
Total Pounds On This Chemical	0.13			
Site Total	129.92	8		
REGULATORY PEST CONTROL				
ABAMECTIN	0.01			
ACEPHATE	0.58			
ACEQUINOCYL	0.07			
ACETAMIPRID	0.15			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18)				
DIMETHYLBENZYL AMMONIUM CHLORIDE	2.92			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	2.85			
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.91			
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9.01			
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	14.64			
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.82			
ALKYL (C8,C10) POLYGLUCOSIDE	1.04			
D-TRANS ALLETHRIN	0.02			
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	20.58			
ALUMINUM PHOSPHIDE	15,471.23			
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	247.83			
AMMONIUM SULFATE	3.86			
AZADIRACTIN	0.08			
AZOXYSTROBIN	20.87			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
REGULATORY PEST CONTROL				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14	< 0.01			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	0.07			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	2.70			
BEAUVERIA BASSIANA STRAIN GH4	< 0.01			
BENSULIDE	6.42			
BENZOIC ACID	0.35			
BIFENAZATE	0.46			
BIFENTHRIN	25.52			
BORAX	340.00			
BRODIFACUM	< 0.01			
BROMADIOLONE	0.01			
BUPROFEZIN	0.05			
BUTYL ALCOHOL	56.77			
CARBARYL	0.31			
CARBON	1.58			
CASTOR OIL ETHOXYLATE	7.41			
CHLORANTRANILIPROLE	10.54			
CHLORFENAPYR	0.73			
3-CHLORO-P-TOLUIDINE HYDROCHLORIDE	1.73			
CHLORSULFURON	49.82			
CITRIC ACID	3.47			
CLETHODIM	25.05			
CLOPYRALID, MONOETHANOLAMINE SALT	46.14			
COCONUT DIETHANOLAMIDE	1.82			
COPPER ETHYLENEDIAMINE COMPLEX	861.17			
COPPER HYDROXIDE	25.45			
CYFLUTHRIN	1.52			
BETA-CYFLUTHRIN	55.32			
CYPERMETHRIN	11.16			
CYPRODINIL	30.47			
2,4-D	77.80			
2,4-D, BUTOXYETHANOL ESTER	138.12			
2,4-D, DIETHANOLAMINE SALT	6.92			
2,4-D, DIMETHYLAMINE SALT	325.00			
2,4-D, 2-ETHYLHEXYL ESTER	818.57			
2,4-D, ISOOCTYL ESTER	4.99			
2,4-D, TRIISOPROPANOLAMINE SALT	308.05			
DDVP	40.34			
DDVP, OTHER RELATED	1.99			
DELTAMETHRIN	6.94			
DICAMBA, DIMETHYLAMINE SALT	3.01			
DICOFOL	0.13			
DIETHYLENE GLYCOL	16.24			
DIFENOCONAZOLE	13.06			
DIFETHIALONE	< 0.01			
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	344.62			
DIMETHOMORPH	0.09			
DIMETHYL ALKYL TERTIARY AMINES	0.38			
DIMETHYLPOLYSILOXANE	0.80			
DINOTEFURAN	0.40			
DIPHACINONE	0.29			
DIQUAT DIBROMIDE	1.43			
DISODIUM OCTABORATE TETRAHYDRATE	415.41			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
REGULATORY PEST CONTROL				
DITHIOPYR	0.63			
(E,Z)-7,9-DODECADIEN-1-YL ACETATE	0.34			
	0.01	1	1.32	A
Total Pounds On This Chemical	0.35			
DODECYLBENZENE SULFONIC ACID	7.87			
EDTA, TETRASODIUM SALT	0.48			
ENDOTHALL, MONO [N,N-DIMETHYL ALKYLAMINE] SALT	36.33			
ESFENVALERATE	1.55			
ETOXAZOLE	< 0.01			
FATTY ACIDS, MIXED	10.84			
FENPROPATHRIN	0.11			
FENPYROXIMATE	0.16			
FIPRONIL	1.67			
FLONICAMID	0.05			
FLUAZIFOP-P-BUTYL	1.64			
FLURIDONE	1,664.02			
FLUROXYPYR, 1-METHYLHEPTYL ESTER	12.72			
FREON 12	0.85			
GLUFOSINATE-AMMONIUM	11.16			
GLYPHOSATE, DIMETHYLAMINE SALT	412.63			
GLYPHOSATE, ISOPROPYLAMINE SALT	3,662.70			
GLYPHOSATE, POTASSIUM SALT	124.58			
HEXYTHIAZOX	0.02			
HYDRAMETHYLNON	0.25			
HYDROPRENE	0.33			
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	71.09			
IMAZAMOX, AMMONIUM SALT	0.05			
IMAZAPYR, ISOPROPYLAMINE SALT	211.08			
IMAZETHAPYR, AMMONIUM SALT	0.13			
IMIDACLOPRID	3,285.57			
ISOPROPYL ALCOHOL	8.13			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	20.61			
KEROSENE	0.68			
(S)-KINOPRENE	< 0.01			
KRESOXIM-METHYL	0.08			
LECITHIN	14.34			
LIMONENE	755.56			
MAGNESIUM PHOSPHIDE	3.27			
MALATHION	8,055.87			
MEPIQUAT CHLORIDE	0.05			
METHOPRENE	< 0.01			
S-METHOPRENE	1.13			
METHOXYFENOZIDE	0.85	1	1.00	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	27.52			
METHYLATED SOYBEAN OIL	40.38			
METHYL BROMIDE	33,257.79			
METHYLENE CHLORIDE	0.47			
S-METOLACHLOR	1.01			
MINERAL OIL	7.05			
MUSCALURE	< 0.01			
MYCLOBUTANIL	0.05			
NALED	479.10			
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.82			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	582.89			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
REGULATORY PEST CONTROL				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	< 0.01			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	1.77			
OLEIC ACID, ETHYL ESTER	187.55			
OLEIC ACID, METHYL ESTER	54.07			
OXYFLUORFEN	7.02			
PACLOBUTRAZOL	0.16			
PARAQUAT DICHLORIDE	1.94			
PENOX SULAM	2.51			
PERMETHRIN	44.74			
PETROLEUM DISTILLATES	5.22			
PETROLEUM OIL, PARAFFIN BASED	3,827.00			
PETROLEUM OIL, UNCLASSIFIED	0.75			
PHENOTHRIN	0.32			
PHOSPHINE	30,081.30			
PHOSPHORIC ACID	1.55			
PICLORAM	0.10			
PINE OIL	0.12			
PIPERONYL BUTOXIDE	3.41			
PIPERONYL BUTOXIDE, OTHER RELATED	0.67			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	6.86			
POLYETHER MODIFIED POLYSILOXANE	2.61			
POLYETHYLENE GLYCOL DIACETATE	1.87			
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.26			
POLYOXYETHYLENE DIOLEATE	32.82			
POLYOXYETHYLENE POLYOXYPROPYLENE	6.52			
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	96.53			
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	0.15			
POLYOXYETHYLENE SORBITAN MONOOLEATE	91.83			
POLYOXYETHYLENE SORBITAN TRIOLEATE	542.83			
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	55.58			
POTASH SOAP	3.91			
POTASSIUM BICARBONATE	0.47			
POTASSIUM PHOSPHITE	725.13			
PROPIONIC ACID	0.76			
PROPYLENE GLYCOL	0.49			
PYRETHRINS	0.94			
PYRIDABEN	0.38			
PYRIDALYL	0.20			
PYRIPROXYFEN	0.95			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.06			
ROTENONE	< 0.01			
ROTENONE, OTHER RELATED	0.01			
SAFLUFENACIL	1.97			
SILICA AEROGEL	0.20			
SILICONE DEFOAMER	0.21			
SODIUM CARBONATE	0.12			
SODIUM HYPOCHLORITE	24.60			
SODIUM NITRATE	2.98			
SODIUM XYLENE SULFONATE	2.42			
SORBITAN FATTY ACID ESTERS	0.03			
SPINOSAD	0.38			
SPIROMESIFEN	0.11			
SPIROTETRAMAT	0.01			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
REGULATORY PEST CONTROL				
STREPTOMYCIN SULFATE	1.69			
STRYCHNINE	0.07			
SULFOMETURON-METHYL	8.69			
SULFUR	715.03			
SULFUR DIOXIDE	3.48			
SULFURYL FLUORIDE	1,340.81			
TALL OIL	7.41			
TALL OIL FATTY ACIDS	1.51			
TETRACHLOROETHYLENE	1.36			
TETRACHLORVINPHOS	14.00			
TETRAMETHRIN	0.42			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.22			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.01			
TETRAPOTASSIUM PYROPHOSPHATE	1.21			
THIAMETHOXAM	3.66			
TRIADIMEFON	8.30			
TRICHLOROFLUOROMETHANE	0.85			
TRICLOPYR, BUTOXYETHYL ESTER	333.89			
TRICLOPYR, TRIETHYLAMINE SALT	94.70			
TRIETHANOLAMINE	3.09			
TRIFLOXYSTROBIN	< 0.01			
TRIFLUMIZOLE	0.43			
TRIFLURALIN	12.30			
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	17.92			
ZINC PHOSPHIDE	0.30			
Site Total	111,073.32	2		
RESEARCH COMMODITY				
ABAMECTIN	1.93			
	0.24	31	19.88	A
	0.05	17	70,406.00	S
Total Pounds On This Chemical	2.21			
ACEPHATE	23.61			
	1.93	12	6.27	A
Total Pounds On This Chemical	25.53			
ACEQUINOCYL	0.47			
	< 0.01	1	0.10	S
Total Pounds On This Chemical	0.47			
ACETAMIPRID	23.35			
	0.89	3	8.50	A
Total Pounds On This Chemical	24.24			
ACIBENZOLAR-S-METHYL	0.11	6	2.86	A
	< 0.01			
Total Pounds On This Chemical	0.12			
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	< 0.01			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	1.24			
	0.62	7	0.56	A
	< 0.01	9	49,000.00	S
Total Pounds On This Chemical	1.86			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	1.24			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
		0.62	7	0.56 A
		< 0.01	9	49,000.00 S
Total Pounds On This Chemical	1.86			
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)		0.02		
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)		8.33	6	40.94 A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)		0.03	1	2.00 A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)		< 0.01	1	2.00 A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)		2.13		
ALKYL (C8,C10) POLYGLUCOSIDE		49.94	4	175.00 A
ALUMINUM PHOSPHIDE		0.31		
		0.05	2	2.00 A
Total Pounds On This Chemical	0.36			
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE		0.02		
AMMONIUM NITRATE		23.78	4	175.00 A
AMMONIUM SULFATE		47.56	4	175.00 A
PARA-TERT-AMYLPHENOL		0.02		
ANCYMIDOL		< 0.01		
ATRAZINE		81.75	14	45.10 A
ATRAZINE, OTHER RELATED		1.73	14	45.10 A
AZADIRACTIN		1.73		
		0.06	10	16,010.00 S
		0.01	1	0.10 A
Total Pounds On This Chemical	1.80			
AZINPHOS-METHYL		3.00		
AZOXYSTROBIN		12.51		
		7.29	88	70.62 A
		0.60	10	19,350.00 S
Total Pounds On This Chemical	20.40			
BACILLUS PUMILUS, STRAIN QST 2808		0.05	6	15,050.00 S
		< 0.01		
Total Pounds On This Chemical	0.05			
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN SD- 1372, LEPIDOPTERAN ACTIVE TOXIN(S)		0.21		
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14		1.77		
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52		31.11		
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		0.52		
		0.07	5	1,840.00 S
Total Pounds On This Chemical	0.58			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11		0.04		
BEAUVERIA BASSIANA STRAIN GHA		0.33		
		0.12	8	1.50 A
Total Pounds On This Chemical	0.45			
BENEFIN		3.00		
BENOMYL		0.09		
BENSULFURON METHYL		0.04		
BENSULIDE		23.00		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
ORTHO-BENZYL-PARA-CHLOROPHENOL	0.04			
BIFENAZATE	22.37			
	11.38	19	26.70	A
	< 0.01	1	1,000.00	S
Total Pounds On This Chemical	33.76			
BIFENTHRIN	9.83			
	5.31	8	61.32	A
	0.47	1	4.50	S
Total Pounds On This Chemical	15.61			
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS				
BISPYRIBAC-SODIUM	1.44	6	13.85	A
BORAX	< 0.01			
	0.70			
	0.51	2	22.24	A
Total Pounds On This Chemical	1.21			
BOSCALID	21.16	21	58.72	A
	10.33			
	0.22	5	4,450.30	S
Total Pounds On This Chemical	31.72			
BROMOXYNIL HEPTANOATE	5.84			
BROMOXYNIL OCTANOATE	6.24			
BUPROFEZIN	19.36			
	3.01	4	17.50	A
Total Pounds On This Chemical	22.37			
BUTYL ALCOHOL	0.06			
CAPTAN	2.27			
CAPTAN, OTHER RELATED	0.05			
CARBARYL	1.61	2	0.17	A
	0.49			
	< 0.01	1	30.00	S
Total Pounds On This Chemical	2.09			
CARBOXIN	0.03			
CARFENTRAZONE-ETHYL	1.27	2	86.00	A
	0.50			
Total Pounds On This Chemical	1.78			
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	7.27			
CHLORANTRANILIPROLE	0.34	4	5.30	A
	0.20			
Total Pounds On This Chemical	0.53			
CHLORFENAPYR	7.55			
	0.56	25	5.40	A
	0.03	1	2,500.00	S
Total Pounds On This Chemical	8.14			
CHLORMEQUAT CHLORIDE	0.03	4	0.40	A
CHLOROPICRIN	878.20	1	4.40	A
	34.00			
Total Pounds On This Chemical	912.20			
CHLOROTHALONIL	39.89			
	5.72	17	4.02	A
Total Pounds On This Chemical	45.61			
CHLORPYRIFOS	32.48	30	31.77	A
	13.95			
Total Pounds On This Chemical	46.43			
CHLORTHAL-DIMETHYL	7.05			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
CITRIC ACID	< 0.01	1	2.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	12.66			
CLETHODIM	0.08			
CLOFENTEZINE	0.26			
CLOMAZONE	1.20			
CLOTHIANIDIN	0.99	4	10.40	A
COCONUT DIETHANOLAMIDE	0.23			
COPPER AMMONIUM COMPLEX	< 0.01			
COPPER HYDROXIDE	261.23			
	3.26	5	5.91	A
	0.06	1	5,600.00	S
Total Pounds On This Chemical	264.54			
COPPER OCTANOATE	0.34			
COPPER SULFATE (PENTAHYDRATE)	0.02			
CYAZOFAMID	0.23			
	0.05	8	0.91	A
Total Pounds On This Chemical	0.29			
CYCLOATE	3.46			
CYFLUTHRIN	1.04			
	0.09	7	8.81	A
Total Pounds On This Chemical	1.13			
BETA-CYFLUTHRIN	0.08			
CYHALOFOP-BUTYL	< 0.01			
CYPERMETHRIN	0.82			
(S)-CYPERMETHRIN	2.37	12	48.94	A
	1.29			
	0.14	6	13,400.00	S
Total Pounds On This Chemical	3.79			
CYPRODINIL	9.75	35	32.45	A
	3.37			
	0.23	5	8,800.30	S
Total Pounds On This Chemical	13.35			
CYROMAZINE	0.36			
	0.05	2	0.80	A
Total Pounds On This Chemical	0.41			
2,4-D, DIMETHYLAMINE SALT	31.65			
DAMINOZIDE	0.11	5	0.50	A
DDVP	7.06			
DDVP, OTHER RELATED	0.53			
DIAZINON	4.55	3	3.00	A
	2.39			
	0.62	1	8,000.00	S
Total Pounds On This Chemical	7.56			
DICAMBA, DIMETHYLAMINE SALT	2.43			
DICAMBA, SODIUM SALT	1.10			
1,3-DICHLOROPROPENE	1,848.04	1	4.90	A
DICLORAN	7.21			
DIETHYLENE GLYCOL	7.29			
DIFENOCONAZOLE	0.17			
	0.11	1	1.00	A
Total Pounds On This Chemical	0.28			
DIFLUBENZURON	0.50			
	< 0.01	1	0.10	A
Total Pounds On This Chemical	0.51			
DIFLUFENZOPYR, SODIUM SALT	0.43			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
DIMETHENAMID-P	0.25			
DIMETHOATE	3.01			
	0.82	2	11,000.00	S
Total Pounds On This Chemical	3.83			
DIMETHOMORPH	0.05			
DIMETHYLPOLYSILOXANE	12.50	10	209.84	A
	1.26			
Total Pounds On This Chemical	13.76			
DINOTEFURAN	4.27			
	0.51	19	3.90	A
	< 0.01	1	18.00	S
Total Pounds On This Chemical	4.78			
DIPHACINONE	0.01			
DIQUAT DIBROMIDE	20.57			
	< 0.01	1	0.10	A
Total Pounds On This Chemical	20.57			
DIURON	10.09			
DODECYLBENZENE SULFONIC ACID	1.02			
DODINE	0.02			
EDTA, TETRASODIUM SALT	0.06			
EMAMECTIN BENZOATE	0.11	3	7.00	A
ENCAPSULATED DELTA ENDOTOXIN OF BACILLUS THURINGIENSIS VAR. KURSTAKI IN KILLED PSEUDOMONAS FLUORESCENS	0.21			
ENDOSULFAN	0.70	7	1.02	A
	0.28			
Total Pounds On This Chemical	0.98			
EPTC	34.85			
ESFENVALERATE	3.90			
	2.21	9	56.29	A
Total Pounds On This Chemical	6.10			
ETHEPHON	1.17			
	0.02	5	0.50	A
Total Pounds On This Chemical	1.19			
ETHOFUMESATE	5.31			
ETHYLENE GLYCOL	6.05			
ETOXAZOLE	3.88	7	30.30	A
	0.25			
Total Pounds On This Chemical	4.13			
FATTY ACIDS, MIXED	12.98			
	< 0.01	1	0.75	S
Total Pounds On This Chemical	12.98			
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	5.36	6	13.85	A
FATTY ACIDS DERIVED FROM TALLOW	0.85			
FENAMIDONE	1.13	5	1.05	A
	0.04			
Total Pounds On This Chemical	1.17			
FENARIMOL	0.10			
FENBUTATIN-OXIDE	< 0.01			
FENHEXAMID	2.98	10	4.10	A
	1.32			
Total Pounds On This Chemical	4.30			
FENPROPATHRIN	0.73	1	2.50	A
FENPYROXIMATE	0.44			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
		0.23	10	6.80 A
		< 0.01	1	0.10 S
Total Pounds On This Chemical	0.67			
FLONICAMID		1.73	22	21.06 A
		1.26		
Total Pounds On This Chemical	2.99			
FLUBENDIAMIDE		0.43	4	17.50 A
FLUDIOXONIL		8.10	48	46.57 A
		1.20		
		0.15	5	8,800.30 S
Total Pounds On This Chemical	9.45			
FLUMIOXAZIN		0.40		
FLUOPYRAM		0.03		
FLUTOLANIL		4.48		
TAU-FLUVALINATE		4.38		
		0.36	7	15,450.00 S
Total Pounds On This Chemical	4.74			
FOSETYL-AL		15.18		
		13.70	4	3.37 A
		0.14	1	2,800.00 S
Total Pounds On This Chemical	29.02			
GIBBERELLINS		< 0.01	11	1.20 A
GLIOCLADIUM VIRENS GL-21 (SPORES)		0.24		
GLUFOSINATE-AMMONIUM		92.11		
GLUTARALDEHYDE		< 0.01		
GLYPHOSATE, ISOPROPYLAMINE SALT		593.78		
		295.87	21	253.87 A
		5.60	1	2.80 S
Total Pounds On This Chemical	895.26			
GLYPHOSATE, MONOAMMONIUM SALT		2.14		
GLYPHOSATE, POTASSIUM SALT		581.21		
		75.87	2	42.00 A
Total Pounds On This Chemical	657.08			
HALOSULFURON-METHYL		0.08		
HEXAZINONE		8.03		
HEXYTHIAZOX		5.28	22	30.52 A
HYDRAMETHYLNON		< 0.01		
HYDROGEN PEROXIDE		0.02		
IBA		< 0.01	1	0.10 A
IMAZAMOX, AMMONIUM SALT		0.23		
IMAZAPYR, ISOPROPYLAMINE SALT		0.29		
IMIDACLOPRID		17.09		
		7.50	43	67.42 A
		0.63	12	13,381.89 S
Total Pounds On This Chemical	25.22			
INDAZIFLAM		0.04		
INDOXACARB		1.83	18	32.80 A
IPRODIONE		4.21		
		3.81	6	3.50 A
		1.33	8	22,550.00 S
Total Pounds On This Chemical	9.35			
ISOPROPYL ALCOHOL		1.41		
		0.87	12	31.65 A
Total Pounds On This Chemical	2.28			
(S)-KINOPRENE		2.41		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
KRESOXIM-METHYL	0.17			
	< 0.01	1	0.20	A
Total Pounds On This Chemical	0.18			
LAMBDA-CYHALOTHRIN	1.67			
	0.88	16	24.15	A
Total Pounds On This Chemical	2.55			
LECITHIN	0.09	1	0.75	S
LIGNIN SULFONIC ACID, ZINC, MANGANESE & IRON SALTS	12.75	6	13.99	A
LIMONENE	0.64			
LINURON	3.10			
MAGNESIUM PHOSPHIDE	0.65			
MALATHION	121.00			
	60.98	5	30.84	A
	0.05	1	777.00	S
Total Pounds On This Chemical	182.03			
MANCOZEB	77.97			
	19.62	34	12.84	A
	0.61	7	25,300.00	S
Total Pounds On This Chemical	98.20			
MANDIPROPAMID	1.51			
	0.12	1	1.00	A
Total Pounds On This Chemical	1.63			
MANEB	2.22			
MCPA, DIMETHYLAMINE SALT	96.23			
MCPP, POTASSIUM SALT	< 0.01			
MEFENOXAM	1.69	32	27.89	A
	0.66			
	0.02	5	16,900.00	S
Total Pounds On This Chemical	2.37			
MEFENOXAM, OTHER RELATED	< 0.01	26	23.92	A
	< 0.01			
Total Pounds On This Chemical	< 0.01			
MEPIQUAT CHLORIDE	0.77			
MESOSULFURON-METHYL	0.32			
METALAXYL	0.53			
METALDEHYDE	0.40	2	0.17	A
	0.12			
Total Pounds On This Chemical	0.52			
METAM-SODIUM	1,320.79	1	7.80	A
	42.75			
Total Pounds On This Chemical	1,363.54			
METCONAZOLE	0.10			
METHIDATHION	58.00			
METHOMYL	14.24			
	0.07	5	0.40	A
Total Pounds On This Chemical	14.31			
METHOXYFENOZIDE	0.35			
METHYL BROMIDE	1,666.00			
	883.50	1	4.40	A
Total Pounds On This Chemical	2,549.50			
METHYL SILICONE RESINS	0.08	1	4.40	A
METOLACHLOR	28.94	1	22.00	A
	0.54			
Total Pounds On This Chemical	29.48			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
S-METOLACHLOR	57.01	14	45.10	A
	9.91			
Total Pounds On This Chemical	66.92			
METRIBUZIN	6.75			
MINERAL OIL	404.58			
	22.84	3	18,199.99	S
Total Pounds On This Chemical	427.42			
MYCLOBUTANIL	11.87			
	1.72	5	24.97	A
	0.12	11	54,600.00	S
Total Pounds On This Chemical	13.70			
NALED	17.11			
	0.57	3	0.23	A
Total Pounds On This Chemical	17.67			
NAPROPAMIDE	54.15			
NICOTINE	0.03			
NONANOIC ACID	1.07	1	0.20	A
NONANOIC ACID, OTHER RELATED	0.06	1	0.20	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2.50	7	18.85	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	24.36			
	5.55	32	37.77	A
	0.03	1	0.75	S
Total Pounds On This Chemical	29.93			
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.82	1	5.00	A
NORFLURAZON	0.26			
NOVALURON	1.06	13	6.70	A
	0.14			
	< 0.01	1	0.10	S
Total Pounds On This Chemical	1.20			
OIL OF JOJOBA	5.32			
ORYZALIN	208.97			
OXADIAZON	1.00			
OXYFLUORFEN	209.80			
	23.08	1	46.00	A
Total Pounds On This Chemical	232.87			
PACLOBUTRAZOL	< 0.01	14	2.04	A
	< 0.01	2	0.20	S
Total Pounds On This Chemical	< 0.01			
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	3.01			
	0.07	1	0.20	A
Total Pounds On This Chemical	3.08			
PARAQUAT DICHLORIDE	10.84			
	5.88	2	5.00	A
Total Pounds On This Chemical	16.72			
PENDIMETHALIN	171.50			
PENOXSULAM	0.10			
PERMETHRIN	43.76			
	1.60	3	18,199.99	S
	0.13	1	1.00	A
Total Pounds On This Chemical	45.48			
PETROLEUM DISTILLATES, REFINED	258.71			
PETROLEUM OIL, PARAFFIN BASED	13.88			
PETROLEUM OIL, UNCLASSIFIED	0.86			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
PHENOTHRIN	0.04			
ORTHO-PHENYLPHENOL	< 0.01			
PHOSMET	0.88			
PHOSPHORIC ACID	3.06	12	32.55	A
	0.20			
Total Pounds On This Chemical	3.26			
PINOXADEN	0.69			
PIPERALIN	0.09			
PIPERONYL BUTOXIDE	0.04			
PIPERONYL BUTOXIDE, OTHER RELATED	< 0.01			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.15	7	5,131.00	S
POLYBUTENES	0.96	6	13.85	A
POLYETHYLENE GLYCOL	0.46	1	3.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	4.76	1	30.00	A
POLYOXIN D, ZINC SALT	0.06	3	0.40	A
POTASH SOAP	29.39			
	10.17	18	2.05	A
	0.65	2	1,777.00	S
Total Pounds On This Chemical	40.20			
POTASSIUM BICARBONATE	8.88			
POTASSIUM N-METHYLDITHIOCARBAMATE	2,861.31			
POTASSIUM PHOSPHITE	2.15	3	3.36	A
PROMETRYN	0.67			
PROPAMOCARB HYDROCHLORIDE	8.15	7	0.61	A
PROPANIL	14.21			
PROPARGITE	4.93			
PROPICONAZOLE	0.92	1	8.00	A
	0.22			
	0.07	1	2,500.00	S
Total Pounds On This Chemical	1.21			
PROPIONIC ACID	0.09	1	0.75	S
PROPYZAMIDE	22.36			
PYMETROZINE	3.79			
	0.65	10	7.20	A
	0.04	5	19,600.00	S
Total Pounds On This Chemical	4.47			
PYRACLOSTROBIN	11.63	15	62.18	A
	8.44			
	0.09	2	0.30	S
Total Pounds On This Chemical	20.16			
PYRETHRINS	0.38			
	0.07	5	11,677.00	S
Total Pounds On This Chemical	0.45			
PYRIDABEN	0.38	1	0.75	S
	0.13	2	0.60	A
	0.04			
Total Pounds On This Chemical	0.54			
PYRIDALYL	0.89	22	23.40	A
	0.78			
	0.30	4	5,650.00	S
Total Pounds On This Chemical	1.96			
PYRIMETHANIL	0.05			
PYRIPROXYFEN	0.12			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.33			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
		0.02	1	0.14 A
		< 0.01	7	1,191.00 S
Total Pounds On This Chemical	0.35			
QUINOXYFEN		0.39		
		0.24	1	2.50 A
Total Pounds On This Chemical	0.63			
REYNOUTRIA SACHALINENSIS		0.70		
		0.51	2	2.65 A
		0.20	6	15,100.00 S
Total Pounds On This Chemical	1.41			
RIMSULFURON		0.93		
ROTENONE		0.03		
ROTENONE, OTHER RELATED		0.03		
SAFLUFENACIL		0.12		
SETHOXYDIM		7.12		
SILICONE		0.05	4	7.60 A
SILICONE DEFOAMER		0.03		
SIMAZINE		32.78		
SODIUM HYPOCHLORITE		0.87		
SODIUM METASILICATE		< 0.01		
SODIUM XYLENE SULFONATE		0.31		
SPINETORAM		5.00		
		2.72	5	28.94 A
Total Pounds On This Chemical	7.72			
SPINOSAD		15.36		
		5.39	62	49.64 A
		0.28	14	27,354.00 S
Total Pounds On This Chemical	21.04			
SPIROMESIFEN		6.07	5	33.91 A
		1.52		
		0.62	4	81.50 S
Total Pounds On This Chemical	8.22			
SPIROTETRAMAT		0.54		
		0.30	13	32.15 A
		0.02	13	81.00 S
Total Pounds On This Chemical	0.86			
STREPTOMYCES LYDICUS WYEC 108		< 0.01		
		< 0.01	1	0.08 A
Total Pounds On This Chemical	< 0.01			
STREPTOMYCIN SULFATE		4.66		
		0.11	1	4.50 A
Total Pounds On This Chemical	4.77			
SULFENTRAZONE		1.86		
SULFLURAMID		< 0.01	1	0.10 A
SULFUR		833.36		
		5.59	17	29,074.00 S
Total Pounds On This Chemical	838.95			
SULFUR DIOXIDE		200.00		
TALL OIL FATTY ACIDS		0.03	19	4.12 A
TEBUCONAZOLE		1.79		
TEMBOTRIONE		1.79	1	22.00 A
TETRAMETHRIN		0.04		
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)		1.19		
		< 0.01	1	0.08 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RESEARCH COMMODITY				
Total Pounds On This Chemical	1.20			
TETRAPOTASSIUM PYROPHOSPHATE	0.16			
THIABENDAZOLE	0.03			
THIAMETHOXAM	5.08	68	52.06	A
	0.35			
Total Pounds On This Chemical	5.43			
THIDIAZURON	0.19			
THIOBENCARB	0.64			
THIOPHANATE	< 0.01			
THIOPHANATE-METHYL	7.34			
	< 0.01	1	0.10	A
Total Pounds On This Chemical	7.35			
THIRAM	0.31			
TRIADIMEFON	0.40			
TRIETHANOLAMINE	0.40			
TRIFLOXYSTROBIN	1.30			
	0.29	11	4.36	A
Total Pounds On This Chemical	1.58			
TRIFLUMIZOLE	3.82			
	0.06	3	14,000.00	S
	< 0.01	1	0.20	A
Total Pounds On This Chemical	3.89			
TRIFLURALIN	9.86	3	9.00	A
	4.99			
Total Pounds On This Chemical	14.86			
TRIFORINE	0.01			
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	18.99			
UNICONIZOLE-P	< 0.01	1	0.10	A
VINCLOZOLIN	0.02			
XYLENE	3.17			
ZIRAM	147.76			
Site Total	15,962.68	1,325		
RESIDENTIAL				
FIPRONIL	0.45		2,698.00	S
Site Total	0.45			
RICE				
ABAMECTIN	0.37	2	30.00	A
ACETAMIPRID		2	30.00	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.36	1	22.40	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	9,170.06	968	68,751.78	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	155.22	27	1,199.30	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	193.70	9	507.30	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	24.07	9	507.30	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	13.63	9	599.90	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	9.34	7	455.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RICE				
ALKYL (C8,C10) POLYGLUCOSIDE	12,921.65	655	51,397.46	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.20	1	23.00	A
ALUMINUM PHOSPHIDE	1,552.66		74,807.00	T
	287.84		15,125.00	K
	280.12		1,243,325.00	C
	245.30		11,750.00	U
Total Pounds On This Chemical	2,365.92			
AMMONIUM NITRATE	6,959.03	1,424	104,632.92	A
AMMONIUM SULFATE	33,117.96	1,626	119,964.52	A
AZOXYSTROBIN	46,860.32	3,447	268,883.97	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	340.55	3	267.10	A
BENSULFURON METHYL	2,794.64	796	57,766.72	A
BENZOIC ACID	529.56	1,094	49,987.04	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	88.28	33	3,062.20	A
BISPYRIBAC-SODIUM	3,025.14	1,812	107,513.16	A
BUTYL ALCOHOL	327.68	208	15,770.61	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	6.91	2	143.58	A
CALCIUM CHLORIDE	36.25	62	2,484.10	A
CARBARYL	262.46	1	265.00	A
CARFENTHAZONE-ETHYL	1,630.97	139	11,051.26	A
CASTOR OIL ETHOXYLATE	2,300.58	622	47,881.04	A
CITRIC ACID	1,528.69	329	22,509.34	A
CLETHODIM	29.23	20	243.00	A
CLOMAZONE	132,693.42	4,004	320,143.83	A
COCONUT DIETHANOLAMIDE	25.68	4	1,433.20	A
COPPER SULFATE (PENTAHYDRATE)	1,485,996.00	1,512	105,054.02	A
CYHALOFOP-BUTYL	19,033.63	880	58,260.03	A
CYPERMETHRIN	9.61	2	260.00	A
(S)-CYPERMETHRIN	1,272.68	833	28,267.23	A
2,4-D	19.82	3	65.00	A
2,4-D, BUTOXYETHANOL ESTER	35.19	3	65.00	A
2,4-D, DIMETHYLAMINE SALT	2,324.67	181	15,711.04	A
DERIVATED NATURAL POLYMERS	11.32	87	4,189.26	A
DIETHYLENE GLYCOL	30.24	24	1,774.60	A
DIFENOCONAZOLE	61.38	7	693.00	A
DIFETHIALONE	< 0.01		1,680.00	A
DIFLUBENZURON	75.38	24	498.20	A
DIMETHYL ALKYL TERTIARY AMINES	577.64	1,094	49,987.04	A
DIMETHYLPOLYSILOXANE	467.22	1,129	88,284.75	A
DIOCTYL PHTHALATE	36.54	4	512.00	A
DODECYLBENZENE SULFONIC ACID	111.28	4	1,433.20	A
EDTA, TETRASODIUM SALT	6.85	4	1,433.20	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	5.42	1	52.30	A
ESFENVALERATE	7.81	1	160.00	A
ETHYLENE GLYCOL	17.27	5	575.30	A
FATTY ACIDS, MIXED	68.83	23	1,516.30	A
FATTY ACIDS DERIVED FROM TALLOW	5.47	9	599.90	A
FENOXAPROP-P-ETHYL	10.91	6	374.40	A
GLYCEROL	138.01	19	1,433.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	3,311.50	64	2,058.10	A
GLYPHOSATE, POTASSIUM SALT	7,598.10	100	5,608.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RICE				
HALOSULFURON-METHYL	179.61	54	3,905.91	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	214.08	28	2,139.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.10	1	52.00	A
HYDROTREATED PARAFFINIC SOLVENT	34,427.67	272	21,699.89	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	2,598.50	788	47,277.09	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	108.97	17	1,272.00	A
ISOPARAFFINIC HYDROCARBONS	3,514.97	33	3,062.20	A
ISOPROPYL ALCOHOL	119.87	106	11,180.90	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	99.28	212	16,509.92	A
KEROSENE	532.69	655	32,891.19	A
LAMBDA-CYHALOTHRIN	4,454.39	3,177	147,588.74	A
LECITHIN	279.98	39	1,900.00	A
MAGNESIUM PHOSPHIDE	198.28		1,224,850.00	C
	192.75		61,615.00	U
	1.67		6.00	A
Total Pounds On This Chemical	392.70			
METHYLATED SOYBEAN OIL	125,683.16	2,727	161,998.97	A
METHYL BROMIDE	7.00		3,500.00	C
METHYL CELLULOSE	36.03	4	512.00	A
METHYL SILICONE RESINS	91.38	48	4,066.39	A
METRIBUZIN	27.23	1	110.00	A
MINERAL OIL	45,553.84	444	35,126.02	A
MORPHOLINE	15.80	4	512.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.85	2	233.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	58,614.35	3,770	280,678.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	336.51	37	3,081.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	19,678.20	190	16,556.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	91.74	176	10,643.06	A
OLEIC ACID	1,304.77	77	5,947.30	A
OLEIC ACID, METHYL ESTER	87,013.50	1,883	118,857.10	A
ORCHEX 796 OIL	11,030.05	106	8,497.50	A
ORGANO/MODIFIED POLYSILOXANE	0.25	7	455.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	3.00	1	53.30	A
ORTHOSULFAMURON	38.54	12	598.20	A
OXYFLUORFEN	37.03	12	321.00	A
PARAQUAT DICHLORIDE	138.32	8	135.00	A
PENDIMETHALIN	5,287.54	100	7,780.70	A
PENOXSULAM	4,495.55	1,691	129,560.83	A
PETROLEUM DISTILLATES	134,787.03	1,073	80,353.74	A
PETROLEUM OIL, PARAFFIN BASED	135,827.54	1,314	85,706.78	A
PHOSPHINE	126.10		60,510.00	U
	61.33		1,462,100.00	C
	13.66		213.50	A
	0.54		11,500.00	T
Total Pounds On This Chemical	201.63			
PHOSPHORIC ACID	1,009.07	276	21,826.03	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	18.94	24	2,289.00	A
POLYACRYLAMIDE POLYMER	13.86	19	1,433.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RICE				
POLYACRYLIC POLYMER	9.24	37	2,402.40	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	598.78	317	24,365.01	A
POLYETHER MODIFIED POLYSILOXANE	146.77	18	1,419.40	A
POLYETHOXYLATED CASTOR OIL	274.78	243	11,593.00	A
POLYETHYLENE GLYCOL	277.87	79	7,234.40	A
POLYETHYLENE GLYCOL DIACETATE	0.02	1	23.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-((TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	4,484.92	467	29,532.09	A
POLYMERIZED PINENE	2,609.89	23	1,673.50	A
POLYOXYETHYLENE DIOLEATE	0.06	1	53.30	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	10,385.87	582	32,363.18	A
POLYOXYETHYLENE POLYOXYPROPYLENE	1,563.62	175	12,964.30	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	8,841.13	344	26,190.62	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	2,935.70	176	10,643.06	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	397.12	212	16,509.92	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	2,614.38	212	16,509.92	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	17,254.37	622	47,881.04	A
POLYPROPYLENE GLYCOL	0.31	2	127.00	A
POLYSILOXANE	130.50	97	4,935.26	A
POTASSIUM HYDROXIDE	27.11	60	4,501.22	A
POTASSIUM NITRATE	122.19	50	3,755.22	A
PROPANIL	2,156,044.46	5,654	409,500.87	A
PROPICONAZOLE	3,358.68	269	24,564.56	A
PROPIONIC ACID	62.21	10	746.00	A
PROPYLENE GLYCOL	368.33	111	9,095.31	A
REYNOUTRIA SACHALINENSIS	62.80	16	1,077.40	A
SILICONE DEFOAMER	89.72	938	67,551.41	A
SODIUM CARBONATE PEROXYHYDRATE	218,279.97	178	13,402.81	A
SODIUM CHLORATE	62,002.31	170	11,556.80	A
SODIUM DIISOCTYLSULFOSUCCINATE	4.82	4	512.00	A
SODIUM HYDROXIDE	75.74	22	1,467.62	A
SODIUM HYPOCHLORITE	5,960.56		1,620.00	T
SODIUM XYLENE SULFONATE	34.24	4	1,433.20	A
SORBITAN FATTY ACID ESTERS	642.18	176	10,643.06	A
SPIROMESIFEN	242.55	1	150.00	A
SULFURYL FLUORIDE	1,593.81		1,021,000.00	T
	1,276.44		610,000.00	C
	143.71		72,000.00	U
	67.86		34,000.00	S
	17.96		503.00	A
Total Pounds On This Chemical	3,099.79			
TALL OIL	2,300.58	622	47,881.04	A
TALL OIL FATTY ACIDS	7,158.04	565	46,508.69	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	130.32	4	1,433.20	A
TETRAPOTASSIUM PYROPHOSPHATE	17.12	4	1,433.20	A
THIOBENCARB	276,748.53	941	78,477.63	A
TRICLOPYR, TRIETHYLAMINE SALT	59,637.84	4,548	343,601.25	A
TRIETHANOLAMINE	43.66	4	1,433.20	A
TRIFLOXYSTROBIN	3,109.51	258	23,064.36	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	1,049.52	21	1,591.68	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	144.89	22	1,399.70	A
UREA	66.54	7	455.00	A
VINYL POLYMER	35.96	18	1,153.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RICE				
XANTHAN GUM	< 0.01	1	50.00	A
Site Total	5,310,355.64	42,412		
RICE, WILD				
ALUMINUM PHOSPHIDE	79.20		3,000.00	T
CARFENTRAZONE-ETHYL	84.68	8	458.90	A
COPPER SULFATE (PENTAHYDRATE)	32,220.63	27	2,659.10	A
(S)-CYPERMETHRIN	0.78	1	17.00	A
DDVP	1.59		300,000.00	C
DDVP, OTHER RELATED	0.04		300,000.00	C
GLYPHOSATE, ISOPROPYLAMINE SALT	171.68	4	97.50	A
LAMBDA-CYHALOTHRIN	91.53	39	3,092.80	A
MALATHION	381.69	1	260.00	A
PHOSPHINE	0.10		25,000.00	C
Site Total	33,031.92	80		
RIGHTS OF WAY				
ABAMECTIN	1.40			
	0.16	1	7.00	A
Total Pounds On This Chemical	1.56			
ACEPHATE	8.21			
ACETAMIPRID	5.79			
ACID BLUE 9, DIAMMONIUM SALT	15.27			
ACROLEIN	109,997.83			
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	288.80			
ACRYLIC ACID	3.89			
	0.32	1	2.00	A
Total Pounds On This Chemical	4.21			
ALACHLOR	89.89	1	30.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	375.71			
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)				
PHOSPHATE	4.19			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18)				
DIMETHYLBENZYL AMMONIUM CHLORIDE	3.32			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL				
AMMONIUM CHLORIDE	3.32			
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE) POLY(OXYPROPYLENE)	19.60			
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	1,209.98			
	29.88	20	448.16	A
Total Pounds On This Chemical	1,239.87			
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	623.00			
	21.75	9	97.67	A
Total Pounds On This Chemical	644.75			
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	32.19	13	1,300.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	381.17			
ALPHA-ALKYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.02			
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY				
(OXYETHYLENE)	51.52			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
ALPHA-ALKYL (C12-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	64.31			
ALPHA-PINENE BETA-PINENE COPOLYMER	417.13			
	5.47	1	10.00	A
Total Pounds On This Chemical	422.59			
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	723.18			
	3.69	12	219.00	A
Total Pounds On This Chemical	726.87			
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	90.80			
	11.97	12	219.00	A
Total Pounds On This Chemical	102.77			
ALKYL (C8,C10) POLYGLUCOSIDE	14,074.04			
	417.91	47	3,428.50	A
Total Pounds On This Chemical	14,491.95			
ALLETHRIN	0.21			
D-TRANS ALLETHRIN	0.41			
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	1.24	2	8.25	A
	0.62			
Total Pounds On This Chemical	1.86			
ALUMINUM PHOSPHIDE	15,351.60			
	26.64	28	29.95	A
Total Pounds On This Chemical	15,378.25			
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	24,873.33			
	176.92	16	458.00	A
	< 0.01	1	100.00	S
Total Pounds On This Chemical	25,050.25			
4-AMINOPYRIDINE	0.02			
AMITROLE	6.01			
AMMONIUM NITRATE	2,022.05			
	316.20	67	4,009.66	A
Total Pounds On This Chemical	2,338.25			
AMMONIUM PROPIONATE	2,328.30			
	100.16	52	676.16	A
Total Pounds On This Chemical	2,428.46			
AMMONIUM SULFATE	22,363.41			
	848.44	129	5,158.82	A
	123.69	14	630.00	U
Total Pounds On This Chemical	23,335.54			
AMMONIUM THIOSULFATE	24.66			
ATRAZINE	19.30			
ATRAZINE, OTHER RELATED	1.02			
AZOXYSTROBIN	3.76	1	10.00	A
	2.03			
Total Pounds On This Chemical	5.79			
BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362	5.69			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14	0.01			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	6.16			
BEAUVERIA BASSIANA STRAIN GHA	0.11			
BENEFIN	0.50			
BENSULFURON METHYL	4.30	1	10.00	A
BENSULIDE	161.14	4	32.50	A
BENZOIC ACID	321.05			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
Total Pounds On This Chemical	324.81	3.77	13	295.40 A
BIFENAZATE		52.63		
BIFENTHRIN		69.28		
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS		242.18		
Total Pounds On This Chemical	244.03	1.85	8	23.50 A
BORAX		53,809.29		
BOSCALID		2.21	1	6.10 A
BRODIFACUM		0.09		
BROMACIL		23,054.72		
Total Pounds On This Chemical	23,118.72	64.00	2	20.00 A
BROMACIL, LITHIUM SALT		1,415.36		
BROMADIOLONE		0.22		
Total Pounds On This Chemical	0.23	< 0.01	11	44.00 A
BROMETHALIN		0.05		
BROMOXYNIL HEPTANOATE		14.41		
BROMOXYNIL OCTANOATE		14.94		
2-BUTOXYETHANOL		1.68		
BUTYL ALCOHOL		799.27		
Total Pounds On This Chemical	813.90	14.64	19	1,209.40 A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE		508.06		
CALCIUM CHLORIDE		56.27		
Total Pounds On This Chemical	56.97	0.71	3	89.00 A
CALCIUM HYPOCHLORITE		27,924.70		
CARBARYL		499.15		
Total Pounds On This Chemical	540.00	40.85	4	40.00 A
CARBON		370.13		
Total Pounds On This Chemical	370.14	< 0.01	1	25.00 A
CARBON DISULFIDE		16.96		
CARBON TETRACHLORIDE		85.53		
CARFENTRAZONE-ETHYL		204.86		
Total Pounds On This Chemical	207.59	2.74	3	105.00 A
CASTOR OIL ETHOXYLATE		62.58	17	2,014.40 A
Total Pounds On This Chemical	82.72	20.14		
CHLORANTRANILIPROLE		2.10		
CHLORFLURENOL, METHYL ESTER		0.90		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE		52.19		
CHLOROPHACINONE		0.87		
Total Pounds On This Chemical	0.87	< 0.01	1	3.00 A
CHLOROTHALONIL		89.89	1	8.00 A
Total Pounds On This Chemical	131.92	42.04		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
CHLORPROPHAM	239.00			
CHLORPYRIFOS	736.49			
CHLORSULFURON	2,687.19			
	3.35	5	111.00	A
	< 0.01	3	750.00	S
Total Pounds On This Chemical	2,690.54			
CITRIC ACID	3,239.57			
	56.55	67	1,273.16	A
	6.93	14	630.00	U
Total Pounds On This Chemical	3,303.05			
CLETHODIM	2,527.71			
	430.72	34	4,585.90	A
Total Pounds On This Chemical	2,958.42			
CLOPYRALID, MONOETHANOLAMINE SALT	2,413.12			
	9.13	14	77.00	A
	0.15	1	1.00	U
Total Pounds On This Chemical	2,422.40			
CLOPYRALID, TRIETHYLAMINE SALT	1.73			
COCONUT DIETHANOLAMIDE	12.15			
	0.19	6	33.50	A
Total Pounds On This Chemical	12.35			
COPPER AMMONIUM COMPLEX	2.36			
COPPER CARBONATE, BASIC	57,757.55			
COPPER CITRATE CHELATE	156.12			
COPPER ETHANOLAMINE COMPLEXES, MIXED	14,319.06			
COPPER ETHYLENEDIAMINE COMPLEX	24,540.39			
COPPER GLUCONATE CHELATE	156.12			
COPPER HYDROXIDE	4,182.90			
	735.60	1	100.00	A
Total Pounds On This Chemical	4,918.50			
COPPER NAPHTHENE	10,510.29			
COPPER OXIDE (OUS)	112.80			
COPPER 8-QUINOLINOLEATE	67.00			
COPPER SULFATE (PENTAHYDRATE)	266,313.90			
COPPER TRIETHANOLAMINE COMPLEX	27,703.94			
CORN SYRUP	12.43			
COTTONSEED OIL	29.05			
COUMAFURYL	< 0.01			
CRYOLITE	30.82			
CYANURIC ACID	25.11			
CYFLUTHRIN	37.26			
BETA-CYFLUTHRIN	4.31			
CYMOXANIL	0.04			
CYPERMETHRIN	8.16			
(S)-CYPERMETHRIN	0.15	1	6.10	A
CYPRODINIL	3.77			
2,4-D	662.14			
	64.82	5	112.00	A
Total Pounds On This Chemical	726.96			
2,4-D, BUTOXYETHANOL ESTER	1,127.98			
	48.66	4	54.00	A
Total Pounds On This Chemical	1,176.64			
2,4-D, DIETHANOLAMINE SALT	243.66			
	56.46	1	51.00	A
Total Pounds On This Chemical	300.12			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
2,4-D, DIMETHYLAMINE SALT	20,966.30			
	1,123.77	45	767.00	A
Total Pounds On This Chemical	22,090.07			
2,4-D, 2-ETHYLHEXYL ESTER	3,288.89			
	115.83	2	85.00	A
Total Pounds On This Chemical	3,404.72			
2,4-D, ISOOCTYL ESTER	57.83			
	5.65	1	5.00	A
Total Pounds On This Chemical	63.48			
2,4-D, TRIISOPROPANOLAMINE SALT	499.37			
2,4-D, TRIISOPROPYLAMINE SALT	417.31			
DAZOMET	28,588.12			
DDVP	6.34			
DDVP, OTHER RELATED	0.16			
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	22.54			
DELTAMETHRIN	0.03			
DERIVATED NATURAL POLYMERS	3.30			
DIATOMACEOUS EARTH	0.77			
DIAZINON	11.91	1	6.00	A
DICAMBA	15.62			
DICAMBA, DIMETHYLAMINE SALT	1,476.53			
	6.06	1	35.00	A
Total Pounds On This Chemical	1,482.60			
DICAMBA, DIMETHYLAMINE SALT, OTHER RELATED	0.04			
DICHLORBENIL	12,612.53			
DIETHYLENE GLYCOL	5,054.94			
	43.11	24	1,540.00	A
Total Pounds On This Chemical	5,098.06			
DIFETHIALONE	< 0.01			
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	1,957.84			
DIKEGULAC SODIUM	3.18			
DIMETHYL ALKYL TERTIARY AMINES	345.71			
	4.11	13	295.40	A
Total Pounds On This Chemical	349.82			
DIMETHYLPOLYSILOXANE	266.36			
	6.19	93	5,058.00	A
	0.02	1	50.00	U
Total Pounds On This Chemical	272.58			
DIMETHYL SILICONE FLUID EMULSION	21.16			
	0.01	8	3.05	A
Total Pounds On This Chemical	21.17			
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	13.40			
DINOSEB	1.69			
DINOTEFURAN	4.70			
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	769.01			
DIOCTYL PHTHALATE	1.39			
DIPHACINONE	54.61			
	0.08	45	243.70	A
Total Pounds On This Chemical	54.69			
DIPHACINONE, SODIUM SALT	0.12			
DIPROPYLENE GLYCOL METHYL ETHER	7.23			
DIQUAT DIBROMIDE	39,967.85			
	537.61	18	521.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
Total Pounds On This Chemical	40,773.33	267.88	19	267,060.00 S
DISODIUM OCTABORATE ANHYDROUS		2,397.23		
DISODIUM OCTABORATE TETRAHYDRATE		4,452.36		
DISULFOTON		0.02		
DITHIOPYR		13,579.39		
		2.50	3	11.00 A
Total Pounds On This Chemical	13,581.89			
DIURON		186,955.52		
		1,695.91	62	2,792.00 A
Total Pounds On This Chemical	188,651.43			
E,E-8,10-DODECADIEN-1-OL		0.26	1	7.00 A
DODECYLBENZENE SULFONIC ACID		52.67		
		0.84	6	33.50 A
Total Pounds On This Chemical	53.51			
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		38.60		
2-(2,4-DP), DIMETHYLAMINE SALT		0.06		
2,4-DP-P, ISOCTYL ESTER		15.34		
EDTA, SODIUM SALT		0.01		
		< 0.01	1	0.01 A
Total Pounds On This Chemical	0.02			
EDTA, TETRASODIUM SALT		3.24		
		0.05	6	33.50 A
Total Pounds On This Chemical	3.29			
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE		< 0.01		
EMULSIFIABLE METHYLATED VEGETABLE OIL		198.77		
ENDOTHALL, DIPOTASSIUM SALT		12,024.71		
ENDOTHALL, MONO [N,N-DIMETHYL ALKYLAMINE] SALT		11,316.22		
EPN		7.95		
EPTC		2,572.54		
		20.91	1	6.00 A
Total Pounds On This Chemical	2,593.45			
ESFENVALERATE		10.74	2	107.00 A
		5.09		
Total Pounds On This Chemical	15.82			
ETHEPHON		9.63		
ETHOFUMESATE		5.94		
ETHYLENE DIBROMIDE		5.50		
ETHYLENE GLYCOL		4,347.18		
		7.89	5	32.50 A
Total Pounds On This Chemical	4,355.06			
ETOXAZOLE		16.47		
FAMOXADONE		0.04		
FATTY ACIDS, METHYL ESTERS		898.61		
FATTY ACIDS, MIXED		3,845.55		
		44.12	30	2,106.50 A
Total Pounds On This Chemical	3,889.67			
FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR				
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS		360.47		
		5.99	6	11.50 A
Total Pounds On This Chemical	366.46			
FATTY ACIDS DERIVED FROM TALLOW		289.23		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
Total Pounds On This Chemical	290.73	1.50	12	219.00 A
FIPRONIL		8.16		
FLAZASULFURON		0.09		
FLUAZIFOP-BUTYL		3.96		
FLUAZIFOP-P-BUTYL		568.67		
FLUBENDIAMIDE		25.29		
FLUDIOXONIL		14.10		
FLUMIOXAZIN		12,455.09		
		76.50	31	341.02 A
Total Pounds On This Chemical	12,531.59			
FLURECOL-METHYL		0.21		
FLURIDONE		843.88		
FLUROXYPYR, 1-METHYLHEPTYL ESTER		89.20		
TAU-FLUVALINATE		125.87		
FORMALDEHYDE		119.03		
FOSETYL-AL		12.00		
GLUFOSINATE-AMMONIUM		20,394.73		
		806.69	62	3,873.02 A
Total Pounds On This Chemical	21,201.42			
GLYCEROL		164.13		
		1.00	1	10.00 A
Total Pounds On This Chemical	165.14			
GLYPHOSATE		40.44		
GLYPHOSATE, DIAMMONIUM SALT		14.01		
GLYPHOSATE, DIMETHYLAMINE SALT		94,193.84		
GLYPHOSATE, ISOPROPYLAMINE SALT		1,261,952.08		
		9,789.14	426	10,181.18 A
		665.77	15	680.00 U
		20.62	18	759,600.00 S
Total Pounds On This Chemical	1,272,427.61			
GLYPHOSATE, MONOAMMONIUM SALT		1,391.67		
GLYPHOSATE, POTASSIUM SALT		227,174.74		
		15,732.64	225	7,408.30 A
		0.26	1	1,000.00 S
Total Pounds On This Chemical	242,907.64			
HALOSULFURON-METHYL		33.64		
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED		17.35		
		0.03	1	12.00 A
Total Pounds On This Chemical	17.39			
HEXAZINONE		7,340.25		
		19.31	3	27.00 A
Total Pounds On This Chemical	7,359.57			
HEXYTHIAZOX		5.62		
HYDRAMETHYLNON		0.59		
HYDROGEN PEROXIDE		2,777.82		
HYDROPRENE		< 0.01		
HYDROTREATED PARAFFINIC SOLVENT		765.60		
		16.31	4	15.25 A
Total Pounds On This Chemical	781.91			
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE		3,910.63		
		11.08	6	54.25 A
Total Pounds On This Chemical	3,921.71			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
IMAZAMOX, AMMONIUM SALT	172.57			
IMAZAPIC, AMMONIUM SALT	< 0.01			
IMAZAPYR, ISOPROPYLAMINE SALT	11,088.39			
IMIDACLOPRID	237.72			
	8.37	2	16.00	A
Total Pounds On This Chemical	246.10			
INDAZIFLAM	154.74			
	3.90	3	60.00	A
Total Pounds On This Chemical	158.64			
INDOXACARB	0.02			
IRON PHOSPHATE	25.00			
ISODECYL ALCOHOL	1.70			
ISOPARAFFINIC HYDROCARBONS	548.70			
	0.63	1	2.00	A
Total Pounds On This Chemical	549.33			
ISOPROPYL ALCOHOL	4,809.02			
	93.37	60	2,662.01	A
	51.10	15	680.00	U
Total Pounds On This Chemical	4,953.49			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	161.53			
	0.10	2	35.50	A
Total Pounds On This Chemical	161.64			
ISOXABEN	11,106.31			
KEROSENE	770.45			
	4.57	9	120.40	A
Total Pounds On This Chemical	775.02			
LAMBDA-CYHALOTHRIN	11.41			
LECITHIN	11,518.79			
	383.90	64	2,153.67	A
Total Pounds On This Chemical	11,902.70			
LIGNIN SULFONIC ACID, IRON SALT	3.45			
LIGNIN SULFONIC ACID, MANGANESE SALT	16.01			
LIMONENE	88.33			
LINURON	8.50			
MALATHION	7.78	1	2.00	A
	0.51			
Total Pounds On This Chemical	8.29			
MANCOZEB	159.17			
MCPA, DIMETHYLAMINE SALT	164.76			
	70.54	3	51.00	A
Total Pounds On This Chemical	235.29			
MCPA, 2-ETHYL HEXYL ESTER	0.03			
MCPA, ISOCTYL ESTER	0.15			
MCPP	5.75			
MCPP, DIMETHYLAMINE SALT	0.26			
MCPP, POTASSIUM SALT	22.95			
MCPP-P, DIMETHYLAMINE SALT	73.78			
MECOPROP-P	29.60			
MEFLUIDIDE, DIETHANOLAMINE SALT	100.42			
MESOSULFURON-METHYL	1.07			
METALDEHYDE	626.94			
	4.80	1	6.00	A
Total Pounds On This Chemical	631.74			
METAM-SODIUM	64,585.69			
METHIOCARB	6.00			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
METHOPRENE	25.28			
S-METHOPRENE	22.88			
METHYLATED FATTY ACIDS FROM CANOLA OIL	83.48			
METHYLATED SILICA	0.67			
METHYLATED SOYBEAN OIL	31,570.75			
	357.93	50	1,222.90	A
Total Pounds On This Chemical	31,928.68			
METHYL CELLULOSE	1.37			
METHYL-2,7-DICHLORO-9-HYDROXYFLUORENE-9-CARBOXYLATE	0.16			
2-METHYL-4-ISOTHIAZOLIN-3-ONE	18.34			
METHYL ISOTHIOCYANATE	763.61			
METHYL PARATHION	15.90			
METHYL SILICONE RESINS	1,266.79			
	0.03	5	17.00	A
Total Pounds On This Chemical	1,266.82			
METOLACHLOR	4.00			
MINERAL OIL	14,007.25			
	594.15	9	1,380.61	A
Total Pounds On This Chemical	14,601.40			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	0.67			
	0.34	1	0.01	A
Total Pounds On This Chemical	1.01			
MOLINATE	3.01			
MORPHOLINE	0.60			
MSMA	145.18			
MUSCALURE	< 0.01			
MYCLOBUTANIL	8.15			
NAA	< 0.01			
NAA, AMMONIUM SALT	0.80			
NAPROPAMIDE	24.00			
NONANOIC ACID	806.10			
	4.76	3	9.00	A
Total Pounds On This Chemical	810.86			
NONANOIC ACID, OTHER RELATED	42.43			
	0.25	3	9.00	A
Total Pounds On This Chemical	42.68			
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	121.63			
	4.11	10	411.50	A
Total Pounds On This Chemical	125.75			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	64,294.91			
	495.23	176	6,114.05	A
	178.34	16	730.00	U
Total Pounds On This Chemical	64,968.49			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	33.99			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	4,777.03			
	463.90	86	1,098.16	A
Total Pounds On This Chemical	5,240.93			
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	501.73			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	4.72			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
		0.05	2	70.00 A
Total Pounds On This Chemical	4.77			
NORFLURAZON		15.33		
		3.93	1	2.50 A
Total Pounds On This Chemical	19.26			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE		20.43		
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)		329.66		
OLEIC ACID		13.93		
OLEIC ACID, ETHYL ESTER		3,967.63		
OLEIC ACID, METHYL ESTER		24,054.56		
		151.68	19	171.17 A
Total Pounds On This Chemical	24,206.24			
ORCHEX 796 OIL		431.13		
		0.43	1	2.00 A
Total Pounds On This Chemical	431.56			
ORGANO/MODIFIED POLYSILOXANE		2.41		
		0.32	12	219.00 A
Total Pounds On This Chemical	2.73			
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER		491.53		
ORYZALIN		20,130.35		
		83.09	13	41.22 A
Total Pounds On This Chemical	20,213.44			
OXADIAZON		1,146.27		
OXYFLUORFEN		29,360.64		
		1,316.23	189	10,319.45 A
Total Pounds On This Chemical	30,676.88			
OXYTETRACYCLINE, CALCIUM COMPLEX		0.19		
PACLOBUTRAZOL		754.75		
PARAQUAT DICHLORIDE		1,634.90		
		152.52	12	153.75 A
Total Pounds On This Chemical	1,787.42			
PENDIMETHALIN		18,278.97		
		611.27	15	306.10 A
Total Pounds On This Chemical	18,890.24			
PENOX SULAM		2.33		
PENTANE		0.44		
PERMETHRIN		119.71		
PETROLEUM DISTILLATES		2,103.52		
		72.19	16	151.90 A
Total Pounds On This Chemical	2,175.71			
PETROLEUM DISTILLATES, ALIPHATIC		17.29		
PETROLEUM HYDROCARBONS		23.75		
PETROLEUM NAPHTHENIC OILS		201.72		
PETROLEUM OIL, PARAFFIN BASED		29,630.97		
		462.25	20	796.84 A
Total Pounds On This Chemical	30,093.22			
PETROLEUM OIL, UNCLASSIFIED		58.78		
PHENOTHIN		0.40		
PHOSPHORIC ACID		5,036.93		
		40.58	15	680.00 U
		26.19	22	627.50 A
Total Pounds On This Chemical	5,103.71			
PIPERONYL BUTOXIDE		13.76		
PIPERONYL BUTOXIDE, OTHER RELATED		3.41		
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE		89.01		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
Total Pounds On This Chemical	89.92	0.91	11	43.50 A
POLYACRYLAMIDE POLYMER		2,498.09		
		4.55	13	772.00 A
Total Pounds On This Chemical	2,502.64			
POLYACRYLIC POLYMER		455.84		
		3.46	14	630.00 U
		2.01	10	497.00 A
Total Pounds On This Chemical	461.31			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE		1,743.45		
		1.30	4	91.00 A
Total Pounds On This Chemical	1,744.76			
POLYAMINE POLYMER		0.78		
POLYBUTENES		62.44		
		1.07	6	11.50 A
Total Pounds On This Chemical	63.51			
POLYETHER MODIFIED POLYSILOXANE		10.77		
POLYETHOXYLATED CASTOR OIL		2.13	2	200.00 A
		0.52		
Total Pounds On This Chemical	2.65			
POLYETHYLENE GLYCOL		3,410.34		
		28.91	15	136.00 A
Total Pounds On This Chemical	3,439.25			
POLYETHYLENE GLYCOL DIACETATE		0.11	2	8.25 A
		0.06		
Total Pounds On This Chemical	0.17			
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER		406.19		
POLY-I-PARA-MENTHENE		26.76	5	45.00 A
POLYMERIZED ACRYLIC ACID		24.81		
POLYMERIZED PINENE		2,675.50		
POLY(OXYETHYLENE) (DIMETHYLIMINO) ETHYLENE				
(DIMETHYLIMINO) ETHYLENE DICHLORIDE		0.03		
POLYOXYETHYLENE DIOLEATE		704.58		
POLYOXYETHYLENE MIXED FATTY ACID ESTER		100.77		
		18.42	5	450.00 A
Total Pounds On This Chemical	119.19			
POLYOXYETHYLENE POLYOXYPROPYLENE		17.44		
		1.91	2	16.10 A
Total Pounds On This Chemical	19.35			
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL				
MONOALLYL ETHER		0.14	1	12.00 A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER		8,098.19		
		71.21	9	639.30 A
Total Pounds On This Chemical	8,169.40			
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS		150.93		
		1.76	2	70.00 A
Total Pounds On This Chemical	152.69			
POLYOXYETHYLENE SORBITAN MONOOLEATE		837.82		
		0.41	2	35.50 A
Total Pounds On This Chemical	838.22			
POLYOXYETHYLENE SORBITAN TRIOLEATE		4,229.89		
		2.67	2	35.50 A
Total Pounds On This Chemical	4,232.57			
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER		469.34	17	2,014.40 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
Total Pounds On This Chemical	620.37	151.03		
POLYPROPYLENE GLYCOL		2.16		
		0.04	5	17.00 A
Total Pounds On This Chemical	2.19			
POLYSACCHARIDE POLYMER		119.73		
		4.32	7	157.80 A
Total Pounds On This Chemical	124.05			
POLYSILOXANE		40.50		
		0.01	10	31.50 A
Total Pounds On This Chemical	40.52			
POTASH SOAP		239.12		
POTASSIUM HYDROXIDE		41.48		
		0.32	10	31.50 A
Total Pounds On This Chemical	41.80			
POTASSIUM NITRATE		0.11		
POTASSIUM PHOSPHITE		343.90		
PRODIAMINE		7,212.88		
		6.50	1	5.00 A
Total Pounds On This Chemical	7,219.38			
PROMETRYN		9.51	1	9.50 A
PROPARGITE		19.20		
PROPAZINE		664.77		
PROPICONAZOLE		5.09		
PROPIONIC ACID		3,650.90		
		194.51	30	1,521.00 A
Total Pounds On This Chemical	3,845.41			
PROPOXUR		0.04		
PROPYLENE GLYCOL		37.73		
PROPYLENE OXIDE		1,156.60		
PYRACLOSTROBIN		1.12	1	6.10 A
		0.96		
Total Pounds On This Chemical	2.08			
PYRAFLUFEN-ETHYL		43.90		
PYRETHRINS		6.70		
PYRIPROXYFEN		0.43		
QUINCLORAC		12.70		
QUINCLORAC, DIMETHYLAMINE SALT		< 0.01		
RIMSULFURON		236.95		
SAFLUFENACIL		87.83		
		5.58	13	130.47 A
Total Pounds On This Chemical	93.40			
SETHOXYDIM		382.65		
		79.91	24	317.30 A
Total Pounds On This Chemical	462.56			
SILICA AEROGEL		7.08		
SILICONE		8.69		
SILICONE DEFOAMER		4.02		
		0.03	7	50.00 A
Total Pounds On This Chemical	4.05			
SIMAZINE		13,349.97		
		44.45	11	80.00 A
Total Pounds On This Chemical	13,394.42			
SODIUM BICARBONATE		3.79		
SODIUM BROMIDE		2,709.27		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
SODIUM CARBONATE PEROXYHYDRATE	15,229.88			
SODIUM CHLORATE	495.00			
SODIUM DIISOOCTYLSULFOSUCCINATE	0.18			
SODIUM FLUORIDE	7.71			
SODIUM HYDROXIDE	58.91			
	0.55	1	10.00	A
Total Pounds On This Chemical	59.46			
SODIUM HYPOCHLORITE	80.90			
SODIUM METABORATE TETRAHYDRATE	800.25			
SODIUM NITRATE	760.47			
	0.01	1	25.00	A
Total Pounds On This Chemical	760.48			
SODIUM POLYACRYLATE	57.77			
	5.67	52	676.16	A
Total Pounds On This Chemical	63.44			
SODIUM XYLENE SULFONATE	16.21			
	0.26	6	33.50	A
Total Pounds On This Chemical	16.47			
SORBITAN FATTY ACID ESTERS	33.02			
	0.38	2	70.00	A
Total Pounds On This Chemical	33.40			
SORBITAN MONOOLEATE	3.12			
SORBITAN TRIOLEATE	11.27			
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	4.54			
SOYBEAN OIL	191.19			
SPINOSAD	0.22			
	0.05	1	57.00	A
Total Pounds On This Chemical	0.27			
SPIROMESIFEN	30.20			
SPIROTETRAMAT	0.09			
STRYCHNINE	4.96			
	0.04	1	0.50	A
Total Pounds On This Chemical	4.99			
STYRENE BUTADIENE COPOLYMER	88.18			
SULFENTRAZONE	1,112.18			
SULFOMETURON-METHYL	10,533.13			
	3.87	3	48.00	A
Total Pounds On This Chemical	10,537.00			
SULFOSULFURON	43.46			
SULFUR	77.83			
SULFUR DIOXIDE	1.65			
SULFURYL FLUORIDE	1,090.81			
TALL OIL	324.52			
	83.50	37	3,365.40	A
Total Pounds On This Chemical	408.02			
TALL OIL FATTY ACIDS	1,289.76			
	13.45	15	680.00	U
	4.40	14	32.29	A
Total Pounds On This Chemical	1,307.60			
TARTRAZINE	1.54			
TEBUCONAZOLE	44.79			
TEBUTHIURON	5,472.58			
1080	< 0.01			
E-11-TETRADECEN-1-YL ACETATE	< 0.01			
TETRAMETHRIN	0.05			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RIGHTS OF WAY				
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	232.11			
	1.66	7	33.51	A
Total Pounds On This Chemical	233.77			
TETRAPOTASSIUM PYROPHOSPHATE	8.10			
	0.13	6	33.50	A
Total Pounds On This Chemical	8.23			
THIAMETHOXAM	10.08			
THIOPHANATE-METHYL	38.00			
TRALOMETHRIN	< 0.01			
TRIADIMEFON	0.50			
TRIBENURON-METHYL	1.43			
TRICHLORO-S-TRIAZINETRIONE	5.94			
TRICLOPYR, BUTOXYETHYL ESTER	45,707.42			
	15.10	7	19.00	A
Total Pounds On This Chemical	45,722.52			
TRICLOPYR, TRIETHYLAMINE SALT	27,988.34			
	42.43	5	178.66	A
Total Pounds On This Chemical	28,030.77			
TRIETHANOLAMINE	20.85			
	0.33	6	33.50	A
Total Pounds On This Chemical	21.18			
TRIFLOXYSTROBIN	0.03			
TRIFLOXYSULFURON-SODIUM	2.25			
TRIFLURALIN	897.31			
	18.82	2	30.00	A
Total Pounds On This Chemical	916.13			
TRINEXAPAC-ETHYL	0.47			
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	8,369.40			
	138.91	43	786.50	A
Total Pounds On This Chemical	8,508.31			
UREA	646.69			
	85.28	12	219.00	A
	2.06	1	50.00	U
Total Pounds On This Chemical	734.03			
UREA DIHYDROGEN SULFATE	60.58			
VEGETABLE OIL	1,300.15			
	62.23	2	70.00	A
Total Pounds On This Chemical	1,362.39			
VINYL POLYMER	25.63			
	0.09	2	20.00	A
Total Pounds On This Chemical	25.72			
WARFARIN	0.59			
XYLENE	12.10			
ZINC PHOSPHIDE	75.77			
	5.50	1	10.00	A
Total Pounds On This Chemical	81.27			
ZIRAM	152.00	1	8.00	A
	1.52			
Total Pounds On This Chemical	153.52			
UNKNOWN				
Site Total	3,303,690.04	1,965		
ROSEMARY				
ALPHA-PINENE BETA-PINENE COPOLYMER	1.04	1	4.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
ROSEMARY				
AZADIRACTIN	1.13	14	28.15	A
AZOXYSTROBIN	5.71	5	28.25	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	0.21	1	0.25	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	5.10	1	4.00	A
BENSULIDE	5.95	1	1.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.04	1	4.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	47.67	13	18.40	A
COCONUT DIETHANOLAMIDE	0.02	1	12.00	A
COPPER HYDROXIDE	1.60	1	2.00	A
DODECYLBENZENE SULFONIC ACID	0.09	1	12.00	A
EDTA, TETRASODIUM SALT	< 0.01	1	12.00	A
IMIDACLOPRID	0.52	4	11.70	A
ISOPROPYL ALCOHOL	0.03	1	12.00	A
MINERAL OIL	0.37	1	4.00	A
NAPROPAMIDE	16.00	1	8.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	0.70	2	3.50	A
PHOSPHORIC ACID	0.02	1	12.00	A
PIPERONYL BUTOXIDE	15.67	14	38.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	3.92	14	38.50	A
POTASH SOAP	106.19	8	25.50	A
PROMETRYN	0.72	1	1.50	A
PYRETHRINS	3.60	25	77.89	A
SILICONE DEFOAMER	< 0.01	1	12.00	A
SODIUM XYLENE SULFONATE	0.03	1	12.00	A
SPINOSAD	1.32	2	13.50	A
SULFUR	8.00	1	2.00	A
TALL OIL FATTY ACIDS	0.01	1	4.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.10	1	12.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.01	1	12.00	A
TRICHODERMA ICC 012 ASPERELLUM	0.20	1	4.00	A
TRICHODERMA ICC 080 GAMSII	0.20	1	4.00	A
TRIETHANOLAMINE	0.03	1	12.00	A
Site Total	226.19	83		
RUTABAGA				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.11	2	3.18	A
AZADIRACTIN	1.94	38	70.39	A
BACILLUS PUMILUS, STRAIN QST 2808	0.29	2	5.04	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	23.12	12	27.77	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	6.99	3	5.48	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	60.01	32	51.80	A
DIMETHYLPOLYSILOXANE	0.08	1	0.30	A
MARGOSA OIL	6.21	2	5.04	A
PYRETHRINS	0.09	2	1.70	A
SPINOSAD	0.20	1	1.96	A
THIRAM	2.03		808.00	P

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RUTABAGA				
Site Total	101.07	93		
RYE				
ALKYL (C8,C10) POLYGLUCOSIDE	15.84	2	259.00	A
AMMONIUM NITRATE	7.54	2	259.00	A
AMMONIUM SULFATE	15.09	2	259.00	A
CARFENTRAZONE-ETHYL	4.46	4	304.00	A
2,4-D, DIMETHYLAMINE SALT	37.70	3	37.00	A
1,3-DICHLOROPROPENE	5,746.95	2	51.00	A
DIETHYLENE GLYCOL	2.89	5	96.50	A
DIMETHYLPOLYSILOXANE	0.38	8	595.50	A
ISOPROPYL ALCOHOL	2.52	1	240.00	A
MCPA, DIMETHYLAMINE SALT	153.85	9	179.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	43.89	6	336.50	A
POLYETHYLENE GLYCOL	15.91	1	240.00	A
PROPYLENE GLYCOL	2.89	5	96.50	A
TALL OIL FATTY ACIDS	5.34	5	96.50	A
VINYL POLYMER	1.05	1	240.00	A
Site Total	6,056.29	27		
RYEGRASS				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	16.11	3	114.75	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.72	4	323.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	8.86	3	176.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	42.06	5	786.00	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	116.52	9	681.00	A
AMMONIUM NITRATE	20.03	5	786.00	A
AMMONIUM SULFATE	237.73	21	1,776.00	A
BENZOIC ACID	9.83	27	1,738.10	A
BROMOXYNIL HEPTANOATE	67.45	11	304.00	A
BROMOXYNIL OCTANOATE	84.51	12	344.00	A
BUTYL ALCOHOL	15.81	22	874.00	A
CARFENTRAZONE-ETHYL	48.52	75	3,722.25	A
CITRIC ACID	11.54	16	990.00	A
2,4-D, DIMETHYLAMINE SALT	9,305.08	168	9,003.30	A
DICAMBA, DIMETHYLAMINE SALT	8.06	2	179.00	A
DIETHYLENE GLYCOL	11.16	7	227.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	172.19	12	794.50	A
DIMETHYL ALKYL TERTIARY AMINES	10.72	27	1,738.10	A
DIMETHYLPOLYSILOXANE	1.18	43	2,753.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	44.70	4	323.00	A
FATTY ACIDS, MIXED	19.50	6	276.56	A
FATTY ACIDS DERIVED FROM TALLOW	3.54	3	176.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	18.23	1	37.00	A
HYDROTREATED PARAFFINIC SOLVENT	275.82	5	358.00	A
ISOPROPYL ALCOHOL	11.69	15	1,065.75	A
KEROSENE	12.23	18	1,119.10	A
MCPA, DIMETHYLAMINE SALT	845.95	31	1,149.31	A
METHYLATED SOYBEAN OIL	445.82	34	2,075.60	A
MINERAL OIL	103.71	3	131.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
RYEGRASS				
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.39	1	85.56	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	330.53	57	3,009.06	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.15	1	40.00	A
PETROLEUM OIL, PARAFFIN BASED	30.39	1	40.00	A
PHOSPHORIC ACID	69.73	23	1,398.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.75	4	282.60	A
POLYACRYLAMIDE POLYMER	0.74	3	139.90	A
POLYACRYLIC POLYMER	5.50	14	954.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	3.89	7	337.50	A
POLYETHER MODIFIED POLYSILOXANE	2.42	4	323.00	A
POLYETHYLENE GLYCOL	57.88	9	866.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	4.69	1	40.00	A
POLYSACCHARIDE POLYMER	0.08	3	139.90	A
PROPYLENE GLYCOL	0.36	2	36.00	A
SORBITAN FATTY ACID ESTERS	1.03	1	40.00	A
TALL OIL FATTY ACIDS	35.69	7	394.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	32.99	9	514.00	A
VINYL POLYMER	12.40	34	2,222.00	A
Site Total	12,564.88	467		
SAFFLOWER				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	296.33	21	3,187.66	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	11.70	10	396.00	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	22.02	14	340.20	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.75	1	50.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.34	1	50.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	69.84	15	777.10	A
ALUMINUM PHOSPHIDE	2.96		180,000.00	P
	0.70		42,500.00	C
Total Pounds On This Chemical	3.66			
AMMONIUM NITRATE	33.89	17	907.10	A
AMMONIUM PROPIONATE	123.36	14	2,280.00	A
AMMONIUM SULFATE	140.59	33	3,378.10	A
AZOXYSTROBIN	9.77	1	47.00	A
BENZOIC ACID	2.69	5	448.00	A
BUTYL ALCOHOL	33.20	19	810.00	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	4.54	3	280.00	A
CARFENTHAZONE-ETHYL	0.15	1	20.00	A
CASTOR OIL ETHOXYLATE	6.15	2	210.00	A
CITRIC ACID	93.84	18	2,591.00	A
CLETHODIM	311.52	25	2,348.20	A
COTTONSEED OIL	2,709.73	14	3,026.00	A
(S)-CYPERMETHRIN	1,433.58	123	30,864.50	A
DIETHYLENE GLYCOL	19.24	5	1,685.00	A
DIMETHOATE	8,052.33	110	30,103.00	A
DIMETHYL ALKYL TERTIARY AMINES	2.93	5	448.00	A
DIMETHYLPOLYSILOXANE	3.72	60	8,019.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SAFFLOWER				
EMULSIFIABLE METHYLATED VEGETABLE OIL	64.46	8	266.00	A
EPTC	1,287.43	8	637.00	A
ETHALFLURALIN	780.47	12	700.80	A
FATTY ACIDS, MIXED	148.25	163	43,570.00	A
FLUBENDIAMIDE	4.68	1	50.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	3,143.75	44	2,520.60	A
GLYPHOSATE, POTASSIUM SALT	6,749.61	50	5,103.90	A
HYDROTREATED PARAFFINIC SOLVENT	122.40	2	85.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1.15	1	47.00	A
ISOPROPYL ALCOHOL	53.59	13	948.26	A
KEROSENE	5.21	5	448.00	A
LECITHIN	1,698.65	160	40,575.20	A
METHIDATHION	10,669.43	80	21,334.50	A
METHOXYFENOZIDE	131.30	2	465.00	A
METHYLATED SOYBEAN OIL	221.82	9	825.00	A
S-METOLACHLOR	2,488.54	27	1,473.00	A
MINERAL OIL	600.36	4	443.00	A
MYCLOBUTANIL	0.08	1	0.50	A
NALED	24,383.51	81	21,434.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	17.97	10	1,380.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,007.13	200	46,102.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	15.41	8	1,633.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	473.03	23	2,754.40	A
OLEIC ACID, METHYL ESTER	106.18	15	387.20	A
OXYFLUORFEN	41.49	2	97.70	A
PARAQUAT DICHLORIDE	4,341.95	19	4,310.20	A
PETROLEUM DISTILLATES	16.52	1	44.00	A
PETROLEUM OIL, PARAFFIN BASED	76.92	1	50.00	A
PHOSPHINE	0.04		1,000.00	C
PHOSPHORIC ACID	102.48	22	2,467.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	6.15	2	525.00	A
POLYACRYLAMIDE POLYMER	20.57	37	8,799.20	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	6.09	3	367.00	A
POLYETHER MODIFIED POLYSILOXANE	3.49	8	266.00	A
POLYETHYLENE GLYCOL	20.40	5	256.60	A
POLY-I-PARA-MENTHENE	33.50	3	176.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	15.75	1	50.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	46.12	2	210.00	A
POLYSACCHARIDE POLYMER	0.85	14	4,508.00	A
POTASSIUM HYDROXIDE	0.18	1	70.00	A
POTASSIUM NITRATE	1.68	1	70.00	A
PROPIONIC ACID	1,675.61	145	40,225.00	A
PYRAFLUFEN-ETHYL	1.17	4	368.30	A
SODIUM CHLORATE	2,697.72	2	450.00	A
SODIUM POLYACRYLATE	3.08	14	2,280.00	A
TALL OIL	6.15	2	210.00	A
TALL OIL FATTY ACIDS	79.63	8	978.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	16.22	10	108.30	A
TRIFLURALIN	13,899.95	166	14,285.81	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	57.62	14	1,961.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SAFFLOWER				
UREA DIHYDROGEN SULFATE	10.03	10	108.30	A
VEGETABLE OIL	35,992.09	148	40,505.00	A
VINYL POLYMER	5.41	19	807.70	A
XANTHAN GUM	0.07	7	1,553.00	A
ZINC SULFATE	8.57	2	560.00	A
Site Total	126,749.76	1,282		
SAGE				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.51	6	4.20	A
ALPHA-PINENE BETA-PINENE COPOLYMER	0.44	3	2.10	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.54	1	4.00	A
AZADIRACTIN	2.12	36	63.65	A
AZOXYSTROBIN	7.57	18	42.25	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	1.33	5	3.90	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	0.06	1	0.11	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1.42	5	5.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	31.56	16	43.36	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.02	3	2.10	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	1.11	48	135.76	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	374.67	44	75.95	A
CLETHODIM	0.26	1	2.00	A
FATTY ACIDS DERIVED FROM TALLOW	0.62	1	4.00	A
HYDROGEN PEROXIDE	4.86	4	2.75	A
IBA	0.11	102	51.00	A
IMIDACLOPRID	2.49	12	43.50	A
MARGOSA OIL	3.45	2	2.07	A
MEFENOXAM	7.04	13	36.00	A
MINERAL OIL	0.15	3	2.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.76	49	139.76	A
PIPERONYL BUTOXIDE	14.27	8	37.50	A
PIPERONYL BUTOXIDE, OTHER RELATED	3.57	8	37.50	A
POTASH SOAP	151.36	14	46.00	A
POTASSIUM BICARBONATE	528.87	97	202.24	A
PYRETHRINS	3.16	28	75.86	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	3.43	6	19.90	A
QUILLAJA	2.27	48	135.76	A
REYNOUTRIA SACHALINENSIS	3.74	5	13.40	A
SPINETORAM	0.56	3	12.00	A
SPINOSAD	1.25	9	10.00	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	2	1.50	A
TALL OIL FATTY ACIDS	< 0.01	3	2.10	A
Site Total	1,157.57	479		
SEWAGE SYSTEM				
DICHLOROBENIL	981.01		94,465.40	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SEWAGE SYSTEM				
Total Pounds On This Chemical	1,835.48	854.47	25,205.95	C
GLUTARALDEHYDE		877.66	135.00	U
GLYPHOSATE, ISOPROPYLAMINE SALT		27.00	15.00	A
METAM-SODIUM		588.61	94,465.40	S
		512.68	25,205.95	C
Total Pounds On This Chemical	1,101.29			
Site Total	3,841.43			
SHALLOT				
AZADIRACTIN		0.81	48.00	A
BACILLUS PUMILUS, STRAIN QST 2808		4.32	48.00	A
COPPER OCTANOATE		1.67	3.50	A
KAOLIN		40.85	0.85	A
MARGOSA OIL		5.52	12.00	A
PYRETHRINS		1.29	48.00	A
SPINOSAD		4.00	39.50	A
Site Total	58.46	33		
SHINGI KU				
AZOXYSTROBIN		0.19	1.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS		0.15	2.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS		0.55	2.00	A
MANDIPROPAMID		0.12	1.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED		0.19	2.00	A
POLYBUTENES		0.10	2.00	A
POTASSIUM BICARBONATE		1.64	1.00	A
POTASSIUM PHOSPHITE		3.89	2.00	A
Site Total	6.83	7		
SOIL FUMIGATION/PREPLANT				
ABAMECTIN		4.62	292.03	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER		13.09	155.46	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)		430.99	1,638.84	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)		192.00	5,063.10	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)		23.97	320.38	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)		13.32	91.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)		1.66	91.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER		1.48	3.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)		181.09	824.20	A
ALKYL (C8,C10) POLYGLUCOSIDE	2,169.19	17	21,475.01	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX		59.74	775.00	A
ALUMINUM PHOSPHIDE		3.05	208.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SOIL FUMIGATION/PREPLANT				
AMMONIUM NITRATE	1,053.54	367	26,293.11	A
AMMONIUM PROPIONATE	42.72	7	233.38	A
AMMONIUM SULFATE	4,193.60	546	36,336.41	A
AZADIRACTIN	0.06	1	0.29	A
AZOXYSTROBIN	7.24	3	71.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1.08	1	3.00	A
BENTAZON, SODIUM SALT	65.00	1	79.81	A
BENZOIC ACID	51.80	96	4,558.40	A
BIFENTHRIN	124.29		737,640.00	S
	32.00		122,748.00	C
	30.45	3	892.03	A
Total Pounds On This Chemical	186.73			
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS				
BROMOXYNIL HEPTANOATE	52.31	15	1,396.00	A
BROMOXYNIL OCTANOATE	3.08	1	18.00	A
BROMOXYNIL OCTANOATE	3.20	1	18.00	A
BUTYL ALCOHOL	82.64	65	2,877.99	A
CALCIUM CHLORIDE	2.83	7	358.00	A
CALCIUM HYDROXIDE	180.00	1	20.00	A
CARFENTRAZONE-ETHYL	263.30	270	12,645.60	A
CASTOR OIL ETHOXYLATE	24.18	24	786.30	A
CHLOROPICRIN	809,771.74	395	6,369.37	A
	32.28	2	10,761.00	S
	22.40	1	9,000.00	C
	13.75	3	55.00	U
Total Pounds On This Chemical	809,840.16			
CHLOROTHALONIL	405.35	3	249.00	A
CHLORPYRIFOS	173.80	3	185.00	A
CHLOROTHAL-DIMETHYL	43.81	8	75.00	A
CITRIC ACID	512.75	168	9,759.80	A
CLETHODIM	1,198.23	187	12,931.91	A
BETA-CYFLUTHRIN	0.39	1	100.00	A
(S)-CYPERMETHRIN	9.45	1	190.00	A
2,4-D, DIMETHYLAMINE SALT	5,937.05	146	7,499.73	A
DAZOMET	1,869.34	7	132.82	A
	1.10		64.00	S
Total Pounds On This Chemical	1,870.44			
DIAZINON	408.06	8	313.50	A
DICAMBA, DIMETHYLAMINE SALT	1.51	1	10.00	A
DICAMBA, SODIUM SALT	96.85	11	534.00	A
1,3-DICHLOROPROPENE	2,224,144.56	551	7,262.24	A
DIETHYLENE GLYCOL	226.84	68	3,753.16	A
DIETHYLENE GLYCOL MONOETHYL ETHER	2.97	1	301.30	A
DIFLUFENZOPYR, SODIUM SALT	25.81	9	386.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	977.07	29	1,777.20	A
DIMETHOATE	53.89	3	105.81	A
DIMETHYL ALKYL TERTIARY AMINES	56.43	96	4,558.40	A
DIMETHYLPOLYSILOXANE	36.62	564	35,899.94	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	4.60	1	204.50	A
DINOTEFURAN	0.08	1	0.24	A
DIOCTYL PHTHALATE	0.06	1	7.50	A
DIPHACINONE	0.01	11	55.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SOIL FUMIGATION/PREPLANT				
DIURON	126.40	2	80.00	A
EDTA, SODIUM SALT	0.18	7	455.00	A
ESFENVALERATE	18.24	9	383.60	A
ETHALFLURALIN	487.70	9	378.30	A
ETHYLENE GLYCOL	8.81	2	25.00	A
FATTY ACIDS, MIXED	171.91	55	3,788.96	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	9.20	2	80.00	A
FATTY ACIDS DERIVED FROM TALLOW	72.43	17	824.20	A
FLUBENDIAMIDE	2.08	1	44.00	A
FLUMIOXAZIN	184.66	32	1,518.40	A
GLUFOSINATE-AMMONIUM	464.56	4	197.00	A
GLYCEROL	99.63	36	1,679.20	A
GLYPHOSATE, DIMETHYLAMINE SALT	1.36		1.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	54,697.77	728	36,855.32	A
GLYPHOSATE, POTASSIUM SALT	78,796.95	882	39,749.30	A
HALOSULFURON-METHYL	29.54	15	719.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	17.35	5	339.50	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.75	1	80.00	A
HYDROTREATED PARAFFINIC SOLVENT	495.56	17	1,003.50	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	3.69	1	76.00	A
IMAZETHAPYR, AMMONIUM SALT	11.00	2	222.20	A
IMIDACLOPRID	0.84	2	100.12	A
INDAZIFLAM	3.17	2	99.00	A
INDOXACARB	0.49	1	7.50	A
IRON PHOSPHATE	8.80	2	20.00	A
ISOPROPYL ALCOHOL	547.72	190	10,717.72	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	1.48	3	792.98	A
KEROSENE	90.13	69	3,672.40	A
LAMBDA-CYHALOTHRIN	9.05	2	299.53	A
LECITHIN	254.45	30	1,379.98	A
MANGANESE SULFATE	0.84	1	10.00	A
MCPA, DIMETHYLAMINE SALT	297.46	6	326.00	A
MEFENOXAM	39.21		189,054.00	C
	1.75		9,720.00	S
Total Pounds On This Chemical	40.95			
MEFENOXAM, OTHER RELATED	1.21		189,054.00	C
	0.05		9,720.00	S
Total Pounds On This Chemical	1.27			
MESOSULFURON-METHYL	0.91	2	121.63	A
METAM-SODIUM	150,496.73	28	1,068.77	A
METHOMYL	15.30	2	21.00	A
METHOXYFENOZIDE	122.89	10	685.00	A
METHYLATED SOYBEAN OIL	3,156.12	142	6,679.00	A
METHYL BROMIDE	1,239,405.97	297	5,710.83	A
	103.60	1	11,496.00	C
	65.53	2	10,761.00	S
	41.25	3	55.00	U
Total Pounds On This Chemical	1,239,616.36			
METHYL CELLULOSE	0.05	1	7.50	A
METHYL SILICONE RESINS	0.25	1	5.50	A
METOLACHLOR	10,579.64	14	898.65	A
S-METOLACHLOR	1,227.50	18	742.59	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SOIL FUMIGATION/PREPLANT				
METRIBUZIN	1,148.09	38	2,323.90	A
MINERAL OIL	842.16	26	1,216.90	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	31.57	9	527.00	A
MORPHOLINE	0.02	1	7.50	A
MYCLOBUTANIL	0.75	1	7.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	23.48	19	1,666.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,936.15	467	24,738.13	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	51.76	17	1,003.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	422.17	34	1,359.98	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	51.27	2	333.00	A
OLEIC ACID	1.43	3	170.50	A
OLEIC ACID, METHYL ESTER	575.42	20	969.08	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	16.12	3	258.00	A
ORYZALIN	245.10	4	69.80	A
OXYFLUORFEN	12,563.70	943	63,766.40	A
PARAQUAT DICHLORIDE	1,848.37	125	2,041.80	A
PENDIMETHALIN	1,215.27	26	829.50	A
PERMETHRIN	1.51	1	15.00	A
PETROLEUM DISTILLATES	2,785.01	97	5,489.50	A
PETROLEUM DISTILLATES, ALIPHATIC	138.67	7	407.16	A
PETROLEUM NAPHTHENIC OILS	9.16	2	155.46	A
PETROLEUM OIL, PARAFFIN BASED	2,162.50	143	7,275.49	A
PHOSPHORIC ACID	346.32	141	8,693.08	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	17.45	29	2,471.70	A
POLYACRYLAMIDE POLYMER	14.59	53	2,470.60	A
POLYACRYLIC POLYMER	2.18	3	792.98	A
POLYBUTENES	1.64	2	80.00	A
POLYETHER MODIFIED POLYSILOXANE	2.04	2	24.00	A
POLYETHYLENE GLYCOL	690.74	112	5,849.48	A
POLYOXYETHYLENE DIOLEATE	0.34	3	258.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	56.51	9	386.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	603.34	131	6,096.51	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	5.93	3	792.98	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	39.02	3	792.98	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	181.33	24	786.30	A
POLYSACCHARIDE POLYMER	0.25	10	494.60	A
POLYSILOXANE	0.03	4	52.00	A
POTASSIUM HYDROXIDE	0.82	4	52.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	209,704.40	25	1,406.84	A
PROMETRYN	29.96	1	30.00	A
PROPIONIC ACID	107.88	10	663.30	A
PROPYLENE GLYCOL	58.47	34	2,054.90	A
PROPYLENE GLYCOL, METHYL ETHER	3.39	2	163.00	A
PYRACLOSTROBIN	22.00	2	144.00	A
PYRAFLUFEN-ETHYL	5.49	50	1,744.70	A
REYNOUTRIA SACHALINENSIS	1.63	1	7.50	A
RIMSULFURON	10.08	8	483.10	A
SAFLUFENACIL	5.44	10	211.00	A
SETHOXYDIM	156.94	38	417.10	A
SILICONE DEFOAMER	0.07	3	76.00	A
SODIUM DIISOOCTYLSULFOSUCCINATE	< 0.01	1	7.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SOIL FUMIGATION/PREPLANT				
SODIUM HYDROXIDE	54.59	36	1,679.20	A
SODIUM POLYACRYLATE	8.10	7	233.38	A
SPINETORAM	10.07	3	114.00	A
SPINOSAD	1.63	2	10.00	A
STRYCHNINE	1.42	15	90.80	A
SULFURIC ACID	12.69	11	1,108.00	A
TALL OIL	38.18	36	1,484.30	A
TALL OIL FATTY ACIDS	142.91	56	2,689.30	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	28.73	12	545.00	A
THIOPHANATE-METHYL	20.11	1	26.00	A
S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE	139.91	1	63.00	A
TRIFLOXYSTROBIN	7.97	1	85.00	A
TRIFLURALIN	3,262.56	112	4,421.95	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	21.21	5	339.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	283.14	42	2,060.56	A
UREA	0.57	5	22.00	A
UREA DIHYDROGEN SULFATE	9.19	2	45.00	A
VEGETABLE OIL	23.12	5	22.00	A
VINYL POLYMER	58.28	87	4,881.13	A
ZINC PHOSPHIDE	28.84	5	350.50	A
ZINC SULFATE	1.47	1	10.00	A
Site Total	4,841,799.09	6,353		
SORGHUM (FORAGE - FODDER)				
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	168.77	12	623.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	24.03	10	777.25	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.61	1	31.60	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	173.99	16	881.29	A
ALKYL (C8,C10) POLYGLUCOSIDE	9.57	4	177.00	A
AMMONIUM NITRATE	4.36	2	101.00	A
AMMONIUM SULFATE	67.73	17	730.00	A
ATRAZINE	24.57	1	20.90	A
ATRAZINE, OTHER RELATED	0.52	1	20.90	A
BENZOIC ACID	1.70	6	315.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	12.53	5	208.60	A
BROMOXYNIL HEPTANOATE	35.68	3	176.00	A
BROMOXYNIL OCTANOATE	37.01	3	176.00	A
BUTYL ALCOHOL	1.59	3	108.00	A
CALCIUM CHLORIDE	0.57	2	106.00	A
CANOLA OIL	0.06	1	18.00	A
CARFENTRAZONE-ETHYL	7.86	17	1,014.70	A
CHLORANTRANILIPROLE	8.32	3	137.00	A
CHLORPYRIFOS	1,268.51	47	2,380.60	A
CITRIC ACID	7.04	15	612.60	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.44	3	329.00	A
BETA-CYFLUTHRIN	18.92	11	803.00	A
(S)-CYPERMETHRIN	10.99	3	247.56	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SORGHUM (FORAGE - FODDER)				
2,4-D, DIMETHYLAMINE SALT	1,067.25	22	1,290.00	A
DERIVATED NATURAL POLYMERS	0.60	2	300.00	A
DICAMBA, DIMETHYLAMINE SALT	80.41	5	299.00	A
DICAMBA, SODIUM SALT	84.41	7	427.60	A
DIETHYLENE GLYCOL	23.40	12	1,142.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	982.83	43	2,576.29	A
DIMETHOATE	7,850.46	18	1,987.02	A
DIMETHYL ALKYL TERTIARY AMINES	1.85	6	315.00	A
DIMETHYLPOLYSILOXANE	2.51	41	2,625.20	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	1.07	1	31.60	A
DODECYLBENZENE SULFONIC ACID, CALCIUM SALT	0.03	1	18.00	A
ETHYLENE GLYCOL	3.77	1	31.00	A
FATTY ACIDS, METHYL ESTERS	25.08	1	20.90	A
FATTY ACIDS, MIXED	45.00	32	2,524.26	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	25.76	5	195.00	A
FATTY ACIDS DERIVED FROM TALLOW	69.60	16	881.29	A
FERROUS SULFATE	2.30	3	329.00	A
FLUBENDIAMIDE	8.55	3	175.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	181.18	3	165.00	A
GLYPHOSATE, POTASSIUM SALT	526.01	10	397.00	A
HALOSULFURON-METHYL	20.12	8	457.60	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	44.11	10	727.00	A
ISOPROPYL ALCOHOL	24.02	31	1,647.00	A
KEROSENE	3.29	6	315.00	A
LAMBDA-CYHALOTHRIN	6.03	9	217.00	A
LECITHIN	21.85	6	242.60	A
MALATHION	208.42	4	145.00	A
MANGANESE SULFATE	3.18	3	329.00	A
METHOMYL	18.00	1	40.00	A
METHOXYFENOZIDE	5.65	2	40.00	A
METHYLATED SOYBEAN OIL	77.02	9	407.60	A
METOLACHLOR	685.75	5	443.00	A
S-METOLACHLOR	1,988.28	18	1,019.07	A
MINERAL OIL	241.34	2	160.90	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	23.58	21	1,445.26	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	451.67	82	5,133.35	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE), PHOSPHATE ESTER	5.16	1	52.60	A
OLEIC ACID, METHYL ESTER	132.32	10	727.00	A
PARAQUAT DICHLORIDE	311.47	2	300.00	A
PENDIMETHALIN	380.18	14	400.05	A
PHOSPHORIC ACID	38.41	18	1,010.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	3.77	5	333.00	A
POLYACRYLAMIDE POLYMER	6.45	20	1,014.50	A
POLYACRYLIC POLYMER	1.05	9	382.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.45	2	40.00	A
POLYBUTENES	4.07	4	177.00	A
POLYETHYLENE GLYCOL	65.87	15	816.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	3.32	1	31.60	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	0.07	1	18.00	A
POLYSILOXANE	6.92	4	376.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SORGHUM (FORAGE - FODDER)				
POTASSIUM HYDROXIDE	0.48	2	76.00	A
PROPARGITE	234.31	4	143.60	A
PROPIONIC ACID	10.37	5	190.00	A
PROPYLENE GLYCOL	51.81	7	374.00	A
TALL OIL	0.36	2	104.00	A
TALL OIL FATTY ACIDS	21.84	2	160.90	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	65.92	14	1,218.00	A
VINYL POLYMER	3.02	10	487.00	A
ZINC SULFATE	6.63	5	462.00	A
Site Total	18,045.00	446		
SORGHUM/MILO				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.70	2	80.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	311.69	42	3,714.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	38.26	19	831.08	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	21.27	8	188.90	A
ALPHA-PINENE BETA-PINENE COPOLYMER	122.94	7	488.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	92.60	18	970.12	A
ALKYL (C8,C10) POLYGLUCOSIDE	13.35	5	143.90	A
ALUMINUM PHOSPHIDE	14.40		1.20	T
AMMONIUM NITRATE	10.62	21	828.98	A
AMMONIUM SULFATE	322.54	42	2,028.28	A
ATRAZINE	586.07	15	350.20	A
ATRAZINE, OTHER RELATED	12.38	15	350.20	A
BENZOIC ACID	13.78	47	2,477.31	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	5.19	7	488.50	A
BROMOXYNIL HEPTANOATE	30.99	7	153.00	A
BROMOXYNIL OCTANOATE	145.29	16	376.60	A
BUTYL ALCOHOL	10.09	15	521.10	A
CALCIUM CHLORIDE	62.79	49	3,698.61	A
CARFENTRAZONE-ETHYL	5.82	24	651.50	A
CASTOR OIL ETHOXYLATE	3.98	2	115.33	A
CHLORANTRANILIPROLE	20.19	5	384.50	A
CHLORPYRIFOS	1,339.35	36	2,190.89	A
CITRIC ACID	226.42	63	4,800.31	A
COCONUT DIETHANOLAMIDE	0.35	7	97.60	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	1.17	2	133.29	A
(S)-CYPERMETHRIN	64.45	22	1,302.51	A
2,4-D, DIMETHYLAMINE SALT	16.93	1	30.00	A
DICAMBA, DIMETHYLAMINE SALT	130.51	6	433.00	A
DICAMBA, SODIUM SALT	61.12	3	355.60	A
DIETHYLENE GLYCOL	19.81	10	618.50	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	3,197.02	138	8,860.33	A
DIMETHOATE	1,367.43	37	2,741.10	A
DIMETHYL ALKYL TERTIARY AMINES	15.01	47	2,477.31	A
DIMETHYLPOLYSILOXANE	2.08	63	3,432.17	A
DODECYLBENZENE SULFONIC ACID	1.52	7	97.60	A
EDTA, TETRASODIUM SALT	0.09	7	97.60	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	155.66	11	793.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SORGHUM/MILO				
ETHYLENE GLYCOL	791.02	4	365.00	A
FATTY ACIDS, METHYL ESTERS	68.69	4	79.30	A
FATTY ACIDS, MIXED	9.03	4	156.30	A
FATTY ACIDS DERIVED FROM TALLOW	37.04	18	970.12	A
FERROUS SULFATE	6.08	2	133.29	A
GAMMA-CYHALOTHRIN	0.38	2	56.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	514.27	14	301.88	A
GLYPHOSATE, POTASSIUM SALT	251.01	5	182.00	A
HALOSULFURON-METHYL	13.89	3	355.60	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.03	1	23.00	A
HYDROTREATED PARAFFINIC SOLVENT	215.26	8	141.60	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	162.76	48	3,858.11	A
ISOPROPYL ALCOHOL	443.16	85	6,455.27	A
KEROSENE	26.69	47	2,477.31	A
LAMBDA-CYHALOTHRIN	23.86	11	730.00	A
LECITHIN	26.02	11	251.80	A
MALATHION	40.07	1	22.00	A
MANGANESE SULFATE	8.41	2	133.29	A
METHOMYL	572.94	11	1,273.20	A
METHOXYFENOZIDE	10.35	1	73.20	A
METHYLATED SOYBEAN OIL	566.97	50	2,533.31	A
METOLACHLOR	15,334.10	124	9,481.43	A
S-METOLACHLOR	5,272.49	64	3,089.16	A
MINERAL OIL	392.79	14	937.10	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	27.73	3	294.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	873.10	97	4,722.29	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	24.03	20	1,017.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	260.10	8	177.60	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	32.66	2	264.00	A
OLEIC ACID, METHYL ESTER	610.58	53	3,654.51	A
OXYFLUORFEN	0.94	1	10.00	A
PARAQUAT DICHLORIDE	231.57	5	223.10	A
PENDIMETHALIN	364.28	8	454.22	A
PETROLEUM DISTILLATES	24.03	1	40.00	A
PETROLEUM DISTILLATES, ALIPHATIC	0.04	2	80.00	A
PETROLEUM NAPHTHENIC OILS	0.49	2	80.00	A
PETROLEUM OIL, PARAFFIN BASED	194.65	6	372.10	A
PHOSPHORIC ACID	120.20	39	2,368.09	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	17.94	25	2,028.40	A
POLYACRYLAMIDE POLYMER	5.82	17	973.00	A
POLYACRYLIC POLYMER	0.22	2	58.70	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	38.18	11	793.50	A
POLYETHYLENE GLYCOL	57.64	15	840.17	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	31.04	5	223.10	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	4.69	1	149.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	29.88	2	115.33	A
POLYSACCHARIDE POLYMER	0.44	9	725.00	A
PROPARGITE	6,651.36	10	400.80	A
PROPIONIC ACID	4.75	3	62.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SORGHUM/MILO				
PROPYLENE GLYCOL	62.33	13	925.20	A
SILICONE DEFOAMER	0.04	7	97.60	A
SODIUM CHLORATE	3,465.66	13	585.80	A
SODIUM XYLENE SULFONATE	0.47	7	97.60	A
TALL OIL	3.98	2	115.33	A
TALL OIL FATTY ACIDS	80.60	30	1,593.90	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.78	7	97.60	A
TETRAPOTASSIUM PYROPHOSPHATE	0.23	7	97.60	A
THIRAM	389.93		568.73	T
	168.30		432,000.00	P
Total Pounds On This Chemical	558.24			
TRIETHANOLAMINE	0.60	7	97.60	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.00	3	126.30	A
UREA DIHYDROGEN SULFATE	28.95	8	188.90	A
VINYL POLYMER	3.59	20	667.80	A
XANTHAN GUM	0.03	12	875.50	A
ZINC SULFATE	13.09	2	133.29	A
Site Total	47,070.12	1,057		
SOYBEAN				
GLYPHOSATE, POTASSIUM SALT	1.38		2.00	A
SODIUM HYPOCHLORITE	1.27	1	750.00	?
	1.27	1	650.00	U
Total Pounds On This Chemical	2.54			
Site Total	3.92	2		
SPINACH				
ABAMECTIN	204.11	2,487	18,321.28	A
ACETAMIPRID	145.96	274	2,070.53	A
ACIBENZOLAR-S-METHYL	822.55	4,145	34,296.40	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	248.07	191	3,187.51	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.00	4	15.42	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	21.58	2	74.70	A
ALPHA-PINENE BETA-PINENE COPOLYMER	1.19	3	139.52	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	31.39	71	92.29	A
ALKYL (C8,C10) POLYGLUCOSIDE	3.75	26	134.90	A
AMMONIUM NITRATE	1.02	1	6.00	A
AMMONIUM PROPIONATE	0.88	2	18.13	A
AMMONIUM SULFATE	31.04	15	119.60	A
AMYL ACETATE	0.06	1	16.13	A
AZADIRACHTIN	67.69	386	3,982.12	A
AZOXYSTROBIN	238.77	108	996.59	A
	0.41		16,536.05	P
Total Pounds On This Chemical	239.18			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	44.14	28	142.05	A
BACILLUS PUMILUS, STRAIN QST 2808	304.46	374	2,920.65	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	650.14	92	957.56	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SPINACH				
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	2.51	1	24.40	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	571.06	74	743.83	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	< 0.01	3	0.30	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	592.54	115	589.25	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.10	1	1.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	3,328.03	308	2,695.57	A
BEAUVERIA BASSIANA STRAIN GHA	2.25	5	11.43	A
BENSULIDE	7.62	2	4.30	A
BENZOIC ACID	45.98	412	2,978.19	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	248.12	324	6,057.00	A
CALCIUM CHLORIDE	0.07	2	118.41	A
CARFENTRAZONE-ETHYL	0.18	1	6.00	A
CHLORANTRANILIPROLE	474.40	807	7,124.63	A
CHLOROPICRIN	42,312.28	9	226.40	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	85.68	20	101.20	A
CITRIC ACID	10.22	19	355.75	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	653.49	108	745.33	A
CLETHODIM	51.27	32	424.85	A
CLOTHIANIDIN	83.40	81	579.60	A
COCONUT DIETHANOLAMIDE	0.44	34	35.98	A
COPPER HYDROXIDE	51.52	3	111.00	A
COPPER OCTANOATE	795.05	132	1,986.73	A
COPPER OXIDE (OUS)	546.00	52	476.44	A
COPPER SULFATE (PENTAHYDRATE)	426.94	1	28.75	A
CYAZOFAMID	101.41	289	1,464.39	A
CYCLOATE	31,525.90	2,439	16,346.16	A
CYFLUTHRIN	31.02	39	679.80	A
BETA-CYFLUTHRIN	30.33	195	1,334.42	A
CYMOXANIL	839.16	341	4,816.38	A
CYPERMETHRIN	2.84	19	60.80	A
(S)-CYPERMETHRIN	651.69	1,777	13,516.89	A
CYROMAZINE	427.74	561	3,456.87	A
	1.76		35.49	P
Total Pounds On This Chemical	429.50			
DIAZINON	7,859.89	587	4,241.06	A
1,3-DICHLOROPROPENE	32,817.40	9	226.40	A
DIETHYLENE GLYCOL	5.23	3	223.00	A
DIMETHOMORPH	0.19	1	8.00	A
DIMETHYL ALKYL TERTIARY AMINES	50.08	412	2,978.19	A
DIMETHYLPOLYSILOXANE	265.09	826	9,787.37	A
DIMETHYL SILICONE FLUID EMULSION	3.63	95	647.15	A
DINOTEFURAN	0.59	2	26.00	A
DODECYLBENZENE SULFONIC ACID	1.92	34	35.98	A
EDTA, TETRASODIUM SALT	0.12	34	35.98	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	13.59	19	96.60	A
ETHYLENE GLYCOL	297.59	115	1,127.06	A
FAMOXADONE	136.95	59	1,053.17	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SPINACH				
FATTY ACIDS, MIXED	11.85	6	308.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	926.13	321	5,917.48	A
FATTY ACIDS DERIVED FROM TALLOW	12.56	71	92.29	A
FENAMIDONE	2,914.26	1,721	11,519.76	A
FLONICAMID	380.40	537	4,501.68	A
FLUBENDIAMIDE	0.64	16	20.13	A
FLUDIOXONIL	0.83		33,632.73	P
FLUOPICOLIDE	980.54	1,033	8,150.15	A
FOSETYL-AL	9,836.96	446	4,057.36	A
GLIOCLADIUM VIRENS GL-21 (SPORES)	830.79	159	1,572.55	A
GLYPHOSATE, ISOPROPYLAMINE SALT	354.90	7	93.30	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	4.32	2	74.70	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.32	1	16.13	A
HYDROGEN PEROXIDE	1,372.95	107	2,517.33	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	3.57	19	185.80	A
IMIDACLOPRID	1,704.40	2,704	23,012.59	A
INDOXACARB	29.73	115	476.68	A
IRON PHOSPHATE	0.04	11	1.84	A
	< 0.01	1	1,000.00	S
Total Pounds On This Chemical	0.05			
ISOPROPYL ALCOHOL	59.48	322	1,737.70	A
KAOLIN	807.50	12	34.00	A
KEROSENE	89.05	412	2,978.19	A
LECITHIN	40.48	33	184.85	A
MALATHION	893.26	173	923.84	A
MANDIPROPAMID	5,249.80	4,114	40,664.62	A
MARGOSA OIL	641.65	54	1,406.82	A
MEFENOXAM	11,766.30	2,714	20,551.97	A
	59.48		311,818.81	P
	13.57		88,665.91	U
Total Pounds On This Chemical	11,839.35			
MEFENOXAM, OTHER RELATED	2.09	25	141.14	A
	0.16		34,682.24	U
	< 0.01		1,271.35	P
Total Pounds On This Chemical	2.25			
METALAXYL	7.30		9,823.83	P
METAM-SODIUM	7,937.45	2	25.00	A
METHOMYL	6,556.36	1,060	12,080.97	A
METHOXYFENOZIDE	386.05	290	2,726.38	A
METHYLATED SOYBEAN OIL	1,709.46	414	3,008.72	A
METHYL SILICONE RESINS	12.76	199	2,772.62	A
S-METOLACHLOR	846.39	121	1,297.71	A
MINERAL OIL	112.98	5	264.52	A
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	671.40	36	158.10	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	314.22	321	5,917.48	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	245.21	367	2,177.01	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	44.57	3	41.40	A
OLEIC ACID, METHYL ESTER	29.38	23	201.22	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	2.86	3	8.28	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SPINACH				
PERMETHRIN	7,983.92	5,480	50,364.31	A
PETROLEUM DISTILLATES, REFINED	0.88	1	0.50	A
PETROLEUM OIL, PARAFFIN BASED	11.65	5	81.30	A
PHENMEDIPHAM	547.33	30	1,124.60	A
PHOSPHORIC ACID	8.61	65	219.18	A
PIPERONYL BUTOXIDE	4.59	6	36.20	A
PIPERONYL BUTOXIDE, OTHER RELATED	1.15	6	36.20	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	13.63	91	1,017.35	A
POLYACRYLAMIDE POLYMER	2.21	4	141.90	A
POLYACRYLIC POLYMER	0.67	12	86.60	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	45.07	38	227.50	A
POLYBUTENES	165.38	321	5,917.48	A
POLYETHER MODIFIED POLYSILOXANE	0.74	19	96.60	A
POLYETHYLENE GLYCOL	20.97	9	292.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-((TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	2.19	8	47.99	A
POLY-I-PARA-MENTHENE	13.80	12	481.36	A
POLYOXYETHYLENE POLYOXYPROPYLENE	5.93	9	93.59	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	56.87	5	81.30	A
POLYPROPYLENE GLYCOL	12.58	193	2,724.72	A
POLYSILOXANE	0.06	25	128.90	A
POTASH SOAP	157.55	13	156.25	A
POTASSIUM BICARBONATE	9.84	1	4.00	A
POTASSIUM HYDROXIDE	1.90	25	128.90	A
POTASSIUM N-METHYLDITHIOCARBAMATE	94,963.05	145	469.87	A
POTASSIUM PHOSPHITE	65,954.82	2,222	24,714.99	A
PROPIONIC ACID	15.69	28	155.03	A
PROPYLENE GLYCOL	4.38	11	138.82	A
PYMETROZINE	71.23	139	830.61	A
PYRACLOSTROBIN	47.94	106	283.13	A
PYRETHRINS	255.46	364	7,522.62	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	287.30	446	3,159.05	A
REYNOUTRIA SACHALINENSIS	802.28	640	4,101.60	A
SILICONE	15.85	962	12,093.41	A
SILICONE DEFOAMER	0.05	34	35.98	A
SODIUM POLYACRYLATE	0.02	1	2.00	A
SODIUM XYLENE SULFONATE	0.59	34	35.98	A
SPINETORAM	2,001.76	4,427	40,712.19	A
SPINOSAD	1,804.85	1,657	18,253.32	A
SPIROMESIFEN	0.19	2	1.75	A
SPIROTETRAMAT	30.66	293	3,382.73	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	1	3.72	A
TALL OIL	0.39	164	282.66	A
TALL OIL FATTY ACIDS	2.54	4	189.52	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.25	34	35.98	A
TETRAPOTASSIUM PYROPHOSPHATE	0.30	34	35.98	A
THIAMETHOXAM	94.31	128	1,367.76	A
	0.06		4.95	P
Total Pounds On This Chemical	94.37			
THIRAM	1,135.89		468,997.09	P
	221.83		88,843.82	U
Total Pounds On This Chemical	1,357.72			
TRIETHANOLAMINE	0.75	34	35.98	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	4.08	8	47.99	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SPINACH				
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	35.49	48	464.63	A
VINYL POLYMER	0.27	2	27.00	A
Site Total	362,860.68	50,786		
SQUASH				
ABAMECTIN	24.40	59	1,648.20	A
ACETAMIPRID	90.96	44	949.10	A
ACETIC ACID	0.03	1	20.00	A
ACRYLIC ACID	0.12	1	2.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	9.37	11	168.70	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE)	4.09	5	70.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	1.93	3	31.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	0.24	3	31.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	5.78	3	30.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.53	1	11.00	A
ALLYLOXPOLYETHYLENE GLYCOL ACETATE	0.07	1	5.50	A
AMMONIUM NITRATE	0.25	1	11.00	A
AMMONIUM SULFATE	0.51	1	11.00	A
AZADIRACTIN	0.49	3	16.00	A
	< 0.01	2	4,800.00	S
Total Pounds On This Chemical	0.50			
AZOXYSTROBIN	81.95	24	1,385.96	A
	0.23		8,452.22	P
Total Pounds On This Chemical	82.18			
BACILLUS PUMILUS, STRAIN QST 2808	9.07	6	148.30	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	13.51	3	25.68	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	7.56	2	7.00	A
	0.03	3	555.12	S
Total Pounds On This Chemical	7.59			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	9.55	5	15.18	A
BEAUVERIA BASSIANA STRAIN GHA	0.25	1	3.00	A
BENSULIDE	1,342.74	40	302.07	A
BENZOIC ACID	0.63	8	23.43	A
BIFENAZATE	22.50	2	45.00	A
BIFENTHRIN	213.31	108	2,227.48	A
	< 0.01	1	2,400.00	S
Total Pounds On This Chemical	213.32			
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	10.89	15	285.25	A
BOSCALID	56.04	13	228.86	A
BUTYL ALCOHOL	5.80	17	245.50	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	3.66	3	48.00	A
CALCIUM CHLORIDE	1.09	12	135.80	A
CARBARYL	51.61	3	51.58	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH				
CARBOXIN	0.19		300.00	P
CARFENTRAZONE-ETHYL	0.90	3	127.00	A
CASTOR OIL ETHOXYLATE	3.02	3	49.40	A
CHLORANTRANILIPROLE	3.94	9	70.00	A
CHLOROTHALONIL	192.58	13	103.03	A
CITRIC ACID	3.65	16	186.80	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	0.06	1	0.25	A
CLETHODIM	23.95	13	187.07	A
CLOTHIANIDIN	1.35	1	20.00	A
COCONUT DIETHANOLAMIDE	0.51	9	56.50	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.02	1	16.00	A
COPPER HYDROXIDE	28.80	9	73.00	A
COPPER OXIDE (OUS)	6.29	1	5.00	A
COPPER OXYCHLORIDE	0.37	7	1.50	A
CYAZOFAMID	0.40	3	7.00	A
CYFLUTHRIN	2.00	3	44.00	A
BETA-CYFLUTHRIN	0.07	1	3.00	A
CYPERMETHRIN	0.05	1	1.00	A
(S)-CYPERMETHRIN	18.17	29	396.65	A
CYPRODINIL	0.19	1	0.50	A
	0.02	1	3,400.00	S
Total Pounds On This Chemical	0.21			
CYROMAZINE	0.12	1	0.50	A
DIETHYLENE GLYCOL	15.35	35	676.20	A
DIFENOCONAZOLE	25.93	12	233.08	A
DIMETHYL ALKYL TERTIARY AMINES	0.69	8	23.43	A
DIMETHYLPOLYSILOXANE	22.42	101	1,339.95	A
DIMETHYL SILICONE FLUID EMULSION	< 0.01	1	1.00	A
DINOTEFURAN	18.06	3	103.50	A
DIPROPYLENE GLYCOL METHYL ETHER	0.08	1	5.00	A
DODECYLBENZENE SULFONIC ACID	2.23	9	56.50	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.05	3	39.60	A
EDTA, TETRASODIUM SALT	0.14	9	56.50	A
ESFENVALERATE	5.83	18	129.70	A
ETHALFLURALIN	138.49	11	101.45	A
ETHEPHON	260.18	191	1,514.39	A
ETOXAZOLE	1.25	2	15.60	A
FATTY ACIDS, METHYL ESTERS	4.84	1	12.00	A
FATTY ACIDS, MIXED	7.21	19	345.75	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	35.82	14	273.25	A
FATTY ACIDS DERIVED FROM TALLOW	2.31	3	30.00	A
FENAMIDONE	10.61	2	60.00	A
FENPROPATHRIN	1.35	3	6.00	A
FERROUS SULFATE	0.11	1	16.00	A
FLONICAMID	58.83	49	722.70	A
FLUBENDIAMIDE	3.24	2	41.00	A
FLUDIOXONIL	0.23		9,056.30	P
	0.14	1	781.15	A
	0.02	1	3,400.00	S
Total Pounds On This Chemical	0.39			
FOSETYL-AL	6.00	1	0.50	A
GLYPHOSATE, ISOPROPYLAMINE SALT	483.66	13	221.75	A
GLYPHOSATE, POTASSIUM SALT	24.11	1	28.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH				
HALOSULFURON-METHYL	2.79	2	68.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	1.69	1	30.00	A
HYDROGEN PEROXIDE	13.43	3	24.50	A
	5.60		1,084.00	P
Total Pounds On This Chemical	19.03			
HYDROTREATED PARAFFINIC SOLVENT	33.91	4	23.67	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	9.99	18	210.90	A
IMIDACLOPRID	124.82	39	459.70	A
INDOXACARB	0.13	1	2.00	A
IPRODIONE	3.72	1	5.00	A
ISOPROPYL ALCOHOL	5.31	44	444.90	A
KAOLIN	7,207.65	6	219.60	A
KEROSENE	1.15	5	16.50	A
LAMBDA-CYHALOTHRIN	7.36	21	295.10	A
LECITHIN	38.69	19	266.92	A
MALATHION	181.64	14	134.80	A
MANCOZEB	54.38	4	32.00	A
MANGANESE SULFATE	0.15	1	16.00	A
MARGOSA OIL	12.93	1	7.00	A
MEFENOXAM	49.94	12	845.75	A
	1.39		9,859.57	P
Total Pounds On This Chemical	51.33			
MEFENOXAM, OTHER RELATED	< 0.01		451.72	A
METALDEHYDE	4.00	3	10.00	A
METAM-SODIUM	3,325.68	3	40.52	A
METHOMYL	178.04	15	337.60	A
METHOXYFENOZIDE	84.11	24	568.25	A
METHYLATED SOYBEAN OIL	67.09	31	253.50	A
METHYL SILICONE RESINS	3.39	26	194.20	A
MINERAL OIL	102.06	9	108.52	A
	0.11	1	185.04	S
Total Pounds On This Chemical	102.17			
MYCLOBUTANIL	85.45	63	791.39	A
	0.05	3	8,200.00	S
Total Pounds On This Chemical	85.50			
NALED	34.24	1	17.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	14.15	18	292.18	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	214.27	122	1,820.95	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	3.28	4	23.67	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	206.93	13	145.00	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	0.43	3	6.93	A
OIL OF JOJOBA	2.54	2	9.00	A
OLEIC ACID	0.74	3	95.00	A
OLEIC ACID, METHYL ESTER	40.41	18	235.40	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	5.39	15	183.00	A
OXAMYL	13.93	7	26.25	A
OXYFLUORFEN	2.51	2	10.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	1.20	1	4.00	A
PARAQUAT DICHLORIDE	234.31	19	207.75	A
PERMETHRIN	64.74	35	388.05	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH				
PEROXYACETIC ACID	7.60		1,084.00	P
PETROLEUM DISTILLATES	23.84	2	78.00	A
PETROLEUM DISTILLATES, REFINED	169.33	2	52.50	A
PETROLEUM OIL, PARAFFIN BASED	63.10	3	26.00	A
PHOSPHORIC ACID	4.04	21	143.40	A
PIPERONYL BUTOXIDE	1.22	5	12.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.31	5	12.00	A
POLYACRYLAMIDE POLYMER	0.15	1	8.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.39	5	42.00	A
POLYBUTENES	6.40	14	273.25	A
POLYETHER MODIFIED POLYSILOXANE	0.48	3	10.80	A
POLYETHYLENE GLYCOL	13.00	18	156.50	A
POLYETHYLENE GLYCOL DIACETATE	< 0.01	1	5.50	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-((TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	30.66	16	292.00	A
POLY-I-PARA-MENTHENE	18.34	3	39.00	A
POLYMERIZED PINENE	54.11	3	39.60	A
POLYOXYETHYLENE DIOLEATE	0.11	15	183.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	3.06	2	11.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	3.26	3	56.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	9.45	1	15.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	22.63	3	49.40	A
POLYPROPYLENE GLYCOL	0.21	18	77.00	A
POTASH SOAP	7.93	4	3.86	A
	< 0.01	1	1,000.00	S
Total Pounds On This Chemical	7.93			
POTASSIUM BICARBONATE	235.75	6	61.50	A
POTASSIUM PHOSPHITE	117.23	1	50.00	A
PROPAMOCARB HYDROCHLORIDE	24.41	6	40.75	A
PROPIONIC ACID	37.96	16	261.85	A
PROPYLENE GLYCOL	17.07	18	397.00	A
PROPYLENE GLYCOL, METHYL ETHER	1.84	3	95.00	A
PYMETROZINE	1.44	5	16.80	A
	0.02	1	2,400.00	S
Total Pounds On This Chemical	1.46			
PYRACLOSTROBIN	134.06	49	807.66	A
PYRAFLUFEN-ETHYL	0.05	2	15.00	A
PYRETHRINS	1.88	16	101.65	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	8.19	11	70.87	A
QUINOXYFEN	14.87	18	155.75	A
REYNOUTRIA SACHALINENSIS	12.02	10	110.93	A
SETHOXYDIM	9.20	4	40.00	A
SILICONE	0.02	3	21.40	A
SILICONE DEFOAMER	0.06	9	56.50	A
SODIUM XYLENE SULFONATE	0.69	9	56.50	A
SPINETORAM	2.24	10	35.93	A
SPINOSAD	2.19	6	26.20	A
	< 0.01	2	3,585.04	S
Total Pounds On This Chemical	2.19			
SPIROMESIFEN	30.29	17	231.05	A
SPIROTETRAMAT	< 0.01	1	2,400.00	S
SULFUR	15,998.98	94	908.58	A
TALL OIL	5.55	8	119.40	A
TALL OIL FATTY ACIDS	11.41	10	201.67	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.84	10	86.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH				
TETRAPOTASSIUM PYROPHOSPHATE	0.34	9	56.50	A
THIAMETHOXAM	37.10		6,902.93	P
	9.75	13	565.24	A
Total Pounds On This Chemical	46.85			
THIOPHANATE-METHYL	8.49	5	19.00	A
THIRAM	324.18		309,088.89	P
TRIETHANOLAMINE	0.87	9	56.50	A
TRIFLOXYSTROBIN	33.26	8	343.00	A
TRIFLUMIZOLE	41.36	14	176.89	A
TRIFLURALIN	43.68	6	67.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	51.94	14	254.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	9.25	11	205.27	A
UREA DIHYDROGEN SULFATE	0.76	1	30.00	A
VINYL POLYMER	0.02	1	5.00	A
ZINC SULFATE	0.24	1	16.00	A
Site Total	33,505.92	1,585		
SQUASH, SUMMER				
ABAMECTIN	0.71	5	117.50	A
ACETAMIPRID	7.70	8	143.70	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.53	3	48.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	1.07	1	5.00	A
ALUMINUM PHOSPHIDE	13.22	4	45.00	A
AMMONIUM NITRATE	0.51	1	5.00	A
AMMONIUM SULFATE	1.02	1	5.00	A
AZADIRACTIN	2.09	14	140.00	A
	< 0.01	7	1,350.00	S
Total Pounds On This Chemical	2.09			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	25.92	6	54.00	A
	0.01	1	200.00	S
Total Pounds On This Chemical	25.93			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.82	1	8.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1.88	1	46.00	A
BENSULIDE	241.72	12	58.20	A
BIFENTHRIN	5.83	6	58.30	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL)ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	24.19	27	176.40	A
BORAX	0.49	3	31.00	A
BUTYL ALCOHOL	0.19	1	10.00	A
CHLORTHAL-DIMETHYL	39.00	2	13.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	247.51	12	240.15	A
CLETHODIM	0.73	1	10.00	A
CYAZOFAMID	0.80	1	11.00	A
(S)-CYPERMETHRIN	9.17	28	212.45	A
1,3-DICHLOROPROPENE	7,521.62	4	62.00	A
DIETHYLENE GLYCOL	1.24	2	31.00	A
DIMETHYLPOLYSILOXANE	10.76	40	245.03	A
DINOTEFURAN	0.88	1	5.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH, SUMMER				
DIPROPYLENE GLYCOL METHYL ETHER	0.64	1	10.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	8.30	2	26.00	A
ESFENVALERATE	1.40	5	30.00	A
ETHALFLURALIN	11.88	4	13.83	A
ETHEPHON	9.29	13	58.51	A
FATTY ACIDS, METHYL ESTERS	21.80	5	54.10	A
FATTY ACIDS, MIXED	0.46	3	25.50	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	68.52	22	122.30	A
FENPYROXIMATE	0.72	1	6.00	A
FLONICAMID	1.50	1	22.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	13.78	2	22.00	A
GLYPHOSATE, POTASSIUM SALT	85.60	3	37.72	A
HYDROGEN PEROXIDE	2.38		613.00	U
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	7.54	4	116.00	A
IMIDACLOPRID	11.88	11	57.81	A
IRON PHOSPHATE	0.03	2	3,200.00	S
ISOPROPYL ALCOHOL	1.48	16	87.00	A
KAOLIN	1,217.85	9	39.45	A
LAMBDA-CYHALOTHRIN	2.42	5	77.00	A
LECITHIN	16.34	4	35.50	A
MALATHION	62.88	3	44.00	A
MEFENOXAM	8.42	5	51.11	A
METHOMYL	4.50	3	10.00	A
METHYL SILICONE RESINS	1.00	17	105.53	A
MINERAL OIL	5.26		600.00	S
MYCLOBUTANIL	56.61	76	482.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	30.64	27	176.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	16.84	14	115.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1.46	1	5.00	A
OLEIC ACID	0.19	9	43.00	A
OLEIC ACID, METHYL ESTER	22.62	4	116.00	A
OXAMYL	1.00	1	1.00	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	4.00	1	20.00	A
PARAQUAT DICHLORIDE	12.46	4	45.00	A
PERMETHRIN	2.35	3	14.70	A
PEROXYACETIC ACID	3.23		613.00	U
PHOSPHORIC ACID	0.49	2	26.00	A
POLYBUTENES	12.24	22	122.30	A
POLYETHER MODIFIED POLYSILOXANE	3.32	10	82.20	A
POLYETHYLENE GLYCOL	0.56	2	8.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	7.24	12	62.20	A
POLYPROPYLENE GLYCOL	0.19	15	92.33	A
POTASH SOAP	99.94	5	41.00	A
	0.31	4	1,000.00	S
Total Pounds On This Chemical	100.25			
POTASSIUM BICARBONATE	32.80	1	20.00	A
PROPIONIC ACID	15.91	4	35.50	A
PROPYLENE GLYCOL	4.33	13	83.20	A
PYMETROZINE	13.09	19	152.30	A
PYRACLOSTROBIN	10.14	4	56.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH, SUMMER				
PYRAFLUFEN-ETHYL	0.08	3	25.00	A
PYRETHRINS	1.27	8	41.05	A
	< 0.01	9	1,445.00	S
Total Pounds On This Chemical	1.27			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	11.56	4	129.00	A
SILICONE	0.04	3	29.00	A
SPINETORAM	0.19	1	6.00	A
SPINOSAD	10.69	3	89.00	A
SULFUR	5,919.44	79	692.45	A
	0.06	1	500.00	S
Total Pounds On This Chemical	5,919.49			
TALL OIL	0.24	5	36.00	A
TALL OIL FATTY ACIDS	1.85	2	31.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.19	9	43.00	A
THIAMETHOXAM	2.12	6	35.10	A
TRIFLURALIN	1.00	1	2.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	13.49	12	62.20	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.90	2	26.00	A
Site Total	16,044.54	522		
SQUASH, WINTER				
ABAMECTIN	2.93	11	230.00	A
ACETAMIPRID	15.54	10	207.38	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.97	2	105.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.04	1	5.00	A
AZOXYSTROBIN	4.30	2	22.76	A
BACILLUS PUMILUS, STRAIN QST 2808	3.60	2	40.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.03	1	0.10	A
BENZOIC ACID	0.86	1	85.00	A
BIFENAZATE	2.50	1	5.00	A
BIFENTHRIN	23.31	11	250.50	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.15	1	18.50	A
BOSCALID	174.83	2	105.00	A
BUTYL ALCOHOL	0.79	1	17.00	A
CHLORANTRANILIPROLE	2.21	2	41.00	A
CLETHODIM	13.93	4	105.96	A
(S)-CYPERMETHRIN	13.83	14	289.00	A
DIETHYLENE GLYCOL	1.10	2	80.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.94	1	85.00	A
DIMETHYLPOLYSILOXANE	0.16	8	233.50	A
DIPHACINONE	< 0.01	3	115.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	4.30	1	18.50	A
FLONICAMID	7.44	2	85.00	A
HALOSULFURON-METHYL	0.40	1	17.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	7.86	9	214.00	A
IMIDACLOPRID	12.01	7	39.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH, WINTER				
ISOPROPYL ALCOHOL	1.91	4	105.00	A
KEROSENE	1.67	1	85.00	A
LAMBDA-CYHALOTHRIN	9.18	13	325.34	A
LECITHIN	1.83	1	18.00	A
METHOXYFENOZIDE	9.88	1	35.00	A
METHYLATED SOYBEAN OIL	32.77	2	103.00	A
MYCLOBUTANIL	2.47	2	28.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1.46	1	18.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	32.46	9	238.50	A
OLEIC ACID, METHYL ESTER	23.20	8	209.00	A
PERMETHRIN	15.30	4	102.00	A
PETROLEUM OIL, PARAFFIN BASED	59.74	3	88.96	A
PHOSPHORIC ACID	2.21	2	36.50	A
POLYBUTENES	0.77	1	18.50	A
POLYETHYLENE GLYCOL	9.62	3	100.00	A
POLYETHYLENE GLYCOL DIACETATE	< 0.01	1	5.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	10.80	3	88.96	A
PROPYLENE GLYCOL	1.10	2	80.00	A
PYRACLOSTROBIN	126.60	8	299.00	A
PYRETHRINS	3.37	7	26.25	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	1.99	1	35.00	A
QUINOXYFEN	2.41	2	28.00	A
SULFUR	3,778.30	8	166.20	A
TALL OIL FATTY ACIDS	2.14	3	85.00	A
THIAMETHOXAM	0.93	1	18.00	A
TRIFLOXYSTROBIN	3.77	2	39.00	A
TRIFLUMIZOLE	4.05	1	18.50	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.92	1	18.00	A
UREA	1.97	2	36.50	A
Site Total	4,441.85	146		
SQUASH, ZUCCHINI				
ABAMECTIN	0.03	1	2.35	A
ACETAMIPRID	4.69	2	108.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.66	3	24.75	A
AZADIRACTIN	0.84	3	24.75	A
BACILLUS PUMILUS, STRAIN QST 2808	2.05	4	31.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	31.32	3	34.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.59	1	4.60	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	17.82	5	18.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	26.24	3	24.75	A
BEAUVERIA BASSIANA STRAIN GHA	< 0.01	1	0.10	A
BENSULIDE	515.33	6	111.00	A
BIFENTHRIN	5.25	1	105.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	17.12	18	203.00	A
BOSCALID	7.09	1	25.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SQUASH, ZUCCHINI				
CHLORANTRANILIPROLE	8.20	2	130.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	45.85	3	22.00	A
COPPER HYDROXIDE	21.50	2	6.00	A
COPPER OCTANOATE	12.82	2	18.50	A
(S)-CYPERMETHRIN	4.55	15	174.00	A
DIMETHOATE	51.96	1	105.00	A
DIMETHYLPOLYSILOXANE	1.33	1	70.00	A
ESFENVALERATE	0.73	3	12.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	63.90	18	203.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	209.82	1	70.00	A
HYDROGEN PEROXIDE	12.32	1	5.00	A
IMIDACLOPRID	23.28	7	61.00	A
LAMBDA-CYHALOTHRIN	0.07	1	2.35	A
LECITHIN	32.52	1	70.00	A
MALATHION	224.97	14	116.00	A
METHYLATED SOYBEAN OIL	16.26	1	70.00	A
METHYL SILICONE RESINS	0.08	1	2.35	A
MINERAL OIL	17.55	3	6.00	A
MYCLOBUTANIL	18.03	15	154.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	21.68	18	203.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	16.26	1	70.00	A
PERMETHRIN	2.03	1	13.00	A
PHOSPHORIC ACID	0.04	1	2.35	A
POLYBUTENES	11.41	18	203.00	A
POTASH SOAP	45.80	3	5.00	A
POTASSIUM BICARBONATE	182.04	6	47.00	A
PYMETROZINE	8.42	6	98.00	A
PYRACLOSTROBIN	4.07	2	27.35	A
PYRETHRINS	5.29	12	66.40	A
REYNOUTRIA SACHALINENSIS	8.13	1	25.00	A
SULFUR	353.52	14	64.69	A
Site Total	2,054.46	169		
STONE FRUIT				
ABAMECTIN	0.12		6.00	A
ACETAMIPRID	0.23	2	4.00	A
ACRYLIC ACID	0.04	1	1.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.27	3	15.80	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.08	1	7.40	A
ALKYL (C8,C10) POLYGLUCOSIDE	29.88	4	25.60	A
ALUMINUM PHOSPHIDE	0.55	12	10.10	A
AMMONIUM NITRATE	14.23	4	25.60	A
AMMONIUM SULFATE	28.45	4	25.60	A
AZOXYSTROBIN	1.25	1	8.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	< 0.01	1	1.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	2.83	6	27.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	4.25	1	4.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STONE FRUIT				
BIFENAZATE	10.66	5	23.10	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.32	2	6.00	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	< 0.01	1	2.00	A
CHLORPYRIFOS	1.13	1	3.00	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	0.06	1	2.00	A
CLETHODIM	1.05	2	12.80	A
COPPER HYDROXIDE	187.99	13	61.13	A
COPPER OXIDE (OUS)	26.30	2	6.00	A
COPPER OXYCHLORIDE	7.62	2	6.00	A
CYPRODINIL	8.02	2	19.25	A
2,4-D, DIMETHYLAMINE SALT	2.46	2	17.00	A
1,3-DICHLOROPROPENE	2,938.48	1	8.80	A
DIFENOCONAZOLE	0.78	1	8.00	A
DIMETHYLPOLYSILOXANE	0.30	6	32.60	A
DIPHACINONE	< 0.01	1	0.25	A
Z-8-DODECENOL	0.03	2	152.00	A
E-8-DODECENYL ACETATE	0.19	2	152.00	A
Z-8-DODECENYL ACETATE	2.78	2	152.00	A
EDTA, SODIUM SALT	0.01	4	14.00	A
ESFENVALERATE	0.49	3	8.10	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1.20	2	6.00	A
FLUDIOXONIL	2.63		700,000.00	K
FLUMIOXAZIN	0.06	1	1.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	185.56	28	258.41	A
GLYPHOSATE, POTASSIUM SALT	14.01	1	7.40	A
HEXYTHIAZOX	2.17	4	17.00	A
IMIDACLOPRID	0.01	1	1,000.00	U
IPRODIONE	7.99	1	8.00	A
ISOPROPYL ALCOHOL	2.84	36	351.60	A
KAOLIN	33.49	2	1.10	A
LAMBDA-CYHALOTHRIN	0.53	1	16.00	A
LECITHIN	2.08	1	7.40	A
LIME-SULFUR	8.41	1	4.80	A
METHOXYFENOZIDE	1.69	1	8.00	A
MINERAL OIL	52.17	1	2.00	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	1.97	6	18.10	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.41	2	6.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	48.90	35	352.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE), PHOSPHATE ESTER	0.15	1	1.00	A
OLEIC ACID	5.29	32	337.60	A
OLEIC ACID, METHYL ESTER	9.72	1	7.40	A
ORYZALIN	12.52	2	2.66	A
OXYFLUORFEN	13.70	12	122.46	A
PENDIMETHALIN	80.33	3	30.96	A
PETROLEUM DISTILLATES	12.01	2	12.80	A
PETROLEUM DISTILLATES, REFINED	10.62	1	0.50	A
PETROLEUM OIL, UNCLASSIFIED	558.43	5	40.10	A
PHOSPHORIC ACID	< 0.01	1	1.00	A
POLYBUTENES	0.21	2	6.00	A
POLYETHER MODIFIED POLYSILOXANE	1.17	1	6.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STONE FRUIT				
POLY-I-PARA-MENTHENE	7.80	8	33.50	A
PROPICONAZOLE	10.88	3	97.25	A
PROPYLENE GLYCOL	17.69	33	338.60	A
PYRAFLUFEN-ETHYL	0.58	19	188.70	A
QUILLAJA	0.02	1	2.00	A
RIMSULFURON	0.28	2	4.56	A
SODIUM DIOCTYLSULFOSUCCINATE	7.41	32	337.60	A
SPINETORAM	13.38	8	203.00	A
SPINOSAD	1.68	12	26.00	A
SPIROMESIFEN	0.06	1	1.00	A
STRYCHNINE	1.16	25	811.30	A
STYRENE BUTADIENE COPOLYMER	0.04	1	1.00	A
SULFUR	12.50	3	2.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.49	4	14.00	A
TRIFLOXYSTROBIN	0.27	2	8.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.05	1	1.00	A
ZIRAM	24.32	1	4.00	A
Site Total	4,442.75	261		
STORAGE AREA/BOX				
ALUMINUM PHOSPHIDE	86.49		463,390.00	C
DDVP	7.40		105,000.00	S
	2.64		1,600.00	K
Total Pounds On This Chemical	10.05			
DDVP, OTHER RELATED	0.19		105,000.00	S
	0.07		1,600.00	K
Total Pounds On This Chemical	0.26			
DIFETHIALONE	< 0.01		13.00	A
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	5.03		650.00	K
PIPERONYL BUTOXIDE	3.42		650.00	K
PYRETHRINS	1.71		650.00	K
SULFUR DIOXIDE	1.55			
Site Total	108.51			
STRAWBERRY				
ABAMECTIN	1,114.28	1,770	57,224.17	A
	0.14	10	312,922.00	S
Total Pounds On This Chemical	1,114.42			
ACEPHATE	0.24	1	10,000.00	S
ACEQUINOCYL	3,132.59	180	8,005.68	A
	0.18	1	30,000.00	S
Total Pounds On This Chemical	3,132.77			
ACETAMIPRID	4,134.86	808	31,046.28	A
	0.17	2	96,720.00	S
Total Pounds On This Chemical	4,135.02			
ACRYLIC ACID	3,214.20	902	25,172.76	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.55	1	2.00	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	1,007.55	4	406.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	1,007.55	4	406.00	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	1.02	2	43.75	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRAWBERRY				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,475.07	424	4,968.10	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,468.60	84	4,399.40	A
ALPHA-PINENE BETA-PINENE COPOLYMER	14,542.01	1,505	60,175.90	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,339.36	256	8,837.20	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	215.78	112	3,316.24	A
ALKYL (C8,C10) POLYGLUCOSIDE	1,045.21	825	52,806.80	A
ALLYLOXPOLYETHYLENE GLYCOL ACETATE	146.37	150	4,758.60	A
ALMOND, BITTER	0.02	3	31.00	A
ALUMINUM PHOSPHIDE	< 0.01	1	5.00	A
AMMONIUM PROPIONATE	7,545.82	307	15,019.74	A
AMMONIUM SULFATE	2,224.90	474	15,551.33	A
AZADIRACTIN	265.53	449	7,732.69	A
	0.22	7	168,046.00	S
Total Pounds On This Chemical	265.75			
AZOXYSTROBIN	2,951.86	494	13,664.33	A
	341.00		65,310.00	U
Total Pounds On This Chemical	3,292.86			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	118.92	16	243.54	A
BACILLUS PUMILUS, STRAIN QST 2808	247.01	196	2,680.70	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	3,222.73	203	5,480.93	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	452.49	101	4,186.11	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	10,783.51	457	15,191.84	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	32.55	15	254.30	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	19,256.18	1,071	26,683.96	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	17.30	10	168.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	18,175.81	840	19,676.42	A
BEAUVERIA BASSIANA STRAIN GH	47.15	5	127.00	A
BIFENAZATE	22,160.72	1,378	43,902.19	A
BIFENTHRIN	5,252.71	1,382	47,301.14	A
	0.22	1	48,360.00	S
Total Pounds On This Chemical	5,252.93			
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2,845.25	1,985	74,690.31	A
BORAX	188.67	202	9,684.51	A
BOSCALID	30,447.20	2,202	87,888.26	A
	0.12	1	20,000.00	S
Total Pounds On This Chemical	30,447.32			
BUPROFEZIN	2,082.32	151	6,251.15	A
2-BUTOXYETHANOL	0.13	1	12.00	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	2,701.52	439	9,504.49	A
CALCIUM HYDROXIDE	1,012.50	2	170.00	A
CAPTAN	301,923.38	4,448	168,791.12	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRAWBERRY				
	1.84	1	41,000.00	S
Total Pounds On This Chemical	301,925.23			
CAPTAN, OTHER RELATED	6,676.86	4,352	164,778.58	A
	0.04	1	41,000.00	S
Total Pounds On This Chemical	6,676.90			
CARBARYL	3,202.39	141	1,841.35	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	3.14	5	67.00	A
CARFENTRAZONE-ETHYL	8.53	20	385.00	A
CHLORANTRANILIPROLE	2,151.99	527	18,322.20	A
CHLOROPICRIN	6,727,178.72	1,641	40,820.75	A
CHLOROTHALONIL	2,519.38	47	2,228.53	A
CHLORPYRIFOS	12,043.21	314	12,881.50	A
CHLORTHAL-DIMETHYL	2.25	1	4.00	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	135.47	11	187.14	A
CITRIC ACID	3,791.86	474	15,551.33	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	16,736.64	203	6,237.58	A
COCONUT DIETHANOLAMIDE	1,102.74	913	15,540.52	A
COPPER HYDROXIDE	7,858.80	116	4,123.57	A
	0.48	1	48,360.00	S
Total Pounds On This Chemical	7,859.28			
COPPER OCTANOATE	322.48	16	607.60	A
COPPER OXIDE (OUS)	26.62	2	52.00	A
COPPER SULFATE (BASIC)	698.25	12	708.75	A
COPPER SULFATE (PENTAHYDRATE)	1,113.75	2	170.00	A
CYFLUFENAMID	52.80	34	2,289.40	A
CYFLUTHRIN	0.05	1	30,000.00	S
CYPRODINIL	24,264.04	1,802	74,628.28	A
	1.57	5	208,720.00	S
Total Pounds On This Chemical	24,265.62			
2,4-D, ALKANOLAMINE SALTS (ETHANOL AND ISOPROPANOL AMINES)	12.78	1	35.00	A
DIAZINON	506.24	21	659.46	A
1,3-DICHLOROPROPENE	2,889,642.80	849	21,837.37	A
DIETHYLENE GLYCOL	618.30	276	9,009.37	A
DIFENOCONAZOLE	192.64	42	1,705.67	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	138.78	23	870.03	A
DIMETHYLPOLYSILOXANE	27,215.32	5,665	174,056.64	A
DIMETHYL SILICONE FLUID EMULSION	24.42	68	2,564.15	A
DIPHACINONE	0.04	2	438.00	A
DIPROPYLENE GLYCOL METHYL ETHER	28.18	67	1,265.23	A
DIQUAT DIBROMIDE	0.03	1	1.00	A
DODECYLBENZENE SULFONIC ACID	528.27	801	12,224.28	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,922.65	246	10,262.20	A
EDTA, TETRASODIUM SALT	32.51	801	12,224.28	A
(E,E)-9, 11-TETRADECADIEN-1-YL ACETATE	0.14	3	43.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	129.90	16	487.00	A
ENDOSULFAN	19.68	4	45.00	A
ESFENVALERATE	1.63	1	20.00	A
ETHYLENE GLYCOL	5,503.08	140	11,497.20	A
ETOXAZOLE	938.20	239	7,045.08	A
FATTY ACIDS, MIXED	320.37	712	27,432.69	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	8,319.56	480	14,514.41	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRAWBERRY				
FATTY ACIDS DERIVED FROM TALLOW	935.75	256	8,837.20	A
FENBUTATIN-OXIDE	2,646.01	63	1,873.06	A
FENHEXAMID	39,865.93	1,570	60,520.35	A
	0.83	1	48,360.00	S
Total Pounds On This Chemical	39,866.76			
FENPROPATHRIN	5,794.24	643	18,769.44	A
FENPYROXIMATE	941.34	254	7,456.75	A
FENUGREEK	1.77	3	31.00	A
FERRIC SODIUM EDTA	18.80	10	67.20	A
FLUBENDIAMIDE	54.31	43	1,125.09	A
FLUDIOXONIL	16,176.03	1,802	74,628.28	A
	1.05	5	208,720.00	S
Total Pounds On This Chemical	16,177.08			
FLUMIOXAZIN	563.30	242	7,436.06	A
FOSETYL-AL	7,169.40	74	2,551.00	A
	8.88	2	96,720.00	S
Total Pounds On This Chemical	7,178.28			
GLIOCLADIUM VIRENS GL-21 (SPORES)	30.26	5	32.72	A
GLUFOSINATE-AMMONIUM	0.47	1	1.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,051.39	39	312.00	A
GLYPHOSATE, POTASSIUM SALT	715.90	50	439.62	A
HARPIN PROTEIN	0.95	6	115.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	404.70	127	6,133.43	A
HEXYTHIAZOX	2,621.68	486	14,476.67	A
HYDROGEN PEROXIDE	1,275.60	15	573.84	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	768.49	203	5,908.88	A
IMIDACLOPRID	5,638.97	425	11,854.92	A
IPRODIONE	2,165.54		65,310.00	U
	227.83	9	183.00	A
Total Pounds On This Chemical	2,393.38			
IRON PHOSPHATE	263.63	78	1,116.38	A
	0.01	1	2,880.00	S
Total Pounds On This Chemical	263.64			
ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	258.03	43	1,734.03	A
ISOPROPYL ALCOHOL	1,887.52	1,003	26,413.93	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.13	1	12.00	A
(S)-KINOPRENE	0.13	1	10,000.00	S
LAURIC ACID	196.17	112	3,316.24	A
LECITHIN	18,941.10	1,602	83,070.96	A
LIMONENE	2.65	1	12.00	A
MALATHION	101,891.51	1,878	51,498.16	A
MARGOSA OIL	1,091.35	30	1,123.30	A
MEFENOXAM	3,470.57	269	6,806.88	A
MEFENOXAM, OTHER RELATED	2.59	7	176.50	A
METALDEHYDE	1,460.32	143	1,660.57	A
METAM-SODIUM	807,138.06	81	4,562.13	A
METHOXYFENOZIDE	2,464.72	335	14,479.06	A
METHYLATED SOYBEAN OIL	1,431.23	129	3,943.68	A
METHYL BROMIDE	1,394,712.15	557	8,889.59	A
	1,659.50		270,425.00	U
Total Pounds On This Chemical	1,396,371.65			
METHYL SILICONE RESINS	5,277.46	1,286	24,230.44	A
MINERAL OIL	5,420.57	1,514	60,467.23	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRAWBERRY				
MSMA	633.68	3	105.00	A
MYCLOBUTANIL	7,174.27	2,310	67,942.85	A
	0.43	4	193,440.00	S
Total Pounds On This Chemical	7,174.70			
NALED	20,895.49	686	20,997.50	A
NAPROPAMIDE	2,737.15	37	1,569.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2,825.27	484	14,538.66	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	12,221.21	1,503	60,739.62	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	73.99	43	1,734.03	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	23,427.44	1,785	62,733.46	A
NOVALURON	4,716.69	1,776	61,671.03	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.32	1	12.00	A
OLEIC ACID	2.09	1	108.00	A
OLEIC ACID, METHYL ESTER	91.08	8	250.00	A
OXYFLUORFEN	3,878.98	199	11,096.28	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	45.70	8	114.94	A
PARAQUAT DICHLORIDE	153.71	42	400.03	A
PENDIMETHALIN	5,584.78	78	5,090.25	A
PETROLEUM DISTILLATES	96.60	2	64.00	A
PETROLEUM DISTILLATES, REFINED	155.09	19	59.90	A
PETROLEUM HYDROCARBONS	0.11	1	3.00	A
PETROLEUM OIL, PARAFFIN BASED	6.20	2	17.00	A
PETROLEUM OIL, UNCLASSIFIED	1,019.89	2	111.00	A
PHOSPHORIC ACID	1,415.45	2,050	43,025.77	A
BETA-PINENE POLYMER	147.30	19	427.00	A
PIPERONYL BUTOXIDE	5,204.70	368	11,151.46	A
PIPERONYL BUTOXIDE, OTHER RELATED	1,301.18	368	11,151.46	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	57.77	102	2,681.40	A
POLYACRYLAMIDE POLYMER	7.86	37	914.10	A
POLYACRYLIC POLYMER	9.48	167	531.59	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	7,499.95	839	37,073.77	A
POLYBUTENES	1,485.64	480	14,514.41	A
POLYETHER MODIFIED POLYSILOXANE	143.77	38	1,189.60	A
POLYETHYLENE GLYCOL	14.93	1	60.00	A
POLYETHYLENE GLYCOL DIACETATE	13.31	150	4,758.60	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	2,089.30	503	15,711.33	A
POLYETHYLENE GLYCOL OLEATE	321.38	23	870.03	A
POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM)	0.23	2	53.90	A
POLY-I-PARA-MENTHENE	12,073.30	776	35,492.69	A
POLYMERIZED ACRYLIC ACID	17.53	3	95.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	12,590.34	1,494	46,028.86	A
POLYPROPYLENE GLYCOL	42.30	335	8,800.23	A
POLYSACCHARIDE POLYMER	< 0.01	1	0.50	A
POLYSILOXANE	41.81	825	52,806.80	A
POTASH SOAP	7,432.23	157	1,980.59	A
	8.73	1	30,000.00	S
Total Pounds On This Chemical	7,440.97			
POTASSIUM BICARBONATE	17,343.33	145	6,657.14	A
POTASSIUM HYDROXIDE	1,224.99	825	52,806.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRAWBERRY				
POTASSIUM N-METHYLDITHIOCARBAMATE	353,572.83	76	1,812.31	A
POTASSIUM PEROXYMONOSULFATE	71.69	1	137.00	A
POTASSIUM PHOSPHITE	71.30	1	55.00	A
PROPICONAZOLE	2,651.38	603	23,205.22	A
PROPIONIC ACID	15,508.99	1,576	81,701.97	A
PROPYLENE GLYCOL	2,688.90	1,030	36,366.78	A
PROPYLENE GLYCOL, METHYL ETHER	5.23	1	108.00	A
PYRACLOSTROBIN	16,844.33	2,500	95,414.59	A
	0.24	1	20,000.00	S
Total Pounds On This Chemical	16,844.56			
PYRETHRINS	1,041.77	999	20,729.56	A
	0.21	8	242,126.00	S
Total Pounds On This Chemical	1,041.97			
PYRIMETHANIL	9,674.91	888	27,490.68	A
PYRIPROXYFEN	349.47	128	4,897.23	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	917.15	686	10,259.29	A
	1.67	4	186,080.00	S
Total Pounds On This Chemical	918.83			
QUILLAJA	0.41	2	36.00	A
QUINOXYFEN	4,315.68	1,201	45,955.38	A
	0.21	2	96,720.00	S
Total Pounds On This Chemical	4,315.89			
REYNOUTRIA SACHALINENSIS	2,089.92	218	8,978.67	A
	3.25	4	4.00	U
	1.42	7	294,440.00	S
Total Pounds On This Chemical	2,094.60			
SETHOXYDIM	45.87	9	215.25	A
SILICONE DEFOAMER	13.82	801	12,224.28	A
SODIUM BICARBONATE	27.24	4	95.30	A
SODIUM HYPOCHLORITE	64.85	6	207.27	A
SODIUM POLYACRYLATE	504.88	304	14,924.74	A
SODIUM XYLENE SULFONATE	162.54	801	12,224.28	A
SOYBEAN OIL	1,971.76	13	193.20	A
SPINETORAM	3,086.13	1,142	43,823.35	A
SPINOSAD	1,154.56	512	11,897.83	A
	0.10	1	30,000.00	S
Total Pounds On This Chemical	1,154.66			
SPIROMESIFEN	6,699.53	712	26,874.96	A
STREPTOMYCES LYDICUS WYEC 108	0.24	127	1,386.04	A
STYRENE BUTADIENE COPOLYMER	883.89	211	8,253.74	A
SUGAR	2.95	3	31.00	A
SULFENTRAZONE	4.22	4	18.00	A
SULFUR	745,754.54	5,521	208,066.47	A
	22.65	5	241,800.00	S
Total Pounds On This Chemical	745,777.19			
TALL OIL FATTY ACIDS	1,203.92	1,738	68,316.07	A
TETRACONAZOLE	42.39	25	1,089.50	A
E-11-TETRADECEN-1-YL ACETATE	3.30	3	43.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	619.83	802	12,229.28	A
TETRAPOTASSIUM PYROPHOSPHATE	81.27	801	12,224.28	A
THIAMETHOXAM	1,465.99	698	23,370.19	A
THIOPHANATE	14.00	1	20.00	A
THIOPHANATE-METHYL	10,535.87	558	15,085.37	A
THIRAM	29,763.81	377	13,328.95	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRAWBERRY				
TRICHLORO-S-TRIAZINETRIONE	2.05	1	20.00	A
TRIETHANOLAMINE	207.24	801	12,224.28	A
TRIFLOXYSTROBIN	1,041.15	271	10,923.12	A
TRIFLUMIZOLE	8,944.39	875	37,615.24	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	3,396.44	581	18,719.60	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13,179.41	975	57,804.19	A
UREA	4.50	2	46.30	A
VANILLIN	0.27	3	31.00	A
WARFARIN	< 0.01	2	60.00	A
XYLENE	3.29	2	7.00	A
Site Total	14,050,728.52	65,747		
STRUCTURAL PEST CONTROL				
ABAMECTIN	12.61			
ABAMECTIN, OTHER RELATED	0.61			
ACEPHATE	2,950.51			
ACEQUINOCYL	< 0.01			
ACETAMIPRID	845.02			
ACROLEIN	296.26			
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	< 0.01			
ALKYL (AS IN FATTY ACIDS OF COCONUT OIL) MONOETHANOLAMIDE	37.86			
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	105.09			
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	1,055.19			
ALKYL (61%C12,23%C14,11%C16,2.5%C8 & C10, 2.5%C18) DIMETHYL BENZYL AMMONIUM CHLORIDE	40.41			
ALKYL (67%C12, 25%C14, 7%C16, 1%C8,C10,C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	80.55			
ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.02			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	1,053.28			
ALPHA-ALKYL (MIXED)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE	121.15			
ALPHA-PINENE BETA-PINENE COPOLYMER	26.51			
ALKYL (C8,C10) POLYGLUCOSIDE	35.31			
ALLETHRIN	< 0.01			
D-ALLETHRIN	< 0.01			
D-ALLETHRIN, OTHER RELATED	< 0.01			
D-TRANS ALLETHRIN	47.79			
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.20			
ALUMINUM PHOSPHIDE	4,163.34			
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	27.88			
4-AMINOPYRIDINE	21.28			
AMMONIUM LAURYL SULFATE	2.46			
AMMONIUM NITRATE	20.22			
AMMONIUM PROPIONATE	5.66			
AMMONIUM SULFATE	37.21			
PARA-TERT-AMYLPHENOL	361.59			
AZADIRACTIN	91.25			
AZOXYSTROBIN	10.75			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362	0.28			
BACILLUS THURINGIENSIS (BERLINER)	0.32			
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	6.01			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14	1.35			
BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52	3.92			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	0.38			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.07			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.15			
BALSAM FIR OIL	0.24			
BENDIOCARB	2.52			
BENZOIC ACID	0.03			
ORTHO-BENZYL-PARA-CHLOROPHENOL	583.65			
BENZYLDIETHYL [(2,6-XYLYLCARBAMOYL)METHYL] AMMONIUM SACCHARIDE	< 0.01			
BIFENAZATE	0.16			
BIFENTHRIN	141,782.91			
S-BIOALLETHRIN	< 0.01			
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.12			
BORAX	7,408.60			
BORIC ACID	139,134.17			
BRODIFACOU	2.84			
BROMACIL	6,395.10			
BROMADIOLONE	26.49			
BROMETHALIN	0.77			
1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN	231.30			
BUTOXY POLYPROPPOXY POLYETHOXY ETHANOL - IODINE COMPLEX	0.02			
BUTOXY POLYPROPYLENE GLYCOL	1.63			
BUTYL ALCOHOL	1.30			
CALCIUM HYPOCHLORITE	257.42			
CAPSICUM OLEORESIN	0.26			
CAPTAN	0.02			
CARBARYL	37.26			
CARBON	35.21			
CARFENTRAZONE-ETHYL	1.42			
CASTOR OIL	< 0.01			
CHLORANTRANILIPROLE	9,776.94			
CHLORDANE	0.03			
CHLORDECONE	< 0.01			
CHLORFENAPYR	17,439.33			
CHLORFLURENOL, METHYL ESTER	0.09			
CHLORINE DIOXIDE	3.97			
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE	3.30			
CHLOROPHACINONE	1.26			
CHLOROPICRIN	729.27			
CHLOROTHALONIL	25.12			
CHLORPYRIFOS	1,733.61			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
CHLORSULFURON	9.04			
CHOLECALCIFEROL	15.05			
CITRIC ACID	2.83			
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	0.88			
CLETHODIM	102.34			
CLOPYRALID, MONOETHANOLAMINE SALT	0.36			
CLOPYRALID, TRIETHYLAMINE SALT	< 0.01			
CLOTHIANIDIN	7.74			
COCONUT DIETHANOLAMIDE	67.12			
COPPER	0.07			
COPPER CARBONATE, BASIC	207.66			
COPPER ETHANOLAMINE COMPLEXES, MIXED	2.80			
COPPER HYDROXIDE	505.82			
COPPER NAPHTHENATE	135.19			
COPPER 8-QUINOLINOLEATE	0.04			
COPPER SULFATE (PENTAHYDRATE)	0.67			
COUMAPHOS	2.03			
COYOTE URINE	1.82			
CUBE EXTRACTS	0.62			
CYAZOFAMID	0.02	2	40,000.00	S
CYFLUTHRIN	20,273.42			
BETA-CYFLUTHRIN	8,893.51			
CYPERMETHRIN	32,824.90			
(S)-CYPERMETHRIN	5.63			
CYROMAZINE	29.85			
	0.38	2	40,000.00	S
Total Pounds On This Chemical	30.22			
2,4-D, DIMETHYLAMINE SALT	369.69			
2,4-D, 2-ETHYLHEXYL ESTER	4.85			
2,4-D, ISOCTYL ESTER	0.50			
DDVP	2,302.99			
DDVP, OTHER RELATED	140.86			
DEET	0.44			
DELTAMETHRIN	7,776.37			
DELTAMETHRIN, OTHER RELATED	0.05			
DEXTRIN	0.01			
N-DIALKYL (60%C14, 30%C16, 5%C12, 5%C18)				
METHYL BENZYL AMMONIUM CHLORIDE	< 0.01			
DIATOMACEOUS EARTH	2,880.64			
DIATOMACEOUS EARTH, OTHER RELATED	0.40			
DIAZINON	205.92			
2,2-DIBROMO-3-NITRILOPROPIONAMIDE	101.82			
DICAMBA	0.51			
DICAMBA, DIMETHYLAMINE SALT	14.13			
1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN	105.63			
1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN	40.86			
DICOFOL	< 0.01			
DIDECYL DIMETHYL AMMONIUM CHLORIDE	157.50			
DIETHYLENE GLYCOL	1.23			
DIFENACOU	0.05			
DIFENOCONAZOLE	0.04			
DIFETHIALONE	8.00			
DIFLUBENZURON	66.69			
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	1.85			
DIHYDRO-5-HEPTYL-2(3H)-FURANONE	< 0.01			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
2-(2-(P-(DIISOBUTYL) PHENOXY) ETHOXY) ETHYL DIMETHYLBENZYL AMMONIUM CHLORIDE	110.66			
DIKEGULAC SODIUM	1.53			
DIMETHOMORPH	0.48			
DIMETHYL ALKYL TERTIARY AMINES	0.04			
DIMETHYLPOLYSILOXANE	0.35			
DINOTEFURAN	225.76			
	0.05	1	20,000.00	S
Total Pounds On This Chemical	225.81			
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	0.63			
DIPHACINONE	5.82			
DIPHACINONE, SODIUM SALT	1.32			
DIPHENAMID	< 0.01			
DIPROPYLENE GLYCOL	0.02			
DIPROPYL ISOCINCHOMERONATE	0.11			
DIQUAT DIBROMIDE	26.53			
DISODIUM OCTABORATE ANHYDROUS	14.55			
DISODIUM OCTABORATE TETRAHYDRATE	266,118.13			
DITHIOPYR	15.76			
DIURON	7,424.18			
DODECYLBENZENE SULFONIC ACID	290.86			
2-(2,4-DP), DIMETHYLAMINE SALT	0.15			
EDTA, TETRASODIUM SALT	17.90			
ESFENVALERATE	448.35			
ESSENTIAL OILS	1.36			
ETHEPHON	5.95			
ETOFENPROX	385.95			
ETHYL ALCOHOL	21.47			
ETHYLENE GLYCOL	416.44			
2-ETHYLHEXYL SULFATE, SODIUM SALT	15.63			
ETOXAZOLE	< 0.01			
EUGENOL	0.80			
FATTY ACIDS, METHYL ESTERS	0.11			
FATTY ACIDS, MIXED	0.18			
FENARIMOL	0.08			
FENBUTATIN-OXIDE	7.22			
FENHEXAMID	0.19			
FENOXYCARB	0.30			
FENVALERATE	0.01			
FERRIC SODIUM EDTA	0.07			
FIPRONIL	53,156.12			
FLUAZIFOP-P-BUTYL	0.90			
FLUDIOXONIL	43.49			
	0.13	1	20,000.00	S
Total Pounds On This Chemical	43.61			
FLUMIOXAZIN	8.70			
FLURECOL-METHYL	0.02			
FLURIDONE	4,252.71			
TAU-FLUVALINATE	0.06			
FOLPET	< 0.01			
FORCHLORFENURON	< 0.01			
FORMALDEHYDE	688.86			
FOX URINE	0.78			
FREON 12	107.16			
GAMMA-CYHALOTHRIN	11.54			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
GARLIC	< 0.01			
GERMAN COCKROACH PHEROMONE	< 0.01			
GLUFOSINATE-AMMONIUM	77.85			
GLUTARALDEHYDE	92.10			
GLYPHOSATE, DIAMMONIUM SALT	0.75			
GLYPHOSATE, DIMETHYLAMINE SALT	2.80			
GLYPHOSATE, ISOPROPYLAMINE SALT	2,377.94			
GLYPHOSATE, MONOAMMONIUM SALT	95.58			
GLYPHOSATE, POTASSIUM SALT	459.87			
HALOSULFURON-METHYL	< 0.01			
HEPTACHLOR	0.01			
HEPTACHLOR, OTHER RELATED	< 0.01			
HEPTYL BUTYRATE	0.38			
HEXAFLUMURON	0.07			
HEXAZINONE	0.01			
HYDRAMETHYLNON	305.12			
HYDROGEN PEROXIDE	88.29			
HYDROPRENE	3,958.28			
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.69			
IMAZALIL	0.51			
IMAZAPYR, ISOPROPYLAMINE SALT	2.85			
IMIDACLOPRID	30,279.09			
	0.12	2	40,000.00	S
Total Pounds On This Chemical	30,279.21			
IMIPROTHRIN	< 0.01			
INDOXACARB	2,064.58			
IODINE	168.56			
IPRODIONE	0.93			
	0.63	2	40,000.00	S
Total Pounds On This Chemical	1.56			
IRON PHOSPHATE	307.04			
ALPHA-ISOOCTADECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.01			
ISOPROPYL ALCOHOL	1,259.23			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	1.20			
ISOXABEN	2.23			
KEROSENE	0.07			
LAMBDA-CYHALOTHRIN	11,832.22			
LECITHIN	3.02			
LIMONENE	53,890.20			
LINALOOL	137.46			
MAGNESIUM PHOSPHIDE	1,787.81			
MALATHION	9,624.50			
MANCOZEB	5.16			
MANDIPROPAMID	26.07			
MCPA, DIMETHYLAMINE SALT	5.42			
MCPA, ISOCTYL ESTER	3.08			
MCPP, DIMETHYLAMINE SALT	0.63			
MCPP, POTASSIUM SALT	0.02			
MCPP-P, DIMETHYLAMINE SALT	41.46			
MECOPROP-P	1.23			
MEFENOXAM	2.92			
MEFENOXAM, OTHER RELATED	0.02			
METALAXYL	0.17			
METALDEHYDE	742.20			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
METALLIC SILVER	< 0.01			
METAM-SODIUM	3,200.63			
METHAMIDOPHOS	0.05			
METHOMYL	12.18			
METHOPRENE	41.77			
S-METHOPRENE	39.49			
METHYL ANTHRANILATE	137.85			
METHYLATED SILICA	< 0.01			
METHYLATED SOYBEAN OIL	129.13			
METHYL BROMIDE	140.47			
METHYL-2,7-DICHLORO-9-HYDROXYFLUORENE-9-CARBOXYLATE	0.02			
METHYLENE CHLORIDE	58.94			
2-METHYL-4-ISOTHIAZOLIN-3-ONE	1.04			
METHYL SILICONE RESINS	590.32			
METIRAM	33.95			
S-METOLACHLOR	1.79			
METRAFENONE	5.37			
MINERAL OIL	875.19			
MSMA	0.21			
MUSCALURE	11.43			
NAA	< 0.01			
NAA, ETHYL ESTER	< 0.01			
NALED	323.65			
NAPROPAMIDE	54.09			
NICARBAZIN	2.37			
NITHIAZINE	< 0.01			
NITROGEN, LIQUIFIED	74.22			
NONANOIC ACID	9.01			
NONANOIC ACID, OTHER RELATED	0.47			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	139.82			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	4.10			
NOSEMA LOCUSTAE SPORES	0.01			
NOVIFLUMURON	2.15			
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	5,929.88			
OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE	1.26			
OIL OF ANISE	0.01			
OIL OF LEMON EUCALYPTUS	2.80			
OLEIC ACID	0.06			
OLEIC ACID, METHYL ESTER	20.17			
ORYZALIN	170.00			
OXADIAZON	0.12			
OXYFLUORFEN	60.62			
OXYTETRACYCLINE, CALCIUM COMPLEX	4.69			
PACLOBUTRAZOL	0.50			
PARAQUAT DICHLORIDE	10.39			
PARATHION	2.79			
PCNB	61.60			
PCP, OTHER RELATED	< 0.01			
PENDIMETHALIN	117.95			
PENOXSULAM	0.31			
PENTACHLOROPHENOL	0.01			
PERMETHRIN	221,259.78			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
PERMETHRIN, OTHER RELATED	2.17			
PEROXYACETIC ACID	9.70			
PETROLEUM DISTILLATES	2,781.28			
PETROLEUM DISTILLATES, AROMATIC	1.23			
PETROLEUM DISTILLATES, REFINED	123.86			
PETROLEUM HYDROCARBONS	0.55			
PETROLEUM OIL, PARAFFIN BASED	203.30			
PETROLEUM OIL, UNCLASSIFIED	40.64			
PHENOTHRIN	325.29			
PHENOTHRIN, OTHER RELATED	< 0.01			
PHENYLETHYL PROPIONATE	525.85			
ORTHO-PHENYLPHENOL	1,009.29			
PHOSMET	0.05			
PHOSPHINE	1,759.08			
PHOSPHORIC ACID	58.64			
PINE OIL	15.00			
PIPERONYL BUTOXIDE	22,053.97			
PIPERONYL BUTOXIDE, OTHER RELATED	4,497.33			
POLYACRYLAMIDE POLYMER	8.37			
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.49			
POLYBUTENES	73.14			
POLYETHOXYLATED CASTOR OIL	0.02			
POLYETHYLENE GLYCOL DIACETATE	0.02			
POLY(OXYETHYLENE) (DIMETHYLIMINO) ETHYLENE (DIMETHYLIMINO) ETHYLENE DICHLORIDE	3.75			
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	42.35			
POLYOXYETHYLENE SORBITAN MONOOLEATE	4.78			
POLYOXYETHYLENE SORBITAN TRIOLEATE	31.49			
POTASH SOAP	1,922.70			
POTASSIUM BICARBONATE	0.21			
POTASSIUM NITRATE	0.28			
POTASSIUM PEROXYMONOSULFATE	645.30			
POTASSIUM PHOSPHITE	90.17			
PRALLETHRIN	224.58			
PRODIAMINE	0.36			
PROMETON	0.03			
PROPETAMPHOS	168.03			
PROPICONAZOLE	39.05			
PROPIONIC ACID	3.02			
PROPOXUR	360.89			
PROPYLENE GLYCOL	7.46			
PUTRESCENT WHOLE EGG SOLIDS	0.67			
PYMETROZINE	0.58			
PYRACLOSTROBIN	1.63			
PYRAFLUFEN-ETHYL	0.01			
PYRETHRINS	5,311.00			
	< 0.01	1	20,000.00	S
Total Pounds On This Chemical	5,311.01			
PYRIDABEN	5.25			
PYRIDALYL	0.04			
PYRIPROXYFEN	474.53			
	0.05	2	40,000.00	S
Total Pounds On This Chemical	474.59			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.05			
RESMETHRIN	13.10			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
RESMETHRIN, OTHER RELATED	0.13			
RIMSULFURON	10.83			
ROTENONE	0.66			
ROTENONE, OTHER RELATED	0.91			
SILICA AEROGEL	3,377.91			
SILICONE DEFOAMER	7.61			
SIMAZINE	198.54			
SODIUM ARSENATE	0.37			
SODIUM BROMIDE	30.13			
SODIUM BROMOSULFAMATE, SODIUM CHLOROSULFAMATE, POTASSIUM BROMOSULFAMATE, POTASSIUM CHLOROSULFAMATE	514.22			
SODIUM CARBONATE PEROXYHYDRATE	7.16			
SODIUM CHLORIDE	45.21			
SODIUM DECYL SULFATE	1,724.74			
SODIUM DICHLORO-S-TRIAZINETRIONE	1,076.99			
SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE	0.04			
SODIUM DIHEXYL SULFOSUCCINATE	50.96			
SODIUM DIISOCTYLSULFOSUCCINATE	2.84			
SODIUM DODECYLBENZENE SULFONATE	0.02			
SODIUM HYPOCHLORITE	2,778.87			
SODIUM LAUROAMPHO ACETATE	1,301.69			
SODIUM LAURYL SULFATE	878.64			
SODIUM NITRATE	186.69			
SODIUM PERSULFATE	0.01			
SODIUM POLYACRYLATE	0.14			
SODIUM TETRABORATE (PENTAHYDRATE)	168.37			
SODIUM XYLENE SULFONATE	89.49			
SPINETORAM	0.25			
SPINOSAD	1.30			
SPIROMESIFEN	< 0.01			
SPIROTETRAMAT	0.25			
STRYCHNINE	28.43			
SULFAQUINOXALINE	0.11			
SULFENTRAZONE	< 0.01			
SULFLURAMID	0.99			
SULFOMETURON-METHYL	129.61			
SULFUR	144.44			
SULFUR DIOXIDE	23.76			
SULFURYL FLUORIDE	2,363,567.50			
TALL OIL	1.21			
TALL OIL FATTY ACIDS	5.49			
TEBUCONAZOLE	0.17			
TEBUTHIURON	16.80			
1080	0.02			
TETRACHLOROETHYLENE	171.45			
TETRACHLORVINPHOS	152.34			
Z,E-9,12-TETRADECADIEN-1-YL ACETATE	6.25			
TETRAMETHRIN	2.65			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	341.38			
TETRAPOTASSIUM PYROPHOSPHATE	44.75			
THIAMETHOXAM	296.29			
THIOPHANATE-METHYL	92.61			
THYME	828.34			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
STRUCTURAL PEST CONTROL				
THYMOL	< 0.01			
TOXAPHENE	15.98			
TRALOMETHRIN	0.64			
TRIBUTYL TIN OXIDE	1.51			
TRICHLORFON	24.65			
TRICHLOROFLUOROMETHANE	115.47			
TRICHLORO-S-TRIAZINETRIONE	0.54			
TRICLOPYR, BUTOXYETHYL ESTER	38.47			
TRICLOPYR, TRIETHYLAMINE SALT	1,056.94			
TRIETHANOLAMINE	114.11			
TRIETHANOLAMINE SULFONATE	18.68			
TRIETHYLENE GLYCOL	6.83			
TRIFLOXYSTROBIN	0.09			
TRIFLURALIN	7.21			
TRIFORINE	0.03			
TRINEXAPAC-ETHYL	0.14			
TRIS (HYDROXYMETHYL) NITROMETHANE	0.86			
TRISODIUM PHOSPHATE	0.01			
TRITICONAZOLE	< 0.01			
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	0.08			
VEGETABLE OIL	3.45			
WARFARIN	0.87			
WARFARIN, SODIUM SALT	< 0.01			
XYLENE RANGE AROMATIC SOLVENT	2.75			
ZINC NAPHTHENATE	2.43			
ZINC PHOSPHIDE	572.14			
Site Total	3,524,498.20	13		
SUDANGRASS				
ABAMECTIN	0.48	1	28.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.02	1	7.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	44.01	10	524.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	97.14	22	1,316.98	A
ALPHA-PINENE BETA-PINENE COPOLYMER	16.40	1	75.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	29.00	12	755.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	21.01	9	350.20	A
ALLYLOXPOLYETHYLENE GLYCOL ACETATE	0.53	3	86.00	A
ALUMINUM PHOSPHIDE	1.56		117,505.00	P
	0.03		5.00	A
Total Pounds On This Chemical	1.59			
AMMONIUM NITRATE	8.17	4	213.20	A
AMMONIUM SULFATE	101.63	17	920.00	A
ATRAZINE	10,193.01	134	8,065.73	A
ATRAZINE, OTHER RELATED	217.48	134	8,065.73	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	134.40	5	216.00	A
BENZOIC ACID	8.41	20	1,158.80	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.69	1	75.00	A
BOSCALID	4.85	1	28.00	A
BROMOXYNIL HEPTANOATE	157.08	15	708.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUDANGRASS				
BROMOXYNIL OCTANOATE	162.89	15	708.80	A
BUTYL ALCOHOL	100.46	87	4,482.30	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	60.01	10	1,860.00	A
CALCIUM CHLORIDE	5.17	7	500.00	A
CARFENTRAZONE-ETHYL	11.69	16	662.30	A
CASTOR OIL ETHOXYLATE	7.38	2	100.00	A
CHLORANTRANILIPROLE	51.48	26	1,008.00	A
CHLOROTHALONIL	3.39	1	1.50	A
CHLORPYRIFOS	1,822.33	57	1,432.30	A
CHLORTHAL-DIMETHYL	4.53	1	1.50	A
CITRIC ACID	137.78	28	1,825.60	A
COCONUT DIETHANOLAMIDE	0.27	4	87.00	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.18	2	130.00	A
CORN SYRUP	13.05	5	137.00	A
BETA-CYFLUTHRIN	90.18	72	3,851.60	A
(S)-CYPERMETHRIN	101.40	35	2,097.15	A
2,4-D, DIMETHYLAMINE SALT	4,857.79	100	5,415.50	A
DERIVATED NATURAL POLYMERS	0.40	3	95.00	A
DICAMBA, DIMETHYLAMINE SALT	277.70	12	924.00	A
DIETHYLENE GLYCOL	36.39	19	732.85	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	1,979.24	97	4,547.00	A
DIMETHYL ALKYL TERTIARY AMINES	9.16	20	1,158.80	A
DIMETHYLPOLYSILOXANE	2.03	132	6,216.05	A
DODECYLBENZENE SULFONIC ACID	1.17	4	87.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.78	1	57.00	A
EDTA, TETRASODIUM SALT	0.07	4	87.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	5.53	1	48.00	A
ETHYLENE GLYCOL	8.08	2	56.42	A
FATTY ACIDS, MIXED	24.58	25	708.20	A
FATTY ACIDS DERIVED FROM TALLOW	11.60	12	755.00	A
FERROUS SULFATE	0.91	2	130.00	A
FLUBENDIAMIDE	31.74	10	498.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	405.62	6	263.20	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.80	1	50.00	A
HYDROTREATED PARAFFINIC SOLVENT	96.92	1	65.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	117.70	46	2,019.60	A
IMIDACLOPRID	1.30	1	28.00	A
ISOPROPYL ALCOHOL	282.00	130	4,814.72	A
KEROSENE	14.46	16	993.00	A
LAMBDA-CYHALOTHRIN	40.05	44	1,407.30	A
LECITHIN	12.43	4	164.30	A
MALATHION	43.22	1	35.00	A
MANGANESE SULFATE	1.26	2	130.00	A
METHOMYL	1,593.13	80	3,831.52	A
METHOXYFENOZIDE	263.63	28	2,076.20	A
METHYLATED SILICA	0.66	5	137.00	A
METHYLATED SOYBEAN OIL	753.27	30	3,018.80	A
METHYL SILICONE RESINS	2.02	2	38.00	A
METOLACHLOR	1,433.22	20	959.70	A
MINERAL OIL	2,690.19	32	2,416.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	11.86	12	219.90	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUDANGRASS				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,629.67	276	13,293.27	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	7.85	1	50.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	224.14	4	289.40	A
OLEIC ACID	132.60	14	717.78	A
OLEIC ACID, METHYL ESTER	472.51	47	2,065.50	A
ORCHEX 796 OIL	913.42	14	717.78	A
PETROLEUM DISTILLATES	1.50	1	10.00	A
PETROLEUM OIL, PARAFFIN BASED	2,450.15	69	4,138.60	A
PHOSPHORIC ACID	256.97	103	3,985.30	A
PIPERONYL BUTOXIDE	0.15	2	2.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.04	2	2.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	3.51	18	746.10	A
POLYACRYLAMIDE POLYMER	7.02	25	1,627.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	22.05	10	1,860.00	A
POLYETHER MODIFIED POLYSILOXANE	0.30	1	48.00	A
POLYETHYLENE GLYCOL	49.13	20	702.70	A
POLYETHYLENE GLYCOL DIACETATE	0.05	3	86.00	A
POLYMERIZED PINENE	13.88	1	57.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	314.62	39	2,255.50	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	3.18	1	50.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	2,527.34	30	1,883.10	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	67.96	4	230.00	A
POLYSACCHARIDE POLYMER	0.66	22	1,502.00	A
POLYSILOXANE	4.60	3	95.00	A
POTASSIUM HYDROXIDE	4.14	13	755.80	A
POTASSIUM NITRATE	39.32	13	755.80	A
POTASSIUM PHOSPHITE	0.63	2	2.00	A
PROPIONIC ACID	12.43	4	164.30	A
PROPYLENE GLYCOL	0.45	4	27.25	A
PYRACLOSTROBIN	2.46	1	28.00	A
PYRETHRINS	0.02	2	2.00	A
SILICONE DEFOAMER	0.03	4	87.00	A
SODIUM XYLENE SULFONATE	0.36	4	87.00	A
SPIROTETRAMAT	0.42	1	28.00	A
SULFUR	2,352.00	2	99.90	A
TALL OIL	21.11	15	502.90	A
TALL OIL FATTY ACIDS	106.39	20	1,137.25	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.37	4	87.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.18	4	87.00	A
THIRAM	639.26		585,906.00	U
	39.95		39,683.00	P
Total Pounds On This Chemical	679.22			
TRIETHANOLAMINE	0.67	5	152.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	21.53	10	369.00	A
UREA	16.09	1	35.00	A
VEGETABLE OIL	151.07	4	170.00	A
VINYL POLYMER	10.03	37	1,577.30	A
ZINC SULFATE	1.96	2	130.00	A
Site Total	41,144.17	1,383		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUGARBEET				
ACEPHATE	29.10	2	37.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	415.09	200	12,865.16	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	325.61	116	7,022.85	A
ALPHA-ALKYL (C6-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	56.64	8	493.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	188.79	33	1,626.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	136.17	43	2,441.80	A
ALKYL (C8,C10) POLYGLUCOSIDE	1,837.04	77	5,273.40	A
AMMONIUM NITRATE	394.36	40	2,719.60	A
AMMONIUM PROPIONATE	6.13	2	45.00	A
AMMONIUM SULFATE	1,714.37	117	7,995.40	A
BACILLUS THURINGIENSIS (BERLINER)	0.06	2	6.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	238.11	36	1,904.50	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	68.86	62	3,143.30	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	128.95	24	2,009.00	A
CARFENTRAZONE-ETHYL	1.41	3	73.00	A
CHLORANTRANILIPROLE	209.21	83	5,540.09	A
CHLORPYRIFOS	36,771.48	772	49,823.52	A
CITRIC ACID	32.07	45	3,453.80	A
CLETHODIM	2,709.19	309	20,288.91	A
CLOPYRALID, MONOETHANOLAMINE SALT	1,005.12	137	9,257.24	A
COPPER HYDROXIDE	18.44	4	55.00	A
CORN SYRUP	129.92	32	1,822.00	A
CYCLOATE	72.76	9	36.50	A
(S)-CYPERMETHRIN	1,072.88	509	34,004.84	A
DESMEDIPHAM	1,393.27	262	16,362.17	A
DIAZINON	11.43	22	74.00	A
DIETHATYL-ETHYL	13.50	1	9.00	A
DIETHYLENE GLYCOL	201.87	148	8,433.15	A
DIMETHENAMID-P	1,071.41	139	10,072.76	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	7.86	6	337.50	A
DIMETHYLPOLYSILOXANE	107.90	110	6,676.37	A
EMAMECTIN BENZOATE	0.48	2	37.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	1,419.67	150	9,828.16	A
EPTC	19,532.97	96	7,669.00	A
ESFENVALERATE	1,525.57	627	37,985.31	A
ETHOFUMESATE	2,623.77	80	4,619.24	A
ETHYLENE GLYCOL	29.03	5	405.00	A
FATTY ACIDS, MIXED	16.70	10	534.30	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	227.31	29	1,516.80	A
FATTY ACIDS DERIVED FROM TALLOW	54.47	43	2,441.80	A
FLUAZIFOP-P-BUTYL	50.22	2	137.00	A
GLYCEROL	4.83	2	70.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	667.66	13	569.10	A
GLYPHOSATE, POTASSIUM SALT	11,055.36	126	9,892.80	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	10.83	7	227.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUGARBEET				
HYDROTREATED PARAFFINIC SOLVENT	1,508.50	34	2,132.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	3.89	1	68.20	A
IMIDACLOPRID	1,993.21	236	13,203.86	A
INDOXACARB	8.55	3	106.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	25.18	7	227.40	A
ISOPROPYL ALCOHOL	105.60	303	19,587.62	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	4.35	22	1,217.24	A
LAMBDA-CYHALOTHRIN	0.50	1	18.50	A
MALATHION	20.05	11	46.00	A
MANCOZEB	48.75	2	37.00	A
MANGANESE SULFATE	11.74	27	1,543.30	A
MEFENOXAM	13.90	4	18.50	A
METCONAZOLE	9.38	1	135.00	A
METHOMYL	7,386.31	191	11,905.60	A
METHOXYFENOZIDE	3,118.68	386	26,052.71	A
METHYLATED SILICA	6.55	32	1,822.00	A
METHYLATED SOYBEAN OIL	651.71	73	3,366.60	A
METHYL SILICONE RESINS	12.28	16	1,197.40	A
MINERAL OIL	7,943.40	188	10,679.70	A
NALED	4,179.44	85	4,437.60	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	141.46	40	2,174.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,646.16	556	33,923.92	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	7.22	7	227.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	475.62	47	2,587.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.25	2	115.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	15.05	8	502.00	A
OLEIC ACID	314.29	44	2,780.60	A
OLEIC ACID, METHYL ESTER	11.66	1	68.20	A
ORCHEX 796 OIL	2,165.02	44	2,780.60	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	24.40	21	846.00	A
PARAQUAT DICHLORIDE	308.70	5	269.00	A
PENDIMETHALIN	37.92	1	30.00	A
PERMETHRIN	3.19	1	18.50	A
PETROLEUM OIL, PARAFFIN BASED	2,731.30	189	13,970.64	A
PHENMEDIPHAM	1,396.21	267	16,377.17	A
PHOSPHORIC ACID	510.80	359	24,345.76	A
POLYACRYLAMIDE POLYMER	3.72	10	720.00	A
POLYACRYLIC POLYMER	14.06	41	3,338.80	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	19.71	41	2,112.00	A
POLYBUTENES	40.59	29	1,516.80	A
POLYETHER MODIFIED POLYSILOXANE	76.95	150	9,828.16	A
POLYETHOXYLATED CASTOR OIL	2.74	4	181.20	A
POLYETHYLENE GLYCOL	137.77	42	2,328.67	A
POLYETHYLENE GLYCOL OLEATE	18.20	6	337.50	A
POLY-I-PARA-MENTHENE	7.12	1	73.00	A
POLYOXYETHYLENE DIOLEATE	0.51	21	846.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	32.30	14	792.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	9,623.48	165	12,638.40	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	7.97	2	115.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUGARBEET				
POLYOXYETHYLENE SORBITAN MONOOLEATE	17.42	22	1,217.24	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	114.65	22	1,217.24	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	65.23	6	294.00	A
POLYSACCHARIDE POLYMER	0.36	8	650.00	A
PROPYLENE GLYCOL	0.60	1	30.00	A
PYRACLOSTROBIN	88.65	10	612.00	A
SETHOXYDIM	223.16	19	813.50	A
SODIUM HYDROXIDE	1.32	2	70.00	A
SODIUM POLYACRYLATE	0.15	2	45.00	A
SORBITAN FATTY ACID ESTERS	1.74	2	115.00	A
SPINETORAM	132.47	99	5,318.01	A
SPINOSAD	251.42	88	4,045.99	A
SULFUR	648,511.15	419	27,959.80	A
TALL OIL	365.54	150	9,154.85	A
TALL OIL FATTY ACIDS	503.32	127	7,642.50	A
TRIETHANOLAMINE	3.22	23	1,474.00	A
TRIFLURALIN	8,759.28	162	11,354.76	A
TRIFLUSULFURON-METHYL	387.15	506	33,710.16	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	178.32	160	10,362.46	A
XYLENE	0.75	1	3.00	A
ZINC SULFATE	18.27	27	1,543.30	A
Site Total	794,038.36	6,743		
SUGARBEET (FORAGE - FODDER)				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	3.81	3	124.00	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	33.79	3	170.00	A
CARFENTRAZONE-ETHYL	0.92	3	126.00	A
CHLORANTRANILIPROLE	6.43	3	186.00	A
CHLORPYRIFOS	125.24	3	124.00	A
CLETHODIM	49.28	11	623.00	A
(S)-CYPERMETHRIN	6.16	3	124.00	A
DESMEDIPHAM	10.26	6	320.00	A
ETHOFUMESATE	10.26	6	320.00	A
FATTY ACIDS, MIXED	2.21	6	311.00	A
GLYPHOSATE, POTASSIUM SALT	119.49	3	126.00	A
LECITHIN	64.02	4	238.00	A
MINERAL OIL	9.03	1	33.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	4.81	5	243.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	22.70	7	360.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE), PHOSPHATE ESTER	43.94	1	49.00	A
OLEIC ACID, METHYL ESTER	157.66	3	170.00	A
PHENMEDIPHAM	10.26	6	320.00	A
PHOSPHORIC ACID	4.09	3	124.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	1.68	1	33.00	A
PROPIONIC ACID	30.23	1	68.00	A
SULFUR	936.00	2	117.00	A
TRIFLOXYSTROBIN	17.64	3	186.00	A
ZINC SULFATE	1.27	3	124.00	A
Site Total	1,671.18	54		

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUGARCANE				
ALKYL (C8,C10) POLYGLUCOSIDE	32.03	1	22.00	A
AMMONIUM NITRATE	15.25	1	22.00	A
AMMONIUM SULFATE	46.21	5	102.00	A
ATRAZINE	102.09	4	72.00	A
ATRAZINE, OTHER RELATED	2.16	4	72.00	A
CARFENTRAZONE-ETHYL	1.41	3	60.00	A
CHLORANTRANILIPROLE	5.22	3	81.00	A
CITRIC ACID	0.88	4	80.00	A
2,4-D, DIMETHYLAMINE SALT	29.31	1	22.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	39.32	2	42.00	A
DIMETHYLPOLYSILOXANE	0.25	2	54.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	57.89	1	22.00	A
GLYPHOSATE, POTASSIUM SALT	169.31	5	80.10	A
HALOSULFURON-METHYL	0.94	1	20.00	A
ISOPROPYL ALCOHOL	0.42	1	32.00	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.07	1	10.00	A
LAMBDA-CYHALOTHRIN	1.86	2	54.00	A
METHYLATED SOYBEAN OIL	42.45	4	82.00	A
MINERAL OIL	81.46	3	67.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.91	6	134.00	A
PENDIMETHALIN	173.79	5	92.00	A
PETROLEUM OIL, PARAFFIN BASED	18.36	2	30.00	A
PHOSPHORIC ACID	4.86	4	80.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.63	3	60.00	A
POLYACRYLIC POLYMER	0.44	4	80.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	2.12	4	82.00	A
POLYETHYLENE GLYCOL	2.65	1	32.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	30.25	1	20.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.30	1	10.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	1.97	1	10.00	A
TALL OIL FATTY ACIDS	1.09	1	20.00	A
Site Total	879.88	45		
SUNFLOWER				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	13.59	9	945.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	159.93	87	4,406.20	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.95	1	72.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	53.26	11	718.30	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.62	11	718.30	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.92	2	100.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	0.48	1	10.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	202.69	45	2,074.30	A
ALUMINUM PHOSPHIDE	23.82		67,000.00	C
AMMONIUM NITRATE	113.94	83	4,065.90	A
AMMONIUM SULFATE	574.78	87	4,348.60	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	17.55	2	32.50	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	2,225.08	46	1,890.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUNFLOWER				
BENZOIC ACID	40.92	90	6,345.90	A
BUTYL ALCOHOL	147.54	98	4,728.95	A
CALCIUM CHLORIDE	12.38	27	1,811.00	A
CARFENTRAZONE-ETHYL	38.80	68	3,377.20	A
CASTOR OIL ETHOXYLATE	1.45	2	94.00	A
CHLORPYRIFOS	179.74	9	230.00	A
CITRIC ACID	101.96	43	2,822.00	A
CLETHODIM	704.68	72	3,899.35	A
COCONUT DIETHANOLAMIDE	3.45	13	719.40	A
(S)-CYPERMETHRIN	26.94	14	601.00	A
DIETHYLENE GLYCOL	3.94	3	211.20	A
DIMETHYL ALKYL TERTIARY AMINES	43.06	89	6,267.90	A
DIMETHYLPOLYSILOXANE	6.12	183	8,698.75	A
DIOCTYL PHTHALATE	2.73	2	180.20	A
DODECYLBENZENE SULFONIC ACID	14.96	13	719.40	A
EDTA, TETRASODIUM SALT	0.92	13	719.40	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	140.09	22	861.50	A
ESFENVALERATE	664.49	249	15,022.72	A
ETHALFLURALIN	31,080.61	350	20,928.94	A
FATTY ACIDS, MIXED	1.84	2	139.20	A
FATTY ACIDS DERIVED FROM TALLOW	1.17	2	100.00	A
FLUBENDIAMIDE	347.66	46	3,031.70	A
GLYCEROL	1.91	1	38.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	7,787.20	130	7,172.60	A
GLYPHOSATE, POTASSIUM SALT	5,094.68	86	4,441.40	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	2.03	8	283.00	A
HYDROTREATED PARAFFINIC SOLVENT	72.69	1	60.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	550.75	89	5,034.60	A
IMAZAMOX, AMMONIUM SALT	67.94	34	2,192.55	A
IMIDACLOPRID	0.37	1	8.50	A
ISOPROPYL ALCOHOL	140.76	114	6,189.50	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.11	1	120.00	A
KEROSENE	123.51	65	4,943.80	A
LAMBDA-CYHALOTHRIN	151.06	106	5,320.93	A
MAGNESIUM PHOSPHIDE	0.28		6,400.00	U
MEFENOXAM	5.52		17,963.60	P
MEFENOXAM, OTHER RELATED	0.17		17,963.60	P
METALAXYL	3.36		5,608.70	P
METHYL ANTHRANILATE	58.71	13	204.50	A
METHYLATED SOYBEAN OIL	2,703.48	109	7,424.90	A
METHYL CELLULOSE	2.69	2	180.20	A
METHYL SILICONE RESINS	172.07	40	1,394.30	A
S-METOLACHLOR	5,639.14	91	3,627.60	A
MINERAL OIL	84.68	13	529.90	A
MORPHOLINE	1.18	2	180.20	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	10.21	1	150.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,022.05	257	14,620.95	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	0.60	1	60.00	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	12.37	1	150.00	A
OLEIC ACID	12.22	3	234.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SUNFLOWER				
OLEIC ACID, METHYL ESTER	3,675.65	116	6,794.40	A
ORCHEX 796 OIL	57.89	1	54.00	A
ORGANO/MODIFIED POLYSILOXANE	0.01	1	10.00	A
OXYFLUORFEN	30.67	8	339.80	A
PARAQUAT DICHLORIDE	4,204.93	93	6,732.60	A
PENDIMETHALIN	5,003.74	51	3,244.30	A
PETROLEUM DISTILLATES	2,699.70	22	2,247.40	A
PETROLEUM DISTILLATES, ALIPHATIC	0.82	9	945.00	A
PETROLEUM NAPHTHENIC OILS	9.52	9	945.00	A
PETROLEUM OIL, PARAFFIN BASED	3,612.96	48	3,132.75	A
PHOSPHINE	92.52		1,368,080.00	C
PHOSPHORIC ACID	446.39	101	5,336.00	A
POLYACRYLAMIDE POLYMER	0.46	2	123.00	A
POLYACRYLIC POLYMER	0.16	1	120.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	2.91	5	208.00	A
POLYETHER MODIFIED POLYSILOXANE	11.08	24	984.50	A
POLYETHOXYLATED CASTOR OIL	1.33	1	35.00	A
POLYETHYLENE GLYCOL	114.50	36	1,735.80	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	19.72	3	240.00	A
POLY-I-PARA-MENTHENE	278.86	8	939.10	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	107.41	7	361.00	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	0.14	1	30.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	614.54	40	2,651.75	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.45	1	120.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	2.95	1	120.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	10.88	2	94.00	A
SETHOXYDIM	166.05	11	483.00	A
SILICONE DEFOAMER	1.29	20	1,380.40	A
SODIUM CHLORATE	21,866.52	49	3,349.00	A
SODIUM DIISOOCTYLSULFOSUCCINATE	0.36	2	180.20	A
SODIUM HYDROXIDE	1.05	1	38.00	A
SODIUM XYLENE SULFONATE	4.60	13	719.40	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	1.77	1	78.00	A
SPIROMESIFEN	19.76	3	126.00	A
SULFUR	3,392.00	1	106.00	A
TALL OIL	12.03	4	226.00	A
TALL OIL FATTY ACIDS	9.98	7	253.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE)	17.54	13	719.40	A
TETRAPOTASSIUM PYROPHOSPHATE	2.30	13	719.40	A
THIRAM	35.61		17,963.60	P
TRIBENURON-METHYL	4.97	10	319.20	A
TRIETHANOLAMINE	6.03	14	779.40	A
TRIFLURALIN	5,961.66	111	8,183.30	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	17.88	24	1,000.70	A
UREA	3.43	1	10.00	A
VINYL POLYMER	6.79	24	1,185.00	A
Site Total	115,218.61	2,438		
SWEET POTATO				
ABAMECTIN	1.17	3	74.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.95	1	9.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SWEET POTATO				
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	34.22	9	243.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	6.59	4	37.59	A
ALUMINUM PHOSPHIDE	7.03	44	602.60	A
AMMONIUM NITRATE	3.14	4	37.59	A
AMMONIUM SULFATE	17.34	7	158.59	A
AZOXYSTROBIN	188.02	16	886.90	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	1,209.34	16	948.50	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	56.63	27	836.10	A
CHLORANTRANILIPROLE	19.16	12	402.00	A
CHLOROPICRIN	7,066.41	10	42.01	A
CHLORPYRIFOS	3,611.07	70	1,933.86	A
CITRIC ACID	2.66	3	121.00	A
CLETHODIM	117.36	15	455.00	A
CLOTHIANIDIN	34.28	17	558.10	A
(S)-CYPERMETHRIN	1.04	1	22.50	A
1,3-DICHLOROPROPENE	730,529.22	284	6,591.24	A
DICLORAN	7.50		110,974.00	U
	3.38		56.76	A
Total Pounds On This Chemical	10.88			
DIFENOCONAZOLE	54.31	9	476.10	A
DIMETHYLPOLYSILOXANE	0.07	6	73.59	A
ETHOPROP	34.50	2	34.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	206.59	26	806.10	A
GLYCEROL	5.12	2	102.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	74.52	4	37.59	A
GLYPHOSATE, POTASSIUM SALT	2,609.92	47	1,895.00	A
IMIDACLOPRID	4.45	6	103.10	A
ISOPROPYL ALCOHOL	2.18	12	90.00	A
LECITHIN	34.22	9	243.00	A
METAM-SODIUM	8,374.56	8	121.90	A
METHYL BROMIDE	576.07	2	3.20	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	70.09	26	806.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	15.32	13	120.00	A
OLEIC ACID	1.43	1	9.00	A
OLEIC ACID, METHYL ESTER	159.71	9	243.00	A
ORCHEX 796 OIL	9.84	1	9.00	A
PHOSPHORIC ACID	3.44	3	121.00	A
POLYACRYLAMIDE POLYMER	0.51	2	102.00	A
POLYBUTENES	36.89	26	806.10	A
POLYETHYLENE GLYCOL	0.99	1	6.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	456,524.72	80	1,907.07	A
PROPYLENE GLYCOL	1.84	1	30.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	30.11	10	264.50	A
SETHOXYDIM	2.38	1	9.00	A
SODIUM HYDROXIDE	2.81	2	102.00	A
SPIROTETRAMAT	1.27	4	150.00	A
STRYCHNINE	0.28	1	18.60	A
SULFURIC ACID	0.74	1	30.00	A
TALL OIL	0.53	11	84.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SWEET POTATO				
Site Total	1,211,755.95	699		
SWIMMING POOL				
1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN	195.40		2.00	U
Site Total	195.40			
SWISS CHARD				
ABAMECTIN	9.90	318	800.97	A
ACETAMIPRID	23.90	146	394.09	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	6.67	28	66.74	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.33	2	11.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	21.21	39	110.39	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	138.42	74	370.68	A
AMMONIUM PROPIONATE	0.59	5	27.19	A
AMYL ACETATE	0.24	5	27.19	A
AZADIRACTIN	39.17	378	1,388.13	A
AZOXYSTROBIN	12.96	53	76.89	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	13.53	6	49.16	A
BACILLUS PUMILUS, STRAIN QST 2808	36.23	209	483.85	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	34.72	11	42.11	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	650.48	120	723.04	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	56.69	10	67.65	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	539.67	272	711.48	A
BEAUVERIA BASSIANA STRAIN GHA	4.69	2	8.75	A
	< 0.01	1	108.00	S
Total Pounds On This Chemical	4.69			
BENSULIDE	5.95		0.50	A
BIFENTHRIN	2.55	7	25.51	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	59.27	183	928.31	A
CALCIUM CHLORIDE	0.04	2	15.70	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	8.58	15	21.92	A
CHLORANTRANILIPROLE	53.64	385	795.42	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	41.58	6	50.20	A
CITRIC ACID	2.03	13	54.19	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	1,112.74	106	636.35	A
CLETHODIM	0.18	1	1.50	A
CLOTHIANIDIN	0.48	2	7.21	A
COPPER OCTANOATE	358.23	129	451.45	A
COPPER OXIDE (OUS)	1.26	1	1.00	A
BETA-CYFLUTHRIN	2.83	28	110.20	A
(S)-CYPERMETHRIN	50.07	317	1,093.54	A
CYROMAZINE	33.06	95	265.84	A
DIMETHOATE	13.39	11	46.72	A
DIMETHYLPOLYSILOXANE	168.95	146	679.56	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SWISS CHARD				
DIMETHYL SILICONE FLUID EMULSION	0.05	3	8.10	A
DINOTEFURAN	1.08	5	8.21	A
EMAMECTIN BENZOATE	3.05	101	245.56	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	7.46	11	19.85	A
FATTY ACIDS, METHYL ESTERS	151.82	79	368.47	A
FATTY ACIDS, MIXED	1.20	59	223.37	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	66.11	65	449.45	A
FATTY ACIDS DERIVED FROM TALLOW	55.37	74	370.68	A
FENAMIDONE	41.87	78	180.03	A
FLONICAMID	26.57	119	313.51	A
FLUBENDIAMIDE	6.88	138	219.03	A
FLUOPICOLIDE	36.76	114	297.79	A
FOSETYL-AL	569.16	93	160.03	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.18	5	27.19	A
HYDROGEN PEROXIDE	53.38	7	44.02	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.02	1	1.50	A
IMIDACLOPRID	34.20	43	219.46	A
INDOXACARB	12.30	117	183.23	A
IRON PHOSPHATE	0.05	12	1.20	A
	0.02	5	3,560.00	S
Total Pounds On This Chemical	0.07			
ISOPROPYL ALCOHOL	5.12	468	680.66	A
KAOLIN	309.94	4	16.87	A
LECITHIN	38.83	67	264.26	A
MALATHION	41.54	11	38.60	A
MANDIPROPAMID	85.10	239	653.90	A
MARGOSA OIL	102.91	45	118.13	A
MEFENOXAM	41.73	34	72.37	A
METHOMYL	11.47	3	17.02	A
METHOXYFENOZIDE	48.38	125	277.69	A
METHYLATED SOYBEAN OIL	5.50	8	36.49	A
METHYL SILICONE RESINS	5.47	76	278.34	A
S-METOLACHLOR	42.72	32	64.64	A
MINERAL OIL	51.26	40	117.74	A
NALED	8.06	3	8.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	73.94	144	817.92	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	162.04	604	1,281.56	A
OLEIC ACID, METHYL ESTER	10.94	3	12.50	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	41.55	40	154.41	A
PERMETHRIN	121.16	197	692.02	A
PETROLEUM OIL, UNCLASSIFIED	67.99	1	5.70	A
PHOSPHORIC ACID	0.69	12	23.85	A
POLYACRYLAMIDE POLYMER	0.13	3	19.10	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.06	2	6.60	A
POLYBUTENES	11.81	65	449.45	A
POLYETHER MODIFIED POLYSILOXANE	3.94	24	42.95	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	1.67	5	20.09	A
POLY-I-PARA-MENTHENE	0.56	2	15.02	A
POLYOXYETHYLENE POLYOXYPROPYLENE	6.17	6	34.08	A
POLYPROPYLENE GLYCOL	0.75	44	214.61	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
SWISS CHARD				
POTASH SOAP	4,006.22	156	419.06	A
	7.04	13	32,004.00	S
	0.96	3	450.00	U
Total Pounds On This Chemical	4,014.21			
POTASSIUM BICARBONATE	722.87	34	294.78	A
POTASSIUM N-METHYLDITHIOCARBAMATE	13,138.73	69	106.49	A
POTASSIUM PHOSPHITE	411.54	32	158.89	A
POTASSIUM SILICATE	47.89	3	15.90	A
PROPICONAZOLE	7.36	12	65.62	A
PROPIONIC ACID	30.04	64	250.56	A
PROPYLENE GLYCOL	2.81	9	48.70	A
PYMETROZINE	13.38	71	159.69	A
PYRACLOSTROBIN	227.28	572	1,225.73	A
PYRETHRINS	26.72	211	625.01	A
	0.15	9	18,400.00	S
	0.01	3	450.00	U
Total Pounds On This Chemical	26.88			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	17.26	64	92.68	A
REYNOUTRIA SACHALINENSIS	98.05	164	507.84	A
SETHOXYDIM	0.70	2	9.00	A
SILICONE	0.03	6	17.86	A
SPINETORAM	48.42	353	900.61	A
SPINOSAD	185.55	537	1,896.36	A
SPIROTETRAMAT	2.86	67	307.51	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	10	27.95	A
STYRENE BUTADIENE COPOLYMER	0.52	1	4.51	A
SULFUR	1,454.94	327	601.74	A
TALL OIL	1.08	461	675.16	A
TALL OIL FATTY ACIDS	0.30	39	110.39	A
THIAMETHOXAM	23.32	159	395.32	A
THIODICARB	1.21	3	11.00	A
THIRAM	4.11		2,200.00	P
TRIFLOXYSTROBIN	2.19	11	23.31	A
TRIFLUMIZOLE	14.19	14	70.91	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE)	2.92	3	17.00	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	5.64	18	54.25	A
Site Total	26,382.47	8,090		
TANGELO				
ABAMECTIN	23.59	71	1,358.01	A
ACEQUINOCYL	19.97	3	55.50	A
ACETAMIPRID	26.45	19	208.40	A
ACRYLIC ACID	3.73	3	23.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	220.82	38	1,070.90	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXPOLY(OXYETHYLENE) POLY(OXYPROPYLENE)	10.83	16	164.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY(OXYETHYLENE)	304.68	132	2,273.97	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY(OXYETHYLENE)	0.28	1	8.00	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXPOLY(OXYETHYLENE)	4.30	1	9.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	27.92	4	49.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGELO				
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	26.14	18	319.80	A
ALKYL (C8,C10) POLYGLUCOSIDE	45.30	10	190.70	A
AMMONIUM NITRATE	13.80	4	100.70	A
AMMONIUM PROPIONATE	50.24	15	412.72	A
AMMONIUM SULFATE	64.13	24	592.42	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	224.71	23	407.65	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	106.99	4	170.00	A
BENTONITE	1,377.90	50	797.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	36.20	13	157.50	A
BROMACIL	913.42	40	707.42	A
BUPROFEZIN	103.25	3	54.50	A
CALCIUM HYDROXIDE	109,803.89	198	3,081.62	A
CARFENTHAZONE-ETHYL	2.15	4	74.70	A
CASEIN	101.58	50	797.00	A
CHLORANTRANILIPROLE	26.71	31	474.60	A
CHLOROPHACINONE	< 0.01	3	54.00	A
CHLORPYRIFOS	3,122.49	51	895.32	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	25.50	2	34.00	A
CITRIC ACID	34.11	21	503.26	A
CLETHODIM	5.03	1	38.00	A
COCONUT DIETHANOLAMIDE	120.74	29	484.26	A
COPPER	2,472.39	63	797.42	A
COPPER HYDROXIDE	784.38	27	526.25	A
COPPER OXIDE (OUS)	1,796.40	21	619.20	A
COPPER SULFATE (BASIC)	10,450.44	122	2,207.15	A
COPPER SULFATE (PENTAHYDRATE)	278.11	3	181.00	A
CYFLUTHRIN	9.72	11	181.00	A
BETA-CYFLUTHRIN	53.18	96	1,510.79	A
(S)-CYPERMETHRIN	16.89	19	391.00	A
2,4-D, DIMETHYLAMINE SALT	261.06	8	263.30	A
2,4-D, ISOPROPYL ESTER	349.74	321	5,980.25	A
DERIVATED NATURAL POLYMERS	0.12	2	47.00	A
DIFETHIALONE	< 0.01	1	18.50	A
DIFLUBENZURON	20.16	6	95.20	A
DIMETHOATE	42.50	6	40.50	A
DIMETHYLPOLYSILOXANE	685.43	106	2,496.68	A
DIMETHYL SILICONE FLUID EMULSION	0.17	3	28.00	A
DIPHACINONE	< 0.01	1	3.00	A
DIURON	2,933.76	79	1,609.37	A
DODECYLBENZENE SULFONIC ACID	8.32	11	164.46	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.54	2	20.00	A
EDTA, SODIUM SALT	0.03	1	22.57	A
EDTA, TETRASODIUM SALT	0.51	11	164.46	A
ETHYLENE GLYCOL MONOMETHYL ETHER	72.55	30	425.10	A
FATTY ACIDS, METHYL ESTERS	15.50	2	19.00	A
FATTY ACIDS, MIXED	10.74	25	317.40	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	112.29	7	89.50	A
FENPROPATHRIN	164.74	31	435.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGELO				
FENPYROXIMATE	32.83	20	267.86	A
FLUDIOXONIL	0.82		3,478.75	T
FORMETANATE HYDROCHLORIDE	13.34	2	29.00	A
GIBBERELLINS	312.23	191	3,546.37	A
GLYPHOSATE, ISOPROPYLAMINE SALT	3,158.26	144	2,413.91	A
GLYPHOSATE, POTASSIUM SALT	10,112.05	255	6,083.12	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	0.86	1	9.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.87	10	162.20	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	184.54	29	339.30	A
IMAZALIL	211.58		20,933.86	T
IMIDACLOPRID	748.36	83	1,815.00	A
INDAZIFLAM	57.19	39	802.40	A
ISOOCXYL PHTHALATE	73.57	30	425.10	A
ISOPROPYL ALCOHOL	160.73	109	2,188.17	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	2.02	35	755.00	A
KAOLIN	22,241.65	24	598.00	A
LACTOSE	102.88	50	797.00	A
LAURIC ACID	23.76	18	319.80	A
LECITHIN	109.10	14	315.00	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	3.23	2	19.00	A
MALATHION	78.96	3	29.00	A
MEFENOXAM	23.79	4	76.90	A
METALDEHYDE	216.77	26	590.41	A
METHOXYFENOZIDE	28.52	5	127.00	A
METHYLATED SOYBEAN OIL	834.72	82	1,984.79	A
MINERAL OIL	21,031.79	84	1,321.62	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	454.83	66	815.94	A
MORPHOLINE	31.81	30	425.10	A
NONANOIC ACID	2.60	13	13.00	A
NONANOIC ACID, OTHER RELATED	0.14	13	13.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	98.03	31	392.90	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	345.82	124	2,499.27	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	50.03	30	425.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	66.66	26	669.72	A
NORFLURAZON	341.67	2	140.00	A
OLEIC ACID	102.97	30	425.10	A
OLEIC ACID, METHYL ESTER	15.61	4	65.00	A
ORYZALIN	949.60	8	277.30	A
OXYFLUORFEN	93.79	8	222.95	A
PENDIMETHALIN	811.18	19	309.77	A
PETROLEUM OIL, PARAFFIN BASED	538.44	36	760.00	A
PETROLEUM OIL, UNCLASSIFIED	29,021.56	140	2,211.00	A
PHOSPHORIC ACID	13.73	19	268.46	A
BETA-PINENE POLYMER	2.45	1	7.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	218.03	49	1,138.00	A
POLYBUTENES	20.05	7	89.50	A
POLYETHER MODIFIED POLYSILOXANE	125.86	19	525.54	A
POLYETHOXYLATED CASTOR OIL	6.58	21	620.00	A
POLYETHYLENE GLYCOL	62.48	22	403.54	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	457.30	18	418.80	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGELO				
POLYMERIZED PINENE	9.63	2	20.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	3.46	1	13.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	8.10	35	755.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	53.30	35	755.00	A
POLYSILOXANE	1.35	2	47.00	A
POTASSIUM PHOSPHITE	25.93	1	20.00	A
PROPIONIC ACID	4.99	3	33.00	A
PROPYLENE GLYCOL	189.64	63	1,632.64	A
PYRIDABEN	29.85	6	89.00	A
PYRIPROXYFEN	32.23	28	321.20	A
RIMSULFURON	32.75	32	584.50	A
SABADILLA ALKALOIDS	0.60	1	30.00	A
SAFLUFENACIL	22.15	47	638.66	A
SILICONE DEFOAMER	0.22	11	164.46	A
SIMAZINE	283.80	11	153.95	A
SODIUM DIISOCTYLSULFOSUCCINATE	9.70	30	425.10	A
SODIUM HYPOCHLORITE	1,522.15		20,742.00	T
SODIUM POLYACRYLATE	1.26	15	412.72	A
SODIUM XYLENE SULFONATE	2.56	11	164.46	A
SPINETORAM	249.77	143	2,831.53	A
SPINOSAD	23.11	13	209.22	A
SPIRODICLOFEN	0.71	1	2.47	A
SPIROTETRAMAT	13.14	50	735.95	A
STARCH	0.04	1	70.00	A
STYRENE BUTADIENE COPOLYMER	185.67	60	1,467.84	A
SULFUR	8,704.29	14	409.00	A
TALL OIL FATTY ACIDS	15.06	22	325.20	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.56	12	187.03	A
TETRAPOTASSIUM PYROPHOSPHATE	1.28	11	164.46	A
THIABENDAZOLE	161.84		20,618.76	T
THIAMETHOXAM	20.08	13	276.07	A
TRIETHANOLAMINE	3.27	11	164.46	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	8.01	1	70.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	173.05	48	1,330.84	A
Site Total	242,788.72	3,443		
TANGERINE				
ABAMECTIN	642.30	895	39,121.98	A
ACEPHATE	5,561.91	256	14,606.98	A
ACEQUINOCYL	279.65	22	793.94	A
ACETAMIPRID	183.95	71	1,310.30	A
ACRYLIC ACID	2.11	1	13.00	A
ALCOHOLS, C4-C12, NORMAL	0.56	1	7.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2,149.72	166	6,124.21	A
ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE)	1.16	2	11.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2,418.99	1,006	35,926.12	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	185.70	19	643.89	A
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.48	2	2.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGERINE				
ALPHA-PINENE BETA-PINENE COPOLYMER	508.95	53	873.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	49.90	9	242.50	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.74	1	37.00	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	106.99	30	983.05	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	0.44	1	4.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	417.16	166	4,014.70	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	3.54	1	11.50	A
ALUMINUM PHOSPHIDE	1,011.06	17	879.50	A
AMMONIUM NITRATE	162.31	151	3,843.50	A
AMMONIUM PROPIONATE	1,006.28	280	12,602.68	A
AMMONIUM SULFATE	966.26	504	17,650.83	A
AZADIRACTIN	189.00	148	9,646.76	A
AZOXYSTROBIN	80.63	34	574.63	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	1,191.48	116	3,070.34	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	15.49	2	245.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	76.50	2	100.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12	3,757.88	53	5,619.19	A
BENTONITE	8,134.98	231	10,060.63	A
BENZOIC ACID	0.64	4	62.00	A
BIFENAZATE	95.65	3	191.30	A
BIFENTHRIN	3.24	3	42.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	270.85	126	3,173.89	A
BROMACIL	5,476.19	219	5,271.60	A
BUPROFEZIN	2,164.25	38	1,132.43	A
2-BUTOXYETHANOL	0.75	1	37.00	A
BUTYL ALCOHOL	28.21	7	299.00	A
CALCIUM HYDROXIDE	354,092.45	643	25,597.01	A
CARBARYL	739.16	6	119.90	A
CARFENTHAZONE-ETHYL	16.89	64	1,451.89	A
CASEIN	446.50	228	9,986.63	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	2,447.19	46	3,336.64	A
CHLORANTRANILIPROLE	444.82	176	7,014.50	A
CHLOROPHACINONE	< 0.01	2	20.00	A
CHLORPYRIFOS	21,246.48	421	14,475.96	A
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	18.00	1	24.00	A
CITRIC ACID	562.52	351	13,803.33	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	11.46	2	6.00	A
CLETHODIM	0.48	1	3.00	A
COCONUT DIETHANOLAMIDE	493.95	66	1,778.61	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	1.28	3	191.30	A
COPPER	4,066.75	100	1,527.71	A
COPPER HYDROXIDE	6,539.44	130	3,900.76	A
COPPER OXIDE (OUS)	3,829.54	57	1,524.74	A
COPPER OXYCHLORIDE	12.86	1	18.00	A
COPPER SULFATE (BASIC)	97,883.38	538	28,093.64	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGERINE				
COPPER SULFATE (PENTAHYDRATE)	1,581.23	15	243.00	A
COTTONSEED OIL	52.59	2	16.70	A
CRYOLITE	2,505.31	14	229.00	A
CYFLUTHRIN	134.73	48	1,399.29	A
BETA-CYFLUTHRIN	752.00	537	21,628.94	A
(S)-CYPERMETHRIN	144.48	129	3,752.32	A
2,4-D, DIMETHYLAMINE SALT	1,112.00	79	1,771.42	A
2,4-D, ISOPROPYL ESTER	1,001.13	360	15,047.14	A
DERIVATED NATURAL POLYMERS	1.04	11	204.40	A
1,3-DICHLOROPROPENE	21,373.90	1	64.42	A
DIETHYLENE GLYCOL	84.94	34	1,308.73	A
DIFETHIALONE	< 0.01	1	19.00	A
DIFLUBENZURON	672.27	64	2,728.59	A
DIMETHOATE	1,395.11	64	1,578.52	A
DIMETHYL ALKYL TERTIARY AMINES	0.69	4	62.00	A
DIMETHYLPOLYSILOXANE	3,027.20	1,202	50,127.54	A
DIMETHYL SILICONE FLUID EMULSION	4.22	19	161.50	A
DIPHACINONE	0.16	51	1,706.98	A
DIQUAT DIBROMIDE	25.73	3	9.00	A
DISODIUM OCTABORATE TETRAHYDRATE	0.28	1	2.00	A
DIURON	28,275.45	372	13,879.55	A
DODECYLBENZENE SULFONIC ACID	33.08	36	795.56	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9.45	36	270.10	A
EDTA, SODIUM SALT	0.92	10	615.20	A
EDTA, TETRASODIUM SALT	2.04	36	795.56	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	3.18	3	2.40	A
ETHYLENE GLYCOL MONOMETHYL ETHER	771.35	188	9,657.49	A
ETOXAZOLE	82.49	6	843.50	A
FATTY ACIDS, METHYL ESTERS	221.86	37	312.70	A
FATTY ACIDS, MIXED	174.11	85	2,567.71	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	750.00	38	1,991.19	A
FATTY ACIDS DERIVED FROM TALLOW	19.96	9	242.50	A
FENBUTATIN-OXIDE	3,925.76	55	2,967.25	A
FENPROPATHRIN	793.85	101	2,172.34	A
FENPYROXIMATE	498.00	145	4,390.55	A
FERRIC SODIUM EDTA	84.75	4	139.00	A
FERROUS SULFATE	6.67	3	191.30	A
FLUAZIFOP-P-BUTYL	1.69	1	4.50	A
FLUDIOXONIL	0.92		3,654.95	T
FLUMIOXAZIN	71.33	14	292.80	A
FORMETANATE HYDROCHLORIDE	2,102.76	78	2,161.90	A
FOSETYL-AL	50.10	2	68.00	A
GIBBERELLINS	936.81	509	26,129.01	A
GLYCEROL	77.63	18	333.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	90,684.00	1,817	64,446.71	A
GLYPHOSATE, POTASSIUM SALT	96,370.28	1,655	62,605.75	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	24.28	7	320.50	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	9.55	56	763.40	A
HEXYTHIAZOX	1,300.79	100	7,704.49	A
HYDROGEN PEROXIDE	112.14	4	45.50	A
HYDROTREATED PARAFFINIC SOLVENT	10.04	3	13.90	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	731.51	89	3,474.65	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGERINE				
IMAZALIL	176.10		17,820.91	T
IMIDACLOPRID	12,082.35	626	28,737.47	A
INDAZIFLAM	899.24	330	13,181.54	A
IRON PHOSPHATE	60.15	21	460.45	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	26.45	2	289.30	A
ISOOCTYL PHTHALATE	782.23	188	9,657.49	A
ISOPROPYL ALCOHOL	2,192.51	820	25,111.93	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	2.45	33	858.00	A
KAOLIN	136,168.94	126	2,778.37	A
KEROSENE	1.24	4	62.00	A
LACTOSE	578.06	231	10,060.63	A
LAURIC ACID	97.26	30	983.05	A
LECITHIN	14,502.82	256	17,966.34	A
LIME-SULFUR	189.83	6	99.00	A
LOW MOLECULAR WEIGHT PARAFFINIC OIL	30.60	33	287.70	A
MALATHION	5,627.84	38	862.67	A
MANGANESE SULFATE	9.24	3	191.30	A
MEFENOXAM	2,131.26	128	8,892.31	A
METALDEHYDE	1,678.88	162	6,530.90	A
METAM-SODIUM	4,233.31	1	40.00	A
METHIDATHION	785.02	5	350.00	A
METHOMYL	444.60	6	494.00	A
S-METHOPRENE	9.71	11	1,929.00	A
METHOXYFENOZIDE	4.80	1	22.00	A
METHYLATED SOYBEAN OIL	21,608.27	496	24,967.65	A
(3S, 6R)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	< 0.01	3	5.79	A
(3S, 6S)-3-METHYL-6-ISOPROPENYL-9-DECEN-1-YL ACETATE	< 0.01	3	5.79	A
MINERAL OIL	82,317.20	536	9,350.36	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	19,196.93	769	51,996.74	A
MOLASSES	265.00	2	43.88	A
MORPHOLINE	338.23	188	9,657.49	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	369.18	115	3,195.89	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5,652.34	796	19,548.46	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	544.43	196	10,008.69	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	7,291.33	477	28,302.84	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	< 0.01	1	3.00	A
NORFLURAZON	2,478.03	78	1,289.15	A
NOSEMA LOCUSTAE SPORES	0.03	2	24.75	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	363.01	17	575.00	A
OIL OF JOJOBA	12.14	1	6.00	A
OLEIC ACID	1,098.42	192	9,698.49	A
OLEIC ACID, METHYL ESTER	938.71	39	1,005.01	A
ORGANO/MODIFIED POLYSILOXANE	0.01	1	4.00	A
ORYZALIN	23,896.34	217	9,552.53	A
OXYFLUORFEN	5,312.96	122	5,937.17	A
PARAQUAT DICHLORIDE	1,394.75	45	1,092.85	A
PENDIMETHALIN	14,754.85	217	4,993.40	A
PETROLEUM OIL, PARAFFIN BASED	1,049.71	42	1,182.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGERINE				
PETROLEUM OIL, UNCLASSIFIED	188,681.84	678	20,917.39	A
PHOSMET	6.30	1	3.00	A
PHOSPHORIC ACID	457.09	277	5,614.34	A
BETA-PINENE POLYMER	37.36	4	94.20	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	2.00	6	148.88	A
POLYACRYLAMIDE POLYMER	7.80	18	333.00	A
POLYACRYLIC POLYMER	4.88	25	392.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	35.96	47	1,751.44	A
POLYBUTENES	133.93	38	1,991.19	A
POLYETHER MODIFIED POLYSILOXANE	601.39	60	2,469.41	A
POLYETHOXYLATED CASTOR OIL	1.72	8	228.00	A
POLYETHYLENE GLYCOL	1,075.01	319	5,702.32	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	630.94	30	2,442.15	A
POLYMERIZED PINENE	167.70	36	270.10	A
POLYOXYETHYLENE POLYOXYPROPYLENE	211.37	45	1,052.20	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	18.00	6	256.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	< 0.01	1	3.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	9.81	33	858.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	64.56	33	858.00	A
POLYSILOXANE	12.02	11	204.40	A
POTASH SOAP	458.06	2	107.00	A
POTASSIUM PHOSPHITE	318.37	11	166.10	A
POTASSIUM SILICATE	214.76	3	60.00	A
PROPIONIC ACID	656.88	28	1,385.99	A
PROPYLENE GLYCOL	1,269.40	310	16,994.55	A
PYRACLOSTROBIN	23.54	12	220.80	A
PYRAFLUFEN-ETHYL	0.02	2	20.00	A
PYRETHRINS	9.35	18	209.50	A
PYRIDABEN	4,825.50	79	5,608.58	A
PYRIPROXYFEN	477.21	152	4,623.85	A
RIMSULFURON	476.99	298	9,005.02	A
SABADILLA ALKALOIDS	53.04	63	3,305.12	A
SAFLUFENACIL	610.42	677	14,626.11	A
SAPONIN	32.36	10	136.00	A
SILICONE DEFOAMER	0.87	36	795.56	A
SIMAZINE	865.08	27	355.33	A
SODIUM DIISOOCTYLSULFOSUCCINATE	103.17	188	9,657.49	A
SODIUM HYDROXIDE	42.54	18	333.00	A
SODIUM HYPOCHLORITE	387.31		9,190.78	T
SODIUM POLYACRYLATE	25.16	280	12,602.68	A
SODIUM TRIPOLYPHOSPHATE	0.77	1	37.00	A
SODIUM XYLENE SULFONATE	10.18	36	795.56	A
SORBITAN FATTY ACID ESTERS	< 0.01	1	3.00	A
SPINETORAM	2,098.65	802	29,467.25	A
SPINOSAD	252.79	131	2,411.02	A
SPIRODICLOFEN	2,478.49	109	8,443.65	A
SPIROTETRAMAT	110.78	258	7,366.80	A
STARCH	0.71	14	1,712.00	A
STRYCHNINE	1.06	24	1,343.00	A
STYRENE BUTADIENE COPOLYMER	1,092.88	272	15,809.00	A
SULFUR	7,716.79	32	978.94	A
SULFURIC ACID	0.53	2	21.50	A
TALL OIL FATTY ACIDS	156.65	192	2,770.98	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	217.43	54	1,475.76	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TANGERINE				
ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	0.08	1	14.30	A
TETRAPOTASSIUM PYROPHOSPHATE	5.09	36	795.56	A
THIABENDAZOLE	27.53		9,794.53	T
THIAMETHOXAM	196.11	71	3,464.88	A
TRIETHANOLAMINE	12.98	36	795.56	A
TRIFLOXYSTROBIN	24.03	17	380.22	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	147.94	14	1,712.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,341.29	324	15,801.95	A
UREA	3.10	1	4.00	A
VINYL POLYMER	2.24	6	256.00	A
WARFARIN	< 0.01	1	18.52	A
ZINC PHOSPHIDE	17.60	14	639.19	A
ZINC SULFATE	96.00	153	3,156.43	A
Site Total	1,382,623.97	21,524		
TARRAGON				
ALPHA-PINENE BETA-PINENE COPOLYMER	0.44	2	1.80	A
AZADIRACTIN	1.78	39	49.72	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	11.19	14	22.87	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.02	2	1.80	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	1.88	46	44.79	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	271.47	38	38.40	A
MARGOSA OIL	1.08	2	1.80	A
MINERAL OIL	0.15	2	1.80	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.75	46	44.79	A
POTASH SOAP	358.06	39	89.79	A
PYRETHRINS	6.09	72	117.79	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	2.57	7	11.37	A
QUILLAJA	3.85	46	44.79	A
REYNOUTRIA SACHALINENSIS	1.11	7	9.94	A
SPINOSAD	0.57	5	5.82	A
TALL OIL FATTY ACIDS	< 0.01	2	1.80	A
Site Total	664.02	269		
TAT SOI (SPINACH MUSTARD)				
AZADIRACTIN	0.12	2	2.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	21.02	4	10.00	A
PYRETHRINS	0.54	5	11.00	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	2.20	4	10.00	A
REYNOUTRIA SACHALINENSIS	0.81	2	7.50	A
SPINOSAD	0.06	1	1.00	A
Site Total	24.75	18		
THYME				
ABAMECTIN	0.01	1	1.50	A
ALPHA-PINENE BETA-PINENE COPOLYMER	0.98	4	4.35	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
THYME				
AZADIRACTIN	0.87	14	35.15	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	7.98	17	49.60	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.04	4	4.35	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	381.39	4	7.05	A
IMIDACLOPRID	0.13	1	3.00	A
MINERAL OIL	0.35	4	4.35	A
PIPERONYL BUTOXIDE	4.95	4	12.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	1.24	4	12.00	A
POTASH SOAP	124.51	20	34.50	A
PYRETHRINS	2.25	20	49.00	A
REYNOUTRIA SACHALINENSIS	0.14	1	2.00	A
SPINOSAD	2.10	4	21.00	A
TALL OIL FATTY ACIDS	0.01	4	4.35	A
TRICHODERMA ICC 012 ASPERELLUM	0.35	4	4.35	A
TRICHODERMA ICC 080 GAMSII	0.35	4	4.35	A
Site Total	527.65	90		
TIMOTHY				
AMMONIUM SULFATE	12.25	4	250.00	A
CITRIC ACID	0.69	4	250.00	A
COCONUT DIETHANOLAMIDE	5.72	72	2,429.40	A
BETA-CYFLUTHRIN	72.84	83	3,114.40	A
2,4-D, BUTOXYETHANOL ESTER	74.12	2	54.00	A
2,4-D, DIMETHYLAMINE SALT	1,008.21	23	941.50	A
DICAMBA, DIMETHYLAMINE SALT	47.01	5	248.20	A
DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE	5.30	3	197.00	A
DIMETHYLPOLYSILOXANE	0.08	11	386.50	A
DODECYLBENZENE SULFONIC ACID	24.80	72	2,429.40	A
EDTA, TETRASODIUM SALT	1.53	72	2,429.40	A
GLYPHOSATE, ISOPROPYLAMINE SALT	109.30	2	75.00	A
ISOPROPYL ALCOHOL	19.57	82	2,862.40	A
METHIDATHION	707.46	20	1,096.70	A
METHYLATED SOYBEAN OIL	120.44	14	1,010.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	72.90	31	1,688.70	A
PHOSPHORIC ACID	13.12	83	2,924.90	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.49	7	223.00	A
POLYACRYLIC POLYMER	0.34	4	250.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	6.02	14	1,010.20	A
POLYETHYLENE GLYCOL	5.45	4	141.00	A
POLYETHYLENE GLYCOL OLEATE	12.27	3	197.00	A
SILICONE DEFOAMER	0.65	72	2,429.40	A
SODIUM XYLENE SULFONATE	7.63	72	2,429.40	A
TALL OIL FATTY ACIDS	2.93	6	292.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	29.07	72	2,429.40	A
TETRAPOTASSIUM PYROPHOSPHATE	3.81	72	2,429.40	A
TRIETHANOLAMINE	9.73	72	2,429.40	A
UREA	3.96	7	245.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TIMOTHY				
Site Total	2,377.68	252		
TOMATILLO				
ACETAMIPRID	0.15	1	2.00	A
ALUMINUM PHOSPHIDE	2.58	2	20.00	A
AZOXYSTROBIN	10.40	3	46.00	A
BENSULIDE	196.31	5	33.00	A
BIFENAZATE	2.00	1	4.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	39.86	12	392.00	A
BOSCALID	57.12	11	373.00	A
BUFFALO GOURD ROOT POWDER	0.95	1	10.00	A
CHLORANTRANILIPROLE	21.64	15	427.92	A
CHLORTHAL-DIMETHYL	287.57	5	33.00	A
DINOTEFURAN	1.84	3	14.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	148.83	12	392.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	6.40	1	1.00	A
IMIDACLOPRID	26.81	6	68.92	A
MEFENOXAM	36.07	2	72.00	A
METHYL SILICONE RESINS	10.01	1	19.00	A
NONANOIC ACID	264.27	2	14.00	A
NONANOIC ACID, OTHER RELATED	13.91	2	14.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	50.49	12	392.00	A
PARAQUAT DICHLORIDE	2.77	1	10.00	A
POLYBUTENES	26.58	12	392.00	A
POLY-I-PARA-MENTHENE	3.27	1	7.00	A
POTASSIUM BICARBONATE	14.76	1	6.00	A
PYRACLOSTROBIN	69.65	14	385.00	A
SPINETORAM	0.54	1	7.00	A
SPINOSAD	1.50	1	10.00	A
SPIROMESIFEN	29.45	9	238.00	A
SPIROTETRAMAT	0.82	2	87.00	A
THIAMETHOXAM	20.55	13	411.00	A
Site Total	1,347.11	101		
TOMATO				
ABAMECTIN	43.78	113	4,248.57	A
	0.01	2	11,370.00	S
Total Pounds On This Chemical	43.80			
ACEQUINOCYL	74.19	14	193.45	A
ACETAMIPRID	104.89	84	1,727.99	A
	0.11	1	66,625.00	S
Total Pounds On This Chemical	104.99			
ACIBENZOLAR-S-METHYL	0.16	4	7.15	A
ACRYLIC ACID	6.71	6	356.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	127.66	3	384.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	71.69	38	1,065.96	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	87.10	100	4,577.78	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE)	8.31	10	89.53	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO				
ALPHA-PINENE BETA-PINENE COPOLYMER	1,572.87	206	8,384.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	260.79	120	2,955.08	A
ALKYL (C8,C10) POLYGLUCOSIDE	0.84	1	50.00	A
AMMONIUM PROPIONATE	28.54	6	313.00	A
AMMONIUM SULFATE	91.80	16	966.14	A
AZADIRACTIN	185.63	290	9,938.34	A
	2.12	64	2,567,251.36	S
Total Pounds On This Chemical	187.75			
AZOXYSTROBIN	1,836.31	320	14,966.20	A
	2.34	20	1,220,875.00	S
	< 0.01		10.77	P
Total Pounds On This Chemical	1,838.65			
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	2.25	1	3.00	A
BACILLUS PUMILUS, STRAIN QST 2808	106.31	42	1,709.06	A
	0.01	2	3,820.00	S
Total Pounds On This Chemical	106.32			
BACILLUS THURINGIENSIS (BERLINER)	< 0.01	1	0.20	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	593.50	6	671.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	1,469.72	75	2,200.00	A
	1.08	2	40,000.00	S
Total Pounds On This Chemical	1,470.80			
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14	2.63	4	233,087.00	S
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B	10.56	10	127.51	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	94.67	92	170.73	A
	0.02	2	133.20	S
Total Pounds On This Chemical	94.70			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	1.28	7	16.30	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	712.27	26	698.65	A
BACTERIOPHAGE ACTIVE AGAINST XANTHOMONAS CAMPESTRIS PV. VESICATORIA AND PSEUDOMONAS SYRINGAE PV. TOMATO	< 0.01	8	12.92	A
BEAUVERIA BASSIANA STRAIN GH4	75.13	36	250.80	A
	3.00	4	297,250.00	S
Total Pounds On This Chemical	78.14			
BENSULIDE	16.66	1	3.20	A
BENTONITE	5.53	1	36.88	A
BENZOIC ACID	10.23	19	409.27	A
BIFENAZATE	69.79	28	319.50	A
BIFENTHRIN	650.01	223	8,671.95	A
	0.10	2	14,000.00	S
Total Pounds On This Chemical	650.11			
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	89.49	285	9,195.83	A
BOSCALID	566.44	35	1,234.25	A
BUPROFEZIN	542.76	76	1,664.75	A
BUTYL ALCOHOL	59.60	27	2,388.14	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO				
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	9.57	4	233.00	A
CALCIUM CHLORIDE	45.78	16	1,713.32	A
CALCIUM HYPOCHLORITE	32,538.00		72,219.00	T
CARBARYL	1,220.09	76	1,182.11	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	< 0.01	1	0.13	A
CARBOXIN	0.46		12.47	P
CARFENTRAZONE-ETHYL	20.10	21	1,188.00	A
CASEIN	0.41	1	36.88	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	581.49	42	576.96	A
	0.25	2	11,880.00	S
Total Pounds On This Chemical	581.74			
CHLORANTRANILIPROLE	770.55	287	13,812.86	A
CHLORFENAPYR	61.16	31	294.58	A
	0.01	1	1,910.00	S
Total Pounds On This Chemical	61.17			
CHLOROPICRIN	146,058.47	46	1,131.70	A
CHLOROTHALONIL	42,838.52	631	26,410.46	A
	10.13	10	358,650.00	S
Total Pounds On This Chemical	42,848.65			
CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1	3.60	1	4.00	A
CITRIC ACID	170.98	29	2,694.12	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	987.27	70	1,219.40	A
	421.20	22	1,043,560.00	S
Total Pounds On This Chemical	1,408.48			
CLETHODIM	153.12	36	1,259.45	A
CLOTHIANIDIN	116.54	4	632.00	A
COCONUT DIETHANOLAMIDE	191.42	199	8,772.75	A
COPPER HYDROXIDE	10,469.76	475	12,800.55	A
	0.04	1	3,000.00	S
Total Pounds On This Chemical	10,469.81			
COPPER OCTANOATE	2.92	1	3.50	A
COPPER OXIDE (OUS)	299.54	20	173.75	A
COPPER OXYCHLORIDE	2.81	9	9.50	A
COPPER SALTS OF FATTY AND ROSIN ACIDS	29.12	1	20.00	A
COPPER SULFATE (BASIC)	164.88	2	77.30	A
	3.55	3	41,200.00	S
Total Pounds On This Chemical	168.43			
CORN PRODUCT, HYDROLYZED	47.59	15	75.00	A
COTTONSEED OIL	24.87	1	4.00	A
CYAZOFAMID	5.41	12	77.00	A
CYFLUTHRIN	150.80	59	4,015.50	A
BETA-CYFLUTHRIN	37.92	85	2,876.97	A
CYMOXANIL	676.81	191	5,868.49	A
CYPERMETHRIN	0.05	1	1.00	A
(S)-CYPERMETHRIN	350.04	175	8,230.98	A
CYPRODINIL	60.90	22	348.80	A
	0.93	2	123,000.00	S
Total Pounds On This Chemical	61.83			
CYROMAZINE	22.57	1	181.00	A
ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	2.52	2	68.00	A
DIAZINON	782.68	12	446.68	A
1,3-DICHLOROPROPENE	22,889.18	7	341.58	A
DICOFOL	32.14	2	46.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO				
DIETHYLENE GLYCOL	577.84	321	11,662.37	A
DIFENOCONAZOLE	848.47	223	10,754.04	A
	< 0.01	1	3,000.00	S
Total Pounds On This Chemical	848.48			
DIMETHOATE	2,329.32	161	5,794.91	A
DIMETHOMORPH	70.01	73	3,573.22	A
DIMETHYL ALKYL TERTIARY AMINES	11.14	19	409.27	A
DIMETHYLPOLYSILOXANE	399.51	601	21,451.82	A
DINOTEFURAN	188.19	38	1,373.40	A
	< 0.01	2	5,400.00	S
Total Pounds On This Chemical	188.19			
DODECYLBENZENE SULFONIC ACID	829.48	199	8,772.75	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	43.16	7	442.00	A
EDTA, SODIUM SALT	0.03	4	60.97	A
EDTA, TETRASODIUM SALT	51.05	199	8,772.75	A
EMAMECTIN BENZOATE	65.01	116	5,510.58	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	33.20	6	162.00	A
ENDOSULFAN	294.45	2	297.00	A
ESFENVALERATE	330.35	236	7,865.92	A
ETHEPHON	1,136.91	61	1,381.55	A
ETHYLENE GLYCOL	1,195.58	62	3,166.60	A
ETOXAZOLE	38.26	29	407.15	A
FAMOXADONE	676.81	191	5,868.49	A
FATTY ACIDS, METHYL ESTERS	3.81	3	137.53	A
FATTY ACIDS, MIXED	453.53	281	11,561.69	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	82.18	76	674.30	A
FATTY ACIDS DERIVED FROM TALLOW	104.32	120	2,955.08	A
FENAMIDONE	1.57	1	8.00	A
FENHEXAMID	57.69	15	220.50	A
FENPROPATHRIN	1,348.05	141	6,938.69	A
FENPYROXIMATE	13.99	11	127.30	A
FLONICAMID	13.89	8	168.18	A
FLUBENDIAMIDE	281.16	156	6,296.10	A
FLUDIOXONIL	29.45	16	181.78	A
	0.62	2	123,000.00	S
	< 0.01		10.77	P
Total Pounds On This Chemical	30.07			
FLUMIOXAZIN	2.75	1	21.60	A
FLUOPICOLIDE	1.57	4	15.00	A
FOSETYL-AL	340.00	2	92.00	A
	0.40	1	3,600.00	S
Total Pounds On This Chemical	340.40			
GLYPHOSATE, ISOPROPYLAMINE SALT	1,577.61	26	996.30	A
	< 0.01	1	80.00	S
Total Pounds On This Chemical	1,577.61			
GLYPHOSATE, POTASSIUM SALT	6,477.68	76	4,025.46	A
HALOSULFURON-METHYL	13.20	14	310.68	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	218.39	140	5,770.08	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.20	7	78.62	A
HYDROGEN PEROXIDE	1,907.28	90	2,556.91	A
	1.73	1	13,000.00	S
Total Pounds On This Chemical	1,909.02			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO				
HYDROTREATED PARAFFINIC SOLVENT	87.40	2	175.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	71.29	86	2,365.47	A
IMIDACLOPRID	2,428.26	427	18,892.25	A
	< 0.01	1	5,520.00	S
Total Pounds On This Chemical	2,428.26			
INDOXACARB	376.68	144	5,105.18	A
IRON PHOSPHATE	0.02	4	0.40	A
ISOPROPYL ALCOHOL	564.12	326	14,153.32	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.62	4	220.00	A
KAOLIN	62,313.83	125	2,230.06	A
KEROSENE	19.22	11	355.42	A
LACTOSE	0.41	1	36.88	A
LAMBDA-CYHALOTHRIN	161.71	196	5,725.15	A
LECITHIN	766.19	110	3,799.85	A
MALATHION	59.41	36	93.50	A
MANCOZEB	7,436.10	254	5,776.99	A
	5.33	6	194,450.00	S
Total Pounds On This Chemical	7,441.43			
MANDIPROPAMID	146.30	29	1,243.50	A
MANEB	10.38	8	11.75	A
MARGOSA OIL	207.08	12	183.72	A
MEFENOXAM	1,265.27	282	9,511.66	A
	0.02		10.77	P
Total Pounds On This Chemical	1,265.28			
MEFENOXAM, OTHER RELATED	0.08	8	17.65	A
METAM-SODIUM	145,297.22	26	833.83	A
METHOMYL	2,421.20	109	4,095.46	A
METHOXYFENOZIDE	1,576.77	246	9,785.41	A
METHYLATED SOYBEAN OIL	618.51	33	947.42	A
METHYL SILICONE RESINS	0.13	3	31.40	A
METOLACHLOR	22.58	9	18.20	A
S-METOLACHLOR	10,221.43	155	6,730.08	A
METRIBUZIN	393.12	38	911.25	A
MINERAL OIL	2,970.76	262	10,078.63	A
	66.58	3	53,000.00	S
Total Pounds On This Chemical	3,037.34			
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	1.83	4	60.97	A
MYCLOBUTANIL	656.46	188	6,599.56	A
	0.02	1	7,000.00	S
Total Pounds On This Chemical	656.48			
NAPROPAMIDE	23.99	2	40.00	A
NONANOIC ACID	10.66	1	0.25	A
NONANOIC ACID, OTHER RELATED	0.56	1	0.25	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	62.48	110	1,991.19	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3,029.35	780	29,097.91	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	9.80	6	355.20	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	232.24	34	1,556.90	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	1.85	5	29.85	A
NOVALURON	3.53	5	45.00	A
OLEIC ACID	0.83	5	215.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO				
OLEIC ACID, METHYL ESTER	582.61	62	1,696.75	A
OXAMYL	2,217.95	86	4,018.10	A
OXYFLUORFEN	1,088.34	31	2,702.90	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	2.00	2	8.00	A
PARAQUAT DICHLORIDE	348.08	8	342.00	A
PENDIMETHALIN	2,993.68	55	3,312.48	A
PERMETHRIN	517.70	105	5,845.60	A
PETROLEUM DISTILLATES	3.79	4	8.31	A
PETROLEUM DISTILLATES, REFINED	35.18	1	2.00	A
PETROLEUM OIL, PARAFFIN BASED	101.37	4	220.00	A
PHOSPHINE	193.38		58,320.98	T
PHOSPHORIC ACID	288.30	237	11,262.44	A
BETA-PINENE POLYMER	109.17	28	346.67	A
PIPERONYL BUTOXIDE	354.43	38	730.45	A
	24.52	24	1,176,200.00	S
Total Pounds On This Chemical	378.95			
PIPERONYL BUTOXIDE, OTHER RELATED	88.46	37	729.30	A
	6.13	24	1,176,200.00	S
Total Pounds On This Chemical	94.58			
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	11.86	14	696.10	A
POLYACRYLAMIDE POLYMER	1.78	8	330.00	A
POLYACRYLIC POLYMER	0.37	1	135.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	2.13	7	203.51	A
POLYBUTENES	14.67	76	674.30	A
POLYETHER MODIFIED POLYSILOXANE	33.03	39	1,151.90	A
POLYETHYLENE GLYCOL	9.19	14	191.15	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	5.56	6	236.00	A
POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM)	0.04	1	8.00	A
POLY-I-PARA-MENTHENE	14.91	11	33.50	A
POLYMERIZED ACRYLIC ACID	8.60	2	73.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	174.09	127	6,273.07	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	0.31	6	8.62	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	2.49	4	220.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	18.67	6	288.00	A
POLYPROPYLENE GLYCOL	0.06	2	27.00	A
POLYSACCHARIDE POLYMER	0.04	1	135.00	A
POLYSILOXANE	0.03	1	50.00	A
POTASH SOAP	230.42	30	30.99	A
	24.87	4	124,310.00	S
Total Pounds On This Chemical	255.29			
POTASSIUM BICARBONATE	1,278.07	46	522.88	A
	1.94	11	37,931.68	S
Total Pounds On This Chemical	1,280.01			
POTASSIUM HYDROXIDE	1.16	2	95.80	A
POTASSIUM N-METHYLDITHIOCARBAMATE	163,271.79	29	1,201.00	A
POTASSIUM NITRATE	1.65	1	45.80	A
POTASSIUM SILICATE	5.23	3	49,500.00	S
PROPAMOCARB HYDROCHLORIDE	907.46	52	1,227.65	A
	1.41	2	82,000.00	S
Total Pounds On This Chemical	908.87			
PROPIONIC ACID	742.75	105	3,692.65	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO				
PROPYLENE GLYCOL	227.26	213	5,142.30	A
PROPYLENE GLYCOL, METHYL ETHER	2.08	5	215.20	A
PYMETROZINE	50.08	41	741.35	A
	0.20	5	77,600.00	S
Total Pounds On This Chemical	50.28			
PYRACLOSTROBIN	1,283.39	217	7,439.94	A
PYRETHRINS	63.41	135	1,183.45	A
	4.24	43	2,339,838.00	S
Total Pounds On This Chemical	67.65			
PYRIDABEN	59.34	18	254.90	A
PYRIMETHANIL	524.71	97	3,537.40	A
PYRIPROXYFEN	24.86	28	423.05	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	467.03	232	7,260.61	A
	2.15	7	340,160.00	S
Total Pounds On This Chemical	469.19			
QUILLAJA	< 0.01	1	0.13	A
REYNOUTRIA SACHALINENSIS	87.30	39	557.30	A
	19.55	33	1,864,475.00	S
Total Pounds On This Chemical	106.84			
RIMSULFURON	51.46	98	2,416.29	A
ROTENONE	0.20	3	81.50	A
ROTENONE, OTHER RELATED	0.20	3	81.50	A
SETHOXYDIM	55.11	8	212.89	A
SILICONE	0.14	10	123.05	A
SILICONE DEFOAMER	21.69	199	8,772.75	A
SODIUM HYPOCHLORITE	4,965.51		23,342.00	T
	3,229.96		11,564.00	U
Total Pounds On This Chemical	8,195.47			
SODIUM POLYACRYLATE	0.28	4	240.00	A
SODIUM XYLENE SULFONATE	255.23	199	8,772.75	A
SORBITAN TRIOLEATE	1.26	2	68.00	A
SPINETORAM	722.48	332	14,765.18	A
SPINOSAD	208.92	112	2,253.57	A
	0.99	9	377,250.00	S
Total Pounds On This Chemical	209.90			
SPIROMESIFEN	179.14	50	1,374.45	A
SPIROTETRAMAT	9.05	31	1,329.70	A
	0.01	2	8,520.00	S
Total Pounds On This Chemical	9.07			
STREPTOMYCES LYDICUS WYEC 108	0.03	35	150.50	A
	< 0.01	2	112,000.00	S
Total Pounds On This Chemical	0.03			
STREPTOMYCIN SULFATE	3.64	10	16.10	A
	0.04	1	7,488.00	S
Total Pounds On This Chemical	3.68			
STRYCHNINE	0.32	1	6.00	A
STYRENE BUTADIENE COPOLYMER	115.28	84	1,207.30	A
SULFUR	641,970.38	655	28,892.54	A
	0.37	6	2,550.00	S
Total Pounds On This Chemical	641,970.75			
TALL OIL	14.59	17	717.53	A
TALL OIL FATTY ACIDS	175.00	357	12,672.62	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	981.79	205	8,886.72	A
TETRAPOTASSIUM PYROPHOSPHATE	127.61	199	8,772.75	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO				
THIAMETHOXAM	264.15	134	6,728.13	A
THIRAM	17.71		16,270.59	P
	2.61		2,723.57	U
	0.94		96.80	K
	0.16	1	168.82	A
Total Pounds On This Chemical	21.42			
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	0.55	8	97.74	A
TRIETHANOLAMINE	325.41	199	8,772.75	A
TRIFLOXYSTROBIN	16.88	4	128.00	A
TRIFLURALIN	6,134.30	200	9,014.73	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	103.21	50	1,487.05	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	753.63	244	8,234.33	A
UREA	66.66	8	1,041.00	A
VEGETABLE OIL	548.51	4	594.00	A
VINYL POLYMER	10.69	13	1,265.00	A
XANTHAN GUM	0.01	4	180.20	A
ZINEB	0.16	3	6.00	A
ZOXAMIDE	1.00	1	8.00	A
Site Total	1,377,309.09	12,377		
TOMATO, PROCESSING				
ABAMECTIN	482.31	766	51,810.58	A
ACEPHATE	36.38	1	150.00	A
ACETAMIPRID	554.02	101	8,096.74	A
ACIBENZOLAR-S-METHYL	10.32	7	1,132.20	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	2.11	2	340.00	A
ACRYLIC ACID	13.80	6	329.83	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3,604.99	125	15,092.92	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,522.18	411	27,379.60	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	499.89	55	4,065.50	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	4,171.80	152	19,513.07	A
ALPHA-ALKYL (C12-C18)-OMEGA-HYDROXYPOLY(OXYETHYLENE) POLY(OXYPROPYLENE)	67.48	26	1,636.30	A
ALPHA-PINENE BETA-PINENE COPOLYMER	619.91	59	3,571.40	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,183.18	164	10,662.18	A
ALKYL (C8,C10) POLYGLUCOSIDE	935.94	176	10,105.59	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY(OXYETHYLENE) - IODINE COMPLEX	363.95	19	2,415.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	23.75	67	3,795.00	A
ALUMINUM PHOSPHIDE	3.72	27	4,080.00	A
AMMONIUM NITRATE	421.52	379	21,283.76	A
AMMONIUM PROPIONATE	916.61	86	11,576.60	A
AMMONIUM SULFATE	6,359.50	638	46,254.52	A
AZADIRACTIN	39.34	20	1,467.38	A
AZOXYSTROBIN	21,006.34	1,569	121,650.07	A
BACILLUS PUMILUS, STRAIN QST 2808	391.42	89	4,263.90	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	4,070.05	43	5,334.07	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	22.97	2	199.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO, PROCESSING				
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	298.88	9	551.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	170.25	6	336.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	481.34	24	1,929.19	A
BENTONITE	55.45	6	470.13	A
BENZOIC ACID	65.45	76	6,037.34	A
BIFENAZATE	5.00	1	10.00	A
BIFENTHRIN	6,290.18	1,246	77,685.42	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1,036.95	309	27,497.79	A
BOSCALID	43.40	1	62.00	A
BUPROFEZIN	632.37	16	2,186.30	A
BUTYL ALCOHOL	1,125.54	473	38,359.49	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	74.03	4	450.53	A
CALCIUM CHLORIDE	493.35	417	27,540.16	A
CARBARYL	33,013.48	554	51,375.84	A
CARFENTRAZONE-ETHYL	200.16	175	13,645.95	A
CASEIN	3.84	6	470.13	A
CASTOR OIL ETHOXYLATE	15.54	14	663.80	A
CHLORANTRANILIPROLE	3,529.67	668	65,832.81	A
CHLOROPICRIN	4.75	1	20.00	A
CHLOROTHALONIL	277,583.99	1,800	150,690.87	A
CHLORPYRIFOS	151.50	1	150.00	A
CHLORTHAL-DIMETHYL	452.03	1	74.87	A
CITRIC ACID	2,410.68	673	52,434.05	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	1,253.00	18	1,299.81	A
CLETHODIM	1,165.54	147	7,195.05	A
CLOTHIANIDIN	223.05	56	3,295.80	A
COCONUT DIETHANOLAMIDE	71.84	195	14,025.36	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.20	1	150.00	A
COPPER HYDROXIDE	30,513.28	676	50,968.57	A
COPPER OCTANOATE	150.67	8	448.00	A
COPPER OXIDE (OUS)	4,047.84	93	2,719.96	A
COPPER OXYCHLORIDE	446.06	39	1,482.09	A
COPPER SULFATE (BASIC)	8,451.82	64	6,745.18	A
COTTONSEED OIL	258.83	6	836.00	A
CYFLUTHRIN	648.48	39	3,416.73	A
BETA-CYFLUTHRIN	51.13	154	10,427.18	A
CYMOXANIL	938.59	126	7,851.95	A
(S)-CYPERMETHRIN	568.76	267	17,343.30	A
CYPRODINIL	23.54	2	80.67	A
DERIVATED NATURAL POLYMERS	1.94	11	739.20	A
DIAZINON	21,434.80	200	9,049.70	A
1,3-DICHLOROPROPENE	217,842.86	21	2,057.30	A
DICOFOL	40.29	1	50.00	A
DIETHYLENE GLYCOL	5,339.77	923	84,577.16	A
DIETHYLENE GLYCOL MONOETHYL ETHER	3.92	3	408.20	A
DIFENOCONAZOLE	11,526.29	1,231	95,855.82	A
DIMETHOATE	35,863.30	914	81,698.46	A
DIMETHOMORPH	23.31	23	984.77	A
DIMETHYL ALKYL TERTIARY AMINES	71.29	76	6,037.34	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO, PROCESSING				
DIMETHYLPOLYSILOXANE	1,871.86	2,230	193,217.22	A
DIMETHYL SILICONE FLUID EMULSION	51.39	33	4,938.00	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	4.48	1	199.30	A
DINOTEFURAN	170.28	6	937.00	A
DIOCTYL PHTHALATE	8.23	3	236.90	A
DIPHACINONE	< 0.01	2	150.00	A
DIPROPYLENE GLYCOL METHYL ETHER	0.09	4	117.00	A
DODECYLBENZENE SULFONIC ACID	311.30	195	14,025.36	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	304.95	51	3,883.00	A
EDTA, SODIUM SALT	0.10	4	151.76	A
EDTA, TETRASODIUM SALT	19.16	195	14,025.36	A
EMAMECTIN BENZOATE	418.04	361	37,664.34	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	190.55	16	868.00	A
ENDOSULFAN	6,483.72	59	6,646.05	A
EPTC	798.13	10	261.80	A
ESFENVALERATE	1,291.58	402	29,712.59	A
ETHEPHON	17,791.51	560	35,794.75	A
ETHYLENE GLYCOL	524.96	68	3,344.87	A
FAMOXADONE	938.59	126	7,851.95	A
FATTY ACIDS, METHYL ESTERS	1,078.47	9	571.50	A
FATTY ACIDS, MIXED	4,328.45	866	83,462.74	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	3,287.69	220	20,390.59	A
FATTY ACIDS DERIVED FROM TALLOW	471.37	163	10,637.18	A
FENPROPATHRIN	189.48	10	908.73	A
FERROUS SULFATE	1.05	1	150.00	A
FLONICAMID	104.40	14	1,235.33	A
FLUBENDIAMIDE	2,858.84	504	52,318.96	A
FLUMIOXAZIN	251.16	19	2,582.20	A
FOSETYL-AL	480.80	5	150.25	A
GLYCEROL	7.31	2	145.40	A
GLYPHOSATE, ISOPROPYLAMINE SALT	86,673.34	622	48,867.75	A
GLYPHOSATE, POTASSIUM SALT	134,944.91	726	67,277.37	A
HALOSULFURON-METHYL	136.51	131	4,117.04	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	170.74	92	5,282.84	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	55.00	57	1,510.52	A
HYDROGEN PEROXIDE	536.87	16	682.91	A
HYDROTREATED PARAFFINIC SOLVENT	1,370.44	45	2,873.91	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	1,536.32	390	24,893.95	A
IMIDACLOPRID	23,931.00	1,113	111,485.49	A
INDOXACARB	2,247.09	339	32,452.58	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	141.63	8	1,785.20	A
ISOPARAFFINIC HYDROCARBONS	264.95	8	594.50	A
ISOPROPYL ALCOHOL	6,125.83	1,300	103,149.59	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	7.35	25	2,721.69	A
KAOLIN	147,089.93	65	4,904.60	A
KEROSENE	122.52	63	5,653.34	A
LACTOSE	4.07	6	470.13	A
LAMBDA-CYHALOTHRIN	1,684.80	877	57,857.96	A
LECITHIN	5,183.90	344	36,096.31	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO, PROCESSING				
MAGNESIUM SULFATE	7.91	15	2,272.00	A
MALATHION	1,057.02	23	719.50	A
MANCOZEB	45,475.04	561	46,360.62	A
MANDIPROPAMID	22.39	3	172.00	A
MANEB	86.17	2	132.00	A
MANGANESE SULFATE	1.45	1	150.00	A
MEFENOXAM	6,361.08	340	26,070.49	A
MEPIQUAT CHLORIDE	14.85	2	300.00	A
METAM-SODIUM	1,531,594.59	246	19,513.13	A
METHOMYL	8,530.25	108	13,043.10	A
METHOXYFENOZIDE	6,389.00	506	36,915.02	A
METHYLATED SOYBEAN OIL	7,349.27	296	23,768.80	A
METHYL BROMIDE	14.25	1	20.00	A
METHYL CELLULOSE	8.11	3	236.90	A
METHYL PARATHION	9.39	1	50.00	A
METHYL SILICONE RESINS	198.85	50	3,540.30	A
METOLACHLOR	55,623.25	507	32,817.59	A
S-METOLACHLOR	168,530.48	1,453	113,144.83	A
METRIBUZIN	6,040.19	325	14,585.73	A
MINERAL OIL	3,170.92	126	6,080.69	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	379.42	27	2,883.26	A
MORPHOLINE	3.56	3	236.90	A
MYCLOBUTANIL	1,718.19	218	20,585.14	A
NAPROPAMIDE	1,136.72	31	808.36	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1,702.80	356	29,385.18	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	31,085.88	3,185	257,315.86	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	180.94	38	3,966.01	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	3,836.64	280	25,499.11	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	427.42	53	3,186.89	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.48	3	162.40	A
NOVALURON	70.65	15	940.40	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	8.29	16	2,344.00	A
OIL OF JOJOBA	36.66	1	145.00	A
OLEIC ACID	13.63	5	379.30	A
OLEIC ACID, METHYL ESTER	9,422.47	511	28,752.04	A
ORCHEX 796 OIL	180.48	8	594.50	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	119.01	32	2,759.36	A
OXAMYL	2,182.44	40	3,295.76	A
OXYFLUORFEN	10,051.54	273	25,154.68	A
PACLOBUTRAZOL	177.78	3	319.02	A
PARAQUAT DICHLORIDE	10,301.96	81	9,186.56	A
PENDIMETHALIN	32,754.58	482	44,134.11	A
PERMETHRIN	1,108.13	133	11,305.21	A
PEROXYACETIC ACID	42.47	6	166.17	A
PETROLEUM DISTILLATES	3,795.16	199	10,568.40	A
PETROLEUM DISTILLATES, ALIPHATIC	0.13	2	340.00	A
PETROLEUM DISTILLATES, REFINED	1,162.85	8	310.50	A
PETROLEUM NAPHTHENIC OILS	1.48	2	340.00	A
PETROLEUM OIL, PARAFFIN BASED	7,141.26	203	12,292.11	A
PHOSPHORIC ACID	2,910.10	972	86,690.14	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO, PROCESSING				
PHOSPHORIC ACID, MONOPOTASSIUM SALT	3,927.00	6	561.00	A
BETA-PINENE POLYMER	211.08	17	1,874.60	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	83.44	99	7,943.50	A
POLYACRYLAMIDE POLYMER	251.43	158	19,428.20	A
POLYACRYLIC POLYMER	9.75	32	2,607.88	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	540.65	78	8,671.10	A
POLYBUTENES	587.09	220	20,390.59	A
POLYETHER MODIFIED POLYSILOXANE	236.74	102	7,382.84	A
POLYETHOXYLATED CASTOR OIL	24.94	7	723.40	A
POLYETHYLENE GLYCOL	920.81	175	10,951.67	A
POLYETHYLENE GLYCOL DIACETATE	2.16	67	3,795.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	56.70	10	859.70	A
POLY-I-PARA-MENTHENE	2,338.17	55	3,657.19	A
POLYMERIZED ACRYLIC ACID	1.18	1	50.00	A
POLYMERIZED PINENE	5.14	1	20.00	A
POLYOXYETHYLENE DIOLEATE	2.48	32	2,759.36	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	137.65	44	494.53	A
POLYOXYETHYLENE POLYOXYPROPYLENE	806.21	139	10,905.08	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	213.09	15	664.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	1,139.11	129	8,766.49	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	15.22	3	162.40	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	29.40	25	2,721.69	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	193.50	25	2,721.69	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	116.54	14	663.80	A
POLYSACCHARIDE POLYMER	1.70	25	2,609.10	A
POLYSILOXANE	22.33	11	739.20	A
POTASSIUM HYDROXIDE	14.17	39	2,750.10	A
POTASSIUM N-METHYLDITHIOCARBAMATE	1,481,551.39	242	17,701.58	A
POTASSIUM NITRATE	37.06	39	2,750.10	A
POTASSIUM PHOSPHITE	268.84	42	2,236.72	A
POTASSIUM SILICATE	0.58	1	12.00	A
PROPAMOCARB HYDROCHLORIDE	828.17	41	1,107.20	A
PROPIONIC ACID	2,768.71	218	25,051.86	A
PROPYLENE GLYCOL	283.61	75	6,703.47	A
PYMETROZINE	14.61	8	169.72	A
PYRACLOSTROBIN	8,511.85	794	51,081.54	A
PYRAFLUFEN-ETHYL	4.94	27	2,150.98	A
PYRETHRINS	3.07	1	56.00	A
PYRIPROXYFEN	3.08	4	307.20	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	115.12	26	1,589.11	A
REYNOUTRIA SACHALINENSIS	623.92	146	5,834.10	A
RIMSULFURON	1,348.00	1,183	52,113.32	A
SETHOXYDIM	435.65	38	1,858.12	A
SILICONE	5.76	16	1,566.00	A
SILICONE DEFOAMER	8.27	198	14,181.36	A
SODIUM BICARBONATE	57.24	4	360.00	A
SODIUM DIISOOCTYLSULFOSUCCINATE	1.09	3	236.90	A
SODIUM DIOCTYLSULFOSUCCINATE	3.94	2	142.40	A
SODIUM HYDROXIDE	4.00	2	145.40	A
SODIUM POLYACRYLATE	58.93	85	11,526.60	A
SODIUM XYLENE SULFONATE	95.78	195	14,025.36	A
SORBITAN FATTY ACID ESTERS	3.33	3	162.40	A
SOYBEAN OIL	771.09	10	1,226.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TOMATO, PROCESSING				
SPINETORAM	2,418.89	558	50,919.41	A
SPINOSAD	275.84	51	3,143.39	A
SPIROMESIFEN	100.55	13	747.03	A
SPIROTETRAMAT	32.28	52	3,415.01	A
STYRENE BUTADIENE COPOLYMER	15.92	3	346.00	A
SULFUR	8,696,204.88	3,247	326,509.83	A
SULFURIC ACID	55.64	23	2,919.00	A
TALL OIL	2,755.42	334	31,153.87	A
TALL OIL FATTY ACIDS	377.01	218	12,915.97	A
TEBUFENOZIDE	28.21	1	148.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,826.86	355	34,364.46	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER	2.20	15	2,272.00	A
TETRAPOTASSIUM PYROPHOSPHATE	47.89	195	14,025.36	A
THIAMETHOXAM	1,388.44	317	30,417.28	A
TRIETHANOLAMINE	122.12	195	14,025.36	A
TRIFLOXYSTROBIN	108.36	10	926.80	A
TRIFLURALIN	87,226.43	1,808	126,518.55	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	168.85	87	3,783.34	A
TRISODIUM PHOSPHATE	2.65	7	366.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	6,123.49	633	57,176.66	A
UREA	803.84	151	20,677.53	A
UREA DIHYDROGEN SULFATE	18.77	2	170.00	A
VEGETABLE OIL	25,758.44	192	26,181.63	A
VINYL POLYMER	120.43	197	15,589.43	A
XANTHAN GUM	0.02	3	284.30	A
XYLENE RANGE AROMATIC SOLVENT	10.21	1	50.00	A
ZINC SULFATE	100.97	71	9,252.57	A
ZOXAMIDE	153.54	13	924.93	A
Site Total	13,471,268.27	37,274		
TRITICALE				
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.70	1	80.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	27.22	4	189.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	4.43	6	78.20	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	78.51	9	568.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	60.75	18	772.55	A
AMMONIUM NITRATE	28.93	18	772.55	A
AMMONIUM SULFATE	107.67	26	1,328.55	A
AZOXYSTROBIN	28.30	2	285.00	A
BENZOIC ACID	1.46	7	219.00	A
BROMOXYNIL HEPTANOATE	199.40	20	582.30	A
BROMOXYNIL OCTANOATE	252.26	23	707.20	A
BUTYL ALCOHOL	29.27	11	590.00	A
CARFENTRAZONE-ETHYL	62.50	83	4,831.99	A
CITRIC ACID	17.97	8	556.00	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	1.81	5	229.00	A
2,4-D	32.87	1	109.00	A
2,4-D, DIMETHYLAMINE SALT	3,073.77	62	3,307.50	A
DIETHYLENE GLYCOL	4.27	4	150.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TRITICALE				
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	397.44	23	2,095.60	A
DIMETHOATE	58.43	2	156.40	A
DIMETHYL ALKYL TERTIARY AMINES	1.59	7	219.00	A
DIMETHYLPOLYSILOXANE	10.05	64	2,979.91	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	675.98	9	637.00	A
ETHYLENE GLYCOL	58.64	16	876.03	A
FATTY ACIDS, MIXED	18.46	26	1,599.58	A
FATTY ACIDS DERIVED FROM TALLOW	31.40	9	568.00	A
FERROUS SULFATE	9.40	5	229.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	24.75	1	16.50	A
GLYPHOSATE, POTASSIUM SALT	395.30	5	325.43	A
ISOPROPYL ALCOHOL	86.71	50	2,388.79	A
KEROSENE	2.02	5	145.00	A
LECITHIN	9.13	1	121.70	A
MANGANESE SULFATE	13.01	5	229.00	A
MCPA, DIMETHYLAMINE SALT	1,299.58	40	2,511.35	A
MESOSULFURON-METHYL	28.76	40	2,179.75	A
METHYLATED SOYBEAN OIL	268.88	16	513.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	12.53	21	1,139.98	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	644.00	102	5,238.57	A
PETROLEUM DISTILLATES, ALIPHATIC	0.04	1	80.00	A
PETROLEUM NAPHTHENIC OILS	0.49	1	80.00	A
PHOSPHORIC ACID	86.48	20	940.70	A
PINOXADEN	34.52	10	646.91	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	25.41	32	2,103.00	A
POLYACRYLAMIDE POLYMER	8.05	7	686.00	A
POLYACRYLIC POLYMER	0.25	1	90.00	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	155.52	3	558.80	A
POLYETHER MODIFIED POLYSILOXANE	2.27	6	78.20	A
POLYETHYLENE GLYCOL	92.79	27	1,091.76	A
POLY-I-PARA-MENTHENE	214.95	8	462.00	A
PROPICONAZOLE	24.53	2	285.00	A
PROPIONIC ACID	9.13	1	121.70	A
PROPYLENE GLYCOL	5.84	2	90.00	A
PYRAFLUFEN-ETHYL	9.30	63	3,267.21	A
SODIUM BICARBONATE	12.99	1	28.00	A
TRIBENURON-METHYL	58.34	113	4,963.69	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.05	9	221.80	A
VINYL POLYMER	9.74	64	2,673.56	A
ZINC SULFATE	21.04	6	306.50	A
Site Total	8,842.89	740		
TROPICAL/SUBTROPICAL FRUIT				
DIMETHYLPOLYSILOXANE	< 0.01	1	6.00	A
GLYPHOSATE, POTASSIUM SALT	10.34	1	6.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.64	1	6.00	A
PROPYLENE GLYCOL	1.63	1	6.00	A
SIMAZINE	9.95	1	6.00	A
Site Total	22.57	3		
TURF/SOD				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.09	2	43.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TURF/SOD				
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.91	8	140.56	A
ALPHA-PINENE BETA-PINENE COPOLYMER	40.99	1	60.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	26.22	218	3,253.66	A
ALUMINUM PHOSPHIDE	6.56	4	216.60	A
AMMONIUM PROPIONATE	18.05	8	152.70	A
AMMONIUM SULFATE	143.83	24	638.70	A
ATRAZINE	3.90	1	4.00	A
ATRAZINE, OTHER RELATED	0.08	1	4.00	A
AZOXYSTROBIN	301.95	24	586.15	A
	9.08	2	621,000.00	S
Total Pounds On This Chemical	311.03			
BENSULIDE	59.49	2	15.00	A
BENTAZON, SODIUM SALT	4.15	1	4.00	A
BENZOIC ACID	0.15	1	18.00	A
	< 0.01	1	18.00	?
Total Pounds On This Chemical	0.15			
BIFENTHRIN	2.72	3	42.00	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1.73	1	60.00	A
BROMOXYNIL HEPTANOATE	209.01	56	664.20	A
BROMOXYNIL OCTANOATE	257.37	68	769.20	A
CARFENTRAZONE-ETHYL	35.72	111	2,391.66	A
	0.45	2	660,000.00	S
Total Pounds On This Chemical	36.17			
CHLORANTRANILIPROLE	3.09	3	92.16	A
CHLOROPICRIN	182.00	5	38.50	A
CHLOROTHALONIL	1,942.04	25	1,027.90	A
	261.41	6	1,250,000.00	S
Total Pounds On This Chemical	2,203.45			
CHLORPYRIFOS	601.51	27	628.97	A
	1.14		54,000.00	S
Total Pounds On This Chemical	602.65			
CITRIC ACID	68.44	24	638.70	A
CLOPYRALID, MONOETHANOLAMINE SALT	10.55	2	75.60	A
CLOTHIANIDIN	12.00		30.00	A
2,4-D, DIMETHYLAMINE SALT	809.31	44	661.33	A
	15.21	1	18.00	?
Total Pounds On This Chemical	824.52			
2,4-D, 2-ETHYLHEXYL ESTER	494.61	90	1,823.42	A
	8.66	2	660,000.00	S
Total Pounds On This Chemical	503.27			
2,4-D, ISOCTYL ESTER	0.12		22,000.00	S
2,4-D, TRIISOPROPYLAMINE SALT	85.35	3	37.00	A
DICAMBA	41.52	103	2,041.05	A
	0.55	2	660,000.00	S
Total Pounds On This Chemical	42.07			
DICAMBA, DIMETHYLAMINE SALT	137.95	36	423.20	A
DICAMBA, SODIUM SALT	0.96	1	35.00	A
DIETHYLENE GLYCOL	0.66	14	468.30	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	920.49	23	636.50	A
DIMETHYL ALKYL TERTIARY AMINES	0.16	1	18.00	A
	< 0.01	1	18.00	?
Total Pounds On This Chemical	0.17			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TURF/SOD				
DIMETHYLPOLYSILOXANE	0.29	12	255.50	A
DIPHACINONE	< 0.01	4	55.00	A
DIQUAT DIBROMIDE	18.65	1	10.00	A
	2.10		3,000.00	S
Total Pounds On This Chemical	20.74			
DITHIOPYR	184.77	6	588.24	A
ETHEPHON	615.28	22	187.40	A
	109.36	5	1,108,000.00	S
Total Pounds On This Chemical	724.64			
ETHOFUMESATE	641.89	46	595.77	A
FATTY ACIDS, MIXED	11.77	59	864.83	A
FENAMIPHOS	20.00		2.00	A
FLUAZIFOP-P-BUTYL	21.48	7	75.60	A
	0.09	1	11,000.00	S
Total Pounds On This Chemical	21.57			
FLUDIOXONIL	28.25	7	45.89	A
	6.10	4	630,000.00	S
Total Pounds On This Chemical	34.35			
FLUROXYPYR, 1-METHYLHEPTYL ESTER	98.08	28	345.49	A
FLUTOLANIL	18.90	1	100,000.00	S
	9.32	2	21.65	A
Total Pounds On This Chemical	28.22			
FORAMSULFURON	3.98	11	101.00	A
FOSETYL-AL	170.00	4	783.35	A
	60.00	1	240,000.00	S
Total Pounds On This Chemical	230.00			
GLYPHOSATE	19.57	8	23.70	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,305.92	63	825.50	A
	1.87		24,000.00	S
	1.31		14,000.00	C
Total Pounds On This Chemical	1,309.10			
GLYPHOSATE, POTASSIUM SALT	82.77	16	146.70	A
	0.69	1	11,000.00	S
Total Pounds On This Chemical	83.46			
HALOSULFURON-METHYL	42.66	54	823.35	A
HYDRAMETHYLNON	0.89	5	163.00	A
IMIDACLOPRID	115.45	9	330.64	A
INDAZIFLAM	0.63	1	15.00	A
INDOXACARB	0.94		15.00	A
IPRODIONE	1,226.49	32	1,030.10	A
	24.81	2	200,000.00	S
Total Pounds On This Chemical	1,251.30			
ISOPROPYL ALCOHOL	5.94	12	255.50	A
ISOXABEN	0.02	6	2.10	A
KEROSENE	0.28	1	18.00	A
	0.02	1	18.00	?
Total Pounds On This Chemical	0.30			
LAMBDA-CYHALOTHRIN	0.42		240,000.00	S
LECITHIN	429.83	279	4,186.91	A
MANCOZEB	10,196.71	94	868.06	A
MANEB	183.84	4	16.38	A
MCPP, POTASSIUM SALT	3.11		4.10	A
MCPP-P, DIMETHYLAMINE SALT	137.88	23	331.20	A
MECOPROP-P	128.52	90	1,944.42	A
	2.20	2	660,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TURF/SOD					
Total Pounds On This Chemical	130.72				
MEFENOXAM		552.88	42	934.56	A
		0.49		16,000.00	S
Total Pounds On This Chemical	553.37				
MEFENOXAM, OTHER RELATED		16.76	39	863.05	A
		0.01		16,000.00	S
Total Pounds On This Chemical	16.78				
METCONAZOLE		9.75	2	14.10	A
S-METHOPRENE		0.61	5	163.00	A
METHYL ANTHRANILATE		3.02		2.00	A
METHYLATED SOYBEAN OIL		109.66	17	494.50	A
		0.30	1	18.00	?
Total Pounds On This Chemical	109.96				
METHYL BROMIDE		8,918.00	5	38.50	A
S-METOLACHLOR		22.86	2	12.00	A
MINERAL OIL		14.43	1	60.00	A
MSMA		681.02	5	346.00	A
NALED		39.64	1	60.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED		2.38	10	80.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		144.36	87	1,596.83	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER		13.09	8	152.70	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX		2.89	10	80.10	A
OLEIC ACID, METHYL ESTER		151.01	8	441.56	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER		15.77	14	468.30	A
ORYZALIN		35.57	6	41.90	A
OXADIAZON		746.08	12	248.56	A
PACLOBUTRAZOL		15.01	3	126.60	A
PCNB		8.20		114,000.00	S
		6.30		1.00	A
Total Pounds On This Chemical	14.50				
PENDIMETHALIN		1,131.69	30	1,005.50	A
PENOXULAM		0.09		30.00	A
PHOSPHORIC ACID		63.51	16	486.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE		8.66	7	234.00	A
POLYACRYLAMIDE POLYMER		9.71	66	1,149.62	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE		0.02	2	8.20	A
POLYETHER MODIFIED POLYSILOXANE		1.00	1	5.00	A
POLYETHYLENE GLYCOL		37.49	12	255.50	A
POLYOXIN D, ZINC SALT		4.37	3	779.94	A
POLYOXYETHYLENE DIOLEATE		0.33	14	468.30	A
POLYSACCHARIDE POLYMER		1.08	66	1,149.62	A
POLYSILOXANE		1.05	218	3,253.66	A
POTASSIUM HYDROXIDE		30.73	218	3,253.66	A
POTASSIUM N-METHYLDITHIOCARBAMATE		18,197.90	5	53.00	A
PRODIAMINE		198.68	9	317.69	A
		3.91	1	85,000.00	S
Total Pounds On This Chemical	202.59				
PROPAMOCARB HYDROCHLORIDE		272.27	7	84.30	A
PROPICONAZOLE		903.57	93	1,511.43	A
		18.09	4	784,000.00	S
Total Pounds On This Chemical	921.67				
PROPIONIC ACID		342.51	271	4,046.35	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TURF/SOD				
PROPYLENE GLYCOL	9.47	14	114.94	A
PROPYZAMIDE	173.26	14	177.40	A
PYRACLOSTROBIN	13.83	3	799.70	A
QUINCLORAC	25.94	2	273.30	A
QUINCLORAC, DIMETHYLAMINE SALT	10.10		202.80	A
SIDURON	2,517.40	15	523.00	A
SODIUM POLYACRYLATE	0.45	8	152.70	A
STRYCHNINE	0.46	8	609.10	A
STYRENE BUTADIENE COPOLYMER	8.29	14	114.94	A
SULFENTRAZONE	45.00	9	265.00	A
	< 0.01		1,500.00	S
Total Pounds On This Chemical	45.01			
TALL OIL FATTY ACIDS	0.58	1	60.00	A
TEBUCONAZOLE	27.46	2	39.05	A
THIAMETHOXAM	14.32	1	45.05	A
	0.50		120,000.00	S
Total Pounds On This Chemical	14.82			
THIOPHANATE-METHYL	1,505.03	28	995.96	A
	59.33	2	369,788.00	S
Total Pounds On This Chemical	1,564.36			
TRICLOPYR, BUTOXYETHYL ESTER	2,160.04	80	1,782.86	A
	0.25	1	3,000.00	S
Total Pounds On This Chemical	2,160.29			
TRIFLOXYSTROBIN	3.91	2	16.00	A
	0.80	1	100,000.00	S
Total Pounds On This Chemical	4.71			
TRIFLOXYSULFURON-SODIUM	4.84	11	366.57	A
TRINEXAPAC-ETHYL	84.58	38	2,802.59	A
	2.53	10	1,822,000.00	S
Total Pounds On This Chemical	87.11			
TRITICONAZOLE	26.28	2	20.00	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	324.08	232	3,368.60	A
VEGETABLE OIL	95.53	16	191.27	A
VINCLOZOLIN	4.13		3.00	A
VINYL POLYMER	0.30	1	23.00	A
Site Total	62,524.75	1,687		
TURNIP				
ACIBENZOLAR-S-METHYL	0.63	10	40.04	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	2.71	11	65.91	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	34.77	19	86.87	A
AZADIRACHTIN	3.31	95	132.52	A
AZOXYSTROBIN	12.41	46	65.24	A
BACILLUS PUMILUS, STRAIN QST 2808	2.02	26	29.67	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	0.13	1	3,000.00	S
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	43.00	30	55.10	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	2.58	2	2.02	A
BUTYL ALCOHOL	0.13	2	7.00	A
CHLORANTRANILIPROLE	5.49	68	93.21	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TURNIP				
CHLORPYRIFOS	47.71	36	22.08	A
	0.73	8	24,000.00	S
Total Pounds On This Chemical	48.44			
CHLORTHAL-DIMETHYL	600.29	25	67.45	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	53.87	25	46.17	A
COCONUT DIETHANOLAMIDE	0.76	47	64.25	A
COPPER HYDROXIDE	22.31	50	67.80	A
COPPER OCTANOATE	10.66	38	41.40	A
COPPER OXYCHLORIDE	19.16	45	60.33	A
CYAZOFAMID	0.60	2	8.41	A
CYFLUTHRIN	0.23	7	7.00	A
BETA-CYFLUTHRIN	0.92	17	71.99	A
(S)-CYPERMETHRIN	2.72	26	91.05	A
DELTAMETHRIN	0.06	1	2.00	A
DIMETHOATE	2.48	2	10.00	A
DIMETHYLPOLYSILOXANE	3.91	15	64.06	A
DIPHACINONE	< 0.01	2	12.90	A
DODECYLBENZENE SULFONIC ACID	3.27	47	64.25	A
EDTA, TETRASODIUM SALT	0.20	47	64.25	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	4.26	5	11.15	A
ESFENVALERATE	1.03	11	23.20	A
FATTY ACIDS DERIVED FROM TALLOW	13.91	19	86.87	A
FENAMIDONE	26.53	21	111.98	A
FLONICAMID	12.60	33	143.39	A
FLUBENDIAMIDE	4.01	13	54.30	A
FLUOPICOLIDE	2.38	14	19.30	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.25	2	4.00	A
IMIDACLOPRID	17.36	81	154.18	A
INDOXACARB	0.23	1	3.41	A
IPRODIONE	10.89	4	11.00	A
IRON PHOSPHATE	< 0.01	1	0.10	A
ISOPROPYL ALCOHOL	2.13	214	256.48	A
MALATHION	106.16	48	88.79	A
MARGOSA OIL	7.85	3	6.37	A
MEFENOXAM	14.48	4	28.25	A
METAM-SODIUM	146.60	1	1.76	A
METHOMYL	12.45	4	20.83	A
METHOXYFENOZIDE	1.08	5	5.26	A
METHYLATED SOYBEAN OIL	18.01	5	23.78	A
METHYL SILICONE RESINS	0.34	4	6.55	A
S-METOLACHLOR	28.63	51	55.55	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	2.53	6	30.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	46.34	199	339.88	A
OLEIC ACID, METHYL ESTER	0.76	2	4.00	A
PHOSPHORIC ACID	0.90	52	75.40	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	0.90	5	23.78	A
POLYETHER MODIFIED POLYSILOXANE	0.56	9	19.15	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.61	2	6.31	A
POLYOXYETHYLENE POLYOXYPROPYLENE	4.34	8	36.96	A
POTASH SOAP	14.29	8	8.66	A
POTASSIUM N-METHYLDITHIOCARBAMATE	13,617.14	102	107.86	A
PROPYLENE GLYCOL	0.29	1	5.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
TURNIP				
PYMETROZINE	1.93	10	23.01	A
PYRACLOSTROBIN	29.49	116	158.62	A
PYRETHRINS	0.15	3	3.04	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.17	1	1.01	A
REYNOUTRIA SACHALINENSIS	0.54	1	5.00	A
SESAME OIL	1.06	2	0.40	A
SILICONE DEFOAMER	0.09	47	64.25	A
SODIUM XYLENE SULFONATE	1.01	47	64.25	A
SPINETORAM	7.68	69	144.20	A
SPINOSAD	1.03	16	24.36	A
SPIROTETRAMAT	0.10	1	10.50	A
SULFUR	57.74	12	17.98	A
TALL OIL	0.30	167	192.23	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.84	47	64.25	A
TETRAPOTASSIUM PYROPHOSPHATE	0.50	47	64.25	A
THIAMETHOXAM	8.06	54	128.99	A
THIRAM	90.64		48,404.00	P
TRIETHANOLAMINE	1.28	47	64.25	A
TRIFLOXYSTROBIN	0.65	2	6.95	A
TRIFLUMIZOLE	2.04	2	8.24	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	1.07	1	5.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.46	5	11.15	A
Site Total	15,206.74	1,476		
UNCULTIVATED AG				
ABAMECTIN	2.36	3	140.07	A
ACEPHATE	316.45	12	136.00	A
ACETAMIPRID	26.19	3	513.60	A
ACETIC ACID	41.99	1	1.00	A
ACID BLUE 9, DIAMMONIUM SALT	11.56	3	3.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	3.95	10	441.39	A
ACRYLIC ACID	70.66	70	559.40	A
ALACHLOR	92.88	1	31.00	A
ALCOHOLS, C4-C12, NORMAL	1.56	2	155.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	499.68	46	3,073.40	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.02	3	192.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.02	3	192.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,348.56	777	15,260.30	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	572.62	333	2,362.64	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	824.76	96	5,914.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.23	1	1.00	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.96	1	45.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.03	1	1.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	39.46	46	114.89	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED AG				
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	60.08	23	1,363.99	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	1.16	1	40.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	15.01	11	579.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	4,572.29	663	36,690.46	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	0.35	3	32.00	A
ALMOND, BITTER	0.01	1	72.00	A
ALUMINUM PHOSPHIDE	408.04	50	3,168.52	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	190.99	9	345.44	A
AMMONIUM NITRATE	1,846.96	1,137	40,829.87	A
AMMONIUM PROPIONATE	994.75	183	11,482.47	A
AMMONIUM SULFATE	16,748.19	1,851	74,212.30	A
AMYL ACETATE	0.14	6	28.00	A
ATRAZINE	623.23	6	320.10	A
ATRAZINE, OTHER RELATED	13.14	6	320.10	A
AZADIRACTIN	3.15	3	69.00	A
AZOXYSTROBIN	21.68	38	139.67	A
BACILLUS AMYLOLIQUEFACIENS STRAIN D747	34.50	2	46.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	50.22	3	46.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.46	2	1.30	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	171.70	72	180.98	A
BENEFIN	952.50	10	841.60	A
BENSULIDE	467.98	2	118.00	A
BENTAZON, SODIUM SALT	123.40	2	113.60	A
BENZOIC ACID	140.80	559	8,546.14	A
BIFENAZATE	19.99	31	39.98	A
BIFENTHRIN	< 0.01	2	0.30	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	97.67	130	1,170.94	A
BISPYRIBAC-SODIUM	1.51	1	37.70	A
BRODIFACUM	0.01	8	315.00	A
BROMADIOLONE	< 0.01	5	56.00	A
BROMOXYNIL HEPTANOATE	13.48	6	42.80	A
BROMOXYNIL OCTANOATE	13.98	6	42.80	A
BUTYL ALCOHOL	461.02	396	18,839.05	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	21.57	39	229.58	A
CALCIUM CHLORIDE	6.90	17	768.00	A
CALCIUM HYDROXIDE	103.31	1	74.86	A
CAPTAN	30.65	7	12.36	A
CAPTAN, OTHER RELATED	0.64	7	12.36	A
CARBARYL	790.47	12	1,545.74	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	2.44	2	76.00	A
CARBON	9.63	2	6.00	A
CARFENTRAZONE-ETHYL	314.81	498	24,277.40	A
CASTOR OIL ETHOXYLATE	21.81	16	677.78	A
CHLORANTRANILIPROLE	7.74	2	118.00	A
CHLOROPHACINONE	0.07	207	416.70	A
CHLOROPICRIN	78,965.14	36	827.01	A
CHLOROTHALONIL	18.06	1	8.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED AG				
CHLORPYRIFOS	496.35	3	375.20	A
CHLORSULFURON	0.75		8.00	A
CHLORTHAL-DIMETHYL	646.01	5	188.00	A
CITRIC ACID	948.24	402	23,351.68	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	329.57	5	115.00	A
CLETHODIM	1,756.16	199	11,360.30	A
CLOPYRALID, MONOETHANOLAMINE SALT	112.81	15	901.90	A
COCONUT DIETHANOLAMIDE	6.83	15	311.10	A
CONIOTHYRIUM MINITANS STRAIN CON/M/91-08	1.72	3	16.20	A
COPPER HYDROXIDE	4.01	2	0.87	A
COPPER OXIDE (OUS)	20.98	1	20.00	A
COPPER OXYCHLORIDE	0.18	1	0.37	A
COPPER SULFATE (PENTAHYDRATE)	5,148.00		793.00	A
CORN SYRUP	1,342.27	101	5,861.00	A
COTTONSEED OIL	137.82	2	155.00	A
CYHALOFOP-BUTYL	15.21	1	94.00	A
CYPERMETHRIN	< 0.01	1	5.00	A
(S)-CYPERMETHRIN	10.37	4	245.98	A
CYPRODINIL	1.28	1	3.91	A
2,4-D	47.25	4	97.00	A
2,4-D, BUTOXYETHANOL ESTER	83.89	4	97.00	A
2,4-D, DIMETHYLAMINE SALT	21,661.73	214	22,861.70	A
2,4-D, 2-ETHYLHEXYL ESTER	8.69	2	5.00	A
4-(2,4-DB), DIMETHYLAMINE SALT	131.70	2	150.00	A
DERIVATED NATURAL POLYMERS	0.25	1	83.00	A
DIAZINON	470.30	5	161.00	A
DICAMBA, DIMETHYLAMINE SALT	1,081.94	21	1,444.60	A
DICAMBA, SODIUM SALT	87.14	6	397.50	A
1,3-DICHLOROPROPENE	677,148.73	79	2,704.09	A
DIETHYLENE GLYCOL	881.85	228	16,519.83	A
DIETHYLENE GLYCOL MONOETHYL ETHER	1.31	1	20.00	A
DIFLUFENZOPYR, SODIUM SALT	14.38	3	215.00	A
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	677.44	12	1,325.87	A
DIMETHENAMID-P	1.64	8	80,824.00	S
DIMETHOATE	114.79	3	243.00	A
DIMETHYL ALKYL TERTIARY AMINES	153.36	559	8,546.14	A
DIMETHYLPOLYSILOXANE	316.93	1,693	71,388.20	A
DIMETHYL SILICONE FLUID EMULSION	2.92	37	325.21	A
DINOTEFURAN	16.45	2	118.00	A
DIOCTYL PHTHALATE	2.78	1	20.00	A
DIPHACINONE	0.34	160	1,475.47	A
DIPROPYLENE GLYCOL METHYL ETHER	6.33	12	3,957.00	A
DIQUAT DIBROMIDE	1,171.84	259	1,323.10	A
	81.17	98	1,316,250.00	S
Total Pounds On This Chemical	1,253.01			
DIURON	1,372.81	27	407.40	A
DODECYLBENZENE SULFONIC ACID	6.66	14	271.10	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	3.75	6	79.50	A
2,4-DP-P, DIMETHYLAMINE SALT	0.05	1	1.50	A
EDTA, TETRASODIUM SALT	0.41	14	271.10	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	249.99	57	791.80	A
EPTC	13,031.71	83	4,092.90	A
ESFENVALERATE	28.49	18	612.60	A
ETHALFLURALIN	602.57	10	472.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED AG				
ETHOFUMESATE	67.54	3	87.00	A
ETHYLENE GLYCOL	217.30	27	1,350.09	A
FATTY ACIDS, METHYL ESTERS	37.49	2	50.00	A
FATTY ACIDS, MIXED	262.68	580	17,384.96	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	350.13	82	1,026.05	A
FATTY ACIDS DERIVED FROM TALLOW	24.06	23	1,363.99	A
FENHEXAMID	72.75	4	96.00	A
FENPYROXIMATE	0.91	1	20.00	A
FENUGREEK	1.46	1	72.00	A
FLUAZIFOP-P-BUTYL	110.55	19	1,301.00	A
FLUBENDIAMIDE	7.09	2	113.60	A
FLUDIOXONIL	0.85	1	3.91	A
FLUMIOXAZIN	264.83	102	3,121.80	A
GIBBERELLINS	2.11	1	40.00	A
GLUFOSINATE-AMMONIUM	1,506.55	202	1,892.09	A
GLYCEROL	11.26	4	183.00	A
GLYPHOSATE, DIAMMONIUM SALT	28.13	1	50.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	153,260.70	3,381	96,981.28	A
	197.78	107	1,595,305.00	S
Total Pounds On This Chemical	153,458.48			
GLYPHOSATE, MONOAMMONIUM SALT	8.36	3	20.00	A
GLYPHOSATE, POTASSIUM SALT	126,129.41	2,108	78,696.77	A
	2.60		51,500.00	S
Total Pounds On This Chemical	126,132.01			
HALOSULFURON-METHYL	53.73	13	886.45	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	7.61	71	3,708.07	A
HEXAZINONE	14.07	1	28.00	A
HEXYTHIAZOX	25.69	35	135.98	A
HYDROTREATED PARAFFINIC SOLVENT	1,157.60	28	1,548.70	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	10.80	8	158.40	A
IMAZAMOX, AMMONIUM SALT	14.49	5	311.00	A
IMIDACLOPRID	100.39	42	301.86	A
INDAZIFLAM	0.27	1	4.50	A
IPRODIONE	43.83	4	59.06	A
IRON PHOSPHATE	45.79	33	104.68	A
ISOPROPYL ALCOHOL	965.45	623	28,533.89	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	21.14	76	4,768.08	A
ISOXABEN	8.75	1	23.50	A
	7.92	19	292,500.00	S
Total Pounds On This Chemical	16.67			
KEROSENE	255.37	532	6,897.38	A
KRESOXIM-METHYL	2.50	1	20.00	A
LAMBDA-CYHALOTHRIN	8.15	10	308.00	A
LAURIC ACID	1.06	1	40.00	A
LECITHIN	3,788.87	1,059	20,522.83	A
LIME-SULFUR	0.24	1	2.00	A
LIMONENE	193.68	1	5.60	A
LINURON	21.00	3	10.50	A
MALATHION	4.32	4	6.08	A
MCPA, DIMETHYLAMINE SALT	868.19	17	1,103.30	A
MCPP-P, DIMETHYLAMINE SALT	0.05	1	1.50	A
MEFENOXAM	22.92	3	94.06	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED AG				
METALDEHYDE	39.60	10	59.50	A
	0.11	1	30,500.00	S
Total Pounds On This Chemical	39.71			
METAM-SODIUM	183,469.06	37	998.02	A
METHOMYL	7.20	1	16.00	A
METHOXYFENOZIDE	19.36	2	127.00	A
METHYLATED SILICA	67.68	101	5,863.00	A
METHYLATED SOYBEAN OIL	7,210.69	792	14,029.45	A
METHYL BROMIDE	34,752.97	13	146.30	A
METHYL CELLULOSE	2.75	1	20.00	A
METHYL SILICONE RESINS	9.65	176	2,189.38	A
METOLACHLOR	880.76	11	593.50	A
S-METOLACHLOR	2,015.35	27	1,186.49	A
METRIBUZIN	249.35	18	814.30	A
MINERAL OIL	2,365.83	155	2,282.92	A
MOLASSES	452.10	1	74.86	A
MORPHOLINE	1.20	1	20.00	A
MYCLOBUTANIL	20.79	12	180.28	A
NALED	30.21	1	30.00	A
NAPROPAMIDE	84.00	1	56.00	A
NONANOIC ACID	7.99	2	5.00	A
NONANOIC ACID, OTHER RELATED	0.42	2	5.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	131.07	93	1,830.05	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	10,492.93	1,917	78,843.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	22.25	6	465.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	3,031.09	580	21,052.19	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2.43	1	11.00	A
OLEIC ACID	4.38	4	97.60	A
OLEIC ACID, METHYL ESTER	8,861.92	765	8,835.51	A
ORGANO/MODIFIED POLYSILOXANE	0.40	11	579.00	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	0.66	2	26.00	A
ORYZALIN	537.59	24	222.33	A
OXADIAZON	9.55	3	6.00	A
OXYFLUORFEN	8,913.71	1,166	46,010.47	A
	0.68		19,000.00	S
Total Pounds On This Chemical	8,914.38			
PARAQUAT DICHLORIDE	27,846.32	1,284	33,005.70	A
PENDIMETHALIN	17,632.37	106	11,686.69	A
	2.18	8	80,824.00	S
Total Pounds On This Chemical	17,634.55			
PENOX SULAM	0.86	1	80.00	A
PETROLEUM DISTILLATES	403.56	13	782.00	A
PETROLEUM DISTILLATES, ALIPHATIC	0.21	4	244.89	A
PETROLEUM NAPHTHENIC OILS	2.50	4	244.89	A
PETROLEUM OIL, PARAFFIN BASED	7,018.96	444	14,165.41	A
PHOSMET	36.40	1	4.00	A
PHOSPHORIC ACID	898.88	440	17,048.76	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	15.72	38	2,771.62	A
POLYACRYLAMIDE POLYMER	124.30	299	33,693.04	A
POLYACRYLIC POLYMER	24.62	148	8,000.20	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	22.14	14	578.96	A
	0.35		22,000.00	S

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED AG				
Total Pounds On This Chemical	22.50			
POLYBUTENES	62.52	82	1,026.05	A
POLYETHER MODIFIED POLYSILOXANE	45.28	106	1,525.80	A
POLYETHOXYLATED CASTOR OIL	9.27	5	333.80	A
POLYETHYLENE GLYCOL	826.00	207	9,762.39	A
POLYETHYLENE GLYCOL DIACETATE	0.03	3	32.00	A
POLY-I-PARA-MENTHENE	219.63	8	612.00	A
POLYMERIZED ACRYLIC ACID	10.34	2	91.65	A
POLYMERIZED PINENE	66.62	6	79.50	A
POLYOXYETHYLENE DIOLEATE	0.01	2	26.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	199.58	14	1,075.10	A
POLYOXYETHYLENE POLYOXYPROPYLENE	17.34	72	124.28	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL				
MONOALLYL ETHER	16.84	40	3,187.00	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	5,435.26	348	8,149.80	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	84.58	76	4,768.08	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	556.80	76	4,768.08	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	257.02	19	889.68	A
POLYPROPYLENE GLYCOL	5.66	167	1,453.38	A
POLYSACCHARIDE POLYMER	5.95	118	19,296.70	A
POLYSILOXANE	6.65	56	2,685.16	A
POTASSIUM BICARBONATE	218.94	4	89.00	A
POTASSIUM HYDROXIDE	2.50	5	170.16	A
POTASSIUM N-METHYLDITHIOCARBAMATE	91,729.38	7	662.17	A
PROMETRYN	37.55	4	37.60	A
PROPANIL	910.24	2	161.00	A
PROPIONIC ACID	2,378.16	560	15,277.72	A
PROPYLENE GLYCOL	36.34	24	474.46	A
PYRAFLUFEN-ETHYL	28.18	423	11,088.73	A
PYRIMETHANIL	17.28	37	45.00	A
QUILLAJA	0.01	1	4.00	A
RIMSULFURON	0.92	4	22.63	A
SAFLUFENACIL	16.56	23	776.78	A
SETHOXYDIM	227.36	35	792.40	A
SILICONE	0.04	3	13.50	A
SILICONE DEFOAMER	0.39	19	413.65	A
SIMAZINE	111.97	5	59.00	A
SODIUM DIISOOCTYLSULFOSUCCINATE	0.37	1	20.00	A
SODIUM HYDROXIDE	5.43	4	183.00	A
SODIUM HYPOCHLORITE	0.25		0.20	A
SODIUM NITRATE	18.22	2	6.00	A
SODIUM POLYACRYLATE	38.15	175	11,362.82	A
SODIUM XYLENE SULFONATE	2.05	14	271.10	A
SORBITAN MONOOLEATE	18.06	62	198.00	A
SPINETORAM	4.14	2	82.60	A
SPINOSAD	6.80	5	374.02	A
SPIROMESIFEN	67.48	7	492.70	A
SPIROTETRAMAT	0.91	2	60.00	A
STRYCHNINE	161.37	118	3,231.38	A
STYRENE BUTADIENE COPOLYMER	23.15	14	304.46	A
SUGAR	938.19	2	146.86	A
SULFOMETURON-METHYL	11.96		85.00	A
SULFUR	2,117.60	13	321.37	A
SULFURIC ACID	1.27	2	30.00	A
TALL OIL	656.43	173	8,336.48	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED AG				
TALL OIL FATTY ACIDS	198.00	118	6,611.09	A
TARTRAZINE	1.17	3	3.00	A
TEBUCONAZOLE	6.16	3	80.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	18.41	21	353.70	A
TETRAPOTASSIUM PYROPHOSPHATE	1.03	14	271.10	A
THIOBENCARB	593.01	1	150.00	A
TRIBENURON-METHYL	10.96	25	800.30	A
TRICLOPYR, BUTOXYETHYL ESTER	443.50	17	139.00	A
TRICLOPYR, TRIETHYLAMINE SALT	185.51	14	173.09	A
TRIETHANOLAMINE	4.72	37	1,399.80	A
TRIFLOXYSTROBIN	3.91	2	60.00	A
TRIFLURALIN	17,598.28	85	15,869.99	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	2.16	1	40.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	399.16	132	7,325.92	A
UREA	106.92	11	579.00	A
VANILLIN	0.23	1	72.00	A
VEGETABLE OIL	2,608.10	73	2,932.50	A
VINYL POLYMER	90.43	270	12,177.56	A
ZINC PHOSPHIDE	20.52	31	244.00	A
ZINC SULFATE	3.03	3	240.00	A
Site Total	1,580,478.50	19,289		
UNCULTIVATED NON-AG				
ABAMECTIN	< 0.01	2	0.40	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	5.23	1	38.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	3.95	2	9.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	220.71	49	1,816.95	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	2.25	1	8.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.84	2	40.50	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.12	1	4.40	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.23	2	40.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	20.13	91	1,179.69	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	53.97	89	1,149.69	A
ALKYL (C8,C10) POLYGLUCOSIDE	92.98	47	455.02	A
	2.07		31.00	U
Total Pounds On This Chemical	95.04			
ALUMINUM PHOSPHIDE	29.24	8	743.25	A
	1.32	1	10.00	U
Total Pounds On This Chemical	30.56			
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	252.22	19	1,842.76	A
	0.32		19.00	U
Total Pounds On This Chemical	252.54			
AMMONIUM NITRATE	572.25	165	2,991.71	A
	0.98		31.00	U
Total Pounds On This Chemical	573.23			
AMMONIUM SULFATE	959.90	130	3,253.74	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED NON-AG				
Total Pounds On This Chemical	961.87	1.97	31.00	U
BENZOIC ACID	9.76	21	899.75	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2.63	3	45.00	A
BROMACIL	544.88	18	298.75	A
BROMADIOLONE	< 0.01	1	10,000.00	S
BROMOXYNIL HEPTANOATE	1.59	1	9.00	A
BROMOXYNIL OCTANOATE	1.65	1	9.00	A
BUTYL ALCOHOL	72.57	28	1,347.50	A
CALCIUM CHLORIDE	1.42	2	180.00	A
CARBARYL	90.00	4	1,077.50	A
CARFENTRAZONE-ETHYL	6.05	17	300.20	A
CHLOROPICRIN	0.75	1	2.00	U
CHLORSULFURON	10.09	3	197.50	A
CITRIC ACID	99.95	22	868.10	A
CLETHODIM	118.83	19	706.00	A
CLOPYRALID, MONOETHANOLAMINE SALT	43.82	6	936.50	A
CLOPYRALID, TRIETHYLAMINE SALT	0.22	1	10.00	A
COPPER ETHANOLAMINE COMPLEXES, MIXED	4.17		20.00	A
CORN SYRUP	4.47	9	88.00	A
2,4-D	7.64	2	43.00	A
2,4-D, BUTOXYETHANOL ESTER	13.56	2	43.00	A
2,4-D, DIETHANOLAMINE SALT	1.04	1	2.00	A
2,4-D, DIMETHYLAMINE SALT	1,351.45	34	1,322.78	A
	< 0.01		9,140.00	S
Total Pounds On This Chemical	1,351.45			
2,4-D, 2-ETHYLHEXYL ESTER	789.26	1	392.50	A
DERIVATED NATURAL POLYMERS	0.02	1	5.00	A
DICAMBA	0.70		20.00	A
DIETHYLENE GLYCOL	300.72	37	1,101.25	A
DIFLUBENZURON	0.25	1	38,360.00	S
	0.13	2	10.00	A
Total Pounds On This Chemical	0.37			
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	41.62	1	30.00	A
DIMETHYL ALKYL TERTIARY AMINES	10.63	21	899.75	A
DIMETHYLPOLYSILOXANE	46.72	147	3,104.37	A
	0.01		31.00	U
Total Pounds On This Chemical	46.73			
DIPHACINONE	0.11	92	1,705.16	A
	< 0.01		3.00	U
Total Pounds On This Chemical	0.11			
DIQUAT DIBROMIDE	16.84	4	80.28	A
	< 0.01		9,140.00	S
Total Pounds On This Chemical	16.84			
DIURON	2,864.46	68	1,336.34	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	1.23	1	3.00	A
ESFENVALERATE	0.06	5	4.59	A
ETHYLENE GLYCOL	9.98		10.00	A
FATTY ACIDS, MIXED	476.87	41	1,426.25	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	9.74	2	43.00	A
FATTY ACIDS DERIVED FROM TALLOW	8.14	91	1,179.69	A
FENHEXAMID	5.39	2	672.50	?

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED NON-AG				
FLUAZIFOP-P-BUTYL	0.55	1	103.18	A
	< 0.01		9,140.00	S
Total Pounds On This Chemical	0.55			
FLUMIOXAZIN	77.20	20	284.50	A
TAU-FLUVALINATE	0.08	1	2,000.00	S
GLUFOSINATE-AMMONIUM	303.29	56	494.87	A
GLYCEROL	0.30	1	2.00	A
GLYPHOSATE	7.87	16	12.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	16,370.42	429	9,590.41	A
	10.73		31.00	U
	4.99		15,400.00	S
Total Pounds On This Chemical	16,386.15			
GLYPHOSATE, POTASSIUM SALT	12,545.99	421	4,509.45	A
	6.62	3	30,000.00	S
Total Pounds On This Chemical	12,552.61			
HEPTAMETHYLTRISILOXANE ETHOXYLATED	8.62	3	316.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	0.69	1	59.00	A
HEXAZINONE	404.93	2	205.00	A
HYDROTREATED PARAFFINIC SOLVENT	45.11	1	50.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	2.10	3	168.00	A
IMAZAPYR, ISOPROPYLAMINE SALT	381.72	13	316.65	A
INDAZIFLAM	0.65	4	9.16	A
IPRODIONE	121.72		3,989,260.00	U
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	20.04	3	316.00	A
ISOPARAFFINIC HYDROCARBONS	0.63	1	2.00	A
ISOPROPYL ALCOHOL	49.05	24	380.00	A
	0.41		50.00	U
Total Pounds On This Chemical	49.46			
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.28	1	15.00	A
KEROSENE	18.12	19	829.75	A
LECITHIN	39.39	9	87.70	A
LIMONENE	3.56		0.20	A
MALATHION	48.76	3	37.20	A
MCPA, DIMETHYLAMINE SALT	67.33	1	38.00	A
MCPP, DIMETHYLAMINE SALT	< 0.01		9,140.00	S
	< 0.01		0.18	A
Total Pounds On This Chemical	< 0.01			
MECOPROP-P	2.77		20.00	A
METHYLATED SILICA	0.23	9	88.00	A
METHYLATED SOYBEAN OIL	1,527.43	52	2,770.95	A
METHYL BROMIDE	2.25	1	2.00	U
METHYL SILICONE RESINS	0.24	3	16.00	A
MINERAL OIL	590.88	27	451.22	A
NONANOIC ACID	1.33	4	4.00	A
NONANOIC ACID, OTHER RELATED	0.07	4	4.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	5.82	9	140.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,852.78	251	6,361.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	11.51	6	340.40	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	50.27	14	79.70	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED NON-AG				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	2.88	10	260.00	A
NORFLURAZON	191.78	4	68.50	A
OLEIC ACID	0.63	1	2.29	A
	0.17		50.00	U
Total Pounds On This Chemical	0.80			
OLEIC ACID, ETHYL ESTER	39.51		38.50	A
OLEIC ACID, METHYL ESTER	1,031.21	20	2,270.75	A
ORCHEX 796 OIL	4.77	2	4.29	A
ORGANO/MODIFIED POLYSILOXANE	1.44	89	1,149.69	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	0.75	1	5.00	A
ORYZALIN	1,854.78	292	888.41	A
OXADIAZON	0.75	2	1.50	A
OXYFLUORFEN	1,267.90	138	3,790.24	A
PARAQUAT DICHLORIDE	269.92	26	280.75	A
PENDIMETHALIN	465.36	16	138.20	A
PENOXSULAM	0.33	2	10.60	A
PETROLEUM DISTILLATES	109.34	19	182.70	A
PETROLEUM DISTILLATES, ALIPHATIC	0.31	1	38.00	A
PETROLEUM NAPHTHENIC OILS	3.66	1	38.00	A
PETROLEUM OIL, PARAFFIN BASED	802.10	25	528.12	A
PHOSPHORIC ACID	37.85	16	870.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	1.91	3	327.00	A
POLYACRYLAMIDE POLYMER	1.45	7	325.00	A
POLYACRYLIC POLYMER	0.80	4	220.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	20.35	11	212.60	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	0.30	1	3.00	A
POLYBUTENES	1.74	2	43.00	A
POLYETHYLENE GLYCOL	8.70	8	78.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	0.47	1	6.00	A
POLYOXYETHYLENE DIOLEATE	6.93	1	43.50	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	25.63	3	140.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.11	1	0.50	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	50.33	10	38.12	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	92.32	10	260.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	3.10	1	53.50	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	7.38	1	15.00	A
POLYPROPYLENE GLYCOL	0.09	2	15.00	A
POLYSILOXANE	0.21	2	17.00	A
PROPICONAZOLE	1.89	1	1,807.00	?
	1.73	1	1.00	A
Total Pounds On This Chemical	3.62			
PROPIONIC ACID	17.23	1	38.00	A
PROPYLENE GLYCOL	7.44	4	56.00	A
PYRAFLUFEN-ETHYL	0.34	4	106.75	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.02	1	0.20	A
RIMSULFURON	0.27	4	8.50	A
SAFLUFENACIL	0.97	3	22.00	A
SETHOXYDIM	84.30	5	197.00	A
SILICONE DEFOAMER	0.04	1	37.00	A
SIMAZINE	330.73	15	157.35	A
SODIUM HYDROXIDE	0.17	1	2.00	A
SORBITAN FATTY ACID ESTERS	20.19	10	260.00	A
STRYCHNINE	3.23	3	108.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNCULTIVATED NON-AG				
		0.45	1	30.00 U
Total Pounds On This Chemical	3.68			
SULFOMETURON-METHYL		12.03	4	25.00 A
TALL OIL		2.01	5	17.40 A
TALL OIL FATTY ACIDS		23.63	19	405.56 A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)		2.73		50.00 U
TRIBENURON-METHYL		0.80	3	51.00 A
TRICLOPYR, BUTOXYETHYL ESTER		1,179.11	34	1,668.24 A
TRICLOPYR, TRIETHYLAMINE SALT		1,156.34	14	1,208.00 A
		0.34		4.00 U
Total Pounds On This Chemical	1,156.69			
TRIFLURALIN		1.68	2	9.96 A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)		0.88	1	6.00 A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)		678.62	32	1,001.25 A
UREA		384.36	89	1,149.69 A
UREA DIHYDROGEN SULFATE		16.34	1	40.00 A
VINYL POLYMER		2.81	10	166.50 A
ZINC PHOSPHIDE		25.75	7	360.00 A
Site Total	54,041.50	2,370		
UNKNOWN				
ABAMECTIN		0.75	14	38.40 A
ACEPHATE		217.48	8	228.00 A
ALACHLOR		1,281.37	13	428.00 A
ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE		< 0.01	1	10.00 A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE		0.06		
		< 0.01	1	10.00 A
Total Pounds On This Chemical	0.07			
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE		0.06		
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		0.24	1	18.00 A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)		8.47		160.00 A
ALKYL (C8,C10) POLYGLUCOSIDE		1.28	3	95.00 A
ALUMINUM PHOSPHIDE		85.68	13	571.00 A
		7.80		85.00 U
		6.80	8	467.00 S
Total Pounds On This Chemical	100.29			
AMMONIUM PROPIONATE		20.36	2	59.00 A
AMMONIUM SULFATE		8.21	6	103.50 A
ASPERGILLUS FLAVUS STRAIN AF36		0.02	1	220.00 A
AZADIRACTIN		1.41	39	64.38 A
AZOXYSTROBIN		5.02	25	35.36 A
BACILLUS PUMILUS, STRAIN QST 2808		1.45	9	12.92 A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857		2.67	3	3.93 A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES		0.81	1	2.00 A
BEAUVERIA BASSIANA STRAIN GHA		0.34	1	1.50 A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNKNOWN				
BENSULIDE	677.39	77	131.00	A
BIFENAZATE	22.50	1	30.00	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	5.08	7	20.60	A
BISPYRIBAC-SODIUM	0.10		3.44	A
BOSCALID	2.95	2	14.73	A
1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN	606.89		17.00	U
	7.84		5.00	A
Total Pounds On This Chemical	614.73			
CARBARYL	4.30	1	20.00	A
CARFENTRAZONE-ETHYL	1.86	4	219.40	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	28.67	47	71.02	A
CHLORANTRANILIPROLE	5.64	59	92.99	A
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE	3.25		7.00	U
CHLOROPICRIN	273.35	1	2.00	A
CHLOROTHALONIL	237.28	1	540.00	A
CHLORPYRIFOS	2.09	1	3.00	A
CHLORTHAL-DIMETHYL	28.88	5	7.00	A
CITRIC ACID	11.09	4	62.00	A
CLOPYRALID, MONOETHANOLAMINE SALT	18.09	1	33.00	A
CLOPYRALID, TRIETHYLAMINE SALT	3.73	2	197.50	A
COPPER ETHANOLAMINE COMPLEXES, MIXED	11.21	3	231.00	A
COPPER ETHYLENEDIAMINE COMPLEX	53.66			
COPPER HYDROXIDE	107.78	54	197.74	A
COPPER OCTANOATE	2.26	6	9.18	A
COPPER OXIDE (OUS)	4.54	4	5.27	A
COPPER OXYCHLORIDE	29.48	49	82.14	A
COPPER TRIETHANOLAMINE COMPLEX	60.57			
CRYOLITE	230.40		40.00	A
CYAZOFAMID	0.94	9	13.17	A
CYCLOATE	4.48	1	1.50	A
BETA-CYFLUTHRIN	0.26	3	9.60	A
(S)-CYPERMETHRIN	6.92	60	140.76	A
CYROMAZINE	51.33	5	14.36	A
2,4-D, DIMETHYLAMINE SALT	8.37		8.00	A
2,4-D, 2-ETHYLHEXYL ESTER	9.54	1	14.80	A
DIAZINON	0.74	2	1.50	A
1,3-DIBROMO-5,5-DIMETHYLHYDANTOIN	7.84		8.00	A
	1.96		2.00	U
Total Pounds On This Chemical	9.80			
2,2-DIBROMO-3-NITRILOPROPIONAMIDE	253.13		2.00	U
DICAMBA	0.62	1	14.80	A
DICAMBA, DIMETHYLAMINE SALT	150.74	1	500.00	A
1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN	158.95		7.00	U
1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN	87.45		7.00	U
1,3-DICHLOROPROPENE	16,567.07	1	93.34	A
DIETHYLENE GLYCOL	15.74	4	85.00	A
DIMETHOATE	117.09	10	235.00	A
DIMETHOMORPH	1.56	31	66.73	A
5,5-DIMETHYLHYDANTOIN	25,888.89		11.00	U
DIMETHYLPOLYSILOXANE	0.72	6	184.14	A
DIPHACINONE	0.05	18	1,091.50	A
	< 0.01	1	16.00	U
Total Pounds On This Chemical	0.05			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNKNOWN				
DIQUAT DIBROMIDE	15.08	3	76.50	A
	0.03		8,000.00	S
Total Pounds On This Chemical	15.11			
DITHIOPYR	29.49		32.00	A
EMAMECTIN BENZOATE	0.30	14	22.51	A
ENDOTHALL, DIPOTASSIUM SALT	84.61			
ESFENVALERATE	2.89	7	30.00	A
ETHALFLURALIN	55.61	1	32.80	A
ETHEPHON	42.27		28.50	A
FATTY ACIDS, MIXED	25.67	3	80.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	18.95	7	20.60	A
FATTY ACIDS DERIVED FROM TALLOW	3.39		160.00	A
FENAMIDONE	13.29	21	51.30	A
FENPROPATHRIN	2.50	1	5.00	A
FLONICAMID	6.95	53	86.28	A
FLUAZIFOP-P-BUTYL	0.25		2.00	A
FLUBENDIAMIDE	0.33	8	11.05	A
FLUDIOXONIL	0.94		3.00	A
FLUMIOXAZIN	11.67			
FLUOPICOLIDE	2.88	17	23.35	A
FLUTOLANIL	39.20		4.59	A
FOSETYL-AL	262.95	32	63.39	A
GIBBERELLINS	3.81	2	92.00	A
GLUFOSINATE-AMMONIUM	32.39	5	58.75	A
GLUTARALDEHYDE	101.51		14.00	A
	14.30		3.00	U
Total Pounds On This Chemical	115.81			
GLYPHOSATE	6.00	2	22.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,487.73	29	1,453.45	A
	37.37			
	0.73		8,000.00	S
Total Pounds On This Chemical	1,525.84			
GLYPHOSATE, POTASSIUM SALT	457.52	9	211.75	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.41	1	2.86	A
IMIDACLOPRID	262.03	104	1,179.88	A
INDAZIFLAM	2.00		80.00	A
INDOXACARB	3.38	32	53.12	A
IPRODIONE	100.31		25.50	A
ISOPROPYL ALCOHOL	3.54	257	508.19	A
ISOXABEN	6.00			
	0.23	1	0.25	A
Total Pounds On This Chemical	6.23			
KAOLIN	1.90	1	0.10	A
KRESOXIM-METHYL	4.41	1	23.50	A
LAMBDA-CYHALOTHRIN	1.91	1	59.19	A
LECITHIN	20.13	5	105.00	A
MALATHION	77.01	18	74.00	A
MANCOZEB	65.60		6.00	A
MANDIPROPAMID	17.11	80	131.54	A
MANGANESE SULFATE	0.84	1	10.00	A
MECOPROP-P	2.12	1	14.80	A
MEFENOXAM	1.96		3.00	A
MEFENOXAM, OTHER RELATED	0.06		3.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNKNOWN				
METALAXYL	2.01	1	1.00	A
METALDEHYDE	1.05	1	6.00	A
METHOMYL	1.23	1	4.00	A
METHOXYFENOZIDE	7.91	12	50.79	A
METHYLATED SILICA	< 0.01	1	5.00	A
METHYLATED SOYBEAN OIL	172.28	9	233.00	A
METHYL BROMIDE	275.00	1	2.00	A
2-METHYL-4-ISOTHIAZOLIN-3-ONE	1.14		7.00	U
METHYL SILICONE RESINS	0.18	3	11.60	A
S-METOLACHLOR	314.82	5	191.80	A
METRAFENONE	1.82	1	5.00	A
METRIBUZIN	8.00	1	16.00	A
MINERAL OIL	19.10	2	8.00	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	7.10	4	24.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	6.43	7	20.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	128.26	271	1,493.19	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	154.75	4	577.00	A
OLEIC ACID, METHYL ESTER	1.22	1	2.86	A
ORYZALIN	5.85		1.00	A
OXAMYL	2.99	2	8.00	A
OXYFLUORFEN	40.42			
	30.18	10	145.00	A
Total Pounds On This Chemical	70.60			
PACLOBUTRAZOL	51.10	10	398.27	A
PARAQUAT DICHLORIDE	141.41	8	184.86	A
PCNB	31.49		3.00	A
PENDIMETHALIN	75.76	1	80.00	A
PETROLEUM DISTILLATES	1.21	2	4.00	A
PETROLEUM DISTILLATES, REFINED	16.54	1	9.40	A
PHOSPHORIC ACID	5.21	3	13.00	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	0.83	1	37.00	A
POLYACRYLAMIDE POLYMER	0.14	3	17.50	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	8.46	7	223.00	A
POLYBUTENES	3.38	7	20.60	A
POLYETHYLENE GLYCOL	5.30	1	80.00	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	3.65	1	23.50	A
POLYOXIN D, ZINC SALT	2.17		8.50	A
POLY(OXYETHYLENE) (DIMETHYLIMINO) ETHYLENE (DIMETHYLIMINO) ETHYLENE DICHLORIDE	14.16		4.00	U
	2.57		2.00	A
Total Pounds On This Chemical	16.73			
POLYSILOXANE	0.05	3	95.00	A
POTASH SOAP	0.27	1	1.00	A
POTASSIUM BICARBONATE	169.87	9	40.20	A
POTASSIUM HYDROXIDE	1.50	3	95.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	21,743.23	115	177.57	A
PRODIAMINE	227.21	1	64.00	A
PROPAMOCARB HYDROCHLORIDE	50.99		8.50	A
PROPICONAZOLE	14.13	1	23.50	A
PROPIONIC ACID	10.25	3	95.00	A
PROPYLENE GLYCOL	1.86	1	23.50	A
PROPYZAMIDE	12.10	2	12.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
UNKNOWN				
PYMETROZINE	5.85	48	77.36	A
PYRACLOSTROBIN	38.80	120	206.11	A
PYRAFLUFEN-ETHYL	0.01	2	3.86	A
PYRETHRINS	3.14	3	62.12	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.64	6	8.66	A
QUILLAJA	88.47		69.00	A
QUINOXYFEN	4.13	1	46.00	A
REYNOUTRIA SACHALINENSIS	0.54	1	5.00	A
SETHOXYDIM	7.01	8	16.00	A
SIDURON	14.00		3.00	A
SIMAZINE	36.00		40.00	A
SODIUM BROMIDE	10.35		2.00	U
	< 0.01		1.00	A
Total Pounds On This Chemical	10.36			
SODIUM HYPOCHLORITE	< 0.01		1.00	A
SODIUM POLYACRYLATE	6.41	2	59.00	A
SPINETORAM	10.17	73	167.28	A
SPINOSAD	13.54	17	93.24	A
SPIROTETRAMAT	0.04	2	4.60	A
STRYCHNINE	0.11	6	382.01	A
SULFAQUINOXALINE	< 0.01	5	8.00	A
SULFUR	4,456.60	15	681.58	A
SULFUR DIOXIDE	758.40		14,670.77	T
	505.33			
	4.95		90,000.00	S
Total Pounds On This Chemical	1,268.68			
SULFURYL FLUORIDE	5.99		124,000.00	C
TALL OIL	0.65	255	423.19	A
TEBUCONAZOLE	59.16	3	174.40	A
THIAMETHOXAM	3.43	37	53.75	A
THIOPHANATE-METHYL	70.94		18.20	A
TRICHLORO-S-TRIAZINETRIONE	139.35		2.00	U
TRICLOPYR, TRIETHYLAMINE SALT	33.74			
	10.18	2	197.50	A
Total Pounds On This Chemical	43.92			
TRIFLOXYSTROBIN	0.67		3.00	A
TRIFLURALIN	130.38	8	210.00	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE)	6.81	1	23.50	A
TRINEXAPAC-ETHYL	16.09		129.09	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	56.08	8	185.00	A
WARFARIN	< 0.01	5	8.00	A
ZINC SULFATE	1.47	1	10.00	A
Site Total	81,033.23	1,832		
VEGETABLE				
AMMONIUM SULFATE	2.94	2	40.00	A
AZADIRACTIN	0.24	4	12.01	A
AZOXYSTROBIN	1.65	8	90.20	A
BACILLUS PUMILUS, STRAIN QST 2808	< 0.01	2	700.00	S
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	1.03	2	10.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	0.16	2	0.35	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
VEGETABLE				
	0.11	3	2,200.00	S
Total Pounds On This Chemical	0.27			
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN				
HD-1	0.05	3	25,000.00	S
BEAUVERIA BASSIANA STRAIN GHA	0.03	1	0.25	A
BIFENAZATE	0.50	1	0.20	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL)				
ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY				
ACIDS	0.15	1	6.00	A
CALCIUM HYPOCHLORITE	7,542.15		997.05	T
	50.59		66.50	K
Total Pounds On This Chemical	7,592.74			
CARBARYL	1.25	1	0.10	A
CARBOXIN	0.45		9,400.00	P
CHLORANTRANILIPROLE	0.16	2	40.00	A
CHLORFENAPYR	< 0.01	1	0.01	A
CHLOROTHALONIL	39.30	10	37.16	A
CITRIC ACID	0.16	2	40.00	A
COPPER HYDROXIDE	6.16	2	4.00	A
COPPER OCTANOATE	0.04	1	1.00	A
CYFLUTHRIN	0.05	1	20.00	A
BETA-CYFLUTHRIN	0.21	6	82.63	A
(S)-CYPERMETHRIN	0.47	2	10.00	A
DIMETHYLPOLYSILOXANE	0.05	1	0.10	A
DIPHACINONE	< 0.01	1	0.10	A
ESFENVALERATE	0.43	3	46.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL				
ESTERS	0.55	1	6.00	A
FLUOPICOLIDE	1.23	2	10.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	120.27	2	81.00	A
GLYPHOSATE, POTASSIUM SALT	9.48	6	10.00	A
HYDROGEN PEROXIDE	0.81	7	2.80	A
IMIDACLOPRID	30.85	3	80.30	A
IRON PHOSPHATE	0.05	1	1,500.00	S
ISOPROPYL ALCOHOL	< 0.01	1	0.14	A
LECITHIN	0.03	1	0.14	A
MARGOSA OIL	22.17	3	12.00	A
MEFENOXAM	0.50	1	0.10	A
METALAXYL	3.60	5	20.00	A
METHYLATED SOYBEAN OIL	2.76	6	100.14	A
MYCLOBUTANIL	1.35	5	50.10	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	0.19	1	6.00	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY				
(OXYETHYLENE)	0.56	6	100.14	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY				
(OXYETHYLENE) SULFATE, AMMONIUM SALT	< 0.01	1	20.00	A
OIL OF JOJOBA	6.57	2	5.20	A
PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97	0.10	3	0.42	A
PETROLEUM OIL, PARAFFIN BASED	0.09	1	20.00	A
PHOSPHINE	5.36		891,600.00	P
	1.04		60.85	T
Total Pounds On This Chemical	6.40			
PHOSPHORIC ACID	0.94	3	40.14	A
PIPERONYL BUTOXIDE	1.27	1	3.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.32	1	3.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
VEGETABLE				
POLYACRYLIC POLYMER	0.08	2	40.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	4.73	9	120.00	A
POLYBUTENES	0.10	1	6.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	0.21	1	0.10	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	0.01	1	20.00	A
POTASH SOAP	6.52	7	6.04	A
PYRACLOSTROBIN	0.71	3	5.10	A
PYRETHRINS	0.24	13	15.16	A
	0.06	21	38,950.00	S
Total Pounds On This Chemical	0.29			
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	0.07	6	1.92	A
SETHOXYDIM	0.88	1	2.00	A
SORBITAN FATTY ACID ESTERS	< 0.01	1	20.00	A
SPINETORAM	0.07	3	40.14	A
SPIROTETRAMAT	< 0.01	1	20.00	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	2	3,000.00	S
THIAMETHOXAM	0.63	2	10.00	A
THIRAM	51.83		66,990.00	P
TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2	< 0.01	2	359.00	S
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.02	1	0.14	A
Site Total	7,924.62	165		
VEGETABLES, FRUITING				
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	11.54	9	29.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	15.03	31	75.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	0.75	1	2.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, SEROTYPE H-7	0.62	1	6.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	0.41	2	10.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	8.64	8	4.70	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.64	31	75.00	A
DIPHACINONE	< 0.01	1	3.00	A
KAOLIN	80.75	3	8.00	A
MINERAL OIL	5.29	31	75.00	A
PYRETHRINS	0.18	11	23.00	A
SPINOSAD	0.20	1	2.50	A
TALL OIL FATTY ACIDS	0.21	31	75.00	A
Site Total	124.25	68		
VEGETABLES, LEAFY				
ABAMECTIN	0.03	1	1.00	A
ACETAMIPRID	0.21	2	1.50	A
AZOXYSTROBIN	5.14	22	12.63	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	1.04	6	36,000.00	S
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	9.33	19	8.25	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
VEGETABLES, LEAFY				
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	0.52	5	5.00	A
	0.01	1	10,000.00	S
Total Pounds On This Chemical	0.53			
BENSULIDE	48.78	2	16.40	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	0.09	1	1.00	A
BUPROFEZIN	0.26	1	0.50	A
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	0.04	8	3.63	A
COCONUT DIETHANOLAMIDE	0.27	60	34.75	A
CYPRODINIL	3.33	9	6.00	A
CYROMAZINE	1.00	3	1.50	A
DIETHYLENE GLYCOL	0.11	1	11.00	A
DIMETHYLPOLYSILOXANE	5.11	14	19.50	A
DINOTEFURAN	0.18	1	0.50	A
DODECYLBENZENE SULFONIC ACID	1.19	60	34.75	A
EDTA, TETRASODIUM SALT	0.07	60	34.75	A
ESFENVALERATE	0.45	1	11.00	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	0.34	1	1.00	A
FENAMIDONE	0.59	2	2.25	A
FLONICAMID	3.01	34	19.13	A
FLUDIOXONIL	2.22	9	6.00	A
FLUOPICOLIDE	3.71	18	13.50	A
FOSETYL-AL	27.20	14	10.25	A
IMIDACLOPRID	1.35	19	9.00	A
IRON PHOSPHATE	0.23	4	35,000.00	S
ISOPROPYL ALCOHOL	0.36	60	34.75	A
MANDIPROPAMID	10.24	68	42.25	A
METAM-SODIUM	952.49	1	3.00	A
METHOXYFENOZIDE	0.78	2	10.50	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE)	0.12	1	1.00	A
	0.65	9	14.63	A
PHOSPHORIC ACID	0.23	60	34.75	A
PIPERONYL BUTOXIDE	2.14	10	5.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.47	9	4.50	A
POLYBUTENES	0.06	1	1.00	A
POTASH SOAP	8.33	3	1.25	A
POTASSIUM BICARBONATE	0.27	1	0.25	A
POTASSIUM PHOSPHITE	13.64	5	6.25	A
POTASSIUM SILICATE	2.38	2	1.00	A
PROPICONAZOLE	0.28	2	1.00	A
PROPYLENE GLYCOL	0.11	1	11.00	A
PYRETHRINS	0.86	39	17.10	A
	0.01	3	1,200.00	S
Total Pounds On This Chemical	0.88			
QUILLAJA	0.08	8	3.63	A
REYNOUTRIA SACHALINENSIS	0.16	1	1.00	A
SILICONE DEFOAMER	0.03	60	34.75	A
SODIUM XYLENE SULFONATE	0.37	60	34.75	A
SPINETORAM	0.43	6	3.50	A
SPIROMESIFEN	0.40	4	1.75	A
TALL OIL FATTY ACIDS	0.21	1	11.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
VEGETABLES, LEAFY				
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE)	1.40	60	34.75	A
TETRAPOTASSIUM PYROPHOSPHATE	0.18	60	34.75	A
TRIETHANOLAMINE	0.47	60	34.75	A
TRIFLUMIZOLE	0.67	3	1.50	A
Site Total	1,113.64	391		
VERTEBRATE CONTROL				
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	0.02			
ALKYL (67%C12, 25%C14, 7%C16, 1%C8,C10,C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	3.71			
D-TRANS ALLETHRIN	0.02			
ALUMINUM PHOSPHIDE	6,641.38			
Total Pounds On This Chemical	33.38	5	108.00	A
6,674.76				
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	26.60			
4-AMINOPYRIDINE	0.14			
AMMONIUM SULFATE	3.93			
PARA-TERT-AMYLPHENOL	29.66			
BENZOIC ACID	0.04			
ORTHO-BENZYL-PARA-CHLOROPHENOL	151.66			
BIFENTHRIN	0.36			
BORIC ACID	0.50			
BRODIFACOU	0.12			
Total Pounds On This Chemical	< 0.01	1	1.00	A
0.12				
BROMACIL	62.51			
BROMADIOLONE	0.31			
Total Pounds On This Chemical	< 0.01	1	192.00	A
0.31				
BROMETHALIN	0.15			
CALCIUM HYPOCHLORITE	3,461.25			
CARBON	1,652.85			
CHLOROPHACINONE	2.47			
Total Pounds On This Chemical	< 0.01	9	48.00	A
2.48				
3-CHLORO-P-TOLUIDINE HYDROCHLORIDE	0.63			
CHLORPROPHAM	524.16			
CHLORSULFURON	2.48			
CHOLECALCIFEROL	0.33			
CITRIC ACID	0.22			
CLOPYRALID, MONOETHANOLAMINE SALT	0.71			
COPPER SULFATE (PENTAHYDRATE)	1,410.75			
CYFLUTHRIN	0.07			
CYPERMETHRIN	0.54			
CYROMAZINE	1.02			
2,4-D, DIMETHYLAMINE SALT	3.42			
DDVP	79.01			
DDVP, OTHER RELATED	5.95			
DELTAMETHRIN	0.03			
DIAZINON	1.82			
DIETHYLENE GLYCOL	25.78			
DIFETHIALONE	0.03			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
VERTEBRATE CONTROL				
DIMETHYL ALKYL TERTIARY AMINES	0.05			
DIMETHYLPOLYSILOXANE	0.57			
DINOTEFURAN	0.59			
DIPHACINONE	7.58			
	0.02	26	1,099.00	A
Total Pounds On This Chemical	7.60			
DIPHACINONE, SODIUM SALT	0.20			
DIQUAT DIBROMIDE	55.94			
DIURON	62.51			
EDTA, TETRASODIUM SALT	< 0.01			
ETHYL ALCOHOL	< 0.01			
FATTY ACIDS, MIXED	46.30			
FIPRONIL	0.68			
FLUDIOXONIL	89.00			
FORMALDEHYDE	3.27			
GLYPHOSATE, ISOPROPYLAMINE SALT	1,431.04			
GLYPHOSATE, POTASSIUM SALT	110.73	3	31.00	A
	95.12			
Total Pounds On This Chemical	205.85			
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	0.97			
IMAZAPYR, ISOPROPYLAMINE SALT	0.04			
IMIDACLOPRID	11.88	3	38.00	A
	2.91			
Total Pounds On This Chemical	14.79			
IPRODIONE	0.21			
ISOXABEN	3.00			
LAMBDA-CYHALOTHRIN	0.14			
LECITHIN	9.07			
MANCOZEB	1,033.80			
MEFENOXAM	3.92			
MEFENOXAM, OTHER RELATED	0.13			
METALDEHYDE	3.61			
METHYLATED SOYBEAN OIL	1.63			
1-METHYLCYCLOPROPENE	< 0.01			
MINERAL OIL	19.44			
MUSCALURE	0.25			
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	103.57			
	1.49	3	31.00	A
Total Pounds On This Chemical	105.06			
NOSEMA LOCUSTAE SPORES	0.01	1	3.00	A
OLEIC ACID, ETHYL ESTER	9.67			
OLEIC ACID, METHYL ESTER	2.91			
OXADIAZON	1.06			
OXYFLUORFEN	29.60			
	19.25	3	38.00	A
Total Pounds On This Chemical	48.84			
PCNB	4.07			
PCP, OTHER RELATED	32.22			
PENTACHLOROPHENOL	223.47			
PETROLEUM DISTILLATES	135.85			
	5.95	3	31.00	A
Total Pounds On This Chemical	141.79			
PHENOTHRIN	0.16			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
VERTEBRATE CONTROL				
ORTHO-PHENYLPHENOL	120.48			
PHOSMET	0.20			
PHOSPHORIC ACID	1.22			
PIPERONYL BUTOXIDE	1.04			
PIPERONYL BUTOXIDE, OTHER RELATED	0.26			
POLYACRYLIC POLYMER	0.11			
POLYBUTENES	217.46			
POLYOXYETHYLENE DIOLEATE	1.69			
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.48			
PROPIONIC ACID	9.07			
PYRETHRINS	0.11			
SODIUM HYPOCHLORITE	6.54			
SODIUM NITRATE	3,214.74			
STRYCHNINE	60.87			
	0.24	7	70.00	A
Total Pounds On This Chemical	61.12			
SULFAQUINOXALINE	0.03			
SULFOMETURON-METHYL	3.13			
SULFUR	190.82			
TETRACHLORVINPHOS	241.08			
TRICLOPYR, BUTOXYETHYL ESTER	0.02			
TRIS (HYDROXYMETHYL) NITROMETHANE	31.09			
TRISODIUM PHOSPHATE	0.47			
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	67.17			
WARFARIN	0.03			
ZINC PHOSPHIDE	135.36			
	36.00	9	492.00	A
Total Pounds On This Chemical	171.36			
Site Total	22,031.64	71		
WALNUT				
ABAMECTIN	2,681.75	3,655	138,238.63	A
	0.51	1	26.00	U
Total Pounds On This Chemical	2,682.26			
ACEPHATE	5.34	1	5.50	A
ACEQUINOCYL	165.22	7	447.50	A
ACETAMIPRID	5,536.81	1,765	49,834.57	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.36	3	49.00	A
ACRYLIC ACID	301.49	57	2,020.64	A
AGROBACTERIUM RADIOBACTER	10.96	16	391.80	A
AGROBACTERIUM RADIOBACTER, STRAIN K1026	0.04	1	75.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	2,395.13	182	6,059.80	A
ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	122.36	206	5,075.46	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	1.03	1	5.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE)	8,610.90	1,915	53,336.32	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY (OXYETHYLENE)	1,505.96	356	9,109.32	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY (OXYETHYLENE)	77.69	3	251.00	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE)	285.25	40	1,353.45	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	93.45	9	201.00	A
ALPHA-ALKYL (SECONDARY C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	13.20	34	938.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	35.44	40	1,353.45	A
ALPHA-PINENE BETA-PINENE COPOLYMER	9,451.93	920	33,291.37	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,751.29	1,165	22,834.64	A
ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT	195.07	99	4,125.92	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	785.39	975	15,646.68	A
ALKYL (C8,C10) POLYGLUCOSIDE	5,866.86	1,397	36,138.89	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX	298.59	37	1,140.91	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	2,205.24	1,467	41,765.22	A
ALMOND, BITTER	< 0.01	1	2.50	A
ALUMINUM PHOSPHIDE	6,171.21	246	7,409.63	A
	6.26		825,000.00	P
Total Pounds On This Chemical	6,177.47			
AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE	1,267.44	536	13,702.70	A
AMINOPYRALID, TRIISOPROPANOLAMINE SALT	154.25	2	80.00	A
AMMONIUM NITRATE	10,280.46	3,052	65,188.20	A
AMMONIUM PROPIONATE	587.45	223	6,551.94	A
AMMONIUM SULFATE	21,007.00	3,390	82,417.34	A
ATRAZINE	22.09	1	25.00	A
ATRAZINE, OTHER RELATED	0.42	1	25.00	A
AZINPHOS-METHYL	266.24	7	260.00	A
AZOXYSTROBIN	144.17	24	884.50	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	408.24	20	635.00	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	36.75	13	249.52	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	354.99	12	728.06	A
BENZOIC ACID	36.24	223	3,786.32	A
BIFENAZATE	7,629.99	508	14,739.15	A
BIFENTHRIN	8,423.10	1,826	64,663.24	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	2,914.93	1,405	48,967.52	A
N,N-BIS-(2-(OMEGA-HYDROXYPOLY(OXYETHYLENE)/POLY (OXYPROPYLENE))ETHYL)ALKYL (C8-C18) AMINE	2,891.00	70	2,110.50	A
BOSCALID	224.37	28	1,203.40	A
BRODIFACOU	< 0.01	1	410.00	A
BROMADIOLONE	< 0.01	3	218.40	A
BUPROFEZIN	8.16	1	32.00	A
2-BUTOXYETHANOL	49.01	212	5,104.46	A
BUTYL ALCOHOL	1,343.37	877	21,920.70	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	31.90	7	113.00	A
CALCIUM CHLORIDE	488.91	279	10,203.24	A
CALCIUM HYDROXIDE	2,727.50	3	154.00	A
CAPSICUM OLEORESIN	0.80	4	85.00	A
CARBARYL	69.60	5	54.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
CARBO METHOXY ETHER CELLULOSE, SODIUM SALT	1.73	34	283.18	A
CARBON	3.06	2	4.00	A
CARFENTRAZONE-ETHYL	237.46	508	11,320.95	A
CASTOR OIL ETHOXYLATE	999.21	301	7,525.61	A
CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES	228.00	10	374.40	A
CHLORANTRANILIPROLE	5,370.98	1,616	60,985.23	A
CHLOROPHACINONE	0.03	32	1,750.50	A
CHLOROPICRIN	29,401.02	118	3,671.05	A
	1,092.30	51	2,753.94	U
	28.25	4	11,300.00	S
Total Pounds On This Chemical	30,521.57			
CHLOROTHALONIL	70.34	2	30.00	A
CHLORPYRIFOS	174,930.72	3,013	97,982.08	A
CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1	9.00	1	10.00	A
CITRIC ACID	7,311.76	1,777	49,948.97	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	28.66	1	5.00	A
CLETHODIM	251.22	97	2,558.87	A
CLOFENTEZINE	1,003.97	84	4,552.84	A
CLOMAZONE	36.00	1	120.00	A
CLOTHIANIDIN	467.16	149	3,906.24	A
COCONUT DIETHANOLAMIDE	979.95	260	8,390.72	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	4.44	25	594.45	A
CODLING MOTH GRANULOSIS VIRUS	0.01	8	108.10	A
COPPER HYDROXIDE	529,701.37	6,675	224,463.17	A
	0.16	3	3.00	U
Total Pounds On This Chemical	529,701.53			
COPPER OXIDE (OUS)	16,209.57	109	3,360.70	A
COPPER OXYCHLORIDE	67,918.89	2,024	72,106.27	A
COPPER SULFATE (BASIC)	29,244.33	187	6,511.69	A
COPPER SULFATE, MONOHYDRATE	60.00	1	8.00	A
COPPER SULFATE (PENTAHYDRATE)	2,747.25	2	134.00	A
CORN PRODUCT, HYDROLYZED	117,180.42	3,676	96,248.58	A
CORN STEEP LIQUOR	74,415.27	739	20,761.00	A
CORN SYRUP	5.03	3	187.45	A
COTTONSEED OIL	161.22	16	406.39	A
CYFLUTHRIN	10.78	15	421.75	A
BETA-CYFLUTHRIN	21.06	217	6,847.87	A
(S)-CYPERMETHRIN	26.99	24	749.00	A
2,4-D	312.40	13	490.00	A
2,4-D, DIETHANOLAMINE SALT	621.95	90	2,497.91	A
2,4-D, DIMETHYLAMINE SALT	13,865.14	662	17,264.20	A
DAZOMET	222.75	6	71.30	A
4-(2,4-DB), DIMETHYLAMINE SALT	0.82	1	5.00	A
ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	1.13	1	15.20	A
DELTAMETHRIN	4.68	10	225.00	A
DERIVATED NATURAL POLYMERS	6.91	34	1,072.09	A
DIAZINON	200.94	2	452.00	A
DICAMBA, SODIUM SALT	1.07	1	45.00	A
1,3-DICHLOROPROPENE	458,794.70	67	1,387.34	A
DICOFOL	196.95	5	172.00	A
DIETHYLENE GLYCOL	2,489.53	604	17,133.50	A
DIFENOCONAZOLE	13.69	7	121.00	A
DIFLUBENZURON	1,011.43	96	4,431.85	A
DIMETHYL ALKYL TERTIARY AMINES	39.50	223	3,786.32	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
3,7-DIMETHYL-6-OCTEN-1-OL	1.91	4	121.00	A
DIMETHYLPOLYSILOXANE	4,022.82	5,752	174,717.30	A
	0.03	1	26.00	U
Total Pounds On This Chemical	4,022.86			
DIMETHYL SILICONE FLUID EMULSION	22.65	81	2,483.30	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE	1.80	2	22.45	A
DIOCTYL PHTHALATE	46.73	22	851.85	A
DIPHACINONE	0.31	222	8,071.75	A
DIURON	26,225.72	656	15,420.57	A
E,E-8,10-DODECADIEN-1-OL	228.49	226	6,698.86	A
	< 0.01	2	2.00	U
Total Pounds On This Chemical	228.50			
DODECYLBENZENE SULFONIC ACID	404.27	161	4,264.80	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	29.58	30	778.49	A
EDTA, SODIUM SALT	0.90	24	953.60	A
EDTA, TETRASODIUM SALT	24.88	161	4,264.80	A
EMAMECTIN BENZOATE	29.35	45	2,109.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	269.58	35	687.28	A
EPTC	167.75	2	55.00	A
ESFENVALERATE	1,695.06	1,020	28,855.12	A
ETHEPHON	61,351.23	1,504	70,556.48	A
ETHYLENE GLYCOL	899.24	77	2,113.50	A
ETOXAZOLE	920.73	242	7,736.94	A
FARNESOL	0.77	4	121.00	A
FATTY ACIDS, METHYL ESTERS	8.78	1	8.20	A
FATTY ACIDS, MIXED	1,364.02	574	15,764.98	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	9,060.38	437	14,433.36	A
FATTY ACIDS DERIVED FROM TALLOW	701.77	1,165	22,834.64	A
FENBUTATIN-OXIDE	518.65	22	524.40	A
FENPROPATHRIN	45.14	12	135.50	A
FENPYROXIMATE	590.56	76	4,689.60	A
FENUGREEK	0.11	1	2.50	A
FERROUS SULFATE	23.11	25	594.45	A
FLUAZIFOP-P-BUTYL	10.74	3	29.78	A
FLUBENDIAMIDE	1,340.99	347	11,482.22	A
FLUMIOXAZIN	2,590.77	565	11,934.46	A
FOSETYL-AL	1.10	3	0.90	A
GAMMA AMINOBUTYRIC ACID	0.73	1	10.00	A
GAMMA-CYHALOTHRIN	7.02	7	630.10	A
GERANIOL	1.91	4	121.00	A
GLUFOSINATE-AMMONIUM	16,057.40	1,287	22,961.27	A
GLUTAMIC ACID	0.73	1	10.00	A
GLYCEROL	666.03	300	6,064.72	A
GLYPHOSATE, DIAMMONIUM SALT	36.31	4	78.00	A
GLYPHOSATE, DIMETHYLAMINE SALT	2.56		1.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	186,065.21	5,766	139,989.30	A
	4.00	1	2,000.00	S
Total Pounds On This Chemical	186,069.22			
GLYPHOSATE, POTASSIUM SALT	167,294.87	3,706	109,268.23	A
HALOSULFURON-METHYL	49.78	77	1,511.40	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	272.51	125	3,535.80	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	462.62	1,133	27,050.62	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
HEXYTHIAZOX	3,650.91	589	24,332.73	A
HYDROTREATED PARAFFINIC SOLVENT	2,605.10	137	4,415.97	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	15,644.19	2,675	79,773.57	A
IMIDACLOPRID	4,081.69	1,377	48,854.65	A
INDAZIFLAM	552.40	447	9,924.94	A
IPRODIONE	15.72	1	32.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	60.00	25	440.80	A
ISOPARAFFINIC HYDROCARBONS	6.43	3	6.33	A
ISOPROPYL ALCOHOL	4,193.46	2,158	59,580.53	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	108.70	450	12,467.57	A
ISOXABEN	487.18	37	868.50	A
KAOLIN	662,272.06	629	22,625.49	A
KEROSENE	49.94	129	1,845.44	A
LAMBDA-CYHALOTHRIN	2,732.95	1,423	59,514.42	A
LAURIC ACID	177.33	99	4,125.92	A
LAURYL ALCOHOL	5.14	3	147.50	A
	< 0.01	2	2.00	U
Total Pounds On This Chemical	5.14			
LECITHIN	4,308.83	560	14,738.41	A
LIMONENE	1,004.67	212	5,104.46	A
MAGNESIUM PHOSPHIDE	217.43		12,648.91	T
	7.65		612,000.00	P
	0.24		2.00	U
Total Pounds On This Chemical	225.32			
MALATHION	18,797.12	317	8,023.05	A
MANCOZEB	308,391.70	5,295	179,911.40	A
MANGANESE SULFATE	33.82	38	739.45	A
MCPA, DIMETHYLAMINE SALT	24.92	1	30.00	A
MEFENOXAM	131.20	20	729.60	A
MEFENOXAM, OTHER RELATED	0.07	3	64.40	A
META-CRESOL	0.45	5	703.00	A
METAM-SODIUM	152.40	1	3.00	A
METCONAZOLE	147.33	14	581.20	A
METHIDATHION	1,062.24	18	537.25	A
S-METHOPRENE	2.63	8	430.00	A
METHOXYFENOZIDE	7,895.74	829	29,199.65	A
METHYLATED FATTY ACIDS FROM CANOLA OIL	42.49	1	7.00	A
METHYLATED SILICA	0.13	3	187.45	A
METHYLATED SOYBEAN OIL	49,388.02	2,873	81,610.50	A
METHYL BROMIDE	42,869.36	117	3,842.68	A
	5,061.26	49	2,497,961.00	U
	361.30		546,024.00	C
	174.00		58.00	K
	160.30		503,123.00	P
	84.75	4	11,300.00	S
	69.09		174.80	T
Total Pounds On This Chemical	48,780.06			
METHYL CELLULOSE	46.08	22	851.85	A
METHYL PARATHION	25,191.29	391	15,156.55	A
METHYL PARATHION, OTHER RELATED	1,325.86	391	15,156.55	A
METHYL SILICONE RESINS	4,905.63	608	24,834.17	A
MEVINPHOS	3.00	1	2.50	A
MEVINPHOS, OTHER RELATED	1.99	1	2.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
MINERAL OIL	231,335.61	2,449	75,107.55	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	3,381.51	193	6,195.22	A
MOLASSES	4,467.15	15	554.00	A
MORPHOLINE	20.21	22	851.85	A
MYRISTYL ALCOHOL	1.04	3	147.50	A
	< 0.01	2	2.00	U
Total Pounds On This Chemical	1.04			
MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255	1,450.86	29	288.75	A
NALED	1,517.35	33	1,128.00	A
NEROLIDOL	1.91	4	121.00	A
NICOSULFURON	2.11	1	10.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	4,751.67	963	28,939.27	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	50,364.35	8,386	218,642.18	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	499.66	196	4,723.47	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	5,961.73	461	15,293.48	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	1,005.42	168	4,590.90	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	7.11	62	1,940.80	A
NORFLURAZON	1,668.59	55	995.69	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	4.50	8	89.70	A
OIL OF JOJOBA	18.45	1	38.00	A
OLEIC ACID	114.41	51	1,770.17	A
OLEIC ACID, METHYL ESTER	31,074.88	1,878	51,565.30	A
ORCHEX 796 OIL	169.81	12	138.65	A
ORGANO/MODIFIED POLYSILOXANE	20.89	975	15,646.68	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	89.32	44	2,113.49	A
ORYZALIN	43,648.78	980	20,372.10	A
OXYFLUORFEN	42,496.94	5,320	145,026.78	A
PAECILOMYCES LILACINUS STRAIN 251	3.60	2	15.00	A
PARAQUAT DICHLORIDE	46,277.10	2,114	48,258.57	A
PENDIMETHALIN	54,373.14	1,086	25,569.18	A
PENOXSULAM	142.43	314	6,426.42	A
PERMETHRIN	7,338.09	533	28,530.39	A
PETROLEUM DISTILLATES	4,230.91	281	5,112.11	A
PETROLEUM DISTILLATES, AROMATIC	2.51	1	35.00	A
PETROLEUM DISTILLATES, REFINED	108.37	4	56.80	A
PETROLEUM OIL, PARAFFIN BASED	17,712.96	628	16,829.28	A
PETROLEUM OIL, UNCLASSIFIED	116,090.58	395	14,715.16	A
	0.36	3	3.00	U
Total Pounds On This Chemical	116,090.94			
PHOSMET	20,290.24	102	4,952.00	A
PHOSPHINE	381.98		631,280.00	U
	192.81		159,271.60	T
	8.94		3,200.00	P
	5.44		320.00	A
Total Pounds On This Chemical	589.16			
PHOSPHORIC ACID	4,550.49	1,715	42,440.41	A
PHOSPHORUS	0.25	1	2.00	A
BETA-PINENE POLYMER	6,536.15	39	2,310.80	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	145.02	219	5,662.14	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
POLYACRYLAMIDE POLYMER	76.60	352	7,457.88	A
POLYACRYLIC POLYMER	74.39	238	5,706.43	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	1,685.84	1,143	38,858.46	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	8.73	6	172.93	A
POLYBUTENES	1,617.92	437	14,433.36	A
POLYETHER MODIFIED POLYSILOXANE	4,876.06	620	21,154.44	A
POLYETHOXYLATED CASTOR OIL	216.14	230	8,107.63	A
POLYETHYLENE GLYCOL	8,051.79	1,093	29,775.95	A
POLYETHYLENE GLYCOL DIACETATE	200.48	1,467	41,765.22	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	4,142.11	728	31,614.20	A
	2.02	1	26.00	U
Total Pounds On This Chemical	4,144.13			
POLY-I-PARA-MENTHENE	1,896.16	208	4,841.92	A
POLYMERIZED ACRYLIC ACID	44.29	24	833.00	A
POLYMERIZED PINENE	195.71	21	695.00	A
POLYOXYETHYLENE DIOLEATE	1.86	44	2,113.49	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	248.57	42	958.58	A
POLYOXYETHYLENE POLYOXYPROPYLENE	5,470.53	741	30,958.27	A
POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER	1,478.84	375	9,334.45	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	209.43	71	992.33	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	227.62	62	1,940.80	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	238.77	238	7,363.11	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	1,571.29	239	7,378.31	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	7,683.39	308	7,690.61	A
POLYPROPYLENE GLYCOL	5.08	49	1,650.76	A
POLYSACCHARIDE POLYMER	0.12	5	51.00	A
POLYSILOXANE	82.75	72	2,173.88	A
POTASSIUM HYDROXIDE	217.16	339	11,886.34	A
POTASSIUM NITRATE	1,403.05	307	11,161.63	A
POTASSIUM PHOSPHITE	468.10	17	483.50	A
PROPARGITE	49,425.97	613	20,644.87	A
PROPICONAZOLE	11.13	6	100.00	A
PROPIONIC ACID	2,148.77	146	3,940.59	A
PROPYLENE GLYCOL	2,548.63	1,013	39,731.30	A
	1.03	1	26.00	U
Total Pounds On This Chemical	2,549.66			
PROPYLENE GLYCOL, METHYL ETHER	4.16	2	187.00	A
PROPYLENE OXIDE	12,995.00		1,267,024.00	U
	5,883.00		880.69	T
	2,351.71		660,950.00	P
	656.00		74.25	K
Total Pounds On This Chemical	21,885.71			
PYRACLOSTROBIN	113.96	28	1,203.40	A
PYRAFLUFEN-ETHYL	11.59	144	3,470.51	A
PYRETHRINS	0.16	1	6.00	A
PYRIDABEN	9.29	1	30.00	A
PYRIPROXYFEN	765.67	266	9,476.24	A
QUILLAJA	3.16	33	280.68	A
REYNOUTRIA SACHALINENSIS	1,077.99	300	9,114.23	A
RIMSULFURON	364.60	424	10,542.86	A
SAFLUFENACIL	1,521.11	1,825	44,980.36	A
SAWDUST	0.28	1	2.00	A
SETHOXYDIM	1,632.12	282	5,899.31	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
SILICONE	140.09	488	12,392.35	A
SILICONE DEFOAMER	15.80	336	7,884.30	A
SIMAZINE	35,804.91	782	19,951.35	A
SODIUM BICARBONATE	8.26	4	119.40	A
SODIUM CHLORITE	22.80	6	44.50	A
SODIUM DIISOCTYLSULFOSUCCINATE	6.16	22	851.85	A
SODIUM DIOCTYLSULFOSUCCINATE	27.46	12	429.00	A
SODIUM HYDROXIDE	418.05	361	7,516.22	A
SODIUM NITRATE	6.62	2	4.00	A
SODIUM POLYACRYLATE	12.47	199	5,718.94	A
SODIUM XYLENE SULFONATE	124.39	161	4,264.80	A
SORBITAN FATTY ACID ESTERS	49.79	62	1,940.80	A
SORBITAN TRIOLEATE	0.56	1	15.20	A
SOYBEAN OIL	1.35	3	0.99	A
SPINETORAM	795.45	321	10,949.63	A
SPINOSAD	165.04	375	9,718.30	A
SPIRODICLOFEN	2,726.95	226	7,857.89	A
SPIROTETRAMAT	212.16	490	13,965.42	A
STREPTOMYCES LYDICUS WYEC 108	0.04	11	246.00	A
STRYCHNINE	257.96	124	3,149.48	A
STYRENE BUTADIENE COPOLYMER	349.07	33	1,988.00	A
SUCROSE OCTANOATE	0.34	2	1.00	A
SUGAR	0.18	1	2.50	A
SULFUR	194.45	4	82.30	A
SULFURIC ACID	38.82	42	1,205.81	A
SULFURYL FLUORIDE	5,561.02		1,237,786.00	U
	4,879.22		1,402,904.25	C
	2,361.27		705.00	K
	1,291.41		106,616.45	T
	813.57		993,904.00	P
	13.43	1	23.00	A
Total Pounds On This Chemical	14,919.92			
SYNTHETIC VEGETABLE GUMS	6.80	2	51.00	A
TALL OIL	1,239.73	525	14,076.72	A
TALL OIL FATTY ACIDS	2,405.27	2,557	73,386.19	A
TEBUCONAZOLE	2.63	2	28.00	A
TEBUFENOZIDE	2.63	2	10.50	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	919.55	211	6,046.90	A
TETRAPOTASSIUM PYROPHOSPHATE	62.19	161	4,264.80	A
THIAZOPYR	7.47	1	2.30	A
TRICLOPYR, BUTOXYETHYL ESTER	11.06	2	19.75	A
TRIETHANOLAMINE	158.60	161	4,264.80	A
TRIFLOXYSTROBIN	12.24	4	107.00	A
TRIFLURALIN	639.93	15	793.76	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	3,505.95	586	27,183.10	A
	3.77	1	26.00	U
Total Pounds On This Chemical	3,509.72			
TRISODIUM PHOSPHATE	103.65	78	2,008.75	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2,769.90	450	14,493.69	A
UREA	5,731.70	1,002	16,261.68	A
UREA DIHYDROGEN SULFATE	7.54	6	92.50	A
VANILLIN	0.02	1	2.50	A
VEGETABLE OIL	417.86	4	146.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WALNUT				
VINYL POLYMER	29.06	82	3,630.55	A
XANTHAN GUM	0.19	19	603.00	A
2,4-XYLENOL	0.45	5	703.00	A
ZINC PHOSPHIDE	23.42	8	462.40	A
ZINC SULFATE	100.89	42	1,074.45	A
ZIRAM	29.07	1	51.00	A
Site Total	4,200,788.43	97,010		
WATER (INDUSTRIAL)				
ACID BLUE 9, DIAMMONIUM SALT	0.41		2.00	A
ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE	4,444.27		14.00	U
ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE	7.21		5.00	U
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	7.21		5.00	U
ALKYL(42%C12, 26%C18, 15%C14, 8%C16, 5%C10, 4%C8)1,3-PROPYLENEDIAMINE	29,460.35		18.00	U
BROMINE CHLORIDE	2,236.84		24.00	U
1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN	22,999.94		1,247.00	U
	4,087.78		741.00	A
Total Pounds On This Chemical	27,087.72			
BRONOPOL	1,934.25		8.00	A
CALCIUM CARBONATE	211,298.98		186,816.34	T
	16,466.74		16,346.00	K
	2,744.00		2,335.00	U
Total Pounds On This Chemical	230,509.73			
CALCIUM HYPOCHLORITE	9,979.00		89.00	U
CHLORINE	682,209.26		6,279,826.80	T
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE	2,660.39		1,635.00	U
	475.60		752.00	A
Total Pounds On This Chemical	3,136.00			
COPPER ETHANOLAMINE COMPLEXES, MIXED	11.21		4.00	U
	8.66		5.00	A
Total Pounds On This Chemical	19.87			
COPPER SULFATE (PENTAHYDRATE)	148.50		1.30	K
	85.69		7.00	A
	58.13		15.00	U
Total Pounds On This Chemical	292.33			
1,3-DIBROMO-5,5-DIMETHYLHYDANTOIN			1.00	A
2,2-DIBROMO-3-NITRILOPROPIONAMIDE	17,383.25		42.00	U
	23.54		4.00	A
Total Pounds On This Chemical	17,406.80			
1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN	4,434.91		1,025.00	U
	1,995.36		741.00	A
Total Pounds On This Chemical	6,430.28			
1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN	2,199.47		1,025.00	U
	918.24		741.00	A
Total Pounds On This Chemical	3,117.72			
5,5-DIMETHYLHYDANTOIN	1,438.26		1.00	U
DIOCTYL DIMETHYL AMMONIUM CHLORIDE	17,756.02		117.00	U
	39.52		2.00	A
Total Pounds On This Chemical	17,795.54			
GLUTARALDEHYDE	163,016.13		2,047.00	U

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical		Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATER (INDUSTRIAL)					
		15,250.56		1,129.50	A
		249.83		1.00	C
Total Pounds On This Chemical	178,516.52				
HYDROGEN PEROXIDE		829.81		6,755.00	T
		56.14		117.00	K
		53.00		6,681.00	U
Total Pounds On This Chemical	938.96				
1-(2-HYDROXYETHYL)-2-ALKYL-2-IMIDAZOLINE, ALKYL DERIVED FROM TALL OIL FATTY ACIDS		487.50		16.00	U
2-METHYL-4-ISOTHIAZOLIN-3-ONE		948.38		1,635.00	U
		170.39		752.00	A
Total Pounds On This Chemical	1,118.77				
NABAM		11,726.14		13.00	U
		1,758.92		4.00	A
Total Pounds On This Chemical	13,485.06				
PEROXYACETIC ACID		221.24		6,755.00	T
		36.14		6,681.00	U
		12.94		117.00	K
Total Pounds On This Chemical	270.32				
POLY(OXYETHYLENE) (DIMETHYLIMINO) ETHYLENE (DIMETHYLIMINO) ETHYLENE DICHLORIDE		2,479.23		127.00	U
		441.07		60.00	A
		26.24		304,920.00	C
Total Pounds On This Chemical	2,946.54				
SODIUM BROMIDE		414,707.66		2,692.00	U
		5,115.65		1,060.00	A
Total Pounds On This Chemical	419,823.31				
SODIUM CARBONATE PEROXYHYDRATE		1,870.00		36,696.00	T
SODIUM CHLORITE		37.44		1.00	U
		24.96		1.00	A
Total Pounds On This Chemical	62.40				
SODIUM DICHLORO-S-TRIAZINETRIONE		7,343.05		175.00	U
		575.17		75.00	A
Total Pounds On This Chemical	7,918.22				
SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE		4,563.90		123.00	U
SODIUM DIMETHYL DITHIO CARBAMATE		11,726.14		13.00	U
		1,758.92		4.00	A
Total Pounds On This Chemical	13,485.06				
SODIUM HYPOCHLORITE		364,204.77		419,335.00	T
		24,830.05		3,110.40	U
		4,560.32		1,267.20	A
		173.18		6,981.60	K
Total Pounds On This Chemical	393,768.31				
TARTRAZINE		0.04		2.00	A
TERBUTHYLAZINE		176.11		22.00	U
		1.51		9.00	A
Total Pounds On This Chemical	177.62				
TETRAKIS (HYDROXYMETHYL) PHOSPHONIUM SULFATE		33,329.98		9.00	U
TRICHLORO-S-TRIAZINETRIONE		2,436.53		37.00	U
		92.90		1.00	A
Total Pounds On This Chemical	2,529.43				
VINYL POLYMER		318.79		1.00	A
		318.79		1.00	U
Total Pounds On This Chemical	637.57				

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATER (INDUSTRIAL)				
Site Total	2,113,442.55			
WATER AREA				
ACID BLUE 9, DIAMMONIUM SALT	891.86	2	788.02	A
	391.48		479,160.00	C
	8.72		16.00	K
Total Pounds On This Chemical	1,292.06			
ACROLEIN	3,241.41	8	315.00	U
	1,420.98		650.00	C
	1,022.77	8	56.00	A
Total Pounds On This Chemical	5,685.16			
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.02	1	1.00	A
ALKYL (C8,C10) POLYGLUCOSIDE	31.19	1	60.00	A
ALUMINUM PHOSPHIDE	0.30	1	0.50	A
AMMONIUM SULFATE	5.79	1	5.00	A
BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362	235.28	2	231.00	A
BACILLUS THURINGIENSIS (BERLINER)	3.00		3.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAESENSIS, SEROTYPE H-14	134.06	2	535.70	A
BACILLUS THURINGIENSIS, SUBSP. ISRAESENSIS, STRAIN AM 65-52	144.20	7	515.00	A
BENZOIC ACID	0.86	3	140.00	A
BUTYL ALCOHOL	13.76	4	150.00	A
	1.48		412.00	C
Total Pounds On This Chemical	15.24			
CALCIUM HYPOCHLORITE	91,555.20			
	87,699.60		81.00	U
Total Pounds On This Chemical	179,254.80			
CARFENTHAZONE-ETHYL CHLORINE	0.03	1	10.00	A
	359,792.00		24,097.00	A
	306,483.88		6.00	U
Total Pounds On This Chemical	666,275.88			
COCONUT DIETHANOLAMIDE	0.02	2	6.00	A
COPPER	4.72		1.50	A
COPPER CARBONATE, BASIC	10,290.76	18	3,150.68	A
	1,408.44		1,642.00	U
	460.59		1,240.00	C
Total Pounds On This Chemical	12,159.79			
COPPER ETHANOLAMINE COMPLEXES, MIXED	4,353.05	5	1,824.26	A
	8.43		26,040.00	S
	0.03		412.00	C
Total Pounds On This Chemical	4,361.52			
COPPER ETHYLENEDIAMINE COMPLEX	3,960.37	1	279.13	A
	567.17		181.40	U
	93.23		1,517.00	K
	9.69		21,800.00	S
Total Pounds On This Chemical	4,630.46			
COPPER SULFATE (BASIC)	170.66		15.00	A
COPPER SULFATE (PENTAHYDRATE)	125,913.66	69	19,057.99	A
	34,075.59	7	17,202.00	U
	3,218.06		38,334.80	C
	148.50		10.00	K
Total Pounds On This Chemical	163,355.82			
COPPER TRIETHANOLAMINE COMPLEX	1,304.03	1	134.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATER AREA				
	640.22		181.40	U
Total Pounds On This Chemical	1,944.25			
2,4-D, DIMETHYLAMINE SALT	69.77		15.50	A
2,4-D, 2-ETHYLHEXYL ESTER	1.16	1	10.00	A
1,3-DIBROMO-5,5-DIMETHYLHYDANTOIN	1.96		1.00	U
2,2-DIBROMO-3-NITRILOPROPIONAMIDE	5,377.43		2.00	U
	101.82		1.00	A
Total Pounds On This Chemical	5,479.25			
DICAMBA	0.07	1	10.00	A
DIETHYLENE GLYCOL	99.60		2,432.42	A
DIFLUBENZURON	0.44	1	10.00	A
DIMETHYL ALKYL TERTIARY AMINES	0.94	3	140.00	A
DIMETHYLPOLYSILOXANE	2.37	4	2,582.42	A
	0.02		412.00	C
Total Pounds On This Chemical	2.39			
DIPHACINONE	< 0.01	1	10.00	A
DIQUAT DIBROMIDE	4,010.31	39	1,288.78	A
	119.33		412.00	C
	18.65		1,300.00	K
	8.40		23,040.00	S
	3.73	1	6.00	?
Total Pounds On This Chemical	4,160.41			
DODECYLBENZENE SULFONIC ACID	0.10	2	6.00	A
EDTA, TETRASODIUM SALT	< 0.01	2	6.00	A
ENDOTHALL, DIPOTASSIUM SALT	3,518.78		27,531.45	A
	2,009.48		375.00	C
Total Pounds On This Chemical	5,528.25			
ENDOTHALL, MONO [N,N-DIMETHYL ALKYLAMINE] SALT	7,138.71		221.50	A
ETHYLENE GLYCOL	2.42	1	2.00	A
FATTY ACIDS, MIXED	177.81	28	2,445.12	A
FLURIDONE	1,226.50	1	5,719.78	A
	3.00		1,300.00	K
	0.08		1.15	U
Total Pounds On This Chemical	1,229.57			
GLUTARALDEHYDE	62.76		1.00	U
GLYPHOSATE, ISOPROPYLAMINE SALT	6,462.16	20	23,166.41	A
	12.26		72,383.00	S
Total Pounds On This Chemical	6,474.43			
GLYPHOSATE, POTASSIUM SALT	74.50	2	32.00	A
IMAZAPYR, ISOPROPYLAMINE SALT	606.18	1	145.00	A
	4.26		45,975.00	S
	0.28		1,200.00	C
Total Pounds On This Chemical	610.71			
ISOPROPYL ALCOHOL	0.47	3	8.00	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.68		31.58	A
KEROSENE	0.24	2	10.00	A
LECITHIN	23.68	30	78.20	A
MECOPROP-P	0.24	1	10.00	A
METHYLATED SOYBEAN OIL	39.82	5	205.50	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	386.93	33	2,597.12	A
	13.33		412.00	C
Total Pounds On This Chemical	400.26			
PACLOBUTRAZOL	0.75	1	10.00	A
PENOXUSLAM	0.72		2.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATER AREA				
PETROLEUM OIL, PARAFFIN BASED	110.05		31.58	A
PHENOTHRIN	1.77	5	500.00	A
PHOSPHORIC ACID	0.02	2	6.00	A
PIPERONYL BUTOXIDE	1.41	5	500.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.35	5	500.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	2.70		31.58	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	17.81		31.58	A
PROPIONIC ACID	9.74	28	12.70	A
SILICONE DEFOAMER	< 0.01	2	6.00	A
SODIUM CARBONATE PEROXYHYDRATE	17,365.71	1	350.35	A
	11,560.00		2,866,248.00	C
Total Pounds On This Chemical	28,925.71			
SODIUM HYPOCHLORITE	1,202.83		46.60	A
SODIUM XYLENE SULFONATE	0.03	2	6.00	A
TARTRAZINE	90.21	2	788.02	A
	39.60		479,160.00	C
	0.88		16.00	K
Total Pounds On This Chemical	130.69			
TEBUTHIURON	25.60	1	16.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.11	2	6.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.02	2	6.00	A
TRICLOPYR, TRIETHYLAMINE SALT	4,336.10	1	206.78	A
TRIETHANOLAMINE	0.04	2	6.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	266.49	2	2,497.92	A
Site Total	1,106,318.70	248		
WATER FILTER				
ACROLEIN	710.49		240.00	C
COPPER SULFATE (PENTAHYDRATE)	231.21		85.77	C
2,2-DIBROMO-3-NITRILOPROPIONAMIDE	10.00		1.00	A
SODIUM HYPOCHLORITE	175.68		41.00	A
	6.31		400,015.00	U
Total Pounds On This Chemical	182.00			
Site Total	1,133.69			
WATERCRESS				
ACETAMIPRID	17.33	27	99.00	A
BACILLUS PUMILUS, STRAIN QST 2808	5.14	22	48.32	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	41.26	26	47.39	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	0.48	1	2.00	A
COCONUT DIETHANOLAMIDE	< 0.01	4	1.00	A
CYPRODINIL	0.45	3	0.75	A
DODECYLBENZENE SULFONIC ACID	0.03	4	1.00	A
EDTA, TETRASODIUM SALT	< 0.01	4	1.00	A
FLONICAMID	0.06	2	0.50	A
FLUDIOXONIL	0.30	3	0.75	A
IMIDACLOPRID	26.74	32	160.08	A
ISOPROPYL ALCOHOL	< 0.01	4	1.00	A
MALATHION	250.77	28	133.48	A
MANDIPROPAMID	0.03	1	0.25	A
PHOSPHORIC ACID	< 0.01	4	1.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATERCRESS				
PIPERONYL BUTOXIDE	0.79	1	5.00	A
PIPERONYL BUTOXIDE, OTHER RELATED	0.20	1	5.00	A
PYRETHRINS	0.10	1	5.00	A
REYNOUTRIA SACHALINENSIS	1.28	6	5.90	A
SILICONE DEFOAMER	< 0.01	4	1.00	A
SODIUM XYLENE SULFONATE	< 0.01	4	1.00	A
SPINOSAD	1.06	6	13.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	0.04	4	1.00	A
TETRAPOTASSIUM PYROPHOSPHATE	< 0.01	4	1.00	A
TRIETHANOLAMINE	0.01	4	1.00	A
Site Total	346.11	159		
WATERMELON				
ABAMECTIN	288.09	592	20,558.46	A
ACETAMIPRID	583.15	179	5,746.59	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	0.23	1	78.00	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	133.46	12	556.60	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	33.11	15	533.48	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.26	1	7.00	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	0.03	1	7.00	A
ALPHA-PINENE BETA-PINENE COPOLYMER	198.70	25	824.29	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5.87	3	78.50	A
ALKYL (C8,C10) POLYGLUCOSIDE	26.09	17	1,072.50	A
ALUMINUM PHOSPHIDE	0.63	4	111.50	A
AMMONIUM NITRATE	1.29	1	8.50	A
AMMONIUM SULFATE	79.82	2	168.50	A
AZADIRACTIN	4.22	8	149.41	A
	< 0.01	2	3,480.00	S
Total Pounds On This Chemical	4.22			
AZOXYSTROBIN	440.31	60	2,413.99	A
	< 0.01		140.90	P
Total Pounds On This Chemical	440.32			
BACILLUS PUMILUS, STRAIN QST 2808	0.21	1	10.64	A
BACILLUS THURINGIENSIS (BERLINER)	< 0.01	1	2,400.00	S
BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN	44.00	2	44.00	A
BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857	403.36	17	376.45	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES	11.93	1	11.05	A
BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1	5.67	2	110.00	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	315.54	15	521.18	A
BENSULIDE	1,007.38	15	249.90	A
BENZOIC ACID	0.31	11	45.12	A
BIFENAZATE	348.51	19	773.54	A
BIFENTHRIN	796.37	281	8,198.20	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW	174.86	152	4,685.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATERMELON				
BOSCALID	931.04	77	3,618.80	A
BUPROFEZIN	100.73	11	349.95	A
BUTYL ALCOHOL	14.65	45	875.33	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE	14.29	4	175.79	A
CALCIUM CHLORIDE	3.73	14	495.50	A
CARBARYL	202.14	13	356.52	A
CARBOXIN	0.30		415.00	P
CARFENTRAZONE-ETHYL	38.23	37	1,904.54	A
CASTOR OIL ETHOXYLATE	0.21	2	4.00	A
CHENOPODIUM AMBROSIODES NEAR AMBROSIODES	18.25	10	18.40	A
CHLORANTRANILIPROLE	323.46	130	4,714.16	A
CHLOROPICRIN	88,010.54	26	1,123.07	A
CHLOROTHALONIL	135.36	19	148.96	A
CITRIC ACID	10.42	15	502.50	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	113.41	7	138.36	A
CLETHODIM	290.70	26	749.14	A
CLOTHIANIDIN	31.82	7	456.00	A
COCONUT DIETHANOLAMIDE	3.36	29	473.60	A
COPPER HYDROXIDE	139.63	9	331.60	A
COPPER OXYCHLORIDE	0.18	3	0.60	A
COPPER SULFATE (BASIC)	99.54	1	70.00	A
CRYOLITE	5,090.41	6	360.79	A
CYAZOFAMID	1.86	6	29.96	A
CYFLUTHRIN	0.37	2	8.85	A
CYMOXANIL	8.75	1	70.00	A
(S)-CYPERMETHRIN	35.56	22	778.20	A
CYPRODINIL	16.65	1	51.00	A
DIAZINON	924.28	36	461.06	A
1,3-DICHLOROPROPENE	49,250.37	9	516.07	A
DIETHYLENE GLYCOL	115.15	65	3,013.75	A
DIFENOCONAZOLE	118.92	31	995.53	A
DIMETHOATE	157.12	6	239.00	A
DIMETHOMORPH	2.11	14	89.54	A
DIMETHYL ALKYL TERTIARY AMINES	0.34	11	45.12	A
DIMETHYLPOLYSILOXANE	191.50	157	6,602.43	A
DIMETHYL SILICONE FLUID EMULSION	10.21	15	689.80	A
DINOTEFURAN	39.90	4	228.50	A
DIOCTYL PHTHALATE	1.16	5	58.00	A
DIPHACINONE	< 0.01	5	25.00	A
DODECYLBENZENE SULFONIC ACID	14.54	29	473.60	A
EDTA, TETRASODIUM SALT	0.89	29	473.60	A
ENDOSULFAN	124.63	2	149.50	A
ESFENVALERATE	16.33	9	370.70	A
ETHALFLURALIN	758.15	10	441.75	A
ETHYLENE GLYCOL	11.18	1	37.00	A
ETOXAZOLE	113.44	21	1,039.00	A
FAMOXADONE	8.75	1	70.00	A
FATTY ACIDS, MIXED	188.85	59	2,728.15	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	621.46	127	3,860.91	A
FATTY ACIDS DERIVED FROM TALLOW	2.35	3	78.50	A
FENPROPATHRIN	46.77	2	149.50	A
FENPYROXIMATE	113.50	24	997.10	A
FLONICAMID	44.97	28	526.75	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATERMELON				
FLUBENDIAMIDE	56.67	30	1,062.60	A
FLUDIOXONIL	14.25	4	66.40	A
	< 0.01		140.90	P
Total Pounds On This Chemical	14.25			
FLUMIOXAZIN	20.40	1	160.00	A
FLUOPYRAM	6,477.66	40	1,497.40	A
GLYPHOSATE, ISOPROPYLAMINE SALT	2,583.99	45	2,249.18	A
GLYPHOSATE, POTASSIUM SALT	1,740.53	17	787.44	A
HALOSULFURON-METHYL	8.17	6	400.00	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	57.57	26	1,365.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.28	21	1,105.00	A
HYDROGEN PEROXIDE	13.54		605.00	P
HYDROTREATED PARAFFINIC SOLVENT	172.73	7	147.24	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	40.30	40	951.20	A
IMIDACLOPRID	1,772.00	138	6,196.02	A
INDOXACARB	607.16	162	6,068.55	A
ISODECYL ALCOHOL	4.79	4	196.00	A
ISOPROPYL ALCOHOL	62.36	86	2,502.50	A
KAOLIN	99.37	16	20.33	A
KEROSENE	0.17	1	6.50	A
KRESOXIM-METHYL	18.81	10	171.33	A
LAMBDA-CYHALOTHRIN	91.20	76	1,902.42	A
LECITHIN	410.80	36	2,179.40	A
MANCOZEB	483.38	10	273.50	A
MEFENOXAM	1,467.33	81	3,812.31	A
	< 0.01		136.82	P
Total Pounds On This Chemical	1,467.34			
MEFENOXAM, OTHER RELATED	< 0.01	1	93.38	A
METAM-SODIUM	101,662.56	15	1,059.00	A
METHOMYL	4,702.74	172	5,919.75	A
METHOXYFENOZIDE	1,938.79	295	11,818.56	A
METHYLATED SOYBEAN OIL	1,267.75	93	4,244.90	A
METHYL CELLULOSE	1.14	5	58.00	A
METHYL SILICONE RESINS	27.91	21	748.10	A
MINERAL OIL	113.48	28	857.54	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	10.92	1	70.00	A
MORPHOLINE	0.50	5	58.00	A
MYCLOBUTANIL	565.48	123	4,919.26	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	213.27	136	3,963.99	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,339.72	259	10,591.06	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	5.58	5	45.24	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	1,445.73	19	1,000.00	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	1.74	8	28.08	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.35	2	135.00	A
OLEIC ACID	1.62	5	58.00	A
OLEIC ACID, METHYL ESTER	515.68	67	2,381.20	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	20.99	14	672.00	A
OXAMYL	0.27	1	0.37	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATERMELON				
PARAQUAT DICHLORIDE	657.28	9	583.00	A
PERMETHRIN	3.13	1	25.00	A
PEROXYACETIC ACID	18.37		605.00	P
PETROLEUM OIL, PARAFFIN BASED	164.74	7	525.00	A
PHOSPHORIC ACID	28.05	70	1,768.10	A
POLYACRYLAMIDE POLYMER	0.86	1	147.00	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	29.81	26	1,184.28	A
POLYBUTENES	110.97	127	3,860.91	A
POLYETHER MODIFIED POLYSILOXANE	162.08	20	908.00	A
POLYETHOXYLATED CASTOR OIL	13.79	17	1,032.00	A
POLYETHYLENE GLYCOL	210.47	19	815.70	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	3.65	2	62.00	A
POLY-I-PARA-MENTHENE	41.29	5	119.00	A
POLYOXYETHYLENE DIOLEATE	0.44	14	672.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	4.18	2	15.00	A
POLYOXYETHYLENE POLYOXYPROPYLENE	19.69	6	186.15	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	332.73	3	375.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	11.33	2	135.00	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	63.91	6	177.00	A
POLYSILOXANE	0.94	16	1,064.00	A
POTASH SOAP	1.46	3	0.72	A
POTASSIUM BICARBONATE	59.45	1	29.00	A
POTASSIUM HYDROXIDE	27.40	16	1,064.00	A
POTASSIUM N-METHYLDITHIOCARBAMATE	48,591.33	16	656.96	A
PROPAMOCARB HYDROCHLORIDE	5.98	1	10.00	A
PROPIONIC ACID	292.70	33	1,981.40	A
PROPYLENE GLYCOL	7.92	10	606.00	A
PYMETROZINE	15.15	16	174.84	A
	< 0.01	1	2,400.00	S
Total Pounds On This Chemical	15.16			
PYRACLOSTROBIN	527.00	89	3,885.57	A
PYRETHRINS	5.40	7	138.36	A
PYRIPROXYFEN	20.73	4	188.51	A
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	21.86	7	342.00	A
QUINOXYFEN	620.49	148	5,783.02	A
REYNOUTRIA SACHALINENSIS	18.54	9	171.04	A
SETHOXYDIM	52.83	6	201.00	A
SILICONE DEFOAMER	0.39	30	482.10	A
SODIUM DIISOOCTYLSULFOSUCCINATE	0.15	5	58.00	A
SODIUM XYLENE SULFONATE	4.47	29	473.60	A
SORBITAN FATTY ACID ESTERS	2.48	2	135.00	A
SPINETORAM	177.25	81	3,670.52	A
SPINOSAD	30.51	16	245.71	A
	< 0.01	1	1,080.00	S
Total Pounds On This Chemical	30.51			
SPIROMESIFEN	291.98	69	2,379.50	A
STREPTOMYCES LYDICUS WYEC 108	< 0.01	2	6.00	A
SULFUR	118,338.71	311	12,477.38	A
TALL OIL	12.10	4	106.00	A
TALL OIL FATTY ACIDS	28.82	62	2,600.53	A
TEBUCONAZOLE	92.50	23	812.40	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE)	25.09	32	583.60	A
TETRAPOTASSIUM PYROPHOSPHATE	2.24	29	473.60	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WATERMELON				
THIAMETHOXAM	66.44	20	638.93	A
	0.16		9.52	P
Total Pounds On This Chemical	66.59			
THIOPHANATE-METHYL	959.27	49	2,259.00	A
THIRAM	263.57		187,185.78	P
	5.56		3,954.71	U
Total Pounds On This Chemical	269.13			
TRIETHANOLAMINE	5.95	31	575.60	A
TRIFLOXYSTROBIN	6,410.47	22	1,090.00	A
TRIFLUMIZOLE	623.64	55	2,540.10	A
TRIFLURALIN	177.57	15	350.40	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE)	70.36	26	1,365.00	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	550.99	58	2,819.75	A
UREA DIHYDROGEN SULFATE	4.97	3	110.00	A
VEGETABLE OIL	319.21	3	212.00	A
Site Total	464,067.32	4,575		
WHEAT				
ABAMECTIN	0.56	2	25.50	A
ACETAMIPRID	4.43	1	44.00	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	11.34	31	1,714.20	A
ACRYLIC ACID	3.89	1	80.00	A
ALCOHOLS, C4-C12, NORMAL	0.88	8	476.90	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,558.58	90	8,807.42	A
ALKYL (60%C14, 30%C16, 5%C12, 5%C18)				
DIMETHYLBENZYL AMMONIUM CHLORIDE	0.10	1	64.00	A
ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE	0.10	1	64.00	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	687.00	148	11,347.80	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	413.44	51	4,165.20	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	120.26	52	1,766.09	A
ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	107.84	106	5,822.50	A
ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	13.40	106	5,822.50	A
ALPHA-ALKYL (C12-C18)-OMEGA-HYDROXYPOLY(OXYETHYLENE) POLY(OXYPROPYLENE)	8.39	3	203.70	A
ALPHA-PINENE BETA-PINENE COPOLYMER	62.31	2	292.00	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,313.30	267	19,881.71	A
ALPHA-ALKYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	90.08	4	297.00	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	62.19	23	1,079.64	A
ALKYL (C8,C10) POLYGLUCOSIDE	2,817.10	269	16,142.29	A
ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY(OXYETHYLENE) - IODINE COMPLEX	23.86	1	155.00	A
ALLYLOXYPOLYETHYLENE GLYCOL ACETATE	4.12	4	337.05	A
ALUMINUM PHOSPHIDE	94.04		9,205.40	T
	25.03		11,357.00	U
	21.73		99.63	K
	3.66	3	350.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT				
	2.50		2,265,000.00	P
Total Pounds On This Chemical	146.95			
AMMONIUM NITRATE	1,376.06	243	15,802.33	A
AMMONIUM PROPIONATE	227.95	15	1,387.50	A
AMMONIUM SULFATE	5,908.48	445	30,356.33	A
AZOXYSTROBIN	2,502.15	318	22,628.37	A
BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11	58.13	7	702.00	A
BENZOIC ACID	163.68	443	25,573.39	A
N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	1,030.21	172	11,210.50	A
BROMOXYNIL HEPTANOATE	6,838.32	417	21,177.40	A
BROMOXYNIL OCTANOATE	29,538.72	1,019	58,101.73	A
BUTYL ALCOHOL	359.21	409	19,058.27	A
ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) PHOSPHATE	120.90	29	1,871.60	A
CALCIUM CHLORIDE	3.86	6	387.90	A
CARFENTHAZONE-ETHYL	856.53	1,080	62,679.20	A
CASTOR OIL ETHOXYLATE	48.76	39	2,683.60	A
CHLOROTHALONIL	37.45	1	8.00	A
CHLORPYRIFOS	2,599.81	74	5,484.00	A
CHLORSULFURON	14.39	14	1,231.50	A
CITRIC ACID	778.06	293	20,357.63	A
CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL	368.73	3	375.00	A
CLETHODIM	107.25	8	670.50	A
COCONUT DIETHANOLAMIDE	0.12	1	146.00	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	0.08	6	125.00	A
CORN SYRUP	372.82	63	3,259.00	A
COTTONSEED OIL	78.33	8	476.90	A
CYFLUTHRIN	5.92	1	152.00	A
BETA-CYFLUTHRIN	7.09	4	181.00	A
(S)-CYPERMETHRIN	173.21	42	3,612.00	A
2,4-D	222.77	20	1,096.00	A
2,4-D, BUTOXYETHANOL ESTER	141.35	10	494.00	A
2,4-D, DIETHANOLAMINE SALT	138.38	1	73.00	A
2,4-D, DIMETHYLAMINE SALT	40,962.53	812	45,518.12	A
2,4-D, 2-ETHYLHEXYL ESTER	1,403.91	32	1,762.80	A
4-(2,4-DB), DIMETHYLAMINE SALT	81.34	2	185.10	A
ALPHA-DECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE	1.48	1	70.00	A
DERIVATED NATURAL POLYMERS	10.21	58	2,528.18	A
DICAMBA	0.40	1	20.00	A
DICAMBA, DIMETHYLAMINE SALT	2,227.27	301	17,925.39	A
DIETHYLENE GLYCOL	1,256.26	527	33,205.22	A
DIFENOCONAZOLE	180.91		3,027.00	T
	35.73		598,000.00	P
	12.43		129.00	K
Total Pounds On This Chemical	229.06			
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	6,358.36	428	34,830.53	A
DIMETHOATE	5,569.18	201	15,645.13	A
DIMETHYL ALKYL TERTIARY AMINES	178.00	442	25,513.39	A
DIMETHYLPOLYSILOXANE	124.58	1,553	94,433.77	A
ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA- HYDROXPOLYOXY(ETHYLENE) PHOSPHATE	78.73	24	2,316.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT				
DIOCTYL PHTHALATE	46.09	11	733.10	A
DIPHACINONE	0.31	4	500.00	A
DIPROPYLENE GLYCOL METHYL ETHER	3.17	13	495.00	A
DIURON	71.22	2	71.20	A
DODECYLBENZENE SULFONIC ACID	0.52	1	146.00	A
ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	5.89	1	55.00	A
EDTA, SODIUM SALT	0.25	7	354.10	A
EDTA, TETRASODIUM SALT	0.03	1	146.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	808.51	6	789.30	A
ETHALFLURALIN	67.82	1	40.00	A
ETHEPHON	113.24	1	86.50	A
ETHYLENE GLYCOL	572.66	108	4,358.90	A
ETHYLENE GLYCOL MONOMETHYL ETHER	2.71	3	19.00	A
FATTY ACIDS, METHYL ESTERS	2.68	1	5.00	A
FATTY ACIDS, MIXED	1,263.67	750	67,041.61	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	2,046.29	143	8,296.80	A
FATTY ACIDS DERIVED FROM TALLOW	525.42	267	19,881.71	A
FENOXAPROP-P-ETHYL	558.70	60	2,415.60	A
FERROUS SULFATE	0.44	6	125.00	A
FLUBENDIAMIDE	7.54	2	90.39	A
FLUMIOXAZIN	1.19	1	25.00	A
FLUROXYPYR, 1-METHYLHEPTYL ESTER	0.57	1	20.00	A
GLYCEROL	59.36	17	1,101.90	A
GLYPHOSATE, ISOPROPYLAMINE SALT	8,507.22	102	6,476.20	A
GLYPHOSATE, POTASSIUM SALT	21,091.85	191	15,701.21	A
HEPTAMETHYLTRISILOXANE ETHOXYLATED	6.28	6	278.00	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	13.22	42	4,073.80	A
HYDROTREATED PARAFFINIC SOLVENT	8,494.36	104	6,476.82	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	26.91	10	716.49	A
IMAZAMOX, AMMONIUM SALT	5.38	3	200.10	A
IMAZETHAPYR, AMMONIUM SALT	9.16	2	185.10	A
IMIDACLOPRID	0.19	1	8.00	A
INDOXACARB	11.12	3	129.50	A
ISODECYL ALCOHOL	5.11	2	176.00	A
ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE	14.61	6	278.00	A
ISOCTYL PHTHALATE	2.75	3	19.00	A
ISOPARAFFINIC HYDROCARBONS	63.88	1	145.50	A
ISOPROPYL ALCOHOL	2,411.70	870	54,351.73	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	3.55	28	1,257.17	A
KEROSENE	305.16	409	23,445.89	A
LAMBDA-CYHALOTHRIN	266.78	144	9,303.18	A
LECITHIN	1,259.99	115	12,343.18	A
MALATHION	7,663.71	85	6,730.39	A
MANCOZEB	15.00	1	10.00	A
MANGANESE SULFATE	0.60	6	125.00	A
MCPA, DIMETHYLAMINE SALT	69,079.57	1,756	115,234.25	A
MEFENOXAM	45.17		3,027.00	T
	8.92		598,000.00	P
	3.10		129.00	K
Total Pounds On This Chemical	57.19			

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT				
MEPIQUAT CHLORIDE	2.56	2	101.50	A
MESOSULFURON-METHYL	952.12	1,120	69,372.63	A
METALAXYL	36.60		1,845,060.00	P
METAM-SODIUM	4,233.31	1	25.00	A
METCONAZOLE	674.35	174	15,247.93	A
METHOMYL	746.10	12	1,658.00	A
METHYLATED SILICA	18.80	63	3,259.00	A
METHYLATED SOYBEAN OIL	11,515.35	631	40,371.67	A
METHYL CELLULOSE	45.45	11	733.10	A
METHYL SILICONE RESINS	4.64	4	235.70	A
S-METOLACHLOR	85.76	1	60.00	A
METRIBUZIN	1.99	1	8.00	A
MINERAL OIL	8,756.20	115	8,870.20	A
MODIFIED PHTHALIC GLYCEROL ALKYD RESIN	15.51	7	354.10	A
MORPHOLINE	21.12	14	752.10	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	1,304.29	498	42,203.48	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	18,694.07	2,852	192,424.87	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	20.39	17	759.60	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	2,481.40	140	9,803.87	A
NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX	11.01	7	798.10	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.93	5	252.70	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1.47	2	153.00	A
OLEIC ACID	672.14	76	5,346.40	A
OLEIC ACID, METHYL ESTER	1,990.61	40	2,578.44	A
ORCHEX 796 OIL	4,193.73	58	4,086.80	A
ORGANO/MODIFIED POLYSILOXANE	1.65	23	1,079.64	A
ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER	16.11	4	404.00	A
OXYFLUORFEN	158.82	20	1,690.02	A
PARAQUAT DICHLORIDE	2,296.63	20	3,037.50	A
PENDIMETHALIN	5,662.57	67	4,492.59	A
PETROLEUM DISTILLATES	114.48	6	432.00	A
PETROLEUM DISTILLATES, ALIPHATIC	2,667.28	39	2,536.00	A
PETROLEUM NAPHTHENIC OILS	6.46	7	652.00	A
PETROLEUM OIL, PARAFFIN BASED	5,085.16	258	16,732.81	A
PETROLEUM OIL, UNCLASSIFIED	60.58	1	17.50	A
PHOSPHORIC ACID	896.64	270	18,365.24	A
PINOXADEN	3,782.72	471	38,068.02	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	327.20	565	49,965.78	A
POLYACRYLAMIDE POLYMER	161.24	398	36,959.07	A
POLYACRYLIC POLYMER	19.47	58	3,355.48	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	113.64	115	7,978.70	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	189.61	4	681.30	A
POLYBUTENES	365.41	143	8,296.80	A
POLYETHER MODIFIED POLYSILOXANE	1.92	2	108.00	A
POLYETHOXYLATED CASTOR OIL	6.00	2	148.00	A
POLYETHYLENE GLYCOL	3,590.62	423	27,401.78	A
POLYETHYLENE GLYCOL DIACETATE	0.37	4	337.05	A
POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER	25.83	11	446.00	A
POLY-I-PARA-MENTHENE	117.83	6	413.50	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT				
POLYOXYETHYLENE DIOLEATE	0.34	4	404.00	A
POLYOXYETHYLENE MIXED FATTY ACID ESTER	42.24	18	1,515.10	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	17,492.58	198	13,241.22	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	29.60	5	252.70	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	14.20	28	1,257.17	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	94.75	29	1,327.17	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	365.68	39	2,683.60	A
POLYSACCHARIDE POLYMER	8.30	206	21,375.25	A
POLYSILOXANE	120.30	65	3,572.18	A
POTASSIUM HYDROXIDE	10.70	24	1,666.19	A
POTASSIUM NITRATE	75.06	20	1,120.19	A
PROPICONAZOLE	3,625.35	436	35,747.80	A
PROPIONIC ACID	639.94	77	9,413.50	A
PROPYLENE GLYCOL	377.79	149	7,394.45	A
PROPYLENE GLYCOL, METHYL ETHER	1.50	2	155.00	A
PROTHIOCONAZOLE	10.09	1	150.00	A
PYRACLOSTROBIN	2,552.17	288	26,022.42	A
PYRAFLUFEN-ETHYL	22.66	286	14,137.06	A
PYRIPROXYFEN	0.18	1	17.50	A
REYNOUTRIA SACHALINENSIS	15.82	1	146.00	A
RIMSULFURON	0.78	1	25.00	A
SETHOXYDIM	4.60	1	17.50	A
SILICONE DEFOAMER	0.12	3	254.00	A
SODIUM CHLORATE	155.03	1	26.00	A
SODIUM DIISOOCTYLSULFOSUCCINATE	6.44	14	752.10	A
SODIUM HYDROXIDE	36.07	32	1,719.30	A
SODIUM HYPOCHLORITE	0.16	1	50.00	?
SODIUM POLYACRYLATE	5.70	15	1,387.50	A
SODIUM XYLENE SULFONATE	0.16	1	146.00	A
SORBITAN FATTY ACID ESTERS	6.48	5	252.70	A
SORBITAN TRIOLEATE	0.74	1	70.00	A
SOYBEAN FATTY ACIDS, DIMETHYLAMINE SALT	0.34	1	60.00	A
SPINETORAM	12.04	2	296.00	A
STYRENE BUTADIENE COPOLYMER	6.74	7	338.10	A
SULFUR	24,986.73	31	1,409.28	A
SULFURIC ACID	2.73	1	155.00	A
TALL OIL	1,016.08	213	12,505.45	A
TALL OIL FATTY ACIDS	803.41	230	15,019.47	A
TEBUCONAZOLE	27.45		1,845,060.00	P
	18.91	4	758.00	A
Total Pounds On This Chemical	46.36			
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	176.98	15	1,488.10	A
TETRAPOTASSIUM PYROPHOSPHATE	0.08	1	146.00	A
THIRAM	86.72		190,890.00	P
TRIBENURON-METHYL	1,479.20	1,432	95,727.22	A
TRIETHANOLAMINE	18.48	91	5,928.17	A
TRIFLOXYSTROBIN	226.05	34	3,169.00	A
TRIFLURALIN	1,295.03	11	863.20	A
ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE)	0.22	1	40.00	A
TRISODIUM PHOSPHATE	1.64	3	213.40	A
ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	1,760.21	343	25,571.86	A
UREA	447.06	25	1,397.64	A
VEGETABLE OIL	572.06	14	1,024.20	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT				
VINYL POLYMER	246.46	630	37,241.81	A
ZINC SULFATE	31.64	24	2,211.90	A
Site Total	386,563.71	17,239		
WHEAT (FORAGE - FODDER)				
ABAMECTIN	0.55	1	37.00	A
ACETAMIPRID	3.76	2	45.30	A
ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER	24.57	56	2,710.69	A
ALCOHOLS, C4-C12, NORMAL	0.18	6	182.49	A
ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	2,359.31	248	14,616.50	A
ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	89.92	16	1,285.63	A
ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	64.84	10	307.00	A
ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	24.74	2	399.50	A
ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1,225.65	378	22,580.51	A
ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	1.41	3	143.60	A
ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE	26.09	14	705.80	A
ALKYL (C8,C10) POLYGLUCOSIDE	681.61	264	13,645.49	A
ALUMINUM PHOSPHIDE	4.54	3	160.00	A
AMMONIUM NITRATE	572.07	281	14,390.42	A
AMMONIUM PROPIONATE	22.16	4	348.00	A
AMMONIUM SULFATE	1,564.21	424	23,933.40	A
AZOXYSTROBIN	217.88	25	1,683.30	A
BENZOIC ACID	60.58	195	11,125.79	A
N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS	331.93	113	6,335.50	A
BROMOXYNIL HEPTANOATE	1,246.58	92	4,167.70	A
BROMOXYNIL OCTANOATE	1,538.93	101	4,639.70	A
2-BUTOXYETHANOL	1.42	3	143.60	A
BUTYL ALCOHOL	239.03	227	12,440.76	A
CALCIUM CHLORIDE	36.35	44	3,047.91	A
CANOLA OIL	2.77	6	779.60	A
CARFENTRAZONE-ETHYL	1,624.09	2,412	131,509.42	A
CASTOR OIL ETHOXYLATE	10.65	19	1,270.00	A
CHLORANTRANILIPROLE	2.07	2	45.30	A
CHLOROPHACINONE	< 0.01	5	105.00	A
CHLORPYRIFOS	7,423.65	235	16,028.36	A
CITRIC ACID	362.64	193	12,755.19	A
CLETHODIM	75.48	5	516.30	A
COCONUT DIETHANOLAMIDE	0.38	2	117.00	A
COCONUT IMIDAZOLINE SODIUM CARBOXYLATE	2.52	15	1,961.00	A
CORN SYRUP	5.82	1	93.50	A
COTTONSEED OIL	16.32	6	182.49	A
2,4-D	662.31	30	2,148.40	A
2,4-D, DIMETHYLAMINE SALT	4,649.42	124	5,478.70	A
2,4-D, 2-ETHYLHEXYL ESTER	126.79	4	128.00	A
4-(2,4-DB), DIMETHYLAMINE SALT	183.76	2	314.00	A
DERIVATED NATURAL POLYMERS	3.49	32	1,826.70	A
DICAMBA, DIMETHYLAMINE SALT	1,670.19	238	11,981.40	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT (FORAGE - FODDER)				
DIETHYLENE GLYCOL	553.07	230	12,597.48	A
DIFENOCONAZOLE	11.09		186,000.00	P
DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID	4,530.41	435	25,244.82	A
DIMETHOATE	2,165.64	106	5,677.84	A
DIMETHYL ALKYL TERTIARY AMINES	65.97	195	11,125.79	A
DIMETHYLPOLYSILOXANE	33.71	1,564	84,459.18	A
DIOCTYL PHTHALATE	3.40	1	65.00	A
DIPHACINONE	0.12	6	278.00	A
	< 0.01	7	77,000.00	S
Total Pounds On This Chemical	0.12			
DIPROPYLENE GLYCOL METHYL ETHER	0.64	1	100.00	A
DODECYLBENZENE SULFONIC ACID	1.67	2	117.00	A
DODECYLBENZENE SULFONIC ACID, CALCIUM SALT	1.38	6	779.60	A
EDTA, TETRASODIUM SALT	0.10	2	117.00	A
EMULSIFIABLE METHYLATED VEGETABLE OIL	5.93	2	78.00	A
ETHYLENE GLYCOL	1,217.74	146	9,276.67	A
FATTY ACIDS, MIXED	419.23	827	41,264.92	A
FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS	1,385.50	119	7,115.10	A
FATTY ACIDS DERIVED FROM TALLOW	490.30	378	22,580.51	A
FENOXAPROP-P-ETHYL	2,156.50	86	4,532.50	A
FERROUS SULFATE	13.12	15	1,961.00	A
GLUFOSINATE-AMMONIUM	102.17	2	246.00	A
GLYCEROL	2.45	1	65.00	A
GLYPHOSATE, ISOPROPYLAMINE SALT	1,263.48	27	1,171.00	A
GLYPHOSATE, POTASSIUM SALT	7,067.82	80	5,023.83	A
HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED	1.48	2	315.00	A
HEXYTHIAZOX	9.73	2	87.00	A
HYDROTREATED PARAFFINIC SOLVENT	78.77	4	127.00	A
2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE	30.50	38	2,261.62	A
IMAZAMOX, AMMONIUM SALT	16.13	2	450.00	A
IMAZETHAPYR, AMMONIUM SALT	24.45	3	480.00	A
IMIDACLOPRID	< 0.01	1	18.00	A
ISOPROPYL ALCOHOL	1,571.88	1,111	62,328.67	A
ISOPROPYLAMINE DODECYLBENZENE SULFONATE	0.04	1	30.00	A
KEROSENE	116.19	193	11,024.79	A
LAMBDA-CYHALOTHRIN	10.97	8	423.44	A
LECITHIN	347.52	76	4,331.80	A
MALATHION	2,019.38	16	1,764.00	A
MANGANESE SULFATE	18.16	15	1,961.00	A
MCPA, DIMETHYLAMINE SALT	60,365.62	1,833	103,761.21	A
MEFENOXAM	2.77		186,000.00	P
MESOSULFURON-METHYL	84.83	135	7,033.24	A
METCONAZOLE	100.20	37	2,294.10	A
METHYLATED SILICA	0.29	1	93.50	A
METHYLATED SOYBEAN OIL	3,663.51	252	15,034.00	A
METHYL CELLULOSE	3.35	1	65.00	A
MINERAL OIL	915.55	33	2,547.00	A
MORPHOLINE	1.47	1	65.00	A
4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED	879.54	724	36,447.88	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE)	9,544.76	2,707	146,905.30	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED	16.22	29	1,034.10	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT (FORAGE - FODDER)				
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER	70.13	12	798.55	A
ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT	0.59	3	227.00	A
ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE)	47.95	8	679.00	A
OLEIC ACID	15.74	24	755.00	A
OLEIC ACID, METHYL ESTER	514.31	50	2,657.25	A
ORGANO/MODIFIED POLYSILOXANE	0.69	14	705.80	A
OXYFLUORFEN	2.15	1	4.63	A
PARAQUAT DICHLORIDE	392.37	16	658.80	A
PENDIMETHALIN	1,781.18	32	1,567.45	A
PETROLEUM DISTILLATES	160.90	9	611.00	A
PETROLEUM DISTILLATES, ALIPHATIC	1.43	43	2,281.69	A
PETROLEUM NAPHTHENIC OILS	16.69	43	2,281.69	A
PETROLEUM OIL, PARAFFIN BASED	284.99	7	517.82	A
PHOSPHORIC ACID	485.66	231	14,976.38	A
PINOXADEN	3,139.28	1,005	58,638.11	A
POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE	191.24	449	31,154.76	A
POLYACRYLAMIDE POLYMER	160.10	591	29,575.94	A
POLYACRYLIC POLYMER	2.07	11	955.20	A
POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE	13.24	25	1,847.30	A
POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE	1.45	2	78.00	A
POLYBUTENES	221.29	113	6,335.50	A
POLYETHYLENE GLYCOL	1,232.44	512	28,556.99	A
POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER	25.68	1	166.00	A
POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS	18.82	3	227.00	A
POLYOXYETHYLENE SORBITAN MONOOLEATE	0.15	1	30.00	A
POLYOXYETHYLENE SORBITAN TRIOLEATE	4.21	7	809.60	A
POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER	79.84	19	1,270.00	A
POLYSACCHARIDE POLYMER	2.83	110	5,634.10	A
POLYSILOXANE	40.13	32	1,826.70	A
POTASSIUM HYDROXIDE	0.15	2	157.00	A
POTASSIUM NITRATE	1.43	2	157.00	A
PROPICONAZOLE	1,231.61	91	5,515.38	A
PROPIONIC ACID	194.62	60	3,588.30	A
PROPYLENE GLYCOL	1,090.23	330	17,666.26	A
PROPYLENE GLYCOL, METHYL ETHER	11.81	5	122.00	A
PYRACLOSTROBIN	162.49	37	2,294.10	A
PYRAFLUFEN-ETHYL	72.96	791	44,626.91	A
SILICONE DEFOAMER	0.04	2	117.00	A
SODIUM DIISOCTYLSULFOSUCCINATE	0.45	1	65.00	A
SODIUM HYDROXIDE	1.46	2	83.00	A
SODIUM POLYACRYLATE	0.55	4	348.00	A
SODIUM TRIPOLYPHOSPHATE	1.46	3	143.60	A
SODIUM XYLENE SULFONATE	0.51	2	117.00	A
SORBITAN FATTY ACID ESTERS	4.12	3	227.00	A
TALL OIL	80.46	141	6,288.60	A
TALL OIL FATTY ACIDS	118.58	43	2,637.92	A
TEBUCONAZOLE	0.58	1	40.00	A
ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE)	105.34	20	685.00	A
TETRAPOTASSIUM PYROPHOSPHATE	0.26	2	117.00	A
TRIBENURON-METHYL	1,856.61	2,420	136,269.95	A
TRIETHANOLAMINE	0.65	2	117.00	A
TRIFLOXYSTROBIN	2.47	1	32.00	A

Department of Pesticide Regulation
2012 Annual Statewide Pesticide Use Report
Indexed by Commodity

Commodity Chemical	Pounds Applied	Agricultural Applications	Amount Treated	Unit Type
WHEAT (FORAGE - FODDER)				
TRIFLURALIN	199.49	4	287.20	A
TRISODIUM PHOSPHATE	< 0.01	1	0.70	A
ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE)	360.91	136	6,889.63	A
UREA	197.33	15	730.80	A
VINYL POLYMER	89.41	296	21,419.43	A
XANTHAN GUM	0.02	21	688.50	A
ZINC PHOSPHIDE	1.80	1	30.00	A
ZINC SULFATE	43.96	43	3,415.00	A
Site Total	143,214.73	15,774		
YAM				
METHYL BROMIDE	18.00		1.00	U
QST 713 STRAIN OF DRIED BACILLUS SUBTILIS	5.06	2	44.40	A
Site Total	23.06	2		
Statewide Total	185,941,354.60	2,590,562		