Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| **ALFALFA** | | | | |
| ABAMECTIN | 62.91 | 90 | 6,533.90 | A |
| ACEPHATE | 12,628.69 | 176 | 12,977.80 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 1.92 | 4 | 285.00 | A |
| ACRYLIC ACID | 159.01 | 92 | 8,575.50 | A |
| ALCOHOLS, C4-C12, NORMAL | 4.97 | 27 | 1,218.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,581.49 | 177 | 12,248.20 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 371.92 | 92 | 5,748.20 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 290.24 | 20 | 1,572.40 | A |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 23.43 | 15 | 640.00 | A |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.91 | 15 | 640.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 432.11 | 18 | 1,405.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 193.06 | 66 | 3,642.70 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 690.19 | 100 | 4,819.23 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 570.14 | 20 | 2,541.00 | A |
| ALMOND, BITTER | < 0.01 | 1 | 65.00 | A |
| ALUMINUM PHOSPHIDE | 0.04 | 1 | 4.00 | A |
| AMMONIUM NITRATE | 331.38 | 80 | 3,502.60 | A |
| AMMONIUM PROPIONATE | 101.93 | 22 | 1,485.00 | A |
| AMMONIUM SULFATE | 3,781.62 | 255 | 15,287.60 | A |
| AZADIRACHTIN | 0.31 | 1 | 49.00 | A |
| AZOXYSTROBIN | 2.08 | 1 | 10.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 329.54 | 10 | 1,220.50 | A |
| BENEFIN | 366.60 | 3 | 305.50 | A |
| BENZOIC ACID | 38.52 | 112 | 7,738.40 | A |
| BIFENTHRIN | 380.28 | 71 | 3,829.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 213.73 | 76 | 6,587.63 | A |
| BROMOXYNIL HEPTANOATE | 214.14 | 7 | 868.00 | A |
| BROMOXYNIL OCTANOATE | 335.55 | 11 | 1,111.00 | A |
| BUTYL ALCOHOL | 357.43 | 222 | 14,610.40 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 284.72 | 47 | 2,225.47 | A |
| CALCIUM CHLORIDE | 190.57 | 171 | 10,683.90 | A |
| CARBO METHOXY ETHER CELLULOSE, SODIUM SALT | 1.58 | 1 | 65.00 | A |
| CARFENTRAZONE-ETHYL | 1.61 | 1 | 73.00 | A |
| CASTOR OIL ETHOXYLATE | 1.17 | 2 | 57.00 | A |
| CHLORANTRANILIPROLE | 620.04 | 252 | 17,861.40 | A |
| CHLORPYRIFOS | 32,184.78 | 714 | 47,228.71 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 63.48 | 4 | 138.80 | A |
| CITRIC ACID | 1,257.30 | 406 | 24,979.41 | A |
| CLETHODIM | 1,445.87 | 78 | 6,411.70 | A |
| COCONUT DIETHANOLAMIDE | 12.21 | 102 | 4,099.30 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 29.12 | 172 | 17,050.50 | A |
| COTTONSEED OIL | 14,635.99 | 154 | 9,832.60 | A |
| CYFLUTHRIN | 191.31 | 47 | 4,233.60 | A |
| BETA-CYFLUTHRIN | 154.93 | 98 | 5,603.70 | A |
| (S)-CYPERMETHRIN | 641.86 | 186 | 13,147.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 158.80 | 1 | 69.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| 4-(2,4-DB), DIMETHYLAMINE SALT | 924.83 | 9 | 1,165.80 | A |
| DICAMBA, SODIUM SALT | 26.59 | 1 | 96.70 | A |
| DICROTOPHOS | 4.73 | 1 | 23.00 | A |
| DIETHYLENE GLYCOL | 502.94 | 146 | 11,719.88 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 277.92 | 7 | 1,006.00 | A |
| DIMETHOATE | 19,887.04 | 589 | 41,199.27 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 41.99 | 112 | 7,738.40 | A |
| DIMETHYLPOLYSILOXANE | 109.48 | 1,183 | 78,970.56 | A |
| DIPHACINONE | < 0.01 | 9 | 51.50 | A |
| DIPROPYLENE GLYCOL METHYL ETHER | 1.83 | 5 | 252.40 | A |
| DIQUAT DIBROMIDE | 4,774.81 | 84 | 6,480.90 | A |
| DIURON | 1,191.10 | 11 | 739.00 | A |
| DODECYLBENZENE SULFONIC ACID | 52.91 | 102 | 4,099.30 | A |
| EDTA, TETRASODIUM SALT | 3.26 | 102 | 4,099.30 | A |
| ETHYLENE GLYCOL | 104.16 | 18 | 722.00 | A |
| ETOXAZOLE | 11.25 | 1 | 100.00 | A |
| FATTY ACIDS, MIXED | 1,475.70 | 402 | 29,123.97 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 195.13 | 12 | 916.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 77.22 | 66 | 3,642.70 | A |
| FENUGREEK | 0.95 | 1 | 65.00 | A |
| FERROUS SULFATE | 151.41 | 172 | 17,050.50 | A |
| FLONICAMID | 1,076.27 | 176 | 12,240.80 | A |
| FLUBENDIAMIDE | 1,660.49 | 331 | 20,371.79 | A |
| FLUMIOXAZIN | 1,032.53 | 130 | 8,536.60 | A |
| FORMETANATE HYDROCHLORIDE | 2,841.88 | 56 | 3,316.00 | A |
| GAMMA-CYHALOTHRIN | 0.99 | 1 | 82.00 | A |
| GLYCEROL | 11.22 | 26 | 1,725.63 | A |
| GLYPHOSATE, DIMETHYLAMINE SALT | 26.56 | | 12.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 5,124.92 | 49 | 2,747.70 | A |
| GLYPHOSATE, POTASSIUM SALT | 40,506.56 | 360 | 22,431.58 | A |
| HALOSULFURON-METHYL | 10.40 | 4 | 189.70 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 29.94 | 8 | 851.93 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 15.86 | 5 | 277.40 | A |
| HEXAZINONE | 467.71 | 17 | 914.56 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 1,447.12 | 36 | 1,753.00 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 3.77 | 3 | 63.00 | A |
| IMAZAMOX, AMMONIUM SALT | 174.97 | 51 | 4,238.53 | A |
| IMAZETHAPYR, AMMONIUM SALT | 242.61 | 45 | 4,045.80 | A |
| INDOXACARB | 1,704.85 | 257 | 17,510.05 | A |
| ISOPROPYL ALCOHOL | 3,563.81 | 557 | 34,775.80 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 4.48 | 19 | 1,553.00 | A |
| KEROSENE | 51.36 | 76 | 5,626.40 | A |
| LAMBDA-CYHALOTHRIN | 903.72 | 445 | 30,477.91 | A |
| LECITHIN | 1,718.64 | 176 | 12,597.18 | A |
| MAGNESIUM SULFATE | 3.41 | 5 | 700.00 | A |
| MALATHION | 21,389.82 | 205 | 16,559.30 | A |
| MALIC ACID | 0.14 | 1 | 140.00 | A |
| MANGANESE SULFATE | 210.13 | 173 | 17,079.50 | A |
| METHOMYL | 10,374.25 | 176 | 13,205.03 | A |
| METHOXYFENOZIDE | 279.74 | 23 | 1,542.00 | A |
| METHYLATED SOYBEAN OIL | 5,883.43 | 229 | 15,697.00 | A |
| METHYL ESTERS OF COTTONSEED OIL | 20.41 | 2 | 73.00 | A |
| MINERAL OIL | 2,436.29 | 73 | 4,747.50 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 6.99 | 8 | 36.96 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| NALED | 12,030.62 | 170 | 11,162.80 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 259.96 | 165 | 10,666.60 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 9,686.29 | 1,302 | 84,551.86 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 169.27 | 168 | 9,529.95 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 1,295.76 | 146 | 12,123.30 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | 0.07 | 2 | 65.00 | A |
| NOVALURON | 589.40 | 105 | 7,456.90 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3.26 | 6 | 840.00 | A |
| OIL OF JOJOBA | 11.33 | 1 | 28.00 | A |
| OLEIC ACID | 47.90 | 14 | 557.00 | A |
| OLEIC ACID, ETHYL ESTER | 4.81 | 1 | 64.00 | A |
| OLEIC ACID, METHYL ESTER | 2,119.86 | 47 | 3,424.33 | A |
| ORCHEX 796 OIL | 323.94 | 13 | 407.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 65.97 | 8 | 1,320.00 | A |
| OXYFLUORFEN | 94.31 | 2 | 188.00 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 16.40 | 1 | 82.00 | A |
| PARAQUAT DICHLORIDE | 4,718.43 | 215 | 14,914.20 | A |
| PENDIMETHALIN | 44,145.07 | 241 | 16,216.18 | A |
| PERMETHRIN | 145.38 | 15 | 729.00 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | 0.10 | 2 | 185.00 | A |
| PETROLEUM NAPHTHENIC OILS | 1.11 | 2 | 185.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 900.48 | 24 | 1,822.30 | A |
| PHOSMET | 214.20 | 3 | 306.00 | A |
| PHOSPHORIC ACID | 3,051.64 | 974 | 71,477.15 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 31.29 | 49 | 6,342.08 | A |
| POLYACRYLAMIDE POLYMER | 9.35 | 22 | 1,444.80 | A |
| POLYACRYLIC POLYMER | 9.48 | 30 | 2,310.90 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 4.82 | 8 | 378.00 | A |
| POLYBUTENES | 34.84 | 12 | 916.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 1.67 | 1 | 49.00 | A |
| POLYETHYLENE GLYCOL | 1,377.28 | 294 | 15,244.90 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 11.96 | 10 | 516.00 | A |
| POLYOXYETHYLENE DIOLEATE | 2.22 | 9 | 1,384.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 4.18 | 1 | 49.00 | A |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | 15.61 | 2 | 99.00 | A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | 2.13 | 2 | 65.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 18.16 | 20 | 1,617.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 117.82 | 19 | 1,553.00 | A |
| POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER | 8.79 | 2 | 57.00 | A |
| POLYSACCHARIDE POLYMER | 0.05 | 1 | 178.00 | A |
| POTASSIUM HYDROXIDE | 15.00 | 82 | 4,652.51 | A |
| POTASSIUM NITRATE | 108.34 | 56 | 2,926.88 | A |
| PROPARGITE | 10,724.66 | 88 | 6,230.90 | A |
| PROPIONIC ACID | 935.52 | 118 | 8,680.18 | A |
| PROPYLENE GLYCOL | 229.98 | 77 | 5,911.50 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 2.18 | 1 | 150.00 | A |
| PYRACLOSTROBIN | 10.40 | 1 | 76.00 | A |
| SETHOXYDIM | 440.91 | 18 | 1,258.00 | A |
| SILICONE DEFOAMER | 1.38 | 102 | 4,099.30 | A |
| SODIUM HYDROXIDE | 0.92 | 1 | 136.70 | A |
| SODIUM POLYACRYLATE | 4.79 | 48 | 3,210.63 | A |
| SODIUM XYLENE SULFONATE | 16.28 | 102 | 4,099.30 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SORBITAN FATTY ACID ESTERS | | 0.47 | 2 | 65.00 | A |
| SUGAR | | 1.58 | 1 | 65.00 | A |
| SULFURIC ACID | | 65.16 | 20 | 2,541.00 | A |
| TALL OIL | | 1.81 | 3 | 120.00 | A |
| TALL OIL FATTY ACIDS | | 510.93 | 187 | 10,534.60 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 406.73 | 116 | 4,994.30 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | | 1.09 | 6 | 840.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 8.14 | 102 | 4,099.30 | A |
| THIRAM | | 2,168.77 | | 925,911.00 | P |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | | 26.93 | 26 | 1,725.63 | A |
| TRIETHANOLAMINE | | 20.76 | 102 | 4,099.30 | A |
| TRIFLURALIN | | 11,514.75 | 80 | 6,000.40 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 51.21 | 18 | 1,367.93 | A |
| TRISODIUM PHOSPHATE | | 12.33 | 32 | 1,540.80 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1,124.50 | 128 | 9,421.38 | A |
| UREA | | 505.36 | 80 | 7,415.40 | A |
| UREA DIHYDROGEN SULFATE | | 221.63 | 39 | 2,472.63 | A |
| VANILLIN | | 0.15 | 1 | 65.00 | A |
| VEGETABLE OIL | | 16,245.91 | 159 | 12,645.90 | A |
| VINYL POLYMER | | 3.08 | 20 | 696.50 | A |
| XANTHAN GUM | | 0.31 | 132 | 7,776.95 | A |
| ZINC SULFATE | | 572.12 | 383 | 32,218.27 | A |
| Site Total | | 335,881.27 | 9,231 | | |
| **ALMOND** | | | | | |
| ABAMECTIN | | 3,633.86 | 2,393 | 202,579.38 | A |
| | | 0.23 | 1 | 45.00 | S |
| Total Pounds On This Chemical | 3,634.09 | | | | |
| ACETAMIPRID | | 26.29 | 7 | 230.00 | A |
| ACETIC ACID | | 15.63 | 1 | 386.00 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | | 25.63 | 98 | 3,947.06 | A |
| ACRYLIC ACID | | 2,914.71 | 303 | 21,695.99 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1,433.40 | 76 | 6,007.03 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | | 7.29 | 8 | 180.09 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 15,515.88 | 1,023 | 94,438.13 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 3,413.13 | 253 | 16,579.15 | A |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 221.13 | 10 | 776.68 | A |
| ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 33.15 | 6 | 460.00 | A |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 27.48 | 10 | 776.68 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 3,061.93 | 109 | 7,644.61 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1,479.36 | 128 | 7,089.02 | A |
| ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 5.09 | 1 | 77.00 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 110.64 | 96 | 4,248.40 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-ALKYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 7.05 | 1 | 36.00 | A |
| ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE | | 6.94 | 7 | 196.10 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | | 3,556.81 | 427 | 16,584.76 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | | 3,225.34 | 234 | 15,474.91 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | 14.97 | 7 | 518.00 | A |
| ALUMINUM PHOSPHIDE | | 1,168.43 | | 134,584.93 | T |
| | | 686.95 | | 12,528.54 | K |
| | | 467.51 | | 3,874,175.00 | C |
| | | 156.21 | 60 | 4,239.70 | A |
| Total Pounds On This Chemical | 2,479.11 | | | | |
| AMMONIUM NITRATE | | 1,764.85 | 438 | 19,309.33 | A |
| AMMONIUM PROPIONATE | | 459.53 | 51 | 3,533.62 | A |
| AMMONIUM SULFATE | | 16,775.09 | 1,273 | 62,381.46 | A |
| AZADIRACHTIN | | 9.43 | 1 | 386.00 | A |
| AZOXYSTROBIN | | 6,355.40 | 377 | 37,469.34 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | | 56,616.82 | 46 | 8,022.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 3,178.97 | 50 | 5,727.50 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | | 2.88 | 2 | 27.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | | 51.85 | 3 | 76.00 | A |
| BENTONITE | | 251.25 | 7 | 335.00 | A |
| BENZOIC ACID | | 42.92 | 202 | 8,256.00 | A |
| BIFENAZATE | | 14,684.69 | 282 | 22,217.04 | A |
| BIFENTHRIN | | 17,386.89 | 950 | 95,981.36 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 17,410.34 | 1,536 | 120,015.72 | A |
| BOSCALID | | 6,298.70 | 437 | 37,270.91 | A |
| BUPROFEZIN | | 2,704.52 | 20 | 1,876.33 | A |
| 2-BUTOXYETHANOL | | 8.03 | 9 | 257.09 | A |
| BUTYL ALCOHOL | | 756.90 | 190 | 12,477.69 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | | 1,658.19 | 84 | 7,404.92 | A |
| CALCIUM CHLORIDE | | 1,622.43 | 289 | 19,443.83 | A |
| CAPTAN | | 229.67 | 5 | 542.00 | A |
| CAPTAN, OTHER RELATED | | 5.29 | 5 | 542.00 | A |
| CARBO METHOXY ETHER CELLULOSE, SODIUM SALT | | 0.53 | 6 | 98.00 | A |
| CARFENTRAZONE-ETHYL | | 206.51 | 162 | 9,313.24 | A |
| CASEIN | | 18.84 | 7 | 335.00 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | | 428.49 | 4 | 337.18 | A |
| CHLORANTRANILIPROLE | | 10,250.26 | 1,330 | 110,611.24 | A |
| CHLORINE | | 17,982.93 | 48 | 8,418.00 | A |
| CHLOROPHACINONE | | 0.02 | 4 | 126.00 | A |
| CHLOROTHALONIL | | 10,816.21 | 81 | 7,823.00 | A |
| CHLORPYRIFOS | | 104,794.73 | 625 | 54,248.66 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | | 1,034.55 | 28 | 1,315.80 | A |
| CITRIC ACID | | 16,473.78 | 1,555 | 107,532.89 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | | 2,510.43 | 6 | 687.00 | A |
| CLETHODIM | | 293.63 | 77 | 2,373.52 | A |
| CLOFENTEZINE | | 9,904.02 | 395 | 42,389.42 | A |
| CLOTHIANIDIN | | 2,242.68 | 247 | 22,203.40 | A |
| COCONUT DIETHANOLAMIDE | | 530.70 | 130 | 5,860.22 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | | 134.83 | 183 | 15,031.07 | A |
| COPPER HYDROXIDE | | 49,188.44 | 341 | 30,530.35 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| COPPER OXIDE (OUS) | | 9,719.78 | 38 | 1,573.00 | A |
| COPPER OXYCHLORIDE | | 7,962.45 | 78 | 6,684.80 | A |
| COPPER SULFATE (BASIC) | | 66,686.37 | 132 | 15,628.87 | A |
| COTTONSEED OIL | | 798.16 | 33 | 1,365.25 | A |
| CYFLUTHRIN | | 59.10 | 23 | 1,636.00 | A |
| BETA-CYFLUTHRIN | | 9.35 | 5 | 483.00 | A |
| (S)-CYPERMETHRIN | | 0.69 | 1 | 14.00 | A |
| CYPRODINIL | | 7,997.32 | 309 | 27,830.44 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 6,472.54 | 117 | 4,354.06 | A |
| DDVP | | 2.64 | | 77,000.00 | U |
| | | 2.64 | | 77,000.00 | C |
| | | 2.64 | | 77.00 | T |
| Total Pounds On This Chemical | 7.93 | | | | |
| DDVP, OTHER RELATED | | 0.07 | | 77,000.00 | U |
| | | 0.07 | | 77.00 | T |
| | | 0.07 | | 77,000.00 | C |
| Total Pounds On This Chemical | 0.20 | | | | |
| 1,3-DICHLOROPROPENE | | 94,540.40 | 11 | 284.81 | A |
| DIETHYLENE GLYCOL | | 7,322.14 | 353 | 29,850.57 | A |
| DIFENOCONAZOLE | | 2,399.83 | 225 | 21,728.74 | A |
| DIFLUBENZURON | | 4,051.55 | 242 | 17,522.40 | A |
| DIMETHYL ALKYL TERTIARY AMINES | | 46.76 | 202 | 8,256.00 | A |
| DIMETHYLPOLYSILOXANE | | 10,977.02 | 2,969 | 201,901.18 | A |
| ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE | | 11.48 | 8 | 457.42 | A |
| DINOSEB | | 7.07 | 1 | 70.00 | A |
| DIPHACINONE | | 0.03 | 16 | 612.50 | A |
| | | < 0.01 | 1 | 45.00 | S |
| Total Pounds On This Chemical | 0.03 | | | | |
| DIPROPYLENE GLYCOL METHYL ETHER | | 2.11 | 11 | 211.02 | A |
| DIQUAT DIBROMIDE | | 28.90 | 2 | 74.00 | A |
| E,E-8,10-DODECADIEN-1-OL | | 1.51 | 1 | 10.00 | A |
| DODECYLBENZENE SULFONIC ACID | | 120.32 | 34 | 1,611.82 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 123.62 | 15 | 818.44 | A |
| EDTA, TETRASODIUM SALT | | 7.40 | 34 | 1,611.82 | A |
| EMAMECTIN BENZOATE | | 193.06 | 158 | 13,756.01 | A |
| ESFENVALERATE | | 2,801.31 | 549 | 44,200.91 | A |
| ETHYLENE GLYCOL | | 478.68 | 37 | 2,208.67 | A |
| ETOXAZOLE | | 10,096.25 | 974 | 77,758.15 | A |
| FATTY ACIDS, MIXED | | 4,370.84 | 839 | 62,164.07 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | | 0.89 | 4 | 63.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 60,391.33 | 1,016 | 88,380.81 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 591.76 | 128 | 7,089.02 | A |
| FENBUCONAZOLE | | 860.03 | 115 | 9,397.19 | A |
| FENPROPATHRIN | | 355.07 | 25 | 1,302.00 | A |
| FENPYROXIMATE | | 4,386.83 | 463 | 33,139.58 | A |
| FERROUS SULFATE | | 701.11 | 183 | 15,031.07 | A |
| FLUAZIFOP-P-BUTYL | | 169.95 | 13 | 551.88 | A |
| FLUBENDIAMIDE | | 5,966.96 | 591 | 51,526.06 | A |
| FLUMIOXAZIN | | 3,565.39 | 279 | 11,901.26 | A |
| FLUOPYRAM | | 2,924.05 | 411 | 34,599.90 | A |
| FLUXAPYROXAD | | 79.12 | 17 | 877.00 | A |
| FOSETYL-AL | | 3,009.12 | 24 | 1,528.74 | A |
| GARLIC | | 29.74 | 11 | 217.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| GLUFOSINATE-AMMONIUM | 4,431.70 | 209 | 8,237.93 | A |
| GLYCEROL | 117.15 | 130 | 4,633.38 | A |
| GLYPHOSATE, DIAMMONIUM SALT | 3,312.17 | 25 | 3,013.60 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 132,823.51 | 1,516 | 76,622.76 | A |
| GLYPHOSATE, MONOAMMONIUM SALT | 73.22 | 11 | 931.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 242,472.19 | 2,421 | 140,730.72 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 735.01 | 72 | 7,896.08 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 759.55 | 130 | 10,149.20 | A |
| (Z,Z)-11,13-HEXADECADIENAL | 39.85 | 24 | 2,410.50 | A |
| HEXYTHIAZOX | 8,076.35 | 554 | 49,757.59 | A |
| HYDRAMETHYLNON | 0.44 | 1 | 80.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 7,765.83 | 136 | 4,140.19 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 7,079.69 | 429 | 35,063.88 | A |
| IMIDACLOPRID | 105.09 | 17 | 687.90 | A |
| INDAZIFLAM | 1,690.50 | 487 | 22,442.65 | A |
| IPRODIONE | 29,371.98 | 929 | 73,101.15 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 34.65 | 39 | 1,508.83 | A |
| ISOPROPYL ALCOHOL | 14,808.30 | 1,129 | 77,607.71 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 77.58 | 150 | 9,546.01 | A |
| ISOXABEN | 1,690.40 | 82 | 2,578.20 | A |
| KAOLIN | 3,987.04 | 6 | 127.50 | A |
| KEROSENE | 72.66 | 171 | 7,306.83 | A |
| LACTOSE | 18.84 | 7 | 335.00 | A |
| LAMBDA-CYHALOTHRIN | 1,161.38 | 253 | 20,604.18 | A |
| LAURIC ACID | 100.59 | 96 | 4,248.40 | A |
| LECITHIN | 10,802.22 | 642 | 38,901.27 | A |
| LIMONENE | 59.77 | 8 | 180.09 | A |
| MAGNESIUM PHOSPHIDE | 18.49 | | 2,339.50 | T |
| MAGNESIUM SULFATE | 8.70 | 17 | 537.00 | A |
| MANGANESE SULFATE | 970.77 | 183 | 15,031.07 | A |
| MARGOSA OIL | 886.86 | 1 | 386.00 | A |
| MEFENOXAM | 1,409.92 | 37 | 3,511.50 | A |
| METAFLUMIZONE | 26.72 | 389 | 28,189.98 | A |
| METCONAZOLE | 1,948.05 | 216 | 18,313.94 | A |
| S-METHOPRENE | 38.48 | 68 | 6,261.38 | A |
| METHOXYFENOZIDE | 48,563.48 | 1,813 | 154,433.76 | A |
| METHYLATED SOYBEAN OIL | 74,671.61 | 1,859 | 100,809.13 | A |
| METHYL ESTERS OF COTTONSEED OIL | 34,414.30 | 422 | 22,132.99 | A |
| METHYL SILICONE RESINS | 265.81 | 21 | 1,840.00 | A |
| MINERAL OIL | 1,221,798.35 | 1,643 | 109,138.46 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 4,916.13 | 166 | 10,976.86 | A |
| MSMA | 75.38 | 1 | 125.00 | A |
| MYCLOBUTANIL | 4.35 | 2 | 27.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 21,774.42 | 1,391 | 116,122.46 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 49,364.07 | 3,749 | 236,254.78 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 1,352.10 | 337 | 19,655.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 13,552.29 | 553 | 34,756.78 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 1,456.83 | 45 | 3,569.59 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | 0.50 | 3 | 137.70 | A |
| NORFLURAZON | 246.41 | 3 | 209.00 | A |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 28.41 | 18 | 597.00 | A |
| OLEIC ACID | | 4.27 | 15 | 2,201.90 | A |
| OLEIC ACID, ETHYL ESTER | | 28.05 | 1 | 23.33 | A |
| OLEIC ACID, METHYL ESTER | | 26,786.58 | 498 | 38,282.50 | A |
| ORGANO/MODIFIED POLYSILOXANE | | 0.18 | 7 | 196.10 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | | 141.01 | 34 | 2,227.07 | A |
| ORYZALIN | | 22,838.62 | 193 | 7,555.69 | A |
| OXYFLUORFEN | | 44,955.17 | 2,127 | 114,980.39 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | | 538.40 | 8 | 1,396.00 | A |
| PARAQUAT DICHLORIDE | | 26,000.93 | 692 | 30,930.77 | A |
| | | 0.52 | 1 | 45.00 | S |
| Total Pounds On This Chemical | 26,001.44 | | | | |
| PENDIMETHALIN | | 59,746.79 | 512 | 23,471.85 | A |
| PENOXSULAM | | 272.75 | 264 | 9,989.41 | A |
| PENTHIOPYRAD | | 9,057.46 | 489 | 40,928.26 | A |
| PERMETHRIN | | 186.30 | 9 | 773.00 | A |
| PETROLEUM DISTILLATES | | 247.48 | 8 | 671.00 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | | 0.14 | 22 | 439.07 | A |
| PETROLEUM NAPHTHENIC OILS | | 1.66 | 22 | 439.07 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 106,646.61 | 254 | 16,134.48 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 1,986,501.78 | 1,863 | 176,712.77 | A |
| PHOSMET | | 420.00 | 1 | 120.00 | A |
| PHOSPHINE | | 97.34 | | 1,981,560.53 | C |
| | | 14.01 | | 4,140.10 | T |
| | | 3.70 | | 1,626,000.00 | P |
| Total Pounds On This Chemical | 115.05 | | | | |
| PHOSPHORIC ACID | | 30,352.62 | 2,337 | 169,838.71 | A |
| BETA-PINENE POLYMER | | 26.16 | 3 | 75.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 102.09 | 69 | 6,553.97 | A |
| POLYACRYLAMIDE POLYMER | | 35.47 | 116 | 5,066.55 | A |
| POLYACRYLIC POLYMER | | 75.99 | 236 | 11,315.23 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 911.20 | 698 | 36,615.89 | A |
| POLYBUTENES | | 10,784.17 | 1,016 | 88,380.81 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 6,915.50 | 505 | 48,444.63 | A |
| POLYETHYLENE GLYCOL | | 5,562.85 | 492 | 18,571.02 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 1.36 | 7 | 518.00 | A |
| POLY-I-PARA-MENTHENE | | 216.28 | 4 | 405.00 | A |
| POLYMERIZED PINENE | | 365.48 | 13 | 424.44 | A |
| POLYOXIN D, ZINC SALT | | 210.02 | 50 | 4,932.00 | A |
| POLYOXYETHYLENE DIOLEATE | | 7.85 | 35 | 2,250.40 | A |
| POLYOXYETHYLENE MIXED FATTY ACID ESTER | | 119.72 | 10 | 422.34 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 5,250.95 | 363 | 34,309.47 | A |
| POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER | | 2,589.70 | 30 | 6,101.00 | A |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | | 110.70 | 12 | 460.90 | A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | | 16.13 | 3 | 137.70 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 300.05 | 143 | 9,389.25 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 1,963.98 | 142 | 9,365.92 | A |
| POLYSORBATE 65 | | 20.05 | 9 | 277.00 | A |
| POTASSIUM HYDROXIDE | | 1,403.10 | 543 | 48,627.24 | A |
| POTASSIUM NITRATE | | 2,649.35 | 459 | 45,667.69 | A |
| POTASSIUM PHOSPHITE | | 8,814.45 | 52 | 3,034.43 | A |
| PROPARGITE | | 37,223.18 | 141 | 13,854.36 | A |
| PROPICONAZOLE | | 8,757.72 | 502 | 42,365.52 | A |
| PROPIONIC ACID | | 3,556.26 | 224 | 13,472.53 | A |
| PROPYLENE GLYCOL | | 2,000.97 | 459 | 28,852.90 | A |
| PROPYLENE GLYCOL, METHYL ETHER | | 10.68 | 15 | 2,201.90 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PYRACLOSTROBIN | 3,278.46 | 454 | 38,147.91 | A |
| PYRAFLUFEN-ETHYL | 29.49 | 218 | 8,208.44 | A |
| PYRETHRINS | 49.14 | 8 | 1,169.00 | A |
| PYRIMETHANIL | 2,744.76 | 115 | 11,717.72 | A |
| PYRIPROXYFEN | 425.38 | 274 | 26,411.81 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 87.67 | 16 | 557.21 | A |
| QUILLAJA | 1.10 | 6 | 98.00 | A |
| REYNOUTRIA SACHALINENSIS | 267.91 | 35 | 1,724.00 | A |
| RIMSULFURON | 789.36 | 368 | 18,325.32 | A |
| SAFLUFENACIL | 2,532.75 | 1,222 | 62,133.03 | A |
| SETHOXYDIM | 886.27 | 52 | 2,591.27 | A |
| SILICONE DEFOAMER | 3.15 | 34 | 1,611.82 | A |
| SIMAZINE | 641.56 | 29 | 948.95 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 0.44 | 4 | 63.00 | A |
| SODIUM HYDROXIDE | 10.31 | 3 | 102.00 | A |
| SODIUM POLYACRYLATE | 14.30 | 135 | 6,493.17 | A |
| SODIUM TRIPOLYPHOSPHATE | 5.25 | 1 | 77.00 | A |
| SODIUM XYLENE SULFONATE | 39.91 | 38 | 1,674.82 | A |
| SORBITAN FATTY ACID ESTERS | 3.53 | 3 | 137.70 | A |
| SORBITAN MONOOLEATE | 15.04 | 6 | 497.26 | A |
| SORBITAN TRIOLEATE | 20.05 | 9 | 277.00 | A |
| SPINETORAM | 4,289.30 | 574 | 47,261.79 | A |
| SPINOSAD | 303.15 | 40 | 3,459.00 | A |
| SPIRODICLOFEN | 14,571.12 | 338 | 31,713.56 | A |
| SPIROTETRAMAT | 319.85 | 142 | 7,739.11 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.10 | 6 | 671.00 | A |
| STYRENE BUTADIENE COPOLYMER | 430.28 | 68 | 4,566.00 | A |
| SULFUR | 12,989.17 | 19 | 1,646.63 | A |
| SULFURIC ACID | 535.11 | 279 | 19,044.50 | A |
| TALL OIL | 48.76 | 16 | 1,438.00 | A |
| TALL OIL FATTY ACIDS | 3,453.93 | 807 | 54,644.73 | A |
| TEBUCONAZOLE | 1,693.80 | 208 | 19,756.39 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 161.53 | 37 | 1,654.32 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | 2.42 | 17 | 537.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 18.51 | 34 | 1,611.82 | A |
| THIOPHANATE-METHYL | 4,545.75 | 110 | 12,144.50 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 72.04 | 123 | 4,468.38 | A |
| TRIETHANOLAMINE | 47.20 | 34 | 1,611.82 | A |
| TRIFLOXYSTROBIN | 1,809.67 | 276 | 20,263.00 | A |
| TRIFLURALIN | 14,312.52 | 122 | 29,385.60 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 921.95 | 72 | 7,903.08 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 8,181.63 | 428 | 34,891.83 | A |
| UREA | 2,240.77 | 155 | 13,840.57 | A |
| UREA DIHYDROGEN SULFATE | 133.32 | 123 | 4,468.38 | A |
| VEGETABLE OIL | 6,952.22 | 46 | 1,680.60 | A |
| VINYL POLYMER | 102.47 | 165 | 10,575.42 | A |
| XANTHAN GUM | 4.23 | 188 | 15,076.91 | A |
| YUCCA SCHIDIGERA | 257.30 | 15 | 321.54 | A |
| ZINC PHOSPHIDE | 483.15 | 95 | 7,664.57 | A |
| ZINC SULFATE | 6,768.55 | 813 | 72,680.82 | A |
| ZIRAM | 13,714.52 | 40 | 2,457.61 | A |
| Site Total | 5,212,140.86 | 46,877 | | |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| **ANIMAL BURROWS** | | | | | |
| ALUMINUM PHOSPHIDE | | 0.05 | | 12.00 | U |
| Site Total | | 0.05 | | | |
| **ANIMAL PREMISE** | | | | | |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | | 43.20 | | 34.00 | U |
| | | < 0.01 | | 4.00 | A |
| Total Pounds On This Chemical | 43.21 | | | | |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | | 109.73 | | 36,651.00 | U |
| ALKYL (61%C12,23%C14,11%C16,2.5%C8 & C10, 2.5%C18) DIMETHYL BENZYL AMMONIUM CHLORIDE | | 29.88 | | 14.00 | U |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | | 109.73 | | 36,651.00 | U |
| PARA-TERT-AMYLPHENOL | | 25.07 | | 28.00 | U |
| | | 0.18 | | 4.00 | A |
| Total Pounds On This Chemical | 25.25 | | | | |
| ORTHO-BENZYL-PARA-CHLOROPHENOL | | 37.61 | | 28.00 | U |
| | | 0.91 | | 4.00 | A |
| Total Pounds On This Chemical | 38.52 | | | | |
| BRODIFACOUM | | < 0.01 | | 4.00 | A |
| CYFLUTHRIN | | 0.38 | | 4.00 | A |
| BETA-CYFLUTHRIN | | 21.62 | | 19.00 | U |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | | 42.80 | | 34.00 | U |
| DIURON | | 100.00 | 2 | 25.00 | A |
| FORMALDEHYDE | | 780.57 | | 136.00 | K |
| GLUTARALDEHYDE | | 17.77 | | 20.00 | U |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 1.25 | | 4.00 | A |
| IMIDACLOPRID | | 2,517.24 | | 99.00 | U |
| IODINE | | 30.12 | | 3.00 | U |
| MUSCALURE | | 0.06 | | 10.00 | U |
| NALED | | 29.49 | 2 | 292.40 | A |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | | < 0.01 | | 1.00 | U |
| PERMETHRIN | | 0.89 | | 4.00 | A |
| ORTHO-PHENYLPHENOL | | 68.95 | | 28.00 | U |
| | | 0.72 | | 4.00 | A |
| Total Pounds On This Chemical | 69.67 | | | | |
| PIPERONYL BUTOXIDE | | 0.54 | | 14.00 | U |
| PIPERONYL BUTOXIDE, OTHER RELATED | | < 0.01 | | 1.00 | U |
| POTASSIUM PEROXYMONOSULFATE | | 154.15 | | 4.00 | U |
| PYRETHRINS | | 0.07 | | 14.00 | U |
| SODIUM CHLORIDE | | 10.80 | | 4.00 | U |
| SODIUM HYPOCHLORITE | | 114.33 | | 7.00 | U |
| SPINOSAD | | 1.30 | | 8.00 | U |
| TRIETHYLENE GLYCOL | | 3.25 | | 14.00 | U |
| Site Total | | 4,252.61 | 4 | | |
| **APPLE** | | | | | |
| ABAMECTIN | | 9.93 | 10 | 401.90 | A |
| ACETAMIPRID | | 40.40 | 5 | 259.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 100.34 | 54 | 505.60 | A |
| AMMONIUM SULFATE | | 11.56 | 4 | 106.50 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | | 295.16 | 7 | 67.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 4.24 | 54 | 505.60 | A |
| BUPROFEZIN | 135.98 | 4 | 88.00 | A |
| CARBARYL | 811.95 | 4 | 271.00 | A |
| CHLORANTRANILIPROLE | 37.47 | 25 | 517.26 | A |
| CITRIC ACID | 4.93 | 4 | 106.50 | A |
| CLOFENTEZINE | 28.25 | 2 | 111.00 | A |
| COCONUT DIETHANOLAMIDE | 0.42 | 5 | 19.00 | A |
| CODLING MOTH GRANULOSIS VIRUS | 0.06 | 52 | 450.00 | A |
| COPPER HYDROXIDE | 2,248.27 | 11 | 272.10 | A |
| COPPER OXIDE (OUS) | 12.59 | 1 | 2.00 | A |
| COTTONSEED OIL | 0.73 | 1 | 5.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 4.29 | 2 | 14.00 | A |
| DIMETHYLPOLYSILOXANE | 0.02 | 2 | 4.30 | A |
| DIPHENYLAMINE | 165.53 | | 3,273.00 | T |
| E,E-8,10-DODECADIEN-1-OL | 1.72 | 4 | 14.06 | A |
| DODECYLBENZENE SULFONIC ACID | 1.81 | 5 | 19.00 | A |
| EDTA, TETRASODIUM SALT | 0.11 | 5 | 19.00 | A |
| ESFENVALERATE | 1.84 | 12 | 40.58 | A |
| ETOXAZOLE | 40.58 | 4 | 305.70 | A |
| FENBUCONAZOLE | 0.93 | 1 | 7.20 | A |
| FENPYROXIMATE | 30.09 | 5 | 304.70 | A |
| FLUBENDIAMIDE | 1.41 | 2 | 9.00 | A |
| FLUMIOXAZIN | 20.98 | 2 | 56.50 | A |
| FOSETYL-AL | 16.00 | 1 | 4.00 | A |
| GAMMA-CYHALOTHRIN | < 0.01 | 1 | 3.00 | A |
| GLUFOSINATE-AMMONIUM | 12.10 | 1 | 12.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 229.17 | 24 | 225.10 | A |
| GLYPHOSATE, POTASSIUM SALT | 408.83 | 9 | 124.76 | A |
| HEXYTHIAZOX | 56.71 | 4 | 299.70 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 11.01 | 2 | 7.60 | A |
| IMIDACLOPRID | 72.02 | 7 | 205.70 | A |
| INDAZIFLAM | 2.73 | 9 | 44.16 | A |
| INDOXACARB | 0.81 | 1 | 7.20 | A |
| ISOPROPYL ALCOHOL | 31.38 | 12 | 134.80 | A |
| KAOLIN | 5,576.50 | 25 | 196.70 | A |
| LAMBDA-CYHALOTHRIN | 20.95 | 13 | 533.90 | A |
| LAURYL ALCOHOL | 0.15 | 1 | 2.50 | A |
| LIME-SULFUR | 138.06 | 2 | 9.00 | A |
| MANCOZEB | 447.75 | 6 | 163.00 | A |
| MEFENOXAM | 9.02 | 3 | 13.00 | A |
| METHOXYFENOZIDE | 7.62 | 7 | 30.52 | A |
| MINERAL OIL | 5,134.06 | 69 | 699.30 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 129.04 | 30 | 692.38 | A |
| MYCLOBUTANIL | 5.70 | 2 | 57.00 | A |
| MYRISTYL ALCOHOL | 0.03 | 1 | 2.50 | A |
| NAA, AMMONIUM SALT | 1.00 | 1 | 21.00 | A |
| NAA, POTASSIUM SALT | 14.58 | 2 | 110.00 | A |
| 1-NAPHTHALENEACETAMIDE | 3.82 | 2 | 51.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 9.48 | 8 | 23.70 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 1.15 | 2 | 7.60 | A |
| OXYFLUORFEN | 4.04 | 3 | 32.40 | A |
| OXYTETRACYCLINE, CALCIUM COMPLEX | 42.48 | 25 | 162.70 | A |
| PARAQUAT DICHLORIDE | 18.97 | 3 | 22.25 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PENDIMETHALIN | 72.73 | 2 | 19.20 | A |
| PETROLEUM OIL, UNCLASSIFIED | 296.29 | 5 | 19.76 | A |
| PHOSMET | 7.00 | 2 | 6.00 | A |
| PHOSPHORIC ACID | 5.63 | 9 | 125.50 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.76 | 2 | 56.50 | A |
| POLYETHYLENE GLYCOL | 2.70 | 2 | 4.30 | A |
| POTASSIUM PHOSPHITE | 20.87 | 3 | 12.00 | A |
| PYRACLOSTROBIN | 46.58 | 6 | 391.40 | A |
| PYRAFLUFEN-ETHYL | 0.04 | 1 | 7.20 | A |
| PYRIPROXYFEN | 1.87 | 5 | 21.40 | A |
| RIMSULFURON | 0.48 | 4 | 11.06 | A |
| SILICONE DEFOAMER | 0.05 | 5 | 19.00 | A |
| SIMAZINE | 2.70 | 1 | 3.00 | A |
| SODIUM XYLENE SULFONATE | 0.56 | 5 | 19.00 | A |
| SPINETORAM | 23.26 | 4 | 229.00 | A |
| SPINOSAD | 60.11 | 10 | 767.80 | A |
| SPIRODICLOFEN | 1.80 | 2 | 8.00 | A |
| SPIROTETRAMAT | 1.77 | 7 | 115.00 | A |
| STREPTOMYCIN | 32.65 | 5 | 154.00 | A |
| STREPTOMYCIN SULFATE | 160.32 | 141 | 975.10 | A |
| TALL OIL FATTY ACIDS | 2.43 | 56 | 513.20 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 2.13 | 5 | 19.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.28 | 5 | 19.00 | A |
| THIABENDAZOLE | 7.22 | | 5,519.73 | T |
| THIAMETHOXAM | 8.91 | 1 | 110.00 | A |
| TRIETHANOLAMINE | 0.71 | 5 | 19.00 | A |
| TRIFLOXYSTROBIN | 6.88 | 1 | 110.00 | A |
| ZIRAM | 54.72 | 2 | 9.00 | A |
| Site Total | 17,238.13 | 630 | | |
| **APRICOT** | | | | |
| ABAMECTIN | 3.44 | 9 | 188.50 | A |
| ACETAMIPRID | 8.58 | 4 | 60.00 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 0.01 | 1 | 9.00 | A |
| ACRYLIC ACID | 79.18 | 30 | 721.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | < 0.01 | 3 | 6.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.83 | 5 | 50.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 97.16 | 10 | 286.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 4.06 | 2 | 19.00 | A |
| ALUMINUM PHOSPHIDE | 0.56 | 1 | 35.00 | A |
| AMMONIUM NITRATE | 1.93 | 2 | 19.00 | A |
| AMMONIUM SULFATE | 3.86 | 2 | 19.00 | A |
| AZOXYSTROBIN | 50.30 | 19 | 208.79 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 172.60 | 19 | 316.50 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | 0.93 | 1 | 9.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 27.24 | 5 | 25.37 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 4.28 | 10 | 286.00 | A |
| BOSCALID | 121.21 | 52 | 644.95 | A |
| BUPROFEZIN | 295.59 | 11 | 197.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| BUTYL ALCOHOL | | 3.13 | 7 | 152.00 | A |
| CAPTAN | | 48.90 | 1 | 20.00 | A |
| CAPTAN, OTHER RELATED | | 1.10 | 1 | 20.00 | A |
| CARFENTRAZONE-ETHYL | | 1.11 | 5 | 38.88 | A |
| CHLORANTRANILIPROLE | | 13.06 | 16 | 167.20 | A |
| CHLOROTHALONIL | | 533.25 | 12 | 176.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | | 14.70 | 2 | 49.00 | A |
| CLOFENTEZINE | | 0.05 | 1 | 0.20 | A |
| COPPER HYDROXIDE | | 1,226.36 | 20 | 271.70 | A |
| COPPER OXIDE (OUS) | | 243.31 | 13 | 39.10 | A |
| COPPER SULFATE (BASIC) | | 1,087.83 | 7 | 245.00 | A |
| COTTONSEED OIL | | 4.59 | 6 | 17.50 | A |
| BETA-CYFLUTHRIN | | 0.25 | 3 | 110.00 | A |
| CYPRODINIL | | 101.70 | 31 | 476.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 58.83 | 12 | 43.62 | A |
| DIETHYLENE GLYCOL | | 23.54 | 7 | 75.00 | A |
| DIFENOCONAZOLE | | 4.55 | 2 | 50.00 | A |
| DIFLUBENZURON | | 82.15 | 32 | 466.28 | A |
| DIMETHYLPOLYSILOXANE | | 21.84 | 72 | 1,219.06 | A |
| Z-8-DODECENOL | | 0.19 | 16 | 142.08 | A |
| E-8-DODECENYL ACETATE | | 1.11 | 16 | 142.08 | A |
| Z-8-DODECENYL ACETATE | | 17.37 | 16 | 142.08 | A |
| ESFENVALERATE | | 37.00 | 56 | 748.87 | A |
| ETOXAZOLE | | 20.24 | 6 | 150.00 | A |
| FATTY ACIDS, MIXED | | 2.27 | 12 | 123.75 | A |
| FENBUCONAZOLE | | 11.64 | 3 | 120.00 | A |
| FENPROPATHRIN | | 16.27 | 2 | 52.00 | A |
| FLUBENDIAMIDE | | 0.84 | 1 | 9.00 | A |
| FLUDIOXONIL | | 1.76 | | 745,000.00 | P |
| | | 1.49 | | 2,526.50 | T |
| Total Pounds On This Chemical | 3.24 | | | | |
| FLUMIOXAZIN | | 11.48 | 1 | 30.00 | A |
| GLUFOSINATE-AMMONIUM | | 0.27 | 6 | 10.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 615.43 | 41 | 392.71 | A |
| GLYPHOSATE, POTASSIUM SALT | | 29.31 | 14 | 20.95 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 3.72 | 3 | 35.80 | A |
| HEXYTHIAZOX | | 19.41 | 6 | 101.27 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 0.15 | 1 | 0.20 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 33.90 | 10 | 195.00 | A |
| IMIDACLOPRID | | 1.39 | 4 | 119.00 | A |
| INDAZIFLAM | | 4.08 | 15 | 72.68 | A |
| INDOXACARB | | 0.34 | 1 | 3.00 | A |
| IPRODIONE | | 330.48 | 35 | 488.16 | A |
| ISOPROPYL ALCOHOL | | 11.18 | 11 | 105.06 | A |
| ISOXABEN | | 23.75 | 3 | 31.66 | A |
| LAMBDA-CYHALOTHRIN | | 12.46 | 21 | 332.00 | A |
| LECITHIN | | 370.92 | 22 | 329.50 | A |
| METCONAZOLE | | 1.13 | 1 | 9.00 | A |
| METHOXYFENOZIDE | | 70.59 | 14 | 253.00 | A |
| METHYLATED SOYBEAN OIL | | 185.78 | 24 | 330.30 | A |
| MINERAL OIL | | 7,629.00 | 59 | 741.12 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 150.93 | 44 | 889.67 | A |
| MYCLOBUTANIL | | 40.51 | 18 | 335.86 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 1.64 | 10 | 98.75 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 205.21 | 57 | 583.11 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.02 | 1 | 0.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 332.04 | 43 | 852.50 | A |
| ORYZALIN | 3.88 | 2 | 1.25 | A |
| OXYFLUORFEN | 56.95 | 11 | 49.54 | A |
| PARAQUAT DICHLORIDE | 57.68 | 7 | 100.64 | A |
| PENDIMETHALIN | 583.03 | 16 | 170.57 | A |
| PENTHIOPYRAD | 6.25 | 8 | 29.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 55.12 | 3 | 7.20 | A |
| PHOSMET | 263.96 | 4 | 94.27 | A |
| PHOSPHORIC ACID | 26.15 | 32 | 756.00 | A |
| POLYETHYLENE GLYCOL | 4.55 | 5 | 18.56 | A |
| POLY-I-PARA-MENTHENE | 2.13 | 4 | 9.00 | A |
| POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER | 14.85 | 1 | 35.00 | A |
| POTASSIUM BICARBONATE | 31.18 | 2 | 12.68 | A |
| POTASSIUM PHOSPHITE | 8.69 | 1 | 5.00 | A |
| PROPICONAZOLE | 156.78 | 75 | 1,131.70 | A |
| PROPYLENE GLYCOL | 4.15 | 5 | 44.00 | A |
| PYRACLOSTROBIN | 61.57 | 52 | 644.95 | A |
| PYRAFLUFEN-ETHYL | 0.06 | 4 | 47.00 | A |
| PYRIPROXYFEN | 15.56 | 17 | 165.52 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 8.90 | 9 | 23.05 | A |
| QUINOXYFEN | 13.08 | 4 | 117.00 | A |
| REYNOUTRIA SACHALINENSIS | 43.95 | 15 | 239.28 | A |
| RIMSULFURON | 3.40 | 14 | 69.88 | A |
| SPINETORAM | 3.46 | 5 | 31.63 | A |
| SPINOSAD | 11.95 | 4 | 115.00 | A |
| SPIROTETRAMAT | 0.28 | 1 | 5.00 | A |
| STYRENE BUTADIENE COPOLYMER | 3.63 | 5 | 44.00 | A |
| SULFUR | 12.96 | 1 | 5.40 | A |
| TALL OIL | 1.50 | 1 | 40.00 | A |
| TALL OIL FATTY ACIDS | 1.45 | 13 | 287.00 | A |
| TEBUCONAZOLE | 3.59 | 2 | 42.00 | A |
| THIOPHANATE-METHYL | 204.84 | 15 | 278.00 | A |
| TRIFLOXYSTROBIN | 2.21 | 2 | 20.00 | A |
| ULOCLADIUM OUDEMANSII (U3 STRAIN) | 13.50 | 3 | 15.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 156.05 | 16 | 267.00 | A |
| VEGETABLE OIL | 160.03 | 1 | 18.00 | A |
| ZIRAM | 2,911.99 | 46 | 646.13 | A |
| Site Total | 19,454.61 | 1,047 | | |
| **ARUGULA** | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 4.89 | 1 | 20.00 | A |
| CLETHODIM | 2.66 | 1 | 20.00 | A |
| MINERAL OIL | 23.86 | 1 | 20.00 | A |
| Site Total | 31.41 | 2 | | |
| **ASPARAGUS** | | | | |
| ACETAMIPRID | 89.05 | 8 | 884.20 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 0.48 | 1 | 70.00 | A |
| ACRYLIC ACID | 18.76 | 2 | 300.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 21.10 | 1 | 150.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 32.68 | 3 | 462.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 20.02 | 7 | 224.00 | A |
| AMMONIUM SULFATE | 10.09 | 1 | 102.67 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 102.90 | 3 | 162.60 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 338.73 | 10 | 381.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 4.00 | 7 | 224.00 | A |
| CHLORANTRANILIPROLE | 8.08 | 1 | 154.00 | A |
| CHLORPYRIFOS | 1,922.43 | 18 | 1,958.30 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 322.95 | 10 | 491.80 | A |
| CITRIC ACID | 0.57 | 1 | 102.67 | A |
| CLETHODIM | 8.48 | 1 | 70.00 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 5.05 | 12 | 1,287.60 | A |
| DIETHYLENE GLYCOL | 7.38 | 14 | 1,091.30 | A |
| DIMETHYLPOLYSILOXANE | 1.87 | 15 | 740.00 | A |
| ETHYLENE GLYCOL | 10.60 | 1 | 70.00 | A |
| FATTY ACIDS, MIXED | 8.38 | 16 | 1,489.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 13.07 | 3 | 462.00 | A |
| FERROUS SULFATE | 26.27 | 12 | 1,287.60 | A |
| FLUMIOXAZIN | 289.20 | 18 | 1,532.30 | A |
| GLYPHOSATE, POTASSIUM SALT | 754.55 | 10 | 326.97 | A |
| HALOSULFURON-METHYL | 2.25 | 8 | 156.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 68.23 | 2 | 308.00 | A |
| HYDROGEN PEROXIDE | 396.79 | 3 | 161.00 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 158.64 | 2 | 308.00 | A |
| ISOPROPYL ALCOHOL | 120.42 | 20 | 777.00 | A |
| LECITHIN | 137.17 | 11 | 1,423.00 | A |
| MALATHION | 793.74 | 5 | 621.50 | A |
| MANGANESE SULFATE | 36.37 | 12 | 1,287.60 | A |
| MEFENOXAM | 447.00 | 10 | 893.00 | A |
| METHOMYL | 1,116.45 | 11 | 1,240.50 | A |
| METHYLATED SOYBEAN OIL | 1,142.73 | 10 | 1,183.30 | A |
| METHYL SILICONE RESINS | 45.37 | 10 | 860.40 | A |
| MINERAL OIL | 173.00 | 3 | 150.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 233.14 | 36 | 3,515.30 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 45.49 | 2 | 308.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 70.05 | 2 | 300.00 | A |
| OLEIC ACID, METHYL ESTER | 98.49 | 1 | 150.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 131.26 | 8 | 875.30 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 237.45 | 16 | 940.40 | A |
| PENDIMETHALIN | 1,739.92 | 8 | 559.30 | A |
| PERMETHRIN | 120.15 | 14 | 1,191.00 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | 0.03 | 1 | 70.00 | A |
| PETROLEUM NAPHTHENIC OILS | 0.34 | 1 | 70.00 | A |
| PHOSPHORIC ACID | 204.82 | 21 | 2,397.27 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.23 | 1 | 102.67 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| POLYACRYLIC POLYMER | 0.28 | 1 | 102.67 | A |
| POLYETHER MODIFIED POLYSILOXANE | 126.71 | 10 | 498.60 | A |
| POLYETHYLENE GLYCOL | 1.11 | 1 | 70.00 | A |
| POLYOXYETHYLENE DIOLEATE | 2.73 | 8 | 875.30 | A |
| PROPIONIC ACID | 116.07 | 10 | 1,273.00 | A |
| PROPYLENE GLYCOL | 5.72 | 7 | 224.00 | A |
| PYMETROZINE | 115.39 | 15 | 1,343.00 | A |
| PYRETHRINS | 36.63 | 16 | 939.80 | A |
| REYNOUTRIA SACHALINENSIS | 41.11 | 6 | 325.20 | A |
| SETHOXYDIM | 39.42 | 3 | 150.00 | A |
| SPINETORAM | 39.40 | 7 | 837.30 | A |
| SULFURIC ACID | 2.29 | 7 | 224.00 | A |
| TALL OIL FATTY ACIDS | 20.04 | 4 | 220.00 | A |
| TRIFLURALIN | 582.81 | 3 | 278.50 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.98 | 6 | 216.00 | A |
| ZINC SULFATE | 56.57 | 12 | 1,287.60 | A |
| Site Total | 12,727.45 | 302 | | |
| **BAMBOO SHOOTS** | | | | |
| GLYPHOSATE, DIMETHYLAMINE SALT | 67.56 | 2 | 62.00 | A |
| Site Total | 67.56 | 2 | | |
| **BARLEY** | | | | |
| BROMOXYNIL HEPTANOATE | 23.04 | 1 | 65.00 | A |
| BROMOXYNIL OCTANOATE | 23.90 | 1 | 65.00 | A |
| CARFENTRAZONE-ETHYL | 13.14 | 11 | 898.40 | A |
| 2,4-D, DIMETHYLAMINE SALT | 313.80 | 3 | 275.75 | A |
| DIETHYLENE GLYCOL | 1.78 | 1 | 76.10 | A |
| DIMETHYLPOLYSILOXANE | 0.04 | 1 | 76.10 | A |
| FATTY ACIDS, MIXED | 5.40 | 12 | 974.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,120.15 | 3 | 275.75 | A |
| MCPA, DIMETHYLAMINE SALT | 102.18 | 2 | 141.10 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 11.70 | 11 | 898.40 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 19.12 | 12 | 974.50 | A |
| POLYACRYLAMIDE POLYMER | 0.99 | 1 | 76.10 | A |
| TRIBENURON-METHYL | 15.22 | 12 | 974.50 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.64 | 1 | 76.10 | A |
| Site Total | 1,655.10 | 45 | | |
| **BEAN, DRIED** | | | | |
| ALDICARB | 2.52 | 1 | 1.20 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 94.11 | 4 | 474.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 11.86 | 1 | 77.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 11.26 | 2 | 232.00 | A |
| CARFENTRAZONE-ETHYL | 4.48 | 1 | 153.00 | A |
| CLETHODIM | 94.62 | 4 | 474.00 | A |
| DIETHYLENE GLYCOL | 0.16 | 1 | 77.00 | A |
| DIMETHYLPOLYSILOXANE | 0.50 | 3 | 307.00 | A |
| FLUAZIFOP-P-BUTYL | 14.12 | 1 | 75.00 | A |
| FLUMIOXAZIN | 7.41 | 1 | 155.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| GLYPHOSATE, ISOPROPYLAMINE SALT | 235.04 | 1 | 155.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 847.79 | 5 | 315.60 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 3.80 | 2 | 5.00 | A |
| IMIDACLOPRID | 0.04 | 1 | 1.00 | A |
| ISOPROPYL ALCOHOL | 0.79 | 1 | 75.00 | A |
| METHOXYFENOZIDE | 0.28 | 1 | 1.00 | A |
| METHYLATED SOYBEAN OIL | 25.34 | 1 | 77.00 | A |
| METHYL ESTERS OF COTTONSEED OIL | 353.03 | 2 | 237.00 | A |
| METOLACHLOR | 257.96 | 1 | 155.00 | A |
| S-METOLACHLOR | 2.85 | 2 | 2.00 | A |
| MINERAL OIL | 459.50 | 4 | 474.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 0.01 | 1 | 0.10 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 11.46 | 2 | 152.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.40 | 2 | 5.00 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 44.45 | 1 | 155.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 3.85 | 1 | 77.00 | A |
| OXYFLUORFEN | 29.70 | 2 | 237.00 | A |
| PENDIMETHALIN | 147.49 | 2 | 156.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 1.12 | 2 | 237.00 | A |
| POLYACRYLAMIDE POLYMER | 0.72 | 1 | 153.00 | A |
| POLYETHYLENE GLYCOL | 4.98 | 1 | 75.00 | A |
| POLYOXYETHYLENE DIOLEATE | 0.08 | 1 | 77.00 | A |
| PROPYLENE GLYCOL | 16.09 | 2 | 232.00 | A |
| SODIUM CHLORATE | 46.97 | 1 | 6.00 | A |
| SULFURIC ACID | 6.43 | 2 | 232.00 | A |
| TALL OIL FATTY ACIDS | 0.35 | 2 | 5.00 | A |
| TRIFLURALIN | 0.63 | 1 | 1.00 | A |
| VEGETABLE OIL | 136.06 | 1 | 153.00 | A |
| VINYL POLYMER | 1.05 | 1 | 155.00 | A |
| Site Total | 2,879.30 | 43 | | |
| **BEAN, SUCCULENT** | | | | |
| ABAMECTIN | 1.21 | 5 | 24.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.78 | 1 | 8.50 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 1.10 | 6 | 4.20 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | 3.09 | 5 | 55.00 | A |
| BENTAZON, SODIUM SALT | 0.56 | 1 | 0.50 | A |
| BIFENTHRIN | 0.18 | 1 | 5.00 | A |
| CHLOROTHALONIL | 72.94 | 14 | 101.50 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 0.30 | 1 | 1.50 | A |
| CLETHODIM | 3.41 | 4 | 29.50 | A |
| CYAZOFAMID | 1.30 | 1 | 18.00 | A |
| DIAZINON | 3.43 | 1 | 5.00 | A |
| DIMETHOATE | 40.06 | 34 | 70.40 | A |
| DIMETHYLPOLYSILOXANE | 4.20 | 3 | 21.00 | A |
| ESFENVALERATE | 4.11 | 18 | 99.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 4.01 | 1 | 10.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 40.69 | 8 | 34.30 | A |
| HYDROGEN PEROXIDE | 24.89 | 2 | 4.00 | A |
| IMIDACLOPRID | 1.01 | 11 | 22.37 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| IPRODIONE | | 7.49 | 1 | 10.00 | A |
| LAMBDA-CYHALOTHRIN | | 0.87 | 3 | 29.00 | A |
| LECITHIN | | 2.78 | 1 | 8.50 | A |
| MALATHION | | 1.17 | 4 | 4.00 | A |
| MEFENOXAM | | 0.36 | 2 | 0.77 | A |
| METHOMYL | | 10.89 | 5 | 22.00 | A |
| METHOXYFENOZIDE | | 15.41 | 11 | 126.00 | A |
| METHYLATED SOYBEAN OIL | | 5.26 | 1 | 4.00 | A |
| S-METOLACHLOR | | 0.15 | 1 | 0.13 | A |
| MYCLOBUTANIL | | 3.67 | 3 | 64.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2.12 | 2 | 17.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 10.80 | 2 | 17.00 | A |
| OLEIC ACID, METHYL ESTER | | 12.98 | 1 | 8.50 | A |
| PARAQUAT DICHLORIDE | | 30.31 | 5 | 59.00 | A |
| PENDIMETHALIN | | 9.47 | 1 | 10.00 | A |
| PENTHIOPYRAD | | 9.22 | 4 | 31.00 | A |
| PEROXYACETIC ACID | | 4.61 | 2 | 4.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 3.39 | 2 | 3.00 | A |
| PYRETHRINS | | 0.23 | 3 | 5.00 | A |
| SETHOXYDIM | | 1.53 | 4 | 5.50 | A |
| SPINOSAD | | 1.82 | 2 | 34.00 | A |
| SULFUR | | 0.39 | 1 | 0.20 | A |
| TALL OIL FATTY ACIDS | | 1.13 | 1 | 4.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.13 | 1 | 4.00 | A |
| Site Total | | 346.48 | 170 | | |
| **BEAN, UNSPECIFIED** | | | | | |
| PARAQUAT DICHLORIDE | | 5.17 | 2 | 5.00 | A |
| Site Total | | 5.17 | 2 | | |
| **BEEHIVE** | | | | | |
| FORMIC ACID | | 8.06 | | 60.00 | U |
| THYMOL | | 1.65 | | 60.00 | U |
| | | < 0.01 | 1 | 0.25 | A |
| Total Pounds On This Chemical | 1.66 | | | | |
| Site Total | | 9.71 | 1 | | |
| **BITTER MELON** | | | | | |
| ABAMECTIN | | 0.52 | 3 | 9.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 0.54 | 1 | 2.00 | A |
| IMIDACLOPRID | | 1.57 | 2 | 6.50 | A |
| LAMBDA-CYHALOTHRIN | | 0.14 | 1 | 9.00 | A |
| MYCLOBUTANIL | | 0.45 | 1 | 9.00 | A |
| PARAQUAT DICHLORIDE | | 22.59 | 2 | 20.00 | A |
| Site Total | | 25.80 | 10 | | |
| **BLACKBERRY** | | | | | |
| BIFENTHRIN | | 1.30 | | 13.00 | A |
| COPPER HYDROXIDE | | 30.03 | | 13.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 4.31 | 5 | 8.47 | A |
| GLYPHOSATE, POTASSIUM SALT | | 18.58 | 1 | 13.50 | A |
| METALDEHYDE | | 9.90 | | 13.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| MINERAL OIL | 0.18 | 1 | 0.01 | A |
| ORYZALIN | 13.52 | | 13.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.07 | 1 | 0.50 | A |
| Site Total | 77.89 | 8 | | |
| **BLUEBERRY** | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 82.42 | 39 | 738.33 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 96.40 | 24 | 454.09 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 141.13 | 22 | 476.47 | A |
| AMMONIUM NITRATE | 95.33 | 22 | 476.47 | A |
| AMMONIUM SULFATE | 152.55 | 22 | 476.47 | A |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14940 | 3.56 | 2 | 80.00 | A |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14941 | 3.56 | 2 | 80.00 | A |
| AZOXYSTROBIN | 139.38 | 15 | 561.10 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 4.19 | 24 | 454.09 | A |
| BOSCALID | 1.31 | 1 | 4.50 | A |
| CARFENTRAZONE-ETHYL | 3.53 | 4 | 120.27 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 19.80 | 2 | 24.00 | A |
| COPPER HYDROXIDE | 427.81 | 10 | 353.70 | A |
| COPPER OXIDE (OUS) | 15.10 | 1 | 40.00 | A |
| (S)-CYPERMETHRIN | 0.30 | 2 | 6.00 | A |
| CYPRODINIL | 23.86 | 5 | 80.05 | A |
| DIMETHYLPOLYSILOXANE | 2.73 | 32 | 864.47 | A |
| FENBUCONAZOLE | 3.86 | 2 | 40.00 | A |
| FENHEXAMID | 272.20 | 20 | 475.88 | A |
| FENPROPATHRIN | 18.77 | 2 | 80.00 | A |
| FLUDIOXONIL | 15.91 | 5 | 80.05 | A |
| FLUMIOXAZIN | 87.99 | 10 | 384.92 | A |
| GLUFOSINATE-AMMONIUM | 141.84 | 27 | 549.40 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 43.12 | 3 | 38.60 | A |
| GLYPHOSATE, POTASSIUM SALT | 14.84 | 8 | 4.79 | A |
| HALOSULFURON-METHYL | 0.76 | 3 | 36.04 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 1.31 | 1 | 11.64 | A |
| HYDROGEN CYANAMIDE | 185.43 | 5 | 18.50 | A |
| HYDROGEN PEROXIDE | 63.88 | 7 | 126.50 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 208.63 | 20 | 78.00 | A |
| IBA | 0.40 | 1 | 16.00 | A |
| IMIDACLOPRID | 38.61 | 17 | 245.84 | A |
| IPRODIONE | 140.66 | 4 | 153.10 | A |
| ISOPROPYL ALCOHOL | 9.39 | 7 | 268.00 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.04 | 1 | 8.27 | A |
| KAOLIN | 5,415.00 | 4 | 189.36 | A |
| MALATHION | 7.69 | 2 | 6.00 | A |
| METHYLATED SOYBEAN OIL | 9.30 | 1 | 11.64 | A |
| METHYL ESTERS OF COTTONSEED OIL | 10.71 | 3 | 50.50 | A |
| MINERAL OIL | 127.25 | 29 | 653.42 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 30.58 | 17 | 25.03 | A |
| NAPROPAMIDE | 36.80 | 2 | 9.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 171.04 | 17 | 604.74 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 21.79 | 20 | 78.00 | A |
| NORFLURAZON | 253.20 | 8 | 143.99 | A |
| ORYZALIN | 1,510.05 | 19 | 456.72 | A |
| PARAQUAT DICHLORIDE | 46.73 | 23 | 169.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 6.08 | 1 | 8.27 | A |
| BETA-PINENE POLYMER | 21.04 | 1 | 90.00 | A |
| POLYETHYLENE GLYCOL | 59.31 | 7 | 268.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 4.45 | 3 | 120.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.15 | 1 | 8.27 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 0.98 | 1 | 8.27 | A |
| PROPICONAZOLE | 24.67 | 4 | 153.10 | A |
| PROPYLENE GLYCOL | 0.19 | 1 | 3.00 | A |
| PYRACLOSTROBIN | 0.67 | 1 | 4.50 | A |
| PYRETHRINS | 2.92 | 6 | 162.36 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 18.03 | 5 | 172.36 | A |
| REYNOUTRIA SACHALINENSIS | 36.96 | 10 | 170.50 | A |
| SIMAZINE | 286.63 | 14 | 129.70 | A |
| SPINETORAM | 19.15 | 13 | 217.50 | A |
| SPINOSAD | 65.18 | 23 | 782.30 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.04 | 10 | 341.72 | A |
| STYRENE BUTADIENE COPOLYMER | 0.16 | 1 | 3.00 | A |
| SULFUR | 4.80 | 1 | 16.00 | A |
| TALL OIL FATTY ACIDS | 20.90 | 45 | 543.73 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.19 | 1 | 3.00 | A |
| Site Total | 10,673.23 | 443 | | |
| **BOK CHOY** | | | | |
| BIFENTHRIN | 0.45 | 1 | 4.50 | A |
| CHLORANTRANILIPROLE | 0.20 | 1 | 3.00 | A |
| CYFLUTHRIN | 0.39 | 2 | 15.00 | A |
| (S)-CYPERMETHRIN | 0.72 | 2 | 14.50 | A |
| DIMETHOMORPH | 0.89 | 1 | 4.50 | A |
| FLUBENDIAMIDE | 1.06 | 2 | 14.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 5.52 | 1 | 5.00 | A |
| IMIDACLOPRID | 0.55 | 2 | 15.00 | A |
| INDOXACARB | 0.30 | 1 | 4.50 | A |
| METHOXYFENOZIDE | 0.87 | 1 | 4.50 | A |
| PYMETROZINE | 0.86 | 1 | 10.00 | A |
| SPIROTETRAMAT | 0.35 | 1 | 4.50 | A |
| THIAMETHOXAM | 0.18 | 1 | 4.50 | A |
| Site Total | 12.32 | 15 | | |
| **BROCCOLI** | | | | |
| ACETAMIPRID | 45.80 | 10 | 621.50 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 52.27 | 43 | 3,245.75 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 16.89 | 1 | 120.00 | A |
| AZADIRACHTIN | 3.55 | 5 | 204.60 | A |
| AZOXYSTROBIN | 25.99 | 2 | 125.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 166.02 | 12 | 471.20 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 257.04 | 6 | 258.00 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 62.71 | 11 | 361.20 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BIFENTHRIN | 455.27 | 68 | 5,247.16 | A |
| BUPROFEZIN | 180.80 | 7 | 492.00 | A |
| BUTYL ALCOHOL | 33.03 | 10 | 766.00 | A |
| CHLORANTRANILIPROLE | 30.53 | 5 | 399.00 | A |
| CHLOROTHALONIL | 646.24 | 5 | 566.04 | A |
| CHLORPYRIFOS | 1,362.99 | 14 | 1,038.66 | A |
| CHLORTHAL-DIMETHYL | 7,457.94 | 10 | 1,093.56 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 40.62 | 4 | 65.80 | A |
| COPPER HYDROXIDE | 45.54 | 3 | 150.00 | A |
| COPPER OCTANOATE | 159.22 | 8 | 287.80 | A |
| COPPER OXIDE (OUS) | 212.23 | 9 | 323.30 | A |
| CYFLUTHRIN | 83.81 | 33 | 1,877.46 | A |
| (S)-CYPERMETHRIN | 70.29 | 36 | 2,690.68 | A |
| DIETHYLENE GLYCOL | 40.98 | 10 | 908.00 | A |
| DIMETHOATE | 5.69 | 5 | 14.00 | A |
| DIMETHYLPOLYSILOXANE | 3.50 | 48 | 3,241.67 | A |
| DINOTEFURAN | 152.13 | 17 | 1,159.17 | A |
| EMAMECTIN BENZOATE | 8.89 | 10 | 610.50 | A |
| ESFENVALERATE | 118.11 | 30 | 2,417.51 | A |
| FATTY ACIDS, MIXED | 77.89 | 30 | 1,851.73 | A |
| FENAMIDONE | 130.60 | 7 | 683.00 | A |
| FENPROPATHRIN | 221.06 | 13 | 1,060.44 | A |
| FLONICAMID | 6.57 | 1 | 75.00 | A |
| FLUBENDIAMIDE | 117.55 | 24 | 1,978.45 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 60.84 | 1 | 40.00 | A |
| IMIDACLOPRID | 448.90 | 16 | 1,193.56 | A |
| ISOPROPYL ALCOHOL | 4.24 | 3 | 240.50 | A |
| LAMBDA-CYHALOTHRIN | 51.95 | 23 | 1,716.54 | A |
| LECITHIN | 167.08 | 26 | 1,338.73 | A |
| MALATHION | 5.11 | 1 | 5.00 | A |
| MANCOZEB | 112.50 | 2 | 75.00 | A |
| MANDIPROPAMID | 59.10 | 4 | 454.00 | A |
| METHOXYFENOZIDE | 34.02 | 1 | 120.00 | A |
| METHYLATED SOYBEAN OIL | 281.87 | 9 | 547.00 | A |
| MINERAL OIL | 519.75 | 24 | 2,108.99 | A |
| NALED | 1,820.43 | 18 | 903.73 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 589.27 | 73 | 5,145.15 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 6.36 | 1 | 40.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 102.52 | 1 | 75.00 | A |
| OLEIC ACID | 1.86 | 3 | 240.50 | A |
| OLEIC ACID, METHYL ESTER | 78.83 | 1 | 120.00 | A |
| OXYFLUORFEN | 19.01 | 4 | 150.00 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 93.97 | 8 | 277.00 | A |
| PARAQUAT DICHLORIDE | 27.58 | 1 | 30.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 49.37 | 3 | 377.00 | A |
| PHOSPHORIC ACID | 72.08 | 22 | 1,562.92 | A |
| POLYACRYLAMIDE POLYMER | 1.31 | 4 | 150.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 59.74 | 47 | 3,454.05 | A |
| POLY-I-PARA-MENTHENE | 63.57 | 5 | 178.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 93.31 | 49 | 3,250.50 | A |
| POTASH SOAP | 4.16 | 1 | 1.50 | A |
| PROPIONIC ACID | 114.59 | 20 | 943.73 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 4.66 | 3 | 240.50 | A |
| PYRETHRINS | 14.26 | 23 | 538.95 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PYRIPROXYFEN | 18.95 | 8 | 258.73 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 3.42 | 2 | 66.40 | A |
| REYNOUTRIA SACHALINENSIS | 41.66 | 10 | 359.80 | A |
| SETHOXYDIM | 30.23 | 2 | 115.00 | A |
| SPINOSAD | 197.97 | 30 | 1,933.90 | A |
| SPIROMESIFEN | 9.86 | 1 | 75.00 | A |
| SPIROTETRAMAT | 54.05 | 13 | 1,081.50 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.02 | 3 | 148.20 | A |
| TALL OIL FATTY ACIDS | 11.52 | 4 | 417.00 | A |
| THIAMETHOXAM | 189.99 | 37 | 2,252.23 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 124.57 | 15 | 1,183.00 | A |
| UREA | 64.28 | 22 | 1,562.92 | A |
| Site Total | 18,000.54 | 694 | | |
| **BUSHBERRY** | | | | |
| FLUMIOXAZIN | 16.83 | 1 | 44.00 | A |
| Site Total | 16.83 | 1 | | |
| **CABBAGE** | | | | |
| ABAMECTIN | 0.16 | 2 | 6.00 | A |
| AZOXYSTROBIN | 2.60 | 2 | 20.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 7.49 | 7 | 14.20 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.75 | 3 | 10.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | 0.13 | 2 | 6,000.00 | S |
| BIFENTHRIN | 0.43 | 1 | 5.75 | A |
| CHLOROTHALONIL | 3.75 | 1 | 5.00 | A |
| CHLORTHAL-DIMETHYL | 12.07 | 1 | 4.00 | A |
| CLETHODIM | 0.61 | 1 | 5.00 | A |
| BETA-CYFLUTHRIN | 0.04 | 2 | 15.80 | A |
| ESFENVALERATE | 1.43 | 5 | 31.00 | A |
| IMIDACLOPRID | 2.38 | 6 | 29.80 | A |
| INDOXACARB | 0.02 | | 0.25 | A |
| IPRODIONE | 3.75 | 2 | 15.00 | A |
| MALATHION | 16.74 | 3 | 11.00 | A |
| METHYLATED SOYBEAN OIL | 3.31 | 1 | 5.00 | A |
| PENTHIOPYRAD | 4.29 | 2 | 16.30 | A |
| TALL OIL FATTY ACIDS | 0.71 | 1 | 5.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.71 | 1 | 5.00 | A |
| Site Total | 61.36 | 39 | | |
| **CANOLA (RAPE)** | | | | |
| ACETAMIPRID | 0.05 | 1 | 0.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 3.45 | 1 | 2.00 | A |
| Site Total | 3.50 | 2 | | |
| **CANTALOUPE** | | | | |
| ABAMECTIN | 209.84 | 221 | 14,266.01 | A |
| ACETAMIPRID | 358.66 | 68 | 3,303.85 | A |
| ACRYLIC ACID | 10.51 | 4 | 284.00 | A |
| ALCOHOLS, C4-C12, NORMAL | 7.21 | 12 | 718.55 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 384.85 | 3 | 75.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.45 | 3 | 198.24 | A |
| ALPHA-ALKYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3,359.08 | 73 | 8,081.14 | A |
| AMMONIUM NITRATE | 0.68 | 1 | 70.00 | A |
| AMMONIUM SULFATE | 16.80 | 1 | 70.00 | A |
| AZOXYSTROBIN | 84.11 | 6 | 671.44 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 8.55 | 1 | 95.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 56.50 | 4 | 155.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 252.72 | 3 | 234.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 630.28 | 8 | 541.00 | A |
| BIFENAZATE | 19.02 | 2 | 49.90 | A |
| BIFENTHRIN | 1,520.26 | 212 | 14,604.70 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 5.11 | 6 | 293.26 | A |
| BOSCALID | 27.55 | 2 | 133.00 | A |
| BUPROFEZIN | 410.53 | 16 | 1,187.99 | A |
| BUTYL ALCOHOL | 941.70 | 94 | 9,131.14 | A |
| CALCIUM CHLORIDE | 3.01 | 1 | 143.00 | A |
| CARBARYL | 2,479.73 | 83 | 4,836.97 | A |
| CHLORANTRANILIPROLE | 199.82 | 72 | 3,399.10 | A |
| CHLOROTHALONIL | 78.14 | 2 | 69.60 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 111.00 | 3 | 184.80 | A |
| CITRIC ACID | 8.35 | 1 | 143.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 70.46 | 3 | 210.00 | A |
| CLETHODIM | 2.13 | 1 | 20.00 | A |
| COCONUT DIETHANOLAMIDE | 2.58 | 19 | 1,170.90 | A |
| COTTONSEED OIL | 638.84 | 12 | 718.55 | A |
| CYFLUFENAMID | 71.31 | 29 | 3,100.80 | A |
| CYFLUTHRIN | 36.65 | 7 | 826.26 | A |
| (S)-CYPERMETHRIN | 20.12 | 10 | 852.07 | A |
| DIAZINON | 232.18 | 9 | 814.25 | A |
| DIETHYLENE GLYCOL | 768.82 | 52 | 3,463.61 | A |
| DIFENOCONAZOLE | 11.85 | 2 | 105.00 | A |
| DIMETHYLPOLYSILOXANE | 11.97 | 168 | 13,190.29 | A |
| DINOTEFURAN | 411.64 | 33 | 3,143.19 | A |
| DODECYLBENZENE SULFONIC ACID | 11.20 | 19 | 1,170.90 | A |
| EDTA, TETRASODIUM SALT | 0.69 | 19 | 1,170.90 | A |
| ESFENVALERATE | 105.23 | 62 | 2,128.75 | A |
| ETOXAZOLE | 26.40 | 7 | 258.50 | A |
| FATTY ACIDS, MIXED | 262.69 | 59 | 2,809.02 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 19.06 | 6 | 293.26 | A |
| FENPROPATHRIN | 125.12 | 3 | 90.00 | A |
| FENPYROXIMATE | 6.61 | 6 | 78.80 | A |
| FLONICAMID | 59.07 | 14 | 740.62 | A |
| FLUBENDIAMIDE | 544.03 | 123 | 10,536.94 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,682.24 | 8 | 358.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 686.83 | 1 | 166.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.33 | 2 | 133.00 | A |
| IMIDACLOPRID | 1,904.23 | 73 | 5,307.79 | A |
| INDOXACARB | 2.03 | 1 | 25.00 | A |
| ISOPROPYL ALCOHOL | 24.64 | 50 | 2,360.70 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| LAMBDA-CYHALOTHRIN | 9.46 | 18 | 374.70 | A |
| LECITHIN | 123.04 | 22 | 1,167.50 | A |
| MEFENOXAM | 26.70 | 12 | 1,095.25 | A |
| METAM-SODIUM | 3,344.31 | 1 | 79.00 | A |
| METHOMYL | 2,398.89 | 71 | 2,631.98 | A |
| METHOXYFENOZIDE | 503.55 | 53 | 3,080.56 | A |
| METHYLATED SOYBEAN OIL | 110.60 | 7 | 248.00 | A |
| MINERAL OIL | 1,906.69 | 43 | 5,441.00 | A |
| MYCLOBUTANIL | 183.14 | 76 | 1,996.66 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 9.89 | 8 | 643.26 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2,020.24 | 203 | 15,211.34 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.49 | 3 | 266.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 44.39 | 5 | 304.00 | A |
| OLEIC ACID | 0.60 | 1 | 77.00 | A |
| OXAMYL | 855.03 | 8 | 361.00 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 10.00 | 1 | 50.00 | A |
| PARAQUAT DICHLORIDE | 2.48 | 1 | 20.00 | A |
| PENTHIOPYRAD | 23.62 | 4 | 109.90 | A |
| PERMETHRIN | 1,003.74 | 80 | 5,813.69 | A |
| PHOSPHORIC ACID | 479.69 | 93 | 9,254.58 | A |
| POLYBUTENES | 3.40 | 6 | 293.26 | A |
| POLYETHER MODIFIED POLYSILOXANE | 7.89 | 2 | 193.24 | A |
| POLYETHYLENE GLYCOL | 109.42 | 29 | 1,101.80 | A |
| POLY-I-PARA-MENTHENE | 121.43 | 5 | 340.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 4.01 | 1 | 98.24 | A |
| POTASSIUM BICARBONATE | 229.32 | 1 | 92.40 | A |
| PROPIONIC ACID | 112.72 | 21 | 1,147.50 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 1.49 | 1 | 77.00 | A |
| PYMETROZINE | 53.90 | 14 | 627.25 | A |
| PYRACLOSTROBIN | 14.00 | 2 | 133.00 | A |
| PYRIPROXYFEN | 124.79 | 22 | 1,628.85 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 25.79 | 3 | 158.00 | A |
| QUINOXYFEN | 75.32 | 16 | 842.80 | A |
| REYNOUTRIA SACHALINENSIS | 9.75 | 2 | 92.40 | A |
| SILICONE DEFOAMER | 0.29 | 19 | 1,170.90 | A |
| SODIUM XYLENE SULFONATE | 3.45 | 19 | 1,170.90 | A |
| SPINETORAM | 25.52 | 9 | 534.70 | A |
| SPINOSAD | 11.92 | 5 | 149.20 | A |
| SPIROMESIFEN | 136.20 | 12 | 645.69 | A |
| SULFUR | 17,042.20 | 12 | 239.40 | A |
| TALL OIL FATTY ACIDS | 14.76 | 8 | 305.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 13.13 | 19 | 1,170.90 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 1.72 | 19 | 1,170.90 | A |
| THIAMETHOXAM | 472.76 | 85 | 6,237.58 | A |
| THIOPHANATE-METHYL | 285.34 | 15 | 984.00 | A |
| TRIETHANOLAMINE | 4.39 | 19 | 1,170.90 | A |
| TRIFLOXYSTROBIN | 3.63 | 1 | 58.00 | A |
| TRIFLUMIZOLE | 10.46 | 2 | 99.10 | A |
| TRIFLURALIN | 1,113.96 | 18 | 2,053.63 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 388.09 | 42 | 1,714.52 | A |
| UREA | 402.82 | 60 | 7,081.88 | A |
| VINYL POLYMER | 0.63 | 7 | 298.00 | A |
| XANTHAN GUM | < 0.01 | 3 | 266.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ZINC SULFATE | 5.71 | 7 | 451.80 | A |
| Site Total | 52,818.17 | 1,998 | | |
| **CARROT** | | | | |
| AZOXYSTROBIN | 28.17 | 2 | 144.50 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 96.00 | 2 | 96.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 218.81 | 4 | 202.60 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 103.31 | 9 | 725.00 | A |
| BOSCALID | 95.09 | 7 | 575.00 | A |
| CHLOROTHALONIL | 686.59 | 9 | 790.00 | A |
| CONIOTHYRIUM MINITANS STRAIN CON/M/91-08 | 13.42 | 4 | 126.65 | A |
| CYAZOFAMID | 100.69 | 8 | 644.50 | A |
| BETA-CYFLUTHRIN | 0.80 | 3 | 280.50 | A |
| 1,3-DICHLOROPROPENE | 54,510.81 | 7 | 452.50 | A |
| DIPHACINONE | 0.01 | 5 | 375.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 385.69 | 9 | 725.00 | A |
| FLUAZIFOP-P-BUTYL | 216.53 | 7 | 575.00 | A |
| HYDROGEN PEROXIDE | 335.18 | 2 | 136.00 | A |
| IMIDACLOPRID | 3.91 | 4 | 361.00 | A |
| LINURON | 1,008.63 | 17 | 1,434.50 | A |
| MEFENOXAM | 169.74 | 18 | 1,515.00 | A |
| METAM-SODIUM | 134,877.36 | 10 | 725.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 130.86 | 9 | 725.00 | A |
| PENDIMETHALIN | 677.12 | 8 | 715.00 | A |
| POLYBUTENES | 68.87 | 9 | 725.00 | A |
| PYRACLOSTROBIN | 134.55 | 14 | 1,150.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 105.19 | 7 | 394.38 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.01 | 1 | 58.40 | A |
| SULFUR | 16,175.60 | 45 | 3,096.46 | A |
| Site Total | 210,142.95 | 181 | | |
| **CAULIFLOWER** | | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 0.63 | 1 | 0.50 | A |
| Site Total | 0.63 | 1 | | |
| **CHERRY** | | | | |
| ABAMECTIN | 61.28 | 92 | 2,858.21 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 1.54 | 34 | 234.96 | A |
| ACRYLIC ACID | 81.97 | 19 | 825.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 30.78 | 2 | 29.25 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 14.87 | 39 | 301.41 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 382.66 | 51 | 1,444.50 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.59 | 4 | 61.10 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 151.41 | 18 | 362.20 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 196.16 | 53 | 666.68 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 3.91 | 1 | 8.49 | A |
| ALUMINUM PHOSPHIDE | 0.33 | 3 | 138.00 | A |
| AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE | 15.24 | 11 | 139.00 | A |
| AMMONIUM NITRATE | 93.65 | 54 | 686.68 | A |
| AMMONIUM SULFATE | 263.91 | 66 | 1,018.18 | A |
| AZOXYSTROBIN | 23.54 | 4 | 139.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 34.00 | 1 | 40.00 | A |
| BENTONITE | 33.60 | 3 | 46.00 | A |
| BIFENAZATE | 129.00 | 11 | 266.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 81.15 | 50 | 1,119.24 | A |
| BOSCALID | 342.24 | 64 | 1,720.42 | A |
| BUPROFEZIN | 263.94 | 4 | 174.00 | A |
| 2-BUTOXYETHANOL | 5.95 | 39 | 301.41 | A |
| BUTYL ALCOHOL | 0.74 | 1 | 10.00 | A |
| CARBARYL | 238.60 | 2 | 60.00 | A |
| CARFENTRAZONE-ETHYL | 1.42 | 4 | 103.00 | A |
| CASEIN | 2.52 | 3 | 46.00 | A |
| CASTOR OIL ETHOXYLATE | 28.64 | 8 | 139.70 | A |
| CHLORANTRANILIPROLE | 13.19 | 6 | 228.00 | A |
| CHLOROTHALONIL | 939.31 | 14 | 311.25 | A |
| CHLORPYRIFOS | 346.06 | 9 | 294.60 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 174.28 | 11 | 290.47 | A |
| CITRIC ACID | 37.00 | 15 | 435.50 | A |
| CLOFENTEZINE | 12.34 | 2 | 58.50 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 0.23 | 4 | 86.00 | A |
| COPPER HYDROXIDE | 4,573.30 | 39 | 915.80 | A |
| COPPER OXIDE (OUS) | 1,667.01 | 13 | 211.80 | A |
| COPPER SULFATE (BASIC) | 672.75 | 11 | 166.70 | A |
| COTTONSEED OIL | 162.69 | 21 | 517.24 | A |
| BETA-CYFLUTHRIN | 0.19 | 2 | 8.00 | A |
| CYPRODINIL | 9.38 | 1 | 40.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 1,308.65 | 39 | 792.59 | A |
| 1,3-DICHLOROPROPENE | 2,794.21 | 2 | 8.50 | A |
| DIETHYLENE GLYCOL | 582.03 | 95 | 2,246.91 | A |
| DIFENOCONAZOLE | 14.75 | 4 | 139.00 | A |
| DIMETHYLPOLYSILOXANE | 119.64 | 373 | 8,196.20 | A |
| Z-8-DODECENOL | 0.06 | 5 | 50.90 | A |
| E-8-DODECENYL ACETATE | 0.34 | 5 | 50.90 | A |
| Z-8-DODECENYL ACETATE | 5.35 | 5 | 50.90 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.69 | 3 | 22.00 | A |
| ESFENVALERATE | 43.62 | 32 | 808.38 | A |
| ETHYLENE GLYCOL | 7.26 | 2 | 32.00 | A |
| ETOXAZOLE | 92.29 | 31 | 710.20 | A |
| FATTY ACIDS, MIXED | 59.73 | 50 | 1,094.87 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | 2.15 | 2 | 25.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 275.33 | 31 | 748.55 | A |
| FENBUCONAZOLE | 3.12 | 2 | 26.25 | A |
| FENHEXAMID | 24.95 | 4 | 43.60 | A |
| FENPROPATHRIN | 259.34 | 48 | 836.59 | A |
| FENPYROXIMATE | 27.24 | 16 | 324.90 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| FERROUS SULFATE | | 1.20 | 4 | 86.00 | A |
| FLUBENDIAMIDE | | 3.75 | 1 | 30.00 | A |
| FLUDIOXONIL | | 13.69 | | 712.50 | T |
| | | 1.20 | | 62.50 | U |
| Total Pounds On This Chemical | 14.89 | | | | |
| FLUMIOXAZIN | | 46.11 | 12 | 157.71 | A |
| FLUOPYRAM | | 21.21 | 10 | 252.00 | A |
| GIBBERELLINS | | 61.91 | 61 | 1,398.70 | A |
| GLUFOSINATE-AMMONIUM | | 157.83 | 25 | 307.40 | A |
| GLYCEROL | | 110.25 | 5 | 112.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 3,303.37 | 113 | 2,037.70 | A |
| GLYPHOSATE, POTASSIUM SALT | | 2,306.31 | 78 | 1,218.76 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 60.09 | 13 | 366.30 | A |
| HEXYTHIAZOX | | 57.73 | 14 | 366.04 | A |
| HYDROGEN CYANAMIDE | | 27,102.10 | 80 | 1,824.29 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 121.40 | 17 | 159.53 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 14.93 | 2 | 110.00 | A |
| IMIDACLOPRID | | 150.49 | 21 | 630.60 | A |
| INDAZIFLAM | | 30.81 | 38 | 492.15 | A |
| IPRODIONE | | 1,188.58 | 81 | 1,877.18 | A |
| ISOPROPYL ALCOHOL | | 192.29 | 186 | 4,193.23 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 7.78 | 42 | 399.41 | A |
| ISOXABEN | | 54.37 | 5 | 61.62 | A |
| KAOLIN | | 30,176.75 | 33 | 908.34 | A |
| LACTOSE | | 2.52 | 3 | 46.00 | A |
| LAMBDA-CYHALOTHRIN | | 80.53 | 79 | 2,019.69 | A |
| LECITHIN | | 363.74 | 41 | 762.28 | A |
| LIMONENE | | 121.93 | 39 | 301.41 | A |
| MALATHION | | 1,052.24 | 29 | 804.34 | A |
| MANGANESE SULFATE | | 1.66 | 4 | 86.00 | A |
| MEFENOXAM | | 17.52 | 2 | 8.75 | A |
| METCONAZOLE | | 11.88 | 3 | 122.64 | A |
| METHOXYFENOZIDE | | 137.78 | 22 | 634.70 | A |
| METHYLATED SOYBEAN OIL | | 526.98 | 38 | 802.28 | A |
| METHYL BROMIDE | | 42.80 | | 4,370.00 | P |
| METHYL ESTERS OF COTTONSEED OIL | | 496.77 | 13 | 287.05 | A |
| MINERAL OIL | | 20,614.99 | 92 | 2,490.67 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 696.03 | 65 | 1,178.30 | A |
| MYCLOBUTANIL | | 165.00 | 47 | 1,242.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 98.26 | 38 | 890.22 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2,166.65 | 368 | 8,095.28 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 12.68 | 17 | 159.53 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 812.09 | 68 | 1,840.22 | A |
| OLEIC ACID, METHYL ESTER | | 40.10 | 4 | 61.10 | A |
| ORYZALIN | | 3,075.89 | 31 | 883.45 | A |
| OXYFLUORFEN | | 1,446.60 | 133 | 2,678.90 | A |
| PARAQUAT DICHLORIDE | | 1,904.77 | 112 | 2,343.78 | A |
| PENDIMETHALIN | | 2,702.86 | 55 | 971.16 | A |
| PENTHIOPYRAD | | 74.26 | 21 | 358.40 | A |
| PERMETHRIN | | 11.80 | 3 | 59.00 | A |
| PETROLEUM DISTILLATES | | 26.93 | 2 | 105.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 446.73 | 42 | 399.41 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| PETROLEUM OIL, UNCLASSIFIED | | 8,309.35 | 33 | 847.80 | A |
| PHOSPHORIC ACID | | 131.17 | 41 | 1,427.60 | A |
| BETA-PINENE POLYMER | | 8.77 | 2 | 32.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 0.21 | 3 | 15.50 | A |
| POLYACRYLAMIDE POLYMER | | 4.39 | 3 | 87.00 | A |
| POLYACRYLIC POLYMER | | 0.17 | 2 | 49.50 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 1.25 | 6 | 140.00 | A |
| POLYBUTENES | | 49.17 | 31 | 748.55 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 28.64 | 16 | 197.40 | A |
| POLYETHYLENE GLYCOL | | 714.74 | 139 | 3,006.14 | A |
| POLY-I-PARA-MENTHENE | | 1.90 | 2 | 8.00 | A |
| POLYMERIZED PINENE | | 30.06 | 3 | 22.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 24.70 | 24 | 576.00 | A |
| POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER | | 56.23 | 5 | 180.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 7.33 | 3 | 98.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 48.22 | 3 | 98.00 | A |
| POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER | | 214.78 | 8 | 139.70 | A |
| POTASSIUM HYDROXIDE | | 1.25 | 3 | 104.00 | A |
| POTASSIUM NITRATE | | 9.84 | 3 | 104.00 | A |
| POTASSIUM PHOSPHITE | | 704.29 | 8 | 230.00 | A |
| PROHEXADIONE CALCIUM | | 53.22 | 18 | 175.80 | A |
| PROPARGITE | | 464.80 | 6 | 257.50 | A |
| PROPICONAZOLE | | 121.64 | 48 | 1,071.32 | A |
| PROPIONIC ACID | | 26.21 | 13 | 225.20 | A |
| PROPYLENE GLYCOL | | 31.64 | 16 | 293.99 | A |
| PYRACLOSTROBIN | | 181.08 | 68 | 1,782.42 | A |
| PYRAFLUFEN-ETHYL | | 2.79 | 41 | 717.58 | A |
| PYRETHRINS | | 1.68 | 4 | 68.75 | A |
| PYRIPROXYFEN | | 40.03 | 18 | 451.38 | A |
| QUINOXYFEN | | 172.25 | 69 | 1,573.53 | A |
| REYNOUTRIA SACHALINENSIS | | 36.63 | 11 | 324.00 | A |
| RIMSULFURON | | 61.93 | 67 | 1,190.16 | A |
| SETHOXYDIM | | 35.95 | 6 | 92.11 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | | 1.07 | 2 | 25.00 | A |
| SODIUM HYDROXIDE | | 11.97 | 3 | 87.00 | A |
| SODIUM HYPOCHLORITE | | 138.69 | | 712.50 | T |
| | | 77.47 | | 62.50 | U |
| Total Pounds On This Chemical | 216.16 | | | | |
| SODIUM XYLENE SULFONATE | | 6.98 | 2 | 25.00 | A |
| SPINETORAM | | 70.68 | 26 | 754.70 | A |
| SPINOSAD | | 97.20 | 42 | 1,058.37 | A |
| SPIRODICLOFEN | | 23.81 | 4 | 94.00 | A |
| SPIROTETRAMAT | | 11.04 | 13 | 329.70 | A |
| STREPTOMYCES LYDICUS WYEC 108 | | 0.08 | 10 | 297.00 | A |
| STYRENE BUTADIENE COPOLYMER | | 26.71 | 15 | 285.50 | A |
| SULFUR | | 2,865.64 | 22 | 705.70 | A |
| SULFURIC ACID | | 0.45 | 1 | 8.49 | A |
| TALL OIL | | 30.60 | 10 | 191.70 | A |
| TALL OIL FATTY ACIDS | | 35.51 | 55 | 1,021.53 | A |
| TEBUCONAZOLE | | 217.71 | 58 | 1,430.78 | A |
| THIOPHANATE-METHYL | | 217.18 | 14 | 310.25 | A |
| TRIFLOXYSTROBIN | | 33.92 | 16 | 385.24 | A |
| TRIFLUMIZOLE | | 69.92 | 13 | 142.30 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 148.49 | 47 | 1,058.50 | A |
| VEGETABLE OIL | | 3,836.30 | 13 | 444.50 | A |
| VINYL POLYMER | | 0.11 | 1 | 20.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ZINC SULFATE | 4.80 | 5 | 121.00 | A |
| ZIRAM | 1,084.90 | 14 | 291.00 | A |
| Site Total | 139,644.82 | 3,079 | | |
| **CHINESE CABBAGE (NAPPA)** | | | | |
| ACETAMIPRID | 0.35 | 2 | 6.00 | A |
| AZOXYSTROBIN | 0.18 | 1 | 1.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.45 | 2 | 6.00 | A |
| BIFENTHRIN | 4.06 | 3 | 44.00 | A |
| CHLORANTRANILIPROLE | 5.20 | 5 | 235.50 | A |
| CHLOROTHALONIL | 0.16 | 1 | 20.00 | A |
| CHLORTHAL-DIMETHYL | 15.09 | 1 | 5.00 | A |
| CYPERMETHRIN | 3.95 | 2 | 80.00 | A |
| (S)-CYPERMETHRIN | 6.32 | 8 | 347.50 | A |
| CYPRODINIL | 31.60 | 3 | 180.00 | A |
| DIFENOCONAZOLE | 11.13 | 4 | 181.00 | A |
| DIMETHOMORPH | 6.21 | 2 | 31.50 | A |
| EMAMECTIN BENZOATE | 0.14 | 1 | 13.00 | A |
| FLONICAMID | 1.50 | 1 | 18.00 | A |
| FLUBENDIAMIDE | 2.91 | 3 | 49.00 | A |
| IMIDACLOPRID | 9.31 | 6 | 236.50 | A |
| INDOXACARB | 3.25 | 3 | 49.50 | A |
| LAMBDA-CYHALOTHRIN | 4.45 | 7 | 365.40 | A |
| METHOXYFENOZIDE | 3.20 | 3 | 49.50 | A |
| PYMETROZINE | 1.55 | 1 | 18.00 | A |
| REYNOUTRIA SACHALINENSIS | 2.16 | 2 | 31.00 | A |
| SPINETORAM | 0.25 | 1 | 5.40 | A |
| SPIROTETRAMAT | 2.48 | 2 | 31.50 | A |
| THIAMETHOXAM | 1.68 | 3 | 44.00 | A |
| Site Total | 117.57 | 63 | | |
| **CHINESE GREENS** | | | | |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 1.08 | 1 | 2.50 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 1.70 | 1 | 2.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 2.76 | 2 | 2.00 | A |
| Site Total | 5.54 | 4 | | |
| **CHRISTMAS TREE** | | | | |
| DIFLUBENZURON | 0.63 | 5 | 50.00 | A |
| Site Total | 0.63 | 5 | | |
| **CILANTRO** | | | | |
| SPINOSAD | 2.00 | 1 | 10.00 | A |
| Site Total | 2.00 | 1 | | |
| **CITRUS** | | | | |
| ABAMECTIN | 5.11 | 10 | 239.70 | A |
| ACETAMIPRID | 1.62 | 2 | 9.20 | A |
| ACRYLIC ACID | 3.24 | 1 | 10.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.59 | 6 | 88.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.82 | 1 | 10.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.73 | 3 | 5.00 | A |
| AMMONIUM PROPIONATE | 0.21 | 1 | 20.00 | A |
| AMMONIUM SULFATE | 1.46 | 1 | 4.00 | A |
| AMYL ACETATE | 0.09 | 1 | 20.00 | A |
| BENTONITE | 10.80 | 2 | 6.00 | A |
| CALCIUM HYDROXIDE | 834.40 | 5 | 84.00 | A |
| CASEIN | 0.81 | 2 | 6.00 | A |
| CHLORANTRANILIPROLE | 1.32 | 2 | 14.50 | A |
| CHLORPYRIFOS | 106.82 | 6 | 46.00 | A |
| CITRIC ACID | 1.26 | 2 | 24.00 | A |
| COCONUT DIETHANOLAMIDE | 0.29 | 2 | 35.00 | A |
| COPPER OXIDE (OUS) | 107.86 | 3 | 61.40 | A |
| COPPER SULFATE (BASIC) | 156.41 | 4 | 30.50 | A |
| CYFLUTHRIN | 10.28 | 3 | 158.00 | A |
| BETA-CYFLUTHRIN | 0.62 | 3 | 22.90 | A |
| (S)-CYPERMETHRIN | 4.98 | 7 | 100.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 19.63 | 2 | 12.00 | A |
| DIETHYLENE GLYCOL | 2.54 | 2 | 128.00 | A |
| DIFLUBENZURON | 1.41 | 2 | 9.00 | A |
| DIMETHOATE | 43.68 | 1 | 118.00 | A |
| DIMETHYLPOLYSILOXANE | 17.54 | 8 | 211.00 | A |
| DODECYLBENZENE SULFONIC ACID | 1.26 | 2 | 35.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.28 | 1 | 18.00 | A |
| EDTA, TETRASODIUM SALT | 0.08 | 2 | 35.00 | A |
| FATTY ACIDS, MIXED | 4.52 | 2 | 128.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 0.69 | 3 | 5.00 | A |
| GIBBERELLINS | 2.96 | | 25,607.30 | T |
| GLUFOSINATE-AMMONIUM | 8.36 | 1 | 9.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 53.53 | 10 | 63.60 | A |
| GLYPHOSATE, POTASSIUM SALT | 126.28 | 8 | 74.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.62 | 3 | 40.00 | A |
| IMAZALIL | 587.43 | | 41,701.00 | T |
| IMAZALIL SULFATE | 421.10 | | 136,431.00 | T |
| IMIDACLOPRID | 70.07 | 12 | 204.20 | A |
| INDAZIFLAM | 2.03 | 2 | 28.00 | A |
| ISOPROPYL ALCOHOL | 5.52 | 5 | 65.00 | A |
| KAOLIN | 1,068.75 | 2 | 25.00 | A |
| LACTOSE | 0.81 | 2 | 6.00 | A |
| LECITHIN | 5.38 | 2 | 30.00 | A |
| MEFENOXAM | 48.04 | 2 | 33.00 | A |
| METHYLATED SOYBEAN OIL | 51.38 | 7 | 78.00 | A |
| MINERAL OIL | 1,491.09 | 10 | 238.50 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 2.86 | 2 | 17.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 39.43 | 13 | 219.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 12.09 | 1 | 10.00 | A |
| OLEIC ACID, METHYL ESTER | 13.14 | 1 | 10.00 | A |
| ORYZALIN | 21.11 | 1 | 10.00 | A |
| OXYFLUORFEN | 18.59 | 2 | 28.00 | A |
| PARAQUAT DICHLORIDE | 7.69 | 3 | 19.00 | A |
| PENDIMETHALIN | 56.82 | 2 | 20.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PETROLEUM OIL, UNCLASSIFIED | 181.64 | 6 | 37.90 | A |
| PHOSPHORIC ACID | 2.67 | 5 | 59.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.25 | 2 | 24.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 1.44 | 1 | 20.00 | A |
| POLYETHYLENE GLYCOL | 11.93 | 1 | 18.00 | A |
| POLYMERIZED PINENE | 4.92 | 1 | 18.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 3.60 | 1 | 20.00 | A |
| POTASSIUM PHOSPHITE | 34.78 | 1 | 10.00 | A |
| PROPIONIC ACID | 0.73 | 1 | 20.00 | A |
| PROPYLENE GLYCOL | 4.06 | 3 | 58.00 | A |
| PYRAFLUFEN-ETHYL | 0.01 | 1 | 10.00 | A |
| PYRIPROXYFEN | 2.04 | 2 | 19.00 | A |
| RIMSULFURON | 3.63 | 5 | 66.00 | A |
| SAFLUFENACIL | 1.09 | 4 | 29.20 | A |
| SILICONE DEFOAMER | 0.03 | 2 | 35.00 | A |
| SODIUM XYLENE SULFONATE | 0.39 | 2 | 35.00 | A |
| SPINETORAM | 15.26 | 14 | 170.20 | A |
| SPIROTETRAMAT | 4.62 | 9 | 131.00 | A |
| STYRENE BUTADIENE COPOLYMER | 3.10 | 2 | 38.00 | A |
| TALL OIL FATTY ACIDS | 0.98 | 2 | 20.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.47 | 2 | 35.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.19 | 2 | 35.00 | A |
| THIABENDAZOLE | 380.67 | | 69,540.70 | T |
| THIAMETHOXAM | 0.03 | 1 | 1.00 | A |
| TRIETHANOLAMINE | 0.49 | 2 | 35.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 11.45 | 5 | 186.00 | A |
| Site Total | 6,138.90 | 184 | | |
| **COMMODITY FUMIGATION** | | | | |
| ALUMINUM PHOSPHIDE | 1,780.76 | | | |
| BROMADIOLONE | < 0.01 | | | |
| CHOLECALCIFEROL | < 0.01 | | | |
| GLYPHOSATE, POTASSIUM SALT | 41.38 | | | |
| METHYL BROMIDE | 161.00 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 0.55 | | | |
| PIPERONYL BUTOXIDE | 0.35 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 0.03 | | | |
| PYRETHRINS | 0.19 | | | |
| SULFURYL FLUORIDE | 2,744.50 | | | |
| Site Total | 4,728.76 | | | |
| **CORN (FORAGE - FODDER)** | | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 2.20 | 36 | 1,188.80 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 553.81 | 121 | 6,631.27 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 97.76 | 53 | 1,978.40 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 43.92 | 9 | 579.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 223.89 | 46 | 1,798.70 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 374.69 | 63 | 2,973.80 | A |
| AMMONIUM NITRATE | 106.34 | 36 | 1,088.70 | A |
| AMMONIUM SULFATE | 2,864.02 | 146 | 8,610.20 | A |
| BENZOIC ACID | 20.22 | 57 | 3,970.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 114.43 | 100 | 5,241.10 | A |
| BUTYL ALCOHOL | 71.03 | 54 | 3,385.00 | A |
| CARFENTRAZONE-ETHYL | 7.47 | 11 | 582.90 | A |
| CHLORANTRANILIPROLE | 4.20 | 1 | 80.00 | A |
| CHLORPYRIFOS | 1,823.49 | 37 | 2,250.20 | A |
| CITRIC ACID | 408.79 | 100 | 6,597.40 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 1.02 | 5 | 485.00 | A |
| COTTONSEED OIL | 7,378.33 | 121 | 6,631.27 | A |
| DICAMBA, SODIUM SALT | 553.68 | 35 | 2,744.00 | A |
| DIFLUFENZOPYR, SODIUM SALT | 140.00 | 23 | 2,022.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 109.80 | 4 | 179.00 | A |
| DIMETHOATE | 154.51 | 4 | 347.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 22.02 | 57 | 3,970.00 | A |
| DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE | 15.40 | 14 | 424.00 | A |
| DIMETHYLPOLYSILOXANE | 63.66 | 412 | 20,849.67 | A |
| ETHYLENE GLYCOL | 17.85 | 2 | 102.00 | A |
| ETOXAZOLE | 1,090.78 | 166 | 8,989.22 | A |
| FATTY ACIDS, MIXED | 68.22 | 82 | 6,299.20 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | 2.82 | 12 | 656.32 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 99.68 | 26 | 1,484.80 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 17.57 | 9 | 579.00 | A |
| FENPYROXIMATE | 44.60 | 15 | 393.00 | A |
| FERROUS SULFATE | 5.31 | 5 | 485.00 | A |
| FLUBENDIAMIDE | 29.61 | 7 | 440.00 | A |
| FLUMIOXAZIN | 4.30 | 1 | 45.00 | A |
| GLYCEROL | 91.55 | 22 | 1,366.32 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 3,734.69 | 75 | 3,190.52 | A |
| GLYPHOSATE, POTASSIUM SALT | 23,634.90 | 280 | 16,016.15 | A |
| HALOSULFURON-METHYL | 50.95 | 18 | 866.00 | A |
| HEXYTHIAZOX | 542.77 | 61 | 3,535.50 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 83.40 | 6 | 319.00 | A |
| INDOXACARB | 4.72 | 2 | 72.00 | A |
| ISOPROPYL ALCOHOL | 135.82 | 110 | 5,558.90 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 1.06 | 6 | 161.00 | A |
| KEROSENE | 36.74 | 54 | 3,751.00 | A |
| LAMBDA-CYHALOTHRIN | 15.52 | 6 | 506.00 | A |
| LECITHIN | 203.72 | 21 | 1,103.00 | A |
| MANGANESE SULFATE | 7.36 | 5 | 485.00 | A |
| METHOXYFENOZIDE | 89.10 | 13 | 662.50 | A |
| METHYLATED SOYBEAN OIL | 2,370.49 | 91 | 6,575.00 | A |
| S-METOLACHLOR | 3,027.41 | 22 | 1,812.50 | A |
| MINERAL OIL | 86.25 | 2 | 140.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 153.13 | 97 | 7,189.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2,322.69 | 289 | 18,256.42 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 2.26 | 8 | 801.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 87.86 | 12 | 668.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 11.13 | 1 | 72.50 | A |
| OLEIC ACID | 1.22 | 2 | 88.00 | A |
| OLEIC ACID, METHYL ESTER | 14.57 | 3 | 200.00 | A |
| PENDIMETHALIN | 2,846.58 | 42 | 3,001.00 | A |
| PERMETHRIN | 59.04 | 14 | 492.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 172.96 | 6 | 161.00 | A |
| PHOSPHORIC ACID | 330.36 | 83 | 5,919.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 15.84 | 49 | 3,017.32 | A |
| POLYACRYLAMIDE POLYMER | 8.04 | 11 | 720.10 | A |
| POLYACRYLIC POLYMER | 0.72 | 8 | 263.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.61 | 2 | 155.00 | A |
| POLYBUTENES | 17.80 | 26 | 1,484.80 | A |
| POLYETHYLENE GLYCOL | 453.48 | 88 | 3,993.90 | A |
| POLYETHYLENE GLYCOL OLEATE | 35.66 | 14 | 424.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 121.89 | 23 | 969.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 4.25 | 6 | 161.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 27.95 | 6 | 161.00 | A |
| POTASSIUM HYDROXIDE | 4.59 | 30 | 1,645.90 | A |
| POTASSIUM NITRATE | 31.26 | 20 | 935.90 | A |
| PROPARGITE | 10,768.57 | 70 | 4,317.40 | A |
| PROPIONIC ACID | 28.00 | 9 | 435.00 | A |
| PROPYLENE GLYCOL | 114.32 | 66 | 3,134.30 | A |
| PYRAFLUFEN-ETHYL | 0.23 | 7 | 140.90 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 1.41 | 12 | 656.32 | A |
| SODIUM DIOCTYLSULFOSUCCINATE | 2.29 | 2 | 88.00 | A |
| SODIUM POLYACRYLATE | 0.81 | 10 | 710.00 | A |
| SODIUM XYLENE SULFONATE | 9.17 | 12 | 656.32 | A |
| SPIROMESIFEN | 2,300.85 | 211 | 10,988.47 | A |
| SULFURIC ACID | 44.09 | 64 | 3,046.30 | A |
| TALL OIL FATTY ACIDS | 8.11 | 3 | 156.00 | A |
| TRIBENURON-METHYL | 2.33 | 7 | 164.90 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 9.75 | 10 | 710.00 | A |
| TRIFLURALIN | 519.96 | 11 | 1,037.00 | A |
| UREA DIHYDROGEN SULFATE | 5.85 | 10 | 710.00 | A |
| VEGETABLE OIL | 260.02 | 2 | 160.00 | A |
| VINYL POLYMER | 0.95 | 5 | 142.85 | A |
| XANTHAN GUM | 0.04 | 8 | 801.50 | A |
| ZINC SULFATE | 21.57 | 15 | 1,151.00 | A |
| Site Total | 71,474.12 | 2,089 | | |
| **CORN, GRAIN** | | | | |
| CHLORANTRANILIPROLE | 0.14 | | 1.00 | A |
| ETOXAZOLE | 1.35 | | 10.00 | A |
| PROPARGITE | 86.95 | 1 | 35.00 | A |
| Site Total | 88.44 | 1 | | |
| **CORN, HUMAN CONSUMPTION** | | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 5.19 | 3 | 151.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 103.81 | 4 | 296.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.26 | 6 | 97.85 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 88.42 | 17 | 628.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 193.29 | 77 | 2,579.00 | A |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 24.02 | 77 | 2,579.00 | A |
| AMMONIUM PROPIONATE | 13.67 | 1 | 145.00 | A |
| AMMONIUM SULFATE | 3.42 | 1 | 145.00 | A |
| AZADIRACHTIN | 1.24 | 2 | 68.40 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 691.35 | 26 | 942.40 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 1,152.05 | 31 | 1,112.60 | A |
| BENTAZON, SODIUM SALT | 98.03 | 19 | 90.85 | A |
| BIFENTHRIN | 287.98 | 48 | 2,933.03 | A |
| BUPROFEZIN | 0.82 | 1 | 5.00 | A |
| BUTYL ALCOHOL | 9.69 | 7 | 201.25 | A |
| CALCIUM CHLORIDE | 2.60 | 1 | 49.20 | A |
| CHLORANTRANILIPROLE | 29.75 | 11 | 464.00 | A |
| CHLOROTHALONIL | 2.10 | 1 | 5.00 | A |
| CHLORPYRIFOS | 2,845.06 | 33 | 3,022.71 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 171.86 | 9 | 290.60 | A |
| CITRIC ACID | 59.81 | 79 | 2,773.20 | A |
| CYFLUTHRIN | 918.94 | 253 | 20,644.74 | A |
| BETA-CYFLUTHRIN | 62.66 | 78 | 2,648.00 | A |
| (S)-CYPERMETHRIN | 3.24 | 2 | 129.33 | A |
| DIETHYLENE GLYCOL | 53.71 | 32 | 1,109.10 | A |
| DIMETHOATE | 0.12 | 2 | 0.60 | A |
| DIMETHYLPOLYSILOXANE | 4.41 | 154 | 8,817.63 | A |
| ESFENVALERATE | 1,571.74 | 555 | 33,019.56 | A |
| ETHYLENE GLYCOL | 1,466.22 | 80 | 8,625.15 | A |
| ETOXAZOLE | 17.01 | 2 | 126.10 | A |
| FATTY ACIDS, MIXED | 115.34 | 78 | 4,148.10 | A |
| FLUBENDIAMIDE | 878.82 | 156 | 9,590.91 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 206.55 | 19 | 206.25 | A |
| GLYPHOSATE, POTASSIUM SALT | 510.74 | 4 | 334.10 | A |
| HEXYTHIAZOX | 330.96 | 31 | 1,814.07 | A |
| INDOXACARB | 39.98 | 16 | 609.25 | A |
| ISOPROPYL ALCOHOL | 276.37 | 89 | 9,112.90 | A |
| LAMBDA-CYHALOTHRIN | 975.61 | 471 | 32,579.05 | A |
| LECITHIN | 547.82 | 63 | 3,667.00 | A |
| METHOMYL | 16,120.31 | 511 | 35,853.26 | A |
| METHOXYFENOZIDE | 84.76 | 7 | 438.75 | A |
| METHYLATED SOYBEAN OIL | 3.18 | 1 | 20.00 | A |
| METOLACHLOR | 4,449.08 | 24 | 2,284.71 | A |
| S-METOLACHLOR | 937.76 | 21 | 526.75 | A |
| MINERAL OIL | 4,745.74 | 287 | 19,115.55 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,340.17 | 375 | 23,321.78 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 9.91 | 1 | 145.00 | A |
| OLEIC ACID | 1.39 | 3 | 180.00 | A |
| OLEIC ACID, METHYL ESTER | 412.61 | 17 | 628.00 | A |
| OXYDEMETON-METHYL | 470.65 | 5 | 466.50 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 60.05 | 7 | 256.20 | A |
| PERMETHRIN | 37.10 | 88 | 369.50 | A |
| PETROLEUM DISTILLATES | 18.38 | 14 | 61.00 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | 0.31 | 3 | 151.00 | A |
| PETROLEUM NAPHTHENIC OILS | 3.63 | 3 | 151.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PHOSPHORIC ACID | 574.88 | 152 | 11,602.46 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.63 | 1 | 145.00 | A |
| POLYACRYLAMIDE POLYMER | < 0.01 | 1 | 37.50 | A |
| POLYETHER MODIFIED POLYSILOXANE | 207.70 | 22 | 815.00 | A |
| POLYETHYLENE GLYCOL | 0.77 | 2 | 11.75 | A |
| POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM) | 1.78 | 14 | 492.40 | A |
| PROPIONIC ACID | 459.40 | 46 | 3,039.00 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 3.48 | 3 | 180.00 | A |
| PYRETHRINS | 9.43 | 14 | 517.80 | A |
| SODIUM POLYACRYLATE | 0.34 | 1 | 145.00 | A |
| SPINETORAM | 6.07 | 1 | 154.00 | A |
| SPINOSAD | 68.70 | 21 | 820.20 | A |
| SPIROMESIFEN | 145.00 | 41 | 650.65 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 139.94 | 32 | 1,109.10 | A |
| UREA | 307.25 | 113 | 7,495.53 | A |
| YUCCA SCHIDIGERA | 90.97 | 7 | 208.80 | A |
| ZINC SULFATE | 71.45 | 39 | 4,106.93 | A |
| Site Total | 44,553.51 | 3,281 | | |
| **COTTON** | | | | |
| ABAMECTIN | 504.62 | 544 | 40,383.52 | A |
| ACEPHATE | 10,734.98 | 128 | 11,083.44 | A |
| ACETAMIPRID | 3,140.08 | 433 | 40,417.00 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 24.25 | 28 | 1,954.10 | A |
| ACRYLIC ACID | 70.25 | 31 | 1,644.40 | A |
| ALCOHOLS, C4-C12, NORMAL | 56.31 | 74 | 3,847.20 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 2,843.32 | 325 | 23,962.54 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,467.61 | 98 | 7,661.92 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 858.40 | 53 | 4,289.50 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 110.78 | 3 | 160.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 101.39 | 24 | 996.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 141.15 | 14 | 1,029.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 95.35 | 9 | 684.70 | A |
| AMMONIUM NITRATE | 107.93 | 68 | 3,983.72 | A |
| AMMONIUM PROPIONATE | 469.18 | 123 | 5,388.15 | A |
| AMMONIUM SULFATE | 3,502.90 | 306 | 21,198.87 | A |
| AZOXYSTROBIN | 264.94 | 42 | 4,749.00 | A |
| BENZOIC ACID | 74.98 | 163 | 12,168.29 | A |
| BIFENTHRIN | 719.01 | 68 | 7,792.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 391.40 | 80 | 7,701.94 | A |
| BUPROFEZIN | 4,311.92 | 120 | 13,226.44 | A |
| BUTYL ALCOHOL | 229.47 | 95 | 6,929.37 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 218.21 | 67 | 3,284.40 | A |
| CALCIUM CHLORIDE | 173.14 | 64 | 5,413.80 | A |
| CARBARYL | 0.99 | 1 | 1.00 | A |
| CARFENTRAZONE-ETHYL | 46.65 | 23 | 2,372.70 | A |
| CHLORANTRANILIPROLE | 7.71 | 3 | 171.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| CHLORPYRIFOS | 32,645.41 | 380 | 33,211.48 | A |
| CITRIC ACID | 1,507.13 | 337 | 24,226.08 | A |
| CLETHODIM | 704.32 | 56 | 4,073.80 | A |
| CLOTHIANIDIN | 599.71 | 58 | 6,009.63 | A |
| COCONUT DIETHANOLAMIDE | 23.21 | 157 | 4,929.19 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 11.82 | 116 | 6,406.70 | A |
| CORN SYRUP | 24.87 | 1 | 160.00 | A |
| COTTONSEED OIL | 23,774.23 | 322 | 21,615.94 | A |
| CYCLANILIDE | 254.52 | 58 | 5,090.50 | A |
| CYFLUTHRIN | 190.63 | 47 | 4,094.80 | A |
| BETA-CYFLUTHRIN | 41.36 | 78 | 8,472.90 | A |
| CYPERMETHRIN | 3.98 | 1 | 80.00 | A |
| (S)-CYPERMETHRIN | 287.78 | 74 | 6,578.80 | A |
| DICOFOL | 282.67 | 4 | 220.00 | A |
| DIETHYLENE GLYCOL | 504.99 | 188 | 15,410.97 | A |
| DIMETHOATE | 2,039.15 | 40 | 4,330.40 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 81.71 | 163 | 12,168.29 | A |
| DIMETHYLPOLYSILOXANE | 167.79 | 976 | 77,965.29 | A |
| ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE | 10.90 | 4 | 323.00 | A |
| DINOTEFURAN | 798.79 | 51 | 6,073.70 | A |
| DIURON | 1,396.99 | 624 | 48,338.28 | A |
| DODECYLBENZENE SULFONIC ACID | 100.59 | 157 | 4,929.19 | A |
| EDTA, TETRASODIUM SALT | 6.19 | 157 | 4,929.19 | A |
| EMAMECTIN BENZOATE | 3.39 | 1 | 345.00 | A |
| ETHEPHON | 55,995.71 | 671 | 50,109.08 | A |
| ETHYLENE GLYCOL | 9.68 | 1 | 73.00 | A |
| ETOXAZOLE | 17.32 | 8 | 386.20 | A |
| FATTY ACIDS, MIXED | 778.71 | 484 | 47,273.73 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | 12.21 | 16 | 2,528.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 910.28 | 43 | 4,722.24 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 40.56 | 24 | 996.00 | A |
| FENPROPATHRIN | 1,296.13 | 46 | 4,409.10 | A |
| FENPYROXIMATE | 142.59 | 19 | 1,354.70 | A |
| FERROUS SULFATE | 61.49 | 116 | 6,406.70 | A |
| FLONICAMID | 4,150.31 | 596 | 47,726.22 | A |
| FLUBENDIAMIDE | 808.34 | 104 | 10,488.80 | A |
| FLUMIOXAZIN | 343.01 | 57 | 3,272.97 | A |
| GLYCEROL | 379.23 | 19 | 2,664.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 20,008.85 | 101 | 11,077.42 | A |
| GLYPHOSATE, POTASSIUM SALT | 118,770.48 | 963 | 73,169.30 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 2.25 | 2 | 237.50 | A |
| HEXYTHIAZOX | 53.91 | 8 | 437.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 1,965.02 | 19 | 1,855.70 | A |
| IMIDACLOPRID | 1,745.38 | 206 | 21,889.50 | A |
| INDOXACARB | 656.35 | 73 | 6,404.24 | A |
| ISOPROPYL ALCOHOL | 8,409.75 | 697 | 48,529.66 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 5.10 | 32 | 3,514.22 | A |
| KEROSENE | 116.40 | 144 | 9,552.29 | A |
| LAMBDA-CYHALOTHRIN | 198.30 | 44 | 5,557.00 | A |
| LECITHIN | 9,785.04 | 490 | 44,462.46 | A |
| MALATHION | 12,651.66 | 95 | 5,165.30 | A |
| MANGANESE SULFATE | 85.14 | 116 | 6,406.70 | A |
| MEPIQUAT CHLORIDE | 2,556.97 | 851 | 59,217.68 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| METHOMYL | 48.56 | 1 | 70.00 | A |
| METHOXYFENOZIDE | 432.92 | 29 | 3,323.00 | A |
| METHYLATED SOYBEAN OIL | 13,194.44 | 412 | 36,265.87 | A |
| METHYL ESTERS OF COTTONSEED OIL | 1,163.73 | 8 | 725.00 | A |
| S-METOLACHLOR | 2,228.69 | 19 | 1,758.70 | A |
| MINERAL OIL | 7,276.68 | 124 | 9,138.53 | A |
| MOLASSES | 2.14 | 1 | 43.00 | A |
| MSMA | 1,495.35 | 7 | 1,015.20 | A |
| NALED | 18,123.59 | 181 | 15,951.80 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 720.06 | 197 | 22,332.42 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 13,128.48 | 1,456 | 119,440.66 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 214.47 | 93 | 6,942.60 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 2,393.99 | 262 | 20,098.93 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 284.13 | 18 | 1,676.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | 0.03 | 1 | 40.00 | A |
| NOVALURON | 1,039.81 | 171 | 16,077.37 | A |
| OLEIC ACID | 16.28 | 18 | 1,144.70 | A |
| OLEIC ACID, METHYL ESTER | 3,929.52 | 49 | 3,966.50 | A |
| ORCHEX 796 OIL | 95.11 | 8 | 507.20 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 471.03 | 41 | 3,832.80 | A |
| OXAMYL | 15,797.07 | 188 | 16,031.90 | A |
| OXYFLUORFEN | 5,148.57 | 147 | 10,966.31 | A |
| PARAQUAT DICHLORIDE | 8,688.84 | 436 | 37,268.20 | A |
| PENDIMETHALIN | 2,441.69 | 31 | 2,572.40 | A |
| PETROLEUM DISTILLATES | 203.49 | 3 | 213.00 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | 1.46 | 28 | 1,954.10 | A |
| PETROLEUM NAPHTHENIC OILS | 16.98 | 28 | 1,954.10 | A |
| PETROLEUM OIL, PARAFFIN BASED | 837.32 | 33 | 3,554.22 | A |
| PHORATE | 1,794.89 | 17 | 1,616.00 | A |
| PHOSPHORIC ACID | 2,906.14 | 830 | 64,410.27 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 120.54 | 200 | 18,825.47 | A |
| POLYACRYLAMIDE POLYMER | 171.27 | 129 | 10,578.10 | A |
| POLYACRYLIC POLYMER | 7.78 | 28 | 1,813.90 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 1,144.45 | 39 | 5,234.00 | A |
| POLYBUTENES | 162.55 | 43 | 4,722.24 | A |
| POLYETHER MODIFIED POLYSILOXANE | 7.89 | 1 | 151.00 | A |
| POLYETHYLENE GLYCOL | 1,426.68 | 247 | 15,648.43 | A |
| POLYOXYETHYLENE DIOLEATE | 9.81 | 41 | 3,832.80 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 19.73 | 1 | 151.00 | A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | 1.07 | 1 | 40.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 20.41 | 32 | 3,514.22 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 134.26 | 32 | 3,514.22 | A |
| POTASSIUM HYDROXIDE | 16.23 | 38 | 2,332.13 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 7,004.47 | 2 | 153.00 | A |
| POTASSIUM NITRATE | 151.69 | 35 | 2,196.13 | A |
| PROMETRYN | 5,739.19 | 40 | 3,099.10 | A |
| PROPARGITE | 212.75 | 3 | 129.00 | A |
| PROPIONIC ACID | 5,971.50 | 334 | 27,589.58 | A |
| PROPYLENE GLYCOL | 231.69 | 79 | 7,593.40 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 6.18 | 10 | 637.50 | A |
| PYMETROZINE | 9.89 | 2 | 115.00 | A |
| PYRAFLUFEN-ETHYL | 187.37 | 564 | 43,005.84 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PYRIPROXYFEN | 994.16 | 181 | 14,805.84 | A |
| PYRITHIOBAC-SODIUM | 47.75 | 18 | 1,378.67 | A |
| SETHOXYDIM | 213.11 | 6 | 616.00 | A |
| SILICONE DEFOAMER | 2.63 | 157 | 4,929.19 | A |
| SODIUM CHLORATE | 63,153.83 | 132 | 13,088.60 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 6.11 | 16 | 2,528.00 | A |
| SODIUM POLYACRYLATE | 11.85 | 126 | 5,524.15 | A |
| SODIUM XYLENE SULFONATE | 70.65 | 173 | 7,457.19 | A |
| SORBITAN FATTY ACID ESTERS | 0.23 | 1 | 40.00 | A |
| SPINETORAM | 4.40 | 13 | 262.90 | A |
| SPINOSAD | 0.75 | 1 | 1.00 | A |
| SPIROMESIFEN | 1,070.76 | 44 | 4,492.30 | A |
| SULFUR | 13,601.90 | 4 | 616.00 | A |
| SULFURIC ACID | 43.37 | 27 | 2,360.70 | A |
| SYNTHETIC VEGETABLE GUMS | 1.43 | 1 | 43.00 | A |
| TALL OIL FATTY ACIDS | 1,026.29 | 238 | 17,518.23 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 738.03 | 214 | 8,540.89 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 15.48 | 157 | 4,929.19 | A |
| THIAMETHOXAM | 286.07 | 43 | 4,697.80 | A |
| THIDIAZURON | 2,793.97 | 624 | 48,338.28 | A |
| S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE | 2,177.22 | 30 | 1,449.70 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 1.45 | 3 | 136.00 | A |
| TRIETHANOLAMINE | 39.46 | 157 | 4,929.19 | A |
| TRIFLURALIN | 5,950.57 | 87 | 7,668.41 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 754.72 | 102 | 6,776.97 | A |
| UREA | 343.92 | 112 | 10,111.00 | A |
| UREA DIHYDROGEN SULFATE | 91,595.49 | 439 | 32,576.18 | A |
| VEGETABLE OIL | 21,519.49 | 152 | 12,375.20 | A |
| VINYL POLYMER | 78.75 | 63 | 6,842.83 | A |
| XANTHAN GUM | 0.21 | 73 | 5,053.90 | A |
| XYLENE | 12.28 | 1 | 40.00 | A |
| ZINC SULFATE | 484.47 | 302 | 27,253.78 | A |
| Site Total | 671,978.86 | 13,234 | | |
| **CUCUMBER** | | | | |
| ABAMECTIN | 0.02 | 3 | 1.04 | A |
| BIFENTHRIN | 1.59 | 4 | 29.50 | A |
| CHLOROTHALONIL | 14.98 | 2 | 15.00 | A |
| BETA-CYFLUTHRIN | 0.03 | 1 | 10.00 | A |
| (S)-CYPERMETHRIN | 0.11 | 1 | 10.00 | A |
| DIMETHOATE | 19.93 | 1 | 1.00 | A |
| ESFENVALERATE | 0.41 | 2 | 10.50 | A |
| IMIDACLOPRID | 0.95 | 8 | 12.71 | A |
| LAMBDA-CYHALOTHRIN | 1.73 | 7 | 56.00 | A |
| MEFENOXAM | 0.40 | 2 | 0.81 | A |
| METHOXYFENOZIDE | 0.58 | 1 | 6.00 | A |
| MYCLOBUTANIL | 2.88 | 4 | 37.00 | A |
| PERMETHRIN | 0.60 | 1 | 3.00 | A |
| Site Total | 44.21 | 35 | | |
| **DAIKON** | | | | |
| AZOXYSTROBIN | 2.27 | 2 | 13.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 7.56 | 4 | 17.50 | A |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | | 29.05 | 10 | 52.00 | A |
| BIFENTHRIN | | 0.38 | 1 | 7.00 | A |
| CHLOROTHALONIL | | 19.32 | 3 | 24.50 | A |
| CHLORPYRIFOS | | 4.69 | 1 | 7.50 | A |
| CLETHODIM | | 0.40 | 1 | 8.00 | A |
| BETA-CYFLUTHRIN | | 0.03 | 2 | 11.50 | A |
| (S)-CYPERMETHRIN | | 0.13 | 1 | 7.00 | A |
| DIAZINON | | 159.07 | 17 | 165.00 | A |
| ESFENVALERATE | | 1.23 | 4 | 41.50 | A |
| IMIDACLOPRID | | 1.35 | 7 | 34.50 | A |
| LAMBDA-CYHALOTHRIN | | 0.12 | 1 | 4.00 | A |
| METHOXYFENOZIDE | | 4.38 | 3 | 31.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2.58 | 1 | 8.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 13.12 | 1 | 8.00 | A |
| QUINOXYFEN | | 0.58 | 1 | 8.00 | A |
| SPINOSAD | | 0.52 | 2 | 5.50 | A |
| TRIFLOXYSTROBIN | | 0.66 | 1 | 7.00 | A |
| Site Total | | 247.44 | 59 | | |
| **DITCH BANK** | | | | | |
| CALCIUM HYPOCHLORITE | | 111,511.16 | | 972.00 | U |
| COPPER SULFATE (PENTAHYDRATE) | | 906.84 | | 5.00 | U |
| Site Total | | 112,418.00 | | | |
| **DRIED FRUIT** | | | | | |
| ALUMINUM PHOSPHIDE | | 6,060.46 | | 360,208.85 | K |
| | | 1,778.73 | | 13,083,740.48 | C |
| | | 1,052.70 | | 8,304,476.00 | U |
| | | 25.80 | | 2.00 | A |
| | | 1.05 | | 20.00 | T |
| Total Pounds On This Chemical | 8,918.74 | | | | |
| MAGNESIUM PHOSPHIDE | | 52.01 | | 420,000.00 | C |
| METHYL BROMIDE | | 861.00 | | 829,961.00 | U |
| | | 799.00 | | 799,000.00 | C |
| | | 135.00 | | 135,000.00 | T |
| | | 94.00 | | 94,000.00 | S |
| Total Pounds On This Chemical | 1,889.00 | | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1.15 | | 7.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 5.86 | | 7.00 | A |
| PHOSPHINE | | 325.02 | | 9,147,636.00 | U |
| | | 117.19 | | 3,176,812.00 | C |
| | | 110.68 | | 3,312.60 | K |
| Total Pounds On This Chemical | 552.89 | | | | |
| SULFURYL FLUORIDE | | 6,509.95 | | 1,832,672.00 | C |
| Site Total | | 17,929.60 | | | |
| **EGGPLANT** | | | | | |
| ABAMECTIN | | 34.53 | 150 | 1,033.70 | A |
| ACETAMIPRID | | 6.11 | 8 | 136.83 | A |
| ACRYLIC ACID | | 2.59 | 2 | 26.40 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.68 | 2 | 11.19 | A |
| ALUMINUM PHOSPHIDE | 1.22 | 1 | 77.00 | A |
| AZOXYSTROBIN | 0.17 | 1 | 20.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 4.47 | 8 | 12.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.45 | 2 | 10.00 | A |
| BIFENAZATE | 60.89 | 7 | 115.50 | A |
| BIFENTHRIN | 10.60 | 8 | 125.00 | A |
| BOSCALID | 8.73 | 3 | 57.00 | A |
| CARFENTRAZONE-ETHYL | 0.32 | 2 | 11.19 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | 56.36 | 8 | 153.00 | A |
| CHLORANTRANILIPROLE | 12.47 | 10 | 195.50 | A |
| CHLOROPICRIN | 396.00 | 2 | 2.00 | A |
| CHLOROTHALONIL | 69.79 | 4 | 62.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 4.20 | 1 | 7.00 | A |
| CLETHODIM | 5.45 | 2 | 45.00 | A |
| CLOTHIANIDIN | 2.25 | 2 | 36.00 | A |
| CYFLUTHRIN | 2.73 | 4 | 60.00 | A |
| (S)-CYPERMETHRIN | 16.84 | 18 | 378.90 | A |
| CYPRODINIL | 2.71 | 4 | 90.00 | A |
| DIFENOCONAZOLE | 1.05 | 5 | 110.00 | A |
| DIMETHYLPOLYSILOXANE | 0.45 | 11 | 238.83 | A |
| DINOTEFURAN | 2.10 | 1 | 12.00 | A |
| EMAMECTIN BENZOATE | 1.98 | 9 | 157.43 | A |
| ESFENVALERATE | 55.27 | 127 | 696.50 | A |
| FATTY ACIDS, MIXED | 0.53 | 5 | 65.19 | A |
| FENPROPATHRIN | 2.42 | 1 | 15.50 | A |
| FENPYROXIMATE | 2.56 | 1 | 24.00 | A |
| FLONICAMID | 10.57 | 7 | 121.50 | A |
| FLUBENDIAMIDE | 0.70 | 1 | 15.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 0.56 | 1 | 1.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 31.53 | 3 | 21.19 | A |
| HALOSULFURON-METHYL | 0.94 | 1 | 20.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 5.42 | 5 | 116.00 | A |
| HEXYTHIAZOX | 6.90 | 2 | 40.50 | A |
| IMIDACLOPRID | 91.31 | 68 | 647.42 | A |
| INDOXACARB | 1.33 | 5 | 26.00 | A |
| LAMBDA-CYHALOTHRIN | 2.27 | 6 | 125.93 | A |
| LECITHIN | 45.02 | 17 | 251.31 | A |
| MALATHION | 11.76 | 5 | 13.00 | A |
| MEFENOXAM | 0.08 | 2 | 0.12 | A |
| METHOMYL | 19.22 | 28 | 71.20 | A |
| METHOXYFENOZIDE | 19.37 | 10 | 125.90 | A |
| METHYLATED SOYBEAN OIL | 18.63 | 13 | 228.93 | A |
| MYCLOBUTANIL | 3.20 | 3 | 50.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 1.63 | 3 | 54.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 9.61 | 9 | 161.62 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 9.67 | 2 | 26.40 | A |
| OLEIC ACID, METHYL ESTER | 48.49 | 7 | 127.19 | A |
| OXAMYL | 67.55 | 53 | 151.90 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 2.40 | 1 | 7.00 | A |
| PAECILOMYCES LILACINUS STRAIN 251 | 1.26 | 1 | 7.00 | A |
| PARAQUAT DICHLORIDE | 25.67 | 11 | 37.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| PENTHIOPYRAD | | 7.39 | 2 | 33.50 | A |
| PERMETHRIN | | 1.79 | 1 | 12.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 55.25 | 1 | 15.50 | A |
| PHOSPHORIC ACID | | 17.58 | 6 | 122.83 | A |
| PROPIONIC ACID | | 5.08 | 2 | 11.19 | A |
| QUILLAJA | | 25.33 | 3 | 21.00 | A |
| SETHOXYDIM | | 0.79 | 1 | 3.00 | A |
| SPINETORAM | | 5.89 | 8 | 141.50 | A |
| SPINOSAD | | 13.52 | 17 | 132.00 | A |
| SPIROMESIFEN | | 22.31 | 7 | 146.50 | A |
| SPIROTETRAMAT | | 0.37 | 3 | 46.50 | A |
| STREPTOMYCES LYDICUS WYEC 108 | | < 0.01 | 2 | 6.00 | A |
| THIAMETHOXAM | | 2.75 | 4 | 99.50 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 6.62 | 5 | 116.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 18.63 | 13 | 228.93 | A |
| UREA | | 15.42 | 4 | 96.43 | A |
| VEGETABLE OIL | | 71.12 | 1 | 24.00 | A |
| Site Total | | 1,472.86 | 673 | | |
| **ENDIVE (ESCAROLE)** | | | | | |
| ABAMECTIN | | 0.39 | 4 | 24.00 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | | 9.12 | 2 | 12.00 | A |
| DIMETHYLPOLYSILOXANE | | 0.02 | 2 | 12.00 | A |
| FATTY ACIDS, MIXED | | 0.12 | 2 | 12.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | | 0.86 | 2 | 12.00 | A |
| LECITHIN | | 2.90 | 2 | 12.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.78 | 2 | 12.00 | A |
| OLEIC ACID, METHYL ESTER | | 5.72 | 2 | 12.00 | A |
| PROPIONIC ACID | | 2.90 | 2 | 12.00 | A |
| THIAMETHOXAM | | 1.16 | 4 | 24.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.05 | 2 | 12.00 | A |
| Site Total | | 25.02 | 14 | | |
| **FIG** | | | | | |
| ALUMINUM PHOSPHIDE | | 0.05 | 1 | 5.00 | A |
| | | < 0.01 | | 500.00 | C |
| Total Pounds On This Chemical | 0.05 | | | | |
| CHLORANTRANILIPROLE | | 3.50 | 1 | 40.00 | A |
| DIETHYLENE GLYCOL | | 3.53 | 1 | 40.00 | A |
| DIMETHYLPOLYSILOXANE | | 0.08 | 1 | 40.00 | A |
| FATTY ACIDS, MIXED | | 6.28 | 1 | 40.00 | A |
| GLYPHOSATE, POTASSIUM SALT | | 3.04 | 3 | 3.33 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 0.30 | 1 | 1.58 | A |
| METHYL BROMIDE | | 201.50 | | 172,003.00 | U |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 9.18 | 1 | 40.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 0.03 | 1 | 1.58 | A |
| ORYZALIN | | 12.75 | 5 | 5.67 | A |
| OXYFLUORFEN | | 4.68 | 2 | 2.34 | A |
| PARAQUAT DICHLORIDE | | 0.45 | 2 | 3.16 | A |
| TALL OIL FATTY ACIDS | | 0.03 | 1 | 1.58 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 9.18 | 1 | 40.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| Site Total | 254.59 | 16 | | |
| **FOOD PROCRESSING PLANT** | | | | |
| BIFENTHRIN | 1.07 | | 203,500.00 | S |
| DDVP | 3.35 | | 650,000.00 | C |
| DDVP, OTHER RELATED | 0.25 | | 650,000.00 | C |
| SODIUM HYPOCHLORITE | 10,045.54 | | 97,062.77 | T |
| Site Total | 10,050.20 | | | |
| **FORAGE HAY/SILAGE** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.23 | 2 | 105.90 | A |
| CARFENTRAZONE-ETHYL | 14.03 | 20 | 919.50 | A |
| DIMETHYLPOLYSILOXANE | 0.17 | 5 | 165.00 | A |
| FATTY ACIDS, MIXED | 0.15 | 2 | 61.00 | A |
| ISOPROPYL ALCOHOL | 32.60 | 19 | 902.40 | A |
| LAMBDA-CYHALOTHRIN | 0.86 | 1 | 32.00 | A |
| MCPA, DIMETHYLAMINE SALT | 176.07 | 6 | 317.90 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.79 | 2 | 61.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 88.12 | 20 | 901.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 0.37 | 1 | 44.00 | A |
| PHOSPHORIC ACID | 0.80 | 1 | 32.00 | A |
| POLYETHYLENE GLYCOL | 21.87 | 5 | 165.00 | A |
| TALL OIL | 3.36 | 11 | 599.50 | A |
| TRIBENURON-METHYL | 4.70 | 13 | 660.50 | A |
| VINYL POLYMER | 2.30 | 10 | 525.60 | A |
| Site Total | 350.44 | 72 | | |
| **FOREST, TIMBERLAND** | | | | |
| BORAX | 60.00 | | 200.00 | A |
| Site Total | 60.00 | | | |
| **FUMIGATION, OTHER** | | | | |
| ALUMINUM PHOSPHIDE | 4,869.57 | | | |
| DDVP | 1.21 | | | |
| DDVP, OTHER RELATED | 0.09 | | | |
| DODECYL GUANIDINE HYDROCHLORIDE | 7.05 | | | |
| MAGNESIUM PHOSPHIDE | 234.05 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 4.86 | | | |
| PHOSPHINE | 639.10 | | | |
| PIPERONYL BUTOXIDE | 18.66 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 1.33 | | | |
| PYRETHRINS | 4.13 | | | |
| PYRIPROXYFEN | 0.52 | | | |
| SULFUR DIOXIDE | 7.92 | | | |
| SULFURYL FLUORIDE | 3,852.78 | | | |
| THIRAM | 994.28 | | | |
| Site Total | 10,635.56 | | | |
| **GAI LON** | | | | |
| ACETAMIPRID | 0.35 | 2 | 13.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 6.04 | 5 | 14.20 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 8.25 | 15 | 72.00 | A |
| CHLORTHAL-DIMETHYL | 15.09 | 1 | 2.50 | A |
| DIAZINON | 67.47 | 10 | 50.00 | A |
| ESFENVALERATE | 0.24 | 1 | 6.00 | A |
| IMIDACLOPRID | 0.21 | 1 | 5.00 | A |
| SPINOSAD | 0.34 | 3 | 3.40 | A |
| Site Total | 98.00 | 38 | | |
| **GARBANZO BEAN** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.79 | 1 | 80.50 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 260.43 | 7 | 925.00 | A |
| AMMONIUM SULFATE | 31.52 | 3 | 445.00 | A |
| BENZOIC ACID | 0.82 | 1 | 152.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 13.03 | 2 | 222.50 | A |
| CARFENTRAZONE-ETHYL | 30.17 | 8 | 1,075.00 | A |
| CHLOROTHALONIL | 458.43 | 2 | 306.00 | A |
| CITRIC ACID | 28.86 | 5 | 755.00 | A |
| CLETHODIM | 47.26 | 3 | 217.00 | A |
| CYFLUTHRIN | 16.11 | 2 | 310.00 | A |
| DIMETHOATE | 457.35 | 6 | 922.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.89 | 1 | 152.00 | A |
| DIMETHYLPOLYSILOXANE | 41.04 | 11 | 1,460.50 | A |
| FATTY ACIDS, MIXED | 6.41 | 4 | 365.00 | A |
| FLUMIOXAZIN | 114.11 | 17 | 2,336.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 890.15 | 2 | 222.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 4,766.06 | 12 | 1,677.00 | A |
| IMIDACLOPRID | 425.96 | 8 | 1,138.00 | A |
| ISOPROPYL ALCOHOL | 71.25 | 4 | 527.50 | A |
| KEROSENE | 1.59 | 1 | 152.00 | A |
| LECITHIN | 1,404.06 | 18 | 2,468.00 | A |
| METHOMYL | 69.75 | 1 | 155.00 | A |
| METHYLATED SOYBEAN OIL | 530.86 | 10 | 1,390.00 | A |
| METOLACHLOR | 744.34 | 4 | 455.00 | A |
| S-METOLACHLOR | 1,995.05 | 11 | 1,574.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 1.56 | 2 | 60.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 90.19 | 6 | 670.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 720.16 | 10 | 1,388.00 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 65.14 | 2 | 222.50 | A |
| OLEIC ACID, METHYL ESTER | 1,215.33 | 7 | 925.00 | A |
| OXYFLUORFEN | 38.83 | 1 | 153.00 | A |
| PENDIMETHALIN | 648.71 | 5 | 610.00 | A |
| PHOSPHORIC ACID | 22.31 | 5 | 752.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 7.05 | 11 | 1,581.00 | A |
| POLYACRYLAMIDE POLYMER | 1.70 | 2 | 302.00 | A |
| POTASSIUM HYDROXIDE | 3.02 | 2 | 310.00 | A |
| POTASSIUM NITRATE | 3.02 | 2 | 310.00 | A |
| PROPIONIC ACID | 142.67 | 2 | 305.00 | A |
| PROPYLENE GLYCOL | 18.61 | 2 | 222.50 | A |
| SODIUM CHLORATE | 1,174.20 | 1 | 150.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| SULFURIC ACID | 7.44 | 2 | 222.50 | A |
| VINYL POLYMER | 1.01 | 1 | 142.00 | A |
| ZINC SULFATE | 0.96 | 1 | 152.00 | A |
| Site Total | 16,572.23 | 131 | | |
| **GARLIC** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 40.75 | 1 | 155.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 950.74 | 32 | 4,957.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 514.34 | 22 | 3,340.50 | A |
| AMMONIUM NITRATE | 8.83 | 4 | 607.00 | A |
| AMMONIUM SULFATE | 601.84 | 19 | 2,566.90 | A |
| AZOXYSTROBIN | 2,854.71 | 102 | 14,587.22 | A |
| BENZOIC ACID | 12.70 | 15 | 2,277.80 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 148.02 | 29 | 4,279.70 | A |
| BROMOXYNIL HEPTANOATE | 721.20 | 13 | 1,945.63 | A |
| BROMOXYNIL OCTANOATE | 1,288.75 | 18 | 2,710.83 | A |
| BUTYL ALCOHOL | 22.35 | 4 | 602.80 | A |
| CARBARYL | 76.00 | 1 | 76.00 | A |
| CARFENTRAZONE-ETHYL | 12.31 | 6 | 841.00 | A |
| CHLOROTHALONIL | 2,235.53 | 7 | 1,046.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 54.00 | 1 | 91.80 | A |
| CITRIC ACID | 163.47 | 15 | 1,959.90 | A |
| CLETHODIM | 125.62 | 8 | 957.30 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 2.61 | 11 | 1,394.70 | A |
| COPPER HYDROXIDE | 121.05 | 1 | 150.00 | A |
| CYPERMETHRIN | 106.69 | 7 | 1,097.12 | A |
| (S)-CYPERMETHRIN | 19.43 | 5 | 464.70 | A |
| CYPRODINIL | 214.19 | 14 | 776.80 | A |
| DIETHYLENE GLYCOL | 45.26 | 34 | 5,035.90 | A |
| DIFENOCONAZOLE | 14.69 | 1 | 150.00 | A |
| DIMETHENAMID-P | 114.34 | 9 | 1,310.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 13.86 | 15 | 2,277.80 | A |
| DIMETHYLPOLYSILOXANE | 51.44 | 75 | 10,950.00 | A |
| ETHYLENE GLYCOL | 18.14 | 1 | 150.00 | A |
| FATTY ACIDS, MIXED | 70.09 | 14 | 1,736.90 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 168.56 | 7 | 939.20 | A |
| FERROUS SULFATE | 13.57 | 11 | 1,394.70 | A |
| FLUAZIFOP-P-BUTYL | 176.82 | 9 | 932.10 | A |
| FLUDIOXONIL | 142.80 | 14 | 776.80 | A |
| FLUMIOXAZIN | 1,052.68 | 44 | 5,933.57 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,630.53 | 4 | 616.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 18,350.45 | 49 | 6,731.10 | A |
| HYDROGEN PEROXIDE | 26.81 | 2 | 40.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 345.64 | 2 | 300.50 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 2.91 | 1 | 150.00 | A |
| IMIDACLOPRID | 232.64 | 3 | 466.00 | A |
| ISOPROPYL ALCOHOL | 492.86 | 51 | 6,909.90 | A |
| KEROSENE | 9.53 | 6 | 910.80 | A |
| LAMBDA-CYHALOTHRIN | 163.55 | 33 | 5,227.70 | A |
| LECITHIN | 178.18 | 7 | 1,090.12 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| MANCOZEB | 2,433.85 | 7 | 1,081.71 | A |
| MANGANESE SULFATE | 18.79 | 11 | 1,394.70 | A |
| METHOMYL | 4,792.61 | 66 | 9,828.00 | A |
| METHYLATED SOYBEAN OIL | 2,871.25 | 56 | 8,242.00 | A |
| S-METOLACHLOR | 151.17 | 1 | 95.00 | A |
| MINERAL OIL | 4,355.99 | 30 | 4,506.70 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 57.19 | 7 | 939.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,320.08 | 99 | 13,567.02 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 42.43 | 13 | 2,010.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 355.25 | 6 | 681.50 | A |
| OLEIC ACID, METHYL ESTER | 1,187.79 | 12 | 1,847.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 213.42 | 26 | 3,955.50 | A |
| OXYFLUORFEN | 1,582.69 | 47 | 6,049.85 | A |
| PENDIMETHALIN | 7,142.99 | 51 | 6,423.09 | A |
| PENTHIOPYRAD | 25.05 | 1 | 80.20 | A |
| PERMETHRIN | 31.90 | 1 | 160.00 | A |
| PHOSPHORIC ACID | 478.57 | 63 | 9,021.60 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 28.64 | 42 | 6,249.60 | A |
| POLYACRYLAMIDE POLYMER | 9.49 | 12 | 1,866.90 | A |
| POLYBUTENES | 30.10 | 7 | 939.20 | A |
| POLYETHER MODIFIED POLYSILOXANE | 10.79 | 2 | 122.20 | A |
| POLYETHYLENE GLYCOL | 233.57 | 24 | 3,409.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 6.63 | 2 | 314.00 | A |
| POLYOXYETHYLENE DIOLEATE | 4.45 | 26 | 3,955.50 | A |
| PROPICONAZOLE | 1,485.58 | 59 | 8,843.52 | A |
| PROPIONIC ACID | 105.86 | 5 | 780.12 | A |
| PROPYLENE GLYCOL | 179.99 | 34 | 5,192.50 | A |
| PYRACLOSTROBIN | 93.15 | 4 | 621.00 | A |
| REYNOUTRIA SACHALINENSIS | 22.76 | 2 | 172.60 | A |
| SETHOXYDIM | 102.78 | 2 | 391.00 | A |
| SODIUM HYDROXIDE | 10.49 | 12 | 1,852.00 | A |
| SPINETORAM | 66.45 | 10 | 1,335.40 | A |
| SULFUR | 1,451.33 | 6 | 303.00 | A |
| SULFURIC ACID | 58.78 | 22 | 3,340.50 | A |
| TALL OIL FATTY ACIDS | 99.75 | 12 | 1,282.00 | A |
| TEBUCONAZOLE | 1,928.72 | 69 | 9,888.03 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 8.10 | 2 | 314.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 146.52 | 13 | 1,720.40 | A |
| VINYL POLYMER | 20.28 | 11 | 1,388.15 | A |
| XANTHAN GUM | 0.11 | 11 | 1,710.00 | A |
| ZINC SULFATE | 43.05 | 18 | 2,488.70 | A |
| Site Total | 66,818.85 | 925 | | |
| **GOLF COURSE TURF** | | | | |
| ALUMINUM PHOSPHIDE | 1.20 | | 36.00 | U |
| AZOXYSTROBIN | 14.04 | | 8.40 | A |
| CARFENTRAZONE-ETHYL | < 0.01 | | 3.00 | K |
| CHLOROTHALONIL | 120.61 | | 33.86 | A |
| DIQUAT DIBROMIDE | 0.04 | | 40.00 | U |
| DITHIOPYR | 0.17 | | 1.60 | A |
| FOSETYL-AL | 57.20 | | 6.10 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 0.92 | | 40.00 | U |
| MANCOZEB | | 38.40 | | 2.50 | A |
| METCONAZOLE | | 1.56 | | 2.50 | A |
| PACLOBUTRAZOL | | 0.41 | | 3.00 | A |
| PRODIAMINE | | 42.61 | | 62.50 | A |
| PROPICONAZOLE | | 4.33 | | 3.80 | A |
| PYRACLOSTROBIN | | 1.13 | | 2.50 | A |
| SIDURON | | 5.00 | | 2.30 | A |
| THIOPHANATE-METHYL | | 37.35 | | 28.10 | A |
| TRINEXAPAC-ETHYL | | 5.98 | | 69.00 | A |
| ZINC PHOSPHIDE | | 0.02 | | 30.00 | U |
| Site Total | | 330.97 | | | |
| **GRAPE** | | | | | |
| ABAMECTIN | | 1,378.63 | 2,000 | 77,377.93 | A |
| S-ABSCISIC ACID | | 487.12 | 79 | 2,311.91 | A |
| ACETAMIPRID | | 184.89 | 73 | 2,521.80 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | | 2.21 | 9 | 277.45 | A |
| ACRYLIC ACID | | 906.82 | 259 | 8,615.67 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1,293.89 | 93 | 2,748.47 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | | 19.77 | 43 | 505.98 | A |
| ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE) | | 21.19 | 7 | 382.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1,099.01 | 261 | 9,686.93 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 264.35 | 61 | 831.17 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 391.29 | 55 | 1,417.40 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 524.07 | 144 | 6,152.74 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 44.37 | 93 | 3,126.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | | 3,377.92 | 524 | 9,329.90 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | | 784.07 | 131 | 3,258.88 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | 8.94 | 3 | 130.00 | A |
| ALUMINUM PHOSPHIDE | | 523.82 | | 3,309,440.00 | C |
| | | 156.63 | 14 | 710.97 | A |
| Total Pounds On This Chemical | 680.45 | | | | |
| AMMONIUM NITRATE | | 1,026.39 | 299 | 5,524.44 | A |
| AMMONIUM PROPIONATE | | 167.53 | 61 | 1,291.97 | A |
| AMMONIUM SULFATE | | 4,068.21 | 598 | 15,094.58 | A |
| AMYL ACETATE | | 2.58 | 25 | 557.10 | A |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14940 | | 295.77 | 68 | 2,067.08 | A |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14941 | | 295.77 | 68 | 2,067.08 | A |
| AZADIRACHTIN | | 16.51 | 35 | 598.70 | A |
| AZOXYSTROBIN | | 848.50 | 124 | 4,654.80 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | | 1,058.15 | 9 | 285.70 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | | 331.74 | 91 | 3,426.69 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG 2348 | | 113.95 | 23 | 787.15 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 436.13 | 33 | 1,081.30 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | | 385.68 | 55 | 2,100.00 | A |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | | 1,158.74 | 46 | 1,746.43 | A |
| BENTONITE | | 6.00 | 1 | 20.00 | A |
| BENZOIC ACID | | 0.95 | 3 | 166.66 | A |
| BIFENAZATE | | 2,301.25 | 150 | 4,862.52 | A |
| | | 0.01 | | 5.00 | U |
| Total Pounds On This Chemical | 2,301.26 | | | | |
| BIFENTHRIN | | 15.25 | 3 | 150.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 1,589.66 | 690 | 24,170.37 | A |
| N,N-BIS-(2-(OMEGA-HYDROXYPOLY(OXYETHYLENE)/POLY (OXYPROPYLENE))ETHYL)ALKYL (C8-C18) AMINE | | 13.76 | 2 | 33.00 | A |
| BOSCALID | | 5,745.45 | 762 | 26,271.04 | A |
| BUPROFEZIN | | 4,598.10 | 350 | 8,969.47 | A |
| 2-BUTOXYETHANOL | | 8.30 | 44 | 535.98 | A |
| BUTYL ALCOHOL | | 236.58 | 159 | 4,990.53 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | | 198.02 | 26 | 1,554.10 | A |
| CALCIUM CHLORIDE | | 2.21 | 5 | 105.00 | A |
| CALCIUM HYDROXIDE | | 9,923.16 | 35 | 1,288.40 | A |
| CARBO METHOXY ETHER CELLULOSE, SODIUM SALT | | 0.74 | 13 | 390.00 | A |
| CARFENTRAZONE-ETHYL | | 85.38 | 194 | 4,371.59 | A |
| CASEIN | | 0.45 | 1 | 20.00 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | | 18.59 | 1 | 20.00 | A |
| CHLORANTRANILIPROLE | | 994.40 | 178 | 6,243.57 | A |
| CHLOROPHACINONE | | < 0.01 | 1 | 19.00 | A |
| CHLORPYRIFOS | | 7,366.15 | 130 | 4,370.49 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | | 2,234.78 | 74 | 3,038.26 | A |
| CITRIC ACID | | 1,359.91 | 460 | 14,072.78 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | | 1,998.41 | 6 | 523.00 | A |
| CLETHODIM | | 118.75 | | 81.00 | A |
| CLOFENTEZINE | | 1.04 | 1 | 13.00 | A |
| CLOTHIANIDIN | | 150.38 | 82 | 1,493.30 | A |
| COCONUT DIETHANOLAMIDE | | 216.62 | 145 | 5,215.00 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | | 0.27 | 4 | 95.00 | A |
| COPPER | | 7.50 | 1 | 10.00 | A |
| COPPER HYDROXIDE | | 42,609.26 | 1,641 | 58,605.58 | A |
| COPPER OXIDE (OUS) | | 7,636.45 | 244 | 7,651.60 | A |
| COPPER OXYCHLORIDE | | 23,595.03 | 705 | 23,830.07 | A |
| COPPER SULFATE (BASIC) | | 31,579.78 | 655 | 28,222.71 | A |
| COPPER SULFATE (PENTAHYDRATE) | | 1,400.85 | 11 | 230.00 | A |
| COPPER-ZINC SULFATE COMPLEX | | 300.00 | 1 | 60.00 | A |
| COTTONSEED OIL | | 260.47 | 64 | 1,027.88 | A |
| CRYOLITE | | 229,896.05 | 996 | 35,263.70 | A |
| | | 155.52 | 2 | 27.00 | U |
| Total Pounds On This Chemical | 230,051.57 | | | | |
| CYFLUFENAMID | | 183.74 | 245 | 8,169.64 | A |
| CYFLUTHRIN | | 167.03 | 97 | 3,449.32 | A |
| BETA-CYFLUTHRIN | | 75.71 | 108 | 3,569.14 | A |
| (S)-CYPERMETHRIN | | 28.13 | 17 | 704.16 | A |
| CYPRODINIL | | 6,918.72 | 678 | 20,222.23 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 17,293.99 | 680 | 16,759.84 | A |
| ALPHA-DECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | | 114.17 | 12 | 770.00 | A |
| DIAZINON | | 15.96 | 4 | 21.00 | A |
| | | < 0.01 | | 5.00 | U |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| Total Pounds On This Chemical | 15.96 | | | | |
| 1,3-DICHLOROPROPENE | | 51,153.80 | 5 | 157.21 | A |
| DIETHYLENE GLYCOL | | 1,655.65 | 444 | 12,394.89 | A |
| DIFENOCONAZOLE | | 1,032.82 | 286 | 9,716.99 | A |
| DIMETHYL ALKYL TERTIARY AMINES | | 1.03 | 3 | 166.66 | A |
| DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE | | 0.29 | 1 | 12.50 | A |
| 3,7-DIMETHYL-6-OCTEN-1-OL | | 1.96 | 5 | 170.00 | A |
| DIMETHYLPOLYSILOXANE | | 3,078.26 | 4,269 | 125,473.30 | A |
| DIMETHYL SILICONE FLUID EMULSION | | 2.23 | 26 | 371.76 | A |
| DIPHACINONE | | < 0.01 | 6 | 160.00 | A |
| DIURON | | 1,960.98 | 66 | 1,936.14 | A |
| DODECYLBENZENE SULFONIC ACID | | 64.65 | 52 | 2,089.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 102.37 | 45 | 3,092.44 | A |
| EDTA, SODIUM SALT | | 0.16 | 6 | 296.00 | A |
| EDTA, TETRASODIUM SALT | | 3.98 | 52 | 2,089.00 | A |
| EMULSIFIABLE METHYLATED VEGETABLE OIL | | 48.02 | 8 | 139.50 | A |
| ENDOSULFAN | | 478.83 | 4 | 564.00 | A |
| ETHEPHON | | 2,357.68 | 308 | 10,163.23 | A |
| ETHYLENE GLYCOL | | 174.62 | 10 | 426.33 | A |
| ETOXAZOLE | | 1,836.22 | 346 | 15,146.60 | A |
| FARNESOL | | 0.79 | 5 | 170.00 | A |
| FATTY ACIDS, MIXED | | 865.92 | 774 | 24,902.84 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | | 2.42 | 7 | 146.67 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 4,994.49 | 390 | 16,709.18 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 209.63 | 144 | 6,152.74 | A |
| FENARIMOL | | 29.76 | 17 | 367.75 | A |
| FENBUTATIN-OXIDE | | 96.00 | 3 | 96.00 | A |
| FENHEXAMID | | 3,203.38 | 221 | 6,411.08 | A |
| FENPROPATHRIN | | 589.25 | 58 | 2,108.98 | A |
| FENPYROXIMATE | | 378.37 | 105 | 3,588.84 | A |
| FERROUS SULFATE | | 1.41 | 4 | 95.00 | A |
| FLAZASULFURON | | 26.41 | 47 | 708.92 | A |
| FLUAZIFOP-P-BUTYL | | 194.55 | 23 | 660.65 | A |
| FLUBENDIAMIDE | | 455.00 | 144 | 4,611.98 | A |
| FLUDIOXONIL | | 1,425.92 | 210 | 6,629.49 | A |
| FLUMIOXAZIN | | 1,370.45 | 272 | 6,232.32 | A |
| FLUOPYRAM | | 115.39 | 33 | 1,210.17 | A |
| FORCHLORFENURON | | 12.37 | 104 | 3,048.43 | A |
| GARLIC | | 43.12 | 14 | 367.00 | A |
| GERANIOL | | 1.96 | 5 | 170.00 | A |
| GIBBERELLINS | | 2,705.55 | 3,173 | 105,484.31 | A |
| GLUFOSINATE-AMMONIUM | | 1,432.47 | 280 | 5,406.85 | A |
| GLYCEROL | | 102.17 | 99 | 1,595.25 | A |
| GLYPHOSATE, DIMETHYLAMINE SALT | | 33.78 | 1 | 31.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 59,656.79 | 1,679 | 42,957.65 | A |
| GLYPHOSATE, POTASSIUM SALT | | 45,858.82 | 1,422 | 33,654.25 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 80.40 | 66 | 1,639.15 | A |
| HEXYTHIAZOX | | 317.25 | 71 | 2,199.00 | A |
| HYDROGEN CYANAMIDE | | 17,097.53 | 41 | 1,054.59 | A |
| HYDROGEN PEROXIDE | | 520.71 | 20 | 560.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 1,429.66 | 89 | 1,684.91 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 897.79 | 113 | 3,714.54 | A |
| IMIDACLOPRID | | 9,433.44 | 2,168 | 81,904.82 | A |
| INDAZIFLAM | | 665.67 | 568 | 15,355.67 | A |
| INDOXACARB | | 61.81 | 14 | 549.47 | A |
| IPRODIONE | | 1,557.64 | 50 | 1,957.11 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 6.79 | 20 | 318.99 | A |
| ISOPARAFFINIC HYDROCARBONS | | 26.97 | 4 | 69.00 | A |
| ISOPROPYL ALCOHOL | | 5,751.05 | 2,730 | 95,287.13 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 20.69 | 112 | 1,988.49 | A |
| ISOXABEN | | 254.63 | 27 | 392.86 | A |
| KAOLIN | | 688.75 | 3 | 35.00 | A |
| KRESOXIM-METHYL | | 8,022.09 | 1,448 | 58,210.97 | A |
| LACTOSE | | 0.45 | 1 | 20.00 | A |
| LAURIC ACID | | 40.34 | 93 | 3,126.00 | A |
| LAVANDULYL SENECIOATE | | 0.43 | 1 | 60.00 | A |
| LECITHIN | | 4,190.94 | 386 | 10,500.01 | A |
| LIGNIN SULFONIC ACID, ZINC SALT | | 202.69 | 4 | 133.65 | A |
| LIME-SULFUR | | 50,913.66 | 58 | 2,080.64 | A |
| LIMONENE | | 170.07 | 44 | 535.98 | A |
| MALATHION | | 744.64 | 9 | 409.67 | A |
| MANCOZEB | | 7,756.98 | 183 | 5,610.62 | A |
| MANEB | | 81.52 | 1 | 36.23 | A |
| MANGANESE SULFATE | | 1.95 | 4 | 95.00 | A |
| METALDEHYDE | | 6.00 | 1 | 30.00 | A |
| METHOXYFENOZIDE | | 7,681.75 | 1,020 | 40,211.81 | A |
| METHYL ANTHRANILATE | | 13.04 | 1 | 14.73 | A |
| METHYLATED SILICA | | 0.06 | 8 | 112.30 | A |
| METHYLATED SOYBEAN OIL | | 7,792.90 | 774 | 25,338.21 | A |
| METHYL ESTERS OF COTTONSEED OIL | | 4,125.89 | 55 | 2,521.86 | A |
| METHYL SILICONE RESINS | | 85.84 | 22 | 417.80 | A |
| METRAFENONE | | 4,316.14 | 455 | 16,722.02 | A |
| MINERAL OIL | | 17,116.43 | 412 | 15,632.70 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 11,005.57 | 2,010 | 62,945.14 | A |
| | | 1.81 | 1 | 4.68 | U |
| Total Pounds On This Chemical | 11,007.38 | | | | |
| MSMA | | 29.94 | 1 | 20.00 | A |
| MYCLOBUTANIL | | 7,378.51 | 1,703 | 52,749.58 | A |
| NEROLIDOL | | 1.96 | 5 | 170.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 2,096.24 | 804 | 31,755.07 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 35,784.80 | 4,826 | 166,833.52 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 620.84 | 301 | 7,652.04 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 6,902.91 | 578 | 17,002.67 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | | 238.76 | 20 | 1,285.33 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | | 0.05 | 5 | 95.00 | A |
| NORFLURAZON | | 3,713.60 | 120 | 3,721.09 | A |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | | 0.20 | | 300,000.00 | C |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 172.09 | 4 | 137.93 | A |
| OLEIC ACID | | 0.58 | 3 | 51.50 | A |
| OLEIC ACID, METHYL ESTER | | 1,279.88 | 70 | 1,030.17 | A |
| ORCHEX 796 OIL | | 18.37 | 4 | 69.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | | 81.26 | 33 | 1,143.24 | A |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ORYZALIN | | 12,672.91 | 239 | 5,691.97 | A |
| OXYFLUORFEN | | 11,331.29 | 1,346 | 35,775.86 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | | 51.76 | 13 | 258.80 | A |
| PARAQUAT DICHLORIDE | | 11,881.64 | 717 | 18,951.28 | A |
| PENDIMETHALIN | | 37,749.59 | 717 | 15,546.27 | A |
| PETROLEUM DISTILLATES, REFINED | | 8,973.01 | 45 | 2,568.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 3,278.34 | 166 | 3,537.91 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 5,215.30 | 33 | 1,228.00 | A |
| PHOSMET | | 518.81 | 19 | 453.67 | A |
| PHOSPHINE | | 555.94 | | 6,140,160.00 | C |
| | | 11.69 | | 434,000.00 | U |
| Total Pounds On This Chemical | 567.63 | | | | |
| PHOSPHORIC ACID | | 5,006.74 | 1,151 | 37,039.05 | A |
| BETA-PINENE POLYMER | | 399.79 | 25 | 2,083.80 | A |
| PIPERONYL BUTOXIDE | | 0.11 | | 300,000.00 | C |
| PIPERONYL BUTOXIDE, OTHER RELATED | | 0.03 | | 300,000.00 | C |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 6.30 | 12 | 753.47 | A |
| POLYACRYLAMIDE POLYMER | | 1.89 | 4 | 253.33 | A |
| POLYACRYLIC POLYMER | | 23.80 | 193 | 7,371.38 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 153.95 | 413 | 16,010.53 | A |
| POLYBUTENES | | 891.87 | 390 | 16,709.18 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 745.63 | 147 | 4,831.37 | A |
| POLYETHYLENE GLYCOL | | 7,752.57 | 1,471 | 42,760.28 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 0.81 | 3 | 130.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | | 3.89 | 1 | 20.00 | A |
| POLYETHYLENE GLYCOL OLEATE | | 0.67 | 1 | 12.50 | A |
| POLYMERIZED PINENE | | 1,196.68 | 36 | 2,723.04 | A |
| POLYOXIN D, ZINC SALT | | 186.76 | 140 | 4,266.19 | A |
| POLYOXYETHYLENE DIOLEATE | | 1.69 | 33 | 1,143.24 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 1,667.68 | 577 | 21,833.51 | A |
| POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER | | 2.71 | 2 | 50.00 | A |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | | 3.78 | 1 | 14.58 | A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | | 1.73 | 5 | 95.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 49.58 | 68 | 1,452.51 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 429.13 | 80 | 2,222.51 | A |
| POLYPROPYLENE GLYCOL | | 1.08 | 13 | 265.50 | A |
| POLYSORBATE 65 | | 1.39 | 1 | 40.00 | A |
| POTASH SOAP | | 7.81 | 2 | 40.00 | A |
| POTASSIUM BICARBONATE | | 15,958.38 | 205 | 6,224.98 | A |
| POTASSIUM HYDROXIDE | | 44.59 | 147 | 4,193.79 | A |
| POTASSIUM NITRATE | | 400.62 | 77 | 3,082.20 | A |
| POTASSIUM PEROXYMONOSULFATE | | 5.46 | 1 | 15.00 | A |
| POTASSIUM PHOSPHITE | | 5,838.79 | 96 | 2,973.96 | A |
| POTASSIUM SILICATE | | 365.98 | 8 | 393.50 | A |
| PROPARGITE | | 695.60 | 17 | 672.50 | A |
| PROPETAMPHOS | | 16.40 | 1 | 20.00 | A |
| PROPICONAZOLE | | 1.05 | 1 | 17.50 | A |
| PROPIONIC ACID | | 776.28 | 143 | 4,314.56 | A |
| PROPYLENE GLYCOL | | 1,559.09 | 972 | 29,827.66 | A |
| PROPYLENE GLYCOL, METHYL ETHER | | 1.45 | 3 | 51.50 | A |
| PYRACLOSTROBIN | | 2,918.32 | 762 | 26,271.04 | A |
| PYRAFLUFEN-ETHYL | | 67.67 | 589 | 14,841.57 | A |
| PYRETHRINS | | 25.17 | 42 | 896.22 | A |
| | | 0.07 | | 300,000.00 | C |
| Total Pounds On This Chemical | 25.24 | | | | |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| PYRIMETHANIL | | 1,441.43 | 173 | 5,456.71 | A |
| PYRIPROXYFEN | | 3.78 | 6 | 77.89 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 793.00 | 179 | 6,078.20 | A |
| QUILLAJA | | 1.52 | 13 | 390.00 | A |
| QUINOXYFEN | | 7,750.43 | 1,889 | 65,914.49 | A |
| REYNOUTRIA SACHALINENSIS | | 936.24 | 150 | 4,903.23 | A |
| RIMSULFURON | | 676.31 | 929 | 18,878.61 | A |
| SETHOXYDIM | | 637.63 | 70 | 2,493.14 | A |
| SILICONE DEFOAMER | | 1.69 | 52 | 2,089.00 | A |
| SIMAZINE | | 31,758.94 | 782 | 24,444.01 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | | 1.21 | 7 | 146.67 | A |
| SODIUM HYDROXIDE | | 0.01 | 1 | 20.00 | A |
| SODIUM HYPOCHLORITE | | 2.65 | 2 | 35.00 | A |
| SODIUM POLYACRYLATE | | 5.54 | 106 | 1,846.46 | A |
| SODIUM XYLENE SULFONATE | | 27.77 | 59 | 2,235.67 | A |
| SORBITAN FATTY ACID ESTERS | | 0.38 | 5 | 95.00 | A |
| SORBITAN MONOOLEATE | | 3.27 | 7 | 46.42 | A |
| SORBITAN TRIOLEATE | | 58.48 | 13 | 810.00 | A |
| SPINETORAM | | 800.23 | 365 | 10,714.04 | A |
| SPINOSAD | | 441.56 | 144 | 4,016.28 | A |
| SPIRODICLOFEN | | 1,341.73 | 138 | 4,692.52 | A |
| SPIROTETRAMAT | | 1,755.07 | 1,753 | 56,572.33 | A |
| STYRENE BUTADIENE COPOLYMER | | 1,106.45 | 707 | 21,926.35 | A |
| SULFENTRAZONE | | 82.00 | 17 | 264.43 | A |
| SULFUR | | 4,068,682.84 | 19,834 | 684,358.88 | A |
| | | 29.92 | 1 | 4.68 | U |
| Total Pounds On This Chemical | 4,068,712.76 | | | | |
| SULFUR DIOXIDE | | 30,249.18 | | 158,875.67 | T |
| | | 854.00 | 7 | 105.00 | A |
| | | 210.88 | | 5,273,767.00 | P |
| | | 192.90 | | 16,400.00 | K |
| Total Pounds On This Chemical | 31,506.97 | | | | |
| SULFURIC ACID | | 116.89 | 151 | 4,544.21 | A |
| TALL OIL | | 3.16 | 6 | 240.00 | A |
| TALL OIL FATTY ACIDS | | 1,380.47 | 1,026 | 47,734.11 | A |
| TEBUCONAZOLE | | 4,795.07 | 1,192 | 43,531.65 | A |
| | | 2.11 | 1 | 4.68 | U |
| Total Pounds On This Chemical | 4,797.17 | | | | |
| TETRACONAZOLE | | 887.49 | 588 | 21,841.09 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 126.88 | 80 | 2,719.00 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | | 4.94 | 2 | 34.31 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 9.95 | 52 | 2,089.00 | A |
| THIAMETHOXAM | | 7.09 | 2 | 80.00 | A |
| THIOPHANATE-METHYL | | 1,355.87 | 54 | 1,714.89 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | | 25.64 | 90 | 1,430.58 | A |
| TRIETHANOLAMINE | | 25.36 | 52 | 2,089.00 | A |
| TRIFLOXYSTROBIN | | 3,088.24 | 1,274 | 43,087.43 | A |
| TRIFLUMIZOLE | | 4,671.26 | 652 | 23,245.47 | A |
| TRIFLURALIN | | 5,728.11 | 184 | 23,331.73 | A |
| TRISODIUM PHOSPHATE | | 0.49 | 1 | 16.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 2,384.54 | 994 | 28,805.84 | A |
| UREA | | 2.30 | 1 | 33.00 | A |
| UREA DIHYDROGEN SULFATE | | 33.04 | 90 | 1,430.58 | A |
| VINYL POLYMER | | 0.42 | 2 | 17.42 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| XANTHAN GUM | 0.28 | 64 | 1,950.80 | A |
| YUCCA SCHIDIGERA | 863.22 | 116 | 2,561.92 | A |
| ZINC PHOSPHIDE | 12.74 | 10 | 504.00 | A |
| ZINC SULFATE | 138.34 | 46 | 2,432.21 | A |
| ZIRAM | 11,540.16 | 222 | 5,872.64 | A |
| Site Total | 5,158,763.70 | 73,093 | | |
| **GRAPE, WINE** | | | | |
| ABAMECTIN | 688.36 | 436 | 38,844.72 | A |
| ACETAMIPRID | 61.97 | 12 | 940.50 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 6.67 | 14 | 748.79 | A |
| ACRYLIC ACID | 495.10 | 119 | 7,342.70 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 91.71 | 9 | 385.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 3.34 | 7 | 155.17 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,770.24 | 255 | 15,321.29 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 118.62 | 24 | 676.27 | A |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 419.49 | 5 | 2,124.00 | A |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 52.13 | 5 | 2,124.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 1,030.68 | 60 | 5,308.86 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 10.92 | 3 | 57.58 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 13.94 | 15 | 842.80 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 735.22 | 154 | 3,405.31 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 369.24 | 33 | 2,131.96 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 45.10 | 11 | 795.30 | A |
| ALUMINUM PHOSPHIDE | 11.55 | 5 | 262.60 | A |
| AMMONIUM NITRATE | 337.69 | 151 | 4,452.31 | A |
| AMMONIUM PROPIONATE | 52.89 | 14 | 532.83 | A |
| AMMONIUM SULFATE | 2,808.59 | 309 | 10,201.58 | A |
| AMYL ACETATE | 1.30 | 5 | 233.50 | A |
| AZADIRACHTIN | 1.58 | 7 | 56.40 | A |
| AZOXYSTROBIN | 667.47 | 51 | 3,354.30 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 4.50 | 1 | 75.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN EG 2348 | 119.03 | 23 | 840.10 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 279.96 | 19 | 570.40 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | 1,015.85 | 35 | 3,578.93 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 4,883.92 | 73 | 7,643.10 | A |
| BENZOIC ACID | 18.39 | 58 | 1,613.09 | A |
| BIFENAZATE | 586.36 | 15 | 1,170.72 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 1,728.32 | 295 | 21,633.37 | A |
| BOSCALID | 2,354.28 | 174 | 12,646.21 | A |
| BUPROFEZIN | 131.31 | 13 | 244.00 | A |
| 2-BUTOXYETHANOL | 1.34 | 7 | 155.17 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BUTYL ALCOHOL | 560.62 | 145 | 7,709.59 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 119.35 | 20 | 850.00 | A |
| CALCIUM CHLORIDE | 9.66 | 5 | 128.00 | A |
| CALCIUM HYDROXIDE | 90.00 | 1 | 20.00 | A |
| CARFENTRAZONE-ETHYL | 107.90 | 119 | 6,129.94 | A |
| CASTOR OIL ETHOXYLATE | 1.99 | 1 | 8.09 | A |
| CHLORANTRANILIPROLE | 505.04 | 120 | 8,789.70 | A |
| CHLORINE | 6,598.64 | 43 | 6,335.00 | A |
| CHLORPYRIFOS | 1,875.60 | 38 | 997.49 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 386.87 | 6 | 609.86 | A |
| CITRIC ACID | 538.68 | 173 | 8,302.65 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 1,497.85 | 5 | 392.00 | A |
| CLETHODIM | 23.52 | 5 | 198.60 | A |
| CLOFENTEZINE | 183.96 | 7 | 944.00 | A |
| CLOTHIANIDIN | 179.31 | 22 | 1,741.50 | A |
| COCONUT DIETHANOLAMIDE | 282.12 | 155 | 11,382.97 | A |
| COPPER | 15.00 | 1 | 20.00 | A |
| COPPER HYDROXIDE | 37,012.66 | 606 | 47,317.49 | A |
| COPPER OXIDE (OUS) | 2,780.84 | 69 | 2,782.02 | A |
| COPPER OXYCHLORIDE | 5,086.75 | 92 | 8,250.86 | A |
| COPPER SULFATE (BASIC) | 13,849.50 | 99 | 12,306.46 | A |
| COTTONSEED OIL | 337.96 | 56 | 1,713.88 | A |
| CRYOLITE | 6,733.96 | 34 | 1,519.59 | A |
| CYFLUFENAMID | 38.65 | 33 | 1,691.20 | A |
| CYFLUTHRIN | 8.37 | 3 | 170.00 | A |
| BETA-CYFLUTHRIN | 5.06 | 12 | 187.00 | A |
| (S)-CYPERMETHRIN | 8.51 | 3 | 176.89 | A |
| CYPRODINIL | 1,928.93 | 88 | 5,975.49 | A |
| 2,4-D, DIMETHYLAMINE SALT | 5,060.51 | 121 | 3,724.35 | A |
| 1,3-DICHLOROPROPENE | 10,225.61 | 2 | 31.20 | A |
| DIETHYLENE GLYCOL | 1,237.86 | 123 | 7,687.95 | A |
| DIFENOCONAZOLE | 659.92 | 90 | 6,080.80 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 20.05 | 58 | 1,613.09 | A |
| DIMETHYLPOLYSILOXANE | 2,137.45 | 1,144 | 65,573.82 | A |
| DIMETHYL SILICONE FLUID EMULSION | 4.31 | 35 | 1,260.00 | A |
| DIPHACINONE | < 0.01 | 1 | 39.00 | A |
| DIURON | 371.10 | 19 | 533.83 | A |
| DODECYLBENZENE SULFONIC ACID | 947.85 | 140 | 10,540.17 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 15.97 | 6 | 830.00 | A |
| EDTA, TETRASODIUM SALT | 58.33 | 140 | 10,540.17 | A |
| ETHEPHON | 2.98 | 1 | 10.00 | A |
| ETHYLENE GLYCOL | 14.51 | 3 | 60.00 | A |
| ETOXAZOLE | 2,035.45 | 179 | 15,812.02 | A |
| FATTY ACIDS, MIXED | 920.30 | 368 | 24,367.09 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | 1.95 | 2 | 106.67 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 5,892.28 | 154 | 12,819.80 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 4.37 | 3 | 57.58 | A |
| FENARIMOL | 6.40 | 17 | 793.50 | A |
| FENHEXAMID | 257.40 | 11 | 514.29 | A |
| FENPROPATHRIN | 23.80 | 2 | 76.00 | A |
| FENPYROXIMATE | 90.89 | 17 | 933.50 | A |
| FLAZASULFURON | 36.00 | 37 | 892.27 | A |
| FLUAZIFOP-P-BUTYL | 298.79 | 28 | 940.22 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FLUBENDIAMIDE | 89.53 | 14 | 947.00 | A |
| FLUDIOXONIL | 18.96 | 6 | 100.00 | A |
| FLUMIOXAZIN | 1,314.49 | 133 | 5,107.27 | A |
| FLUOPYRAM | 893.32 | 121 | 8,867.97 | A |
| GIBBERELLINS | 67.93 | 130 | 5,247.39 | A |
| GLUFOSINATE-AMMONIUM | 6,749.42 | 297 | 19,304.77 | A |
| GLYCEROL | 71.20 | 37 | 1,107.42 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 31,049.59 | 418 | 18,385.01 | A |
| GLYPHOSATE, POTASSIUM SALT | 36,592.15 | 573 | 20,507.03 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 22.75 | 19 | 359.62 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 12.00 | 15 | 631.50 | A |
| HEXYTHIAZOX | 362.69 | 31 | 2,150.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 456.73 | 36 | 640.71 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 615.47 | 53 | 3,887.80 | A |
| IMIDACLOPRID | 6,009.06 | 501 | 34,484.38 | A |
| INDAZIFLAM | 267.38 | 119 | 4,786.44 | A |
| INDOXACARB | 51.21 | 4 | 480.00 | A |
| IPRODIONE | 31.42 | 3 | 53.00 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 6.71 | 12 | 524.10 | A |
| ISOPARAFFINIC HYDROCARBONS | 32.84 | 7 | 122.00 | A |
| ISOPROPYL ALCOHOL | 4,095.40 | 875 | 61,419.90 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 3.35 | 17 | 656.69 | A |
| ISOXABEN | 870.11 | 23 | 1,524.03 | A |
| KAOLIN | 24,481.42 | 14 | 1,041.50 | A |
| KEROSENE | 25.64 | 36 | 705.81 | A |
| KRESOXIM-METHYL | 3,634.10 | 373 | 27,998.92 | A |
| LAURIC ACID | 12.68 | 15 | 842.80 | A |
| LECITHIN | 3,948.71 | 241 | 16,538.18 | A |
| LIME-SULFUR | 26,138.68 | 16 | 932.10 | A |
| LIMONENE | 27.37 | 7 | 155.17 | A |
| MALATHION | 48.09 | 1 | 25.00 | A |
| MEFENOXAM | 80.16 | 1 | 40.00 | A |
| METAFLUMIZONE | 0.02 | 1 | 22.82 | A |
| METHOMYL | 5.85 | 2 | 20.00 | A |
| METHOXYFENOZIDE | 5,269.79 | 403 | 25,903.46 | A |
| METHYLATED SOYBEAN OIL | 7,156.82 | 294 | 13,241.47 | A |
| METHYL ESTERS OF COTTONSEED OIL | 6,660.99 | 58 | 3,858.33 | A |
| METHYL SILICONE RESINS | 5.30 | 3 | 311.26 | A |
| METRAFENONE | 3,573.02 | 163 | 14,220.09 | A |
| MINERAL OIL | 11,660.78 | 187 | 9,867.58 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 3,249.30 | 392 | 15,744.07 | A |
| MYCLOBUTANIL | 2,089.39 | 377 | 18,983.35 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 2,279.19 | 322 | 21,407.79 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 21,279.60 | 1,388 | 92,020.51 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 104.78 | 67 | 1,486.71 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 2,470.66 | 182 | 10,620.83 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 47.45 | 6 | 250.00 | A |
| NORFLURAZON | 686.78 | 25 | 664.34 | A |
| OLEIC ACID | 0.34 | 4 | 40.00 | A |
| OLEIC ACID, METHYL ESTER | 1,239.70 | 63 | 2,443.39 | A |
| ORCHEX 796 OIL | 22.37 | 7 | 122.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 58.25 | 11 | 775.13 | A |
| ORYZALIN | 5,340.97 | 71 | 1,941.15 | A |
| OXYFLUORFEN | 11,817.43 | 546 | 29,221.15 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 18.38 | 1 | 75.00 | A |
| PARAQUAT DICHLORIDE | 20,364.27 | 354 | 17,611.15 | A |
| PENDIMETHALIN | 21,554.30 | 201 | 7,795.81 | A |
| PETROLEUM DISTILLATES, REFINED | 6,956.01 | 13 | 1,471.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 426.30 | 23 | 678.69 | A |
| PHOSMET | 44.95 | 4 | 72.00 | A |
| PHOSPHORIC ACID | 1,105.96 | 482 | 26,911.25 | A |
| BETA-PINENE POLYMER | 202.27 | 8 | 951.76 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 3.21 | 4 | 501.26 | A |
| POLYACRYLAMIDE POLYMER | 17.67 | 39 | 1,787.74 | A |
| POLYACRYLIC POLYMER | 1.05 | 6 | 191.90 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 51.19 | 86 | 4,809.40 | A |
| POLYBUTENES | 1,052.19 | 154 | 12,819.80 | A |
| POLYETHER MODIFIED POLYSILOXANE | 1,001.06 | 147 | 12,518.40 | A |
| POLYETHYLENE GLYCOL | 3,199.90 | 374 | 18,745.55 | A |
| POLYETHYLENE GLYCOL DIACETATE | 4.10 | 11 | 795.30 | A |
| POLY-I-PARA-MENTHENE | 907.36 | 28 | 2,698.70 | A |
| POLYMERIZED PINENE | 283.52 | 6 | 830.00 | A |
| POLYOXYETHYLENE DIOLEATE | 1.21 | 11 | 775.13 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 1,411.72 | 128 | 11,626.60 | A |
| POLY(OXYETHYLENE) POLY(OXYPROPYLENE) GLYCOL MONOALLYL ETHER | 17.59 | 4 | 300.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 8.07 | 10 | 501.52 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 53.13 | 10 | 501.52 | A |
| POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER | 14.94 | 1 | 8.09 | A |
| POLYPROPYLENE GLYCOL | 0.59 | 2 | 282.00 | A |
| POTASSIUM BICARBONATE | 7,833.43 | 37 | 2,505.26 | A |
| POTASSIUM HYDROXIDE | 4.73 | 31 | 794.15 | A |
| POTASSIUM NITRATE | 35.04 | 8 | 317.50 | A |
| POTASSIUM PHOSPHITE | 3,782.12 | 44 | 1,943.91 | A |
| POTASSIUM SILICATE | 27.55 | 5 | 45.10 | A |
| PROPARGITE | 1,378.52 | 10 | 769.75 | A |
| PROPIONIC ACID | 2,538.80 | 164 | 12,180.11 | A |
| PROPYLENE GLYCOL | 281.23 | 98 | 4,942.26 | A |
| PYRACLOSTROBIN | 1,195.82 | 174 | 12,646.21 | A |
| PYRAFLUFEN-ETHYL | 35.69 | 252 | 13,113.72 | A |
| PYRETHRINS | 2.04 | 6 | 76.00 | A |
| PYRIMETHANIL | 277.90 | 24 | 603.11 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 85.40 | 18 | 459.81 | A |
| QUINOXYFEN | 3,821.47 | 495 | 40,568.30 | A |
| REYNOUTRIA SACHALINENSIS | 69.19 | 11 | 228.07 | A |
| RIMSULFURON | 363.26 | 259 | 10,367.97 | A |
| SETHOXYDIM | 383.00 | 44 | 1,622.59 | A |
| SILICONE DEFOAMER | 24.79 | 140 | 10,540.17 | A |
| SIMAZINE | 6,480.38 | 91 | 3,821.71 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 0.98 | 2 | 106.67 | A |
| SODIUM POLYACRYLATE | 1.89 | 32 | 775.98 | A |
| SODIUM XYLENE SULFONATE | 298.00 | 142 | 10,646.84 | A |
| SORBITAN MONOOLEATE | 16.58 | 30 | 706.27 | A |
| SPINETORAM | 23.60 | 5 | 312.00 | A |
| SPINOSAD | 14.32 | 3 | 133.00 | A |
| SPIRODICLOFEN | 755.55 | 30 | 1,648.37 | A |
| SPIROTETRAMAT | 585.65 | 405 | 26,484.87 | A |
| STYRENE BUTADIENE COPOLYMER | 116.23 | 39 | 1,484.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| SULFENTRAZONE | 143.27 | 10 | 433.03 | A |
| SULFUR | 2,023,437.79 | 4,082 | 298,189.64 | A |
| SULFURIC ACID | 47.62 | 39 | 2,381.96 | A |
| TALL OIL | 1.99 | 1 | 8.09 | A |
| TALL OIL FATTY ACIDS | 992.79 | 268 | 30,856.18 | A |
| TEBUCONAZOLE | 3,897.63 | 434 | 36,151.93 | A |
| TETRACONAZOLE | 166.39 | 95 | 4,348.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,478.48 | 209 | 11,554.17 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | 1.03 | 1 | 10.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 145.82 | 140 | 10,540.17 | A |
| THIAMETHOXAM | 0.16 | 1 | 40.00 | A |
| THIOPHANATE-METHYL | 731.98 | 55 | 3,434.60 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 15.25 | 35 | 1,000.75 | A |
| TRIETHANOLAMINE | 371.85 | 140 | 10,540.17 | A |
| TRIFLOXYSTROBIN | 1,080.34 | 245 | 15,596.19 | A |
| TRIFLUMIZOLE | 1,695.86 | 120 | 8,165.15 | A |
| TRIFLURALIN | 6,880.55 | 121 | 27,048.60 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 27.80 | 19 | 359.62 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,839.78 | 125 | 7,397.20 | A |
| UREA | 12.01 | 4 | 142.00 | A |
| UREA DIHYDROGEN SULFATE | 48.05 | 40 | 1,092.75 | A |
| VINYL POLYMER | 1.93 | 2 | 110.27 | A |
| XANTHAN GUM | < 0.01 | 4 | 290.00 | A |
| YUCCA SCHIDIGERA | 56.96 | 2 | 44.05 | A |
| ZINC PHOSPHIDE | 168.20 | 7 | 841.00 | A |
| ZINC SULFATE | 120.10 | 31 | 2,333.97 | A |
| ZIRAM | 836.30 | 26 | 499.67 | A |
| Site Total | 2,498,441.86 | 18,229 | | |
| **GRAPEFRUIT** | | | | |
| ABAMECTIN | 3.00 | 9 | 126.10 | A |
| ACEPHATE | 36.38 | 3 | 50.00 | A |
| ACRYLIC ACID | 9.72 | 1 | 30.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 10.67 | 7 | 83.10 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 20.61 | 3 | 44.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 3.21 | 1 | 9.27 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 0.70 | 1 | 6.00 | A |
| AMMONIUM PROPIONATE | 24.89 | 2 | 26.00 | A |
| AMMONIUM SULFATE | 389.12 | 16 | 207.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 24.89 | 3 | 46.10 | A |
| BENTONITE | 50.40 | 3 | 44.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 3.70 | 3 | 19.27 | A |
| BROMACIL | 22.20 | 2 | 22.20 | A |
| CALCIUM HYDROXIDE | 6,430.60 | 15 | 236.10 | A |
| CARBARYL | 278.37 | 2 | 35.00 | A |
| CARFENTRAZONE-ETHYL | 0.30 | 2 | 49.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| CASEIN | | 3.78 | 3 | 44.00 | A |
| CHLORANTRANILIPROLE | | 6.24 | 5 | 94.00 | A |
| CHLORPYRIFOS | | 540.71 | 10 | 132.10 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | | 5.40 | 1 | 18.00 | A |
| CITRIC ACID | | 26.26 | 8 | 140.00 | A |
| COCONUT DIETHANOLAMIDE | | 3.17 | 1 | 6.00 | A |
| COPPER HYDROXIDE | | 115.50 | 1 | 30.00 | A |
| COPPER OXIDE (OUS) | | 160.59 | 8 | 105.00 | A |
| COPPER SULFATE (BASIC) | | 491.93 | 7 | 106.10 | A |
| CYFLUTHRIN | | 1.67 | 2 | 32.00 | A |
| BETA-CYFLUTHRIN | | 4.68 | 12 | 156.10 | A |
| (S)-CYPERMETHRIN | | 2.58 | 2 | 46.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 130.53 | 6 | 123.00 | A |
| 2,4-D, ISOPROPYL ESTER | | 19.20 | 7 | 182.10 | A |
| DIETHYLENE GLYCOL | | 26.56 | 5 | 90.00 | A |
| DIFLUBENZURON | | 4.84 | 3 | 30.00 | A |
| DIMETHYLPOLYSILOXANE | | 1.05 | 19 | 219.82 | A |
| DIURON | | 115.86 | 6 | 76.47 | A |
| ETHYLENE GLYCOL MONOMETHYL ETHER | | 1.90 | 1 | 11.10 | A |
| FATTY ACIDS, MIXED | | 0.12 | 1 | 10.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 13.30 | 2 | 10.00 | A |
| FENPROPATHRIN | | 0.78 | 1 | 2.00 | A |
| FENPYROXIMATE | | 13.78 | 3 | 46.10 | A |
| FLUMIOXAZIN | | 6.89 | 1 | 18.00 | A |
| FOSETYL-AL | | 16.00 | 1 | 4.00 | A |
| GIBBERELLINS | | 3.07 | 2 | 41.00 | A |
| | | 2.18 | | 9,095.70 | T |
| Total Pounds On This Chemical | 5.25 | | | | |
| GLUFOSINATE-AMMONIUM | | 0.58 | 2 | 4.03 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 517.07 | 24 | 328.95 | A |
| GLYPHOSATE, POTASSIUM SALT | | 1,110.13 | 36 | 491.00 | A |
| IMAZALIL | | 57.68 | | 9,141.62 | T |
| IMIDACLOPRID | | 60.45 | 10 | 138.10 | A |
| INDAZIFLAM | | 6.87 | 10 | 158.00 | A |
| ISOOCTYL PHTHALATE | | 1.93 | 1 | 11.10 | A |
| ISOPROPYL ALCOHOL | | 6.71 | 13 | 99.82 | A |
| ISOXABEN | | 2.97 | 1 | 18.00 | A |
| LACTOSE | | 3.78 | 3 | 44.00 | A |
| LAURIC ACID | | 0.63 | 1 | 6.00 | A |
| LECITHIN | | 20.61 | 3 | 44.00 | A |
| MEFENOXAM | | 1.00 | 1 | 4.00 | A |
| METHOXYFENOZIDE | | 3.21 | 3 | 16.00 | A |
| METHYLATED SOYBEAN OIL | | 259.16 | 21 | 255.06 | A |
| MINERAL OIL | | 1,953.70 | 16 | 192.27 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 1.97 | 1 | 10.00 | A |
| MORPHOLINE | | 0.83 | 1 | 11.10 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 5.16 | 3 | 20.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 106.11 | 41 | 480.78 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 1.31 | 1 | 11.10 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 67.51 | 4 | 86.00 | A |
| NORFLURAZON | | 3.14 | 1 | 4.00 | A |
| OLEIC ACID | | 2.70 | 1 | 11.10 | A |
| OLEIC ACID, METHYL ESTER | | 96.18 | 3 | 44.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ORYZALIN | 417.74 | 11 | 143.00 | A |
| OXYFLUORFEN | 23.43 | 7 | 44.72 | A |
| PARAQUAT DICHLORIDE | 33.32 | 8 | 90.00 | A |
| PENDIMETHALIN | 217.87 | 7 | 73.20 | A |
| PETROLEUM OIL, UNCLASSIFIED | 2,755.21 | 9 | 187.20 | A |
| PHOSPHORIC ACID | 12.15 | 7 | 144.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.07 | 4 | 34.06 | A |
| POLYBUTENES | 2.37 | 2 | 10.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 17.64 | 3 | 62.00 | A |
| POLYETHYLENE GLYCOL | 32.62 | 12 | 88.72 | A |
| PROPYLENE GLYCOL | 10.73 | 9 | 129.00 | A |
| PYRIPROXYFEN | 2.05 | 1 | 19.00 | A |
| RIMSULFURON | 4.94 | 5 | 81.00 | A |
| SAFLUFENACIL | 10.45 | 20 | 270.52 | A |
| SIMAZINE | 121.12 | 4 | 54.27 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 0.25 | 1 | 11.10 | A |
| SODIUM HYPOCHLORITE | 514.04 | | 5,488.70 | T |
| SODIUM POLYACRYLATE | 0.62 | 2 | 26.00 | A |
| SPINETORAM | 17.06 | 17 | 251.00 | A |
| SPIRODICLOFEN | 6.32 | 1 | 20.00 | A |
| SPIROTETRAMAT | 6.08 | 13 | 222.10 | A |
| STYRENE BUTADIENE COPOLYMER | 8.45 | 8 | 123.00 | A |
| TALL OIL FATTY ACIDS | 0.45 | 2 | 16.27 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 25.33 | 5 | 102.00 | A |
| THIABENDAZOLE | 31.21 | | 4,897.37 | T |
| THIAMETHOXAM | 0.41 | 1 | 5.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 9.65 | 8 | 123.00 | A |
| Site Total | 17,600.33 | 411 | | |
| **GUAVA** | | | | |
| GLYPHOSATE, POTASSIUM SALT | 2.76 | 4 | 2.00 | A |
| Site Total | 2.76 | 4 | | |
| **INDUSTRIAL PROCESSING WATER** | | | | |
| SODIUM DICHLORO-S-TRIAZINETRIONE | 329.23 | | 7.00 | U |
| Site Total | 329.23 | | | |
| **INDUSTRIAL SITE** | | | | |
| BROMADIOLONE | < 0.01 | | 25.00 | U |
| DDVP | 2.64 | | 1,600.00 | K |
| DDVP, OTHER RELATED | 0.07 | | 1,600.00 | K |
| DIFETHIALONE | < 0.01 | | 93.00 | S |
| ESFENVALERATE | 0.08 | | 1,600.00 | K |
| ZINC PHOSPHIDE | 1.00 | | 30.00 | A |
| Site Total | 3.79 | | | |
| **JUJUBE** | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 9.99 | 1 | 16.00 | A |
| Site Total | 9.99 | 1 | | |
| **KALE** | | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 10.76 | 2 | 22.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BEAUVERIA BASSIANA STRAIN GHA | 12.36 | 6 | 82.00 | A |
| DIAZINON | 7.94 | 2 | 4.00 | A |
| POTASH SOAP | 0.36 | 2 | 6,000.00 | S |
| PYRETHRINS | 0.75 | 2 | 32.00 | A |
| REYNOUTRIA SACHALINENSIS | 3.25 | 1 | 20.00 | A |
| SPINOSAD | 8.53 | 4 | 60.00 | A |
| Site Total | 43.95 | 19 | | |
| **KIWI** | | | | |
| CARFENTRAZONE-ETHYL | 2.53 | 5 | 192.00 | A |
| CYPRODINIL | 0.47 | 1 | 1.00 | A |
| DIETHYLENE GLYCOL | 1.32 | 1 | 6.00 | A |
| DIMETHYLPOLYSILOXANE | 0.01 | 2 | 7.00 | A |
| FATTY ACIDS, MIXED | 0.57 | 3 | 154.00 | A |
| FENPYROXIMATE | 0.12 | 1 | 1.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 9.81 | 2 | 7.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 4,568.59 | 61 | 2,542.40 | A |
| HYDROGEN CYANAMIDE | 9.54 | 1 | 1.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 0.76 | 1 | 1.00 | A |
| ISOPROPYL ALCOHOL | 0.26 | 2 | 7.00 | A |
| MEFENOXAM | 72.15 | 1 | 80.00 | A |
| METHYL ESTERS OF COTTONSEED OIL | 801.61 | 23 | 983.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 1.60 | 2 | 2.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 2.99 | 3 | 154.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.77 | 5 | 161.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.08 | 1 | 1.00 | A |
| ORYZALIN | 2,447.90 | 19 | 679.40 | A |
| OXYFLUORFEN | 491.82 | 16 | 575.40 | A |
| PARAQUAT DICHLORIDE | 0.12 | 1 | 1.00 | A |
| POLYETHYLENE GLYCOL | 0.34 | 1 | 1.00 | A |
| TALL OIL FATTY ACIDS | 0.07 | 1 | 1.00 | A |
| E-11-TETRADECEN-1-YL ACETATE | 0.11 | 2 | 8.00 | A |
| Z-11-TETRADECEN-1-YL ACETATE | 0.02 | 2 | 8.00 | A |
| Site Total | 8,419.57 | 141 | | |
| **LANDSCAPE MAINTENANCE** | | | | |
| ABAMECTIN | < 0.01 | | | |
| ACEPHATE | 4.50 | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 12.43 | | | |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | 6.06 | | | |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | 39.60 | | | |
| ALKYL (61%C12,23%C14,11%C16,2.5%C8 & C10, 2.5%C18) DIMETHYL BENZYL AMMONIUM CHLORIDE | 3.80 | | | |
| ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | < 0.01 | | | |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | 39.59 | | | |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.73 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 419.92 | | | |
| ALUMINUM PHOSPHIDE | 4.49 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 3.80 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| AMMONIUM PROPIONATE | 0.03 | | | |
| AMMONIUM SULFATE | 1.94 | | | |
| PARA-TERT-AMYLPHENOL | 5.02 | | | |
| AZADIRACHTIN | 0.03 | | | |
| AZOXYSTROBIN | 17.64 | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENSIS, SEROTYPE H-14 | < 0.01 | | | |
| BENSULIDE | 23.85 | | | |
| ORTHO-BENZYL-PARA-CHLOROPHENOL | 7.53 | | | |
| BIFENTHRIN | 25.38 | | | |
| BORIC ACID | 1,888.00 | | | |
| BOSCALID | 2.20 | | | |
| BRODIFACOUM | 0.01 | | | |
| BROMETHALIN | 0.04 | | | |
| BUTYL ALCOHOL | 5.77 | | | |
| CARBARYL | 43.51 | | | |
| CARBON | 206.83 | | | |
| CARFENTRAZONE-ETHYL | 16.56 | | | |
| CHLORANTRANILIPROLE | 0.63 | | | |
| CHLORFLURENOL, METHYL ESTER | 4.07 | | | |
| CHLOROPHACINONE | 0.05 | | | |
| CHLOROTHALONIL | 268.42 | | | |
| CHLORPYRIFOS | 2.01 | | | |
| CHLORSULFURON | 0.93 | | | |
| CITRIC ACID | 0.01 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | 18.99 | | | |
| CLOTHIANIDIN | 1.48 | | | |
| COCONUT DIETHANOLAMIDE | 0.35 | | | |
| COPPER DIAMMONIUM DIACETATE COMPLEX | 97.89 | | | |
| COPPER HYDROXIDE | 8.36 | | | |
| COPPER SULFATE (PENTAHYDRATE) | 302.94 | | | |
| COTTONSEED OIL | 18.70 | | | |
| COYOTE URINE | 0.11 | | | |
| CYAZOFAMID | 0.60 | | | |
| CYFLUTHRIN | 46.88 | | | |
| BETA-CYFLUTHRIN | 5.67 | | | |
| CYPERMETHRIN | 0.24 | | | |
| 2,4-D, BUTOXYETHANOL ESTER | 0.05 | | | |
| 2,4-D, DIMETHYLAMINE SALT | 177.61 | | | |
| 2,4-D, 2-ETHYLHEXYL ESTER | 347.96 | | | |
| DICAMBA | 23.69 | | | |
| DICAMBA, DIMETHYLAMINE SALT | 25.96 | | | |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | 5.70 | | | |
| DIETHYLENE GLYCOL | 4.44 | | | |
| DIFENOCONAZOLE | 1.05 | | | |
| DIKEGULAC SODIUM | 0.13 | | | |
| DIMETHENAMID-P | 72.74 | | | |
| DIMETHOATE | 0.23 | | | |
| DIMETHYLPOLYSILOXANE | 0.66 | | | |
| DINOTEFURAN | 0.47 | | | |
| DIPHACINONE | 0.22 | | | |
| DIQUAT DIBROMIDE | 795.93 | | | |
| DITHIOPYR | 1,038.72 | | | |
| DIURON | 7.60 | | | |
| DODECYLBENZENE SULFONIC ACID | 1.51 | | | |
| 2,4-DP-P, DIMETHYLAMINE SALT | 2.86 | | | |
| EDTA, TETRASODIUM SALT | 0.09 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| EMAMECTIN BENZOATE | 0.05 | | | |
| ETHEPHON | 185.26 | | | |
| ETHOFUMESATE | 0.22 | | | |
| ETHYL ALCOHOL | 4.83 | | | |
| FATTY ACIDS, MIXED | 8.64 | | | |
| FERRIC SODIUM EDTA | 35.76 | | | |
| FLAZASULFURON | 0.19 | | | |
| FLUAZIFOP-P-BUTYL | 1.89 | | | |
| FLUAZINAM | 0.83 | | | |
| FLUDIOXONIL | 0.60 | | | |
| FLUMIOXAZIN | 5.16 | | | |
| FLURECOL-METHYL | 0.97 | | | |
| FLUROXYPYR, 1-METHYLHEPTYL ESTER | 90.84 | | | |
| FLURPRIMIDOL | 0.22 | | | |
| FLUTOLANIL | 23.28 | | | |
| TAU-FLUVALINATE | 0.03 | | | |
| FORAMSULFURON | 5.01 | | | |
| FORMALDEHYDE | 1,434.72 | | | |
| FOSETYL-AL | 150.09 | | | |
| FOX URINE | 0.05 | | | |
| GLUFOSINATE-AMMONIUM | 309.51 | | | |
| GLUTARALDEHYDE | 2.62 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 20,890.52 | | | |
| GLYPHOSATE, MONOAMMONIUM SALT | 11,479.15 | | | |
| GLYPHOSATE, POTASSIUM SALT | 5,845.32 | | | |
| HALOSULFURON-METHYL | 12.35 | | | |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.01 | | | |
| HYDROGEN PEROXIDE | 49.48 | | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | 0.45 | | | |
| IMIDACLOPRID | 914.17 | | | |
| INDAZIFLAM | 12.79 | | | |
| INDOXACARB | 0.28 | | | |
| IODOSULFURON-METHYL-SODIUM | 0.04 | | | |
| IPRODIONE | 110.66 | | | |
| IRON PHOSPHATE | 5.31 | | | |
| ISOPROPYL ALCOHOL | 4.80 | | | |
| ISOXABEN | 27.39 | | | |
| LAMBDA-CYHALOTHRIN | 0.19 | | | |
| LECITHIN | 18.97 | | | |
| MALATHION | 11.22 | | | |
| MANCOZEB | 536.34 | | | |
| MCPA, ISOOCTYL ESTER | 1.03 | | | |
| MCPP, POTASSIUM SALT | 27.04 | | | |
| MCPP-P, DIMETHYLAMINE SALT | 61.36 | | | |
| MCPP-P, POTASSIUM SALT | 17.36 | | | |
| MECOPROP-P | 83.93 | | | |
| MEFLUIDIDE, DIETHANOLAMINE SALT | 14.84 | | | |
| MESOTRIONE | 0.06 | | | |
| METALDEHYDE | 0.14 | | | |
| METCONAZOLE | 2.50 | | | |
| METHYLATED SOYBEAN OIL | 1.87 | | | |
| METHYL-2,7-DICHLORO-9-HYDROXYFLUORENE-9-CARBOXYLATE | 0.74 | | | |
| MINERAL OIL | 899.41 | | | |
| MSMA | 83.26 | | | |
| MUSCALURE | 0.36 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| MYCLOBUTANIL | 18.12 | | | |
| NAA, AMMONIUM SALT | 17.51 | | | |
| NALED | 0.22 | | | |
| NAPROPAMIDE | 0.56 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 69.80 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 28.20 | | | |
| OLEIC ACID, METHYL ESTER | 8.09 | | | |
| ORYZALIN | 2,239.27 | | | |
| OXADIAZON | 9.84 | | | |
| OXYFLUORFEN | 36.29 | | | |
| PACLOBUTRAZOL | 8.98 | | | |
| PENDIMETHALIN | 952.61 | | | |
| PERMETHRIN | 5.51 | | | |
| PETROLEUM DISTILLATES, AROMATIC | 5.15 | | | |
| PETROLEUM OIL, UNCLASSIFIED | 75.32 | | | |
| ORTHO-PHENYLPHENOL | 13.79 | | | |
| PHOSPHORIC ACID | 4.36 | | | |
| PIPERONYL BUTOXIDE | 0.11 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 0.02 | | | |
| POLYOXIN D, ZINC SALT | 2.79 | | | |
| POTASSIUM PHOSPHITE | 16.02 | | | |
| PRALLETHRIN | < 0.01 | | | |
| PRODIAMINE | 339.87 | | | |
| PROPAMOCARB HYDROCHLORIDE | 26.39 | | | |
| PROPICONAZOLE | 30.76 | | | |
| PROPIONIC ACID | 24.78 | | | |
| PROPYZAMIDE | 3.06 | | | |
| PYRACLOSTROBIN | 6.86 | | | |
| PYRETHRINS | 0.02 | | | |
| QUILLAJA | 37.92 | | | |
| QUINCLORAC | 0.94 | | | |
| QUINCLORAC, DIMETHYLAMINE SALT | 1.78 | | | |
| SAFLUFENACIL | 0.13 | | | |
| SETHOXYDIM | 0.07 | | | |
| SIDURON | 56.50 | | | |
| SILICONE DEFOAMER | 0.04 | | | |
| SIMAZINE | 7.20 | | | |
| SODIUM DICHLORO-S-TRIAZINETRIONE | 48.98 | | | |
| SODIUM HYPOCHLORITE | 28.07 | | | |
| SODIUM NITRATE | 391.50 | | | |
| SODIUM POLYACRYLATE | < 0.01 | | | |
| SODIUM XYLENE SULFONATE | 0.46 | | | |
| SPINOSAD | 0.02 | | | |
| STREPTOMYCIN SULFATE | 11.41 | | | |
| STRYCHNINE | 0.76 | | | |
| SULFENTRAZONE | 23.62 | | | |
| SULFOMETURON-METHYL | 1.67 | | | |
| TALL OIL | 0.93 | | | |
| TALL OIL FATTY ACIDS | 0.06 | | | |
| TEBUCONAZOLE | 48.02 | | | |
| TEBUTHIURON | 2.43 | | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.77 | | | |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.23 | | | |
| THIENCARBAZONE-METHYL | 0.23 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| THIOPHANATE-METHYL | | 113.04 | | | |
| TRIADIMEFON | | 19.97 | | | |
| TRICLOPYR, BUTOXYETHYL ESTER | | 180.26 | | | |
| TRICLOPYR, TRIETHYLAMINE SALT | | 3.96 | | | |
| TRIETHANOLAMINE | | 0.59 | | | |
| TRIETHYLENE GLYCOL | | 0.41 | | | |
| TRIFLOXYSTROBIN | | 4.07 | | | |
| TRIFLOXYSULFURON-SODIUM | | 0.19 | | | |
| TRIFLURALIN | | 8.27 | | | |
| TRINEXAPAC-ETHYL | | 19.62 | | | |
| TRITICONAZOLE | | 7.49 | | | |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 11.56 | | | |
| UREA | | 1.03 | | | |
| VINCLOZOLIN | | 33.75 | | | |
| UNKNOWN | | | | | |
| Site Total | | 54,453.54 | | | |
| **LEMON** | | | | | |
| ABAMECTIN | | 27.53 | 17 | 621.70 | A |
| ACETAMIPRID | | 6.97 | 2 | 36.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 102.01 | 19 | 493.60 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 12.35 | 2 | 21.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | | 0.04 | 5 | 72.50 | A |
| AMMONIUM SULFATE | | 152.00 | 3 | 54.52 | A |
| AZOXYSTROBIN | | 3.29 | | 7,845.00 | T |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 21.65 | 2 | 40.10 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | | 8.50 | 2 | 20.00 | A |
| BENTONITE | | 154.80 | 7 | 77.26 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 3.36 | 9 | 114.50 | A |
| BROMACIL | | 191.10 | 5 | 220.10 | A |
| BUPROFEZIN | | 602.53 | 7 | 299.40 | A |
| CALCIUM HYDROXIDE | | 39,235.51 | 98 | 2,216.11 | A |
| CARBARYL | | 100.28 | 1 | 20.00 | A |
| CARFENTRAZONE-ETHYL | | 1.59 | 6 | 148.25 | A |
| CASEIN | | 9.90 | 7 | 77.26 | A |
| CHLORANTRANILIPROLE | | 3.85 | 2 | 40.00 | A |
| CHLORPYRIFOS | | 1,327.64 | 15 | 365.50 | A |
| CITRIC ACID | | 0.80 | 5 | 72.50 | A |
| COCONUT DIETHANOLAMIDE | | 0.20 | 1 | 30.00 | A |
| COPPER HYDROXIDE | | 1,231.43 | 36 | 650.50 | A |
| COPPER OXIDE (OUS) | | 392.27 | 11 | 110.65 | A |
| COPPER SULFATE (BASIC) | | 6,708.72 | 51 | 1,297.66 | A |
| CYFLUTHRIN | | 7.20 | 6 | 109.50 | A |
| BETA-CYFLUTHRIN | | 26.88 | 27 | 618.40 | A |
| (S)-CYPERMETHRIN | | 10.78 | 10 | 237.50 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 64.31 | 3 | 162.00 | A |
| 2,4-D, ISOPROPYL ESTER | | 75.15 | 61 | 1,523.62 | A |
| | | 34.21 | | 37,725.45 | T |
| Total Pounds On This Chemical | 109.36 | | | | |
| DIETHYLENE GLYCOL | | 19.18 | 4 | 52.00 | A |
| DIMETHYLPOLYSILOXANE | | 101.57 | 62 | 988.41 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| DIPHACINONE | | 0.01 | 4 | 48.50 | A |
| DIURON | | 333.94 | 11 | 295.60 | A |
| DODECYLBENZENE SULFONIC ACID | | 0.85 | 1 | 30.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 3.72 | 6 | 241.20 | A |
| EDTA, TETRASODIUM SALT | | 0.05 | 1 | 30.00 | A |
| ETHYLENE GLYCOL | | 11.13 | 2 | 40.10 | A |
| ETHYLENE GLYCOL MONOMETHYL ETHER | | 13.41 | 6 | 56.70 | A |
| FATTY ACIDS, MIXED | | 0.12 | 1 | 10.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 8.00 | 2 | 21.00 | A |
| FENPROPATHRIN | | 8.36 | 1 | 20.00 | A |
| FENPYROXIMATE | | 1.90 | 2 | 25.70 | A |
| FLUDIOXONIL | | 116.70 | | 61,592.20 | T |
| FOSETYL-AL | | 92.00 | 1 | 23.00 | A |
| GIBBERELLINS | | 86.67 | 63 | 1,401.11 | A |
| | | 8.63 | | 55,327.20 | T |
| Total Pounds On This Chemical | 95.29 | | | | |
| GLUFOSINATE-AMMONIUM | | 0.02 | 1 | 0.50 | A |
| GLYCEROL | | 0.27 | 5 | 72.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 1,584.98 | 71 | 943.35 | A |
| GLYPHOSATE, POTASSIUM SALT | | 2,275.00 | 44 | 1,534.62 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 10.81 | 12 | 53.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 0.38 | 1 | 0.50 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 91.38 | 19 | 737.80 | A |
| IMAZALIL | | 748.12 | | 69,243.56 | T |
| IMAZALIL SULFATE | | 3.70 | | 7,348.00 | T |
| IMIDACLOPRID | | 161.12 | 20 | 370.86 | A |
| INDAZIFLAM | | 33.23 | 20 | 450.30 | A |
| ISOOCTYL PHTHALATE | | 13.60 | 6 | 56.70 | A |
| ISOPROPYL ALCOHOL | | 19.80 | 25 | 349.05 | A |
| LACTOSE | | 11.16 | 7 | 77.26 | A |
| LECITHIN | | 29.98 | 6 | 93.00 | A |
| LIME-SULFUR | | 185.04 | 6 | 96.50 | A |
| METAFLUMIZONE | | 0.10 | 1 | 104.00 | A |
| METALDEHYDE | | 113.74 | 6 | 191.26 | A |
| METHYLATED SOYBEAN OIL | | 178.08 | 22 | 170.52 | A |
| METHYL ESTERS OF COTTONSEED OIL | | 233.19 | 9 | 337.70 | A |
| MINERAL OIL | | 3,668.53 | 36 | 669.07 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 76.34 | 6 | 118.10 | A |
| MORPHOLINE | | 5.88 | 6 | 56.70 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 3.36 | 3 | 31.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 102.37 | 40 | 410.87 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 12.53 | 9 | 97.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 16.06 | 6 | 79.00 | A |
| OLEIC ACID | | 19.04 | 6 | 56.70 | A |
| ORYZALIN | | 2,384.70 | 16 | 1,065.20 | A |
| PARAQUAT DICHLORIDE | | 25.34 | 2 | 21.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 7,999.32 | 36 | 869.70 | A |
| PHOSPHORIC ACID | | 41.28 | 8 | 142.50 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 66.94 | 8 | 270.30 | A |
| POLYBUTENES | | 1.43 | 2 | 21.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| POLYETHER MODIFIED POLYSILOXANE | 67.01 | 20 | 263.75 | A |
| POLYETHYLENE GLYCOL | 41.81 | 16 | 222.25 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 3,093.37 | 2 | 208.00 | A |
| POLYMERIZED PINENE | 66.02 | 6 | 241.20 | A |
| POTASSIUM HYDROXIDE | 0.09 | 5 | 72.50 | A |
| PROPYLENE GLYCOL | 21.17 | 10 | 292.00 | A |
| PYRETHRINS | 0.25 | 1 | 4.70 | A |
| PYRIPROXYFEN | 37.76 | 20 | 390.56 | A |
| RIMSULFURON | 28.10 | 22 | 494.70 | A |
| SAFLUFENACIL | 17.16 | 35 | 405.22 | A |
| SILICONE DEFOAMER | 0.02 | 1 | 30.00 | A |
| SIMAZINE | 162.67 | 6 | 75.50 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 1.79 | 6 | 56.70 | A |
| SODIUM HYPOCHLORITE | 4,882.92 | | 61,322.20 | T |
| SODIUM POLYACRYLATE | 0.05 | 5 | 72.50 | A |
| SODIUM XYLENE SULFONATE | 0.26 | 1 | 30.00 | A |
| SPINETORAM | 61.66 | 29 | 707.06 | A |
| SPIROTETRAMAT | 36.01 | 42 | 893.10 | A |
| STYRENE BUTADIENE COPOLYMER | 18.53 | 10 | 292.00 | A |
| TALL OIL FATTY ACIDS | 3.54 | 15 | 74.50 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.00 | 1 | 30.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.13 | 1 | 30.00 | A |
| THIABENDAZOLE | 358.68 | | 67,518.69 | T |
| THIAMETHOXAM | 15.56 | 17 | 196.75 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 0.64 | 5 | 72.50 | A |
| TRIETHANOLAMINE | 0.33 | 1 | 30.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 24.08 | 11 | 315.00 | A |
| UREA DIHYDROGEN SULFATE | 0.38 | 5 | 72.50 | A |
| XANTHAN GUM | 0.06 | 2 | 40.00 | A |
| Site Total | 80,380.99 | 1,069 | | |
| **LETTUCE, HEAD** | | | | |
| ABAMECTIN | 76.90 | 414 | 10,079.68 | A |
| ACEPHATE | 3,560.53 | 115 | 3,735.36 | A |
| ACETAMIPRID | 783.18 | 553 | 13,843.21 | A |
| ACRYLIC ACID | 2.33 | 2 | 72.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 16.40 | 2 | 89.60 | A |
| AMMONIUM SULFATE | 216.77 | 37 | 1,809.80 | A |
| AZADIRACHTIN | 0.42 | 3 | 31.00 | A |
| AZOXYSTROBIN | 8.17 | 4 | 50.00 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 4.80 | 4 | 90.10 | A |
| BENEFIN | 1,649.33 | 16 | 1,483.84 | A |
| BENSULIDE | 3,051.53 | 33 | 752.20 | A |
| BENZOIC ACID | 0.17 | 1 | 75.00 | A |
| BIFENTHRIN | 44.39 | 17 | 509.54 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 0.69 | 2 | 89.60 | A |
| BOSCALID | 1,679.95 | 194 | 4,381.78 | A |
| BUPROFEZIN | 128.86 | 7 | 173.20 | A |
| BUTYL ALCOHOL | 7.89 | 2 | 150.00 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | 114.68 | 6 | 127.50 | A |
| CHLORANTRANILIPROLE | 324.98 | 288 | 6,687.57 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| CITRIC ACID | 50.21 | 35 | 1,659.80 | A |
| CLETHODIM | 40.98 | 9 | 356.40 | A |
| CLOTHIANIDIN | 9.92 | 7 | 152.40 | A |
| CONIOTHYRIUM MINITANS STRAIN CON/M/91-08 | 10.60 | 4 | 97.00 | A |
| CYPERMETHRIN | 7.22 | 3 | 74.40 | A |
| (S)-CYPERMETHRIN | 81.45 | 57 | 1,701.70 | A |
| CYPRODINIL | 14.82 | 3 | 59.20 | A |
| DIAZINON | 29.77 | 1 | 15.00 | A |
| DICLORAN | 93.88 | 8 | 125.00 | A |
| DIETHYLENE GLYCOL | 2.58 | 1 | 26.30 | A |
| DIMETHOMORPH | 27.53 | 6 | 162.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.19 | 1 | 75.00 | A |
| DIMETHYLPOLYSILOXANE | 1.39 | 22 | 716.20 | A |
| DINOTEFURAN | 67.02 | 53 | 1,041.11 | A |
| EMAMECTIN BENZOATE | 110.72 | 379 | 9,232.08 | A |
| ESFENVALERATE | 162.20 | 75 | 3,364.78 | A |
| FATTY ACIDS, MIXED | 13.13 | 45 | 1,504.26 | A |
| FENAMIDONE | 1,233.81 | 241 | 7,008.01 | A |
| FLONICAMID | 15.85 | 7 | 188.20 | A |
| FLUBENDIAMIDE | 13.50 | 10 | 293.50 | A |
| FLUDIOXONIL | 12.38 | 4 | 71.75 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 302.22 | 2 | 98.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 5,493.11 | 47 | 1,909.87 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 13.74 | 13 | 315.40 | A |
| IMIDACLOPRID | 1,552.91 | 194 | 5,575.37 | A |
| INDOXACARB | 28.81 | 8 | 395.00 | A |
| IPRODIONE | 8.21 | 2 | 12.50 | A |
| ISOPROPYL ALCOHOL | 309.83 | 36 | 1,739.80 | A |
| KEROSENE | 0.33 | 1 | 75.00 | A |
| LAMBDA-CYHALOTHRIN | 775.17 | 1,243 | 31,409.74 | A |
| LECITHIN | 563.99 | 137 | 3,416.06 | A |
| MAGNESIUM SULFATE | 10.39 | 6 | 149.30 | A |
| MANCOZEB | 17,545.43 | 645 | 16,728.68 | A |
| MANDIPROPAMID | 251.53 | 78 | 1,957.88 | A |
| MEFENOXAM | 30.26 | 13 | 258.50 | A |
| METAM-SODIUM | 23,812.35 | 1 | 75.00 | A |
| METHOMYL | 11,299.54 | 870 | 21,857.48 | A |
| METHYLATED SOYBEAN OIL | 160.92 | 68 | 1,934.10 | A |
| MINERAL OIL | 5.77 | 2 | 89.60 | A |
| MYCLOBUTANIL | 11.89 | 5 | 134.40 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 9.69 | 12 | 742.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 170.36 | 87 | 2,580.26 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 47.29 | 6 | 169.50 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 8.66 | 6 | 149.30 | A |
| OLEIC ACID, METHYL ESTER | 91.30 | 13 | 315.40 | A |
| PARAQUAT DICHLORIDE | 13.90 | 5 | 132.30 | A |
| PENTHIOPYRAD | 294.81 | 45 | 1,258.80 | A |
| PERMETHRIN | 229.52 | 70 | 3,183.90 | A |
| PHOSPHORIC ACID | 91.51 | 44 | 1,896.10 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 3.41 | 15 | 555.80 | A |
| POLYETHER MODIFIED POLYSILOXANE | 2.38 | 1 | 40.00 | A |
| POLYETHYLENE GLYCOL | 2.65 | 1 | 80.00 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 25,448.45 | 2 | 145.00 | A |
| PROPAMOCARB HYDROCHLORIDE | 5,635.32 | 224 | 6,820.40 | A |
| PROPIONIC ACID | 254.94 | 70 | 1,556.96 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| PROPYZAMIDE | | 4,604.86 | 144 | 3,934.86 | A |
| PYMETROZINE | | 9.53 | 6 | 115.90 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 2.70 | 2 | 12.50 | A |
| REYNOUTRIA SACHALINENSIS | | 4.33 | 2 | 50.00 | A |
| SETHOXYDIM | | 19.71 | 4 | 75.00 | A |
| SPINETORAM | | 515.31 | 461 | 11,812.38 | A |
| SPINOSAD | | 38.32 | 13 | 412.90 | A |
| SPIROMESIFEN | | 40.23 | 14 | 330.30 | A |
| SPIROTETRAMAT | | 54.30 | 39 | 989.70 | A |
| SULFUR | | 689.19 | 25 | 686.40 | A |
| TALL OIL FATTY ACIDS | | 0.23 | 2 | 89.60 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | | 2.89 | 6 | 149.30 | A |
| THIAMETHOXAM | | 37.15 | 38 | 844.90 | A |
| THIRAM | | 4.05 | | 9,315.00 | P |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 16.79 | 13 | 315.40 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 151.95 | 65 | 1,812.90 | A |
| VEGETABLE OIL | | 106.40 | 2 | 47.10 | A |
| ZINC SULFATE | | 19.06 | 7 | 164.30 | A |
| Site Total | | 114,468.72 | 6,989 | | |
| **LETTUCE, LEAF** | | | | | |
| ABAMECTIN | | 30.07 | 57 | 1,189.99 | A |
| ACETAMIPRID | | 339.64 | 246 | 5,000.91 | A |
| ACRYLIC ACID | | 14.26 | 9 | 198.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 3.91 | 1 | 16.00 | A |
| AZADIRACHTIN | | 0.58 | 3 | 36.60 | A |
| AZOXYSTROBIN | | 75.63 | 10 | 218.70 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | | 13.61 | 11 | 181.20 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | | 120.81 | 14 | 244.60 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | | 84.08 | 4 | 86.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 936.93 | 12 | 873.80 | A |
| BENEFIN | | 54.00 | 1 | 40.00 | A |
| BENSULIDE | | 3,166.15 | 41 | 756.65 | A |
| BOSCALID | | 949.27 | 140 | 2,381.24 | A |
| CALCIUM HYDROXIDE | | 45.00 | 1 | 29.12 | A |
| CHLORANTRANILIPROLE | | 45.09 | 50 | 888.78 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | | 67.68 | 5 | 104.00 | A |
| | | 0.02 | 1 | 3,000.00 | S |
| Total Pounds On This Chemical | 67.70 | | | | |
| CLETHODIM | | 2.13 | 1 | 16.00 | A |
| CLOTHIANIDIN | | 1.92 | 2 | 28.80 | A |
| CONIOTHYRIUM MINITANS STRAIN CON/M/91-08 | | 5.30 | 4 | 62.40 | A |
| COPPER OCTANOATE | | 108.78 | 20 | 976.08 | A |
| COPPER OXIDE (OUS) | | 94.40 | 2 | 104.89 | A |
| (S)-CYPERMETHRIN | | 22.31 | 19 | 520.75 | A |
| CYPRODINIL | | 58.24 | 13 | 187.20 | A |
| DICLORAN | | 225.45 | 7 | 145.00 | A |
| DIMETHOMORPH | | 29.91 | 4 | 151.80 | A |
| DIMETHYLPOLYSILOXANE | | 2.58 | 17 | 388.40 | A |
| DINOTEFURAN | | 13.94 | 20 | 315.84 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| DISODIUM OCTABORATE TETRAHYDRATE | | 0.05 | 1 | 3,000.00 | S |
| EMAMECTIN BENZOATE | | 16.41 | 73 | 1,396.88 | A |
| FATTY ACIDS, MIXED | | 3.35 | 10 | 593.54 | A |
| FENAMIDONE | | 751.21 | 192 | 4,235.72 | A |
| FLONICAMID | | 65.06 | 35 | 860.65 | A |
| FLUBENDIAMIDE | | 3.48 | 3 | 75.00 | A |
| FLUDIOXONIL | | 38.83 | 13 | 187.20 | A |
| | | 0.77 | | 10,700.00 | P |
| Total Pounds On This Chemical | 39.60 | | | | |
| GLYPHOSATE, POTASSIUM SALT | | 2,486.24 | 26 | 796.59 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | | 1.25 | 2 | 42.40 | A |
| IMIDACLOPRID | | 639.82 | 132 | 2,564.30 | A |
| INDOXACARB | | 4.74 | 4 | 67.20 | A |
| IPRODIONE | | 94.83 | 5 | 121.00 | A |
| LAMBDA-CYHALOTHRIN | | 233.85 | 474 | 9,298.09 | A |
| LECITHIN | | 337.08 | 57 | 1,557.04 | A |
| MANCOZEB | | 8,029.80 | 393 | 7,619.95 | A |
| MANDIPROPAMID | | 211.95 | 80 | 1,673.73 | A |
| MEFENOXAM | | 22.78 | 12 | 232.70 | A |
| | | 0.14 | | 10,700.00 | P |
| Total Pounds On This Chemical | 22.92 | | | | |
| MEFENOXAM, OTHER RELATED | | < 0.01 | | 10,700.00 | P |
| METHOMYL | | 3,316.64 | 313 | 6,330.12 | A |
| METHYLATED SOYBEAN OIL | | 123.45 | 39 | 850.50 | A |
| MINERAL OIL | | 19.09 | 1 | 16.00 | A |
| MYCLOBUTANIL | | 8.46 | 5 | 106.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 43.65 | 23 | 790.54 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 98.00 | 12 | 294.00 | A |
| OLEIC ACID, METHYL ESTER | | 8.27 | 2 | 42.40 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | | 7.90 | 2 | 34.40 | A |
| PAECILOMYCES LILACINUS STRAIN 251 | | 9.96 | 2 | 52.00 | A |
| PENTHIOPYRAD | | 75.67 | 13 | 288.50 | A |
| PERMETHRIN | | 71.25 | 22 | 458.20 | A |
| PHOSPHORIC ACID | | 39.07 | 13 | 266.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 1.10 | 1 | 18.00 | A |
| POTASH SOAP | | 0.13 | 2 | 6,000.00 | S |
| POTASSIUM N-METHYLDITHIOCARBAMATE | | 42,500.68 | 3 | 146.78 | A |
| PROPAMOCARB HYDROCHLORIDE | | 2,374.32 | 146 | 2,827.01 | A |
| PROPIONIC ACID | | 90.17 | 18 | 706.54 | A |
| PYMETROZINE | | 5.84 | 4 | 68.00 | A |
| PYRACLOSTROBIN | | 119.83 | 20 | 784.10 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 16.64 | 7 | 114.00 | A |
| REYNOUTRIA SACHALINENSIS | | 38.40 | 14 | 204.20 | A |
| SETHOXYDIM | | 4.21 | 1 | 16.00 | A |
| SPINETORAM | | 160.02 | 154 | 3,497.84 | A |
| SPINOSAD | | 93.07 | 20 | 1,024.22 | A |
| SPIROMESIFEN | | 11.88 | 4 | 101.40 | A |
| SPIROTETRAMAT | | 32.34 | 27 | 550.40 | A |
| STREPTOMYCES LYDICUS WYEC 108 | | < 0.01 | 4 | 65.40 | A |
| SULFUR | | 192.58 | 8 | 180.10 | A |
| THIAMETHOXAM | | 7.33 | 10 | 216.10 | A |
| THIRAM | | 9.57 | | 18,600.00 | P |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.52 | 2 | 42.40 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 107.97 | 37 | 770.50 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| UREA | 33.40 | 4 | 68.00 | A |
| VINYL POLYMER | 0.17 | 1 | 16.00 | A |
| Site Total | 69,075.91 | 2,975 | | |
| **LIME** | | | | |
| BENTONITE | 7.65 | 3 | 4.25 | A |
| CALCIUM HYDROXIDE | 191.25 | 3 | 4.25 | A |
| CASEIN | 0.57 | 3 | 4.25 | A |
| COPPER SULFATE (BASIC) | 22.68 | 3 | 4.25 | A |
| 2,4-D, ISOPROPYL ESTER | 0.71 | 7 | 10.00 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 2.50 | A |
| GIBBERELLINS | 0.16 | 1 | 2.50 | A |
| ISOPROPYL ALCOHOL | 0.12 | 1 | 2.50 | A |
| LACTOSE | 0.57 | 3 | 4.25 | A |
| MINERAL OIL | 660.82 | 6 | 9.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.41 | 1 | 2.50 | A |
| POLYETHYLENE GLYCOL | 0.77 | 1 | 2.50 | A |
| PYRIPROXYFEN | 1.07 | 7 | 10.00 | A |
| Site Total | 887.81 | 31 | | |
| **MELON** | | | | |
| ABAMECTIN | 118.14 | 110 | 9,506.96 | A |
| ACETAMIPRID | 317.46 | 41 | 3,335.50 | A |
| ACRYLIC ACID | 2.59 | 1 | 142.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.50 | 1 | 20.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 10.69 | 1 | 75.90 | A |
| ALPHA-ALKYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,246.35 | 28 | 2,903.80 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 22.20 | 3 | 77.00 | A |
| AZOXYSTROBIN | 61.25 | 7 | 661.83 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 8.42 | 1 | 92.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 6.99 | 1 | 92.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 246.24 | 6 | 157.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 28.62 | 1 | 53.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 376.66 | 11 | 345.50 | A |
| BENSULIDE | 237.95 | 1 | 38.50 | A |
| BIFENTHRIN | 757.58 | 90 | 8,427.01 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 0.94 | 3 | 77.00 | A |
| BOSCALID | 109.95 | 10 | 523.00 | A |
| BUPROFEZIN | 212.61 | 12 | 709.25 | A |
| BUTYL ALCOHOL | 334.81 | 35 | 3,098.80 | A |
| CARBARYL | 531.55 | 12 | 1,063.09 | A |
| CHLORANTRANILIPROLE | 157.24 | 34 | 2,899.90 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 67.50 | 2 | 112.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 472.70 | 5 | 503.00 | A |
| COCONUT DIETHANOLAMIDE | 6.67 | 36 | 3,166.00 | A |
| CYFLUFENAMID | 52.67 | 24 | 2,170.54 | A |
| CYFLUTHRIN | 57.85 | 12 | 1,305.24 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| (S)-CYPERMETHRIN | 9.77 | 2 | 200.00 | A |
| DIAZINON | 241.15 | 3 | 324.00 | A |
| 1,3-DICHLOROPROPENE | 5,306.02 | 1 | 119.00 | A |
| DIETHYLENE GLYCOL | 158.57 | 9 | 729.83 | A |
| DIFENOCONAZOLE | 6.63 | 1 | 58.00 | A |
| DIMETHOATE | 76.55 | 3 | 210.00 | A |
| DIMETHYLPOLYSILOXANE | 2.06 | 33 | 2,353.42 | A |
| DINOTEFURAN | 271.52 | 17 | 1,818.98 | A |
| DODECYLBENZENE SULFONIC ACID | 28.92 | 36 | 3,166.00 | A |
| EDTA, TETRASODIUM SALT | 1.78 | 36 | 3,166.00 | A |
| ESFENVALERATE | 24.86 | 8 | 548.31 | A |
| ETHYLENE GLYCOL | 0.53 | 2 | 11.00 | A |
| ETOXAZOLE | 6.03 | 2 | 55.60 | A |
| FATTY ACIDS, MIXED | 38.76 | 10 | 1,044.21 | A |
| FENPYROXIMATE | 1.07 | 2 | 10.00 | A |
| FLONICAMID | 11.87 | 4 | 146.00 | A |
| FLUBENDIAMIDE | 168.43 | 44 | 3,506.47 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,753.50 | 5 | 351.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 1,929.65 | 7 | 445.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.29 | 3 | 179.00 | A |
| IMIDACLOPRID | 849.10 | 34 | 2,914.83 | A |
| ISOPROPYL ALCOHOL | 12.92 | 46 | 3,452.70 | A |
| KAOLIN | 26,899.31 | 15 | 1,089.00 | A |
| LAMBDA-CYHALOTHRIN | 18.62 | 6 | 591.00 | A |
| LECITHIN | 351.40 | 12 | 1,588.90 | A |
| MEFENOXAM | 6.61 | 7 | 644.00 | A |
| METAM-SODIUM | 3,057.51 | 1 | 9.63 | A |
| METHOMYL | 425.02 | 14 | 549.25 | A |
| METHOXYFENOZIDE | 646.82 | 40 | 3,880.50 | A |
| METHYLATED SOYBEAN OIL | 330.99 | 16 | 1,864.00 | A |
| MINERAL OIL | 1,173.61 | 28 | 3,070.89 | A |
| MYCLOBUTANIL | 139.60 | 18 | 1,142.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 23.95 | 5 | 734.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 428.47 | 43 | 3,211.32 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 9.67 | 1 | 142.00 | A |
| OLEIC ACID | 0.29 | 1 | 75.90 | A |
| OLEIC ACID, METHYL ESTER | 49.87 | 1 | 75.90 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 2.00 | 1 | 10.00 | A |
| PENTHIOPYRAD | 75.80 | 6 | 331.80 | A |
| PERMETHRIN | 176.78 | 19 | 1,641.83 | A |
| PHOSPHORIC ACID | 85.75 | 46 | 4,394.79 | A |
| POLYETHER MODIFIED POLYSILOXANE | 4.58 | 2 | 112.00 | A |
| POLYETHYLENE GLYCOL | 21.13 | 7 | 199.80 | A |
| POLY-I-PARA-MENTHENE | 50.50 | 3 | 80.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 0.84 | 1 | 20.00 | A |
| POTASSIUM BICARBONATE | 49.14 | 1 | 20.00 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 0.74 | 1 | 75.90 | A |
| PYMETROZINE | 4.78 | 2 | 55.60 | A |
| PYRACLOSTROBIN | 55.85 | 10 | 523.00 | A |
| PYRETHRINS | 1.30 | 1 | 92.00 | A |
| PYRIPROXYFEN | 74.77 | 12 | 994.89 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 29.10 | 6 | 511.00 | A |
| QUINOXYFEN | 182.77 | 19 | 1,908.10 | A |
| REYNOUTRIA SACHALINENSIS | 9.75 | 1 | 92.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| SILICONE DEFOAMER | 0.76 | 36 | 3,166.00 | A |
| SODIUM XYLENE SULFONATE | 8.90 | 36 | 3,166.00 | A |
| SPINOSAD | 34.21 | 5 | 232.00 | A |
| SPIROMESIFEN | 67.22 | 3 | 378.91 | A |
| SULFUR | 2,036.00 | 2 | 102.00 | A |
| TALL OIL FATTY ACIDS | 25.73 | 8 | 428.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 33.91 | 36 | 3,166.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 4.45 | 36 | 3,166.00 | A |
| THIAMETHOXAM | 108.98 | 16 | 1,572.13 | A |
| THIOPHANATE-METHYL | 100.90 | 8 | 719.00 | A |
| TRIETHANOLAMINE | 11.35 | 36 | 3,166.00 | A |
| TRIFLUMIZOLE | 34.28 | 1 | 142.00 | A |
| TRIFLURALIN | 229.61 | 7 | 610.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 244.38 | 18 | 1,995.21 | A |
| UREA | 71.13 | 9 | 1,086.79 | A |
| VINYL POLYMER | 0.76 | 6 | 431.00 | A |
| Site Total | 53,746.01 | 868 | | |
| **MUSTARD** | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3.67 | 1 | 15.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 1.00 | 5 | 1.30 | A |
| CLETHODIM | 2.00 | 1 | 15.00 | A |
| CYPERMETHRIN | 1.17 | 1 | 12.00 | A |
| DIMETHOATE | 1.54 | 10 | 5.10 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.65 | 3 | 0.60 | A |
| IMIDACLOPRID | 0.66 | 1 | 14.00 | A |
| IPRODIONE | 13.50 | 1 | 18.00 | A |
| MALATHION | 3.32 | 4 | 1.40 | A |
| METAM-SODIUM | 3,047.98 | 1 | 18.00 | A |
| METHYLATED SOYBEAN OIL | 11.82 | 1 | 18.00 | A |
| MINERAL OIL | 17.90 | 1 | 15.00 | A |
| SPINETORAM | 0.88 | 1 | 14.00 | A |
| SPINOSAD | 2.77 | 2 | 22.50 | A |
| SPIROTETRAMAT | 0.27 | 2 | 32.00 | A |
| TALL OIL FATTY ACIDS | 2.53 | 1 | 18.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 2.53 | 1 | 18.00 | A |
| Site Total | 3,114.21 | 34 | | |
| **N-GRNHS FLOWER** | | | | |
| ALUMINUM PHOSPHIDE | 1.43 | | 21.00 | A |
| AZOXYSTROBIN | 2.00 | | 12.00 | A |
| BENSULIDE | 65.56 | | 9.00 | A |
| CARFENTRAZONE-ETHYL | 0.29 | | 19.50 | A |
| CHLOROTHALONIL | 147.68 | | 27.00 | A |
| COPPER HYDROXIDE | 9.22 | | 3.00 | A |
| 2,4-D, 2-ETHYLHEXYL ESTER | 4.72 | | 18.00 | A |
| DICAMBA | 0.30 | | 18.00 | A |
| DIQUAT DIBROMIDE | 7.15 | | 53.00 | A |
| DITHIOPYR | 31.92 | | 150.00 | A |
| FOSETYL-AL | 77.60 | | 21.00 | A |
| GLYPHOSATE, MONOAMMONIUM SALT | 39.22 | | 43.00 | A |
| HALOSULFURON-METHYL | 0.09 | | 1.00 | A |
| MANCOZEB | 462.20 | | 69.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| MECOPROP-P | 1.20 | | 18.00 | A |
| MSMA | 75.99 | | 26.00 | A |
| MYCLOBUTANIL | 13.39 | | 12.00 | A |
| SULFENTRAZONE | 0.06 | | 1.00 | A |
| THIOPHANATE-METHYL | 36.66 | | 18.00 | A |
| Site Total | 976.67 | | | |
| **N-GRNHS PLANTS IN CONTAINERS** | | | | |
| ABAMECTIN | 0.56 | 35 | 38.75 | A |
| ACEQUINOCYL | 0.73 | 6 | 5.94 | A |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | 0.57 | 2 | 1.75 | A |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | 0.57 | 2 | 1.75 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.57 | 16 | 14.35 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 1.71 | 3 | 4.25 | A |
| AZOXYSTROBIN | 1.42 | 9 | 16.73 | A |
| BACILLUS SUBTILIS GB03 | < 0.01 | 2 | 4.00 | A |
| BACILLUS THURINGIENSIS (BERLINER) | 0.15 | 5 | 9.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENSIS, SEROTYPE H-14 | 0.45 | 4 | 8.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENSIS, STRAIN AM 65-52 | 9.84 | 14 | 13.50 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 5.94 | 13 | 7.59 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 4.31 | 7 | 6.50 | A |
| BIFENAZATE | 3.43 | 15 | 17.81 | A |
| BIFENTHRIN | 1.38 | 13 | 13.24 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 0.07 | 3 | 4.25 | A |
| BOSCALID | 2.81 | 8 | 13.72 | A |
| CHLORMEQUAT CHLORIDE | 3.27 | 2 | 2.56 | A |
| CHLOROTHALONIL | 11.65 | 7 | 9.38 | A |
| CHLORPYRIFOS | 3.56 | 3 | 3.22 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 65.78 | 10 | 14.50 | A |
| COPPER HYDROXIDE | 3.00 | 2 | 1.90 | A |
| COPPER SULFATE (PENTAHYDRATE) | 11.46 | 6 | 5.34 | A |
| CYFLUTHRIN | 0.04 | 1 | 0.50 | A |
| CYPRODINIL | 3.09 | 9 | 18.00 | A |
| DAMINOZIDE | 11.14 | 5 | 5.24 | A |
| DIFLUBENZURON | 1.09 | 1 | 3.50 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 2.00 | A |
| DINOTEFURAN | 6.51 | 23 | 38.24 | A |
| DIQUAT DIBROMIDE | 36.82 | 10 | 26.45 | A |
| ETOXAZOLE | 1.09 | 18 | 20.69 | A |
| FENAMIDONE | 6.63 | 6 | 8.50 | A |
| FENPROPATHRIN | 0.63 | 1 | 2.00 | A |
| FENPYROXIMATE | 1.02 | 8 | 13.00 | A |
| FLUDIOXONIL | 3.66 | 16 | 32.50 | A |
| FLUMIOXAZIN | 9.53 | 10 | 24.92 | A |
| FOSETYL-AL | 5.76 | 4 | 5.70 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 52.54 | 10 | 20.46 | A |
| HARPIN PROTEIN | < 0.01 | 1 | 0.50 | A |
| HEXYTHIAZOX | 1.05 | 7 | 10.25 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| HYDROGEN PEROXIDE | 1.93 | 1 | 0.80 | A |
| IBA | < 0.01 | 1 | 2.00 | A |
| IMIDACLOPRID | 3.67 | 17 | 50.04 | A |
| INDAZIFLAM | 0.23 | 4 | 3.64 | A |
| IPRODIONE | 10.46 | 26 | 38.63 | A |
| ISOXABEN | 2.93 | 13 | 3.90 | A |
| MANCOZEB | 0.56 | 1 | 0.75 | A |
| MCPP, POTASSIUM SALT | 6.77 | 7 | 8.50 | A |
| MEFENOXAM | 0.57 | 13 | 24.00 | A |
| MEFENOXAM, OTHER RELATED | 0.02 | 13 | 24.00 | A |
| METALDEHYDE | 1.27 | 11 | 9.01 | A |
| METARHIZIUM ANISOPLIAE STRAIN F52 | 0.18 | 3 | 2.50 | A |
| METHOXYFENOZIDE | 1.08 | 6 | 2.95 | A |
| MILBEMECTIN | 0.03 | 3 | 4.00 | A |
| MINERAL OIL | 0.60 | 3 | 4.25 | A |
| PACLOBUTRAZOL | 0.20 | 9 | 46.37 | A |
| PETROLEUM OIL, UNCLASSIFIED | 119.30 | 6 | 10.19 | A |
| PHENOL, FERROUS SALT | 0.23 | 1 | 2.00 | A |
| PIPERONYL BUTOXIDE | 0.08 | 1 | 0.25 | A |
| POTASH SOAP | 25.19 | 3 | 5.34 | A |
| POTASSIUM BICARBONATE | 3.61 | 2 | 1.50 | A |
| POTASSIUM PHOSPHITE | 116.56 | 11 | 51.82 | A |
| PRODIAMINE | 2.61 | 8 | 3.24 | A |
| PYMETROZINE | 0.31 | 1 | 2.00 | A |
| PYRACLOSTROBIN | 1.99 | 8 | 13.72 | A |
| PYRETHRINS | < 0.01 | 1 | 0.25 | A |
| PYRIDABEN | 1.39 | 2 | 3.66 | A |
| PYRIPROXYFEN | 0.49 | 10 | 13.50 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.54 | 12 | 9.52 | A |
| REYNOUTRIA SACHALINENSIS | 0.10 | 2 | 1.50 | A |
| RIMSULFURON | 0.06 | 1 | 2.00 | A |
| SPINETORAM | 0.70 | 4 | 3.55 | A |
| SPINOSAD | 1.69 | 21 | 25.84 | A |
| SPIROMESIFEN | 0.36 | 4 | 3.50 | A |
| SPIROTETRAMAT | 0.80 | 9 | 16.79 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 2.00 | A |
| STREPTOMYCIN SULFATE | 1.46 | 4 | 11.30 | A |
| TALL OIL FATTY ACIDS | 0.02 | 3 | 4.25 | A |
| THIAMETHOXAM | 1.80 | 10 | 44.10 | A |
| THIOPHANATE-METHYL | 4.68 | 5 | 12.30 | A |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | 0.20 | 9 | 45.40 | A |
| TRICHODERMA VIRENS STRAIN G-41 | 0.02 | 1 | 2.00 | A |
| TRIFLURALIN | 6.84 | 7 | 2.28 | A |
| Site Total | 596.40 | 545 | | |
| **N-GRNHS TRANSPLANTS** | | | | |
| ACEPHATE | 27.00 | 9 | 36.00 | A |
| ACETAMIPRID | 0.13 | 5 | 3.15 | A |
| ACIBENZOLAR-S-METHYL | 0.99 | 49 | 59.02 | A |
| AZADIRACHTIN | 1.15 | 22 | 39.06 | A |
| AZOXYSTROBIN | 3.57 | 5 | 20.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 0.23 | 6 | 6.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENSIS, STRAIN AM 65-52 | 13.28 | 2 | 1.29 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | | 0.43 | 6 | 5.01 | A |
| BOSCALID | | 10.50 | 2 | 30.00 | A |
| CHLOROTHALONIL | | 180.80 | 106 | 214.56 | A |
| COCONUT DIETHANOLAMIDE | | 0.98 | 8 | 120.00 | A |
| COPPER HYDROXIDE | | 471.85 | 163 | 278.75 | A |
| COPPER OXIDE (OUS) | | 13.42 | 16 | 16.00 | A |
| COPPER OXYCHLORIDE | | 1.79 | 10 | 10.00 | A |
| CYMOXANIL | | 3.78 | 52 | 32.46 | A |
| DINOTEFURAN | | 1.94 | 38 | 14.59 | A |
| DIPHACINONE | | < 0.01 | 1 | 1.00 | A |
| DODECYLBENZENE SULFONIC ACID | | 4.26 | 8 | 120.00 | A |
| EDTA, TETRASODIUM SALT | | 0.26 | 8 | 120.00 | A |
| ESFENVALERATE | | 0.38 | 19 | 11.46 | A |
| FAMOXADONE | | 3.78 | 52 | 32.46 | A |
| FLONICAMID | | 0.29 | 5 | 5.02 | A |
| HYDROGEN PEROXIDE | | 316.05 | 30 | 33.28 | A |
| IMIDACLOPRID | | 49.85 | 32 | 47.73 | A |
| INDOXACARB | | 0.14 | 5 | 2.24 | A |
| ISOPROPYL ALCOHOL | | 1.30 | 8 | 120.00 | A |
| MALATHION | | 3.48 | 5 | 2.40 | A |
| MANCOZEB | | 165.71 | 104 | 155.90 | A |
| MEFENOXAM | | 0.50 | 4 | 16.00 | A |
| METHOXYFENOZIDE | | 0.56 | 6 | 4.58 | A |
| NOVALURON | | 0.18 | 6 | 4.63 | A |
| PERMETHRIN | | 0.41 | 6 | 4.48 | A |
| PHOSPHORIC ACID | | 0.84 | 8 | 120.00 | A |
| POTASH SOAP | | 27.56 | 5 | 2.47 | A |
| PROPAMOCARB HYDROCHLORIDE | | 30.69 | 48 | 57.31 | A |
| PYRETHRINS | | 0.18 | 6 | 6.86 | A |
| | | 0.03 | 6 | 19,150.00 | S |
| Total Pounds On This Chemical | 0.21 | | | | |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 0.23 | 4 | 11,700.00 | S |
| SILICONE DEFOAMER | | 0.11 | 8 | 120.00 | A |
| SODIUM XYLENE SULFONATE | | 1.31 | 8 | 120.00 | A |
| SPINOSAD | | 0.08 | 2 | 1.09 | A |
| STREPTOMYCIN SULFATE | | 21.10 | 19 | 47.22 | A |
| SULFUR | | 3.20 | 1 | 6,000.00 | S |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 5.00 | 8 | 120.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.66 | 8 | 120.00 | A |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | | 0.02 | 1 | 1.88 | A |
| TRIETHANOLAMINE | | 1.67 | 8 | 120.00 | A |
| UNICONIZOLE-P | | < 0.01 | 11 | 7.11 | A |
| Site Total | | 1,371.71 | 815 | | |
| **N-OUTDR PLANTS IN CONTAINERS** | | | | | |
| ABAMECTIN | | 0.02 | 22 | 3.79 | A |
| ACEQUINOCYL | | 0.36 | 27 | 4.40 | A |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | | 0.86 | 2 | 3.00 | A |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | | 0.86 | 2 | 3.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | | 76.35 | 91 | 23.08 | A |
| AZADIRACHTIN | | < 0.01 | 7 | 0.14 | A |
| AZOXYSTROBIN | | 3.57 | 23 | 43.10 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 21.49 | 8 | 23.68 | A |
| N6-BENZYL ADENINE | < 0.01 | 2 | 0.03 | A |
| BIFENAZATE | 0.03 | 2 | 0.50 | A |
| BIFENTHRIN | 4.45 | 24 | 23.12 | A |
| CARBARYL | 86.93 | 39 | 44.80 | A |
| CARFENTRAZONE-ETHYL | 0.24 | 48 | 7.75 | A |
| CHLORMEQUAT CHLORIDE | 0.09 | 4 | 0.12 | A |
| CHLOROTHALONIL | 8.62 | 8 | 11.47 | A |
| COPPER HYDROXIDE | 30.54 | 14 | 24.13 | A |
| COPPER OXIDE (OUS) | 10.07 | 6 | 6.00 | A |
| COPPER SULFATE (BASIC) | 105.65 | 2 | 14.00 | A |
| COPPER SULFATE (PENTAHYDRATE) | 0.64 | 4 | 2.58 | A |
| COTTONSEED OIL | 7.35 | 3 | 13.50 | A |
| CYPRODINIL | 0.04 | 1 | 0.35 | A |
| 2,4-D, 2-ETHYLHEXYL ESTER | 4.68 | 48 | 7.75 | A |
| DAMINOZIDE | 3.11 | 30 | 1.24 | A |
| DICAMBA | 0.30 | 48 | 7.75 | A |
| DIMETHENAMID-P | 8.75 | 42 | 11.76 | A |
| DIMETHYLPOLYSILOXANE | 0.13 | 4 | 36.00 | A |
| DINOTEFURAN | 0.62 | 6 | 6.57 | A |
| DIPHACINONE | < 0.01 | 2 | 20.00 | A |
| DIQUAT DIBROMIDE | 126.40 | 62 | 63.78 | A |
| DITHIOPYR | 1.00 | 3 | 4.00 | A |
| DIURON | 10.00 | 1 | 4.00 | A |
| ETOXAZOLE | 0.09 | 11 | 3.54 | A |
| FENHEXAMID | 0.02 | 2 | 0.05 | A |
| FLUBENDIAMIDE | 1.26 | 2 | 10.00 | A |
| FLUDIOXONIL | 0.02 | 1 | 0.35 | A |
| FLUMIOXAZIN | 31.45 | 26 | 82.74 | A |
| FOSETYL-AL | 56.57 | 32 | 69.93 | A |
| GIBBERELLINS | < 0.01 | 2 | 0.03 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 326.21 | 115 | 117.13 | A |
| GLYPHOSATE, POTASSIUM SALT | 10.17 | 4 | 9.00 | A |
| HEXYTHIAZOX | 0.05 | 15 | 0.92 | A |
| HYDROGEN PEROXIDE | 41.36 | 11 | 17.00 | A |
| IMIDACLOPRID | 11.32 | 128 | 181.35 | A |
| INDAZIFLAM | 0.03 | 2 | 0.48 | A |
| IPRODIONE | 9.58 | 4 | 20.50 | A |
| IRON PHOSPHATE | 0.34 | 7 | 0.34 | A |
| ISOPROPYL ALCOHOL | 2.87 | 7 | 49.50 | A |
| ISOXABEN | 18.04 | 107 | 31.94 | A |
| MANCOZEB | 6.34 | 2 | 8.45 | A |
| MECOPROP-P | 1.19 | 48 | 7.75 | A |
| MEFENOXAM | 1.62 | 28 | 66.82 | A |
| MEFENOXAM, OTHER RELATED | 0.04 | 24 | 66.40 | A |
| METALDEHYDE | 0.09 | 1 | 2.20 | A |
| MINERAL OIL | 208.39 | 10 | 15.00 | A |
| MYCLOBUTANIL | 1.32 | 16 | 13.20 | A |
| NONANOIC ACID | 0.90 | 1 | 0.03 | A |
| NONANOIC ACID, OTHER RELATED | 0.05 | 1 | 0.03 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 50.73 | 11 | 70.00 | A |
| OLEIC ACID, METHYL ESTER | 1.90 | 1 | 1.00 | A |
| OXADIAZON | 0.06 | 1 | 0.03 | A |
| OXYFLUORFEN | 24.51 | 125 | 24.55 | A |
| PACLOBUTRAZOL | 0.23 | 11 | 56.28 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PARAQUAT DICHLORIDE | 22.77 | 1 | 10.50 | A |
| PENDIMETHALIN | 90.49 | 167 | 46.76 | A |
| PETROLEUM OIL, UNCLASSIFIED | 411.41 | 13 | 34.12 | A |
| POLYETHYLENE GLYCOL | 16.41 | 4 | 36.00 | A |
| POTASSIUM BICARBONATE | 100.56 | 6 | 47.32 | A |
| POTASSIUM PHOSPHITE | 255.89 | 17 | 130.44 | A |
| PRODIAMINE | 33.40 | 52 | 32.02 | A |
| PROPICONAZOLE | 0.05 | 2 | 0.32 | A |
| PROPYLENE GLYCOL | 0.10 | 1 | 0.40 | A |
| PYRETHRINS | 0.41 | 2 | 14.00 | A |
| PYRIDABEN | 3.16 | 1 | 1.20 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.38 | 7 | 6.66 | A |
| RIMSULFURON | 0.66 | 1 | 10.50 | A |
| SIMAZINE | 9.00 | 1 | 20.00 | A |
| SPINOSAD | 2.99 | 42 | 42.10 | A |
| SPIROTETRAMAT | 0.03 | 2 | 1.23 | A |
| STREPTOMYCIN SULFATE | 0.58 | 4 | 7.01 | A |
| STYRENE BUTADIENE COPOLYMER | 0.09 | 1 | 0.40 | A |
| THIAMETHOXAM | 0.05 | 3 | 1.52 | A |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | 0.06 | 5 | 28.10 | A |
| TRIFLURALIN | 9.52 | 52 | 4.42 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.10 | 1 | 0.40 | A |
| UNICONIZOLE-P | < 0.01 | 1 | 0.55 | A |
| ZIRAM | 118.56 | 4 | 20.50 | A |
| Site Total | 2,396.53 | 1,318 | | |
| **N-OUTDR TRANSPLANTS** | | | | |
| ACEPHATE | 21.92 | 2 | 50.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 8.05 | 4 | 120.00 | A |
| BOSCALID | 14.93 | 8 | 220.00 | A |
| CHLOROPICRIN | 4,000.00 | | 40.00 | A |
| COPPER SULFATE (PENTAHYDRATE) | 14.93 | 2 | 50.00 | A |
| 1,3-DICHLOROPROPENE | 23,374.23 | 2 | 70.00 | A |
| DINOTEFURAN | 14.00 | 1 | 35.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 30.07 | 4 | 120.00 | A |
| MANCOZEB | 43.13 | 2 | 50.00 | A |
| METHYL BROMIDE | 12,000.00 | | 40.00 | A |
| MYCLOBUTANIL | 2.62 | 1 | 35.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 10.20 | 4 | 120.00 | A |
| ORYZALIN | 72.80 | 1 | 35.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.68 | 2 | 50.00 | A |
| POLYBUTENES | 5.37 | 4 | 120.00 | A |
| PROPARGITE | 56.00 | 1 | 35.00 | A |
| PYRACLOSTROBIN | 29.39 | 8 | 220.00 | A |
| Site Total | 39,698.32 | 26 | | |
| **NECTARINE** | | | | |
| ABAMECTIN | 131.07 | 420 | 6,408.64 | A |
| ACETAMIPRID | 25.43 | 9 | 180.30 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 0.25 | 9 | 40.86 | A |
| ACRYLIC ACID | 231.29 | 109 | 2,208.78 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 106.23 | 37 | 244.53 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 4.61 | 56 | 141.37 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 79.27 | 99 | 662.18 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 809.93 | 152 | 2,375.84 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 0.53 | 5 | 26.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 114.21 | 30 | 332.20 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 35.25 | 32 | 169.86 | A |
| AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE | 7.71 | 8 | 70.50 | A |
| AMMONIUM NITRATE | 49.73 | 28 | 318.86 | A |
| AMMONIUM SULFATE | 170.04 | 37 | 464.81 | A |
| AZADIRACHTIN | 2.13 | 9 | 89.00 | A |
| AZOXYSTROBIN | 9.23 | 7 | 44.60 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 1,069.49 | 98 | 1,706.20 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 92.44 | 26 | 249.75 | A |
| BIFENAZATE | 571.91 | 44 | 1,170.41 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 224.93 | 513 | 5,187.58 | A |
| BOSCALID | 1,380.16 | 291 | 7,389.07 | A |
| BUPROFEZIN | 2,184.76 | 124 | 1,539.91 | A |
| 2-BUTOXYETHANOL | 1.84 | 56 | 141.37 | A |
| BUTYL ALCOHOL | 0.98 | 3 | 18.50 | A |
| CALCIUM CHLORIDE | 1.65 | 5 | 80.00 | A |
| CAPTAN | 66.49 | 2 | 18.00 | A |
| CAPTAN, OTHER RELATED | 1.01 | 2 | 18.00 | A |
| CARBARYL | 36.10 | 1 | 12.00 | A |
| CARBO METHOXY ETHER CELLULOSE, SODIUM SALT | 0.16 | 1 | 29.00 | A |
| CARFENTRAZONE-ETHYL | 19.61 | 26 | 712.34 | A |
| CHLORANTRANILIPROLE | 597.18 | 457 | 6,841.45 | A |
| CHLOROTHALONIL | 707.29 | 24 | 237.60 | A |
| CHLORPYRIFOS | 1,306.44 | 63 | 1,264.50 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 205.43 | 20 | 489.54 | A |
| CITRIC ACID | 41.95 | 20 | 286.45 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 3.82 | 1 | 5.00 | A |
| CLOFENTEZINE | 19.66 | 15 | 125.73 | A |
| COCONUT DIETHANOLAMIDE | 7.13 | 39 | 454.60 | A |
| COPPER HYDROXIDE | 7,259.93 | 115 | 1,684.78 | A |
| COPPER OXIDE (OUS) | 2,262.10 | 95 | 465.95 | A |
| COPPER OXYCHLORIDE | 12.39 | 3 | 13.00 | A |
| COPPER SULFATE (BASIC) | 186.65 | 3 | 32.00 | A |
| COTTONSEED OIL | 215.53 | 53 | 449.17 | A |
| CYFLUTHRIN | 6.83 | 8 | 178.00 | A |
| BETA-CYFLUTHRIN | 1.84 | 11 | 79.60 | A |
| CYPRODINIL | 238.49 | 109 | 954.05 | A |
| 2,4-D, DIMETHYLAMINE SALT | 3,559.77 | 293 | 2,682.43 | A |
| DIAZINON | 227.13 | 12 | 114.44 | A |
| DIETHYLENE GLYCOL | 368.19 | 275 | 3,977.28 | A |
| DIFENOCONAZOLE | 1.99 | 3 | 18.00 | A |
| DIFLUBENZURON | 417.04 | 124 | 2,180.26 | A |
| 3,7-DIMETHYL-6-OCTEN-1-OL | 0.78 | 2 | 42.00 | A |
| DIMETHYLPOLYSILOXANE | 190.56 | 829 | 10,052.87 | A |
| DIMETHYL SILICONE FLUID EMULSION | 0.04 | 11 | 19.74 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| DIPHACINONE | | < 0.01 | 2 | 20.00 | A |
| E,E-8,10-DODECADIEN-1-OL | | 75.54 | 91 | 687.02 | A |
| Z-8-DODECENOL | | 6.75 | 374 | 5,142.93 | A |
| E-8-DODECENYL ACETATE | | 38.46 | 374 | 5,142.93 | A |
| Z-8-DODECENYL ACETATE | | 588.84 | 374 | 5,142.93 | A |
| DODECYLBENZENE SULFONIC ACID | | 20.44 | 34 | 428.60 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 10.80 | 7 | 140.75 | A |
| EDTA, TETRASODIUM SALT | | 1.26 | 34 | 428.60 | A |
| ESFENVALERATE | | 414.62 | 602 | 7,723.73 | A |
| ETOXAZOLE | | 20.60 | 15 | 172.14 | A |
| FARNESOL | | 0.31 | 2 | 42.00 | A |
| FATTY ACIDS, MIXED | | 364.21 | 288 | 3,820.27 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 681.95 | 329 | 2,641.88 | A |
| FENBUCONAZOLE | | 219.74 | 104 | 2,358.47 | A |
| FENHEXAMID | | 366.97 | 16 | 605.58 | A |
| FENPROPATHRIN | | 218.26 | 57 | 810.18 | A |
| FENPYROXIMATE | | 84.00 | 53 | 765.95 | A |
| FLUBENDIAMIDE | | 116.47 | 106 | 994.88 | A |
| FLUDIOXONIL | | 49.55 | | 36,729.39 | T |
| | | 21.65 | 8 | 90.00 | A |
| | | 0.20 | | 557,000.00 | P |
| Total Pounds On This Chemical | 71.39 | | | | |
| FLUMIOXAZIN | | 24.36 | 32 | 114.45 | A |
| FLUXAPYROXAD | | 2.32 | 4 | 26.00 | A |
| FORMETANATE HYDROCHLORIDE | | 3,791.78 | 232 | 3,838.84 | A |
| FOSETYL-AL | | 34.80 | 1 | 17.90 | A |
| GERANIOL | | 0.78 | 2 | 42.00 | A |
| GIBBERELLINS | | 21.49 | 22 | 143.69 | A |
| GLUFOSINATE-AMMONIUM | | 310.49 | 39 | 359.43 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 18,087.38 | 527 | 7,922.41 | A |
| GLYPHOSATE, POTASSIUM SALT | | 7,024.11 | 660 | 4,517.47 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 0.12 | 7 | 44.59 | A |
| HEXYTHIAZOX | | 320.14 | 173 | 1,867.75 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 629.78 | 52 | 516.49 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 67.54 | 110 | 428.20 | A |
| IMIDACLOPRID | | 12.54 | 5 | 50.20 | A |
| INDAZIFLAM | | 78.41 | 226 | 2,132.64 | A |
| INDOXACARB | | 384.23 | 211 | 3,462.74 | A |
| IPRODIONE | | 3,968.11 | 447 | 5,762.17 | A |
| ISOPROPYL ALCOHOL | | 82.45 | 353 | 2,545.78 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 1.84 | 56 | 141.37 | A |
| ISOXABEN | | 24.26 | 11 | 32.35 | A |
| LAMBDA-CYHALOTHRIN | | 98.37 | 149 | 2,428.18 | A |
| LAURIC ACID | | 0.48 | 5 | 26.00 | A |
| LECITHIN | | 450.80 | 93 | 1,208.61 | A |
| LIMONENE | | 37.82 | 56 | 141.37 | A |
| METCONAZOLE | | 18.91 | 15 | 160.70 | A |
| METHOMYL | | 1,927.14 | 95 | 2,460.47 | A |
| METHOXYFENOZIDE | | 312.61 | 112 | 1,261.51 | A |
| METHYLATED SOYBEAN OIL | | 251.05 | 105 | 1,172.95 | A |
| METHYL BROMIDE | | 1,336.50 | | 1,017.70 | T |
| | | 1,067.40 | | 16,937.50 | C |
| Total Pounds On This Chemical | 2,403.90 | | | | |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| METHYL ESTERS OF COTTONSEED OIL | | 1.75 | 1 | 5.00 | A |
| MINERAL OIL | | 203,884.73 | 862 | 9,938.99 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 3,271.66 | 708 | 7,410.80 | A |
| MYCLOBUTANIL | | 425.46 | 167 | 2,920.25 | A |
| NEROLIDOL | | 0.78 | 2 | 42.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 236.03 | 355 | 2,799.48 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2,035.30 | 956 | 8,571.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 68.94 | 82 | 735.41 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 1,145.04 | 201 | 3,433.40 | A |
| OLEIC ACID, METHYL ESTER | | 13.27 | 1 | 7.00 | A |
| ORYZALIN | | 242.46 | 12 | 65.45 | A |
| OXYFLUORFEN | | 1,540.26 | 363 | 4,192.66 | A |
| PARAQUAT DICHLORIDE | | 1,557.36 | 134 | 1,881.09 | A |
| PENDIMETHALIN | | 10,032.84 | 243 | 3,014.77 | A |
| PENTHIOPYRAD | | 109.98 | 45 | 492.85 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 22,341.37 | 135 | 814.05 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 117,550.59 | 577 | 7,969.47 | A |
| PHOSMET | | 2,370.84 | 70 | 987.22 | A |
| PHOSPHORIC ACID | | 155.40 | 302 | 3,773.00 | A |
| BETA-PINENE POLYMER | | 116.48 | 76 | 601.21 | A |
| POLYBUTENES | | 121.78 | 329 | 2,641.88 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 765.54 | 23 | 220.10 | A |
| POLYETHYLENE GLYCOL | | 259.73 | 209 | 1,355.71 | A |
| POLY-I-PARA-MENTHENE | | 217.59 | 74 | 480.30 | A |
| POLYMERIZED PINENE | | 191.78 | 7 | 140.75 | A |
| POTASSIUM BICARBONATE | | 346.11 | 20 | 144.78 | A |
| POTASSIUM PHOSPHITE | | 683.92 | 17 | 226.54 | A |
| PROPARGITE | | 402.22 | 11 | 175.49 | A |
| PROPICONAZOLE | | 1,488.64 | 880 | 12,742.17 | A |
| | | 0.85 | | 2,640.34 | T |
| Total Pounds On This Chemical | 1,489.49 | | | | |
| PROPIONIC ACID | | 23.58 | 5 | 100.00 | A |
| PROPYLENE GLYCOL | | 358.91 | 245 | 4,378.86 | A |
| PYRACLOSTROBIN | | 703.36 | 295 | 7,415.07 | A |
| PYRAFLUFEN-ETHYL | | 13.07 | 134 | 1,684.63 | A |
| PYRETHRINS | | 4.20 | 8 | 89.00 | A |
| PYRIMETHANIL | | 178.06 | 26 | 692.88 | A |
| PYRIPROXYFEN | | 255.13 | 261 | 2,798.75 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 33.61 | 37 | 114.70 | A |
| QUILLAJA | | 0.33 | 1 | 29.00 | A |
| QUINOXYFEN | | 18.14 | 21 | 163.83 | A |
| REYNOUTRIA SACHALINENSIS | | 46.76 | 42 | 183.60 | A |
| RIMSULFURON | | 264.99 | 392 | 4,575.20 | A |
| SILICONE DEFOAMER | | 0.53 | 34 | 428.60 | A |
| SIMAZINE | | 12.60 | 2 | 10.00 | A |
| SODIUM HYPOCHLORITE | | 217.54 | | 2,425.00 | T |
| SODIUM XYLENE SULFONATE | | 6.29 | 34 | 428.60 | A |
| SPINETORAM | | 1,261.96 | 807 | 12,794.29 | A |
| SPINOSAD | | 304.75 | 213 | 2,728.34 | A |
| SPIRODICLOFEN | | 711.30 | 156 | 2,609.06 | A |
| SPIROTETRAMAT | | 5.06 | 12 | 107.20 | A |
| STYRENE BUTADIENE COPOLYMER | | 304.51 | 208 | 4,183.00 | A |
| SULFUR | | 30,905.39 | 704 | 6,794.02 | A |
| SULFURIC ACID | | 4.03 | 32 | 169.86 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| TALL OIL FATTY ACIDS | 74.19 | 222 | 2,963.67 | A |
| TEBUCONAZOLE | 923.33 | 239 | 5,663.29 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 23.96 | 34 | 428.60 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 3.14 | 34 | 428.60 | A |
| THIOPHANATE-METHYL | 566.19 | 41 | 692.92 | A |
| TRIETHANOLAMINE | 8.02 | 34 | 428.60 | A |
| TRIFLOXYSTROBIN | 108.83 | 113 | 1,094.67 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 878.45 | 471 | 7,721.42 | A |
| VEGETABLE OIL | 6,136.25 | 19 | 619.00 | A |
| XANTHAN GUM | 0.05 | 30 | 218.92 | A |
| YUCCA SCHIDIGERA | 20.16 | 2 | 17.83 | A |
| ZINC PHOSPHIDE | 7.56 | 1 | 2.00 | A |
| ZINC SULFATE | 18.34 | 102 | 716.25 | A |
| ZIRAM | 54,788.80 | 714 | 8,850.63 | A |
| Site Total | 539,705.27 | 17,450 | | |
| **NUTS** | | | | |
| ALUMINUM PHOSPHIDE | 31.70 | | 15,047.00 | U |
| PHOSPHINE | 0.33 | | 146.00 | U |
| Site Total | 32.03 | | | |
| **OAT** | | | | |
| BROMOXYNIL OCTANOATE | 90.70 | 7 | 155.00 | A |
| CARFENTRAZONE-ETHYL | 5.95 | 8 | 459.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 15.12 | 1 | 100.00 | A |
| DIMETHYLPOLYSILOXANE | 0.03 | 1 | 27.00 | A |
| FATTY ACIDS, MIXED | 1.74 | 5 | 320.00 | A |
| ISOPROPYL ALCOHOL | 0.71 | 1 | 27.00 | A |
| MCPA, DIMETHYLAMINE SALT | 63.76 | 1 | 70.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 9.11 | 5 | 320.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 19.49 | 6 | 347.00 | A |
| POLYETHYLENE GLYCOL | 4.48 | 1 | 27.00 | A |
| Site Total | 211.09 | 23 | | |
| **OAT (FORAGE - FODDER)** | | | | |
| ACRYLIC ACID | 1.27 | 1 | 77.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 22.79 | 4 | 140.00 | A |
| BROMOXYNIL HEPTANOATE | 113.20 | 2 | 329.00 | A |
| BROMOXYNIL OCTANOATE | 197.64 | 8 | 440.50 | A |
| BUTYL ALCOHOL | 0.43 | 1 | 23.00 | A |
| CARFENTRAZONE-ETHYL | 29.83 | 34 | 1,518.20 | A |
| CHLORANTRANILIPROLE | 2.05 | 1 | 77.00 | A |
| DICAMBA, DIMETHYLAMINE SALT | 11.51 | 4 | 74.00 | A |
| DIETHYLENE GLYCOL | 0.47 | 1 | 20.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 128.43 | 15 | 679.80 | A |
| DIMETHYLPOLYSILOXANE | 1.20 | 26 | 1,003.50 | A |
| FATTY ACIDS, MIXED | 2.96 | 15 | 786.20 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 9.12 | 4 | 140.00 | A |
| ISOPROPYL ALCOHOL | 28.28 | 27 | 907.50 | A |
| MCPA, DIMETHYLAMINE SALT | 58.81 | 3 | 74.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 11.15 | 14 | 766.20 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 301.03 | 43 | 1,832.70 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 4.74 | 1 | 77.00 | A |
| PHOSPHORIC ACID | 2.38 | 2 | 85.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.67 | 1 | 30.00 | A |
| POLYACRYLAMIDE POLYMER | 4.83 | 4 | 356.00 | A |
| POLYETHYLENE GLYCOL | 141.02 | 22 | 875.50 | A |
| TRIBENURON-METHYL | 3.61 | 13 | 520.40 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.22 | 1 | 20.00 | A |
| UREA | 3.56 | 1 | 8.00 | A |
| Site Total | 1,082.20 | 132 | | |
| **OKRA** | | | | |
| IMIDACLOPRID | 0.07 | 3 | 0.49 | A |
| Site Total | 0.07 | 3 | | |
| **OLIVE** | | | | |
| ABAMECTIN | 0.33 | 1 | 20.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 25.30 | 1 | 74.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 1.07 | 1 | 74.00 | A |
| CALCIUM HYDROXIDE | 202.50 | 3 | 45.00 | A |
| CARFENTRAZONE-ETHYL | 4.26 | 23 | 141.00 | A |
| COCONUT DIETHANOLAMIDE | 1.25 | 2 | 36.00 | A |
| COPPER ETHYLENEDIAMINE COMPLEX | 6.71 | 1 | 2.50 | A |
| COPPER HYDROXIDE | 1,100.23 | 13 | 285.90 | A |
| COPPER OXIDE (OUS) | 1,147.75 | 6 | 228.00 | A |
| COPPER OXYCHLORIDE | 4.76 | 1 | 20.00 | A |
| COPPER TRIETHANOLAMINE COMPLEX | 7.57 | 1 | 2.50 | A |
| DIMETHYLPOLYSILOXANE | 0.23 | 23 | 74.84 | A |
| DIPHACINONE | 0.01 | 1 | 82.00 | A |
| DODECYLBENZENE SULFONIC ACID | 5.40 | 2 | 36.00 | A |
| EDTA, TETRASODIUM SALT | 0.33 | 2 | 36.00 | A |
| ENDOTHALL, DIPOTASSIUM SALT | 21.15 | 1 | 2.50 | A |
| FATTY ACIDS, MIXED | 0.16 | 1 | 16.50 | A |
| FLUMIOXAZIN | 17.19 | 2 | 53.91 | A |
| GLUFOSINATE-AMMONIUM | 30.84 | 2 | 33.58 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 305.45 | 28 | 148.09 | A |
| GLYPHOSATE, POTASSIUM SALT | 80.25 | 8 | 107.18 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 0.78 | 2 | 1.24 | A |
| INDAZIFLAM | 3.43 | 6 | 110.58 | A |
| ISOPROPYL ALCOHOL | 6.41 | 25 | 110.84 | A |
| METHYLATED SOYBEAN OIL | 289.93 | 13 | 311.00 | A |
| MINERAL OIL | 7,938.79 | 7 | 302.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.86 | 1 | 16.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 69.00 | 34 | 328.34 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.08 | 2 | 1.24 | A |
| ORYZALIN | 520.91 | 9 | 73.39 | A |
| OXYFLUORFEN | 32.41 | 6 | 77.14 | A |
| PARAQUAT DICHLORIDE | 90.45 | 10 | 191.33 | A |
| PENDIMETHALIN | 71.97 | 2 | 26.50 | A |
| PHOSPHORIC ACID | 1.06 | 2 | 36.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BETA-PINENE POLYMER | 17.84 | 5 | 76.90 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 3.40 | 10 | 237.00 | A |
| POLYETHYLENE GLYCOL | 30.09 | 23 | 74.84 | A |
| PYRAFLUFEN-ETHYL | 0.09 | 2 | 48.00 | A |
| SILICONE DEFOAMER | 0.14 | 2 | 36.00 | A |
| SODIUM XYLENE SULFONATE | 1.66 | 2 | 36.00 | A |
| SPINOSAD | 0.27 | 30 | 1,060.80 | A |
| SPIROTETRAMAT | 0.30 | 1 | 20.00 | A |
| SULFUR | 699.47 | 5 | 100.00 | A |
| TALL OIL FATTY ACIDS | 0.43 | 3 | 75.24 | A |
| TETRACONAZOLE | 0.82 | 1 | 20.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 6.33 | 2 | 36.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.83 | 2 | 36.00 | A |
| TRIETHANOLAMINE | 2.12 | 2 | 36.00 | A |
| Site Total | 12,752.64 | 214 | | |
| **ONION, DRY** | | | | |
| ABAMECTIN | 48.75 | 26 | 3,158.98 | A |
| ACETAMIPRID | 78.18 | 12 | 568.95 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 125.17 | 8 | 615.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 279.44 | 20 | 2,105.82 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 24.36 | 4 | 152.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 25.25 | 2 | 164.00 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 0.16 | 1 | 10.00 | A |
| AMMONIUM NITRATE | 18.90 | 8 | 703.32 | A |
| AMMONIUM SULFATE | 256.01 | 11 | 994.62 | A |
| AZADIRACHTIN | 16.26 | 18 | 1,013.65 | A |
| AZOXYSTROBIN | 329.39 | 22 | 1,798.14 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 31.67 | 7 | 388.20 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 35.00 | 1 | 40.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 75.60 | 2 | 70.00 | A |
| BENZOIC ACID | 4.36 | 8 | 722.10 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 13.53 | 8 | 677.75 | A |
| BOSCALID | 671.44 | 29 | 2,535.28 | A |
| BROMOXYNIL HEPTANOATE | 740.15 | 68 | 6,167.47 | A |
| BROMOXYNIL OCTANOATE | 1,805.42 | 140 | 12,720.27 | A |
| BUTYL ALCOHOL | 67.61 | 22 | 2,124.55 | A |
| CALCIUM CHLORIDE | 25.37 | 12 | 1,278.42 | A |
| CARFENTRAZONE-ETHYL | 1.14 | 1 | 78.30 | A |
| CHLORANTRANILIPROLE | 49.48 | 6 | 754.30 | A |
| CHLOROTHALONIL | 19,076.74 | 203 | 15,682.94 | A |
| CHLORPYRIFOS | 1,742.90 | 29 | 2,018.11 | A |
| CHLORTHAL-DIMETHYL | 7,435.25 | 27 | 1,355.15 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 358.08 | 4 | 397.77 | A |
| CITRIC ACID | 92.73 | 15 | 1,569.72 | A |
| CLETHODIM | 297.64 | 37 | 2,018.50 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 1.25 | 9 | 766.70 | A |
| COPPER HYDROXIDE | 7,844.83 | 126 | 10,675.60 | A |
| COPPER OXIDE (OUS) | 201.05 | 5 | 192.90 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| COPPER SULFATE (BASIC) | | 8,671.31 | 43 | 5,116.91 | A |
| COTTONSEED OIL | | 118.21 | 1 | 132.00 | A |
| CYMOXANIL | | 159.10 | 10 | 1,271.30 | A |
| CYPERMETHRIN | | 241.92 | 26 | 2,514.00 | A |
| (S)-CYPERMETHRIN | | 358.49 | 112 | 7,414.57 | A |
| CYPRODINIL | | 568.24 | 15 | 1,802.07 | A |
| DIAZINON | | 79.38 | 1 | 20.00 | A |
| DIETHYLENE GLYCOL | | 240.71 | 53 | 5,807.00 | A |
| DIFENOCONAZOLE | | 337.40 | 31 | 3,094.21 | A |
| DIMETHENAMID-P | | 263.31 | 61 | 4,710.70 | A |
| DIMETHOMORPH | | 161.17 | 12 | 817.80 | A |
| DIMETHYL ALKYL TERTIARY AMINES | | 4.76 | 8 | 722.10 | A |
| DIMETHYLPOLYSILOXANE | | 69.78 | 120 | 11,608.90 | A |
| DIPHACINONE | | < 0.01 | 1 | 51.50 | A |
| ETHOFUMESATE | | 573.31 | 42 | 2,672.60 | A |
| ETHYLENE GLYCOL | | 53.85 | 1 | 178.00 | A |
| FAMOXADONE | | 159.10 | 10 | 1,271.30 | A |
| FATTY ACIDS, MIXED | | 444.54 | 62 | 6,982.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 11.09 | 2 | 141.25 | A |
| FENAMIDONE | | 1,079.77 | 76 | 6,095.79 | A |
| FERROUS SULFATE | | 6.50 | 9 | 766.70 | A |
| FLUAZIFOP-P-BUTYL | | 341.90 | 15 | 1,741.00 | A |
| FLUDIOXONIL | | 51.75 | 2 | 236.00 | A |
| | | 0.35 | | 4,270.00 | P |
| Total Pounds On This Chemical | 52.10 | | | | |
| FLUOPICOLIDE | | 80.09 | 4 | 649.07 | A |
| GLYCEROL | | 1.30 | 2 | 158.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 1,900.64 | 11 | 1,050.50 | A |
| GLYPHOSATE, POTASSIUM SALT | | 9,126.82 | 38 | 3,153.27 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | | 7.60 | 9 | 214.35 | A |
| HYDROGEN PEROXIDE | | 133.09 | 2 | 335.80 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 397.45 | 4 | 277.30 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 0.57 | 1 | 10.00 | A |
| IMIDACLOPRID | | 767.37 | 22 | 1,512.64 | A |
| IPRODIONE | | 2,211.85 | 52 | 3,314.04 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.19 | 2 | 158.00 | A |
| ISOPARAFFINIC HYDROCARBONS | | 88.68 | 1 | 101.00 | A |
| ISOPROPYL ALCOHOL | | 365.09 | 39 | 3,011.70 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 0.17 | 1 | 45.00 | A |
| KAOLIN | | 53,231.78 | 38 | 2,085.51 | A |
| KEROSENE | | 3.14 | 4 | 240.00 | A |
| LAMBDA-CYHALOTHRIN | | 213.54 | 79 | 6,954.39 | A |
| LECITHIN | | 469.39 | 38 | 2,609.00 | A |
| MALATHION | | 1,982.06 | 7 | 1,282.00 | A |
| MANCOZEB | | 35,806.01 | 219 | 18,663.60 | A |
| MANDIPROPAMID | | 214.42 | 15 | 1,647.27 | A |
| MANGANESE SULFATE | | 9.00 | 9 | 766.70 | A |
| MEFENOXAM | | 1,262.60 | 172 | 12,480.59 | A |
| | | 0.06 | | 4,270.00 | P |
| Total Pounds On This Chemical | 1,262.67 | | | | |
| MEFENOXAM, OTHER RELATED | | < 0.01 | | 4,270.00 | P |
| METAM-SODIUM | | 81,486.91 | 6 | 386.00 | A |
| METHOMYL | | 8,209.39 | 116 | 11,888.44 | A |
| METHYLATED SOYBEAN OIL | | 642.08 | 43 | 2,330.10 | A |
| MINERAL OIL | | 417.59 | 8 | 426.50 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 45.00 | 8 | 1,253.70 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 3.76 | 2 | 141.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2,081.63 | 155 | 15,919.05 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 41.19 | 8 | 671.80 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 2,027.12 | 28 | 2,420.00 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 7.66 | 1 | 113.50 | A |
| OLEIC ACID | 97.69 | 3 | 465.00 | A |
| OLEIC ACID, METHYL ESTER | 50.50 | 9 | 214.35 | A |
| ORCHEX 796 OIL | 733.36 | 4 | 566.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 39.53 | 7 | 845.00 | A |
| OXAMYL | 304.81 | 6 | 612.28 | A |
| OXYFLUORFEN | 3,942.78 | 309 | 26,687.32 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 12.00 | 1 | 30.00 | A |
| PARAQUAT DICHLORIDE | 3.02 | 2 | 55.00 | A |
| PENDIMETHALIN | 7,769.95 | 91 | 8,211.01 | A |
| PENTHIOPYRAD | 466.98 | 22 | 1,991.57 | A |
| PERMETHRIN | 266.67 | 11 | 933.05 | A |
| PEROXYACETIC ACID | | 1 | 157.80 | A |
| PETROLEUM OIL, PARAFFIN BASED | 181.92 | 10 | 1,083.00 | A |
| PHOSPHORIC ACID | 164.12 | 29 | 3,238.50 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 1.39 | 8 | 604.50 | A |
| POLYACRYLAMIDE POLYMER | 7.56 | 18 | 740.30 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 2.27 | 1 | 15.00 | A |
| POLYBUTENES | 1.98 | 2 | 141.25 | A |
| POLYETHER MODIFIED POLYSILOXANE | 74.63 | 11 | 948.50 | A |
| POLYETHYLENE GLYCOL | 51.04 | 13 | 879.00 | A |
| POLYETHYLENE GLYCOL DIACETATE | 0.01 | 1 | 10.00 | A |
| POLY-I-PARA-MENTHENE | 118.08 | 2 | 331.00 | A |
| POLYOXYETHYLENE DIOLEATE | 0.82 | 7 | 845.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 120.36 | 5 | 663.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.67 | 1 | 45.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 4.43 | 1 | 45.00 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 66,668.41 | 2 | 233.00 | A |
| PROPICONAZOLE | 4.48 | 1 | 20.00 | A |
| PROPIONIC ACID | 386.62 | 15 | 2,035.00 | A |
| PROPYLENE GLYCOL | 9.40 | 3 | 277.50 | A |
| PYRACLOSTROBIN | 256.33 | 22 | 1,974.43 | A |
| PYRIMETHANIL | 341.14 | 10 | 1,009.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 49.64 | 4 | 120.00 | A |
| REYNOUTRIA SACHALINENSIS | 65.03 | 16 | 618.50 | A |
| SETHOXYDIM | 435.74 | 20 | 1,640.50 | A |
| SPINETORAM | 201.94 | 62 | 3,499.29 | A |
| SPINOSAD | 384.76 | 46 | 2,911.85 | A |
| SPIROTETRAMAT | 19.94 | 28 | 2,115.55 | A |
| SULFUR | 28,006.62 | 43 | 3,983.74 | A |
| SULFURIC ACID | 3.76 | 3 | 277.50 | A |
| TALL OIL FATTY ACIDS | 88.14 | 21 | 1,905.80 | A |
| TEBUCONAZOLE | 80.63 | 5 | 141.50 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 44.98 | 2 | 149.00 | A |
| THIRAM | 2.43 | | 4,270.00 | P |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 1.32 | 2 | 158.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 9.29 | 9 | 214.35 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 640.29 | 65 | 5,308.00 | A |
| UREA | 21.68 | 4 | 842.00 | A |
| UREA DIHYDROGEN SULFATE | 31.69 | 4 | 307.00 | A |
| VEGETABLE OIL | 498.30 | 14 | 557.45 | A |
| VINYL POLYMER | 20.81 | 18 | 1,719.10 | A |
| XANTHAN GUM | 0.02 | 4 | 394.50 | A |
| ZINC SULFATE | 32.04 | 18 | 1,710.70 | A |
| Site Total | 371,727.32 | 2,775 | | |
| **ONION, GREEN** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 36.23 | 8 | 451.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 25.49 | 3 | 182.00 | A |
| CHLOROTHALONIL | 152.08 | 3 | 182.00 | A |
| CHLORTHAL-DIMETHYL | 815.97 | 3 | 177.00 | A |
| COPPER SULFATE (BASIC) | 216.14 | 2 | 152.00 | A |
| ISOPROPYL ALCOHOL | 142.31 | 7 | 397.00 | A |
| MEFENOXAM | 15.16 | 3 | 182.00 | A |
| METHOMYL | 163.80 | 3 | 182.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 92.73 | 3 | 175.00 | A |
| OLEIC ACID | 38.24 | 3 | 182.00 | A |
| ORCHEX 796 OIL | 263.39 | 3 | 182.00 | A |
| PHOSPHORIC ACID | 5.82 | 4 | 229.00 | A |
| TALL OIL FATTY ACIDS | 7.02 | 3 | 175.00 | A |
| VINYL POLYMER | 3.50 | 3 | 177.00 | A |
| Site Total | 1,977.88 | 28 | | |
| **ORANGE** | | | | |
| ABAMECTIN | 156.97 | 319 | 6,320.10 | A |
| ACEPHATE | 603.71 | 16 | 899.00 | A |
| ACETAMIPRID | 234.47 | 49 | 831.07 | A |
| ACRYLIC ACID | 36.93 | 9 | 147.00 | A |
| ALPHA-ALKYL (C8-C18)-OMEGA-HYDROXYPOLY (OXYETHYLENE) POLY(OXYPROPYLENE) | 2.63 | 3 | 25.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 699.24 | 266 | 6,088.02 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 69.10 | 9 | 277.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 432.22 | 43 | 696.42 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7.22 | 2 | 115.56 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 191.67 | 70 | 2,507.50 | A |
| ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE | 3.42 | 1 | 35.56 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 785.26 | 110 | 2,144.57 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 20.35 | 12 | 102.60 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 16.59 | 8 | 161.00 | A |
| ALUMINUM PHOSPHIDE | 15.91 | 5 | 159.00 | A |
| AMMONIUM NITRATE | 389.93 | 78 | 1,579.77 | A |
| AMMONIUM PROPIONATE | 595.39 | 164 | 3,766.11 | A |
| AMMONIUM SULFATE | 1,743.95 | 278 | 6,067.90 | A |
| AZOXYSTROBIN | 190.65 | 28 | 759.97 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BACILLUS THURINGIENSIS (BERLINER) | 1.12 | 1 | 35.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 1,077.54 | 118 | 1,862.98 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 518.59 | 59 | 1,220.45 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | 29.24 | 3 | 32.00 | A |
| BENTONITE | 6,326.72 | 242 | 5,751.91 | A |
| BIFENTHRIN | 350.52 | 36 | 735.93 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 228.47 | 230 | 6,238.88 | A |
| BOSCALID | 4.37 | 1 | 15.00 | A |
| BROMACIL | 1,612.81 | 98 | 1,649.96 | A |
| BUPROFEZIN | 19.25 | 3 | 11.00 | A |
| BUTYL ALCOHOL | 4.63 | 1 | 40.00 | A |
| CALCIUM HYDROXIDE | 414,194.73 | 727 | 17,280.70 | A |
| CARBARYL | 3,306.80 | 15 | 421.56 | A |
| CARFENTRAZONE-ETHYL | 8.48 | 32 | 339.31 | A |
| CASEIN | 430.70 | 234 | 5,518.41 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | 377.32 | 22 | 346.80 | A |
| CHLORANTRANILIPROLE | 171.66 | 73 | 2,181.64 | A |
| CHLORPYRIFOS | 26,256.97 | 318 | 6,466.58 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 10.80 | 1 | 18.00 | A |
| CITRIC ACID | 367.60 | 225 | 4,875.81 | A |
| COCONUT DIETHANOLAMIDE | 879.94 | 96 | 3,458.00 | A |
| COPPER | 1,801.25 | 32 | 616.86 | A |
| COPPER HYDROXIDE | 15,854.66 | 175 | 5,662.62 | A |
| COPPER OXIDE (OUS) | 11,498.46 | 157 | 3,660.36 | A |
| COPPER SULFATE (BASIC) | 42,894.10 | 397 | 8,801.82 | A |
| COTTONSEED OIL | 30.72 | 6 | 118.00 | A |
| CRYOLITE | 1,996.80 | 7 | 104.00 | A |
| CYFLUTHRIN | 163.22 | 78 | 2,032.21 | A |
| BETA-CYFLUTHRIN | 307.60 | 393 | 8,685.01 | A |
| (S)-CYPERMETHRIN | 211.56 | 205 | 4,572.71 | A |
| 2,4-D | 1.74 | 1 | 15.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 1,171.84 | 57 | 1,387.38 | A |
| 2,4-D, ISOPROPYL ESTER | 1,100.65 | 603 | 14,724.75 | A |
| DIETHYLENE GLYCOL | 40.50 | 28 | 648.62 | A |
| DIFENOCONAZOLE | 1.09 | 1 | 10.00 | A |
| DIFLUBENZURON | 71.69 | 18 | 418.50 | A |
| DIMETHOATE | 401.05 | 29 | 519.79 | A |
| DIMETHYLPOLYSILOXANE | 372.99 | 667 | 11,587.72 | A |
| DIPHACINONE | 0.03 | 30 | 489.16 | A |
| DIURON | 9,497.09 | 236 | 5,095.54 | A |
| DODECYLBENZENE SULFONIC ACID | 37.83 | 26 | 950.50 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.80 | 14 | 441.10 | A |
| DRY MILK SOLIDS | 0.90 | 1 | 24.00 | A |
| EDTA, TETRASODIUM SALT | 2.33 | 26 | 950.50 | A |
| ETHYLENE GLYCOL | 108.58 | 15 | 485.90 | A |
| ETHYLENE GLYCOL MONOMETHYL ETHER | 241.12 | 118 | 1,501.25 | A |
| FATTY ACIDS, MIXED | 71.62 | 55 | 1,390.42 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 745.87 | 143 | 4,879.50 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 2.89 | 2 | 115.56 | A |
| FENBUTATIN-OXIDE | 58.50 | 2 | 49.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| FENPROPATHRIN | | 703.65 | 79 | 1,938.23 | A |
| FENPYROXIMATE | | 141.97 | 79 | 1,652.43 | A |
| FLAZASULFURON | | 3.12 | 2 | 70.00 | A |
| FLUDIOXONIL | | 323.73 | | 149,021.00 | T |
| FLUMIOXAZIN | | 101.33 | 10 | 325.59 | A |
| FORMETANATE HYDROCHLORIDE | | 3,208.36 | 93 | 2,850.57 | A |
| FOSETYL-AL | | 160.00 | 5 | 61.00 | A |
| GIBBERELLINS | | 736.95 | 334 | 6,899.16 | A |
| | | 34.04 | | 188,343.90 | T |
| Total Pounds On This Chemical | 770.99 | | | | |
| GLUFOSINATE-AMMONIUM | | 19.75 | 13 | 136.90 | A |
| GLYCEROL | | 3.04 | 32 | 560.36 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 22,964.31 | 833 | 16,404.17 | A |
| GLYPHOSATE, MONOAMMONIUM SALT | | 6.63 | 1 | 80.00 | A |
| GLYPHOSATE, POTASSIUM SALT | | 30,764.23 | 916 | 21,797.36 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 107.64 | 114 | 1,339.91 | A |
| HEXYTHIAZOX | | 65.12 | 12 | 406.50 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 7.61 | 5 | 17.00 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 1,843.19 | 186 | 5,295.68 | A |
| IMAZALIL | | 2,859.23 | | 421,015.29 | T |
| IMAZALIL SULFATE | | 104.20 | | 148,523.00 | T |
| IMIDACLOPRID | | 2,163.43 | 259 | 5,273.35 | A |
| INDAZIFLAM | | 306.78 | 218 | 4,837.64 | A |
| IRON PHOSPHATE | | 1.75 | 2 | 25.00 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.14 | 2 | 70.00 | A |
| ISOOCTYL PHTHALATE | | 244.52 | 118 | 1,501.25 | A |
| ISOPROPYL ALCOHOL | | 607.63 | 454 | 7,949.56 | A |
| KAOLIN | | 94,335.71 | 149 | 3,874.68 | A |
| LACTOSE | | 494.80 | 241 | 5,727.91 | A |
| LAURIC ACID | | 174.24 | 70 | 2,507.50 | A |
| LECITHIN | | 247.93 | 37 | 830.11 | A |
| LIME-SULFUR | | 1,732.43 | 19 | 298.00 | A |
| MALATHION | | 1,214.36 | 3 | 75.81 | A |
| MEFENOXAM | | 253.57 | 25 | 666.86 | A |
| MEFENOXAM, OTHER RELATED | | 0.34 | 2 | 23.00 | A |
| METAFLUMIZONE | | 1.04 | 21 | 1,155.69 | A |
| METALDEHYDE | | 2,722.05 | 180 | 4,583.26 | A |
| METHOMYL | | 2.70 | 1 | 3.00 | A |
| METHOXYFENOZIDE | | 5.57 | 4 | 34.00 | A |
| METHYLATED SOYBEAN OIL | | 4,614.59 | 229 | 4,132.14 | A |
| METHYL ESTERS OF COTTONSEED OIL | | 14,154.08 | 395 | 11,326.53 | A |
| MINERAL OIL | | 177,090.74 | 621 | 13,977.75 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 1,361.78 | 95 | 2,032.14 | A |
| MORPHOLINE | | 105.73 | 118 | 1,501.25 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 304.12 | 173 | 5,686.30 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 5,106.11 | 603 | 11,120.28 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 180.03 | 127 | 1,678.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 706.27 | 198 | 4,432.22 | A |
| NORFLURAZON | | 13.82 | 3 | 21.50 | A |
| OLEIC ACID | | 342.22 | 118 | 1,501.25 | A |
| OLEIC ACID, METHYL ESTER | | 514.87 | 17 | 447.30 | A |
| ORGANO/MODIFIED POLYSILOXANE | | 0.09 | 1 | 35.56 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ORYZALIN | | 6,544.84 | 107 | 2,811.28 | A |
| OXYFLUORFEN | | 513.00 | 30 | 588.06 | A |
| PARAQUAT DICHLORIDE | | 62.66 | 18 | 136.41 | A |
| PENDIMETHALIN | | 3,212.17 | 70 | 1,004.83 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 1,950.94 | 1 | 28.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 155,464.77 | 495 | 11,275.58 | A |
| PHOSMET | | 49.70 | 3 | 35.00 | A |
| PHOSPHORIC ACID | | 221.12 | 94 | 2,260.20 | A |
| PIPERONYL BUTOXIDE | | 4.06 | | 10.00 | U |
| PIPERONYL BUTOXIDE, OTHER RELATED | | 1.01 | | 10.00 | U |
| POLYACRYLAMIDE POLYMER | | 4.05 | 1 | 120.00 | A |
| POLYACRYLIC POLYMER | | 0.22 | 1 | 80.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 275.27 | 50 | 1,202.17 | A |
| POLYBUTENES | | 133.19 | 143 | 4,879.50 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 574.10 | 109 | 2,551.25 | A |
| POLYETHYLENE GLYCOL | | 1,333.48 | 280 | 4,547.91 | A |
| POLYETHYLENE GLYCOL DIACETATE | | 1.51 | 8 | 161.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | | 29,066.24 | 23 | 1,976.00 | A |
| POLYMERIZED PINENE | | 120.62 | 14 | 441.10 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 160.96 | 31 | 966.00 | A |
| POLYSACCHARIDE POLYMER | | 0.45 | 1 | 120.00 | A |
| POTASSIUM HYDROXIDE | | 1.08 | 31 | 510.36 | A |
| POTASSIUM NITRATE | | 4.80 | 1 | 20.00 | A |
| POTASSIUM PHOSPHITE | | 514.86 | 7 | 133.93 | A |
| PROPIONIC ACID | | 3.78 | 2 | 25.00 | A |
| PROPYLENE GLYCOL | | 599.04 | 166 | 4,273.59 | A |
| PYRACLOSTROBIN | | 11.98 | 2 | 55.00 | A |
| PYRETHRINS | | 10.06 | 16 | 194.51 | A |
| | | 0.51 | | 10.00 | U |
| Total Pounds On This Chemical | 10.57 | | | | |
| PYRIDABEN | | 21.00 | 2 | 70.00 | A |
| PYRIMETHANIL | | 9.69 | | 2,624.00 | T |
| PYRIPROXYFEN | | 423.93 | 161 | 4,047.95 | A |
| RIMSULFURON | | 203.52 | 207 | 4,286.56 | A |
| SAFLUFENACIL | | 561.76 | 691 | 16,402.87 | A |
| SILICONE DEFOAMER | | 0.99 | 26 | 950.50 | A |
| SIMAZINE | | 9,108.05 | 145 | 3,526.58 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | | 32.25 | 118 | 1,501.25 | A |
| SODIUM HYPOCHLORITE | | 15,704.47 | | 350,474.20 | T |
| SODIUM POLYACRYLATE | | 15.24 | 194 | 4,256.47 | A |
| SODIUM XYLENE SULFONATE | | 11.64 | 26 | 950.50 | A |
| SPINETORAM | | 1,251.96 | 598 | 14,886.45 | A |
| SPINOSAD | | 207.14 | 53 | 1,304.78 | A |
| SPIRODICLOFEN | | 119.31 | 12 | 404.64 | A |
| SPIROTETRAMAT | | 285.67 | 465 | 10,320.20 | A |
| STARCH | | < 0.01 | 1 | 10.00 | A |
| STYRENE BUTADIENE COPOLYMER | | 272.49 | 87 | 1,688.49 | A |
| SULFUR | | 36.00 | 1 | 15.00 | A |
| SULFURIC ACID | | 2.33 | 12 | 102.60 | A |
| TALL OIL FATTY ACIDS | | 190.29 | 191 | 2,931.92 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 249.07 | 57 | 1,254.50 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 5.82 | 26 | 950.50 | A |
| THIABENDAZOLE | | 2,715.80 | | 394,346.16 | T |
| THIAMETHOXAM | | 758.58 | 344 | 8,374.01 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 5.57 | 32 | 560.36 | A |
| TRIETHANOLAMINE | 14.84 | 26 | 950.50 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.87 | 1 | 10.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 488.05 | 140 | 3,058.45 | A |
| UREA | 24.39 | 1 | 35.56 | A |
| UREA DIHYDROGEN SULFATE | 6.31 | 32 | 560.36 | A |
| XANTHAN GUM | 0.22 | 4 | 160.00 | A |
| ZINC SULFATE | 0.58 | 1 | 11.50 | A |
| Site Total | 1,157,798.15 | 14,623 | | |
| **PARSLEY** | | | | |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 23.86 | 1 | 155.00 | A |
| AZOXYSTROBIN | 117.35 | 3 | 482.50 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 4.77 | 1 | 155.00 | A |
| CHLORANTRANILIPROLE | 13.02 | 3 | 226.50 | A |
| (S)-CYPERMETHRIN | 24.28 | 7 | 955.00 | A |
| CYPRODINIL | 37.55 | 1 | 144.00 | A |
| DIETHYLENE GLYCOL | 0.32 | 1 | 155.00 | A |
| DIMETHYLPOLYSILOXANE | 0.78 | 4 | 510.00 | A |
| FLUDIOXONIL | 25.03 | 1 | 144.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 580.31 | 1 | 155.00 | A |
| METHYLATED SOYBEAN OIL | 51.00 | 1 | 155.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 4.68 | 1 | 155.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.33 | 3 | 355.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 7.75 | 1 | 155.00 | A |
| PHOSPHORIC ACID | 16.39 | 7 | 955.00 | A |
| POLYOXYETHYLENE DIOLEATE | 0.16 | 1 | 155.00 | A |
| PROMETRYN | 1,886.10 | 8 | 982.00 | A |
| PROPYLENE GLYCOL | 6.82 | 1 | 155.00 | A |
| SULFURIC ACID | 2.73 | 1 | 155.00 | A |
| XANTHAN GUM | < 0.01 | 3 | 355.00 | A |
| ZINC SULFATE | 3.79 | 4 | 600.00 | A |
| Site Total | 2,807.04 | 32 | | |
| **PASTURELAND** | | | | |
| CARBON | 0.13 | | 400.00 | A |
| CHLORSULFURON | 0.38 | 1 | 13.50 | A |
| DICAMBA, DIMETHYLAMINE SALT | 7.36 | 2 | 23.50 | A |
| DIMETHYLPOLYSILOXANE | 0.03 | 2 | 23.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 72.79 | 14 | 103.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 1.29 | 1 | 3.00 | A |
| ISOPROPYL ALCOHOL | 0.68 | 2 | 23.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7.90 | 2 | 23.50 | A |
| OXYFLUORFEN | 3.51 | 3 | 12.00 | A |
| PARAQUAT DICHLORIDE | 0.69 | 1 | 5.00 | A |
| POLYETHYLENE GLYCOL | 4.31 | 2 | 23.50 | A |
| SODIUM NITRATE | 0.25 | | 400.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.10 | 1 | 5.00 | A |
| Site Total | 99.43 | 25 | | |
| **PEACH** | | | | |
| ABAMECTIN | 214.83 | 570 | 10,614.31 | A |
| ACETAMIPRID | 14.63 | 7 | 98.44 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 0.95 | 13 | 122.72 | A |
| ACRYLIC ACID | 182.95 | 89 | 1,687.71 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 446.62 | 58 | 588.17 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 11.90 | 77 | 281.28 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 235.81 | 186 | 1,940.28 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 969.11 | 205 | 3,688.20 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.23 | 1 | 8.00 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 1.29 | 2 | 26.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 157.70 | 27 | 337.51 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 72.20 | 22 | 268.77 | A |
| ALUMINUM PHOSPHIDE | 0.63 | 2 | 40.00 | A |
| AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE | 2.37 | 3 | 21.60 | A |
| AMMONIUM NITRATE | 62.84 | 22 | 308.22 | A |
| AMMONIUM PROPIONATE | 2.21 | 4 | 14.08 | A |
| AMMONIUM SULFATE | 207.71 | 42 | 486.00 | A |
| AZADIRACHTIN | 1.72 | 6 | 62.00 | A |
| AZOXYSTROBIN | 49.64 | 16 | 247.55 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 799.26 | 102 | 1,122.14 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 441.30 | 64 | 841.71 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | 76.50 | 3 | 105.00 | A |
| BENTONITE | 170.80 | 14 | 227.78 | A |
| BIFENAZATE | 1,566.57 | 99 | 3,171.57 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 251.18 | 487 | 6,496.23 | A |
| BOSCALID | 2,058.61 | 346 | 11,076.15 | A |
| BUPROFEZIN | 1,886.76 | 132 | 1,840.98 | A |
| 2-BUTOXYETHANOL | 4.76 | 77 | 281.28 | A |
| BUTYL ALCOHOL | 1.16 | 4 | 25.00 | A |
| CARFENTRAZONE-ETHYL | 26.68 | 61 | 1,110.72 | A |
| CASEIN | 12.81 | 14 | 227.78 | A |
| CHLORANTRANILIPROLE | 1,009.48 | 589 | 11,631.51 | A |
| CHLOROTHALONIL | 497.72 | 26 | 193.50 | A |
| CHLORPYRIFOS | 737.57 | 42 | 509.50 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 178.95 | 15 | 413.50 | A |
| CITRIC ACID | 36.59 | 21 | 185.98 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 126.09 | 1 | 33.00 | A |
| CLOFENTEZINE | 14.69 | 17 | 73.85 | A |
| COCONUT DIETHANOLAMIDE | 8.79 | 24 | 496.30 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 0.03 | 1 | 8.20 | A |
| COPPER HYDROXIDE | 9,277.26 | 162 | 2,719.77 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| COPPER OXIDE (OUS) | | 4,656.77 | 119 | 804.31 | A |
| COPPER OXYCHLORIDE | | 168.89 | 13 | 167.26 | A |
| COPPER SULFATE (BASIC) | | 39.51 | 2 | 8.50 | A |
| COTTONSEED OIL | | 207.51 | 74 | 502.65 | A |
| CRYOLITE | | 97.92 | 2 | 15.00 | A |
| CYFLUTHRIN | | 1.52 | 6 | 49.00 | A |
| BETA-CYFLUTHRIN | | 3.00 | 13 | 132.75 | A |
| CYPRODINIL | | 406.20 | 177 | 1,616.28 | A |
| 2,4-D, DIMETHYLAMINE SALT | | 4,778.57 | 340 | 3,856.12 | A |
| (E)-5-DECENOL | | < 0.01 | 1 | 0.25 | A |
| (E)-5-DECEN-1-OL | | 0.14 | 1 | 20.00 | A |
| (E)-5-DECENYL ACETATE | | 2.26 | 2 | 20.25 | A |
| DIAZINON | | 372.47 | 18 | 197.43 | A |
| 1,3-DICHLOROPROPENE | | 8,194.26 | 4 | 22.00 | A |
| DIETHYLENE GLYCOL | | 90.98 | 156 | 1,501.13 | A |
| DIFENOCONAZOLE | | 12.39 | 5 | 123.00 | A |
| DIFLUBENZURON | | 283.78 | 105 | 1,498.22 | A |
| DIMETHYLPOLYSILOXANE | | 214.54 | 694 | 7,687.53 | A |
| DIMETHYL SILICONE FLUID EMULSION | | 0.51 | 24 | 51.99 | A |
| E,E-8,10-DODECADIEN-1-OL | | 62.20 | 107 | 722.24 | A |
| Z-8-DODECENOL | | 6.32 | 443 | 6,586.34 | A |
| E-8-DODECENYL ACETATE | | 36.02 | 443 | 6,586.34 | A |
| Z-8-DODECENYL ACETATE | | 551.78 | 443 | 6,586.34 | A |
| DODECYLBENZENE SULFONIC ACID | | 12.62 | 22 | 470.30 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.89 | 4 | 12.63 | A |
| EDTA, TETRASODIUM SALT | | 0.78 | 22 | 470.30 | A |
| ESFENVALERATE | | 550.63 | 759 | 10,838.71 | A |
| ETHYLENE GLYCOL | | 0.44 | 1 | 8.00 | A |
| ETOXAZOLE | | 19.94 | 14 | 158.00 | A |
| FATTY ACIDS, MIXED | | 167.05 | 213 | 2,313.34 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | 724.58 | 257 | 2,515.24 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 0.49 | 1 | 8.00 | A |
| FENBUCONAZOLE | | 352.21 | 124 | 3,846.37 | A |
| FENBUTATIN-OXIDE | | 9.00 | 1 | 12.00 | A |
| FENHEXAMID | | 1,528.92 | 75 | 2,925.38 | A |
| FENPROPATHRIN | | 73.36 | 21 | 296.28 | A |
| FENPYROXIMATE | | 73.02 | 51 | 750.74 | A |
| FERROUS SULFATE | | 0.14 | 1 | 8.20 | A |
| FLUBENDIAMIDE | | 209.62 | 135 | 1,901.90 | A |
| FLUDIOXONIL | | 45.08 | | 37,640.64 | T |
| | | 1.20 | | 528,000.00 | P |
| Total Pounds On This Chemical | 46.28 | | | | |
| FLUMIOXAZIN | | 122.06 | 47 | 440.53 | A |
| FLUXAPYROXAD | | 0.95 | 3 | 10.50 | A |
| FORMETANATE HYDROCHLORIDE | | 4.60 | 1 | 3.00 | A |
| FOSETYL-AL | | 93.91 | 4 | 59.28 | A |
| GIBBERELLINS | | 16.35 | 41 | 297.77 | A |
| GLUFOSINATE-AMMONIUM | | 53.75 | 26 | 212.91 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 35,623.86 | 780 | 12,863.07 | A |
| GLYPHOSATE, POTASSIUM SALT | | 7,947.23 | 652 | 5,154.29 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 4.39 | 11 | 88.50 | A |
| HEXYTHIAZOX | | 409.36 | 192 | 2,463.70 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 715.03 | 73 | 614.49 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 150.14 | 186 | 935.83 | A |
| IMIDACLOPRID | | 8.11 | 11 | 96.60 | A |
| INDAZIFLAM | | 89.26 | 266 | 1,889.07 | A |
| INDOXACARB | | 520.82 | 176 | 4,879.09 | A |
| IPRODIONE | | 6,006.00 | 517 | 8,093.03 | A |
| ISOPROPYL ALCOHOL | | 234.10 | 445 | 3,864.48 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 6.49 | 87 | 412.68 | A |
| ISOXABEN | | 52.90 | 9 | 70.53 | A |
| KAOLIN | | 760.00 | 1 | 16.00 | A |
| LACTOSE | | 12.81 | 14 | 227.78 | A |
| LAMBDA-CYHALOTHRIN | | 105.36 | 167 | 2,703.37 | A |
| LAURIC ACID | | 1.18 | 2 | 26.00 | A |
| LECITHIN | | 384.88 | 82 | 1,102.56 | A |
| LIMONENE | | 97.58 | 77 | 281.28 | A |
| MANGANESE SULFATE | | 0.20 | 1 | 8.20 | A |
| METAFLUMIZONE | | 0.05 | 2 | 51.00 | A |
| METCONAZOLE | | 26.23 | 32 | 239.70 | A |
| METHOMYL | | 64.56 | 2 | 79.82 | A |
| METHOXYFENOZIDE | | 2,212.73 | 339 | 8,898.69 | A |
| METHYLATED SOYBEAN OIL | | 681.04 | 120 | 1,417.70 | A |
| METHYL BROMIDE | | 4,308.00 | | 214,561.50 | C |
| | | 1,152.90 | | 870.77 | T |
| Total Pounds On This Chemical | 5,460.90 | | | | |
| METHYL ESTERS OF COTTONSEED OIL | | 73.82 | 4 | 40.06 | A |
| MINERAL OIL | | 239,247.42 | 1,119 | 14,781.54 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 3,521.23 | 737 | 9,438.00 | A |
| MYCLOBUTANIL | | 1,087.01 | 237 | 7,519.74 | A |
| NALED | | 15.83 | 2 | 50.31 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 262.19 | 303 | 3,118.45 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2,647.02 | 931 | 8,676.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 76.76 | 82 | 766.49 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 916.31 | 169 | 2,675.98 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | | 7.08 | 3 | 24.02 | A |
| OLEIC ACID, METHYL ESTER | | 0.04 | 2 | 13.00 | A |
| ORYZALIN | | 531.38 | 32 | 171.32 | A |
| OXYFLUORFEN | | 4,130.39 | 504 | 8,576.28 | A |
| PARAQUAT DICHLORIDE | | 4,444.98 | 231 | 4,569.67 | A |
| PENDIMETHALIN | | 20,662.73 | 324 | 6,153.09 | A |
| PENTHIOPYRAD | | 43.84 | 22 | 214.28 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 14,613.74 | 138 | 878.66 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 166,377.69 | 558 | 8,813.77 | A |
| PHOSMET | | 1,366.00 | 41 | 539.47 | A |
| PHOSPHORIC ACID | | 196.33 | 245 | 3,194.61 | A |
| BETA-PINENE POLYMER | | 7.92 | 4 | 31.50 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 7.84 | 20 | 332.00 | A |
| POLYBUTENES | | 129.39 | 257 | 2,515.24 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 82.63 | 37 | 394.80 | A |
| POLYETHYLENE GLYCOL | | 523.68 | 251 | 2,062.91 | A |
| POLY-I-PARA-MENTHENE | | 138.57 | 70 | 588.04 | A |
| POLYMERIZED PINENE | | 15.88 | 4 | 12.63 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 6.92 | 10 | 131.40 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 45.47 | 10 | 131.40 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| POTASSIUM BICARBONATE | | 608.03 | 13 | 254.78 | A |
| POTASSIUM PHOSPHITE | | 323.82 | 7 | 99.00 | A |
| PROPARGITE | | 28.80 | 1 | 15.00 | A |
| PROPICONAZOLE | | 1,976.16 | 1,031 | 17,347.15 | A |
| | | 1.22 | | 3,171.71 | T |
| Total Pounds On This Chemical | 1,977.38 | | | | |
| PROPIONIC ACID | | 44.62 | 11 | 209.00 | A |
| PROPYLENE GLYCOL | | 161.94 | 144 | 1,939.79 | A |
| PYRACLOSTROBIN | | 1,046.59 | 349 | 11,086.65 | A |
| PYRAFLUFEN-ETHYL | | 20.12 | 245 | 3,632.65 | A |
| PYRETHRINS | | 2.22 | 7 | 61.00 | A |
| PYRIMETHANIL | | 307.24 | 42 | 1,570.16 | A |
| PYRIPROXYFEN | | 364.11 | 329 | 4,057.72 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 37.65 | 33 | 152.30 | A |
| QUINOXYFEN | | 15.45 | 19 | 132.30 | A |
| REYNOUTRIA SACHALINENSIS | | 49.17 | 32 | 197.50 | A |
| RIMSULFURON | | 394.82 | 497 | 7,051.51 | A |
| SILICONE DEFOAMER | | 0.33 | 22 | 470.30 | A |
| SIMAZINE | | 124.38 | 9 | 97.60 | A |
| SODIUM HYPOCHLORITE | | 310.75 | | 2,206.00 | T |
| SODIUM POLYACRYLATE | | 0.06 | 4 | 14.08 | A |
| SODIUM XYLENE SULFONATE | | 3.88 | 22 | 470.30 | A |
| SPINETORAM | | 869.63 | 392 | 9,048.81 | A |
| SPINOSAD | | 489.33 | 134 | 4,434.11 | A |
| SPIRODICLOFEN | | 1,337.66 | 212 | 4,898.59 | A |
| SPIROTETRAMAT | | 15.71 | 27 | 617.70 | A |
| STYRENE BUTADIENE COPOLYMER | | 120.12 | 117 | 1,621.00 | A |
| SULFUR | | 23,249.49 | 386 | 4,415.26 | A |
| SULFURIC ACID | | 9.06 | 25 | 292.79 | A |
| TALL OIL | | 0.10 | 1 | 3.33 | A |
| TALL OIL FATTY ACIDS | | 91.34 | 291 | 4,438.19 | A |
| TEBUCONAZOLE | | 1,470.22 | 284 | 8,909.18 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 14.80 | 22 | 470.30 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 1.94 | 22 | 470.30 | A |
| THIOPHANATE-METHYL | | 574.61 | 49 | 628.20 | A |
| TRIETHANOLAMINE | | 4.95 | 22 | 470.30 | A |
| TRIFLOXYSTROBIN | | 94.98 | 66 | 957.73 | A |
| ULOCLADIUM OUDEMANSII (U3 STRAIN) | | 450.15 | 26 | 384.28 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 374.32 | 273 | 3,122.13 | A |
| VEGETABLE OIL | | 4,324.36 | 8 | 304.00 | A |
| XANTHAN GUM | | 0.04 | 9 | 152.00 | A |
| YUCCA SCHIDIGERA | | 10.03 | 1 | 8.84 | A |
| ZINC PHOSPHIDE | | 7.57 | 3 | 42.00 | A |
| ZINC SULFATE | | 13.01 | 73 | 493.30 | A |
| ZIRAM | | 68,877.96 | 809 | 11,782.88 | A |
| Site Total | | 677,047.09 | 18,990 | | |
| **PEANUT** | | | | | |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 0.27 | 2 | 1.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | | 0.04 | 2 | 0.40 | A |
| IMIDACLOPRID | | 0.04 | 2 | 0.80 | A |
| Site Total | | 0.35 | 6 | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| **PEAR** | | | | |
| ABAMECTIN | 21.90 | 15 | 875.50 | A |
| ACETAMIPRID | 124.02 | 17 | 943.94 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.65 | 4 | 27.50 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 20.33 | 8 | 80.10 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 22.86 | 1 | 5.19 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 93.96 | 7 | 175.00 | A |
| BIFENAZATE | 84.75 | 6 | 169.50 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 0.86 | 8 | 80.10 | A |
| BOSCALID | 34.81 | 4 | 130.00 | A |
| BUPROFEZIN | 993.20 | 14 | 735.00 | A |
| CARBARYL | 22.87 | 1 | 11.50 | A |
| CHLORANTRANILIPROLE | 8.36 | 11 | 105.90 | A |
| CLOFENTEZINE | 188.37 | 8 | 802.00 | A |
| COCONUT DIETHANOLAMIDE | 0.26 | 1 | 20.00 | A |
| CODLING MOTH GRANULOSIS VIRUS | < 0.01 | 4 | 29.72 | A |
| COPPER HYDROXIDE | 960.31 | 37 | 1,230.27 | A |
| COPPER OXIDE (OUS) | 261.04 | 7 | 47.00 | A |
| COTTONSEED OIL | 22.59 | 9 | 58.00 | A |
| BETA-CYFLUTHRIN | 0.18 | 2 | 9.00 | A |
| CYPRODINIL | 23.91 | 5 | 128.50 | A |
| 2,4-D, DIMETHYLAMINE SALT | 546.52 | 6 | 260.50 | A |
| DIFLUBENZURON | 42.12 | 9 | 888.00 | A |
| DIMETHYLPOLYSILOXANE | 1.02 | 2 | 10.00 | A |
| E,E-8,10-DODECADIEN-1-OL | 11.73 | 12 | 192.83 | A |
| Z-8-DODECENOL | 0.22 | 8 | 157.93 | A |
| E-8-DODECENYL ACETATE | 1.28 | 8 | 157.93 | A |
| Z-8-DODECENYL ACETATE | 19.93 | 8 | 157.93 | A |
| DODECYLBENZENE SULFONIC ACID | 1.14 | 1 | 20.00 | A |
| EDTA, TETRASODIUM SALT | 0.07 | 1 | 20.00 | A |
| ESFENVALERATE | 2.28 | 8 | 44.80 | A |
| FATTY ACIDS, MIXED | 0.05 | 2 | 10.00 | A |
| FENPROPATHRIN | 11.38 | 4 | 32.00 | A |
| FENPYROXIMATE | 103.09 | 9 | 369.03 | A |
| FLUDIOXONIL | 178.26 | | 41,330.50 | T |
| FOSETYL-AL | 16.00 | 1 | 4.00 | A |
| GLUFOSINATE-AMMONIUM | 58.00 | 4 | 66.40 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 4,487.85 | 44 | 2,209.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.36 | 1 | 0.40 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 0.08 | 1 | 0.40 | A |
| IMIDACLOPRID | 16.75 | 6 | 169.50 | A |
| INDAZIFLAM | 19.35 | 10 | 270.60 | A |
| INDOXACARB | 1.97 | 2 | 17.50 | A |
| ISOPROPYL ALCOHOL | 1.19 | 10 | 78.00 | A |
| LAMBDA-CYHALOTHRIN | 30.74 | 22 | 807.50 | A |
| LAURYL ALCOHOL | 6.29 | 10 | 172.43 | A |
| MANCOZEB | 1,541.25 | 7 | 347.50 | A |
| METHOXYFENOZIDE | 40.53 | 7 | 125.90 | A |
| MINERAL OIL | 48,761.00 | 44 | 1,730.66 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 15.83 | 6 | 78.80 | A |
| MYRISTYL ALCOHOL | 1.28 | 10 | 172.43 | A |
| NAA, AMMONIUM SALT | 8.34 | 8 | 176.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.24 | 2 | 10.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 50.07 | 27 | 208.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | < 0.01 | 1 | 0.40 | A |
| OXYFLUORFEN | 76.65 | 11 | 600.40 | A |
| OXYTETRACYCLINE, CALCIUM COMPLEX | 403.27 | 24 | 2,552.39 | A |
| PARAQUAT DICHLORIDE | 41.94 | 2 | 30.40 | A |
| PENDIMETHALIN | 510.60 | 7 | 159.80 | A |
| PENTHIOPYRAD | 3.64 | 2 | 17.50 | A |
| PETROLEUM OIL, UNCLASSIFIED | 11.19 | 1 | 0.40 | A |
| PHOSMET | 56.00 | 4 | 20.00 | A |
| PHOSPHORIC ACID | 0.22 | 1 | 20.00 | A |
| POTASSIUM PHOSPHITE | 116.50 | 5 | 35.00 | A |
| PYRACLOSTROBIN | 17.68 | 4 | 130.00 | A |
| PYRIPROXYFEN | 1.33 | 4 | 17.50 | A |
| RIMSULFURON | < 0.01 | 1 | 0.40 | A |
| SILICONE DEFOAMER | 0.03 | 1 | 20.00 | A |
| SIMAZINE | 214.38 | 2 | 79.40 | A |
| SODIUM XYLENE SULFONATE | 0.35 | 1 | 20.00 | A |
| SPINETORAM | 5.63 | 5 | 55.50 | A |
| SPIRODICLOFEN | 71.65 | 8 | 279.53 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 2 | 10.00 | A |
| STREPTOMYCIN SULFATE | 541.35 | 72 | 3,877.53 | A |
| TALL OIL FATTY ACIDS | 0.29 | 9 | 80.50 | A |
| TEBUCONAZOLE | 44.55 | 2 | 33.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.33 | 1 | 20.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.17 | 1 | 20.00 | A |
| TRIETHANOLAMINE | 0.45 | 1 | 20.00 | A |
| Site Total | 60,981.65 | 544 | | |
| **PEAS** | | | | |
| DIMETHOATE | 1.26 | 9 | 4.50 | A |
| ESFENVALERATE | 0.01 | 1 | 0.40 | A |
| MALATHION | 0.26 | 1 | 0.50 | A |
| Site Total | 1.52 | 11 | | |
| **PECAN** | | | | |
| ACETAMIPRID | 12.08 | 3 | 68.00 | A |
| ACRYLIC ACID | 3.27 | 2 | 40.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 19.73 | 2 | 36.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.45 | 2 | 15.56 | A |
| CHLORPYRIFOS | 161.61 | 4 | 80.00 | A |
| CLOTHIANIDIN | 4.11 | 2 | 40.00 | A |
| DIMETHYLPOLYSILOXANE | 0.41 | 4 | 102.00 | A |
| ETHYLENE GLYCOL | 10.89 | 2 | 36.00 | A |
| FLUMIOXAZIN | 5.96 | 2 | 15.56 | A |
| GLUFOSINATE-AMMONIUM | 9.41 | 2 | 8.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 168.84 | 8 | 255.56 | A |
| GLYPHOSATE, POTASSIUM SALT | 42.00 | 2 | 36.00 | A |
| HALOSULFURON-METHYL | 2.11 | 3 | 54.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 27.51 | 3 | 54.00 | A |
| IMIDACLOPRID | 47.50 | 8 | 158.25 | A |
| ISOPROPYL ALCOHOL | 8.65 | 7 | 168.00 | A |
| LECITHIN | 25.47 | 2 | 40.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| METHYLATED SOYBEAN OIL | 12.74 | 2 | 40.00 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 12.73 | 2 | 38.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 59.00 | 5 | 132.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 2.87 | 3 | 54.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 12.19 | 2 | 40.00 | A |
| PENDIMETHALIN | 29.47 | 2 | 15.56 | A |
| PHOSPHORIC ACID | 5.68 | 3 | 74.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 0.30 | 2 | 15.56 | A |
| POLYETHYLENE GLYCOL | 25.43 | 2 | 62.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 0.75 | 2 | 15.56 | A |
| PYRIPROXYFEN | 0.30 | 2 | 40.00 | A |
| SPIROTETRAMAT | 6.64 | 5 | 106.00 | A |
| TALL OIL FATTY ACIDS | 2.54 | 3 | 54.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 12.74 | 2 | 40.00 | A |
| VEGETABLE OIL | 142.25 | 2 | 40.00 | A |
| Site Total | 875.63 | 63 | | |
| **PEPPER, FRUITING** | | | | |
| ABAMECTIN | 10.15 | 20 | 743.00 | A |
| ACEPHATE | 290.08 | 6 | 305.72 | A |
| ACETAMIPRID | 31.51 | 13 | 567.00 | A |
| ACRYLIC ACID | 2.55 | 2 | 75.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 31.00 | 2 | 117.98 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 19.85 | 13 | 797.52 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 8.28 | 1 | 42.00 | A |
| ALPHA-ALKYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 60.16 | 2 | 118.00 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 3.31 | 1 | 42.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 217.80 | 12 | 507.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 130.82 | 3 | 149.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 0.07 | 1 | 0.20 | A |
| BIFENAZATE | 3.00 | 1 | 6.00 | A |
| BIFENTHRIN | 32.86 | 8 | 344.36 | A |
| BUTYL ALCOHOL | 15.04 | 2 | 118.00 | A |
| CARFENTRAZONE-ETHYL | 0.99 | 1 | 42.00 | A |
| CHLORANTRANILIPROLE | 29.60 | 12 | 469.00 | A |
| CLETHODIM | 9.69 | 2 | 80.00 | A |
| CLOTHIANIDIN | 0.26 | 2 | 4.00 | A |
| COPPER OXIDE (OUS) | 137.26 | 3 | 142.00 | A |
| CYAZOFAMID | 5.00 | 2 | 70.00 | A |
| CYFLUTHRIN | 39.72 | 13 | 561.00 | A |
| (S)-CYPERMETHRIN | 51.41 | 26 | 1,052.36 | A |
| CYPRODINIL | 12.57 | 9 | 340.00 | A |
| DIETHYLENE GLYCOL | 7.11 | 5 | 198.98 | A |
| DIFENOCONAZOLE | 4.38 | 9 | 340.00 | A |
| DIMETHOATE | 260.48 | 28 | 799.26 | A |
| DIMETHYLPOLYSILOXANE | 0.82 | 24 | 1,071.76 | A |
| DINOTEFURAN | 15.58 | 3 | 118.00 | A |
| DIPHACINONE | < 0.01 | 1 | 76.50 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| EMAMECTIN BENZOATE | | 10.27 | 17 | 812.00 | A |
| ESFENVALERATE | | 0.28 | 3 | 8.00 | A |
| ETHYLENE GLYCOL | | 49.15 | 4 | 349.60 | A |
| ETOXAZOLE | | 12.15 | 2 | 90.00 | A |
| FATTY ACIDS, MIXED | | 16.57 | 12 | 525.98 | A |
| FLONICAMID | | 39.14 | 9 | 453.72 | A |
| FLUBENDIAMIDE | | 33.17 | 12 | 707.72 | A |
| HALOSULFURON-METHYL | | 1.88 | 1 | 40.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | | 0.86 | 2 | 68.00 | A |
| IMIDACLOPRID | | 117.18 | 29 | 889.40 | A |
| | | 0.04 | 2 | 8.00 | U |
| Total Pounds On This Chemical | 117.22 | | | | |
| INDOXACARB | | 10.24 | 3 | 158.00 | A |
| ISOPROPYL ALCOHOL | | 10.87 | 6 | 467.58 | A |
| LAMBDA-CYHALOTHRIN | | 20.02 | 8 | 351.00 | A |
| LECITHIN | | 288.53 | 46 | 2,212.00 | A |
| MEFENOXAM | | 124.13 | 12 | 419.10 | A |
| METHOMYL | | 689.21 | 19 | 1,315.56 | A |
| METHOXYFENOZIDE | | 117.53 | 11 | 461.00 | A |
| METHYLATED SOYBEAN OIL | | 67.21 | 26 | 1,145.00 | A |
| METHYL SILICONE RESINS | | 0.07 | 1 | 75.00 | A |
| S-METOLACHLOR | | 294.11 | 3 | 199.00 | A |
| MINERAL OIL | | 42.60 | 2 | 86.36 | A |
| MYCLOBUTANIL | | 54.48 | 11 | 515.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 0.16 | 2 | 12.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 113.09 | 47 | 2,470.36 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 9.52 | 2 | 75.00 | A |
| NOVALURON | | 9.18 | 3 | 117.00 | A |
| OLEIC ACID, METHYL ESTER | | 44.34 | 3 | 110.00 | A |
| OXAMYL | | 118.52 | 5 | 242.00 | A |
| OXYFLUORFEN | | 5.08 | 1 | 10.00 | A |
| PARAQUAT DICHLORIDE | | 5.91 | 1 | 42.00 | A |
| PENDIMETHALIN | | 231.02 | 4 | 260.98 | A |
| PHOSPHORIC ACID | | 53.50 | 18 | 806.78 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 13.23 | 13 | 797.52 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 33.08 | 13 | 797.52 | A |
| PROPIONIC ACID | | 145.83 | 19 | 1,025.00 | A |
| PROPYLENE GLYCOL | | 0.11 | 1 | 2.00 | A |
| PYMETROZINE | | 16.50 | 5 | 192.00 | A |
| QUINOXYFEN | | 14.41 | 4 | 191.00 | A |
| REYNOUTRIA SACHALINENSIS | | 6.50 | 1 | 74.00 | A |
| SODIUM HYDROXIDE | | 0.04 | 1 | 2.00 | A |
| SPINETORAM | | 66.03 | 17 | 800.72 | A |
| SPINOSAD | | 7.54 | 3 | 37.90 | A |
| SPIROMESIFEN | | 39.94 | 8 | 319.36 | A |
| SPIROTETRAMAT | | 1.87 | 5 | 208.00 | A |
| SULFUR | | 624.00 | 9 | 360.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 0.54 | 1 | 1.00 | A |
| THIAMETHOXAM | | 38.11 | 14 | 730.86 | A |
| TRIFLOXYSTROBIN | | 11.23 | 4 | 191.00 | A |
| TRIFLURALIN | | 29.82 | 1 | 40.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.05 | 2 | 68.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 85.73 | 31 | 1,343.98 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| UREA | 47.24 | 15 | 729.78 | A |
| Site Total | 5,204.15 | 492 | | |
| **PEPPER, SPICE** | | | | |
| THIRAM | 0.25 | | 203.00 | P |
| Site Total | 0.25 | | | |
| **PERSIMMON** | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 2.89 | 25 | 67.84 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 2.41 | 1 | 5.67 | A |
| ALUMINUM PHOSPHIDE | 27.00 | 3 | 108.00 | A |
| AMMONIUM NITRATE | 1.15 | 1 | 5.67 | A |
| AMMONIUM SULFATE | 2.30 | 1 | 5.67 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 1.70 | 1 | 1.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | 1.70 | 1 | 1.00 | A |
| BUPROFEZIN | 21.49 | 5 | 13.50 | A |
| 2-BUTOXYETHANOL | 1.16 | 26 | 68.17 | A |
| CARFENTRAZONE-ETHYL | 0.17 | 1 | 6.00 | A |
| DIMETHYLPOLYSILOXANE | 1.39 | 17 | 135.03 | A |
| DIMETHYL SILICONE FLUID EMULSION | 0.01 | 3 | 5.46 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 681.26 | 64 | 414.36 | A |
| GLYPHOSATE, POTASSIUM SALT | 211.64 | 21 | 129.24 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 33.57 | 3 | 25.50 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 4.21 | 17 | 41.00 | A |
| IMIDACLOPRID | 2.87 | 4 | 24.50 | A |
| ISOPROPYL ALCOHOL | 1.67 | 6 | 66.46 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 1.48 | 29 | 140.17 | A |
| LECITHIN | 31.76 | 10 | 62.90 | A |
| LIMONENE | 23.73 | 26 | 68.17 | A |
| METHYLATED SOYBEAN OIL | 15.88 | 10 | 62.90 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 15.43 | 11 | 48.25 | A |
| NAPROPAMIDE | 1.21 | 1 | 1.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 19.30 | 6 | 66.46 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 3.51 | 3 | 25.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 15.88 | 10 | 62.90 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | < 0.01 | 1 | 0.33 | A |
| OXYFLUORFEN | 23.62 | 34 | 103.62 | A |
| PARAQUAT DICHLORIDE | 8.02 | 15 | 121.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 80.66 | 29 | 140.17 | A |
| POLYETHYLENE GLYCOL | 10.53 | 6 | 66.46 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 1.27 | 3 | 72.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 8.37 | 3 | 72.00 | A |
| PYRAFLUFEN-ETHYL | 0.30 | 16 | 61.15 | A |
| SPIROTETRAMAT | 0.30 | 3 | 17.25 | A |
| TALL OIL FATTY ACIDS | 3.09 | 3 | 25.50 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3.17 | 8 | 48.00 | A |
| Site Total | 1,266.08 | 257 | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| **PISTACHIO** | | | | |
| ABAMECTIN | 10.38 | 13 | 1,212.00 | A |
| ACEPHATE | 1,129.18 | 9 | 1,164.10 | A |
| ACETAMIPRID | 115.26 | 12 | 932.00 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 2.90 | 10 | 238.26 | A |
| ACRYLIC ACID | 138.19 | 47 | 3,528.93 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3,135.97 | 140 | 10,673.77 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 626.45 | 59 | 6,425.32 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 835.31 | 84 | 4,203.08 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 498.72 | 12 | 1,066.34 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 186.65 | 10 | 1,395.12 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 3.29 | 3 | 159.50 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 412.49 | 61 | 3,237.50 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 2,115.21 | 101 | 8,205.97 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 52.06 | 17 | 1,601.00 | A |
| ALUMINUM PHOSPHIDE | 82.61 | 38 | 4,698.70 | A |
| AMMONIUM NITRATE | 192.02 | 34 | 1,786.27 | A |
| AMMONIUM PROPIONATE | 64.98 | 10 | 514.81 | A |
| AMMONIUM SULFATE | 10,733.39 | 281 | 16,595.88 | A |
| ASPERGILLUS FLAVUS STRAIN AF36 | 0.95 | 174 | 20,561.77 | A |
| AZOXYSTROBIN | 43.85 | 8 | 233.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 160.00 | 2 | 160.00 | A |
| BENZOIC ACID | 10.84 | 41 | 1,933.55 | A |
| BIFENTHRIN | 10,489.70 | 462 | 56,918.56 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 2,378.38 | 276 | 18,696.31 | A |
| BOSCALID | 652.00 | 56 | 4,097.45 | A |
| BUPROFEZIN | 1,684.48 | 9 | 1,061.00 | A |
| BUTYL ALCOHOL | 276.80 | 111 | 7,794.62 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 51.97 | 4 | 677.00 | A |
| CALCIUM CHLORIDE | 7.18 | 1 | 171.00 | A |
| CARBARYL | 1,020.50 | 6 | 656.00 | A |
| CARFENTRAZONE-ETHYL | 90.10 | 45 | 5,268.23 | A |
| CHLORANTRANILIPROLE | 4,521.22 | 343 | 47,253.33 | A |
| CHLORINE | 6,800.52 | 41 | 4,698.00 | A |
| CHLOROTHALONIL | 342.23 | 12 | 1,306.00 | A |
| CITRIC ACID | 1,802.21 | 309 | 22,751.72 | A |
| CLETHODIM | 63.67 | 12 | 517.68 | A |
| COCONUT DIETHANOLAMIDE | 15.79 | 8 | 347.50 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 16.19 | 29 | 2,385.00 | A |
| COPPER HYDROXIDE | 102.54 | 9 | 698.00 | A |
| COTTONSEED OIL | 12.71 | 2 | 29.00 | A |
| CYFLUTHRIN | 146.29 | 35 | 3,375.13 | A |
| BETA-CYFLUTHRIN | 175.32 | 91 | 8,657.70 | A |
| (S)-CYPERMETHRIN | 1,002.52 | 25 | 816.00 | A |
| CYPRODINIL | 553.13 | 23 | 2,030.94 | A |
| 2,4-D, DIMETHYLAMINE SALT | 441.29 | 6 | 264.74 | A |
| DIETHYLENE GLYCOL | 850.00 | 52 | 5,980.47 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| DIFENOCONAZOLE | 104.92 | 17 | 1,055.64 | A |
| DIFLUBENZURON | 1.52 | 1 | 8.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 11.81 | 41 | 1,933.55 | A |
| DIMETHYLPOLYSILOXANE | 8,771.35 | 729 | 66,206.96 | A |
| ALPHA-(ORTHO,PARA-DINONYLPHENYL)-OMEGA-HYDROXYPOLYOXY(ETHYLENE) PHOSPHATE | 134.80 | 50 | 1,928.30 | A |
| DIPHACINONE | 0.02 | 4 | 220.00 | A |
| DODECYLBENZENE SULFONIC ACID | 3.71 | 5 | 188.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 14.52 | 5 | 273.00 | A |
| EDTA, TETRASODIUM SALT | 0.23 | 5 | 188.00 | A |
| EMAMECTIN BENZOATE | 26.09 | 13 | 1,768.00 | A |
| ETHYLENE GLYCOL | 1,041.27 | 114 | 5,400.11 | A |
| ETOXAZOLE | 27.14 | 1 | 201.00 | A |
| FATTY ACIDS, MIXED | 1,410.12 | 175 | 16,507.88 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 3,184.27 | 83 | 5,932.97 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 74.66 | 10 | 1,395.12 | A |
| FENPROPATHRIN | 205.11 | 17 | 614.25 | A |
| FENPYROXIMATE | 12.84 | 6 | 127.50 | A |
| FERROUS SULFATE | 84.20 | 29 | 2,385.00 | A |
| FLUAZIFOP-P-BUTYL | 29.08 | 2 | 92.64 | A |
| FLUBENDIAMIDE | 658.46 | 52 | 5,512.79 | A |
| FLUMIOXAZIN | 1,603.87 | 85 | 4,570.98 | A |
| FLUOPYRAM | 592.18 | 80 | 7,321.43 | A |
| FLUXAPYROXAD | 97.30 | 8 | 910.90 | A |
| GLUFOSINATE-AMMONIUM | 866.64 | 22 | 880.98 | A |
| GLYCEROL | 104.57 | 29 | 1,560.73 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 28,659.38 | 264 | 13,836.38 | A |
| GLYPHOSATE, MONOAMMONIUM SALT | 21.14 | 4 | 255.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 133,299.65 | 981 | 60,415.59 | A |
| HALOSULFURON-METHYL | 37.33 | 5 | 796.25 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 3.80 | 2 | 40.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 6.74 | 8 | 213.05 | A |
| (Z,Z)-11,13-HEXADECADIENAL | 26.66 | 14 | 1,613.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 204.87 | 8 | 140.70 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 5,955.79 | 279 | 47,657.72 | A |
| IMIDACLOPRID | 2,057.10 | 60 | 9,319.50 | A |
| INDAZIFLAM | 310.48 | 110 | 5,744.13 | A |
| ISOPROPYL ALCOHOL | 1,481.15 | 216 | 12,774.89 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 12.13 | 20 | 1,831.81 | A |
| ISOXABEN | 741.69 | 22 | 1,335.03 | A |
| KEROSENE | 14.55 | 35 | 1,349.05 | A |
| LAMBDA-CYHALOTHRIN | 2,851.59 | 529 | 74,039.08 | A |
| LAURIC ACID | 2.99 | 3 | 159.50 | A |
| LECITHIN | 5,100.84 | 225 | 15,751.27 | A |
| MAGNESIUM SULFATE | 0.28 | 1 | 40.00 | A |
| MANGANESE SULFATE | 116.58 | 29 | 2,385.00 | A |
| METCONAZOLE | 262.78 | 33 | 2,133.70 | A |
| METHOXYFENOZIDE | 11,812.51 | 279 | 37,461.06 | A |
| METHYLATED SOYBEAN OIL | 13,684.95 | 324 | 22,028.97 | A |
| METHYL ESTERS OF COTTONSEED OIL | 5,767.77 | 74 | 3,408.00 | A |
| METHYL SILICONE RESINS | 84.49 | 7 | 545.16 | A |
| MINERAL OIL | 145,723.50 | 93 | 9,469.18 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 5,523.84 | 324 | 42,718.15 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 1,592.94 | 139 | 11,870.44 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7,069.53 | 564 | 44,134.95 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 30.64 | 21 | 921.70 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 2,968.51 | 179 | 12,763.20 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 2.02 | 1 | 2.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | 0.04 | 1 | 79.40 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.23 | 1 | 40.00 | A |
| OLEIC ACID, METHYL ESTER | 2,979.73 | 36 | 2,314.78 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 16.64 | 5 | 320.47 | A |
| ORYZALIN | 14,689.11 | 75 | 3,878.31 | A |
| OXYFLUORFEN | 22,300.93 | 574 | 33,236.91 | A |
| PARAQUAT DICHLORIDE | 3,518.69 | 112 | 6,031.93 | A |
| PENDIMETHALIN | 21,344.85 | 119 | 7,271.14 | A |
| PENOXSULAM | 110.44 | 83 | 3,960.31 | A |
| PENTHIOPYRAD | 1,331.23 | 89 | 5,955.35 | A |
| PERMETHRIN | 1,516.10 | 48 | 5,543.30 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | 0.17 | 10 | 238.26 | A |
| PETROLEUM NAPHTHENIC OILS | 2.03 | 10 | 238.26 | A |
| PETROLEUM OIL, PARAFFIN BASED | 9,599.29 | 81 | 3,777.14 | A |
| PETROLEUM OIL, UNCLASSIFIED | 333,762.18 | 58 | 8,195.20 | A |
| PHOSPHORIC ACID | 2,563.42 | 443 | 31,366.43 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 374.93 | 133 | 8,335.11 | A |
| POLYACRYLAMIDE POLYMER | 20.68 | 49 | 3,281.54 | A |
| POLYACRYLIC POLYMER | 4.72 | 21 | 1,473.10 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 200.78 | 74 | 6,586.23 | A |
| POLYBUTENES | 568.62 | 83 | 5,932.97 | A |
| POLYETHER MODIFIED POLYSILOXANE | 1,482.77 | 80 | 9,247.00 | A |
| POLYETHYLENE GLYCOL | 391.58 | 47 | 2,700.94 | A |
| POLYETHYLENE GLYCOL DIACETATE | 4.73 | 17 | 1,601.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 9.72 | 2 | 60.00 | A |
| POLY-I-PARA-MENTHENE | 34.87 | 4 | 98.00 | A |
| POLYMERIZED PINENE | 257.69 | 5 | 273.00 | A |
| POLYOXIN D, ZINC SALT | 6.31 | 5 | 144.00 | A |
| POLYOXYETHYLENE DIOLEATE | 0.35 | 5 | 320.47 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 569.81 | 69 | 5,629.20 | A |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | 43.93 | 2 | 142.00 | A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | 1.40 | 1 | 79.40 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 48.50 | 20 | 1,831.81 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 319.22 | 20 | 1,831.81 | A |
| POLYSORBATE 65 | 1.67 | 1 | 20.00 | A |
| POTASSIUM HYDROXIDE | 130.76 | 75 | 7,690.16 | A |
| POTASSIUM NITRATE | 120.75 | 46 | 6,129.43 | A |
| PROPICONAZOLE | 12.98 | 3 | 55.00 | A |
| PROPIONIC ACID | 636.48 | 81 | 5,392.41 | A |
| PROPYLENE GLYCOL | 638.01 | 111 | 8,648.47 | A |
| PYRACLOSTROBIN | 428.48 | 64 | 5,008.35 | A |
| PYRAFLUFEN-ETHYL | 9.44 | 51 | 3,284.78 | A |
| PYRETHRINS | 4.38 | 1 | 80.00 | A |
| PYRIMETHANIL | 362.97 | 16 | 1,078.50 | A |
| PYRIPROXYFEN | 19.34 | 35 | 2,492.10 | A |
| RIMSULFURON | 392.82 | 141 | 7,622.03 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| SAFLUFENACIL | 506.83 | 229 | 12,740.64 | A |
| SETHOXYDIM | 66.87 | 5 | 234.26 | A |
| SILICONE DEFOAMER | 0.10 | 5 | 188.00 | A |
| SODIUM POLYACRYLATE | 22.54 | 39 | 2,075.54 | A |
| SODIUM XYLENE SULFONATE | 1.14 | 5 | 188.00 | A |
| SORBITAN FATTY ACID ESTERS | 0.31 | 1 | 79.40 | A |
| SORBITAN TRIOLEATE | 1.67 | 1 | 20.00 | A |
| SPINETORAM | 885.32 | 92 | 9,329.22 | A |
| SPINOSAD | 24.83 | 2 | 160.00 | A |
| SPIROTETRAMAT | 52.15 | 36 | 2,577.92 | A |
| STYRENE BUTADIENE COPOLYMER | 24.51 | 6 | 281.00 | A |
| SULFENTRAZONE | 77.24 | 7 | 238.90 | A |
| SULFUR | 239,677.54 | 385 | 60,771.34 | A |
| SULFURIC ACID | 241.97 | 102 | 8,207.97 | A |
| TALL OIL FATTY ACIDS | 579.44 | 146 | 6,122.38 | A |
| TEBUCONAZOLE | 370.20 | 59 | 4,929.93 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.35 | 5 | 188.00 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | 0.08 | 1 | 40.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.57 | 5 | 188.00 | A |
| THIOPHANATE-METHYL | 642.02 | 20 | 1,815.50 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 250.96 | 29 | 1,560.73 | A |
| TRIETHANOLAMINE | 1.46 | 5 | 188.00 | A |
| TRIFLOXYSTROBIN | 231.94 | 24 | 2,485.50 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.64 | 2 | 40.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 2,243.59 | 86 | 6,819.16 | A |
| UREA | 560.53 | 50 | 5,169.74 | A |
| UREA DIHYDROGEN SULFATE | 150.58 | 29 | 1,560.73 | A |
| VEGETABLE OIL | 746.66 | 4 | 444.00 | A |
| VINYL POLYMER | 41.89 | 48 | 3,943.94 | A |
| XANTHAN GUM | 0.16 | 13 | 781.00 | A |
| YUCCA SCHIDIGERA | 206.75 | 2 | 160.00 | A |
| ZINC PHOSPHIDE | 81.57 | 82 | 8,722.80 | A |
| ZINC SULFATE | 238.35 | 39 | 3,166.00 | A |
| Site Total | 1,117,308.82 | 9,373 | | |
| **PLUM** | | | | |
| ABAMECTIN | 45.77 | 202 | 2,233.05 | A |
| ACETAMIPRID | 44.27 | 21 | 302.97 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 0.04 | 1 | 29.00 | A |
| ACRYLIC ACID | 32.81 | 16 | 276.90 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 519.13 | 235 | 1,607.44 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 2.88 | 71 | 118.91 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 60.82 | 71 | 461.90 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 416.19 | 67 | 1,054.88 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | 1.27 | 2 | 28.50 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 13.11 | 4 | 38.41 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 26.54 | 18 | 108.76 | A |
| AMMONIUM NITRATE | 2.95 | 1 | 29.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| AMMONIUM SULFATE | 91.41 | 13 | 207.92 | A |
| AZADIRACHTIN | 0.28 | 1 | 10.00 | A |
| AZOXYSTROBIN | 44.32 | 51 | 206.38 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 492.20 | 82 | 824.81 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | 2.99 | 1 | 29.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 87.52 | 20 | 130.21 | A |
| BIFENAZATE | 47.13 | 9 | 94.28 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 138.46 | 262 | 2,834.64 | A |
| BOSCALID | 262.31 | 124 | 1,419.19 | A |
| BUPROFEZIN | 1,957.07 | 52 | 1,391.02 | A |
| 2-BUTOXYETHANOL | 1.15 | 71 | 118.91 | A |
| BUTYL ALCOHOL | 0.28 | 8 | 44.00 | A |
| CARFENTRAZONE-ETHYL | 3.36 | 24 | 204.16 | A |
| CHLORANTRANILIPROLE | 244.26 | 213 | 2,770.31 | A |
| CHLOROTHALONIL | 244.87 | 14 | 81.59 | A |
| CHLORPYRIFOS | 200.90 | 15 | 176.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 21.24 | 3 | 23.50 | A |
| CITRIC ACID | 36.47 | 12 | 178.92 | A |
| CLOFENTEZINE | 5.15 | 2 | 20.00 | A |
| COCONUT DIETHANOLAMIDE | 6.68 | 9 | 100.00 | A |
| CODLING MOTH GRANULOSIS VIRUS | < 0.01 | 6 | 9.00 | A |
| COPPER HYDROXIDE | 2,617.36 | 109 | 987.45 | A |
| COPPER OXIDE (OUS) | 1,504.25 | 46 | 248.06 | A |
| COPPER OXYCHLORIDE | 101.71 | 4 | 102.50 | A |
| COPPER SULFATE (BASIC) | 47.17 | 1 | 10.00 | A |
| COTTONSEED OIL | 81.20 | 34 | 203.66 | A |
| CYFLUTHRIN | 0.31 | 1 | 7.00 | A |
| BETA-CYFLUTHRIN | 2.70 | 16 | 180.50 | A |
| CYPRODINIL | 48.94 | 23 | 205.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 1,776.67 | 198 | 1,469.12 | A |
| DIAZINON | 65.70 | 3 | 33.00 | A |
| DIETHYLENE GLYCOL | 46.49 | 29 | 412.34 | A |
| DIFLUBENZURON | 615.27 | 155 | 3,455.91 | A |
| DIMETHYLPOLYSILOXANE | 133.09 | 293 | 2,504.57 | A |
| DIMETHYL SILICONE FLUID EMULSION | 0.17 | 33 | 57.89 | A |
| E,E-8,10-DODECADIEN-1-OL | 27.57 | 22 | 184.00 | A |
| Z-8-DODECENOL | 3.16 | 183 | 2,517.76 | A |
| E-8-DODECENYL ACETATE | 18.12 | 183 | 2,517.76 | A |
| Z-8-DODECENYL ACETATE | 281.70 | 183 | 2,517.76 | A |
| DODECYLBENZENE SULFONIC ACID | 4.01 | 7 | 71.50 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.12 | 2 | 3.00 | A |
| EDTA, TETRASODIUM SALT | 0.25 | 7 | 71.50 | A |
| ESFENVALERATE | 264.25 | 488 | 5,053.65 | A |
| ETOXAZOLE | 2.16 | 3 | 16.50 | A |
| FATTY ACIDS, MIXED | 33.97 | 46 | 454.27 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 427.56 | 177 | 1,671.00 | A |
| FENBUCONAZOLE | 7.45 | 6 | 76.70 | A |
| FENPROPATHRIN | 28.40 | 8 | 98.63 | A |
| FENPYROXIMATE | 56.58 | 48 | 563.55 | A |
| FLUBENDIAMIDE | 45.92 | 43 | 405.10 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FLUDIOXONIL | 39.59 | | 38,482.27 | T |
| FLUMIOXAZIN | 22.19 | 29 | 116.08 | A |
| FLUXAPYROXAD | 0.45 | 1 | 5.00 | A |
| FOSETYL-AL | 25.60 | 3 | 35.73 | A |
| GIBBERELLINS | 0.04 | 1 | 1.00 | A |
| GLUFOSINATE-AMMONIUM | 50.34 | 11 | 70.04 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 10,393.78 | 673 | 5,361.60 | A |
| GLYPHOSATE, POTASSIUM SALT | 2,798.44 | 278 | 2,021.18 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 1.53 | 11 | 50.58 | A |
| HEXYTHIAZOX | 296.38 | 95 | 1,623.98 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 143.98 | 35 | 190.07 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 47.95 | 109 | 304.00 | A |
| IMIDACLOPRID | 47.60 | 49 | 470.87 | A |
| INDAZIFLAM | 50.68 | 172 | 1,006.61 | A |
| INDOXACARB | 1.93 | 2 | 17.19 | A |
| IPRODIONE | 728.90 | 179 | 1,198.79 | A |
| ISOPROPYL ALCOHOL | 62.60 | 412 | 2,548.81 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 10.83 | 167 | 787.81 | A |
| ISOXABEN | 52.88 | 7 | 94.50 | A |
| KAOLIN | 8,045.08 | 45 | 282.95 | A |
| LAMBDA-CYHALOTHRIN | 90.99 | 123 | 2,392.28 | A |
| LAURIC ACID | 1.15 | 2 | 28.50 | A |
| LAURYL ALCOHOL | 0.04 | 1 | 1.50 | A |
| LECITHIN | 159.52 | 52 | 528.05 | A |
| LIGNIN SULFONIC ACID, ZINC SALT | 19.52 | 1 | 6.50 | A |
| LIMONENE | 23.58 | 71 | 118.91 | A |
| METCONAZOLE | 3.38 | 1 | 27.00 | A |
| METHOXYFENOZIDE | 463.28 | 166 | 1,953.61 | A |
| METHYLATED SOYBEAN OIL | 150.43 | 59 | 530.56 | A |
| METHYL BROMIDE | 84.30 | | 78.00 | T |
| METHYL ESTERS OF COTTONSEED OIL | 97.64 | 4 | 53.80 | A |
| MINERAL OIL | 124,080.69 | 569 | 5,983.39 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 966.08 | 336 | 4,128.95 | A |
| MYCLOBUTANIL | 48.58 | 25 | 304.24 | A |
| MYRISTYL ALCOHOL | < 0.01 | 1 | 1.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 147.87 | 191 | 1,733.93 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 645.25 | 363 | 2,217.81 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 15.15 | 36 | 196.07 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 213.44 | 63 | 806.28 | A |
| OLEIC ACID, METHYL ESTER | 4.31 | 1 | 10.54 | A |
| ORYZALIN | 537.07 | 20 | 174.06 | A |
| OXYFLUORFEN | 502.94 | 272 | 1,696.87 | A |
| PARAQUAT DICHLORIDE | 1,017.33 | 185 | 1,396.70 | A |
| PENDIMETHALIN | 4,899.20 | 147 | 1,582.20 | A |
| PENTHIOPYRAD | 34.93 | 20 | 164.90 | A |
| PETROLEUM OIL, PARAFFIN BASED | 14,307.00 | 205 | 1,215.81 | A |
| PETROLEUM OIL, UNCLASSIFIED | 30,238.40 | 160 | 1,841.76 | A |
| PHOSMET | 3,519.21 | 37 | 1,302.77 | A |
| PHOSPHORIC ACID | 77.66 | 86 | 921.17 | A |
| BETA-PINENE POLYMER | 11.87 | 6 | 32.50 | A |
| POLYBUTENES | 76.35 | 177 | 1,671.00 | A |
| POLYETHYLENE GLYCOL | 134.38 | 135 | 642.91 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| POLY-I-PARA-MENTHENE | | 1.89 | 6 | 9.50 | A |
| POLYMERIZED PINENE | | 2.08 | 2 | 3.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 38.71 | 96 | 668.90 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 254.49 | 96 | 668.90 | A |
| POTASSIUM BICARBONATE | | 204.06 | 7 | 83.03 | A |
| POTASSIUM PHOSPHITE | | 10.43 | 1 | 3.00 | A |
| PROPICONAZOLE | | 532.76 | 434 | 4,710.86 | A |
| | | 3.42 | | 6,215.46 | T |
| Total Pounds On This Chemical | 536.18 | | | | |
| PROPIONIC ACID | | 15.10 | 6 | 52.00 | A |
| PROPYLENE GLYCOL | | 68.84 | 85 | 1,001.26 | A |
| PYRACLOSTROBIN | | 133.69 | 125 | 1,424.19 | A |
| PYRAFLUFEN-ETHYL | | 4.58 | 112 | 807.14 | A |
| PYRETHRINS | | 0.59 | 2 | 11.00 | A |
| PYRIMETHANIL | | 0.74 | 1 | 3.40 | A |
| PYRIPROXYFEN | | 292.90 | 282 | 3,134.66 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 22.42 | 17 | 54.91 | A |
| QUINOXYFEN | | 11.05 | 8 | 101.20 | A |
| REYNOUTRIA SACHALINENSIS | | 15.55 | 15 | 59.03 | A |
| RIMSULFURON | | 98.87 | 232 | 1,794.39 | A |
| SILICONE DEFOAMER | | 0.10 | 7 | 71.50 | A |
| SODIUM HYPOCHLORITE | | 104.33 | | 3,325.00 | T |
| SODIUM XYLENE SULFONATE | | 1.24 | 7 | 71.50 | A |
| SPINETORAM | | 87.92 | 77 | 860.88 | A |
| SPINOSAD | | 9.44 | 9 | 57.89 | A |
| SPIRODICLOFEN | | 174.73 | 57 | 666.79 | A |
| SPIROTETRAMAT | | 9.03 | 30 | 294.49 | A |
| STYRENE BUTADIENE COPOLYMER | | 51.89 | 65 | 864.00 | A |
| SULFUR | | 13,267.76 | 219 | 2,799.90 | A |
| SULFURIC ACID | | 3.03 | 18 | 108.76 | A |
| TALL OIL | | 0.02 | 1 | 0.50 | A |
| TALL OIL FATTY ACIDS | | 22.66 | 115 | 1,316.07 | A |
| TEBUCONAZOLE | | 37.27 | 11 | 178.20 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 4.71 | 7 | 71.50 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.62 | 7 | 71.50 | A |
| THIOPHANATE-METHYL | | 337.47 | 28 | 329.93 | A |
| TRIETHANOLAMINE | | 1.57 | 7 | 71.50 | A |
| TRIFLOXYSTROBIN | | 12.51 | 15 | 121.15 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 108.20 | 92 | 1,213.88 | A |
| VEGETABLE OIL | | 124.47 | 2 | 14.00 | A |
| XANTHAN GUM | | < 0.01 | 1 | 6.00 | A |
| ZINC PHOSPHIDE | | 11.34 | 1 | 3.00 | A |
| ZINC SULFATE | | 9.28 | 46 | 362.10 | A |
| ZIRAM | | 133.18 | 7 | 21.78 | A |
| Site Total | | 234,913.28 | 8,848 | | |
| **PLUOT** | | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.58 | 1 | 4.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 0.31 | 1 | 4.00 | A |
| Z-8-DODECENOL | | < 0.01 | 1 | 4.00 | A |
| E-8-DODECENYL ACETATE | | 0.05 | 1 | 4.00 | A |
| Z-8-DODECENYL ACETATE | | 0.75 | 1 | 4.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ESFENVALERATE | 0.20 | 1 | 4.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 1.15 | 1 | 4.00 | A |
| METHOXYFENOZIDE | 1.13 | 1 | 4.00 | A |
| MINERAL OIL | 111.30 | 1 | 4.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.39 | 1 | 4.00 | A |
| POLYBUTENES | 0.21 | 1 | 4.00 | A |
| PYRETHRINS | 0.13 | 1 | 4.00 | A |
| REYNOUTRIA SACHALINENSIS | 1.73 | 2 | 8.00 | A |
| SULFUR | 25.60 | 1 | 4.00 | A |
| Site Total | 143.54 | 10 | | |
| **POMEGRANATE** | | | | |
| ACRYLIC ACID | 3.60 | 2 | 11.21 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 35.14 | 1 | 50.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 93.76 | 14 | 799.50 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3.15 | 2 | 11.21 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 207.50 | 10 | 1,111.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 19.51 | 5 | 133.87 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 49.27 | 7 | 234.59 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 1.83 | 2 | 320.00 | A |
| AMMONIUM NITRATE | 9.27 | 4 | 91.20 | A |
| AMMONIUM PROPIONATE | 7.54 | 1 | 76.20 | A |
| AMMONIUM SULFATE | 40.26 | 7 | 268.40 | A |
| AZADIRACHTIN | 0.18 | 1 | 8.30 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 79.08 | 4 | 131.10 | A |
| BENZOIC ACID | 0.26 | 2 | 96.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 29.02 | 11 | 458.66 | A |
| BUPROFEZIN | 1,165.79 | 14 | 772.30 | A |
| BUTYL ALCOHOL | 5.36 | 4 | 188.62 | A |
| CARFENTRAZONE-ETHYL | 37.20 | 27 | 1,062.32 | A |
| CHLORANTRANILIPROLE | 152.42 | 44 | 1,676.45 | A |
| CITRIC ACID | 95.88 | 8 | 454.87 | A |
| CLOTHIANIDIN | 103.81 | 18 | 1,018.05 | A |
| COCONUT DIETHANOLAMIDE | 0.34 | 1 | 4.00 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 2.46 | 6 | 510.40 | A |
| COTTONSEED OIL | 75.60 | 3 | 194.40 | A |
| DIETHYLENE GLYCOL | 350.53 | 22 | 1,071.20 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.29 | 2 | 96.00 | A |
| DIMETHYLPOLYSILOXANE | 12.00 | 114 | 3,490.69 | A |
| DODECYLBENZENE SULFONIC ACID | 1.49 | 1 | 4.00 | A |
| EDTA, TETRASODIUM SALT | 0.09 | 1 | 4.00 | A |
| FATTY ACIDS, MIXED | 202.33 | 20 | 1,041.20 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 69.13 | 3 | 181.40 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 83.00 | 10 | 1,111.00 | A |
| FERROUS SULFATE | 12.78 | 6 | 510.40 | A |
| FLUAZIFOP-P-BUTYL | 3.39 | 1 | 9.00 | A |
| FLUDIOXONIL | 44.01 | | 39,677.81 | T |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FLUMIOXAZIN | 114.80 | 13 | 340.14 | A |
| GLYCEROL | 0.25 | 1 | 42.67 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,899.31 | 54 | 1,009.04 | A |
| GLYPHOSATE, POTASSIUM SALT | 644.88 | 13 | 361.70 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.07 | 2 | 2.66 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 92.11 | 12 | 93.80 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 102.31 | 4 | 420.00 | A |
| IMIDACLOPRID | 769.57 | 69 | 2,656.54 | A |
| ISOPROPYL ALCOHOL | 53.08 | 77 | 1,995.10 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.53 | 3 | 116.00 | A |
| KAOLIN | 20,826.38 | 13 | 543.60 | A |
| KEROSENE | 0.51 | 2 | 96.00 | A |
| LECITHIN | 72.65 | 7 | 291.21 | A |
| MANGANESE SULFATE | 17.69 | 6 | 510.40 | A |
| METHOMYL | 583.76 | 8 | 726.80 | A |
| METHOXYFENOZIDE | 147.83 | 12 | 527.00 | A |
| METHYLATED SOYBEAN OIL | 189.76 | 8 | 225.13 | A |
| METHYL ESTERS OF COTTONSEED OIL | 13.41 | 1 | 9.00 | A |
| MINERAL OIL | 192.10 | 8 | 357.90 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 116.41 | 47 | 523.30 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 23.45 | 3 | 181.40 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,242.88 | 126 | 4,975.02 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 10.20 | 15 | 156.40 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 18.92 | 3 | 87.41 | A |
| OLEIC ACID | 4.54 | 1 | 27.00 | A |
| OLEIC ACID, METHYL ESTER | 924.35 | 4 | 331.21 | A |
| ORCHEX 796 OIL | 31.26 | 1 | 27.00 | A |
| ORYZALIN | 186.83 | 14 | 81.37 | A |
| OXYFLUORFEN | 519.55 | 22 | 622.49 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 6.56 | 2 | 32.80 | A |
| PARAQUAT DICHLORIDE | 57.92 | 18 | 378.30 | A |
| PENDIMETHALIN | 1,277.38 | 14 | 439.50 | A |
| PETROLEUM OIL, PARAFFIN BASED | 86.43 | 3 | 116.00 | A |
| PHOSPHORIC ACID | 125.39 | 16 | 806.88 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 1.58 | 6 | 272.43 | A |
| POLYACRYLAMIDE POLYMER | 0.86 | 1 | 16.50 | A |
| POLYACRYLIC POLYMER | 0.56 | 2 | 101.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 46.74 | 1 | 50.00 | A |
| POLYBUTENES | 12.34 | 3 | 181.40 | A |
| POLYETHER MODIFIED POLYSILOXANE | 35.32 | 7 | 517.00 | A |
| POLYETHYLENE GLYCOL | 253.57 | 71 | 1,725.27 | A |
| POLYETHYLENE GLYCOL DIACETATE | 0.17 | 2 | 320.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 105.39 | 9 | 627.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 2.12 | 3 | 116.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 13.98 | 3 | 116.00 | A |
| POTASSIUM HYDROXIDE | 3.69 | 5 | 277.67 | A |
| POTASSIUM NITRATE | 34.29 | 4 | 235.00 | A |
| PROPIONIC ACID | 69.50 | 5 | 280.00 | A |
| PROPYLENE GLYCOL | 28.11 | 9 | 334.59 | A |
| PYRAFLUFEN-ETHYL | 1.17 | 11 | 249.04 | A |
| PYRETHRINS | 0.64 | 4 | 20.30 | A |
| REYNOUTRIA SACHALINENSIS | 6.94 | 1 | 32.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| SILICONE DEFOAMER | 0.04 | 1 | 4.00 | A |
| SODIUM HYPOCHLORITE | 6,397.44 | | 67,394.00 | T |
| SODIUM POLYACRYLATE | 0.24 | 2 | 118.87 | A |
| SODIUM XYLENE SULFONATE | 0.46 | 1 | 4.00 | A |
| SPINETORAM | 26.98 | 14 | 390.50 | A |
| SPINOSAD | 12.39 | 2 | 133.00 | A |
| SPIROTETRAMAT | 57.63 | 5 | 403.50 | A |
| SULFUR | 69,359.03 | 94 | 4,835.43 | A |
| SULFURIC ACID | 5.63 | 7 | 234.59 | A |
| TALL OIL FATTY ACIDS | 48.89 | 22 | 475.86 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.75 | 1 | 4.00 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | 1.24 | 1 | 4.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.23 | 1 | 4.00 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 0.60 | 1 | 42.67 | A |
| TRIETHANOLAMINE | 0.59 | 1 | 4.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 292.03 | 16 | 801.20 | A |
| UREA DIHYDROGEN SULFATE | 0.36 | 1 | 42.67 | A |
| VEGETABLE OIL | 84.50 | 1 | 95.00 | A |
| VINYL POLYMER | 0.17 | 1 | 34.80 | A |
| XANTHAN GUM | < 0.01 | 3 | 62.60 | A |
| ZINC SULFATE | 36.69 | 7 | 585.40 | A |
| Site Total | 110,294.21 | 756 | | |
| **POMELO** | | | | |
| ABAMECTIN | 0.15 | 1 | 6.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.03 | 1 | 0.50 | A |
| CALCIUM HYDROXIDE | 168.57 | 1 | 10.00 | A |
| CHLORPYRIFOS | 0.48 | 1 | 6.00 | A |
| COPPER HYDROXIDE | 30.80 | 1 | 10.00 | A |
| CYFLUTHRIN | 0.83 | 2 | 16.00 | A |
| (S)-CYPERMETHRIN | 0.30 | 1 | 6.00 | A |
| FENPYROXIMATE | 0.05 | 1 | 0.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 33.44 | 2 | 15.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 91.03 | 4 | 24.00 | A |
| IMIDACLOPRID | 2.95 | 1 | 6.00 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.07 | 2 | 15.00 | A |
| METHOXYFENOZIDE | 1.69 | 1 | 6.00 | A |
| MINERAL OIL | 198.25 | 3 | 18.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 10.95 | 2 | 15.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.27 | 2 | 15.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 1.77 | 2 | 15.00 | A |
| PROPYLENE GLYCOL | 0.41 | 1 | 10.00 | A |
| RIMSULFURON | 0.63 | 1 | 10.00 | A |
| SPIROTETRAMAT | 0.11 | 1 | 6.00 | A |
| STYRENE BUTADIENE COPOLYMER | 0.36 | 1 | 10.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.41 | 1 | 10.00 | A |
| Site Total | 543.55 | 25 | | |
| **PRUNE** | | | | |
| ABAMECTIN | 3.60 | 1 | 143.00 | A |
| ACETAMIPRID | 1.52 | 1 | 18.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.02 | 1 | 2.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 81.25 | 9 | 440.58 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 16.21 | 5 | 47.65 | A |
| AMMONIUM NITRATE | 9.40 | 7 | 100.00 | A |
| AMMONIUM SULFATE | 63.67 | 9 | 135.40 | A |
| BIFENAZATE | 19.50 | 2 | 39.00 | A |
| BUTYL ALCOHOL | 22.34 | 3 | 172.00 | A |
| CALCIUM CHLORIDE | 5.83 | 1 | 37.00 | A |
| CAPTAN | 459.10 | 2 | 162.00 | A |
| CAPTAN, OTHER RELATED | 0.90 | 1 | 20.00 | A |
| CARFENTRAZONE-ETHYL | 0.99 | 3 | 34.65 | A |
| CHLORANTRANILIPROLE | 7.68 | 1 | 78.00 | A |
| CHLOROTHALONIL | 661.10 | 4 | 220.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 54.00 | 3 | 60.00 | A |
| CITRIC ACID | 27.91 | 4 | 90.40 | A |
| COPPER OXIDE (OUS) | 483.91 | 1 | 143.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 64.22 | 3 | 41.16 | A |
| DIETHYLENE GLYCOL | 36.35 | 22 | 692.80 | A |
| DIMETHYLPOLYSILOXANE | 5.11 | 50 | 1,555.61 | A |
| ESFENVALERATE | 14.96 | 5 | 213.00 | A |
| FATTY ACIDS, MIXED | 64.74 | 22 | 692.80 | A |
| FENPYROXIMATE | 3.55 | 3 | 38.00 | A |
| FLUMIOXAZIN | 23.56 | 5 | 61.60 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 599.89 | 11 | 331.25 | A |
| GLYPHOSATE, POTASSIUM SALT | 768.17 | 20 | 285.07 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 0.21 | 1 | 1.12 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 0.40 | 1 | 2.00 | A |
| IMIDACLOPRID | 40.46 | 15 | 414.36 | A |
| INDAZIFLAM | 3.83 | 4 | 61.52 | A |
| IPRODIONE | 18.49 | 1 | 37.00 | A |
| ISOPROPYL ALCOHOL | 37.69 | 19 | 480.66 | A |
| LAMBDA-CYHALOTHRIN | 5.64 | 1 | 143.00 | A |
| LECITHIN | 23.44 | 4 | 78.50 | A |
| METHOXYFENOZIDE | 59.75 | 9 | 231.00 | A |
| METHYLATED SOYBEAN OIL | 117.84 | 5 | 120.17 | A |
| MINERAL OIL | 3,288.24 | 9 | 294.13 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 1.86 | 5 | 7.36 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 690.61 | 48 | 1,435.03 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.02 | 1 | 1.12 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 10.58 | 2 | 58.50 | A |
| NORFLURAZON | 23.58 | 1 | 10.00 | A |
| OXYFLUORFEN | 141.18 | 18 | 437.32 | A |
| PARAQUAT DICHLORIDE | 130.31 | 8 | 132.18 | A |
| PENDIMETHALIN | 256.06 | 6 | 71.60 | A |
| PETROLEUM OIL, UNCLASSIFIED | 69.93 | 1 | 2.00 | A |
| PHOSPHORIC ACID | 38.69 | 5 | 76.40 | A |
| POLYACRYLIC POLYMER | 0.18 | 2 | 35.40 | A |
| POLYETHER MODIFIED POLYSILOXANE | 30.38 | 4 | 219.00 | A |
| POLYETHYLENE GLYCOL | 176.51 | 17 | 441.66 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 20.91 | 1 | 142.00 | A |
| POTASSIUM HYDROXIDE | 0.45 | 1 | 18.00 | A |
| POTASSIUM NITRATE | 4.32 | 1 | 18.00 | A |
| PROPICONAZOLE | 18.87 | 3 | 161.50 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PROPYLENE GLYCOL | 13.80 | 3 | 128.00 | A |
| PYRAFLUFEN-ETHYL | 0.74 | 8 | 164.68 | A |
| PYRETHRINS | 0.32 | 1 | 20.00 | A |
| PYRIPROXYFEN | 14.08 | 1 | 143.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 2.28 | 1 | 20.00 | A |
| RIMSULFURON | 4.52 | 7 | 95.12 | A |
| SPIRODICLOFEN | 76.49 | 2 | 268.00 | A |
| SPIROTETRAMAT | 3.00 | 6 | 177.00 | A |
| STYRENE BUTADIENE COPOLYMER | 12.07 | 3 | 128.00 | A |
| TALL OIL FATTY ACIDS | 1.43 | 4 | 49.02 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 109.65 | 27 | 840.80 | A |
| Site Total | 8,948.31 | 245 | | |
| **PUBLIC HEALTH** | | | | |
| BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362 | 331.87 | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENSIS, SEROTYPE H-14 | 255.25 | | | |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENSIS, STRAIN AM 65-52 | 1,712.79 | | | |
| BIFENTHRIN | 0.12 | | | |
| BORIC ACID | 1,920.00 | | | |
| DELTAMETHRIN | 5.10 | | | |
| DIURON | 3.20 | | | |
| FORMALDEHYDE | 105.85 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 32.28 | | | |
| GLYPHOSATE, POTASSIUM SALT | 1.03 | | | |
| ALPHA-ISOOCTADECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 20.85 | | | |
| MALATHION | 232.13 | | | |
| METHOPRENE | 19.67 | | | |
| S-METHOPRENE | 37.28 | | | |
| MINERAL OIL | 1,933.06 | | | |
| OXYFLUORFEN | 1.99 | | | |
| PERMETHRIN | 5.68 | | | |
| PETROLEUM DISTILLATES, REFINED | 29,894.07 | | | |
| PHENOTHRIN | 15.40 | | | |
| PIPERONYL BUTOXIDE | 201.79 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 35.98 | | | |
| PRALLETHRIN | 3.08 | | | |
| PYRETHRINS | 38.68 | | | |
| RESMETHRIN | 2.02 | | | |
| SPINOSAD | 548.30 | | | |
| TEMEPHOS | 7.70 | | | |
| Site Total | 37,365.16 | | | |
| **PUMPKIN** | | | | |
| ABAMECTIN | 0.18 | 1 | 18.00 | A |
| ACETAMIPRID | 5.44 | 3 | 54.00 | A |
| DINOTEFURAN | 3.15 | 1 | 18.00 | A |
| ESFENVALERATE | 0.90 | 1 | 18.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 16.55 | 1 | 3.00 | A |
| IMIDACLOPRID | 0.05 | 1 | 0.21 | A |
| LAMBDA-CYHALOTHRIN | 0.57 | 1 | 18.00 | A |
| LECITHIN | 10.99 | 3 | 54.00 | A |
| METHOXYFENOZIDE | 3.19 | 1 | 18.00 | A |
| METHYLATED SOYBEAN OIL | 5.49 | 3 | 54.00 | A |
| MYCLOBUTANIL | 2.25 | 1 | 18.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| QUINOXYFEN | 3.44 | 2 | 36.00 | A |
| SPINOSAD | 2.36 | 1 | 18.00 | A |
| THIAMETHOXAM | 1.41 | 1 | 18.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 5.49 | 3 | 54.00 | A |
| Site Total | 61.46 | 18 | | |
| **QUINCE** | | | | |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14940 | 13.93 | 5 | 43.20 | A |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14941 | 13.93 | 5 | 43.20 | A |
| CHLORANTRANILIPROLE | 4.86 | 6 | 69.70 | A |
| COPPER HYDROXIDE | 60.29 | 8 | 83.50 | A |
| BETA-CYFLUTHRIN | 0.37 | 2 | 22.30 | A |
| DIMETHYLPOLYSILOXANE | 9.92 | 10 | 119.00 | A |
| Z-8-DODECENOL | < 0.01 | 2 | 15.70 | A |
| E-8-DODECENYL ACETATE | 0.03 | 2 | 15.70 | A |
| Z-8-DODECENYL ACETATE | 0.43 | 2 | 15.70 | A |
| FLUBENDIAMIDE | 3.32 | 2 | 27.00 | A |
| ISOPROPYL ALCOHOL | 1.96 | 6 | 81.00 | A |
| LAMBDA-CYHALOTHRIN | 2.81 | 6 | 81.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 22.70 | 6 | 81.00 | A |
| POLYETHYLENE GLYCOL | 12.38 | 6 | 81.00 | A |
| Site Total | 146.94 | 41 | | |
| **RADICCHIO** | | | | |
| BACILLUS PUMILUS, STRAIN QST 2808 | 19.21 | 3 | 240.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 12.20 | 3 | 240.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 45.56 | 3 | 240.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 15.46 | 3 | 240.00 | A |
| PERMETHRIN | 43.86 | 3 | 240.00 | A |
| POLYBUTENES | 8.14 | 3 | 240.00 | A |
| SPINOSAD | 20.89 | 2 | 160.00 | A |
| Site Total | 165.31 | 11 | | |
| **RADISH** | | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.46 | 2 | 5.00 | A |
| Site Total | 0.46 | 2 | | |
| **RANGELAND** | | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 0.27 | 1 | 3.00 | A |
| CARBARYL | 8.00 | 2 | 9.00 | A |
| DIPHACINONE | < 0.01 | 3 | 50.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1.98 | 1 | 20.00 | A |
| ZINC PHOSPHIDE | 0.48 | 1 | 200.00 | A |
| Site Total | 10.73 | 8 | | |
| **RASPBERRY** | | | | |
| MINERAL OIL | 0.18 | 1 | 0.01 | A |
| Site Total | 0.18 | 1 | | |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| **RECREATION AREA** | | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 0.24 | 1 | 1.00 | A |
| Site Total | | 0.24 | 1 | | |
| **REGULATORY PEST CONTROL** | | | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | | 0.36 | | | |
| BRODIFACOUM | | < 0.01 | | | |
| BROMADIOLONE | | 0.02 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | | 0.53 | | | |
| COCONUT DIETHANOLAMIDE | | 6.63 | | | |
| BETA-CYFLUTHRIN | | 1.28 | | | |
| 2,4-D, DIMETHYLAMINE SALT | | 0.20 | | | |
| DIMETHYLPOLYSILOXANE | | 8.04 | | | |
| DIPHACINONE | | < 0.01 | | | |
| DIPHACINONE, SODIUM SALT | | < 0.01 | | | |
| DODECYLBENZENE SULFONIC ACID | | 28.72 | | | |
| EDTA, TETRASODIUM SALT | | 1.77 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 238.30 | | | |
| IMAZALIL | | 0.26 | | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | | 32.12 | | | |
| IMIDACLOPRID | | 43.25 | | | |
| ISOPROPYL ALCOHOL | | 8.75 | | | |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 0.11 | | | |
| MALATHION | | 63,318.17 | | | |
| PETROLEUM OIL, PARAFFIN BASED | | 18.25 | | | |
| PHOSPHORIC ACID | | 5.66 | | | |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | 31.75 | | | |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 0.45 | | | |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 2.95 | | | |
| SILICONE DEFOAMER | | 0.75 | | | |
| SODIUM XYLENE SULFONATE | | 8.84 | | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 33.67 | | | |
| TETRAPOTASSIUM PYROPHOSPHATE | | 4.42 | | | |
| TRIETHANOLAMINE | | 11.27 | | | |
| Site Total | | 63,806.51 | | | |
| **RESEARCH COMMODITY** | | | | | |
| ABAMECTIN | | < 0.01 | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 5.51 | 2 | 28.00 | A |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | | < 0.01 | | | |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | | < 0.01 | | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 3.70 | 1 | 5.00 | A |
| AZOXYSTROBIN | | 0.27 | | | |
| BENSULIDE | | 12.90 | 2 | 2.33 | A |
| | | 9.80 | | | |
| Total Pounds On This Chemical | 22.70 | | | | |
| BENTAZON, SODIUM SALT | | 1.04 | 2 | 1.60 | A |
| BROMOXYNIL OCTANOATE | | 0.27 | 2 | 1.26 | A |
| CARBARYL | | 9.83 | | | |
| | | 0.60 | 1 | 0.60 | A |
| Total Pounds On This Chemical | 10.42 | | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| CHLORPYRIFOS | | 0.32 | | | |
| COPPER HYDROXIDE | | 20.51 | | | |
| COTTONSEED OIL | | 73.44 | 2 | 28.00 | A |
| CYFLUTHRIN | | 0.02 | 1 | 1.00 | A |
| CYPERMETHRIN | | 0.17 | | | |
| DIFENOCONAZOLE | | 0.16 | | | |
| DIMETHYLPOLYSILOXANE | | 0.07 | 4 | 56.00 | A |
| | | < 0.01 | | | |
| Total Pounds On This Chemical | 0.08 | | | | |
| EPTC | | 0.15 | | | |
| ETHALFLURALIN | | 1.29 | 1 | 1.50 | A |
| ETHOFUMESATE | | 0.21 | 2 | 1.26 | A |
| ETOXAZOLE | | 3.79 | 2 | 28.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 1.48 | 1 | 5.00 | A |
| FLONICAMID | | 0.04 | | | |
| FLUMIOXAZIN | | 0.04 | | | |
| FLUOPYRAM | | 0.21 | 3 | 1.40 | A |
| FOSETYL-AL | | 3.28 | | | |
| GLUFOSINATE-AMMONIUM | | 6.81 | 8 | 15.50 | A |
| | | 0.29 | | | |
| Total Pounds On This Chemical | 7.10 | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 92.85 | | | |
| | | 16.39 | 3 | 10.50 | A |
| Total Pounds On This Chemical | 109.24 | | | | |
| GLYPHOSATE, POTASSIUM SALT | | 10.60 | 5 | 9.00 | A |
| | | 3.49 | | | |
| Total Pounds On This Chemical | 14.09 | | | | |
| HEXYTHIAZOX | | 0.48 | | | |
| IMAZAMOX, AMMONIUM SALT | | 0.05 | | | |
| INDAZIFLAM | | 0.01 | | | |
| ISOPROPYL ALCOHOL | | 0.16 | | | |
| LAMBDA-CYHALOTHRIN | | 0.10 | | | |
| MANDIPROPAMID | | 0.04 | | | |
| MEPIQUAT CHLORIDE | | < 0.01 | 1 | 0.50 | A |
| METHYLATED SOYBEAN OIL | | 5.91 | 1 | 3.00 | A |
| S-METOLACHLOR | | 18.43 | | | |
| MINERAL OIL | | 90.93 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 3.70 | 1 | 5.00 | A |
| | | 1.87 | | | |
| Total Pounds On This Chemical | 5.57 | | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 0.13 | 2 | 28.00 | A |
| OXYFLUORFEN | | 0.10 | | | |
| PARAQUAT DICHLORIDE | | 4.14 | 1 | 3.00 | A |
| PENDIMETHALIN | | 30.13 | 6 | 11.76 | A |
| | | 0.96 | | | |
| Total Pounds On This Chemical | 31.09 | | | | |
| PENOXSULAM | | < 0.01 | | | |
| PHOSPHORIC ACID | | 1.60 | 2 | 28.00 | A |
| POLYETHYLENE GLYCOL | | 0.99 | | | |
| PYMETROZINE | | 0.02 | | | |
| QUINOXYFEN | | 0.05 | 1 | 0.50 | A |
| RIMSULFURON | | 0.34 | 2 | 5.50 | A |
| | | < 0.01 | | | |
| Total Pounds On This Chemical | 0.35 | | | | |
| SETHOXYDIM | | 0.45 | 3 | 1.80 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SODIUM HYPOCHLORITE | | 0.10 | 1 | 1.00 | A |
| SPINETORAM | | 0.17 | | | |
| SPINOSAD | | 0.28 | 2 | 3.10 | A |
| | | 0.02 | | | |
| Total Pounds On This Chemical | 0.31 | | | | |
| SPIROMESIFEN | | 0.08 | | | |
| SPIROTETRAMAT | | 0.05 | 1 | 0.40 | A |
| STREPTOMYCIN SULFATE | | 1.26 | | | |
| SULFUR | | 34.94 | | | |
| TALL OIL FATTY ACIDS | | 1.27 | 1 | 3.00 | A |
| | | 0.04 | | | |
| Total Pounds On This Chemical | 1.31 | | | | |
| TEBUCONAZOLE | | 0.09 | 2 | 0.90 | A |
| TRIFLOXYSTROBIN | | 0.11 | 1 | 0.50 | A |
| TRIFLURALIN | | 5.77 | | | |
| | | 1.37 | 1 | 1.50 | A |
| Total Pounds On This Chemical | 7.14 | | | | |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.27 | 1 | 3.00 | A |
| XANTHAN GUM | | < 0.01 | 2 | 28.00 | A |
| Site Total | | 486.97 | 57 | | |
| **RICE** | | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 47.73 | 11 | 837.80 | A |
| AMMONIUM NITRATE | | 6.16 | 11 | 837.80 | A |
| AMMONIUM SULFATE | | 340.25 | 23 | 1,521.40 | A |
| BENZOIC ACID | | 10.22 | 28 | 1,891.40 | A |
| BISPYRIBAC-SODIUM | | 45.70 | 16 | 1,207.80 | A |
| CITRIC ACID | | 31.52 | 12 | 683.60 | A |
| CLOMAZONE | | 127.80 | 2 | 213.00 | A |
| COPPER SULFATE (PENTAHYDRATE) | | 10,745.98 | 13 | 791.90 | A |
| CYHALOFOP-BUTYL | | 141.78 | 7 | 408.80 | A |
| DIMETHYL ALKYL TERTIARY AMINES | | 11.12 | 28 | 1,891.40 | A |
| GLYPHOSATE, POTASSIUM SALT | | 36.97 | 15 | 1,860.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | | 425.81 | 8 | 553.60 | A |
| KEROSENE | | 19.78 | 28 | 1,891.40 | A |
| METHYLATED SOYBEAN OIL | | 731.19 | 33 | 2,261.40 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 92.49 | 13 | 923.60 | A |
| OLEIC ACID, METHYL ESTER | | 793.85 | 11 | 837.80 | A |
| PENDIMETHALIN | | 71.32 | 4 | 395.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | | 100.12 | 4 | 130.00 | A |
| POLYMERIZED PINENE | | 31.19 | 1 | 20.00 | A |
| POLYOXYETHYLENE MIXED FATTY ACID ESTER | | 18.09 | 4 | 130.00 | A |
| PROPANIL | | 1,175.48 | 5 | 274.80 | A |
| TALL OIL FATTY ACIDS | | 54.07 | 8 | 553.60 | A |
| TRICLOPYR, TRIETHYLAMINE SALT | | 404.03 | 17 | 1,277.80 | A |
| Site Total | | 15,462.67 | 159 | | |
| **RIGHTS OF WAY** | | | | | |
| ABAMECTIN | | 0.31 | | | |
| ACROLEIN | | 20,632.36 | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | | 1.35 | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 24.72 | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 21.29 | | | |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 6.93 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | | 3,954.51 | | | |
| | | 0.85 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 3,955.36 | | | | |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | | 7.70 | | | |
| ALUMINUM PHOSPHIDE | | 10.33 | | | |
| AMINOCYCLOPYRACHLOR | | 29.63 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | | 675.99 | | | |
| AMITRAZ | | 0.03 | | | |
| AMMONIUM NITRATE | | 0.41 | 1 | 2.00 | A |
| | | 0.01 | | | |
| Total Pounds On This Chemical | 0.42 | | | | |
| AMMONIUM PROPIONATE | | 80.08 | | | |
| AMMONIUM SULFATE | | 2,036.16 | | | |
| | | 0.81 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 2,036.97 | | | | |
| BENZOIC ACID | | 12.54 | | | |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 1.54 | | | |
| BORAX | | 48.32 | | | |
| BROMACIL | | 816.08 | | | |
| BROMADIOLONE | | < 0.01 | | | |
| BROMOXYNIL OCTANOATE | | 7.10 | | | |
| BUTYL ALCOHOL | | 31.54 | | | |
| CARBON | | 9.51 | | | |
| CARFENTRAZONE-ETHYL | | 0.29 | | | |
| CHLORPYRIFOS | | 20.69 | | | |
| CHLORSULFURON | | 58.70 | | | |
| CITRIC ACID | | 92.92 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | | 122.71 | | | |
| COCONUT DIETHANOLAMIDE | | 3.47 | | | |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | | 884.15 | | | |
| COPPER HYDROXIDE | | 3.44 | | | |
| COPPER NAPHTHENATE | | 0.11 | | | |
| COPPER SULFATE (PENTAHYDRATE) | | 42,980.08 | | | |
| BETA-CYFLUTHRIN | | 0.01 | | | |
| 2,4-D, DIMETHYLAMINE SALT | | 114.88 | | | |
| 2,4-D, 2-ETHYLHEXYL ESTER | | 11.57 | | | |
| DAZOMET | | 1.07 | | | |
| DICAMBA | | 0.69 | | | |
| DICAMBA, DIMETHYLAMINE SALT | | 522.86 | | | |
| DIETHYLENE GLYCOL | | 961.02 | | | |
| DIFETHIALONE | | < 0.01 | | | |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | | 300.87 | | | |
| DIKEGULAC SODIUM | | 3.73 | | | |
| DIMETHOATE | | 1.25 | | | |
| DIMETHYL ALKYL TERTIARY AMINES | | 13.66 | | | |
| DIMETHYLPOLYSILOXANE | | 43.71 | | | |
| | | 0.49 | 5 | 194.00 | A |
| Total Pounds On This Chemical | 44.20 | | | | |
| DIPHACINONE | | 0.43 | | | |
| DIQUAT DIBROMIDE | | 2,237.61 | | | |
| DISODIUM OCTABORATE TETRAHYDRATE | | 0.38 | | | |
| DITHIOPYR | | 1,505.55 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| DIURON | | 14,097.80 | | | |
| DODECYLBENZENE SULFONIC ACID | | 15.06 | | | |
| EDTA, TETRASODIUM SALT | | 0.93 | | | |
| ENDOTHALL, DIPOTASSIUM SALT | | 5,658.69 | | | |
| ENDOTHALL, MONO [N,N-DIMETHYL ALKYLAMINE] SALT | | 7,898.90 | | | |
| ESFENVALERATE | | 0.49 | | | |
| ETOFENPROX | | < 0.01 | | | |
| ETHYLENE GLYCOL | | 270.93 | | | |
| FATTY ACIDS, MIXED | | 212.24 | | | |
| FLUAZIFOP-P-BUTYL | | 7.85 | | | |
| FLUMIOXAZIN | | 386.47 | | | |
| | | 0.77 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 387.24 | | | | |
| FORMALDEHYDE | | 2,623.82 | | | |
| GLUFOSINATE-AMMONIUM | | 1,349.11 | | | |
| GLYPHOSATE, DIMETHYLAMINE SALT | | 1,778.12 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 98,464.37 | | | |
| | | 351.45 | 8 | 225.00 | A |
| Total Pounds On This Chemical | 98,815.82 | | | | |
| GLYPHOSATE, MONOAMMONIUM SALT | | 11.78 | | | |
| GLYPHOSATE, POTASSIUM SALT | | 16,622.85 | | | |
| | | 6.90 | 1 | 4.00 | A |
| Total Pounds On This Chemical | 16,629.75 | | | | |
| HALOSULFURON-METHYL | | 0.97 | | | |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 1.14 | | | |
| HYDROTREATED PARAFFINIC SOLVENT | | 3.42 | | | |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 22.83 | | | |
| IMAZAMOX, AMMONIUM SALT | | 11.64 | | | |
| IMAZAPIC, AMMONIUM SALT | | < 0.01 | | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | | 192.10 | | | |
| IMIDACLOPRID | | 0.15 | | | |
| INDAZIFLAM | | 74.85 | | | |
| INDOXACARB | | < 0.01 | | | |
| ISOPROPYL ALCOHOL | | 340.74 | | | |
| | | 10.01 | 4 | 192.00 | A |
| Total Pounds On This Chemical | 350.75 | | | | |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | 0.92 | | | |
| ISOXABEN | | 544.66 | | | |
| KEROSENE | | 24.29 | | | |
| LECITHIN | | 793.59 | | | |
| MALATHION | | 964.77 | | | |
| MECOPROP-P | | 2.38 | | | |
| METAM-SODIUM | | 139.51 | | | |
| METHYLATED SOYBEAN OIL | | 1,094.55 | | | |
| | | 7.88 | 2 | 20.00 | A |
| Total Pounds On This Chemical | 1,102.43 | | | | |
| METHYL ESTERS OF COTTONSEED OIL | | 7.45 | | | |
| MINERAL OIL | | 806.83 | | | |
| MSMA | | 77.19 | | | |
| NONANOIC ACID | | 0.04 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 4,313.56 | | | |
| | | 116.69 | 5 | 202.00 | A |
| Total Pounds On This Chemical | 4,430.25 | | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 98.05 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 551.66 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | | 5.01 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | | < 0.01 | | | |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 3.79 | | | |
| OLEIC ACID, METHYL ESTER | | 885.15 | | | |
| ORYZALIN | | 498.15 | | | |
| OXADIAZON | | 3.00 | | | |
| OXYFLUORFEN | | 1,164.86 | | | |
| PARAQUAT DICHLORIDE | | 95.94 | | | |
| PENDIMETHALIN | | 242.76 | | | |
| PERMETHRIN | | < 0.01 | | | |
| PETROLEUM DISTILLATES | | 18.11 | | | |
| | | 3.02 | 1 | 10.00 | A |
| Total Pounds On This Chemical | 21.13 | | | | |
| PETROLEUM DISTILLATES, ALIPHATIC | | 0.07 | | | |
| PETROLEUM NAPHTHENIC OILS | | 0.77 | | | |
| PETROLEUM OIL, PARAFFIN BASED | | 1,190.38 | | | |
| PHOSPHORIC ACID | | 163.89 | | | |
| PIPERONYL BUTOXIDE | | < 0.01 | | | |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 0.04 | | | |
| POLYACRYLAMIDE POLYMER | | 103.85 | | | |
| POLYACRYLIC POLYMER | | 9.46 | | | |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 43.40 | | | |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | | 7.25 | | | |
| POLYETHYLENE GLYCOL | | 1,519.56 | | | |
| | | 63.24 | 4 | 192.00 | A |
| Total Pounds On This Chemical | 1,582.80 | | | | |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | | 160.36 | | | |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 3.70 | | | |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 24.36 | | | |
| PRODIAMINE | | 502.69 | | | |
| PROPYLENE GLYCOL | | 2.33 | | | |
| PYRAFLUFEN-ETHYL | | 0.16 | | | |
| PYRETHRINS | | < 0.01 | | | |
| QUINCLORAC | | 0.05 | | | |
| RIMSULFURON | | 11.41 | | | |
| SAFLUFENACIL | | 4.87 | | | |
| SILICONE DEFOAMER | | 0.39 | | | |
| SIMAZINE | | 107.90 | | | |
| SODIUM NITRATE | | 18.01 | | | |
| SODIUM POLYACRYLATE | | 2.00 | | | |
| SODIUM XYLENE SULFONATE | | 4.63 | | | |
| SORBITAN FATTY ACID ESTERS | | 35.08 | | | |
| STRYCHNINE | | 0.23 | | | |
| SULFENTRAZONE | | 28.30 | | | |
| SULFOMETURON-METHYL | | 216.19 | | | |
| SULFURIC ACID | | 0.88 | | | |
| TALL OIL | | 8.90 | | | |
| TALL OIL FATTY ACIDS | | 58.19 | | | |
| | | 1.69 | 2 | 20.00 | A |
| Total Pounds On This Chemical | 59.88 | | | | |
| TEBUTHIURON | | 19.20 | | | |
| TETRAMETHRIN | | < 0.01 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 20.07 | | | |
| TETRAPOTASSIUM PYROPHOSPHATE | | 2.32 | | | |
| TRICLOPYR, BUTOXYETHYL ESTER | | 260.58 | | | |
| TRICLOPYR, TRIETHYLAMINE SALT | | 587.85 | | | |
| TRIETHANOLAMINE | | 5.91 | | | |
| TRIFLURALIN | | 38.42 | | | |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 384.80 | | | |
| | | 1.69 | 2 | 20.00 | A |
| Total Pounds On This Chemical | 386.49 | | | | |
| VINYL POLYMER | | 0.07 | 2 | 20.00 | A |
| WARFARIN | | < 0.01 | | | |
| ZINC PHOSPHIDE | | 17.16 | | | |
| Site Total | | 246,808.94 | 20 | | |
| **SAFFLOWER** | | | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 0.33 | 1 | 129.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | | 17.89 | 1 | 155.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 3.58 | 1 | 155.00 | A |
| (S)-CYPERMETHRIN | | 11.34 | 2 | 229.00 | A |
| DIETHYLENE GLYCOL | | 0.41 | 2 | 315.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | | 58.62 | 1 | 155.00 | A |
| DIMETHOATE | | 316.64 | 5 | 661.00 | A |
| DIMETHYLPOLYSILOXANE | | 0.51 | 1 | 155.00 | A |
| FATTY ACIDS, MIXED | | 1.70 | 4 | 447.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 390.46 | 2 | 175.00 | A |
| GLYPHOSATE, POTASSIUM SALT | | 74.48 | 1 | 27.00 | A |
| LECITHIN | | 6.05 | 1 | 20.00 | A |
| METHYLATED SOYBEAN OIL | | 64.56 | 2 | 315.00 | A |
| NALED | | 137.05 | 2 | 272.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 7.57 | 3 | 427.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 16.92 | 6 | 762.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | | 9.81 | 2 | 315.00 | A |
| OXYFLUORFEN | | 56.23 | 1 | 120.00 | A |
| PHOSPHORIC ACID | | 2.44 | 1 | 129.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 1.12 | 2 | 275.00 | A |
| POLYACRYLAMIDE POLYMER | | 0.94 | 1 | 27.00 | A |
| POLYOXYETHYLENE DIOLEATE | | 0.20 | 2 | 315.00 | A |
| PROPIONIC ACID | | 6.05 | 1 | 20.00 | A |
| PROPYLENE GLYCOL | | 5.11 | 1 | 155.00 | A |
| SULFURIC ACID | | 2.04 | 1 | 155.00 | A |
| Site Total | | 1,192.04 | 25 | | |
| **SOIL FUMIGATION/PREPLANT** | | | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | | 0.20 | 5 | 14.23 | A |
| ACRYLIC ACID | | 68.17 | 9 | 576.36 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 720.66 | 18 | 2,703.17 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | | 1.40 | 2 | 18.75 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 102.07 | 12 | 1,349.29 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 413.54 | 23 | 2,052.90 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 62.98 | 2 | 91.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.27 | 1 | 137.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 98.45 | 15 | 826.47 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 308.89 | 21 | 2,497.30 | A |
| ALUMINUM PHOSPHIDE | 7.74 | 2 | 56.00 | A |
| AMMONIUM NITRATE | 61.04 | 25 | 1,987.76 | A |
| AMMONIUM PROPIONATE | 92.68 | 11 | 1,315.84 | A |
| AMMONIUM SULFATE | 769.34 | 52 | 4,859.46 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 6.21 | 2 | 30.00 | A |
| BENZOIC ACID | 27.43 | 23 | 2,550.29 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 202.34 | 40 | 4,181.30 | A |
| BROMOXYNIL OCTANOATE | 25.48 | 1 | 35.00 | A |
| 2-BUTOXYETHANOL | 0.56 | 2 | 18.75 | A |
| BUTYL ALCOHOL | 6.75 | 2 | 282.00 | A |
| CARBARYL | 35.00 | 1 | 70.00 | A |
| CARFENTRAZONE-ETHYL | 29.61 | 13 | 1,825.00 | A |
| CHLOROPICRIN | 139,604.75 | 110 | 1,257.96 | A |
| CHLORTHAL-DIMETHYL | 1,821.25 | 9 | 293.50 | A |
| CITRIC ACID | 178.41 | 29 | 3,059.70 | A |
| CLETHODIM | 23.76 | 2 | 178.00 | A |
| COCONUT DIETHANOLAMIDE | 21.49 | 11 | 903.76 | A |
| 2,4-D, DIMETHYLAMINE SALT | 1,354.81 | 10 | 1,064.60 | A |
| DIAZINON | 415.65 | 11 | 768.00 | A |
| DICAMBA, DIMETHYLAMINE SALT | 5.11 | 1 | 35.00 | A |
| 1,3-DICHLOROPROPENE | 2,537,264.09 | 449 | 9,252.97 | A |
| DIETHYLENE GLYCOL | 132.62 | 43 | 3,315.27 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 11.37 | 1 | 30.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 29.91 | 23 | 2,550.29 | A |
| DIMETHYLPOLYSILOXANE | 36.47 | 130 | 9,422.98 | A |
| DIMETHYL SILICONE FLUID EMULSION | 3.75 | 16 | 2,499.81 | A |
| DIPHACINONE | < 0.01 | 3 | 204.00 | A |
| DODECYLBENZENE SULFONIC ACID | 93.12 | 11 | 903.76 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.56 | 1 | 7.27 | A |
| EDTA, TETRASODIUM SALT | 5.73 | 11 | 903.76 | A |
| EPTC | 377.22 | 4 | 62.00 | A |
| ESFENVALERATE | 0.08 | 1 | 3.00 | A |
| FATTY ACIDS, MIXED | 288.19 | 108 | 8,821.05 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | 1.48 | 2 | 230.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 447.39 | 5 | 735.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 2.51 | 1 | 137.00 | A |
| FLUAZIFOP-P-BUTYL | 145.26 | 4 | 617.00 | A |
| FLUMIOXAZIN | 398.10 | 29 | 3,691.68 | A |
| GLUFOSINATE-AMMONIUM | 43.70 | 9 | 162.28 | A |
| GLYCEROL | 50.65 | 11 | 921.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 31,440.97 | 201 | 12,745.65 | A |
| GLYPHOSATE, POTASSIUM SALT | 53,270.67 | 412 | 20,109.88 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.84 | 4 | 269.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| HEXAZINONE | 99.75 | 1 | 133.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 60.77 | 1 | 40.00 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 0.09 | 1 | 0.75 | A |
| IMAZAMOX, AMMONIUM SALT | 1.35 | 1 | 40.00 | A |
| IMAZETHAPYR, AMMONIUM SALT | 2.65 | 1 | 40.00 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3.22 | 7 | 503.00 | A |
| ISOPROPYL ALCOHOL | 385.22 | 75 | 6,150.68 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.85 | 3 | 171.75 | A |
| KEROSENE | 31.71 | 4 | 606.00 | A |
| LECITHIN | 1,940.41 | 95 | 8,624.68 | A |
| LIMONENE | 11.47 | 2 | 18.75 | A |
| METAM-SODIUM | 141,667.37 | 26 | 1,075.44 | A |
| METHOXYFENOZIDE | 2.12 | 1 | 15.00 | A |
| METHYLATED SOYBEAN OIL | 2,150.07 | 56 | 5,888.79 | A |
| METHYL BROMIDE | 6,018.76 | 6 | 20.20 | A |
| METHYL ESTERS OF COTTONSEED OIL | 897.39 | 10 | 437.98 | A |
| METOLACHLOR | 327.71 | 2 | 187.30 | A |
| S-METOLACHLOR | 2,861.28 | 22 | 1,894.78 | A |
| METRIBUZIN | 46.04 | 2 | 186.00 | A |
| MINERAL OIL | 224.61 | 7 | 457.18 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 16.57 | 3 | 50.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 192.95 | 17 | 2,147.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,722.79 | 206 | 15,314.11 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 6.35 | 1 | 40.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 1,014.52 | 39 | 4,060.53 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 51.04 | 3 | 167.00 | A |
| OLEIC ACID, METHYL ESTER | 1,929.86 | 23 | 2,052.90 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 47.34 | 6 | 947.00 | A |
| ORYZALIN | 85.83 | 1 | 54.50 | A |
| OXYFLUORFEN | 6,981.06 | 232 | 20,025.36 | A |
| PARAQUAT DICHLORIDE | 2,996.24 | 138 | 4,841.04 | A |
| PENDIMETHALIN | 775.35 | 23 | 569.68 | A |
| PETROLEUM DISTILLATES | 302.79 | 27 | 1,474.60 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | < 0.01 | 4 | 3.81 | A |
| PETROLEUM NAPHTHENIC OILS | 0.09 | 4 | 3.81 | A |
| PETROLEUM OIL, PARAFFIN BASED | 60.51 | 3 | 171.75 | A |
| PHOSPHORIC ACID | 170.38 | 41 | 3,222.93 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 86.43 | 39 | 4,534.68 | A |
| POLYACRYLAMIDE POLYMER | 13.35 | 24 | 2,314.40 | A |
| POLYACRYLIC POLYMER | 0.73 | 1 | 132.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.11 | | 5.00 | A |
| POLYBUTENES | 79.89 | 5 | 735.00 | A |
| POLYETHYLENE GLYCOL | 309.43 | 33 | 1,392.58 | A |
| POLYMERIZED PINENE | 9.95 | 1 | 7.27 | A |
| POLYOXYETHYLENE DIOLEATE | 0.99 | 6 | 947.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 1.14 | 1 | 153.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 7.53 | 1 | 153.00 | A |
| POTASSIUM HYDROXIDE | 0.38 | 2 | 188.00 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 519,917.21 | 54 | 3,006.60 | A |
| PROPIONIC ACID | 1,112.60 | 59 | 5,040.78 | A |
| PROPYLENE GLYCOL | 102.84 | 24 | 2,664.30 | A |
| PYRAFLUFEN-ETHYL | 7.33 | 29 | 2,630.18 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PYRETHRINS | 1.19 | 3 | 45.00 | A |
| RIMSULFURON | 0.31 | 1 | 10.00 | A |
| SAFLUFENACIL | 0.26 | 1 | 22.00 | A |
| SETHOXYDIM | 8.06 | 18 | 20.80 | A |
| SILICONE DEFOAMER | 2.44 | 11 | 903.76 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 0.74 | 2 | 230.00 | A |
| SODIUM POLYACRYLATE | 2.56 | 13 | 1,503.84 | A |
| SODIUM XYLENE SULFONATE | 33.47 | 13 | 1,133.76 | A |
| SPINETORAM | 3.28 | 2 | 30.00 | A |
| SPINOSAD | 0.28 | 1 | 40.00 | A |
| SULFUR | 6,823.25 | 2 | 107.50 | A |
| SULFURIC ACID | 41.13 | 24 | 2,664.30 | A |
| TALL OIL | 6.01 | 2 | 600.00 | A |
| TALL OIL FATTY ACIDS | 82.83 | 15 | 1,131.91 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 109.16 | 11 | 903.76 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 14.33 | 11 | 903.76 | A |
| TRIBENURON-METHYL | 0.27 | 1 | 17.00 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 6.43 | 9 | 691.00 | A |
| TRIETHANOLAMINE | 36.53 | 11 | 903.76 | A |
| TRIFLURALIN | 1,465.58 | 40 | 2,151.85 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 392.20 | 40 | 2,711.27 | A |
| UREA DIHYDROGEN SULFATE | 12.23 | 9 | 691.00 | A |
| VINYL POLYMER | 10.53 | 19 | 1,856.00 | A |
| ZINC PHOSPHIDE | 0.50 | 1 | 3.00 | A |
| Site Total | 3,474,306.67 | 2,355 | | |
| **SORGHUM (FORAGE - FODDER)** | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 18.89 | 3 | 335.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.16 | 2 | 40.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 16.33 | 1 | 76.50 | A |
| AMMONIUM NITRATE | 10.22 | 4 | 411.50 | A |
| AMMONIUM SULFATE | 79.82 | 5 | 431.50 | A |
| BENZOIC ACID | 3.75 | 6 | 689.00 | A |
| BROMOXYNIL OCTANOATE | 55.18 | 3 | 117.00 | A |
| CALCIUM CHLORIDE | 2.11 | 2 | 200.00 | A |
| CARFENTRAZONE-ETHYL | 0.37 | 4 | 107.00 | A |
| CHLORPYRIFOS | 507.88 | 10 | 984.10 | A |
| CITRIC ACID | 6.07 | 3 | 220.00 | A |
| CYFLUTHRIN | 15.55 | 3 | 408.00 | A |
| (S)-CYPERMETHRIN | 18.12 | 4 | 522.00 | A |
| DICAMBA, SODIUM SALT | 96.54 | 5 | 473.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 226.26 | 10 | 505.50 | A |
| DIMETHOATE | 623.23 | 13 | 1,268.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 4.08 | 6 | 689.00 | A |
| DIMETHYLPOLYSILOXANE | 0.21 | 3 | 226.10 | A |
| FATTY ACIDS, MIXED | 0.40 | 4 | 107.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 2.46 | 2 | 40.00 | A |
| FLUBENDIAMIDE | 48.92 | 4 | 522.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 63.44 | 5 | 19.00 | A |
| HALOSULFURON-METHYL | 21.94 | 5 | 473.00 | A |
| HEXYTHIAZOX | 51.11 | 4 | 400.00 | A |
| ISOPROPYL ALCOHOL | 5.46 | 3 | 192.60 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.34 | 3 | 83.00 | A |
| KEROSENE | 6.23 | 5 | 596.00 | A |
| METHYLATED SOYBEAN OIL | 139.30 | 6 | 689.00 | A |
| S-METOLACHLOR | 3,312.60 | 23 | 2,166.30 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 2.09 | 4 | 107.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 35.33 | 9 | 339.60 | A |
| PENDIMETHALIN | 234.78 | 6 | 306.30 | A |
| PETROLEUM OIL, PARAFFIN BASED | 55.58 | 3 | 83.00 | A |
| PHOSPHORIC ACID | 2.29 | 2 | 63.00 | A |
| POLYACRYLIC POLYMER | 0.11 | 1 | 20.00 | A |
| POLYETHYLENE GLYCOL | 12.57 | 2 | 149.60 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 1.37 | 3 | 83.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 8.98 | 3 | 83.00 | A |
| Site Total | 5,696.10 | 119 | | |
| **SORGHUM/MILO** | | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 25.62 | 1 | 120.00 | A |
| AMMONIUM NITRATE | 12.20 | 1 | 120.00 | A |
| AMMONIUM SULFATE | 24.40 | 1 | 120.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 90.74 | 1 | 120.00 | A |
| DIMETHYLPOLYSILOXANE | 0.30 | 2 | 240.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 41.11 | 9 | 13.45 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 10.80 | 17 | 14.20 | A |
| ISOPROPYL ALCOHOL | 2.52 | 1 | 120.00 | A |
| S-METOLACHLOR | 6.36 | 4 | 5.10 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 29.17 | 1 | 120.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 1.13 | 17 | 14.20 | A |
| PARAQUAT DICHLORIDE | 3.66 | 17 | 14.20 | A |
| POLYETHYLENE GLYCOL | 15.91 | 1 | 120.00 | A |
| TALL OIL FATTY ACIDS | 1.00 | 17 | 14.20 | A |
| Site Total | 264.92 | 50 | | |
| **SPINACH** | | | | |
| BACILLUS PUMILUS, STRAIN QST 2808 | 5.12 | 4 | 57.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 54.88 | 8 | 76.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 19.44 | 1 | 32.40 | A |
| COPPER OCTANOATE | 243.23 | 19 | 302.60 | A |
| COPPER OXIDE (OUS) | 40.78 | 1 | 32.40 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.34 | | 0.10 | A |
| REYNOUTRIA SACHALINENSIS | 40.21 | 18 | 293.20 | A |
| SPINOSAD | 11.84 | 8 | 109.40 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 7.20 | A |
| Site Total | 415.84 | 60 | | |
| **SQUASH** | | | | |
| ABAMECTIN | 0.52 | 4 | 30.70 | A |
| ACETAMIPRID | 5.78 | 4 | 57.40 | A |
| AZOXYSTROBIN | 2.75 | 3 | 12.00 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 0.86 | 2 | 28.70 | A |
| BENSULIDE | 7.93 | | 1.00 | A |
| BIFENAZATE | 0.33 | 1 | 2.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| BIFENTHRIN | 3.00 | 3 | 33.70 | A |
| CHLORANTRANILIPROLE | 2.52 | 1 | 38.00 | A |
| CHLOROTHALONIL | 0.83 | 1 | 5.00 | A |
| (S)-CYPERMETHRIN | 1.46 | 3 | 33.70 | A |
| DIMETHYLPOLYSILOXANE | 0.10 | 4 | 57.40 | A |
| ESFENVALERATE | 0.89 | 8 | 19.50 | A |
| IMIDACLOPRID | 6.84 | 1 | 38.00 | A |
| LAMBDA-CYHALOTHRIN | 0.74 | 6 | 24.00 | A |
| LECITHIN | 20.30 | 4 | 57.40 | A |
| METHOXYFENOZIDE | 5.09 | 3 | 33.70 | A |
| METHYLATED SOYBEAN OIL | 10.15 | 4 | 57.40 | A |
| MINERAL OIL | 32.23 | 1 | 2.00 | A |
| MYCLOBUTANIL | 4.52 | 5 | 40.70 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3.82 | 4 | 57.40 | A |
| OXAMYL | 0.31 | 1 | 1.00 | A |
| PERMETHRIN | 0.60 | 1 | 3.00 | A |
| PHOSPHORIC ACID | 10.61 | 4 | 57.40 | A |
| SPINOSAD | 0.08 | 1 | 1.00 | A |
| TRIFLUMIZOLE | 7.18 | 2 | 28.70 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 10.15 | 4 | 57.40 | A |
| UREA | 9.46 | 4 | 57.40 | A |
| Site Total | 149.06 | 58 | | |
| **SQUASH, SUMMER** | | | | |
| ABAMECTIN | 1.15 | 5 | 67.50 | A |
| ACETAMIPRID | 0.75 | 1 | 12.00 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.66 | 2 | 31.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 1.20 | 1 | 3.50 | A |
| AZOXYSTROBIN | 5.57 | 3 | 29.00 | A |
| BIFENTHRIN | 1.20 | 2 | 17.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 0.05 | 1 | 3.50 | A |
| BOSCALID | 6.30 | 3 | 24.50 | A |
| BUPROFEZIN | 11.53 | 8 | 66.50 | A |
| CARFENTRAZONE-ETHYL | 0.45 | 2 | 31.00 | A |
| CHLORANTRANILIPROLE | 3.92 | 4 | 60.00 | A |
| CHLOROTHALONIL | 7.99 | 3 | 22.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 3.15 | 1 | 3.50 | A |
| (S)-CYPERMETHRIN | 3.77 | 5 | 80.00 | A |
| ESFENVALERATE | 1.16 | 5 | 7.25 | A |
| FATTY ACIDS, MIXED | 0.68 | 3 | 41.00 | A |
| FLUBENDIAMIDE | 1.66 | 8 | 66.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 3.76 | 1 | 6.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 124.00 | 2 | 31.00 | A |
| IMIDACLOPRID | 35.60 | 9 | 181.50 | A |
| LAMBDA-CYHALOTHRIN | 3.83 | 12 | 127.00 | A |
| LECITHIN | 20.66 | 4 | 62.00 | A |
| METHYLATED SOYBEAN OIL | 9.10 | 1 | 6.00 | A |
| MINERAL OIL | 85.28 | 4 | 28.50 | A |
| MYCLOBUTANIL | 3.45 | 4 | 34.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.20 | 1 | 10.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.97 | 4 | 47.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| OLEIC ACID, METHYL ESTER | 26.44 | 2 | 31.00 | A |
| OXAMYL | 3.98 | 3 | 6.00 | A |
| PARAQUAT DICHLORIDE | 4.14 | 1 | 2.00 | A |
| PERMETHRIN | 0.60 | 1 | 6.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.45 | 1 | 6.00 | A |
| PROPIONIC ACID | 15.00 | 2 | 31.00 | A |
| PYRACLOSTROBIN | 3.20 | 3 | 24.50 | A |
| QUILLAJA | 16.52 | 1 | 8.00 | A |
| SPINOSAD | 233.91 | 2 | 16.00 | A |
| TALL OIL FATTY ACIDS | 0.02 | 1 | 3.50 | A |
| THIAMETHOXAM | 4.22 | 2 | 110.00 | A |
| Site Total | 656.51 | 89 | | |
| **SQUASH, WINTER** | | | | |
| ABAMECTIN | 1.91 | 4 | 140.00 | A |
| BIFENAZATE | 10.00 | 1 | 20.00 | A |
| CHLORANTRANILIPROLE | 3.93 | 1 | 60.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 0.45 | 1 | 2.00 | A |
| (S)-CYPERMETHRIN | 7.96 | 5 | 160.00 | A |
| CYPRODINIL | 6.27 | 1 | 20.00 | A |
| DIFENOCONAZOLE | 2.18 | 1 | 20.00 | A |
| ETHALFLURALIN | 8.58 | 1 | 9.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.13 | 1 | 0.30 | A |
| IMIDACLOPRID | 12.72 | 3 | 59.00 | A |
| LAMBDA-CYHALOTHRIN | 1.80 | 2 | 60.00 | A |
| MEFENOXAM | 45.09 | 2 | 90.00 | A |
| OXAMYL | 4.98 | 1 | 9.00 | A |
| SPINOSAD | 1.07 | 2 | 20.00 | A |
| SULFUR | 192.00 | 2 | 80.00 | A |
| Site Total | 299.07 | 27 | | |
| **SQUASH, ZUCCHINI** | | | | |
| AZOXYSTROBIN | 1.79 | 1 | 10.00 | A |
| BIFENTHRIN | 0.30 | 1 | 8.50 | A |
| (S)-CYPERMETHRIN | 0.10 | 1 | 8.50 | A |
| ESFENVALERATE | 0.41 | 1 | 10.00 | A |
| METHOXYFENOZIDE | 1.06 | 1 | 10.00 | A |
| MYCLOBUTANIL | 0.60 | 1 | 8.50 | A |
| Site Total | 4.25 | 5 | | |
| **STONE FRUIT** | | | | |
| AZOXYSTROBIN | 3.12 | 1 | 20.00 | A |
| BIFENTHRIN | 0.03 | | 6,000.00 | S |
| DIFENOCONAZOLE | 1.95 | 1 | 20.00 | A |
| FLUDIOXONIL | 170.06 | | 58,341.18 | T |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 8.00 | 1 | 8.00 | A |
| METHOXYFENOZIDE | 2.82 | 1 | 20.00 | A |
| METHYLATED SOYBEAN OIL | 23.99 | 1 | 8.00 | A |
| METHYL BROMIDE | 530.70 | | 571,286.00 | P |
| PROPICONAZOLE | 47.85 | | 58,341.18 | T |
| RIMSULFURON | 0.50 | 1 | 8.00 | A |
| SPINETORAM | 0.21 | 1 | 3.00 | A |
| Site Total | 789.25 | 6 | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| **STORAGE AREA/BOX** | | | | | |
| DIFETHIALONE | | < 0.01 | | 13.00 | A |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | | 26.12 | | 18,750.00 | K |
| | | 6.00 | | 68.87 | A |
| | | 2.71 | | 750,000.00 | C |
| Total Pounds On This Chemical | 34.83 | | | | |
| PIPERONYL BUTOXIDE | | 17.77 | | 18,750.00 | K |
| | | 4.08 | | 68.87 | A |
| | | 1.84 | | 750,000.00 | C |
| Total Pounds On This Chemical | 23.69 | | | | |
| PYRETHRINS | | 8.88 | | 18,750.00 | K |
| | | 2.04 | | 68.87 | A |
| | | 0.92 | | 750,000.00 | C |
| Total Pounds On This Chemical | 11.85 | | | | |
| Site Total | | 70.36 | | | |
| **STRAWBERRY** | | | | | |
| ABAMECTIN | | 0.23 | 9 | 35.50 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 1.02 | 1 | 5.00 | A |
| BIFENAZATE | | 5.67 | 2 | 11.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 0.04 | 1 | 5.00 | A |
| DIETHYLENE GLYCOL | | 0.18 | 1 | 1.50 | A |
| DIMETHYLPOLYSILOXANE | | < 0.01 | 1 | 1.50 | A |
| ENDOSULFAN | | 1.04 | 1 | 5.00 | A |
| ETOXAZOLE | | 0.92 | 2 | 11.50 | A |
| FATTY ACIDS, MIXED | | 0.32 | 1 | 1.50 | A |
| IMIDACLOPRID | | 0.37 | 2 | 1.00 | A |
| IPRODIONE | | 1.25 | 1 | 5.00 | A |
| MINERAL OIL | | 0.36 | 1 | 5.00 | A |
| MYCLOBUTANIL | | 0.40 | 1 | 5.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 0.81 | 2 | 3.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 1.76 | 1 | 1.50 | A |
| PARAQUAT DICHLORIDE | | 0.12 | 1 | 1.50 | A |
| SPIROMESIFEN | | 0.31 | | 0.75 | A |
| SULFUR | | 4.74 | 1 | 5.00 | A |
| TALL OIL FATTY ACIDS | | 0.01 | 1 | 5.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 0.46 | 1 | 1.50 | A |
| Site Total | | 20.03 | 23 | | |
| **STRUCTURAL PEST CONTROL** | | | | | |
| ABAMECTIN | | 0.21 | | | |
| ABAMECTIN, OTHER RELATED | | < 0.01 | | | |
| ACEPHATE | | 90.26 | | | |
| ACETAMIPRID | | 14.76 | | | |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | | 31.09 | | | |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | | 145.15 | | | |
| ALKYL (61%C12,23%C14,11%C16,2.5%C8 & C10, 2.5%C18) DIMETHYL BENZYL AMMONIUM CHLORIDE | | 19.89 | | | |
| ALKYL (50%C12, 30%C14, 17%C16, 3%C18) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | | < 0.01 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | 145.15 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 3.05 | | | |
| D-TRANS ALLETHRIN | 0.20 | | | |
| ALUMINUM PHOSPHIDE | 1,264.46 | | | |
| 4-AMINOPYRIDINE | 0.77 | | | |
| PARA-TERT-AMYLPHENOL | 74.15 | | | |
| BALSAM FIR OIL | 0.04 | | | |
| ORTHO-BENZYL-PARA-CHLOROPHENOL | 111.22 | | | |
| BIFENTHRIN | 1,711.55 | | | |
| BORAX | 25.17 | | | |
| BORIC ACID | 4,687.09 | | | |
| BRODIFACOUM | 0.03 | | | |
| BROMADIOLONE | 0.48 | | | |
| BROMETHALIN | 0.02 | | | |
| CARBON | 0.02 | | | |
| CHLORFENAPYR | 271.75 | | | |
| CHLOROPHACINONE | 0.03 | | | |
| CHOLECALCIFEROL | 0.55 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | 0.77 | | | |
| COPPER NAPHTHENATE | 0.07 | | | |
| CYFLUTHRIN | 316.02 | | | |
| BETA-CYFLUTHRIN | 108.12 | | | |
| CYPERMETHRIN | 2,747.83 | | | |
| (S)-CYPERMETHRIN | < 0.01 | | | |
| 2,4-D | 0.21 | | | |
| 2,4-D, TRIETHYLAMINE SALT | 1.08 | | | |
| DDVP | 192.28 | | | |
| DDVP, OTHER RELATED | 7.91 | | | |
| DELTAMETHRIN | 77.51 | | | |
| DIATOMACEOUS EARTH | 7.34 | | | |
| DIAZINON | 25.44 | | | |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | 29.55 | | | |
| DIFENACOUM | < 0.01 | | | |
| DIFETHIALONE | 0.08 | | | |
| DIFLUBENZURON | 0.34 | | | |
| DINOTEFURAN | 0.61 | | | |
| DIPHACINONE | 0.16 | | | |
| DIPHACINONE, SODIUM SALT | < 0.01 | | | |
| DIQUAT DIBROMIDE | 5.24 | | | |
| DISODIUM OCTABORATE TETRAHYDRATE | 581.09 | | | |
| ESFENVALERATE | 24.64 | | | |
| ETOFENPROX | 2.73 | | | |
| ETHYL ALCOHOL | 3.38 | | | |
| FATTY ACIDS, MIXED | 26.58 | | | |
| FENBUTATIN-OXIDE | 3.13 | | | |
| FIPRONIL | 521.92 | | | |
| FLUBENDIAMIDE | 7.49 | | | |
| GLUTARALDEHYDE | 13.29 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 8.94 | | | |
| GLYPHOSATE, POTASSIUM SALT | 201.71 | | | |
| HYDRAMETHYLNON | 1.32 | | | |
| HYDROGEN PEROXIDE | 7.96 | | | |
| HYDROPRENE | 131.39 | | | |
| IMIDACLOPRID | 289.17 | | | |
| INDOXACARB | 50.85 | | | |
| IODINE | 20.39 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | Pounds Applied | Agricultural<br>Applications | Amount<br>Treated | Unit<br>Type |
|---|---|---|---|---|
| IRON PHOSPHATE | 17.63 | | | |
| ISOPROPYL ALCOHOL | 0.65 | | | |
| LAMBDA-CYHALOTHRIN | 269.82 | | | |
| LIMONENE | 12.21 | | | |
| LINALOOL | 1.02 | | | |
| MAGNESIUM PHOSPHIDE | 27.22 | | | |
| MALATHION | 0.05 | | | |
| MARGOSA OIL | 12.42 | | | |
| METALDEHYDE | 1.20 | | | |
| METHOPRENE | 0.08 | | | |
| S-METHOPRENE | 0.78 | | | |
| METHYL ANTHRANILATE | 6.83 | | | |
| MUSCALURE | 3.20 | | | |
| NICARBAZIN | 0.03 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.56 | | | |
| NOVIFLUMURON | < 0.01 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 205.73 | | | |
| OXYTETRACYCLINE, CALCIUM COMPLEX | 0.91 | | | |
| PARAQUAT DICHLORIDE | 3.92 | | | |
| PERMETHRIN | 6,141.14 | | | |
| PERMETHRIN, OTHER RELATED | 0.03 | | | |
| PEROXYACETIC ACID | 1.87 | | | |
| PETROLEUM DISTILLATES | 7.95 | | | |
| PHENOTHRIN | 2.38 | | | |
| PHENYLETHYL PROPIONATE | 1.16 | | | |
| ORTHO-PHENYLPHENOL | 203.90 | | | |
| PIPERONYL BUTOXIDE | 349.86 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 57.97 | | | |
| POLYBUTENES | 11.24 | | | |
| POTASSIUM PEROXYMONOSULFATE | 993.42 | | | |
| PRALLETHRIN | 2.26 | | | |
| PROPANIL | 10.64 | | | |
| PROPETAMPHOS | 0.03 | | | |
| PROPOXUR | 1.27 | | | |
| PYRETHRINS | 138.21 | | | |
| PYRIPROXYFEN | 11.95 | | | |
| SILICA AEROGEL | 16.84 | | | |
| SODIUM CHLORIDE | 69.60 | | | |
| SODIUM DECYL SULFATE | 1.55 | | | |
| SODIUM DICHLORO-S-TRIAZINETRIONE | 185.02 | | | |
| SODIUM HYPOCHLORITE | 72.86 | | | |
| SODIUM LAUROAMPHO ACETATE | 1.17 | | | |
| SODIUM LAURYL SULFATE | 0.79 | | | |
| SODIUM NITRATE | 0.12 | | | |
| SPINOSAD | 0.11 | | | |
| STRYCHNINE | 0.06 | | | |
| SULFLURAMID | < 0.01 | | | |
| SULFUR | 0.09 | | | |
| SULFURYL FLUORIDE | 34,176.28 | | | |
| TALL OIL | 0.04 | | | |
| TETRAMETHRIN | 0.18 | | | |
| THIAMETHOXAM | 1.98 | | | |
| THYME | 1.92 | | | |
| TRIETHYLENE GLYCOL | 2.16 | | | |
| VEGETABLE OIL | 156.01 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| Site Total | 57,199.93 | | | |
| **SUDANGRASS** | | | | |
| BROMOXYNIL OCTANOATE | 32.76 | 1 | 45.00 | A |
| BUTYL ALCOHOL | 0.94 | 1 | 133.00 | A |
| COCONUT DIETHANOLAMIDE | 0.20 | 2 | 90.00 | A |
| DICAMBA, DIMETHYLAMINE SALT | 39.60 | 1 | 45.00 | A |
| DIMETHYLPOLYSILOXANE | 0.01 | 1 | 133.00 | A |
| DODECYLBENZENE SULFONIC ACID | 0.85 | 2 | 90.00 | A |
| EDTA, TETRASODIUM SALT | 0.05 | 2 | 90.00 | A |
| ISOPROPYL ALCOHOL | 1.09 | 3 | 135.00 | A |
| METHOXYFENOZIDE | 14.07 | 1 | 133.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 12.86 | 2 | 178.00 | A |
| PHOSPHORIC ACID | 3.29 | 3 | 135.00 | A |
| SILICONE DEFOAMER | 0.02 | 2 | 90.00 | A |
| SODIUM XYLENE SULFONATE | 0.26 | 2 | 90.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.00 | 2 | 90.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.13 | 2 | 90.00 | A |
| TRIBENURON-METHYL | 2.19 | 1 | 133.00 | A |
| TRIETHANOLAMINE | 0.33 | 2 | 90.00 | A |
| Site Total | 109.67 | 8 | | |
| **SUGARBEET** | | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.66 | 1 | 5.00 | A |
| AMMONIUM NITRATE | 0.32 | 1 | 5.00 | A |
| AMMONIUM SULFATE | 0.63 | 1 | 5.00 | A |
| DESMEDIPHAM | 0.06 | 1 | 2.00 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 5.00 | A |
| ESFENVALERATE | 1.52 | 1 | 31.00 | A |
| ETHOFUMESATE | 0.06 | 1 | 2.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 15.01 | 3 | 9.00 | A |
| PHENMEDIPHAM | 0.06 | 1 | 2.00 | A |
| SULFUR | 24.00 | 1 | 3.00 | A |
| TRIFLUSULFURON-METHYL | 0.06 | 1 | 2.00 | A |
| Site Total | 42.36 | 8 | | |
| **SWISS CHARD** | | | | |
| ACETAMIPRID | 0.04 | 2 | 4.00 | A |
| DISODIUM OCTABORATE TETRAHYDRATE | 0.05 | 1 | 3,000.00 | S |
| Site Total | 0.09 | 3 | | |
| **TANGELO** | | | | |
| ABAMECTIN | 2.80 | 11 | 141.50 | A |
| ACETAMIPRID | 3.50 | 1 | 40.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 45.18 | 20 | 337.35 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 28.73 | 6 | 53.20 | A |
| BENTONITE | 124.07 | 9 | 102.93 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 4.76 | 4 | 66.30 | A |
| BROMACIL | 87.19 | 7 | 68.53 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| CALCIUM HYDROXIDE | 21,732.56 | 48 | 788.43 | A |
| CARFENTRAZONE-ETHYL | 0.21 | 2 | 2.25 | A |
| CASEIN | 9.31 | 9 | 102.93 | A |
| CHLORANTRANILIPROLE | 11.56 | 8 | 124.95 | A |
| CHLORPYRIFOS | 341.70 | 8 | 87.20 | A |
| COPPER HYDROXIDE | 528.57 | 9 | 165.70 | A |
| COPPER OXIDE (OUS) | 274.17 | 5 | 96.00 | A |
| COPPER SULFATE (BASIC) | 1,628.18 | 27 | 322.73 | A |
| COTTONSEED OIL | 5.55 | 1 | 19.00 | A |
| CRYOLITE | 218.88 | 1 | 19.00 | A |
| CYFLUTHRIN | 6.08 | 4 | 66.50 | A |
| BETA-CYFLUTHRIN | 16.45 | 28 | 375.25 | A |
| (S)-CYPERMETHRIN | 12.40 | 11 | 157.30 | A |
| 2,4-D, DIMETHYLAMINE SALT | 13.08 | 1 | 30.00 | A |
| 2,4-D, ISOPROPYL ESTER | 63.35 | 61 | 1,075.00 | A |
| DIFLUBENZURON | 1.56 | 1 | 10.00 | A |
| DIMETHOATE | 92.67 | 2 | 93.00 | A |
| DIMETHYLPOLYSILOXANE | 16.88 | 17 | 144.65 | A |
| DIMETHYL SILICONE FLUID EMULSION | 0.42 | 1 | 30.00 | A |
| DIPHACINONE | < 0.01 | 1 | 5.20 | A |
| DIURON | 194.59 | 12 | 133.39 | A |
| ETHYLENE GLYCOL | 6.53 | 3 | 27.00 | A |
| ETHYLENE GLYCOL MONOMETHYL ETHER | 9.09 | 6 | 53.20 | A |
| FATTY ACIDS, MIXED | 0.78 | 4 | 63.20 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 17.77 | 4 | 66.30 | A |
| FENPROPATHRIN | 91.11 | 8 | 222.50 | A |
| FENPYROXIMATE | 7.62 | 6 | 78.20 | A |
| FLUMIOXAZIN | 1.28 | 1 | 10.00 | A |
| GIBBERELLINS | 54.17 | 44 | 680.30 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 530.73 | 33 | 385.90 | A |
| GLYPHOSATE, POTASSIUM SALT | 1,267.84 | 47 | 912.51 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 8.62 | 9 | 28.50 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 124.94 | 25 | 368.30 | A |
| IMAZALIL | 10.86 | | 880.36 | T |
| IMIDACLOPRID | 62.11 | 10 | 165.70 | A |
| INDAZIFLAM | 22.30 | 12 | 252.75 | A |
| ISOOCTYL PHTHALATE | 9.22 | 6 | 53.20 | A |
| ISOPROPYL ALCOHOL | 10.31 | 17 | 144.95 | A |
| KAOLIN | 356.25 | 1 | 7.50 | A |
| LACTOSE | 9.31 | 9 | 102.93 | A |
| MALATHION | 245.34 | 1 | 40.00 | A |
| METALDEHYDE | 58.56 | 6 | 161.00 | A |
| METHYLATED SOYBEAN OIL | 93.31 | 10 | 68.50 | A |
| METHYL ESTERS OF COTTONSEED OIL | 401.52 | 24 | 420.85 | A |
| MINERAL OIL | 1,954.01 | 14 | 261.20 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 97.22 | 9 | 171.70 | A |
| MORPHOLINE | 3.99 | 6 | 53.20 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 10.14 | 8 | 129.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 27.53 | 24 | 183.45 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 6.27 | 6 | 53.20 | A |
| OLEIC ACID | 12.91 | 6 | 53.20 | A |
| ORYZALIN | 184.43 | 3 | 39.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| OXYFLUORFEN | | 69.96 | 2 | 69.00 | A |
| PARAQUAT DICHLORIDE | | 6.92 | 1 | 10.00 | A |
| PENDIMETHALIN | | 105.34 | 4 | 55.86 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 2,405.64 | 28 | 443.60 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 51.08 | 7 | 204.00 | A |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | | 7.84 | 1 | 30.00 | A |
| POLYBUTENES | | 3.17 | 4 | 66.30 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 27.82 | 8 | 122.50 | A |
| POLYETHYLENE GLYCOL | | 9.60 | 7 | 45.75 | A |
| PROPYLENE GLYCOL | | 1.08 | 1 | 10.00 | A |
| PYRIPROXYFEN | | 0.97 | 1 | 9.00 | A |
| RIMSULFURON | | 1.06 | 1 | 13.00 | A |
| SAFLUFENACIL | | 13.37 | 36 | 473.10 | A |
| SIMAZINE | | 17.98 | 1 | 9.00 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | | 1.22 | 6 | 53.20 | A |
| SPINETORAM | | 67.84 | 42 | 755.25 | A |
| SPINOSAD | | 2.09 | 2 | 20.00 | A |
| SPIROTETRAMAT | | 5.08 | 19 | 247.90 | A |
| STYRENE BUTADIENE COPOLYMER | | 0.94 | 1 | 10.00 | A |
| TALL OIL FATTY ACIDS | | 1.86 | 9 | 28.50 | A |
| THIABENDAZOLE | | 3.33 | | 502.29 | T |
| THIAMETHOXAM | | 30.54 | 21 | 447.70 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.08 | 1 | 10.00 | A |
| Site Total | | 33,996.27 | 741 | | |
| **TANGERINE** | | | | | |
| ABAMECTIN | | 148.00 | 269 | 9,319.21 | A |
| | | 0.49 | 1 | 20.00 | U |
| Total Pounds On This Chemical | 148.50 | | | | |
| ACEPHATE | | 254.63 | 27 | 936.60 | A |
| ACETAMIPRID | | 17.48 | 9 | 179.50 | A |
| ACRYLIC ACID | | 4.86 | 1 | 15.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 46.93 | 2 | 107.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 1,971.70 | 563 | 22,130.24 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 19.60 | 4 | 44.38 | A |
| ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 5.04 | 1 | 41.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | | 92.24 | 13 | 124.77 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, SODIUM SALT | | 103.88 | 44 | 1,565.36 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | | 47.55 | 35 | 973.37 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | | 6.16 | 1 | 25.00 | A |
| ALUMINUM PHOSPHIDE | | 0.43 | 1 | 5.00 | A |
| AMMONIUM NITRATE | | 19.45 | 21 | 563.37 | A |
| AMMONIUM PROPIONATE | | 10.07 | 1 | 18.00 | A |
| AMMONIUM SULFATE | | 1,069.68 | 45 | 998.37 | A |
| AZOXYSTROBIN | | 296.25 | 34 | 1,547.73 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | | 962.02 | 74 | 2,261.08 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | | 249.48 | 13 | 384.00 | A |
| BENTONITE | | 1,749.89 | 103 | 2,685.58 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 250.01 | 170 | 4,185.02 | A |
| BROMACIL | 304.44 | 20 | 368.18 | A |
| BUPROFEZIN | 93.93 | 3 | 55.00 | A |
| CALCIUM HYDROXIDE | 84,008.28 | 311 | 8,041.11 | A |
| CARBARYL | 2,563.86 | 32 | 988.16 | A |
| CARFENTRAZONE-ETHYL | 4.32 | 12 | 271.22 | A |
| CASEIN | 121.34 | 101 | 2,635.58 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | 127.68 | 5 | 178.00 | A |
| CHLORANTRANILIPROLE | 15.36 | 8 | 186.26 | A |
| CHLOROPHACINONE | 0.03 | 2 | 53.00 | A |
| CHLORPYRIFOS | 7,380.21 | 127 | 2,642.21 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 20.40 | 2 | 34.00 | A |
| CITRIC ACID | 18.15 | 21 | 514.10 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 381.57 | 4 | 49.93 | A |
| COCONUT DIETHANOLAMIDE | 473.22 | 50 | 1,720.36 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 0.21 | 2 | 50.00 | A |
| COPPER | 168.00 | 3 | 60.35 | A |
| COPPER HYDROXIDE | 11,387.11 | 109 | 4,292.21 | A |
| COPPER OXIDE (OUS) | 490.14 | 15 | 235.60 | A |
| COPPER OXYCHLORIDE | 42.16 | 3 | 59.00 | A |
| COPPER SULFATE (BASIC) | 19,415.17 | 223 | 4,687.48 | A |
| COTTONSEED OIL | 4.61 | 2 | 11.00 | A |
| CYFLUTHRIN | 98.80 | 42 | 1,266.34 | A |
| BETA-CYFLUTHRIN | 176.18 | 179 | 4,717.35 | A |
| (S)-CYPERMETHRIN | 96.29 | 72 | 2,094.28 | A |
| 2,4-D, DIMETHYLAMINE SALT | 518.10 | 30 | 677.88 | A |
| 2,4-D, ISOPROPYL ESTER | 173.24 | 90 | 2,728.78 | A |
| DIETHYLENE GLYCOL | 24.72 | 9 | 499.00 | A |
| DIFENOCONAZOLE | 136.13 | 19 | 1,113.91 | A |
| DIFLUBENZURON | 399.63 | 29 | 1,363.32 | A |
| DIMETHOATE | 111.54 | 6 | 112.72 | A |
| DIMETHYLPOLYSILOXANE | 76.98 | 311 | 6,877.28 | A |
| DIPHACINONE | < 0.01 | 5 | 50.00 | A |
| DIPROPYLENE GLYCOL METHYL ETHER | 1.09 | 2 | 80.00 | A |
| DIURON | 3,165.23 | 69 | 1,728.79 | A |
| DODECYLBENZENE SULFONIC ACID | 4.58 | 6 | 155.00 | A |
| EDTA, TETRASODIUM SALT | 0.28 | 6 | 155.00 | A |
| ETHYLENE GLYCOL | 73.97 | 6 | 243.00 | A |
| ETHYLENE GLYCOL MONOMETHYL ETHER | 315.31 | 169 | 4,744.48 | A |
| FATTY ACIDS, MIXED | 15.04 | 18 | 567.83 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 900.39 | 143 | 3,645.25 | A |
| FENBUTATIN-OXIDE | 7.50 | 1 | 5.00 | A |
| FENPROPATHRIN | 1,254.47 | 85 | 3,448.93 | A |
| FENPYROXIMATE | 361.45 | 121 | 4,172.78 | A |
| FERROUS SULFATE | 1.12 | 2 | 50.00 | A |
| FLUMIOXAZIN | 7.51 | 6 | 50.48 | A |
| FORMETANATE HYDROCHLORIDE | 2,081.33 | 68 | 2,014.53 | A |
| FOSETYL-AL | 6,804.87 | 30 | 1,802.28 | A |
| GIBBERELLINS | 434.79 | 188 | 7,389.58 | A |
| GLUFOSINATE-AMMONIUM | 7.84 | 4 | 78.50 | A |
| GLYCEROL | 1.43 | 13 | 390.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 34,571.42 | 642 | 15,266.38 | A |
| GLYPHOSATE, POTASSIUM SALT | 15,185.40 | 459 | 11,116.49 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 1.01 | 1 | 41.00 | A |

# Department of Pesticide Regulation
## 2014 Annual Statewide Pesticide Use Report Indexed by Commodity
## Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | | 200.35 | 37 | 648.13 | A |
| HEXYTHIAZOX | | 84.11 | 7 | 540.10 | A |
| | | 3.83 | 1 | 20.00 | U |
| Total Pounds On This Chemical | 87.94 | | | | |
| HYDROTREATED PARAFFINIC SOLVENT | | 0.38 | 1 | 0.50 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | 577.05 | 71 | 2,135.30 | A |
| IMAZALIL | | 15.08 | | 930.99 | T |
| IMIDACLOPRID | | 2,037.34 | 176 | 5,218.34 | A |
| INDAZIFLAM | | 210.41 | 135 | 3,651.78 | A |
| IRON PHOSPHATE | | 19.43 | 6 | 186.32 | A |
| ISOOCTYL PHTHALATE | | 319.75 | 169 | 4,744.48 | A |
| ISOPROPYL ALCOHOL | | 446.63 | 301 | 6,817.65 | A |
| KAOLIN | | 89,935.12 | 166 | 4,375.64 | A |
| LACTOSE | | 137.84 | 103 | 2,685.58 | A |
| LAURIC ACID | | 94.43 | 44 | 1,565.36 | A |
| LECITHIN | | 249.01 | 48 | 740.77 | A |
| LIME-SULFUR | | 134.22 | 4 | 70.00 | A |
| MALATHION | | 2,528.72 | 24 | 728.30 | A |
| MANGANESE SULFATE | | 1.55 | 2 | 50.00 | A |
| MEFENOXAM | | 157.24 | 8 | 252.25 | A |
| METAFLUMIZONE | | 1.45 | 65 | 3,552.83 | A |
| METALDEHYDE | | 1,588.18 | 59 | 1,806.70 | A |
| METHOMYL | | 54.00 | 3 | 60.00 | A |
| METHOXYFENOZIDE | | 0.42 | 1 | 3.00 | A |
| METHYLATED SOYBEAN OIL | | 3,374.38 | 118 | 1,936.52 | A |
| METHYL ESTERS OF COTTONSEED OIL | | 7,079.65 | 209 | 5,559.53 | A |
| METHYL SILICONE RESINS | | 461.81 | 58 | 2,908.68 | A |
| MINERAL OIL | | 49,760.16 | 285 | 6,016.26 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | | 1,091.39 | 137 | 3,715.73 | A |
| MOLASSES | | 2.42 | 1 | 0.40 | A |
| MORPHOLINE | | 138.26 | 169 | 4,744.48 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | 314.72 | 155 | 3,797.08 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 816.09 | 188 | 3,424.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 217.48 | 170 | 4,744.98 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 104.94 | 39 | 547.39 | A |
| NORFLURAZON | | 15.72 | 1 | 8.00 | A |
| OLEIC ACID | | 447.51 | 169 | 4,744.48 | A |
| OLEIC ACID, METHYL ESTER | | 103.16 | 6 | 54.38 | A |
| ORYZALIN | | 6,150.14 | 66 | 3,240.77 | A |
| OXYFLUORFEN | | 280.92 | 26 | 567.25 | A |
| PARAQUAT DICHLORIDE | | 1.61 | 2 | 15.50 | A |
| PENDIMETHALIN | | 1,795.05 | 56 | 656.86 | A |
| PETROLEUM OIL, UNCLASSIFIED | | 25,070.97 | 170 | 4,293.77 | A |
| | | 179.59 | 1 | 20.00 | U |
| Total Pounds On This Chemical | 25,250.57 | | | | |
| PHOSMET | | 558.60 | 4 | 266.00 | A |
| PHOSPHORIC ACID | | 57.73 | 55 | 986.30 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 0.20 | 7 | 103.00 | A |
| POLYBUTENES | | 160.78 | 143 | 3,645.25 | A |
| POLYETHER MODIFIED POLYSILOXANE | | 126.74 | 29 | 1,184.33 | A |
| POLYETHYLENE GLYCOL | | 227.55 | 75 | 1,113.96 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 19,507.99 | 12 | 1,350.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 104.93 | 24 | 904.33 | A |
| POLYSORBATE 65 | 0.33 | 1 | 8.00 | A |
| POTASSIUM HYDROXIDE | 0.46 | 13 | 390.00 | A |
| POTASSIUM PHOSPHITE | 165.11 | 5 | 51.00 | A |
| POTASSIUM SILICATE | 1.61 | 1 | 17.00 | A |
| PROPICONAZOLE | 2.35 | 1 | 4.00 | A |
| PROPIONIC ACID | 16.26 | 3 | 112.00 | A |
| PROPYLENE GLYCOL | 204.18 | 72 | 2,173.36 | A |
| PYRACLOSTROBIN | 376.07 | 35 | 1,615.10 | A |
| PYRETHRINS | 0.35 | 2 | 6.50 | A |
| PYRIDABEN | 383.83 | 16 | 939.62 | A |
| PYRIPROXYFEN | 43.51 | 27 | 416.35 | A |
| RIMSULFURON | 235.20 | 183 | 4,390.34 | A |
| SABADILLA ALKALOIDS | 0.08 | 3 | 14.40 | A |
| SAFLUFENACIL | 446.53 | 581 | 12,624.48 | A |
| SILICONE DEFOAMER | 0.12 | 6 | 155.00 | A |
| SIMAZINE | 56.78 | 2 | 21.20 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 42.17 | 169 | 4,744.48 | A |
| SODIUM POLYACRYLATE | 0.54 | 14 | 408.00 | A |
| SODIUM XYLENE SULFONATE | 1.41 | 6 | 155.00 | A |
| SORBITAN TRIOLEATE | 0.33 | 1 | 8.00 | A |
| SPINETORAM | 857.47 | 350 | 10,821.37 | A |
| SPINOSAD | 41.47 | 24 | 547.48 | A |
| SPIRODICLOFEN | 351.84 | 22 | 1,261.86 | A |
| SPIROTETRAMAT | 186.47 | 287 | 8,310.33 | A |
| STARCH | < 0.01 | 1 | 4.00 | A |
| STRYCHNINE | 0.11 | 5 | 21.00 | A |
| STYRENE BUTADIENE COPOLYMER | 36.38 | 26 | 542.00 | A |
| SULFUR | 100.80 | 1 | 4.00 | A |
| SULFURIC ACID | 0.70 | 1 | 25.00 | A |
| TALL OIL FATTY ACIDS | 72.12 | 55 | 863.40 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 6.45 | 8 | 167.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.70 | 6 | 155.00 | A |
| THIABENDAZOLE | 1.41 | | 85.22 | T |
| THIAMETHOXAM | 39.30 | 26 | 602.25 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 3.42 | 13 | 390.00 | A |
| TRIETHANOLAMINE | 1.80 | 6 | 155.00 | A |
| TRIFLOXYSTROBIN | 35.98 | 17 | 323.34 | A |
| TRIFLURALIN | 32.11 | 2 | 64.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.38 | 1 | 4.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 88.71 | 36 | 1,002.00 | A |
| UREA DIHYDROGEN SULFATE | 2.05 | 13 | 390.00 | A |
| ZINC SULFATE | 15.18 | 28 | 333.30 | A |
| Site Total | 422,152.83 | 8,342 | | |
| **TOMATO** | | | | |
| ABAMECTIN | 8.81 | 9 | 557.82 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 160.44 | 80 | 4,077.73 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 1.69 | 1 | 5.00 | A |
| ALUMINUM PHOSPHIDE | 3.51 | 3 | 442.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| AMMONIUM NITRATE | 2.10 | 1 | 152.10 | A |
| AMMONIUM SULFATE | 52.01 | 1 | 152.10 | A |
| AZADIRACHTIN | 2.81 | 3 | 160.00 | A |
| AZOXYSTROBIN | 161.87 | 27 | 1,599.15 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 106.43 | 1 | 48.33 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 29.87 | 7 | 432.60 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 9.93 | 1 | 130.60 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 9.67 | 10 | 17.70 | A |
| BENZOIC ACID | 2.50 | 2 | 302.10 | A |
| BIFENTHRIN | 74.35 | 18 | 973.87 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 74.39 | 16 | 875.00 | A |
| BUPROFEZIN | 140.09 | 9 | 469.32 | A |
| BUTYL ALCOHOL | 33.52 | 21 | 1,456.86 | A |
| CALCIUM CHLORIDE | 57.92 | 22 | 1,484.56 | A |
| CALCIUM HYPOCHLORITE | 14.90 | | 26,037.00 | T |
| CARBARYL | 1,479.86 | 50 | 2,390.77 | A |
| CHLORANTRANILIPROLE | 363.69 | 119 | 6,831.34 | A |
| CHLOROTHALONIL | 6,678.97 | 68 | 4,307.60 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 263.67 | 5 | 411.80 | A |
| CITRIC ACID | 160.89 | 22 | 1,484.56 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 553.15 | 18 | 627.44 | A |
| CLETHODIM | 152.83 | 7 | 692.29 | A |
| CLOTHIANIDIN | 57.94 | 10 | 916.50 | A |
| COPPER HYDROXIDE | 1,477.99 | 85 | 2,081.60 | A |
| BETA-CYFLUTHRIN | 0.07 | 1 | 18.00 | A |
| CYMOXANIL | 129.28 | 31 | 1,069.21 | A |
| (S)-CYPERMETHRIN | 64.80 | 29 | 1,603.20 | A |
| CYPRODINIL | 52.02 | 3 | 158.00 | A |
| DIAZINON | 158.75 | 1 | 162.00 | A |
| DIETHYLENE GLYCOL | 333.98 | 52 | 1,121.81 | A |
| DIFENOCONAZOLE | 48.93 | 8 | 629.50 | A |
| DIMETHOATE | 16.03 | 14 | 45.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 2.72 | 2 | 302.10 | A |
| DIMETHYLPOLYSILOXANE | 5.39 | 151 | 5,561.89 | A |
| DINOTEFURAN | 465.41 | 52 | 3,141.10 | A |
| EMAMECTIN BENZOATE | 8.28 | 12 | 611.00 | A |
| ESFENVALERATE | 70.17 | 31 | 1,514.47 | A |
| ETHEPHON | 273.17 | 6 | 551.66 | A |
| FAMOXADONE | 129.28 | 31 | 1,069.21 | A |
| FATTY ACIDS, MIXED | 15.56 | 16 | 797.66 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 277.47 | 15 | 870.00 | A |
| FENPROPATHRIN | 42.09 | 6 | 200.00 | A |
| FLUBENDIAMIDE | 110.02 | 41 | 2,384.74 | A |
| FLUXAPYROXAD | 63.30 | 13 | 773.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 262.28 | 5 | 90.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 1,360.97 | 14 | 569.70 | A |
| HALOSULFURON-METHYL | 1.50 | 2 | 34.00 | A |
| HYDROGEN PEROXIDE | 910.04 | 30 | 1,531.32 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 5.48 | 3 | 70.33 | A |
| IMIDACLOPRID | 1,824.28 | 158 | 8,758.26 | A |
| INDOXACARB | 5.09 | 1 | 77.50 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ISOPROPYL ALCOHOL | 90.27 | 83 | 3,478.22 | A |
| KAOLIN | 3,935.85 | 2 | 138.10 | A |
| KEROSENE | 3.18 | 1 | 152.10 | A |
| LAMBDA-CYHALOTHRIN | 27.34 | 12 | 918.12 | A |
| LECITHIN | 18.14 | 2 | 60.00 | A |
| MALATHION | 62.19 | 5 | 40.40 | A |
| MANCOZEB | 845.29 | 51 | 742.39 | A |
| MEFENOXAM | 101.37 | 29 | 1,497.30 | A |
| METAM-SODIUM | 10,685.71 | 2 | 36.06 | A |
| METHOMYL | 1,137.85 | 32 | 1,885.51 | A |
| METHOXYFENOZIDE | 370.33 | 48 | 2,290.19 | A |
| METHYLATED SOYBEAN OIL | 396.79 | 8 | 698.89 | A |
| S-METOLACHLOR | 545.23 | 10 | 378.86 | A |
| MINERAL OIL | 0.60 | 1 | 5.00 | A |
| MYCLOBUTANIL | 116.22 | 20 | 1,166.71 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 107.68 | 24 | 1,387.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,220.64 | 173 | 7,031.18 | A |
| NOVALURON | 32.80 | 8 | 400.00 | A |
| OLEIC ACID, METHYL ESTER | 16.44 | 3 | 70.33 | A |
| OXAMYL | 571.48 | 6 | 399.00 | A |
| OXYFLUORFEN | 369.62 | 5 | 714.00 | A |
| PARAQUAT DICHLORIDE | 19.39 | 2 | 151.00 | A |
| PENDIMETHALIN | 360.19 | 6 | 498.00 | A |
| PENTHIOPYRAD | 289.27 | 21 | 1,079.00 | A |
| PERMETHRIN | 88.14 | 22 | 1,142.00 | A |
| POLYBUTENES | 49.55 | 15 | 870.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 108.00 | 76 | 4,118.11 | A |
| POLYETHYLENE GLYCOL | 300.99 | 77 | 2,943.22 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 218.79 | 73 | 3,726.31 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 33,235.77 | 3 | 140.13 | A |
| PROPIONIC ACID | 18.14 | 2 | 60.00 | A |
| PROPYLENE GLYCOL | 54.34 | 29 | 579.95 | A |
| PYRACLOSTROBIN | 245.29 | 27 | 1,478.16 | A |
| PYRIPROXYFEN | 13.00 | 4 | 212.66 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 148.71 | 44 | 2,245.67 | A |
| RIMSULFURON | 5.00 | 7 | 159.83 | A |
| SPINETORAM | 427.29 | 197 | 8,984.17 | A |
| SPINOSAD | 37.98 | 5 | 388.90 | A |
| SPIROMESIFEN | 34.65 | 5 | 265.33 | A |
| STYRENE BUTADIENE COPOLYMER | 47.55 | 29 | 579.95 | A |
| SULFENTRAZONE | 13.36 | 3 | 126.00 | A |
| SULFUR | 302,743.40 | 205 | 13,454.00 | A |
| TALL OIL | 11.21 | 6 | 535.00 | A |
| TALL OIL FATTY ACIDS | 0.02 | 1 | 5.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.62 | 1 | 3.00 | A |
| THIAMETHOXAM | 219.53 | 79 | 4,383.60 | A |
| TRIFLURALIN | 2,061.50 | 73 | 3,364.29 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 72.20 | 34 | 800.11 | A |
| Site Total | 380,252.05 | 2,133 | | |
| **TOMATO, PROCESSING** | | | | |
| ABAMECTIN | 114.97 | 70 | 8,504.00 | A |
| ACETAMIPRID | 602.93 | 84 | 8,314.41 | A |
| ACRYLIC ACID | 7.03 | 8 | 756.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 475.57 | 21 | 1,700.10 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 439.29 | 67 | 6,286.62 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 327.41 | 31 | 3,004.31 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 293.16 | 35 | 1,332.62 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 342.59 | 29 | 3,608.63 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 30.68 | 4 | 507.50 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 983.16 | 39 | 4,899.00 | A |
| ALUMINUM PHOSPHIDE | 7.57 | 9 | 696.00 | A |
| AMMONIUM NITRATE | 50.27 | 19 | 2,681.00 | A |
| AMMONIUM PROPIONATE | 85.23 | 11 | 1,083.46 | A |
| AMMONIUM SULFATE | 2,361.91 | 100 | 12,040.23 | A |
| AZOXYSTROBIN | 4,279.93 | 354 | 41,269.35 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 2,915.86 | 43 | 4,468.59 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 1,408.27 | 36 | 1,538.30 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 60.48 | 3 | 96.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 2,313.71 | 14 | 2,063.00 | A |
| BENZOIC ACID | 40.17 | 18 | 2,187.12 | A |
| BIFENTHRIN | 445.13 | 38 | 5,572.30 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 513.94 | 142 | 12,471.86 | A |
| BUPROFEZIN | 173.52 | 7 | 551.00 | A |
| BUTYL ALCOHOL | 380.66 | 102 | 12,114.90 | A |
| CALCIUM CHLORIDE | 58.59 | 29 | 3,464.95 | A |
| CANOLA OIL | 6.42 | 5 | 775.00 | A |
| CARBARYL | 8,059.68 | 104 | 13,527.41 | A |
| CARFENTRAZONE-ETHYL | 83.71 | 54 | 4,852.10 | A |
| CHENOPODIUM AMBROSIODES NEAR AMBROSIODES | 137.60 | 1 | 148.00 | A |
| CHLORANTRANILIPROLE | 2,462.19 | 377 | 44,003.45 | A |
| CHLOROPHACINONE | < 0.01 | 4 | 460.86 | A |
| CHLOROTHALONIL | 70,325.99 | 293 | 35,257.01 | A |
| CHLORPYRIFOS | 151.50 | 1 | 150.00 | A |
| CITRIC ACID | 771.77 | 117 | 13,590.68 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 143.29 | 1 | 150.00 | A |
| CLETHODIM | 297.70 | 17 | 1,630.65 | A |
| CLOTHIANIDIN | 484.88 | 53 | 7,188.07 | A |
| COCONUT DIETHANOLAMIDE | 9.22 | 22 | 1,950.70 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 17.87 | 113 | 14,636.20 | A |
| COPPER HYDROXIDE | 2,644.13 | 50 | 4,194.35 | A |
| COPPER OXIDE (OUS) | 231.25 | 4 | 171.50 | A |
| COPPER SULFATE (BASIC) | 2,803.97 | 20 | 2,115.97 | A |
| COTTONSEED OIL | 295.01 | 3 | 210.80 | A |
| CYFLUTHRIN | 131.78 | 26 | 2,944.07 | A |
| BETA-CYFLUTHRIN | 7.12 | 21 | 2,975.00 | A |
| CYMOXANIL | 63.91 | 4 | 511.27 | A |
| (S)-CYPERMETHRIN | 230.12 | 41 | 5,077.95 | A |
| DIAZINON | 2,207.45 | 15 | 2,226.00 | A |
| 1,3-DICHLOROPROPENE | 13,713.41 | 1 | 149.00 | A |
| DIETHYLENE GLYCOL | 1,445.59 | 297 | 36,598.14 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| DIFENOCONAZOLE | 2,280.58 | 290 | 34,501.27 | A |
| DIMETHOATE | 24,946.34 | 412 | 55,478.09 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 43.76 | 18 | 2,187.12 | A |
| DIMETHYLPOLYSILOXANE | 829.21 | 865 | 104,051.16 | A |
| DINOTEFURAN | 1,042.20 | 33 | 4,721.60 | A |
| DIPHACINONE | < 0.01 | 16 | 1,225.50 | A |
| DIPROPYLENE GLYCOL METHYL ETHER | 11.43 | 7 | 606.56 | A |
| DODECYLBENZENE SULFONIC ACID | 39.94 | 22 | 1,950.70 | A |
| DODECYLBENZENE SULFONIC ACID, CALCIUM SALT | 3.21 | 5 | 775.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 43.98 | 7 | 591.09 | A |
| EDTA, TETRASODIUM SALT | 2.46 | 22 | 1,950.70 | A |
| EMAMECTIN BENZOATE | 447.53 | 272 | 36,139.86 | A |
| ENDOSULFAN | 6,654.81 | 47 | 6,716.20 | A |
| ESFENVALERATE | 132.11 | 23 | 2,936.00 | A |
| ETHEPHON | 7,121.56 | 161 | 15,086.64 | A |
| ETHYLENE GLYCOL | 30.24 | 4 | 200.00 | A |
| FAMOXADONE | 63.91 | 4 | 511.27 | A |
| FATTY ACIDS, MIXED | 2,684.36 | 464 | 53,920.60 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | 4.99 | 5 | 775.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 1,284.16 | 49 | 4,963.04 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 137.04 | 29 | 3,608.63 | A |
| FENPROPATHRIN | 670.02 | 28 | 3,213.07 | A |
| FERROUS SULFATE | 92.92 | 113 | 14,636.20 | A |
| FLONICAMID | 13.13 | 1 | 150.00 | A |
| FLUBENDIAMIDE | 1,538.48 | 262 | 31,723.89 | A |
| FLUXAPYROXAD | 909.77 | 74 | 10,767.88 | A |
| FOSETYL-AL | 675.60 | 4 | 192.90 | A |
| GLYCEROL | 156.83 | 9 | 1,299.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 25,818.20 | 131 | 11,252.78 | A |
| GLYPHOSATE, POTASSIUM SALT | 93,239.20 | 251 | 30,654.64 | A |
| HALOSULFURON-METHYL | 17.29 | 7 | 373.80 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 47.40 | 54 | 912.58 | A |
| HYDROGEN PEROXIDE | 36.97 | 2 | 100.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 1,629.60 | 18 | 1,718.85 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 32.39 | 16 | 759.43 | A |
| IMIDACLOPRID | 14,141.13 | 526 | 67,994.65 | A |
| INDOXACARB | 257.16 | 34 | 3,593.35 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.93 | 1 | 160.00 | A |
| ISOPARAFFINIC HYDROCARBONS | 138.03 | 7 | 633.70 | A |
| ISOPROPYL ALCOHOL | 5,063.50 | 401 | 47,228.22 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 5.31 | 9 | 1,432.55 | A |
| KAOLIN | 31,469.18 | 15 | 2,149.00 | A |
| KEROSENE | 71.53 | 14 | 1,619.00 | A |
| LAMBDA-CYHALOTHRIN | 710.79 | 200 | 23,144.09 | A |
| LECITHIN | 5,349.82 | 278 | 27,540.84 | A |
| MAGNESIUM SULFATE | 14.07 | 23 | 3,478.00 | A |
| MALATHION | 3,171.36 | 21 | 3,145.27 | A |
| MANCOZEB | 6,897.30 | 61 | 6,190.55 | A |
| MANDIPROPAMID | 23.21 | 2 | 204.00 | A |
| MANGANESE SULFATE | 128.66 | 113 | 14,636.20 | A |
| MEFENOXAM | 2,236.84 | 196 | 23,522.41 | A |
| METAM-SODIUM | 910,670.27 | 103 | 4,811.76 | A |
| METHOMYL | 11,056.45 | 100 | 13,186.82 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| METHOXYFENOZIDE | 2,396.01 | 104 | 12,229.88 | A |
| METHYLATED SOYBEAN OIL | 5,015.72 | 137 | 15,550.14 | A |
| METHYL ESTERS OF COTTONSEED OIL | 1,325.72 | 4 | 672.10 | A |
| METOLACHLOR | 9,366.32 | 44 | 6,183.23 | A |
| S-METOLACHLOR | 39,839.84 | 304 | 29,906.74 | A |
| METRIBUZIN | 18.32 | 2 | 74.00 | A |
| MINERAL OIL | 407.85 | 37 | 1,630.62 | A |
| MYCLOBUTANIL | 985.15 | 106 | 10,185.25 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 390.19 | 81 | 9,226.59 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 16,550.74 | 1,047 | 127,364.16 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 173.16 | 28 | 2,916.15 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 1,166.86 | 89 | 8,896.66 | A |
| NONYL PHENOXY POLYOXYETHYLENE ETHANOL-IODINE COMPLEX | 221.12 | 13 | 894.00 | A |
| NOVALURON | 11.53 | 1 | 147.00 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 11.73 | 23 | 3,478.00 | A |
| OLEIC ACID | 11.02 | 3 | 412.00 | A |
| OLEIC ACID, METHYL ESTER | 1,921.48 | 98 | 4,209.32 | A |
| ORCHEX 796 OIL | 165.51 | 9 | 880.70 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 312.20 | 46 | 5,932.00 | A |
| OXAMYL | 316.60 | 5 | 269.60 | A |
| OXYFLUORFEN | 5,490.21 | 102 | 11,181.80 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 191.82 | 19 | 861.00 | A |
| PARAQUAT DICHLORIDE | 395.71 | 25 | 3,214.88 | A |
| PENDIMETHALIN | 10,137.14 | 119 | 14,379.93 | A |
| PENTHIOPYRAD | 2,544.40 | 61 | 7,929.30 | A |
| PERMETHRIN | 625.89 | 45 | 6,173.70 | A |
| PETROLEUM DISTILLATES | 33.29 | 2 | 186.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 987.01 | 10 | 1,592.55 | A |
| PHOSPHORIC ACID | 2,550.13 | 432 | 56,708.63 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 72.36 | 72 | 9,450.30 | A |
| POLYACRYLAMIDE POLYMER | 72.05 | 40 | 3,456.05 | A |
| POLYACRYLIC POLYMER | 4.01 | 10 | 1,245.20 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 1,517.91 | 45 | 7,049.00 | A |
| POLYBUTENES | 168.73 | 44 | 4,188.04 | A |
| POLYETHER MODIFIED POLYSILOXANE | 111.86 | 56 | 3,827.62 | A |
| POLYETHYLENE GLYCOL | 209.77 | 23 | 3,033.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 1.79 | 1 | 50.00 | A |
| POLY-I-PARA-MENTHENE | 214.08 | 4 | 600.00 | A |
| POLYOXYETHYLENE DIOLEATE | 6.50 | 46 | 5,932.00 | A |
| POLYOXYETHYLENE MIXED FATTY ACID ESTER | 22.28 | 1 | 160.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 199.76 | 45 | 3,354.62 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 21.23 | 9 | 1,432.55 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 147.08 | 14 | 2,207.55 | A |
| POTASSIUM HYDROXIDE | 1.81 | 7 | 766.50 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 643,823.67 | 101 | 4,117.43 | A |
| POTASSIUM NITRATE | 1.47 | 4 | 402.00 | A |
| PROPIONIC ACID | 3,484.47 | 185 | 18,481.03 | A |
| PROPYLENE GLYCOL | 370.12 | 73 | 8,717.00 | A |
| PROPYLENE GLYCOL, METHYL ETHER | 1.60 | 1 | 165.00 | A |
| PYRACLOSTROBIN | 2,213.49 | 102 | 13,364.54 | A |
| PYRETHRINS | 4.13 | 11 | 437.50 | A |
| PYRIPROXYFEN | 31.26 | 4 | 464.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 59.16 | 6 | 519.54 | A |
| REYNOUTRIA SACHALINENSIS | 13.27 | 3 | 122.50 | A |
| RIMSULFURON | 232.16 | 178 | 10,920.08 | A |
| SETHOXYDIM | 235.65 | 6 | 896.55 | A |
| SILICONE DEFOAMER | 1.04 | 22 | 1,950.70 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 2.50 | 5 | 775.00 | A |
| SODIUM HYDROXIDE | 6.06 | 18 | 2,674.00 | A |
| SODIUM POLYACRYLATE | 2.34 | 14 | 1,447.96 | A |
| SODIUM XYLENE SULFONATE | 28.51 | 27 | 2,725.70 | A |
| SOYBEAN OIL | 549.26 | 12 | 1,863.00 | A |
| SPINETORAM | 1,115.25 | 203 | 24,748.31 | A |
| SPINOSAD | 1,233.88 | 58 | 3,481.80 | A |
| SPIROTETRAMAT | 8.11 | 11 | 598.20 | A |
| STARCH | 0.01 | 1 | 50.00 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.03 | 8 | 341.50 | A |
| STYRENE BUTADIENE COPOLYMER | 5.34 | 1 | 50.00 | A |
| SULFENTRAZONE | 133.14 | 8 | 1,110.00 | A |
| SULFUR | 5,252,459.46 | 1,458 | 180,509.14 | A |
| SULFURIC ACID | 137.63 | 52 | 5,793.00 | A |
| TALL OIL | 29.90 | 12 | 877.80 | A |
| TALL OIL FATTY ACIDS | 559.82 | 132 | 12,007.13 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 46.82 | 22 | 1,950.70 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | 3.91 | 23 | 3,478.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 6.14 | 22 | 1,950.70 | A |
| THIAMETHOXAM | 1,857.46 | 312 | 38,860.23 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 3.58 | 4 | 524.50 | A |
| TRIETHANOLAMINE | 15.67 | 22 | 1,950.70 | A |
| TRIFLOXYSTROBIN | 51.16 | 4 | 409.28 | A |
| TRIFLURALIN | 16,493.32 | 287 | 28,712.29 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 60.14 | 55 | 962.58 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3,709.43 | 249 | 30,678.98 | A |
| UREA | 962.41 | 150 | 21,639.95 | A |
| UREA DIHYDROGEN SULFATE | 4.56 | 4 | 524.50 | A |
| VEGETABLE OIL | 26,125.23 | 170 | 24,963.03 | A |
| VINYL POLYMER | 12.52 | 17 | 1,635.00 | A |
| XANTHAN GUM | 0.05 | 10 | 1,197.30 | A |
| ZINC SULFATE | 247.42 | 147 | 19,307.91 | A |
| Site Total | 7,352,201.21 | 10,768 | | |
| **TRITICALE** | | | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 13.95 | 2 | 155.00 | A |
| AZOXYSTROBIN | 23.77 | 2 | 348.09 | A |
| CARFENTRAZONE-ETHYL | 25.08 | 15 | 1,635.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 521.05 | 6 | 926.00 | A |
| DIETHYLENE GLYCOL | 20.07 | 7 | 855.89 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 384.21 | 15 | 2,031.89 | A |
| DIMETHYLPOLYSILOXANE | 0.49 | 8 | 893.89 | A |
| FATTY ACIDS, MIXED | 43.69 | 14 | 1,474.98 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 5.58 | 2 | 155.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 559.52 | 1 | 140.00 | A |
| ISOPROPYL ALCOHOL | 0.80 | 1 | 38.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| LECITHIN | 42.33 | 1 | 140.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 2.47 | 4 | 131.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 127.14 | 18 | 1,809.98 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.97 | 4 | 423.00 | A |
| POLYETHYLENE GLYCOL | 7.28 | 2 | 180.00 | A |
| PROPICONAZOLE | 39.72 | 2 | 348.09 | A |
| PROPIONIC ACID | 42.33 | 1 | 140.00 | A |
| PYRAFLUFEN-ETHYL | 0.70 | 3 | 421.00 | A |
| PYROXSULAM | 9.38 | 8 | 711.00 | A |
| TALL OIL FATTY ACIDS | 2.24 | 1 | 142.00 | A |
| TRIBENURON-METHYL | 21.66 | 13 | 1,207.89 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 52.30 | 7 | 855.89 | A |
| VINYL POLYMER | 3.42 | 3 | 462.49 | A |
| Site Total | 1,950.15 | 88 | | |
| **TURF/SOD** | | | | |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.98 | 7 | 79.80 | A |
| AMMONIUM PROPIONATE | 0.61 | 1 | 5.00 | A |
| AMMONIUM SULFATE | 0.15 | 1 | 5.00 | A |
| AZOXYSTROBIN | 23.00 | 6 | 74.70 | A |
| CHLORANTRANILIPROLE | 3.51 | 6 | 89.00 | A |
| CITRIC ACID | 0.31 | 1 | 5.00 | A |
| DIFENOCONAZOLE | 9.93 | 4 | 55.70 | A |
| DITHIOPYR | 12.40 | 3 | 32.60 | A |
| ETHOFUMESATE | 9.46 | 1 | 8.70 | A |
| FATTY ACIDS, MIXED | 12.50 | 106 | 1,359.35 | A |
| FLUAZIFOP-P-BUTYL | 13.26 | 4 | 30.40 | A |
| FLUROXYPYR, 1-METHYLHEPTYL ESTER | 68.42 | 25 | 248.50 | A |
| GLUFOSINATE-AMMONIUM | 2.27 | 11 | 114.20 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 15.99 | 1 | 8.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 141.85 | 22 | 158.21 | A |
| HALOSULFURON-METHYL | 6.81 | 15 | 170.80 | A |
| LAMBDA-CYHALOTHRIN | 3.13 | 5 | 97.00 | A |
| LECITHIN | 226.82 | 109 | 1,399.95 | A |
| MANCOZEB | 464.25 | 6 | 61.90 | A |
| MESOTRIONE | 45.24 | 21 | 254.93 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 74.44 | 106 | 1,359.35 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 0.44 | 1 | 5.00 | A |
| OLEIC ACID, METHYL ESTER | 27.92 | 7 | 79.80 | A |
| PACLOBUTRAZOL | 0.55 | 4 | 5.82 | A |
| PENDIMETHALIN | 94.51 | 4 | 135.30 | A |
| POLYACRYLAMIDE POLYMER | 10.34 | 93 | 1,231.15 | A |
| POLYSACCHARIDE POLYMER | 1.15 | 93 | 1,231.15 | A |
| PROPIONIC ACID | 220.84 | 102 | 1,320.15 | A |
| PROPYLENE GLYCOL | 3.27 | 4 | 42.80 | A |
| SODIUM POLYACRYLATE | 0.02 | 1 | 5.00 | A |
| STYRENE BUTADIENE COPOLYMER | 2.86 | 4 | 42.80 | A |
| TRICLOPYR, BUTOXYETHYL ESTER | 155.05 | 15 | 267.50 | A |
| TRIFLOXYSULFURON-SODIUM | 2.26 | 13 | 105.40 | A |
| TRINEXAPAC-ETHYL | 2.90 | 2 | 33.60 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3.27 | 4 | 42.80 | A |
| VEGETABLE OIL | 55.01 | 11 | 130.20 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| Site Total | 1,720.70 | 386 | | |
| **UNCULTIVATED AG** | | | | |
| ACRYLIC ACID | 9.72 | 1 | 150.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.68 | 3 | 52.50 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 197.58 | 8 | 1,108.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 36.49 | 2 | 237.00 | A |
| AMMONIUM NITRATE | 94.09 | 8 | 1,108.00 | A |
| AMMONIUM PROPIONATE | 28.28 | 1 | 150.00 | A |
| AMMONIUM SULFATE | 195.24 | 9 | 1,258.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 7.30 | 2 | 237.00 | A |
| BROMOXYNIL HEPTANOATE | 12.55 | 1 | 73.00 | A |
| BROMOXYNIL OCTANOATE | 13.02 | 1 | 73.00 | A |
| BUTYL ALCOHOL | 5.41 | 1 | 146.00 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 0.32 | 1 | 4.00 | A |
| CALCIUM CHLORIDE | 6.13 | 1 | 146.00 | A |
| CARFENTRAZONE-ETHYL | 0.16 | 3 | 5.50 | A |
| CHLOROPICRIN | 3,151.51 | 1 | 26.00 | A |
| CITRIC ACID | 31.17 | 2 | 296.00 | A |
| 1,3-DICHLOROPROPENE | 18,677.59 | 2 | 55.95 | A |
| DIETHYLENE GLYCOL | 0.49 | 2 | 237.00 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 67.21 | 2 | 237.00 | A |
| DIMETHOATE | 37.00 | 2 | 38.40 | A |
| DIMETHYLPOLYSILOXANE | 3.25 | 13 | 1,668.40 | A |
| DIURON | 8.80 | 2 | 9.00 | A |
| FATTY ACIDS, MIXED | 0.60 | 1 | 73.00 | A |
| GLUFOSINATE-AMMONIUM | 0.11 | 2 | 8.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 89.72 | 9 | 37.60 | A |
| GLYPHOSATE, POTASSIUM SALT | 7,346.19 | 18 | 1,676.60 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 5.71 | 1 | 5.00 | A |
| ISOPROPYL ALCOHOL | 46.37 | 1 | 159.60 | A |
| LAMBDA-CYHALOTHRIN | 8.96 | 2 | 296.00 | A |
| MCPA, DIMETHYLAMINE SALT | 22.14 | 1 | 73.00 | A |
| METHYLATED SOYBEAN OIL | 77.98 | 2 | 237.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 58.79 | 4 | 456.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.60 | 1 | 5.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 56.79 | 2 | 300.00 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 11.85 | 2 | 237.00 | A |
| OXYFLUORFEN | 16.92 | 2 | 154.00 | A |
| PARAQUAT DICHLORIDE | 1.73 | 1 | 14.10 | A |
| PENDIMETHALIN | 1.89 | 1 | 2.50 | A |
| PHOSPHORIC ACID | 1.10 | 1 | 150.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 1.12 | 2 | 237.00 | A |
| POLYOXYETHYLENE DIOLEATE | 0.25 | 2 | 237.00 | A |
| PROPYLENE GLYCOL | 10.43 | 2 | 237.00 | A |
| RIMSULFURON | 0.25 | 1 | 4.00 | A |
| SIMAZINE | 9.90 | 2 | 9.00 | A |
| SODIUM POLYACRYLATE | 0.71 | 1 | 150.00 | A |
| STRYCHNINE | 0.02 | 1 | 4.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity<br>Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SULFURIC ACID | | 4.17 | 2 | 237.00 | A |
| TALL OIL FATTY ACIDS | | 0.53 | 1 | 5.00 | A |
| ZINC PHOSPHIDE | | 1.00 | 1 | 325.00 | A |
| Site Total | | 30,364.81 | 80 | | |
| **UNCULTIVATED NON-AG** | | | | | |
| GLUFOSINATE-AMMONIUM | | 5.71 | 2 | 40.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 13.51 | 4 | 80.00 | A |
| OXYFLUORFEN | | 0.94 | 2 | 40.00 | A |
| Site Total | | 20.16 | 8 | | |
| **UNKNOWN** | | | | | |
| ABAMECTIN | | 0.57 | 6 | 29.20 | A |
| | | < 0.01 | 1 | 2.00 | U |
| Total Pounds On This Chemical | 0.57 | | | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2.31 | 2 | 12.50 | A |
| AZOXYSTROBIN | | 2.09 | 1 | 12.00 | A |
| BIFENAZATE | | 6.00 | 2 | 12.50 | A |
| BUPROFEZIN | | 1.17 | 2 | 13.00 | A |
| DIFENOCONAZOLE | | 1.31 | 1 | 12.00 | A |
| ESFENVALERATE | | 0.18 | 6 | 4.50 | A |
| FATTY ACIDS DERIVED FROM TALLOW | | 0.92 | 2 | 12.50 | A |
| FLUBENDIAMIDE | | 0.17 | 2 | 13.00 | A |
| GLYPHOSATE, POTASSIUM SALT | | 202.11 | 17 | 72.00 | A |
| IMIDACLOPRID | | 6.45 | 5 | 27.00 | A |
| LAMBDA-CYHALOTHRIN | | 0.44 | 1 | 12.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 2.31 | 2 | 12.50 | A |
| PARAQUAT DICHLORIDE | | 13.77 | 3 | 15.00 | A |
| POTASSIUM BICARBONATE | | 40.95 | 3 | 10.00 | A |
| SPINETORAM | | 0.99 | 1 | 12.00 | A |
| SULFUR | | 24.00 | 3 | 10.00 | A |
| SULFUR DIOXIDE | | 351.00 | | 1,842.65 | T |
| Site Total | | 656.74 | 53 | | |
| **VERTEBRATE CONTROL** | | | | | |
| ALUMINUM PHOSPHIDE | | 239.11 | | | |
| BRODIFACOUM | | 0.06 | | | |
| BROMADIOLONE | | 0.09 | | | |
| BROMETHALIN | | 0.05 | | | |
| CAPSICUM OLEORESIN | | < 0.01 | | | |
| CARBON | | 6.16 | | | |
| CHLOROPHACINONE | | 0.06 | | | |
| CHOLECALCIFEROL | | < 0.01 | | | |
| DIFETHIALONE | | < 0.01 | | | |
| DIPHACINONE | | 0.11 | | | |
| DIPHACINONE, SODIUM SALT | | < 0.01 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 2.00 | | | |
| SODIUM NITRATE | | 15.33 | | | |
| STRYCHNINE | | 0.32 | | | |
| SULFUR | | 4.31 | | | |
| ZINC PHOSPHIDE | | 19.22 | | | |
| Site Total | | 286.83 | | | |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| **WALNUT** | | | | |
| ABAMECTIN | 110.34 | 128 | 4,665.64 | A |
| ACETAMIPRID | 195.23 | 28 | 1,312.32 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 1.93 | 14 | 285.03 | A |
| ACRYLIC ACID | 71.43 | 8 | 232.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.34 | 2 | 16.00 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 20.57 | 30 | 721.99 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 262.48 | 68 | 2,133.66 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 51.21 | 8 | 229.73 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 2.71 | 2 | 16.08 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 15.40 | 6 | 104.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 270.63 | 60 | 1,538.43 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 157.26 | 19 | 659.86 | A |
| ALUMINUM PHOSPHIDE | 1.67 | 2 | 105.00 | A |
| AMINO ETHOXY VINYL GLYCINE HYDROCHLORIDE | 114.35 | 36 | 1,093.08 | A |
| AMMONIUM NITRATE | 132.82 | 54 | 1,619.47 | A |
| AMMONIUM PROPIONATE | 51.03 | 13 | 399.78 | A |
| AMMONIUM SULFATE | 470.72 | 88 | 2,567.15 | A |
| AZOXYSTROBIN | 29.82 | 4 | 153.00 | A |
| BENTONITE | 12.00 | 1 | 20.00 | A |
| BENZOIC ACID | 1.72 | 10 | 375.00 | A |
| BIFENAZATE | 59.68 | 4 | 88.00 | A |
| BIFENTHRIN | 70.54 | 14 | 385.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 119.78 | 52 | 1,944.16 | A |
| BOSCALID | 175.71 | 27 | 860.20 | A |
| 2-BUTOXYETHANOL | 8.23 | 30 | 721.99 | A |
| CARFENTRAZONE-ETHYL | 3.08 | 6 | 160.80 | A |
| CASEIN | 0.90 | 1 | 20.00 | A |
| CASTOR OIL ETHOXYLATE | 7.18 | 4 | 66.00 | A |
| CHLORANTRANILIPROLE | 374.52 | 138 | 4,232.31 | A |
| CHLORPYRIFOS | 3,920.15 | 64 | 2,082.83 | A |
| CITRIC ACID | 60.86 | 46 | 1,362.74 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 546.41 | 1 | 143.00 | A |
| CLETHODIM | 21.48 | 2 | 180.20 | A |
| CLOFENTEZINE | 151.07 | 4 | 604.00 | A |
| CLOTHIANIDIN | 9.42 | 4 | 92.00 | A |
| COCONUT DIETHANOLAMIDE | 1.32 | 1 | 80.00 | A |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | 4.00 | 11 | 426.00 | A |
| COPPER HYDROXIDE | 3,041.60 | 32 | 1,140.32 | A |
| COPPER OXIDE (OUS) | 692.59 | 5 | 105.00 | A |
| COPPER SULFATE (BASIC) | 254.18 | 1 | 71.50 | A |
| CORN PRODUCT, HYDROLYZED | 4,056.46 | 91 | 2,939.90 | A |
| CORN STEEP LIQUOR | 729.99 | 7 | 216.00 | A |
| COTTONSEED OIL | 133.89 | 4 | 193.00 | A |
| CYFLUTHRIN | 2.37 | 4 | 55.00 | A |
| BETA-CYFLUTHRIN | 0.59 | 2 | 25.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 481.51 | 11 | 397.90 | A |
| 1,3-DICHLOROPROPENE | 3,071.65 | 1 | 9.20 | A |
| DIETHYLENE GLYCOL | 7.26 | 4 | 116.05 | A |
| DIFLUBENZURON | 62.71 | 7 | 248.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| DIMETHYL ALKYL TERTIARY AMINES | 1.88 | 10 | 375.00 | A |
| DIMETHYLPOLYSILOXANE | 342.60 | 182 | 5,169.21 | A |
| DIURON | 71.87 | 2 | 65.18 | A |
| E,E-8,10-DODECADIEN-1-OL | 36.28 | 6 | 232.00 | A |
| DODECYLBENZENE SULFONIC ACID | 5.73 | 1 | 80.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.00 | 6 | 139.00 | A |
| EDTA, TETRASODIUM SALT | 0.35 | 1 | 80.00 | A |
| EMAMECTIN BENZOATE | 0.24 | 1 | 16.16 | A |
| ESFENVALERATE | 9.70 | 8 | 355.00 | A |
| ETHEPHON | 1,966.58 | 46 | 1,987.20 | A |
| ETHYLENE GLYCOL | 3.67 | 2 | 26.00 | A |
| ETOXAZOLE | 92.19 | 16 | 952.78 | A |
| FATTY ACIDS, METHYL ESTERS | 4.24 | 1 | 2.43 | A |
| FATTY ACIDS, MIXED | 18.74 | 20 | 594.19 | A |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | 0.26 | 1 | 40.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 296.49 | 12 | 579.26 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 6.16 | 6 | 104.00 | A |
| FENPYROXIMATE | 58.03 | 10 | 457.32 | A |
| FERROUS SULFATE | 20.81 | 11 | 426.00 | A |
| FLUBENDIAMIDE | 54.24 | 13 | 553.61 | A |
| FLUMIOXAZIN | 69.66 | 12 | 330.81 | A |
| FLUOPYRAM | 102.53 | 6 | 990.00 | A |
| GLUFOSINATE-AMMONIUM | 276.39 | 13 | 393.43 | A |
| GLYCEROL | 13.66 | 20 | 728.96 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 5,272.60 | 114 | 3,444.14 | A |
| GLYPHOSATE, POTASSIUM SALT | 7,596.38 | 155 | 4,265.57 | A |
| HALOSULFURON-METHYL | 1.88 | 1 | 40.00 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 1.59 | 1 | 15.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 1.03 | 7 | 131.18 | A |
| HEXYTHIAZOX | 75.25 | 11 | 443.02 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 124.22 | 14 | 341.89 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 408.94 | 10 | 914.00 | A |
| IMIDACLOPRID | 31.74 | 9 | 486.94 | A |
| INDAZIFLAM | 61.61 | 56 | 1,141.24 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.34 | 10 | 375.00 | A |
| ISOPROPYL ALCOHOL | 185.25 | 80 | 2,257.87 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 8.65 | 33 | 823.99 | A |
| ISOXABEN | 33.16 | 7 | 64.99 | A |
| KAOLIN | 45,599.53 | 32 | 1,286.90 | A |
| KEROSENE | 2.51 | 8 | 300.00 | A |
| LACTOSE | 0.90 | 1 | 20.00 | A |
| LAMBDA-CYHALOTHRIN | 4.23 | 3 | 126.00 | A |
| LECITHIN | 405.69 | 40 | 1,044.68 | A |
| LIMONENE | 168.65 | 30 | 721.99 | A |
| MALATHION | 296.37 | 4 | 116.00 | A |
| MANCOZEB | 1,281.89 | 22 | 712.16 | A |
| MANGANESE SULFATE | 28.82 | 11 | 426.00 | A |
| METAFLUMIZONE | 0.06 | 3 | 67.00 | A |
| METHOXYFENOZIDE | 689.11 | 62 | 2,224.17 | A |
| METHYLATED SOYBEAN OIL | 2,252.84 | 69 | 3,054.62 | A |
| METHYL BROMIDE | 152.98 | | 471.62 | T |
| METHYL ESTERS OF COTTONSEED OIL | 1,044.93 | 24 | 403.23 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| METHYL SILICONE RESINS | 50.01 | 2 | 190.00 | A |
| MINERAL OIL | 7,851.79 | 54 | 2,418.35 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 236.66 | 33 | 641.83 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 101.69 | 14 | 624.26 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,236.63 | 150 | 5,716.69 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 13.11 | 15 | 346.89 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 430.21 | 38 | 1,022.54 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | 0.29 | 1 | 79.00 | A |
| OLEIC ACID, METHYL ESTER | 281.56 | 10 | 564.73 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 5.18 | 2 | 69.05 | A |
| ORYZALIN | 664.79 | 15 | 211.79 | A |
| OXYFLUORFEN | 1,447.54 | 149 | 3,498.08 | A |
| PARAQUAT DICHLORIDE | 787.31 | 39 | 896.05 | A |
| PENDIMETHALIN | 2,340.66 | 36 | 913.05 | A |
| PENOXSULAM | 9.92 | 22 | 422.23 | A |
| PENTHIOPYRAD | 40.58 | 4 | 155.00 | A |
| PETROLEUM OIL, PARAFFIN BASED | 334.25 | 34 | 902.99 | A |
| PETROLEUM OIL, UNCLASSIFIED | 4,986.10 | 18 | 584.78 | A |
| PHOSMET | 24.50 | 1 | 5.00 | A |
| PHOSPHINE | 68.84 | | 11,166.00 | T |
| PHOSPHORIC ACID | 311.16 | 62 | 2,080.36 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 11.44 | 14 | 862.82 | A |
| POLYACRYLAMIDE POLYMER | < 0.01 | 1 | 1.00 | A |
| POLYACRYLIC POLYMER | 2.03 | 9 | 425.05 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 71.02 | 18 | 1,514.00 | A |
| POLYBUTENES | 52.94 | 12 | 579.26 | A |
| POLYETHER MODIFIED POLYSILOXANE | 157.19 | 21 | 583.98 | A |
| POLYETHYLENE GLYCOL | 314.04 | 54 | 1,332.01 | A |
| POLY-I-PARA-MENTHENE | 9.99 | 1 | 14.00 | A |
| POLYMERIZED PINENE | 106.58 | 6 | 139.00 | A |
| POLYOXYETHYLENE DIOLEATE | 0.11 | 2 | 69.05 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 31.95 | 10 | 305.33 | A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | 9.26 | 1 | 79.00 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 1.69 | 3 | 102.00 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 11.08 | 3 | 102.00 | A |
| POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER | 53.86 | 4 | 66.00 | A |
| POTASSIUM HYDROXIDE | 1.74 | 12 | 415.06 | A |
| POTASSIUM NITRATE | 5.26 | 3 | 101.10 | A |
| POTASSIUM PHOSPHITE | 366.89 | 2 | 73.00 | A |
| PROPARGITE | 998.40 | 6 | 448.50 | A |
| PROPIONIC ACID | 139.62 | 16 | 502.19 | A |
| PROPYLENE GLYCOL | 53.82 | 24 | 836.86 | A |
| PYRACLOSTROBIN | 89.25 | 27 | 860.20 | A |
| PYRAFLUFEN-ETHYL | 2.21 | 31 | 494.23 | A |
| PYRIPROXYFEN | 33.09 | 11 | 296.50 | A |
| QUINOXYFEN | 111.86 | 2 | 40.00 | A |
| REYNOUTRIA SACHALINENSIS | 2.17 | 2 | 10.00 | A |
| RIMSULFURON | 40.24 | 62 | 887.20 | A |
| SAFLUFENACIL | 98.75 | 81 | 2,650.58 | A |
| SETHOXYDIM | 79.76 | 7 | 255.10 | A |
| SILICONE DEFOAMER | 0.15 | 1 | 80.00 | A |
| SIMAZINE | 216.76 | 5 | 162.18 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 0.13 | 1 | 40.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|---|
| SODIUM POLYACRYLATE | | 1.46 | 22 | 713.74 | A |
| SODIUM XYLENE SULFONATE | | 2.60 | 2 | 120.00 | A |
| SORBITAN FATTY ACID ESTERS | | 2.02 | 1 | 79.00 | A |
| SPINETORAM | | 77.14 | 24 | 860.50 | A |
| SPINOSAD | | 55.98 | 22 | 426.63 | A |
| SPIRODICLOFEN | | 470.00 | 41 | 1,506.61 | A |
| SPIROTETRAMAT | | 43.93 | 40 | 1,454.00 | A |
| STYRENE BUTADIENE COPOLYMER | | 7.77 | 5 | 177.00 | A |
| SULFUR | | 4,920.72 | 7 | 157.48 | A |
| SULFURIC ACID | | 17.97 | 19 | 659.86 | A |
| SULFURYL FLUORIDE | | 2,670.65 | | 15,400.00 | T |
| TALL OIL | | 7.18 | 4 | 66.00 | A |
| TALL OIL FATTY ACIDS | | 46.27 | 42 | 1,362.85 | A |
| TEBUCONAZOLE | | 72.29 | 5 | 615.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 17.60 | 7 | 124.78 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.88 | 1 | 80.00 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | | 7.01 | 19 | 688.96 | A |
| TRIETHANOLAMINE | | 2.25 | 1 | 80.00 | A |
| TRIFLOXYSTROBIN | | 48.24 | 2 | 455.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 1.94 | 1 | 15.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | | 89.08 | 14 | 338.50 | A |
| UREA DIHYDROGEN SULFATE | | 15.50 | 19 | 688.96 | A |
| VINYL POLYMER | | 1.00 | 6 | 74.78 | A |
| XANTHAN GUM | | < 0.01 | 1 | 5.00 | A |
| ZINC PHOSPHIDE | | 6.00 | 2 | 100.00 | A |
| ZINC SULFATE | | 78.66 | 21 | 824.00 | A |
| Site Total | | 122,197.45 | 2,545 | | |
| **WATER (INDUSTRIAL)** | | | | | |
| 1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN | | 604.91 | | 9.00 | U |
| CHLORINE | | 8,059.50 | | 66,803.40 | T |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | | 50.46 | | 10.00 | A |
| DICHLOBENIL | | 3,026.02 | | 26,203.00 | C |
| 1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN | | 315.66 | | 9.00 | U |
| 1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN | | 166.95 | | 9.00 | U |
| GLUTARALDEHYDE | | 54.39 | | 25.00 | U |
| METAM-SODIUM | | 1,815.61 | | 26,203.00 | C |
| SODIUM BROMIDE | | 651.49 | | 23.00 | U |
| | | 66.16 | | 3.00 | A |
| Total Pounds On This Chemical | 717.65 | | | | |
| SODIUM CHLORITE | | 140.87 | | 1.00 | U |
| SODIUM DICHLORO-S-TRIAZINETRIONE | | 630.01 | | 4.00 | U |
| | | 146.69 | | 2.00 | A |
| Total Pounds On This Chemical | 776.69 | | | | |
| SODIUM HYPOCHLORITE | | 140.99 | | 16.00 | U |
| | | 37.73 | | 1.00 | A |
| Total Pounds On This Chemical | 178.72 | | | | |
| TRICHLORO-S-TRIAZINETRIONE | | 185.80 | | 1.00 | U |
| VINYL POLYMER | | 351.08 | | 1.00 | A |
| Site Total | | 16,444.32 | | | |
| **WATER AREA** | | | | | |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | | 264.43 | 2 | 42.66 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| COPPER SULFATE (PENTAHYDRATE) | 5,458.86 | | 1,103.00 | A |
| DIQUAT DIBROMIDE | 1,393.11 | | 186.25 | A |
| ENDOTHALL, DIPOTASSIUM SALT | 317.29 | | 19.00 | A |
| FLURIDONE | 12.01 | | 24.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 87.11 | | 18.60 | A |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.35 | | 18.60 | A |
| PETROLEUM OIL, PARAFFIN BASED | 56.56 | | 18.60 | A |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 1.39 | | 18.60 | A |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 9.15 | | 18.60 | A |
| Site Total | 7,600.26 | 2 | | |
| **WATERMELON** | | | | |
| ABAMECTIN | 64.59 | 179 | 4,622.00 | A |
| ACETAMIPRID | 281.05 | 66 | 2,266.90 | A |
| ACIBENZOLAR-S-METHYL | 24.38 | 19 | 956.80 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 30.24 | 12 | 509.10 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 139.04 | 19 | 543.80 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 43.67 | 2 | 378.00 | A |
| AZADIRACHTIN | 3.09 | 4 | 103.60 | A |
| AZOXYSTROBIN | 67.53 | 6 | 471.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 7.50 | 2 | 10.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 1,764.76 | 64 | 1,718.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 34.83 | 2 | 42.70 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 97.15 | 7 | 113.42 | A |
| BIFENAZATE | 533.43 | 44 | 1,247.00 | A |
| BIFENTHRIN | 373.99 | 114 | 3,503.70 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 14.61 | 21 | 921.80 | A |
| BUPROFEZIN | 12.14 | 1 | 39.25 | A |
| BUTYL ALCOHOL | 58.46 | 12 | 350.00 | A |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) PHOSPHATE | 26.60 | 3 | 165.00 | A |
| CARBARYL | 268.25 | 11 | 360.90 | A |
| CHLORANTRANILIPROLE | 195.41 | 91 | 2,734.75 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 5.85 | 1 | 7.62 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 19.11 | 2 | 30.00 | A |
| COPPER HYDROXIDE | 35.85 | 2 | 117.60 | A |
| CYFLUFENAMID | 13.93 | 14 | 507.95 | A |
| (S)-CYPERMETHRIN | 0.65 | 2 | 46.00 | A |
| CYROMAZINE | 11.99 | 4 | 103.60 | A |
| DIAZINON | 59.53 | 1 | 60.00 | A |
| DIETHYLENE GLYCOL | 96.51 | 50 | 1,833.70 | A |
| DIFENOCONAZOLE | 42.30 | 6 | 471.00 | A |
| DIMETHOATE | 63.98 | 8 | 159.40 | A |
| DIMETHYLPOLYSILOXANE | 4.13 | 67 | 2,232.70 | A |
| DINOTEFURAN | 49.33 | 15 | 336.40 | A |
| ESFENVALERATE | 22.33 | 19 | 482.50 | A |
| ETOXAZOLE | 136.03 | 32 | 917.10 | A |
| FATTY ACIDS, MIXED | 170.84 | 49 | 1,457.70 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FENPYROXIMATE | 160.63 | 47 | 1,052.60 | A |
| FLUBENDIAMIDE | 24.48 | 10 | 237.85 | A |
| FLUOPYRAM | 221.76 | 26 | 964.30 | A |
| FOSETYL-AL | 3.20 | 1 | 2.00 | A |
| GARLIC | 4.60 | 3 | 34.94 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1.24 | 1 | 20.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 2,679.75 | 6 | 438.20 | A |
| IMIDACLOPRID | 373.16 | 51 | 1,256.20 | A |
| INDOXACARB | 209.03 | 78 | 2,085.00 | A |
| ISOPROPYL ALCOHOL | 1.79 | 5 | 49.00 | A |
| LAMBDA-CYHALOTHRIN | 16.22 | 24 | 607.65 | A |
| LECITHIN | 0.45 | 1 | 2.00 | A |
| MEFENOXAM | 125.02 | 13 | 608.50 | A |
| METHOMYL | 5,604.82 | 204 | 5,417.80 | A |
| METHOXYFENOZIDE | 191.10 | 25 | 1,007.20 | A |
| METHYLATED SOYBEAN OIL | 93.31 | 2 | 378.00 | A |
| MINERAL OIL | 137.36 | 20 | 569.80 | A |
| MYCLOBUTANIL | 166.17 | 79 | 1,776.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 804.77 | 68 | 2,234.70 | A |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | 14.17 | 2 | 378.00 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 3.11 | 2 | 22.30 | A |
| PARAQUAT DICHLORIDE | 0.52 | 1 | 2.00 | A |
| PENTHIOPYRAD | 67.20 | 5 | 136.50 | A |
| PERMETHRIN | 50.95 | 4 | 419.10 | A |
| POLYETHER MODIFIED POLYSILOXANE | 16.36 | 4 | 313.00 | A |
| POLYETHYLENE GLYCOL | 11.30 | 5 | 49.00 | A |
| POLYOXYETHYLENE DIOLEATE | 0.30 | 2 | 378.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 40.91 | 4 | 313.00 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 11,653.52 | 1 | 33.94 | A |
| PROPIONIC ACID | 0.45 | 1 | 2.00 | A |
| PROPYLENE GLYCOL | 12.48 | 2 | 378.00 | A |
| PYRIPROXYFEN | 45.42 | 14 | 569.00 | A |
| QUINOXYFEN | 43.28 | 19 | 457.30 | A |
| SPINETORAM | 37.07 | 31 | 781.30 | A |
| SPINOSAD | 32.32 | 11 | 324.80 | A |
| SPIROMESIFEN | 58.67 | 26 | 563.20 | A |
| SULFUR | 17,748.29 | 109 | 2,809.80 | A |
| SULFURIC ACID | 4.99 | 2 | 378.00 | A |
| TALL OIL FATTY ACIDS | 1.96 | 19 | 543.80 | A |
| TEBUCONAZOLE | 221.76 | 26 | 964.30 | A |
| THIAMETHOXAM | 203.27 | 33 | 900.40 | A |
| TRIFLOXYSTROBIN | 51.31 | 14 | 675.60 | A |
| TRIFLURALIN | 59.24 | 2 | 183.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 249.91 | 48 | 1,455.70 | A |
| VEGETABLE OIL | 608.11 | 6 | 342.00 | A |
| YUCCA SCHIDIGERA | 13.80 | 3 | 34.94 | A |
| Site Total | 46,842.59 | 1,658 | | |
| **WHEAT** | | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 1.34 | 28 | 804.60 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.23 | 4 | 733.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 17.47 | 1 | 155.00 | A |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.93 | 5 | 162.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.77 | 1 | 18.00 | A |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.74 | 5 | 162.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 17.56 | 3 | 250.00 | A |
| ALKYL (C12-C15)-POLY(OXYPROPYLENE) POLY (OXYETHYLENE) - IODINE COMPLEX | 6.16 | 1 | 4.00 | A |
| AMMONIUM NITRATE | 2.25 | 1 | 155.00 | A |
| AMMONIUM PROPIONATE | 11.80 | 3 | 250.00 | A |
| AMMONIUM SULFATE | 200.81 | 19 | 1,561.00 | A |
| AZOXYSTROBIN | 34.28 | 6 | 527.09 | A |
| BENZOIC ACID | 3.99 | 15 | 863.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 1.23 | 1 | 4.00 | A |
| BROMOXYNIL HEPTANOATE | 85.10 | 5 | 247.00 | A |
| BROMOXYNIL OCTANOATE | 778.38 | 16 | 1,313.25 | A |
| BUTYL ALCOHOL | 6.48 | 7 | 404.00 | A |
| CARFENTRAZONE-ETHYL | 65.84 | 98 | 4,785.55 | A |
| CHLORPYRIFOS | 72.98 | 9 | 291.70 | A |
| CITRIC ACID | 110.35 | 37 | 2,119.50 | A |
| BETA-CYFLUTHRIN | 12.83 | 5 | 162.00 | A |
| (S)-CYPERMETHRIN | 7.46 | 1 | 150.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 737.80 | 11 | 724.00 | A |
| DIETHYLENE GLYCOL | 166.66 | 37 | 3,201.60 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 483.55 | 26 | 2,865.00 | A |
| DIMETHOATE | 1,720.33 | 52 | 4,631.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 4.35 | 15 | 863.00 | A |
| DIMETHYLPOLYSILOXANE | 5.82 | 122 | 8,809.80 | A |
| DIURON | 1.23 | 1 | 49.00 | A |
| ETHYLENE GLYCOL | 63.04 | 28 | 1,039.00 | A |
| FATTY ACIDS, MIXED | 123.95 | 105 | 7,412.99 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 7.02 | 3 | 250.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,335.13 | 6 | 365.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 932.64 | 9 | 623.05 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 0.55 | 1 | 18.00 | A |
| HYDROTREATED PARAFFINIC SOLVENT | 2.13 | 1 | 2.80 | A |
| ISOPROPYL ALCOHOL | 771.83 | 102 | 5,100.20 | A |
| KEROSENE | 7.18 | 14 | 813.00 | A |
| LECITHIN | 34.13 | 16 | 809.00 | A |
| MAGNESIUM SULFATE | 0.85 | 2 | 244.00 | A |
| MALATHION | 1,202.84 | 9 | 987.20 | A |
| MCPA, DIMETHYLAMINE SALT | 1,291.09 | 26 | 2,150.00 | A |
| MESOSULFURON-METHYL | 14.22 | 16 | 1,096.00 | A |
| METCONAZOLE | 0.97 | 1 | 93.60 | A |
| METHYLATED SOYBEAN OIL | 151.51 | 17 | 1,041.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 72.45 | 60 | 3,772.60 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,379.77 | 243 | 15,639.19 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 0.22 | 1 | 2.80 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 8.56 | 3 | 250.00 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.71 | 2 | 244.00 | A |
| PARAQUAT DICHLORIDE | 0.35 | 1 | 2.80 | A |
| PENDIMETHALIN | 1,061.08 | 13 | 909.00 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| PETROLEUM DISTILLATES | 22.64 | 1 | 300.00 | A |
| PHOSPHORIC ACID | 118.27 | 44 | 4,876.90 | A |
| PINOXADEN | 119.27 | 43 | 2,229.99 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 22.21 | 45 | 3,929.50 | A |
| POLYACRYLAMIDE POLYMER | 6.21 | 16 | 1,344.21 | A |
| POLYETHYLENE GLYCOL | 497.43 | 71 | 3,328.20 | A |
| POTASSIUM HYDROXIDE | 1.93 | 14 | 551.50 | A |
| POTASSIUM NITRATE | 18.32 | 14 | 551.50 | A |
| PROPICONAZOLE | 77.13 | 8 | 705.09 | A |
| PROPIONIC ACID | 27.30 | 14 | 631.00 | A |
| PROPYLENE GLYCOL | 10.57 | 13 | 445.90 | A |
| PYRACLOSTROBIN | 1.58 | 1 | 93.60 | A |
| PYRAFLUFEN-ETHYL | 4.58 | 69 | 2,812.60 | A |
| PYROXSULAM | 14.45 | 19 | 1,096.60 | A |
| SODIUM HYDROXIDE | 0.72 | 2 | 100.10 | A |
| SODIUM POLYACRYLATE | 0.30 | 3 | 250.00 | A |
| SULFURIC ACID | 0.70 | 1 | 4.00 | A |
| TALL OIL FATTY ACIDS | 13.01 | 10 | 408.80 | A |
| ALPHA-[PARA-(1,1,3,3,-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE ESTER | 0.24 | 2 | 244.00 | A |
| TRIBENURON-METHYL | 197.24 | 182 | 12,865.85 | A |
| TRISODIUM PHOSPHATE | 2.64 | 9 | 323.80 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 156.50 | 33 | 2,941.60 | A |
| UREA | 29.31 | 15 | 2,278.00 | A |
| VEGETABLE OIL | 2,290.49 | 17 | 2,497.00 | A |
| VINYL POLYMER | 14.39 | 20 | 1,909.79 | A |
| ZINC SULFATE | 3.17 | 4 | 448.00 | A |
| Site Total | 16,679.50 | 1,074 | | |
| **WHEAT (FORAGE - FODDER)** | | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 0.31 | 9 | 255.00 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 116.87 | 27 | 1,487.50 | A |
| ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.50 | 6 | 191.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.05 | 3 | 130.00 | A |
| AMMONIUM SULFATE | 33.62 | 9 | 374.00 | A |
| BENZOIC ACID | 1.50 | 5 | 511.60 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 0.89 | 3 | 130.00 | A |
| BROMOXYNIL OCTANOATE | 155.82 | 5 | 313.00 | A |
| 2-BUTOXYETHANOL | 1.50 | 6 | 191.00 | A |
| BUTYL ALCOHOL | 9.49 | 5 | 511.60 | A |
| CARFENTRAZONE-ETHYL | 58.99 | 82 | 4,330.60 | A |
| CITRIC ACID | 8.26 | 12 | 504.00 | A |
| COCONUT DIETHANOLAMIDE | 0.59 | 2 | 90.00 | A |
| DICAMBA, DIMETHYLAMINE SALT | 28.21 | 5 | 162.00 | A |
| DIETHYLENE GLYCOL | 18.37 | 12 | 757.10 | A |
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | 587.06 | 39 | 3,369.80 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 1.64 | 5 | 511.60 | A |
| DIMETHYLPOLYSILOXANE | 0.61 | 21 | 1,403.00 | A |
| DODECYLBENZENE SULFONIC ACID | 2.56 | 2 | 90.00 | A |
| EDTA, TETRASODIUM SALT | 0.16 | 2 | 90.00 | A |
| ETHYLENE GLYCOL | 33.33 | 13 | 552.40 | A |
| FATTY ACIDS, MIXED | 46.74 | 88 | 5,274.40 | A |

Department of Pesticide Regulation
2014 Annual Statewide Pesticide Use Report Indexed by Commodity
Fresno County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|---|---|---|---|
| FATTY ACIDS DERIVED FROM TALLOW | 46.75 | 27 | 1,487.50 | A |
| GLYCEROL | 0.34 | 3 | 130.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 205.19 | 3 | 130.00 | A |
| ISOPROPYL ALCOHOL | 209.30 | 31 | 2,109.50 | A |
| KEROSENE | 2.91 | 5 | 511.60 | A |
| LECITHIN | 33.38 | 6 | 529.00 | A |
| MCPA, DIMETHYLAMINE SALT | 1,691.82 | 49 | 3,564.90 | A |
| METHYLATED SOYBEAN OIL | 72.28 | 11 | 1,040.60 | A |
| MINERAL OIL | 4.62 | 1 | 30.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 73.62 | 76 | 4,517.30 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 412.69 | 146 | 8,458.70 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 3.15 | 6 | 191.00 | A |
| PARAQUAT DICHLORIDE | 40.91 | 1 | 30.00 | A |
| PHOSPHORIC ACID | 3.37 | 11 | 394.00 | A |
| PINOXADEN | 67.19 | 18 | 1,272.50 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 7.63 | 25 | 1,665.00 | A |
| POLYACRYLAMIDE POLYMER | 1.41 | 5 | 396.30 | A |
| POLYETHYLENE GLYCOL | 15.88 | 8 | 317.80 | A |
| POTASSIUM HYDROXIDE | 0.11 | 3 | 130.00 | A |
| PYRAFLUFEN-ETHYL | 3.00 | 45 | 1,843.80 | A |
| PYROXSULAM | 20.33 | 25 | 1,605.80 | A |
| SILICONE DEFOAMER | 0.07 | 2 | 90.00 | A |
| SODIUM POLYACRYLATE | 0.07 | 3 | 130.00 | A |
| SODIUM TRIPOLYPHOSPHATE | 1.54 | 6 | 191.00 | A |
| SODIUM XYLENE SULFONATE | 0.79 | 2 | 90.00 | A |
| TALL OIL FATTY ACIDS | 5.49 | 9 | 498.50 | A |
| TEBUCONAZOLE | 45.13 | 4 | 403.00 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 3.00 | 2 | 90.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.39 | 2 | 90.00 | A |
| TRIBENURON-METHYL | 115.44 | 131 | 8,115.30 | A |
| ALPHA-TRIDECYL-OMEGA-HYDROXYPOLY(OXYETHANOL) PHOSPHATE | 0.83 | 3 | 130.00 | A |
| TRIETHANOLAMINE | 1.00 | 2 | 90.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 64.56 | 18 | 1,286.10 | A |
| UREA DIHYDROGEN SULFATE | 0.50 | 3 | 130.00 | A |
| VINYL POLYMER | 2.83 | 13 | 666.50 | A |
| Site Total | 4,265.58 | 644 | | |
| Fresno County Total | 31,828,230.78 | 298,821 | | |