

**Pesticide-Related Illnesses and Injuries Reported by California Physicians  
Summarized by Activity and Type of Exposure<sup>1,2</sup>  
1999**

Activity <sup>3</sup>	Exposure							
	Drift <sup>4</sup>	Residue <sup>4</sup>	Spray/ Squirt <sup>4</sup>	Other Direct <sup>4</sup>	Ingestion <sup>4</sup>	Multiple <sup>4</sup>	Other <sup>4</sup>	Not Known <sup>4</sup>
<b>Occupational<sup>5</sup></b>								
Mixer/Loader	11	0	7	39	1	0	4	5
Applicator	51	1	32	72	0	2	0	42
Mechanical Work on Contaminated Equipment	5	0	8	7	0	0	1	1
Packer/Processor (Commodity)	81	7	0	2	0	0	0	2
Field Worker	42	82	6	1	0	1	1	1
Routine Indoor Activity	40	76	1	1	0	0	16	3
Routine Outdoor Activity	26	2	1	0	0	0	1	1
Manufacture/Formulation	0	0	0	1	0	0	0	0
Transport/Storage/Disposal	0	0	5	28	0	0	7	4
Emergency Response	2	1	0	0	0	0	10	0
Other	29	10	2	7	2	3	6	2
Unknown	1	0	0	1	0	0	0	0
<b>Occupational Totals</b>	<b>288</b>	<b>179</b>	<b>62</b>	<b>159</b>	<b>3</b>	<b>6</b>	<b>46</b>	<b>61</b>
<b>Non-Occupational<sup>5</sup>, less fully reported than occupational cases</b>								
Mixer/loader	4	0	0	0	0	0	0	0
Applicator	13	0	4	10	1	0	1	4
Mechanical Work on Contaminated Equipment	0	1	0	0	0	0	0	1
Routine Indoor Activity	199	38	2	1	8	1	1	1
Routine Outdoor Activity	48	5	1	0	2	0	1	0
Transport/Storage/Disposal	0	0	0	1	0	0	0	0
Other	16	2	1	5	21	0	2	0
Unknown	2	0	0	0	0	0	0	0
<b>Non-Occupational Totals</b>	<b>282</b>	<b>46</b>	<b>8</b>	<b>17</b>	<b>32</b>	<b>1</b>	<b>5</b>	<b>6</b>
<b>1999 Totals</b>	<b>570</b>	<b>225</b>	<b>70</b>	<b>176</b>	<b>35</b>	<b>7</b>	<b>51</b>	<b>67</b>

1. **Source:** California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.
2. **Relationship:** Degree of correlation between pesticide exposure and resulting symptomatology. The term “pesticide-related” refers to one of the following relationships.

- Definite : High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.
- Probable : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.
- Possible : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.

3. **Activity:** Activity of the exposed individual at the time of exposure.

- Mixer/Loader : Mixes and/or loads pesticides. This includes: (1) removing a pesticide from its original container, (2) transferring the pesticide to a mixing or holding tank, (3) mixing pesticides prior to application, (4) driving a nurse rig, or (5) transferring the pesticide from a mix/holding tank or nurse rig to an application tank.
- Applicator : Applies pesticides by any method or conducts activities considered ancillary to the application (e.g., cleans spray nozzles in the field).
- Mechanical Work on Contaminated Equipment : Maintains (e.g. cleans, repairs or conducts maintenance) pesticide contaminated equipment used to mix, load or apply pesticides as well as the protective equipment used by individuals involved in such activities. This excludes the following: 1) maintenance performed by applicators on their equipment incidental to the application (classified as ‘Applicator’); 2) maintenance performed by mixer/loaders on their equipment incidental to mixing and loading (classified as ‘Mixer/Loader’); and 3) decontamination by HAZMAT teams (classified as ‘Emergency Response’).
- Packer/Processor (Commodity) : Handles (packs, processes or retails agricultural commodities) from the packing house to the final market place. Field packing of agricultural commodities is classified as ‘Field Worker’.
- Field Worker : Works in an agricultural field performing tasks such as advising, scouting, harvesting, thinning, irrigating, driving tractor (except as part of an application), field packing, conducting cultural work in a greenhouse, etc. Researchers performing similar tasks in an agricultural field are also included.
- Routine Indoor Activity : Conducts activities in an indoor environment with minimal expectation for exposure to pesticides. This includes people in offices and businesses, residential structures, etc. who are not handling pesticides.
- Routine Outdoor Activity : Conducts activities in an outdoor environment with minimal expectation for exposure to pesticides. This excludes field workers in agricultural fields. This includes gardeners who are not handling pesticides.
- Manufacture/Formulation : Manufactures, processes or packages pesticides. This includes “mixing” if it is done in a plant for application elsewhere.
- Transport/Storage/Disposal : Transports or stores pesticides between packaging and preparation for use. This includes shipping, warehousing and retailing as well as storage by the end-user prior to preparation for use. Disposal of unused pesticides is also included in this activity. This excludes driving a nurse rig to an application site.
- Emergency Response : Emergency response personnel (police, fire, ambulance and HAZMAT personnel) responding to a fire, spill, accident or any other pesticide incident in the line of duty.
- Other : Activity is not adequately described by any other activity category. This includes: 1) being inside a vehicle; 2) dog groomers not handling pesticides; 3) individuals handling pesticide treated wood; 4) two or more activities with potential for pesticide exposure.
- Unknown : Activity is not known.

4. **Type of Exposure:** Characterization of how an individual came in contact with a pesticide

- Drift : Spray, mist, fumes, or odor carried from the target site by air. Drift must be related to an application or mix/load activity.
- Residue : The part of a pesticide that remains in the environment for a period of time following an application or drift. This includes odor after the completion of an application.
- Spray/Squirt : Material propelled by the application or mix/load equipment. Contact with the material can be by direct projection or ricochet. This includes exposure of mechanics working on application or mix/load equipment when the material is forced out by pressure.
- Other Direct : Any of the following: 1) Contact made during an application or mixing/loading operation where the material is not propelled by the equipment; 2) Expected direct contact during use (e.g. washing dishes in a disinfectant solution); 3) Leaks, spills, etc. not related to an application.
- Ingestion : Intentional or unintentional oral ingestion.
- Multiple : More than one of the type of exposure categories apply.
- Other : Other known route of exposure not included in other exposure categories. This includes, but not limited to: 1) Residue from a spill; 2) Exposure to smoke or pyrolytic products from a fire where pesticides are burning; and 3) Contact with pesticides occurred through two or more mechanisms.
- Not Known : Route of exposure is not known.

5. **Occupational/Non-occupational:** The relationship between the illness/injury and the individual's work.

- Occupational : Work related. The individual was on the job at the time of the exposure. This includes both paid employees and volunteers working in similar capacity to paid employees.
- Non-Occupational : Not work related. The individual was not on the job at the time of the exposure. This category includes individuals while on the way to or from work (before the start or after the end of their workday).

**Whom to Contact:**

California Department of Pesticide Regulation  
Worker Health and Safety Branch  
Phone: (916) 445-4222.  
Physical address: 1001 I St., Sacramento CA 95814-2828.  
Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015  
Fax: (916) 445-4280  
[www.cdpr.ca.gov](http://www.cdpr.ca.gov)

**About the Pesticide Illness Surveillance Program Data**

Pesticide-related illnesses have been tracked within the state of California for nearly 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. Information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products are documented by the Pesticide Illness Surveillance Program (PISP). This program maintains a database, which is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate(s) the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.