

**Volume 3 – Restricted Materials and Permitting Updates
Replacement Page Instructions**

October 2017

Updates will be available at:

http://www.cdpr.ca.gov/docs/enfcmpli/compend/vol_3/rstrct_mat.htm

Subject	Remove old page(s)	Insert new page(s)	Number of new page(s)
Appendix O, Chlorpyrifos Interim Recommended Permit Conditions	O-1 to O-2	O-1 to O-4	4

Replacement History:

...

March 2015 | Update 1; 27th revision
March 2015 | Update 2; 28th revision
April 2015 | 29th revision
May 2015 | 30th revision
July 2015 | 31st revision
February 2016 | 32nd revision; Update 1
February 2016 | 33rd revision¹; Update 2
April 2016 | 34th revision
July 2016 | 35th revision
January 2017 | 36th revision
February 2017 | 37th revision
February 2017 | 38th revision; Update 2
October 2017 | 39th revision

¹ The chloropicrin recommended permit conditions (Update 1) and methyl bromide recommended permit conditions (Update 2) were distributed during the same week. The *Restricted Materials and Permitting* manual was not updated when Update 1 was distributed. The February 2016 manual revision includes Updates 1 and 2.

**Volume 3 – Restricted Materials and Permitting Updates
Replacement Page Instructions**

October 2017

This page intentionally left blank to facilitate double-sided printing.