

**Volume 3 – Restricted Materials and Permitting Updates
Replacement Page Instructions**

November 2018

Updates will be available at:

https://www.cdpr.ca.gov/docs/enforce/compend/vol_3/rstrct_mat.htm

Subject	Remove old page(s)	Insert new page(s)	Number of new page(s)
Appendix O, Chlorpyrifos Interim Recommended Permit Conditions	(All pages)	O-1 to O-4	4

Replacement History:

...

March 2015 | Update 1; 27th revision

March 2015 | Update 2; 28th revision

April 2015 | 29th revision

May 2015 | 30th revision

July 2015 | 31st revision

February 2016 | 32nd revision; Update 1

February 2016 | 33rd revision¹; Update 2

April 2016 | 34th revision

July 2016 | 35th revision

January 2017 | 36th revision

February 2017 | 37th revision

February 2017 | 38th revision; Update 2

October 2017 | 39th revision

November 2017 | 40th revision

December 2017 | 41st revision

August 2018 | 42nd revision

November 2018 | 43rd revision

¹ The chloropicrin recommended permit conditions (Update 1) and methyl bromide recommended permit conditions (Update 2) were distributed during the same week. The *Restricted Materials and Permitting* manual was not updated when Update 1 was distributed. The February 2016 manual revision includes Updates 1 and

**Volume 3 – Restricted Materials and Permitting Updates
Replacement Page Instructions**

November 2018

(This page intentionally left blank to facilitate double-sided printing.)