

# 2019 Annual Statewide Pesticide Use Report Indexed by Chemical MONTEREY County

Text files of data are available at <<https://files.cdpr.ca.gov/pub/outgoing/pur/data/>>. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, Apps = Number of agricultural applications, Area treated = cumulative area treated (For example, if a one-acre field was treated three times in a year, the cumulative acres treated would equal three acres), N/A = Not Available: many non-agricultural pesticide use reports are not legally required to report area treated or number of applications. N-outdoor = Outdoor nursery. N-grnhs = Greenhouse nursery. See Pesticide Use Annual Report Data Access, References, and Definitions Guide for more information.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	Arugula	0.4	21	37.9	A
abamectin	Avocado	3.74	6	138.2	A
abamectin	Bean, dried	0.82	6	53.0	A
abamectin	Bean, succulent	2.63	15	185.0	A
abamectin	Blackberry	0.98	10	57.6	A
abamectin	Blackberry	0.04	2	90,720.0	S
abamectin	Celery	187.35	1,488	13,406.09	A
abamectin	Cucumber	0.6	4	37.45	A
abamectin	Endive (escarole)	1.43	42	149.85	A
abamectin	Fennel	0.47	2	28.8	A
abamectin	Golf course turf	0.2	N/A	3.0	A
abamectin	Grape, wine	54.83	131	3,314.75	A
abamectin	Landscape maintenance	5.86	N/A	N/A	N/A
abamectin	Leek	0.23	6	12.7	A
abamectin	Lemon	24.96	34	998.5	A
abamectin	Lettuce, head	282.04	1,671	20,215.27	A
abamectin	Lettuce, leaf	464.47	3,104	32,332.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
abamectin	N-grnhs flower	1.05	18	38.63	A
abamectin	N-grnhs flower	0.33	43	972,644.0	S
abamectin	N-grnhs plants in containers	2.79	75	166.23	A
abamectin	N-grnhs plants in containers	2.81	185	9,268,014.0	S
abamectin	N-outdr flower	0.1	7	10.5	A
abamectin	N-outdr plants in containers	0.57	18	32.69	A
abamectin	N-outdr plants in containers	<0.01	2	6,000.0	S
abamectin	N-outdr transplants	0.01	2	1.25	A
abamectin	N-outdr transplants	0.02	1	14,110.0	S
abamectin	Onion, dry	12.53	46	799.2	A
abamectin	Pepper, fruiting	2.96	11	159.65	A
abamectin	Raspberry	0.11	2	12.76	A
abamectin	Research commodity	0.01	1	1.0	A
abamectin	Research commodity	0.17	N/A	N/A	N/A
abamectin	Spinach	189.23	1,337	13,187.6	A
abamectin	Strawberry	177.48	334	9,927.12	A
abamectin	Strawberry	<0.01	1	8,500.0	S
abamectin	Structural pest control	0.21	N/A	N/A	N/A
abamectin	Swiss chard	4.9	83	340.0	A
abamectin, other related	Landscape maintenance	<0.01	N/A	N/A	N/A
abamectin, other related	Structural pest control	<0.01	N/A	N/A	N/A
acephate	Bean, dried	60.14	7	62.0	A
acephate	Bean, succulent	200.31	16	206.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
acephate	Brussels sprout	2,600.56	218	2,680.6	A
acephate	Cauliflower	1,544.06	148	1,592.7	A
acephate	Celery	3,437.73	473	3,593.65	A
acephate	Fava bean	20.37	9	21.0	A
acephate	Landscape maintenance	112.41	N/A	N/A	N/A
acephate	Lettuce, head	14,486.99	1,258	15,215.5	A
acephate	N-grnhs flower	225.92	74	90.63	A
acephate	N-grnhs flower	1.14	6	35,250.0	S
acephate	N-grnhs plants in containers	10.99	18	13.6	A
acephate	N-grnhs plants in containers	8.56	14	221,624.0	S
acephate	N-grnhs transplants	487.74	1,185	401.76	A
acephate	N-outdr flower	201.02	426	409.49	A
acephate	N-outdr plants in containers	1.71	9	7.0	A
acephate	N-outdr plants in containers	1.91	17	85,208.0	S
acephate	N-outdr transplants	8.49	4	12.5	A
acephate	Research commodity	1.91	39	175,500.0	S
acephate	Structural pest control	72.12	N/A	N/A	N/A
acequinocyl	Blackberry	11.33	5	28.43	A
acequinocyl	Grape, wine	622.49	94	1,582.69	A
acequinocyl	N-grnhs flower	2.19	12	11.0	A
acequinocyl	N-grnhs flower	1.06	18	131,375.0	S
acequinocyl	N-grnhs plants in containers	1.15	3	13.82	A
acequinocyl	N-grnhs plants in containers	2.41	43	462,900.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acequinocyl	N-grnhs transplants	0.34	1	130,000.0	S
acequinocyl	N-outdr plants in containers	0.07	1	10,000.0	S
acequinocyl	Raspberry	76.28	16	191.54	A
acequinocyl	Strawberry	1,716.74	137	4,391.35	A
acetamiprid	Arugula	86.34	124	1,182.49	A
acetamiprid	Blackberry	6.58	8	65.51	A
acetamiprid	Bok choy	6.4	24	87.53	A
acetamiprid	Broccoli	445.32	706	6,845.57	A
acetamiprid	Brussels sprout	345.9	385	4,691.18	A
acetamiprid	Cabbage	57.32	73	806.4	A
acetamiprid	Cauliflower	124.37	201	1,901.37	A
acetamiprid	Celery	381.72	608	5,167.07	A
acetamiprid	Chinese cabbage (nappa)	10.28	38	141.82	A
acetamiprid	Endive (escarole)	7.69	125	103.73	A
acetamiprid	Fennel	4.14	4	55.7	A
acetamiprid	Grape, wine	7.81	1	77.7	A
acetamiprid	Kale	71.77	185	953.18	A
acetamiprid	Leek	9.5	40	127.75	A
acetamiprid	Lemon	8.44	2	66.5	A
acetamiprid	Lettuce, head	515.53	591	7,066.04	A
acetamiprid	Lettuce, leaf	911.28	1,224	12,388.73	A
acetamiprid	Mizuna	1.07	9	16.96	A
acetamiprid	Mustard greens	11.5	43	158.67	A
acetamiprid	N-grnhs flower	0.14	2	100,000.0	S
acetamiprid	N-grnhs plants in containers	1.75	17	9.75	A
acetamiprid	N-grnhs plants in containers	5.5	80	1,405,492.0	S
acetamiprid	N-grnhs transplants	0.1	1	130,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acetamiprid	N-outdr flower	1.38	10	16.5	A
acetamiprid	N-outdr plants in containers	6.79	8	76.19	A
acetamiprid	N-outdr plants in containers	0.02	1	2,000.0	S
acetamiprid	N-outdr transplants	0.82	11	545,496.0	S
acetamiprid	Onion, dry	28.64	16	226.9	A
acetamiprid	Peas	60.42	63	813.0	A
acetamiprid	Pepper, fruiting	11.64	8	156.4	A
acetamiprid	Radicchio	2.89	4	38.75	A
acetamiprid	Rapini	38.57	31	427.1	A
acetamiprid	Raspberry	24.7	16	249.2	A
acetamiprid	Spinach	122.99	159	1,760.48	A
acetamiprid	Strawberry	812.12	265	6,250.9	A
acetamiprid	Strawberry	0.01	1	5,532.0	S
acetamiprid	Structural pest control	0.55	N/A	N/A	N/A
acetamiprid	Swiss chard	32.17	140	503.5	A
acetamiprid	Upland cress	7.26	34	102.36	A
acetamiprid	Walnut	47.6	3	320.0	A
acetic acid	Broccoli	2.42	11	90.7	A
acetic acid	Cabbage	0.42	8	31.7	A
acetic acid	Cauliflower	0.84	7	37.1	A
acetic acid	Structural pest control	0.04	N/A	N/A	N/A
acibenzolar-s-methyl	Broccoli	1.86	4	59.4	A
acibenzolar-s-methyl	Cabbage	0.51	2	16.18	A
acibenzolar-s-methyl	Cauliflower	1.9	4	64.8	A
acibenzolar-s-methyl	Golf course turf	0.3	N/A	21.0	A
acibenzolar-s-methyl	Kale	4.54	48	169.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
acibenzolar-s-methyl	Landscape maintenance	8.6	N/A	N/A	N/A
acibenzolar-s-methyl	Lettuce, head	389.61	1,056	12,948.66	A
acibenzolar-s-methyl	Lettuce, leaf	1,534.04	4,761	50,253.72	A
acibenzolar-s-methyl	N-grnhs transplants	0.79	34	32.36	A
acibenzolar-s-methyl	Onion, dry	4.22	4	135.6	A
acibenzolar-s-methyl	Rapini	2.05	4	65.4	A
acibenzolar-s-methyl	Spinach	587.63	2,654	25,233.09	A
acrylamide/sodium acrylate copolymer	Broccoli	3.74	4	38.9	A
acrylamide/sodium acrylate copolymer	Strawberry	4.95	1	36.0	A
acrylamide/sodium acrylate copolymer	Uncultivated ag	1.89	9	21.2	A
acrylic acid	Broccoli	230.45	100	1,421.9	A
acrylic acid	Cauliflower	17.23	10	106.4	A
acrylic acid	Celery	9.86	5	60.8	A
acrylic acid	Grape, wine	87.38	422	5,858.15	A
acrylic acid	Leek	26.24	16	161.8	A
acrylic acid	Lettuce, head	396.38	178	2,445.9	A
acrylic acid	Lettuce, leaf	655.52	472	4,043.64	A
acrylic acid	Rights of way	0.06	N/A	N/A	N/A
acrylic acid	Strawberry	6,449.86	120	5,177.58	A
acrylic acid	Uncultivated ag	0.06	1	4.0	A
agrobacterium radiobacter	N-grnhs plants in containers	0.08	3	500.0	S
alcohols, c12-c14, aliphatic	Rights of way	30.07	N/A	N/A	N/A
alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride	Cannabis (all or unspecified)	0.28	15	6,074.0	S
alkyl (50%c14, 40%c12, 10%c16) dimethylbenzyl ammonium chloride	Structural pest control	0.12	N/A	N/A	N/A
alkyl (60%c14, 30%c16, 5%c12, 5%c18) dimethylbenzyl ammonium chloride	Cannabis (all or unspecified)	1.49	5	94,432.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Farm/ag building	13.08	N/A	17.25	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Food processing plant	70.37	N/A	5.0	U
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Industrial hemp	0.12	N/A	400.0	S
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Landscape maintenance	0.06	N/A	N/A	N/A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs flower	0.24	3	11,325.0	S
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	14.78	N/A	19.25	A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	N-grnhs plants in containers	0.06	1	4,350.0	S
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Research commodity	4.81	N/A	N/A	N/A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Structural pest control	0.01	N/A	N/A	N/A
alkyl (60% <b>c14</b> , 30% <b>c16</b> , 5% <b>c12</b> , 5% <b>c18</b> ) dimethylbenzyl ammonium chloride	Uncultivated ag	1.7	N/A	2.0	A
alkyl (50% <b>c12</b> , 30% <b>c14</b> , 17% <b>c16</b> , 3% <b>c18</b> ) dimethylethylbenzyl ammonium chloride	Landscape maintenance	0.06	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Cannabis (all or unspecified)	1.49	5	94,432.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Farm/ag building	13.08	N/A	17.25	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Food processing plant	70.37	N/A	5.0	U
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Industrial hemp	0.12	N/A	400.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs flower	0.24	3	11,325.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs plants in containers	14.78	N/A	19.25	A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	N-grnhs plants in containers	0.06	1	4,350.0	S
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Research commodity	4.81	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Structural pest control	0.01	N/A	N/A	N/A
alkyl (68% <b>c12</b> , 32% <b>c14</b> ) dimethylethylbenzyl ammonium chloride	Uncultivated ag	1.7	N/A	2.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Alfalfa	30.32	18	107.7	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	30.27	74	765.6	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Arugula	6.01	78	139.61	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Beet	2.87	20	61.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Blackberry	59.33	41	272.73	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bok choy	26.83	144	545.97	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Broccoli	1,161.76	2,140	19,183.33	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Brussels sprout	348.09	522	4,699.25	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cabbage	124.99	313	1,286.85	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	269.61	147	1,285,789.0	S
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Carrot	9.87	42	312.6	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cauliflower	545.52	930	7,770.05	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Celery	196.64	533	4,121.88	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (nappa)	39.41	180	726.52	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cilantro	30.14	187	511.39	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Collard	4.25	9	88.2	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	43.82	211	879.69	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Fennel	0.06	2	1.4	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Garlic	22.96	30	631.88	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Grape, wine	3,183.92	968	22,931.94	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Kale	61.47	115	901.16	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.19	2	3.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Leek	63.3	327	886.21	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, head	855.42	1,768	19,657.08	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	1,067.14	2,640	24,264.1	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Mustard greens	42.32	86	379.82	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.22	N/A	1.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Oat	0.84	2	17.0	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Onion, dry	14.52	32	291.9	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Parsley	0.15	1	5.5	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Peas	95.33	244	2,237.16	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Radish	27.88	364	699.76	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Raspberry	277.97	102	1,308.93	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Rights of way	3.76	N/A	N/A	N/A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Spinach	27.27	24	220.7	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Strawberry	818.09	214	3,878.71	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sunflower	1.2	2	21.9	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Swiss chard	4.46	37	120.19	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Triticale	1.61	3	43.8	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1,982.96	1,016	9,540.8	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	35.43	24	137.05	A
alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Water area	0.94	1	2.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Bean, dried	22.39	7	79.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Broccoli	31.2	27	308.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Cabbage	8.0	12	79.5	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Carrot	242.41	59	902.3	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Celery	75.26	49	331.9	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.11	N/A	N/A	N/A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lettuce, head	200.22	77	1,027.2	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	217.08	118	1,014.6	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Peas	0.39	1	1.4	A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Rights of way	535.11	N/A	N/A	N/A
alpha-alkyl (c9-c16)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	845.15	296	3,197.24	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Broccoli	0.15	2	23.2	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Cauliflower	0.36	5	55.2	A
alpha-alkyl (c10-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	0.28	5	43.86	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Blackberry	1.56	1	5.37	A
alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Raspberry	7.43	1	12.72	A
alpha-pinene beta-pinene copolymer	Artichoke, globe	191.02	35	395.21	A
alpha-pinene beta-pinene copolymer	Arugula	7.61	13	64.64	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-pinene beta-pinene copolymer	Beet	2.47	14	19.9	A
alpha-pinene beta-pinene copolymer	Blackberry	57.44	11	213.2	A
alpha-pinene beta-pinene copolymer	Blueberry	0.75	2	4.48	A
alpha-pinene beta-pinene copolymer	Bok choy	0.81	4	4.0	A
alpha-pinene beta-pinene copolymer	Broccoli	220.41	81	630.0	A
alpha-pinene beta-pinene copolymer	Brussels sprout	12.14	10	48.1	A
alpha-pinene beta-pinene copolymer	Cabbage	39.94	36	183.66	A
alpha-pinene beta-pinene copolymer	Carrot	51.47	19	220.2	A
alpha-pinene beta-pinene copolymer	Cauliflower	180.87	60	488.89	A
alpha-pinene beta-pinene copolymer	Celery	239.83	153	984.25	A
alpha-pinene beta-pinene copolymer	Cilantro	9.08	19	60.36	A
alpha-pinene beta-pinene copolymer	Collard	1.83	4	10.33	A
alpha-pinene beta-pinene copolymer	Endive (escarole)	1.29	2	3.85	A
alpha-pinene beta-pinene copolymer	Grape, wine	1,105.83	127	2,139.13	A
alpha-pinene beta-pinene copolymer	Kale	23.12	19	166.41	A
alpha-pinene beta-pinene copolymer	Leek	41.2	44	127.63	A
alpha-pinene beta-pinene copolymer	Lettuce, head	537.16	239	2,884.65	A
alpha-pinene beta-pinene copolymer	Lettuce, leaf	1,332.37	776	6,849.68	A
alpha-pinene beta-pinene copolymer	Mustard greens	4.03	8	30.65	A
alpha-pinene beta-pinene copolymer	N-grnhs plants in containers	0.39	8	25,000.0	S
alpha-pinene beta-pinene copolymer	N-outdr plants in containers	0.7	2	3.0	A
alpha-pinene beta-pinene copolymer	N-outdr plants in containers	1.74	12	184,000.0	S
alpha-pinene beta-pinene copolymer	Onion, dry	520.94	46	1,431.5	A
alpha-pinene beta-pinene copolymer	Peas	104.55	49	512.8	A
alpha-pinene beta-pinene copolymer	Raspberry	469.31	110	1,250.78	A
alpha-pinene beta-pinene copolymer	Spinach	159.2	45	507.4	A
alpha-pinene beta-pinene copolymer	Strawberry	11,717.11	452	19,233.88	A
alpha-pinene beta-pinene copolymer	Swiss chard	5.89	11	36.53	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-pinene beta-pinene copolymer	Tomato	24.48	24	133.8	A
alpha-pinene beta-pinene copolymer	Uncultivated ag	24.41	5	67.1	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Grape, wine	137.21	19	356.34	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	1.85	N/A	N/A	N/A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Oat	6.84	3	44.4	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Raspberry	12.04	8	62.6	A
alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Strawberry	837.76	44	2,285.5	A
alpha-alkyl (c12-c15)-omega-hydroxypoly(oxyethylene) sulfate, sodium salt	Grape, wine	0.26	1	11.07	A
alkyl (c9-c11) oligomeric d-glucopyranoside	Rights of way	85.92	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Grape, wine	112.18	16	314.67	A
alkyl (c8,c10) polyglucoside	Landscape maintenance	22.35	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Rights of way	278.07	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Structural pest control	0.05	N/A	N/A	N/A
alkyl (c8,c10) polyglucoside	Uncultivated ag	297.39	54	1,471.5	A
alkyl (c8,c10) polyglucoside	Uncultivated non-ag	9.39	2	12.0	A
alkyl (c8,c10) polyglucoside	Water area	94.72	17	121.0	A
d-allethrin	Structural pest control	<0.01	N/A	N/A	N/A
d-allethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
d-trans allethrin	Landscape maintenance	0.04	N/A	N/A	N/A
d-trans allethrin	Rights of way	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
d-trans allethrin	Structural pest control	0.08	N/A	N/A	N/A
allyloxypolyethylene glycol acetate	Broccoli	0.07	1	10.0	A
allyloxypolyethylene glycol acetate	Grape, wine	27.67	56	1,794.65	A
allyloxypolyethylene glycol acetate	Lettuce, leaf	0.01	1	2.2	A
allyloxypolyethylene glycol acetate	Rights of way	0.37	N/A	N/A	N/A
aluminum phosphide	Artichoke, globe	2.63	31	273.0	A
aluminum phosphide	Commodity fumigation	70.74	N/A	N/A	N/A
aluminum phosphide	Fumigation, other	1.59	N/A	N/A	N/A
aluminum phosphide	Grape, wine	148.29	26	1,445.35	A
aluminum phosphide	Landscape maintenance	36.01	N/A	N/A	N/A
aluminum phosphide	Rights of way	13.89	8	1,720.0	A
aluminum phosphide	Rights of way	9.41	N/A	N/A	N/A
aluminum phosphide	Uncultivated ag	85.46	16	452.3	A
aluminum phosphide	Vertebrate control	29.03	N/A	N/A	N/A
ametoctradin	Arugula	151.48	65	555.95	A
ametoctradin	Broccoli	13.59	10	50.0	A
ametoctradin	Cabbage	4.44	1	16.3	A
ametoctradin	Cauliflower	8.53	9	31.3	A
ametoctradin	Celery	22.79	13	83.6	A
ametoctradin	Cucumber	19.35	7	70.95	A
ametoctradin	Kale	183.77	76	674.0	A
ametoctradin	Lettuce, head	1,551.44	519	5,813.49	A
ametoctradin	Lettuce, leaf	2,671.47	1,070	9,872.57	A
ametoctradin	Mizuna	1.02	3	3.75	A
ametoctradin	Mustard greens	34.97	37	128.35	A
ametoctradin	N-grnhs plants in containers	2.31	7	171,000.0	S
ametoctradin	Rapini	22.61	5	83.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
ametoctradin	Spinach	2,063.81	959	7,581.46	A
ametoctradin	Swiss chard	95.49	80	350.3	A
ametoctradin	Upland cress	3.11	6	11.4	A
aminocyclopyrachlor, potassium salt	Industrial site	10.32	N/A	67.85	A
aminocyclopyrachlor, potassium salt	Uncultivated non-ag	10.32	N/A	67.85	A
amino ethoxy vinyl glycine hydrochloride	Cucumber	6.31	20	73.16	A
aminopyralid, triisopropanolamine salt	Landscape maintenance	38.97	N/A	N/A	N/A
aminopyralid, triisopropanolamine salt	Pastureland	3.52	N/A	47.6	A
aminopyralid, triisopropanolamine salt	Rights of way	170.22	N/A	N/A	N/A
4-aminopyridine	Landscape maintenance	<0.01	N/A	N/A	N/A
4-aminopyridine	Structural pest control	<0.01	N/A	N/A	N/A
ammonium nonanoate	Rights of way	33.39	N/A	N/A	N/A
ammonium nonanoate	Uncultivated ag	8.34	3	3.0	A
ammonium nitrate	Alfalfa	3.91	18	107.7	A
ammonium nitrate	Chinese cabbage (nappa)	0.52	2	28.5	A
ammonium nitrate	Endive (escarole)	0.67	4	37.0	A
ammonium nitrate	Grape, wine	449.29	260	2,066.72	A
ammonium nitrate	Landscape maintenance	0.09	N/A	N/A	N/A
ammonium nitrate	Leek	0.55	3	30.5	A
ammonium nitrate	Lettuce, leaf	1.03	5	56.5	A
ammonium nitrate	Peas	7.51	24	310.1	A
ammonium nitrate	Rights of way	826.42	N/A	N/A	N/A
ammonium nitrate	Spinach	3.43	18	188.8	A
ammonium nitrate	Structural pest control	0.09	N/A	N/A	N/A
ammonium nitrate	Uncultivated ag	1,145.75	675	7,513.85	A
ammonium nitrate	Uncultivated non-ag	38.07	18	124.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium nitrate	Water area	339.82	18	123.5	A
ammonium propionate	Artichoke, globe	2.14	5	46.7	A
ammonium propionate	Broccoli	391.66	1,072	13,402.49	A
ammonium propionate	Brussels sprout	253.46	395	7,794.79	A
ammonium propionate	Cabbage	56.34	125	1,280.95	A
ammonium propionate	Cauliflower	130.32	380	3,970.53	A
ammonium propionate	Celery	4.78	31	129.85	A
ammonium propionate	Grape, wine	767.11	88	5,599.5	A
ammonium propionate	Lettuce, head	5.24	25	287.2	A
ammonium propionate	Lettuce, leaf	6.34	36	477.75	A
ammonium propionate	Onion, dry	3.06	4	56.1	A
ammonium propionate	Rapini	5.12	21	318.9	A
ammonium propionate	Rights of way	4.14	N/A	N/A	N/A
ammonium propionate	Uncultivated ag	136.62	235	2,604.56	A
ammonium propionate	Walnut	30.64	3	130.0	A
ammonium sulfate	Alfalfa	96.82	18	107.7	A
ammonium sulfate	Broccoli	485.87	260	1,824.5	A
ammonium sulfate	Cauliflower	263.17	160	950.7	A
ammonium sulfate	Chinese cabbage (nappa)	12.83	2	28.5	A
ammonium sulfate	Ditch bank	75.84	N/A	21.17	A
ammonium sulfate	Endive (escarole)	16.65	4	37.0	A
ammonium sulfate	Grape, wine	24,230.1	962	17,939.1	A
ammonium sulfate	Landscape maintenance	300.91	N/A	N/A	N/A
ammonium sulfate	Leek	23.92	27	100.2	A
ammonium sulfate	Lettuce, head	250.22	106	933.2	A
ammonium sulfate	Lettuce, leaf	427.82	180	1,538.0	A
ammonium sulfate	Peas	189.0	25	320.3	A
ammonium sulfate	Pistachio	113.13	1	80.0	A
ammonium sulfate	Rights of way	185.98	N/A	N/A	N/A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
ammonium sulfate	Spinach	84.97	18	188.8	A
ammonium sulfate	Structural pest control	0.09	N/A	N/A	N/A
ammonium sulfate	Uncultivated ag	5,575.51	664	7,374.35	A
ammonium sulfate	Uncultivated non-ag	114.01	17	118.05	A
ammonium sulfate	Walnut	7.66	3	130.0	A
ammonium sulfate	Water area	3.0	1	2.5	A
amyl acetate	Artichoke, globe	0.86	5	46.7	A
amyl acetate	Broccoli	156.66	1,072	13,402.49	A
amyl acetate	Brussels sprout	101.38	395	7,794.79	A
amyl acetate	Cabbage	22.54	125	1,280.95	A
amyl acetate	Cauliflower	52.13	380	3,970.53	A
amyl acetate	Celery	1.91	31	129.85	A
amyl acetate	Lettuce, head	2.1	25	287.2	A
amyl acetate	Lettuce, leaf	2.54	36	477.75	A
amyl acetate	Onion, dry	1.22	4	56.1	A
amyl acetate	Rapini	2.05	21	318.9	A
amyl acetate	Uncultivated ag	47.42	220	2,553.56	A
ancymidol	N-grnhs flower	<0.01	2	300.0	S
ancymidol	N-grnhs plants in containers	<0.01	3	1.5	A
ancymidol	N-grnhs plants in containers	<0.01	1	3,200.0	S
aromatic 200	Grape, wine	2,244.34	99	5,961.95	A
aromatic 200	Strawberry	9.68	2	25.3	A
aromatic 200	Uncultivated ag	469.05	62	650.47	A
aureobasidium pullulans strain dsm 14940	Blueberry	0.13	1	0.5	A
aureobasidium pullulans strain dsm 14940	Cannabis (all or unspecified)	1.93	15	102,080.0	S
aureobasidium pullulans strain dsm 14940	Strawberry	3.38	5	13.5	A
aureobasidium pullulans strain dsm 14941	Blueberry	0.13	1	0.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
aureobasidium pullulans strain dsm 14941	Cannabis (all or unspecified)	1.93	15	102,080.0	S
aureobasidium pullulans strain dsm 14941	Strawberry	3.38	5	13.5	A
azadirachtin	Artichoke, globe	8.49	42	324.31	A
azadirachtin	Arugula	1.33	11	37.99	A
azadirachtin	Beet	0.14	4	5.0	A
azadirachtin	Blackberry	2.5	7	65.1	A
azadirachtin	Blackberry	1.15	13	699,684.0	S
azadirachtin	Blueberry	1.06	3	25.48	A
azadirachtin	Bok choy	0.05	1	1.0	A
azadirachtin	Broccoli	33.76	216	1,870.54	A
azadirachtin	Brussels sprout	16.33	44	497.91	A
azadirachtin	Cabbage	1.98	26	140.3	A
azadirachtin	Cannabis (all or unspecified)	13.83	175	261.38	A
azadirachtin	Cannabis (all or unspecified)	32.42	1,352	18,382,727.0	S
azadirachtin	Cannabis (all or unspecified)	2.24	35	524.0	U
azadirachtin	Carrot	0.15	1	10.6	A
azadirachtin	Cauliflower	27.04	200	1,325.51	A
azadirachtin	Celery	6.97	57	240.54	A
azadirachtin	Cilantro	0.49	9	23.18	A
azadirachtin	Corn (forage - fodder)	0.05	4	4.0	A
azadirachtin	Cucumber	0.1	6	6.0	A
azadirachtin	Fava bean	<0.01	1	0.5	A
azadirachtin	Grape, wine	3.27	2	97.4	A
azadirachtin	Industrial hemp	0.38	12	12.5	A
azadirachtin	Industrial hemp	0.09	7	86,805.0	S
azadirachtin	Kale	2.05	24	141.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Landscape maintenance	2.25	N/A	N/A	N/A
azadirachtin	Leek	0.47	7	18.17	A
azadirachtin	Lettuce, head	4.87	97	313.7	A
azadirachtin	Lettuce, leaf	99.57	869	6,245.15	A
azadirachtin	Mustard greens	10.13	98	691.81	A
azadirachtin	N-grnhs flower	7.02	70	99.57	A
azadirachtin	N-grnhs flower	1.73	73	1,692,636.01	S
azadirachtin	N-grnhs plants in containers	5.06	49	82.24	A
azadirachtin	N-grnhs plants in containers	6.42	156	8,497,171.0	S
azadirachtin	N-grnhs transplants	0.01	11	2.16	A
azadirachtin	N-grnhs transplants	0.72	34	692,996.0	S
azadirachtin	N-outdr flower	0.01	1	0.5	A
azadirachtin	N-outdr plants in containers	3.17	10	30.32	A
azadirachtin	N-outdr plants in containers	0.02	4	18,030.0	S
azadirachtin	N-outdr transplants	0.57	16	32.5	A
azadirachtin	N-outdr transplants	4.5	83	4,712,158.0	S
azadirachtin	Onion, dry	0.91	3	30.0	A
azadirachtin	Peas	0.39	2	34.0	A
azadirachtin	Radicchio	9.05	14	199.0	A
azadirachtin	Radish	1.14	13	23.39	A
azadirachtin	Raspberry	44.93	56	999.49	A
azadirachtin	Raspberry	0.1	4	149,665.0	S
azadirachtin	Research commodity	0.82	N/A	N/A	N/A
azadirachtin	Spinach	33.67	168	2,324.24	A
azadirachtin	Strawberry	569.03	714	16,411.35	A
azadirachtin	Strawberry	0.21	7	204,396.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azadirachtin	Structural pest control	0.04	N/A	N/A	N/A
azadirachtin	Swiss chard	3.11	46	212.59	A
azoxystrobin	Artichoke, globe	330.54	137	1,570.08	A
azoxystrobin	Beet	0.01	N/A	468.0	P
azoxystrobin	Blackberry	33.62	13	135.93	A
azoxystrobin	Blueberry	0.37	1	1.5	A
azoxystrobin	Broccoli	2,462.2	1,135	12,872.97	A
azoxystrobin	Broccoli	<0.01	N/A	24.0	P
azoxystrobin	Brussels sprout	532.89	146	2,375.2	A
azoxystrobin	Cabbage	46.56	17	205.83	A
azoxystrobin	Cabbage	<0.01	N/A	26.0	P
azoxystrobin	Carrot	0.1	N/A	3,171.24	P
azoxystrobin	Cauliflower	285.97	145	1,546.39	A
azoxystrobin	Celery	74.61	42	307.73	A
azoxystrobin	Celery	<0.01	N/A	13.0	P
azoxystrobin	Cucumber	0.68	N/A	26,156.52	P
azoxystrobin	Endive (escarole)	20.15	47	130.93	A
azoxystrobin	Fennel	10.37	4	41.7	A
azoxystrobin	Fennel	0.01	N/A	458.0	P
azoxystrobin	Garlic	468.23	106	1,922.26	A
azoxystrobin	Golf course turf	3.5	N/A	6.0	A
azoxystrobin	Grape	34.43	4	141.27	A
azoxystrobin	Grape, wine	1,263.0	197	7,447.94	A
azoxystrobin	Landscape maintenance	83.55	N/A	N/A	N/A
azoxystrobin	Leek	108.73	120	481.97	A
azoxystrobin	Lettuce, head	55.19	18	223.09	A
azoxystrobin	Lettuce, leaf	200.34	79	838.9	A
azoxystrobin	Lettuce, leaf	0.01	N/A	585.0	P
azoxystrobin	Melon	0.01	N/A	352.0	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
azoxystrobin	N-grnhs flower	19.23	11	28.83	A
azoxystrobin	N-grnhs flower	0.01	1	1,500.0	S
azoxystrobin	N-grnhs plants in containers	108.06	98	282.58	A
azoxystrobin	N-grnhs plants in containers	24.22	87	2,101,575.0	S
azoxystrobin	N-grnhs transplants	0.64	12	278,744.0	S
azoxystrobin	N-outdr plants in containers	13.44	24	46.45	A
azoxystrobin	N-outdr plants in containers	1.76	13	141,640.0	S
azoxystrobin	N-outdr transplants	13.23	28	76.0	A
azoxystrobin	N-outdr transplants	1.06	12	415,097.0	S
azoxystrobin	Onion, dry	15.27	4	60.3	A
azoxystrobin	Onion, dry	0.63	N/A	25,449.31	P
azoxystrobin	Parsnip	0.02	N/A	689.0	P
azoxystrobin	Peas	87.85	37	439.9	A
azoxystrobin	Pepper, fruiting	68.63	21	339.05	A
azoxystrobin	Pepper, fruiting	<0.01	N/A	79.0	P
azoxystrobin	Pumpkin	0.16	N/A	5,825.3	P
azoxystrobin	Radish	0.03	1	0.16	A
azoxystrobin	Research commodity	0.29	N/A	N/A	N/A
azoxystrobin	Spinach	118.88	65	697.5	A
azoxystrobin	Squash	0.06	N/A	2,582.32	P
azoxystrobin	Strawberry	1,432.43	368	7,457.84	A
azoxystrobin	Sunflower	1.01	2	4.0	A
azoxystrobin	Swiss chard	1.77	4	7.0	A
azoxystrobin	Tomato	1.38	2	13.2	A
azoxystrobin	Tomato	<0.01	N/A	68.0	P
<b>bacillus amyloliquefaciens strain d747</b>	Arugula	50.66	4	11.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus amyloliquefaciens strain d747</b>	Asparagus	2.81	1	15.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Beet	8.81	2	8.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Blackberry	0.29	1	3,780.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Blueberry	4.41	1	0.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Brussels sprout	999.47	12	172.45	A
<b>bacillus amyloliquefaciens strain d747</b>	Cannabis (all or unspecified)	104.73	19	10.91	A
<b>bacillus amyloliquefaciens strain d747</b>	Cannabis (all or unspecified)	194.86	219	6,419,820.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Carrot	17.62	2	8.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Celery	316.82	17	92.92	A
<b>bacillus amyloliquefaciens strain d747</b>	Corn (forage - fodder)	4.41	1	1.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Grape, wine	13.98	3	45.92	A
<b>bacillus amyloliquefaciens strain d747</b>	Kale	44.23	7	20.05	A
<b>bacillus amyloliquefaciens strain d747</b>	Lettuce, head	2,200.71	66	567.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Lettuce, leaf	2,700.87	136	804.76	A
<b>bacillus amyloliquefaciens strain d747</b>	Mizuna	5.73	1	2.6	A
<b>bacillus amyloliquefaciens strain d747</b>	Mustard	37.45	3	8.5	A
<b>bacillus amyloliquefaciens strain d747</b>	Mustard greens	6.78	4	11.3	A
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs flower	1.41	1	0.88	A
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs plants in containers	333.04	13	43.61	A
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs plants in containers	54.38	12	145,000.0	S
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	262.11	769	204.48	A
<b>bacillus amyloliquefaciens strain d747</b>	N-grnhs transplants	1.55	4	170,576.0	S
<b>bacillus amyloliquefaciens strain d747</b>	N-outdr transplants	105.12	53	3,607,579.0	S
<b>bacillus amyloliquefaciens strain d747</b>	Parsley	44.05	2	10.0	A
<b>bacillus amyloliquefaciens strain d747</b>	Raspberry	502.12	5	81.88	A
<b>bacillus amyloliquefaciens strain d747</b>	Research commodity	6.55	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus amyloliquefaciens strain d747</b>	Spinach	5,719.75	288	1,608.46	A
<b>bacillus amyloliquefaciens strain d747</b>	Strawberry	37,839.57	206	6,378.63	A
<b>bacillus amyloliquefaciens strain d747</b>	Swiss chard	103.61	10	46.55	A
<b>bacillus mycoides isolate j</b>	Arugula	8.99	62	138.84	A
<b>bacillus mycoides isolate j</b>	Cauliflower	0.8	1	7.8	A
<b>bacillus mycoides isolate j</b>	Lettuce, leaf	49.0	111	510.47	A
<b>bacillus mycoides isolate j</b>	Mustard	0.83	4	11.1	A
<b>bacillus mycoides isolate j</b>	N-grnhs transplants	0.17	3	64,680.0	S
<b>bacillus mycoides isolate j</b>	N-outdr transplants	3.14	11	649,890.0	S
<b>bacillus mycoides isolate j</b>	Spinach	154.29	365	1,663.86	A
<b>bacillus mycoides isolate j</b>	Swiss chard	21.23	34	212.6	A
<b>bacillus pumilus, strain qst 2808</b>	Artichoke, globe	1.01	4	21.55	A
<b>bacillus pumilus, strain qst 2808</b>	Arugula	28.1	120	342.57	A
<b>bacillus pumilus, strain qst 2808</b>	Blackberry	1.69	2	14.5	A
<b>bacillus pumilus, strain qst 2808</b>	Blackberry	0.34	5	179,550.0	S
<b>bacillus pumilus, strain qst 2808</b>	Blueberry	0.06	1	0.5	A
<b>bacillus pumilus, strain qst 2808</b>	Bok choy	1.13	15	18.75	A
<b>bacillus pumilus, strain qst 2808</b>	Broccoli	2.88	2	24.0	A
<b>bacillus pumilus, strain qst 2808</b>	Cannabis (all or unspecified)	0.72	3	1.5	A
<b>bacillus pumilus, strain qst 2808</b>	Celery	2.13	11	31.4	A
<b>bacillus pumilus, strain qst 2808</b>	Grape, wine	4.21	12	65.52	A
<b>bacillus pumilus, strain qst 2808</b>	Kale	2.03	17	30.2	A
<b>bacillus pumilus, strain qst 2808</b>	Lettuce, head	28.86	44	464.6	A
<b>bacillus pumilus, strain qst 2808</b>	Lettuce, leaf	179.03	390	2,269.64	A
<b>bacillus pumilus, strain qst 2808</b>	Mizuna	0.07	1	1.2	A
<b>bacillus pumilus, strain qst 2808</b>	Mustard greens	6.08	21	51.03	A
<b>bacillus pumilus, strain qst 2808</b>	N-grnhs flower	0.23	N/A	2.8	A
<b>bacillus pumilus, strain qst 2808</b>	N-grnhs transplants	24.85	797	208.24	A
<b>bacillus pumilus, strain qst 2808</b>	N-outdr flower	0.02	N/A	1.4	A
<b>bacillus pumilus, strain qst 2808</b>	Onion, dry	1.2	1	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus pumilus, strain qst 2808</b>	Peas	48.49	57	782.7	A
<b>bacillus pumilus, strain qst 2808</b>	Radicchio	24.66	21	279.0	A
<b>bacillus pumilus, strain qst 2808</b>	Raspberry	14.27	12	124.3	A
<b>bacillus pumilus, strain qst 2808</b>	Spinach	108.77	240	1,221.18	A
<b>bacillus pumilus, strain qst 2808</b>	Squash	1.74	3	29.0	A
<b>bacillus pumilus, strain qst 2808</b>	Strawberry	3.35	13	43.25	A
<b>bacillus pumilus, strain qst 2808</b>	Swiss chard	3.46	40	39.53	A
<b>bacillus pumilus, strain qst 2808</b>	Tomato	0.01	1	1.0	A
<b>bacillus sphaericus 2362, serotype h5a5b, strain abts 1743 fermentation solids, spores and insecticidal toxins</b>	Public health	0.38	N/A	N/A	N/A
<b>bacillus subtilis gb03</b>	Landscape maintenance	<0.01	N/A	N/A	N/A
<b>bacillus subtilis gb03</b>	Lettuce, head	<0.01	1	0.14	A
<b>bacillus subtilis gb03</b>	Strawberry	0.03	8	162.0	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Artichoke, globe	1.68	1	15.3	A
<b>bacillus amyloliquefaciens strain mbi 600</b>	Strawberry	5.5	3	80.0	A
<b>bacillus subtilis strain iab/bs03</b>	Arugula	0.03	4	21.25	A
<b>bacillus subtilis strain iab/bs03</b>	Carrot	<0.01	2	8.0	A
<b>bacillus subtilis strain iab/bs03</b>	Celery	0.02	9	20.4	A
<b>bacillus subtilis strain iab/bs03</b>	Lettuce, head	0.04	17	34.7	A
<b>bacillus subtilis strain iab/bs03</b>	Lettuce, leaf	0.68	75	506.71	A
<b>bacillus subtilis strain iab/bs03</b>	Pumpkin	0.03	11	26.0	A
<b>bacillus subtilis strain iab/bs03</b>	Raspberry	0.11	2	58.63	A
<b>bacillus subtilis strain iab/bs03</b>	Strawberry	5.43	43	1,528.57	A
<b>bacillus subtilis strain iab/bs03</b>	Swiss chard	<0.01	1	1.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Artichoke, globe	732.51	97	828.72	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Arugula	114.49	30	116.25	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Blackberry	76.08	14	76.08	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Broccoli	7,993.22	692	8,206.23	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Brussels sprout	4,150.09	330	4,740.3	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cabbage	803.38	105	809.38	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cannabis (all or unspecified)	67.81	4	5.2	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Carrot	11.4	1	11.4	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cauliflower	4,222.37	421	4,310.06	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Celery	3,111.72	503	3,175.17	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Cilantro	2.3	1	2.3	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Collard	36.58	19	36.58	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Fava bean	4.5	3	4.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Kale	236.79	62	238.58	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, head	547.77	106	569.32	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Lettuce, leaf	5,593.78	865	5,732.18	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Mizuna	9.8	2	9.8	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Mustard greens	56.51	45	56.89	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	N-grnhs transplants	2.34	83	42.6	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Parsley	1.8	4	2.4	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Peas	355.5	45	355.5	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Pepper, fruiting	84.0	1	112.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Rapini	893.1	56	893.1	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Raspberry	47.0	3	47.0	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Spinach	1,901.56	434	1,953.58	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Strawberry	3,562.23	119	3,922.07	A
<b>bacillus thuringiensis (berliner), subsp. aizawai, gc-91 protein</b>	Swiss chard	244.15	57	246.15	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Artichoke, globe	348.81	58	481.15	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Arugula	35.52	14	37.1	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bean, succulent	7.08	4	19.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bean, unspecified	2.19	1	5.4	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Blackberry	111.78	7	108.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Blueberry	7.56	2	13.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Bok choy	74.34	52	86.81	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Broccoli	8,137.89	1,142	10,965.91	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Brussels sprout	5,634.99	521	6,376.27	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cabbage	456.82	108	536.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cannabis (all or unspecified)	4.05	5	98,285.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cauliflower	3,792.75	604	5,192.84	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Celery	307.29	94	388.76	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Chinese cabbage (nappa)	58.35	21	85.79	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Cilantro	4.86	3	9.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Collard	27.86	3	25.8	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Endive (escarole)	14.16	20	16.64	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kale	593.61	145	626.81	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Kohlrabi	130.01	31	169.1	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Lettuce, head	124.13	52	153.88	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Lettuce, leaf	3,662.51	486	6,298.09	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mustard	2.43	1	4.5	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Mustard greens	364.2	100	656.41	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-grnhs plants in containers	1.97	9	4.81	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	N-outdr transplants	3.28	6	176,220.0	S
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Pepper, fruiting	31.86	3	59.0	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Radicchio	11.77	2	20.7	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Raspberry	102.93	12	94.22	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Spinach	2,564.26	335	4,719.21	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Strawberry	1,266.44	46	1,199.13	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Swiss chard	318.63	128	587.58	A
<b>bacillus thuringiensis, subsp. aizawai, strain abts-1857</b>	Upland cress	99.17	48	129.7	A
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	N-grnhs plants in containers	0.01	1	700.0	S
<b>bacillus thuringiensis (berliner), subsp. israelensis, serotype h-14</b>	Public health	358.25	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Cannabis (all or unspecified)	6.65	5	2.15	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Cannabis (all or unspecified)	29.54	56	204,012.0	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs plants in containers	38.31	6	12.96	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs plants in containers	58.51	45	165,779.45	S
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-grnhs transplants	11.14	68	32.28	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	N-outdr plants in containers	15.32	1	1.26	A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Public health	22.4	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. israelensis, strain am 65-52</b>	Research commodity	0.32	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, serotype 3a,3b</b>	Landscape maintenance	0.04	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Artichoke, globe	344.7	63	457.05	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Arugula	47.65	48	71.96	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Blackberry	397.98	34	374.25	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Blackberry	1.31	2	70,636.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Blueberry	1.08	2	1.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Bok choy	19.9	27	33.75	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Broccoli	3,933.18	901	5,541.2	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Brussels sprout	4,663.87	327	5,376.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cabbage	594.95	272	939.6	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cannabis (all or unspecified)	40.49	36	25.75	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cannabis (all or unspecified)	7.37	13	240,265.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Carrot	2.16	2	2.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Cauliflower	2,066.6	404	2,506.08	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Celery	1,103.59	233	1,237.82	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Chinese cabbage (nappa)	5.5	4	5.1	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Collard	2.87	3	6.63	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Endive (escarole)	1.89	3	3.5	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Fava bean	1.62	1	1.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Fennel	4.86	2	5.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Kale	77.35	43	95.31	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, head	993.37	123	1,163.68	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Lettuce, leaf	1,810.86	375	2,352.81	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Mustard greens	171.88	51	246.6	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs flower	3.19	2	2.94	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	57.02	33	76.54	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs plants in containers	8.87	18	194,700.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-grnhs transplants	222.23	1,364	412.44	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr flower	101.79	84	93.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr plants in containers	119.38	13	57.57	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	N-outdr plants in containers	7.28	9	81,430.0	S
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Pumpkin	6.48	3	6.0	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Radicchio	101.44	11	139.1	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Raspberry	649.97	80	718.82	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Research commodity	0.03	N/A	N/A	N/A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Spinach	222.06	84	300.14	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Squash	6.75	1	6.25	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Strawberry	6,329.23	408	8,599.85	A
<b>bacillus thuringiensis, subsp. kurstaki, strain abts-351, fermentation solids and solubles</b>	Swiss chard	57.97	43	76.11	A
<b>bacillus thuringiensis, subsp. kurstaki, strain hd-1</b>	Cannabis (all or unspecified)	0.21	2	2.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
<b>bacillus thuringiensis subspecies kurstaki, genetically engineered strain eg7841 lepidopteran active toxin</b>	Brussels sprout	25.5	2	42.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Artichoke, globe	99.54	11	112.9	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blackberry	36.55	3	43.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blackberry	0.34	2	14,280.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Blueberry	30.6	2	36.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Broccoli	3,030.07	364	2,437.28	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Brussels sprout	534.84	30	421.17	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cabbage	214.85	54	178.9	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cannabis (all or unspecified)	0.38	5	12.5	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cannabis (all or unspecified)	0.6	8	400,000.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Cauliflower	982.2	115	796.97	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Celery	1,601.95	234	1,294.4	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, head	108.59	16	85.2	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Lettuce, leaf	1,838.99	114	1,442.29	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Mustard greens	332.46	32	262.79	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs plants in containers	0.7	1	2.32	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs plants in containers	21.95	37	1,674,733.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-grnhs transplants	7.09	15	551,368.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr plants in containers	0.26	1	2.3	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	N-outdr transplants	108.4	90	4,805,246.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Pumpkin	6.38	2	5.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Raspberry	25.5	2	20.0	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Research commodity	0.04	N/A	N/A	N/A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Spinach	867.06	45	680.03	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Strawberry	3,076.17	107	3,124.09	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Strawberry	0.26	1	8,899.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11</b>	Swiss chard	116.65	16	92.14	A
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Cannabis (all or unspecified)	20.7	3	120,000.0	S
<b>bacillus thuringiensis (berliner), subsp. kurstaki strain sa-12</b>	Landscape maintenance	47.54	N/A	N/A	N/A
<b>beauveria bassiana strain gha</b>	Broccoli	13.57	13	62.0	A
<b>beauveria bassiana strain gha</b>	Brussels sprout	10.71	16	48.89	A
<b>beauveria bassiana strain gha</b>	Cabbage	10.94	13	50.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
beauveria bassiana strain gha	Cannabis (all or unspecified)	64.83	83	164.66	A
beauveria bassiana strain gha	Cannabis (all or unspecified)	148.06	363	5,006,477.0	S
beauveria bassiana strain gha	Cannabis (all or unspecified)	16.01	43	622.0	U
beauveria bassiana strain gha	Cauliflower	20.54	20	88.15	A
beauveria bassiana strain gha	Celery	6.32	9	28.9	A
beauveria bassiana strain gha	Collard	0.88	1	4.0	A
beauveria bassiana strain gha	Industrial hemp	1.29	4	3.15	A
beauveria bassiana strain gha	Industrial hemp	0.21	2	1,805.0	S
beauveria bassiana strain gha	Kale	0.88	1	4.0	A
beauveria bassiana strain gha	Lettuce, leaf	4.47	2	20.4	A
beauveria bassiana strain gha	N-grnhs flower	11.27	56	1,356,054.0	S
beauveria bassiana strain gha	N-grnhs plants in containers	8.15	6	40.3	A
beauveria bassiana strain gha	N-grnhs plants in containers	1.26	14	142,110.0	S
beauveria bassiana strain gha	N-outdr plants in containers	0.28	4	35,000.0	S
beauveria bassiana strain gha	Raspberry	0.02	1	21.94	A
beauveria bassiana strain gha	Research commodity	0.03	N/A	N/A	N/A
beauveria bassiana strain gha	Strawberry	83.68	16	394.5	A
benefin	Lettuce, head	295.55	33	396.3	A
benefin	Lettuce, leaf	329.0	37	434.15	A
benefin	Soil fumigation/preplant	4.2	2	14.0	A
bensulide	Arugula	7,682.93	256	1,852.0	A
bensulide	Broccoli	18,974.64	546	5,320.81	A
bensulide	Brussels sprout	49.57	1	10.0	A
bensulide	Cabbage	942.66	32	238.95	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bensulide	Cauliflower	4,252.73	114	1,202.1	A
bensulide	Cucumber	194.25	15	91.08	A
bensulide	Endive (escarole)	728.67	100	206.07	A
bensulide	Kale	3,230.32	144	803.42	A
bensulide	Landscape maintenance	154.0	N/A	N/A	N/A
bensulide	Lettuce, head	27,466.15	777	8,613.27	A
bensulide	Lettuce, leaf	77,565.03	2,205	21,278.63	A
bensulide	Mizuna	24.19	3	6.1	A
bensulide	Mustard greens	797.27	65	220.62	A
bensulide	Pepper, fruiting	202.26	4	51.0	A
bensulide	Pumpkin	64.64	3	18.3	A
bensulide	Rapini	2,142.55	38	596.3	A
bensulide	Research commodity	46.6	N/A	N/A	N/A
bensulide	Squash	39.66	1	10.0	A
bensulide	Squash, summer	89.75	12	45.25	A
bensulide	Upland cress	430.98	42	104.1	A
bentazon, sodium salt	Bean, dried	233.13	18	205.0	A
bentazon, sodium salt	Bean, succulent	71.11	6	62.5	A
bentazon, sodium salt	Bean, unspecified	91.38	21	84.5	A
bentazon, sodium salt	Fava bean	29.33	18	29.9	A
bentazon, sodium salt	Peas	4,862.27	383	3,941.96	A
bentonite	Cannabis (all or unspecified)	0.15	1	0.25	A
benzoic acid	Alfalfa	0.61	18	107.7	A
benzoic acid	Artichoke, globe	1.36	24	356.0	A
benzoic acid	Arugula	44.45	130	1,115.18	A
benzoic acid	Barley (forage - fodder)	0.05	2	8.5	A
benzoic acid	Bean, dried	2.74	30	262.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
benzoic acid	Bean, succulent	2.02	15	166.0	A
benzoic acid	Bean, unspecified	1.2	44	185.0	A
benzoic acid	Bok choy	0.18	36	31.5	A
benzoic acid	Broccoli	28.76	573	5,017.9	A
benzoic acid	Brussels sprout	1.35	17	237.7	A
benzoic acid	Cabbage	0.41	38	73.7	A
benzoic acid	Carrot	5.7	74	1,072.79	A
benzoic acid	Cauliflower	12.63	319	3,121.0	A
benzoic acid	Celery	10.13	233	1,800.08	A
benzoic acid	Chinese cabbage (nappa)	0.16	2	28.5	A
benzoic acid	Cilantro	0.57	41	112.75	A
benzoic acid	Cucumber	0.16	5	28.45	A
benzoic acid	Endive (escarole)	1.1	8	57.6	A
benzoic acid	Fennel	0.19	5	48.5	A
benzoic acid	Garlic	0.28	4	57.8	A
benzoic acid	Grape, wine	2.28	41	385.6	A
benzoic acid	Kale	8.16	81	218.32	A
benzoic acid	Kohlrabi	0.37	32	64.3	A
benzoic acid	Landscape maintenance	0.07	N/A	N/A	N/A
benzoic acid	Leek	0.17	3	30.5	A
benzoic acid	Lettuce, head	43.11	436	4,860.8	A
benzoic acid	Lettuce, leaf	132.91	717	6,314.67	A
benzoic acid	Mizuna	0.26	3	6.1	A
benzoic acid	Mustard greens	0.19	3	4.5	A
benzoic acid	Onion, dry	5.63	75	962.6	A
benzoic acid	Peas	4.42	89	919.3	A
benzoic acid	Pepper, fruiting	0.19	3	33.1	A
benzoic acid	Rights of way	54.24	N/A	N/A	N/A
benzoic acid	Rye	0.06	2	9.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
benzoic acid	Spinach	39.14	251	2,297.19	A
benzoic acid	Swiss chard	0.06	7	4.64	A
benzoic acid	Triticale	1.36	14	170.3	A
benzoic acid	Uncultivated ag	192.12	902	8,929.85	A
benzoic acid	Uncultivated non-ag	0.67	11	63.8	A
benzoic acid	Upland cress	3.99	42	104.1	A
benzoic acid	Water area	0.27	2	25.0	A
n6-benzyl adenine	N-grnhs flower	0.31	1	1.72	A
n6-benzyl adenine	N-grnhs flower	0.33	28	97,400.0	S
n6-benzyl adenine	N-grnhs plants in containers	5.83	74	248.15	A
n6-benzyl adenine	N-grnhs plants in containers	10.63	116	1,601,323.0	S
n6-benzyl adenine	N-grnhs transplants	<0.01	2	4,000.0	S
n6-benzyl adenine	N-outdr plants in containers	3.84	19	65.07	A
beta-conglutin	Grape, wine	9.43	3	20.5	A
beta-conglutin	Strawberry	451.28	37	957.45	A
bifenazate	Blackberry	56.91	11	120.93	A
bifenazate	Blackberry	1.57	3	137,130.0	S
bifenazate	Grape, wine	1,843.07	168	3,945.91	A
bifenazate	N-grnhs flower	0.56	1	1.0	A
bifenazate	N-grnhs flower	3.94	15	491,993.0	S
bifenazate	N-grnhs plants in containers	3.4	8	24.35	A
bifenazate	N-grnhs plants in containers	13.78	104	4,187,586.0	S
bifenazate	N-outdr flower	4.74	53	48.51	A
bifenazate	N-outdr plants in containers	0.7	2	3.68	A
bifenazate	N-outdr plants in containers	0.03	1	5,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
bifentazate	Raspberry	437.02	78	878.72	A
bifentazate	Raspberry	0.41	1	35,910.0	S
bifentazate	Research commodity	0.17	N/A	N/A	N/A
bifentazate	Strawberry	4,316.6	330	8,650.33	A
bifentazate	Strawberry	0.12	2	10,743.0	S
bifenthrin	Artichoke, globe	476.97	347	4,747.5	A
bifenthrin	Bean, dried	9.15	8	91.5	A
bifenthrin	Bean, succulent	0.38	1	6.0	A
bifenthrin	Blackberry	9.5	18	102.52	A
bifenthrin	Broccoli	561.43	528	5,815.72	A
bifenthrin	Brussels sprout	194.06	153	1,962.35	A
bifenthrin	Cabbage	34.41	37	356.5	A
bifenthrin	Cauliflower	275.85	289	2,787.57	A
bifenthrin	Celery	275.79	309	2,787.5	A
bifenthrin	Cucumber	1.5	3	15.0	A
bifenthrin	Fennel	11.75	13	135.7	A
bifenthrin	Kale	27.91	40	281.51	A
bifenthrin	Landscape maintenance	47.37	N/A	N/A	N/A
bifenthrin	Lettuce, head	398.53	301	3,948.82	A
bifenthrin	Lettuce, leaf	13.58	8	139.0	A
bifenthrin	N-grnhs plants in containers	2.83	16	12.42	A
bifenthrin	N-grnhs plants in containers	7.25	41	1,542,784.0	S
bifenthrin	N-grnhs transplants	1.04	8	518,908.0	S
bifenthrin	N-outdr flower	4.09	49	53.5	A
bifenthrin	N-outdr plants in containers	0.15	4	35,000.0	S
bifenthrin	N-outdr transplants	0.96	6	20.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bifenthrin	N-outdr transplants	1.29	23	1,059,722.0	S
bifenthrin	Peas	109.86	97	1,131.8	A
bifenthrin	Pumpkin	1.4	1	14.0	A
bifenthrin	Radish	0.06	5	0.68	A
bifenthrin	Rapini	117.88	74	1,333.5	A
bifenthrin	Raspberry	16.37	21	163.73	A
bifenthrin	Raspberry	0.16	1	68,670.0	S
bifenthrin	Spinach	1.55	1	15.5	A
bifenthrin	Squash	2.0	1	20.0	A
bifenthrin	Strawberry	2,043.33	792	21,384.78	A
bifenthrin	Strawberry	0.05	2	17,000.0	S
bifenthrin	Structural pest control	413.48	N/A	N/A	N/A
bifenthrin	Swiss chard	2.82	6	28.44	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Alfalfa	0.67	2	9.5	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Artichoke, globe	228.8	240	3,114.3	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bean, unspecified	0.32	3	4.4	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Blackberry	5.32	24	192.8	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	13.54	17	208.75	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Brussels sprout	23.35	17	242.4	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cabbage	2.12	5	32.65	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cauliflower	11.95	23	268.2	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Celery	68.92	114	1,051.1	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Fava bean	0.16	1	1.5	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Fennel	8.29	27	117.8	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grape, wine	727.37	1,111	35,562.27	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, head	32.38	43	487.29	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, leaf	46.51	69	681.3	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-grnhs plants in containers	0.02	8	25,000.0	S
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-outdr plants in containers	0.03	2	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	N-outdr plants in containers	0.08	12	184,000.0	S
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Onion, dry	0.11	1	8.0	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Raspberry	20.24	31	332.73	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights of way	20.26	N/A	N/A	N/A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Spinach	0.9	11	36.55	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Strawberry	2,044.6	511	16,068.83	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated ag	181.45	193	1,755.37	A
n,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Walnut	1.36	3	130.0	A
bispyribac-sodium	Landscape maintenance	0.2	N/A	N/A	N/A
borax	Blackberry	4.59	10	77.26	A
borax	Raspberry	3.83	10	103.59	A
borax	Rights of way	5.44	N/A	N/A	N/A
borax	Strawberry	137.64	64	2,864.92	A
borax	Structural pest control	5.42	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
boric acid	Landscape maintenance	312.77	N/A	N/A	N/A
boric acid	Structural pest control	318.08	N/A	N/A	N/A
boscalid	Blackberry	59.92	23	175.22	A
boscalid	Broccoli	236.43	60	606.0	A
boscalid	Brussels sprout	45.41	7	115.3	A
boscalid	Carrot	13.24	3	81.0	A
boscalid	Cauliflower	20.12	6	51.15	A
boscalid	Celery	2.37	2	6.0	A
boscalid	Chinese cabbage (nappa)	2.25	2	5.7	A
boscalid	Grape, wine	8,762.61	816	29,928.71	A
boscalid	Landscape maintenance	3.14	N/A	N/A	N/A
boscalid	Lettuce, head	7,257.2	1,421	16,560.95	A
boscalid	Lettuce, leaf	10,330.14	2,005	22,593.78	A
boscalid	N-grnhs flower	4.19	22	26.88	A
boscalid	N-grnhs plants in containers	52.67	68	207.93	A
boscalid	N-grnhs plants in containers	5.47	36	1,052,350.0	S
boscalid	N-grnhs transplants	152.62	1,065	370.2	A
boscalid	N-outdr flower	1.7	15	13.5	A
boscalid	N-outdr plants in containers	35.13	24	116.08	A
boscalid	N-outdr plants in containers	0.21	4	18,000.0	S
boscalid	Onion, dry	213.56	40	800.7	A
boscalid	Raspberry	269.49	80	783.82	A
boscalid	Research commodity	1.23	52	234,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>boscalid</b>	Research commodity	0.12	N/A	N/A	N/A
<b>boscalid</b>	Strawberry	3,758.49	231	7,331.46	A
<b>brodifacoum</b>	Landscape maintenance	0.01	N/A	N/A	N/A
<b>brodifacoum</b>	Structural pest control	0.02	N/A	N/A	N/A
<b>brodifacoum</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>bromacil</b>	Landscape maintenance	0.2	N/A	N/A	N/A
<b>bromacil</b>	Lemon	7.84	2	7.0	A
<b>bromacil</b>	Rights of way	444.8	N/A	N/A	N/A
<b>bromacil</b>	Uncultivated ag	0.45	2	10.0	A
<b>bromadiolone</b>	Landscape maintenance	0.06	N/A	N/A	N/A
<b>bromadiolone</b>	N-grnhs flower	<0.01	1	459,816.0	S
<b>bromadiolone</b>	Structural pest control	0.39	N/A	N/A	N/A
<b>bromadiolone</b>	Uncultivated ag	<0.01	N/A	24.0	A
<b>bromadiolone</b>	Vertebrate control	0.12	N/A	N/A	N/A
<b>bromethalin</b>	Landscape maintenance	0.01	N/A	N/A	N/A
<b>bromethalin</b>	Structural pest control	0.15	N/A	N/A	N/A
<b>bromethalin</b>	Vertebrate control	<0.01	N/A	N/A	N/A
<b>bromoxynil heptanoate</b>	Alfalfa	13.76	1	80.0	A
<b>bromoxynil heptanoate</b>	Barley	164.38	3	955.0	A
<b>bromoxynil heptanoate</b>	Barley (forage - fodder)	2.92	2	8.5	A
<b>bromoxynil heptanoate</b>	Garlic	26.21	6	76.0	A
<b>bromoxynil heptanoate</b>	Oat	100.54	13	319.7	A
<b>bromoxynil heptanoate</b>	Onion, dry	173.96	68	968.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
bromoxynil heptanoate	Rights of way	3.44	N/A	N/A	N/A
bromoxynil heptanoate	Rye	8.52	3	24.8	A
bromoxynil heptanoate	Sod farm (turf)	22.2	6	64.5	A
bromoxynil heptanoate	Triticale	74.3	20	265.4	A
bromoxynil heptanoate	Uncultivated ag	17.56	5	51.0	A
bromoxynil octanoate	Alfalfa	14.27	1	80.0	A
bromoxynil octanoate	Barley	170.46	3	955.0	A
bromoxynil octanoate	Barley (forage - fodder)	3.03	2	8.5	A
bromoxynil octanoate	Garlic	27.18	6	76.0	A
bromoxynil octanoate	Oat	104.26	13	319.7	A
bromoxynil octanoate	Onion, dry	199.53	72	1,040.7	A
bromoxynil octanoate	Research commodity	0.2	N/A	N/A	N/A
bromoxynil octanoate	Rights of way	3.57	N/A	N/A	N/A
bromoxynil octanoate	Rye	8.84	3	24.8	A
bromoxynil octanoate	Sod farm (turf)	23.02	6	64.5	A
bromoxynil octanoate	Triticale	77.05	20	265.4	A
bromoxynil octanoate	Uncultivated ag	18.21	5	51.0	A
buprofezin	Broccoli	213.06	49	556.6	A
buprofezin	Cabbage	5.93	2	15.5	A
buprofezin	Cauliflower	14.05	4	36.7	A
buprofezin	Grape, wine	651.65	37	1,342.41	A
buprofezin	N-grnhs flower	0.44	1	0.75	A
buprofezin	N-grnhs plants in containers	4.46	4	15.11	A
buprofezin	N-grnhs plants in containers	5.76	14	144,850.0	S
buprofezin	N-outdr plants in containers	0.53	1	20,000.0	S
buprofezin	Strawberry	216.13	75	576.74	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
burkholderia sp strain a396 cells and fermentation media	Artichoke, globe	224.78	7	39.75	A
burkholderia sp strain a396 cells and fermentation media	Arugula	1,000.13	73	243.07	A
burkholderia sp strain a396 cells and fermentation media	Broccoli	14,001.62	338	2,180.35	A
burkholderia sp strain a396 cells and fermentation media	Brussels sprout	535.04	25	97.72	A
burkholderia sp strain a396 cells and fermentation media	Cabbage	357.47	28	99.8	A
burkholderia sp strain a396 cells and fermentation media	Cannabis (all or unspecified)	925.88	88	67.07	A
burkholderia sp strain a396 cells and fermentation media	Cannabis (all or unspecified)	1,432.31	189	2,701,219.0	S
burkholderia sp strain a396 cells and fermentation media	Cauliflower	6,783.56	185	949.64	A
burkholderia sp strain a396 cells and fermentation media	Celery	3,152.03	140	638.6	A
burkholderia sp strain a396 cells and fermentation media	Chinese cabbage (nappa)	123.84	8	14.32	A
burkholderia sp strain a396 cells and fermentation media	Collard	12.8	4	6.83	A
burkholderia sp strain a396 cells and fermentation media	Corn (forage - fodder)	38.95	6	6.0	A
burkholderia sp strain a396 cells and fermentation media	Fumigation, other	0.34	N/A	N/A	N/A
burkholderia sp strain a396 cells and fermentation media	Industrial hemp	182.28	18	15.75	A
burkholderia sp strain a396 cells and fermentation media	Industrial hemp	1.96	1	5,000.0	S
burkholderia sp strain a396 cells and fermentation media	Kale	202.78	20	50.43	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>burkholderia sp strain a396 cells and fermentation media</b>	Leek	178.3	5	20.6	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Lettuce, head	290.82	18	61.1	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Lettuce, leaf	17,242.78	494	3,633.58	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Mustard	8.05	2	7.5	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Mustard greens	548.06	38	143.33	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Pumpkin	47.6	5	11.0	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Radicchio	1,593.28	18	243.5	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Raspberry	936.42	15	240.18	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Spinach	3,048.6	148	777.2	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Strawberry	26,156.34	97	4,133.48	A
<b>burkholderia sp strain a396 cells and fermentation media</b>	Swiss chard	97.45	36	30.96	A
<b>2-butoxyethanol</b>	Raspberry	5.03	6	72.74	A
<b>2-butoxyethanol</b>	Rights of way	77.33	N/A	N/A	N/A
<b>butyl alcohol</b>	Barley (forage - fodder)	0.44	2	8.5	A
<b>butyl alcohol</b>	Bean, dried	3.61	15	129.5	A
<b>butyl alcohol</b>	Bean, succulent	3.63	15	167.5	A
<b>butyl alcohol</b>	Bean, unspecified	3.12	24	94.0	A
<b>butyl alcohol</b>	Grape, wine	124.8	237	4,917.96	A
<b>butyl alcohol</b>	Landscape maintenance	18.45	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
butyl alcohol	Peas	6.74	18	241.6	A
butyl alcohol	Pepper, fruiting	1.48	5	57.6	A
butyl alcohol	Research commodity	0.06	N/A	N/A	N/A
butyl alcohol	Rights of way	3.34	N/A	N/A	N/A
butyl alcohol	Rye	0.51	2	9.8	A
butyl alcohol	Triticale	0.63	1	24.6	A
butyl alcohol	Uncultivated ag	4.13	3	15.0	A
butyl alcohol	Water area	36.99	32	183.5	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Broccoli	3.95	5	47.7	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Brussels sprout	9.75	2	30.2	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Celery	56.53	30	268.5	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Chinese cabbage (nappa)	3.2	8	12.75	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Grape, wine	81.91	9	472.09	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Lettuce, head	146.69	95	951.1	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Lettuce, leaf	96.22	99	745.7	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Radicchio	29.81	28	120.88	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Raspberry	23.16	14	125.78	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Spinach	0.46	1	7.0	A
alpha-(para-tert-butylphenyl)-omega-hydroxypoly(oxyethylene) phosphate	Strawberry	288.02	19	576.05	A
calcium carbonate	Water (industrial)	13,720.0	N/A	129,155.4	K



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
calcium carbonate	Water (industrial)	5,488.0	N/A	644.0	S
calcium carbonate	Water (industrial)	10,976.0	N/A	1,257.0	U
calcium chloride	Arugula	3.82	58	113.57	A
calcium chloride	Bean, dried	0.44	6	48.0	A
calcium chloride	Bean, succulent	1.02	9	104.0	A
calcium chloride	Bok choy	0.19	7	8.75	A
calcium chloride	Broccoli	6.12	14	94.82	A
calcium chloride	Cabbage	0.56	1	14.3	A
calcium chloride	Cauliflower	20.53	44	286.7	A
calcium chloride	Celery	0.51	1	7.0	A
calcium chloride	Chinese cabbage (nappa)	1.78	2	28.5	A
calcium chloride	Cucumber	0.07	1	10.0	A
calcium chloride	Endive (escarole)	2.31	4	37.0	A
calcium chloride	Grape, wine	22.94	49	1,344.51	A
calcium chloride	Kale	0.23	7	10.5	A
calcium chloride	Leek	1.9	3	30.5	A
calcium chloride	Lettuce, head	26.9	29	298.6	A
calcium chloride	Lettuce, leaf	78.14	295	1,419.39	A
calcium chloride	Radicchio	8.7	16	262.0	A
calcium chloride	Spinach	22.53	105	509.4	A
calcium chloride	Swiss chard	0.17	7	7.91	A
calcium chloride	Uncultivated ag	8.8	45	166.76	A
calcium hypochlorite	Ditch bank	6,426.0	N/A	70.48	A
calcium hypochlorite	Ditch bank	15,633.2	N/A	87.0	U
canola oil	Cannabis (all or unspecified)	0.6	1	3.5	A
canola oil	Research commodity	0.19	N/A	N/A	N/A
canola oil	Strawberry	774.97	32	730.13	A
capric acid	Cabbage	10.29	1	4.05	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
capric acid	Cilantro	382.26	19	57.71	A
capric acid	Grape, wine	2,704.88	3	251.74	A
capric acid	Lettuce, head	177.84	22	119.36	A
capric acid	Lettuce, leaf	341.23	21	123.12	A
capric acid	Onion, dry	231.25	7	40.75	A
capric acid	Raspberry	1,553.87	28	197.0	A
capric acid	Rights of way	1,864.26	N/A	N/A	N/A
capric acid	Strawberry	2,168.59	6	265.59	A
capric acid	Uncultivated ag	7,544.0	102	638.01	A
capric acid	Uncultivated non-ag	194.34	2	13.5	A
capric acid	Uncultivated non-ag	12.0	N/A	19,865.0	S
caprylic acid	Cabbage	15.12	1	4.05	A
caprylic acid	Cilantro	561.44	19	57.71	A
caprylic acid	Grape, wine	3,972.8	3	251.74	A
caprylic acid	Lettuce, head	261.2	22	119.36	A
caprylic acid	Lettuce, leaf	501.18	21	123.12	A
caprylic acid	Onion, dry	339.64	7	40.75	A
caprylic acid	Raspberry	2,282.25	28	197.0	A
caprylic acid	Rights of way	2,738.13	N/A	N/A	N/A
caprylic acid	Strawberry	3,185.11	6	265.59	A
caprylic acid	Uncultivated ag	11,080.24	102	638.01	A
caprylic acid	Uncultivated non-ag	285.44	2	13.5	A
caprylic acid	Uncultivated non-ag	17.62	N/A	19,865.0	S
capsicum oleoresin	Cannabis (all or unspecified)	2.99	36	126.0	A
capsicum oleoresin	Cannabis (all or unspecified)	2.17	44	265,571.0	S
capsicum oleoresin	Industrial hemp	0.11	1	1.0	A
capsicum oleoresin	N-grnhs flower	0.33	2	7.06	A
capsicum oleoresin	N-grnhs flower	0.06	4	25,500.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
capsicum oleoresin	N-grnhs plants in containers	1.42	10	17.99	A
capsicum oleoresin	N-grnhs plants in containers	1.54	14	633,000.0	S
capsicum oleoresin	N-outdr plants in containers	0.6	9	9.15	A
capsicum oleoresin	Research commodity	0.03	N/A	N/A	N/A
capsicum oleoresin	Strawberry	107.09	32	730.13	A
captan	Blackberry	0.99	2	37,170.0	S
captan	Raspberry	103.46	9	56.74	A
captan	Raspberry	0.05	1	1,844.0	S
captan	Research commodity	1.48	N/A	N/A	N/A
captan	Strawberry	22,462.95	426	11,605.11	A
captan	Strawberry	0.2	1	3,688.0	S
captan, other related	Blackberry	0.02	2	37,170.0	S
captan, other related	Raspberry	0.14	1	7.5	A
captan, other related	Raspberry	<0.01	1	1,844.0	S
captan, other related	Strawberry	65.05	103	1,453.91	A
carbaryl	Asparagus	297.87	17	296.9	A
carbaryl	Broccoli	641.43	24	355.1	A
carbaryl	Brussels sprout	288.69	15	289.7	A
carbaryl	Cabbage	46.72	3	23.3	A
carbaryl	Cauliflower	56.15	2	28.2	A
carbaryl	Celery	2,506.07	115	1,533.95	A
carbaryl	Landscape maintenance	2.38	N/A	N/A	N/A
carbaryl	N-grnhs plants in containers	0.42	1	52,920.0	S
carbaryl	Radish	267.41	68	136.48	A
carbaryl	Strawberry	316.58	6	173.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
carbaryl	Uncultivated ag	1.0	1	1.0	A
carbo methoxy ether cellulose, sodium salt	Cannabis (all or unspecified)	0.35	29	18.0	A
carbo methoxy ether cellulose, sodium salt	Cannabis (all or unspecified)	0.06	11	165,274.0	S
carbo methoxy ether cellulose, sodium salt	Grape, wine	29.09	130	3,477.92	A
carbo methoxy ether cellulose, sodium salt	Uncultivated ag	1.82	89	662.01	A
carbo methoxy ether cellulose, sodium salt	Water area	0.53	32	191.5	A
carbon	Landscape maintenance	1.28	N/A	N/A	N/A
carbon	Uncultivated non-ag	2.68	N/A	4.0	A
carboxin	Onion, dry	143.07	N/A	14,615.32	P
carfentrazone-ethyl	Barley (forage - fodder)	0.12	2	8.5	A
carfentrazone-ethyl	Bean, unspecified	0.14	3	9.5	A
carfentrazone-ethyl	Blackberry	7.19	24	200.0	A
carfentrazone-ethyl	Brussels sprout	6.05	3	206.8	A
carfentrazone-ethyl	Endive (escarole)	0.02	16	55.55	A
carfentrazone-ethyl	Grape, wine	277.6	683	17,412.14	A
carfentrazone-ethyl	Landscape maintenance	46.55	N/A	N/A	N/A
carfentrazone-ethyl	Lettuce, head	0.43	86	1,124.29	A
carfentrazone-ethyl	Lettuce, leaf	1.09	264	2,152.76	A
carfentrazone-ethyl	Oat	0.82	4	86.0	A
carfentrazone-ethyl	Pasture (forage - fodder)	0.15	1	5.0	A
carfentrazone-ethyl	Raspberry	33.28	64	570.5	A
carfentrazone-ethyl	Rights of way	0.97	N/A	N/A	N/A
carfentrazone-ethyl	Rye	0.14	2	9.8	A
carfentrazone-ethyl	Sod farm (turf)	1.89	6	64.5	A
carfentrazone-ethyl	Strawberry	38.85	61	1,586.42	A
carfentrazone-ethyl	Triticale	1.02	4	68.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
carfentrazone-ethyl	Uncultivated ag	125.81	434	5,892.4	A
carfentrazone-ethyl	Wheat	0.39	1	55.0	A
casein	Cannabis (all or unspecified)	0.01	1	0.25	A
castor oil ethoxylate	Grape, wine	25.64	12	647.8	A
chlorantraniliprole	Artichoke, globe	341.54	282	3,650.0	A
chlorantraniliprole	Arugula	84.62	117	1,123.32	A
chlorantraniliprole	Beet	0.16	2	3.0	A
chlorantraniliprole	Blackberry	2.34	2	25.0	A
chlorantraniliprole	Bok choy	3.4	43	50.05	A
chlorantraniliprole	Broccoli	653.87	887	10,468.34	A
chlorantraniliprole	Brussels sprout	211.62	244	3,404.0	A
chlorantraniliprole	Cabbage	224.48	348	3,520.25	A
chlorantraniliprole	Cauliflower	276.96	379	4,222.7	A
chlorantraniliprole	Celery	730.09	1,106	9,842.57	A
chlorantraniliprole	Corn salad	0.3	2	5.8	A
chlorantraniliprole	Endive (escarole)	1.52	6	23.16	A
chlorantraniliprole	Fennel	4.81	4	58.8	A
chlorantraniliprole	Golf course turf	0.63	N/A	3.0	A
chlorantraniliprole	Grape, wine	54.15	13	550.12	A
chlorantraniliprole	Kale	32.25	92	381.22	A
chlorantraniliprole	Kohlrabi	4.25	11	64.4	A
chlorantraniliprole	Landscape maintenance	23.8	N/A	N/A	N/A
chlorantraniliprole	Lettuce, head	1,029.18	1,427	17,056.69	A
chlorantraniliprole	Lettuce, leaf	1,113.09	1,793	18,724.42	A
chlorantraniliprole	Mizuna	0.32	3	6.1	A
chlorantraniliprole	Mustard greens	3.56	11	37.1	A
chlorantraniliprole	N-grnhs plants in containers	0.97	4	40.3	A
chlorantraniliprole	Peas	325.81	374	4,202.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorantraniliprole	Pepper, fruiting	18.4	18	291.0	A
chlorantraniliprole	Radicchio	8.13	5	130.2	A
chlorantraniliprole	Radish	11.38	86	164.68	A
chlorantraniliprole	Rapini	19.0	67	289.0	A
chlorantraniliprole	Raspberry	7.2	9	84.09	A
chlorantraniliprole	Spinach	254.86	352	3,557.22	A
chlorantraniliprole	Strawberry	275.47	149	3,530.02	A
chlorantraniliprole	Structural pest control	14.98	N/A	N/A	N/A
chlorantraniliprole	Swiss chard	17.23	53	208.19	A
chlorantraniliprole	Upland cress	7.96	32	104.43	A
chlorantraniliprole	Walnut	29.75	4	340.0	A
chlorfenapyr	N-grnhs flower	5.29	19	1,019,813.0	S
chlorfenapyr	N-grnhs plants in containers	0.72	5	5.87	A
chlorfenapyr	N-grnhs plants in containers	2.28	38	1,331,245.0	S
chlorfenapyr	N-outdr flower	0.24	3	2.5	A
chlorfenapyr	N-outdr plants in containers	0.02	2	2,000.0	S
chlorfenapyr	Structural pest control	63.73	N/A	N/A	N/A
chlorine	Water (industrial)	88,455.5	N/A	494,972.28	K
chlorine	Water (industrial)	0.08	N/A	6,468.0	S
chlorine	Water (industrial)	100,992.5	N/A	10,673.0	U
chlorine dioxide	Structural pest control	<0.01	N/A	N/A	N/A
chlormequat chloride	N-grnhs flower	58.69	15	46.56	A
chlormequat chloride	N-grnhs flower	0.03	3	750.0	S
chlormequat chloride	N-grnhs plants in containers	45.77	29	101.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlormequat chloride	N-grnhs plants in containers	114.81	88	2,744,665.0	S
chlormequat chloride	N-outdr plants in containers	4.61	8	15.51	A
chlorophacinone	Artichoke, globe	0.13	3	23.2	A
chlorophacinone	Landscape maintenance	0.13	N/A	N/A	N/A
chlorophacinone	Pastureland	<0.01	N/A	14.0	A
chlorophacinone	Rangeland	0.04	19	875.5	A
chlorophacinone	Regulatory pest control	<0.01	N/A	N/A	N/A
chlorophacinone	Rights of way	0.01	N/A	N/A	N/A
chlorophacinone	Structural pest control	<0.01	N/A	N/A	N/A
chlorophacinone	Uncultivated ag	0.06	111	429.0	A
chlorophacinone	Uncultivated non-ag	0.01	15	401.0	A
chlorophacinone	Vertebrate control	0.05	N/A	N/A	N/A
chloropicrin	Blackberry	478.37	1	4.4	A
chloropicrin	Lettuce, leaf	827.14	1	2.7	A
chloropicrin	N-outdr flower	573.09	2	1.9	A
chloropicrin	Raspberry	37,306.71	9	136.4	A
chloropicrin	Strawberry	2,077,153.47	397	7,982.59	A
chloropicrin	Walnut	181.12	3	240.0	A
chlorothalonil	Broccoli	7,453.05	566	6,590.05	A
chlorothalonil	Brussels sprout	3,945.6	310	2,848.8	A
chlorothalonil	Cabbage	468.09	73	500.89	A
chlorothalonil	Carrot	470.09	32	457.3	A
chlorothalonil	Cauliflower	2,176.83	199	2,010.67	A
chlorothalonil	Celery	8,120.04	604	5,480.33	A
chlorothalonil	Chinese cabbage (nappa)	56.81	15	57.02	A
chlorothalonil	Golf course turf	182.13	N/A	30.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
chlorothalonil	Landscape maintenance	5,226.86	N/A	N/A	N/A
chlorothalonil	Leek	38.14	16	36.4	A
chlorothalonil	N-grnhs flower	37.93	6	202,175.0	S
chlorothalonil	N-grnhs plants in containers	154.2	65	83.4	A
chlorothalonil	N-grnhs plants in containers	25.16	28	552,812.0	S
chlorothalonil	N-grnhs transplants	106.68	152	57.01	A
chlorothalonil	N-grnhs transplants	26.92	10	631,757.0	S
chlorothalonil	N-outdr plants in containers	174.11	22	55.71	A
chlorothalonil	N-outdr plants in containers	1.44	3	2,613.0	S
chlorothalonil	N-outdr transplants	76.69	24	67.0	A
chlorothalonil	N-outdr transplants	66.0	42	2,145,832.0	S
chlorothalonil	Onion, dry	3,438.09	147	2,826.4	A
chlorothalonil	Pumpkin	10.31	3	6.9	A
chlorothalonil	Tomato	166.73	24	133.8	A
chlorpyrifos	Grape, wine	138.1	7	73.5	A
chlorpyrifos	N-grnhs flower	0.5	2	12,000.0	S
chlorsulfuron	Barley	8.69	5	926.0	A
chlorsulfuron	Forage hay/silage	6.58	5	852.0	A
chlorsulfuron	Industrial site	7.76	N/A	112.85	A
chlorsulfuron	Landscape maintenance	0.52	N/A	N/A	N/A
chlorsulfuron	Rights of way	3.41	N/A	N/A	N/A
chlorsulfuron	Uncultivated non-ag	1.61	N/A	22.85	A
chlorthal-dimethyl	Bok choy	730.37	73	167.99	A
chlorthal-dimethyl	Broccoli	72,608.28	2,213	21,578.22	A
chlorthal-dimethyl	Brussels sprout	2,785.14	67	821.8	A
chlorthal-dimethyl	Cabbage	1,088.68	81	309.74	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chlorthal-dimethyl	Cauliflower	9,760.55	380	2,877.54	A
chlorthal-dimethyl	Chinese cabbage (nappa)	663.48	38	146.39	A
chlorthal-dimethyl	Collard	94.18	2	20.8	A
chlorthal-dimethyl	Kale	572.29	31	211.47	A
chlorthal-dimethyl	Kohlrabi	391.08	51	102.56	A
chlorthal-dimethyl	Leek	1,421.43	83	247.03	A
chlorthal-dimethyl	Mustard greens	121.78	6	26.9	A
chlorthal-dimethyl	Onion, dry	7,950.96	99	1,334.9	A
chlorthal-dimethyl	Radish	653.06	77	143.5	A
chlorthal-dimethyl	Rapini	3,253.82	102	612.7	A
chlorthal-dimethyl	Research commodity	22.64	1	2.5	A
chlorthal-dimethyl	Turnip	15.75	8	3.03	A
chlorthal-dimethyl	Uncultivated ag	135.75	4	67.7	A
cholecalciferol	Landscape maintenance	0.11	N/A	N/A	N/A
cholecalciferol	Structural pest control	0.81	N/A	N/A	N/A
chromobacterium subtsugae strain praa4-1	Artichoke, globe	45.47	10	63.35	A
chromobacterium subtsugae strain praa4-1	Arugula	8.2	3	10.47	A
chromobacterium subtsugae strain praa4-1	Bean, unspecified	3.96	3	4.4	A
chromobacterium subtsugae strain praa4-1	Beet	7.47	9	12.45	A
chromobacterium subtsugae strain praa4-1	Blackberry	84.59	6	99.16	A
chromobacterium subtsugae strain praa4-1	Blackberry	2.92	1	141,435.0	S
chromobacterium subtsugae strain praa4-1	Blueberry	7.8	1	13.0	A
chromobacterium subtsugae strain praa4-1	Broccoli	395.19	64	607.78	A
chromobacterium subtsugae strain praa4-1	Brussels sprout	28.33	13	41.71	A
chromobacterium subtsugae strain praa4-1	Cannabis (all or unspecified)	84.96	58	31.92	A
chromobacterium subtsugae strain praa4-1	Cannabis (all or unspecified)	460.75	374	7,268,127.25	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
chromobacterium subtsugae strain praa4-1	Cauliflower	139.04	37	236.2	A
chromobacterium subtsugae strain praa4-1	Celery	734.59	145	1,232.09	A
chromobacterium subtsugae strain praa4-1	Cilantro	19.59	7	27.43	A
chromobacterium subtsugae strain praa4-1	Fumigation, other	0.05	N/A	N/A	N/A
chromobacterium subtsugae strain praa4-1	Industrial hemp	2.28	7	6.5	A
chromobacterium subtsugae strain praa4-1	Industrial hemp	4.0	4	99,803.0	S
chromobacterium subtsugae strain praa4-1	Kale	12.42	5	15.2	A
chromobacterium subtsugae strain praa4-1	Leek	4.44	7	12.69	A
chromobacterium subtsugae strain praa4-1	Lettuce, head	8.82	3	14.7	A
chromobacterium subtsugae strain praa4-1	Lettuce, leaf	813.14	146	1,293.82	A
chromobacterium subtsugae strain praa4-1	Mustard greens	27.34	3	45.57	A
chromobacterium subtsugae strain praa4-1	N-grnhs flower	1.14	5	28,500.0	S
chromobacterium subtsugae strain praa4-1	N-outdr transplants	17.45	19	877,572.0	S
chromobacterium subtsugae strain praa4-1	Onion, dry	13.5	1	15.0	A
chromobacterium subtsugae strain praa4-1	Raspberry	477.31	40	527.0	A
chromobacterium subtsugae strain praa4-1	Research commodity	1.56	N/A	N/A	N/A
chromobacterium subtsugae strain praa4-1	Spinach	101.91	44	179.2	A
chromobacterium subtsugae strain praa4-1	Squash	17.4	3	29.0	A
chromobacterium subtsugae strain praa4-1	Strawberry	9,272.68	264	10,564.65	A
chromobacterium subtsugae strain praa4-1	Swiss chard	18.02	6	30.04	A
citric acid	Artichoke, globe	6.41	5	46.7	A
citric acid	Arugula	10.62	58	113.57	A
citric acid	Bean, dried	1.21	6	48.0	A
citric acid	Bean, succulent	2.84	9	104.0	A
citric acid	Bok choy	0.52	7	8.75	A
citric acid	Broccoli	1,231.31	1,357	15,412.51	A
citric acid	Brussels sprout	773.46	397	7,848.59	A
citric acid	Cabbage	172.67	134	1,326.95	A
citric acid	Cauliflower	466.91	591	5,245.03	A
citric acid	Celery	15.78	32	136.85	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
citric acid	Chinese cabbage (nappa)	4.93	2	28.5	A
citric acid	Cucumber	0.18	1	10.0	A
citric acid	Endive (escarole)	6.4	4	37.0	A
citric acid	Grape, wine	558.49	287	10,370.29	A
citric acid	Kale	0.63	7	10.5	A
citric acid	Landscape maintenance	16.84	N/A	N/A	N/A
citric acid	Leek	5.85	27	100.2	A
citric acid	Lettuce, head	104.46	160	1,519.0	A
citric acid	Lettuce, leaf	258.61	506	3,378.64	A
citric acid	Onion, dry	9.19	4	56.1	A
citric acid	Peas	0.17	1	10.2	A
citric acid	Radicchio	24.18	16	262.0	A
citric acid	Rapini	15.37	21	318.9	A
citric acid	Raspberry	6.06	3	12.0	A
citric acid	Rights of way	2.39	N/A	N/A	N/A
citric acid	Spinach	62.59	105	509.4	A
citric acid	Strawberry	23.94	3	57.5	A
citric acid	Swiss chard	0.47	7	7.91	A
citric acid	Uncultivated ag	544.71	348	3,484.62	A
citric acid	Walnut	15.32	3	130.0	A
clarified hydrophobic extract of neem oil	Artichoke, globe	73.98	5	18.6	A
clarified hydrophobic extract of neem oil	Blackberry	1.66	2	9,450.0	S
clarified hydrophobic extract of neem oil	Broccoli	1,427.66	79	620.65	A
clarified hydrophobic extract of neem oil	Cabbage	310.65	20	87.3	A
clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	593.51	62	110.05	A
clarified hydrophobic extract of neem oil	Cannabis (all or unspecified)	1,633.58	323	4,293,285.0	S
clarified hydrophobic extract of neem oil	Cauliflower	1,059.62	48	349.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clarified hydrophobic extract of neem oil	Celery	2,252.13	215	1,122.45	A
clarified hydrophobic extract of neem oil	Cucumber	22.93	6	6.0	A
clarified hydrophobic extract of neem oil	Dill	6.11	16	6.4	A
clarified hydrophobic extract of neem oil	Kale	135.0	29	143.6	A
clarified hydrophobic extract of neem oil	Landscape maintenance	1.76	N/A	N/A	N/A
clarified hydrophobic extract of neem oil	Lettuce, head	515.42	47	140.37	A
clarified hydrophobic extract of neem oil	Lettuce, leaf	5,996.3	329	1,794.58	A
clarified hydrophobic extract of neem oil	Mustard greens	76.8	47	67.41	A
clarified hydrophobic extract of neem oil	N-grnhs flower	12.65	7	18,225.0	S
clarified hydrophobic extract of neem oil	N-grnhs plants in containers	26.65	2	5.45	A
clarified hydrophobic extract of neem oil	N-grnhs plants in containers	8.91	2	67,233.0	S
clarified hydrophobic extract of neem oil	N-grnhs transplants	1.46	25	6.0	A
clarified hydrophobic extract of neem oil	N-grnhs transplants	23.75	3	176,965.0	S
clarified hydrophobic extract of neem oil	N-outdr plants in containers	15.99	1	3.27	A
clarified hydrophobic extract of neem oil	N-outdr plants in containers	28.51	12	89,000.0	S
clarified hydrophobic extract of neem oil	N-outdr transplants	363.13	37	3,135,349.0	S
clarified hydrophobic extract of neem oil	Parsley	5.54	13	6.0	A
clarified hydrophobic extract of neem oil	Raspberry	8.06	1	4.22	A
clarified hydrophobic extract of neem oil	Research commodity	0.58	N/A	N/A	N/A
clarified hydrophobic extract of neem oil	Strawberry	804.75	8	158.17	A
clethodim	Alfalfa	5.92	1	22.2	A
clethodim	Blackberry	2.78	4	23.0	A
clethodim	Broccoli	1.21	2	11.0	A
clethodim	Brussels sprout	6.28	10	52.1	A
clethodim	Celery	0.13	1	1.0	A
clethodim	Lettuce, head	0.01	1	0.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
clethodim	Lettuce, leaf	6.01	8	50.6	A
clethodim	Raspberry	6.37	11	67.17	A
clethodim	Strawberry	3.0	1	33.0	A
clethodim	Uncultivated ag	0.69	3	5.0	A
clofentezine	Grape, wine	6.69	2	53.62	A
clopyralid, monoethanolamine salt	Landscape maintenance	0.57	N/A	N/A	N/A
clopyralid, monoethanolamine salt	Rights of way	241.88	N/A	N/A	N/A
clothianidin	Bok choy	21.51	28	110.62	A
clothianidin	Broccoli	1,076.01	656	6,742.59	A
clothianidin	Broccoli	987.55	N/A	5,309.15	P
clothianidin	Brussels sprout	50.17	62	538.3	A
clothianidin	Cabbage	34.49	25	217.97	A
clothianidin	Carrot	6.67	N/A	507.84	P
clothianidin	Cauliflower	131.64	83	834.77	A
clothianidin	Celery	12.3	14	93.1	A
clothianidin	Chinese cabbage (nappa)	24.29	65	171.84	A
clothianidin	Endive (escarole)	12.73	19	76.8	A
clothianidin	Fennel	2.98	4	19.98	A
clothianidin	Grape, wine	3,748.15	258	21,520.95	A
clothianidin	Kale	15.35	30	215.76	A
clothianidin	Landscape maintenance	0.88	N/A	N/A	N/A
clothianidin	Lettuce, head	196.36	103	1,229.6	A
clothianidin	Lettuce, head	10.69	N/A	25.97	P
clothianidin	Lettuce, leaf	250.42	193	1,765.2	A
clothianidin	Lettuce, leaf	576.77	N/A	19,161.4	P
clothianidin	N-grnhs plants in containers	2.83	47	27.4	A
clothianidin	N-grnhs transplants	4.64	88	23.27	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
clothianidin	N-grnhs transplants	0.03	2	29,790.0	S
clothianidin	N-outdr transplants	0.8	4	12.0	A
clothianidin	N-outdr transplants	1.99	18	1,105,770.0	S
clothianidin	Onion, dry	68.0	N/A	2,452.25	P
clothianidin	Pumpkin	0.11	1	2.3	A
clothianidin	Research commodity	4.56	28	66.5	A
clothianidin	Spinach	60.88	71	468.4	A
clothianidin	Structural pest control	0.67	N/A	N/A	N/A
coconut diethanolamide	Blueberry	0.02	1	1.5	A
coconut diethanolamide	Brussels sprout	0.21	1	20.2	A
coconut diethanolamide	Carrot	0.37	35	34.28	A
coconut diethanolamide	Grape, wine	1.18	1	11.07	A
coconut diethanolamide	Landscape maintenance	0.96	N/A	N/A	N/A
coconut diethanolamide	Lettuce, head	29.56	254	3,813.9	A
coconut diethanolamide	Lettuce, leaf	21.34	232	2,796.52	A
coconut diethanolamide	N-grnhs flower	0.22	21	20.7	A
coconut diethanolamide	N-grnhs plants in containers	0.05	3	35,760.0	S
coconut diethanolamide	Peas	0.01	1	0.66	A
coconut diethanolamide	Radish	0.54	46	42.77	A
coconut diethanolamide	Strawberry	39.33	156	1,949.38	A
coconut diethanolamide	Turnip	0.13	12	10.38	A
coconut diethanolamide	Uncultivated ag	0.51	1	15.0	A
coniothyrium minitans strain con/m/91-08	Broccoli	12.94	9	75.5	A
coniothyrium minitans strain con/m/91-08	Cauliflower	0.53	1	5.0	A
coniothyrium minitans strain con/m/91-08	Endive (escarole)	0.63	8	5.91	A
coniothyrium minitans strain con/m/91-08	Kale	1.75	2	16.5	A
coniothyrium minitans strain con/m/91-08	Lettuce, head	9.51	24	128.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
coniothyrium minitans strain con/m/91-08	Lettuce, leaf	38.64	57	392.71	A
copper diammonium diacetate complex	Landscape maintenance	1.27	N/A	N/A	N/A
copper ethanolamine complexes, mixed	Landscape maintenance	112.1	N/A	N/A	N/A
copper ethanolamine complexes, mixed	Water area	355.44	36	65.74	A
copper hydroxide	Beet	7.87	12	29.15	A
copper hydroxide	Blackberry	7.2	1	6.0	A
copper hydroxide	Broccoli	253.81	109	799.0	A
copper hydroxide	Brussels sprout	62.86	11	181.8	A
copper hydroxide	Cabbage	690.57	152	2,111.55	A
copper hydroxide	Cauliflower	299.72	72	1,167.0	A
copper hydroxide	Celery	2,217.54	574	4,296.25	A
copper hydroxide	Cilantro	66.02	61	270.23	A
copper hydroxide	Garlic	76.33	6	136.16	A
copper hydroxide	Grape, wine	13,934.04	682	32,636.94	A
copper hydroxide	Landscape maintenance	0.54	N/A	N/A	N/A
copper hydroxide	Leek	49.99	40	105.96	A
copper hydroxide	Lemon	1,068.0	18	808.0	A
copper hydroxide	Lettuce, head	96.75	12	182.01	A
copper hydroxide	Lettuce, leaf	999.93	249	2,471.15	A
copper hydroxide	Mustard greens	1.3	1	6.05	A
copper hydroxide	N-grnhs flower	0.83	3	13,575.0	S
copper hydroxide	N-grnhs plants in containers	8.12	19	10.79	A
copper hydroxide	N-grnhs plants in containers	3.39	11	170,250.0	S
copper hydroxide	N-grnhs transplants	186.84	839	281.41	A
copper hydroxide	N-grnhs transplants	63.1	109	3,768,463.0	S
copper hydroxide	N-outdr plants in containers	3.2	4	4.51	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper hydroxide	N-outdr transplants	29.75	27	65.25	A
copper hydroxide	N-outdr transplants	69.59	76	3,968,736.0	S
copper hydroxide	Onion, dry	1,500.73	130	2,523.0	A
copper hydroxide	Peas	327.82	47	583.5	A
copper hydroxide	Research commodity	1.98	2	3.0	A
copper hydroxide	Rights of way	0.39	N/A	N/A	N/A
copper hydroxide	Spinach	37.27	11	92.4	A
copper hydroxide	Squash	2.15	1	10.0	A
copper hydroxide	Strawberry	19.82	1	43.0	A
copper hydroxide	Swiss chard	32.65	35	149.03	A
copper hydroxide	Tomato	22.81	12	59.4	A
copper hydroxide	Walnut	2,663.1	6	550.0	A
copper octanoate	Artichoke, globe	23.26	8	42.1	A
copper octanoate	Beet	27.6	16	34.75	A
copper octanoate	Blackberry	85.22	8	68.9	A
copper octanoate	Broccoli	41.02	6	66.7	A
copper octanoate	Cabbage	4.81	1	11.55	A
copper octanoate	Cauliflower	26.77	5	78.7	A
copper octanoate	Celery	2,263.8	437	2,665.09	A
copper octanoate	Cilantro	104.26	66	197.71	A
copper octanoate	Collard	0.08	1	0.1	A
copper octanoate	Grape, wine	630.27	120	725.68	A
copper octanoate	Kale	4.96	9	23.8	A
copper octanoate	Landscape maintenance	0.24	N/A	N/A	N/A
copper octanoate	Leek	145.05	38	157.58	A
copper octanoate	Lettuce, head	40.17	15	120.4	A
copper octanoate	Lettuce, leaf	310.54	150	809.15	A
copper octanoate	Mizuna	0.54	1	2.6	A
copper octanoate	Mustard greens	0.48	1	2.3	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
copper octanoate	N-grnhs flower	5.5	10	54,525.0	S
copper octanoate	N-grnhs plants in containers	21.43	54	33.35	A
copper octanoate	N-grnhs plants in containers	1.2	7	24,000.0	S
copper octanoate	N-grnhs transplants	72.79	299	89.38	A
copper octanoate	N-outdr plants in containers	0.11	1	0.83	A
copper octanoate	N-outdr plants in containers	1.73	5	105,000.0	S
copper octanoate	N-outdr transplants	5.24	11	22.25	A
copper octanoate	N-outdr transplants	4.59	4	279,075.0	S
copper octanoate	Parsley	8.34	2	10.0	A
copper octanoate	Raspberry	66.14	11	170.37	A
copper octanoate	Spinach	524.63	232	1,290.68	A
copper octanoate	Strawberry	420.46	13	349.89	A
copper octanoate	Swiss chard	157.72	49	286.79	A
copper oxide (ous)	Broccoli	47.22	3	28.14	A
copper oxide (ous)	Cabbage	446.26	24	271.7	A
copper oxide (ous)	Carrot	19.13	1	11.4	A
copper oxide (ous)	Cauliflower	303.53	14	180.9	A
copper oxide (ous)	Celery	1,388.01	174	843.8	A
copper oxide (ous)	Grape, wine	1,543.04	204	2,691.64	A
copper oxide (ous)	Landscape maintenance	27.85	N/A	N/A	N/A
copper oxide (ous)	N-grnhs transplants	2.55	1	52,920.0	S
copper oxide (ous)	N-outdr transplants	32.5	21	871,364.0	S
copper oxide (ous)	Raspberry	141.48	13	104.22	A
copper oxide (ous)	Tomato	0.42	1	1.0	A
copper oxychloride	Beet	8.72	12	29.15	A
copper oxychloride	Broccoli	149.41	76	451.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper oxychloride	Cabbage	135.9	36	474.1	A
copper oxychloride	Cauliflower	224.18	53	881.75	A
copper oxychloride	Celery	498.9	180	935.54	A
copper oxychloride	Cilantro	73.18	61	270.23	A
copper oxychloride	Grape, wine	155.16	4	651.37	A
copper oxychloride	Leek	42.99	35	85.82	A
copper oxychloride	Lemon	47.88	2	67.0	A
copper oxychloride	Lettuce, leaf	73.52	30	310.8	A
copper oxychloride	Mustard greens	1.44	1	6.05	A
copper oxychloride	N-grnhs transplants	0.39	3	95,900.0	S
copper oxychloride	N-outdr transplants	0.3	5	78,840.0	S
copper oxychloride	Onion, dry	19.06	3	30.0	A
copper oxychloride	Research commodity	2.2	2	3.0	A
copper oxychloride	Spinach	9.83	6	15.0	A
copper oxychloride	Squash	2.38	1	10.0	A
copper oxychloride	Swiss chard	36.19	35	149.03	A
copper salts of fatty and rosin acids	N-grnhs plants in containers	29.22	8	165,000.0	S
copper sulfate (pentahydrate)	Blackberry	117.84	5	40.05	A
copper sulfate (pentahydrate)	Ditch bank	536.97	N/A	3.0	U
copper sulfate (pentahydrate)	Grape, wine	35.64	1	36.0	A
copper sulfate (pentahydrate)	Landscape maintenance	140.14	N/A	N/A	N/A
copper sulfate (pentahydrate)	N-grnhs plants in containers	8.43	5	16.07	A
copper sulfate (pentahydrate)	N-grnhs plants in containers	12.87	28	689,072.0	S
copper sulfate (pentahydrate)	N-outdr plants in containers	0.09	1	4,000.0	S
copper sulfate (pentahydrate)	Public health	1,138.5	N/A	N/A	N/A
copper sulfate (pentahydrate)	Rights of way	20,557.35	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
copper sulfate (pentahydrate)	Vertebrate control	6,385.5	N/A	N/A	N/A
copper sulfate (pentahydrate)	Water (industrial)	107.79	N/A	1.0	U
copper sulfate (pentahydrate)	Water area	396.0	7	8.0	A
copper sulfate (pentahydrate)	Water area	247.5	N/A	439,956.0	C
copper sulfate (pentahydrate)	Water area	1,633.5	N/A	108.0	U
cyantraniliprole	Bok choy	31.77	59	229.75	A
cyantraniliprole	Broccoli	1,258.15	605	7,241.23	A
cyantraniliprole	Brussels sprout	619.31	378	5,852.12	A
cyantraniliprole	Cabbage	88.69	74	871.52	A
cyantraniliprole	Cauliflower	431.59	367	3,820.01	A
cyantraniliprole	Celery	138.25	147	1,445.83	A
cyantraniliprole	Chinese cabbage (nappa)	43.47	88	335.81	A
cyantraniliprole	Endive (escarole)	8.11	25	75.42	A
cyantraniliprole	Fennel	1.82	1	20.7	A
cyantraniliprole	Kale	41.62	50	363.65	A
cyantraniliprole	Leek	26.27	74	241.85	A
cyantraniliprole	Lettuce, head	380.85	315	4,202.78	A
cyantraniliprole	Lettuce, leaf	1,020.6	797	10,956.87	A
cyantraniliprole	Mustard greens	0.8	2	9.1	A
cyantraniliprole	N-grnhs flower	14.57	2	15.05	A
cyantraniliprole	N-grnhs flower	2.42	11	588,960.0	S
cyantraniliprole	N-grnhs plants in containers	130.47	72	105.91	A
cyantraniliprole	N-grnhs plants in containers	13.7	110	3,331,060.0	S
cyantraniliprole	N-grnhs transplants	2,664.27	491	93.31	A
cyantraniliprole	N-grnhs transplants	2.69	1	1,742.0	S
cyantraniliprole	N-outdr plants in containers	29.54	16	82.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyantraniliprole	N-outdr plants in containers	0.02	3	23,200.0	S
cyantraniliprole	N-outdr transplants	859.25	162	157.0	A
cyantraniliprole	N-outdr transplants	1,674.36	570	1,561,275.0	S
cyantraniliprole	Onion, dry	60.8	47	701.1	A
cyantraniliprole	Peas	21.31	16	203.0	A
cyantraniliprole	Pepper, fruiting	25.52	12	271.65	A
cyantraniliprole	Pumpkin	0.25	1	2.3	A
cyantraniliprole	Rapini	13.52	21	173.1	A
cyantraniliprole	Research commodity	0.19	N/A	N/A	N/A
cyantraniliprole	Spinach	159.72	166	1,566.88	A
cyantraniliprole	Strawberry	553.13	183	4,763.17	A
cyantraniliprole	Structural pest control	<0.01	N/A	N/A	N/A
cyantraniliprole	Sunflower	2.48	2	21.9	A
cyazofamid	Arugula	45.91	67	644.18	A
cyazofamid	Broccoli	0.5	5	7.0	A
cyazofamid	Carrot	9.3	5	59.8	A
cyazofamid	Cucumber	0.71	1	10.0	A
cyazofamid	Kale	20.85	100	292.65	A
cyazofamid	Lettuce, head	36.31	47	509.48	A
cyazofamid	Lettuce, leaf	39.07	77	548.27	A
cyazofamid	N-grnhs flower	1.33	1	0.85	A
cyazofamid	N-grnhs plants in containers	0.08	1	9.08	A
cyazofamid	N-grnhs plants in containers	0.18	5	172,500.0	S
cyazofamid	N-grnhs transplants	38.41	1,065	370.08	A
cyazofamid	Spinach	114.46	272	1,607.49	A
cyazofamid	Upland cress	10.16	49	142.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cycloate	Beet	162.7	24	56.75	A
cycloate	Research commodity	11.48	N/A	N/A	N/A
cycloate	Spinach	22,954.23	1,689	13,137.83	A
cyflufenamid	Grape, wine	995.2	1,433	43,335.4	A
cyflufenamid	N-grnhs plants in containers	5.46	13	64.69	A
cyflufenamid	N-grnhs plants in containers	0.47	14	135,100.0	S
cyflufenamid	N-grnhs transplants	0.47	2	160,000.0	S
cyflufenamid	N-outdr plants in containers	22.77	9	55.74	A
cyflufenamid	N-outdr plants in containers	0.31	1	80,000.0	S
cyflufenamid	Research commodity	0.05	N/A	N/A	N/A
cyflufenamid	Strawberry	113.74	182	4,878.69	A
cyflufenamid	Strawberry	0.01	3	25,500.0	S
cyflumetofen	Grape, wine	706.41	128	4,228.41	A
cyflumetofen	N-grnhs flower	0.53	2	2.9	A
cyflumetofen	N-grnhs flower	0.02	3	2,025.0	S
cyflumetofen	N-grnhs plants in containers	1.65	2	9.86	A
cyflumetofen	N-grnhs plants in containers	3.11	36	1,671,400.0	S
cyflumetofen	Research commodity	0.02	N/A	N/A	N/A
cyflumetofen	Strawberry	1,484.04	270	8,120.44	A
cyfluthrin	Grape, wine	3.35	5	66.7	A
cyfluthrin	Landscape maintenance	13.59	N/A	N/A	N/A
cyfluthrin	N-grnhs flower	0.04	6	22,650.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
cyfluthrin	N-grnhs plants in containers	0.69	8	50.91	A
cyfluthrin	N-grnhs plants in containers	1.46	28	981,878.0	S
cyfluthrin	N-grnhs transplants	0.2	1	130,000.0	S
cyfluthrin	N-outdr flower	0.07	9	8.0	A
cyfluthrin	N-outdr plants in containers	1.56	3	8.65	A
cyfluthrin	N-outdr plants in containers	0.04	4	32,165.0	S
cyfluthrin	Research commodity	0.01	N/A	N/A	N/A
cyfluthrin	Structural pest control	3.66	N/A	N/A	N/A
beta-cyfluthrin	Arugula	1.51	4	58.4	A
beta-cyfluthrin	Broccoli	89.61	270	3,386.89	A
beta-cyfluthrin	Brussels sprout	12.36	39	458.7	A
beta-cyfluthrin	Cabbage	5.56	12	205.65	A
beta-cyfluthrin	Cauliflower	26.42	98	1,016.43	A
beta-cyfluthrin	Celery	9.61	41	361.95	A
beta-cyfluthrin	Endive (escarole)	1.0	12	40.74	A
beta-cyfluthrin	Fennel	0.44	2	16.4	A
beta-cyfluthrin	Kale	8.2	49	313.5	A
beta-cyfluthrin	Landscape maintenance	0.22	N/A	N/A	N/A
beta-cyfluthrin	Lemon	10.35	4	204.0	A
beta-cyfluthrin	Lettuce, head	49.83	143	1,913.7	A
beta-cyfluthrin	Lettuce, leaf	162.59	384	6,601.2	A
beta-cyfluthrin	Mustard greens	3.03	13	125.3	A
beta-cyfluthrin	Pepper, fruiting	0.57	1	24.4	A
beta-cyfluthrin	Public health	0.14	N/A	N/A	N/A
beta-cyfluthrin	Radish	0.58	17	26.03	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
beta-cyfluthrin	Rangeland	0.08	1	3.0	A
beta-cyfluthrin	Rapini	17.84	49	749.6	A
beta-cyfluthrin	Spinach	2.04	6	79.1	A
beta-cyfluthrin	Structural pest control	46.04	N/A	N/A	N/A
beta-cyfluthrin	Swiss chard	2.15	15	79.0	A
cymoxanil	Cilantro	16.77	38	107.4	A
cymoxanil	Lettuce, head	90.13	48	507.65	A
cymoxanil	Lettuce, leaf	296.88	187	1,623.44	A
cymoxanil	Spinach	160.81	283	927.25	A
cypermethrin	Broccoli	195.31	189	2,011.2	A
cypermethrin	Cabbage	85.42	118	874.75	A
cypermethrin	Cauliflower	98.62	145	1,013.48	A
cypermethrin	Fennel	0.41	2	8.4	A
cypermethrin	Landscape maintenance	0.15	N/A	N/A	N/A
cypermethrin	Structural pest control	0.15	N/A	N/A	N/A
(s)-cypermethrin	Artichoke, globe	131.98	211	2,677.14	A
(s)-cypermethrin	Arugula	47.27	173	963.01	A
(s)-cypermethrin	Bean, dried	8.55	13	172.0	A
(s)-cypermethrin	Bean, succulent	4.07	6	86.0	A
(s)-cypermethrin	Bean, unspecified	1.6	5	32.2	A
(s)-cypermethrin	Beet	1.95	13	40.1	A
(s)-cypermethrin	Blackberry	16.48	38	331.75	A
(s)-cypermethrin	Bok choy	25.88	216	528.84	A
(s)-cypermethrin	Broccoli	451.52	953	9,437.88	A
(s)-cypermethrin	Brussels sprout	72.28	150	1,464.65	A
(s)-cypermethrin	Cabbage	27.2	146	549.19	A
(s)-cypermethrin	Cardoon	0.16	2	3.5	A
(s)-cypermethrin	Carrot	1.01	1	20.21	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-cypermethrin	Cauliflower	115.69	297	2,380.08	A
(s)-cypermethrin	Celery	402.95	914	8,123.56	A
(s)-cypermethrin	Chinese cabbage (nappa)	17.25	89	351.22	A
(s)-cypermethrin	Cilantro	20.78	119	422.9	A
(s)-cypermethrin	Collard	4.15	8	83.2	A
(s)-cypermethrin	Endive (escarole)	31.68	163	652.88	A
(s)-cypermethrin	Fava bean	0.3	4	6.0	A
(s)-cypermethrin	Fennel	5.24	24	108.18	A
(s)-cypermethrin	Garlic	3.38	3	68.08	A
(s)-cypermethrin	Kale	84.4	232	1,708.19	A
(s)-cypermethrin	Kohlrabi	5.03	39	101.1	A
(s)-cypermethrin	Leek	23.54	117	490.79	A
(s)-cypermethrin	Lemon	9.2	19	320.58	A
(s)-cypermethrin	Lettuce, head	289.28	520	5,995.17	A
(s)-cypermethrin	Lettuce, head	<0.01	1	1,500.0	S
(s)-cypermethrin	Lettuce, leaf	547.77	1,373	11,406.58	A
(s)-cypermethrin	Mizuna	1.18	16	24.26	A
(s)-cypermethrin	Mustard greens	25.67	117	519.27	A
(s)-cypermethrin	N-grnhs plants in containers	0.48	16	6.67	A
(s)-cypermethrin	N-outdr transplants	2.85	21	59.25	A
(s)-cypermethrin	Onion, dry	27.73	42	580.2	A
(s)-cypermethrin	Peas	172.78	347	3,538.15	A
(s)-cypermethrin	Pepper, fruiting	6.79	12	136.7	A
(s)-cypermethrin	Radicchio	16.41	17	330.2	A
(s)-cypermethrin	Radish	6.04	99	132.25	A
(s)-cypermethrin	Rapini	10.94	41	236.9	A
(s)-cypermethrin	Raspberry	71.3	138	1,437.86	A
(s)-cypermethrin	Research commodity	1.24	10	26.75	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(s)-cypermethrin	Research commodity	0.04	N/A	N/A	N/A
(s)-cypermethrin	Spinach	391.44	1,460	8,078.93	A
(s)-cypermethrin	Structural pest control	<0.01	N/A	N/A	N/A
(s)-cypermethrin	Sunflower	0.2	2	4.0	A
(s)-cypermethrin	Swiss chard	33.15	164	678.16	A
(s)-cypermethrin	Turnip	0.45	11	9.72	A
cyprodinil	Artichoke, globe	94.62	34	323.35	A
cyprodinil	Blackberry	45.46	14	138.53	A
cyprodinil	Blackberry	0.4	1	53,235.0	S
cyprodinil	Broccoli	60.83	18	204.3	A
cyprodinil	Brussels sprout	35.51	65	906.4	A
cyprodinil	Celery	3.28	1	10.0	A
cyprodinil	Grape, wine	10,619.81	875	25,350.16	A
cyprodinil	Lettuce, head	47.77	16	155.9	A
cyprodinil	Lettuce, leaf	90.45	28	275.6	A
cyprodinil	N-grnhs flower	47.74	88	115.76	A
cyprodinil	N-grnhs plants in containers	53.63	73	197.29	A
cyprodinil	N-grnhs plants in containers	5.04	40	696,750.0	S
cyprodinil	N-grnhs transplants	2.11	6	280,049.0	S
cyprodinil	N-outdr flower	0.59	7	5.5	A
cyprodinil	N-outdr plants in containers	156.11	32	226.43	A
cyprodinil	N-outdr transplants	2.85	6	393,572.0	S
cyprodinil	Onion, dry	7.04	1	15.0	A
cyprodinil	Raspberry	161.55	46	504.16	A
cyprodinil	Raspberry	0.44	1	68,670.0	S
cyprodinil	Research commodity	0.46	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
cyprodinil	Strawberry	4,152.69	430	12,744.21	A
cyprodinil	Strawberry	0.2	4	26,220.0	S
cyromazine	Arugula	10.65	16	85.6	A
cyromazine	Broccoli	131.17	96	1,053.86	A
cyromazine	Cabbage	7.53	8	60.4	A
cyromazine	Cauliflower	21.01	17	168.55	A
cyromazine	Celery	350.8	288	2,870.63	A
cyromazine	Kale	3.07	10	25.0	A
cyromazine	Lettuce, head	90.38	58	725.08	A
cyromazine	Lettuce, leaf	96.08	86	771.81	A
cyromazine	Mizuna	3.67	10	29.9	A
cyromazine	Mustard greens	3.5	5	28.2	A
cyromazine	N-grnhs flower	0.44	7	1.47	A
cyromazine	N-grnhs plants in containers	22.21	19	179.19	A
cyromazine	N-grnhs plants in containers	10.15	33	738,808.0	S
cyromazine	N-outdr plants in containers	18.4	2	4.92	A
cyromazine	Onion, dry	55.27	N/A	1,123.7	P
cyromazine	Research commodity	0.95	4	7.75	A
cyromazine	Spinach	372.55	355	2,996.69	A
cyromazine	Swiss chard	9.42	16	75.88	A
2,4-d, dimethylamine salt	Barley	494.95	9	866.0	A
2,4-d, dimethylamine salt	Forage hay/silage	300.19	3	720.0	A
2,4-d, dimethylamine salt	Grape, wine	379.31	12	254.35	A
2,4-d, dimethylamine salt	Landscape maintenance	7.02	N/A	N/A	N/A
2,4-d, dimethylamine salt	Oat	3.27	1	10.0	A
2,4-d, dimethylamine salt	Pasture (forage - fodder)	11.35	1	5.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>2,4-d, dimethylamine salt</b>	Pastureland	3.27	1	15.0	A
<b>2,4-d, dimethylamine salt</b>	Rangeland	29.35	1	52.0	A
<b>2,4-d, 2-ethylhexyl ester</b>	Landscape maintenance	729.21	N/A	N/A	N/A
<b>2,4-d, isooctyl ester</b>	Landscape maintenance	0.36	N/A	N/A	N/A
<b>daminozide</b>	N-grnhs flower	43.86	11	24.19	A
<b>daminozide</b>	N-grnhs flower	0.5	10	4,800.0	S
<b>daminozide</b>	N-grnhs plants in containers	182.99	47	41.1	A
<b>daminozide</b>	N-grnhs plants in containers	200.14	182	5,346,064.0	S
<b>daminozide</b>	N-outdr plants in containers	206.35	28	30.22	A
<b>daminozide</b>	Research commodity	0.05	N/A	N/A	N/A
<b>ddvp</b>	Storage area/box	7.67	N/A	110,000.0	S
<b>ddvp, other related</b>	Storage area/box	0.2	N/A	110,000.0	S
<b>decyl phenoxy benzene disulfonic acid, disodium salt</b>	Grape, wine	0.1	2	3.96	A
<b>deltamethrin</b>	Landscape maintenance	0.07	N/A	N/A	N/A
<b>deltamethrin</b>	Public health	0.01	N/A	N/A	N/A
<b>deltamethrin</b>	Radish	1.88	33	70.61	A
<b>deltamethrin</b>	Structural pest control	91.43	N/A	N/A	N/A
<b>derivated natural polymers</b>	N-outdr plants in containers	0.19	1	1.2	A
<b>diatomaceous earth</b>	Arugula	51.0	2	6.0	A
<b>diatomaceous earth</b>	Broccoli	5,667.59	66	410.75	A
<b>diatomaceous earth</b>	Brussels sprout	627.3	19	68.55	A
<b>diatomaceous earth</b>	Cabbage	68.0	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
diatomaceous earth	Cauliflower	4,059.6	47	298.9	A
diatomaceous earth	Celery	18,514.39	278	1,698.34	A
diatomaceous earth	Kale	561.43	22	55.45	A
diatomaceous earth	Lettuce, head	507.88	8	30.5	A
diatomaceous earth	Lettuce, leaf	20,632.22	312	1,680.63	A
diatomaceous earth	Mustard greens	129.63	5	7.0	A
diatomaceous earth	Spinach	3,568.73	105	410.75	A
diatomaceous earth	Structural pest control	34.3	N/A	N/A	N/A
diatomaceous earth	Swiss chard	739.08	17	76.8	A
diazinon	Beet	75.97	12	24.5	A
dicamba	Landscape maintenance	45.56	N/A	N/A	N/A
dicamba, dimethylamine salt	Barley	207.16	6	1,800.0	A
dicamba, dimethylamine salt	Forage hay/silage	36.18	1	350.0	A
dicamba, dimethylamine salt	Landscape maintenance	0.66	N/A	N/A	N/A
dicamba, dimethylamine salt	Oat	3.62	1	10.0	A
dicamba, dimethylamine salt	Rangeland	4.77	1	52.0	A
dichlobenil	Rights of way	1,208.47	N/A	N/A	N/A
1,3-dichloropropene	Blackberry	116.75	1	4.4	A
1,3-dichloropropene	Brussels sprout	108,102.91	69	1,229.7	A
1,3-dichloropropene	Carrot	16,845.5	15	170.4	A
1,3-dichloropropene	Grape, wine	24,080.71	2	74.3	A
1,3-dichloropropene	Lettuce, leaf	202.12	1	2.7	A
1,3-dichloropropene	N-outdr flower	50.53	1	0.7	A
1,3-dichloropropene	Raspberry	8,638.29	7	129.9	A
1,3-dichloropropene	Strawberry	425,612.37	251	6,433.58	A
1,3-dichloropropene	Walnut	344.8	4	264.0	A
dicloran	Celery	2,993.53	157	1,560.73	A
dicloran	Endive (escarole)	9.62	6	8.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dicloran	Lettuce, head	1,925.84	285	2,877.0	A
dicloran	Lettuce, leaf	2,336.74	367	3,486.18	A
didecyl dimethyl ammonium chloride	Cannabis (all or unspecified)	0.41	15	6,074.0	S
didecyl dimethyl ammonium chloride	Structural pest control	0.14	N/A	N/A	N/A
diethylene glycol	Barley	33.29	3	576.0	A
diethylene glycol	Broccoli	13.14	23	253.6	A
diethylene glycol	Cabbage	1.31	11	29.2	A
diethylene glycol	Cauliflower	0.12	2	15.6	A
diethylene glycol	Chinese cabbage (nappa)	0.95	11	30.4	A
diethylene glycol	Ditch bank	17.83	N/A	21.17	A
diethylene glycol	Forage hay/silage	20.03	2	370.0	A
diethylene glycol	Grape, wine	37,581.27	3,553	91,364.48	A
diethylene glycol	Lettuce, head	148.71	418	4,828.7	A
diethylene glycol	Lettuce, leaf	225.82	804	6,533.66	A
diethylene glycol	Peas	358.05	67	759.86	A
diethylene glycol	Rights of way	64.87	N/A	N/A	N/A
diethylene glycol	Uncultivated ag	94.87	13	77.0	A
difenoconazole	Artichoke, globe	104.88	78	959.25	A
difenoconazole	Broccoli	19.44	23	191.6	A
difenoconazole	Brussels sprout	57.28	93	1,300.1	A
difenoconazole	Cauliflower	7.48	13	65.65	A
difenoconazole	Grape, wine	415.36	83	4,355.57	A
difenoconazole	Pepper, fruiting	21.57	11	188.7	A
difenoconazole	Strawberry	319.25	152	2,805.93	A
difenoconazole	Tomato	0.86	2	13.2	A
difethialone	Farm/ag building	<0.01	N/A	29.0	A
difethialone	Farm/ag building	<0.01	N/A	353,610.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
difethialone	Structural pest control	0.08	N/A	N/A	N/A
diflubenzuron	Artichoke, globe	1,568.97	511	6,348.84	A
diflubenzuron	N-grnhs flower	0.01	6	4,200.0	S
diflubenzuron	N-grnhs plants in containers	0.19	1	3.27	A
diflubenzuron	N-grnhs plants in containers	1.09	6	197,705.0	S
diflubenzuron	N-outdr flower	1.53	16	17.5	A
diflubenzuron	N-outdr plants in containers	0.94	1	16.34	A
diflubenzuron	Research commodity	0.09	N/A	N/A	N/A
diglycolamine salt of 3,6-dichloro-o-anisic acid	Landscape maintenance	11.34	N/A	N/A	N/A
dikegulac sodium	Landscape maintenance	0.45	N/A	N/A	N/A
dikegulac sodium	N-grnhs plants in containers	10.25	3	19.19	A
dikegulac sodium	N-grnhs plants in containers	16.47	57	329,250.0	S
dikegulac sodium	N-outdr plants in containers	0.04	1	14.37	A
dimethenamid-p	Onion, dry	420.76	40	648.2	A
dimethoate	Alfalfa	7.42	1	22.2	A
dimethoate	Bean, dried	28.62	7	62.0	A
dimethoate	Bean, succulent	85.78	16	206.5	A
dimethoate	Broccoli	1,115.24	221	2,622.24	A
dimethoate	Brussels sprout	254.79	60	512.3	A
dimethoate	Cauliflower	264.71	88	795.82	A
dimethoate	Celery	1,553.83	365	3,353.0	A
dimethoate	Endive (escarole)	72.25	69	291.43	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethoate	Kale	17.91	9	73.99	A
dimethoate	Lettuce, leaf	911.12	375	3,660.99	A
dimethoate	Mustard greens	1.36	1	5.4	A
dimethoate	Peas	254.82	135	1,543.2	A
dimethomorph	Arugula	113.75	65	555.95	A
dimethomorph	Broccoli	28.15	19	140.95	A
dimethomorph	Cabbage	3.33	1	16.3	A
dimethomorph	Cauliflower	15.58	13	77.8	A
dimethomorph	Celery	17.11	13	83.6	A
dimethomorph	Cucumber	14.53	7	70.95	A
dimethomorph	Kale	139.77	77	683.0	A
dimethomorph	Lettuce, head	4,795.88	2,142	24,256.45	A
dimethomorph	Lettuce, leaf	5,217.33	2,737	26,060.07	A
dimethomorph	Mizuna	0.77	3	3.75	A
dimethomorph	Mustard greens	28.21	39	138.15	A
dimethomorph	N-grnhs flower	15.82	15	22.36	A
dimethomorph	N-grnhs plants in containers	7.48	10	30.6	A
dimethomorph	N-grnhs plants in containers	8.34	20	551,250.0	S
dimethomorph	N-outdr flower	0.52	2	2.0	A
dimethomorph	N-outdr plants in containers	1.86	2	8.2	A
dimethomorph	Onion, dry	13.36	2	67.8	A
dimethomorph	Rapini	19.29	6	94.8	A
dimethomorph	Spinach	1,549.78	959	7,581.46	A
dimethomorph	Swiss chard	71.71	80	350.3	A
dimethomorph	Upland cress	2.33	6	11.4	A
dimethyl alkyl tertiary amines	Alfalfa	0.67	18	107.7	A
dimethyl alkyl tertiary amines	Artichoke, globe	1.48	24	356.0	A
dimethyl alkyl tertiary amines	Arugula	48.41	130	1,115.18	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethyl alkyl tertiary amines	Barley (forage - fodder)	0.05	2	8.5	A
dimethyl alkyl tertiary amines	Bean, dried	2.99	30	262.3	A
dimethyl alkyl tertiary amines	Bean, succulent	2.2	15	166.0	A
dimethyl alkyl tertiary amines	Bean, unspecified	1.31	44	185.0	A
dimethyl alkyl tertiary amines	Bok choy	0.19	36	31.5	A
dimethyl alkyl tertiary amines	Broccoli	31.37	573	5,017.9	A
dimethyl alkyl tertiary amines	Brussels sprout	1.48	17	237.7	A
dimethyl alkyl tertiary amines	Cabbage	0.45	38	73.7	A
dimethyl alkyl tertiary amines	Carrot	6.2	74	1,072.79	A
dimethyl alkyl tertiary amines	Cauliflower	13.8	319	3,121.0	A
dimethyl alkyl tertiary amines	Celery	11.07	233	1,800.08	A
dimethyl alkyl tertiary amines	Chinese cabbage (nappa)	0.18	2	28.5	A
dimethyl alkyl tertiary amines	Cilantro	0.62	41	112.75	A
dimethyl alkyl tertiary amines	Cucumber	0.18	5	28.45	A
dimethyl alkyl tertiary amines	Endive (escarole)	1.2	8	57.6	A
dimethyl alkyl tertiary amines	Fennel	0.2	5	48.5	A
dimethyl alkyl tertiary amines	Garlic	0.3	4	57.8	A
dimethyl alkyl tertiary amines	Grape, wine	2.49	41	385.6	A
dimethyl alkyl tertiary amines	Kale	8.89	81	218.32	A
dimethyl alkyl tertiary amines	Kohlrabi	0.4	32	64.3	A
dimethyl alkyl tertiary amines	Landscape maintenance	0.07	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Leek	0.19	3	30.5	A
dimethyl alkyl tertiary amines	Lettuce, head	47.0	436	4,860.8	A
dimethyl alkyl tertiary amines	Lettuce, leaf	144.78	717	6,314.67	A
dimethyl alkyl tertiary amines	Mizuna	0.29	3	6.1	A
dimethyl alkyl tertiary amines	Mustard greens	0.21	3	4.5	A
dimethyl alkyl tertiary amines	Onion, dry	6.15	75	962.6	A
dimethyl alkyl tertiary amines	Peas	4.82	89	919.3	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethyl alkyl tertiary amines	Pepper, fruiting	0.21	3	33.1	A
dimethyl alkyl tertiary amines	Rights of way	59.27	N/A	N/A	N/A
dimethyl alkyl tertiary amines	Rye	0.06	2	9.8	A
dimethyl alkyl tertiary amines	Spinach	42.62	251	2,297.19	A
dimethyl alkyl tertiary amines	Swiss chard	0.07	7	4.64	A
dimethyl alkyl tertiary amines	Triticale	1.48	14	170.3	A
dimethyl alkyl tertiary amines	Uncultivated ag	209.41	902	8,929.85	A
dimethyl alkyl tertiary amines	Uncultivated non-ag	0.74	11	63.8	A
dimethyl alkyl tertiary amines	Upland cress	4.34	42	104.1	A
dimethyl alkyl tertiary amines	Water area	0.29	2	25.0	A
dimethylpolysiloxane	Artichoke, globe	0.05	6	36.65	A
dimethylpolysiloxane	Barley	0.08	3	576.0	A
dimethylpolysiloxane	Barley (forage - fodder)	<0.01	2	8.5	A
dimethylpolysiloxane	Bean, dried	0.04	15	129.5	A
dimethylpolysiloxane	Bean, succulent	0.04	15	167.5	A
dimethylpolysiloxane	Bean, unspecified	0.03	24	94.0	A
dimethylpolysiloxane	Blackberry	86.99	22	189.36	A
dimethylpolysiloxane	Broccoli	455.89	717	6,649.45	A
dimethylpolysiloxane	Brussels sprout	2.42	5	33.21	A
dimethylpolysiloxane	Cabbage	0.16	20	53.3	A
dimethylpolysiloxane	Cannabis (all or unspecified)	2.48	2	1.12	A
dimethylpolysiloxane	Cannabis (all or unspecified)	34.3	24	561,096.0	S
dimethylpolysiloxane	Cauliflower	231.23	200	1,418.67	A
dimethylpolysiloxane	Celery	60.32	148	609.42	A
dimethylpolysiloxane	Chinese cabbage (nappa)	1.13	22	61.1	A
dimethylpolysiloxane	Corn (forage - fodder)	0.41	6	6.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethylpolysiloxane	Ditch bank	0.04	N/A	21.17	A
dimethylpolysiloxane	Forage hay/silage	0.05	2	370.0	A
dimethylpolysiloxane	Grape, wine	827.43	6,426	135,833.17	A
dimethylpolysiloxane	Kale	3.45	6	43.37	A
dimethylpolysiloxane	Landscape maintenance	0.07	3	5.0	A
dimethylpolysiloxane	Landscape maintenance	0.19	N/A	N/A	N/A
dimethylpolysiloxane	Leek	1.75	16	161.8	A
dimethylpolysiloxane	Lettuce, head	96.26	1,063	12,012.79	A
dimethylpolysiloxane	Lettuce, leaf	239.85	2,353	18,546.47	A
dimethylpolysiloxane	N-grnhs flower	13.73	12	27.25	A
dimethylpolysiloxane	N-grnhs plants in containers	142.45	72	146.49	A
dimethylpolysiloxane	N-grnhs plants in containers	0.46	18	36,100.0	S
dimethylpolysiloxane	N-grnhs transplants	0.02	14	932,650.0	S
dimethylpolysiloxane	N-outdr flower	0.46	2	0.56	A
dimethylpolysiloxane	N-outdr plants in containers	5.14	5	8.33	A
dimethylpolysiloxane	N-outdr transplants	0.1	33	2,799,463.0	S
dimethylpolysiloxane	Onion, dry	4.48	8	121.0	A
dimethylpolysiloxane	Peas	5.94	90	1,064.86	A
dimethylpolysiloxane	Pepper, fruiting	0.01	5	57.6	A
dimethylpolysiloxane	Pistachio	0.06	1	80.0	A
dimethylpolysiloxane	Pumpkin	1.84	14	32.9	A
dimethylpolysiloxane	Raspberry	252.29	141	1,066.06	A
dimethylpolysiloxane	Research commodity	0.6	N/A	N/A	N/A
dimethylpolysiloxane	Rights of way	16.81	N/A	N/A	N/A
dimethylpolysiloxane	Rye	0.01	2	9.8	A
dimethylpolysiloxane	Spinach	1.03	15	37.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dimethylpolysiloxane	Squash	0.06	3	29.0	A
dimethylpolysiloxane	Strawberry	35,406.76	2,333	66,545.79	A
dimethylpolysiloxane	Structural pest control	<0.01	N/A	N/A	N/A
dimethylpolysiloxane	Triticale	0.01	1	24.6	A
dimethylpolysiloxane	Uncultivated ag	164.29	753	7,880.85	A
dimethylpolysiloxane	Uncultivated ag	0.21	1	11,850.0	S
dimethylpolysiloxane	Uncultivated non-ag	0.38	10	37.0	A
dimethylpolysiloxane	Walnut	4.75	22	2,070.0	A
dimethylpolysiloxane	Water area	0.37	32	183.5	A
dimethyl silicone fluid emulsion	Artichoke, globe	10.29	57	575.2	A
dimethyl silicone fluid emulsion	Arugula	19.68	305	1,130.82	A
dimethyl silicone fluid emulsion	Barley	1.4	4	90.0	A
dimethyl silicone fluid emulsion	Bean, dried	0.52	2	40.0	A
dimethyl silicone fluid emulsion	Beet	1.54	34	103.4	A
dimethyl silicone fluid emulsion	Bok choy	11.14	174	658.61	A
dimethyl silicone fluid emulsion	Broccoli	145.58	837	8,440.45	A
dimethyl silicone fluid emulsion	Brussels sprout	75.07	296	2,586.05	A
dimethyl silicone fluid emulsion	Cabbage	3.3	25	171.4	A
dimethyl silicone fluid emulsion	Carrot	4.47	42	265.4	A
dimethyl silicone fluid emulsion	Cauliflower	42.3	259	2,078.18	A
dimethyl silicone fluid emulsion	Celery	56.03	382	2,946.7	A
dimethyl silicone fluid emulsion	Chinese cabbage (nappa)	14.24	209	823.31	A
dimethyl silicone fluid emulsion	Cilantro	12.03	261	730.25	A
dimethyl silicone fluid emulsion	Collard	1.76	10	104.0	A
dimethyl silicone fluid emulsion	Endive (escarole)	16.37	261	1,048.28	A
dimethyl silicone fluid emulsion	Fennel	0.08	1	3.84	A
dimethyl silicone fluid emulsion	Garlic	10.44	27	599.37	A
dimethyl silicone fluid emulsion	Grape, wine	19.58	151	1,114.33	A
dimethyl silicone fluid emulsion	Kale	22.46	165	1,019.68	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
dimethyl silicone fluid emulsion	Landscape maintenance	0.03	1	1.0	A
dimethyl silicone fluid emulsion	Landscape maintenance	0.03	N/A	N/A	N/A
dimethyl silicone fluid emulsion	Leek	18.8	338	953.13	A
dimethyl silicone fluid emulsion	Lemon	0.88	5	70.0	A
dimethyl silicone fluid emulsion	Lettuce, head	119.15	547	6,726.42	A
dimethyl silicone fluid emulsion	Lettuce, leaf	286.8	1,957	16,779.42	A
dimethyl silicone fluid emulsion	Mizuna	0.83	28	53.16	A
dimethyl silicone fluid emulsion	Mustard greens	6.58	95	387.64	A
dimethyl silicone fluid emulsion	Oat	0.89	2	69.0	A
dimethyl silicone fluid emulsion	Onion, dry	17.44	85	902.9	A
dimethyl silicone fluid emulsion	Parsley	0.2	2	9.7	A
dimethyl silicone fluid emulsion	Peas	20.8	133	1,253.84	A
dimethyl silicone fluid emulsion	Radish	10.52	290	546.47	A
dimethyl silicone fluid emulsion	Rights of way	0.18	N/A	N/A	N/A
dimethyl silicone fluid emulsion	Spinach	116.87	1,111	6,967.45	A
dimethyl silicone fluid emulsion	Strawberry	2.81	5	99.0	A
dimethyl silicone fluid emulsion	Sunflower	0.77	3	43.8	A
dimethyl silicone fluid emulsion	Swiss chard	6.32	123	380.14	A
dimethyl silicone fluid emulsion	Uncultivated ag	53.37	318	3,353.36	A
dimethyl silicone fluid emulsion	Uncultivated non-ag	0.23	1	9.0	A
dinotefuran	Bok choy	2.91	5	22.25	A
dinotefuran	Broccoli	152.15	77	847.14	A
dinotefuran	Brussels sprout	50.86	13	174.1	A
dinotefuran	Cabbage	25.67	17	185.53	A
dinotefuran	Cauliflower	15.52	8	115.5	A
dinotefuran	Celery	54.8	54	418.7	A
dinotefuran	Chinese cabbage (nappa)	2.05	4	15.7	A
dinotefuran	Endive (escarole)	7.56	16	58.04	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dinotefuran	Kale	19.47	16	148.67	A
dinotefuran	Landscape maintenance	20.53	N/A	N/A	N/A
dinotefuran	Lettuce, head	354.14	116	1,524.7	A
dinotefuran	Lettuce, leaf	266.61	105	1,189.64	A
dinotefuran	N-grnhs flower	0.01	3	1,050.0	S
dinotefuran	N-grnhs plants in containers	26.35	70	101.5	A
dinotefuran	N-grnhs plants in containers	25.43	71	4,236,081.0	S
dinotefuran	N-outdr flower	0.65	13	12.0	A
dinotefuran	N-outdr flower	0.75	1	36,000.0	S
dinotefuran	N-outdr plants in containers	4.18	16	157.0	A
dinotefuran	N-outdr plants in containers	0.77	9	18,300.0	S
dinotefuran	N-outdr transplants	0.15	1	0.25	A
dinotefuran	Research commodity	0.07	N/A	N/A	N/A
dinotefuran	Spinach	1.49	1	11.4	A
dinotefuran	Structural pest control	13.86	N/A	N/A	N/A
dioctyl dimethyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
diphacinone	Grape, wine	0.04	6	280.5	A
diphacinone	Landscape maintenance	0.58	N/A	N/A	N/A
diphacinone	N-grnhs flower	0.01	7	41.0	A
diphacinone	N-grnhs flower	<0.01	1	10.0	S
diphacinone	N-outdr flower	0.01	7	50.0	A
diphacinone	Rangeland	0.03	1	10.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
diphacinone	Research commodity	0.03	N/A	N/A	N/A
diphacinone	Rights of way	0.17	N/A	N/A	N/A
diphacinone	Structural pest control	0.4	N/A	N/A	N/A
diphacinone	Uncultivated ag	0.12	124	972.5	A
diphacinone	Uncultivated non-ag	<0.01	N/A	20.0	A
diphacinone	Vertebrate control	0.04	N/A	N/A	N/A
diphacinone, sodium salt	Structural pest control	<0.01	N/A	N/A	N/A
dipropylene glycol methyl ether	Grape, wine	4.97	1	77.7	A
diquat dibromide	Industrial hemp	0.12	N/A	1,000.0	S
diquat dibromide	Landscape maintenance	261.77	N/A	N/A	N/A
diquat dibromide	N-grnhs flower	19.35	8	18.1	A
diquat dibromide	N-grnhs plants in containers	117.24	23	70.28	A
diquat dibromide	N-grnhs plants in containers	2.8	3	45,000.0	S
diquat dibromide	N-outdr flower	155.31	216	157.36	A
diquat dibromide	N-outdr plants in containers	141.44	16	52.72	A
diquat dibromide	Rights of way	382.15	N/A	N/A	N/A
diquat dibromide	Structural pest control	7.35	N/A	N/A	N/A
diquat dibromide	Uncultivated ag	3,046.44	288	2,694.75	A
diquat dibromide	Uncultivated ag	69.92	74	1,125,000.0	S
diquat dibromide	Uncultivated non-ag	41.98	10	46.0	A
diquat dibromide	Water area	387.75	37	227.5	A
disodium octaborate anhydrous	Rights of way	0.18	N/A	N/A	N/A
disodium octaborate tetrahydrate	Structural pest control	1,147.03	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
dithiopyr	Landscape maintenance	20.58	N/A	N/A	N/A
dithiopyr	N-outdr plants in containers	0.86	51	307,700.0	S
dithiopyr	Rights of way	112.78	N/A	N/A	N/A
diuron	Artichoke, globe	455.17	30	454.9	A
diuron	Cactus pear	102.66	3	64.1	A
diuron	Grape, wine	849.6	42	354.0	A
diuron	Landscape maintenance	61.6	N/A	N/A	N/A
diuron	Lemon	7.84	2	7.0	A
diuron	Rights of way	328.68	N/A	N/A	N/A
diuron	Uncultivated ag	362.18	14	66.3	A
e,e-8,10-dodecadien-1-ol	Apple	0.86	2	10.0	A
dodecylbenzene sulfonic acid	Blueberry	0.11	1	1.5	A
dodecylbenzene sulfonic acid	Brussels sprout	0.9	1	20.2	A
dodecylbenzene sulfonic acid	Carrot	1.6	35	34.28	A
dodecylbenzene sulfonic acid	Landscape maintenance	4.14	N/A	N/A	N/A
dodecylbenzene sulfonic acid	Lettuce, head	128.09	254	3,813.9	A
dodecylbenzene sulfonic acid	Lettuce, leaf	92.46	232	2,796.52	A
dodecylbenzene sulfonic acid	N-grnhs flower	0.94	21	20.7	A
dodecylbenzene sulfonic acid	N-grnhs plants in containers	0.22	3	35,760.0	S
dodecylbenzene sulfonic acid	Peas	0.04	1	0.66	A
dodecylbenzene sulfonic acid	Radish	2.32	46	42.77	A
dodecylbenzene sulfonic acid	Strawberry	170.44	156	1,949.38	A
dodecylbenzene sulfonic acid	Turnip	0.56	12	10.38	A
dodecylbenzene sulfonic acid	Uncultivated ag	2.2	1	15.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	4.74	27	244.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Arugula	0.41	13	64.64	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Beet	0.13	14	19.9	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	3.06	11	213.2	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Blueberry	0.04	2	4.48	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Bok choy	0.04	4	4.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	46.16	158	1,627.8	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	0.65	10	48.1	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	3.88	54	365.11	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	2.74	19	220.2	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	42.94	123	1,330.29	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	18.84	168	1,185.15	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	0.48	19	60.36	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Collard	0.1	4	10.33	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	0.07	2	3.85	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	0.42	2	22.0	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Golf course turf	0.32	N/A	6.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	57.32	117	1,774.33	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	2.92	24	214.61	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	9.31	N/A	N/A	N/A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	3.47	46	160.63	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	39.06	273	3,184.75	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	84.15	827	7,211.66	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard greens	0.21	8	30.65	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	27.66	45	1,423.5	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	5.58	49	512.8	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	25.03	110	1,250.78	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	8.49	45	507.4	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	621.89	444	19,143.44	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Swiss chard	0.31	11	36.53	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Tomato	1.31	24	133.8	A
alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	10.33	23	346.3	A
edta	Brussels sprout	2.62	2	53.8	A
edta	Uncultivated ag	31.03	66	699.3	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
edta, tetrasodium salt	Blueberry	0.01	1	1.5	A
edta, tetrasodium salt	Brussels sprout	0.06	1	20.2	A
edta, tetrasodium salt	Carrot	0.1	35	34.28	A
edta, tetrasodium salt	Landscape maintenance	0.26	N/A	N/A	N/A
edta, tetrasodium salt	Lettuce, head	7.88	254	3,813.9	A
edta, tetrasodium salt	Lettuce, leaf	5.69	232	2,796.52	A
edta, tetrasodium salt	N-grnhs flower	0.06	21	20.7	A
edta, tetrasodium salt	N-grnhs plants in containers	0.01	3	35,760.0	S
edta, tetrasodium salt	Peas	<0.01	1	0.66	A
edta, tetrasodium salt	Radish	0.14	46	42.77	A
edta, tetrasodium salt	Strawberry	10.49	156	1,949.38	A
edta, tetrasodium salt	Turnip	0.03	12	10.38	A
edta, tetrasodium salt	Uncultivated ag	0.14	1	15.0	A
emamectin benzoate	Bok choy	1.14	26	75.96	A
emamectin benzoate	Broccoli	263.58	1,761	19,085.17	A
emamectin benzoate	Brussels sprout	143.29	737	9,669.47	A
emamectin benzoate	Cabbage	37.03	279	2,915.58	A
emamectin benzoate	Cauliflower	107.64	762	7,560.92	A
emamectin benzoate	Celery	31.75	257	2,506.88	A
emamectin benzoate	Chinese cabbage (nappa)	3.0	67	200.05	A
emamectin benzoate	Endive (escarole)	0.16	1	10.8	A
emamectin benzoate	Kale	4.73	47	332.71	A
emamectin benzoate	Kohlrabi	0.97	13	67.9	A
emamectin benzoate	Landscape maintenance	0.6	N/A	N/A	N/A
emamectin benzoate	Lettuce, head	53.03	384	4,774.21	A
emamectin benzoate	Lettuce, leaf	39.65	346	3,613.59	A
emamectin benzoate	Pepper, fruiting	1.59	12	162.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
emamectin benzoate	Research commodity	0.21	2	13.75	A
emamectin benzoate	Spinach	<0.01	1	0.2	A
emamectin benzoate	Structural pest control	<0.01	N/A	N/A	N/A
emamectin benzoate	Swiss chard	0.2	3	20.23	A
emulsifiable methylated vegetable oil	Artichoke, globe	3,721.95	689	9,298.24	A
emulsifiable methylated vegetable oil	Arugula	56.85	78	139.61	A
emulsifiable methylated vegetable oil	Beet	27.11	20	61.5	A
emulsifiable methylated vegetable oil	Bok choy	253.83	144	545.97	A
emulsifiable methylated vegetable oil	Broccoli	6,175.81	1,521	15,489.3	A
emulsifiable methylated vegetable oil	Brussels sprout	4,316.86	706	7,078.45	A
emulsifiable methylated vegetable oil	Cabbage	104.42	64	487.4	A
emulsifiable methylated vegetable oil	Carrot	93.34	42	312.6	A
emulsifiable methylated vegetable oil	Cauliflower	3,574.19	766	6,876.35	A
emulsifiable methylated vegetable oil	Celery	1,512.46	490	3,763.78	A
emulsifiable methylated vegetable oil	Chinese cabbage (nappa)	334.9	178	698.02	A
emulsifiable methylated vegetable oil	Cilantro	110.56	168	453.68	A
emulsifiable methylated vegetable oil	Collard	40.25	9	88.2	A
emulsifiable methylated vegetable oil	Endive (escarole)	365.31	207	842.69	A
emulsifiable methylated vegetable oil	Fennel	8.27	4	20.0	A
emulsifiable methylated vegetable oil	Garlic	217.22	30	631.88	A
emulsifiable methylated vegetable oil	Grape, wine	8,796.44	321	5,985.96	A
emulsifiable methylated vegetable oil	Kale	581.61	115	901.16	A
emulsifiable methylated vegetable oil	Landscape maintenance	1.77	2	3.5	A
emulsifiable methylated vegetable oil	Leek	394.7	274	731.95	A
emulsifiable methylated vegetable oil	Lettuce, head	8,828.47	1,996	22,317.27	A
emulsifiable methylated vegetable oil	Lettuce, leaf	9,873.49	2,642	24,757.5	A
emulsifiable methylated vegetable oil	Mustard greens	48.33	35	129.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
emulsifiable methylated vegetable oil	Oat	7.97	2	17.0	A
emulsifiable methylated vegetable oil	Onion, dry	137.43	32	291.9	A
emulsifiable methylated vegetable oil	Parsley	1.44	1	5.5	A
emulsifiable methylated vegetable oil	Peas	350.93	220	1,927.06	A
emulsifiable methylated vegetable oil	Radish	263.78	364	699.76	A
emulsifiable methylated vegetable oil	Rights of way	11.07	N/A	N/A	N/A
emulsifiable methylated vegetable oil	Spinach	9.18	7	42.4	A
emulsifiable methylated vegetable oil	Strawberry	116.35	4	69.16	A
emulsifiable methylated vegetable oil	Sunflower	11.34	2	21.9	A
emulsifiable methylated vegetable oil	Swiss chard	42.19	37	120.19	A
emulsifiable methylated vegetable oil	Triticale	15.22	3	43.8	A
emulsifiable methylated vegetable oil	Uncultivated ag	2,070.63	383	3,525.05	A
emulsifiable methylated vegetable oil	Uncultivated non-ag	14.21	8	25.0	A
eptc	Bean, dried	321.8	11	148.6	A
eptc	Bean, unspecified	32.62	1	15.0	A
eptc	Carrot	71.37	2	23.4	A
eptc	Uncultivated ag	345.78	4	56.7	A
esfenvalerate	Artichoke, globe	349.59	575	7,189.01	A
esfenvalerate	Broccoli	343.25	685	7,783.2	A
esfenvalerate	Cabbage	18.16	58	421.74	A
esfenvalerate	Cauliflower	96.33	208	2,136.55	A
esfenvalerate	Chinese cabbage (nappa)	6.7	42	160.29	A
esfenvalerate	Cucumber	0.33	1	6.9	A
esfenvalerate	Landscape maintenance	0.01	N/A	N/A	N/A
esfenvalerate	Lettuce, head	210.94	380	4,666.71	A
esfenvalerate	Mustard greens	0.45	2	10.85	A
esfenvalerate	N-grnhs transplants	0.12	11	2.52	A
esfenvalerate	N-outdr transplants	0.25	3	232,245.0	S
esfenvalerate	Peas	103.16	176	2,297.45	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
esfenvalerate	Pumpkin	1.4	2	28.0	A
esfenvalerate	Radish	9.71	101	197.4	A
esfenvalerate	Squash	0.47	1	10.0	A
esfenvalerate	Structural pest control	0.12	N/A	N/A	N/A
esfenvalerate	Sunflower	0.2	2	4.0	A
ethalfluralin	Bean, dried	20.31	3	24.0	A
ethalfluralin	Bean, succulent	109.81	10	127.0	A
ethalfluralin	Cucumber	79.75	15	91.08	A
ethalfluralin	Pumpkin	21.83	3	18.3	A
ethalfluralin	Squash	12.87	1	10.0	A
ethalfluralin	Squash, summer	38.83	12	45.25	A
ethephon	Cucumber	14.63	12	81.36	A
ethephon	Golf course turf	29.94	N/A	9.0	A
ethephon	Landscape maintenance	718.6	N/A	N/A	N/A
ethephon	N-grnhs flower	0.55	5	7.63	A
ethephon	N-grnhs flower	2.11	71	163,510.0	S
ethephon	N-grnhs plants in containers	2.77	44	212.89	A
ethephon	N-grnhs plants in containers	24.32	121	1,456,087.0	S
ethephon	N-outdr plants in containers	3.5	6	11.12	A
ethephon	N-outdr plants in containers	0.04	1	1,000.0	S
ethephon	Pepper, fruiting	2.98	1	6.0	A
ethephon	Squash	7.93	4	32.0	A
ethephon	Squash, summer	10.13	10	61.3	A
ethephon	Walnut	301.74	4	340.0	A
etofenprox	Public health	0.02	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
etofenprox	Structural pest control	3.34	N/A	N/A	N/A
ethofumesate	Landscape maintenance	453.55	N/A	N/A	N/A
ethofumesate	Sod farm (turf)	50.52	2	35.0	A
ethylene glycol	Broccoli	162.54	57	709.14	A
ethylene glycol	Cabbage	6.28	4	30.55	A
ethylene glycol	Cauliflower	64.29	18	196.5	A
ethylene glycol	Endive (escarole)	22.84	16	55.55	A
ethylene glycol	Grape, wine	14,190.71	1,474	38,188.71	A
ethylene glycol	Lettuce, head	1,112.66	296	3,684.03	A
ethylene glycol	Lettuce, leaf	1,583.55	441	4,126.81	A
ethylene glycol	Uncultivated ag	85.39	2	524.75	A
etoxazole	Blackberry	5.13	4	38.0	A
etoxazole	Blackberry	0.17	2	54,810.0	S
etoxazole	Grape, wine	1,127.05	336	8,629.57	A
etoxazole	N-grnhs flower	0.01	1	0.88	A
etoxazole	N-grnhs flower	0.19	6	113,050.0	S
etoxazole	N-grnhs plants in containers	0.28	3	6.13	A
etoxazole	N-grnhs plants in containers	0.54	9	139,068.0	S
etoxazole	N-grnhs transplants	0.08	3	210,000.0	S
etoxazole	N-outdr flower	0.05	1	2.0	A
etoxazole	N-outdr plants in containers	0.53	3	11.44	A
etoxazole	Raspberry	1.4	4	10.38	A
etoxazole	Strawberry	237.4	48	1,758.38	A
famoxadone	Cilantro	16.77	38	107.4	A
famoxadone	Lettuce, head	17.84	9	122.0	A
famoxadone	Lettuce, leaf	19.91	9	134.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
famoxadone	Spinach	64.8	210	414.5	A
fatty acids, methyl esters	Alfalfa	28.93	1	22.2	A
fatty acids, methyl esters	Broccoli	12.17	2	11.0	A
fatty acids, methyl esters	Carrot	999.64	50	821.8	A
fatty acids, methyl esters	Celery	1,139.62	160	1,408.45	A
fatty acids, methyl esters	Cilantro	4.45	7	8.0	A
fatty acids, methyl esters	Grape, wine	7,191.22	134	9,788.49	A
fatty acids, methyl esters	Landscape maintenance	0.7	N/A	N/A	N/A
fatty acids, methyl esters	Oat	81.78	2	94.0	A
fatty acids, methyl esters	Onion, dry	20.44	2	23.5	A
fatty acids, methyl esters	Peas	3.48	1	8.0	A
fatty acids, methyl esters	Spinach	1.16	1	8.7	A
fatty acids, methyl esters	Uncultivated ag	12,624.36	637	7,697.7	A
fatty acids, methyl esters	Uncultivated non-ag	7.79	1	9.0	A
fatty acids, mixed	Artichoke, globe	6.02	49	648.0	A
fatty acids, mixed	Arugula	0.71	32	364.7	A
fatty acids, mixed	Blackberry	0.55	2	23.0	A
fatty acids, mixed	Broccoli	60.11	829	9,598.47	A
fatty acids, mixed	Brussels sprout	47.39	279	3,832.5	A
fatty acids, mixed	Cabbage	23.0	271	3,655.64	A
fatty acids, mixed	Carrot	0.08	1	27.0	A
fatty acids, mixed	Cauliflower	9.6	101	1,059.37	A
fatty acids, mixed	Celery	15.39	213	1,608.77	A
fatty acids, mixed	Corn salad	0.02	2	5.8	A
fatty acids, mixed	Corn, human consumption	0.06	1	4.0	A
fatty acids, mixed	Cucumber	0.25	9	64.1	A
fatty acids, mixed	Endive (escarole)	0.21	29	35.65	A
fatty acids, mixed	Fennel	2.05	27	269.8	A
fatty acids, mixed	Garlic	46.82	218	4,081.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids, mixed	Grape, wine	373.22	25	3,873.33	A
fatty acids, mixed	Kale	1.98	38	293.17	A
fatty acids, mixed	Landscape maintenance	0.03	N/A	N/A	N/A
fatty acids, mixed	Leek	0.51	37	121.36	A
fatty acids, mixed	Lettuce, head	154.96	1,409	17,799.0	A
fatty acids, mixed	Lettuce, leaf	376.84	4,107	47,295.57	A
fatty acids, mixed	Mustard greens	0.09	14	47.5	A
fatty acids, mixed	N-grnhs flower	0.03	2	2.45	A
fatty acids, mixed	N-grnhs plants in containers	1.33	27	71.84	A
fatty acids, mixed	N-grnhs plants in containers	0.01	2	9,000.0	S
fatty acids, mixed	N-grnhs transplants	2.95	382	173.28	A
fatty acids, mixed	N-outdr plants in containers	0.94	9	25.28	A
fatty acids, mixed	N-outdr plants in containers	0.06	3	51,600.0	S
fatty acids, mixed	Oat	0.01	1	10.0	A
fatty acids, mixed	Onion, dry	3.53	67	1,111.1	A
fatty acids, mixed	Pastureland	0.02	1	15.0	A
fatty acids, mixed	Peas	14.77	271	3,455.2	A
fatty acids, mixed	Pepper, fruiting	5.09	32	623.7	A
fatty acids, mixed	Pumpkin	0.03	1	14.0	A
fatty acids, mixed	Radicchio	0.46	9	74.75	A
fatty acids, mixed	Rangeland	0.02	1	3.0	A
fatty acids, mixed	Rapini	9.5	197	1,829.9	A
fatty acids, mixed	Spinach	0.32	8	83.3	A
fatty acids, mixed	Squash	0.33	6	56.0	A
fatty acids, mixed	Squash, summer	0.29	5	29.0	A
fatty acids, mixed	Strawberry	1.65	4	91.2	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fatty acids, mixed	Swiss chard	2.58	36	180.11	A
fatty acids, mixed	Uncultivated ag	32.83	122	1,332.26	A
fatty acids, mixed	Uncultivated ag	0.21	N/A	97,875.0	S
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Alfalfa	2.15	2	9.5	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Artichoke, globe	709.88	223	2,842.7	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Bean, unspecified	1.02	3	4.4	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Blackberry	9.94	4	21.8	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Broccoli	48.91	16	199.45	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Brussels sprout	51.71	15	188.6	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cabbage	7.79	4	27.6	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cauliflower	38.38	15	164.8	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Celery	223.56	95	885.6	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Fava bean	0.52	1	1.5	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Fennel	27.59	27	117.8	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, head	109.35	40	452.99	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, leaf	156.01	62	613.0	A
fatty acids, c16-c18 and c18-unsaturated, methyl esters	Raspberry	47.74	16	205.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Rights of way	61.43	N/A	N/A	N/A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Spinach	2.03	10	27.85	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Strawberry	6,639.99	499	15,845.95	A
<b>fatty acids, c16-c18 and c18-unsaturated, methyl esters</b>	Uncultivated ag	26.88	9	116.5	A
<b>fatty acids derived from tallow</b>	Grape, wine	54.89	19	356.34	A
<b>fatty acids derived from tallow</b>	Landscape maintenance	0.74	N/A	N/A	N/A
<b>fatty acids derived from tallow</b>	Oat	2.74	3	44.4	A
<b>fatty acids derived from tallow</b>	Raspberry	4.82	8	62.6	A
<b>fatty acids derived from tallow</b>	Strawberry	335.1	44	2,285.5	A
<b>fenamidone</b>	Arugula	421.55	274	1,647.49	A
<b>fenamidone</b>	Broccoli	407.86	128	1,594.31	A
<b>fenamidone</b>	Brussels sprout	38.26	12	144.6	A
<b>fenamidone</b>	Cabbage	135.3	50	580.9	A
<b>fenamidone</b>	Cauliflower	96.46	31	388.15	A
<b>fenamidone</b>	Celery	15.14	7	57.7	A
<b>fenamidone</b>	Chinese cabbage (nappa)	37.94	75	147.3	A
<b>fenamidone</b>	Fennel	6.52	3	28.3	A
<b>fenamidone</b>	Kale	188.0	115	738.35	A
<b>fenamidone</b>	Leek	6.72	13	37.4	A
<b>fenamidone</b>	Lettuce, head	4,462.38	1,489	17,306.38	A
<b>fenamidone</b>	Lettuce, leaf	6,208.77	2,547	24,179.04	A
<b>fenamidone</b>	Lettuce, leaf	0.03	2	3,000.0	S
<b>fenamidone</b>	Mizuna	27.56	42	106.91	A
<b>fenamidone</b>	Mustard greens	94.5	91	369.65	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
fenamidone	N-grnhs plants in containers	8.63	46	25.23	A
fenamidone	N-outdr flower	0.33	2	1.5	A
fenamidone	N-outdr transplants	1.55	1	6.0	A
fenamidone	Onion, dry	102.2	44	575.9	A
fenamidone	Peas	26.13	8	100.1	A
fenamidone	Pumpkin	2.48	1	14.0	A
fenamidone	Radicchio	61.29	59	236.55	A
fenamidone	Rapini	271.34	72	1,169.8	A
fenamidone	Research commodity	3.3	4	12.75	A
fenamidone	Research commodity	0.88	N/A	N/A	N/A
fenamidone	Spinach	1,568.46	988	6,101.75	A
fenamidone	Swiss chard	94.69	124	368.25	A
fenbutatin-oxide	Strawberry	40.98	4	40.98	A
fenhexamid	Blackberry	20.25	1	27.0	A
fenhexamid	Grape, wine	3,394.35	273	6,792.83	A
fenhexamid	N-grnhs flower	15.53	4	8.89	A
fenhexamid	N-grnhs plants in containers	73.28	22	44.54	A
fenhexamid	N-grnhs plants in containers	35.06	37	1,942,091.0	S
fenhexamid	N-outdr flower	3.75	9	7.5	A
fenhexamid	N-outdr plants in containers	5.18	11	5.64	A
fenhexamid	N-outdr transplants	1.65	1	95,703.0	S
fenhexamid	Raspberry	3.77	3	219,080.0	S
fenhexamid	Strawberry	1,681.89	92	2,293.52	A
fenhexamid	Strawberry	0.18	2	10,344.0	S
fenpropathrin	Broccoli	39.53	10	126.6	A
fenpropathrin	Cabbage	2.35	1	7.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fenpropathrin	Cauliflower	6.16	2	19.7	A
fenpropathrin	Grape, wine	2.87	10	7.01	A
fenpropathrin	N-grnhs plants in containers	2.35	4	13.07	A
fenpropathrin	N-outdr flower	1.76	11	11.5	A
fenpropathrin	N-outdr plants in containers	1.13	2	1.63	A
fenpropathrin	Olive	2.07	5	3.35	A
fenpropathrin	Strawberry	1,493.69	163	4,482.38	A
fenpyroximate	Grape, wine	153.53	58	1,480.18	A
fenpyroximate	N-grnhs flower	0.06	2	11,250.0	S
fenpyroximate	N-grnhs plants in containers	0.24	1	4.9	A
fenpyroximate	N-grnhs plants in containers	0.01	1	2,000.0	S
fenpyroximate	Strawberry	83.07	51	780.11	A
ferric sodium edta	Artichoke, globe	102.5	16	151.3	A
ferric sodium edta	Broccoli	7.8	1	10.4	A
ferric sodium edta	Brussels sprout	9.8	3	19.6	A
ferric sodium edta	Cauliflower	15.0	1	13.1	A
ferric sodium edta	Landscape maintenance	0.24	N/A	N/A	N/A
ferric sodium edta	N-outdr flower	1.0	1	4.0	A
ferric sodium edta	Uncultivated ag	2.25	1	3.0	A
ferrous sulfate	Spinach	0.28	1	7.5	A
fipronil	Landscape maintenance	0.04	N/A	N/A	N/A
fipronil	Structural pest control	55.96	N/A	N/A	N/A
flazasulfuron	Grape, wine	82.58	102	4,568.49	A
flonicamid	Alfalfa	1.95	1	22.2	A
flonicamid	Arugula	124.3	182	1,425.84	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flonicamid	Bean, succulent	0.96	1	11.0	A
flonicamid	Bok choy	5.84	24	69.98	A
flonicamid	Broccoli	71.01	61	825.02	A
flonicamid	Brussels sprout	224.81	213	2,594.75	A
flonicamid	Cabbage	15.46	20	176.83	A
flonicamid	Cauliflower	7.19	5	82.2	A
flonicamid	Celery	204.98	285	2,510.34	A
flonicamid	Chinese cabbage (nappa)	16.17	80	188.55	A
flonicamid	Cucumber	1.09	1	12.5	A
flonicamid	Endive (escarole)	4.9	15	57.43	A
flonicamid	Fennel	6.01	10	68.5	A
flonicamid	Kale	81.66	163	939.63	A
flonicamid	Lettuce, head	507.51	517	6,118.5	A
flonicamid	Lettuce, leaf	1,192.75	1,469	14,107.98	A
flonicamid	Mizuna	5.1	23	59.1	A
flonicamid	Mustard greens	21.59	63	249.64	A
flonicamid	N-grnhs flower	<0.01	2	150.0	S
flonicamid	N-grnhs plants in containers	0.67	7	161,750.0	S
flonicamid	N-outdr flower	1.09	14	13.0	A
flonicamid	N-outdr plants in containers	0.21	1	0.97	A
flonicamid	Peas	4.08	3	46.6	A
flonicamid	Pumpkin	0.2	1	2.3	A
flonicamid	Radicchio	6.86	19	78.73	A
flonicamid	Radish	6.97	49	88.73	A
flonicamid	Rapini	55.02	88	646.2	A
flonicamid	Research commodity	0.15	N/A	N/A	N/A
flonicamid	Spinach	594.88	817	6,875.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flonicamid	Strawberry	956.67	382	10,935.21	A
flonicamid	Swiss chard	25.4	99	296.42	A
flonicamid	Upland cress	10.84	42	124.8	A
fluazifop-p-butyl	Carrot	293.4	72	1,360.6	A
fluazifop-p-butyl	Golf course turf	0.13	N/A	0.5	A
fluazifop-p-butyl	Grape, wine	157.52	33	585.55	A
fluazifop-p-butyl	Landscape maintenance	5.47	N/A	N/A	N/A
fluazifop-p-butyl	N-outdr flower	4.06	14	4.01	A
fluazinam	Golf course turf	1.69	N/A	6.0	A
fluazinam	Landscape maintenance	40.16	N/A	N/A	N/A
flubendiamide	Broccoli	38.57	53	524.44	A
flubendiamide	Cauliflower	26.44	41	358.83	A
flubendiamide	Celery	4.91	13	105.1	A
flubendiamide	Chinese cabbage (nappa)	5.52	52	86.36	A
flubendiamide	Lettuce, head	37.34	80	799.85	A
flubendiamide	Lettuce, leaf	19.69	55	426.17	A
flubendiamide	Radicchio	6.04	34	130.82	A
flubendiamide	Research commodity	4.72	27	76.5	A
flubendiamide	Spinach	0.48	1	9.9	A
fludioxonil	Beet	0.01	N/A	498.0	P
fludioxonil	Blackberry	30.31	14	138.53	A
fludioxonil	Blackberry	0.27	1	53,235.0	S
fludioxonil	Broccoli	40.56	18	204.3	A
fludioxonil	Broccoli	<0.01	N/A	24.0	P
fludioxonil	Cabbage	<0.01	N/A	26.0	P
fludioxonil	Carrot	0.08	N/A	3,171.24	P
fludioxonil	Celery	2.19	1	10.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	Celery	<0.01	N/A	17.0	P
fludioxonil	Cucumber	0.77	N/A	30,699.31	P
fludioxonil	Endive (escarole)	4.5	4	20.6	A
fludioxonil	Fennel	0.01	N/A	458.0	P
fludioxonil	Golf course turf	5.95	N/A	15.0	A
fludioxonil	Grape, wine	13.78	7	79.5	A
fludioxonil	Landscape maintenance	81.48	N/A	N/A	N/A
fludioxonil	Lettuce, head	505.07	210	2,334.05	A
fludioxonil	Lettuce, leaf	932.89	441	4,263.19	A
fludioxonil	Lettuce, leaf	0.01	N/A	425.0	P
fludioxonil	Melon	0.01	N/A	352.0	P
fludioxonil	N-grnhs flower	33.43	93	121.68	A
fludioxonil	N-grnhs flower	1.47	16	57,000.0	S
fludioxonil	N-grnhs plants in containers	113.02	204	732.87	A
fludioxonil	N-grnhs plants in containers	26.37	186	5,734,192.0	S
fludioxonil	N-grnhs transplants	1.41	6	280,049.0	S
fludioxonil	N-outdr flower	0.39	7	5.5	A
fludioxonil	N-outdr plants in containers	115.16	40	333.09	A
fludioxonil	N-outdr plants in containers	0.24	5	74,000.0	S
fludioxonil	N-outdr transplants	0.06	1	0.75	A
fludioxonil	N-outdr transplants	1.9	6	393,572.0	S
fludioxonil	Onion, dry	0.64	N/A	25,400.46	P
fludioxonil	Parsnip	0.02	N/A	724.0	P
fludioxonil	Pepper, fruiting	<0.01	N/A	79.0	P
fludioxonil	Pumpkin	0.16	N/A	6,241.19	P
fludioxonil	Raspberry	107.7	46	504.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fludioxonil	Raspberry	0.3	1	68,670.0	S
fludioxonil	Research commodity	0.31	N/A	N/A	N/A
fludioxonil	Squash	0.07	N/A	2,582.32	P
fludioxonil	Strawberry	2,768.46	430	12,744.21	A
fludioxonil	Strawberry	0.13	4	26,220.0	S
fludioxonil	Tomato	<0.01	N/A	116.0	P
flumioxazin	Alfalfa	10.2	2	80.0	A
flumioxazin	Artichoke, globe	230.49	160	2,275.38	A
flumioxazin	Asparagus	93.05	26	486.4	A
flumioxazin	Celery	1.48	2	15.5	A
flumioxazin	Garlic	7.46	2	50.5	A
flumioxazin	Grape, wine	2,216.2	587	14,606.5	A
flumioxazin	Landscape maintenance	0.19	N/A	N/A	N/A
flumioxazin	N-grnhs plants in containers	0.96	1	2.72	A
flumioxazin	Raspberry	8.59	4	49.19	A
flumioxazin	Rights of way	14.95	N/A	N/A	N/A
flumioxazin	Soil fumigation/preplant	5.44	6	56.0	A
flumioxazin	Strawberry	255.63	96	2,799.43	A
flumioxazin	Uncultivated ag	27.98	19	135.1	A
flumioxazin	Uncultivated non-ag	0.88	N/A	2.75	A
fluopicolide	Arugula	224.6	198	1,822.18	A
fluopicolide	Broccoli	8.77	18	71.85	A
fluopicolide	Cabbage	0.02	2	0.2	A
fluopicolide	Carrot	2.09	1	16.8	A
fluopicolide	Cauliflower	3.33	9	27.0	A
fluopicolide	Celery	0.01	1	0.05	A
fluopicolide	Collard	2.57	2	20.8	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopicolide	Kale	140.56	164	1,148.63	A
fluopicolide	Lettuce, head	1,440.84	969	11,744.62	A
fluopicolide	Lettuce, leaf	1,647.28	1,483	13,491.19	A
fluopicolide	Mustard greens	35.2	76	286.87	A
fluopicolide	N-grnhs flower	0.6	3	4.27	A
fluopicolide	N-grnhs flower	0.01	1	1,500.0	S
fluopicolide	N-grnhs plants in containers	0.8	5	5.77	A
fluopicolide	N-grnhs plants in containers	0.69	4	46,600.0	S
fluopicolide	N-outdr flower	0.25	2	2.0	A
fluopicolide	N-outdr plants in containers	3.49	6	30.49	A
fluopicolide	N-outdr plants in containers	0.48	5	37,000.0	S
fluopicolide	Onion, dry	15.32	9	123.7	A
fluopicolide	Research commodity	0.15	N/A	N/A	N/A
fluopicolide	Spinach	1,661.59	1,363	13,473.06	A
fluopicolide	Swiss chard	47.21	101	394.12	A
fluopicolide	Upland cress	4.98	14	40.37	A
fluopyram	Artichoke, globe	503.03	316	4,070.51	A
fluopyram	Beet	0.46	2	6.0	A
fluopyram	Blackberry	8.45	4	45.0	A
fluopyram	Bok choy	0.87	6	7.0	A
fluopyram	Broccoli	68.01	59	565.2	A
fluopyram	Brussels sprout	526.52	320	4,901.23	A
fluopyram	Cabbage	4.93	8	39.75	A
fluopyram	Cauliflower	14.14	13	119.28	A
fluopyram	Celery	31.64	43	333.33	A
fluopyram	Cucumber	2.46	2	20.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fluopyram	Endive (escarole)	0.92	4	7.42	A
fluopyram	Fennel	30.57	31	322.9	A
fluopyram	Golf course turf	1.33	N/A	3.0	A
fluopyram	Grape, wine	3,536.64	876	33,417.93	A
fluopyram	Kale	8.48	8	68.53	A
fluopyram	Landscape maintenance	28.25	N/A	N/A	N/A
fluopyram	Leek	20.75	38	94.63	A
fluopyram	Lettuce, head	652.0	453	5,268.18	A
fluopyram	Lettuce, leaf	1,157.84	884	9,373.31	A
fluopyram	Mustard greens	0.56	1	4.5	A
fluopyram	Onion, dry	49.83	12	303.8	A
fluopyram	Pepper, fruiting	3.25	2	26.2	A
fluopyram	Pumpkin	2.23	2	18.0	A
fluopyram	Rapini	3.34	2	30.2	A
fluopyram	Research commodity	1.38	5	11.25	A
fluopyram	Research commodity	0.1	N/A	N/A	N/A
fluopyram	Spinach	0.06	3	0.6	A
fluopyram	Squash	5.19	4	42.0	A
fluopyram	Squash, summer	4.71	7	38.0	A
fluopyram	Strawberry	1,100.26	300	9,116.64	A
fluopyram	Strawberry	0.29	7	65,032.0	S
fluopyram	Sunflower	5.43	5	33.9	A
fluopyram	Walnut	7.65	3	290.0	A
flupyradifurone	Alfalfa	1.77	2	9.7	A
flupyradifurone	Arugula	91.23	64	671.69	A
flupyradifurone	Blackberry	10.53	5	57.6	A
flupyradifurone	Bok choy	15.46	49	93.78	A
flupyradifurone	Broccoli	983.3	504	6,308.99	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	Brussels sprout	913.11	411	5,222.74	A
flupyradifurone	Cabbage	187.87	140	1,190.1	A
flupyradifurone	Cauliflower	296.31	166	1,870.45	A
flupyradifurone	Celery	775.68	524	5,045.6	A
flupyradifurone	Chinese cabbage (nappa)	35.38	89	209.45	A
flupyradifurone	Cilantro	44.81	65	267.32	A
flupyradifurone	Endive (escarole)	23.39	66	143.04	A
flupyradifurone	Fava bean	1.87	7	10.5	A
flupyradifurone	Fennel	7.34	6	49.3	A
flupyradifurone	Grape, wine	391.71	85	2,298.46	A
flupyradifurone	Kale	166.96	171	1,121.3	A
flupyradifurone	Kohlrabi	1.7	3	13.0	A
flupyradifurone	Lettuce, head	3,621.54	2,025	23,180.81	A
flupyradifurone	Lettuce, leaf	6,389.63	3,854	41,715.88	A
flupyradifurone	Mizuna	3.85	10	22.75	A
flupyradifurone	Mustard greens	21.11	41	147.25	A
flupyradifurone	N-grnhs flower	8.39	4	10.48	A
flupyradifurone	N-grnhs flower	1.0	3	116,000.0	S
flupyradifurone	N-grnhs plants in containers	40.02	38	89.71	A
flupyradifurone	N-grnhs plants in containers	10.81	31	1,134,350.0	S
flupyradifurone	N-outdr flower	5.66	42	45.5	A
flupyradifurone	N-outdr plants in containers	0.13	2	0.98	A
flupyradifurone	Parsley	0.72	1	5.5	A
flupyradifurone	Peas	61.79	37	433.8	A
flupyradifurone	Pepper, fruiting	4.84	1	26.5	A
flupyradifurone	Radicchio	42.58	58	236.28	A
flupyradifurone	Rapini	197.16	69	1,181.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
flupyradifurone	Research commodity	1.42	4	8.0	A
flupyradifurone	Research commodity	0.23	N/A	N/A	N/A
flupyradifurone	Spinach	1,023.61	575	7,143.67	A
flupyradifurone	Strawberry	1,886.23	493	13,047.71	A
flupyradifurone	Swiss chard	47.15	73	319.23	A
flupyradifurone	Upland cress	17.58	47	128.31	A
flurprimidol	Landscape maintenance	636.18	N/A	N/A	N/A
flurprimidol	N-grnhs flower	0.01	1	1.7	A
flurprimidol	N-grnhs plants in containers	0.13	9	91.65	A
flurprimidol	N-grnhs plants in containers	0.02	9	16,350.0	S
flurprimidol	N-outdr plants in containers	0.53	14	137.33	A
flutolanil	Golf course turf	25.9	N/A	3.0	A
flutolanil	Landscape maintenance	62.65	N/A	N/A	N/A
flutriafol	Grape	11.48	4	141.27	A
flutriafol	Grape, wine	504.0	117	6,207.23	A
flutriafol	Strawberry	244.59	61	2,155.8	A
tau-fluvalinate	Landscape maintenance	0.88	N/A	N/A	N/A
tau-fluvalinate	N-grnhs flower	34.18	9	28.37	A
tau-fluvalinate	N-grnhs flower	3.83	36	454,975.0	S
tau-fluvalinate	N-grnhs plants in containers	62.51	40	95.18	A
tau-fluvalinate	N-grnhs plants in containers	30.69	79	3,562,822.0	S
tau-fluvalinate	N-outdr flower	8.66	65	66.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
tau-fluvalinate	N-outdr plants in containers	21.13	16	29.01	A
tau-fluvalinate	N-outdr plants in containers	0.11	2	14,600.0	S
tau-fluvalinate	Research commodity	0.01	N/A	N/A	N/A
fluxapyroxad	Broccoli	14.08	17	161.6	A
fluxapyroxad	Brussels sprout	160.65	120	1,871.0	A
fluxapyroxad	Celery	0.28	4	2.45	A
fluxapyroxad	Fennel	6.86	3	37.9	A
fluxapyroxad	Grape, wine	201.12	77	2,321.22	A
fluxapyroxad	Landscape maintenance	11.09	N/A	N/A	N/A
fluxapyroxad	Leek	5.34	12	30.29	A
fluxapyroxad	Lettuce, head	350.64	196	2,119.84	A
fluxapyroxad	Lettuce, leaf	1,105.04	503	6,446.6	A
fluxapyroxad	N-grnhs plants in containers	0.07	1	0.54	A
fluxapyroxad	Onion, dry	0.55	1	3.0	A
fluxapyroxad	Radicchio	28.54	7	158.0	A
fluxapyroxad	Research commodity	0.01	N/A	N/A	N/A
fluxapyroxad	Strawberry	1,383.37	248	7,955.13	A
foramsulfuron	Landscape maintenance	2.03	N/A	N/A	N/A
forchlorfenuron	Grape, wine	1.92	13	431.42	A
fosetyl-al	Arugula	705.62	30	312.89	A
fosetyl-al	Blackberry	21.54	6	259,105.0	S
fosetyl-al	Broccoli	782.72	13	240.7	A
fosetyl-al	Cabbage	34.44	1	12.3	A
fosetyl-al	Cauliflower	222.0	6	76.2	A
fosetyl-al	Celery	89.28	4	37.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
fosetyl-al	Fennel	111.36	2	34.8	A
fosetyl-al	Kale	1,398.8	67	703.25	A
fosetyl-al	Landscape maintenance	1,099.39	N/A	N/A	N/A
fosetyl-al	Lemon	578.72	5	144.66	A
fosetyl-al	Lettuce, head	67,500.12	1,825	22,503.35	A
fosetyl-al	Lettuce, leaf	85,135.79	2,717	29,139.46	A
fosetyl-al	Mustard greens	46.4	7	24.0	A
fosetyl-al	N-grnhs flower	61.21	10	14.32	A
fosetyl-al	N-grnhs flower	2.6	6	39,000.0	S
fosetyl-al	N-grnhs plants in containers	152.48	37	48.8	A
fosetyl-al	N-grnhs plants in containers	56.04	46	480,960.0	S
fosetyl-al	N-grnhs transplants	3,051.32	1,075	373.22	A
fosetyl-al	N-grnhs transplants	2.1	2	31,470.0	S
fosetyl-al	N-outdr flower	22.5	25	24.5	A
fosetyl-al	N-outdr plants in containers	155.48	13	74.61	A
fosetyl-al	N-outdr plants in containers	5.36	10	54,900.0	S
fosetyl-al	N-outdr transplants	92.25	14	37.75	A
fosetyl-al	N-outdr transplants	96.4	35	2,168,994.0	S
fosetyl-al	Onion, dry	14.4	2	6.0	A
fosetyl-al	Rapini	712.24	9	189.0	A
fosetyl-al	Raspberry	12.31	2	134,010.0	S
fosetyl-al	Research commodity	6.0	N/A	N/A	N/A
fosetyl-al	Spinach	4,758.36	207	1,763.32	A
fosetyl-al	Strawberry	7,660.43	64	1,968.6	A
fosetyl-al	Swiss chard	336.84	33	162.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
free fatty acids and/or amine salts	Landscape maintenance	1.83	N/A	N/A	N/A
gamma-cyhalothrin	Structural pest control	11.11	N/A	N/A	N/A
garlic	Cannabis (all or unspecified)	9.22	36	126.0	A
garlic	Cannabis (all or unspecified)	6.69	44	265,571.0	S
garlic	Industrial hemp	0.34	1	1.0	A
garlic	Lettuce, head	0.31	1	1.0	A
garlic	N-grnhs flower	1.02	2	7.06	A
garlic	N-grnhs flower	0.2	4	25,500.0	S
garlic	N-grnhs plants in containers	4.38	10	17.99	A
garlic	N-grnhs plants in containers	4.75	14	633,000.0	S
garlic	N-outdr plants in containers	1.85	9	9.15	A
garlic	Raspberry	7.53	6	33.6	A
garlic	Research commodity	0.08	N/A	N/A	N/A
garlic	Strawberry	329.71	32	730.13	A
gibberellins	Artichoke, globe	62.53	272	2,763.28	A
gibberellins	Celery	0.07	2	16.4	A
gibberellins	Lemon	10.35	7	204.0	A
gibberellins	N-grnhs flower	1.05	30	51,922.5	S
gibberellins	N-grnhs plants in containers	2.22	43	94.38	A
gibberellins	N-grnhs plants in containers	0.29	43	400,845.0	S
gibberellins	N-grnhs transplants	<0.01	2	4,000.0	S
gibberellins	N-outdr flower	0.01	2	0.42	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>gibberellins</b>	N-outdr plants in containers	0.03	7	6.56	A
<b>gibberellins</b>	Strawberry	0.01	1	8,500.0	S
<b>gliocladium virens gl-21 (spores)</b>	Cannabis (all or unspecified)	2.69	12	119,240.0	S
<b>gliocladium virens gl-21 (spores)</b>	Lettuce, leaf	24.06	4	40.1	A
<b>gliocladium virens gl-21 (spores)</b>	Spinach	481.09	50	801.82	A
<b>gliocladium virens gl-21 (spores)</b>	Strawberry	21.18	1	35.3	A
<b>glufosinate-ammonium</b>	Grape, wine	34,974.76	2,263	54,089.38	A
<b>glufosinate-ammonium</b>	Industrial site	13.39	N/A	71.7	A
<b>glufosinate-ammonium</b>	Landscape maintenance	10.52	4	6.0	A
<b>glufosinate-ammonium</b>	Landscape maintenance	40.87	N/A	N/A	N/A
<b>glufosinate-ammonium</b>	Lemon	12.89	2	61.0	A
<b>glufosinate-ammonium</b>	Pistachio	68.57	1	80.0	A
<b>glufosinate-ammonium</b>	Rights of way	1,214.19	N/A	N/A	N/A
<b>glufosinate-ammonium</b>	Structural pest control	2.29	N/A	N/A	N/A
<b>glufosinate-ammonium</b>	Uncultivated ag	10,960.9	1,045	7,946.0	A
<b>glufosinate-ammonium</b>	Uncultivated non-ag	51.04	8	101.7	A
<b>glufosinate-ammonium</b>	Walnut	152.69	3	130.0	A
<b>glufosinate-ammonium</b>	Water area	6.86	2	12.0	A
<b>glycerol</b>	Grape, wine	38.6	7	202.12	A
<b>glyphosate, dimethylamine salt</b>	Rights of way	700.12	N/A	N/A	N/A
<b>glyphosate, isopropylamine salt</b>	Alfalfa	12.07	1	10.5	A
<b>glyphosate, isopropylamine salt</b>	Artichoke, globe	32.04	1	10.3	A
<b>glyphosate, isopropylamine salt</b>	Asparagus	1,053.3	12	263.3	A
<b>glyphosate, isopropylamine salt</b>	Avocado	17.98	1	15.0	A
<b>glyphosate, isopropylamine salt</b>	Blackberry	11.99	1	3.0	A
<b>glyphosate, isopropylamine salt</b>	Broccoli	146.01	3	55.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glyphosate, isopropylamine salt	Brussels sprout	268.81	2	53.8	A
glyphosate, isopropylamine salt	Cabbage	2.57	2	1.22	A
glyphosate, isopropylamine salt	Cauliflower	33.08	3	19.86	A
glyphosate, isopropylamine salt	Ditch bank	448.88	N/A	67.93	A
glyphosate, isopropylamine salt	Endive (escarole)	2.47	4	1.48	A
glyphosate, isopropylamine salt	Grape, wine	21,082.31	584	17,978.95	A
glyphosate, isopropylamine salt	Landscape maintenance	30.81	4	6.0	A
glyphosate, isopropylamine salt	Landscape maintenance	2,868.63	N/A	N/A	N/A
glyphosate, isopropylamine salt	Lemon	98.35	5	127.0	A
glyphosate, isopropylamine salt	Lettuce, leaf	635.87	18	239.04	A
glyphosate, isopropylamine salt	N-grnhs flower	48.5	4	30.0	A
glyphosate, isopropylamine salt	Onion, dry	1.0	1	2.0	A
glyphosate, isopropylamine salt	Pistachio	920.77	2	280.0	A
glyphosate, isopropylamine salt	Public health	1,630.16	N/A	N/A	N/A
glyphosate, isopropylamine salt	Rangeland	249.94	1	102.0	A
glyphosate, isopropylamine salt	Rapini	120.11	2	44.0	A
glyphosate, isopropylamine salt	Research commodity	10.08	N/A	N/A	N/A
glyphosate, isopropylamine salt	Rights of way	569.25	8	1,720.0	A
glyphosate, isopropylamine salt	Rights of way	36,764.82	N/A	N/A	N/A
glyphosate, isopropylamine salt	Rye	15.03	1	5.0	A
glyphosate, isopropylamine salt	Strawberry	19.98	1	5.0	A
glyphosate, isopropylamine salt	Structural pest control	168.97	N/A	N/A	N/A
glyphosate, isopropylamine salt	Uncultivated ag	94,122.99	2,461	25,973.4	A
glyphosate, isopropylamine salt	Uncultivated ag	30.16	11	175,000.0	S
glyphosate, isopropylamine salt	Uncultivated non-ag	450.65	18	126.0	A
glyphosate, isopropylamine salt	Water area	902.8	51	322.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glyphosate, monoammonium salt	Landscape maintenance	13.5	N/A	N/A	N/A
glyphosate, potassium salt	Alfalfa	234.73	22	129.7	A
glyphosate, potassium salt	Avocado	91.91	3	66.28	A
glyphosate, potassium salt	Blackberry	11.03	1	2.0	A
glyphosate, potassium salt	Broccoli	62.06	2	25.0	A
glyphosate, potassium salt	Cabbage	1.91	2	1.22	A
glyphosate, potassium salt	Cactus pear	252.67	4	91.6	A
glyphosate, potassium salt	Cannabis (all or unspecified)	0.17	2	2.0	A
glyphosate, potassium salt	Chinese cabbage (nappa)	39.31	2	28.5	A
glyphosate, potassium salt	Corn, human consumption	8.28	1	4.0	A
glyphosate, potassium salt	Endive (escarole)	52.87	8	38.48	A
glyphosate, potassium salt	Grape	0.17	1	1.0	A
glyphosate, potassium salt	Grape, wine	47,835.98	1,895	37,449.13	A
glyphosate, potassium salt	Landscape maintenance	88.96	7	6.93	A
glyphosate, potassium salt	Landscape maintenance	1,607.93	N/A	N/A	N/A
glyphosate, potassium salt	Leek	185.5	7	56.5	A
glyphosate, potassium salt	Lemon	620.63	20	630.0	A
glyphosate, potassium salt	Lettuce, head	314.89	7	108.2	A
glyphosate, potassium salt	Lettuce, leaf	1,175.05	28	375.44	A
glyphosate, potassium salt	N-grnhs plants in containers	5.52	8	800,000.0	S
glyphosate, potassium salt	N-outdr flower	55.9	52	30.68	A
glyphosate, potassium salt	Rapini	37.79	1	13.7	A
glyphosate, potassium salt	Raspberry	5.52	1	1.0	A
glyphosate, potassium salt	Research commodity	154.23	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
glyphosate, potassium salt	Rights of way	9,400.76	N/A	N/A	N/A
glyphosate, potassium salt	Spinach	260.39	18	188.8	A
glyphosate, potassium salt	Strawberry	788.06	16	95.0	A
glyphosate, potassium salt	Uncultivated ag	60,155.98	1,616	18,372.92	A
glyphosate, potassium salt	Uncultivated ag	4.78	2	33,775.0	S
glyphosate, potassium salt	Uncultivated non-ag	323.28	12	78.3	A
glyphosate, potassium salt	Walnut	537.88	3	130.0	A
heptamethyltrisiloxane ethoxylated	Artichoke, globe	4.41	1	16.8	A
heptamethyltrisiloxane ethoxylated	Blackberry	34.83	8	116.37	A
heptamethyltrisiloxane ethoxylated	Broccoli	0.14	1	9.0	A
heptamethyltrisiloxane ethoxylated	Grape	7.95	4	141.27	A
heptamethyltrisiloxane ethoxylated	Grape, wine	700.92	81	6,607.55	A
heptamethyltrisiloxane ethoxylated	Raspberry	1.49	1	12.72	A
heptamethyltrisiloxane ethoxylated	Strawberry	566.59	56	2,205.29	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Artichoke, globe	27.6	52	523.03	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Arugula	6.2	12	47.64	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Blackberry	1.4	5	16.9	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Broccoli	812.02	1,139	14,144.37	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Brussels sprout	775.94	594	10,342.19	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cabbage	116.92	139	1,401.65	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cannabis (all or unspecified)	30.8	12	398,191.0	S
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Carrot	12.07	13	121.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cauliflower	284.75	411	4,233.43	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Celery	119.86	309	2,320.45	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Cilantro	8.14	41	125.18	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Fennel	0.41	2	6.84	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape	6.62	4	141.27	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Grape, wine	851.86	296	10,053.3	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Kale	0.58	2	7.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Landscape maintenance	0.73	N/A	N/A	N/A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lettuce, head	93.03	154	2,052.5	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Lettuce, leaf	146.54	241	2,798.05	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-grnhs flower	855.83	359	428.86	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	N-outdr plants in containers	2.59	1	1.59	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Oat	3.88	2	69.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Onion, dry	14.86	17	247.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Peas	21.09	52	729.4	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Rapini	10.25	21	318.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Raspberry	93.21	63	924.49	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Rights of way	0.15	N/A	N/A	N/A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Strawberry	516.84	236	2,642.77	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Swiss chard	0.25	1	3.0	A
heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Uncultivated ag	260.98	239	4,193.71	A
heptyl butyrate	Structural pest control	0.03	N/A	N/A	N/A
(z)-11-hexadecen-1-yl acetate	Brussels sprout	13.08	70	599.7	A
(z)-11-hexadecenal	Brussels sprout	13.08	70	599.7	A
hexylene glycol	Rights of way	77.33	N/A	N/A	N/A
hexythiazox	Bean, succulent	9.26	4	58.0	A
hexythiazox	Blackberry	11.33	7	60.43	A
hexythiazox	Grape, wine	41.79	3	264.94	A
hexythiazox	N-grnhs flower	0.69	3	4.4	A
hexythiazox	N-grnhs flower	<0.01	1	75.0	S
hexythiazox	N-grnhs plants in containers	3.27	7	25.6	A
hexythiazox	N-grnhs plants in containers	4.25	34	1,175,750.0	S
hexythiazox	N-outdr plants in containers	1.46	5	14.76	A
hexythiazox	Raspberry	28.71	18	161.45	A
hexythiazox	Strawberry	515.26	80	2,769.81	A
humic acid	Brussels sprout	5.18	2	53.8	A
humic acid	Uncultivated ag	61.44	66	699.3	A
hydramethylnon	Landscape maintenance	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydramethylnon	Structural pest control	0.13	N/A	N/A	N/A
hydrogen peroxide	Artichoke, globe	2.56	1	14.6	A
hydrogen peroxide	Arugula	7.27	28	76.98	A
hydrogen peroxide	Bok choy	1.66	4	17.18	A
hydrogen peroxide	Broccoli	114.4	120	1,176.25	A
hydrogen peroxide	Brussels sprout	26.28	19	224.7	A
hydrogen peroxide	Cannabis (all or unspecified)	72.28	25	10.77	A
hydrogen peroxide	Cannabis (all or unspecified)	263.66	548	1,817,070.0	S
hydrogen peroxide	Carrot	8.48	8	74.9	A
hydrogen peroxide	Cauliflower	59.04	95	595.56	A
hydrogen peroxide	Celery	47.94	21	180.4	A
hydrogen peroxide	Chinese cabbage (nappa)	2.67	7	27.25	A
hydrogen peroxide	Ditch bank	3,740.95	N/A	6.0	U
hydrogen peroxide	Endive (escarole)	17.33	51	200.18	A
hydrogen peroxide	Fennel	7.84	1	3.15	A
hydrogen peroxide	Grape, wine	6,747.18	253	7,002.77	A
hydrogen peroxide	Industrial hemp	6.54	N/A	2.0	A
hydrogen peroxide	Industrial hemp	0.3	1	5,000.0	S
hydrogen peroxide	Kale	66.11	75	549.06	A
hydrogen peroxide	Leek	2.15	9	21.3	A
hydrogen peroxide	Lettuce, head	61.98	107	588.61	A
hydrogen peroxide	Lettuce, leaf	381.87	328	1,861.15	A
hydrogen peroxide	Mizuna	0.22	3	4.56	A
hydrogen peroxide	Mustard greens	0.74	2	9.2	A
hydrogen peroxide	N-grnhs flower	2.33	4	14,400.0	S
hydrogen peroxide	N-grnhs plants in containers	0.64	3	6,300.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
hydrogen peroxide	N-grnhs transplants	4.5	7	252,148.0	S
hydrogen peroxide	Onion, dry	5.12	5	49.3	A
hydrogen peroxide	Peas	58.32	15	161.6	A
hydrogen peroxide	Raspberry	838.87	19	452.45	A
hydrogen peroxide	Spinach	52.92	75	542.54	A
hydrogen peroxide	Strawberry	422.96	22	219.24	A
hydrogen peroxide	Swiss chard	5.91	12	39.89	A
hydrogen peroxide	Uncultivated ag	0.08	1	276.0	S
hydrogen peroxide	Water (industrial)	200.65	N/A	2.0	U
hydrogen peroxide	Water area	844.36	N/A	177.62	A
hydroprene	Industrial hemp	<0.01	N/A	0.5	A
hydroprene	Landscape maintenance	0.02	N/A	N/A	N/A
hydroprene	Structural pest control	12.84	N/A	N/A	N/A
hydrotreated paraffinic solvent	Landscape maintenance	61.78	N/A	N/A	N/A
hydrotreated paraffinic solvent	Lettuce, head	161.9	42	466.85	A
hydrotreated paraffinic solvent	Lettuce, leaf	28.26	9	95.7	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Artichoke, globe	87.66	43	407.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Arugula	0.39	2	4.8	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Broccoli	839.54	689	6,374.4	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Brussels sprout	225.23	77	1,198.3	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cabbage	27.96	10	78.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Carrot	50.95	53	717.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cauliflower	905.56	423	3,974.2	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Celery	103.92	70	373.4	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Cucumber	6.63	5	49.95	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Endive (escarole)	1.67	6	31.1	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Fennel	5.15	3	7.15	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Grape, wine	1,400.63	419	12,397.92	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Kale	10.42	110	327.15	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, head	110.51	46	483.6	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Lettuce, leaf	793.26	240	1,498.68	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Onion, dry	76.74	31	458.6	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Peas	23.67	34	442.4	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Pepper, fruiting	2.63	1	13.1	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Radicchio	230.36	23	335.0	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Rights of way	1.27	N/A	N/A	N/A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Swiss chard	0.46	11	8.05	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Uncultivated ag	50.85	53	383.3	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Uncultivated non-ag	6.74	6	50.25	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Upland cress	0.17	5	12.9	A
2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate	Water area	0.34	1	2.5	A
iba	Cannabis (all or unspecified)	0.01	25	4,227.0	S
imazamox, ammonium salt	Landscape maintenance	0.28	N/A	N/A	N/A
imazapic, ammonium salt	Landscape maintenance	<0.01	N/A	N/A	N/A
imazapyr, isopropylamine salt	Ditch bank	38.26	N/A	23.38	A
imazapyr, isopropylamine salt	Forest, timberland	38.26	N/A	23.38	A
imazapyr, isopropylamine salt	Landscape maintenance	1.07	N/A	N/A	N/A
imazapyr, isopropylamine salt	Rights of way	300.92	N/A	N/A	N/A
imidacloprid	Artichoke, globe	91.36	97	922.7	A
imidacloprid	Arugula	24.57	136	540.99	A
imidacloprid	Bean, succulent	1.81	4	58.0	A
imidacloprid	Beet	2.04	16	48.8	A
imidacloprid	Bok choy	10.28	61	222.5	A
imidacloprid	Broccoli	1,350.94	1,206	12,920.55	A
imidacloprid	Brussels sprout	816.5	365	4,658.28	A
imidacloprid	Cabbage	39.25	87	638.65	A
imidacloprid	Carrot	10.41	21	240.0	A
imidacloprid	Carrot	2.22	N/A	507.84	P
imidacloprid	Cauliflower	478.36	434	3,983.03	A
imidacloprid	Celery	17.01	36	362.3	A
imidacloprid	Chinese cabbage (nappa)	17.87	123	397.78	A
imidacloprid	Cilantro	16.27	134	384.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Collard	3.92	8	83.2	A
imidacloprid	Endive (escarole)	21.74	133	365.27	A
imidacloprid	Fava bean	1.48	4	6.0	A
imidacloprid	Fennel	28.59	9	30.3	A
imidacloprid	Grape, wine	4,515.14	295	12,573.38	A
imidacloprid	Kale	50.97	75	516.72	A
imidacloprid	Landscape maintenance	85.89	N/A	N/A	N/A
imidacloprid	Lemon	258.73	25	687.0	A
imidacloprid	Lettuce, head	1,730.83	2,047	24,337.25	A
imidacloprid	Lettuce, leaf	3,089.55	4,042	42,607.41	A
imidacloprid	Mizuna	2.02	16	44.6	A
imidacloprid	Mustard greens	6.11	30	134.53	A
imidacloprid	N-grnhs flower	193.45	28	50.09	A
imidacloprid	N-grnhs flower	0.3	4	3,619.0	S
imidacloprid	N-grnhs plants in containers	92.72	15	34.5	A
imidacloprid	N-grnhs plants in containers	6.87	17	558,705.0	S
imidacloprid	N-grnhs transplants	4.44	5	1.39	A
imidacloprid	N-grnhs transplants	0.06	1	7,376.0	S
imidacloprid	N-outdr flower	4.24	22	20.0	A
imidacloprid	N-outdr plants in containers	1.13	5	3.76	A
imidacloprid	N-outdr plants in containers	0.67	4	13,665.0	S
imidacloprid	N-outdr transplants	0.49	1	0.25	A
imidacloprid	N-outdr transplants	14.02	42	2,678,753.0	S
imidacloprid	Onion, dry	22.67	N/A	2,452.25	P
imidacloprid	Peas	76.41	155	1,739.84	A
imidacloprid	Pepper, fruiting	13.11	19	256.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
imidacloprid	Public health	9.68	N/A	N/A	N/A
imidacloprid	Radicchio	62.4	14	184.2	A
imidacloprid	Radish	1.0	15	11.44	A
imidacloprid	Rapini	634.34	82	1,170.0	A
imidacloprid	Research commodity	1.87	20	44.0	A
imidacloprid	Research commodity	2.32	N/A	N/A	N/A
imidacloprid	Rights of way	0.16	N/A	N/A	N/A
imidacloprid	Spinach	579.87	1,535	12,656.48	A
imidacloprid	Strawberry	521.57	33	1,050.52	A
imidacloprid	Structural pest control	795.07	N/A	N/A	N/A
imidacloprid	Swiss chard	23.92	17	74.93	A
imidacloprid	Turnip	0.42	11	8.88	A
imidacloprid	Vertebrate control	0.01	N/A	N/A	N/A
imiprothrin	Structural pest control	<0.01	N/A	N/A	N/A
indaziflam	Grape, wine	164.14	287	4,224.01	A
indaziflam	Industrial site	9.37	N/A	143.4	A
indaziflam	Landscape maintenance	3.17	N/A	N/A	N/A
indaziflam	N-grnhs flower	0.07	6	13.55	A
indaziflam	N-grnhs plants in containers	0.6	20	64.44	A
indaziflam	N-grnhs plants in containers	<0.01	1	15,000.0	S
indaziflam	N-outdr plants in containers	0.49	7	26.02	A
indaziflam	Rights of way	96.57	N/A	N/A	N/A
indaziflam	Structural pest control	0.85	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
indaziflam	Uncultivated ag	3.26	9	47.1	A
indaziflam	Uncultivated ag	0.46	75	1,186,500.0	S
indoxacarb	Bok choy	2.46	11	39.35	A
indoxacarb	Broccoli	988.83	1,345	15,183.34	A
indoxacarb	Brussels sprout	425.71	479	6,501.39	A
indoxacarb	Cabbage	157.14	214	2,396.67	A
indoxacarb	Cauliflower	406.31	586	6,222.56	A
indoxacarb	Celery	6.98	15	106.6	A
indoxacarb	Chinese cabbage (nappa)	3.09	13	47.05	A
indoxacarb	Collard	3.06	5	46.6	A
indoxacarb	Endive (escarole)	0.5	2	7.0	A
indoxacarb	Kale	31.18	74	477.73	A
indoxacarb	Landscape maintenance	0.01	N/A	N/A	N/A
indoxacarb	Lettuce, head	92.42	122	1,390.89	A
indoxacarb	Lettuce, leaf	150.27	345	2,255.15	A
indoxacarb	N-grnhs transplants	9.1	341	120.66	A
indoxacarb	N-outdr transplants	0.26	4	170,505.0	S
indoxacarb	Rapini	4.37	13	66.6	A
indoxacarb	Research commodity	0.02	N/A	N/A	N/A
indoxacarb	Spinach	3.02	3	46.0	A
indoxacarb	Structural pest control	38.68	N/A	N/A	N/A
indoxacarb	Tomato	7.02	20	114.0	A
indoxacarb	Upland cress	2.19	14	33.7	A
3-iodo-2-propynyl butylcarbamate	Structural pest control	0.02	N/A	N/A	N/A
iprodione	Blackberry	0.52	2	45,360.0	S
iprodione	Broccoli	233.39	30	232.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
iprodione	Carrot	2.26	N/A	456.0	P
iprodione	Cauliflower	0.5	1	0.5	A
iprodione	Golf course turf	9.96	N/A	6.0	A
iprodione	Landscape maintenance	597.98	N/A	N/A	N/A
iprodione	Lettuce, head	1,585.9	150	1,653.96	A
iprodione	Lettuce, leaf	1,769.97	173	1,761.91	A
iprodione	N-grnhs flower	152.94	4	9.34	A
iprodione	N-grnhs plants in containers	187.05	35	230.85	A
iprodione	N-grnhs plants in containers	58.5	76	1,916,310.0	S
iprodione	N-grnhs transplants	9.5	7	420,000.0	S
iprodione	N-outdr flower	138.35	216	219.5	A
iprodione	N-outdr plants in containers	63.94	17	103.13	A
iprodione	N-outdr plants in containers	0.41	1	1,500.0	S
iprodione	N-outdr transplants	2.33	3	101,551.0	S
iprodione	Onion, dry	31.38	2	55.5	A
iprodione	Raspberry	31.76	2	31.3	A
iprodione	Raspberry	40.27	18	1,801,605.0	S
iprodione	Research commodity	0.42	N/A	N/A	N/A
iron hedta	Landscape maintenance	5.71	N/A	N/A	N/A
iron phosphate	Blackberry	2.2	1	11.0	A
iron phosphate	Broccoli	7.9	5	40.4	A
iron phosphate	Cabbage	0.8	1	4.0	A
iron phosphate	Cannabis (all or unspecified)	0.49	1	1.0	A
iron phosphate	Celery	20.5	19	90.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
iron phosphate	Grape, wine	13.47	1	53.89	A
iron phosphate	Landscape maintenance	15.12	N/A	N/A	N/A
iron phosphate	Lettuce, leaf	0.8	1	4.0	A
iron phosphate	N-outdr flower	0.4	2	8.0	A
iron phosphate	Raspberry	39.57	10	132.83	A
iron phosphate	Strawberry	179.53	40	883.82	A
iron phosphate	Uncultivated ag	6.6	5	22.27	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Broccoli	0.32	1	9.0	A
alpha-isodecyl-omega-hydroxypoly(oxyethylene) phosphate	Grape, wine	120.53	34	997.93	A
isofetamid	Strawberry	159.24	15	396.0	A
alpha-isooctadecyl-omega-hydroxypoly(oxyethylene)	Public health	0.09	N/A	N/A	N/A
isoparaffinic hydrocarbons	Grape, wine	1.1	1	3.0	A
isoparaffinic hydrocarbons	Raspberry	125.69	6	72.74	A
isoparaffinic hydrocarbons	Uncultivated ag	0.64	1	2.0	A
isopropyl alcohol	Barley	11.2	3	1,174.0	A
isopropyl alcohol	Blueberry	0.03	1	1.5	A
isopropyl alcohol	Broccoli	29.55	57	709.14	A
isopropyl alcohol	Brussels sprout	0.27	1	20.2	A
isopropyl alcohol	Cabbage	1.14	4	30.55	A
isopropyl alcohol	Carrot	0.49	35	34.28	A
isopropyl alcohol	Cauliflower	11.69	18	196.5	A
isopropyl alcohol	Endive (escarole)	4.15	16	55.55	A
isopropyl alcohol	Grape, wine	2,590.18	1,483	38,513.16	A
isopropyl alcohol	Landscape maintenance	2.22	N/A	N/A	N/A
isopropyl alcohol	Lettuce, head	241.46	551	7,506.13	A
isopropyl alcohol	Lettuce, leaf	316.08	673	6,923.33	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
isopropyl alcohol	N-grnhs flower	0.29	21	20.7	A
isopropyl alcohol	N-grnhs plants in containers	0.07	3	35,760.0	S
isopropyl alcohol	Peas	0.01	1	0.66	A
isopropyl alcohol	Radish	0.71	46	42.77	A
isopropyl alcohol	Research commodity	0.28	52	234,000.0	S
isopropyl alcohol	Rights of way	4.19	N/A	N/A	N/A
isopropyl alcohol	Strawberry	131.62	201	2,792.5	A
isopropyl alcohol	Structural pest control	75.21	N/A	N/A	N/A
isopropyl alcohol	Turnip	0.17	12	10.38	A
isopropyl alcohol	Uncultivated ag	25.95	10	567.25	A
isopropylamine dodecylbenzene sulfonate	Grape, wine	2.12	35	347.7	A
isopropylamine dodecylbenzene sulfonate	Landscape maintenance	0.5	N/A	N/A	N/A
isopropylamine dodecylbenzene sulfonate	Raspberry	5.03	6	72.74	A
isoxaben	Grape, wine	293.42	56	893.83	A
isoxaben	Landscape maintenance	37.59	N/A	N/A	N/A
isoxaben	N-grnhs flower	0.39	2	4.85	A
isoxaben	N-grnhs plants in containers	0.33	1	2.09	A
isoxaben	N-grnhs plants in containers	0.01	1	660.0	S
isoxaben	N-outdr plants in containers	0.11	3	0.93	A
isoxaben	N-outdr plants in containers	9.78	51	868,504.0	S
isoxaben	Pistachio	46.43	1	60.0	A
isoxaben	Rights of way	4.88	N/A	N/A	N/A
kaolin	Cauliflower	142.5	1	4.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
kaolin	Onion, dry	29,027.23	40	597.3	A
kaolin	Pepper, fruiting	3,016.25	7	66.35	A
kinoprene	N-grnhs flower	0.15	5	5,550.0	S
(s)-kinoprene	N-grnhs flower	43.91	13	33.01	A
(s)-kinoprene	N-grnhs flower	0.73	6	80,000.0	S
(s)-kinoprene	N-grnhs plants in containers	128.29	50	114.77	A
(s)-kinoprene	N-grnhs plants in containers	79.0	109	4,853,591.0	S
(s)-kinoprene	N-outdr plants in containers	3.71	1	3.48	A
(s)-kinoprene	N-outdr plants in containers	0.2	2	15,000.0	S
(s)-kinoprene	Research commodity	0.15	N/A	N/A	N/A
kresoxim-methyl	Grape, wine	647.27	143	4,228.54	A
lactose	Cannabis (all or unspecified)	0.01	1	0.25	A
lambda-cyhalothrin	Alfalfa	0.69	1	22.2	A
lambda-cyhalothrin	Bean, dried	3.65	9	117.1	A
lambda-cyhalothrin	Bean, succulent	3.09	9	99.5	A
lambda-cyhalothrin	Bean, unspecified	0.64	2	20.4	A
lambda-cyhalothrin	Broccoli	969.23	2,951	32,499.44	A
lambda-cyhalothrin	Brussels sprout	176.94	469	5,828.19	A
lambda-cyhalothrin	Cabbage	131.56	430	4,522.47	A
lambda-cyhalothrin	Cauliflower	307.21	942	10,027.05	A
lambda-cyhalothrin	Chinese cabbage (nappa)	10.87	204	378.55	A
lambda-cyhalothrin	Garlic	1.06	2	34.0	A
lambda-cyhalothrin	Landscape maintenance	0.05	N/A	N/A	N/A
lambda-cyhalothrin	Lettuce, head	2,749.6	7,883	90,875.36	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lambda-cyhalothrin	Lettuce, leaf	3,536.53	11,338	117,145.21	A
lambda-cyhalothrin	N-grnhs plants in containers	0.06	4	65,000.0	S
lambda-cyhalothrin	N-outdr plants in containers	3.16	21	170.95	A
lambda-cyhalothrin	N-outdr plants in containers	0.62	24	555,200.0	S
lambda-cyhalothrin	Onion, dry	47.09	92	1,525.1	A
lambda-cyhalothrin	Peas	137.46	356	4,417.19	A
lambda-cyhalothrin	Pepper, fruiting	12.39	27	418.2	A
lambda-cyhalothrin	Pumpkin	0.2	3	6.9	A
lambda-cyhalothrin	Rapini	6.19	11	196.4	A
lambda-cyhalothrin	Research commodity	1.57	21	57.0	A
lambda-cyhalothrin	Research commodity	0.01	N/A	N/A	N/A
lambda-cyhalothrin	Structural pest control	20.83	N/A	N/A	N/A
lambda-cyhalothrin	Sunflower	0.96	5	32.23	A
lambda-cyhalothrin	Uncultivated ag	0.52	4	25.0	A
lambda-cyhalothrin	Walnut	3.93	1	100.0	A
lauric acid	Grape, wine	0.24	1	11.07	A
lauryl alcohol	Apple	0.48	2	10.0	A
lavandulyl senecioate	Grape, wine	565.42	1,207	49,198.33	A
lecithin	Artichoke, globe	784.02	319	3,244.4	A
lecithin	Arugula	16.62	32	364.7	A
lecithin	Bean, dried	22.39	7	79.5	A
lecithin	Blackberry	55.29	8	115.5	A
lecithin	Broccoli	7,752.56	2,301	27,962.07	A
lecithin	Brussels sprout	5,526.93	984	15,839.79	A
lecithin	Cabbage	1,566.35	531	6,055.59	A
lecithin	Carrot	336.28	77	1,146.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Cauliflower	2,379.21	642	6,579.5	A
lecithin	Celery	1,663.31	624	4,989.52	A
lecithin	Corn salad	0.55	2	5.8	A
lecithin	Corn, human consumption	1.51	1	4.0	A
lecithin	Cucumber	5.82	9	64.1	A
lecithin	Endive (escarole)	4.8	29	35.65	A
lecithin	Fennel	167.78	57	634.5	A
lecithin	Garlic	1,131.17	224	4,157.4	A
lecithin	Grape, wine	11,572.6	845	22,129.2	A
lecithin	Industrial site	72.43	N/A	143.4	A
lecithin	Kale	144.32	70	496.27	A
lecithin	Kohlrabi	6.45	2	23.4	A
lecithin	Landscape maintenance	1.53	1	1.5	A
lecithin	Landscape maintenance	49.14	N/A	N/A	N/A
lecithin	Leek	31.21	48	201.26	A
lecithin	Lemon	49.89	2	66.5	A
lecithin	Lettuce, head	8,371.95	2,551	31,600.08	A
lecithin	Lettuce, leaf	21,158.58	6,874	81,279.12	A
lecithin	Mustard greens	2.13	14	47.5	A
lecithin	N-grnhs flower	0.6	2	2.45	A
lecithin	N-grnhs plants in containers	31.09	27	71.84	A
lecithin	N-grnhs plants in containers	0.94	7	53,000.0	S
lecithin	N-grnhs transplants	68.76	382	173.28	A
lecithin	N-outdr plants in containers	21.89	9	25.28	A
lecithin	N-outdr plants in containers	4.36	9	153,600.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
lecithin	Oat	0.28	1	10.0	A
lecithin	Onion, dry	285.15	95	1,479.2	A
lecithin	Pastureland	0.38	1	15.0	A
lecithin	Peas	484.7	319	4,072.6	A
lecithin	Pepper, fruiting	118.75	32	623.7	A
lecithin	Pumpkin	0.66	1	14.0	A
lecithin	Radicchio	10.67	9	74.75	A
lecithin	Rangeland	0.45	1	3.0	A
lecithin	Rapini	902.48	367	4,754.5	A
lecithin	Raspberry	60.12	11	97.83	A
lecithin	Rights of way	730.15	N/A	N/A	N/A
lecithin	Spinach	13.23	25	113.8	A
lecithin	Squash	7.62	6	56.0	A
lecithin	Squash, summer	6.8	5	29.0	A
lecithin	Strawberry	4,538.99	182	7,006.24	A
lecithin	Swiss chard	130.06	65	338.46	A
lecithin	Uncultivated ag	5,559.17	1,314	12,999.11	A
lecithin	Uncultivated ag	4.84	N/A	97,875.0	S
lecithin	Uncultivated non-ag	9.16	1	6.0	A
lecithin	Wheat	11.19	1	55.0	A
lime-sulfur	Blackberry	3,569.83	15	108.62	A
lime-sulfur	Grape, wine	77,795.66	167	3,050.52	A
lime-sulfur	Raspberry	11,463.34	27	349.18	A
limonene	Landscape maintenance	4.38	N/A	N/A	N/A
limonene	Raspberry	100.55	6	72.74	A
limonene	Structural pest control	181.75	N/A	N/A	N/A
linuron	Carrot	2,638.75	312	3,810.69	A
linuron	Celery	266.14	60	369.4	A
linuron	Cilantro	137.83	72	229.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
linuron	Peas	55.78	6	71.4	A
magnesium chloride	Landscape maintenance	10.02	N/A	N/A	N/A
magnesium phosphide	Commodity fumigation	0.2	N/A	N/A	N/A
malathion	Blackberry	136.54	14	90.28	A
malathion	Broccoli	1,487.46	103	1,302.99	A
malathion	Brussels sprout	2,624.91	165	2,066.1	A
malathion	Cabbage	378.96	53	361.5	A
malathion	Cauliflower	366.16	24	295.9	A
malathion	Celery	1,694.63	122	1,265.8	A
malathion	Commodity fumigation	96.08	N/A	N/A	N/A
malathion	Endive (escarole)	6.79	3	6.68	A
malathion	Grape, wine	1,518.08	31	953.73	A
malathion	Kale	160.54	17	157.36	A
malathion	Landscape maintenance	0.13	N/A	N/A	N/A
malathion	Leek	70.9	5	46.3	A
malathion	Lettuce, head	4,034.58	179	2,385.2	A
malathion	Lettuce, leaf	5,745.48	317	3,503.6	A
malathion	N-grnhs plants in containers	30.89	29	16.55	A
malathion	Onion, dry	27.56	1	18.0	A
malathion	Peas	447.92	59	478.35	A
malathion	Radish	163.56	88	156.51	A
malathion	Raspberry	628.46	40	450.56	A
malathion	Spinach	533.1	67	522.7	A
malathion	Strawberry	13,972.61	251	6,993.69	A
malathion	Turnip	2.72	3	2.66	A
maleic hydrazide, potassium salt	Onion, dry	1,731.29	39	658.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mancozeb	Broccoli	6,887.06	291	4,361.3	A
mancozeb	Fennel	531.34	33	333.48	A
mancozeb	Garlic	783.96	17	337.88	A
mancozeb	Golf course turf	38.4	N/A	3.0	A
mancozeb	Landscape maintenance	1,266.6	N/A	N/A	N/A
mancozeb	Lettuce, head	74,085.03	4,209	49,025.19	A
mancozeb	Lettuce, leaf	99,045.59	6,079	64,642.98	A
mancozeb	N-grnhs plants in containers	20.67	7	12.78	A
mancozeb	N-grnhs plants in containers	10.9	11	225,100.0	S
mancozeb	N-grnhs transplants	1,232.95	1,238	444.1	A
mancozeb	N-grnhs transplants	57.11	31	1,474,338.0	S
mancozeb	N-outdr flower	7.88	13	13.74	A
mancozeb	N-outdr plants in containers	14.25	9	15.71	A
mancozeb	N-outdr plants in containers	0.84	1	15,000.0	S
mancozeb	N-outdr transplants	1.22	1	1.0	A
mancozeb	N-outdr transplants	148.04	77	4,363,017.0	S
mancozeb	Onion, dry	5,236.86	165	2,671.1	A
mancozeb	Research commodity	1.0	N/A	N/A	N/A
mancozeb	Walnut	990.0	6	550.0	A
mandipropamid	Artichoke, globe	2.96	1	22.7	A
mandipropamid	Arugula	409.06	335	3,144.65	A
mandipropamid	Broccoli	195.99	133	1,530.53	A
mandipropamid	Brussels sprout	2.46	1	18.8	A
mandipropamid	Cabbage	112.35	68	863.39	A
mandipropamid	Cauliflower	89.21	68	702.4	A
mandipropamid	Celery	6.4	6	49.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mandipropamid	Endive (escarole)	2.68	4	20.6	A
mandipropamid	Fennel	2.27	1	17.4	A
mandipropamid	Kale	184.43	241	1,417.96	A
mandipropamid	Kohlrabi	3.48	6	26.7	A
mandipropamid	Leek	2.63	9	20.2	A
mandipropamid	Lettuce, head	6,220.35	4,240	48,543.53	A
mandipropamid	Lettuce, leaf	9,576.81	7,363	75,203.72	A
mandipropamid	Mizuna	6.17	19	47.5	A
mandipropamid	Mustard greens	39.75	88	305.3	A
mandipropamid	N-grnhs flower	0.37	1	1.95	A
mandipropamid	N-grnhs plants in containers	3.94	30	28.41	A
mandipropamid	N-grnhs plants in containers	1.33	7	153,750.0	S
mandipropamid	N-grnhs transplants	0.49	9	164,948.0	S
mandipropamid	N-outdr flower	1.69	16	13.0	A
mandipropamid	N-outdr plants in containers	0.04	1	8,000.0	S
mandipropamid	N-outdr transplants	2.16	5	17.5	A
mandipropamid	Onion, dry	129.67	55	997.0	A
mandipropamid	Peas	10.12	5	77.7	A
mandipropamid	Radicchio	7.31	7	56.0	A
mandipropamid	Rapini	43.36	22	357.7	A
mandipropamid	Research commodity	0.32	N/A	N/A	N/A
mandipropamid	Spinach	3,811.85	3,165	30,103.46	A
mandipropamid	Swiss chard	56.63	134	434.94	A
mandipropamid	Upland cress	36.94	95	283.8	A
manganese sulfate	Spinach	0.21	1	7.5	A
margosa oil	Artichoke, globe	42.72	7	37.21	A
margosa oil	Blackberry	0.46	3	13.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
margosa oil	Broccoli	867.73	82	758.33	A
margosa oil	Cannabis (all or unspecified)	118.77	109	768,576.0	S
margosa oil	Cauliflower	560.26	69	515.84	A
margosa oil	Celery	44.39	6	30.5	A
margosa oil	Corn (forage - fodder)	4.93	4	4.0	A
margosa oil	Lettuce, head	196.78	52	166.37	A
margosa oil	Lettuce, leaf	2,428.66	381	2,172.87	A
margosa oil	Onion, dry	12.32	1	10.0	A
margosa oil	Raspberry	1,997.22	39	595.94	A
margosa oil	Strawberry	3,154.31	304	7,767.29	A
mcpa, dimethylamine salt	Barley	650.03	3	1,174.0	A
mcpa, 2-ethyl hexyl ester	Landscape maintenance	0.62	N/A	N/A	N/A
mcpa, isooctyl ester	Research commodity	0.22	N/A	N/A	N/A
mcpp-p, dimethylamine salt	Landscape maintenance	1.73	N/A	N/A	N/A
mecoprop-p	Landscape maintenance	167.6	N/A	N/A	N/A
mefenoxam	Arugula	21.82	16	171.2	A
mefenoxam	Asparagus	132.27	13	263.9	A
mefenoxam	Bean, succulent	0.16	N/A	2,196.6	P
mefenoxam	Beet	10.74	7	21.6	A
mefenoxam	Beet	0.09	N/A	614.0	P
mefenoxam	Blackberry	0.6	1	6.0	A
mefenoxam	Broccoli	148.83	136	1,523.49	A
mefenoxam	Broccoli	<0.01	N/A	24.0	P
mefenoxam	Cabbage	4.58	9	73.49	A
mefenoxam	Cabbage	<0.01	N/A	26.0	P
mefenoxam	Carrot	259.31	61	914.85	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	Carrot	0.09	N/A	3,171.48	P
mefenoxam	Cauliflower	17.88	29	209.8	A
mefenoxam	Celery	<0.01	N/A	17.0	P
mefenoxam	Cucumber	4.36	N/A	29,635.6	P
mefenoxam	Fennel	0.4	1	3.1	A
mefenoxam	Fennel	0.08	N/A	513.0	P
mefenoxam	Kale	127.24	93	360.92	A
mefenoxam	Landscape maintenance	11.99	N/A	N/A	N/A
mefenoxam	Leek	9.81	18	48.4	A
mefenoxam	Lettuce, head	307.92	192	2,458.56	A
mefenoxam	Lettuce, leaf	239.88	176	1,918.2	A
mefenoxam	Lettuce, leaf	0.83	N/A	5,394.0	P
mefenoxam	Melon	0.08	N/A	352.0	P
mefenoxam	Mustard greens	9.05	9	31.07	A
mefenoxam	N-grnhs flower	61.65	48	99.68	A
mefenoxam	N-grnhs flower	0.98	24	86,872.0	S
mefenoxam	N-grnhs plants in containers	134.8	298	2,355.73	A
mefenoxam	N-grnhs plants in containers	59.39	428	7,590,862.0	S
mefenoxam	N-grnhs transplants	0.65	13	893,000.0	S
mefenoxam	N-outdr flower	1.64	56	50.5	A
mefenoxam	N-outdr plants in containers	77.3	214	2,554.48	A
mefenoxam	N-outdr plants in containers	1.36	12	256,046.0	S
mefenoxam	N-outdr transplants	0.03	1	0.25	A
mefenoxam	N-outdr transplants	0.03	1	19,620.0	S
mefenoxam	Onion, dry	161.58	75	1,552.1	A
mefenoxam	Onion, dry	1.07	N/A	25,406.41	P



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam	Parsley	32.95	7	71.5	A
mefenoxam	Parsnip	0.19	N/A	1,260.0	P
mefenoxam	Peas	13.23	4	53.5	A
mefenoxam	Pepper, fruiting	13.27	1	26.5	A
mefenoxam	Pepper, fruiting	0.01	N/A	80.0	P
mefenoxam	Pumpkin	0.96	N/A	5,925.3	P
mefenoxam	Rapini	20.84	4	59.2	A
mefenoxam	Raspberry	139.43	20	157.38	A
mefenoxam	Research commodity	1.32	52	234,000.0	S
mefenoxam	Research commodity	4.54	N/A	N/A	N/A
mefenoxam	Spinach	8,078.33	1,745	13,483.42	A
mefenoxam	Spinach	5.84	N/A	38,897.34	P
mefenoxam	Spinach	1.14	N/A	7,640.7	U
mefenoxam	Squash	0.1	N/A	2,582.32	P
mefenoxam	Strawberry	2,103.18	131	4,273.01	A
mefenoxam	Tomato	7.74	12	74.4	A
mefenoxam	Tomato	0.02	N/A	116.0	P
mefenoxam, other related	Bean, succulent	0.01	N/A	2,196.6	P
mefenoxam, other related	Beet	<0.01	N/A	614.0	P
mefenoxam, other related	Carrot	<0.01	N/A	2,631.24	P
mefenoxam, other related	Cucumber	<0.01	N/A	2,102.68	P
mefenoxam, other related	Landscape maintenance	0.05	N/A	N/A	N/A
mefenoxam, other related	Lettuce, head	<0.01	3	0.21	A
mefenoxam, other related	N-grnhs flower	2.03	48	99.68	A
mefenoxam, other related	N-grnhs flower	0.03	24	86,872.0	S
mefenoxam, other related	N-grnhs plants in containers	3.23	119	180.75	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
mefenoxam, other related	N-grnhs plants in containers	<0.01	2	120,800.0	S
mefenoxam, other related	N-outdr flower	0.03	17	16.5	A
mefenoxam, other related	N-outdr plants in containers	1.4	97	177.0	A
mefenoxam, other related	N-outdr plants in containers	0.01	4	229,000.0	S
mefenoxam, other related	Onion, dry	0.01	N/A	14,059.41	P
mefenoxam, other related	Spinach	0.18	N/A	38,897.34	P
mefenoxam, other related	Spinach	0.04	N/A	7,640.7	U
mefenoxam, other related	Squash	<0.01	N/A	2,117.75	P
mesotrione	Landscape maintenance	3.25	N/A	N/A	N/A
metaflumizone	Grape, wine	0.07	2	75.75	A
metalaxyl	Landscape maintenance	0.94	N/A	N/A	N/A
metalaxyl	Spinach	13.48	N/A	89,082.64	P
metalaxyl	Spinach	1.42	N/A	8,955.43	U
metaldehyde	Artichoke, globe	1,048.51	108	1,260.64	A
metaldehyde	Blackberry	27.2	2	34.0	A
metaldehyde	Broccoli	57.77	5	74.3	A
metaldehyde	Brussels sprout	1,267.9	102	1,559.75	A
metaldehyde	Cauliflower	27.96	4	36.0	A
metaldehyde	Farm/ag building	3.52	N/A	10.5	A
metaldehyde	Farm/ag building	1.2	N/A	55,750.0	S
metaldehyde	Landscape maintenance	4.41	N/A	N/A	N/A
metaldehyde	Lettuce, head	144.69	16	157.3	A
metaldehyde	Lettuce, leaf	21.03	4	24.6	A
metaldehyde	N-grnhs flower	5.74	4	6.75	A
metaldehyde	N-grnhs plants in containers	3.98	1	7.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
metaldehyde	N-grnhs plants in containers	36.27	25	1,267,684.0	S
metaldehyde	N-outdr flower	37.43	36	181.5	A
metaldehyde	N-outdr plants in containers	2.33	2	3.1	A
metaldehyde	N-outdr plants in containers	0.2	1	2,500.0	S
metaldehyde	Raspberry	50.0	6	70.0	A
metaldehyde	Rights of way	5.8	N/A	N/A	N/A
metaldehyde	Strawberry	127.99	13	259.62	A
metaldehyde	Uncultivated ag	58.35	5	87.5	A
metaldehyde	Uncultivated ag	0.6	N/A	39,800.0	S
metaldehyde	Uncultivated non-ag	5.6	N/A	36.0	A
metam-sodium	Rights of way	739.34	N/A	N/A	N/A
metarhizium anisopliae strain f52	Cannabis (all or unspecified)	0.2	1	2,500.0	S
metconazole	Landscape maintenance	1.25	N/A	N/A	N/A
methiocarb	N-grnhs flower	1.5	2	31,000.0	S
methiocarb	N-grnhs plants in containers	2.63	2	35,000.0	S
methiocarb	N-outdr plants in containers	1.88	2	25,000.0	S
methomyl	Bok choy	8.37	10	10.8	A
methomyl	Broccoli	1,334.79	157	1,772.8	A
methomyl	Brussels sprout	4,961.3	498	5,712.8	A
methomyl	Cabbage	1,734.56	213	2,572.23	A
methomyl	Cauliflower	440.22	56	573.8	A
methomyl	Celery	9,794.4	1,285	11,996.38	A
methomyl	Chinese cabbage (nappa)	3.6	2	8.0	A
methomyl	Collard	18.72	2	20.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methomyl	Cucumber	9.0	2	20.0	A
methomyl	Endive (escarole)	89.49	25	99.43	A
methomyl	Fava bean	5.4	4	6.0	A
methomyl	Fennel	156.04	20	205.58	A
methomyl	Garlic	604.66	65	1,343.68	A
methomyl	Kale	109.21	21	163.99	A
methomyl	Lettuce, head	18,473.67	2,450	27,466.62	A
methomyl	Lettuce, leaf	28,477.71	4,308	42,637.87	A
methomyl	Mustard greens	4.5	2	5.0	A
methomyl	Onion, dry	2,950.75	224	3,942.5	A
methomyl	Peas	5,188.65	684	7,722.54	A
methomyl	Pepper, fruiting	11.7	2	26.0	A
methomyl	Rapini	180.5	12	230.2	A
methomyl	Spinach	3,699.0	459	5,581.01	A
methomyl	Squash	4.5	1	10.0	A
methomyl	Swiss chard	2.25	1	2.5	A
methomyl	Tomato	90.26	24	133.8	A
methoprene	Structural pest control	<0.01	N/A	N/A	N/A
s-methoprene	Mushroom house	12.07	9	237,678.0	S
s-methoprene	Mushroom soil	82.18	89	1,621,900.0	S
s-methoprene	Public health	3.43	N/A	N/A	N/A
s-methoprene	Structural pest control	0.33	N/A	N/A	N/A
methoxyfenozide	Artichoke, globe	889.15	258	3,420.87	A
methoxyfenozide	Blackberry	4.09	2	14.5	A
methoxyfenozide	Broccoli	52.21	22	202.46	A
methoxyfenozide	Brussels sprout	290.25	91	1,130.09	A
methoxyfenozide	Cabbage	23.06	17	156.14	A
methoxyfenozide	Cauliflower	40.18	18	168.74	A
methoxyfenozide	Celery	649.61	441	4,267.3	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
methoxyfenozide	Chinese cabbage (nappa)	0.38	2	2.75	A
methoxyfenozide	Cucumber	1.42	1	10.0	A
methoxyfenozide	Fennel	22.84	10	129.2	A
methoxyfenozide	Grape, wine	4,292.64	436	19,848.17	A
methoxyfenozide	Kale	8.4	10	59.34	A
methoxyfenozide	Lettuce, head	604.9	337	4,291.25	A
methoxyfenozide	Lettuce, leaf	723.48	551	5,077.6	A
methoxyfenozide	N-outdr flower	3.08	12	16.0	A
methoxyfenozide	N-outdr plants in containers	9.45	8	39.41	A
methoxyfenozide	N-outdr plants in containers	0.41	4	51,600.0	S
methoxyfenozide	Onion, dry	6.28	1	44.5	A
methoxyfenozide	Peas	40.74	22	281.7	A
methoxyfenozide	Rapini	31.51	5	111.5	A
methoxyfenozide	Raspberry	37.12	11	135.93	A
methoxyfenozide	Spinach	113.07	74	790.95	A
methoxyfenozide	Squash	1.42	1	10.0	A
methoxyfenozide	Strawberry	173.06	29	987.27	A
methoxyfenozide	Swiss chard	16.49	15	77.61	A
methoxyfenozide	Tomato	4.66	6	33.0	A
methyl anthranilate	Structural pest control	1.67	N/A	N/A	N/A
methylated fatty acids from canola oil	Grape, wine	391.78	1	72.4	A
methylated fatty acids from canola oil	Landscape maintenance	49.11	N/A	N/A	N/A
methylated soybean oil	Alfalfa	27.66	19	129.9	A
methylated soybean oil	Artichoke, globe	373.67	294	2,952.4	A
methylated soybean oil	Arugula	1,651.24	132	1,141.98	A
methylated soybean oil	Barley (forage - fodder)	1.85	2	8.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methylated soybean oil	Bean, dried	102.62	31	276.3	A
methylated soybean oil	Bean, succulent	82.93	22	268.5	A
methylated soybean oil	Bean, unspecified	44.63	44	185.0	A
methylated soybean oil	Blackberry	21.22	6	92.5	A
methylated soybean oil	Bok choy	6.65	36	31.5	A
methylated soybean oil	Broccoli	5,704.51	2,495	28,656.17	A
methylated soybean oil	Brussels sprout	2,432.54	756	12,660.79	A
methylated soybean oil	Cabbage	1,120.9	548	5,348.14	A
methylated soybean oil	Carrot	364.69	112	1,529.19	A
methylated soybean oil	Cauliflower	1,947.71	954	9,870.67	A
methylated soybean oil	Celery	3,921.88	1,378	13,899.95	A
methylated soybean oil	Chinese cabbage (nappa)	127.2	185	366.91	A
methylated soybean oil	Cilantro	89.09	109	389.28	A
methylated soybean oil	Cucumber	6.19	5	28.45	A
methylated soybean oil	Endive (escarole)	73.19	48	170.74	A
methylated soybean oil	Fennel	78.08	44	460.14	A
methylated soybean oil	Garlic	93.47	24	391.1	A
methylated soybean oil	Grape	51.65	4	141.27	A
methylated soybean oil	Grape, wine	22,640.76	1,825	62,057.5	A
methylated soybean oil	Industrial site	36.22	N/A	143.4	A
methylated soybean oil	Kale	401.34	147	706.64	A
methylated soybean oil	Kohlrabi	17.2	34	87.7	A
methylated soybean oil	Landscape maintenance	0.76	1	1.5	A
methylated soybean oil	Landscape maintenance	204.57	N/A	N/A	N/A
methylated soybean oil	Leek	39.84	45	192.6	A
methylated soybean oil	Lemon	24.94	2	66.5	A
methylated soybean oil	Lettuce, head	6,854.71	2,732	31,686.37	A
methylated soybean oil	Lettuce, leaf	14,353.52	4,931	54,100.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
methylated soybean oil	Mizuna	9.76	3	6.1	A
methylated soybean oil	Mustard greens	9.57	7	18.05	A
methylated soybean oil	Oat	27.47	2	69.0	A
methylated soybean oil	Onion, dry	566.58	149	2,044.3	A
methylated soybean oil	Peas	289.28	172	1,889.8	A
methylated soybean oil	Pepper, fruiting	11.41	10	103.2	A
methylated soybean oil	Pumpkin	1.33	1	14.0	A
methylated soybean oil	Radicchio	51.49	41	160.64	A
methylated soybean oil	Rapini	340.93	170	2,924.6	A
methylated soybean oil	Raspberry	75.97	19	177.97	A
methylated soybean oil	Research commodity	9.82	11	35.5	A
methylated soybean oil	Rights of way	3,265.51	N/A	N/A	N/A
methylated soybean oil	Rye	52.98	15	110.37	A
methylated soybean oil	Spinach	1,455.58	274	2,380.59	A
methylated soybean oil	Strawberry	2,421.63	187	7,123.56	A
methylated soybean oil	Swiss chard	40.15	37	168.34	A
methylated soybean oil	Triticale	51.22	14	170.3	A
methylated soybean oil	Uncultivated ag	10,834.27	1,932	20,168.98	A
methylated soybean oil	Uncultivated non-ag	58.26	14	81.8	A
methylated soybean oil	Upland cress	147.58	42	104.1	A
methylated soybean oil	Water area	293.07	19	146.0	A
methylated soybean oil	Wheat	8.58	2	61.05	A
methyl bromide	Commodity fumigation	2,364.5	N/A	N/A	N/A
2-methyl-1-butanol	Structural pest control	0.02	N/A	N/A	N/A
1-methylcyclopropene	N-grnhs plants in containers	0.04	N/A	165,742.0	S
methyl silicone resins	Artichoke, globe	5.31	3	40.9	A
methyl silicone resins	Broccoli	117.91	430	4,244.23	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>methyl silicone resins</b>	Brussels sprout	8.52	4	65.1	A
<b>methyl silicone resins</b>	Cabbage	5.37	19	105.1	A
<b>methyl silicone resins</b>	Carrot	12.89	12	223.94	A
<b>methyl silicone resins</b>	Cauliflower	57.09	96	875.12	A
<b>methyl silicone resins</b>	Celery	236.21	302	2,716.78	A
<b>methyl silicone resins</b>	Chinese cabbage (nappa)	0.06	9	24.7	A
<b>methyl silicone resins</b>	Endive (escarole)	4.31	128	55.6	A
<b>methyl silicone resins</b>	Grape, wine	275.75	580	11,049.83	A
<b>methyl silicone resins</b>	Landscape maintenance	0.03	3	5.0	A
<b>methyl silicone resins</b>	Lettuce, head	470.63	920	9,762.63	A
<b>methyl silicone resins</b>	Lettuce, leaf	429.86	1,268	10,872.59	A
<b>methyl silicone resins</b>	Onion, dry	0.31	4	60.0	A
<b>methyl silicone resins</b>	Raspberry	11.55	8	85.72	A
<b>methyl silicone resins</b>	Rights of way	0.03	N/A	N/A	N/A
<b>methyl silicone resins</b>	Strawberry	104.42	17	315.08	A
<b>methyl silicone resins</b>	Swiss chard	2.38	6	27.12	A
<b>methyl silicone resins</b>	Uncultivated ag	2.4	91	458.5	A
<b>methyl silicone resins</b>	Uncultivated non-ag	0.15	9	31.0	A
<b>metofluthrin</b>	Structural pest control	<0.01	N/A	N/A	N/A
<b>s-metolachlor</b>	Bean, dried	767.6	39	571.7	A
<b>s-metolachlor</b>	Bean, succulent	209.96	12	149.5	A
<b>s-metolachlor</b>	Bean, unspecified	45.21	5	32.2	A
<b>s-metolachlor</b>	Beet	0.61	2	5.3	A
<b>s-metolachlor</b>	Carrot	41.32	3	43.3	A
<b>s-metolachlor</b>	Celery	74.93	14	83.5	A
<b>s-metolachlor</b>	Onion, dry	32.53	14	135.3	A
<b>s-metolachlor</b>	Peas	765.33	155	1,284.43	A
<b>s-metolachlor</b>	Pepper, fruiting	127.77	7	95.25	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
s-metolachlor	Research commodity	0.3	N/A	N/A	N/A
s-metolachlor	Spinach	167.19	49	373.85	A
s-metolachlor	Sunflower	36.14	2	26.9	A
metrafenone	Grape, wine	14,788.55	1,604	53,440.01	A
mineral oil	Artichoke, globe	62.99	55	660.49	A
mineral oil	Arugula	722.12	181	1,545.27	A
mineral oil	Asparagus	39.47	1	25.0	A
mineral oil	Avocado	4,695.05	8	197.2	A
mineral oil	Bean, dried	131.06	28	252.3	A
mineral oil	Bean, succulent	3.48	13	127.0	A
mineral oil	Bean, unspecified	2.14	40	167.8	A
mineral oil	Beet	0.69	14	19.9	A
mineral oil	Blackberry	2,070.86	40	434.14	A
mineral oil	Blueberry	0.21	2	4.48	A
mineral oil	Bok choy	0.35	7	15.5	A
mineral oil	Broccoli	8,448.6	650	6,508.61	A
mineral oil	Brussels sprout	3.4	10	48.1	A
mineral oil	Cabbage	2,192.06	164	1,215.66	A
mineral oil	Cannabis (all or unspecified)	2,855.87	205	349.35	A
mineral oil	Cannabis (all or unspecified)	599.86	110	2,275,180.0	S
mineral oil	Cannabis (all or unspecified)	1,236.22	41	586.0	U
mineral oil	Carrot	745.8	104	1,534.29	A
mineral oil	Cauliflower	4,236.6	374	3,818.2	A
mineral oil	Celery	2,299.42	291	2,182.45	A
mineral oil	Cilantro	1,945.71	143	778.46	A
mineral oil	Collard	0.51	4	10.33	A
mineral oil	Cucumber	21.05	3	3.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Endive (escarole)	176.82	39	91.01	A
mineral oil	Fennel	2.81	5	51.9	A
mineral oil	Garlic	469.23	12	232.7	A
mineral oil	Golf course turf	1.98	N/A	6.0	A
mineral oil	Grape	29.06	4	141.27	A
mineral oil	Grape, wine	134,332.68	1,506	24,966.91	A
mineral oil	Industrial hemp	218.16	89	68.05	A
mineral oil	Industrial hemp	31.9	15	404,000.0	S
mineral oil	Kale	709.72	131	724.53	A
mineral oil	Landscape maintenance	1,521.54	N/A	N/A	N/A
mineral oil	Leek	38.43	47	166.63	A
mineral oil	Lemon	42,478.28	28	1,172.0	A
mineral oil	Lettuce, head	4,524.64	583	6,663.84	A
mineral oil	Lettuce, leaf	9,947.97	1,731	14,772.3	A
mineral oil	Mizuna	0.51	3	6.1	A
mineral oil	Mustard greens	142.61	33	99.25	A
mineral oil	N-grnhs flower	21.16	N/A	3.8	A
mineral oil	N-grnhs plants in containers	12.38	2	1.76	A
mineral oil	N-grnhs plants in containers	14.64	10	62,500.0	S
mineral oil	N-outdr flower	202.3	20	21.4	A
mineral oil	N-outdr plants in containers	319.58	10	15.93	A
mineral oil	N-outdr plants in containers	4.98	18	200,000.0	S
mineral oil	Onion, dry	1,131.13	79	1,978.3	A
mineral oil	Parsley	272.04	10	103.4	A
mineral oil	Peas	1,120.91	119	1,164.3	A
mineral oil	Pistachio	252.2	3	340.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
mineral oil	Public health	2,364.59	N/A	N/A	N/A
mineral oil	Radicchio	15.79	2	6.0	A
mineral oil	Raspberry	388.14	113	1,275.17	A
mineral oil	Regulatory pest control	19.23	N/A	N/A	N/A
mineral oil	Research commodity	18.25	6	11.55	A
mineral oil	Rights of way	538.66	N/A	N/A	N/A
mineral oil	Spinach	3,578.68	435	4,197.78	A
mineral oil	Strawberry	4,931.05	491	20,733.03	A
mineral oil	Swiss chard	1.76	18	41.17	A
mineral oil	Tomato	6.85	24	133.8	A
mineral oil	Triticale	1.03	1	24.6	A
mineral oil	Uncultivated ag	1,956.8	698	7,270.55	A
mineral oil	Uncultivated non-ag	0.22	2	21.0	A
mineral oil	Upland cress	7.73	42	104.1	A
mineral oil	Water area	0.52	2	25.0	A
modified phthalic glycerol alkyd resin	Grape, wine	1,212.57	116	13,532.28	A
msma	Landscape maintenance	0.52	N/A	N/A	N/A
msma	N-grnhs plants in containers	1.25	1	25,200.0	S
muscalure	Landscape maintenance	<0.01	N/A	N/A	N/A
muscalure	Structural pest control	0.03	N/A	N/A	N/A
myclobutanil	Artichoke, globe	304.18	260	3,042.72	A
myclobutanil	Blackberry	5.17	15	78.59	A
myclobutanil	Grape, wine	1,185.01	372	10,747.63	A
myclobutanil	Landscape maintenance	0.07	N/A	N/A	N/A
myclobutanil	Lettuce, head	685.62	550	6,199.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
myclobutanil	Lettuce, leaf	1,230.38	948	10,304.11	A
myclobutanil	N-grnhs plants in containers	2.98	4	31.03	A
myclobutanil	N-grnhs plants in containers	4.9	15	811,978.0	S
myclobutanil	N-outdr flower	6.59	70	63.0	A
myclobutanil	N-outdr plants in containers	15.2	11	71.16	A
myclobutanil	N-outdr plants in containers	0.05	7	16,600.0	S
myclobutanil	Pepper, fruiting	26.18	15	209.65	A
myclobutanil	Pumpkin	0.86	3	6.9	A
myclobutanil	Raspberry	65.85	80	937.94	A
myclobutanil	Research commodity	0.05	N/A	N/A	N/A
myclobutanil	Squash	1.15	1	11.5	A
myclobutanil	Squash, summer	1.15	1	11.5	A
myclobutanil	Strawberry	1,429.64	441	12,786.27	A
myclobutanil	Tomato	8.75	14	87.6	A
myristyl alcohol	Apple	0.1	2	10.0	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Brussels sprout	1,489.86	22	275.9	A
myrothecium verrucaria, dried fermentation solids & solubles, strain aarc-0255	Grape, wine	720.0	3	80.0	A
naled	Broccoli	6,002.52	484	5,686.16	A
naled	Brussels sprout	15,773.25	580	8,843.15	A
naled	Cabbage	330.2	33	319.59	A
naled	Cauliflower	1,933.38	128	1,816.4	A
naled	Kale	182.27	25	191.58	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
naled	Research commodity	10.51	N/A	N/A	N/A
naled	Strawberry	3,822.81	164	3,819.5	A
napropamide	Broccoli	530.74	94	1,015.0	A
napropamide	Broccoli	3.15	1	6.3	U
napropamide	Brussels sprout	512.89	38	544.35	A
napropamide	Cauliflower	8.79	3	8.79	A
napropamide	N-outdr flower	0.75	5	1.74	A
napropamide	Research commodity	0.5	N/A	N/A	N/A
nonanoic acid	Landscape maintenance	1.9	N/A	N/A	N/A
nonanoic acid	N-grnhs flower	0.22	1	750.0	S
nonanoic acid, other related	Landscape maintenance	0.1	N/A	N/A	N/A
nonanoic acid, other related	N-grnhs flower	0.01	1	750.0	S
4-nonylphenol, formaldehyde resin, propoxylated	Alfalfa	0.54	2	9.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Artichoke, globe	177.47	223	2,842.7	A
4-nonylphenol, formaldehyde resin, propoxylated	Bean, unspecified	0.25	3	4.4	A
4-nonylphenol, formaldehyde resin, propoxylated	Blackberry	2.48	4	21.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	13.68	14	176.25	A
4-nonylphenol, formaldehyde resin, propoxylated	Brussels sprout	12.93	15	188.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Cabbage	2.64	4	27.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Cauliflower	8.49	10	109.6	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
4-nonylphenol, formaldehyde resin, propoxylated	Celery	61.26	95	885.6	A
4-nonylphenol, formaldehyde resin, propoxylated	Fava bean	0.13	1	1.5	A
4-nonylphenol, formaldehyde resin, propoxylated	Fennel	7.56	27	117.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Grape, wine	28.21	12	647.8	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, head	31.83	40	452.99	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, leaf	44.54	62	613.0	A
4-nonylphenol, formaldehyde resin, propoxylated	Raspberry	11.94	16	205.9	A
4-nonylphenol, formaldehyde resin, propoxylated	Rights of way	15.36	N/A	N/A	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Spinach	0.98	11	36.55	A
4-nonylphenol, formaldehyde resin, propoxylated	Strawberry	1,725.32	494	15,802.09	A
4-nonylphenol, formaldehyde resin, propoxylated	Uncultivated ag	6.72	9	116.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	2.64	2	44.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, globe	37.69	49	648.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Arugula	5.73	34	391.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley	51.73	6	1,750.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Barley (forage - fodder)	3.54	2	8.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, dried	29.35	16	143.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, succulent	30.85	22	270.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bean, unspecified	25.18	24	94.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Blackberry	19.16	22	194.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	724.47	1,390	16,176.58	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Brussels sprout	323.84	313	4,248.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	261.53	550	6,683.38	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	0.71	29	18.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cannabis (all or unspecified)	0.12	11	165,274.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	69.05	72	1,088.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	160.86	220	2,556.21	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	672.06	1,142	11,922.72	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Chinese cabbage (nappa)	23.06	194	368.81	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cilantro	8.51	75	284.53	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn salad	0.15	2	5.8	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, human consumption	0.41	1	4.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cucumber	1.56	9	64.1	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Ditch bank	6.87	N/A	21.17	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Endive (escarole)	17.72	85	204.34	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Fennel	14.68	36	316.74	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage hay/silage	7.72	2	370.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Garlic	305.02	232	4,338.7	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grape, wine	27,941.25	7,362	210,602.25	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	21.82	72	578.39	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape maintenance	200.85	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Leek	7.65	68	203.56	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, head	2,088.42	3,354	40,363.42	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	3,795.99	6,918	72,782.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Mustard greens	1.02	18	61.05	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs flower	0.16	2	2.45	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	8.34	27	71.84	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.27	7	53,000.0	S



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	18.45	382	173.28	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	5.87	9	25.28	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	1.22	9	153,600.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	12.3	8	217.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, dry	70.54	115	1,848.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Parsley	2.72	2	20.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pastureland	0.1	1	15.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Peas	293.34	393	4,819.16	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pepper, fruiting	44.64	44	751.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Pumpkin	0.43	2	28.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Radicchio	12.52	50	235.39	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rangeland	0.12	1	3.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rapini	59.47	197	1,829.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Raspberry	21.96	20	171.74	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	1.84	11	35.5	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	1.47	52	234,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Research commodity	0.47	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights of way	1,232.68	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rye	4.08	2	9.8	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Spinach	2.66	14	136.2	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash	2.04	6	56.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Squash, summer	1.83	5	29.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Strawberry	3,422.39	241	7,880.05	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Swiss chard	16.73	37	185.46	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Triticale	5.12	1	24.6	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1,196.7	946	12,215.87	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1.3	N/A	97,875.0	S
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	0.5	1	9.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Walnut	9.67	3	130.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Water area	299.97	64	375.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Broccoli	0.09	1	9.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Grape, wine	34.56	34	997.93	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lettuce, head	12.93	42	466.85	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Lettuce, leaf	2.26	9	95.7	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Rights of way	1.91	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Uncultivated ag	27.18	5	25.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Blackberry	2.22	20	171.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Broccoli	860.33	100	1,421.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Brussels sprout	18.97	2	53.8	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cauliflower	64.34	10	106.4	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Celery	38.55	24	226.3	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Grape, wine	8,760.83	2,785	54,500.14	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Landscape maintenance	0.51	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Leek	97.96	16	161.8	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lettuce, head	1,479.81	178	2,445.9	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Lettuce, leaf	2,447.28	472	4,043.64	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Raspberry	0.31	4	29.0	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights of way	22.71	N/A	N/A	N/A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Strawberry	24,114.19	129	5,377.58	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated ag	1,199.63	712	6,147.55	A
alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Walnut	23.58	6	260.0	A
novaluron	Bok choy	1.03	3	13.3	A
novaluron	Broccoli	603.35	777	7,869.08	A
novaluron	Brussels sprout	247.81	239	3,320.97	A
novaluron	Cabbage	47.52	57	613.72	A
novaluron	Cauliflower	148.75	193	1,965.56	A
novaluron	Chinese cabbage (nappa)	9.89	50	127.79	A
novaluron	N-grnhs flower	0.02	3	5,400.0	S
novaluron	N-grnhs plants in containers	0.1	1	1.45	A
novaluron	N-outdr flower	0.13	2	2.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
novaluron	Research commodity	1.45	3	18.5	A
novaluron	Research commodity	<0.01	N/A	N/A	N/A
novaluron	Strawberry	1,389.76	877	26,903.89	A
novaluron	Structural pest control	0.25	N/A	N/A	N/A
noviflumuron	Structural pest control	0.01	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Landscape maintenance	0.16	N/A	N/A	N/A
n-octyl bicycloheptene dicarboximide	Structural pest control	63.04	N/A	N/A	N/A
octyl decyl dimethyl ammonium chloride	Structural pest control	<0.01	N/A	N/A	N/A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	0.72	1	8.2	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Raspberry	12.57	6	72.74	A
alpha-octylphenyl-omega-hydroxypoly(oxyethylene)	Spinach	0.03	1	7.5	A
oil of orange	Raspberry	2.51	6	72.74	A
oleic acid	Alfalfa	0.67	2	9.5	A
oleic acid	Artichoke, globe	16.9	14	210.4	A
oleic acid	Blackberry	3.11	4	21.8	A
oleic acid	Brussels sprout	6.13	4	68.9	A
oleic acid	Celery	10.2	13	132.8	A
oleic acid	Fennel	5.33	20	76.4	A
oleic acid	Lettuce, head	1.49	2	17.7	A
oleic acid	Lettuce, leaf	11.21	13	138.0	A
oleic acid	Raspberry	14.92	16	205.9	A
oleic acid	Spinach	0.34	6	16.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid	Strawberry	1,837.95	422	13,779.83	A
oleic acid	Uncultivated ag	0.18	2	4.5	A
oleic acid, ethyl ester	Artichoke, globe	249.85	109	1,333.3	A
oleic acid, ethyl ester	Arugula	<0.01	1	2.1	A
oleic acid, ethyl ester	Bean, dried	0.38	1	4.0	A
oleic acid, ethyl ester	Bean, succulent	3.74	4	19.5	A
oleic acid, ethyl ester	Bean, unspecified	1.04	1	5.4	A
oleic acid, ethyl ester	Bok choy	15.59	89	88.5	A
oleic acid, ethyl ester	Broccoli	13,694.47	2,041	20,263.86	A
oleic acid, ethyl ester	Brussels sprout	1,367.9	72	1,206.1	A
oleic acid, ethyl ester	Cabbage	140.94	185	705.8	A
oleic acid, ethyl ester	Carrot	620.91	42	684.97	A
oleic acid, ethyl ester	Cauliflower	7,137.17	960	9,773.65	A
oleic acid, ethyl ester	Celery	3,720.71	1,533	12,688.58	A
oleic acid, ethyl ester	Cilantro	6.34	30	66.1	A
oleic acid, ethyl ester	Endive (escarole)	16.66	84	129.58	A
oleic acid, ethyl ester	Fennel	40.85	14	73.5	A
oleic acid, ethyl ester	Garlic	7.36	5	85.5	A
oleic acid, ethyl ester	Grape, wine	799.7	141	2,587.51	A
oleic acid, ethyl ester	Kale	95.76	27	118.25	A
oleic acid, ethyl ester	Kohlrabi	32.07	31	169.1	A
oleic acid, ethyl ester	Landscape maintenance	14.95	N/A	N/A	N/A
oleic acid, ethyl ester	Leek	21.56	47	232.9	A
oleic acid, ethyl ester	Lettuce, head	6,867.69	3,978	44,929.98	A
oleic acid, ethyl ester	Lettuce, leaf	7,750.91	5,315	52,820.03	A
oleic acid, ethyl ester	Mizuna	0.03	7	16.4	A
oleic acid, ethyl ester	Mustard greens	0.01	3	4.5	A
oleic acid, ethyl ester	Onion, dry	167.93	46	808.7	A
oleic acid, ethyl ester	Pastureland	21.2	N/A	50.5	A
oleic acid, ethyl ester	Peas	460.88	128	1,609.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oleic acid, ethyl ester	Pepper, fruiting	4.13	4	57.7	A
oleic acid, ethyl ester	Radicchio	65.26	18	340.7	A
oleic acid, ethyl ester	Rights of way	3,177.39	N/A	N/A	N/A
oleic acid, ethyl ester	Rye	3.44	1	15.0	A
oleic acid, ethyl ester	Spinach	0.46	118	833.5	A
oleic acid, ethyl ester	Sunflower	1.05	3	6.0	A
oleic acid, ethyl ester	Swiss chard	<0.01	1	2.5	A
oleic acid, ethyl ester	Uncultivated ag	11,106.49	835	8,235.05	A
oleic acid, ethyl ester	Uncultivated non-ag	222.96	15	106.05	A
oleic acid, ethyl ester	Water area	44.69	3	27.5	A
oleic acid, methyl ester	Bean, dried	104.48	7	79.5	A
oleic acid, methyl ester	Broccoli	165.21	29	328.4	A
oleic acid, methyl ester	Cabbage	37.31	12	79.5	A
oleic acid, methyl ester	Carrot	1,131.24	59	902.3	A
oleic acid, methyl ester	Celery	422.86	52	369.7	A
oleic acid, methyl ester	Grape, wine	607.7	73	2,696.45	A
oleic acid, methyl ester	Landscape maintenance	0.53	N/A	N/A	N/A
oleic acid, methyl ester	Lettuce, head	934.37	77	1,027.2	A
oleic acid, methyl ester	Lettuce, leaf	1,013.25	119	1,016.8	A
oleic acid, methyl ester	Peas	1.84	1	1.4	A
oleic acid, methyl ester	Rights of way	2,526.49	N/A	N/A	N/A
oleic acid, methyl ester	Uncultivated ag	4,163.06	313	3,357.04	A
orchex 796 oil	Grape, wine	0.75	1	3.0	A
orchex 796 oil	Uncultivated ag	0.44	1	2.0	A
oryzalin	Grape, wine	5,449.28	92	1,369.39	A
oryzalin	Landscape maintenance	251.6	N/A	N/A	N/A
oryzalin	Pistachio	249.61	1	60.0	A
oryzalin	Rights of way	62.0	N/A	N/A	N/A
oryzalin	Uncultivated ag	6.24	1	3.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxadiazon	Landscape maintenance	4.48	N/A	N/A	N/A
oxadiazon	N-outdr flower	6.94	12	2.42	A
oxadiazon	Rights of way	3.0	N/A	N/A	N/A
oxamyl	Celery	2,539.84	408	3,447.35	A
oxamyl	Onion, dry	443.94	39	571.4	A
oxathiapiprolin	Arugula	0.96	5	61.36	A
oxathiapiprolin	Broccoli	2.16	26	164.3	A
oxathiapiprolin	Cauliflower	0.91	9	75.4	A
oxathiapiprolin	Lettuce, head	85.65	530	6,234.05	A
oxathiapiprolin	Lettuce, leaf	159.56	1,124	11,844.75	A
oxathiapiprolin	N-grnhs plants in containers	0.62	2	9,600.0	S
oxathiapiprolin	Onion, dry	7.24	25	464.0	A
oxathiapiprolin	Rapini	0.85	6	79.2	A
oxathiapiprolin	Spinach	110.94	1,023	7,911.8	A
oxyfluorfen	Artichoke, globe	1,165.73	182	2,597.3	A
oxyfluorfen	Broccoli	2,909.95	1,105	11,521.52	A
oxyfluorfen	Cabbage	362.98	125	1,221.69	A
oxyfluorfen	Cauliflower	1,930.19	606	6,157.4	A
oxyfluorfen	Garlic	88.3	24	394.29	A
oxyfluorfen	Grape, wine	9,510.0	1,165	28,412.2	A
oxyfluorfen	Landscape maintenance	107.32	N/A	N/A	N/A
oxyfluorfen	Lemon	2.01	1	2.0	A
oxyfluorfen	Lettuce, leaf	0.26	1	0.5	A
oxyfluorfen	N-grnhs plants in containers	1.2	1	1.0	A
oxyfluorfen	N-outdr plants in containers	18.89	35	584,095.0	S
oxyfluorfen	Onion, dry	512.32	160	2,450.7	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
oxyfluorfen	Pepper, fruiting	32.42	9	64.25	A
oxyfluorfen	Pistachio	60.2	1	60.0	A
oxyfluorfen	Research commodity	5.44	6	11.3	A
oxyfluorfen	Rights of way	762.83	N/A	N/A	N/A
oxyfluorfen	Soil fumigation/preplant	4.57	2	17.0	A
oxyfluorfen	Strawberry	46.57	11	184.2	A
oxyfluorfen	Uncultivated ag	2,759.64	513	6,867.7	A
oxyfluorfen	Uncultivated non-ag	15.17	N/A	15.0	A
paclobutrazol	Landscape maintenance	382.25	N/A	N/A	N/A
paclobutrazol	N-grnhs flower	1.32	21	30.11	A
paclobutrazol	N-grnhs flower	<0.01	16	5,850.0	S
paclobutrazol	N-grnhs plants in containers	11.51	333	2,191.7	A
paclobutrazol	N-grnhs plants in containers	12.33	416	6,732,814.0	S
paclobutrazol	N-outdr plants in containers	1.82	97	565.33	A
paclobutrazol	Research commodity	<0.01	N/A	N/A	N/A
paclobutrazol	Rights of way	3.52	N/A	N/A	N/A
paecilomyces fumosoroseus apopka strain 97	Cannabis (all or unspecified)	25.48	15	8.23	A
paecilomyces fumosoroseus apopka strain 97	Cannabis (all or unspecified)	130.87	269	4,384,918.0	S
paecilomyces fumosoroseus apopka strain 97	Cannabis (all or unspecified)	4.2	4	70.0	U
paecilomyces fumosoroseus apopka strain 97	Industrial hemp	2.1	5	6.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>paecilomyces fumosoroseus apopka strain 97</b>	Industrial hemp	3.58	4	85,505.0	S
<b>paecilomyces fumosoroseus apopka strain 97</b>	Research commodity	0.04	N/A	N/A	N/A
<b>paecilomyces fumosoroseus apopka strain 97</b>	Strawberry	10.62	4	25.3	A
<b>purpureocillium lilacium strain 251</b>	Beet	2.18	1	9.1	A
<b>purpureocillium lilacium strain 251</b>	Carrot	4.8	4	18.0	A
<b>purpureocillium lilacium strain 251</b>	Kohlrabi	0.83	1	3.46	A
<b>paraquat dichloride</b>	Alfalfa	55.16	2	80.0	A
<b>paraquat dichloride</b>	Artichoke, globe	1,194.6	72	904.1	A
<b>paraquat dichloride</b>	Blackberry	233.06	18	169.0	A
<b>paraquat dichloride</b>	Broccoli	19.72	1	14.3	A
<b>paraquat dichloride</b>	Grape, wine	10,622.53	305	17,004.07	A
<b>paraquat dichloride</b>	Lettuce, head	18.34	1	13.3	A
<b>paraquat dichloride</b>	Lettuce, leaf	54.06	4	39.2	A
<b>paraquat dichloride</b>	Onion, dry	32.41	2	23.5	A
<b>paraquat dichloride</b>	Raspberry	38.61	3	28.0	A
<b>paraquat dichloride</b>	Rights of way	5.52	N/A	N/A	N/A
<b>paraquat dichloride</b>	Strawberry	86.19	5	125.0	A
<b>paraquat dichloride</b>	Uncultivated ag	13,345.96	864	10,321.05	A
<b>paraquat dichloride</b>	Uncultivated non-ag	12.41	1	9.0	A
<b>pcnb</b>	Broccoli	33,183.92	108	1,427.3	A
<b>pcnb</b>	Brussels sprout	21,217.35	62	899.1	A
<b>pcnb</b>	Cauliflower	386.14	2	17.4	A
<b>pcnb</b>	Landscape maintenance	483.41	N/A	N/A	N/A
<b>pcnb</b>	N-grnhs plants in containers	1.31	1	5,600.0	S
<b>pcnb</b>	N-outdr transplants	3.29	6	135,935.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pcp, other related	Landscape maintenance	0.03	N/A	N/A	N/A
pendimethalin	Artichoke, globe	1,467.34	103	1,533.1	A
pendimethalin	Asparagus	732.04	26	486.4	A
pendimethalin	Carrot	977.04	76	1,023.27	A
pendimethalin	Garlic	1,040.89	63	1,288.37	A
pendimethalin	Grape, wine	6,474.0	234	4,430.34	A
pendimethalin	Landscape maintenance	168.9	N/A	N/A	N/A
pendimethalin	Leek	213.59	74	226.82	A
pendimethalin	N-grnhs plants in containers	0.6	1	1.0	A
pendimethalin	N-outdr plants in containers	18.13	35	584,095.0	S
pendimethalin	Onion, dry	685.69	53	881.8	A
pendimethalin	Pepper, fruiting	202.8	21	264.8	A
pendimethalin	Sod farm (turf)	93.99	4	58.5	A
pendimethalin	Strawberry	72.46	4	109.0	A
pendimethalin	Sunflower	4.73	1	5.0	A
pendimethalin	Uncultivated ag	100.76	11	57.0	A
pendimethalin	Wheat	39.05	1	55.0	A
penflufen	Onion, dry	10.66	N/A	4,301.8	P
penoxsulam	Golf course turf	0.56	N/A	57.0	A
penoxsulam	Landscape maintenance	5.26	N/A	N/A	N/A
penoxsulam	Rights of way	6.58	N/A	N/A	N/A
penoxsulam	Uncultivated ag	0.23	1	5.0	A
pentachlorophenol	Landscape maintenance	0.27	N/A	N/A	N/A
penthiopyrad	Bok choy	7.73	26	23.8	A
penthiopyrad	Broccoli	675.8	252	2,720.76	A
penthiopyrad	Brussels sprout	257.91	80	864.4	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
penthiopyrad	Cabbage	188.26	62	606.72	A
penthiopyrad	Carrot	58.94	12	203.0	A
penthiopyrad	Cauliflower	82.72	25	277.86	A
penthiopyrad	Celery	94.03	45	395.3	A
penthiopyrad	Endive (escarole)	10.62	18	36.82	A
penthiopyrad	Fava bean	5.08	9	21.0	A
penthiopyrad	Fennel	26.06	12	83.5	A
penthiopyrad	Garlic	516.1	88	1,670.28	A
penthiopyrad	Golf course turf	6.53	N/A	9.0	A
penthiopyrad	Kale	27.86	32	99.95	A
penthiopyrad	Landscape maintenance	71.63	N/A	N/A	N/A
penthiopyrad	Leek	159.03	148	539.57	A
penthiopyrad	Lettuce, head	1,857.83	648	6,944.75	A
penthiopyrad	Lettuce, leaf	2,531.28	993	8,990.77	A
penthiopyrad	Onion, dry	19.48	3	62.4	A
penthiopyrad	Peas	473.17	151	1,633.7	A
penthiopyrad	Pepper, fruiting	10.33	4	39.7	A
penthiopyrad	Radicchio	62.21	14	199.2	A
penthiopyrad	Strawberry	2,878.24	312	9,280.86	A
penthiopyrad	Upland cress	3.25	5	12.5	A
permethrin	Artichoke, globe	1,141.79	278	3,844.07	A
permethrin	Arugula	141.8	146	1,016.96	A
permethrin	Asparagus	29.69	17	296.9	A
permethrin	Broccoli	972.9	546	6,915.52	A
permethrin	Brussels sprout	150.73	161	1,512.3	A
permethrin	Cabbage	173.86	124	1,293.49	A
permethrin	Cardoon	1.75	5	8.7	A
permethrin	Cauliflower	224.4	174	1,963.48	A
permethrin	Celery	3,029.83	2,192	19,378.44	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
permethrin	Chinese cabbage (nappa)	25.54	71	137.28	A
permethrin	Endive (escarole)	92.71	341	601.85	A
permethrin	Fennel	55.55	45	352.86	A
permethrin	Garlic	4.69	1	30.0	A
permethrin	Industrial hemp	<0.01	N/A	0.5	A
permethrin	Kohlrabi	0.36	1	3.6	A
permethrin	Landscape maintenance	185.91	N/A	N/A	N/A
permethrin	Lettuce, head	5,346.39	2,810	34,065.43	A
permethrin	Lettuce, leaf	10,325.05	6,403	67,624.61	A
permethrin	Mushroom	97.55	709	12,792,026.0	S
permethrin	Mushroom house	0.42	4	54,533.0	S
permethrin	N-grnhs flower	0.75	2	3.85	A
permethrin	N-grnhs flower	130.28	55	20,610,576.0	S
permethrin	N-grnhs plants in containers	7.73	23	42.2	A
permethrin	N-grnhs plants in containers	23.0	60	2,512,899.0	S
permethrin	N-grnhs transplants	104.71	1,632	583.8	A
permethrin	N-grnhs transplants	1.29	4	280,520.0	S
permethrin	N-outdr plants in containers	1.94	6	8.9	A
permethrin	N-outdr plants in containers	0.08	1	8,000.0	S
permethrin	N-outdr transplants	11.34	35	2,034,945.0	S
permethrin	Onion, dry	90.26	13	346.8	A
permethrin	Radicchio	75.86	74	333.78	A
permethrin	Rapini	34.37	12	224.2	A
permethrin	Research commodity	0.51	1	3.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
permethrin	Research commodity	0.34	N/A	N/A	N/A
permethrin	Rights of way	0.04	N/A	N/A	N/A
permethrin	Spinach	5,127.19	4,056	39,251.96	A
permethrin	Structural pest control	68.56	N/A	N/A	N/A
permethrin	Swiss chard	33.97	51	202.08	A
permethrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
peroxyacetic acid	Artichoke, globe	0.19	1	14.6	A
peroxyacetic acid	Arugula	0.92	28	76.98	A
peroxyacetic acid	Bok choy	0.31	4	17.18	A
peroxyacetic acid	Broccoli	21.15	120	1,176.25	A
peroxyacetic acid	Brussels sprout	4.86	19	224.7	A
peroxyacetic acid	Cannabis (all or unspecified)	5.04	22	7.77	A
peroxyacetic acid	Cannabis (all or unspecified)	19.66	542	1,795,382.0	S
peroxyacetic acid	Carrot	1.57	8	74.9	A
peroxyacetic acid	Cauliflower	10.92	95	595.56	A
peroxyacetic acid	Celery	5.39	21	180.4	A
peroxyacetic acid	Chinese cabbage (nappa)	0.49	7	27.25	A
peroxyacetic acid	Ditch bank	2,550.65	N/A	6.0	U
peroxyacetic acid	Endive (escarole)	3.16	51	200.18	A
peroxyacetic acid	Fennel	0.58	1	3.15	A
peroxyacetic acid	Grape, wine	1,053.97	212	5,442.82	A
peroxyacetic acid	Industrial hemp	0.48	N/A	2.0	A
peroxyacetic acid	Industrial hemp	0.02	1	5,000.0	S
peroxyacetic acid	Kale	12.2	75	549.06	A
peroxyacetic acid	Leek	0.4	9	21.3	A
peroxyacetic acid	Lettuce, head	8.49	106	588.4	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
peroxyacetic acid	Lettuce, leaf	41.16	328	1,861.15	A
peroxyacetic acid	Mizuna	0.04	3	4.56	A
peroxyacetic acid	Mustard greens	0.14	2	9.2	A
peroxyacetic acid	N-grnhs flower	0.1	1	8,250.0	S
peroxyacetic acid	N-grnhs plants in containers	0.05	3	6,300.0	S
peroxyacetic acid	N-grnhs transplants	0.33	7	252,148.0	S
peroxyacetic acid	Onion, dry	0.95	5	49.3	A
peroxyacetic acid	Peas	5.32	15	161.6	A
peroxyacetic acid	Raspberry	155.11	19	452.45	A
peroxyacetic acid	Spinach	9.23	75	542.54	A
peroxyacetic acid	Strawberry	78.16	22	219.24	A
peroxyacetic acid	Swiss chard	0.71	12	39.89	A
peroxyacetic acid	Water (industrial)	42.4	N/A	2.0	U
peroxyacetic acid	Water area	575.7	N/A	177.62	A
petroleum distillates	Structural pest control	36.79	N/A	N/A	N/A
petroleum distillates, aliphatic	Broccoli	0.22	4	38.9	A
petroleum distillates, aliphatic	Strawberry	0.3	1	36.0	A
petroleum distillates, aliphatic	Uncultivated ag	0.11	9	21.2	A
petroleum distillates, aromatic	Blackberry	154.65	20	171.0	A
petroleum distillates, aromatic	Celery	121.32	19	165.5	A
petroleum distillates, aromatic	Grape, wine	19,433.01	928	27,334.08	A
petroleum distillates, aromatic	Raspberry	21.97	4	29.0	A
petroleum distillates, aromatic	Research commodity	0.19	N/A	N/A	N/A
petroleum distillates, aromatic	Rights of way	54.63	N/A	N/A	N/A
petroleum distillates, aromatic	Strawberry	75.09	6	121.0	A
petroleum distillates, aromatic	Uncultivated ag	127.03	46	200.0	A
petroleum distillates, aromatic	Walnut	95.19	3	130.0	A
petroleum distillates, refined	Apple	387.03	1	9.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
petroleum distillates, refined	Cannabis (all or unspecified)	80.93	7	6.5	A
petroleum distillates, refined	Cannabis (all or unspecified)	745.34	104	2,352,447.0	S
petroleum distillates, refined	Grape, wine	768,147.61	2,656	114,626.32	A
petroleum distillates, refined	Industrial hemp	12.09	2	39,342.0	S
petroleum distillates, refined	Landscape maintenance	56.74	N/A	N/A	N/A
petroleum distillates, refined	Research commodity	0.45	N/A	N/A	N/A
petroleum naphthenic oils	Broccoli	2.62	4	38.9	A
petroleum naphthenic oils	Strawberry	3.46	1	36.0	A
petroleum naphthenic oils	Uncultivated ag	1.32	9	21.2	A
petroleum oil, paraffin based	Barley	16.73	4	90.0	A
petroleum oil, paraffin based	Broccoli	0.52	1	7.5	A
petroleum oil, paraffin based	Celery	51.91	44	343.88	A
petroleum oil, paraffin based	Endive (escarole)	5.81	16	55.55	A
petroleum oil, paraffin based	Grape, wine	780.79	204	3,101.29	A
petroleum oil, paraffin based	Landscape maintenance	0.31	1	1.0	A
petroleum oil, paraffin based	Landscape maintenance	82.42	N/A	N/A	N/A
petroleum oil, paraffin based	Leek	4.03	4	26.0	A
petroleum oil, paraffin based	Lemon	1.57	2	61.0	A
petroleum oil, paraffin based	Lettuce, head	251.76	296	3,684.03	A
petroleum oil, paraffin based	Lettuce, leaf	332.86	442	4,127.31	A
petroleum oil, paraffin based	Pasture (forage - fodder)	0.31	1	5.0	A
petroleum oil, paraffin based	Peas	7.08	17	151.2	A
petroleum oil, paraffin based	Strawberry	13.59	1	36.0	A
petroleum oil, paraffin based	Uncultivated ag	499.96	254	2,351.38	A
petroleum oil, paraffin based	Uncultivated non-ag	3.8	1	11.75	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
petroleum oil, unclassified	Christmas tree	7.46	2	3.5	A
petroleum oil, unclassified	Grape, wine	51.33	2	5.36	A
petroleum oil, unclassified	Landscape maintenance	35.51	N/A	N/A	N/A
petroleum oil, unclassified	Lemon	2,225.93	1	80.0	A
phenmedipham	Beet	9.94	7	20.3	A
phenmedipham	Research commodity	1.68	N/A	N/A	N/A
phenol	Spinach	0.56	1	7.5	A
phenothrin	Landscape maintenance	0.04	N/A	N/A	N/A
phenothrin	Rights of way	<0.01	N/A	N/A	N/A
phenothrin	Structural pest control	0.85	N/A	N/A	N/A
phenothrin, other related	Structural pest control	<0.01	N/A	N/A	N/A
phenylethyl propionate	Structural pest control	0.01	N/A	N/A	N/A
phosmet	Alfalfa	24.5	1	35.0	A
phosphoric acid	Artichoke, globe	12.35	67	699.8	A
phosphoric acid	Arugula	3.39	78	139.61	A
phosphoric acid	Beet	1.62	20	61.5	A
phosphoric acid	Blueberry	0.02	1	1.5	A
phosphoric acid	Bok choy	15.13	144	545.97	A
phosphoric acid	Broccoli	533.96	1,847	18,309.4	A
phosphoric acid	Brussels sprout	195.8	520	4,710.45	A
phosphoric acid	Cabbage	5.53	60	457.8	A
phosphoric acid	Carrot	5.88	77	346.88	A
phosphoric acid	Cauliflower	289.29	908	7,647.15	A
phosphoric acid	Celery	86.51	478	3,647.38	A
phosphoric acid	Chinese cabbage (nappa)	19.97	178	698.02	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	Cilantro	6.59	168	453.68	A
phosphoric acid	Collard	2.4	9	88.2	A
phosphoric acid	Endive (escarole)	21.78	207	842.69	A
phosphoric acid	Garlic	12.95	30	631.88	A
phosphoric acid	Grape, wine	788.04	1,864	21,609.84	A
phosphoric acid	Kale	34.68	115	901.16	A
phosphoric acid	Landscape maintenance	0.11	2	3.5	A
phosphoric acid	Landscape maintenance	93.87	N/A	N/A	N/A
phosphoric acid	Leek	29.66	314	963.45	A
phosphoric acid	Lettuce, head	626.85	2,285	26,738.92	A
phosphoric acid	Lettuce, leaf	787.47	3,428	32,080.56	A
phosphoric acid	Mustard greens	2.88	35	129.82	A
phosphoric acid	N-grnhs flower	0.19	21	20.7	A
phosphoric acid	N-grnhs plants in containers	0.04	3	35,760.0	S
phosphoric acid	Oat	0.48	2	17.0	A
phosphoric acid	Onion, dry	8.19	32	291.9	A
phosphoric acid	Parsley	0.09	1	5.5	A
phosphoric acid	Peas	21.87	222	1,937.92	A
phosphoric acid	Radish	16.18	410	742.53	A
phosphoric acid	Research commodity	1.05	52	234,000.0	S
phosphoric acid	Rights of way	0.67	N/A	N/A	N/A
phosphoric acid	Spinach	0.37	6	31.9	A
phosphoric acid	Strawberry	1,070.38	325	8,039.24	A
phosphoric acid	Sunflower	0.68	2	21.9	A
phosphoric acid	Swiss chard	2.52	37	120.19	A
phosphoric acid	Triticale	0.91	3	43.8	A
phosphoric acid	Turnip	0.11	12	10.38	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
phosphoric acid	Uncultivated ag	90.96	349	3,058.45	A
phosphoric acid	Uncultivated non-ag	0.85	8	25.0	A
piperalin	N-grnhs flower	11.23	13	11.25	A
piperalin	N-grnhs plants in containers	1.68	1	3.68	A
piperalin	N-grnhs plants in containers	6.65	8	234,000.0	S
piperalin	N-outdr plants in containers	33.52	4	73.5	A
piperonyl butoxide	Blackberry	30.21	6	72.6	A
piperonyl butoxide	Celery	1.9	1	0.75	A
piperonyl butoxide	Landscape maintenance	35.29	N/A	N/A	N/A
piperonyl butoxide	Lettuce, head	0.22	5	0.49	A
piperonyl butoxide	N-grnhs plants in containers	10.53	14	1,235,478.0	S
piperonyl butoxide	N-grnhs transplants	7.18	119	53.28	A
piperonyl butoxide	N-outdr plants in containers	0.13	2	20,000.0	S
piperonyl butoxide	Raspberry	19.0	3	48.0	A
piperonyl butoxide	Raspberry	0.25	1	17,000.0	S
piperonyl butoxide	Research commodity	0.65	N/A	N/A	N/A
piperonyl butoxide	Strawberry	689.98	93	1,764.63	A
piperonyl butoxide	Strawberry	0.09	1	3,688.0	S
piperonyl butoxide	Structural pest control	101.56	N/A	N/A	N/A
piperonyl butoxide, other related	Blackberry	7.55	6	72.6	A
piperonyl butoxide, other related	Celery	0.48	1	0.75	A
piperonyl butoxide, other related	Landscape maintenance	8.82	N/A	N/A	N/A
piperonyl butoxide, other related	Lettuce, head	0.02	1	0.21	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>piperonyl butoxide, other related</b>	N-grnhs plants in containers	2.63	14	1,235,478.0	S
<b>piperonyl butoxide, other related</b>	N-grnhs transplants	1.8	119	53.28	A
<b>piperonyl butoxide, other related</b>	N-outdr plants in containers	0.03	2	20,000.0	S
<b>piperonyl butoxide, other related</b>	Raspberry	4.75	3	48.0	A
<b>piperonyl butoxide, other related</b>	Raspberry	0.06	1	17,000.0	S
<b>piperonyl butoxide, other related</b>	Research commodity	0.08	N/A	N/A	N/A
<b>piperonyl butoxide, other related</b>	Strawberry	172.49	93	1,764.63	A
<b>piperonyl butoxide, other related</b>	Strawberry	0.02	1	3,688.0	S
<b>piperonyl butoxide, other related</b>	Structural pest control	1.71	N/A	N/A	N/A
<b>polyacrylamide, polyethylene glycol mixture</b>	Strawberry	4.44	8	228.42	A
<b>polyacrylamide polymer</b>	Artichoke, globe	10.54	33	354.6	A
<b>polyacrylamide polymer</b>	Blackberry	3.48	25	204.0	A
<b>polyacrylamide polymer</b>	Broccoli	60.65	168	2,135.6	A
<b>polyacrylamide polymer</b>	Brussels sprout	7.57	29	391.1	A
<b>polyacrylamide polymer</b>	Cabbage	1.45	2	27.9	A
<b>polyacrylamide polymer</b>	Cauliflower	26.2	47	547.95	A
<b>polyacrylamide polymer</b>	Celery	1.86	13	65.15	A
<b>polyacrylamide polymer</b>	Fennel	2.55	9	75.2	A
<b>polyacrylamide polymer</b>	Grape, wine	34.89	70	1,482.59	A
<b>polyacrylamide polymer</b>	Landscape maintenance	0.01	2	3.0	A
<b>polyacrylamide polymer</b>	Lettuce, head	4.49	30	476.75	A
<b>polyacrylamide polymer</b>	Lettuce, leaf	6.17	49	567.4	A
<b>polyacrylamide polymer</b>	Peas	1.81	8	48.2	A
<b>polyacrylamide polymer</b>	Rapini	0.26	1	28.0	A
<b>polyacrylamide polymer</b>	Raspberry	1.62	26	156.68	A
<b>polyacrylamide polymer</b>	Rights of way	44.2	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyacrylamide polymer	Soil fumigation/preplant	0.67	1	12.0	A
polyacrylamide polymer	Strawberry	5.6	33	654.02	A
polyacrylamide polymer	Uncultivated ag	62.58	244	2,948.09	A
polyacrylamide polymer	Uncultivated non-ag	0.03	3	12.0	A
polyacrylic polymer	Broccoli	13.61	260	1,824.5	A
polyacrylic polymer	Cauliflower	7.37	160	950.7	A
polyacrylic polymer	Grape, wine	10.22	73	1,203.39	A
polyacrylic polymer	Landscape maintenance	8.42	N/A	N/A	N/A
polyacrylic polymer	Leek	0.29	24	69.7	A
polyacrylic polymer	Lettuce, head	7.01	106	933.2	A
polyacrylic polymer	Lettuce, leaf	11.27	175	1,481.5	A
polyacrylic polymer	Peas	0.08	1	10.2	A
polyalkene oxide modified heptamethyl trisiloxane	Alfalfa	0.21	1	22.2	A
polyalkene oxide modified heptamethyl trisiloxane	Arugula	0.34	2	26.8	A
polyalkene oxide modified heptamethyl trisiloxane	Bean, dried	0.04	1	14.0	A
polyalkene oxide modified heptamethyl trisiloxane	Bean, succulent	0.4	7	102.5	A
polyalkene oxide modified heptamethyl trisiloxane	Blackberry	11.26	13	203.9	A
polyalkene oxide modified heptamethyl trisiloxane	Broccoli	71.23	476	5,574.17	A
polyalkene oxide modified heptamethyl trisiloxane	Brussels sprout	7.25	34	415.8	A
polyalkene oxide modified heptamethyl trisiloxane	Cabbage	29.44	262	2,953.99	A
polyalkene oxide modified heptamethyl trisiloxane	Carrot	1.13	8	118.1	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyalkene oxide modified heptamethyl trisiloxane	Cauliflower	18.8	94	1,229.54	A
polyalkene oxide modified heptamethyl trisiloxane	Celery	130.62	727	8,597.5	A
polyalkene oxide modified heptamethyl trisiloxane	Chinese cabbage (nappa)	6.05	183	338.41	A
polyalkene oxide modified heptamethyl trisiloxane	Cilantro	2.16	36	181.3	A
polyalkene oxide modified heptamethyl trisiloxane	Endive (escarole)	1.61	40	113.14	A
polyalkene oxide modified heptamethyl trisiloxane	Fennel	0.5	8	43.1	A
polyalkene oxide modified heptamethyl trisiloxane	Garlic	3.18	14	257.3	A
polyalkene oxide modified heptamethyl trisiloxane	Grape, wine	393.84	516	22,881.81	A
polyalkene oxide modified heptamethyl trisiloxane	Kale	2.52	34	285.22	A
polyalkene oxide modified heptamethyl trisiloxane	Landscape maintenance	9.97	N/A	N/A	N/A
polyalkene oxide modified heptamethyl trisiloxane	Leek	1.18	31	82.2	A
polyalkene oxide modified heptamethyl trisiloxane	Lettuce, head	148.08	1,231	14,051.69	A
polyalkene oxide modified heptamethyl trisiloxane	Lettuce, leaf	167.31	1,565	14,816.42	A
polyalkene oxide modified heptamethyl trisiloxane	Mustard greens	0.12	4	13.55	A
polyalkene oxide modified heptamethyl trisiloxane	N-grnhs plants in containers	69.87	315	7,221,634.0	S
polyalkene oxide modified heptamethyl trisiloxane	N-outdr plants in containers	1.67	18	56.06	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyalkene oxide modified heptamethyl trisiloxane	N-outdr plants in containers	2.58	71	1,416,800.0	S
polyalkene oxide modified heptamethyl trisiloxane	Onion, dry	13.75	48	743.6	A
polyalkene oxide modified heptamethyl trisiloxane	Peas	113.15	108	884.5	A
polyalkene oxide modified heptamethyl trisiloxane	Pepper, fruiting	0.21	7	70.1	A
polyalkene oxide modified heptamethyl trisiloxane	Pumpkin	0.07	1	14.0	A
polyalkene oxide modified heptamethyl trisiloxane	Radicchio	2.57	41	160.64	A
polyalkene oxide modified heptamethyl trisiloxane	Raspberry	3.06	9	97.14	A
polyalkene oxide modified heptamethyl trisiloxane	Research commodity	0.49	11	35.5	A
polyalkene oxide modified heptamethyl trisiloxane	Rights of way	20.54	N/A	N/A	N/A
polyalkene oxide modified heptamethyl trisiloxane	Spinach	0.17	6	52.9	A
polyalkene oxide modified heptamethyl trisiloxane	Strawberry	49.65	26	899.72	A
polyalkene oxide modified heptamethyl trisiloxane	Swiss chard	0.15	1	5.35	A
polyalkene oxide modified heptamethyl trisiloxane	Uncultivated ag	0.02	1	2.0	A
polyalkyleneoxide modified polydimethylsiloxane	Brussels sprout	29.17	5	27.8	A
polyalkyleneoxide modified polydimethylsiloxane	Cannabis (all or unspecified)	3.25	34	18.5	A
polyalkyleneoxide modified polydimethylsiloxane	Cannabis (all or unspecified)	0.01	1	300.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyalkyleneoxide modified polydimethylsiloxane	Strawberry	150.76	12	246.69	A
polybutenes	Alfalfa	0.45	2	9.5	A
polybutenes	Artichoke, globe	184.42	239	3,110.1	A
polybutenes	Bean, unspecified	0.21	3	4.4	A
polybutenes	Blackberry	2.07	4	21.8	A
polybutenes	Broccoli	12.75	17	208.75	A
polybutenes	Brussels sprout	10.77	15	188.6	A
polybutenes	Cabbage	1.57	5	32.65	A
polybutenes	Cauliflower	25.57	23	268.2	A
polybutenes	Celery	44.78	95	885.6	A
polybutenes	Fava bean	0.11	1	1.5	A
polybutenes	Fennel	5.53	27	117.8	A
polybutenes	Lettuce, head	23.72	43	487.29	A
polybutenes	Lettuce, leaf	32.86	68	665.7	A
polybutenes	Onion, dry	0.57	1	8.0	A
polybutenes	Raspberry	9.95	16	205.9	A
polybutenes	Rights of way	12.8	N/A	N/A	N/A
polybutenes	Spinach	0.4	10	27.85	A
polybutenes	Strawberry	1,359.25	494	15,802.09	A
polybutenes	Uncultivated ag	11.45	13	181.6	A
polyether modified polysiloxane	Artichoke, globe	238.35	703	9,453.04	A
polyether modified polysiloxane	Arugula	13.95	90	297.11	A
polyether modified polysiloxane	Bean, dried	0.88	1	11.0	A
polyether modified polysiloxane	Beet	1.47	20	61.5	A
polyether modified polysiloxane	Blackberry	35.78	7	69.5	A
polyether modified polysiloxane	Blueberry	0.07	1	0.25	A
polyether modified polysiloxane	Bok choy	13.76	144	545.97	A
polyether modified polysiloxane	Broccoli	963.6	1,801	18,144.35	A
polyether modified polysiloxane	Brussels sprout	314.94	790	7,253.8	A
polyether modified polysiloxane	Cabbage	26.44	80	591.58	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyether modified polysiloxane	Cannabis (all or unspecified)	54.97	86	98.57	A
polyether modified polysiloxane	Cannabis (all or unspecified)	0.95	2	48,000.0	S
polyether modified polysiloxane	Cannabis (all or unspecified)	20.21	5	82.0	U
polyether modified polysiloxane	Carrot	18.91	48	382.6	A
polyether modified polysiloxane	Cauliflower	435.89	870	7,791.86	A
polyether modified polysiloxane	Celery	431.06	902	6,677.93	A
polyether modified polysiloxane	Chinese cabbage (nappa)	18.15	178	698.02	A
polyether modified polysiloxane	Cilantro	5.99	168	453.68	A
polyether modified polysiloxane	Collard	2.61	14	89.74	A
polyether modified polysiloxane	Cucumber	0.99	1	10.0	A
polyether modified polysiloxane	Endive (escarole)	20.81	215	853.89	A
polyether modified polysiloxane	Fennel	3.99	12	35.2	A
polyether modified polysiloxane	Garlic	32.63	34	740.38	A
polyether modified polysiloxane	Grape, wine	497.14	333	6,186.66	A
polyether modified polysiloxane	Industrial hemp	0.79	N/A	1.9	A
polyether modified polysiloxane	Kale	83.19	170	1,274.55	A
polyether modified polysiloxane	Landscape maintenance	0.1	2	3.5	A
polyether modified polysiloxane	Leek	23.88	285	755.25	A
polyether modified polysiloxane	Lettuce, head	575.03	2,105	23,000.11	A
polyether modified polysiloxane	Lettuce, leaf	1,077.49	3,136	28,245.01	A
polyether modified polysiloxane	Mustard greens	10.47	80	206.47	A
polyether modified polysiloxane	N-grnhs plants in containers	1.07	16	63,600.0	S
polyether modified polysiloxane	N-grnhs transplants	0.38	72	19.92	A
polyether modified polysiloxane	Oat	0.43	2	17.0	A
polyether modified polysiloxane	Onion, dry	119.11	76	1,052.3	A
polyether modified polysiloxane	Parsley	1.14	5	56.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyether modified polysiloxane	Peas	147.63	382	3,534.46	A
polyether modified polysiloxane	Pepper, fruiting	6.25	5	74.1	A
polyether modified polysiloxane	Pumpkin	0.32	1	4.0	A
polyether modified polysiloxane	Radicchio	0.85	4	7.8	A
polyether modified polysiloxane	Radish	14.3	364	699.76	A
polyether modified polysiloxane	Raspberry	53.39	14	107.4	A
polyether modified polysiloxane	Rights of way	0.6	N/A	N/A	N/A
polyether modified polysiloxane	Spinach	12.29	22	116.9	A
polyether modified polysiloxane	Squash, summer	0.72	2	9.0	A
polyether modified polysiloxane	Strawberry	2,236.71	146	3,106.86	A
polyether modified polysiloxane	Sunflower	2.39	5	35.23	A
polyether modified polysiloxane	Swiss chard	17.53	56	216.73	A
polyether modified polysiloxane	Triticale	0.82	3	43.8	A
polyether modified polysiloxane	Uncultivated ag	88.25	362	3,226.05	A
polyether modified polysiloxane	Uncultivated non-ag	0.77	8	25.0	A
polyethoxylated castor oil	Artichoke, globe	251.59	195	2,818.7	A
polyethoxylated castor oil	Broccoli	80.94	81	921.5	A
polyethoxylated castor oil	Brussels sprout	73.47	60	812.75	A
polyethoxylated castor oil	Cabbage	4.05	6	50.9	A
polyethoxylated castor oil	Cauliflower	76.16	70	858.1	A
polyethoxylated castor oil	Celery	53.3	65	590.25	A
polyethoxylated castor oil	Fava bean	3.16	22	35.9	A
polyethoxylated castor oil	Fennel	11.42	26	126.88	A
polyethoxylated castor oil	Grape, wine	123.58	8	148.25	A
polyethoxylated castor oil	Lettuce, head	75.8	63	913.65	A
polyethoxylated castor oil	Lettuce, leaf	85.69	89	974.95	A
polyethoxylated castor oil	Rights of way	250.58	N/A	N/A	N/A
polyethoxylated castor oil	Spinach	51.27	72	566.85	A
polyethoxylated castor oil	Uncultivated ag	674.45	400	4,824.25	A
polyethoxylated castor oil	Uncultivated non-ag	10.53	2	12.0	A
polyethoxylated castor oil	Water area	106.15	17	121.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol	Grape, wine	102.1	35	4,121.39	A
polyethylene glycol	Strawberry	476.95	86	2,791.79	A
polyethylene glycol diacetate	Broccoli	0.01	1	10.0	A
polyethylene glycol diacetate	Grape, wine	2.52	56	1,794.65	A
polyethylene glycol diacetate	Lettuce, leaf	<0.01	1	2.2	A
polyethylene glycol diacetate	Rights of way	0.03	N/A	N/A	N/A
polyethylene glycol ditallate	Broccoli	0.07	2	23.2	A
polyethylene glycol ditallate	Cauliflower	0.18	5	55.2	A
polyethylene glycol ditallate	Strawberry	0.14	5	43.86	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Artichoke, globe	2.83	6	36.65	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Brussels sprout	1.19	3	15.21	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Grape, wine	432.04	138	2,734.88	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-grnhs transplants	0.53	14	932,650.0	S
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	N-outdr transplants	3.28	33	2,799,463.0	S
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Onion, dry	1.74	1	15.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Squash	3.41	3	29.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Strawberry	5.27	1	30.0	A
polyethylene glycol mono(3-(tetramethyl-1-(trimethylsiloxy)disiloxanyl)propyl)ether	Walnut	280.1	22	2,070.0	A
polyethylene glycol stearate	Artichoke, globe	62.46	109	1,333.3	A
polyethylene glycol stearate	Arugula	<0.01	1	2.1	A
polyethylene glycol stearate	Bean, dried	0.1	1	4.0	A
polyethylene glycol stearate	Bean, succulent	0.93	4	19.5	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyethylene glycol stearate	Bean, unspecified	0.26	1	5.4	A
polyethylene glycol stearate	Bok choy	3.9	89	88.5	A
polyethylene glycol stearate	Broccoli	3,423.62	2,041	20,263.86	A
polyethylene glycol stearate	Brussels sprout	341.97	72	1,206.1	A
polyethylene glycol stearate	Cabbage	35.23	185	705.8	A
polyethylene glycol stearate	Carrot	155.23	42	684.97	A
polyethylene glycol stearate	Cauliflower	1,784.29	960	9,773.65	A
polyethylene glycol stearate	Celery	930.18	1,533	12,688.58	A
polyethylene glycol stearate	Cilantro	1.58	30	66.1	A
polyethylene glycol stearate	Endive (escarole)	4.17	84	129.58	A
polyethylene glycol stearate	Fennel	10.21	14	73.5	A
polyethylene glycol stearate	Garlic	1.84	5	85.5	A
polyethylene glycol stearate	Grape, wine	199.92	141	2,587.51	A
polyethylene glycol stearate	Kale	23.94	27	118.25	A
polyethylene glycol stearate	Kohlrabi	8.02	31	169.1	A
polyethylene glycol stearate	Landscape maintenance	3.74	N/A	N/A	N/A
polyethylene glycol stearate	Leek	5.39	47	232.9	A
polyethylene glycol stearate	Lettuce, head	1,716.92	3,978	44,929.98	A
polyethylene glycol stearate	Lettuce, leaf	1,937.73	5,315	52,820.03	A
polyethylene glycol stearate	Mizuna	0.01	7	16.4	A
polyethylene glycol stearate	Mustard greens	<0.01	3	4.5	A
polyethylene glycol stearate	Onion, dry	41.98	46	808.7	A
polyethylene glycol stearate	Peas	115.22	128	1,609.9	A
polyethylene glycol stearate	Pepper, fruiting	1.03	4	57.7	A
polyethylene glycol stearate	Radicchio	16.32	18	340.7	A
polyethylene glycol stearate	Rights of way	793.48	N/A	N/A	N/A
polyethylene glycol stearate	Rye	0.86	1	15.0	A
polyethylene glycol stearate	Spinach	0.12	118	833.5	A
polyethylene glycol stearate	Sunflower	0.26	3	6.0	A
polyethylene glycol stearate	Swiss chard	<0.01	1	2.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyethylene glycol stearate	Uncultivated ag	2,776.62	835	8,235.05	A
polyethylene glycol stearate	Uncultivated non-ag	55.74	15	106.05	A
polyethylene glycol stearate	Water area	11.17	3	27.5	A
poly-i-para-menthene	Cabbage	0.49	1	2.0	A
poly-i-para-menthene	Cauliflower	1.24	2	8.0	A
poly-i-para-menthene	Lettuce, leaf	0.25	1	4.0	A
polymerized acrylic acid	Grape, wine	6.21	8	68.02	A
polymerized pinene	Artichoke, globe	46.35	9	120.58	A
polymerized pinene	Broccoli	627.05	80	1,030.3	A
polymerized pinene	Cabbage	31.75	19	186.5	A
polymerized pinene	Cauliflower	668.31	76	1,000.0	A
polymerized pinene	Celery	107.34	15	200.9	A
polymerized pinene	Fennel	7.54	2	22.0	A
polymerized pinene	Golf course turf	5.63	N/A	6.0	A
polymerized pinene	Kale	29.95	5	48.2	A
polymerized pinene	Landscape maintenance	165.25	N/A	N/A	N/A
polymerized pinene	Leek	22.57	2	33.0	A
polymerized pinene	Lettuce, head	194.13	37	334.4	A
polymerized pinene	Lettuce, leaf	243.43	58	430.28	A
polymerized pinene	Strawberry	11.59	1	30.0	A
polymerized pinene	Uncultivated ag	183.36	23	346.3	A
polyoxin d, zinc salt	Blackberry	0.59	1	13.5	A
polyoxin d, zinc salt	Celery	1.14	2	26.65	A
polyoxin d, zinc salt	Grape, wine	189.97	116	4,339.04	A
polyoxin d, zinc salt	Landscape maintenance	4.34	N/A	N/A	N/A
polyoxin d, zinc salt	Lettuce, head	55.95	131	1,436.19	A
polyoxin d, zinc salt	Lettuce, leaf	89.23	291	2,302.22	A
polyoxin d, zinc salt	N-outdr plants in containers	0.01	1	4,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxin d, zinc salt	Raspberry	3.35	6	76.9	A
polyoxin d, zinc salt	Strawberry	153.26	126	3,520.43	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Grape, wine	12.68	8	148.25	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Rights of way	25.64	N/A	N/A	N/A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Uncultivated ag	29.29	41	356.5	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Uncultivated non-ag	1.08	2	12.0	A
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-, mono-c11-14-isoalkyl ethers, c13-rich, phosphates	Water area	10.89	17	121.0	A
polyoxyethylene dioleate	Pastureland	3.71	N/A	50.5	A
polyoxyethylene dioleate	Rights of way	0.61	N/A	N/A	N/A
polyoxyethylene mixed fatty acid ester	Strawberry	2.78	1	36.0	A
polyoxyethylene polyoxypropylene	Artichoke, globe	85.47	48	493.13	A
polyoxyethylene polyoxypropylene	Arugula	22.23	12	47.64	A
polyoxyethylene polyoxypropylene	Blackberry	18.82	12	127.9	A
polyoxyethylene polyoxypropylene	Broccoli	573.76	275	1,601.32	A
polyoxyethylene polyoxypropylene	Brussels sprout	974.88	201	2,565.4	A
polyoxyethylene polyoxypropylene	Cabbage	15.21	14	120.7	A
polyoxyethylene polyoxypropylene	Cauliflower	354.01	143	758.14	A
polyoxyethylene polyoxypropylene	Celery	443.33	418	2,762.9	A
polyoxyethylene polyoxypropylene	Chinese cabbage (nappa)	3.8	2	6.0	A
polyoxyethylene polyoxypropylene	Cilantro	16.75	9	29.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
polyoxyethylene polyoxypropylene	Corn (forage - fodder)	1.63	6	6.0	A
polyoxyethylene polyoxypropylene	Fennel	0.9	1	3.0	A
polyoxyethylene polyoxypropylene	Grape, wine	1,664.5	183	6,417.54	A
polyoxyethylene polyoxypropylene	Kale	2.09	2	7.0	A
polyoxyethylene polyoxypropylene	Lettuce, head	312.95	163	1,837.4	A
polyoxyethylene polyoxypropylene	Lettuce, leaf	709.35	463	3,438.23	A
polyoxyethylene polyoxypropylene	Onion, dry	31.33	13	190.9	A
polyoxyethylene polyoxypropylene	Peas	71.4	50	711.6	A
polyoxyethylene polyoxypropylene	Pumpkin	4.0	11	26.0	A
polyoxyethylene polyoxypropylene	Raspberry	531.36	108	1,381.11	A
polyoxyethylene polyoxypropylene	Spinach	4.07	15	37.5	A
polyoxyethylene polyoxypropylene	Strawberry	20,983.43	1,686	35,670.2	A
polyoxyethylene polyoxypropylene	Swiss chard	0.9	1	3.0	A
polyoxyethylene polyoxypropylene	Uncultivated ag	224.12	51	1,061.1	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Artichoke, globe	4.58	47	476.33	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Arugula	1.22	12	47.64	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Blackberry	0.27	5	16.9	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Broccoli	5.63	67	741.88	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Brussels sprout	52.77	199	2,547.4	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cabbage	0.83	14	120.7	A
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cannabis (all or unspecified)	5.87	12	398,191.0	S
poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether	Cauliflower	4.73	31	262.9	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Celery	17.59	255	2,048.1	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Cilantro	0.92	9	29.95	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Fennel	0.05	1	3.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Kale	0.11	2	7.0	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Lettuce, head	16.2	129	1,765.3	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Lettuce, leaf	26.26	205	2,320.3	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-grnhs flower	163.02	359	428.86	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	N-outdr plants in containers	0.49	1	1.59	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Onion, dry	1.71	13	190.9	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Peas	3.9	50	711.6	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Raspberry	18.28	63	924.49	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Rights of way	0.58	N/A	N/A	N/A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Strawberry	121.24	248	2,889.35	A
<b>poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether</b>	Swiss chard	0.05	1	3.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Barley	81.67	4	90.0	A
<b>polyoxyethylene sorbitol, mixed ether ester</b>	Broccoli	2.55	1	7.5	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitol, mixed ether ester	Celery	253.44	44	343.88	A
polyoxyethylene sorbitol, mixed ether ester	Endive (escarole)	28.37	16	55.55	A
polyoxyethylene sorbitol, mixed ether ester	Grape, wine	2,131.36	169	2,753.59	A
polyoxyethylene sorbitol, mixed ether ester	Landscape maintenance	1.51	1	1.0	A
polyoxyethylene sorbitol, mixed ether ester	Landscape maintenance	1.51	N/A	N/A	N/A
polyoxyethylene sorbitol, mixed ether ester	Leek	19.66	4	26.0	A
polyoxyethylene sorbitol, mixed ether ester	Lemon	7.68	2	61.0	A
polyoxyethylene sorbitol, mixed ether ester	Lettuce, head	1,229.17	296	3,684.03	A
polyoxyethylene sorbitol, mixed ether ester	Lettuce, leaf	1,625.12	442	4,127.31	A
polyoxyethylene sorbitol, mixed ether ester	Pasture (forage - fodder)	1.51	1	5.0	A
polyoxyethylene sorbitol, mixed ether ester	Peas	34.54	17	151.2	A
polyoxyethylene sorbitol, mixed ether ester	Uncultivated ag	2,441.0	254	2,351.38	A
polyoxyethylene sorbitol, mixed ether ester	Uncultivated non-ag	18.57	1	11.75	A
polyoxyethylene sorbitan monooleate	Grape, wine	8.46	35	347.7	A
polyoxyethylene sorbitan monooleate	Landscape maintenance	2.02	N/A	N/A	N/A
polyoxyethylene sorbitan monooleate	Pastureland	1.06	N/A	50.5	A
polyoxyethylene sorbitan monooleate	Rights of way	0.17	N/A	N/A	N/A
polyoxyethylene sorbitan trioleate	Grape, wine	55.7	35	347.7	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polyoxyethylene sorbitan trioleate	Landscape maintenance	13.29	N/A	N/A	N/A
polypropylene glycol	Broccoli	10.26	302	2,943.5	A
polypropylene glycol	Cabbage	0.07	9	24.1	A
polypropylene glycol	Cauliflower	0.44	21	162.4	A
polypropylene glycol	Chinese cabbage (nappa)	0.08	9	24.7	A
polypropylene glycol	Grape, wine	18.83	566	10,676.03	A
polypropylene glycol	Landscape maintenance	0.03	3	5.0	A
polypropylene glycol	Lettuce, head	19.45	394	4,549.2	A
polypropylene glycol	Lettuce, leaf	27.8	768	6,233.75	A
polypropylene glycol	Onion, dry	0.36	4	60.0	A
polypropylene glycol	Rights of way	0.03	N/A	N/A	N/A
polypropylene glycol	Strawberry	0.25	5	68.5	A
polypropylene glycol	Uncultivated ag	2.86	91	458.5	A
polypropylene glycol	Uncultivated non-ag	0.17	9	31.0	A
polysaccharide polymer	Broccoli	2.43	26	431.6	A
polysaccharide polymer	Celery	0.08	3	14.0	A
polysaccharide polymer	Grape, wine	3.57	69	1,410.19	A
polysaccharide polymer	Uncultivated ag	0.42	5	81.0	A
polysiloxane	N-outdr plants in containers	2.21	1	1.2	A
polysorbate 65	Arugula	55.94	38	365.45	A
polysorbate 65	Asparagus	3.48	1	25.0	A
polysorbate 65	Bean, dried	11.15	1	40.0	A
polysorbate 65	Broccoli	379.21	146	1,588.5	A
polysorbate 65	Cabbage	117.82	72	651.97	A
polysorbate 65	Carrot	63.57	11	241.3	A
polysorbate 65	Cauliflower	201.17	64	844.78	A
polysorbate 65	Celery	193.63	116	952.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
polysorbate 65	Cilantro	171.44	114	668.75	A
polysorbate 65	Endive (escarole)	15.42	33	66.56	A
polysorbate 65	Garlic	41.38	9	193.4	A
polysorbate 65	Grape, wine	125.71	63	417.32	A
polysorbate 65	Kale	59.74	29	298.3	A
polysorbate 65	Leek	1.67	1	6.0	A
polysorbate 65	Lettuce, head	350.26	128	1,391.24	A
polysorbate 65	Lettuce, leaf	626.11	313	2,782.9	A
polysorbate 65	Mustard greens	12.3	21	63.0	A
polysorbate 65	Onion, dry	86.71	20	317.2	A
polysorbate 65	Parsley	21.29	8	83.4	A
polysorbate 65	Peas	96.17	44	378.8	A
polysorbate 65	Radicchio	1.39	2	6.0	A
polysorbate 65	Research commodity	1.61	6	11.55	A
polysorbate 65	Spinach	305.39	157	1,581.99	A
polysorbate 65	Strawberry	3.09	2	25.3	A
polysorbate 65	Uncultivated ag	113.68	94	749.05	A
potash soap	Bean, succulent	0.42	1	0.5	A
potash soap	Beet	34.89	5	7.45	A
potash soap	Blackberry	3.73	3	15,120.0	S
potash soap	Broccoli	24,356.78	754	4,418.94	A
potash soap	Brussels sprout	484.55	18	48.63	A
potash soap	Cabbage	5,558.05	269	942.53	A
potash soap	Cannabis (all or unspecified)	472.06	106	89.73	A
potash soap	Cannabis (all or unspecified)	725.5	149	3,523,397.0	S
potash soap	Cauliflower	13,769.98	367	2,088.2	A
potash soap	Celery	278.49	13	46.9	A
potash soap	Collard	41.63	1	4.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potash soap	Grape, wine	119.7	19	57.5	A
potash soap	Industrial hemp	30.52	10	10.28	A
potash soap	Industrial hemp	5.4	3	74,000.0	S
potash soap	Kale	55.6	4	6.85	A
potash soap	Landscape maintenance	1.94	N/A	N/A	N/A
potash soap	Leek	85.81	9	19.38	A
potash soap	Lettuce, head	25.61	25	3.82	A
potash soap	Lettuce, leaf	825.55	40	166.84	A
potash soap	Mustard greens	1,227.31	47	229.6	A
potash soap	N-grnhs flower	116.57	5	3.75	A
potash soap	N-grnhs plants in containers	90.73	6	22.92	A
potash soap	N-grnhs plants in containers	10.04	20	56,100.0	S
potash soap	N-grnhs transplants	1.09	4	0.37	A
potash soap	N-outdr plants in containers	35.25	1	2.69	A
potash soap	N-outdr transplants	5.98	7	80,434.0	S
potash soap	Raspberry	351.07	4	49.7	A
potash soap	Regulatory pest control	23.27	N/A	N/A	N/A
potash soap	Research commodity	9.19	N/A	N/A	N/A
potash soap	Strawberry	2,311.96	16	384.87	A
potash soap	Swiss chard	44.96	2	4.4	A
potash soap	Uncultivated ag	0.72	1	1.0	A
potassium bicarbonate	Blackberry	98.53	6	41.77	A
potassium bicarbonate	Cannabis (all or unspecified)	11.21	16	10.31	A
potassium bicarbonate	Cannabis (all or unspecified)	91.7	65	1,230,331.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
potassium bicarbonate	Grape, wine	27,008.07	358	8,318.62	A
potassium bicarbonate	Industrial hemp	1.75	2	1.25	A
potassium bicarbonate	Industrial hemp	0.26	1	5,000.0	S
potassium bicarbonate	Landscape maintenance	6.75	N/A	N/A	N/A
potassium bicarbonate	N-grnhs plants in containers	17.84	40	215,108.0	S
potassium bicarbonate	N-outdr plants in containers	2.95	5	36,000.0	S
potassium bicarbonate	N-outdr transplants	43.12	2	353,590.0	S
potassium bicarbonate	Parsley	102.57	10	41.75	A
potassium bicarbonate	Raspberry	72.24	3	29.4	A
potassium bicarbonate	Regulatory pest control	2.12	N/A	N/A	N/A
potassium bicarbonate	Research commodity	0.37	N/A	N/A	N/A
potassium bicarbonate	Squash	95.0	3	29.0	A
potassium bicarbonate	Strawberry	1,799.92	40	743.57	A
potassium bicarbonate	Strawberry	3.2	5	51,000.0	S
potassium hydroxide	Grape, wine	4.16	8	166.42	A
potassium n-methyldithiocarbamate	Brussels sprout	18,552.7	14	210.2	A
potassium n-methyldithiocarbamate	Grape, wine	6,785.93	3	50.46	A
potassium n-methyldithiocarbamate	Lettuce, leaf	2,393.77	1	8.9	A
potassium n-methyldithiocarbamate	Spinach	19,850.59	6	85.11	A
potassium n-methyldithiocarbamate	Strawberry	78,511.35	10	303.7	A
potassium n-methyldithiocarbamate	Uncultivated ag	11,903.03	4	52.0	A
potassium phosphite	Artichoke, globe	508.29	7	105.7	A
potassium phosphite	Arugula	3,015.62	194	1,637.1	A
potassium phosphite	Avocado	288.51	3	85.0	A
potassium phosphite	Beet	2.92	1	1.5	A
potassium phosphite	Blackberry	181.12	9	56.5	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium phosphite	Broccoli	2,899.43	83	780.1	A
potassium phosphite	Brussels sprout	3,402.29	58	720.5	A
potassium phosphite	Cabbage	335.7	11	95.98	A
potassium phosphite	Cannabis (all or unspecified)	404.71	35	122.5	A
potassium phosphite	Cannabis (all or unspecified)	3.93	3	14,520.0	S
potassium phosphite	Cauliflower	2,052.28	43	570.2	A
potassium phosphite	Celery	187.44	6	47.9	A
potassium phosphite	Cucumber	42.06	3	27.45	A
potassium phosphite	Fennel	97.45	2	30.4	A
potassium phosphite	Golf course turf	71.92	N/A	9.0	A
potassium phosphite	Grape, wine	1.82	1	1.5	A
potassium phosphite	Kale	1,617.28	176	711.64	A
potassium phosphite	Landscape maintenance	857.69	N/A	N/A	N/A
potassium phosphite	Lemon	213.18	2	56.5	A
potassium phosphite	Lettuce, head	96,035.6	2,223	27,731.69	A
potassium phosphite	Lettuce, leaf	183,825.32	4,504	52,859.21	A
potassium phosphite	Mizuna	35.56	10	15.05	A
potassium phosphite	Mustard greens	115.17	11	37.28	A
potassium phosphite	N-grnhs flower	14.43	1	1.0	A
potassium phosphite	N-grnhs plants in containers	15.63	1	75,000.0	S
potassium phosphite	N-outdr plants in containers	1.6	1	0.75	A
potassium phosphite	N-outdr plants in containers	12.29	6	87,560.0	S
potassium phosphite	Onion, dry	818.66	13	300.0	A
potassium phosphite	Peas	13,811.73	388	4,498.44	A
potassium phosphite	Radicchio	60.14	2	18.75	A
potassium phosphite	Rapini	1,742.4	28	429.2	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
potassium phosphite	Raspberry	1,411.56	25	384.06	A
potassium phosphite	Research commodity	2.4	N/A	N/A	N/A
potassium phosphite	Spinach	40,082.11	2,124	19,935.11	A
potassium phosphite	Strawberry	961.54	9	266.6	A
potassium phosphite	Swiss chard	704.78	71	259.72	A
potassium phosphite	Upland cress	114.07	28	86.64	A
potassium silicate	Cannabis (all or unspecified)	12.46	28	367,362.0	S
potassium silicate	Industrial hemp	1.31	2	39,342.0	S
potassium silicate	Strawberry	3,760.79	33	1,164.64	A
prallethrin	Landscape maintenance	<0.01	N/A	N/A	N/A
prallethrin	Structural pest control	0.09	N/A	N/A	N/A
prodiamine	Landscape maintenance	164.85	N/A	N/A	N/A
prodiamine	Research commodity	0.09	N/A	N/A	N/A
prometon	Landscape maintenance	0.48	N/A	N/A	N/A
prometryn	Carrot	63.4	9	50.8	A
prometryn	Celery	9,032.83	908	7,397.14	A
prometryn	Cilantro	727.67	205	900.31	A
prometryn	Fennel	510.59	104	467.45	A
prometryn	Parsley	193.68	11	107.6	A
prometryn	Research commodity	3.0	1	1.5	A
prometryn	Research commodity	2.5	N/A	N/A	N/A
propamocarb hydrochloride	Lettuce, head	12,751.36	1,151	13,506.77	A
propamocarb hydrochloride	Lettuce, leaf	21,905.58	2,059	23,789.28	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propamocarb hydrochloride	N-grnhs transplants	10.31	19	665,570.0	S
propamocarb hydrochloride	N-outdr transplants	2.5	5	149,753.0	S
propiconazole	Beet	1.42	4	12.4	A
propiconazole	Carrot	110.17	62	984.5	A
propiconazole	Celery	1,114.82	1,160	9,958.29	A
propiconazole	Cilantro	25.07	83	225.45	A
propiconazole	Fava bean	1.36	9	13.5	A
propiconazole	Fennel	37.45	30	334.1	A
propiconazole	Garlic	187.75	93	1,664.8	A
propiconazole	Golf course turf	7.28	N/A	12.0	A
propiconazole	Kale	0.47	2	4.2	A
propiconazole	Landscape maintenance	275.67	N/A	N/A	N/A
propiconazole	Leek	27.54	33	193.42	A
propiconazole	N-grnhs flower	2.63	N/A	88,000.0	S
propiconazole	N-grnhs plants in containers	2.99	19	21.18	A
propiconazole	N-grnhs plants in containers	0.13	3	28,750.0	S
propiconazole	N-grnhs transplants	38.02	224	79.56	A
propiconazole	N-outdr flower	5.15	52	49.0	A
propiconazole	N-outdr plants in containers	0.96	10	138,000.0	S
propiconazole	Strawberry	592.64	312	5,057.96	A
propiconazole	Walnut	23.45	1	105.0	A
propionic acid	Artichoke, globe	147.75	54	694.7	A
propionic acid	Arugula	16.62	32	364.7	A
propionic acid	Blackberry	12.85	2	23.0	A
propionic acid	Broccoli	2,734.17	1,901	23,000.96	A
propionic acid	Brussels sprout	1,967.55	674	11,627.29	A
propionic acid	Cabbage	728.2	396	4,936.59	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
propionic acid	Carrot	1.9	1	27.0	A
propionic acid	Cauliflower	667.13	481	5,029.9	A
propionic acid	Celery	375.28	244	1,738.62	A
propionic acid	Corn salad	0.55	2	5.8	A
propionic acid	Corn, human consumption	1.51	1	4.0	A
propionic acid	Cucumber	5.82	9	64.1	A
propionic acid	Endive (escarole)	4.8	29	35.65	A
propionic acid	Fennel	47.78	27	269.8	A
propionic acid	Garlic	1,092.43	218	4,081.4	A
propionic acid	Grape, wine	1,568.68	1,026	8,325.02	A
propionic acid	Kale	46.16	38	293.17	A
propionic acid	Landscape maintenance	0.76	N/A	N/A	N/A
propionic acid	Leek	12.0	37	121.36	A
propionic acid	Lettuce, head	3,633.54	1,434	18,086.2	A
propionic acid	Lettuce, leaf	8,814.44	4,143	47,773.32	A
propionic acid	Mustard greens	2.13	14	47.5	A
propionic acid	N-grnhs flower	0.6	2	2.45	A
propionic acid	N-grnhs plants in containers	31.09	27	71.84	A
propionic acid	N-grnhs plants in containers	0.94	7	53,000.0	S
propionic acid	N-grnhs transplants	68.76	382	173.28	A
propionic acid	N-outdr plants in containers	21.89	9	25.28	A
propionic acid	N-outdr plants in containers	4.36	9	153,600.0	S
propionic acid	Oat	0.28	1	10.0	A
propionic acid	Onion, dry	92.79	71	1,167.2	A
propionic acid	Pastureland	0.38	1	15.0	A
propionic acid	Peas	344.72	271	3,455.2	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propionic acid	Pepper, fruiting	118.75	32	623.7	A
propionic acid	Pumpkin	0.66	1	14.0	A
propionic acid	Radicchio	10.67	9	74.75	A
propionic acid	Rangeland	0.45	1	3.0	A
propionic acid	Rapini	239.08	218	2,148.8	A
propionic acid	Spinach	7.48	8	83.3	A
propionic acid	Squash	7.62	6	56.0	A
propionic acid	Squash, summer	6.8	5	29.0	A
propionic acid	Strawberry	38.55	4	91.2	A
propionic acid	Swiss chard	60.25	36	180.11	A
propionic acid	Uncultivated ag	1,169.2	342	3,885.82	A
propionic acid	Uncultivated ag	4.84	N/A	97,875.0	S
propylene glycol	Artichoke, globe	6.57	11	83.35	A
propylene glycol	Blackberry	25.01	14	209.27	A
propylene glycol	Broccoli	939.98	1,072	13,402.49	A
propylene glycol	Brussels sprout	608.91	398	7,810.0	A
propylene glycol	Cabbage	135.22	125	1,280.95	A
propylene glycol	Cauliflower	312.76	380	3,970.53	A
propylene glycol	Celery	11.48	31	129.85	A
propylene glycol	Grape, wine	1,501.26	1,583	38,030.15	A
propylene glycol	Landscape maintenance	0.87	N/A	N/A	N/A
propylene glycol	Lettuce, head	12.57	25	287.2	A
propylene glycol	Lettuce, leaf	15.22	36	477.75	A
propylene glycol	N-grnhs plants in containers	3.24	68	763,640.0	S
propylene glycol	N-grnhs transplants	1.16	14	932,650.0	S
propylene glycol	N-outdr flower	169.22	1,128	950.38	A
propylene glycol	N-outdr plants in containers	3.68	18	56.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
propylene glycol	N-outdr plants in containers	5.68	71	1,416,800.0	S
propylene glycol	N-outdr transplants	7.21	33	2,799,463.0	S
propylene glycol	Onion, dry	10.84	7	101.1	A
propylene glycol	Rapini	12.3	21	318.9	A
propylene glycol	Raspberry	3.21	2	29.72	A
propylene glycol	Rights of way	7.35	N/A	N/A	N/A
propylene glycol	Squash	1.73	3	29.0	A
propylene glycol	Strawberry	110.88	30	850.6	A
propylene glycol	Uncultivated ag	289.36	223	2,569.06	A
propylene glycol	Walnut	142.42	22	2,070.0	A
propyzamide	Artichoke, globe	296.79	19	192.4	A
propyzamide	Broccoli	14.27	1	13.0	A
propyzamide	Endive (escarole)	382.51	201	391.16	A
propyzamide	Lettuce, head	23,471.6	2,520	28,324.93	A
propyzamide	Lettuce, leaf	47,026.55	4,616	45,786.21	A
propyzamide	Radicchio	142.85	30	183.47	A
propyzamide	Research commodity	16.94	N/A	N/A	N/A
propyzamide	Soil fumigation/preplant	80.2	4	35.8	A
propyzamide	Uncultivated ag	313.6	16	299.4	A
pymetrozine	Arugula	85.43	104	997.02	A
pymetrozine	Bok choy	4.54	26	53.33	A
pymetrozine	Broccoli	37.91	44	441.7	A
pymetrozine	Brussels sprout	131.39	136	1,529.95	A
pymetrozine	Cabbage	7.0	26	81.83	A
pymetrozine	Cauliflower	2.68	4	31.2	A
pymetrozine	Celery	134.03	206	1,563.24	A
pymetrozine	Chinese cabbage (nappa)	4.76	13	55.45	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pymetrozine	Cucumber	2.51	3	29.2	A
pymetrozine	Endive (escarole)	2.0	18	23.4	A
pymetrozine	Kale	17.42	42	203.42	A
pymetrozine	Lettuce, head	545.76	557	6,357.76	A
pymetrozine	Lettuce, leaf	641.95	752	7,475.37	A
pymetrozine	Mustard greens	0.31	1	3.6	A
pymetrozine	N-grnhs flower	17.02	30	43.11	A
pymetrozine	N-grnhs plants in containers	36.52	35	125.0	A
pymetrozine	N-grnhs plants in containers	23.55	126	5,848,974.0	S
pymetrozine	N-outdr plants in containers	36.71	10	55.1	A
pymetrozine	N-outdr plants in containers	0.14	2	15,000.0	S
pymetrozine	Parsley	4.39	4	51.2	A
pymetrozine	Pepper, fruiting	21.29	17	248.25	A
pymetrozine	Pumpkin	1.2	1	14.0	A
pymetrozine	Rapini	4.63	1	53.8	A
pymetrozine	Research commodity	0.03	N/A	N/A	N/A
pymetrozine	Spinach	141.45	193	1,648.9	A
pymetrozine	Squash	1.72	2	20.0	A
pymetrozine	Swiss chard	1.3	12	15.37	A
pymetrozine	Upland cress	5.15	20	60.47	A
pyraclostrobin	Arugula	0.62	2	3.4	A
pyraclostrobin	Blackberry	47.49	34	272.7	A
pyraclostrobin	Bok choy	10.29	22	85.96	A
pyraclostrobin	Broccoli	1,643.94	842	9,210.73	A
pyraclostrobin	Brussels sprout	630.54	273	3,678.0	A
pyraclostrobin	Cabbage	74.73	38	423.27	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	Cardoon	2.44	7	12.2	A
pyraclostrobin	Carrot	19.46	14	149.77	A
pyraclostrobin	Cauliflower	105.34	64	594.86	A
pyraclostrobin	Celery	308.35	191	1,740.35	A
pyraclostrobin	Chinese cabbage (nappa)	2.32	2	11.59	A
pyraclostrobin	Fennel	21.4	18	111.88	A
pyraclostrobin	Grape, wine	4,651.97	893	32,249.93	A
pyraclostrobin	Kale	33.03	26	165.82	A
pyraclostrobin	Landscape maintenance	39.15	N/A	N/A	N/A
pyraclostrobin	Leek	17.92	39	114.21	A
pyraclostrobin	Lettuce, head	1,329.25	685	7,718.82	A
pyraclostrobin	Lettuce, leaf	3,187.21	1,673	18,333.85	A
pyraclostrobin	Lettuce, leaf	<0.01	1	500.0	S
pyraclostrobin	N-grnhs flower	5.82	23	29.48	A
pyraclostrobin	N-grnhs plants in containers	41.9	70	212.06	A
pyraclostrobin	N-grnhs plants in containers	8.12	36	1,052,350.0	S
pyraclostrobin	N-outdr flower	0.86	15	13.5	A
pyraclostrobin	N-outdr plants in containers	28.64	24	116.08	A
pyraclostrobin	N-outdr plants in containers	0.14	4	18,000.0	S
pyraclostrobin	Onion, dry	109.02	41	803.7	A
pyraclostrobin	Parsley	7.68	4	51.2	A
pyraclostrobin	Peas	359.26	217	2,467.48	A
pyraclostrobin	Radicchio	30.34	8	167.0	A
pyraclostrobin	Radish	1.52	10	15.03	A
pyraclostrobin	Rapini	4.92	1	24.6	A
pyraclostrobin	Raspberry	148.0	92	847.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyraclostrobin	Research commodity	0.02	N/A	N/A	N/A
pyraclostrobin	Spinach	14.38	16	71.89	A
pyraclostrobin	Strawberry	3,375.47	534	15,761.03	A
pyraclostrobin	Swiss chard	49.76	53	256.92	A
pyraflufen-ethyl	Broccoli	0.6	14	186.0	A
pyraflufen-ethyl	Brussels sprout	1.41	31	435.5	A
pyraflufen-ethyl	Cauliflower	0.11	3	32.2	A
pyraflufen-ethyl	Celery	0.03	1	8.7	A
pyraflufen-ethyl	Chinese cabbage (nappa)	0.09	2	28.5	A
pyraflufen-ethyl	Endive (escarole)	0.12	4	37.0	A
pyraflufen-ethyl	Fennel	0.03	2	11.3	A
pyraflufen-ethyl	Grape, wine	33.17	248	10,618.25	A
pyraflufen-ethyl	Landscape maintenance	0.03	3	5.0	A
pyraflufen-ethyl	Landscape maintenance	0.02	N/A	N/A	N/A
pyraflufen-ethyl	Leek	0.1	3	30.5	A
pyraflufen-ethyl	Lettuce, leaf	0.35	10	105.9	A
pyraflufen-ethyl	Onion, dry	0.01	1	2.0	A
pyraflufen-ethyl	Rights of way	7.89	N/A	N/A	N/A
pyraflufen-ethyl	Spinach	1.08	37	328.6	A
pyraflufen-ethyl	Triticale	0.39	16	197.0	A
pyraflufen-ethyl	Uncultivated ag	71.87	1,782	19,782.39	A
pyraflufen-ethyl	Uncultivated non-ag	0.48	20	126.05	A
pyraflufen-ethyl	Walnut	0.69	3	130.0	A
pyraflufen-ethyl	Water area	0.01	1	2.5	A
pyraflufen-ethyl	Wheat	0.01	1	6.05	A
pyrethrins	Apple	0.06	1	2.0	A
pyrethrins	Artichoke, globe	4.41	20	108.31	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
pyrethrins	Arugula	12.02	117	271.76	A
pyrethrins	Beet	0.23	3	5.0	A
pyrethrins	Blackberry	12.93	32	278.7	A
pyrethrins	Blackberry	0.64	20	1,068,619.0	S
pyrethrins	Blueberry	2.51	8	59.29	A
pyrethrins	Bok choy	0.54	11	12.25	A
pyrethrins	Broccoli	101.9	289	2,378.91	A
pyrethrins	Brussels sprout	1.97	12	44.21	A
pyrethrins	Cabbage	12.31	57	272.43	A
pyrethrins	Cannabis (all or unspecified)	2.82	22	8.17	A
pyrethrins	Cannabis (all or unspecified)	0.41	54	177,545.0	S
pyrethrins	Cauliflower	61.11	219	1,481.94	A
pyrethrins	Celery	102.58	524	2,963.91	A
pyrethrins	Cilantro	2.81	18	60.65	A
pyrethrins	Corn (forage - fodder)	0.04	1	1.0	A
pyrethrins	Dill	0.07	9	3.6	A
pyrethrins	Fava bean	0.87	13	19.5	A
pyrethrins	Grape, wine	20.07	53	527.88	A
pyrethrins	Industrial hemp	0.01	N/A	0.5	A
pyrethrins	Kale	1.66	35	73.8	A
pyrethrins	Landscape maintenance	0.23	N/A	N/A	N/A
pyrethrins	Leek	3.12	21	81.3	A
pyrethrins	Lettuce, head	10.02	73	226.5	A
pyrethrins	Lettuce, leaf	230.32	1,125	5,838.36	A
pyrethrins	Mizuna	0.19	4	6.25	A
pyrethrins	Mustard	0.21	1	4.5	A
pyrethrins	Mustard greens	4.62	35	110.92	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyrethrins	N-grnhs plants in containers	1.32	14	8.64	A
pyrethrins	N-grnhs plants in containers	1.39	19	1,323,126.0	S
pyrethrins	N-grnhs transplants	5.09	1,165	347.35	A
pyrethrins	N-grnhs transplants	0.08	12	131,140.0	S
pyrethrins	N-outdr plants in containers	0.02	2	20,000.0	S
pyrethrins	N-outdr transplants	2.03	24	46.75	A
pyrethrins	N-outdr transplants	2.18	54	3,756,584.0	S
pyrethrins	Onion, dry	2.83	6	60.0	A
pyrethrins	Radicchio	6.39	10	162.5	A
pyrethrins	Radish	8.06	92	176.77	A
pyrethrins	Rapini	0.7	1	15.3	A
pyrethrins	Raspberry	33.37	51	750.49	A
pyrethrins	Raspberry	0.05	2	64,040.0	S
pyrethrins	Regulatory pest control	0.58	N/A	N/A	N/A
pyrethrins	Research commodity	0.17	N/A	N/A	N/A
pyrethrins	Spinach	22.68	124	596.46	A
pyrethrins	Squash	0.88	3	29.0	A
pyrethrins	Strawberry	285.38	317	6,487.36	A
pyrethrins	Strawberry	0.04	7	44,944.0	S
pyrethrins	Structural pest control	24.69	N/A	N/A	N/A
pyrethrins	Swiss chard	1.8	32	83.06	A
pyridaben	Grape, wine	45.77	3	71.27	A
pyridaben	N-grnhs flower	0.11	1	0.56	A
pyridaben	N-grnhs flower	0.24	5	19,575.0	S
pyridaben	N-grnhs plants in containers	171.34	33	177.15	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyridaben	N-grnhs plants in containers	27.86	37	3,106,672.0	S
pyridaben	N-outdr plants in containers	0.44	1	1.03	A
pyridaben	Strawberry	251.6	27	375.56	A
pyridalyl	N-grnhs flower	66.28	81	101.5	A
pyridalyl	N-grnhs flower	0.44	3	42,000.0	S
pyridalyl	N-grnhs plants in containers	3.85	22	55.0	A
pyridalyl	N-grnhs plants in containers	15.27	52	3,955,000.0	S
pyridalyl	N-outdr flower	0.61	3	3.0	A
pyrifluquinazon	N-grnhs flower	3.56	7	23.79	A
pyrifluquinazon	N-grnhs flower	0.19	12	63,825.0	S
pyrifluquinazon	N-grnhs plants in containers	5.47	24	42.76	A
pyrifluquinazon	N-grnhs plants in containers	0.57	11	148,100.0	S
pyrifluquinazon	N-outdr plants in containers	3.77	8	81.68	A
pyrifluquinazon	N-outdr plants in containers	0.2	2	45,000.0	S
pyrifluquinazon	Research commodity	<0.01	N/A	N/A	N/A
pyrimethanil	Blackberry	25.28	4	45.0	A
pyrimethanil	Grape, wine	477.25	50	1,285.66	A
pyrimethanil	Leek	62.05	38	94.63	A
pyrimethanil	Onion, dry	149.05	12	303.8	A
pyrimethanil	Strawberry	1,447.16	180	4,165.32	A
pyrimethanil	Strawberry	0.84	6	59,500.0	S
pyriofenone	Grape, wine	1.55	2	16.0	A
pyriproxyfen	Grape, wine	0.86	1	8.0	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
pyriproxyfen	Landscape maintenance	0.15	N/A	N/A	N/A
pyriproxyfen	N-grnhs flower	0.71	2	4.67	A
pyriproxyfen	N-grnhs plants in containers	1.01	13	12.59	A
pyriproxyfen	N-grnhs plants in containers	2.38	35	653,350.0	S
pyriproxyfen	N-outdr plants in containers	0.03	2	6.02	A
pyriproxyfen	Strawberry	58.57	62	875.57	A
pyriproxyfen	Structural pest control	3.23	N/A	N/A	N/A
pyriproxyfen	Walnut	26.25	2	240.0	A
qst 713 strain of dried bacillus subtilis	Artichoke, globe	47.11	36	279.9	A
qst 713 strain of dried bacillus subtilis	Arugula	37.95	194	529.61	A
qst 713 strain of dried bacillus subtilis	Bean, unspecified	1.0	3	4.4	A
qst 713 strain of dried bacillus subtilis	Beet	0.85	5	7.45	A
qst 713 strain of dried bacillus subtilis	Blackberry	4.67	3	41.0	A
qst 713 strain of dried bacillus subtilis	Blackberry	9.76	32	1,298,929.0	S
qst 713 strain of dried bacillus subtilis	Bok choy	1.49	21	26.25	A
qst 713 strain of dried bacillus subtilis	Broccoli	36.14	38	400.45	A
qst 713 strain of dried bacillus subtilis	Brussels sprout	53.35	71	897.1	A
qst 713 strain of dried bacillus subtilis	Cabbage	3.16	8	59.08	A
qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	1.82	16	40.0	A
qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	26.32	212	5,649,226.0	S
qst 713 strain of dried bacillus subtilis	Cannabis (all or unspecified)	4.27	24	372.0	U
qst 713 strain of dried bacillus subtilis	Carrot	0.23	2	8.0	A
qst 713 strain of dried bacillus subtilis	Celery	12.72	34	116.8	A
qst 713 strain of dried bacillus subtilis	Collard	0.23	9	1.98	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
qst 713 strain of dried bacillus subtilis	Cucumber	0.43	6	6.0	A
qst 713 strain of dried bacillus subtilis	Fava bean	3.19	8	12.0	A
qst 713 strain of dried bacillus subtilis	Fennel	0.17	1	2.0	A
qst 713 strain of dried bacillus subtilis	Grape, wine	552.61	200	4,045.74	A
qst 713 strain of dried bacillus subtilis	Kale	9.1	53	125.81	A
qst 713 strain of dried bacillus subtilis	Leek	0.68	3	5.97	A
qst 713 strain of dried bacillus subtilis	Lettuce, head	36.73	74	360.63	A
qst 713 strain of dried bacillus subtilis	Lettuce, leaf	360.66	773	3,887.31	A
qst 713 strain of dried bacillus subtilis	Mizuna	0.53	4	6.25	A
qst 713 strain of dried bacillus subtilis	Mustard greens	15.98	81	147.88	A
qst 713 strain of dried bacillus subtilis	N-grnhs flower	55.9	197	261.94	A
qst 713 strain of dried bacillus subtilis	N-grnhs flower	0.17	4	22,575.0	S
qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	10.69	19	100.43	A
qst 713 strain of dried bacillus subtilis	N-grnhs plants in containers	7.55	38	431,495.0	S
qst 713 strain of dried bacillus subtilis	N-grnhs transplants	244.36	897	252.58	A
qst 713 strain of dried bacillus subtilis	N-grnhs transplants	9.03	45	1,264,852.0	S
qst 713 strain of dried bacillus subtilis	N-outdr flower	1.06	N/A	2.8	A
qst 713 strain of dried bacillus subtilis	N-outdr plants in containers	6.24	5	55.06	A
qst 713 strain of dried bacillus subtilis	N-outdr plants in containers	0.08	2	14,000.0	S
qst 713 strain of dried bacillus subtilis	N-outdr transplants	0.41	15	27.25	A
qst 713 strain of dried bacillus subtilis	N-outdr transplants	51.82	118	6,651,507.0	S
qst 713 strain of dried bacillus subtilis	Onion, dry	2.28	2	20.0	A
qst 713 strain of dried bacillus subtilis	Pepper, fruiting	0.28	1	2.0	A
qst 713 strain of dried bacillus subtilis	Raspberry	36.37	35	402.68	A
qst 713 strain of dried bacillus subtilis	Raspberry	7.59	15	1,009,445.0	S
qst 713 strain of dried bacillus subtilis	Research commodity	<0.01	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
qst 713 strain of dried bacillus subtilis	Spinach	112.43	316	1,459.32	A
qst 713 strain of dried bacillus subtilis	Squash	1.97	2	23.0	A
qst 713 strain of dried bacillus subtilis	Strawberry	196.66	147	3,205.23	A
qst 713 strain of dried bacillus subtilis	Strawberry	2.92	9	389,976.0	S
qst 713 strain of dried bacillus subtilis	Swiss chard	7.51	75	86.04	A
quillaja	Cannabis (all or unspecified)	0.72	29	18.0	A
quillaja	Cannabis (all or unspecified)	0.12	11	165,274.0	S
quillaja	Grape, wine	59.63	130	3,477.92	A
quillaja	Uncultivated ag	3.72	89	662.01	A
quillaja	Water area	1.08	32	191.5	A
quinclorac	Landscape maintenance	0.42	N/A	N/A	N/A
quinclorac, dimethylamine salt	Landscape maintenance	532.39	N/A	N/A	N/A
quinoxifen	Grape, wine	6,138.86	2,128	64,015.05	A
quinoxifen	Lettuce, head	133.96	149	1,688.55	A
quinoxifen	Lettuce, leaf	199.3	261	2,608.15	A
quinoxifen	N-grnhs plants in containers	0.03	1	1.0	A
quinoxifen	Pepper, fruiting	14.17	10	147.75	A
quinoxifen	Strawberry	1,078.2	368	11,320.97	A
quinoxifen	Strawberry	0.11	5	51,000.0	S
reynoutria sachalinensis	Artichoke, globe	92.27	96	789.65	A
reynoutria sachalinensis	Blackberry	2.02	20	690,125.0	S
reynoutria sachalinensis	Broccoli	4.04	5	37.3	A
reynoutria sachalinensis	Brussels sprout	1.36	3	12.5	A
reynoutria sachalinensis	Cabbage	2.08	1	19.2	A
reynoutria sachalinensis	Cannabis (all or unspecified)	27.42	84	73.03	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
reynoutria sachalinensis	Cannabis (all or unspecified)	55.02	401	7,570,943.0	S
reynoutria sachalinensis	Celery	18.45	57	174.6	A
reynoutria sachalinensis	Fava bean	1.3	3	12.0	A
reynoutria sachalinensis	Fumigation, other	<0.01	N/A	N/A	N/A
reynoutria sachalinensis	Grape, wine	45.64	10	149.62	A
reynoutria sachalinensis	Industrial hemp	0.62	3	3.0	A
reynoutria sachalinensis	Industrial hemp	0.61	2	39,803.0	S
reynoutria sachalinensis	Leek	1.15	6	10.58	A
reynoutria sachalinensis	Lettuce, head	61.3	44	433.9	A
reynoutria sachalinensis	Lettuce, leaf	159.19	161	1,095.38	A
reynoutria sachalinensis	N-grnhs plants in containers	0.87	3	3.67	A
reynoutria sachalinensis	N-grnhs plants in containers	0.48	12	116,420.0	S
reynoutria sachalinensis	N-grnhs transplants	0.25	14	4.32	A
reynoutria sachalinensis	N-grnhs transplants	1.94	16	510,969.0	S
reynoutria sachalinensis	N-outdr transplants	0.87	4	8.0	A
reynoutria sachalinensis	N-outdr transplants	29.51	88	5,432,840.0	S
reynoutria sachalinensis	Pumpkin	1.75	7	16.0	A
reynoutria sachalinensis	Raspberry	9.28	4	21.4	A
reynoutria sachalinensis	Raspberry	0.48	7	109,790.0	S
reynoutria sachalinensis	Spinach	7.03	25	71.4	A
reynoutria sachalinensis	Strawberry	268.42	55	862.46	A
reynoutria sachalinensis	Strawberry	0.92	3	185,405.0	S
rimulfuron	Grape, wine	223.19	430	7,769.41	A
rimulfuron	Industrial site	0.44	N/A	9.32	A
rimulfuron	Landscape maintenance	0.27	N/A	N/A	N/A
rimulfuron	Lemon	40.44	5	167.0	A
rimulfuron	Uncultivated ag	1.63	5	26.1	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
rimulfuron	Walnut	8.13	3	130.0	A
saflufenacil	Alfalfa	1.0	1	22.2	A
saflufenacil	Uncultivated ag	0.09	1	2.0	A
saponin	Grape, wine	13.03	28	176.1	A
sethoxydim	Broccoli	81.13	27	308.5	A
sethoxydim	Cabbage	20.92	12	79.5	A
sethoxydim	Grape, wine	406.03	58	1,213.98	A
sethoxydim	Lettuce, head	0.01	1	0.1	A
silica aerogel	Structural pest control	15.83	N/A	N/A	N/A
silicone	Grape, wine	6.15	5	925.99	A
silicone defoamer	Blueberry	<0.01	1	1.5	A
silicone defoamer	Brussels sprout	0.02	1	20.2	A
silicone defoamer	Carrot	0.04	35	34.28	A
silicone defoamer	Landscape maintenance	0.11	N/A	N/A	N/A
silicone defoamer	Lettuce, head	3.35	254	3,813.9	A
silicone defoamer	Lettuce, leaf	2.42	232	2,796.52	A
silicone defoamer	N-grnhs flower	0.02	21	20.7	A
silicone defoamer	N-grnhs plants in containers	0.01	3	35,760.0	S
silicone defoamer	Peas	<0.01	1	0.66	A
silicone defoamer	Radish	0.06	46	42.77	A
silicone defoamer	Strawberry	4.46	156	1,949.38	A
silicone defoamer	Turnip	0.01	12	10.38	A
silicone defoamer	Uncultivated ag	0.06	1	15.0	A
silica filled polydimethylsiloxane	Grape, wine	7.2	55	1,361.59	A
silver nitrate	N-grnhs flower	<0.01	1	150.0	S
simazine	Grape, wine	337.22	8	191.18	A
sodium bromide	Water (industrial)	571.23	N/A	15.0	U

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
sodium carbonate peroxyhydrate	Landscape maintenance	1,428.0	N/A	N/A	N/A
sodium chlorite	Rights of way	64,911.46	N/A	N/A	N/A
sodium decyl sulfate	Structural pest control	8.26	N/A	N/A	N/A
sodium hydroxide	Grape, wine	7.47	1	72.4	A
sodium hypochlorite	Ditch bank	71,551.2	N/A	12,327.0	U
sodium hypochlorite	Food processing plant	2,102.91	N/A	6.0	U
sodium hypochlorite	Grape, wine	1.41	1	13.2	A
sodium hypochlorite	Water (industrial)	418.97	N/A	17.0	U
sodium lauroampho acetate	Structural pest control	6.23	N/A	N/A	N/A
sodium lauryl sulfate	Structural pest control	4.21	N/A	N/A	N/A
sodium nitrate	Landscape maintenance	7.11	N/A	N/A	N/A
sodium nitrate	Uncultivated non-ag	5.07	N/A	4.0	A
sodium alpha-olefin (c14-c16) sulfonate	Rights of way	588.53	N/A	N/A	N/A
sodium polyacrylate	Grape, wine	18.87	80	5,531.48	A
sodium polyacrylate	Rights of way	0.1	N/A	N/A	N/A
sodium polyacrylate	Uncultivated ag	0.45	15	51.0	A
sodium polyacrylate	Walnut	0.77	3	130.0	A
sodium tetraborate (pentahydrate)	Structural pest control	10.0	N/A	N/A	N/A
sodium xylene sulfonate	Blueberry	0.03	1	1.5	A
sodium xylene sulfonate	Brussels sprout	0.28	1	20.2	A
sodium xylene sulfonate	Carrot	0.49	35	34.28	A
sodium xylene sulfonate	Landscape maintenance	1.28	N/A	N/A	N/A
sodium xylene sulfonate	Lettuce, head	39.41	254	3,813.9	A
sodium xylene sulfonate	Lettuce, leaf	28.45	232	2,796.52	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sodium xylene sulfonate	N-grnhs flower	0.29	21	20.7	A
sodium xylene sulfonate	N-grnhs plants in containers	0.07	3	35,760.0	S
sodium xylene sulfonate	Peas	0.01	1	0.66	A
sodium xylene sulfonate	Radish	0.72	46	42.77	A
sodium xylene sulfonate	Strawberry	52.44	156	1,949.38	A
sodium xylene sulfonate	Turnip	0.17	12	10.38	A
sodium xylene sulfonate	Uncultivated ag	0.68	1	15.0	A
sorbitan monooleate	Uncultivated ag	10.86	11	115.0	A
sorbitan trioleate	Arugula	55.94	38	365.45	A
sorbitan trioleate	Asparagus	3.48	1	25.0	A
sorbitan trioleate	Bean, dried	11.15	1	40.0	A
sorbitan trioleate	Broccoli	379.21	146	1,588.5	A
sorbitan trioleate	Cabbage	117.82	72	651.97	A
sorbitan trioleate	Carrot	63.57	11	241.3	A
sorbitan trioleate	Cauliflower	201.17	64	844.78	A
sorbitan trioleate	Celery	193.63	116	952.2	A
sorbitan trioleate	Cilantro	171.44	114	668.75	A
sorbitan trioleate	Endive (escarole)	15.42	33	66.56	A
sorbitan trioleate	Garlic	41.38	9	193.4	A
sorbitan trioleate	Grape, wine	125.71	63	417.32	A
sorbitan trioleate	Kale	59.74	29	298.3	A
sorbitan trioleate	Leek	1.67	1	6.0	A
sorbitan trioleate	Lettuce, head	350.26	128	1,391.24	A
sorbitan trioleate	Lettuce, leaf	626.11	313	2,782.9	A
sorbitan trioleate	Mustard greens	12.3	21	63.0	A
sorbitan trioleate	Onion, dry	86.71	20	317.2	A
sorbitan trioleate	Parsley	21.29	8	83.4	A
sorbitan trioleate	Peas	96.17	44	378.8	A
sorbitan trioleate	Radicchio	1.39	2	6.0	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sorbitan trioleate	Research commodity	1.61	6	11.55	A
sorbitan trioleate	Spinach	305.39	157	1,581.99	A
sorbitan trioleate	Strawberry	3.09	2	25.3	A
sorbitan trioleate	Uncultivated ag	113.68	94	749.05	A
sorbitol	Brussels sprout	9.16	2	53.8	A
sorbitol	Uncultivated ag	108.6	66	699.3	A
soybean oil	Artichoke, globe	1,425.69	195	2,818.7	A
soybean oil	Blackberry	4,466.82	41	279.74	A
soybean oil	Broccoli	458.67	81	921.5	A
soybean oil	Brussels sprout	416.33	60	812.75	A
soybean oil	Cabbage	26.8	7	54.95	A
soybean oil	Cannabis (all or unspecified)	22.71	35	122.5	A
soybean oil	Cannabis (all or unspecified)	16.95	44	265,571.0	S
soybean oil	Cauliflower	431.59	70	858.1	A
soybean oil	Celery	302.02	65	590.25	A
soybean oil	Fava bean	17.89	22	35.9	A
soybean oil	Fennel	64.72	26	126.88	A
soybean oil	Industrial hemp	0.87	1	1.0	A
soybean oil	Lettuce, head	512.37	85	1,033.01	A
soybean oil	Lettuce, leaf	553.86	105	1,058.19	A
soybean oil	N-grnhs flower	2.57	2	7.06	A
soybean oil	N-grnhs flower	0.5	4	25,500.0	S
soybean oil	N-grnhs plants in containers	11.1	10	17.99	A
soybean oil	N-grnhs plants in containers	12.05	14	633,000.0	S
soybean oil	N-outdr plants in containers	4.68	9	9.15	A
soybean oil	Raspberry	665.64	5	46.37	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
soybean oil	Rights of way	3.08	N/A	N/A	N/A
soybean oil	Spinach	290.51	72	566.85	A
soybean oil	Strawberry	10.77	1	3.0	A
soybean oil	Uncultivated ag	2,203.7	359	4,467.75	A
spinetoram	Artichoke, globe	261.29	381	4,259.06	A
spinetoram	Arugula	178.21	444	3,845.43	A
spinetoram	Avocado	5.06	1	36.0	A
spinetoram	Beet	0.12	2	3.0	A
spinetoram	Blackberry	14.3	16	161.46	A
spinetoram	Blueberry	0.14	1	1.5	A
spinetoram	Bok choy	19.62	117	328.88	A
spinetoram	Broccoli	894.25	1,461	15,966.13	A
spinetoram	Brussels sprout	536.27	593	7,939.58	A
spinetoram	Cabbage	135.8	268	2,375.43	A
spinetoram	Cardoon	0.55	5	8.7	A
spinetoram	Cauliflower	316.95	566	5,423.72	A
spinetoram	Celery	522.06	1,113	9,968.23	A
spinetoram	Chinese cabbage (nappa)	26.92	146	427.4	A
spinetoram	Cilantro	8.83	35	203.4	A
spinetoram	Cucumber	0.32	1	8.25	A
spinetoram	Endive (escarole)	11.97	57	221.58	A
spinetoram	Fennel	12.36	24	218.4	A
spinetoram	Garlic	11.25	12	213.8	A
spinetoram	Grape, wine	103.99	62	2,117.3	A
spinetoram	Kale	124.15	442	2,444.65	A
spinetoram	Kohlrabi	1.9	7	36.8	A
spinetoram	Leek	33.22	158	595.27	A
spinetoram	Lettuce, head	1,951.0	3,439	39,776.8	A
spinetoram	Lettuce, head	<0.01	1	1,500.0	S
spinetoram	Lettuce, leaf	3,676.07	6,860	70,169.23	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinetoram	Mizuna	4.45	47	114.56	A
spinetoram	Mustard greens	30.05	146	558.36	A
spinetoram	N-outdr transplants	0.39	5	219,015.0	S
spinetoram	Onion, dry	78.54	91	1,385.8	A
spinetoram	Peas	355.42	606	7,067.65	A
spinetoram	Pepper, fruiting	4.83	7	77.1	A
spinetoram	Radicchio	26.31	80	470.32	A
spinetoram	Radish	19.76	187	319.75	A
spinetoram	Rapini	126.16	154	2,189.8	A
spinetoram	Raspberry	77.12	66	904.66	A
spinetoram	Research commodity	0.35	4	6.75	A
spinetoram	Research commodity	0.13	N/A	N/A	N/A
spinetoram	Spinach	1,500.66	3,274	29,996.57	A
spinetoram	Strawberry	727.11	355	10,867.1	A
spinetoram	Swiss chard	44.6	268	884.45	A
spinetoram	Tomato	0.62	2	13.2	A
spinetoram	Turnip	0.36	9	7.22	A
spinetoram	Upland cress	13.96	116	333.25	A
spinosad	Apple	0.12	1	2.0	A
spinosad	Artichoke, globe	94.14	129	732.57	A
spinosad	Arugula	68.8	188	712.24	A
spinosad	Avocado	2.95	2	38.0	A
spinosad	Blackberry	20.28	31	240.72	A
spinosad	Blueberry	2.23	9	44.4	A
spinosad	Bok choy	3.26	24	29.5	A
spinosad	Broccoli	997.43	1,025	9,285.37	A
spinosad	Brussels sprout	161.94	111	1,186.74	A
spinosad	Cabbage	84.35	174	854.82	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spinosad	Cannabis (all or unspecified)	0.04	1	1.0	A
spinosad	Cauliflower	300.67	337	2,763.93	A
spinosad	Celery	403.43	631	4,030.0	A
spinosad	Chinese cabbage (nappa)	1.87	7	18.6	A
spinosad	Cilantro	0.22	1	2.3	A
spinosad	Collard	2.18	16	18.31	A
spinosad	Corn (forage - fodder)	0.2	2	2.0	A
spinosad	Dill	0.22	11	4.4	A
spinosad	Endive (escarole)	1.45	9	12.91	A
spinosad	Fennel	1.01	7	8.1	A
spinosad	Kale	77.5	166	694.01	A
spinosad	Kohlrabi	3.07	2	23.4	A
spinosad	Landscape maintenance	4.11	N/A	N/A	N/A
spinosad	Leek	21.97	59	195.37	A
spinosad	Lettuce, head	400.21	440	3,973.1	A
spinosad	Lettuce, head	0.01	1	500.0	S
spinosad	Lettuce, leaf	1,846.52	2,402	18,020.4	A
spinosad	Mizuna	0.54	3	5.8	A
spinosad	Mustard greens	47.29	156	437.62	A
spinosad	N-grnhs flower	23.7	84	107.39	A
spinosad	N-grnhs flower	0.82	20	414,849.0	S
spinosad	N-grnhs plants in containers	13.51	103	140.03	A
spinosad	N-grnhs plants in containers	8.99	71	3,355,416.0	S
spinosad	N-grnhs transplants	83.62	1,882	585.99	A
spinosad	N-outdr flower	4.69	101	142.25	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
spinosad	N-outdr plants in containers	64.25	28	124.12	A
spinosad	N-outdr plants in containers	3.22	26	582,630.0	S
spinosad	N-outdr transplants	3.67	26	66.25	A
spinosad	N-outdr transplants	1.11	3	168,660.0	S
spinosad	Olive	0.11	52	158.0	A
spinosad	Onion, dry	3.73	4	40.0	A
spinosad	Onion, dry	1,760.12	N/A	32,309.75	P
spinosad	Parsley	0.42	13	6.0	A
spinosad	Peas	3.02	3	35.0	A
spinosad	Pepper, fruiting	0.12	1	2.0	A
spinosad	Public health	25.96	N/A	N/A	N/A
spinosad	Radicchio	10.62	11	86.3	A
spinosad	Radish	0.05	3	0.36	A
spinosad	Rapini	23.13	14	187.4	A
spinosad	Raspberry	81.7	84	986.71	A
spinosad	Raspberry	1.27	1	353,160.0	S
spinosad	Research commodity	0.08	13	58,500.0	S
spinosad	Research commodity	0.79	N/A	N/A	N/A
spinosad	Spinach	1,463.27	1,577	14,168.38	A
spinosad	Strawberry	386.75	168	4,920.51	A
spinosad	Swiss chard	130.45	291	1,258.75	A
spinosad	Uncultivated ag	0.14	1	5.0	A
spirodiclofen	Grape, wine	5.07	1	10.0	A
spiromesifen	Brussels sprout	15.5	11	118.0	A
spiromesifen	N-grnhs flower	3.18	5	10.86	A
spiromesifen	N-grnhs plants in containers	17.63	38	84.42	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
spiromesifen	N-grnhs plants in containers	4.13	17	993,060.0	S
spiromesifen	N-grnhs transplants	1.73	68	14.01	A
spiromesifen	N-outdr plants in containers	0.01	1	0.39	A
spiromesifen	Research commodity	0.16	13	58,500.0	S
spiromesifen	Spinach	36.57	32	280.8	A
spiromesifen	Strawberry	646.36	90	2,616.9	A
spirotetramat	Artichoke, globe	38.79	35	443.65	A
spirotetramat	Bok choy	23.61	113	307.62	A
spirotetramat	Broccoli	3,437.6	4,043	44,868.76	A
spirotetramat	Brussels sprout	723.39	649	9,225.58	A
spirotetramat	Cabbage	414.79	554	5,517.35	A
spirotetramat	Cauliflower	1,192.57	1,495	15,551.37	A
spirotetramat	Celery	506.94	774	6,712.81	A
spirotetramat	Chinese cabbage (nappa)	25.09	88	323.67	A
spirotetramat	Collard	2.62	4	41.6	A
spirotetramat	Corn salad	0.46	2	5.8	A
spirotetramat	Endive (escarole)	43.39	235	600.74	A
spirotetramat	Fava bean	1.13	5	15.0	A
spirotetramat	Fennel	7.05	6	89.6	A
spirotetramat	Grape, wine	5,265.87	1,636	49,226.32	A
spirotetramat	Kale	43.61	82	555.57	A
spirotetramat	Kohlrabi	4.59	9	58.3	A
spirotetramat	Leek	1.21	3	15.7	A
spirotetramat	Lemon	178.49	28	1,166.66	A
spirotetramat	Lettuce, head	3,190.11	3,634	42,828.18	A
spirotetramat	Lettuce, leaf	5,349.6	6,793	70,675.31	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
spirotriamat	N-grnhs plants in containers	0.05	2	2.17	A
spirotriamat	N-grnhs plants in containers	8.59	41	1,183,524.0	S
spirotriamat	N-outdr flower	0.03	1	1.0	A
spirotriamat	N-outdr plants in containers	0.1	3	51,600.0	S
spirotriamat	Onion, dry	41.96	26	533.6	A
spirotriamat	Peas	42.34	41	537.4	A
spirotriamat	Pepper, fruiting	14.84	11	188.1	A
spirotriamat	Radicchio	1.43	5	18.6	A
spirotriamat	Rapini	279.53	272	3,549.2	A
spirotriamat	Research commodity	2.0	6	25.5	A
spirotriamat	Research commodity	0.49	N/A	N/A	N/A
spirotriamat	Spinach	11.71	35	157.55	A
spirotriamat	Swiss chard	5.65	13	70.9	A
spirotriamat	Walnut	22.67	2	180.0	A
starch	N-grnhs transplants	<0.01	14	932,650.0	S
starch	N-outdr transplants	0.02	33	2,799,463.0	S
streptomyces lydicus wyec 108	Blueberry	<0.01	2	5.56	A
streptomyces lydicus wyec 108	Broccoli	0.01	12	38.05	A
streptomyces lydicus wyec 108	Cannabis (all or unspecified)	0.01	19	11.8	A
streptomyces lydicus wyec 108	Cannabis (all or unspecified)	<0.01	26	89,104.0	S
streptomyces lydicus wyec 108	Cauliflower	0.01	10	36.4	A
streptomyces lydicus wyec 108	Chinese cabbage (nappa)	0.01	30	49.1	A
streptomyces lydicus wyec 108	Lettuce, head	<0.01	2	14.2	A
streptomyces lydicus wyec 108	Lettuce, leaf	0.01	5	26.6	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
streptomyces lydicus wyec 108	N-grnhs flower	<0.01	8	48,750.0	S
streptomyces lydicus wyec 108	N-grnhs plants in containers	<0.01	8	4.34	A
streptomyces lydicus wyec 108	N-grnhs plants in containers	<0.01	1	5,880.0	S
streptomyces lydicus wyec 108	N-grnhs transplants	0.02	89	58.44	A
streptomyces lydicus wyec 108	N-grnhs transplants	<0.01	7	161,112.0	S
streptomyces lydicus wyec 108	N-outdr transplants	<0.01	2	0.75	A
streptomyces lydicus wyec 108	N-outdr transplants	<0.01	1	15,758.0	S
streptomyces lydicus wyec 108	Raspberry	0.02	2	63.97	A
streptomyces lydicus wyec 108	Research commodity	0.02	31	73.05	A
streptomyces lydicus wyec 108	Research commodity	<0.01	N/A	N/A	N/A
streptomyces lydicus wyec 108	Spinach	0.03	24	121.6	A
streptomyces lydicus wyec 108	Strawberry	0.04	15	199.22	A
streptomycin sulfate	N-grnhs flower	0.33	1	0.2	A
streptomycin sulfate	N-grnhs plants in containers	21.57	18	14.33	A
streptomycin sulfate	N-grnhs plants in containers	31.61	23	302,680.0	S
streptomycin sulfate	N-grnhs transplants	37.35	26	9.0	A
streptomycin sulfate	N-grnhs transplants	5.36	15	1,089,237.0	S
streptomycin sulfate	N-outdr flower	1.32	9	7.5	A
streptomycin sulfate	N-outdr plants in containers	0.39	6	2.25	A
streptomycin sulfate	N-outdr transplants	0.34	3	142,810.0	S
strychnine	Grape, wine	0.25	8	374.0	A
strychnine	Landscape maintenance	0.72	N/A	N/A	N/A
strychnine	Structural pest control	0.01	N/A	N/A	N/A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
strychnine	Vertebrate control	0.25	N/A	N/A	N/A
styrene butadiene copolymer	Blackberry	33.52	13	203.9	A
styrene butadiene copolymer	Grape, wine	1,105.27	1,439	34,873.62	A
styrene butadiene copolymer	N-grnhs plants in containers	4.38	68	763,640.0	S
styrene butadiene copolymer	N-grnhs transplants	1.57	14	932,650.0	S
styrene butadiene copolymer	N-outdr flower	148.07	1,128	950.38	A
styrene butadiene copolymer	N-outdr plants in containers	4.98	18	56.06	A
styrene butadiene copolymer	N-outdr plants in containers	7.67	71	1,416,800.0	S
styrene butadiene copolymer	N-outdr transplants	9.77	33	2,799,463.0	S
styrene butadiene copolymer	Onion, dry	3.52	2	30.0	A
styrene butadiene copolymer	Raspberry	3.0	1	17.0	A
styrene butadiene copolymer	Strawberry	134.42	29	820.6	A
sulfentrazone	Industrial site	1.27	N/A	4.66	A
sulfentrazone	Landscape maintenance	4.49	N/A	N/A	N/A
sulfentrazone	N-outdr flower	0.91	6	1.64	A
sulfentrazone	Rights of way	4.95	N/A	N/A	N/A
sulfentrazone	Uncultivated non-ag	1.27	N/A	4.66	A
sulfometuron-methyl	Landscape maintenance	46.57	N/A	N/A	N/A
sulfometuron-methyl	Rights of way	14.53	N/A	N/A	N/A
sulfoxaflor	Arugula	5.4	18	173.07	A
sulfoxaflor	Bok choy	2.08	44	66.2	A
sulfoxaflor	Broccoli	195.78	602	6,311.74	A
sulfoxaflor	Brussels sprout	108.27	285	3,458.39	A
sulfoxaflor	Cabbage	35.72	125	1,143.76	A
sulfoxaflor	Cauliflower	41.52	137	1,332.47	A
sulfoxaflor	Celery	177.34	626	5,691.83	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfoxaflor	Chinese cabbage (nappa)	1.98	18	65.38	A
sulfoxaflor	Endive (escarole)	4.15	49	137.09	A
sulfoxaflor	Fennel	0.13	1	4.1	A
sulfoxaflor	Kale	8.09	37	261.03	A
sulfoxaflor	Kohlrabi	2.6	16	83.4	A
sulfoxaflor	Lettuce, head	978.46	2,736	31,785.56	A
sulfoxaflor	Lettuce, leaf	1,390.05	4,241	44,804.74	A
sulfoxaflor	Mizuna	0.19	3	6.1	A
sulfoxaflor	Mustard greens	0.14	3	4.5	A
sulfoxaflor	Radicchio	0.61	2	19.5	A
sulfoxaflor	Rapini	12.07	31	387.0	A
sulfoxaflor	Research commodity	0.01	N/A	N/A	N/A
sulfoxaflor	Spinach	82.05	271	2,620.02	A
sulfoxaflor	Strawberry	237.03	151	3,386.71	A
sulfoxaflor	Swiss chard	2.09	14	66.61	A
sulfoxaflor	Upland cress	0.36	4	11.41	A
sulfur	Apple	108.0	1	9.0	A
sulfur	Artichoke, globe	5,881.0	108	895.85	A
sulfur	Blackberry	1,304.96	28	200.55	A
sulfur	Blackberry	6.47	1	58,748.0	S
sulfur	Broccoli	160.0	1	20.0	A
sulfur	Brussels sprout	40,607.56	685	7,892.05	A
sulfur	Cannabis (all or unspecified)	205.43	83	96.81	A
sulfur	Cannabis (all or unspecified)	1,067.27	379	4,634,658.0	S
sulfur	Carrot	25,161.4	209	2,615.04	A
sulfur	Cauliflower	71.6	2	17.9	A
sulfur	Celery	1,322.96	51	337.9	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
sulfur	Grape	1,133.36	10	284.54	A
sulfur	Grape, wine	603,199.61	5,721	168,739.11	A
sulfur	Industrial hemp	23.87	12	7.25	A
sulfur	Industrial hemp	18.41	4	71,296.0	S
sulfur	Kale	2,618.64	62	501.66	A
sulfur	Landscape maintenance	79.4	N/A	N/A	N/A
sulfur	Lettuce, head	572.32	14	148.6	A
sulfur	Lettuce, leaf	2,783.7	62	784.43	A
sulfur	N-grnhs plants in containers	4.0	1	1.0	A
sulfur	N-grnhs transplants	328.88	771	205.75	A
sulfur	N-outdr flower	208.2	32	29.5	A
sulfur	N-outdr plants in containers	9.8	1	0.25	A
sulfur	N-outdr transplants	60.44	26	945,844.0	S
sulfur	Peas	20,114.23	378	3,928.49	A
sulfur	Pepper, fruiting	1,573.2	6	114.0	A
sulfur	Pimento	179.4	2	13.0	A
sulfur	Pumpkin	9.2	1	2.3	A
sulfur	Raspberry	1,943.09	17	280.41	A
sulfur	Research commodity	0.18	N/A	N/A	N/A
sulfur	Squash	290.4	6	63.5	A
sulfur	Squash, summer	73.6	1	11.5	A
sulfur	Strawberry	189,149.54	1,717	54,149.49	A
sulfur	Strawberry	4.98	8	54,284.0	S
sulfur	Tomato	428.16	24	133.8	A
sulfur dioxide	Commodity fumigation	28.4	N/A	N/A	N/A
sulfur dioxide	Fumigation, other	3,214.21	N/A	N/A	N/A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>sulfuryl fluoride</b>	Structural pest control	41,921.88	N/A	N/A	N/A
<b>tall oil</b>	Barley	2.95	3	1,174.0	A
<b>tall oil</b>	Landscape maintenance	6.53	N/A	N/A	N/A
<b>tall oil</b>	Lettuce, head	17.81	42	466.85	A
<b>tall oil</b>	Lettuce, leaf	3.11	9	95.7	A
<b>tall oil</b>	Rights of way	1.1	N/A	N/A	N/A
<b>tall oil</b>	Uncultivated ag	2.53	6	25.5	A
<b>tall oil fatty acids</b>	Artichoke, globe	207.26	226	2,903.9	A
<b>tall oil fatty acids</b>	Bean, unspecified	0.32	3	4.4	A
<b>tall oil fatty acids</b>	Blackberry	9.0	20	171.0	A
<b>tall oil fatty acids</b>	Broccoli	6.82	11	129.55	A
<b>tall oil fatty acids</b>	Brussels sprout	10.03	11	119.7	A
<b>tall oil fatty acids</b>	Cabbage	3.82	3	19.05	A
<b>tall oil fatty acids</b>	Carrot	2.51	13	121.4	A
<b>tall oil fatty acids</b>	Cauliflower	6.08	22	265.0	A
<b>tall oil fatty acids</b>	Celery	86.77	133	1,142.92	A
<b>tall oil fatty acids</b>	Cilantro	0.72	32	95.23	A
<b>tall oil fatty acids</b>	Fava bean	0.16	1	1.5	A
<b>tall oil fatty acids</b>	Fennel	1.01	4	17.34	A
<b>tall oil fatty acids</b>	Grape, wine	1,608.49	1,292	39,338.34	A
<b>tall oil fatty acids</b>	Landscape maintenance	3.76	N/A	N/A	N/A
<b>tall oil fatty acids</b>	Lettuce, head	17.11	23	270.49	A
<b>tall oil fatty acids</b>	Lettuce, leaf	21.04	33	321.1	A
<b>tall oil fatty acids</b>	N-grnhs plants in containers	0.01	8	25,000.0	S
<b>tall oil fatty acids</b>	N-outdr plants in containers	0.01	2	3.0	A
<b>tall oil fatty acids</b>	N-outdr plants in containers	0.03	12	184,000.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tall oil fatty acids	Oat	0.81	2	69.0	A
tall oil fatty acids	Onion, dry	0.04	1	8.0	A
tall oil fatty acids	Parsley	2.72	2	20.0	A
tall oil fatty acids	Peas	0.25	2	17.8	A
tall oil fatty acids	Raspberry	1.28	4	29.0	A
tall oil fatty acids	Rights of way	200.87	N/A	N/A	N/A
tall oil fatty acids	Rye	10.9	13	100.57	A
tall oil fatty acids	Strawberry	539.99	126	4,207.99	A
tall oil fatty acids	Uncultivated ag	232.05	130	2,498.65	A
tall oil fatty acids	Uncultivated non-ag	7.29	2	12.0	A
tall oil fatty acids	Walnut	5.54	3	130.0	A
tall oil fatty acids	Water area	73.49	17	121.0	A
tall oil fatty acids	Wheat	0.64	1	6.05	A
tebuconazole	Garlic	244.28	81	1,515.46	A
tebuconazole	Golf course turf	5.1	N/A	9.0	A
tebuconazole	Grape, wine	4,005.81	975	37,598.22	A
tebuconazole	Landscape maintenance	777.13	N/A	N/A	N/A
tebuconazole	Leek	43.08	97	244.45	A
tebuconazole	N-outdr plants in containers	13.41	8	86.58	A
tebuconazole	Onion, dry	2.13	2	11.8	A
tebuconazole	Research commodity	0.1	N/A	N/A	N/A
tebuconazole	Sunflower	5.43	5	33.9	A
tebufenozide	Arugula	0.18	3	1.2	A
tebufenozide	Celery	56.1	54	443.1	A
tebufenozide	Endive (escarole)	0.67	2	7.0	A
tebufenozide	Grape, wine	283.65	17	1,115.59	A
tebufenozide	Lettuce, head	9.74	8	76.75	A
tebufenozide	Lettuce, leaf	4.92	7	38.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tebuthiuron	Rights of way	32.0	N/A	N/A	N/A
terrazole	N-grnhs plants in containers	6.68	1	2.33	A
tetraconazole	Grape, wine	944.86	1,020	24,763.02	A
tetraconazole	Strawberry	235.77	236	5,907.53	A
z,e-9,12-tetradecadien-1-yl acetate	Structural pest control	0.04	N/A	N/A	N/A
tetramethrin	Structural pest control	0.13	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Blueberry	0.13	1	1.5	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Brussels sprout	1.05	1	20.2	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Carrot	1.87	35	34.28	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Landscape maintenance	4.86	N/A	N/A	N/A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, head	150.16	254	3,813.9	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	108.39	232	2,796.52	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs flower	1.1	21	20.7	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	0.26	3	35,760.0	S
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Peas	0.04	1	0.66	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Radish	2.73	46	42.77	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Strawberry	199.81	156	1,949.38	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Turnip	0.65	12	10.38	A
alpha-[para-(1,1,3,3-tetramethylbutyl)phenyl]-omega-hydroxypoly(oxyethylene)	Uncultivated ag	2.58	1	15.0	A
tetrapotassium pyrophosphate	Blueberry	0.02	1	1.5	A
tetrapotassium pyrophosphate	Brussels sprout	0.14	1	20.2	A
tetrapotassium pyrophosphate	Carrot	0.25	35	34.28	A
tetrapotassium pyrophosphate	Landscape maintenance	0.64	N/A	N/A	N/A
tetrapotassium pyrophosphate	Lettuce, head	19.71	254	3,813.9	A
tetrapotassium pyrophosphate	Lettuce, leaf	14.22	232	2,796.52	A
tetrapotassium pyrophosphate	N-grnhs flower	0.14	21	20.7	A
tetrapotassium pyrophosphate	N-grnhs plants in containers	0.03	3	35,760.0	S
tetrapotassium pyrophosphate	Peas	0.01	1	0.66	A
tetrapotassium pyrophosphate	Radish	0.36	46	42.77	A
tetrapotassium pyrophosphate	Strawberry	26.22	156	1,949.38	A
tetrapotassium pyrophosphate	Turnip	0.09	12	10.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
tetrapotassium pyrophosphate	Uncultivated ag	0.34	1	15.0	A
thiabendazole	Mushroom	941.86	254	4,770,672.0	S
thiamethoxam	Artichoke, globe	48.62	97	1,050.0	A
thiamethoxam	Arugula	81.43	131	1,271.61	A
thiamethoxam	Beet	0.14	2	3.0	A
thiamethoxam	Blackberry	0.94	3	20.1	A
thiamethoxam	Bok choy	10.02	64	164.76	A
thiamethoxam	Broccoli	1,109.2	1,645	17,214.43	A
thiamethoxam	Brussels sprout	379.31	372	5,176.4	A
thiamethoxam	Cabbage	128.46	255	2,374.76	A
thiamethoxam	Carrot	1.14	4	18.3	A
thiamethoxam	Cauliflower	529.62	803	8,046.69	A
thiamethoxam	Celery	460.55	792	6,807.68	A
thiamethoxam	Chinese cabbage (nappa)	16.63	86	240.71	A
thiamethoxam	Cucumber	0.98	2	18.25	A
thiamethoxam	Cucumber	871.06	N/A	30,699.61	P
thiamethoxam	Endive (escarole)	14.03	75	240.26	A
thiamethoxam	Fennel	9.55	13	116.7	A
thiamethoxam	Grape, wine	318.36	57	1,768.11	A
thiamethoxam	Kale	33.03	119	539.24	A
thiamethoxam	Kohlrabi	5.88	18	100.6	A
thiamethoxam	Landscape maintenance	<0.01	N/A	N/A	N/A
thiamethoxam	Lemon	23.12	5	269.0	A
thiamethoxam	Lettuce, head	1,869.96	2,753	31,987.07	A
thiamethoxam	Lettuce, leaf	2,645.0	4,171	45,590.66	A
thiamethoxam	Lettuce, leaf	2.24	N/A	5.54	P
thiamethoxam	Melon	0.4	N/A	41.0	P
thiamethoxam	Mizuna	0.28	3	6.1	A
thiamethoxam	Mustard greens	0.21	3	4.5	A



Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiamethoxam	N-grnhs flower	2.01	2	4.87	A
thiamethoxam	N-grnhs plants in containers	15.18	18	72.29	A
thiamethoxam	N-grnhs plants in containers	0.83	9	224,594.0	S
thiamethoxam	N-outdr plants in containers	1.86	3	6.09	A
thiamethoxam	N-outdr plants in containers	0.66	5	100,000.0	S
thiamethoxam	Onion, dry	765.26	N/A	23,664.51	P
thiamethoxam	Pepper, fruiting	17.01	10	221.7	A
thiamethoxam	Pumpkin	0.25	2	4.6	A
thiamethoxam	Pumpkin	32.0	N/A	6,241.19	P
thiamethoxam	Radicchio	17.48	34	239.12	A
thiamethoxam	Radish	0.14	3	2.26	A
thiamethoxam	Rapini	26.79	21	322.7	A
thiamethoxam	Research commodity	0.11	N/A	N/A	N/A
thiamethoxam	Spinach	181.85	293	2,642.84	A
thiamethoxam	Squash	13.98	N/A	2,582.32	P
thiamethoxam	Strawberry	289.31	185	4,643.64	A
thiamethoxam	Structural pest control	0.1	N/A	N/A	N/A
thiamethoxam	Swiss chard	2.23	21	35.12	A
thiamethoxam	Upland cress	5.72	31	92.2	A
thiophanate-methyl	Golf course turf	9.96	N/A	6.0	A
thiophanate-methyl	Grape, wine	5,590.68	242	6,168.65	A
thiophanate-methyl	Landscape maintenance	2,004.02	N/A	N/A	N/A
thiophanate-methyl	N-grnhs flower	841.17	39	86.35	A
thiophanate-methyl	N-grnhs flower	19.56	42	372,375.0	S

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
thiophanate-methyl	N-grnhs plants in containers	3,289.79	243	2,151.49	A
thiophanate-methyl	N-grnhs plants in containers	1,604.78	376	6,218,043.0	S
thiophanate-methyl	N-grnhs transplants	13.4	13	893,000.0	S
thiophanate-methyl	N-outdr flower	112.5	447	449.0	A
thiophanate-methyl	N-outdr plants in containers	1,023.75	159	1,695.91	A
thiophanate-methyl	N-outdr plants in containers	36.72	21	446,609.0	S
thiophanate-methyl	N-outdr transplants	1.25	1	0.5	A
thiophanate-methyl	Research commodity	1.0	N/A	N/A	N/A
thiophanate-methyl	Strawberry	364.34	20	525.85	A
thiram	Bean, dried	1.45	N/A	2,196.6	P
thiram	Broccoli	4.24	N/A	1,669.45	P
thiram	Cabbage	4.29	N/A	1,706.93	P
thiram	Cabbage	0.07	N/A	27.1	U
thiram	Carrot	5.56	N/A	2,229.0	P
thiram	Cauliflower	0.32	N/A	132.18	P
thiram	Celery	0.03	N/A	13.09	P
thiram	Celery	0.02	N/A	7.1	U
thiram	Cucumber	1.85	N/A	1,291.0	P
thiram	Eggplant	0.01	N/A	6.0	P
thiram	Endive (escarole)	0.52	N/A	207.0	P
thiram	Kale	0.46	N/A	174.81	P
thiram	Kale	0.11	N/A	41.3	U
thiram	Lettuce, leaf	23.42	N/A	8,440.42	P
thiram	Onion, dry	172.39	N/A	29,187.22	P
thiram	Onion, dry	0.15	N/A	74.71	U
thiram	Peas	3.71	N/A	3,750.0	P

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
thiram	Pepper, fruiting	15.3	N/A	6,135.0	P
thiram	Pepper, fruiting	0.23	N/A	56.77	U
thiram	Pepper, spice	0.01	N/A	2.2	P
thiram	Pumpkin	1.55	N/A	1,101.58	P
thiram	Radish	0.59	N/A	236.0	P
thiram	Spinach	239.21	N/A	144,766.66	P
thiram	Squash	44.7	N/A	31,856.32	P
thiram	Strawberry	18,755.69	252	7,805.37	A
thiram	Strawberry	0.23	1	3,688.0	S
thiram	Swiss chard	3.17	N/A	1,200.0	P
thiram	Swiss chard	0.12	N/A	45.0	U
thiram	Tomato	6.22	N/A	3,497.05	P
thiram	Watermelon	0.44	N/A	310.29	P
thiram	Watermelon	0.06	N/A	44.66	U
tofenpyrad	N-grnhs flower	0.1	2	6,300.0	S
tofenpyrad	N-grnhs plants in containers	0.02	2	0.14	A
tofenpyrad	N-grnhs plants in containers	0.02	2	7,040.0	S
tofenpyrad	N-outdr plants in containers	0.06	1	0.06	A
topramezone	Landscape maintenance	3.28	N/A	N/A	N/A
triadimefon	Landscape maintenance	69.17	N/A	N/A	N/A
triadimefon	N-grnhs plants in containers	9.75	5	42.48	A
triadimefon	N-grnhs plants in containers	0.01	1	3,000.0	S
triadimefon	N-outdr plants in containers	4.13	6	17.97	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>triadimefon</b>	Research commodity	0.02	N/A	N/A	N/A
<b>tribenuron-methyl</b>	Barley	3.3	1	320.0	A
<b>trichlorofluoromethane</b>	Structural pest control	0.27	N/A	N/A	N/A
<b>trichoderma harzianum rifai strain krl-ag2</b>	Blackberry	0.48	7	332,290.0	S
<b>trichoderma harzianum rifai strain krl-ag2</b>	Cannabis (all or unspecified)	0.17	18	70,810.0	S
<b>trichoderma harzianum rifai strain krl-ag2</b>	Lettuce, head	0.07	7	0.45	A
<b>trichoderma harzianum rifai strain krl-ag2</b>	N-grnhs plants in containers	0.06	4	16,158.0	S
<b>trichoderma harzianum rifai strain krl-ag2</b>	N-outdr plants in containers	0.05	2	1.0	A
<b>trichoderma harzianum rifai strain krl-ag2</b>	N-outdr plants in containers	0.26	13	651.0	S
<b>trichoderma harzianum rifai strain krl-ag2</b>	Raspberry	0.24	5	151,090.0	S
<b>trichoderma harzianum rifai strain krl-ag2</b>	Strawberry	0.01	2	11,570.0	S
<b>trichoderma virens strain g-41</b>	Blackberry	0.26	7	332,290.0	S
<b>trichoderma virens strain g-41</b>	Cannabis (all or unspecified)	0.07	10	53,260.0	S
<b>trichoderma virens strain g-41</b>	Lettuce, head	0.04	6	0.38	A
<b>trichoderma virens strain g-41</b>	N-grnhs plants in containers	0.03	4	16,158.0	S
<b>trichoderma virens strain g-41</b>	N-outdr plants in containers	0.02	2	1.0	A
<b>trichoderma virens strain g-41</b>	N-outdr plants in containers	0.14	13	651.0	S
<b>trichoderma virens strain g-41</b>	Raspberry	0.13	5	151,090.0	S
<b>trichoderma virens strain g-41</b>	Strawberry	<0.01	2	11,570.0	S
<b>triclopyr, butoxyethyl ester</b>	Landscape maintenance	525.53	N/A	N/A	N/A
<b>triclopyr, butoxyethyl ester</b>	Pastureland	0.3	N/A	2.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
triclopyr, butoxyethyl ester	Rights of way	68.19	N/A	N/A	N/A
triclopyr, butoxyethyl ester	Sod farm (turf)	35.01	3	53.7	A
triclopyr, butoxyethyl ester	Uncultivated ag	328.71	8	53.0	A
triclopyr choline	Rights of way	8.84	N/A	N/A	N/A
triclopyr, triethylamine salt	Landscape maintenance	108.7	N/A	N/A	N/A
triclopyr, triethylamine salt	Rights of way	170.33	N/A	N/A	N/A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Grape, wine	913.41	172	7,860.39	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights of way	0.26	N/A	N/A	N/A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Strawberry	3.72	2	25.3	A
alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated ag	180.75	64	664.47	A
triethanolamine	Blueberry	0.04	1	1.5	A
triethanolamine	Brussels sprout	17.03	3	74.0	A
triethanolamine	Carrot	0.63	35	34.28	A
triethanolamine	Landscape maintenance	1.76	N/A	N/A	N/A
triethanolamine	Lettuce, head	50.25	254	3,813.9	A
triethanolamine	Lettuce, leaf	36.27	232	2,796.52	A
triethanolamine	N-grnhs flower	0.37	21	20.7	A
triethanolamine	N-grnhs plants in containers	0.09	3	35,760.0	S
triethanolamine	Peas	0.01	1	0.66	A
triethanolamine	Radish	0.91	46	42.77	A
triethanolamine	Strawberry	66.87	156	1,949.38	A
triethanolamine	Turnip	0.22	12	10.38	A
triethanolamine	Uncultivated ag	198.67	67	714.3	A
trifloxystrobin	Artichoke, globe	587.37	368	4,772.77	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trifloxystrobin	Beet	2.85	11	34.8	A
trifloxystrobin	Bok choy	0.87	6	7.0	A
trifloxystrobin	Broccoli	67.8	57	557.2	A
trifloxystrobin	Brussels sprout	508.09	270	4,191.98	A
trifloxystrobin	Cabbage	4.93	8	39.75	A
trifloxystrobin	Cauliflower	14.01	12	114.28	A
trifloxystrobin	Celery	60.12	75	645.2	A
trifloxystrobin	Cucumber	2.46	2	20.0	A
trifloxystrobin	Endive (escarole)	0.92	4	7.42	A
trifloxystrobin	Fennel	36.8	35	390.7	A
trifloxystrobin	Grape, wine	840.94	197	8,903.2	A
trifloxystrobin	Kale	8.48	8	68.53	A
trifloxystrobin	Landscape maintenance	5.9	N/A	N/A	N/A
trifloxystrobin	Lettuce, head	652.0	453	5,268.18	A
trifloxystrobin	Lettuce, leaf	1,157.84	884	9,373.31	A
trifloxystrobin	Mustard greens	0.56	1	4.5	A
trifloxystrobin	N-grnhs plants in containers	1.76	11	234,000.0	S
trifloxystrobin	N-outdr plants in containers	0.84	5	6.52	A
trifloxystrobin	Pepper, fruiting	3.25	2	26.2	A
trifloxystrobin	Pumpkin	2.23	2	18.0	A
trifloxystrobin	Rapini	4.6	3	43.7	A
trifloxystrobin	Research commodity	1.38	5	11.25	A
trifloxystrobin	Research commodity	0.16	N/A	N/A	N/A
trifloxystrobin	Spinach	0.59	4	6.3	A
trifloxystrobin	Squash	5.19	4	42.0	A
trifloxystrobin	Squash, summer	4.71	7	38.0	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trifloxystrobin	Strawberry	1,266.01	336	10,954.53	A
trifloxystrobin	Strawberry	0.01	1	5,532.0	S
triflumizole	Brussels sprout	221.13	69	924.4	A
triflumizole	Chinese cabbage (nappa)	2.68	2	10.7	A
triflumizole	Grape, wine	1,857.13	184	8,427.29	A
triflumizole	Kale	32.9	29	167.57	A
triflumizole	Lettuce, head	32.7	14	130.95	A
triflumizole	Lettuce, leaf	5.25	2	21.0	A
triflumizole	N-grnhs flower	37.87	54	46.5	A
triflumizole	N-grnhs flower	0.11	1	6,750.0	S
triflumizole	N-grnhs plants in containers	10.59	36	88.1	A
triflumizole	N-grnhs plants in containers	19.24	44	3,102,250.0	S
triflumizole	N-outdr plants in containers	0.34	2	27,000.0	S
triflumizole	Research commodity	0.17	N/A	N/A	N/A
triflumizole	Strawberry	356.97	59	1,441.12	A
triflumizole	Swiss chard	15.67	16	82.6	A
trifluralin	Bean, dried	37.38	10	45.5	A
trifluralin	Bean, succulent	7.8	2	9.5	A
trifluralin	Bean, unspecified	56.13	18	68.3	A
trifluralin	Broccoli	132.48	45	600.7	A
trifluralin	Carrot	2.78	1	7.5	A
trifluralin	Kale	1.64	1	2.0	A
trifluralin	Landscape maintenance	75.55	N/A	N/A	N/A
trifluralin	N-grnhs flower	1.57	2	4.85	A
trifluralin	N-grnhs plants in containers	1.34	1	2.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
trifluralin	N-grnhs plants in containers	0.04	1	660.0	S
trifluralin	N-outdr plants in containers	0.43	3	0.93	A
trifluralin	N-outdr plants in containers	39.1	51	868,504.0	S
trifluralin	Peas	61.72	38	354.0	A
trifluralin	Radicchio	81.41	7	111.1	A
trifluralin	Uncultivated ag	48.46	2	38.8	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Artichoke, globe	5.28	6	36.65	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Blackberry	15.42	13	203.9	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Brussels sprout	2.23	3	15.21	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Grape, wine	811.91	142	2,853.88	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs plants in containers	2.02	68	763,640.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-grnhs transplants	0.65	14	932,650.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	2.29	18	56.06	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr plants in containers	3.53	71	1,416,800.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	N-outdr transplants	4.05	33	2,799,463.0	S
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Onion, dry	4.87	3	45.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Raspberry	1.38	1	17.0	A



<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Squash	6.35	3	29.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Strawberry	61.7	19	690.0	A
alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene)	Walnut	522.22	22	2,070.0	A
trinexapac-ethyl	Golf course turf	16.3	N/A	171.0	A
trinexapac-ethyl	Landscape maintenance	484.76	N/A	N/A	N/A
trinexapac-ethyl	N-grnhs flower	0.22	N/A	264,000.0	S
triticonazole	Landscape maintenance	19.71	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Artichoke, globe	1,054.37	959	11,894.64	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Arugula	6.16	78	139.61	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Beet	2.94	20	61.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Blackberry	21.22	6	92.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bok choy	27.52	144	545.97	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Broccoli	3,845.73	2,966	33,544.4	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Brussels sprout	2,775.52	1,411	19,085.74	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cabbage	523.27	312	2,807.85	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Carrot	56.1	59	529.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cauliflower	1,476.32	1,307	12,396.48	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celery	820.52	885	7,123.65	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Chinese cabbage (nappa)	36.3	178	698.02	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cilantro	11.98	168	453.68	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Collard	4.36	9	88.2	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Endive (escarole)	39.6	207	842.69	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Fennel	61.67	34	384.7	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Garlic	42.92	36	707.88	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Grape, wine	6,112.56	2,267	58,032.82	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Industrial site	36.22	N/A	143.4	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kale	112.13	147	1,104.26	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Kohlrabi	3.22	2	23.4	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	0.95	3	5.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape maintenance	41.58	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Leek	52.39	285	811.85	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lemon	24.94	2	66.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, head	3,309.78	3,061	35,091.15	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, leaf	7,173.2	5,291	57,726.45	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Mustard greens	5.24	35	129.82	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	N-outdr flower	169.22	1,128	950.38	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Oat	0.86	2	17.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, dry	116.28	60	660.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Parsley	0.16	1	5.5	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Peas	107.83	267	2,543.06	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Radish	28.59	364	699.76	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rapini	340.41	170	2,924.6	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rights of way	80.03	N/A	N/A	N/A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Rye	10.9	13	100.57	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Spinach	4.14	24	72.9	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Strawberry	2,253.97	190	7,065.8	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sunflower	1.23	2	21.9	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Swiss chard	39.48	66	278.54	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Triticale	1.65	3	43.8	A

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated ag	1,203.88	677	6,587.81	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Uncultivated non-ag	6.12	9	31.0	A
alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat	6.23	2	61.05	A
uniconzole-p	N-grnhs flower	<0.01	1	0.61	A
uniconzole-p	N-grnhs plants in containers	0.02	20	23.12	A
uniconzole-p	N-grnhs plants in containers	0.04	29	333,030.0	S
uniconzole-p	N-grnhs transplants	0.02	12	450,307.0	S
uniconzole-p	N-outdr transplants	<0.01	2	2.6	A
uniconzole-p	N-outdr transplants	<0.01	4	153,092.0	S
uniconzole-p	Research commodity	<0.01	N/A	N/A	N/A
urea dihydrogen sulfate	Grape, wine	38.05	73	1,898.44	A
urea dihydrogen sulfate	Rights of way	0.16	N/A	N/A	N/A
urea dihydrogen sulfate	Uncultivated ag	0.21	2	14.0	A
vinyl polymer	Broccoli	11.04	18	162.75	A
vinyl polymer	Brussels sprout	2.34	3	26.7	A
vinyl polymer	Cauliflower	2.94	5	64.02	A
vinyl polymer	Celery	3.94	9	61.0	A
vinyl polymer	Cilantro	0.67	6	12.81	A
vinyl polymer	Endive (escarole)	1.24	17	59.05	A
vinyl polymer	Fennel	0.25	1	3.84	A
vinyl polymer	Garlic	4.04	5	77.1	A
vinyl polymer	Grape, wine	22.12	49	599.47	A
vinyl polymer	Landscape maintenance	0.09	1	1.0	A
vinyl polymer	Landscape maintenance	0.09	N/A	N/A	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
vinyl polymer	Lemon	0.62	2	61.0	A
vinyl polymer	Lettuce, head	34.97	243	2,944.97	A
vinyl polymer	Lettuce, leaf	57.13	424	3,919.12	A
vinyl polymer	Onion, dry	9.05	19	197.5	A
vinyl polymer	Raspberry	0.9	13	176.43	A
vinyl polymer	Rights of way	0.61	N/A	N/A	N/A
vinyl polymer	Strawberry	1.19	5	120.45	A
vinyl polymer	Uncultivated ag	52.93	122	1,150.6	A
vinyl polymer	Uncultivated non-ag	0.7	N/A	8.0	A
warfarin	Landscape maintenance	0.01	N/A	N/A	N/A
warfarin	Vertebrate control	0.01	N/A	N/A	N/A
xylene	Research commodity	1.04	N/A	N/A	N/A
yucca schidigera	Cannabis (all or unspecified)	1.46	43	17.36	A
yucca schidigera	Cannabis (all or unspecified)	<0.01	2	1,854.0	S
yucca schidigera	Lettuce, head	0.93	1	1.0	A
yucca schidigera	Raspberry	22.59	6	33.6	A
zinc phosphide	Grape, wine	3.6	3	144.5	A
zinc phosphide	Landscape maintenance	5.89	N/A	N/A	N/A
zinc phosphide	N-outdr flower	0.6	3	10.0	A
zinc phosphide	Rangeland	4.13	5	707.0	A
zinc phosphide	Rights of way	0.2	N/A	N/A	N/A
zinc phosphide	Uncultivated ag	6.76	N/A	272.0	A
zinc phosphide	Uncultivated non-ag	0.04	N/A	4.0	A
zinc phosphide	Vertebrate control	3.05	N/A	N/A	N/A
zinc sulfate	Spinach	0.79	1	7.5	A
beauveria bassiana strain ppri 5339	Cannabis (all or unspecified)	0.3	1	11,000.0	S

<b>Chemical</b>	<b>Commodity or Site</b>	<b>Pounds Applied</b>	<b>Apps</b>	<b>Area Treated</b>	<b>Unit Treated</b>
<b>beauveria bassiana strain ppri 5339</b>	Industrial hemp	0.05	1	1.0	A
<b>beauveria bassiana strain ppri 5339</b>	N-outdr flower	0.08	2	2.0	A