

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| METHYL SILICONE RESINS | 1.67 | 24 | 972.98 | A |
| METRAFENONE | 3,059.01 | 654 | 11,812.01 | A |
| MINERAL OIL | 185,641.74 | 3,122 | 44,882.07 | A |
| MORPHOLINE | 0.09 | 1 | 1.80 | A |
| MYCLOBUTANIL | 1,406.78 | 948 | 15,297.24 | A |
| MYROTHECIUM VERRUCARIA, DRIED FERMENTATION SOLIDS & SOLUBLES, STRAIN AARC-0255 | 726.84 | 8 | 79.26 | A |
| NEROLIDOL | 0.33 | 4 | 33.64 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 2,547.93 | 1,563 | 28,508.31 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 9,673.19 | 3,518 | 51,567.77 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | 744.14 | 403 | 8,198.09 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 937.92 | 584 | 6,545.53 | A |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 403.63 | 131 | 976.07 | A |
| OIL OF JOJOBA | 1.52 | 1 | 2.00 | A |
| OLEIC ACID | 2.60 | 5 | 39.22 | A |
| OLEIC ACID, METHYL ESTER | 2,448.38 | 298 | 5,425.20 | A |
| ORCHEX 796 OIL | 12.17 | 2 | 6.67 | A |
| ORYZALIN | 685.71 | 32 | 201.94 | A |
| OXYFLUORFEN | 7,354.03 | 713 | 8,991.81 | A |
| PARAQUAT DICHLORIDE | 89.85 | 15 | 70.35 | A |
| PENDIMETHALIN | 8,410.57 | 335 | 3,706.80 | A |
| PERMETHRIN | 0.26 | 2 | 8.19 | A |
| PEROXYACETIC ACID | 10.31 | 11 | 87.88 | A |
| PETROLEUM DISTILLATES | 1.50 | 1 | 14.00 | A |
| PETROLEUM DISTILLATES, REFINED | 194,036.62 | 1,818 | 44,066.35 | A |
| PETROLEUM OIL, PARAFFIN BASED | 71.56 | 32 | 183.86 | A |
| PETROLEUM OIL, UNCLASSIFIED | 1,407.43 | 3 | 398.61 | A |
| PHOSPHORIC ACID | 4.83 | 27 | 358.63 | A |
| POLYACRYLAMIDE POLYMER | 5.76 | 137 | 698.34 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 145.13 | 256 | 5,438.02 | A |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | 2.01 | 23 | 140.05 | A |
| POLYETHER MODIFIED POLYSILOXANE | 1,905.13 | 590 | 8,202.37 | A |
| POLYETHOXYLATED CASTOR OIL | 115.11 | 13 | 956.37 | A |
| POLYETHYLENE GLYCOL | 37.76 | 23 | 160.80 | A |
| POLYETHYLENE GLYCOL DIACETATE | 16.99 | 179 | 4,055.80 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 856.21 | 190 | 3,903.49 | A |
| POLY-I-PARA-MENTHENE | 531.29 | 466 | 1,749.41 | A |
| POLYMERIZED ACRYLIC ACID | 10.72 | 7 | 133.04 | A |
| POLYOXIN D, ZINC SALT | 299.37 | 547 | 6,960.58 | A |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | 14.66 | 32 | 183.86 | A |
| POLYOXYETHYLENE SORBITAN MONOLAURATE | 272.34 | 38 | 2,079.49 | A |
| POLYPROPYLENE GLYCOL | 1.98 | 24 | 972.98 | A |
| POTASSIUM BICARBONATE | 18,965.00 | 565 | 7,906.13 | A |
| POTASSIUM CARBONATE | 4.03 | 1 | 12.00 | A |
| PROPIONIC ACID | 181.89 | 244 | 1,582.92 | A |
| PROPYLENE GLYCOL | 504.25 | 329 | 8,728.26 | A |
| PYRACLOSTROBIN | 4,690.58 | 1,941 | 36,322.77 | A |
| PYRAFLUFEN-ETHYL | 0.91 | 72 | 433.18 | A |
| PYRETHRINS | 6.93 | 11 | 105.73 | A |
| PYRIDABEN | 10.79 | 1 | 34.88 | A |
| PYRIMETHANIL | 3,968.03 | 596 | 9,420.47 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 3,070.34 | 1,209 | 12,608.16 | A |
| QUILLAJA | 45.88 | 513 | 5,162.40 | A |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| QUINOXYFEN | 3,624.04 | 2,195 | 39,489.58 | A |
| REYNOUTRIA SACHALINENSIS | 820.28 | 378 | 3,355.10 | A |
| RIMSULFURON | 114.76 | 157 | 2,878.20 | A |
| SETHOXYDIM | 103.32 | 76 | 635.34 | A |
| SILICONE | 2.94 | 76 | 1,479.86 | A |
| SILICA FILLED POLYDIMETHYLSILOXANE | 0.15 | 38 | 2,079.49 | A |
| SIMAZINE | 2,399.76 | 110 | 1,145.61 | A |
| SODIUM BICARBONATE | 10.17 | 2 | 24.60 | A |
| SODIUM BISULFATE | 33.58 | 6 | 104.95 | A |
| SODIUM DI (1-ALKENYL) PHENOXY BENZENE DISULFONATE | 0.11 | 1 | 3.00 | A |
| SODIUM DIISOOCTYLSULFOSUCCINATE | 0.03 | 1 | 1.80 | A |
| SODIUM DIOCTYLSULFOSUCCINATE | 2.27 | 2 | 30.75 | A |
| SODIUM HYDROXIDE | 1.03 | 1 | 38.40 | A |
| SODIUM HYPOCHLORITE | 43.52 | 38 | 511.41 | A |
| SODIUM MONO (1-ALKENYL) PHENOXY BENZENE DISULFONATE | 0.25 | 1 | 3.00 | A |
| SODIUM POLYACRYLATE | 18.53 | 352 | 4,084.27 | A |
| SPINETORAM | 3.22 | 3 | 58.32 | A |
| SPINOSAD | 2.68 | 2 | 29.33 | A |
| SPIROTETRAMAT | 1,274.35 | 532 | 11,548.75 | A |
| STARCH | 0.09 | 26 | 552.25 | A |
| STRYCHNINE | 1.40 | 2 | 280.58 | A |
| STYRENE BUTADIENE COPOLYMER | 696.62 | 325 | 9,268.51 | A |
| SULFENTRAZONE | 8.66 | 2 | 57.03 | A |
| SULFUR | 1,758,913.63 | 11,992 | 225,095.70 | A |
| SULFUR DIOXIDE | 27.09 | 2 | 613.00 | U |
| TALL OIL FATTY ACIDS | 28.97 | 591 | 5,172.59 | A |
| TEBUCONAZOLE | 1,716.27 | 990 | 17,752.88 | A |
| TETRACONAZOLE | 918.44 | 1,474 | 23,136.02 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 5.67 | 3 | 12.00 | A |
| THIAMETHOXAM | 147.44 | 109 | 1,699.33 | A |
| THIOPHANATE-METHYL | 519.67 | 271 | 2,894.46 | A |
| TRICLOPYR, TRIETHYLAMINE SALT | 17.25 | 1 | 4.09 | A |
| TRIFLOXYSTROBIN | 2,107.71 | 1,459 | 27,569.05 | A |
| TRIFLUMIZOLE | 3,291.39 | 714 | 13,510.65 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE) | 292.08 | 292 | 6,331.01 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 180.85 | 66 | 2,965.78 | A |
| YUCCA SCHIDIGERA | 27.86 | 53 | 253.65 | A |
| ZINC PHOSPHIDE | 39.21 | 72 | 1,128.25 | A |
| POLY(OXY-1,2-ETHANEDIYL), ALPHA-HYDRO-OMEGA- HYDROXY-, MONO-C11-14-ISOALKYL ETHERS, C13-RICH, PHOSPHATES | 0.49 | 2 | 12.33 | A |
| BUTYL LACTATE | 30.97 | 38 | 2,079.49 | A |
| Site Total | 2,556,465.92 | 66,433 | | |
| HERB, SPICE | | | | |
| AZADIRACTIN | 0.01 | 18 | 1.80 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | 0.03 | 24 | 2.40 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 0.39 | 6 | 0.60 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 0.12 | 8 | 0.80 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 1.72 | 15 | 1.50 | A |
| IRON PHOSPHATE | 0.08 | 4 | 0.40 | A |
| MAGNESIUM PHOSPHIDE | 1.54 | | 33,000.00 | S |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Total Pounds On This Chemical | 1.96 | 0.42 | 9,000.00 | U |
| POTASH SOAP | 1.35 | 13 | 1.30 | A |
| PYRETHRINS | 0.03 | 33 | 3.30 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | < 0.01 | 2 | 0.20 | A |
| SPINOSAD | < 0.01 | 2 | 0.20 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 18 | 1.80 | A |
| WARFARIN | < 0.01 | 1 | 0.10 | A |
| Site Total | 5.68 | 144 | | |
| KALE | | | | |
| AZADIRACTIN | 0.04 | 24 | 2.40 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | 0.08 | 30 | 3.00 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 0.07 | 8 | 0.80 | A |
| CHROMOBACTERIUM SUBTUGAE STRAIN PRAA4-1 | 0.56 | 16 | 1.60 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 5.79 | 19 | 1.90 | A |
| IRON PHOSPHATE | 0.01 | 1 | 0.10 | A |
| POTASH SOAP | 5.70 | 20 | 2.00 | A |
| PYRETHRINS | 0.10 | 46 | 4.60 | A |
| Total Pounds On This Chemical | 0.12 | 2 | 2,240.00 | S |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.06 | 4 | 0.40 | A |
| SODIUM HYPOCHLORITE | 1.27 | 4 | 1,225.00 | ? |
| SPINOSAD | < 0.01 | 2 | 0.20 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 25 | 2.50 | A |
| Site Total | 13.72 | 201 | | |
| LANDSCAPE MAINTENANCE | | | | |
| ABAMECTIN | 0.06 | | | |
| ACEPHATE | 18.22 | | | |
| ACETAMIPRID | 0.29 | | | |
| ACIBENZOLAR-S-METHYL | 2.21 | | | |
| ACID BLUE 9, DIAMMONIUM SALT | 67.45 | | | |
| Total Pounds On This Chemical | 76.75 | 1 | 500,000.00 | U |
| ACRYLIC ACID | 0.67 | | | |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | 0.03 | | | |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | 0.03 | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.10 | 1 | 10.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 0.16 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 146.10 | | | |
| ALUMINUM PHOSPHIDE | 0.53 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 32.74 | | | |
| AMMONIUM NITRATE | 0.01 | 1 | 10.00 | A |
| AMMONIUM SULFATE | 0.32 | 1 | 10.00 | A |
| AZADIRACTIN | 4.53 | | | |
| AZOXYSTROBIN | 65.68 | | | |
| BACILLUS FIRMUS (STRAIN I-1582) | 14.00 | | | |
| BACILLUS SUBTILIS GB03 | 0.39 | | | |
| Total Pounds On This Chemical | 0.40 | 1 | 3.00 | A |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | 0.06 | | | |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 29.69 | | | |
| BENZOIC ACID | 0.36 | | | |
| BIFENTHRIN | 20.12 | | | |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | < 0.01 | | | |
| BOSCALID | < 0.01 | | | |
| BROMADIOLONE | 0.05 | | | |
| BROMETHALIN | < 0.01 | | | |
| CAPSICUM OLEORESIN | < 0.01 | | | |
| CARBARYL | 1.00 | | | |
| CARBON | 0.38 | | | |
| CARFENTRAZONE-ETHYL | 5.54 | | | |
| | 0.03 | 1 | 1.50 | A |
| Total Pounds On This Chemical | 5.57 | | | |
| CHLORANTRANILIPROLE | 6.87 | | | |
| CHLORFLURENOL, METHYL ESTER | 0.09 | | | |
| CHLOROPHACINONE | < 0.01 | | | |
| CHLOROTHALONIL | 3,036.67 | | | |
| | 15.09 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 3,051.76 | | | |
| CHLORPYRIFOS | 44.62 | | | |
| CHLORSULFURON | 3.36 | | | |
| CHLORTHAL-DIMETHYL | 21.00 | | | |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 28.98 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | 48.00 | | | |
| CLOPYRALID, TRIETHYLAMINE SALT | 25.37 | | | |
| CLOTHIANIDIN | 28.35 | | | |
| | 0.23 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 28.57 | | | |
| COCONUT DIETHANOLAMIDE | 0.16 | | | |
| COPPER AMMONIUM CARBONATE | 0.19 | | | |
| COPPER AMMONIUM COMPLEX | 7.25 | | | |
| COPPER DIAMMONIUM DIACETATE COMPLEX | 8.34 | | | |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | 138.44 | | | |
| | 27.63 | 1 | 500,000.00 | U |
| Total Pounds On This Chemical | 166.07 | | | |
| COPPER ETHYLENEDIAMINE COMPLEX | 12.50 | | | |
| COPPER HYDROXIDE | 27.76 | | | |
| COPPER OXIDE (OUS) | 23.79 | | | |
| COPPER OXYCHLORIDE | 12.41 | | | |
| COPPER SULFATE (PENTAHYDRATE) | 12.17 | | | |
| COTTONSEED OIL | 0.58 | | | |
| CYAZOFAMID | 0.79 | | | |
| CYFLUTHRIN | 0.10 | | | |
| BETA-CYFLUTHRIN | 8.20 | | | |
| 2,4-D | 0.34 | | | |
| 2,4-D, DIMETHYLAMINE SALT | 10.17 | | | |
| 2,4-D, 2-ETHYLHEXYL ESTER | 128.23 | | | |
| | 0.58 | 1 | 1.50 | A |
| Total Pounds On This Chemical | 128.81 | | | |
| 2,4-D, ISOOCTYL ESTER | 29.81 | | | |
| 2,4-D, TRIISOPROPANOLAMINE SALT | 18.08 | | | |
| DDVP | 0.01 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------------------|----------------|------------------------------|-------------------|--------------|
| DDVP, OTHER RELATED | < 0.01 | | | |
| DELTAMETHRIN | 0.07 | | | |
| DIAZINON | 0.26 | | | |
| DICAMBA | 11.54 | | | |
| | 0.04 | 1 | 1.50 | A |
| Total Pounds On This Chemical | 11.58 | | | |
| DICAMBA, DIMETHYLAMINE SALT | 1.18 | | | |
| DIETHYLENE GLYCOL | 0.78 | | | |
| DIFENOCONAZOLE | 7.89 | | | |
| DIKEGULAC SODIUM | 1.55 | | | |
| DIMETHYL ALKYL TERTIARY AMINES | 0.39 | | | |
| DIMETHYLPOLYSILOXANE | 0.37 | | | |
| DINOTEFURAN | 9.85 | | | |
| DIPHACINONE | 0.04 | | | |
| DIQUAT DIBROMIDE | 115.01 | | | |
| DISODIUM OCTABORATE TETRAHYDRATE | 1.68 | | | |
| DISULFOTON | 0.14 | | | |
| DITHIOPYR | 1,643.25 | | | |
| DIURON | 75.79 | | | |
| DODECYLBENZENE SULFONIC ACID | 0.69 | | | |
| 2,4-DP-P, DIMETHYLAMINE SALT | 0.04 | | | |
| EDTA, TETRASODIUM SALT | 0.04 | | | |
| EMAMECTIN BENZOATE | 0.17 | | | |
| ESFENVALERATE | 0.28 | | | |
| ETHEPHON | 522.09 | | | |
| | 5.99 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 528.08 | | | |
| ETHOFUMESATE | 1.98 | | | |
| ETHYL ACRYLATE | 4.30 | | | |
| FATTY ACIDS, MIXED | 0.51 | | | |
| FIPRONIL | < 0.01 | | | |
| FLUAZIFOP-P-BUTYL | 0.19 | | | |
| FLUDIOXONIL | 55.94 | | | |
| FLUMIOXAZIN | 6.35 | | | |
| FLUOPICOLIDE | 0.06 | | | |
| FLURECOL-METHYL | 0.02 | | | |
| FLURIDONE | 1.90 | | | |
| FLUTOLANIL | 81.20 | | | |
| | 5.60 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 86.80 | | | |
| TAU-FLUVALINATE | 0.10 | | | |
| FLUXAPYROXAD | 1.38 | | | |
| FOSETYL-AL | 304.63 | | | |
| | 17.60 | 1 | 2.00 | A |
| Total Pounds On This Chemical | 322.23 | | | |
| FREE FATTY ACIDS AND/OR AMINE SALTS | 42.15 | | | |
| GARLIC | < 0.01 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 9,705.21 | | | |
| GLYPHOSATE, MONOAMMONIUM SALT | 34.30 | | | |
| GLYPHOSATE, POTASSIUM SALT | 474.59 | | | |
| | 21.20 | 2 | 20.00 | A |
| Total Pounds On This Chemical | 495.80 | | | |
| HALOSULFURON-METHYL | < 0.01 | | | |
| HEPTYL BUTYRATE | 0.12 | | | |
| HYDRAMETHYLNON | < 0.01 | | | |
| HYDROGEN PEROXIDE | 24.65 | | | |
| HYDROPRENE | 0.10 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| IMAZAMOX, AMMONIUM SALT | 0.53 | | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | 126.75 | | | |
| IMIDACLOPRID | 51.48 | | | |
| INDAZIFLAM | 3.51 | | | |
| INDOXACARB | 0.99 | | | |
| IPRODIONE | 482.22 | | | |
| | 12.65 | 2 | 5.00 | A |
| Total Pounds On This Chemical | 494.88 | | | |
| IRON HEDTA | 0.15 | | | |
| IRON PHOSPHATE | 39.32 | | | |
| ISOPROPYL ALCOHOL | 21.23 | | | |
| ISOXABEN | 128.47 | | | |
| LAMBDA-CYHALOTHRIN | 0.21 | | | |
| LECITHIN | 0.57 | | | |
| LIME-SULFUR | 0.02 | | | |
| LIMONENE | 48.67 | | | |
| MALATHION | 5.59 | | | |
| MANCOZEB | 470.15 | | | |
| MCPA, DIMETHYLAMINE SALT | 2.28 | | | |
| MCPA, 2-ETHYL HEXYL ESTER | 0.02 | | | |
| MCPP, DIMETHYLAMINE SALT | 0.74 | | | |
| MCPP, POTASSIUM SALT | 3.38 | | | |
| MCPP-P, DIMETHYLAMINE SALT | 4.28 | | | |
| MECOPROP-P | 31.23 | | | |
| | 0.15 | 1 | 1.50 | A |
| Total Pounds On This Chemical | 31.38 | | | |
| MEFENOXAM | 20.34 | | | |
| MEFENOXAM, OTHER RELATED | 0.65 | | | |
| MEFLUIDIDE, DIETHANOLAMINE SALT | 1.54 | | | |
| MESOTRIONE | 2.25 | | | |
| META-CRESOL | < 0.01 | | | |
| METALDEHYDE | 3.74 | | | |
| METCONAZOLE | 3.00 | | | |
| S-METHOPRENE | < 0.01 | | | |
| METHYLATED SOYBEAN OIL | 18.43 | | | |
| METHYL-2,7-DICHLORO-9-HYDROXYFLUORENE-9- CARBOXYLATE | 0.02 | | | |
| METHYL METHACRYLATE | 2.92 | | | |
| MINERAL OIL | 602.21 | | | |
| MSMA | 92.52 | | | |
| MYCLOBUTANIL | 0.61 | | | |
| NAA, AMMONIUM SALT | 0.96 | | | |
| NONANOIC ACID | 8.06 | | | |
| NONANOIC ACID, OTHER RELATED | 0.42 | | | |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.51 | 1 | 10.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 265.16 | | | |
| | 0.62 | 1 | 10.00 | A |
| Total Pounds On This Chemical | 265.78 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 0.04 | | | |
| OLEIC ACID, ETHYL ESTER | 8.55 | | | |
| ORYZALIN | 245.19 | | | |
| OXADIAZON | 285.67 | | | |
| OXYFLUORFEN | 13.80 | | | |
| OXYTETRACYCLINE HYDROCHLORIDE | 0.03 | | | |
| PACLOBUTRAZOL | 77.97 | | | |
| PCNB | 196.15 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| PENDIMETHALIN | 450.05 | | | |
| PENOX SULAM | 3.02 | | | |
| | 0.01 | 1 | 1.00 | A |
| Total Pounds On This Chemical | 3.04 | | | |
| PENTHIOPYRAD | 9.34 | | | |
| PERMETHRIN | 233.80 | | | |
| PETROLEUM DISTILLATES | 161.57 | | | |
| PETROLEUM DISTILLATES, AROMATIC | 0.14 | | | |
| PETROLEUM DISTILLATES, REFINED | 7.97 | | | |
| PETROLEUM OIL, PARAFFIN BASED | 1.46 | | | |
| PETROLEUM OIL, UNCLASSIFIED | 34.06 | | | |
| PHENOTHRIN | < 0.01 | | | |
| PHOSPHORIC ACID | 0.14 | | | |
| PIPERONYL BUTOXIDE | 86.29 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 21.57 | | | |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 85.00 | | | |
| POLY-I-PARA-MENTHENE | 0.24 | | | |
| POLYOXIN D, ZINC SALT | 10.24 | | | |
| POLYOXYETHYLENE DIOLEATE | 1.50 | | | |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 0.43 | | | |
| POTASH SOAP | 5.95 | | | |
| POTASSIUM BICARBONATE | 0.42 | | | |
| POTASSIUM PHOSPHITE | 8,282.01 | | | |
| PRALLETHRIN | < 0.01 | | | |
| PRODIAMINE | 78.05 | | | |
| PROPAMOCARB HYDROCHLORIDE | 21.41 | | | |
| PROPICONAZOLE | 153.15 | | | |
| PROPYLENE GLYCOL | 28.83 | | | |
| PUTRESCENT WHOLE EGG SOLIDS | 0.31 | | | |
| PYRACLOSTROBIN | 21.58 | | | |
| PYRETHRINS | 10.78 | | | |
| PYRIPROXYFEN | 47.98 | | | |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.02 | | | |
| QUILLAJA | 74.15 | | | |
| QUINCLORAC | 2.34 | | | |
| QUINCLORAC, DIMETHYLAMINE SALT | 8.61 | | | |
| RIMSULFURON | 0.05 | | | |
| SETHOXYDIM | 0.09 | | | |
| SILICA AEROGEL | 0.04 | | | |
| SILICONE DEFOAMER | 0.02 | | | |
| SODIUM ARSENATE | 0.02 | | | |
| SODIUM CARBONATE PEROXYHYDRATE | 127.50 | | | |
| SODIUM NITRATE | 1.99 | | | |
| SODIUM XYLENE SULFONATE | 0.21 | | | |
| SPINOSAD | 27.54 | | | |
| SPIROMESIFEN | 0.02 | | | |
| STREPTOMYCIN SULFATE | 0.30 | | | |
| STRYCHNINE | 1.04 | | | |
| SULFENTRAZONE | 1.27 | | | |
| SULFOMETURON-METHYL | 4.47 | | | |
| SULFUR | 2.58 | | | |
| TALL OIL | 5.52 | | | |
| TALL OIL FATTY ACIDS | 1.23 | | | |
| TARTRAZINE | 5.57 | | | |
| | 0.77 | 1 | 500,000.00 | U |
| Total Pounds On This Chemical | 6.34 | | | |
| TEBUCONAZOLE | 34.82 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|----------------|
| Total Pounds On This Chemical | 36.50 | 1.68 | 1 | 2.00 A |
| TETRACHLORVINPHOS | | 0.02 | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE) | | 0.81 | | |
| TETRAPOTASSIUM PYROPHOSPHATE | | 0.11 | | |
| THIAMETHOXAM | | 5.50 | | |
| THIOPHANATE | | 12.00 | | |
| THIOPHANATE-METHYL | | 233.35 | | |
| Total Pounds On This Chemical | 241.01 | 7.65 | 1 | 3.00 A |
| TRIADIMEFON | | 33.05 | | |
| TRICLOPYR, BUTOXYETHYL ESTER | | 272.30 | | |
| TRICLOPYR, TRIETHYLAMINE SALT | | 281.78 | | |
| TRIETHANOLAMINE | | 0.27 | | |
| TRIFLOXYSTROBIN | | 18.37 | | |
| TRIFLOXYSULFURON-SODIUM | | 0.03 | | |
| TRIFLURALIN | | < 0.01 | | |
| TRIFORINE | | < 0.01 | | |
| TRINEXAPAC-ETHYL | | 65.19 | | |
| Total Pounds On This Chemical | 69.23 | 4.03 | 1 | 30.00 A |
| TRITICONAZOLE | | 6.27 | | |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | | 1.03 | | |
| 2,4-XYLENOL | | < 0.01 | | |
| ZINC PHOSPHIDE | | 0.64 | | |
| Site Total | | 31,616.94 | 18 | |
| LETTUCE, LEAF | | | | |
| AZADIRACTIN | | < 0.01 | 5 | 0.50 A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | | < 0.01 | 12 | 1.20 A |
| BEAUVERIA BASSIANA STRAIN GHA | | < 0.01 | 3 | 0.30 A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | | 0.06 | 10 | 1.00 A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | | 0.21 | 5 | 0.50 A |
| POTASH SOAP | | 0.53 | 9 | 0.90 A |
| PYRETHRINS | | < 0.01 | 13 | 1.30 A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | 0.02 | 2 | 0.20 A |
| STREPTOMYCES LYDICUS WYEC 108 | | < 0.01 | 11 | 1.10 A |
| Site Total | | 0.83 | 70 | |
| MUSHROOM | | | | |
| HYDROGEN PEROXIDE | | 0.97 | 155 | 138,905.00 S |
| PEROXYACETIC ACID | | 0.07 | 154 | 138,005.00 S |
| Site Total | | 1.04 | 155 | |
| N-GRNHS FLOWER | | | | |
| ABAMECTIN | | 0.30 | 12 | 10.50 A |
| ACEPHATE | | 162.96 | 17 | 98.00 A |
| Total Pounds On This Chemical | 283.34 | 120.38 | 36 | 1,990,000.00 S |
| AZADIRACTIN | | 0.29 | 17 | 415,000.00 S |
| Total Pounds On This Chemical | 0.43 | 0.13 | 1 | 4.00 A |
| BIFENAZATE | | 0.55 | 7 | 325,000.00 S |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| CARBARYL | 0.80 | 4 | 175,000.00 | S |
| CYPRODINIL | 22.03 | 22 | 86.50 | A |
| CYROMAZINE | 1.18 | 5 | 2.50 | A |
| | 0.38 | 2 | 50,000.00 | S |
| Total Pounds On This Chemical | 1.56 | | | |
| DIMETHYLPOLYSILOXANE | 0.03 | 4 | 17.00 | A |
| ETOXAZOLE | 0.09 | 7 | 325,000.00 | S |
| FENHEXAMID | 13.50 | 4 | 26.00 | A |
| FLUDIOXONIL | 14.69 | 22 | 86.50 | A |
| PIPERALIN | 5.83 | 5 | 6.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 208.01 | 62 | 269.50 | A |
| POLYALKYLENEOXIDE MODIFIED POLYDIMETHYL-SILOXANE | 0.71 | 4 | 150,000.00 | S |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 0.99 | 4 | 17.00 | A |
| POTASH SOAP | 1,765.58 | 102 | 4,210,000.00 | S |
| | 87.04 | 5 | 27.00 | A |
| Total Pounds On This Chemical | 1,852.63 | | | |
| POTASSIUM BICARBONATE | 414.51 | 37 | 149.00 | A |
| | 137.70 | 47 | 2,000,000.00 | S |
| Total Pounds On This Chemical | 552.21 | | | |
| PROPYLENE GLYCOL | 25.14 | 48 | 169.50 | A |
| SPINOSAD | 10.74 | 20 | 97.50 | A |
| SPIROTETRAMAT | 2.30 | 2 | 13.00 | A |
| STARCH | < 0.01 | 4 | 17.00 | A |
| STYRENE BUTADIENE COPOLYMER | 33.98 | 48 | 169.50 | A |
| TRIFLOXYSTROBIN | 0.50 | 1 | 9.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 15.50 | 48 | 169.50 | A |
| Site Total | 3,045.85 | 423 | | |
| N-GRNHS PLANTS IN CONTAINERS | | | | |
| ACEPHATE | 3.64 | 2 | 15.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | 0.02 | 1 | 3,000.00 | S |
| CARBARYL | 2.13 | 5 | 0.37 | A |
| DIQUAT DIBROMIDE | 0.35 | 3 | 22.50 | A |
| TAU-FLUVALINATE | < 0.01 | 1 | 650.00 | S |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1.31 | 3 | 19.00 | A |
| IMIDACLOPRID | 0.13 | 2 | 0.50 | A |
| | < 0.01 | 1 | 650.00 | S |
| Total Pounds On This Chemical | 0.13 | | | |
| METALDEHYDE | 0.23 | 11 | 990.00 | S |
| | 0.19 | 6 | 1.28 | A |
| Total Pounds On This Chemical | 0.43 | | | |
| MINERAL OIL | 1.97 | 5 | 10,000.00 | S |
| MYCLOBUTANIL | 0.51 | 2 | 15.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.21 | 2 | 15.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 0.27 | 2 | 6,500.00 | S |
| POTASSIUM BICARBONATE | 3.36 | 8 | 14,500.00 | S |
| PROPYLENE GLYCOL | 0.46 | 2 | 15.00 | A |
| PYRETHRINS | 0.10 | 4 | 11,200.00 | S |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.20 | 6 | 14,100.00 | S |
| SPINOSAD | < 0.01 | 2 | 380.00 | U |
| STYRENE BUTADIENE COPOLYMER | 0.62 | 2 | 15.00 | A |
| TEBUCONAZOLE | < 0.01 | 1 | 650.00 | S |
| THIOPHANATE-METHYL | 3.58 | 24 | 554.00 | S |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 0.28 | 2 | 15.00 | A |
| Site Total | 19.56 | 89 | | |
| N-GRNHS TRANSPLANTS | | | | |
| ABAMECTIN | 0.12 | 20 | 545,000.00 | S |
| | < 0.01 | 1 | 0.50 | A |
| Total Pounds On This Chemical | 0.12 | | | |
| ACEPHATE | 9.61 | 19 | 657,700.00 | S |
| ACETAMIPRID | 0.06 | 1 | 28,000.00 | S |
| AMETOCTRADIN | 0.67 | 5 | 129,400.00 | S |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14940 | 0.62 | 3 | 80,000.00 | S |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14941 | 0.62 | 3 | 80,000.00 | S |
| AZADIRACTIN | 0.21 | 13 | 383,800.00 | S |
| | 0.01 | 1 | 0.50 | A |
| Total Pounds On This Chemical | 0.22 | | | |
| AZOXYSTROBIN | 3.10 | 8 | 201,800.00 | S |
| | 0.14 | 1 | 0.50 | A |
| Total Pounds On This Chemical | 3.24 | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.16 | 7 | 124,700.00 | S |
| BIFENAZATE | 0.50 | 1 | 1.00 | A |
| | 0.07 | 2 | 26,800.00 | S |
| Total Pounds On This Chemical | 0.57 | | | |
| BIFENTHRIN | 0.76 | 11 | 312,000.00 | S |
| BOSCALID | 0.44 | 7 | 145,200.00 | S |
| CHLORANTRANILIPROLE | 0.09 | 1 | 30,000.00 | S |
| CHLOROTHALONIL | 17.49 | 11 | 167,180.00 | S |
| CHLORPYRIFOS | 1.55 | 3 | 110,800.00 | S |
| COPPER HYDROXIDE | 8.17 | 12 | 481,400.00 | S |
| COPPER SULFATE (PENTAHYDRATE) | 0.06 | 1 | 10,800.00 | S |
| CYAZOFAMID | 0.62 | 1 | 45,000.00 | S |
| CYPRODINIL | 0.05 | 1 | 21,400.00 | S |
| CYROMAZINE | 0.56 | 6 | 225,800.00 | S |
| DAMINOZIDE | 0.40 | 3 | 23,400.00 | S |
| DIMETHOMORPH | 0.50 | 5 | 129,400.00 | S |
| FATTY ACIDS, MIXED | 0.15 | 29 | 959,400.00 | S |
| FENAMIDONE | 0.18 | 1 | 24,800.00 | S |
| FENHEXAMID | 3.16 | 4 | 98,400.00 | S |
| FLUDIOXONIL | 0.03 | 1 | 21,400.00 | S |
| FLUOPICOLIDE | 0.19 | 3 | 73,600.00 | S |
| TAU-FLUVALINATE | 1.30 | 17 | 511,700.00 | S |
| FOSETYL-AL | 19.00 | 10 | 325,200.00 | S |
| | 0.60 | 1 | 0.50 | A |
| Total Pounds On This Chemical | 19.60 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 0.37 | 1 | 0.50 | A |
| HYDROGEN PEROXIDE | 0.72 | 4 | 55,000.00 | S |
| IMIDACLOPRID | 1.82 | 23 | 637,900.00 | S |
| IPRODIONE | 0.08 | 1 | 10,000.00 | S |
| | 0.08 | 1 | 0.50 | A |
| Total Pounds On This Chemical | 0.16 | | | |
| LAMBDA-CYHALOTHRIN | 0.03 | 1 | 1,200.00 | S |
| LECITHIN | 3.40 | 29 | 959,400.00 | S |
| MANCOZEB | 8.53 | 10 | 475,400.00 | S |
| MEFENOXAM | 1.55 | 19 | 162,180.00 | S |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 0.91 | 29 | 959,400.00 | S |
| OXYFLUORFEN | 1.40 | 3 | 56,000.00 | S |
| PACLOBUTRAZOL | < 0.01 | 3 | 3,900.00 | S |
| PENDIMETHALIN | 2.80 | 3 | 56,000.00 | S |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.45 | 22 | 678,800.00 | S |
| POLYOXIN D, ZINC SALT | 0.50 | 13 | 352,000.00 | S |
| POTASH SOAP | 0.49 | 1 | 2,000.00 | S |
| POTASSIUM BICARBONATE | 11.48 | 12 | 430,300.00 | S |
| POTASSIUM PHOSPHITE | 2.00 | 1 | 1.00 | A |
| | 1.00 | 1 | 40,000.00 | S |
| Total Pounds On This Chemical | 3.01 | | | |
| PROPIONIC ACID | 3.40 | 29 | 959,400.00 | S |
| PROPYLENE GLYCOL | 0.99 | 22 | 678,800.00 | S |
| PYRACLOSTROBIN | 0.42 | 7 | 145,200.00 | S |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.60 | 8 | 308,100.00 | S |
| SPINOSAD | 0.56 | 8 | 179,200.00 | S |
| | 0.04 | 1 | 0.50 | A |
| Total Pounds On This Chemical | 0.59 | | | |
| SPIROTETRAMAT | 0.23 | 2 | 35,900.00 | S |
| STREPTOMYCIN SULFATE | 1.85 | 8 | 161,000.00 | S |
| STYRENE BUTADIENE COPOLYMER | 1.34 | 22 | 678,800.00 | S |
| SULFUR | 5.25 | 3 | 54,000.00 | S |
| TERRAZOLE | 0.06 | 1 | 22,400.00 | S |
| THIOPHANATE-METHYL | 25.02 | 35 | 383,260.00 | S |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | 0.42 | 14 | 261,630.60 | S |
| TRICHODERMA VIRENS STRAIN G-41 | 0.13 | 10 | 171,630.60 | S |
| TRIFLUMIZOLE | 0.13 | 1 | 22,400.00 | S |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 0.62 | 22 | 678,800.00 | S |
| Site Total | 149.88 | 390 | | |
| N-OUTDR FLOWER | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 0.76 | 4 | 7.00 | A |
| AZOXYSTROBIN | 2.08 | 1 | 5.50 | A |
| DIAZINON | 2.25 | 5 | 9.00 | A |
| ESFENVALERATE | < 0.01 | 2 | 0.20 | A |
| GLYPHOSATE, POTASSIUM SALT | 30.39 | 6 | 19.83 | A |
| OXYFLUORFEN | 18.18 | 8 | 25.83 | A |
| POLYETHER MODIFIED POLYSILOXANE | 8.50 | 2 | 8.00 | A |
| POTASH SOAP | 4.37 | 1 | 2.00 | A |
| SPINOSAD | 0.20 | 2 | 8.00 | A |
| Site Total | 66.72 | 31 | | |
| N-OUTDR PLANTS IN CONTAINERS | | | | |
| ABAMECTIN | 0.16 | 24 | 178,700.00 | S |
| | 0.01 | 4 | 11.20 | A |
| Total Pounds On This Chemical | 0.18 | | | |
| ACEPHATE | 95.62 | 26 | 128.00 | A |
| | 13.05 | 40 | 291,600.00 | S |
| Total Pounds On This Chemical | 108.67 | | | |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) | | | | |
| DIMETHYLBENZYL AMMONIUM CHLORIDE | 3.60 | 18 | 119,800.00 | S |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | 3.60 | 18 | 119,800.00 | S |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ALPHA-PINENE BETA-PINENE COPOLYMER | 0.02 | 1 | 39.00 | U |
| AZADIRACTIN | 0.51 | 19 | 95.00 | A |
| AZOXYSTROBIN | 4.87 | 39 | 277,650.00 | S |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | 0.03 | 2 | 4,700.00 | S |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 7.49 | 20 | 100.00 | A |
| | 0.01 | 2 | 78.00 | U |
| Total Pounds On This Chemical | 7.50 | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | 10.33 | 17 | 47,600.00 | S |
| BEAUVERIA BASSIANA STRAIN GHA | 3.52 | 17 | 85.00 | A |
| BENZOIC ACID | 0.26 | 12 | 27.00 | A |
| BIFENAZATE | 0.12 | 1 | 2.00 | A |
| BIFENTHRIN | 1.20 | 5 | 42.00 | A |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | < 0.01 | 1 | 39.00 | U |
| BOSCALID | 0.05 | 4 | 8,600.00 | S |
| CARBARYL | 0.92 | 13 | 24.50 | A |
| CHLOROTHALONIL | 18.31 | 21 | 176,600.00 | S |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 0.54 | 3 | 3.00 | A |
| COPPER OXIDE (OUS) | 20.90 | 10 | 36.00 | A |
| CYAZOFAMID | < 0.01 | 1 | 1,100.00 | S |
| CYFLUMETOFEN | 0.11 | 1 | 2.00 | A |
| CYFLUTHRIN | 1.05 | 9 | 45.00 | A |
| DIMETHENAMID-P | 0.35 | 4 | 18,800.00 | S |
| DIMETHOMORPH | 0.07 | 1 | 2,200.00 | S |
| DIMETHYL ALKYL TERTIARY AMINES | 0.29 | 12 | 27.00 | A |
| DINOTEFURAN | 0.16 | 4 | 3.30 | A |
| DIQUAT DIBROMIDE | 2.55 | 6 | 20.00 | A |
| DITHIOPYR | 0.38 | 2 | 8.00 | A |
| (E,E)-9, 11-TETRADECADIEN-1-YL ACETATE | 0.02 | 2 | 5.00 | A |
| FENAMIDONE | 0.19 | 1 | 4,500.00 | S |
| FOSETYL-AL | 1.60 | 2 | 9,100.00 | S |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 55.99 | 24 | 151.00 | A |
| | 17.47 | 30 | 201,800.00 | S |
| Total Pounds On This Chemical | 73.46 | | | |
| GLYPHOSATE, POTASSIUM SALT | 80.10 | 16 | 41.00 | A |
| HYDROGEN PEROXIDE | 0.90 | 14 | 39,200.00 | S |
| IMIDACLOPRID | 2.42 | 14 | 52,200.00 | S |
| | 1.39 | 11 | 58.20 | A |
| Total Pounds On This Chemical | 3.81 | | | |
| IPRODIONE | 3.64 | 2 | 44,000.00 | S |
| ISOPROPYL ALCOHOL | 1.13 | 90 | 663,100.00 | S |
| ISOXABEN | 3.00 | 11 | 92.00 | A |
| LAMBDA-CYHALOTHRIN | 3.55 | 29 | 111.00 | A |
| LIME-SULFUR | 245.79 | 16 | 64.00 | A |
| | 12.50 | 3 | 5,900.00 | S |
| Total Pounds On This Chemical | 258.29 | | | |
| MALATHION | 43.17 | 25 | 100.00 | A |
| MANCOZEB | 3.75 | 1 | 0.50 | A |
| MEFENOXAM | 7.39 | 82 | 348,200.00 | S |
| | 1.20 | 9 | 60.70 | A |
| Total Pounds On This Chemical | 8.59 | | | |
| MEFENOXAM, OTHER RELATED | 0.24 | 82 | 348,200.00 | S |
| | 0.04 | 9 | 60.70 | A |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Total Pounds On This Chemical | 0.28 | | | |
| METALDEHYDE | 31.88 | 8 | 39.97 | A |
| METHOXYFENOZIDE | 5.98 | 14 | 98.00 | A |
| METHYLATED SOYBEAN OIL | 10.00 | 12 | 27.00 | A |
| MINERAL OIL | 42.53 | 16 | 33.00 | A |
| | 3.45 | 2 | 3,100.00 | S |
| | < 0.01 | 1 | 39.00 | U |
| Total Pounds On This Chemical | 45.99 | | | |
| MYCLOBUTANIL | 1.66 | 5 | 24.00 | A |
| | 0.64 | 5 | 67,600.00 | S |
| Total Pounds On This Chemical | 2.30 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 23.47 | 90 | 663,100.00 | S |
| ORYZALIN | 8.00 | 4 | 31.00 | A |
| PENDIMETHALIN | 0.89 | 6 | 27,900.00 | S |
| PETROLEUM DISTILLATES, REFINED | 2.06 | 1 | 4.00 | A |
| POLYETHER MODIFIED POLYSILOXANE | 0.29 | 1 | 6,000.00 | S |
| POLY-I-PARA-MENTHENE | 0.03 | 1 | 39.00 | U |
| POLYOXIN D, ZINC SALT | 1.38 | 13 | 29,800.00 | S |
| PYRACLOSTROBIN | 0.11 | 4 | 8,600.00 | S |
| PYRETHRINS | 1.55 | 10 | 50.00 | A |
| | 0.05 | 1 | 6,000.00 | S |
| Total Pounds On This Chemical | 1.60 | | | |
| RIMSULFURON | 0.19 | 2 | 16.00 | A |
| SPINOSAD | 3.79 | 21 | 66.00 | A |
| | 0.18 | 4 | 25,100.00 | S |
| Total Pounds On This Chemical | 3.97 | | | |
| SPIROMESIFEN | 0.15 | 2 | 16,500.00 | S |
| SPIROTETRAMAT | 0.14 | 2 | 8,500.00 | S |
| TALL OIL FATTY ACIDS | < 0.01 | 1 | 39.00 | U |
| TERRAZOLE | 1.30 | 5 | 11,250.00 | S |
| E-11-TETRADECEN-1-YL ACETATE | 0.46 | 2 | 5.00 | A |
| THIOPHANATE-METHYL | 84.55 | 56 | 271,700.00 | S |
| | 0.66 | 2 | 8.00 | A |
| Total Pounds On This Chemical | 85.21 | | | |
| Site Total | 900.95 | 885 | | |
| N-OUTDR TRANSPLANTS | | | | |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14940 | 0.21 | 1 | 40,000.00 | S |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14941 | 0.21 | 1 | 40,000.00 | S |
| AZOXYSTROBIN | 1.38 | 2 | 50,000.00 | S |
| | 1.13 | 2 | 3.00 | A |
| Total Pounds On This Chemical | 2.50 | | | |
| BIFENAZATE | 1.50 | 2 | 7.00 | A |
| BOSCALID | 0.38 | 3 | 100,000.00 | S |
| CHLORPYRIFOS | 0.12 | 3 | 12,000.00 | S |
| CYFLUTHRIN | 0.02 | 3 | 12,000.00 | S |
| (E,E)-9, 11-TETRADECADIEN-1-YL ACETATE | 0.03 | 1 | 1.00 | A |
| FENHEXAMID | 3.00 | 2 | 4.00 | A |
| | 2.00 | 1 | 30,000.00 | S |
| Total Pounds On This Chemical | 5.00 | | | |
| GLYPHOSATE, POTASSIUM SALT | 8.45 | 2 | 9.00 | A |
| | 1.21 | 1 | 10,000.00 | S |
| Total Pounds On This Chemical | 9.65 | | | |
| HYDROGEN PEROXIDE | 2.90 | 2 | 37,000.00 | S |
| IMIDACLOPRID | 1.95 | 5 | 11.00 | A |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Total Pounds On This Chemical | 2.42 | 0.47 | 2 | 41,000.00 S |
| IRON PHOSPHATE | | 0.80 | 2 | 3.00 A |
| MEFENOXAM | | 0.53 | 1 | 1.00 A |
| MEFENOXAM, OTHER RELATED | | 0.02 | 1 | 1.00 A |
| METHOXYFENOZIDE | | 0.56 | 1 | 2.00 A |
| Total Pounds On This Chemical | 0.57 | < 0.01 | 1 | 1,000.00 S |
| MINERAL OIL | | 46.29 | 3 | 3.00 A |
| | | 0.66 | 2 | 1,200.00 S |
| Total Pounds On This Chemical | 46.95 | | | |
| MYCLOBUTANIL | | 1.60 | 1 | 2.00 A |
| OXYFLUORFEN | | 3.07 | 2 | 9.00 A |
| | | 0.44 | 1 | 10,000.00 S |
| Total Pounds On This Chemical | 3.51 | | | |
| PACLOBUTRAZOL | | < 0.01 | 1 | 800.00 S |
| PETROLEUM DISTILLATES, REFINED | | 16.49 | 1 | 2.00 A |
| | | 0.34 | 1 | 5,000.00 S |
| Total Pounds On This Chemical | 16.83 | | | |
| PETROLEUM OIL, UNCLASSIFIED | | 0.54 | 2 | 1,200.00 S |
| POTASSIUM BICARBONATE | | 2.46 | 1 | 1.00 A |
| | | 2.22 | 3 | 6,000.00 S |
| Total Pounds On This Chemical | 4.68 | | | |
| POTASSIUM PHOSPHITE | | 2.00 | 1 | 1.00 A |
| | | 2.00 | 2 | 60,000.00 S |
| Total Pounds On This Chemical | 4.01 | | | |
| PYRACLOSTROBIN | | 0.76 | 3 | 100,000.00 S |
| PYRIPROXYFEN | | 0.05 | 1 | 800.00 S |
| SPINOSAD | | 0.58 | 3 | 3.00 A |
| SPIROTETRAMAT | | 0.25 | 1 | 2.00 A |
| SULFUR | | 9.20 | 3 | 8.50 A |
| | | 5.20 | 2 | 37,000.00 S |
| Total Pounds On This Chemical | 14.40 | | | |
| E-11-TETRADECEN-1-YL ACETATE | | 0.67 | 1 | 1.00 A |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | | 0.03 | 1 | 10,000.00 S |
| Site Total | | 121.75 | 66 | |
| OAT | | | | |
| BENZOIC ACID | | 0.71 | 2 | 124.90 A |
| BROMOXYNIL HEPTANOATE | | 339.29 | 8 | 986.00 A |
| BROMOXYNIL OCTANOATE | | 351.86 | 8 | 986.00 A |
| BUTYL ALCOHOL | | 30.96 | 12 | 1,732.90 A |
| CARFENTRAZONE-ETHYL | | 6.09 | 4 | 400.00 A |
| CHLORSULFURON | | 8.12 | 5 | 615.00 A |
| 2,4-D, DIMETHYLAMINE SALT | | 1,140.40 | 7 | 1,459.90 A |
| 2,4-D, 2-ETHYLHEXYL ESTER | | 104.97 | 1 | 95.00 A |
| DIMETHYL ALKYL TERTIARY AMINES | | 0.78 | 2 | 124.90 A |
| DIMETHYLPOLYSILOXANE | | 0.35 | 12 | 1,732.90 A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | | 846.61 | 5 | 849.00 A |
| GLYPHOSATE, POTASSIUM SALT | | 1,229.54 | 7 | 1,015.00 A |
| METHYLATED SOYBEAN OIL | | 27.12 | 2 | 124.90 A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | | 278.27 | 12 | 1,732.90 A |
| POLYACRYLAMIDE POLYMER | | 4.97 | 10 | 1,608.00 A |
| POLYSACCHARIDE POLYMER | | 0.55 | 10 | 1,608.00 A |
| Site Total | | 4,370.59 | 61 | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| OLIVE | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.39 | 3 | 15.00 | A |
| | 0.88 | 4 | 609.00 | U |
| Total Pounds On This Chemical | 3.27 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 6.48 | 1 | 5.00 | A |
| AMMONIUM NITRATE | 6.71 | 3 | 15.00 | A |
| | 0.11 | 4 | 609.00 | U |
| Total Pounds On This Chemical | 6.82 | | | |
| AMMONIUM SULFATE | 12.06 | 3 | 15.00 | A |
| | 2.81 | 4 | 609.00 | U |
| Total Pounds On This Chemical | 14.87 | | | |
| CALCIUM CHLORIDE | 0.37 | 2 | 4.00 | A |
| CITRIC ACID | 1.02 | 2 | 4.00 | A |
| COPPER HYDROXIDE | 61.31 | 4 | 30.30 | A |
| COPPER OXIDE (OUS) | 22.18 | 5 | 11.25 | A |
| | 3.36 | 1 | 40,000.00 | S |
| Total Pounds On This Chemical | 25.54 | | | |
| COPPER OXYCHLORIDE | 2.65 | 3 | 9.00 | A |
| FENPROPATHRIN | 2.05 | 6 | 6.50 | A |
| FLUMIOXAZIN | 0.13 | 2 | 5.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 60.14 | 3 | 10.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 38.96 | 3 | 14.00 | A |
| | 18.27 | 5 | 649.00 | U |
| Total Pounds On This Chemical | 57.24 | | | |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 1.72 | 6 | 6.50 | A |
| IRON PHOSPHATE | 0.40 | 1 | 2.00 | A |
| KAOLIN | 52.25 | 2 | 2.00 | A |
| MINERAL OIL | 34.73 | 1 | 8.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 8.99 | 1 | 21.30 | A |
| | 0.04 | 1 | 40.00 | U |
| Total Pounds On This Chemical | 9.03 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 10.90 | 1 | 21.30 | A |
| | 0.05 | 1 | 40.00 | U |
| Total Pounds On This Chemical | 10.95 | | | |
| PYRETHRINS | 0.37 | 10 | 9.00 | A |
| SPINOSAD | 0.95 | 95 | 222.62 | A |
| | 0.10 | 133 | 18,380.00 | U |
| Total Pounds On This Chemical | 1.05 | | | |
| Site Total | 352.37 | 289 | | |
| ONION, GREEN | | | | |
| CHLORTHAL-DIMETHYL | 36.00 | 1 | 4.00 | A |
| Site Total | 36.00 | 1 | | |
| PASTURELAND | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.58 | 2 | 25.00 | A |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 6.33 | 2 | 25.00 | A |
| AMMONIUM NITRATE | 0.85 | 2 | 25.00 | A |
| AMMONIUM SULFATE | 21.00 | 2 | 25.00 | A |
| BENZOIC ACID | 0.25 | 1 | 43.00 | A |
| BUTYL ALCOHOL | 0.74 | 1 | 40.00 | A |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| 2,4-D, DIMETHYLAMINE SALT | 46.14 | 1 | 43.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.28 | 1 | 43.00 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 40.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 49.86 | 1 | 40.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.78 | 4 | 15.00 | A |
| METHYLATED SOYBEAN OIL | 9.74 | 1 | 43.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.66 | 1 | 40.00 | A |
| POLYACRYLAMIDE POLYMER | 0.09 | 1 | 40.00 | A |
| POLYSACCHARIDE POLYMER | < 0.01 | 1 | 40.00 | A |
| TRICLOPYR, BUTOXYETHYL ESTER | 7.40 | 1 | 5.00 | A |
| Site Total | 156.71 | 14 | | |
| PEACH | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.88 | 5 | 6.50 | A |
| COPPER HYDROXIDE | 3.22 | 4 | 5.00 | A |
| COPPER OXIDE (OUS) | 96.49 | 2 | 11.00 | A |
| COPPER OXYCHLORIDE | 3.57 | 4 | 5.00 | A |
| IMIDACLOPRID | 0.28 | 2 | 3.00 | A |
| LIME-SULFUR | 1.73 | 3 | 2.10 | A |
| POLY-I-PARA-MENTHENE | 0.54 | 1 | 1.50 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 2.13 | 5 | 6.50 | A |
| SULFUR | 123.39 | 6 | 21.00 | A |
| ULOCLADIUM OUDEMANSII (U3 STRAIN) | 52.20 | 6 | 27.50 | A |
| Site Total | 285.41 | 34 | | |
| PEAR | | | | |
| CODLING MOTH GRANULOSIS VIRUS | < 0.01 | 1 | 0.30 | A |
| COPPER OXIDE (OUS) | 8.00 | 6 | 6.00 | A |
| (S)-CYPERMETHRIN | 0.03 | 1 | 1.00 | A |
| E,E-8,10-DODECADIEN-1-OL | 0.20 | 1 | 0.50 | A |
| LAURYL ALCOHOL | 0.11 | 1 | 0.50 | A |
| MYRISTYL ALCOHOL | 0.02 | 1 | 0.50 | A |
| Site Total | 8.37 | 9 | | |
| PEPPER, FRUITING | | | | |
| CYFLUTHRIN | 1.74 | 2 | 27.00 | A |
| MINERAL OIL | 3.51 | 1 | 2.00 | A |
| Site Total | 5.25 | 3 | | |
| PEPPER, SPICE | | | | |
| DIMETHYLPOLYSILOXANE | 0.02 | 1 | 25.00 | A |
| PETROLEUM DISTILLATES, REFINED | 26.39 | 1 | 20.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 1.17 | 1 | 25.00 | A |
| PROPYLENE GLYCOL | 0.59 | 1 | 25.00 | A |
| PYRETHRINS | 0.81 | 1 | 20.00 | A |
| TRIFLOXYSTROBIN | 1.17 | 1 | 25.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE) | 2.18 | 1 | 25.00 | A |
| Site Total | 32.33 | 4 | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| PLUM | | | | |
| COPPER OXIDE (OUS) | 16.26 | 7 | 11.00 | A |
| (S)-CYPERMETHRIN | 0.03 | 1 | 1.00 | A |
| NONANOIC ACID | 0.40 | 1 | 0.50 | A |
| NONANOIC ACID, OTHER RELATED | 0.02 | 1 | 0.50 | A |
| Site Total | 16.71 | 9 | | |
| POME FRUIT | | | | |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 0.07 | 1 | 0.13 | A |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | < 0.01 | 1 | 0.13 | A |
| LIME-SULFUR | 13.06 | 1 | 0.13 | A |
| MINERAL OIL | 0.03 | 1 | 0.13 | A |
| PETROLEUM DISTILLATES, REFINED | 3.00 | 1 | 0.13 | A |
| TALL OIL FATTY ACIDS | < 0.01 | 1 | 0.13 | A |
| ZIRAM | 0.60 | 1 | 0.13 | A |
| Site Total | 16.76 | 4 | | |
| PUBLIC HEALTH | | | | |
| D-TRANS ALLETHRIN | < 0.01 | | | |
| BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362 | 826.97 | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14 | 223.00 | | | |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52 | 738.46 | | | |
| BIFENTHRIN | 0.89 | | | |
| CYFLUTHRIN | 1.89 | | | |
| DELTAMETHRIN | < 0.01 | | | |
| ETOFENPROX | 17.15 | | | |
| ALPHA-ISOOCTADECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 35.54 | | | |
| METHOPRENE | 88.86 | | | |
| S-METHOPRENE | 146.09 | | | |
| MINERAL OIL | 45.17 | | | |
| PETROLEUM DISTILLATES, REFINED | 3,478.58 | | | |
| PHENOTHRIN | < 0.01 | | | |
| PIPERONYL BUTOXIDE | 69.58 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 17.39 | | | |
| PYRETHRINS | 16.18 | | | |
| RESMETHRIN | 1.75 | | | |
| SILICA AEROGEL | 8.76 | | | |
| SPINOSAD | 2.33 | | | |
| Site Total | 5,718.60 | | | |
| PUMPKIN | | | | |
| MYCLOBUTANIL | 0.90 | 1 | 8.50 | A |
| PENTHIOPYRAD | 2.19 | 2 | 10.50 | A |
| PERMETHRIN | 0.75 | 1 | 6.00 | A |
| QUINOXYFEN | 1.49 | 3 | 16.50 | A |
| Site Total | 5.33 | 7 | | |
| RADISH | | | | |
| GLYPHOSATE, POTASSIUM SALT | 0.09 | 1 | 1,500.00 | S |
| MALATHION | 2.04 | 5 | 4.00 | A |
| METALDEHYDE | 0.04 | 1 | 500.00 | S |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Site Total | 2.16 | 7 | | |
| RANGELAND | | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 9.64 | 2 | 80.00 | A |
| BENZOIC ACID | 3.41 | 1 | 600.00 | A |
| BUTYL ALCOHOL | 6.17 | 2 | 640.00 | A |
| CLOPYRALID, MONOETHANOLAMINE SALT | 122.39 | 2 | 640.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 3.73 | 1 | 600.00 | A |
| DIMETHYLPOLYSILOXANE | 0.07 | 2 | 640.00 | A |
| FATTY ACIDS, MIXED | 0.39 | 3 | 20.00 | A |
| FLUMIOXAZIN | 2.87 | 3 | 20.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 17.23 | 7 | 72.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 2.76 | 3 | 22.00 | A |
| LECITHIN | 9.07 | 3 | 20.00 | A |
| METHYLATED SOYBEAN OIL | 130.44 | 1 | 600.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 57.88 | 5 | 660.00 | A |
| OXYFLUORFEN | 0.50 | 1 | 15.00 | A |
| PROPIONIC ACID | 9.07 | 3 | 20.00 | A |
| SILICONE | 0.08 | 1 | 40.00 | A |
| TRICLOPYR, BUTOXYETHYL ESTER | 6.52 | 9 | 120.00 | A |
| Site Total | 382.23 | 34 | | |
| RASPBERRY | | | | |
| BEAUVERIA BASSIANA STRAIN GHA | < 0.01 | 4 | 0.40 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | < 0.01 | 2 | 0.20 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | < 0.01 | 1 | 0.10 | A |
| IRON PHOSPHATE | < 0.01 | 2 | 0.20 | A |
| LIME-SULFUR | 0.29 | 2 | 0.20 | A |
| POTASH SOAP | 0.03 | 2 | 0.20 | A |
| PYRETHRINS | < 0.01 | 5 | 0.50 | A |
| SPINOSAD | < 0.01 | 2 | 0.20 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 4 | 0.40 | A |
| Site Total | 0.34 | 24 | | |
| RECREATION AREA | | | | |
| CHLOROTHALONIL | 24.34 | 5 | 6.00 | A |
| FLUDIOXONIL | 0.98 | 5 | 6.00 | A |
| PROPICONAZOLE | 3.83 | 5 | 6.00 | A |
| Site Total | 29.15 | 5 | | |
| REGULATORY PEST CONTROL | | | | |
| BROMADIOLONE | < 0.01 | | | |
| DIFETHIALONE | < 0.01 | | | |
| FORCHLORFENURON | 0.02 | 1 | 1.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 1.29 | | | |
| ISOPROPYL ALCOHOL | 0.13 | | | |
| MINERAL OIL | 70.54 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.38 | | | |
| PERMETHRIN | 0.80 | | | |
| PIPERONYL BUTOXIDE | 0.62 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 0.16 | | | |
| PYRETHRINS | 0.08 | | | |
| SULFUR | 24.00 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| SULFUR DIOXIDE | 28.23 | | | |
| Site Total | 126.24 | 1 | | |
| RIGHTS OF WAY | | | | |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 3.52 | | | |
| ALCOHOLS, C12-C14, ALIPHATIC | 0.71 | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 4.44 | 6 | 33.00 | A |
| | 0.73 | | | |
| Total Pounds On This Chemical | 5.17 | | | |
| ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE | 2.04 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.43 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 34.38 | | | |
| AMMONIUM NITRATE | 0.57 | 6 | 33.00 | A |
| | 0.43 | | | |
| Total Pounds On This Chemical | 1.00 | | | |
| AMMONIUM SULFATE | 14.17 | 6 | 33.00 | A |
| | 0.43 | | | |
| Total Pounds On This Chemical | 14.61 | | | |
| BENEFIN | < 0.01 | | | |
| BENZOIC ACID | 4.69 | | | |
| | 0.06 | 3 | 38.00 | A |
| Total Pounds On This Chemical | 4.75 | | | |
| BORAX | 284.49 | | | |
| BROMACIL | 1.60 | | | |
| 2-BUTOXYETHANOL | 1.84 | | | |
| BUTYL ALCOHOL | 0.89 | | | |
| CHLORSULFURON | 6.75 | | | |
| CLETHODIM | 13.96 | | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | 21.38 | | | |
| COPPER HYDROXIDE | 20.27 | | | |
| DICHLORBENIL | 787.93 | | | |
| DIETHYLENE GLYCOL | 6.12 | | | |
| DIMETHYL ALKYL TERTIARY AMINES | 5.11 | | | |
| | 0.06 | 3 | 38.00 | A |
| Total Pounds On This Chemical | 5.17 | | | |
| DIMETHYLPOLYSILOXANE | 0.15 | | | |
| DIQUAT DIBROMIDE | 4.62 | | | |
| DITHIOPYR | 53.00 | | | |
| DIURON | 1.60 | | | |
| FATTY ACIDS, MIXED | 11.06 | | | |
| FLUMIOXAZIN | 315.52 | | | |
| | 7.89 | 5 | 30.00 | A |
| Total Pounds On This Chemical | 323.42 | | | |
| GLYPHOSATE, DIMETHYLAMINE SALT | 837.44 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 48,025.76 | | | |
| | 1.86 | 3 | 3.00 | A |
| Total Pounds On This Chemical | 48,027.62 | | | |
| GLYPHOSATE, POTASSIUM SALT | 131.08 | 8 | 68.00 | A |
| | 51.62 | | | |
| Total Pounds On This Chemical | 182.70 | | | |
| HEXYLENE GLYCOL | 1.84 | | | |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 0.82 | | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | 214.73 | | | |
| INDAZIFLAM | 15.74 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 22.70 | | | |
| ISOXABEN | 216.30 | | | |
| KEROSENE | 9.08 | | | |
| | 0.08 | 1 | 3.00 | A |
| Total Pounds On This Chemical | 9.17 | | | |
| METAM-SODIUM | 568.96 | | | |
| METHYLATED SOYBEAN OIL | 592.51 | | | |
| | 2.09 | 3 | 38.00 | A |
| Total Pounds On This Chemical | 594.60 | | | |
| MINERAL OIL | 5.84 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 67.31 | | | |
| OLEIC ACID, ETHYL ESTER | 54.98 | | | |
| OLEIC ACID, METHYL ESTER | 2.46 | | | |
| OXYFLUORFEN | 0.75 | | | |
| PENDIMETHALIN | 26.91 | | | |
| PETROLEUM DISTILLATES, ALIPHATIC | 0.21 | | | |
| PETROLEUM NAPHTHENIC OILS | 2.46 | | | |
| PETROLEUM OIL, PARAFFIN BASED | 3,694.30 | | | |
| POLYACRYLAMIDE POLYMER | 4.16 | | | |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 747.49 | | | |
| POLYOXYETHYLENE DIOLEATE | 9.62 | | | |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | 93.55 | | | |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | 597.76 | | | |
| PRODIAMINE | 12.72 | | | |
| PROPYLENE GLYCOL | 0.32 | | | |
| RIMSULFURON | 15.25 | | | |
| SODIUM ALPHA-OLEFIN (C14-C16) SULFONATE | 13.97 | | | |
| SULFOMETURON-METHYL | 24.96 | | | |
| TALL OIL FATTY ACIDS | 18.21 | | | |
| TRICLOPYR, BUTOXYETHYL ESTER | 176.38 | | | |
| TRICLOPYR, TRIETHYLAMINE SALT | 2,926.44 | | | |
| TRIFLURALIN | < 0.01 | | | |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 34.15 | | | |
| Site Total | 60,833.69 | 25 | | |
| SMALL FRUITS/BERRY | | | | |
| HYDROGEN PEROXIDE | 2.08 | 2 | 2,000.00 | S |
| IMIDACLOPRID | 0.02 | 2 | 1,900.00 | S |
| PYRETHRINS | 0.03 | 1 | 900.00 | S |
| Site Total | 2.13 | 5 | | |
| SOYBEAN | | | | |
| SODIUM HYPOCHLORITE | 1.27 | 1 | 1,000.00 | ? |
| Site Total | 1.27 | 1 | | |
| SPINACH | | | | |
| AZADIRACTIN | < 0.01 | 2 | 0.20 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | < 0.01 | 5 | 0.50 | A |
| BEAUVERIA BASSIANA STRAIN GHA | < 0.01 | 1 | 0.10 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 0.01 | 3 | 0.30 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 0.12 | 2 | 0.20 | A |
| POTASH SOAP | 0.08 | 2 | 0.20 | A |
| PYRETHRINS | < 0.01 | 6 | 0.60 | A |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 5 | 0.50 | A |
| Site Total | 0.22 | 26 | | |
| SQUASH | | | | |
| ACETAMIPRID | 0.98 | 3 | 13.00 | A |
| MINERAL OIL | 36.85 | 2 | 25.00 | A |
| PYRACLOSTROBIN | 0.90 | 2 | 9.00 | A |
| PYRETHRINS | 0.83 | 3 | 20.20 | A |
| | 0.03 | 2 | 7,840.00 | S |
| Total Pounds On This Chemical | 0.86 | | | |
| Site Total | 39.58 | 12 | | |
| SQUASH, WINTER | | | | |
| PYRETHRINS | 1.64 | 1 | 0.27 | A |
| QUINOXYFEN | 0.05 | 1 | 0.50 | A |
| Site Total | 1.69 | 2 | | |
| STONE FRUIT | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.68 | 1 | 0.17 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 0.10 | 1 | 0.17 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | < 0.01 | 1 | 0.17 | A |
| LIME-SULFUR | 17.06 | 1 | 0.17 | A |
| MINERAL OIL | 3.37 | 2 | 0.34 | A |
| TALL OIL FATTY ACIDS | < 0.01 | 1 | 0.17 | A |
| ZIRAM | 0.78 | 1 | 0.17 | A |
| Site Total | 21.99 | 4 | | |
| STRAWBERRY | | | | |
| BIFENAZATE | 2.50 | 5 | 5.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 35.86 | 5 | 10.00 | A |
| PARAQUAT DICHLORIDE | 0.01 | 3 | 17.00 | A |
| Site Total | 38.37 | 13 | | |
| STRUCTURAL PEST CONTROL | | | | |
| ABAMECTIN | 0.06 | | | |
| ABAMECTIN, OTHER RELATED | < 0.01 | | | |
| ACEPHATE | 245.05 | | | |
| ACETAMIPRID | 13.09 | | | |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | 21.96 | | | |
| D-TRANS ALLETHRIN | 0.22 | | | |
| 4-AMINOPYRIDINE | < 0.01 | | | |
| PARA-TERT-AMYLPHENOL | 1.42 | | | |
| ORTHO-BENZYL-PARA-CHLOROPHENOL | 7.24 | | | |
| BENZYLDIETHYL [(2,6-XYLILCARBAMOYL)METHYL] AMMONIUM SACCHARIDE | < 0.01 | | | |
| BIFENTHRIN | 154.99 | | | |
| BORAX | 38.20 | | | |
| BORIC ACID | 321.37 | | | |
| BRODIFACOU | < 0.01 | | | |
| BROMADIOLONE | 0.21 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| BROMETHALIN | < 0.01 | | | |
| CHLORANTRANILIPROLE | 11.44 | | | |
| CHLORFENAPYR | 830.32 | | | |
| CHLOROPICRIN | 2.74 | | | |
| CHLORPYRIFOS | < 0.01 | | | |
| CHOLECALCIFEROL | 0.54 | | | |
| CLOTHIANIDIN | < 0.01 | | | |
| COPPER NAPHTHENATE | 7.15 | | | |
| COYOTE URINE | 1.35 | | | |
| CUBE EXTRACTS | 0.02 | | | |
| CYFLUTHRIN | 255.07 | | | |
| BETA-CYFLUTHRIN | 222.69 | | | |
| CYPERMETHRIN | 62.94 | | | |
| (S)-CYPERMETHRIN | < 0.01 | | | |
| DDVP | < 0.01 | | | |
| DDVP, OTHER RELATED | < 0.01 | | | |
| DELTAMETHRIN | 191.56 | | | |
| DIATOMACEOUS EARTH | 35.72 | | | |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | 6.60 | | | |
| DIFETHIALONE | 0.03 | | | |
| DIFLUBENZURON | < 0.01 | | | |
| DINOTEFURAN | 46.26 | | | |
| DIPHACINONE | 0.58 | | | |
| DIPHACINONE, SODIUM SALT | < 0.01 | | | |
| DISODIUM OCTABORATE TETRAHYDRATE | 3,274.83 | | | |
| ESFENVALERATE | 105.78 | | | |
| ETOFENPROX | 0.07 | | | |
| FENOXYCARB | < 0.01 | | | |
| FIPRONIL | 1,959.38 | | | |
| TAU-FLUVALINATE | 0.13 | | | |
| FOX URINE | 0.58 | | | |
| FREON 12 | 1.25 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1.25 | | | |
| HEXAFLUMURON | < 0.01 | | | |
| HYDRAMETHYLNON | 2.74 | | | |
| HYDROPRENE | 41.74 | | | |
| IMIDACLOPRID | 208.35 | | | |
| INDOXACARB | 170.17 | | | |
| ISOPROPYL ALCOHOL | 3.83 | | | |
| LAMBDA-CYHALOTHRIN | 61.59 | | | |
| LIMONENE | 392.97 | | | |
| LINALOOL | 0.46 | | | |
| MEFENOXAM | 0.12 | | | |
| MEFENOXAM, OTHER RELATED | < 0.01 | | | |
| METHOPRENE | 0.98 | | | |
| S-METHOPRENE | 0.20 | | | |
| METHYLENE CHLORIDE | 0.69 | | | |
| MINERAL OIL | 8.28 | | | |
| MUSCALURE | 0.13 | | | |
| NAPROPAMIDE | 0.18 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.47 | | | |
| NOVALURON | < 0.01 | | | |
| NOVIFLUMURON | 0.10 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 18.40 | | | |
| PERMETHRIN | 413.71 | | | |
| PERMETHRIN, OTHER RELATED | < 0.01 | | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| PETROLEUM DISTILLATES | 3.38 | | | |
| PHENOTHRIN | 0.92 | | | |
| PHENOTHRIN, OTHER RELATED | < 0.01 | | | |
| PHENYLETHYL PROPIONATE | 1.18 | | | |
| ORTHO-PHENYLPHENOL | 5.75 | | | |
| PINE OIL | 0.17 | | | |
| PIPERONYL BUTOXIDE | 404.27 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 95.81 | | | |
| POTASSIUM PHOSPHITE | 2.74 | | | |
| PRALLETHRIN | 2.21 | | | |
| PROPICONAZOLE | < 0.01 | | | |
| PROPOXUR | 0.04 | | | |
| PYRETHRINS | 96.23 | | | |
| PYRIPROXYFEN | 74.74 | | | |
| ROTENONE | < 0.01 | | | |
| SILICA AEROGEL | 20.32 | | | |
| SODIUM DECYL SULFATE | 2.56 | | | |
| SODIUM LAUROAMPHO ACETATE | 1.93 | | | |
| SODIUM LAURYL SULFATE | 1.30 | | | |
| SODIUM TETRABORATE (PENTAHYDRATE) | 0.06 | | | |
| SPINOSAD | < 0.01 | | | |
| SULFURYL FLUORIDE | 34,065.23 | | | |
| TETRACHLOROETHYLENE | 2.00 | | | |
| Z,E-9,12-TETRADECADIEN-1-YL ACETATE | < 0.01 | | | |
| TETRAMETHRIN | 0.07 | | | |
| THIAMETHOXAM | 2.89 | | | |
| THIOPHANATE-METHYL | 1.47 | | | |
| THYME | 1.90 | | | |
| THYMOL | < 0.01 | | | |
| TRICHLOROFLUOROMETHANE | 1.25 | | | |
| TRICLOPYR, TRIETHYLAMINE SALT | 1.04 | | | |
| WARFARIN | < 0.01 | | | |
| ZINC PHOSPHIDE | 0.38 | | | |
| Site Total | 43,938.06 | | | |
| SWISS CHARD | | | | |
| AZADIRACTIN | 0.03 | 24 | 2.40 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 0.08 | 11 | 1.10 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 0.25 | 15 | 1.50 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 3.53 | 19 | 1.90 | A |
| POTASH SOAP | 11.76 | 22 | 2.20 | A |
| PYRETHRINS | 0.07 | 49 | 4.90 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.03 | 3 | 0.30 | A |
| SPINOSAD | < 0.01 | 2 | 0.20 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 26 | 2.60 | A |
| Site Total | 15.74 | 171 | | |
| TOMATILLO | | | | |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 3.00 | A |
| PERMETHRIN | 0.45 | 1 | 3.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1-(TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 0.35 | 1 | 3.00 | A |
| PROPYLENE GLYCOL | 0.18 | 1 | 3.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.88 | 1 | 3.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY(OXYETHYLENE) | 0.65 | 1 | 3.00 | A |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Site Total | 2.51 | 3 | | |
| TOMATO | | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI STRAIN SA-12 | 0.09 | 2 | 2,000.00 | S |
| HYDROGEN PEROXIDE | 0.04 | 3 | 3,000.00 | S |
| POLYETHER MODIFIED POLYSILOXANE | 0.17 | 1 | 1.50 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.04 | 1 | 1.50 | A |
| Site Total | 0.34 | 7 | | |
| UNCULTIVATED AG | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 12.43 | 10 | 44.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 23.38 | 2 | 15.50 | A |
| AMMONIUM NITRATE | 6.79 | 10 | 56.00 | A |
| AMMONIUM SULFATE | 44.87 | 10 | 56.00 | A |
| BUTYL ALCOHOL | 0.11 | 1 | 1.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 0.14 | 1 | 0.25 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 1.00 | A |
| DIPHACINONE | < 0.01 | 2 | 2.00 | A |
| DIQUAT DIBROMIDE | 14.92 | 1 | 4.00 | A |
| FLUMIOXAZIN | 3.38 | 13 | 16.50 | A |
| GLUFOSINATE-AMMONIUM | 47.03 | 1 | 110.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 232.40 | 16 | 351.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 243.95 | 9 | 192.50 | A |
| LIMONENE | 1.21 | 1 | 0.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.00 | 1 | 1.00 | A |
| OXYFLUORFEN | 52.72 | 1 | 144.00 | A |
| PENDIMETHALIN | 23.48 | 9 | 9.00 | A |
| SETHOXYDIM | 3.15 | 1 | 12.00 | A |
| SPINOSAD | < 0.01 | 1 | 0.10 | A |
| SULFUR | 208.00 | 1 | 87.00 | A |
| Site Total | 918.97 | 70 | | |
| VEGETABLE | | | | |
| SODIUM HYPOCHLORITE | 3.49 | 4 | 2,750.00 | ? |
| Site Total | 3.49 | 4 | | |
| VEGETABLES, LEAFY | | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, SEROTYPE 3A,3B | 0.05 | 38 | 3.80 | A |
| Site Total | 0.05 | 38 | | |
| VERTEBRATE CONTROL | | | | |
| BROMADIOLONE | < 0.01 | | | |
| DIFETHIALONE | < 0.01 | | | |
| Site Total | < 0.01 | | | |
| WALNUT | | | | |
| GLYPHOSATE, POTASSIUM SALT | 13.79 | 1 | 10.00 | A |
| MALATHION | 36.80 | 3 | 30.00 | A |
| Site Total | 50.59 | 4 | | |

Department of Pesticide Regulation
2015 Annual Statewide Pesticide Use Report Indexed by Commodity
Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| WATER (INDUSTRIAL) | | | | |
| 1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN | 2.40 | | 2.00 | A |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | 278.38 | | 99.15 | A |
| 1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN | 1.10 | | 2.00 | A |
| 1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN | 0.42 | | 2.00 | A |
| DIOCTYL DIMETHYL AMMONIUM CHLORIDE | 960.74 | | 1.00 | A |
| DIQUAT DIBROMIDE | 111.31 | | 19.75 | A |
| ENDOTHALL, DIPOTASSIUM SALT | 86.72 | | 10.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 6.75 | | 39.00 | A |
| FLURIDONE | 0.08 | | 0.50 | A |
| GLUTARALDEHYDE | 39,979.94 | | 7.00 | A |
| | 155.86 | | 297.00 | U |
| Total Pounds On This Chemical | 40,135.80 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 142.51 | | 45.50 | A |
| HYDROGEN PEROXIDE | 17.43 | | 1.25 | A |
| LIMONENE | 33.74 | | 39.00 | A |
| PEROXYACETIC ACID | 1.29 | | 1.25 | A |
| SODIUM BROMIDE | 194.04 | | 10.00 | A |
| SODIUM CARBONATE PEROXYHYDRATE | 1,722.95 | | 69.80 | A |
| SODIUM HYPOCHLORITE | 133.71 | | 10.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 4.50 | | 39.00 | A |
| Site Total | 43,833.86 | | | |
| WATER AREA | | | | |
| ACID BLUE 9, DIAMMONIUM SALT | 66.99 | 19 | 38.60 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 1.28 | 1 | 1.95 | A |
| AMMONIUM NITRATE | 0.52 | 1 | 1.20 | A |
| AMMONIUM SULFATE | 0.52 | 1 | 1.20 | A |
| BENZOIC ACID | 0.17 | 4 | 16.00 | A |
| BUTYL ALCOHOL | 0.27 | 1 | 6.50 | A |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | 110.38 | 4 | 25.25 | A |
| COPPER ETHYLENEDIAMINE COMPLEX | 55.82 | 3 | 11.25 | A |
| COPPER SULFATE (PENTAHYDRATE) | 2,600.09 | 16 | 43.30 | A |
| | 1,080.94 | 2 | 151.00 | U |
| Total Pounds On This Chemical | 3,681.03 | | | |
| COPPER TRIETHANOLAMINE COMPLEX | 29.15 | 2 | 7.25 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 0.18 | 4 | 16.00 | A |
| DIMETHYLPOLYSILOXANE | < 0.01 | 1 | 6.50 | A |
| DIQUAT DIBROMIDE | 92.67 | 20 | 12.78 | A |
| ENDOTHALL, DIPOTASSIUM SALT | 1.06 | | 0.50 | A |
| FATTY ACIDS, MIXED | 0.39 | 20 | 11.80 | A |
| FLURIDONE | 1.62 | | 2.24 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 37.09 | 5 | 15.45 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.94 | 1 | 5.00 | A |
| IMAZAMOX, AMMONIUM SALT | 4.23 | 1 | 4.00 | A |
| IMAZAPYR, ISOPROPYLAMINE SALT | 5.59 | | 3.00 | A |
| LECITHIN | 9.65 | 20 | 12.30 | A |
| METHYLATED SOYBEAN OIL | 6.70 | 4 | 16.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 4.81 | 21 | 18.30 | A |
| POLYACRYLAMIDE POLYMER | 0.44 | 20 | 11.80 | A |
| PROPIONIC ACID | 9.01 | 20 | 11.80 | A |
| SODIUM CARBONATE PEROXYHYDRATE | 42.50 | 1 | 10.00 | U |
| TARTRAZINE | 5.53 | 19 | 38.60 | A |

Department of Pesticide Regulation
 2015 Annual Statewide Pesticide Use Report Indexed by Commodity
 Sonoma County

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| TRICLOPYR, TRIETHYLAMINE SALT | 4.22 | | 1.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 0.32 | | 0.50 | A |
| Site Total | 4,173.08 | 118 | | |
| WATER FILTER | | | | |
| SODIUM HYPOCHLORITE | 88.92 | | 3.00 | A |
| Site Total | 88.92 | | | |
| WHEAT | | | | |
| BENZOIC ACID | 1.52 | 1 | 268.00 | A |
| BROMOXYNIL HEPTANOATE | 117.00 | 2 | 340.00 | A |
| BROMOXYNIL OCTANOATE | 121.33 | 2 | 340.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 135.03 | 1 | 120.00 | A |
| DIMETHYL ALKYL TERTIARY AMINES | 1.67 | 1 | 268.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1.00 | 1 | 0.25 | A |
| METHYLATED SOYBEAN OIL | 58.30 | 1 | 268.00 | A |
| PYROXSULAM | 3.54 | 1 | 268.00 | A |
| SODIUM HYPOCHLORITE | 0.32 | 1 | 350.00 | ? |
| Site Total | 439.71 | 7 | | |
| Sonoma County Total | 2,839,006.80 | 71,239 | | |