

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| CHLOROTHALONIL | 544.36 | 100 | 305.05 | A |
| CHLORPYRIFOS | 7.25 | 5 | 11.00 | A |
| CHLORTHAL-DIMETHYL | 101.88 | 16 | 12.00 | A |
| COCONUT DIETHANOLAMIDE | 38.11 | 371 | 1,286.34 | A |
| COPPER HYDROXIDE | 27.72 | 3 | 12.00 | A |
| COPPER SULFATE (PENTAHYDRATE) | 20.70 | 25 | 71.00 | A |
| CYANTRANILIPROLE | 19.88 | 50 | 150.22 | A |
| CYAZOFAMID | 0.73 | 20 | 61.90 | A |
| CYFLUFENAMID | 4.46 | 19 | 47.00 | A |
| CYFLUMETOFEN | 4.52 | 10 | 26.00 | A |
| CYFLUTHRIN | 1.66 | 48 | 31.70 | A |
| CYPRODINIL | 13.85 | 76 | 136.40 | A |
| CYROMAZINE | 7.04 | 14 | 49.00 | A |
| DAMINOZIDE | 220.12 | 64 | 86.40 | A |
| 1,3-DICHLOROPROPENE | 5,564.26 | 21 | 44.47 | A |
| DIETHYLENE GLYCOL | 2.09 | 13 | 27.50 | A |
| DIMETHOMORPH | 28.32 | 43 | 101.10 | A |
| DIMETHYLPOLYSILOXANE | 35.09 | 89 | 263.25 | A |
| DINOTEFURAN | 20.77 | 63 | 140.65 | A |
| DIQUAT DIBROMIDE | 9.98 | 11 | 45.00 | A |
| DIURON | 4.75 | 2 | 10.00 | A |
| DODECYLBENZENE SULFONIC ACID | 165.14 | 371 | 1,286.34 | A |
| EDTA, TETRASODIUM SALT | 10.16 | 371 | 1,286.34 | A |
| ETHYLENE GLYCOL | 8.30 | 199 | 149.55 | A |
| ETOXAZOLE | 2.97 | 26 | 59.75 | A |
| FATTY ACIDS, MIXED | 3.72 | 13 | 27.50 | A |
| FENARIMOL | 0.08 | 1 | 2.00 | A |
| FENHEXAMID | 117.88 | 72 | 211.95 | A |
| FENPYROXIMATE | 3.65 | 26 | 56.75 | A |
| FLONICAMID | 13.39 | 88 | 154.65 | A |
| FLUDIOXONIL | 43.26 | 202 | 553.60 | A |
| FLUOPICOLIDE | 18.65 | 40 | 125.75 | A |
| TAU-FLUVALINATE | 68.12 | 169 | 766.63 | A |
| FOSETYL-AL | 78.56 | 23 | 28.25 | A |
| GIBBERELLINS | 0.38 | 24 | 30.25 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 72.21 | 12 | 61.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 4.14 | 1 | 1.00 | A |
| HEXYTHIAZOX | 1.72 | 6 | 19.60 | A |
| IMIDACLOPRID | 1.71 | 9 | 19.00 | A |
| IPRODIONE | 359.19 | 192 | 705.90 | A |
| ISOPROPYL ALCOHOL | 52.61 | 570 | 1,435.89 | A |
| KAOLIN | 332.50 | 6 | 14.00 | A |
| (S)-KINOPRENE | 0.24 | 3 | 1.20 | A |
| MALATHION | 0.24 | 31 | 4.14 | A |
| MANCOZEB | 568.01 | 163 | 465.85 | A |
| MEFENOXAM | 7.19 | 32 | 100.15 | A |
| MEFENOXAM, OTHER RELATED | 0.14 | 20 | 47.65 | A |
| METAM-SODIUM | 9,641.35 | 20 | 44.08 | A |
| METHIOCARB | 39.94 | 29 | 80.75 | A |
| METHOXYFENOZIDE | 0.95 | 4 | 7.00 | A |
| METHYL BROMIDE | 571.77 | 4 | 2.86 | A |
| MINERAL OIL | 2.03 | 4 | 6.25 | A |
| MYCLOBUTANIL | 18.54 | 35 | 168.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 26.86 | 212 | 177.05 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| NOVALURON | 17.14 | 114 | 304.05 | A |
| PACLOBUTRAZOL | 1.99 | 12 | 3.10 | A |
| PERMETHRIN | 71.08 | 120 | 350.70 | A |
| | 0.40 | 1 | 55,000.00 | S |
| Total Pounds On This Chemical | 71.48 | | | |
| PETROLEUM DISTILLATES, REFINED | 92.60 | 1 | 4.00 | A |
| PHOSMET | 0.05 | 1 | 1.00 | A |
| PHOSPHORIC ACID | 32.52 | 371 | 1,286.34 | A |
| PIPERALIN | 17.63 | 20 | 35.50 | A |
| PIPERONYL BUTOXIDE | 17.98 | 29 | 89.50 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 4.49 | 29 | 89.50 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 3.59 | 6 | 22.00 | A |
| POLY-I-PARA-MENTHENE | 267.11 | 116 | 1,135.00 | A |
| POLYOXIN D, ZINC SALT | 10.80 | 64 | 198.50 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 54.86 | 57 | 169.00 | A |
| POTASH SOAP | 32.88 | 5 | 11.50 | A |
| POTASSIUM PHOSPHITE | 111.08 | 15 | 48.25 | A |
| PROPICONAZOLE | 4.55 | 20 | 58.65 | A |
| PYMETROZINE | 22.34 | 43 | 96.80 | A |
| PYRACLOSTROBIN | 26.10 | 108 | 216.40 | A |
| PYRETHRINS | 2.25 | 29 | 89.50 | A |
| PYRIDABEN | 5.50 | 8 | 16.25 | A |
| PYRIDALYL | 20.12 | 46 | 92.95 | A |
| PYRIFLUQUINAZON | 0.46 | 6 | 8.25 | A |
| PYRIPROXYFEN | 0.13 | 1 | 2.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 6.38 | 10 | 36.40 | A |
| SILICONE DEFOAMER | 4.32 | 371 | 1,286.34 | A |
| SODIUM CARBONATE | 0.50 | 1 | 2.00 | A |
| SODIUM XYLENE SULFONATE | 50.81 | 371 | 1,286.34 | A |
| SPINETORAM | 0.31 | 3 | 6.50 | A |
| SPINOSAD | 49.39 | 177 | 482.30 | A |
| SPIROMESIFEN | 4.62 | 15 | 34.00 | A |
| SPIROTETRAMAT | 0.20 | 1 | 3.50 | A |
| STREPTOMYCIN SULFATE | 7.00 | 19 | 49.60 | A |
| SULFUR | 2,809.20 | 95 | 810.85 | A |
| TALL OIL FATTY ACIDS | 0.02 | 3 | 6.00 | A |
| TEBUCONAZOLE | 31.92 | 43 | 124.25 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXPOLY(OXYETHYLENE) | 193.60 | 371 | 1,286.34 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 25.41 | 371 | 1,286.34 | A |
| THIAMETHOXAM | 0.25 | 3 | 3.70 | A |
| THIOPHANATE-METHYL | 537.33 | 210 | 959.44 | A |
| TRIADIMEFON | 10.23 | 18 | 50.70 | A |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | 0.17 | 20 | 17.80 | A |
| TRICHODERMA VIRENS STRAIN G-41 | < 0.01 | 1 | 1.00 | A |
| TRIEETHANOLAMINE | 64.79 | 371 | 1,286.34 | A |
| TRIFLOXYSTROBIN | 3.63 | 20 | 45.33 | A |
| TRIFLUMIZOLE | 4.56 | 5 | 12.50 | A |
| TRINEXAPAC-ETHYL | < 0.01 | 5 | 20.40 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 5.44 | 13 | 27.50 | A |
| UNICONIZOLE-P | 0.03 | 11 | 3.25 | A |
| Site Total | 42,362.91 | 4,558 | | |

Department of Pesticide Regulation
 2016 Annual Statewide Pesticide Use Report Indexed by Commodity
 Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|----------------|
| N-OUTDR PLANTS IN CONTAINERS | | | | |
| ABAMECTIN | 7.16 | 183 | 579.60 | A |
| | | 0.13 | 19 | 1,154,096.00 S |
| Total Pounds On This Chemical | 7.29 | | | |
| ACEPHATE | 402.07 | 186 | 418.37 | A |
| | | 1.41 | 4 | 256,000.00 S |
| Total Pounds On This Chemical | 403.48 | | | |
| ACEQUINOCYL | 6.17 | 27 | 13.11 | A |
| | | 0.72 | 9 | 720,000.00 S |
| Total Pounds On This Chemical | 6.89 | | | |
| ACETAMIPRID | 152.26 | 248 | 2,289.87 | A |
| | | 0.57 | 3 | 240,000.00 S |
| Total Pounds On This Chemical | 152.84 | | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.34 | 1 | 1.00 | A |
| | < 0.01 | 2 | 6.00 | S |
| Total Pounds On This Chemical | 0.34 | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 112.98 | 9 | 127.95 | A |
| ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 16.12 | 6 | 184.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 6.56 | 8 | 15.50 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.31 | 20 | 7.38 | A |
| AMMONIUM NITRATE | 14.58 | 9 | 127.95 | A |
| AMMONIUM SULFATE | 929.77 | 576 | 473.00 | A |
| ANCYMIDOL | < 0.01 | 6 | 6.20 | A |
| AZADIRACTIN | 1.29 | 18 | 21.30 | A |
| | | 0.23 | 19 | 363,328.00 S |
| Total Pounds On This Chemical | 1.52 | | | |
| AZOXYSTROBIN | 26.75 | 62 | 66.67 | A |
| | | 0.06 | 1 | 1,600.00 S |
| Total Pounds On This Chemical | 26.82 | | | |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 2.35 | 3 | 2.25 | A |
| BACILLUS THURINGIENSIS (BERLINER) | < 0.01 | 1 | 5.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 3.26 | 5 | 40.25 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 52.11 | 45 | 90.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 15.39 | 9 | 14.25 | A |
| | | 4.93 | 18 | 920,576.00 S |
| Total Pounds On This Chemical | 20.32 | | | |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN HD-1 | 0.72 | 2 | 3.75 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.53 | 3 | 3.50 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 3.14 | 12 | 8.50 | A |
| BENZOIC ACID | 1.12 | 1 | 26.00 | A |
| N6-BENZYL ADENINE | 0.25 | 8 | 4.00 | A |
| BIFENAZATE | 32.00 | 61 | 155.50 | A |
| | | 0.60 | 10 | 640,011.00 S |
| Total Pounds On This Chemical | 32.60 | | | |
| BIFENTHRIN | 6.23 | 24 | 57.40 | A |
| | | 0.65 | 8 | 138,864.00 S |
| Total Pounds On This Chemical | 6.88 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) | | | | |
| ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY | | | | |
| ACIDS | 0.28 | 8 | 15.50 | A |
| BOSCALID | 29.49 | 120 | 215.18 | A |
| | 0.06 | 1 | 80,000.00 | S |
| Total Pounds On This Chemical | 29.55 | | | |
| BROMACIL | 7.20 | 1 | 4.50 | A |
| BUPROFEZIN | 38.97 | 6 | 63.63 | A |
| CADMIUM CHLORIDE | < 0.01 | 1 | 0.63 | A |
| CAPSICUM OLEORESIN | 2.03 | 29 | 66.50 | A |
| CAPTAN | 0.91 | 1 | 2.50 | A |
| CARBARYL | 35.31 | 152 | 81.62 | A |
| | 9.13 | 35 | 10,081.00 | U |
| | 0.98 | 39 | 42,000.00 | S |
| Total Pounds On This Chemical | 45.43 | | | |
| CHLORFENAPYR | 0.26 | 6 | 480,000.00 | S |
| | 0.22 | 2 | 1.00 | A |
| Total Pounds On This Chemical | 0.47 | | | |
| CHLORMEQUAT CHLORIDE | 0.07 | 1 | 0.17 | A |
| CHLOROPICRIN | 1,399.94 | 4 | 6.02 | A |
| CHLOROTHALONIL | 523.03 | 131 | 347.79 | A |
| | 12.91 | 16 | 304,704.00 | S |
| Total Pounds On This Chemical | 535.94 | | | |
| CHLORPYRIFOS | 34.70 | 11 | 9.58 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 4.43 | 6 | 7.13 | A |
| CITRIC ACID | 31.87 | 567 | 345.05 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 71.66 | 15 | 17.25 | A |
| | 53.43 | 146 | 311,740.00 | S |
| | 8.51 | 41 | 41.00 | U |
| Total Pounds On This Chemical | 133.61 | | | |
| COCONUT DIETHANOLAMIDE | 19.77 | 324 | 1,261.18 | A |
| | 0.07 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 19.84 | | | |
| COPPER AMMONIUM COMPLEX | 0.08 | 1 | 0.25 | A |
| COPPER HYDROXIDE | 117.48 | 30 | 238.38 | A |
| COPPER OCTANOATE | 8.71 | 6 | 65.25 | A |
| COPPER SALTS OF FATTY AND ROSIN ACIDS | 4.85 | 1 | 2.00 | A |
| COPPER SULFATE (BASIC) | 0.02 | 2 | 160,000.00 | S |
| COPPER SULFATE (PENTAHYDRATE) | 345.16 | 230 | 164.02 | A |
| CORN PRODUCT, HYDROLYZED | 3.62 | 4 | 5.50 | A |
| CYANTRANILIPROLE | 16.69 | 64 | 72.55 | A |
| | 0.45 | 7 | 560,000.00 | S |
| Total Pounds On This Chemical | 17.14 | | | |
| CYAZOFAMID | 0.25 | 7 | 3.08 | A |
| CYFLUMETOFEN | 2.05 | 7 | 12.61 | A |
| | 0.53 | 5 | 332,096.00 | S |
| Total Pounds On This Chemical | 2.57 | | | |
| CYFLUTHRIN | 6.06 | 66 | 204.69 | A |
| BETA-CYFLUTHRIN | 4.03 | 18 | 68.46 | A |
| DAMINOZIDE | 192.14 | 39 | 17.49 | A |
| DELTAMETHRIN | 0.10 | 2 | 0.80 | A |
| 1,3-DICHLOROPROPENE | 528.27 | 3 | 4.02 | A |
| DIMETHENAMID-P | 7.88 | 3 | 5.25 | A |
| DIMETHOMORPH | 25.67 | 24 | 100.20 | A |
| | 3.51 | 11 | 880,000.00 | S |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Total Pounds On This Chemical | 29.17 | | | |
| DIMETHYL ALKYL TERTIARY AMINES | 1.22 | 1 | 26.00 | A |
| DIMETHYLPOLYSILOXANE | 492.48 | 580 | 2,547.96 | A |
| | 17.93 | 12 | 14,029.00 | U |
| Total Pounds On This Chemical | 510.41 | | | |
| DINOTEFURAN | 110.53 | 128 | 324.74 | A |
| | 0.94 | 15 | 1,200,000.00 | S |
| Total Pounds On This Chemical | 111.46 | | | |
| DIPHACINONE | 0.07 | 22 | 125.00 | A |
| DIQUAT DIBROMIDE | 125.95 | 40 | 121.88 | A |
| DITHIOPYR | 0.23 | 52 | 29,450.00 | S |
| DIURON | 7.20 | 1 | 4.50 | A |
| DODECYLBENZENE SULFONIC ACID | 85.66 | 324 | 1,261.18 | A |
| | 0.30 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 85.96 | | | |
| EDTA, TETRASODIUM SALT | 5.27 | 324 | 1,261.18 | A |
| | 0.02 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 5.29 | | | |
| ETHEPHON | 0.99 | 2 | 0.85 | A |
| ETHYLENE GLYCOL | 3.44 | 55 | 17.25 | A |
| ETOXAZOLE | 1.96 | 14 | 12.70 | A |
| FENARIMOL | 0.06 | 1 | 1.00 | A |
| FENHEXAMID | 10.66 | 13 | 1,040,000.00 | S |
| | 1.50 | 7 | 1.89 | A |
| Total Pounds On This Chemical | 12.16 | | | |
| FENPROPATHRIN | 66.51 | 252 | 289.26 | A |
| | 1.82 | 63 | 167,650.00 | S |
| | 0.11 | 2 | 4,650.00 | U |
| Total Pounds On This Chemical | 68.44 | | | |
| FENPYROXIMATE | 0.05 | 1 | 80,000.00 | S |
| FERRIC SODIUM EDTA | 2.50 | 1 | 5.00 | A |
| | < 0.01 | 1 | 9.00 | S |
| Total Pounds On This Chemical | 2.50 | | | |
| FLONICAMID | 4.90 | 30 | 39.25 | A |
| FLUDIOXONIL | 28.14 | 68 | 81.12 | A |
| FLUMIOXAZIN | 9.83 | 80 | 26.61 | A |
| FLUOPICOLIDE | 0.65 | 5 | 3.30 | A |
| TAU-FLUVALINATE | 34.48 | 81 | 94.99 | A |
| | 0.50 | 8 | 156,288.00 | S |
| Total Pounds On This Chemical | 34.98 | | | |
| FOSETYL-AL | 249.40 | 79 | 82.99 | A |
| | 0.70 | 15 | 400,560.00 | S |
| Total Pounds On This Chemical | 250.10 | | | |
| FREE FATTY ACIDS AND/OR AMINE SALTS | 1.13 | 1 | 0.12 | A |
| GARLIC | 6.24 | 29 | 66.50 | A |
| GIBBERELLINS | 0.55 | 9 | 11.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 6,532.95 | 873 | 2,079.12 | A |
| GLYPHOSATE, POTASSIUM SALT | 68.66 | 14 | 234.00 | A |
| HALOSULFURON-METHYL | 1.13 | 18 | 65.45 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 3.22 | 6 | 184.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.01 | 1 | 4.50 | A |
| HEXYTHIAZOX | 12.14 | 26 | 187.63 | A |
| | 0.05 | 2 | 160,000.00 | S |
| Total Pounds On This Chemical | 12.19 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| HYDROGEN PEROXIDE | 2.53 | 5 | 1.50 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 88.82 | 41 | 500.22 | A |
| IBA | < 0.01 | 8 | 600.00 | S |
| IMAZAPIC, AMMONIUM SALT | < 0.01 | 1 | 50.00 | A |
| IMIDACLOPRID | 933.33 | 300 | 3,793.99 | A |
| | 3.63 | 6 | 10,729.00 | U |
| | 1.08 | 98 | 448,340.00 | S |
| Total Pounds On This Chemical | 938.04 | | | |
| INDAZIFLAM | 15.52 | 39 | 472.22 | A |
| IPRODIONE | 91.80 | 84 | 151.85 | A |
| IRON PHOSPHATE | 0.77 | 13 | 7.50 | A |
| ISOPROPYL ALCOHOL | 29.06 | 388 | 1,305.97 | A |
| | 0.26 | 36 | 14,681.00 | U |
| Total Pounds On This Chemical | 29.32 | | | |
| ISOXABEN | 291.24 | 416 | 434.92 | A |
| KEROSENE | 2.18 | 1 | 26.00 | A |
| (S)-KINOPRENE | 7.73 | 8 | 14.95 | A |
| KRESOXIM-METHYL | 6.41 | 5 | 59.00 | A |
| | 0.28 | 2 | 2,200.00 | U |
| Total Pounds On This Chemical | 6.69 | | | |
| LAMBDA-CYHALOTHRIN | 2.99 | 47 | 85.46 | A |
| LECITHIN | 28.08 | 22 | 23.38 | A |
| LIME-SULFUR | 0.09 | 1 | 0.10 | A |
| | 0.02 | 4 | 4.00 | S |
| Total Pounds On This Chemical | 0.11 | | | |
| MALATHION | 61.74 | 33 | 70.85 | A |
| MANCOZEB | 325.41 | 98 | 313.50 | A |
| | 16.09 | 16 | 1,212,096.00 | S |
| | 1.58 | 2 | 1,600.00 | U |
| Total Pounds On This Chemical | 343.07 | | | |
| MANDIPROPAMID | 2.16 | 19 | 19.13 | A |
| MANGANESE SULFATE | 0.03 | 2 | 0.75 | A |
| MARGOSA OIL | 0.62 | 1 | 0.50 | A |
| MCP, POTASSIUM SALT | 0.78 | 3 | 4.00 | A |
| MEFENOXAM | 71.00 | 274 | 1,765.62 | A |
| | 1.66 | 8 | 20,338.00 | U |
| | 0.38 | 24 | 725,816.00 | S |
| Total Pounds On This Chemical | 73.04 | | | |
| MEFENOXAM, OTHER RELATED | 1.95 | 219 | 1,621.50 | A |
| | < 0.01 | 9 | 641,000.00 | S |
| Total Pounds On This Chemical | 1.96 | | | |
| METALDEHYDE | 442.34 | 162 | 617.40 | A |
| | 1.00 | 6 | 54,150.00 | S |
| Total Pounds On This Chemical | 443.34 | | | |
| METAM-SODIUM | 1,233.21 | 4 | 5.77 | A |
| METHIOCARB | 434.73 | 157 | 127.30 | A |
| METHOXYFENOZIDE | 14.75 | 8 | 112.00 | A |
| | 0.07 | 1 | 1,100.00 | S |
| Total Pounds On This Chemical | 14.83 | | | |
| METHYLATED SOYBEAN OIL | 55.76 | 4 | 46.50 | A |
| METHYL SILICONE RESINS | < 0.01 | 18 | 6.50 | A |
| MINERAL OIL | 6,095.74 | 135 | 503.40 | A |
| | 39.82 | 19 | 365,000.00 | S |
| Total Pounds On This Chemical | 6,135.55 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 0.39 | 1 | 4.00 | A |
| MYCLOBUTANIL | 47.32 | 78 | 269.75 | A |
| | 2.69 | 12 | 960,000.00 | S |
| | 0.18 | 3 | 1,800.00 | U |
| Total Pounds On This Chemical | 50.19 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 32.37 | 68 | 102.32 | A |
| | 0.90 | 5 | 3,250.00 | U |
| Total Pounds On This Chemical | 33.26 | | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 12.39 | 2 | 16.00 | A |
| OLEIC ACID, METHYL ESTER | 266.45 | 41 | 500.22 | A |
| ORYZALIN | 489.26 | 20 | 124.82 | A |
| OXADIAZON | 27.12 | 74 | 34.83 | A |
| OXYFLUORFEN | 340.22 | 92 | 234.08 | A |
| | 0.84 | 6 | 21,000.00 | S |
| Total Pounds On This Chemical | 341.06 | | | |
| PACLOBUTRAZOL | 2.48 | 82 | 152.21 | A |
| PCNB | 0.39 | 1 | 0.40 | A |
| PENDIMETHALIN | 210.07 | 33 | 402.00 | A |
| | 0.42 | 6 | 21,000.00 | S |
| Total Pounds On This Chemical | 210.49 | | | |
| PERMETHRIN | 484.71 | 299 | 842.84 | A |
| | < 0.01 | 1 | 300.00 | S |
| Total Pounds On This Chemical | 484.71 | | | |
| PEROXYACETIC ACID | 0.19 | 5 | 1.50 | A |
| PETROLEUM DISTILLATES, REFINED | 2,110.08 | 48 | 308.50 | A |
| | 51.17 | 35 | 154,900.00 | S |
| Total Pounds On This Chemical | 2,161.25 | | | |
| PETROLEUM NAPHTHENIC OILS | 2.76 | 3 | 1.92 | A |
| PETROLEUM OIL, PARAFFIN BASED | 3.31 | 4 | 2.80 | A |
| PHOSPHORIC ACID | 193.98 | 896 | 1,629.73 | A |
| | 0.70 | 36 | 14,681.00 | U |
| Total Pounds On This Chemical | 194.68 | | | |
| PIPERALIN | 0.10 | 1 | 80,000.00 | S |
| PIPERONYL BUTOXIDE | 41.50 | 39 | 51.47 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 4.80 | 11 | 38.25 | A |
| POLYACRYLIC POLYMER | 15.93 | 567 | 345.05 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 1.15 | 6 | 55.78 | A |
| POLYETHER MODIFIED POLYSILOXANE | 25.76 | 13 | 56.32 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 169.09 | 26 | 1,908.00 | A |
| | 0.01 | 1 | 50.00 | U |
| Total Pounds On This Chemical | 169.11 | | | |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 2.54 | 18 | 6.50 | A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | 0.84 | 3 | 1.92 | A |
| POLYOXYETHYLENE SORBITAN MONOSTEARATE | 0.27 | 3 | 1.92 | A |
| POLYSILOXANE | < 0.01 | 2 | 0.88 | A |
| POTASH SOAP | 25.55 | 5 | 2.50 | A |
| | 12.49 | 3 | 36,288.00 | S |
| Total Pounds On This Chemical | 38.04 | | | |
| POTASSIUM BICARBONATE | 49.19 | 10 | 18.25 | A |
| POTASSIUM HYDROXIDE | 0.36 | 20 | 7.38 | A |
| POTASSIUM PHOSPHITE | 338.47 | 23 | 100.51 | A |
| PRODIAMINE | 392.24 | 422 | 412.90 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| PROPICONAZOLE | 47.68 | 138 | 270.54 | A |
| PROPIONIC ACID | 2.45 | 20 | 7.38 | A |
| PROPYLENE GLYCOL | 124.45 | 286 | 2,302.84 | A |
| | < 0.01 | 1 | 50.00 | U |
| Total Pounds On This Chemical | 124.46 | | | |
| PYMETROZINE | 9.00 | 12 | 13.75 | A |
| PYRACLOSTROBIN | 58.05 | 120 | 215.18 | A |
| | 0.12 | 1 | 80,000.00 | S |
| Total Pounds On This Chemical | 58.18 | | | |
| PYRETHRINS | 4.74 | 41 | 52.47 | A |
| PYRIDABEN | 1.81 | 8 | 528,384.00 | S |
| PYRIDALYL | 7.96 | 14 | 31.25 | A |
| | 2.95 | 13 | 1,040,000.00 | S |
| Total Pounds On This Chemical | 10.91 | | | |
| PYRIFLUQUINAZON | 2.88 | 23 | 19.75 | A |
| | 0.10 | 4 | 320,000.00 | S |
| Total Pounds On This Chemical | 2.98 | | | |
| PYRIPROXYFEN | 0.58 | 2 | 7.25 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.18 | 7 | 1.12 | A |
| REYNOUTRIA SACHALINENSIS | 1.06 | 4 | 45.00 | A |
| | 0.14 | 1 | 2,140.00 | U |
| Total Pounds On This Chemical | 1.20 | | | |
| SILICONE DEFOAMER | 2.24 | 324 | 1,261.18 | A |
| | < 0.01 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 2.25 | | | |
| SIMAZINE | 14.06 | 1 | 5.00 | A |
| SODIUM XYLENE SULFONATE | 26.36 | 324 | 1,261.18 | A |
| | 0.09 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 26.45 | | | |
| SORBITAN FATTY ACID ESTERS | 0.19 | 3 | 1.92 | A |
| SOYBEAN OIL | 15.82 | 29 | 66.50 | A |
| SPINOSAD | 84.02 | 214 | 348.72 | A |
| | 3.45 | 28 | 1,188,184.00 | S |
| Total Pounds On This Chemical | 87.47 | | | |
| SPIROMESIFEN | 9.05 | 12 | 140.63 | A |
| SPIROTETRAMAT | 11.18 | 11 | 68.70 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 2 | 2.00 | A |
| STREPTOMYCIN SULFATE | 33.78 | 25 | 78.49 | A |
| STYRENE BUTADIENE COPOLYMER | 31.58 | 251 | 157.81 | A |
| SULFUR | 109.70 | 15 | 36.50 | A |
| TALL OIL FATTY ACIDS | 0.15 | 9 | 20.00 | A |
| TERRAZOLE | 24.99 | 37 | 9.60 | A |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 100.42 | 324 | 1,261.18 | A |
| | 0.36 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 100.77 | | | |
| TETRAPOTASSIUM PYROPHOSPHATE | 13.18 | 324 | 1,261.18 | A |
| | 0.05 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 13.23 | | | |
| THIAMETHOXAM | 2.16 | 10 | 7.40 | A |
| THIOPHANATE-METHYL | 300.60 | 183 | 328.41 | A |
| | 5.50 | 16 | 96,912.00 | S |
| | 2.10 | 2 | 7,000.00 | U |
| Total Pounds On This Chemical | 308.20 | | | |
| THIRAM | 0.02 | 1 | 0.63 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| TRIADIMEFON | 0.91 | 10 | 3.58 | A |
| | 0.06 | 1 | 5,000.00 | S |
| Total Pounds On This Chemical | 0.97 | | | |
| TRIALATE | 1.50 | 1 | 1.00 | A |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | 0.02 | 2 | 1.40 | A |
| TRICHODERMA VIRENS STRAIN G-41 | 0.01 | 2 | 1.40 | A |
| TRIETHANOLAMINE | 33.60 | 324 | 1,261.18 | A |
| | 0.12 | 31 | 11,431.00 | U |
| Total Pounds On This Chemical | 33.72 | | | |
| TRIFLUMIZOLE | 0.50 | 1 | 2.00 | A |
| | < 0.01 | 1 | 3.00 | S |
| Total Pounds On This Chemical | 0.50 | | | |
| TRIFLURALIN | 83.39 | 13 | 75.42 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE) | 315.39 | 29 | 1,910.75 | A |
| | 0.02 | 1 | 50.00 | U |
| Total Pounds On This Chemical | 315.42 | | | |
| TRITICONAZOLE | 2.09 | 4 | 19.75 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 36.89 | 250 | 155.94 | A |
| UNICONIZOLE-P | 0.01 | 11 | 7.56 | A |
| ZINC SULFATE | 0.06 | 2 | 0.75 | A |
| Site Total | 30,444.69 | 10,092 | | |
| N-OUTDR TRANSPLANTS | | | | |
| ABAMECTIN | 0.18 | 26 | 54.00 | A |
| ACEPHATE | 16.51 | 11 | 35.83 | A |
| ACETAMIPRID | 0.05 | 1 | 0.50 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.01 | 2 | 0.66 | A |
| ALKYL(42%C12, 26%C18, 15%C14, 8%C16, 5%C10, 4%C8)1,3-PROPYLENEDIAMINE | 470.72 | | 1.00 | U |
| AZOXYSTROBIN | 0.44 | 4 | 8.50 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 0.44 | 4 | 5.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 0.36 | 2 | 0.66 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 5.08 | 12 | 18.00 | A |
| CHLORMEQUAT CHLORIDE | 0.08 | 1 | 0.50 | A |
| CHLOROTHALONIL | 41.19 | 29 | 30.86 | A |
| COPPER HYDROXIDE | 1.69 | 2 | 2.00 | A |
| COPPER OCTANOATE | 18.36 | 22 | 21.75 | A |
| CYANTRANILIPROLE | 0.51 | 8 | 7.80 | A |
| CYROMAZINE | 0.75 | 6 | 6.00 | A |
| DAMINOZIDE | 65.56 | 25 | 60.25 | A |
| DIQUAT DIBROMIDE | 0.07 | 2 | 0.37 | A |
| FENAMIDONE | 2.45 | 9 | 9.50 | A |
| FENHEXAMID | 2.50 | 4 | 7.50 | A |
| FLUDIOXONIL | 0.39 | 6 | 8.50 | A |
| FLUOPICOLIDE | 0.22 | 2 | 7.50 | A |
| TAU-FLUVALINATE | 0.08 | 1 | 1.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1.65 | 2 | 0.37 | A |
| HYDROGEN PEROXIDE | 0.62 | 4 | 1.00 | A |
| IMIDACLOPRID | 1.06 | 5 | 3.35 | A |
| | 0.60 | 4 | 18,900.00 | S |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Total Pounds On This Chemical | 1.66 | | | |
| IPRODIONE | 0.19 | 1 | 1.50 | A |
| LECITHIN | 0.15 | 2 | 0.66 | A |
| MANCOZEB | 10.13 | 8 | 13.50 | A |
| MCPP, POTASSIUM SALT | 0.30 | 2 | 3.50 | A |
| MEFENOXAM | 0.03 | 2 | 6.00 | A |
| MEFENOXAM, OTHER RELATED | < 0.01 | 1 | 3.50 | A |
| METHYL SILICONE RESINS | < 0.01 | 2 | 0.66 | A |
| MYCLOBUTANIL | 0.61 | 7 | 6.10 | A |
| NALED | 4.53 | 8 | 8.00 | A |
| PACLOBUTRAZOL | 0.30 | 20 | 37.25 | A |
| PERMETHRIN | 1.95 | 18 | 19.58 | A |
| PEROXYACETIC ACID | 0.05 | 4 | 1.00 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 0.16 | 2 | 0.66 | A |
| POTASSIUM HYDROXIDE | 0.02 | 2 | 0.66 | A |
| POTASSIUM PHOSPHITE | 0.80 | 1 | 0.25 | A |
| PROPICONAZOLE | 1.48 | 19 | 20.50 | A |
| PROPIONIC ACID | 0.11 | 2 | 0.66 | A |
| PYMETROZINE | 0.16 | 1 | 1.00 | A |
| REYNOUTRIA SACHALINENSIS | 0.49 | 4 | 5.50 | A |
| SPINOSAD | 2.14 | 24 | 54.75 | A |
| SPIROTETRAMAT | 0.60 | 10 | 9.50 | A |
| STREPTOMYCIN SULFATE | 0.29 | 3 | 2.75 | A |
| THIOPHANATE-METHYL | 1.00 | 2 | 2.00 | A |
| UNICONIZOLE-P | < 0.01 | 7 | 2.47 | A |
| Site Total | 657.03 | 329 | | |
| OAT | | | | |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 10.98 | 1 | 39.00 | A |
| CARFENTRAZONE-ETHYL | 15.47 | 6 | 64.00 | A |
| CHLORSULFURON | 3.26 | 3 | 211.04 | A |
| 2,4-D, DIMETHYLAMINE SALT | 247.52 | 6 | 243.04 | A |
| DIMETHYLPOLYSILOXANE | 8.70 | 2 | 172.04 | A |
| LECITHIN | 224.13 | 3 | 211.04 | A |
| METHYLATED SOYBEAN OIL | 106.58 | 2 | 172.04 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 106.58 | 2 | 172.04 | A |
| OLEIC ACID, METHYL ESTER | 51.24 | 1 | 39.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.72 | 3 | 32.00 | A |
| Site Total | 775.17 | 21 | | |
| OLIVE | | | | |
| FENPROPATHRIN | 0.83 | 1 | 2.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 5.52 | 1 | 3.00 | A |
| SPINOSAD | 0.03 | 11 | 15.04 | A |
| Site Total | 6.37 | 13 | | |
| ONION, DRY | | | | |
| AMETOCTRADIN | 14.31 | 1 | 52.50 | A |
| AZOXYSTROBIN | 0.33 | | 4.11 | T |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 42.53 | 1 | 52.50 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| CARBOXIN | 11.27 | | 0.75 | T |
| CHLOROTHALONIL | 245.87 | 4 | 153.75 | A |
| CHLORTHAL-DIMETHYL | 18.11 | 1 | 2.00 | A |
| COPPER HYDROXIDE | 56.19 | 4 | 97.50 | A |
| (S)-CYPERMETHRIN | 4.37 | 3 | 101.25 | A |
| CYROMAZINE | 0.01 | | 0.04 | T |
| DIAZINON | 5.00 | 1 | 2.00 | A |
| DIETHYLENE GLYCOL | 35.04 | 9 | 360.00 | A |
| DIMETHENAMID-P | 48.69 | 3 | 101.25 | A |
| DIMETHOMORPH | 10.75 | 1 | 52.50 | A |
| DIMETHYLPOLYSILOXANE | 0.78 | 9 | 360.00 | A |
| FATTY ACIDS, MIXED | 62.40 | 9 | 360.00 | A |
| FLUDIOXONIL | 0.42 | | 8.70 | T |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 1.20 | 1 | 2.00 | A |
| IPRODIONE | 36.49 | 2 | 48.75 | A |
| LECITHIN | 39.12 | 3 | 101.25 | A |
| MANCOZEB | 236.25 | 2 | 105.00 | A |
| MEFENOXAM | 5.47 | 1 | 52.50 | A |
| | 0.64 | | 8.69 | T |
| Total Pounds On This Chemical | 6.11 | | | |
| MEFENOXAM, OTHER RELATED | 0.02 | | 8.69 | T |
| METHYLATED SOYBEAN OIL | 19.56 | 3 | 101.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 91.30 | 9 | 360.00 | A |
| OXYFLUORFEN | 25.77 | 5 | 102.25 | A |
| PENDIMETHALIN | 75.83 | 4 | 103.25 | A |
| SPINETORAM | 3.29 | 1 | 52.50 | A |
| SPINOSAD | 16.16 | | 1.17 | T |
| THIAMETHOXAM | 159.57 | | 3.70 | T |
| THIRAM | 633.53 | | 165.38 | T |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 110.85 | 12 | 461.25 | A |
| Site Total | 2,011.12 | 45 | | |
| ONION, GREEN | | | | |
| ACETAMIPRID | 1.97 | 1 | 13.20 | A |
| AMETOCTRADIN | 13.86 | 16 | 50.85 | A |
| AMMONIUM PROPIONATE | 4.24 | 1 | 12.00 | A |
| AMMONIUM SULFATE | 1.06 | 1 | 12.00 | A |
| AZOXYSTROBIN | 13.58 | 9 | 57.95 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 1.75 | 1 | 3.50 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 1.68 | 7 | 20.10 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 2.21 | 2 | 4.10 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 2.84 | 3 | 31.87 | A |
| BOSCALID | 31.60 | 15 | 106.20 | A |
| CHLORTHAL-DIMETHYL | 44.56 | 3 | 5.50 | A |
| CITRIC ACID | 2.12 | 1 | 12.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 15.28 | 1 | 4.00 | A |
| (S)-CYPERMETHRIN | 0.99 | 3 | 19.69 | A |
| CYROMAZINE | 25.13 | 27 | 201.64 | A |
| DIAZINON | 13.75 | 3 | 5.50 | A |
| DIMETHOMORPH | 10.41 | 16 | 50.85 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| ETHYLENE GLYCOL | 99.23 | 46 | 255.60 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 10.59 | 3 | 31.87 | A |
| FENAMIDONE | 25.22 | 19 | 142.20 | A |
| FLUOPICOLIDE | 0.43 | 1 | 3.50 | A |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 3.30 | 3 | 5.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 49.66 | 1 | 12.00 | A |
| HYDROGEN PEROXIDE | 8.71 | 2 | 3.50 | A |
| ISOPROPYL ALCOHOL | 18.04 | 46 | 255.60 | A |
| MANDIPROPAMID | 16.08 | 14 | 123.47 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 3.59 | 3 | 31.87 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 45.10 | 46 | 255.60 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 3.08 | 1 | 12.00 | A |
| PENTHIOPYRAD | 18.64 | 11 | 65.49 | A |
| PEROXYACETIC ACID | 0.64 | 2 | 3.50 | A |
| POLYBUTENES | 1.89 | 3 | 31.87 | A |
| PYRACLOSTROBIN | 10.14 | 7 | 67.59 | A |
| PYRETHRINS | 0.13 | 1 | 2.50 | A |
| PYRIMETHANIL | 33.43 | 11 | 87.14 | A |
| REYNOUTRIA SACHALINENSIS | 1.67 | 2 | 7.70 | A |
| SODIUM POLYACRYLATE | 0.11 | 1 | 12.00 | A |
| SPINETORAM | 11.39 | 33 | 180.91 | A |
| SPINOSAD | 13.45 | 15 | 102.86 | A |
| Site Total | 561.57 | 258 | | |
| ORANGE | | | | |
| ABAMECTIN | 48.36 | 246 | 2,969.44 | A |
| ACETAMIPRID | 2.63 | 1 | 20.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 20.67 | 11 | 139.11 | A |
| ALPHA-ALKYL (C10-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2.94 | 1 | 10.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 0.32 | 1 | 2.00 | A |
| ALUMINUM PHOSPHIDE | 0.41 | 1 | 10.00 | A |
| AMMONIUM SULFATE | 130.18 | 21 | 160.43 | A |
| BENTONITE | 31.20 | 5 | 35.48 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 88.80 | 51 | 700.75 | A |
| BROMACIL | 73.77 | 26 | 208.13 | A |
| CALCIUM HYDROXIDE | 541.39 | 8 | 129.48 | A |
| CARFENTRAZONE-ETHYL | 1.46 | 5 | 115.00 | A |
| CASEIN | 1.35 | 5 | 35.48 | A |
| CHLORPYRIFOS | 350.17 | 27 | 384.00 | A |
| COPPER HYDROXIDE | 62.64 | 5 | 35.48 | A |
| COPPER SULFATE (BASIC) | 1,186.11 | 12 | 276.00 | A |
| CYFLUTHRIN | 0.64 | 2 | 12.50 | A |
| BETA-CYFLUTHRIN | 7.62 | 11 | 157.00 | A |
| (S)-CYPERMETHRIN | 7.95 | 15 | 159.80 | A |
| 2,4-D, DIMETHYLAMINE SALT | 11.23 | 1 | 11.00 | A |
| DIFLUBENZURON | 2.40 | 1 | 15.00 | A |
| DIMETHYLPOLYSILOXANE | 40.63 | 25 | 272.20 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| DIPHACINONE | 0.01 | 17 | 161.60 | A |
| DIURON | 283.03 | 31 | 304.13 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.02 | 1 | 2.00 | A |
| ETHYLENE GLYCOL | 15.72 | 2 | 19.00 | A |
| FATTY ACIDS, MIXED | 0.12 | 2 | 26.44 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 331.53 | 51 | 700.75 | A |
| FENPROPATHRIN | 112.86 | 39 | 312.68 | A |
| FERRIC SODIUM EDTA | 228.35 | 10 | 314.00 | A |
| FOSETYL-AL | 268.00 | 6 | 62.25 | A |
| GIBBERELLINS | 9.27 | 2 | 89.00 | A |
| GLUFOSINATE-AMMONIUM | 4.87 | 2 | 4.25 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 2,969.13 | 467 | 1,870.52 | A |
| GLYPHOSATE, POTASSIUM SALT | 4,950.04 | 472 | 2,753.99 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 0.59 | 1 | 10.00 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 81.78 | 124 | 941.40 | A |
| IMIDACLOPRID | 31.70 | 23 | 225.00 | A |
| INDAZIFLAM | 3.55 | 9 | 78.25 | A |
| IRON PHOSPHATE | 8.19 | 5 | 35.50 | A |
| ISOPROPYL ALCOHOL | 2.86 | 2 | 19.00 | A |
| LACTOSE | 2.08 | 5 | 35.48 | A |
| LECITHIN | 2.81 | 1 | 5.50 | A |
| METALDEHYDE | 213.25 | 23 | 297.35 | A |
| METHYLATED SOYBEAN OIL | 621.71 | 129 | 984.90 | A |
| MINERAL OIL | 68,529.65 | 391 | 4,376.23 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 113.13 | 53 | 727.19 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 11.98 | 128 | 986.84 | A |
| NORFLURAZON | 209.47 | 18 | 104.00 | A |
| PARAQUAT DICHLORIDE | 0.87 | 2 | 2.50 | A |
| PETROLEUM OIL, PARAFFIN BASED | 48.57 | 1 | 1.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 12,454.52 | 94 | 1,355.52 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 4.93 | 3 | 18.90 | A |
| POLYBUTENES | 59.20 | 51 | 700.75 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 2.68 | 3 | 25.25 | A |
| POLY-1-PARA-MENTHENE | 23.08 | 4 | 97.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 98.62 | 17 | 168.45 | A |
| PROPICONAZOLE | 0.38 | 1 | 1.00 | A |
| PROPYLENE GLYCOL | 1.76 | 4 | 35.25 | A |
| PYRETHRINS | 37.24 | 71 | 727.91 | A |
| PYRIPROXYFEN | 26.47 | 12 | 266.00 | A |
| SAFLUFENACIL | 10.08 | 160 | 1,202.15 | A |
| SETHOXYDIM | 3.50 | 2 | 42.00 | A |
| SILICONE | 0.94 | 4 | 8.00 | A |
| SIMAZINE | 505.86 | 22 | 200.25 | A |
| SPINETORAM | 52.38 | 58 | 832.58 | A |
| SPINOSAD | 34.97 | 21 | 281.00 | A |
| SPIROTETRAMAT | 7.36 | 11 | 45.50 | A |
| STRYCHNINE | 0.29 | 30 | 49.00 | A |
| TALL OIL FATTY ACIDS | 25.05 | 128 | 979.40 | A |
| THIAMETHOXAM | 193.04 | 252 | 2,957.16 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 5.00 | 3 | 25.25 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 9.29 | 5 | 43.50 | A |
| WARFARIN | < 0.01 | 12 | 24.00 | A |
| Site Total | 95,224.66 | 2,808 | | |
| ORCHARD FLOOR | | | | |
| ABAMECTIN | 2.70 | 11 | 122.00 | A |
| ALUMINUM PHOSPHIDE | 0.30 | 1 | 8.00 | A |
| BENTONITE | 116.39 | 22 | 58.00 | A |
| BROMACIL | 36.80 | 2 | 18.40 | A |
| CALCIUM HYDROXIDE | 27.00 | 2 | 10.00 | A |
| CARFENTRAZONE-ETHYL | 0.97 | 6 | 66.00 | A |
| CASEIN | 8.73 | 22 | 58.00 | A |
| COPPER HYDROXIDE | 76.87 | 3 | 37.00 | A |
| 2,4-D, DIMETHYLAMINE SALT | 10.90 | 1 | 11.00 | A |
| DIPHACINONE | 0.05 | 13 | 111.60 | A |
| DIURON | 1,952.80 | 18 | 897.46 | A |
| ETHYLENE GLYCOL | 58.47 | 40 | 285.90 | A |
| FERRIC SODIUM EDTA | 2,888.89 | 50 | 2,849.62 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 2,845.37 | 261 | 1,538.60 | A |
| | 2.68 | 6 | 100,391.00 | S |
| Total Pounds On This Chemical | 2,848.05 | | | |
| GLYPHOSATE, POTASSIUM SALT | 3,450.55 | 151 | 1,532.75 | A |
| ISOPROPYL ALCOHOL | 11.13 | 40 | 285.90 | A |
| LACTOSE | 8.73 | 22 | 58.00 | A |
| METALDEHYDE | 50.00 | 7 | 179.00 | A |
| MINERAL OIL | 7,833.86 | 23 | 291.35 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 37.67 | 40 | 285.90 | A |
| OXYFLUORFEN | 11.29 | 2 | 44.00 | A |
| PYRIPROXYFEN | 4.94 | 4 | 46.00 | A |
| SAFLUFENACIL | 0.35 | 3 | 28.50 | A |
| SIMAZINE | 155.04 | 5 | 103.00 | A |
| SPINETORAM | 9.47 | 5 | 112.35 | A |
| SPIROTETRAMAT | 3.40 | 5 | 27.00 | A |
| STRYCHNINE | < 0.01 | 1 | 8.00 | A |
| THIAMETHOXAM | 1.88 | 2 | 30.00 | A |
| Site Total | 19,607.22 | 642 | | |
| OREGANO | | | | |
| AZADIRACTIN | 0.10 | 3 | 3.50 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 7.64 | 1 | 2.00 | A |
| POTASH SOAP | 17.70 | 5 | 4.50 | A |
| PYRETHRINS | 0.26 | 8 | 8.00 | A |
| SPINOSAD | 0.36 | 5 | 5.50 | A |
| Site Total | 26.05 | 22 | | |
| PARSLEY | | | | |
| ACETAMIPRID | 13.33 | 17 | 179.66 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 2.83 | 14 | 138.30 | A |
| AMETOCTRADIN | 1.62 | 1 | 5.90 | A |
| AZADIRACTIN | 0.16 | 2 | 7.78 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| AZOXYSTROBIN | 107.42 | 70 | 539.88 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 117.63 | 29 | 149.78 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 2.43 | 6 | 34.38 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 213.90 | 56 | 358.36 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 10.43 | 5 | 19.98 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.87 | 8 | 12.88 | A |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 30.90 | 36 | 353.52 | A |
| CHLORANTRANILIPROLE | 6.95 | 6 | 105.94 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 833.45 | 21 | 109.56 | A |
| CLOTHIANIDIN | 10.12 | 14 | 152.41 | A |
| COPPER HYDROXIDE | 267.00 | 17 | 356.88 | A |
| COPPER OCTANOATE | 4.17 | 1 | 2.54 | A |
| COPPER OXIDE (OUS) | 7.55 | 2 | 4.40 | A |
| BETA-CYFLUTHRIN | 2.38 | 8 | 101.34 | A |
| (S)-CYPERMETHRIN | 28.89 | 82 | 594.81 | A |
| CYPRODINIL | 184.98 | 35 | 574.10 | A |
| DIETHYLENE GLYCOL | 22.69 | 31 | 236.40 | A |
| DIMETHOMORPH | 1.22 | 1 | 5.90 | A |
| DIMETHYLPOLYSILOXANE | 0.51 | 31 | 236.40 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 0.58 | 2 | 10.00 | A |
| ETHYLENE GLYCOL | 382.74 | 54 | 1,027.09 | A |
| FATTY ACIDS, MIXED | 40.62 | 37 | 266.40 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 115.35 | 36 | 353.52 | A |
| FLONICAMID | 75.55 | 55 | 868.65 | A |
| FLUBENDIAMIDE | 2.91 | 6 | 62.40 | A |
| FLUDIOXONIL | 124.85 | 37 | 581.10 | A |
| FLUOPYRAM | 19.11 | 8 | 157.20 | A |
| FLUPYRADIFURONE | 1.57 | 1 | 10.00 | A |
| FLUXAPYROXAD | 17.36 | 4 | 97.29 | A |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 23.61 | 4 | 50.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 23.17 | 1 | 7.73 | A |
| HYDROGEN PEROXIDE | 69.44 | 4 | 24.62 | A |
| IMIDACLOPRID | 27.04 | 48 | 401.68 | A |
| ISOPROPYL ALCOHOL | 69.59 | 54 | 1,027.09 | A |
| LECITHIN | 152.59 | 72 | 506.63 | A |
| LINURON | 88.77 | 28 | 192.00 | A |
| MANDIPROPAMID | 1.44 | 2 | 11.00 | A |
| MEFENOXAM | 72.07 | 28 | 124.10 | A |
| METHOXYFENOZIDE | 23.26 | 15 | 156.69 | A |
| METHYLATED SOYBEAN OIL | 77.95 | 54 | 366.33 | A |
| METHYL SILICONE RESINS | 0.11 | 14 | 138.30 | A |
| MINERAL OIL | 3.62 | 2 | 10.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 39.14 | 36 | 353.52 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 238.01 | 93 | 1,321.49 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 5.01 | 2 | 12.52 | A |
| PENTHIOPYRAD | 65.00 | 36 | 231.58 | A |
| PERMETHRIN | 2.51 | 6 | 30.10 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| PEROXYACETIC ACID | 5.82 | 2 | 12.94 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.70 | 4 | 31.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 5.14 | 5 | 48.60 | A |
| POLYBUTENES | 20.60 | 36 | 353.52 | A |
| POLY-I-PARA-MENTHENE | 4.16 | 2 | 4.40 | A |
| POLYMERIZED PINENE | 10.27 | 2 | 10.00 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 34.01 | 14 | 138.30 | A |
| POTASH SOAP | 810.54 | 39 | 100.55 | A |
| POTASSIUM BICARBONATE | 1,664.52 | 54 | 689.83 | A |
| POTASSIUM HYDROXIDE | 3.29 | 14 | 138.30 | A |
| POTASSIUM PHOSPHITE | 360.93 | 13 | 121.80 | A |
| PROMETRYN | 420.87 | 48 | 337.73 | A |
| PROPICONAZOLE | 12.24 | 10 | 109.41 | A |
| PROPIONIC ACID | 27.45 | 20 | 168.30 | A |
| PYRACLOSTROBIN | 141.74 | 59 | 747.65 | A |
| PYRAFLUFEN-ETHYL | 0.05 | 2 | 15.73 | A |
| PYRETHRINS | 1.70 | 8 | 32.88 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 14.31 | 15 | 84.33 | A |
| REYNOUTRIA SACHALINENSIS | 8.29 | 14 | 65.42 | A |
| SETHOXYDIM | 0.54 | 2 | 5.00 | A |
| SPINETORAM | 37.20 | 35 | 598.30 | A |
| SPINOSAD | 53.89 | 23 | 418.11 | A |
| SPIROTETRAMAT | 36.57 | 61 | 476.89 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.02 | 16 | 96.94 | A |
| SULFUR | 456.98 | 6 | 65.66 | A |
| TEBUCONAZOLE | 1.48 | 1 | 15.00 | A |
| TRIFLOXYSTROBIN | 17.64 | 7 | 142.20 | A |
| TRIFLUMIZOLE | 121.31 | 23 | 484.61 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 117.73 | 83 | 574.73 | A |
| Site Total | 8,024.39 | 1,253 | | |
| PARSNIP | | | | |
| GLYPHOSATE, POTASSIUM SALT | 165.55 | 3 | 64.00 | A |
| LINURON | 14.00 | 3 | 24.00 | A |
| MEFENOXAM | 4.01 | 1 | 8.00 | A |
| PURPUREOCILIUM LILACIUNUM STRAIN 251 | 10.56 | 2 | 44.00 | A |
| Site Total | 194.12 | 9 | | |
| PASTURELAND | | | | |
| ALUMINUM PHOSPHIDE | 0.43 | 5 | 37.00 | A |
| BROMADIOLONE | < 0.01 | 7 | 63.00 | A |
| CHLORSULFURON | 0.31 | 1 | 20.00 | A |
| DIPHACINONE | < 0.01 | 3 | 27.00 | A |
| ETHYLENE GLYCOL | 9.56 | 4 | 35.50 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 31.04 | 3 | 15.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 13.19 | 4 | 7.50 | A |
| ISOPROPYL ALCOHOL | 1.74 | 4 | 35.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 4.35 | 4 | 35.50 | A |
| PIPERONYL BUTOXIDE | 4.06 | 2 | 24.14 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 1.01 | 2 | 24.14 | A |
| PYRETHRINS | 0.51 | 2 | 24.14 | A |
| STRYCHNINE | < 0.01 | 4 | 36.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Site Total | 66.20 | 33 | | |
| PEACH | | | | |
| DIMETHYLPOLYSILOXANE | 0.08 | 1 | 0.10 | A |
| MINERAL OIL | 1.95 | 1 | 0.10 | A |
| SPIROTETRAMAT | 0.02 | 1 | 0.10 | A |
| Site Total | 2.05 | 3 | | |
| PEAS | | | | |
| ABAMECTIN | 0.70 | 5 | 99.00 | A |
| ACETAMIPRID | 3.82 | 1 | 38.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 3.44 | 6 | 181.00 | A |
| AZOXYSTROBIN | 1.20 | 6 | 8.15 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 0.54 | 1 | 1.40 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.19 | 1 | 1.56 | A |
| BENSULIDE | 4.84 | 3 | 1.60 | A |
| BENTAZON, SODIUM SALT | 88.90 | 4 | 107.00 | A |
| BIFENTHRIN | 0.47 | 7 | 10.22 | A |
| CHLORANTRANILIPROLE | 0.94 | 11 | 16.35 | A |
| CHLORTHAL-DIMETHYL | 152.93 | 45 | 25.46 | A |
| COPPER HYDROXIDE | 24.24 | 47 | 28.34 | A |
| (S)-CYPERMETHRIN | 3.33 | 8 | 68.30 | A |
| DIMETHOATE | 3.20 | 1 | 20.00 | A |
| IMIDACLOPRID | 9.47 | 56 | 38.57 | A |
| LECITHIN | 42.09 | 15 | 193.74 | A |
| METHOMYL | 152.10 | 7 | 169.00 | A |
| METHOXYFENOZIDE | 2.55 | 1 | 18.00 | A |
| METHYLATED SOYBEAN OIL | 2.48 | 9 | 12.74 | A |
| METHYL SILICONE RESINS | 0.14 | 6 | 181.00 | A |
| S-METOLACHLOR | 3.32 | 2 | 3.39 | A |
| PENTHIOPYRAD | 9.25 | 4 | 24.95 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.34 | 6 | 9.02 | A |
| POLY-I-PARA-MENTHENE | 1.31 | 4 | 5.68 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 41.26 | 6 | 181.00 | A |
| POTASSIUM HYDROXIDE | 3.99 | 6 | 181.00 | A |
| PROPIONIC ACID | 27.51 | 6 | 181.00 | A |
| PROPYLENE GLYCOL | 0.75 | 6 | 9.02 | A |
| REYNOUTRIA SACHALINENSIS | 0.98 | 6 | 8.88 | A |
| SPINETORAM | 3.92 | 57 | 97.09 | A |
| SPIROTETRAMAT | 0.83 | 8 | 11.54 | A |
| STYRENE BUTADIENE COPOLYMER | 1.01 | 6 | 9.02 | A |
| SULFUR | 772.00 | 10 | 177.36 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 0.46 | 6 | 9.02 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 2.48 | 9 | 12.74 | A |
| Site Total | 1,366.98 | 316 | | |
| PEPPER, FRUITING | | | | |
| ABAMECTIN | 19.64 | 35 | 1,099.83 | A |
| ACEPHATE | 727.35 | 25 | 810.84 | A |
| ACEQUINOCYL | 97.25 | 5 | 244.06 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ACETAMIPRID | 19.01 | 16 | 256.23 | A |
| ACIBENZOLAR-S-METHYL | 0.81 | 5 | 9.50 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 292.77 | 29 | 1,743.86 | A |
| AMETOCTRADIN | 508.53 | 52 | 1,864.92 | A |
| AMMONIUM PROPIONATE | 60.05 | 5 | 131.00 | A |
| AMMONIUM SULFATE | 15.01 | 5 | 131.00 | A |
| AZADIRACTIN | 0.18 | 2 | 21.01 | A |
| AZOXYSTROBIN | 679.89 | 104 | 4,116.00 | A |
| | < 0.01 | | 0.12 | T |
| Total Pounds On This Chemical | 679.90 | | | |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 186.83 | 3 | 84.82 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 197.40 | 15 | 366.26 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 220.62 | 18 | 259.55 | A |
| BIFENAZATE | 21.20 | 2 | 42.40 | A |
| BIFENTHRIN | 29.44 | 13 | 349.23 | A |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 17.25 | 10 | 424.64 | A |
| BOSCALID | 364.19 | 50 | 2,378.31 | A |
| CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES | 603.77 | 13 | 637.40 | A |
| CHLORANTRANILIPROLE | 183.42 | 77 | 2,972.54 | A |
| CHLOROPICRIN | 46,112.04 | 21 | 657.89 | A |
| CHLOROTHALONIL | 450.83 | 24 | 401.21 | A |
| CITRIC ACID | 30.02 | 5 | 131.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 0.12 | 1 | 0.10 | A |
| CLOTHIANIDIN | 28.90 | 27 | 433.88 | A |
| COPPER HYDROXIDE | 442.34 | 28 | 953.87 | A |
| COPPER OXYCHLORIDE | 0.06 | 2 | 0.11 | A |
| CRYOLITE | 31,060.67 | 80 | 3,172.41 | A |
| CYANTRANILIPROLE | 45.67 | 17 | 375.08 | A |
| CYAZOFAMID | 20.69 | 7 | 284.20 | A |
| BETA-CYFLUTHRIN | 8.73 | 8 | 370.70 | A |
| (S)-CYPERMETHRIN | 144.70 | 72 | 3,033.83 | A |
| CYPRODINIL | 244.25 | 11 | 767.67 | A |
| CYROMAZINE | 8.16 | 3 | 65.50 | A |
| 1,3-DICHLOROPROPENE | 61,547.22 | 21 | 657.89 | A |
| DIETHYLENE GLYCOL | 345.74 | 186 | 4,016.59 | A |
| DIFENOCONAZOLE | 364.22 | 76 | 3,718.86 | A |
| DIFLUBENZURON | 322.96 | 75 | 3,076.37 | A |
| DIMETHOMORPH | 381.87 | 52 | 1,864.92 | A |
| DIMETHYLPOLYSILOXANE | 498.00 | 331 | 12,086.78 | A |
| DINOTEFURAN | 72.64 | 10 | 309.00 | A |
| DIPHACINONE | < 0.01 | 1 | 51.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 101.87 | 41 | 2,148.61 | A |
| ESFENVALERATE | 11.06 | 10 | 230.40 | A |
| ETHEPHON | 349.28 | 11 | 563.00 | A |
| ETHYLENE GLYCOL | 46.45 | 13 | 186.12 | A |
| FATTY ACIDS, MIXED | 616.30 | 188 | 4,081.09 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 64.42 | 10 | 424.64 | A |
| FENAMIDONE | 49.57 | 3 | 187.53 | A |
| FLONICAMID | 240.50 | 70 | 2,767.10 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| FLUBENDIAMIDE | 3.00 | 2 | 64.00 | A |
| FLUDIOXONIL | 162.83 | 11 | 767.67 | A |
| | < 0.01 | | 0.12 | T |
| Total Pounds On This Chemical | 162.84 | | | |
| FLUMIOXAZIN | 21.83 | 12 | 372.00 | A |
| FLUOPICOLIDE | 103.23 | 19 | 836.75 | A |
| FLUOPYRAM | 60.85 | 21 | 548.00 | A |
| FLUPYRADIFURONE | 207.05 | 33 | 1,641.53 | A |
| FLUXAPYROXAD | 44.92 | 22 | 559.58 | A |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 609.92 | 19 | 1,060.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,000.66 | 7 | 159.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 1,536.84 | 11 | 583.00 | A |
| HYDROGEN PEROXIDE | 2,030.08 | 28 | 848.84 | A |
| IMIDACLOPRID | 585.98 | 45 | 1,390.60 | A |
| INDOXACARB | 8.40 | 3 | 128.00 | A |
| IPRODIONE | 1.05 | | 0.11 | T |
| ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE | 8.91 | 1 | 27.00 | A |
| ISOPROPYL ALCOHOL | 8.44 | 13 | 186.12 | A |
| LECITHIN | 741.08 | 58 | 1,169.19 | A |
| MALATHION | 1,062.02 | 15 | 687.70 | A |
| MANCOZEB | 578.72 | 19 | 467.50 | A |
| MEFENOXAM | 3,577.69 | 49 | 2,195.28 | A |
| | < 0.01 | | 0.11 | T |
| Total Pounds On This Chemical | 3,577.69 | | | |
| MEFENOXAM, OTHER RELATED | < 0.01 | | 0.11 | T |
| METHOXYFENOZIDE | 120.01 | 26 | 648.28 | A |
| METHYLATED SOYBEAN OIL | 633.99 | 78 | 1,628.09 | A |
| S-METOLACHLOR | 369.05 | 19 | 493.60 | A |
| MINERAL OIL | 157.68 | 38 | 1,983.61 | A |
| MYCLOBUTANIL | 398.84 | 110 | 3,654.55 | A |
| NALED | 128.91 | 1 | 64.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 21.86 | 10 | 424.64 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 976.02 | 223 | 4,790.61 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE), PHOSPHATE ESTER | 133.49 | 11 | 349.00 | A |
| NOVALURON | 149.14 | 59 | 2,126.97 | A |
| OXAMYL | 150.59 | 10 | 170.64 | A |
| OXYFLUORFEN | 710.50 | 79 | 1,955.10 | A |
| PURPUREOCILIUM LILACIUNUM STRAIN 251 | 197.58 | 22 | 934.90 | A |
| PARAQUAT DICHLORIDE | 152.04 | 5 | 138.00 | A |
| PENDIMETHALIN | 1,282.98 | 40 | 1,124.70 | A |
| PENTHIOPYRAD | 175.33 | 21 | 609.18 | A |
| PERMETHRIN | 2.45 | 8 | 16.50 | A |
| PEROXYACETIC ACID | 264.08 | 19 | 504.00 | A |
| PETROLEUM DISTILLATES, REFINED | 1,499.69 | 30 | 482.32 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 12.46 | 16 | 558.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 749.56 | 101 | 4,427.30 | A |
| POLYBUTENES | 11.50 | 10 | 424.64 | A |
| POLY(OXY-1,2-ETHANEDIYL), ALPHA-ISODECYL-OMEGA- HYDROXY-PHOSPHATE, POTASSIUM SALT | 3.24 | 1 | 27.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 25.49 | 2 | 64.00 | A |
| POLY-I-PARA-MENTHENE | 7.12 | 8 | 15.25 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| POLYMERIZED PINENE | 215.01 | 9 | 239.75 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 1,932.35 | 144 | 8,044.19 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 106,241.48 | 15 | 388.18 | A |
| POTASSIUM PHOSPHITE | 3,476.10 | 49 | 753.62 | A |
| POTASSIUM SILICATE | 559.74 | 27 | 404.32 | A |
| PROPAMOCARB HYDROCHLORIDE | 57.20 | 3 | 95.58 | A |
| PROPIONIC ACID | 12.94 | 2 | 64.50 | A |
| PROPYLENE GLYCOL | 34.95 | 9 | 430.70 | A |
| PYRACLOSTROBIN | 305.36 | 41 | 1,671.99 | A |
| PYRAFLUFEN-ETHYL | 0.06 | 2 | 16.50 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 11.23 | 10 | 56.53 | A |
| QUINOXYFEN | 175.08 | 69 | 1,938.44 | A |
| REYNOUTRIA SACHALINENSIS | 7.89 | 1 | 72.85 | A |
| SODIUM POLYACRYLATE | 1.50 | 5 | 131.00 | A |
| SPINETORAM | 173.85 | 101 | 2,868.42 | A |
| SPINOSAD | 155.29 | 24 | 1,199.38 | A |
| SPIROMESIFEN | 161.37 | 35 | 1,275.87 | A |
| SPIROTETRAMAT | 142.41 | 56 | 1,951.08 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.04 | 12 | 178.13 | A |
| STREPTOMYCIN SULFATE | 4.14 | 11 | 18.50 | A |
| STYRENE BUTADIENE COPOLYMER | 30.58 | 9 | 430.70 | A |
| SULFUR | 72,736.03 | 364 | 7,538.16 | A |
| THIAMETHOXAM | 205.40 | 59 | 2,713.64 | A |
| | 0.02 | | | |
| Total Pounds On This Chemical | 205.42 | | | |
| THIRAM | 63.31 | | 13.36 | T |
| TRIFLOXYSTROBIN | 91.77 | 39 | 1,020.04 | A |
| TRIFLURALIN | 166.49 | 13 | 444.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,286.43 | 250 | 5,525.98 | A |
| UNICONIZOLE-P | < 0.01 | 24 | 19.00 | A |
| Site Total | 356,789.01 | 3,160 | | |
| PEPPER, SPICE | | | | |
| ABAMECTIN | 3.46 | 3 | 204.40 | A |
| AZOXYSTROBIN | < 0.01 | | 0.01 | T |
| (S)-CYPERMETHRIN | 15.28 | 4 | 354.40 | A |
| ETHEPHON | 144.24 | 3 | 210.00 | A |
| FLONICAMID | 15.58 | 3 | 204.40 | A |
| FLUDIOXONIL | < 0.01 | | 0.01 | T |
| MEFENOXAM | 0.01 | | 0.03 | T |
| MEFENOXAM, OTHER RELATED | < 0.01 | | 0.03 | T |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 43.07 | 4 | 354.40 | A |
| THIRAM | 3.88 | | 0.77 | T |
| Site Total | 225.52 | 17 | | |
| PLUM | | | | |
| MINERAL OIL | 1.95 | 1 | 0.10 | A |
| SPIROTETRAMAT | 0.02 | 1 | 0.10 | A |
| Site Total | 1.97 | 2 | | |
| POMEGRANATE | | | | |
| CANOLA OIL | 0.01 | 1 | 2.00 | A |
| DIQUAT DIBROMIDE | < 0.01 | 1 | 2.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1.10 | 2 | 4.00 | A |
| PYRETHRINS | < 0.01 | 1 | 2.00 | A |
| Site Total | 1.12 | 3 | | |
| POTATO | | | | |
| METAM-SODIUM | 7,258.20 | 1 | 68.00 | A |
| Site Total | 7,258.20 | 1 | | |
| PUBLIC HEALTH | | | | |
| BACILLUS SPHAERICUS, SEROTYPE H-5A5B, STRAIN 2362 | 0.23 | | | |
| BACILLUS THURINGIENSIS (BERLINER) | 13.79 | | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14 | 11.08 | | | |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENIS, STRAIN AM 65-52 | 0.03 | | | |
| BETA-CYFLUTHRIN | 9.89 | | | |
| IMIDACLOPRID | 253.18 | | | |
| ALPHA-ISOOCTADECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 0.40 | | | |
| METHOPRENE | 3.36 | | | |
| S-METHOPRENE | 0.07 | | | |
| MINERAL OIL | 45.43 | | | |
| SPINOSAD | 17.91 | | | |
| Site Total | 355.37 | | | |
| PUMPKIN | | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.44 | 1 | 33.00 | A |
| AZOXYSTROBIN | 2.34 | 1 | 12.00 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 151.89 | 4 | 46.00 | A |
| BENSULIDE | 104.11 | 3 | 12.00 | A |
| BIFENTHRIN | 11.59 | 21 | 131.20 | A |
| BOSCALID | 10.16 | 6 | 35.80 | A |
| CHLOROTHALONIL | 238.47 | 16 | 108.10 | A |
| CLOTHIANIDIN | 4.23 | 10 | 66.80 | A |
| CYANTRANILIPROLE | 1.21 | 2 | 10.30 | A |
| CYFLUFENAMID | 0.30 | 2 | 12.90 | A |
| (S)-CYPERMETHRIN | 1.88 | 5 | 40.80 | A |
| DIETHYLENE GLYCOL | 2.63 | 3 | 25.00 | A |
| DIMETHYLPOLYSILOXANE | 1.34 | 13 | 80.80 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 0.92 | 3 | 12.00 | A |
| FATTY ACIDS, MIXED | 4.83 | 7 | 71.00 | A |
| FLONICAMID | 9.90 | 17 | 116.50 | A |
| FLUDIOXONIL | < 0.01 | | 0.10 | T |
| FLUOPYRAM | 5.26 | 5 | 45.00 | A |
| FLUPYRADIFURONE | 0.07 | 1 | 0.40 | A |
| FLUXAPYROXAD | 0.04 | 1 | 0.40 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 20.22 | 2 | 13.50 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 5.48 | 5 | 26.00 | A |
| LECITHIN | 127.87 | 18 | 146.10 | A |
| MALATHION | 36.39 | 5 | 35.50 | A |
| MANCOZEB | 116.31 | 11 | 64.80 | A |
| METHOXYFENOZIDE | 19.53 | 18 | 122.30 | A |
| METHYLATED SOYBEAN OIL | 61.54 | 17 | 113.10 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| METHYL SILICONE RESINS | 0.02 | 1 | 33.00 | A |
| MINERAL OIL | 5.77 | 3 | 12.00 | A |
| MYCLOBUTANIL | 12.00 | 11 | 105.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 0.74 | 4 | 46.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7.78 | 7 | 71.00 | A |
| NOVALURON | 1.88 | 6 | 26.80 | A |
| OLEIC ACID, METHYL ESTER | 36.43 | 5 | 26.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 7.18 | 8 | 37.50 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 3.42 | 3 | 26.00 | A |
| POLY-I-PARA-MENTHENE | 13.04 | 2 | 28.00 | A |
| POLYMERIZED PINENE | 16.40 | 3 | 12.00 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 5.33 | 1 | 33.00 | A |
| POTASSIUM HYDROXIDE | 0.52 | 1 | 33.00 | A |
| POTASSIUM PHOSPHITE | 147.33 | 5 | 35.30 | A |
| PROPIONIC ACID | 3.55 | 1 | 33.00 | A |
| PROPYLENE GLYCOL | 1.74 | 3 | 26.00 | A |
| PYRACLOSTROBIN | 3.71 | 5 | 25.90 | A |
| PYRAFLUFEN-ETHYL | 0.02 | 2 | 13.50 | A |
| QUINOXYFEN | 2.76 | 7 | 28.80 | A |
| SPINETORAM | 0.02 | 1 | 0.40 | A |
| SULFUR | 234.40 | 6 | 53.00 | A |
| TEBUCONAZOLE | 2.77 | 15 | 95.80 | A |
| TRIFLOXYSTROBIN | 5.26 | 5 | 45.00 | A |
| TRIFLUMIZOLE | 13.97 | 8 | 58.90 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE) | 13.08 | 8 | 52.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 68.40 | 20 | 138.10 | A |
| Site Total | 1,546.50 | 239 | | |
| RADISH | | | | |
| ACETIC ACID | < 0.01 | 1 | 0.35 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 19.35 | 19 | 87.09 | A |
| AZADIRACTIN | 1.35 | 6 | 48.20 | A |
| AZOXYSTROBIN | 96.96 | 129 | 534.71 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 810.96 | 85 | 368.51 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 0.54 | 2 | 6.00 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 24.80 | 12 | 38.56 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 2.06 | 20 | 101.09 | A |
| CHLORANTRANILIPROLE | 2.38 | 4 | 36.00 | A |
| CHLORPYRIFOS | 226.01 | 46 | 271.65 | A |
| CHLORTHAL-DIMETHYL | 4,282.83 | 266 | 776.15 | A |
| CITRIC ACID | < 0.01 | 1 | 0.35 | A |
| COPPER HYDROXIDE | 150.90 | 32 | 125.75 | A |
| BETA-CYFLUTHRIN | 0.78 | 10 | 60.24 | A |
| (S)-CYPERMETHRIN | 11.81 | 57 | 237.59 | A |
| DIAZINON | 52.15 | 15 | 28.50 | A |
| DIMETHYLPOLYSILOXANE | 7.13 | 2 | 13.50 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 11.38 | 95 | 150.16 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ESFENVALERATE | 49.42 | 323 | 1,050.77 | A |
| ETHYLENE GLYCOL | 26.56 | 10 | 78.69 | A |
| FATTY ACIDS, MIXED | 0.79 | 30 | 48.25 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 4.64 | 1 | 14.00 | A |
| FLONICAMID | 3.24 | 5 | 36.99 | A |
| FLUOPICOLIDE | 43.48 | 101 | 421.26 | A |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 191.21 | 52 | 318.68 | A |
| ISOPROPYL ALCOHOL | 4.83 | 10 | 78.69 | A |
| LECITHIN | 246.50 | 130 | 494.55 | A |
| MALATHION | 21.43 | 3 | 20.84 | A |
| MARGOSA OIL | 23.00 | 4 | 22.00 | A |
| MEFENOXAM | 184.30 | 97 | 468.05 | A |
| METHOXYFENOZIDE | 56.94 | 59 | 276.45 | A |
| METHYLATED SOYBEAN OIL | 114.06 | 100 | 446.30 | A |
| MINERAL OIL | 77.91 | 114 | 237.25 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.57 | 1 | 14.00 | A |
| | 17.00 | 40 | 126.94 | A |
| OLEIC ACID | 0.22 | 13 | 59.10 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 6.00 | 3 | 15.00 | A |
| PENTHIOPYRAD | 3.13 | 1 | 12.00 | A |
| PIPERONYL BUTOXIDE | 69.54 | 29 | 144.50 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 17.39 | 29 | 144.50 | A |
| POLYBUTENES | 0.83 | 1 | 14.00 | A |
| POLYMERIZED PINENE | 202.00 | 95 | 150.16 | A |
| POTASH SOAP | 53.44 | 6 | 11.23 | A |
| POTASSIUM PHOSPHITE | 28.88 | 4 | 13.50 | A |
| PROPIONIC ACID | 18.38 | 30 | 48.25 | A |
| PYRACLOSTROBIN | 29.98 | 25 | 162.94 | A |
| PYRETHRINS | 10.31 | 41 | 176.11 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.57 | 1 | 3.50 | A |
| REYNOUTRIA SACHALINENSIS | 12.22 | 33 | 106.56 | A |
| SPINETORAM | 20.36 | 90 | 376.25 | A |
| SPINOSAD | 5.27 | 92 | 154.65 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 4 | 14.20 | A |
| TALL OIL FATTY ACIDS | 0.05 | 6 | 27.99 | A |
| TRIFLURALIN | 110.57 | 29 | 193.50 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 114.06 | 100 | 446.30 | A |
| Site Total | 7,471.50 | 1,859 | | |
| RANGELAND | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 3.32 | 5 | 2.85 | A |
| TRICLOPYR, BUTOXYETHYL ESTER | 1.21 | 4 | 2.60 | A |
| Site Total | 4.53 | 9 | | |
| RASPBERRY | | | | |
| ACEQUINOCYL | 533.64 | 182 | 1,342.73 | A |
| ACETAMIPRID | 80.74 | 161 | 875.22 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 76.60 | 56 | 400.81 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 1,183.44 | 324 | 4,472.96 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 300.70 | 125 | 867.38 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ALKYL (C8,C10) POLYGLUCOSIDE | 26.58 | 335 | 1,927.85 | A |
| AMMONIUM PROPIONATE | 570.53 | 265 | 1,640.03 | A |
| AMMONIUM SULFATE | 142.63 | 265 | 1,640.03 | A |
| AZADIRACTIN | 29.75 | 161 | 1,124.67 | A |
| AZOXYSTROBIN | 24.16 | 20 | 104.01 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 51.30 | 5 | 27.14 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 45.17 | 12 | 51.83 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 3,365.22 | 235 | 3,551.21 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 148.67 | 43 | 321.54 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 1,705.54 | 219 | 2,831.82 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 24.64 | 22 | 140.73 | A |
| BENTONITE | 4.62 | 3 | 17.83 | A |
| BIFENAZATE | 924.68 | 236 | 1,852.10 | A |
| BIFENTHRIN | 44.95 | 35 | 466.50 | A |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 20.91 | 124 | 979.36 | A |
| BORAX | 5.92 | 35 | 256.74 | A |
| BOSCALID | 543.25 | 196 | 1,508.24 | A |
| BURKHOLDERIA SP STRAIN A396 CELLS AND FERMENTATION MEDIA | 43.28 | 1 | 5.00 | A |
| CAPTAN | 357.08 | 31 | 202.18 | A |
| CAPTAN, OTHER RELATED | 7.47 | 27 | 185.28 | A |
| CARFENTHAZONE-ETHYL | 1.41 | 10 | 63.80 | A |
| CASEIN | 0.35 | 3 | 17.83 | A |
| CHLORANTRANILIPROLE | 25.49 | 40 | 279.29 | A |
| CHLOROPICRIN | 99,609.63 | 38 | 547.53 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 23.51 | 5 | 39.18 | A |
| CITRIC ACID | 285.26 | 265 | 1,640.03 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 19,237.55 | 344 | 4,033.63 | A |
| CLETHODIM | 0.24 | 1 | 1.95 | A |
| COPPER OCTANOATE | 173.40 | 17 | 191.88 | A |
| COPPER OXIDE (OUS) | 81.76 | 10 | 63.79 | A |
| (S)-CYPERMETHRIN | 185.73 | 405 | 3,633.76 | A |
| CYPRODINIL | 419.73 | 150 | 1,333.70 | A |
| DIAZINON | 124.51 | 13 | 125.22 | A |
| 1,3-DICHLOROPROPENE | 51,166.87 | 23 | 412.73 | A |
| DIETHYLENE GLYCOL | 2.19 | 5 | 29.17 | A |
| DIMETHYLPOLYSILOXANE | 200.31 | 128 | 1,115.96 | A |
| DIPHACINONE | < 0.01 | 3 | 23.13 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 69.67 | 277 | 3,938.57 | A |
| ETOXAZOLE | 35.61 | 42 | 263.80 | A |
| FATTY ACIDS, MIXED | 4.76 | 15 | 119.70 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 60.89 | 71 | 410.76 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 120.28 | 125 | 867.38 | A |
| FENPROPATHRIN | 83.62 | 36 | 267.71 | A |
| FLUDIOXONIL | 279.82 | 150 | 1,333.70 | A |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 6.60 | 2 | 17.83 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 87.92 | 1 | 11.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| GLYPHOSATE, POTASSIUM SALT | 55.86 | 19 | 38.75 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 18.87 | 23 | 174.49 | A |
| HEXYTHIAZOX | 249.49 | 164 | 1,334.46 | A |
| HYDROGEN PEROXIDE | 382.76 | 27 | 250.54 | A |
| IMIDACLOPRID | 384.50 | 97 | 775.17 | A |
| IPRODIONE | 1,023.47 | 150 | 1,021.27 | A |
| IRON PHOSPHATE | 3.88 | 1 | 10.00 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 16.56 | 16 | 69.75 | A |
| KAOLIN | 354.35 | 2 | 7.96 | A |
| LACTOSE | 0.35 | 3 | 17.83 | A |
| LECITHIN | 309.16 | 346 | 1,986.80 | A |
| LIME-SULFUR | 7,305.25 | 46 | 327.73 | A |
| MALATHION | 1,669.10 | 108 | 932.58 | A |
| MARGOSA OIL | 157.14 | 7 | 71.72 | A |
| MEFENOXAM | 100.99 | 31 | 251.73 | A |
| METAM-SODIUM | 9,482.61 | 2 | 40.00 | A |
| METHOXYFENOZIDE | 197.20 | 140 | 1,152.53 | A |
| METHYLATED SOYBEAN OIL | 42.91 | 20 | 119.93 | A |
| METHYL BROMIDE | 8,753.50 | 4 | 66.50 | A |
| METHYL SILICONE RESINS | 88.10 | 356 | 1,893.91 | A |
| MINERAL OIL | 8,737.97 | 546 | 6,046.24 | A |
| MYCLOBUTANIL | 130.61 | 238 | 1,782.84 | A |
| NAPROPAMIDE | 38.50 | 1 | 14.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 22.04 | 75 | 467.61 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 319.13 | 155 | 1,081.74 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 688.24 | 381 | 2,573.04 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 120.88 | 45 | 318.63 | A |
| PURPUREOCILIUM LILACIUNUM STRAIN 251 | 15.60 | 6 | 125.37 | A |
| PARAQUAT DICHLORIDE | 600.41 | 127 | 790.18 | A |
| PEROXYACETIC ACID | 28.25 | 26 | 244.33 | A |
| PETROLEUM DISTILLATES, REFINED | 1,396.90 | 69 | 301.03 | A |
| PIPERONYL BUTOXIDE | 75.49 | 39 | 269.13 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 18.87 | 39 | 269.13 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 7.44 | 33 | 234.87 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 190.46 | 511 | 3,762.13 | A |
| POLYBUTENES | 14.21 | 75 | 472.82 | A |
| POLY(OXY-1,2-ETHANEDIYL), ALPHA-ISODECYL-OMEGA- HYDROXY-PHOSPHATE, POTASSIUM SALT | 6.02 | 16 | 69.75 | A |
| POLYETHER MODIFIED POLYSILOXANE | 8.93 | 19 | 87.95 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 17.02 | 19 | 112.90 | A |
| POLY-I-PARA-MENTHENE | 473.18 | 85 | 699.78 | A |
| POLYOXIN D, ZINC SALT | 14.64 | 48 | 350.54 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 280.22 | 329 | 1,734.30 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 146.49 | 64 | 450.66 | A |
| POLYSILOXANE | 0.13 | 6 | 193.55 | A |
| POTASH SOAP | 4,785.58 | 110 | 932.48 | A |
| POTASSIUM HYDROXIDE | 30.87 | 335 | 1,927.85 | A |
| POTASSIUM PHOSPHITE | 19.63 | 1 | 4.18 | A |
| POTASSIUM SILICATE | 607.71 | 23 | 221.08 | A |
| PROPICONAZOLE | 5.40 | 7 | 32.24 | A |
| PROPIONIC ACID | 226.55 | 341 | 1,961.53 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| PROPYLENE GLYCOL | 420.31 | 515 | 3,754.33 | A |
| PYRACLOSTROBIN | 275.94 | 196 | 1,508.24 | A |
| PYRETHRINS | 93.84 | 171 | 2,397.62 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 4.65 | 3 | 22.59 | A |
| REYNOUTRIA SACHALINENSIS | 8.30 | 8 | 65.94 | A |
| SODIUM POLYACRYLATE | 14.26 | 265 | 1,640.03 | A |
| SOYBEAN OIL | 121.23 | 5 | 18.27 | A |
| SPINETORAM | 290.23 | 360 | 3,393.04 | A |
| SPINOSAD | 180.18 | 211 | 1,941.42 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 4 | 15.95 | A |
| STYRENE BUTADIENE COPOLYMER | 561.52 | 497 | 3,671.43 | A |
| SULFUR | 135.24 | 1 | 33.81 | A |
| TALL OIL FATTY ACIDS | 1.53 | 53 | 568.60 | A |
| THIAMETHOXAM | 0.78 | 4 | 16.71 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE) | 274.93 | 514 | 3,750.37 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 49.02 | 17 | 251.95 | A |
| Site Total | 234,603.93 | 7,291 | | |

REGULATORY PEST CONTROL

| | |
|--|--------|
| ABAMECTIN | < 0.01 |
| ABAMECTIN, OTHER RELATED | < 0.01 |
| ACETAMIPRID | 0.03 |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | 0.03 |
| D-TRANS ALLETHRIN | 0.02 |
| BIFENTHRIN | 69.30 |
| BORAX | 0.34 |
| BORIC ACID | 37.29 |
| BRODIFACOU | < 0.01 |
| BROMADIOLONE | 0.06 |
| BROMETHALIN | < 0.01 |
| CAPSICUM OLEORESIN | < 0.01 |
| CHLORFENAPYR | 24.62 |
| CHLORPYRIFOS | 1.85 |
| CHOLECALCIFEROL | 0.31 |
| CLOTHIANIDIN | < 0.01 |
| COPPER NAPHTHENATE | 0.02 |
| CYFLUTHRIN | 7.99 |
| BETA-CYFLUTHRIN | 7.69 |
| CYPERMETHRIN | 5.63 |
| DDVP | 0.05 |
| DDVP, OTHER RELATED | < 0.01 |
| DELTAMETHRIN | 0.62 |
| DIATOMACEOUS EARTH | 0.06 |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | 0.01 |
| DIFETHIALONE | < 0.01 |
| DINOTEFURAN | 0.26 |
| DIOCTYL DIMETHYL AMMONIUM CHLORIDE | < 0.01 |
| DIPHACINONE | < 0.01 |
| DIPHACINONE, SODIUM SALT | < 0.01 |
| DISODIUM OCTABORATE TETRAHYDRATE | 64.51 |
| ESFENVALERATE | 2.51 |
| ETOFENPROX | 0.72 |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| FIPRONIL | 23.70 | | | |
| FLUAZIFOP-P-BUTYL | 0.09 | | | |
| HEXAFLUMURON | < 0.01 | | | |
| HYDRAMETHYLNON | 0.25 | | | |
| HYDROPRENE | 2.47 | | | |
| IMIDACLOPRID | 16.45 | | | |
| INDOXACARB | 20.14 | | | |
| IRON PHOSPHATE | 0.53 | | | |
| ISOPROPYL ALCOHOL | 1.61 | | | |
| LAMBDA-CYHALOTHRIN | 1.07 | | | |
| LIMONENE | 64.95 | | | |
| METALDEHYDE | 0.88 | | | |
| METHOPRENE | 39.08 | | | |
| S-METHOPRENE | 0.13 | | | |
| MUSCALURE | < 0.01 | | | |
| NOVALURON | < 0.01 | | | |
| NOVIFLUMURON | < 0.01 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 1.35 | | | |
| OCTYL DECYL DIMETHYL AMMONIUM CHLORIDE | 0.02 | | | |
| PERMETHRIN | 12.41 | | | |
| PETROLEUM DISTILLATES | 12.13 | | | |
| PHENOTHRIN | 0.12 | | | |
| PHENYLETHYL PROPIONATE | 0.05 | | | |
| PIPERONYL BUTOXIDE | 29.49 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 5.14 | | | |
| PRALLETHRIN | 0.44 | | | |
| PROPOXUR | < 0.01 | | | |
| PYRETHRINS | 5.71 | | | |
| PYRIPROXYFEN | 1.01 | | | |
| SILICA AEROGEL | 0.17 | | | |
| SODIUM TETRABORATE (PENTAHYDRATE) | 0.94 | | | |
| SPINOSAD | < 0.01 | | | |
| STRYCHNINE | 0.01 | | | |
| SULFURYL FLUORIDE | 52.89 | | | |
| TETRAMETHRIN | < 0.01 | | | |
| THIAMETHOXAM | 0.04 | | | |
| THYME | 0.07 | | | |
| Site Total | 517.33 | | | |
| RIGHTS OF WAY | | | | |
| ACEPHATE | 1.46 | 2 | 6.00 | A |
| ALCOHOLS, C12-C14, ALIPHATIC | 64.72 | | | |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 2.56 | 1 | 10.00 | A |
| ALKYL (C9-C11) OLIGOMERIC D-GLUCOPYRANOSIDE | 184.92 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 4,879.48 | | | |
| | 5.52 | 15 | 141.00 | A |
| Total Pounds On This Chemical | 4,884.99 | | | |
| ALUMINUM PHOSPHIDE | 3.23 | | | |
| AMINOCYCLOPYRACHLOR | 4.62 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 261.71 | | | |
| | 9.17 | 10 | 74.50 | A |
| Total Pounds On This Chemical | 270.88 | | | |
| AMMONIUM NONANOATE | 15.03 | 2 | 8.00 | A |
| AMMONIUM NITRATE | 136.98 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Total Pounds On This Chemical | 141.76 | 4.78 | 6 | 38.00 A |
| AMMONIUM PROPIONATE | | 51.22 | | |
| | | 44.33 | 10 | 61.50 A |
| Total Pounds On This Chemical | 95.55 | | | |
| AMMONIUM SULFATE | | 157.09 | 31 | 150.00 A |
| | | 149.95 | | |
| Total Pounds On This Chemical | 307.04 | | | |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | 2.70 | 6 | 38.00 A |
| BORAX | | 28.71 | | |
| 2-BUTOXYETHANOL | | 166.43 | | |
| CARFENTRAZONE-ETHYL | | 0.13 | | |
| | | 0.07 | 1 | 5.00 A |
| Total Pounds On This Chemical | 0.20 | | | |
| CHLORANTRANILIPROLE | | 4.06 | 1 | 4.00 A |
| CHLORPYRIFOS | | 84.79 | 4 | 82.00 A |
| CHLORSULFURON | | 71.59 | | |
| CITRIC ACID | | 25.61 | | |
| | | 22.16 | 10 | 61.50 A |
| Total Pounds On This Chemical | 47.77 | | | |
| CLETHODIM | | 10.12 | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | | 11.42 | | |
| COCONUT DIETHANOLAMIDE | | 0.21 | 4 | 34.00 A |
| COPPER HYDROXIDE | | 2.05 | | |
| COPPER NAPHTHENATE | | 57.56 | | |
| (S)-CYPERMETHRIN | | 3.87 | 6 | 81.00 A |
| 2,4-D, DIMETHYLAMINE SALT | | 21.80 | 2 | 30.00 A |
| 2,4-D, 2-ETHYLHEXYL ESTER | | 5.78 | | |
| DAZOMET | | 580.27 | | |
| DICAMBA | | 0.35 | | |
| DIETHYLENE GLYCOL | | 34.06 | | |
| DIFETHIALONE | | < 0.01 | 12 | 48.00 A |
| DIFLUBENZURON | | 5.89 | 1 | 4.00 A |
| DIKEGULAC SODIUM | | 1.42 | | |
| DIMETHENAMID-P | | 7.22 | | |
| DIMETHYLPOLYSILOXANE | | 4.06 | | |
| | | 1.18 | 11 | 20.00 A |
| Total Pounds On This Chemical | 5.24 | | | |
| DINOTEFURAN | | 1.80 | 2 | 93.00 U |
| DIPHACINONE | | 0.10 | 47 | 309.30 A |
| | | 0.01 | | |
| Total Pounds On This Chemical | 0.12 | | | |
| DIQUAT DIBROMIDE | | 612.89 | | |
| | | 141.34 | 28 | 99.75 A |
| Total Pounds On This Chemical | 754.23 | | | |
| DISODIUM OCTABORATE TETRAHYDRATE | | 252.53 | | |
| DITHIOPYR | | 107.44 | | |
| DIURON | | 2,724.23 | | |
| DODECYLBENZENE SULFONIC ACID | | 0.90 | 4 | 34.00 A |
| EDTA, TETRASODIUM SALT | | 0.06 | 4 | 34.00 A |
| ETHYLENE GLYCOL | | 114.30 | | |
| | | 0.15 | 2 | 3.75 A |
| Total Pounds On This Chemical | 114.45 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| FATTY ACIDS, MIXED | 60.66 | | | |
| | 0.04 | 1 | 2.50 | A |
| Total Pounds On This Chemical | 60.70 | | | |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 9.66 | 5 | 28.00 | A |
| FLUAZIFOP-P-BUTYL | 39.11 | | | |
| FLUMIOXAZIN | 2.04 | | | |
| GLUFOSINATE-AMMONIUM | 70.04 | 20 | 113.00 | A |
| | 36.79 | | | |
| Total Pounds On This Chemical | 106.83 | | | |
| GLYPHOSATE, DIMETHYLAMINE SALT | 61.42 | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 29,610.76 | | | |
| | 1,437.72 | 160 | 407.98 | A |
| | 4.79 | 15 | 45,000.00 | S |
| Total Pounds On This Chemical | 31,053.27 | | | |
| GLYPHOSATE, MONOAMMONIUM SALT | 156.23 | | | |
| | 1.72 | 2 | 0.75 | A |
| Total Pounds On This Chemical | 157.95 | | | |
| GLYPHOSATE, POTASSIUM SALT | 1,860.41 | | | |
| | 1,454.16 | 116 | 748.23 | A |
| | 245.92 | 22 | 909,900.00 | S |
| Total Pounds On This Chemical | 3,560.49 | | | |
| HEXYLENE GLYCOL | 166.43 | | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | 37.99 | | | |
| IMIDACLOPRID | 0.35 | | | |
| | < 0.01 | 4 | 8.00 | U |
| Total Pounds On This Chemical | 0.35 | | | |
| INDAZIFLAM | 42.31 | | | |
| ISOPROPYL ALCOHOL | 23.09 | | | |
| | 0.35 | 6 | 37.75 | A |
| Total Pounds On This Chemical | 23.44 | | | |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | 0.07 | | | |
| ISOXABEN | 111.54 | | | |
| LECITHIN | 175.73 | | | |
| | 57.27 | 31 | 156.00 | A |
| Total Pounds On This Chemical | 233.00 | | | |
| MECOPROP-P | 1.19 | | | |
| METHYLATED SOYBEAN OIL | 104.51 | | | |
| | 24.19 | 21 | 50.50 | A |
| Total Pounds On This Chemical | 128.70 | | | |
| METHYL SILICONE RESINS | 0.10 | | | |
| | 0.03 | 9 | 103.00 | A |
| Total Pounds On This Chemical | 0.13 | | | |
| S-METOLACHLOR | 58.01 | 4 | 66.00 | A |
| MINERAL OIL | 0.90 | 1 | 10.00 | A |
| | 0.37 | | | |
| Total Pounds On This Chemical | 1.27 | | | |
| MYCLOBUTANIL | 6.20 | 1 | 4.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 3.28 | 5 | 28.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3,315.93 | | | |
| | 1.41 | 3 | 6.25 | A |
| | 1.40 | 2 | 93.00 | U |
| Total Pounds On This Chemical | 3,318.75 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), BRANCHED | | 1.88 | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | | 73.27 | | |
| Total Pounds On This Chemical | 119.90 | 46.63 | 21 | 81.50 A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | | 0.56 | | |
| OLEIC ACID, METHYL ESTER | | 10.66 | | |
| ORYZALIN | | 76.96 | | |
| Total Pounds On This Chemical | 121.70 | 44.74 | 20 | 902,100.00 S |
| OXYFLUORFEN | | 83.52 | 16 | 190.50 A |
| Total Pounds On This Chemical | 102.87 | 19.36 | | |
| PARAQUAT DICHLORIDE | | 74.32 | 11 | 147.00 A |
| PENDIMETHALIN | | 9.63 | | |
| PENOXSULAM | | 0.20 | | |
| PETROLEUM HYDROCARBONS | | 23.95 | 1 | 25.00 A |
| PETROLEUM OIL, PARAFFIN BASED | | 127.53 | | |
| PHOSPHORIC ACID | | 0.18 | 4 | 34.00 A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | 0.04 | 1 | 2.00 A |
| POLYACRYLAMIDE POLYMER | | 1.30 | 1 | 20.00 A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | 12.10 | 1 | 4.00 A |
| Total Pounds On This Chemical | 12.82 | 0.71 | 2 | 93.00 U |
| POLYBUTENES | | 1.72 | 5 | 28.00 A |
| POLYETHER MODIFIED POLYSILOXANE | | 0.27 | 1 | 1.00 A |
| POLYETHYLENE GLYCOL | | 10.61 | | |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | | 8.83 | 9 | 103.00 A |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | | 17.83 | | |
| POLYOXYETHYLENE SORBITAN MONOLAURATE | | 5.00 | | |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | 0.29 | | |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | 1.92 | | |
| POLYPROPYLENE GLYCOL | | 0.12 | | |
| POLYSILOXANE | | < 0.01 | | |
| POTASSIUM HYDROXIDE | | 0.85 | 9 | 103.00 A |
| Total Pounds On This Chemical | 0.91 | 0.05 | | |
| PRODIAMINE | | 301.76 | | |
| PROPIONIC ACID | | 6.82 | 10 | 105.50 A |
| Total Pounds On This Chemical | 7.19 | 0.36 | | |
| PROPYLENE GLYCOL | | 0.24 | 2 | 93.00 U |
| RIMSULFURON | | 18.95 | | |
| SAFLUFENACIL | | 0.04 | 2 | 2.00 A |
| SILICONE DEFOAMER | | 0.02 | 4 | 34.00 A |
| SILICA FILLED POLYDIMETHYLSILOXANE | | < 0.01 | | |
| SIMAZINE | | 76.50 | | |
| Total Pounds On This Chemical | 108.00 | 31.50 | 5 | 7.00 A |
| SODIUM ALPHA-OLEFIN (C14-C16) SULFONATE | | 1,266.72 | | |
| SODIUM POLYACRYLATE | | 1.28 | | |
| Total Pounds On This Chemical | 2.39 | 1.11 | 10 | 61.50 A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| SODIUM XYLENE SULFONATE | 0.28 | 4 | 34.00 | A |
| SORBITAN FATTY ACID ESTERS | 3.90 | | | |
| SPIROTETRAMAT | 4.88 | 1 | 4.00 | A |
| SULFOMETURON-METHYL | 137.23 | | | |
| SULFOSULFURON | 0.20 | | | |
| TALL OIL FATTY ACIDS | 0.04 | | | |
| Total Pounds On This Chemical | 0.08 | 1 | 10.00 | A |
| TEBUTHIURON | 6.40 | | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1.06 | 4 | 34.00 | A |
| TETRAPOTASSIUM PYROPHOSPHATE | 0.14 | 4 | 34.00 | A |
| TRICLOPYR, BUTOXYETHYL ESTER | 34.54 | | | |
| TRICLOPYR, TRIETHYLAMINE SALT | 528.25 | | | |
| Total Pounds On This Chemical | 544.53 | 6 | 20.50 | A |
| TRIETHANOLAMINE | 0.35 | 4 | 34.00 | A |
| TRIFLURALIN | 0.30 | | | |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 140.77 | | | |
| Total Pounds On This Chemical | 150.46 | 10 | 30.50 | A |
| ZINC PHOSPHIDE | 5.46 | 15 | 50.50 | A |
| BUTYL LACTATE | 0.57 | | | |
| Site Total | 53,520.91 | 611 | | |
| ROSEMARY | | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 21.44 | 7 | 28.10 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.58 | 1 | 1.50 | A |
| AZADIRACTIN | 1.08 | 16 | 59.00 | A |
| AZOXYSTROBIN | 5.23 | 8 | 16.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 21.25 | 8 | 31.00 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 0.05 | 1 | 0.50 | A |
| BURKHOLDERIA SP STRAIN A396 CELLS AND FERMENTATION MEDIA | 69.68 | 2 | 8.05 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 11.40 | 7 | 25.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 36.30 | 7 | 25.00 | A |
| COPPER OCTANOATE | 0.42 | 1 | 1.00 | A |
| CYPRODINIL | 0.23 | 1 | 1.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 0.23 | 1 | 1.50 | A |
| FLUDIOXONIL | 0.16 | 1 | 1.00 | A |
| HYDROGEN PEROXIDE | 30.50 | 4 | 28.00 | A |
| IMIDACLOPRID | 0.89 | 9 | 16.50 | A |
| MEFENOXAM | 0.43 | 2 | 3.50 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.58 | 1 | 1.50 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 0.10 | 1 | 0.50 | A |
| PEROXYACETIC ACID | 2.25 | 4 | 28.00 | A |
| PIPERONYL BUTOXIDE | 2.48 | 7 | 14.00 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 0.62 | 7 | 14.00 | A |
| POTASH SOAP | 510.79 | 27 | 94.65 | A |
| POTASSIUM BICARBONATE | 31.98 | 4 | 16.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| PYRETHRINS | 2.78 | 40 | 109.60 | A |
| SPINETORAM | 0.33 | 4 | 8.00 | A |
| SPINOSAD | 1.07 | 10 | 18.00 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 1.00 | A |
| Site Total | 752.85 | 161 | | |
| SAGE | | | | |
| ABAMECTIN | 0.03 | 2 | 2.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.37 | 1 | 1.62 | A |
| AZADIRACTIN | 0.06 | 4 | 4.00 | A |
| AZOXYSTROBIN | 0.19 | 2 | 2.00 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 7.25 | 12 | 31.00 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 6.44 | 18 | 45.74 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 0.90 | 1 | 3.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 191.63 | 28 | 104.62 | A |
| COPPER OCTANOATE | 11.67 | 4 | 28.00 | A |
| HYDROGEN PEROXIDE | 3.73 | 2 | 4.00 | A |
| IMIDACLOPRID | 0.04 | 1 | 1.00 | A |
| MEFENOXAM | 0.25 | 2 | 2.00 | A |
| PEROXYACETIC ACID | 0.28 | 2 | 4.00 | A |
| PIPERONYL BUTOXIDE | 0.38 | 1 | 1.00 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 0.10 | 1 | 1.00 | A |
| POTASH SOAP | 120.22 | 17 | 35.00 | A |
| POTASSIUM BICARBONATE | 125.06 | 19 | 50.00 | A |
| PYRETHRINS | 0.62 | 11 | 28.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.46 | 4 | 8.00 | A |
| REYNOUTRIA SACHALINENSIS | 12.70 | 17 | 66.50 | A |
| SPINOSAD | 2.95 | 13 | 77.00 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 3.00 | A |
| Site Total | 485.32 | 159 | | |
| SOIL FUMIGATION/PREPLANT | | | | |
| ACETAMIPRID | 2.23 | 1 | 30.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 3.44 | 1 | 20.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.50 | 3 | 40.00 | A |
| AMMONIUM PROPIONATE | 38.77 | 4 | 90.20 | A |
| AMMONIUM SULFATE | 9.69 | 4 | 90.20 | A |
| BENSULIDE | 72.89 | 1 | 14.70 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 22.22 | 20 | 340.70 | A |
| CHLORANTRANILIPROLE | 1.57 | 1 | 30.00 | A |
| CHLOROPICRIN | 4,928.20 | 3 | 44.20 | A |
| CITRIC ACID | 19.38 | 4 | 90.20 | A |
| 1,3-DICHLOROPROPENE | 7,918.98 | 2 | 42.20 | A |
| DIETHYLENE GLYCOL | 1.86 | 2 | 26.75 | A |
| DIMETHYLPOLYSILOXANE | 0.04 | 2 | 26.75 | A |
| DIPHACINONE | < 0.01 | 1 | 12.00 | A |
| EPTC | 237.89 | 1 | 39.00 | A |
| FATTY ACIDS, MIXED | 3.63 | 4 | 46.25 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 82.41 | 19 | 320.70 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| FLUMIOXAZIN | 2.20 | 1 | 23.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 999.08 | 59 | 280.50 | A |
| GLYPHOSATE, POTASSIUM SALT | 421.32 | 4 | 124.50 | A |
| LAMBDA-CYHALOTHRIN | 0.78 | 1 | 30.00 | A |
| LECITHIN | 40.95 | 7 | 114.70 | A |
| METHYLATED SOYBEAN OIL | 14.06 | 2 | 55.20 | A |
| METHYL SILICONE RESINS | 0.02 | 3 | 40.00 | A |
| MINERAL OIL | 1.21 | 1 | 20.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 27.96 | 19 | 320.70 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 6.83 | 4 | 46.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 28.11 | 4 | 90.20 | A |
| OXYFLUORFEN | 91.89 | 4 | 241.20 | A |
| PARAQUAT DICHLORIDE | 421.32 | 22 | 383.15 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 17.10 | 20 | 553.40 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 15.61 | 3 | 60.50 | A |
| POLYBUTENES | 14.72 | 19 | 320.70 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 6.06 | 3 | 40.00 | A |
| POTASSIUM HYDROXIDE | 0.59 | 3 | 40.00 | A |
| PROMETRYN | 179.72 | 7 | 179.95 | A |
| PROPIONIC ACID | 11.42 | 5 | 59.50 | A |
| SODIUM POLYACRYLATE | 0.97 | 4 | 90.20 | A |
| TALL OIL FATTY ACIDS | 0.05 | 1 | 20.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 18.91 | 4 | 81.95 | A |
| Site Total | 15,664.58 | 161 | | |
| SPINACH | | | | |
| ABAMECTIN | 8.43 | 109 | 603.86 | A |
| ACETAMIPRID | 4.85 | 5 | 66.15 | A |
| ACIBENZOLAR-S-METHYL | 28.48 | 177 | 1,256.10 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1.90 | 1 | 9.30 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 10.44 | 24 | 33.40 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 3.56 | 89 | 443.25 | A |
| AMETOCTRADIN | 158.65 | 79 | 581.54 | A |
| AMMONIUM PROPIONATE | 5.19 | 1 | 11.00 | A |
| AMMONIUM SULFATE | 1.30 | 1 | 11.00 | A |
| AZADIRACTIN | 0.33 | 10 | 15.86 | A |
| AZOXYSTROBIN | 35.00 | 18 | 138.95 | A |
| Total Pounds On This Chemical | 35.47 | | 9.69 | T |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 95.47 | 26 | 72.95 | A |
| BACILLUS PUMILUS, STRAIN QST 2808 | 3.62 | 22 | 42.74 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 222.17 | 48 | 341.41 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 0.53 | 1 | 0.51 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.38 | 2 | 4.74 | A |
| BIFENTHRIN | 1.49 | 1 | 15.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 75.75 | 121 | 1,183.92 | A |
| CHLORANTRANILIPROLE | 9.00 | 30 | 152.86 | A |
| CHLORTHAL-DIMETHYL | 54.34 | 1 | 9.30 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 4.43 | 2 | 6.29 | A |
| CITRIC ACID | 2.59 | 1 | 11.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 125.64 | 11 | 17.76 | A |
| CLOTHIANIDIN | 16.87 | 16 | 132.38 | A |
| COPPER OCTANOATE | 19.09 | 3 | 14.30 | A |
| COPPER OXIDE (OUS) | 4.78 | 1 | 5.70 | A |
| CYANTRANILIPROLE | 3.48 | 4 | 36.85 | A |
| CYAZOFAMID | 12.90 | 39 | 178.99 | A |
| CYCLOATE | 3,406.73 | 148 | 1,082.61 | A |
| CYFLUTHRIN | 18.28 | 46 | 364.87 | A |
| BETA-CYFLUTHRIN | 4.75 | 65 | 205.97 | A |
| CYMOXANIL | 8.63 | 31 | 49.17 | A |
| (S)-CYPERMETHRIN | 5.49 | 51 | 127.57 | A |
| CYROMAZINE | 90.58 | 85 | 726.85 | A |
| DIETHYLENE GLYCOL | 1.24 | 3 | 39.00 | A |
| DIMETHOMORPH | 119.13 | 79 | 581.54 | A |
| DIMETHYLPOLYSILOXANE | 0.03 | 3 | 39.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 6.72 | 9 | 87.25 | A |
| EMAMECTIN BENZOATE | 0.15 | 10 | 18.87 | A |
| ETHYLENE GLYCOL | 133.00 | 38 | 374.44 | A |
| FATTY ACIDS, MIXED | 2.38 | 4 | 50.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 282.81 | 121 | 1,183.92 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 4.18 | 24 | 33.40 | A |
| FENAMIDONE | 392.32 | 222 | 1,495.88 | A |
| FLONICAMID | 76.05 | 112 | 910.04 | A |
| FLUBENDIAMIDE | 10.19 | 47 | 221.72 | A |
| FLUDIOXONIL | 0.43 | | 9.07 | T |
| | 0.01 | | 0.24 | A |
| Total Pounds On This Chemical | 0.44 | | | |
| FLUOPICOLIDE | 211.59 | 208 | 1,709.67 | A |
| FLUPYRADIFURONE | 1.60 | 8 | 11.48 | A |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 342.49 | 62 | 566.81 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 43.96 | 1 | 11.00 | A |
| HYDROGEN PEROXIDE | 65.02 | 6 | 19.47 | A |
| IMIDACLOPRID | 22.08 | 76 | 380.34 | A |
| INDOXACARB | 0.14 | 1 | 1.50 | A |
| ISOPROPYL ALCOHOL | 24.18 | 38 | 374.44 | A |
| LECITHIN | 113.81 | 178 | 624.45 | A |
| MANDIPROPAMID | 175.33 | 180 | 1,347.58 | A |
| MEFENOXAM | 877.55 | 139 | 1,037.80 | A |
| | 74.43 | | 21,887.76 | T |
| Total Pounds On This Chemical | 951.99 | | | |
| MEFENOXAM, OTHER RELATED | 2.30 | | 21,887.76 | T |
| METHOXYFENOZIDE | 52.25 | 54 | 369.36 | A |
| METHYLATED SOYBEAN OIL | 35.80 | 88 | 163.90 | A |
| METHYL SILICONE RESINS | 0.14 | 89 | 443.25 | A |
| S-METOLACHLOR | 59.17 | 40 | 60.98 | A |
| MINERAL OIL | 41.99 | 9 | 87.25 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 95.95 | 121 | 1,183.92 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 75.45 | 67 | 460.84 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 3.76 | 1 | 11.00 | A |
| OLEIC ACID, METHYL ESTER | 8.87 | 1 | 9.30 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 9.09 | 6 | 22.75 | A |
| PARAQUAT DICHLORIDE | 6.21 | 2 | 6.00 | A |
| PERMETHRIN | 21.43 | 14 | 112.20 | A |
| PEROXYACETIC ACID | 10.33 | 6 | 19.47 | A |
| PIPERONYL BUTOXIDE | 1.71 | 1 | 6.75 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 0.43 | 1 | 6.75 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 1.83 | 18 | 79.45 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.06 | 1 | 3.00 | A |
| POLYBUTENES | 50.50 | 121 | 1,183.92 | A |
| POLYMERIZED PINENE | 119.26 | 9 | 87.25 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 42.71 | 89 | 443.25 | A |
| POTASH SOAP | 102.38 | 8 | 21.87 | A |
| POTASSIUM HYDROXIDE | 4.13 | 89 | 443.25 | A |
| POTASSIUM PHOSPHITE | 1,706.57 | 82 | 582.02 | A |
| POTASSIUM SILICATE | 44.54 | 11 | 31.00 | A |
| PROPIONIC ACID | 32.65 | 90 | 454.25 | A |
| PYRACLOSTROBIN | 2.85 | 2 | 19.25 | A |
| PYRETHRINS | 3.82 | 30 | 87.15 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.05 | 1 | 0.30 | A |
| REYNOUTRIA SACHALINENSIS | 38.70 | 50 | 202.81 | A |
| SODIUM POLYACRYLATE | 0.13 | 1 | 11.00 | A |
| SPINETORAM | 91.04 | 224 | 1,534.78 | A |
| SPINOSAD | 61.18 | 61 | 474.21 | A |
| SPIROMESIFEN | 1.70 | 1 | 13.00 | A |
| SPIROTETRAMAT | 95.21 | 166 | 1,217.83 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 16.00 | A |
| THIAMETHOXAM | 4.63 | 9 | 93.20 | A |
| THIRAM | 2,900.45 | | 580.32 | T |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 37.87 | 90 | 199.90 | A |
| Site Total | 13,193.55 | 3,204 | | |
| SQUASH | | | | |
| AZOXYSTROBIN | 0.28 | | 10.16 | T |
| (S)-CYPERMETHRIN | 1.42 | 5 | 30.75 | A |
| FLUDIOXONIL | 0.35 | | 5.99 | T |
| HYDROGEN PEROXIDE | 13.25 | 13 | 16.00 | A |
| MEFENOXAM | 0.36 | | 5.32 | T |
| MEFENOXAM, OTHER RELATED | 0.01 | | 5.32 | T |
| PERMETHRIN | 0.10 | 1 | 0.50 | A |
| POLY-I-PARA-MENTHENE | 14.32 | 5 | 30.75 | A |
| THIAMETHOXAM | 13.41 | | 4.22 | T |
| THIRAM | 315.28 | | 111.44 | T |
| Site Total | 358.78 | 24 | | |
| SQUASH, SUMMER | | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.05 | 1 | 14.00 | A |
| LECITHIN | 0.58 | 1 | 14.00 | A |
| METHYL SILICONE RESINS | < 0.01 | 1 | 14.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| OXAMYL | 1.99 | 1 | 14.00 | A |
| OXYFLUORFEN | 3.17 | 1 | 25.00 | A |
| PARAQUAT DICHLORIDE | 34.61 | 1 | 25.00 | A |
| PETROLEUM OIL, UNCLASSIFIED | 21.65 | 1 | 25.00 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 0.65 | 1 | 14.00 | A |
| POTASSIUM HYDROXIDE | 0.06 | 1 | 14.00 | A |
| POTASSIUM PHOSPHITE | 3.40 | 1 | 14.00 | A |
| PROPIONIC ACID | 0.43 | 1 | 14.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 1.75 | 1 | 14.00 | A |
| Site Total | 68.35 | 7 | | |
| STONE FRUIT | | | | |
| BENTONITE | 16.80 | 1 | 14.00 | A |
| CASEIN | 1.26 | 1 | 14.00 | A |
| COPPER OXIDE (OUS) | 71.32 | 4 | 15.64 | A |
| COPPER SULFATE (BASIC) | 79.24 | 1 | 14.00 | A |
| DIMETHYLPOLYSILOXANE | 1.23 | 10 | 9.40 | A |
| IRON PHOSPHATE | 0.19 | 1 | 2.00 | A |
| LACTOSE | 1.26 | 1 | 14.00 | A |
| MINERAL OIL | 292.15 | 1 | 14.00 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 4.85 | 10 | 9.40 | A |
| PYRETHRINS | 0.05 | 3 | 3.00 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.11 | 1 | 2.00 | A |
| SPINOSAD | 0.34 | 6 | 5.40 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 1.00 | A |
| SULFUR | 112.00 | 2 | 8.70 | A |
| Site Total | 580.80 | 30 | | |
| STRAWBERRY | | | | |
| ABAMECTIN | 143.28 | 292 | 9,253.49 | A |
| ACEQUINOCYL | 2,824.35 | 195 | 7,200.58 | A |
| ACETAMIPRID | 737.32 | 160 | 5,826.59 | A |
| ACETIC ACID | 0.82 | 3 | 42.00 | A |
| ACIBENZOLAR-S-METHYL | 10.95 | 12 | 468.00 | A |
| ACRYLAMIDE/SODIUM ACRYLATE COPOLYMER | 159.42 | 46 | 1,227.65 | A |
| ALPHA-ALKYLARYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 54.31 | 2 | 170.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 1,572.78 | 404 | 16,223.32 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 17.46 | 3 | 62.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 9,937.44 | 776 | 33,249.92 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 294.09 | 17 | 1,043.94 | A |
| ALPHA-ALKYL (C12-C15)-OMEGA-HYDROXYPOLY(OXYETHYLENE) SULFATE, SODIUM SALT | 4.14 | 2 | 63.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 653.05 | 829 | 40,973.63 | A |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | 151.84 | 57 | 1,055.21 | A |
| AMMONIUM PROPIONATE | 5,576.27 | 437 | 16,556.68 | A |
| AMMONIUM SULFATE | 1,394.07 | 437 | 16,556.68 | A |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14940 | 19.68 | 6 | 98.10 | A |
| AUREOBASIDIUM PULLULANS STRAIN DSM 14941 | 19.68 | 6 | 98.10 | A |
| AZADIRACTIN | 88.16 | 128 | 3,125.17 | A |
| AZOXYSTROBIN | 520.49 | 59 | 2,439.00 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 13,221.23 | 174 | 3,776.02 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| BACILLUS PUMILUS, STRAIN QST 2808 | 76.85 | 58 | 1,026.81 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | 18.36 | 4 | 18.36 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 16,925.67 | 626 | 21,246.10 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 433.22 | 18 | 693.89 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 3,963.55 | 177 | 4,713.34 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 55.10 | 5 | 110.27 | A |
| BENSULIDE | 23.80 | 1 | 34.00 | A |
| BETA-CONGLUTIN | 1,077.55 | 44 | 2,114.41 | A |
| BIFENAZATE | 4,773.54 | 254 | 9,799.58 | A |
| BIFENTHRIN | 1,068.08 | 263 | 10,373.21 | A |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 795.32 | 437 | 21,077.37 | A |
| BORAX | 7.49 | 15 | 696.43 | A |
| BOSCALID | 6,261.74 | 367 | 17,962.54 | A |
| BUPROFEZIN | 0.68 | 1 | 2.06 | A |
| CAPRIC ACID | 4.51 | 1 | 15.69 | A |
| CAPRYLIC ACID | 6.63 | 1 | 15.69 | A |
| CAPTAN | 168,183.71 | 1,508 | 75,236.80 | A |
| CAPTAN, OTHER RELATED | 1,228.58 | 514 | 27,328.50 | A |
| CHLORANTRANILIPROLE | 976.34 | 381 | 15,658.94 | A |
| CHLOROPICRIN | 1,674,697.71 | 239 | 9,496.24 | A |
| CHLORPYRIFOS | 1,311.82 | 38 | 1,372.67 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 376.92 | 23 | 455.30 | A |
| CITRIC ACID | 2,792.70 | 440 | 16,598.68 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 11,901.57 | 225 | 5,770.00 | A |
| COCONUT DIETHANOLAMIDE | 18.83 | 2 | 63.00 | A |
| COPPER HYDROXIDE | 19.66 | 2 | 38.23 | A |
| COPPER OCTANOATE | 911.83 | 40 | 1,003.96 | A |
| COPPER OXIDE (OUS) | 237.52 | 3 | 214.00 | A |
| CYFLUFENAMID | 179.81 | 181 | 7,857.85 | A |
| CYFLUMETOFEN | 1,755.50 | 264 | 9,786.97 | A |
| CYPRODINIL | 8,572.49 | 559 | 27,076.68 | A |
| 1,3-DICHLOROPROPENE | 188,807.05 | 39 | 1,456.22 | A |
| DIETHYLENE GLYCOL | 97.53 | 22 | 1,175.87 | A |
| DIFENOCONAZOLE | 78.11 | 14 | 764.39 | A |
| DIMETHYLPOLYSILOXANE | 3,666.99 | 852 | 40,364.21 | A |
| DIMETHYL SILICONE FLUID EMULSION | 0.20 | 1 | 15.50 | A |
| DIPHACINONE | < 0.01 | 2 | 198.00 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 4,062.34 | 798 | 34,469.23 | A |
| ETHYLENE GLYCOL | 3,849.73 | 75 | 6,663.53 | A |
| ETOXAZOLE | 45.17 | 16 | 334.53 | A |
| FATTY ACIDS, MIXED | 63.37 | 58 | 2,817.98 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 2,157.50 | 233 | 10,802.99 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 117.64 | 17 | 1,043.94 | A |
| FENHEXAMID | 11,314.60 | 335 | 16,626.90 | A |
| FENPROPATHRIN | 1,250.94 | 120 | 4,647.90 | A |
| FENPYROXIMATE | 63.70 | 25 | 665.76 | A |
| FLONICAMID | 1,037.08 | 274 | 11,992.10 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| FLUBENDIAMIDE | 106.83 | 41 | 1,389.48 | A |
| FLUDIOXONIL | 5,714.99 | 559 | 27,076.68 | A |
| FLUMIOXAZIN | 300.05 | 65 | 3,996.00 | A |
| FLUOPYRAM | 100.22 | 30 | 900.86 | A |
| FLUPYRADIFURONE | 348.16 | 51 | 2,117.29 | A |
| FLUTRIAFOL | 15.50 | 2 | 136.33 | A |
| FLUXAPYROXAD | 1,492.79 | 187 | 8,899.27 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 463.99 | 5 | 87.00 | A |
| GLYPHOSATE, POTASSIUM SALT | 15.17 | 3 | 6.25 | A |
| HEXYTHIAZOX | 960.49 | 116 | 5,146.53 | A |
| HYDROGEN PEROXIDE | 2,983.89 | 44 | 1,032.84 | A |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | 548.71 | 62 | 1,184.16 | A |
| IMIDACLOPRID | 1,581.37 | 54 | 3,192.66 | A |
| ISODECYL ALCOHOL | 13.58 | 2 | 170.00 | A |
| ALPHA-ISODECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | 1,892.80 | 107 | 5,483.77 | A |
| ISOPROPYL ALCOHOL | 706.73 | 75 | 6,663.53 | A |
| LAURIC ACID | 3.77 | 2 | 63.00 | A |
| LECITHIN | 9,964.38 | 1,053 | 53,548.76 | A |
| MALATHION | 18,837.65 | 187 | 9,641.23 | A |
| MARGOSA OIL | 1,241.94 | 38 | 800.43 | A |
| MEFENOXAM | 1,428.77 | 66 | 3,823.30 | A |
| METAM-SODIUM | 134,526.76 | 12 | 593.90 | A |
| METHOXYFENOZIDE | 1,851.87 | 190 | 9,487.68 | A |
| METHYLATED SOYBEAN OIL | 1,288.89 | 174 | 10,162.02 | A |
| METHYL BROMIDE | 150,475.61 | 18 | 976.50 | A |
| METHYL SILICONE RESINS | 1,529.13 | 428 | 14,992.26 | A |
| MINERAL OIL | 3,996.43 | 802 | 34,265.42 | A |
| MSMA | 339.47 | 2 | 75.00 | A |
| MYCLOBUTANIL | 1,283.92 | 268 | 12,177.39 | A |
| NALED | 2,054.62 | 65 | 2,160.72 | A |
| NAPROPAMIDE | 1,154.25 | 9 | 498.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 711.98 | 233 | 10,802.99 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 2,430.32 | 167 | 11,416.45 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 6,071.02 | 509 | 21,568.68 | A |
| NOVALURON | 1,452.07 | 404 | 18,713.42 | A |
| OLEIC ACID | 70.09 | 31 | 931.16 | A |
| OLEIC ACID, METHYL ESTER | 81.46 | 3 | 62.00 | A |
| OXYFLUORFEN | 1,992.10 | 118 | 6,207.89 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 93.46 | 14 | 235.07 | A |
| PARAQUAT DICHLORIDE | 42.75 | 3 | 62.00 | A |
| PENDIMETHALIN | 10,089.82 | 127 | 7,857.32 | A |
| PENTHIOPYRAD | 1,564.31 | 134 | 5,525.93 | A |
| PEROXYACETIC ACID | 462.70 | 36 | 774.46 | A |
| PETROLEUM DISTILLATES, ALIPHATIC | 9.56 | 46 | 1,227.65 | A |
| PETROLEUM NAPHTHENIC OILS | 111.59 | 46 | 1,227.65 | A |
| PIPERONYL BUTOXIDE | 21.47 | 2 | 50.72 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 0.34 | 1 | 10.72 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 30.83 | 35 | 1,172.91 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 1,190.31 | 266 | 15,026.91 | A |
| POLYBUTENES | 391.94 | 233 | 10,802.99 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| POLY(OXY-1,2-ETHANEDIYL), ALPHA-ISODECYL-OMEGA- HYDROXY-PHOSPHATE, POTASSIUM SALT | 688.29 | 107 | 5,483.77 | A |
| POLYETHER MODIFIED POLYSILOXANE | 1,708.46 | 483 | 17,753.03 | A |
| POLYETHYLENE GLYCOL DIACETATE | 13.80 | 57 | 1,055.21 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 2,613.81 | 299 | 18,336.35 | A |
| POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM) | 3.46 | 49 | 761.30 | A |
| POLY-I-PARA-MENTHENE | 195.51 | 9 | 723.98 | A |
| POLYMERIZED PINENE | 809.42 | 18 | 919.00 | A |
| POLYOXIN D, ZINC SALT | 103.85 | 46 | 2,377.52 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 2,332.74 | 332 | 12,104.92 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 11,512.39 | 827 | 35,048.54 | A |
| POLYSILOXANE | 18.35 | 497 | 28,868.71 | A |
| POTASH SOAP | 1,207.83 | 7 | 165.47 | A |
| POTASSIUM BICARBONATE | 1,979.97 | 55 | 794.31 | A |
| POTASSIUM HYDROXIDE | 763.05 | 829 | 40,973.63 | A |
| POTASSIUM N-METHYLDITHIOCARBAMATE | 18,574.02 | 4 | 117.00 | A |
| POTASSIUM PHOSPHITE | 1,585.20 | 10 | 494.50 | A |
| PROPICONAZOLE | 168.80 | 38 | 1,516.84 | A |
| PROPIONIC ACID | 5,640.59 | 880 | 43,500.74 | A |
| PROPYLENE GLYCOL | 1,556.13 | 466 | 28,057.35 | A |
| PYRACLOSTROBIN | 4,689.59 | 561 | 26,956.31 | A |
| PYRETHRINS | 17.77 | 32 | 460.95 | A |
| PYRIMETHANIL | 1,061.51 | 69 | 3,325.91 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 99.45 | 63 | 1,090.57 | A |
| QUINOXYFEN | 1,651.54 | 333 | 17,545.80 | A |
| REYNOUTRIA SACHALINENSIS | 197.40 | 59 | 971.65 | A |
| SODIUM POLYACRYLATE | 156.56 | 437 | 16,556.68 | A |
| SPINETORAM | 912.48 | 261 | 12,550.84 | A |
| SPINOSAD | 307.13 | 135 | 3,207.72 | A |
| SPIROMESIFEN | 898.33 | 94 | 3,661.84 | A |
| STARCH | 0.05 | 2 | 227.50 | A |
| STREPTOMYCES LYDICUS WYEC 108 | 0.27 | 46 | 1,221.93 | A |
| STYRENE BUTADIENE COPOLYMER | 1,111.07 | 192 | 12,683.50 | A |
| SULFENTRAZONE | 237.16 | 24 | 1,139.25 | A |
| SULFUR | 94,690.15 | 774 | 38,446.28 | A |
| TALL OIL FATTY ACIDS | 85.43 | 206 | 10,444.38 | A |
| TETRACONAZOLE | 188.20 | 97 | 4,615.65 | A |
| THIAMETHOXAM | 96.09 | 47 | 1,331.61 | A |
| THIOPHANATE-METHYL | 761.15 | 24 | 989.36 | A |
| THIRAM | 10,918.98 | 94 | 4,765.12 | A |
| TRIFLOXYSTROBIN | 125.40 | 41 | 1,165.01 | A |
| TRIFLUMIZOLE | 4,413.71 | 415 | 18,808.39 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 3,124.07 | 462 | 27,824.35 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 6,806.33 | 673 | 39,139.60 | A |
| Site Total | 2,720,736.12 | 16,974 | | |
| STRUCTURAL PEST CONTROL | | | | |
| ABAMECTIN | 0.06 | | | |
| ABAMECTIN, OTHER RELATED | < 0.01 | | | |
| ACEPHATE | 40.68 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| ACETAMIPRID | 20.45 | | | |
| ACIBENZOLAR-S-METHYL | < 0.01 | | | |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | 444.10 | | | |
| ALKYL (60%C14, 30%C16, 5%C12, 5%C18) DIMETHYLBENZYL AMMONIUM CHLORIDE | < 0.01 | | | |
| ALKYL (68%C12, 32%C14) DIMETHYLETHYLBENZYL AMMONIUM CHLORIDE | < 0.01 | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | < 0.01 | | | |
| ALKYL(42%C12, 26%C18, 15%C14, 8%C16, 5%C10, 4%C8)1,3-PROPYLENEDIAMINE | 0.06 | | | |
| D-TRANS ALLETHRIN | 0.46 | | | |
| ALUMINUM PHOSPHIDE | 5.80 | | | |
| 4-AMINOPYRIDINE | 0.02 | | | |
| AMMONIUM NITRATE | < 0.01 | | | |
| AMMONIUM SULFATE | < 0.01 | | | |
| AZOXYSTROBIN | 4.46 | | | |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 7.02 | | | |
| BIFENTHRIN | 1,123.58 | | | |
| BORAX | 10.29 | | | |
| BORIC ACID | 7,363.91 | | | |
| BRODIFACOU | 0.11 | | | |
| BROMADIOLONE | 0.85 | | | |
| BROMETHALIN | 0.21 | | | |
| CAPSICUM OLEORESIN | < 0.01 | | | |
| CARBARYL | < 0.01 | | | |
| CARBON | 0.06 | | | |
| CHLORANTRANILIPROLE | 7.10 | | | |
| CHLORFENAPYR | 1,046.87 | | | |
| CHLORINE DIOXIDE | < 0.01 | | | |
| CHLOROPHACINONE | < 0.01 | | | |
| CHLOROTHALONIL | 2.67 | | | |
| CHLORPYRIFOS | 0.31 | | | |
| CHOLECALCIFEROL | 0.43 | | | |
| CLOTHIANIDIN | 0.63 | | | |
| COCONUT DIETHANOLAMIDE | < 0.01 | | | |
| COPPER NAPHTHENATE | < 0.01 | | | |
| CYFLUTHRIN | 196.84 | | | |
| BETA-CYFLUTHRIN | 140.41 | | | |
| CYPERMETHRIN | 66.36 | | | |
| (S)-CYPERMETHRIN | 0.04 | | | |
| DDVP | 0.09 | | | |
| DDVP, OTHER RELATED | < 0.01 | | | |
| DELTAMETHRIN | 89.86 | | | |
| DIATOMACEOUS EARTH | 17.69 | | | |
| DIAZINON | 0.36 | | | |
| 2,2-DIBROMO-3-NITRILOPROPIONAMIDE | 13.23 | | | |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | 0.02 | | | |
| DIFETHIALONE | 0.16 | | | |
| DIFLUBENZURON | < 0.01 | | | |
| DIMETHOATE | 10.16 | | | |
| DIMETHYLPOLYSILOXANE | < 0.01 | | | |
| DINOTEFURAN | 28.00 | | | |
| DIPHACINONE | 0.11 | | | |

Department of Pesticide Regulation
 2016 Annual Statewide Pesticide Use Report Indexed by Commodity
 Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------------------|----------------|------------------------------|-------------------|--------------|
| DIPHACINONE, SODIUM SALT | < 0.01 | | | |
| DIQUAT DIBROMIDE | < 0.01 | | | |
| DISODIUM OCTABORATE TETRAHYDRATE | 4,711.72 | | | |
| DODECYLBENZENE SULFONIC ACID | < 0.01 | | | |
| EDTA, TETRASODIUM SALT | < 0.01 | | | |
| ENDOTHALL, DIPOTASSIUM SALT | 285.56 | | | |
| ESFENVALERATE | 15.74 | | | |
| ETOFENPROX | 11.03 | | | |
| FENAMIPHOS | 0.09 | | | |
| FERRIC SODIUM EDTA | 0.02 | | | |
| FIPRONIL | 481.48 | | | |
| FLUAZINAM | 2.74 | | | |
| GLUTARALDEHYDE | 222.06 | | | |
| GLYPHOSATE, MONOAMMONIUM SALT | 0.09 | | | |
| GLYPHOSATE, POTASSIUM SALT | 90.35 | | | |
| HEXAFLUMURON | < 0.01 | | | |
| HYDRAMETHYLNON | 3.01 | | | |
| HYDROPRENE | 37.67 | | | |
| IMIDACLOPRID | 469.61 | | | |
| INDOXACARB | 207.51 | | | |
| IRON PHOSPHATE | 8.41 | | | |
| ISOPROPYL ALCOHOL | 9.37 | | | |
| LAMBDA-CYHALOTHRIN | 73.73 | | | |
| LIMONENE | 1,685.60 | | | |
| MARGOSA OIL | 0.32 | | | |
| METALDEHYDE | 17.58 | | | |
| METHOMYL | 0.01 | | | |
| METHOPRENE | 4.48 | | | |
| S-METHOPRENE | 0.34 | | | |
| METHYL ANTHRANILATE | 0.03 | | | |
| METOFLUTHRIN | 0.01 | | | |
| MUSCALURE | 0.03 | | | |
| NOVALURON | 0.77 | | | |
| NOVIFLUMURON | 0.53 | | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | 99.55 | | | |
| PERMETHRIN | 612.48 | | | |
| PERMETHRIN, OTHER RELATED | 0.01 | | | |
| PETROLEUM DISTILLATES | 25.13 | | | |
| PHENOTHRIN | 3.59 | | | |
| PHENYLETHYL PROPIONATE | 1.50 | | | |
| PHOSPHORIC ACID | < 0.01 | | | |
| PIPERONYL BUTOXIDE | 234.61 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | 19.40 | | | |
| POLYBUTENES | 0.61 | | | |
| POTASH SOAP | 0.41 | | | |
| PRALLETHRIN | 3.37 | | | |
| PRODIAMINE | < 0.01 | | | |
| PROPOXUR | 0.67 | | | |
| PYRETHRINS | 45.35 | | | |
| PYRIPROXYFEN | 13.75 | | | |
| RESMETHRIN | < 0.01 | | | |
| SILICA AEROGEL | 33.85 | | | |
| SILICONE DEFOAMER | < 0.01 | | | |
| SODIUM BROMIDE | 113.46 | | | |
| SODIUM DECYL SULFATE | 13.00 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| SODIUM HYPOCHLORITE | 78.18 | | | |
| SODIUM LAUROAMPHO ACETATE | 9.81 | | | |
| SODIUM LAURYL SULFATE | 6.67 | | | |
| SODIUM NITRATE | 0.31 | | | |
| SODIUM PERSULFATE | 0.08 | | | |
| SODIUM XYLENE SULFONATE | < 0.01 | | | |
| SPINOSAD | < 0.01 | | | |
| STRYCHNINE | 0.53 | | | |
| SULFAQUINOXALINE | < 0.01 | | | |
| SULFLURAMID | < 0.01 | | | |
| SULFUR | 0.24 | | | |
| SULFURYL FLUORIDE | 98,867.20 | | | |
| TEBUFENOZIDE | 12.88 | | | |
| Z,E-9,12-TETRADECADIEN-1-YL ACETATE | < 0.01 | | | |
| TETRAMETHRIN | < 0.01 | | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]- OMEGA-HYDROXYPOLY(OXYETHYLENE) | < 0.01 | | | |
| TETRAPOTASSIUM PYROPHOSPHATE | < 0.01 | | | |
| THIABENDAZOLE | 5.80 | | | |
| THIAMETHOXAM | 5.16 | | | |
| THYME | 2.38 | | | |
| TRIETHANOLAMINE | < 0.01 | | | |
| WARFARIN | < 0.01 | | | |
| ZINC PHOSPHIDE | 1.42 | | | |
| DISODIUM LAURYL SULFOSUCCINATE | 0.04 | | | |
| Site Total | 119,194.89 | | | |
| SWISS CHARD | | | | |
| ABAMECTIN | 1.19 | 16 | 79.10 | A |
| ACETAMIPRID | 2.18 | 15 | 34.05 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7.19 | 12 | 22.31 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 43.72 | 39 | 124.65 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.09 | 4 | 7.60 | A |
| AMETOCTRADIN | 1.00 | 4 | 3.68 | A |
| AZADIRACTIN | 4.18 | 90 | 223.72 | A |
| AZOXYSTROBIN | 0.31 | 1 | 1.20 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 26.30 | 16 | 57.31 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 54.52 | 37 | 77.81 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 17.13 | 4 | 19.59 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 38.28 | 81 | 251.59 | A |
| BIFENTHRIN | 0.89 | 4 | 9.00 | A |
| CAPTAN | 0.13 | 1 | 0.10 | A |
| CAPTAN, OTHER RELATED | < 0.01 | 1 | 0.10 | A |
| CHLORANTRANILIPROLE | 6.09 | 32 | 109.78 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 9.30 | 2 | 10.28 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 29.86 | 4 | 13.46 | A |
| CLOTHIANIDIN | 15.07 | 14 | 75.23 | A |
| COPPER HYDROXIDE | 0.03 | 1 | 0.10 | A |
| COPPER OCTANOATE | 264.27 | 68 | 211.81 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| COPPER OXYCHLORIDE | 0.03 | 1 | 0.10 | A |
| CYANTRANILIPROLE | 6.05 | 17 | 53.18 | A |
| BETA-CYFLUTHRIN | 0.56 | 3 | 13.10 | A |
| (S)-CYPERMETHRIN | 6.12 | 59 | 140.41 | A |
| CYROMAZINE | 5.36 | 9 | 45.51 | A |
| DIETHYLENE GLYCOL | 0.67 | 5 | 5.52 | A |
| DIMETHOATE | 12.33 | 11 | 51.75 | A |
| DIMETHOMORPH | 0.75 | 4 | 3.68 | A |
| DIMETHYLPOLYSILOXANE | 6.40 | 31 | 97.13 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.01 | 1 | 0.75 | A |
| EMAMECTIN BENZOATE | 0.51 | 11 | 51.55 | A |
| FATTY ACIDS, MIXED | 1.21 | 10 | 10.77 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 17.49 | 39 | 124.65 | A |
| FENAMIDONE | 1.80 | 18 | 5.84 | A |
| FLONICAMID | 9.50 | 31 | 112.63 | A |
| FLUBENDIAMIDE | 0.56 | 3 | 12.17 | A |
| FLUDIOXONIL | 0.81 | 3 | 3.68 | A |
| FLUOPICOLIDE | 0.23 | 1 | 1.84 | A |
| FLUOPYRAM | 0.22 | 1 | 1.80 | A |
| FLUPYRADIFURONE | 7.48 | 12 | 43.74 | A |
| FLUXAPYROXAD | 3.62 | 4 | 20.34 | A |
| FOSETYL-AL | 13.00 | 13 | 3.25 | A |
| IMIDACLOPRID | 0.05 | 4 | 1.00 | A |
| KAOLIN | 459.56 | 10 | 17.88 | A |
| LECITHIN | 170.03 | 89 | 373.20 | A |
| MALATHION | 0.77 | 1 | 12.00 | A |
| MANDIPROPAMID | 0.95 | 5 | 7.17 | A |
| METHOMYL | 0.68 | 1 | 0.75 | A |
| METHOXYFENOZIDE | 20.89 | 44 | 159.74 | A |
| METHYLATED SOYBEAN OIL | 84.25 | 80 | 360.35 | A |
| METHYL SILICONE RESINS | 0.34 | 5 | 12.76 | A |
| MINERAL OIL | 0.08 | 1 | 0.75 | A |
| NALED | 2.01 | 2 | 6.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 45.62 | 49 | 135.42 | A |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | 72.41 | 43 | 201.94 | A |
| PENTHIOPYRAD | 24.72 | 18 | 79.89 | A |
| PERMETHRIN | 16.88 | 56 | 143.43 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 1.82 | 8 | 17.05 | A |
| POLY-I-PARA-MENTHENE | 2.80 | 3 | 5.16 | A |
| POLYMERIZED PINENE | 0.22 | 1 | 0.75 | A |
| POLYOXIN D, ZINC SALT | 0.20 | 7 | 35.25 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 1.04 | 4 | 7.60 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 12.24 | 18 | 81.12 | A |
| POTASH SOAP | 230.77 | 8 | 32.97 | A |
| POTASSIUM BICARBONATE | 27.07 | 3 | 11.00 | A |
| POTASSIUM HYDROXIDE | 0.10 | 4 | 7.60 | A |
| POTASSIUM PHOSPHITE | 62.41 | 13 | 14.67 | A |
| POTASSIUM SILICATE | 35.01 | 3 | 14.60 | A |
| PROPICONAZOLE | 11.29 | 23 | 103.72 | A |
| PROPIONIC ACID | 1.30 | 9 | 12.85 | A |
| PROPYLENE GLYCOL | 0.70 | 4 | 8.65 | A |
| PYMETROZINE | 0.02 | 1 | 0.25 | A |
| PYRACLOSTROBIN | 22.84 | 32 | 120.93 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| PYRETHRINS | 4.51 | 26 | 88.50 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.32 | 15 | 3.75 | A |
| REYNOUTRIA SACHALINENSIS | 1.84 | 2 | 10.13 | A |
| SETHOXYDIM | 0.53 | 2 | 6.00 | A |
| SPINETORAM | 8.60 | 37 | 138.34 | A |
| SPINOSAD | 12.66 | 49 | 141.22 | A |
| SPIROTETRAMAT | 8.55 | 42 | 109.87 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 1.00 | A |
| STYRENE BUTADIENE COPOLYMER | 0.95 | 4 | 8.65 | A |
| SULFUR | 253.29 | 25 | 106.35 | A |
| THIAMETHOXAM | 5.54 | 28 | 130.11 | A |
| TRIFLOXYSTROBIN | 7.44 | 21 | 90.11 | A |
| TRIFLUMIZOLE | 22.01 | 34 | 103.59 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 0.44 | 4 | 8.65 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 85.98 | 85 | 365.87 | A |
| Site Total | 2,338.13 | 1,321 | | |
| TANGELO | | | | |
| ABAMECTIN | 0.26 | 2 | 15.00 | A |
| MINERAL OIL | 263.91 | 3 | 22.50 | A |
| PETROLEUM OIL, UNCLASSIFIED | 87.84 | 2 | 10.00 | A |
| PYRETHRINS | 0.08 | 1 | 2.50 | A |
| PYRIPROXYFEN | 1.07 | 1 | 10.00 | A |
| SPINETORAM | 0.47 | 1 | 10.00 | A |
| THIAMETHOXAM | 0.31 | 1 | 5.00 | A |
| Site Total | 353.95 | 11 | | |
| TANGERINE | | | | |
| ABAMECTIN | 14.06 | 82 | 816.49 | A |
| ACETAMIPRID | 1.26 | 1 | 17.00 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 10.64 | 7 | 68.00 | A |
| AMMONIUM PROPIONATE | 152.73 | 7 | 162.00 | A |
| AMMONIUM SULFATE | 38.18 | 7 | 162.00 | A |
| BENTONITE | 323.71 | 11 | 349.37 | A |
| BIFENTHRIN | 0.02 | 1 | 5.50 | A |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 6.10 | 21 | 85.25 | A |
| BROMACIL | 3.58 | 4 | 21.48 | A |
| CALCIUM HYDROXIDE | 3,396.24 | 10 | 336.87 | A |
| CARFENTRAZONE-ETHYL | 0.44 | 10 | 62.00 | A |
| CASEIN | 24.10 | 11 | 349.37 | A |
| CHLORANTRANILIPROLE | 7.15 | 3 | 74.09 | A |
| CHLORPYRIFOS | 295.86 | 10 | 105.30 | A |
| CITRIC ACID | 76.37 | 7 | 162.00 | A |
| COPPER HYDROXIDE | 51.95 | 6 | 43.00 | A |
| COPPER SULFATE (BASIC) | 987.64 | 5 | 306.37 | A |
| BETA-CYFLUTHRIN | 2.60 | 7 | 161.13 | A |
| (S)-CYPERMETHRIN | 73.84 | 24 | 1,613.25 | A |
| 2,4-D, DIMETHYLAMINE SALT | 0.73 | 1 | 14.50 | A |
| 2,4-D, ISOPROPYL ESTER | 3.10 | 3 | 42.50 | A |
| DIFLUBENZURON | 2.03 | 1 | 13.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| DIMETHYLPOLYSILOXANE | 9.35 | 26 | 1,065.11 | A |
| DIPHACINONE | 0.01 | 12 | 71.50 | A |
| DIURON | 1.82 | 4 | 21.48 | A |
| ETHYLENE GLYCOL | 11.04 | 12 | 80.90 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 22.76 | 21 | 85.25 | A |
| FENPROPATHRIN | 5.94 | 10 | 17.33 | A |
| FERRIC SODIUM EDTA | 22.50 | 1 | 23.00 | A |
| GIBBERELLINS | 8.65 | 6 | 303.77 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,208.07 | 134 | 1,007.34 | A |
| GLYPHOSATE, POTASSIUM SALT | 2,845.02 | 87 | 2,669.65 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 27.73 | 6 | 383.87 | A |
| HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED | 0.70 | 1 | 3.80 | A |
| IMIDACLOPRID | 183.98 | 15 | 427.50 | A |
| INDAZIFLAM | 19.57 | 15 | 438.85 | A |
| ISOPROPYL ALCOHOL | 2.01 | 12 | 80.90 | A |
| LACTOSE | 24.23 | 11 | 349.37 | A |
| LECITHIN | 193.92 | 10 | 110.33 | A |
| MALATHION | 15.37 | 1 | 10.00 | A |
| MEFENOXAM | 21.56 | 1 | 41.99 | A |
| MESOTRIONE | 12.00 | 3 | 64.00 | A |
| METALDEHYDE | 215.31 | 24 | 1,340.78 | A |
| METHYLATED SOYBEAN OIL | 101.94 | 11 | 114.13 | A |
| MINERAL OIL | 18,347.67 | 151 | 1,172.41 | A |
| MODIFIED PHTHALIC GLYCEROL ALKYD RESIN | 223.71 | 21 | 1,134.02 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 7.72 | 21 | 85.25 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.42 | 16 | 90.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 198.49 | 12 | 247.00 | A |
| NORFLURAZON | 252.31 | 54 | 172.00 | A |
| OLEIC ACID, METHYL ESTER | 352.38 | 19 | 968.11 | A |
| PETROLEUM DISTILLATES | 1.51 | 3 | 5.50 | A |
| PETROLEUM OIL, UNCLASSIFIED | 2,062.16 | 43 | 284.26 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 4.11 | 3 | 24.00 | A |
| POLYBUTENES | 4.06 | 21 | 85.25 | A |
| POLYETHER MODIFIED POLYSILOXANE | 12.22 | 7 | 23.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 25.30 | 13 | 584.24 | A |
| POLYOXYETHYLENE POLYOXYPROPYLENE | 3.96 | 2 | 12.00 | A |
| POLYSACCHARIDE POLYMER | 0.54 | 1 | 19.10 | A |
| POTASSIUM PHOSPHITE | 1,652.16 | 8 | 519.87 | A |
| PYRETHRINS | 4.09 | 17 | 113.00 | A |
| PYRIDABEN | 121.11 | 5 | 251.70 | A |
| PYRIPROXYFEN | 1.19 | 2 | 11.00 | A |
| RIMSULFURON | 21.49 | 6 | 348.36 | A |
| SAFLUFENACIL | 4.23 | 77 | 228.30 | A |
| SIMAZINE | 0.45 | 1 | 1.00 | A |
| SODIUM POLYACRYLATE | 3.82 | 7 | 162.00 | A |
| SPINETORAM | 35.78 | 23 | 349.30 | A |
| SPINOSAD | 5.40 | 16 | 42.35 | A |
| SPIRODICLOFEN | 4.66 | 2 | 15.50 | A |
| SPIROTETRAMAT | 40.71 | 14 | 278.23 | A |
| STRYCHNINE | 0.01 | 6 | 13.65 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| TALL OIL FATTY ACIDS | 0.15 | 1 | 3.80 | A |
| THIAMETHOXAM | 104.42 | 92 | 1,647.58 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 64.82 | 19 | 968.11 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 9.20 | 5 | 25.33 | A |
| Site Total | 34,001.09 | 1,106 | | |
| TARRAGON | | | | |
| ABAMECTIN | 0.02 | 2 | 1.40 | A |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 0.20 | 1 | 0.70 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 0.70 | 2 | 1.40 | A |
| AZADIRACTIN | 0.07 | 3 | 2.70 | A |
| AZOXYSTROBIN | 0.67 | 4 | 2.80 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 0.45 | 3 | 2.30 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 0.41 | 1 | 0.70 | A |
| BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES | 0.54 | 1 | 0.70 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.76 | 8 | 7.60 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 0.38 | 2 | 1.70 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 9.55 | 3 | 4.00 | A |
| CLETHODIM | 0.18 | 2 | 1.40 | A |
| COPPER OCTANOATE | 0.83 | 1 | 2.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 0.28 | 2 | 1.40 | A |
| IMIDACLOPRID | 0.16 | 4 | 2.85 | A |
| LECITHIN | 0.22 | 1 | 0.70 | A |
| METHOXYFENOZIDE | 0.10 | 1 | 0.70 | A |
| METHYLATED SOYBEAN OIL | 0.11 | 1 | 0.70 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) | 0.70 | 2 | 1.40 | A |
| POLY-I-PARA-MENTHENE | 0.51 | 2 | 1.40 | A |
| POTASH SOAP | 2.18 | 1 | 1.00 | A |
| POTASSIUM BICARBONATE | 9.84 | 2 | 4.00 | A |
| PYRETHRINS | 0.20 | 4 | 6.00 | A |
| REYNOUTRIA SACHALINENSIS | 2.86 | 9 | 12.80 | A |
| SPINETORAM | 0.14 | 3 | 2.10 | A |
| SPINOSAD | 0.45 | 5 | 12.50 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 0.11 | 1 | 0.70 | A |
| Site Total | 32.62 | 65 | | |
| THYME | | | | |
| AZADIRACTIN | 0.06 | 3 | 4.09 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 1.50 | 1 | 2.00 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 3.82 | 1 | 1.00 | A |
| POTASSIUM BICARBONATE | 7.38 | 1 | 3.00 | A |
| PYRETHRINS | 0.29 | 7 | 7.59 | A |
| SPINOSAD | 0.29 | 2 | 5.00 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 1 | 1.00 | A |
| Site Total | 13.34 | 15 | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| TOMATO | | | | |
| ABAMECTIN | 3.36 | 27 | 182.85 | A |
| ACEQUINOCYL | 59.35 | 25 | 153.00 | A |
| ACETAMIPRID | 41.09 | 34 | 319.45 | A |
| ACIBENZOLAR-S-METHYL | 0.54 | 8 | 23.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 0.29 | 2 | 7.50 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 5.01 | 1 | 13.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 0.16 | 2 | 12.00 | A |
| AMETOCTRADIN | 4.24 | 1 | 15.50 | A |
| AMMONIUM PROPIONATE | 6.84 | 2 | 14.50 | A |
| AMMONIUM SULFATE | 1.71 | 2 | 14.50 | A |
| AZADIRACTIN | 22.80 | 86 | 858.48 | A |
| AZOXYSTROBIN | 10.24 | 12 | 93.00 | A |
| | < 0.01 | | 0.11 | T |
| Total Pounds On This Chemical | 10.25 | | | |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 7.71 | 2 | 7.50 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 82.58 | 20 | 101.60 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 1.34 | 5 | 35.50 | A |
| BEAUVERIA BASSIANA STRAIN GHA | 189.88 | 49 | 633.09 | A |
| BETA-CONGLUTIN | 8.87 | 1 | 15.50 | A |
| BIFENAZATE | 11.10 | 5 | 28.95 | A |
| BIFENTHRIN | 16.62 | 26 | 206.50 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 3.90 | 5 | 31.00 | A |
| BOSCALID | 31.86 | 11 | 85.30 | A |
| BUPROFEZIN | 286.34 | 76 | 735.75 | A |
| CAPSICUM OLEORESIN | 21.31 | 59 | 343.45 | A |
| CHENOPODIUM AMBROSIOIDES NEAR AMBROSIOIDES | 1,480.45 | 59 | 635.25 | A |
| CHLORANTRANILIPROLE | 2.30 | 5 | 21.00 | A |
| CHLORFENAPYR | 6.50 | 6 | 32.90 | A |
| CHLOROPICRIN | 2,031.55 | 2 | 16.00 | A |
| CHLOROTHALONIL | 519.64 | 45 | 328.00 | A |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | 2.06 | 1 | 2.50 | A |
| CITRIC ACID | 3.42 | 2 | 14.50 | A |
| CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL | 19.61 | 3 | 5.11 | A |
| CLOTHIANIDIN | 4.38 | 7 | 51.00 | A |
| COPPER HYDROXIDE | 13.31 | 11 | 23.02 | A |
| COPPER OCTANOATE | 25.43 | 6 | 33.00 | A |
| COPPER OXYCHLORIDE | 0.06 | 2 | 0.02 | A |
| CYANTRANILIPROLE | 18.32 | 21 | 137.32 | A |
| CYAZOFAMID | 11.28 | 14 | 125.50 | A |
| CYFLUMETOFEN | 2.65 | 2 | 14.50 | A |
| CYFLUTHRIN | 8.16 | 18 | 183.50 | A |
| BETA-CYFLUTHRIN | 3.47 | 20 | 135.50 | A |
| CYMOXANIL | 4.88 | 12 | 39.00 | A |
| (S)-CYPERMETHRIN | 14.60 | 34 | 273.50 | A |
| CYPRODINIL | 79.24 | 27 | 233.60 | A |
| CYROMAZINE | 1.50 | 1 | 12.00 | A |
| 1,3-DICHLOROPROPENE | 1,331.63 | 2 | 16.00 | A |
| DIETHYLENE GLYCOL | 31.55 | 44 | 419.00 | A |
| DIFENOCONAZOLE | 16.02 | 19 | 172.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| DIMETHOMORPH | 5.15 | 3 | 25.50 | A |
| DIMETHYLPOLYSILOXANE | 11.21 | 64 | 554.00 | A |
| DINOTEFURAN | 11.98 | 9 | 67.82 | A |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.02 | 2 | 7.50 | A |
| EMAMECTIN BENZOATE | 0.31 | 3 | 25.50 | A |
| ETHEPHON | 112.99 | 40 | 158.70 | A |
| ETHYLENE GLYCOL | 37.70 | 11 | 81.00 | A |
| ETOXAZOLE | 12.21 | 18 | 125.30 | A |
| FAMOXADONE | 4.88 | 12 | 39.00 | A |
| FATTY ACIDS, MIXED | 56.18 | 44 | 419.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 14.54 | 5 | 31.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 2.00 | 1 | 13.00 | A |
| FENHEXAMID | 12.19 | 3 | 25.20 | A |
| FENPYROXIMATE | 8.97 | 15 | 81.70 | A |
| FLONICAMID | 79.75 | 60 | 546.94 | A |
| FLUBENDIAMIDE | 1.88 | 4 | 44.00 | A |
| FLUDIOXONIL | 52.83 | 27 | 233.60 | A |
| | < 0.01 | | 0.11 | T |
| Total Pounds On This Chemical | 52.84 | | | |
| FLUOPICOLIDE | 13.82 | 10 | 113.50 | A |
| FLUOPYRAM | 8.22 | 7 | 63.95 | A |
| FLUPYRADIFURONE | 78.96 | 50 | 426.55 | A |
| GARLIC | 65.61 | 59 | 343.45 | A |
| GLIOCLADIUM VIRENS GL-21 (SPORES) | 3.00 | 2 | 5.00 | A |
| HEXYTHIAZOX | 6.62 | 18 | 99.80 | A |
| HYDROGEN PEROXIDE | 727.02 | 51 | 243.40 | A |
| IMIDACLOPRID | 24.26 | 17 | 93.50 | A |
| INDOXACARB | 2.03 | 2 | 31.00 | A |
| ISOPROPYL ALCOHOL | 6.86 | 11 | 81.00 | A |
| LECITHIN | 3.64 | 4 | 19.50 | A |
| MALATHION | 6.13 | 1 | 6.00 | A |
| MANCOZEB | 90.75 | 20 | 95.50 | A |
| MANDIPROPAMID | 10.75 | 12 | 94.50 | A |
| MEFENOXAM | 14.77 | 9 | 50.50 | A |
| | < 0.01 | | 0.36 | T |
| Total Pounds On This Chemical | 14.78 | | | |
| MEFENOXAM, OTHER RELATED | < 0.01 | | 0.36 | T |
| METHOMYL | 18.44 | 2 | 25.00 | A |
| METHOXYFENOZIDE | 28.07 | 29 | 193.50 | A |
| METHYLATED SOYBEAN OIL | 0.96 | 2 | 7.50 | A |
| METHYL SILICONE RESINS | < 0.01 | 2 | 12.00 | A |
| MINERAL OIL | 15,695.65 | 249 | 1,969.51 | A |
| MYCLOBUTANIL | 17.77 | 23 | 163.50 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 4.93 | 5 | 31.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 1,370.28 | 424 | 3,523.82 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 9.28 | 4 | 29.00 | A |
| NOVALURON | 37.87 | 29 | 312.92 | A |
| OXAMYL | 22.28 | 6 | 31.50 | A |
| OXYFLUORFEN | 1.90 | 1 | 6.00 | A |
| PENTHIOPYRAD | 44.35 | 14 | 128.00 | A |
| PEROXYACETIC ACID | 54.38 | 26 | 204.90 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| PIPERONYL BUTOXIDE | 307.99 | 38 | 342.00 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 77.00 | 38 | 342.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 1.14 | 2 | 14.50 | A |
| POLYBUTENES | 2.60 | 5 | 31.00 | A |
| POLYETHYLENE GLYCOL MONO(3-(TETRAMETHYL-1- (TRIMETHYLSILOXY)DISILOXANYL)PROPYL)ETHER | 9.80 | 18 | 126.00 | A |
| POLY-I-PARA-MENTHENE | 7.47 | 7 | 16.00 | A |
| POLYOXIN D, ZINC SALT | 0.53 | 1 | 12.00 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 1.92 | 2 | 12.00 | A |
| POTASH SOAP | 5,140.59 | 84 | 785.37 | A |
| POTASSIUM BICARBONATE | 385.02 | 19 | 124.25 | A |
| POTASSIUM HYDROXIDE | 0.19 | 2 | 12.00 | A |
| POTASSIUM PHOSPHITE | 65.78 | 4 | 31.00 | A |
| PROPAMOCARB HYDROCHLORIDE | 108.20 | 21 | 164.60 | A |
| PROPIONIC ACID | 1.28 | 2 | 12.00 | A |
| PROPYLENE GLYCOL | 7.50 | 20 | 140.50 | A |
| PYMETROZINE | 51.94 | 34 | 259.20 | A |
| PYRACLOSTROBIN | 37.30 | 23 | 208.80 | A |
| PYRETHRINS | 39.57 | 47 | 362.80 | A |
| PYRIDABEN | 18.98 | 3 | 43.00 | A |
| PYRIMETHANIL | 33.87 | 13 | 123.45 | A |
| PYRIPROXYFEN | 23.23 | 40 | 351.10 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 23.20 | 24 | 203.96 | A |
| QUINOXYFEN | 10.30 | 10 | 117.50 | A |
| REYNOUTRIA SACHALINENSIS | 4.43 | 10 | 21.00 | A |
| SODIUM BICARBONATE | 1.30 | 1 | 3.00 | A |
| SODIUM POLYACRYLATE | 0.17 | 2 | 14.50 | A |
| SOYBEAN OIL | 166.27 | 59 | 343.45 | A |
| SPINETORAM | 17.16 | 31 | 266.60 | A |
| SPINOSAD | 0.48 | 3 | 7.70 | A |
| SPIROMESIFEN | 92.02 | 72 | 685.80 | A |
| SPIROTETRAMAT | 13.88 | 18 | 170.90 | A |
| STREPTOMYCES LYDICUS WYEC 108 | < 0.01 | 3 | 7.70 | A |
| STREPTOMYCIN SULFATE | 5.82 | 8 | 26.00 | A |
| STYRENE BUTADIENE COPOLYMER | 3.40 | 2 | 14.50 | A |
| SULFUR | 1,784.14 | 44 | 406.53 | A |
| TALL OIL FATTY ACIDS | 66.63 | 368 | 3,010.82 | A |
| THIAMETHOXAM | 3.17 | 4 | 67.50 | A |
| THIRAM | 13.73 | | 7.17 | T |
| TRICHODERMA HARZIANUM RIFAI STRAIN KRL-AG2 | 0.22 | 1 | 20.00 | A |
| TRICHODERMA VIRENS STRAIN G-41 | 0.12 | 1 | 20.00 | A |
| TRIFLOXYSTROBIN | 0.42 | 1 | 4.50 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXPOLY(OXYETHYLENE) | 19.84 | 20 | 140.50 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | 83.15 | 46 | 426.50 | A |
| UNICONIZOLE-P | 0.02 | 21 | 11.50 | A |
| Site Total | 33,874.29 | 2,429 | | |
| TURF/SOD | | | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | 2.53 | 33 | 331.20 | A |
| ATRAZINE | 8.29 | 1 | 8.50 | A |
| ATRAZINE, OTHER RELATED | 0.18 | 1 | 8.50 | A |
| AZOXYSTROBIN | 335.51 | 51 | 706.17 | A |
| CARFENTRAZONE-ETHYL | 15.89 | 78 | 1,189.33 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| CHLORANTRANILIPROLE | 42.15 | 12 | 252.32 | A |
| CHLOROTHALONIL | 443.45 | 4 | 56.14 | A |
| 2,4-D, DIMETHYLAMINE SALT | 7.16 | 1 | 11.30 | A |
| 2,4-D, 2-ETHYLHEXYL ESTER | 327.36 | 78 | 1,186.33 | A |
| DICAMBA | 20.96 | 80 | 1,187.83 | A |
| DICAMBA, DIMETHYLAMINE SALT | 68.14 | 4 | 68.30 | A |
| DIETHYLENE GLYCOL | 2.66 | 2 | 54.61 | A |
| DIMETHYLPOLYSILOXANE | 86.18 | 92 | 1,780.79 | A |
| DIQUAT DIBROMIDE | 1.86 | 1 | 2.00 | A |
| ETHEPHON | 9.98 | | 3.00 | A |
| ETHOFUMESATE | 48.68 | 5 | 43.18 | A |
| FATTY ACIDS, MIXED | 4.74 | 2 | 54.61 | A |
| FLUAZIFOP-P-BUTYL | 0.02 | 1 | 0.25 | A |
| FLURPRIMIDOL | 0.63 | | 6.00 | A |
| FLUTOLANIL | 12.60 | 1 | 1.50 | A |
| FORAMSULFURON | 1.88 | 4 | 38.50 | A |
| FOSETYL-AL | 90.40 | 2 | 10.20 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 304.37 | 18 | 52.53 | A |
| HALOSULFURON-METHYL | 8.25 | 12 | 143.21 | A |
| IODOSULFURON-METHYL-SODIUM | < 0.01 | 2 | 1.50 | A |
| ISOPROPYL ALCOHOL | 1.00 | 4 | 12.00 | A |
| LECITHIN | 698.14 | 102 | 1,620.95 | A |
| MANCOZEB | 11,916.02 | 82 | 914.62 | A |
| MCPP-P, DIMETHYLAMINE SALT | 1.92 | 1 | 11.30 | A |
| MECOPROP-P | 81.29 | 78 | 1,186.33 | A |
| MEFENOXAM | 194.56 | 24 | 367.83 | A |
| MEFENOXAM, OTHER RELATED | 4.96 | 17 | 300.21 | A |
| MESOTRIONE | 38.73 | 14 | 246.39 | A |
| METHYLATED SOYBEAN OIL | 335.43 | 69 | 1,289.75 | A |
| METHYL SILICONE RESINS | 0.06 | 28 | 220.35 | A |
| S-METOLACHLOR | 163.52 | 3 | 66.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 12.18 | 6 | 66.61 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 335.43 | 69 | 1,289.75 | A |
| OXADIAZON | 501.17 | 12 | 205.49 | A |
| PACLOBUTRAZOL | 0.10 | | 3.00 | A |
| PHOSPHORIC ACID | 3.75 | 4 | 12.00 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 18.48 | 28 | 220.35 | A |
| POLYSILOXANE | 0.04 | 5 | 110.85 | A |
| POTASSIUM HYDROXIDE | 2.94 | 33 | 331.20 | A |
| PROPICONAZOLE | 165.61 | 17 | 258.77 | A |
| PROPIONIC ACID | 20.21 | 33 | 331.20 | A |
| PROPYZAMIDE | 129.01 | 16 | 120.80 | A |
| SIMAZINE | 52.97 | 3 | 53.01 | A |
| THIENCARBAZONE-METHYL | 0.03 | 2 | 1.50 | A |
| TRIADIMEFON | 11.42 | 2 | 7.80 | A |
| TRICLOPYR, BUTOXYETHYL ESTER | 27.45 | 3 | 18.55 | A |
| TRIFLOXYSTROBIN | 2.00 | 1 | 5.90 | A |
| TRINEXAPAC-ETHYL | 0.22 | | 9.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 18.76 | 7 | 165.46 | A |
| Site Total | 16,581.26 | 502 | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| TURNIP | | | | |
| ACETAMIPRID | 0.20 | 1 | 1.97 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 29.80 | 23 | 78.11 | A |
| AZOXYSTROBIN | 1.64 | 2 | 6.75 | A |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.30 | 1 | 4.14 | A |
| CHLORANTRANILIPROLE | 9.26 | 46 | 145.17 | A |
| CHLORTHAL-DIMETHYL | 86.41 | 7 | 16.25 | A |
| CLETHODIM | 0.73 | 2 | 5.85 | A |
| CLOTHIANIDIN | 3.45 | 17 | 53.96 | A |
| COPPER OXIDE (OUS) | 6.29 | 2 | 11.42 | A |
| CYAZOFAMID | 3.92 | 19 | 58.27 | A |
| BETA-CYFLUTHRIN | 2.83 | 38 | 118.45 | A |
| (S)-CYPERMETHRIN | 6.52 | 48 | 142.95 | A |
| EMAMECTIN BENZOATE | 0.27 | 11 | 32.39 | A |
| ETHYLENE GLYCOL | 0.28 | 1 | 4.02 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 11.92 | 23 | 78.11 | A |
| FENAMIDONE | 30.49 | 39 | 119.05 | A |
| FLONICAMID | 12.07 | 44 | 141.23 | A |
| FLUBENDIAMIDE | 1.20 | 4 | 17.38 | A |
| FLUPYRADIFURONE | 29.24 | 55 | 171.67 | A |
| IMIDACLOPRID | 4.15 | 27 | 89.09 | A |
| INDOXACARB | 1.60 | 7 | 24.71 | A |
| ISOPROPYL ALCOHOL | 0.05 | 1 | 4.02 | A |
| LECITHIN | 87.82 | 59 | 186.11 | A |
| MALATHION | 68.74 | 16 | 61.51 | A |
| METHYLATED SOYBEAN OIL | 43.91 | 59 | 186.11 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 29.93 | 24 | 82.13 | A |
| POLY-I-PARA-MENTHENE | 11.21 | 9 | 29.42 | A |
| PYRACLOSTROBIN | 1.04 | 4 | 7.77 | A |
| REYNOUTRIA SACHALINENSIS | 1.46 | 2 | 6.75 | A |
| SPINETORAM | 4.21 | 21 | 65.68 | A |
| SULFUR | 19.20 | 2 | 8.11 | A |
| TRIFLUMIZOLE | 3.42 | 7 | 22.47 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 43.91 | 59 | 186.11 | A |
| Site Total | 557.47 | 487 | | |
| TURNIP GREENS | | | | |
| CHLORANTRANILIPROLE | 0.54 | 2 | 8.11 | A |
| BETA-CYFLUTHRIN | 0.19 | 2 | 8.11 | A |
| FENAMIDONE | 2.11 | 2 | 8.11 | A |
| FLONICAMID | 0.71 | 2 | 8.11 | A |
| FLUPYRADIFURONE | 1.48 | 2 | 8.11 | A |
| IMIDACLOPRID | 0.39 | 2 | 8.11 | A |
| LECITHIN | 4.15 | 2 | 8.11 | A |
| METHYLATED SOYBEAN OIL | 2.08 | 2 | 8.11 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 2.08 | 2 | 8.11 | A |
| Site Total | 13.72 | 12 | | |
| UNCULTIVATED AG | | | | |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 7.71 | 3 | 44.00 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 81.49 | 20 | 344.69 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 3.11 | 1 | 12.00 | A |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | 0.85 | 2 | 8.00 | A |
| AMMONIUM NITRATE | 3.11 | 1 | 12.00 | A |
| AMMONIUM PROPIONATE | 46.91 | 8 | 107.50 | A |
| AMMONIUM SULFATE | 14.84 | 9 | 119.50 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 8.88 | 3 | 127.00 | A |
| BRODIFACOU | < 0.01 | 1 | 12.75 | A |
| CARFENTRAZONE-ETHYL | 0.85 | 6 | 193.00 | A |
| CITRIC ACID | 23.45 | 8 | 107.50 | A |
| DIETHYLENE GLYCOL | 1.64 | 1 | 14.00 | A |
| DIMETHYLPOLYSILOXANE | 1.21 | 6 | 113.50 | A |
| DIPHACINONE | < 0.01 | 19 | 154.00 | A |
| FATTY ACIDS, MIXED | 4.11 | 5 | 38.50 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 33.14 | 3 | 127.00 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 32.60 | 20 | 344.69 | A |
| FERRIC SODIUM EDTA | 1.50 | 1 | 3.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 1,309.21 | 30 | 802.58 | A |
| GLYPHOSATE, POTASSIUM SALT | 1,174.85 | 36 | 836.68 | A |
| HEPTAMETHYLTRISILOXANE ETHOXYLATED | 16.97 | 4 | 80.50 | A |
| IMIDACLOPRID | 23.62 | 4 | 46.70 | A |
| LECITHIN | 105.08 | 10 | 127.49 | A |
| LINURON | 30.00 | 1 | 60.00 | A |
| METHYLATED SOYBEAN OIL | 36.59 | 5 | 65.49 | A |
| S-METOLACHLOR | 60.99 | 1 | 32.00 | A |
| MSMA | 271.58 | 1 | 60.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 11.25 | 3 | 127.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 93.01 | 25 | 383.19 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 43.82 | 9 | 126.50 | A |
| OLEIC ACID, METHYL ESTER | 148.75 | 7 | 124.50 | A |
| OXYFLUORFEN | 284.73 | 54 | 850.42 | A |
| PARAQUAT DICHLORIDE | 121.16 | 7 | 146.00 | A |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | 0.04 | 1 | 2.00 | A |
| POLYBUTENES | 5.92 | 3 | 127.00 | A |
| POTASSIUM PHOSPHITE | 19.87 | 1 | 3.00 | A |
| PROMETRYN | 3.99 | 1 | 0.50 | A |
| PROPIONIC ACID | 24.19 | 2 | 18.00 | A |
| PYRAFLUFEN-ETHYL | 0.48 | 9 | 143.33 | A |
| SODIUM POLYACRYLATE | 1.17 | 8 | 107.50 | A |
| SPINOSAD | < 0.01 | 1 | 1.00 | A |
| STRYCHNINE | < 0.01 | 1 | 0.50 | A |
| TRICLOPYR, TRIETHYLAMINE SALT | 6.20 | 2 | 8.00 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE) | 20.75 | 4 | 80.50 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 31.06 | 5 | 60.49 | A |
| ZINC PHOSPHIDE | 2.40 | 1 | 20.00 | A |
| Site Total | 4,113.09 | 227 | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| UNCULTIVATED NON-AG | | | | |
| ALUMINUM PHOSPHIDE | 0.09 | 1 | 2.00 | A |
| AMMONIUM PROPIONATE | 3.77 | | 4.00 | A |
| AMMONIUM SULFATE | 0.94 | | 4.00 | A |
| CITRIC ACID | 1.89 | | 4.00 | A |
| DIMETHYLPOLYSILOXANE | 0.34 | 1 | 4.00 | A |
| DIPHACINONE | < 0.01 | 2 | 77.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 75.60 | 1 | 8.00 | A |
| LECITHIN | 8.26 | 1 | 4.00 | A |
| METHYLATED SOYBEAN OIL | 4.13 | 1 | 4.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 6.86 | 1 | 8.00 | A |
| SODIUM POLYACRYLATE | 0.09 | | 4.00 | A |
| Site Total | 101.99 | 5 | | |
| UNKNOWN | | | | |
| ACEPHATE | 225.53 | 4 | 310.00 | A |
| ALPHA-PINENE BETA-PINENE COPOLYMER | 9.56 | 2 | 56.00 | A |
| ALKYL (C8,C10) POLYGLUCOSIDE | 4.18 | 4 | 310.00 | A |
| AMMONIUM PROPIONATE | 37.50 | 3 | 106.00 | A |
| AMMONIUM SULFATE | 9.38 | 3 | 106.00 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 2.55 | 2 | 6.80 | A |
| N,N-BIS-(2-OMEGA-HYDROXYPOLY(OXYETHYLENE)ETHYL) ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | 5.25 | 3 | 124.00 | A |
| CITRIC ACID | 18.75 | 3 | 106.00 | A |
| CYCLOATE | 20.24 | 3 | 5.10 | A |
| (S)-CYPERMETHRIN | 0.09 | 1 | 2.00 | A |
| DIMETHOATE | 153.05 | 4 | 310.00 | A |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | 18.08 | 1 | 68.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 390.47 | 5 | 109.00 | A |
| IMIDACLOPRID | 108.05 | 7 | 381.80 | A |
| LECITHIN | 46.98 | 6 | 313.60 | A |
| METHYLATED SOYBEAN OIL | 0.92 | 2 | 3.60 | A |
| METHYL SILICONE RESINS | 0.17 | 4 | 310.00 | A |
| S-METOLACHLOR | 822.40 | 8 | 576.00 | A |
| MINERAL OIL | 3.37 | 2 | 56.00 | A |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | 6.14 | 1 | 68.00 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE), PHOSPHATE ESTER | 27.19 | 3 | 106.00 | A |
| PURPUREOCILIUM LILACIUNUM STRAIN 251 | 0.72 | 1 | 2.00 | A |
| PARAQUAT DICHLORIDE | 70.33 | 1 | 68.00 | A |
| POLYBUTENES | 3.23 | 1 | 68.00 | A |
| POLYOXYETHYLENE CETYL-STEARYL ETHER | 50.16 | 4 | 310.00 | A |
| POTASSIUM HYDROXIDE | 4.85 | 4 | 310.00 | A |
| PROPIONIC ACID | 33.44 | 4 | 310.00 | A |
| SODIUM POLYACRYLATE | 0.94 | 3 | 106.00 | A |
| TALL OIL FATTY ACIDS | 0.13 | 2 | 56.00 | A |
| TRIFLURALIN | 357.87 | 8 | 576.00 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 0.92 | 2 | 3.60 | A |
| Site Total | 2,432.43 | 56 | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| UPLAND CRESS | | | | |
| IMIDACLOPRID | 0.56 | 1 | 12.00 | A |
| MALATHION | 15.33 | 1 | 12.00 | A |
| Site Total | 15.90 | 2 | | |
| VEGETABLES, LEAFY | | | | |
| ACETAMIPRID | 0.08 | 2 | 1.10 | A |
| AZADIRACTIN | 0.31 | 11 | 8.74 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 20.95 | 2 | 1.86 | A |
| BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857 | 3.51 | 5 | 4.40 | A |
| CYMOXANIL | 0.12 | 1 | 0.83 | A |
| (S)-CYPERMETHRIN | 0.04 | 1 | 0.83 | A |
| FAMOXADONE | 0.12 | 1 | 0.83 | A |
| FLONICAMID | 0.02 | 1 | 0.27 | A |
| FOSETYL-AL | 14.97 | 5 | 4.13 | A |
| MANDIPROPAMID | 0.12 | 1 | 0.90 | A |
| POLYETHER MODIFIED POLYSILOXANE | 3.76 | 17 | 13.97 | A |
| POTASSIUM BICARBONATE | 9.57 | 6 | 4.24 | A |
| REYNOUTRIA SACHALINENSIS | 2.44 | 10 | 7.75 | A |
| Site Total | 56.01 | 62 | | |
| VERTEBRATE CONTROL | | | | |
| ALUMINUM PHOSPHIDE | 101.57 | | | |
| BROMADIOLONE | < 0.01 | | | |
| BROMETHALIN | < 0.01 | | | |
| DIFETHIALONE | < 0.01 | | | |
| DIPHACINONE | 0.11 | | | |
| STRYCHNINE | 4.08 | | | |
| ZINC PHOSPHIDE | 7.11 | | | |
| Site Total | 112.87 | | | |
| WALNUT | | | | |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 7.38 | 3 | 2.31 | A |
| GLYPHOSATE, POTASSIUM SALT | 0.69 | 1 | 1.00 | A |
| MINERAL OIL | 56.67 | 2 | 4.00 | A |
| SPIROTETRAMAT | 0.44 | 2 | 4.00 | A |
| Site Total | 65.18 | 8 | | |
| WATER (INDUSTRIAL) | | | | |
| ALKYL (50%C14, 40%C12, 10%C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | 1,089.93 | | 3.00 | A |
| ALKYL(42%C12, 26%C18, 15%C14, 8%C16, 5%C10, 4%C8)1,3-PROPYLENEDIAMINE | 7,251.53 | | 3.00 | A |
| 1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN | 569.11 | | 3.00 | A |
| | 60.71 | | 49.00 | U |
| Total Pounds On This Chemical | 629.81 | | | |
| 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE | 17.54 | | 148.00 | U |
| | 0.87 | | 1.00 | A |
| Total Pounds On This Chemical | 18.41 | | | |
| 2,2-DIBROMO-3-NITRILOPROPIONAMIDE | 41.27 | | 1.00 | A |
| | 29.18 | | 3.00 | U |
| Total Pounds On This Chemical | 70.44 | | | |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| 1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN | 303.46 | | 3.00 | A |
| | 32.37 | | 49.00 | U |
| Total Pounds On This Chemical | 335.82 | | | |
| 1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN | 166.95 | | 3.00 | A |
| | 17.81 | | 49.00 | U |
| Total Pounds On This Chemical | 184.76 | | | |
| GLUTARALDEHYDE | 2,497.90 | | 3.00 | A |
| | 935.14 | | 146.00 | U |
| Total Pounds On This Chemical | 3,433.04 | | | |
| 2-METHYL-4-ISOTHIAZOLIN-3-ONE | 6.23 | | 148.00 | U |
| | 0.32 | | 1.00 | A |
| Total Pounds On This Chemical | 6.54 | | | |
| SODIUM BROMIDE | 3,218.10 | | 3.00 | A |
| | 1,132.00 | | 483.00 | U |
| Total Pounds On This Chemical | 4,350.10 | | | |
| SODIUM BROMOSULFAMATE, SODIUM CHLOROSULFAMATE, POTASSIUM BROMOSULFAMATE, POTASSIUM CHLOROSULFAMATE | 237.54 | | 4.00 | U |
| SODIUM HYPOCHLORITE | 44.29 | | 482.00 | U |
| | 10.22 | | 1.00 | A |
| Total Pounds On This Chemical | 54.50 | | | |
| Site Total | 17,662.44 | | | |
| WATER AREA | | | | |
| ACID BLUE 9, DIAMMONIUM SALT | 35.77 | 22 | 33.00 | A |
| COPPER ETHANOLAMINE COMPLEXES, MIXED | 568.41 | 25 | 110.00 | A |
| | 6.91 | | 24.00 | K |
| Total Pounds On This Chemical | 575.32 | | | |
| COPPER SULFATE (PENTAHYDRATE) | 1,688.75 | 3 | 32.55 | A |
| | 4.11 | | 24.00 | K |
| Total Pounds On This Chemical | 1,692.86 | | | |
| DIQUAT DIBROMIDE | 5.60 | | 1.00 | A |
| FLURIDONE | 1.25 | | 6.00 | A |
| GLYPHOSATE, ISOPROPYLAMINE SALT | 5.26 | 1 | 5.30 | A |
| GLYPHOSATE, POTASSIUM SALT | 124.16 | 1 | 15.00 | A |
| IMAZAMOX, AMMONIUM SALT | 3.13 | | 8.00 | A |
| TARTRAZINE | 2.95 | 22 | 33.00 | A |
| Site Total | 2,446.30 | 52 | | |
| WATERCRESS | | | | |
| ABAMECTIN | 0.11 | 8 | 11.00 | A |
| ACETAMIPRID | 13.48 | 9 | 77.00 | A |
| ACIBENZOLAR-S-METHYL | 0.13 | 8 | 9.99 | A |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 3.46 | 12 | 17.33 | A |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 4.07 | 14 | 17.78 | A |
| AMETOCTRADIN | 0.43 | 1 | 1.62 | A |
| AZADIRACTIN | 0.17 | 7 | 9.97 | A |
| AZOXYSTROBIN | 0.49 | 3 | 7.19 | A |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | 3.50 | 7 | 9.97 | A |
| BACILLUS THURINGIENSIS, SUBSP. ISRAELENISIS, STRAIN AM 65-52 | 12.37 | 5 | 2.45 | A |

Department of Pesticide Regulation
2016 Annual Statewide Pesticide Use Report Indexed by Commodity
Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | 0.49 | 7 | 9.00 | A |
| BENSULIDE | 150.42 | 20 | 28.20 | A |
| CAPRIC ACID | 0.73 | 3 | 1.47 | A |
| CAPRYLIC ACID | 1.08 | 3 | 1.47 | A |
| CHLORANTRANILIPROLE | 0.14 | 2 | 2.82 | A |
| CYANTRANILIPROLE | 0.16 | 3 | 3.85 | A |
| CYAZOFAMID | 0.32 | 3 | 4.72 | A |
| BETA-CYFLUTHRIN | 0.78 | 28 | 37.94 | A |
| (S)-CYPERMETHRIN | 0.86 | 15 | 20.74 | A |
| DIMETHOMORPH | 0.32 | 1 | 1.62 | A |
| EMAMECTIN BENZOATE | 0.07 | 7 | 10.05 | A |
| FATTY ACIDS DERIVED FROM TALLOW | 1.63 | 14 | 17.78 | A |
| FENAMIDONE | 3.56 | 12 | 14.90 | A |
| FLONICAMID | 0.44 | 5 | 6.78 | A |
| FLUBENDIAMIDE | 0.66 | 12 | 14.92 | A |
| FLUOPICOLIDE | 2.38 | 18 | 22.72 | A |
| FLUPYRADIFURONE | 0.94 | 4 | 6.04 | A |
| GLYPHOSATE, POTASSIUM SALT | 55.18 | 2 | 10.00 | A |
| IMIDACLOPRID | 20.77 | 54 | 285.34 | A |
| INDOXACARB | 0.24 | 3 | 3.74 | A |
| LECITHIN | 18.76 | 44 | 61.18 | A |
| LINURON | 0.27 | 1 | 1.00 | A |
| MALATHION | 425.97 | 32 | 268.00 | A |
| | 2.56 | 1 | 48,000.00 | S |
| | 0.27 | 2 | 0.51 | U |
| Total Pounds On This Chemical | 428.79 | | | |
| MANDIPROPAMID | 2.59 | 15 | 21.81 | A |
| METHYLATED SOYBEAN OIL | 7.65 | 32 | 43.85 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 4.07 | 14 | 17.78 | A |
| OLEIC ACID, METHYL ESTER | 16.15 | 12 | 17.33 | A |
| PIPERONYL BUTOXIDE | 25.59 | 12 | 89.00 | A |
| PIPERONYL BUTOXIDE, OTHER RELATED | 6.40 | 12 | 89.00 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.35 | 6 | 7.31 | A |
| POLY-I-PARA-MENTHENE | 0.71 | 2 | 2.48 | A |
| POTASSIUM PHOSPHITE | 43.43 | 23 | 30.50 | A |
| POTASSIUM SILICATE | 18.65 | 7 | 9.97 | A |
| PROPYLENE GLYCOL | 0.77 | 6 | 7.31 | A |
| PYRETHRINS | 4.17 | 24 | 130.97 | A |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | 0.26 | 1 | 1.01 | A |
| REYNOUTRIA SACHALINENSIS | 0.22 | 1 | 1.01 | A |
| SPINETORAM | 2.15 | 20 | 43.26 | A |
| SPINOSAD | 1.12 | 9 | 13.53 | A |
| SPIROTETRAMAT | 1.13 | 14 | 17.39 | A |
| STYRENE BUTADIENE COPOLYMER | 1.04 | 6 | 7.31 | A |
| THIAMETHOXAM | 0.05 | 1 | 1.25 | A |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA- HYDROXYPOLY(OXYETHYLENE) | 0.48 | 6 | 7.31 | A |
| ALPHA-UNDECYL-OMEGA-HYDROXYPOLY(OXYETHYLENE) | 7.65 | 32 | 43.85 | A |
| Site Total | 871.53 | 439 | | |
| WATERMELON | | | | |
| ABAMECTIN | 0.09 | 5 | 9.20 | A |

Department of Pesticide Regulation
 2016 Annual Statewide Pesticide Use Report Indexed by Commodity
 Ventura County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = square feet, C = cubic feet, K = thousand cubic feet, P = pounds, T = tons, U = miscellaneous unit

| Commodity Chemical | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| ACETAMIPRID | 0.16 | 1 | 2.20 | A |
| AZOXYSTROBIN | 0.02 | | 0.47 | T |
| BIFENAZATE | 1.10 | 1 | 2.20 | A |
| FLUDIOXONIL | 0.02 | | 0.43 | T |
| FLUOPYRAM | 0.23 | 1 | 2.20 | A |
| MEFENOXAM | 0.04 | | 1.19 | T |
| MEFENOXAM, OTHER RELATED | < 0.01 | | 1.19 | T |
| METHYLATED SOYBEAN OIL | 0.85 | 1 | 2.20 | A |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXYPOLY (OXYETHYLENE) | 0.16 | 1 | 2.20 | A |
| OXAMYL | 2.11 | 1 | 4.25 | A |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | 0.04 | 1 | 2.20 | A |
| POLY-I-PARA-MENTHENE | 2.79 | 3 | 6.00 | A |
| TEBUCONAZOLE | 0.23 | 1 | 2.20 | A |
| THIAMETHOXAM | 1.15 | | 0.30 | T |
| THIRAM | 76.09 | | 27.08 | T |
| TRIFLOXYSTROBIN | 0.21 | 1 | 2.20 | A |
| Site Total | 85.31 | 14 | | |
| Ventura County Total | 6,398,833.05 | 131,554 | | |