

2023 Annual Statewide Pesticide Use Report Indexed by Chemical: Imperial County

[Text files](#) of data are available. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, N/A = Not Available. Area treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative area treated would equal three acres. Most nonagricultural pesticide use reports are not required to report area treated, so the area treated totals are predominantly agricultural pesticide uses. Application counts (Apps) include only agricultural pesticide uses. N-outdr = Outdoor nursery. N-grnhs = Greenhouse nursery. For more information, see Pesticide Use Annual Report Data Access, References, and Definitions [Guide](#).

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(3s,6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Lemon	0.26	16	319.02	A
(3s,6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Lemon	0.26	16	319.02	A
1,3-dibromo-5,5-dimethylhydantoin	Industrial Waste Disposal Systems, Disposal Water	88.20	0	24.00	U
1,3-dibromo-5,5-dimethylhydantoin	Water (Industrial)	102.90	0	29.00	U
1,3-dichloro-5,5-dimethylhydantoin	Water (Industrial)	173.40	0	2.00	U
1,3-dichloro-5-ethyl-5-methylhydantoin	Water (Industrial)	95.40	0	2.00	U
1,3-dichloropropene	Carrot	272,043.54	46	2,863.00	A
1,3-dichloropropene	Potato	26,375.25	3	232.00	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (Industrial)	2,053.21	0	3.00	U
2,2-dibromo-3-nitrilopropionamide	Water (Industrial)	203.63	0	1.00	U
2,4-d	Landscape Maintenance	0.09	0	0.00	N/A
2,4-d, 2-ethylhexyl ester	Landscape Maintenance	0.74	0	0.00	N/A
2,4-d, dimethylamine salt	Alfalfa	95.52	2	86.00	A
2,4-d, dimethylamine salt	Bermudagrass	26,927.51	267	17,782.94	A
2,4-d, dimethylamine salt	Forage Hay/Silage	5,560.71	68	3,762.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Grass, Seed	2,417.92	20	1,759.00	A
2,4-d, dimethylamine salt	Landscape Maintenance	5.60	0	0.00	N/A
2,4-d, dimethylamine salt	Oat	778.36	19	952.50	A
2,4-d, dimethylamine salt	Oat (Forage - Fodder)	879.35	19	1,033.35	A
2,4-d, dimethylamine salt	Pastureland	1,268.44	14	618.00	A
2,4-d, dimethylamine salt	Potato	3.04	1	57.00	A
2,4-d, dimethylamine salt	Rights Of Way	11.23	0	0.00	N/A
2,4-d, dimethylamine salt	Ryegrass	431.73	5	369.00	A
2,4-d, dimethylamine salt	Sudangrass	340.39	3	224.00	A
2,4-d, dimethylamine salt	Uncultivated Ag	307.18	3	170.00	A
2,4-d, dimethylamine salt	Wheat	2,631.27	29	2,350.00	A
2,4-d, isopropyl ester	Lemon	3.20	3	57.02	A
2,4-db, dimethylamine salt	Alfalfa	53,702.39	852	52,738.38	A
2-methyl-4-isothiazolin-3-one	Industrial Waste Disposal Systems, Disposal Water	5.14	0	28.00	U
2-methyl-4-isothiazolin-3-one	Water (Industrial)	4.14	0	27.00	U
4-nonylphenol, formaldehyde resin, propoxylated	Alfalfa	1,812.87	646	40,289.75	A
4-nonylphenol, formaldehyde resin, propoxylated	Arugula	23.88	51	710.85	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	39.37	70	1,239.66	A
4-nonylphenol, formaldehyde resin, propoxylated	Cabbage	331.89	228	6,092.92	A
4-nonylphenol, formaldehyde resin, propoxylated	Cantaloupe	159.15	86	3,890.00	A
4-nonylphenol, formaldehyde resin, propoxylated	Carrot	42.93	19	1,015.50	A
4-nonylphenol, formaldehyde resin, propoxylated	Cauliflower	100.92	91	1,754.78	A
4-nonylphenol, formaldehyde resin, propoxylated	Forage Hay/Silage	13.90	8	322.00	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, Head	283.30	334	7,436.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, Leaf	1,073.29	989	23,928.73	A
4-nonylphenol, formaldehyde resin, propoxylated	Melon	29.95	23	955.00	A
4-nonylphenol, formaldehyde resin, propoxylated	Mizuna	11.30	48	297.93	A
4-nonylphenol, formaldehyde resin, propoxylated	Onion, Dry	38.31	28	867.03	A
4-nonylphenol, formaldehyde resin, propoxylated	Spinach	49.06	47	1,254.95	A
4-nonylphenol, formaldehyde resin, propoxylated	Sugarbeet	250.39	142	7,598.80	A
4-nonylphenol, formaldehyde resin, propoxylated	Swiss Chard	15.41	42	438.65	A
4-nonylphenol, formaldehyde resin, propoxylated	Uncultivated Ag	25.47	9	431.00	A
4-nonylphenol, formaldehyde resin, propoxylated	Wheat	58.24	14	1,125.00	A
5-chloro-2-methyl-4-isothiazolin-3-one	Industrial Waste Disposal Systems, Disposal Water	14.62	0	28.00	U
5-chloro-2-methyl-4-isothiazolin-3-one	Water (Industrial)	11.79	0	27.00	U
Abamectin	Cantaloupe	22.16	31	1,468.71	A
Abamectin	Cotton	11.72	20	630.46	A
Abamectin	Grapefruit	11.77	12	505.62	A
Abamectin	Herb, Spice	0.09	1	20.00	A
Abamectin	Lemon	68.57	98	3,111.50	A
Abamectin	Lettuce, Head	0.27	2	14.60	A
Abamectin	Lettuce, Leaf	6.29	32	341.50	A
Abamectin	Lime	2.00	2	89.00	A
Abamectin	Melon	9.13	17	741.61	A
Abamectin	Mint	0.60	4	100.00	A
Abamectin	Structural Pest Control	0.01	0	0.00	N/A
Abamectin	Tangelo	2.28	3	99.00	A
Abamectin	Tangerine	1.66	4	76.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin, other related	Structural Pest Control	< 0.01	0	0.00	N/A
Acephate	Lettuce, Head	1,316.56	57	1,727.43	A
Acephate	Structural Pest Control	0.75	0	0.00	N/A
Acetamiprid	Broccoli	3.18	4	42.40	A
Acetamiprid	Cantaloupe	19.55	3	210.00	A
Acetamiprid	Cauliflower	1.47	2	19.62	A
Acetamiprid	Cotton	14.31	4	146.30	A
Acetamiprid	Kale	11.96	6	120.27	A
Acetamiprid	Lettuce, Head	1.66	1	22.10	A
Acetamiprid	Lettuce, Leaf	37.35	29	527.40	A
Acetamiprid	Melon	40.23	7	432.25	A
Acetamiprid	Mustard	6.64	1	66.00	A
Acetamiprid	Pepper, Fruiting	< 0.01	1	0.08	A
Acetamiprid	Spinach	2.37	2	31.54	A
Acibenzolar-s-methyl	Endive (Escarole)	0.24	10	9.07	A
Acibenzolar-s-methyl	Lettuce, Head	9.73	25	384.27	A
Acibenzolar-s-methyl	Lettuce, Leaf	9.23	43	339.48	A
Acibenzolar-s-methyl	Melon	4.29	7	163.38	A
Acibenzolar-s-methyl	Spinach	30.98	52	1,395.59	A
Afidopyropen	Alfalfa	1,502.47	844	61,340.59	A
Afidopyropen	Bermudagrass	3.95	3	128.00	A
Afidopyropen	Broccoli	0.77	2	16.80	A
Afidopyropen	Cabbage	0.52	2	49.00	A
Afidopyropen	Cantaloupe	41.15	24	1,033.40	A
Afidopyropen	Cauliflower	0.47	1	50.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Afidopyropen	Kale	3.47	9	198.00	A
Afidopyropen	Lemon	0.82	1	18.00	A
Afidopyropen	Lettuce, Head	1.74	15	180.07	A
Afidopyropen	Lettuce, Leaf	13.04	55	1,311.85	A
Afidopyropen	Melon	43.86	22	1,064.14	A
Afidopyropen	Pepper, Fruiting	22.87	8	500.00	A
Afidopyropen	Spinach	2.79	13	284.54	A
Afidopyropen	Watermelon	1.37	3	30.00	A
Aggregated adjuvant data	Alfalfa	29,921.01	2,723	164,782.90	A
Aggregated adjuvant data	Aloe Vera	7.29	8	120.75	A
Aggregated adjuvant data	Artichoke, Globe	4.71	3	18.40	A
Aggregated adjuvant data	Arugula	80.68	144	1,626.61	A
Aggregated adjuvant data	Asparagus	35.99	1	24.00	A
Aggregated adjuvant data	Basil, Sweet	90.09	12	528.00	A
Aggregated adjuvant data	Beet	67.10	38	701.82	A
Aggregated adjuvant data	Bermudagrass	2,265.96	341	23,648.79	A
Aggregated adjuvant data	Bok Choy (Choy Sum, Pak Choi)	52.47	51	201.28	A
Aggregated adjuvant data	Broccoli	407.18	365	8,901.23	A
Aggregated adjuvant data	Cabbage	470.53	383	6,712.25	A
Aggregated adjuvant data	Canola (Rape)	85.95	22	956.00	A
Aggregated adjuvant data	Cantaloupe	585.15	129	6,307.81	A
Aggregated adjuvant data	Carrot	1,923.26	101	5,189.87	A
Aggregated adjuvant data	Cauliflower	412.72	310	4,895.38	A
Aggregated adjuvant data	Celery	399.95	161	3,617.11	A
Aggregated adjuvant data	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	63.89	33	213.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aggregated adjuvant data	Cilantro	135.54	16	597.68	A
Aggregated adjuvant data	Collard	2.09	17	43.98	A
Aggregated adjuvant data	Corn (Forage - Fodder)	668.67	63	4,609.00	A
Aggregated adjuvant data	Corn, Human Consumption	4,415.82	824	44,781.04	A
Aggregated adjuvant data	Cotton	402.68	175	8,064.16	A
Aggregated adjuvant data	Cucumber	0.07	1	0.07	A
Aggregated adjuvant data	Date	58.48	5	147.00	A
Aggregated adjuvant data	Ditch Bank	188.38	0	260.00	A
Aggregated adjuvant data	Endive (Escarole)	11.38	38	49.20	A
Aggregated adjuvant data	Fennel	6.52	15	37.59	A
Aggregated adjuvant data	Forage Hay/Silage	451.64	40	1,981.60	A
Aggregated adjuvant data	Gai Lon	5.69	21	22.10	A
Aggregated adjuvant data	Grape	8.88	4	160.00	A
Aggregated adjuvant data	Grapefruit	726.13	41	1,507.00	A
Aggregated adjuvant data	Grass, Seed	295.26	70	3,814.00	A
Aggregated adjuvant data	Kale	495.07	185	2,466.42	A
Aggregated adjuvant data	Landscape Maintenance	1.64	0	0.00	N/A
Aggregated adjuvant data	Lemon	4,033.71	395	13,767.51	A
Aggregated adjuvant data	Lettuce, Head	1,030.52	853	18,521.93	A
Aggregated adjuvant data	Lettuce, Leaf	1,502.34	1,607	31,524.26	A
Aggregated adjuvant data	Melon	600.20	97	4,343.61	A
Aggregated adjuvant data	Mizuna	9.61	34	200.63	A
Aggregated adjuvant data	Mustard	41.40	3	134.20	A
Aggregated adjuvant data	N-Outdr Flower	524.71	105	877.40	A
Aggregated adjuvant data	Oat	50.63	10	565.40	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aggregated adjuvant data	Oat (Forage - Fodder)	903.84	30	1,661.35	A
Aggregated adjuvant data	Olive	5.87	2	43.00	A
Aggregated adjuvant data	Onion, Dry	2,162.23	291	20,721.03	A
Aggregated adjuvant data	Orange	27.35	1	36.00	A
Aggregated adjuvant data	Parsley	21.63	4	193.60	A
Aggregated adjuvant data	Pastureland	468.90	26	1,014.00	A
Aggregated adjuvant data	Pepper, Fruiting	374.19	23	1,159.54	A
Aggregated adjuvant data	Potato	761.63	36	1,773.53	A
Aggregated adjuvant data	Radish	68.46	9	206.56	A
Aggregated adjuvant data	Rapini	890.17	50	3,643.40	A
Aggregated adjuvant data	Rights Of Way	16,248.64	0	0.00	N/A
Aggregated adjuvant data	Ryegrass	435.86	8	658.00	A
Aggregated adjuvant data	Sesame, Seed	4.75	1	5.00	A
Aggregated adjuvant data	Sorghum (Forage - Fodder)	17.99	1	10.00	A
Aggregated adjuvant data	Spinach	291.11	274	4,757.83	A
Aggregated adjuvant data	Sudangrass	530.33	40	2,454.70	A
Aggregated adjuvant data	Sugarbeet	2,694.38	722	46,172.93	A
Aggregated adjuvant data	Swiss Chard	77.10	96	771.27	A
Aggregated adjuvant data	Tangelo	101.07	8	299.00	A
Aggregated adjuvant data	Tangerine	70.14	14	324.00	A
Aggregated adjuvant data	Uncultivated Ag	2,256.20	512	20,234.94	A
Aggregated adjuvant data	Watermelon	42.93	8	139.26	A
Aggregated adjuvant data	Wheat	1,631.63	149	11,256.59	A
Alkyl (68% ^c 12, 32% ^c 14) dimethylethylbenzyl ammonium chloride	Food Processing Plant	22.24	0	1.00	U
Alkyl (68% ^c 12, 32% ^c 14) dimethylethylbenzyl ammonium chloride	Water (Industrial)	86.91	0	1.00	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl (c8,c10) polyglucoside	Alfalfa	4,764.05	474	27,272.60	A
Alkyl (c8,c10) polyglucoside	Bermudagrass	241.65	10	696.50	A
Alkyl (c8,c10) polyglucoside	Sugarbeet	1,614.32	106	6,924.01	A
Alkyl (c8,c10) polyglucoside	Uncultivated Ag	1,370.18	102	5,712.70	A
Alkyl (c8,c10) polyglucoside	Wheat	498.09	30	2,545.50	A
Alkyl* dimethyl benzyl ammonium chloride *(50%c14, 40%c12, 10%c16)	Structural Pest Control	0.04	0	0.00	N/A
Alkyl* dimethyl benzyl ammonium chloride *(60%c14, 30%c16, 5%c18, 5%c12)	Food Processing Plant	22.24	0	1.00	U
Alkyl* dimethyl benzyl ammonium chloride *(60%c14, 30%c16, 5%c18, 5%c12)	Water (Industrial)	86.91	0	1.00	U
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	38.75	19	1,247.20	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	0.47	30	32.23	A
Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	7.90	85	763.50	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Rights Of Way	123.94	0	0.00	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	15,050.28	3,344	212,562.89	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Basil, Sweet	6.62	2	159.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bermudagrass	2,158.79	248	18,522.28	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bok Choy (Choy Sum, Pak Choi)	3.38	10	41.64	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	245.83	171	5,270.95	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Canola (Rape)	8.79	2	79.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cantaloupe	30.39	21	843.12	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	228.72	66	3,450.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	82.22	66	2,152.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	32.13	25	643.16	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn (Forage - Fodder)	102.98	10	900.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, Human Consumption	725.57	342	21,857.10	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cotton	192.56	72	3,618.30	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage Hay/Silage	61.78	13	897.40	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Gai Lon	1.10	10	12.96	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	295.43	25	813.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grass, Seed	69.24	25	1,324.90	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape Maintenance	4.27	0	0.00	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	1,508.17	239	8,575.27	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, Head	346.07	422	9,504.15	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	540.22	696	12,170.34	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Melon	135.01	38	2,349.50	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat	45.38	7	345.40	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Oat (Forage - Fodder)	218.56	30	1,661.35	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, Dry	974.48	154	12,956.50	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights Of Way	109.50	0	0.00	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sudangrass	3.13	3	74.70	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarbeet	771.27	245	14,816.72	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	20.26	2	59.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	52.89	13	244.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated Ag	195.67	37	1,846.70	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	181.97	69	4,571.99	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Alfalfa	1,213.34	103	7,573.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Corn (Forage - Fodder)	35.75	8	334.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	1,330.29	487	29,564.44	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bermudagrass	17.72	12	839.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Canola (Rape)	39.13	8	442.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Carrot	28.00	57	2,940.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Onion, Dry	38.55	20	1,163.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Rights Of Way	38.09	0	0.00	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sugarbeet	720.02	142	11,778.46	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Uncultivated Ag	62.78	32	1,108.10	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Wheat	27.68	8	780.50	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	789.66	358	20,538.99	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Alfalfa	527.06	100	6,831.96	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, Head	6.58	2	130.00	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	7.03	4	146.50	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Alfalfa	12,801.60	1,221	71,457.01	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bermudagrass	2,218.69	167	10,745.20	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Broccoli	74.39	45	1,645.52	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cantaloupe	34.16	25	1,033.90	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Carrot	774.70	78	4,180.70	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Celery	11.67	16	527.50	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn (Forage - Fodder)	118.85	11	595.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn, Human Consumption	7,527.60	512	34,103.40	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Forage Hay/Silage	311.37	30	1,523.70	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, Head	33.07	40	1,738.00	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	105.12	62	2,335.36	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Onion, Dry	1,323.81	122	7,203.64	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sudangrass	352.79	19	1,280.47	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sugarbeet	2,697.51	178	10,127.70	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated Ag	628.51	43	2,272.60	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Watermelon	5.00	4	40.00	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat	336.16	37	2,360.00	A
Alpha-cypermethrin	Structural Pest Control	< 0.01	0	0.00	N/A
Alpha-cypermethrin	Sugarbeet	6.23	4	251.00	A
Alpha-pinene-beta-pinene copolymer	Arugula	68.76	43	366.64	A
Alpha-pinene-beta-pinene copolymer	Cauliflower	15.44	57	53.65	A
Alpha-pinene-beta-pinene copolymer	Lettuce, Leaf	160.23	91	835.34	A
Alpha-pinene-beta-pinene copolymer	Onion, Dry	817.95	40	2,843.00	A
Alpha-pinene-beta-pinene copolymer	Spinach	214.00	76	1,039.33	A
Alpha-pinene-beta-pinene copolymer	Sugarbeet	161.39	15	541.50	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Alfalfa	742.36	527	27,088.32	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Canola (Rape)	3.75	2	78.00	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights Of Way	78.53	0	0.00	N/A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated Ag	153.01	205	6,229.04	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Alfalfa	3,790.15	679	50,363.14	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bermudagrass	537.52	40	3,758.00	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Broccoli	266.24	104	5,146.51	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cabbage	84.53	56	1,450.50	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cantaloupe	106.03	48	2,298.50	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cauliflower	68.34	39	1,165.78	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celery	23.80	29	798.85	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn, Human Consumption	822.38	403	19,088.90	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Landscape Maintenance	1.02	0	0.00	N/A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, Head	183.46	133	3,108.42	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	555.06	428	8,577.62	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Melon	18.61	12	647.10	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, Dry	102.57	43	3,196.00	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sugarbeet	86.35	6	604.00	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat	163.67	13	1,309.50	A
Aluminum phosphide	Beehive	14.27	0	295.00	P
Aluminum phosphide	Commodity Fumigation	4.96	0	0.00	N/A
Aluminum phosphide	Sudangrass	1.98	0	2,000.00	P
Aluminum phosphide	Wheat	< 0.01	0	6.00	T
Ametoctradin	Arugula	22.14	4	81.26	A
Ametoctradin	Bok Choy (Choy Sum, Pak Choi)	6.46	4	23.85	A
Ametoctradin	Broccoli	12.79	7	54.86	A
Ametoctradin	Cabbage	76.09	7	303.00	A
Ametoctradin	Canola (Rape)	1.37	1	5.00	A
Ametoctradin	Cauliflower	27.81	4	118.00	A
Ametoctradin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	13.16	5	57.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ametoctradin	Endive (Escarole)	2.84	8	9.92	A
Ametoctradin	Kale	49.51	13	181.41	A
Ametoctradin	Lettuce, Head	613.54	102	2,421.80	A
Ametoctradin	Lettuce, Leaf	1,100.38	177	4,170.60	A
Ametoctradin	Mizuna	8.90	5	32.60	A
Ametoctradin	Onion, Dry	201.94	12	781.98	A
Ametoctradin	Spinach	233.55	33	897.36	A
Ametoctradin	Swiss Chard	16.40	6	60.06	A
Aminocyclopyrachlor, potassium salt	Landscape Maintenance	705.10	0	0.00	N/A
Aminocyclopyrachlor, potassium salt	Rights Of Way	267.52	0	0.00	N/A
Aminopyralid, triisopropanolamine salt	Rights Of Way	7.36	0	0.00	N/A
Aminopyralid, triisopropanolamine salt	Ryegrass	57.84	1	50.00	A
Ammonium nitrate	Alfalfa	2,047.40	231	14,983.80	A
Ammonium nitrate	Bermudagrass	34.85	7	407.50	A
Ammonium nonanoate	Rights Of Way	100.18	0	0.00	N/A
Ammonium nonanoate	Spinach	848.19	2	127.00	A
Ammonium propionate	Alfalfa	2,322.98	235	14,559.75	A
Ammonium propionate	Canola (Rape)	66.33	8	442.00	A
Ammonium propionate	Onion, Dry	79.10	14	892.00	A
Ammonium propionate	Sugarbeet	2,069.44	137	11,393.50	A
Ammonium propionate	Wheat	75.42	4	479.50	A
Ammonium sulfate	Alfalfa	9,583.83	785	45,205.64	A
Ammonium sulfate	Bermudagrass	591.73	17	1,104.50	A
Ammonium sulfate	Canola (Rape)	58.10	12	625.00	A
Ammonium sulfate	Cantaloupe	102.41	19	937.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Corn (Forage - Fodder)	263.39	28	1,891.00	A
Ammonium sulfate	Cotton	327.24	29	1,754.30	A
Ammonium sulfate	Forage Hay/Silage	127.01	8	444.40	A
Ammonium sulfate	Lemon	91.44	37	668.20	A
Ammonium sulfate	Onion, Dry	42.70	17	1,134.00	A
Ammonium sulfate	Rights Of Way	36,270.25	0	0.00	N/A
Ammonium sulfate	Sugarbeet	3,203.46	283	20,565.96	A
Ammonium sulfate	Uncultivated Ag	2,484.38	157	8,334.91	A
Ammonium sulfate	Wheat	785.87	46	3,518.00	A
Aspergillus flavus strain nr1 #21882	Corn (Forage - Fodder)	0.29	3	309.00	A
Atrazine	Corn (Forage - Fodder)	1,768.05	15	1,341.00	A
Atrazine	Corn, Human Consumption	9,460.63	111	6,087.35	A
Atrazine	Sorghum (Forage - Fodder)	9.77	1	10.00	A
Atrazine	Sorghum/Milo	146.52	2	108.00	A
Atrazine	Sudangrass	4,932.43	48	3,303.47	A
Atrazine, other related	Corn (Forage - Fodder)	33.52	15	1,341.00	A
Atrazine, other related	Corn, Human Consumption	179.35	111	6,087.35	A
Atrazine, other related	Sorghum (Forage - Fodder)	0.19	1	10.00	A
Atrazine, other related	Sorghum/Milo	2.78	2	108.00	A
Atrazine, other related	Sudangrass	93.72	48	3,303.47	A
Azadirachtin	Arugula	3.60	18	176.58	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Beet	0.24	1	11.70	A
Azadirachtin	Bok Choy (Choy Sum, Pak Choi)	0.13	4	4.52	A
Azadirachtin	Broccoli	35.93	45	473.29	A
Azadirachtin	Cabbage	8.62	58	352.34	A
Azadirachtin	Cauliflower	5.80	74	261.15	A
Azadirachtin	Celery	9.21	14	194.22	A
Azadirachtin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	0.34	2	12.00	A
Azadirachtin	Cilantro	0.26	4	8.80	A
Azadirachtin	Collard	0.45	12	15.80	A
Azadirachtin	Fennel	< 0.01	5	0.20	A
Azadirachtin	Kale	6.70	26	210.01	A
Azadirachtin	Lettuce, Head	3.18	17	119.00	A
Azadirachtin	Lettuce, Leaf	33.29	105	1,392.10	A
Azadirachtin	Melon	2.57	2	92.00	A
Azadirachtin	Mizuna	2.19	15	63.09	A
Azadirachtin	N-Outdr Flower	0.84	4	36.00	A
Azadirachtin	Pepper, Fruiting	0.03	6	1.02	A
Azadirachtin	Rapini	13.55	11	543.50	A
Azadirachtin	Spinach	30.56	62	1,061.12	A
Azadirachtin	Swiss Chard	6.76	34	182.29	A
Azadirachtin	Watermelon	< 0.01	2	0.16	A
Azadirachtin	Watermelon	< 0.01	1	3,225.00	S
Azoxystrobin	Alfalfa	209.91	25	1,624.10	A
Azoxystrobin	Beet	1.31	1	5.40	A
Azoxystrobin	Broccoli	61.94	9	264.20	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azoxystrobin	Cabbage	65.23	12	350.00	A
Azoxystrobin	Cantaloupe	187.19	21	806.77	A
Azoxystrobin	Carrot	434.36	37	2,128.00	A
Azoxystrobin	Cauliflower	49.68	13	259.20	A
Azoxystrobin	Celery	172.19	27	735.90	A
Azoxystrobin	Cilantro	1.81	1	13.48	A
Azoxystrobin	Lettuce, Head	95.82	14	453.50	A
Azoxystrobin	Lettuce, Leaf	132.07	23	682.02	A
Azoxystrobin	Melon	127.53	30	657.61	A
Azoxystrobin	Mizuna	1.71	1	7.60	A
Azoxystrobin	Onion, Dry	936.51	50	3,051.00	A
Azoxystrobin	Potato	206.94	19	1,253.17	A
Azoxystrobin	Rapini	60.30	2	248.10	A
Azoxystrobin	Sugarbeet	14.55	2	70.00	A
Azoxystrobin	Watermelon	132.42	28	689.54	A
Azoxystrobin	Wheat	0.39	1	2.00	A
Bacillus altitudinis strain: qst 2808	Arugula	2.11	6	37.30	A
Bacillus altitudinis strain: qst 2808	Grape	314.29	20	2,618.33	A
Bacillus altitudinis strain: qst 2808	Kale	1.09	4	20.20	A
Bacillus altitudinis strain: qst 2808	Lettuce, Leaf	11.35	9	191.30	A
Bacillus altitudinis strain: qst 2808	Mizuna	1.07	5	18.70	A
Bacillus altitudinis strain: qst 2808	Spinach	18.59	9	265.00	A
Bacillus altitudinis strain: qst 2808	Swiss Chard	1.25	6	23.00	A
Bacillus amyloliquefaciens strain: f727	Broccoli	121.65	8	40.35	A
Bacillus amyloliquefaciens strain: f727	Cabbage	2.10	14	0.47	A
Bacillus amyloliquefaciens strain: f727	Cauliflower	6.02	17	1.15	A
Bacillus amyloliquefaciens strain: f727	Celery	36.19	2	17.80	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus amyloliquefaciens strain: f727	Collard	0.37	8	0.08	A
Bacillus amyloliquefaciens strain: f727	Fennel	0.80	5	0.20	A
Bacillus amyloliquefaciens strain: f727	Kale	0.36	5	0.10	A
Bacillus amyloliquefaciens strain: f727	Lettuce, Leaf	63.79	13	35.86	A
Bacillus amyloliquefaciens strain: f727	Swiss Chard	1.35	7	0.31	A
Bacillus mycoides isolate j	Lettuce, Leaf	3.20	4	97.00	A
Bacillus mycoides isolate j	Spinach	2.40	3	71.00	A
Bacillus sphaericus 2362 serotype h5a5b strain: abts 1743	Public Health	10.43	0	0.00	N/A
Bacillus subtilis subspecies subtilis strain: iab/bs03	Artichoke, Globe	0.04	7	38.60	A
Bacillus subtilis subspecies subtilis strain: iab/bs03	Watermelon	0.02	1	27.26	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Alfalfa	964.73	30	1,502.55	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Broccoli	87.21	3	102.60	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Cantaloupe	499.65	14	610.61	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Corn (Forage - Fodder)	171.58	5	207.00	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Corn, Human Consumption	3,601.62	132	8,811.90	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Melon	344.51	8	449.70	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-Outdr Flower	82.88	15	116.60	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Sugarbeet	34.00	1	70.00	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Watermelon	12.75	1	10.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Artichoke, Globe	10.80	1	14.40	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Arugula	19.75	11	64.92	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Beet	594.00	17	550.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Bok Choy (Choy Sum, Pak Choi)	1.12	1	4.14	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Broccoli	1,550.77	87	1,622.16	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Cabbage	1,061.92	71	1,018.35	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Canola (Rape)	183.61	4	211.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Cauliflower	680.97	61	745.31	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Celery	272.75	15	268.50	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	2.16	1	2.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Cilantro	2.27	1	4.20	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Collard	69.98	11	64.80	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Corn, Human Consumption	645.69	36	1,085.04	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Fennel	0.59	1	1.09	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Kale	533.67	32	675.69	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Lettuce, Head	62.53	12	61.20	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Lettuce, Leaf	782.01	62	1,117.13	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Mizuna	3.29	1	6.10	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Spinach	87.50	18	323.99	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Swiss Chard	24.18	8	80.96	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Watermelon	30.92	2	57.26	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Cabbage	131.72	5	142.17	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Cauliflower	21.98	2	29.30	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Celery	308.70	25	414.10	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Collard	1.27	1	1.70	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Kale	9.88	2	12.27	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Lettuce, Head	59.30	5	78.31	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Lettuce, Leaf	326.94	22	448.01	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Spinach	70.86	5	78.07	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Swiss Chard	1.38	1	1.57	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Alfalfa	382.68	33	2,000.70	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Artichoke, Globe	23.37	5	21.80	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Arugula	195.92	37	367.76	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Bok Choy (Choy Sum, Pak Choi)	19.07	6	35.31	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Broccoli	458.18	31	531.65	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Cabbage	436.23	30	438.61	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Carrot	1,458.00	12	379.00	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Cauliflower	250.35	21	283.33	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Celery	777.45	48	843.50	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Corn, Human Consumption	75.59	2	142.00	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Gai Lon	3.09	6	5.73	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Kale	60.55	11	116.00	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Lettuce, Head	157.25	17	167.91	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Lettuce, Leaf	925.82	119	1,347.82	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Mizuna	0.81	1	1.50	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Spinach	574.60	80	1,076.92	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Arugula	2.23	2	13.10	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Broccoli	0.17	13	0.37	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Cabbage	1.04	48	2.23	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Cauliflower	4.83	85	8.06	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Collard	0.10	18	0.18	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Cucumber	0.04	1	0.07	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Fennel	0.15	8	0.32	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Kale	13.67	11	38.07	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Lettuce, Leaf	0.70	23	1.60	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Spinach	11.13	4	67.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Swiss Chard	0.63	26	1.43	A
Bacillus thuringiensis subspecies israelensis strain bmp 144	Public Health	11.15	0	0.00	N/A
Bacillus thuringiensis, subsp. kurstaki, strain hd-1	Alfalfa	10.81	4	265.00	A
Bacillus velezensis strain: qst 713	Cabbage	0.08	6	0.39	A
Bacillus velezensis strain: qst 713	Cauliflower	0.44	16	1.49	A
Bacillus velezensis strain: qst 713	Collard	< 0.01	1	0.01	A
Bacillus velezensis strain: qst 713	Lettuce, Leaf	0.01	1	0.06	A
Bacillus velezensis strain: qst 713	Swiss Chard	0.05	5	0.21	A
Bacillus velezensis strain: d747	Arugula	551.28	17	234.83	A
Bacillus velezensis strain: d747	Broccoli	12.33	1	3.42	A
Bacillus velezensis strain: d747	Cabbage	697.89	11	247.00	A
Bacillus velezensis strain: d747	Carrot	374.45	3	141.60	A
Bacillus velezensis strain: d747	Celery	1,038.86	14	374.00	A
Bacillus velezensis strain: d747	Cilantro	1.85	1	0.40	A
Bacillus velezensis strain: d747	Lettuce, Leaf	2,370.40	22	596.75	A
Bacillus velezensis strain: d747	Spinach	1,423.70	11	339.70	A
Bacillus velezensis strain: mbi 600	Arugula	5.66	3	51.48	A
Bacillus velezensis strain: mbi 600	Lemon	62.81	13	628.00	A
Beauveria bassiana strain: ant-03	Pepper, Fruiting	0.40	7	0.45	A
Beauveria bassiana strain: ant-03	Watermelon	0.08	2	0.16	A
Beauveria bassiana strain: gha	Beet	79.66	10	361.60	A
Beauveria bassiana strain: gha	Cabbage	53.86	9	244.50	A
Beauveria bassiana strain: gha	Collard	17.71	11	75.10	A
Beauveria bassiana strain: gha	Kale	99.28	11	422.50	A
Beauveria bassiana strain: gha	Mustard	0.40	1	1.80	A
Beauveria bassiana strain: gha	Parsley	3.99	2	18.10	A
Beauveria bassiana strain: gha	Spinach	20.14	2	46.41	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Benefin	Alfalfa	1.50	1	1.25	A
Benefin	Lettuce, Head	574.80	14	817.00	A
Benefin	Lettuce, Leaf	1,974.77	50	3,216.70	A
Bensulide	Arugula	2,074.17	35	364.83	A
Bensulide	Bok Choy (Choy Sum, Pak Choi)	384.73	23	73.18	A
Bensulide	Broccoli	20,799.42	193	4,762.73	A
Bensulide	Cabbage	1,527.47	20	382.10	A
Bensulide	Cantaloupe	11,603.68	47	2,119.46	A
Bensulide	Cauliflower	1,003.73	19	168.72	A
Bensulide	Celery	1,482.36	15	260.13	A
Bensulide	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	533.73	9	89.72	A
Bensulide	Endive (Escarole)	154.85	10	26.03	A
Bensulide	Gai Lon	19.67	14	4.39	A
Bensulide	Kale	513.86	25	87.26	A
Bensulide	Lettuce, Head	18,092.32	204	3,751.81	A
Bensulide	Lettuce, Leaf	40,470.55	490	7,973.75	A
Bensulide	Melon	1,933.76	7	360.75	A
Bensulide	Mizuna	548.09	9	104.90	A
Bensulide	Mustard	126.95	10	27.29	A
Bensulide	Mustard Greens	46.68	3	7.84	A
Bensulide	N-Outdr Flower	203.75	8	48.50	A
Bensulide	Onion, Dry	16,675.88	99	6,643.80	A
Bensulide	Rapini	39.66	1	7.00	A
Bensulide	Watermelon	128.89	1	32.00	A
Benzovindiflupyr	Potato	38.35	11	576.90	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Alfalfa	969.51	651	42,601.29	A
Beta-cyfluthrin	Arugula	14.71	36	549.55	A
Beta-cyfluthrin	Bermudagrass	43.60	30	2,016.40	A
Beta-cyfluthrin	Bok Choy (Choy Sum, Pak Choi)	1.91	16	78.54	A
Beta-cyfluthrin	Broccoli	7.76	7	294.25	A
Beta-cyfluthrin	Cabbage	33.04	42	1,259.75	A
Beta-cyfluthrin	Carrot	14.38	20	891.00	A
Beta-cyfluthrin	Cauliflower	14.96	19	568.00	A
Beta-cyfluthrin	Celery	15.18	16	560.00	A
Beta-cyfluthrin	Corn, Human Consumption	150.93	119	6,639.60	A
Beta-cyfluthrin	Gai Lon	0.37	16	14.74	A
Beta-cyfluthrin	Grass, Seed	12.33	10	528.70	A
Beta-cyfluthrin	Kale	5.25	17	193.58	A
Beta-cyfluthrin	Landscape Maintenance	0.05	0	0.00	N/A
Beta-cyfluthrin	Lemon	46.00	26	930.00	A
Beta-cyfluthrin	Lettuce, Head	42.70	43	1,673.50	A
Beta-cyfluthrin	Lettuce, Leaf	194.60	198	7,457.88	A
Beta-cyfluthrin	Melon	5.03	6	322.50	A
Beta-cyfluthrin	Mizuna	3.96	22	152.30	A
Beta-cyfluthrin	Public Health	0.45	0	0.00	N/A
Beta-cyfluthrin	Rapini	39.89	20	1,640.20	A
Beta-cyfluthrin	Spinach	48.39	64	1,920.36	A
Beta-cyfluthrin	Structural Pest Control	7.68	0	0.00	N/A
Beta-cyfluthrin	Swiss Chard	6.77	22	243.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Tangerine	0.41	1	20.00	A
Bifenthrin	Artichoke, Globe	4.02	1	40.00	A
Bifenthrin	Beet	4.57	8	46.81	A
Bifenthrin	Bok Choy (Choy Sum, Pak Choi)	7.69	8	77.02	A
Bifenthrin	Broccoli	69.30	37	670.13	A
Bifenthrin	Cabbage	120.82	23	1,332.86	A
Bifenthrin	Cantaloupe	77.15	20	946.67	A
Bifenthrin	Cauliflower	71.00	21	761.95	A
Bifenthrin	Celery	32.53	21	362.80	A
Bifenthrin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	10.44	7	103.92	A
Bifenthrin	Corn, Human Consumption	66.14	10	686.00	A
Bifenthrin	Kale	14.98	7	153.67	A
Bifenthrin	Landscape Maintenance	0.97	0	0.00	N/A
Bifenthrin	Lettuce, Head	97.21	85	1,094.85	A
Bifenthrin	Melon	23.55	17	549.18	A
Bifenthrin	Radish	16.75	34	166.42	A
Bifenthrin	Rapini	221.94	78	2,579.80	A
Bifenthrin	Structural Pest Control	140.51	0	0.00	N/A
Bifenthrin	Watermelon	3.51	2	48.00	A
Boric acid	Structural Pest Control	157.49	0	0.00	N/A
Boscalid	Celery	9.10	5	32.10	A
Boscalid	Lettuce, Head	219.60	47	869.74	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Boscalid	Lettuce, Leaf	455.68	113	1,515.39	A
Boscalid	N-Outdr Flower	13.15	18	115.20	A
Boscalid	Onion, Dry	97.08	3	420.00	A
Bromethalin	Structural Pest Control	0.12	0	0.00	N/A
Bromoxynil heptanoate	Alfalfa	426.25	43	1,920.80	A
Bromoxynil heptanoate	Bermudagrass	45.78	2	143.00	A
Bromoxynil heptanoate	Forage Hay/Silage	23.34	3	90.40	A
Bromoxynil heptanoate	Grass, Seed	88.70	6	343.60	A
Bromoxynil heptanoate	Onion, Dry	112.84	9	535.00	A
Bromoxynil heptanoate	Sudangrass	1.49	1	5.80	A
Bromoxynil heptanoate	Wheat	148.57	12	551.00	A
Bromoxynil octanoate	Alfalfa	10,260.83	399	24,221.37	A
Bromoxynil octanoate	Bermudagrass	2,392.07	51	3,686.70	A
Bromoxynil octanoate	Forage Hay/Silage	80.98	5	170.40	A
Bromoxynil octanoate	Grass, Seed	177.14	7	483.60	A
Bromoxynil octanoate	Oat	114.58	3	159.00	A
Bromoxynil octanoate	Onion, Dry	5,121.21	217	14,004.00	A
Bromoxynil octanoate	Sudangrass	23.21	2	40.80	A
Bromoxynil octanoate	Wheat	2,585.59	68	4,273.50	A
Buprofezin	Broccoli	18.05	4	49.50	A
Buprofezin	Cantaloupe	56.77	3	153.00	A
Buprofezin	Cauliflower	22.02	5	59.82	A
Buprofezin	Grapefruit	215.34	2	110.00	A
Buprofezin	Kale	28.39	2	73.36	A
Buprofezin	Lemon	887.52	12	452.02	A
Buprofezin	Melon	315.77	13	923.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Buprofezin	Watermelon	3.64	1	10.00	A
Burkholderia rinojensis strain a396	Cabbage	0.14	1	0.03	A
Burkholderia rinojensis strain a396	Cauliflower	2.15	2	0.28	A
Burkholderia rinojensis strain a396	Kale	86.55	1	16.78	A
Burkholderia rinojensis strain a396	Melon	64.92	1	46.00	A
Canola oil	Beet	31.16	2	42.80	A
Canola oil	Lettuce, Head	43.20	1	56.00	A
Canola oil	Lettuce, Leaf	14.04	1	17.67	A
Capric acid	Basil, Sweet	299.91	1	50.00	A
Capric acid	Carrot	3,794.06	13	425.87	A
Capric acid	Cilantro	167.95	1	23.00	A
Capric acid	Lettuce, Head	54.35	4	20.75	A
Capric acid	Lettuce, Leaf	493.40	38	183.02	A
Capric acid	Onion, Dry	2,951.64	5	316.40	A
Capric acid	Potato	1,276.35	7	176.20	A
Capric acid	Rights Of Way	528.76	0	0.00	N/A
Capric acid	Uncultivated Ag	788.34	15	482.18	A
Caprylic acid	Basil, Sweet	440.50	1	50.00	A
Caprylic acid	Carrot	5,371.53	13	425.87	A
Caprylic acid	Cilantro	246.68	1	23.00	A
Caprylic acid	Lettuce, Head	66.43	4	20.75	A
Caprylic acid	Lettuce, Leaf	603.05	38	183.02	A
Caprylic acid	Onion, Dry	4,277.13	5	316.40	A
Caprylic acid	Potato	1,832.90	7	176.20	A
Caprylic acid	Rights Of Way	776.62	0	0.00	N/A
Caprylic acid	Uncultivated Ag	1,157.87	15	482.18	A
Capsicum oleoresin	Beet	4.31	2	42.80	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Capsicum oleoresin	Lettuce, Head	5.97	1	56.00	A
Capsicum oleoresin	Lettuce, Leaf	1.94	1	17.67	A
Carbaryl	Radish	39.83	1	34.85	A
Carbaryl	Sugarbeet	6,000.17	71	4,431.80	A
Carboxin	Onion, Dry	12.54	0	26,797.89	P
Carfentrazone-ethyl	Alfalfa	89.02	62	3,083.70	A
Carfentrazone-ethyl	Aloe Vera	0.67	3	40.00	A
Carfentrazone-ethyl	Bermudagrass	333.20	235	17,038.89	A
Carfentrazone-ethyl	Broccoli	0.02	7	59.49	A
Carfentrazone-ethyl	Canola (Rape)	0.10	1	4.00	A
Carfentrazone-ethyl	Corn, Human Consumption	0.99	1	68.00	A
Carfentrazone-ethyl	Forage Hay/Silage	57.69	61	3,116.10	A
Carfentrazone-ethyl	Grass, Seed	10.76	11	497.10	A
Carfentrazone-ethyl	Landscape Maintenance	0.02	0	0.00	N/A
Carfentrazone-ethyl	Lettuce, Head	0.24	36	539.25	A
Carfentrazone-ethyl	Lettuce, Leaf	5.02	122	1,744.10	A
Carfentrazone-ethyl	Oat	3.77	5	286.00	A
Carfentrazone-ethyl	Oat (Forage - Fodder)	15.16	19	1,033.35	A
Carfentrazone-ethyl	Onion, Dry	1.11	2	79.00	A
Carfentrazone-ethyl	Potato	18.89	8	227.00	A
Carfentrazone-ethyl	Rights Of Way	1.06	0	0.00	N/A
Carfentrazone-ethyl	Sudangrass	8.41	7	576.47	A
Carfentrazone-ethyl	Uncultivated Ag	163.43	129	6,730.00	A
Carfentrazone-ethyl	Wheat	4.33	3	269.00	A
Castor oil ethoxylate	Alfalfa	696.08	449	30,627.89	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Castor oil ethoxylate	Bermudagrass	20.01	7	523.00	A
Castor oil ethoxylate	Onion, Dry	42.96	24	1,871.00	A
Castor oil ethoxylate	Wheat	9.95	20	651.50	A
Cerevisane (cell walls of saccharomyces cerevisiae strain las117)	Lettuce, Leaf	0.02	1	0.05	A
Cerevisane (cell walls of saccharomyces cerevisiae strain las117)	Watermelon	12.70	1	30.00	A
Chlorantraniliprole	Alfalfa	714.74	394	23,724.17	A
Chlorantraniliprole	Asparagus	2.10	1	24.00	A
Chlorantraniliprole	Beet	9.69	14	81.10	A
Chlorantraniliprole	Bermudagrass	12.80	2	145.00	A
Chlorantraniliprole	Bok Choy (Choy Sum, Pak Choi)	3.15	5	21.89	A
Chlorantraniliprole	Broccoli	252.79	114	2,913.62	A
Chlorantraniliprole	Cabbage	72.14	24	751.45	A
Chlorantraniliprole	Canola (Rape)	1.92	2	34.00	A
Chlorantraniliprole	Cantaloupe	66.99	10	637.00	A
Chlorantraniliprole	Cauliflower	51.39	22	537.64	A
Chlorantraniliprole	Celery	68.84	27	947.50	A
Chlorantraniliprole	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	23.25	11	167.37	A
Chlorantraniliprole	Corn, Human Consumption	1,125.16	381	23,981.20	A
Chlorantraniliprole	Kale	8.42	5	76.08	A
Chlorantraniliprole	Landscape Maintenance	< 0.01	0	0.00	N/A
Chlorantraniliprole	Lettuce, Head	442.16	196	5,825.78	A
Chlorantraniliprole	Lettuce, Leaf	586.11	297	7,160.33	A
Chlorantraniliprole	Melon	5.12	1	74.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Pepper, Fruiting	25.00	7	427.00	A
Chlorantraniliprole	Spinach	28.16	5	233.00	A
Chlorantraniliprole	Sugarbeet	1,429.96	294	20,842.57	A
Chlorantraniliprole	Tomato	0.05	1	1.00	A
Chlordane	Rights Of Way	1.07	0	0.00	N/A
Chlorfenapyr	Pepper, Fruiting	0.01	1	0.75	A
Chlorfenapyr	Structural Pest Control	14.17	0	0.00	N/A
Chlorophacinone	Structural Pest Control	0.02	0	0.00	N/A
Chlorothalonil	Broccoli	1,608.98	28	1,617.54	A
Chlorothalonil	Cabbage	1,941.54	59	1,665.00	A
Chlorothalonil	Carrot	446.95	4	297.50	A
Chlorothalonil	Cauliflower	730.67	35	683.00	A
Chlorothalonil	Celery	1,800.46	33	930.06	A
Chlorothalonil	N-Outdr Flower	10.17	5	20.60	A
Chlorothalonil	Onion, Dry	14,584.61	174	12,269.00	A
Chlorsulfuron	Landscape Maintenance	1.86	0	0.00	N/A
Chlorthal-dimethyl	Bok Choy (Choy Sum, Pak Choi)	54.10	10	11.64	A
Chlorthal-dimethyl	Broccoli	2,019.54	12	388.00	A
Chlorthal-dimethyl	Cabbage	2,365.94	6	381.30	A
Chlorthal-dimethyl	Gai Lon	14.61	8	3.14	A
Chlorthal-dimethyl	N-Outdr Flower	396.97	8	48.50	A
Chlorthal-dimethyl	Onion, Dry	5,878.65	25	911.25	A
Chlorthal-dimethyl	Radish	1,306.64	35	206.42	A
Chlorthal-dimethyl	Rapini	3,799.52	60	1,344.70	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cholecalciferol	Structural Pest Control	0.14	0	0.00	N/A
Chromobacterium subtsugae strain: praa4-1	Cauliflower	18.00	1	20.00	A
Citric acid	Alfalfa	2,172.44	916	49,825.36	A
Citric acid	Bermudagrass	148.70	81	4,706.10	A
Citric acid	Broccoli	35.12	40	736.00	A
Citric acid	Cabbage	9.32	25	105.62	A
Citric acid	Canola (Rape)	39.93	13	699.00	A
Citric acid	Carrot	16.31	9	371.60	A
Citric acid	Cauliflower	15.85	32	188.00	A
Citric acid	Cilantro	56.93	4	187.00	A
Citric acid	Corn, Human Consumption	15.48	14	789.00	A
Citric acid	Cotton	26.93	60	3,461.60	A
Citric acid	Forage Hay/Silage	6.32	7	302.80	A
Citric acid	Grass, Seed	20.66	13	612.10	A
Citric acid	Kale	7.42	9	190.26	A
Citric acid	Lemon	120.21	100	3,472.20	A
Citric acid	Lettuce, Head	11.04	22	143.00	A
Citric acid	Lettuce, Leaf	25.43	56	652.11	A
Citric acid	Onion, Dry	55.55	28	1,794.00	A
Citric acid	Rights Of Way	2,083.92	0	0.00	N/A
Citric acid	Sugarbeet	1,306.68	308	24,020.42	A
Citric acid	Uncultivated Ag	243.88	247	7,702.64	A
Citric acid	Wheat	108.69	31	2,583.50	A
Clarified hydrophobic extract of neem oil	Broccoli	7.45	1	3.42	A
Clarified hydrophobic extract of neem oil	Cabbage	289.25	7	138.10	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clarified hydrophobic extract of neem oil	Collard	30.00	2	15.70	A
Clarified hydrophobic extract of neem oil	Herb, Spice	9.55	1	20.00	A
Clarified hydrophobic extract of neem oil	Kale	150.55	2	78.80	A
Clarified hydrophobic extract of neem oil	Lettuce, Leaf	103.36	4	54.10	A
Clarified hydrophobic extract of neem oil	Mint	66.54	4	100.00	A
Clethodim	Alfalfa	26,324.82	2,013	115,000.57	A
Clethodim	Broccoli	327.15	52	2,522.06	A
Clethodim	Cabbage	11.13	11	79.65	A
Clethodim	Canola (Rape)	24.22	3	179.00	A
Clethodim	Cantaloupe	54.69	5	316.00	A
Clethodim	Carrot	454.15	64	3,589.90	A
Clethodim	Cauliflower	74.46	16	588.14	A
Clethodim	Celery	4.00	2	33.00	A
Clethodim	Cilantro	24.38	6	203.20	A
Clethodim	Kale	1.90	4	17.70	A
Clethodim	Lettuce, Head	43.11	17	333.00	A
Clethodim	Lettuce, Leaf	138.76	72	1,227.43	A
Clethodim	Mizuna	0.23	3	2.83	A
Clethodim	Onion, Dry	1,080.87	90	4,905.25	A
Clethodim	Potato	30.38	2	133.00	A
Clethodim	Radish	1.33	1	10.00	A
Clethodim	Rapini	114.33	18	1,267.10	A
Clethodim	Sesame, Seed	0.61	1	5.00	A
Clethodim	Spinach	12.57	9	156.12	A
Clethodim	Swiss Chard	1.17	3	15.09	A
Clethodim	Uncultivated Ag	17.32	3	88.00	A
Clethodim	Watermelon	1.21	1	10.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clopyralid, monoethanolamine salt	Bermudagrass	150.73	9	654.00	A
Clopyralid, monoethanolamine salt	Broccoli	404.71	37	1,633.66	A
Clopyralid, monoethanolamine salt	Kale	2.96	1	12.00	A
Clopyralid, monoethanolamine salt	Pastureland	69.16	2	222.00	A
Clopyralid, monoethanolamine salt	Sugarbeet	1,628.03	100	7,385.78	A
Clopyralid, monoethanolamine salt	Uncultivated Ag	20.75	1	85.00	A
Clothianidin	Broccoli	72.46	13	415.30	A
Clothianidin	Cabbage	125.94	9	631.00	A
Clothianidin	Cauliflower	66.10	6	331.00	A
Clothianidin	Lettuce, Leaf	12.78	1	64.00	A
Clothianidin	Structural Pest Control	0.72	0	0.00	N/A
Copper carbonate, basic	Rights Of Way	469.70	0	0.00	N/A
Copper ethanolamine complexes, mixed	Rights Of Way	69.06	0	0.00	N/A
Copper hydroxide	Broccoli	4.69	9	15.24	A
Copper hydroxide	Cabbage	211.62	43	454.18	A
Copper hydroxide	Carrot	365.67	5	369.50	A
Copper hydroxide	Cauliflower	49.77	63	149.01	A
Copper hydroxide	Celery	454.16	48	957.97	A
Copper hydroxide	Collard	0.03	8	0.08	A
Copper hydroxide	Corn, Human Consumption	367.07	12	489.00	A
Copper hydroxide	Cucumber	0.03	1	0.07	A
Copper hydroxide	Fennel	0.01	1	0.04	A
Copper hydroxide	Garlic	135.58	3	168.00	A
Copper hydroxide	Grape	93.69	1	135.49	A
Copper hydroxide	Grapefruit	19.90	1	92.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	Kale	0.03	5	0.10	A
Copper hydroxide	Lemon	398.16	19	922.28	A
Copper hydroxide	Lettuce, Leaf	0.07	2	0.15	A
Copper hydroxide	Lime	20.87	2	97.10	A
Copper hydroxide	Onion, Dry	4,445.80	72	5,255.00	A
Copper hydroxide	Potato	798.68	25	990.00	A
Copper hydroxide	Spinach	189.03	10	129.20	A
Copper hydroxide	Swiss Chard	0.22	9	0.65	A
Copper hydroxide	Tomato	1.35	2	2.00	A
Copper octanoate	Artichoke, Globe	32.35	7	38.60	A
Copper octanoate	Lettuce, Head	16.68	1	43.00	A
Copper octanoate	Swiss Chard	110.98	25	275.60	A
Copper oxychloride	Celery	326.07	37	726.62	A
Copper oxychloride	Grapefruit	22.06	1	92.62	A
Copper oxychloride	Lemon	112.62	10	472.78	A
Copper oxychloride	Lime	23.13	2	97.10	A
Cuprous oxide	Celery	765.59	33	365.00	A
Cuprous oxide	Onion, Dry	2,697.39	21	1,287.00	A
Cyantraniliprole	Arugula	2.70	1	18.00	A
Cyantraniliprole	Bok Choy (Choy Sum, Pak Choi)	3.18	5	27.95	A
Cyantraniliprole	Broccoli	268.84	68	1,956.60	A
Cyantraniliprole	Cabbage	291.19	62	1,905.00	A
Cyantraniliprole	Cantaloupe	31.65	10	312.71	A
Cyantraniliprole	Cauliflower	154.39	43	1,022.86	A
Cyantraniliprole	Celery	13.16	8	119.30	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyantraniliprole	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	2.77	4	39.03	A
Cyantraniliprole	Endive (Escarole)	0.81	10	11.12	A
Cyantraniliprole	Grapefruit	20.26	4	185.62	A
Cyantraniliprole	Kale	34.56	10	338.10	A
Cyantraniliprole	Lemon	239.52	68	2,376.50	A
Cyantraniliprole	Lettuce, Head	251.05	79	1,786.55	A
Cyantraniliprole	Lettuce, Leaf	879.67	211	5,723.11	A
Cyantraniliprole	Lime	7.37	1	70.00	A
Cyantraniliprole	Melon	20.38	9	242.38	A
Cyantraniliprole	Mizuna	0.60	1	4.00	A
Cyantraniliprole	N-Outdr Flower	7.62	8	82.00	A
Cyantraniliprole	Pepper, Fruiting	0.17	1	0.11	A
Cyantraniliprole	Spinach	70.37	24	677.31	A
Cyantraniliprole	Swiss Chard	1.93	2	14.20	A
Cyantraniliprole	Tangelo	4.41	1	40.00	A
Cyantraniliprole	Tangerine	4.63	2	41.00	A
Cyazofamid	Kale	1.03	2	14.25	A
Cyazofamid	Lettuce, Head	3.32	6	50.70	A
Cyazofamid	Lettuce, Leaf	14.09	9	202.20	A
Cyazofamid	N-Outdr Flower	7.33	18	127.00	A
Cyazofamid	Onion, Dry	27.86	3	375.00	A
Cyazofamid	Spinach	17.48	12	244.94	A
Cyclaniliprole	Broccoli	13.30	10	267.40	A
Cyclaniliprole	Cabbage	21.38	12	431.50	A
Cyclaniliprole	Cauliflower	35.53	14	715.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyclaniliprole	Lettuce, Head	2.09	3	54.30	A
Cyclaniliprole	Lettuce, Leaf	15.94	31	354.00	A
Cycloate	Beet	87.10	17	37.37	A
Cycloate	Spinach	6,038.64	109	2,101.79	A
Cyflufenamid	Cantaloupe	54.33	52	2,421.11	A
Cyflufenamid	Melon	41.88	30	1,318.00	A
Cyflufenamid	Watermelon	0.69	1	32.00	A
Cyfluthrin	Alfalfa	462.88	154	10,947.75	A
Cyfluthrin	Bermudagrass	122.21	31	2,690.00	A
Cyfluthrin	Corn, Human Consumption	30.62	10	688.00	A
Cyfluthrin	Grapefruit	2.54	4	49.00	A
Cyfluthrin	Lemon	60.49	66	1,441.54	A
Cyfluthrin	Lettuce, Leaf	43.21	22	883.20	A
Cyfluthrin	Structural Pest Control	0.03	0	0.00	N/A
Cyfluthrin	Tangelo	0.99	1	19.00	A
Cyfluthrin	Tangerine	3.52	5	79.00	A
Cymoxanil	Arugula	10.42	3	66.69	A
Cymoxanil	Lettuce, Head	324.86	67	2,054.08	A
Cymoxanil	Lettuce, Leaf	850.44	215	5,437.28	A
Cymoxanil	Onion, Dry	18.25	2	205.00	A
Cymoxanil	Spinach	164.02	28	1,114.11	A
Cypermethrin	Kale	3.71	1	38.09	A
Cypermethrin	Rights Of Way	30.02	0	0.00	N/A
Cypermethrin	Structural Pest Control	819.10	0	0.00	N/A
Cyprodinil	N-Outdr Flower	1.97	5	19.80	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
D-trans allethrin	Structural Pest Control	< 0.01	0	0.00	N/A
Dazomet	Rights Of Way	2,635.62	0	0.00	N/A
Deltamethrin	Public Health	4.80	0	0.00	N/A
Deltamethrin	Structural Pest Control	29.62	0	0.00	N/A
Diatomaceous earth	Beet	2,429.64	8	266.20	A
Diatomaceous earth	Bok Choy (Choy Sum, Pak Choi)	58.52	2	2.55	A
Diatomaceous earth	Broccoli	345.10	4	44.20	A
Diatomaceous earth	Celery	834.27	3	39.26	A
Diatomaceous earth	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	306.00	3	18.00	A
Diatomaceous earth	Kale	147.34	2	6.42	A
Diatomaceous earth	Lettuce, Head	255.75	3	20.40	A
Diatomaceous earth	Lettuce, Leaf	2,448.19	17	203.42	A
Diatomaceous earth	Spinach	238.00	3	14.00	A
Diatomaceous earth	Swiss Chard	397.05	4	18.96	A
Dicamba	Landscape Maintenance	< 0.01	0	0.00	N/A
Dicamba	Rights Of Way	0.37	0	0.00	N/A
Dicamba, dimethylamine salt	Landscape Maintenance	0.58	0	0.00	N/A
Dicamba, sodium salt	Forage Hay/Silage	8.25	1	35.00	A
Dicloran	Celery	112.26	5	74.80	A
Didecyl dimethyl ammonium chloride	Structural Pest Control	0.04	0	0.00	N/A
Diethylene glycol	Alfalfa	1,950.08	323	25,882.30	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diethylene glycol	Bermudagrass	539.78	52	4,791.63	A
Diethylene glycol	Broccoli	35.81	35	1,059.20	A
Diethylene glycol	Cantaloupe	69.67	21	843.12	A
Diethylene glycol	Lettuce, Head	85.61	50	1,570.59	A
Diethylene glycol	Onion, Dry	53.15	17	1,401.00	A
Diethylene glycol	Sugarbeet	122.32	58	3,509.00	A
Diethylene glycol	Uncultivated Ag	60.70	13	1,100.00	A
Difenoconazole	Cauliflower	5.22	2	45.00	A
Difenoconazole	Potato	90.01	17	804.73	A
Difethialone	Structural Pest Control	< 0.01	0	0.00	N/A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Bermudagrass	5,984.67	146	10,480.05	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn, Human Consumption	245.07	4	559.00	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage Hay/Silage	1,579.14	33	1,775.80	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Grass, Seed	1,358.50	32	2,446.20	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat	40.84	4	225.40	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Oat (Forage - Fodder)	187.09	19	1,033.35	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Ryegrass	146.79	5	369.00	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sudangrass	27.00	2	35.70	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Uncultivated Ag	166.37	3	144.60	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Wheat	99.82	4	364.00	A
Dimethenamid-p	Onion, Dry	171.63	3	186.00	A
Dimethenamid-p	Sugarbeet	21.66	1	42.00	A
Dimethoate	Alfalfa	11,001.06	484	31,689.02	A
Dimethoate	Broccoli	3.64	1	62.00	A
Dimethoate	Cotton	1.61	4	27.46	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethoate	Melon	1.37	5	23.41	A
Dimethoate	Wheat	463.99	16	1,276.50	A
Dimethomorph	Arugula	16.62	4	81.26	A
Dimethomorph	Bok Choy (Choy Sum, Pak Choi)	4.85	4	23.85	A
Dimethomorph	Broccoli	9.90	8	56.36	A
Dimethomorph	Cabbage	198.48	32	1,038.00	A
Dimethomorph	Canola (Rape)	1.03	1	5.00	A
Dimethomorph	Cauliflower	20.89	4	118.00	A
Dimethomorph	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	9.88	5	57.81	A
Dimethomorph	Endive (Escarole)	2.13	8	9.92	A
Dimethomorph	Kale	46.05	16	226.41	A
Dimethomorph	Lettuce, Head	707.66	143	3,721.52	A
Dimethomorph	Lettuce, Leaf	1,184.16	232	6,037.09	A
Dimethomorph	Mizuna	6.68	5	32.60	A
Dimethomorph	Mustard	12.99	1	66.00	A
Dimethomorph	N-Outdr Flower	17.73	11	79.60	A
Dimethomorph	Onion, Dry	557.26	43	2,847.98	A
Dimethomorph	Spinach	175.38	33	897.36	A
Dimethomorph	Swiss Chard	12.32	6	60.06	A
Dimethylpolysiloxane	Alfalfa	64.50	832	57,469.33	A
Dimethylpolysiloxane	Bermudagrass	11.73	109	9,195.20	A
Dimethylpolysiloxane	Bok Choy (Choy Sum, Pak Choi)	0.37	15	66.65	A
Dimethylpolysiloxane	Broccoli	7.07	31	622.45	A
Dimethylpolysiloxane	Cantaloupe	0.44	27	1,253.12	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Corn (Forage - Fodder)	0.35	10	984.00	A
Dimethylpolysiloxane	Corn, Human Consumption	3.02	25	447.24	A
Dimethylpolysiloxane	Cotton	0.06	17	219.40	A
Dimethylpolysiloxane	Kale	19.23	49	627.96	A
Dimethylpolysiloxane	Landscape Maintenance	0.02	0	0.00	N/A
Dimethylpolysiloxane	Lemon	39.17	10	294.04	A
Dimethylpolysiloxane	Lettuce, Head	9.36	121	3,267.82	A
Dimethylpolysiloxane	Lettuce, Leaf	72.12	168	3,674.71	A
Dimethylpolysiloxane	Melon	1.42	11	762.00	A
Dimethylpolysiloxane	Onion, Dry	3.17	59	5,303.70	A
Dimethylpolysiloxane	Rights Of Way	0.73	0	0.00	N/A
Dimethylpolysiloxane	Sugarbeet	6.68	132	8,988.99	A
Dimethylpolysiloxane	Uncultivated Ag	1.97	104	5,826.70	A
Dimethylpolysiloxane	Watermelon	0.91	3	67.26	A
Dimethylpolysiloxane	Wheat	0.64	27	2,265.50	A
Dinotefuran	Broccoli	5.69	1	32.50	A
Dinotefuran	Cabbage	18.02	2	104.00	A
Dinotefuran	Cantaloupe	656.03	88	3,374.12	A
Dinotefuran	Cauliflower	22.57	7	139.00	A
Dinotefuran	Lettuce, Head	4.72	1	36.00	A
Dinotefuran	Lettuce, Leaf	70.44	12	520.00	A
Dinotefuran	Melon	212.35	21	954.46	A
Dinotefuran	N-Outdr Flower	2.95	2	23.50	A
Dinotefuran	Onion, Dry	7.98	1	36.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dinotefuran	Structural Pest Control	35.97	0	0.00	N/A
Dinotefuran	Watermelon	10.32	2	42.00	A
Dioctyl dimethyl ammonium chloride	Water (Industrial)	408.87	0	1.00	U
Diphacinone	Landscape Maintenance	< 0.01	0	0.00	N/A
Diphacinone	Lemon	0.01	5	88.14	A
Diphacinone	Rights Of Way	0.01	0	0.00	N/A
Diphacinone	Structural Pest Control	0.04	0	0.00	N/A
Diphacinone	Sugarbeet	< 0.01	1	70.00	A
Diphacinone	Vertebrate Control	< 0.01	0	0.00	N/A
Diphacinone, sodium salt	Structural Pest Control	< 0.01	0	0.00	N/A
Diquat dibromide	Alfalfa	2,556.16	51	2,753.60	A
Diquat dibromide	Canola (Rape)	3.73	1	4.00	A
Diquat dibromide	Potato	927.47	27	1,192.58	A
Disodium octaborate tetrahydrate	Rights Of Way	59.09	0	0.00	N/A
Disodium octaborate tetrahydrate	Structural Pest Control	19.78	0	0.00	N/A
Diuron	Cotton	44.40	30	958.50	A
Diuron	Rights Of Way	224.22	0	0.00	N/A
Emamectin benzoate	Artichoke, Globe	0.03	1	2.00	A
Emamectin benzoate	Broccoli	44.55	107	3,539.70	A
Emamectin benzoate	Cabbage	23.48	72	1,660.61	A
Emamectin benzoate	Cauliflower	18.87	54	1,431.82	A
Emamectin benzoate	Celery	6.56	21	546.18	A
Emamectin benzoate	Endive (Escarole)	0.17	10	15.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Emamectin benzoate	Lettuce, Head	37.82	152	3,319.23	A
Emamectin benzoate	Lettuce, Leaf	21.30	103	1,782.76	A
Emamectin benzoate	Pepper, Fruiting	7.31	8	500.00	A
Emamectin benzoate	Structural Pest Control	< 0.01	0	0.00	N/A
Emulsifiable methylated vegetable oil	Alfalfa	4,553.40	206	14,965.60	A
Emulsifiable methylated vegetable oil	Broccoli	316.84	39	1,365.52	A
Emulsifiable methylated vegetable oil	Cantaloupe	280.92	23	1,003.90	A
Eptc	Alfalfa	53,699.27	338	24,608.55	A
Eptc	Carrot	1,855.06	12	727.00	A
Eptc	Potato	526.23	1	151.00	A
Eptc	Uncultivated Ag	47,287.24	178	11,670.60	A
Esfenvalerate	Artichoke, Globe	0.10	1	2.00	A
Esfenvalerate	Broccoli	135.05	153	2,923.24	A
Esfenvalerate	Cabbage	3.65	4	73.00	A
Esfenvalerate	Cantaloupe	14.60	5	353.00	A
Esfenvalerate	Carrot	345.34	141	7,645.40	A
Esfenvalerate	Cauliflower	2.44	4	55.00	A
Esfenvalerate	Corn, Human Consumption	1,328.98	461	27,615.95	A
Esfenvalerate	Lettuce, Head	104.28	95	2,420.36	A
Esfenvalerate	Melon	20.49	6	426.00	A
Esfenvalerate	Structural Pest Control	3.17	0	0.00	N/A
Esfenvalerate	Sugarbeet	1,575.05	517	34,920.28	A
Ethalfuralin	Melon	3.88	1	4.50	A
Ethalfuralin	Potato	30.08	1	35.00	A
Ethanolamine	Alfalfa	5.76	3	92.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ethephon	Cotton	1,344.09	40	1,553.00	A
Ethephon	Pepper, Fruiting	466.92	13	521.70	A
Ethofumesate	Onion, Dry	3,786.83	128	6,993.05	A
Ethoprop	Potato	3,903.76	7	660.00	A
Ethylene glycol	Lettuce, Leaf	125.16	35	453.69	A
Etofenprox	Public Health	0.35	0	0.00	N/A
Famoxadone	Arugula	10.42	3	66.69	A
Famoxadone	Lettuce, Head	100.71	28	677.72	A
Famoxadone	Lettuce, Leaf	435.75	94	2,971.18	A
Famoxadone	Onion, Dry	18.25	2	205.00	A
Famoxadone	Spinach	150.56	25	1,042.00	A
Fatty acids, c16-18 and c18-unsaturated, branched and linear	Alfalfa	2.00	8	469.00	A
Fatty acids, c16-18 and c18-unsaturated, branched and linear	Broccoli	0.88	3	181.95	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Alfalfa	6,130.24	646	40,289.75	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Arugula	90.91	51	710.85	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Broccoli	152.99	70	1,239.66	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cabbage	1,080.65	228	6,092.92	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cantaloupe	540.25	86	3,890.00	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Carrot	165.66	19	1,015.50	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cauliflower	330.91	91	1,754.78	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Forage Hay/Silage	51.06	8	322.00	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, Head	999.83	334	7,436.46	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, Leaf	3,682.18	989	23,928.73	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Melon	107.82	23	955.00	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Mizuna	40.08	48	297.93	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Onion, Dry	137.95	28	867.03	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Spinach	175.92	47	1,254.95	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Sugarbeet	892.91	142	7,598.80	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Swiss Chard	57.07	42	438.65	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Uncultivated Ag	97.91	9	431.00	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Wheat	203.04	14	1,125.00	A
Fatty acids, tallow	Alfalfa	210.82	100	6,831.96	A
Fatty acids, tallow	Lettuce, Head	2.63	2	130.00	A
Fatty acids, tallow	Lettuce, Leaf	2.81	4	146.50	A
Fenamidone	Arugula	65.68	17	255.69	A
Fenamidone	Broccoli	410.77	45	1,714.99	A
Fenamidone	Cabbage	413.54	66	1,715.35	A
Fenamidone	Cauliflower	180.90	30	742.00	A
Fenamidone	Celery	11.02	2	42.00	A
Fenamidone	Endive (Escarole)	1.75	9	7.19	A
Fenamidone	Kale	37.61	14	142.22	A
Fenamidone	Lettuce, Head	925.67	138	3,792.62	A
Fenamidone	Lettuce, Leaf	1,883.27	262	7,723.28	A
Fenamidone	Mizuna	22.79	17	88.43	A
Fenamidone	Onion, Dry	1,118.87	96	6,416.69	A
Fenamidone	Spinach	529.42	70	2,074.97	A
Fenamidone	Swiss Chard	40.54	17	158.39	A
Fenazaquin	Pepper, Fruiting	343.27	8	500.00	A
Fenhexamid	N-Outdr Flower	10.62	7	25.00	A
Fenoxaprop-p-ethyl	Wheat	16.46	4	204.00	A
Fenpropathrin	Grapefruit	201.23	11	482.62	A
Fenpropathrin	Lemon	1,407.00	98	3,448.55	A
Fenpropathrin	Lime	40.48	2	97.10	A
Fenpropathrin	Orange	57.55	2	136.81	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenpropathrin	Tangelo	86.72	2	207.94	A
Fenpropathrin	Tangerine	93.38	8	259.92	A
Fenpyroximate	Cantaloupe	5.34	1	55.00	A
Fenpyroximate	Lemon	14.19	4	103.00	A
Fipronil	Structural Pest Control	220.35	0	0.00	N/A
Flonicamid	Alfalfa	3,567.37	632	40,960.60	A
Flonicamid	Arugula	5.29	4	64.90	A
Flonicamid	Beet	3.81	7	43.36	A
Flonicamid	Bok Choy (Choy Sum, Pak Choi)	2.93	8	33.64	A
Flonicamid	Broccoli	125.80	27	1,539.02	A
Flonicamid	Cabbage	67.53	37	812.64	A
Flonicamid	Canola (Rape)	18.44	5	216.00	A
Flonicamid	Carrot	6.57	1	75.00	A
Flonicamid	Cauliflower	49.61	26	599.74	A
Flonicamid	Celery	8.85	4	104.00	A
Flonicamid	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	3.35	4	39.03	A
Flonicamid	Cilantro	1.18	1	13.48	A
Flonicamid	Cotton	12.65	4	146.30	A
Flonicamid	Gai Lon	0.40	4	4.48	A
Flonicamid	Grapefruit	8.55	2	57.00	A
Flonicamid	Kale	23.30	16	273.55	A
Flonicamid	Lemon	170.46	41	1,276.52	A
Flonicamid	Lettuce, Head	116.13	53	1,445.27	A
Flonicamid	Lettuce, Leaf	243.90	100	2,879.87	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flonicamid	Mizuna	0.97	1	11.10	A
Flonicamid	Radish	9.25	5	105.76	A
Flonicamid	Spinach	114.66	52	1,389.78	A
Flonicamid	Swiss Chard	0.19	1	2.16	A
Flonicamid	Tangerine	10.22	3	72.00	A
Fluazifop-p-butyl	Carrot	1,243.20	75	4,106.50	A
Fluazifop-p-butyl	Onion, Dry	2,062.67	94	6,265.94	A
Fludioxonil	Lettuce, Head	12.89	4	60.62	A
Fludioxonil	Lettuce, Leaf	14.98	3	83.30	A
Fludioxonil	N-Outdr Flower	1.31	5	19.80	A
Flumioxazin	Alfalfa	1,927.64	75	5,576.20	A
Flumioxazin	Cotton	3.74	2	60.00	A
Flumioxazin	Potato	13.19	8	404.10	A
Flumioxazin	Rights Of Way	< 0.01	0	0.00	N/A
Fluopicolide	Lettuce, Head	5.96	3	56.30	A
Fluopicolide	Onion, Dry	109.92	5	434.00	A
Fluopyram	Lettuce, Leaf	4.36	4	44.80	A
Flupyradifurone	Alfalfa	10,152.29	1,365	88,659.13	A
Flupyradifurone	Arugula	30.48	19	189.53	A
Flupyradifurone	Broccoli	214.56	40	1,387.07	A
Flupyradifurone	Cabbage	335.31	91	2,098.88	A
Flupyradifurone	Cantaloupe	75.80	9	234.46	A
Flupyradifurone	Carrot	5.00	1	35.00	A
Flupyradifurone	Cauliflower	141.79	34	901.72	A
Flupyradifurone	Celery	77.18	25	678.60	A
Flupyradifurone	Corn, Human Consumption	41.71	3	336.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Endive (Escarole)	0.33	2	2.02	A
Flupyradifurone	Forage Hay/Silage	3.42	1	37.40	A
Flupyradifurone	Kale	21.79	7	138.00	A
Flupyradifurone	Lemon	71.88	16	402.00	A
Flupyradifurone	Lettuce, Head	291.27	69	2,058.00	A
Flupyradifurone	Lettuce, Leaf	1,126.11	234	7,594.01	A
Flupyradifurone	Melon	55.48	7	163.88	A
Flupyradifurone	Mizuna	18.55	18	112.20	A
Flupyradifurone	Oat	10.96	3	120.00	A
Flupyradifurone	Oat (Forage - Fodder)	57.29	11	628.00	A
Flupyradifurone	Pepper, Fruiting	0.04	1	0.25	A
Flupyradifurone	Radish	5.00	1	40.00	A
Flupyradifurone	Rapini	41.71	5	279.00	A
Flupyradifurone	Spinach	272.13	52	1,713.92	A
Flupyradifurone	Swiss Chard	19.07	15	118.90	A
Flupyradifurone	Wheat	250.16	22	1,925.00	A
Flutriafof	Cantaloupe	2.20	1	18.40	A
Flutriafof	Cotton	20.44	1	78.60	A
Flutriafof	Watermelon	30.12	11	264.32	A
Fluxapyroxad	Alfalfa	2.63	1	35.00	A
Fluxapyroxad	Lettuce, Head	16.44	3	99.00	A
Fluxapyroxad	Lettuce, Leaf	203.42	45	1,178.85	A
Fluxapyroxad	Onion, Dry	30.30	6	167.52	A
Formetanate hydrochloride	Alfalfa	439.25	10	516.90	A
Formetanate hydrochloride	Grapefruit	237.64	5	222.00	A
Formetanate hydrochloride	Lemon	1,102.30	32	1,115.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Formetanate hydrochloride	Tangelo	46.00	1	40.00	A
Fosetyl-al	Broccoli	36.00	1	11.72	A
Fosetyl-al	Kale	363.04	5	148.67	A
Fosetyl-al	Lettuce, Head	223.98	3	74.71	A
Fosetyl-al	Lettuce, Leaf	181.00	4	58.35	A
Fosetyl-al	Spinach	32.00	1	8.48	A
Gamma-cyhalothrin	Structural Pest Control	7.61	0	0.00	N/A
Garlic	Beet	13.26	2	42.80	A
Garlic	Lettuce, Head	18.38	1	56.00	A
Garlic	Lettuce, Leaf	5.97	1	17.67	A
Gibberellins	Artichoke, Globe	2.78	13	130.60	A
Gibberellins	Grape	2.16	6	812.94	A
Gibberellins	Lemon	26.15	30	931.02	A
Glufosinate-ammonium	Canola (Rape)	341.83	12	695.00	A
Glufosinate-ammonium	Grapefruit	61.26	4	182.00	A
Glufosinate-ammonium	Landscape Maintenance	0.16	0	0.00	N/A
Glufosinate-ammonium	Lemon	463.67	38	1,102.18	A
Glufosinate-ammonium	Rights Of Way	12.87	0	0.00	N/A
Glufosinate-ammonium	Tangelo	39.89	3	120.00	A
Glycerol	Alfalfa	618.44	80	4,694.00	A
Glycerol	Bermudagrass	117.60	11	676.00	A
Glycerol	Broccoli	27.36	3	181.95	A
Glycerol	Lettuce, Head	3.25	5	40.75	A
Glycerol	Sugarbeet	234.11	24	1,564.00	A
Glycerol	Uncultivated Ag	71.98	11	712.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, diammonium salt	Uncultivated Ag	148.64	1	55.00	A
Glyphosate, dimethylamine salt	Rights Of Way	15.36	0	0.00	N/A
Glyphosate, isopropylamine salt	Alfalfa	1,550.10	15	775.90	A
Glyphosate, isopropylamine salt	Aloe Vera	241.56	8	120.75	A
Glyphosate, isopropylamine salt	Bermudagrass	3,045.20	16	940.00	A
Glyphosate, isopropylamine salt	Cantaloupe	37.96	1	27.35	A
Glyphosate, isopropylamine salt	Corn (Forage - Fodder)	5,635.16	48	3,450.00	A
Glyphosate, isopropylamine salt	Corn, Human Consumption	1,884.36	10	976.00	A
Glyphosate, isopropylamine salt	Cotton	293.28	12	223.90	A
Glyphosate, isopropylamine salt	Grapefruit	180.62	4	182.00	A
Glyphosate, isopropylamine salt	Landscape Maintenance	677.92	0	0.00	N/A
Glyphosate, isopropylamine salt	Lemon	4,115.97	97	3,324.20	A
Glyphosate, isopropylamine salt	Melon	80.93	3	57.83	A
Glyphosate, isopropylamine salt	Onion, Dry	426.59	4	233.00	A
Glyphosate, isopropylamine salt	Rights Of Way	175,315.70	0	0.00	N/A
Glyphosate, isopropylamine salt	Ryegrass	8.88	1	50.00	A
Glyphosate, isopropylamine salt	Sugarbeet	21,976.26	259	16,826.65	A
Glyphosate, isopropylamine salt	Tangelo	167.07	5	200.00	A
Glyphosate, isopropylamine salt	Tangerine	81.86	1	80.00	A
Glyphosate, isopropylamine salt	Uncultivated Ag	16,862.64	183	8,705.45	A
Glyphosate, potassium salt	Alfalfa	3,411.43	86	2,900.92	A
Glyphosate, potassium salt	Bermudagrass	3,506.60	48	2,185.89	A
Glyphosate, potassium salt	Cilantro	141.63	1	77.00	A
Glyphosate, potassium salt	Corn (Forage - Fodder)	4,975.36	30	2,396.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, potassium salt	Corn, Human Consumption	139.30	5	101.00	A
Glyphosate, potassium salt	Cotton	3,596.23	31	1,768.70	A
Glyphosate, potassium salt	Date	53.10	3	29.00	A
Glyphosate, potassium salt	Ditch Bank	514.48	0	120.00	A
Glyphosate, potassium salt	Forage Hay/Silage	386.17	1	70.00	A
Glyphosate, potassium salt	Grapefruit	330.18	7	294.00	A
Glyphosate, potassium salt	Grass, Seed	355.44	6	343.60	A
Glyphosate, potassium salt	Jujube	3.88	0	18.00	A
Glyphosate, potassium salt	Landscape Maintenance	0.49	0	0.00	N/A
Glyphosate, potassium salt	Lemon	165.20	4	158.00	A
Glyphosate, potassium salt	Lettuce, Leaf	250.18	1	142.00	A
Glyphosate, potassium salt	N-Outdr Flower	30.89	2	11.20	A
Glyphosate, potassium salt	Onion, Dry	88.30	1	66.00	A
Glyphosate, potassium salt	Parsley	141.28	1	76.80	A
Glyphosate, potassium salt	Pastureland	55.17	1	20.00	A
Glyphosate, potassium salt	Radish	27.03	1	10.00	A
Glyphosate, potassium salt	Rights Of Way	29,354.22	0	0.00	N/A
Glyphosate, potassium salt	Spinach	37.73	4	23.70	A
Glyphosate, potassium salt	Sugarbeet	44,334.63	440	32,418.49	A
Glyphosate, potassium salt	Uncultivated Ag	25,682.36	296	10,245.24	A
Halosulfuron-methyl	Alfalfa	44.81	33	976.00	A
Halosulfuron-methyl	Cantaloupe	1.55	4	134.00	A
Halosulfuron-methyl	Forage Hay/Silage	1.88	1	35.00	A
Halosulfuron-methyl	Melon	1.78	2	38.00	A
Halosulfuron-methyl	Uncultivated Ag	3.29	2	70.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Halosulfuron-methyl	Watermelon	0.10	1	10.00	A
Heptamethyltrisiloxane ethoxylated	Alfalfa	176.21	157	9,006.60	A
Heptamethyltrisiloxane ethoxylated	Bermudagrass	66.22	28	2,825.00	A
Heptamethyltrisiloxane ethoxylated	Broccoli	5.74	5	309.70	A
Heptamethyltrisiloxane ethoxylated	Cantaloupe	14.59	9	635.00	A
Heptamethyltrisiloxane ethoxylated	Lemon	7.98	5	169.00	A
Heptamethyltrisiloxane ethoxylated	Lettuce, Head	42.38	76	2,712.76	A
Heptamethyltrisiloxane ethoxylated	Lettuce, Leaf	10.07	21	776.65	A
Heptamethyltrisiloxane ethoxylated	Onion, Dry	7.12	6	323.00	A
Heptamethyltrisiloxane ethoxylated	Sugarbeet	41.43	42	2,359.90	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Alfalfa	1,429.84	218	9,314.90	A
Hexythiazox	Alfalfa	4,018.02	377	25,036.90	A
Hexythiazox	Bermudagrass	13,356.24	157	11,920.24	A
Hexythiazox	Corn (Forage - Fodder)	296.98	27	2,241.00	A
Hexythiazox	Corn, Human Consumption	146.92	20	1,177.00	A
Hydramethylnon	Rights Of Way	< 0.01	0	0.00	N/A
Hydramethylnon	Structural Pest Control	0.08	0	0.00	N/A
Hydrogen peroxide	Arugula	3,720.83	142	1,896.26	A
Hydrogen peroxide	Beet	2.85	10	62.66	A
Hydrogen peroxide	Broccoli	83.16	146	3,177.59	A
Hydrogen peroxide	Cabbage	8,139.02	194	5,037.34	A
Hydrogen peroxide	Cauliflower	45.30	117	1,822.95	A
Hydrogen peroxide	Celery	213.16	79	1,411.43	A
Hydrogen peroxide	Cilantro	81.44	18	166.10	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	Ditch Bank	3,599.63	0	7.00	U
Hydrogen peroxide	Fennel	1.26	9	26.04	A
Hydrogen peroxide	Kale	228.62	45	485.12	A
Hydrogen peroxide	Lettuce, Head	2,878.53	358	9,520.81	A
Hydrogen peroxide	Lettuce, Leaf	50,558.55	1,517	35,481.79	A
Hydrogen peroxide	Mizuna	1,244.70	30	414.72	A
Hydrogen peroxide	Mustard	0.90	12	39.80	A
Hydrogen peroxide	Onion, Dry	98.05	1	105.00	A
Hydrogen peroxide	Parsley	0.30	2	7.10	A
Hydrogen peroxide	Radish	3.76	3	69.05	A
Hydrogen peroxide	Spinach	16,378.89	380	8,712.28	A
Hydrogen peroxide	Swiss Chard	890.85	37	423.71	A
Hydrogen peroxide	Uncultivated Ag	376.89	3	63.50	A
Hydrogen peroxide	Water Area	2,984.28	0	2,171.00	A
Hydroprene	Structural Pest Control	0.20	0	0.00	N/A
Imazamox, ammonium salt	Alfalfa	2,195.39	870	54,852.93	A
Imazapyr, isopropylamine salt	Alfalfa	34.81	1	8.00	A
Imazapyr, isopropylamine salt	Rights Of Way	723.56	0	0.00	N/A
Imazapyr, isopropylamine salt	Uncultivated Ag	40.81	1	75.00	A
Imazethapyr, ammonium salt	Alfalfa	2,511.66	492	33,349.48	A
Imidacloprid	Alfalfa	7.96	1	119.00	A
Imidacloprid	Artichoke, Globe	11.80	1	40.00	A
Imidacloprid	Arugula	26.05	3	72.20	A
Imidacloprid	Basil, Sweet	81.29	6	333.00	A
Imidacloprid	Beet	13.61	8	44.47	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Bok Choy (Choy Sum, Pak Choi)	114.82	24	47.36	A
Imidacloprid	Broccoli	3,314.29	179	5,181.46	A
Imidacloprid	Cabbage	324.00	19	879.95	A
Imidacloprid	Cantaloupe	882.12	54	2,412.90	A
Imidacloprid	Carrot	0.01	1	2.00	A
Imidacloprid	Cauliflower	442.90	31	1,205.20	A
Imidacloprid	Celery	145.29	13	400.20	A
Imidacloprid	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	25.65	4	84.56	A
Imidacloprid	Cilantro	1.61	5	4.30	A
Imidacloprid	Cotton	42.67	12	198.80	A
Imidacloprid	Endive (Escarole)	10.53	2	34.34	A
Imidacloprid	Gai Lon	19.00	23	7.73	A
Imidacloprid	Grapefruit	205.59	11	416.62	A
Imidacloprid	Kale	4.35	1	12.00	A
Imidacloprid	Lemon	1,761.79	89	3,678.55	A
Imidacloprid	Lettuce, Head	1,548.27	156	4,263.87	A
Imidacloprid	Lettuce, Leaf	2,922.78	304	8,347.09	A
Imidacloprid	Lime	47.64	2	97.10	A
Imidacloprid	Melon	274.43	13	757.20	A
Imidacloprid	Mizuna	29.75	4	81.60	A
Imidacloprid	Okra	0.02	1	0.25	A
Imidacloprid	Onion, Dry	13.81	1	36.50	A
Imidacloprid	Orange	67.59	2	136.81	A
Imidacloprid	Pepper, Fruiting	180.66	8	500.00	A
Imidacloprid	Potato	341.12	19	1,253.17	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Rapini	20.17	64	1,245.10	A
Imidacloprid	Rights Of Way	41.91	0	0.00	N/A
Imidacloprid	Spinach	327.33	18	908.00	A
Imidacloprid	Structural Pest Control	63.12	0	0.00	N/A
Imidacloprid	Sugarbeet	3,491.39	227	16,539.25	A
Imidacloprid	Swiss Chard	33.69	2	92.00	A
Imidacloprid	Tangelo	111.58	3	226.94	A
Imidacloprid	Tangerine	82.55	8	165.92	A
Indaziflam	Lemon	20.74	16	319.02	A
Indaziflam	Rights Of Way	12.52	0	0.00	N/A
Indoxacarb	Alfalfa	7,079.02	1,164	78,779.82	A
Indoxacarb	Beet	0.51	1	4.56	A
Indoxacarb	Broccoli	127.47	31	2,026.00	A
Indoxacarb	Cabbage	6.85	5	105.00	A
Indoxacarb	Cauliflower	39.86	20	634.00	A
Indoxacarb	Corn, Human Consumption	152.13	50	2,494.50	A
Indoxacarb	Forage Hay/Silage	2.89	1	37.40	A
Indoxacarb	Lettuce, Head	8.06	17	357.29	A
Indoxacarb	Lettuce, Leaf	8.78	14	260.00	A
Indoxacarb	Spinach	1.50	1	22.80	A
Indoxacarb	Structural Pest Control	2.46	0	0.00	N/A
Iprodione	Cauliflower	16.64	1	16.40	A
Iprodione	Lettuce, Head	838.77	34	901.58	A
Iprodione	Lettuce, Leaf	1,223.02	38	1,280.83	A
Iprodione	Onion, Dry	751.75	16	1,033.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isfetamid	Lettuce, Leaf	3.29	1	10.20	A
Isopropyl alcohol	Alfalfa	526.42	548	35,722.36	A
Isopropyl alcohol	Bermudagrass	41.59	38	2,037.13	A
Isopropyl alcohol	Broccoli	10.05	43	1,130.35	A
Isopropyl alcohol	Carrot	1.42	2	168.00	A
Isopropyl alcohol	Cauliflower	4.94	12	149.76	A
Isopropyl alcohol	Lettuce, Head	4.87	38	771.49	A
Isopropyl alcohol	Lettuce, Leaf	33.82	54	1,376.44	A
Isopropyl alcohol	Onion, Dry	54.20	46	4,333.70	A
Isopropyl alcohol	Structural Pest Control	23.62	0	0.00	N/A
Isopropyl alcohol	Sugarbeet	17.82	73	4,032.98	A
Isopropyl alcohol	Uncultivated Ag	4.14	9	639.00	A
Kaolin	Grapefruit	4,916.25	3	81.00	A
Kaolin	Lemon	55,470.21	49	900.52	A
Kaolin	Onion, Dry	52,364.95	25	1,260.00	A
Kaolin	Tangerine	2,921.25	3	41.00	A
Lambda-cyhalothrin	Alfalfa	4,271.62	2,262	148,379.40	A
Lambda-cyhalothrin	Bermudagrass	222.64	93	7,663.06	A
Lambda-cyhalothrin	Broccoli	296.36	263	10,179.19	A
Lambda-cyhalothrin	Cabbage	57.76	93	2,040.68	A
Lambda-cyhalothrin	Canola (Rape)	9.43	8	396.00	A
Lambda-cyhalothrin	Cantaloupe	30.53	21	1,122.91	A
Lambda-cyhalothrin	Cauliflower	85.40	96	2,971.44	A
Lambda-cyhalothrin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	6.08	17	197.09	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lambda-cyhalothrin	Corn (Forage - Fodder)	12.19	6	411.00	A
Lambda-cyhalothrin	Corn, Human Consumption	890.52	539	33,363.30	A
Lambda-cyhalothrin	Grass, Seed	15.71	10	528.70	A
Lambda-cyhalothrin	Lettuce, Head	274.57	392	9,910.07	A
Lambda-cyhalothrin	Lettuce, Leaf	531.05	772	18,614.14	A
Lambda-cyhalothrin	Melon	16.15	8	574.00	A
Lambda-cyhalothrin	Onion, Dry	147.19	84	5,190.94	A
Lambda-cyhalothrin	Pepper, Fruiting	27.47	15	927.00	A
Lambda-cyhalothrin	Structural Pest Control	9.65	0	0.00	N/A
Lambda-cyhalothrin	Tomato	0.03	1	1.00	A
Lambda-cyhalothrin	Wheat	110.90	51	3,854.00	A
Lecithin	Alfalfa	6,961.18	925	54,050.69	A
Lecithin	Bermudagrass	50.37	5	312.00	A
Lecithin	Broccoli	456.93	65	3,780.99	A
Lecithin	Lettuce, Head	187.29	95	1,436.42	A
Lecithin	Lettuce, Leaf	771.05	376	6,570.89	A
Lecithin	Potato	78.14	15	536.17	A
Lecithin	Sugarbeet	56.62	7	663.00	A
Lecithin	Uncultivated Ag	52.08	17	355.00	A
Lecithin	Wheat	154.67	15	961.59	A
Linuron	Carrot	7,581.08	173	9,412.20	A
Linuron	Celery	153.84	12	246.80	A
Linuron	Cilantro	368.78	12	462.00	A
Malathion	Alfalfa	21,268.47	292	18,207.70	A
Malathion	Grass, Seed	139.42	3	111.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Malathion	Wheat	3.94	2	4.00	A
Mancozeb	Broccoli	1,303.42	18	1,032.85	A
Mancozeb	Cabbage	630.08	20	443.05	A
Mancozeb	Lettuce, Head	4,074.90	122	3,106.47	A
Mancozeb	Lettuce, Leaf	7,110.22	214	4,904.10	A
Mancozeb	N-Outdr Flower	159.38	18	160.50	A
Mancozeb	Onion, Dry	15,695.47	99	7,260.38	A
Mandipropamid	Arugula	39.70	25	307.89	A
Mandipropamid	Bok Choy (Choy Sum, Pak Choi)	3.39	7	26.22	A
Mandipropamid	Broccoli	366.80	60	2,952.07	A
Mandipropamid	Cabbage	165.36	48	1,368.93	A
Mandipropamid	Cauliflower	114.84	33	933.82	A
Mandipropamid	Gai Lon	1.10	7	8.39	A
Mandipropamid	Kale	25.93	12	200.50	A
Mandipropamid	Lettuce, Head	488.49	119	4,014.49	A
Mandipropamid	Lettuce, Leaf	1,123.75	260	8,950.69	A
Mandipropamid	Mizuna	8.94	14	69.20	A
Mandipropamid	Onion, Dry	298.00	39	2,497.75	A
Mandipropamid	Potato	90.01	17	804.73	A
Mandipropamid	Spinach	480.81	123	3,773.96	A
Mandipropamid	Swiss Chard	11.59	7	86.50	A
Margosa oil	Arugula	79.29	7	85.94	A
Margosa oil	Beet	0.38	1	11.70	A
Margosa oil	Broccoli	62.76	8	48.00	A
Margosa oil	Cabbage	67.00	12	39.62	A
Margosa oil	Cauliflower	75.84	7	48.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Margosa oil	Fennel	2.88	1	1.09	A
Margosa oil	Kale	509.91	9	213.76	A
Margosa oil	Lettuce, Head	46.47	8	36.00	A
Margosa oil	Lettuce, Leaf	743.77	32	606.23	A
Margosa oil	Melon	0.74	1	46.00	A
Margosa oil	Mizuna	3.94	1	3.20	A
Margosa oil	Spinach	639.16	28	487.13	A
Margosa oil	Swiss Chard	3.70	1	3.00	A
Mcpp-p, dma salt	Landscape Maintenance	0.20	0	0.00	N/A
Mecoprop-p	Landscape Maintenance	0.02	0	0.00	N/A
Mefenoxam	Alfalfa	21.27	0	1,473,236.00	P
Mefenoxam	Broccoli	93.95	21	1,094.84	A
Mefenoxam	Cabbage	213.02	57	1,880.00	A
Mefenoxam	Carrot	1,597.51	74	4,320.00	A
Mefenoxam	Cauliflower	97.37	42	930.00	A
Mefenoxam	Lettuce, Head	388.45	107	3,407.37	A
Mefenoxam	Lettuce, Leaf	588.69	196	4,759.81	A
Mefenoxam	Onion, Dry	1,797.17	232	16,312.90	A
Mefenoxam	Potato	521.07	12	593.17	A
Mefenoxam	Spinach	272.32	46	370.25	A
Mefenoxam	Sudangrass	1.25	0	86,359.00	P
Mefenoxam	Watermelon	7.93	2	32.00	A
Mefentrifluconazole	Cantaloupe	75.52	11	649.00	A
Mefentrifluconazole	Melon	10.19	2	86.00	A
Mepiquat chloride	Cotton	61.36	91	2,459.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mesosulfuron-methyl	Alfalfa	0.45	1	40.00	A
Mesosulfuron-methyl	Rapini	1.07	1	100.00	A
Mesosulfuron-methyl	Wheat	67.08	71	5,211.00	A
Metalaxyl	Alfalfa	97.60	0	4,687,968.00	P
Metalaxyl	Arugula	108.58	3	72.20	A
Metalaxyl	Lettuce, Head	525.89	5	351.00	A
Metalaxyl	Lettuce, Leaf	1,155.04	12	749.00	A
Metalaxyl	Mizuna	122.72	4	81.60	A
Metalaxyl	Onion, Dry	790.40	29	1,731.00	A
Metalaxyl	Spinach	478.80	6	361.00	A
Metalaxyl	Sudangrass	10.23	0	110,230.00	P
Metalaxyl	Swiss Chard	138.36	2	92.00	A
Methomyl	Alfalfa	6,175.78	128	7,665.50	A
Methomyl	Beet	17.06	3	21.31	A
Methomyl	Bok Choy (Choy Sum, Pak Choi)	7.75	2	8.60	A
Methomyl	Broccoli	19.80	2	30.00	A
Methomyl	Cabbage	48.60	2	60.00	A
Methomyl	Carrot	723.51	26	1,409.50	A
Methomyl	Cauliflower	9.00	1	15.00	A
Methomyl	Celery	207.42	13	322.20	A
Methomyl	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	33.03	3	36.70	A
Methomyl	Corn, Human Consumption	17,061.66	629	38,274.85	A
Methomyl	Endive (Escarole)	4.27	8	6.50	A
Methomyl	Fennel	10.85	1	13.24	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methomyl	Lettuce, Head	1,657.52	83	2,470.37	A
Methomyl	Lettuce, Leaf	2,816.61	174	4,145.35	A
Methomyl	Onion, Dry	537.99	13	783.00	A
Methomyl	Spinach	289.28	13	394.00	A
Methomyl	Structural Pest Control	0.04	0	0.00	N/A
Methomyl	Sugarbeet	4,005.25	81	5,223.10	A
Methoxyfenozide	Alfalfa	6,583.14	869	52,186.75	A
Methoxyfenozide	Beet	1.72	2	10.49	A
Methoxyfenozide	Bermudagrass	431.26	43	3,881.00	A
Methoxyfenozide	Broccoli	62.87	12	577.80	A
Methoxyfenozide	Cabbage	100.99	18	535.00	A
Methoxyfenozide	Canola (Rape)	27.11	3	179.00	A
Methoxyfenozide	Cantaloupe	345.51	68	3,338.21	A
Methoxyfenozide	Carrot	411.36	70	3,915.50	A
Methoxyfenozide	Cauliflower	7.36	4	51.10	A
Methoxyfenozide	Celery	59.44	20	450.78	A
Methoxyfenozide	Corn, Human Consumption	245.30	17	1,203.30	A
Methoxyfenozide	Date	1.42	1	4.00	A
Methoxyfenozide	Kale	34.79	7	187.72	A
Methoxyfenozide	Lettuce, Head	4.52	2	31.00	A
Methoxyfenozide	Lettuce, Leaf	105.19	16	675.69	A
Methoxyfenozide	Melon	100.26	20	851.70	A
Methoxyfenozide	N-Outdr Flower	22.77	13	127.00	A
Methoxyfenozide	Sugarbeet	3,713.29	415	29,103.53	A
Methoxyfenozide	Watermelon	3.39	2	20.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methyl salicylate	Sudangrass	44.52	2	35.70	A
Methylated silicones	Alfalfa	989.53	475	33,801.10	A
Methylated silicones	Bermudagrass	16.86	17	1,407.00	A
Methylated silicones	Broccoli	93.20	94	3,060.72	A
Methylated silicones	Cabbage	73.00	74	1,497.90	A
Methylated silicones	Carrot	12.90	13	586.50	A
Methylated silicones	Corn, Human Consumption	1,108.97	443	27,904.30	A
Methylated silicones	Lettuce, Head	75.52	129	3,210.40	A
Methylated silicones	Lettuce, Leaf	214.24	278	6,180.78	A
Methylated silicones	Onion, Dry	106.48	51	3,918.00	A
Methylated soybean oil	Alfalfa	40,591.54	1,867	118,992.26	A
Methylated soybean oil	Bermudagrass	2,918.66	91	6,818.86	A
Methylated soybean oil	Broccoli	1,119.25	180	7,602.79	A
Methylated soybean oil	Cabbage	546.20	118	2,714.28	A
Methylated soybean oil	Canola (Rape)	7.32	2	9.00	A
Methylated soybean oil	Cantaloupe	160.35	32	1,696.60	A
Methylated soybean oil	Carrot	99.69	5	204.00	A
Methylated soybean oil	Cauliflower	730.28	88	3,183.00	A
Methylated soybean oil	Celery	179.65	38	931.51	A
Methylated soybean oil	Corn (Forage - Fodder)	446.35	24	1,742.00	A
Methylated soybean oil	Corn, Human Consumption	7,540.36	569	30,851.40	A
Methylated soybean oil	Cotton	410.30	30	1,437.60	A
Methylated soybean oil	Grapefruit	140.35	10	223.00	A
Methylated soybean oil	Kale	37.42	17	477.18	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Landscape Maintenance	2.00	0	0.00	N/A
Methylated soybean oil	Lemon	3,414.33	179	5,921.75	A
Methylated soybean oil	Lettuce, Head	1,719.79	388	8,573.43	A
Methylated soybean oil	Lettuce, Leaf	2,687.86	761	15,218.38	A
Methylated soybean oil	Melon	217.52	29	1,077.50	A
Methylated soybean oil	Onion, Dry	1,813.19	70	6,181.50	A
Methylated soybean oil	Rights Of Way	830.37	0	0.00	N/A
Methylated soybean oil	Sugarbeet	1,397.79	109	6,719.72	A
Methylated soybean oil	Tangerine	98.62	9	162.00	A
Methylated soybean oil	Uncultivated Ag	1,421.52	27	1,331.30	A
Methylated soybean oil	Wheat	3,382.22	59	4,302.00	A
Metofluthrin	Structural Pest Control	0.02	0	0.00	N/A
Metribuzin	Alfalfa	258.75	3	316.00	A
Metribuzin	Carrot	507.29	36	2,194.00	A
Mineral oil	Alfalfa	124,895.25	2,145	129,280.15	A
Mineral oil	Arugula	196.41	58	509.20	A
Mineral oil	Bermudagrass	19,280.99	279	19,554.89	A
Mineral oil	Broccoli	922.75	30	1,056.03	A
Mineral oil	Cabbage	2.47	30	32.23	A
Mineral oil	Carrot	6,621.35	169	9,223.20	A
Mineral oil	Cauliflower	43.79	58	73.65	A
Mineral oil	Celery	35.53	2	43.00	A
Mineral oil	Cilantro	137.18	3	107.00	A
Mineral oil	Corn (Forage - Fodder)	1,148.16	16	970.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	Corn, Human Consumption	52,334.96	553	38,175.00	A
Mineral oil	Forage Hay/Silage	2,912.51	55	3,074.70	A
Mineral oil	Grapefruit	34,973.33	63	2,596.24	A
Mineral oil	Grass, Seed	374.20	7	552.10	A
Mineral oil	Kale	111.79	44	366.16	A
Mineral oil	Lemon	199,008.88	406	14,644.86	A
Mineral oil	Lettuce, Head	381.16	25	486.33	A
Mineral oil	Lettuce, Leaf	807.91	137	1,754.23	A
Mineral oil	Lime	3,924.90	9	339.10	A
Mineral oil	Oat	265.90	6	430.40	A
Mineral oil	Onion, Dry	14,446.79	224	15,047.84	A
Mineral oil	Orange	3,861.64	5	420.81	A
Mineral oil	Potato	302.38	6	349.26	A
Mineral oil	Public Health	686.25	0	0.00	N/A
Mineral oil	Radish	75.31	2	50.00	A
Mineral oil	Rights Of Way	43,124.91	0	0.00	N/A
Mineral oil	Spinach	241.28	93	1,182.83	A
Mineral oil	Sudangrass	3,552.83	38	2,451.47	A
Mineral oil	Sugarbeet	36,951.63	423	29,063.32	A
Mineral oil	Tangelo	5,624.64	11	504.94	A
Mineral oil	Tangerine	5,713.39	24	578.92	A
Mineral oil	Uncultivated Ag	7,632.56	148	6,460.32	A
Mineral oil	Wheat	2,152.33	49	3,219.00	A
Msm	Bermudagrass	110.52	2	146.00	A
Msm	Landscape Maintenance	0.28	0	0.00	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Msma	Rights Of Way	1,396.22	0	0.00	N/A
Muscalure	Structural Pest Control	0.02	0	0.00	N/A
Myclobutanil	Cantaloupe	115.63	18	986.90	A
Myclobutanil	Lettuce, Leaf	9.50	3	90.20	A
Myclobutanil	Melon	19.90	3	189.00	A
Myclobutanil	N-Outdr Flower	1.84	5	19.80	A
Myclobutanil	Watermelon	2.50	2	20.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Alfalfa	2,550.17	1,176	67,445.67	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Arugula	28.03	55	737.85	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bermudagrass	235.74	95	5,797.10	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	57.81	78	1,707.66	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cabbage	306.84	228	6,092.92	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Canola (Rape)	2.62	2	78.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cantaloupe	156.78	86	3,890.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Carrot	80.60	72	3,719.50	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cauliflower	94.31	92	1,754.80	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Celery	41.93	56	1,339.70	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cilantro	13.32	8	293.68	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cotton	12.06	43	1,982.40	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Ditch Bank	2.04	0	130.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Forage Hay/Silage	19.90	12	534.40	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grapefruit	11.68	15	658.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Kale	46.40	46	916.87	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lemon	52.36	82	3,587.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, Head	296.54	335	7,463.46	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, Leaf	1,074.83	997	24,000.73	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Melon	34.48	24	1,029.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Mizuna	11.90	49	299.43	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Onion, Dry	61.36	52	2,321.03	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights Of Way	59.36	0	0.00	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Spinach	53.69	59	1,427.95	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Sudangrass	36.47	9	676.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Sugarbeet	473.10	294	18,846.72	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Swiss Chard	17.27	42	438.65	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Tangelo	2.89	6	240.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated Ag	175.89	234	7,147.04	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Wheat	120.22	39	3,009.00	A
N-octyl bicycloheptene dicarboximide	Structural Pest Control	2.66	0	0.00	N/A
Naled	Alfalfa	1,883.84	24	1,248.30	A
Naled	N-Outdr Flower	38.40	5	54.50	A
Naled	Sugarbeet	1,119.81	16	1,113.00	A
Napropamide	Basil, Sweet	398.00	6	199.00	A
Napropamide	Broccoli	2,565.28	132	3,704.50	A
Napropamide	Cauliflower	336.83	11	542.00	A
Norflurazon	Alfalfa	220.08	6	224.00	A
Novaluron	N-Outdr Flower	18.58	11	80.60	A
Novaluron	Structural Pest Control	0.13	0	0.00	N/A
Oleic acid, methyl ester	Alfalfa	11,584.57	224	12,590.05	A
Oleic acid, methyl ester	Bermudagrass	800.06	30	2,987.00	A
Oleic acid, methyl ester	Sugarbeet	286.03	19	1,800.00	A
Oxamyl	Onion, Dry	3,577.55	71	3,575.30	A
Oxamyl	Potato	578.50	9	572.60	A
Oxathiapiprolin	Arugula	4.04	18	260.89	A
Oxathiapiprolin	Broccoli	10.45	16	736.57	A
Oxathiapiprolin	Cabbage	8.58	18	603.88	A
Oxathiapiprolin	Cauliflower	4.53	14	323.72	A
Oxathiapiprolin	Grapefruit	15.87	8	264.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oxathiapiprolin	Kale	0.34	4	21.81	A
Oxathiapiprolin	Lemon	66.13	27	1,153.50	A
Oxathiapiprolin	Lettuce, Head	46.22	91	3,197.35	A
Oxathiapiprolin	Lettuce, Leaf	108.68	211	7,236.03	A
Oxathiapiprolin	Mizuna	0.27	3	17.30	A
Oxathiapiprolin	N-Outdr Flower	2.20	11	81.00	A
Oxathiapiprolin	Onion, Dry	12.71	16	1,023.75	A
Oxathiapiprolin	Spinach	34.71	72	2,288.66	A
Oxathiapiprolin	Swiss Chard	1.20	5	76.50	A
Oxathiapiprolin	Tangelo	1.19	1	19.00	A
Oxathiapiprolin	Tangerine	5.50	4	91.00	A
Oxyfluorfen	Artichoke, Globe	32.64	7	94.00	A
Oxyfluorfen	Broccoli	887.02	101	4,149.60	A
Oxyfluorfen	Cabbage	263.40	18	553.05	A
Oxyfluorfen	Cauliflower	718.52	54	1,659.64	A
Oxyfluorfen	N-Outdr Flower	7.11	1	18.00	A
Oxyfluorfen	Onion, Dry	4,773.07	426	25,471.87	A
Pendimethalin	Alfalfa	325,905.73	2,393	158,928.67	A
Pendimethalin	Artichoke, Globe	58.71	4	57.00	A
Pendimethalin	Broccoli	361.22	7	364.75	A
Pendimethalin	Carrot	5,244.95	108	5,945.40	A
Pendimethalin	Corn (Forage - Fodder)	1,278.82	17	892.00	A
Pendimethalin	Corn, Human Consumption	8,477.82	117	6,329.90	A
Pendimethalin	Cotton	203.11	10	163.00	A
Pendimethalin	Kale	11.32	1	12.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Onion, Dry	13,553.56	288	17,911.33	A
Pendimethalin	Pepper, Fruiting	609.39	8	443.00	A
Pendimethalin	Potato	790.70	14	949.10	A
Pendimethalin	Rapini	132.58	1	100.00	A
Pendimethalin	Sorghum/Milo	142.04	2	108.00	A
Pendimethalin	Wheat	698.44	11	547.59	A
Penthiopyrad	Beet	2.50	2	10.80	A
Penthiopyrad	Broccoli	401.18	26	1,430.44	A
Penthiopyrad	Cabbage	175.44	27	669.00	A
Penthiopyrad	Cantaloupe	38.09	4	183.00	A
Penthiopyrad	Cauliflower	54.96	14	210.72	A
Penthiopyrad	Celery	17.67	8	124.70	A
Penthiopyrad	Lettuce, Head	134.09	31	563.65	A
Penthiopyrad	Lettuce, Leaf	410.58	73	1,613.23	A
Penthiopyrad	Melon	61.80	9	318.00	A
Penthiopyrad	Onion, Dry	608.37	47	2,466.03	A
Permethrin	Alfalfa	2,980.60	340	19,805.34	A
Permethrin	Artichoke, Globe	0.42	1	2.00	A
Permethrin	Arugula	7.84	10	43.80	A
Permethrin	Broccoli	314.30	70	1,680.57	A
Permethrin	Cabbage	111.79	41	611.26	A
Permethrin	Cantaloupe	64.46	6	329.00	A
Permethrin	Cauliflower	3.37	7	33.63	A
Permethrin	Celery	206.28	40	1,100.30	A
Permethrin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	12.88	7	76.19	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Permethrin	Corn, Human Consumption	1,798.59	157	9,610.60	A
Permethrin	Endive (Escarole)	13.19	36	78.22	A
Permethrin	Fennel	1.98	1	13.24	A
Permethrin	Lettuce, Head	1,345.08	309	7,219.25	A
Permethrin	Lettuce, Leaf	2,468.70	696	13,174.66	A
Permethrin	N-Outdr Flower	35.46	27	233.70	A
Permethrin	Onion, Dry	899.32	74	4,090.00	A
Permethrin	Public Health	50.84	0	0.00	N/A
Permethrin	Spinach	945.08	171	5,591.61	A
Permethrin	Structural Pest Control	26.85	0	0.00	N/A
Permethrin	Swiss Chard	9.54	10	48.80	A
Permethrin	Uncultivated Ag	3.20	1	16.00	A
Peroxyacetic acid	Arugula	1,574.25	142	1,896.26	A
Peroxyacetic acid	Beet	0.53	10	62.66	A
Peroxyacetic acid	Broccoli	15.39	144	3,177.52	A
Peroxyacetic acid	Cabbage	5,268.98	181	5,036.82	A
Peroxyacetic acid	Cauliflower	8.07	95	1,821.08	A
Peroxyacetic acid	Celery	39.47	79	1,411.43	A
Peroxyacetic acid	Cilantro	18.45	18	166.10	A
Peroxyacetic acid	Ditch Bank	2,454.29	0	7.00	U
Peroxyacetic acid	Fennel	0.23	9	26.04	A
Peroxyacetic acid	Kale	50.98	45	485.12	A
Peroxyacetic acid	Lettuce, Head	1,743.83	358	9,520.81	A
Peroxyacetic acid	Lettuce, Leaf	23,384.41	1,501	35,464.91	A
Peroxyacetic acid	Mizuna	590.56	30	414.72	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	Mustard	0.17	12	39.80	A
Peroxyacetic acid	Onion, Dry	7.24	1	105.00	A
Peroxyacetic acid	Parsley	0.06	2	7.10	A
Peroxyacetic acid	Radish	0.69	3	69.05	A
Peroxyacetic acid	Spinach	6,803.36	380	8,712.28	A
Peroxyacetic acid	Swiss Chard	531.78	37	423.71	A
Peroxyacetic acid	Uncultivated Ag	86.85	3	63.50	A
Peroxyacetic acid	Water Area	687.68	0	2,171.00	A
Phenmedipham	Spinach	0.17	1	0.35	A
Phenothrin	Structural Pest Control	0.09	0	0.00	N/A
Phosphoric acid	Alfalfa	2,587.28	735	47,828.82	A
Phosphoric acid	Bermudagrass	41.22	20	1,542.00	A
Phosphoric acid	Broccoli	43.56	52	1,615.02	A
Phosphoric acid	Canola (Rape)	11.15	12	497.00	A
Phosphoric acid	Carrot	16.66	13	661.50	A
Phosphoric acid	Cauliflower	19.48	10	130.14	A
Phosphoric acid	Corn (Forage - Fodder)	34.52	27	1,467.00	A
Phosphoric acid	Corn, Human Consumption	127.25	153	9,118.80	A
Phosphoric acid	Lemon	12.38	6	222.00	A
Phosphoric acid	Lettuce, Head	12.08	40	1,734.00	A
Phosphoric acid	Lettuce, Leaf	17.08	54	2,045.73	A
Phosphoric acid	Melon	10.09	22	723.10	A
Phosphoric acid	Onion, Dry	29.94	36	2,621.00	A
Phosphoric acid	Sugarbeet	175.68	48	3,019.00	A
Phosphoric acid	Uncultivated Ag	118.81	25	1,331.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Wheat	37.50	9	898.00	A
Pine oil	Rights Of Way	8.15	0	0.00	N/A
Piperonyl butoxide	Public Health	42.96	0	0.00	N/A
Piperonyl butoxide	Structural Pest Control	32.61	0	0.00	N/A
Piperonyl butoxide, other related	Public Health	7.88	0	0.00	N/A
Piperonyl butoxide, other related	Structural Pest Control	0.14	0	0.00	N/A
Polyacrylamide	Alfalfa	84.78	83	4,988.00	A
Polyacrylamide	Bermudagrass	4.70	7	338.00	A
Polyacrylamide	Canola (Rape)	3.81	4	183.00	A
Polyacrylamide	Forage Hay/Silage	3.02	4	223.00	A
Polyacrylamide	Grass, Seed	4.59	17	862.20	A
Polyacrylamide	Sugarbeet	50.40	48	3,091.00	A
Polyacrylamide	Uncultivated Ag	11.48	14	941.00	A
Polyacrylamide	Wheat	7.29	8	625.00	A
Polybutene	Alfalfa	1,183.70	646	40,289.75	A
Polybutene	Arugula	18.55	51	710.85	A
Polybutene	Broccoli	31.50	70	1,239.66	A
Polybutene	Cabbage	204.56	228	6,092.92	A
Polybutene	Cantaloupe	104.52	86	3,890.00	A
Polybutene	Carrot	34.01	19	1,015.50	A
Polybutene	Cauliflower	62.87	91	1,754.78	A
Polybutene	Forage Hay/Silage	10.26	8	322.00	A
Polybutene	Lettuce, Head	197.18	334	7,436.46	A
Polybutene	Lettuce, Leaf	716.21	989	23,928.73	A
Polybutene	Melon	21.46	23	955.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polybutene	Mizuna	7.92	48	297.93	A
Polybutene	Onion, Dry	27.47	28	867.03	A
Polybutene	Spinach	34.96	47	1,254.95	A
Polybutene	Sugarbeet	176.97	142	7,598.80	A
Polybutene	Swiss Chard	11.51	42	438.65	A
Polybutene	Uncultivated Ag	20.07	9	431.00	A
Polybutene	Wheat	39.81	14	1,125.00	A
Polyhedral occlusion bodies (obs') of helicoverpa zea (corn earworm) nucleopolyhedrovirus strain: aba-npv-u	Corn, Human Consumption	9.36	65	4,807.40	A
Polymerized acrylic acid	Alfalfa	517.06	131	8,085.29	A
Polymerized acrylic acid	Canola (Rape)	9.48	3	144.00	A
Polymerized acrylic acid	Onion, Dry	23.74	5	357.00	A
Polymerized acrylic acid	Sugarbeet	826.79	76	7,258.00	A
Polymerized acrylic acid	Wheat	31.22	4	494.50	A
Polyoxin d, zinc salt	N-Outdr Flower	9.57	26	225.60	A
Polyoxyethylene dioleate	Alfalfa	0.42	15	890.90	A
Polyoxyethylene sorbitan mixed fatty acid esters	Rights Of Way	3,966.10	0	0.00	N/A
Potassium bicarbonate	Cauliflower	0.03	2	0.18	A
Potassium laurate	Broccoli	612.68	14	383.23	A
Potassium laurate	Cabbage	278.32	12	128.16	A
Potassium laurate	Cauliflower	225.82	9	119.42	A
Potassium laurate	Celery	448.85	4	160.90	A
Potassium laurate	Collard	2.71	1	1.30	A
Potassium laurate	Fennel	5.54	1	3.32	A
Potassium laurate	Kale	345.14	7	132.21	A
Potassium laurate	Lettuce, Head	65.32	3	30.40	A
Potassium laurate	Lettuce, Leaf	795.90	19	459.59	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium laurate	Parsley	83.27	1	20.00	A
Potassium laurate	Public Health	93.69	0	0.00	N/A
Potassium laurate	Rapini	312.25	8	340.00	A
Potassium laurate	Spinach	107.00	4	103.00	A
Potassium phosphite	Beet	49.58	5	26.12	A
Potassium phosphite	Broccoli	344.89	14	207.46	A
Potassium phosphite	Cabbage	0.74	13	0.52	A
Potassium phosphite	Cauliflower	20.86	23	11.11	A
Potassium phosphite	Endive (Escarole)	67.82	25	30.59	A
Potassium phosphite	Kale	615.82	13	318.65	A
Potassium phosphite	Lettuce, Head	2,130.72	72	1,050.07	A
Potassium phosphite	Lettuce, Leaf	5,706.72	228	2,744.81	A
Potassium phosphite	Onion, Dry	149.76	5	115.52	A
Potassium phosphite	Spinach	4,466.97	95	2,545.75	A
Potassium silicate	Arugula	7.61	1	14.60	A
Potassium silicate	Broccoli	1.71	10	0.28	A
Potassium silicate	Cabbage	8.78	30	1.55	A
Potassium silicate	Cauliflower	30.60	55	4.12	A
Potassium silicate	Cilantro	0.21	1	0.40	A
Potassium silicate	Collard	1.99	17	0.29	A
Potassium silicate	Cucumber	0.42	1	0.07	A
Potassium silicate	Fennel	2.51	10	0.41	A
Potassium silicate	Kale	1.18	10	0.19	A
Potassium silicate	Lettuce, Leaf	190.81	3	62.69	A
Potassium silicate	Swiss Chard	9.00	40	1.97	A
Prallethrin	Structural Pest Control	0.69	0	0.00	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Prodiamine	Landscape Maintenance	0.60	0	0.00	N/A
Prometryn	Carrot	252.69	3	147.00	A
Prometryn	Celery	945.31	22	525.78	A
Prometryn	Cilantro	346.06	26	229.16	A
Prometryn	Fennel	4.51	2	3.60	A
Prometryn	Parsley	233.32	3	116.80	A
Propamocarb hydrochloride	Cantaloupe	17.59	1	35.30	A
Propamocarb hydrochloride	Lettuce, Head	99.91	3	113.00	A
Propamocarb hydrochloride	Lettuce, Leaf	482.09	21	527.50	A
Propiconazole	Carrot	545.03	85	4,945.90	A
Propiconazole	Celery	94.08	26	882.28	A
Propiconazole	Onion, Dry	400.25	52	2,933.00	A
Propiconazole	Sugarbeet	1,339.45	160	12,327.58	A
Propiconazole	Wheat	9.83	3	96.00	A
Propionic acid	Alfalfa	1,769.07	349	20,094.60	A
Propylene glycol	Alfalfa	44.32	17	561.50	A
Propylene glycol	Landscape Maintenance	1.44	0	0.00	N/A
Propyzamide	Artichoke, Globe	46.00	3	50.00	A
Propyzamide	Endive (Escarole)	33.97	16	45.84	A
Propyzamide	Lettuce, Head	3,499.68	270	5,782.83	A
Propyzamide	Lettuce, Leaf	7,411.23	711	11,551.32	A
Pseudomonas chlororaphis subsp. aurantiaca strain: afs009	Collard	38.50	3	15.40	A
Pseudomonas chlororaphis subsp. aurantiaca strain: afs009	Kale	82.75	3	33.10	A
Purpureocillium lilacinum strain 251	Carrot	900.95	138	6,683.00	A
Purpureocillium lilacinum strain 251	Onion, Dry	252.13	39	2,283.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Purpureocillium lilacinum strain 251	Rutabaga	0.98	2	8.00	A
Purpureocillium lilacinum strain 251	Sugarbeet	11.53	1	80.00	A
Pydiflumetofen	Lettuce, Head	7.71	4	60.62	A
Pydiflumetofen	Lettuce, Leaf	8.96	3	83.30	A
Pyraclostrobin	Alfalfa	5.24	1	35.00	A
Pyraclostrobin	Bermudagrass	786.47	45	4,215.70	A
Pyraclostrobin	Cabbage	72.20	13	396.00	A
Pyraclostrobin	Lettuce, Head	16.44	3	99.00	A
Pyraclostrobin	Lettuce, Leaf	203.42	45	1,178.85	A
Pyraclostrobin	N-Outdr Flower	7.43	18	115.20	A
Pyraclostrobin	Onion, Dry	122.61	14	881.52	A
Pyraclostrobin	Sugarbeet	64.66	8	378.00	A
Pyraclostrobin	Wheat	53.02	21	395.50	A
Pyraflufen-ethyl	Bermudagrass	0.09	1	27.00	A
Pyraflufen-ethyl	Cotton	0.75	16	352.40	A
Pyraflufen-ethyl	Ditch Bank	0.40	0	120.00	A
Pyraflufen-ethyl	Uncultivated Ag	4.27	50	1,428.16	A
Pyrethrins	Alfalfa	11.42	3	308.00	A
Pyrethrins	Arugula	16.31	46	387.40	A
Pyrethrins	Basil, Sweet	0.19	2	8.00	A
Pyrethrins	Beet	12.41	8	285.90	A
Pyrethrins	Bok Choy (Choy Sum, Pak Choi)	0.26	6	6.68	A
Pyrethrins	Broccoli	7.05	15	185.65	A
Pyrethrins	Cabbage	5.46	32	135.87	A
Pyrethrins	Cauliflower	1.23	38	39.44	A
Pyrethrins	Celery	5.11	4	118.90	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyrethrins	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	0.44	2	12.00	A
Pyrethrins	Cilantro	0.82	7	20.80	A
Pyrethrins	Collard	< 0.01	10	0.10	A
Pyrethrins	Fennel	< 0.01	5	0.20	A
Pyrethrins	Kale	6.91	33	169.08	A
Pyrethrins	Lettuce, Head	1.83	7	55.00	A
Pyrethrins	Lettuce, Leaf	77.92	136	1,925.43	A
Pyrethrins	Melon	4.28	4	92.00	A
Pyrethrins	Mizuna	2.85	17	68.36	A
Pyrethrins	Mustard	1.06	3	29.21	A
Pyrethrins	Mustard Greens	5.26	8	144.02	A
Pyrethrins	Pepper, Fruiting	< 0.01	1	0.75	A
Pyrethrins	Rapini	7.79	5	193.50	A
Pyrethrins	Spinach	89.17	110	2,194.89	A
Pyrethrins	Structural Pest Control	5.07	0	0.00	N/A
Pyrethrins	Swiss Chard	7.82	48	196.89	A
Pyrethrins	Watermelon	< 0.01	2	0.16	A
Pyriproxyfen	Lemon	6.92	2	64.50	A
Pyriproxyfen	Structural Pest Control	1.19	0	0.00	N/A
Pyroxsulam	Wheat	27.09	42	2,094.09	A
Quinclorac	Landscape Maintenance	1.88	0	0.00	N/A
Quinoxifen	Cantaloupe	31.05	7	352.00	A
Quinoxifen	Lettuce, Head	7.24	4	81.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Quinoxifen	Lettuce, Leaf	46.68	24	595.13	A
Quinoxifen	Melon	48.07	13	516.01	A
Quinoxifen	Watermelon	3.99	2	41.55	A
Reynoutria sachalinensis (giant knotweed) plant extract	Broccoli	5.46	9	67.82	A
Reynoutria sachalinensis (giant knotweed) plant extract	Cabbage	2.97	31	33.65	A
Reynoutria sachalinensis (giant knotweed) plant extract	Cauliflower	1.68	57	5.98	A
Reynoutria sachalinensis (giant knotweed) plant extract	Collard	0.03	9	0.09	A
Reynoutria sachalinensis (giant knotweed) plant extract	Cucumber	0.02	1	0.07	A
Reynoutria sachalinensis (giant knotweed) plant extract	Fennel	0.03	3	0.12	A
Reynoutria sachalinensis (giant knotweed) plant extract	Kale	0.02	5	0.10	A
Reynoutria sachalinensis (giant knotweed) plant extract	Lettuce, Head	2.94	1	35.40	A
Reynoutria sachalinensis (giant knotweed) plant extract	Lettuce, Leaf	0.19	12	0.89	A
Reynoutria sachalinensis (giant knotweed) plant extract	Swiss Chard	0.18	13	0.81	A
Rimsulfuron	Lemon	19.94	16	319.02	A
Rimsulfuron	Potato	1.50	3	96.00	A
S,s,s-tributyl phosphorotrithioate	Cotton	212.99	8	244.00	A
S-abscisic acid	Grape	38.94	5	295.49	A
S-methoprene	Rights Of Way	< 0.01	0	0.00	N/A
S-methoprene	Structural Pest Control	0.03	0	0.00	N/A
S-metolachlor	Corn (Forage - Fodder)	667.05	4	358.00	A
S-metolachlor	Corn, Human Consumption	1,543.17	16	995.00	A
S-metolachlor	Potato	1,543.50	15	994.10	A
Saflufenacil	Alfalfa	167.24	80	4,044.00	A
Saflufenacil	Lemon	0.53	1	23.00	A
Saflufenacil	Rights Of Way	78.43	0	0.00	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sethoxydim	Alfalfa	3,836.84	229	12,862.60	A
Sethoxydim	Broccoli	155.86	19	618.95	A
Sethoxydim	Cabbage	13.32	2	54.00	A
Sethoxydim	Carrot	155.01	8	427.00	A
Sethoxydim	Celery	8.68	2	33.00	A
Sethoxydim	Cilantro	11.22	1	45.00	A
Sethoxydim	Lettuce, Head	128.75	18	558.34	A
Sethoxydim	Lettuce, Leaf	112.32	11	443.63	A
Sethoxydim	Melon	22.25	2	89.00	A
Sethoxydim	Onion, Dry	1,051.45	60	3,712.02	A
Silica gel	Structural Pest Control	400.53	0	0.00	N/A
Silicone - glycol copolymer	Alfalfa	20.07	15	890.90	A
Sodium bromide	Water (Industrial)	5,908.91	0	14.00	U
Sodium dichloro-s-triazinetriene	Water (Industrial)	62,936.22	0	10.00	U
Sodium diisooctylsulfosuccinate	Alfalfa	1.00	8	469.00	A
Sodium diisooctylsulfosuccinate	Broccoli	0.44	3	181.95	A
Sodium hypochlorite	Water (Industrial)	1,371.88	0	5.00	U
Sodium polyacrylate	Alfalfa	44.65	196	10,832.75	A
Sodium tetraborate decahydrate	Rights Of Way	11,864.68	0	0.00	N/A
Sodium xylene sulfonate	Alfalfa	6.50	8	469.00	A
Sodium xylene sulfonate	Broccoli	2.87	3	181.95	A
Sorbitan fatty acid esters	Rights Of Way	867.58	0	0.00	N/A
Sorbitol	Uncultivated Ag	21.44	18	361.00	A
Soybean oil, ethoxylated	Alfalfa	3,125.92	126	9,410.89	A
Spinetoram	Artichoke, Globe	0.09	1	2.00	A
Spinetoram	Arugula	24.00	36	475.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Asparagus	1.00	1	24.00	A
Spinetoram	Basil, Sweet	5.96	1	95.00	A
Spinetoram	Beet	3.16	10	65.28	A
Spinetoram	Bok Choy (Choy Sum, Pak Choi)	5.82	11	99.65	A
Spinetoram	Broccoli	77.37	74	1,606.89	A
Spinetoram	Cabbage	209.35	179	4,201.93	A
Spinetoram	Cantaloupe	50.77	19	995.90	A
Spinetoram	Cauliflower	53.17	51	1,062.46	A
Spinetoram	Celery	35.66	33	796.00	A
Spinetoram	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	18.44	23	315.66	A
Spinetoram	Corn, Human Consumption	250.59	110	5,831.60	A
Spinetoram	Endive (Escarole)	0.85	12	17.13	A
Spinetoram	Grapefruit	54.66	18	583.00	A
Spinetoram	Herb, Spice	0.47	1	20.00	A
Spinetoram	Kale	12.63	24	256.43	A
Spinetoram	Lemon	366.94	119	3,952.04	A
Spinetoram	Lettuce, Head	476.17	415	10,342.39	A
Spinetoram	Lettuce, Leaf	1,158.97	974	24,336.52	A
Spinetoram	Melon	19.49	6	408.00	A
Spinetoram	Mint	2.64	4	100.00	A
Spinetoram	Mizuna	8.03	31	169.93	A
Spinetoram	Onion, Dry	68.70	24	1,242.02	A
Spinetoram	Radish	4.66	5	102.37	A
Spinetoram	Rapini	118.71	27	1,988.40	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Spinach	280.53	192	5,758.77	A
Spinetoram	Swiss Chard	12.02	29	254.59	A
Spinetoram	Tangelo	7.31	3	78.00	A
Spinetoram	Tangerine	18.94	10	202.00	A
Spinetoram	Watermelon	1.25	1	32.00	A
Spinosad	Arugula	77.41	96	836.31	A
Spinosad	Basil, Sweet	5.22	3	58.00	A
Spinosad	Beet	33.60	8	273.60	A
Spinosad	Bok Choy (Choy Sum, Pak Choi)	4.71	24	39.55	A
Spinosad	Broccoli	164.49	100	1,978.49	A
Spinosad	Cabbage	117.41	91	1,124.08	A
Spinosad	Carrot	30.53	15	350.20	A
Spinosad	Cauliflower	112.91	68	1,313.43	A
Spinosad	Celery	83.78	53	897.87	A
Spinosad	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	5.46	17	44.00	A
Spinosad	Cilantro	7.09	15	76.00	A
Spinosad	Collard	4.28	8	34.50	A
Spinosad	Corn, Human Consumption	213.17	70	2,358.28	A
Spinosad	Date	0.16	1	4.00	A
Spinosad	Fennel	2.21	12	25.45	A
Spinosad	Kale	83.36	110	834.26	A
Spinosad	Lemon	28.08	3	171.00	A
Spinosad	Lettuce, Head	91.81	111	936.90	A
Spinosad	Lettuce, Leaf	1,038.06	659	11,214.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Melon	17.88	6	184.00	A
Spinosad	Mizuna	20.70	55	217.49	A
Spinosad	Mustard	10.21	17	100.04	A
Spinosad	Mustard Greens	48.34	43	454.31	A
Spinosad	N-Outdr Flower	9.06	14	117.00	A
Spinosad	Parsley	0.66	2	7.10	A
Spinosad	Rapini	36.26	11	566.00	A
Spinosad	Spinach	692.51	383	7,367.12	A
Spinosad	Swiss Chard	105.43	144	1,121.36	A
Spirodiclofen	Lemon	266.70	19	842.00	A
Spirodiclofen	Tangerine	9.81	1	31.00	A
Spiromesifen	Cantaloupe	198.95	44	1,898.41	A
Spiromesifen	Corn (Forage - Fodder)	25.66	5	101.00	A
Spiromesifen	Corn, Human Consumption	136.62	17	705.00	A
Spiromesifen	Melon	68.92	12	608.00	A
Spiromesifen	Pepper, Fruiting	9.60	1	73.00	A
Spiromesifen	Watermelon	1.98	1	32.00	A
Spirotetramat	Alfalfa	28.33	7	219.50	A
Spirotetramat	Artichoke, Globe	6.81	2	62.00	A
Spirotetramat	Arugula	21.69	20	278.24	A
Spirotetramat	Bok Choy (Choy Sum, Pak Choi)	8.91	17	124.51	A
Spirotetramat	Broccoli	144.14	64	1,922.68	A
Spirotetramat	Cabbage	172.81	86	2,344.50	A
Spirotetramat	Cauliflower	74.32	43	998.43	A
Spirotetramat	Celery	45.93	25	669.90	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	13.27	13	166.40	A
Spirotetramat	Endive (Escarole)	0.40	2	3.78	A
Spirotetramat	Gai Lon	0.69	10	10.88	A
Spirotetramat	Grapefruit	40.64	7	258.00	A
Spirotetramat	Kale	14.99	12	197.52	A
Spirotetramat	Lemon	293.24	54	2,051.02	A
Spirotetramat	Lettuce, Head	178.50	83	2,517.78	A
Spirotetramat	Lettuce, Leaf	651.41	349	8,777.03	A
Spirotetramat	Mizuna	8.32	17	105.53	A
Spirotetramat	Mustard	5.20	1	66.00	A
Spirotetramat	Rapini	119.90	19	1,606.20	A
Spirotetramat	Spinach	133.11	55	1,751.48	A
Spirotetramat	Sugarbeet	474.91	84	5,443.84	A
Spirotetramat	Swiss Chard	13.81	19	180.65	A
Spirotetramat	Tangerine	4.72	2	30.00	A
Strychnine	Structural Pest Control	< 0.01	0	0.00	N/A
Sulfentrazone	Landscape Maintenance	< 0.01	0	0.00	N/A
Sulfentrazone	Rights Of Way	< 0.01	0	0.00	N/A
Sulfometuron-methyl	Landscape Maintenance	1,132.36	0	0.00	N/A
Sulfometuron-methyl	Rights Of Way	231.50	0	0.00	N/A
Sulfosulfuron	Landscape Maintenance	0.05	0	0.00	N/A
Sulfoxaflor	Broccoli	41.71	4	33.22	A
Sulfoxaflor	Cabbage	28.80	18	501.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfoxafflor	Cauliflower	0.84	1	9.24	A
Sulfoxafflor	Celery	0.50	1	9.50	A
Sulfoxafflor	Kale	0.50	1	11.38	A
Sulfoxafflor	Lettuce, Head	6.49	8	142.75	A
Sulfoxafflor	Lettuce, Leaf	42.95	42	957.27	A
Sulfoxafflor	Spinach	2.50	4	80.00	A
Sulfur	Alfalfa	103,122.92	50	4,547.20	A
Sulfur	Artichoke, Globe	139.28	7	38.60	A
Sulfur	Bermudagrass	479,441.19	213	17,526.00	A
Sulfur	Broccoli	806.48	4	98.11	A
Sulfur	Cantaloupe	14,610.21	16	796.00	A
Sulfur	Carrot	84,646.36	148	5,246.22	A
Sulfur	Cauliflower	642.88	2	80.36	A
Sulfur	Celery	263.65	4	67.21	A
Sulfur	Date	1,928.00	2	149.00	A
Sulfur	Grape	25,182.24	30	3,692.82	A
Sulfur	Grass, Seed	4,116.00	2	140.00	A
Sulfur	Lemon	1,651.20	3	171.00	A
Sulfur	Lettuce, Head	177.54	9	108.14	A
Sulfur	Lettuce, Leaf	1,201.33	23	269.10	A
Sulfur	Melon	4,849.98	13	363.61	A
Sulfur	N-Outdr Flower	85.20	7	25.00	A
Sulfur	Onion, Dry	13,085.60	34	2,332.00	A
Sulfur	Sugarbeet	276,200.65	198	13,715.28	A
Sulfur	Watermelon	10,836.41	12	414.08	A
Sulfuryl fluoride	Onion, Dry	11.22	1	35.00	A
Tall oil	Alfalfa	2,148.39	472	30,283.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tall oil	Bermudagrass	123.18	24	1,579.43	A
Tall oil	Broccoli	54.85	31	997.75	A
Tall oil	Carrot	36.06	9	504.00	A
Tall oil	Forage Hay/Silage	53.24	8	574.00	A
Tall oil	Onion, Dry	29.68	11	523.00	A
Tall oil	Sugarbeet	117.44	52	3,064.96	A
Tall oil	Uncultivated Ag	137.77	21	1,272.70	A
Tall oil	Wheat	29.86	5	441.00	A
Tall oil fatty acids	Alfalfa	7,628.94	820	51,384.72	A
Tall oil fatty acids	Bermudagrass	1,715.68	142	11,658.89	A
Tall oil fatty acids	Carrot	145.42	53	2,786.00	A
Tall oil fatty acids	Corn, Human Consumption	2,323.37	131	9,506.40	A
Tall oil fatty acids	Cotton	8.21	22	290.60	A
Tall oil fatty acids	Forage Hay/Silage	129.88	12	700.00	A
Tall oil fatty acids	Grapefruit	10.18	5	218.00	A
Tall oil fatty acids	Landscape Maintenance	1.48	0	0.00	N/A
Tall oil fatty acids	Lemon	41.18	21	927.00	A
Tall oil fatty acids	Onion, Dry	1,080.52	70	5,827.30	A
Tall oil fatty acids	Sugarbeet	4,187.73	205	16,810.56	A
Tall oil fatty acids	Uncultivated Ag	50.66	12	782.40	A
Tall oil fatty acids	Wheat	145.42	18	1,589.40	A
Tea tree oil	Kale	1.90	1	16.78	A
Tebuconazole	Bermudagrass	3,056.55	177	14,132.79	A
Tebuconazole	Cantaloupe	35.43	5	216.40	A
Tebuconazole	Melon	25.86	3	157.70	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tembotrione	Corn (Forage - Fodder)	5.37	1	66.00	A
Tembotrione	Corn, Human Consumption	41.56	7	550.00	A
Tetraconazole	Cantaloupe	16.44	6	251.70	A
Tetraconazole	Melon	14.38	6	331.20	A
Tetraconazole	Pepper, Fruiting	4.18	1	73.00	A
Tetraconazole	Sugarbeet	40.70	8	417.30	A
Thiamethoxam	Artichoke, Globe	1.97	1	40.00	A
Thiamethoxam	Beet	0.51	2	10.80	A
Thiamethoxam	Broccoli	8.86	5	51.50	A
Thiamethoxam	Cabbage	6.96	7	88.70	A
Thiamethoxam	Cauliflower	11.33	7	83.80	A
Thiamethoxam	Kale	17.67	7	205.64	A
Thiamethoxam	Lemon	13.75	6	205.00	A
Thiamethoxam	Lettuce, Leaf	17.91	4	216.00	A
Thiamethoxam	Melon	18.73	4	286.00	A
Thiamethoxam	Spinach	38.53	22	601.57	A
Thiamethoxam	Structural Pest Control	0.40	0	0.00	N/A
Thidiazuron	Cotton	186.38	46	1,754.00	A
Thiencarbazone-methyl	Rapini	0.36	1	100.00	A
Thiencarbazone-methyl	Wheat	1.42	4	391.00	A
Thiophanate-methyl	Cantaloupe	95.22	11	278.02	A
Thiophanate-methyl	Melon	82.58	9	221.48	A
Thiophanate-methyl	N-Outdr Flower	2.13	2	6.00	A
Thiram	Alfalfa	84.41	0	122,693.00	P
Thiram	Arugula	0.12	0	100.00	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiram	Asparagus	0.42	0	340.00	P
Thiram	Basil, Sweet	0.13	0	104.00	P
Thiram	Bean, Dried	11.48	0	16,750.00	P
Thiram	Beet	7.03	0	3,084.00	P
Thiram	Broccoli	1.62	0	1,018.42	P
Thiram	Brussels Sprout	0.05	0	35.00	P
Thiram	Cabbage	1.68	0	1,174.00	P
Thiram	Cantaloupe	1.33	0	1,066.00	P
Thiram	Carrot	61.86	0	26,767.97	P
Thiram	Cauliflower	0.19	0	124.50	P
Thiram	Celery	1.47	0	684.00	P
Thiram	Cilantro	16.51	0	13,247.00	P
Thiram	Cucumber	4.75	0	3,215.10	P
Thiram	Eggplant	0.02	0	3.06	P
Thiram	Herb, Spice	< 0.01	0	6.00	P
Thiram	Kale	0.10	0	67.00	P
Thiram	Leek	23.83	0	9,557.00	P
Thiram	Lettuce, Leaf	5.69	0	2,946.99	P
Thiram	Melon	0.52	0	238.00	P
Thiram	Okra	72.48	0	69,539.00	P
Thiram	Onion, Dry	30.77	0	34,220.14	P
Thiram	Papaya	0.03	0	18.50	P
Thiram	Pepper, Fruiting	11.49	0	4,695.35	P
Thiram	Pepper, Spice	0.36	0	344.67	P
Thiram	Radish	192.92	0	148,183.44	P
Thiram	Spinach	8.51	0	5,504.30	P
Thiram	Squash	18.31	0	13,200.95	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiram	Swiss Chard	8.24	0	4,081.00	P
Thiram	Thyme	0.07	0	35.00	P
Thiram	Tomato	6.79	0	3,979.28	P
Thiram	Turnip	1.99	0	800.00	P
Thiram	Vegetable	318.72	0	255,679.00	P
Thiram	Watermelon	6.77	0	5,317.62	P
Tolfenpyrad	Lemon	51.85	4	199.00	A
Tolfenpyrad	Tangelo	11.28	1	40.00	A
Tralomethrin	Structural Pest Control	0.01	0	0.00	N/A
Triallate	Bermudagrass	870.83	20	581.55	A
Tribenuron-methyl	Wheat	8.09	11	677.00	A
Triclopyr choline	Landscape Maintenance	7.32	0	0.00	N/A
Triclopyr choline	Rights Of Way	9.07	0	0.00	N/A
Triclopyr, butoxyethyl ester	Alfalfa	149.18	8	165.00	A
Triclopyr, butoxyethyl ester	Bermudagrass	38.98	4	230.00	A
Triclopyr, butoxyethyl ester	Rights Of Way	2,800.10	0	0.00	N/A
Triclopyr, butoxyethyl ester	Uncultivated Ag	102.62	4	152.00	A
Triclopyr, triethylamine salt	Landscape Maintenance	163.10	0	0.00	N/A
Triclopyr, triethylamine salt	Rights Of Way	14,661.38	0	0.00	N/A
Triclopyr, triethylamine salt	Uncultivated Ag	32.12	1	35.00	A
Triethanolamine	Alfalfa	32.83	251	14,979.59	A
Triethanolamine	Bermudagrass	1.74	9	676.00	A
Triethanolamine	Onion, Dry	0.26	3	129.00	A
Triethanolamine	Sugarbeet	0.79	4	314.96	A
Triethanolamine	Uncultivated Ag	40.36	29	1,001.70	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifloxystrobin	Lettuce, Leaf	4.36	4	44.80	A
Triflumizole	Cantaloupe	117.21	10	560.91	A
Triflumizole	Melon	159.37	15	729.00	A
Trifluralin	Alfalfa	63,889.34	420	29,844.08	A
Trifluralin	Asparagus	55.00	2	29.00	A
Trifluralin	Bermudagrass	42,328.24	266	21,187.78	A
Trifluralin	Bok Choy (Choy Sum, Pak Choi)	4.02	1	5.30	A
Trifluralin	Broccoli	2,886.06	165	4,102.14	A
Trifluralin	Cabbage	355.76	6	362.50	A
Trifluralin	Canola (Rape)	26.51	1	35.00	A
Trifluralin	Cantaloupe	1,275.98	32	1,709.81	A
Trifluralin	Carrot	3,868.27	111	5,817.50	A
Trifluralin	Cauliflower	74.67	5	89.53	A
Trifluralin	Celery	386.42	13	426.10	A
Trifluralin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	17.56	2	24.20	A
Trifluralin	Cotton	178.01	6	201.40	A
Trifluralin	Forage Hay/Silage	140.00	1	70.00	A
Trifluralin	Grass, Seed	230.00	2	115.00	A
Trifluralin	Kale	78.86	18	120.45	A
Trifluralin	Melon	573.17	18	813.50	A
Trifluralin	Okra	1.10	1	1.00	A
Trifluralin	Rights Of Way	17.38	0	0.00	N/A
Trifluralin	Watermelon	16.16	1	32.00	A
Triflurosulfuron-methyl	Sugarbeet	60.02	33	2,100.00	A
Urea dihydrogen sulfate	Alfalfa	429.14	520	26,855.32	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Urea dihydrogen sulfate	Cotton	286.24	45	2,011.30	A
Vinyl polymer	Alfalfa	30.60	73	4,939.00	A
Vinyl polymer	Bermudagrass	8.99	30	1,954.40	A
Vinyl polymer	Sugarbeet	17.21	69	4,368.86	A
Vinyl polymer	Uncultivated Ag	2.89	13	676.00	A
Vinyl polymer	Wheat	0.71	5	309.00	A
Yeast extract hydrolysate from saccharomyces cerevisiae	Lettuce, Leaf	0.07	1	44.92	A
Zeta-cypermethrin	Alfalfa	582.75	342	22,885.80	A
Zeta-cypermethrin	Artichoke, Globe	1.84	2	80.00	A
Zeta-cypermethrin	Arugula	7.72	23	310.31	A
Zeta-cypermethrin	Beet	1.83	12	73.30	A
Zeta-cypermethrin	Bermudagrass	36.47	24	1,396.00	A
Zeta-cypermethrin	Bok Choy (Choy Sum, Pak Choi)	0.98	4	34.85	A
Zeta-cypermethrin	Broccoli	94.13	115	3,936.56	A
Zeta-cypermethrin	Cabbage	32.48	47	1,380.90	A
Zeta-cypermethrin	Canola (Rape)	5.58	5	248.00	A
Zeta-cypermethrin	Cantaloupe	11.97	15	524.06	A
Zeta-cypermethrin	Carrot	7.68	6	324.00	A
Zeta-cypermethrin	Cauliflower	36.61	47	1,411.58	A
Zeta-cypermethrin	Celery	12.03	22	502.70	A
Zeta-cypermethrin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	2.46	5	74.29	A
Zeta-cypermethrin	Cilantro	1.84	2	84.00	A
Zeta-cypermethrin	Corn, Human Consumption	245.56	141	9,331.85	A
Zeta-cypermethrin	Date	0.19	1	4.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zeta-cypermethrin	Endive (Escarole)	0.12	2	2.42	A
Zeta-cypermethrin	Kale	8.91	42	356.11	A
Zeta-cypermethrin	Lemon	16.55	17	570.00	A
Zeta-cypermethrin	Lettuce, Head	123.55	196	5,015.47	A
Zeta-cypermethrin	Lettuce, Leaf	247.58	467	10,187.72	A
Zeta-cypermethrin	Melon	1.84	1	74.00	A
Zeta-cypermethrin	Mizuna	0.74	6	29.43	A
Zeta-cypermethrin	Onion, Dry	36.28	24	1,031.00	A
Zeta-cypermethrin	Pepper, Fruiting	4.28	2	126.00	A
Zeta-cypermethrin	Spinach	38.29	58	1,555.74	A
Zeta-cypermethrin	Sugarbeet	791.01	483	32,060.34	A
Zeta-cypermethrin	Swiss Chard	1.11	6	44.59	A
Zeta-cypermethrin	Tangerine	1.39	2	40.00	A
Zeta-cypermethrin	Watermelon	0.80	2	32.00	A
Zeta-cypermethrin	Wheat	4.79	2	209.00	A
Zinc phosphide	Structural Pest Control	0.09	0	0.00	N/A