# 2024 Annual Statewide Pesticide Use Report Indexed by Commodity: Colusa County

Text files of data are available. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, N/A = Not Available. Area treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative area treated would equal three acres. Most nonagricultural pesticide use reports are not required to report area treated, so the area treated totals are predominantly agricultural pesticide uses. Application counts (Apps) include only agricultural pesticide uses. N-outdr = Outdoor nursery. N-grnhs = Greenhouse nursery. For more information, see Pesticide Use Annual Report Data Access, References, and Definitions Guide.

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alfalfa | 2,4-db, dimethylamine salt | 11.40 | 1 | 13.00 | A |
| Alfalfa | Afidopyropen | 0.02 | 1 | 193.00 | A |
| Alfalfa | Aggregated adjuvant data | 2,734.44 | 173 | 10,553.04 | A |
| Alfalfa | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 1,174.42 | 95 | 5,692.64 | A |
| Alfalfa | Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 25.72 | 10 | 626.00 | A |
| Alfalfa | Ammonium sulfate | 271.40 | 36 | 1,992.78 | A |
| Alfalfa | Beta-cyfluthrin | 2.07 | 3 | 87.60 | A |
| Alfalfa | Bromoxynil octanoate | 67.58 | 2 | 127.00 | A |
| Alfalfa | Chlorantraniliprole | 79.86 | 13 | 1,261.78 | A |
| Alfalfa | Citric acid | 31.40 | 38 | 2,123.78 | A |
| Alfalfa | Clethodim | 421.70 | 31 | 1,708.90 | A |
| Alfalfa | Dimethoate | 0.49 | 1 | 193.00 | A |
| Alfalfa | Dimethylpolysiloxane | 0.41 | 16 | 910.00 | A |
| Alfalfa | Diuron | 570.16 | 5 | 394.50 | A |
| Alfalfa | Glycerol | 104.96 | 25 | 1,600.78 | A |
| Alfalfa | Glyphosate, isopropylamine salt | 250.30 | 2 | 125.00 | A |
| Alfalfa | Glyphosate, potassium salt | 4,269.50 | 50 | 2,156.78 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alfalfa | Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 17.51 | 8 | 479.00 | A |
| Alfalfa | Hexazinone | 303.87 | 8 | 501.50 | A |
| Alfalfa | Imazamox, ammonium salt | 18.13 | 15 | 606.30 | A |
| Alfalfa | Imazethapyr, ammonium salt | 13.31 | 5 | 253.00 | A |
| Alfalfa | Indoxacarb | 153.59 | 35 | 1,960.88 | A |
| Alfalfa | Isopropyl alcohol | 8.79 | 9 | 518.56 | A |
| Alfalfa | Lambda-cyhalothrin | 41.64 | 15 | 1,498.78 | A |
| Alfalfa | Malathion | 193.51 | 3 | 173.00 | A |
| Alfalfa | Mcpa, dimethylamine salt | 5.65 | 1 | 17.00 | A |
| Alfalfa | Methoxyfenozide | 166.25 | 11 | 1,152.00 | A |
| Alfalfa | Methylated soybean oil | 363.22 | 22 | 1,103.00 | A |
| Alfalfa | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 1.24 | 2 | 127.00 | A |
| Alfalfa | Oxyfluorfen | 1.57 | 1 | 25.00 | A |
| Alfalfa | Paraquat dichloride | 84.78 | 2 | 158.00 | A |
| Alfalfa | Pendimethalin | 1,207.15 | 11 | 637.38 | A |
| Alfalfa | Permethrin | 12.65 | 2 | 85.00 | A |
| Alfalfa | Phosmet | 138.60 | 3 | 198.00 | A |
| Alfalfa | Phosphoric acid | 35.45 | 28 | 1,674.56 | A |
| Alfalfa | Polyethylene glycol | 181.68 | 25 | 2,415.00 | A |
| Alfalfa | Saflufenacil | 15.50 | 11 | 526.60 | A |
| Alfalfa | Sethoxydim | 0.35 | 1 | 25.00 | A |
| Alfalfa | Strychnine | 0.15 | 2 | 200.00 | A |
| Alfalfa | Tall oil fatty acids | 181.49 | 25 | 2,415.00 | A |
| Alfalfa | Tribenuron-methyl | 0.32 | 1 | 17.00 | A |
| Almond | (z,z)-11,13-hexadecadienal | 211.65 | 144 | 12,532.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Almond | 2,4-d, dimethylamine salt | 2,355.33 | 53 | 2,040.17 | A |
| Almond | 2,4-dichlorophenoxyacetic acid, choline salt | 141.31 | 13 | 227.70 | A |
| Almond | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 572.65 | 111 | 3,788.83 | A |
| Almond | Abamectin | 376.96 | 387 | 21,290.94 | A |
| Almond | Acequinocyl | 8.09 | 3 | 20.30 | A |
| Almond | Acetamiprid | 7.63 | 3 | 59.87 | A |
| Almond | Aggregated adjuvant data | 24,662.52 | 3,321 | 178,013.53 | A |
| Almond | Alcohols, c12-14-secondary, ethoxylated | 7,345.42 | 1,674 | 87,286.27 | A |
| Almond | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 11,337.08 | 1,127 | 66,620.90 | A |
| Almond | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | 63.12 | 17 | 654.60 | A |
| Almond | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 31.46 | 40 | 2,324.69 | A |
| Almond | Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 443.40 | 40 | 5,130.50 | A |
| Almond | Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 140.57 | 21 | 1,202.60 | A |
| Almond | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 390.84 | 97 | 3,741.67 | A |
| Almond | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 204.46 | 57 | 1,713.12 | A |
| Almond | Aluminum phosphide | 0.71 | 1 | 45.00 | A |
| Almond | Aluminum phosphide | 1.82 | 0 | 32,000.00 | C |
| Almond | Ammonium sulfate | 13,103.61 | 653 | 33,180.04 | A |
| Almond | Azoxystrobin | 2,846.17 | 279 | 15,925.36 | A |
| Almond | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 47.52 | 4 | 75.24 | A |
| Almond | Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | 284.21 | 12 | 1,519.00 | A |
| Almond | Bacillus velezensis strain: d747 | 37.18 | 1 | 20.00 | A |
| Almond | Bacillus velezensis strain: qst 713 | 4.75 | 3 | 165.00 | A |
| Almond | Beta-conglutin | 19.77 | 2 | 82.50 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Almond | Beta-cyfluthrin | 1.77 | 1 | 77.00 | A |
| Almond | Bifenazate | 16,992.67 | 415 | 23,144.27 | A |
| Almond | Bifenthrin | 9,791.76 | 918 | 54,612.92 | A |
| Almond | Boscalid | 42.93 | 7 | 217.75 | A |
| Almond | Capric acid | 7.56 | 1 | 1.41 | A |
| Almond | Caprylic acid | 11.10 | 1 | 1.41 | A |
| Almond | Carfentrazone-ethyl | 88.96 | 72 | 2,262.42 | A |
| Almond | Castor oil ethoxylate | 66.40 | 14 | 667.50 | A |
| Almond | Chlorantraniliprole | 4,608.95 | 954 | 58,851.30 | A |
| Almond | Chlorothalonil | 77,015.24 | 516 | 34,756.26 | A |
| Almond | Citric acid | 1,598.70 | 883 | 38,333.90 | A |
| Almond | Clethodim | 974.49 | 189 | 6,780.73 | A |
| Almond | Clofentezine | 196.99 | 27 | 758.00 | A |
| Almond | Copper hydroxide | 2,355.16 | 10 | 1,277.20 | A |
| Almond | Copper sulfate (basic) | 3,866.77 | 15 | 1,077.90 | A |
| Almond | Copper sulfate (pentahydrate) | 456.61 | 64 | 1,337.50 | A |
| Almond | Cyantraniliprole | 24.97 | 15 | 237.20 | A |
| Almond | Cyflufenamid | 0.14 | 1 | 6.00 | A |
| Almond | Cyflumetofen | 77.92 | 13 | 390.77 | A |
| Almond | Cyprodinil | 1,988.19 | 141 | 9,197.45 | A |
| Almond | Diatomaceous earth | 170.00 | 2 | 19.80 | A |
| Almond | Diatomaceous earth, other related | 5.00 | 1 | 3.30 | A |
| Almond | Difenoconazole | 2,574.09 | 320 | 23,038.59 | A |
| Almond | Diflubenzuron | 5.39 | 5 | 96.00 | A |
| Almond | Dimethylpolysiloxane | 72.73 | 383 | 23,174.23 | A |
| Almond | Diphacinone | 0.01 | 21 | 58.26 | A |
| Almond | Emamectin benzoate | 0.60 | 1 | 40.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Almond | Esfenvalerate | 434.86 | 125 | 7,081.32 | A |
| Almond | Etoxazole | 423.67 | 75 | 3,206.27 | A |
| Almond | Fenazaquin | 4,776.68 | 104 | 6,853.92 | A |
| Almond | Fenbuconazole | 30.63 | 4 | 315.00 | A |
| Almond | Flazasulfuron | 0.66 | 2 | 26.55 | A |
| Almond | Fludioxonil | 158.51 | 22 | 1,417.49 | A |
| Almond | Flumioxazin | 185.07 | 15 | 596.17 | A |
| Almond | Fluopyram | 1,627.41 | 410 | 24,429.00 | A |
| Almond | Flupyradifurone | 14.44 | 2 | 83.00 | A |
| Almond | Flutriafol | 30.70 | 5 | 273.00 | A |
| Almond | Fluxapyroxad | 2,442.08 | 441 | 30,323.78 | A |
| Almond | Glufosinate-ammonium | 33,416.71 | 566 | 28,122.45 | A |
| Almond | Glycerol | 622.71 | 233 | 5,899.62 | A |
| Almond | Glyphosate, isopropylamine salt | 16,695.55 | 190 | 8,504.57 | A |
| Almond | Glyphosate, potassium salt | 108,281.82 | 862 | 40,198.25 | A |
| Almond | Gs-omega/kappa-hxtx-hv1a, versitude peptide | 39.10 | 12 | 1,519.00 | A |
| Almond | Harpin protein | < 0.01 | 1 | 3.00 | A |
| Almond | Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 2,304.96 | 596 | 24,968.95 | A |
| Almond | Hexythiazox | 1,628.86 | 267 | 10,235.29 | A |
| Almond | Indaziflam | 597.98 | 368 | 12,286.11 | A |
| Almond | Indoxacarb | 383.52 | 77 | 5,504.50 | A |
| Almond | Isofetamid | 62.22 | 3 | 263.90 | A |
| Almond | Isopropyl alcohol | 241.85 | 123 | 4,110.99 | A |
| Almond | Kasugamycin hydrochloride | 8.40 | 7 | 85.00 | A |
| Almond | Lambda-cyhalothrin | 1,035.78 | 550 | 31,230.28 | A |
| Almond | Lecithin | 296.81 | 57 | 795.59 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Almond | Magnesium phosphide | 21.47 | 0 | 556,160.00 | C |
| Almond | Mancozeb | 2,521.12 | 6 | 556.00 | A |
| Almond | Mefentrifluconazole | 2,386.82 | 236 | 19,151.09 | A |
| Almond | Mesotrione | 14.00 | 2 | 75.00 | A |
| Almond | Metaflumizone | 13.71 | 217 | 14,542.31 | A |
| Almond | Metconazole | 181.62 | 47 | 1,917.90 | A |
| Almond | Methoxyfenozide | 23,083.43 | 1,238 | 64,815.33 | A |
| Almond | Methylated silicones | 52.31 | 18 | 910.44 | A |
| Almond | Methylated soybean oil | 41,128.55 | 1,018 | 63,423.08 | A |
| Almond | Mineral oil | 63,352.30 | 226 | 14,263.49 | A |
| Almond | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 392.59 | 110 | 4,774.27 | A |
| Almond | Oleic acid, methyl ester | 561.25 | 17 | 1,516.91 | A |
| Almond | Orthosulfamuron | 505.54 | 77 | 1,881.06 | A |
| Almond | Oxathiapiprolin | 81.14 | 12 | 1,047.68 | A |
| Almond | Oxyfluorfen | 8,951.45 | 624 | 27,439.13 | A |
| Almond | Paraquat dichloride | 5,079.92 | 83 | 3,967.09 | A |
| Almond | Pendimethalin | 7,135.57 | 73 | 3,651.16 | A |
| Almond | Penoxsulam | 64.20 | 94 | 3,957.49 | A |
| Almond | Penthiopyrad | 160.32 | 5 | 616.80 | A |
| Almond | Phosphine | 19.28 | 0 | 263,883.00 | C |
| Almond | Phosphoric acid | 1,785.67 | 536 | 25,268.45 | A |
| Almond | Picoxystrobin | 52.17 | 3 | 268.90 | A |
| Almond | Polyacrylamide | 82.03 | 257 | 7,594.96 | A |
| Almond | Polyalkeneoxide modified heptamethyltrisiloxane | 1,195.37 | 400 | 41,834.76 | A |
| Almond | Polyethylene glycol | 361.62 | 99 | 4,243.43 | A |
| Almond | Polyethylene glycol mono-c10-16-alkyl ether sulfate sodium salt | 81.01 | 33 | 1,159.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Almond | Polyoxin d, zinc salt | 77.66 | 23 | 1,773.76 | A |
| Almond | Potassium hydroxide | 13.76 | 12 | 1,509.72 | A |
| Almond | Potassium nitrate | 109.77 | 8 | 1,316.72 | A |
| Almond | Propargite | 857.55 | 8 | 379.27 | A |
| Almond | Propiconazole | 5,890.47 | 433 | 30,075.63 | A |
| Almond | Propylene glycol | 133.23 | 42 | 5,349.40 | A |
| Almond | Pydiflumetofen | 650.30 | 87 | 9,789.31 | A |
| Almond | Pyraclostrobin | 2,453.34 | 446 | 30,430.53 | A |
| Almond | Pyraflufen-ethyl | 1.75 | 11 | 354.56 | A |
| Almond | Pyrimethanil | 1,543.71 | 161 | 8,683.54 | A |
| Almond | Pyriproxyfen | 31.33 | 33 | 3,852.91 | A |
| Almond | Reynoutria sachalinensis (giant knotweed) plant extract | 12.03 | 3 | 165.00 | A |
| Almond | Rimsulfuron | 497.36 | 179 | 7,099.94 | A |
| Almond | S-methoprene | 60.04 | 62 | 8,005.65 | A |
| Almond | Saflufenacil | 390.45 | 253 | 9,172.71 | A |
| Almond | Sethoxydim | 148.09 | 17 | 563.29 | A |
| Almond | Spinetoram | 1,167.86 | 313 | 17,756.69 | A |
| Almond | Spirodiclofen | 1,081.73 | 89 | 2,152.84 | A |
| Almond | Spirotetramat | 65.61 | 2 | 461.50 | A |
| Almond | Strychnine | 0.01 | 1 | 3.00 | A |
| Almond | Sulfur | 3,984.00 | 21 | 407.50 | A |
| Almond | Sulfuryl fluoride | 3,495.00 | 0 | 1,057,761.00 | C |
| Almond | Sulfuryl fluoride | 17,865.20 | 0 | 11,449.80 | K |
| Almond | Swinglea glutinosa extract | 99.46 | 1 | 55.00 | A |
| Almond | Tall oil | 262.75 | 31 | 2,010.44 | A |
| Almond | Tall oil fatty acids | 285.74 | 117 | 5,436.03 | A |
| Almond | Tebuconazole | 436.58 | 62 | 3,445.57 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Almond | Thiophanate-methyl | 12,547.91 | 231 | 15,329.32 | A |
| Almond | Trifloxystrobin | 1,665.99 | 403 | 24,494.12 | A |
| Almond | Urea dihydrogen sulfate | 383.48 | 96 | 3,706.67 | A |
| Almond | Zinc phosphide | 947.63 | 66 | 9,476.32 | A |
| Almond | Ziram | 486.40 | 1 | 80.00 | A |
| Barley | Aggregated adjuvant data | 18.33 | 2 | 130.00 | A |
| Barley | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 6.44 | 2 | 130.00 | A |
| Barley | Isopropyl alcohol | 1.98 | 2 | 130.00 | A |
| Barley | Lambda-cyhalothrin | 1.75 | 1 | 65.00 | A |
| Barley | Mcpa, dimethylamine salt | 36.01 | 1 | 65.00 | A |
| Barley | Phosphoric acid | 3.05 | 2 | 130.00 | A |
| Barley | Propiconazole | 7.40 | 1 | 65.00 | A |
| Barley | Tribenuron-methyl | 0.77 | 1 | 65.00 | A |
| Barley (Forage - Fodder) | Aggregated adjuvant data | 13.22 | 1 | 80.00 | A |
| Barley (Forage - Fodder) | Mcpa, dimethylamine salt | 22.60 | 1 | 80.00 | A |
| Barley (Forage - Fodder) | Pinoxaden | 4.30 | 1 | 80.00 | A |
| Barley (Forage - Fodder) | Tribenuron-methyl | 1.00 | 1 | 80.00 | A |
| Bean, Dried | Abamectin | 39.82 | 39 | 2,438.40 | A |
| Bean, Dried | Acephate | 620.39 | 14 | 639.00 | A |
| Bean, Dried | Aggregated adjuvant data | 1,027.12 | 127 | 6,231.27 | A |
| Bean, Dried | Alcohols, c12-14-secondary, ethoxylated | 101.43 | 40 | 2,283.20 | A |
| Bean, Dried | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 178.44 | 43 | 1,773.67 | A |
| Bean, Dried | Ammonium sulfate | 60.90 | 6 | 415.70 | A |
| Bean, Dried | Bentazon, sodium salt | 673.28 | 11 | 432.93 | A |
| Bean, Dried | Beta-cyfluthrin | 5.26 | 5 | 254.00 | A |
| Bean, Dried | Bifenazate | 428.20 | 14 | 830.20 | A |
| Bean, Dried | Bifenthrin | 262.58 | 42 | 2,716.70 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bean, Dried | Carfentrazone-ethyl | 4.07 | 1 | 138.70 | A |
| Bean, Dried | Chlorantraniliprole | 4.16 | 2 | 68.00 | A |
| Bean, Dried | Citric acid | 29.56 | 21 | 1,045.70 | A |
| Bean, Dried | Clethodim | 340.25 | 26 | 1,341.30 | A |
| Bean, Dried | Dimethoate | 28.59 | 13 | 590.00 | A |
| Bean, Dried | Diuron | 237.23 | 1 | 79.00 | A |
| Bean, Dried | Ethalfluralin | 1,008.88 | 15 | 806.10 | A |
| Bean, Dried | Flonicamid | 2.27 | 1 | 26.00 | A |
| Bean, Dried | Flupyradifurone | 87.10 | 13 | 603.90 | A |
| Bean, Dried | Glyphosate, isopropylamine salt | 118.94 | 1 | 82.00 | A |
| Bean, Dried | Glyphosate, potassium salt | 960.59 | 6 | 356.70 | A |
| Bean, Dried | Halosulfuron-methyl | 0.61 | 1 | 19.40 | A |
| Bean, Dried | Hexythiazox | 54.58 | 3 | 290.00 | A |
| Bean, Dried | Imidacloprid | 175.07 | 23 | 1,231.70 | A |
| Bean, Dried | Kaolin | 429.88 | 2 | 18.10 | A |
| Bean, Dried | Lambda-cyhalothrin | 12.80 | 13 | 377.20 | A |
| Bean, Dried | Methomyl | 268.20 | 7 | 362.90 | A |
| Bean, Dried | Methoxyfenozide | 13.79 | 1 | 55.00 | A |
| Bean, Dried | Methylated soybean oil | 99.30 | 7 | 327.00 | A |
| Bean, Dried | Novaluron | 105.81 | 24 | 1,413.60 | A |
| Bean, Dried | Oxyfluorfen | 798.59 | 2 | 161.00 | A |
| Bean, Dried | Pendimethalin | 525.96 | 15 | 504.60 | A |
| Bean, Dried | Phosphoric acid | 38.42 | 7 | 503.60 | A |
| Bean, Dried | Pyrethrins | 6.16 | 4 | 130.00 | A |
| Bean, Dried | S-metolachlor | 717.04 | 16 | 636.60 | A |
| Bean, Dried | Simazine | 237.30 | 1 | 79.00 | A |
| Bean, Dried | Spinetoram | 14.70 | 7 | 181.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bean, Dried | Trifluralin | 109.76 | 6 | 217.10 | A |
| Bean, Succulent | Aggregated adjuvant data | 37.32 | 10 | 254.00 | A |
| Bean, Succulent | Clethodim | 2.63 | 2 | 10.00 | A |
| Bean, Succulent | Dimethoate | 2.70 | 1 | 46.00 | A |
| Bean, Succulent | Lambda-cyhalothrin | 0.75 | 1 | 25.00 | A |
| Bean, Unspecified | Abamectin | 9.44 | 9 | 503.00 | A |
| Bean, Unspecified | Acephate | 487.91 | 9 | 503.00 | A |
| Bean, Unspecified | Aggregated adjuvant data | 64.11 | 13 | 701.00 | A |
| Bean, Unspecified | Beta-cyfluthrin | 2.03 | 2 | 99.00 | A |
| Bean, Unspecified | Chlorantraniliprole | 28.59 | 7 | 408.00 | A |
| Bean, Unspecified | Dimethoate | 252.01 | 11 | 602.00 | A |
| Bean, Unspecified | Ethalfluralin | 189.11 | 9 | 335.20 | A |
| Bean, Unspecified | Imidacloprid | 4.06 | 2 | 99.00 | A |
| Bean, Unspecified | Trifluralin | 254.02 | 9 | 335.20 | A |
| Beans, Lima (All Or Unspec) | Abamectin | 1.35 | 1 | 72.00 | A |
| Beans, Lima (All Or Unspec) | Acephate | 69.84 | 1 | 72.00 | A |
| Beans, Lima (All Or Unspec) | Aggregated adjuvant data | 6.87 | 1 | 72.00 | A |
| Beans, Lima (All Or Unspec) | Chlorantraniliprole | 5.04 | 1 | 72.00 | A |
| Beans, Lima (All Or Unspec) | Dimethoate | 35.23 | 1 | 72.00 | A |
| Beehive | Tau-fluvalinate | 0.20 | 0 | 200.00 | U |
| Carrot | Linuron | 18.75 | 1 | 25.00 | A |
| Commercial Storages Or Warehouses (All Or Unspec) | Beta-cyfluthrin | 0.37 | 0 | 20.00 | U |
| Commercial Storages Or Warehouses (All Or Unspec) | Deltamethrin | 0.94 | 0 | 20,000.00 | U |
| Commercial Storages Or Warehouses (All Or Unspec) | Piperonyl butoxide | 26.96 | 0 | 20,000.00 | U |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Commercial, Institutional Or Industrial Areas | Beta-cyfluthrin | 0.60 | 2 | 60.00 | A |
| Commodity Fumigation | Aluminum phosphide | 201.15 | 3 | 674,999.00 | C |
| Commodity Fumigation | Aluminum phosphide | 1,785.70 | 0 | 0.00 | N/A |
| Commodity Fumigation | Magnesium phosphide | 10.98 | 3 | 28,175.00 | C |
| Commodity Fumigation | Magnesium phosphide | 88.95 | 0 | 0.00 | N/A |
| Commodity Fumigation | Methyl bromide | 1,967.60 | 0 | 0.00 | N/A |
| Commodity Fumigation | Phosphine | 0.88 | 4 | 18,000.00 | C |
| Commodity Fumigation | Phosphine | 70.10 | 0 | 0.00 | N/A |
| Commodity Fumigation | Sulfuryl fluoride | 10,050.43 | 0 | 0.00 | N/A |
| Corn (Forage - Fodder) | 2,4-d, dimethylamine salt | 26.42 | 2 | 47.00 | A |
| Corn (Forage - Fodder) | Aggregated adjuvant data | 409.91 | 80 | 5,236.70 | A |
| Corn (Forage - Fodder) | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 93.17 | 27 | 1,676.10 | A |
| Corn (Forage - Fodder) | Ammonium sulfate | 142.16 | 19 | 1,241.10 | A |
| Corn (Forage - Fodder) | Azoxystrobin | 0.39 | 4 | 153.00 | A |
| Corn (Forage - Fodder) | Citric acid | 18.05 | 22 | 1,371.10 | A |
| Corn (Forage - Fodder) | Clethodim | 29.45 | 2 | 224.40 | A |
| Corn (Forage - Fodder) | Dicamba, sodium salt | 335.57 | 23 | 1,703.50 | A |
| Corn (Forage - Fodder) | Diflufenzopyr, sodium salt | 130.41 | 23 | 1,703.50 | A |
| Corn (Forage - Fodder) | Dimethylpolysiloxane | 0.02 | 6 | 197.00 | A |
| Corn (Forage - Fodder) | Etoxazole | 24.00 | 22 | 1,666.10 | A |
| Corn (Forage - Fodder) | Glyphosate, potassium salt | 918.48 | 5 | 372.40 | A |
| Corn (Forage - Fodder) | Hexythiazox | 38.58 | 3 | 205.00 | A |
| Corn (Forage - Fodder) | Isopropyl alcohol | 15.38 | 8 | 378.00 | A |
| Corn (Forage - Fodder) | Methoxyfenozide | 4.52 | 1 | 20.00 | A |
| Corn (Forage - Fodder) | Methylated soybean oil | 339.38 | 30 | 2,353.60 | A |
| Corn (Forage - Fodder) | Oxyfluorfen | 14.07 | 2 | 224.40 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Corn (Forage - Fodder) | S-metolachlor | 2,269.80 | 17 | 1,194.10 | A |
| Corn (Forage - Fodder) | Spiromesifen | 37.66 | 9 | 320.00 | A |
| Corn, Human Consumption | Aggregated adjuvant data | 40.25 | 8 | 643.50 | A |
| Corn, Human Consumption | Ammonium sulfate | 197.46 | 5 | 381.75 | A |
| Corn, Human Consumption | Clethodim | 14.53 | 1 | 60.00 | A |
| Corn, Human Consumption | Dicamba, sodium salt | 49.19 | 4 | 321.75 | A |
| Corn, Human Consumption | Diflufenzopyr, sodium salt | 19.12 | 4 | 321.75 | A |
| Corn, Human Consumption | Glyphosate, potassium salt | 124.13 | 1 | 60.00 | A |
| Corn, Human Consumption | Nicosulfuron | 6.18 | 3 | 261.75 | A |
| Corn, Human Consumption | Pyraflufen-ethyl | 0.20 | 1 | 60.00 | A |
| Corn, Human Consumption | Rimsulfuron | 3.07 | 3 | 261.75 | A |
| County Ag Comm | Aggregated adjuvant data | 8.70 | 0 | 0.00 | N/A |
| County Ag Comm | Copper hydroxide | 55.27 | 0 | 0.00 | N/A |
| Cucumber | Abamectin | 5.02 | 14 | 330.50 | A |
| Cucumber | Acetamiprid | 34.54 | 14 | 353.90 | A |
| Cucumber | Afidopyropen | 22.36 | 47 | 1,124.80 | A |
| Cucumber | Aggregated adjuvant data | 388.16 | 153 | 3,596.50 | A |
| Cucumber | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 27.78 | 7 | 164.50 | A |
| Cucumber | Ametoctradin | 34.35 | 7 | 168.00 | A |
| Cucumber | Aminoethoxyvinylglycine hydrochloride | 1.21 | 5 | 10.00 | A |
| Cucumber | Bacillus altitudinis strain: qst 2808 | 1.26 | 1 | 21.00 | A |
| Cucumber | Bacillus velezensis strain: qst 713 | 2.39 | 2 | 42.00 | A |
| Cucumber | Bifenazate | 414.98 | 26 | 830.90 | A |
| Cucumber | Bifenthrin | 40.46 | 17 | 506.00 | A |
| Cucumber | Cerevisane (cell walls of saccharomyces cerevisiae strain las117) | 8.89 | 1 | 21.00 | A |
| Cucumber | Chlorothalonil | 2,264.30 | 73 | 1,624.80 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cucumber | Citric acid | 0.87 | 3 | 70.00 | A |
| Cucumber | Clethodim | 75.55 | 26 | 541.50 | A |
| Cucumber | Cyazofamid | 6.31 | 4 | 78.50 | A |
| Cucumber | Cymoxanil | 101.38 | 33 | 795.90 | A |
| Cucumber | Dimethomorph | 25.79 | 7 | 168.00 | A |
| Cucumber | Esfenvalerate | 8.90 | 4 | 178.50 | A |
| Cucumber | Ethephon | 39.85 | 27 | 256.50 | A |
| Cucumber | Etoxazole | 2.16 | 1 | 16.00 | A |
| Cucumber | Famoxadone | 101.38 | 33 | 795.90 | A |
| Cucumber | Fluopicolide | 114.91 | 34 | 931.40 | A |
| Cucumber | Flupyradifurone | 211.03 | 45 | 1,183.40 | A |
| Cucumber | Glyphosate, potassium salt | 131.02 | 1 | 38.00 | A |
| Cucumber | Kaolin | 3,586.25 | 16 | 151.00 | A |
| Cucumber | Mancozeb | 2,602.46 | 75 | 1,760.30 | A |
| Cucumber | Mandipropamid | 117.04 | 42 | 884.70 | A |
| Cucumber | Mefentrifluconazole | 31.00 | 7 | 236.90 | A |
| Cucumber | Methomyl | 50.85 | 4 | 60.50 | A |
| Cucumber | Oxathiapiprolin | 14.04 | 42 | 884.70 | A |
| Cucumber | Oxyfluorfen | 2.23 | 1 | 38.00 | A |
| Cucumber | Potassium bicarbonate | 34.40 | 2 | 42.00 | A |
| Cucumber | Propamocarb hydrochloride | 491.28 | 36 | 811.00 | A |
| Cucumber | Spiromesifen | 100.86 | 33 | 751.90 | A |
| Cucumber | Trifluralin | 13.34 | 2 | 26.50 | A |
| Ditch Bank | Sodium hypochlorite | 27,225.04 | 0 | 88.00 | U |
| Forage Hay/Silage | 2,4-db, dimethylamine salt | 136.94 | 1 | 78.00 | A |
| Forage Hay/Silage | Aggregated adjuvant data | 38.49 | 8 | 407.00 | A |
| Forage Hay/Silage | Bromoxynil octanoate | 75.62 | 4 | 142.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Forage Hay/Silage | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 5.87 | 1 | 31.00 | A |
| Forage Hay/Silage | Malathion | 99.46 | 1 | 78.00 | A |
| Forage Hay/Silage | Mcpa, dimethylamine salt | 105.97 | 5 | 173.00 | A |
| Forage Hay/Silage | Methoxyfenozide | 8.27 | 1 | 78.00 | A |
| Forage Hay/Silage | Triclopyr, butoxyethyl ester | 18.01 | 4 | 12.00 | A |
| Fumigation, Other | Aluminum phosphide | 1,856.71 | 0 | 0.00 | N/A |
| Fumigation, Other | Ddvp | 46.19 | 0 | 0.00 | N/A |
| Fumigation, Other | Esfenvalerate | 0.64 | 0 | 0.00 | N/A |
| Fumigation, Other | Magnesium phosphide | 81.68 | 0 | 0.00 | N/A |
| Fumigation, Other | Methyl bromide | 16.40 | 0 | 0.00 | N/A |
| Fumigation, Other | Sulfuryl fluoride | 17,808.31 | 0 | 0.00 | N/A |
| Grape, Wine | Abamectin | 4.33 | 4 | 292.90 | A |
| Grape, Wine | Acetamiprid | 6.46 | 1 | 65.00 | A |
| Grape, Wine | Aggregated adjuvant data | 593.11 | 52 | 2,101.69 | A |
| Grape, Wine | Ammonium sulfate | 342.39 | 30 | 856.92 | A |
| Grape, Wine | Bifenazate | 44.95 | 1 | 90.00 | A |
| Grape, Wine | Carfentrazone-ethyl | 0.67 | 2 | 23.35 | A |
| Grape, Wine | Copper hydroxide | 70.58 | 6 | 328.43 | A |
| Grape, Wine | Copper oxychloride | 78.23 | 6 | 328.43 | A |
| Grape, Wine | Cyflufenamid | 6.89 | 5 | 307.77 | A |
| Grape, Wine | Cyflumetofen | 69.10 | 5 | 380.57 | A |
| Grape, Wine | Cyprodinil | 119.42 | 14 | 1,128.96 | A |
| Grape, Wine | Difenoconazole | 9.59 | 10 | 778.80 | A |
| Grape, Wine | Fludioxonil | 61.28 | 4 | 350.16 | A |
| Grape, Wine | Fluopyram | 10.15 | 3 | 124.50 | A |
| Grape, Wine | Flutriafol | 16.68 | 4 | 205.30 | A |
| Grape, Wine | Fluxapyroxad | 5.87 | 1 | 65.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Grape, Wine | Glufosinate-ammonium | 913.30 | 28 | 827.92 | A |
| Grape, Wine | Glyphosate, isopropylamine salt | 900.31 | 11 | 321.16 | A |
| Grape, Wine | Glyphosate, potassium salt | 136.92 | 3 | 62.00 | A |
| Grape, Wine | Indaziflam | 19.98 | 14 | 423.41 | A |
| Grape, Wine | Kaolin | 4,738.84 | 3 | 199.53 | A |
| Grape, Wine | Mefentrifluconazole | 1.31 | 1 | 10.00 | A |
| Grape, Wine | Methoxyfenozide | 135.70 | 9 | 768.80 | A |
| Grape, Wine | Metrafenone | 287.35 | 14 | 1,076.57 | A |
| Grape, Wine | Oxyfluorfen | 261.81 | 15 | 438.60 | A |
| Grape, Wine | Pendimethalin | 350.60 | 2 | 88.15 | A |
| Grape, Wine | Pyraclostrobin | 5.87 | 1 | 65.00 | A |
| Grape, Wine | Pyraflufen-ethyl | 0.57 | 3 | 106.81 | A |
| Grape, Wine | Pyrimethanil | 163.95 | 9 | 768.80 | A |
| Grape, Wine | Quinoxyfen | 93.57 | 14 | 1,076.57 | A |
| Grape, Wine | Rimsulfuron | 12.51 | 7 | 201.26 | A |
| Grape, Wine | Spinetoram | 41.93 | 9 | 768.80 | A |
| Grape, Wine | Spirotetramat | 41.61 | 6 | 372.77 | A |
| Grape, Wine | Sulfur | 32,180.81 | 60 | 4,168.58 | A |
| Grape, Wine | Tetraconazole | 4.61 | 3 | 188.13 | A |
| Grape, Wine | Thiamethoxam | 214.99 | 14 | 1,076.57 | A |
| Grape, Wine | Thiophanate-methyl | 807.25 | 9 | 768.80 | A |
| Grape, Wine | Trifloxystrobin | 10.15 | 3 | 124.50 | A |
| Grass, Seed | 2,4-d | 45.34 | 14 | 95.00 | A |
| Grass, Seed | Aggregated adjuvant data | 114.85 | 16 | 128.00 | A |
| Grass, Seed | Azoxystrobin | 22.27 | 5 | 87.00 | A |
| Grass, Seed | Carfentrazone-ethyl | 0.26 | 2 | 18.00 | A |
| Grass, Seed | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 15.12 | 1 | 20.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Grass, Seed | Propiconazole | 19.30 | 5 | 87.00 | A |
| Industrial Waste Disposal Systems, Disposal Water | Bacillus thuringiensis subspecies israelensis strain bmp 144 | 21.64 | 0 | 5.00 | A |
| Industrial Waste Disposal Systems, Disposal Water | Bacillus thuringiensis subspecies israelensis strain bmp 144 | 8.48 | 0 | 3.00 | P |
| Landscape Maintenance | 2,4-d, 2-ethylhexyl ester | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | 2,4-d, dimethylamine salt | 1.95 | 0 | 0.00 | N/A |
| Landscape Maintenance | 2,4-dp-p, 2-ethylhexyl ester | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Aggregated adjuvant data | 23.62 | 0 | 0.00 | N/A |
| Landscape Maintenance | Alkyl (c8,c10) polyglucoside | 6.79 | 0 | 0.00 | N/A |
| Landscape Maintenance | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.41 | 0 | 0.00 | N/A |
| Landscape Maintenance | Aminopyralid, triisopropanolamine salt | 9.64 | 0 | 0.00 | N/A |
| Landscape Maintenance | Beta-cyfluthrin | 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Boric acid | 12.21 | 0 | 0.00 | N/A |
| Landscape Maintenance | Carfentrazone-ethyl | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Chlorophacinone | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Cholecalciferol | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Deltamethrin | 0.54 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dicamba | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dicamba, dimethylamine salt | 0.19 | 0 | 0.00 | N/A |
| Landscape Maintenance | Diphacinone | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dithiopyr | 0.93 | 0 | 0.00 | N/A |
| Landscape Maintenance | Diuron | 2.88 | 0 | 0.00 | N/A |
| Landscape Maintenance | Flupyradifurone | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Glufosinate-ammonium | 10.41 | 0 | 0.00 | N/A |
| Landscape Maintenance | Glycerol | 1.98 | 0 | 0.00 | N/A |
| Landscape Maintenance | Glyphosate, isopropylamine salt | 95.23 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Glyphosate, potassium salt | 32.27 | 0 | 0.00 | N/A |
| Landscape Maintenance | Imidacloprid | 0.19 | 0 | 0.00 | N/A |
| Landscape Maintenance | Indaziflam | 0.20 | 0 | 0.00 | N/A |
| Landscape Maintenance | Iron phosphate | 0.17 | 0 | 0.00 | N/A |
| Landscape Maintenance | Isoxaben | 0.08 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mcpp-p, dma salt | 0.44 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mecoprop-p | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Methylated soybean oil | 5.82 | 0 | 0.00 | N/A |
| Landscape Maintenance | Oxyfluorfen | 37.67 | 0 | 0.00 | N/A |
| Landscape Maintenance | Penoxsulam | 0.66 | 0 | 0.00 | N/A |
| Landscape Maintenance | Potassium phosphite | 19.19 | 0 | 0.00 | N/A |
| Landscape Maintenance | Quinclorac | 0.21 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sulfentrazone | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Tebuthiuron | 0.96 | 0 | 0.00 | N/A |
| Landscape Maintenance | Trifluralin | 0.32 | 0 | 0.00 | N/A |
| Melon | Afidopyropen | 1.71 | 7 | 87.00 | A |
| Melon | Aggregated adjuvant data | 28.30 | 25 | 312.00 | A |
| Melon | Bifenazate | 19.48 | 3 | 39.00 | A |
| Melon | Bifenthrin | 3.91 | 3 | 39.00 | A |
| Melon | Chlorothalonil | 261.42 | 15 | 188.00 | A |
| Melon | Clethodim | 11.42 | 7 | 87.00 | A |
| Melon | Cymoxanil | 11.12 | 7 | 89.00 | A |
| Melon | Famoxadone | 11.12 | 7 | 89.00 | A |
| Melon | Fluopicolide | 3.08 | 2 | 25.00 | A |
| Melon | Flupyradifurone | 22.98 | 10 | 126.00 | A |
| Melon | Mancozeb | 186.00 | 10 | 124.00 | A |
| Melon | Mandipropamid | 12.90 | 8 | 99.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Melon | Oxathiapiprolin | 1.55 | 8 | 99.00 | A |
| Melon | Propamocarb hydrochloride | 59.24 | 8 | 99.00 | A |
| Melon | Spiromesifen | 11.46 | 7 | 87.00 | A |
| N-Grnhs Flower | Aggregated adjuvant data | 30.62 | 4 | 56.00 | A |
| N-Grnhs Flower | Carfentrazone-ethyl | 0.48 | 2 | 33.00 | A |
| N-Grnhs Flower | Clethodim | 4.13 | 1 | 10.00 | A |
| N-Grnhs Flower | Glyphosate, potassium salt | 57.02 | 2 | 33.00 | A |
| N-Grnhs Flower | Sethoxydim | 3.42 | 1 | 13.00 | A |
| Nuts | Abamectin | 0.84 | 1 | 40.00 | A |
| Nuts | Aggregated adjuvant data | 224.96 | 2 | 80.00 | A |
| Nuts | Chlorantraniliprole | 3.50 | 1 | 40.00 | A |
| Nuts | Lambda-cyhalothrin | 1.59 | 1 | 40.00 | A |
| Nuts | Metaflumizone | 0.04 | 1 | 40.00 | A |
| Nuts | Methoxyfenozide | 11.30 | 1 | 40.00 | A |
| Oat | Clethodim | 20.43 | 1 | 77.00 | A |
| Oat | Glyphosate, potassium salt | 106.20 | 1 | 77.00 | A |
| Oat (Forage - Fodder) | 2,4-d, dimethylamine salt | 16.24 | 1 | 19.00 | A |
| Oat (Forage - Fodder) | Aggregated adjuvant data | 4.18 | 2 | 28.00 | A |
| Oat (Forage - Fodder) | Mcpa, dimethylamine salt | 3.80 | 1 | 9.00 | A |
| Oat (Forage - Fodder) | Tribenuron-methyl | 0.06 | 1 | 9.00 | A |
| Olive | Aggregated adjuvant data | 205.39 | 8 | 264.20 | A |
| Olive | Alcohols, c12-14-secondary, ethoxylated | 27.76 | 4 | 191.50 | A |
| Olive | Carfentrazone-ethyl | 2.80 | 3 | 95.70 | A |
| Olive | Clethodim | 38.32 | 2 | 144.50 | A |
| Olive | Copper hydroxide | 968.84 | 9 | 465.00 | A |
| Olive | Copper oxychloride | 378.02 | 4 | 264.50 | A |
| Olive | Glufosinate-ammonium | 124.37 | 4 | 106.20 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Olive | Glyphosate, isopropylamine salt | 12.74 | 1 | 4.50 | A |
| Olive | Glyphosate, potassium salt | 447.02 | 3 | 155.00 | A |
| Olive | Oxyfluorfen | 8.57 | 1 | 4.50 | A |
| Olive | Pendimethalin | 17.31 | 1 | 4.50 | A |
| Olive | Saflufenacil | 0.46 | 1 | 10.50 | A |
| Onion, Dry | Aggregated adjuvant data | 444.18 | 20 | 764.00 | A |
| Onion, Dry | Chlorothalonil | 398.57 | 10 | 382.00 | A |
| Onion, Dry | Mancozeb | 859.50 | 10 | 382.00 | A |
| Onion, Dry | Mefenoxam | 39.74 | 10 | 382.00 | A |
| Onion, Dry | Oxyfluorfen | 48.49 | 5 | 191.00 | A |
| Onion, Dry | Pendimethalin | 180.87 | 5 | 191.00 | A |
| Pastureland | Aggregated adjuvant data | 3.70 | 1 | 125.00 | A |
| Pastureland | Glyphosate, potassium salt | 2.76 | 1 | 125.00 | A |
| Pastureland | Oxyfluorfen | 0.25 | 1 | 125.00 | A |
| Peach | Aggregated adjuvant data | 0.17 | 1 | 2.00 | A |
| Peach | Azoxystrobin | 0.26 | 1 | 2.00 | A |
| Peach | Beta-cyfluthrin | 0.04 | 1 | 2.00 | A |
| Peach | Fenazaquin | 1.40 | 1 | 2.00 | A |
| Peach | Imidacloprid | 0.08 | 1 | 2.00 | A |
| Peach | Propiconazole | 0.23 | 1 | 2.00 | A |
| Pear | Abamectin | 0.12 | 1 | 5.00 | A |
| Pear | Chlorantraniliprole | 0.39 | 1 | 5.00 | A |
| Pear | Kasugamycin hydrochloride | 0.50 | 1 | 5.00 | A |
| Pear | Lambda-cyhalothrin | 0.20 | 1 | 5.00 | A |
| Pecan | 2,4-d, dimethylamine salt | 14.49 | 2 | 25.84 | A |
| Pecan | Acetamiprid | 24.06 | 7 | 164.50 | A |
| Pecan | Afidopyropen | 1.16 | 4 | 59.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pecan | Aggregated adjuvant data | 392.51 | 41 | 1,027.27 | A |
| Pecan | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 60.32 | 16 | 229.35 | A |
| Pecan | Ammonium sulfate | 10.66 | 3 | 38.35 | A |
| Pecan | Beta-cyfluthrin | 0.45 | 1 | 20.00 | A |
| Pecan | Citric acid | 22.18 | 9 | 176.35 | A |
| Pecan | Clethodim | 6.87 | 4 | 52.35 | A |
| Pecan | Clothianidin | 5.90 | 4 | 59.00 | A |
| Pecan | Flonicamid | 0.88 | 1 | 10.00 | A |
| Pecan | Flupyradifurone | 58.70 | 6 | 328.14 | A |
| Pecan | Glufosinate-ammonium | 159.27 | 9 | 132.85 | A |
| Pecan | Glyphosate, isopropylamine salt | 149.38 | 6 | 85.84 | A |
| Pecan | Glyphosate, potassium salt | 232.60 | 4 | 91.60 | A |
| Pecan | Imidacloprid | 0.89 | 1 | 20.00 | A |
| Pecan | Indaziflam | 4.58 | 10 | 98.22 | A |
| Pecan | Methylated soybean oil | 75.98 | 11 | 160.29 | A |
| Pecan | Orthosulfamuron | 2.69 | 1 | 14.00 | A |
| Pecan | Oxyfluorfen | 13.00 | 2 | 40.53 | A |
| Pecan | Rimsulfuron | 0.63 | 4 | 20.22 | A |
| Pecan | Spirotetramat | 8.85 | 3 | 62.50 | A |
| Pecan | Sulfoxaflor | 10.73 | 9 | 223.00 | A |
| Pistachio | (z,z)-11,13-hexadecadienal | 18.55 | 9 | 1,095.40 | A |
| Pistachio | 2,4-d, dimethylamine salt | 262.67 | 6 | 155.96 | A |
| Pistachio | 2,4-dichlorophenoxyacetic acid, choline salt | 103.21 | 7 | 130.04 | A |
| Pistachio | Acetamiprid | 339.60 | 17 | 2,264.00 | A |
| Pistachio | Aggregated adjuvant data | 1,331.04 | 385 | 25,634.75 | A |
| Pistachio | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 1,478.40 | 182 | 19,569.37 | A |
| Pistachio | Ammonium sulfate | 340.31 | 65 | 2,052.33 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pistachio | Aspergillus flavus strain nrrl #21882 | 2.82 | 22 | 2,995.70 | A |
| Pistachio | Azoxystrobin | 536.10 | 21 | 2,623.60 | A |
| Pistachio | Bifenthrin | 1,200.21 | 52 | 6,725.30 | A |
| Pistachio | Buprofezin | 368.34 | 1 | 204.50 | A |
| Pistachio | Carbaryl | 5.30 | 2 | 424.30 | A |
| Pistachio | Citric acid | 75.63 | 121 | 3,562.67 | A |
| Pistachio | Clethodim | 92.85 | 25 | 706.53 | A |
| Pistachio | Cyprodinil | 716.79 | 20 | 2,548.60 | A |
| Pistachio | Fenhexamid | 11.40 | 14 | 19.00 | A |
| Pistachio | Flazasulfuron | 1.65 | 1 | 36.95 | A |
| Pistachio | Flumioxazin | 89.30 | 9 | 296.01 | A |
| Pistachio | Fluopyram | 155.81 | 16 | 1,451.40 | A |
| Pistachio | Fluxapyroxad | 252.61 | 16 | 2,364.00 | A |
| Pistachio | Glufosinate-ammonium | 1,876.48 | 60 | 1,485.80 | A |
| Pistachio | Glyphosate, isopropylamine salt | 3,678.33 | 65 | 1,803.29 | A |
| Pistachio | Glyphosate, potassium salt | 2,927.16 | 14 | 1,011.45 | A |
| Pistachio | Indaziflam | 62.74 | 26 | 1,284.03 | A |
| Pistachio | Indoxacarb | 337.02 | 22 | 2,995.70 | A |
| Pistachio | Lime-sulfur | 4,444.21 | 15 | 2,070.90 | A |
| Pistachio | Mefentrifluconazole | 361.06 | 20 | 2,758.50 | A |
| Pistachio | Methoxyfenozide | 2,101.72 | 44 | 5,991.40 | A |
| Pistachio | Methylated soybean oil | 6,113.26 | 215 | 19,666.21 | A |
| Pistachio | Mineral oil | 881.02 | 12 | 752.56 | A |
| Pistachio | Oxyfluorfen | 1,195.93 | 40 | 1,822.73 | A |
| Pistachio | Paraquat dichloride | 582.87 | 26 | 450.39 | A |
| Pistachio | Pendimethalin | 1,255.27 | 10 | 407.94 | A |
| Pistachio | Penoxsulam | 15.06 | 18 | 806.72 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pistachio | Penthiopyrad | 663.83 | 19 | 2,554.00 | A |
| Pistachio | Phosphoric acid | 88.82 | 35 | 1,444.63 | A |
| Pistachio | Polyacrylamide | 16.01 | 35 | 1,352.82 | A |
| Pistachio | Polyoxin d, zinc salt | 13.67 | 3 | 312.20 | A |
| Pistachio | Propiconazole | 12.02 | 1 | 75.00 | A |
| Pistachio | Pyraclostrobin | 252.61 | 16 | 2,364.00 | A |
| Pistachio | Pyraflufen-ethyl | 1.95 | 29 | 375.33 | A |
| Pistachio | Pyriproxyfen | 147.05 | 22 | 2,995.70 | A |
| Pistachio | Rimsulfuron | 29.83 | 8 | 477.31 | A |
| Pistachio | Saflufenacil | 11.95 | 17 | 273.13 | A |
| Pistachio | Spirotetramat | 420.62 | 22 | 2,995.70 | A |
| Pistachio | Tebuconazole | 16.88 | 1 | 75.00 | A |
| Pistachio | Trifloxystrobin | 153.84 | 15 | 1,376.40 | A |
| Prune | Aggregated adjuvant data | 129.19 | 4 | 180.00 | A |
| Prune | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 112.37 | 3 | 135.00 | A |
| Prune | Captan | 166.40 | 1 | 50.00 | A |
| Prune | Chlorothalonil | 134.83 | 1 | 45.00 | A |
| Prune | Glufosinate-ammonium | 51.43 | 1 | 45.00 | A |
| Prune | Glyphosate, potassium salt | 99.36 | 1 | 45.00 | A |
| Prune | Indaziflam | 2.93 | 1 | 45.00 | A |
| Prune | Propiconazole | 19.86 | 4 | 185.00 | A |
| Prune | Rimsulfuron | 2.81 | 1 | 45.00 | A |
| Public Health | Deltamethrin | 37.56 | 0 | 0.00 | N/A |
| Public Health | Malathion | 4,803.91 | 0 | 0.00 | N/A |
| Public Health | Mineral oil | 36.58 | 0 | 0.00 | N/A |
| Public Health | Naled | 1,624.34 | 0 | 0.00 | N/A |
| Public Health | Permethrin | 389.78 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Public Health | Piperonyl butoxide | 538.30 | 0 | 0.00 | N/A |
| Public Health | Piperonyl butoxide, other related | 43.82 | 0 | 0.00 | N/A |
| Public Health | Pyrethrins | 3.62 | 0 | 0.00 | N/A |
| Public Health | S-methoprene | 0.74 | 0 | 0.00 | N/A |
| Pumpkin | Abamectin | 0.74 | 5 | 59.00 | A |
| Pumpkin | Acetamiprid | 4.49 | 3 | 45.00 | A |
| Pumpkin | Afidopyropen | 0.31 | 2 | 16.00 | A |
| Pumpkin | Aggregated adjuvant data | 28.69 | 17 | 211.80 | A |
| Pumpkin | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 3.50 | 3 | 42.80 | A |
| Pumpkin | Bifenazate | 54.97 | 9 | 110.00 | A |
| Pumpkin | Bifenthrin | 12.84 | 10 | 146.00 | A |
| Pumpkin | Clethodim | 1.24 | 1 | 18.80 | A |
| Pumpkin | Cyflufenamid | 1.36 | 5 | 59.00 | A |
| Pumpkin | Dimethylpolysiloxane | 0.16 | 2 | 22.80 | A |
| Pumpkin | Esfenvalerate | 0.94 | 1 | 18.80 | A |
| Pumpkin | Fluopyram | 0.50 | 1 | 4.00 | A |
| Pumpkin | Flupyradifurone | 21.53 | 10 | 136.00 | A |
| Pumpkin | Imidacloprid | 1.46 | 1 | 4.00 | A |
| Pumpkin | Mefentrifluconazole | 10.88 | 6 | 83.00 | A |
| Pumpkin | Methomyl | 20.52 | 2 | 22.80 | A |
| Pumpkin | Penthiopyrad | 0.21 | 1 | 19.00 | A |
| Pumpkin | Phosphoric acid | 1.49 | 2 | 24.00 | A |
| Pumpkin | Trifloxystrobin | 0.50 | 1 | 4.00 | A |
| Rangeland | Aggregated adjuvant data | 13.64 | 3 | 214.00 | A |
| Rangeland | Aminopyralid, triisopropanolamine salt | 9.87 | 1 | 82.00 | A |
| Rangeland | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 9.44 | 1 | 50.00 | A |
| Rangeland | Glyphosate, potassium salt | 2.15 | 2 | 4.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rangeland | Mcpa, dimethylamine salt | 41.55 | 1 | 50.00 | A |
| Rangeland | Polyacrylamide | 0.39 | 2 | 132.00 | A |
| Regulatory Pest Control | Abamectin | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Abamectin, other related | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Aggregated adjuvant data | 6.50 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Alpha-cypermethrin | 0.02 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Aluminum phosphide | 11.00 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Beauveria bassiana strain: gha | 0.02 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Beta-cyfluthrin | 0.14 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Bifenthrin | 3.31 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Boric acid | 1.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Bromadiolone | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Bromethalin | 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Chlorfenapyr | 0.09 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Chlorophacinone | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Cholecalciferol | 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Clothianidin | 0.57 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Copper hydroxide | 0.15 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Cypermethrin | 0.93 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Ddvp | 15.66 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Deltamethrin | 1.17 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Diatomaceous earth | 0.18 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Difethialone | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Dinotefuran | 0.12 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Disodium octaborate anhydrous | 0.48 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Esfenvalerate | 0.05 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Fipronil | 0.13 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Regulatory Pest Control | Glyphosate, potassium salt | 1.38 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Hydroprene | 0.07 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Imidacloprid | 0.33 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Indoxacarb | 0.02 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Lambda-cyhalothrin | 0.31 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Magnesium phosphide | 63.38 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Metam-sodium | 3.17 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Methyl bromide | 233.00 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Metofluthrin | 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | N-octyl bicycloheptene dicarboximide | 0.04 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Novaluron | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Oxyfluorfen | 0.47 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Permethrin | 22.23 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Phenothrin | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Phosphine | 167.61 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Piperonyl butoxide | 1.47 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Piperonyl butoxide, other related | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Prallethrin | 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Pyrethrins | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Pyriproxyfen | 0.16 | 0 | 0.00 | N/A |
| Regulatory Pest Control | S-methoprene | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Silica gel | 0.17 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Sodium tetraborate decahydrate | 2.17 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Sulfuryl fluoride | 5,312.35 | 0 | 0.00 | N/A |
| Rice | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 50.73 | 20 | 1,490.40 | A |
| Rice | Aggregated adjuvant data | 100,149.95 | 2,003 | 157,019.54 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rice | Alkyl (c8,c10) polyglucoside | 667.24 | 19 | 1,414.80 | A |
| Rice | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 16,060.63 | 1,739 | 138,473.09 | A |
| Rice | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | 1,007.28 | 161 | 11,500.00 | A |
| Rice | Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 2,615.04 | 279 | 17,831.70 | A |
| Rice | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 1,010.57 | 128 | 14,170.80 | A |
| Rice | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 1,542.01 | 210 | 12,533.48 | A |
| Rice | Aluminum phosphide | 4,947.34 | 0 | 3,456,464.00 | C |
| Rice | Aluminum phosphide | 42.93 | 0 | 5,628.00 | T |
| Rice | Aluminum phosphide | 444.45 | 0 | 2.00 | U |
| Rice | Ammonium nitrate | 685.67 | 211 | 13,058.74 | A |
| Rice | Ammonium sulfate | 10,955.86 | 708 | 44,598.51 | A |
| Rice | Azoxystrobin | 20,532.99 | 1,333 | 104,258.02 | A |
| Rice | Bacillus velezensis strain: qst 713 | 0.83 | 1 | 20.00 | A |
| Rice | Bensulfuron methyl | 16.54 | 2 | 264.10 | A |
| Rice | Benzobicyclon | 18,455.42 | 1,424 | 104,588.76 | A |
| Rice | Bispyribac-sodium | 902.15 | 443 | 26,701.63 | A |
| Rice | Capric acid | 126.97 | 2 | 88.20 | A |
| Rice | Caprylic acid | 186.49 | 2 | 88.20 | A |
| Rice | Carfentrazone-ethyl | 208.87 | 68 | 3,296.26 | A |
| Rice | Castor oil ethoxylate | 171.35 | 27 | 1,691.40 | A |
| Rice | Citric acid | 1,441.41 | 576 | 42,136.02 | A |
| Rice | Clethodim | 82.65 | 7 | 551.90 | A |
| Rice | Clomazone | 9,011.61 | 395 | 23,985.35 | A |
| Rice | Clothianidin | 31.62 | 14 | 448.50 | A |
| Rice | Copper sulfate (pentahydrate) | 88,440.19 | 77 | 7,213.04 | A |
| Rice | Cyhalofop-butyl | 1,030.57 | 61 | 3,417.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rice | Diflubenzuron | 2,277.23 | 668 | 30,894.44 | A |
| Rice | Dimethylpolysiloxane | 26.49 | 201 | 15,462.55 | A |
| Rice | Florpyrauxifen-benzyl | 172.61 | 92 | 5,305.70 | A |
| Rice | Glycerol | 2,594.48 | 425 | 27,071.52 | A |
| Rice | Glyphosate, isopropylamine salt | 132.60 | 5 | 247.20 | A |
| Rice | Halosulfuron-methyl | 2,664.42 | 944 | 68,674.36 | A |
| Rice | Heptamethyltrisiloxane ethoxylated | 2,269.38 | 354 | 25,949.21 | A |
| Rice | Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 2,026.88 | 525 | 35,735.73 | A |
| Rice | Imazosulfuron | 187.43 | 32 | 1,808.50 | A |
| Rice | Isopropyl alcohol | 152.42 | 137 | 11,555.51 | A |
| Rice | Lambda-cyhalothrin | 1,268.33 | 1,161 | 54,813.11 | A |
| Rice | Lecithin | 416.45 | 25 | 1,820.70 | A |
| Rice | Magnesium phosphide | 94.85 | 0 | 1,240,302.84 | C |
| Rice | Methoxyfenozide | 81.47 | 6 | 542.30 | A |
| Rice | Methyl bromide | 54.00 | 0 | 21,510.00 | C |
| Rice | Methyl silicone resins | 138.83 | 9 | 989.80 | A |
| Rice | Methylated soybean oil | 39,519.79 | 849 | 59,067.33 | A |
| Rice | Mineral oil | 39,029.80 | 333 | 24,198.60 | A |
| Rice | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 957.11 | 129 | 13,934.90 | A |
| Rice | Oleic acid, methyl ester | 9,175.63 | 260 | 16,230.58 | A |
| Rice | Oxyfluorfen | 2.94 | 3 | 20.00 | A |
| Rice | Penoxsulam | 169.17 | 78 | 4,749.81 | A |
| Rice | Phosphoric acid | 964.38 | 480 | 30,241.77 | A |
| Rice | Polyalkeneoxide modified heptamethyltrisiloxane | 62.56 | 24 | 2,330.60 | A |
| Rice | Polyethylene glycol | 1,087.74 | 377 | 24,880.77 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rice | Propanil | 525,800.77 | 1,580 | 121,219.20 | A |
| Rice | Propiconazole | 3,702.79 | 251 | 21,729.95 | A |
| Rice | Pyraclonil | 387.25 | 26 | 1,448.45 | A |
| Rice | Reynoutria sachalinensis (giant knotweed) plant extract | 391.44 | 85 | 6,166.99 | A |
| Rice | Saflufenacil | 0.88 | 3 | 20.00 | A |
| Rice | Sodium percarbonate | 22,146.94 | 21 | 1,118.06 | A |
| Rice | Sulfuryl fluoride | 3,886.21 | 0 | 2,388,501.00 | C |
| Rice | Sulfuryl fluoride | 3,992.00 | 0 | 2.20 | U |
| Rice | Tall oil | 490.30 | 62 | 3,607.40 | A |
| Rice | Tall oil fatty acids | 3,142.24 | 604 | 38,259.17 | A |
| Rice | Thiobencarb | 35,518.89 | 153 | 12,523.87 | A |
| Rice | Triclopyr, triethylamine salt | 18,945.28 | 1,284 | 95,634.64 | A |
| Rice | Trinexapac-ethyl | 96.36 | 52 | 3,003.67 | A |
| Rights Of Way | 2,4-d, diethanolamine salt | 13.84 | 0 | 0.00 | N/A |
| Rights Of Way | 2,4-d, dimethylamine salt | 731.03 | 19 | 544.50 | A |
| Rights Of Way | 2,4-d, dimethylamine salt | 75.04 | 0 | 0.00 | N/A |
| Rights Of Way | 2,4-db, dimethylamine salt | 10.44 | 0 | 0.00 | N/A |
| Rights Of Way | 2,4-dichlorophenoxyacetic acid, choline salt | 222.46 | 0 | 0.00 | N/A |
| Rights Of Way | Aggregated adjuvant data | 288.25 | 36 | 3,127.50 | A |
| Rights Of Way | Aggregated adjuvant data | 1,148.18 | 0 | 0.00 | N/A |
| Rights Of Way | Alcohols, c12-14-secondary, ethoxylated | 46.40 | 0 | 0.00 | N/A |
| Rights Of Way | Alkyl (c8,c10) polyglucoside | 0.05 | 1 | 5.00 | A |
| Rights Of Way | Alkyl (c8,c10) polyglucoside | 2.58 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 24.01 | 6 | 400.00 | A |
| Rights Of Way | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 338.16 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 6.32 | 10 | 92.50 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rights Of Way | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 33.84 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | 23.54 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 15.97 | 6 | 150.00 | A |
| Rights Of Way | Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 327.62 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 137.40 | 10 | 1,037.00 | A |
| Rights Of Way | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 0.10 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 18.26 | 17 | 179.50 | A |
| Rights Of Way | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 70.36 | 0 | 0.00 | N/A |
| Rights Of Way | Aminocyclopyrachlor, potassium salt | 4.48 | 0 | 0.00 | N/A |
| Rights Of Way | Aminopyralid, triisopropanolamine salt | 138.06 | 0 | 0.00 | N/A |
| Rights Of Way | Ammonium nitrate | 2.06 | 6 | 150.00 | A |
| Rights Of Way | Ammonium nitrate | 19.10 | 0 | 0.00 | N/A |
| Rights Of Way | Ammonium sulfate | 199.03 | 28 | 912.50 | A |
| Rights Of Way | Ammonium sulfate | 1,163.60 | 0 | 0.00 | N/A |
| Rights Of Way | Benzoic acid | 0.34 | 2 | 60.00 | A |
| Rights Of Way | Benzoic acid | 14.40 | 0 | 0.00 | N/A |
| Rights Of Way | Beta-cyfluthrin | 0.01 | 1 | 2.00 | A |
| Rights Of Way | Beta-cyfluthrin | 0.74 | 0 | 0.00 | N/A |
| Rights Of Way | Castor oil ethoxylate | 125.64 | 0 | 0.00 | N/A |
| Rights Of Way | Chlorsulfuron | 1.34 | 0 | 0.00 | N/A |
| Rights Of Way | Citric acid | 148.17 | 26 | 1,589.50 | A |
| Rights Of Way | Citric acid | 45.55 | 0 | 0.00 | N/A |
| Rights Of Way | Clethodim | 275.49 | 36 | 1,063.00 | A |
| Rights Of Way | Clethodim | 235.48 | 0 | 0.00 | N/A |
| Rights Of Way | Copper hydroxide | 2.86 | 0 | 0.00 | N/A |
| Rights Of Way | Copper sulfate (pentahydrate) | 574.20 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rights Of Way | Ddvp | 0.02 | 0 | 0.00 | N/A |
| Rights Of Way | Diethylene glycol | 231.54 | 0 | 0.00 | N/A |
| Rights Of Way | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 151.24 | 0 | 0.00 | N/A |
| Rights Of Way | Dimethyl alkyl tertiary amines | 0.37 | 2 | 60.00 | A |
| Rights Of Way | Dimethyl alkyl tertiary amines | 15.68 | 0 | 0.00 | N/A |
| Rights Of Way | Dimethylpolysiloxane | 0.06 | 8 | 290.00 | A |
| Rights Of Way | Dimethylpolysiloxane | 32.18 | 0 | 0.00 | N/A |
| Rights Of Way | Diphacinone | 0.06 | 0 | 0.00 | N/A |
| Rights Of Way | Disodium octaborate anhydrous | 4.23 | 0 | 0.00 | N/A |
| Rights Of Way | Diuron | 150.07 | 3 | 45.00 | A |
| Rights Of Way | Diuron | 4.00 | 0 | 0.00 | N/A |
| Rights Of Way | Endothall, dipotassium salt | 5,612.79 | 0 | 0.00 | N/A |
| Rights Of Way | Endothall, mono(n,n-dimethylalkylamine) salt | 45.41 | 0 | 0.00 | N/A |
| Rights Of Way | Fatty acids, methyl esters | 236.44 | 2 | 320.00 | A |
| Rights Of Way | Fatty acids, methyl esters | 327.62 | 0 | 0.00 | N/A |
| Rights Of Way | Fatty acids, tallow | 9.42 | 0 | 0.00 | N/A |
| Rights Of Way | Fluazifop-p-butyl | 34.65 | 0 | 0.00 | N/A |
| Rights Of Way | Flumioxazin | 82.15 | 0 | 0.00 | N/A |
| Rights Of Way | Glufosinate-ammonium | 2,236.90 | 24 | 2,700.00 | A |
| Rights Of Way | Glufosinate-ammonium | 1,641.75 | 0 | 0.00 | N/A |
| Rights Of Way | Glycerol | 27.47 | 6 | 425.00 | A |
| Rights Of Way | Glycerol | 167.10 | 0 | 0.00 | N/A |
| Rights Of Way | Glyphosate, diammonium salt | 2.32 | 0 | 0.00 | N/A |
| Rights Of Way | Glyphosate, dimethylamine salt | 236.76 | 0 | 0.00 | N/A |
| Rights Of Way | Glyphosate, isopropylamine salt | 1,250.80 | 29 | 715.50 | A |
| Rights Of Way | Glyphosate, isopropylamine salt | 19,973.00 | 0 | 0.00 | N/A |
| Rights Of Way | Glyphosate, potassium salt | 4,392.16 | 20 | 2,696.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rights Of Way | Glyphosate, potassium salt | 3,586.89 | 4 | 4.00 | U |
| Rights Of Way | Glyphosate, potassium salt | 8,012.17 | 0 | 0.00 | N/A |
| Rights Of Way | Imazamox, ammonium salt | 7.41 | 0 | 0.00 | N/A |
| Rights Of Way | Imazapyr, isopropylamine salt | 25.88 | 0 | 0.00 | N/A |
| Rights Of Way | Indaziflam | 2.58 | 1 | 40.00 | A |
| Rights Of Way | Indaziflam | 2.67 | 0 | 0.00 | N/A |
| Rights Of Way | Lecithin | 46.96 | 19 | 259.50 | A |
| Rights Of Way | Lecithin | 752.93 | 0 | 0.00 | N/A |
| Rights Of Way | Metam-sodium | 64.27 | 0 | 0.00 | N/A |
| Rights Of Way | Methylated soybean oil | 890.49 | 34 | 2,769.50 | A |
| Rights Of Way | Methylated soybean oil | 693.86 | 0 | 0.00 | N/A |
| Rights Of Way | Mineral oil | 550.25 | 11 | 374.00 | A |
| Rights Of Way | Mineral oil | 2,472.16 | 0 | 0.00 | N/A |
| Rights Of Way | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 138.03 | 12 | 1,117.00 | A |
| Rights Of Way | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 33.95 | 0 | 0.00 | N/A |
| Rights Of Way | Oleic acid, methyl ester | 207.10 | 0 | 0.00 | N/A |
| Rights Of Way | Oxyfluorfen | 546.09 | 16 | 769.00 | A |
| Rights Of Way | Oxyfluorfen | 1,685.66 | 0 | 0.00 | N/A |
| Rights Of Way | Pendimethalin | 28.41 | 0 | 0.00 | N/A |
| Rights Of Way | Penoxsulam | 0.15 | 1 | 5.00 | A |
| Rights Of Way | Penoxsulam | 26.27 | 0 | 0.00 | N/A |
| Rights Of Way | Phosphoric acid | 8.48 | 6 | 425.00 | A |
| Rights Of Way | Phosphoric acid | 168.73 | 0 | 0.00 | N/A |
| Rights Of Way | Polyacrylamide | 2.72 | 5 | 420.00 | A |
| Rights Of Way | Polyacrylamide | 11.84 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rights Of Way | Prodiamine | 6.91 | 0 | 0.00 | N/A |
| Rights Of Way | Pyraflufen-ethyl | 0.28 | 4 | 52.00 | A |
| Rights Of Way | Saflufenacil | 45.35 | 6 | 1,040.00 | A |
| Rights Of Way | Saflufenacil | 0.06 | 0 | 0.00 | N/A |
| Rights Of Way | Sethoxydim | 1.05 | 0 | 0.00 | N/A |
| Rights Of Way | Simazine | 90.11 | 2 | 30.00 | A |
| Rights Of Way | Simazine | 1.00 | 0 | 0.00 | N/A |
| Rights Of Way | Sodium tetraborate decahydrate | 40.10 | 0 | 0.00 | N/A |
| Rights Of Way | Strychnine | 0.57 | 0 | 0.00 | N/A |
| Rights Of Way | Sulfentrazone | 2.20 | 0 | 0.00 | N/A |
| Rights Of Way | Sulfometuron-methyl | 4.88 | 0 | 0.00 | N/A |
| Rights Of Way | Tall oil | 26.45 | 5 | 135.00 | A |
| Rights Of Way | Tall oil | 126.55 | 0 | 0.00 | N/A |
| Rights Of Way | Tall oil fatty acids | 1.98 | 3 | 40.00 | A |
| Rights Of Way | Tall oil fatty acids | 174.27 | 0 | 0.00 | N/A |
| Rights Of Way | Tebuthiuron | 46.80 | 0 | 0.00 | N/A |
| Rights Of Way | Triclopyr choline | 61.42 | 0 | 0.00 | N/A |
| Rights Of Way | Triclopyr, butoxyethyl ester | 13.60 | 1 | 2.50 | A |
| Rights Of Way | Triclopyr, butoxyethyl ester | 326.35 | 0 | 0.00 | N/A |
| Rights Of Way | Triclopyr, triethylamine salt | 240.53 | 7 | 255.00 | A |
| Rights Of Way | Triclopyr, triethylamine salt | 4,831.91 | 0 | 0.00 | N/A |
| Rights Of Way | Urea dihydrogen sulfate | 137.29 | 10 | 1,037.00 | A |
| Rights Of Way | Urea dihydrogen sulfate | 0.06 | 0 | 0.00 | N/A |
| Safflower | S-metolachlor | 139.68 | 1 | 98.00 | A |
| Safflower | Trifluralin | 124.06 | 3 | 163.69 | A |
| Sorghum (Forage - Fodder) | Aggregated adjuvant data | 2.21 | 1 | 159.70 | A |
| Sorghum (Forage - Fodder) | Flupyradifurone | 14.56 | 1 | 159.70 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Sorghum (Forage - Fodder) | Sodium chlorate | 793.54 | 1 | 159.70 | A |
| Sorghum/Milo | Aggregated adjuvant data | 19.82 | 4 | 190.00 | A |
| Sorghum/Milo | Dimethoate | 5.87 | 2 | 100.00 | A |
| Sorghum/Milo | Flupyradifurone | 13.58 | 2 | 100.00 | A |
| Sorghum/Milo | Malathion | 85.20 | 2 | 90.00 | A |
| Sorghum/Milo | Methomyl | 40.50 | 2 | 90.00 | A |
| Squash | Abamectin | 4.09 | 13 | 232.00 | A |
| Squash | Acetamiprid | 4.24 | 3 | 50.00 | A |
| Squash | Afidopyropen | 0.51 | 2 | 26.00 | A |
| Squash | Aggregated adjuvant data | 49.09 | 27 | 515.00 | A |
| Squash | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 25.35 | 3 | 52.00 | A |
| Squash | Ametoctradin | 2.72 | 1 | 10.00 | A |
| Squash | Azoxystrobin | 10.13 | 3 | 40.00 | A |
| Squash | Bifenazate | 140.45 | 15 | 281.00 | A |
| Squash | Bifenthrin | 44.19 | 24 | 445.00 | A |
| Squash | Cyflufenamid | 3.88 | 8 | 168.00 | A |
| Squash | Dimethomorph | 2.04 | 1 | 10.00 | A |
| Squash | Esfenvalerate | 2.99 | 3 | 60.00 | A |
| Squash | Ethephon | 14.19 | 5 | 67.50 | A |
| Squash | Flupyradifurone | 79.41 | 23 | 435.00 | A |
| Squash | Imidacloprid | 5.90 | 1 | 16.00 | A |
| Squash | Kaolin | 1,672.00 | 2 | 40.00 | A |
| Squash | Mefentrifluconazole | 36.29 | 15 | 277.00 | A |
| Squash | Methomyl | 32.40 | 2 | 36.00 | A |
| Squash | Penthiopyrad | 4.16 | 2 | 20.00 | A |
| Squash | Tebuconazole | 3.93 | 1 | 24.00 | A |
| Squash, Summer | Abamectin | 0.51 | 3 | 43.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Squash, Summer | Aggregated adjuvant data | 0.95 | 2 | 27.00 | A |
| Squash, Summer | Ametoctradin | 2.72 | 1 | 10.00 | A |
| Squash, Summer | Bifenthrin | 1.06 | 2 | 27.00 | A |
| Squash, Summer | Dimethomorph | 2.04 | 1 | 10.00 | A |
| Squash, Summer | Fluopyram | 1.32 | 1 | 16.00 | A |
| Squash, Summer | Flupyradifurone | 0.18 | 1 | 17.00 | A |
| Squash, Summer | Methomyl | 14.40 | 1 | 16.00 | A |
| Squash, Summer | Penthiopyrad | 2.29 | 2 | 27.00 | A |
| Squash, Summer | Trifloxystrobin | 1.32 | 1 | 16.00 | A |
| Structural Pest Control | 4-aminopyridine | 0.05 | 0 | 0.00 | N/A |
| Structural Pest Control | Abamectin | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Abamectin, other related | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Alpha-cypermethrin | 162.30 | 0 | 0.00 | N/A |
| Structural Pest Control | Beauveria bassiana strain: gha | 0.20 | 0 | 0.00 | N/A |
| Structural Pest Control | Beta-cyfluthrin | 0.07 | 0 | 0.00 | N/A |
| Structural Pest Control | Bifenthrin | 46.52 | 0 | 0.00 | N/A |
| Structural Pest Control | Boric acid | 3.25 | 0 | 0.00 | N/A |
| Structural Pest Control | Bromadiolone | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Bromethalin | 0.06 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlorfenapyr | 4.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlorophacinone | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | Cholecalciferol | 0.20 | 0 | 0.00 | N/A |
| Structural Pest Control | Clothianidin | 0.14 | 0 | 0.00 | N/A |
| Structural Pest Control | Cyfluthrin | 0.52 | 0 | 0.00 | N/A |
| Structural Pest Control | Cypermethrin | 0.52 | 0 | 0.00 | N/A |
| Structural Pest Control | Deltamethrin | 4.54 | 0 | 0.00 | N/A |
| Structural Pest Control | Diatomaceous earth | 0.16 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Structural Pest Control | Difethialone | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Dinotefuran | 10.47 | 0 | 0.00 | N/A |
| Structural Pest Control | Diphacinone | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Disodium octaborate tetrahydrate | 7.91 | 0 | 0.00 | N/A |
| Structural Pest Control | Esfenvalerate | 1.27 | 0 | 0.00 | N/A |
| Structural Pest Control | Etofenprox | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | Fipronil | 7.49 | 0 | 0.00 | N/A |
| Structural Pest Control | Gamma-cyhalothrin | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Hydroprene | 0.86 | 0 | 0.00 | N/A |
| Structural Pest Control | Imidacloprid | 34.57 | 0 | 0.00 | N/A |
| Structural Pest Control | Indoxacarb | 0.06 | 0 | 0.00 | N/A |
| Structural Pest Control | Iron phosphate | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Lambda-cyhalothrin | 9.93 | 0 | 0.00 | N/A |
| Structural Pest Control | Metofluthrin | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Muscalure | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | N-octyl bicycloheptene dicarboximide | 3.92 | 0 | 0.00 | N/A |
| Structural Pest Control | Novaluron | 0.39 | 0 | 0.00 | N/A |
| Structural Pest Control | Permethrin | 155.31 | 0 | 0.00 | N/A |
| Structural Pest Control | Piperonyl butoxide | 5.18 | 0 | 0.00 | N/A |
| Structural Pest Control | Piperonyl butoxide, other related | 0.52 | 0 | 0.00 | N/A |
| Structural Pest Control | Prallethrin | 0.30 | 0 | 0.00 | N/A |
| Structural Pest Control | Pyrethrins | 1.45 | 0 | 0.00 | N/A |
| Structural Pest Control | Pyriproxyfen | 1.91 | 0 | 0.00 | N/A |
| Structural Pest Control | S-methoprene | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Silica gel | 0.16 | 0 | 0.00 | N/A |
| Structural Pest Control | Sodium tetraborate decahydrate | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Sulfuryl fluoride | 322.35 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Structural Pest Control | Tetramethrin | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Warfarin | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Zeta-cypermethrin | < 0.01 | 0 | 0.00 | N/A |
| Sunflower | Aggregated adjuvant data | 1,293.46 | 104 | 6,750.25 | A |
| Sunflower | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 158.73 | 34 | 1,680.33 | A |
| Sunflower | Ammonium sulfate | 1,064.58 | 22 | 1,323.69 | A |
| Sunflower | Bifenthrin | 7.02 | 5 | 216.00 | A |
| Sunflower | Carfentrazone-ethyl | 3.63 | 2 | 124.00 | A |
| Sunflower | Chlorantraniliprole | 43.04 | 19 | 1,325.30 | A |
| Sunflower | Citric acid | 7.28 | 13 | 599.73 | A |
| Sunflower | Clethodim | 185.39 | 12 | 723.50 | A |
| Sunflower | Esfenvalerate | 11.26 | 4 | 323.00 | A |
| Sunflower | Ethalfluralin | 1,252.11 | 21 | 1,331.10 | A |
| Sunflower | Flonicamid | 12.95 | 2 | 148.00 | A |
| Sunflower | Glyphosate, isopropylamine salt | 113.21 | 2 | 69.60 | A |
| Sunflower | Glyphosate, potassium salt | 1,393.82 | 10 | 504.00 | A |
| Sunflower | Imazamox, ammonium salt | 12.25 | 4 | 374.93 | A |
| Sunflower | Lambda-cyhalothrin | 6.97 | 4 | 249.67 | A |
| Sunflower | Methylated soybean oil | 432.16 | 14 | 826.70 | A |
| Sunflower | Mineral oil | 56.00 | 11 | 668.90 | A |
| Sunflower | Oxyfluorfen | 5.08 | 2 | 69.60 | A |
| Sunflower | Paraquat dichloride | 1,416.52 | 17 | 1,490.90 | A |
| Sunflower | Pendimethalin | 137.31 | 2 | 120.00 | A |
| Sunflower | S-metolachlor | 79.28 | 1 | 52.00 | A |
| Sunflower | Tall oil fatty acids | 7.80 | 3 | 119.00 | A |
| Sunflower | Tribenuron-methyl | 12.48 | 15 | 798.06 | A |
| Sunflower | Trifluralin | 764.33 | 20 | 1,263.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato | Abamectin | 0.72 | 2 | 40.00 | A |
| Tomato | Aggregated adjuvant data | 183.42 | 18 | 739.36 | A |
| Tomato | Azoxystrobin | 6.78 | 2 | 65.00 | A |
| Tomato | Bifenthrin | 18.61 | 6 | 230.00 | A |
| Tomato | Carbaryl | 41.67 | 1 | 20.83 | A |
| Tomato | Carfentrazone-ethyl | 3.65 | 1 | 125.00 | A |
| Tomato | Chlorantraniliprole | 1.17 | 1 | 20.00 | A |
| Tomato | Chlorothalonil | 41.23 | 1 | 20.00 | A |
| Tomato | Citric acid | 1.32 | 2 | 170.00 | A |
| Tomato | Clethodim | 11.81 | 1 | 45.00 | A |
| Tomato | Cyantraniliprole | 1.75 | 1 | 20.00 | A |
| Tomato | Difenoconazole | 4.25 | 2 | 65.00 | A |
| Tomato | Dimethoate | 2.64 | 1 | 45.00 | A |
| Tomato | Ethephon | 2.83 | 1 | 45.00 | A |
| Tomato | Fludioxonil | 3.71 | 1 | 20.00 | A |
| Tomato | Fluxapyroxad | 1.74 | 1 | 20.00 | A |
| Tomato | Glyphosate, potassium salt | 275.90 | 1 | 125.00 | A |
| Tomato | Halosulfuron-methyl | 3.26 | 3 | 93.01 | A |
| Tomato | Lambda-cyhalothrin | 0.59 | 1 | 20.00 | A |
| Tomato | Mefentrifluconazole | 2.61 | 1 | 20.00 | A |
| Tomato | Methomyl | 0.90 | 1 | 45.00 | A |
| Tomato | Pydiflumetofen | 2.22 | 1 | 20.00 | A |
| Tomato | Pyraclostrobin | 3.46 | 1 | 20.00 | A |
| Tomato | Rimsulfuron | 1.60 | 2 | 51.34 | A |
| Tomato | S-metolachlor | 480.28 | 5 | 315.00 | A |
| Tomato | Spiromesifen | 2.63 | 1 | 20.00 | A |
| Tomato | Trifluralin | 159.10 | 5 | 315.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato, Processing | Abamectin | 240.95 | 216 | 15,032.27 | A |
| Tomato, Processing | Acetamiprid | 154.75 | 31 | 2,391.40 | A |
| Tomato, Processing | Afidopyropen | 7.63 | 3 | 231.00 | A |
| Tomato, Processing | Aggregated adjuvant data | 8,540.34 | 678 | 36,156.55 | A |
| Tomato, Processing | Alcohols, c12-14-secondary, ethoxylated | 659.55 | 207 | 9,556.65 | A |
| Tomato, Processing | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 3,983.32 | 514 | 30,208.21 | A |
| Tomato, Processing | Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 374.50 | 101 | 3,854.17 | A |
| Tomato, Processing | Ammonium nitrate | 23.47 | 8 | 201.80 | A |
| Tomato, Processing | Ammonium sulfate | 350.54 | 49 | 3,211.10 | A |
| Tomato, Processing | Azoxystrobin | 1,560.79 | 250 | 15,420.17 | A |
| Tomato, Processing | Beta-cyfluthrin | 4.72 | 5 | 205.00 | A |
| Tomato, Processing | Bifenthrin | 1,693.43 | 319 | 19,960.04 | A |
| Tomato, Processing | Carbaryl | 2,315.29 | 60 | 4,295.47 | A |
| Tomato, Processing | Carfentrazone-ethyl | 46.42 | 21 | 1,700.10 | A |
| Tomato, Processing | Chlorantraniliprole | 610.63 | 132 | 8,837.72 | A |
| Tomato, Processing | Chlorothalonil | 17,919.18 | 129 | 9,265.61 | A |
| Tomato, Processing | Citric acid | 50.51 | 55 | 3,825.88 | A |
| Tomato, Processing | Clethodim | 814.30 | 54 | 3,666.88 | A |
| Tomato, Processing | Copper hydroxide | 143.95 | 13 | 417.60 | A |
| Tomato, Processing | Copper oxychloride | 61.74 | 8 | 309.10 | A |
| Tomato, Processing | Copper sulfate (pentahydrate) | 326.00 | 69 | 2,306.95 | A |
| Tomato, Processing | Cuprous oxide | 492.92 | 9 | 234.99 | A |
| Tomato, Processing | Cyantraniliprole | 237.71 | 76 | 2,473.65 | A |
| Tomato, Processing | Cymoxanil | 6.38 | 2 | 120.00 | A |
| Tomato, Processing | Diazinon | 6,849.77 | 61 | 1,902.90 | A |
| Tomato, Processing | Difenoconazole | 381.58 | 110 | 5,891.55 | A |
| Tomato, Processing | Dimethoate | 1,201.35 | 53 | 2,892.30 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato, Processing | Dimethylpolysiloxane | 2.28 | 27 | 1,657.00 | A |
| Tomato, Processing | Diuron | 201.20 | 1 | 67.00 | A |
| Tomato, Processing | Esfenvalerate | 12.52 | 3 | 251.00 | A |
| Tomato, Processing | Ethephon | 2,399.69 | 35 | 2,540.70 | A |
| Tomato, Processing | Famoxadone | 6.38 | 2 | 120.00 | A |
| Tomato, Processing | Fludioxonil | 248.37 | 19 | 1,346.50 | A |
| Tomato, Processing | Fluopyram | 8.49 | 4 | 322.00 | A |
| Tomato, Processing | Fluxapyroxad | 724.97 | 139 | 9,661.29 | A |
| Tomato, Processing | Glyphosate, isopropylamine salt | 621.75 | 7 | 556.00 | A |
| Tomato, Processing | Glyphosate, potassium salt | 9,549.76 | 46 | 3,099.98 | A |
| Tomato, Processing | Halosulfuron-methyl | 16.43 | 9 | 392.85 | A |
| Tomato, Processing | Hydrogen peroxide | 1,738.94 | 69 | 2,306.95 | A |
| Tomato, Processing | Imidacloprid | 224.85 | 98 | 3,544.12 | A |
| Tomato, Processing | Isopropyl alcohol | 632.70 | 337 | 20,219.18 | A |
| Tomato, Processing | Kaolin | 93,442.00 | 60 | 3,254.82 | A |
| Tomato, Processing | Lambda-cyhalothrin | 140.22 | 69 | 5,203.38 | A |
| Tomato, Processing | Lecithin | 154.72 | 7 | 651.67 | A |
| Tomato, Processing | Mancozeb | 3,846.89 | 83 | 2,650.44 | A |
| Tomato, Processing | Mefentrifluconazole | 563.90 | 57 | 4,308.00 | A |
| Tomato, Processing | Methoxyfenozide | 48.26 | 2 | 195.00 | A |
| Tomato, Processing | Methylated soybean oil | 261.20 | 23 | 1,348.77 | A |
| Tomato, Processing | Metribuzin | 3,113.51 | 225 | 7,623.31 | A |
| Tomato, Processing | Mineral oil | 687.13 | 13 | 634.78 | A |
| Tomato, Processing | Oxyfluorfen | 818.20 | 30 | 2,156.88 | A |
| Tomato, Processing | Pendimethalin | 4,784.53 | 85 | 3,388.68 | A |
| Tomato, Processing | Penthiopyrad | 190.86 | 13 | 752.00 | A |
| Tomato, Processing | Peroxyacetic acid | 277.02 | 69 | 2,306.95 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato, Processing | Phosphoric acid | 1,973.46 | 345 | 21,010.78 | A |
| Tomato, Processing | Pydiflumetofen | 148.56 | 19 | 1,346.50 | A |
| Tomato, Processing | Pyraclostrobin | 1,685.30 | 152 | 10,902.29 | A |
| Tomato, Processing | Pyraflufen-ethyl | 0.26 | 1 | 80.00 | A |
| Tomato, Processing | Pyriproxyfen | 0.14 | 1 | 5.00 | A |
| Tomato, Processing | Rimsulfuron | 344.39 | 277 | 9,946.89 | A |
| Tomato, Processing | S-metolachlor | 14,774.70 | 180 | 8,862.71 | A |
| Tomato, Processing | Simazine | 201.25 | 1 | 67.00 | A |
| Tomato, Processing | Spinetoram | 273.49 | 93 | 4,435.28 | A |
| Tomato, Processing | Spiromesifen | 56.50 | 8 | 565.80 | A |
| Tomato, Processing | Spirotetramat | 0.39 | 1 | 5.00 | A |
| Tomato, Processing | Sulfentrazone | 6.26 | 1 | 33.80 | A |
| Tomato, Processing | Sulfur | 68,472.16 | 90 | 6,088.51 | A |
| Tomato, Processing | Tall oil fatty acids | 70.88 | 17 | 1,191.33 | A |
| Tomato, Processing | Thiamethoxam | 124.33 | 14 | 819.19 | A |
| Tomato, Processing | Trifluralin | 4,209.74 | 102 | 5,517.87 | A |
| Triticale | Aggregated adjuvant data | 59.49 | 4 | 293.00 | A |
| Triticale | Mcpa, dimethylamine salt | 57.69 | 4 | 293.00 | A |
| Triticale | Tribenuron-methyl | 2.55 | 4 | 293.00 | A |
| Uncultivated Ag | 2,4-d | 17.90 | 0 | 1.00 | U |
| Uncultivated Ag | 2,4-d, dimethylamine salt | 349.53 | 6 | 308.60 | A |
| Uncultivated Ag | Aggregated adjuvant data | 12,474.04 | 526 | 37,525.00 | A |
| Uncultivated Ag | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 1,064.92 | 199 | 13,877.70 | A |
| Uncultivated Ag | Ammonium sulfate | 3,136.20 | 255 | 18,489.00 | A |
| Uncultivated Ag | Carfentrazone-ethyl | 175.02 | 103 | 7,073.80 | A |
| Uncultivated Ag | Citric acid | 157.91 | 189 | 13,222.80 | A |
| Uncultivated Ag | Clethodim | 1,719.42 | 114 | 6,967.01 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Uncultivated Ag | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 2,854.84 | 26 | 2,511.00 | A |
| Uncultivated Ag | Dimethylpolysiloxane | 3.15 | 26 | 1,262.20 | A |
| Uncultivated Ag | Ethalfluralin | 166.97 | 2 | 148.00 | A |
| Uncultivated Ag | Flumioxazin | 80.61 | 12 | 749.00 | A |
| Uncultivated Ag | Glufosinate-ammonium | 766.88 | 10 | 597.30 | A |
| Uncultivated Ag | Glyphosate, isopropylamine salt | 10,897.69 | 64 | 5,395.00 | A |
| Uncultivated Ag | Glyphosate, potassium salt | 47,009.54 | 224 | 15,073.30 | A |
| Uncultivated Ag | Kaolin | 1,187.50 | 7 | 50.00 | A |
| Uncultivated Ag | Lecithin | 147.75 | 10 | 904.70 | A |
| Uncultivated Ag | Methylated soybean oil | 1,642.00 | 50 | 2,938.90 | A |
| Uncultivated Ag | Mineral oil | 1,020.80 | 21 | 1,109.30 | A |
| Uncultivated Ag | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 4.24 | 13 | 318.70 | A |
| Uncultivated Ag | Oxyfluorfen | 2,357.68 | 193 | 14,398.30 | A |
| Uncultivated Ag | Pendimethalin | 393.80 | 4 | 309.24 | A |
| Uncultivated Ag | Pyraflufen-ethyl | 3.29 | 10 | 994.30 | A |
| Uncultivated Ag | Strychnine | 1.35 | 1 | 90.00 | A |
| Uncultivated Ag | Tall oil fatty acids | 95.47 | 12 | 986.00 | A |
| Uncultivated Ag | Tribenuron-methyl | 0.78 | 1 | 50.00 | A |
| Uncultivated Ag | Triclopyr, triethylamine salt | 9.57 | 2 | 4.00 | A |
| Uncultivated Non-Ag | Aggregated adjuvant data | 134.85 | 0 | 508.50 | A |
| Uncultivated Non-Ag | Aggregated adjuvant data | 0.02 | 0 | 40,750.00 | S |
| Uncultivated Non-Ag | Aggregated adjuvant data | 24.93 | 0 | 1.00 | U |
| Uncultivated Non-Ag | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 20.33 | 0 | 216.25 | A |
| Uncultivated Non-Ag | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 0.02 | 0 | 40,750.00 | S |
| Uncultivated Non-Ag | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 21.50 | 0 | 108.50 | A |
| Uncultivated Non-Ag | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 0.02 | 0 | 40,750.00 | S |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Uncultivated Non-Ag | Aminocyclopyrachlor, potassium salt | 15.08 | 0 | 108.25 | A |
| Uncultivated Non-Ag | Aminopyralid, triisopropanolamine salt | 5.40 | 0 | 57.00 | A |
| Uncultivated Non-Ag | Chlorsulfuron | 2.96 | 0 | 60.25 | A |
| Uncultivated Non-Ag | Clethodim | 14.80 | 0 | 50.00 | A |
| Uncultivated Non-Ag | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 49.91 | 0 | 1.00 | U |
| Uncultivated Non-Ag | Dithiopyr | 1.33 | 0 | 58.00 | A |
| Uncultivated Non-Ag | Glyphosate, isopropylamine salt | 271.27 | 0 | 308.50 | A |
| Uncultivated Non-Ag | Glyphosate, isopropylamine salt | 0.28 | 0 | 40,750.00 | S |
| Uncultivated Non-Ag | Glyphosate, potassium salt | 137.37 | 0 | 150.00 | A |
| Uncultivated Non-Ag | Imazamox, ammonium salt | 6.35 | 0 | 38.00 | A |
| Uncultivated Non-Ag | Indaziflam | 4.38 | 0 | 70.25 | A |
| Uncultivated Non-Ag | Isoxaben | 1.28 | 0 | 58.00 | A |
| Uncultivated Non-Ag | Methylated soybean oil | 20.32 | 0 | 158.25 | A |
| Uncultivated Non-Ag | Oxyfluorfen | 9.60 | 0 | 50.00 | A |
| Uncultivated Non-Ag | Triclopyr choline | 0.33 | 0 | 0.24 | A |
| Uncultivated Non-Ag | Triclopyr choline | 0.14 | 0 | 40,750.00 | S |
| Uncultivated Non-Ag | Triclopyr, triethylamine salt | 119.62 | 0 | 200.00 | A |
| Vertebrate Control | 4-aminopyridine | 0.02 | 0 | 0.00 | N/A |
| Vertebrate Control | Cholecalciferol | < 0.01 | 0 | 0.00 | N/A |
| Walnut | (e,e)-8,10-dodecadien-1-ol | 183.14 | 22 | 1,637.60 | A |
| Walnut | (z,z)-11,13-hexadecadienal | 3.03 | 4 | 342.50 | A |
| Walnut | 2,4-d, dimethylamine salt | 3,145.99 | 19 | 2,178.00 | A |
| Walnut | 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | 579.66 | 47 | 2,470.00 | A |
| Walnut | Abamectin | 129.15 | 59 | 3,838.03 | A |
| Walnut | Acephate | 75.95 | 1 | 78.30 | A |
| Walnut | Acetamiprid | 357.66 | 47 | 2,887.90 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Walnut | Acrylic acid-butyl acrylate-styrene copolymer | 336.30 | 50 | 2,305.02 | A |
| Walnut | Aggregated adjuvant data | 6,604.35 | 469 | 26,557.92 | A |
| Walnut | Alcohols, c12-14-secondary, ethoxylated | 477.36 | 87 | 4,109.04 | A |
| Walnut | Alkyl (c8,c10) polyglucoside | 29.60 | 8 | 175.14 | A |
| Walnut | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 3,658.53 | 283 | 15,489.93 | A |
| Walnut | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | 137.31 | 51 | 1,288.67 | A |
| Walnut | Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | 64.69 | 22 | 557.40 | A |
| Walnut | Alpha-pinene-beta-pinene copolymer | 1,123.27 | 33 | 2,372.80 | A |
| Walnut | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 73.13 | 29 | 709.76 | A |
| Walnut | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 39.85 | 15 | 1,371.40 | A |
| Walnut | Ammonium nitrate | 15.39 | 25 | 513.40 | A |
| Walnut | Ammonium sulfate | 3,162.17 | 176 | 8,354.26 | A |
| Walnut | Azoxystrobin | 572.63 | 38 | 3,088.90 | A |
| Walnut | Beta-cyfluthrin | 12.59 | 8 | 549.80 | A |
| Walnut | Bifenazate | 3,698.59 | 92 | 5,088.95 | A |
| Walnut | Bifenthrin | 2,058.43 | 191 | 10,387.42 | A |
| Walnut | Buprofezin | 566.92 | 4 | 375.60 | A |
| Walnut | Carfentrazone-ethyl | 1.65 | 2 | 90.00 | A |
| Walnut | Castor oil ethoxylate | 119.21 | 33 | 1,329.51 | A |
| Walnut | Chlorantraniliprole | 405.99 | 67 | 4,635.33 | A |
| Walnut | Citric acid | 689.10 | 202 | 9,351.95 | A |
| Walnut | Clethodim | 1,005.30 | 111 | 7,037.05 | A |
| Walnut | Copper hydroxide | 13,302.88 | 87 | 5,536.53 | A |
| Walnut | Copper oxychloride | 516.14 | 22 | 732.70 | A |
| Walnut | Copper sulfate (basic) | 76.79 | 2 | 18.00 | A |
| Walnut | Copper sulfate (pentahydrate) | 39.19 | 35 | 2,475.40 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Walnut | Cyflumetofen | 308.95 | 20 | 1,690.00 | A |
| Walnut | Difenoconazole | 176.25 | 12 | 1,537.80 | A |
| Walnut | Dimethylpolysiloxane | 36.72 | 152 | 10,916.34 | A |
| Walnut | Diphacinone | < 0.01 | 9 | 7.50 | A |
| Walnut | Esfenvalerate | 10.36 | 5 | 145.00 | A |
| Walnut | Ethephon | 7,115.20 | 163 | 10,444.15 | A |
| Walnut | Etoxazole | 122.55 | 19 | 951.45 | A |
| Walnut | Fenazaquin | 552.72 | 19 | 794.81 | A |
| Walnut | Flazasulfuron | 5.91 | 5 | 176.78 | A |
| Walnut | Flumioxazin | 224.96 | 17 | 606.41 | A |
| Walnut | Flutriafol | 19.45 | 7 | 239.00 | A |
| Walnut | Fluxapyroxad | 35.02 | 5 | 347.00 | A |
| Walnut | Glufosinate-ammonium | 9,749.07 | 212 | 8,279.30 | A |
| Walnut | Glutens, corn | 1,901.63 | 25 | 1,546.95 | A |
| Walnut | Glycerol | 443.82 | 79 | 3,264.18 | A |
| Walnut | Glyphosate, isopropylamine salt | 7,313.58 | 96 | 4,255.94 | A |
| Walnut | Glyphosate, potassium salt | 30,303.25 | 197 | 11,208.23 | A |
| Walnut | Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 123.34 | 53 | 1,584.51 | A |
| Walnut | Hexythiazox | 356.90 | 36 | 2,044.10 | A |
| Walnut | Imidacloprid | 259.90 | 43 | 3,439.94 | A |
| Walnut | Indaziflam | 150.27 | 87 | 3,765.53 | A |
| Walnut | Isopropyl alcohol | 517.63 | 78 | 4,489.25 | A |
| Walnut | Kasugamycin hydrochloride | 2.50 | 1 | 25.00 | A |
| Walnut | Lambda-cyhalothrin | 88.89 | 47 | 2,582.45 | A |
| Walnut | Lecithin | 54.55 | 19 | 1,466.40 | A |
| Walnut | Mancozeb | 8,950.19 | 120 | 7,835.43 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Walnut | Mefenoxam | 13.15 | 1 | 60.00 | A |
| Walnut | Mefentrifluconazole | 256.80 | 28 | 1,962.10 | A |
| Walnut | Mesotrione | 7.64 | 2 | 85.00 | A |
| Walnut | Methoxyfenozide | 986.00 | 44 | 3,448.54 | A |
| Walnut | Methylated silicones | 191.16 | 31 | 1,143.91 | A |
| Walnut | Methylated soybean oil | 5,285.00 | 217 | 9,831.81 | A |
| Walnut | Mineral oil | 34,073.03 | 125 | 8,264.49 | A |
| Walnut | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 69.58 | 34 | 939.76 | A |
| Walnut | Oleic acid, ethyl ester | 438.17 | 21 | 1,009.01 | A |
| Walnut | Oxathiapiprolin | 0.42 | 1 | 18.00 | A |
| Walnut | Oxyfluorfen | 3,430.92 | 161 | 8,001.11 | A |
| Walnut | Paraquat dichloride | 300.02 | 6 | 190.00 | A |
| Walnut | Pendimethalin | 1,794.11 | 11 | 635.24 | A |
| Walnut | Penoxsulam | 4.42 | 12 | 362.86 | A |
| Walnut | Permethrin | 261.63 | 21 | 1,049.35 | A |
| Walnut | Phosphoric acid | 307.22 | 112 | 5,078.52 | A |
| Walnut | Polyalkeneoxide modified heptamethyltrisiloxane | 389.71 | 128 | 9,295.65 | A |
| Walnut | Polyethylene glycol | 708.07 | 70 | 3,333.05 | A |
| Walnut | Polyethylene glycol stearate | 109.54 | 21 | 1,009.01 | A |
| Walnut | Potassium hydroxide | 14.56 | 22 | 1,564.80 | A |
| Walnut | Potassium nitrate | 133.06 | 21 | 1,504.80 | A |
| Walnut | Potassium phosphite | 177.74 | 3 | 59.13 | A |
| Walnut | Potassium silicate | 23.77 | 1 | 250.00 | A |
| Walnut | Propargite | 4,309.99 | 24 | 1,601.33 | A |
| Walnut | Propiconazole | 630.34 | 51 | 3,947.90 | A |
| Walnut | Pyraclostrobin | 35.02 | 5 | 347.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Walnut | Pyraflufen-ethyl | 1.03 | 11 | 205.62 | A |
| Walnut | Reynoutria sachalinensis (giant knotweed) plant extract | 10.70 | 3 | 60.00 | A |
| Walnut | Rimsulfuron | 143.75 | 67 | 2,835.78 | A |
| Walnut | Saflufenacil | 42.96 | 20 | 1,067.25 | A |
| Walnut | Simazine | 94.91 | 2 | 63.33 | A |
| Walnut | Spinetoram | 15.06 | 7 | 210.30 | A |
| Walnut | Spinosad | 4.54 | 2 | 117.00 | A |
| Walnut | Spirodiclofen | 446.63 | 9 | 860.40 | A |
| Walnut | Spirotetramat | 6.85 | 2 | 48.50 | A |
| Walnut | Strychnine | 4.63 | 9 | 321.30 | A |
| Walnut | Tall oil | 359.76 | 55 | 3,222.97 | A |
| Walnut | Tall oil fatty acids | 131.98 | 35 | 1,376.50 | A |
| Walnut | Tebuconazole | 203.42 | 50 | 2,929.58 | A |
| Walnut | Urea dihydrogen sulfate | 58.88 | 24 | 684.98 | A |
| Walnut | Zinc phosphide | 51.86 | 7 | 385.30 | A |
| Water (Industrial) | Bacillus thuringiensis subspecies israelensis strain bmp 144 | 3.52 | 0 | 1.00 | U |
| Water (Industrial) | Sodium bromide | 597.17 | 0 | 3.00 | U |
| Water (Industrial) | Sodium hypochlorite | 411.48 | 0 | 3.00 | U |
| Water Area | Copper ethanolamine complexes, mixed | 689.67 | 0 | 20.00 | U |
| Water Area | Copper sulfate (pentahydrate) | 11,583.00 | 0 | 86.00 | U |
| Watermelon | Abamectin | 21.94 | 28 | 1,330.00 | A |
| Watermelon | Acetamiprid | 96.02 | 19 | 987.20 | A |
| Watermelon | Afidopyropen | 3.90 | 6 | 215.50 | A |
| Watermelon | Aggregated adjuvant data | 242.51 | 55 | 2,264.50 | A |
| Watermelon | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 56.26 | 7 | 269.80 | A |
| Watermelon | Ametoctradin | 15.01 | 2 | 98.00 | A |
| Watermelon | Ammonium sulfate | 18.70 | 3 | 133.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Watermelon | Bensulide | 755.51 | 1 | 127.00 | A |
| Watermelon | Bifenazate | 343.70 | 23 | 688.00 | A |
| Watermelon | Bifenthrin | 160.91 | 36 | 1,532.70 | A |
| Watermelon | Citric acid | 2.39 | 3 | 133.00 | A |
| Watermelon | Clethodim | 23.01 | 3 | 182.00 | A |
| Watermelon | Cyflufenamid | 24.08 | 23 | 1,044.70 | A |
| Watermelon | Dimethomorph | 11.66 | 4 | 127.00 | A |
| Watermelon | Dimethylpolysiloxane | 0.29 | 3 | 53.00 | A |
| Watermelon | Esfenvalerate | 1.65 | 3 | 33.00 | A |
| Watermelon | Ethalfluralin | 216.28 | 2 | 126.00 | A |
| Watermelon | Flonicamid | 2.85 | 1 | 32.50 | A |
| Watermelon | Fluopicolide | 2.61 | 1 | 21.00 | A |
| Watermelon | Fluopyram | 0.88 | 1 | 7.00 | A |
| Watermelon | Flupyradifurone | 151.81 | 27 | 902.00 | A |
| Watermelon | Flutriafol | 1.71 | 1 | 15.00 | A |
| Watermelon | Glyphosate, potassium salt | 238.98 | 2 | 126.00 | A |
| Watermelon | Imidacloprid | 33.81 | 3 | 92.80 | A |
| Watermelon | Kaolin | 902.50 | 2 | 38.00 | A |
| Watermelon | Mefentrifluconazole | 82.76 | 15 | 632.00 | A |
| Watermelon | Methomyl | 26.55 | 2 | 37.00 | A |
| Watermelon | Oxyfluorfen | 11.10 | 2 | 126.00 | A |
| Watermelon | Penthiopyrad | 6.24 | 1 | 30.00 | A |
| Watermelon | Phosphoric acid | 4.35 | 3 | 133.00 | A |
| Watermelon | Tebuconazole | 6.57 | 1 | 40.00 | A |
| Watermelon | Trifloxystrobin | 0.88 | 1 | 7.00 | A |
| Wheat | 2,4-d, dimethylamine salt | 548.75 | 18 | 637.90 | A |
| Wheat | Aggregated adjuvant data | 652.87 | 114 | 4,824.50 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Wheat | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 182.98 | 46 | 2,154.70 | A |
| Wheat | Ammonium sulfate | 164.14 | 43 | 1,687.00 | A |
| Wheat | Azoxystrobin | 1.75 | 1 | 9.00 | A |
| Wheat | Bromoxynil octanoate | 265.71 | 7 | 365.00 | A |
| Wheat | Carfentrazone-ethyl | 2.49 | 6 | 192.00 | A |
| Wheat | Citric acid | 22.57 | 44 | 1,697.40 | A |
| Wheat | Clethodim | 29.39 | 4 | 182.00 | A |
| Wheat | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 95.53 | 7 | 469.10 | A |
| Wheat | Glyphosate, isopropylamine salt | 20.80 | 1 | 10.40 | A |
| Wheat | Glyphosate, potassium salt | 669.23 | 5 | 246.10 | A |
| Wheat | Mcpa, dimethylamine salt | 986.77 | 35 | 1,853.50 | A |
| Wheat | Oxyfluorfen | 13.47 | 3 | 62.40 | A |
| Wheat | Pendimethalin | 29.55 | 1 | 10.40 | A |
| Wheat | Phosphoric acid | 38.00 | 43 | 1,687.00 | A |
| Wheat | Pinoxaden | 35.20 | 15 | 763.40 | A |
| Wheat | Propiconazole | 1.00 | 1 | 9.00 | A |
| Wheat | Pyroxsulam | 13.04 | 24 | 988.60 | A |
| Wheat | Tall oil | 5.28 | 5 | 230.40 | A |
| Wheat | Tribenuron-methyl | 17.55 | 31 | 1,405.40 | A |
| Wheat (Forage - Fodder) | Aggregated adjuvant data | 7.71 | 3 | 82.30 | A |
| Wheat (Forage - Fodder) | Mcpa, dimethylamine salt | 54.62 | 3 | 82.30 | A |
| Wheat (Forage - Fodder) | Pinoxaden | 4.42 | 3 | 82.30 | A |