# 2024 Annual Statewide Pesticide Use Report Indexed by Commodity: Santa Clara County

Text files of data are available. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, N/A = Not Available. Area treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative area treated would equal three acres. Most nonagricultural pesticide use reports are not required to report area treated, so the area treated totals are predominantly agricultural pesticide uses. Application counts (Apps) include only agricultural pesticide uses. N-outdr = Outdoor nursery. N-grnhs = Greenhouse nursery. For more information, see Pesticide Use Annual Report Data Access, References, and Definitions Guide.

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Apple | Abamectin | 1.38 | 3 | 66.00 | A |
| Apple | Acetamiprid | 2.98 | 1 | 20.00 | A |
| Apple | Aggregated adjuvant data | 614.64 | 23 | 559.75 | A |
| Apple | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 3.44 | 2 | 46.00 | A |
| Apple | Bacillus velezensis strain: d747 | 39.65 | 0 | 4.00 | A |
| Apple | Bacillus velezensis strain: qst 713 | 0.17 | 0 | 2.00 | A |
| Apple | Carbaryl | 161.69 | 2 | 65.00 | A |
| Apple | Chlorantraniliprole | 10.30 | 5 | 107.00 | A |
| Apple | Copper hydroxide | 23.05 | 1 | 20.00 | A |
| Apple | Copper octanoate | 1.99 | 0 | 23.60 | A |
| Apple | Cydia pomonella granulosis virus | < 0.01 | 0 | 8.50 | A |
| Apple | Esfenvalerate | 3.13 | 3 | 57.00 | A |
| Apple | Etoxazole | 2.70 | 1 | 20.00 | A |
| Apple | Flonicamid | 3.59 | 2 | 41.00 | A |
| Apple | Fluopyram | 1.63 | 1 | 20.00 | A |
| Apple | Fosetyl-al | 106.80 | 2 | 41.00 | A |
| Apple | Kresoxim-methyl | 12.20 | 3 | 61.00 | A |
| Apple | Lambda-cyhalothrin | 1.05 | 1 | 25.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Apple | Lime-sulfur | 1.15 | 1 | 1,000.00 | S |
| Apple | Mineral oil | 568.05 | 2 | 66.60 | A |
| Apple | Mineral oil | 1.07 | 1 | 1,000.00 | S |
| Apple | Myclobutanil | 2.00 | 1 | 20.00 | A |
| Apple | N6-benzyl adenine | 2.90 | 1 | 20.00 | A |
| Apple | Pyriproxyfen | 4.41 | 2 | 41.00 | A |
| Apple | Reynoutria sachalinensis (giant knotweed) plant extract | 3.47 | 0 | 8.00 | A |
| Apple | Spinetoram | 1.62 | 1 | 16.00 | A |
| Apple | Spinosad | 3.00 | 0 | 6.00 | A |
| Apple | Spirodiclofen | 5.07 | 1 | 20.00 | A |
| Apple | Streptomycin sulfate | 13.16 | 1 | 20.00 | A |
| Apple | Trifloxystrobin | 5.39 | 3 | 61.00 | A |
| Apricot | Aggregated adjuvant data | 15.91 | 40 | 172.65 | A |
| Apricot | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 14.74 | 18 | 36.60 | A |
| Apricot | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 0.96 | 12 | 18.90 | A |
| Apricot | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 22.68 | 4 | 81.00 | A |
| Apricot | Bacillus velezensis strain: qst 713 | 0.57 | 1 | 9.00 | A |
| Apricot | Boric acid | 0.12 | 0 | 0.75 | A |
| Apricot | Boscalid | 4.09 | 10 | 24.70 | A |
| Apricot | Citric acid | 0.24 | 8 | 11.85 | A |
| Apricot | Copper hydroxide | 38.32 | 2 | 41.00 | A |
| Apricot | Copper oxychloride | 8.57 | 1 | 35.00 | A |
| Apricot | Copper sulfate (basic) | 0.17 | 0 | 0.75 | A |
| Apricot | Cuprous oxide | 58.73 | 1 | 7.00 | A |
| Apricot | Esfenvalerate | 0.68 | 7 | 11.65 | A |
| Apricot | Fluopyram | 0.78 | 4 | 7.75 | A |
| Apricot | Glyphosate, potassium salt | 13.79 | 8 | 11.85 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Apricot | Iprodione | 3.37 | 1 | 6.00 | A |
| Apricot | Lambda-cyhalothrin | 0.13 | 3 | 3.00 | A |
| Apricot | Methylated soybean oil | 43.56 | 22 | 43.85 | A |
| Apricot | Mineral oil | 455.78 | 16 | 76.90 | A |
| Apricot | Mineral oil | 2.86 | 1 | 700.00 | S |
| Apricot | Myclobutanil | 0.12 | 1 | 1.20 | A |
| Apricot | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 2.16 | 15 | 123.90 | A |
| Apricot | Oxyfluorfen | 5.10 | 7 | 10.65 | A |
| Apricot | Pendimethalin | 7.72 | 5 | 8.25 | A |
| Apricot | Penthiopyrad | 4.44 | 10 | 23.40 | A |
| Apricot | Propiconazole | 0.28 | 1 | 35.00 | A |
| Apricot | Pyraclostrobin | 2.08 | 10 | 24.70 | A |
| Apricot | Pyriproxyfen | 0.30 | 1 | 9.00 | A |
| Apricot | Thiophanate-methyl | 2.11 | 1 | 35.00 | A |
| Apricot | Trifloxystrobin | 0.78 | 4 | 7.75 | A |
| Arugula | Azadirachtin | 0.30 | 2 | 20.50 | A |
| Arugula | Bacillus amyloliquefacens strain: f727 | 87.67 | 2 | 21.80 | A |
| Arugula | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 11.07 | 2 | 20.50 | A |
| Arugula | Diatomaceous earth | 348.50 | 2 | 20.50 | A |
| Arugula | Spinosad | 2.03 | 2 | 21.80 | A |
| Bean, Succulent | Abamectin | 1.63 | 26 | 121.26 | A |
| Bean, Succulent | Aggregated adjuvant data | 70.28 | 100 | 450.12 | A |
| Bean, Succulent | Azadirachtin | 0.37 | 6 | 35.34 | A |
| Bean, Succulent | Azoxystrobin | 23.68 | 26 | 121.26 | A |
| Bean, Succulent | Bifenthrin | 12.26 | 26 | 121.26 | A |
| Bean, Succulent | Lambda-cyhalothrin | 3.67 | 24 | 122.80 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bean, Succulent | Margosa oil | 10.94 | 3 | 17.67 | A |
| Bean, Succulent | Pyraclostrobin | 2.31 | 3 | 15.80 | A |
| Bean, Succulent | S-metolachlor | 170.07 | 35 | 134.40 | A |
| Bean, Succulent | Spinetoram | 7.07 | 32 | 150.46 | A |
| Bean, Succulent | Spinosad | 3.30 | 6 | 35.34 | A |
| Bean, Succulent | Spirotetramat | 1.25 | 3 | 15.80 | A |
| Bean, Succulent | Zeta-cypermethrin | 1.05 | 6 | 29.20 | A |
| Bean, Unspecified | Abamectin | 10.03 | 33 | 547.65 | A |
| Bean, Unspecified | Acephate | 165.19 | 9 | 170.30 | A |
| Bean, Unspecified | Acetamiprid | 17.31 | 15 | 245.50 | A |
| Bean, Unspecified | Aggregated adjuvant data | 169.76 | 50 | 731.13 | A |
| Bean, Unspecified | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 30.16 | 35 | 516.20 | A |
| Bean, Unspecified | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 17.45 | 6 | 137.30 | A |
| Bean, Unspecified | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 2.58 | 5 | 54.60 | A |
| Bean, Unspecified | Ammonium sulfate | 5.86 | 4 | 108.00 | A |
| Bean, Unspecified | Azoxystrobin | 1.16 | 1 | 9.00 | A |
| Bean, Unspecified | Bentazon, sodium salt | 41.66 | 3 | 37.94 | A |
| Bean, Unspecified | Beta-cyfluthrin | 0.43 | 2 | 16.00 | A |
| Bean, Unspecified | Bifenazate | 25.07 | 6 | 53.50 | A |
| Bean, Unspecified | Bifenthrin | 59.23 | 36 | 620.15 | A |
| Bean, Unspecified | Carfentrazone-ethyl | 3.29 | 9 | 178.90 | A |
| Bean, Unspecified | Chlorothalonil | 34.46 | 3 | 23.00 | A |
| Bean, Unspecified | Citric acid | 7.51 | 6 | 121.00 | A |
| Bean, Unspecified | Copper hydroxide | 5.53 | 2 | 16.00 | A |
| Bean, Unspecified | Cyfluthrin | 0.89 | 2 | 18.00 | A |
| Bean, Unspecified | Dimethoate | 0.65 | 1 | 22.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bean, Unspecified | Dimethylpolysiloxane | 1.01 | 28 | 418.49 | A |
| Bean, Unspecified | Eptc | 656.47 | 28 | 422.58 | A |
| Bean, Unspecified | Flonicamid | 0.96 | 1 | 11.00 | A |
| Bean, Unspecified | Flumioxazin | 0.91 | 3 | 19.70 | A |
| Bean, Unspecified | Glyphosate, isopropylamine salt | 264.90 | 11 | 191.90 | A |
| Bean, Unspecified | Hydrogen peroxide | 3.73 | 1 | 3.00 | A |
| Bean, Unspecified | Lambda-cyhalothrin | 9.50 | 26 | 382.58 | A |
| Bean, Unspecified | Lecithin | 17.26 | 4 | 42.30 | A |
| Bean, Unspecified | Methoxyfenozide | 3.80 | 3 | 22.00 | A |
| Bean, Unspecified | Methylated soybean oil | 156.46 | 37 | 508.50 | A |
| Bean, Unspecified | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 7.40 | 5 | 54.60 | A |
| Bean, Unspecified | Novaluron | 13.97 | 11 | 178.50 | A |
| Bean, Unspecified | Penthiopyrad | 61.38 | 15 | 269.50 | A |
| Bean, Unspecified | Peroxyacetic acid | 0.69 | 1 | 3.00 | A |
| Bean, Unspecified | Polyalkeneoxide modified heptamethyltrisiloxane | 31.55 | 57 | 843.39 | A |
| Bean, Unspecified | Potassium silicate | 68.49 | 2 | 22.50 | A |
| Bean, Unspecified | Propiconazole | 1.01 | 1 | 9.00 | A |
| Bean, Unspecified | Propylene glycol | 15.01 | 28 | 424.79 | A |
| Bean, Unspecified | Pyraclostrobin | 4.37 | 4 | 44.75 | A |
| Bean, Unspecified | S-metolachlor | 430.53 | 31 | 442.28 | A |
| Bean, Unspecified | Sethoxydim | 1.58 | 1 | 6.00 | A |
| Bean, Unspecified | Sulfur | 210.00 | 8 | 52.50 | A |
| Bean, Unspecified | Trifluralin | 148.77 | 24 | 397.58 | A |
| Bean, Unspecified | Urea dihydrogen sulfate | 15.34 | 5 | 54.60 | A |
| Bean, Unspecified | Zeta-cypermethrin | 7.16 | 22 | 288.00 | A |
| Beehive | Formic acid | 0.30 | 0 | 45.00 | U |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Blackberry | Aggregated adjuvant data | 2.06 | 5 | 4.50 | A |
| Blackberry | Bacillus velezensis strain: qst 713 | 0.11 | 3 | 2.50 | A |
| Blackberry | Cuprous oxide | 0.84 | 1 | 1.00 | A |
| Blackberry | Pyrethrins | 0.14 | 3 | 3.00 | A |
| Blackberry | Reynoutria sachalinensis (giant knotweed) plant extract | 0.11 | 1 | 0.50 | A |
| Blackberry | Spinosad | 0.23 | 3 | 3.00 | A |
| Blackberry | Sulfur | 0.80 | 1 | 1.00 | A |
| Blueberry | Lime-sulfur | 1.15 | 1 | 1,200.00 | S |
| Bok Choy (Choy Sum, Pak Choi) | Acetamiprid | 7.84 | 12 | 99.50 | A |
| Bok Choy (Choy Sum, Pak Choi) | Afidopyropen | 1.55 | 44 | 167.03 | A |
| Bok Choy (Choy Sum, Pak Choi) | Aggregated adjuvant data | 159.72 | 257 | 1,111.89 | A |
| Bok Choy (Choy Sum, Pak Choi) | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 4.09 | 5 | 3.79 | A |
| Bok Choy (Choy Sum, Pak Choi) | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 8.54 | 12 | 8.97 | A |
| Bok Choy (Choy Sum, Pak Choi) | Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | 6.36 | 25 | 34.10 | A |
| Bok Choy (Choy Sum, Pak Choi) | Bensulide | 896.37 | 34 | 209.00 | A |
| Bok Choy (Choy Sum, Pak Choi) | Bentazon, sodium salt | 5.43 | 1 | 5.00 | A |
| Bok Choy (Choy Sum, Pak Choi) | Bifenthrin | 4.47 | 5 | 55.50 | A |
| Bok Choy (Choy Sum, Pak Choi) | Boscalid | 11.38 | 4 | 32.50 | A |
| Bok Choy (Choy Sum, Pak Choi) | Carbaryl | 0.28 | 1 | 8,000.00 | S |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bok Choy (Choy Sum, Pak Choi) | Chlorothalonil | 30.97 | 3 | 33.00 | A |
| Bok Choy (Choy Sum, Pak Choi) | Chlorthal-dimethyl | 319.20 | 15 | 98.10 | A |
| Bok Choy (Choy Sum, Pak Choi) | Clothianidin | 5.80 | 51 | 61.95 | A |
| Bok Choy (Choy Sum, Pak Choi) | Cyantraniliprole | 1.22 | 3 | 31.50 | A |
| Bok Choy (Choy Sum, Pak Choi) | Cyclaniliprole | 6.43 | 38 | 140.84 | A |
| Bok Choy (Choy Sum, Pak Choi) | Cyfluthrin | 8.86 | 14 | 182.00 | A |
| Bok Choy (Choy Sum, Pak Choi) | Emamectin benzoate | 0.38 | 5 | 27.25 | A |
| Bok Choy (Choy Sum, Pak Choi) | Fenamidone | 29.31 | 15 | 122.54 | A |
| Bok Choy (Choy Sum, Pak Choi) | Flonicamid | 1.31 | 1 | 15.00 | A |
| Bok Choy (Choy Sum, Pak Choi) | Flupyradifurone | 45.44 | 40 | 258.73 | A |
| Bok Choy (Choy Sum, Pak Choi) | Gs-omega/kappa-hxtx-hv1a, versitude peptide | 1.36 | 22 | 31.63 | A |
| Bok Choy (Choy Sum, Pak Choi) | Imidacloprid | 5.18 | 40 | 105.22 | A |
| Bok Choy (Choy Sum, Pak Choi) | Lambda-cyhalothrin | 0.13 | 1 | 4.50 | A |
| Bok Choy (Choy Sum, Pak Choi) | Malathion | 168.32 | 31 | 134.60 | A |
| Bok Choy (Choy Sum, Pak Choi) | Margosa oil | 114.13 | 28 | 49.31 | A |
| Bok Choy (Choy Sum, Pak Choi) | Methoxyfenozide | 6.13 | 12 | 42.11 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bok Choy (Choy Sum, Pak Choi) | Mineral oil | 183.43 | 19 | 116.60 | A |
| Bok Choy (Choy Sum, Pak Choi) | Novaluron | 3.87 | 5 | 49.50 | A |
| Bok Choy (Choy Sum, Pak Choi) | Permethrin | 0.05 | 1 | 0.50 | A |
| Bok Choy (Choy Sum, Pak Choi) | Polyalkeneoxide modified heptamethyltrisiloxane | 3.70 | 9 | 51.75 | A |
| Bok Choy (Choy Sum, Pak Choi) | Potassium phosphite | 59.05 | 4 | 42.00 | A |
| Bok Choy (Choy Sum, Pak Choi) | Sethoxydim | 1.70 | 5 | 6.46 | A |
| Bok Choy (Choy Sum, Pak Choi) | Spinetoram | 17.42 | 49 | 333.28 | A |
| Bok Choy (Choy Sum, Pak Choi) | Spinosad | 0.13 | 23 | 19.11 | A |
| Bok Choy (Choy Sum, Pak Choi) | Spirotetramat | 15.17 | 46 | 203.28 | A |
| Bok Choy (Choy Sum, Pak Choi) | Strepomyces lydicus strain: wyec 108 | < 0.01 | 27 | 22.32 | A |
| Bok Choy (Choy Sum, Pak Choi) | Thiamethoxam | 4.47 | 10 | 53.10 | A |
| Bok Choy (Choy Sum, Pak Choi) | Zeta-cypermethrin | 31.42 | 263 | 1,305.60 | A |
| Broccoli | Acetamiprid | 1.57 | 2 | 25.00 | A |
| Broccoli | Aggregated adjuvant data | 158.10 | 112 | 1,273.00 | A |
| Broccoli | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 2.14 | 4 | 27.50 | A |
| Broccoli | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 62.80 | 59 | 573.00 | A |
| Broccoli | Azadirachtin | 0.59 | 7 | 46.01 | A |
| Broccoli | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 47.53 | 14 | 88.02 | A |
| Broccoli | Bacillus thuringiensis subsp. aizawai strain: gc-91 | 2.00 | 1 | 2.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Broccoli | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 14.90 | 4 | 18.40 | A |
| Broccoli | Bensulide | 45.53 | 4 | 45.90 | A |
| Broccoli | Bifenthrin | 14.81 | 13 | 149.00 | A |
| Broccoli | Boscalid | 33.45 | 5 | 85.00 | A |
| Broccoli | Capric acid | 0.85 | 1 | 0.10 | A |
| Broccoli | Caprylic acid | 1.03 | 1 | 0.10 | A |
| Broccoli | Carfentrazone-ethyl | 0.01 | 1 | 1.00 | A |
| Broccoli | Chlorantraniliprole | 0.58 | 1 | 10.00 | A |
| Broccoli | Chlorothalonil | 202.56 | 12 | 134.20 | A |
| Broccoli | Chlorthal-dimethyl | 109.70 | 8 | 72.60 | A |
| Broccoli | Chromobacterium subtsugae strain: praa4-1 | 21.85 | 8 | 39.41 | A |
| Broccoli | Citric acid | 13.81 | 20 | 196.20 | A |
| Broccoli | Coniothyrium minitans strain: con/m/91-08 | 11.98 | 6 | 113.00 | A |
| Broccoli | Copper hydroxide | 39.07 | 8 | 113.00 | A |
| Broccoli | Copper octanoate | 117.15 | 17 | 273.00 | A |
| Broccoli | Cyfluthrin | 2.91 | 3 | 57.00 | A |
| Broccoli | Diatomaceous earth | 840.82 | 11 | 52.81 | A |
| Broccoli | Emamectin benzoate | 4.69 | 31 | 326.10 | A |
| Broccoli | Fenamidone | 1.20 | 1 | 4.50 | A |
| Broccoli | Flonicamid | 7.35 | 6 | 84.00 | A |
| Broccoli | Fluopyram | 1.13 | 2 | 9.00 | A |
| Broccoli | Flupyradifurone | 0.70 | 1 | 4.50 | A |
| Broccoli | Fluxapyroxad | 4.52 | 5 | 52.00 | A |
| Broccoli | Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | 9.55 | 22 | 205.60 | A |
| Broccoli | Imidacloprid | 4.26 | 11 | 90.40 | A |
| Broccoli | Indoxacarb | 16.14 | 25 | 245.90 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Broccoli | Lambda-cyhalothrin | 14.15 | 42 | 474.70 | A |
| Broccoli | Lecithin | 127.42 | 56 | 562.90 | A |
| Broccoli | Margosa oil | 20.46 | 5 | 36.81 | A |
| Broccoli | Methomyl | 89.22 | 10 | 132.00 | A |
| Broccoli | Methoxyfenozide | 0.96 | 1 | 10.50 | A |
| Broccoli | Methylated soybean oil | 67.27 | 61 | 657.40 | A |
| Broccoli | Novaluron | 1.96 | 2 | 25.00 | A |
| Broccoli | Oxyfluorfen | 66.82 | 23 | 314.40 | A |
| Broccoli | Penthiopyrad | 26.51 | 5 | 85.00 | A |
| Broccoli | Permethrin | 49.26 | 24 | 251.20 | A |
| Broccoli | Polyalkeneoxide modified heptamethyltrisiloxane | 18.32 | 23 | 255.00 | A |
| Broccoli | Potassium laurate | 100.96 | 10 | 55.21 | A |
| Broccoli | Propionic acid | 19.90 | 21 | 214.20 | A |
| Broccoli | Propylene glycol | 18.94 | 41 | 442.70 | A |
| Broccoli | Pyraclostrobin | 33.08 | 14 | 181.50 | A |
| Broccoli | Pyrethrins | 3.23 | 11 | 68.01 | A |
| Broccoli | Spinetoram | 1.74 | 5 | 29.30 | A |
| Broccoli | Spirotetramat | 45.08 | 50 | 573.10 | A |
| Broccoli | Thiamethoxam | 44.44 | 28 | 289.70 | A |
| Broccoli | Trifloxystrobin | 1.13 | 2 | 9.00 | A |
| Broccoli | Trifluralin | 72.01 | 8 | 95.00 | A |
| Broccoli | Zeta-cypermethrin | 2.52 | 9 | 101.00 | A |
| Cabbage | Acetamiprid | 1.67 | 4 | 26.50 | A |
| Cabbage | Aggregated adjuvant data | 162.06 | 205 | 819.96 | A |
| Cabbage | Ammonium sulfate | 10.77 | 17 | 144.96 | A |
| Cabbage | Azadirachtin | 0.32 | 19 | 49.64 | A |
| Cabbage | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 26.81 | 19 | 49.64 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cabbage | Bacillus thuringiensis subsp. aizawai strain: gc-91 | 8.00 | 2 | 8.00 | A |
| Cabbage | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 7.02 | 5 | 13.00 | A |
| Cabbage | Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | 6.01 | 9 | 21.50 | A |
| Cabbage | Beta-cyfluthrin | 2.42 | 34 | 95.50 | A |
| Cabbage | Bifenthrin | 0.81 | 2 | 8.00 | A |
| Cabbage | Burkholderia rinojensis strain a396 | 166.62 | 15 | 38.42 | A |
| Cabbage | Carfentrazone-ethyl | 0.99 | 3 | 67.46 | A |
| Cabbage | Chlorothalonil | 51.85 | 10 | 34.30 | A |
| Cabbage | Chromobacterium subtsugae strain: praa4-1 | 10.33 | 6 | 19.22 | A |
| Cabbage | Citric acid | 7.87 | 17 | 144.96 | A |
| Cabbage | Cyclaniliprole | 4.02 | 38 | 91.00 | A |
| Cabbage | Diatomaceous earth | 136.00 | 2 | 8.00 | A |
| Cabbage | Emamectin benzoate | 2.35 | 44 | 159.80 | A |
| Cabbage | Fenamidone | 21.66 | 45 | 114.00 | A |
| Cabbage | Flonicamid | 5.40 | 26 | 67.20 | A |
| Cabbage | Flupyradifurone | 3.35 | 9 | 23.50 | A |
| Cabbage | Glufosinate-ammonium | 28.16 | 1 | 48.00 | A |
| Cabbage | Glyphosate, isopropylamine salt | 152.21 | 3 | 108.00 | A |
| Cabbage | Gs-omega/kappa-hxtx-hv1a, versitude peptide | 1.36 | 14 | 34.50 | A |
| Cabbage | Hydrogen peroxide | 58.46 | 30 | 76.50 | A |
| Cabbage | Imidacloprid | 2.54 | 19 | 51.00 | A |
| Cabbage | Indoxacarb | 4.57 | 17 | 69.50 | A |
| Cabbage | Lambda-cyhalothrin | 3.42 | 46 | 110.80 | A |
| Cabbage | Margosa oil | 30.52 | 19 | 49.64 | A |
| Cabbage | Methoxyfenozide | 8.61 | 19 | 54.00 | A |
| Cabbage | Methylated soybean oil | 194.00 | 174 | 510.00 | A |
| Cabbage | Novaluron | 5.54 | 22 | 74.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cabbage | Oxyfluorfen | 1.88 | 1 | 6.00 | A |
| Cabbage | Permethrin | 11.23 | 12 | 56.00 | A |
| Cabbage | Peroxyacetic acid | 10.83 | 30 | 76.50 | A |
| Cabbage | Polyalkeneoxide modified heptamethyltrisiloxane | 9.59 | 129 | 353.70 | A |
| Cabbage | Sethoxydim | 7.88 | 13 | 30.00 | A |
| Cabbage | Spirotetramat | 10.80 | 33 | 135.80 | A |
| Cabbage | Thiamethoxam | 12.52 | 21 | 87.50 | A |
| Cabbage | Zeta-cypermethrin | 3.64 | 57 | 147.20 | A |
| Cannabis (All Or Unspecified) | Azadirachtin | 3.07 | 144 | 357,468.00 | S |
| Cannabis (All Or Unspecified) | Bacillus thuringiensis subsp. israelensis strain: am 65-52 | 0.17 | 36 | 71,250.00 | S |
| Cannabis (All Or Unspecified) | Bacillus velezensis strain: qst 713 | 0.04 | 47 | 111,404.00 | S |
| Cannabis (All Or Unspecified) | Beauveria bassiana strain: ant-03 | 0.01 | 4 | 9,100.00 | S |
| Cannabis (All Or Unspecified) | Beauveria bassiana strain: gha | < 0.01 | 16 | 16,000.00 | S |
| Cannabis (All Or Unspecified) | Burkholderia rinojensis strain a396 | 9.68 | 113 | 113,000.00 | S |
| Cannabis (All Or Unspecified) | Chromobacterium subtsugae strain: praa4-1 | 0.53 | 39 | 39,500.00 | S |
| Cannabis (All Or Unspecified) | Hydrogen peroxide | 28.58 | 244 | 635,183.00 | S |
| Cannabis (All Or Unspecified) | Isaria fumosorosea strain: fe 9901 | 0.11 | 44 | 103,319.00 | S |
| Cannabis (All Or Unspecified) | Peroxyacetic acid | 2.07 | 135 | 333,539.00 | S |
| Cannabis (All Or Unspecified) | Potassium phosphite | 0.95 | 109 | 301,644.00 | S |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cannabis (All Or Unspecified) | Pyrethrins | 0.47 | 142 | 237,448.00 | S |
| Cannabis (All Or Unspecified) | Reynoutria sachalinensis (giant knotweed) plant extract | 0.80 | 193 | 193,000.00 | S |
| Cauliflower | Aggregated adjuvant data | 149.99 | 195 | 672.87 | A |
| Cauliflower | Bacillus thuringiensis subsp. aizawai strain: gc-91 | 10.00 | 2 | 10.00 | A |
| Cauliflower | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 8.10 | 6 | 15.00 | A |
| Cauliflower | Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | 6.69 | 9 | 23.00 | A |
| Cauliflower | Bensulide | 7.14 | 1 | 1.80 | A |
| Cauliflower | Beta-cyfluthrin | 2.67 | 40 | 104.00 | A |
| Cauliflower | Chlorothalonil | 9.43 | 1 | 10.00 | A |
| Cauliflower | Chlorthal-dimethyl | 5.43 | 1 | 1.80 | A |
| Cauliflower | Chromobacterium subtsugae strain: praa4-1 | 4.50 | 2 | 10.00 | A |
| Cauliflower | Cyclaniliprole | 3.82 | 34 | 86.00 | A |
| Cauliflower | Cyfluthrin | 0.49 | 1 | 10.00 | A |
| Cauliflower | Diatomaceous earth | 170.00 | 2 | 10.00 | A |
| Cauliflower | Dimethoate | 19.96 | 7 | 56.59 | A |
| Cauliflower | Dinotefuran | 1.75 | 1 | 10.00 | A |
| Cauliflower | Emamectin benzoate | 1.18 | 24 | 92.05 | A |
| Cauliflower | Esfenvalerate | 2.66 | 8 | 66.59 | A |
| Cauliflower | Fenamidone | 22.33 | 44 | 117.00 | A |
| Cauliflower | Flonicamid | 4.24 | 22 | 55.50 | A |
| Cauliflower | Flupyradifurone | 4.09 | 12 | 28.50 | A |
| Cauliflower | Glyphosate, isopropylamine salt | 4.52 | 1 | 1.50 | A |
| Cauliflower | Gs-omega/kappa-hxtx-hv1a, versitude peptide | 1.53 | 15 | 38.00 | A |
| Cauliflower | Hydrogen peroxide | 52.27 | 27 | 71.00 | A |
| Cauliflower | Imidacloprid | 6.75 | 31 | 142.65 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cauliflower | Indoxacarb | 0.66 | 1 | 10.00 | A |
| Cauliflower | Lambda-cyhalothrin | 4.19 | 44 | 135.35 | A |
| Cauliflower | Methoxyfenozide | 8.76 | 21 | 55.00 | A |
| Cauliflower | Methylated soybean oil | 166.67 | 131 | 330.30 | A |
| Cauliflower | Novaluron | 3.13 | 17 | 43.50 | A |
| Cauliflower | Oxyfluorfen | 7.79 | 7 | 44.79 | A |
| Cauliflower | Peroxyacetic acid | 9.68 | 27 | 71.00 | A |
| Cauliflower | Phosphoric acid | 6.67 | 34 | 155.04 | A |
| Cauliflower | Sethoxydim | 10.95 | 18 | 41.60 | A |
| Cauliflower | Spirotetramat | 4.78 | 12 | 60.55 | A |
| Cauliflower | Thiamethoxam | 4.79 | 3 | 40.00 | A |
| Cauliflower | Zeta-cypermethrin | 3.43 | 55 | 137.10 | A |
| Celery | Abamectin | 2.62 | 17 | 144.45 | A |
| Celery | Acephate | 46.08 | 6 | 51.20 | A |
| Celery | Acetamiprid | 2.86 | 8 | 38.60 | A |
| Celery | Afidopyropen | 0.38 | 7 | 38.70 | A |
| Celery | Aggregated adjuvant data | 169.64 | 65 | 408.52 | A |
| Celery | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 4.58 | 7 | 50.50 | A |
| Celery | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 22.62 | 35 | 219.86 | A |
| Celery | Azadirachtin | 1.69 | 15 | 69.98 | A |
| Celery | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 14.25 | 5 | 26.38 | A |
| Celery | Bacillus thuringiensis subsp. aizawai strain: gc-91 | 8.00 | 2 | 8.00 | A |
| Celery | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 49.10 | 17 | 74.18 | A |
| Celery | Bifenthrin | 3.75 | 5 | 37.70 | A |
| Celery | Boscalid | 0.07 | 1 | 0.20 | A |
| Celery | Burkholderia rinojensis strain a396 | 7.79 | 1 | 3.60 | A |
| Celery | Chlorothalonil | 280.60 | 29 | 169.81 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Celery | Chromobacterium subtsugae strain: praa4-1 | 10.98 | 5 | 19.30 | A |
| Celery | Copper hydroxide | 2.15 | 1 | 6.68 | A |
| Celery | Copper octanoate | 74.63 | 35 | 155.16 | A |
| Celery | Copper oxychloride | 2.39 | 1 | 6.68 | A |
| Celery | Cyantraniliprole | 3.28 | 5 | 37.20 | A |
| Celery | Cyromazine | 2.27 | 2 | 18.20 | A |
| Celery | Diatomaceous earth | 878.90 | 14 | 51.70 | A |
| Celery | Flonicamid | 0.02 | 1 | 0.20 | A |
| Celery | Flumioxazin | 2.94 | 3 | 31.20 | A |
| Celery | Flupyradifurone | 7.86 | 6 | 45.00 | A |
| Celery | Lecithin | 45.18 | 14 | 111.40 | A |
| Celery | Methomyl | 101.71 | 18 | 113.16 | A |
| Celery | Methoxyfenozide | 21.66 | 18 | 126.76 | A |
| Celery | Oxamyl | 39.90 | 7 | 53.40 | A |
| Celery | Permethrin | 22.38 | 20 | 114.90 | A |
| Celery | Potassium laurate | 92.13 | 11 | 52.18 | A |
| Celery | Prometryn | 74.43 | 6 | 45.00 | A |
| Celery | Propiconazole | 12.17 | 15 | 107.80 | A |
| Celery | Pyraclostrobin | 0.07 | 2 | 0.40 | A |
| Celery | Pyrethrins | 1.80 | 11 | 44.58 | A |
| Celery | Spinetoram | 1.57 | 10 | 31.70 | A |
| Celery | Spinosad | 6.54 | 16 | 69.78 | A |
| Celery | Spirotetramat | 0.44 | 3 | 5.56 | A |
| Celery | Thiamethoxam | 7.47 | 14 | 95.66 | A |
| Celery | Trifloxystrobin | 0.65 | 1 | 7.00 | A |
| Chayote | Zeta-cypermethrin | 0.31 | 5 | 14.50 | A |
| Cherry | Abamectin | 0.02 | 1 | 4.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cherry | Acetamiprid | 1.64 | 2 | 13.00 | A |
| Cherry | Aggregated adjuvant data | 3,511.47 | 94 | 3,777.63 | A |
| Cherry | Alkyl (c8,c10) polyglucoside | 11.66 | 4 | 100.87 | A |
| Cherry | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 756.91 | 224 | 4,548.65 | A |
| Cherry | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 46.23 | 37 | 1,036.70 | A |
| Cherry | Ammonium sulfate | 58.33 | 5 | 112.87 | A |
| Cherry | Azoxystrobin | 50.48 | 8 | 326.00 | A |
| Cherry | Beta-cyfluthrin | 1.16 | 4 | 50.00 | A |
| Cherry | Bifenazate | 8.51 | 1 | 17.00 | A |
| Cherry | Boscalid | 178.93 | 25 | 799.30 | A |
| Cherry | Carfentrazone-ethyl | 13.26 | 14 | 510.86 | A |
| Cherry | Citric acid | 11.93 | 12 | 95.25 | A |
| Cherry | Clethodim | 7.57 | 3 | 78.82 | A |
| Cherry | Copper hydroxide | 26.62 | 2 | 29.00 | A |
| Cherry | Copper oxychloride | 19.04 | 1 | 25.00 | A |
| Cherry | Cuprous oxide | 4.20 | 1 | 0.50 | A |
| Cherry | Cyantraniliprole | 0.53 | 1 | 6.50 | A |
| Cherry | Cyflufenamid | 0.43 | 1 | 8.00 | A |
| Cherry | Cyflumetofen | 23.84 | 1 | 130.30 | A |
| Cherry | Cyprodinil | 1.88 | 1 | 8.00 | A |
| Cherry | Diethylene glycol | 238.51 | 31 | 1,401.00 | A |
| Cherry | Difenoconazole | 45.69 | 9 | 432.00 | A |
| Cherry | Dimethylpolysiloxane | 6.01 | 83 | 3,315.80 | A |
| Cherry | Esfenvalerate | 2.99 | 3 | 47.00 | A |
| Cherry | Ethylene glycol | 94.45 | 21 | 358.00 | A |
| Cherry | Fenhexamid | 96.25 | 6 | 131.00 | A |
| Cherry | Fenpropathrin | 405.34 | 60 | 1,149.85 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cherry | Fluazifop-p-butyl | 3.78 | 1 | 20.00 | A |
| Cherry | Flumioxazin | 30.44 | 6 | 245.00 | A |
| Cherry | Fluopyram | 146.88 | 63 | 1,356.10 | A |
| Cherry | Fluxapyroxad | 20.61 | 12 | 233.25 | A |
| Cherry | Gibberellins | 125.56 | 69 | 1,909.85 | A |
| Cherry | Glufosinate-ammonium | 213.18 | 11 | 270.45 | A |
| Cherry | Glyphosate, isopropylamine salt | 1,773.82 | 28 | 1,117.85 | A |
| Cherry | Glyphosate, potassium salt | 87.22 | 11 | 78.25 | A |
| Cherry | Hydrogen cyanamide | 529.79 | 1 | 40.00 | A |
| Cherry | Imidacloprid | 58.39 | 13 | 622.50 | A |
| Cherry | Indaziflam | 0.47 | 1 | 8.82 | A |
| Cherry | Iprodione | 371.67 | 11 | 372.30 | A |
| Cherry | Isopropyl alcohol | 103.44 | 41 | 892.05 | A |
| Cherry | Kasugamycin hydrochloride | 5.96 | 3 | 60.00 | A |
| Cherry | Lambda-cyhalothrin | 61.47 | 56 | 1,517.55 | A |
| Cherry | Lecithin | 181.03 | 19 | 634.30 | A |
| Cherry | Lime-sulfur | 0.38 | 1 | 400.00 | S |
| Cherry | Malathion | 1,348.34 | 23 | 972.90 | A |
| Cherry | Margosa oil | 15.69 | 1 | 12.00 | A |
| Cherry | Mefentrifluconazole | 7.01 | 5 | 50.50 | A |
| Cherry | Methoxyfenozide | 13.90 | 2 | 103.00 | A |
| Cherry | Methyl bromide | 200.00 | 0 | 47,530.00 | C |
| Cherry | Methylated soybean oil | 796.45 | 122 | 1,340.25 | A |
| Cherry | Mineral oil | 376.07 | 12 | 134.92 | A |
| Cherry | Mineral oil | 0.36 | 1 | 800.00 | S |
| Cherry | Myclobutanil | 66.14 | 30 | 494.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cherry | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 133.56 | 37 | 1,036.70 | A |
| Cherry | Oxyfluorfen | 373.65 | 26 | 742.83 | A |
| Cherry | Pendimethalin | 88.81 | 8 | 76.07 | A |
| Cherry | Penthiopyrad | 17.83 | 11 | 65.25 | A |
| Cherry | Permethrin | 31.22 | 10 | 158.00 | A |
| Cherry | Polyacrylamide | 11.31 | 40 | 1,636.17 | A |
| Cherry | Polyalkeneoxide modified heptamethyltrisiloxane | 209.77 | 136 | 2,386.20 | A |
| Cherry | Potassium phosphite | 163.45 | 3 | 62.00 | A |
| Cherry | Prohexadione-calcium | 0.64 | 3 | 2.25 | A |
| Cherry | Propiconazole | 13.79 | 7 | 105.00 | A |
| Cherry | Propionic acid | 98.07 | 12 | 266.00 | A |
| Cherry | Propylene glycol | 701.13 | 71 | 2,831.00 | A |
| Cherry | Pyraclostrobin | 111.50 | 37 | 1,032.55 | A |
| Cherry | Pyraflufen-ethyl | 2.01 | 18 | 623.12 | A |
| Cherry | Pyrethrins | 0.36 | 3 | 21.00 | A |
| Cherry | Pyriproxyfen | 0.25 | 1 | 2.50 | A |
| Cherry | Quinoxyfen | 2.22 | 2 | 18.00 | A |
| Cherry | Rimsulfuron | 6.97 | 11 | 386.44 | A |
| Cherry | Spinetoram | 3.35 | 5 | 30.00 | A |
| Cherry | Spinosad | 43.92 | 21 | 429.00 | A |
| Cherry | Spirotetramat | 12.05 | 1 | 85.00 | A |
| Cherry | Sulfur | 439.20 | 2 | 103.00 | A |
| Cherry | Tebuconazole | 5.31 | 3 | 58.00 | A |
| Cherry | Thiamethoxam | 2.52 | 4 | 32.25 | A |
| Cherry | Thiophanate-methyl | 104.30 | 6 | 112.00 | A |
| Cherry | Trifloxystrobin | 146.32 | 62 | 1,273.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cherry | Urea dihydrogen sulfate | 281.45 | 30 | 994.45 | A |
| Cherry | Xylene | 0.22 | 3 | 11.00 | A |
| Chinese Amaranth (Chinese Spinach, Tampala, Yin Choy) | Abamectin | 0.03 | 1 | 0.25 | A |
| Chinese Amaranth (Chinese Spinach, Tampala, Yin Choy) | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 0.51 | 1 | 1.00 | A |
| Chinese Amaranth (Chinese Spinach, Tampala, Yin Choy) | Imidacloprid | 0.02 | 1 | 6,000.00 | S |
| Chinese Amaranth (Chinese Spinach, Tampala, Yin Choy) | Permethrin | 0.10 | 1 | 1.00 | A |
| Chinese Amaranth (Chinese Spinach, Tampala, Yin Choy) | Zeta-cypermethrin | 0.12 | 1 | 0.25 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Acetamiprid | 0.04 | 3 | 0.60 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Afidopyropen | 2.94 | 46 | 297.41 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Aggregated adjuvant data | 761.80 | 431 | 2,381.18 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 109.52 | 15 | 101.41 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 127.70 | 18 | 118.24 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | 79.95 | 63 | 434.64 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Beta-cyfluthrin | 3.43 | 40 | 130.25 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Boscalid | 0.15 | 2 | 0.40 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Chlorantraniliprole | 1.46 | 5 | 13.50 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Chlorothalonil | 1.50 | 5 | 1.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Chlorthal-dimethyl | 82.29 | 4 | 19.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Clothianidin | 48.18 | 78 | 506.44 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Cyantraniliprole | 0.29 | 1 | 4.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Cyclaniliprole | 16.56 | 52 | 336.01 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Dinotefuran | 0.44 | 1 | 5.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Emamectin benzoate | 0.28 | 6 | 18.86 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Fenamidone | 56.14 | 35 | 219.72 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Flonicamid | 2.73 | 10 | 32.95 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Flupyradifurone | 18.57 | 17 | 103.07 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Gs-omega/kappa-hxtx-hv1a, versitude peptide | 17.47 | 59 | 408.83 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Hydrogen peroxide | 152.02 | 67 | 201.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Imidacloprid | 14.81 | 51 | 318.60 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Lambda-cyhalothrin | 30.11 | 177 | 990.15 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Margosa oil | 590.09 | 59 | 413.50 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Metaldehyde | 13.90 | 9 | 28.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Methomyl | 0.58 | 4 | 0.80 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Methoxyfenozide | 41.79 | 46 | 248.59 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Mineral oil | 65.07 | 11 | 44.60 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Novaluron | 0.94 | 5 | 12.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Permethrin | 79.65 | 81 | 423.11 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Peroxyacetic acid | 28.15 | 67 | 201.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Phosphoric acid | 1.79 | 14 | 24.20 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Pyraclostrobin | 0.07 | 2 | 0.40 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Sethoxydim | 14.72 | 11 | 56.00 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Spinetoram | 7.25 | 22 | 106.09 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Spinosad | 1.55 | 31 | 221.39 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Spirotetramat | 20.22 | 40 | 256.39 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Strepomyces lydicus strain: wyec 108 | 0.08 | 48 | 290.57 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Thiamethoxam | 0.04 | 3 | 0.60 | A |
| Chinese Cabbage (Napa, Wong Bok, Celery Cabbage) | Zeta-cypermethrin | 27.42 | 161 | 1,097.02 | A |
| Chinese Greens | Clothianidin | 2.91 | 2 | 35.00 | A |
| Chinese Greens | Cyfluthrin | 9.51 | 17 | 195.50 | A |
| Chinese Greens | Fenamidone | 13.41 | 4 | 70.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chinese Greens | Flupyradifurone | 0.94 | 1 | 6.00 | A |
| Chinese Greens | Glyphosate, potassium salt | 2.76 | 1 | 10.00 | A |
| Chinese Greens | Malathion | 0.96 | 2 | 18,000.00 | S |
| Chinese Greens | Zeta-cypermethrin | 2.45 | 9 | 114.00 | A |
| Chive | Imidacloprid | 0.76 | 1 | 0.25 | A |
| Chive | Permethrin | 0.05 | 1 | 0.25 | A |
| Chrysanthemum, Garland | Carbaryl | 0.13 | 1 | 7,000.00 | S |
| Cilantro | Aggregated adjuvant data | 0.25 | 5 | 22.50 | A |
| Cilantro | Prometryn | 33.76 | 5 | 22.50 | A |
| Cilantro | Zeta-cypermethrin | 0.11 | 1 | 4.50 | A |
| Citrus | Beta-cyfluthrin | 0.02 | 4 | 4.00 | A |
| Citrus | Potassium laurate | 0.09 | 0 | 1.00 | A |
| Citrus | Thiabendazole | 0.10 | 2 | 2.00 | A |
| Commodity Fumigation | Calcium hypochlorite | 1,278.40 | 0 | 0.00 | N/A |
| Commodity Fumigation | Hydrogen peroxide | 2,640.32 | 0 | 0.00 | N/A |
| Commodity Fumigation | Peroxyacetic acid | 556.87 | 0 | 0.00 | N/A |
| Corn, Human Consumption | Abamectin | 6.37 | 51 | 370.00 | A |
| Corn, Human Consumption | Acetamiprid | 1.18 | 2 | 18.00 | A |
| Corn, Human Consumption | Aggregated adjuvant data | 1,055.16 | 400 | 5,423.96 | A |
| Corn, Human Consumption | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 273.95 | 432 | 4,121.80 | A |
| Corn, Human Consumption | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 8.90 | 3 | 138.00 | A |
| Corn, Human Consumption | Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 155.73 | 10 | 122.13 | A |
| Corn, Human Consumption | Beta-cyfluthrin | 13.25 | 57 | 573.30 | A |
| Corn, Human Consumption | Bifenthrin | 177.59 | 119 | 1,799.50 | A |
| Corn, Human Consumption | Carfentrazone-ethyl | 16.87 | 41 | 1,020.00 | A |
| Corn, Human Consumption | Chlorantraniliprole | 61.28 | 38 | 679.00 | A |
| Corn, Human Consumption | Chromobacterium subtsugae strain: praa4-1 | 47.04 | 8 | 89.31 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Corn, Human Consumption | Citric acid | 22.00 | 14 | 342.00 | A |
| Corn, Human Consumption | Cyfluthrin | 37.48 | 103 | 821.50 | A |
| Corn, Human Consumption | Dimethylpolysiloxane | 12.77 | 84 | 1,582.46 | A |
| Corn, Human Consumption | Eptc | 5.23 | 1 | 3.50 | A |
| Corn, Human Consumption | Esfenvalerate | 194.48 | 337 | 3,947.00 | A |
| Corn, Human Consumption | Flupyradifurone | 21.99 | 14 | 127.00 | A |
| Corn, Human Consumption | Glyphosate, isopropylamine salt | 667.10 | 15 | 428.00 | A |
| Corn, Human Consumption | Hexythiazox | 90.69 | 51 | 722.00 | A |
| Corn, Human Consumption | Indoxacarb | 0.13 | 1 | 2.00 | A |
| Corn, Human Consumption | Lambda-cyhalothrin | 37.42 | 117 | 1,259.00 | A |
| Corn, Human Consumption | Malathion | 555.61 | 24 | 543.00 | A |
| Corn, Human Consumption | Margosa oil | 281.13 | 15 | 215.00 | A |
| Corn, Human Consumption | Mcpa, dimethylamine salt | 12.84 | 1 | 21.00 | A |
| Corn, Human Consumption | Methomyl | 47.02 | 14 | 104.50 | A |
| Corn, Human Consumption | Methoxyfenozide | 15.88 | 7 | 69.30 | A |
| Corn, Human Consumption | Methyl anthranilate | 371.62 | 38 | 840.00 | A |
| Corn, Human Consumption | Methylated soybean oil | 1,315.52 | 243 | 3,022.30 | A |
| Corn, Human Consumption | Mineral oil | 899.63 | 37 | 377.00 | A |
| Corn, Human Consumption | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 26.63 | 3 | 138.00 | A |
| Corn, Human Consumption | Polyalkeneoxide modified heptamethyltrisiloxane | 181.46 | 292 | 3,923.76 | A |
| Corn, Human Consumption | Polyhedral occlusion bodies (obs') of helicoverpa zea (corn earworm) nucleopolyhedrovirus strain: aba-npv-u | 1.15 | 21 | 241.01 | A |
| Corn, Human Consumption | Propylene glycol | 72.92 | 75 | 1,598.46 | A |
| Corn, Human Consumption | S-metolachlor | 423.39 | 27 | 306.50 | A |
| Corn, Human Consumption | Spinosad | 11.94 | 13 | 128.33 | A |
| Corn, Human Consumption | Spiromesifen | 14.63 | 4 | 69.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Corn, Human Consumption | Tebuconazole | 0.50 | 1 | 3.00 | A |
| Corn, Human Consumption | Trifluralin | 1.33 | 1 | 3.50 | A |
| Corn, Human Consumption | Urea dihydrogen sulfate | 56.15 | 3 | 138.00 | A |
| Corn, Human Consumption | Zeta-cypermethrin | 17.09 | 56 | 709.50 | A |
| Cucumber | Abamectin | 0.62 | 2 | 33.00 | A |
| Cucumber | Aggregated adjuvant data | 14.19 | 4 | 49.00 | A |
| Cucumber | Bifenthrin | 3.27 | 2 | 33.00 | A |
| Cucumber | Cyfluthrin | < 0.01 | 1 | 0.25 | A |
| Cucumber | Ethephon | 3.31 | 4 | 20.00 | A |
| Cucumber | Flonicamid | 2.89 | 2 | 33.00 | A |
| Cucumber | Fluopyram | 4.03 | 2 | 33.00 | A |
| Cucumber | Paraquat dichloride | 11.21 | 1 | 8.00 | A |
| Cucumber | Trifloxystrobin | 4.03 | 2 | 33.00 | A |
| Cucumber | Zeta-cypermethrin | < 0.01 | 1 | 0.25 | A |
| Ditch Bank | Hydrogen peroxide | 112.81 | 0 | 1.00 | U |
| Ditch Bank | Peroxyacetic acid | 76.92 | 0 | 1.00 | U |
| Forage Hay/Silage | 2,4-d, dimethylamine salt | 535.55 | 6 | 451.00 | A |
| Forage Hay/Silage | Aggregated adjuvant data | 169.04 | 26 | 1,051.00 | A |
| Forage Hay/Silage | Bromoxynil heptanoate | 156.50 | 16 | 630.00 | A |
| Forage Hay/Silage | Bromoxynil octanoate | 162.30 | 16 | 630.00 | A |
| Forage Hay/Silage | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 20.57 | 9 | 109.00 | A |
| Forage Hay/Silage | Lecithin | 32.55 | 8 | 91.00 | A |
| Forage Hay/Silage | Mcpa, dimethylamine salt | 93.97 | 10 | 179.00 | A |
| Forage Hay/Silage | Methylated soybean oil | 16.28 | 8 | 91.00 | A |
| Gai Choy | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 0.51 | 1 | 1.00 | A |
| Gai Choy | Boscalid | 1.05 | 1 | 3.00 | A |
| Gai Choy | Clothianidin | 1.66 | 1 | 20.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Gai Choy | Cyfluthrin | 6.24 | 10 | 125.50 | A |
| Gai Choy | Emamectin benzoate | < 0.01 | 2 | 0.50 | A |
| Gai Choy | Fenamidone | 17.28 | 6 | 67.00 | A |
| Gai Choy | Flupyradifurone | 1.64 | 1 | 10.50 | A |
| Gai Choy | Malathion | 10.82 | 2 | 15.50 | A |
| Gai Choy | Malathion | 0.58 | 1 | 8,000.00 | S |
| Gai Choy | Permethrin | 0.10 | 3 | 0.51 | A |
| Gai Choy | Zeta-cypermethrin | 3.56 | 14 | 164.50 | A |
| Gai Lon | Cyfluthrin | 1.36 | 3 | 28.00 | A |
| Gai Lon | Emamectin benzoate | 0.10 | 1 | 7.50 | A |
| Gai Lon | Fenamidone | 11.61 | 4 | 45.00 | A |
| Gai Lon | Spinetoram | 0.16 | 1 | 4.00 | A |
| Gai Lon | Zeta-cypermethrin | 0.44 | 1 | 20.00 | A |
| Garbanzo Bean | Aggregated adjuvant data | 72.11 | 12 | 81.00 | A |
| Garbanzo Bean | Bacillus velezensis strain: qst 713 | 0.33 | 1 | 4.00 | A |
| Garbanzo Bean | Chlorothalonil | 98.37 | 10 | 65.50 | A |
| Garbanzo Bean | Cyfluthrin | 3.01 | 10 | 65.50 | A |
| Garbanzo Bean | Flumioxazin | 3.58 | 9 | 57.00 | A |
| Garbanzo Bean | Glyphosate, isopropylamine salt | 10.99 | 1 | 5.50 | A |
| Garbanzo Bean | Methoxyfenozide | 17.04 | 11 | 65.50 | A |
| Garbanzo Bean | Oxyfluorfen | 4.78 | 10 | 62.50 | A |
| Garbanzo Bean | S-metolachlor | 6.54 | 1 | 5.50 | A |
| Garlic | Aggregated adjuvant data | 137.02 | 15 | 205.50 | A |
| Garlic | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 12.90 | 12 | 187.50 | A |
| Garlic | Azoxystrobin | 19.63 | 8 | 100.50 | A |
| Garlic | Benzovindiflupyr | 5.05 | 5 | 91.00 | A |
| Garlic | Difenoconazole | 8.04 | 6 | 95.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Garlic | Flumioxazin | 17.09 | 6 | 124.40 | A |
| Garlic | Oxyfluorfen | 29.46 | 5 | 117.40 | A |
| Garlic | Phosphoric acid | 6.82 | 9 | 181.00 | A |
| Garlic | Propiconazole | 15.53 | 6 | 92.50 | A |
| Garlic | Tebuconazole | 45.56 | 12 | 219.50 | A |
| Golf Course Turf | 2,4-d, 2-ethylhexyl ester | 72.52 | 0 | 180.85 | A |
| Golf Course Turf | 2,4-d, 2-ethylhexyl ester | 0.21 | 0 | 15,000.00 | S |
| Golf Course Turf | 2,4-dp-p, 2-ethylhexyl ester | 41.73 | 0 | 180.85 | A |
| Golf Course Turf | 2,4-dp-p, 2-ethylhexyl ester | 0.12 | 0 | 15,000.00 | S |
| Golf Course Turf | Acibenzolar-s-methyl | 0.32 | 0 | 18.00 | A |
| Golf Course Turf | Aggregated adjuvant data | 2.42 | 0 | 2.00 | A |
| Golf Course Turf | Azoxystrobin | 15.87 | 0 | 35.60 | A |
| Golf Course Turf | Bensulide | 32.55 | 0 | 4.00 | A |
| Golf Course Turf | Benzovindiflupyr | 2.93 | 0 | 47.60 | A |
| Golf Course Turf | Carfentrazone-ethyl | 6.39 | 0 | 248.10 | A |
| Golf Course Turf | Carfentrazone-ethyl | 0.02 | 0 | 16,625.00 | S |
| Golf Course Turf | Chlorantraniliprole | 19.21 | 0 | 112.60 | A |
| Golf Course Turf | Chlorothalonil | 729.51 | 0 | 96.60 | A |
| Golf Course Turf | Chlorothalonil | 0.02 | 0 | 2,500.00 | S |
| Golf Course Turf | Clopyralid, monoethanolamine salt | 24.79 | 0 | 104.40 | A |
| Golf Course Turf | Clopyralid,triethylamine salt | 1.65 | 0 | 8.00 | A |
| Golf Course Turf | Clothianidin | 11.25 | 0 | 49.50 | A |
| Golf Course Turf | Clothianidin | 0.34 | 0 | 32,000.00 | S |
| Golf Course Turf | Copper ethanolamine complexes, mixed | 14.23 | 0 | 43,560.00 | A |
| Golf Course Turf | Copper ethanolamine complexes, mixed | 82.86 | 0 | 762,300.00 | C |
| Golf Course Turf | Copper ethanolamine complexes, mixed | 71.81 | 0 | 87,685.56 | K |
| Golf Course Turf | Copper sulfate (pentahydrate) | 16.46 | 0 | 522,720.00 | C |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Golf Course Turf | Dicamba | 4.74 | 0 | 180.85 | A |
| Golf Course Turf | Dicamba | 0.01 | 0 | 15,000.00 | S |
| Golf Course Turf | Difenoconazole | 10.69 | 0 | 53.60 | A |
| Golf Course Turf | Dimethenamid-p | 29.99 | 0 | 14.00 | A |
| Golf Course Turf | Diquat dibromide | 2.21 | 0 | 2.00 | A |
| Golf Course Turf | Diquat dibromide | 3.24 | 0 | 55,000.00 | S |
| Golf Course Turf | Dithiopyr | 3.88 | 0 | 10.00 | A |
| Golf Course Turf | Epn | 0.19 | 0 | 8,000.00 | S |
| Golf Course Turf | Ethephon | 188.19 | 0 | 63.70 | A |
| Golf Course Turf | Ethofumesate | 9.40 | 0 | 5.00 | A |
| Golf Course Turf | Ethofumesate | 7.52 | 0 | 174,000.00 | S |
| Golf Course Turf | Fluazifop-p-butyl | 1.38 | 0 | 15.40 | A |
| Golf Course Turf | Fludioxonil | 6.64 | 0 | 24.00 | A |
| Golf Course Turf | Flumioxazin | 0.77 | 0 | 2.00 | A |
| Golf Course Turf | Flumioxazin | 0.96 | 0 | 55,000.00 | S |
| Golf Course Turf | Fluridone | 0.37 | 0 | 130,680.00 | C |
| Golf Course Turf | Flurprimidol | 11.28 | 0 | 101.40 | A |
| Golf Course Turf | Fluxapyroxad | 2.76 | 0 | 14.00 | A |
| Golf Course Turf | Foramsulfuron | 0.54 | 0 | 17.90 | A |
| Golf Course Turf | Foramsulfuron | < 0.01 | 0 | 2,000.00 | K |
| Golf Course Turf | Foramsulfuron | < 0.01 | 0 | 12,000.00 | S |
| Golf Course Turf | Glufosinate-ammonium | 2.75 | 0 | 2.00 | A |
| Golf Course Turf | Glufosinate-ammonium | 2.02 | 0 | 55,000.00 | S |
| Golf Course Turf | Glyphosate, isopropylamine salt | 38.93 | 0 | 7.00 | A |
| Golf Course Turf | Glyphosate, isopropylamine salt | 20.90 | 0 | 52,000.00 | S |
| Golf Course Turf | Glyphosate, potassium salt | 28.58 | 0 | 3.70 | A |
| Golf Course Turf | Imazamox, ammonium salt | 1.06 | 0 | 2.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Golf Course Turf | Imidacloprid | 25.53 | 0 | 68.00 | A |
| Golf Course Turf | Indaziflam | 1.21 | 0 | 84.00 | A |
| Golf Course Turf | Isoxaben | 20.13 | 0 | 32.00 | A |
| Golf Course Turf | Mesotrione | 1.37 | 0 | 14.00 | A |
| Golf Course Turf | Metconazole | 3.88 | 0 | 9.00 | A |
| Golf Course Turf | Methiozolin | 0.31 | 0 | 2.00 | A |
| Golf Course Turf | Methyl parathion | 0.19 | 0 | 8,000.00 | S |
| Golf Course Turf | Mineral oil | 23.97 | 0 | 3.00 | A |
| Golf Course Turf | Paclobutrazol | 48.99 | 0 | 362.40 | A |
| Golf Course Turf | Penoxsulam | 2.64 | 0 | 38.00 | A |
| Golf Course Turf | Penthiopyrad | 9.62 | 0 | 14.50 | A |
| Golf Course Turf | Permethrin | 0.10 | 0 | 5,000.00 | S |
| Golf Course Turf | Petroleum distillates, aromatic | 0.16 | 0 | 8,000.00 | S |
| Golf Course Turf | Potassium phosphite | 161.59 | 0 | 36.00 | A |
| Golf Course Turf | Prodiamine | 227.24 | 0 | 393.00 | A |
| Golf Course Turf | Prohexadione-calcium | 1.67 | 0 | 35.00 | A |
| Golf Course Turf | Propiconazole | 31.86 | 0 | 37.00 | A |
| Golf Course Turf | Pydiflumetofen | 0.24 | 0 | 4.00 | A |
| Golf Course Turf | Pyraclostrobin | 3.37 | 0 | 9.00 | A |
| Golf Course Turf | Pyraclostrobin | 0.68 | 0 | 70,000.00 | S |
| Golf Course Turf | Quinclorac, dimethylamine salt | 63.01 | 0 | 78.50 | A |
| Golf Course Turf | Tebuconazole | 51.46 | 0 | 43.80 | A |
| Golf Course Turf | Tetraniliprole | 0.36 | 0 | 172,000.00 | S |
| Golf Course Turf | Thiophanate-methyl | 30.91 | 0 | 26.00 | A |
| Golf Course Turf | Topramezone | < 0.01 | 0 | 500.00 | S |
| Golf Course Turf | Triclopyr, butoxyethyl ester | 40.39 | 0 | 35.00 | A |
| Golf Course Turf | Triclopyr, triethylamine salt | 4.50 | 0 | 8.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Golf Course Turf | Trinexapac-ethyl | 48.32 | 0 | 858.80 | A |
| Golf Course Turf | Triticonazole | 0.65 | 0 | 1.00 | A |
| Golf Course Turf | Triticonazole | 0.77 | 0 | 70,000.00 | S |
| Grape | Bacillus velezensis strain: qst 713 | 0.02 | 0 | 1.00 | A |
| Grape | Mineral oil | 18.84 | 0 | 8.25 | A |
| Grape, Wine | Acrylic acid-butyl acrylate-styrene copolymer | 1.48 | 16 | 32.00 | A |
| Grape, Wine | Aggregated adjuvant data | 300.30 | 136 | 1,884.26 | A |
| Grape, Wine | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 94.19 | 65 | 753.99 | A |
| Grape, Wine | Azoxystrobin | 0.95 | 8 | 6.28 | A |
| Grape, Wine | Bacillus altitudinis strain: qst 2808 | 38.75 | 20 | 333.05 | A |
| Grape, Wine | Bacillus velezensis strain: d747 | 195.81 | 8 | 66.57 | A |
| Grape, Wine | Bacillus velezensis strain: qst 713 | 6.50 | 22 | 95.92 | A |
| Grape, Wine | Benzovindiflupyr | 0.14 | 1 | 2.50 | A |
| Grape, Wine | Beta-conglutin | 31.81 | 9 | 47.79 | A |
| Grape, Wine | Boscalid | 30.72 | 19 | 108.36 | A |
| Grape, Wine | Buprofezin | 1.05 | 1 | 1.50 | A |
| Grape, Wine | Capric acid | 19.19 | 2 | 7.00 | A |
| Grape, Wine | Caprylic acid | 28.19 | 2 | 7.00 | A |
| Grape, Wine | Captan | 5.44 | 2 | 3.00 | A |
| Grape, Wine | Cerevisane (cell walls of saccharomyces cerevisiae strain las117) | 1.86 | 1 | 12.40 | A |
| Grape, Wine | Citric acid | 3.39 | 10 | 145.25 | A |
| Grape, Wine | Copper hydroxide | 1.38 | 3 | 10.50 | A |
| Grape, Wine | Copper octanoate | 30.23 | 4 | 36.71 | A |
| Grape, Wine | Cuprous oxide | 24.04 | 5 | 23.36 | A |
| Grape, Wine | Cyflufenamid | 5.14 | 15 | 162.30 | A |
| Grape, Wine | Cyprodinil | 42.24 | 12 | 108.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Grape, Wine | Difenoconazole | 3.39 | 7 | 38.50 | A |
| Grape, Wine | Dimethylpolysiloxane | 3.12 | 20 | 54.99 | A |
| Grape, Wine | Ethylene glycol | 162.69 | 36 | 409.09 | A |
| Grape, Wine | Fenhexamid | 27.80 | 5 | 56.59 | A |
| Grape, Wine | Fluazifop-p-butyl | 6.51 | 5 | 40.50 | A |
| Grape, Wine | Fludioxonil | 16.59 | 1 | 76.00 | A |
| Grape, Wine | Flumioxazin | 11.56 | 3 | 72.00 | A |
| Grape, Wine | Fluopyram | 7.95 | 14 | 75.88 | A |
| Grape, Wine | Flupyradifurone | 11.51 | 2 | 63.00 | A |
| Grape, Wine | Flutriafol | 5.99 | 3 | 76.50 | A |
| Grape, Wine | Glufosinate-ammonium | 31.73 | 3 | 37.00 | A |
| Grape, Wine | Glyphosate, isopropylamine salt | 68.94 | 9 | 87.25 | A |
| Grape, Wine | Glyphosate, potassium salt | 152.21 | 10 | 150.00 | A |
| Grape, Wine | Hydrogen peroxide | 161.62 | 15 | 100.71 | A |
| Grape, Wine | Imidacloprid | 1.42 | 6 | 30.10 | A |
| Grape, Wine | Indaziflam | 1.15 | 5 | 38.00 | A |
| Grape, Wine | Isopropyl alcohol | 29.83 | 52 | 457.09 | A |
| Grape, Wine | Kaolin | 1,750.23 | 15 | 121.36 | A |
| Grape, Wine | Kresoxim-methyl | 11.60 | 4 | 58.00 | A |
| Grape, Wine | Lime-sulfur | 52.80 | 2 | 7.50 | A |
| Grape, Wine | Margosa oil | 19.88 | 1 | 7.60 | A |
| Grape, Wine | Methoxyfenozide | 6.51 | 1 | 23.00 | A |
| Grape, Wine | Methylated soybean oil | 149.17 | 21 | 308.40 | A |
| Grape, Wine | Metrafenone | 27.99 | 12 | 93.91 | A |
| Grape, Wine | Mineral oil | 4,977.18 | 118 | 593.25 | A |
| Grape, Wine | Myclobutanil | 24.90 | 9 | 216.80 | A |
| Grape, Wine | Orthosulfamuron | 2.19 | 1 | 17.50 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Grape, Wine | Oxyfluorfen | 50.16 | 9 | 100.00 | A |
| Grape, Wine | Pendimethalin | 77.46 | 5 | 38.00 | A |
| Grape, Wine | Peroxyacetic acid | 18.19 | 13 | 92.71 | A |
| Grape, Wine | Phosphoric acid | 17.13 | 17 | 131.00 | A |
| Grape, Wine | Polyalkeneoxide modified heptamethyltrisiloxane | 5.22 | 14 | 239.29 | A |
| Grape, Wine | Polyoxin d, zinc salt | 0.17 | 1 | 3.89 | A |
| Grape, Wine | Polyoxyethylene polyoxypropylene | 12.28 | 19 | 51.10 | A |
| Grape, Wine | Potassium bicarbonate | 3,002.58 | 92 | 1,220.95 | A |
| Grape, Wine | Pydiflumetofen | 9.92 | 1 | 76.00 | A |
| Grape, Wine | Pyraclostrobin | 15.61 | 19 | 108.36 | A |
| Grape, Wine | Pyraflufen-ethyl | 0.04 | 1 | 15.00 | A |
| Grape, Wine | Pyriofenone | 2.93 | 1 | 30.00 | A |
| Grape, Wine | Quinoxyfen | 21.33 | 27 | 203.18 | A |
| Grape, Wine | Reynoutria sachalinensis (giant knotweed) plant extract | 25.97 | 25 | 127.27 | A |
| Grape, Wine | Rimsulfuron | 3.65 | 11 | 154.50 | A |
| Grape, Wine | Spirotetramat | 4.04 | 5 | 34.00 | A |
| Grape, Wine | Sulfur | 10,249.46 | 197 | 2,160.73 | A |
| Grape, Wine | Tebuconazole | 3.38 | 13 | 35.88 | A |
| Grape, Wine | Tetraconazole | 0.30 | 5 | 10.80 | A |
| Grape, Wine | Thiophanate-methyl | 7.88 | 2 | 16.50 | A |
| Grape, Wine | Trifloxystrobin | 7.80 | 4 | 78.00 | A |
| Grape, Wine | Yucca, extract | 50.71 | 12 | 72.00 | A |
| Herb, Spice | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 0.27 | 2 | 20,000.00 | S |
| Industrial Processing Water | 2,2-dibromo-3-nitrilopropionamide | 258.83 | 0 | 9.00 | U |
| Industrial Processing Water | 2-methyl-4-isothiazolin-3-one | 1.00 | 0 | 213,888.00 | C |
| Industrial Processing Water | 5-chloro-2-methyl-4-isothiazolin-3-one | 2.80 | 0 | 213,888.00 | C |
| Industrial Processing Water | Bronopol | 8.12 | 0 | 213,888.00 | C |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Industrial Processing Water | Sodium bromide | 2,485.17 | 0 | 5.00 | U |
| Kale | Acetamiprid | 1.26 | 2 | 20.00 | A |
| Kale | Aggregated adjuvant data | 5.49 | 5 | 40.20 | A |
| Kale | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 3.44 | 3 | 30.00 | A |
| Kale | Azoxystrobin | 0.06 | 1 | 15,000.00 | S |
| Kale | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 0.10 | 1 | 0.20 | A |
| Kale | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 0.10 | 1 | 0.20 | A |
| Kale | Bifenthrin | 1.00 | 2 | 10.13 | A |
| Kale | Boscalid | 0.08 | 1 | 0.20 | A |
| Kale | Copper octanoate | < 0.01 | 1 | 120.00 | S |
| Kale | Dimethoate | 2.49 | 1 | 10.00 | A |
| Kale | Dimethylpolysiloxane | 0.20 | 2 | 10.80 | A |
| Kale | Fenamidone | 5.20 | 2 | 20.00 | A |
| Kale | Flonicamid | 1.75 | 2 | 20.00 | A |
| Kale | Hydrogen peroxide | 0.02 | 1 | 500.00 | S |
| Kale | Imidacloprid | 0.04 | 1 | 0.80 | A |
| Kale | Indoxacarb | 2.63 | 4 | 40.00 | A |
| Kale | Lecithin | 12.57 | 5 | 50.00 | A |
| Kale | Mandipropamid | 0.10 | 1 | 0.80 | A |
| Kale | Mefentrifluconazole | 2.61 | 2 | 20.00 | A |
| Kale | Methomyl | 13.50 | 3 | 30.00 | A |
| Kale | Methylated soybean oil | 3.46 | 3 | 30.00 | A |
| Kale | Novaluron | 1.57 | 2 | 20.00 | A |
| Kale | Oxathiapiprolin | 0.01 | 1 | 0.80 | A |
| Kale | Peroxyacetic acid | < 0.01 | 1 | 500.00 | S |
| Kale | Potassium laurate | 1.30 | 2 | 0.30 | A |
| Kale | Potassium phosphite | 128.23 | 4 | 40.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Kale | Propionic acid | 6.37 | 3 | 30.00 | A |
| Kale | Propylene glycol | 0.87 | 2 | 20.00 | A |
| Kale | Pyrethrins | 0.08 | 2 | 1.00 | A |
| Kale | Spirotetramat | 1.60 | 3 | 20.10 | A |
| Kale | Sulfur | 32.00 | 1 | 10.00 | A |
| Kale | Thiamethoxam | 3.29 | 2 | 20.00 | A |
| Landscape Maintenance | 1-bromo-3-chloro-5,5-dimethyl hydantoin | 970.26 | 0 | 0.00 | N/A |
| Landscape Maintenance | 2,4-d | 188.78 | 0 | 0.00 | N/A |
| Landscape Maintenance | 2,4-d, 2-ethylhexyl ester | 325.11 | 0 | 0.00 | N/A |
| Landscape Maintenance | 2,4-d, dimethylamine salt | 2.21 | 0 | 0.00 | N/A |
| Landscape Maintenance | 2,4-d, isooctyl ester | 147.64 | 0 | 0.00 | N/A |
| Landscape Maintenance | 2,4-dp-p, 2-ethylhexyl ester | 65.77 | 0 | 0.00 | N/A |
| Landscape Maintenance | Abamectin | 0.44 | 0 | 0.00 | N/A |
| Landscape Maintenance | Abamectin, other related | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Acephate | 36.38 | 0 | 0.00 | N/A |
| Landscape Maintenance | Acetamiprid | 0.07 | 0 | 0.00 | N/A |
| Landscape Maintenance | Acibenzolar-s-methyl | 5.07 | 0 | 0.00 | N/A |
| Landscape Maintenance | Acid blue 9, diammonium salt | 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Aggregated adjuvant data | 212.80 | 0 | 0.00 | N/A |
| Landscape Maintenance | Alkyl (c8,c10) polyglucoside | 136.98 | 0 | 0.00 | N/A |
| Landscape Maintenance | Alkyl* dimethyl benzyl ammonium chloride *(60%c14, 25%c12, 15%c16) | 15.49 | 0 | 0.00 | N/A |
| Landscape Maintenance | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 211.13 | 0 | 0.00 | N/A |
| Landscape Maintenance | Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | 0.28 | 0 | 0.00 | N/A |
| Landscape Maintenance | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 29.03 | 0 | 0.00 | N/A |
| Landscape Maintenance | Aluminum phosphide | 138.19 | 0 | 0.00 | N/A |
| Landscape Maintenance | Aminopyralid, triisopropanolamine salt | 22.05 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Ammonium 1-naphthaleneacetate | 15.50 | 0 | 0.00 | N/A |
| Landscape Maintenance | Ammonium nitrate | 38.75 | 0 | 0.00 | N/A |
| Landscape Maintenance | Ammonium soaps of fatty acids | 1.10 | 0 | 0.00 | N/A |
| Landscape Maintenance | Ammonium sulfate | 82.03 | 0 | 0.00 | N/A |
| Landscape Maintenance | Azadirachtin | 0.54 | 0 | 0.00 | N/A |
| Landscape Maintenance | Azoxystrobin | 99.43 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bacillus thuringiensis (berliner) | 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | 0.04 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 1.88 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bacillus thuringiensis subsp. kurstaki strain: sa-12 | 0.03 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bacillus thuringiensis subspecies israelensis strain bmp 144 | 0.05 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bacillus velezensis strain: d747 | 1.12 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bacillus velezensis strain: gb03 | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Benefin | 0.80 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bensulide | 29.77 | 0 | 0.00 | N/A |
| Landscape Maintenance | Benzovindiflupyr | 22.77 | 0 | 0.00 | N/A |
| Landscape Maintenance | Beta-cyfluthrin | 9.48 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bifenazate | 0.32 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bifenthrin | 186.71 | 0 | 0.00 | N/A |
| Landscape Maintenance | Boric acid | 303.46 | 0 | 0.00 | N/A |
| Landscape Maintenance | Boscalid | 2.53 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bromadiolone | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Bromethalin | 0.13 | 0 | 0.00 | N/A |
| Landscape Maintenance | Calcium hypochlorite | 2,972.96 | 0 | 0.00 | N/A |
| Landscape Maintenance | Capric acid | 283.87 | 0 | 0.00 | N/A |
| Landscape Maintenance | Caprylic acid | 368.63 | 0 | 0.00 | N/A |
| Landscape Maintenance | Carbaryl | 0.10 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Carbon | 20.36 | 0 | 0.00 | N/A |
| Landscape Maintenance | Carbon dioxide | 1,573.04 | 0 | 0.00 | N/A |
| Landscape Maintenance | Carfentrazone-ethyl | 16.63 | 0 | 0.00 | N/A |
| Landscape Maintenance | Chlorantraniliprole | 86.09 | 0 | 0.00 | N/A |
| Landscape Maintenance | Chlorflurenol, methyl ester | 9.45 | 0 | 0.00 | N/A |
| Landscape Maintenance | Chlorophacinone | 0.54 | 0 | 0.00 | N/A |
| Landscape Maintenance | Chlorothalonil | 4,631.06 | 0 | 0.00 | N/A |
| Landscape Maintenance | Chlorsulfuron | 1.50 | 0 | 0.00 | N/A |
| Landscape Maintenance | Cholecalciferol | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Clarified hydrophobic extract of neem oil | 7.17 | 0 | 0.00 | N/A |
| Landscape Maintenance | Clethodim | 0.42 | 0 | 0.00 | N/A |
| Landscape Maintenance | Clopyralid, monoethanolamine salt | 31.87 | 0 | 0.00 | N/A |
| Landscape Maintenance | Clothianidin | 36.91 | 0 | 0.00 | N/A |
| Landscape Maintenance | Copper ammonium complex | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Copper diammonium diacetate complex | 15.65 | 0 | 0.00 | N/A |
| Landscape Maintenance | Copper ethanolamine complexes, mixed | 150.53 | 0 | 0.00 | N/A |
| Landscape Maintenance | Copper hydroxide | 22.76 | 0 | 0.00 | N/A |
| Landscape Maintenance | Copper octanoate | 1.51 | 0 | 0.00 | N/A |
| Landscape Maintenance | Copper oxychloride | 7.18 | 0 | 0.00 | N/A |
| Landscape Maintenance | Copper sulfate (pentahydrate) | 227.97 | 0 | 0.00 | N/A |
| Landscape Maintenance | Cyazofamid | 5.54 | 0 | 0.00 | N/A |
| Landscape Maintenance | Cypermethrin | 0.31 | 0 | 0.00 | N/A |
| Landscape Maintenance | Deltamethrin | 0.27 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dextrin | 0.13 | 0 | 0.00 | N/A |
| Landscape Maintenance | Diatomaceous earth | 4.66 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dicamba | 51.03 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dicamba, dimethylamine salt | 0.50 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Diethylene glycol | 8.68 | 0 | 0.00 | N/A |
| Landscape Maintenance | Difenoconazole | 89.20 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dikegulac sodium | 87.53 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dimethenamid-p | 4.30 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dimethylpolysiloxane | 0.63 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dinotefuran | 26.35 | 0 | 0.00 | N/A |
| Landscape Maintenance | Diphacinone | 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Diquat dibromide | 510.85 | 0 | 0.00 | N/A |
| Landscape Maintenance | Dithiopyr | 595.85 | 0 | 0.00 | N/A |
| Landscape Maintenance | Diuron | 618.32 | 0 | 0.00 | N/A |
| Landscape Maintenance | Emamectin benzoate | 2.22 | 0 | 0.00 | N/A |
| Landscape Maintenance | Endothall, mono(n,n-dimethylalkylamine) salt | 2.69 | 0 | 0.00 | N/A |
| Landscape Maintenance | Ethephon | 1,139.19 | 0 | 0.00 | N/A |
| Landscape Maintenance | Ethofumesate | 629.51 | 0 | 0.00 | N/A |
| Landscape Maintenance | Etoxazole | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fatty acids, tallow | 0.11 | 0 | 0.00 | N/A |
| Landscape Maintenance | Ferric sodium edta | 4.67 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fipronil | 0.08 | 0 | 0.00 | N/A |
| Landscape Maintenance | Florasulam | 0.47 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fluazifop-p-butyl | 18.88 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fluazinam | 284.80 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fludioxonil | 41.46 | 0 | 0.00 | N/A |
| Landscape Maintenance | Flumioxazin | 47.83 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fluopyram | 4.58 | 0 | 0.00 | N/A |
| Landscape Maintenance | Flupyradifurone | 8.39 | 0 | 0.00 | N/A |
| Landscape Maintenance | Flurecol-methyl | 2.26 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fluridone | 2.37 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Fluroxypyr, 1-methylheptyl ester | 10.95 | 0 | 0.00 | N/A |
| Landscape Maintenance | Flurprimidol | 242.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Flutolanil | 90.48 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fluxapyroxad | 14.41 | 0 | 0.00 | N/A |
| Landscape Maintenance | Foramsulfuron | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Fosetyl-al | 77.10 | 0 | 0.00 | N/A |
| Landscape Maintenance | Glufosinate-ammonium | 855.57 | 0 | 0.00 | N/A |
| Landscape Maintenance | Glyphosate, isopropylamine salt | 19.98 | 1 | 10.00 | A |
| Landscape Maintenance | Glyphosate, isopropylamine salt | 7,094.51 | 0 | 0.00 | N/A |
| Landscape Maintenance | Glyphosate, monoammonium salt | 551.29 | 0 | 0.00 | N/A |
| Landscape Maintenance | Glyphosate, potassium salt | 45.51 | 5 | 3.54 | A |
| Landscape Maintenance | Glyphosate, potassium salt | 5,426.76 | 0 | 0.00 | N/A |
| Landscape Maintenance | Halosulfuron-methyl | 0.77 | 0 | 0.00 | N/A |
| Landscape Maintenance | Heptyl butyrate | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Hydramethylnon | 0.16 | 0 | 0.00 | N/A |
| Landscape Maintenance | Imazamox, ammonium salt | 6.71 | 0 | 0.00 | N/A |
| Landscape Maintenance | Imazapyr, isopropylamine salt | 7.43 | 0 | 0.00 | N/A |
| Landscape Maintenance | Imazosulfuron | 0.28 | 0 | 0.00 | N/A |
| Landscape Maintenance | Imidacloprid | 337.24 | 0 | 0.00 | N/A |
| Landscape Maintenance | Indaziflam | 2.57 | 0 | 0.00 | N/A |
| Landscape Maintenance | Indoxacarb | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Iprodione | 172.00 | 0 | 0.00 | N/A |
| Landscape Maintenance | Iron hedta | 39.34 | 0 | 0.00 | N/A |
| Landscape Maintenance | Iron phosphate | 3.60 | 0 | 0.00 | N/A |
| Landscape Maintenance | Isopropyl alcohol | 0.59 | 0 | 0.00 | N/A |
| Landscape Maintenance | Isoxaben | 197.22 | 0 | 0.00 | N/A |
| Landscape Maintenance | Lambda-cyhalothrin | 2.45 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Limonene | 117.71 | 0 | 0.00 | N/A |
| Landscape Maintenance | Malathion | 2.96 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mancozeb | 92.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Margosa oil | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mcpa, 2-ethyl hexyl ester | 27.53 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mcpp-p, dma salt | 0.81 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mecoprop-p | 95.48 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mefenoxam | 38.39 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mefentrifluconazole | 26.61 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mefluidide, diethanolamine salt | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mesotrione | 25.06 | 0 | 0.00 | N/A |
| Landscape Maintenance | Metaldehyde | 0.34 | 0 | 0.00 | N/A |
| Landscape Maintenance | Metconazole | 1.03 | 0 | 0.00 | N/A |
| Landscape Maintenance | Methiozolin | 8.00 | 0 | 0.00 | N/A |
| Landscape Maintenance | Methyl anthranilate | 0.88 | 0 | 0.00 | N/A |
| Landscape Maintenance | Methyl-2,7-dichloro-9-hydroxyfluorene-9-carboxylate | 1.72 | 0 | 0.00 | N/A |
| Landscape Maintenance | Methylated soybean oil | 110.08 | 0 | 0.00 | N/A |
| Landscape Maintenance | Mineral oil | 771.91 | 0 | 0.00 | N/A |
| Landscape Maintenance | Msma | 0.54 | 0 | 0.00 | N/A |
| Landscape Maintenance | Myclobutanil | 0.57 | 0 | 0.00 | N/A |
| Landscape Maintenance | N-octyl bicycloheptene dicarboximide | 0.15 | 0 | 0.00 | N/A |
| Landscape Maintenance | Naa, ethyl ester | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Nonanoic acid | 3.20 | 0 | 0.00 | N/A |
| Landscape Maintenance | Nonanoic acid, other related | 0.17 | 0 | 0.00 | N/A |
| Landscape Maintenance | Novaluron | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Oleic acid, ethyl ester | 128.74 | 0 | 0.00 | N/A |
| Landscape Maintenance | Oryzalin | 5.62 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Oxadiazon | 7.05 | 0 | 0.00 | N/A |
| Landscape Maintenance | Oxyfluorfen | 5.89 | 0 | 0.00 | N/A |
| Landscape Maintenance | Oxytetracycline hydrochloride | 1.47 | 0 | 0.00 | N/A |
| Landscape Maintenance | Paclobutrazol | 306.03 | 0 | 0.00 | N/A |
| Landscape Maintenance | Pcnb | 40.00 | 0 | 0.00 | N/A |
| Landscape Maintenance | Pendimethalin | 1,657.57 | 0 | 0.00 | N/A |
| Landscape Maintenance | Penoxsulam | 2.40 | 0 | 0.00 | N/A |
| Landscape Maintenance | Penthiopyrad | 31.66 | 0 | 0.00 | N/A |
| Landscape Maintenance | Permethrin | 132.46 | 0 | 0.00 | N/A |
| Landscape Maintenance | Petroleum distillates | 25.57 | 0 | 0.00 | N/A |
| Landscape Maintenance | Petroleum oil, sulfurized | 11.43 | 0 | 0.00 | N/A |
| Landscape Maintenance | Phosphoric acid | 1.40 | 0 | 0.00 | N/A |
| Landscape Maintenance | Piperonyl butoxide | 7.29 | 0 | 0.00 | N/A |
| Landscape Maintenance | Piperonyl butoxide, other related | 1.78 | 0 | 0.00 | N/A |
| Landscape Maintenance | Poly(oxyethylene) (dimethylimino) ethylene (dimethylimino) ethylene dichloride | 93.96 | 0 | 0.00 | N/A |
| Landscape Maintenance | Polyalkeneoxide modified heptamethyltrisiloxane | 40.93 | 0 | 0.00 | N/A |
| Landscape Maintenance | Polyoxin d, zinc salt | 1.96 | 0 | 0.00 | N/A |
| Landscape Maintenance | Potassium bicarbonate | 0.27 | 0 | 0.00 | N/A |
| Landscape Maintenance | Potassium laurate | 20.90 | 0 | 0.00 | N/A |
| Landscape Maintenance | Potassium nitrate | 2.98 | 0 | 0.00 | N/A |
| Landscape Maintenance | Potassium phosphite | 7,920.69 | 0 | 0.00 | N/A |
| Landscape Maintenance | Prallethrin | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Prodiamine | 362.46 | 0 | 0.00 | N/A |
| Landscape Maintenance | Prohexadione-calcium | 38.77 | 0 | 0.00 | N/A |
| Landscape Maintenance | Propiconazole | 420.53 | 0 | 0.00 | N/A |
| Landscape Maintenance | Propoxur | < 0.01 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Propylene glycol | 39.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Pydiflumetofen | 5.64 | 0 | 0.00 | N/A |
| Landscape Maintenance | Pyraclostrobin | 60.82 | 0 | 0.00 | N/A |
| Landscape Maintenance | Pyraflufen-ethyl | 0.15 | 0 | 0.00 | N/A |
| Landscape Maintenance | Pyrethrins | 1.07 | 0 | 0.00 | N/A |
| Landscape Maintenance | Pyriproxyfen | 0.21 | 0 | 0.00 | N/A |
| Landscape Maintenance | Quillaja | 0.03 | 0 | 0.00 | N/A |
| Landscape Maintenance | Quinclorac | 1.56 | 0 | 0.00 | N/A |
| Landscape Maintenance | Quinclorac, dimethylamine salt | 42.23 | 0 | 0.00 | N/A |
| Landscape Maintenance | Rimsulfuron | 0.19 | 0 | 0.00 | N/A |
| Landscape Maintenance | S-methoprene | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sethoxydim | 70.33 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sodium dichloro-s-triazinetrione dihydrate | 11,613.83 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sodium hypochlorite | 3,003.19 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sodium nitrate | 83.04 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sodium percarbonate | 2.55 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sodium tetraborate decahydrate | 1.91 | 0 | 0.00 | N/A |
| Landscape Maintenance | Spinosad | 0.43 | 0 | 0.00 | N/A |
| Landscape Maintenance | Spiromesifen | 0.02 | 0 | 0.00 | N/A |
| Landscape Maintenance | Strychnine | 1.43 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sulfentrazone | 5.52 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sulfometuron-methyl | 1.41 | 0 | 0.00 | N/A |
| Landscape Maintenance | Sulfur | 55.92 | 0 | 0.00 | N/A |
| Landscape Maintenance | Tall oil fatty acids | 26.00 | 0 | 0.00 | N/A |
| Landscape Maintenance | Tartrazine | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Tau-fluvalinate | 0.09 | 0 | 0.00 | N/A |
| Landscape Maintenance | Tebuconazole | 174.65 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Landscape Maintenance | Tetramethrin | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Tetraniliprole | 3.87 | 0 | 0.00 | N/A |
| Landscape Maintenance | Thiamethoxam | 1.25 | 0 | 0.00 | N/A |
| Landscape Maintenance | Thiencarbazone-methyl | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Thiophanate-methyl | 2,107.69 | 0 | 0.00 | N/A |
| Landscape Maintenance | Thymol | < 0.01 | 0 | 0.00 | N/A |
| Landscape Maintenance | Topramezone | 1.00 | 0 | 0.00 | N/A |
| Landscape Maintenance | Trichloro-s-triazinetrione | 4,847.32 | 0 | 0.00 | N/A |
| Landscape Maintenance | Triclopyr choline | 85.32 | 0 | 0.00 | N/A |
| Landscape Maintenance | Triclopyr, butoxyethyl ester | 1,225.99 | 0 | 0.00 | N/A |
| Landscape Maintenance | Triclopyr, triethylamine salt | 0.99 | 0 | 0.00 | N/A |
| Landscape Maintenance | Trifloxystrobin | 8.68 | 0 | 0.00 | N/A |
| Landscape Maintenance | Trifluralin | 47.81 | 0 | 0.00 | N/A |
| Landscape Maintenance | Trinexapac-ethyl | 106.84 | 0 | 0.00 | N/A |
| Landscape Maintenance | Triticonazole | 5.74 | 0 | 0.00 | N/A |
| Landscape Maintenance | Warfarin | 0.13 | 0 | 0.00 | N/A |
| Landscape Maintenance | Zeta-cypermethrin | 0.05 | 0 | 0.00 | N/A |
| Landscape Maintenance | Zinc phosphide | 23.38 | 0 | 0.00 | N/A |
| Lettuce, Head | Abamectin | 0.80 | 5 | 43.40 | A |
| Lettuce, Head | Acephate | 84.45 | 18 | 89.12 | A |
| Lettuce, Head | Afidopyropen | 1.25 | 25 | 118.88 | A |
| Lettuce, Head | Aggregated adjuvant data | 253.77 | 94 | 705.85 | A |
| Lettuce, Head | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 14.90 | 71 | 343.16 | A |
| Lettuce, Head | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 56.69 | 104 | 787.75 | A |
| Lettuce, Head | Ametoctradin | 21.47 | 12 | 78.50 | A |
| Lettuce, Head | Bacillus velezensis strain: d747 | 0.06 | 3 | 7,500.00 | S |
| Lettuce, Head | Bacillus velezensis strain: qst 713 | 0.18 | 2 | 0.14 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lettuce, Head | Bensulide | 145.75 | 18 | 146.40 | A |
| Lettuce, Head | Bifenthrin | 1.22 | 3 | 12.35 | A |
| Lettuce, Head | Boscalid | 36.02 | 10 | 84.40 | A |
| Lettuce, Head | Carfentrazone-ethyl | 0.07 | 3 | 33.21 | A |
| Lettuce, Head | Chlorantraniliprole | 1.09 | 2 | 18.70 | A |
| Lettuce, Head | Copper octanoate | 0.98 | 5 | 1.02 | A |
| Lettuce, Head | Copper octanoate | 0.29 | 2 | 4,500.00 | S |
| Lettuce, Head | Cyantraniliprole | 3.81 | 5 | 43.40 | A |
| Lettuce, Head | Cyclaniliprole | 0.28 | 1 | 6.23 | A |
| Lettuce, Head | Cymoxanil | 9.89 | 13 | 52.55 | A |
| Lettuce, Head | Dimethomorph | 34.24 | 25 | 170.57 | A |
| Lettuce, Head | Dimethylpolysiloxane | 1.45 | 16 | 88.60 | A |
| Lettuce, Head | Esfenvalerate | 1.36 | 3 | 27.40 | A |
| Lettuce, Head | Fenamidone | 33.60 | 20 | 128.91 | A |
| Lettuce, Head | Flonicamid | 2.38 | 3 | 27.50 | A |
| Lettuce, Head | Fludioxonil | 15.62 | 10 | 85.57 | A |
| Lettuce, Head | Fluopyram | 9.34 | 19 | 75.18 | A |
| Lettuce, Head | Flupyradifurone | 18.69 | 16 | 118.41 | A |
| Lettuce, Head | Hydrogen peroxide | 1.56 | 4 | 0.84 | A |
| Lettuce, Head | Imidacloprid | 12.38 | 42 | 246.67 | A |
| Lettuce, Head | Imidacloprid | 0.10 | 1 | 2,000.00 | S |
| Lettuce, Head | Lambda-cyhalothrin | 31.75 | 143 | 1,033.72 | A |
| Lettuce, Head | Lecithin | 65.92 | 26 | 242.61 | A |
| Lettuce, Head | Malathion | 38.36 | 3 | 25.00 | A |
| Lettuce, Head | Mancozeb | 278.56 | 22 | 185.07 | A |
| Lettuce, Head | Mandipropamid | 28.09 | 35 | 214.40 | A |
| Lettuce, Head | Mefenoxam | 0.06 | 2 | 0.14 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lettuce, Head | Mefenoxam | 0.01 | 2 | 4,500.00 | S |
| Lettuce, Head | Methomyl | 13.61 | 9 | 30.23 | A |
| Lettuce, Head | Methoxyfenozide | 31.13 | 30 | 204.46 | A |
| Lettuce, Head | Methylated soybean oil | 108.98 | 93 | 547.56 | A |
| Lettuce, Head | Naa | < 0.01 | 3 | 7,500.00 | S |
| Lettuce, Head | Oxathiapiprolin | 0.02 | 2 | 1.55 | A |
| Lettuce, Head | Penthiopyrad | 28.11 | 14 | 115.11 | A |
| Lettuce, Head | Permethrin | 37.21 | 27 | 187.90 | A |
| Lettuce, Head | Peroxyacetic acid | 0.11 | 4 | 0.84 | A |
| Lettuce, Head | Polyalkeneoxide modified heptamethyltrisiloxane | 12.49 | 77 | 388.95 | A |
| Lettuce, Head | Potassium laurate | 6.93 | 9 | 2.74 | A |
| Lettuce, Head | Potassium phosphite | 472.76 | 17 | 146.75 | A |
| Lettuce, Head | Propamocarb hydrochloride | 237.94 | 37 | 238.49 | A |
| Lettuce, Head | Propyzamide | 181.09 | 32 | 259.91 | A |
| Lettuce, Head | Pydiflumetofen | 9.35 | 10 | 85.57 | A |
| Lettuce, Head | Pyraclostrobin | 8.58 | 8 | 49.00 | A |
| Lettuce, Head | Pyraflufen-ethyl | 0.02 | 1 | 5.00 | A |
| Lettuce, Head | Pyrethrins | 0.03 | 6 | 1.09 | A |
| Lettuce, Head | Pyrethrins | 0.03 | 2 | 5,000.00 | S |
| Lettuce, Head | Spinetoram | 23.36 | 71 | 454.23 | A |
| Lettuce, Head | Spirotetramat | 37.37 | 70 | 491.35 | A |
| Lettuce, Head | Sulfoxaflor | 0.50 | 2 | 16.00 | A |
| Lettuce, Head | Thiamethoxam | 25.18 | 40 | 314.57 | A |
| Lettuce, Head | Trichoderma harzianum rifai strain krl-ag2 | < 0.01 | 1 | 0.07 | A |
| Lettuce, Head | Trifloxystrobin | 9.34 | 19 | 75.18 | A |
| Lettuce, Head | Triflumizole | < 0.01 | 2 | 0.14 | A |
| Lettuce, Head | Zeta-cypermethrin | 6.17 | 38 | 243.30 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lettuce, Leaf | Abamectin | 5.69 | 43 | 324.67 | A |
| Lettuce, Leaf | Afidopyropen | 6.08 | 53 | 570.58 | A |
| Lettuce, Leaf | Aggregated adjuvant data | 2,005.74 | 737 | 6,018.38 | A |
| Lettuce, Leaf | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 60.27 | 130 | 1,300.44 | A |
| Lettuce, Leaf | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 13.02 | 4 | 137.00 | A |
| Lettuce, Leaf | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 269.88 | 560 | 4,849.46 | A |
| Lettuce, Leaf | Ametoctradin | 51.49 | 22 | 189.00 | A |
| Lettuce, Leaf | Ammonium propionate | 21.73 | 4 | 137.00 | A |
| Lettuce, Leaf | Ammonium sulfate | 5.43 | 4 | 137.00 | A |
| Lettuce, Leaf | Azadirachtin | 3.73 | 36 | 237.51 | A |
| Lettuce, Leaf | Bacillus amyloliquefacens strain: f727 | 40.30 | 2 | 10.00 | A |
| Lettuce, Leaf | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 34.56 | 7 | 54.00 | A |
| Lettuce, Leaf | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 28.13 | 8 | 46.30 | A |
| Lettuce, Leaf | Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | 3.12 | 2 | 18.00 | A |
| Lettuce, Leaf | Benefin | 119.19 | 14 | 118.90 | A |
| Lettuce, Leaf | Bensulide | 1,234.59 | 103 | 688.07 | A |
| Lettuce, Leaf | Bifenthrin | 0.06 | 1 | 1.00 | A |
| Lettuce, Leaf | Boscalid | 294.17 | 82 | 715.48 | A |
| Lettuce, Leaf | Burkholderia rinojensis strain a396 | 114.60 | 6 | 28.98 | A |
| Lettuce, Leaf | Carbaryl | 0.19 | 1 | 8,000.00 | S |
| Lettuce, Leaf | Carfentrazone-ethyl | 1.68 | 39 | 397.98 | A |
| Lettuce, Leaf | Chlorantraniliprole | 0.32 | 1 | 8.20 | A |
| Lettuce, Leaf | Chromobacterium subtsugae strain: praa4-1 | 26.63 | 8 | 44.38 | A |
| Lettuce, Leaf | Citric acid | 10.86 | 4 | 137.00 | A |
| Lettuce, Leaf | Clothianidin | 2.32 | 2 | 19.00 | A |
| Lettuce, Leaf | Copper hydroxide | 36.21 | 36 | 152.01 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lettuce, Leaf | Copper octanoate | 36.96 | 10 | 67.58 | A |
| Lettuce, Leaf | Copper oxychloride | 40.13 | 36 | 152.01 | A |
| Lettuce, Leaf | Cyantraniliprole | 21.27 | 29 | 242.20 | A |
| Lettuce, Leaf | Cyazofamid | 0.80 | 1 | 11.00 | A |
| Lettuce, Leaf | Cyclaniliprole | 1.00 | 3 | 19.00 | A |
| Lettuce, Leaf | Cyfluthrin | 2.30 | 6 | 47.00 | A |
| Lettuce, Leaf | Cymoxanil | 11.96 | 6 | 63.44 | A |
| Lettuce, Leaf | Diatomaceous earth | 2,106.47 | 27 | 148.38 | A |
| Lettuce, Leaf | Dimethoate | 32.33 | 22 | 131.60 | A |
| Lettuce, Leaf | Dimethomorph | 113.11 | 54 | 566.20 | A |
| Lettuce, Leaf | Dimethylpolysiloxane | 1.93 | 26 | 188.08 | A |
| Lettuce, Leaf | Dinotefuran | 20.93 | 8 | 93.90 | A |
| Lettuce, Leaf | Fenamidone | 110.14 | 43 | 424.07 | A |
| Lettuce, Leaf | Flonicamid | 15.65 | 20 | 184.87 | A |
| Lettuce, Leaf | Fludioxonil | 54.65 | 29 | 310.26 | A |
| Lettuce, Leaf | Fluopyram | 27.61 | 23 | 226.24 | A |
| Lettuce, Leaf | Flupyradifurone | 80.70 | 58 | 506.40 | A |
| Lettuce, Leaf | Fluxapyroxad | 9.66 | 6 | 64.60 | A |
| Lettuce, Leaf | Fosetyl-al | 193.48 | 11 | 75.25 | A |
| Lettuce, Leaf | Glufosinate-ammonium | 17.62 | 1 | 30.00 | A |
| Lettuce, Leaf | Glyphosate, isopropylamine salt | 347.46 | 5 | 167.00 | A |
| Lettuce, Leaf | Glyphosate, potassium salt | 12.54 | 1 | 17.00 | A |
| Lettuce, Leaf | Gs-omega/kappa-hxtx-hv1a, versitude peptide | 0.77 | 2 | 18.00 | A |
| Lettuce, Leaf | Hydrogen peroxide | 0.04 | 1 | 0.02 | A |
| Lettuce, Leaf | Imidacloprid | 100.38 | 259 | 2,190.76 | A |
| Lettuce, Leaf | Indoxacarb | 1.91 | 4 | 29.10 | A |
| Lettuce, Leaf | Lambda-cyhalothrin | 137.67 | 462 | 4,492.66 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lettuce, Leaf | Lecithin | 266.44 | 138 | 1,148.58 | A |
| Lettuce, Leaf | Malathion | 60.44 | 6 | 39.40 | A |
| Lettuce, Leaf | Mancozeb | 1,878.33 | 163 | 1,212.25 | A |
| Lettuce, Leaf | Mandipropamid | 200.76 | 184 | 1,558.80 | A |
| Lettuce, Leaf | Margosa oil | 49.96 | 10 | 81.00 | A |
| Lettuce, Leaf | Methomyl | 452.60 | 85 | 753.18 | A |
| Lettuce, Leaf | Methoxyfenozide | 19.72 | 15 | 135.04 | A |
| Lettuce, Leaf | Methylated soybean oil | 384.52 | 225 | 2,000.04 | A |
| Lettuce, Leaf | Myclobutanil | 3.85 | 4 | 38.50 | A |
| Lettuce, Leaf | Oxathiapiprolin | 0.90 | 15 | 77.83 | A |
| Lettuce, Leaf | Penthiopyrad | 152.58 | 87 | 644.06 | A |
| Lettuce, Leaf | Permethrin | 346.87 | 236 | 1,807.71 | A |
| Lettuce, Leaf | Peroxyacetic acid | < 0.01 | 1 | 0.02 | A |
| Lettuce, Leaf | Polyalkeneoxide modified heptamethyltrisiloxane | 30.83 | 112 | 1,109.46 | A |
| Lettuce, Leaf | Polyoxin d, zinc salt | 3.47 | 22 | 187.88 | A |
| Lettuce, Leaf | Potassium phosphite | 3,498.28 | 180 | 1,163.47 | A |
| Lettuce, Leaf | Propamocarb hydrochloride | 1,108.29 | 131 | 1,126.57 | A |
| Lettuce, Leaf | Propyzamide | 1,035.09 | 141 | 1,463.63 | A |
| Lettuce, Leaf | Pydiflumetofen | 32.69 | 29 | 310.26 | A |
| Lettuce, Leaf | Pyraclostrobin | 113.46 | 62 | 657.25 | A |
| Lettuce, Leaf | Pyraflufen-ethyl | 0.03 | 3 | 8.00 | A |
| Lettuce, Leaf | Pyrethrins | 1.85 | 9 | 38.84 | A |
| Lettuce, Leaf | Reynoutria sachalinensis (giant knotweed) plant extract | 5.53 | 6 | 45.00 | A |
| Lettuce, Leaf | Sodium polyacrylate | 2.21 | 4 | 137.00 | A |
| Lettuce, Leaf | Spinetoram | 108.77 | 237 | 2,265.58 | A |
| Lettuce, Leaf | Spinosad | 7.63 | 13 | 81.48 | A |
| Lettuce, Leaf | Spirotetramat | 192.71 | 297 | 2,573.32 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lettuce, Leaf | Thiamethoxam | 100.92 | 126 | 1,328.98 | A |
| Lettuce, Leaf | Trifloxystrobin | 27.61 | 23 | 226.24 | A |
| Lettuce, Leaf | Zeta-cypermethrin | 26.58 | 106 | 1,062.61 | A |
| Mint | Malathion | 35.65 | 18 | 37.00 | A |
| Mint | Malathion | 1.02 | 1 | 10,000.00 | S |
| Mint | Pyrethrins | 0.03 | 1 | 2.00 | A |
| Mint | Sethoxydim | 7.08 | 20 | 40.00 | A |
| Mushroom | Calcium hypochlorite | 17.34 | 17 | 153,510.00 | S |
| Mushroom House | Clarified hydrophobic extract of neem oil | 5,833.06 | 907 | 164.09 | A |
| Mushroom House | Permethrin | 2.47 | 35 | 201,250.00 | S |
| Mushroom House | Pyrethrins | 64.39 | 410 | 178.94 | A |
| Mushroom Soil | Calcium hypochlorite | 11.73 | 46 | 264,500.00 | S |
| Mushroom Soil | Thiabendazole | 3.06 | 4 | 23,000.00 | S |
| N-Grnhs Flower | (s)-kinoprene | 1.83 | 14 | 8.58 | A |
| N-Grnhs Flower | Abamectin | 0.23 | 41 | 22.11 | A |
| N-Grnhs Flower | Acequinocyl | 2.07 | 21 | 9.20 | A |
| N-Grnhs Flower | Acetamiprid | 0.02 | 2 | 8,000.00 | S |
| N-Grnhs Flower | Aggregated adjuvant data | 3.90 | 67 | 39.03 | A |
| N-Grnhs Flower | Azadirachtin | 0.18 | 8 | 3.99 | A |
| N-Grnhs Flower | Azadirachtin | 0.93 | 0 | 187.00 | U |
| N-Grnhs Flower | Azoxystrobin | 3.45 | 47 | 43.39 | A |
| N-Grnhs Flower | Azoxystrobin | 2.72 | 3 | 41.00 | U |
| N-Grnhs Flower | Benzovindiflupyr | 0.30 | 8 | 11.20 | A |
| N-Grnhs Flower | Benzovindiflupyr | 0.38 | 1 | 20.00 | U |
| N-Grnhs Flower | Bifenazate | 1.70 | 30 | 17.57 | A |
| N-Grnhs Flower | Bifenthrin | 0.36 | 5 | 5.21 | A |
| N-Grnhs Flower | Boscalid | 0.40 | 11 | 4.88 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Flower | Chlorfenapyr | 1.42 | 40 | 17.70 | A |
| N-Grnhs Flower | Chlormequat chloride | 0.30 | 7 | 2.69 | A |
| N-Grnhs Flower | Chlorothalonil | 0.10 | 1 | 0.13 | A |
| N-Grnhs Flower | Copper sulfate (pentahydrate) | 1.07 | 7 | 4.38 | A |
| N-Grnhs Flower | Cyantraniliprole | 6.40 | 63 | 37.92 | A |
| N-Grnhs Flower | Cyazofamid | 0.06 | 3 | 1.01 | A |
| N-Grnhs Flower | Cyflumetofen | 1.58 | 22 | 9.63 | A |
| N-Grnhs Flower | Daminozide | 4.25 | 24 | 4.56 | A |
| N-Grnhs Flower | Didecyl dimethyl ammonium chloride | 5.35 | 2 | 3.75 | A |
| N-Grnhs Flower | Dinotefuran | 0.12 | 3 | 1.55 | A |
| N-Grnhs Flower | Dinotefuran | < 0.01 | 1 | 1,800.00 | S |
| N-Grnhs Flower | Dinotefuran | 0.06 | 3 | 29,520.00 | U |
| N-Grnhs Flower | Diquat dibromide | 5.39 | 5 | 1.85 | A |
| N-Grnhs Flower | Ethephon | 0.14 | 3 | 0.59 | A |
| N-Grnhs Flower | Etoxazole | 0.76 | 29 | 17.69 | A |
| N-Grnhs Flower | Fenhexamid | 2.66 | 17 | 7.36 | A |
| N-Grnhs Flower | Fenpyroximate | 1.06 | 28 | 11.70 | A |
| N-Grnhs Flower | Flonicamid | 1.20 | 27 | 12.50 | A |
| N-Grnhs Flower | Fludioxonil | 0.63 | 5 | 3.34 | A |
| N-Grnhs Flower | Fosetyl-al | 3.50 | 2 | 1.75 | A |
| N-Grnhs Flower | Gibberellins | < 0.01 | 1 | 0.13 | A |
| N-Grnhs Flower | Glyphosate, isopropylamine salt | 29.59 | 4 | 3.50 | A |
| N-Grnhs Flower | Glyphosate, potassium salt | 29.22 | 9 | 6.25 | A |
| N-Grnhs Flower | Glyphosate, potassium salt | 11.94 | 3 | 37,000.00 | S |
| N-Grnhs Flower | Hexythiazox | 1.67 | 32 | 17.36 | A |
| N-Grnhs Flower | Hydrogen peroxide | 12.45 | 1 | 3.20 | A |
| N-Grnhs Flower | Iba | < 0.01 | 2 | 0.26 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Flower | Iba | 0.34 | 151 | 194,787.01 | U |
| N-Grnhs Flower | Imidacloprid | 1.72 | 32 | 14.59 | A |
| N-Grnhs Flower | Imidacloprid | 0.01 | 5 | 6,800.00 | S |
| N-Grnhs Flower | Iprodione | < 0.01 | 2 | 0.26 | A |
| N-Grnhs Flower | Isoxaben | 0.01 | 2 | 405.00 | U |
| N-Grnhs Flower | Mefenoxam | 0.27 | 7 | 5.17 | A |
| N-Grnhs Flower | Mefenoxam | 1.49 | 18 | 25,467.00 | U |
| N-Grnhs Flower | Metaldehyde | 0.75 | 1 | 0.60 | A |
| N-Grnhs Flower | Methoxyfenozide | 0.07 | 2 | 33,600.00 | U |
| N-Grnhs Flower | Myclobutanil | 0.29 | 6 | 3.30 | A |
| N-Grnhs Flower | N6-benzyl adenine | < 0.01 | 2 | 0.26 | A |
| N-Grnhs Flower | N6-benzyl adenine | 0.37 | 48 | 390,000.00 | S |
| N-Grnhs Flower | Naa | 0.17 | 84 | 130,602.01 | U |
| N-Grnhs Flower | Oxyfluorfen | 0.80 | 24 | 66,326.00 | U |
| N-Grnhs Flower | Paclobutrazol | 0.02 | 7 | 3.18 | A |
| N-Grnhs Flower | Paclobutrazol | 8.03 | 1 | 101.00 | U |
| N-Grnhs Flower | Pendimethalin | 1.60 | 24 | 66,326.00 | U |
| N-Grnhs Flower | Peroxyacetic acid | 0.92 | 1 | 3.20 | A |
| N-Grnhs Flower | Polyoxin d, zinc salt | 0.07 | 12 | 4.87 | A |
| N-Grnhs Flower | Potassium bicarbonate | 4.25 | 1 | 1.25 | A |
| N-Grnhs Flower | Potassium laurate | 11.43 | 6 | 3.76 | A |
| N-Grnhs Flower | Pyraclostrobin | 0.78 | 11 | 4.88 | A |
| N-Grnhs Flower | Pyridaben | 0.07 | 1 | 0.55 | A |
| N-Grnhs Flower | Pyriproxyfen | 0.13 | 8 | 3.99 | A |
| N-Grnhs Flower | Spinosad | 1.93 | 35 | 19.36 | A |
| N-Grnhs Flower | Spirotetramat | 0.32 | 4 | 2.15 | A |
| N-Grnhs Flower | Tau-fluvalinate | 0.15 | 2 | 2.25 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Flower | Thiamethoxam | 0.06 | 1 | 0.50 | A |
| N-Grnhs Flower | Thiophanate-methyl | 6.70 | 4 | 13.16 | A |
| N-Grnhs Flower | Thiophanate-methyl | 15.13 | 3 | 47.00 | U |
| N-Grnhs Flower | Trifloxystrobin | 0.17 | 7 | 2.94 | A |
| N-Grnhs Flower | Trifluralin | 0.06 | 2 | 405.00 | U |
| N-Grnhs Plants In Containers | Abamectin | 0.50 | 42 | 34.47 | A |
| N-Grnhs Plants In Containers | Acephate | 32.38 | 48 | 18.71 | A |
| N-Grnhs Plants In Containers | Acibenzolar-s-methyl | 0.18 | 21 | 7.23 | A |
| N-Grnhs Plants In Containers | Aggregated adjuvant data | 105.77 | 209 | 194.11 | A |
| N-Grnhs Plants In Containers | Azadirachtin | 1.80 | 102 | 57.10 | A |
| N-Grnhs Plants In Containers | Azadirachtin | 0.01 | 8 | 17,192.85 | S |
| N-Grnhs Plants In Containers | Azoxystrobin | 24.63 | 50 | 20.95 | A |
| N-Grnhs Plants In Containers | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 22.34 | 81 | 53.23 | A |
| N-Grnhs Plants In Containers | Bacillus thuringiensis subsp. israelensis strain: am 65-52 | 3.37 | 1 | 0.32 | A |
| N-Grnhs Plants In Containers | Bacillus thuringiensis subsp. israelensis strain: am 65-52 | 1.93 | 26 | 1,212.00 | S |
| N-Grnhs Plants In Containers | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 36.05 | 149 | 85.85 | A |
| N-Grnhs Plants In Containers | Bacillus velezensis strain: d747 | 9.34 | 2 | 0.96 | A |
| N-Grnhs Plants In Containers | Bacillus velezensis strain: qst 713 | 3.48 | 94 | 37.61 | A |
| N-Grnhs Plants In Containers | Bacillus velezensis strain: qst 713 | 0.03 | 5 | 10,393.25 | S |
| N-Grnhs Plants In Containers | Bifenazate | 0.72 | 4 | 3.31 | A |
| N-Grnhs Plants In Containers | Bifenthrin | 1.56 | 48 | 16.03 | A |
| N-Grnhs Plants In Containers | Boscalid | 0.06 | 2 | 0.32 | A |
| N-Grnhs Plants In Containers | Chlorfenapyr | 0.04 | 2 | 0.32 | A |
| N-Grnhs Plants In Containers | Chlormequat chloride | 23.44 | 20 | 19.83 | A |
| N-Grnhs Plants In Containers | Chlorothalonil | 87.08 | 63 | 38.28 | A |
| N-Grnhs Plants In Containers | Chromobacterium subtsugae strain: praa4-1 | 36.75 | 46 | 39.41 | A |
| N-Grnhs Plants In Containers | Clarified hydrophobic extract of neem oil | 1.91 | 2 | 3.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Plants In Containers | Clothianidin | 5.06 | 79 | 48.89 | A |
| N-Grnhs Plants In Containers | Coniothyrium minitans strain: con/m/91-08 | 0.03 | 1 | 0.24 | A |
| N-Grnhs Plants In Containers | Copper hydroxide | 16.48 | 61 | 44.58 | A |
| N-Grnhs Plants In Containers | Copper octanoate | 52.00 | 140 | 83.80 | A |
| N-Grnhs Plants In Containers | Copper octanoate | 0.17 | 1 | 1,669.05 | S |
| N-Grnhs Plants In Containers | Cyantraniliprole | 502.24 | 125 | 14.05 | A |
| N-Grnhs Plants In Containers | Cyazofamid | 0.09 | 1 | 0.24 | A |
| N-Grnhs Plants In Containers | Cyflumetofen | 0.58 | 3 | 3.20 | A |
| N-Grnhs Plants In Containers | Cyprodinil | 0.09 | 4 | 0.64 | A |
| N-Grnhs Plants In Containers | Cyromazine | 4.71 | 7 | 1.04 | A |
| N-Grnhs Plants In Containers | Daminozide | 59.06 | 32 | 18.89 | A |
| N-Grnhs Plants In Containers | Dicloran | 3.12 | 5 | 0.80 | A |
| N-Grnhs Plants In Containers | Dinotefuran | 15.23 | 70 | 21.80 | A |
| N-Grnhs Plants In Containers | Dinotefuran | 0.40 | 15 | 594.00 | S |
| N-Grnhs Plants In Containers | Diphacinone | < 0.01 | 2 | 28,000.00 | S |
| N-Grnhs Plants In Containers | Ethephon | 0.26 | 3 | 0.64 | A |
| N-Grnhs Plants In Containers | Fenamidone | 15.76 | 85 | 51.60 | A |
| N-Grnhs Plants In Containers | Fenhexamid | 2.25 | 12 | 2.88 | A |
| N-Grnhs Plants In Containers | Fenpropathrin | < 0.01 | 1 | 265.00 | S |
| N-Grnhs Plants In Containers | Fludioxonil | 17.82 | 31 | 9.34 | A |
| N-Grnhs Plants In Containers | Flurprimidol | < 0.01 | 2 | 0.23 | A |
| N-Grnhs Plants In Containers | Fosetyl-al | 430.03 | 115 | 41.76 | A |
| N-Grnhs Plants In Containers | Gibberellins | < 0.01 | 1 | 1.50 | A |
| N-Grnhs Plants In Containers | Glyphosate, isopropylamine salt | 15.63 | 18 | 18.13 | A |
| N-Grnhs Plants In Containers | Hydrogen peroxide | 71.59 | 29 | 18.50 | A |
| N-Grnhs Plants In Containers | Imidacloprid | 9.35 | 2 | 1.65 | A |
| N-Grnhs Plants In Containers | Imidacloprid | 0.03 | 1 | 265.00 | S |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Plants In Containers | Indaziflam | 4.33 | 11 | 9.55 | A |
| N-Grnhs Plants In Containers | Iprodione | 31.83 | 17 | 16.62 | A |
| N-Grnhs Plants In Containers | Iron phosphate | 0.07 | 2 | 13,000.00 | S |
| N-Grnhs Plants In Containers | Malathion | 73.71 | 45 | 36.45 | A |
| N-Grnhs Plants In Containers | Mancozeb | 5.30 | 2 | 4.00 | A |
| N-Grnhs Plants In Containers | Mandipropamid | 5.33 | 66 | 25.15 | A |
| N-Grnhs Plants In Containers | Mefenoxam | 9.75 | 20 | 9.59 | A |
| N-Grnhs Plants In Containers | Metaldehyde | 0.12 | 1 | 6,000.00 | S |
| N-Grnhs Plants In Containers | Mineral oil | 28.09 | 208 | 192.11 | A |
| N-Grnhs Plants In Containers | Mineral oil | 2.46 | 9 | 18,728.40 | S |
| N-Grnhs Plants In Containers | N6-benzyl adenine | < 0.01 | 1 | 1.50 | A |
| N-Grnhs Plants In Containers | Paclobutrazol | 2.42 | 62 | 32.46 | A |
| N-Grnhs Plants In Containers | Permethrin | 1.74 | 6 | 8.64 | A |
| N-Grnhs Plants In Containers | Peroxyacetic acid | 5.28 | 29 | 18.50 | A |
| N-Grnhs Plants In Containers | Piperalin | 0.53 | 1 | 0.12 | A |
| N-Grnhs Plants In Containers | Potassium laurate | 248.76 | 53 | 38.46 | A |
| N-Grnhs Plants In Containers | Potassium phosphite | 20.66 | 3 | 1.86 | A |
| N-Grnhs Plants In Containers | Propamocarb hydrochloride | 12.15 | 5 | 0.84 | A |
| N-Grnhs Plants In Containers | Propiconazole | 1.17 | 15 | 6.75 | A |
| N-Grnhs Plants In Containers | Pyraclostrobin | 0.03 | 2 | 0.32 | A |
| N-Grnhs Plants In Containers | Pyrethrins | 4.01 | 141 | 90.57 | A |
| N-Grnhs Plants In Containers | Pyrethrins | 0.03 | 5 | 11,673.25 | S |
| N-Grnhs Plants In Containers | Pyridaben | 0.77 | 2 | 2.31 | A |
| N-Grnhs Plants In Containers | Pyriproxyfen | 0.01 | 1 | 0.32 | A |
| N-Grnhs Plants In Containers | Reynoutria sachalinensis (giant knotweed) plant extract | 6.64 | 46 | 39.41 | A |
| N-Grnhs Plants In Containers | Spinosad | 7.34 | 159 | 99.37 | A |
| N-Grnhs Plants In Containers | Spiromesifen | 0.51 | 2 | 4.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Plants In Containers | Spirotetramat | 3.31 | 9 | 2.69 | A |
| N-Grnhs Plants In Containers | Strepomyces lydicus strain: wyec 108 | < 0.01 | 78 | 51.34 | A |
| N-Grnhs Plants In Containers | Streptomycin sulfate | 8.90 | 28 | 25.24 | A |
| N-Grnhs Plants In Containers | Thiophanate-methyl | 226.97 | 52 | 28.15 | A |
| N-Grnhs Plants In Containers | Trichoderma harzianum rifai strain krl-ag2 | 0.56 | 36 | 4.24 | A |
| N-Grnhs Plants In Containers | Trifloxystrobin | 0.06 | 1 | 0.32 | A |
| N-Grnhs Plants In Containers | Uniconazole-p | 0.08 | 49 | 20.74 | A |
| N-Grnhs Plants In Containers | Zeta-cypermethrin | 0.42 | 25 | 10.93 | A |
| N-Grnhs Transplants | (s)-kinoprene | 2.44 | 8 | 480.00 | A |
| N-Grnhs Transplants | Abamectin | 0.82 | 68 | 2,970.00 | A |
| N-Grnhs Transplants | Acephate | 11.64 | 9 | 420.00 | A |
| N-Grnhs Transplants | Aggregated adjuvant data | 109.46 | 395 | 18,780.00 | A |
| N-Grnhs Transplants | Ancymidol | < 0.01 | 39 | 2,340.00 | A |
| N-Grnhs Transplants | Azadirachtin | 0.35 | 21 | 1,140.00 | A |
| N-Grnhs Transplants | Azoxystrobin | 21.79 | 93 | 4,830.00 | A |
| N-Grnhs Transplants | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 1.03 | 5 | 180.00 | A |
| N-Grnhs Transplants | Bacillus velezensis strain: d747 | 21.40 | 3 | 180.00 | A |
| N-Grnhs Transplants | Bacillus velezensis strain: qst 713 | 0.77 | 20 | 900.00 | A |
| N-Grnhs Transplants | Beauveria bassiana strain: gha | 0.22 | 1 | 30.00 | A |
| N-Grnhs Transplants | Benzovindiflupyr | 1.36 | 21 | 810.00 | A |
| N-Grnhs Transplants | Bifenazate | 7.29 | 30 | 1,290.00 | A |
| N-Grnhs Transplants | Bifenthrin | 13.83 | 52 | 2,130.00 | A |
| N-Grnhs Transplants | Boscalid | 5.14 | 46 | 1,680.00 | A |
| N-Grnhs Transplants | Capric acid | 0.03 | 1 | 60.00 | A |
| N-Grnhs Transplants | Caprylic acid | 0.04 | 1 | 60.00 | A |
| N-Grnhs Transplants | Chlorfenapyr | 3.36 | 36 | 1,710.00 | A |
| N-Grnhs Transplants | Chlormequat chloride | 8.97 | 180 | 6,960.06 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Transplants | Chlorothalonil | 7.44 | 34 | 1,140.06 | A |
| N-Grnhs Transplants | Chromobacterium subtsugae strain: praa4-1 | 1.80 | 4 | 240.00 | A |
| N-Grnhs Transplants | Clarified hydrophobic extract of neem oil | 32.83 | 9 | 540.00 | A |
| N-Grnhs Transplants | Copper octanoate | 7.88 | 15 | 720.00 | A |
| N-Grnhs Transplants | Copper sulfate (pentahydrate) | 0.83 | 5 | 210.00 | A |
| N-Grnhs Transplants | Cyantraniliprole | 37.66 | 95 | 4,350.00 | A |
| N-Grnhs Transplants | Cyazofamid | 17.53 | 62 | 2,700.00 | A |
| N-Grnhs Transplants | Cyclaniliprole | 0.30 | 5 | 240.00 | A |
| N-Grnhs Transplants | Cyflumetofen | 4.68 | 16 | 600.00 | A |
| N-Grnhs Transplants | Cyprodinil | 0.86 | 14 | 480.00 | A |
| N-Grnhs Transplants | Daminozide | 177.97 | 463 | 20,970.06 | A |
| N-Grnhs Transplants | Didecyl dimethyl ammonium chloride | 3.22 | 25 | 930.00 | A |
| N-Grnhs Transplants | Diflubenzuron | 0.12 | 1 | 60.00 | A |
| N-Grnhs Transplants | Dikegulac sodium | 0.45 | 6 | 180.00 | A |
| N-Grnhs Transplants | Dimethomorph | 0.87 | 5 | 180.00 | A |
| N-Grnhs Transplants | Diquat dibromide | 50.84 | 55 | 2,550.00 | A |
| N-Grnhs Transplants | Ethephon | 5.25 | 69 | 2,730.00 | A |
| N-Grnhs Transplants | Etoxazole | 1.00 | 10 | 360.00 | A |
| N-Grnhs Transplants | Fenhexamid | 24.51 | 42 | 1,680.00 | A |
| N-Grnhs Transplants | Fenpropathrin | 0.23 | 1 | 60.00 | A |
| N-Grnhs Transplants | Fenpyroximate | 0.48 | 3 | 150.00 | A |
| N-Grnhs Transplants | Flonicamid | 23.80 | 64 | 2,850.00 | A |
| N-Grnhs Transplants | Fludioxonil | 60.81 | 115 | 4,800.00 | A |
| N-Grnhs Transplants | Flumioxazin | 5.30 | 16 | 630.00 | A |
| N-Grnhs Transplants | Fluopicolide | 1.56 | 24 | 1,380.00 | A |
| N-Grnhs Transplants | Fluopyram | 0.70 | 12 | 450.00 | A |
| N-Grnhs Transplants | Flupyradifurone | 36.05 | 88 | 4,200.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Transplants | Flurprimidol | 0.18 | 48 | 1,770.00 | A |
| N-Grnhs Transplants | Fluxapyroxad | 2.90 | 20 | 930.00 | A |
| N-Grnhs Transplants | Gibberellins | 0.35 | 69 | 3,330.06 | A |
| N-Grnhs Transplants | Gliocladium virens strain: g-41 | 0.28 | 25 | 1,440.00 | A |
| N-Grnhs Transplants | Hexythiazox | 1.76 | 5 | 270.00 | A |
| N-Grnhs Transplants | Hydrogen peroxide | 31.24 | 21 | 750.00 | A |
| N-Grnhs Transplants | Iba | 0.30 | 66 | 1,950.06 | A |
| N-Grnhs Transplants | Indaziflam | 0.78 | 14 | 570.00 | A |
| N-Grnhs Transplants | Iprodione | 6.06 | 20 | 780.00 | A |
| N-Grnhs Transplants | Isofetamid | 1.48 | 6 | 240.00 | A |
| N-Grnhs Transplants | Isopropyl alcohol | 8.77 | 313 | 15,300.00 | A |
| N-Grnhs Transplants | Isoxaben | 6.19 | 18 | 1,050.00 | A |
| N-Grnhs Transplants | Lambda-cyhalothrin | 0.38 | 10 | 420.00 | A |
| N-Grnhs Transplants | Mancozeb | 0.02 | 1 | 60.00 | A |
| N-Grnhs Transplants | Mandipropamid | 3.52 | 53 | 2,490.00 | A |
| N-Grnhs Transplants | Mefenoxam | 42.72 | 196 | 10,110.00 | A |
| N-Grnhs Transplants | Mineral oil | 53.46 | 10 | 480.00 | A |
| N-Grnhs Transplants | Myclobutanil | 0.08 | 1 | 60.00 | A |
| N-Grnhs Transplants | N6-benzyl adenine | 0.81 | 75 | 3,030.06 | A |
| N-Grnhs Transplants | Oryzalin | 3.00 | 2 | 60.00 | A |
| N-Grnhs Transplants | Oxathiapiprolin | 0.55 | 29 | 1,291.00 | A |
| N-Grnhs Transplants | Paclobutrazol | 11.88 | 1,207 | 62,130.00 | A |
| N-Grnhs Transplants | Peroxyacetic acid | 2.57 | 21 | 750.00 | A |
| N-Grnhs Transplants | Phosphoric acid | 6.10 | 313 | 15,300.00 | A |
| N-Grnhs Transplants | Piperalin | 6.13 | 15 | 450.00 | A |
| N-Grnhs Transplants | Piperonyl butoxide | 31.83 | 42 | 2,040.00 | A |
| N-Grnhs Transplants | Polyoxin d, zinc salt | 0.64 | 14 | 540.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Grnhs Transplants | Potassium bicarbonate | 0.80 | 2 | 90.00 | A |
| N-Grnhs Transplants | Potassium laurate | 25.05 | 8 | 480.00 | A |
| N-Grnhs Transplants | Propiconazole | 0.67 | 31 | 1,830.00 | A |
| N-Grnhs Transplants | Pymetrozine | 5.16 | 27 | 1,140.00 | A |
| N-Grnhs Transplants | Pyraclostrobin | 8.77 | 69 | 2,700.00 | A |
| N-Grnhs Transplants | Pyrethrins | 3.37 | 60 | 3,120.00 | A |
| N-Grnhs Transplants | Pyridaben | 32.46 | 21 | 840.00 | A |
| N-Grnhs Transplants | Pyridalyl | 9.44 | 54 | 2,850.00 | A |
| N-Grnhs Transplants | Pyrifluquinazon | 4.06 | 45 | 2,220.00 | A |
| N-Grnhs Transplants | Pyriproxyfen | 1.46 | 4 | 180.00 | A |
| N-Grnhs Transplants | Reynoutria sachalinensis (giant knotweed) plant extract | 0.44 | 9 | 390.00 | A |
| N-Grnhs Transplants | Sodium percarbonate | 0.27 | 1 | 30.00 | A |
| N-Grnhs Transplants | Sodium xylene sulfonate | 7.37 | 313 | 15,300.00 | A |
| N-Grnhs Transplants | Spinosad | 12.80 | 79 | 3,930.00 | A |
| N-Grnhs Transplants | Spiromesifen | 1.35 | 5 | 150.00 | A |
| N-Grnhs Transplants | Spirotetramat | 35.91 | 140 | 6,360.00 | A |
| N-Grnhs Transplants | Strepomyces lydicus strain: wyec 108 | < 0.01 | 4 | 240.00 | A |
| N-Grnhs Transplants | Streptomycin sulfate | 55.89 | 40 | 2,400.00 | A |
| N-Grnhs Transplants | Tau-fluvalinate | 10.75 | 70 | 3,150.00 | A |
| N-Grnhs Transplants | Thiophanate-methyl | 352.91 | 84 | 4,290.00 | A |
| N-Grnhs Transplants | Trichoderma harzianum rifai strain krl-ag2 | 0.52 | 25 | 1,440.00 | A |
| N-Grnhs Transplants | Trifloxystrobin | 0.70 | 12 | 450.00 | A |
| N-Grnhs Transplants | Uniconazole-p | 0.14 | 212 | 9,450.00 | A |
| N-Outdr Flower | Abamectin | 0.08 | 8 | 8.25 | A |
| N-Outdr Flower | Acephate | 57.00 | 89 | 103.30 | A |
| N-Outdr Flower | Acetamiprid | 0.19 | 5 | 4.00 | A |
| N-Outdr Flower | Aggregated adjuvant data | 21.92 | 101 | 142.05 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Outdr Flower | Aggregated adjuvant data | 0.38 | 0 | 28.00 | U |
| N-Outdr Flower | Azadirachtin | < 0.01 | 2 | 1.00 | A |
| N-Outdr Flower | Azoxystrobin | 0.99 | 16 | 13.35 | A |
| N-Outdr Flower | Benzovindiflupyr | 0.14 | 6 | 4.95 | A |
| N-Outdr Flower | Bifenazate | 1.22 | 16 | 10.50 | A |
| N-Outdr Flower | Bifenthrin | 0.81 | 14 | 11.70 | A |
| N-Outdr Flower | Copper sulfate (pentahydrate) | 0.84 | 2 | 3.25 | A |
| N-Outdr Flower | Cyantraniliprole | 0.74 | 9 | 9.50 | A |
| N-Outdr Flower | Cyclaniliprole | 0.05 | 1 | 1.00 | A |
| N-Outdr Flower | Cyfluthrin | 0.04 | 6 | 6.50 | A |
| N-Outdr Flower | Daminozide | 6.88 | 10 | 2.85 | A |
| N-Outdr Flower | Didecyl dimethyl ammonium chloride | 11.69 | 6 | 8.20 | A |
| N-Outdr Flower | Diflubenzuron | 0.10 | 3 | 3.25 | A |
| N-Outdr Flower | Dimethoate | 1.48 | 3 | 3.00 | A |
| N-Outdr Flower | Dinotefuran | 1.19 | 18 | 15.00 | A |
| N-Outdr Flower | Dinotefuran | 0.09 | 0 | 28.00 | U |
| N-Outdr Flower | Diquat dibromide | 28.11 | 24 | 9.65 | A |
| N-Outdr Flower | Fenhexamid | 1.75 | 2 | 3.50 | A |
| N-Outdr Flower | Fenpropathrin | 0.63 | 5 | 4.00 | A |
| N-Outdr Flower | Fludioxonil | 0.27 | 2 | 2.75 | A |
| N-Outdr Flower | Fluopicolide | 0.44 | 5 | 3.50 | A |
| N-Outdr Flower | Flupyradifurone | 6.63 | 32 | 50.00 | A |
| N-Outdr Flower | Fosetyl-al | 10.30 | 18 | 15.25 | A |
| N-Outdr Flower | Glyphosate, isopropylamine salt | 28.72 | 14 | 12.90 | A |
| N-Outdr Flower | Imidacloprid | 0.17 | 6 | 6.50 | A |
| N-Outdr Flower | Iprodione | 23.94 | 37 | 48.50 | A |
| N-Outdr Flower | Margosa oil | 0.62 | 2 | 1.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Outdr Flower | Mefenoxam | 0.24 | 10 | 7.50 | A |
| N-Outdr Flower | Metaldehyde | 1.12 | 2 | 0.75 | A |
| N-Outdr Flower | Methoxyfenozide | 5.07 | 4 | 28.00 | A |
| N-Outdr Flower | Myclobutanil | 0.69 | 11 | 7.00 | A |
| N-Outdr Flower | Paclobutrazol | < 0.01 | 1 | 3.00 | A |
| N-Outdr Flower | Potassium laurate | 20.30 | 3 | 2.50 | A |
| N-Outdr Flower | Prodiamine | 0.25 | 1 | 0.20 | A |
| N-Outdr Flower | Propiconazole | 0.11 | 2 | 1.25 | A |
| N-Outdr Flower | Propylene glycol | 9.27 | 97 | 114.05 | A |
| N-Outdr Flower | Propylene glycol | 0.04 | 0 | 28.00 | U |
| N-Outdr Flower | Pseudomonas chlororaphis subsp. aurantiaca strain: afs009 | 70.00 | 4 | 28.00 | A |
| N-Outdr Flower | Spinosad | 1.86 | 34 | 27.20 | A |
| N-Outdr Flower | Sulfur | 26.80 | 13 | 11.25 | A |
| N-Outdr Flower | Tau-fluvalinate | 1.95 | 15 | 13.75 | A |
| N-Outdr Flower | Tebuconazole | 1.41 | 6 | 5.00 | A |
| N-Outdr Flower | Thiamethoxam | 0.02 | 1 | 0.25 | A |
| N-Outdr Flower | Thiophanate-methyl | 30.72 | 134 | 123.80 | A |
| N-Outdr Flower | Uniconazole-p | < 0.01 | 1 | 0.30 | A |
| N-Outdr Flower | Zeta-cypermethrin | 0.35 | 2 | 14.00 | A |
| N-Outdr Plants In Containers | 2,4-d, 2-ethylhexyl ester | 12.06 | 1 | 8.00 | A |
| N-Outdr Plants In Containers | Abamectin | 0.18 | 14 | 21.16 | A |
| N-Outdr Plants In Containers | Acephate | 42.78 | 25 | 33.78 | A |
| N-Outdr Plants In Containers | Acetamiprid | 5.12 | 30 | 59.99 | A |
| N-Outdr Plants In Containers | Acetamiprid | 0.27 | 25 | 135,300.00 | S |
| N-Outdr Plants In Containers | Aggregated adjuvant data | 200.30 | 292 | 453.10 | A |
| N-Outdr Plants In Containers | Aggregated adjuvant data | 0.62 | 21 | 87,000.00 | S |
| N-Outdr Plants In Containers | Alkyl (c8,c10) polyglucoside | 8.48 | 244 | 338.46 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Outdr Plants In Containers | Azoxystrobin | 1.38 | 6 | 12.50 | A |
| N-Outdr Plants In Containers | Beta-cyfluthrin | < 0.01 | 2 | 0.50 | A |
| N-Outdr Plants In Containers | Bifenazate | 0.37 | 1 | 1.00 | A |
| N-Outdr Plants In Containers | Bifenthrin | 5.23 | 45 | 57.82 | A |
| N-Outdr Plants In Containers | Carfentrazone-ethyl | 0.39 | 3 | 13.00 | A |
| N-Outdr Plants In Containers | Chlorophacinone | 0.03 | 4 | 110.00 | A |
| N-Outdr Plants In Containers | Chlorothalonil | 41.48 | 20 | 39.58 | A |
| N-Outdr Plants In Containers | Copper diammonium diacetate complex | 2.63 | 2 | 4.00 | A |
| N-Outdr Plants In Containers | Copper hydroxide | 10.16 | 15 | 28.16 | A |
| N-Outdr Plants In Containers | Copper octanoate | 4.38 | 2 | 3.50 | A |
| N-Outdr Plants In Containers | Copper oxychloride | 11.19 | 15 | 28.16 | A |
| N-Outdr Plants In Containers | Cyflumetofen | 0.21 | 1 | 0.50 | A |
| N-Outdr Plants In Containers | Cyfluthrin | 0.06 | 1 | 1.00 | A |
| N-Outdr Plants In Containers | Dicamba | 0.80 | 1 | 8.00 | A |
| N-Outdr Plants In Containers | Dimethenamid-p | 2.25 | 1 | 3.50 | A |
| N-Outdr Plants In Containers | Dimethylpolysiloxane | 2.03 | 11 | 82.00 | A |
| N-Outdr Plants In Containers | Dinotefuran | 3.07 | 18 | 33.54 | A |
| N-Outdr Plants In Containers | Dinotefuran | 0.12 | 7 | 29,000.00 | S |
| N-Outdr Plants In Containers | Diphacinone | < 0.01 | 1 | 10.00 | A |
| N-Outdr Plants In Containers | Ethephon | 0.09 | 2 | 4,000.00 | S |
| N-Outdr Plants In Containers | Fenpropathrin | 2.46 | 9 | 10.25 | A |
| N-Outdr Plants In Containers | Fludioxonil | 0.34 | 2 | 1.25 | A |
| N-Outdr Plants In Containers | Flumioxazin | 56.51 | 123 | 297.28 | A |
| N-Outdr Plants In Containers | Fluxapyroxad | 0.75 | 4 | 5.50 | A |
| N-Outdr Plants In Containers | Fosetyl-al | 24.20 | 6 | 11.71 | A |
| N-Outdr Plants In Containers | Glufosinate-ammonium | 39.02 | 13 | 46.08 | A |
| N-Outdr Plants In Containers | Glyphosate, isopropylamine salt | 796.38 | 180 | 346.86 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Outdr Plants In Containers | Glyphosate, potassium salt | 7.78 | 1 | 0.60 | A |
| N-Outdr Plants In Containers | Hexythiazox | 0.03 | 2 | 1.00 | A |
| N-Outdr Plants In Containers | Imidacloprid | 17.90 | 60 | 122.50 | A |
| N-Outdr Plants In Containers | Imidacloprid | 4.84 | 6 | 26,500.00 | S |
| N-Outdr Plants In Containers | Indaziflam | 2.64 | 35 | 35.00 | A |
| N-Outdr Plants In Containers | Iron phosphate | 1.20 | 1 | 2.00 | A |
| N-Outdr Plants In Containers | Isoxaben | 20.87 | 17 | 28.41 | A |
| N-Outdr Plants In Containers | Lambda-cyhalothrin | 0.31 | 4 | 4.50 | A |
| N-Outdr Plants In Containers | Lecithin | 95.15 | 266 | 337.10 | A |
| N-Outdr Plants In Containers | Mancozeb | 0.75 | 1 | 1.00 | A |
| N-Outdr Plants In Containers | Mecoprop-p | 2.00 | 1 | 8.00 | A |
| N-Outdr Plants In Containers | Mefenoxam | 0.28 | 5 | 6.70 | A |
| N-Outdr Plants In Containers | Mesotrione | 2.16 | 6 | 36.00 | A |
| N-Outdr Plants In Containers | Metaldehyde | 71.31 | 6 | 37.31 | A |
| N-Outdr Plants In Containers | Metaldehyde | 0.02 | 4 | 3,275.00 | S |
| N-Outdr Plants In Containers | Methoxyfenozide | 0.56 | 4 | 4.00 | A |
| N-Outdr Plants In Containers | Methylated soybean oil | 15.48 | 33 | 56.64 | A |
| N-Outdr Plants In Containers | Mineral oil | 460.90 | 22 | 35.65 | A |
| N-Outdr Plants In Containers | Mineral oil | 37.31 | 43 | 289,300.00 | S |
| N-Outdr Plants In Containers | Myclobutanil | 2.85 | 12 | 23.00 | A |
| N-Outdr Plants In Containers | Oxathiapiprolin | 0.05 | 1 | 4.00 | A |
| N-Outdr Plants In Containers | Pcnb | 0.52 | 1 | 0.40 | A |
| N-Outdr Plants In Containers | Pendimethalin | 5.40 | 2 | 4.50 | A |
| N-Outdr Plants In Containers | Permethrin | 1.77 | 5 | 7.00 | A |
| N-Outdr Plants In Containers | Polyalkeneoxide modified heptamethyltrisiloxane | 2.34 | 11 | 20.00 | A |
| N-Outdr Plants In Containers | Polyalkeneoxide modified heptamethyltrisiloxane | 0.14 | 21 | 87,000.00 | S |
| N-Outdr Plants In Containers | Potassium phosphite | 4.84 | 1 | 3.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Outdr Plants In Containers | Propiconazole | 2.61 | 21 | 27.66 | A |
| N-Outdr Plants In Containers | Propylene glycol | 0.78 | 11 | 20.00 | A |
| N-Outdr Plants In Containers | Propylene glycol | 0.31 | 21 | 87,000.00 | S |
| N-Outdr Plants In Containers | Pyraclostrobin | 0.75 | 4 | 5.50 | A |
| N-Outdr Plants In Containers | Pyraflufen-ethyl | 0.30 | 9 | 60.00 | A |
| N-Outdr Plants In Containers | Pyriproxyfen | 0.70 | 2 | 2.25 | A |
| N-Outdr Plants In Containers | Spinosad | 0.77 | 6 | 9.50 | A |
| N-Outdr Plants In Containers | Spinosad | 0.14 | 13 | 62,400.00 | S |
| N-Outdr Plants In Containers | Spiromesifen | 0.03 | 1 | 0.50 | A |
| N-Outdr Plants In Containers | Spirotetramat | 1.16 | 9 | 12.10 | A |
| N-Outdr Plants In Containers | Spirotetramat | 0.16 | 8 | 31,100.00 | S |
| N-Outdr Plants In Containers | Terrazole | 2.29 | 2 | 0.80 | A |
| N-Outdr Plants In Containers | Thiamethoxam | 0.62 | 3 | 4.50 | A |
| N-Outdr Plants In Containers | Thiophanate-methyl | 4.41 | 6 | 5.45 | A |
| N-Outdr Plants In Containers | Triclopyr, butoxyethyl ester | 23.69 | 2 | 16.00 | A |
| N-Outdr Plants In Containers | Trifluralin | 83.48 | 17 | 28.41 | A |
| N-Outdr Transplants | Abamectin | 0.07 | 4 | 9.00 | A |
| N-Outdr Transplants | Aggregated adjuvant data | 5.19 | 5 | 243.50 | A |
| N-Outdr Transplants | Bifenazate | 0.25 | 1 | 60.00 | A |
| N-Outdr Transplants | Canola oil | 0.14 | 1 | 60.00 | A |
| N-Outdr Transplants | Capsicum oleoresin | 0.02 | 1 | 60.00 | A |
| N-Outdr Transplants | Clarified hydrophobic extract of neem oil | 6.54 | 4 | 8.80 | A |
| N-Outdr Transplants | Cyantraniliprole | 2.66 | 4 | 183.00 | A |
| N-Outdr Transplants | Cyfluthrin | 0.10 | 1 | 60.00 | A |
| N-Outdr Transplants | Dimethenamid-p | 3.38 | 7 | 420.00 | A |
| N-Outdr Transplants | Fenpropathrin | 0.14 | 18 | 4,649.00 | S |
| N-Outdr Transplants | Fenpropathrin | 0.03 | 11 | 2,248.00 | U |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N-Outdr Transplants | Flupyradifurone | 0.65 | 2 | 120.00 | A |
| N-Outdr Transplants | Garlic | 0.06 | 1 | 60.00 | A |
| N-Outdr Transplants | Glyphosate, isopropylamine salt | 9.18 | 4 | 10.00 | A |
| N-Outdr Transplants | Imidacloprid | 0.28 | 1 | 60.00 | A |
| N-Outdr Transplants | Imidacloprid | 0.04 | 1 | 389.00 | C |
| N-Outdr Transplants | Imidacloprid | 0.46 | 17 | 4,260.00 | S |
| N-Outdr Transplants | Imidacloprid | 0.12 | 11 | 2,248.00 | U |
| N-Outdr Transplants | Methiocarb | 15.00 | 1 | 60.00 | A |
| N-Outdr Transplants | Pendimethalin | 4.50 | 7 | 420.00 | A |
| N-Outdr Transplants | Spirotetramat | 0.54 | 3 | 7.50 | A |
| Nectarine | Aggregated adjuvant data | 8.15 | 34 | 43.75 | A |
| Nectarine | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 0.35 | 6 | 9.00 | A |
| Nectarine | Boscalid | 0.76 | 4 | 4.00 | A |
| Nectarine | Chlorothalonil | 14.98 | 3 | 4.50 | A |
| Nectarine | Copper hydroxide | 10.83 | 5 | 7.00 | A |
| Nectarine | Copper octanoate | 0.03 | 2 | 0.14 | A |
| Nectarine | Copper octanoate | 0.14 | 1 | 5.00 | U |
| Nectarine | Cuprous oxide | 5.64 | 1 | 2.00 | A |
| Nectarine | Cyantraniliprole | 0.08 | 1 | 1.00 | A |
| Nectarine | Fluopyram | 0.88 | 8 | 8.25 | A |
| Nectarine | Glyphosate, potassium salt | 6.21 | 3 | 4.50 | A |
| Nectarine | Lambda-cyhalothrin | 0.35 | 6 | 8.50 | A |
| Nectarine | Lime-sulfur | 2.31 | 1 | 1,500.00 | S |
| Nectarine | Margosa oil | 0.49 | 3 | 0.75 | A |
| Nectarine | Mefentrifluconazole | 0.65 | 3 | 4.00 | A |
| Nectarine | Methylated soybean oil | 23.40 | 26 | 31.75 | A |
| Nectarine | Mineral oil | 55.72 | 9 | 13.50 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Nectarine | Myclobutanil | 0.10 | 1 | 1.00 | A |
| Nectarine | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 0.21 | 6 | 9.00 | A |
| Nectarine | Oxyfluorfen | 2.26 | 3 | 4.50 | A |
| Nectarine | Pendimethalin | 4.26 | 3 | 4.50 | A |
| Nectarine | Penthiopyrad | 1.72 | 6 | 8.50 | A |
| Nectarine | Pyraclostrobin | 0.38 | 4 | 4.00 | A |
| Nectarine | Pyrethrins | 0.30 | 4 | 6.00 | A |
| Nectarine | Spinetoram | 1.11 | 7 | 10.00 | A |
| Nectarine | Trifloxystrobin | 0.88 | 8 | 8.25 | A |
| Oat | Aggregated adjuvant data | 7.65 | 2 | 15.00 | A |
| Oat | Carfentrazone-ethyl | 0.22 | 2 | 15.00 | A |
| Oat | Tribenuron-methyl | 0.10 | 2 | 15.00 | A |
| Olive | Kaolin | 50.47 | 0 | 2.00 | A |
| Olive | Spinosad | < 0.01 | 0 | 13.50 | A |
| Onion, Dry | Aggregated adjuvant data | 62.87 | 19 | 269.00 | A |
| Onion, Dry | Bensulide | 2.17 | 1 | 0.80 | A |
| Onion, Dry | Boscalid | 16.43 | 8 | 62.30 | A |
| Onion, Dry | Bromoxynil heptanoate | 4.05 | 3 | 47.00 | A |
| Onion, Dry | Bromoxynil octanoate | 4.20 | 3 | 47.00 | A |
| Onion, Dry | Chlorothalonil | 99.20 | 6 | 95.00 | A |
| Onion, Dry | Chlorthal-dimethyl | 283.76 | 4 | 47.00 | A |
| Onion, Dry | Copper hydroxide | 47.02 | 4 | 68.00 | A |
| Onion, Dry | Dimethylpolysiloxane | 1.02 | 18 | 210.05 | A |
| Onion, Dry | Glyphosate, isopropylamine salt | 50.96 | 4 | 51.00 | A |
| Onion, Dry | Hydrogen peroxide | 3.02 | 6 | 2.60 | A |
| Onion, Dry | Imidacloprid | 0.59 | 2 | 1.15 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Onion, Dry | Lambda-cyhalothrin | 2.39 | 5 | 75.00 | A |
| Onion, Dry | Mancozeb | 255.00 | 7 | 119.00 | A |
| Onion, Dry | Mandipropamid | 4.69 | 7 | 36.30 | A |
| Onion, Dry | Mefenoxam | 9.89 | 6 | 95.00 | A |
| Onion, Dry | Methomyl | 42.08 | 3 | 51.00 | A |
| Onion, Dry | Oxathiapiprolin | 0.03 | 5 | 2.30 | A |
| Onion, Dry | Oxyfluorfen | 22.66 | 10 | 100.50 | A |
| Onion, Dry | Penthiopyrad | 12.55 | 5 | 40.15 | A |
| Onion, Dry | Peroxyacetic acid | 0.22 | 6 | 2.60 | A |
| Onion, Dry | Propylene glycol | 9.85 | 15 | 218.00 | A |
| Onion, Dry | Pyraclostrobin | 8.17 | 4 | 61.00 | A |
| Onion, Dry | Pyrethrins | 0.07 | 2 | 1.30 | A |
| Onion, Dry | Spinetoram | 0.08 | 1 | 1.00 | A |
| Onion, Dry | Spirotetramat | 0.06 | 1 | 0.75 | A |
| Onion, Dry | Tebuconazole | 12.05 | 2 | 21.00 | A |
| Onion, Dry | Zeta-cypermethrin | 2.90 | 8 | 116.00 | A |
| Parsley | Aggregated adjuvant data | 7.24 | 3 | 14.50 | A |
| Parsley | Copper hydroxide | 13.37 | 3 | 14.50 | A |
| Parsley | Prometryn | 22.73 | 3 | 14.50 | A |
| Pastureland | 2,4-d, dimethylamine salt | 7.15 | 5 | 8.50 | A |
| Pastureland | Aggregated adjuvant data | 17.30 | 2 | 174.00 | A |
| Pastureland | Aminopyralid, triisopropanolamine salt | 19.21 | 3 | 119.20 | A |
| Pastureland | Diphacinone | 0.01 | 2 | 300.00 | A |
| Peach | Aggregated adjuvant data | 5.31 | 41 | 63.75 | A |
| Peach | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 14.66 | 27 | 36.50 | A |
| Peach | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 0.55 | 8 | 15.50 | A |
| Peach | Boscalid | 1.70 | 7 | 9.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Peach | Chlorothalonil | 26.97 | 4 | 7.75 | A |
| Peach | Copper hydroxide | 23.51 | 8 | 13.75 | A |
| Peach | Copper octanoate | 0.14 | 1 | 12.00 | U |
| Peach | Esfenvalerate | 0.37 | 4 | 7.75 | A |
| Peach | Fluopyram | 1.35 | 10 | 13.25 | A |
| Peach | Glyphosate, potassium salt | 10.69 | 4 | 7.75 | A |
| Peach | Lambda-cyhalothrin | 0.50 | 8 | 12.25 | A |
| Peach | Lime-sulfur | 2.31 | 1 | 1,512.00 | S |
| Peach | Margosa oil | 4.41 | 4 | 1.75 | A |
| Peach | Mefentrifluconazole | 0.92 | 4 | 6.00 | A |
| Peach | Methylated soybean oil | 23.63 | 30 | 42.75 | A |
| Peach | Mineral oil | 236.86 | 16 | 29.25 | A |
| Peach | Mineral oil | 2.15 | 1 | 1,512.00 | S |
| Peach | Myclobutanil | 0.33 | 2 | 2.00 | A |
| Peach | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 0.34 | 8 | 15.50 | A |
| Peach | Oxyfluorfen | 3.89 | 4 | 7.75 | A |
| Peach | Pendimethalin | 7.34 | 4 | 7.75 | A |
| Peach | Penthiopyrad | 2.81 | 8 | 13.50 | A |
| Peach | Pyraclostrobin | 0.86 | 7 | 9.00 | A |
| Peach | Pyrethrins | 0.33 | 5 | 9.00 | A |
| Peach | Spinetoram | 0.22 | 2 | 2.00 | A |
| Peach | Trifloxystrobin | 1.35 | 10 | 13.25 | A |
| Pear | Lime-sulfur | 0.38 | 1 | 200.00 | S |
| Pear | Mineral oil | 0.36 | 1 | 200.00 | S |
| Peas | Bentazon, sodium salt | 16.29 | 1 | 15.00 | A |
| Peas | S-metolachlor | 61.94 | 5 | 55.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pepper, Fruiting | 1,3-dichloropropene | 29,400.99 | 30 | 457.50 | A |
| Pepper, Fruiting | Abamectin | 13.41 | 34 | 748.15 | A |
| Pepper, Fruiting | Acephate | 66.33 | 10 | 100.50 | A |
| Pepper, Fruiting | Acetamiprid | 72.49 | 38 | 989.70 | A |
| Pepper, Fruiting | Afidopyropen | 38.42 | 74 | 1,631.65 | A |
| Pepper, Fruiting | Aggregated adjuvant data | 858.93 | 339 | 7,092.10 | A |
| Pepper, Fruiting | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 30.01 | 39 | 401.80 | A |
| Pepper, Fruiting | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 64.61 | 35 | 870.00 | A |
| Pepper, Fruiting | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 14.43 | 13 | 293.90 | A |
| Pepper, Fruiting | Ammonium propionate | 115.33 | 35 | 870.00 | A |
| Pepper, Fruiting | Ammonium sulfate | 32.25 | 39 | 889.00 | A |
| Pepper, Fruiting | Azoxystrobin | 5.87 | 2 | 32.25 | A |
| Pepper, Fruiting | Bacillus thuringiensis subsp. aizawai strain: gc-91 | 84.70 | 8 | 84.70 | A |
| Pepper, Fruiting | Bacillus velezensis strain: d747 | 715.42 | 13 | 162.40 | A |
| Pepper, Fruiting | Bacillus velezensis strain: qst 713 | 6.69 | 5 | 117.50 | A |
| Pepper, Fruiting | Beta-cyfluthrin | 3.20 | 13 | 138.00 | A |
| Pepper, Fruiting | Bifenthrin | 14.49 | 30 | 468.50 | A |
| Pepper, Fruiting | Capric acid | 355.56 | 2 | 28.00 | A |
| Pepper, Fruiting | Caprylic acid | 434.57 | 2 | 28.00 | A |
| Pepper, Fruiting | Carfentrazone-ethyl | 8.26 | 21 | 486.50 | A |
| Pepper, Fruiting | Chlorantraniliprole | 50.35 | 30 | 746.15 | A |
| Pepper, Fruiting | Chloropicrin | 62,977.19 | 30 | 457.50 | A |
| Pepper, Fruiting | Chromobacterium subtsugae strain: praa4-1 | 174.48 | 25 | 290.80 | A |
| Pepper, Fruiting | Citric acid | 58.41 | 41 | 901.60 | A |
| Pepper, Fruiting | Copper hydroxide | 64.08 | 5 | 122.50 | A |
| Pepper, Fruiting | Cyantraniliprole | 47.87 | 22 | 545.15 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pepper, Fruiting | Cyclaniliprole | 0.83 | 1 | 16.00 | A |
| Pepper, Fruiting | Cyfluthrin | 0.04 | 1 | 1.00 | A |
| Pepper, Fruiting | Cymoxanil | 15.31 | 5 | 122.50 | A |
| Pepper, Fruiting | Cyromazine | 177.56 | 70 | 1,469.90 | A |
| Pepper, Fruiting | Difenoconazole | 3.68 | 2 | 32.25 | A |
| Pepper, Fruiting | Dimethoate | 0.91 | 1 | 31.00 | A |
| Pepper, Fruiting | Dimethylpolysiloxane | 15.98 | 234 | 4,964.20 | A |
| Pepper, Fruiting | Emamectin benzoate | 0.36 | 1 | 32.70 | A |
| Pepper, Fruiting | Ethephon | 68.02 | 9 | 93.60 | A |
| Pepper, Fruiting | Famoxadone | 15.31 | 5 | 122.50 | A |
| Pepper, Fruiting | Fenamidone | 22.95 | 6 | 91.50 | A |
| Pepper, Fruiting | Flonicamid | 121.15 | 58 | 1,358.95 | A |
| Pepper, Fruiting | Flumioxazin | 6.83 | 3 | 55.00 | A |
| Pepper, Fruiting | Fluopyram | 163.86 | 64 | 1,581.35 | A |
| Pepper, Fruiting | Flupyradifurone | 45.19 | 24 | 344.45 | A |
| Pepper, Fruiting | Flutriafol | 34.13 | 14 | 312.10 | A |
| Pepper, Fruiting | Fluxapyroxad | 145.90 | 76 | 1,678.15 | A |
| Pepper, Fruiting | Gibberellins | 0.82 | 19 | 349.70 | A |
| Pepper, Fruiting | Glufosinate-ammonium | 313.57 | 27 | 642.00 | A |
| Pepper, Fruiting | Glyphosate, isopropylamine salt | 1,591.35 | 48 | 1,166.90 | A |
| Pepper, Fruiting | Imidacloprid | 5.90 | 9 | 80.00 | A |
| Pepper, Fruiting | Kaolin | 3,529.25 | 8 | 49.50 | A |
| Pepper, Fruiting | Lambda-cyhalothrin | 62.95 | 92 | 2,091.80 | A |
| Pepper, Fruiting | Mefentrifluconazole | 105.11 | 33 | 808.15 | A |
| Pepper, Fruiting | Methomyl | 99.81 | 10 | 221.80 | A |
| Pepper, Fruiting | Methoxyfenozide | 322.76 | 70 | 1,837.00 | A |
| Pepper, Fruiting | Methylated soybean oil | 137.03 | 37 | 331.50 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pepper, Fruiting | Mineral oil | 243.33 | 18 | 154.60 | A |
| Pepper, Fruiting | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 44.01 | 13 | 293.90 | A |
| Pepper, Fruiting | Novaluron | 9.39 | 5 | 120.00 | A |
| Pepper, Fruiting | Oxamyl | 512.12 | 28 | 710.66 | A |
| Pepper, Fruiting | Oxyfluorfen | 198.91 | 21 | 501.10 | A |
| Pepper, Fruiting | Paraquat dichloride | 16.19 | 2 | 43.00 | A |
| Pepper, Fruiting | Penthiopyrad | 8.19 | 2 | 32.00 | A |
| Pepper, Fruiting | Polyalkeneoxide modified heptamethyltrisiloxane | 338.62 | 259 | 5,195.20 | A |
| Pepper, Fruiting | Potassium n-methyldithiocarbamate | 139,224.81 | 45 | 629.89 | A |
| Pepper, Fruiting | Potassium phosphite | 205.35 | 1 | 42.70 | A |
| Pepper, Fruiting | Propylene glycol | 184.37 | 234 | 5,149.00 | A |
| Pepper, Fruiting | Pymetrozine | 6.01 | 2 | 70.00 | A |
| Pepper, Fruiting | Pyraclostrobin | 290.99 | 76 | 1,678.15 | A |
| Pepper, Fruiting | Pyrethrins | 3.71 | 8 | 101.70 | A |
| Pepper, Fruiting | Pyriofenone | 15.76 | 19 | 177.50 | A |
| Pepper, Fruiting | Pyriproxyfen | 5.43 | 13 | 226.00 | A |
| Pepper, Fruiting | Quinoxyfen | 40.65 | 17 | 432.60 | A |
| Pepper, Fruiting | S-metolachlor | 353.24 | 13 | 300.82 | A |
| Pepper, Fruiting | Sethoxydim | 4.99 | 4 | 19.00 | A |
| Pepper, Fruiting | Sodium polyacrylate | 14.48 | 35 | 870.00 | A |
| Pepper, Fruiting | Spinetoram | 65.78 | 58 | 1,267.00 | A |
| Pepper, Fruiting | Spinosad | 21.97 | 16 | 193.10 | A |
| Pepper, Fruiting | Spiromesifen | 7.07 | 9 | 55.00 | A |
| Pepper, Fruiting | Spirotetramat | 95.34 | 54 | 1,250.35 | A |
| Pepper, Fruiting | Strepomyces lydicus strain: wyec 108 | 0.03 | 5 | 117.50 | A |
| Pepper, Fruiting | Sulfur | 1,638.00 | 42 | 515.30 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pepper, Fruiting | Thiamethoxam | 49.72 | 17 | 393.36 | A |
| Pepper, Fruiting | Trifloxystrobin | 156.63 | 53 | 1,307.10 | A |
| Pepper, Fruiting | Trifluralin | 299.01 | 24 | 576.17 | A |
| Pepper, Fruiting | Urea dihydrogen sulfate | 93.54 | 13 | 293.90 | A |
| Pepper, Fruiting | Zeta-cypermethrin | 51.36 | 89 | 2,070.50 | A |
| Persimmon | Aggregated adjuvant data | 1.34 | 3 | 3.00 | A |
| Persimmon | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 0.09 | 2 | 2.00 | A |
| Persimmon | Glyphosate, potassium salt | 1.38 | 1 | 1.00 | A |
| Persimmon | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 0.05 | 2 | 2.00 | A |
| Persimmon | Oxyfluorfen | 0.50 | 1 | 1.00 | A |
| Persimmon | Pendimethalin | 0.95 | 1 | 1.00 | A |
| Plum | Aggregated adjuvant data | 4.49 | 21 | 35.01 | A |
| Plum | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 0.44 | 6 | 11.50 | A |
| Plum | Aminoethoxyvinylglycine hydrochloride | 0.33 | 2 | 3.00 | A |
| Plum | Boscalid | 1.20 | 3 | 5.00 | A |
| Plum | Chlorothalonil | 8.99 | 2 | 3.25 | A |
| Plum | Esfenvalerate | 0.10 | 1 | 2.00 | A |
| Plum | Fenpropathrin | 0.59 | 2 | 3.00 | A |
| Plum | Fluopyram | 0.70 | 5 | 7.69 | A |
| Plum | Glyphosate, potassium salt | 7.93 | 3 | 5.75 | A |
| Plum | Lambda-cyhalothrin | 0.08 | 2 | 2.01 | A |
| Plum | Margosa oil | 0.33 | 1 | 0.50 | A |
| Plum | Mefentrifluconazole | 0.26 | 1 | 2.00 | A |
| Plum | Methylated soybean oil | 8.80 | 14 | 21.51 | A |
| Plum | Mineral oil | 60.78 | 4 | 7.75 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Plum | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 0.27 | 6 | 11.50 | A |
| Plum | Oxyfluorfen | 2.88 | 3 | 5.75 | A |
| Plum | Pendimethalin | 5.45 | 3 | 5.75 | A |
| Plum | Penthiopyrad | 0.42 | 1 | 2.00 | A |
| Plum | Pyraclostrobin | 0.61 | 3 | 5.00 | A |
| Plum | Pyrethrins | 0.17 | 2 | 4.00 | A |
| Plum | Spinetoram | 0.33 | 2 | 3.25 | A |
| Plum | Trifloxystrobin | 0.70 | 5 | 7.69 | A |
| Pome Fruit | Clarified hydrophobic extract of neem oil | < 0.01 | 0 | 0.50 | A |
| Pome Fruit | Copper octanoate | 0.04 | 0 | 1.75 | A |
| Pome Fruit | Cydia pomonella granulosis virus | < 0.01 | 0 | 1.00 | A |
| Pome Fruit | Mineral oil | 3.64 | 0 | 2.75 | A |
| Prune | Cuprous oxide | 16.78 | 1 | 2.00 | A |
| Prune | Mineral oil | 14.04 | 1 | 2.00 | A |
| Public Health | Bacillus sphaericus 2362 serotype h5a5b strain: abts 1743 | 44.72 | 0 | 0.00 | N/A |
| Public Health | Bacillus thuringiensis subsp. israelensis strain: am 65-52 | 436.69 | 0 | 0.00 | N/A |
| Public Health | Bacillus thuringiensis subspecies israelensis strain bmp 144 | 41.66 | 0 | 0.00 | N/A |
| Public Health | Beauveria bassiana strain: gha | 5.56 | 0 | 0.00 | N/A |
| Public Health | Etofenprox | 213.14 | 0 | 0.00 | N/A |
| Public Health | Lambda-cyhalothrin | 0.33 | 0 | 0.00 | N/A |
| Public Health | Mineral oil | 131.42 | 0 | 0.00 | N/A |
| Public Health | Piperonyl butoxide | 0.88 | 0 | 0.00 | N/A |
| Public Health | Prallethrin | 0.03 | 0 | 0.00 | N/A |
| Public Health | Pyrethrins | 20.35 | 0 | 0.00 | N/A |
| Public Health | Pyriproxyfen | 41.27 | 0 | 0.00 | N/A |
| Public Health | S-methoprene | 48.46 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Public Health | Silica gel | 1.51 | 0 | 0.00 | N/A |
| Public Health | Spinosad | 4.04 | 0 | 0.00 | N/A |
| Pumpkin | Abamectin | 0.63 | 3 | 41.80 | A |
| Pumpkin | Acetamiprid | 15.13 | 12 | 209.80 | A |
| Pumpkin | Afidopyropen | 4.17 | 13 | 216.80 | A |
| Pumpkin | Aggregated adjuvant data | 210.14 | 36 | 481.10 | A |
| Pumpkin | Bensulide | 60.24 | 3 | 13.50 | A |
| Pumpkin | Beta-cyfluthrin | 0.19 | 1 | 8.00 | A |
| Pumpkin | Bifenthrin | 24.67 | 20 | 249.80 | A |
| Pumpkin | Boscalid | 9.90 | 2 | 34.80 | A |
| Pumpkin | Chlorantraniliprole | 3.89 | 3 | 26.00 | A |
| Pumpkin | Cyflufenamid | 0.23 | 1 | 10.00 | A |
| Pumpkin | Cyfluthrin | 1.64 | 2 | 36.00 | A |
| Pumpkin | Fenamidone | 0.74 | 2 | 4.00 | A |
| Pumpkin | Flonicamid | 0.09 | 1 | 1.00 | A |
| Pumpkin | Fluopyram | 7.66 | 9 | 72.80 | A |
| Pumpkin | Flutriafol | 4.35 | 4 | 38.00 | A |
| Pumpkin | Imidacloprid | 6.17 | 3 | 26.00 | A |
| Pumpkin | Lambda-cyhalothrin | 1.09 | 2 | 34.80 | A |
| Pumpkin | Mefentrifluconazole | 21.61 | 9 | 165.00 | A |
| Pumpkin | Methoxyfenozide | 1.52 | 1 | 8.00 | A |
| Pumpkin | Methylated soybean oil | 55.85 | 22 | 359.00 | A |
| Pumpkin | Myclobutanil | 3.48 | 2 | 34.80 | A |
| Pumpkin | Permethrin | 27.92 | 8 | 139.00 | A |
| Pumpkin | Polyalkeneoxide modified heptamethyltrisiloxane | 3.20 | 6 | 84.60 | A |
| Pumpkin | Quinoxyfen | 17.49 | 11 | 183.00 | A |
| Pumpkin | S-metolachlor | 17.10 | 3 | 13.50 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pumpkin | Spinetoram | 0.06 | 1 | 1.00 | A |
| Pumpkin | Trifloxystrobin | 7.29 | 7 | 58.80 | A |
| Radish | Cyfluthrin | 0.04 | 1 | 1.10 | A |
| Radish | Mefenoxam | 0.56 | 1 | 1.10 | A |
| Radish | Trifluralin | 0.83 | 1 | 1.10 | A |
| Rangeland | Aminopyralid, triisopropanolamine salt | 24.04 | 0 | 60.60 | A |
| Rangeland | Chlorophacinone | < 0.01 | 0 | 6.00 | A |
| Rangeland | Glyphosate, isopropylamine salt | 1.00 | 0 | 11.00 | A |
| Recreation Area | Aggregated adjuvant data | 3.10 | 0 | 2.00 | A |
| Recreation Area | Aminopyralid, triisopropanolamine salt | 5.78 | 0 | 4.00 | A |
| Recreation Area | Imazamox, ammonium salt | 1.27 | 0 | 2.00 | A |
| Regulatory Pest Control | Acid blue 9, diammonium salt | 155.20 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Aggregated adjuvant data | 29.82 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Alkyl* dimethyl benzyl ammonium chloride *(50%c14, 40%c12, 10%c16) | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Beta-cyfluthrin | 0.12 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Bifenthrin | 0.68 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Bromadiolone | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Bromethalin | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Calcium hypochlorite | 127.16 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Chlorophacinone | 0.02 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Clothianidin | 0.02 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Copper sulfate (pentahydrate) | 6.97 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Cyfluthrin | 0.04 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Ddvp | 0.09 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Ddvp, other related | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Diatomaceous earth | 0.02 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Regulatory Pest Control | Didecyl dimethyl ammonium chloride | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Dinotefuran | 0.24 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Diphacinone | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Emamectin benzoate | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Endothall, mono(n,n-dimethylalkylamine) salt | 415.98 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Fipronil | 0.15 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Hydroprene | 0.06 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Imidacloprid | 0.26 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Indoxacarb | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Isopropyl alcohol | 0.14 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Metofluthrin | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | N-octyl bicycloheptene dicarboximide | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Phenothrin | < 0.01 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Piperonyl butoxide | 0.04 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Sodium dichloro-s-triazinetrione | 311.85 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Sodium hypochlorite | 89.09 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Tartrazine | 12.81 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Trichloro-s-triazinetrione | 504.07 | 0 | 0.00 | N/A |
| Regulatory Pest Control | Warfarin | 0.07 | 0 | 0.00 | N/A |
| Research Commodity | (s)-kinoprene | 0.02 | 1 | 0.10 | A |
| Research Commodity | Aggregated adjuvant data | 0.31 | 1 | 2.00 | A |
| Research Commodity | Aggregated adjuvant data | 0.06 | 1 | 3,600.00 | S |
| Research Commodity | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | < 0.01 | 1 | 0.10 | A |
| Research Commodity | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | < 0.01 | 1 | 3,600.00 | S |
| Research Commodity | Beauveria bassiana strain: gha | < 0.01 | 1 | 0.05 | A |
| Research Commodity | Bensulide | 2.26 | 6 | 0.46 | A |
| Research Commodity | Bifenthrin | < 0.01 | 1 | 0.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Research Commodity | Copper octanoate | < 0.01 | 1 | 0.01 | A |
| Research Commodity | Cyromazine | < 0.01 | 1 | 2,500.00 | S |
| Research Commodity | Esfenvalerate | < 0.01 | 1 | 3,600.00 | S |
| Research Commodity | Hydrogen peroxide | 0.17 | 1 | 0.70 | A |
| Research Commodity | Imidacloprid | 0.02 | 2 | 0.25 | A |
| Research Commodity | Imidacloprid | < 0.01 | 1 | 2,400.00 | S |
| Research Commodity | Iron phosphate | 0.03 | 1 | 3,000.00 | S |
| Research Commodity | Mandipropamid | 0.02 | 2 | 0.16 | A |
| Research Commodity | Mandipropamid | < 0.01 | 1 | 2,500.00 | S |
| Research Commodity | Oxathiapiprolin | < 0.01 | 2 | 0.16 | A |
| Research Commodity | Oxathiapiprolin | < 0.01 | 1 | 2,500.00 | S |
| Research Commodity | Peroxyacetic acid | 0.01 | 1 | 0.70 | A |
| Research Commodity | Potassium laurate | 2.63 | 4 | 0.67 | A |
| Research Commodity | Propamocarb hydrochloride | 0.04 | 1 | 2,000.00 | S |
| Research Commodity | Pyraclostrobin | 0.40 | 1 | 2.00 | A |
| Research Commodity | Pyrethrins | < 0.01 | 2 | 0.08 | A |
| Research Commodity | Pyrifluquinazon | < 0.01 | 1 | 0.10 | A |
| Research Commodity | Spirotetramat | < 0.01 | 1 | 0.10 | A |
| Research Commodity | Thiamethoxam | 0.18 | 2 | 2.10 | A |
| Research Commodity | Thiophanate-methyl | 0.04 | 1 | 0.10 | A |
| Research Commodity | Zeta-cypermethrin | < 0.01 | 1 | 0.06 | A |
| Research Commodity | Zeta-cypermethrin | < 0.01 | 1 | 2,000.00 | S |
| Rights Of Way | Aggregated adjuvant data | 2,143.79 | 0 | 0.00 | N/A |
| Rights Of Way | Alkyl (c8,c10) polyglucoside | 14.60 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 67.16 | 0 | 0.00 | N/A |
| Rights Of Way | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 1.99 | 0 | 0.00 | N/A |
| Rights Of Way | Aminocyclopyrachlor, potassium salt | 0.02 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rights Of Way | Aminopyralid, triisopropanolamine salt | 247.15 | 0 | 0.00 | N/A |
| Rights Of Way | Ammonium sulfate | 9.91 | 0 | 0.00 | N/A |
| Rights Of Way | Bacillus thuringiensis subsp. israelensis strain: am 65-52 | 125.58 | 1 | 490.00 | A |
| Rights Of Way | Capric acid | 0.77 | 0 | 0.00 | N/A |
| Rights Of Way | Caprylic acid | 1.00 | 0 | 0.00 | N/A |
| Rights Of Way | Chlorsulfuron | 1.76 | 0 | 0.00 | N/A |
| Rights Of Way | Citric acid | 1.41 | 0 | 0.00 | N/A |
| Rights Of Way | Clethodim | 0.78 | 0 | 0.00 | N/A |
| Rights Of Way | Clopyralid, monoethanolamine salt | 0.13 | 0 | 0.00 | N/A |
| Rights Of Way | Clothianidin | 0.03 | 0 | 0.00 | N/A |
| Rights Of Way | Copper carbonate, basic | 32.18 | 0 | 0.00 | N/A |
| Rights Of Way | Copper ethanolamine complexes, mixed | 6.22 | 0 | 0.00 | N/A |
| Rights Of Way | Copper hydroxide | 68.73 | 0 | 0.00 | N/A |
| Rights Of Way | Dimethylpolysiloxane | 0.23 | 0 | 0.00 | N/A |
| Rights Of Way | Dinotefuran | 49.88 | 0 | 0.00 | N/A |
| Rights Of Way | Diquat dibromide | 450.93 | 0 | 0.00 | N/A |
| Rights Of Way | Disodium octaborate anhydrous | 206.78 | 0 | 0.00 | N/A |
| Rights Of Way | Disodium octaborate tetrahydrate | 5.32 | 0 | 0.00 | N/A |
| Rights Of Way | Dithiopyr | 799.20 | 0 | 0.00 | N/A |
| Rights Of Way | Flumioxazin | 32.52 | 0 | 0.00 | N/A |
| Rights Of Way | Fluroxypyr, 1-methylheptyl ester | 8.01 | 0 | 0.00 | N/A |
| Rights Of Way | Glufosinate-ammonium | 1,526.90 | 0 | 0.00 | N/A |
| Rights Of Way | Glyphosate, dimethylamine salt | 21.12 | 0 | 0.00 | N/A |
| Rights Of Way | Glyphosate, isopropylamine salt | 6,978.37 | 0 | 0.00 | N/A |
| Rights Of Way | Glyphosate, potassium salt | 2,964.82 | 0 | 0.00 | N/A |
| Rights Of Way | Imazamox, ammonium salt | 17.63 | 0 | 0.00 | N/A |
| Rights Of Way | Imazapyr | 0.04 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rights Of Way | Imazapyr, isopropylamine salt | 93.45 | 0 | 0.00 | N/A |
| Rights Of Way | Imidacloprid | 0.84 | 0 | 0.00 | N/A |
| Rights Of Way | Indaziflam | 51.34 | 0 | 0.00 | N/A |
| Rights Of Way | Isoxaben | 501.76 | 0 | 0.00 | N/A |
| Rights Of Way | Limonene | 4.83 | 0 | 0.00 | N/A |
| Rights Of Way | Metam-sodium | 2,623.57 | 0 | 0.00 | N/A |
| Rights Of Way | Methyl eugenol | 49.78 | 0 | 0.00 | N/A |
| Rights Of Way | Methylated soybean oil | 27.82 | 0 | 0.00 | N/A |
| Rights Of Way | Mineral oil | 0.64 | 0 | 0.00 | N/A |
| Rights Of Way | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 1.48 | 0 | 0.00 | N/A |
| Rights Of Way | Oleic acid, ethyl ester | 313.79 | 0 | 0.00 | N/A |
| Rights Of Way | Oxyfluorfen | 10.33 | 0 | 0.00 | N/A |
| Rights Of Way | Paclobutrazol | 2.51 | 0 | 0.00 | N/A |
| Rights Of Way | Pendimethalin | 182.06 | 0 | 0.00 | N/A |
| Rights Of Way | Penoxsulam | 0.21 | 0 | 0.00 | N/A |
| Rights Of Way | Rimsulfuron | 8.66 | 0 | 0.00 | N/A |
| Rights Of Way | S-methoprene | 6.76 | 1 | 490.00 | A |
| Rights Of Way | Sodium tetraborate decahydrate | 1,777.25 | 0 | 0.00 | N/A |
| Rights Of Way | Spinosad | 1.95 | 0 | 0.00 | N/A |
| Rights Of Way | Sulfentrazone | 1.05 | 0 | 0.00 | N/A |
| Rights Of Way | Sulfometuron-methyl | 10.07 | 0 | 0.00 | N/A |
| Rights Of Way | Tall oil fatty acids | 1.56 | 0 | 0.00 | N/A |
| Rights Of Way | Triclopyr choline | 111.34 | 0 | 0.00 | N/A |
| Rights Of Way | Triclopyr, butoxyethyl ester | 183.61 | 0 | 0.00 | N/A |
| Rights Of Way | Triclopyr, triethylamine salt | 367.67 | 0 | 0.00 | N/A |
| Rights Of Way | Trifluralin | 15.00 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Rights Of Way | Urea dihydrogen sulfate | 0.94 | 0 | 0.00 | N/A |
| Sod Farm (Turf) | 2,4-d, dimethylamine salt | 2.27 | 1 | 2.00 | A |
| Sod Farm (Turf) | Aggregated adjuvant data | 0.96 | 2 | 16.00 | A |
| Sod Farm (Turf) | Mesotrione | 0.34 | 2 | 16.00 | A |
| Sod Farm (Turf) | Triclopyr, butoxyethyl ester | 11.85 | 2 | 16.00 | A |
| Soybean | Azadirachtin | < 0.01 | 4 | 2.00 | A |
| Soybean | Potassium laurate | < 0.01 | 1 | 0.50 | A |
| Soybean | Pyrethrins | 0.01 | 2 | 1.00 | A |
| Soybean | Pyrethrins | < 0.01 | 1 | 5,000.00 | S |
| Spinach | Abamectin | 0.87 | 9 | 58.00 | A |
| Spinach | Acibenzolar-s-methyl | 2.94 | 20 | 125.25 | A |
| Spinach | Aggregated adjuvant data | 0.74 | 32 | 183.55 | A |
| Spinach | Bacillus amyloliquefacens strain: f727 | 265.82 | 8 | 66.10 | A |
| Spinach | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 0.51 | 1 | 1.00 | A |
| Spinach | Cycloate | 162.48 | 20 | 125.25 | A |
| Spinach | Cyfluthrin | 2.84 | 9 | 58.00 | A |
| Spinach | Emamectin benzoate | < 0.01 | 1 | 0.25 | A |
| Spinach | Fenamidone | 13.75 | 9 | 52.95 | A |
| Spinach | Imidacloprid | 6.36 | 21 | 125.50 | A |
| Spinach | Imidacloprid | 0.02 | 1 | 8,000.00 | S |
| Spinach | Mandipropamid | 9.38 | 14 | 86.30 | A |
| Spinach | Mefenoxam | 72.75 | 20 | 125.25 | A |
| Spinach | Oxathiapiprolin | 0.68 | 9 | 58.00 | A |
| Spinach | Permethrin | 34.48 | 31 | 183.95 | A |
| Spinach | Potassium phosphite | 558.52 | 31 | 192.25 | A |
| Spinach | Propamocarb hydrochloride | 4.99 | 1 | 5.00 | A |
| Spinach | S-metolachlor | 5.60 | 10 | 5.90 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Spinach | Spinetoram | 8.63 | 31 | 192.50 | A |
| Spinach | Spinosad | 6.16 | 8 | 66.10 | A |
| Spinach | Zeta-cypermethrin | 1.99 | 13 | 79.40 | A |
| Spinach, Ceylon | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 0.51 | 1 | 1.00 | A |
| Spinach, Ceylon | Malathion | 0.89 | 1 | 1.00 | A |
| Squash | Aggregated adjuvant data | 50.20 | 16 | 82.50 | A |
| Squash | Bensulide | 75.99 | 4 | 23.70 | A |
| Squash | Beta-cyfluthrin | 0.53 | 4 | 23.50 | A |
| Squash | Citric acid | 0.27 | 3 | 12.50 | A |
| Squash | Cyclaniliprole | 0.20 | 1 | 5.00 | A |
| Squash | Diatomaceous earth | 51.00 | 1 | 3.00 | A |
| Squash | Glyphosate, isopropylamine salt | 8.72 | 2 | 8.70 | A |
| Squash | Hydrogen peroxide | 3.11 | 1 | 5.00 | A |
| Squash | Lambda-cyhalothrin | 0.44 | 3 | 14.00 | A |
| Squash | Methoxyfenozide | 4.44 | 5 | 25.50 | A |
| Squash | Methylated soybean oil | 17.34 | 7 | 34.30 | A |
| Squash | Peroxyacetic acid | 0.58 | 1 | 5.00 | A |
| Squash | Polyalkeneoxide modified heptamethyltrisiloxane | 0.95 | 7 | 37.50 | A |
| Squash | Pyrethrins | 0.09 | 1 | 3.00 | A |
| Squash | Pyriofenone | 0.50 | 1 | 5.00 | A |
| Squash | Quinoxyfen | 2.42 | 5 | 25.50 | A |
| Squash | Sethoxydim | 1.00 | 1 | 3.80 | A |
| Stone Fruit | Copper hydroxide | 4.15 | 1 | 1.00 | A |
| Stone Fruit | Copper octanoate | 3.47 | 0 | 14.00 | A |
| Stone Fruit | Mineral oil | 41.57 | 1 | 23.25 | A |
| Stone Fruit | Pyrethrins | 0.03 | 1 | 0.25 | A |
| Stone Fruit | Soybean oil | 3.23 | 0 | 3.25 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Stone Fruit | Spinosad | 0.03 | 1 | 0.25 | A |
| Strawberry | Aggregated adjuvant data | 45.10 | 38 | 72.00 | A |
| Strawberry | Azadirachtin | 0.16 | 2 | 4.00 | A |
| Strawberry | Bacillus thuringiensis subsp. kurstaki strain: abts-351 | 2.97 | 3 | 5.50 | A |
| Strawberry | Bacillus velezensis strain: qst 713 | 3.05 | 33 | 62.00 | A |
| Strawberry | Margosa oil | 0.25 | 2 | 4.00 | A |
| Strawberry | Pyrethrins | 1.41 | 16 | 31.00 | A |
| Strawberry | Reynoutria sachalinensis (giant knotweed) plant extract | 13.28 | 31 | 58.50 | A |
| Strawberry | Spinosad | 0.51 | 3 | 5.50 | A |
| Strawberry | Sulfur | 11.20 | 4 | 8.00 | A |
| Structural Pest Control | 2,4-d, 2-ethylhexyl ester | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | 2-methyl-1-butanol | 0.23 | 0 | 0.00 | N/A |
| Structural Pest Control | 4-aminopyridine | 0.47 | 0 | 0.00 | N/A |
| Structural Pest Control | 4-vinylcyclohexenediepoxide | 0.06 | 0 | 0.00 | N/A |
| Structural Pest Control | Abamectin | 0.35 | 0 | 0.00 | N/A |
| Structural Pest Control | Abamectin, other related | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Acephate | 147.28 | 0 | 0.00 | N/A |
| Structural Pest Control | Acetamiprid | 1.26 | 0 | 0.00 | N/A |
| Structural Pest Control | Acetic acid | 0.51 | 0 | 0.00 | N/A |
| Structural Pest Control | Aggregated adjuvant data | 103.87 | 0 | 0.00 | N/A |
| Structural Pest Control | Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride | 0.17 | 0 | 0.00 | N/A |
| Structural Pest Control | Alkyl* dimethyl benzyl ammonium chloride *(50%c14, 40%c12, 10%c16) | 2.04 | 0 | 0.00 | N/A |
| Structural Pest Control | Alkyl* dimethyl benzyl ammonium chloride *(60%c14, 30%c16, 5%c18, 5%c12) | 0.17 | 0 | 0.00 | N/A |
| Structural Pest Control | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 1.23 | 0 | 0.00 | N/A |
| Structural Pest Control | Alpha-cypermethrin | 139.86 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Structural Pest Control | Ammonium nitrate | 4.25 | 0 | 0.00 | N/A |
| Structural Pest Control | Bacillus thuringiensis subspecies israelensis strain bmp 144 | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | Beauveria bassiana strain: gha | 4.80 | 0 | 0.00 | N/A |
| Structural Pest Control | Beta-cyfluthrin | 194.60 | 0 | 0.00 | N/A |
| Structural Pest Control | Bifenthrin | 1,184.92 | 0 | 0.00 | N/A |
| Structural Pest Control | Boric acid | 23,065.00 | 0 | 0.00 | N/A |
| Structural Pest Control | Brodifacoum | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Bromadiolone | 0.03 | 0 | 0.00 | N/A |
| Structural Pest Control | Bromethalin | 4.73 | 0 | 0.00 | N/A |
| Structural Pest Control | Calcium acetate | 0.06 | 0 | 0.00 | N/A |
| Structural Pest Control | Capsicum oleoresin | 0.33 | 0 | 0.00 | N/A |
| Structural Pest Control | Carbon | 0.08 | 0 | 0.00 | N/A |
| Structural Pest Control | Carfentrazone-ethyl | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlorantraniliprole | 52.29 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlordecone | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlorfenapyr | 292.23 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlorine dioxide | 0.09 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlorophacinone | 0.38 | 0 | 0.00 | N/A |
| Structural Pest Control | Chloropicrin | 59.60 | 0 | 0.00 | N/A |
| Structural Pest Control | Chlorpyrifos | 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Cholecalciferol | 6.44 | 0 | 0.00 | N/A |
| Structural Pest Control | Clarified hydrophobic extract of neem oil | 0.09 | 0 | 0.00 | N/A |
| Structural Pest Control | Clothianidin | 7.71 | 0 | 0.00 | N/A |
| Structural Pest Control | Cyantraniliprole | 4.91 | 1 | 0.16 | A |
| Structural Pest Control | Cyfluthrin | 32.25 | 0 | 0.00 | N/A |
| Structural Pest Control | Cypermethrin | 1.04 | 0 | 0.00 | N/A |
| Structural Pest Control | D-allethrin | 0.02 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Structural Pest Control | D-trans allethrin | 0.27 | 0 | 0.00 | N/A |
| Structural Pest Control | Ddvp | 8.97 | 0 | 0.00 | N/A |
| Structural Pest Control | Ddvp, other related | 0.09 | 0 | 0.00 | N/A |
| Structural Pest Control | Deltamethrin | 818.44 | 0 | 0.00 | N/A |
| Structural Pest Control | Dextrin | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | Diatomaceous earth | 67.48 | 0 | 0.00 | N/A |
| Structural Pest Control | Dicamba | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Didecyl dimethyl ammonium chloride | 0.18 | 0 | 0.00 | N/A |
| Structural Pest Control | Difethialone | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Diflubenzuron | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Dimethylpolysiloxane | 0.03 | 0 | 0.00 | N/A |
| Structural Pest Control | Dinotefuran | 4,498.05 | 0 | 0.00 | N/A |
| Structural Pest Control | Dioctyl dimethyl ammonium chloride | 0.15 | 0 | 0.00 | N/A |
| Structural Pest Control | Diphacinone | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | Disodium octaborate tetrahydrate | 9,598.24 | 0 | 0.00 | N/A |
| Structural Pest Control | Dithiopyr | 0.75 | 0 | 0.00 | N/A |
| Structural Pest Control | Emamectin benzoate | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Esbiothrin | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Esfenvalerate | 567.31 | 0 | 0.00 | N/A |
| Structural Pest Control | Etofenprox | 7.17 | 0 | 0.00 | N/A |
| Structural Pest Control | Ferric sodium edta | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | Fipronil | 784.31 | 0 | 0.00 | N/A |
| Structural Pest Control | Gamma-cyhalothrin | 0.54 | 0 | 0.00 | N/A |
| Structural Pest Control | Glyphosate, isopropylamine salt | 2.00 | 1 | 10.00 | A |
| Structural Pest Control | Heptyl butyrate | 1.94 | 0 | 0.00 | N/A |
| Structural Pest Control | Hydramethylnon | 4.07 | 0 | 0.00 | N/A |
| Structural Pest Control | Hydroprene | 3,662.66 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Structural Pest Control | Imidacloprid | 752.29 | 0 | 0.00 | N/A |
| Structural Pest Control | Indole | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Indoxacarb | 20.73 | 0 | 0.00 | N/A |
| Structural Pest Control | Iron phosphate | 0.44 | 0 | 0.00 | N/A |
| Structural Pest Control | Isopropyl alcohol | 21.35 | 0 | 0.00 | N/A |
| Structural Pest Control | Lambda-cyhalothrin | 620.47 | 0 | 0.00 | N/A |
| Structural Pest Control | Limonene | 857.94 | 0 | 0.00 | N/A |
| Structural Pest Control | Margosa oil | 0.39 | 0 | 0.00 | N/A |
| Structural Pest Control | Mecoprop-p | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Methomyl | 0.25 | 0 | 0.00 | N/A |
| Structural Pest Control | Methyl anthranilate | 2.31 | 0 | 0.00 | N/A |
| Structural Pest Control | Metofluthrin | 0.16 | 0 | 0.00 | N/A |
| Structural Pest Control | Mineral oil | 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Muscalure | 0.05 | 0 | 0.00 | N/A |
| Structural Pest Control | N-octyl bicycloheptene dicarboximide | 42.19 | 0 | 0.00 | N/A |
| Structural Pest Control | Novaluron | 1,031.95 | 0 | 0.00 | N/A |
| Structural Pest Control | Noviflumuron | 0.93 | 0 | 0.00 | N/A |
| Structural Pest Control | Octyl decyl dimethyl ammonium chloride | 0.30 | 0 | 0.00 | N/A |
| Structural Pest Control | Permethrin | 968.37 | 0 | 0.00 | N/A |
| Structural Pest Control | Petroleum distillates | 1.18 | 0 | 0.00 | N/A |
| Structural Pest Control | Phenothrin | 1.09 | 0 | 0.00 | N/A |
| Structural Pest Control | Phenothrin, other related | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Phenylethyl propionate | 0.30 | 0 | 0.00 | N/A |
| Structural Pest Control | Phosphine | 0.96 | 0 | 0.00 | N/A |
| Structural Pest Control | Phosphoric acid | 3.44 | 0 | 0.00 | N/A |
| Structural Pest Control | Pine oil | 0.02 | 0 | 0.00 | N/A |
| Structural Pest Control | Piperonyl butoxide | 1,080.73 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Structural Pest Control | Piperonyl butoxide, other related | 5.90 | 0 | 0.00 | N/A |
| Structural Pest Control | Polybutene | 29.09 | 0 | 0.00 | N/A |
| Structural Pest Control | Potassium nitrate | 0.45 | 0 | 0.00 | N/A |
| Structural Pest Control | Prallethrin | 140.83 | 0 | 0.00 | N/A |
| Structural Pest Control | Putrescent whole egg solids | 0.39 | 0 | 0.00 | N/A |
| Structural Pest Control | Pyrethrins | 57.36 | 0 | 0.00 | N/A |
| Structural Pest Control | Pyriproxyfen | 1,095.85 | 0 | 0.00 | N/A |
| Structural Pest Control | Resmethrin | 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Resmethrin, other related | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Rotenone | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Rotenone, other related | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | S-bioallethrin | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | S-methoprene | 1.55 | 0 | 0.00 | N/A |
| Structural Pest Control | Silica gel | 127.08 | 0 | 0.00 | N/A |
| Structural Pest Control | Sodium tetraborate decahydrate | 10.36 | 0 | 0.00 | N/A |
| Structural Pest Control | Spinosad | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Strychnine | < 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Sulfur | 0.45 | 0 | 0.00 | N/A |
| Structural Pest Control | Sulfuryl fluoride | 146,293.92 | 0 | 0.00 | N/A |
| Structural Pest Control | Tall oil fatty acids | 0.33 | 0 | 0.00 | N/A |
| Structural Pest Control | Tetramethrin | 0.68 | 0 | 0.00 | N/A |
| Structural Pest Control | Thiamethoxam | 25.85 | 0 | 0.00 | N/A |
| Structural Pest Control | Thyme oil | 0.50 | 0 | 0.00 | N/A |
| Structural Pest Control | Trichlorofluoromethane | 1.37 | 0 | 0.00 | N/A |
| Structural Pest Control | Triclopyr, butoxyethyl ester | 0.04 | 0 | 0.00 | N/A |
| Structural Pest Control | Trimethylamine | 0.01 | 0 | 0.00 | N/A |
| Structural Pest Control | Triptolide | < 0.01 | 0 | 0.00 | N/A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Structural Pest Control | Warfarin | 0.03 | 0 | 0.00 | N/A |
| Structural Pest Control | Z,e-9,12-tetradecadien-1-yl acetate | 65.17 | 0 | 0.00 | N/A |
| Structural Pest Control | Zeta-cypermethrin | 1.59 | 0 | 0.00 | N/A |
| Structural Pest Control | Zinc phosphide | 0.04 | 0 | 0.00 | N/A |
| Sunflower | Aggregated adjuvant data | 317.30 | 52 | 1,207.10 | A |
| Sunflower | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 55.37 | 12 | 248.50 | A |
| Sunflower | Ammonium propionate | 87.55 | 12 | 248.50 | A |
| Sunflower | Ammonium sulfate | 21.89 | 12 | 248.50 | A |
| Sunflower | Bacillus velezensis strain: qst 713 | 9.00 | 5 | 158.00 | A |
| Sunflower | Carfentrazone-ethyl | 2.17 | 3 | 99.00 | A |
| Sunflower | Citric acid | 83.95 | 15 | 340.50 | A |
| Sunflower | Cyfluthrin | 8.04 | 13 | 176.10 | A |
| Sunflower | Eptc | 23.52 | 1 | 15.80 | A |
| Sunflower | Esfenvalerate | 7.68 | 6 | 185.00 | A |
| Sunflower | Flonicamid | 29.99 | 11 | 343.00 | A |
| Sunflower | Glyphosate, isopropylamine salt | 229.84 | 3 | 99.00 | A |
| Sunflower | Glyphosate, potassium salt | 104.31 | 5 | 140.50 | A |
| Sunflower | Lambda-cyhalothrin | 4.92 | 5 | 158.00 | A |
| Sunflower | Lecithin | 123.87 | 23 | 379.60 | A |
| Sunflower | Methyl anthranilate | 219.68 | 34 | 722.60 | A |
| Sunflower | Methylated soybean oil | 50.96 | 15 | 306.60 | A |
| Sunflower | Paraquat dichloride | 131.87 | 11 | 206.50 | A |
| Sunflower | Pyraclostrobin | 13.79 | 6 | 89.10 | A |
| Sunflower | S-metolachlor | 208.37 | 8 | 206.80 | A |
| Sunflower | Sodium polyacrylate | 7.14 | 12 | 248.50 | A |
| Sunflower | Trifluralin | 127.04 | 8 | 206.80 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Sunflower | Zeta-cypermethrin | 4.48 | 7 | 180.00 | A |
| Tomato | Abamectin | 10.99 | 19 | 698.00 | A |
| Tomato | Acetamiprid | 46.89 | 16 | 706.00 | A |
| Tomato | Afidopyropen | 5.25 | 11 | 259.00 | A |
| Tomato | Aggregated adjuvant data | 707.69 | 126 | 3,567.70 | A |
| Tomato | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 100.38 | 56 | 1,588.20 | A |
| Tomato | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 30.14 | 10 | 346.00 | A |
| Tomato | Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 388.41 | 109 | 2,987.70 | A |
| Tomato | Ametoctradin | 6.81 | 1 | 25.00 | A |
| Tomato | Ammonium propionate | 44.74 | 10 | 346.00 | A |
| Tomato | Ammonium sulfate | 11.18 | 10 | 346.00 | A |
| Tomato | Azadirachtin | 0.06 | 3 | 3.00 | A |
| Tomato | Azoxystrobin | 103.97 | 27 | 797.50 | A |
| Tomato | Bacillus thuringiensis subsp. aizawai strain: gc-91 | 21.00 | 2 | 21.00 | A |
| Tomato | Bacillus velezensis strain: d747 | 30.84 | 1 | 7.00 | A |
| Tomato | Bacillus velezensis strain: mbi 600 | 2.02 | 2 | 21.00 | A |
| Tomato | Bacillus velezensis strain: qst 713 | 0.28 | 2 | 3.00 | A |
| Tomato | Beta-cyfluthrin | 1.42 | 6 | 61.50 | A |
| Tomato | Bifenthrin | 4.34 | 6 | 123.00 | A |
| Tomato | Carfentrazone-ethyl | 6.38 | 11 | 416.00 | A |
| Tomato | Chlorantraniliprole | 29.67 | 16 | 413.10 | A |
| Tomato | Chlorothalonil | 2,252.28 | 54 | 1,412.00 | A |
| Tomato | Chromobacterium subtsugae strain: praa4-1 | 18.02 | 4 | 29.00 | A |
| Tomato | Citric acid | 22.37 | 10 | 346.00 | A |
| Tomato | Clarified hydrophobic extract of neem oil | 9.29 | 5 | 5.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato | Clethodim | 0.98 | 2 | 6.00 | A |
| Tomato | Copper hydroxide | 112.25 | 3 | 152.00 | A |
| Tomato | Copper octanoate | 1.75 | 2 | 2.00 | A |
| Tomato | Cyantraniliprole | 26.16 | 10 | 298.00 | A |
| Tomato | Cyfluthrin | 0.15 | 1 | 3.00 | A |
| Tomato | Cymoxanil | 87.58 | 21 | 700.60 | A |
| Tomato | Difenoconazole | 65.12 | 27 | 797.50 | A |
| Tomato | Dimethoate | 20.26 | 9 | 345.00 | A |
| Tomato | Dimethomorph | 5.11 | 1 | 25.00 | A |
| Tomato | Dimethylpolysiloxane | 11.85 | 112 | 3,047.70 | A |
| Tomato | Emamectin benzoate | 0.90 | 3 | 60.00 | A |
| Tomato | Ethephon | 232.63 | 13 | 399.00 | A |
| Tomato | Famoxadone | 87.58 | 21 | 700.60 | A |
| Tomato | Fenamidone | 15.85 | 3 | 60.00 | A |
| Tomato | Flonicamid | 85.22 | 33 | 973.50 | A |
| Tomato | Fludioxonil | 54.07 | 9 | 291.00 | A |
| Tomato | Fluopyram | 104.97 | 29 | 941.50 | A |
| Tomato | Flupyradifurone | 0.03 | 1 | 1.00 | A |
| Tomato | Flutriafol | 6.95 | 2 | 61.00 | A |
| Tomato | Fluxapyroxad | 83.09 | 29 | 956.00 | A |
| Tomato | Glufosinate-ammonium | 25.68 | 2 | 56.00 | A |
| Tomato | Glyphosate, isopropylamine salt | 1,563.60 | 29 | 869.20 | A |
| Tomato | Hydrogen peroxide | 58.31 | 3 | 60.00 | A |
| Tomato | Imidacloprid | 0.12 | 3 | 1.50 | A |
| Tomato | Isopropyl alcohol | 31.69 | 39 | 1,123.50 | A |
| Tomato | Lambda-cyhalothrin | 55.33 | 59 | 1,789.10 | A |
| Tomato | Mefenoxam | 130.37 | 23 | 668.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato | Mefentrifluconazole | 4.72 | 1 | 36.00 | A |
| Tomato | Methomyl | 156.91 | 13 | 348.70 | A |
| Tomato | Methoxyfenozide | 45.58 | 10 | 241.00 | A |
| Tomato | Methylated soybean oil | 131.07 | 13 | 271.50 | A |
| Tomato | Metrafenone | 19.86 | 3 | 66.00 | A |
| Tomato | Mineral oil | 114.37 | 5 | 71.00 | A |
| Tomato | Myclobutanil | 39.87 | 14 | 398.70 | A |
| Tomato | Novaluron | 43.29 | 15 | 553.00 | A |
| Tomato | Oxamyl | 544.00 | 15 | 433.60 | A |
| Tomato | Oxyfluorfen | 46.69 | 16 | 397.20 | A |
| Tomato | Paclobutrazol | 0.06 | 4 | 4.00 | A |
| Tomato | Pendimethalin | 209.47 | 10 | 299.00 | A |
| Tomato | Penthiopyrad | 9.58 | 2 | 46.00 | A |
| Tomato | Peroxyacetic acid | 10.80 | 3 | 60.00 | A |
| Tomato | Piperonyl butoxide | 0.40 | 1 | 1.00 | A |
| Tomato | Polyalkeneoxide modified heptamethyltrisiloxane | 194.50 | 103 | 2,739.40 | A |
| Tomato | Potassium bicarbonate | < 0.01 | 0 | 4.50 | A |
| Tomato | Potassium laurate | 9.37 | 3 | 3.00 | A |
| Tomato | Potassium n-methyldithiocarbamate | 60,373.54 | 8 | 319.00 | A |
| Tomato | Potassium phosphite | 592.23 | 12 | 406.00 | A |
| Tomato | Propamocarb hydrochloride | 89.79 | 5 | 132.00 | A |
| Tomato | Propylene glycol | 108.54 | 101 | 2,793.90 | A |
| Tomato | Pydiflumetofen | 32.34 | 9 | 291.00 | A |
| Tomato | Pymetrozine | 6.36 | 3 | 74.00 | A |
| Tomato | Pyraclostrobin | 165.72 | 29 | 956.00 | A |
| Tomato | Pyrethrins | 0.09 | 7 | 7.00 | A |
| Tomato | Rimsulfuron | 10.30 | 25 | 658.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato | S-metolachlor | 620.66 | 18 | 504.00 | A |
| Tomato | Sodium polyacrylate | 2.52 | 10 | 346.00 | A |
| Tomato | Spinetoram | 111.95 | 76 | 2,215.20 | A |
| Tomato | Spinosad | 0.87 | 1 | 7.00 | A |
| Tomato | Spiromesifen | 7.90 | 3 | 60.00 | A |
| Tomato | Spirotetramat | 4.81 | 5 | 62.00 | A |
| Tomato | Sulfur | 3,229.20 | 13 | 238.50 | A |
| Tomato | Thiamethoxam | 50.75 | 29 | 849.50 | A |
| Tomato | Thiophanate-methyl | 0.77 | 1 | 1.00 | A |
| Tomato | Trifloxystrobin | 101.78 | 25 | 820.50 | A |
| Tomato | Trifluralin | 49.98 | 4 | 135.00 | A |
| Tomato | Uniconazole-p | < 0.01 | 17 | 18.00 | A |
| Tomato | Zeta-cypermethrin | 32.16 | 44 | 1,289.50 | A |
| Tomato, Processing | Abamectin | 2.99 | 7 | 164.90 | A |
| Tomato, Processing | Aggregated adjuvant data | 217.91 | 48 | 1,000.30 | A |
| Tomato, Processing | Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | 75.79 | 24 | 530.90 | A |
| Tomato, Processing | Bacillus thuringiensis subsp. aizawai strain: abts-1857 | 94.39 | 8 | 116.30 | A |
| Tomato, Processing | Chlorantraniliprole | 6.26 | 4 | 106.80 | A |
| Tomato, Processing | Chlorothalonil | 460.01 | 16 | 353.10 | A |
| Tomato, Processing | Chromobacterium subtsugae strain: praa4-1 | 38.40 | 4 | 64.00 | A |
| Tomato, Processing | Copper hydroxide | 79.29 | 8 | 133.40 | A |
| Tomato, Processing | Copper octanoate | 50.78 | 8 | 121.80 | A |
| Tomato, Processing | Copper oxychloride | 20.90 | 4 | 58.50 | A |
| Tomato, Processing | Cyantraniliprole | 9.90 | 4 | 112.80 | A |
| Tomato, Processing | Cyflufenamid | 2.07 | 5 | 89.10 | A |
| Tomato, Processing | Cyfluthrin | 2.37 | 3 | 52.10 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tomato, Processing | Cymoxanil | 2.85 | 1 | 22.80 | A |
| Tomato, Processing | Diatomaceous earth | 1,552.95 | 8 | 121.80 | A |
| Tomato, Processing | Dimethoate | 6.27 | 4 | 106.80 | A |
| Tomato, Processing | Dimethylpolysiloxane | 0.82 | 24 | 530.90 | A |
| Tomato, Processing | Esfenvalerate | 5.33 | 4 | 106.80 | A |
| Tomato, Processing | Ethephon | 59.93 | 5 | 131.80 | A |
| Tomato, Processing | Famoxadone | 2.85 | 1 | 22.80 | A |
| Tomato, Processing | Glyphosate, isopropylamine salt | 79.93 | 3 | 40.00 | A |
| Tomato, Processing | Lambda-cyhalothrin | 13.30 | 18 | 431.60 | A |
| Tomato, Processing | Mefenoxam | 22.88 | 8 | 219.60 | A |
| Tomato, Processing | Mefentrifluconazole | 20.77 | 7 | 158.90 | A |
| Tomato, Processing | Methoxyfenozide | 14.64 | 5 | 81.40 | A |
| Tomato, Processing | Metrafenone | 33.97 | 4 | 112.80 | A |
| Tomato, Processing | Myclobutanil | 10.68 | 4 | 106.80 | A |
| Tomato, Processing | Oxyfluorfen | 9.55 | 3 | 40.00 | A |
| Tomato, Processing | Pendimethalin | 37.01 | 3 | 52.10 | A |
| Tomato, Processing | Propylene glycol | 18.83 | 19 | 437.80 | A |
| Tomato, Processing | Pyrethrins | 2.75 | 4 | 57.80 | A |
| Tomato, Processing | Rimsulfuron | 2.26 | 10 | 175.20 | A |
| Tomato, Processing | S-metolachlor | 228.63 | 7 | 159.90 | A |
| Tomato, Processing | Spinosad | 5.96 | 4 | 64.00 | A |
| Tomato, Processing | Sulfur | 1,426.40 | 13 | 341.50 | A |
| Tomato, Processing | Trifluralin | 66.82 | 4 | 107.80 | A |
| Tomato, Processing | Zeta-cypermethrin | 1.29 | 3 | 52.10 | A |
| Turf/Sod | 2,4-d, 2-ethylhexyl ester | 7.55 | 1 | 52.00 | A |
| Turf/Sod | 2,4-d, dimethylamine salt | 3.40 | 1 | 3.00 | A |
| Turf/Sod | 2,4-dp-p, 2-ethylhexyl ester | 1.37 | 0 | 48.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Turf/Sod | Aggregated adjuvant data | 0.40 | 3 | 9.00 | A |
| Turf/Sod | Carfentrazone-ethyl | 0.12 | 0 | 48.00 | A |
| Turf/Sod | Dicamba | 0.50 | 1 | 52.00 | A |
| Turf/Sod | Dicamba, dimethylamine salt | 2.35 | 1 | 3.00 | A |
| Turf/Sod | Mecoprop-p | 0.86 | 1 | 4.00 | A |
| Turf/Sod | Pyraflufen-ethyl | < 0.01 | 1 | 4.00 | A |
| Turf/Sod | Triclopyr, butoxyethyl ester | 2.96 | 1 | 2.00 | A |
| Uncultivated Ag | Aggregated adjuvant data | 445.43 | 175 | 2,481.61 | A |
| Uncultivated Ag | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 19.64 | 21 | 226.00 | A |
| Uncultivated Ag | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | 20.03 | 4 | 80.50 | A |
| Uncultivated Ag | Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | 66.10 | 46 | 892.20 | A |
| Uncultivated Ag | Ammonium sulfate | 64.26 | 7 | 110.00 | A |
| Uncultivated Ag | Carfentrazone-ethyl | 3.56 | 13 | 299.00 | A |
| Uncultivated Ag | Citric acid | 20.33 | 23 | 353.00 | A |
| Uncultivated Ag | Dimethylpolysiloxane | 0.05 | 4 | 18.50 | A |
| Uncultivated Ag | Flumioxazin | 24.83 | 4 | 200.00 | A |
| Uncultivated Ag | Glufosinate-ammonium | 18.59 | 5 | 25.30 | A |
| Uncultivated Ag | Glycerol | 77.48 | 28 | 552.20 | A |
| Uncultivated Ag | Glyphosate, isopropylamine salt | 2,357.49 | 71 | 1,004.60 | A |
| Uncultivated Ag | Glyphosate, isopropylamine salt | 0.56 | 3 | 14,000.00 | S |
| Uncultivated Ag | Glyphosate, potassium salt | 795.37 | 118 | 213.63 | A |
| Uncultivated Ag | Indaziflam | 0.02 | 1 | 0.50 | A |
| Uncultivated Ag | Lecithin | 72.30 | 21 | 224.00 | A |
| Uncultivated Ag | Mcpa, dimethylamine salt | 16.41 | 3 | 116.00 | A |
| Uncultivated Ag | Methyl anthranilate | 10.05 | 2 | 66.00 | A |
| Uncultivated Ag | Methylated soybean oil | 84.31 | 8 | 199.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Uncultivated Ag | Mineral oil | 331.40 | 37 | 349.20 | A |
| Uncultivated Ag | N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | 110.07 | 46 | 892.20 | A |
| Uncultivated Ag | Oxyfluorfen | 616.88 | 103 | 1,378.61 | A |
| Uncultivated Ag | Paraquat dichloride | 22.25 | 1 | 33.00 | A |
| Uncultivated Ag | Pyraflufen-ethyl | 1.57 | 25 | 388.00 | A |
| Uncultivated Ag | Urea dihydrogen sulfate | 195.07 | 39 | 693.70 | A |
| Uncultivated Non-Ag | Aggregated adjuvant data | 341.54 | 38 | 898.69 | A |
| Uncultivated Non-Ag | Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | 51.15 | 0 | 481.19 | A |
| Uncultivated Non-Ag | Alpha-undecyl-omega-hydroxypoly(oxyethylene) | 53.98 | 0 | 319.89 | A |
| Uncultivated Non-Ag | Aminocyclopyrachlor, potassium salt | 27.36 | 0 | 207.09 | A |
| Uncultivated Non-Ag | Chlorsulfuron | 9.25 | 0 | 207.09 | A |
| Uncultivated Non-Ag | Dimethylpolysiloxane | 0.54 | 9 | 441.59 | A |
| Uncultivated Non-Ag | Diquat dibromide | 7.47 | 1 | 8.00 | A |
| Uncultivated Non-Ag | Dithiopyr | 13.17 | 0 | 180.30 | A |
| Uncultivated Non-Ag | Glufosinate-ammonium | 4.57 | 1 | 8.00 | A |
| Uncultivated Non-Ag | Glyphosate, isopropylamine salt | 303.38 | 5 | 394.59 | A |
| Uncultivated Non-Ag | Glyphosate, potassium salt | 310.28 | 4 | 68.00 | A |
| Uncultivated Non-Ag | Imazapyr, isopropylamine salt | 0.40 | 0 | 0.69 | A |
| Uncultivated Non-Ag | Indaziflam | 11.51 | 0 | 207.09 | A |
| Uncultivated Non-Ag | Isoxaben | 12.63 | 0 | 180.30 | A |
| Uncultivated Non-Ag | Methylated soybean oil | 8.92 | 0 | 199.30 | A |
| Uncultivated Non-Ag | Oxyfluorfen | 4.01 | 1 | 8.00 | A |
| Uncultivated Non-Ag | Pyraflufen-ethyl | 0.49 | 10 | 148.70 | A |
| Uncultivated Non-Ag | Rimsulfuron | 0.24 | 0 | 19.00 | A |
| Uncultivated Non-Ag | Triclopyr choline | 7.36 | 0 | 119.90 | A |
| Vegetable | Potassium bicarbonate | < 0.01 | 0 | 4.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Vegetables, Leafy | Chlorothalonil | 3.75 | 1 | 4.00 | A |
| Vegetables, Leafy | Cyfluthrin | 2.52 | 4 | 52.00 | A |
| Vegetables, Leafy | Fenamidone | 4.13 | 1 | 16.00 | A |
| Vegetables, Leafy | Zeta-cypermethrin | 1.96 | 5 | 90.00 | A |
| Vertebrate Control | Aluminum phosphide | 0.70 | 0 | 0.00 | N/A |
| Vertebrate Control | Bromadiolone | < 0.01 | 0 | 0.00 | N/A |
| Vertebrate Control | Bromethalin | 0.29 | 0 | 0.00 | N/A |
| Vertebrate Control | Chlorophacinone | 0.01 | 0 | 0.00 | N/A |
| Vertebrate Control | Cholecalciferol | 0.18 | 0 | 0.00 | N/A |
| Vertebrate Control | Diphacinone | < 0.01 | 7 | 82,000.00 | S |
| Vertebrate Control | Diphacinone | < 0.01 | 0 | 0.00 | N/A |
| Vertebrate Control | Strychnine | < 0.01 | 0 | 0.00 | N/A |
| Vertebrate Control | Zinc phosphide | 0.02 | 0 | 0.00 | N/A |
| Walnut | Abamectin | 2.32 | 1 | 90.00 | A |
| Walnut | Aggregated adjuvant data | 109.94 | 5 | 334.00 | A |
| Walnut | Bifenazate | 68.14 | 1 | 90.00 | A |
| Walnut | Bifenthrin | 17.84 | 1 | 90.00 | A |
| Walnut | Chlorantraniliprole | 7.32 | 1 | 90.00 | A |
| Walnut | Flumioxazin | 11.92 | 1 | 32.00 | A |
| Walnut | Glufosinate-ammonium | 132.13 | 1 | 90.00 | A |
| Walnut | Glyphosate, isopropylamine salt | 243.79 | 2 | 122.00 | A |
| Walnut | Kaolin | 427.50 | 1 | 6.00 | A |
| Walnut | Lambda-cyhalothrin | 3.66 | 1 | 90.00 | A |
| Walnut | Lecithin | 48.41 | 2 | 180.00 | A |
| Walnut | Mineral oil | 328.73 | 4 | 63.00 | A |
| Walnut | Oleic acid, methyl ester | 181.30 | 2 | 180.00 | A |
| Walnut | Oxyfluorfen | 137.10 | 1 | 90.00 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Walnut | Pendimethalin | 60.61 | 1 | 32.00 | A |
| Walnut | Pyraflufen-ethyl | 0.17 | 1 | 32.00 | A |
| Walnut | Spinosad | 2.62 | 3 | 36.00 | A |
| Water (Industrial) | 1,3-dichloro-5,5-dimethylhydantoin | 2,073.97 | 0 | 207.00 | U |
| Water (Industrial) | 1,3-dichloro-5-ethyl-5-methylhydantoin | 1,141.04 | 0 | 207.00 | U |
| Water (Industrial) | 1-bromo-3-chloro-5,5-dimethyl hydantoin | 4,609.58 | 0 | 208.00 | U |
| Water (Industrial) | 2,2-dibromo-3-nitrilopropionamide | 1,401.59 | 0 | 595.00 | U |
| Water (Industrial) | 2-methyl-4-isothiazolin-3-one | 295.88 | 0 | 3,382.00 | U |
| Water (Industrial) | 5-chloro-2-methyl-4-isothiazolin-3-one | 843.61 | 0 | 3,382.00 | U |
| Water (Industrial) | Bronopol | 2.14 | 0 | 1.00 | U |
| Water (Industrial) | Chlorine dioxide | 5.74 | 0 | 5.00 | U |
| Water (Industrial) | Glutaraldehyde | 10,218.61 | 0 | 1,149.00 | U |
| Water (Industrial) | Sodium bromide | 14,105.34 | 0 | 4,312.00 | U |
| Water (Industrial) | Sodium dichloro-s-triazinetrione | 1,636.22 | 0 | 538.00 | U |
| Water (Industrial) | Sodium hypochlorite | 9,721.46 | 0 | 5,296.00 | U |
| Water Area | Aggregated adjuvant data | 24.62 | 0 | 122.05 | A |
| Water Area | Copper ethanolamine complexes, mixed | 41.44 | 0 | 16.25 | A |
| Water Area | Copper sulfate (pentahydrate) | 9.87 | 0 | 2.25 | A |
| Water Area | Endothall, mono(n,n-dimethylalkylamine) salt | 2.27 | 0 | 0.25 | A |
| Water Area | Fluridone | 6.00 | 0 | 48.50 | A |
| Water Area | Glyphosate, isopropylamine salt | 86.38 | 0 | 123.05 | A |
| Water Area | Imazamox, ammonium salt | 2.54 | 0 | 73.68 | A |
| Water Area | Imazapyr, isopropylamine salt | 44.19 | 0 | 73.12 | A |
| Water Area | Imazapyr, isopropylamine salt | 1.07 | 0 | 4,842.00 | S |
| Water Area | Lecithin | 13.14 | 0 | 76.35 | A |
| Water Area | Methylated soybean oil | 21.01 | 0 | 48.85 | A |
| Water Area | Triclopyr, triethylamine salt | 9.57 | 0 | 11.55 | A |

| Commodity or Site | Chemical | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Water Systems - Human Potable/Drinking | Sodium hypochlorite | 35.25 | 0 | 26.00 | A |
| Water Systems - Human Potable/Drinking | Sodium hypochlorite | 22.17 | 0 | 9.00 | U |
| Watercress | Malathion | 0.51 | 1 | 10,000.00 | S |
| Watermelon | Aggregated adjuvant data | 2.53 | 2 | 12.80 | A |
| Watermelon | Bifenazate | 2.40 | 1 | 6.40 | A |
| Watermelon | Bifenthrin | 1.27 | 2 | 12.80 | A |
| Watermelon | Boscalid | 1.41 | 1 | 6.40 | A |
| Watermelon | Flonicamid | 0.56 | 1 | 6.40 | A |
| Watermelon | Fluopyram | 0.79 | 1 | 6.40 | A |
| Watermelon | Pyraclostrobin | 0.72 | 1 | 6.40 | A |
| Watermelon | Trifloxystrobin | 0.79 | 1 | 6.40 | A |
| Wheat | Aggregated adjuvant data | 14.31 | 4 | 74.00 | A |
| Wheat | Bromoxynil heptanoate | 3.96 | 1 | 23.00 | A |
| Wheat | Bromoxynil octanoate | 4.11 | 1 | 23.00 | A |
| Wheat | Diglycolamine salt of 3,6-dichloro-o-anisic acid | 4.36 | 1 | 23.00 | A |
| Wheat | Mcpa, dimethylamine salt | 27.58 | 3 | 51.00 | A |
| Wheat | Pinoxaden | 1.47 | 2 | 28.00 | A |
| Yam | Abamectin | 0.03 | 1 | 0.25 | A |
| Yam | Zeta-cypermethrin | 0.55 | 4 | 1.00 | A |