# 2024 Annual Statewide Pesticide Use Report Indexed by Chemical: Butte County

Text files of data are available. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, N/A = Not Available. Area treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative area treated would equal three acres. Most nonagricultural pesticide use reports are not required to report area treated, so the area treated totals are predominantly agricultural pesticide uses. Application counts (Apps) include only agricultural pesticide uses. N-outdr = Outdoor nursery. N-grnhs = Greenhouse nursery. For more information, see Pesticide Use Annual Report Data Access, References, and Definitions Guide.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| (e)-5-decen-1-ol | Peach | 0.08 | 12 | 88.48 | A |
| (e)-5-decenyl acetate | Peach | 0.37 | 12 | 88.48 | A |
| (e,e)-8,10-dodecadien-1-ol | Walnut | 14.08 | 6 | 493.00 | A |
| (s)-kinoprene | N-Grnhs Plants In Containers | 0.12 | 3 | 12,000.00 | S |
| (z,z)-11,13-hexadecadienal | Almond | 1.78 | 8 | 685.00 | A |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (Industrial) | 8.67 | 0 | 101.00 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (Industrial) | 4.77 | 0 | 101.00 | U |
| 1,3-dichloropropene | Peach | 725.59 | 1 | 2.20 | A |
| 1,3-dichloropropene | Prune | 21,325.66 | 3 | 64.70 | A |
| 1,3-dichloropropene | Walnut | 23,579.61 | 29 | 71.44 | A |
| 1-aminocyclopropane-1-carboxylic acid | Peach | 1.22 | 1 | 3.00 | A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (Industrial) | 16.26 | 0 | 101.00 | U |
| 1-naphthaleneacetamide | Apple | 0.23 | 2 | 6.00 | A |
| 2,2-dibromo-3-nitrilopropionamide | Water (Industrial) | 15.68 | 0 | 300.00 | U |
| 2,4-d | Alfalfa | 5.87 | 1 | 9.00 | A |
| 2,4-d | Landscape Maintenance | 129.62 | 0 | 0.00 | N/A |
| 2,4-d | Rights Of Way | 13.02 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| 2,4-d | Walnut | 22.13 | 8 | 51.00 | A |
| 2,4-d, 2-ethylhexyl ester | Landscape Maintenance | 109.51 | 0 | 0.00 | N/A |
| 2,4-d, 2-ethylhexyl ester | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| 2,4-d, butoxyethanol ester | Landscape Maintenance | 295.59 | 0 | 0.00 | N/A |
| 2,4-d, dimethylamine salt | Almond | 2,023.18 | 71 | 2,548.64 | A |
| 2,4-d, dimethylamine salt | Forage Hay/Silage | 34.74 | 2 | 49.00 | A |
| 2,4-d, dimethylamine salt | Landscape Maintenance | 396.79 | 0 | 0.00 | N/A |
| 2,4-d, dimethylamine salt | Pastureland | 556.19 | 4 | 415.60 | A |
| 2,4-d, dimethylamine salt | Peach | 33.68 | 2 | 20.00 | A |
| 2,4-d, dimethylamine salt | Prune | 128.05 | 7 | 83.00 | A |
| 2,4-d, dimethylamine salt | Rice | 9.12 | 1 | 4.00 | A |
| 2,4-d, dimethylamine salt | Rights Of Way | 4.52 | 0 | 0.00 | N/A |
| 2,4-d, dimethylamine salt | Uncultivated Ag | 162.36 | 6 | 271.00 | A |
| 2,4-d, dimethylamine salt | Uncultivated Non-Ag | 54.89 | 2 | 93.00 | A |
| 2,4-d, dimethylamine salt | Walnut | 3,100.22 | 76 | 2,191.53 | A |
| 2,4-d, dimethylamine salt | Wheat | 23.60 | 4 | 47.00 | A |
| 2,4-d, dimethylamine salt | Wheat (Forage - Fodder) | 209.35 | 7 | 222.00 | A |
| 2,4-d, isooctyl ester | Landscape Maintenance | 1.65 | 0 | 0.00 | N/A |
| 2,4-dichlorophenoxyacetic acid, choline salt | Prune | 207.66 | 9 | 392.56 | A |
| 2,4-dichlorophenoxyacetic acid, choline salt | Rights Of Way | 64.17 | 0 | 0.00 | N/A |
| 2,4-dichlorophenoxyacetic acid, choline salt | Walnut | 117.71 | 5 | 142.00 | A |
| 2,4-dp-p, 2-ethylhexyl ester | Landscape Maintenance | 7.02 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| 2,4-dp-p, 2-ethylhexyl ester | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Almond | 2,815.59 | 198 | 10,547.92 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Rice | 39.90 | 13 | 1,836.00 | A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Walnut | 1,176.14 | 125 | 4,150.09 | A |
| 2-methyl-4-isothiazolin-3-one | Water (Industrial) | 1.76 | 0 | 193.00 | U |
| 4-aminopyridine | Structural Pest Control | 0.05 | 0 | 0.00 | N/A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (Industrial) | 5.00 | 0 | 193.00 | U |
| Abamectin | Almond | 249.20 | 294 | 13,003.22 | A |
| Abamectin | Apple | 0.23 | 1 | 10.00 | A |
| Abamectin | Bean, Dried | 6.27 | 7 | 313.00 | A |
| Abamectin | N-Grnhs Plants In Containers | 0.11 | 9 | 13.50 | A |
| Abamectin | N-Outdr Plants In Containers | 0.04 | 2 | 3.50 | A |
| Abamectin | Peach | 21.04 | 45 | 898.78 | A |
| Abamectin | Prune | 12.70 | 20 | 472.00 | A |
| Abamectin | Structural Pest Control | 0.17 | 0 | 0.00 | N/A |
| Abamectin | Tomato, Processing | 14.20 | 6 | 821.50 | A |
| Abamectin | Walnut | 240.78 | 236 | 9,877.84 | A |
| Abamectin | Watermelon | 4.42 | 2 | 255.50 | A |
| Abamectin, other related | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Acephate | Landscape Maintenance | 0.09 | 0 | 0.00 | N/A |
| Acephate | Structural Pest Control | 10.48 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Acequinocyl | N-Grnhs Plants In Containers | 0.03 | 1 | 0.25 | A |
| Acetamiprid | Almond | 0.28 | 1 | 5.00 | A |
| Acetamiprid | Citrus | 0.22 | 1 | 2.00 | A |
| Acetamiprid | N-Grnhs Plants In Containers | 1.71 | 9 | 11.25 | A |
| Acetamiprid | Orange | 9.66 | 3 | 41.00 | A |
| Acetamiprid | Peach | 4.59 | 2 | 32.00 | A |
| Acetamiprid | Pecan | 4.80 | 2 | 32.00 | A |
| Acetamiprid | Prune | 4.69 | 1 | 50.00 | A |
| Acetamiprid | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Acetamiprid | Tomato, Processing | 54.32 | 5 | 724.20 | A |
| Acetamiprid | Walnut | 2,011.34 | 638 | 23,915.40 | A |
| Acetamiprid | Watermelon | 19.16 | 2 | 255.50 | A |
| Acibenzolar-s-methyl | Golf Course Turf | 0.08 | 0 | 7.50 | A |
| Acibenzolar-s-methyl | Landscape Maintenance | 0.53 | 0 | 0.00 | N/A |
| Acibenzolar-s-methyl | N-Grnhs Plants In Containers | 0.22 | 6 | 9.50 | A |
| Acrylic acid-butyl acrylate-styrene copolymer | Almond | 1,234.36 | 127 | 6,422.70 | A |
| Acrylic acid-butyl acrylate-styrene copolymer | Walnut | 2,147.36 | 217 | 9,651.13 | A |
| Afidopyropen | N-Grnhs Plants In Containers | 0.13 | 1 | 4.00 | A |
| Aggregated adjuvant data | Alfalfa | 71.12 | 14 | 269.00 | A |
| Aggregated adjuvant data | Almond | 8,120.26 | 911 | 43,009.63 | A |
| Aggregated adjuvant data | Apple | 59.28 | 15 | 129.00 | A |
| Aggregated adjuvant data | Barley | 20.33 | 2 | 244.00 | A |
| Aggregated adjuvant data | Bean, Dried | 98.53 | 15 | 547.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aggregated adjuvant data | Bean, Unspecified | 289.29 | 26 | 1,308.75 | A |
| Aggregated adjuvant data | Chestnut | 2.98 | 7 | 18.44 | A |
| Aggregated adjuvant data | Commercial, Institutional Or Industrial Areas | 21.35 | 2 | 37.50 | A |
| Aggregated adjuvant data | Corn (Forage - Fodder) | 12.04 | 2 | 50.00 | A |
| Aggregated adjuvant data | Corn, Human Consumption | 11.50 | 1 | 12.00 | A |
| Aggregated adjuvant data | Cucumber | 0.75 | 2 | 7.00 | A |
| Aggregated adjuvant data | Forage Hay/Silage | 57.10 | 9 | 275.75 | A |
| Aggregated adjuvant data | Forest, Timberland | 4,492.79 | 184 | 11,886.78 | A |
| Aggregated adjuvant data | Grape, Wine | 19.58 | 1 | 20.00 | A |
| Aggregated adjuvant data | Kiwi Fruit Fuzzy | 286.86 | 55 | 780.51 | A |
| Aggregated adjuvant data | Landscape Maintenance | 473.18 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | N-Grnhs Plants In Containers | 41.57 | 92 | 111.85 | A |
| Aggregated adjuvant data | N-Outdr Plants In Containers | 13.33 | 7 | 19.50 | A |
| Aggregated adjuvant data | N-Outdr Transplants | 99.23 | 6 | 412.00 | A |
| Aggregated adjuvant data | Nectarine | 0.68 | 3 | 0.75 | A |
| Aggregated adjuvant data | Oat (Forage - Fodder) | 20.53 | 4 | 171.50 | A |
| Aggregated adjuvant data | Olive | 1,025.12 | 54 | 1,675.54 | A |
| Aggregated adjuvant data | Orange | 40.47 | 8 | 111.00 | A |
| Aggregated adjuvant data | Pastureland | 201.85 | 5 | 652.60 | A |
| Aggregated adjuvant data | Peach | 1,130.17 | 109 | 1,464.92 | A |
| Aggregated adjuvant data | Pecan | 116.94 | 13 | 209.60 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aggregated adjuvant data | Persimmon | 11.29 | 4 | 24.00 | A |
| Aggregated adjuvant data | Pistachio | 1,130.03 | 58 | 3,612.35 | A |
| Aggregated adjuvant data | Prune | 2,542.82 | 353 | 11,436.75 | A |
| Aggregated adjuvant data | Rice | 12,830.90 | 744 | 64,494.05 | A |
| Aggregated adjuvant data | Rights Of Way | 72.28 | 16 | 411.50 | A |
| Aggregated adjuvant data | Rights Of Way | 530.25 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Structural Pest Control | 2.40 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Sunflower | 527.84 | 7 | 1,190.50 | A |
| Aggregated adjuvant data | Tomato | 251.82 | 4 | 390.00 | A |
| Aggregated adjuvant data | Tomato, Processing | 238.71 | 16 | 1,854.20 | A |
| Aggregated adjuvant data | Uncultivated Ag | 1,833.59 | 86 | 6,028.00 | A |
| Aggregated adjuvant data | Uncultivated Non-Ag | 356.42 | 54 | 2,412.00 | A |
| Aggregated adjuvant data | Uncultivated Non-Ag | 0.03 | 2 | 8,000.00 | S |
| Aggregated adjuvant data | Walnut | 24,720.92 | 2,092 | 74,550.51 | A |
| Aggregated adjuvant data | Water Area | 49.69 | 1 | 85.00 | A |
| Aggregated adjuvant data | Watermelon | 42.58 | 2 | 255.50 | A |
| Aggregated adjuvant data | Wheat | 92.80 | 15 | 1,159.90 | A |
| Aggregated adjuvant data | Wheat (Forage - Fodder) | 58.83 | 12 | 531.00 | A |
| Alcohols, c12-14-secondary, ethoxylated | Olive | 9.25 | 3 | 58.93 | A |
| Alcohols, c12-14-secondary, ethoxylated | Walnut | 397.08 | 28 | 1,778.00 | A |
| Alkyl (c8,c10) polyglucoside | Almond | 664.87 | 155 | 7,333.49 | A |
| Alkyl (c8,c10) polyglucoside | Chestnut | 2.78 | 4 | 10.72 | A |
| Alkyl (c8,c10) polyglucoside | Landscape Maintenance | 46.24 | 0 | 0.00 | N/A |
| Alkyl (c8,c10) polyglucoside | Olive | 24.58 | 5 | 51.00 | A |
| Alkyl (c8,c10) polyglucoside | Rice | 575.38 | 30 | 2,954.71 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alkyl (c8,c10) polyglucoside | Rights Of Way | 250.64 | 0 | 0.00 | N/A |
| Alkyl (c8,c10) polyglucoside | Uncultivated Ag | 90.01 | 21 | 963.52 | A |
| Alkyl (c8,c10) polyglucoside | Uncultivated Non-Ag | 33.14 | 10 | 535.00 | A |
| Alkyl (c8,c10) polyglucoside | Walnut | 1,792.31 | 203 | 7,255.26 | A |
| Alkyl* dimethyl benzyl ammonium chloride *(50%c14, 40%c12, 10%c16) | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |
| Alpha-(para-dodecylphenyl)-omega-hydroxypoly(oxyethylene) | Olive | 52.85 | 14 | 1,417.49 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt | Rice | 32.49 | 47 | 4,297.98 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Alfalfa | 55.31 | 6 | 115.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Almond | 11,802.86 | 978 | 40,253.36 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Apple | 22.09 | 13 | 111.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, Dried | 71.28 | 9 | 472.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Bean, Unspecified | 37.51 | 15 | 658.75 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Forage Hay/Silage | 6.39 | 4 | 35.75 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Forest, Timberland | 2,027.89 | 181 | 9,604.10 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Kiwi Fruit Fuzzy | 41.78 | 28 | 417.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape Maintenance | 79.70 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-Outdr Transplants | 204.68 | 6 | 412.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Nectarine | 0.13 | 2 | 0.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Oat (Forage - Fodder) | 17.48 | 4 | 171.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Olive | 64.19 | 46 | 236.55 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Peach | 383.91 | 71 | 800.07 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pecan | 7.99 | 8 | 76.80 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pistachio | 513.13 | 35 | 2,264.40 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Prune | 2,398.99 | 201 | 6,310.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rice | 18,873.11 | 1,183 | 99,680.81 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 20.39 | 5 | 178.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 1,170.10 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Sunflower | 93.16 | 7 | 1,190.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato, Processing | 297.14 | 25 | 3,035.10 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated Ag | 488.80 | 73 | 5,023.88 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated Non-Ag | 106.33 | 17 | 1,007.40 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated Non-Ag | 0.02 | 1 | 4,000.00 | S |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Walnut | 9,380.70 | 1,436 | 54,574.44 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Wheat | 52.80 | 18 | 905.90 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Wheat (Forage - Fodder) | 18.46 | 5 | 179.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Almond | 119.03 | 44 | 1,565.03 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Landscape Maintenance | 166.34 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Rice | 585.11 | 88 | 6,933.95 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Walnut | 38.32 | 19 | 394.47 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Almond | 273.65 | 70 | 2,607.25 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Pistachio | 17.31 | 4 | 170.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Prune | 115.58 | 34 | 1,507.83 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Uncultivated Non-Ag | 75.39 | 13 | 720.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester | Walnut | 1,151.50 | 376 | 18,348.67 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Almond | 387.25 | 90 | 5,944.50 | A |
| Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Peach | 22.94 | 11 | 229.00 | A |
| Alpha-2,6,8-trimethyl-4-nonyloxy-omega-hydroxypoly(oxyethylene) | Walnut | 1,797.02 | 290 | 25,179.50 | A |
| Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Almond | 105.84 | 24 | 1,123.00 | A |
| Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 1.64 | 2 | 118.00 | A |
| Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 8.88 | 0 | 0.00 | N/A |
| Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Walnut | 55.74 | 15 | 559.66 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Almond | 227.95 | 119 | 3,512.03 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Prune | 37.27 | 6 | 143.00 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Rice | 13,393.84 | 649 | 54,669.53 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 80.79 | 0 | 0.00 | N/A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Uncultivated Ag | 82.78 | 15 | 1,514.72 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Walnut | 124.98 | 97 | 1,385.05 | A |
| Alpha-cypermethrin | Structural Pest Control | 59.80 | 0 | 0.00 | N/A |
| Alpha-pinene-beta-pinene copolymer | Rice | 258.13 | 13 | 1,190.70 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Almond | 504.39 | 197 | 6,888.82 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Peach | 2.89 | 6 | 52.00 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Prune | 159.30 | 33 | 1,278.70 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Rights Of Way | 5.83 | 6 | 124.50 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Rights Of Way | 0.51 | 0 | 0.00 | N/A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Walnut | 471.60 | 218 | 7,872.58 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Almond | 1,199.39 | 213 | 9,359.84 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Bean, Dried | 12.85 | 3 | 103.00 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape Maintenance | 13.96 | 0 | 0.00 | N/A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Olive | 13.11 | 9 | 64.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Pistachio | 110.06 | 14 | 851.90 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights Of Way | 166.40 | 0 | 0.00 | N/A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated Ag | 8.51 | 3 | 100.23 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated Non-Ag | 42.60 | 1 | 242.00 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Walnut | 1,743.45 | 201 | 8,127.32 | A |
| Aluminum phosphide | Almond | 14.79 | 6 | 174.00 | A |
| Aluminum phosphide | Apple | 0.79 | 2 | 20.00 | A |
| Aluminum phosphide | Commodity Fumigation | 462.83 | 0 | 0.00 | N/A |
| Aluminum phosphide | Fumigation, Other | 2,267.00 | 0 | 0.00 | N/A |
| Aluminum phosphide | Landscape Maintenance | 0.82 | 0 | 0.00 | N/A |
| Aluminum phosphide | Peach | 0.20 | 2 | 6.00 | A |
| Aluminum phosphide | Rice | 39.41 | 0 | 130,000.00 | C |
| Aluminum phosphide | Uncultivated Ag | 13.61 | 2 | 147.00 | A |
| Aluminum phosphide | Walnut | 5.34 | 4 | 41.16 | A |
| Aminocyclopyrachlor, potassium salt | Landscape Maintenance | 2.09 | 0 | 0.00 | N/A |
| Aminocyclopyrachlor, potassium salt | Rights Of Way | 2.85 | 0 | 0.00 | N/A |
| Aminocyclopyrachlor, potassium salt | Uncultivated Non-Ag | 16.92 | 0 | 108.50 | A |
| Aminoethoxyvinylglycine hydrochloride | Cucumber | 1.97 | 12 | 13.98 | A |
| Aminopyralid, triisopropanolamine salt | Forest, Timberland | 130.36 | 20 | 901.01 | A |
| Aminopyralid, triisopropanolamine salt | Landscape Maintenance | 3.68 | 0 | 0.00 | N/A |
| Aminopyralid, triisopropanolamine salt | Regulatory Pest Control | 1.27 | 0 | 0.00 | N/A |
| Aminopyralid, triisopropanolamine salt | Rights Of Way | 419.92 | 0 | 0.00 | N/A |
| Aminopyralid, triisopropanolamine salt | Uncultivated Non-Ag | 0.84 | 1 | 4.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Ammonium 1-naphthaleneacetate | Apple | 0.48 | 1 | 8.00 | A |
| Ammonium 1-naphthaleneacetate | Landscape Maintenance | 0.04 | 0 | 0.00 | N/A |
| Ammonium nitrate | Alfalfa | 3.19 | 4 | 84.00 | A |
| Ammonium nitrate | Almond | 380.69 | 253 | 9,481.03 | A |
| Ammonium nitrate | Olive | 5.42 | 4 | 25.00 | A |
| Ammonium nitrate | Prune | 148.90 | 12 | 604.34 | A |
| Ammonium nitrate | Rice | 776.07 | 256 | 22,153.58 | A |
| Ammonium nitrate | Rights Of Way | 50.49 | 2 | 118.00 | A |
| Ammonium nitrate | Rights Of Way | 123.95 | 0 | 0.00 | N/A |
| Ammonium nitrate | Uncultivated Ag | 106.81 | 38 | 2,596.24 | A |
| Ammonium nitrate | Uncultivated Non-Ag | 30.67 | 22 | 995.00 | A |
| Ammonium nitrate | Walnut | 912.42 | 288 | 8,224.42 | A |
| Ammonium nonanoate | Landscape Maintenance | 15.44 | 0 | 0.00 | N/A |
| Ammonium sulfate | Alfalfa | 35.12 | 6 | 114.50 | A |
| Ammonium sulfate | Almond | 2,822.44 | 436 | 16,450.66 | A |
| Ammonium sulfate | Chestnut | 3.32 | 4 | 10.72 | A |
| Ammonium sulfate | Kiwi Fruit Fuzzy | 64.65 | 18 | 277.67 | A |
| Ammonium sulfate | Olive | 44.25 | 5 | 51.00 | A |
| Ammonium sulfate | Peach | 22.27 | 18 | 88.50 | A |
| Ammonium sulfate | Pecan | 7.25 | 4 | 19.80 | A |
| Ammonium sulfate | Pistachio | 74.59 | 8 | 239.30 | A |
| Ammonium sulfate | Prune | 552.32 | 123 | 3,473.55 | A |
| Ammonium sulfate | Rice | 7,821.31 | 243 | 21,526.97 | A |
| Ammonium sulfate | Rights Of Way | 26.26 | 3 | 135.00 | A |
| Ammonium sulfate | Rights Of Way | 451.43 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Ammonium sulfate | Uncultivated Ag | 662.83 | 64 | 4,516.34 | A |
| Ammonium sulfate | Uncultivated Non-Ag | 229.36 | 36 | 1,570.00 | A |
| Ammonium sulfate | Uncultivated Non-Ag | 0.06 | 1 | 4,000.00 | S |
| Ammonium sulfate | Walnut | 5,961.45 | 1,052 | 33,615.03 | A |
| Ammonium sulfate | Wheat | 100.54 | 3 | 404.00 | A |
| Aspergillus flavus strain nrrl #21882 | Pistachio | 0.30 | 4 | 317.00 | A |
| Aspergillus flavus strain: af-36 | Almond | 0.07 | 9 | 873.00 | A |
| Aspergillus flavus strain: af-36 | Pistachio | 0.02 | 3 | 230.00 | A |
| Aureobasidium pullulans subspecies pullulans dsm # 14940 | Prune | 14.70 | 6 | 49.00 | A |
| Aureobasidium pullulans subspecies pullulans dsm # 14941 | Prune | 14.70 | 6 | 49.00 | A |
| Azadirachtin | N-Grnhs Plants In Containers | 0.24 | 4 | 5.50 | A |
| Azadirachtin | N-Grnhs Plants In Containers | < 0.01 | 1 | 1,000.00 | S |
| Azoxystrobin | Almond | 2,301.85 | 246 | 11,638.45 | A |
| Azoxystrobin | Bean, Unspecified | 20.33 | 1 | 85.00 | A |
| Azoxystrobin | Golf Course Turf | 1.43 | 0 | 5.00 | A |
| Azoxystrobin | Landscape Maintenance | 12.27 | 0 | 0.00 | N/A |
| Azoxystrobin | N-Outdr Plants In Containers | 1.22 | 1 | 5.00 | A |
| Azoxystrobin | Peach | 66.98 | 27 | 332.00 | A |
| Azoxystrobin | Pistachio | 106.81 | 6 | 454.00 | A |
| Azoxystrobin | Prune | 255.75 | 22 | 1,363.64 | A |
| Azoxystrobin | Rice | 10,883.70 | 584 | 53,551.23 | A |
| Azoxystrobin | Tomato, Processing | 212.89 | 16 | 2,109.40 | A |
| Azoxystrobin | Walnut | 793.22 | 55 | 4,333.14 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Azoxystrobin | Wheat (Forage - Fodder) | 3.25 | 1 | 17.00 | A |
| Bacillus sphaericus 2362 serotype h5a5b strain: abts 1743 | Public Health | 0.61 | 0 | 0.00 | N/A |
| Bacillus subtilis subspecies subtilis strain: iab/bs03 | Walnut | 0.06 | 1 | 8.00 | A |
| Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11 | Rice | 960.93 | 10 | 805.86 | A |
| Bacillus thuringiensis subsp. aizawai strain: abts-1857 | Rice | 356.54 | 10 | 564.10 | A |
| Bacillus thuringiensis subsp. israelensis strain: am 65-52 | N-Grnhs Plants In Containers | 4.37 | 9 | 4.35 | A |
| Bacillus thuringiensis subsp. israelensis strain: am 65-52 | Public Health | 6,271.94 | 0 | 0.00 | N/A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | N-Grnhs Plants In Containers | 2.29 | 4 | 8.50 | A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | Peach | 18.90 | 4 | 17.50 | A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | Prune | 13.23 | 6 | 49.00 | A |
| Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | Almond | 15.62 | 2 | 45.00 | A |
| Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | Walnut | 13.01 | 2 | 26.00 | A |
| Bacillus thuringiensis subsp. kurstaki strain: sa-12 | Almond | 39.10 | 3 | 23.00 | A |
| Bacillus thuringiensis subsp. kurstaki strain: sa-12 | Walnut | 30.60 | 3 | 26.00 | A |
| Bacillus thuringiensis subspecies israelensis strain bmp 144 | Public Health | 4.80 | 0 | 0.00 | N/A |
| Bacillus thuringiensis subspecies israelensis strain bmp 144 | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Bacillus velezensis strain: d747 | Almond | 484.58 | 9 | 110.00 | A |
| Bacillus velezensis strain: d747 | N-Grnhs Plants In Containers | 21.79 | 5 | 10.50 | A |
| Bacillus velezensis strain: d747 | Walnut | 132.16 | 1 | 32.00 | A |
| Bacillus velezensis strain: qst 713 | Almond | 4.27 | 8 | 75.00 | A |
| Bacillus velezensis strain: qst 713 | N-Grnhs Plants In Containers | 0.80 | 6 | 12.00 | A |
| Beauveria bassiana strain: gha | N-Grnhs Plants In Containers | 1.21 | 3 | 6.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Beauveria bassiana strain: gha | Structural Pest Control | 0.83 | 0 | 0.00 | N/A |
| Beauveria bassiana strain: ppri 5339 | N-Grnhs Plants In Containers | 0.30 | 4 | 8.00 | A |
| Bensulfuron methyl | Rice | 89.86 | 32 | 1,695.80 | A |
| Bensulide | Landscape Maintenance | 35.72 | 0 | 0.00 | N/A |
| Benzobicyclon | Rice | 8,605.76 | 431 | 36,676.13 | A |
| Benzoic acid | Almond | 6.79 | 48 | 1,224.47 | A |
| Benzoic acid | Rice | 18.83 | 55 | 3,211.95 | A |
| Benzoic acid | Rights Of Way | 15.26 | 0 | 0.00 | N/A |
| Benzoic acid | Walnut | 10.19 | 60 | 1,235.98 | A |
| Beta-cyfluthrin | Almond | 0.40 | 3 | 20.00 | A |
| Beta-cyfluthrin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Beta-cyfluthrin | Peach | 6.58 | 32 | 292.94 | A |
| Beta-cyfluthrin | Structural Pest Control | 7.00 | 0 | 0.00 | N/A |
| Beta-cyfluthrin | Walnut | 25.04 | 22 | 1,145.70 | A |
| Bifenazate | Almond | 2,867.22 | 93 | 4,160.72 | A |
| Bifenazate | N-Grnhs Plants In Containers | 1.84 | 12 | 15.75 | A |
| Bifenazate | Peach | 92.25 | 15 | 174.80 | A |
| Bifenazate | Prune | 670.18 | 23 | 1,335.50 | A |
| Bifenazate | Walnut | 10,868.59 | 397 | 16,437.09 | A |
| Bifenthrin | Almond | 2,159.07 | 247 | 11,932.81 | A |
| Bifenthrin | Bean, Dried | 8.45 | 1 | 85.00 | A |
| Bifenthrin | Cucumber | 0.08 | 2 | 7.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bifenthrin | Landscape Maintenance | 21.28 | 0 | 0.00 | N/A |
| Bifenthrin | N-Grnhs Plants In Containers | 1.91 | 13 | 19.75 | A |
| Bifenthrin | Pecan | 3.07 | 1 | 15.00 | A |
| Bifenthrin | Pistachio | 52.21 | 6 | 260.85 | A |
| Bifenthrin | Structural Pest Control | 550.81 | 0 | 0.00 | N/A |
| Bifenthrin | Tomato, Processing | 193.29 | 15 | 1,952.90 | A |
| Bifenthrin | Walnut | 3,159.37 | 369 | 17,064.34 | A |
| Bifenthrin | Watermelon | 25.60 | 2 | 255.50 | A |
| Bispyribac-sodium | Rice | 217.61 | 89 | 7,713.24 | A |
| Boric acid | Landscape Maintenance | 73.44 | 0 | 0.00 | N/A |
| Boric acid | Structural Pest Control | 1,027.12 | 0 | 0.00 | N/A |
| Boscalid | Almond | 211.90 | 33 | 1,152.25 | A |
| Boscalid | Landscape Maintenance | 1.46 | 0 | 0.00 | N/A |
| Boscalid | N-Grnhs Plants In Containers | 2.35 | 13 | 9.25 | A |
| Boscalid | N-Outdr Plants In Containers | 1.32 | 2 | 6.00 | A |
| Boscalid | Peach | 7.48 | 7 | 35.00 | A |
| Boscalid | Pistachio | 100.50 | 8 | 468.00 | A |
| Boscalid | Walnut | 6.24 | 2 | 28.30 | A |
| Brodifacoum | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Bromadiolone | Commodity Fumigation | < 0.01 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bromadiolone | Structural Pest Control | 0.01 | 0 | 0.00 | N/A |
| Bromadiolone | Uncultivated Non-Ag | < 0.01 | 0 | 6.00 | A |
| Bromethalin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Bromethalin | Structural Pest Control | 0.39 | 0 | 0.00 | N/A |
| Bromethalin | Vertebrate Control | < 0.01 | 0 | 0.00 | N/A |
| Bromoxynil heptanoate | Alfalfa | 5.18 | 1 | 30.00 | A |
| Bromoxynil octanoate | Alfalfa | 5.37 | 1 | 30.00 | A |
| Buprofezin | Pistachio | 36.23 | 1 | 24.00 | A |
| Buprofezin | Walnut | 1,780.27 | 9 | 978.83 | A |
| Burkholderia rinojensis strain a396 | Almond | 281.30 | 3 | 65.00 | A |
| Capric acid | Almond | 154.25 | 2 | 51.43 | A |
| Capric acid | Rice | 521.06 | 3 | 81.00 | A |
| Caprylic acid | Almond | 226.56 | 2 | 51.43 | A |
| Caprylic acid | Rice | 636.85 | 3 | 81.00 | A |
| Captan | Almond | 1,393.37 | 16 | 589.00 | A |
| Captan | Landscape Maintenance | 19.55 | 0 | 0.00 | N/A |
| Captan | Prune | 2,035.06 | 16 | 688.60 | A |
| Captan, other related | Almond | 22.63 | 6 | 418.00 | A |
| Captan, other related | Landscape Maintenance | 0.45 | 0 | 0.00 | N/A |
| Captan, other related | Prune | 42.42 | 15 | 628.60 | A |
| Carbaryl | Apple | 25.07 | 1 | 10.00 | A |
| Carbaryl | Tomato | 259.51 | 6 | 519.03 | A |
| Carbaryl | Walnut | 90.22 | 1 | 45.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Carfentrazone-ethyl | Almond | 5.57 | 13 | 194.33 | A |
| Carfentrazone-ethyl | Forage Hay/Silage | 0.90 | 3 | 60.75 | A |
| Carfentrazone-ethyl | Landscape Maintenance | 3.00 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Oat (Forage - Fodder) | 2.51 | 4 | 171.50 | A |
| Carfentrazone-ethyl | Olive | 0.11 | 2 | 15.00 | A |
| Carfentrazone-ethyl | Pistachio | 0.53 | 1 | 18.00 | A |
| Carfentrazone-ethyl | Prune | 0.74 | 3 | 30.00 | A |
| Carfentrazone-ethyl | Rice | 232.69 | 21 | 1,526.76 | A |
| Carfentrazone-ethyl | Rights Of Way | 0.13 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Uncultivated Non-Ag | 5.27 | 2 | 225.00 | A |
| Carfentrazone-ethyl | Walnut | 8.67 | 17 | 435.00 | A |
| Carfentrazone-ethyl | Wheat | 0.32 | 1 | 22.00 | A |
| Castor oil ethoxylate | Almond | 296.38 | 73 | 2,626.00 | A |
| Castor oil ethoxylate | Kiwi Fruit Fuzzy | 38.39 | 32 | 479.00 | A |
| Castor oil ethoxylate | Peach | 96.61 | 43 | 640.48 | A |
| Castor oil ethoxylate | Prune | 75.16 | 52 | 739.04 | A |
| Castor oil ethoxylate | Rice | 1,337.99 | 125 | 9,369.93 | A |
| Castor oil ethoxylate | Walnut | 698.60 | 345 | 8,950.77 | A |
| Chlorantraniliprole | Almond | 1,760.44 | 467 | 23,886.05 | A |
| Chlorantraniliprole | Apple | 1.97 | 2 | 20.00 | A |
| Chlorantraniliprole | Bean, Unspecified | 3.25 | 1 | 40.00 | A |
| Chlorantraniliprole | Landscape Maintenance | 10.25 | 0 | 0.00 | N/A |
| Chlorantraniliprole | Peach | 113.72 | 85 | 1,269.37 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chlorantraniliprole | Pistachio | 64.49 | 5 | 540.00 | A |
| Chlorantraniliprole | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Chlorantraniliprole | Sunflower | 0.84 | 2 | 396.00 | A |
| Chlorantraniliprole | Tomato, Processing | 8.24 | 1 | 103.00 | A |
| Chlorantraniliprole | Uncultivated Ag | 1.30 | 1 | 16.00 | A |
| Chlorantraniliprole | Walnut | 2,884.34 | 551 | 32,333.79 | A |
| Chlorfenapyr | N-Grnhs Plants In Containers | 0.59 | 5 | 5.50 | A |
| Chlorfenapyr | Structural Pest Control | 27.31 | 0 | 0.00 | N/A |
| Chlorophacinone | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Chlorophacinone | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Chlorophacinone | Structural Pest Control | 0.11 | 0 | 0.00 | N/A |
| Chlorophacinone | Vertebrate Control | < 0.01 | 0 | 0.00 | N/A |
| Chlorothalonil | Almond | 15,443.04 | 99 | 5,278.15 | A |
| Chlorothalonil | Bean, Unspecified | 225.73 | 1 | 60.00 | A |
| Chlorothalonil | Cucumber | 3.00 | 2 | 7.00 | A |
| Chlorothalonil | Golf Course Turf | 45.21 | 0 | 7.50 | A |
| Chlorothalonil | Landscape Maintenance | 140.02 | 0 | 0.00 | N/A |
| Chlorothalonil | Peach | 790.59 | 17 | 266.80 | A |
| Chlorothalonil | Prune | 11,149.46 | 70 | 3,719.52 | A |
| Chlorothalonil | Tomato, Processing | 4,345.29 | 16 | 2,109.40 | A |
| Chlorothalonil | Uncultivated Ag | 225.73 | 1 | 65.00 | A |
| Chlorothalonil | Uncultivated Non-Ag | 225.73 | 2 | 75.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chlorsulfuron | Landscape Maintenance | 0.12 | 0 | 0.00 | N/A |
| Chlorsulfuron | Rights Of Way | 0.62 | 0 | 0.00 | N/A |
| Chlorsulfuron | Uncultivated Non-Ag | 6.27 | 0 | 108.50 | A |
| Cholecalciferol | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Cholecalciferol | Structural Pest Control | 0.79 | 0 | 0.00 | N/A |
| Chromobacterium subtsugae strain: praa4-1 | Almond | 6.00 | 1 | 20.00 | A |
| Chromobacterium subtsugae strain: praa4-1 | Walnut | 7.20 | 1 | 8.00 | A |
| Citric acid | Alfalfa | 4.02 | 4 | 70.50 | A |
| Citric acid | Almond | 515.55 | 241 | 8,690.54 | A |
| Citric acid | Peach | 28.37 | 21 | 163.50 | A |
| Citric acid | Pecan | 0.69 | 4 | 19.80 | A |
| Citric acid | Pistachio | 12.73 | 6 | 228.00 | A |
| Citric acid | Prune | 234.63 | 122 | 3,780.04 | A |
| Citric acid | Rights Of Way | 2.10 | 7 | 159.00 | A |
| Citric acid | Rights Of Way | 13.29 | 0 | 0.00 | N/A |
| Citric acid | Uncultivated Ag | 47.09 | 29 | 2,042.40 | A |
| Citric acid | Uncultivated Non-Ag | 34.62 | 14 | 655.00 | A |
| Citric acid | Uncultivated Non-Ag | < 0.01 | 1 | 4,000.00 | S |
| Citric acid | Walnut | 4,685.91 | 1,183 | 40,273.21 | A |
| Citric acid | Wheat | 1.73 | 2 | 184.00 | A |
| Clarified hydrophobic extract of neem oil | Landscape Maintenance | 10.60 | 0 | 0.00 | N/A |
| Clethodim | Alfalfa | 30.12 | 6 | 114.50 | A |
| Clethodim | Almond | 1,186.83 | 246 | 8,951.63 | A |
| Clethodim | Barley | 64.05 | 2 | 244.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Clethodim | Bean, Dried | 10.50 | 1 | 75.00 | A |
| Clethodim | Bean, Unspecified | 5.25 | 1 | 40.00 | A |
| Clethodim | Kiwi Fruit Fuzzy | 4.60 | 1 | 35.00 | A |
| Clethodim | Landscape Maintenance | 2.47 | 2 | 12.00 | A |
| Clethodim | Landscape Maintenance | 16.67 | 0 | 0.00 | N/A |
| Clethodim | Peach | 13.34 | 30 | 107.25 | A |
| Clethodim | Pecan | 2.33 | 3 | 18.00 | A |
| Clethodim | Pistachio | 13.14 | 3 | 54.50 | A |
| Clethodim | Prune | 182.27 | 71 | 1,374.71 | A |
| Clethodim | Rights Of Way | 2.63 | 1 | 10.00 | A |
| Clethodim | Rights Of Way | 16.82 | 0 | 0.00 | N/A |
| Clethodim | Sunflower | 103.96 | 2 | 396.00 | A |
| Clethodim | Tomato, Processing | 24.55 | 1 | 93.50 | A |
| Clethodim | Uncultivated Ag | 528.13 | 42 | 2,289.43 | A |
| Clethodim | Uncultivated Non-Ag | 94.24 | 9 | 430.00 | A |
| Clethodim | Walnut | 1,820.34 | 527 | 15,395.87 | A |
| Clofentezine | Almond | 182.90 | 10 | 814.00 | A |
| Clofentezine | N-Grnhs Plants In Containers | 1.01 | 2 | 5.50 | A |
| Clofentezine | N-Outdr Plants In Containers | 1.30 | 1 | 5.00 | A |
| Clofentezine | Walnut | 12.23 | 1 | 47.00 | A |
| Clomazone | Rice | 6,782.56 | 178 | 15,065.50 | A |
| Clopyralid, monoethanolamine salt | Forest, Timberland | 67.12 | 2 | 271.50 | A |
| Clopyralid, monoethanolamine salt | Landscape Maintenance | 12.32 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Clopyralid, monoethanolamine salt | Pastureland | 4.94 | 0 | 40.00 | A |
| Clopyralid, monoethanolamine salt | Rights Of Way | 103.01 | 0 | 0.00 | N/A |
| Clothianidin | Landscape Maintenance | 6.51 | 0 | 0.00 | N/A |
| Clothianidin | Structural Pest Control | 3.10 | 0 | 0.00 | N/A |
| Clothianidin | Walnut | 36.73 | 6 | 368.00 | A |
| Copper diammonium diacetate complex | N-Grnhs Plants In Containers | 4.60 | 1 | 3.50 | A |
| Copper ethanolamine complexes, mixed | Landscape Maintenance | 666.38 | 0 | 0.00 | N/A |
| Copper ethanolamine complexes, mixed | Water (Industrial) | 56.50 | 0 | 22.00 | A |
| Copper hydroxide | Almond | 1,059.46 | 34 | 1,198.00 | A |
| Copper hydroxide | Apple | 23.10 | 2 | 10.00 | A |
| Copper hydroxide | Bean, Unspecified | 129.12 | 1 | 40.00 | A |
| Copper hydroxide | Landscape Maintenance | 49.09 | 0 | 0.00 | N/A |
| Copper hydroxide | N-Grnhs Plants In Containers | 2.88 | 4 | 2.50 | A |
| Copper hydroxide | Nectarine | 1.16 | 1 | 0.25 | A |
| Copper hydroxide | Olive | 5,406.92 | 39 | 1,597.54 | A |
| Copper hydroxide | Peach | 5,038.92 | 48 | 668.00 | A |
| Copper hydroxide | Prune | 4,196.69 | 12 | 759.50 | A |
| Copper hydroxide | Rights Of Way | 32.01 | 0 | 0.00 | N/A |
| Copper hydroxide | Walnut | 125,984.11 | 932 | 35,434.52 | A |
| Copper naphthenate | Structural Pest Control | 0.13 | 0 | 0.00 | N/A |
| Copper octanoate | Landscape Maintenance | 0.26 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Copper octanoate | N-Grnhs Plants In Containers | 26.50 | 32 | 34.50 | A |
| Copper octanoate | N-Outdr Plants In Containers | 1.53 | 2 | 3.50 | A |
| Copper octanoate | Olive | 0.48 | 2 | 0.55 | A |
| Copper oxychloride | N-Grnhs Plants In Containers | 3.15 | 4 | 2.50 | A |
| Copper oxychloride | Olive | 20.00 | 3 | 10.50 | A |
| Copper oxychloride | Peach | 4.76 | 1 | 4.00 | A |
| Copper oxychloride | Vegetable | 0.25 | 1 | 0.16 | A |
| Copper oxychloride | Walnut | 1,491.64 | 11 | 1,320.70 | A |
| Copper sulfate (basic) | Peach | 944.76 | 10 | 82.37 | A |
| Copper sulfate (basic) | Walnut | 1,623.43 | 30 | 380.55 | A |
| Copper sulfate (pentahydrate) | Almond | 121.50 | 4 | 165.00 | A |
| Copper sulfate (pentahydrate) | Landscape Maintenance | 181.28 | 0 | 0.00 | N/A |
| Copper sulfate (pentahydrate) | Rice | 308,745.13 | 339 | 23,048.46 | A |
| Copper sulfate (pentahydrate) | Rice, Wild | 2,802.49 | 12 | 188.72 | A |
| Copper sulfate (pentahydrate) | Walnut | 1,194.06 | 72 | 2,728.00 | A |
| Cuprous oxide | Peach | 261.77 | 2 | 39.00 | A |
| Cyantraniliprole | N-Grnhs Plants In Containers | 1.63 | 6 | 7.00 | A |
| Cyantraniliprole | Stone Fruit | 0.06 | 1 | 0.50 | A |
| Cyazofamid | Landscape Maintenance | 3.03 | 0 | 0.00 | N/A |
| Cyflumetofen | Almond | 202.70 | 10 | 888.00 | A |
| Cyflumetofen | Walnut | 1,997.03 | 101 | 8,833.00 | A |
| Cyfluthrin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cyfluthrin | N-Grnhs Plants In Containers | < 0.01 | 1 | 0.25 | A |
| Cyfluthrin | Structural Pest Control | 0.37 | 0 | 0.00 | N/A |
| Cyhalofop-butyl | Rice | 1,118.87 | 50 | 3,416.84 | A |
| Cypermethrin | Structural Pest Control | 419.49 | 0 | 0.00 | N/A |
| Cyprodinil | Almond | 823.98 | 71 | 3,396.37 | A |
| Cyprodinil | Apple | 7.97 | 4 | 34.00 | A |
| Cyprodinil | N-Grnhs Plants In Containers | 0.57 | 4 | 5.25 | A |
| Cyprodinil | Olive | 0.04 | 1 | 0.30 | A |
| Cyprodinil | Peach | 145.04 | 44 | 617.48 | A |
| Cyprodinil | Pistachio | 76.92 | 5 | 234.70 | A |
| Cyprodinil | Prune | 166.96 | 24 | 712.25 | A |
| Cyromazine | N-Grnhs Plants In Containers | 0.06 | 1 | 0.50 | A |
| D-trans allethrin | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Ddvp | Commodity Fumigation | 44.80 | 0 | 0.00 | N/A |
| Ddvp | Walnut | 52.06 | 0 | 17,078.00 | C |
| Deltamethrin | Commodity Fumigation | 1.66 | 0 | 0.00 | N/A |
| Deltamethrin | Landscape Maintenance | 0.85 | 0 | 0.00 | N/A |
| Deltamethrin | Public Health | 5.17 | 0 | 0.00 | N/A |
| Deltamethrin | Structural Pest Control | 151.84 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Diatomaceous earth | Structural Pest Control | 1.49 | 0 | 0.00 | N/A |
| Diazinon | Landscape Maintenance | 9.94 | 0 | 0.00 | N/A |
| Dicamba | Landscape Maintenance | 3.48 | 0 | 0.00 | N/A |
| Dicamba | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Dicamba, dimethylamine salt | Landscape Maintenance | 35.97 | 0 | 0.00 | N/A |
| Dichlobenil | Rights Of Way | 3,011.52 | 0 | 0.00 | N/A |
| Didecyl dimethyl ammonium chloride | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Diethylene glycol | Almond | 67.60 | 13 | 598.00 | A |
| Diethylene glycol | Walnut | 224.90 | 26 | 1,230.65 | A |
| Difenoconazole | Almond | 880.47 | 157 | 7,734.67 | A |
| Difenoconazole | Golf Course Turf | 0.90 | 0 | 5.00 | A |
| Difenoconazole | Landscape Maintenance | 1.05 | 0 | 0.00 | N/A |
| Difenoconazole | Pistachio | 9.56 | 1 | 86.00 | A |
| Difenoconazole | Prune | 133.50 | 19 | 1,154.00 | A |
| Difenoconazole | Tomato, Processing | 13.46 | 2 | 206.00 | A |
| Difethialone | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Diflubenzuron | N-Grnhs Plants In Containers | 0.14 | 7 | 3.35 | A |
| Diflubenzuron | Peach | 3.80 | 1 | 15.00 | A |
| Diflubenzuron | Rice | 156.40 | 26 | 1,261.10 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Forage Hay/Silage | 3.93 | 2 | 20.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Oat (Forage - Fodder) | 30.25 | 1 | 160.00 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Pastureland | 33.82 | 3 | 178.60 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Wheat (Forage - Fodder) | 28.31 | 2 | 150.00 | A |
| Dimethenamid-p | Landscape Maintenance | 17.12 | 0 | 0.00 | N/A |
| Dimethenamid-p | Rights Of Way | 3.75 | 0 | 0.00 | N/A |
| Dimethoate | Bean, Dried | 69.68 | 12 | 589.00 | A |
| Dimethyl alkyl tertiary amines | Almond | 7.42 | 48 | 1,224.47 | A |
| Dimethyl alkyl tertiary amines | Rice | 20.55 | 55 | 3,211.95 | A |
| Dimethyl alkyl tertiary amines | Rights Of Way | 16.63 | 0 | 0.00 | N/A |
| Dimethyl alkyl tertiary amines | Walnut | 11.12 | 60 | 1,235.98 | A |
| Dimethylpolysiloxane | Alfalfa | 0.05 | 3 | 54.00 | A |
| Dimethylpolysiloxane | Almond | 46.37 | 563 | 28,042.82 | A |
| Dimethylpolysiloxane | Bean, Dried | 0.05 | 5 | 204.00 | A |
| Dimethylpolysiloxane | Bean, Unspecified | 0.11 | 17 | 808.75 | A |
| Dimethylpolysiloxane | Chestnut | < 0.01 | 4 | 10.72 | A |
| Dimethylpolysiloxane | Landscape Maintenance | 19.90 | 0 | 0.00 | N/A |
| Dimethylpolysiloxane | Olive | 0.22 | 6 | 25.55 | A |
| Dimethylpolysiloxane | Peach | 1.38 | 30 | 505.19 | A |
| Dimethylpolysiloxane | Pistachio | 4.29 | 18 | 1,353.00 | A |
| Dimethylpolysiloxane | Prune | 32.79 | 157 | 6,136.59 | A |
| Dimethylpolysiloxane | Rice | 140.74 | 421 | 38,540.19 | A |
| Dimethylpolysiloxane | Rights Of Way | 2.02 | 0 | 0.00 | N/A |
| Dimethylpolysiloxane | Uncultivated Ag | 0.41 | 32 | 1,662.52 | A |
| Dimethylpolysiloxane | Uncultivated Non-Ag | 2.54 | 14 | 929.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Dimethylpolysiloxane | Walnut | 288.89 | 997 | 50,224.69 | A |
| Dimethylpolysiloxane | Wheat | 0.13 | 8 | 441.00 | A |
| Dinotefuran | Landscape Maintenance | 0.35 | 0 | 0.00 | N/A |
| Dinotefuran | N-Grnhs Plants In Containers | 0.03 | 3 | 15,000.00 | S |
| Dinotefuran | Structural Pest Control | 141.94 | 0 | 0.00 | N/A |
| Dinotefuran | Uncultivated Non-Ag | 1.20 | 2 | 347.00 | U |
| Diphacinone | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Diphacinone | Rights Of Way | 0.06 | 0 | 0.00 | N/A |
| Diphacinone | Structural Pest Control | 0.04 | 0 | 0.00 | N/A |
| Diphacinone | Uncultivated Non-Ag | < 0.01 | 1 | 25.00 | A |
| Diphacinone | Vertebrate Control | < 0.01 | 0 | 0.00 | N/A |
| Diphacinone, sodium salt | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Diquat dibromide | Landscape Maintenance | 538.00 | 0 | 0.00 | N/A |
| Diquat dibromide | Rights Of Way | 0.22 | 0 | 0.00 | N/A |
| Diquat dibromide | Water (Industrial) | 37.29 | 0 | 12.00 | A |
| Disodium octaborate anhydrous | Rights Of Way | 50.65 | 0 | 0.00 | N/A |
| Disodium octaborate tetrahydrate | Structural Pest Control | 125.13 | 0 | 0.00 | N/A |
| Dithiopyr | Landscape Maintenance | 1,691.54 | 0 | 0.00 | N/A |
| Dithiopyr | Rights Of Way | 35.14 | 0 | 0.00 | N/A |
| Dithiopyr | Uncultivated Non-Ag | 9.87 | 1 | 32.40 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Diuron | Commercial, Institutional Or Industrial Areas | 26.27 | 1 | 17.50 | A |
| Diuron | Landscape Maintenance | 62.00 | 0 | 0.00 | N/A |
| Diuron | Rights Of Way | 823.25 | 0 | 0.00 | N/A |
| Diuron | Walnut | 124.64 | 7 | 34.66 | A |
| Dodine | Peach | 46.72 | 3 | 50.00 | A |
| E-8-dodecenyl acetate | Peach | 0.08 | 24 | 176.96 | A |
| Emamectin benzoate | Walnut | 32.38 | 21 | 2,160.00 | A |
| Emulsifiable methylated vegetable oil | Almond | 1,631.80 | 74 | 4,300.75 | A |
| Emulsifiable methylated vegetable oil | Walnut | 1,645.81 | 52 | 1,952.40 | A |
| Esfenvalerate | Almond | 629.06 | 132 | 7,213.39 | A |
| Esfenvalerate | Apple | 2.00 | 3 | 30.00 | A |
| Esfenvalerate | Bean, Unspecified | 11.98 | 3 | 205.00 | A |
| Esfenvalerate | Kiwi Fruit Fuzzy | 2.69 | 5 | 31.00 | A |
| Esfenvalerate | Nectarine | 0.02 | 1 | 0.25 | A |
| Esfenvalerate | Olive | 0.62 | 2 | 20.00 | A |
| Esfenvalerate | Peach | 120.06 | 97 | 1,837.35 | A |
| Esfenvalerate | Prune | 207.15 | 54 | 3,307.50 | A |
| Esfenvalerate | Structural Pest Control | 3.79 | 0 | 0.00 | N/A |
| Esfenvalerate | Uncultivated Ag | 3.74 | 1 | 75.00 | A |
| Esfenvalerate | Walnut | 249.13 | 45 | 3,636.00 | A |
| Ethalfluralin | Bean, Dried | 275.30 | 6 | 168.50 | A |
| Ethalfluralin | Bean, Unspecified | 95.91 | 1 | 85.00 | A |
| Ethalfluralin | Forage Hay/Silage | 27.08 | 1 | 17.00 | A |
| Ethalfluralin | Sunflower | 470.45 | 6 | 417.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Ethephon | Almond | 37.67 | 1 | 50.00 | A |
| Ethephon | Landscape Maintenance | 77.98 | 0 | 0.00 | N/A |
| Ethephon | Squash, Summer | 3.35 | 6 | 11.22 | A |
| Ethephon | Tomato, Processing | 498.76 | 3 | 550.00 | A |
| Ethephon | Walnut | 23,911.03 | 447 | 26,454.32 | A |
| Etofenprox | Structural Pest Control | 1.59 | 0 | 0.00 | N/A |
| Etoxazole | Almond | 251.22 | 35 | 1,970.40 | A |
| Etoxazole | N-Grnhs Plants In Containers | 0.30 | 8 | 5.35 | A |
| Etoxazole | Peach | 2.18 | 2 | 16.75 | A |
| Etoxazole | Walnut | 518.16 | 91 | 3,885.20 | A |
| Fatty acids, tallow | Almond | 42.35 | 24 | 1,123.00 | A |
| Fatty acids, tallow | Rights Of Way | 0.66 | 2 | 118.00 | A |
| Fatty acids, tallow | Rights Of Way | 3.55 | 0 | 0.00 | N/A |
| Fatty acids, tallow | Walnut | 22.30 | 15 | 559.66 | A |
| Fenazaquin | Almond | 400.69 | 12 | 680.00 | A |
| Fenazaquin | Walnut | 496.18 | 13 | 737.40 | A |
| Fenbuconazole | Almond | 52.27 | 9 | 537.50 | A |
| Fenbuconazole | Prune | 58.77 | 13 | 604.10 | A |
| Fenhexamid | Almond | 1.00 | 1 | 20.00 | A |
| Fenhexamid | N-Grnhs Plants In Containers | 3.00 | 5 | 4.00 | A |
| Fenpropathrin | Landscape Maintenance | 11.32 | 0 | 0.00 | N/A |
| Fenpropathrin | Olive | 1.56 | 1 | 5.00 | A |
| Fenpropathrin | Peach | 17.92 | 3 | 51.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Fenpropathrin | Rights Of Way | 0.72 | 0 | 0.00 | N/A |
| Fenpyroximate | N-Grnhs Plants In Containers | 0.18 | 3 | 2.25 | A |
| Fenpyroximate | N-Grnhs Plants In Containers | < 0.01 | 2 | 9,000.00 | S |
| Fenpyroximate | Walnut | 13.12 | 8 | 290.35 | A |
| Fipronil | Landscape Maintenance | 340.27 | 0 | 0.00 | N/A |
| Fipronil | Structural Pest Control | 568.39 | 0 | 0.00 | N/A |
| Flazasulfuron | Almond | 4.22 | 9 | 224.53 | A |
| Flazasulfuron | Walnut | 4.78 | 5 | 321.00 | A |
| Flonicamid | Bean, Dried | 2.63 | 3 | 30.00 | A |
| Florpyrauxifen-benzyl | Rice | 118.00 | 47 | 3,211.05 | A |
| Florpyrauxifen-benzyl | Rights Of Way | 0.32 | 0 | 0.00 | N/A |
| Fluazifop-p-butyl | Rights Of Way | 19.08 | 0 | 0.00 | N/A |
| Fluazinam | Golf Course Turf | 5.31 | 0 | 7.50 | A |
| Fluazinam | Landscape Maintenance | 10.38 | 0 | 0.00 | N/A |
| Fludioxonil | Almond | 505.06 | 65 | 3,412.30 | A |
| Fludioxonil | Golf Course Turf | 0.88 | 0 | 2.50 | A |
| Fludioxonil | N-Grnhs Plants In Containers | 0.38 | 4 | 5.25 | A |
| Fludioxonil | Olive | 0.03 | 1 | 0.30 | A |
| Fludioxonil | Pistachio | 33.66 | 2 | 227.00 | A |
| Flumioxazin | Alfalfa | 1.78 | 1 | 14.00 | A |
| Flumioxazin | Almond | 916.29 | 128 | 3,591.70 | A |
| Flumioxazin | Bean, Unspecified | 6.12 | 1 | 60.00 | A |
| Flumioxazin | Chestnut | 0.45 | 1 | 3.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Flumioxazin | Landscape Maintenance | 87.14 | 0 | 0.00 | N/A |
| Flumioxazin | Peach | 10.65 | 9 | 28.50 | A |
| Flumioxazin | Pecan | 2.23 | 1 | 6.00 | A |
| Flumioxazin | Pistachio | 11.80 | 2 | 50.00 | A |
| Flumioxazin | Prune | 24.78 | 8 | 72.50 | A |
| Flumioxazin | Rights Of Way | 17.69 | 0 | 0.00 | N/A |
| Flumioxazin | Stone Fruit | 0.48 | 1 | 1.50 | A |
| Flumioxazin | Walnut | 673.12 | 95 | 2,192.29 | A |
| Fluopyram | Almond | 450.18 | 116 | 5,130.06 | A |
| Fluopyram | Bean, Unspecified | 1.06 | 1 | 40.00 | A |
| Fluopyram | Peach | 1.22 | 1 | 15.00 | A |
| Fluopyram | Pistachio | 22.81 | 3 | 246.00 | A |
| Fluopyram | Prune | 0.73 | 2 | 49.00 | A |
| Fluopyram | Walnut | 8.66 | 7 | 236.00 | A |
| Flupyradifurone | Landscape Maintenance | 0.06 | 0 | 0.00 | N/A |
| Flupyradifurone | N-Grnhs Plants In Containers | 0.09 | 1 | 0.50 | A |
| Flupyradifurone | Olive | 0.05 | 1 | 0.30 | A |
| Flupyradifurone | Pecan | 2.74 | 1 | 15.00 | A |
| Flupyradifurone | Walnut | 0.83 | 1 | 5.00 | A |
| Fluridone | Landscape Maintenance | 37.24 | 0 | 0.00 | N/A |
| Flurprimidol | Golf Course Turf | 0.33 | 0 | 7.50 | A |
| Flurprimidol | Landscape Maintenance | 0.91 | 0 | 0.00 | N/A |
| Flutolanil | Landscape Maintenance | 104.97 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Flutriafol | Almond | 35.48 | 18 | 684.60 | A |
| Flutriafol | Bean, Unspecified | 0.23 | 1 | 2.00 | A |
| Flutriafol | Uncultivated Ag | 2.59 | 3 | 72.16 | A |
| Flutriafol | Uncultivated Non-Ag | 1.73 | 2 | 122.00 | A |
| Flutriafol | Walnut | 20.29 | 3 | 178.37 | A |
| Fluxapyroxad | Almond | 1,178.22 | 257 | 12,002.40 | A |
| Fluxapyroxad | Golf Course Turf | 1.12 | 0 | 5.00 | A |
| Fluxapyroxad | Landscape Maintenance | 10.65 | 0 | 0.00 | N/A |
| Fluxapyroxad | Peach | 15.72 | 4 | 173.80 | A |
| Fluxapyroxad | Pecan | 0.82 | 1 | 10.00 | A |
| Fluxapyroxad | Pistachio | 48.50 | 4 | 454.00 | A |
| Fluxapyroxad | Tomato | 16.94 | 2 | 195.00 | A |
| Fluxapyroxad | Tomato, Processing | 80.35 | 8 | 1,016.50 | A |
| Fluxapyroxad | Walnut | 849.16 | 106 | 9,181.50 | A |
| Foramsulfuron | Landscape Maintenance | 1.36 | 0 | 0.00 | N/A |
| Forchlorfenuron | Kiwi Fruit Fuzzy | 1.57 | 10 | 123.00 | A |
| Gamma-cyhalothrin | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Almond | 11,850.85 | 342 | 11,681.74 | A |
| Glufosinate-ammonium | Bean, Dried | 29.36 | 1 | 25.00 | A |
| Glufosinate-ammonium | Bean, Unspecified | 71.53 | 3 | 175.00 | A |
| Glufosinate-ammonium | Chestnut | 8.00 | 2 | 7.00 | A |
| Glufosinate-ammonium | Commercial, Institutional Or Industrial Areas | 44.01 | 2 | 37.50 | A |
| Glufosinate-ammonium | Grape, Wine | 23.47 | 1 | 20.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glufosinate-ammonium | Kiwi Fruit Fuzzy | 48.00 | 1 | 35.00 | A |
| Glufosinate-ammonium | Landscape Maintenance | 14.08 | 2 | 12.00 | A |
| Glufosinate-ammonium | Landscape Maintenance | 284.11 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Olive | 19.55 | 3 | 19.00 | A |
| Glufosinate-ammonium | Peach | 98.59 | 14 | 80.00 | A |
| Glufosinate-ammonium | Pecan | 115.88 | 4 | 87.34 | A |
| Glufosinate-ammonium | Pistachio | 305.67 | 7 | 254.40 | A |
| Glufosinate-ammonium | Prune | 1,651.63 | 59 | 1,438.63 | A |
| Glufosinate-ammonium | Rights Of Way | 150.09 | 10 | 128.25 | A |
| Glufosinate-ammonium | Rights Of Way | 413.12 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Structural Pest Control | 3.30 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Tomato | 285.54 | 2 | 195.00 | A |
| Glufosinate-ammonium | Uncultivated Ag | 777.93 | 33 | 812.75 | A |
| Glufosinate-ammonium | Uncultivated Non-Ag | 487.72 | 17 | 587.00 | A |
| Glufosinate-ammonium | Uncultivated Non-Ag | 0.52 | 1 | 2,000.00 | S |
| Glufosinate-ammonium | Walnut | 19,817.68 | 663 | 19,617.85 | A |
| Glutaraldehyde | Water (Industrial) | 209.88 | 0 | 1.00 | U |
| Glutens, corn | Walnut | 11,237.36 | 621 | 17,280.75 | A |
| Glycerol | Almond | 129.88 | 74 | 1,828.23 | A |
| Glycerol | Walnut | 497.68 | 186 | 4,129.24 | A |
| Glyphosate, diammonium salt | Forest, Timberland | 13,830.10 | 118 | 6,523.13 | A |
| Glyphosate, dimethylamine salt | Forest, Timberland | 1,551.11 | 9 | 909.59 | A |
| Glyphosate, dimethylamine salt | Rights Of Way | 528.90 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Almond | 22,985.15 | 413 | 13,754.50 | A |
| Glyphosate, isopropylamine salt | Barley | 732.12 | 2 | 244.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glyphosate, isopropylamine salt | Bean, Dried | 49.96 | 1 | 25.00 | A |
| Glyphosate, isopropylamine salt | Chestnut | 17.48 | 4 | 10.72 | A |
| Glyphosate, isopropylamine salt | Citrus | 7.99 | 1 | 2.00 | A |
| Glyphosate, isopropylamine salt | Forest, Timberland | 9,251.71 | 57 | 4,195.25 | A |
| Glyphosate, isopropylamine salt | Grape, Wine | 9.90 | 1 | 6.00 | A |
| Glyphosate, isopropylamine salt | Kiwi Fruit Fuzzy | 257.61 | 15 | 110.67 | A |
| Glyphosate, isopropylamine salt | Landscape Maintenance | 1.25 | 1 | 3,000.00 | S |
| Glyphosate, isopropylamine salt | Landscape Maintenance | 5,858.55 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Olive | 45.78 | 2 | 31.00 | A |
| Glyphosate, isopropylamine salt | Peach | 166.63 | 20 | 86.75 | A |
| Glyphosate, isopropylamine salt | Pecan | 50.42 | 3 | 18.00 | A |
| Glyphosate, isopropylamine salt | Prune | 772.01 | 28 | 378.00 | A |
| Glyphosate, isopropylamine salt | Rice | 5,734.47 | 39 | 2,960.52 | A |
| Glyphosate, isopropylamine salt | Rights Of Way | 147.52 | 7 | 57.00 | A |
| Glyphosate, isopropylamine salt | Rights Of Way | 18,024.48 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Structural Pest Control | 14.07 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Tomato | 292.55 | 2 | 195.00 | A |
| Glyphosate, isopropylamine salt | Uncultivated Ag | 9,973.25 | 63 | 4,662.60 | A |
| Glyphosate, isopropylamine salt | Uncultivated Non-Ag | 1,021.19 | 24 | 622.90 | A |
| Glyphosate, isopropylamine salt | Uncultivated Non-Ag | 1.56 | 2 | 9,000.00 | S |
| Glyphosate, isopropylamine salt | Walnut | 23,116.97 | 503 | 12,450.41 | A |
| Glyphosate, isopropylamine salt | Water Area | 237.74 | 1 | 85.00 | A |
| Glyphosate, isopropylamine salt | Wheat | 243.29 | 1 | 162.00 | A |
| Glyphosate, monoammonium salt | Landscape Maintenance | 39.17 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glyphosate, monoammonium salt | Rights Of Way | 5.50 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | Alfalfa | 80.19 | 4 | 53.50 | A |
| Glyphosate, potassium salt | Almond | 30,043.60 | 431 | 15,520.93 | A |
| Glyphosate, potassium salt | Bean, Unspecified | 212.75 | 3 | 155.00 | A |
| Glyphosate, potassium salt | Citrus | 2.07 | 2 | 4.00 | A |
| Glyphosate, potassium salt | Forage Hay/Silage | 55.03 | 1 | 40.00 | A |
| Glyphosate, potassium salt | Grape, Wine | 58.86 | 1 | 20.00 | A |
| Glyphosate, potassium salt | Kiwi Fruit Fuzzy | 538.73 | 8 | 184.00 | A |
| Glyphosate, potassium salt | Landscape Maintenance | 33.10 | 2 | 12.00 | A |
| Glyphosate, potassium salt | Landscape Maintenance | 384.35 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | N-Grnhs Flower | 14.72 | 0 | 9.00 | A |
| Glyphosate, potassium salt | N-Outdr Plants In Containers | 0.39 | 1 | 6,000.00 | S |
| Glyphosate, potassium salt | Oat (Forage - Fodder) | 3.21 | 1 | 2.50 | A |
| Glyphosate, potassium salt | Olive | 20.64 | 1 | 10.00 | A |
| Glyphosate, potassium salt | Orange | 43.61 | 4 | 26.50 | A |
| Glyphosate, potassium salt | Peach | 294.26 | 15 | 109.70 | A |
| Glyphosate, potassium salt | Pecan | 4.97 | 1 | 1.80 | A |
| Glyphosate, potassium salt | Persimmon | 26.55 | 2 | 12.00 | A |
| Glyphosate, potassium salt | Pistachio | 351.00 | 7 | 169.40 | A |
| Glyphosate, potassium salt | Prune | 7,437.10 | 119 | 3,880.06 | A |
| Glyphosate, potassium salt | Rights Of Way | 447.84 | 5 | 255.50 | A |
| Glyphosate, potassium salt | Rights Of Way | 1,759.31 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | Stone Fruit | 2.75 | 1 | 1.50 | A |
| Glyphosate, potassium salt | Turf/Sod | 16.55 | 0 | 35.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glyphosate, potassium salt | Uncultivated Ag | 1,821.83 | 29 | 996.83 | A |
| Glyphosate, potassium salt | Uncultivated Non-Ag | 1,532.55 | 14 | 815.00 | A |
| Glyphosate, potassium salt | Walnut | 63,572.53 | 954 | 33,458.65 | A |
| Gs-omega/kappa-hxtx-hv1a, versitude peptide | Almond | 8.38 | 4 | 195.00 | A |
| Halosulfuron-methyl | Landscape Maintenance | 9.79 | 0 | 0.00 | N/A |
| Halosulfuron-methyl | Rice | 794.10 | 196 | 15,931.43 | A |
| Halosulfuron-methyl | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Halosulfuron-methyl | Walnut | 0.94 | 1 | 15.00 | A |
| Heptamethyltrisiloxane ethoxylated | Rice | 106.95 | 15 | 1,429.50 | A |
| Heptamethyltrisiloxane ethoxylated | Walnut | 1,450.55 | 284 | 24,949.08 | A |
| Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Walnut | 480.61 | 85 | 3,546.15 | A |
| Hexazinone | Forest, Timberland | 2,408.83 | 29 | 1,439.98 | A |
| Hexythiazox | Almond | 286.87 | 51 | 1,593.60 | A |
| Hexythiazox | Corn (Forage - Fodder) | 9.41 | 2 | 50.00 | A |
| Hexythiazox | N-Grnhs Plants In Containers | 0.25 | 3 | 2.50 | A |
| Hexythiazox | Peach | 8.46 | 4 | 49.00 | A |
| Hexythiazox | Walnut | 558.83 | 43 | 3,230.94 | A |
| Hydramethylnon | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Hydrogen peroxide | Water Area | 209.95 | 0 | 292.87 | U |
| Hydroprene | Structural Pest Control | 39.85 | 0 | 0.00 | N/A |
| Imazamox, ammonium salt | Alfalfa | 1.00 | 1 | 30.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Imazamox, ammonium salt | Landscape Maintenance | 0.07 | 0 | 0.00 | N/A |
| Imazamox, ammonium salt | Rights Of Way | 3.68 | 0 | 0.00 | N/A |
| Imazamox, ammonium salt | Sunflower | 0.09 | 1 | 2.50 | A |
| Imazapyr, isopropylamine salt | Forest, Timberland | 2,376.90 | 125 | 5,074.77 | A |
| Imazapyr, isopropylamine salt | Landscape Maintenance | 6.79 | 0 | 0.00 | N/A |
| Imazapyr, isopropylamine salt | Rights Of Way | 70.00 | 0 | 0.00 | N/A |
| Imazethapyr, ammonium salt | Alfalfa | 1.99 | 1 | 30.00 | A |
| Imazosulfuron | Landscape Maintenance | 5.69 | 0 | 0.00 | N/A |
| Imazosulfuron | Rice | 25.06 | 4 | 223.70 | A |
| Imidacloprid | Bean, Dried | 34.00 | 6 | 90.00 | A |
| Imidacloprid | Bean, Unspecified | 32.11 | 1 | 85.00 | A |
| Imidacloprid | Landscape Maintenance | 1,206.85 | 0 | 0.00 | N/A |
| Imidacloprid | N-Grnhs Plants In Containers | 1.88 | 4 | 7.50 | A |
| Imidacloprid | N-Grnhs Plants In Containers | < 0.01 | 4 | 20,000.00 | S |
| Imidacloprid | N-Outdr Plants In Containers | 0.09 | 2 | 3.50 | A |
| Imidacloprid | Peach | 10.85 | 28 | 242.94 | A |
| Imidacloprid | Pecan | 1.55 | 1 | 16.00 | A |
| Imidacloprid | Prune | 79.67 | 8 | 793.00 | A |
| Imidacloprid | Rights Of Way | 10.57 | 0 | 0.00 | N/A |
| Imidacloprid | Structural Pest Control | 252.06 | 0 | 0.00 | N/A |
| Imidacloprid | Tomato | 29.31 | 2 | 195.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Imidacloprid | Walnut | 202.63 | 54 | 2,925.70 | A |
| Indaziflam | Almond | 287.37 | 220 | 6,421.79 | A |
| Indaziflam | Forest, Timberland | 59.97 | 11 | 810.47 | A |
| Indaziflam | Landscape Maintenance | 17.98 | 0 | 0.00 | N/A |
| Indaziflam | Olive | 0.26 | 1 | 5.00 | A |
| Indaziflam | Orange | 1.13 | 2 | 18.50 | A |
| Indaziflam | Peach | 2.55 | 4 | 40.20 | A |
| Indaziflam | Pecan | 3.98 | 3 | 77.14 | A |
| Indaziflam | Prune | 67.47 | 33 | 1,252.95 | A |
| Indaziflam | Rights Of Way | 0.07 | 1 | 2.50 | A |
| Indaziflam | Rights Of Way | 185.67 | 0 | 0.00 | N/A |
| Indaziflam | Structural Pest Control | 0.09 | 0 | 0.00 | N/A |
| Indaziflam | Uncultivated Ag | 6.94 | 13 | 139.30 | A |
| Indaziflam | Uncultivated Non-Ag | 7.13 | 2 | 115.50 | A |
| Indaziflam | Walnut | 472.85 | 440 | 9,947.31 | A |
| Indoxacarb | Alfalfa | 2.90 | 2 | 40.00 | A |
| Indoxacarb | Almond | 10.12 | 3 | 92.50 | A |
| Indoxacarb | Structural Pest Control | 20.29 | 0 | 0.00 | N/A |
| Iprodione | Landscape Maintenance | 60.77 | 0 | 0.00 | N/A |
| Iron phosphate | Landscape Maintenance | 0.52 | 0 | 0.00 | N/A |
| Iron phosphate | Structural Pest Control | 0.14 | 0 | 0.00 | N/A |
| Isofetamid | Almond | 288.96 | 32 | 1,095.00 | A |
| Isopropyl alcohol | Prune | 134.48 | 77 | 1,652.89 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Isopropyl alcohol | Structural Pest Control | 0.21 | 0 | 0.00 | N/A |
| Isopropyl alcohol | Tomato, Processing | 67.53 | 23 | 3,032.10 | A |
| Isopropyl alcohol | Uncultivated Ag | 4.73 | 5 | 443.50 | A |
| Isopropyl alcohol | Walnut | 200.75 | 165 | 3,243.26 | A |
| Isopropyl alcohol | Wheat | 3.65 | 3 | 240.90 | A |
| Isopropylamine dodecylbenzene sulfonate | Almond | 0.18 | 2 | 23.00 | A |
| Isopropylamine dodecylbenzene sulfonate | Peach | 0.97 | 6 | 52.80 | A |
| Isoxaben | Landscape Maintenance | 73.38 | 0 | 0.00 | N/A |
| Isoxaben | Rights Of Way | 44.75 | 0 | 0.00 | N/A |
| Isoxaben | Uncultivated Non-Ag | 7.69 | 0 | 28.40 | A |
| Isoxaben | Walnut | 12.32 | 1 | 13.14 | A |
| Kaolin | Walnut | 3,089.78 | 12 | 76.04 | A |
| Kasugamycin hydrochloride | Walnut | 20.36 | 7 | 204.80 | A |
| Lambda-cyhalothrin | Alfalfa | 1.26 | 2 | 40.00 | A |
| Lambda-cyhalothrin | Almond | 359.58 | 203 | 8,824.05 | A |
| Lambda-cyhalothrin | Barley | 6.57 | 2 | 244.00 | A |
| Lambda-cyhalothrin | Bean, Unspecified | 1.63 | 1 | 40.00 | A |
| Lambda-cyhalothrin | N-Outdr Transplants | 13.57 | 4 | 340.00 | A |
| Lambda-cyhalothrin | Peach | 28.79 | 39 | 762.57 | A |
| Lambda-cyhalothrin | Pistachio | 26.75 | 8 | 701.00 | A |
| Lambda-cyhalothrin | Prune | 2.17 | 4 | 56.00 | A |
| Lambda-cyhalothrin | Rice | 765.04 | 455 | 26,842.05 | A |
| Lambda-cyhalothrin | Structural Pest Control | 116.30 | 0 | 0.00 | N/A |
| Lambda-cyhalothrin | Uncultivated Ag | 0.65 | 1 | 16.00 | A |
| Lambda-cyhalothrin | Walnut | 519.12 | 219 | 13,065.04 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lecithin | Almond | 1,557.67 | 183 | 7,357.87 | A |
| Lecithin | Bean, Dried | 23.31 | 3 | 103.00 | A |
| Lecithin | Olive | 10.43 | 10 | 42.50 | A |
| Lecithin | Pistachio | 99.17 | 9 | 270.90 | A |
| Lecithin | Prune | 114.49 | 13 | 521.21 | A |
| Lecithin | Rights Of Way | 126.81 | 0 | 0.00 | N/A |
| Lecithin | Uncultivated Ag | 20.61 | 2 | 79.23 | A |
| Lecithin | Uncultivated Non-Ag | 99.00 | 2 | 308.00 | A |
| Lecithin | Walnut | 1,611.89 | 178 | 8,248.76 | A |
| Limonene | Structural Pest Control | 12.38 | 0 | 0.00 | N/A |
| Magnesium phosphide | Commodity Fumigation | 35.96 | 0 | 0.00 | N/A |
| Magnesium phosphide | Walnut | 7.17 | 0 | 594.00 | T |
| Malathion | Walnut | 12.76 | 1 | 5.00 | A |
| Mancozeb | Almond | 6,021.07 | 38 | 1,298.75 | A |
| Mancozeb | Apple | 72.00 | 4 | 32.00 | A |
| Mancozeb | Bean, Unspecified | 72.00 | 1 | 40.00 | A |
| Mancozeb | Landscape Maintenance | 1.12 | 0 | 0.00 | N/A |
| Mancozeb | Walnut | 72,152.42 | 1,028 | 38,388.82 | A |
| Margosa oil | Structural Pest Control | 0.32 | 0 | 0.00 | N/A |
| Mcpa, dimethylamine salt | Forage Hay/Silage | 132.89 | 3 | 160.00 | A |
| Mcpa, dimethylamine salt | Oat (Forage - Fodder) | 6.37 | 3 | 11.50 | A |
| Mcpa, dimethylamine salt | Uncultivated Ag | 94.35 | 1 | 171.20 | A |
| Mcpa, dimethylamine salt | Wheat | 126.89 | 4 | 240.90 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Mcpa, dimethylamine salt | Wheat (Forage - Fodder) | 111.33 | 6 | 142.00 | A |
| Mcpp-p, dma salt | Landscape Maintenance | 106.15 | 0 | 0.00 | N/A |
| Mecoprop-p | Landscape Maintenance | 9.99 | 0 | 0.00 | N/A |
| Mefenoxam | Landscape Maintenance | 19.24 | 0 | 0.00 | N/A |
| Mefenoxam | N-Grnhs Plants In Containers | 0.11 | 5 | 1.85 | A |
| Mefenoxam | Walnut | 58.04 | 3 | 60.00 | A |
| Mefentrifluconazole | Almond | 781.85 | 139 | 6,386.25 | A |
| Mefentrifluconazole | Golf Course Turf | 1.21 | 0 | 2.50 | A |
| Mefentrifluconazole | Landscape Maintenance | 27.49 | 0 | 0.00 | N/A |
| Mefentrifluconazole | Pistachio | 75.20 | 7 | 574.50 | A |
| Mesosulfuron-methyl | Wheat | 0.27 | 2 | 20.00 | A |
| Mesosulfuron-methyl | Wheat (Forage - Fodder) | 0.23 | 1 | 17.00 | A |
| Mesotrione | Almond | 10.48 | 4 | 51.50 | A |
| Mesotrione | Walnut | 22.16 | 8 | 108.65 | A |
| Metaflumizone | Almond | 0.96 | 17 | 1,073.50 | A |
| Metam-sodium | Rights Of Way | 3,180.57 | 0 | 0.00 | N/A |
| Metconazole | Almond | 495.13 | 108 | 4,672.35 | A |
| Metconazole | Bean, Unspecified | 2.05 | 1 | 18.75 | A |
| Metconazole | Landscape Maintenance | 9.51 | 0 | 0.00 | N/A |
| Metconazole | Pistachio | 21.95 | 4 | 234.00 | A |
| Metconazole | Walnut | 16.41 | 1 | 150.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Methiozolin | Landscape Maintenance | 4.84 | 0 | 0.00 | N/A |
| Methomyl | Almond | 83.03 | 2 | 148.00 | A |
| Methomyl | Bean, Dried | 302.26 | 12 | 589.00 | A |
| Methomyl | Bean, Unspecified | 121.95 | 4 | 230.00 | A |
| Methomyl | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Methomyl | Uncultivated Ag | 50.62 | 1 | 75.00 | A |
| Methoxyfenozide | Almond | 3,377.72 | 199 | 9,643.62 | A |
| Methoxyfenozide | Apple | 3.02 | 1 | 10.00 | A |
| Methoxyfenozide | Bean, Unspecified | 5.65 | 2 | 20.00 | A |
| Methoxyfenozide | Landscape Maintenance | 0.90 | 0 | 0.00 | N/A |
| Methoxyfenozide | N-Outdr Plants In Containers | 1.41 | 1 | 5.00 | A |
| Methoxyfenozide | Peach | 77.94 | 6 | 339.00 | A |
| Methoxyfenozide | Pistachio | 179.97 | 7 | 460.00 | A |
| Methoxyfenozide | Rice | 754.61 | 55 | 4,280.47 | A |
| Methoxyfenozide | Rights Of Way | 0.60 | 0 | 0.00 | N/A |
| Methoxyfenozide | Walnut | 2,325.26 | 122 | 6,094.59 | A |
| Methyl bromide | Fumigation, Other | 118.00 | 0 | 0.00 | N/A |
| Methyl bromide | Walnut | 100.00 | 0 | 210.00 | P |
| Methyl bromide | Walnut | 820.00 | 0 | 1,715.00 | T |
| Methyl silicone resins | Rice | 237.15 | 31 | 2,278.51 | A |
| Methyl silicone resins | Walnut | 427.91 | 45 | 2,385.67 | A |
| Methylated silicones | Almond | 356.30 | 129 | 5,597.75 | A |
| Methylated silicones | Peach | 41.40 | 33 | 215.48 | A |
| Methylated silicones | Rice | 172.67 | 44 | 3,153.57 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Methylated silicones | Uncultivated Ag | 1.79 | 2 | 29.00 | A |
| Methylated silicones | Walnut | 1,650.35 | 389 | 11,116.59 | A |
| Methylated soybean oil | Alfalfa | 85.80 | 4 | 75.00 | A |
| Methylated soybean oil | Almond | 25,205.02 | 920 | 31,719.63 | A |
| Methylated soybean oil | Bean, Dried | 15.33 | 3 | 103.00 | A |
| Methylated soybean oil | Chestnut | 5.27 | 3 | 7.72 | A |
| Methylated soybean oil | Forest, Timberland | 11,357.10 | 185 | 9,954.44 | A |
| Methylated soybean oil | Kiwi Fruit Fuzzy | 423.78 | 26 | 401.67 | A |
| Methylated soybean oil | Landscape Maintenance | 458.89 | 0 | 0.00 | N/A |
| Methylated soybean oil | Olive | 166.71 | 21 | 104.50 | A |
| Methylated soybean oil | Peach | 291.39 | 51 | 437.88 | A |
| Methylated soybean oil | Pecan | 71.33 | 7 | 75.00 | A |
| Methylated soybean oil | Pistachio | 231.33 | 12 | 402.70 | A |
| Methylated soybean oil | Prune | 1,364.22 | 95 | 2,846.23 | A |
| Methylated soybean oil | Rice | 35,148.52 | 495 | 42,379.47 | A |
| Methylated soybean oil | Rights Of Way | 111.16 | 4 | 150.50 | A |
| Methylated soybean oil | Rights Of Way | 3,905.12 | 0 | 0.00 | N/A |
| Methylated soybean oil | Uncultivated Ag | 1,715.43 | 56 | 2,442.98 | A |
| Methylated soybean oil | Uncultivated Non-Ag | 653.42 | 24 | 1,116.40 | A |
| Methylated soybean oil | Uncultivated Non-Ag | 0.09 | 1 | 4,000.00 | S |
| Methylated soybean oil | Walnut | 25,130.62 | 1,224 | 46,942.24 | A |
| Methylated soybean oil | Wheat | 48.54 | 4 | 170.00 | A |
| Metofluthrin | Structural Pest Control | 0.07 | 0 | 0.00 | N/A |
| Metribuzin | Tomato, Processing | 105.02 | 4 | 209.00 | A |
| Mineral oil | Almond | 6,493.93 | 97 | 3,781.13 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Mineral oil | Apple | 141.39 | 1 | 10.00 | A |
| Mineral oil | Kiwi Fruit Fuzzy | 1,019.40 | 9 | 59.40 | A |
| Mineral oil | Landscape Maintenance | 664.07 | 0 | 0.00 | N/A |
| Mineral oil | N-Grnhs Plants In Containers | 5.33 | 3 | 1.50 | A |
| Mineral oil | Nectarine | 3.53 | 1 | 0.25 | A |
| Mineral oil | Olive | 307.23 | 36 | 1,461.54 | A |
| Mineral oil | Peach | 17,265.03 | 83 | 1,057.88 | A |
| Mineral oil | Pistachio | 1,507.31 | 2 | 35.70 | A |
| Mineral oil | Prune | 24,331.08 | 55 | 2,311.70 | A |
| Mineral oil | Public Health | 433.53 | 0 | 0.00 | N/A |
| Mineral oil | Rice | 116,956.27 | 970 | 74,673.06 | A |
| Mineral oil | Rights Of Way | 17.76 | 4 | 24.00 | A |
| Mineral oil | Rights Of Way | 470.74 | 0 | 0.00 | N/A |
| Mineral oil | Uncultivated Ag | 753.07 | 5 | 670.20 | A |
| Mineral oil | Walnut | 3,698.04 | 92 | 2,585.71 | A |
| Muscalure | Structural Pest Control | 0.05 | 0 | 0.00 | N/A |
| Myclobutanil | Almond | 1.46 | 1 | 12.00 | A |
| Myclobutanil | Landscape Maintenance | 0.07 | 0 | 0.00 | N/A |
| Myclobutanil | N-Grnhs Plants In Containers | 0.16 | 1 | 1.00 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Almond | 252.90 | 198 | 6,920.82 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Peach | 1.54 | 6 | 52.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Prune | 75.41 | 33 | 1,278.70 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Rice | 10.80 | 4 | 450.70 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Rights Of Way | 2.96 | 6 | 124.50 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Rights Of Way | 1.60 | 0 | 0.00 | N/A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Walnut | 303.40 | 261 | 10,393.18 | A |
| N-octyl bicycloheptene dicarboximide | Structural Pest Control | 369.80 | 0 | 0.00 | N/A |
| Naled | Public Health | 9,487.84 | 0 | 0.00 | N/A |
| Nonanoic acid | Landscape Maintenance | 5.31 | 0 | 0.00 | N/A |
| Novaluron | Structural Pest Control | 4.95 | 0 | 0.00 | N/A |
| Noviflumuron | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Oleic acid, ethyl ester | Almond | 1,544.04 | 55 | 2,234.80 | A |
| Oleic acid, ethyl ester | Rights Of Way | 287.54 | 0 | 0.00 | N/A |
| Oleic acid, ethyl ester | Walnut | 678.40 | 27 | 850.30 | A |
| Oleic acid, methyl ester | Almond | 2,176.81 | 99 | 5,925.73 | A |
| Oleic acid, methyl ester | Prune | 398.83 | 28 | 1,619.61 | A |
| Oleic acid, methyl ester | Rice | 720.72 | 10 | 1,140.01 | A |
| Oleic acid, methyl ester | Walnut | 13,004.22 | 364 | 30,370.49 | A |
| Orthosulfamuron | Walnut | 45.69 | 1 | 170.00 | A |
| Oryzalin | Almond | 63.24 | 1 | 38.00 | A |
| Oryzalin | Landscape Maintenance | 2.29 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Oryzalin | Rights Of Way | 176.81 | 0 | 0.00 | N/A |
| Oxathiapiprolin | Walnut | 51.85 | 16 | 781.40 | A |
| Oxyfluorfen | Almond | 4,311.00 | 421 | 14,677.46 | A |
| Oxyfluorfen | Bean, Unspecified | 28.50 | 4 | 225.00 | A |
| Oxyfluorfen | Commercial, Institutional Or Industrial Areas | 8.74 | 1 | 17.50 | A |
| Oxyfluorfen | Forest, Timberland | 533.41 | 2 | 271.50 | A |
| Oxyfluorfen | Kiwi Fruit Fuzzy | 12.60 | 14 | 108.00 | A |
| Oxyfluorfen | Landscape Maintenance | 0.84 | 1 | 7.00 | A |
| Oxyfluorfen | Landscape Maintenance | 27.63 | 0 | 0.00 | N/A |
| Oxyfluorfen | Olive | 114.10 | 7 | 58.00 | A |
| Oxyfluorfen | Peach | 39.52 | 24 | 137.95 | A |
| Oxyfluorfen | Pistachio | 80.87 | 7 | 266.30 | A |
| Oxyfluorfen | Prune | 773.45 | 37 | 1,016.44 | A |
| Oxyfluorfen | Regulatory Pest Control | 0.35 | 0 | 0.00 | N/A |
| Oxyfluorfen | Rights Of Way | 9.41 | 6 | 135.75 | A |
| Oxyfluorfen | Rights Of Way | 2,852.13 | 0 | 0.00 | N/A |
| Oxyfluorfen | Uncultivated Ag | 409.86 | 50 | 1,519.10 | A |
| Oxyfluorfen | Uncultivated Non-Ag | 197.26 | 22 | 891.00 | A |
| Oxyfluorfen | Walnut | 6,396.88 | 670 | 23,426.94 | A |
| Paraquat dichloride | Alfalfa | 41.52 | 2 | 40.00 | A |
| Paraquat dichloride | Almond | 5,462.71 | 92 | 4,351.82 | A |
| Paraquat dichloride | Apple | 12.98 | 1 | 10.00 | A |
| Paraquat dichloride | Bean, Dried | 4.18 | 1 | 3.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Paraquat dichloride | Bean, Unspecified | 103.60 | 3 | 185.00 | A |
| Paraquat dichloride | Kiwi Fruit Fuzzy | 27.02 | 3 | 18.50 | A |
| Paraquat dichloride | Landscape Maintenance | 4.14 | 0 | 0.00 | N/A |
| Paraquat dichloride | Nectarine | 0.83 | 1 | 0.25 | A |
| Paraquat dichloride | Olive | 128.32 | 19 | 92.43 | A |
| Paraquat dichloride | Peach | 3.89 | 1 | 3.00 | A |
| Paraquat dichloride | Pistachio | 147.81 | 3 | 105.80 | A |
| Paraquat dichloride | Prune | 93.17 | 2 | 67.10 | A |
| Paraquat dichloride | Sunflower | 266.46 | 2 | 396.00 | A |
| Paraquat dichloride | Uncultivated Ag | 469.46 | 8 | 421.00 | A |
| Paraquat dichloride | Uncultivated Non-Ag | 229.86 | 5 | 303.00 | A |
| Paraquat dichloride | Walnut | 1,458.05 | 26 | 1,148.04 | A |
| Pendimethalin | Alfalfa | 151.51 | 2 | 40.00 | A |
| Pendimethalin | Almond | 6,306.82 | 78 | 2,420.15 | A |
| Pendimethalin | Bean, Dried | 47.35 | 1 | 25.00 | A |
| Pendimethalin | Bean, Unspecified | 60.61 | 1 | 60.00 | A |
| Pendimethalin | Landscape Maintenance | 138.45 | 0 | 0.00 | N/A |
| Pendimethalin | N-Outdr Plants In Containers | 0.53 | 1 | 6,000.00 | S |
| Pendimethalin | Olive | 102.95 | 7 | 58.00 | A |
| Pendimethalin | Peach | 30.30 | 3 | 8.00 | A |
| Pendimethalin | Pistachio | 157.20 | 2 | 50.00 | A |
| Pendimethalin | Prune | 743.10 | 6 | 196.18 | A |
| Pendimethalin | Rice | 3,727.69 | 37 | 4,125.17 | A |
| Pendimethalin | Rights Of Way | 135.79 | 0 | 0.00 | N/A |
| Pendimethalin | Tomato | 1,491.47 | 6 | 525.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pendimethalin | Uncultivated Ag | 263.57 | 7 | 212.50 | A |
| Pendimethalin | Walnut | 4,702.19 | 64 | 1,618.36 | A |
| Pendimethalin | Wheat | 53.98 | 1 | 38.00 | A |
| Penoxsulam | Almond | 34.14 | 51 | 2,234.96 | A |
| Penoxsulam | Forest, Timberland | 11.25 | 2 | 271.50 | A |
| Penoxsulam | Landscape Maintenance | 0.03 | 0 | 0.00 | N/A |
| Penoxsulam | Prune | 7.38 | 10 | 477.38 | A |
| Penoxsulam | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Penoxsulam | Rice | 61.04 | 26 | 1,754.80 | A |
| Penoxsulam | Rights Of Way | 61.81 | 0 | 0.00 | N/A |
| Penoxsulam | Uncultivated Ag | 1.55 | 1 | 65.00 | A |
| Penoxsulam | Uncultivated Non-Ag | 0.47 | 3 | 12.00 | A |
| Penoxsulam | Walnut | 37.48 | 98 | 2,585.11 | A |
| Penthiopyrad | Almond | 53.85 | 5 | 246.00 | A |
| Penthiopyrad | Landscape Maintenance | 5.44 | 0 | 0.00 | N/A |
| Penthiopyrad | Pistachio | 106.39 | 7 | 420.55 | A |
| Penthiopyrad | Stone Fruit | 0.52 | 2 | 2.50 | A |
| Penthiopyrad | Walnut | 2,244.25 | 96 | 8,631.50 | A |
| Permethrin | Peach | 8.71 | 2 | 35.00 | A |
| Permethrin | Pistachio | 80.79 | 5 | 457.00 | A |
| Permethrin | Public Health | 257.00 | 0 | 0.00 | N/A |
| Permethrin | Rights Of Way | 1.59 | 0 | 0.00 | N/A |
| Permethrin | Structural Pest Control | 668.73 | 0 | 0.00 | N/A |
| Permethrin | Walnut | 1,720.90 | 144 | 6,997.01 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Peroxyacetic acid | Water Area | 143.15 | 0 | 292.87 | U |
| Phenothrin | Public Health | 395.81 | 0 | 0.00 | N/A |
| Phenothrin | Structural Pest Control | 0.27 | 0 | 0.00 | N/A |
| Phenylethyl propionate | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Phosmet | Apple | 35.00 | 1 | 10.00 | A |
| Phosmet | Nectarine | 0.70 | 1 | 0.25 | A |
| Phosmet | Peach | 8.40 | 1 | 3.00 | A |
| Phosphine | Commodity Fumigation | 838.08 | 0 | 0.00 | N/A |
| Phosphine | Fumigation, Other | 3.74 | 0 | 0.00 | N/A |
| Phosphine | Walnut | 323.04 | 0 | 19,530.00 | T |
| Phosphoric acid | Almond | 247.60 | 117 | 3,141.33 | A |
| Phosphoric acid | Peach | 5.29 | 18 | 88.50 | A |
| Phosphoric acid | Pecan | 1.94 | 4 | 19.80 | A |
| Phosphoric acid | Prune | 135.54 | 81 | 1,734.62 | A |
| Phosphoric acid | Rights Of Way | 7.98 | 3 | 135.00 | A |
| Phosphoric acid | Rights Of Way | 21.51 | 0 | 0.00 | N/A |
| Phosphoric acid | Tomato, Processing | 193.49 | 18 | 2,307.90 | A |
| Phosphoric acid | Uncultivated Ag | 52.27 | 14 | 1,740.80 | A |
| Phosphoric acid | Walnut | 568.65 | 334 | 8,312.52 | A |
| Phosphoric acid | Wheat | 3.86 | 2 | 184.00 | A |
| Picoxystrobin | Almond | 3.13 | 1 | 18.75 | A |
| Pinoxaden | Wheat | 2.12 | 4 | 40.00 | A |
| Piperonyl butoxide | Public Health | 652.89 | 0 | 0.00 | N/A |
| Piperonyl butoxide | Structural Pest Control | 394.88 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Piperonyl butoxide, other related | Structural Pest Control | 0.72 | 0 | 0.00 | N/A |
| Polyacrylamide | Almond | 13.20 | 60 | 1,093.99 | A |
| Polyacrylamide | Prune | 8.53 | 51 | 485.40 | A |
| Polyacrylamide | Uncultivated Ag | 15.52 | 19 | 1,829.73 | A |
| Polyacrylamide | Walnut | 52.40 | 190 | 4,158.88 | A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Almond | 880.86 | 405 | 14,976.91 | A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Peach | 16.28 | 32 | 482.40 | A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Rice | 384.59 | 38 | 3,131.42 | A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Rights Of Way | 4.85 | 2 | 50.00 | A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Rights Of Way | 241.76 | 0 | 0.00 | N/A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Walnut | 432.13 | 367 | 22,056.92 | A |
| Polybutene | Structural Pest Control | 24.78 | 0 | 0.00 | N/A |
| Polyethylene glycol | Walnut | 1,142.34 | 114 | 2,720.90 | A |
| Polyethylene glycol | Wheat | 2.51 | 5 | 60.00 | A |
| Polyethylene glycol stearate | Almond | 386.01 | 55 | 2,234.80 | A |
| Polyethylene glycol stearate | Rights Of Way | 57.41 | 0 | 0.00 | N/A |
| Polyethylene glycol stearate | Walnut | 169.60 | 27 | 850.30 | A |
| Polyoxin d, zinc salt | Almond | 140.45 | 55 | 3,209.00 | A |
| Polyoxin d, zinc salt | Landscape Maintenance | 0.81 | 0 | 0.00 | N/A |
| Polyoxin d, zinc salt | Peach | 0.14 | 6 | 35.48 | A |
| Polyoxin d, zinc salt | Pistachio | 3.57 | 3 | 81.50 | A |
| Polyoxin d, zinc salt | Walnut | 73.98 | 26 | 1,684.50 | A |
| Polyoxyethylene sorbitan mixed fatty acid esters | Rice | 1,039.80 | 47 | 4,297.98 | A |
| Polyoxyethylene sorbitan monooleate | Almond | 0.70 | 2 | 23.00 | A |
| Polyoxyethylene sorbitan monooleate | Peach | 3.87 | 6 | 52.80 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Polyoxyethylene sorbitan monooleate | Rice | 237.92 | 86 | 6,012.05 | A |
| Polyoxyethylene sorbitan monooleate | Rights Of Way | 6.76 | 0 | 0.00 | N/A |
| Polyoxyethylene sorbitan trioleate | Almond | 4.62 | 2 | 23.00 | A |
| Polyoxyethylene sorbitan trioleate | Peach | 25.44 | 6 | 52.80 | A |
| Polyoxyethylene sorbitan trioleate | Rights Of Way | 25.83 | 0 | 0.00 | N/A |
| Potassium hydroxide | Almond | 5.20 | 15 | 343.50 | A |
| Potassium hydroxide | Prune | 4.28 | 5 | 355.00 | A |
| Potassium hydroxide | Walnut | 128.95 | 320 | 10,692.21 | A |
| Potassium laurate | Walnut | 172.55 | 2 | 42.00 | A |
| Potassium nitrate | Almond | 21.50 | 7 | 142.00 | A |
| Potassium nitrate | Prune | 45.21 | 5 | 355.00 | A |
| Potassium nitrate | Walnut | 1,283.35 | 310 | 10,221.66 | A |
| Potassium phosphite | Almond | 12,789.67 | 82 | 4,321.50 | A |
| Potassium phosphite | Bean, Unspecified | 224.11 | 2 | 65.00 | A |
| Potassium phosphite | Landscape Maintenance | 224.31 | 0 | 0.00 | N/A |
| Potassium phosphite | Uncultivated Ag | 68.01 | 1 | 20.00 | A |
| Potassium phosphite | Walnut | 11,316.81 | 73 | 3,854.70 | A |
| Prallethrin | Public Health | 79.16 | 0 | 0.00 | N/A |
| Prallethrin | Structural Pest Control | 1.27 | 0 | 0.00 | N/A |
| Prodiamine | Landscape Maintenance | 649.71 | 0 | 0.00 | N/A |
| Prodiamine | Rights Of Way | 11.84 | 2 | 12.00 | A |
| Prodiamine | Rights Of Way | 1.15 | 0 | 0.00 | N/A |
| Prodiamine | Structural Pest Control | 1.97 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Prohexadione-calcium | Landscape Maintenance | 28.84 | 0 | 0.00 | N/A |
| Propamocarb hydrochloride | Landscape Maintenance | 14.06 | 0 | 0.00 | N/A |
| Propanil | Rice | 421,893.11 | 1,243 | 100,574.51 | A |
| Propargite | Almond | 4,536.69 | 48 | 2,960.50 | A |
| Propargite | Bean, Unspecified | 400.44 | 3 | 205.00 | A |
| Propargite | Uncultivated Ag | 125.14 | 1 | 75.00 | A |
| Propargite | Walnut | 3,285.75 | 39 | 1,881.33 | A |
| Propiconazole | Almond | 2,096.12 | 277 | 9,773.06 | A |
| Propiconazole | Barley | 27.81 | 2 | 244.00 | A |
| Propiconazole | Landscape Maintenance | 21.22 | 0 | 0.00 | N/A |
| Propiconazole | N-Outdr Plants In Containers | 0.56 | 2 | 5.00 | A |
| Propiconazole | Peach | 141.81 | 66 | 1,233.82 | A |
| Propiconazole | Prune | 634.42 | 96 | 5,689.00 | A |
| Propiconazole | Rice | 3,633.59 | 192 | 19,738.13 | A |
| Propiconazole | Stone Fruit | 0.29 | 2 | 2.50 | A |
| Propiconazole | Uncultivated Ag | 7.40 | 1 | 32.50 | A |
| Propiconazole | Walnut | 821.82 | 85 | 3,716.50 | A |
| Propiconazole | Wheat (Forage - Fodder) | 1.96 | 1 | 17.00 | A |
| Propylene glycol | Almond | 1,394.87 | 233 | 12,249.75 | A |
| Propylene glycol | Landscape Maintenance | 5.39 | 0 | 0.00 | N/A |
| Propylene glycol | Peach | 6.26 | 11 | 229.00 | A |
| Propylene glycol | Prune | 226.97 | 46 | 2,336.20 | A |
| Propylene glycol | Walnut | 1,051.73 | 203 | 9,332.85 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pydiflumetofen | Almond | 302.09 | 65 | 3,412.30 | A |
| Pydiflumetofen | Pistachio | 25.87 | 3 | 313.00 | A |
| Pyraclonil | Rice | 262.51 | 19 | 978.80 | A |
| Pyraclostrobin | Almond | 1,222.56 | 274 | 12,488.65 | A |
| Pyraclostrobin | Golf Course Turf | 3.44 | 0 | 7.50 | A |
| Pyraclostrobin | Landscape Maintenance | 10.69 | 0 | 0.00 | N/A |
| Pyraclostrobin | N-Grnhs Plants In Containers | 1.20 | 13 | 9.25 | A |
| Pyraclostrobin | N-Outdr Plants In Containers | 0.67 | 2 | 6.00 | A |
| Pyraclostrobin | Peach | 19.52 | 11 | 208.80 | A |
| Pyraclostrobin | Pecan | 0.82 | 1 | 10.00 | A |
| Pyraclostrobin | Pistachio | 99.55 | 12 | 922.00 | A |
| Pyraclostrobin | Tomato | 33.79 | 2 | 195.00 | A |
| Pyraclostrobin | Tomato, Processing | 160.26 | 8 | 1,016.50 | A |
| Pyraclostrobin | Walnut | 852.33 | 108 | 9,209.80 | A |
| Pyraflufen-ethyl | Almond | 3.50 | 24 | 1,031.17 | A |
| Pyraflufen-ethyl | Peach | 0.02 | 1 | 4.00 | A |
| Pyraflufen-ethyl | Prune | 3.65 | 10 | 683.50 | A |
| Pyraflufen-ethyl | Uncultivated Ag | 0.41 | 4 | 155.00 | A |
| Pyraflufen-ethyl | Walnut | 0.28 | 12 | 146.00 | A |
| Pyrethrins | Commodity Fumigation | 0.40 | 0 | 0.00 | N/A |
| Pyrethrins | Fava Bean | 0.02 | 1 | 0.25 | A |
| Pyrethrins | N-Grnhs Plants In Containers | < 0.01 | 1 | 2,000.00 | S |
| Pyrethrins | Public Health | < 0.01 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pyrethrins | Rice | 0.80 | 1 | 41.00 | A |
| Pyrethrins | Squash, Summer | 0.15 | 3 | 9.00 | A |
| Pyrethrins | Squash, Winter | 0.05 | 1 | 4.00 | A |
| Pyrethrins | Structural Pest Control | 183.83 | 0 | 0.00 | N/A |
| Pyrethrins | Walnut | 0.20 | 2 | 13.00 | A |
| Pyridaben | N-Grnhs Plants In Containers | 4.51 | 10 | 21.50 | A |
| Pyridalyl | N-Grnhs Plants In Containers | 1.01 | 5 | 5.75 | A |
| Pyrimethanil | Almond | 426.05 | 28 | 1,921.34 | A |
| Pyrimethanil | Peach | 15.94 | 6 | 70.80 | A |
| Pyriproxyfen | Almond | 22.97 | 53 | 3,097.51 | A |
| Pyriproxyfen | Kiwi Fruit Fuzzy | 27.42 | 19 | 218.40 | A |
| Pyriproxyfen | N-Grnhs Plants In Containers | 0.65 | 8 | 8.00 | A |
| Pyriproxyfen | Olive | 0.86 | 2 | 8.00 | A |
| Pyriproxyfen | Peach | 0.49 | 1 | 10.00 | A |
| Pyriproxyfen | Prune | 4.82 | 8 | 98.14 | A |
| Pyriproxyfen | Structural Pest Control | 10.82 | 0 | 0.00 | N/A |
| Pyriproxyfen | Walnut | 196.55 | 55 | 1,906.74 | A |
| Pyroxsulam | Wheat | 7.93 | 9 | 601.00 | A |
| Pyroxsulam | Wheat (Forage - Fodder) | 2.40 | 5 | 182.00 | A |
| Quinclorac | Landscape Maintenance | 4.46 | 0 | 0.00 | N/A |
| Quinclorac, dimethylamine salt | Landscape Maintenance | 1.25 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Reynoutria sachalinensis (giant knotweed) plant extract | Almond | 26.54 | 2 | 240.00 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Walnut | 4.33 | 4 | 20.00 | A |
| Rimsulfuron | Almond | 192.29 | 165 | 4,323.65 | A |
| Rimsulfuron | Bean, Unspecified | 2.21 | 2 | 115.00 | A |
| Rimsulfuron | Chestnut | 0.07 | 1 | 3.00 | A |
| Rimsulfuron | Orange | 0.77 | 2 | 18.50 | A |
| Rimsulfuron | Peach | 3.35 | 11 | 63.70 | A |
| Rimsulfuron | Pecan | 0.38 | 1 | 6.00 | A |
| Rimsulfuron | Pistachio | 1.16 | 1 | 18.50 | A |
| Rimsulfuron | Prune | 57.90 | 30 | 943.84 | A |
| Rimsulfuron | Rights Of Way | 3.12 | 1 | 100.00 | A |
| Rimsulfuron | Rights Of Way | 0.88 | 0 | 0.00 | N/A |
| Rimsulfuron | Stone Fruit | 0.09 | 1 | 1.50 | A |
| Rimsulfuron | Tomato, Processing | 13.06 | 4 | 209.00 | A |
| Rimsulfuron | Uncultivated Ag | 6.09 | 15 | 161.01 | A |
| Rimsulfuron | Uncultivated Non-Ag | 21.25 | 6 | 410.90 | A |
| Rimsulfuron | Walnut | 464.95 | 368 | 8,869.08 | A |
| S-methoprene | Commodity Fumigation | 0.26 | 0 | 0.00 | N/A |
| S-methoprene | Public Health | 209.45 | 0 | 0.00 | N/A |
| S-methoprene | Structural Pest Control | 0.27 | 0 | 0.00 | N/A |
| S-metolachlor | Bean, Dried | 320.34 | 6 | 168.50 | A |
| S-metolachlor | Bean, Unspecified | 299.96 | 3 | 200.00 | A |
| S-metolachlor | Forage Hay/Silage | 45.74 | 1 | 17.00 | A |
| S-metolachlor | Sunflower | 24.28 | 4 | 21.00 | A |
| S-metolachlor | Tomato | 835.86 | 6 | 525.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| S-metolachlor | Tomato, Processing | 771.79 | 5 | 485.00 | A |
| S-metolachlor | Uncultivated Ag | 181.06 | 2 | 95.00 | A |
| Saflufenacil | Alfalfa | 1.06 | 2 | 40.00 | A |
| Saflufenacil | Almond | 165.24 | 111 | 4,682.52 | A |
| Saflufenacil | Bean, Dried | 0.13 | 1 | 3.00 | A |
| Saflufenacil | Olive | 0.26 | 1 | 6.00 | A |
| Saflufenacil | Prune | 0.35 | 1 | 3.00 | A |
| Saflufenacil | Uncultivated Ag | 0.53 | 1 | 4.00 | A |
| Saflufenacil | Uncultivated Non-Ag | 0.45 | 2 | 20.00 | A |
| Saflufenacil | Walnut | 136.09 | 112 | 4,245.18 | A |
| Sethoxydim | Almond | 52.80 | 11 | 419.00 | A |
| Sethoxydim | Pistachio | 30.36 | 4 | 132.00 | A |
| Sethoxydim | Walnut | 10.00 | 2 | 43.50 | A |
| Silica filled polydimethylsiloxane | Walnut | 2.16 | 3 | 249.00 | A |
| Silica gel | Public Health | 0.35 | 0 | 0.00 | N/A |
| Silica gel | Structural Pest Control | 3.75 | 0 | 0.00 | N/A |
| Simazine | Walnut | 32.66 | 4 | 14.66 | A |
| Sodium bromide | Water (Industrial) | 3.29 | 0 | 12.00 | U |
| Sodium chlorate | Rice | 1,496.16 | 4 | 301.10 | A |
| Sodium dichloro-s-triazinetrione | Water (Industrial) | 2.97 | 0 | 4.00 | U |
| Sodium hypochlorite | Ditch Bank | 3,621.60 | 0 | 18.00 | U |
| Sodium hypochlorite | Water (Industrial) | 2.38 | 0 | 12.00 | U |
| Sodium percarbonate | Rice | 39,976.48 | 24 | 2,129.20 | A |
| Sodium percarbonate | Water Area | 935.00 | 0 | 500.00 | U |
| Sodium tetraborate decahydrate | Landscape Maintenance | 85.91 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Sodium tetraborate decahydrate | Rights Of Way | 449.17 | 0 | 0.00 | N/A |
| Sodium tetraborate decahydrate | Structural Pest Control | 16.89 | 0 | 0.00 | N/A |
| Sorbitan fatty acid esters | Rice | 227.46 | 47 | 4,297.98 | A |
| Sorbitan monooleate | Almond | 34.11 | 12 | 1,434.99 | A |
| Sorbitol | Almond | 6.08 | 4 | 73.00 | A |
| Soybean oil, ethoxylated | Rice | 8,945.54 | 95 | 7,456.09 | A |
| Spinetoram | Almond | 37.12 | 19 | 769.00 | A |
| Spinetoram | Apple | 1.69 | 2 | 18.00 | A |
| Spinetoram | Orange | 3.01 | 2 | 37.00 | A |
| Spinetoram | Peach | 0.28 | 1 | 3.00 | A |
| Spinetoram | Pistachio | 16.25 | 2 | 227.00 | A |
| Spinetoram | Stone Fruit | 0.05 | 1 | 0.50 | A |
| Spinetoram | Walnut | 272.63 | 208 | 4,662.64 | A |
| Spinosad | Almond | 2.28 | 3 | 23.00 | A |
| Spinosad | N-Grnhs Plants In Containers | 2.87 | 20 | 19.75 | A |
| Spinosad | N-Grnhs Plants In Containers | < 0.01 | 2 | 5,000.00 | S |
| Spinosad | Olive | < 0.01 | 4 | 80.00 | A |
| Spinosad | Prune | 0.02 | 2 | 10.00 | A |
| Spinosad | Public Health | 91.85 | 0 | 0.00 | N/A |
| Spinosad | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Spinosad | Walnut | 21.22 | 28 | 790.74 | A |
| Spirodiclofen | Almond | 380.15 | 13 | 717.00 | A |
| Spirodiclofen | Walnut | 567.94 | 33 | 1,134.83 | A |
| Spirotetramat | Almond | 47.17 | 5 | 333.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Spirotetramat | Bean, Unspecified | 11.34 | 2 | 80.00 | A |
| Spirotetramat | N-Grnhs Plants In Containers | 0.74 | 15 | 18.10 | A |
| Spirotetramat | N-Outdr Plants In Containers | 0.85 | 2 | 6.00 | A |
| Spirotetramat | Peach | 1.41 | 1 | 10.00 | A |
| Spirotetramat | Prune | 13.78 | 8 | 98.14 | A |
| Spirotetramat | Walnut | 99.98 | 19 | 741.60 | A |
| Streptomycin sulfate | Apple | 3.95 | 5 | 9.00 | A |
| Streptomycin sulfate | Landscape Maintenance | 4.42 | 0 | 0.00 | N/A |
| Streptomycin sulfate | N-Grnhs Plants In Containers | 0.53 | 3 | 3.50 | A |
| Strychnine | Almond | 6.54 | 11 | 486.00 | A |
| Strychnine | Landscape Maintenance | 0.14 | 0 | 0.00 | N/A |
| Strychnine | Peach | 0.20 | 1 | 20.00 | A |
| Strychnine | Pistachio | 0.23 | 2 | 92.00 | A |
| Strychnine | Prune | 1.06 | 1 | 71.00 | A |
| Strychnine | Rights Of Way | 0.12 | 21 | 23.00 | A |
| Strychnine | Walnut | 11.14 | 25 | 1,019.75 | A |
| Sulfaquinoxaline | Structural Pest Control | 0.04 | 0 | 0.00 | N/A |
| Sulfentrazone | Landscape Maintenance | 0.06 | 0 | 0.00 | N/A |
| Sulfentrazone | Rights Of Way | 10.08 | 0 | 0.00 | N/A |
| Sulfometuron-methyl | Landscape Maintenance | 14.43 | 0 | 0.00 | N/A |
| Sulfometuron-methyl | Rights Of Way | 18.21 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Sulfometuron-methyl | Structural Pest Control | 0.14 | 0 | 0.00 | N/A |
| Sulfosulfuron | Rights Of Way | 9.38 | 0 | 0.00 | N/A |
| Sulfoxaflor | Pecan | 10.13 | 1 | 113.00 | A |
| Sulfur | Almond | 12,084.10 | 29 | 2,435.00 | A |
| Sulfur | Apple | 191.04 | 3 | 24.00 | A |
| Sulfur | Grape, Wine | 6.79 | 2 | 12.00 | A |
| Sulfur | N-Grnhs Plants In Containers | 16.00 | 2 | 2.00 | A |
| Sulfur | Peach | 973.95 | 13 | 75.48 | A |
| Sulfur | Prune | 869.00 | 4 | 49.50 | A |
| Sulfuryl fluoride | Almond | 359.28 | 0 | 149,940.00 | C |
| Sulfuryl fluoride | Fumigation, Other | 44.91 | 0 | 0.00 | N/A |
| Sulfuryl fluoride | Structural Pest Control | 472.05 | 0 | 0.00 | N/A |
| Sulfuryl fluoride | Walnut | 5,605.77 | 0 | 7,774.17 | C |
| Sulfuryl fluoride | Walnut | 3.24 | 0 | 10,913.00 | T |
| Tall oil | Almond | 194.46 | 44 | 1,945.03 | A |
| Tall oil | Kiwi Fruit Fuzzy | 20.52 | 10 | 98.50 | A |
| Tall oil | Prune | 55.12 | 10 | 320.14 | A |
| Tall oil | Rice | 1,840.99 | 123 | 10,414.12 | A |
| Tall oil | Walnut | 200.25 | 49 | 1,454.34 | A |
| Tall oil fatty acids | Almond | 889.96 | 196 | 9,636.15 | A |
| Tall oil fatty acids | Bean, Unspecified | 14.70 | 15 | 658.75 | A |
| Tall oil fatty acids | Landscape Maintenance | 12.32 | 0 | 0.00 | N/A |
| Tall oil fatty acids | N-Outdr Transplants | 61.12 | 6 | 412.00 | A |
| Tall oil fatty acids | Olive | 16.42 | 11 | 131.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tall oil fatty acids | Pistachio | 89.31 | 16 | 1,248.50 | A |
| Tall oil fatty acids | Prune | 174.28 | 52 | 2,423.30 | A |
| Tall oil fatty acids | Rice | 390.32 | 27 | 3,153.73 | A |
| Tall oil fatty acids | Rights Of Way | 83.01 | 0 | 0.00 | N/A |
| Tall oil fatty acids | Uncultivated Ag | 20.80 | 11 | 618.50 | A |
| Tall oil fatty acids | Uncultivated Non-Ag | 18.83 | 8 | 519.00 | A |
| Tall oil fatty acids | Walnut | 1,801.72 | 346 | 16,684.47 | A |
| Tall oil fatty acids | Wheat | 11.66 | 5 | 260.00 | A |
| Tebuconazole | Almond | 464.31 | 78 | 3,263.82 | A |
| Tebuconazole | Golf Course Turf | 1.86 | 0 | 2.50 | A |
| Tebuconazole | Landscape Maintenance | 4.31 | 0 | 0.00 | N/A |
| Tebuconazole | N-Grnhs Plants In Containers | 1.69 | 5 | 6.00 | A |
| Tebuconazole | Peach | 96.28 | 24 | 780.80 | A |
| Tebuconazole | Pistachio | 13.27 | 2 | 160.00 | A |
| Tebuconazole | Prune | 17.51 | 8 | 93.42 | A |
| Tebuconazole | Stone Fruit | 0.23 | 1 | 1.00 | A |
| Tebuconazole | Walnut | 4,409.56 | 311 | 19,629.95 | A |
| Tembotrione | Forage Hay/Silage | 3.46 | 1 | 40.00 | A |
| Temephos | Public Health | 0.14 | 0 | 0.00 | N/A |
| Tetramethrin | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Tetraniliprole | Landscape Maintenance | 0.53 | 0 | 0.00 | N/A |
| Thiamethoxam | N-Grnhs Plants In Containers | 0.68 | 4 | 3.60 | A |
| Thiamethoxam | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Thiencarbazone-methyl | Landscape Maintenance | 0.68 | 0 | 0.00 | N/A |
| Thiobencarb | Rice | 69,362.34 | 222 | 20,255.82 | A |
| Thiophanate-methyl | Almond | 2,015.03 | 105 | 2,806.45 | A |
| Thiophanate-methyl | Landscape Maintenance | 89.13 | 0 | 0.00 | N/A |
| Thiophanate-methyl | N-Grnhs Plants In Containers | 5.14 | 10 | 6.90 | A |
| Thiophanate-methyl | N-Outdr Plants In Containers | 3.75 | 2 | 5.00 | A |
| Thiophanate-methyl | N-Outdr Transplants | 52.63 | 2 | 72.00 | A |
| Thiophanate-methyl | Pistachio | 30.55 | 1 | 29.00 | A |
| Thiophanate-methyl | Prune | 276.32 | 5 | 268.88 | A |
| Thyme oil | Structural Pest Control | 0.04 | 0 | 0.00 | N/A |
| Thymol | Beehive | 88.25 | 8 | 5,945.00 | U |
| Thymol | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Tralkoxydim | Landscape Maintenance | 0.90 | 0 | 0.00 | N/A |
| Tribenuron-methyl | Forage Hay/Silage | 0.23 | 2 | 15.00 | A |
| Tribenuron-methyl | Sunflower | 6.19 | 2 | 396.00 | A |
| Tribenuron-methyl | Uncultivated Ag | 0.12 | 1 | 8.00 | A |
| Tribenuron-methyl | Wheat | 5.02 | 6 | 320.90 | A |
| Tribenuron-methyl | Wheat (Forage - Fodder) | 0.72 | 4 | 46.00 | A |
| Triclopyr choline | Forest, Timberland | 501.37 | 7 | 491.22 | A |
| Triclopyr choline | Landscape Maintenance | 6.19 | 0 | 0.00 | N/A |
| Triclopyr choline | Rights Of Way | 331.06 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Triclopyr choline | Uncultivated Non-Ag | 2.16 | 0 | 11.40 | A |
| Triclopyr choline | Uncultivated Non-Ag | 0.13 | 1 | 4,000.00 | S |
| Triclopyr, butoxyethyl ester | Almond | 6.80 | 1 | 5.00 | A |
| Triclopyr, butoxyethyl ester | Forest, Timberland | 590.63 | 16 | 380.80 | A |
| Triclopyr, butoxyethyl ester | Landscape Maintenance | 583.78 | 0 | 0.00 | N/A |
| Triclopyr, butoxyethyl ester | N-Grnhs Flower | 5.55 | 0 | 4.00 | A |
| Triclopyr, butoxyethyl ester | Rights Of Way | 1,551.86 | 0 | 0.00 | N/A |
| Triclopyr, butoxyethyl ester | Structural Pest Control | 12.19 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Forest, Timberland | 1,356.55 | 26 | 1,646.98 | A |
| Triclopyr, triethylamine salt | Landscape Maintenance | 9.30 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Rice | 10,107.83 | 673 | 55,653.23 | A |
| Triclopyr, triethylamine salt | Rights Of Way | 128.49 | 1 | 30.00 | A |
| Triclopyr, triethylamine salt | Rights Of Way | 1,984.23 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Uncultivated Ag | 271.36 | 2 | 319.00 | A |
| Triclopyr, triethylamine salt | Uncultivated Non-Ag | 189.56 | 3 | 215.00 | A |
| Triclopyr, triethylamine salt | Water Area | 90.38 | 1 | 85.00 | A |
| Triethanolamine | Walnut | 98.47 | 59 | 2,803.47 | A |
| Trifloxystrobin | Almond | 523.35 | 126 | 5,711.87 | A |
| Trifloxystrobin | Landscape Maintenance | 3.20 | 0 | 0.00 | N/A |
| Trifloxystrobin | Peach | 1.22 | 1 | 15.00 | A |
| Trifloxystrobin | Pistachio | 13.33 | 3 | 117.70 | A |
| Trifloxystrobin | Walnut | 3.26 | 5 | 31.00 | A |
| Trifluralin | Bean, Unspecified | 86.50 | 2 | 115.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Trifluralin | Landscape Maintenance | 7.29 | 0 | 0.00 | N/A |
| Trifluralin | Tomato, Processing | 367.54 | 5 | 485.00 | A |
| Trifluralin | Uncultivated Ag | 71.46 | 2 | 95.00 | A |
| Trinexapac-ethyl | Golf Course Turf | 0.39 | 0 | 10.00 | A |
| Trinexapac-ethyl | Landscape Maintenance | 11.29 | 0 | 0.00 | N/A |
| Urea | Almond | 41.69 | 8 | 483.00 | A |
| Urea dihydrogen sulfate | Almond | 56.47 | 60 | 1,982.72 | A |
| Urea dihydrogen sulfate | Walnut | 114.81 | 78 | 2,162.50 | A |
| Warfarin | Structural Pest Control | 0.23 | 0 | 0.00 | N/A |
| Z-8-dodecenol | Peach | 0.01 | 24 | 176.96 | A |
| Z-8-dodecenyl acetate | Peach | 1.32 | 24 | 176.96 | A |
| Zeta-cypermethrin | Landscape Maintenance | 0.03 | 0 | 0.00 | N/A |
| Zeta-cypermethrin | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Zinc phosphide | Alfalfa | 4.00 | 1 | 20.00 | A |
| Zinc phosphide | Citrus | 0.04 | 1 | 2.00 | A |
| Zinc phosphide | Landscape Maintenance | 5.64 | 0 | 0.00 | N/A |
| Ziram | Almond | 12,578.00 | 47 | 2,124.25 | A |
| Ziram | Bean, Unspecified | 456.00 | 1 | 60.00 | A |
| Ziram | Peach | 4,118.96 | 44 | 782.21 | A |