2024 Annual Statewide Pesticide Use Report Indexed by Chemical: Imperial County

Text files of data are available. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, N/A = Not Available. Area treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative area treated would equal three acres. Most nonagricultural pesticide use reports are not required to report area treated, so the area treated totals are predominantly agricultural pesticide uses. Application counts (Apps) include only agricultural pesticide uses. N-outdr = Outdoor nursery. N-grnhs = Greenhouse nursery. For more information, see Pesticide Use Annual Report Data Access, References, and Definitions Guide.

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
(3s,6r)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Lemon	0.10	9	127.00	A
(3s,6s)-3-methyl-6-isopropenyl-9-decen-1-yl acetate	Lemon	0.10	9	127.00	A
1,3-dibromo-5,5-dimethylhydantoin	Water (Industrial)	117.60	0	34.00	U
1,3-dibromo-5,5-dimethylhydantoin	Water Washer/Cooler/Condenser Systems	49.00	0	23.00	U
1,3-dichloropropene	Carrot	226,804.13	54	2,291.44	A
1-bromo-3-chloro-5,5-dimethyl hydantoin	Water (Industrial)	14.70	0	6.00	U
2,2-dibromo-3-nitrilopropionamide	Water (Industrial)	203.63	0	2.00	U
2,4-d, 2-ethylhexyl ester	Landscape Maintenance	0.63	0	0.00	N/A
2,4-d, 2-ethylhexyl ester	Rights Of Way	14.13	0	0.00	N/A
2,4-d, dimethylamine salt	Alfalfa	467.13	5	375.00	A
2,4-d, dimethylamine salt	Bermudagrass	26,752.34	271	17,881.72	A
2,4-d, dimethylamine salt	Corn (Forage - Fodder)	294.92	4	541.00	A
2,4-d, dimethylamine salt	Forage Hay/Silage	2,222.63	28	1,552.50	A
2,4-d, dimethylamine salt	Grass, Seed	174.43	1	145.00	A
2,4-d, dimethylamine salt	Landscape Maintenance	0.07	0	0.00	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
2,4-d, dimethylamine salt	Oat	509.75	5	612.00	A
2,4-d, dimethylamine salt	Pastureland	181.54	1	102.00	A
2,4-d, dimethylamine salt	Potato	31.04	8	466.00	A
2,4-d, dimethylamine salt	Sudangrass	153.13	3	118.50	A
2,4-d, dimethylamine salt	Sugarcane	313.97	3	144.00	A
2,4-d, dimethylamine salt	Uncultivated Ag	2,247.59	14	1,035.00	A
2,4-d, dimethylamine salt	Wheat	4,220.25	56	3,726.00	A
2,4-d, isopropyl ester	Citrus	29.62	0	17,179.00	T
2,4-db, dimethylamine salt	Alfalfa	56,522.80	817	54,478.40	A
2,4-db, dimethylamine salt	Sugarbeet	87.78	1	100.00	A
2,4-dp-p, 2-ethylhexyl ester	Landscape Maintenance	0.26	0	0.00	N/A
2-methyl-4-isothiazolin-3-one	Water (Industrial)	10.27	0	71.00	U
4-aminopyridine	Structural Pest Control	< 0.01	0	0.00	N/A
4-nonylphenol, formaldehyde resin, propoxylated	Alfalfa	1,688.54	720	50,912.71	A
4-nonylphenol, formaldehyde resin, propoxylated	Bermudagrass	137.80	48	3,234.40	A
4-nonylphenol, formaldehyde resin, propoxylated	Broccoli	88.82	73	2,244.01	A
4-nonylphenol, formaldehyde resin, propoxylated	Cabbage	171.75	164	4,938.00	A
4-nonylphenol, formaldehyde resin, propoxylated	Carrot	77.38	31	1,615.00	A
4-nonylphenol, formaldehyde resin, propoxylated	Cauliflower	74.38	71	1,684.00	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, Head	195.13	285	5,977.05	A
4-nonylphenol, formaldehyde resin, propoxylated	Lettuce, Leaf	737.32	887	20,366.22	A
4-nonylphenol, formaldehyde resin, propoxylated	Sugarbeet	290.27	104	6,190.53	A
4-nonylphenol, formaldehyde resin, propoxylated	Wheat	76.64	20	1,489.70	A
5-chloro-2-methyl-4-isothiazolin-3-one	Water (Industrial)	29.23	0	71.00	U
Abamectin	Cantaloupe	28.63	49	2,056.55	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Abamectin	Cotton	4.23	27	549.50	A
Abamectin	Grapefruit	13.47	17	606.62	A
Abamectin	Herb, Spice	0.19	1	20.00	A
Abamectin	Lemon	96.25	122	4,389.50	A
Abamectin	Lettuce, Head	0.60	4	32.60	A
Abamectin	Lettuce, Leaf	1.84	7	104.10	A
Abamectin	Lime	2.10	1	89.70	A
Abamectin	Melon	10.17	22	690.05	A
Abamectin	Mint	0.19	1	20.00	A
Abamectin	Structural Pest Control	0.01	0	0.00	N/A
Abamectin	Tangelo	1.30	2	59.00	A
Abamectin	Tangerine	3.59	9	168.00	A
Abamectin, other related	Structural Pest Control	< 0.01	0	0.00	N/A
Acephate	Broccoli	24.25	1	28.00	A
Acephate	Cotton	254.14	4	262.00	A
Acephate	Lettuce, Head	1,097.44	46	1,314.79	A
Acetamiprid	Broccoli	4.90	2	70.00	A
Acetamiprid	Cantaloupe	39.12	8	391.00	A
Acetamiprid	Cotton	34.64	12	355.45	A
Acetamiprid	Kale	3.11	2	31.30	A
Acetamiprid	Lemon	3.41	1	14.00	A
Acetamiprid	Melon	87.61	16	881.30	A
Acetamiprid	Pepper, Fruiting	0.12	6	2.64	A
Acetamiprid	Structural Pest Control	9.92	0	0.00	N/A
Acetamiprid	Watermelon	0.01	1	0.20	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Acibenzolar-s-methyl	Celery	0.25	1	13.90	A
Acibenzolar-s-methyl	Lettuce, Head	7.02	19	271.70	A
Acibenzolar-s-methyl	Lettuce, Leaf	3.03	15	127.54	A
Acibenzolar-s-methyl	Spinach	39.85	80	1,890.13	A
Afidopyropen	Alfalfa	1,467.03	774	55,789.17	A
Afidopyropen	Arugula	0.18	2	17.59	A
Afidopyropen	Bermudagrass	6.86	7	255.00	A
Afidopyropen	Broccoli	0.60	1	30.51	A
Afidopyropen	Cantaloupe	80.57	42	1,821.38	A
Afidopyropen	Celery	0.84	6	91.30	A
Afidopyropen	Cilantro	0.70	2	71.40	A
Afidopyropen	Cotton	10.89	7	304.00	A
Afidopyropen	Grapefruit	5.13	3	112.00	A
Afidopyropen	Grass, Seed	4.43	4	144.20	A
Afidopyropen	Kale	2.65	12	210.63	A
Afidopyropen	Lemon	32.22	14	724.00	A
Afidopyropen	Lettuce, Head	1.74	18	184.90	A
Afidopyropen	Lettuce, Leaf	14.64	72	1,340.88	A
Afidopyropen	Melon	47.50	23	1,054.94	A
Afidopyropen	Mizuna	0.06	4	6.25	A
Afidopyropen	Spinach	3.17	20	327.00	A
Afidopyropen	Swiss Chard	0.36	4	36.56	A
Aggregated adjuvant data	Alfalfa	27,755.25	3,939	251,469.48	A
Aggregated adjuvant data	Aloe Vera	1.38	1	20.00	A
Aggregated adjuvant data	Artichoke, Globe	20.55	15	124.00	A
Aggregated adjuvant data	Arugula	206.66	144	1,518.30	A
Aggregated adjuvant data	Asparagus	30.39	2	47.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aggregated adjuvant data	Barley	3.75	2	20.00	A
Aggregated adjuvant data	Basil, Sweet	66.12	4	89.00	A
Aggregated adjuvant data	Beet	6.06	4	50.01	A
Aggregated adjuvant data	Bermudagrass	1,173.17	312	23,241.28	A
Aggregated adjuvant data	Bok Choy (Choy Sum, Pak Choi)	31.27	32	128.48	A
Aggregated adjuvant data	Broccoli	888.67	371	9,126.86	A
Aggregated adjuvant data	Brussels Sprout	2.65	17	24.23	A
Aggregated adjuvant data	Cabbage	511.91	334	7,306.23	A
Aggregated adjuvant data	Canola (Rape)	164.50	10	547.00	A
Aggregated adjuvant data	Cantaloupe	2,022.53	185	9,595.75	A
Aggregated adjuvant data	Carrot	2,252.42	126	6,403.12	A
Aggregated adjuvant data	Cauliflower	520.33	320	5,355.24	A
Aggregated adjuvant data	Celery	583.67	188	3,929.65	A
Aggregated adjuvant data	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	7.61	16	46.00	A
Aggregated adjuvant data	Cilantro	211.32	28	878.04	A
Aggregated adjuvant data	Collard	1.30	11	15.30	A
Aggregated adjuvant data	Corn (Forage - Fodder)	401.35	29	2,963.00	A
Aggregated adjuvant data	Corn, Human Consumption	6,535.54	1,039	63,152.90	A
Aggregated adjuvant data	Cotton	694.18	331	9,031.87	A
Aggregated adjuvant data	Date	44.43	5	214.00	A
Aggregated adjuvant data	Ditch Bank	7.94	0	180.00	A
Aggregated adjuvant data	Endive (Escarole)	6.32	18	27.07	A
Aggregated adjuvant data	Fennel	1.29	2	3.68	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aggregated adjuvant data	Forage Hay/Silage	425.50	40	2,512.00	A
Aggregated adjuvant data	Gai Lon	4.08	21	15.86	A
Aggregated adjuvant data	Garlic	0.11	1	0.80	A
Aggregated adjuvant data	Grapefruit	510.57	37	1,410.62	A
Aggregated adjuvant data	Grass, Seed	579.51	47	1,841.00	A
Aggregated adjuvant data	Kale	361.94	163	1,815.05	A
Aggregated adjuvant data	Landscape Maintenance	4.70	0	0.00	N/A
Aggregated adjuvant data	Lemon	2,067.75	298	10,963.99	A
Aggregated adjuvant data	Lettuce, Head	1,092.46	750	16,698.88	A
Aggregated adjuvant data	Lettuce, Leaf	1,653.81	1,773	33,191.83	A
Aggregated adjuvant data	Lime	51.73	3	186.80	A
Aggregated adjuvant data	Melon	1,260.10	161	6,636.95	A
Aggregated adjuvant data	Mizuna	57.37	41	233.47	A
Aggregated adjuvant data	Mustard	33.13	7	62.08	A
Aggregated adjuvant data	N-Outdr Flower	356.01	48	471.00	A
Aggregated adjuvant data	Oat	557.84	5	612.00	A
Aggregated adjuvant data	Okra	80.86	2	60.00	A
Aggregated adjuvant data	Olive	37.84	2	136.00	A
Aggregated adjuvant data	Onion, Dry	3,583.14	634	36,370.83	A
Aggregated adjuvant data	Orange	30.52	2	136.81	A
Aggregated adjuvant data	Parsley	169.76	17	204.70	A
Aggregated adjuvant data	Pastureland	145.59	2	204.00	A
Aggregated adjuvant data	Pepper, Fruiting	435.70	89	1,858.20	A
Aggregated adjuvant data	Potato	1,809.44	60	2,969.90	A
Aggregated adjuvant data	Radicchio	0.03	3	0.03	A
Aggregated adjuvant data	Radish	89.29	4	112.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Aggregated adjuvant data	Rangeland	4.34	0	286.00	A
Aggregated adjuvant data	Rapini	1,964.06	91	4,566.00	A
Aggregated adjuvant data	Rights Of Way	6,574.64	0	0.00	N/A
Aggregated adjuvant data	Ryegrass	427.91	8	628.00	A
Aggregated adjuvant data	Sorghum (Forage - Fodder)	37.99	1	35.00	A
Aggregated adjuvant data	Spinach	676.72	267	5,473.80	A
Aggregated adjuvant data	Sudangrass	529.90	17	1,268.20	A
Aggregated adjuvant data	Sugarbeet	5,839.73	910	62,069.72	A
Aggregated adjuvant data	Sugarcane	172.01	3	175.00	A
Aggregated adjuvant data	Swiss Chard	86.09	83	532.03	A
Aggregated adjuvant data	Tangelo	100.38	7	386.94	A
Aggregated adjuvant data	Tangerine	110.24	18	385.92	A
Aggregated adjuvant data	Triticale	15.32	3	54.80	A
Aggregated adjuvant data	Turf/Sod	216.26	2	140.00	A
Aggregated adjuvant data	Uncultivated Ag	948.18	105	5,521.37	A
Aggregated adjuvant data	Uncultivated Non-Ag	3.58	0	369.00	A
Aggregated adjuvant data	Uncultivated Non-Ag	2.10	0	1.00	U
Aggregated adjuvant data	Watermelon	78.39	15	269.38	A
Aggregated adjuvant data	Wheat	1,160.08	220	14,620.29	A
Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride	Water (Industrial)	186.19	0	3.00	U
Alkyl (c8,c10) polyglucoside	Alfalfa	5,621.07	533	35,897.90	A
Alkyl (c8,c10) polyglucoside	Rights Of Way	8.94	0	0.00	N/A
Alkyl (c8,c10) polyglucoside	Sugarbeet	1,604.20	101	7,680.50	A
Alkyl (c8,c10) polyglucoside	Uncultivated Ag	1,781.12	108	5,471.77	A
Alkyl (c8,c10) polyglucoside	Wheat	381.14	28	1,919.20	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alkyl* dimethyl benzyl ammonium chloride *(50%c14, 40%c12, 10%c16)	Structural Pest Control	< 0.01	0	0.00	N/A
Alkyl* dimethyl benzyl ammonium chloride *(60%c14, 30%c16, 5%c18, 5%c12)	Water (Industrial)	186.19	0	3.00	U
Allethrin	Structural Pest Control	< 0.01	0	0.00	N/A
Allethrin, other related	Structural Pest Control	< 0.01	0	0.00	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly (oxyethylene) sulfate, ammonium salt	Uncultivated Non-Ag	0.20	0	369.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Alfalfa	15,287.27	3,240	213,343.21	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Artichoke, Globe	5.64	4	28.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Bermudagrass	1,513.40	232	18,322.06	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Broccoli	246.96	137	4,834.26	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cabbage	40.81	40	845.40	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cantaloupe	76.19	38	2,498.25	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Carrot	205.07	54	2,563.80	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cauliflower	63.52	66	1,824.90	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Celery	39.06	28	614.76	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Corn, Human Consumption	734.24	313	19,888.80	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Cotton	294.79	129	3,960.22	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Forage Hay/Silage	117.93	19	1,279.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Grapefruit	180.00	22	730.62	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Kale	6.53	2	63.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Landscape Maintenance	2.49	0	0.00	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lemon	1,171.84	198	7,232.53	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, Head	268.49	301	6,878.68	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	284.92	344	6,322.18	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Melon	223.43	64	3,570.20	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Onion, Dry	1,436.34	313	18,457.13	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Orange	24.19	2	136.81	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Potato	43.69	12	1,039.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Rights Of Way	32.78	0	0.00	N/A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sudangrass	27.03	6	297.20	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Sugarbeet	1,223.03	428	29,473.19	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangelo	77.52	4	266.94	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Tangerine	68.51	16	336.92	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Uncultivated Ag	253.87	67	3,554.67	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene)	Wheat	462.22	117	6,762.78	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched	Alfalfa	656.92	67	4,527.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Alfalfa	1,809.99	570	33,504.47	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Bermudagrass	7.38	8	481.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Broccoli	4.91	4	237.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Carrot	23.84	46	2,046.80	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Cilantro	10.55	4	128.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Corn, Human Consumption	13.90	30	1,572.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Onion, Dry	18.47	10	525.00	A
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Sugarbeet	719.89	148	11,769.30	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), phosphate ester	Wheat	42.57	17	1,460.00	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Alfalfa	123.11	48	2,746.10	A
Alpha-alkyl (c10-c16)-omega-hydroxypoly(oxyethylene)	Sugarbeet	32.15	12	771.91	A
Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene)	Alfalfa	918.01	268	16,939.08	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Alfalfa	9,438.42	730	49,560.47	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Bermudagrass	2,330.77	161	10,668.40	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Broccoli	59.59	27	1,110.74	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cantaloupe	96.28	15	789.50	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Carrot	826.13	84	4,514.38	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Celery	6.78	5	142.50	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Corn, Human Consumption	9,333.57	558	41,056.80	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Cotton	100.61	9	542.00	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Forage Hay/Silage	124.71	10	609.00	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	60.11	83	2,201.29	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Melon	79.73	18	679.75	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Onion, Dry	676.45	114	7,470.10	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Sugarbeet	2,060.33	163	9,472.95	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Uncultivated Ag	645.17	36	2,507.90	A
Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene)	Wheat	647.84	53	3,689.40	A
Alpha-pinene-beta-pinene copolymer	Alfalfa	265.15	6	522.00	A
Alpha-pinene-beta-pinene copolymer	Cabbage	17.94	44	64.21	A
Alpha-pinene-beta-pinene copolymer	Onion, Dry	1,743.95	141	9,603.04	A
Alpha-pinene-beta-pinene copolymer	Sugarbeet	199.06	12	710.30	A
Alpha-pinene-beta-pinene copolymer	Uncultivated Ag	23.63	2	75.00	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Alfalfa	846.56	458	28,655.40	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Bermudagrass	91.58	45	3,234.52	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Rights Of Way	136.30	0	0.00	N/A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Sugarbeet	292.86	216	15,513.94	A
Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate	Uncultivated Ag	99.67	223	7,348.11	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Alfalfa	3,433.10	702	52,447.66	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Bermudagrass	763.53	56	4,690.43	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Broccoli	252.52	93	4,502.09	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cabbage	74.72	38	1,288.20	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cantaloupe	105.05	34	1,970.30	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Cauliflower	67.82	23	1,066.22	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Celery	25.11	25	512.30	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn (Forage - Fodder)	41.51	6	756.00	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Corn, Human Consumption	1,336.78	556	29,050.40	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, Head	68.11	84	1,877.75	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Lettuce, Leaf	356.18	272	6,651.30	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Melon	70.06	42	1,382.55	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Onion, Dry	468.12	130	9,670.20	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Sugarbeet	1,565.09	110	10,108.00	A
Alpha-undecyl-omega-hydroxypoly(oxyethylene)	Wheat	218.91	20	1,479.10	A
Aluminum phosphide	Commodity Fumigation	20.83	0	0.00	N/A
Ametoctradin	Arugula	98.28	36	360.52	A
Ametoctradin	Broccoli	29.92	4	145.70	A
Ametoctradin	Cabbage	29.99	3	115.00	A
Ametoctradin	Endive (Escarole)	2.70	6	10.84	A
Ametoctradin	Kale	45.27	19	166.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ametoctradin	Lettuce, Head	372.36	59	1,462.22	A
Ametoctradin	Lettuce, Leaf	948.52	181	3,637.67	A
Ametoctradin	Mizuna	28.82	22	106.20	A
Ametoctradin	Mustard	4.11	2	15.08	A
Ametoctradin	Onion, Dry	2,025.05	119	7,511.43	A
Ametoctradin	Spinach	364.71	60	1,360.51	A
Ametoctradin	Swiss Chard	43.30	19	158.94	A
Aminocyclopyrachlor, potassium salt	Landscape Maintenance	177.94	0	0.00	N/A
Aminocyclopyrachlor, potassium salt	Rights Of Way	7.08	0	0.00	N/A
Aminopyralid, triisopropanolamine salt	Landscape Maintenance	35.85	0	0.00	N/A
Aminopyralid, triisopropanolamine salt	Rights Of Way	426.88	0	0.00	N/A
Aminopyralid, triisopropanolamine salt	Ryegrass	56.42	4	314.00	A
Ammonium nitrate	Alfalfa	2,578.86	296	19,448.10	A
Ammonium nitrate	Uncultivated Ag	588.70	78	4,580.10	A
Ammonium nitrate	Wheat	180.98	26	1,504.20	A
Ammonium nonanoate	Rights Of Way	200.36	0	0.00	N/A
Ammonium propionate	Alfalfa	2,530.83	302	18,028.98	A
Ammonium propionate	Onion, Dry	27.36	7	402.00	A
Ammonium propionate	Sugarbeet	1,662.74	129	10,601.00	A
Ammonium propionate	Wheat	92.02	5	556.00	A
Ammonium sulfate	Alfalfa	9,725.24	823	49,642.83	A
Ammonium sulfate	Bermudagrass	259.97	12	555.00	A
Ammonium sulfate	Broccoli	114.88	6	267.00	A
Ammonium sulfate	Canola (Rape)	35.01	4	163.50	A
Ammonium sulfate	Cantaloupe	65.08	11	681.20	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Ammonium sulfate	Cilantro	6.53	5	94.00	A
Ammonium sulfate	Corn (Forage - Fodder)	116.62	10	1,251.00	A
Ammonium sulfate	Forage Hay/Silage	82.91	5	257.00	A
Ammonium sulfate	Lettuce, Leaf	33.10	10	130.84	A
Ammonium sulfate	Melon	58.36	19	699.20	A
Ammonium sulfate	Onion, Dry	33.59	9	622.00	A
Ammonium sulfate	Potato	83.70	6	338.50	A
Ammonium sulfate	Rights Of Way	6,244.87	0	0.00	N/A
Ammonium sulfate	Sugarbeet	3,423.80	300	21,951.95	A
Ammonium sulfate	Uncultivated Ag	1,991.29	122	6,109.47	A
Ammonium sulfate	Wheat	844.09	50	3,072.20	A
Aspergillus flavus strain nrrl #21882	Corn (Forage - Fodder)	0.62	6	657.00	A
Atrazine	Bermudagrass	332.11	4	225.00	A
Atrazine	Corn (Forage - Fodder)	693.53	4	432.00	A
Atrazine	Corn, Human Consumption	10,835.37	113	6,865.40	A
Atrazine	Sorghum (Forage - Fodder)	39.18	1	35.00	A
Atrazine	Sorghum/Milo	169.96	2	145.00	A
Atrazine	Sudangrass	1,361.12	9	806.00	A
Atrazine	Sugarcane	68.38	1	35.00	A
Atrazine, other related	Bermudagrass	6.30	4	225.00	A
Atrazine, other related	Corn (Forage - Fodder)	13.15	4	432.00	A
Atrazine, other related	Corn, Human Consumption	205.83	113	6,865.40	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Atrazine, other related	Sorghum (Forage - Fodder)	0.83	1	35.00	A
Atrazine, other related	Sorghum/Milo	3.22	2	145.00	A
Atrazine, other related	Sudangrass	25.80	9	806.00	A
Atrazine, other related	Sugarcane	1.30	1	35.00	A
Azadirachtin	Alfalfa	1.98	3	175.00	A
Azadirachtin	Artichoke, Globe	0.45	2	16.00	A
Azadirachtin	Arugula	0.94	7	37.04	A
Azadirachtin	Beet	8.70	13	367.20	A
Azadirachtin	Bok Choy (Choy Sum, Pak Choi)	0.09	3	3.12	A
Azadirachtin	Broccoli	8.65	25	311.66	A
Azadirachtin	Brussels Sprout	< 0.01	2	0.02	A
Azadirachtin	Cabbage	12.55	42	484.53	A
Azadirachtin	Cauliflower	3.10	21	122.89	A
Azadirachtin	Celery	1.92	5	124.00	A
Azadirachtin	Cilantro	0.06	1	2.10	A
Azadirachtin	Collard	1.41	14	51.63	A
Azadirachtin	Endive (Escarole)	< 0.01	1	0.01	A
Azadirachtin	Industrial Hemp	1.06	6	44.50	A
Azadirachtin	Kale	6.49	37	243.60	A
Azadirachtin	Lemon	7.39	5	196.00	A
Azadirachtin	Lettuce, Head	1.78	9	63.00	A
Azadirachtin	Lettuce, Leaf	35.22	86	1,305.30	A
Azadirachtin	Mizuna	0.25	6	9.97	A
Azadirachtin	Pepper, Fruiting	1.17	63	10.49	A
Azadirachtin	Potato	9.04	4	193.40	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Azadirachtin	Radicchio	< 0.01	1	0.01	A
Azadirachtin	Rapini	15.25	12	573.50	A
Azadirachtin	Spinach	15.97	27	633.46	A
Azadirachtin	Swiss Chard	0.56	9	22.42	A
Azadirachtin	Watermelon	0.06	15	1.08	A
Azoxystrobin	Alfalfa	488.25	64	3,941.60	A
Azoxystrobin	Artichoke, Globe	10.06	1	40.00	A
Azoxystrobin	Broccoli	133.66	15	590.10	A
Azoxystrobin	Cabbage	10.21	2	70.00	A
Azoxystrobin	Cantaloupe	483.62	85	2,094.71	A
Azoxystrobin	Carrot	386.16	34	1,838.30	A
Azoxystrobin	Cauliflower	47.85	9	221.00	A
Azoxystrobin	Celery	237.47	37	1,006.78	A
Azoxystrobin	Cilantro	15.22	2	71.40	A
Azoxystrobin	Citrus	27.88	0	5,265.00	T
Azoxystrobin	Lettuce, Head	97.41	20	446.65	A
Azoxystrobin	Lettuce, Leaf	474.77	73	2,215.60	A
Azoxystrobin	Melon	197.69	39	915.07	A
Azoxystrobin	Onion, Dry	2,698.08	185	11,380.25	A
Azoxystrobin	Potato	171.23	16	934.70	A
Azoxystrobin	Sugarbeet	136.85	12	620.60	A
Bacillus altitudinis strain: qst 2808	Arugula	0.37	2	8.20	A
Bacillus altitudinis strain: qst 2808	Grape	248.75	16	2,072.35	A
Bacillus altitudinis strain: qst 2808	Kale	0.24	1	4.00	A
Bacillus altitudinis strain: qst 2808	Lettuce, Leaf	3.40	4	56.70	A
Bacillus altitudinis strain: qst 2808	Mizuna	0.37	2	6.10	A
Bacillus altitudinis strain: qst 2808	Spinach	12.90	16	296.40	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus altitudinis strain: qst 2808	Swiss Chard	0.17	1	2.80	A
Bacillus amyloliquefacens strain: f727	Lettuce, Leaf	169.47	3	41.60	A
Bacillus amyloliquefacens strain: f727	Onion, Dry	582.31	6	144.80	A
Bacillus amyloliquefacens strain: f727	Pepper, Fruiting	2.29	4	0.60	A
Bacillus amyloliquefacens strain: f727	Spinach	357.83	3	88.00	A
Bacillus amyloliquefacens strain: f727	Watermelon	2.21	8	0.57	A
Bacillus mycoides isolate j	Potato	33.75	7	300.00	A
Bacillus sphaericus 2362 serotype h5a5b strain: abts 1743	Public Health	8.00	0	0.00	N/A
Bacillus subtilis subspecies subtilis strain: iab/bs03	Artichoke, Globe	0.08	8	91.20	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Alfalfa	15.72	1	74.00	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Broccoli	136.21	2	195.10	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Cabbage	22.94	2	56.00	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Cantaloupe	806.87	15	1,165.70	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Corn, Human Consumption	4,564.32	139	10,127.20	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Lettuce, Leaf	8.50	3	10.00	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Melon	400.81	7	501.00	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	N-Outdr Flower	20.40	2	24.00	A
Bacillus thuringiensis (berliner), subsp. kurstaki, strain sa-11	Sugarbeet	9.00	2	121.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Alfalfa	953.64	13	1,275.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Artichoke, Globe	32.40	4	40.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Arugula	14.32	1	17.67	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Beet	730.10	34	702.30	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Broccoli	1,415.30	137	1,511.92	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Brussels Sprout	8.86	18	8.26	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Cabbage	538.14	90	531.39	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Carrot	39.88	2	39.40	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Cauliflower	461.64	121	552.58	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Celery	367.65	17	448.58	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Collard	42.72	15	39.67	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Corn, Human Consumption	1,887.30	22	2,361.80	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Endive (Escarole)	0.03	4	0.04	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Kale	250.87	41	232.99	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Lettuce, Head	38.34	7	35.50	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Lettuce, Leaf	882.19	57	1,080.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Melon	64.80	1	75.00	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Radicchio	0.04	4	0.04	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Radish	5.40	1	10.40	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Swiss Chard	0.22	22	0.29	A
Bacillus thuringiensis subsp. aizawai strain: abts-1857	Watermelon	10.80	1	10.40	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Arugula	13.26	1	17.67	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Beet	30.90	1	30.90	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Broccoli	147.00	3	147.41	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Cabbage	6.10	1	6.10	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Celery	79.50	5	105.55	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Lettuce, Head	15.45	2	20.60	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Lettuce, Leaf	40.20	8	53.60	A
Bacillus thuringiensis subsp. aizawai strain: gc-91	Spinach	131.15	5	151.33	A
Bacillus thuringiensis subsp. israelensis strain: am 65-52	Watermelon	0.14	1	0.01	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Alfalfa	196.88	36	1,796.70	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Artichoke, Globe	57.89	7	75.20	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Arugula	25.38	6	47.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Bok Choy (Choy Sum, Pak Choi)	27.90	9	51.66	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Broccoli	626.86	52	735.36	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Cabbage	423.81	29	422.65	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Cauliflower	352.71	31	401.77	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Celery	374.47	22	408.68	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Collard	12.42	3	11.50	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Corn, Human Consumption	413.10	8	727.50	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Gai Lon	4.04	9	7.48	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Kale	72.58	10	88.70	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Lettuce, Head	103.09	14	100.60	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Lettuce, Leaf	260.76	39	315.50	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Spinach	189.72	18	311.64	A
Bacillus thuringiensis subsp. kurstaki strain: abts-351	Sugarbeet	135.01	5	254.00	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Arugula	9.17	6	54.00	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Broccoli	< 0.01	1	0.30	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Brussels Sprout	< 0.01	2	0.02	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Cabbage	0.02	2	0.06	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Cauliflower	0.11	9	0.42	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Kale	9.97	11	57.50	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Lettuce, Leaf	11.88	11	70.00	A
Bacillus thuringiensis subsp. kurstaki strain: evb-113-19	Spinach	80.48	27	454.00	A
Bacillus thuringiensis subspecies israelensis strain bmp 144	Cannabis (All Or Unspecified)	< 0.01	1	792.00	U
Bacillus thuringiensis subspecies israelensis strain bmp 144	Public Health	8.58	0	0.00	N/A
Bacillus thuringiensis, subsp. kurstaki, strain hd-1	Alfalfa	3.09	1	70.00	A
Bacillus velezensis strain: d747	Arugula	48.37	4	13.92	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bacillus velezensis strain: d747	Broccoli	34.01	1	12.00	A
Bacillus velezensis strain: d747	Cabbage	296.74	4	105.00	A
Bacillus velezensis strain: d747	Carrot	837.01	5	292.70	A
Bacillus velezensis strain: d747	Celery	308.02	3	107.00	A
Bacillus velezensis strain: d747	Lettuce, Leaf	875.42	13	280.30	A
Bacillus velezensis strain: d747	Potato	1,060.44	14	480.40	A
Bacillus velezensis strain: d747	Spinach	330.40	3	100.00	A
Bacillus velezensis strain: qst 713	Artichoke, Globe	2.46	3	43.20	A
Bacillus velezensis strain: qst 713	Broccoli	0.79	20	2.96	A
Bacillus velezensis strain: qst 713	Brussels Sprout	0.05	8	0.17	A
Bacillus velezensis strain: qst 713	Cabbage	0.78	23	2.83	A
Bacillus velezensis strain: qst 713	Carrot	22.78	4	256.10	A
Bacillus velezensis strain: qst 713	Cauliflower	4.39	36	14.14	A
Bacillus velezensis strain: qst 713	Collard	0.02	6	0.15	A
Bacillus velezensis strain: qst 713	Endive (Escarole)	< 0.01	2	0.02	A
Bacillus velezensis strain: qst 713	Kale	0.17	17	0.63	A
Bacillus velezensis strain: qst 713	Lettuce, Leaf	0.09	4	0.31	A
Bacillus velezensis strain: qst 713	Radicchio	< 0.01	2	0.02	A
Bacillus velezensis strain: qst 713	Swiss Chard	0.03	9	0.13	A
Bacillus velezensis strain: qst 713	Watermelon	0.03	1	0.10	A
Beauveria bassiana strain: ant-03	Broccoli	0.30	1	0.07	A
Beauveria bassiana strain: ant-03	Cauliflower	0.23	2	0.54	A
Beauveria bassiana strain: ant-03	Kale	< 0.01	2	0.02	A
Beauveria bassiana strain: ant-03	Pepper, Fruiting	2.59	24	4.81	A
Beauveria bassiana strain: ant-03	Swiss Chard	< 0.01	1	0.01	A
Beauveria bassiana strain: ant-03	Watermelon	0.26	6	0.60	A
Beauveria bassiana strain: gha	Beet	23.02	5	104.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beauveria bassiana strain: gha	Broccoli	19.89	4	90.30	A
Beauveria bassiana strain: gha	Cabbage	31.26	6	141.90	A
Beauveria bassiana strain: gha	Collard	4.10	4	18.60	A
Beauveria bassiana strain: gha	Kale	25.71	6	116.70	A
Beauveria bassiana strain: gha	Lettuce, Leaf	1.37	3	10.00	A
Beauveria bassiana strain: gha	Potato	39.86	5	173.60	A
Beauveria bassiana strain: gha	Structural Pest Control	0.11	0	0.00	N/A
Benefin	Alfalfa	84.00	2	70.00	A
Benefin	Lettuce, Head	44.35	1	46.00	A
Benefin	Lettuce, Leaf	1,140.60	24	1,623.70	A
Bensulide	Arugula	3,672.95	71	654.81	A
Bensulide	Bok Choy (Choy Sum, Pak Choi)	334.68	30	70.46	A
Bensulide	Broccoli	18,182.98	155	3,909.14	A
Bensulide	Cabbage	3,031.27	26	788.55	A
Bensulide	Cantaloupe	4,845.35	20	1,121.60	A
Bensulide	Cauliflower	302.20	5	50.80	A
Bensulide	Celery	1,390.61	27	263.20	A
Bensulide	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	125.96	3	22.55	A
Bensulide	Endive (Escarole)	151.78	13	25.51	A
Bensulide	Gai Lon	47.51	28	10.57	A
Bensulide	Kale	406.82	17	68.37	A
Bensulide	Lettuce, Head	18,556.46	236	3,947.99	A
Bensulide	Lettuce, Leaf	39,381.05	501	8,149.83	A
Bensulide	Melon	5,637.86	21	815.90	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Bensulide	Mizuna	128.89	1	26.00	A
Bensulide	Mustard	71.66	5	13.00	A
Bensulide	N-Outdr Flower	158.64	6	40.00	A
Bensulide	Onion, Dry	9,462.15	63	3,749.50	A
Bensulide	Peas	4.80	1	1.07	A
Bensulide	Rapini	7,086.09	53	1,206.70	A
Bensulide	Uncultivated Ag	17.85	1	3.00	A
Benzovindiflupyr	Potato	13.54	6	203.20	A
Beta-cyfluthrin	Alfalfa	843.01	574	36,813.39	A
Beta-cyfluthrin	Arugula	18.45	66	688.92	A
Beta-cyfluthrin	Bermudagrass	71.20	47	3,344.41	A
Beta-cyfluthrin	Bok Choy (Choy Sum, Pak Choi)	2.59	21	104.02	A
Beta-cyfluthrin	Broccoli	6.75	4	258.51	A
Beta-cyfluthrin	Cabbage	37.75	51	1,435.20	A
Beta-cyfluthrin	Cantaloupe	1.63	3	140.00	A
Beta-cyfluthrin	Carrot	12.01	13	506.00	A
Beta-cyfluthrin	Cauliflower	27.31	40	1,075.55	A
Beta-cyfluthrin	Celery	31.12	38	1,134.46	A
Beta-cyfluthrin	Corn, Human Consumption	174.37	131	7,657.80	A
Beta-cyfluthrin	Gai Lon	0.43	21	15.86	A
Beta-cyfluthrin	Grass, Seed	9.38	12	432.60	A
Beta-cyfluthrin	Kale	10.22	35	395.24	A
Beta-cyfluthrin	Lemon	9.22	5	171.00	A
Beta-cyfluthrin	Lettuce, Head	35.85	45	1,353.00	A
Beta-cyfluthrin	Lettuce, Leaf	125.37	130	4,829.08	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Beta-cyfluthrin	Melon	11.11	8	534.50	A
Beta-cyfluthrin	Mizuna	5.93	32	225.65	A
Beta-cyfluthrin	Mustard	0.27	1	10.00	A
Beta-cyfluthrin	Rapini	23.18	12	967.00	A
Beta-cyfluthrin	Spinach	71.11	96	2,390.44	A
Beta-cyfluthrin	Structural Pest Control	16.71	0	0.00	N/A
Beta-cyfluthrin	Swiss Chard	6.55	28	253.57	A
Beta-cyfluthrin	Tangerine	0.71	1	35.00	A
Bifenthrin	Beet	0.56	2	5.40	A
Bifenthrin	Broccoli	77.95	19	826.10	A
Bifenthrin	Cabbage	141.99	26	1,564.00	A
Bifenthrin	Cantaloupe	154.19	44	1,751.38	A
Bifenthrin	Cauliflower	36.20	10	424.00	A
Bifenthrin	Celery	21.16	18	246.15	A
Bifenthrin	Corn, Human Consumption	218.38	24	2,279.40	A
Bifenthrin	Cotton	56.59	20	647.34	A
Bifenthrin	Kale	9.07	5	90.76	A
Bifenthrin	Landscape Maintenance	0.23	0	0.00	N/A
Bifenthrin	Lettuce, Head	96.14	81	1,117.40	A
Bifenthrin	Melon	108.75	30	1,368.74	A
Bifenthrin	Radish	11.94	25	118.99	A
Bifenthrin	Rapini	107.03	16	1,244.30	A
Bifenthrin	Structural Pest Control	184.77	0	0.00	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Boric acid	Structural Pest Control	216.77	0	0.00	N/A
Boscalid	Artichoke, Globe	0.73	1	2.00	A
Boscalid	Broccoli	10.50	1	28.00	A
Boscalid	Lettuce, Head	412.77	64	1,114.07	A
Boscalid	Lettuce, Leaf	579.29	118	1,561.67	A
Boscalid	N-Outdr Flower	5.67	2	33.00	A
Boscalid	Onion, Dry	264.60	10	1,162.00	A
Brodifacoum	Structural Pest Control	< 0.01	0	0.00	N/A
Bromadiolone	Structural Pest Control	0.01	0	0.00	N/A
Bromethalin	Structural Pest Control	0.13	0	0.00	N/A
Bromoxynil heptanoate	Alfalfa	95.58	12	350.65	A
Bromoxynil heptanoate	Grass, Seed	30.39	4	88.20	A
Bromoxynil heptanoate	Wheat	16.79	7	65.03	A
Bromoxynil octanoate	Alfalfa	10,700.13	329	22,749.87	A
Bromoxynil octanoate	Barley	7.10	1	10.00	A
Bromoxynil octanoate	Bermudagrass	2,649.34	60	3,860.03	A
Bromoxynil octanoate	Grass, Seed	255.42	7	409.20	A
Bromoxynil octanoate	Oat	126.31	4	180.00	A
Bromoxynil octanoate	Onion, Dry	2,678.85	121	6,862.90	A
Bromoxynil octanoate	Turf/Sod	84.47	2	140.00	A
Bromoxynil octanoate	Uncultivated Ag	43.68	1	82.00	A
Bromoxynil octanoate	Wheat	4,851.96	113	7,577.64	A
Buprofezin	Cotton	45.53	3	140.00	A
Buprofezin	Kale	12.12	2	31.30	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Buprofezin	Lemon	794.14	6	456.00	A
Buprofezin	Lettuce, Leaf	33.55	3	90.22	A
Buprofezin	Melon	520.63	24	1,447.00	A
Burkholderia rinojensis strain a396	Cabbage	22.76	2	3.52	A
Burkholderia rinojensis strain a396	Kale	484.70	3	106.50	A
Canola oil	Lettuce, Leaf	14.04	2	40.59	A
Capric acid	Broccoli	46.79	6	40.00	A
Capric acid	Carrot	4,338.86	12	432.40	A
Capric acid	Cauliflower	21.59	2	20.00	A
Capric acid	Cilantro	87.48	2	12.40	A
Capric acid	Date	119.97	2	228.00	A
Capric acid	Lettuce, Head	254.39	24	101.80	A
Capric acid	Lettuce, Leaf	813.10	87	307.59	A
Capric acid	Onion, Dry	1,650.72	5	172.00	A
Capric acid	Parsley	315.34	8	44.70	A
Capric acid	Potato	28.70	1	7.48	A
Capric acid	Rights Of Way	370.69	0	0.00	N/A
Capric acid	Uncultivated Ag	735.99	6	331.00	A
Caprylic acid	Broccoli	68.72	6	40.00	A
Caprylic acid	Carrot	6,121.56	12	432.40	A
Caprylic acid	Cauliflower	31.72	2	20.00	A
Caprylic acid	Cilantro	106.92	2	12.40	A
Caprylic acid	Date	176.20	2	228.00	A
Caprylic acid	Lettuce, Head	311.99	24	101.80	A
Caprylic acid	Lettuce, Leaf	995.91	87	307.59	A
Caprylic acid	Onion, Dry	2,424.50	5	172.00	A
Caprylic acid	Parsley	385.42	8	44.70	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Caprylic acid	Potato	35.08	1	7.48	A
Caprylic acid	Rights Of Way	544.46	0	0.00	N/A
Caprylic acid	Uncultivated Ag	1,080.98	6	331.00	A
Capsicum oleoresin	Lettuce, Leaf	1.94	2	40.59	A
Carbaryl	Corn, Human Consumption	139.48	2	105.00	A
Carbaryl	Sugarbeet	5,442.95	49	3,858.00	A
Carboxin	Basil, Sweet	0.13	0	180.00	P
Carboxin	Leek	8.50	0	3,405.00	P
Carboxin	Lettuce, Leaf	0.63	0	580.23	P
Carboxin	Onion, Dry	19.10	0	40,823.88	P
Carboxin	Thyme	< 0.01	0	2.00	P
Carfentrazone-ethyl	Alfalfa	12.95	13	509.23	A
Carfentrazone-ethyl	Barley	0.16	2	11.00	A
Carfentrazone-ethyl	Bermudagrass	337.45	233	16,480.43	A
Carfentrazone-ethyl	Broccoli	0.08	11	146.60	A
Carfentrazone-ethyl	Corn, Human Consumption	2.19	1	150.00	A
Carfentrazone-ethyl	Cotton	1.52	1	65.00	A
Carfentrazone-ethyl	Forage Hay/Silage	41.60	29	1,914.00	A
Carfentrazone-ethyl	Grass, Seed	7.40	4	383.00	A
Carfentrazone-ethyl	Guayule	0.54	1	0.20	A
Carfentrazone-ethyl	Landscape Maintenance	0.03	0	0.00	N/A
Carfentrazone-ethyl	Lemon	0.15	1	10.00	A
Carfentrazone-ethyl	Lettuce, Head	0.05	8	116.00	A
Carfentrazone-ethyl	Lettuce, Leaf	0.22	31	394.94	A
Carfentrazone-ethyl	Oat	3.28	2	326.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Carfentrazone-ethyl	Potato	54.50	16	644.20	A
Carfentrazone-ethyl	Rights Of Way	0.99	0	0.00	N/A
Carfentrazone-ethyl	Sudangrass	1.63	2	83.00	A
Carfentrazone-ethyl	Turf/Sod	10.52	2	140.00	A
Carfentrazone-ethyl	Uncultivated Ag	70.52	57	3,450.00	A
Carfentrazone-ethyl	Wheat	18.53	20	1,344.50	A
Castor oil ethoxylate	Alfalfa	266.44	293	17,712.00	A
Castor oil ethoxylate	Bermudagrass	13.69	13	518.40	A
Castor oil ethoxylate	Broccoli	35.38	41	1,429.49	A
Castor oil ethoxylate	Cauliflower	44.30	71	1,879.90	A
Castor oil ethoxylate	Lettuce, Head	17.55	86	1,226.40	A
Castor oil ethoxylate	Onion, Dry	45.38	53	2,457.20	A
Castor oil ethoxylate	Sudangrass	4.25	4	94.20	A
Cerevisane (cell walls of saccharomyces cerevisiae strain las117)	Lettuce, Leaf	0.04	1	0.01	A
Chlorantraniliprole	Alfalfa	1,167.83	513	37,712.74	A
Chlorantraniliprole	Artichoke, Globe	0.69	1	10.00	A
Chlorantraniliprole	Arugula	1.69	1	16.84	A
Chlorantraniliprole	Broccoli	265.83	133	2,657.16	A
Chlorantraniliprole	Cabbage	133.73	30	1,226.00	A
Chlorantraniliprole	Cantaloupe	39.61	9	453.50	A
Chlorantraniliprole	Cauliflower	40.78	9	375.00	A
Chlorantraniliprole	Celery	93.71	34	1,124.28	A
Chlorantraniliprole	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	5.04	1	36.00	A
Chlorantraniliprole	Corn, Human Consumption	1,233.65	385	26,632.70	A
Chlorantraniliprole	Grass, Seed	2.39	2	70.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorantraniliprole	Kale	6.60	4	61.52	A
Chlorantraniliprole	Lettuce, Head	355.91	161	4,114.05	A
Chlorantraniliprole	Lettuce, Leaf	497.41	218	5,258.44	A
Chlorantraniliprole	Melon	40.77	12	450.20	A
Chlorantraniliprole	Spinach	57.57	15	486.27	A
Chlorantraniliprole	Sugarbeet	1,789.25	365	26,330.04	A
Chlorantraniliprole	Sugarcane	5.86	1	39.00	A
Chlorfenapyr	Pepper, Fruiting	0.23	10	2.70	A
Chlorfenapyr	Structural Pest Control	13.87	0	0.00	N/A
Chlorophacinone	Landscape Maintenance	< 0.01	0	0.00	N/A
Chlorophacinone	Structural Pest Control	0.02	0	0.00	N/A
Chlorothalonil	Broccoli	997.60	32	1,119.00	A
Chlorothalonil	Cabbage	434.44	12	310.00	A
Chlorothalonil	Carrot	867.17	13	581.00	A
Chlorothalonil	Cauliflower	634.38	20	425.00	A
Chlorothalonil	Celery	1,648.81	30	842.78	A
Chlorothalonil	Lettuce, Head	4.61	2	56.00	A
Chlorothalonil	Lettuce, Leaf	3.34	2	38.56	A
Chlorothalonil	Onion, Dry	29,830.29	349	22,268.07	A
Chlorothalonil	Potato	764.30	9	702.50	A
Chlorothalonil	Structural Pest Control	< 0.01	0	0.00	N/A
Chlorsulfuron	Landscape Maintenance	23.20	0	0.00	N/A
Chlorsulfuron	Rights Of Way	3.05	0	0.00	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Chlorthal-dimethyl	Bok Choy (Choy Sum, Pak Choi)	24.39	1	4.04	A
Chlorthal-dimethyl	Radish	268.37	9	44.45	A
Cholecalciferol	Structural Pest Control	0.23	0	0.00	N/A
Chromobacterium subtsugae strain: praa4-1	Lettuce, Leaf	56.88	8	155.60	A
Citric acid	Alfalfa	2,507.33	920	55,868.03	A
Citric acid	Arugula	0.23	2	14.16	A
Citric acid	Bermudagrass	116.42	45	3,249.52	A
Citric acid	Broccoli	29.27	41	540.36	A
Citric acid	Cabbage	11.26	21	129.52	A
Citric acid	Canola (Rape)	6.87	3	109.00	A
Citric acid	Carrot	5.43	5	161.00	A
Citric acid	Cauliflower	15.15	28	160.00	A
Citric acid	Cilantro	7.11	5	94.00	A
Citric acid	Corn (Forage - Fodder)	21.09	8	882.00	A
Citric acid	Corn, Human Consumption	17.76	7	566.00	A
Citric acid	Forage Hay/Silage	21.57	8	629.00	A
Citric acid	Grass, Seed	3.89	9	234.40	A
Citric acid	Lettuce, Head	10.81	14	87.50	A
Citric acid	Lettuce, Leaf	29.39	36	470.28	A
Citric acid	Melon	29.33	15	562.00	A
Citric acid	Onion, Dry	23.52	16	806.00	A
Citric acid	Rights Of Way	370.14	0	0.00	N/A
Citric acid	Sugarbeet	1,236.52	403	29,876.94	A
Citric acid	Uncultivated Ag	233.04	232	7,932.11	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Citric acid	Wheat	160.56	49	3,965.61	A
Clarified hydrophobic extract of neem oil	Cabbage	166.60	5	87.20	A
Clarified hydrophobic extract of neem oil	Herb, Spice	0.60	1	20.00	A
Clarified hydrophobic extract of neem oil	Lettuce, Leaf	303.58	6	158.90	A
Clarified hydrophobic extract of neem oil	Mint	19.11	1	20.00	A
Clarified hydrophobic extract of neem oil	Onion, Dry	231.48	5	121.15	A
Clethodim	Alfalfa	27,068.51	1,702	108,674.86	A
Clethodim	Arugula	0.85	1	7.00	A
Clethodim	Basil, Sweet	0.19	1	1.50	A
Clethodim	Broccoli	370.45	33	1,441.30	A
Clethodim	Cabbage	8.36	1	68.00	A
Clethodim	Canola (Rape)	2.42	1	35.00	A
Clethodim	Carrot	499.17	70	3,690.98	A
Clethodim	Cauliflower	57.71	20	234.00	A
Clethodim	Celery	23.20	7	197.85	A
Clethodim	Chinese Amaranth (Chinese Spinach, Tampala, Yin Choy)	0.19	1	1.50	A
Clethodim	Cilantro	52.11	9	244.90	A
Clethodim	Cotton	94.82	9	391.70	A
Clethodim	Dill	1.47	1	11.25	A
Clethodim	Kale	5.96	4	49.90	A
Clethodim	Lettuce, Head	78.49	41	545.21	A
Clethodim	Lettuce, Leaf	136.33	90	1,123.75	A
Clethodim	Melon	2.04	1	19.00	A
Clethodim	Mizuna	0.08	1	0.95	A
Clethodim	Mustard	1.83	2	17.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Clethodim	Okra	23.63	2	60.00	A
Clethodim	Onion, Dry	1,752.70	90	5,109.69	A
Clethodim	Parsley	2.74	3	26.00	A
Clethodim	Pepper, Fruiting	1.65	6	12.00	A
Clethodim	Potato	24.22	2	100.00	A
Clethodim	Rapini	72.65	14	989.70	A
Clethodim	Rights Of Way	5.29	0	0.00	N/A
Clethodim	Spinach	9.09	6	112.02	A
Clethodim	Sugarbeet	235.62	18	1,156.40	A
Clethodim	Swiss Chard	0.36	1	4.56	A
Clethodim	Uncultivated Ag	36.58	2	140.00	A
Clopyralid, monoethanolamine salt	Bermudagrass	871.04	34	3,067.20	A
Clopyralid, monoethanolamine salt	Broccoli	102.35	10	416.75	A
Clopyralid, monoethanolamine salt	Sugarbeet	1,017.04	68	4,883.00	A
Clothianidin	Broccoli	78.46	6	393.00	A
Clothianidin	Cabbage	176.33	14	929.00	A
Clothianidin	Cauliflower	54.51	5	273.00	A
Clothianidin	Structural Pest Control	0.35	0	0.00	N/A
Copper carbonate, basic	Rights Of Way	1,362.25	0	0.00	N/A
Copper ethanolamine complexes, mixed	Rights Of Way	88.07	0	0.00	N/A
Copper hydroxide	Broccoli	18.90	45	63.47	A
Copper hydroxide	Brussels Sprout	0.03	12	0.21	A
Copper hydroxide	Cabbage	65.52	47	133.52	A
Copper hydroxide	Carrot	587.40	15	839.00	A
Copper hydroxide	Cauliflower	57.06	68	177.56	A
Copper hydroxide	Celery	824.13	69	1,542.14	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper hydroxide	Collard	0.03	7	0.11	A
Copper hydroxide	Corn, Human Consumption	137.15	4	170.00	A
Copper hydroxide	Endive (Escarole)	< 0.01	3	0.03	A
Copper hydroxide	Grape	93.69	1	135.49	A
Copper hydroxide	Grapefruit	93.73	4	158.62	A
Copper hydroxide	Kale	0.19	28	0.85	A
Copper hydroxide	Lemon	374.80	20	760.78	A
Copper hydroxide	Lettuce, Leaf	< 0.01	3	0.07	A
Copper hydroxide	Lime	20.87	2	97.10	A
Copper hydroxide	Onion, Dry	6,466.56	194	12,174.13	A
Copper hydroxide	Potato	1,054.08	55	1,725.00	A
Copper hydroxide	Radicchio	< 0.01	3	0.03	A
Copper hydroxide	Rights Of Way	22.11	0	0.00	N/A
Copper hydroxide	Spinach	160.93	13	209.00	A
Copper hydroxide	Swiss Chard	0.27	22	0.41	A
Copper hydroxide	Tangelo	36.09	1	167.94	A
Copper hydroxide	Tangerine	27.21	3	63.92	A
Copper hydroxide	Watermelon	< 0.01	1	0.12	A
Copper octanoate	Artichoke, Globe	40.02	5	48.00	A
Copper octanoate	Cabbage	10.84	1	26.00	A
Copper octanoate	Celery	9.17	1	5.50	A
Copper octanoate	Lettuce, Leaf	162.04	18	355.00	A
Copper octanoate	Swiss Chard	147.72	39	332.90	A
Copper oxychloride	Carrot	71.44	4	162.00	A
Copper oxychloride	Celery	600.64	51	1,128.64	A
Copper oxychloride	Grapefruit	22.06	1	92.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Copper oxychloride	Lemon	110.23	9	462.78	A
Copper oxychloride	Lime	23.13	2	97.10	A
Copper oxychloride	Onion, Dry	1,894.92	58	3,680.00	A
Copper oxychloride	Potato	1,168.37	55	1,725.00	A
Copper oxychloride	Tangelo	40.00	1	167.94	A
Copper oxychloride	Tangerine	10.70	2	44.92	A
Cuprous oxide	Celery	515.99	27	254.00	A
Cuprous oxide	Onion, Dry	3,060.08	25	1,555.15	A
Cyantraniliprole	Broccoli	276.99	70	1,881.30	A
Cyantraniliprole	Cabbage	270.03	31	1,422.00	A
Cyantraniliprole	Cantaloupe	36.97	5	378.00	A
Cyantraniliprole	Cauliflower	142.08	39	988.90	A
Cyantraniliprole	Celery	33.25	28	435.50	A
Cyantraniliprole	Endive (Escarole)	0.11	1	1.82	A
Cyantraniliprole	Grapefruit	78.34	20	826.62	A
Cyantraniliprole	Kale	14.99	7	180.45	A
Cyantraniliprole	Lemon	416.72	102	4,929.00	A
Cyantraniliprole	Lettuce, Head	212.35	85	1,582.70	A
Cyantraniliprole	Lettuce, Leaf	813.46	198	5,279.14	A
Cyantraniliprole	Melon	16.87	6	189.30	A
Cyantraniliprole	Pepper, Fruiting	0.09	4	0.50	A
Cyantraniliprole	Spinach	5.64	1	65.00	A
Cyantraniliprole	Tangelo	8.82	2	80.00	A
Cyantraniliprole	Tangerine	12.93	9	182.00	A
Cyazofamid	Arugula	6.37	8	89.67	A
Cyazofamid	Broccoli	1.06	1	15.00	A
Cyazofamid	Kale	3.32	6	46.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cyazofamid	Lettuce, Head	10.94	13	162.33	A
Cyazofamid	Lettuce, Leaf	5.11	5	72.93	A
Cyazofamid	Onion, Dry	21.62	3	278.00	A
Cyazofamid	Spinach	12.83	9	180.38	A
Cyclanilide	Cotton	8.79	3	155.00	A
Cyclaniliprole	Broccoli	16.35	11	321.49	A
Cyclaniliprole	Cabbage	5.27	6	105.50	A
Cyclaniliprole	Cauliflower	11.62	10	252.55	A
Cyclaniliprole	Lettuce, Head	0.92	1	19.90	A
Cyclaniliprole	Lettuce, Leaf	16.22	27	344.60	A
Cycloate	Beet	5.61	5	7.44	A
Cycloate	Spinach	5,742.44	125	2,048.62	A
Cyflufenamid	Cantaloupe	53.88	46	2,530.25	A
Cyflufenamid	Melon	36.89	41	1,618.30	A
Cyfluthrin	Alfalfa	197.01	62	4,615.70	A
Cyfluthrin	Arugula	2.90	2	57.30	A
Cyfluthrin	Bermudagrass	59.96	25	1,479.14	A
Cyfluthrin	Corn, Human Consumption	82.92	29	1,864.00	A
Cyfluthrin	Grapefruit	3.41	8	105.00	A
Cyfluthrin	Kale	4.06	2	97.23	A
Cyfluthrin	Lemon	39.77	51	1,095.52	A
Cyfluthrin	Lettuce, Leaf	13.77	8	271.08	A
Cyfluthrin	Structural Pest Control	< 0.01	0	0.00	N/A
Cyfluthrin	Tangelo	0.62	1	19.00	A
Cyfluthrin	Tangerine	2.56	5	79.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Cymoxanil	Celery	1.20	1	13.90	A
Cymoxanil	Lettuce, Head	130.52	39	846.06	A
Cymoxanil	Lettuce, Leaf	557.62	167	3,585.48	A
Cymoxanil	Onion, Dry	133.52	25	1,374.00	A
Cymoxanil	Spinach	73.98	13	474.88	A
Cymoxanil	Watermelon	0.13	7	0.93	A
Cypermethrin	Structural Pest Control	762.98	0	0.00	N/A
Cyprodinil	Onion, Dry	46.67	4	143.00	A
Cyromazine	Watermelon	0.23	2	0.02	A
D-trans allethrin	Structural Pest Control	< 0.01	0	0.00	N/A
Dazomet	Rights Of Way	2,620.96	0	0.00	N/A
Deltamethrin	Public Health	1.91	0	0.00	N/A
Deltamethrin	Structural Pest Control	67.50	0	0.00	N/A
Diatomaceous earth	Artichoke, Globe	220.32	2	28.80	A
Diatomaceous earth	Beet	525.76	8	81.00	A
Diatomaceous earth	Broccoli	644.34	8	77.30	A
Diatomaceous earth	Carrot	782.06	6	143.80	A
Diatomaceous earth	Kale	213.49	2	16.71	A
Diatomaceous earth	Lettuce, Head	398.06	5	30.80	A
Diatomaceous earth	Lettuce, Leaf	4,486.58	38	481.08	A
Diatomaceous earth	Mizuna	126.48	2	9.90	A
Diatomaceous earth	Spinach	2,185.45	14	246.15	A
Diatomaceous earth	Structural Pest Control	0.05	0	0.00	N/A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dicamba	Landscape Maintenance	0.03	0	0.00	N/A
Dicamba, dimethylamine salt	Landscape Maintenance	0.02	0	0.00	N/A
Dicamba, sodium salt	Bermudagrass	45.38	4	165.00	A
Dicloran	Celery	99.95	6	71.20	A
Didecyl dimethyl ammonium chloride	Structural Pest Control	< 0.01	0	0.00	N/A
Diethylene glycol	Alfalfa	857.78	256	20,209.70	A
Diethylene glycol	Bermudagrass	592.27	47	4,790.80	A
Diethylene glycol	Onion, Dry	83.70	25	2,169.80	A
Diethylene glycol	Sugarbeet	260.82	39	3,371.00	A
Diethylene glycol	Wheat	51.08	10	581.00	A
Difenoconazole	Onion, Dry	16.27	4	143.00	A
Difenoconazole	Potato	77.79	9	703.00	A
Difethialone	Structural Pest Control	< 0.01	0	0.00	N/A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Bermudagrass	4,945.53	81	6,074.82	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Corn (Forage - Fodder)	317.61	4	541.00	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Forage Hay/Silage	483.97	14	853.00	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Grass, Seed	90.74	2	203.00	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Sudangrass	8.47	2	11.20	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Uncultivated Ag	332.73	4	404.00	A
Diglycolamine salt of 3,6-dichloro-o-anisic acid	Wheat	342.59	12	1,017.70	A
Dikegulac sodium	Landscape Maintenance	0.26	0	0.00	N/A
Dimethenamid-p	Onion, Dry	59.99	2	105.00	A
Dimethenamid-p	Sugarbeet	29.81	2	67.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethoate	Alfalfa	11,900.92	595	40,053.78	A
Dimethoate	Cotton	2.11	8	35.99	A
Dimethoate	Wheat	490.02	19	1,446.40	A
Dimethomorph	Arugula	73.80	36	360.52	A
Dimethomorph	Broccoli	25.41	5	160.70	A
Dimethomorph	Cabbage	239.03	31	1,246.50	A
Dimethomorph	Cauliflower	21.61	5	114.00	A
Dimethomorph	Endive (Escarole)	2.02	6	10.84	A
Dimethomorph	Kale	34.00	19	166.11	A
Dimethomorph	Lettuce, Head	420.39	87	2,217.66	A
Dimethomorph	Lettuce, Leaf	955.33	212	4,951.40	A
Dimethomorph	Mizuna	21.64	22	106.20	A
Dimethomorph	Mustard	3.09	2	15.08	A
Dimethomorph	Onion, Dry	1,995.01	154	10,020.43	A
Dimethomorph	Spinach	273.87	60	1,360.51	A
Dimethomorph	Swiss Chard	32.52	19	158.94	A
Dimethylpolysiloxane	Alfalfa	46.78	1,120	75,175.30	A
Dimethylpolysiloxane	Artichoke, Globe	0.66	6	50.00	A
Dimethylpolysiloxane	Bermudagrass	7.34	84	7,891.80	A
Dimethylpolysiloxane	Bok Choy (Choy Sum, Pak Choi)	0.39	7	40.08	A
Dimethylpolysiloxane	Broccoli	8.59	28	661.55	A
Dimethylpolysiloxane	Cabbage	5.97	32	370.51	A
Dimethylpolysiloxane	Cantaloupe	1.88	29	1,792.45	A
Dimethylpolysiloxane	Carrot	0.16	5	208.52	A
Dimethylpolysiloxane	Cauliflower	2.18	22	203.86	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Dimethylpolysiloxane	Corn (Forage - Fodder)	0.33	8	1,026.00	A
Dimethylpolysiloxane	Corn, Human Consumption	1.83	87	6,304.70	A
Dimethylpolysiloxane	Cotton	0.60	45	874.30	A
Dimethylpolysiloxane	Kale	5.92	58	464.72	A
Dimethylpolysiloxane	Landscape Maintenance	< 0.01	0	0.00	N/A
Dimethylpolysiloxane	Lemon	16.57	21	1,033.78	A
Dimethylpolysiloxane	Lettuce, Head	4.36	76	2,596.82	A
Dimethylpolysiloxane	Lettuce, Leaf	38.94	130	2,907.02	A
Dimethylpolysiloxane	Melon	7.25	12	643.20	A
Dimethylpolysiloxane	Onion, Dry	28.69	165	10,187.85	A
Dimethylpolysiloxane	Potato	5.27	22	1,046.00	A
Dimethylpolysiloxane	Sugarbeet	7.42	147	11,579.50	A
Dimethylpolysiloxane	Tangelo	2.91	3	247.94	A
Dimethylpolysiloxane	Tangerine	0.08	3	75.92	A
Dimethylpolysiloxane	Uncultivated Ag	4.09	106	5,274.77	A
Dimethylpolysiloxane	Wheat	1.52	43	2,950.50	A
Dinotefuran	Broccoli	10.50	3	110.50	A
Dinotefuran	Cabbage	7.35	2	42.00	A
Dinotefuran	Cantaloupe	253.39	39	975.77	A
Dinotefuran	Lettuce, Leaf	19.69	5	150.00	A
Dinotefuran	Melon	240.45	33	1,023.58	A
Dinotefuran	Structural Pest Control	24.66	0	0.00	N/A
Dinotefuran	Watermelon	83.87	6	383.34	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Diphacinone	Landscape Maintenance	< 0.01	0	0.00	N/A
Diphacinone	Rights Of Way	0.02	0	0.00	N/A
Diphacinone	Structural Pest Control	< 0.01	0	0.00	N/A
Diquat dibromide	Alfalfa	359.88	11	386.00	A
Diquat dibromide	Potato	1,187.32	30	1,278.40	A
Disodium octaborate anhydrous	Rights Of Way	32.06	0	0.00	N/A
Disodium octaborate tetrahydrate	Rights Of Way	75.35	0	0.00	N/A
Disodium octaborate tetrahydrate	Structural Pest Control	10.76	0	0.00	N/A
Diuron	Asparagus	139.94	2	47.00	A
Diuron	Cotton	52.33	37	1,087.13	A
Diuron	Rights Of Way	257.20	0	0.00	N/A
Emamectin benzoate	Artichoke, Globe	0.12	1	8.00	A
Emamectin benzoate	Broccoli	25.68	44	1,902.75	A
Emamectin benzoate	Cabbage	23.10	67	1,648.20	A
Emamectin benzoate	Cauliflower	17.66	42	1,235.90	A
Emamectin benzoate	Celery	4.92	15	380.45	A
Emamectin benzoate	Endive (Escarole)	0.05	4	4.56	A
Emamectin benzoate	Lettuce, Head	34.02	140	2,844.98	A
Emamectin benzoate	Lettuce, Leaf	27.36	91	2,191.27	A
Emamectin benzoate	Structural Pest Control	< 0.01	0	0.00	N/A
Emulsifiable methylated vegetable oil	Alfalfa	6,162.44	197	15,046.50	A
Emulsifiable methylated vegetable oil	Cotton	142.90	4	267.00	A
Emulsifiable methylated vegetable oil	Onion, Dry	966.71	72	5,117.20	A
Eptc	Alfalfa	69,550.01	395	31,348.04	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Eptc	Bermudagrass	123.72	1	71.00	A
Eptc	Carrot	1,574.73	20	651.00	A
Eptc	Forage Hay/Silage	184.01	1	70.40	A
Eptc	Sugarbeet	1,841.82	12	750.00	A
Eptc	Uncultivated Ag	40,136.25	163	10,851.70	A
Esfenvalerate	Alfalfa	3.49	1	70.00	A
Esfenvalerate	Artichoke, Globe	0.63	2	13.00	A
Esfenvalerate	Broccoli	105.62	175	2,298.04	A
Esfenvalerate	Cabbage	2.00	2	42.00	A
Esfenvalerate	Cantaloupe	20.33	10	562.00	A
Esfenvalerate	Carrot	339.90	144	7,418.68	A
Esfenvalerate	Cauliflower	0.67	1	15.00	A
Esfenvalerate	Corn, Human Consumption	1,651.30	531	34,145.70	A
Esfenvalerate	Lettuce, Head	81.08	101	1,797.49	A
Esfenvalerate	Melon	11.31	3	232.00	A
Esfenvalerate	Structural Pest Control	1.84	0	0.00	N/A
Esfenvalerate	Sugarbeet	2,063.47	645	44,257.99	A
Ethalfluralin	Melon	124.58	4	129.00	A
Ethephon	Cotton	1,600.53	61	1,615.10	A
Ethephon	Pepper, Fruiting	127.81	5	317.10	A
Ethofumesate	Onion, Dry	1,286.27	46	2,187.80	A
Etofenprox	Rights Of Way	1.25	0	0.00	N/A
Famoxadone	Lettuce, Head	49.06	17	335.30	A
Famoxadone	Lettuce, Leaf	299.38	76	2,022.12	A
Famoxadone	Onion, Dry	133.52	25	1,374.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Famoxadone	Spinach	53.00	9	363.00	A
Famoxadone	Watermelon	0.13	7	0.93	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Alfalfa	6,249.28	720	50,912.71	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Bermudagrass	481.79	48	3,234.40	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Broccoli	354.89	73	2,244.01	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cabbage	658.80	164	4,938.00	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Carrot	273.27	31	1,615.00	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Cauliflower	294.49	71	1,684.00	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, Head	763.80	285	5,977.05	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Lettuce, Leaf	2,904.62	887	20,366.22	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Sugarbeet	957.64	104	6,190.53	A
Fatty acids, c16-c18 and c18-unsaturated, methyl esters	Wheat	279.81	20	1,489.70	A
Fatty acids, tallow	Alfalfa	367.21	268	16,939.08	A
Fenamidone	Arugula	122.93	36	474.46	A
Fenamidone	Broccoli	631.04	58	2,601.28	A
Fenamidone	Cabbage	373.76	43	1,512.20	A
Fenamidone	Cauliflower	279.27	36	1,111.00	A
Fenamidone	Celery	40.26	7	158.00	A
Fenamidone	Endive (Escarole)	0.74	3	2.88	A
Fenamidone	Kale	78.93	22	301.49	A
Fenamidone	Lettuce, Head	998.43	148	4,151.35	A
Fenamidone	Lettuce, Leaf	1,724.40	269	6,944.46	A
Fenamidone	Mizuna	24.36	13	97.24	A
Fenamidone	Mustard	2.93	2	11.05	A
Fenamidone	Onion, Dry	1,611.54	138	8,395.78	A
Fenamidone	Spinach	622.75	90	2,436.21	A
Fenamidone	Swiss Chard	24.44	12	92.88	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Fenoxaprop-p-ethyl	Wheat	0.13	1	3.00	A
Fenpropathrin	Cotton	72.60	4	262.00	A
Fenpropathrin	Grapefruit	58.08	4	185.62	A
Fenpropathrin	Lemon	611.16	46	1,953.53	A
Fenpropathrin	Lime	30.37	2	97.10	A
Fenpropathrin	Orange	42.79	2	136.81	A
Fenpropathrin	Tangelo	52.53	1	167.94	A
Fenpropathrin	Tangerine	36.60	5	116.92	A
Fenpyroximate	Cantaloupe	164.68	22	1,548.00	A
Fenpyroximate	Grapefruit	19.56	4	182.00	A
Fenpyroximate	Lemon	116.73	29	1,009.00	A
Fenpyroximate	Melon	58.49	14	548.00	A
Fenpyroximate	Tangelo	4.30	1	40.00	A
Fipronil	Structural Pest Control	176.65	0	0.00	N/A
Flonicamid	Alfalfa	2,596.41	426	30,044.39	A
Flonicamid	Arugula	11.54	13	133.58	A
Flonicamid	Beet	1.68	5	19.21	A
Flonicamid	Broccoli	172.56	42	2,111.65	A
Flonicamid	Cabbage	69.92	22	859.20	A
Flonicamid	Cauliflower	44.90	15	552.14	A
Flonicamid	Celery	6.00	5	79.80	A
Flonicamid	Cilantro	10.43	5	119.08	A
Flonicamid	Cotton	26.27	12	301.45	A
Flonicamid	Fennel	0.32	2	3.68	A
Flonicamid	Grapefruit	53.35	10	324.00	A
Flonicamid	Kale	19.50	17	225.06	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flonicamid	Lemon	386.35	52	2,495.00	A
Flonicamid	Lettuce, Head	48.22	19	568.20	A
Flonicamid	Lettuce, Leaf	160.53	69	1,961.35	A
Flonicamid	Mizuna	1.33	3	15.20	A
Flonicamid	Mustard	3.32	4	37.93	A
Flonicamid	Pepper, Fruiting	0.47	18	3.90	A
Flonicamid	Radish	2.85	2	32.56	A
Flonicamid	Spinach	123.39	57	1,437.14	A
Flonicamid	Swiss Chard	5.30	7	60.67	A
Flonicamid	Tangelo	7.12	1	40.00	A
Flonicamid	Tangerine	14.97	5	103.00	A
Flonicamid	Watermelon	0.09	5	0.80	A
Fluazifop-p-butyl	Alfalfa	26.11	1	70.00	A
Fluazifop-p-butyl	Carrot	928.56	55	2,950.00	A
Fluazifop-p-butyl	Onion, Dry	706.65	27	1,993.50	A
Fludioxonil	Cantaloupe	26.58	2	143.00	A
Fludioxonil	Celery	20.46	7	100.40	A
Fludioxonil	Citrus	84.58	0	49,405.18	T
Fludioxonil	Lettuce, Head	25.97	6	129.00	A
Fludioxonil	Lettuce, Leaf	70.13	12	338.00	A
Fludioxonil	Onion, Dry	21.34	2	155.00	A
Flumioxazin	Alfalfa	572.84	64	4,666.00	A
Flumioxazin	Cotton	7.11	5	114.00	A
Flumioxazin	Potato	6.22	2	130.00	A
Fluopyram	Carrot	30.28	2	248.00	A
Fluopyram	Lettuce, Leaf	8.04	6	64.90	A
Fluopyram	Onion, Dry	32.26	7	160.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flupyradifurone	Alfalfa	6,731.06	885	58,160.48	A
Flupyradifurone	Arugula	48.08	39	314.45	A
Flupyradifurone	Barley	1.67	1	10.00	A
Flupyradifurone	Broccoli	256.15	41	1,635.60	A
Flupyradifurone	Cabbage	292.39	67	2,069.50	A
Flupyradifurone	Canola (Rape)	5.00	1	35.00	A
Flupyradifurone	Cantaloupe	127.87	19	439.38	A
Flupyradifurone	Carrot	11.68	1	72.00	A
Flupyradifurone	Cauliflower	184.40	39	1,172.00	A
Flupyradifurone	Celery	82.25	29	675.20	A
Flupyradifurone	Corn, Human Consumption	115.11	12	913.00	A
Flupyradifurone	Forage Hay/Silage	10.01	1	74.00	A
Flupyradifurone	Grapefruit	29.21	4	182.00	A
Flupyradifurone	Kale	30.01	8	184.80	A
Flupyradifurone	Lemon	189.79	38	1,198.00	A
Flupyradifurone	Lettuce, Head	235.65	60	1,861.00	A
Flupyradifurone	Lettuce, Leaf	1,109.63	245	7,682.58	A
Flupyradifurone	Lime	16.37	1	89.70	A
Flupyradifurone	Melon	39.06	6	133.74	A
Flupyradifurone	Mizuna	15.32	21	97.60	A
Flupyradifurone	Pepper, Fruiting	0.67	20	3.61	A
Flupyradifurone	Rapini	86.75	8	608.80	A
Flupyradifurone	Spinach	344.65	82	2,211.89	A
Flupyradifurone	Swiss Chard	18.51	16	117.11	A
Flupyradifurone	Tangelo	7.31	1	40.00	A
Flupyradifurone	Wheat	412.26	41	3,452.60	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Flutriafol	Cantaloupe	90.29	36	792.82	A
Flutriafol	Melon	40.80	15	358.59	A
Fluxapyroxad	Carrot	3.03	1	38.00	A
Fluxapyroxad	Celery	7.68	3	65.80	A
Fluxapyroxad	Lettuce, Head	10.52	2	70.00	A
Fluxapyroxad	Lettuce, Leaf	186.56	36	1,056.90	A
Fluxapyroxad	Onion, Dry	40.70	13	222.71	A
Fluxapyroxad	Tangelo	7.81	2	80.00	A
Fluxapyroxad	Tangerine	4.38	2	41.00	A
Formetanate hydrochloride	Grapefruit	209.30	4	182.00	A
Formetanate hydrochloride	Lemon	65.55	2	41.00	A
Fosetyl-al	Kale	192.32	2	75.60	A
Fosetyl-al	Lettuce, Head	44.00	1	11.60	A
Fosetyl-al	Lettuce, Leaf	567.12	16	226.84	A
Fosetyl-al	Mustard	4.68	1	1.95	A
Fosetyl-al	Spinach	798.70	16	314.72	A
Fosetyl-al	Swiss Chard	3.02	1	1.26	A
Garlic	Lettuce, Leaf	5.97	2	40.59	A
Gibberellins	Artichoke, Globe	4.45	7	104.00	A
Gibberellins	Carrot	0.03	2	4.52	A
Gibberellins	Citrus	1.57	0	19,186.00	T
Gibberellins	Grape	5.91	9	1,219.41	A
Gibberellins	Lemon	16.99	22	631.00	A
Gibberellins	Pepper, Fruiting	2.18	6	506.40	A
Gibberellins	Tangelo	2.04	2	80.00	A
Glufosinate-ammonium	Canola (Rape)	228.67	11	410.50	A
Glufosinate-ammonium	Cotton	65.78	2	127.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glufosinate-ammonium	Grapefruit	58.21	2	102.00	A
Glufosinate-ammonium	Lemon	249.52	16	524.00	A
Glufosinate-ammonium	Olive	99.75	1	68.00	A
Glufosinate-ammonium	Rights Of Way	207.11	0	0.00	N/A
Glycerol	Alfalfa	693.57	79	5,232.00	A
Glycerol	Uncultivated Ag	152.04	14	855.00	A
Glycerol	Wheat	35.90	5	306.00	A
Glyphosate, dimethylamine salt	Spinach	17.30	1	18.00	A
Glyphosate, isopropylamine salt	Alfalfa	986.25	11	395.00	A
Glyphosate, isopropylamine salt	Aloe Vera	40.01	1	20.00	A
Glyphosate, isopropylamine salt	Bermudagrass	2,017.58	11	631.70	A
Glyphosate, isopropylamine salt	Cantaloupe	533.06	4	263.20	A
Glyphosate, isopropylamine salt	Corn (Forage - Fodder)	4,235.44	28	2,549.00	A
Glyphosate, isopropylamine salt	Corn, Human Consumption	690.12	4	345.00	A
Glyphosate, isopropylamine salt	Cotton	0.20	1	0.15	A
Glyphosate, isopropylamine salt	Forage Hay/Silage	722.25	4	225.00	A
Glyphosate, isopropylamine salt	Grapefruit	162.16	4	182.00	A
Glyphosate, isopropylamine salt	Landscape Maintenance	1,361.71	0	0.00	N/A
Glyphosate, isopropylamine salt	Lemon	1,514.38	26	1,134.00	A
Glyphosate, isopropylamine salt	Melon	443.90	5	219.20	A
Glyphosate, isopropylamine salt	Pepper, Fruiting	924.12	2	186.00	A
Glyphosate, isopropylamine salt	Rights Of Way	136,310.61	0	0.00	N/A
Glyphosate, isopropylamine salt	Sugarbeet	29,200.97	320	22,893.30	A
Glyphosate, isopropylamine salt	Uncultivated Ag	40,723.69	170	8,763.56	A
Glyphosate, isopropylamine salt	Uncultivated Non-Ag	4.54	0	1.00	U

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Glyphosate, potassium salt	Alfalfa	2,934.13	96	897.50	A
Glyphosate, potassium salt	Bermudagrass	117.37	5	185.00	A
Glyphosate, potassium salt	Corn (Forage - Fodder)	3,043.56	21	1,745.00	A
Glyphosate, potassium salt	Corn, Human Consumption	576.64	4	285.00	A
Glyphosate, potassium salt	Cotton	4,046.39	98	2,566.90	A
Glyphosate, potassium salt	Ditch Bank	551.82	0	140.00	A
Glyphosate, potassium salt	Forage Hay/Silage	4.41	1	1.00	A
Glyphosate, potassium salt	Grapefruit	532.36	7	316.00	A
Glyphosate, potassium salt	Landscape Maintenance	20.36	0	0.00	N/A
Glyphosate, potassium salt	Lemon	4,299.19	47	1,721.46	A
Glyphosate, potassium salt	Melon	113.14	1	82.00	A
Glyphosate, potassium salt	N-Outdr Flower	19.31	2	6.75	A
Glyphosate, potassium salt	Pepper, Fruiting	66.20	3	6.00	A
Glyphosate, potassium salt	Rights Of Way	33,967.08	0	0.00	N/A
Glyphosate, potassium salt	Sudangrass	4.05	1	10.00	A
Glyphosate, potassium salt	Sugarbeet	40,592.32	478	34,483.48	A
Glyphosate, potassium salt	Sugarcane	191.31	1	70.00	A
Glyphosate, potassium salt	Tangelo	117.73	1	40.00	A
Glyphosate, potassium salt	Uncultivated Ag	25,507.31	264	9,870.71	A
Glyphosate, potassium salt	Uncultivated Non-Ag	166.15	0	369.00	A
Glyphosate, potassium salt	Wheat	18.48	2	10.00	A
Halosulfuron-methyl	Alfalfa	30.19	22	646.00	A
Halosulfuron-methyl	Bermudagrass	10.31	4	165.00	A
Halosulfuron-methyl	Corn (Forage - Fodder)	3.14	1	67.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Halosulfuron-methyl	Grass, Seed	3.31	4	88.20	A
Halosulfuron-methyl	Melon	1.60	2	34.00	A
Halosulfuron-methyl	Uncultivated Ag	2.35	1	38.00	A
Heptamethyltrisiloxane ethoxylated	Alfalfa	166.58	143	9,884.60	A
Heptamethyltrisiloxane ethoxylated	Bermudagrass	54.18	22	2,350.00	A
Heptamethyltrisiloxane ethoxylated	Corn, Human Consumption	169.45	158	12,572.30	A
Heptamethyltrisiloxane ethoxylated	Lemon	31.53	12	526.00	A
Heptamethyltrisiloxane ethoxylated	Lettuce, Head	43.28	64	2,657.32	A
Heptamethyltrisiloxane ethoxylated	Onion, Dry	17.80	20	814.60	A
Heptamethyltrisiloxane ethoxylated	Sugarbeet	54.88	33	2,441.00	A
Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated	Alfalfa	2,540.70	243	14,629.70	A
Hexythiazox	Alfalfa	4,281.02	359	25,233.29	A
Hexythiazox	Bermudagrass	2,038.48	165	12,317.58	A
Hexythiazox	Corn (Forage - Fodder)	116.95	8	797.00	A
Hexythiazox	Corn, Human Consumption	155.99	18	1,240.00	A
Hexythiazox	Pepper, Fruiting	37.64	3	210.00	A
Hydramethylnon	Structural Pest Control	0.04	0	0.00	N/A
Hydrogen peroxide	Arugula	1,091.36	66	774.82	A
Hydrogen peroxide	Beet	0.20	2	5.40	A
Hydrogen peroxide	Broccoli	777.90	93	2,196.95	A
Hydrogen peroxide	Cabbage	4,926.28	118	3,588.96	A
Hydrogen peroxide	Carrot	24.89	1	52.20	A
Hydrogen peroxide	Cauliflower	25.59	51	735.90	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Hydrogen peroxide	Celery	56.87	34	567.47	A
Hydrogen peroxide	Cilantro	5.05	4	127.04	A
Hydrogen peroxide	Citrus	1.86	0	5,265.00	T
Hydrogen peroxide	Collard	217.09	7	63.53	A
Hydrogen peroxide	Ditch Bank	3,722.89	0	9.00	U
Hydrogen peroxide	Fennel	0.15	2	3.68	A
Hydrogen peroxide	Forage Hay/Silage	24.87	1	74.00	A
Hydrogen peroxide	Kale	1,533.72	49	775.86	A
Hydrogen peroxide	Lettuce, Head	1,289.48	261	5,871.09	A
Hydrogen peroxide	Lettuce, Leaf	30,008.42	1,165	24,342.35	A
Hydrogen peroxide	Mizuna	1,038.17	24	517.62	A
Hydrogen peroxide	Mustard	1.37	5	34.96	A
Hydrogen peroxide	Onion, Dry	836.71	31	1,818.30	A
Hydrogen peroxide	Spinach	11,974.93	311	7,405.44	A
Hydrogen peroxide	Swiss Chard	1,279.68	38	762.37	A
Hydrogen peroxide	Uncultivated Ag	576.64	16	504.00	A
Hydrogen peroxide	Water Area	2,496.88	0	1,823.50	A
Hydroprene	Structural Pest Control	0.57	0	0.00	N/A
Imazalil	Citrus	91.79	0	19,210.00	T
Imazamox, ammonium salt	Alfalfa	2,214.63	814	55,432.16	A
Imazapyr, isopropylamine salt	Landscape Maintenance	1.23	0	0.00	N/A
Imazapyr, isopropylamine salt	Rights Of Way	188.60	0	0.00	N/A
Imazethapyr, ammonium salt	Alfalfa	1,800.37	354	23,655.13	A
Imazethapyr, ammonium salt	Sugarbeet	8.47	1	100.00	A
Imidacloprid	Artichoke, Globe	17.34	1	40.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Bok Choy (Choy Sum, Pak Choi)	28.24	39	74.68	A
Imidacloprid	Broccoli	1,538.44	194	4,277.56	A
Imidacloprid	Cabbage	421.80	20	1,150.50	A
Imidacloprid	Cantaloupe	353.97	24	1,386.75	A
Imidacloprid	Cauliflower	335.42	17	987.95	A
Imidacloprid	Celery	76.91	4	209.00	A
Imidacloprid	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	10.81	1	36.00	A
Imidacloprid	Cotton	64.95	17	236.51	A
Imidacloprid	Endive (Escarole)	11.43	6	38.10	A
Imidacloprid	Gai Lon	4.60	35	12.55	A
Imidacloprid	Grapefruit	203.44	11	416.62	A
Imidacloprid	Kale	14.30	3	39.25	A
Imidacloprid	Lemon	1,549.13	79	3,114.72	A
Imidacloprid	Lettuce, Head	1,289.11	179	3,667.33	A
Imidacloprid	Lettuce, Leaf	2,708.51	296	7,801.25	A
Imidacloprid	Lime	46.71	2	97.10	A
Imidacloprid	Melon	380.32	37	1,821.30	A
Imidacloprid	Mizuna	6.87	1	18.70	A
Imidacloprid	N-Outdr Flower	0.50	2	20.50	A
Imidacloprid	Orange	48.49	1	100.81	A
Imidacloprid	Pepper, Fruiting	83.23	3	210.00	A
Imidacloprid	Potato	268.67	16	934.70	A
Imidacloprid	Rapini	18.00	58	1,210.70	A
Imidacloprid	Rights Of Way	53.99	0	0.00	N/A
Imidacloprid	Spinach	305.85	32	887.51	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Imidacloprid	Structural Pest Control	68.20	0	0.00	N/A
Imidacloprid	Sugarbeet	3,363.79	247	18,952.70	A
Imidacloprid	Swiss Chard	15.33	1	42.50	A
Imidacloprid	Tangelo	109.36	3	226.94	A
Imidacloprid	Tangerine	86.30	9	200.92	A
Indaziflam	Lemon	19.70	9	205.00	A
Indaziflam	Rights Of Way	14.33	0	0.00	N/A
Indoxacarb	Alfalfa	8,537.86	1,299	90,503.96	A
Indoxacarb	Broccoli	70.51	22	1,153.00	A
Indoxacarb	Cabbage	2.25	2	38.00	A
Indoxacarb	Canola (Rape)	11.25	3	179.00	A
Indoxacarb	Cauliflower	30.38	11	480.00	A
Indoxacarb	Celery	3.38	2	55.00	A
Indoxacarb	Corn, Human Consumption	308.06	86	5,041.90	A
Indoxacarb	Kale	9.00	3	140.37	A
Indoxacarb	Lettuce, Head	101.13	26	1,043.14	A
Indoxacarb	Lettuce, Leaf	38.66	11	423.30	A
Indoxacarb	Structural Pest Control	3.70	0	0.00	N/A
Iprodione	Carrot	59.89	2	64.00	A
Iprodione	Celery	12.90	1	13.90	A
Iprodione	Lettuce, Head	398.55	22	409.52	A
Iprodione	Lettuce, Leaf	1,184.20	26	1,219.94	A
Iprodione	Onion, Dry	1,854.39	33	2,682.00	A
Iron hedta	Alfalfa	142.70	18	977.00	A
Iron hedta	Sugarbeet	568.37	66	4,209.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Isopropyl alcohol	Alfalfa	810.05	782	50,987.82	A
Isopropyl alcohol	Broccoli	5.10	7	352.20	A
Isopropyl alcohol	Cotton	10.67	10	615.00	A
Isopropyl alcohol	Lettuce, Leaf	9.49	11	614.97	A
Isopropyl alcohol	Onion, Dry	72.82	79	5,893.60	A
Isopropyl alcohol	Structural Pest Control	0.39	0	0.00	N/A
Isopropyl alcohol	Sugarbeet	19.82	28	1,866.00	A
Isopropyl alcohol	Wheat	18.58	17	1,413.00	A
Kaolin	Grapefruit	1,995.00	2	40.00	A
Kaolin	Lemon	78,453.39	46	1,375.15	A
Kaolin	Onion, Dry	61,541.95	48	888.31	A
Kaolin	Tangerine	2,327.50	2	43.00	A
Lambda-cyhalothrin	Alfalfa	4,338.09	2,182	148,527.54	A
Lambda-cyhalothrin	Bermudagrass	159.81	69	5,541.95	A
Lambda-cyhalothrin	Broccoli	195.71	234	6,569.22	A
Lambda-cyhalothrin	Cabbage	22.41	31	798.90	A
Lambda-cyhalothrin	Canola (Rape)	8.01	5	273.50	A
Lambda-cyhalothrin	Cantaloupe	53.99	40	2,249.50	A
Lambda-cyhalothrin	Cauliflower	56.40	88	1,945.00	A
Lambda-cyhalothrin	Corn, Human Consumption	896.12	508	32,759.40	A
Lambda-cyhalothrin	Cotton	3.24	2	113.00	A
Lambda-cyhalothrin	Forage Hay/Silage	2.00	2	70.00	A
Lambda-cyhalothrin	Grass, Seed	11.51	12	432.60	A
Lambda-cyhalothrin	Lettuce, Head	224.45	303	7,874.42	A
Lambda-cyhalothrin	Lettuce, Leaf	356.83	555	12,326.57	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Lambda-cyhalothrin	Melon	33.11	34	1,274.10	A
Lambda-cyhalothrin	Mustard	0.60	2	20.00	A
Lambda-cyhalothrin	Onion, Dry	163.54	93	5,683.20	A
Lambda-cyhalothrin	Structural Pest Control	70.89	0	0.00	N/A
Lambda-cyhalothrin	Sugarbeet	2.99	1	100.00	A
Lambda-cyhalothrin	Uncultivated Ag	0.09	1	3.00	A
Lambda-cyhalothrin	Wheat	113.82	54	3,904.90	A
Lecithin	Alfalfa	5,061.82	658	40,228.26	A
Lecithin	Bermudagrass	154.42	20	1,368.43	A
Lecithin	Broccoli	446.63	70	3,569.60	A
Lecithin	Lettuce, Head	58.65	44	538.09	A
Lecithin	Lettuce, Leaf	530.05	196	4,679.85	A
Lecithin	Potato	337.19	36	1,745.40	A
Lecithin	Sugarbeet	234.33	27	2,234.00	A
Lecithin	Uncultivated Ag	234.11	13	1,229.70	A
Lecithin	Wheat	318.57	24	1,621.10	A
Linuron	Alfalfa	60.00	1	70.00	A
Linuron	Carrot	6,778.40	159	8,005.29	A
Linuron	Celery	69.62	6	83.10	A
Linuron	Cilantro	231.01	9	374.00	A
Linuron	Dill	5.62	1	11.25	A
Linuron	Uncultivated Ag	19.00	1	19.00	A
Malathion	Alfalfa	12,512.13	157	10,818.80	A
Malathion	Sugarbeet	19.47	3	281.00	A
Malathion	Wheat	2.13	1	1.50	A
Mancozeb	Broccoli	870.00	11	697.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mancozeb	Cabbage	252.00	8	185.20	A
Mancozeb	Lettuce, Head	1,831.56	71	1,341.70	A
Mancozeb	Lettuce, Leaf	5,787.39	153	4,054.38	A
Mancozeb	N-Outdr Flower	84.75	8	87.00	A
Mancozeb	Onion, Dry	14,884.08	125	7,797.93	A
Mancozeb	Watermelon	0.90	9	1.37	A
Mandipropamid	Arugula	43.81	29	350.14	A
Mandipropamid	Bok Choy (Choy Sum, Pak Choi)	10.81	19	91.94	A
Mandipropamid	Broccoli	254.27	42	2,088.40	A
Mandipropamid	Cabbage	122.47	31	994.20	A
Mandipropamid	Cauliflower	98.67	20	802.00	A
Mandipropamid	Endive (Escarole)	1.10	2	8.76	A
Mandipropamid	Gai Lon	1.73	19	14.10	A
Mandipropamid	Kale	35.98	25	276.55	A
Mandipropamid	Lettuce, Head	369.92	97	3,079.16	A
Mandipropamid	Lettuce, Leaf	989.18	276	7,917.18	A
Mandipropamid	Mizuna	1.35	5	10.35	A
Mandipropamid	Onion, Dry	1,537.97	210	11,976.23	A
Mandipropamid	Potato	77.79	9	703.00	A
Mandipropamid	Spinach	531.61	159	4,221.34	A
Mandipropamid	Swiss Chard	8.87	7	68.06	A
Margosa oil	Artichoke, Globe	10.46	1	8.00	A
Margosa oil	Arugula	172.00	17	170.00	A
Margosa oil	Basil, Sweet	26.15	1	20.00	A
Margosa oil	Beet	171.11	8	291.80	A
Margosa oil	Broccoli	309.90	24	247.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Margosa oil	Brussels Sprout	10.46	1	8.00	A
Margosa oil	Cabbage	306.52	29	278.02	A
Margosa oil	Cauliflower	154.30	22	118.00	A
Margosa oil	Celery	209.22	4	152.61	A
Margosa oil	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	7.85	2	6.00	A
Margosa oil	Collard	41.10	12	55.70	A
Margosa oil	Kale	489.53	39	399.10	A
Margosa oil	Lemon	961.00	18	680.00	A
Margosa oil	Lettuce, Head	41.84	7	32.00	A
Margosa oil	Lettuce, Leaf	1,984.80	72	1,240.39	A
Margosa oil	Spinach	2,097.55	52	1,089.20	A
Mcpp-p, dma salt	Landscape Maintenance	0.05	0	0.00	N/A
Mefenoxam	Alfalfa	23.62	0	1,521,126.00	P
Mefenoxam	Broccoli	216.29	51	1,933.00	A
Mefenoxam	Cabbage	41.88	10	330.00	A
Mefenoxam	Carrot	1,322.47	70	3,665.90	A
Mefenoxam	Cauliflower	126.97	46	953.00	A
Mefenoxam	Celery	39.65	4	140.00	A
Mefenoxam	Cotton	13.03	10	210.80	A
Mefenoxam	Lemon	39.65	1	36.00	A
Mefenoxam	Lettuce, Head	133.40	44	1,420.83	A
Mefenoxam	Lettuce, Leaf	443.86	159	3,759.93	A
Mefenoxam	Onion, Dry	3,505.15	456	28,566.55	A
Mefenoxam	Potato	38.84	6	203.20	A
Mefenoxam	Spinach	477.54	62	614.79	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mefentrifluconazole	Cantaloupe	157.43	28	1,271.50	A
Mefentrifluconazole	Carrot	9.15	1	70.00	A
Mefentrifluconazole	Melon	22.28	8	234.90	A
Mepiquat chloride	Cotton	88.93	109	2,939.43	A
Mesosulfuron-methyl	Wheat	144.09	151	11,355.09	A
Mesotrione	Sugarcane	3.28	1	35.00	A
Metaflumizone	Structural Pest Control	< 0.01	0	0.00	N/A
Metalaxyl	Alfalfa	18.60	0	4,858,669.00	P
Metalaxyl	Lettuce, Leaf	826.65	6	596.00	A
Metalaxyl	Mizuna	28.11	1	18.70	A
Metalaxyl	Onion, Dry	196.11	5	402.00	A
Metalaxyl	Spinach	378.53	5	286.00	A
Metalaxyl	Swiss Chard	63.92	1	42.50	A
Methomyl	Alfalfa	9,776.79	188	11,768.39	A
Methomyl	Broccoli	62.46	3	73.90	A
Methomyl	Cabbage	114.30	4	136.00	A
Methomyl	Carrot	608.40	18	1,120.00	A
Methomyl	Celery	54.11	3	81.00	A
Methomyl	Corn, Human Consumption	17,905.20	650	40,057.90	A
Methomyl	Endive (Escarole)	0.93	2	2.15	A
Methomyl	Lettuce, Head	1,319.39	61	1,936.34	A
Methomyl	Lettuce, Leaf	1,904.60	95	2,586.18	A
Methomyl	Onion, Dry	902.04	28	1,224.40	A
Methomyl	Spinach	30.70	5	40.62	A
Methomyl	Sugarbeet	4,809.53	119	8,000.62	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methoxyfenozide	Alfalfa	5,856.98	734	46,795.05	A
Methoxyfenozide	Bermudagrass	339.41	36	3,167.40	A
Methoxyfenozide	Broccoli	25.48	9	245.21	A
Methoxyfenozide	Cabbage	5.95	2	44.00	A
Methoxyfenozide	Cantaloupe	173.36	45	1,640.43	A
Methoxyfenozide	Carrot	507.55	85	4,672.08	A
Methoxyfenozide	Celery	50.02	13	380.10	A
Methoxyfenozide	Corn, Human Consumption	51.54	6	291.00	A
Methoxyfenozide	Kale	14.86	4	112.42	A
Methoxyfenozide	Lettuce, Head	3.96	1	20.00	A
Methoxyfenozide	Lettuce, Leaf	61.95	22	407.66	A
Methoxyfenozide	Melon	54.61	17	480.39	A
Methoxyfenozide	N-Outdr Flower	12.07	4	43.00	A
Methoxyfenozide	Radish	2.41	1	10.40	A
Methoxyfenozide	Rapini	16.04	1	149.60	A
Methoxyfenozide	Spinach	33.25	10	266.98	A
Methoxyfenozide	Sugarbeet	6,872.20	611	44,098.14	A
Methoxyfenozide	Watermelon	43.71	4	257.67	A
Methylated silicones	Alfalfa	845.92	418	28,537.30	A
Methylated silicones	Bermudagrass	8.91	10	574.40	A
Methylated silicones	Broccoli	64.56	55	2,109.98	A
Methylated silicones	Cabbage	34.34	37	726.40	A
Methylated silicones	Cantaloupe	26.50	14	946.30	A
Methylated silicones	Carrot	22.07	18	988.00	A
Methylated silicones	Corn, Human Consumption	1,053.38	433	27,748.80	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated silicones	Lettuce, Head	55.69	123	2,534.06	A
Methylated silicones	Lettuce, Leaf	110.56	182	3,922.00	A
Methylated silicones	Melon	23.92	24	845.45	A
Methylated silicones	Onion, Dry	160.53	121	7,409.40	A
Methylated silicones	Sugarbeet	72.88	35	2,657.00	A
Methylated soybean oil	Alfalfa	43,844.80	1,829	119,845.07	A
Methylated soybean oil	Arugula	4.39	2	59.80	A
Methylated soybean oil	Bermudagrass	4,306.39	175	12,342.69	A
Methylated soybean oil	Broccoli	1,065.72	163	7,176.76	A
Methylated soybean oil	Cabbage	287.98	69	1,818.60	A
Methylated soybean oil	Cantaloupe	286.18	38	2,496.00	A
Methylated soybean oil	Carrot	136.09	5	278.90	A
Methylated soybean oil	Cauliflower	611.44	79	2,770.90	A
Methylated soybean oil	Celery	220.02	49	1,012.06	A
Methylated soybean oil	Corn, Human Consumption	8,086.28	736	43,124.10	A
Methylated soybean oil	Cotton	818.79	99	2,880.18	A
Methylated soybean oil	Forage Hay/Silage	120.36	2	122.00	A
Methylated soybean oil	Grapefruit	92.29	11	217.00	A
Methylated soybean oil	Kale	37.79	16	506.87	A
Methylated soybean oil	Lemon	2,687.42	152	5,028.25	A
Methylated soybean oil	Lettuce, Head	1,226.39	279	6,293.20	A
Methylated soybean oil	Lettuce, Leaf	1,462.84	415	9,394.56	A
Methylated soybean oil	Melon	431.56	56	2,260.90	A
Methylated soybean oil	Onion, Dry	2,406.31	158	9,510.20	A
Methylated soybean oil	Rights Of Way	1,184.50	0	0.00	N/A
Methylated soybean oil	Sugarbeet	10,561.98	269	18,865.16	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Methylated soybean oil	Tangerine	103.45	10	210.00	A
Methylated soybean oil	Uncultivated Ag	2,556.25	29	1,845.20	A
Methylated soybean oil	Wheat	2,089.34	79	3,822.18	A
Metofluthrin	Structural Pest Control	< 0.01	0	0.00	N/A
Metribuzin	Alfalfa	174.07	5	389.00	A
Metribuzin	Carrot	525.28	42	2,344.70	A
Mineral oil	Alfalfa	109,424.68	1,587	106,270.79	A
Mineral oil	Arugula	113.88	13	121.17	A
Mineral oil	Bermudagrass	16,113.06	234	15,674.17	A
Mineral oil	Broccoli	869.83	65	793.25	A
Mineral oil	Cabbage	6.13	44	64.21	A
Mineral oil	Cannabis (All Or Unspecified)	0.45	3	5,200.00	U
Mineral oil	Cantaloupe	536.16	7	475.20	A
Mineral oil	Carrot	6,179.37	171	8,721.98	A
Mineral oil	Cauliflower	6.63	74	79.61	A
Mineral oil	Celery	64.64	8	212.50	A
Mineral oil	Cilantro	591.58	13	529.00	A
Mineral oil	Corn (Forage - Fodder)	1,087.00	16	1,420.00	A
Mineral oil	Corn, Human Consumption	60,307.53	556	42,340.50	A
Mineral oil	Cotton	514.80	24	880.60	A
Mineral oil	Forage Hay/Silage	1,537.17	25	1,622.00	A
Mineral oil	Grapefruit	31,658.73	56	2,249.62	A
Mineral oil	Kale	52.38	42	80.80	A
Mineral oil	Lemon	195,355.03	328	12,381.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Mineral oil	Lettuce, Head	6.18	2	33.00	A
Mineral oil	Lettuce, Leaf	174.69	35	539.06	A
Mineral oil	Lime	3,685.20	8	260.70	A
Mineral oil	Melon	414.33	10	398.20	A
Mineral oil	Onion, Dry	5,731.91	221	14,096.44	A
Mineral oil	Orange	3,393.36	4	320.00	A
Mineral oil	Public Health	245.93	0	0.00	N/A
Mineral oil	Rights Of Way	30,894.61	0	0.00	N/A
Mineral oil	Spinach	398.18	41	523.48	A
Mineral oil	Sudangrass	847.27	8	654.00	A
Mineral oil	Sugarbeet	23,655.79	332	21,851.55	A
Mineral oil	Tangelo	3,197.86	6	198.00	A
Mineral oil	Tangerine	4,530.69	17	313.00	A
Mineral oil	Uncultivated Ag	3,949.83	46	3,334.10	A
Mineral oil	Uncultivated Non-Ag	40.88	0	369.00	A
Mineral oil	Wheat	5,932.75	88	6,878.70	A
Msma	Alfalfa	42.88	1	37.00	A
Msma	Bermudagrass	112.52	6	303.00	A
Msma	Cotton	49.97	1	25.10	A
Msma	Landscape Maintenance	0.12	0	0.00	N/A
Msma	Rights Of Way	1,286.26	0	0.00	N/A
Muscalure	Structural Pest Control	0.02	0	0.00	N/A
Myclobutanil	Cantaloupe	97.08	14	808.00	A
Myclobutanil	Lettuce, Head	2.00	1	16.00	A
Myclobutanil	Lettuce, Leaf	7.50	4	60.30	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Myclobutanil	Melon	54.42	11	469.30	A
Myclobutanil	Watermelon	21.25	3	191.67	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Alfalfa	2,847.73	1,225	81,800.61	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Arugula	26.47	67	674.46	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Bermudagrass	271.40	96	6,649.92	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Broccoli	112.71	76	2,353.01	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cabbage	203.00	166	4,998.20	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Carrot	108.63	79	3,749.80	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cauliflower	91.65	71	1,684.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Celery	65.17	86	2,099.25	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cilantro	18.20	12	413.64	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Cotton	52.15	119	3,209.50	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Ditch Bank	2.40	0	140.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Forage Hay/Silage	31.16	12	809.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Grapefruit	12.18	15	680.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lemon	23.42	67	2,804.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, Head	236.60	285	5,977.05	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Lettuce, Leaf	902.11	887	20,366.22	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Melon	22.32	24	513.00	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Mustard	0.92	3	22.08	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Onion, Dry	311.23	139	6,662.71	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Rights Of Way	82.11	0	0.00	N/A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Sugarbeet	558.59	328	22,152.77	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Uncultivated Ag	118.16	226	7,436.11	A
N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids	Wheat	185.69	67	5,203.31	A
N-octyl bicycloheptene dicarboximide	Structural Pest Control	8.32	0	0.00	N/A
Naled	Alfalfa	713.99	16	697.50	A
Naled	N-Outdr Flower	33.49	4	47.00	A
Naled	Sugarbeet	1,100.92	19	1,125.45	A
Napropamide	Basil, Sweet	178.00	4	89.00	A
Napropamide	Broccoli	798.55	154	3,180.47	A
Napropamide	Cauliflower	106.80	4	235.00	A
Napropamide	N-Outdr Flower	20.50	6	40.00	A
Novaluron	Structural Pest Control	0.22	0	0.00	N/A
Oleic acid, methyl ester	Alfalfa	9,489.65	170	11,208.50	A
Oleic acid, methyl ester	Bermudagrass	975.56	28	2,852.00	A
Oleic acid, methyl ester	Sugarbeet	6,805.20	76	7,667.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Oleic acid, methyl ester	Wheat	670.07	4	522.00	A
Oxamyl	Onion, Dry	2,264.47	66	3,299.30	A
Oxamyl	Potato	348.90	4	356.00	A
Oxathiapiprolin	Arugula	4.45	22	291.14	A
Oxathiapiprolin	Broccoli	13.60	19	954.10	A
Oxathiapiprolin	Cabbage	10.39	23	707.70	A
Oxathiapiprolin	Cauliflower	6.90	12	483.00	A
Oxathiapiprolin	Endive (Escarole)	0.13	2	8.76	A
Oxathiapiprolin	Kale	2.23	16	143.05	A
Oxathiapiprolin	Lemon	42.95	15	446.00	A
Oxathiapiprolin	Lettuce, Head	33.55	74	2,365.46	A
Oxathiapiprolin	Lettuce, Leaf	105.50	242	7,037.75	A
Oxathiapiprolin	Mizuna	0.06	1	4.10	A
Oxathiapiprolin	Onion, Dry	111.34	126	7,306.70	A
Oxathiapiprolin	Spinach	41.48	97	2,764.84	A
Oxathiapiprolin	Swiss Chard	0.49	3	31.50	A
Oxathiapiprolin	Tangerine	1.12	1	18.00	A
Oxyfluorfen	Artichoke, Globe	25.52	9	73.39	A
Oxyfluorfen	Broccoli	663.14	83	3,065.75	A
Oxyfluorfen	Cabbage	253.32	15	573.00	A
Oxyfluorfen	Cantaloupe	764.53	19	439.38	A
Oxyfluorfen	Cauliflower	626.85	47	1,431.11	A
Oxyfluorfen	Cotton	251.57	17	500.99	A
Oxyfluorfen	Kale	9.67	1	38.00	A
Oxyfluorfen	Melon	34.58	6	133.74	A
Oxyfluorfen	Onion, Dry	3,893.17	274	15,906.31	A
Oxyfluorfen	Pepper, Fruiting	186.41	5	367.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pendimethalin	Alfalfa	295,715.62	2,104	140,960.77	A
Pendimethalin	Artichoke, Globe	65.83	4	55.00	A
Pendimethalin	Broccoli	126.84	5	140.00	A
Pendimethalin	Carrot	4,720.39	100	5,139.44	A
Pendimethalin	Corn (Forage - Fodder)	207.45	1	148.00	A
Pendimethalin	Corn, Human Consumption	9,852.65	150	7,316.05	A
Pendimethalin	Cotton	1,066.72	29	862.30	A
Pendimethalin	Forage Hay/Silage	274.62	1	145.00	A
Pendimethalin	Lemon	189.43	9	102.46	A
Pendimethalin	N-Outdr Plants In Containers	1,605.56	14	846.74	A
Pendimethalin	Onion, Dry	7,686.40	187	10,052.77	A
Pendimethalin	Pepper, Fruiting	298.29	3	210.00	A
Pendimethalin	Potato	843.82	17	983.30	A
Pendimethalin	Sorghum/Milo	205.11	2	145.00	A
Pendimethalin	Sugarbeet	94.70	1	100.00	A
Pendimethalin	Sugarcane	110.79	1	39.00	A
Pendimethalin	Wheat	1,075.45	12	805.10	A
Penthiopyrad	Beet	1.40	2	5.40	A
Penthiopyrad	Broccoli	246.36	23	893.60	A
Penthiopyrad	Cabbage	240.45	30	862.50	A
Penthiopyrad	Cantaloupe	3.09	1	17.00	A
Penthiopyrad	Cauliflower	84.02	16	298.00	A
Penthiopyrad	Celery	3.63	2	18.50	A
Penthiopyrad	Cilantro	4.61	1	19.94	A
Penthiopyrad	Lettuce, Head	48.21	12	183.80	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Penthiopyrad	Lettuce, Leaf	363.55	59	1,502.87	A
Penthiopyrad	Melon	48.87	6	265.00	A
Penthiopyrad	Onion, Dry	699.00	56	2,858.53	A
Permethrin	Alfalfa	3,954.73	364	25,307.79	A
Permethrin	Artichoke, Globe	1.59	1	8.00	A
Permethrin	Arugula	6.57	3	32.81	A
Permethrin	Broccoli	323.37	43	1,772.12	A
Permethrin	Cabbage	45.60	5	232.00	A
Permethrin	Cantaloupe	98.99	9	527.50	A
Permethrin	Cauliflower	21.75	24	219.22	A
Permethrin	Celery	187.57	41	1,007.80	A
Permethrin	Corn, Human Consumption	2,234.49	188	11,978.80	A
Permethrin	Endive (Escarole)	0.38	2	1.76	A
Permethrin	Lettuce, Head	766.75	157	4,018.82	A
Permethrin	Lettuce, Leaf	1,771.36	415	9,337.28	A
Permethrin	Melon	32.19	4	160.90	A
Permethrin	N-Outdr Flower	18.50	11	109.50	A
Permethrin	Onion, Dry	713.20	61	3,048.20	A
Permethrin	Public Health	23.69	0	0.00	N/A
Permethrin	Spinach	891.58	173	5,161.79	A
Permethrin	Structural Pest Control	2.32	0	0.00	N/A
Peroxyacetic acid	Arugula	336.94	63	751.32	A
Peroxyacetic acid	Beet	0.04	2	5.40	A
Peroxyacetic acid	Broccoli	432.53	93	2,196.95	A
Peroxyacetic acid	Cabbage	2,995.62	118	3,588.96	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Peroxyacetic acid	Carrot	4.61	1	52.20	A
Peroxyacetic acid	Cauliflower	4.72	47	735.76	A
Peroxyacetic acid	Celery	10.53	34	567.47	A
Peroxyacetic acid	Cilantro	0.94	4	127.04	A
Peroxyacetic acid	Citrus	2.79	0	5,265.00	T
Peroxyacetic acid	Collard	50.02	7	63.53	A
Peroxyacetic acid	Ditch Bank	2,538.33	0	9.00	U
Peroxyacetic acid	Fennel	0.03	2	3.68	A
Peroxyacetic acid	Forage Hay/Silage	1.84	1	74.00	A
Peroxyacetic acid	Kale	350.54	49	775.86	A
Peroxyacetic acid	Lettuce, Head	764.82	261	5,871.09	A
Peroxyacetic acid	Lettuce, Leaf	14,093.17	1,161	24,334.20	A
Peroxyacetic acid	Mizuna	673.32	24	517.62	A
Peroxyacetic acid	Mustard	0.25	5	34.96	A
Peroxyacetic acid	Onion, Dry	135.39	31	1,818.30	A
Peroxyacetic acid	Spinach	5,654.49	311	7,405.44	A
Peroxyacetic acid	Swiss Chard	828.46	38	762.37	A
Peroxyacetic acid	Uncultivated Ag	289.44	16	504.00	A
Peroxyacetic acid	Water Area	575.37	0	1,823.50	A
Petroleum distillates, aromatic	Structural Pest Control	< 0.01	0	0.00	N/A
Phenothrin	Structural Pest Control	0.01	0	0.00	N/A
Phosphoric acid	Alfalfa	2,493.44	649	48,740.17	A
Phosphoric acid	Broccoli	17.67	26	1,019.99	A
Phosphoric acid	Corn, Human Consumption	147.64	169	10,497.70	A
Phosphoric acid	Cotton	7.92	5	332.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Phosphoric acid	Lettuce, Leaf	15.78	78	2,004.19	A
Phosphoric acid	Onion, Dry	63.71	73	5,197.20	A
Phosphoric acid	Rights Of Way	1,812.16	0	0.00	N/A
Phosphoric acid	Sugarbeet	418.87	110	7,645.00	A
Phosphoric acid	Wheat	46.85	9	805.70	A
Piperonyl butoxide	Pepper, Fruiting	0.17	2	0.40	A
Piperonyl butoxide	Public Health	23.69	0	0.00	N/A
Piperonyl butoxide	Structural Pest Control	27.74	0	0.00	N/A
Piperonyl butoxide, other related	Structural Pest Control	0.87	0	0.00	N/A
Polyacrylamide	Alfalfa	121.05	104	7,218.00	A
Polyacrylamide	Bermudagrass	10.57	11	834.40	A
Polyacrylamide	Forage Hay/Silage	4.69	5	301.00	A
Polyacrylamide	Rights Of Way	1.90	0	0.00	N/A
Polyacrylamide	Sugarbeet	100.80	91	5,772.62	A
Polyacrylamide	Uncultivated Ag	8.68	11	562.00	A
Polyacrylamide	Wheat	13.74	9	685.01	A
Polyalkeneoxide modified heptamethyltrisiloxane	Rights Of Way	3.78	0	0.00	N/A
Polybutene	Alfalfa	1,263.30	721	50,986.71	A
Polybutene	Bermudagrass	94.59	48	3,234.40	A
Polybutene	Broccoli	73.90	73	2,244.01	A
Polybutene	Cabbage	134.90	164	4,938.00	A
Polybutene	Carrot	53.91	31	1,615.00	A
Polybutene	Cauliflower	61.10	71	1,684.00	A
Polybutene	Lettuce, Head	157.73	285	5,977.05	A
Polybutene	Lettuce, Leaf	601.41	887	20,366.22	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Polybutene	Sugarbeet	182.55	104	6,190.53	A
Polybutene	Uncultivated Ag	5.55	3	88.00	A
Polybutene	Wheat	56.06	20	1,489.70	A
Polyhedral occlusion bodies (obs') of helicoverpa zea (corn earworm) nucleopolyhedrovirus strain: aba-npv-u	Corn, Human Consumption	12.52	86	5,753.90	A
Polymerized acrylic acid	Alfalfa	507.86	88	6,461.15	A
Polymerized acrylic acid	Onion, Dry	2.91	2	120.00	A
Polymerized acrylic acid	Sugarbeet	539.59	45	4,605.00	A
Polyoxin d, zinc salt	Broccoli	1.69	12	316.80	A
Polyoxin d, zinc salt	Cabbage	0.16	2	30.10	A
Polyoxin d, zinc salt	N-Outdr Flower	4.69	9	83.00	A
Polyoxin d, zinc salt	Onion, Dry	0.95	7	178.20	A
Polyoxyethylene sorbitan mixed fatty acid esters	Uncultivated Non-Ag	6.30	0	369.00	A
Polysaccharide polymer	Alfalfa	2.81	25	1,942.00	A
Polysaccharide polymer	Bermudagrass	1.17	11	834.40	A
Polysaccharide polymer	Sugarbeet	1.40	20	1,272.00	A
Potassium bicarbonate	Cabbage	< 0.01	1	0.04	A
Potassium bicarbonate	Cannabis (All Or Unspecified)	0.05	1	792.00	U
Potassium bicarbonate	Cauliflower	0.42	8	0.30	A
Potassium dimethyldithiocarbamate	Water (Industrial)	19,829.56	0	2.00	U
Potassium laurate	Broccoli	240.27	5	144.27	A
Potassium laurate	Cabbage	125.36	4	72.16	A
Potassium laurate	Cannabis (All Or Unspecified)	0.31	5	5,200.00	U
Potassium laurate	Cauliflower	158.58	5	91.41	A
Potassium laurate	Celery	132.98	3	81.15	A
Potassium laurate	Kale	664.68	4	95.30	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Potassium laurate	Lettuce, Leaf	463.21	10	249.63	A
Potassium laurate	Public Health	89.45	0	0.00	N/A
Potassium laurate	Rapini	291.43	7	323.50	A
Potassium laurate	Spinach	625.54	6	125.08	A
Potassium phosphite	Arugula	115.67	7	62.31	A
Potassium phosphite	Broccoli	116.68	4	69.70	A
Potassium phosphite	Cauliflower	0.15	3	0.12	A
Potassium phosphite	Endive (Escarole)	50.90	10	22.10	A
Potassium phosphite	Kale	526.19	19	302.04	A
Potassium phosphite	Lettuce, Head	2,016.23	66	982.17	A
Potassium phosphite	Lettuce, Leaf	6,191.35	208	3,011.55	A
Potassium phosphite	Mizuna	7.42	4	3.78	A
Potassium phosphite	Mustard	34.07	2	17.46	A
Potassium phosphite	Onion, Dry	73.36	1	66.00	A
Potassium phosphite	Radish	64.41	2	32.56	A
Potassium phosphite	Spinach	6,160.39	137	3,351.09	A
Potassium phosphite	Swiss Chard	49.06	6	25.21	A
Potassium silicate	Arugula	184.70	2	60.68	A
Potassium silicate	Onion, Dry	150.23	2	70.50	A
Prallethrin	Structural Pest Control	0.64	0	0.00	N/A
Prodiamine	Landscape Maintenance	4.00	0	0.00	N/A
Prodiamine	Rights Of Way	< 0.01	0	0.00	N/A
Prometryn	Carrot	198.88	9	430.00	A
Prometryn	Celery	1,020.24	23	625.75	A
Prometryn	Cilantro	501.41	26	421.14	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Prometryn	Fennel	19.98	1	16.00	A
Prometryn	Okra	44.95	2	60.00	A
Prometryn	Parsley	215.74	3	108.00	A
Propamocarb hydrochloride	Cantaloupe	65.62	3	131.50	A
Propamocarb hydrochloride	Lettuce, Head	50.96	3	51.00	A
Propamocarb hydrochloride	Lettuce, Leaf	331.71	15	356.50	A
Propamocarb hydrochloride	Melon	109.34	5	219.20	A
Propamocarb hydrochloride	Pepper, Fruiting	7.92	8	9.06	A
Propamocarb hydrochloride	Watermelon	0.15	4	0.64	A
Propargite	Alfalfa	150.17	3	96.80	A
Propiconazole	Carrot	370.79	74	3,395.40	A
Propiconazole	Celery	62.46	23	582.48	A
Propiconazole	Cilantro	24.00	5	222.00	A
Propiconazole	Onion, Dry	795.19	86	5,234.80	A
Propiconazole	Sugarbeet	1,442.93	184	13,139.40	A
Propiconazole	Wheat	3.57	1	35.00	A
Propionic acid	Alfalfa	969.39	159	9,537.00	A
Propionic acid	Potato	59.41	5	462.00	A
Propionic acid	Wheat	40.84	8	440.00	A
Propylene glycol	Cauliflower	5.21	10	120.22	A
Propylene glycol	Landscape Maintenance	0.88	0	0.00	N/A
Propylene glycol	Uncultivated Ag	55.02	30	675.37	A
Propyzamide	Alfalfa	234.20	1	70.00	A
Propyzamide	Artichoke, Globe	37.64	2	33.00	A
Propyzamide	Endive (Escarole)	40.88	24	47.86	A
Propyzamide	Lettuce, Head	3,253.07	277	5,006.25	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Propyzamide	Lettuce, Leaf	7,321.50	641	10,996.75	A
Pseudomonas chlororaphis subsp. aurantiaca strain: afs009	Broccoli	67.75	2	54.20	A
Pseudomonas chlororaphis subsp. aurantiaca strain: afs009	Collard	48.50	8	38.80	A
Pseudomonas chlororaphis subsp. aurantiaca strain: afs009	Kale	73.50	8	58.80	A
Purpureocillium lilacinum strain 251	Carrot	960.95	150	6,739.12	A
Purpureocillium lilacinum strain 251	Onion, Dry	165.37	28	1,160.00	A
Purpureocillium lilacinum strain 251	Sugarbeet	7.83	2	100.00	A
Purpureocillium lilacinum strain: pl11	Potato	38.68	4	193.40	A
Pydiflumetofen	Cantaloupe	15.90	2	143.00	A
Pydiflumetofen	Celery	12.24	7	100.40	A
Pydiflumetofen	Lettuce, Head	15.53	6	129.00	A
Pydiflumetofen	Lettuce, Leaf	41.94	12	338.00	A
Pydiflumetofen	Onion, Dry	12.76	2	155.00	A
Pyraclostrobin	Alfalfa	19.35	1	112.00	A
Pyraclostrobin	Artichoke, Globe	0.37	1	2.00	A
Pyraclostrobin	Bermudagrass	1,263.69	79	6,735.20	A
Pyraclostrobin	Cabbage	260.48	45	1,534.50	A
Pyraclostrobin	Carrot	31.00	4	162.00	A
Pyraclostrobin	Celery	10.28	4	78.80	A
Pyraclostrobin	Lettuce, Head	10.52	2	70.00	A
Pyraclostrobin	Lettuce, Leaf	186.56	36	1,056.90	A
Pyraclostrobin	N-Outdr Flower	2.88	2	33.00	A
Pyraclostrobin	Onion, Dry	329.99	40	2,520.71	A
Pyraclostrobin	Sugarbeet	12.51	2	78.00	A
Pyraclostrobin	Tangelo	15.58	2	80.00	A
Pyraclostrobin	Tangerine	8.73	2	41.00	A
Pyraclostrobin	Wheat	42.92	24	326.80	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyraflufen-ethyl	Cotton	3.55	56	1,266.59	A
Pyraflufen-ethyl	Uncultivated Ag	2.02	23	644.35	A
Pyrethrins	Alfalfa	0.39	1	10.00	A
Pyrethrins	Arugula	8.60	28	206.79	A
Pyrethrins	Bok Choy (Choy Sum, Pak Choi)	0.19	5	5.29	A
Pyrethrins	Broccoli	8.43	21	197.77	A
Pyrethrins	Brussels Sprout	< 0.01	3	0.03	A
Pyrethrins	Cabbage	1.65	14	36.57	A
Pyrethrins	Cauliflower	1.93	14	43.08	A
Pyrethrins	Celery	2.91	3	62.00	A
Pyrethrins	Collard	< 0.01	3	0.03	A
Pyrethrins	Endive (Escarole)	0.01	2	0.51	A
Pyrethrins	Kale	5.70	34	143.95	A
Pyrethrins	Lettuce, Leaf	65.70	109	1,587.11	A
Pyrethrins	Melon	6.08	3	132.00	A
Pyrethrins	Mizuna	0.86	13	23.64	A
Pyrethrins	Pepper, Fruiting	0.57	44	7.73	A
Pyrethrins	Radicchio	< 0.01	1	0.01	A
Pyrethrins	Rapini	17.13	9	410.00	A
Pyrethrins	Spinach	55.03	58	1,212.04	A
Pyrethrins	Structural Pest Control	6.02	0	0.00	N/A
Pyrethrins	Swiss Chard	2.71	20	71.30	A
Pyrethrins	Watermelon	0.06	12	0.79	A
Pyrimethanil	Onion, Dry	96.50	7	160.00	A
Pyriproxyfen	Cotton	69.19	38	1,059.94	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Pyriproxyfen	Lemon	3.05	2	56.00	A
Pyriproxyfen	Structural Pest Control	2.37	0	0.00	N/A
Pyroxsulam	Alfalfa	0.48	1	18.00	A
Pyroxsulam	Forage Hay/Silage	0.42	1	32.00	A
Pyroxsulam	Triticale	0.96	3	54.80	A
Pyroxsulam	Wheat	17.64	54	1,354.50	A
Quinclorac	Landscape Maintenance	0.02	0	0.00	N/A
Quinoxyfen	Cantaloupe	63.95	23	677.38	A
Quinoxyfen	Lettuce, Head	25.63	12	294.00	A
Quinoxyfen	Lettuce, Leaf	48.44	15	566.78	A
Quinoxyfen	Melon	130.57	31	1,445.52	A
Resmethrin	Structural Pest Control	< 0.01	0	0.00	N/A
Resmethrin, other related	Structural Pest Control	< 0.01	0	0.00	N/A
Reynoutria sachalinensis (giant knotweed) plant extract	Broccoli	2.00	31	19.78	A
Reynoutria sachalinensis (giant knotweed) plant extract	Brussels Sprout	0.01	6	0.06	A
Reynoutria sachalinensis (giant knotweed) plant extract	Cabbage	0.76	32	2.57	A
Reynoutria sachalinensis (giant knotweed) plant extract	Cannabis (All Or Unspecified)	0.09	3	6,784.00	U
Reynoutria sachalinensis (giant knotweed) plant extract	Cauliflower	3.56	41	16.53	A
Reynoutria sachalinensis (giant knotweed) plant extract	Collard	< 0.01	3	0.04	A
Reynoutria sachalinensis (giant knotweed) plant extract	Endive (Escarole)	< 0.01	2	0.02	A
Reynoutria sachalinensis (giant knotweed) plant extract	Kale	0.09	16	0.40	A
Reynoutria sachalinensis (giant knotweed) plant extract	Lettuce, Leaf	< 0.01	1	0.02	A
Reynoutria sachalinensis (giant knotweed) plant extract	Pepper, Fruiting	1.74	27	3.38	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Reynoutria sachalinensis (giant knotweed) plant extract	Radicchio	< 0.01	2	0.02	A
Reynoutria sachalinensis (giant knotweed) plant extract	Swiss Chard	0.04	14	0.19	A
Reynoutria sachalinensis (giant knotweed) plant extract	Watermelon	0.23	11	0.61	A
Rimsulfuron	Lemon	18.28	17	297.46	A
S,s,s-tributyl phosphorotrithioate	Cotton	632.56	23	689.00	A
S-abscisic acid	Grape	89.61	2	270.98	A
S-methoprene	Rights Of Way	45.44	0	0.00	N/A
S-methoprene	Structural Pest Control	0.02	0	0.00	N/A
S-metolachlor	Cotton	76.00	2	73.00	A
S-metolachlor	Potato	1,623.92	17	983.30	A
S-metolachlor	Radish	17.71	16	74.54	A
S-metolachlor	Sorghum (Forage - Fodder)	38.05	2	32.00	A
S-metolachlor	Spinach	15.41	3	26.11	A
Saflufenacil	Alfalfa	177.63	71	4,165.30	A
Saflufenacil	Rights Of Way	2.94	0	0.00	N/A
Saflufenacil	Uncultivated Ag	6.42	4	144.20	A
Sethoxydim	Alfalfa	4,262.36	191	13,095.80	A
Sethoxydim	Broccoli	292.12	26	1,194.80	A
Sethoxydim	Cabbage	26.64	6	132.00	A
Sethoxydim	Cantaloupe	57.48	4	238.00	A
Sethoxydim	Carrot	187.17	12	632.90	A
Sethoxydim	Cauliflower	52.57	4	223.00	A
Sethoxydim	Celery	20.59	3	87.00	A
Sethoxydim	Lettuce, Head	33.38	4	130.00	A
Sethoxydim	Lettuce, Leaf	39.96	3	182.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sethoxydim	Melon	12.98	4	54.00	A
Sethoxydim	Onion, Dry	304.99	19	1,214.00	A
Sethoxydim	Parsley	6.84	3	26.00	A
Sethoxydim	Potato	17.52	2	100.00	A
Sethoxydim	Sugarbeet	55.91	4	231.00	A
Silica gel	Structural Pest Control	25.56	0	0.00	N/A
Sodium bromide	Water (Industrial)	5,350.46	0	13.00	U
Sodium chlorite	Water Area	786.75	0	164.17	U
Sodium dichloro-s-triazinetrione	Water (Industrial)	54,134.32	0	8.00	U
Sodium hypochlorite	Citrus	1,899.24	0	99,852.00	T
Sodium hypochlorite	Food Processing Plant	338.61	0	15,290.00	T
Sodium hypochlorite	Water (Industrial)	1,817.53	0	12.00	U
Sodium tetraborate decahydrate	Rights Of Way	34,721.00	0	0.00	N/A
Sorbitan fatty acid esters	Uncultivated Non-Ag	1.38	0	369.00	A
Soybean oil, ethoxylated	Bermudagrass	91.25	10	431.00	A
Spinetoram	Artichoke, Globe	0.62	2	10.00	A
Spinetoram	Arugula	38.78	72	782.45	A
Spinetoram	Beet	0.96	5	19.21	A
Spinetoram	Broccoli	146.03	87	2,959.74	A
Spinetoram	Cabbage	160.04	113	3,218.90	A
Spinetoram	Cantaloupe	29.91	8	581.00	A
Spinetoram	Cauliflower	71.34	69	1,498.90	A
Spinetoram	Celery	25.84	26	551.03	A
Spinetoram	Corn, Human Consumption	603.49	224	14,124.40	A
Spinetoram	Endive (Escarole)	0.23	5	4.64	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinetoram	Fennel	0.19	2	3.68	A
Spinetoram	Grapefruit	9.94	6	106.00	A
Spinetoram	Herb, Spice	0.94	1	20.00	A
Spinetoram	Kale	18.50	43	372.41	A
Spinetoram	Lemon	127.93	51	1,380.50	A
Spinetoram	Lettuce, Head	412.48	362	8,614.73	A
Spinetoram	Lettuce, Leaf	1,007.15	858	21,151.04	A
Spinetoram	Melon	62.58	30	1,272.80	A
Spinetoram	Mint	0.94	1	20.00	A
Spinetoram	Mizuna	9.53	39	197.77	A
Spinetoram	Mustard	0.09	1	1.95	A
Spinetoram	Onion, Dry	91.96	55	1,912.20	A
Spinetoram	Pepper, Fruiting	12.80	3	210.00	A
Spinetoram	Rapini	122.72	24	2,064.10	A
Spinetoram	Spinach	339.93	262	6,814.88	A
Spinetoram	Sugarbeet	484.69	125	9,970.11	A
Spinetoram	Swiss Chard	15.96	42	336.60	A
Spinetoram	Tangelo	1.78	1	19.00	A
Spinetoram	Tangerine	6.38	4	68.00	A
Spinosad	Alfalfa	4.59	1	74.00	A
Spinosad	Artichoke, Globe	0.11	1	8.00	A
Spinosad	Arugula	56.67	77	608.59	A
Spinosad	Beet	271.16	29	475.20	A
Spinosad	Bok Choy (Choy Sum, Pak Choi)	3.05	12	29.46	A
Spinosad	Broccoli	291.15	100	3,153.29	A
Spinosad	Brussels Sprout	0.99	1	8.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Cabbage	91.49	68	887.21	A
Spinosad	Cantaloupe	0.35	1	43.00	A
Spinosad	Carrot	40.62	12	421.80	A
Spinosad	Cauliflower	64.33	33	708.48	A
Spinosad	Celery	89.87	50	1,014.18	A
Spinosad	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	5.77	18	50.00	A
Spinosad	Cilantro	2.86	5	30.64	A
Spinosad	Collard	2.12	8	20.60	A
Spinosad	Corn, Human Consumption	294.68	64	3,113.00	A
Spinosad	Endive (Escarole)	0.04	1	0.50	A
Spinosad	Garlic	0.10	1	0.80	A
Spinosad	Kale	51.09	73	512.05	A
Spinosad	Lemon	33.80	3	207.00	A
Spinosad	Lettuce, Head	119.82	117	1,218.55	A
Spinosad	Lettuce, Leaf	734.58	593	8,081.42	A
Spinosad	Melon	17.49	6	220.00	A
Spinosad	Mizuna	8.63	33	83.59	A
Spinosad	Mustard	1.05	1	9.72	A
Spinosad	Mustard Greens	28.11	58	290.09	A
Spinosad	N-Outdr Flower	3.68	3	32.50	A
Spinosad	Parsley	0.81	3	8.80	A
Spinosad	Rapini	24.83	7	392.50	A
Spinosad	Spinach	806.24	353	7,144.41	A
Spinosad	Sugarbeet	6.95	2	100.00	A
Spinosad	Swiss Chard	77.36	98	820.92	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spinosad	Turnip	0.08	2	8.00	A
Spinosad	Watermelon	0.39	1	52.00	A
Spiromesifen	Cantaloupe	123.70	24	1,160.00	A
Spiromesifen	Corn, Human Consumption	196.04	20	924.00	A
Spiromesifen	Cotton	50.49	5	259.00	A
Spiromesifen	Melon	66.03	14	585.00	A
Spiromesifen	Pepper, Fruiting	31.90	4	294.00	A
Spirotetramat	Artichoke, Globe	5.92	3	47.00	A
Spirotetramat	Arugula	29.08	30	372.30	A
Spirotetramat	Broccoli	139.48	57	1,829.30	A
Spirotetramat	Cabbage	148.48	70	1,951.50	A
Spirotetramat	Canola (Rape)	13.60	3	179.00	A
Spirotetramat	Carrot	5.66	1	72.00	A
Spirotetramat	Cauliflower	80.92	40	1,061.00	A
Spirotetramat	Celery	61.06	32	886.71	A
Spirotetramat	Endive (Escarole)	0.03	1	0.38	A
Spirotetramat	Grapefruit	43.49	6	276.00	A
Spirotetramat	Kale	29.64	24	384.83	A
Spirotetramat	Lemon	359.73	57	2,317.00	A
Spirotetramat	Lettuce, Head	133.61	66	1,861.89	A
Spirotetramat	Lettuce, Leaf	553.22	298	7,390.76	A
Spirotetramat	Mizuna	7.94	13	100.36	A
Spirotetramat	Mustard	0.16	1	1.95	A
Spirotetramat	Onion, Dry	1.89	1	24.00	A
Spirotetramat	Rapini	115.37	17	1,553.20	A
Spirotetramat	Spinach	149.37	73	1,987.43	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Spirotetramat	Swiss Chard	6.76	11	85.94	A
Spirotetramat	Tangelo	6.31	1	40.00	A
Spirotetramat	Tangerine	6.61	3	42.00	A
Strychnine	Structural Pest Control	0.04	0	0.00	N/A
Sulfometuron-methyl	Landscape Maintenance	330.23	0	0.00	N/A
Sulfometuron-methyl	Rights Of Way	355.55	0	0.00	N/A
Sulfoxaflor	Lettuce, Leaf	0.50	1	10.00	A
Sulfoxaflor	Spinach	1.42	2	41.02	A
Sulfur	Alfalfa	182,077.87	77	6,727.20	A
Sulfur	Artichoke, Globe	537.60	8	91.20	A
Sulfur	Bermudagrass	346,982.93	210	15,800.30	A
Sulfur	Cantaloupe	8,756.72	78	1,925.73	A
Sulfur	Carrot	86,970.31	294	8,480.18	A
Sulfur	Celery	455.86	4	132.25	A
Sulfur	Date	2,896.00	6	249.00	A
Sulfur	Grape	18,178.58	31	3,107.80	A
Sulfur	Grass, Seed	13,906.20	5	473.00	A
Sulfur	Kale	191.76	2	43.74	A
Sulfur	Lemon	536.00	1	67.00	A
Sulfur	Lettuce, Head	187.99	6	51.01	A
Sulfur	Lettuce, Leaf	1,064.97	34	355.87	A
Sulfur	Lime	717.60	1	89.70	A
Sulfur	Melon	14,237.56	58	1,529.23	A
Sulfur	N-Outdr Flower	2.80	1	3.50	A
Sulfur	Onion, Dry	8,834.17	19	1,534.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Sulfur	Sugarbeet	325,982.22	257	17,592.27	A
Sulfur	Tangerine	96.05	1	18.00	A
Sulfur	Watermelon	24,463.74	19	823.71	A
Tall oil	Alfalfa	1,580.06	297	18,455.19	A
Tall oil	Bermudagrass	53.44	17	877.00	A
Tall oil	Broccoli	36.54	11	439.00	A
Tall oil	Corn, Human Consumption	175.12	30	1,572.00	A
Tall oil	Cotton	5.75	8	67.71	A
Tall oil	Onion, Dry	20.28	7	288.00	A
Tall oil	Sugarbeet	77.53	17	982.30	A
Tall oil fatty acids	Alfalfa	9,505.77	891	64,009.49	A
Tall oil fatty acids	Bermudagrass	1,377.39	112	8,774.77	A
Tall oil fatty acids	Carrot	135.05	49	2,203.30	A
Tall oil fatty acids	Celery	1.90	6	165.00	A
Tall oil fatty acids	Cilantro	48.50	6	258.00	A
Tall oil fatty acids	Corn (Forage - Fodder)	115.95	9	1,121.00	A
Tall oil fatty acids	Corn, Human Consumption	2,213.27	109	8,031.00	A
Tall oil fatty acids	Cotton	21.61	37	531.50	A
Tall oil fatty acids	Forage Hay/Silage	13.26	2	121.00	A
Tall oil fatty acids	Landscape Maintenance	1.04	0	0.00	N/A
Tall oil fatty acids	Onion, Dry	457.76	63	3,770.50	A
Tall oil fatty acids	Sugarbeet	4,071.15	278	22,290.20	A
Tall oil fatty acids	Uncultivated Ag	183.80	51	2,373.37	A
Tall oil fatty acids	Wheat	275.03	25	1,852.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Tebuconazole	Bermudagrass	3,383.14	202	15,841.35	A
Tebuconazole	Cantaloupe	21.56	1	131.70	A
Tebuconazole	Forage Hay/Silage	8.07	1	74.00	A
Tebuconazole	Onion, Dry	53.25	5	269.00	A
Tebuthiuron	Rights Of Way	0.09	0	0.00	N/A
Tembotrione	Corn, Human Consumption	25.80	4	330.00	A
Tetraconazole	Cantaloupe	18.62	10	403.10	A
Tetraconazole	Melon	24.00	11	451.65	A
Tetraconazole	Pepper, Fruiting	12.54	3	210.00	A
Tetraconazole	Sugarbeet	2.87	1	69.00	A
Tetramethrin	Structural Pest Control	< 0.01	0	0.00	N/A
Thiabendazole	Citrus	9.36	0	7,413.00	T
Thiamethoxam	Kale	4.68	3	58.55	A
Thiamethoxam	Lemon	47.28	9	451.15	A
Thiamethoxam	Lettuce, Leaf	21.63	11	332.82	A
Thiamethoxam	Melon	60.37	15	616.50	A
Thiamethoxam	Potato	91.55	10	731.50	A
Thiamethoxam	Spinach	70.83	48	1,108.14	A
Thiamethoxam	Structural Pest Control	0.05	0	0.00	N/A
Thidiazuron	Cotton	171.41	63	1,698.93	A
Thiencarbazone-methyl	Wheat	0.98	2	260.00	A
Thiophanate-methyl	Cantaloupe	156.08	19	439.38	A
Thiophanate-methyl	Melon	47.68	6	133.74	A
Thiophanate-methyl	N-Outdr Flower	0.88	1	3.50	A
Thiram	Alfalfa	74.40	0	167,881.00	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiram	Artichoke, Globe	< 0.01	0	10.00	P
Thiram	Asparagus	0.17	0	136.00	P
Thiram	Basil, Sweet	1.01	0	626.45	P
Thiram	Bean, Unspecified	1.76	0	1,881.84	P
Thiram	Beet	56.05	0	24,725.51	P
Thiram	Broccoli	5.78	0	3,353.42	P
Thiram	Brussels Sprout	< 0.01	0	4.41	P
Thiram	Cabbage	40.60	0	16,477.49	P
Thiram	Cantaloupe	0.05	0	47.00	P
Thiram	Carrot	60.18	0	29,620.81	P
Thiram	Cauliflower	2.10	0	1,078.68	P
Thiram	Celery	0.16	0	176.00	P
Thiram	Chive	0.29	0	130.23	P
Thiram	Cilantro	16.77	0	13,459.00	P
Thiram	Collard	0.48	0	394.00	P
Thiram	Cucumber	22.01	0	16,105.39	P
Thiram	Dill	1.18	0	1,669.09	P
Thiram	Eggplant	4.45	0	2,272.04	P
Thiram	Herb, Spice	1.77	0	1,424.00	P
Thiram	Kale	0.25	0	244.00	P
Thiram	Leek	25.17	0	11,455.00	P
Thiram	Lettuce, Head	0.49	0	440.69	P
Thiram	Lettuce, Leaf	20.20	0	8,587.85	P
Thiram	Melon	38.64	0	27,607.00	P
Thiram	Mint	0.03	0	40.05	P
Thiram	Mustard	0.91	0	367.00	P
Thiram	Okra	46.56	0	37,074.00	P

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Thiram	Onion, Dry	161.79	0	114,366.81	P
Thiram	Oregano	< 0.01	0	5.00	P
Thiram	Parsley	0.82	0	656.00	P
Thiram	Peas	1.26	0	1,345.00	P
Thiram	Pepper, Spice	29.18	0	13,558.95	P
Thiram	Pumpkin	1.89	0	1,347.00	P
Thiram	Radish	117.87	0	118,203.91	P
Thiram	Rosemary	< 0.01	0	4.41	P
Thiram	Sage	0.02	0	6.61	P
Thiram	Spinach	12.76	0	9,308.03	P
Thiram	Squash	99.46	0	52,128.08	P
Thiram	Swiss Chard	24.17	0	21,682.00	P
Thiram	Thyme	< 0.01	0	2.00	P
Thiram	Tomato	1.53	0	1,089.40	P
Thiram	Turnip	77.83	0	31,216.69	P
Thiram	Vegetable	297.34	0	238,514.00	P
Thiram	Watermelon	6.21	0	5,127.19	P
Tolfenpyrad	Lemon	5.34	2	19.00	A
Triallate	Bermudagrass	923.20	9	618.80	A
Tribenuron-methyl	Wheat	9.97	15	761.80	A
Triclopyr, butoxyethyl ester	Alfalfa	59.23	10	10.00	A
Triclopyr, butoxyethyl ester	Landscape Maintenance	14.81	0	0.00	N/A
Triclopyr, butoxyethyl ester	Rangeland	148.94	0	143.00	A
Triclopyr, butoxyethyl ester	Rights Of Way	1,854.12	0	0.00	N/A
Triclopyr, butoxyethyl ester	Uncultivated Non-Ag	4.86	0	24.00	A
Triclopyr, triethylamine salt	Airport	2.09	0	2.00	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Triclopyr, triethylamine salt	Landscape Maintenance	3,326.45	0	0.00	N/A
Triclopyr, triethylamine salt	Rights Of Way	26,217.56	0	0.00	N/A
Triclopyr, triethylamine salt	Uncultivated Ag	3.95	0	1.50	A
Triclopyr, triethylamine salt	Uncultivated Non-Ag	157.17	0	345.00	A
Triethanolamine	Alfalfa	309.01	268	15,475.49	A
Triethanolamine	Corn, Human Consumption	3.68	30	1,572.00	A
Triethanolamine	Sugarbeet	18.32	16	1,037.30	A
Trifloxystrobin	Carrot	30.28	2	248.00	A
Trifloxystrobin	Celery	1.54	2	16.80	A
Trifloxystrobin	Lettuce, Leaf	8.04	6	64.90	A
Triflumizole	Cantaloupe	387.81	42	1,614.02	A
Triflumizole	Corn, Human Consumption	9.80	1	53.00	A
Triflumizole	Kale	0.16	1	0.57	A
Triflumizole	Lettuce, Leaf	12.97	2	54.30	A
Triflumizole	Melon	248.01	39	1,294.94	A
Trifluralin	Alfalfa	55,679.17	384	26,405.56	A
Trifluralin	Asparagus	94.97	2	47.00	A
Trifluralin	Bermudagrass	40,252.56	271	20,215.46	A
Trifluralin	Broccoli	1,042.85	166	3,311.87	A
Trifluralin	Cabbage	165.71	11	586.00	A
Trifluralin	Cantaloupe	1,794.97	35	2,196.00	A
Trifluralin	Carrot	2,276.79	71	3,841.04	A
Trifluralin	Cauliflower	155.42	6	166.70	A
Trifluralin	Celery	358.53	12	386.20	A
Trifluralin	Cotton	187.14	10	246.90	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Trifluralin	Kale	85.49	11	120.96	A
Trifluralin	Melon	1,202.07	31	1,429.80	A
Trifluralin	N-Outdr Plants In Containers	1,608.20	10	1,591.73	A
Trifluralin	Okra	90.92	2	60.00	A
Trifluralin	Radish	50.82	1	70.00	A
Trifluralin	Rapini	4.53	2	9.00	A
Trifluralin	Rights Of Way	29.50	0	0.00	N/A
Triflusulfuron-methyl	Sugarbeet	202.22	111	8,789.80	A
Triticonazole	Structural Pest Control	< 0.01	0	0.00	N/A
Urea dihydrogen sulfate	Cotton	294.23	110	2,959.20	A
Urea dihydrogen sulfate	Uncultivated Ag	75.22	223	7,348.11	A
Vegetable oil	Alfalfa	1,724.90	107	4,467.80	A
Vinyl polymer	Alfalfa	14.12	62	3,634.00	A
Vinyl polymer	Bermudagrass	15.12	44	2,693.00	A
Vinyl polymer	Broccoli	2.13	13	263.60	A
Vinyl polymer	Forage Hay/Silage	0.35	2	214.00	A
Vinyl polymer	Sugarbeet	17.15	81	5,011.75	A
Zeta-cypermethrin	Alfalfa	716.04	481	29,519.60	A
Zeta-cypermethrin	Artichoke, Globe	1.57	5	63.00	A
Zeta-cypermethrin	Arugula	13.09	37	531.97	A
Zeta-cypermethrin	Bermudagrass	22.86	16	970.10	A
Zeta-cypermethrin	Bok Choy (Choy Sum, Pak Choi)	0.34	3	13.52	A
Zeta-cypermethrin	Broccoli	106.76	107	4,486.21	A
Zeta-cypermethrin	Cabbage	27.81	43	1,174.31	A
Zeta-cypermethrin	Canola (Rape)	8.51	9	367.50	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zeta-cypermethrin	Cantaloupe	7.06	14	447.60	A
Zeta-cypermethrin	Carrot	39.62	28	1,649.18	A
Zeta-cypermethrin	Cauliflower	35.16	52	1,472.35	A
Zeta-cypermethrin	Celery	10.82	25	446.85	A
Zeta-cypermethrin	Chinese Cabbage (Napa, Wong Bok, Celery Cabbage)	0.56	3	22.55	A
Zeta-cypermethrin	Cilantro	0.80	1	42.00	A
Zeta-cypermethrin	Corn, Human Consumption	258.17	150	10,258.55	A
Zeta-cypermethrin	Endive (Escarole)	1.21	23	47.67	A
Zeta-cypermethrin	Forage Hay/Silage	1.60	2	64.00	A
Zeta-cypermethrin	Grass, Seed	9.26	12	432.60	A
Zeta-cypermethrin	Kale	9.63	34	393.27	A
Zeta-cypermethrin	Lemon	10.51	15	328.00	A
Zeta-cypermethrin	Lettuce, Head	140.84	271	5,736.81	A
Zeta-cypermethrin	Lettuce, Leaf	451.54	551	10,796.16	A
Zeta-cypermethrin	Melon	0.61	3	41.00	A
Zeta-cypermethrin	Mizuna	3.01	10	127.69	A
Zeta-cypermethrin	Mustard	0.62	3	24.93	A
Zeta-cypermethrin	Onion, Dry	13.98	18	616.20	A
Zeta-cypermethrin	Pepper, Fruiting	38.43	16	1,125.40	A
Zeta-cypermethrin	Spinach	53.59	106	2,218.97	A
Zeta-cypermethrin	Structural Pest Control	0.07	0	0.00	N/A
Zeta-cypermethrin	Sugarbeet	1,002.97	560	40,376.94	A
Zeta-cypermethrin	Swiss Chard	3.05	12	123.97	A

Chemical	Commodity or Site	Pounds Applied	Apps	Area Treated	Unit Treated
Zinc phosphide	Structural Pest Control	0.16	0	0.00	N/A