# 2024 Annual Statewide Pesticide Use Report Indexed by Chemical: Placer County

Text files of data are available. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, N/A = Not Available. Area treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative area treated would equal three acres. Most nonagricultural pesticide use reports are not required to report area treated, so the area treated totals are predominantly agricultural pesticide uses. Application counts (Apps) include only agricultural pesticide uses. N-outdr = Outdoor nursery. N-grnhs = Greenhouse nursery. For more information, see Pesticide Use Annual Report Data Access, References, and Definitions Guide.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| (e)-5-decen-1-ol | Almond | < 0.01 | 2 | 0.40 | A |
| (e)-5-decen-1-ol | Apricot | < 0.01 | 2 | 3.00 | A |
| (e)-5-decen-1-ol | Cherry | < 0.01 | 2 | 1.50 | A |
| (e)-5-decen-1-ol | N-Outdr Plants In Containers | 0.04 | 2 | 16.00 | A |
| (e)-5-decen-1-ol | Nectarine | < 0.01 | 2 | 1.10 | A |
| (e)-5-decen-1-ol | Peach | 0.02 | 2 | 14.00 | A |
| (e)-5-decen-1-ol | Plum | < 0.01 | 2 | 10.00 | A |
| (e)-5-decen-1-ol | Pluot | < 0.01 | 2 | 2.00 | A |
| (e)-5-decenyl acetate | Almond | < 0.01 | 2 | 0.40 | A |
| (e)-5-decenyl acetate | Apricot | < 0.01 | 2 | 3.00 | A |
| (e)-5-decenyl acetate | Cherry | < 0.01 | 2 | 1.50 | A |
| (e)-5-decenyl acetate | N-Outdr Plants In Containers | 0.01 | 2 | 16.00 | A |
| (e)-5-decenyl acetate | Nectarine | < 0.01 | 2 | 1.10 | A |
| (e)-5-decenyl acetate | Peach | < 0.01 | 2 | 14.00 | A |
| (e)-5-decenyl acetate | Plum | < 0.01 | 2 | 10.00 | A |
| (e)-5-decenyl acetate | Pluot | < 0.01 | 2 | 2.00 | A |
| (e,e)-8,10-dodecadien-1-ol | Apple | 0.11 | 2 | 3.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| (e,e)-8,10-dodecadien-1-ol | Pear | 0.11 | 2 | 3.00 | A |
| (e,e)-8,10-dodecadien-1-ol | Quince | 0.01 | 2 | 0.40 | A |
| (e,e)-8,10-dodecadien-1-ol | Walnut | 3.59 | 2 | 92.00 | A |
| (e,e)-8,10-dodecadien-1-ol | Walnut | < 0.01 | 2 | 6.00 | U |
| (s)-verbenone | Landscape Maintenance | 0.33 | 0 | 0.00 | N/A |
| (z,z)-11,13-hexadecadienal | Almond | 8.32 | 3 | 734.00 | A |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (Industrial) | 57.22 | 0 | 51.00 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (Industrial) | 31.48 | 0 | 51.00 | U |
| 1,3-dichloropropene | Soil Fumigation/Pre plant | 2,108.90 | 1 | 9.80 | A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (Industrial) | 107.32 | 0 | 51.00 | U |
| 2,2-dibromo-3-nitrilopropionamide | Industrial Processing Water | 9.75 | 0 | 1.00 | A |
| 2,2-dibromo-3-nitrilopropionamide | Water (Industrial) | 15.60 | 0 | 2.00 | A |
| 2,2-dibromo-3-nitrilopropionamide | Water (Industrial) | 11.76 | 0 | 144.00 | U |
| 2,4-d, 2-ethylhexyl ester | Landscape Maintenance | 77.46 | 0 | 0.00 | N/A |
| 2,4-d, 2-ethylhexyl ester | N-Grnhs Flower | 1.22 | 0 | 0.70 | A |
| 2,4-d, 2-ethylhexyl ester | Rights Of Way | 3.20 | 0 | 0.00 | N/A |
| 2,4-d, 2-ethylhexyl ester | Structural Pest Control | 0.01 | 0 | 0.00 | N/A |
| 2,4-d, 2-ethylhexyl ester | Turf/Sod | 3.11 | 0 | 30.00 | A |
| 2,4-d, dimethylamine salt | Landscape Maintenance | 74.86 | 0 | 0.00 | N/A |
| 2,4-d, dimethylamine salt | Oat (Forage - Fodder) | 66.05 | 2 | 159.00 | A |
| 2,4-d, dimethylamine salt | Pastureland | 121.46 | 4 | 142.00 | A |
| 2,4-d, dimethylamine salt | Uncultivated Ag | 25.68 | 2 | 30.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| 2,4-d, isooctyl ester | Landscape Maintenance | 1.73 | 0 | 0.00 | N/A |
| 2,4-d, isooctyl ester | N-Grnhs Flower | 69.18 | 0 | 36.20 | A |
| 2,4-dichlorophenoxyacetic acid, choline salt | Rights Of Way | 10.05 | 0 | 0.00 | N/A |
| 2,4-dp-p, 2-ethylhexyl ester | Landscape Maintenance | 25.57 | 0 | 0.00 | N/A |
| 2,4-dp-p, 2-ethylhexyl ester | Rights Of Way | 1.84 | 0 | 0.00 | N/A |
| 2,4-dp-p, 2-ethylhexyl ester | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| 2,4-dp-p, 2-ethylhexyl ester | Turf/Sod | 1.79 | 0 | 30.00 | A |
| 2,4-dp-p, dma salt | Landscape Maintenance | 0.85 | 0 | 0.00 | N/A |
| 2-methyl-1-butanol | Structural Pest Control | 0.04 | 0 | 0.00 | N/A |
| 2-methyl-4-isothiazolin-3-one | Water (Industrial) | 4.06 | 0 | 50.00 | U |
| 4-aminopyridine | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| 4-aminopyridine | Structural Pest Control | 0.26 | 0 | 0.00 | N/A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (Industrial) | 11.57 | 0 | 50.00 | U |
| Abamectin | Almond | 21.46 | 11 | 972.75 | A |
| Abamectin | Apple | 0.05 | 1 | 10.00 | A |
| Abamectin | Grape, Wine | 0.76 | 7 | 41.95 | A |
| Abamectin | Landscape Maintenance | 1.14 | 0 | 0.00 | N/A |
| Abamectin | N-Grnhs Plants In Containers | < 0.01 | 1 | 1.25 | A |
| Abamectin | N-Outdr Plants In Containers | 1.13 | 21 | 57.50 | A |
| Abamectin | Strawberry | 0.02 | 10 | 4.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Abamectin | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Abamectin | Walnut | 7.95 | 5 | 379.00 | A |
| Abamectin, other related | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Acephate | Landscape Maintenance | 10.81 | 0 | 0.00 | N/A |
| Acephate | N-Outdr Plants In Containers | 19.80 | 9 | 30.40 | A |
| Acephate | Structural Pest Control | 18.31 | 0 | 0.00 | N/A |
| Acetamiprid | Apple | 0.03 | 2 | 0.24 | A |
| Acetamiprid | Grape, Wine | 0.39 | 1 | 2.50 | A |
| Acetamiprid | Landscape Maintenance | 0.43 | 0 | 0.00 | N/A |
| Acetamiprid | N-Grnhs Plants In Containers | 0.05 | 1 | 1.00 | A |
| Acetamiprid | N-Outdr Plants In Containers | 16.83 | 37 | 107.00 | A |
| Acetamiprid | Peach | 0.10 | 3 | 0.77 | A |
| Acetamiprid | Plum | 0.03 | 1 | 0.19 | A |
| Acetamiprid | Structural Pest Control | 0.17 | 0 | 0.00 | N/A |
| Acetamiprid | Walnut | 60.60 | 4 | 180.00 | A |
| Acibenzolar-s-methyl | Landscape Maintenance | 1.04 | 0 | 0.00 | N/A |
| Acibenzolar-s-methyl | N-Grnhs Flower | 0.03 | 0 | 2.75 | A |
| Afidopyropen | N-Grnhs Plants In Containers | 0.01 | 1 | 0.75 | A |
| Aggregated adjuvant data | Almond | 2,331.41 | 87 | 10,590.53 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aggregated adjuvant data | Apple | 57.45 | 17 | 75.60 | A |
| Aggregated adjuvant data | Apricot | 0.29 | 2 | 2.00 | A |
| Aggregated adjuvant data | Broccoli | < 0.01 | 1 | 0.25 | A |
| Aggregated adjuvant data | Citrus | 1.30 | 1 | 0.50 | A |
| Aggregated adjuvant data | Forage Hay/Silage | 328.09 | 16 | 1,384.00 | A |
| Aggregated adjuvant data | Forest, Timberland | 12,428.21 | 225 | 4,716.34 | A |
| Aggregated adjuvant data | Forest, Timberland | 1,186.36 | 0 | 6.00 | U |
| Aggregated adjuvant data | Grape, Wine | 98.42 | 87 | 592.91 | A |
| Aggregated adjuvant data | Landscape Maintenance | 680.75 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | N-Outdr Plants In Containers | 106.05 | 143 | 383.85 | A |
| Aggregated adjuvant data | N-Outdr Plants In Containers | 36.00 | 3 | 4.00 | S |
| Aggregated adjuvant data | Nectarine | 9.30 | 11 | 53.50 | A |
| Aggregated adjuvant data | Oat (Forage - Fodder) | 71.22 | 4 | 318.00 | A |
| Aggregated adjuvant data | Pastureland | 129.20 | 11 | 506.00 | A |
| Aggregated adjuvant data | Peach | 14.97 | 25 | 76.48 | A |
| Aggregated adjuvant data | Pear | 0.53 | 2 | 1.25 | A |
| Aggregated adjuvant data | Pistachio | 86.53 | 6 | 182.00 | A |
| Aggregated adjuvant data | Plum | 2.50 | 8 | 13.41 | A |
| Aggregated adjuvant data | Prune | 0.07 | 1 | 0.50 | A |
| Aggregated adjuvant data | Rangeland | 1.16 | 2 | 110.00 | A |
| Aggregated adjuvant data | Rice | 4,848.70 | 180 | 11,705.90 | A |
| Aggregated adjuvant data | Rights Of Way | 1,001.49 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Sorghum (Forage - Fodder) | 83.03 | 12 | 236.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aggregated adjuvant data | Structural Pest Control | 280.72 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Uncultivated Ag | 113.60 | 34 | 376.15 | A |
| Aggregated adjuvant data | Uncultivated Non-Ag | 28.45 | 3 | 228.90 | A |
| Aggregated adjuvant data | Walnut | 4,295.26 | 132 | 12,114.63 | A |
| Aggregated adjuvant data | Water Area | 1.71 | 0 | 67.78 | A |
| Aggregated adjuvant data | Water Area | 9.03 | 0 | 82.00 | U |
| Aggregated adjuvant data | Wheat | 1,087.06 | 22 | 3,114.80 | A |
| Aggregated adjuvant data | Wheat (Forage - Fodder) | 220.74 | 8 | 876.00 | A |
| Alcohols, c12-14-secondary, ethoxylated | Almond | 11.12 | 8 | 156.00 | A |
| Alcohols, c12-14-secondary, ethoxylated | Citrus | 1.43 | 6 | 14.50 | A |
| Alkyl (68%c12, 32%c14) dimethylethylbenzyl ammonium chloride | Structural Pest Control | 0.08 | 0 | 0.00 | N/A |
| Alkyl (c8,c10) polyglucoside | Landscape Maintenance | 203.88 | 0 | 0.00 | N/A |
| Alkyl* dimethyl benzyl ammonium chloride *(50%c14, 40%c12, 10%c16) | Structural Pest Control | 0.39 | 0 | 0.00 | N/A |
| Alkyl* dimethyl benzyl ammonium chloride *(60%c14, 30%c16, 5%c18, 5%c12) | Structural Pest Control | 0.08 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Almond | 705.98 | 47 | 4,801.85 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Apple | 0.48 | 7 | 4.60 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Forest, Timberland | 798.99 | 156 | 3,497.77 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, Wine | 118.62 | 51 | 240.60 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape Maintenance | 104.13 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-Outdr Plants In Containers | 78.34 | 100 | 254.25 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rice | 854.05 | 99 | 5,832.30 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 489.67 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated Ag | 21.20 | 11 | 134.65 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated Non-Ag | 6.97 | 3 | 186.40 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Walnut | 773.03 | 47 | 3,390.21 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Water Area | 0.18 | 0 | 5.50 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Grape, Wine | 5.38 | 11 | 124.69 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Rice | 356.43 | 35 | 1,974.10 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Uncultivated Ag | 14.00 | 9 | 69.75 | A |
| Alpha-cypermethrin | Structural Pest Control | 97.77 | 0 | 0.00 | N/A |
| Alpha-pinene-beta-pinene copolymer | Grape, Wine | 19.76 | 6 | 115.40 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Almond | 5.19 | 6 | 341.78 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape Maintenance | 80.23 | 0 | 0.00 | N/A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | N-Outdr Plants In Containers | 24.92 | 37 | 103.75 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights Of Way | 398.64 | 0 | 0.00 | N/A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated Non-Ag | 9.09 | 0 | 203.90 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Water Area | 0.51 | 0 | 1.00 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Water Area | 6.02 | 0 | 82.00 | U |
| Aluminum phosphide | Beehive | 3.97 | 2 | 2,500.00 | U |
| Aminocyclopyrachlor, potassium salt | Rights Of Way | 15.55 | 0 | 0.00 | N/A |
| Aminocyclopyrachlor, potassium salt | Uncultivated Non-Ag | 5.62 | 0 | 42.50 | A |
| Aminopyralid, triisopropanolamine salt | Forest, Timberland | 53.72 | 12 | 347.48 | A |
| Aminopyralid, triisopropanolamine salt | Landscape Maintenance | 22.14 | 0 | 0.00 | N/A |
| Aminopyralid, triisopropanolamine salt | Rights Of Way | 212.14 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aminopyralid, triisopropanolamine salt | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Ammonium 1-naphthaleneacetate | Landscape Maintenance | 1.52 | 0 | 0.00 | N/A |
| Ammonium nitrate | Grape, Wine | 0.60 | 3 | 8.80 | A |
| Ammonium nitrate | Rice | 96.61 | 26 | 1,778.00 | A |
| Ammonium nitrate | Uncultivated Ag | 14.77 | 12 | 164.75 | A |
| Ammonium nitrate | Walnut | 2.94 | 4 | 127.00 | A |
| Ammonium soaps of fatty acids | Landscape Maintenance | 0.34 | 0 | 0.00 | N/A |
| Ammonium sulfate | Almond | 960.31 | 21 | 1,567.50 | A |
| Ammonium sulfate | Grape, Wine | 10.20 | 8 | 43.29 | A |
| Ammonium sulfate | Rice | 1,804.84 | 65 | 3,458.30 | A |
| Ammonium sulfate | Uncultivated Ag | 29.81 | 12 | 164.75 | A |
| Ammonium sulfate | Walnut | 1,590.43 | 23 | 1,708.21 | A |
| Ancymidol | N-Grnhs Plants In Containers | < 0.01 | 2 | 0.50 | A |
| Ancymidol | N-Grnhs Plants In Containers | < 0.01 | 2 | 2,500.00 | S |
| Aureobasidium pullulans subspecies pullulans dsm # 14940 | Peach | 0.80 | 2 | 4.00 | A |
| Aureobasidium pullulans subspecies pullulans dsm # 14941 | Peach | 0.80 | 2 | 4.00 | A |
| Azadirachtin | N-Outdr Plants In Containers | 0.69 | 13 | 33.50 | A |
| Azoxystrobin | Almond | 391.35 | 19 | 1,935.00 | A |
| Azoxystrobin | Landscape Maintenance | 120.35 | 0 | 0.00 | N/A |
| Azoxystrobin | N-Grnhs Flower | 1.29 | 0 | 2.75 | A |
| Azoxystrobin | N-Grnhs Plants In Containers | 0.11 | 3 | 2.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Azoxystrobin | N-Grnhs Plants In Containers | < 0.01 | 1 | 300.00 | S |
| Azoxystrobin | Rice | 421.07 | 28 | 1,786.10 | A |
| Azoxystrobin | Turf/Sod | 9.17 | 0 | 18.00 | A |
| Bacillus altitudinis strain: qst 2808 | Almond | 44.05 | 3 | 734.00 | A |
| Bacillus sphaericus 2362 serotype h5a5b strain: abts 1743 | Public Health | 15.55 | 0 | 0.00 | N/A |
| Bacillus subtilis subspecies subtilis strain: iab/bs03 | Citrus | 0.07 | 4 | 7.60 | A |
| Bacillus thuringiensis subsp. israelensis strain: am 65-52 | N-Grnhs Plants In Containers | 0.14 | 1 | 1,200.00 | S |
| Bacillus thuringiensis subsp. israelensis strain: am 65-52 | Public Health | 8,706.96 | 0 | 0.00 | N/A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | Apple | 5.94 | 2 | 8.00 | A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | Broccoli | 0.01 | 2 | 1.50 | A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | N-Grnhs Plants In Containers | 0.27 | 1 | 0.25 | A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | Pear | 0.54 | 1 | 1.00 | A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | Plum | 1.08 | 2 | 2.00 | A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | Squash, Summer | 0.41 | 1 | 0.25 | A |
| Bacillus thuringiensis subsp. kurstaki strain: sa-12 | Landscape Maintenance | 0.50 | 0 | 0.00 | N/A |
| Bacillus thuringiensis subsp. kurstaki strain: sa-12 | Structural Pest Control | 0.61 | 0 | 0.00 | N/A |
| Bacillus thuringiensis subspecies israelensis strain bmp 144 | Structural Pest Control | 0.01 | 0 | 0.00 | N/A |
| Bacillus velezensis strain: d747 | Apple | 6.61 | 1 | 1.50 | A |
| Bacillus velezensis strain: d747 | Apricot | 0.44 | 1 | 1.00 | A |
| Bacillus velezensis strain: d747 | N-Outdr Plants In Containers | 39.65 | 2 | 4.30 | A |
| Bacillus velezensis strain: d747 | Nectarine | 66.08 | 3 | 15.00 | A |
| Bacillus velezensis strain: d747 | Peach | 105.73 | 3 | 24.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bacillus velezensis strain: d747 | Plum | 24.23 | 2 | 5.50 | A |
| Bacillus velezensis strain: d747 | Prune | 2.20 | 1 | 0.50 | A |
| Bacillus velezensis strain: gb03 | Landscape Maintenance | 0.01 | 0 | 0.00 | N/A |
| Bacillus velezensis strain: qst 713 | Almond | 41.79 | 3 | 734.00 | A |
| Beauveria bassiana strain: gha | Landscape Maintenance | 0.01 | 0 | 0.00 | N/A |
| Beauveria bassiana strain: gha | Public Health | 0.03 | 0 | 0.00 | N/A |
| Beauveria bassiana strain: gha | Structural Pest Control | 5.67 | 0 | 0.00 | N/A |
| Bensulfuron methyl | Rice | 19.10 | 4 | 327.00 | A |
| Bensulide | Landscape Maintenance | 59.53 | 0 | 0.00 | N/A |
| Bensulide | N-Outdr Plants In Containers | 14.87 | 7 | 4.00 | A |
| Benzobicyclon | Rice | 507.70 | 31 | 2,195.30 | A |
| Benzoic acid | Landscape Maintenance | 0.02 | 0 | 0.00 | N/A |
| Benzovindiflupyr | Landscape Maintenance | 5.03 | 0 | 0.00 | N/A |
| Benzovindiflupyr | Turf/Sod | 0.20 | 0 | 3.00 | A |
| Beta-conglutin | N-Outdr Plants In Containers | 4.25 | 1 | 6.00 | A |
| Beta-cyfluthrin | Almond | 3.27 | 2 | 165.00 | A |
| Beta-cyfluthrin | Landscape Maintenance | 2.51 | 0 | 0.00 | N/A |
| Beta-cyfluthrin | N-Outdr Plants In Containers | 0.10 | 7 | 1.76 | A |
| Beta-cyfluthrin | Structural Pest Control | 23.67 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bifenazate | Almond | 897.88 | 10 | 1,434.00 | A |
| Bifenazate | N-Outdr Plants In Containers | 1.12 | 1 | 1.40 | A |
| Bifenazate | Walnut | 698.14 | 20 | 1,684.21 | A |
| Bifenthrin | Almond | 248.18 | 13 | 1,337.00 | A |
| Bifenthrin | Landscape Maintenance | 18.97 | 0 | 0.00 | N/A |
| Bifenthrin | N-Outdr Flower | 0.15 | 2 | 0.50 | A |
| Bifenthrin | N-Outdr Plants In Containers | 5.82 | 15 | 39.10 | A |
| Bifenthrin | Pistachio | 3.81 | 2 | 19.00 | A |
| Bifenthrin | Residential | < 0.01 | 0 | 1,600.00 | S |
| Bifenthrin | Structural Pest Control | 1,086.11 | 0 | 0.00 | N/A |
| Bifenthrin | Uncultivated Non-Ag | 0.12 | 1 | 8.00 | A |
| Bifenthrin | Walnut | 279.02 | 13 | 1,393.00 | A |
| Bispyribac-sodium | Rice | 23.19 | 10 | 591.40 | A |
| Boric acid | Landscape Maintenance | 725.80 | 0 | 0.00 | N/A |
| Boric acid | Structural Pest Control | 4,690.55 | 0 | 0.00 | N/A |
| Boscalid | Almond | 154.67 | 15 | 982.00 | A |
| Boscalid | Grape, Wine | 12.49 | 9 | 57.50 | A |
| Boscalid | N-Grnhs Plants In Containers | 3.09 | 11 | 12.25 | A |
| Boscalid | N-Outdr Plants In Containers | 1.91 | 7 | 8.90 | A |
| Boscalid | Peach | 4.72 | 2 | 50.00 | A |
| Brodifacoum | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bromadiolone | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Bromethalin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Bromethalin | Residential | < 0.01 | 0 | 17,084.00 | S |
| Bromethalin | Structural Pest Control | 2.64 | 0 | 0.00 | N/A |
| Bromethalin | Vertebrate Control | < 0.01 | 0 | 0.00 | N/A |
| Burkholderia rinojensis strain a396 | Nectarine | 116.85 | 2 | 13.50 | A |
| Burkholderia rinojensis strain a396 | Peach | 129.83 | 2 | 15.00 | A |
| Calcium acetate | Structural Pest Control | 0.14 | 0 | 0.00 | N/A |
| Calcium oxytetracycline | N-Outdr Plants In Containers | 1.97 | 6 | 12.30 | A |
| Canola oil | Apple | 2.90 | 1 | 8.00 | U |
| Canola oil | Apricot | 0.75 | 1 | 3.00 | U |
| Canola oil | Cherry | 0.64 | 1 | 3.00 | U |
| Canola oil | Nectarine | 0.32 | 1 | 3.00 | U |
| Canola oil | Peach | 1.88 | 1 | 8.00 | U |
| Canola oil | Pear | 0.64 | 1 | 5.00 | U |
| Capric acid | Citrus | 0.90 | 2 | 10.00 | A |
| Caprylic acid | Citrus | 1.32 | 2 | 10.00 | A |
| Carbaryl | Forest, Timberland | 30.08 | 0 | 38.00 | U |
| Carbaryl | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Carbon | Landscape Maintenance | 0.02 | 0 | 0.00 | N/A |
| Carbon dioxide | Structural Pest Control | 3,250.38 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Carbon dioxide | Vertebrate Control | 81.92 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Almond | 0.81 | 2 | 27.50 | A |
| Carfentrazone-ethyl | Apple | 0.01 | 1 | 4.00 | A |
| Carfentrazone-ethyl | Forage Hay/Silage | 5.62 | 6 | 412.00 | A |
| Carfentrazone-ethyl | Grape, Wine | 1.05 | 5 | 36.69 | A |
| Carfentrazone-ethyl | Landscape Maintenance | 9.19 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | N-Grnhs Flower | 0.16 | 0 | 5.08 | A |
| Carfentrazone-ethyl | Oat (Forage - Fodder) | 2.17 | 2 | 159.00 | A |
| Carfentrazone-ethyl | Rice | 154.89 | 9 | 868.10 | A |
| Carfentrazone-ethyl | Rights Of Way | 0.17 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Turf/Sod | 1.49 | 0 | 52.50 | A |
| Carfentrazone-ethyl | Wheat | 6.74 | 8 | 460.40 | A |
| Carfentrazone-ethyl | Wheat (Forage - Fodder) | 3.94 | 3 | 268.00 | A |
| Chlorantraniliprole | Almond | 134.72 | 17 | 1,839.75 | A |
| Chlorantraniliprole | Apple | 3.50 | 4 | 40.00 | A |
| Chlorantraniliprole | Landscape Maintenance | 15.48 | 0 | 0.00 | N/A |
| Chlorantraniliprole | N-Outdr Plants In Containers | 1.82 | 5 | 20.90 | A |
| Chlorantraniliprole | Pistachio | 3.10 | 3 | 38.00 | A |
| Chlorantraniliprole | Structural Pest Control | 0.22 | 0 | 0.00 | N/A |
| Chlorantraniliprole | Walnut | 30.54 | 4 | 349.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chlorfenapyr | Structural Pest Control | 48.60 | 0 | 0.00 | N/A |
| Chlorine dioxide | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Chlormequat chloride | N-Grnhs Plants In Containers | 0.17 | 1 | 0.50 | A |
| Chlormequat chloride | N-Grnhs Plants In Containers | 0.15 | 8 | 4,300.00 | S |
| Chlorophacinone | Landscape Maintenance | 0.05 | 0 | 0.00 | N/A |
| Chlorophacinone | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Chlorophacinone | Vertebrate Control | < 0.01 | 0 | 0.00 | N/A |
| Chloropicrin | Soil Fumigation/Pre plant | 5,941.91 | 4 | 37.10 | A |
| Chlorothalonil | Almond | 937.83 | 2 | 313.00 | A |
| Chlorothalonil | Landscape Maintenance | 44.53 | 3 | 180,000.00 | S |
| Chlorothalonil | Landscape Maintenance | 3,350.04 | 0 | 0.00 | N/A |
| Chlorothalonil | N-Grnhs Flower | 29.89 | 0 | 2.75 | A |
| Chlorothalonil | N-Grnhs Plants In Containers | 0.26 | 1 | 1,200.00 | S |
| Chlorothalonil | N-Outdr Plants In Containers | 15.36 | 4 | 5.25 | A |
| Chlorothalonil | Peach | 2.25 | 2 | 20.00 | A |
| Chlorothalonil | Turf/Sod | 287.82 | 0 | 29.00 | A |
| Chlorsulfuron | Landscape Maintenance | 0.10 | 0 | 0.00 | N/A |
| Chlorsulfuron | Rights Of Way | 9.14 | 0 | 0.00 | N/A |
| Chlorsulfuron | Uncultivated Non-Ag | 2.04 | 0 | 42.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cholecalciferol | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Cholecalciferol | Structural Pest Control | 3.13 | 0 | 0.00 | N/A |
| Cholecalciferol | Vertebrate Control | 0.09 | 0 | 0.00 | N/A |
| Chromobacterium subtsugae strain: praa4-1 | Citrus | 0.90 | 1 | 1.00 | A |
| Citric acid | Almond | 52.54 | 16 | 1,574.28 | A |
| Citric acid | Rice | 44.44 | 7 | 461.60 | A |
| Citric acid | Rights Of Way | 1.26 | 0 | 0.00 | N/A |
| Citric acid | Walnut | 94.81 | 20 | 1,671.21 | A |
| Clarified hydrophobic extract of neem oil | Broccoli | 0.05 | 1 | 0.50 | A |
| Clarified hydrophobic extract of neem oil | Landscape Maintenance | 0.34 | 0 | 0.00 | N/A |
| Clarified hydrophobic extract of neem oil | Squash, Summer | 5.21 | 3 | 0.75 | A |
| Clethodim | Almond | 186.84 | 20 | 1,637.57 | A |
| Clethodim | Uncultivated Ag | 7.90 | 2 | 30.00 | A |
| Clethodim | Walnut | 285.41 | 19 | 1,956.21 | A |
| Clomazone | Rice | 534.29 | 14 | 1,329.00 | A |
| Clopyralid, monoethanolamine salt | Landscape Maintenance | 63.07 | 0 | 0.00 | N/A |
| Clopyralid, monoethanolamine salt | N-Grnhs Flower | 1.53 | 0 | 12.35 | A |
| Clopyralid, monoethanolamine salt | N-Outdr Plants In Containers | 3.58 | 2 | 14.50 | A |
| Clopyralid, monoethanolamine salt | Rights Of Way | 11.24 | 0 | 0.00 | N/A |
| Clopyralid, monoethanolamine salt | Turf/Sod | 0.56 | 0 | 1.50 | A |
| Clopyralid, monoethanolamine salt | Uncultivated Non-Ag | 4.00 | 1 | 5.00 | A |
| Clopyralid,triethylamine salt | Landscape Maintenance | 1.03 | 0 | 0.00 | N/A |
| Clothianidin | Grape, Wine | 1.75 | 0 | 25.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Clothianidin | Landscape Maintenance | 1.82 | 0 | 0.00 | N/A |
| Clothianidin | N-Outdr Flower | 0.02 | 1 | 0.13 | A |
| Clothianidin | N-Outdr Plants In Containers | 0.62 | 2 | 6.40 | A |
| Clothianidin | Rice | 26.21 | 3 | 350.00 | A |
| Clothianidin | Structural Pest Control | 5.61 | 0 | 0.00 | N/A |
| Clothianidin | Walnut | 10.65 | 2 | 112.00 | A |
| Copper ammonium complex | Apple | 1.23 | 3 | 24.00 | U |
| Copper ammonium complex | Apricot | 0.37 | 3 | 9.00 | U |
| Copper ammonium complex | Cherry | 0.31 | 3 | 8.00 | U |
| Copper ammonium complex | Landscape Maintenance | 0.23 | 0 | 0.00 | N/A |
| Copper ammonium complex | N-Outdr Flower | 0.97 | 2 | 0.50 | A |
| Copper ammonium complex | Nectarine | 0.18 | 3 | 9.00 | U |
| Copper ammonium complex | Peach | 0.61 | 3 | 23.00 | U |
| Copper ammonium complex | Pear | 0.37 | 3 | 15.00 | U |
| Copper diammonium diacetate complex | Landscape Maintenance | 22.32 | 0 | 0.00 | N/A |
| Copper ethanolamine complexes, mixed | Landscape Maintenance | 34.87 | 0 | 0.00 | N/A |
| Copper ethanolamine complexes, mixed | Rights Of Way | 6,572.32 | 0 | 0.00 | N/A |
| Copper ethanolamine complexes, mixed | Water Area | 634.07 | 1 | 208.65 | A |
| Copper ethanolamine complexes, mixed | Water Area | 2.32 | 0 | 56,300.00 | S |
| Copper ethanolamine complexes, mixed | Water Area | 945.96 | 0 | 144.00 | U |
| Copper ethylenediamine complex | Rights Of Way | 1,843.51 | 0 | 0.00 | N/A |
| Copper ethylenediamine complex | Water Area | 3.95 | 0 | 21.00 | A |
| Copper ethylenediamine complex | Water Area | 0.87 | 0 | 8,000.00 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Copper hydroxide | Almond | 53.90 | 1 | 70.00 | A |
| Copper hydroxide | Apple | 0.58 | 2 | 0.22 | A |
| Copper hydroxide | Apple | 0.14 | 0 | 6.00 | U |
| Copper hydroxide | Apricot | 0.27 | 1 | 0.25 | A |
| Copper hydroxide | Citrus | 8.07 | 1 | 3.00 | A |
| Copper hydroxide | Grape, Wine | 8.43 | 5 | 31.15 | A |
| Copper hydroxide | Landscape Maintenance | 13.86 | 0 | 0.00 | N/A |
| Copper hydroxide | N-Outdr Plants In Containers | 154.77 | 28 | 78.85 | A |
| Copper hydroxide | N-Outdr Plants In Containers | 30.71 | 1 | 5.00 | S |
| Copper hydroxide | Peach | 168.43 | 10 | 43.10 | A |
| Copper hydroxide | Peach | 0.09 | 0 | 4.00 | U |
| Copper hydroxide | Plum | 0.58 | 1 | 0.19 | A |
| Copper hydroxide | Plum | 0.02 | 0 | 1.00 | U |
| Copper hydroxide | Rights Of Way | 35.25 | 0 | 0.00 | N/A |
| Copper hydroxide | Walnut | 6,207.00 | 31 | 1,994.21 | A |
| Copper octanoate | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Copper octanoate | N-Grnhs Plants In Containers | 0.84 | 3 | 2.00 | A |
| Copper oxychloride | Apricot | 0.30 | 1 | 0.25 | A |
| Copper oxychloride | Grape, Wine | 4.18 | 3 | 20.75 | A |
| Copper oxychloride | Landscape Maintenance | 0.12 | 0 | 0.00 | N/A |
| Copper oxychloride | N-Outdr Plants In Containers | 3.33 | 7 | 16.20 | A |
| Copper oxychloride | Peach | 0.30 | 1 | 0.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Copper sulfate (basic) | Cherry | 0.07 | 1 | 2.00 | U |
| Copper sulfate (basic) | N-Outdr Plants In Containers | 97.41 | 9 | 17.50 | A |
| Copper sulfate (basic) | Peach | 0.79 | 1 | 0.14 | A |
| Copper sulfate (basic) | Plum | 0.96 | 1 | 0.17 | A |
| Copper sulfate (pentahydrate) | Landscape Maintenance | 58.90 | 0 | 0.00 | N/A |
| Copper sulfate (pentahydrate) | N-Grnhs Plants In Containers | 0.37 | 3 | 1.00 | A |
| Copper sulfate (pentahydrate) | N-Outdr Plants In Containers | 39.60 | 3 | 4.00 | S |
| Copper sulfate (pentahydrate) | Rice | 7,776.63 | 11 | 991.14 | A |
| Copper sulfate (pentahydrate) | Water Area | 690.77 | 0 | 116.37 | A |
| Copper sulfate (pentahydrate) | Water Area | 156.33 | 0 | 112.00 | U |
| Copper triethanolamine complex | Rights Of Way | 2,080.93 | 0 | 0.00 | N/A |
| Cyazofamid | Landscape Maintenance | 19.94 | 0 | 0.00 | N/A |
| Cyazofamid | N-Grnhs Plants In Containers | 0.62 | 1 | 0.75 | A |
| Cyazofamid | N-Grnhs Plants In Containers | 0.08 | 1 | 1,500.00 | S |
| Cyazofamid | Turf/Sod | 3.07 | 0 | 3.00 | A |
| Cyflufenamid | Grape, Wine | 0.79 | 2 | 16.00 | A |
| Cyflumetofen | Almond | 68.59 | 1 | 350.00 | A |
| Cyflumetofen | N-Outdr Plants In Containers | 7.30 | 15 | 42.70 | A |
| Cyfluthrin | Regulatory Pest Control | 0.08 | 0 | 0.00 | N/A |
| Cyfluthrin | Structural Pest Control | 35.48 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cyhalofop-butyl | Rice | 229.50 | 17 | 781.20 | A |
| Cypermethrin | Landscape Maintenance | 2.79 | 0 | 0.00 | N/A |
| Cypermethrin | Structural Pest Control | 140.80 | 0 | 0.00 | N/A |
| Cyprodinil | Almond | 32.11 | 1 | 137.00 | A |
| Cyprodinil | Grape, Wine | 0.52 | 1 | 3.00 | A |
| Cyprodinil | N-Outdr Plants In Containers | 1.20 | 4 | 5.25 | A |
| Cyprodinil | Peach | 0.08 | 2 | 0.35 | A |
| Cyprodinil | Plum | 0.04 | 1 | 0.15 | A |
| D-trans allethrin | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Daminozide | N-Grnhs Plants In Containers | 2.96 | 4 | 1.75 | A |
| Daminozide | N-Grnhs Plants In Containers | 1.24 | 6 | 4,900.00 | S |
| Deltamethrin | Landscape Maintenance | 2.05 | 0 | 0.00 | N/A |
| Deltamethrin | Public Health | 5.26 | 0 | 0.00 | N/A |
| Deltamethrin | Structural Pest Control | 316.45 | 0 | 0.00 | N/A |
| Diatomaceous earth | Structural Pest Control | 6.21 | 0 | 0.00 | N/A |
| Dicamba | Landscape Maintenance | 7.40 | 0 | 0.00 | N/A |
| Dicamba | N-Grnhs Flower | 4.48 | 0 | 36.90 | A |
| Dicamba | Rights Of Way | 0.21 | 0 | 0.00 | N/A |
| Dicamba | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Dicamba | Turf/Sod | 0.20 | 0 | 30.00 | A |
| Dicamba, dimethylamine salt | Landscape Maintenance | 6.85 | 0 | 0.00 | N/A |
| Didecyl dimethyl ammonium chloride | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Difenoconazole | Almond | 91.34 | 7 | 856.00 | A |
| Difenoconazole | Grape, Wine | 0.18 | 1 | 3.00 | A |
| Difenoconazole | Landscape Maintenance | 25.51 | 0 | 0.00 | N/A |
| Difenoconazole | Pistachio | 4.23 | 3 | 38.00 | A |
| Difenoconazole | Turf/Sod | 1.70 | 0 | 6.00 | A |
| Difethialone | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Diflubenzuron | Pastureland | 3.20 | 1 | 101.00 | A |
| Diflubenzuron | Rice | 28.61 | 12 | 353.20 | A |
| Dikegulac sodium | Landscape Maintenance | 75.85 | 0 | 0.00 | N/A |
| Dimethenamid-p | N-Grnhs Plants In Containers | 1.20 | 1 | 0.75 | A |
| Dimethyl alkyl tertiary amines | Landscape Maintenance | 0.03 | 0 | 0.00 | N/A |
| Dimethylpolysiloxane | Almond | 71.99 | 32 | 3,041.00 | A |
| Dimethylpolysiloxane | Apple | < 0.01 | 7 | 4.60 | A |
| Dimethylpolysiloxane | Grape, Wine | 0.13 | 48 | 199.40 | A |
| Dimethylpolysiloxane | Landscape Maintenance | 0.22 | 0 | 0.00 | N/A |
| Dimethylpolysiloxane | N-Outdr Plants In Containers | 0.62 | 129 | 343.25 | A |
| Dimethylpolysiloxane | Rice | 1.48 | 77 | 3,416.70 | A |
| Dimethylpolysiloxane | Rights Of Way | 0.56 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Dimethylpolysiloxane | Uncultivated Ag | 0.12 | 20 | 297.75 | A |
| Dimethylpolysiloxane | Walnut | 124.88 | 39 | 3,573.71 | A |
| Dinotefuran | Landscape Maintenance | 21.11 | 0 | 0.00 | N/A |
| Dinotefuran | N-Grnhs Plants In Containers | 5.26 | 6 | 6.75 | A |
| Dinotefuran | N-Grnhs Plants In Containers | 0.03 | 2 | 1,200.00 | S |
| Dinotefuran | Structural Pest Control | 451.69 | 0 | 0.00 | N/A |
| Dioctyl dimethyl ammonium chloride | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Diphacinone | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Diphacinone | Pistachio | < 0.01 | 1 | 19.00 | A |
| Diphacinone | Rights Of Way | 0.01 | 0 | 0.00 | N/A |
| Diphacinone | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Diphacinone, sodium salt | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Diquat dibromide | Landscape Maintenance | 176.85 | 0 | 0.00 | N/A |
| Diquat dibromide | Rights Of Way | 190.42 | 0 | 0.00 | N/A |
| Diquat dibromide | Water Area | 31.35 | 0 | 13.74 | A |
| Diquat dibromide | Water Area | 0.73 | 0 | 7,000.00 | S |
| Diquat dibromide | Water Area | 64.63 | 0 | 13.00 | U |
| Disodium octaborate anhydrous | Rights Of Way | 42.64 | 0 | 0.00 | N/A |
| Disodium octaborate tetrahydrate | Landscape Maintenance | 54.15 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Disodium octaborate tetrahydrate | Regulatory Pest Control | 12.13 | 0 | 0.00 | N/A |
| Disodium octaborate tetrahydrate | Structural Pest Control | 385.98 | 0 | 0.00 | N/A |
| Dithiopyr | Landscape Maintenance | 3,264.54 | 0 | 0.00 | N/A |
| Dithiopyr | Rights Of Way | 77.80 | 0 | 0.00 | N/A |
| Dithiopyr | Structural Pest Control | 0.34 | 0 | 0.00 | N/A |
| Diuron | Landscape Maintenance | 11.20 | 0 | 0.00 | N/A |
| Diuron | Uncultivated Ag | 155.15 | 6 | 38.75 | A |
| Dodine | Apple | 0.16 | 1 | 0.13 | A |
| Dodine | Peach | 0.47 | 2 | 0.38 | A |
| E-8-dodecenyl acetate | Almond | < 0.01 | 2 | 0.40 | A |
| E-8-dodecenyl acetate | Apricot | 0.01 | 2 | 3.00 | A |
| E-8-dodecenyl acetate | Cherry | < 0.01 | 2 | 1.50 | A |
| E-8-dodecenyl acetate | N-Outdr Plants In Containers | 0.60 | 2 | 16.00 | A |
| E-8-dodecenyl acetate | Nectarine | 0.01 | 2 | 1.10 | A |
| E-8-dodecenyl acetate | Peach | 0.25 | 2 | 14.00 | A |
| E-8-dodecenyl acetate | Plum | 0.16 | 2 | 10.00 | A |
| E-8-dodecenyl acetate | Pluot | 0.02 | 2 | 2.00 | A |
| Emamectin benzoate | Landscape Maintenance | 0.18 | 0 | 0.00 | N/A |
| Emamectin benzoate | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Endosulfan | Structural Pest Control | 0.07 | 0 | 0.00 | N/A |
| Endothall, dipotassium salt | Water Area | 9.98 | 0 | 2.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Esfenvalerate | Almond | 44.87 | 5 | 716.00 | A |
| Esfenvalerate | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Esfenvalerate | N-Outdr Plants In Containers | 5.31 | 35 | 100.80 | A |
| Esfenvalerate | Structural Pest Control | 47.26 | 0 | 0.00 | N/A |
| Esfenvalerate | Walnut | 11.43 | 3 | 137.50 | A |
| Ethalfluralin | N-Outdr Plants In Containers | 5.79 | 8 | 4.50 | A |
| Ethephon | Landscape Maintenance | 2,006.42 | 0 | 0.00 | N/A |
| Ethephon | N-Grnhs Flower | 18.86 | 0 | 5.50 | A |
| Ethephon | N-Grnhs Plants In Containers | 0.06 | 1 | 0.20 | A |
| Ethephon | N-Grnhs Plants In Containers | 0.12 | 2 | 2,500.00 | S |
| Ethephon | Turf/Sod | 149.85 | 0 | 41.50 | A |
| Ethephon | Walnut | 1,557.13 | 20 | 1,735.00 | A |
| Etofenprox | Public Health | < 0.01 | 0 | 0.00 | N/A |
| Etofenprox | Structural Pest Control | 0.50 | 0 | 0.00 | N/A |
| Etoxazole | Almond | 4.99 | 2 | 55.00 | A |
| Etoxazole | Apple | 0.01 | 1 | 0.15 | A |
| Etoxazole | Grape, Wine | 9.40 | 3 | 64.50 | A |
| Etoxazole | N-Outdr Plants In Containers | 3.90 | 9 | 29.70 | A |
| Etoxazole | Peach | 0.03 | 1 | 0.30 | A |
| Etoxazole | Walnut | 14.13 | 2 | 112.00 | A |
| Fenazaquin | Almond | 31.70 | 1 | 90.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Fenazaquin | N-Outdr Plants In Containers | 13.15 | 8 | 21.20 | A |
| Fenpyroximate | N-Outdr Plants In Containers | 2.12 | 4 | 18.20 | A |
| Ferric sodium edta | N-Grnhs Plants In Containers | 1.02 | 2 | 1.25 | A |
| Fipronil | Landscape Maintenance | 0.54 | 0 | 0.00 | N/A |
| Fipronil | Residential | 0.06 | 0 | 58,800.00 | S |
| Fipronil | Structural Pest Control | 217.79 | 0 | 0.00 | N/A |
| Flazasulfuron | Almond | 3.68 | 2 | 157.14 | A |
| Florasulam | Landscape Maintenance | 1.66 | 0 | 0.00 | N/A |
| Florasulam | Turf/Sod | 0.01 | 0 | 30.00 | A |
| Florpyrauxifen-benzyl | Rice | 91.46 | 39 | 2,828.50 | A |
| Fluazifop-p-butyl | Landscape Maintenance | 16.98 | 0 | 0.00 | N/A |
| Fluazinam | Landscape Maintenance | 86.82 | 0 | 0.00 | N/A |
| Fluazinam | N-Grnhs Flower | 1.93 | 0 | 2.75 | A |
| Fludioxonil | Almond | 48.94 | 2 | 330.00 | A |
| Fludioxonil | Landscape Maintenance | 28.25 | 0 | 0.00 | N/A |
| Fludioxonil | N-Grnhs Flower | 2.17 | 0 | 5.50 | A |
| Fludioxonil | N-Grnhs Plants In Containers | 2.52 | 7 | 5.25 | A |
| Fludioxonil | N-Grnhs Plants In Containers | 0.06 | 1 | 1,500.00 | S |
| Fludioxonil | Pistachio | 2.23 | 2 | 19.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Fludioxonil | Turf/Sod | 1.64 | 0 | 4.50 | A |
| Flumioxazin | Almond | 48.36 | 3 | 161.36 | A |
| Flumioxazin | Apple | 0.06 | 1 | 4.00 | A |
| Flumioxazin | Grape, Wine | 1.36 | 6 | 8.00 | A |
| Flumioxazin | Landscape Maintenance | 25.92 | 0 | 0.00 | N/A |
| Flumioxazin | Rights Of Way | 90.56 | 0 | 0.00 | N/A |
| Flumioxazin | Water Area | 19.81 | 0 | 133.99 | A |
| Flumioxazin | Water Area | 30.95 | 0 | 59.00 | U |
| Fluopyram | Almond | 28.40 | 3 | 272.00 | A |
| Fluopyram | Grape, Wine | 8.92 | 6 | 108.50 | A |
| Fluopyram | Landscape Maintenance | 1.11 | 0 | 0.00 | N/A |
| Fluopyram | N-Grnhs Plants In Containers | 0.22 | 3 | 2.00 | A |
| Fluopyram | Walnut | 7.83 | 4 | 297.00 | A |
| Flupyradifurone | Landscape Maintenance | 2.14 | 0 | 0.00 | N/A |
| Flupyradifurone | N-Outdr Plants In Containers | 12.88 | 27 | 69.40 | A |
| Fluridone | Water Area | 2.00 | 0 | 6.00 | A |
| Fluridone | Water Area | 0.40 | 0 | 12.00 | U |
| Fluroxypyr, 1-methylheptyl ester | Landscape Maintenance | 15.43 | 0 | 0.00 | N/A |
| Fluroxypyr, 1-methylheptyl ester | Rights Of Way | 55.57 | 0 | 0.00 | N/A |
| Flurprimidol | Landscape Maintenance | 31.33 | 0 | 0.00 | N/A |
| Flurprimidol | N-Grnhs Plants In Containers | < 0.01 | 1 | 0.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Flurprimidol | N-Grnhs Plants In Containers | < 0.01 | 1 | 500.00 | S |
| Flurprimidol | Turf/Sod | 0.58 | 0 | 6.00 | A |
| Flutolanil | Landscape Maintenance | 62.43 | 0 | 0.00 | N/A |
| Flutriafol | Grape, Wine | 8.73 | 10 | 98.00 | A |
| Fluxapyroxad | Almond | 52.69 | 4 | 560.00 | A |
| Fluxapyroxad | Landscape Maintenance | 14.28 | 0 | 0.00 | N/A |
| Fluxapyroxad | N-Grnhs Plants In Containers | 0.03 | 1 | 0.25 | A |
| Fluxapyroxad | N-Outdr Plants In Containers | 0.16 | 1 | 1.70 | A |
| Foramsulfuron | Landscape Maintenance | 2.03 | 0 | 0.00 | N/A |
| Formic acid | Beehive | 0.02 | 1 | 1.00 | A |
| Formic acid | Beehive | 1,459.21 | 4 | 6,930.00 | U |
| Fosetyl-al | Landscape Maintenance | 59.40 | 0 | 0.00 | N/A |
| Fosetyl-al | Structural Pest Control | 0.25 | 0 | 0.00 | N/A |
| Gamma-cyhalothrin | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Almond | 1,907.67 | 25 | 2,076.86 | A |
| Glufosinate-ammonium | Citrus | 1.71 | 2 | 1.50 | A |
| Glufosinate-ammonium | Grape, Wine | 44.87 | 8 | 43.29 | A |
| Glufosinate-ammonium | Landscape Maintenance | 964.76 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Olive | 0.45 | 3 | 1.50 | A |
| Glufosinate-ammonium | Peach | 1.18 | 3 | 0.53 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glufosinate-ammonium | Pistachio | 182.00 | 1 | 125.00 | A |
| Glufosinate-ammonium | Rights Of Way | 0.88 | 1 | 1.00 | A |
| Glufosinate-ammonium | Rights Of Way | 131.64 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Uncultivated Ag | 42.64 | 10 | 47.00 | A |
| Glufosinate-ammonium | Walnut | 4,384.74 | 64 | 4,478.71 | A |
| Glutaraldehyde | Industrial Processing Water | 19.50 | 0 | 2.00 | A |
| Glutaraldehyde | Water (Industrial) | 3.90 | 0 | 1.00 | A |
| Glutaraldehyde | Water (Industrial) | 2,767.98 | 0 | 7.00 | U |
| Glutaraldehyde | Water Washer/Cooler/Condenser Systems | 19.50 | 0 | 2.00 | A |
| Glyphosate, diammonium salt | Forest, Timberland | 8,668.64 | 194 | 3,646.83 | A |
| Glyphosate, dimethylamine salt | Rights Of Way | 54.71 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Citrus | 10.28 | 2 | 6.00 | A |
| Glyphosate, isopropylamine salt | Forest, Timberland | 6,103.94 | 10 | 1,346.03 | A |
| Glyphosate, isopropylamine salt | Forest, Timberland | 1,390.57 | 0 | 3.00 | U |
| Glyphosate, isopropylamine salt | Grape, Wine | 119.53 | 11 | 37.05 | A |
| Glyphosate, isopropylamine salt | Landscape Maintenance | 1.87 | 1 | 2.00 | A |
| Glyphosate, isopropylamine salt | Landscape Maintenance | 4,234.49 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | N-Outdr Plants In Containers | 99.36 | 30 | 43.10 | A |
| Glyphosate, isopropylamine salt | Pastureland | 59.75 | 9 | 262.88 | A |
| Glyphosate, isopropylamine salt | Pistachio | 9.99 | 2 | 19.00 | A |
| Glyphosate, isopropylamine salt | Rangeland | 7.08 | 1 | 60.00 | A |
| Glyphosate, isopropylamine salt | Rice | 39.81 | 4 | 2.00 | A |
| Glyphosate, isopropylamine salt | Rights Of Way | 1.01 | 1 | 1.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glyphosate, isopropylamine salt | Rights Of Way | 9,341.38 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Structural Pest Control | 27.97 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Uncultivated Ag | 250.01 | 29 | 116.67 | A |
| Glyphosate, isopropylamine salt | Uncultivated Non-Ag | 36.52 | 2 | 93.40 | A |
| Glyphosate, isopropylamine salt | Water Area | 20.59 | 0 | 85.06 | A |
| Glyphosate, isopropylamine salt | Water Area | 0.84 | 0 | 57,300.00 | S |
| Glyphosate, isopropylamine salt | Water Area | 27.18 | 0 | 28.00 | U |
| Glyphosate, monoammonium salt | Landscape Maintenance | 811.63 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | Almond | 2,182.77 | 14 | 1,205.00 | A |
| Glyphosate, potassium salt | Apple | 0.92 | 1 | 4.00 | A |
| Glyphosate, potassium salt | Grape, Wine | 12.50 | 3 | 8.80 | A |
| Glyphosate, potassium salt | Landscape Maintenance | 3,867.86 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | Peach | 3.88 | 5 | 0.73 | A |
| Glyphosate, potassium salt | Plum | 0.52 | 1 | 0.10 | A |
| Glyphosate, potassium salt | Rangeland | 6.44 | 1 | 50.00 | A |
| Glyphosate, potassium salt | Rights Of Way | 1,560.74 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | Uncultivated Ag | 243.83 | 25 | 121.83 | A |
| Glyphosate, potassium salt | Uncultivated Non-Ag | 2.07 | 2 | 2.50 | A |
| Glyphosate, potassium salt | Walnut | 11,014.68 | 75 | 4,612.21 | A |
| Halosulfuron-methyl | Landscape Maintenance | 4.67 | 0 | 0.00 | N/A |
| Halosulfuron-methyl | Rice | 91.67 | 29 | 1,872.50 | A |
| Halosulfuron-methyl | Structural Pest Control | 3.00 | 0 | 0.00 | N/A |
| Heptyl butyrate | Structural Pest Control | 0.57 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Hexazinone | Uncultivated Ag | 19.73 | 6 | 38.75 | A |
| Hexythiazox | Almond | 30.11 | 1 | 160.00 | A |
| Hexythiazox | N-Outdr Plants In Containers | 0.33 | 1 | 1.80 | A |
| Hexythiazox | Walnut | 23.71 | 3 | 90.00 | A |
| Hydramethylnon | Structural Pest Control | 1.08 | 0 | 0.00 | N/A |
| Hydrogen peroxide | Apple | 2.61 | 1 | 1.50 | A |
| Hydrogen peroxide | Apricot | 1.74 | 1 | 1.00 | A |
| Hydrogen peroxide | N-Grnhs Plants In Containers | 16.44 | 7 | 7.75 | A |
| Hydrogen peroxide | N-Grnhs Plants In Containers | < 0.01 | 1 | 500.00 | S |
| Hydrogen peroxide | Nectarine | 26.13 | 3 | 15.00 | A |
| Hydrogen peroxide | Peach | 41.81 | 3 | 24.00 | A |
| Hydrogen peroxide | Plum | 9.58 | 2 | 5.50 | A |
| Hydrogen peroxide | Prune | 0.87 | 1 | 0.50 | A |
| Hydrogen peroxide | Water (Industrial) | 9.11 | 0 | 1.00 | U |
| Hydrogen peroxide | Water Area | 13.84 | 0 | 0.25 | A |
| Hydroprene | Structural Pest Control | 35.63 | 0 | 0.00 | N/A |
| Imazamox, ammonium salt | Rights Of Way | 54.12 | 0 | 0.00 | N/A |
| Imazamox, ammonium salt | Water Area | 0.98 | 0 | 6.89 | A |
| Imazamox, ammonium salt | Water Area | 0.17 | 0 | 17,000.00 | S |
| Imazamox, ammonium salt | Water Area | 1.94 | 0 | 11.00 | U |
| Imazapic, ammonium salt | Landscape Maintenance | 0.04 | 0 | 0.00 | N/A |
| Imazapyr, isopropylamine salt | Forest, Timberland | 1,654.26 | 99 | 2,709.73 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Imazapyr, isopropylamine salt | Landscape Maintenance | 7.78 | 0 | 0.00 | N/A |
| Imazapyr, isopropylamine salt | Rights Of Way | 92.85 | 0 | 0.00 | N/A |
| Imazapyr, isopropylamine salt | Uncultivated Ag | 0.08 | 1 | 2.00 | A |
| Imazosulfuron | Landscape Maintenance | 40.26 | 0 | 0.00 | N/A |
| Imazosulfuron | Rice | 47.83 | 4 | 521.80 | A |
| Imidacloprid | Grape, Wine | 2.29 | 8 | 51.50 | A |
| Imidacloprid | Landscape Maintenance | 477.87 | 0 | 0.00 | N/A |
| Imidacloprid | N-Grnhs Plants In Containers | 1.51 | 16 | 10.45 | A |
| Imidacloprid | N-Grnhs Plants In Containers | 0.14 | 2 | 1,700.00 | S |
| Imidacloprid | N-Outdr Flower | 0.05 | 2 | 0.38 | A |
| Imidacloprid | N-Outdr Plants In Containers | 20.17 | 7 | 1.76 | A |
| Imidacloprid | Structural Pest Control | 127.51 | 0 | 0.00 | N/A |
| Indaziflam | Almond | 19.84 | 7 | 826.85 | A |
| Indaziflam | Grape, Wine | 0.17 | 1 | 2.80 | A |
| Indaziflam | Landscape Maintenance | 39.90 | 0 | 0.00 | N/A |
| Indaziflam | Rights Of Way | 0.03 | 1 | 1.00 | A |
| Indaziflam | Rights Of Way | 58.06 | 0 | 0.00 | N/A |
| Indaziflam | Uncultivated Non-Ag | 1.94 | 0 | 42.50 | A |
| Indaziflam | Walnut | 52.07 | 31 | 2,166.71 | A |
| Indoxacarb | Landscape Maintenance | 0.09 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Indoxacarb | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Indoxacarb | Structural Pest Control | 6.72 | 0 | 0.00 | N/A |
| Iodine | Structural Pest Control | 0.50 | 0 | 0.00 | N/A |
| Iodosulfuron-methyl-sodium | Landscape Maintenance | 0.05 | 0 | 0.00 | N/A |
| Iprodione | Landscape Maintenance | 265.52 | 0 | 0.00 | N/A |
| Iprodione | N-Grnhs Plants In Containers | 1.00 | 1 | 1.25 | A |
| Iprodione | N-Grnhs Plants In Containers | < 0.01 | 1 | 300.00 | S |
| Iron phosphate | Landscape Maintenance | 0.94 | 0 | 0.00 | N/A |
| Iron phosphate | Structural Pest Control | 0.54 | 0 | 0.00 | N/A |
| Isaria fumosorosea apopka strain: 97 | Citrus | 2.62 | 5 | 13.10 | A |
| Isopropyl alcohol | Landscape Maintenance | 0.16 | 0 | 0.00 | N/A |
| Isopropyl alcohol | Structural Pest Control | 0.53 | 0 | 0.00 | N/A |
| Isoxaben | Landscape Maintenance | 98.30 | 0 | 0.00 | N/A |
| Isoxaben | N-Outdr Plants In Containers | 52.94 | 31 | 57.25 | A |
| Isoxaben | Rights Of Way | 67.11 | 0 | 0.00 | N/A |
| Kaolin | Broccoli | 1.90 | 1 | 0.25 | A |
| Kasugamycin hydrochloride | Apple | 0.02 | 2 | 0.25 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Kasugamycin hydrochloride | N-Outdr Plants In Containers | 0.37 | 3 | 5.00 | A |
| Kresoxim-methyl | Grape, Wine | 7.28 | 3 | 38.40 | A |
| Lactic acid | Structural Pest Control | 0.19 | 0 | 0.00 | N/A |
| Lambda-cyhalothrin | Almond | 34.63 | 10 | 857.75 | A |
| Lambda-cyhalothrin | Apple | 0.41 | 1 | 10.00 | A |
| Lambda-cyhalothrin | Landscape Maintenance | 1.10 | 0 | 0.00 | N/A |
| Lambda-cyhalothrin | N-Grnhs Flower | 0.77 | 0 | 11.75 | A |
| Lambda-cyhalothrin | N-Outdr Plants In Containers | 3.44 | 38 | 106.60 | A |
| Lambda-cyhalothrin | Peach | 1.02 | 1 | 25.00 | A |
| Lambda-cyhalothrin | Pistachio | 1.55 | 3 | 38.00 | A |
| Lambda-cyhalothrin | Public Health | 0.19 | 0 | 0.00 | N/A |
| Lambda-cyhalothrin | Rice | 67.04 | 32 | 2,120.80 | A |
| Lambda-cyhalothrin | Rights Of Way | < 0.01 | 1 | 0.50 | A |
| Lambda-cyhalothrin | Structural Pest Control | 2,707.99 | 0 | 0.00 | N/A |
| Lambda-cyhalothrin | Walnut | 7.80 | 6 | 212.00 | A |
| Lauryl alcohol | Apple | 0.06 | 2 | 3.00 | A |
| Lauryl alcohol | Pear | 0.06 | 2 | 3.00 | A |
| Lauryl alcohol | Quince | < 0.01 | 2 | 0.40 | A |
| Lauryl alcohol | Walnut | < 0.01 | 2 | 6.00 | U |
| Lecithin | Landscape Maintenance | 185.76 | 0 | 0.00 | N/A |
| Lecithin | Rights Of Way | 768.89 | 0 | 0.00 | N/A |
| Lecithin | Water Area | 1.68 | 0 | 6.00 | A |
| Lime-sulfur | Peach | 9.24 | 1 | 1.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Limonene | Structural Pest Control | 18.29 | 0 | 0.00 | N/A |
| Limonene | Water Area | 3.56 | 0 | 38.68 | A |
| Limonene | Water Area | 45.17 | 0 | 82.00 | U |
| Mancozeb | Apple | 135.00 | 3 | 30.00 | A |
| Mancozeb | Landscape Maintenance | 11.00 | 0 | 0.00 | N/A |
| Mancozeb | N-Outdr Plants In Containers | 27.56 | 15 | 28.45 | A |
| Mancozeb | Walnut | 2,083.24 | 31 | 1,994.21 | A |
| Margosa oil | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Mcpa, dimethylamine salt | Forage Hay/Silage | 210.84 | 4 | 267.00 | A |
| Mcpa, dimethylamine salt | Landscape Maintenance | 9.04 | 0 | 0.00 | N/A |
| Mcpa, dimethylamine salt | Rice | 71.61 | 1 | 85.00 | A |
| Mcpa, dimethylamine salt | Wheat | 246.10 | 7 | 435.40 | A |
| Mcpa, dimethylamine salt | Wheat (Forage - Fodder) | 287.05 | 4 | 438.00 | A |
| Mcpp-p, dma salt | Landscape Maintenance | 17.89 | 0 | 0.00 | N/A |
| Mecoprop-p | Landscape Maintenance | 6.94 | 0 | 0.00 | N/A |
| Mecoprop-p | N-Grnhs Flower | 10.44 | 0 | 36.20 | A |
| Mecoprop-p | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Mecoprop-p-potassium | Turf/Sod | 10.27 | 0 | 30.00 | A |
| Mefenoxam | Landscape Maintenance | 28.08 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Mefenoxam | N-Grnhs Plants In Containers | 1.60 | 7 | 5.50 | A |
| Mefenoxam | N-Outdr Plants In Containers | 0.74 | 9 | 23.70 | A |
| Mefenoxam | Turf/Sod | 6.07 | 0 | 9.00 | A |
| Mefentrifluconazole | Landscape Maintenance | 15.58 | 0 | 0.00 | N/A |
| Mefentrifluconazole | N-Outdr Plants In Containers | 0.31 | 1 | 2.20 | A |
| Mefentrifluconazole | Turf/Sod | 1.45 | 0 | 3.00 | A |
| Metaflumizone | Almond | 0.30 | 1 | 236.00 | A |
| Metaldehyde | N-Grnhs Plants In Containers | 0.72 | 2 | 0.75 | A |
| Metaldehyde | Structural Pest Control | 0.74 | 0 | 0.00 | N/A |
| Metam-sodium | Rights Of Way | 458.85 | 0 | 0.00 | N/A |
| Metam-sodium | Structural Pest Control | 22.16 | 0 | 0.00 | N/A |
| Metconazole | Landscape Maintenance | 45.81 | 0 | 0.00 | N/A |
| Metconazole | Turf/Sod | 6.00 | 0 | 12.00 | A |
| Methiozolin | Landscape Maintenance | 11.02 | 0 | 0.00 | N/A |
| Methoprene | Structural Pest Control | 0.08 | 0 | 0.00 | N/A |
| Methoxyfenozide | Almond | 127.07 | 1 | 350.00 | A |
| Methoxyfenozide | N-Outdr Plants In Containers | 1.51 | 2 | 9.70 | A |
| Methoxyfenozide | Sorghum (Forage - Fodder) | 20.83 | 6 | 118.00 | A |
| Methoxyfenozide | Walnut | 12.53 | 1 | 45.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Methyl anthranilate | Structural Pest Control | 0.83 | 0 | 0.00 | N/A |
| Methyl anthranilate | Vertebrate Control | 1.07 | 0 | 0.00 | N/A |
| Methyl bromide | Soil Fumigation/Pre plant | 8,190.00 | 3 | 27.30 | A |
| Methyl silicone resins | Landscape Maintenance | 0.12 | 0 | 0.00 | N/A |
| Methylated soybean oil | Almond | 1,669.89 | 30 | 3,100.85 | A |
| Methylated soybean oil | Forest, Timberland | 735.96 | 25 | 731.12 | A |
| Methylated soybean oil | Forest, Timberland | 30.89 | 0 | 3.00 | U |
| Methylated soybean oil | Landscape Maintenance | 75.44 | 0 | 0.00 | N/A |
| Methylated soybean oil | Rice | 5,007.65 | 89 | 5,294.70 | A |
| Methylated soybean oil | Rights Of Way | 1,503.04 | 0 | 0.00 | N/A |
| Methylated soybean oil | Walnut | 2,029.36 | 29 | 1,856.50 | A |
| Methylated soybean oil | Water Area | 6.83 | 0 | 39.68 | A |
| Metofluthrin | Structural Pest Control | 0.05 | 0 | 0.00 | N/A |
| Metrafenone | Grape, Wine | 5.96 | 3 | 21.40 | A |
| Mineral oil | Almond | 2,307.62 | 22 | 3,750.00 | A |
| Mineral oil | Apple | 4.71 | 2 | 0.21 | A |
| Mineral oil | Apple | 6.71 | 3 | 24.00 | U |
| Mineral oil | Apricot | 3.50 | 1 | 0.25 | A |
| Mineral oil | Apricot | 2.01 | 3 | 9.00 | U |
| Mineral oil | Cherry | 1.89 | 4 | 10.00 | U |
| Mineral oil | Citrus | 158.62 | 7 | 13.00 | A |
| Mineral oil | Grape, Wine | 214.55 | 17 | 144.10 | A |
| Mineral oil | Kiwi Fruit Fuzzy | 34.78 | 1 | 12.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Mineral oil | Landscape Maintenance | 3,801.27 | 0 | 0.00 | N/A |
| Mineral oil | N-Grnhs Flower | 95.88 | 0 | 5.50 | A |
| Mineral oil | N-Grnhs Plants In Containers | 2.88 | 2 | 0.50 | A |
| Mineral oil | N-Outdr Flower | 3.03 | 2 | 0.50 | A |
| Mineral oil | N-Outdr Plants In Containers | 106.28 | 4 | 15.10 | A |
| Mineral oil | N-Outdr Plants In Containers | 17.37 | 1 | 5.00 | S |
| Mineral oil | Nectarine | 283.16 | 2 | 13.50 | A |
| Mineral oil | Nectarine | 1.01 | 3 | 9.00 | U |
| Mineral oil | Peach | 384.87 | 10 | 32.86 | A |
| Mineral oil | Peach | 3.36 | 3 | 23.00 | U |
| Mineral oil | Pear | 64.75 | 4 | 3.66 | A |
| Mineral oil | Pear | 2.01 | 3 | 15.00 | U |
| Mineral oil | Plum | 46.54 | 4 | 2.36 | A |
| Mineral oil | Public Health | 13.96 | 0 | 0.00 | N/A |
| Mineral oil | Rangeland | 5.87 | 2 | 110.00 | A |
| Mineral oil | Rice | 5,012.27 | 45 | 2,416.00 | A |
| Mineral oil | Rights Of Way | 152.77 | 0 | 0.00 | N/A |
| Mineral oil | Walnut | 4,812.58 | 26 | 2,425.21 | A |
| Msma | Landscape Maintenance | 49.06 | 0 | 0.00 | N/A |
| Muscalure | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Muscalure | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Myclobutanil | Apple | 2.50 | 2 | 20.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Myclobutanil | Grape, Wine | 2.96 | 13 | 40.05 | A |
| Myclobutanil | Landscape Maintenance | 55.87 | 0 | 0.00 | N/A |
| Myristyl alcohol | Apple | 0.01 | 2 | 3.00 | A |
| Myristyl alcohol | Pear | 0.01 | 2 | 3.00 | A |
| Myristyl alcohol | Quince | < 0.01 | 2 | 0.40 | A |
| Myristyl alcohol | Walnut | < 0.01 | 2 | 6.00 | U |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Almond | 5.47 | 6 | 341.78 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Grape, Wine | 0.56 | 3 | 32.00 | A |
| N-octyl bicycloheptene dicarboximide | Structural Pest Control | 19.66 | 0 | 0.00 | N/A |
| Naphtha, heavy aromatic | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Novaluron | Structural Pest Control | 3.66 | 0 | 0.00 | N/A |
| Noviflumuron | Structural Pest Control | 0.06 | 0 | 0.00 | N/A |
| Octyl decyl dimethyl ammonium chloride | Structural Pest Control | 0.24 | 0 | 0.00 | N/A |
| Oleic acid, ethyl ester | Landscape Maintenance | 10.94 | 0 | 0.00 | N/A |
| Oleic acid, ethyl ester | Rights Of Way | 446.51 | 0 | 0.00 | N/A |
| Oleic acid, methyl ester | Landscape Maintenance | 25.54 | 0 | 0.00 | N/A |
| Oleic acid, methyl ester | Rights Of Way | 27.55 | 0 | 0.00 | N/A |
| Oryzalin | Rights Of Way | 1.98 | 0 | 0.00 | N/A |
| Oxadiazon | Landscape Maintenance | 42.60 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Oxathiapiprolin | N-Outdr Plants In Containers | 2.05 | 16 | 49.30 | A |
| Oxyfluorfen | Almond | 293.50 | 11 | 1,010.85 | A |
| Oxyfluorfen | Grape, Wine | 3.22 | 2 | 5.60 | A |
| Oxyfluorfen | Landscape Maintenance | 206.65 | 0 | 0.00 | N/A |
| Oxyfluorfen | N-Outdr Plants In Containers | 9.31 | 15 | 26.25 | A |
| Oxyfluorfen | Pastureland | 2.95 | 2 | 210.00 | A |
| Oxyfluorfen | Pistachio | 24.34 | 1 | 125.00 | A |
| Oxyfluorfen | Rights Of Way | 343.92 | 0 | 0.00 | N/A |
| Oxyfluorfen | Uncultivated Ag | 53.42 | 13 | 117.75 | A |
| Oxyfluorfen | Walnut | 219.18 | 27 | 965.00 | A |
| Paclobutrazol | Landscape Maintenance | 59.16 | 0 | 0.00 | N/A |
| Paclobutrazol | N-Grnhs Plants In Containers | 0.06 | 6 | 2.00 | A |
| Paclobutrazol | N-Grnhs Plants In Containers | 0.01 | 5 | 3,800.00 | S |
| Pcnb | Landscape Maintenance | 73.93 | 0 | 0.00 | N/A |
| Pendimethalin | Almond | 663.92 | 5 | 316.36 | A |
| Pendimethalin | Grape, Wine | 52.08 | 4 | 22.75 | A |
| Pendimethalin | Landscape Maintenance | 10.10 | 0 | 0.00 | N/A |
| Pendimethalin | N-Grnhs Plants In Containers | 1.60 | 1 | 0.75 | A |
| Pendimethalin | N-Outdr Plants In Containers | 139.68 | 40 | 85.75 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pendimethalin | Structural Pest Control | 1.34 | 0 | 0.00 | N/A |
| Pendimethalin | Uncultivated Ag | 13.51 | 6 | 10.53 | A |
| Penoxsulam | Landscape Maintenance | 4.89 | 0 | 0.00 | N/A |
| Penoxsulam | Rice | 29.74 | 8 | 800.00 | A |
| Penoxsulam | Rights Of Way | 7.17 | 0 | 0.00 | N/A |
| Penoxsulam | Walnut | 2.72 | 5 | 263.50 | A |
| Penoxsulam | Water Area | 0.25 | 0 | 11.43 | A |
| Penthiopyrad | Landscape Maintenance | 53.38 | 0 | 0.00 | N/A |
| Penthiopyrad | Turf/Sod | 6.19 | 0 | 9.00 | A |
| Permethrin | Landscape Maintenance | 62.38 | 0 | 0.00 | N/A |
| Permethrin | Regulatory Pest Control | 60.07 | 0 | 0.00 | N/A |
| Permethrin | Structural Pest Control | 23,736.71 | 0 | 0.00 | N/A |
| Peroxyacetic acid | Apple | 0.48 | 1 | 1.50 | A |
| Peroxyacetic acid | Apricot | 0.32 | 1 | 1.00 | A |
| Peroxyacetic acid | N-Grnhs Plants In Containers | 1.21 | 7 | 7.75 | A |
| Peroxyacetic acid | N-Grnhs Plants In Containers | < 0.01 | 1 | 500.00 | S |
| Peroxyacetic acid | Nectarine | 4.84 | 3 | 15.00 | A |
| Peroxyacetic acid | Peach | 7.74 | 3 | 24.00 | A |
| Peroxyacetic acid | Plum | 1.77 | 2 | 5.50 | A |
| Peroxyacetic acid | Prune | 0.16 | 1 | 0.50 | A |
| Peroxyacetic acid | Water (Industrial) | 1.93 | 0 | 1.00 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Peroxyacetic acid | Water Area | 3.19 | 0 | 0.25 | A |
| Petroleum distillates | Structural Pest Control | 1.45 | 0 | 0.00 | N/A |
| Petroleum oil, sulfurized | Landscape Maintenance | 2.18 | 0 | 0.00 | N/A |
| Phenothrin | Structural Pest Control | 0.11 | 0 | 0.00 | N/A |
| Phenothrin, other related | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Phenylethyl propionate | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |
| Phosmet | Apple | 0.28 | 2 | 0.12 | A |
| Phosmet | Apple | 0.08 | 0 | 6.00 | U |
| Phosmet | Peach | 3.76 | 6 | 4.70 | A |
| Phosmet | Peach | 0.06 | 0 | 4.00 | U |
| Phosmet | Plum | 0.61 | 2 | 0.26 | A |
| Phosmet | Plum | 0.01 | 0 | 1.00 | U |
| Phosphoric acid | Almond | 265.67 | 15 | 1,709.50 | A |
| Phosphoric acid | Grape, Wine | 3.37 | 14 | 153.18 | A |
| Piperonyl butoxide | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Piperonyl butoxide | Public Health | 63.64 | 0 | 0.00 | N/A |
| Piperonyl butoxide | Structural Pest Control | 143.59 | 0 | 0.00 | N/A |
| Piperonyl butoxide, other related | Public Health | 0.28 | 0 | 0.00 | N/A |
| Piperonyl butoxide, other related | Structural Pest Control | 2.88 | 0 | 0.00 | N/A |
| Poe isooctadecanol | Public Health | 25.43 | 0 | 0.00 | N/A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Rice | 273.41 | 18 | 1,070.70 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Polyalkeneoxide modified heptamethyltrisiloxane | Rights Of Way | 1.29 | 0 | 0.00 | N/A |
| Polybutene | Grape, Wine | 1.47 | 3 | 32.00 | A |
| Polybutene | Structural Pest Control | 0.63 | 0 | 0.00 | N/A |
| Polyethylene glycol | Almond | 191.32 | 11 | 819.00 | A |
| Polyethylene glycol | Grape, Wine | 7.92 | 7 | 51.60 | A |
| Polyethylene glycol stearate | Landscape Maintenance | 2.69 | 0 | 0.00 | N/A |
| Polyethylene glycol stearate | Rights Of Way | 78.82 | 0 | 0.00 | N/A |
| Polyoxin d, zinc salt | Almond | 16.42 | 1 | 350.00 | A |
| Polyoxin d, zinc salt | Apple | < 0.01 | 1 | 1.50 | A |
| Polyoxin d, zinc salt | Apricot | < 0.01 | 1 | 1.00 | A |
| Polyoxin d, zinc salt | Landscape Maintenance | 4.31 | 0 | 0.00 | N/A |
| Polyoxin d, zinc salt | Nectarine | 0.04 | 2 | 13.50 | A |
| Polyoxin d, zinc salt | Peach | 0.05 | 2 | 15.00 | A |
| Polyoxin d, zinc salt | Pear | < 0.01 | 1 | 0.25 | A |
| Polyoxin d, zinc salt | Plum | 0.02 | 2 | 5.50 | A |
| Polyoxyethylene sorbitan monolaurate | Landscape Maintenance | 39.12 | 0 | 0.00 | N/A |
| Potassium bicarbonate | Grape, Wine | 12.29 | 2 | 3.00 | A |
| Potassium hydroxide | Landscape Maintenance | 3.49 | 0 | 0.00 | N/A |
| Potassium laurate | Citrus | 25.37 | 3 | 5.00 | A |
| Potassium peroxymonosulfate | Animal Premise | 128.46 | 5 | 396,000.00 | U |
| Potassium phosphite | Landscape Maintenance | 843.71 | 0 | 0.00 | N/A |
| Potassium phosphite | N-Grnhs Flower | 13.05 | 0 | 1.00 | A |
| Potassium phosphite | Turf/Sod | 124.30 | 0 | 12.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Prallethrin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Prallethrin | Structural Pest Control | 13.38 | 0 | 0.00 | N/A |
| Prodiamine | Landscape Maintenance | 24.72 | 1 | 13.75 | A |
| Prodiamine | Landscape Maintenance | 618.47 | 0 | 0.00 | N/A |
| Prodiamine | N-Grnhs Plants In Containers | 0.05 | 1 | 500.00 | S |
| Prodiamine | Rights Of Way | 105.62 | 0 | 0.00 | N/A |
| Prodiamine | Turf/Sod | 58.83 | 0 | 95.00 | A |
| Prohexadione-calcium | Landscape Maintenance | 6.80 | 0 | 0.00 | N/A |
| Propamocarb hydrochloride | Landscape Maintenance | 15.00 | 0 | 0.00 | N/A |
| Propanil | Rice | 30,302.39 | 128 | 7,695.00 | A |
| Propiconazole | Almond | 439.96 | 24 | 2,096.00 | A |
| Propiconazole | Landscape Maintenance | 2.54 | 3 | 180,000.00 | S |
| Propiconazole | Landscape Maintenance | 225.33 | 0 | 0.00 | N/A |
| Propiconazole | N-Grnhs Flower | 6.87 | 0 | 5.50 | A |
| Propiconazole | N-Outdr Flower | 0.02 | 3 | 0.63 | A |
| Propiconazole | N-Outdr Plants In Containers | 0.17 | 1 | 1.50 | A |
| Propiconazole | Peach | 0.22 | 1 | 2.00 | A |
| Propiconazole | Turf/Sod | 14.24 | 0 | 10.50 | A |
| Propiconazole | Walnut | 310.19 | 10 | 1,420.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Propionic acid | Landscape Maintenance | 24.07 | 0 | 0.00 | N/A |
| Propylene glycol | Landscape Maintenance | 0.97 | 0 | 0.00 | N/A |
| Propylene glycol | N-Outdr Plants In Containers | 6.50 | 28 | 88.20 | A |
| Pseudomonas fluorescens, strain a506 | Apple | 2.22 | 1 | 10.00 | A |
| Pydiflumetofen | Almond | 29.27 | 2 | 330.00 | A |
| Pydiflumetofen | Landscape Maintenance | 0.30 | 0 | 0.00 | N/A |
| Pydiflumetofen | N-Grnhs Flower | 0.21 | 0 | 2.75 | A |
| Pydiflumetofen | Pistachio | 3.87 | 5 | 57.00 | A |
| Pyraclostrobin | Almond | 131.25 | 19 | 1,542.00 | A |
| Pyraclostrobin | Grape, Wine | 6.34 | 9 | 57.50 | A |
| Pyraclostrobin | Landscape Maintenance | 38.73 | 0 | 0.00 | N/A |
| Pyraclostrobin | N-Grnhs Plants In Containers | 1.60 | 12 | 12.50 | A |
| Pyraclostrobin | N-Outdr Plants In Containers | 1.13 | 8 | 10.60 | A |
| Pyraclostrobin | Peach | 2.40 | 2 | 50.00 | A |
| Pyraclostrobin | Turf/Sod | 1.45 | 0 | 3.00 | A |
| Pyraflufen-ethyl | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Pyraflufen-ethyl | N-Grnhs Flower | < 0.01 | 0 | 0.70 | A |
| Pyrethrins | Apple | 0.02 | 1 | 8.00 | U |
| Pyrethrins | Apricot | < 0.01 | 1 | 3.00 | U |
| Pyrethrins | Broccoli | < 0.01 | 1 | 0.25 | A |
| Pyrethrins | Cherry | < 0.01 | 1 | 3.00 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pyrethrins | Eggplant | < 0.01 | 1 | 0.25 | A |
| Pyrethrins | Nectarine | < 0.01 | 1 | 3.00 | U |
| Pyrethrins | Peach | 0.01 | 1 | 8.00 | U |
| Pyrethrins | Pear | < 0.01 | 1 | 5.00 | U |
| Pyrethrins | Public Health | 7.10 | 0 | 0.00 | N/A |
| Pyrethrins | Structural Pest Control | 11.17 | 0 | 0.00 | N/A |
| Pyrifluquinazon | N-Grnhs Plants In Containers | 0.02 | 1 | 0.50 | A |
| Pyrimethanil | Almond | 161.97 | 6 | 728.00 | A |
| Pyriofenone | Grape, Wine | 1.84 | 4 | 22.75 | A |
| Pyriproxyfen | Almond | 4.28 | 3 | 428.00 | A |
| Pyriproxyfen | Landscape Maintenance | 0.08 | 0 | 0.00 | N/A |
| Pyriproxyfen | Public Health | 0.28 | 0 | 0.00 | N/A |
| Pyriproxyfen | Structural Pest Control | 58.39 | 0 | 0.00 | N/A |
| Pyriproxyfen | Walnut | 55.92 | 13 | 701.21 | A |
| Pyroxsulam | Forage Hay/Silage | 3.70 | 2 | 280.00 | A |
| Pyroxsulam | Wheat | 14.81 | 4 | 1,122.00 | A |
| Quinclorac | Landscape Maintenance | 9.64 | 0 | 0.00 | N/A |
| Quinclorac, dimethylamine salt | Landscape Maintenance | 34.94 | 0 | 0.00 | N/A |
| Quinoxyfen | Grape, Wine | 6.57 | 7 | 61.25 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Almond | 79.55 | 4 | 734.00 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Apple | 0.16 | 1 | 1.50 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Apricot | 0.12 | 2 | 1.30 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Citrus | 2.63 | 5 | 14.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Reynoutria sachalinensis (giant knotweed) plant extract | Nectarine | 1.46 | 2 | 13.50 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Peach | 3.58 | 5 | 24.00 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Plum | 1.03 | 4 | 7.50 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Prune | 0.05 | 1 | 0.50 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Rice | 0.11 | 1 | 58.70 | A |
| Rimsulfuron | Almond | 24.53 | 9 | 845.35 | A |
| Rimsulfuron | Grape, Wine | 0.25 | 2 | 5.60 | A |
| Rimsulfuron | N-Outdr Plants In Containers | 0.27 | 3 | 5.00 | A |
| Rimsulfuron | Peach | 0.01 | 1 | 0.20 | A |
| Rimsulfuron | Rights Of Way | 0.03 | 1 | 1.00 | A |
| Rimsulfuron | Rights Of Way | 0.31 | 0 | 0.00 | N/A |
| Rimsulfuron | Uncultivated Ag | 0.03 | 1 | 0.40 | A |
| Rimsulfuron | Uncultivated Non-Ag | 0.35 | 0 | 37.00 | A |
| Rimsulfuron | Walnut | 56.28 | 27 | 1,913.21 | A |
| S-methoprene | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| S-methoprene | Public Health | 22.18 | 0 | 0.00 | N/A |
| S-methoprene | Structural Pest Control | 0.57 | 0 | 0.00 | N/A |
| Saflufenacil | Almond | 20.78 | 5 | 806.86 | A |
| Saflufenacil | Citrus | 0.02 | 1 | 0.50 | A |
| Saflufenacil | Uncultivated Ag | 0.01 | 1 | 0.20 | A |
| Saflufenacil | Walnut | 15.44 | 6 | 353.00 | A |
| Sethoxydim | Landscape Maintenance | 0.09 | 0 | 0.00 | N/A |
| Silica gel | Structural Pest Control | 9.55 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Silicone defoamer | Almond | 0.51 | 11 | 335.00 | A |
| Silicone defoamer | Rice | 3.52 | 32 | 1,906.50 | A |
| Simazine | Landscape Maintenance | 140.40 | 0 | 0.00 | N/A |
| Sodium bromide | Industrial Processing Water | 1.57 | 0 | 1.00 | A |
| Sodium bromide | Water (Industrial) | 1.26 | 0 | 2.00 | A |
| Sodium bromide | Water (Industrial) | 9,017.17 | 0 | 31.00 | U |
| Sodium chlorate | Rice | 2,284.53 | 4 | 418.30 | A |
| Sodium chloride | Animal Premise | 9.00 | 5 | 396,000.00 | U |
| Sodium hypochlorite | Industrial Processing Water | 8.62 | 0 | 2.00 | A |
| Sodium hypochlorite | Water (Industrial) | 5.88 | 0 | 2.00 | A |
| Sodium hypochlorite | Water (Industrial) | 949.84 | 0 | 23.00 | U |
| Sodium hypochlorite | Water Systems - Human Potable/Drinking | 0.21 | 0 | 5.00 | A |
| Sodium hypochlorite | Water Systems - Human Potable/Drinking | 126.78 | 0 | 2.00 | U |
| Sodium nitrate | Landscape Maintenance | 0.11 | 0 | 0.00 | N/A |
| Sodium percarbonate | Rice | 12,664.32 | 9 | 599.30 | A |
| Sodium percarbonate | Rights Of Way | 85.00 | 0 | 0.00 | N/A |
| Sodium percarbonate | Water Area | 38.25 | 0 | 0.50 | A |
| Sodium tetraborate decahydrate | Rights Of Way | 494.63 | 0 | 0.00 | N/A |
| Sodium tetraborate decahydrate | Structural Pest Control | 1.31 | 0 | 0.00 | N/A |
| Spinetoram | Apple | 3.29 | 4 | 30.10 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Spinetoram | N-Outdr Plants In Containers | 0.47 | 3 | 11.20 | A |
| Spinetoram | Peach | 0.05 | 3 | 0.60 | A |
| Spinetoram | Walnut | 2.51 | 1 | 45.00 | A |
| Spinosad | Apple | 0.23 | 2 | 3.00 | A |
| Spinosad | Apricot | 0.18 | 3 | 2.30 | A |
| Spinosad | Citrus | 0.61 | 2 | 6.50 | A |
| Spinosad | Landscape Maintenance | 0.35 | 0 | 0.00 | N/A |
| Spinosad | N-Grnhs Plants In Containers | 0.22 | 4 | 1.25 | A |
| Spinosad | N-Grnhs Plants In Containers | < 0.01 | 1 | 500.00 | S |
| Spinosad | N-Outdr Flower | < 0.01 | 2 | 0.38 | A |
| Spinosad | N-Outdr Plants In Containers | 10.57 | 34 | 84.20 | A |
| Spinosad | Nectarine | 2.79 | 6 | 34.50 | A |
| Spinosad | Olive | < 0.01 | 3 | 48.00 | A |
| Spinosad | Peach | 4.10 | 7 | 50.00 | A |
| Spinosad | Pear | 0.02 | 1 | 0.25 | A |
| Spinosad | Plum | 0.85 | 4 | 11.00 | A |
| Spinosad | Prune | 0.05 | 1 | 0.50 | A |
| Spinosad | Public Health | 46.11 | 0 | 0.00 | N/A |
| Spinosad | Structural Pest Control | 0.21 | 0 | 0.00 | N/A |
| Spirodiclofen | N-Outdr Plants In Containers | 13.76 | 10 | 28.40 | A |
| Spiromesifen | Landscape Maintenance | 0.29 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Spirotetramat | N-Grnhs Plants In Containers | 0.50 | 1 | 1.00 | A |
| Spirotetramat | N-Outdr Plants In Containers | 1.73 | 4 | 12.20 | A |
| Streptomycin sulfate | Apple | 2.65 | 2 | 20.00 | A |
| Streptomycin sulfate | N-Outdr Plants In Containers | 3.02 | 3 | 7.50 | A |
| Strychnine | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Sulfentrazone | Landscape Maintenance | 17.13 | 0 | 0.00 | N/A |
| Sulfentrazone | N-Grnhs Flower | 2.04 | 0 | 36.20 | A |
| Sulfentrazone | Rights Of Way | 122.57 | 0 | 0.00 | N/A |
| Sulfometuron-methyl | Landscape Maintenance | 4.66 | 0 | 0.00 | N/A |
| Sulfometuron-methyl | Rights Of Way | 35.81 | 0 | 0.00 | N/A |
| Sulfur | Almond | 15,667.20 | 11 | 2,252.00 | A |
| Sulfur | Grape, Wine | 1,960.93 | 77 | 527.70 | A |
| Sulfur | Landscape Maintenance | 0.08 | 0 | 0.00 | N/A |
| Sulfur | N-Outdr Plants In Containers | 16.00 | 1 | 2.00 | A |
| Sulfur | Nectarine | 182.40 | 5 | 19.00 | A |
| Sulfur | Peach | 211.20 | 5 | 22.00 | A |
| Sulfur | Plum | 19.20 | 1 | 2.00 | A |
| Sulfuryl fluoride | Structural Pest Control | 2,420.15 | 0 | 0.00 | N/A |
| Tall oil | Rice | 190.73 | 17 | 921.20 | A |
| Tall oil fatty acids | Almond | 137.74 | 12 | 1,482.00 | A |
| Tall oil fatty acids | Grape, Wine | 5.92 | 4 | 69.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tall oil fatty acids | Landscape Maintenance | 2.20 | 0 | 0.00 | N/A |
| Tall oil fatty acids | Rights Of Way | 16.28 | 0 | 0.00 | N/A |
| Tall oil fatty acids | Uncultivated Non-Ag | 1.83 | 3 | 186.40 | A |
| Tebuconazole | Almond | 85.50 | 3 | 380.00 | A |
| Tebuconazole | Grape, Wine | 7.67 | 5 | 97.50 | A |
| Tebuconazole | Landscape Maintenance | 5.32 | 3 | 180,000.00 | S |
| Tebuconazole | Landscape Maintenance | 136.13 | 0 | 0.00 | N/A |
| Tebuconazole | N-Outdr Flower | 0.42 | 1 | 0.13 | A |
| Tebuconazole | Turf/Sod | 10.09 | 0 | 6.00 | A |
| Tebuconazole | Walnut | 128.03 | 11 | 569.00 | A |
| Tetraconazole | Grape, Wine | 1.55 | 7 | 53.75 | A |
| Tetramethrin | Public Health | < 0.01 | 0 | 0.00 | N/A |
| Tetramethrin | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Tetraniliprole | Landscape Maintenance | 10.72 | 0 | 0.00 | N/A |
| Tetraniliprole | Turf/Sod | 3.11 | 0 | 70.00 | A |
| Thiamethoxam | Grape, Wine | 9.30 | 0 | 25.00 | A |
| Thiamethoxam | Landscape Maintenance | 1.34 | 0 | 0.00 | N/A |
| Thiamethoxam | Structural Pest Control | 3.69 | 0 | 0.00 | N/A |
| Thiencarbazone-methyl | Landscape Maintenance | 1.20 | 0 | 0.00 | N/A |
| Thiobencarb | Rice | 1,716.68 | 7 | 725.60 | A |
| Thiophanate-methyl | Almond | 687.40 | 15 | 982.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Thiophanate-methyl | Grape, Wine | 2.10 | 2 | 3.00 | A |
| Thiophanate-methyl | Landscape Maintenance | 491.00 | 0 | 0.00 | N/A |
| Thiophanate-methyl | N-Grnhs Plants In Containers | 0.25 | 1 | 0.50 | A |
| Thiophanate-methyl | N-Grnhs Plants In Containers | 0.12 | 1 | 1,200.00 | S |
| Thiophanate-methyl | N-Outdr Plants In Containers | 19.60 | 10 | 28.40 | A |
| Thiophanate-methyl | Structural Pest Control | 0.62 | 0 | 0.00 | N/A |
| Thyme oil | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Thymol | Beehive | 0.05 | 2 | 2.00 | A |
| Thymol | Beehive | 0.06 | 1 | 2.00 | U |
| Topramezone | Landscape Maintenance | 1.53 | 0 | 0.00 | N/A |
| Tribenuron-methyl | Wheat (Forage - Fodder) | 1.41 | 1 | 170.00 | A |
| Trichlorofluoromethane | Structural Pest Control | 0.97 | 0 | 0.00 | N/A |
| Triclopyr choline | Forest, Timberland | 1,079.47 | 56 | 910.72 | A |
| Triclopyr choline | Forest, Timberland | 523.14 | 0 | 3.00 | U |
| Triclopyr choline | Landscape Maintenance | 251.28 | 0 | 0.00 | N/A |
| Triclopyr choline | Rights Of Way | 257.51 | 0 | 0.00 | N/A |
| Triclopyr choline | Structural Pest Control | 5.58 | 0 | 0.00 | N/A |
| Triclopyr choline | Uncultivated Non-Ag | 1.78 | 0 | 30.90 | A |
| Triclopyr, butoxyethyl ester | Landscape Maintenance | 119.49 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Triclopyr, butoxyethyl ester | N-Grnhs Flower | 0.14 | 0 | 0.70 | A |
| Triclopyr, butoxyethyl ester | Pastureland | 1.94 | 4 | 3.60 | A |
| Triclopyr, butoxyethyl ester | Rights Of Way | 229.81 | 0 | 0.00 | N/A |
| Triclopyr, butoxyethyl ester | Structural Pest Control | 0.38 | 0 | 0.00 | N/A |
| Triclopyr, butoxyethyl ester | Turf/Sod | 23.69 | 0 | 30.00 | A |
| Triclopyr, butoxyethyl ester | Uncultivated Ag | 0.60 | 1 | 0.40 | A |
| Triclopyr, triethylamine salt | Forest, Timberland | 2.13 | 0 | 299.00 | U |
| Triclopyr, triethylamine salt | Landscape Maintenance | 154.89 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Pastureland | 7.50 | 5 | 52.24 | A |
| Triclopyr, triethylamine salt | Rangeland | 1.07 | 1 | 60.00 | A |
| Triclopyr, triethylamine salt | Rice | 669.57 | 54 | 3,169.10 | A |
| Triclopyr, triethylamine salt | Rights Of Way | 743.90 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Structural Pest Control | 0.17 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Uncultivated Ag | 2.14 | 1 | 10.75 | A |
| Triclopyr, triethylamine salt | Water Area | 2.58 | 0 | 43.30 | A |
| Trifloxystrobin | Almond | 28.40 | 3 | 272.00 | A |
| Trifloxystrobin | Grape, Wine | 7.60 | 8 | 65.00 | A |
| Trifloxystrobin | Landscape Maintenance | 0.33 | 0 | 0.00 | N/A |
| Trifloxystrobin | N-Grnhs Plants In Containers | 0.22 | 3 | 2.00 | A |
| Trifluralin | Landscape Maintenance | 68.42 | 0 | 0.00 | N/A |
| Trinexapac-ethyl | Landscape Maintenance | 240.97 | 0 | 0.00 | N/A |
| Trinexapac-ethyl | N-Grnhs Flower | 0.71 | 0 | 16.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Trinexapac-ethyl | Turf/Sod | 0.96 | 0 | 16.50 | A |
| Triticonazole | Landscape Maintenance | 6.34 | 0 | 0.00 | N/A |
| Uniconazole-p | N-Grnhs Plants In Containers | 0.03 | 9 | 9.75 | A |
| Uniconazole-p | N-Grnhs Plants In Containers | < 0.01 | 2 | 2,000.00 | S |
| Urea dihydrogen sulfate | Almond | 3.87 | 6 | 341.78 | A |
| Warfarin | Structural Pest Control | 0.22 | 0 | 0.00 | N/A |
| Warfarin | Vertebrate Control | < 0.01 | 0 | 0.00 | N/A |
| Z,e-9,12-tetradecadien-1-yl acetate | Structural Pest Control | 0.09 | 0 | 0.00 | N/A |
| Z-8-dodecenol | Almond | < 0.01 | 2 | 0.40 | A |
| Z-8-dodecenol | Apricot | < 0.01 | 2 | 3.00 | A |
| Z-8-dodecenol | Cherry | < 0.01 | 2 | 1.50 | A |
| Z-8-dodecenol | N-Outdr Plants In Containers | 0.06 | 2 | 16.00 | A |
| Z-8-dodecenol | Nectarine | < 0.01 | 2 | 1.10 | A |
| Z-8-dodecenol | Peach | 0.03 | 2 | 14.00 | A |
| Z-8-dodecenol | Plum | 0.02 | 2 | 10.00 | A |
| Z-8-dodecenol | Pluot | < 0.01 | 2 | 2.00 | A |
| Z-8-dodecenyl acetate | Almond | < 0.01 | 2 | 0.40 | A |
| Z-8-dodecenyl acetate | Apricot | 0.02 | 2 | 3.00 | A |
| Z-8-dodecenyl acetate | Cherry | < 0.01 | 2 | 1.50 | A |
| Z-8-dodecenyl acetate | N-Outdr Plants In Containers | 0.96 | 2 | 16.00 | A |
| Z-8-dodecenyl acetate | Nectarine | 0.02 | 2 | 1.10 | A |
| Z-8-dodecenyl acetate | Peach | 0.41 | 2 | 14.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Z-8-dodecenyl acetate | Plum | 0.25 | 2 | 10.00 | A |
| Z-8-dodecenyl acetate | Pluot | 0.03 | 2 | 2.00 | A |
| Zeta-cypermethrin | Structural Pest Control | 0.07 | 0 | 0.00 | N/A |
| Zinc phosphide | Landscape Maintenance | 0.14 | 0 | 0.00 | N/A |
| Zinc phosphide | Rights Of Way | 0.05 | 0 | 0.00 | N/A |
| Zinc phosphide | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Ziram | N-Outdr Plants In Containers | 33.44 | 2 | 5.50 | A |
| Ziram | Peach | 190.00 | 1 | 25.00 | A |