# 2024 Annual Statewide Pesticide Use Report Indexed by Chemical: Solano County

Text files of data are available. Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit, N/A = Not Available. Area treated totals are cumulative, meaning that if a one-acre field was treated three times in a year, the cumulative area treated would equal three acres. Most nonagricultural pesticide use reports are not required to report area treated, so the area treated totals are predominantly agricultural pesticide uses. Application counts (Apps) include only agricultural pesticide uses. N-outdr = Outdoor nursery. N-grnhs = Greenhouse nursery. For more information, see Pesticide Use Annual Report Data Access, References, and Definitions Guide.

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| (e)-5-decen-1-ol | Nectarine | < 0.01 | 1 | 0.50 | A |
| (e)-5-decen-1-ol | Peach | < 0.01 | 1 | 2.50 | A |
| (e)-5-decen-1-ol | Plum | < 0.01 | 1 | 0.50 | A |
| (e)-5-decenyl acetate | Nectarine | < 0.01 | 1 | 0.50 | A |
| (e)-5-decenyl acetate | Peach | < 0.01 | 1 | 2.50 | A |
| (e)-5-decenyl acetate | Plum | < 0.01 | 1 | 0.50 | A |
| (e,e)-8,10-dodecadien-1-ol | Pear | 3.58 | 1 | 34.95 | A |
| (s)-kinoprene | N-Outdr Plants In Containers | 0.94 | 1 | 2.99 | A |
| (s)-kinoprene | Research Commodity | 0.02 | 0 | 0.00 | N/A |
| (z,z)-11,13-hexadecadienal | Almond | 2.41 | 3 | 241.00 | A |
| 1,3-dichloro-5,5-dimethylhydantoin | Water (Industrial) | 21.68 | 0 | 3.00 | U |
| 1,3-dichloro-5-ethyl-5-methylhydantoin | Water (Industrial) | 11.93 | 0 | 3.00 | U |
| 1,3-dichloropropene | Strawberry | 1,074.19 | 3 | 6.50 | A |
| 1-bromo-3-chloro-5,5-dimethyl hydantoin | Water (Industrial) | 40.65 | 0 | 3.00 | U |
| 1-naphthaleneacetic acid, potassium salt | Pear | 16.77 | 3 | 152.95 | A |
| 2,2-dibromo-3-nitrilopropionamide | Water (Industrial) | 569.45 | 0 | 7.00 | U |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| 2,4-d | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| 2,4-d, 2-ethylhexyl ester | Golf Course Turf | 11.04 | 1 | 14.25 | A |
| 2,4-d, 2-ethylhexyl ester | Golf Course Turf | 2.36 | 1 | 175,000.00 | S |
| 2,4-d, 2-ethylhexyl ester | Landscape Maintenance | 137.25 | 0 | 0.00 | N/A |
| 2,4-d, 2-ethylhexyl ester | Structural Pest Control | 0.14 | 0 | 0.00 | N/A |
| 2,4-d, diethanolamine salt | Barley | 45.66 | 2 | 44.00 | A |
| 2,4-d, dimethylamine salt | Almond | 565.75 | 7 | 330.00 | A |
| 2,4-d, dimethylamine salt | Barley | 79.92 | 4 | 94.00 | A |
| 2,4-d, dimethylamine salt | Forage Hay/Silage | 2,470.89 | 39 | 2,196.40 | A |
| 2,4-d, dimethylamine salt | Grape, Wine | 34.28 | 1 | 30.56 | A |
| 2,4-d, dimethylamine salt | Landscape Maintenance | 331.33 | 0 | 0.00 | N/A |
| 2,4-d, dimethylamine salt | Oat (Forage - Fodder) | 64.95 | 1 | 76.30 | A |
| 2,4-d, dimethylamine salt | Orchardgrass | 162.25 | 3 | 143.00 | A |
| 2,4-d, dimethylamine salt | Pastureland | 96.23 | 5 | 84.50 | A |
| 2,4-d, dimethylamine salt | Rangeland | 684.18 | 1 | 300.00 | A |
| 2,4-d, dimethylamine salt | Ryegrass | 1,841.25 | 31 | 1,595.90 | A |
| 2,4-d, dimethylamine salt | Sorghum/Milo | 336.17 | 9 | 444.00 | A |
| 2,4-d, dimethylamine salt | Sudangrass | 1,907.69 | 28 | 1,681.30 | A |
| 2,4-d, dimethylamine salt | Triticale | 741.14 | 13 | 623.30 | A |
| 2,4-d, dimethylamine salt | Uncultivated Ag | 52.46 | 1 | 77.00 | A |
| 2,4-d, dimethylamine salt | Wheat | 1,194.26 | 30 | 1,169.50 | A |
| 2,4-d, isooctyl ester | Landscape Maintenance | 7.75 | 0 | 0.00 | N/A |
| 2,4-db, dimethylamine salt | Alfalfa | 26.33 | 1 | 45.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| 2,4-dichlorophenoxyacetic acid, choline salt | Triticale | 141.26 | 7 | 267.00 | A |
| 2,4-dp-p, 2-ethylhexyl ester | Golf Course Turf | 1.34 | 1 | 4.00 | A |
| 2,4-dp-p, 2-ethylhexyl ester | Landscape Maintenance | 46.74 | 0 | 0.00 | N/A |
| 2,4-dp-p, 2-ethylhexyl ester | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |
| 2,4-dp-p, dma salt | Landscape Maintenance | 15.44 | 0 | 0.00 | N/A |
| 2-(3-hydroxypropyl)-hepta-methyl trisiloxane, ethoxylated, acetate | Grape, Wine | 1,957.45 | 407 | 8,075.07 | A |
| 2-methyl-1-butanol | Structural Pest Control | 0.17 | 0 | 0.00 | N/A |
| 2-methyl-4-isothiazolin-3-one | Industrial Processing Water | 1.00 | 0 | 13,368.00 | C |
| 2-methyl-4-isothiazolin-3-one | Water (Industrial) | 7.19 | 0 | 53.00 | U |
| 4-aminopyridine | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| 4-nonylphenol, formaldehyde resin, propoxylated | Grape, Wine | 155.87 | 72 | 1,409.53 | A |
| 4-vinylcyclohexenediepoxide | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Industrial Processing Water | 2.80 | 0 | 13,368.00 | C |
| 5-chloro-2-methyl-4-isothiazolin-3-one | Water (Industrial) | 20.47 | 0 | 53.00 | U |
| Abamectin | Almond | 354.40 | 212 | 17,477.80 | A |
| Abamectin | Bean, Dried | 62.99 | 67 | 3,566.34 | A |
| Abamectin | Cucumber | 0.39 | 1 | 21.00 | A |
| Abamectin | Grape, Wine | 11.70 | 20 | 682.21 | A |
| Abamectin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Abamectin | Melon | 3.10 | 3 | 179.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Abamectin | N-Grnhs Plants In Containers | < 0.01 | 4 | 4.00 | S |
| Abamectin | N-Outdr Plants In Containers | 3.23 | 69 | 176.76 | A |
| Abamectin | Pear | 1.99 | 2 | 94.95 | A |
| Abamectin | Prune | 14.14 | 24 | 681.73 | A |
| Abamectin | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Abamectin | Soybean | 2.60 | 3 | 150.00 | A |
| Abamectin | Squash | 0.56 | 1 | 30.00 | A |
| Abamectin | Structural Pest Control | 0.01 | 0 | 0.00 | N/A |
| Abamectin | Tomato, Processing | 94.41 | 94 | 5,630.40 | A |
| Abamectin | Walnut | 28.86 | 28 | 1,281.28 | A |
| Abamectin | Watermelon | 4.07 | 4 | 217.00 | A |
| Abamectin, other related | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Abamectin, other related | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Acephate | Bean, Dried | 158.11 | 2 | 163.00 | A |
| Acephate | Landscape Maintenance | 0.09 | 0 | 0.00 | N/A |
| Acephate | N-Outdr Plants In Containers | 28.13 | 23 | 31.72 | A |
| Acephate | Structural Pest Control | 5.19 | 0 | 0.00 | N/A |
| Acequinocyl | N-Outdr Plants In Containers | 3.18 | 10 | 13.29 | A |
| Acetamiprid | Bean, Dried | 122.51 | 22 | 1,238.50 | A |
| Acetamiprid | Grape | 4.73 | 32 | 52.10 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Acetamiprid | Grape, Wine | 3.91 | 7 | 69.50 | A |
| Acetamiprid | Landscape Maintenance | 0.05 | 0 | 0.00 | N/A |
| Acetamiprid | N-Outdr Plants In Containers | 10.53 | 47 | 122.12 | A |
| Acetamiprid | N-Outdr Transplants | 3.32 | 3 | 59.00 | A |
| Acetamiprid | Pumpkin | 10.39 | 6 | 106.00 | A |
| Acetamiprid | Stone Fruit | 0.61 | 1 | 7.00 | A |
| Acetamiprid | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Acetamiprid | Tomato, Processing | 323.61 | 109 | 4,313.20 | A |
| Acetamiprid | Walnut | 84.02 | 57 | 1,485.00 | A |
| Acetic acid | Structural Pest Control | 0.37 | 0 | 0.00 | N/A |
| Acibenzolar-s-methyl | Golf Course Turf | 0.16 | 3 | 12.00 | A |
| Acibenzolar-s-methyl | Golf Course Turf | 0.18 | 2 | 350,000.00 | S |
| Acibenzolar-s-methyl | Landscape Maintenance | 0.27 | 0 | 0.00 | N/A |
| Afidopyropen | Alfalfa | 19.43 | 24 | 1,189.90 | A |
| Afidopyropen | Sorghum/Milo | 9.04 | 13 | 460.60 | A |
| Afidopyropen | Tomato, Processing | 6.80 | 5 | 265.00 | A |
| Aggregated adjuvant data | Alfalfa | 5,471.56 | 825 | 38,990.60 | A |
| Aggregated adjuvant data | Almond | 10,285.40 | 727 | 47,755.46 | A |
| Aggregated adjuvant data | Apricot | 0.35 | 2 | 0.75 | A |
| Aggregated adjuvant data | Barley | 74.26 | 22 | 1,576.00 | A |
| Aggregated adjuvant data | Basil, Sweet | 0.55 | 6 | 3,500.00 | S |
| Aggregated adjuvant data | Bean, Dried | 296.98 | 122 | 5,440.54 | A |
| Aggregated adjuvant data | Broccoli | 13.12 | 6 | 86.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aggregated adjuvant data | Cabbage | 1.43 | 2 | 12.00 | A |
| Aggregated adjuvant data | Canola (Rape) | 297.06 | 39 | 1,333.00 | A |
| Aggregated adjuvant data | Corn (Forage - Fodder) | 144.60 | 30 | 1,155.00 | A |
| Aggregated adjuvant data | Corn, Grain | 994.80 | 128 | 5,771.50 | A |
| Aggregated adjuvant data | Corn, Human Consumption | 98.78 | 18 | 734.00 | A |
| Aggregated adjuvant data | Cucumber | 44.78 | 2 | 164.00 | A |
| Aggregated adjuvant data | Ditch Bank | 37.49 | 0 | 24.00 | A |
| Aggregated adjuvant data | Forage Hay/Silage | 937.74 | 95 | 4,319.40 | A |
| Aggregated adjuvant data | Garbanzo Bean | 37.42 | 8 | 314.00 | A |
| Aggregated adjuvant data | Golf Course Turf | 68.97 | 0 | 62.10 | A |
| Aggregated adjuvant data | Grape, Wine | 1,044.22 | 613 | 16,131.96 | A |
| Aggregated adjuvant data | Landscape Maintenance | 141.88 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Lettuce, Head | 16.57 | 75 | 1,962,574.01 | S |
| Aggregated adjuvant data | Melon | 54.47 | 6 | 330.00 | A |
| Aggregated adjuvant data | N-Outdr Plants In Containers | 22.38 | 15 | 25.00 | A |
| Aggregated adjuvant data | N-Outdr Transplants | 35.45 | 11 | 253.72 | A |
| Aggregated adjuvant data | Nectarine | 0.81 | 6 | 2.50 | A |
| Aggregated adjuvant data | Oat (Forage - Fodder) | 0.33 | 1 | 76.30 | A |
| Aggregated adjuvant data | Olive | 626.06 | 10 | 497.88 | A |
| Aggregated adjuvant data | Orchardgrass | 128.87 | 5 | 283.00 | A |
| Aggregated adjuvant data | Pastureland | 95.56 | 17 | 1,126.50 | A |
| Aggregated adjuvant data | Peach | 39.12 | 10 | 94.85 | A |
| Aggregated adjuvant data | Pear | 171.37 | 18 | 736.18 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aggregated adjuvant data | Persimmon | 1.73 | 1 | 3.00 | A |
| Aggregated adjuvant data | Pistachio | 312.74 | 27 | 1,664.94 | A |
| Aggregated adjuvant data | Prune | 566.26 | 96 | 3,738.98 | A |
| Aggregated adjuvant data | Pumpkin | 26.51 | 6 | 106.00 | A |
| Aggregated adjuvant data | Rangeland | 17.70 | 3 | 605.00 | A |
| Aggregated adjuvant data | Recreation Area | 41.92 | 1 | 120.00 | A |
| Aggregated adjuvant data | Research Commodity | 0.35 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Rights Of Way | 3.94 | 4 | 65.00 | A |
| Aggregated adjuvant data | Rights Of Way | 0.07 | 1 | 4,116.00 | S |
| Aggregated adjuvant data | Rights Of Way | 1,337.14 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Ryegrass | 68.68 | 38 | 1,860.80 | A |
| Aggregated adjuvant data | Safflower | 110.96 | 30 | 1,011.00 | A |
| Aggregated adjuvant data | Soil Fumigation/Pre plant | 200.31 | 2 | 470.00 | A |
| Aggregated adjuvant data | Sorghum/Milo | 144.38 | 21 | 722.00 | A |
| Aggregated adjuvant data | Soybean | 19.18 | 3 | 150.00 | A |
| Aggregated adjuvant data | Squash | 15.18 | 4 | 51.00 | A |
| Aggregated adjuvant data | Strawberry | 2.87 | 1 | 3.00 | A |
| Aggregated adjuvant data | Structural Pest Control | 167.04 | 0 | 0.00 | N/A |
| Aggregated adjuvant data | Sudangrass | 21.32 | 28 | 1,681.30 | A |
| Aggregated adjuvant data | Sunflower | 447.56 | 139 | 5,291.92 | A |
| Aggregated adjuvant data | Tomato, Processing | 1,615.76 | 483 | 20,202.91 | A |
| Aggregated adjuvant data | Triticale | 321.06 | 113 | 5,587.30 | A |
| Aggregated adjuvant data | Uncultivated Ag | 7,658.07 | 640 | 34,590.95 | A |
| Aggregated adjuvant data | Uncultivated Ag | 0.13 | 2 | 17,638.00 | S |
| Aggregated adjuvant data | Uncultivated Non-Ag | 575.85 | 64 | 1,873.60 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aggregated adjuvant data | Vegetable | 4.62 | 2 | 8.00 | A |
| Aggregated adjuvant data | Walnut | 4,382.88 | 323 | 10,016.18 | A |
| Aggregated adjuvant data | Water Area | 595.03 | 0 | 86.70 | A |
| Aggregated adjuvant data | Watermelon | 45.80 | 7 | 286.00 | A |
| Aggregated adjuvant data | Wheat | 634.33 | 123 | 7,860.60 | A |
| Alcohols, c12-14-secondary, ethoxylated | Almond | 832.90 | 148 | 6,740.88 | A |
| Alcohols, c12-14-secondary, ethoxylated | Grape, Wine | 220.81 | 65 | 1,613.42 | A |
| Alkyl (c8,c10) polyglucoside | Almond | 15.98 | 24 | 820.33 | A |
| Alkyl (c8,c10) polyglucoside | Grape, Wine | 64.42 | 47 | 363.49 | A |
| Alkyl (c8,c10) polyglucoside | Landscape Maintenance | 63.10 | 0 | 0.00 | N/A |
| Alkyl (c8,c10) polyglucoside | Rights Of Way | 62.35 | 0 | 0.00 | N/A |
| Alkyl (c8,c10) polyglucoside | Tomato, Processing | 111.66 | 10 | 2,366.60 | A |
| Alkyl (c8,c10) polyglucoside | Uncultivated Ag | 23.90 | 15 | 787.70 | A |
| Alkyl* dimethyl benzyl ammonium chloride *(50%c14, 40%c12, 10%c16) | Structural Pest Control | 1.41 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Alfalfa | 1,645.66 | 242 | 12,033.40 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Almond | 5,918.83 | 289 | 18,088.61 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Barley | 67.91 | 9 | 698.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn (Forage - Fodder) | 178.57 | 11 | 436.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, Grain | 461.02 | 58 | 2,896.90 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Corn, Human Consumption | 50.34 | 4 | 189.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Forage Hay/Silage | 87.38 | 14 | 458.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Grape, Wine | 1,464.77 | 232 | 4,957.05 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Landscape Maintenance | 212.24 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | N-Outdr Transplants | 34.20 | 5 | 106.48 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pastureland | 16.25 | 5 | 84.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Pistachio | 171.77 | 13 | 791.47 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Prune | 367.93 | 32 | 1,155.43 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 15.77 | 4 | 65.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Rights Of Way | 84.30 | 0 | 0.00 | N/A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Sorghum/Milo | 63.10 | 16 | 524.00 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Sunflower | 256.68 | 43 | 1,682.20 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Tomato, Processing | 1,617.15 | 92 | 9,291.28 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Triticale | 285.77 | 41 | 2,119.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated Ag | 1,886.80 | 212 | 11,372.37 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Uncultivated Non-Ag | 59.67 | 32 | 841.62 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Walnut | 629.07 | 136 | 3,340.32 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene) | Wheat | 457.54 | 57 | 2,918.30 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Almond | 226.25 | 35 | 2,709.50 | A |
| Alpha-(para-nonylphenyl)-omega-hydroxypoly(oxyethylene), branched | Grape, Wine | 77.02 | 32 | 1,009.20 | A |
| Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Landscape Maintenance | 1.91 | 0 | 0.00 | N/A |
| Alpha-alkyl (c12-c14)-omega-hydroxypoly(oxyethylene) | Walnut | 10.63 | 6 | 110.00 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Alfalfa | 203.42 | 78 | 3,880.40 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Almond | 1,211.96 | 98 | 6,745.60 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Grape, Wine | 688.57 | 79 | 2,294.87 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Tomato, Processing | 33.72 | 25 | 517.13 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Uncultivated Ag | 321.82 | 122 | 6,179.07 | A |
| Alpha-alkyl (c9-c11)-omega-hydroxypoly(oxyethylene) | Walnut | 145.89 | 66 | 1,325.38 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Alpha-cypermethrin | Structural Pest Control | 171.37 | 0 | 0.00 | N/A |
| Alpha-pinene-beta-pinene copolymer | Almond | 790.28 | 14 | 2,614.60 | A |
| Alpha-pinene-beta-pinene copolymer | Grape, Wine | 34.17 | 21 | 222.70 | A |
| Alpha-pinene-beta-pinene copolymer | Peach | 4.11 | 4 | 27.50 | A |
| Alpha-pinene-beta-pinene copolymer | Pear | 9.64 | 2 | 92.95 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Almond | 464.29 | 94 | 5,726.73 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Grape, Wine | 87.51 | 19 | 595.48 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Uncultivated Ag | 40.78 | 21 | 813.45 | A |
| Alpha-tridecyl-omega-hydroxypoly(oxyethanol) phosphate | Walnut | 5.68 | 4 | 61.38 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Almond | 190.23 | 28 | 5,653.50 | A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Landscape Maintenance | 219.94 | 0 | 0.00 | N/A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Rights Of Way | 806.20 | 0 | 0.00 | N/A |
| Alpha-undecyl-omega-hydroxypoly(oxyethylene) | Uncultivated Non-Ag | 31.08 | 0 | 216.28 | A |
| Aluminum phosphide | Fumigation, Other | 1.05 | 0 | 0.00 | N/A |
| Aluminum phosphide | Landscape Maintenance | 0.12 | 0 | 0.00 | N/A |
| Aluminum phosphide | Uncultivated Non-Ag | 0.07 | 1 | 3.00 | A |
| Ametoctradin | N-Outdr Plants In Containers | 13.14 | 12 | 29.69 | A |
| Aminocyclopyrachlor, potassium salt | Landscape Maintenance | 7.40 | 0 | 0.00 | N/A |
| Aminocyclopyrachlor, potassium salt | Rights Of Way | 1.92 | 0 | 0.00 | N/A |
| Aminocyclopyrachlor, potassium salt | Uncultivated Non-Ag | 25.01 | 0 | 157.84 | A |
| Aminopyralid, triisopropanolamine salt | Landscape Maintenance | 65.49 | 0 | 0.00 | N/A |
| Aminopyralid, triisopropanolamine salt | Pastureland | 60.70 | 1 | 320.00 | A |
| Aminopyralid, triisopropanolamine salt | Rangeland | 8.60 | 19 | 4,543.40 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Aminopyralid, triisopropanolamine salt | Rights Of Way | 0.01 | 2 | 22.00 | U |
| Aminopyralid, triisopropanolamine salt | Rights Of Way | 374.14 | 0 | 0.00 | N/A |
| Aminopyralid, triisopropanolamine salt | Structural Pest Control | 0.24 | 0 | 0.00 | N/A |
| Aminopyralid, triisopropanolamine salt | Uncultivated Non-Ag | 4.82 | 0 | 25.80 | A |
| Ammonium 1-naphthaleneacetate | Landscape Maintenance | 0.36 | 0 | 0.00 | N/A |
| Ammonium nitrate | Grape, Wine | 267.47 | 107 | 2,024.85 | A |
| Ammonium sulfate | Alfalfa | 2,561.53 | 185 | 8,926.60 | A |
| Ammonium sulfate | Almond | 6,431.25 | 292 | 15,437.10 | A |
| Ammonium sulfate | Corn, Grain | 513.08 | 47 | 2,409.60 | A |
| Ammonium sulfate | Grape, Wine | 2,845.57 | 117 | 4,103.79 | A |
| Ammonium sulfate | Landscape Maintenance | 114.08 | 0 | 0.00 | N/A |
| Ammonium sulfate | Olive | 51.08 | 4 | 165.94 | A |
| Ammonium sulfate | Pear | 32.60 | 3 | 85.24 | A |
| Ammonium sulfate | Pistachio | 173.17 | 6 | 551.22 | A |
| Ammonium sulfate | Prune | 515.36 | 32 | 1,054.54 | A |
| Ammonium sulfate | Rights Of Way | 256.17 | 0 | 0.00 | N/A |
| Ammonium sulfate | Sunflower | 457.79 | 30 | 1,027.50 | A |
| Ammonium sulfate | Tomato, Processing | 1,316.64 | 94 | 4,358.01 | A |
| Ammonium sulfate | Uncultivated Ag | 5,763.14 | 373 | 20,404.60 | A |
| Ammonium sulfate | Uncultivated Non-Ag | 434.02 | 32 | 599.58 | A |
| Ammonium sulfate | Walnut | 997.40 | 127 | 3,258.11 | A |
| Ammonium sulfate | Wheat | 253.28 | 12 | 904.00 | A |
| Aspergillus flavus strain nrrl #21882 | Pistachio | 0.05 | 1 | 54.00 | A |
| Aspergillus flavus strain: af-36 | Pistachio | < 0.01 | 1 | 120.00 | A |
| Azadirachtin | Basil, Sweet | < 0.01 | 1 | 5,855.63 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Azadirachtin | Grape | 0.09 | 1 | 3.85 | A |
| Azadirachtin | Lettuce, Head | 0.16 | 11 | 390,187.88 | S |
| Azadirachtin | N-Outdr Plants In Containers | 0.59 | 7 | 14.19 | A |
| Azoxystrobin | Almond | 3,404.40 | 179 | 18,106.35 | A |
| Azoxystrobin | Apricot | 3.36 | 9 | 11.20 | A |
| Azoxystrobin | Broccoli | 9.13 | 2 | 50.00 | A |
| Azoxystrobin | Golf Course Turf | 9.67 | 3 | 18.80 | A |
| Azoxystrobin | Golf Course Turf | 1.88 | 0 | 150,000.00 | S |
| Azoxystrobin | Grape | 11.07 | 32 | 52.10 | A |
| Azoxystrobin | Grape, Wine | 248.64 | 43 | 1,201.10 | A |
| Azoxystrobin | Landscape Maintenance | 23.83 | 0 | 0.00 | N/A |
| Azoxystrobin | Melon | 24.01 | 2 | 130.00 | A |
| Azoxystrobin | N-Outdr Plants In Containers | 13.80 | 26 | 42.39 | A |
| Azoxystrobin | Nectarine | 0.38 | 4 | 2.90 | A |
| Azoxystrobin | Peach | 2.93 | 4 | 22.50 | A |
| Azoxystrobin | Pistachio | 12.48 | 1 | 60.00 | A |
| Azoxystrobin | Pluot | 0.43 | 2 | 3.32 | A |
| Azoxystrobin | Prune | 62.41 | 6 | 312.00 | A |
| Azoxystrobin | Pumpkin | 8.39 | 3 | 46.00 | A |
| Azoxystrobin | Stone Fruit | 1.48 | 1 | 7.00 | A |
| Azoxystrobin | Tomato, Processing | 781.29 | 133 | 7,563.20 | A |
| Azoxystrobin | Walnut | 33.24 | 5 | 165.50 | A |
| Bacillus altitudinis strain: qst 2808 | Cucumber | < 0.01 | 5 | 68.00 | S |
| Bacillus altitudinis strain: qst 2808 | Grape, Wine | 13.62 | 15 | 212.26 | A |
| Bacillus sphaericus 2362 serotype h5a5b strain: abts 1743 | Public Health | 0.12 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bacillus subtilis subspecies subtilis strain: iab/bs03 | Grape, Wine | 0.05 | 4 | 39.30 | A |
| Bacillus thuringiensis subsp. aizawai strain: abts-1857 | Broccoli | 1.62 | 2 | 6.00 | A |
| Bacillus thuringiensis subsp. aizawai strain: abts-1857 | Vegetable | 2.16 | 2 | 8.00 | A |
| Bacillus thuringiensis subsp. israelensis strain: am 65-52 | N-Outdr Plants In Containers | 19.45 | 6 | 1.92 | A |
| Bacillus thuringiensis subsp. israelensis strain: am 65-52 | Public Health | 176.55 | 0 | 0.00 | N/A |
| Bacillus thuringiensis subsp. kurstaki strain: abts-351 | N-Outdr Plants In Containers | 3.65 | 1 | 8.46 | A |
| Bacillus thuringiensis subsp. kurstaki strain: evb-113-19 | Almond | 370.10 | 3 | 780.00 | A |
| Bacillus velezensis strain: d747 | Basil, Sweet | 1.04 | 1 | 10,275.00 | S |
| Bacillus velezensis strain: d747 | Landscape Maintenance | 0.40 | 0 | 0.00 | N/A |
| Bacillus velezensis strain: d747 | Lettuce, Head | 23.87 | 8 | 297,200.00 | S |
| Bacillus velezensis strain: qst 713 | Basil, Sweet | 0.39 | 26 | 97,775.00 | S |
| Bacillus velezensis strain: qst 713 | Grape, Wine | 0.10 | 1 | 16.00 | A |
| Bacillus velezensis strain: qst 713 | Lettuce, Head | 0.61 | 30 | 285,155.00 | S |
| Beauveria bassiana strain: gha | Basil, Sweet | 0.14 | 3 | 30,825.00 | S |
| Beauveria bassiana strain: gha | Lettuce, Head | 4.82 | 29 | 1,054,101.88 | S |
| Beauveria bassiana strain: gha | Structural Pest Control | 0.85 | 0 | 0.00 | N/A |
| Benzoic acid | Rights Of Way | 0.68 | 0 | 0.00 | N/A |
| Benzoic acid | Tomato, Processing | 6.89 | 18 | 1,253.40 | A |
| Benzovindiflupyr | Grape, Wine | 20.82 | 17 | 304.82 | A |
| Benzovindiflupyr | Landscape Maintenance | 1.28 | 0 | 0.00 | N/A |
| Beta-conglutin | Grape, Wine | 74.07 | 3 | 103.98 | A |
| Beta-cyfluthrin | Apricot | 0.03 | 1 | 1.54 | A |
| Beta-cyfluthrin | Commodity Fumigation | 0.25 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Beta-cyfluthrin | Landscape Maintenance | 0.02 | 0 | 0.00 | N/A |
| Beta-cyfluthrin | N-Outdr Plants In Containers | 4.41 | 58 | 83.64 | A |
| Beta-cyfluthrin | Nectarine | 0.03 | 2 | 1.45 | A |
| Beta-cyfluthrin | Peach | 0.25 | 2 | 11.25 | A |
| Beta-cyfluthrin | Pluot | 0.04 | 1 | 1.66 | A |
| Beta-cyfluthrin | Structural Pest Control | 9.48 | 0 | 0.00 | N/A |
| Beta-cyfluthrin | Tomato, Processing | 15.61 | 20 | 480.40 | A |
| Beta-cyfluthrin | Walnut | 2.69 | 2 | 152.00 | A |
| Bifenazate | Almond | 688.39 | 16 | 927.50 | A |
| Bifenazate | Grape | 3.00 | 0 | 9.00 | A |
| Bifenazate | Grape, Wine | 0.50 | 1 | 1.00 | A |
| Bifenazate | Melon | 9.83 | 1 | 21.00 | A |
| Bifenazate | N-Outdr Plants In Containers | 7.54 | 20 | 38.19 | A |
| Bifenazate | Prune | 217.02 | 3 | 430.00 | A |
| Bifenazate | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Bifenazate | Stone Fruit | 3.25 | 1 | 7.00 | A |
| Bifenazate | Walnut | 830.05 | 32 | 1,352.00 | A |
| Bifenthrin | Almond | 2,230.80 | 168 | 11,565.30 | A |
| Bifenthrin | Bean, Dried | 493.25 | 102 | 5,278.74 | A |
| Bifenthrin | Broccoli | 2.50 | 1 | 20.00 | A |
| Bifenthrin | Cabbage | 0.92 | 2 | 9.00 | A |
| Bifenthrin | Corn, Human Consumption | 6.01 | 2 | 60.00 | A |
| Bifenthrin | Cucumber | 2.02 | 1 | 21.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Bifenthrin | Grape, Wine | 1.98 | 10 | 21.00 | A |
| Bifenthrin | Landscape Maintenance | 10.96 | 0 | 0.00 | N/A |
| Bifenthrin | Melon | 1.95 | 1 | 21.00 | A |
| Bifenthrin | Pistachio | 10.02 | 2 | 50.00 | A |
| Bifenthrin | Pumpkin | 7.42 | 5 | 79.00 | A |
| Bifenthrin | Squash | 2.89 | 1 | 30.00 | A |
| Bifenthrin | Structural Pest Control | 835.78 | 0 | 0.00 | N/A |
| Bifenthrin | Tomato, Processing | 1,700.49 | 380 | 20,193.60 | A |
| Bifenthrin | Walnut | 227.58 | 27 | 1,184.00 | A |
| Bifenthrin | Watermelon | 20.87 | 4 | 217.00 | A |
| Boric acid | Landscape Maintenance | 169.13 | 0 | 0.00 | N/A |
| Boric acid | Structural Pest Control | 1,400.14 | 0 | 0.00 | N/A |
| Boscalid | Apricot | 0.12 | 2 | 2.00 | A |
| Boscalid | Cherry | 0.24 | 1 | 1.50 | A |
| Boscalid | Grape, Wine | 379.59 | 49 | 1,295.94 | A |
| Boscalid | Landscape Maintenance | 2.18 | 0 | 0.00 | N/A |
| Boscalid | N-Outdr Plants In Containers | 42.44 | 55 | 78.25 | A |
| Boscalid | Nectarine | 0.32 | 1 | 2.00 | A |
| Boscalid | Peach | 0.72 | 2 | 4.50 | A |
| Boscalid | Pistachio | 4.72 | 1 | 25.00 | A |
| Boscalid | Plum | 0.31 | 3 | 1.85 | A |
| Boscalid | Pumpkin | 0.76 | 1 | 3.00 | A |
| Boscalid | Stone Fruit | 1.45 | 1 | 7.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Brodifacoum | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Bromacil | Landscape Maintenance | 9.60 | 0 | 0.00 | N/A |
| Bromacil | Uncultivated Non-Ag | 19.20 | 0 | 5.00 | A |
| Bromadiolone | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Bromethalin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Bromethalin | Structural Pest Control | 1.34 | 0 | 0.00 | N/A |
| Bromethalin | Vertebrate Control | < 0.01 | 0 | 0.00 | N/A |
| Bromoxynil heptanoate | Uncultivated Ag | 14.80 | 2 | 43.00 | A |
| Bromoxynil octanoate | Alfalfa | 310.53 | 20 | 743.50 | A |
| Bromoxynil octanoate | Forage Hay/Silage | 3.85 | 1 | 12.00 | A |
| Bromoxynil octanoate | Sorghum/Milo | 76.92 | 8 | 263.40 | A |
| Bromoxynil octanoate | Triticale | 117.15 | 4 | 286.00 | A |
| Bromoxynil octanoate | Uncultivated Ag | 39.37 | 6 | 114.00 | A |
| Bromoxynil octanoate | Wheat | 251.56 | 8 | 460.80 | A |
| Bronopol | Industrial Processing Water | 8.12 | 0 | 13,368.00 | C |
| Buprofezin | Grape, Wine | 78.75 | 1 | 75.00 | A |
| Buprofezin | N-Outdr Plants In Containers | 5.81 | 5 | 7.61 | A |
| Burkholderia rinojensis strain a396 | Almond | 227.20 | 1 | 35.00 | A |
| Burkholderia rinojensis strain a396 | Nectarine | 3.25 | 1 | 0.50 | A |
| Burkholderia rinojensis strain a396 | Plum | 3.25 | 1 | 0.50 | A |
| Calcium acetate | Structural Pest Control | 0.07 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Calcium oxytetracycline | Pear | 10.27 | 2 | 58.00 | A |
| Capric acid | Walnut | 1.68 | 1 | 0.30 | A |
| Caprylic acid | Walnut | 2.47 | 1 | 0.30 | A |
| Capsicum oleoresin | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Carbaryl | Apricot | 0.75 | 1 | 1.50 | A |
| Carbaryl | Landscape Maintenance | 34.27 | 0 | 0.00 | N/A |
| Carbaryl | Nectarine | 0.50 | 1 | 1.00 | A |
| Carbaryl | Peach | 2.01 | 1 | 4.00 | A |
| Carbaryl | Pear | 238.02 | 2 | 94.95 | A |
| Carbaryl | Plum | 0.50 | 1 | 1.00 | A |
| Carbaryl | Tomato | 55.50 | 2 | 74.00 | A |
| Carbaryl | Tomato, Processing | 6,981.14 | 159 | 10,059.00 | A |
| Carbon | Landscape Maintenance | 0.35 | 0 | 0.00 | N/A |
| Carbon dioxide | Structural Pest Control | 8,825.26 | 0 | 0.00 | N/A |
| Carbon dioxide | Vertebrate Control | 150.85 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Alfalfa | 1.07 | 1 | 46.00 | A |
| Carfentrazone-ethyl | Almond | 6.76 | 11 | 334.97 | A |
| Carfentrazone-ethyl | Corn, Grain | 0.64 | 1 | 54.00 | A |
| Carfentrazone-ethyl | Forage Hay/Silage | 18.00 | 38 | 1,491.00 | A |
| Carfentrazone-ethyl | Garbanzo Bean | 9.18 | 4 | 157.00 | A |
| Carfentrazone-ethyl | Golf Course Turf | 0.19 | 1 | 4.80 | A |
| Carfentrazone-ethyl | Golf Course Turf | 0.33 | 1 | 475,000.00 | S |
| Carfentrazone-ethyl | Grape | 0.05 | 1 | 3.25 | A |
| Carfentrazone-ethyl | Grape, Wine | 32.80 | 11 | 993.16 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Carfentrazone-ethyl | Landscape Maintenance | 7.37 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | N-Outdr Plants In Containers | 0.03 | 1 | 2.00 | A |
| Carfentrazone-ethyl | Ryegrass | 3.25 | 6 | 158.90 | A |
| Carfentrazone-ethyl | Safflower | 4.93 | 10 | 337.00 | A |
| Carfentrazone-ethyl | Soil Fumigation/Pre plant | 8.81 | 1 | 235.00 | A |
| Carfentrazone-ethyl | Sorghum/Milo | 2.69 | 9 | 314.40 | A |
| Carfentrazone-ethyl | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Carfentrazone-ethyl | Tomato, Processing | 0.51 | 1 | 35.00 | A |
| Carfentrazone-ethyl | Triticale | 8.98 | 15 | 717.00 | A |
| Carfentrazone-ethyl | Uncultivated Ag | 68.26 | 110 | 5,395.45 | A |
| Carfentrazone-ethyl | Walnut | 0.60 | 1 | 13.00 | A |
| Carfentrazone-ethyl | Wheat | 9.46 | 17 | 922.00 | A |
| Carfentrazone-ethyl | Wheat (Forage - Fodder) | 0.48 | 2 | 18.00 | A |
| Castor oil ethoxylate | Almond | 201.19 | 10 | 1,105.00 | A |
| Castor oil ethoxylate | Grape, Wine | 207.20 | 107 | 1,496.75 | A |
| Cerevisane (cell walls of saccharomyces cerevisiae strain las117) | Almond | 421.57 | 1 | 35.00 | A |
| Cerevisane (cell walls of saccharomyces cerevisiae strain las117) | Grape, Wine | 4.76 | 2 | 32.00 | A |
| Chlorantraniliprole | Alfalfa | 321.43 | 38 | 2,247.70 | A |
| Chlorantraniliprole | Almond | 1,217.22 | 199 | 13,734.30 | A |
| Chlorantraniliprole | Bean, Dried | 12.05 | 4 | 185.20 | A |
| Chlorantraniliprole | Corn, Human Consumption | 5.40 | 3 | 99.00 | A |
| Chlorantraniliprole | Forage Hay/Silage | 8.04 | 4 | 176.40 | A |
| Chlorantraniliprole | Golf Course Turf | 3.79 | 0 | 23.70 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chlorantraniliprole | Grape, Wine | 18.90 | 7 | 221.00 | A |
| Chlorantraniliprole | Pistachio | 5.46 | 3 | 92.00 | A |
| Chlorantraniliprole | Structural Pest Control | 3.66 | 0 | 0.00 | N/A |
| Chlorantraniliprole | Sudangrass | 76.63 | 28 | 1,681.30 | A |
| Chlorantraniliprole | Sunflower | 132.89 | 49 | 2,480.70 | A |
| Chlorantraniliprole | Tomato, Processing | 364.74 | 74 | 5,256.50 | A |
| Chlorantraniliprole | Walnut | 134.52 | 29 | 1,634.91 | A |
| Chlorfenapyr | N-Outdr Plants In Containers | 0.38 | 1 | 10.14 | A |
| Chlorfenapyr | Research Commodity | 0.01 | 0 | 0.00 | N/A |
| Chlorfenapyr | Structural Pest Control | 87.09 | 0 | 0.00 | N/A |
| Chlormequat chloride | N-Outdr Plants In Containers | 2.66 | 13 | 1.11 | A |
| Chlorophacinone | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Chlorophacinone | N-Outdr Plants In Containers | 0.21 | 20 | 247.39 | A |
| Chlorophacinone | Structural Pest Control | 0.06 | 0 | 0.00 | N/A |
| Chloropicrin | Strawberry | 1,641.59 | 3 | 6.50 | A |
| Chloropicrin | Structural Pest Control | 1.34 | 0 | 0.00 | N/A |
| Chlorothalonil | Almond | 6,975.84 | 46 | 2,583.50 | A |
| Chlorothalonil | Broccoli | 22.47 | 1 | 20.00 | A |
| Chlorothalonil | Cabbage | 6.77 | 1 | 6.00 | A |
| Chlorothalonil | Cucumber | 31.46 | 1 | 21.00 | A |
| Chlorothalonil | Golf Course Turf | 137.83 | 1 | 17.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Chlorothalonil | Golf Course Turf | 274.03 | 2 | 950,000.00 | S |
| Chlorothalonil | Landscape Maintenance | 344.00 | 0 | 0.00 | N/A |
| Chlorothalonil | N-Outdr Plants In Containers | 273.29 | 66 | 161.30 | A |
| Chlorothalonil | Prune | 1,516.82 | 15 | 505.23 | A |
| Chlorothalonil | Tomato, Processing | 10,385.41 | 96 | 5,049.31 | A |
| Chlorsulfuron | Landscape Maintenance | 0.38 | 0 | 0.00 | N/A |
| Chlorsulfuron | Rights Of Way | 6.10 | 0 | 0.00 | N/A |
| Chlorsulfuron | Uncultivated Non-Ag | 9.00 | 0 | 797.94 | A |
| Cholecalciferol | Structural Pest Control | 2.84 | 0 | 0.00 | N/A |
| Cholecalciferol | Vertebrate Control | 0.05 | 0 | 0.00 | N/A |
| Chromobacterium subtsugae strain: praa4-1 | Grape, Wine | 5.40 | 1 | 6.93 | A |
| Chromobacterium subtsugae strain: praa4-1 | Walnut | 236.70 | 6 | 263.00 | A |
| Citric acid | Alfalfa | 193.42 | 118 | 5,345.70 | A |
| Citric acid | Almond | 349.64 | 163 | 8,483.58 | A |
| Citric acid | Corn, Grain | 38.84 | 25 | 1,248.20 | A |
| Citric acid | Grape, Wine | 81.67 | 39 | 2,093.13 | A |
| Citric acid | Landscape Maintenance | 0.03 | 0 | 0.00 | N/A |
| Citric acid | Rights Of Way | 172.80 | 0 | 0.00 | N/A |
| Citric acid | Tomato, Processing | 36.54 | 14 | 828.03 | A |
| Citric acid | Uncultivated Ag | 173.46 | 126 | 7,013.55 | A |
| Citric acid | Uncultivated Non-Ag | 7.54 | 30 | 390.08 | A |
| Citric acid | Walnut | 67.99 | 41 | 1,474.62 | A |
| Clarified hydrophobic extract of neem oil | Landscape Maintenance | 0.64 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Clethodim | Agave | 2.30 | 4 | 8.00 | A |
| Clethodim | Alfalfa | 3,322.36 | 279 | 13,423.80 | A |
| Clethodim | Almond | 1,459.43 | 130 | 11,133.56 | A |
| Clethodim | Bean, Dried | 24.49 | 3 | 93.20 | A |
| Clethodim | Canola (Rape) | 37.64 | 9 | 371.00 | A |
| Clethodim | Christmas Tree | 1.97 | 1 | 5.50 | A |
| Clethodim | Forage Hay/Silage | 0.76 | 2 | 5.50 | A |
| Clethodim | Grape, Wine | 356.33 | 22 | 1,972.76 | A |
| Clethodim | Landscape Maintenance | 8.72 | 0 | 0.00 | N/A |
| Clethodim | Olive | 2.84 | 1 | 21.54 | A |
| Clethodim | Peach | 2.91 | 1 | 22.00 | A |
| Clethodim | Pear | 9.66 | 2 | 73.59 | A |
| Clethodim | Prune | 57.42 | 7 | 417.50 | A |
| Clethodim | Rights Of Way | 0.16 | 1 | 1.00 | U |
| Clethodim | Rights Of Way | 118.03 | 0 | 0.00 | N/A |
| Clethodim | Soil Fumigation/Pre plant | 59.63 | 1 | 235.00 | A |
| Clethodim | Squash | 0.69 | 1 | 7.00 | A |
| Clethodim | Sunflower | 6.83 | 1 | 26.00 | A |
| Clethodim | Tomato, Processing | 476.59 | 15 | 1,944.40 | A |
| Clethodim | Uncultivated Ag | 1,096.15 | 91 | 5,259.45 | A |
| Clethodim | Uncultivated Non-Ag | 28.77 | 11 | 134.51 | A |
| Clethodim | Walnut | 220.15 | 57 | 1,646.35 | A |
| Clethodim | Watermelon | 3.02 | 1 | 23.00 | A |
| Clopyralid, monoethanolamine salt | Golf Course Turf | 0.99 | 3 | 12.00 | A |
| Clopyralid, monoethanolamine salt | Golf Course Turf | 0.50 | 1 | 175,000.00 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Clopyralid, monoethanolamine salt | Landscape Maintenance | 15.10 | 0 | 0.00 | N/A |
| Clopyralid, monoethanolamine salt | Rights Of Way | 2.97 | 0 | 0.00 | N/A |
| Clopyralid, monoethanolamine salt | Uncultivated Non-Ag | 6.86 | 0 | 651.50 | A |
| Clopyralid, monoethanolamine salt | Wheat | 15.69 | 1 | 113.00 | A |
| Clopyralid,triethylamine salt | Golf Course Turf | 10.45 | 0 | 36.50 | A |
| Clopyralid,triethylamine salt | Landscape Maintenance | 0.04 | 0 | 0.00 | N/A |
| Clothianidin | Grape | 2.30 | 16 | 26.05 | A |
| Clothianidin | Grape, Wine | 5.49 | 1 | 55.00 | A |
| Clothianidin | Landscape Maintenance | 0.19 | 0 | 0.00 | N/A |
| Clothianidin | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Clothianidin | Stone Fruit | 0.47 | 1 | 7.00 | A |
| Clothianidin | Structural Pest Control | 1.82 | 0 | 0.00 | N/A |
| Clothianidin | Walnut | 6.39 | 3 | 83.00 | A |
| Copper ammonium complex | Landscape Maintenance | 0.08 | 0 | 0.00 | N/A |
| Copper ethanolamine complexes, mixed | Landscape Maintenance | 6.91 | 0 | 0.00 | N/A |
| Copper ethanolamine complexes, mixed | Rights Of Way | 563.41 | 0 | 0.00 | N/A |
| Copper ethanolamine complexes, mixed | Water (Industrial) | 80.66 | 0 | 98.00 | A |
| Copper ethanolamine complexes, mixed | Water Area | 52.66 | 0 | 17.08 | A |
| Copper ethanolamine complexes, mixed | Water Area | 0.15 | 0 | 2,500.00 | S |
| Copper ethanolamine complexes, mixed | Water Area | 290.92 | 0 | 11.00 | U |
| Copper ethylenediamine complex | Water Area | 30.88 | 0 | 6.75 | A |
| Copper hydroxide | Almond | 590.40 | 4 | 160.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Copper hydroxide | Apricot | 14.92 | 6 | 7.10 | A |
| Copper hydroxide | Broccoli | 8.07 | 1 | 20.00 | A |
| Copper hydroxide | Grape, Wine | 701.97 | 59 | 1,764.82 | A |
| Copper hydroxide | Landscape Maintenance | 0.49 | 0 | 0.00 | N/A |
| Copper hydroxide | N-Outdr Plants In Containers | 20.54 | 9 | 22.69 | A |
| Copper hydroxide | N-Outdr Transplants | 14.51 | 1 | 45.00 | A |
| Copper hydroxide | Nectarine | 3.34 | 2 | 1.45 | A |
| Copper hydroxide | Olive | 1,006.96 | 8 | 444.00 | A |
| Copper hydroxide | Orange | 4.15 | 3 | 3.00 | A |
| Copper hydroxide | Peach | 26.20 | 3 | 11.35 | A |
| Copper hydroxide | Pear | 45.06 | 1 | 34.95 | A |
| Copper hydroxide | Pluot | 3.83 | 1 | 1.66 | A |
| Copper hydroxide | Prune | 2,548.76 | 2 | 415.00 | A |
| Copper hydroxide | Rights Of Way | 38.75 | 0 | 0.00 | N/A |
| Copper hydroxide | Stone Fruit | 48.73 | 3 | 21.00 | A |
| Copper hydroxide | Strawberry | 1.38 | 1 | 3.00 | A |
| Copper hydroxide | Tomato, Processing | 51.25 | 5 | 168.10 | A |
| Copper hydroxide | Vegetable | 1.29 | 1 | 3.00 | A |
| Copper hydroxide | Walnut | 8,699.84 | 53 | 2,667.52 | A |
| Copper octanoate | N-Outdr Plants In Containers | 19.92 | 15 | 31.18 | A |
| Copper octanoate | Peach | < 0.01 | 1 | 2.50 | A |
| Copper octanoate | Pear | 37.52 | 1 | 45.00 | A |
| Copper oxychloride | Apricot | 0.95 | 1 | 1.00 | A |
| Copper oxychloride | Grape, Wine | 677.80 | 56 | 1,630.82 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Copper oxychloride | Landscape Maintenance | 0.54 | 0 | 0.00 | N/A |
| Copper oxychloride | N-Outdr Plants In Containers | 7.17 | 1 | 4.29 | A |
| Copper oxychloride | N-Outdr Transplants | 16.08 | 1 | 45.00 | A |
| Copper oxychloride | Olive | 359.68 | 3 | 224.00 | A |
| Copper oxychloride | Peach | 0.29 | 1 | 0.10 | A |
| Copper oxychloride | Pear | 49.95 | 1 | 34.95 | A |
| Copper oxychloride | Tomato, Processing | 56.59 | 5 | 168.10 | A |
| Copper oxychloride | Vegetable | 1.43 | 1 | 3.00 | A |
| Copper oxychloride | Walnut | 1,321.78 | 19 | 992.52 | A |
| Copper sulfate (pentahydrate) | N-Outdr Plants In Containers | 13.76 | 10 | 30.70 | A |
| Copper sulfate (pentahydrate) | Rights Of Way | 30,985.02 | 0 | 0.00 | N/A |
| Copper sulfate (pentahydrate) | Water Area | 24.68 | 0 | 4.41 | A |
| Cuprous oxide | Grape, Wine | 13.84 | 2 | 24.50 | A |
| Cuprous oxide | Vegetable | 8.39 | 1 | 4.00 | A |
| Cyantraniliprole | N-Outdr Plants In Containers | 1.05 | 4 | 5.99 | A |
| Cyantraniliprole | Pear | 3.85 | 1 | 34.95 | A |
| Cyazofamid | Landscape Maintenance | 0.24 | 0 | 0.00 | N/A |
| Cyazofamid | N-Outdr Plants In Containers | 1.54 | 27 | 13.96 | A |
| Cyflufenamid | Grape | 0.53 | 16 | 26.05 | A |
| Cyflufenamid | Grape, Wine | 53.76 | 84 | 1,875.54 | A |
| Cyflufenamid | Melon | 0.46 | 1 | 21.00 | A |
| Cyflufenamid | Pumpkin | 1.89 | 6 | 82.00 | A |
| Cyflumetofen | Almond | 527.39 | 25 | 2,894.11 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Cyflumetofen | Grape, Wine | 18.20 | 4 | 99.50 | A |
| Cyfluthrin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Cyfluthrin | N-Outdr Plants In Containers | 5.09 | 16 | 46.29 | A |
| Cyfluthrin | Structural Pest Control | 9.53 | 0 | 0.00 | N/A |
| Cypermethrin | Structural Pest Control | 1.85 | 0 | 0.00 | N/A |
| Cyprodinil | Almond | 634.93 | 35 | 2,582.80 | A |
| Cyprodinil | Apricot | 1.62 | 6 | 6.79 | A |
| Cyprodinil | Grape, Wine | 396.70 | 74 | 1,790.85 | A |
| Cyprodinil | N-Outdr Plants In Containers | 0.72 | 3 | 4.80 | A |
| Cyprodinil | Nectarine | 1.27 | 5 | 5.33 | A |
| Cyprodinil | Peach | 1.07 | 3 | 4.50 | A |
| Cyprodinil | Pistachio | 50.20 | 3 | 174.00 | A |
| Cyprodinil | Plum | 0.49 | 3 | 2.50 | A |
| Cyprodinil | Pluot | 0.39 | 1 | 1.66 | A |
| Cyprodinil | Prune | 92.34 | 11 | 394.00 | A |
| D-trans allethrin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| D-trans allethrin | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Daminozide | N-Outdr Plants In Containers | 9.67 | 12 | 1.94 | A |
| Ddvp | Commodity Fumigation | 12.98 | 0 | 0.00 | N/A |
| Deltamethrin | Landscape Maintenance | 5.77 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Deltamethrin | Structural Pest Control | 815.12 | 0 | 0.00 | N/A |
| Diatomaceous earth | Regulatory Pest Control | 0.05 | 0 | 0.00 | N/A |
| Diatomaceous earth | Structural Pest Control | 1.88 | 0 | 0.00 | N/A |
| Diazinon | Pear | 25.32 | 1 | 51.00 | A |
| Dicamba | Golf Course Turf | 0.87 | 1 | 14.25 | A |
| Dicamba | Golf Course Turf | 0.15 | 1 | 175,000.00 | S |
| Dicamba | Landscape Maintenance | 8.94 | 0 | 0.00 | N/A |
| Dicamba | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Dicamba, dimethylamine salt | Landscape Maintenance | 34.57 | 0 | 0.00 | N/A |
| Dicamba, dimethylamine salt | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Dicamba, sodium salt | Corn, Grain | 178.31 | 15 | 926.20 | A |
| Dicamba, sodium salt | Uncultivated Ag | 9.62 | 1 | 35.00 | A |
| Didecyl dimethyl ammonium chloride | Structural Pest Control | 0.05 | 0 | 0.00 | N/A |
| Diethylene glycol | Landscape Maintenance | 12.25 | 0 | 0.00 | N/A |
| Difenoconazole | Almond | 1,204.87 | 105 | 10,496.35 | A |
| Difenoconazole | Apricot | 2.11 | 10 | 11.45 | A |
| Difenoconazole | Broccoli | 5.72 | 2 | 50.00 | A |
| Difenoconazole | Golf Course Turf | 1.05 | 1 | 4.00 | A |
| Difenoconazole | Grape, Wine | 92.87 | 61 | 1,584.25 | A |
| Difenoconazole | Landscape Maintenance | 4.28 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Difenoconazole | Melon | 7.32 | 1 | 64.00 | A |
| Difenoconazole | Nectarine | 0.24 | 4 | 2.90 | A |
| Difenoconazole | Peach | 1.84 | 4 | 22.50 | A |
| Difenoconazole | Pistachio | 2.78 | 1 | 25.00 | A |
| Difenoconazole | Plum | < 0.01 | 1 | 0.50 | A |
| Difenoconazole | Pluot | 0.27 | 2 | 3.32 | A |
| Difenoconazole | Prune | 18.93 | 4 | 172.00 | A |
| Difenoconazole | Pumpkin | 5.26 | 3 | 46.00 | A |
| Difenoconazole | Tomato, Processing | 341.16 | 96 | 5,213.60 | A |
| Difenoconazole | Walnut | 2.16 | 2 | 19.50 | A |
| Difethialone | Structural Pest Control | 0.01 | 0 | 0.00 | N/A |
| Diflufenzopyr, sodium salt | Corn, Grain | 69.30 | 15 | 926.20 | A |
| Diflufenzopyr, sodium salt | Uncultivated Ag | 3.74 | 1 | 35.00 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Forage Hay/Silage | 15.49 | 1 | 41.00 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Pastureland | 43.50 | 4 | 57.50 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Ryegrass | 77.68 | 7 | 411.00 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Sorghum/Milo | 78.28 | 5 | 207.00 | A |
| Diglycolamine salt of 3,6-dichloro-o-anisic acid | Uncultivated Ag | 98.31 | 1 | 80.00 | A |
| Dikegulac sodium | Landscape Maintenance | 81.31 | 0 | 0.00 | N/A |
| Dimethenamid-p | N-Outdr Plants In Containers | 27.90 | 5 | 26.72 | A |
| Dimethoate | Alfalfa | 556.05 | 34 | 1,659.00 | A |
| Dimethoate | Tomato, Processing | 3.57 | 5 | 215.83 | A |
| Dimethomorph | N-Outdr Plants In Containers | 9.87 | 12 | 29.69 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Dimethomorph | Structural Pest Control | 0.45 | 0 | 0.00 | N/A |
| Dimethyl alkyl tertiary amines | Rights Of Way | 0.74 | 0 | 0.00 | N/A |
| Dimethyl alkyl tertiary amines | Tomato, Processing | 7.51 | 18 | 1,253.40 | A |
| Dimethylpolysiloxane | Alfalfa | 14.30 | 267 | 12,518.90 | A |
| Dimethylpolysiloxane | Almond | 219.39 | 259 | 11,120.59 | A |
| Dimethylpolysiloxane | Barley | 0.10 | 6 | 589.50 | A |
| Dimethylpolysiloxane | Corn, Grain | 0.20 | 20 | 1,077.00 | A |
| Dimethylpolysiloxane | Forage Hay/Silage | 0.11 | 7 | 285.00 | A |
| Dimethylpolysiloxane | Golf Course Turf | 3.04 | 0 | 400.97 | A |
| Dimethylpolysiloxane | Golf Course Turf | 0.16 | 0 | 600,000.00 | S |
| Dimethylpolysiloxane | Grape, Wine | 25.01 | 220 | 4,660.76 | A |
| Dimethylpolysiloxane | Landscape Maintenance | 36.47 | 0 | 0.00 | N/A |
| Dimethylpolysiloxane | Pastureland | 0.07 | 10 | 702.00 | A |
| Dimethylpolysiloxane | Pistachio | 0.06 | 2 | 190.00 | A |
| Dimethylpolysiloxane | Prune | 16.76 | 4 | 576.89 | A |
| Dimethylpolysiloxane | Rights Of Way | 0.36 | 0 | 0.00 | N/A |
| Dimethylpolysiloxane | Ryegrass | 0.04 | 7 | 264.90 | A |
| Dimethylpolysiloxane | Sunflower | 0.16 | 10 | 429.00 | A |
| Dimethylpolysiloxane | Tomato, Processing | 90.40 | 148 | 6,617.75 | A |
| Dimethylpolysiloxane | Triticale | 3.56 | 32 | 1,838.00 | A |
| Dimethylpolysiloxane | Uncultivated Ag | 6.47 | 231 | 12,516.15 | A |
| Dimethylpolysiloxane | Uncultivated Non-Ag | 0.33 | 2 | 356.48 | A |
| Dimethylpolysiloxane | Walnut | 44.05 | 85 | 3,553.30 | A |
| Dimethylpolysiloxane | Wheat | 0.62 | 61 | 3,988.30 | A |
| Dinotefuran | Landscape Maintenance | 0.60 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Dinotefuran | N-Outdr Plants In Containers | 37.20 | 16 | 33.19 | A |
| Dinotefuran | Regulatory Pest Control | 0.75 | 0 | 0.00 | N/A |
| Dinotefuran | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Dinotefuran | Structural Pest Control | 633.73 | 0 | 0.00 | N/A |
| Dioctyl dimethyl ammonium chloride | Structural Pest Control | 0.04 | 0 | 0.00 | N/A |
| Diphacinone | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Diphacinone | Pastureland | < 0.01 | 1 | 10.00 | A |
| Diphacinone | Rights Of Way | 0.03 | 0 | 0.00 | N/A |
| Diphacinone | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Diphacinone | Uncultivated Non-Ag | < 0.01 | 3 | 9.00 | A |
| Diquat dibromide | Landscape Maintenance | 1,947.10 | 0 | 0.00 | N/A |
| Diquat dibromide | Rights Of Way | 130.41 | 0 | 0.00 | N/A |
| Diquat dibromide | Structural Pest Control | 0.06 | 0 | 0.00 | N/A |
| Diquat dibromide | Water Area | 466.14 | 0 | 43.00 | A |
| Diquat dibromide | Water Area | 0.47 | 0 | 5,500.00 | S |
| Diquat dibromide | Water Area | 127.65 | 0 | 4.00 | U |
| Disodium octaborate anhydrous | Rights Of Way | 93.30 | 0 | 0.00 | N/A |
| Disodium octaborate tetrahydrate | Landscape Maintenance | 11.76 | 0 | 0.00 | N/A |
| Disodium octaborate tetrahydrate | Structural Pest Control | 952.83 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Dithiopyr | Golf Course Turf | 52.36 | 0 | 82.50 | A |
| Dithiopyr | Landscape Maintenance | 336.93 | 0 | 0.00 | N/A |
| Dithiopyr | Rights Of Way | 949.96 | 0 | 0.00 | N/A |
| Dithiopyr | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Dithiopyr | Uncultivated Non-Ag | 4.90 | 0 | 105.14 | A |
| Diuron | Agave | 40.04 | 2 | 4.00 | A |
| E-8-dodecenyl acetate | Nectarine | 0.02 | 1 | 0.50 | A |
| E-8-dodecenyl acetate | Peach | 0.12 | 1 | 2.50 | A |
| E-8-dodecenyl acetate | Plum | 0.01 | 1 | 0.50 | A |
| Emamectin benzoate | Landscape Maintenance | 0.14 | 0 | 0.00 | N/A |
| Emamectin benzoate | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Emamectin benzoate | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Endothall, dipotassium salt | Rights Of Way | 2,707.38 | 0 | 0.00 | N/A |
| Endothall, dipotassium salt | Water Area | 14,542.11 | 0 | 339.45 | A |
| Endothall, mono(n,n-dimethylalkylamine) salt | Rights Of Way | 2,005.38 | 0 | 0.00 | N/A |
| Esfenvalerate | Almond | 67.72 | 13 | 1,183.00 | A |
| Esfenvalerate | Apricot | 0.03 | 1 | 1.00 | A |
| Esfenvalerate | Corn, Human Consumption | 4.50 | 3 | 90.00 | A |
| Esfenvalerate | Melon | 3.19 | 1 | 64.00 | A |
| Esfenvalerate | Peach | 0.05 | 1 | 1.50 | A |
| Esfenvalerate | Pear | 4.44 | 1 | 45.00 | A |
| Esfenvalerate | Prune | 54.03 | 18 | 848.09 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Esfenvalerate | Structural Pest Control | 39.02 | 0 | 0.00 | N/A |
| Esfenvalerate | Sunflower | 4.63 | 3 | 94.00 | A |
| Esfenvalerate | Walnut | 5.39 | 4 | 81.00 | A |
| Ethalfluralin | Bean, Dried | 2,777.22 | 42 | 2,237.30 | A |
| Ethalfluralin | Soybean | 75.21 | 2 | 100.00 | A |
| Ethalfluralin | Sunflower | 1,688.04 | 25 | 1,206.70 | A |
| Ethephon | Golf Course Turf | 18.54 | 0 | 7.50 | A |
| Ethephon | Golf Course Turf | 29.94 | 0 | 450,000.00 | S |
| Ethephon | Landscape Maintenance | 148.56 | 0 | 0.00 | N/A |
| Ethephon | N-Outdr Plants In Containers | 1.31 | 7 | 0.71 | A |
| Ethephon | Tomato, Processing | 1,883.37 | 42 | 2,865.70 | A |
| Ethephon | Walnut | 1,353.05 | 30 | 1,689.00 | A |
| Etofenprox | Public Health | 0.08 | 0 | 0.00 | N/A |
| Etofenprox | Structural Pest Control | 6.18 | 0 | 0.00 | N/A |
| Etoxazole | Almond | 136.93 | 9 | 1,071.00 | A |
| Etoxazole | Corn, Grain | 55.89 | 15 | 414.00 | A |
| Etoxazole | Grape, Wine | 4.05 | 1 | 35.00 | A |
| Etoxazole | N-Outdr Plants In Containers | 1.45 | 13 | 28.74 | A |
| Etoxazole | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Etoxazole | Walnut | 11.45 | 2 | 103.52 | A |
| Fatty acids, tallow | Landscape Maintenance | 0.76 | 0 | 0.00 | N/A |
| Fatty acids, tallow | Walnut | 4.25 | 6 | 110.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Fenamidone | Broccoli | 1.16 | 1 | 20.00 | A |
| Fenamidone | Cabbage | 1.57 | 1 | 6.00 | A |
| Fenazaquin | Almond | 31.00 | 1 | 48.00 | A |
| Fenazaquin | Bean, Dried | 28.17 | 1 | 40.00 | A |
| Fenbuconazole | Prune | 11.66 | 2 | 120.00 | A |
| Fenhexamid | N-Outdr Plants In Containers | 25.25 | 12 | 25.26 | A |
| Fenpropathrin | Grape | 5.42 | 16 | 26.05 | A |
| Fenpropathrin | N-Outdr Plants In Containers | 4.47 | 10 | 12.69 | A |
| Fenpropathrin | Olive | 0.63 | 3 | 3.00 | A |
| Fenpropathrin | Stone Fruit | 4.07 | 2 | 14.00 | A |
| Fenpyroximate | Melon | 7.04 | 1 | 66.00 | A |
| Ferric sodium edta | Landscape Maintenance | 0.36 | 0 | 0.00 | N/A |
| Fipronil | Landscape Maintenance | 0.06 | 0 | 0.00 | N/A |
| Fipronil | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Fipronil | Structural Pest Control | 183.13 | 0 | 0.00 | N/A |
| Flazasulfuron | Almond | 7.20 | 3 | 307.00 | A |
| Flazasulfuron | Grape, Wine | 38.38 | 53 | 1,044.72 | A |
| Flonicamid | Bean, Dried | 20.39 | 5 | 233.00 | A |
| Flonicamid | N-Outdr Plants In Containers | 0.68 | 1 | 3.20 | A |
| Flonicamid | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Fluazifop-p-butyl | Grape, Wine | 105.27 | 14 | 284.16 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Fluazifop-p-butyl | Landscape Maintenance | 5.43 | 0 | 0.00 | N/A |
| Fluazifop-p-butyl | Rights Of Way | 1.26 | 0 | 0.00 | N/A |
| Fluazifop-p-butyl | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |
| Fluazinam | Landscape Maintenance | 27.34 | 0 | 0.00 | N/A |
| Fludioxonil | Almond | 866.50 | 100 | 5,611.30 | A |
| Fludioxonil | Broccoli | 3.71 | 1 | 20.00 | A |
| Fludioxonil | Golf Course Turf | 3.67 | 0 | 11.00 | A |
| Fludioxonil | Golf Course Turf | 1.50 | 0 | 150,000.00 | S |
| Fludioxonil | Grape, Wine | 126.64 | 19 | 610.84 | A |
| Fludioxonil | Landscape Maintenance | 5.97 | 0 | 0.00 | N/A |
| Fludioxonil | N-Outdr Plants In Containers | 5.66 | 17 | 34.80 | A |
| Fludioxonil | Pumpkin | 4.28 | 1 | 23.00 | A |
| Fludioxonil | Tomato, Processing | 465.45 | 55 | 2,751.70 | A |
| Flumioxazin | Alfalfa | 263.56 | 56 | 2,121.90 | A |
| Flumioxazin | Almond | 974.38 | 51 | 3,222.70 | A |
| Flumioxazin | Grape | 0.47 | 1 | 3.25 | A |
| Flumioxazin | Grape, Wine | 200.04 | 30 | 633.08 | A |
| Flumioxazin | Landscape Maintenance | 81.46 | 0 | 0.00 | N/A |
| Flumioxazin | N-Outdr Plants In Containers | 3.92 | 18 | 13.18 | A |
| Flumioxazin | Pistachio | 31.79 | 1 | 142.00 | A |
| Flumioxazin | Prune | 23.17 | 1 | 62.22 | A |
| Flumioxazin | Rights Of Way | 118.00 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Flumioxazin | Uncultivated Ag | 46.97 | 11 | 504.00 | A |
| Flumioxazin | Uncultivated Non-Ag | 1.34 | 0 | 3.00 | A |
| Flumioxazin | Walnut | 121.23 | 15 | 328.64 | A |
| Flumioxazin | Water Area | 0.50 | 0 | 2.00 | A |
| Flumioxazin | Water Area | 2.15 | 0 | 2.00 | U |
| Fluopicolide | N-Outdr Plants In Containers | 26.52 | 34 | 26.08 | A |
| Fluopyram | Almond | 475.52 | 70 | 4,816.63 | A |
| Fluopyram | Apricot | 0.53 | 4 | 5.10 | A |
| Fluopyram | Broccoli | 2.48 | 1 | 20.00 | A |
| Fluopyram | Grape | 5.20 | 32 | 52.10 | A |
| Fluopyram | Grape, Wine | 245.90 | 97 | 2,283.25 | A |
| Fluopyram | N-Outdr Transplants | 6.12 | 3 | 59.00 | A |
| Fluopyram | Nectarine | 0.20 | 3 | 1.95 | A |
| Fluopyram | Peach | 1.27 | 3 | 12.25 | A |
| Fluopyram | Pistachio | 10.75 | 3 | 92.00 | A |
| Fluopyram | Pluot | 0.17 | 1 | 1.66 | A |
| Fluopyram | Pumpkin | 3.07 | 2 | 37.00 | A |
| Fluopyram | Stone Fruit | 2.74 | 4 | 28.00 | A |
| Fluopyram | Tomato, Processing | 13.25 | 8 | 502.00 | A |
| Flupyradifurone | Bean, Dried | 199.56 | 28 | 1,329.34 | A |
| Flupyradifurone | Broccoli | 2.55 | 1 | 20.00 | A |
| Flupyradifurone | Cabbage | 0.77 | 1 | 6.00 | A |
| Flupyradifurone | Grape | 8.45 | 48 | 78.15 | A |
| Flupyradifurone | Grape, Wine | 13.62 | 4 | 75.34 | A |
| Flupyradifurone | Landscape Maintenance | 0.06 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Flupyradifurone | N-Outdr Plants In Containers | 18.56 | 61 | 99.32 | A |
| Flupyradifurone | Stone Fruit | 1.69 | 2 | 14.00 | A |
| Flupyradifurone | Structural Pest Control | 0.07 | 0 | 0.00 | N/A |
| Fluridone | Rights Of Way | 7.62 | 0 | 0.00 | N/A |
| Fluridone | Water Area | 1.45 | 0 | 6.00 | A |
| Fluroxypyr, 1-methylheptyl ester | Landscape Maintenance | 0.11 | 0 | 0.00 | N/A |
| Fluroxypyr, 1-methylheptyl ester | Rights Of Way | 4.81 | 0 | 0.00 | N/A |
| Flutianil | Grape, Wine | 8.58 | 20 | 405.96 | A |
| Flutolanil | Golf Course Turf | 23.66 | 0 | 5.00 | A |
| Flutolanil | Landscape Maintenance | 30.17 | 0 | 0.00 | N/A |
| Flutriafol | Almond | 43.04 | 8 | 378.00 | A |
| Flutriafol | Grape, Wine | 99.35 | 44 | 1,238.06 | A |
| Flutriafol | Tomato, Processing | 284.02 | 10 | 2,497.00 | A |
| Fluxapyroxad | Almond | 250.01 | 39 | 2,996.99 | A |
| Fluxapyroxad | Golf Course Turf | 7.72 | 0 | 34.50 | A |
| Fluxapyroxad | Golf Course Turf | 0.90 | 1 | 175,000.00 | S |
| Fluxapyroxad | Landscape Maintenance | 0.92 | 0 | 0.00 | N/A |
| Fluxapyroxad | N-Outdr Plants In Containers | 13.76 | 15 | 48.47 | A |
| Fluxapyroxad | Tomato, Processing | 362.13 | 44 | 4,292.80 | A |
| Formic acid | Beehive | 25.68 | 0 | 130.00 | U |
| Fosetyl-al | Landscape Maintenance | 105.60 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Fosetyl-al | N-Outdr Plants In Containers | 99.00 | 20 | 17.86 | A |
| Gamma-cyhalothrin | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Gliocladium virens strain: g-41 | Basil, Sweet | 0.26 | 38 | 133,000.00 | S |
| Gliocladium virens strain: g-41 | Lettuce, Head | 0.26 | 39 | 136,500.00 | S |
| Glufosinate-ammonium | Agave | 24.67 | 6 | 12.00 | A |
| Glufosinate-ammonium | Almond | 23,879.40 | 369 | 24,560.42 | A |
| Glufosinate-ammonium | Cherry | 1.38 | 2 | 1.75 | A |
| Glufosinate-ammonium | Corn, Grain | 169.36 | 7 | 288.30 | A |
| Glufosinate-ammonium | Grape | 1.76 | 1 | 9.00 | A |
| Glufosinate-ammonium | Grape, Wine | 4,052.70 | 182 | 4,067.01 | A |
| Glufosinate-ammonium | Landscape Maintenance | 1,492.86 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | N-Outdr Plants In Containers | 0.89 | 1 | 1.00 | A |
| Glufosinate-ammonium | N-Outdr Transplants | 10.12 | 2 | 13.24 | A |
| Glufosinate-ammonium | Olive | 205.89 | 3 | 150.65 | A |
| Glufosinate-ammonium | Peach | 22.39 | 1 | 22.00 | A |
| Glufosinate-ammonium | Pear | 15.54 | 1 | 13.59 | A |
| Glufosinate-ammonium | Pistachio | 1,000.67 | 19 | 967.97 | A |
| Glufosinate-ammonium | Prune | 741.89 | 13 | 678.95 | A |
| Glufosinate-ammonium | Research Commodity | 1.42 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Rights Of Way | 45.72 | 2 | 40.00 | A |
| Glufosinate-ammonium | Rights Of Way | 935.04 | 0 | 0.00 | N/A |
| Glufosinate-ammonium | Safflower | 74.71 | 3 | 122.00 | A |
| Glufosinate-ammonium | Structural Pest Control | 5.12 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glufosinate-ammonium | Uncultivated Ag | 331.55 | 22 | 449.80 | A |
| Glufosinate-ammonium | Uncultivated Non-Ag | 244.29 | 20 | 220.00 | A |
| Glufosinate-ammonium | Walnut | 2,377.89 | 80 | 2,005.88 | A |
| Glutaraldehyde | Water (Industrial) | 4,114.34 | 0 | 54.00 | U |
| Glycerol | Almond | 255.39 | 52 | 2,268.73 | A |
| Glycerol | Grape, Wine | 14.56 | 11 | 168.27 | A |
| Glyphosate, dimethylamine salt | Rights Of Way | 15.36 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Agave | 2.13 | 1 | 3.00 | A |
| Glyphosate, isopropylamine salt | Alfalfa | 4,065.62 | 54 | 2,549.90 | A |
| Glyphosate, isopropylamine salt | Almond | 17,663.47 | 190 | 8,508.61 | A |
| Glyphosate, isopropylamine salt | Bean, Unspecified | 10.00 | 1 | 10.00 | A |
| Glyphosate, isopropylamine salt | Christmas Tree | 5.13 | 1 | 5.50 | A |
| Glyphosate, isopropylamine salt | Corn (Forage - Fodder) | 2.47 | 3 | 180.00 | A |
| Glyphosate, isopropylamine salt | Corn, Grain | 161.37 | 7 | 193.00 | A |
| Glyphosate, isopropylamine salt | Cucumber | 82.10 | 1 | 82.00 | A |
| Glyphosate, isopropylamine salt | Ditch Bank | 64.53 | 0 | 24.00 | A |
| Glyphosate, isopropylamine salt | Ditch Bank | 41.80 | 0 | 40.00 | U |
| Glyphosate, isopropylamine salt | Grape | 28.16 | 8 | 8.80 | A |
| Glyphosate, isopropylamine salt | Grape, Wine | 1,136.89 | 37 | 611.65 | A |
| Glyphosate, isopropylamine salt | Landscape Maintenance | 8,463.79 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Melon | 22.00 | 1 | 22.00 | A |
| Glyphosate, isopropylamine salt | N-Outdr Plants In Containers | 125.98 | 19 | 11.84 | A |
| Glyphosate, isopropylamine salt | Olive | 256.94 | 5 | 145.53 | A |
| Glyphosate, isopropylamine salt | Pear | 182.74 | 2 | 69.65 | A |
| Glyphosate, isopropylamine salt | Persimmon | 5.08 | 1 | 3.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glyphosate, isopropylamine salt | Pistachio | 614.03 | 3 | 358.74 | A |
| Glyphosate, isopropylamine salt | Prune | 205.16 | 2 | 101.11 | A |
| Glyphosate, isopropylamine salt | Recreation Area | 671.26 | 1 | 120.00 | A |
| Glyphosate, isopropylamine salt | Rights Of Way | 67.22 | 10 | 66.31 | A |
| Glyphosate, isopropylamine salt | Rights Of Way | 0.50 | 1 | 4,116.00 | S |
| Glyphosate, isopropylamine salt | Rights Of Way | 9,970.82 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Safflower | 62.01 | 2 | 62.00 | A |
| Glyphosate, isopropylamine salt | Structural Pest Control | 3.50 | 0 | 0.00 | N/A |
| Glyphosate, isopropylamine salt | Tomato, Processing | 868.88 | 11 | 622.61 | A |
| Glyphosate, isopropylamine salt | Uncultivated Ag | 13,641.49 | 131 | 7,358.22 | A |
| Glyphosate, isopropylamine salt | Uncultivated Ag | 0.84 | 2 | 17,638.00 | S |
| Glyphosate, isopropylamine salt | Uncultivated Non-Ag | 2,336.53 | 34 | 1,553.22 | A |
| Glyphosate, isopropylamine salt | Walnut | 5,022.49 | 87 | 2,999.41 | A |
| Glyphosate, isopropylamine salt | Water Area | 910.37 | 0 | 98.48 | A |
| Glyphosate, isopropylamine salt | Wheat (Forage - Fodder) | 22.65 | 1 | 9.00 | A |
| Glyphosate, monoammonium salt | Landscape Maintenance | 462.50 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | Alfalfa | 30,284.66 | 362 | 17,273.70 | A |
| Glyphosate, potassium salt | Almond | 39,782.54 | 295 | 17,391.67 | A |
| Glyphosate, potassium salt | Asparagus | 30.34 | 4 | 22.20 | A |
| Glyphosate, potassium salt | Canola (Rape) | 271.78 | 7 | 197.00 | A |
| Glyphosate, potassium salt | Corn (Forage - Fodder) | 623.70 | 11 | 436.00 | A |
| Glyphosate, potassium salt | Corn, Grain | 2,327.86 | 39 | 1,692.00 | A |
| Glyphosate, potassium salt | Corn, Human Consumption | 139.10 | 2 | 94.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Glyphosate, potassium salt | Forage Hay/Silage | 8.75 | 1 | 4.00 | A |
| Glyphosate, potassium salt | Grape | 102.19 | 18 | 46.00 | A |
| Glyphosate, potassium salt | Grape, Wine | 4,164.19 | 75 | 2,373.59 | A |
| Glyphosate, potassium salt | Landscape Maintenance | 2,223.43 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | N-Outdr Plants In Containers | 10.42 | 2 | 4.50 | A |
| Glyphosate, potassium salt | N-Outdr Transplants | 158.94 | 1 | 80.00 | A |
| Glyphosate, potassium salt | Olive | 135.86 | 1 | 61.54 | A |
| Glyphosate, potassium salt | Pear | 165.59 | 1 | 60.00 | A |
| Glyphosate, potassium salt | Pistachio | 601.53 | 5 | 303.42 | A |
| Glyphosate, potassium salt | Prune | 3,578.90 | 35 | 1,563.39 | A |
| Glyphosate, potassium salt | Rights Of Way | 11.72 | 2 | 2.00 | U |
| Glyphosate, potassium salt | Rights Of Way | 1,147.80 | 0 | 0.00 | N/A |
| Glyphosate, potassium salt | Safflower | 372.03 | 10 | 337.00 | A |
| Glyphosate, potassium salt | Soil Fumigation/Pre plant | 428.83 | 1 | 235.00 | A |
| Glyphosate, potassium salt | Sorghum/Milo | 78.00 | 1 | 53.00 | A |
| Glyphosate, potassium salt | Tomato, Processing | 7,372.84 | 19 | 2,801.00 | A |
| Glyphosate, potassium salt | Uncultivated Ag | 25,271.57 | 315 | 14,934.72 | A |
| Glyphosate, potassium salt | Uncultivated Non-Ag | 18.16 | 3 | 12.50 | A |
| Glyphosate, potassium salt | Walnut | 3,353.79 | 83 | 1,583.42 | A |
| Gs-omega/kappa-hxtx-hv1a, versitude peptide | Almond | 33.52 | 3 | 780.00 | A |
| Halosulfuron-methyl | Tomato, Processing | 3.94 | 5 | 119.90 | A |
| Halosulfuron-methyl | Turf/Sod | 0.70 | 1 | 15.00 | A |
| Halosulfuron-methyl | Uncultivated Ag | 0.94 | 1 | 20.00 | A |
| Heptamethyltrisiloxane ethoxylated | Almond | 243.68 | 63 | 4,167.08 | A |
| Heptamethyltrisiloxane ethoxylated | Grape, Wine | 76.16 | 34 | 809.45 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Heptamethyltrisiloxane ethoxylated | Pear | 9.76 | 4 | 143.24 | A |
| Heptamethyltrisiloxane ethoxylated | Tomato, Processing | 4.59 | 6 | 282.50 | A |
| Heptamethyltrisiloxane ethoxylated | Uncultivated Ag | 213.68 | 103 | 5,312.65 | A |
| Heptamethyltrisiloxane ethoxylated | Walnut | 13.63 | 5 | 248.38 | A |
| Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Almond | 48.11 | 36 | 1,169.08 | A |
| Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Corn, Grain | 5.44 | 10 | 408.00 | A |
| Heptamethyltrisiloxane-1,3-propanediol ether, ethoxylated propoxylated | Walnut | 23.54 | 17 | 501.38 | A |
| Heptyl butyrate | Structural Pest Control | 0.39 | 0 | 0.00 | N/A |
| Hexazinone | Alfalfa | 378.93 | 12 | 600.00 | A |
| Hexythiazox | Almond | 540.51 | 64 | 2,680.00 | A |
| Hexythiazox | Corn, Grain | 56.47 | 9 | 386.00 | A |
| Hexythiazox | Grape, Wine | 10.04 | 3 | 50.00 | A |
| Hexythiazox | N-Outdr Plants In Containers | 4.19 | 14 | 31.51 | A |
| Hexythiazox | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Hexythiazox | Walnut | 185.47 | 17 | 1,016.00 | A |
| Hydramethylnon | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Hydrogen peroxide | Basil, Sweet | 0.62 | 2 | 2,900.00 | S |
| Hydrogen peroxide | Grape, Wine | 1,083.18 | 29 | 688.80 | A |
| Hydrogen peroxide | Lettuce, Head | 15.39 | 18 | 500,141.13 | S |
| Hydrogen peroxide | Pumpkin | 1.12 | 1 | 3.00 | A |
| Hydroprene | Landscape Maintenance | 0.26 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Hydroprene | Regulatory Pest Control | 0.14 | 0 | 0.00 | N/A |
| Hydroprene | Structural Pest Control | 36.59 | 0 | 0.00 | N/A |
| Hypocrea (teleomorph) | Grape | 1.00 | 32 | 58.60 | A |
| Hypocrea (teleomorph) | Grape, Wine | 0.17 | 3 | 116.25 | A |
| Hypocrea atroviridis | Grape | 1.00 | 32 | 58.60 | A |
| Hypocrea atroviridis | Grape, Wine | 0.17 | 3 | 116.25 | A |
| Imazamox, ammonium salt | Alfalfa | 3.71 | 2 | 80.00 | A |
| Imazamox, ammonium salt | Ditch Bank | 12.70 | 0 | 24.00 | A |
| Imazamox, ammonium salt | Landscape Maintenance | 32.67 | 0 | 0.00 | N/A |
| Imazamox, ammonium salt | Rights Of Way | 23.97 | 0 | 0.00 | N/A |
| Imazamox, ammonium salt | Uncultivated Ag | 0.11 | 2 | 17,638.00 | S |
| Imazamox, ammonium salt | Uncultivated Non-Ag | 133.07 | 0 | 250.00 | A |
| Imazamox, ammonium salt | Water Area | 86.82 | 0 | 82.53 | A |
| Imazapic, ammonium salt | Landscape Maintenance | 0.02 | 0 | 0.00 | N/A |
| Imazapyr, isopropylamine salt | Agave | 0.04 | 1 | 3.00 | A |
| Imazapyr, isopropylamine salt | Alfalfa | 0.81 | 1 | 7.00 | A |
| Imazapyr, isopropylamine salt | Ditch Bank | 12.63 | 0 | 24.00 | A |
| Imazapyr, isopropylamine salt | Landscape Maintenance | 26.94 | 0 | 0.00 | N/A |
| Imazapyr, isopropylamine salt | Rights Of Way | 1.52 | 22 | 1.79 | A |
| Imazapyr, isopropylamine salt | Rights Of Way | 0.47 | 1 | 4,116.00 | S |
| Imazapyr, isopropylamine salt | Rights Of Way | 30.25 | 0 | 0.00 | N/A |
| Imazapyr, isopropylamine salt | Uncultivated Ag | 0.63 | 1 | 0.75 | A |
| Imazapyr, isopropylamine salt | Uncultivated Non-Ag | 1.03 | 0 | 89.20 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Imazosulfuron | Golf Course Turf | 2.25 | 0 | 4.00 | A |
| Imazosulfuron | Landscape Maintenance | 0.56 | 0 | 0.00 | N/A |
| Imidacloprid | Apricot | 0.07 | 1 | 1.54 | A |
| Imidacloprid | Grape, Wine | 280.07 | 27 | 748.50 | A |
| Imidacloprid | Landscape Maintenance | 26.01 | 0 | 0.00 | N/A |
| Imidacloprid | N-Outdr Plants In Containers | 39.79 | 13 | 14.72 | A |
| Imidacloprid | Nectarine | 0.06 | 2 | 1.45 | A |
| Imidacloprid | Peach | 0.50 | 2 | 11.25 | A |
| Imidacloprid | Pluot | 0.07 | 1 | 1.66 | A |
| Imidacloprid | Regulatory Pest Control | 77.96 | 0 | 0.00 | N/A |
| Imidacloprid | Rights Of Way | 407.45 | 0 | 0.00 | N/A |
| Imidacloprid | Structural Pest Control | 52.45 | 0 | 0.00 | N/A |
| Imidacloprid | Tomato, Processing | 51.32 | 45 | 757.53 | A |
| Imidacloprid | Walnut | 8.99 | 4 | 232.00 | A |
| Indaziflam | Almond | 429.09 | 133 | 8,552.79 | A |
| Indaziflam | Cherry | 0.03 | 1 | 0.75 | A |
| Indaziflam | Grape, Wine | 67.71 | 84 | 1,069.88 | A |
| Indaziflam | Landscape Maintenance | 15.12 | 0 | 0.00 | N/A |
| Indaziflam | N-Outdr Plants In Containers | 2.07 | 17 | 78.51 | A |
| Indaziflam | Olive | 1.98 | 1 | 61.54 | A |
| Indaziflam | Pistachio | 1.78 | 1 | 45.71 | A |
| Indaziflam | Prune | 1.41 | 2 | 21.56 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Indaziflam | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Indaziflam | Rights Of Way | 69.58 | 0 | 0.00 | N/A |
| Indaziflam | Uncultivated Ag | 1.23 | 2 | 15.47 | A |
| Indaziflam | Uncultivated Non-Ag | 9.85 | 1 | 162.84 | A |
| Indaziflam | Walnut | 29.80 | 25 | 792.43 | A |
| Indoxacarb | Alfalfa | 747.97 | 135 | 6,465.70 | A |
| Indoxacarb | Landscape Maintenance | 1.20 | 0 | 0.00 | N/A |
| Indoxacarb | Regulatory Pest Control | 0.02 | 0 | 0.00 | N/A |
| Indoxacarb | Structural Pest Control | 12.34 | 0 | 0.00 | N/A |
| Indoxacarb | Tomato, Processing | 361.68 | 113 | 5,511.01 | A |
| Iprodione | Cherry | 0.75 | 1 | 1.50 | A |
| Iprodione | Golf Course Turf | 25.78 | 0 | 150,000.00 | S |
| Iprodione | Landscape Maintenance | 14.99 | 0 | 0.00 | N/A |
| Iprodione | N-Outdr Plants In Containers | 18.05 | 10 | 14.27 | A |
| Iron phosphate | Asparagus | 1.46 | 1 | 5.70 | A |
| Iron phosphate | Landscape Maintenance | 3.79 | 0 | 0.00 | N/A |
| Iron phosphate | N-Outdr Plants In Containers | 43.45 | 15 | 139.94 | A |
| Iron phosphate | Structural Pest Control | 0.30 | 0 | 0.00 | N/A |
| Isofetamid | Almond | 255.42 | 6 | 1,115.00 | A |
| Isofetamid | Landscape Maintenance | 4.91 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Isopropyl alcohol | Alfalfa | 9.08 | 7 | 520.00 | A |
| Isopropyl alcohol | Structural Pest Control | 0.98 | 0 | 0.00 | N/A |
| Isopropyl alcohol | Walnut | 4.43 | 12 | 293.49 | A |
| Isoxaben | Landscape Maintenance | 227.51 | 0 | 0.00 | N/A |
| Isoxaben | N-Outdr Plants In Containers | 139.45 | 25 | 131.31 | A |
| Isoxaben | N-Outdr Transplants | 4.00 | 2 | 13.24 | A |
| Isoxaben | Rights Of Way | 63.07 | 0 | 0.00 | N/A |
| Isoxaben | Structural Pest Control | 0.95 | 0 | 0.00 | N/A |
| Isoxaben | Uncultivated Non-Ag | 4.80 | 0 | 105.14 | A |
| Kaolin | Almond | 19.00 | 1 | 4.00 | A |
| Kaolin | Tomato, Processing | 1,543.75 | 2 | 65.00 | A |
| Kasugamycin hydrochloride | Pear | 8.80 | 2 | 118.00 | A |
| Kresoxim-methyl | Grape, Wine | 48.62 | 12 | 350.70 | A |
| Kresoxim-methyl | Pear | 6.99 | 1 | 34.95 | A |
| Lambda-cyhalothrin | Alfalfa | 212.85 | 156 | 7,704.50 | A |
| Lambda-cyhalothrin | Almond | 382.03 | 111 | 9,215.19 | A |
| Lambda-cyhalothrin | Bean, Dried | 66.88 | 62 | 2,398.10 | A |
| Lambda-cyhalothrin | Commodity Fumigation | 0.32 | 0 | 0.00 | N/A |
| Lambda-cyhalothrin | Corn, Grain | 22.61 | 14 | 840.20 | A |
| Lambda-cyhalothrin | Corn, Human Consumption | 31.90 | 76 | 1,145.00 | A |
| Lambda-cyhalothrin | Forage Hay/Silage | 4.02 | 4 | 176.40 | A |
| Lambda-cyhalothrin | Landscape Maintenance | 1.10 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Lambda-cyhalothrin | Melon | 5.64 | 3 | 179.00 | A |
| Lambda-cyhalothrin | N-Outdr Plants In Containers | 0.42 | 4 | 10.78 | A |
| Lambda-cyhalothrin | Pear | 1.38 | 1 | 34.95 | A |
| Lambda-cyhalothrin | Pistachio | 8.72 | 4 | 247.00 | A |
| Lambda-cyhalothrin | Pumpkin | 2.57 | 5 | 83.00 | A |
| Lambda-cyhalothrin | Structural Pest Control | 243.56 | 0 | 0.00 | N/A |
| Lambda-cyhalothrin | Sudangrass | 38.32 | 28 | 1,681.30 | A |
| Lambda-cyhalothrin | Sunflower | 89.02 | 69 | 2,989.20 | A |
| Lambda-cyhalothrin | Tomato, Processing | 175.62 | 129 | 6,169.96 | A |
| Lambda-cyhalothrin | Walnut | 102.89 | 49 | 2,707.79 | A |
| Lauryl alcohol | Pear | 2.01 | 1 | 34.95 | A |
| Lavandulyl senecioate | Grape, Wine | 17.57 | 51 | 1,336.70 | A |
| Lavandulyl senecioate | N-Outdr Transplants | 7.22 | 1 | 45.00 | A |
| Lecithin | Alfalfa | 486.14 | 135 | 6,062.70 | A |
| Lecithin | Almond | 412.58 | 56 | 5,342.36 | A |
| Lecithin | Corn, Grain | 120.50 | 20 | 1,048.10 | A |
| Lecithin | Landscape Maintenance | 268.87 | 0 | 0.00 | N/A |
| Lecithin | Rights Of Way | 1,567.85 | 0 | 0.00 | N/A |
| Lecithin | Tomato, Processing | 168.57 | 14 | 2,499.00 | A |
| Lecithin | Uncultivated Ag | 180.38 | 22 | 1,418.45 | A |
| Lecithin | Uncultivated Non-Ag | 68.54 | 3 | 319.80 | A |
| Lime-sulfur | Grape, Wine | 990.01 | 7 | 346.00 | A |
| Lime-sulfur | Peach | 227.85 | 3 | 7.06 | A |
| Lime-sulfur | Walnut | 1,596.61 | 5 | 279.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Limonene | Structural Pest Control | 12.76 | 0 | 0.00 | N/A |
| Magnesium phosphide | Commodity Fumigation | 1.10 | 0 | 0.00 | N/A |
| Magnesium phosphide | Fumigation, Other | 8.74 | 0 | 0.00 | N/A |
| Magnesium phosphide | Sugarcane | 0.45 | 0 | 10,000.00 | C |
| Malathion | Alfalfa | 66.59 | 1 | 55.00 | A |
| Malathion | Grape, Wine | 103.00 | 2 | 86.50 | A |
| Malathion | N-Outdr Plants In Containers | 206.58 | 51 | 122.42 | A |
| Mancozeb | Almond | 4,198.50 | 8 | 933.00 | A |
| Mancozeb | Golf Course Turf | 19.20 | 1 | 175,000.00 | S |
| Mancozeb | Landscape Maintenance | 223.57 | 0 | 0.00 | N/A |
| Mancozeb | N-Outdr Plants In Containers | 72.09 | 20 | 78.49 | A |
| Mancozeb | Pear | 1,050.30 | 11 | 495.80 | A |
| Mancozeb | Tomato, Processing | 638.85 | 12 | 423.10 | A |
| Mancozeb | Turf/Sod | 486.00 | 4 | 36.00 | A |
| Mancozeb | Walnut | 912.64 | 15 | 507.02 | A |
| Mandipropamid | Broccoli | 2.60 | 1 | 20.00 | A |
| Mandipropamid | Cabbage | 0.79 | 1 | 6.00 | A |
| Mandipropamid | N-Outdr Plants In Containers | 8.12 | 29 | 93.36 | A |
| Mcpa, dimethylamine salt | Barley | 496.07 | 6 | 589.50 | A |
| Mcpa, dimethylamine salt | Forage Hay/Silage | 95.86 | 7 | 173.00 | A |
| Mcpa, dimethylamine salt | Landscape Maintenance | 0.91 | 0 | 0.00 | N/A |
| Mcpa, dimethylamine salt | Triticale | 371.05 | 9 | 660.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Mcpa, dimethylamine salt | Uncultivated Ag | 13.68 | 1 | 24.70 | A |
| Mcpa, dimethylamine salt | Wheat | 858.65 | 15 | 1,495.00 | A |
| Mcpp-p, dma salt | Landscape Maintenance | 17.08 | 0 | 0.00 | N/A |
| Mecoprop-p | Golf Course Turf | 0.60 | 1 | 175,000.00 | S |
| Mecoprop-p | Landscape Maintenance | 11.92 | 0 | 0.00 | N/A |
| Mecoprop-p | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Mefenoxam | Golf Course Turf | 2.02 | 1 | 4.00 | A |
| Mefenoxam | Landscape Maintenance | 21.84 | 0 | 0.00 | N/A |
| Mefenoxam | N-Outdr Plants In Containers | 20.10 | 88 | 87.37 | A |
| Mefenoxam | Tomato, Processing | 628.53 | 13 | 3,231.64 | A |
| Mefentrifluconazole | Almond | 300.48 | 36 | 2,573.19 | A |
| Mefentrifluconazole | Golf Course Turf | 2.30 | 0 | 2.50 | A |
| Mefentrifluconazole | Golf Course Turf | 2.72 | 1 | 175,000.00 | S |
| Mefentrifluconazole | Grape, Wine | 121.21 | 39 | 926.08 | A |
| Mefentrifluconazole | Pistachio | 15.72 | 1 | 120.00 | A |
| Mefentrifluconazole | Tomato, Processing | 156.28 | 24 | 1,222.50 | A |
| Mesosulfuron-methyl | Triticale | 12.08 | 11 | 904.50 | A |
| Mesosulfuron-methyl | Wheat | 18.42 | 14 | 1,379.00 | A |
| Mesosulfuron-methyl | Wheat (Forage - Fodder) | 0.12 | 1 | 9.00 | A |
| Mesotrione | Almond | 35.07 | 12 | 234.72 | A |
| Mesotrione | Landscape Maintenance | 0.34 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Mesotrione | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Mesotrione | Turf/Sod | 7.50 | 1 | 30.00 | A |
| Metaflumizone | Almond | 4.60 | 20 | 4,869.00 | A |
| Metaldehyde | Asparagus | 17.60 | 3 | 18.00 | A |
| Metaldehyde | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Metam-sodium | Rights Of Way | 6,801.21 | 0 | 0.00 | N/A |
| Metconazole | Almond | 46.94 | 6 | 429.00 | A |
| Metconazole | Golf Course Turf | 36.02 | 0 | 72.00 | A |
| Metconazole | Golf Course Turf | 5.16 | 0 | 450,000.00 | S |
| Metconazole | Landscape Maintenance | 4.28 | 0 | 0.00 | N/A |
| Methiocarb | N-Outdr Plants In Containers | 3.09 | 4 | 1.71 | A |
| Methomyl | Bean, Dried | 198.00 | 4 | 220.00 | A |
| Methoprene | Landscape Maintenance | 0.02 | 0 | 0.00 | N/A |
| Methoxyfenozide | Alfalfa | 102.52 | 17 | 725.50 | A |
| Methoxyfenozide | Almond | 3,526.59 | 153 | 10,806.00 | A |
| Methoxyfenozide | Apple | 1.13 | 2 | 4.05 | A |
| Methoxyfenozide | Grape, Wine | 136.96 | 11 | 728.93 | A |
| Methoxyfenozide | Pistachio | 50.83 | 1 | 120.00 | A |
| Methoxyfenozide | Stone Fruit | 1.60 | 1 | 7.00 | A |
| Methoxyfenozide | Tomato, Processing | 616.66 | 17 | 3,007.70 | A |
| Methoxyfenozide | Walnut | 139.19 | 8 | 486.00 | A |
| Methyl anthranilate | Structural Pest Control | 0.72 | 0 | 0.00 | N/A |
| Methyl anthranilate | Vertebrate Control | 0.15 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Methyl bromide | Uncultivated Ag | 514.50 | 1 | 143.00 | A |
| Methyl silicone resins | Grape, Wine | 738.00 | 96 | 1,535.00 | A |
| Methyl silicone resins | Tomato, Processing | 16.83 | 9 | 396.00 | A |
| Methyl silicone resins | Walnut | 18.18 | 3 | 219.50 | A |
| Methylated silicones | Almond | 61.96 | 8 | 1,402.50 | A |
| Methylated soybean oil | Alfalfa | 6,095.49 | 453 | 20,135.60 | A |
| Methylated soybean oil | Almond | 11,105.09 | 400 | 26,152.74 | A |
| Methylated soybean oil | Barley | 150.84 | 7 | 739.50 | A |
| Methylated soybean oil | Canola (Rape) | 89.70 | 23 | 765.00 | A |
| Methylated soybean oil | Corn (Forage - Fodder) | 450.08 | 16 | 657.00 | A |
| Methylated soybean oil | Corn, Grain | 2,493.91 | 78 | 3,531.40 | A |
| Methylated soybean oil | Corn, Human Consumption | 191.47 | 6 | 283.50 | A |
| Methylated soybean oil | Garbanzo Bean | 233.97 | 8 | 314.00 | A |
| Methylated soybean oil | Grape, Wine | 2,204.58 | 282 | 6,616.64 | A |
| Methylated soybean oil | Landscape Maintenance | 211.01 | 0 | 0.00 | N/A |
| Methylated soybean oil | N-Outdr Transplants | 164.65 | 4 | 168.24 | A |
| Methylated soybean oil | Pastureland | 84.36 | 6 | 644.50 | A |
| Methylated soybean oil | Pear | 65.55 | 4 | 143.24 | A |
| Methylated soybean oil | Pistachio | 938.94 | 27 | 1,164.15 | A |
| Methylated soybean oil | Prune | 2,293.20 | 62 | 2,048.08 | A |
| Methylated soybean oil | Rangeland | 27.58 | 2 | 600.00 | A |
| Methylated soybean oil | Rights Of Way | 818.93 | 0 | 0.00 | N/A |
| Methylated soybean oil | Ryegrass | 125.37 | 19 | 728.80 | A |
| Methylated soybean oil | Sunflower | 733.63 | 46 | 1,344.00 | A |
| Methylated soybean oil | Tomato, Processing | 695.48 | 40 | 3,951.90 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Methylated soybean oil | Triticale | 213.75 | 39 | 1,972.90 | A |
| Methylated soybean oil | Uncultivated Ag | 3,883.98 | 231 | 12,203.70 | A |
| Methylated soybean oil | Uncultivated Non-Ag | 44.08 | 1 | 215.63 | A |
| Methylated soybean oil | Walnut | 1,723.11 | 123 | 2,237.48 | A |
| Methylated soybean oil | Wheat | 398.95 | 61 | 4,466.30 | A |
| Metofluthrin | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Metofluthrin | Structural Pest Control | 0.04 | 0 | 0.00 | N/A |
| Metolachlor | Landscape Maintenance | 7.73 | 0 | 0.00 | N/A |
| Metolachlor | Tomato, Processing | 74.01 | 1 | 50.90 | A |
| Metrafenone | Grape, Wine | 189.96 | 31 | 657.08 | A |
| Metrafenone | Stone Fruit | 1.77 | 1 | 7.00 | A |
| Metribuzin | Tomato | 4.48 | 1 | 9.10 | A |
| Metribuzin | Tomato, Processing | 2,146.81 | 101 | 5,434.33 | A |
| Mineral oil | Almond | 6,356.12 | 81 | 8,072.16 | A |
| Mineral oil | Apricot | 12.32 | 3 | 2.25 | A |
| Mineral oil | Corn, Grain | 15.68 | 14 | 481.30 | A |
| Mineral oil | Golf Course Turf | 1,342.27 | 0 | 105.80 | A |
| Mineral oil | Golf Course Turf | 124.64 | 0 | 450,000.00 | S |
| Mineral oil | Grape, Wine | 8,769.35 | 105 | 3,130.32 | A |
| Mineral oil | Landscape Maintenance | 466.56 | 0 | 0.00 | N/A |
| Mineral oil | N-Outdr Plants In Containers | 161.36 | 8 | 15.75 | A |
| Mineral oil | Nectarine | 24.64 | 3 | 2.00 | A |
| Mineral oil | Peach | 182.47 | 9 | 40.10 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Mineral oil | Pear | 10,031.58 | 19 | 886.55 | A |
| Mineral oil | Plum | 52.73 | 4 | 2.35 | A |
| Mineral oil | Prune | 6,708.65 | 6 | 617.00 | A |
| Mineral oil | Public Health | 41.31 | 0 | 0.00 | N/A |
| Mineral oil | Rights Of Way | 115.03 | 0 | 0.00 | N/A |
| Mineral oil | Stone Fruit | 148.53 | 3 | 21.00 | A |
| Mineral oil | Tomato, Processing | 354.18 | 14 | 713.64 | A |
| Mineral oil | Uncultivated Ag | 401.44 | 17 | 1,313.70 | A |
| Mineral oil | Uncultivated Non-Ag | 25.80 | 1 | 650.00 | A |
| Mineral oil | Walnut | 2,277.25 | 18 | 782.88 | A |
| Msma | Landscape Maintenance | 1.34 | 0 | 0.00 | N/A |
| Muscalure | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |
| Myclobutanil | Apricot | 0.20 | 3 | 3.00 | A |
| Myclobutanil | Grape | 2.87 | 16 | 26.05 | A |
| Myclobutanil | Grape, Wine | 30.99 | 20 | 201.28 | A |
| Myclobutanil | Landscape Maintenance | 0.07 | 0 | 0.00 | N/A |
| Myclobutanil | N-Outdr Plants In Containers | 2.90 | 13 | 14.69 | A |
| Myclobutanil | N-Outdr Transplants | 4.50 | 1 | 45.00 | A |
| Myclobutanil | Nectarine | 0.05 | 1 | 0.50 | A |
| Myclobutanil | Peach | 0.10 | 2 | 2.00 | A |
| Myclobutanil | Stone Fruit | 1.03 | 1 | 7.00 | A |
| Myristyl alcohol | Pear | 0.41 | 1 | 34.95 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Alfalfa | 198.28 | 202 | 8,444.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Almond | 721.09 | 143 | 14,024.83 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Canola (Rape) | 23.78 | 23 | 765.00 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Corn, Grain | 16.48 | 12 | 597.00 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Grape, Wine | 62.75 | 38 | 975.34 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Tomato, Processing | 13.05 | 15 | 2,533.20 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Triticale | 31.12 | 28 | 1,885.50 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Uncultivated Ag | 51.26 | 37 | 1,859.90 | A |
| N,n-bis-(2-omega-hydroxypoly(oxyethylene)ethyl)alkylamine, alkyl derived from tallow fatty acids | Walnut | 6.29 | 7 | 97.76 | A |
| N-octyl bicycloheptene dicarboximide | Landscape Maintenance | 0.01 | 0 | 0.00 | N/A |
| N-octyl bicycloheptene dicarboximide | Regulatory Pest Control | 0.05 | 0 | 0.00 | N/A |
| N-octyl bicycloheptene dicarboximide | Structural Pest Control | 5.71 | 0 | 0.00 | N/A |
| Nicarbazin | Structural Pest Control | 0.12 | 0 | 0.00 | N/A |
| Nonanoic acid | Research Commodity | 6.39 | 0 | 0.00 | N/A |
| Nonanoic acid, other related | Research Commodity | 0.34 | 0 | 0.00 | N/A |
| Novaluron | Structural Pest Control | 5.47 | 0 | 0.00 | N/A |
| Noviflumuron | Structural Pest Control | 0.08 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Octyl decyl dimethyl ammonium chloride | Structural Pest Control | 0.09 | 0 | 0.00 | N/A |
| Oleic acid | Grape, Wine | 45.51 | 26 | 697.00 | A |
| Oleic acid, ethyl ester | Almond | 527.77 | 23 | 946.14 | A |
| Oleic acid, ethyl ester | Landscape Maintenance | 100.84 | 0 | 0.00 | N/A |
| Oleic acid, ethyl ester | Pistachio | 29.03 | 2 | 33.25 | A |
| Oleic acid, ethyl ester | Rights Of Way | 0.29 | 1 | 4,116.00 | S |
| Oleic acid, ethyl ester | Rights Of Way | 2.08 | 0 | 0.00 | N/A |
| Oleic acid, ethyl ester | Sunflower | 154.75 | 18 | 712.00 | A |
| Oleic acid, ethyl ester | Tomato, Processing | 599.44 | 47 | 1,911.80 | A |
| Oleic acid, ethyl ester | Uncultivated Ag | 346.81 | 6 | 590.00 | A |
| Oleic acid, ethyl ester | Uncultivated Ag | 0.59 | 2 | 17,638.00 | S |
| Oleic acid, ethyl ester | Uncultivated Non-Ag | 194.33 | 0 | 355.59 | A |
| Oleic acid, ethyl ester | Walnut | 156.68 | 15 | 284.40 | A |
| Oleic acid, methyl ester | Rights Of Way | 384.90 | 0 | 0.00 | N/A |
| Oleic acid, methyl ester | Tomato, Processing | 97.04 | 4 | 284.00 | A |
| Oleic acid, methyl ester | Uncultivated Ag | 306.82 | 11 | 734.00 | A |
| Oryzalin | Landscape Maintenance | 0.39 | 0 | 0.00 | N/A |
| Oxadiazon | Landscape Maintenance | 1.00 | 0 | 0.00 | N/A |
| Oxathiapiprolin | N-Outdr Plants In Containers | 0.46 | 7 | 5.22 | A |
| Oxathiapiprolin | Tomato, Processing | 57.82 | 4 | 811.64 | A |
| Oxyfluorfen | Almond | 7,324.33 | 186 | 15,530.39 | A |
| Oxyfluorfen | Corn, Human Consumption | 5.53 | 2 | 94.50 | A |
| Oxyfluorfen | Grape, Wine | 1,654.21 | 81 | 1,867.43 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Oxyfluorfen | Landscape Maintenance | 14.04 | 0 | 0.00 | N/A |
| Oxyfluorfen | N-Outdr Plants In Containers | 121.00 | 5 | 56.61 | A |
| Oxyfluorfen | N-Outdr Transplants | 16.61 | 5 | 106.48 | A |
| Oxyfluorfen | Olive | 62.52 | 1 | 61.54 | A |
| Oxyfluorfen | Pistachio | 138.19 | 4 | 222.99 | A |
| Oxyfluorfen | Prune | 223.23 | 12 | 818.82 | A |
| Oxyfluorfen | Rights Of Way | 0.75 | 2 | 2.00 | U |
| Oxyfluorfen | Rights Of Way | 2,228.43 | 0 | 0.00 | N/A |
| Oxyfluorfen | Tomato, Processing | 95.33 | 8 | 655.60 | A |
| Oxyfluorfen | Uncultivated Ag | 1,130.76 | 187 | 9,255.70 | A |
| Oxyfluorfen | Uncultivated Non-Ag | 119.09 | 22 | 238.50 | A |
| Oxyfluorfen | Walnut | 408.40 | 58 | 1,464.23 | A |
| Oxytetracycline hydrochloride | Pear | 86.89 | 10 | 474.75 | A |
| Oxytetracycline hydrochloride, other related | Pear | 0.80 | 10 | 474.75 | A |
| Paclobutrazol | Landscape Maintenance | 9.40 | 0 | 0.00 | N/A |
| Paclobutrazol | N-Outdr Plants In Containers | 0.33 | 11 | 6.13 | A |
| Pcnb | Golf Course Turf | 50.00 | 0 | 3.00 | A |
| Pcnb | Landscape Maintenance | 136.47 | 0 | 0.00 | N/A |
| Pendimethalin | Alfalfa | 8,944.37 | 97 | 4,905.70 | A |
| Pendimethalin | Almond | 17,906.28 | 85 | 6,849.67 | A |
| Pendimethalin | Golf Course Turf | 33.00 | 0 | 57.00 | A |
| Pendimethalin | Grape | 3.52 | 1 | 3.25 | A |
| Pendimethalin | Grape, Wine | 2,004.92 | 61 | 1,127.85 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pendimethalin | Landscape Maintenance | 1,866.60 | 0 | 0.00 | N/A |
| Pendimethalin | N-Outdr Plants In Containers | 58.52 | 10 | 37.81 | A |
| Pendimethalin | N-Outdr Transplants | 59.09 | 4 | 26.48 | A |
| Pendimethalin | Olive | 83.64 | 2 | 43.08 | A |
| Pendimethalin | Pear | 22.08 | 1 | 11.65 | A |
| Pendimethalin | Pistachio | 170.45 | 1 | 132.00 | A |
| Pendimethalin | Prune | 176.78 | 1 | 62.22 | A |
| Pendimethalin | Rights Of Way | 28.41 | 0 | 0.00 | N/A |
| Pendimethalin | Tomato, Processing | 1,320.37 | 21 | 929.53 | A |
| Pendimethalin | Turf/Sod | 62.50 | 4 | 132.00 | A |
| Pendimethalin | Uncultivated Non-Ag | 56.86 | 3 | 40.00 | A |
| Pendimethalin | Walnut | 783.42 | 16 | 331.48 | A |
| Penoxsulam | Almond | 21.41 | 25 | 874.18 | A |
| Penoxsulam | Golf Course Turf | 1.50 | 0 | 62.10 | A |
| Penoxsulam | Golf Course Turf | < 0.01 | 0 | 3,000.00 | S |
| Penoxsulam | Landscape Maintenance | 1.68 | 0 | 0.00 | N/A |
| Penoxsulam | Pistachio | 1.54 | 1 | 74.74 | A |
| Penoxsulam | Rights Of Way | 48.45 | 0 | 0.00 | N/A |
| Penoxsulam | Uncultivated Non-Ag | 0.23 | 1 | 5.00 | A |
| Penoxsulam | Walnut | 1.31 | 8 | 84.74 | A |
| Penthiopyrad | Almond | 1,456.61 | 23 | 5,604.00 | A |
| Penthiopyrad | Broccoli | 5.08 | 1 | 20.00 | A |
| Penthiopyrad | Cabbage | 1.52 | 1 | 6.00 | A |
| Penthiopyrad | Golf Course Turf | 15.00 | 3 | 25.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Penthiopyrad | Landscape Maintenance | 7.56 | 0 | 0.00 | N/A |
| Permethrin | Landscape Maintenance | 2.48 | 0 | 0.00 | N/A |
| Permethrin | Pistachio | 31.42 | 3 | 139.00 | A |
| Permethrin | Structural Pest Control | 736.15 | 0 | 0.00 | N/A |
| Permethrin | Walnut | 54.28 | 5 | 217.00 | A |
| Peroxyacetic acid | Basil, Sweet | 0.05 | 2 | 2,900.00 | S |
| Peroxyacetic acid | Grape, Wine | 200.59 | 29 | 688.80 | A |
| Peroxyacetic acid | Lettuce, Head | 0.05 | 2 | 2,900.00 | S |
| Peroxyacetic acid | Pumpkin | 0.21 | 1 | 3.00 | A |
| Phenothrin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Phenothrin | Regulatory Pest Control | 0.02 | 0 | 0.00 | N/A |
| Phenothrin | Structural Pest Control | 0.05 | 0 | 0.00 | N/A |
| Phenothrin, other related | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Phenylethyl propionate | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |
| Phosmet | Apple | 8.40 | 2 | 4.05 | A |
| Phosmet | Plum | 1.40 | 1 | 0.50 | A |
| Phosphine | Commodity Fumigation | 70.88 | 0 | 0.00 | N/A |
| Phosphine | Fumigation, Other | 3.45 | 0 | 0.00 | N/A |
| Phosphoric acid | Alfalfa | 82.86 | 49 | 2,654.00 | A |
| Phosphoric acid | Almond | 354.26 | 106 | 7,007.16 | A |
| Phosphoric acid | Bean, Dried | 72.02 | 21 | 1,252.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Phosphoric acid | Corn, Grain | 27.38 | 22 | 1,119.20 | A |
| Phosphoric acid | Grape, Wine | 112.07 | 34 | 2,011.57 | A |
| Phosphoric acid | Landscape Maintenance | 0.16 | 0 | 0.00 | N/A |
| Phosphoric acid | Tomato, Processing | 70.23 | 34 | 1,956.00 | A |
| Phosphoric acid | Uncultivated Ag | 179.19 | 100 | 5,838.10 | A |
| Phosphoric acid | Uncultivated Non-Ag | 13.00 | 30 | 333.00 | A |
| Phosphoric acid | Walnut | 40.50 | 25 | 915.73 | A |
| Pinoxaden | Barley | 53.62 | 10 | 848.50 | A |
| Pinoxaden | Wheat | 38.71 | 7 | 721.00 | A |
| Piperonyl butoxide | Commodity Fumigation | 0.48 | 0 | 0.00 | N/A |
| Piperonyl butoxide | Landscape Maintenance | 0.48 | 0 | 0.00 | N/A |
| Piperonyl butoxide | Public Health | 154.76 | 0 | 0.00 | N/A |
| Piperonyl butoxide | Regulatory Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Piperonyl butoxide | Structural Pest Control | 151.75 | 0 | 0.00 | N/A |
| Piperonyl butoxide, other related | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Piperonyl butoxide, other related | Public Health | 38.69 | 0 | 0.00 | N/A |
| Piperonyl butoxide, other related | Structural Pest Control | 0.90 | 0 | 0.00 | N/A |
| Poly(oxyethylene) poly(oxypropylene) glycol monoallyl ether | Grape, Wine | 122.91 | 53 | 934.60 | A |
| Polyacrylamide | Alfalfa | 46.07 | 167 | 8,492.60 | A |
| Polyacrylamide | Almond | 35.48 | 93 | 4,680.88 | A |
| Polyacrylamide | Corn, Grain | 10.27 | 33 | 1,794.60 | A |
| Polyacrylamide | Tomato, Processing | 3.21 | 73 | 1,617.50 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Polyacrylamide | Triticale | 1.73 | 10 | 556.00 | A |
| Polyacrylamide | Uncultivated Ag | 113.39 | 237 | 13,199.40 | A |
| Polyacrylamide | Uncultivated Non-Ag | 35.12 | 30 | 575.00 | A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Almond | 1,939.88 | 109 | 12,831.50 | A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Landscape Maintenance | 4.37 | 0 | 0.00 | N/A |
| Polyalkeneoxide modified heptamethyltrisiloxane | Rights Of Way | 1.25 | 0 | 0.00 | N/A |
| Polybutene | Structural Pest Control | 3.67 | 0 | 0.00 | N/A |
| Polyethylene glycol | Almond | 27.66 | 5 | 282.00 | A |
| Polyethylene glycol | Corn, Grain | 5.12 | 9 | 386.00 | A |
| Polyethylene glycol | Sorghum/Milo | 15.97 | 16 | 524.00 | A |
| Polyethylene glycol | Tomato, Processing | 326.83 | 41 | 7,496.14 | A |
| Polyethylene glycol stearate | Almond | 131.94 | 23 | 946.14 | A |
| Polyethylene glycol stearate | Landscape Maintenance | 23.40 | 0 | 0.00 | N/A |
| Polyethylene glycol stearate | Pistachio | 7.26 | 2 | 33.25 | A |
| Polyethylene glycol stearate | Sunflower | 38.69 | 18 | 712.00 | A |
| Polyethylene glycol stearate | Tomato, Processing | 149.86 | 47 | 1,911.80 | A |
| Polyethylene glycol stearate | Uncultivated Non-Ag | 37.88 | 0 | 325.24 | A |
| Polyethylene glycol stearate | Walnut | 39.17 | 15 | 284.40 | A |
| Polyoxin d, zinc salt | Almond | 70.50 | 18 | 1,610.00 | A |
| Polyoxin d, zinc salt | Golf Course Turf | 1.76 | 0 | 5.00 | A |
| Polyoxin d, zinc salt | Landscape Maintenance | 1.36 | 0 | 0.00 | N/A |
| Polyoxin d, zinc salt | Pistachio | 5.25 | 1 | 120.00 | A |
| Polyoxyethylene sorbitan monooleate | Almond | 82.20 | 8 | 405.60 | A |
| Polyoxyethylene sorbitan monooleate | Uncultivated Non-Ag | 2.59 | 0 | 670.35 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Potassium bicarbonate | Grape, Wine | 3,210.10 | 35 | 802.75 | A |
| Potassium bicarbonate | Lettuce, Head | 5.36 | 4 | 117,388.75 | S |
| Potassium laurate | Basil, Sweet | 2.71 | 4 | 16,355.00 | S |
| Potassium laurate | Lettuce, Head | 81.84 | 26 | 851,960.00 | S |
| Potassium n-methyldithiocarbamate | Soil Fumigation/Pre plant | 10,182.81 | 3 | 28.70 | A |
| Potassium phosphite | Almond | 1,494.54 | 1 | 573.00 | A |
| Potassium phosphite | Golf Course Turf | 74.58 | 0 | 300,000.00 | S |
| Potassium phosphite | Landscape Maintenance | 254.28 | 0 | 0.00 | N/A |
| Potassium phosphite | Lettuce, Head | 28.58 | 16 | 497,241.13 | S |
| Potassium phosphite | Walnut | 129.64 | 1 | 200.00 | A |
| Prallethrin | Commodity Fumigation | 0.03 | 0 | 0.00 | N/A |
| Prallethrin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Prallethrin | Structural Pest Control | 8.94 | 0 | 0.00 | N/A |
| Prodiamine | Landscape Maintenance | 113.22 | 0 | 0.00 | N/A |
| Prodiamine | N-Outdr Plants In Containers | 151.21 | 29 | 187.61 | A |
| Prodiamine | Rights Of Way | 13.38 | 0 | 0.00 | N/A |
| Propamocarb hydrochloride | Cucumber | 12.57 | 1 | 21.00 | A |
| Propamocarb hydrochloride | Landscape Maintenance | 74.99 | 0 | 0.00 | N/A |
| Propiconazole | Almond | 1,516.72 | 86 | 6,599.00 | A |
| Propiconazole | Apricot | 0.44 | 3 | 3.90 | A |
| Propiconazole | Golf Course Turf | 14.14 | 1 | 21.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Propiconazole | Golf Course Turf | 24.71 | 2 | 650,000.00 | S |
| Propiconazole | Landscape Maintenance | 61.28 | 0 | 0.00 | N/A |
| Propiconazole | N-Outdr Plants In Containers | 9.16 | 17 | 100.12 | A |
| Propiconazole | Nectarine | 0.07 | 1 | 0.62 | A |
| Propiconazole | Peach | 1.25 | 2 | 11.25 | A |
| Propiconazole | Prune | 177.91 | 10 | 1,509.00 | A |
| Propiconazole | Walnut | 41.09 | 4 | 184.00 | A |
| Propylene glycol | Almond | 85.27 | 22 | 1,961.00 | A |
| Propylene glycol | Landscape Maintenance | 39.53 | 0 | 0.00 | N/A |
| Propylene glycol | Rights Of Way | 0.91 | 0 | 0.00 | N/A |
| Propylene glycol | Walnut | 31.10 | 19 | 953.50 | A |
| Pydiflumetofen | Almond | 521.62 | 101 | 5,661.30 | A |
| Pydiflumetofen | Broccoli | 2.22 | 1 | 20.00 | A |
| Pydiflumetofen | Grape, Wine | 59.00 | 17 | 482.84 | A |
| Pydiflumetofen | Pistachio | 1.67 | 1 | 25.00 | A |
| Pydiflumetofen | Pumpkin | 2.56 | 1 | 23.00 | A |
| Pydiflumetofen | Tomato, Processing | 278.40 | 55 | 2,751.70 | A |
| Pymetrozine | Asparagus | 1.50 | 3 | 17.50 | A |
| Pymetrozine | Lettuce, Head | 0.33 | 10 | 177,152.50 | S |
| Pymetrozine | Research Commodity | < 0.01 | 0 | 0.00 | N/A |
| Pyraclostrobin | Almond | 250.01 | 39 | 2,996.99 | A |
| Pyraclostrobin | Apricot | 0.06 | 2 | 2.00 | A |
| Pyraclostrobin | Cherry | 0.12 | 1 | 1.50 | A |
| Pyraclostrobin | Golf Course Turf | 1.72 | 0 | 150,000.00 | S |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pyraclostrobin | Grape, Wine | 192.81 | 49 | 1,295.94 | A |
| Pyraclostrobin | Landscape Maintenance | 8.58 | 0 | 0.00 | N/A |
| Pyraclostrobin | N-Outdr Plants In Containers | 51.13 | 103 | 136.41 | A |
| Pyraclostrobin | Nectarine | 0.16 | 1 | 2.00 | A |
| Pyraclostrobin | Peach | 0.37 | 2 | 4.50 | A |
| Pyraclostrobin | Pistachio | 2.40 | 1 | 25.00 | A |
| Pyraclostrobin | Plum | 0.16 | 3 | 1.85 | A |
| Pyraclostrobin | Pumpkin | 0.38 | 1 | 3.00 | A |
| Pyraclostrobin | Stone Fruit | 0.74 | 1 | 7.00 | A |
| Pyraclostrobin | Tomato, Processing | 722.23 | 44 | 4,292.80 | A |
| Pyraflufen-ethyl | Almond | 11.22 | 23 | 2,802.00 | A |
| Pyraflufen-ethyl | Golf Course Turf | 0.01 | 0 | 10.25 | A |
| Pyraflufen-ethyl | Grape, Wine | 3.42 | 18 | 751.48 | A |
| Pyraflufen-ethyl | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Pyraflufen-ethyl | Prune | 0.98 | 2 | 184.45 | A |
| Pyraflufen-ethyl | Tomato, Processing | 1.63 | 4 | 342.60 | A |
| Pyraflufen-ethyl | Uncultivated Ag | 10.86 | 66 | 3,638.50 | A |
| Pyrethrins | Basil, Sweet | 0.03 | 3 | 36,165.00 | S |
| Pyrethrins | Commodity Fumigation | 4.28 | 0 | 0.00 | N/A |
| Pyrethrins | Landscape Maintenance | 0.05 | 0 | 0.00 | N/A |
| Pyrethrins | Lettuce, Head | 0.52 | 22 | 695,785.88 | S |
| Pyrethrins | Nectarine | 0.02 | 1 | 0.50 | A |
| Pyrethrins | Olive | 0.05 | 1 | 1.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Pyrethrins | Public Health | 38.69 | 0 | 0.00 | N/A |
| Pyrethrins | Structural Pest Control | 9.27 | 0 | 0.00 | N/A |
| Pyridaben | N-Outdr Plants In Containers | 8.88 | 11 | 19.14 | A |
| Pyridaben | Research Commodity | 0.04 | 0 | 0.00 | N/A |
| Pyrifluquinazon | N-Outdr Plants In Containers | 0.72 | 2 | 2.99 | A |
| Pyrimethanil | Almond | 1,090.46 | 32 | 5,262.00 | A |
| Pyrimethanil | Grape, Wine | 275.44 | 33 | 835.36 | A |
| Pyriofenone | Grape, Wine | 79.20 | 29 | 808.99 | A |
| Pyriproxyfen | Almond | 3.05 | 3 | 300.00 | A |
| Pyriproxyfen | Commodity Fumigation | 0.10 | 0 | 0.00 | N/A |
| Pyriproxyfen | Structural Pest Control | 16.54 | 0 | 0.00 | N/A |
| Pyroxsulam | Triticale | 6.71 | 17 | 498.60 | A |
| Pyroxsulam | Uncultivated Ag | 1.16 | 2 | 88.00 | A |
| Pyroxsulam | Wheat | 5.05 | 8 | 383.00 | A |
| Quinclorac | Landscape Maintenance | 193.34 | 0 | 0.00 | N/A |
| Quinclorac, dimethylamine salt | Landscape Maintenance | 2.67 | 0 | 0.00 | N/A |
| Quinoxyfen | Grape | 1.29 | 16 | 26.05 | A |
| Quinoxyfen | Grape, Wine | 187.62 | 110 | 1,969.95 | A |
| Quinoxyfen | Melon | 17.08 | 3 | 179.00 | A |
| Quinoxyfen | Pumpkin | 7.89 | 2 | 62.00 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Almond | 256.41 | 2 | 608.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Reynoutria sachalinensis (giant knotweed) plant extract | Grape, Wine | 23.78 | 5 | 109.60 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Strawberry | 0.65 | 1 | 3.00 | A |
| Reynoutria sachalinensis (giant knotweed) plant extract | Vegetable | 0.66 | 1 | 3.00 | A |
| Rimsulfuron | Almond | 604.03 | 111 | 10,294.43 | A |
| Rimsulfuron | Cherry | 0.06 | 2 | 1.75 | A |
| Rimsulfuron | Corn, Grain | 2.02 | 3 | 129.00 | A |
| Rimsulfuron | Grape, Wine | 15.72 | 27 | 378.72 | A |
| Rimsulfuron | Landscape Maintenance | 0.06 | 0 | 0.00 | N/A |
| Rimsulfuron | N-Outdr Plants In Containers | 0.06 | 1 | 1.00 | A |
| Rimsulfuron | N-Outdr Transplants | 0.27 | 2 | 13.24 | A |
| Rimsulfuron | Pistachio | 12.41 | 5 | 278.70 | A |
| Rimsulfuron | Prune | 1.35 | 2 | 21.56 | A |
| Rimsulfuron | Rights Of Way | 1.23 | 0 | 0.00 | N/A |
| Rimsulfuron | Tomato, Processing | 194.29 | 248 | 8,134.47 | A |
| Rimsulfuron | Uncultivated Ag | 5.24 | 4 | 113.47 | A |
| Rimsulfuron | Uncultivated Non-Ag | 0.05 | 0 | 55.70 | A |
| Rimsulfuron | Walnut | 33.04 | 27 | 536.17 | A |
| S-methoprene | Almond | 0.29 | 1 | 38.80 | A |
| S-methoprene | Commodity Fumigation | 0.59 | 0 | 0.00 | N/A |
| S-methoprene | Public Health | 527.33 | 0 | 0.00 | N/A |
| S-methoprene | Structural Pest Control | 0.67 | 0 | 0.00 | N/A |
| S-metolachlor | Bean, Dried | 3,433.47 | 43 | 2,323.30 | A |
| S-metolachlor | Corn, Grain | 215.36 | 2 | 113.00 | A |
| S-metolachlor | Garbanzo Bean | 197.37 | 3 | 124.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| S-metolachlor | Pumpkin | 51.46 | 1 | 27.00 | A |
| S-metolachlor | Safflower | 908.59 | 13 | 634.80 | A |
| S-metolachlor | Sorghum/Milo | 209.45 | 2 | 147.00 | A |
| S-metolachlor | Soybean | 143.02 | 2 | 100.00 | A |
| S-metolachlor | Sunflower | 1,606.62 | 17 | 930.00 | A |
| S-metolachlor | Tomato | 141.03 | 2 | 74.00 | A |
| S-metolachlor | Tomato, Processing | 17,740.90 | 165 | 10,021.64 | A |
| Saflufenacil | Alfalfa | 140.79 | 74 | 3,155.40 | A |
| Saflufenacil | Almond | 99.81 | 60 | 2,409.65 | A |
| Saflufenacil | Olive | 3.04 | 2 | 69.60 | A |
| Saflufenacil | Orchardgrass | 3.11 | 1 | 70.00 | A |
| Saflufenacil | Pastureland | 6.68 | 1 | 300.00 | A |
| Saflufenacil | Pear | 6.27 | 4 | 143.24 | A |
| Saflufenacil | Pistachio | 13.24 | 3 | 302.71 | A |
| Saflufenacil | Uncultivated Ag | 2.91 | 1 | 65.00 | A |
| Saflufenacil | Uncultivated Non-Ag | 3.57 | 7 | 80.00 | A |
| Saflufenacil | Walnut | 50.10 | 62 | 1,409.27 | A |
| Sethoxydim | Almond | 36.80 | 6 | 131.00 | A |
| Sethoxydim | Uncultivated Ag | 4.85 | 1 | 10.00 | A |
| Sethoxydim | Walnut | 14.02 | 2 | 115.00 | A |
| Silica gel | Landscape Maintenance | 1.15 | 0 | 0.00 | N/A |
| Silica gel | Structural Pest Control | 7.38 | 0 | 0.00 | N/A |
| Simazine | Pear | 4.01 | 1 | 0.50 | A |
| Sodium bromide | Water (Industrial) | 13,823.46 | 0 | 177.00 | U |
| Sodium chlorate | Bean, Dried | 1,465.85 | 4 | 295.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Sodium chlorate | Sunflower | 7,164.55 | 22 | 1,201.55 | A |
| Sodium chlorite | Water (Industrial) | 24.96 | 0 | 2.00 | U |
| Sodium dichloro-s-triazinetrione | Water (Industrial) | 405.01 | 0 | 2.00 | U |
| Sodium hypochlorite | Water (Industrial) | 1,113.52 | 0 | 164.00 | U |
| Sodium hypochlorite | Water Systems - Human Potable/Drinking | 25.41 | 0 | 1.00 | A |
| Sodium nitrate | Landscape Maintenance | 1.97 | 0 | 0.00 | N/A |
| Sodium tetraborate decahydrate | Landscape Maintenance | 1.19 | 0 | 0.00 | N/A |
| Sodium tetraborate decahydrate | Rights Of Way | 543.78 | 0 | 0.00 | N/A |
| Sodium tetraborate decahydrate | Structural Pest Control | 15.83 | 0 | 0.00 | N/A |
| Soybean oil, ethoxylated | Almond | 1,500.46 | 10 | 1,195.60 | A |
| Spinetoram | Almond | 125.18 | 8 | 1,748.00 | A |
| Spinetoram | Bean, Dried | 9.31 | 21 | 236.40 | A |
| Spinetoram | Nectarine | 0.08 | 3 | 0.93 | A |
| Spinetoram | Peach | 0.12 | 1 | 1.50 | A |
| Spinetoram | Pear | 6.34 | 1 | 58.00 | A |
| Spinetoram | Prune | 2.50 | 1 | 20.00 | A |
| Spinetoram | Tomato, Processing | 136.61 | 73 | 2,203.77 | A |
| Spinetoram | Walnut | 93.09 | 30 | 1,303.50 | A |
| Spinosad | Asparagus | 0.10 | 1 | 5.70 | A |
| Spinosad | N-Outdr Plants In Containers | 4.52 | 12 | 33.31 | A |
| Spinosad | Olive | < 0.01 | 9 | 8.68 | A |
| Spinosad | Peach | 1.40 | 2 | 7.00 | A |
| Spinosad | Public Health | 118.72 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Spinosad | Structural Pest Control | 0.05 | 0 | 0.00 | N/A |
| Spinosad | Walnut | 0.51 | 49 | 3,096.00 | A |
| Spirodiclofen | Almond | 64.61 | 1 | 120.00 | A |
| Spirodiclofen | Walnut | 20.27 | 2 | 154.00 | A |
| Spiromesifen | Corn (Forage - Fodder) | 51.11 | 5 | 184.00 | A |
| Spiromesifen | Corn, Grain | 47.50 | 4 | 187.00 | A |
| Spiromesifen | Corn, Human Consumption | 17.04 | 1 | 67.00 | A |
| Spiromesifen | N-Outdr Plants In Containers | 0.70 | 2 | 3.54 | A |
| Spirotetramat | Broccoli | 1.57 | 1 | 20.00 | A |
| Spirotetramat | Cabbage | 0.46 | 1 | 6.00 | A |
| Spirotetramat | Grape | 4.38 | 32 | 52.10 | A |
| Spirotetramat | Grape, Wine | 186.04 | 69 | 1,573.00 | A |
| Spirotetramat | N-Outdr Plants In Containers | 2.45 | 7 | 11.24 | A |
| Spirotetramat | N-Outdr Transplants | 7.44 | 3 | 59.00 | A |
| Spirotetramat | Prune | 4.82 | 1 | 34.00 | A |
| Spirotetramat | Stone Fruit | 0.93 | 1 | 7.00 | A |
| Streptomycin sulfate | N-Outdr Plants In Containers | 7.54 | 7 | 26.14 | A |
| Streptomycin sulfate | Pear | 153.41 | 14 | 627.70 | A |
| Strychnine | Almond | 0.25 | 5 | 50.00 | A |
| Strychnine | Landscape Maintenance | 0.05 | 0 | 0.00 | N/A |
| Sulfentrazone | Grape, Wine | 21.97 | 4 | 118.40 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Sulfentrazone | Landscape Maintenance | 47.79 | 0 | 0.00 | N/A |
| Sulfentrazone | Rights Of Way | 16.23 | 0 | 0.00 | N/A |
| Sulfometuron-methyl | Landscape Maintenance | 69.29 | 0 | 0.00 | N/A |
| Sulfometuron-methyl | Rights Of Way | 13.91 | 0 | 0.00 | N/A |
| Sulfur | Almond | 32,552.90 | 40 | 1,752.50 | A |
| Sulfur | Grape | 939.49 | 85 | 173.25 | A |
| Sulfur | Grape, Wine | 226,561.71 | 1,002 | 24,231.59 | A |
| Sulfur | Landscape Maintenance | 2.30 | 0 | 0.00 | N/A |
| Sulfur | Prune | 6,840.00 | 12 | 475.00 | A |
| Sulfur | Stone Fruit | 154.60 | 2 | 14.00 | A |
| Sulfur | Structural Pest Control | 0.79 | 0 | 0.00 | N/A |
| Sulfur | Tomato | 3,645.60 | 3 | 186.00 | A |
| Sulfur | Tomato, Processing | 187,674.86 | 132 | 9,072.40 | A |
| Sulfur dioxide | Fumigation, Other | 941.96 | 0 | 0.00 | N/A |
| Sulfuryl fluoride | Structural Pest Control | 5,272.00 | 0 | 0.00 | N/A |
| Tall oil | Grape, Wine | 21.70 | 5 | 218.30 | A |
| Tall oil fatty acids | Almond | 165.97 | 19 | 1,432.60 | A |
| Tall oil fatty acids | Corn, Grain | 7.40 | 16 | 579.00 | A |
| Tall oil fatty acids | Grape, Wine | 69.89 | 83 | 680.99 | A |
| Tall oil fatty acids | Landscape Maintenance | 61.57 | 0 | 0.00 | N/A |
| Tall oil fatty acids | Pear | 0.87 | 2 | 92.95 | A |
| Tall oil fatty acids | Pistachio | 15.70 | 2 | 177.00 | A |
| Tall oil fatty acids | Rights Of Way | 3.94 | 4 | 65.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tall oil fatty acids | Rights Of Way | 27.18 | 0 | 0.00 | N/A |
| Tall oil fatty acids | Sorghum/Milo | 15.81 | 16 | 524.00 | A |
| Tall oil fatty acids | Tomato, Processing | 355.95 | 48 | 7,968.84 | A |
| Tall oil fatty acids | Triticale | 79.72 | 36 | 1,958.50 | A |
| Tebuconazole | Almond | 1,116.01 | 88 | 5,392.00 | A |
| Tebuconazole | Grape | 5.20 | 32 | 52.10 | A |
| Tebuconazole | Grape, Wine | 123.30 | 59 | 1,188.25 | A |
| Tebuconazole | Landscape Maintenance | 37.74 | 0 | 0.00 | N/A |
| Tebuconazole | N-Outdr Plants In Containers | 1.12 | 1 | 3.12 | A |
| Tebuconazole | N-Outdr Transplants | 6.12 | 3 | 59.00 | A |
| Tebuconazole | Nectarine | 0.05 | 1 | 0.50 | A |
| Tebuconazole | Peach | 0.09 | 1 | 1.00 | A |
| Tebuconazole | Pistachio | 24.25 | 4 | 152.00 | A |
| Tebuconazole | Stone Fruit | 0.88 | 1 | 7.00 | A |
| Tebuconazole | Walnut | 46.58 | 9 | 207.00 | A |
| Tebuthiuron | Rights Of Way | 78.28 | 0 | 0.00 | N/A |
| Tembotrione | Corn (Forage - Fodder) | 17.90 | 5 | 221.00 | A |
| Tembotrione | Corn, Grain | 182.34 | 50 | 2,245.80 | A |
| Tembotrione | Corn, Human Consumption | 7.69 | 2 | 94.50 | A |
| Terrazole | N-Outdr Plants In Containers | 1.00 | 1 | 0.47 | A |
| Tetraconazole | Grape, Wine | 21.19 | 38 | 522.91 | A |
| Tetramethrin | Structural Pest Control | 0.03 | 0 | 0.00 | N/A |
| Thiamethoxam | Golf Course Turf | 7.03 | 0 | 27.00 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Thiamethoxam | Grape, Wine | 126.56 | 14 | 728.91 | A |
| Thiamethoxam | Landscape Maintenance | 0.47 | 0 | 0.00 | N/A |
| Thiamethoxam | Melon | 11.01 | 1 | 64.00 | A |
| Thiamethoxam | N-Outdr Plants In Containers | 0.38 | 3 | 8.20 | A |
| Thiamethoxam | N-Outdr Transplants | 1.14 | 2 | 12.91 | A |
| Thiamethoxam | Structural Pest Control | 11.03 | 0 | 0.00 | N/A |
| Thiamethoxam | Tomato, Processing | 241.27 | 35 | 2,726.60 | A |
| Thiamethoxam | Walnut | 13.41 | 9 | 249.28 | A |
| Thiencarbazone-methyl | Wheat | 2.82 | 5 | 634.00 | A |
| Thiophanate-methyl | Almond | 1,284.06 | 24 | 1,711.00 | A |
| Thiophanate-methyl | Apricot | 1.05 | 1 | 1.50 | A |
| Thiophanate-methyl | Grape, Wine | 242.55 | 14 | 183.58 | A |
| Thiophanate-methyl | Landscape Maintenance | 231.93 | 0 | 0.00 | N/A |
| Thiophanate-methyl | N-Outdr Plants In Containers | 172.65 | 101 | 108.94 | A |
| Thiophanate-methyl | Nectarine | 1.40 | 1 | 2.00 | A |
| Thiophanate-methyl | Peach | 2.80 | 1 | 4.00 | A |
| Thiophanate-methyl | Plum | 1.40 | 1 | 1.00 | A |
| Thymol | Commercial, Institutional Or Industrial Areas | < 0.01 | 0 | 114.00 | S |
| Thymol | Residential | 0.07 | 0 | 1,642.33 | S |
| Topramezone | Landscape Maintenance | 2.45 | 0 | 0.00 | N/A |
| Triadimefon | Landscape Maintenance | 0.63 | 0 | 0.00 | N/A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Tribenuron-methyl | Barley | 4.05 | 4 | 259.00 | A |
| Tribenuron-methyl | Canola (Rape) | 1.74 | 9 | 371.00 | A |
| Tribenuron-methyl | Forage Hay/Silage | 4.68 | 14 | 419.00 | A |
| Tribenuron-methyl | Sunflower | 26.80 | 55 | 1,713.22 | A |
| Tribenuron-methyl | Triticale | 30.87 | 48 | 2,348.60 | A |
| Tribenuron-methyl | Uncultivated Ag | 1.72 | 4 | 121.00 | A |
| Tribenuron-methyl | Wheat | 63.77 | 67 | 3,903.80 | A |
| Trichlorofluoromethane | Landscape Maintenance | 1.73 | 0 | 0.00 | N/A |
| Trichoderma harzianum rifai strain krl-ag2 | Basil, Sweet | 0.52 | 50 | 175,000.00 | S |
| Trichoderma harzianum rifai strain krl-ag2 | Lettuce, Head | 0.52 | 50 | 175,000.00 | S |
| Trichoderma harzianum rifai strain krl-ag2 | N-Outdr Plants In Containers | < 0.01 | 1 | 0.23 | A |
| Triclopyr choline | Landscape Maintenance | 226.13 | 0 | 0.00 | N/A |
| Triclopyr choline | Rights Of Way | 2,394.82 | 0 | 0.00 | N/A |
| Triclopyr choline | Uncultivated Non-Ag | 61.32 | 0 | 188.34 | A |
| Triclopyr, butoxyethyl ester | Golf Course Turf | 1.00 | 0 | 10.25 | A |
| Triclopyr, butoxyethyl ester | Landscape Maintenance | 172.80 | 0 | 0.00 | N/A |
| Triclopyr, butoxyethyl ester | Rights Of Way | 354.98 | 0 | 0.00 | N/A |
| Triclopyr, butoxyethyl ester | Structural Pest Control | 0.02 | 0 | 0.00 | N/A |
| Triclopyr, butoxyethyl ester | Turf/Sod | 282.84 | 7 | 208.00 | A |
| Triclopyr, butoxyethyl ester | Uncultivated Non-Ag | 2.19 | 0 | 96.74 | A |
| Triclopyr, triethylamine salt | Golf Course Turf | 28.50 | 0 | 36.50 | A |
| Triclopyr, triethylamine salt | Landscape Maintenance | 72.87 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Rights Of Way | 0.50 | 2 | 0.20 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Triclopyr, triethylamine salt | Rights Of Way | 0.10 | 2 | 22.00 | U |
| Triclopyr, triethylamine salt | Rights Of Way | 3,539.38 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Structural Pest Control | 0.92 | 0 | 0.00 | N/A |
| Triclopyr, triethylamine salt | Water Area | 2.13 | 0 | 4.20 | A |
| Trifloxystrobin | Almond | 475.52 | 70 | 4,816.63 | A |
| Trifloxystrobin | Apricot | 0.53 | 4 | 5.10 | A |
| Trifloxystrobin | Broccoli | 2.48 | 1 | 20.00 | A |
| Trifloxystrobin | Grape | 1.43 | 16 | 26.05 | A |
| Trifloxystrobin | Grape, Wine | 64.41 | 19 | 631.82 | A |
| Trifloxystrobin | Landscape Maintenance | 0.13 | 0 | 0.00 | N/A |
| Trifloxystrobin | Nectarine | 0.15 | 2 | 1.45 | A |
| Trifloxystrobin | Peach | 1.17 | 2 | 11.25 | A |
| Trifloxystrobin | Pluot | 0.17 | 1 | 1.66 | A |
| Trifloxystrobin | Pumpkin | 3.07 | 2 | 37.00 | A |
| Trifloxystrobin | Stone Fruit | 1.86 | 3 | 21.00 | A |
| Triflumizole | Grape, Wine | 0.03 | 1 | 0.25 | A |
| Trifluralin | Almond | 578.89 | 1 | 573.00 | A |
| Trifluralin | Bean, Dried | 43.44 | 1 | 86.00 | A |
| Trifluralin | Garbanzo Bean | 93.96 | 3 | 124.00 | A |
| Trifluralin | Landscape Maintenance | 25.81 | 0 | 0.00 | N/A |
| Trifluralin | Rights Of Way | 1.60 | 0 | 0.00 | N/A |
| Trifluralin | Safflower | 428.52 | 12 | 574.80 | A |
| Trifluralin | Structural Pest Control | 2.32 | 0 | 0.00 | N/A |
| Trifluralin | Sunflower | 348.98 | 13 | 657.70 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Trifluralin | Tomato | 74.76 | 2 | 74.00 | A |
| Trifluralin | Tomato, Processing | 6,636.25 | 165 | 10,003.54 | A |
| Trinexapac-ethyl | Golf Course Turf | 30.27 | 0 | 491.60 | A |
| Trinexapac-ethyl | Golf Course Turf | 0.95 | 0 | 1,350,000.00 | S |
| Trinexapac-ethyl | Landscape Maintenance | 8.07 | 0 | 0.00 | N/A |
| Triptolide | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Urea dihydrogen sulfate | Almond | 154.19 | 69 | 3,080.73 | A |
| Urea dihydrogen sulfate | Grape, Wine | 31.21 | 14 | 205.83 | A |
| Urea dihydrogen sulfate | Uncultivated Ag | 40.67 | 21 | 813.45 | A |
| Urea dihydrogen sulfate | Walnut | 5.65 | 4 | 61.38 | A |
| Warfarin | Landscape Maintenance | < 0.01 | 0 | 0.00 | N/A |
| Warfarin | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Z,e-9,12-tetradecadien-1-yl acetate | Structural Pest Control | < 0.01 | 0 | 0.00 | N/A |
| Z-8-dodecenol | Nectarine | < 0.01 | 1 | 0.50 | A |
| Z-8-dodecenol | Peach | 0.01 | 1 | 2.50 | A |
| Z-8-dodecenol | Plum | < 0.01 | 1 | 0.50 | A |
| Z-8-dodecenyl acetate | Nectarine | 0.04 | 1 | 0.50 | A |
| Z-8-dodecenyl acetate | Peach | 0.20 | 1 | 2.50 | A |
| Z-8-dodecenyl acetate | Plum | 0.02 | 1 | 0.50 | A |
| Zeta-cypermethrin | Alfalfa | 5.58 | 5 | 224.00 | A |
| Zeta-cypermethrin | Structural Pest Control | 0.10 | 0 | 0.00 | N/A |
| Zinc phosphide | Alfalfa | 135.52 | 14 | 677.60 | A |

| Chemical | Commodity or Site | Pounds Applied | Apps | Area Treated | Unit Treated |
|---|---|---|---|---|---|
| Zinc phosphide | Landscape Maintenance | 0.12 | 0 | 0.00 | N/A |
| Zinc phosphide | Rights Of Way | 0.39 | 0 | 0.00 | N/A |
| Zinc phosphide | Uncultivated Ag | 0.87 | 0 | 7.22 | A |
| Ziram | Nectarine | 6.35 | 2 | 1.00 | A |
| Ziram | Peach | 47.42 | 5 | 14.00 | A |