

**SUMMARY OF RESULTS FROM THE CALIFORNIA PESTICIDE
ILLNESS SURVEILLANCE PROGRAM
- 2023 -**

HS-1909

California Environmental Protection Agency
Department of Pesticide Regulation
Worker Health and Safety Branch
1001 I Street
Sacramento, California 95814

August 6, 2026



California Department of Pesticide Regulation

Worker Health and Safety Branch

Branch Chief – Jagjinder Sahota
Environmental Program Manager – Michel Oriel

Pesticide Illness Surveillance Program

Lead Author

Jennifer Rosatelli, MPH

Co-Authors

Shafeesha Ali, MPH
Ronald Cooper
Mia Cylinder
Izabella Czaja
Lucia S. Graham, PhD, REHS
Yvette O. Nonato, MD, DPBRM
Tesa Winters, MS

Acknowledgements

The Pesticide Illness Surveillance Program wishes to acknowledge those who have contributed to this report:

California County Agricultural Commissioners
Department of Pesticide Regulation Regional Enforcement Offices
California Poison Control System
California Department of Public Health, Occupational Health Branch
Office of Environmental Health Hazard Assessment

Table of Contents

<i>Executive Summary</i>	4
<i>Background, Sources, and Purpose of Illness Surveillance</i>	6
<i>Data Definitions</i>	6
<i>Data Sources</i>	6
<i>Investigations and Analysis</i>	7
<i>Data Limitations</i>	8
<i>Overview of 2023 Cases</i>	9
<i>Figure 1: Number of Cases vs. Number of Episodes Investigated, 2014-2023</i>	9
<i>Figure 2: Mechanism that Identified Cases for Investigation, 2014-2023</i>	10
<i>Figure 3: Outcome of 2023 Illness Investigations, by Cases</i>	11
<i>Figure 4: Distribution of Associated Episodes and Cases, 2023</i>	11
<i>Figure 5: Agricultural vs. Non-Agricultural Pesticide- Associated Cases and Episodes, 2014-2023</i> ...	12
<i>Table 1: Agricultural and Occupational Status Evaluation of 2023 Illness Cases</i>	13
<i>Non-Agricultural Pesticide Illnesses</i>	14
<i>Table 2: Mechanisms of Exposure in Non-Agricultural Associated Cases, 2023</i>	14
<i>Occupational, Non-Agricultural Exposures</i>	14
<i>Figure 6: Pesticide Types among Non-Agricultural, Occupational Cases, 2023</i>	15
<i>Non-Occupational, Non-Agricultural Exposures</i>	16
<i>Figure 7: Pesticide Types among Non-Agricultural, Non-Occupational Cases in Residential Settings, 2023</i>	16
<i>Table 3: Exposure and Activity of Non-Agricultural, Non-Occupational Cases in Residential Settings, 2023</i>	17
<i>Agricultural Pesticide Illnesses</i>	17
<i>Table 4: Types of Pesticide and Mode of Exposure in Agricultural Cases, 2023</i>	18
<i>Applicators and Mixer/Loaders</i>	18
<i>Field Workers</i>	19
<i>Figure 8: Field Worker Mechanism of Exposure to Pesticides, 2023</i>	19
<i>Reported Illnesses Among Children</i>	20
<i>Table 5: Pesticide Types and Mode of Exposure for Children < 18-years old, 2023</i>	20
<i>Morbidity and Mortality</i>	21
<i>Table 6: Summary of Pesticide-Associated Hospitalization and Disability, 2023</i>	21
<i>Further Information</i>	22
<i>Appendix A: Acronyms</i>	23
<i>Appendix B: Glossary</i>	24
<i>Appendix C: Additional Data Tables</i>	32

<i>Table C1: Summary of Illness/Injury Incidents Reported in California Related to Pesticide Exposure, Summarized Statewide and by County of Occurrence 2023</i>	<i>32</i>
<i>Table C2: Cases Reported in California with Documented Pesticide Exposure, Summarized by the Type of Illness and the Type of Pesticides 2023</i>	<i>39</i>
<i>Table C3: Hospitalization and Disability Associated with Illnesses/Injuries Definitely or Probably Related to Pesticide Exposure in California, Summarized by Occupational Status and Activity 2023</i>	<i>41</i>
<i>Table C4: Hospitalization and Disability Associated with Illnesses/Injuries Possibly Related to Pesticide Exposure in California, Summarized by Occupational Status and Activity 2023</i>	<i>42</i>
<i>Table C5: Illnesses and Injuries Reported in California Associated with Pesticide Exposure, Summarized by the Type of Activity and Type of Exposure 2023</i>	<i>43</i>
<i>Table C6: Illnesses and Injuries Reported in California Associated with Pesticide Exposure, Summarized by Pesticide(s) and Type of Illness 2023</i>	<i>45</i>
<i>Table C7: Summary of Cases Reported in California Associated with Pesticide Exposure, Summarized by Occupational Status and by Location of the Incident 2023.....</i>	<i>48</i>
<i>Table C8: Summary of Cases Reported in California as Associated with Pesticide Exposure, Summarized by Gender, Age Distribution, Type of Pesticide, and Type of Use 2023</i>	<i>49</i>
<i>Table C9: Agricultural Drift Cases Reported in California as Associated with Pesticide Exposure, Summarized by the Activity of the Exposed Person and by the Type of Application Equipment Used 2023</i>	<i>51</i>
<i>Table C10: Agricultural Drift Cases Reported in California Associated with Pesticide Exposure, Summarized by Application Sites 2023</i>	<i>52</i>
<i>Table C11: Illnesses and Injuries Reported in California Associated with Pesticide Exposure, Summarized by Type of Equipment, Type of Handler Activity, and Occupational Status 2023</i>	<i>53</i>
<i>Table C12: Illnesses and Injuries Reported in California Associated with Pesticide Exposure, Summarized by Type of Exposure and Type of Illness 2023</i>	<i>55</i>
<i>Table C13: Pesticide-Associated Illnesses and Injuries Reported in California Schools by Exposure Category and Pesticide Type, and Type of Use 2023</i>	<i>56</i>

EXECUTIVE SUMMARY

This report provides a summary of pesticide-related illnesses and injuries reported to the California Department of Pesticide Regulation's Pesticide Illness Surveillance Program (PISP) in 2023¹. PISP identifies an individual's exposure to a pesticide(s) that may or may not result in an illness and/or injury as a 'case.' PISP identifies an event in which one or more individuals (cases') are exposed to an acute pesticide(s) as an 'episode.' PISP receives reports of exposures to agricultural and non-agricultural use pesticides. "Agricultural" is defined as involving pesticides intended to contribute to production of an agricultural commodity, including livestock, consistent with the regulatory definition² of "production agriculture." All reports received by PISP are evaluated to determine if the pesticide exposure was associated with the reported health effects. PISP defines the term 'associated' as cases where the reported illnesses or injuries were evaluated as definitely, probably, or possibly related to an acute pesticide exposure.

In 2023, PISP received 1,621 reported cases, stemming from 1,058 episodes, potentially involving health effects from acute pesticide exposure. Of the reported cases, PISP epidemiologists determined that 1,027 (63%) cases, stemming from 708 (67%) episodes, were associated with pesticide exposure. Evidence indicated that pesticide exposure did not cause or contribute to the reported illnesses and injuries in 319 (20%) cases. For 275 (17%) cases, there was not enough information in the report to determine whether the illnesses and injuries were associated with pesticide exposure.

PISP identified 691 cases stemming from 626 episodes as associated with non-agricultural use of pesticides (67% of the 1,027 cases). Of the 691 cases associated with non-agricultural use pesticides, 164 (24%) were occupational, meaning the incident occurred while the affected individuals were at work. The most common settings were service establishments such as restaurants, hotels, or fitness centers, and hospitals or other medical facilities. Exposures to antimicrobial products accounted for 110 (67%) of all associated non-agricultural occupational cases.

PISP identified 326 cases stemming from 72 episodes associated with agricultural use pesticides (32% of the 1,027 cases). Agricultural field workers were exposed to pesticides in 23 separate episodes in 2023, 14 of which were multi-person episodes. The largest number of field workers affected in a single pesticide drift related episode was 21.

Ten (1%) of the 1,027 pesticide-associated cases could not be characterized as agricultural or non-agricultural due to insufficient information.

Children (less than 18 years old) accounted for 132 (13%) of the 1,027 associated cases; 111 cases involved non-agricultural use pesticides, 21 cases involved agricultural use pesticides. Of the 21 children exposed to agricultural use pesticides, 19 were exposed to odor from a ground boom herbicide application that was about half a mile from the school. The remaining two children were exposed to fungicides while outside a residence.

¹ The 2023 data is available on the California Pesticide Illness Query portal at <https://apps.cdpr.ca.gov/calpiq/>.

² FAC § 11408: "Agricultural use" means the use of any pesticide or method or device for the control of plant or animal pests, or any other pests, or the use of any pesticide for the regulation of plant growth or defoliation plants.

Reported pesticide-related illnesses and injuries are investigated by the County Agricultural Commissioners to support statewide enforcement and compliance with pesticide use laws and regulations. Reported pesticide-related illnesses and injuries and PISP evaluation inform DPR's continuous evaluation of pesticides to mitigate human health and environmental risks, including identification of potential exposure trends from pesticide use.

BACKGROUND, SOURCES, AND PURPOSE OF ILLNESS SURVEILLANCE

The California Department of Pesticide Regulation (DPR) administers the California Pesticide³ Safety Regulatory Program. This program includes a thorough review of all pesticide data submitted for registration in California, often with specific data requirements not required by other states, as well as mandatory pesticide illness and pesticide use reporting requirements. In addition, DPR oversees a unique enforcement system involving the assistance of the County Agricultural Commissioners (CACs) operating in every county in the state. The CACs enforce all federal and state pesticide laws and regulations at the local level and can impose additional permit conditions on the use of restricted material pesticides⁴.

Data Definitions

Definitions for all terms used in this report may be found in Appendix B: Glossary (page [24](#)).

Data Sources

In California, reporting of pesticide illnesses is mandatory. Under California Health and Safety Code (HSC) section 105200, physicians are required to report any suspected case of pesticide-related illness or injury to the local health officer (LHO) within 24 hours of examining the patient. LHOs must then inform the local CAC, complete a pesticide illness report (PIR), and send the PIR to the Office of Environmental Health Hazard Assessment (OEHHA), the Department of Industrial Relations (DIR), and the DPR-Pesticide Illness Surveillance Program (PISP). LHOs, physicians, and other health care providers are also able to fulfill their reporting requirements via the California Reportable Disease Information Exchange (CalREDIE), a statewide web-based morbidity reporting system. PISP receives only a small portion of illness reports via the CalREDIE pathway.

In order to ensure that the PISP database captures a wide range of pesticide-related illnesses and injuries, DPR maintains a contract with the California Poison Control System (CPCS) to further assist health care providers in fulfilling their reporting requirements. When a health care provider consults with CPCS about an illness or injury that may involve a pesticide, CPCS offers to submit a PIR on behalf of the provider. Through this contract, PISP has been able to identify hundreds of pesticide-related exposures annually, mostly non-occupational, that may otherwise have been unreported.

³ Pursuant to Title 3, California Code of Regulations (3 CCR) section 6000, "pesticide" is used to describe any substance which is intended to prevent, destroy, repel, or mitigate any pest. Pests may be insects, fungi, weeds, rodents, nematodes, algae, viruses, or bacteria that may infest or be detrimental to vegetation, man, animals, or households, or any agricultural or non-agricultural environment. Therefore, pesticides include herbicides, fungicides, insecticides, rodenticides, and disinfectants, as well as insect growth regulators. In California, adjuvants are also subject to the regulations that pertain to pesticides. Adjuvants are substances used to enhance the efficacy of a pesticide, and include emulsifiers, spreaders, water modifiers, and wetting and dispersing agents.

⁴ California Food and Agricultural Code (FAC) § 11501.5, 12977, 12982, 14004, and 15201 specifies that the CACs enforce the pesticide use enforcement program under the direction and supervision of the DPR. FAC § 2281 outlines the responsibilities of each party in joint programs. 3 CCR § 6140 and 6141 specify that DPR or the CAC may at any reasonable time, enter and inspect, interview employees and/or sample items in order to determine compliance.

A Doctor's First Report of Occupational Illness and Injury (DFROII) is a document associated with a workers' compensation claim that a physician is required to forward to the DIR⁵ and is subsequently shared with the California Department of Public Health-Occupational Health Branch (CDPH-OHB). PISP epidemiologists also review copies of these reports submitted to the CDPH-OHB to identify occupational pesticide-related illness cases that may not have been reported to the LHO. The amount of DFROII shared with PISP has been consistently decreasing since 2018 and the reasons for this trend remain unclear to PISP and CDPH. When a DFROII has been identified by PISP epidemiologists as involving a pesticide as a possible cause of injury or involving a situation in which pesticide use is likely, the DFROII is forwarded to the local CAC for investigation as described below. PISP receives pesticide-related incident reports primarily from CPCS, workers' compensation reports, LHOs, and, to a lesser extent, from citizen complaints, Federal Insecticide, Fungicide, and Rodenticide Act 6(a)(2) adverse effect reports, and referrals from other agencies and news media.

Investigations and Analysis

Through the U.S. Environmental Protection Agency (U.S. EPA), DPR is vested with primary authority to enforce federal and state laws pertaining to the proper and safe use of pesticides.⁶ DPR's authority to enforce pesticide laws and regulations throughout the state is largely carried out in California's 58 counties by the CACs.⁷ The CAC staff investigate suspected pesticide illnesses that occur in their jurisdictions, whether or not they pertain to agriculture.

When investigations are complete, the CACs send their reports describing their findings to DPR. These reports describe the circumstances that may have led to the pesticide exposure and the consequences to all those known to have been exposed. In their role as enforcement agents, the CACs also determine whether pesticide users complied with safety requirements. In an effort to maintain the quality of the investigation reports received, DPR provides training sessions on investigation procedures to train new CAC staff, and to also serve as a refresher for experienced investigators. DPR also provides technical support for CAC investigators on how, when, and what type of samples to collect and to document unintended exposure or contamination of persons and/or the environment, when possible.

PISP epidemiologists evaluate medical reports, and all information gathered by the CACs in the investigative process. Following analysis of all the available information and evidence, PISP epidemiologists assess the likelihood that the pesticide exposure caused or contributed to the illness or injury. Standards for the determination of pesticide exposure are described in the PISP program brochure, "Preventing Pesticide Illness."⁸

⁵ 8 CCR § 9785.

⁶ Under Federal Insecticide, Fungicide, and Rodenticide Act section 26, a State shall have primary enforcement responsibilities for pesticide use violations if EPA determines that such State has adopted and is implementing adequate pesticide use laws and regulations, enforcement procedures, and recordkeeping and reporting requirements.

⁷ California Food and Agricultural Code section 12977: The director and the commissioners of each county under the direction and supervision of the director, shall enforce the provisions of this article and the regulations adopted pursuant to it.

⁸ The PISP program brochure, "Preventing Pesticide Illness" can be viewed or downloaded from DPR's web site at <https://www.cdpr.ca.gov/wp-content/uploads/2024/12/brochure.pdf>.


Data Limitations

PISP is a passive surveillance system that depends primarily on the reports submitted by healthcare providers to identify cases of pesticide-related illnesses and injuries. Thus, the quality, quantity, and timeliness of the information received can vary widely. PISP may become aware of an acute pesticide-related illness episode, and receive illness reports or additional case information for the published year after the release of the Annual Report. Therefore, the numbers contained in this report may differ from DPR's online database query system, the California Pesticide Illness Query ([CalPIQ](#)), which contains the updated information.

This report provides a descriptive summary of the number and types of exposures occurring in the given year but does not draw conclusions or make recommendations.

OVERVIEW OF 2023 CASES

PISP epidemiologists received reports on 1,058 episodes resulting in 1,621 cases that potentially involved health effects from acute pesticide exposure (Figure 1). The total number of episodes and cases increased by 10% and 13%, respectively, in 2023 as compared to 2022. PISP identifies an individual's exposure to a pesticide(s) that may or may not result in an illness and/or injury as a 'case.' PISP identifies an event in which one or more individuals ('cases') are exposed to a pesticide(s) as an 'episode.' (See Appendix B on page 24 for full glossary of terms.)




PISP receives reports of pesticide exposure and assigns case numbers to those meeting program criteria⁹ for inclusion into the PISP database. These reports are then sent out to the CACs for investigation. The CPCS remained a major source for case identification and initiating investigations (957, 59%) (Figure 2). DFROII reports contributed 65 (4%) illness cases. Other reporting sources, such as county complaints, news media, as well as additional cases identified by the CAC during the course of an investigation, accounted for 586 (36%) cases.

The California Poison Control System continues to be a major source of case identification and initiating investigations.

⁹ Incident reports must meet all of the following criteria for inclusion into the PISP database: a pesticide is suspected to be involved in the exposure, symptoms were reported, evaluation by a health care provider, and exposure occurred in California.

Direct physician reporting to LHOs, as required by HSC § 105200, accounted for 13 (< 1%) of all identified cases, of which eight were transmitted by LHO to PISP via CalREDIE and five were submitted by LHO to PISP via facsimile. There were 50 CalREDIE PIRs which provided additional information on a case in the PISP database that was initially reported through another source.



PISP defines the term “associated” as cases where the reported illnesses or injuries were evaluated as definitely, probably, or possibly related to acute pesticide exposure. PISP epidemiologists determined that of the 1,621 cases identified in 2023, 1,027 (63%), stemming from 708 episodes, were associated with pesticide exposure. Figure 3 shows the outcome of the cases evaluated and the level of certainty (relationship). Sufficient evidence was available to determine that of the 1,027 pesticide-associated cases, 82 (8%) were definitely related, 785 (76%) were probably related, and 160 (16%) were possibly related to a pesticide exposure. There was evidence indicating that pesticide exposure did not cause or contribute to the reported illness or injuries¹⁰ in 319 (20%) of the 1,621 cases evaluated. This grouping includes 172 asymptomatic cases, which constitute 11% of the total cases identified in 2023 and were all part of multi-person episodes. There were 275 (17%) cases in which not enough information was provided in the report to determine an association between the pesticide exposure and the resulting illness or injury.

¹⁰ Consist of cases evaluated as Unlikely, Indirect, Unrelated or Asymptomatic.



Figure 3: Outcome of 2023 Illness Investigations, by Cases

Figure 4 displays the distribution of associated episodes (708) and cases (1,027) across the counties statewide. Los Angeles County accounted for the largest number of associated episodes (127, 18%) and the largest number of cases (146, 14%), indicating that the majority of the exposures there were single-person incidents. Although 2% (13) of associated episodes occurred in Monterey County, it accounted for the second highest number of cases (116, 11%), reflecting occurrences of multi-person incidents in that county. (See Table C1: Summary of Illness/Injury Incidents Reported in California Related to Pesticide Exposure, Summarized Statewide and by County of Occurrence, for a complete listing of associated episodes and cases by county, page [32](#).)

The number of associated agricultural episodes and cases increased by 16% and 5%, respectively, in 2023 as compared to 2022, (Figure 5).

“Agricultural” is defined as involving pesticides intended to contribute to production of an agricultural commodity, including livestock, which corresponds


Figure 4: Distribution of Associated Episodes and Cases, 2023

to the regulatory definition¹¹ of “production agriculture.” Of the 708 associated episodes, 72 (10%) episodes resulting in 326 cases were attributed to pesticides used for agricultural purposes. The number of cases has varied year-to-year based on the number of individuals involved in multi-person episodes. In 2023, there were 26 multi-person agricultural-related episodes involving 280 associated cases.

Most of the associated episodes involved non-agricultural use pesticides, (626, 88%). These episodes represent 691 cases, most of them involving a single person (accounting for 94% of the non-agricultural episodes). Use or intended use in non-production agriculture is designated as “non-agricultural,” and includes structural, sanitation, home garden, most industrial and institutional uses, as well as pesticide manufacturing, transport, storage, and disposal.

Majority of the cases involved non-agricultural use pesticides.

There were ten pesticide-associated episodes, all of which were single-person events, that could not be characterized as agricultural or non-agricultural due to insufficient information. These uncharacterized events constitute 1% of the associated episodes and cases and are not included in Figure 5.



¹¹ FAC § 11408: “Agricultural use” means the use of any pesticide or method or device for the control of plant or animal pests, or any other pests, or the use of any pesticide for the regulation of plant growth or defoliation plants.

Occupational exposures, defined as those that occurred while the affected individuals were at work, accounted for 440 (43%) of the 1,027 associated cases, with agricultural exposures accounting for over half of these cases (271, 62%). Non-occupational exposures accounted for 576 (56%) of the associated cases, involving mostly non-agricultural use pesticides (520, 90%). Eleven associated cases could not be characterized as occupational or non-occupational due to insufficient information (Table 1).

Table 1: Agricultural and Occupational Status Evaluation of 2023 Illness Cases				
Occupational Status	Agricultural	Non-Agricultural	Unknown	Total
Non-Occupational	55	520	1	576
Occupational	271	164	5	440
Unknown	-	7	4	11
Total	326	691	10	1,027

When PISP receives and evaluates illness investigative reports for a given year, which includes determining if any violations of pesticide laws and regulations have occurred, enforcement actions by CACs and DPR are often still ongoing. Thus, violations noted by PISP for the given year may not always reflect enforcement actions ultimately taken by CACs and/or DPR. Based on the information available at the time of evaluation, PISP epidemiologists concluded that 418 (59%) of 708 associated episodes, resulting in 634 cases, contained evidence to indicate that a violation of safety requirements contributed (contributory violation) to the exposure, e.g., not wearing label-required personal protective equipment. Illness and/or injury *may* have been prevented if the people involved had followed the safety procedures required by regulations and/or pesticide labels. Of the 418 episodes with these contributory violations, 45 (11%) were attributed to pesticides intended for agricultural purposes. Investigation by the CACs determined drift occurred in 17 (38%) of the 45 episodes.

In 16 (2%) of the 708 episodes, PISP epidemiologists determined that non-compliance with regulations did not contribute to the pesticide exposure (e.g., record keeping violations). Due to insufficient information, PISP could not determine if a violation occurred in 209 (30%) episodes. There were 59 (8%) episodes involving 97 individuals that had health effects attributed to pesticide exposure despite apparent compliance with all applicable label instructions and safety regulations. Of the 59 episodes, 53 (90%) and 6 (10%) were attributed to pesticides used for non-agricultural and agricultural purposes, respectively.


NON-AGRICULTURAL PESTICIDE ILLNESSES

Of the 691 cases involving pesticides not used for agricultural commodities, exposures from direct forms of contact contributed to 316 (46%) cases. The affected individuals came directly in contact with a pesticide when the pesticide was spilled, propelled by the application equipment or other mechanisms where the pesticide was on their person. Exposures from off-site movement accounted for 166 (24%) of the 691 cases. PISP defines off-site movement as spray, mist, vapors, or odor carried by air during a pesticide application or the mixing/loading of pesticides. Off-site movement as an exposure mechanism does not necessarily correspond to drift as a violation. Illness and injuries due to inhalation accounted for 309 (45%) cases of the non-agricultural use cases. Individuals who were exposed to pesticides through ingestion followed, with 127 (18%) of the cases. Table 2 shows the number of non-agricultural cases according to exposure mechanisms.

Table 2: Mechanisms of Exposure in Non-Agricultural Associated Cases, 2023				
Type of Exposure	Cases		Route of Exposure	Cases
Direct Contact	316		Dermal	54
Off-site Movement	166		Injection	-
Multiple Types of Exposures	18		Ingestion	127
			Inhalation	309
Other	54		Multiple Routes of Exposure	91
Residue	82		Ocular	90
Unknown	55		Unknown	20
Total	691		Total	691

Occupational, Non-Agricultural Exposures

For cases involving non-agricultural, occupational exposures, 164 were evaluated as associated with pesticide use. Workers exposed while handling pesticides accounted for 48% of these cases [Applicators (58, 35%), Mixer/Loaders (21, 13%)]. Twenty-four (15%) of the 164 workers were exposed to pesticides as bystanders, meaning they were not handling pesticide products and their normal work activity had minimal expectation of exposure to pesticides (e.g., office workers sitting at a desk). Antimicrobials and disinfectants were implicated in 110 (67%) of the occupational cases. Insecticides were the second most commonly used pesticide class, accounting for 25 (15%) of occupational cases (Figure 6). Occupational bystanders were exposed to applications performed by structural pest control operators (SPCO) in 4 (16%) of the 25 cases.




Of the antimicrobial cases (110), service establishments, such as restaurants, hotels, or fitness centers, were the most represented incident setting (23, 21%). Followed by exposures at hospitals or other medical facilities (19, 17%). Workers applying or mixing/loading antimicrobials accounted for 55% (61) of the cases. Three-fourths of the workers handling antimicrobials reported eye or skin symptoms, either alone or in combination with other illness types (47, 77%). Eight of the workers (13%) reported having at least one disability day due to their injury. There was evidence to indicate a violation of safety requirements contributed to the exposure in 35 (57%) handler cases. Of these 35 cases, 10 (29%) handlers were not wearing the label-required personal protective equipment at time of exposure, and 12 (34%) handlers mixed incompatible chemicals or used the product above the label rate. An additional seven (20%) handlers did not wear the label-required personal protective equipment as well as used the product in a manner inconsistent with the label. Most of the antimicrobials involved contained sodium hypochlorite or quaternary ammonium compounds, which can produce a toxic vapor when mixed together. Under Title 3 CCR § 6720(c), employers using antimicrobials as sanitizers or disinfectants are exempt from certain Title 3 CCR provisions, provided they instead comply with corresponding Title 8 CCR provisions. The CAC does not have statutory authority to take enforcement action against Title 8 CCR violations.

Non-Occupational, Non-Agricultural Exposures

For cases involving non-occupational, non-agricultural exposures, 520 were evaluated as associated with pesticide exposure. Thirty-nine percent (203) of these individuals were performing activities with minimal expectation of exposure (e.g., playing in the backyard) to pesticides; an equal number of individuals were handling pesticides (203, 39%). Most of these incidents occurred in residential settings (481, 93%). The remaining associated cases occurred in non-residential locations such as service or retail establishments (e.g., fitness centers, restaurants, grocery stores) (37, 7%). Contrary to occupational exposures which mostly involved antimicrobials, a majority of non-occupational residential exposures involved insecticides (226, 47%), followed by antimicrobials (180, 37%). Of the 180 cases where antimicrobial disinfectants or sanitizers were implicated, the bathroom or toilet was the most common application site (83, 46%), followed by swimming pools (24, 13%). Exposures to insecticidal total release foggers and aerosol cans accounted for 75 (16%) of these residential cases. The most common causes of these exposures were individuals who did not vacate the premises in a timely manner or at all, use of multiple foggers in a small area, re-entering the premises prior to the recommended time, or over spraying. The Combo/Misc. category consists of molluscicides, pool adjuvants, multiple types of pesticides used in combination, and unknown types of pesticides (Figure 7).

93% of non-occupational cases occurred at home.



Exposures via direct contact accounted for 230 (48%) of the non-agricultural, non-occupational cases in residential settings. Direct contact includes exposures to pesticides spilled or propelled by the application equipment, or by ingestion as the route of exposure. Exposures from off-site movement followed in frequency, with 120 (25%) cases. Pesticide handlers (Applicators and Mixer/Loaders) were most commonly affected by off-site movement (e.g., a homeowner poured liquid pool chlorine into their swimming pool and inhaled the vapors carried by air away from the target site) (Table 3). Ingestion of pesticides accounted for 111 (23%) of the 481 non-agricultural, non-occupational cases in residential settings. Forty-eight (43%) of the ingestion cases were accidental, primarily due to improper storage (e.g., pesticide was stored in a water bottle) or placed in areas easily accessible to children.

Table 3: Exposure and Activity of Non-Agricultural, Non-Occupational Cases in Residential Settings, 2023

Activity	Direct Contact	Off-Site Movement	Residue	Multiple Exposures	Other/ Unknown	Total
Applicator	59	98	1	6	18	182
Mixer/Loader	8	5	-	-	-	13
Handler, Other or Unspecified	5	1	-	-	-	6
Routine Activity	82	14	53	-	22	171
Other Activity	60	2	10	1	6	79
Unknown	16	-	1	-	13	30
Total	230	120	65	7	59	481

AGRICULTURAL PESTICIDE ILLNESSES

Of the 1,027 associated cases, PISP identified 326 (32%), stemming from 72 episodes, as associated with agricultural use pesticides. Exposures from pesticides moving off-site contributed to 162 (50%) of the 326 agricultural cases. Exposures from residual pesticide and direct contact accounted for 132 (40%) and 26 (8%), respectively, of the agricultural cases. Most of the cases involved exposures to combinations of different types of pesticides, either from a tank mix or concurrent applications (159, 49%), primarily stemming from eight multi-person episodes which resulted in 152 cases. Exposures to herbicides were involved in 57 cases (18%), and insecticides were involved in 37 cases (11%). Table 4 shows the number of agricultural cases according to the types of pesticide and exposure mechanisms.

Table 4: Types of Pesticide and Mode of Exposure in Agricultural Cases, 2023						
Pesticide	Direct Contact	Off-Site Movement	Residue	Multiple Exposures	Other/ Unknown	Total
Adjuvant	-	-	18	-	-	18
Antimicrobial	-	-	-	1	-	1
Fumigant	5	14	-	-	1	20
Fungicide	4	23	1	-	3	31
Herbicide	9	47	1	-	-	57
Insecticide	5	13	18	-	1	37
Rodenticide	1	-	-	-	-	1
Combination of Different Types of Pesticides	1	65	93	-	-	159
Unknown Pesticide Type	1	-	1	-	-	2
Total	26	162	132	1	5	326


Sixty-four percent of the individuals reported inhaling pesticides used for an agricultural commodity (209), and 73 individuals reported having multiple routes of exposures (22%). Applications made by air blast sprayers accounted for 51 (16%) cases, stemming from 12 episodes. In most of the applications with air blast sprayers, the applicator did not turn off the spray nozzles before turning at the end of the crop row, as specified by the label. Aerial applications were involved in 9 episodes and resulted in 42 cases (13%). Other types of ground applications accounted for 201 (62%) cases, stemming from 25 episodes.

Applicators and Mixer/Loaders

Of the 326 associated cases, 22 (7%) involved applicators or mixer/loaders of agricultural use pesticides, and most were single-person episodes. For these 22 cases, spills or other direct contact from pesticides not propelled by an application or mix/load equipment contributed to 15 (68%) of the cases, followed by an unknown mechanism of exposure at four (18%) cases. Equipment failure or use inconsistent with the label contributed to over half (12, 55%) of the cases. Ten workers (45%) were not wearing the label-required personal protective equipment at time of exposure. Eight (36%) of the handler (Applicator and Mixer/Loader) cases had reports of lost workdays, and one was hospitalized due to their exposure.

Field Workers

PISP data show that 211 field workers were injured by pesticide exposure in 23 separate episodes in 2023, constituting 65% of the 326 agricultural illness cases and 32% of the 72 agricultural episodes. Large multi-person episodes can dramatically alter the overall number of cases from year to year. There were 14 multi-person episodes involving field workers which resulted in 202 (96%) cases. The largest number of field workers injured in a single pesticide drift related episode in 2023 was 21. In this episode 40 field workers were working in a cherry orchard about 1,400 feet south of an aerial application. Many workers observed the airplane flying above them. Thirty-three workers noticed an odor and four felt droplets on their skin. Of the 40 field workers, 21 developed symptoms, of which 13 sought medical care. The pilot of the agricultural pest control business (AG PCB) stated that he did not evaluate the site or surrounding area prior to the application. After making his first pass, he observed an individual and approximately six vehicles at the cherry orchard. Foliage samples detected the presence of active ingredients that were applied, confirming drift, and the AG PCB was cited for violations of pesticide use laws and regulations. Exposures to residue contributed to 127 (60%) cases and off-site movement of pesticide(s), as defined by PISP, was associated with 77 (37%) of the 211 cases involving field workers (Figure 8).



REPORTED ILLNESSES AMONG CHILDREN

There were 132 associated cases of pesticide exposure involving children (less than 18 years old). None of the children were hospitalized due to their pesticide exposure. The two most common types of exposures were direct contact (71, 54%), and off-site movement (32, 24%) (Table 5). Inhalation and ingestion were the most reported routes of pesticide exposure, 48 (36%) and 34 (26%), respectively. The two pesticide types most often ingested were insecticides and antimicrobials, 17 (50%) and 14 (41%), respectively. Twenty-six (77%) of the 34 children who ingested pesticides were less than six years of age. In all the ingestions by children under six years of age, improper storage and accessibility of the pesticide contributed to the exposure (26, 100%).

**In 2023, there were
nineteen reports of
children exposed to
agricultural use
pesticides while at
school.**

Twenty-one children were exposed to agricultural use pesticides in two separate episodes. In one episode, two children were exposed to a helicopter application of a fungicide to an almond orchard. They were outside of their residence when they felt drift and developed symptoms shortly after. A clothing sample detected the presence of the active ingredients applied, confirming off-site movement. The AG PCB was cited for violations of pesticide use laws and regulations. In the second episode, students, staff, and parents were in the parking lot of a school when many detected an odor which was described as an “electrical, rubber-like odor”. There was a ground boom application of herbicide taking place about half a mile away from the school and the application was stopped when the wind speed increased. Nineteen students developed symptoms such as headache, itchy or watery eyes. Swab samples taken on school property did not detect the presence of the herbicide applied.

**Table 5: Pesticide Types and Mode of Exposure
for Children < 18-years old, 2023**

Pesticide Type	Agricultural	Non-Agricultural				
	Off-Site Movement	Direct Contact	Off-site Movement	Residue	Other*/Unknown	Total
Antimicrobial	-	39	8	1	7	55
Fumigant	-	1	-	1	-	2
Fungicide	2	-	-	-	-	2
Herbicide	19	1	-	-	-	20
Insecticide	-	28	3	12	6	49
Repellent	-	1	-	-	-	1
Rodenticide	-	1	-	-	2	3
Total	21	71	11	14	15	132

* Other is a combination of three different exposure types: Other Exposure, Multiple Exposures and Unknown.

MORBIDITY AND MORTALITY

Of the 1,027 cases evaluated as associated with pesticide exposure, 25 people (2%) were hospitalized and 90 (9%) reported time lost from work or normal activity (e.g., going to school) (Table 6). Twenty (80%) of the 25 people hospitalized had ingested pesticide. Of those twenty people, 14 (70%) acknowledged self-harm, of which one was fatal. This individual ingested an unknown amount of a zinc phosphide product obtained from another country.

Table 6: Summary of Pesticide-Associated Hospitalization and Disability, 2023			
Relationship	Cases	Number Hospitalized¹	Number with Lost Work Time²
Definite/Probable	867	24	75
Possible	160	1	15
Total	1,027	25	90

¹ Number of associated cases who were admitted and were hospitalized at least one full day (24-hour period).

² Number of associated cases who missed at least one full day of work or normal activity such as school.

FURTHER INFORMATION

Tabular summaries presenting different aspects of 2023 pesticide illness data are available online at <http://www.cdpr.ca.gov/docs/whs/pisp.htm>, or by contacting the Worker Health and Safety Branch at (916) 445-4222 or email PISP at PISP@cdpr.ca.gov. Additionally, the public can retrieve reports of pesticide illness and generate reports according to their own specifications using CalPIQ, which is available at <http://apps.cdpr.ca.gov/calpiq>. Through this online pesticide illness query application, users can retrieve cases evaluated as definitely, probably, or possibly related to pesticides from 1992 through the most recent year published.

APPENDIX A: ACRONYMS

Ag PCB	Agricultural Pest Control Business
CAC	County Agricultural Commissioner
CalPIQ	California Pesticide Illness Query
CalREDIE	California Reportable Disease Information Exchange
CCR	California Code of Regulations
CDPH	California Department of Public Health
CPCS	California Poison Control System
DFROII	Doctor's First Reports of Occupational Illness and Injury
DIR	Department of Industrial Relations
DPR	California Department of Pesticide Regulation
LHO	Local Health Officer
OEHHA	Office of Environmental Health Hazard Assessment
OHB	Occupational Health Branch (of CDPH)
PIR	Pesticide Illness Report
PISP	Pesticide Illness Surveillance Program
U.S. EPA	United States Environmental Protection Agency

APPENDIX B: GLOSSARY

Agricultural: Cases or episodes that implicate exposure to pesticide(s) intended to contribute to the production of agricultural commodities, including livestock. This includes: 1) agricultural research facilities, 2) handling of raw agricultural commodities in packing houses, 3) drift from agricultural applications into non-agricultural areas, and 4) transportation and storage of pesticides on farmlands. It excludes forestry operations, although they are classified as agricultural for regulatory purposes. It also excludes manufacture, transportation, and storage of pesticides prior to arrival at the site of agricultural production.

Activity Type: Activity of the individual at the time of exposure.

Applicator: Applies pesticides by any method or conducts activities pre- and post-application (e.g., cleans spray nozzles in the field).

Emergency Response: Emergency response personnel (police, fire, ambulance, and HAZMAT personnel) responding to a fire, spill, accident, or any pesticide incident in the line of duty.

Field Worker: Works in an agricultural setting performing tasks such as advising, scouting, harvesting, thinning, irrigating, driving tractor (except as part of an application), field packing, conducting cultural work in a greenhouse, etc. Researchers performing similar tasks in an agricultural field are also included.

Handler, Other or Unspecified: Assists with tasks following an application (i.e., tarp removal during a structural application or soil fumigation, and not ancillary to the application or mix/load activity).

Manufacturing and Formulation: Manufactures, processes, or packages pesticides. This includes “mixing” if it is done in a plant for application elsewhere.

Mechanical: Maintains (e.g., cleans, repairs, conducts maintenance) pesticide contaminated equipment used to mix, load, or apply pesticides, as well as the protective equipment used by individuals involved in such activities. This excludes the following: 1) maintenance performed by applicators on their equipment incidental to the application; and 2) maintenance performed by mixer/loaders on their equipment incidental to mixing and loading.

Mixer/Loader: Mixes and/or loads pesticides. This includes: 1) removing a pesticide from its original container; 2) transferring the pesticide to a mixing or holding tank; 3) mixing pesticides prior to application; 4) driving a nurse rig; or 5) transferring the pesticide from a mix/holding tank or nurse rig to an application tank.

Other Activity: Activity is not adequately described by any other activity category. This includes but is not limited to: 1) dog groomers not handling pesticides; 2) individuals handling pesticide treated wood; 3) two or more activities with potential for pesticide exposure.

Packaging/Processing: Handles (packs, processes, or retails) agricultural commodities from the packing house to the final marketplace. Field packing of agricultural commodities is classified as field worker.

Routine Activity: Combination of three Routine activities: *Routine Indoor*, *Routine Outdoor* and *Routine (Other/Unspecified)*.

Routine Indoor: Conducts activities in an indoor environment with minimal expectation for exposure to pesticides. This includes people in offices and businesses, residential structures, etc. who are not handling pesticides.

Routine Outdoor: Conducts activities in an outdoor environment with minimal expectation for exposure to pesticides. This excludes field workers in agricultural fields. This includes gardeners who are not handling pesticides.

Routine (Other/Unspecified): Conducts activities in an environment with minimal expectation for exposure to pesticides but is not adequately defined as indoor or outdoor. This includes individuals exposed to pesticides while inside a vehicle.

Transport/Storage/Disposal: Transports or stores pesticides between packaging and preparation for use. This includes shipping, warehousing, and retailing, as well as storage by the end-user prior to preparation for use. Disposal of unused pesticides (not ancillary to an application or mix/load activity) is also included in this activity. This excludes driving a nurse rig to an application site.

Application Site: Site of the pesticide application. For crops, this includes applications at the growing site and to the commodity while being packed for sale. For incidents involving drift, the intended application site is listed.

Associated Case: A case that has been evaluated as definitely, probably, or possibly related to pesticide exposure.

Associated Episode: An episode in which at least one corresponding case was evaluated as associated.

Case: Representation of an individual's exposure to a pesticide(s) that may or may not result in an illness and injury.

Disability Days: Number of days in which an individual missed at least one full day (24-hour period) of work or other normal activity, such as school.

Episode: An event in which a particular source appears to have exposed one or more people (cases) to pesticides.

Equipment: Defines the type of application equipment regardless of who performed the application.

Aerosol Can: Disposable pressurized cans designed for intermittent use. The pesticide is propelled out of the can by an inert compressed gas propellant. This excludes foggers.

Aerosol/Fog Generating Equipment: Refillable application equipment designed to disperse pesticide as a small airborne droplet, either in confined spaces or outdoor areas.

Air, Other or Unspecified: Aerial application equipment, other or unspecified. This includes two or more types of aerial application equipment.

Air Blast Sprayer: Ground application equipment with a pump that delivers spray into an air stream created by a large fan at the back of the spray equipment.

Automatic Equipment, Chlorinator: Chlorination units that automatically inject chlorine into water for disinfection purposes. This includes chlorinators for swimming pools, packing houses, and food processing plants.

Automatic Equipment, Other or Unspecified: Equipment that automatically injects the pesticide to the area, or using an automatic dispensing system. This includes equipment attached to milking machinery, dishwashers, ozone generators, etc. This excludes specific automatic equipment already described.

Back Pack Sprayer: Sprayer where the tank is worn on the back of the applicator. This may include compressed, motorized, liquid, granules, or dust.

Chamber: A sealed enclosure used for fumigating or sterilizing its contents.

Drip Irrigation: Chemigation through drip irrigation equipment.

Fixed Wing Aircraft: A fixed wing aircraft.

Fogger: A disposable pressurized can designed for the total release of the contents in a single use. The pesticide is released as a fine mist or dry fog and may be propelled out of the can by an inert compressed gas propellant or through a chemical reaction activated by water.

Ground Boom Below/Behind: Ground application equipment with a spray boom located below the equipment operator with the spray nozzles pointed downward.

Ground Boom, Other or Unspecified: Ground application equipment with a spray boom, where the location of the boom was not specified.

Ground, Other or Unspecified: Ground application equipment, unknown or unspecified. This includes two or more types of ground application.

Hand Pump Sprayer: Hand-held compressed air sprayer with small volume tanks (1 to 5 gallons). This excludes *Back Pack Sprayers*.

Hand, Other or Unspecified: Hand-held types of application equipment not already specified where the equipment must propel the pesticide from a reservoir. This includes two or more types of hand-held application equipment.

Helicopter: A helicopter.

Immersion Equipment: Tanks, trays, sinks, etc. used for the dipping of animals, produce, bulbs, medical equipment, dishes, pots and pans, etc.

Implements with Handles: Mops, brushes, and other implements with handles.

Implements without Handles: Cloths, towels, rags, sponges, and other implements without handles.

Manual Application Methods, Other or Unspecified: Manual type of application methods not already specified where the pesticide is not propelled by any type of equipment. This includes two or more types of manual application methods.

Manual Placement: Pesticide is manually placed directly to the area. This includes bait stations, hand tossed pellets, and direct pouring of a pesticide onto a target surface from a container (such as pouring liquid chlorine directly into swimming pool water). This excludes the placement of fumigation pellet packs in chambers and under tarps.

Other Equipment: Any application methodology not described in any of the equipment categories. This includes two or more types of application equipment.

Power Dusters: Ground application equipment used to apply dust formulated pesticides.

Pressurized Hose-Line Sprayer: Hand-held spray equipment attached by a long hose to a power-pressurized tank.

Shank Injection with Tarps: Ground application equipment that uses a shank or other piece of equipment to directly apply a pesticide into the soil and a tarp is placed over the soil to restrict the pesticide to the application site.

Shank Injection without Tarps: Ground application equipment that uses a shank or other piece of equipment to directly apply a pesticide into the soil except when a tarp is placed over the soil, which is classified under shank injection with tarps. This also excludes surface applied pesticides that are subsequently incorporated into the soil by a cultivator.

Tarp: Tarp placed over a commodity or structure and designed to restrict a fumigant to the application site.

Tape and Seal: A method of sealing a structure to restrict fumigant used to exterminate pests within an enclosed space. Sealing materials such as polyethylene sheeting, laminated paper, nonporous panels, fumigation tape, spray adhesives, foams and insulation materials are used instead. This excludes structures that are enclosed in tarpaulin tents.

Unpressurized Hand-Held Spray Equipment: Hand-held spray bottles (usually plastic) with built-in finger triggers. This includes battery powered continuous spray products and application syringes.

Not Applicable: No application equipment is involved or exposure from original container without known method of application.

Hospitalization: Number of days in which an individual was hospitalized at least one full day (24-hour period).

Illness type: Categorization of the type of symptoms experienced by the affected individual.

Asymptomatic: Exposure occurred, but did not result in illness/injury. Cholinesterase depression without symptoms falls in this category.

Respiratory: Health effects involving any part of the respiratory tree.

Systemic: Any health effects not limited to the respiratory tree, skin, and/or eyes. Cases involving multiple illness symptom types including systemic symptoms are included in the systemic category

Topical: Health effects involving only the eyes and/or skin. This excludes outward physical signs (e.g., miosis, lacrimation) related to effects on internal bodily systems. These signs are classified under ‘Systemic.’

Incident Setting: Location where the incident occurred. The location may not coincide with the application site.

Animal Premise (Veterinary Hospital, Kennels, Not Livestock): Veterinary services, animal research laboratories, animal kennels, animal control facilities, dog grooming facilities, and other services provided for companion animals. This excludes livestock.

Crop/Livestock Processing Facility: Facilities involved in packing, manufacturing, or processing foods or beverages for human consumption and feed products for animals and fowl.

Farm: Areas where agricultural crops are grown. This excludes the following: 1) nurseries and greenhouses which are classified under *Nursery*; 2) livestock and poultry farms; and 3) forestry operations.

Food Processing Facility: A commercial operation that manufactures, packages, labels or stores food for human consumption, and provides food for sale or distribution to other business entities such as food processing plants or food establishments. This includes centralized kitchens that make meals for distribution.

Forest: Establishment engaged in the operation of timber tracts, tree farms, reforestation projects and other forest related activities.

Hospital/Medical: Establishments that provide medical, surgical, and other health services to people. This includes offices and clinics of doctors and dentists, hospitals, medical and dental laboratories, kidney dialysis centers, and other health related facilities.

Industrial or Other Manufacturing Facility: Facilities involved in the mechanical or chemical transformations of materials or substances into new products. This excludes: 1) facilities engaged in manufacture or formulation of pesticides; and 2) facilities engaged in treatment of wood to protect against pest damage.

Landscape, Other: Landscaped ornamental shrub, tree, and other areas. This excludes landscaped areas in any other incident setting.

Livestock Production Facility: Ranches, dairies, feedlots, egg production facilities, hatcheries, and other establishments involved in keeping, grazing, or feeding livestock or poultry for the sale of them or their products. This includes veterinary services provided for livestock.

Multi-Unit Housing: Apartments and multi-plexes and other buildings on property. This includes swimming pools and landscaped areas on the property.

Nursery: Facilities (including greenhouses) growing and selling plants, bulbs, seeds, etc. This includes the production of seedlings for transplanting into agricultural fields or forests.

Office/Business: Commercial establishments including public and private business offices. This excludes retail establishments and service establishments.

Other Setting: Location of exposure occurred at a site not adequately described in any other incident setting category. This includes, but is not limited to, telephone poles, fences, water supply systems, and wastewater treatment plants.

Park: An area of public land set aside for recreation. This includes public swimming pool facilities. This excludes recreational facilities such as amusement parks, physical fitness facilities, etc. which are classified under *Service Establishment*.

Pesticide Manufacturing Facility: Facilities engaged in manufacture and/or formulation of pesticides.

Prison: Establishments for the confinement and correction of offenders as ordered by courts of law. This includes California youth authority facilities.

Residence (Other or Unspecified): Human habitation of unknown type, or of a type not adequately described as single-family home, multi-unit housing, labor housing, or residential institution.

Residential Institution: Dormitories, nursing homes, homeless shelters, and similar facilities.

Residential: A combination of three residential settings: *Single-Family Home*, *Multi-Unit Housing*, and *Residence (Other or Unspecified)*.

Retail Establishment: Businesses engaged in selling merchandise for the consumption of the end-user and providing services related to the products. This excludes restaurants which are classified under *Service Establishment*.

Road/Rail or Utility Right of Way: Roads, rails or utilities, and adjacent right-of-way areas. This includes aqueducts, canals, levees, manholes, landscaped median strips, and vehicles moving along roadways.

School: Establishments that provide academic or technical instruction. This includes daycare centers.

Service Establishment: Establishments primarily engaged in providing services to individuals, businesses, and government. This includes restaurants, hotels, fitness facilities, etc. This excludes medical service establishments.

Single-Family Home: The house and other structures on property intended for use by a single family. This includes swimming pools and landscaped areas on the property.

Wholesale Establishment: Establishments primarily engaged in the warehousing and direct distribution of merchandise to retail establishments or other wholesale establishments. This includes warehousing operations that ship directly to the public.

Non-agricultural: Case or episode in which the pesticide(s) was not intended to contribute to the production of agricultural commodities. This includes: 1) residential pesticide uses, 2) structural pest control, 3) rights-of-way, 4) parks, 5) landscaped urban areas, and 6) manufacture, transportation and storage of pesticides except on farm lands.

Non-occupational: The individual was not on the job at the time of the incident. This category includes individuals on the way to or from work (before the start or after the end of their workday).

Occupational: The individual was on the job at the time of the incident. This includes both paid employees and volunteers working in similar capacity to paid employees.

Pesticide Type: Type of pesticide based on functional class.

Antimicrobials: Pesticides used to kill or inactivate microbiological organisms (e.g., bacteria, viruses).

Cholinesterase Inhibitors: Pesticides known to inhibit the function of the cholinesterase enzyme.

Fumigants: Pesticide in gas or vapor formulation that is released into the air or injected into the application site.

Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

Definite: Relationship indicating a high degree of correlation between the pattern of exposure and resulting symptomatology. Requires both medical evidence (e.g., measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (e.g., environmental and/or biological samples, exposure history) to support the conclusions.

Probable: Relationship indicates a relatively high degree of correlation between the pattern of exposure and resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.

Possible: relationship indicates that health effects correspond generally to the reported exposure, but evidence is not available to support a definite or probable relationship.

Inadequate: relationship in which there was not enough information collected to determine if the pesticide(s) contributed to ill health.

Indirect: relationship in which the pesticide(s) exposure is not responsible, but pesticide regulations or product label requirements contributed to the illness (e.g., heat stress while wearing chemical resistant clothing).

Asymptomatic: a case in which the affected individual did not develop symptom(s).

Unlikely: relationship in which a correlation cannot be ruled out absolutely, but medical and/or physical evidence suggest a cause other than pesticide exposure.

Unrelated: relationship in which there was conclusive evidence of a cause other than pesticide exposure.

Route of Exposure: Route by which the pesticide(s) enters or comes in contact with the body.

Dermal: Exposure via direct contact with the skin

Ingestion: Intentional or unintentional oral ingestion or substance entering the oral cavity. This includes ingestion of residue (on food, produce, toys).

Inhalation: Breathing or inhaling vapors, gases, mists, fumes, odor or particulates into the respiratory tract/lungs.

Injection: Substance was injected into the body by a syringe or when a mechanical injury occurred, involving a contaminated object puncturing the skin.

Multiple: Indicates exposure occurred by two or more distinct routes.

Ocular: Exposure via contact with the eyes.

Type of Exposure: Characterizes the nature of the exposure.

Direct Contact: A combination of two different exposure types: *Direct Spray/Squirt* and *Spill/Other Direct*.

Direct Spray/Squirt: Material propelled by the application or mix/load equipment. Contact with the material can be by direct projection or ricochet. This includes exposure of mechanics working on application or mix/load equipment when the material is forced out by pressure.

Multiple Exposures: Contact with pesticides occurred through two or more distinct mechanisms regardless of the number of pesticides involved.

Off-site Movement: Spray, mist, vapors, or odor carried by air during an application or mix/load activity. Off-site movement as an exposure mechanism does not necessarily correspond to drift as a violation.

Other Exposure: Other known route of exposure that is not included in any other exposure category. This includes, but not limited to: 1) vapors, odor or other indirect contact from pesticide(s) not related to an application or mix/load activity; 2) exposure from smoke or pyrolytic products from a fire where pesticides are burning; and 3) pesticide transfer from contaminated equipment (e.g., from contaminated hand/glove to eye).

Residue: The part of a pesticide that remains in the environment for a period of time following an application or drift. This includes odor after the completion of an application.

Spill/Other Direct: Any of the following: 1) contact where the material is not propelled by the application or mix/load equipment; 2) expected direct contact during use (e.g., washing dishes in a disinfectant solution); 3) leaks, spills, etc. not related to an application; and 4) exposure of people who are in the target area during an application.

APPENDIX C: ADDITIONAL DATA TABLES**Table C1: Summary of Illness/Injury Incidents Reported in California Related to Pesticide Exposure, Summarized Statewide and by County of Occurrence
2023****Statewide**

Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
TOTALS								
Definite		82	54	12	3	13	5	73
Probable		785	259	284	164	78	285	497
Possible		160	34	34	47	45	36	121
TOTAL	708	1,027	347	330	214	136	326	691

County of Occurrence¹

County of Occurrence								
Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
ALAMEDA								
Definite		3	2	1	0	0	0	3
Probable		12	7	4	0	1	0	12
Possible		3	0	0	0	3	0	3
TOTAL	18	18	9	5	0	4	0	18
AMADOR								
Definite		1	1	0	0	0	0	1
Possible		1	1	0	0	0	0	1
TOTAL	2	2	2	0	0	0	0	2
BUTTE								
Definite		1	0	0	0	1	0	1
Probable		4	1	3	0	0	0	3
Possible		2	0	0	0	2	0	2
TOTAL	6	7	1	3	0	3	0	6
CONTRA COSTA								
Definite		3	2	0	0	1	0	3

¹ If a county is not listed, there were no reported illnesses or associated episodes/cases for that county for the year.

Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
Probable		10	2	5	2	1	0	10
Possible		1	0	0	0	1	0	1
TOTAL	14	14	4	5	2	3	0	14
DEL NORTE								
Definite		1	0	1	0	0	1	0
Probable		1	1	0	0	0	0	1
Possible		1	0	0	0	1	0	1
TOTAL	3	3	1	1	0	1	1	2
EL DORADO								
Probable		2	2	0	0	0	0	2
TOTAL	2	2	2	0	0	0	0	2
FRESNO								
Definite		3	1	0	1	1	0	2
Probable		52	3	28	18	3	42	10
Possible		9	0	7	1	1	5	2
TOTAL	21	64	4	35	20	5	47	14
HUMBOLDT								
Probable		1	1	0	0	0	0	1
Possible		1	1	0	0	0	0	1
TOTAL	2	2	2	0	0	0	0	2
IMPERIAL								
Definite		2	2	0	0	0	0	2
Probable		8	1	7	0	0	6	2
TOTAL	6	10	3	7	0	0	6	4
INYO								
Probable		1	0	0	1	0	0	1
TOTAL	1	1	0	0	1	0	0	1
KERN								
Definite		4	3	1	0	0	0	4
Probable		37	20	13	3	1	13	24
Possible		9	2	5	2	0	4	5
TOTAL	46	50	25	19	5	1	17	33
KINGS								

Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
Probable		24	3	20	1	0	21	3
Possible		5	1	1	1	2	1	4
TOTAL	10	29	4	21	2	2	22	7
LAKE								
Probable		2	1	1	0	0	0	2
TOTAL	2	2	1	1	0	0	0	2
LASSEN								
Possible		1	1	0	0	0	0	1
TOTAL	1	1	1	0	0	0	0	1
LOS ANGELES								
Definite		11	8	1	1	1	0	11
Probable		112	50	31	11	20	0	112
Possible		23	11	0	6	6	0	23
TOTAL	127	146	69	32	18	27	0	146
MADERA								
Definite		1	0	0	0	1	0	1
Probable		6	4	1	0	1	2	4
Possible		1	1	0	0	0	0	1
TOTAL	7	8	5	1	0	2	2	6
MARIPOSA								
Probable		1	1	0	0	0	0	1
TOTAL	1	1	1	0	0	0	0	1
MENDOCINO								
Probable		2	0	0	1	1	0	2
Possible		1	0	0	0	1	0	1
TOTAL	3	3	0	0	1	2	0	3
MERCED								
Probable		17	11	3	0	3	3	14
Possible		8	0	1	0	7	0	8
TOTAL	17	25	11	4	0	10	3	22
MONTEREY								
Definite		1	1	0	0	0	1	0
Probable		107	2	36	68	1	100	7

Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
Possible		8	0	5	3	0	7	1
TOTAL	13	116	3	41	71	1	108	8
NAPA								
Probable		1	0	1	0	0	0	1
TOTAL	1	1	0	1	0	0	0	1
NEVADA								
Probable		1	1	0	0	0	0	1
TOTAL	1	1	1	0	0	0	0	1
ORANGE								
Definite		4	3	0	0	1	0	2
Probable		31	16	10	1	4	0	31
Possible		8	1	3	4	0	0	8
TOTAL	42	43	20	13	5	5	0	41
PLACER								
Definite		3	1	0	1	1	0	3
Probable		2	1	1	0	0	0	2
TOTAL	5	5	2	1	1	1	0	5
PLUMAS								
Probable		1	1	0	0	0	0	1
TOTAL	1	1	1	0	0	0	0	1
RIVERSIDE								
Definite		5	4	1	0	0	1	3
Probable		38	19	11	0	8	2	36
Possible		9	5	1	0	3	0	9
TOTAL	49	52	28	13	0	11	3	48
SACRAMENTO								
Definite		1	1	0	0	0	0	1
Probable		14	2	6	3	3	2	12
Possible		5	1	1	0	3	1	4
TOTAL	19	20	4	7	3	6	3	17
SAN BENITO								
Possible		1	0	0	0	1	0	1

Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
TOTAL	1	1	0	0	0	1	0	1
SAN BERNARDINO								
Definite		9	7	0	0	2	0	9
Probable		28	8	9	3	8	0	28
Possible		9	1	0	3	5	0	9
TOTAL	41	46	16	9	6	15	0	46
SAN DIEGO								
Definite		7	5	1	0	1	0	7
Probable		37	24	9	0	4	0	37
Possible		8	0	2	5	1	0	8
TOTAL	40	52	29	12	5	6	0	52
SAN FRANCISCO								
Probable		5	2	3	0	0	0	5
Possible		1	1	0	0	0	0	1
TOTAL	6	6	3	3	0	0	0	6
SAN JOAQUIN								
Definite		4	2	1	0	1	0	4
Probable		21	5	12	1	3	12	8
Possible		2	1	1	0	0	2	0
TOTAL	17	27	8	14	1	4	14	12
SAN LUIS OBISPO								
Definite		1	1	0	0	0	0	1
Probable		2	1	1	0	0	0	2
Possible		1	1	0	0	0	1	0
TOTAL	4	4	3	1	0	0	1	3
SAN MATEO								
Probable		1	0	0	0	1	0	1
TOTAL	1	1	0	0	0	1	0	1
SANTA BARBARA								
Definite		2	0	1	0	1	0	2
Probable		54	2	11	39	2	41	12
Possible		3	0	0	2	1	1	1
TOTAL	20	59	2	12	41	4	42	15

Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
SANTA CLARA								
Definite		1	0	1	0	0	0	1
Probable		20	12	1	3	4	0	20
Possible		6	0	0	6	0	0	6
TOTAL	26	27	12	2	9	4	0	27
SANTA CRUZ								
Probable		6	4	2	0	0	2	4
Possible		1	0	0	1	0	0	1
TOTAL	6	7	4	2	1	0	2	5
SHASTA								
Definite		2	2	0	0	0	0	2
Probable		3	1	1	1	0	0	3
TOTAL	5	5	3	1	1	0	0	5
SISKIYOU								
Probable		2	1	1	0	0	0	2
TOTAL	2	2	1	1	0	0	0	2
SOLANO								
Definite		1	0	1	0	0	0	1
Probable		6	3	2	1	0	0	6
Possible		4	1	0	2	1	0	4
TOTAL	11	11	4	3	3	1	0	11
SONOMA								
Definite		1	1	0	0	0	0	1
Probable		7	3	1	3	0	0	7
Possible		1	0	0	1	0	0	1
TOTAL	8	9	4	1	4	0	0	9
STANISLAUS								
Definite		2	1	0	0	1	1	1
Probable		38	10	24	2	2	20	18
Possible		9	2	3	0	4	5	4
TOTAL	26	49	13	27	2	7	26	23
SUTTER								
Probable		2	2	0	0	0	1	1

Relationship	TOTAL EPISODES	TOTAL CASES	Type of Exposure				Intended Use	
			Direct Contact	Off- Site	Residue	Other/ Unknown	Agricultural	Non- Agricultural
Possible		5	0	0	4	1	0	5
TOTAL	3	7	2	0	4	1	1	6
TEHAMA								
Probable		4	3	0	0	1	0	4
Possible		1	0	1	0	0	1	0
TOTAL	5	5	3	1	0	1	1	4
TULARE								
Definite		3	2	1	0	0	1	2
Probable		34	7	22	2	3	16	18
Possible		4	0	1	3	0	3	1
TOTAL	27	41	9	24	5	3	20	21
TUOLUMNE								
Definite		1	1	0	0	0	0	1
Probable		4	3	1	0	0	0	4
TOTAL	5	5	4	1	0	0	0	5
VENTURA								
Definite		2	2	0	0	0	0	2
Probable		11	7	2	0	2	2	9
Possible		5	0	1	3	1	4	1
TOTAL	16	18	9	3	3	3	6	12
YOLO								
Definite		1	0	1	0	0	0	1
Probable		10	9	1	0	0	0	10
Possible		2	1	1	0	0	1	1
TOTAL	13	13	10	3	0	0	1	12
YUBA								
Definite		1	1	0	0	0	0	1
Probable		3	2	0	0	1	0	3
Possible		1	1	0	0	0	0	1
TOTAL	5	5	4	0	0	1	0	5

**Table C2: Cases Reported in California with Documented Pesticide Exposure,
Summarized by the Type of Illness and the Type of Pesticides
2023**

Type of Illness	Antimicrobials		Cholinesterase Inhibitors ¹		Fumigants ¹		Other Pesticides ²		Total ³
	Occupational	Non-Occupational	Occupational	Non-Occupational	Occupational	Non-Occupational	Occupational	Non-Occupational	
Systemic									
Systemic Only	9	47	12	12	7	2	82	106	281
Systemic with Respiratory Effects	14	47	8	6	3	3	52	75	209
Systemic with Topical Effects	2	6	7	0	4	2	30	38	89
Systemic with Respiratory and Topical Effects	10	9	1	2	4	1	19	11	57
Respiratory									
Respiratory Only	21	57	1	0	0	0	19	44	144
Respiratory with Topical Effects	7	14	1	0	1	0	13	10	46
Topical									
Eye Only	36	29	3	1	2	0	19	22	115
Skin Only	13	1	4	0	0	0	22	22	63
Eye and Skin	3	1	2	0	1	0	8	8	23
TOTAL ⁴	115	211	39	21	22	8	264	336	1,027

- ¹ Illness types involving fumigants that are cholinesterase inhibitors and vice versa are accounted for in each respective column.
- ² Any pesticide that is not an antimicrobial, cholinesterase-inhibiting pesticide, or fumigant.
- ³ Illness type involving a cholinesterase inhibitor that is a fumigant or vice versa is counted as one case in the total.
- ⁴ Totals include nine additional cases for which the activity could not be determined as occupational or non-occupational, or specific illness type was not reported.

**Table C3: Hospitalization and Disability Associated with Illnesses/Injuries
Definitely or Probably Related to Pesticide Exposure in California,
Summarized by Occupational Status and Activity
2023**

Occupational

Activity	Total Cases	Hospitalization			Disability		
		No. Cases	%	Unknown	No. Cases	%	Unknown
Applicator	66	1	1.5	0	11	16.7	22
Field Worker	193	0	0	0	13	6.7	17
Handler (Other or Unspecified)	8	0	0	0	0	0	4
Manufacturing/Formulation	9	0	0	6	0	0	7
Mechanical	5	0	0	0	0	0	3
Mixer/Loader	26	2	7.7	0	8	30.8	8
Other	19	0	0	0	8	42.1	4
Packaging/Processing	4	0	0	0	0	0	4
Routine	45	0	0	0	5	11.1	8
Transport/Storage/Disposal	2	0	0	0	0	0	0
Unknown	10	0	0	0	0	0	7
Total Occupational	387	3	0.8	6	45	11.6	84

Non-Occupational

Activity	Total Cases	Hospitalization			Disability		
		No. Cases	%	Unknown	No. Cases	%	Unknown
Applicator	165	1	0.6	0	6	3.6	54
Handler (Other or Unspecified)	6	0	0	0	0	0	1
Mixer/Loader	12	0	0	0	0	0	4
Other	69	14	20.3	1	16	23.2	36
Routine	198	4	2.0	0	7	3.5	59
Unknown	21	0	0	0	0	0	15
Total Non-Occupational	471	19	4.0	1	29	6.2	169
TOTAL CASES*	867	23	2.7	8	75	8.7	258

* Totals include nine additional cases for which the activity could not be determined as occupational or non-occupational. One case was hospitalized. For five cases, the disability status is unknown and none were hospitalized.

**Table C4: Hospitalization and Disability Associated with Illnesses/Injuries
Possibly Related to Pesticide Exposure in California, Summarized by Occupational
Status and Activity
2023**

Occupational

Activity	Total Cases	Hospitalization			Disability		
		No. Cases	%	Unknown	No. Cases	%	Unknown
Applicator	11	0	0	1	1	9.1	4
Field Worker	18	0	0	0	1	5.6	2
Handler (Other or Unspecified)	3	0	0	0	1	33.3	1
Mechanical	2	0	0	0	1	50.0	0
Mixer/Loader	1	0	0	0	0	0	1
Other	8	0	0	0	3	37.5	4
Packaging/Processing	2	1	50.0	0	1	50.0	1
Routine	7	0	0	0	3	42.9	0
Transport/Storage/Disposal	1	0	0	0	0	0	0
Total Occupational	53	1	1.9	1	11	20.8	13

Non-Occupational

Activity	Total Cases	Hospitalization			Disability		
		No. Cases	%	Unknown	No. Cases	%	Unknown
Applicator	20	0	0	0	1	5.0	14
Mixer/Loader	1	0	0	0	0	0	1
Other	15	0	0	1	1	6.7	10
Routine	59	0	0	0	2	3.4	33
Unknown	10	0	0	0	0	0	9
Total Non-Occupational	105	0	0	1	4	3.8	67
TOTAL CASES*	160	1	0.6	2	15	9.4	81

* Totals include two additional cases for which the activity could not be determined as occupational or non-occupational. None were hospitalized and the disability status of one case was unknown.

**Table C5: Illnesses and Injuries Reported in California Associated with Pesticide Exposure,
Summarized by the Type of Activity and Type of Exposure
2023**

Occupational

Type of Activity	Type of Exposure							
	Off-site Movement	Residue	Direct Spray/Squirt	Spill/Other Direct	Multiple	Other	Unknown	Total
Applicator	16	0	10	31	2	6	12	77
Field Worker	77	127	3	3	0	0	1	211
Handler (Other or Unspecified)	1	0	0	7	0	2	1	11
Manufacturing/Formulation	0	0	0	0	0	9	0	9
Mechanical	0	1	2	2	1	1	0	7
Mixer/Loader	11	0	4	10	1	1	0	27
Other	7	1	2	2	6	9	0	27
Packaging/Processing	6	0	0	0	0	0	0	6
Routine	33	13	1	2	0	2	1	52
Transport/Storage/Disposal	0	0	0	2	0	1	0	3
Unknown	1	0	3	3	0	0	3	10
Total Occupational Cases	152	142	25	62	10	31	18	440

Non-Occupational

Type of Activity	Type of Exposure							
	Off-site Movement	Residue	Direct Spray/Squirt	Spill/Other Direct	Multiple	Other	Unknown	Total
Applicator	99	1	27	33	6	4	15	185
Handler (Other or Unspecified)	1	0	0	5	0	0	0	6
Mixer/Loader	5	0	2	6	0	0	0	13
Other	2	10	6	59	1	5	1	84
Routine	68	59	19	82	2	13	14	257
Unknown	0	1	4	12	0	1	13	31
Total Non-Occupational Cases	175	71	58	197	9	23	43	576
TOTAL CASES*	330	214	83	264	19	54	63	1,027

* Totals include 11 additional cases for which the activity could not be determined as occupational or non-occupational.

**Table C6: Illnesses and Injuries Reported in California Associated with Pesticide Exposure, Summarized by Pesticide(s) and Type of Illness
2023**

Pesticide	Systemic/ Respiratory		Topical		Total	
	Definite/ Probable	Possible	Definite/ Probable	Possible	Definite/ Probable	Possible
Organophosphates						
Acephate	8	1	0	0	8	1
Bensulide	3	0	0	0	3	0
Chlorpyrifos	0	4	0	0	0	4
DDVP	0	0	1	1	1	1
Diazinon	0	0	1	0	1	0
Dimethoate	0	0	1	0	1	0
Malathion	3	0	0	0	3	0
Naled	1	0	0	0	1	0
Tetrachlorvinphos	0	1	0	0	0	1
Pyrethrins and Pyrethroids						
Allethrin	0	1	0	0	0	1
Beta-Cyfluthrin	0	0	0	1	0	1
Bifenthrin	3	2	3	0	6	2
Cypermethrin	16	0	0	0	20	2
Deltamethrin	0	2	0	0	1	2
Esfenvalerate	0	1	0	0	0	1
Fluvalinate	1	0	0	0	1	0
Gamma-Cyhalothrin	5	0	4	0	10	1
Lambda-Cyhalothrin	3	0	1	0	5	0
Permethrin	1	1	2	1	3	2
Other Pesticides						
Abamectin	0	1	0	0	0	1
Adjuvant	6	0	12	0	18	0
Alpha-Chlorohydrin	1	0	0	0	1	0
Alpha-Cypermethrin	0	0	3	0	3	0
Aluminum Phosphide	4	2	0	0	4	2

Pesticide	Systemic/ Respiratory		Topical		Total	
	Definite/ Probable	Possible	Definite/ Probable	Possible	Definite/ Probable	Possible
Amitraz	0	1	0	0	0	1
Azadirachtin	0	2	0	0	0	2
Borax	0	1	0	0	0	1
Boric Acid	1	0	0	0	1	0
Bromethalin	0	0	0	1	0	1
Calcium Hypochlorite	0	0	1	0	1	0
Chlorinated-Cyanuric Acid	5	0	2	0	10	0
Chlorine	1	0	0	0	2	0
Chlorine Dioxide	0	0	0	0	3	0
Cholecalciferol	1	0	0	0	1	0
Copper Sulfate	1	0	0	0	1	0
Cyanuric Acid	0	0	0	0	1	0
Deet	1	1	3	0	4	1
Diatomaceous Earth	0	0	0	0	1	0
Dicloran	0	0	0	0	1	0
Dinotefuran	1	4	0	1	1	9
Diphacinone	0	2	0	0	0	2
Diquat	1	0	0	0	1	0
EPTC	0	0	1	0	1	0
Ethylene Dichloride	1	0	0	0	1	0
Ferric Sodium EDTA	1	0	0	0	1	0
Fipronil	1	0	0	0	1	0
Fosetyl-al	2	0	0	0	2	0
Gibberellic Acid	2	0	0	0	2	0
Glyphosate	2	1	4	0	6	1
Hydrogen Chloride	5	0	4	0	13	0
Hydrogen Peroxide	0	1	0	0	0	1
Indoxacarb	2	2	0	0	2	2
Lime-sulfur	6	0	0	0	6	0
Metaldehyde	0	0	0	0	1	0
Methyl Bromide	0	1	0	0	0	1

Pesticide	Systemic/ Respiratory		Topical		Total	
	Definite/ Probable	Possible	Definite/ Probable	Possible	Definite/ Probable	Possible
Neem Oil	0	1	0	0	0	1
Pendimethalin	0	0	0	0	1	0
Penthiopyrad	10	0	0	0	11	0
Picaridin	0	0	1	0	1	0
Pine Oil	1	0	0	0	1	0
Quaternary Ammonia	9	0	12	2	22	2
Sodium Hypochlorite	56	4	42	0	121	4
Sulfur	1	0	0	0	1	0
Sulfuric Acid	1	0	0	0	1	0
Sulfuryl Fluoride	2	8	1	0	3	8
Thymol	0	0	1	0	1	0
Triclopyr	1	1	0	0	1	1
Zinc Phosphide	2	0	0	0	2	0
Combinations of Antimicrobials	23	0	14	1	60	1
Combinations of Fumigants	8	1	2	0	11	1
Combinations of Fungicides	6	0	3	0	9	0
Combinations of Herbicides	43	5	6	1	52	8
Combinations of Insecticides Including ChE Inhibitor(s)	2	3	0	0	2	3
Combinations of Insecticides Without ChE Inhibitor(s)	52	18	21	2	88	23
Miscellaneous Combinations	142	26	21	1	217	32
Unknown Antimicrobials	7	0	8	0	27	0
Unknown Fungicides	1	1	0	0	1	1
Unknown Herbicides	7	7	3	0	10	7
Unknown Insecticides	32	15	6	2	54	17
Unknown Pesticides	14	5	1	2	16	7
TOTAL	509	127	185	16	867	160

Table C7: Summary of Cases Reported in California Associated with Pesticide Exposure, Summarized by Occupational Status and by Location of the Incident 2023

Incident Setting	Occupational Exposures		Non-Occupational Exposures		Total	
	Definite/ Probable	Possible	Definite/ Probable	Possible	Definite/ Probable	Possible
Animal Premise (Veterinary Hospital, Kennels, not Livestock)	4	0	0	0	4	0
Crop/Livestock Processing Facility	9	3	0	0	9	3
Farm	204	20	1	1	205	21
Food Processing Facility	4	0	0	0	4	0
Golf Course	0	1	0	0	0	1
Hospital/Medical	21	6	0	0	21	6
Industrial or Other Manufacturing Facility	0	1	0	0	0	1
Nursery	5	5	0	0	5	5
Office/Business	5	2	0	0	5	2
Other	9	0	0	0	10	0
Park	3	0	1	0	4	0
Pesticide Manufacturing Facility	10	1	0	0	10	1
Prison	1	0	3	1	4	1
Residential	14	1	419	94	435	95
Residential Institution	1	1	2	2	3	3
Retail Establishment	3	0	1	1	4	1
Road/Rail Or Utility Right Of Way	23	4	8	2	31	6
School	10	2	18	1	28	3
Service Establishment	33	0	18	1	51	1
Wholesale Establishment	3	2	0	0	3	2
Unknown	25	4	0	2	31	8
TOTAL*	387	53	471	105	867	160

* Totals include 11 additional cases for which the activity could not be determined as occupational or non-occupational

**Table C8: Summary of Cases Reported in California as Associated with Pesticide Exposure, Summarized by Gender, Age Distribution, Type of Pesticide, and Type of Use
2023**

Agricultural Use Pesticide Exposure Incidents

Age Group	Pesticides other than Antimicrobial Pesticides			Antimicrobial Pesticides			Total
	Male	Female	Unknown	Male	Female	Unknown	
7–12	1	0	0	0	0	0	1
13–17	1	1	0	0	0	0	2
18–24	19	6	0	0	0	0	25
25–34	60	15	0	0	0	0	75
35–44	36	25	0	1	0	0	62
45–54	27	17	0	0	0	0	44
55–64	7	7	0	0	0	0	14
≥ 65	5	2	0	0	0	0	7
Minor, Unknown Age	1	0	17	0	0	0	18
Adult, Unknown Age	38	30	7	0	0	0	75
Unknown	1	2	0	0	0	0	3
Total Ag Cases	196	105	24	1	0	0	326

Non-Agricultural Use Pesticide Exposure Incidents

Age Group	Pesticides other than Antimicrobial Pesticides			Antimicrobial Pesticides			Total
	Male	Female	Unknown	Male	Female	Unknown	
≤ 6	22	18	0	19	15	1	75
7–12	4	2	0	7	4	0	17
13–17	5	5	0	5	3	1	19
18–24	16	23	0	17	25	0	81
25–34	28	29	0	20	33	0	110
35–44	24	22	0	20	29	0	95
45–54	33	25	0	15	30	0	103
55–64	22	18	0	4	26	0	70
≥ 65	26	25	0	9	16	0	76
Adult, Unknown Age	7	7	0	17	13	1	45
Total Non-Ag Cases	187	174	0	133	194	3	691
TOTAL CASES*	393	279	24	134	194	3	1,027

* Totals include 10 additional cases that could not be determined to be agricultural or non-agricultural use situations.

**Table C9: Agricultural Drift Cases Reported in California as Associated with Pesticide Exposure, Summarized by the Activity of the Exposed Person and by the Type of Application Equipment Used
2023**

Type of Application Equipment Used	Type of Activity		
	Field Worker	Routine	Total
Airblast Sprayers	0	26	26
Electrostatic Sprayer	0	2	2
Fixed Wing Aircraft	24	1	25
Ground Boom, Other or Unspecified	5	0	5
Ground, Boom Below/Behind	29	24	53
Ground, Other or Unspecified	3	8	11
Helicopter	0	14	14
Pressurized Hose-line Sprayers	5	0	5
Shank Injection with Tarps	11	0	11
Shank Injection without Tarps	0	1	1
TOTAL	77	76	153

**Table C10: Agricultural Drift Cases Reported in California Associated with Pesticide Exposure, Summarized by Application Sites
2023**

Application Site	Number of Episodes	Number of Cases
BERRIES		
Strawberries	1	28
CITRUS		
Citrus (Other or Unspecified)	1	6
Oranges	2	2
FIBER CROP		
Cotton	1	1
FORAGE CROP		
Alfalfa	1	1
GRAIN		
Corn	1	5
Grain Crops (Other or Unspecified)	1	21
Rice	1	1
GRAPES		
Grapes	2	11
LEAFY/STEM VEGETABLES		
Cabbage	1	2
Lettuce	1	3
Spinach	1	3
NON-CROP		
Soil	2	12
NUT TREES		
Almonds	9	44
Almonds, Pistachios	1	5
Nut Crops, Nut Trees (Other or Unspecified)	1	1
Pistachios	1	1
Walnuts	1	9
OTHER FRUIT		
Avocados	1	1
STONE FRUIT		
Peaches	1	5
TOTAL	31	162

**Table C11: Illnesses and Injuries Reported in California
Associated with Pesticide Exposure, Summarized by Type of Equipment,
Type of Handler Activity, and Occupational Status
2023**

Occupational

Type of Equipment	Type of Handler Activity			
	Mixer/ Loader	Applicator	Mechanical	Total
Airblast Sprayers	0	1	0	1
Automatic Equipment, Chlorinators	0	0	2	2
Automatic Equipment, Other or Unspecified	0	1	0	1
Back Pack Sprayer	0	6	0	6
Chamber	0	3	0	3
Drip Irrigation Equipment	0	0	0	1
Ground Boom, Other or Unspecified	0	0	0	1
Ground, Other or Unspecified	2	1	1	4
Hand Pump Sprayer	0	1	0	1
Hand, Other or Unspecified	0	4	0	4
Immersion Equipment	0	4	0	4
Implements with Handles	1	6	0	7
Implements without Handles	0	3	0	3
Manual Application Methods, Other or Unspecified	3	1	0	4
Manual Placement	13	5	0	20
Pressurized Hose-line Sprayers	0	7	2	9
Sprinkler Irrigation Equipment	1	0	0	1
Unpressurized Hand-held Spray Equipment	1	6	0	7
Other	0	6	0	6
Not Applicable	3	0	1	8
Unknown	3	22	1	29
Total Occupational Cases	27	77	7	122

Non-Occupational

Type of Equipment	Type of Handler Activity			
	Mixer/ Loader	Applicator	Mechanical	Total
Aerosol Can	0	19	0	19
Aerosol/fog Generating Equipment	0	1	0	1
Back Pack Sprayer	0	4	0	4
Foggers	0	19	0	19
Ground Boom, Other or Unspecified	0	1	0	1
Hand Pump Sprayer	0	3	0	3
Hand, Other or Unspecified	0	25	0	25
Implements with Handles	0	4	0	4
Implements without Handles	0	6	0	6
Manual Application Methods, Other or Unspecified	0	11	0	11
Manual Placement	9	10	0	19
Unpressurized Hand-held Spray Equipment	1	18	0	19
Other	0	8	0	8
Not Applicable	1	2	0	7
Unknown	2	54	0	58
Total Non-Occupational Cases	13	185	0	204
TOTAL CASES*	41	265	7	331

* Totals include 22 additional cases which the activity could not be determined as occupational or non-occupational, or specific handler activity could not be determined.

Table C12: Illnesses and Injuries Reported in California Associated with Pesticide Exposure, Summarized by Type of Exposure and Type of Illness 2023

Type of Exposure	Systemic/ Respiratory		Topical		TOTAL	
	Definite/ Probable	Possible	Definite/ Probable	Possible	Definite/ Probable	Possible
Direct Spray/Squirt	27	5	42	1	77	6
Multiple Exposures	8	7	1	2	10	9
Off-site Movement	186	27	19	2	296	34
Other	22	3	8	1	50	4
Residue	113	35	38	3	167	47
Spill/Other Direct	142	24	67	3	236	28
Unknown	11	26	10	4	31	32
TOTAL	509	127	185	16	867	160

**Table C13: Pesticide-Associated Illnesses and Injuries Reported in California Schools
by Exposure Category and Pesticide Type, and Type of Use
2023**

Exposure	Agricultural				Non-Agricultural				Total
	Antimicrobials	Cholinesterase Inhibitors	Fumigants	Other Pesticides*	Antimicrobials	Cholinesterase Inhibitors	Fumigants	Other Pesticides*	
Off-Site Movement	0	0	0	22	0	0	0	0	22
Direct Spray/Squirt	0	0	0	0	3	0	0	0	3
Spill/Other Direct	0	0	0	0	6	0	0	0	6
TOTAL	0	0	0	22	9	0	0	0	31

* Any pesticide that is not an antimicrobial, cholinesterase-inhibiting pesticide, or fumigant.